Mortality statistics, 1900 to 1904.

Contributors

United States. Bureau of the Census.

Publication/Creation

Washington : G.P.O., 1906.

Persistent URL

https://wellcomecollection.org/works/qwjdh688

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
https://wellcomecollection.org

ent to Prof.Greenwood.
School of Hygiene.



WELLCOME
LIBRARY
General Collections
+M
27

LONDON SCHOOL OF HYGIENE & TROPICAL MEDICINE
LIBRARY
14 DEC 1972

DEPARTMENT OF COMMERCE AND LABOR

BUREAU OF THE CENSUS

S. N. D. NORTH, DIRECTOR

SPECIAL REPORTS

MORTALITY STATISTICS

1900 TO 1904

MEDICAL RESEARCH COUNCIL
LIBRARY.
No. 20707

WASHINGTON
GOVERNMENT PRINTING OFFICE
1906

17087


LONDON SCHOOL OF HYGIENE & TROPICAL MEDICINE
LIBRARY
4 DEC 1972

CONTENTS.

Page.

Letter of transmittal V
Introduction ..... IX–XVII
Movement for uniform registration laws, forms, and statistics IX
Extent and composition of the registration area XIV
The standard certificate of death XIV
Treatment of the returns XVI
Scope of the reports XVI
Summary of results ..... XVII–XX
Population statistics XVII
General death rates XVIII
Death rates in certain countries XVIII
Death rates in registration areas XIX
Death rates in registration states XIX
Urban and rural mortality XIX
Percentage of population and death rates in southern cities XX
Causes of death ..... XX–LVIII
Increase or decrease in death rates by each class of causes XX
Death rates from principal diseases XX
General diseases XXI
Typhoid fever XXI
Malarial fever XXIII
Smallpox XXV
Measles XXVI
Scarlet fever XXVII
Whooping cough XXVIII
Diphtheria and croup XXX
Influenza XXXII
Dysentery XXXIII
Tuberculosis XXXIV
Tuberculosis of the lungs XXXIV
Venereal diseases XXXVII
Cancer XXXVII
Rheumatism XL
Diabetes XLI
Alcoholism XLI
Diseases of the nervous system XLII
Meningitis XLII
Apoplexy and paralysis XLIV
Diseases of the circulatory system XLV
Heart disease XLVI
Diseases of the respiratory system XLVI
Bronchitis XLVII
Pneumonia XLVII
Diseases of the digestive system XLIX
Diarrhea and enteritis L
Cirrhosis of the liver LII
Peritonitis LII
Appendicitis LIII
Diseases of the genito-urinary system LIII
Bright's disease and nephritis LIV
Violence LV

SUMMARY AND RATE TABLES.

Table I.—Population of registration areas: 1900 to 1904 LXI
Table II.—Death rates in registration cities: 1900 to 1904 LXV
Table III.—Number of deaths and death rates per 100,000 of population, in the registration area, from each disease and class of diseases: 1900 to 1904 LXVIII

Page.

Table IV.—Death rates per 100,000 of population in each registration area, from certain principal diseases and classes of diseases: 1900 to 1904 LXXII
Table V.—Number of deaths and death rates per 100,000 of population in the main subdivisions of the registration area, from each specified disease and class of diseases: 1900 to 1904 CLVI
Table VI.—Death rates per 100,000 of population in cities and rural districts of the registration states, from each disease and class of diseases: 1900 to 1904 CLXVI
Table VII.—Number of deaths in each month in the registration area, from certain specified causes: 1900 to 1904 CXCIV
Table VIII.—Proportion of deaths in each month in the registration area, from certain specified causes: 1900 to 1904 CXCVII
Table IX.—Number of deaths in each age group in the registration area, from each specified disease and class of diseases, during the period 1900 to 1904 CC
Table X.—Proportion of deaths in each age group in the registration area, from each specified disease and class of diseases, during the period 1900 to 1904 CCII

GENERAL TABLES.

1900.

Table 1.—Deaths in registration areas, by color, general nativity, parent nativity, and month 4
Table 2.—Deaths in registration areas, at each age 22
Table 3.—Deaths in registration areas, from certain principal diseases and classes of diseases 40
Table 4.—Deaths in registration areas, at each age, by sex, color, general nativity, and parent nativity 58
Table 5.—Deaths in registration areas, from each disease and class of diseases 76
Table 6.—Deaths in the registration area, from each specified disease and class of diseases, by sex and age 82
Table 7.—Deaths in registration states, from each specified disease and class of diseases, by age 90
Table 8.—Deaths in cities of 100,000 population or over, at each specified age, from certain causes 112
Table 9.—Deaths in registration areas, from certain specified causes, in each month, by certain divisions of age 154

1901.

Table 1.—Deaths in registration areas, by color, general nativity, parent nativity, and month 162
Table 2.—Deaths in registration areas, at each age 180
Table 3.—Deaths in registration areas, from certain principal diseases and classes of diseases 198
Table 4.—Deaths in registration areas, at each age, by sex, color, general nativity, and parent nativity 216
Table 5.—Deaths in registration areas, from each disease and class of diseases 234
Table 6.—Deaths in the registration area, from each specified disease and class of diseases, by sex and age 240
Table 7.—Deaths in registration states, from each specified disease and class of diseases, by age 248
Table 8.—Deaths in cities of 100,000 population or over, at each specified age, from certain causes 270
Table 9.—Deaths in registration areas, from certain specified causes, in each month, by certain divisions of age 312

1902.

Table 1.—Deaths in registration areas, by color, general nativity, parent nativity, and month 320
Table 2.—Deaths in registration areas, at each age 338
Table 3.—Deaths in registration areas, from certain principal diseases and classes of diseases 356
Table 4.—Deaths in registration areas, at each age, by sex, color, general nativity, and parent nativity 374
Table 5.—Deaths in registration areas, from each disease and class of diseases 392
Table 6.—Deaths in the registration area, from each specified disease and class of diseases, by sex and age 398
Table 7.—Deaths in registration states, from each specified disease and class of diseases, by age 406
Table 8.—Deaths in cities of 100,000 population or over, at each specified age, from certain causes 428
Table 9.—Deaths in registration areas, from certain specified causes, in each month, by certain divisions of age 470

1903.

Table 1.—Deaths in registration areas, by color, general nativity, parent nativity, and month 478
Table 2.—Deaths in registration areas, at each age 496
Table 3.—Deaths in registration areas, from certain principal diseases and classes of diseases 514
Table 4.—Deaths in registration areas, at each age, by sex, color, general nativity, and parent nativity 532
Table 5.—Deaths in registration areas, from each disease and class of diseases 550
Table 6.—Deaths in the registration area, from each specified disease and class of diseases, by sex and age 556
Table 7.—Deaths in registration states, from each specified disease and class of diseases, by age 564
Table 8.—Deaths in cities of 100,000 population or over, at each specified age, from certain causes 586
Table 9.—Deaths in registration areas, from certain specified causes, in each month, by certain divisions of age 628

1904.

Table 1.—Deaths in registration areas, by color, general nativity, parent nativity, and month 636
Table 2.—Deaths in registration areas, at each age 654
Table 3.—Deaths in registration areas, from certain principal diseases and classes of diseases 672
Table 4.—Deaths in registration areas, at each age, by sex, color, general nativity, and parent nativity 690
Table 5.—Deaths in registration areas, from each disease and class of diseases 708
Table 6.—Deaths in the registration area, from each specified disease and class of diseases, by sex and age 714
Table 7.—Deaths in registration states, from each specified disease and class of diseases, by age 722
Table 8.—Deaths in cities of 100,000 population or over, at each specified age, from certain causes 744
Table 9.—Deaths in registration areas, from certain specified causes, in each month, by certain divisions of age 786

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE AND LABOR,
BUREAU OF THE CENSUS,
Washington, D. C., May 4, 1906.

SIR:

I have the honor to transmit herewith a report presenting mortality statistics of registration states and cities, compiled under authority of section 8 of the act of Congress of March 6, 1902, which provides for the annual collection of these statistics.

This report covers the five calendar years 1900 to 1904. The complete series of general tables adopted is given for each year, separately, but in the analytical tables and the text relating thereto the results are brought together.

The statistics have been compiled in accordance with the International Classification of Causes of Death, which was adopted by the Bureau of the Census as a feature of the movement for the extension of the registration area and the improvement of the mortality data available for statistical purposes. It is gratifying to note that the "standard certificate of death," which was recommended by this Bureau, has been generally adopted by registration officials, and its use has resulted in greater uniformity in the details recorded and greater precision in the statement of causes of death—the two factors upon which accurate classification depends.

A number of states recently have enacted adequate laws providing for the systematic registration of births and deaths, in the formulation and application of which this Bureau has assisted the local authorities in every way possible. As soon as it is demonstrated that the systems thus introduced are being successfully administered, the registration area will be largely increased. There can be no accurate and complete vital statistics for the United States until adequate registration laws are enacted and effectively enforced in every state.

The report herewith submitted was prepared under the supervision of the late William A. King, chief statistician for vital statistics. Shortly after completing the text and tables of this report, Mr. King was taken ill, and he died on April 27. It seems proper that a brief sketch of his official services should be incorporated in the letter transmitting the volume which represents his last and in some respects his best work in the service of the Census.

Mr. King first became associated with census work at the Tenth Census. He returned to it at the organization of the Eleventh Census, and remained in this branch of public service from that time until his death, or almost seventeen years—probably the longest term of continuous service in this field of Government work. At the Eleventh Census Mr. King worked in close association with Dr. John S. Billings, obtaining a thorough training in the subject of vital statistics. He was the *ad interim* clerk in charge of the census work and records in the period between the disbandment of the Eleventh Census and the organization of the Twelfth, and rendered invaluable service to the committees of both houses of Congress when the act for the taking of the Twelfth and subsequent censuses was under consideration. Immediately upon the organization of the Twelfth Census he was appointed chief statistician for vital statistics, and upon the organization of the permanent Census Office he was reappointed to that position.

Mr. King was the originator of the standard certificate of death now in use in practically all the registration states and cities; and his untiring zeal in the great work of standardizing vital statistics and in extending the registration areas entitles him to a rank among the very foremost of the comparatively few men in this country who have devoted their lives to the development of this important branch of statistical science.

Very respectfully,

S. N. D. North

Director.

HON. VICTOR H. METCALF,
Secretary of Commerce and Labor.

MORTALITY STATISTICS
1900 TO 1904

MORTALITY STATISTICS.

INTRODUCTION.

This report marks the beginning of the annual reports on mortality statistics provided for by the act of March 6, 1902, establishing the permanent Census Bureau. Heretofore there have been no general statistics of this kind except at the decennial censuses.

The compilation of the statistics was delayed by the necessity of securing additional legislation affecting the collection of the data; consequently this report presents the statistics for the five years 1900 to 1904. The tables for each year are given in full, just as they would appear if published in separate annual reports, and the same forms of tables will be given in future annual reports.

Under the terms of the law the statistics authorized are restricted to statistics of states and cities which have laws or ordinances requiring the registration of deaths, and which, in the judgment of the Director of the Census, "possess records affording satisfactory data in necessary detail." No comprehensive and accurate mortality or vital statistics for the whole country will be possible until adequate registration laws are enacted and effectively enforced in every state.

Under our form of government all legal provisions on the subject of mortality and vital statistics must be left to the individual and independent action of the states or cities, and while some such provisions exist in many of the states and in most of the larger cities, they have been adopted at different times without reference to any uniform plan. The result is that they differ widely in their requirements and in the amount of statistical data afforded by the records which they secure. A good many of them have been futile from their inception, because the proper fundamental principles were not observed.

The difficulties attending the compilation of the census mortality statistics and the general status of registration matters, together with the work initiated by the Census Bureau to effect some improvement in the statistics for the census year 1900, are described in the Twelfth Census Report on Vital Statistics, Part I, page xii, et seq.

The work referred to was undertaken more particularly for the improvement of the decennial statistics then projected, but the results were most encouraging and indicated that the time was opportune for more systematic and continued efforts, along the same line, to enhance the value of the annual statistics contemplated.

The great desirability of uniformity in the laws, systems, and methods regulating the collection and tabulation of mortality data has long been recognized by all persons who have attempted to make original compilations of the returns from different places or to extract comparable figures from the various statistics published, and frequent efforts have been made to bring about a more satisfactory condition in this respect. Success, however, depends on many things besides a general sentiment in favor of improvement. It requires a vast amount of time and hard, persistent work, such as can be supplied effectually only by a permanent office or bureau which has a paramount interest in the general—as distinguished from the local—results, and is able to act as the agent of the various interests in determining proper procedure, forms, and methods; in publishing the necessary documents and distributing them to all parties whose approval and cooperation are necessary; and in keeping all of the machinery in perfect order after it is put in operation.

The establishment of the Bureau of the Census upon a permanent basis supplied the means by which progress in this direction could be made, and a definite plan for the extension and improvement of registration methods and results was formulated, to be carried out in cooperation with the authorized representatives of the principal organizations interested. In initiating the series of annual reports now provided for, it seems appropriate that a brief review should be given of what has been done, what is being done, and what is contemplated for the future.

Movement for uniform registration laws, forms, and statistics.—The main objects of this movement and the plan adopted may be stated as follows:

1. To determine the reasons for the failure of so many of the laws providing for registration and to formulate the principles on which legislation must be based to avoid failure.

2. To construct and recommend for general adoption, as a standard form for reporting deaths, a certificate, or return, of convenient size and arrangement, that shall provide for all of the details required for legal, statistical, and other purposes.

3. To outline correct methods of practice with respect

to the examination, filing, and preservation of certificates and of making returns to state officials for the guidance of local registrars who receive the certificates and issue burial or removal permits.

4. To decide on a system of classification of the causes of death that will be satisfactory for present statistical purposes, and to furnish compiling officials with a comprehensive statement of the details of the classification, containing a working index by which the deaths reported in thousands of different terms may be uniformly compiled under the proper titles.

5. To furnish all practicing physicians with a descriptive statement of the classification adopted, together with an explanation of its practical application in statistical work, and a list of terms which are very frequently used by them in reporting causes of death, but are not sufficiently definite for correct classification.

6. To advise medical colleges of the nature and scope of the movement undertaken and to suggest a course of instruction in registration methods and statistics.

7. To make a study of the forms of statistical tables published by local authorities in annual reports and monthly or weekly bulletins, with a view to formulating a uniform series of tables considered desirable for this purpose.

8. To enlist the assistance and cooperation of all organizations, societies, and persons interested in the subject of registration or its results, both in reaching satisfactory conclusions regarding each projected step in the proceedings and in carrying each step into practical effect.

A beginning in the execution of this programme was made with the publication of Census Circular No. 71, containing a paper prepared by the experienced and capable registration officials and statisticians constituting the committee on demography and statistics in their sanitary relation, of the American Public Health Association. This paper outlines the essential requirements of a law for the registration of deaths, and prescribes a standard form of death certificate, with an explanation of the use and importance of the items of information called for. (See pages xiv–xvi.)

Following this general plan, the international classification of causes of death, then coming into general use in the United States, was adopted by the Bureau of the Census for its annual reports. In order to make the extensive labor involved in classifying the returns received from all registration areas available for the benefit of local statisticians, a comprehensive index to the classification as applied in practical work was prepared.

The subject of uniformity and progressive action was submitted to the consideration of the Conference of State and Provincial Boards of Health of North America at its meeting in October, 1902, and that body gave its approval to the movement by the appointment of a committee to cooperate in its advancement and by the adoption of the following resolution:

RESOLUTION OF THE BOARDS OF HEALTH CONFERENCE.

Resolved, That a committee be appointed by the Conference of State and Provincial Boards of Health of North America to cooperate with the United States Census Office and with similar committees from the American Public Health Association, American Medical Association, and from other organizations in the promotion of the uniformity and comparability of mortality and other vital statistics and their satisfactory presentation in statistical reports and bulletins.

The Manual of International Classification of Causes of Death was then printed and distributed by the Census Office. This manual explains the titles of the classification and their application in statistical work, compares this classification with that previously used, and gives an alphabetical index showing to which titles nearly 2,000,000 deaths reported at the censuses of 1890 and 1900, in thousands of different terms, were referred. It is fully cross-referenced, and, in addition, the terms are arranged in a tabular list, showing exactly what terms are included under each title. Certain general rules are included for the disposition of cases in which two or more causes of death are jointly reported. All additional terms found in the classification of cases since the Manual was printed have been entered on cards ready for inclusion when a new edition becomes necessary.

The general adoption of the international classification and the use of the Manual referred to will insure a comparability in the various mortality statistics published that can not be secured in any other way. All persons who make use of the international classification are invited to file any notes, criticisms, or suggestions that appear pertinent to them for this purpose. These memoranda or notes will be filed and arranged for presentation to the commission of revision, which holds its next meeting in 1910. In this way the united opinions of all American users of mortality statistics can be made most effective in securing desirable modifications in the classification.

The work of the Bureau of the Census and of the committee on demography, also the Manual and the standard certificate, referred to above, were indorsed and approved by the American Public Health Association at its annual meeting in December, 1902, and the committee was authorized to represent that association in further work along the same lines. The following resolution was adopted by the association:

RESOLUTION OF THE AMERICAN PUBLIC HEALTH ASSOCIATION.

Resolved, That the efforts of the committee on demography and statistics of this association, in conjunction with the United States Census Office, to secure the extension of the registration area by the enactment of suitable laws and the use of a standard form of certificate of death, as shown in Census Circular No. 71, be heartily commended, and that the committee be further authorized and directed to cooperate with the Census Office, the United States Public Health and Marine Hospital

Service, and other departments of the Federal Government interested in vital statistics, and with similar committees from other associations in the work of promoting the adoption of suitable registration laws and the extension of the registration area, the proper compilation and presentation of vital statistics by states and cities in weekly or monthly bulletins and annual reports, and also in further work relating to the extension and practical use of the international classification of causes of death, the disposition of jointly returned causes, and all preliminary work relating to the next decennial revision.

A resolution was drafted and presented to Congress reciting the condition of registration in the United States and the necessity for registration under uniform laws, describing the movement initiated by the Census Office in conjunction with the American Public Health Association, expressing approval of the movement, and requesting "the favorable consideration and action of the state authorities, to the end that the United States may attain a complete and uniform system of registration." This resolution passed both Houses of Congress and was approved by the President on February 11, 1903. The text of the resolution is given below:

RESOLUTION BY CONGRESS.

Whereas, The registration of births and deaths at the time of their occurrence furnishes official record information of much value to individuals; and

Whereas, The registration of deaths, with information upon certain points, is essential to the progress of medical and sanitary science in preventing and restricting disease and in devising and applying remedial agencies; and

Whereas, All of the principal countries of the civilized world recognize the necessity for such registration and enforce the same by general laws; and

Whereas, Registration in the United States is now confined to a few states as a whole and the larger cities, under local laws and ordinances which differ widely in their requirements; and

Whereas, It is most important that registration should be conducted under laws that will insure a practical uniformity in the character and amount of information available from the records; and

Whereas, The American Public Health Association and the United States Census Office are now cooperating in an effort to extend the benefits of registration and to promote its efficiency by indicating the essential requirements of legislative enactments designed to secure the proper registration of all deaths and births and the collection of accurate vital statistics, to be presented to the attention of the legislative authorities in nonregistration states, with the suggestion that such legislation be adopted: Now, therefore,

Resolved by the Senate and House of Representatives of the United States of America in Congress assembled, That the Senate and House of Representatives of the United States hereby express approval of this movement and request the favorable consideration and action of the state authorities, to the end that the United States may attain a complete and uniform system of registration.

Approved, February 11, 1903.

The movement received the approval of the American Medical Association at its annual meeting in May, 1903, the following resolutions being adopted upon the unanimous recommendation of the section on hygiene and sanitary science:

Resolved, That the American Medical Association heartily welcomes the action of Congress in promoting the adoption of complete and uniform systems of registration of vital statistics in the United States, and congratulates the American Public Health Association and the United States Census Office on their useful and effective cooperation for this purpose.

Resolved, That the American Medical Association strongly urges on the state medical societies that special committees be appointed to advocate and secure the passage of satisfactory registration laws in states that do not at present possess them; that county societies support and aid in the execution of such laws as far as possible, and that physicians individually, throughout the United States, endeavor to promote the accuracy and value of the mortality statistics by giving clear and definite statements of causes of death on certificates of death.

Resolved, That the committee on public health of the American Medical Association be instructed to cooperate with the corresponding committees of the American Public Health Association, the Conference of State and Provincial Boards of Health of North America, and with other committees organized for this purpose, and with the United States Census Bureau, the United States Public Health and Marine Hospital Service, and other branches of the Federal Government, in the work of promoting the adoption of suitable registration laws and the extension of the registration area, the proper compilation and presentation of vital statistics by states and cities in weekly and monthly bulletins and annual reports, the use of the standard certificate of death, and also in further work relating to the extension, improvement, and practical use of the international classification of causes of death, the disposition of jointly returned causes, and preliminary work relating to its next decennial revision.

Following this action, the Bureau of the Census prepared a circular (No. 100) containing the resolutions adopted by Congress and the American Public Health Association, the paper The Essential Requirements of a Law for the Registration of Deaths and the Collection of Mortality Statistics, prepared by the committee on demography, and a specimen form of an adequate law, drafted in accordance with the principles laid down by the same committee. Copies of this circular have been sent to the governors of all states that do not now have an effective system of registration, and also to all medical societies, the editors of medical journals, registration officials, and other persons and societies known to be interested in the subject.

The form of law presented in this circular is an improvement in many respects over any of the laws now in operation. The ideas governing its construction may be stated as follows:

1. The creation of a state registration service, fully authorized to carry out the purpose of the law.

2. The prohibition of the burial or removal of dead bodies without a properly authorized permit, based on a complete and satisfactory certificate of death.

3. The use of a uniform certificate for obtaining the information desired as a precedent to issuing the permit.

4. The fixing of the responsibility for making the certificate and filing it with the local registrar, and the obligation to make the return complete in all of its details.

5. The fixing of responsibility on the local registrar for a critical examination of the return and for seeing that all of the information required is properly stated before it is accepted.

6. The fixing of responsibility on the state registrar, or chief administrative officer under the law, for examination of all returns made by local registrars, for immediate action in case of delinquency, and for obtaining corrections, etc.

These provisions are based on the theory that the purpose and intent of any such law is to secure a complete and properly executed return of every death

that occurs; that the form of certificate adopted indicates what constitutes a complete and proper return; and that no return is complete and proper that does not supply the data desired for all purposes of registration as fully and circumstantially as is possible, by searching inquiry, under the conditions of the case.

Replies received from governors show that many of them are favorably disposed toward such legislation, and indicate a probable extension of the registration area that is most gratifying. To insure such a result, however, medical societies, medical journals, and physicians should unite to exert their powerful influence in support of this movement. State and county medical societies in particular, should adopt some concerted plan of action by which the cooperation of the legislative authorities can be secured.

The most perfect laws do not execute themselves, however, and to reach, interest, and instruct those persons whose duty it is to administer the laws or to make reports under them, other circulars have been prepared as follows:

Circular No. 101, Practical Registration Methods, was designed for the guidance of local registrars. This circular describes the standard certificate and explains the use and importance of the various details required concerning each death, outlines a simple system of filing and preserving the records and of making returns to state officials, and gives the titles of the international classification, explaining the relation of causes of death, as reported, to classification for statistical purposes. It also gives a long list of indefinite or unsatisfactory terms frequently used by physicians in reporting deaths, which should not be accepted in such shape, and adds explanatory notes showing what further information should be required in such cases. Copies of this circular have been sent to all registration officials.

Circular No. 102, Relation of Physicians to Mortality Statistics, is issued for the use and benefit of physicians who have to make out certificates of death in compliance with registration laws, by acquainting them with the scope and requirements of the international classification, which has been adopted by all of the registration states and by most of the principal registration cities for the compilation of their mortality statistics. Such statistics, to be comparable, must be uniform; and to be valuable for scientific purposes, must be accurate. Their chief value is in the distribution of deaths by causes, but the causes must be properly stated before the deaths can be properly classified. In this particular the entire value of the statistics depends solely on the lucidity and accuracy with which the physicians supply the information.

In all statistics classifying deaths by causes there is much too large a proportion of unknown or indefinite items, for which the physicians alone are directly responsible and which they alone can remedy.

It is probable that the defect in this particular is due largely to the fact that heretofore there has been no general and comprehensive plan to direct the attention of all physicians to the use of their certificates for statistical purposes, and to point out the necessities and requirements in this respect, by explaining the classification used and by specifying wherein certain returns are incomplete, indefinite, or unsatisfactory. This circular is designed to furnish such information. A copy will be sent to all physicians in the registration area, and it is confidently expected that they will appreciate the importance of the matter and will manifest their appreciation by making out their certificates in conformity with the requirements of the classification.

It should be understood that the classification, in itself, is but a selection and arrangement of *titles*, under which deaths reported in thousands of different terms must be compiled, and that the assignment of any death to the proper title requires a definite statement of the course of disease or the sequence of causes resulting in the death.

Following the detailed list and explanation of the *titles* is a list of indefinite and unsatisfactory *terms* very frequently used by physicians, with notes explaining what further information is necessary. The terms in this list can not be properly classified as given and should never be used without further explanation.

It is not to be expected that a definite and accurate statement of the cause of death can be made in every case. Undoubtedly there will be cases in which the exact cause can not be ascertained and others in which an accurate diagnosis is impossible, but an observance of the suggestions made in this circular will reduce very largely the number of cases that must necessarily be classed as unknown or ill-defined.

What has been said above relates wholly to the statement of the cause of death which is furnished by the physician. But while this is the most important item, a complete return of any death requires a statement of other personal and statistical particulars concerning the death, and the blank certificate or return used for reporting deaths should be regarded as simply a specification, in convenient form, of the legal requirements in the case, all of which are intended to be observed.

The relation to and influence on the mortality from different diseases, of age, sex, color, conjugal condition, nativity, parent nativity, and occupation, are of the utmost importance, and the preparation of uniform statistics for all registration states and cities requires that these items, and others necessary for record, shall be given just as fully and as accurately as the cause of death.

The making out of a certificate of death should not be merely a perfunctory matter. A complete and accurate certificate is required of physicians not only as a legal obligation, but also as a moral obligation to their clients for the protection of the rights and interests of those dependent on them, and, as a professional

obligation, to further the advancement of medical science. In the last respect it should be regarded as one of the highest duties of physicians, as scientific, professional observers, to record their experience in individual cases in accordance with some definite and general system, so that the whole result of such professional observations may be properly classified, tabulated, and analyzed, and thus made to contribute, in the greatest possible degree, to the sum of knowledge essential to material progress in medical and sanitary science and public hygiene. In this respect registration is only an intermediary process—a means of subjecting a mass of observed facts to systematic treatment and their reduction to numerical standards for analysis and comparison. There can be no doubt that if physicians will take this view of the subject, and act accordingly, they can make the statistics derived from their returns much more accurate and valuable.

Circular No. 103, Medical Education in Vital Statistics, gives a synopsis of the circulars previously described; explains the movement for the extension and improvement of registration data and statistics along uniform lines; and suggests that medical colleges and schools provide a course of instruction on registration methods and vital statistics. This circular has been sent to all medical colleges and schools.

The movement initiated by Circular No. 71 was limited at first to efforts to secure the accurate registration of deaths, it being considered that this branch of vital statistics was of primary importance and could be most effectually provided for, and that when the registration of deaths was in effective operation other branches, such as births, might be added and adequate results secured through the same machinery of registration without complicating or endangering the registration of deaths.

It was found, however, that in some states, in which the adoption of registration legislation was stimulated by the efforts described, it was desired to include the registration of births in the original provisions, and accordingly a standard certificate of birth and a form of law providing for the registration of both births and deaths, were drafted by the same authorities, and are given in Circular No. 104.

The Manual and all of the circulars relate to different phases of the same general plan. By means of them it is sought to convey to all persons interested a comprehensive knowledge of the details of the plan and of their relation to the same, in accordance with the ideas and opinions of the experienced registration officials and statisticians who have joined in the movement. The Census Office has cheerfully assumed the labor and expense of preparing, printing, and distributing these documents and of the correspondence incidental thereto, with a view to facilitating the effective cooperation of all those who are interested in this movement for uniformity and accuracy in registration data.

The sole object of these circulars is to promote uniformity in laws, forms, and methods for mutual advantage, and to do so in accordance with the opinions expressed by authorized experts. The forms of laws given in Circular No. 100 and Circular No. 104 are designed, primarily, to apply to states which do not now have effective laws on the subject, and the other circulars have been framed to assist in carrying out laws constructed on the lines indicated. Some of the provisions of law specified and some of the suggestions made as to forms and methods might be adopted to advantage in states and cities now classed as "registration," and it is hoped that whenever changes in existing laws, methods, or forms become necessary or convenient, the authorities will see the advantage of uniformity and will adopt measures in harmony with those described.

The circulars Practical Registration Methods and Relation of Physicians to Mortality Statistics are in many respects applicable, whatever the provisions of existing laws, the forms of certificates, or the methods of practice may be, but they will not be sent to any local registrars or physicians in registration states or cities until such action is approved by the local registration officials. But these officials have almost without exception given their hearty approval and consent, expressing the opinion that the circulars will prove of great value in securing more complete and accurate returns.

The preceding statements describe the movement for the extension and improvement of the registration system and for increasing the value of the recorded data, particularly with reference to their use for statistical purposes—representing the ultimate stage of mortality registration as here considered.

In the practical work of compiling and presenting such statistics there is also room for improvement, in order to make them more complete, more accurate, and more thoroughly comparable. This subject was discussed by the Conference of State and Provincial Boards of Health of North America in 1902 and was covered in the resolution then adopted.

The general adoption of the international classification of causes of death and the use of the Manual insure for the future a much greater degree of accuracy and comparability in the statistics of deaths by causes. But there are other important factors the relation of which to the cause of death and to each other should be shown in a more uniform manner than at present. The action of the committee of the Conference of State and Provincial Boards of Health of North America will, therefore, be directed toward formulating a series of uniform tables to be recommended for use in all annual reports and monthly or weekly bulletins published by registration state, or city offices. To assist in this matter the Census Bureau has collected copies of all published reports containing tabulated vital statistics, and has arranged, classified, and annotated the various forms of tables and turned them over to the committee.

Since this movement was initiated, standard laws providing for the registration of births and deaths have been enacted in California, Utah, Iowa, and Pennsylvania, and in Indiana and Michigan the existing laws for registration of deaths have been supplemented by complete provisions for the registration of births. In Florida the state board of health, which is charged with the collection of vital statistics, has put into effect the suggested provisions for registration of deaths by incorporating them into its "rules and regulations," as it has the legal authority to do. In South Dakota, Nebraska, and Wisconsin laws have recently been enacted which do not, in all respects, agree with the approved forms, but which promise improvement in results. In a number of other states the local health officials have been assisted in drafting measures for submission to the legislatures.

The standard certificates recommended have been very generally adopted, and the correspondence in connection with the yearly collection of returns has led to considerable improvement in the methods pursued in relation to the receipt and filing of the certificates by local officials.

When transcripts of records for any locality are received, they are carefully examined, and if found to be defective to any unusual degree the facts are communicated to the local officials. This practice has, in many instances, resulted in greater care being taken to obtain more complete records, and the statistics have thereby been rendered more accurate.

In considering the statistics presented it should be remembered that the Bureau of the Census has no authority whatever over local registration officials and no control of the machinery of registration. It can neither dictate forms or methods nor secure correction of obvious errors unless the local officials are entirely in sympathy with the suggestions made and willingly cooperate. Moreover, the preparation of the transcripts by the local officials is not obligatory, and if any of them decline to supply the necessary copies or neglect to do so, statistics for the areas they represent must be omitted. Accidents also occur which occasionally prevent the preparation of transcripts.

Registration officials of any experience have generally been prompt in cooperating in the plans for improvement, but the constantly occurring changes bring in new men, whose ideas are not always progressive or do not conform to Census Office standards. For this reason the "registration area," as it is termed, may vary in different years.

Extent and composition of the registration area.—For the decennial mortality statistics of the Twelfth Census, the "registration area" was fixed after the records of deaths obtained from registration sources had been compared with the mortality returns of the census enumerators. The results of this comparison are given in full in the Report on Vital Statistics.[1] The registration area then embraced ten states—Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, District of Columbia, and Michigan—and 153 cities of 8,000 or more population in other states. The aggregate population represented by the entire area was 28,807,269.

The registration law of Indiana, which went into effect January 1, 1900, was in operation for five months of the census year 1899–1900, and as the comparison of the two sets of returns for that period indicated a satisfactory degree of completeness in the registration of deaths, Indiana has been accepted as a registration state. This is the only addition to the registration area since the last report was compiled. Some of the cities included in the report of 1899–1900 have subsequently failed to furnish transcripts of records, or have reverted to the use of a less complete form of certificate which omits important details, and have therefore been dropped from the list of registration cities.

The exact composition of the registration area in each year from 1900 to 1904 is shown in Table 1, giving the estimated population for each state, county, and city (page lxi), and in other tables giving number of deaths and rates in detail.

The recent enactment of registration laws in the several states previously referred to, and the improvement in forms, methods, and results in other states—all growing out of the movement for the extension and improvement of the system of registration—have doubtless increased the area from which satisfactory data can hereafter be procured, and a considerable increase in the proportion of the country covered by registration statistics may be expected as soon as the results in the new areas can be tested.

Any such check on the accuracy of registration in new areas as was afforded by the comparison with the enumerators' returns in 1900 is not now available, and some other plan must be devised for testing the records in case of contemplated additions. To this end the advice and assistance of the committees of the various cooperating associations will be invoked. It is the desire of this Bureau to increase the registration area covered by the statistics as rapidly as the results accomplished under local laws will justify such action, and any plan for determining the accuracy of the returns which may be advocated by the representatives of the principal organizations most directly interested will be accepted.

The standard certificate of death.—The standard form of death certificate formulated by the Census officials and the committee on demography and statistics in their sanitary relation, of the American Public Health Association, and recommended for adoption in all registration areas, is here presented:

[1] Part I, pages xiv-xxxviii.

MARGIN RESERVED FOR BINDING.

8—209.
V. S. No. 98.

WRITE PLAINLY, WITH UNFADING INK—THIS IS A PERMANENT RECORD.

N. B.—Every item of information should be carefully supplied. AGE should be stated EXACTLY. PHYSICIANS should state CAUSE OF DEATH in plain terms, that it may be properly classified. The "Special Information" for persons dying away from home should be given in every instance.

PLACE OF DEATH

County of .....

Township of .....
or
Village of .....
or
City of ..... (No. ....., ... St.; ..... Ward)

[If death occurs away from USUAL RESIDENCE give facts called for under "Special Information."]

[If death occurred in a Hospital or Institution, give its NAME instead of street and number.]

BUREAU OF THE CENSUS

STANDARD CERTIFICATE OF DEATH.

Registered No. .....

FULL NAME .....

PERSONAL AND STATISTICAL PARTICULARS.

SEX | COLOR

DATE OF BIRTH
..... (Month) ..... (Day) 1 (Year)

AGE
..... *years,* ..... *months,* ..... *days*

SINGLE, MARRIED, WIDOWED, OR DIVORCED

BIRTHPLACE (State or country)

NAME OF FATHER

BIRTHPLACE OF FATHER (State or country)

MAIDEN NAME OF MOTHER

BIRTHPLACE OF MOTHER (State or country)

OCCUPATION

THE ABOVE STATED PERSONAL PARTICULARS ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF

(Informant) .....

(Address) .....

Filed

..... 190 .....

Registrar

C—277

MEDICAL CERTIFICATE OF DEATH.

DATE OF DEATH

..... 190 ....
(Month) (Day) (Year)

I HEREBY CERTIFY, That I attended deceased from

..... 190 ..... to ..... 190 .....

that I last saw h..... alive on ..... 190 .....,

and that death occurred, on the date stated above, at .....

.....M. The CAUSE OF DEATH was as follows:

.....

.....

.....

..... (DURATION) ..... DAYS

Contributory .....

..... (DURATION) ..... DAYS

(Signed) ..... M. D.

..... 190 ..... (Address) .....

SPECIAL INFORMATION only for Hospitals, Institutions, Transients, or Recent Residents.

Former or Usual Residence ..... How long at Place of Death? ..... Days

Where was disease contracted, if not at place of death? .....

PLACE OF BURIAL OR REMOVAL | DATE OF BURIAL ..... 190 .....

UNDERTAKER | ADDRESS

This form may be adapted to local use by substituting the title of the state registration department, or the name of the city, for "Bureau of the Census," thus making a change in the heading only. Transcripts of local records for the Census statistics are obtained by supplying blank copies of the form, by which means a separate return is secured for each death. Particular attention is directed to the "special information" concerning deaths in hospitals or other institutions or of persons dying away from home, the use of which is explained below.

Treatment of the returns.—The certificate of death is required to be filed with the registration official of the district in which the death occurs, without regard to the actual residence of the decedent or any other facts bearing upon the case, and the records of deaths for the Census statistics are obtained from the places where the deaths are registered.

The fact that very many of those persons, who in the advanced stages of disease, leave their homes and go elsewhere for medical or surgical treatment or for the benefits of climate, die away from home, greatly increases the number of deaths registered in the cities in which most of the large hospitals and public institutions are located, and also in localities which are known to possess a salubrious climate, and have acquired a reputation as "health resorts." Thus all cities suffer, to a greater or less extent, by the inclusion of deaths occurring within their boundaries, but not properly chargeable against their resident population.

It is quite natural, under these conditions, that some of the officials who compile local statistics should exclude deaths of those whom they consider nonresidents, but the practice of these officials is not uniform, the term nonresident being defined differently in different localities. In some cases the legal qualification of residence for voting purposes is adopted; in others, the place of residence stated in the certificate is accepted, regardless of the length of absence from the same; and in still others, deaths occurring in all or in certain institutions are excluded.

To obtain accurate and uniform data as a guide to the proper disposition of such cases, the standard certificate calls for a special statement concerning all persons dying away from their usual residence, and makes possible the segregation of deaths occurring in hospitals and other institutions. In all such cases the specifications of former or usual residence, length of time at the place of death, and place where the disease was contracted are required, and these items, together with the duration of the disease, if fully stated, would make it possible to distribute the deaths with approximate accuracy, and thus obtain death rates which are appropriate for the population of the locality to which they refer.

This can not be done, however, until the information is supplied concerning all such cases in the registration area. Where the standard certificate is in use the data are being furnished quite fully, but there are many places in which the facts are not disclosed by the returns. For the present, therefore, the deaths must be compiled according to the place of occurrence.

Scope of the reports.—The data concerning deaths collected as a basis for this report are similar to those secured for the census year 1900 and used in the compilation of the Twelfth Census mortality statistics, but the amount of detail involved in a complete presentation of all of the factors having an influence on the mortality in their relation to each other is so extensive that all can not be shown in the limits of any practicable report published annually. Moreover, comparable population details, such as would be required for an accurate and complete analysis of mortality returns, are lacking for the intercensal years.

All of the details reported have, however, been transferred to the cards used in the mechanical tabulation, and are available for a more extensive compilation covering the period 1900 to 1910, or any other period for which corresponding population data can be obtained. The accumulation of material in this shape will also afford data for any special reports, dealing with particular phases of mortality, when the character and quantity of material and the period of time covered are sufficient to justify such action. Special interests of sufficient importance may be served by special reports, but the general reports, being designed to furnish information of the greatest general utility, can not give space to an exhaustive presentation of subjects of limited usefulness, even if the data were available or sufficiently complete and accurate, which is not always the case.

It has been alleged that there is need on the part of insurance interests for specialized mortality investigations with reference to occupations, and that the Twelfth Census mortality statistics were inadequate in that respect. With the idea that the continued accumulation of material might in time furnish sufficient data for a special report designed to serve such interests, the Actuarial Society of America was invited to appoint a committee to visit the Census Bureau and examine the material collected to determine the extent of its usefulness for the purpose, and to submit recommendations as to the scope and contents of such a report. After considering the matter at length the society concluded that it would involve too much labor to investigate the material sufficiently to decide the question of its usefulness and applicability and to designate the compilations desired, and the invitation was declined.

The registration area as now constituted embraces 11 states and 334 cities of at least 8,000 population in 1900. Since these 11 registration states include 320 counties, there are 654 areas for which it is desirable to give the greatest amount of information that can be presented in the comparatively small space allowed, and the amount of condensation required to do this is

not always appreciated. After careful consideration and consultation with experienced registration officials the tables described below have been adopted, as meeting the general requirements as fully as is practicable under the conditions.

Table 1 gives the deaths in each registration state, city, and county, by color, general nativity, parent nativity, and month of death.

Table 2 gives the deaths in each registration state, city, and county, by single years of age under 5 years, and by quinquennial age periods for ages above 5 years.

Table 3 gives the deaths in each registration state, city, and county from certain principal diseases and classes of diseases.

Table 4 gives the deaths in the registration area and its subdivisions and in each registration state, by sex, color, general nativity, and parent nativity, in relation to age.

Table 5 gives the deaths in the registration area and its main subdivisions, and in the cities and rural districts in each registration state, from each cause tabulated separately. This table covers the entire list of causes of death embraced in the international classification as adopted for the Census statistics, and gives a greater number of causes than are presented in any other table. It is given only for the areas mentioned above, since the comparison of urban and rural mortality in connection with locality can be shown only for the registration states, but the data have been compiled for each of the 654 cities and counties and a manuscript copy is maintained from which the results in individual areas, year after year, can be supplied.

Table 6 gives the aggregate deaths in the registration area from each disease and class of diseases, by sex and age.

Table 7 gives the deaths in each registration state from each disease and class of diseases, by single years of age under 5, and by decennial periods of ages from 10 upward. The list of causes is the same as that given in Table 6 for the entire registration area.

Table 8 gives the deaths from certain specified causes in each registration city of 100,000 or more population in 1900, by single years of age under 5, and by decennial periods of ages from 10 upward.

Table 9 gives the deaths in the registration area, the cities, and the rural districts from certain causes, in each month, in relation to age.

The series of tables described above is given for each year, with the same numbers, so that the number of any table for any year is the same as that of the corresponding tables for other years.

A series of summary and rate tables, presented in this report, gives data contained in the general tables, together with death rates or number of deaths per 100,000 of population and the per 1,000 distribution of deaths, by months and age periods. The series comprises Tables I to X:

Table I gives the enumerated or estimated population of each state, county, and city in the registration area for each year from 1900 to 1904.

Table II gives, for each registration city, the annual number of deaths from all causes per 1,000 of population.

Table III gives, for the registration area, the annual number of deaths from each disease and class of diseases and the corresponding death rates.

Table IV gives, for the registration area and its main subdivisions, for each registration state and city, and for each county in the registration states exclusive of cities, the annual death rates from certain principal causes of death.

Table V gives, for the registration area and its main subdivisions, the annual number of deaths from each disease and class of diseases and the corresponding death rates.

Table VI gives, for the cities and rural districts of the registration states, the annual death rates from each disease and class of diseases.

Table VII gives, for the registration area, the distribution, by months, of the annual number of deaths from each disease and class of diseases.

Table VIII gives, for the registration area, the per 1,000 distribution, by months, of the annual number of deaths in known months from each disease and class of diseases.

Table IX gives, for the registration area, the distribution, by age periods, of the total number of deaths from each disease and class of diseases during the five years covered by this report.

Table X gives, for the registration area, the per 1,000 distribution, by age periods, of the total number of deaths in known age periods from each disease and class of diseases during the five years covered by this report.

SUMMARY OF RESULTS.

POPULATION STATISTICS.

The computation of mortality rates for intercensal years requires that the population of each area shall be estimated. This is much more difficult in the United States than in many countries in which the population is annually estimated by registration officials for the same purpose. In these other countries an accurate registration of births affords a valuable factor in the calculations, but no such data are available in the United States. Another difficulty arises from the fact that the present registration states, and most of the registration cities, are in sections of the country in which the accessions from immigration are greatest, and for this and other reasons the changes in population are likely to be most abrupt and far-reaching. The subject has been given very serious consideration by the Census officials, with a view to determining the most reliable method of estimating. Twelfth Census Bulletin, No. 135, Methods of Estimating Popula-

tion, gives an extensive comparison of the results of different methods. Such comparison shows that a constant *amount* of increase corresponds much more nearly with the observed rate of growth between censuses than a constant *rate* of increase. This indicates, therefore, that an annual addition of one-tenth of the numerical increase between 1890 and 1900 most closely approximates the facts in projecting the population for intercensal years between 1900 and 1910.

This study of the usual methods and their applicability led to the adoption of the plan indicated, and Census Bulletin 7, giving the estimated populations for 1901, 1902, and 1903 was prepared upon that basis. It follows, as a matter of course, that the results are correct to the extent that the actual growth corresponds with that previously observed; there are doubtless individual cases in which they are wide of the truth.

The estimates for some of the states and cities can be corrected when the results of state censuses taken in 1905 are available. They will establish a new point from which to estimate the population for the years between 1905 and 1910, the date of the next Federal census.

State censuses were taken in Florida, Iowa, Kansas, Massachusetts, Minnesota, New Jersey, New York, North Dakota, Oregon, Rhode Island, South Dakota, Wisconsin, and Wyoming in 1905, and in Michigan in 1904, but the results were not known in time to correct the estimates of population made for this report. It is presumed, however, that they will be available before the annual report for 1905 is compiled, in which case corrections will be made in that report.

The estimates give only the aggregate population of the units of the registration area. It would be most advantageous if the distribution of the population by age, sex, color, nativity, and parent nativity could be ascertained, as the influence of these factors upon mortality is most important. An approximate distribution could ordinarily be made by assuming that the proportions of each age, sex, etc., remained the same as in 1900, but the results of experimental work in this direction indicate that the changes which have occurred have disturbed the proportions existing in 1900 to an extent which renders any death rates based upon such assumed proportions inaccurate and misleading.

There has been a phenomenal amount of immigration since 1900, and also a vast increase in industrial activity, and each of these movements has probably affected the area covered by the registration records to a much greater extent than the remainder of the country. The disproportion of the sexes among the immigrants—the numbers being nearly 2,500,000 males to 1,000,000 females—and the effect of this large accession upon the age distribution of the population probably account sufficiently for the discrepancies found in the experimental work, to which reference has been made. For these reasons no attempt is made in this report to go beyond the gross death rates in registration areas, and all of these must be regarded as approximations only.

For the year 1900 the population of the registration area represented in the statistics was 30,765,618, and for 1904 it was estimated to be 32,996,989. The increase occurred entirely in the cities, and principally in the cities of registration states. The rural population represented was 9,288,506 in 1900 and 9,272,731 in 1904.

Table I (page lxi) shows the actual population on June 1, 1900, and the estimated population on June 1 of each year from 1901 to 1904 of each area for which statistics of deaths are given.

GENERAL DEATH RATES.

The number of deaths reported in 1900 was 539,939, and the death rate per 1,000 of population was 17.6. In 1901 the number of deaths fell to 518,207 and the rate to 16.6. A further decline occurred in 1902, when the number of deaths reported was 508,640 and the rate was 16.0. A slight increase occurred in 1903, the number of deaths being 524,415 and the rate, 16.2; and a somewhat greater increase followed in 1904, when 551,354 deaths occurred and the rate was 16.7. The average annual rate for the 5 years was 16.6 per 1,000.

Death rates in certain countries.—The corresponding rates in certain foreign countries, as given in the reports of the Registrar-General of England, are shown in the following table:

COUNTRY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Registration area of United States	16.6	17.6	16.6	16.0	16.2	16.7
England and Wales	16.7	18.2	16.9	16.2	15.4	(1)
Scotland	17.5	18.5	17.9	17.2	16.6	(1)
Ireland	18.1	19.6	17.8	17.5	17.5	(1)
Germany	20.7	22.1	20.7	19.4	(1)	(1)
Prussia	20.3	21.8	20.5	19.2	19.8	(1)
Norway	14.9	15.9	14.9	13.9	14.8	(1)
Sweden	15.8	16.8	16.1	15.4	15.1	(1)
Hungary	26.3	26.9	25.4	27.0	26.1	(1)
Netherlands	16.7	17.8	17.2	16.3	15.6	(1)
Belgium	17.6	19.3	17.2	17.3	17.0	(1)
Switzerland	18.0	19.3	18.0	17.2	17.6	(1)
Spain	26.9	28.9	27.7	26.1	25.0	(1)
Italy	22.5	23.8	22.0	22.1	22.2	(1)

[1] Figures not available.

This table shows that the average annual death rate in the registration area of the United States was less than the rate in any of the countries specified except Norway and Sweden.

It also shows that there was a marked decline in the rates in all of the countries from 1900 to 1903, the rate being less in 1901 than in 1900 in every country, and less in 1902 than in 1901 in every country except Hungary, Belgium, and Italy. In 1903 the rates in all of the countries were less than in 1900, but there was a slight

increase in the rates over those for 1902 in the United States, Prussia, Norway, Switzerland, and Italy.

The lack of figures for 1904 makes it impossible to tell whether the slight increase in the United States is consonant with the tendency in other countries, but the general agreement of the figures indicates that the influences affecting the mortality have been much the same in all of the countries.

Death rates in registration areas.—The following table gives the death rates for each year in the registration area and its subdivisions:

AREA.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	16.6	17.6	16.6	16.0	16.2	16.7
Registration cities	17.5	18.6	17.4	17.0	17.1	17.6
Registration states	16.2	17.2	16.4	15.5	15.6	16.5
Cities in registration states	17.8	18.9	17.8	17.1	17.1	17.9
Rural part of registration states	14.3	15.2	14.6	13.4	13.8	14.5
Registration cities in other states	17.3	18.2	17.0	16.9	17.1	17.2

It will be seen from this table that there was in all areas a progressive decline from the 1900 rates up to 1903, when there was a very small increase apparent in all areas except the cities in registration states, for which the rate remained stationary. The further increase in the rate for 1904 over that for 1903, on the contrary, was equally marked in the cities of the registration states and in the rural areas.

Death rates in registration states.—The figures for the individual registration states are given below:

REGISTRATION STATE.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Total	16.2	17.2	16.4	15.5	15.6	16.5
Connecticut	16.3	18.0	16.1	15.3	16.2	15.9
District of Columbia	20.9	22.3	21.4	20.1	20.3	20.8
Indiana	13.3	14.2	13.8	12.8	12.2	13.5
Maine	16.2	17.1	16.1	15.4	15.9	16.5
Massachusetts	16.7	18.3	16.8	16.3	16.4	16.0
Michigan	13.4	14.0	13.4	12.7	13.2	13.6
New Hampshire	16.7	18.5	16.8	15.9	16.5	16.0
New Jersey	16.6	17.8	16.5	15.9	15.9	17.2
New York	17.5	18.2	17.8	16.6	16.7	18.2
Rhode Island	18.6	20.5	18.2	17.9	19.0	17.5
Vermont	16.1	16.6	16.6	15.0	16.2	16.0

These figures show that the fall in the death rate between 1900 and 1902 was common to all the registration states; that in 1903 it was followed by a rise in every state except Indiana and New Jersey; and that in 1904, as compared with 1903, the rate increased in 6 states and declined in 5. The minimum rate was that for 1902 in every state except Indiana, Massachusetts, and Rhode Island, these states showing still lower rates either in 1903 or 1904.

Urban and rural mortality.—Comparisons of urban and rural mortality can only be made for the registration states, and the following table shows the death rates in the cities of 8,000 or more population and the rural districts of such states:

REGISTRATION STATE.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION: 1900 TO 1904.											
	Annual average.		1900		1901		1902		1903		1904	
	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Total	17.8	14.3	18.9	15.2	17.8	14.6	17.1	13.4	17.1	13.8	17.9	14.5
Connecticut	16.6	15.7	18.0	18.1	16.4	15.5	15.7	14.5	16.8	15.0	16.1	15.5
Indiana	15.3	12.7	16.9	13.7	15.2	13.3	14.7	12.1	14.6	11.3	15.7	12.8
Maine	18.9	15.6	20.1	16.5	18.4	15.6	18.4	14.8	18.4	15.4	19.5	15.9
Massachusetts	16.9	16.2	18.5	17.5	17.1	16.2	16.6	15.2	16.6	15.9	15.9	16.1
Michigan	14.7	12.8	15.4	13.5	14.5	12.9	14.6	11.9	14.9	12.5	14.3	13.3
New Hampshire	17.3	16.4	19.4	18.0	17.2	16.5	16.8	15.3	16.9	16.2	16.1	15.9
New Jersey	18.4	14.2	19.4	15.5	18.2	14.3	17.8	13.4	17.6	13.5	19.2	14.4
New York	18.6	15.0	19.5	15.5	18.9	15.4	17.7	14.0	17.6	14.6	19.4	15.5
Rhode Island	18.6	18.6	20.4	20.7	18.2	18.2	18.2	17.2	19.0	19.1	17.4	17.9
Vermont	16.9	15.9	17.6	16.4	16.6	16.6	15.4	15.0	17.9	15.9	17.1	15.8

It appears from this table that the average annual death rate in the rural districts of the registration states, 1900 to 1904 (14.3), was 3.5 per 1,000 less than in the cities of 8,000 or more population in the same states (17.8). Rhode Island is the only state in which the rate was as high in the rural districts as in the cities. In Massachusetts, Connecticut, and New Hampshire the urban rate exceeded the rural by less than 1 per 1,000. The excess was greatest in New Jersey, New York, and Maine.

It is probable that a considerable proportion of the difference in the rates between the rural and urban districts is due to the fact that residents of the former, when critically ill, resort to the hospitals and institutions in the cities for treatment, and when deaths occur they are registered in the cities and increase the mortality of the latter. (See remarks under "treatment of returns," page xvi.)

The death rates from each reported cause are given in Table VI (page clxvi) for the urban and rural areas of the registration states, and the death rates from certain principal causes are given in Table IV (page lxxii) for each city in the registration area and for each county, exclusive of cities, in the registration states.

The average annual and the yearly death rates in each registration city of 8,000 or more population from which returns were received are shown in Table II (page lxv).

It should be understood that the term "city" is used in the broadest sense and includes all incorporated places variously designated as cities, boroughs, towns, etc.

Percentage of population and death rates in southern cities.—Among the 345 cities included in Table II (page lxv) there were 44 in which the average annual death rate was 20 or more per 1,000. Nineteen of these cities, however, are located in the Southern states and contain a large proportion of colored population, the death rate of which, in general, largely exceeds that of the whites. The death rates in these cities can not be shown by race except for the year 1900. This is done in the following table, which gives the average annual death rate, 1900 to 1904, per 1,000 of the total population, the percentage of white and colored population in the year 1900, and the death rates of the two races in that year:

CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION.			PER CENT OF POPULATION: 1900.	
	Annual average: 1900 to 1904.	1900		White.	Colored.
		White.	Colored.		
Southern registration cities	22.6	20.2	35.2	70.7	29.3
Alexandria, Va	23.0	20.5	35.2	68.7	31.3
Annapolis, Md	22.2	20.0	41.8	64.7	35.3
Atlanta, Ga	22.3	18.6	27.4	60.2	39.8
Baltimore, Md	20.1	19.2	33.3	84.3	15.7
Charleston, S. C	31.3	22.9	44.3	43.4	56.6
Frederick, Md	21.8	17.9	28.0	83.5	16.5
Jacksonville, Fla	28.1	26.6	32.8	42.8	57.2
Key West, Fla	24.0	23.5	26.3	67.3	32.7
Lynchburg, Va	21.6	20.5	36.1	56.3	43.7
Mobile, Ala	24.4	22.5	33.0	55.6	44.4
New Orleans, La	23.1	21.2	40.9	72.8	27.2
Norfolk, Va	22.5	18.8	38.0	56.4	43.6
Petersburg, Va	27.5	25.2	35.2	50.7	49.3
Raleigh, N. C	25.4	23.1	39.7	58.1	41.9
Richmond, Va	25.7	23.7	37.6	62.1	37.9
San Antonio, Tex	24.4	22.7	23.2	85.7	14.3
Savannah, Ga	27.3	23.4	38.0	48.1	51.9
Washington, D. C	20.9	18.3	30.9	68.7	31.3
Wilmington, N. C	28.2	24.8	36.9	50.3	49.7

CAUSES OF DEATH.

The most important item in mortality statistics is the cause of death, and accurate classification is dependent upon the exactness with which the cause is stated in each case.

One object of the movement for improvement in registration methods and results, described in the introduction, was to secure greater accuracy in the returns; and that progress is being made in this respect is evident from the fact that the number of deaths in which the cause was stated as "unknown" was reduced from 3,024 to 1,593, or nearly 50 per cent, between 1900 and 1904, and the further fact that the number of cases necessarily classed as "ill-defined" decreased nearly 40 per cent in the same period.

These facts indicate a progressive tendency toward greater accuracy in the general statement of causes of death, which doubtless affects all of the titles of the classification. Careful examination by local registrars of certificates presented for record, and an insistence that the cause be satisfactorily stated in each doubtful case will further increase the accuracy of the statistics.

Table III (page lxviii) gives, for the total registration area, the deaths in each year and the aggregate for the five years from each cause and class of causes, with the death rates per 100,000 of population. This table gives the figures for each separate cause included in the detailed classification and also includes totals for each class of causes and for certain groups of causes.

Increase or decrease in death rates by each class of causes.—Taking up the classes of causes for which the figures are given in Table III (page lxviii), the following table shows the rates in 1900 and the amount of increase or decrease in the rates for each subsequent year, in comparison with the previous year:

CAUSE OF DEATH.	DEATHS PER 100,000 OF POPULATION: 1900 TO 1904.				
	Number in 1900.	Increase (+) or decrease (−) from—			
		1900–1	1901–2	1902–3	1903–4
All causes	1,755.0	−97.1	−60.3	+19.3	+54.0
General diseases	478.6	−13.0	−30.6	+15.4	+2.8
Diseases of nervous system	208.8	−15.5	−7.0	−6.5	+3.8
Diseases of circulatory system	147.2	+0.8	+6.6	+6.6	+12.2
Diseases of respiratory system	256.2	−25.6	−7.5	−4.4	+14.6
Diseases of digestive system	226.2	−24.8	−9.2	−3.4	+11.6
Diseases of genito-urinary system	105.9	+1.3	+1.5	+8.5	+5.4
Childbirth[1]	26.7	+0.8	−1.3	+2.0	+2.8
Diseases of skin	8.0	−0.3	−0.6	+0.5	−0.3
Diseases of locomotor system	2.2	+0.4	+0.1	+0.3	(2)
Malformations	11.5	−0.4	−0.3	+1.6	+0.9
Early infancy	76.9	−10.6	+2.2	+0.9	+3.3
Old age	50.4	−3.2	−2.5	−5.3	−0.2
Violence	96.0	+10.6	−8.8	+11.8	+1.4
Ill-defined diseases	73.8	−17.2	−3.6	−7.7	−2.9

[1] Rates based on approximate female population. [2] No change.

From the general view of the results given in this table it appears that there was a regular increase in the rates, year after year, from two classes of causes only—diseases of the circulatory system and diseases of the genito-urinary system; the aggregate increase in 1904 over 1900 was 26.2 for the former, and 16.7 for the latter. There was also a yearly increase in the rates due to diseases of the locomotor system up to 1903, but not in 1904, the rate remaining stationary.

There was an apparently progressive decrease in the rates due to causes classified as "old age" and "ill-defined diseases," which should be attributed to a more definite statement of the cause of death rather than to any actual decrease in the number of deaths.

Death rates from principal diseases.—A comparison of the rates for all of the classes given in the preceding table in connection with those for the individual causes

given in Table III (page lxviii) indicates that the generally increasing rates are due principally to causes occurring with greater frequency in adult life or advanced age, while the irregular rates occur more particularly in connection with the epidemic diseases, or those most affected by variations in meteorologic or climatic conditions. This is shown more clearly in the following table, which gives the death rates for all diseases in the registration area in which the average annual rate for the five years amounts to 10 or more, the diseases being grouped to show progressively increasing rates, progressively decreasing rates, and rates showing irregular variations. This table includes only deaths from disease, those from violence being omitted.

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Causes with increasing rates:						
Heart disease	120.9	111.2	113.9	118.0	125.5	134.8
Nephritis and Bright's disease	94.6	89.0	89.6	91.5	98.1	104.2
Apoplexy	69.2	67.5	68.4	68.7	68.8	72.2
Cancer	66.6	63.1	64.6	65.4	68.9	70.9
Cirrhosis of liver	14.1	12.9	13.7	14.0	14.6	15.2
Diabetes	11.0	9.7	10.3	10.4	11.4	12.9
Appendicitis	10.6	9.7	10.0	10.1	11.1	12.0
Causes with decreasing rates:						
Old age	44.1	50.4	47.2	44.7	39.4	39.2
Bronchitis	39.5	45.7	39.9	39.5	36.5	36.1
Convulsions	25.2	32.5	27.2	25.1	21.1	20.6
Paralysis	21.9	25.9	23.1	21.0	20.4	19.5
Peritonitis	12.1	15.1	13.1	12.0	10.3	10.1
Causes with fluctuating rates:						
Tuberculosis of lungs	172.6	180.4	175.1	163.6	166.2	178.1
Pneumonia	165.6	180.5	162.0	156.7	156.4	173.3
Diarrhea and enteritis	113.1	133.2	113.9	105.6	101.8	111.8
Typhoid fever	33.8	35.9	32.4	34.5	34.4	32.0
Diphtheria and croup	33.7	43.3	34.1	31.0	32.0	28.6
Meningitis	33.1	40.9	33.4	31.3	28.4	32.0
Congenital debility	21.9	24.5	21.0	21.8	21.4	20.8
Influenza	20.8	22.9	32.3	10.1	18.7	20.4
Lack of care	15.1	16.3	15.2	15.8	13.8	14.6
Puerperal septicemia	12.3	11.5	12.1	11.4	12.3	13.9
Gastritis	12.1	14.0	12.0	11.6	11.7	11.2
Scarlet fever	11.8	10.2	13.2	12.7	12.3	11.0
Whooping cough	11.3	12.1	9.8	12.1	15.9	6.6
Endocarditis	11.1	11.9	10.6	11.5	9.9	11.8
Measles	10.1	12.6	7.3	9.5	9.9	11.1

GENERAL DISEASES.

Typhoid fever.—The total number of deaths from typhoid fever during the five years covered by this report was 53,857, and the average annual death rate was 33.8 per 100,000 of population. There was but little variation from this rate in any year, the greatest being in 1900, when the rate (35.9) exceeded the average by 2.1, and in 1904, when the rate (32) was 1.8 less than the average.

The following table shows the death rates from this disease in the registration area of the United States in comparison with those of other countries for which the figures are available.

This table shows that the death rates from typhoid fever in the United States were higher than in any of the European countries except Italy, and were very much higher than in most of those for which the figures are given. It indicates that there is room for a great improvement in the application of well-known measures for the prevention of this disease.

COUNTRY.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Registration area of United States	35.9	32.4	34.5	34.4	32.0
England and Wales	17.3	15.5	12.6	10.0	[1]
Scotland	15.0	16.0	12.0	12.0	[1]
Ireland	17.0	19.0	14.0	11.0	[1]
Germany	11.0	11.0	7.0	[1]	[1]
Norway	6.0	8.0	5.0	[1]	[1]
Sweden	14.0	13.0	10.0	[1]	[1]
Hungary	32.0	29.0	27.0	28.0	[1]
Belgium	25.0	22.0	18.0	16.0	[1]
Switzerland	7.0	7.0	6.0	5.0	[1]
Italy	47.0	36.0	35.0	35.0	[1]

[1] No figures available.

The following table gives the death rates from typhoid fever in each year, and the average annual rates in the registration area and its principal subdivisions, and in the registration states and the cities of 100,000 population or more:

AREA.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	33.8	35.9	32.4	34.5	34.4	32.0
Registration cities	36.3	36.5	33.9	37.5	38.2	35.2
Registration states	26.7	31.3	27.5	26.3	24.7	24.0
Cities in registration states	25.8	28.5	26.5	25.9	24.6	24.0
Rural part of registration states	27.8	34.6	28.8	27.0	24.7	23.8
Registration cities in other states	46.8	44.4	41.4	49.4	52.1	46.6
Registration states:						
Connecticut	24.4	32.0	30.1	21.8	21.7	17.3
District of Columbia	62.8	79.7	61.4	79.1	48.8	47.0
Indiana	45.6	51.1	46.7	49.0	40.7	40.7
Maine	30.5	28.2	32.2	24.5	32.5	35.3
Massachusetts	18.8	22.0	19.8	18.3	17.8	16.3
Michigan	27.3	36.5	26.3	24.5	24.1	25.2
New Hampshire	20.3	22.1	18.8	18.1	24.4	18.6
New Jersey	20.4	22.0	19.6	21.8	19.7	18.9
New York	23.9	27.6	25.0	23.4	22.5	21.6
Rhode Island	21.1	28.7	23.6	20.4	17.9	15.2
Vermont	27.2	33.8	28.7	19.1	24.8	29.9
Registration cities of 100,000 population or over:						
Allegheny, Pa	103.4	93.9	75.0	121.6	102.9	123.2
Baltimore, Md	36.5	38.9	28.7	42.0	35.0	37.5
Boston, Mass	22.4	24.1	23.6	21.8	20.0	22.9
Buffalo, N. Y	28.0	23.5	26.8	32.8	33.3	23.0
Chicago, Ill	29.7	21.1	29.8	45.1	32.1	20.2
Cincinnati, Ohio	55.8	39.0	54.9	61.9	42.7	80.2
Cleveland, Ohio	58.7	56.8	34.9	35.5	115.0	49.6
Columbus, Ohio	65.8	53.4	48.1	37.1	37.6	147.7
Denver, Colo	47.0	40.3	48.7	60.6	55.7	30.3
Detroit, Mich	21.9	28.4	20.1	23.5	20.0	17.6
Fall River, Mass	19.8	27.7	25.0	10.8	21.0	17.1
Indianapolis, Ind	48.2	41.4	33.1	44.5	51.1	68.4
Jersey City, N. J	18.6	22.8	16.1	20.5	15.0	19.2
Kansas City, Mo	48.8	35.4	45.5	38.2	80.3	43.1
Louisville, Ky	58.5	64.0	46.0	60.3	59.8	61.6
Memphis, Tenn	45.5	47.9	51.8	39.1	41.3	46.0
Milwaukee, Wis	17.1	19.3	21.9	14.7	16.3	13.1
Minneapolis, Minn	44.7	41.4	61.0	29.0	45.8	46.3
New Haven, Conn	44.5	25.0	94.4	39.1	36.6	27.4
New Orleans, La	44.9	52.6	50.1	44.2	40.9	36.7
New York, N. Y.	19.2	20.4	20.7	20.6	17.4	17.2
Bronx borough	14.8	14.0	16.5	16.2	15.4	12.6
Brooklyn borough	22.8	25.0	22.5	24.5	19.6	22.7
Manhattan borough	17.2	17.9	20.0	18.7	16.1	13.7
Queens borough	20.5	24.2	18.2	21.7	16.8	20.6
Richmond borough	20.0	19.3	26.3	14.3	19.5	20.5
Newark, N. J	20.1	21.1	23.8	19.8	23.0	13.6
Omaha, Nebr	19.1	23.4	24.5	21.9	11.5	17.1
Paterson, N. J	21.7	26.6	23.2	33.5	21.2	6.9
Philadelphia, Pa	49.6	37.2	34.6	47.3	72.6	55.0
Pittsburg, Pa	137.6	144.3	123.8	140.6	136.5	139.4
Providence, R. I	21.3	23.9	25.1	21.3	19.8	15.8
Rochester, N. Y	14.9	17.2	17.5	11.9	12.3	16.1
St. Joseph, Mo	13.9	22.3	14.2	13.9	8.1	12.4
St. Louis, Mo	39.3	32.5	33.4	40.0	52.4	37.9
St. Paul, Minn	14.8	21.5	13.8	14.2	11.0	14.9
San Francisco, Cal	28.2	30.3	25.1	29.6	25.0	31.4
Scranton, Pa	23.3	34.3	34.4	19.6	18.2	10.7
Syracuse, N. Y	18.7	29.5	19.0	8.0	17.5	18.0
Toledo, Ohio	34.7	41.0	32.2	34.7	29.5	37.2
Washington, D. C	62.8	79.7	61.4	79.1	48.8	47.0
Worcester, Mass	16.0	25.3	21.3	13.6	14.8	6.1

The greatest mortality from this disease occurred in the cities in the nonregistration states, in which the average annual rate was 46.8 per 100,000. Excluding the District of Columbia, which is urban, the highest average rates in the registration states occurred in Indiana and Maine, and the lowest in Massachusetts, New Hampshire, and New Jersey.

Comparing the rural and urban districts of the registration states it will be seen that the mortality from typhoid fever was greater in the rural districts than in the cities in each year except 1904, in which it was very slightly greater in the cities.

Of the total 53,857 deaths from typhoid fever, 41,078 occurred in the cities. Of this number, 25,949 occurred in the cities of 100,000 population and upward, the average annual rate in the cities of this class being 34.8 per 100,000.

By far the greatest mortality from this disease in the large cities occurred in Pittsburg, Pa., the rate being more than 120 in each year, and ranging from 144.3 in 1900 to 123.8 in 1901, with an average annual rate of 137. The next highest rates occurred in the adjoining city of Allegheny, being over 100 for each of the three years 1902 to 1904, and averaging 103.4 for the five-year period.

Other of the principal cities in which the average annual death rate from typhoid fever was excessively high are Cincinnati, Ohio (55.8); Cleveland, Ohio (58.7); Columbus, Ohio (65.8); Louisville, Ky. (58.5); and Washington, D. C. (62.8). The average annual mortality from this disease was much below the average in Fall River, Mass. (19.8); Jersey City, N. J. (18.6); Milwaukee, Wis. (17.1); New York, N. Y. (19.2); Omaha, Nebr. (19.1); Rochester, N. Y. (14.9); St. Joseph, Mo. (13.9); St. Paul, Minn. (14.8); Syracuse, N. Y. (18.7); and Worcester, Mass. (16).

Although nearly half of the entire number of deaths from typhoid fever in the registration area occurred in the 37 principal cities specified in the table above, the comparative mortality from this disease was greater in many of the smaller cities and in the rural districts of certain counties in the registration states.

The following table shows the minor cities in which the death rate from typhoid fever exceeded 100 in one or more years:

REGISTRATION CITY.	NUMBER OF DEATHS FROM TYPHOID FEVER PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Alexandria, Va					102.7
Allentown, Pa			189.5		
Ashtabula, Ohio					137.1
Augusta, Me				232.7	
Bangor, Me		104.0			187.4
Berlin, N. H	123.8				
Biddeford, Me			116.5		
Bristol town, Conn	134.8				
Charleston, S. C	132.6			126.0	
Cohoes, N. Y	117.1		124.0		102.2
Columbia, Pa					122.3
Columbus, Ind	123.0				103.5
Cortland, N. Y		121.5			
Duluth, Minn	109.5				
Escanaba, Mich	125.7				351.4
Findlay, Ohio	113.6				
Fresno, Cal	240.6	182.0	117.2	123.4	
Hudson, N. Y					164.6
Ithaca, N. Y				341.7	
Jacksonville, Fla			130.4		
Jacksonville, Ill				101.8	
Jeffersonville, Ind		111.3			
Johnstown, Pa	130.8	116.4			
Leadville, Colo	104.4				286.1
Lynchburg, Va	121.8		105.5		114.4
McKeesport, Pa					133.6
Marietta, Ohio		115.5			
Massillon, Ohio	100.5				
Meadville, Pa			105.3		
Menominee, Mich					117.2
Muscatine, Iowa	120.8				
Newcastle, Pa	137.6		192.5	122.7	
Niagara Falls, N. Y	107.9	147.3	136.4	135.0	151.7
Paducah, Ky	138.8				
Peru, Ind	130.0				
Petersburg, Va					105.5
Phillipsburg, N. J			106.4		
Pueblo, Colo		101.7	311.7	184.7	111.5
Richmond, Va	104.6				
Sault Ste. Marie, Mich	132.9		172.9	115.9	
South Bethlehem, Pa				205.3	
Steelton, Pa			276.6	184.1	
Superior, Wis	115.8				
Troy, N. Y	131.9				
Vincennes, Ind					118.1
Washington, Ind	125.0				
Watertown, N. Y	196.0				212.4
Wichita, Kans		114.4			
Wilmington, N. C	100.1				
Youngstown, Ohio		136.8	135.5	180.0	

The highest rate in Pittsburg, Pa., in 1900 (144.3), was exceeded in Allentown, Pa., in 1902 (189.5); Augusta, Me., in 1903 (232.7); Bangor, Me., in 1904 (187.4); Escanaba, Mich., in 1904 (351.4); Fresno, Cal., in 1900 (240.6) and in 1901 (182); Hudson, N. Y., in 1904 (164.6); Ithaca, N. Y., in 1903 (341.7); Leadville, Colo., in 1904 (286.1); Newcastle, Pa., in 1902 (192.5); Niagara Falls, N. Y., in 1901 (147.3) and in 1904 (151.7); Pueblo, Colo., in 1902 (311.7) and in 1903 (184.7); Sault Ste. Marie, Mich., in 1902 (172.9); South Bethlehem, Pa., in 1903 (205.3); Steelton, Pa., in 1902 (276.6) and in 1903 (184.1); Watertown, N. Y., in 1904 (212.4); and in Youngstown, Ohio, in 1903 (180).

The yearly death rates from typhoid fever in each city in the registration area and in each county, exclusive of cities, in the registration states are given in full in Table IV (page lxxii).

The first table on page xxiii gives the number of deaths from typhoid fever, 1900 to 1904, by sex and by age.

The whole number of deaths from typhoid fever in the five years (53,857) was divided, as to sex, as follows: Males, 31,663; females, 22,194; being in the proportion of 588 males to 412 females.

The figures giving the deaths by ages show that in each year the greatest number of deaths occurred between 20 and 25 years.

SEX AND AGE.	NUMBER OF DEATHS FROM TYPHOID FEVER: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	53,857	11,044	10,127	10,980	11,149	10,557
Sex:						
Male	31,663	6,376	5,937	6,467	6,585	6,298
Female	22,194	4,668	4,190	4,513	4,564	4,259
Age:						
Under 1 year	383	83	77	87	70	66
1 year	485	101	89	91	98	106
2 years	543	104	88	130	116	105
3 years	624	126	113	133	128	124
4 years	598	113	113	135	111	126
Under 5 years	2,633	527	480	576	523	527
5 to 9 years	3,098	660	558	613	666	601
10 to 14 years	3,673	782	667	676	786	762
15 to 19 years	7,131	1,516	1,319	1,464	1,491	1,341
20 to 24 years	8,813	1,802	1,601	1,813	1,860	1,737
25 to 29 years	7,409	1,430	1,439	1,587	1,555	1,398
30 to 34 years	5,466	1,081	1,038	1,145	1,123	1,079
35 to 39 years	4,283	864	829	836	900	854
40 to 44 years	3,169	664	626	650	658	571
45 to 49 years	2,334	500	444	442	464	484
50 to 54 years	1,668	353	314	358	305	338
55 to 59 years	1,244	264	238	226	259	257
60 to 64 years	1,019	213	204	213	176	213
65 to 69 years	746	153	154	158	132	149
70 to 74 years	513	104	99	92	97	121
75 to 79 years	285	52	48	63	75	47
80 to 84 years	132	23	27	24	28	30
85 to 89 years	43	10	8	9	7	9
90 to 94 years	7	2	1	1	1	2
95 years and over	3	1	1	1	.....	.....
Unknown	188	43	32	33	43	37

The following table gives the number of deaths from typhoid fever in the registration area in each year, by month of death, with the proportion in each month per 1,000 deaths from the same disease in known months:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM TYPHOID FEVER: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	53,857	11,044	10,127	10,980	11,149	10,557
January	4,337	834	875	749	1,022	857
February	3,516	637	589	586	829	875
March	3,890	721	589	616	986	978
April	3,634	632	616	633	838	915
May	3,527	599	582	680	846	820
June	2,888	520	533	617	628	590
July	3,738	669	750	796	805	718
August	5,582	1,133	1,128	1,292	1,094	935
September	6,435	1,399	1,283	1,429	1,185	1,139
October	6,382	1,492	1,385	1,367	1,098	1,040
November	5,306	1,255	964	1,174	964	949
December	4,578	1,153	833	1,041	833	718
Unknown	44	.....	.....	.....	21	23
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	80.6	75.5	86.4	68.2	91.9	81.3
February	65.3	57.7	58.2	53.4	74.5	83.1
March	72.3	65.3	58.2	56.1	88.6	92.8
April	67.5	57.2	60.8	57.7	75.3	86.9
May	65.5	54.2	57.5	61.9	76.0	77.8
June	53.7	47.1	52.6	56.2	56.4	56.0
July	69.5	60.6	74.0	72.5	72.3	68.2
August	103.7	102.6	111.4	117.7	98.3	88.8
September	119.6	126.7	126.7	130.1	106.5	108.1
October	118.6	135.1	136.8	124.5	98.7	98.7
November	98.6	113.6	95.2	106.9	86.6	90.1
December	85.1	104.4	82.2	94.8	74.9	68.2

Malarial fever.—The total number of deaths due to malarial fever in the five-year period was 8,953, an average annual mortality of 5.6 per 100,000 population. The returns show a progressive decrease in the number of deaths from this disease, falling from 2,434 in 1900, when the rate was 7.9, to 1,391 in 1904, when it was but 4.2 per 100,000.

The following table gives the average annual and the yearly death rates from malarial fever in the registration area and its principal subdivisions, and in the registration states and the cities of 100,000 or more population:

AREA.	NUMBER OF DEATHS FROM MALARIAL FEVER PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	5.6	7.9	6.3	5.5	4.3	4.2
Registration cities	6.0	8.2	6.9	5.9	4.6	4.6
Registration states	4.2	6.3	5.0	4.0	3.0	2.9
Cities in registration states	3.8	5.4	4.9	3.7	2.5	2.6
Rural part of registration states	4.7	7.2	5.0	4.4	3.7	3.3
Registration cities in other states	8.2	11.0	8.8	8.2	6.7	6.6
Registration states:						
Connecticut	8.4	11.6	11.2	9.4	5.5	4.7
District of Columbia	11.1	19.0	15.2	11.1	7.5	4.0
Indiana	8.5	14.5	9.3	7.4	5.9	5.6
Maine	1.9	1.7	1.6	3.0	1.6	1.5
Massachusetts	2.4	2.9	3.2	2.0	2.2	1.9
Michigan	4.1	6.5	4.6	4.0	2.6	2.6
New Hampshire	1.7	2.2	1.7	0.5	1.9	2.1
New Jersey	3.7	5.1	4.4	3.2	3.1	2.8
New York	3.1	4.5	3.8	3.1	2.1	2.4
Rhode Island	6.3	7.0	8.0	5.8	6.2	4.3
Vermont	1.4	1.7	1.5	1.2	1.4	1.7
Registration cities of 100,000 population or over:						
Allegheny, Pa	0.7	1.5	1.5	1.5	.....	.....
Baltimore, Md	6.5	10.2	7.7	6.1	4.1	4.8
Boston, Mass	1.0	1.6	1.6	1.4	.....	0.5
Buffalo, N. Y	0.8	1.1	0.8	0.3	0.5	0.8
Chicago, Ill	1.0	1.9	1.2	0.9	1.0	0.5
Cincinnati, Ohio	2.4	1.2	4.6	4.2	1.2	0.9
Cleveland, Ohio	1.2	1.8	1.8	0.7	0.7	1.2
Columbus, Ohio	3.0	4.8	5.4	.....	1.5	2.9
Denver, Colo	0.7	1.5	0.7	0.7	0.7	.....
Detroit, Mich	2.7	3.1	3.4	3.0	1.6	2.2
Fall River, Mass	0.9	2.9	1.9	0.9	.....	0.8
Indianapolis, Ind	5.3	10.0	2.8	7.0	3.5	4.4
Jersey City, N. J	3.7	4.8	4.7	3.3	2.3	2.7
Kansas City, Mo	7.1	6.1	7.8	5.9	8.1	7.4
Louisville, Ky	5.2	4.4	7.2	5.2	2.3	5.9
Memphis, Tenn	140.2	204.3	112.2	132.0	117.0	138.8
Milwaukee, Wis	0.3	0.4	.....	0.3	0.3	0.6
Minneapolis, Minn	0.5	1.0	.....	0.5	.....	.....
New Haven, Conn	9.8	14.8	12.7	8.9	5.2	8.6
New Orleans, La	35.1	56.1	38.1	32.8	26.3	22.9
New York, N. Y	3.7	5.7	5.0	3.5	2.1	2.8
Bronx borough	12.6	18.9	22.2	10.3	6.0	6.5
Brooklyn borough	4.1	5.1	4.7	4.1	2.5	4.4
Manhattan borough	1.9	2.8	2.6	2.1	1.1	1.1
Queens borough	10.2	28.1	11.9	4.8	4.0	4.4
Richmond borough	5.7	6.0	8.8	5.7	4.2	2.7
Newark, N. J	3.9	4.5	6.3	4.3	1.1	3.7
Omaha, Nebr	1.8	2.9	.....	2.7	0.9	2.6
Paterson, N. J	3.6	4.8	2.8	4.5	2.6	2.6
Philadelphia, Pa	1.1	0.9	1.2	1.5	0.9	1.2
Pittsburg, Pa	1.5	2.5	2.1	1.8	1.2	.....
Providence, R. I	7.1	8.0	8.4	8.2	5.4	4.5
Rochester, N. Y	0.6	0.6	0.6	0.6	.....	2.9
St. Joseph, Mo	3.7	6.8	1.9	3.7	2.7	2.6
St. Louis, Mo	9.2	10.4	7.8	7.3	10.0	10.2
St. Paul, Minn	.....	.....	.....	.....	0.6	.....
San Francisco, Cal	2.8	4.4	1.4	2.6	2.0	3.9
Scranton, Pa	2.8	4.9	1.0	4.7	0.9	1.7
Syracuse, N. Y	0.9	3.7	1.8	.....	.....	0.9
Toledo, Ohio	4.9	9.1	2.9	7.8	2.7	2.6
Washington, D. C	11.1	19.0	15.2	11.1	7.5	4.0
Worcester, Mass	5.6	4.2	6.6	5.6	8.6	3.8

The mortality from malarial fever was greatest in the group of cities in nonregistration states, in which the average annual death rate was 8.2 per 100,000. The high rate is due to the fact that this group includes all the registration cities of the South, where the mor-

tality from malarial fever is very high, partly because of geographic location but chiefly because of the large negro population, among whom the mortality from this disease is excessive. In the census year 1900, the comparative mortality from malarial fever of the two races in the cities of nonregistration states was, white 8.8 per 100,000; colored 78.9.[1]

The average annual death rate from malarial fever in the registration states was 4.2. Excluding the District of Columbia, which is coextensive with Washington city, the highest average rates in any of the states occurred in Indiana and Connecticut, and the lowest in Vermont and New Hampshire.

Comparing the cities and the rural districts in the registration states, it will be seen that in each year the mortality from this disease was greatest in the rural districts.

In the cities of 100,000 population and upward, by far the greatest mortality from this disease occurred in Memphis, Tenn., being more than 110 in every year, with an annual average of 140.2 and a range of from 204.3 in 1900 to 112.2 in 1901. Other of the principal cities in which the average annual rate was excessive were New Orleans (35.1) and Washington, D. C. (11.1). The rates from this disease were high in two boroughs of New York city (Bronx, 12.6, and Queens, 10.2); but the rate for the city as a whole (3.7) was about the same as the total for cities in the registration states (3.8).

Of the minor cities, the following showed a death rate from malarial fever in excess of 50 per 100,000 in one or more years: Charleston, S. C., in 1900 (69.9), in 1901 (85.9), and in 1902 (66.1); Jacksonville, Fla., in 1900 (239.2), in 1901 (280.9), in 1902 (153.2), in 1903 (151), and in 1904 (60.8); Meriden, Conn., in 1901 (55.1); Mobile, Ala., in 1900 (75.4), in 1901 (56.1), and in 1903 (51.6); Paducah, Ky., in 1900 (257.1), in 1901 (235.6), in 1902 (146.7), in 1903 (119.3), and in 1904 (121.2); Petersburg, Va., in 1902 (91.7), and in 1904 (55); San Antonio, Tex., in 1900 (82.5), in 1901 (65.6), and in 1903 (75.8); Savannah, Ga., in 1900 (169.6), in 1901 (150), in 1902 (138.7), in 1903 (92.7), and in 1904 (104.5); Vincennes, Ind., in 1900 (68.3); and Wilmington, N. C., in 1900 (262.2), in 1901 (246.8), in 1902 (264.7), in 1903 (178.8), and in 1904 (206.1).

The yearly death rates from malarial fever in each city in the registration area and in each county, exclusive of cities, in the registration states are given in Table IV (page lxxii).

The following table gives the number of deaths from malarial fever in the registration area, by sex and by age:

[1] Twelfth Census, Vital Statistics, Part I, page cxxxvii.

SEX AND AGE.	NUMBER OF DEATHS FROM MALARIAL FEVER: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	8,953	2,434	1,980	1,738	1,410	1,391
Sex:						
Male	4,509	1,206	1,008	917	673	705
Female	4,444	1,228	972	821	737	686
Age:						
Under 1 year	835	232	209	138	126	130
1 year	456	125	99	95	69	68
2 years	315	92	59	58	52	54
3 years	249	90	47	45	35	32
4 years	165	47	29	36	29	24
Under 5 years	2,020	586	443	372	311	308
5 to 9 years	565	144	145	109	73	94
10 to 14 years	326	91	80	59	52	44
15 to 19 years	481	136	101	94	82	68
20 to 24 years	569	160	129	102	94	84
25 to 29 years	527	145	107	105	91	79
30 to 34 years	467	125	100	95	77	70
35 to 39 years	456	119	111	88	62	76
40 to 44 years	382	99	74	81	64	64
45 to 49 years	386	97	99	63	54	73
50 to 54 years	428	110	93	97	53	75
55 to 59 years	421	114	90	84	67	66
60 to 64 years	445	107	91	96	80	71
65 to 69 years	427	117	80	94	76	60
70 to 74 years	426	126	86	91	62	61
75 to 79 years	299	82	68	45	50	54
80 to 84 years	173	40	42	36	31	24
85 to 89 years	84	23	21	15	16	9
90 to 94 years	25	2	6	7	7	3
95 years and over	9	3	2	2	1	1
Unknown	37	8	12	3	7	7

In general the number of deaths from malarial fever was slightly greater among males than among females. The 8,953 deaths from this disease during the five years represent 4,509 males and 4,444 females, being in the proportion of 504 males to 496 females.

The following table gives the number and proportion of deaths from malarial fever in each month in the registration area:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM MALARIAL FEVER: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	8,953	2,434	1,980	1,738	1,410	1,391
January	391	89	91	91	58	62
February	366	117	60	70	51	68
March	439	130	80	90	65	74
April	478	125	105	94	76	78
May	644	165	132	132	105	110
June	739	167	169	151	126	126
July	962	209	244	208	183	118
August	1,166	311	261	244	192	158
September	1,356	390	315	240	194	217
October	1,176	372	258	194	168	184
November	735	219	159	129	120	108
December	490	140	106	94	67	83
Unknown	11	.....	.....	1	5	5
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	43.7	36.6	46.0	52.4	41.3	44.7
February	40.9	48.1	30.3	40.3	36.3	49.1
March	49.1	53.4	40.4	51.8	46.3	53.4
April	53.5	51.3	53.0	54.1	54.1	56.3
May	72.0	67.8	66.7	76.0	74.7	79.4
June	82.6	68.6	85.4	86.9	89.7	90.9
July	107.6	85.9	123.2	119.7	130.2	85.1
August	130.4	127.8	131.8	140.5	136.6	114.0
September	151.7	160.2	159.1	138.2	138.1	156.6
October	131.5	152.8	130.3	111.7	119.6	132.7
November	82.2	90.0	80.3	74.3	85.4	77.9
December	54.8	57.5	53.5	54.1	47.7	59.9

Smallpox.—The deaths from smallpox in the registration area, 1900 to 1904, numbered 5,898, the average annual death rate from this disease being 3.7 per 100,000. There were 611 deaths in 1900; 1,085 in 1901; 2,111 in 1902; 1,382 in 1903; and 709 in 1904.

The following table shows the yearly death rates in the registration area of the United States in comparison with those of certain European countries:

COUNTRY.	NUMBER OF DEATHS FROM SMALLPOX PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Registration area of United States	1.9	3.5	6.6	4.3	2.1
England and Wales	0.3	1.0	7.5	2.3	(1)
Scotland	1.0	6.0	2.0	1.0	(1)
Hungary	4.0	4.0	2.0	1.0	(1)
Belgium	3.0	4.0	9.0	23.0	(1)
Spain	35.0	28.0	30.0	(1)	(1)
Italy	1.0	10.0	7.0	18.0	(1)

[1] No figures available.

The following table shows the average annual and the yearly death rates from smallpox in the registration area and its principal subdivisions, and in the registration states and the cities of 100,000 or more population:

AREA.	NUMBER OF DEATHS FROM SMALLPOX PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	3.7	1.9	3.5	6.6	4.3	2.1
Registration cities	4.6	2.7	4.4	7.9	5.4	2.5
Registration states	2.6	0.3	3.6	6.5	1.5	0.8
Cities in registration states	3.4	0.3	5.5	9.0	1.8	0.6
Rural part of registration states	1.5	0.3	1.3	3.4	1.2	1.2
Registration cities in other states	5.8	5.1	3.2	6.8	9.2	4.3
Registration states:						
Connecticut	0.4	.....	0.4	1.5	0.1	.....
District of Columbia	0.7	1.4	.....	0.3	0.7	0.3
Indiana	3.2	0.9	0.8	3.0	7.5	3.7
Maine	0.7	0.4	.....	1.6	1.0	0.4
Massachusetts	2.8	0.1	3.4	9.7	0.7	0.3
Michigan	1.0	0.4	1.1	1.6	1.2	1.1
New Hampshire	0.7	0.2	1.2	1.7	.....	0.5
New Jersey	6.2	0.3	7.2	21.8	0.8	1.2
New York	2.5	0.2	5.9	5.9	0.5	0.2
Rhode Island	2.6	0.2	1.1	8.3	0.7	.....
Vermont	0.3	.....	.....	0.6	0.9	.....
Registration cities of 100,000 population or over:						
Allegheny, Pa	22.1	0.8	0.7	5.9	88.4	12.1
Baltimore, Md	0.6	.....	.....	1.3	0.4	0.7
Boston, Mass	9.4	.....	13.1	32.4	2.2	.....
Buffalo, N. Y	0.5	.....	0.6	0.8	1.0	.....
Chicago, Ill	1.0	0.2	0.2	0.3	2.5	1.5
Cincinnati, Ohio	2.4	2.5	0.3	1.8	4.2	3.5
Cleveland, Ohio	14.9	5.0	5.1	57.8	5.5	1.4
Columbus, Ohio	7.6	.....	.....	0.8	36.9	.....
Denver, Colo	.....	.....	1.5	.....	.....	.....
Detroit, Mich	1.3	0.3	0.3	2.3	3.6	0.3
Fall River, Mass	0.9	1.0	0.9	1.8	0.9	.....
Indianapolis, Ind	12.9	.....	1.1	9.1	52.1	.....
Jersey City, N. J	1.4	.....	1.4	5.1	0.5	.....
Kansas City, Mo	4.7	5.5	3.6	4.7	4.6	4.5
Louisville, Ky	2.8	0.5	1.0	1.4	7.9	3.2
Memphis, Tenn	5.5	2.9	9.4	4.6	1.8	7.7
Milwaukee, Wis	0.3	.....	0.3	0.6	0.3	0.3
Minneapolis, Minn	3.3	4.4	0.5	.....	4.2	7.8
New Haven, Conn	.....	.....	.....	.....	.....	.....
New Orleans, La	34.8	158.1	17.8	1.4	1.3	.....
Registration cities of 100,000 population or over—Continued.						
New York, N. Y	4.0	0.3	11.2	8.5	0.1	0.2
Bronx borough	47.1	3.0	147.4	90.7	1.3	0.4
Brooklyn borough	2.3	.....	4.0	7.1	0.2	0.4
Manhattan borough	0.6	0.3	1.7	0.9	.....	.....
Queens borough	.....	.....	1.3	.....	.....	.....
Richmond borough	.....	.....	.....	1.4	.....	.....
Newark, N. J	20.5	0.4	28.2	72.9	1.1	.....
Omaha, Nebr	0.9	.....	2.8	2.7	.....	0.9
Paterson, N. J	0.9	0.9	0.9	4.5	.....	.....
Philadelphia, Pa	13.5	.....	13.5	16.2	20.6	16.2
Pittsburg, Pa	27.3	.....	1.2	36.5	91.3	5.7
Providence, R. I	1.1	.....	1.1	4.4	.....	.....
Rochester, N. Y	11.9	.....	.....	45.8	14.1	.....
St. Joseph, Mo	3.7	1.0	6.6	8.3	0.9	1.8
St. Louis, Mo	2.5	0.5	1.4	1.5	0.6	8.2
St. Paul, Minn	2.4	0.6	0.6	.....	9.3	1.1
San Francisco, Cal	0.6	1.4	0.3	.....	0.6	.....
Scranton, Pa	0.9	.....	.....	0.9	1.8	.....
Syracuse, N. Y	.....	.....	.....	.....	.....	.....
Toledo, Ohio	2.1	.....	.....	7.8	2.1	.....
Washington, D. C	0.7	1.4	.....	0.3	0.7	0.3
Worcester, Mass	0.8	.....	3.3	0.8	.....	.....

The average annual mortality from smallpox was greatest in the cities in the nonregistration states (5.8), and least in the rural part of the registration states (1.5). In the registration states it was greatest in New Jersey (6.2).

In the principal cities the average annual rates were highest in New Orleans, La. (34.8); Pittsburg, Pa. (27.3); Allegheny, Pa. (22.1); Newark, N. J. (20.5); Cleveland, Ohio (14.9); Philadelphia, Pa. (13.5); Indianapolis, Ind. (12.9); and Rochester, N. Y. (11.9). The high mortality in Bronx borough of New York city (47.1) is due to the fact that patients contracting the disease in Manhattan and the other boroughs are sent to Riverside Hospital, which is located in Bronx borough.

The localization and control of the disease are shown by the fact that the high average annual rates are due mostly to epidemics, causing a high mortality in one or more years, with little or none in the following years.

In the minor cities also the mortality from smallpox shows wide variations. It was excessively high in some places, exceeding 40 per 100,000 in Bellaire, Ohio, in 1903 (90.8); Ironton, Ohio, in 1903 (41.6) and in 1904 (49.7); Johnstown, Pa., in 1902 (59.1); Marietta, Ohio, in 1903 (47.1); Plymouth, Pa., in 1901 (99.5); Portsmouth, Ohio, in 1903 (41.5); Terre Haute, Ind., in 1904 (50.9); Washington, Ind., in 1903 (129.1); and Woonsocket, R. I., in 1902 (84.2).

The yearly death rates from smallpox in each city in the registration area and in each county, exclusive of cities, in the registration states, are given in Table IV (page lxxii).

The number of deaths from smallpox in the registra-

tion area, in the aggregate, and for each year, are shown by sex and by age, in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM SMALLPOX: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	5,898	611	1,085	2,111	1,382	709
Sex:						
Male	3,714	381	660	1,355	872	446
Female	2,184	230	425	756	510	263
Age:						
Under 1 year	653	40	156	250	141	66
1 year	282	18	73	108	52	31
2 years	211	13	49	93	31	25
3 years	157	8	47	54	32	16
4 years	119	8	23	48	22	18
Under 5 years	1,422	87	348	553	278	156
5 to 9 years	258	30	59	104	44	21
10 to 14 years	108	27	18	31	18	14
15 to 19 years	308	50	36	96	80	46
20 to 24 years	752	110	115	230	213	84
25 to 29 years	766	91	113	272	194	96
30 to 34 years	565	51	101	201	137	75
35 to 39 years	519	50	85	182	146	56
40 to 44 years	362	31	65	131	91	44
45 to 49 years	255	26	45	95	56	33
50 to 54 years	175	18	21	66	44	26
55 to 59 years	131	17	28	42	28	16
60 to 64 years	77	7	13	30	14	13
65 to 69 years	80	10	16	27	14	13
70 to 74 years	35	2	6	13	10	4
75 to 79 years	30	4	6	13	3	4
80 to 84 years	14	.....	4	6	4	.....
85 to 89 years	3	.....	1	2	.....	.....
90 to 94 years	1	.....	.....	1	.....	.....
95 years and over	2	.....	.....	.....	1	1
Unknown	35	.....	5	16	7	7

Of the total number of deaths from smallpox during the five years (5,898), 3,714 were of males and 2,184 of females—a proportion of 630 males to 370 females.

Measles.—The total number of deaths from measles in the registration area, 1900 to 1904, was 16,065, and the average annual death rate was 10.1 per 100,000. The greatest mortality from this disease occurred in 1900, when 3,865 deaths were registered, the death rate being 12.5. In 1901 there were 2,287 deaths and a death rate of 7.3. The number rose to 3,033 in 1902, in which year the rate was 9.5. In 1903 there were 3,221 deaths, with a death rate of 9.9, and in 1904, 3,659 deaths, with a rate of 11.1.

The annual death rates from measles in the registration area of the United States in comparison with those of certain European countries are shown in the following table:

COUNTRY.	NUMBER OF DEATHS FROM MEASLES PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Registration area of United States	12.5	7.3	9.5	9.9	11.1
England and Wales	39.4	27.6	39.2	27.4	(1)
Scotland	42.0	37.0	31.0	25.0	(1)
Ireland	14.0	10.0	24.0	16.0	(1)
Germany	23.0	31.0	26.0	(1)	(1)
Norway	10.0	5.0	13.0	(1)	(1)
Sweden	9.0	7.0	12.0	(1)	(1)
Hungary	38.0	41.0	52.0	35.0	(1)
The Netherlands	26.0	52.0	46.0	23.0	(1)
Belgium	39.0	30.0	48.0	33.0	(1)
Switzerland	25.0	25.0	14.0	16.0	(1)
Spain	65.0	99.0	57.0	(1)	(1)
Italy	27.0	17.0	30.0	22.0	(1)

[1] No figures available.

The figures in the preceding table show that the mortality from measles in the registration area of the United States was very much lower than in any of the European countries in each year except 1900 and 1901, in which the rates were slightly lower in Norway and Sweden.

The following table gives the average annual and the yearly death rates from measles, 1900 to 1904, in the registration area and its principal subdivisions, and in the registration states and the cities of 100,000 or more population:

AREA.	NUMBER OF DEATHS FROM MEASLES PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	10.1	12.5	7.3	9.5	9.9	11.1
Registration cities	11.1	13.8	7.5	11.1	11.3	11.8
Registration states	10.0	13.4	7.4	9.3	8.8	11.4
Cities in registration states	11.9	16.4	7.7	12.1	10.7	12.9
Rural part of registration states	7.7	9.8	6.9	5.8	6.4	9.3
Registration cities in other states	10.2	11.1	7.2	10.0	12.0	10.6
Registration states:						
Connecticut	12.4	18.9	7.9	4.8	22.2	8.2
District of Columbia	8.3	16.1	3.9	5.2	15.3	1.3
Indiana	8.5	4.7	8.0	4.5	6.4	18.6
Maine	5.3	8.8	4.2	4.3	5.7	3.2
Massachusetts	9.7	11.6	8.0	11.3	9.2	8.5
Michigan	8.0	13.2	3.1	9.4	6.9	7.5
New Hampshire	4.8	5.8	1.4	4.8	9.9	1.6
New Jersey	7.8	11.5	3.6	11.0	3.0	10.0
New York	12.2	16.1	10.1	11.5	8.6	14.6
Rhode Island	16.8	42.9	3.7	5.2	30.4	3.5
Vermont	6.6	7.9	9.3	6.4	8.4	0.9
Registration cities of 100,000 population or over:						
Allegheny, Pa	23.6	9.2	27.0	38.3	29.0	15.7
Baltimore, Md	6.7	6.5	1.4	8.2	15.6	1.7
Boston, Mass	16.8	17.7	21.3	12.3	10.3	22.3
Buffalo, N. Y	11.3	14.2	6.1	18.3	8.4	9.5
Chicago, Ill	9.7	12.7	10.2	8.2	15.4	2.8
Cincinnati, Ohio	14.2	1.2	18.3	17.3	9.9	23.1
Cleveland, Ohio	5.2	2.3	4.1	4.5	2.9	12.2
Columbus, Ohio	9.1	7.2	.....	16.6	11.8	7.9
Denver, Colo	10.0	8.2	4.4	15.3	2.7	18.2
Detroit, Mich	12.6	18.9	4.4	22.9	4.8	12.9
Fall River, Mass	10.8	16.2	1.9	20.7	11.4	6.0
Indianapolis, Ind	4.3	1.2	2.8	.....	7.1	8.3
Jersey City, N. J	7.0	8.2	7.6	7.0	8.2	4.9
Kansas City, Mo	6.5	6.7	.....	14.7	1.7	10.2
Louisville, Ky	3.3	7.8	1.0	2.4	.....	6.4
Memphis, Tenn	12.7	43.0	1.9	1.8	3.5	17.0
Milwaukee, Wis	6.6	6.3	4.7	8.2	1.3	12.8
Minneapolis, Minn	3.8	1.5	7.7	1.4	8.4	0.9
New Haven, Conn	13.3	7.4	10.0	6.2	26.2	14.6
New Orleans, La	6.4	21.2	0.3	0.3	0.7	10.5
New York, N. Y	16.5	20.8	10.2	17.7	11.5	22.0
Bronx borough	33.2	30.9	17.5	59.2	11.5	46.1
Brooklyn borough	18.3	24.9	11.5	18.7	12.2	24.2
Manhattan borough	14.4	17.8	9.1	13.8	11.3	20.1
Queens borough	6.6	11.8	1.9	6.0	12.2	1.1
Richmond borough	10.0	22.4	16.0	4.3	5.6	5.5
Newark, N. J	13.1	23.2	6.7	20.9	0.8	14.0
Omaha, Nebr	5.5	0.9	.....	13.7	4.4	8.5
Paterson, N. J	6.3	1.9	0.9	17.2	0.9	12.1
Philadelphia, Pa	16.4	26.7	3.5	11.8	17.3	22.3
Pittsburg, Pa	30.2	28.6	17.3	54.3	26.1	24.4
Providence, R. I	22.9	56.4	1.7	3.8	51.4	3.2
Rochester, N. Y	6.5	6.1	9.1	0.6	15.2	0.6
St. Joseph, Mo	6.5	.....	0.9	22.2	0.9	8.0
St. Louis, Mo	7.3	4.2	2.4	1.0	23.3	5.1
St. Paul, Minn	4.7	1.2	7.2	7.1	7.6	1.7
San Francisco, Cal	9.4	3.8	14.1	12.2	9.3	6.9
Scranton, Pa	5.6	4.9	8.6	1.9	8.2	5.3
Syracuse, N. Y	7.1	11.1	0.9	5.3	14.0	4.3
Toledo, Ohio	7.1	5.3	5.1	11.3	3.4	8.6
Washington, D. C	8.3	16.1	3.9	5.2	15.3	1.3
Worcester, Mass	12.0	26.2	2.5	7.2	22.5	2.3

The preceding table shows that the average annual mortality from measles in the registration states was highest in Rhode Island (16.8), Connecticut (12.4), and New York (12.2); and lowest in New Hampshire (4.8), Maine (5.3), and Vermont (6.6).

In the large cities specified the average annual mortality from measles was greatest in Pittsburg (30.2) and Allegheny (23.6).

The yearly death rates from measles in each of the cities in the registration area and in each county, exclusive of cities, in the registration states are given in full in Table IV (page lxxii).

The following table gives the number of deaths from measles in the registration area, in the aggregate and for each year, by sex and by age:

SEX AND AGE.	NUMBER OF DEATHS FROM MEASLES: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	16,065	3,865	2,287	3,033	3,221	3,659
Sex:						
Male	8,264	1,894	1,212	1,604	1,680	1,874
Female	7,801	1,971	1,075	1,429	1,541	1,785
Age:						
Under 1 year	3,960	938	533	786	765	938
1 year	5,008	1,210	666	974	1,036	1,122
2 years	2,262	551	311	421	461	518
3 years	1,074	242	156	208	233	235
4 years	683	166	101	122	141	153
Under 5 years	12,987	3,107	1,767	2,511	2,636	2,966
5 to 9 years	1,381	330	182	254	305	310
10 years and over	1,681	422	336	267	277	379
Unknown	16	6	2	1	3	4

In general, there were more deaths from measles among males than among females, the division as to sex being 8,264 of the former and 7,801 of the latter—a proportion of 514 males to 486 females.

About 80 per cent of the deaths from measles occurred under 5 years of age and approximately 90 per cent under 10 years.

The following table gives the number and proportion of deaths from measles in the registration area in each month:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM MEASLES: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	16,065	3,865	2,287	3,033	3,221	3,659
January	1,505	422	155	305	218	405
February	1,805	501	212	351	277	464
March	2,293	609	244	388	392	660
April	2,388	587	289	427	462	623
May	2,451	575	322	502	504	548
June	1,805	406	307	365	399	328
July	1,162	281	195	243	265	178
August	529	130	86	95	139	79
September	246	50	35	45	72	44
October	295	63	56	57	68	51
November	574	98	117	90	149	120
December	1,003	143	269	165	270	156
Unknown	9	.....	.....	.....	6	3
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	93.7	109.2	67.8	100.6	67.8	110.8
February	112.4	129.6	92.7	115.7	86.2	126.9
March	142.8	157.6	106.7	127.9	121.9	180.5
April	148.7	151.9	126.4	140.8	143.7	170.4
May	152.7	148.8	140.8	165.5	156.8	149.9
June	112.4	105.0	134.2	120.4	124.1	89.7
July	72.4	72.7	85.3	80.1	82.4	48.7
August	32.9	33.6	37.6	31.3	43.2	21.6
September	15.3	12.9	15.3	14.8	22.4	12.0
October	18.4	16.3	24.5	18.8	21.2	14.0
November	35.8	25.4	51.1	29.7	46.3	32.8
December	62.5	37.0	117.6	54.4	84.0	42.7

Scarlet fever.—There were 18,890 deaths from scarlet fever recorded in the registration area, 1900 to 1904. The greatest number in any year occurred in 1901 (4,113). In 1900 there were 3,135; in 1902, 4,041; in 1903, 3,991; and in 1904, 3,610. The average annual death rate from this disease was 11.8 per 100,000.

The yearly death rates from scarlet fever in the registration area of the United States are shown in the following table, in comparison with the rates in certain European countries:

COUNTRY.	NUMBER OF DEATHS FROM SCARLET FEVER PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Registration area of United States	10.2	13.1	12.7	12.3	10.9
England and Wales	11.9	13.3	14.8	12.5	(1)
Scotland	15.0	13.0	12.0	9.0	(1)
Ireland	5.0	5.0	4.0	5.0	(1)
Germany	25.0	25.0	24.0	(1)	(1)
Norway	8.0	5.0	5.0	(1)	(1)
Sweden	8.0	9.0	8.0	(1)	(1)
Hungary	50.0	59.0	72.0	82.0	(1)
The Netherlands	3.0	2.0	2.0	2.0	(1)
Belgium	20.0	21.0	14.0	10.0	(1)
Switzerland	1.0	2.0	2.0	5.0	(1)
Spain	7.0	6.0	6.0	(1)	(1)
Italy	5.0	4.0	4.0	6.0	(1)

[1] No figures available.

The mortality from scarlet fever in this country was about the same as in England and Wales and Scotland. It was less, on the average, than in Belgium, much less than in Germany and Hungary, but greater than in any other of the countries included in this comparison.

The average annual and the yearly death rates from scarlet fever in the registration area and its principal subdivisions, and in the registration states and the cities of 100,000 or more population are shown in the first table on page xxviii.

From those figures it appears that the mortality from scarlet fever was greatest in the cities in the registration states in each year, and that in those cities the average death rate (15.7) was more than twice the rate for the rural districts of the same states (7).

Taking the registration states as a whole, the average annual death rates from this disease were highest in New York (15.5), New Jersey (13.7), Massachusetts (12.2), and Connecticut (11.7); and lowest in Maine (2.7), District of Columbia (3.1), New Hampshire (4.8), and Vermont (5.8).

In the large cities the average mortality from scarlet fever was greatest in Denver, Colo. (24.9); Newark, N. J. (24.8); New York, N. Y. (23.6); Scranton, Pa. (22.4); Pittsburg, Pa. (21.9); Boston, Mass. (21.8); and Jersey City, N. J. (20.5).

In many of the minor cities there was an excessively high death rate from scarlet fever in one or more years. It exceeded 100 in Amsterdam, N. Y., in 1902 (193.7) and in 1903 (112.6); Barre, Vt., in 1901 (101.4) and 1902 (107.4); Chicopee, Mass., in 1903 (207.7); Dun-

kirk, N. Y., in 1903 (105.9) and 1904 (312.1); Johnstown, Pa., in 1902 (113.1); Keene, N. H., in 1901 (246.3); Kingston, N. Y., in 1901 (116.7); Mahanoy City, Pa., in 1903 (218.8); Mt. Carmel, Pa., in 1904 (145.2); Naugatuck, Conn., in 1902 (184.1); New Bedford, Mass., in 1903 (216.1); Newburg, N. Y., in 1902 (102.7); Superior, Wis., in 1903 (105.9); and Webster, Mass., in 1902 (142).

AREA.	NUMBER OF DEATHS FROM SCARLET FEVER PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	11.8	10.2	13.1	12.7	12.3	10.9
Registration cities	13.8	11.6	15.5	15.4	14.3	12.4
Registration states	11.8	9.6	13.5	11.9	12.3	11.6
Cities in registration states	15.7	11.9	18.5	16.6	16.2	15.1
Rural part of registration states	7.0	6.8	7.5	6.1	7.4	7.1
Registration cities in other states	12.0	11.4	12.5	14.1	12.3	9.7
Registration states:						
Connecticut	11.7	7.6	9.2	17.9	15.5	8.2
District of Columbia	3.1	5.4	3.9	2.1	0.7	3.7
Indiana	6.6	5.5	6.1	6.0	7.2	8.3
Maine	2.7	5.2	2.9	1.8	2.7	1.3
Massachusetts	12.2	14.2	13.8	10.6	17.4	5.1
Michigan	10.1	11.2	12.4	10.7	8.0	8.3
New Hampshire	4.8	6.1	12.8	0.5	2.6	2.3
New Jersey	13.7	9.9	9.9	11.7	15.1	21.4
New York	15.5	9.9	19.9	16.6	14.7	16.1
Rhode Island	9.4	7.7	4.8	6.3	13.0	15.2
Vermont	5.8	4.7	11.3	9.0	1.4	2.6
Registration cities of 100,000 population or over:						
Allegheny, Pa	19.9	13.1	30.0	20.6	21.0	16.4
Baltimore, Md	11.5	3.9	2.3	7.1	16.2	26.9
Boston, Mass	21.8	34.9	38.8	17.1	12.1	7.6
Buffalo, N. Y	6.7	7.7	12.1	2.9	7.1	4.1
Chicago, Ill	15.1	14.1	11.1	26.4	16.3	7.8
Cincinnati, Ohio	10.6	8.3	7.9	17.9	11.1	7.0
Cleveland, Ohio	6.9	9.7	10.2	10.2	4.3	0.9
Columbus, Ohio	10.6	8.8	14.7	6.8	12.5	10.1
Denver, Colo	24.9	20.9	47.2	24.1	19.0	14.1
Detroit, Mich	13.3	6.3	18.0	24.2	7.1	11.3
Fall River, Mass	11.7	1.9	1.9	33.4	16.7	3.4
Indianapolis, Ind	4.8	10.6	5.7	3.8	5.1	1.0
Jersey City, N. J	20.5	15.0	15.7	17.7	12.3	41.1
Kansas City, Mo	10.6	6.7	16.8	8.8	8.1	11.4
Louisville, Ky	3.3	2.0	2.4	2.4	6.0	3.2
Memphis, Tenn	8.2	5.9	5.7	10.0	5.3	15.3
Milwaukee, Wis	9.5	24.5	5.1	2.0	3.5	13.4
Minneapolis, Minn	11.9	7.9	7.3	15.2	13.1	15.1
New Haven, Conn	7.1	6.5	4.5	7.1	13.1	5.1
New Orleans, La	7.1	6.6	21.3	4.7	2.7	0.7
New York, N. Y	23.6	14.1	33.5	25.9	21.2	23.3
Bronx borough	59.2	14.0	44.9	84.4	73.5	72.2
Brooklyn borough	23.6	11.8	39.3	23.1	20.7	22.8
Manhattan borough	20.9	15.9	30.8	22.4	16.6	18.7
Queens borough	12.0	14.4	15.0	7.8	12.7	10.6
Richmond borough	14.3	.....	14.6	25.7	4.2	26.0
Newark, N. J	24.8	22.3	9.1	18.6	26.8	45.0
Omaha, Nebr	10.0	6.8	12.2	12.8	11.5	6.8
Paterson, N. J	10.0	10.5	7.4	16.3	1.8	13.8
Philadelphia, Pa	14.1	12.7	17.2	10.1	14.7	15.8
Pittsburg, Pa	21.9	15.9	34.9	26.4	21.2	11.6
Providence, R. I	10.4	5.1	5.0	4.4	13.3	22.6
Rochester, N. Y	8.9	6.8	2.4	7.7	7.0	20.2
St. Joseph, Mo	2.8	.....	3.8	2.8	4.5	3.5
St. Louis, Mo	13.7	10.6	10.6	21.0	15.8	10.6
St. Paul, Minn	8.9	4.9	10.2	10.1	14.5	4.6
San Francisco, Cal	3.7	3.2	3.7	5.1	3.7	2.5
Scranton, Pa	22.4	96.1	7.6	2.8	5.5	2.7
Syracuse, N. Y	8.0	0.9	4.5	5.3	1.7	25.8
Toledo, Ohio	7.1	19.0	8.1	6.4	2.1	0.7
Washington, D. C	3.1	5.4	3.9	2.1	0.7	3.7
Worcester, Mass	12.0	31.2	10.7	12.8	5.4	2.3

The yearly death rates from scarlet fever in each of the cities in the registration area and in each county, exclusive of cities, in the registration states are given in full in Table IV (page lxxii).

The following table gives the number of deaths from scarlet fever in the registration area, in the aggregate, and for each year, by sex and by age:

SEX AND AGE.	NUMBER OF DEATHS FROM SCARLET FEVER: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	18,890	3,135	4,113	4,041	3,991	3,610
Sex:						
Male	9,627	1,612	2,109	2,067	2,016	1,823
Female	9,263	1,523	2,004	1,974	1,975	1,787
Age:						
Under 1 year	986	189	210	219	179	189
1 year	2,125	352	483	458	420	412
2 years	2,756	508	594	608	536	510
3 years	2,689	502	589	549	541	508
4 years	2,257	372	513	465	481	426
Under 5 years	10,813	1,923	2,389	2,299	2,157	2,045
5 to 9 years	5,536	866	1,174	1,219	1,251	1,026
10 to 14 years	1,291	167	272	284	303	265
15 years and over	1,232	175	272	235	277	273
Unknown	18	4	6	4	3	1

The figures by sex show that in each year there were more deaths of males than of females from scarlet fever, the proportion for the five years being 510 males to 490 females. About 57 per cent of the deaths from this disease occurred under 5 years of age, and approximately 95 per cent under 15 years.

The following table shows, for the registration area, the number and proportion of deaths from scarlet fever in each month:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM SCARLET FEVER: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	18,890	3,135	4,113	4,041	3,991	3,610
January	2,180	398	396	469	400	517
February	2,080	403	400	463	331	483
March	2,127	380	502	422	369	454
April	2,196	336	509	460	405	486
May	2,218	331	477	511	478	421
June	1,599	233	352	343	411	260
July	1,197	169	267	250	330	181
August	809	134	175	194	196	110
September	681	103	146	160	160	112
October	961	164	206	224	217	150
November	1,240	218	302	254	297	169
December	1,590	266	381	290	392	261
Unknown	12	.....	.....	1	5	6
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	115.5	127.0	96.3	116.1	100.4	143.5
February	110.2	128.6	97.3	114.6	83.0	134.0
March	112.7	121.2	122.0	104.4	92.6	126.0
April	116.3	107.2	123.8	113.9	101.6	134.9
May	117.5	105.6	116.0	126.5	119.9	116.8
June	84.7	74.3	85.6	84.9	103.1	72.1
July	63.4	53.9	64.9	61.9	82.8	50.2
August	42.8	42.7	42.5	48.0	49.2	30.5
September	36.1	32.9	35.5	39.6	40.1	31.1
October	50.9	52.3	50.1	55.4	54.4	41.6
November	65.7	69.5	73.4	62.9	74.5	46.9
December	84.2	84.8	92.6	71.8	98.4	72.4

Whooping cough.—The total number of deaths from whooping cough recorded in the registration area during the period 1900 to 1904 was 17,978, and the average annual death rate, 11.3. The greatest number of

deaths in any one year occurred in 1903, when the number was 5,171 and the death rate, 15.9.

The yearly death rates from whooping cough in the registration area of the United States are shown in the following table, in comparison with the rates in certain European countries:

COUNTRY.	NUMBER OF DEATHS FROM WHOOPING COUGH PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Registration area of United States	12.1	9.8	12.1	15.9	6.6
England and Wales	35.6	31.3	29.7	28.5	(1)
Scotland	41.0	62.0	39.0	43.0	(1)
Ireland	15.0	25.0	23.0	24.0	(1)
Germany	35.0	37.0	35.0	(1)	(1)
Norway	17.0	15.0	21.0	(1)	(1)
Sweden	12.0	17.0	21.0	(1)	(1)
Hungary	40.0	36.0	65.0	48.0	(1)
The Netherlands	23.0	23.0	20.0	16.0	(1)
Belgium	52.0	35.0	38.0	39.0	(1)
Switzerland	21.0	25.0	15.0	17.0	(1)
Spain	26.0	21.0	23.0	(1)	(1)
Italy	23.0	21.0	22.0	20.0	(1)

[1] No figures available.

It appears from these figures that the annual death rate from whooping cough in the United States was very much less than in any of the foreign countries cited, with the one exception of Sweden in 1900, when the rate in that country was practically the same as in this.

The following table gives the annual and the average death rates from whooping cough in the registration area and its principal subdivisions, and in the registration states and the cities of 100,000 population or more:

AREA.	NUMBER OF DEATHS FROM WHOOPING COUGH PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	11.3	12.1	9.8	12.1	15.9	6.6
Registration cities	12.2	13.1	10.5	13.1	17.4	7.0
Registration states	10.7	12.3	8.7	12.4	14.3	5.8
Cities in registration states	12.0	14.4	9.3	14.6	16.0	5.9
Rural part of registration states	9.1	9.8	7.9	9.7	12.2	5.7
Registration cities in other states	12.4	11.8	11.8	11.6	18.9	8.0
Registration states:						
Connecticut	14.7	14.4	11.5	15.5	25.2	6.6
District of Columbia	26.7	31.6	22.2	42.3	24.2	13.1
Indiana	9.5	12.4	9.7	9.1	10.6	6.0
Maine	9.1	10.7	4.3	7.3	15.3	7.8
Massachusetts	12.5	14.1	9.0	13.5	20.7	5.4
Michigan	9.2	7.8	6.6	10.6	15.2	5.7
New Hampshire	8.8	9.7	6.7	7.4	15.2	4.9
New Jersey	12.2	15.6	9.2	15.4	14.4	6.8
New York	9.5	11.4	8.5	12.0	10.2	5.5
Rhode Island	15.1	16.6	3.9	17.7	35.1	1.7
Vermont	7.5	6.1	11.0	9.8	4.3	6.6
Registration cities of 100,000 population or over:						
Allegheny, Pa	26.6	14.6	40.5	19.2	34.8	24.9
Baltimore, Md	11.6	11.2	12.6	16.4	13.2	4.8
Boston, Mass	17.3	18.7	11.9	23.0	25.6	7.3
Buffalo, N. Y	9.7	7.1	17.4	7.3	14.4	2.8
Chicago, Ill	12.6	16.9	12.6	13.3	13.7	7.2
Cincinnati, Ohio	5.4	5.5	5.8	6.7	6.9	2.0
Cleveland, Ohio	6.7	5.5	2.8	9.2	13.0	2.3
Columbus, Ohio	9.8	13.5	3.9	12.1	18.5	1.5
Denver, Colo	8.5	8.2	2.2	11.7	7.5	14.1
Detroit, Mich	11.6	7.3	10.2	18.9	18.7	2.2
Fall River, Mass	9.0	12.4	.....	21.6	11.4	1.7
Indianapolis, Ind	7.0	9.5	2.8	9.1	11.6	1.0
Jersey City, N. J	12.5	10.2	9.5	18.6	10.5	13.0
Kansas City, Mo	6.5	4.3	1.8	12.4	9.8	4.0
Louisville, Ky	10.8	21.5	3.4	7.5	20.4	0.9
Memphis, Tenn	20.9	35.2	2.8	10.0	47.5	10.2
Milwaukee, Wis	7.9	7.7	3.4	8.5	16.6	3.4
Minneapolis, Minn	8.1	3.9	9.7	10.5	8.4	7.8
New Haven, Conn	21.3	21.3	23.6	29.4	20.1	11.1
New Orleans, La	5.7	2.8	8.2	4.4	9.3	3.6
New York, N. Y	10.1	14.3	6.6	15.9	8.5	5.5
Bronx borough	9.9	15.5	3.3	18.8	8.1	5.3
Brooklyn borough	12.0	20.1	7.8	17.3	9.8	5.9
Manhattan borough	8.8	10.7	6.4	14.4	7.3	5.3
Queens borough	10.2	12.4	4.4	16.2	12.7	5.6
Richmond borough	11.4	13.4	5.8	24.3	8.4	2.7
Newark, N. J	14.3	17.9	14.3	15.9	18.8	4.8
Omaha, Nebr	10.0	5.8	11.3	18.2	3.5	10.3
Paterson, N. J	10.0	11.4	9.3	9.0	15.9	5.2
Philadelphia, Pa	16.0	8.6	18.7	13.9	31.7	6.9
Pittsburg, Pa	29.1	24.3	29.1	23.7	48.7	19.6
Providence, R. I	16.9	22.8	7.2	14.2	39.6	1.1
Rochester, N. Y	4.8	9.2	4.2	4.8	4.7	0.6
St. Joseph, Mo	2.8	1.0	1.9	6.5	.....	3.5
St. Louis, Mo	8.0	1.2	6.0	12.2	13.8	6.9
St. Paul, Minn	7.1	7.4	3.0	11.2	5.8	8.6
San Francisco, Cal	13.9	8.8	13.8	1.7	30.6	14.4
Scranton, Pa	8.4	2.0	14.3	15.9	4.6	6.2
Syracuse, N. Y	9.8	11.1	7.2	10.7	20.1	0.9
Toledo, Ohio	6.4	7.6	11.0	3.6	10.3	.....
Washington, D. C	26.7	31.6	22.2	42.3	24.2	13.1
Worcester, Mass	16.0	24.5	13.1	20.8	11.7	10.6

The following table shows, for the registration area, the number of deaths from whooping cough, by sex and by age:

SEX AND AGE.	NUMBER OF DEATHS FROM WHOOPING COUGH: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	17,978	3,719	3,051	3,854	5,171	2,183
Sex:						
Male	8,083	1,691	1,344	1,707	2,374	967
Female	9,895	2,028	1,707	2,147	2,797	1,216
Age:						
Under 1 year	9,787	1,973	1,674	2,152	2,804	1,184
1 year	4,218	889	714	846	1,235	534
2 years	1,753	370	284	364	522	213
3 years	889	221	143	187	237	101
4 years	474	92	92	102	138	50
Under 5 years	17,121	3,545	2,907	3,651	4,936	2,082
5 to 9 years	667	131	118	150	190	78
10 years and over	162	35	24	47	36	20
Unknown	28	8	2	6	9	3

The figures by sex show a majority of the deaths from whooping cough to be of females. Of the total number of deaths of both sexes, 9,895 were of females and 8,083 were of males, the proportion being 550 females to 450 males per 1,000 deaths of both sexes. Practically all, 95.5 per cent, of the deaths occurred at ages under 5, and more than one-half at ages under 1.

The following table gives, for the registration area, the number and proportion of deaths from whooping cough in each month:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM WHOOPING COUGH: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	17,978	3,719	3,051	3,854	5,171	2,183
January	1,453	269	245	220	531	188
February	1,492	283	247	242	530	190
March	1,812	381	294	267	654	216
April	1,866	407	323	313	608	215
May	1,719	378	283	341	537	180
June	1,598	355	258	358	464	163
July	1,852	392	291	489	491	189
August	1,871	380	361	468	455	207
September	1,331	264	282	309	303	173
October	921	199	172	234	186	130
November	897	175	143	251	182	146
December	1,147	236	152	361	218	180
Unknown	19	.....	.....	1	12	6
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	80.9	72.3	80.3	57.1	102.9	86.3
February	83.1	76.1	80.9	62.8	102.7	87.3
March	100.9	102.4	96.4	69.3	126.8	99.2
April	103.9	109.4	105.9	81.2	117.8	98.7
May	95.7	101.6	92.7	88.5	104.1	82.7
June	89.0	95.5	84.6	92.9	89.9	74.9
July	103.1	105.4	95.4	126.9	95.2	86.8
August	104.2	102.2	118.3	121.5	88.2	95.1
September	74.1	71.0	92.4	80.2	58.7	79.5
October	51.3	53.5	56.4	60.7	36.1	59.7
November	49.9	47.1	46.9	65.2	35.3	67.1
December	63.9	63.5	49.8	93.7	42.3	82.7

Diphtheria and croup.—There were 53,647 deaths from diphtheria and croup recorded in the registration area during the five years, 1900 to 1904. In 43,595 cases the cause was specifically stated as diphtheria and in 10,052 cases as croup. The number registered in each year and the death rates are shown below:

CAUSE OF DEATH.	NUMBER OF DEATHS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	53,647	13,314	10,667	9,859	10,363	9,444
Diphtheria	43,595	10,504	8,434	8,101	8,658	7,898
Croup	10,052	2,810	2,233	1,758	1,705	1,546

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Aggregate	33.7	43.3	34.1	31.0	32.0	28.6
Diphtheria	27.4	34.2	27.0	25.5	26.7	23.9
Croup	6.3	9.1	7.1	5.5	5.3	4.7

Of the 53,647 deaths from diphtheria and croup, 33,739 occurred in the registration states, and of this number, 20,519 resulting from diphtheria and 3,957 from croup occurred in the cities of at least 8,000 population, and 6,728 from diphtheria and 2,535 from croup occurred in the rural districts. From these figures it appears that 16.2 per cent of the deaths from these diseases in the cities was attributed to croup, while in the rural districts the percentage was 27.4. It is probable, however, that at least a part of the difference is due to a more accurate diagnosis in the cities, where the enforcement of health regulations requires the immediate report of suspected cases and a bacteriological examination to determine if the Klebs-Löffler bacilli are present.

With the exception of a slight increase in 1903 over 1902 the figures in the preceding table show a constant decrease in the annual death rates due to diphtheria and croup, the total decrease from 1900 to 1904 being 14.7 per 100,000, or about 34 per cent.

The following table gives the annual death rates from diphtheria and croup in the registration area of the United States, in comparison with the rates in the specified European countries:

COUNTRY.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Registration area of United States	43.3	34.1	31.0	32.0	28.6
Ireland	8.0	8.0	9.0	8.0	(1)
Germany	39.0	40.0	32.0	(1)	(1)
Norway	8.0	7.0	11.0	(1)	(1)
Sweden	51.0	51.0	34.0	(1)	(1)
Hungary	52.0	48.0	46.0	54.0	(1)
Belgium	27.0	26.0	26.0	20.0	(1)
Switzerland	30.0	32.0	22.0	16.0	(1)
Spain	46.0	34.0	28.0	(1)	(1)
Italy	18.0	17.0	14.0	12.0	(1)

[1] No figures available.

The following table gives the average and the annual death rates from diphtheria and croup in the registration area and its principal subdivisions, and in the registration states and the cities of 100,000 population or over:

AREA.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	33.7	43.3	34.1	31.0	32.0	28.6
Registration cities	39.2	50.5	39.3	36.6	37.6	32.9
Registration states	32.7	40.4	33.4	29.7	31.1	29.4
Cities in registration states	42.9	52.4	43.1	39.9	41.6	38.6
Rural part of registration states	20.1	26.5	21.6	17.0	17.8	17.6
Registration cities in other states	35.4	48.7	35.4	33.3	33.5	27.2
Registration states:						
Connecticut	29.0	35.9	33.4	27.7	26.4	22.2
District of Columbia	24.3	43.4	36.7	17.3	8.5	17.4
Indiana	20.1	35.0	20.8	15.8	17.6	11.9
Maine	19.1	22.6	18.2	16.1	16.2	22.7
Massachusetts	35.3	52.5	40.9	30.6	29.7	24.0
Michigan	22.0	22.1	20.8	19.8	27.3	19.8
New Hampshire	24.6	24.1	20.7	37.5	24.9	16.5
New Jersey	41.6	48.7	36.6	35.2	39.1	48.6
New York	40.2	45.4	40.5	38.0	38.6	38.7
Rhode Island	40.0	46.0	44.4	35.7	43.4	31.4
Vermont	14.7	15.1	14.8	11.0	16.4	16.7
Registration cities of 100,000 population or over:						
Allegheny, Pa	46.5	26.9	37.5	32.4	82.6	51.3
Baltimore, Md	32.6	57.4	33.1	24.1	29.0	20.8
Boston, Mass	52.3	92.4	59.8	37.7	37.3	36.8
Buffalo, N. Y	30.9	19.0	39.2	26.3	31.5	28.6
Chicago, Ill	33.2	49.6	28.5	34.4	33.7	21.1
Cincinnati, Ohio	20.8	27.9	21.7	23.4	18.6	13.5
Cleveland, Ohio	46.8	56.8	43.8	52.6	48.4	33.4
Columbus, Ohio	12.1	22.3	7.0	9.1	5.2	17.3
Denver, Colo	34.2	20.2	34.7	51.1	34.0	31.6
Detroit, Mich	42.1	29.1	18.0	44.4	71.7	44.4

AREA.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Registration cities of 100,000 population or over—Continued.						
Fall River, Mass	30.6	23.8	23.2	45.1	37.7	24.8
Indianapolis, Ind	18.8	31.3	20.5	16.1	17.7	9.3
Jersey City, N. J	59.0	64.4	52.7	56.7	53.8	68.4
Kansas City, Mo	24.7	47.6	24.0	11.2	13.3	27.8
Louisville, Ky	33.0	21.5	51.8	41.0	32.4	18.2
Memphis, Tenn	10.0	7.8	4.7	12.7	10.6	14.5
Milwaukee, Wis	27.0	42.8	34.4	23.3	20.1	16.8
Minneapolis, Minn	48.0	61.2	92.5	35.2	27.5	26.6
New Haven, Conn	16.0	17.6	23.6	8.9	16.6	14.6
New Orleans, La	14.2	13.9	14.4	14.9	12.0	15.4
New York, N. Y	57.3	65.7	56.5	55.3	56.0	53.7
Bronx borough	59.2	68.8	48.2	53.4	65.4	60.0
Brooklyn borough	61.7	72.2	61.3	59.2	63.0	53.7
Manhattan borough	55.2	61.4	55.5	54.1	50.7	54.5
Queens borough	51.2	53.6	45.7	53.6	61.3	41.2
Richmond borough	48.5	89.5	52.5	28.5	33.5	43.7
Newark, N. J	47.1	57.3	40.9	39.1	43.3	54.5
Omaha, Nebr	14.6	25.4	13.2	14.6	8.8	14.5
Paterson, N. J	39.8	44.7	26.0	44.3	45.1	40.6
Philadelphia, Pa	51.1	85.1	49.3	38.5	45.1	39.3
Pittsburg, Pa	50.1	45.4	48.9	48.6	61.7	46.2
Providence, R. I	42.1	31.3	48.0	39.3	45.0	46.7
Rochester, N. Y	34.5	28.9	13.3	8.3	65.6	53.6
St. Joseph, Mo	10.2	18.5	11.4	8.3	5.4	8.9
St. Louis, Mo	40.2	66.8	47.3	29.5	32.2	27.2
St. Paul, Minn	29.0	37.4	31.3	36.0	12.2	28.6
San Francisco, Cal	35.8	23.9	37.4	67.7	32.0	18.9
Scranton, Pa	44.8	136.2	41.1	15.9	20.0	17.8
Syracuse, N. Y	18.7	19.4	25.4	11.6	18.3	18.9
Toledo, Ohio	38.8	86.5	48.3	52.4	80.9	29.2
Washington, D. C	24.3	43.4	36.7	17.3	8.5	17.4
Worcester, Mass	16.8	47.3	14.8	7.2	8.6	6.8

During each year the greatest mortality from diphtheria and croup occurred in the cities of the registration states, in which it was about twice as great as in the rural districts of those states.

The average annual death rate from these diseases for the combined population of the 37 cities having a population of 100,000 and over was 41.5. In 1890 there were 28 cities in this class, with an average death rate from diphtheria and croup of 116.6.

The preceding table shows that in the principal cities the highest death rate from these diseases in any year of the period, 1900 to 1904, was 136.2, which occurred in Scranton, Pa., in 1900. The next highest rate occurred in Minneapolis, Minn., in 1901 (92.5). In 1902 the highest rate was in San Francisco, Cal., (67.7). In 1903 it was highest in Allegheny, Pa. (82.6) and in 1904 in Jersey City, N. J. (68.4). In each of the cases, however, it will be seen that the high rates cited were followed by greatly reduced rates from the same diseases in the succeeding year.

It is in the large cities that effective measures for the prevention, restriction, and treatment of epidemic diseases are inaugurated most promptly and enforced most rigidly, and the figures given above for diphtheria and croup show, as the result of this work, a general tendency toward a progressive reduction of the death rates. The variations, however, indicate that the recognized methods are not equally applied in all places, and a comparison of the rates in the principal cities with those given for the smaller cities in Table IV (page lxxii) shows an apparent neglect of proper sanitary measures in many of the latter cities.

Of the cities of less than 100,000 population, there are 70 in which the death rate from diphtheria and croup exceeded 80 in one or more years, as shown in the following table:

REGISTRATION CITY.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Adams town, Mass	98.8				
Alexandria, Va	117.0				
Allentown, Pa					144.1
Altoona, Pa	151.4				
Annapolis, Md		92.8			
Appleton, Wis				93.4	
Barre, Vt	106.5				
Bath, Me					125.3
Battle Creek, Mich			147.2		
Bayonne, N. J				86.9	
Binghamton, N. Y	138.7				
Camden, N. J	172.5	81.6			88.8
Carbondale, Pa	147.8			133.3	
Carlisle, Pa	135.0				
Chelsea, Mass	82.2				
Chicopee, Mass			99.1		
Columbia, Pa	138.1				
Corning, N. Y	135.6				82.9
Dunkirk, N. Y			91.2		
Elizabeth, N. J	82.5				82.9
Escanaba, Mich				112.1	
Frederick, Md			84.1		
Gloucester, Mass			98.4	154.3	
Greenwich town, Conn	147.9				
Harrison, N. J		138.6	135.8		
Hazelton, Pa					104.6
Holyoke, Mass	172.8	85.6			
Ironwood, Mich			121.7	150.9	
Ishpeming, Mich			104.5	124.7	
Johnstown, Pa				85.0	
Lawrence, Kans	138.1				
Lebanon, Pa	141.8				
Lincoln, Nebr	82.2				
Lockport, N. Y				89.6	95.2
Lowell, Mass		118.9			
Mahanoy City, Pa	162.9	102.0			90.3
Manchester town, Conn		92.3			
Marlboro, Mass			161.6		
Marquette, Mich				95.1	
Milford town, Mass		103.1			
Millville, N. J	104.0				
Mt. Carmel, Pa	83.4	80.5	84.7		92.4
Muncie, Ind	81.2				
Nashua, N. H		86.2	165.2		
New Albany, Ind		106.7			
New Brunswick, N. J				151.8	97.2
New London, Conn		89.3			
Norfolk, Va			96.3		
Peekskill, N. Y	86.9				
Perth Amboy, N. J		124.2		114.1	
Phoenixville, Pa	97.9				
Plymouth, Pa	117.2	92.3		120.5	97.6
Port Jervis, N. Y					180.7
Pottsville, Pa					97.9
Pueblo, Colo				88.9	
Reading, Pa	102.6				
Richmond, Ind			156.3		
Salt Lake City, Utah		90.1	81.4	91.0	
Sault Ste. Marie, Mich	123.4				
Schenectady, N. Y		87.3			
South Bethlehem, Pa	120.8				
Southbridge town, Mass					200.5
Union, N. J	85.6	95.9			
Waltham, Mass	106.5				
Warren, Ohio	82.1				
Webster town, Mass			87.4		
Westfield town, Mass		143.3			
Wilmington, Del	98.0				
Winona, Minn					83.7
Woonsocket, R. I	127.7			95.3	

The following table shows, for the registration area, the number of deaths from diphtheria and croup, by sex and by age:

SEX AND AGE.	NUMBER OF DEATHS FROM DIPHTHERIA AND CROUP: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	53,647	13,314	10,667	9,859	10,363	9,444
Sex:						
Male	27,299	6,749	5,346	5,067	5,310	4,827
Female	26,348	6,565	5,321	4,792	5,053	4,617
Age:						
Under 1 year	3,736	880	749	746	702	659
1 year	8,001	1,902	1,593	1,462	1,538	1,506
2 years	7,990	2,033	1,575	1,439	1,563	1,380
3 years	7,207	1,804	1,467	1,308	1,408	1,220
4 years	5,989	1,562	1,172	1,117	1,112	1,026
Under 5 years	32,923	8,181	6,556	6,072	6,323	5,791
5 to 9 years	14,818	3,785	2,891	2,692	2,917	2,533
10 to 14 years	3,191	753	645	572	611	610
15 years and over	2,628	580	551	509	492	496
Unknown	87	15	24	14	20	14

Diphtheria and croup caused a somewhat larger number of deaths among males than among females, the figures for the five-year period comprising 27,299 males and 26,348 females, or 509 deaths of males to 491 deaths of females per 1,000 deaths of both sexes. About 95 per cent of the deaths from diphtheria and croup occurred at ages under 15, approximately 61 per cent occurring at ages under 5.

The following table shows the number and proportion of deaths from diphtheria and croup in each month:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM DIPHTHERIA AND CROUP: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	53,647	13,314	10,667	9,859	10,363	9,444
January	6,013	1,535	1,382	1,046	1,015	1,035
February	4,942	1,316	949	906	859	912
March	4,453	1,191	910	816	757	779
April	4,058	1,004	796	756	722	780
May	3,794	932	749	695	746	672
June	3,502	767	705	672	722	636
July	2,873	646	463	524	669	571
August	2,852	626	542	583	583	518
September	3,635	835	740	692	729	639
October	5,353	1,337	1,063	995	1,086	872
November	6,054	1,597	1,203	1,025	1,270	959
December	6,088	1,527	1,165	1,148	1,194	1,054
Unknown	30	1	.....	1	11	17
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	112.1	115.3	129.6	106.1	98.1	109.8
February	92.2	98.9	89.0	91.9	83.0	96.8
March	83.1	89.5	85.3	82.8	73.1	82.6
April	75.7	75.4	74.6	76.7	69.7	82.7
May	70.8	70.0	70.2	70.5	72.1	71.3
June	65.3	57.6	66.1	68.2	69.7	67.5
July	53.6	48.5	43.4	53.2	64.6	60.6
August	53.2	47.0	50.8	59.1	56.3	54.9
September	67.8	62.7	69.4	70.2	70.4	67.8
October	99.8	100.4	99.6	100.9	104.9	92.5
November	112.9	120.0	112.8	104.0	122.7	101.7
December	113.5	114.7	109.2	116.4	115.4	111.8

Influenza.—There were 7,031 deaths from influenza recorded in the registration area in 1900, 10,093 in 1901, 3,225 in 1902, 6,064 in 1903, and 6,724 in 1904. The total number in the five years was 33,137, and the average annual death rate was 20.8 per 100,000 of population.

The following table gives the annual death rates from influenza in the registration area of the United States in comparison with those in certain European countries:

COUNTRY.	NUMBER OF DEATHS FROM INFLUENZA PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Registration area of United States	22.9	32.3	10.1	18.7	20.4
England and Wales	50.4	17.4	22.3	18.9	(1)
Scotland	62.0	16.0	28.0	21.0	(1)
The Netherlands	(1)	(1)	17.0	14.0	(1)
Italy	54.0	13.0	12.0	(1)	(1)

[1] No figures available.

The following table gives the average annual and the yearly death rates from influenza in the registration area and its principal subdivisions, and in the registration states and the cities of at least 100,000 population:

AREA.	NUMBER OF DEATHS FROM INFLUENZA PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	20.8	22.9	32.3	10.1	18.7	20.4
Registration cities	17.3	19.9	25.8	8.3	16.2	16.8
Registration states	22.8	26.7	36.4	10.4	19.2	21.8
Cities in registration states	17.6	24.2	26.9	7.0	14.7	15.8
Rural part of registration states	29.3	29.6	48.0	14.6	24.9	29.7
Registration cities in other states	17.1	15.7	24.7	9.6	17.8	17.7
Registration states:						
Connecticut	42.3	70.4	60.3	13.1	32.8	36.4
District of Columbia	37.1	43.4	58.5	20.8	29.0	33.9
Indiana	21.3	18.6	39.3	12.4	15.9	20.7
Maine	28.8	34.0	42.7	17.4	26.8	23.6
Massachusetts	20.9	37.1	27.6	7.5	18.6	14.5
Michigan	22.8	15.5	43.4	12.3	18.0	25.0
New Hampshire	31.3	44.7	34.5	12.2	36.0	29.8
New Jersey	14.1	21.7	20.3	4.8	11.8	12.6
New York	21.0	19.7	35.7	9.5	17.6	22.5
Rhode Island	36.4	70.2	40.1	14.8	35.1	23.6
Vermont	36.1	37.0	44.1	21.1	34.3	44.5
Registration cities of 100,000 population or over:						
Allegheny, Pa	14.0	15.4	21.8	17.0	7.9	9.3
Baltimore, Md	24.6	17.9	50.5	10.7	20.1	23.9
Boston, Mass	17.3	36.0	24.5	4.3	13.1	9.7
Buffalo, N. Y	10.0	11.9	18.2	4.0	8.9	7.2
Chicago, Ill	11.9	10.4	15.9	8.4	14.0	10.9
Cincinnati, Ohio	27.4	15.0	41.5	14.3	31.8	34.6
Cleveland, Ohio	7.9	7.1	15.8	4.5	7.7	5.2
Columbus, Ohio	15.9	22.3	24.1	12.1	10.3	13.0
Denver, Colo	11.4	11.2	19.2	8.0	9.5	8.1
Detroit, Mich	12.3	6.3	28.9	4.6	11.6	9.4
Fall River, Mass	14.4	30.5	9.3	7.2	14.9	9.4
Indianapolis, Ind	19.3	28.4	35.3	10.7	11.1	13.2
Jersey City, N. J	9.8	12.1	16.6	1.8	6.8	11.1
Kansas City, Mo	15.3	9.2	14.4	5.3	12.7	34.6
Louisville, Ky	14.6	10.8	26.4	3.8	7.4	24.2
Memphis, Tenn	36.4	33.2	45.2	26.4	33.4	42.6
Milwaukee, Wis	13.8	1.8	22.9	3.6	23.7	15.6
Minneapolis, Minn	6.7	6.4	6.8	2.9	12.1	4.6
New Haven, Conn	28.5	44.4	42.6	6.2	15.7	36.0
New Orleans, La	27.0	15.0	24.0	18.2	39.2	38.0
New York, N. Y	13.1	15.1	20.0	5.1	11.2	14.5
Bronx borough	9.4	6.5	20.3	3.1	6.4	10.2
Brooklyn borough	14.2	17.1	17.3	6.4	14.5	16.0
Manhattan borough	12.8	15.0	21.2	4.8	9.6	13.6
Queens borough	13.2	13.1	25.1	1.8	9.8	17.3
Richmond borough	15.7	14.9	20.4	2.8	18.2	21.9
Newark, N. J	13.9	23.6	13.1	5.4	15.8	11.4
Omaha, Nebr	13.7	11.7	23.6	6.4	15.0	12.8
Paterson, N. J	5.4	9.5	9.3	2.7	2.6	3.4
Philadelphia, Pa	13.3	19.4	12.6	4.9	14.4	15.6
Pittsburg, Pa	18.1	16.8	32.5	16.9	14.2	10.5
Providence, R. I	36.1	66.1	41.3	16.9	39.1	18.4
Rochester, N. Y	12.5	6.8	24.8	6.5	9.4	16.1
St. Joseph, Mo	10.2	4.8	15.2	4.6	19.9	4.4
St. Louis, Mo	16.5	9.4	15.1	5.5	26.3	25.3
St. Paul, Minn	7.7	3.7	12.0	5.3	12.2	5.7
San Francisco, Cal	11.4	9.6	16.1	10.2	15.7	4.7
Scranton, Pa	19.6	9.8	34.4	10.2	8.2	33.8
Syracuse, N. Y	12.4	10.2	29.9	1.8	10.5	12.0
Toledo, Ohio	17.7	26.5	28.6	6.4	17.1	12.6
Washington, D. C	37.1	43.4	58.5	20.8	29.0	33.9
Worcester, Mass	13.6	21.9	27.9	6.4	9.3	2.3

The mortality from influenza was greatest in each year in the rural districts of the registration states, with an average rate of 29.3 and a range of from 48 in 1901 to 14.6 in 1902. In the cities of these states the average death rate was 17.6 and, as in the rural districts, was highest in 1901 (26.9) and lowest in 1902 (7).

Taking the registration states as a whole, the average annual death rate from influenza was highest in Connecticut (42.3) and lowest in New Jersey (14.1).

In the cities having a population of at least 100,000 the average mortality was greatest in Washington, D. C. (37.1); Memphis, Tenn. (36.4); Providence, R. I. (36.1); and New Haven, Conn. (28.5). The greatest mortality in any year was in Providence, R. I., in 1900 (66.1). In 1901 the highest rate was that for Washington, D. C. (58.5). In 1902 the rate was highest in Memphis, Tenn. (26.4); in 1903, in New Orleans, La. (39.2); and in 1904 it was again highest in Memphis (42.6).

The average annual rates were lowest in Paterson, N. J. (5.4); Minneapolis, Minn. (6.7); St. Paul, Minn. (7.7); Cleveland, Ohio (7.9); and Jersey City, N. J. (9.8).

The death rates from influenza in each city of the registration area and in each county, exclusive of cities, in the registration states are given in Table IV (page lxxii).

The following table gives the number of deaths from influenza in the registration area, by sex and by age:

SEX AND AGE.	NUMBER OF DEATHS FROM INFLUENZA: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	33,137	7,031	10,093	3,225	6,064	6,724
Sex:						
Male	14,677	3,001	4,498	1,471	2,635	3,072
Female	18,460	4,030	5,595	1,754	3,429	3,652
Age:						
Under 1 year	2,305	509	690	268	391	447
1 year	595	106	168	80	116	125
2 years	288	62	90	37	44	55
3 years	209	47	57	20	38	47
4 years	147	33	41	19	27	27
Under 5 years	3,544	757	1,046	424	616	701
5 to 9 years	398	75	115	52	76	80
10 to 14 years	304	60	75	32	63	74
15 to 19 years	556	93	176	57	106	124
20 to 24 years	742	137	217	70	147	171
25 to 29 years	749	149	256	60	128	156
30 to 34 years	875	186	266	89	161	173
35 to 39 years	996	196	310	83	190	217
40 to 44 years	1,117	246	308	111	227	225
45 to 49 years	1,220	243	351	138	248	240
50 to 54 years	1,534	311	468	137	291	327
55 to 59 years	1,760	350	535	207	303	365
60 to 64 years	2,530	547	788	218	492	485
65 to 69 years	3,135	707	941	310	566	611
70 to 74 years	3,677	797	1,086	339	681	774
75 to 79 years	3,920	830	1,255	362	724	749
80 to 84 years	3,373	766	1,060	298	592	657
85 to 89 years	1,759	388	536	154	294	387
90 to 94 years	637	135	207	58	99	138
95 years and over	179	34	58	13	29	45
Unknown	132	24	39	13	31	25

The preceding table shows that the number of deaths from influenza was uniformly greater among females than among males, the distribution of the whole number of deaths in the five-year period by sex being, males, 14,677; females, 18,460; representing a proportion of 557 females to 443 males per 1,000 of both sexes. The figures by ages show that the greatest number of deaths from influenza occurs at ages above 60.

The following table shows the number and proportion of deaths from influenza in each month:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM INFLUENZA: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	33,137	7,031	10,093	3,225	6,064	6,724
January	5,351	519	2,744	564	627	897
February	6,921	715	2,960	642	1,180	1,424
March	7,970	1,854	2,017	623	1,654	1,822
April	5,519	2,291	892	385	867	1,084
May	2,329	750	413	237	503	426
June	792	214	173	82	179	144
July	395	94	87	72	81	61
August	250	61	51	28	61	49
September	310	51	79	62	72	46
October	406	62	109	87	106	82
November	877	120	184	136	227	210
December	1,953	298	384	306	495	470
Unknown	24	2	.....	1	12	9
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	161.6	73.8	271.9	175.0	103.6	133.6
February	209.0	101.7	293.3	199.1	195.0	212.1
March	240.7	263.8	199.9	193.3	273.3	271.3
April	166.7	325.9	88.4	119.4	143.2	161.4
May	70.3	106.7	40.9	73.5	83.1	63.4
June	23.9	30.4	17.1	25.4	29.6	21.4
July	11.9	13.4	8.6	22.3	13.4	9.1
August	7.5	8.7	5.1	8.7	10.1	7.3
September	9.4	7.3	7.8	19.2	11.9	6.9
October	13.5	8.8	10.8	27.0	17.5	12.2
November	26.5	17.1	18.2	42.2	37.5	31.3
December	59.0	42.4	38.0	94.9	81.8	70.0

Dysentery.—The number of deaths reported as due to dysentery during the five years was 14,950, and the average annual death rate from this disease per 100,000 of population was 9.4.

The following table gives the number of deaths from dysentery in the registration area and its subdivisions, with the average annual and the yearly death rates:

AREA.	NUMBER OF DEATHS FROM DYSENTERY: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	14,950	3,487	3,331	3,187	2,378	2,567
Registration cities	9,864	2,086	2,232	2,196	1,646	1,704
Registration states	9,980	2,402	2,242	2,082	1,534	1,720
Cities in registration states	4,894	1,001	1,143	1,091	802	857
Rural part of registration states	5,086	1,401	1,099	991	732	863
Registration cities in other states	4,970	1,085	1,089	1,105	844	847

AREA.	NUMBER OF DEATHS FROM DYSENTERY PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	9.4	11.3	10.7	10.0	7.3	7.8
Registration cities	8.7	9.7	10.1	9.7	7.1	7.2
Registration states	9.7	12.1	11.1	10.1	7.3	8.1
Cities in registration states	8.6	9.4	10.2	9.5	6.8	7.1
Rural part of registration states	11.0	15.1	12.1	10.8	8.0	9.3
Registration cities in other states	8.8	10.1	9.9	9.9	7.3	7.2

There appears to have been but little difference in the death rates from dysentery in the cities in the registration states and those in other states. The rate in the rural districts was higher than that in the cities in every year.

The following table gives the number of deaths from dysentery in the registration area, by sex and by principal age periods:

SEX AND AGE.	NUMBER OF DEATHS FROM DYSENTERY: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	14,950	3,487	3,331	3,187	2,378	2,567
Sex:						
Male	7,342	1,774	1,624	1,534	1,176	1,234
Female	7,608	1,713	1,707	1,653	1,202	1,333
Age:						
Under 1 year	2,479	598	465	512	417	487
Under 5 years	5,206	1,218	1,076	1,126	857	929
5 to 14 years	530	128	131	123	77	71
15 to 24 years	458	132	144	76	56	50
25 to 34 years	655	158	163	135	104	95
35 to 44 years	744	184	160	168	112	120
45 to 64 years	2,502	571	561	557	407	406
65 years and over	4,795	1,081	1,079	990	757	888
Unknown	60	15	17	12	8	8

Dysentery caused a greater number of deaths among females than among males in each year except 1900, in which the condition was reversed. For the whole five-year period there were 509 deaths of females to 491 deaths of males from this disease in each 1,000 deaths of both sexes.

Tuberculosis.—The total number of deaths due to tuberculosis in all forms in the registration area, 1900 to 1904, was 310,709, corresponding to an average annual death rate of 195 per 100,000 of population. The number reported in 1900 was 61,888. In 1901 it was about the same, 61,599. In 1902 it fell to 58,938, rising to 61,487 in 1903, with a further rise in 1904, in which year 66,797 deaths from this disease were registered, being the greatest number reported in any year covered by this report.

Of the 310,709 deaths from all forms of tuberculosis, 274,991, or 88.5 per cent, were attributed to pulmonary tuberculosis, designated in the tables as tuberculosis of the lungs, and commonly known in this country as "consumption." The 35,718 deaths from other forms of tuberculosis were distributed as follows: Tuberculosis of the larynx, 2,583; tuberculous meningitis, 13,933; abdominal tuberculosis, 9,171; Pott's disease, 2,314; tuberculous abscess, 261; white swelling, 1,115; tuberculosis of other organs, 2,133; and *general* tuberculosis, 4,208.

The following table gives the number of deaths from the various forms of tuberculosis in the registration area, with the corresponding death rates:

CAUSE OF DEATH.	NUMBER OF DEATHS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	310,709	61,888	61,599	58,938	61,487	66,797
Tuberculosis of lungs	274,991	55,504	54,735	52,079	53,910	58,763
Tuberculosis of larynx	2,583	406	527	541	539	570
Tuberculous meningitis	13,933	2,673	2,656	2,674	2,905	3,025
Abdominal tuberculosis	9,171	1,635	1,767	1,817	1,854	2,098
Pott's disease	2,314	416	442	421	516	519
Tuberculous abscess	261	40	48	39	72	62
White swelling	1,115	207	206	237	224	241
Tuberculosis of other organs	2,133	339	393	391	465	545
General tuberculosis	4,208	668	825	739	1,002	974

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Aggregate	195.0	201.2	197.0	185.0	189.6	202.6
Tuberculosis of lungs	172.6	180.5	175.1	163.6	166.2	178.1
Tuberculosis of larynx	1.6	1.3	1.7	1.7	1.7	1.7
Tuberculous meningitis	8.7	8.7	8.5	8.4	9.0	9.2
Abdominal tuberculosis	5.8	5.3	5.7	5.7	5.7	6.4
Pott's disease	1.5	1.3	1.4	1.3	1.6	1.6
Tuberculous abscess	0.2	0.1	0.1	0.1	0.2	0.2
White swelling	0.7	0.7	0.6	0.7	0.7	0.7
Tuberculosis of other organs	1.3	1.1	1.3	1.2	1.4	1.7
General tuberculosis	2.6	2.2	2.6	2.3	3.1	3.0

Tuberculosis of the lungs.—The number of deaths specifically referred to this title, as shown in the preceding table, was 274,991, but it is probable that in a number of cases in which the deaths were classified under certain other of the titles, tuberculosis of the lungs also existed and was the determining factor.

The international classification refers deaths in which the cause is stated as "hemorrhage of the lungs" to "other diseases of the respiratory system," which title in the Census compilation is subdivided so as to distinguish the deaths from hemorrhage of the lungs. There were 3,916 deaths so reported in the five-year period treated (Table III, page lxviii), and as this has heretofore been a very common form of return in case of deaths from consumption accompanied by hemorrhage, it is probable that a complete statement in such cases would have caused a good many of the deaths so reported to be classified under tuberculosis of the lungs.

The average annual mortality from tuberculosis of the lungs in the registration area, 1900 to 1904, was 172.6. The greatest mortality (180.5) was in 1900, falling to 175.1 in 1901, with a further decline to 163.6 in 1902, in which year it reached the minimum. In 1903 there was a slight increase, the rate being 166.2, and a greater increase followed in 1904, in which it was 178.1.

The annual death rates from tuberculosis of the lungs in the registration area of the United States, in

comparison with the rates in certain European countries, are given in the following table:

COUNTRY.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Registration area of United States	180.5	175.1	163.6	166.2	178.1
England and Wales	133.3	126.4	123.3	120.3	(1)
Scotland	166.0	153.0	146.0	146.0	(1)
Ireland	225.0	215.0	212.0	217.0	(1)
Germany	207.0	193.0	188.0	(1)	(1)
Norway	222.0	195.0	190.0	(1)	(1)
The Netherlands	164.0	137.0	132.0	132.0	(1)
Belgium	136.0	135.0	132.0	109.0	(1)
Switzerland	203.0	187.0	187.0	188.0	(1)
Spain	197.0	194.0	186.0	(1)	(1)
Italy	122.0	111.0	101.0	(1)	(1)

[1] No figures available.

It appears from the preceding table that the mortality from this disease in the registration area of the United States was lower in each year than in Ireland, Germany, Norway, Spain, and Switzerland, but was higher in each year than in the other countries specified.

The table in the next column gives the average annual and the yearly death rates from tuberculosis of the lungs in the registration area and its principal subdivisions, and in the registration states and the cities of 100,000 population and over.

It will be seen from that table that in the registration states the mortality from tuberculosis of the lungs was much greater in the cities than in the rural districts, the difference between the annual rates ranging from a maximum of 66.1 for 1900 to a minimum of 56.6 for 1902, the difference between average annual rates being 59.8. In 1900 and 1901 the mortality from this disease was higher in the cities of the registration states than in those of other states, but in 1902, 1903, and 1904 the conditions were reversed.

In the registration states, exclusive of the District of Columbia, which is coextensive with the city of Washington, the average annual death rates from tuberculosis of the lungs were highest in Rhode Island (186.9), New York (180.3), and New Jersey (174.1); and lowest in Michigan (87.8), Vermont (124.3), and New Hampshire (140).

Considering the registration cities of more than 100,000 population, for which rates are given in the above table, the average annual death rate from tuberculosis of the lungs, 1900 to 1904, was highest in Denver, Colo. (410.1). In this case, however, the excessive mortality is due largely to deaths of nonresidents who resort to this locality in the later stages of the disease, hoping to be benefited or cured by the favorable climatic conditions. The same statement applies to some of the other principal and minor cities in the West and South visited in large numbers by persons afflicted with pulmonary disease.

AREA.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	172.6	180.5	175.1	163.6	166.2	178.1
Registration cities	190.3	198.8	192.1	180.7	184.0	196.1
Registration states	162.4	173.3	167.5	152.6	154.2	164.7
Cities in registration states	189.1	204.1	194.9	177.7	180.0	189.9
Rural part of registration states	129.3	138.0	133.8	121.1	121.4	132.1
Registration cities in other states	191.5	193.5	189.3	183.8	188.1	202.4
Registration states:						
Connecticut	154.4	173.1	163.3	147.1	145.5	144.0
District of Columbia	276.0	293.1	296.2	246.2	266.4	279.5
Indiana	161.9	173.2	163.3	152.4	151.3	169.4
Maine	145.8	157.4	155.5	139.5	129.2	147.5
Massachusetts	170.9	188.0	177.9	164.5	155.6	169.7
Michigan	87.8	90.2	88.4	84.1	85.3	91.3
New Hampshire	140.0	151.1	146.5	134.5	128.2	140.1
New Jersey	174.1	184.0	172.4	158.4	171.4	184.5
New York	180.3	191.1	187.6	168.2	172.8	182.6
Rhode Island	186.9	196.9	193.0	180.4	192.1	173.5
Vermont	124.3	138.2	134.0	119.7	115.0	114.6
Registration cities of 100,000 population:						
Allegheny, Pa	141.7	155.5	131.3	148.2	126.8	146.7
Baltimore, Md	233.5	235.6	237.6	220.3	222.7	251.1
Boston, Mass	219.9	249.6	232.6	209.1	200.6	209.6
Buffalo, N. Y	120.0	113.2	125.1	114.6	117.5	129.1
Chicago, Ill	156.5	165.8	147.5	147.0	158.1	163.9
Cincinnati, Ohio	230.8	202.2	236.5	206.9	237.9	268.9
Cleveland, Ohio	125.9	127.3	108.1	117.4	131.8	143.8
Columbus, Ohio	208.8	209.5	206.4	196.0	217.0	214.0
Denver, Colo	410.1	375.0	396.2	406.5	409.9	457.9
Detroit, Mich	113.0	113.1	110.3	115.7	107.6	118.7
Fall River, Mass	172.2	184.1	150.1	164.9	170.2	191.4
Indianapolis, Ind	191.8	221.1	179.5	167.9	185.8	206.2
Jersey City, N. J	235.2	251.4	218.7	210.1	231.0	263.6
Kansas City, Mo	200.6	196.7	188.8	177.7	203.4	235.6
Louisville, Ky	208.4	207.1	197.0	183.3	214.2	239.5
Memphis, Tenn	221.2	242.4	218.7	249.4	179.5	218.0
Milwaukee, Wis	125.9	138.5	132.5	100.0	123.6	135.6
Minneapolis, Minn	123.6	128.3	124.9	114.6	132.2	118.9
New Haven, Conn	179.7	187.9	193.2	187.7	164.9	163.5
New Orleans, La	326.3	342.7	306.2	325.9	317.7	338.9
New York, N. Y	224.2	242.0	230.0	210.0	215.0	225.0
Bronx borough	495.0	262.8	534.4	520.6	549.6	576.4
Brooklyn borough	202.4	219.5	207.0	190.5	191.1	205.3
Manhattan borough	214.0	259.6	216.4	193.7	198.7	204.5
Queens borough	157.1	187.6	178.0	139.6	135.4	149.4
Richmond borough	182.6	208.9	189.6	184.1	183.7	146.3
Newark, N. J	240.1	246.7	228.2	228.0	245.3	249.5
Omaha, Nebr	103.0	97.5	90.4	100.2	118.2	106.0
Paterson, N. J	184.6	206.3	180.9	171.9	163.4	198.4
Philadelphia, Pa	215.6	218.3	211.4	199.1	217.2	231.6
Pittsburg, Pa	137.9	125.3	133.9	135.2	140.9	153.3
Providence, R. I	215.3	236.4	218.6	215.3	217.4	191.1
Rochester, N. Y	135.1	143.9	150.0	111.9	127.6	143.5
St. Joseph, Mo	74.1	82.5	81.5	87.1	59.7	62.8
St. Louis, Mo	195.9	187.4	192.3	181.0	186.5	230.5
St. Paul, Minn	113.6	120.8	123.5	109.4	100.6	114.8
San Francisco, Cal	285.0	284.1	292.7	284.2	289.4	274.8
Scranton, Pa	96.1	99.0	91.8	86.7	100.2	104.2
Syracuse, N. Y	141.4	157.8	158.5	117.4	130.2	145.1
Toledo, Ohio	132.4	127.4	128.9	121.1	120.6	161.4
Washington, D. C	276.0	293.1	296.2	246.2	266.4	279.5
Worcester, Mass	175.7	206.0	189.7	161.4	164.9	160.7

It may be anticipated that the growing knowledge of the fact that in pulmonary diseases the benefits supposed to be derived from a change of climate are really due, in a large degree, to a change in habits through which a much larger proportion of time is spent in the open air and sunshine, and that by the same means, aided by diet and rest, incipient cases can be successfully treated at home will hereafter cause a decrease in the mortality from tuberculosis in those places in which, for the reason stated, it has been excessively high.

The average annual death rates from pulmonary tuberculosis in the large cities, exclusive of Denver, were

highest in New Orleans, La. (326.3); San Francisco, Cal. (285); Washington, D. C. (276); Newark, N. J. (240.1); Jersey City, N. J. (235.2); Baltimore, Md. (233.5); and Cincinnati, Ohio (230.8); and lowest in St. Joseph, Mo. (74.1); Scranton, Pa. (96.1); Omaha, Nebr. (103); Detroit, Mich. (113); St. Paul, Minn. (113.6); Buffalo, N. Y. (120); and Minneapolis, Minn. (123.6).

The yearly death rates from tuberculosis of the lungs (and also from other forms of tuberculosis) in each city of the registration area and in each county, exclusive of cities, in the registration states are given in Table IV of the summary and rate tables. An inspection of this table shows that there was a very high rate of mortality from pulmonary tuberculosis in many of the minor cities in one or more years, and a statement of the rates in such cities may serve to direct attention to the desirability of employing all known sanitary and hygienic measures to prevent their recurrence. Such a statement is made in the following table, which shows the cities of less than 100,000 population in 1900 in which the death rate from tuberculosis of the lungs exceeded 230 per 100,000 in one or more of the years 1900 to 1904:

REGISTRATION CITY.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Albany, N. Y.	233.7	236.9	.....	.....	230.5
Alexandria, Va.	261.6	343.7	247.2	.....	321.8
Amesbury town, Mass.	232.2	.....	.....	.....	.....
Annapolis, Md.	410.5	406.2	367.5	250.0	348.6
Atlanta, Ga.	264.8	251.9	283.1	.....	262.2
Barre, Vt.	.....	.....	257.8	.....	.....
Bath, Me.	.....	262.9	.....	.....	.....
Bridgeton, N. J.	.....	.....	.....	.....	254.9
Cambridge, Mass.	248.1	.....	.....	.....	.....
Carlisle, Pa.	.....	234.0	.....	.....	.....
Charleston, S. C.	440.8	373.9	382.3	387.1	363.3
Chillicothe, Ohio.	323.7	243.4	.....	.....	.....
Cohoes, N. Y.	.....	274.4	.....	.....	237.0
Columbus, Ind.	332.1	.....	.....	233.8	287.6
Covington, Ky.	.....	266.7	236.1	.....	233.9
Danbury town, Conn.	.....	246.5	.....	.....	.....
Danvers town, Mass.	257.6	277.4	239.7	270.6	245.0
Danville, Ill.	244.6	.....	.....	.....	.....
Dover, N. H.	.....	.....	.....	.....	239.3
Evansville, Ind.	.....	.....	.....	240.7	.....
Frederick, Md.	.....	.....	378.3	280.5	287.6
Fresno, Cal.	.....	324.5	.....	231.4	243.7
Haverhill, Mass.	.....	235.6	.....	.....	.....
Hoboken, N. J.	249.3	244.5	.....	237.2	280.3
Hudson, N. Y.	241.4	277.5	.....	.....	.....
Huntington, Ind.	.....	236.6	.....	.....	.....
Ironton, Ohio.	.....	293.6	309.0	.....	.....
Jacksonville, Fla.	415.1	331.6	433.6	292.5	419.2
Jacksonville, Ill.	.....	.....	264.4	267.2	.....
Jeffersonville, Ind.	306.2	296.7	352.0	231.3	.....
Key West, Fla.	356.4	350.6	356.4	251.3	309.7
Kokomo, Ind.	.....	239.8	.....	.....	242.4
Lafayette, Ind.	.....	.....	.....	230.2	243.9
Logansport, Ind.	.....	248.6	.....	.....	.....
Lynchburg, Va.	365.2	.....	249.4	295.1	315.8
Manitowoc, Wis.	.....	230.7	.....	.....	.....
Middletown, N. Y.	254.8	.....	.....	.....	263.8
Middletown town, Conn.	.....	299.2	256.4	280.7	.....
Mobile, Ala.	431.5	418.3	335.5	385.9	393.5
Morristown, N. J.	257.4	241.8	.....	.....	.....
Nashville, Tenn.	346.3	268.0	314.2	249.8	353.4
New Albany, Ind.	.....	276.3	.....	.....	237.6
New Brunswick, N. J.	239.9	.....	.....	.....	.....
New London, Conn.	.....	.....	240.3	.....	.....
Newburg, N. Y.	320.8	.....	.....	243.1	241.4
Norfolk, Va.	315.3	282.4	250.1	289.2	285.9
Norristown, Pa.	.....	395.3	329.5	247.8	240.9
Oakland, Cal.	.....	232.0	.....	.....	.....
Ogdensburg, N. Y.	.....	257.1	275.6	280.5	318.5
Orange, N. J.	290.0	.....	289.7	303.1	281.8
Paducah, Ky.	272.5	315.8	371.6	305.4	307.5
Peabody town, Mass.	277.7	.....	.....	.....	.....
Peekskill, N. Y.	.....	.....	266.8	.....	.....
Petersburg, Va.	298.0	321.0	311.8	376.0	463.1
Plainfield, N. J.	.....	.....	.....	.....	264.5
Port Jervis, N. Y.	.....	266.2	.....	.....	.....
Portsmouth, N. H.	.....	.....	.....	.....	246.3
Portsmouth, Ohio.	235.0	.....	.....	260.5	.....
Pueblo, Colo.	348.0	319.1	432.9	311.2	290.6
Raleigh, N. C.	271.2	305.7	361.4	373.2	349.2
Richmond, Ind.	230.4	.....	.....	.....	.....
Richmond, Va.	308.1	251.7	260.0	260.3	276.3
Rochester, N. H.	.....	.....	299.5	.....	.....
Rockland, Me.	.....	.....	.....	245.4	.....
Rome, N. Y.	.....	.....	.....	.....	271.3
Sacramento, Cal.	314.2	358.4	247.8	252.1	285.8
San Antonio, Tex.	512.0	577.6	669.6	444.7	619.3
San Diego, Cal.	254.3	395.8	445.6	401.7	434.1
San Jose, Cal.	274.4	293.0	279.5	.....	279.8
Saratoga Springs, N. Y.	274.0	248.9	.....	.....	.....
Savannah, Ga.	396.4	372.2	324.6	319.7	345.3
Springfield, Ill.	.....	287.0	239.3	.....	242.7
Stonington town, Conn.	234.2	.....	.....	.....	.....
Troy, N. Y.	344.6	324.4	256.0	272.6	289.2
Vincennes, Ind.	273.2	259.9	.....	.....	281.5
Wakefield town, Mass.	.....	.....	235.8	.....	.....
Ware town, Mass.	.....	.....	248.6	.....	.....
Washington, Ind.	.....	.....	309.4	.....	.....
Weymouth town, Mass.	238.4	.....	.....	.....	.....
Wilmington, Del.	237.9	.....	.....	.....	.....
Wilmington, N. C.	.....	251.6	269.4	.....	257.7
Windham town, Conn.	256.5	256.2	.....	.....	255.4
Woburn, Mass.	.....	.....	236.0	.....	.....

The following table gives the number of deaths from tuberculosis of the lungs in the registration area, by sex and by age:

SEX AND AGE.	NUMBER OF DEATHS FROM TUBERCULOSIS OF THE LUNGS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	274,991	55,504	54,735	52,079	53,910	58,763
Sex:						
Male	148,085	29,372	29,569	28,250	29,061	31,833
Female	126,906	26,132	25,166	23,829	24,849	26,930
Age:						
Under 1 year	3,916	867	807	702	723	817
1 year	2,122	477	435	372	411	427
2 years	1,207	271	224	232	235	245
3 years	823	205	149	153	175	141
4 years	608	126	150	124	108	100
Under 5 years	8,676	1,946	1,765	1,583	1,652	1,730
5 to 9 years	2,470	558	490	447	472	503
10 to 14 years	4,343	899	850	818	785	991
15 to 19 years	20,432	4,032	3,897	3,765	4,081	4,657
20 to 24 years	38,200	7,697	7,601	7,212	7,472	8,218
25 to 29 years	41,614	8,512	8,311	7,849	8,153	8,789
30 to 34 years	36,524	7,264	7,298	6,987	7,190	7,785
35 to 39 years	31,158	6,284	6,167	5,872	6,131	6,704
40 to 44 years	24,087	4,603	4,862	4,715	4,685	5,222
45 to 49 years	17,699	3,494	3,369	3,342	3,589	3,905
50 to 54 years	14,057	2,813	2,808	2,660	2,758	3,018
55 to 59 years	10,735	2,171	2,147	2,047	2,154	2,216
60 to 64 years	8,860	1,788	1,791	1,678	1,731	1,872
65 to 69 years	6,726	1,432	1,418	1,264	1,274	1,338
70 to 74 years	4,455	941	908	877	833	896
75 to 79 years	2,731	613	569	520	515	514
80 to 84 years	1,048	239	212	201	196	200
85 to 89 years	355	79	81	69	64	62
90 to 94 years	68	13	13	20	11	11
95 years and over	24	3	6	6	5	4
Unknown	729	123	172	147	159	128

The preceding table shows that the number of deaths from this disease was uniformly greater among

males than among females, the distribution of the total number of deaths in the five-year period, by sex, being 148,085 males and 126,906 females, representing a proportion of 539 males to 461 females in 1,000 deaths of both sexes.

Of the whole number of deaths from tuberculosis of the lungs, 147,496, or 53.6 per cent, occurred between the ages of 20 and 40. The population of the registration area between these ages—out of which the stated number of deaths occurred—represented, approximately, 36 per cent of the whole.

The following table gives the number and proportion of deaths from tuberculosis of the lungs in each month:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM TUBERCULOSIS OF THE LUNGS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	274,991	55,504	54,735	52,079	53,910	58,763
January	24,645	4,886	5,177	4,721	4,703	5,158
February	23,703	4,707	4,670	4,494	4,583	5,249
March	27,416	5,667	5,397	5,069	5,297	5,986
April	26,184	5,477	5,046	4,905	5,019	5,737
May	25,135	5,202	5,014	4,782	4,776	5,361
June	21,723	4,219	4,335	4,135	4,339	4,695
July	21,494	4,372	4,318	4,093	4,175	4,536
August	20,831	4,307	4,127	3,963	4,008	4,426
September	19,765	3,976	3,979	3,764	3,917	4,129
October	20,886	4,149	4,238	3,981	4,177	4,341
November	20,814	4,129	4,218	3,917	4,176	4,374
December	22,196	4,406	4,212	4,242	4,644	4,692
Unknown	199	7	4	13	96	79
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	89.7	88.1	94.6	90.7	87.4	87.9
February	86.3	84.8	85.3	86.3	85.2	89.4
March	99.8	102.1	98.6	97.4	98.4	102.0
April	95.3	98.7	92.2	94.2	93.3	97.8
May	91.4	93.7	91.6	91.8	88.7	91.4
June	79.1	76.0	79.2	79.4	80.6	80.0
July	78.2	78.8	78.9	78.6	77.6	77.3
August	75.8	77.6	75.4	76.1	74.5	75.4
September	71.9	71.6	72.7	72.3	72.8	70.4
October	76.0	74.8	77.4	76.5	77.6	74.0
November	75.7	74.4	77.1	75.2	77.6	74.5
December	80.8	79.4	77.0	81.5	86.3	79.9

Venereal diseases.—There were 6,331 deaths from venereal diseases in the registration area during the five years, and of these, as shown by the classification presented in the detail tables, 6,172 were attributed to syphilis, 78 to gonorrhea of the adult, and 81 to gonorrheal infections in children under 5 years of age.

The first table in the next column gives the number of deaths from venereal diseases in the registration area and its subdivisions, with the average annual and the yearly death rates.

The death rate from venereal diseases was highest in each year in the cities in the nonregistration states. In the registration states it was very much higher in the cities than in the rural districts.

AREA.	NUMBER OF DEATHS FROM VENEREAL DISEASES: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	6,331	1,045	1,161	1,163	1,393	1,569
Registration cities	5,557	915	1,020	1,022	1,213	1,387
Registration states	3,292	543	613	629	729	778
Cities in registration states	2,518	413	472	488	549	596
Rural part of registration states	774	130	141	141	180	182
Registration cities in other states	3,039	502	548	534	664	791

AREA.	NUMBER OF DEATHS FROM VENEREAL DISEASES PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	4.0	3.4	3.7	3.7	4.3	4.8
Registration cities	4.9	4.3	4.6	4.5	5.2	5.8
Registration states	3.2	2.7	3.0	3.1	3.5	3.7
Cities in registration states	4.4	3.9	4.2	4.3	4.7	5.0
Rural part of registration states	1.7	1.4	1.5	1.5	2.0	2.0
Registration cities in other states	5.4	4.7	5.0	4.8	5.8	6.7

The following table gives the number of deaths from venereal diseases in the registration area, by sex and by principal age periods:

SEX AND AGE.	NUMBER OF DEATHS FROM VENEREAL DISEASES: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	6,331	1,045	1,161	1,163	1,393	1,569
Sex:						
Male	3,638	589	671	678	803	897
Female	2,693	456	490	485	590	672
Age:						
Under 1 year	3,285	570	602	622	676	815
Under 5 years	3,573	627	661	673	724	888
5 to 14 years	71	8	16	11	14	22
15 to 24 years	341	44	56	59	90	92
25 to 34 years	702	115	114	119	162	192
35 to 44 years	683	106	124	125	177	151
45 to 64 years	765	111	154	146	179	175
65 years and over	165	23	30	27	42	43
Unknown	31	11	6	3	5	6

As shown by the preceding table, 3,638 of the 6,331 deaths from venereal diseases were of males and 2,693 were of females, the proportion being 575 males to 425 females per 1,000 deaths of both sexes. More than one-half of the deaths from these diseases occurred under the age of one year.

Cancer.—The international classification of deaths from cancer presupposes that the reports of such deaths will designate the organ or part of the body affected, and in the statistical tabulations this classification is followed as far as the information contained in the certificates permits. In a large proportion of the cases however, the cause is simply stated as "cancer" without specifying the seat of the disease, which renders the number of deaths and death rates given for cancer of specific organs somewhat inaccurate.

A good many of the registration officials require a more definite statement in case of deaths in which the

cause is stated as cancer without further qualification, but the practice is not general, and about 25 per cent of the cases can only be classified as cancer of "other" or "unspecified" organs—mostly the latter. Therefore the discussion which follows is for the most part confined to the general aspect of this disease.

There were 106,119 deaths from cancer recorded in the registration area in the five years, 1900 to 1904, the average annual death rate being 66.6. Of this number, 3,088 are classified as cancer of the mouth, corresponding to an average annual rate of 1.9. Cancer of the stomach and liver includes 38,433 cases (average rate 24.1); cancer of the intestines (including cancer of peritoneum and rectum) covers 10,689 cases (average rate 6.7); cancer of the female genital organs includes 15,373 cases (average rate per 100,000 of approximate female population, 19.3); cancer of the breast includes 8,647 cases (average rate 5.4); cancer of the skin includes 3,483 cases (average rate 2.2); and cancer of other or unspecified organs includes 26,406 cases, corresponding to an average annual rate of 16.6.

The following table gives the aggregate and annual deaths from cancer of each specified organ, with the corresponding death rates:

CAUSE OF DEATH.	NUMBER OF DEATHS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	106,119	19,381	20,171	20,847	22,325	23,395
Cancer of mouth	3,088	495	612	583	661	737
Cancer of stomach and liver	38,433	6,918	7,095	7,483	8,193	8,744
Cancer of intestines	10,689	1,760	2,157	2,239	2,134	2,399
Cancer of female genital organs	15,373	2,696	2,919	3,033	3,289	3,436
Cancer of breast	8,647	1,433	1,647	1,750	1,787	2,030
Cancer of skin	3,483	602	683	688	752	758
Cancer of other or unspecified organs	26,406	5,477	5,058	5,071	5,509	5,291

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Aggregate	66.6	63.0	64.5	65.5	68.9	70.9
Cancer of mouth	1.9	1.6	2.0	1.8	2.0	2.2
Cancer of stomach and liver	24.1	22.5	22.7	23.5	25.3	26.5
Cancer of intestines	6.7	5.7	6.9	7.0	6.6	7.3
Cancer of female genital organs[1]	19.3	17.5	18.7	19.1	20.3	20.8
Cancer of breast	5.4	4.7	5.3	5.5	5.5	6.2
Cancer of skin	2.2	2.0	2.2	2.2	2.3	2.3
Cancer of other or unspecified organs	16.6	17.8	16.2	15.9	17.0	16.0

[1] Rates based on approximate female population.

The succeeding tables under this head relate to cancer in general, and the one immediately following gives the annual death rates from cancer in the registration area of the United States, 1900 to 1904, in comparison with the rates in certain European countries.

COUNTRY.	NUMBER OF DEATHS FROM CANCER PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Registration area of United States	63.0	64.5	65.5	68.9	70.9
England and Wales	82.9	84.2	84.4	87.2	(1)
Scotland	80.0	82.0	83.0	84.0	(1)
Ireland	60.0	65.0	65.0	69.0	(1)
Germany	72.0	75.0	75.0	(1)	(1)
Norway	91.0	95.0	88.0	(1)	(1)
Hungary	37.0	36.0	38.0	39.0	(1)
The Netherlands	92.0	94.0	95.0	99.0	(1)
Switzerland	130.0	128.0	127.0	131.0	(1)
Spain	39.0	42.0	43.0	(1)	(1)
Italy	52.0	53.0	54.0	54.0	(1)

[1] No figures available.

It will be seen from this table that the death rate from cancer in the registration area of the United States was less, in each year, than in any of the European countries cited except Ireland, Hungary, Spain, and Italy; it also appears that there was in general a progressively increasing rate, year after year.

The following table gives the average annual and the yearly death rates from cancer in the registration area and its principal subdivisions, and in registration states and the cities of 100,000 population or over:

AREA.	NUMBER OF DEATHS FROM CANCER PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	66.6	63.0	64.5	65.5	68.9	70.9
Registration cities	67.4	63.7	65.2	66.3	69.6	71.8
Registration states	67.7	63.5	66.2	66.2	70.0	71.7
Cities in registration states	70.2	66.2	69.0	68.5	72.5	74.1
Rural part of registration states	64.6	61.5	62.8	63.4	66.8	68.5
Registration cities in other states	64.7	61.2	61.4	64.1	66.8	69.5
Registration states:						
Connecticut	70.6	68.7	70.3	68.3	76.4	68.8
District of Columbia	74.5	76.4	70.2	74.9	75.4	76.5
Indiana	47.0	42.8	44.1	47.9	49.3	50.4
Maine	83.0	74.6	82.4	86.7	85.0	86.3
Massachusetts	78.7	74.6	76.3	76.5	79.6	86.0
Michigan	63.2	61.2	60.0	59.6	67.5	67.4
New Hampshire	79.8	71.9	87.7	81.2	77.5	80.4
New Jersey	56.8	53.9	58.4	54.0	59.0	58.5
New York	70.8	66.7	70.1	69.5	72.6	75.0
Rhode Island	78.8	70.5	73.0	83.1	78.3	88.1
Vermont	81.5	87.9	70.5	69.1	93.7	87.0
Registration cities of 100,000 population or over:						
Allegheny, Pa	43.5	39.3	48.0	49.4	37.7	44.9
Baltimore, Md	75.2	61.7	76.5	77.9	73.0	86.5
Boston, Mass	88.3	83.1	87.6	86.2	91.2	92.9
Buffalo, N. Y	67.0	56.5	72.4	64.8	72.4	68.8
Chicago, Ill	63.5	60.4	63.7	64.7	64.4	64.0
Cincinnati, Ohio	78.1	70.6	77.8	78.0	83.5	80.0
Cleveland, Ohio	58.2	53.2	59.4	54.3	62.2	61.1
Columbus, Ohio	65.1	67.7	51.2	65.1	67.2	72.8
Denver, Colo	65.5	55.3	70.8	65.7	63.2	72.0
Detroit, Mich	70.9	74.2	63.3	64.0	78.2	74.6
Fall River, Mass	57.7	52.4	67.6	48.7	61.4	57.3
Indianapolis, Ind	57.8	60.9	50.7	61.2	55.7	59.6
Jersey City, N. J	52.1	48.0	52.2	47.0	57.4	55.0
Kansas City, Mo	55.3	39.7	46.7	59.4	55.5	72.7
Louisville, Ky	59.4	64.0	54.7	62.2	55.6	61.6
Memphis, Tenn	37.3	45.9	28.3	36.4	44.9	29.8
Milwaukee, Wis	66.4	64.8	66.4	59.7	68.7	71.2
Minneapolis, Minn	63.2	56.2	60.1	56.6	75.7	66.1
New Haven, Conn	78.3	69.4	88.9	82.7	79.4	71.9
New Orleans, La	73.6	63.0	70.0	71.9	79.8	82.9

AREA.	NUMBER OF DEATHS FROM CANCER PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Registration cities of 100,000 population or over—Continued.						
New York, N. Y.	69.2	65.5	69.5	67.3	70.6	72.8
Bronx borough	63.7	60.3	62.8	60.1	69.7	64.0
Brooklyn borough	63.2	59.1	62.4	64.4	63.7	65.9
Manhattan borough	75.1	70.9	76.2	71.7	76.2	79.9
Queens borough	48.7	48.4	42.0	48.7	53.2	50.2
Richmond borough	81.3	77.6	91.9	65.6	82.4	87.5
Newark, N. J.	68.8	61.0	75.4	64.3	72.0	70.8
Omaha, Nebr.	51.9	43.9	56.5	46.5	47.6	62.4
Paterson, N. J.	61.5	60.9	72.3	53.4	61.8	60.4
Philadelphia, Pa.	69.9	69.0	62.3	67.0	71.9	78.7
Pittsburg, Pa.	51.9	51.9	44.6	54.9	57.1	50.7
Providence, R. I.	85.8	76.9	82.5	88.5	81.9	98.7
Rochester, N. Y.	81.5	61.5	86.5	89.8	80.2	88.8
St. Joseph, Mo.	30.6	26.2	31.3	23.1	26.3	43.4
St. Louis, Mo.	62.2	57.2	55.3	55.0	73.2	69.5
St. Paul, Minn.	58.6	60.7	47.6	53.8	62.8	65.7
San Francisco, Cal.	124.0	117.0	115.2	128.3	125.3	134.3
Scranton, Pa.	42.0	36.3	43.0	51.3	44.6	35.6
Syracuse, N. Y.	74.7	80.3	69.7	76.5	81.3	68.7
Toledo, Ohio	57.4	51.6	59.3	57.4	54.8	62.4
Washington, D. C.	74.5	76.4	70.2	74.9	75.4	76.5
Worcester, Mass.	71.1	62.5	63.2	63.1	66.9	97.0

The preceding table shows that in the registration area and its main subdivisions there was, almost without exception, a steady increase in the death rates due to cancer. For the total registration area this increase amounted to 7.9 per 100,000 of population between 1900 and 1904. The mortality from cancer was apparently greater in the cities in the registration states than in the rural districts, but this may be partly, if not wholly, due to the fact that in this form of disease more than any other surgical treatment is resorted to, and for such treatment many persons in the last stage of the disease seek the hospitals in the cities. When in such cases deaths occur, they are registered in the cities in which the hospitals are located. The number of residents of rural districts dying of cancer in the hospitals in the cities is not known, but it was probably large enough to account for the difference between the rates.

The death rates given in the preceding table are influenced largely by the proportion of aged persons in the population. In the registration states as a whole the average annual death rates from cancer were highest in Maine (83) and Vermont (81.5), and lowest in Indiana (47) and New Jersey (56.8).

The annual death rates from cancer in each city of the registration area and in each county, exclusive of cities, in the registration states, are given in Table IV (page lxxii). An inspection of the figures in this table will show that there was apparently an excessively high death rate from cancer in many of the cities of less than 100,000 population, but it is probable that the foregoing remarks as to deaths of nonresidents, in hospitals and institutions, are equally applicable.

The sex and the age distribution of deaths from cancer in the registration area are shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM CANCER: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	106,119	19,381	20,171	20,847	22,325	23,395
Sex:						
Male	40,101	7,294	7,706	7,798	8,422	8,881
Female	66,018	12,087	12,465	13,049	13,903	14,514
Age:						
Under 1 year	136	25	27	33	22	29
1 year	87	20	17	15	17	18
2 years	115	21	25	28	22	19
3 years	111	24	19	23	22	23
4 years	91	12	20	20	17	22
Under 5 years	540	102	108	119	100	111
5 to 9 years	241	42	40	51	55	53
10 to 14 years	232	62	32	51	41	46
15 to 19 years	404	66	66	96	88	88
20 to 24 years	705	141	143	123	140	158
25 to 29 years	1,415	288	280	266	306	275
30 to 34 years	2,747	519	534	535	522	637
35 to 39 years	5,158	951	991	1,021	1,138	1,057
40 to 44 years	8,222	1,470	1,647	1,599	1,683	1,823
45 to 49 years	10,391	1,902	2,031	2,041	2,157	2,260
50 to 54 years	12,828	2,335	2,461	2,589	2,699	2,744
55 to 59 years	13,491	2,514	2,551	2,649	2,836	2,941
60 to 64 years	14,077	2,517	2,594	2,773	3,002	3,191
65 to 69 years	12,729	2,302	2,414	2,490	2,707	2,816
70 to 74 years	10,410	1,895	1,926	1,940	2,211	2,438
75 to 79 years	6,933	1,274	1,311	1,353	1,450	1,545
80 to 84 years	3,512	633	646	719	737	777
85 to 89 years	1,329	256	248	281	273	271
90 to 94 years	341	51	58	73	74	85
95 years and over	72	11	19	10	17	15
Unknown	342	50	71	68	89	64

It will be seen from the preceding table that of the 106,119 deaths from cancer during the five years, 40,101 were of males and 66,018 were of females, the proportion being 622 females to 378 males in 1,000 deaths of both sexes.

The figures giving the deaths by ages show that the greatest number of deaths in any quinquennial age group was 14,077, which was the number in the age group 60 to 64 years of age.

The following table gives the number and proportion of deaths from cancer in each month:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM CANCER: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	106,119	19,381	20,171	20,847	22,325	23,395
January	8,668	1,581	1,684	1,655	1,861	1,887
February	8,053	1,452	1,454	1,624	1,656	1,867
March	8,959	1,778	1,584	1,700	1,927	1,970
April	8,697	1,722	1,596	1,700	1,788	1,891
May	9,046	1,632	1,770	1,849	1,845	1,950
June	8,511	1,545	1,732	1,688	1,760	1,786
July	9,300	1,649	1,824	1,850	1,930	2,047
August	9,219	1,680	1,715	1,863	1,958	2,003
September	8,818	1,595	1,683	1,705	1,922	1,913
October	8,961	1,554	1,733	1,753	1,884	2,037
November	8,627	1,597	1,653	1,659	1,762	1,956
December	9,163	1,595	1,742	1,798	1,976	2,052
Unknown	97	1	1	3	56	36
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	81.8	81.6	83.5	79.4	83.6	80.8
February	76.0	74.9	72.1	77.9	74.4	79.9
March	84.5	91.7	78.5	81.6	86.5	84.3
April	82.0	88.9	79.1	81.6	80.3	81.0
May	85.3	84.2	87.8	88.7	82.9	83.5
June	80.3	79.7	85.9	81.0	79.0	76.5
July	87.7	85.1	90.4	88.7	86.7	87.6
August	86.9	86.7	85.0	89.4	87.9	85.7
September	83.2	82.3	83.4	81.8	86.3	81.9
October	84.5	80.2	85.9	84.1	84.6	87.2
November	81.4	82.4	82.0	79.6	79.1	83.7
December	86.4	82.3	86.4	86.2	88.7	87.9

Although practically all of the available statistics of deaths from cancer in the different countries show an increasing mortality from this disease, both as regards the total death rate and the death rate at those ages most subject to it, the question has been raised whether the increase is due to the actually greater prevalence of cancer or to changes in methods of reporting cases.

It has been pointed out that some statistics indicate that there has been no increase in the death rate from cancer of *accessible parts*, while the rates due to cancer of inaccessible parts have all increased; also, that the death rate from "tumors" has decreased to a large extent. These conditions may be taken as evidence of greater accuracy in diagnosis and greater precision in stating the causes of death. In the latter respect, however, there is, in this country at least, still much to be desired, since a large proportion of the cases are reported simply as cancer without specifying the kind or the organ or part affected (page xxxviii).

All of the means known to modern medical science are being employed in investigating the nature and origin of cancer, and it is most important that every fact having any bearing upon the mortality from the disease should be stated in reporting deaths that are attributed to it, in order that the statistics may contribute accurate information on the subject.

In case of deaths the cause of which is given as cancer registrars should require a more specific statement, giving the organ or part affected. As far as possible the proper scientific terms, such as "carcinoma," "sarcoma," etc., should be used and the variety stated.

Rheumatism.—The international classification provides for a distinction between acute articular rheumatism and chronic rheumatism (which includes gout), and this distinction is made in Table 5, which gives the deaths according to the detailed classification. Under the rules "rheumatism," unqualified, is construed as chronic, and is compiled under "chronic rheumatism and gout;" but it is probable that the general term is applied to a good many cases which, if more accurately described, would be classified as "acute articular rheumatism." For this reason the two classes should be considered together.

Reference has been made to the apparent progress in accuracy of statement of causes of death—growing out of the movement for improvement in all phases of mortality statistics, the distribution of pamphlets to physicians and registrars, etc.—and the figures seem to bear out the statements made on that point, the number of deaths in each year referred to the separate titles covering rheumatism being as follows:

CAUSE OF DEATH	NUMBER OF DEATHS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	14,549	2,931	2,985	2,661	2,785	3,187
Acute articular rheumatism	7,996	1,426	1,510	1,366	1,594	2,100
Chronic rheumatism and gout	6,553	1,505	1,475	1,295	1,191	1,087

These figures show that in 1900 more than one-half of the deaths classified under this head were referred to chronic rheumatism and gout, but that in each succeeding year the number so referred diminished; while in every year except 1902 the number referred to acute articular rheumatism increased, with the result that in 1904 about two-thirds of the cases were classified under the latter title. As it is not probable that there has been any such change in the relative frequency or fatality of the two forms of rheumatic affection, these figures may be taken to indicate greater accuracy in the statement of the cause of death.

The following table gives the number of deaths from rheumatism in the registration area and its main subdivisions, in the aggregate and for each year, with the average annual and the yearly death rates:

AREA.	NUMBER OF DEATHS FROM RHEUMATISM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	14,549	2,931	2,985	2,661	2,785	3,187
Registration cities	10,243	2,005	2,137	1,797	2,017	2,287
Registration states	9,542	2,009	1,949	1,759	1,772	2,053
Cities in registration states	5,236	1,083	1,101	895	1,004	1,153
Rural part of registration states	4,306	926	848	864	768	900
Registration cities in other states	5,007	922	1,036	902	1,013	1,134

AREA.	NUMBER OF DEATHS FROM RHEUMATISM PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	9.1	9.5	9.6	8.4	8.6	9.7
Registration cities	9.0	9.3	9.6	7.9	8.7	9.6
Registration states	9.3	10.1	9.6	8.5	8.5	9.7
Cities in registration states	9.2	10.1	9.9	7.8	8.6	9.6
Rural part of registration states	9.4	10.0	9.3	9.4	8.3	9.7
Registration cities in other states	8.9	8.5	9.4	8.0	8.8	9.7

The preceding table shows that there was but little variation in the death rates from rheumatism in the different parts of the registration area.

The distribution of the deaths from rheumatism by sex and by principal age groups is shown for the registration area in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM RHEUMATISM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	14,549	2,931	2,985	2,661	2,785	3,187
Sex:						
Male	7,149	1,430	1,503	1,312	1,346	1,558
Female	7,400	1,501	1,482	1,349	1,439	1,629
Age:						
Under 1 year	161	35	39	26	25	36
Under 5 years	521	107	108	89	99	118
5 to 14 years	1,823	360	364	303	315	481
15 to 24 years	1,450	274	282	258	287	349
25 to 34 years	1,302	253	267	236	261	285
35 to 44 years	1,460	308	293	274	264	330
45 to 64 years	3,731	797	783	699	702	750
65 years and over	4,210	824	880	794	847	865
Unknown	43	8	8	8	10	9

Of the 14,549 deaths from rheumatism, 7,149 were of males and 7,400 were of females, a proportion of 509 females to 491 males per 1,000 deaths of both sexes.

Diabetes.—There were 17,460 deaths from diabetes in the registration area during the five years, 1900 to 1904, representing an average annual death rate of 11 per 100,000 of population. The yearly figures show a progressive increase in the mortality from this disease, 2,996 deaths being reported in 1900, a death rate of 9.7, and 4,259 in 1904, a death rate of 12.9.

In England and Wales the death rate from diabetes was 8.6 per 100,000 in 1900; 9.1 in 1901; 8.4 in 1902; and 8.5 in 1903. In Scotland it was 7 per 100,000 in each year, 1900 to 1903.

The following table gives the death rates from diabetes in the registration area and its subdivisions, and in the registration states and the cities of 100,000 population or over:

AREA.	NUMBER OF DEATHS FROM DIABETES PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	11.0	9.7	10.3	10.4	11.3	12.9
Registration cities	10.6	9.3	10.0	9.9	11.0	12.7
Registration states	12.2	11.0	11.5	11.7	12.6	14.3
Cities in registration states	12.7	11.1	12.1	11.8	13.0	15.0
Rural part of registration state	11.7	10.8	10.8	11.5	12.2	13.4
Registration cities in other states	8.6	7.5	8.0	8.0	9.0	10.4
Registration states:						
Connecticut	14.1	14.4	12.8	12.9	13.3	17.1
District of Columbia	10.7	7.5	10.2	10.7	12.3	12.4
Indiana	8.6	7.9	8.0	8.8	8.6	9.7
Maine	12.7	10.2	12.6	12.6	13.1	14.7
Massachusetts	13.5	12.8	11.7	13.4	14.2	15.5
Michigan	11.5	10.4	10.5	12.1	11.3	13 4
New Hampshire	14.8	17.5	11.6	12.2	18.9	14.3
New Jersey	9.6	8.3	8.8	9.0	10.5	11.3
New York	13.2	11.4	12.8	12.3	13.8	15.7
Rhode Island	15.3	13.1	19.0	11.9	15.9	16.0
Vermont	15.3	12.5	16.8	12.4	14.1	21.3
Registration cities of 100,000 population or over:						
Allegheny, Pa	5.2	6.2	2.3	3.7	7.2	7.1
Baltimore, Md	9.9	8.2	10.1	8.8	10.4	11.9
Boston, Mass	14.9	15.2	14.1	13.7	13.8	18.0
Buffalo, N. Y	14.3	12.8	11.0	12.9	15.4	18.4
Chicago, Ill	8.5	6.7	8.2	8.4	9.2	10.0
Cincinnati, Ohio	9.0	8.9	9.8	6.7	9.0	10.3
Cleveland, Ohio	5.9	4.4	5.9	5.2	7.2	7.3
Columbus, Ohio	8.3	6.4	3.9	9.8	9.6	10.1
Denver, Colo	12.1	12.7	11.1	13.9	9.5	12.8
Detroit, Mich	11.3	9.4	12.8	11.9	10.3	11.7
Fall River, Mass	10.8	7.6	6.5	13.5	14.9	11.1
Indianapolis, Ind	9.6	11.8	9.7	7.0	10.6	8.8
Jersey City, N. J	8.4	6.3	7.6	7.4	11.4	8.9
Kansas City, Mo	6.5	4.3	6.6	6.5	5.2	10.2
Louisville, Ky	7.5	5 9	5.3	10.8	6.9	8.2
Memphis, Tenn	4.6	5.9	2.8	3.6	2.6	9.4
Milwaukee, Wis	9.2	7.0	9.0	9.2	10.2	10.9
Minneapolis, Minn	8.6	6.4	10.7	7.1	8.9	10.1
New Haven, Conn	15.1	17.6	17.2	7.1	20.1	14.6
New Orleans, La	6.1	3.5	8.2	5.7	6.0	7.5
New York, N. Y	13.9	11.4	14.1	13.0	13.9	16.7
Bronx borough	15.7	10.0	12.3	13.5	16.2	24.1
Brooklyn borough	11.8	9.7	10.6	12.1	12.4	14.0
Manhattan borough	15.4	13.0	16.8	14.0	14.6	18.2
Queens borough	9.6	5.9	10.7	8.4	11.6	12.3
Richmond borough	14.3	13.4	14.6	10.0	19.5	12.3
Newark, N. J	11.2	13.4	8.7	10.5	12.4	11.1
Omaha, Nebr	6.4	4.9	8.5	3.6	6.2	7.7
Paterson, N. J	9.0	6.7	12.1	8.1	7.1	11.2
Philadelphia, Pa	9.8	8.4	9.1	7.8	11.3	12.6
Pittsburg, Pa	4.7	4.7	3.6	6.2	4,1	4.8
Providence, R. I	16.4	13.1	21.2	10.9	18.8	18.4
Rochester, N. Y	13.7	13.5	12.7	11.9	10.5	19.0
St. Joseph, Mo	4.6	5.8	4.7	4.6	1.8	4.4
St. Louis, Mo	6.8	5.7	7.1	4.7	7.7	8.6
St. Paul, Minn	7.7	9.2	5.4	5.3	8.1	11.4
San Francisco, Cal	17.6	14.3	18.1	16.8	18.5	20.3
Scranton, Pa	9.3	10.8	8.6	9.3	8.2	9.8
Syracuse, N. Y	11.6	10.2	8.2	15.1	14.0	12.0
Toledo, Ohio	10.6	10.6	11.0	11.3	9.6	12.0
Washington, D. C	10.7	7.5	10.2	10.7	12.3	12.4
Worcester, Mass	12.8	15.2	10.8	8.8	10.1	18.9

The annual death rate from diabetes in each city in the registration area and each county, exclusive of cities, in the registration states are given in Table IV (page lxxii).

The following table gives the number of deaths from diabetes in the registration area, by sex and by age:

SEX AND AGE.	NUMBER OF DEATHS FROM DIABETES: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	17,460	2,996	3,212	3,312	3,681	4,259
Sex:						
Male	8,672	1,532	1,593	1,638	1,789	2,120
Female	8,788	1,464	1,619	1,674	1,892	2,139
Age:						
Under 5 years	289	53	66	69	40	61
5 to 9 years	383	64	74	78	78	89
10 to 14 years	552	100	109	101	109	133
15 to 19 years	512	106	90	104	98	114
20 to 24 years	512	107	95	103	105	102
25 to 29 years	635	110	127	108	145	145
30 to 34 years	676	130	148	112	144	142
35 to 39 years	702	120	142	126	148	166
40 to 44 years	846	146	173	173	167	187
45 to 49 years	1,083	166	220	184	225	288
50 to 54 years	1,646	285	308	299	333	421
55 to 59 years	1,943	318	343	367	432	483
60 to 64 years	2,281	368	411	441	491	570
65 to 69 years	2,116	358	366	397	476	519
70 to 74 years	1,660	285	276	326	337	436
75 to 79 years	1,005	180	161	205	206	253
80 to 84 years	425	64	75	80	101	105
85 to 89 years	124	21	19	24	30	30
90 to 94 years	24	5	2	5	6	6
95 years and over	3	1	1	.....	1	.....
Unknown	43	9	6	10	9	9

Apparently there was but little difference in the number of males and females who died of diabetes. The number of deaths by ages indicates that the mortality was greatest above the age of 45.

Alcoholism.—The number of deaths compiled under the title "alcoholism" during the five years was 9,865, representing an average annual death rate of 6.2 per 100,000 of population. This title of the international classification, however, does not include deaths from alcoholic cirrhosis of the liver, general alcoholic paralysis, or certain organic diseases due to the use of alcohol, and therefore the figures can not be taken to show the whole number of deaths or the death rate actually due to the use of alcoholic beverages.

The following table gives, for the registration area and its subdivisions, the number of deaths compiled under "alcoholism," with the death rates per 100,000:

AREA.	NUMBER OF DEATHS FROM ALCOHOLISM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	9,865	1,962	1,870	1,943	2,163	1,927
Registration cities	8,296	1,657	1,591	1,644	1,796	1,608
Registration states	5,577	1,063	1,016	1,080	1,290	1,128
Cities in registration states	4,008	758	737	781	923	809
Rural part of registration states	1,569	305	279	299	367	319
Registration cities in other states	4,288	899	854	863	873	799

AREA.	NUMBER OF DEATHS FROM ALCOHOLISM PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	6.2	6.4	6.0	6.1	6.7	5.8
Registration cities	7.3	7.7	7.2	7.2	7.7	6.8
Registration states	5.4	5.3	5.0	5.2	6.2	5.3
Cities in registration states	7.0	7.1	6.6	6.8	7.9	6.7
Rural part of registration states	3.4	3.3	3.1	3.3	4.0	3.4
Registration cities in other states	7.6	8.3	7.8	7.7	7.6	6.8

The distribution of the deaths from alcoholism, by sex and by age groups, are shown for the registration area in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM ALCOHOLISM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	9,865	1,962	1,870	1,943	2,163	1,927
Sex:						
Male	8,450	1,665	1,598	1,650	1,883	1,654
Female	1,415	297	272	293	280	273
Age:						
Under 5 years	22	2	7	6	4	3
5 to 14 years	13	3	4	3	1	2
15 to 24 years	219	40	49	33	54	43
25 to 34 years	2,041	411	381	415	457	377
35 to 44 years	3,287	650	617	656	732	632
45 to 64 years	3,585	713	672	692	770	738
65 years and over	592	119	122	110	124	117
Unknown	106	24	18	28	21	15

The number of males dying from alcoholism during the five years was 8,450, while the number of females was but 1,415, the proportion being 857 males to 143 females in 1,000 deaths of both sexes.

DISEASES OF THE NERVOUS SYSTEM.

The number of deaths reported as due to diseases of the nervous system in the registration area during the five years, 1900 to 1904, was 302,876, of which 64,232 were recorded in 1900; 60,431, in 1901; 59,313, in 1902; 58,319, in 1903; and 60,581, in 1904. The average annual death rate was 190.1 per 100,000. The highest rate (208.8) occurred in 1900 and the lowest (179.8) in 1903.

From 1900 to 1903 there was a progressive decrease in the death rate from this class of diseases, but in 1904 it was higher than in 1903, although lower than in the preceding years.

The following table gives the number of deaths from diseases of the nervous system in the registration area and its main subdivisions, in the aggregate and for each year 1900 to 1904, with the average annual and the yearly death rates:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE NERVOUS SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	302,876	64,232	60,431	59,313	58,319	60,581
Registration cities	213,450	45,171	42,357	42,302	41,046	42,574
Registration states	197,750	41,092	39,550	38,260	38,152	40,696
Cities in registration states	108,324	22,031	21,476	21,249	20,879	22,689
Rural part of registration states	89,426	19,061	18,074	17,011	17,273	18,007
Registration cities in other states	105,126	23,140	20,881	21,053	20,167	19,885

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE NERVOUS SYSTEM PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	190.1	208.8	193.3	186.3	179.8	183.6
Registration cities	188.5	210.3	191.3	186.5	176.8	179.4
Registration states	191.9	205.9	194.9	185.6	182.2	191.4
Cities in registration states	190.0	206.4	192.2	185.5	178.1	189.2
Rural part of registration states	194.2	205.2	198.4	185.7	187.5	194.2
Registration cities in other states	187.0	214.2	190.3	187.5	175.5	169.5

The following table gives the number of deaths from diseases of the nervous system in the registration area, by sex and by age:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE NERVOUS SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	302,876	64,232	60,431	59,313	58,319	60,581
Sex:						
Male	162,219	34,412	32,416	31,822	31,251	32,318
Female	140,657	29,820	28,015	27,491	27,068	28,263
Age:						
Under 1 year	58,757	14,176	12,363	11,673	10,277	10,268
Under 5 years	86,331	21,111	17,943	16,955	15,011	15,311
5 to 14 years	11,847	2,745	2,250	2,080	2,198	2,574
15 to 24 years	9,143	1,984	1,809	1,718	1,749	1,883
25 to 34 years	12,127	2,593	2,457	2,410	2,269	2,398
35 to 44 years	19,160	3,825	3,854	3,920	3,809	3,752
45 to 64 years	66,861	12,976	13,164	13,222	13,529	13,970
65 years and over	96,423	18,811	18,725	18,797	19,569	20,521
Unknown	984	187	229	211	185	172

The 302,876 deaths from this class of diseases were divided by sex as follows: Males, 162,219; females, 140,657—a proportion of 536 males to 464 females in 1,000 deaths of both sexes.

Meningitis.—In the international classification, deaths from meningitis (nontuberculous) are classified as "simple meningitis" and "epidemic cerebro-spinal meningitis," and the number of deaths is so classified in Table 5; but the probable lack of accurate distinction in many cases makes it desirable that they should be considered together. In the following table, however, the reported number of deaths and the corresponding death rates are given for each form of meningitis as well as for both forms combined:

CAUSE OF DEATH.	NUMBER OF DEATHS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	52,755	12,578	10,430	9,981	9,213	10,553
Simple meningitis	42,259	10,793	8,643	8,259	7,295	7,269
Epidemic cerebro-spinal meningitis	10,496	1,785	1,787	1,722	1,918	3,284

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Aggregate	33.1	40.9	33.4	31.3	28.4	32.0
Simple meningitis	26.5	35.1	27.7	25.9	22.5	22.0
Epidemic cerebro-spinal meningitis	6.6	5.8	5.7	5.4	5.9	10.0

According to the above figures there was a progressive decrease, year by year, in the death rates from simple meningitis, and also from meningitis in general, up to 1904, in which year the general rate showed an increase produced by the greater prevalence of epidemic cerebro-spinal meningitis.

The average annual and the yearly death rates from meningitis, in the registration area and its main subdivisions, and in the registration states and the cities of at least 100,000 population, are shown in the following table:

AREA.	NUMBER OF DEATHS FROM MENINGITIS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	33.1	40.9	33.4	31.3	28.4	32.0
Registration cities	36.6	44.9	36.5	35.3	31.1	35.8
Registration states	33.0	40.6	32.9	29.8	27.9	34.2
Cities in registration states	39.8	48.4	38.7	36.2	32.9	43.4
Rural part of registration states	24.6	31.6	25.8	21.7	21.6	22.3
Registration cities in other states	33.3	41.4	34.3	34.2	29.2	27.9
Registration states:						
Connecticut	37.4	41.9	33.3	34.6	34.4	42.7
District of Columbia	25.3	37.3	23.6	26.4	17.1	22.8
Indiana	27.2	35.0	29.1	23.9	21.4	26.7
Maine	36.8	44.8	41.3	34.9	33.8	29.4
Massachusetts	38.4	46.7	39.6	37.5	36.9	32.1
Michigan	17.9	25.2	18.1	15.6	15.3	15.5
New Hampshire	41.6	54.4	40.2	45.1	37.7	30.8
New Jersey	44.1	54.6	44.0	40.6	41.1	41.1
New York	33.6	40.2	31.5	27.8	26.1	42.5
Rhode Island	37.3	48.8	47.4	42.5	24.7	24.9
Vermont	34.4	36.1	40.6	35.3	27.1	32.7
Registration cities of 100,000 population or over:						
Allegheny, Pa	41.3	53.1	42.0	32.4	39.8	38.4
Baltimore, Md	30.4	42.2	28.3	29.9	25.4	26.4
Boston, Mass	37.7	45.3	38.6	38.1	34.6	32.7
Buffalo, N. Y	33.6	45.7	32.9	32.8	31.2	26.1
Chicago, Ill	31.4	39.4	31.5	32.8	30.3	24.2
Cincinnati, Ohio	55.2	70.6	58.0	54.0	44.2	50.4
Cleveland, Ohio	37.9	49.2	39.2	39.7	32.3	30.1
Columbus, Ohio	40.9	47.8	38.0	49.2	36.2	34.6
Denver, Colo	39.2	47.1	56.8	30.6	35.3	26.9
Detroit, Mich	30.2	39.2	31.3	26.9	26.5	27.1
Fall River, Mass	55.0	64.8	57.4	57.7	53.5	42.7
Indianapolis, Ind	38.0	50.2	40.5	25.7	32.4	42.5
Jersey City, N. J	69.7	82.8	62.2	71.1	56.5	76.0
Kansas City, Mo	37.6	44.6	30.0	41.8	38.7	34.1
Louisville, Ky	44.8	49.8	42.4	35.3	53.3	42.0
Memphis, Tenn	30.0	37.1	31.1	27.3	23.8	31.5
Milwaukee, Wis	26.6	30.8	29.3	28.2	25.6	19.6
Minneapolis Minn	24.7	35.5	24.2	25.7	20.1	19.7
New Haven, Conn	40.9	30.5	36.3	41.8	47.1	46.2
New Orleans, La	39.5	52.9	39.4	40.9	28.3	36.7
New York, N. Y	38.6	43.6	33.3	30.4	27.1	58.0
Bronx borough	37.7	37.9	32.1	33.7	27.8	55.1
Brooklyn borough	30.2	45.1	30.4	20.8	18.8	36.5
Manhattan borough	45.3	44.3	36.3	35.8	33.0	76.1
Queens borough	28.9	30.7	23.8	36.7	26.0	27.9
Richmond borough	27.1	43.3	27.7	28.5	11.2	23.2
Newark, N. J	60.3	74.0	61.5	57.8	53.9	56.7
Omaha, Nebr	23.7	28.3	38.6	22.8	15.0	13.7
Paterson, N. J	62.4	73.2	70.5	58.8	60.9	48.3
Philadelphia, Pa	25.6	36.2	30.9	30.7	15.9	15.6
Pittsburg, Pa	38.3	51.6	34.3	35.0	35.9	35.1
Providence, R. I	30.6	37.0	39.0	32.8	23.0	21.0
Rochester, N. Y	38.7	50.4	45.4	36.3	28.1	32.8
St. Joseph, Mo	13.9	10.7	26.5	13.9	12.7	8.0
St. Louis, Mo	25.5	28.9	31.0	24.5	23.5	20.0
St. Paul, Minn	24.2	31.9	21.7	20.1	18.0	29.7
San Francisco, Cal	31.9	42.3	36.6	34.1	23.6	23.9
Scranton, Pa	42.9	46.1	47.8	48.5	33.7	40.1
Syracuse, N. Y	34.7	48.9	31.7	39.2	27.1	27.5
Toledo, Ohio	29.7	34.1	29.3	26.2	29.5	29.2
Washington, D. C	25.3	37.3	23.6	26.4	17.1	22.8
Worcester, Mass	35.9	47.3	34.5	35.9	45.1	19.7

It appears from the preceding table that the mortality from meningitis was higher in the cities of the registration states than in the cities of other states or in the rural districts of the same states.

When each registration state is taken as a unit, it is seen that the average annual death rates from meningitis were highest in New Jersey (44.1) and New Hampshire (41.6), and lowest in Michigan (17.9) and the District of Columbia (25.3). The figures given for the principal cities show that the average annual death rates from meningitis during the five years were highest in those located in New Jersey, in all of which it was over 60 per 100,000 (Jersey City, 69.7; Paterson, 62.4; Newark, 60.3). The lowest rates occurred in St. Joseph, Mo. (13.9); St. Paul, Minn. (24.2); and Minneapolis, Minn. (24.7).

The death rates from meningitis in each city in the registration area and in each county, exclusive of cities, in the registration states are given in Table IV (page lxxii). A reference to this table shows that there was an excessive death rate from meningitis in one or more years in many of the cities of less than 100,000 population.

The distribution of the deaths from meningitis by sex and by age is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM MENINGITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	52,755	12,578	10,430	9,981	9,213	10,553
Sex:						
Male	28,847	6,866	5,724	5,469	4,996	5,792
Female	23,908	5,712	4,706	4,512	4,217	4,761
Age:						
Under 1 year	17,742	4,271	3,581	3,550	3,161	3,179
1 year	8,312	2,043	1,672	1,556	1,485	1,556
2 years	4,011	947	793	757	722	792
3 years	2,402	564	484	428	416	510
4 years	1,679	439	312	290	243	395
Under 5 years	34,146	8,264	6,842	6,581	6,027	6,432
5 to 9 years	4,597	1,106	840	794	763	1,094
10 to 14 years	2,187	527	365	358	367	570
15 to 19 years	1,824	403	327	317	282	495
20 to 24 years	1,426	294	295	288	240	309
25 to 29 years	1,258	335	237	240	207	239
30 to 34 years	1,181	287	237	231	203	223
35 to 39 years	1,093	240	229	224	196	204
40 to 44 years	986	215	220	169	183	199
45 to 49 years	862	177	169	162	162	192
50 to 54 years	706	153	144	137	136	136
55 to 59 years	585	136	121	114	107	117
60 to 64 years	526	105	113	101	106	101
65 to 69 years	447	126	84	87	81	69
70 to 74 years	337	82	69	69	56	61
75 to 79 years	230	53	52	44	34	47
80 to 84 years	164	37	35	30	32	30
85 to 89 years	64	13	13	14	11	13
90 to 94 years	14	8	3	1	2	.....
95 years and over	12	3	5	1	1	2
Unknown	110	24	30	19	17	20

The 52,755 deaths from meningitis in the five years represent 28,847 males and 23,908 females, the proportion being 547 males to 453 females in 1,000 deaths of both sexes. About 65 per cent of the deaths from this disease occurred at ages under 5, more than half of which occurred under the age of 1 year.

The following table shows, for the registration area, the number and proportion of deaths from meningitis in each month:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM MENINGITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	52,755	12,578	10,430	9,981	9,213	10,553
January	4,114	996	839	773	745	761
February	4,160	1,032	811	800	734	783
March	5,159	1,269	1,036	961	905	988
April	5,263	1,301	951	989	819	1,203
May	5,295	1,245	936	874	886	1,354
June	4,426	1,002	853	873	763	935
July	5,141	1,253	1,084	1,017	871	916
August	4,699	1,142	975	865	879	838
September	4,032	1,002	872	761	683	714
October	3,528	872	695	677	620	664
November	3,231	714	658	672	589	598
December	3,678	750	720	717	704	787
Unknown	29	.....	.....	2	15	12
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	78.0	79.2	80.4	77.5	81.0	72.2
February	78.9	82.0	77.8	80.2	79.8	74.3
March	97.9	100.9	99.3	96.3	98.4	93.7
April	99.8	103.4	91.2	99.1	89.0	114.1
May	100.4	99.0	89.8	87.6	96.3	128.5
June	83.9	79.7	81.8	87.5	83.0	88.7
July	97.5	99.6	103.9	101.9	94.7	86.9
August	89.1	90.8	93.5	86.7	95.6	79.5
September	76.5	79.7	83.6	76.3	74.3	67.7
October	66.9	69.3	66.6	67.8	67.4	63.0
November	61.3	56.8	63.1	67.3	64.0	56.7
December	69.8	59.6	69.0	71.8	76.5	74.7

Apoplexy and paralysis.—During the five years the total number of deaths registered, in which the cause was stated as apoplexy, was 110,163, representing an average annual death rate of 69.2 per 100,000 of population. The number attributed to "paralysis" (not including general paralysis of the insane) was 34,884, equivalent to an average annual death rate of 21.9. As physicians, in stating the cause of death, often use the term paralysis as synonymous with apoplexy, the reported deaths from each of these forms of disease, though given separately in Tables 5, 6, 7, and 8 are combined in Table 9, and should be considered together. In the following table, however, the reported number of deaths from apoplexy and paralysis, and the corresponding death rates, are given for each disease as well as for the two combined:

CAUSE OF DEATH.	NUMBER OF DEATHS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	145,047	28,722	28,610	28,536	28,920	30,259
Apoplexy	110,163	20,772	21,390	21,862	22,311	23,828
Paralysis	34,884	7,950	7,220	6,674	6,609	6,431

CAUSE OF DEATH.	NUMBER OF DEATHS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Aggregate	91.1	93.4	91.5	89.7	89.2	91.7
Apoplexy	69.2	67.5	68.4	68.7	68.8	72.2
Paralysis	21.9	25.9	23.1	21.0	20.4	19.5

The figures for apoplexy show an apparently progressive increase in the number of deaths and the death rates, while those for paralysis show an apparent decrease; but it is most probable that the changes are due to increased accuracy in the statement of the cause of death. Paralysis is regarded as an indefinite and unsatisfactory return. It has been so described in the Manual and the pamphlets distributed to physicians and registrars, with the suggestion that the *cause of the paralysis* should be given in every case in which the term is used. The compliance with these suggestions, in places in which the international classification is in use, probably accounts for the decrease between 1900 and 1904 of 1,519 in the number of deaths compiled under paralysis.

Taken together, there were 145,047 deaths attributed to apoplexy and paralysis in the registration area during the five years 1900 to 1904, giving a death rate of 91.1. The rate decreased year by year from 93.4 in 1900 to 89.2 in 1903, but rose in 1904 to 91.7.

The following table gives the number of deaths from apoplexy and paralysis in the registration area and its subdivisions, with the average annual and yearly death rates:

AREA.	NUMBER OF DEATHS FROM APOPLEXY AND PARALYSIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	145,047	28,722	28,610	28,536	28,920	30,259
Registration cities	94,684	18,724	18,652	18,894	18,776	19,638
Registration states	101,156	19,703	19,982	19,772	20,285	21,414
Cities in registration states	50,793	9,705	10,024	10,130	10,141	10,793
Rural part of registration states	50,363	9,998	9,958	9,642	10,144	10,621
Registration cities in other states	43,891	9,019	8,628	8,764	8,635	8,845

AREA.	NUMBER OF DEATHS FROM APOPLEXY AND PARALYSIS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	91.1	93.4	91.5	89.7	89.2	91.7
Registration cities	83.6	87.2	84.3	83.4	80.8	82.8
Registration states	98.2	98.7	98.5	95.9	96.9	100.7
Cities in registration states	89.1	90.9	89.7	88.4	86.5	89.9
Rural part of registration states	109.4	107.6	109.3	105.3	110.1	114.6
Registration cities in other states	78.1	83.5	78.7	78.1	75.1	75.4

The fact that in the registration states the death rates from apoplexy and paralysis are higher in rural districts than in cities is due, probably, to the greater proportion of persons of advanced age in the former.

The first table on page xlv gives the deaths from apoplexy and paralysis in the registration area, by sex and by age.

According to these figures for apoplexy and paralysis the number of deaths of males was slightly greater than that of females, although the difference was not great. About 32 per cent of the deaths occurred at ages between 45 and 65 years and about 54 per cent at 65 years and over.

SEX AND AGE.	NUMBER OF DEATHS FROM APOPLEXY AND PARALYSIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	145,047	28,722	28,610	28,536	28,920	30,259
Sex:						
Male	73,124	14,518	14,463	14,357	14,592	15,194
Female	71,923	14,204	14,147	14,179	14,328	15,065
Age:						
Under 1 year	3,491	846	804	676	601	564
Under 5 years	5,381	1,375	1,213	1,040	913	840
5 to 14 years	1,045	265	252	195	164	169
15 to 24 years	1,626	391	343	308	313	271
25 to 34 years	3,633	772	747	740	690	684
35 to 44 years	8,350	1,673	1,704	1,709	1,646	1,618
45 to 64 years	46,199	8,944	9,120	9,166	9,210	9,759
65 years and over	78,281	15,216	15,111	15,251	15,885	16,818
Unknown	532	86	120	127	99	100

The number and proportion of deaths from apoplexy and paralysis in each month are shown in the following table:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM APOPLEXY AND PARALYSIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	145,047	28,722	28,610	28,536	28,920	30,259
January	13,616	2,717	2,669	2,550	2,822	2,858
February	12,977	2,535	2,531	2,509	2,556	2,846
March	13,851	2,986	2,698	2,624	2,540	3,003
April	12,975	2,709	2,538	2,551	2,459	2,718
May	12,248	2,518	2,376	2,447	2,339	2,568
June	10,915	2,124	2,271	2,209	2,110	2,201
July	11,186	2,204	2,344	2,224	2,256	2,158
August	10,716	2,220	2,074	2,132	2,128	2,162
September	10,429	2,025	2,060	2,091	2,095	2,158
October	11,211	2,081	2,170	2,244	2,386	2,330
November	11,586	2,175	2,255	2,319	2,393	2,434
December	13,242	2,426	2,612	2,629	2,779	2,796
Unknown	95	2	2	7	57	27
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	93.9	94.6	93.3	89.4	97.8	94.5
February	89.5	88.3	88.5	87.9	88.5	94.1
March	95.6	104.0	94.3	92.0	88.0	99.3
April	89.5	94.3	88.7	89.4	85.2	89.9
May	84.5	87.7	83.1	85.8	81.0	85.0
June	75.3	73.9	79.4	77.4	73.1	72.8
July	77.2	76.7	81.9	78.0	78.2	71.4
August	73.9	77.3	72.5	74.7	73.7	71.5
September	71.9	70.5	72.0	73.3	72.6	71.4
October	77.4	72.5	75.8	78.7	82.7	77.1
November	79.9	75.7	79.2	81.3	82.9	80.5
December	91.4	84.5	91.3	92.1	96.3	92.5

DISEASES OF THE CIRCULATORY SYSTEM.

The total number of deaths from diseases of the circulatory system in the registration area during the five years was 250,257, representing an average annual death rate of 157.1. The figures for deaths from this class of diseases show a progressive increase, the number advancing from 45,279 in 1900 to 57,220 in 1904, and the death rate from 147.2 in 1900 to 173.4 in 1904.

The majority of the deaths in this class—about 75 per cent, in fact—occurred from organic diseases of the heart (tabulated as "heart disease"), of which there were 192,549, equivalent to an average annual rate of 120.9. Pericarditis includes 3,598 (rate, 2.3); endocarditis, 17,716 (rate, 11.1); angina pectoris, 10,391 (rate, 6.5); diseases of arteries, 13,061 (rate, 8.2); and embolism and thrombosis, 6,636 (rate, 4.2).

The deaths and death rates from each disease included in this class are shown in Table III (page lxviii.)

The number of deaths from diseases of the circulatory system in the registration area and its subdivisions with the average annual and the yearly death rates, are shown in the following table:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	250,257	45,279	46,250	49,233	52,275	57,220
Registration cities	176,271	31,660	32,596	35,081	36,743	40,191
Registration states	168,246	30,222	31,103	33,043	35,188	38,690
Cities in registration states	94,260	16,603	17,449	18,891	19,656	21,661
Rural part of registration states	73,986	13,619	13,654	14,152	15,532	17,029
Registration cities in other states	82,011	15,057	15,147	16,190	17,087	18,530

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	157.1	147.2	148.0	154.6	161.2	173.4
Registration cities	155.7	147.4	147.2	154.7	158.2	169.4
Registration states	163.2	151.4	153.3	160.3	168.0	182.0
Cities in registration states	165.3	155.6	156.1	164.9	167.6	180.6
Rural part of registration states	160.7	146.6	149.9	154.5	168.6	183.6
Registration cities in other states	145.9	139.4	138.1	144.2	148.7	158.0

The distribution of the deaths from diseases of the circulatory system in the registration area, by sex and by age, are shown in the table below:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	250,257	45,279	46,250	49,233	52,275	57,220
Sex:						
Male	133,009	23,746	24,569	26,527	27,812	30,355
Female	117,248	21,533	21,681	22,706	24,463	26,865
Age:						
Under 1 year	5,821	1,329	1,109	1,193	1,074	1,116
Under 5 years	7,909	1,821	1,506	1,622	1,438	1,522
5 to 14 years	7,381	1,585	1,361	1,475	1,354	1,606
15 to 24 years	10,119	2,019	1,982	1,950	2,007	2,161
25 to 34 years	15,391	2,992	2,963	3,105	3,110	3,221
35 to 44 years	23,331	4,318	4,347	4,694	4,874	5,098
45 to 64 years	79,616	14,359	14,828	15,697	16,592	18,140
65 years and over	105,627	18,035	19,084	20,500	22,703	25,305
Unknown	883	150	179	190	197	167

The figures by sex for this class of diseases show a greater number of deaths of males than of females in each year. The total for the five years includes 133,009 males and 117,248 females—a proportion of 531 males to 469 females per 1,000 deaths of both sexes.

Heart disease.—The following table gives the number of deaths from heart disease in the registration area and its subdivisions, with the average annual and the yearly death rates:

AREA.	NUMBER OF DEATHS FROM HEART DISEASE: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	192,549	34,210	35,586	37,577	40,704	44,472
Registration cities	131,974	23,255	24,378	26,004	27,901	30,436
Registration states	131,881	23,162	24,413	25,710	27,872	30,724
Cities in registration states	71,306	12,207	13,205	14,137	15,069	16,688
Rural part of registration states	60,575	10,955	11,208	11,573	12,803	14,036
Registration cities in other states	60,668	11,048	11,173	11,867	12,832	13,748

AREA	NUMBER OF DEATHS FROM HEART DISEASE PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	120.9	111.2	113.9	118.0	125.5	134.8
Registration cities	116.5	108.3	110.1	114.7	120.1	128.3
Registration states	128.0	116.0	120.3	124.7	133.1	144.5
Cities in registration states	125.1	114.4	118.2	123.4	128.5	139.1
Rural part of registration states	131.6	117.9	123.0	126.3	139.0	151.4
Registration cities in other states	107.9	102.3	101.8	105.7	111.6	117.2

The distribution of the deaths from heart disease in the registration area, by sex and by age, is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM HEART DISEASE: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	192,549	34,210	35,586	37,577	40,704	44,472
Sex:						
Male	101,288	17,764	18,782	20,053	21,409	23,280
Female	91,261	16,446	16,804	17,524	19,295	21,192
Age:						
Under 1 year	3,665	847	691	743	674	710
Under 5 years	4,888	1,122	923	981	895	967
5 to 14 years	5,068	1,031	925	978	965	1,169
15 to 24 years	7,233	1,359	1,381	1,379	1,490	1,624
25 to 34 years	11,077	2,044	2,075	2,213	2,349	2,396
35 to 44 years	17,720	3,153	3,251	3,531	3,807	3,978
45 to 64 years	62,758	11,044	11,716	12,302	13,216	14,480
65 years and over	83,101	14,334	15,168	16,044	17,831	19,724
Unknown	704	123	147	149	151	134

The total number of males dying from heart disease was 101,288 and of females 91,261, which gives a proportion of 526 males to 474 females in 1,000 deaths of both sexes.

DISEASES OF THE RESPIRATORY SYSTEM.

The total number of deaths from diseases of the respiratory system during the five years was 369,844, representing an average annual death rate of 232.2. The deaths and death rates from each disease included in this class are shown in Table III (page lxviii).

The following table gives the deaths from diseases of the respiratory system in the registration area and its subdivisions, with the average annual and the yearly death rates:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE RESPIRATORY SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	369,844	78,832	72,080	71,027	70,930	76,975
Registration cities	292,213	61,589	55,541	56,842	56,765	61,476
Registration states	232,402	49,537	46,124	44,118	43,945	48,678
Cities in registration states	154,771	32,294	29,585	29,933	29,780	33,179
Rural part of registration states	77,631	17,243	16,539	14,185	14,165	15,499
Registration cities in other states	137,442	29,295	25,956	26,909	26,985	28,297

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE RESPIRATORY SYSTEM PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	232.2	256.2	230.6	223.1	218.7	233.3
Registration cities	258.0	286.8	250.8	250.6	244.5	259.1
Registration states	225.5	248.2	227.4	214.0	209.9	228.9
Cities in registration states	271.4	302.6	264.7	261.4	254.0	276.7
Rural part of registration states	168.6	185.7	181.5	154.9	153.8	167.1
Registration cities in other states	244.4	271.1	236.6	239.7	234.8	241.2

It will be seen from the preceding table that the mortality from diseases of the respiratory system was greatest in the cities of the registration states, in which the average annual death rate was 271.4, being about 60 per cent higher than in the rural districts of the same states, and about 11 per cent higher than in the cities of the nonregistration states. The difference in the rates in the two groups of cities, however, may be due to the geographical distribution, as the cities of the registration states are all in the northern section of the country in which the variations in temperature are greatest and most abrupt, while many of those classed as "registration cities" in the nonregistration states are in the southern section, where the temperature is more constant.

The death rate from diseases of the respiratory system decreased progressively from 256.2 in 1900 to 218.7 in 1903, but in 1904 it increased to 233.3.

The distribution of the deaths in the registration area from diseases of the respiratory system, by sex and by age, is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE RESPIRATORY SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	369,844	78,832	72,080	71,027	70,930	76,975
Sex:						
Male	197,947	41,682	38,207	38,186	37,780	42,092
Female	171,897	37,150	33,873	32,841	33,150	34,883
Age:						
Under 1 year	82,754	17,553	15,061	17,366	15,736	17,038
Under 5 years	139,803	30,801	25,509	29,168	26,379	27,946
5 to 14 years	12,957	2,973	2,594	2,588	2,445	2,357
15 to 24 years	16,707	3,572	3,410	3,159	3,163	3,403
25 to 34 years	24,100	5,069	4,912	4,388	4,683	5,048
35 to 44 years	28,608	5,761	5,773	5,247	5,458	6,369
45 to 64 years	65,550	13,808	13,148	11,762	12,579	14,253
65 years and over	81,192	16,678	16,521	14,527	16,036	17,430
Unknown	927	170	213	188	187	169

The figures by sex show that diseases of the respiratory system caused more deaths of males than of

females, as there were 197,947 of the former and 171,897 of the latter, representing a proportion of 535 males to 465 females per 1,000 deaths of both sexes.

The following table gives for the registration area the number and proportion of deaths in each month from diseases of the respiratory system:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM DISEASES OF THE RESPIRATORY SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	369,844	78,832	72,080	71,027	70,930	76,975
January	47,506	9,320	10,342	8,749	9,111	9,984
February	47,748	9,827	9,263	9,025	8,800	10,833
March	51,783	13,078	9,991	8,578	8,924	11,212
April	44,324	12,007	7,782	7,891	7,191	9,453
May	32,599	7,370	5,787	6,340	6,334	6,768
June	18,654	3,884	3,747	3,709	3,798	3,426
July	13,976	2,765	2,461	3,073	3,127	2,550
August	12,124	2,249	2,359	2,744	2,499	2,273
September	14,158	2,539	2,804	3,264	2,784	2,767
October	19,971	3,737	4,162	4,301	3,878	3,893
November	28,075	4,902	5,794	5,778	5,871	5,730
December	38,638	7,149	7,580	7,463	8,469	7,977
Unknown	288	5	8	22	144	109
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	128.6	118.2	143.5	123.2	128.7	129.9
February	129.2	124.7	128.5	127.1	124.3	140.9
March	140.1	165.9	138.6	120.8	126.1	145.9
April	119.9	152.3	108.0	111.1	101.6	123.0
May	88.2	93.5	80.3	89.3	89.5	88.0
June	50.5	49.3	52.0	53.5	53.7	44.6
July	37.8	35.1	34.1	43.3	44.2	33.2
August	32.8	28.5	32.7	38.6	35.3	29.6
September	38.3	32.2	38.9	46.0	39.3	36.0
October	54.0	47.4	57.8	60.6	54.8	50.6
November	76.0	62.2	80.4	81.4	82.9	74.5
December	104.6	90.7	105.2	105.1	119.6	103.8

Bronchitis.—The total number of deaths from bronchitis in the five years included in this report was 62,883. In the detail tables these deaths are classified under "acute bronchitis" and "chronic bronchitis"—terms which include "bronchitis," when unqualified. This number includes 30,202 deaths of males and 32,681 of females, a proportion of 520 females to 480 males in 1,000 deaths of both sexes. The excess of females, however, appears only in the deaths classified under chronic bronchitis, 26,368 in number, of which 11,479 were males and 14,889 females, the proportion being 565 females to 435 males. Acute bronchitis was assigned as the cause of death in 36,515 cases, of which 18,723 were of males and 17,792 of females, the proportion being 513 to 487.

The number of deaths in the registration area from each form of the disease is shown, by sex, as follows:

CAUSE OF DEATH, AND SEX.	NUMBER OF DEATHS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Acute bronchitis: Both sexes	36,515	8,135	7,040	7,588	6,842	6,910
Males	18,723	4,292	3,577	3,890	3,447	3,517
Females	17,792	3,843	3,463	3,698	3,395	3,393
Chronic bronchitis: Both sexes	26,368	5,924	5,425	4,993	5,005	5,021
Males	11,479	2,516	2,347	2,230	2,175	2,211
Females	14,889	3,408	3,078	2,763	2,830	2,810

In the following table, which gives the number of deaths and the death rates from bronchitis in the registration area and its main subdivisions, the two forms of the disease are combined:

AREA.	NUMBER OF DEATHS FROM BRONCHITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	62,883	14,059	12,465	12,581	11,847	11,931
Registration cities	49,634	11,127	9,703	10,129	9,275	9,400
Registration states	40,393	9,031	8,171	8,112	7,508	7,571
Cities in registration states	27,144	6,099	5,409	5,660	4,936	5,040
Rural part of registration states	13,249	2,932	2,762	2,452	2,572	2,531
Registration cities in other states	22,490	5,028	4,294	4,469	4,339	4,360
AREA	NUMBER OF DEATHS FROM BRONCHITIS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	39.5	45.7	39.8	39.5	36.5	36.2
Registration cities	43.8	51.7	43.9	44.7	40.0	39.6
Registration states	39.2	45.2	40.3	39.3	35.9	35.6
Cities in registration states	47.6	57.2	48.4	49.4	42.1	42.0
Rural part of registration states	28.8	31.6	30.3	26.7	27.9	27.3
Registration cities in other states	40.0	46.5	39.1	39.8	37.8	37.2

It appears from the foregoing figures that in the cities in the registration states the mortality from bronchitis was much higher than in the rural districts of those states, and somewhat higher than in the cities of the nonregistration states.

The distribution of the deaths from bronchitis in the registration area, by sex and by age, is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM BRONCHITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	62,883	14,059	12,465	12,581	11,847	11,931
Sex:						
Male	30,202	6,808	5,924	6,120	5,622	5,728
Female	32,681	7,251	6,541	6,461	6,225	6,203
Age:						
Under 1 year	22,493	5,184	4,278	4,758	4,037	4,236
Under 5 years	31,795	7,484	6,102	6,618	5,734	5,857
5 to 14 years	1,129	273	240	250	191	175
15 to 24 years	975	216	193	208	196	162
25 to 34 years	1,203	274	279	246	206	198
35 to 44 years	1,473	312	330	300	269	262
45 to 64 years	6,927	1,506	1,448	1,361	1,331	1,281
65 years and over	19,267	3,977	3,843	3,570	3,901	3,976
Unknown	114	17	30	28	19	20

Pneumonia.—The total number of deaths from pneumonia occurring in the registration area during the five years, exclusive of the 48,963 deaths classified separately under bronchopneumonia, was 214,931.

The average annual death rate from pneumonia was 134.9 per 100,000 of population. It decreased steadily from a maximum of 158.6 in 1900 to a minimum of 122.6 in 1903, but rose to 136.3 in 1904.

In England and Wales the death rate from this disease was 68.7 in 1901, 84.3 in 1902, and 69.8 in 1903. In Scotland it was 87 in 1901, 106 in 1902, and 96 in 1903.

The following table gives the death rates from pneu-

monia in the registration area and its main subdivisions, and in the registration states and the cities of 100,000 population or over:

AREA.	NUMBER OF DEATHS FROM PNEUMONIA PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	134.9	158.6	133.5	124.7	122.6	136.3
Registration cities	149.3	177.9	143.6	138.4	136.9	151.2
Registration states	128.4	152.7	129.6	116.4	113.5	130.7
Cities in registration states	151.6	186.5	146.6	136.9	134.7	156.1
Rural part of registration states	99.7	113.9	108.8	90.9	86.6	98.0
Registration cities in other states	146.9	169.4	140.6	140.0	139.2	146.2
Registration states:						
Connecticut	112.7	138.6	107.6	99.1	107.9	111.2
District of Columbia	137.7	157.9	119.2	126.9	137.4	146.3
Indiana	90.2	110.1	102.7	78.0	68.8	92.2
Maine	126.8	143.6	123.8	120.5	121.2	124.9
Massachusetts	126.9	142.5	126.6	121.8	125.7	118.8
Michigan	87.4	92.8	99.1	85.9	80.1	80.0
New Hampshire	135.2	182.2	131.8	128.8	124.4	110.4
New Jersey	133.2	145.3	126.1	117.5	119.4	157.3
New York	154.8	193.2	154.1	136.9	130.2	161.2
Rhode Island	137.5	158.0	129.8	120.2	140.3	139.2
Vermont	136.2	162.7	141.8	136.2	116.1	124.7
Registration cities of 100,000 population or over:						
Allegheny, Pa	226.6	231.0	220.6	276.4	227.4	181.6
Baltimore, Md	164.5	231.4	149.7	148.3	140.2	155.7
Boston, Mass	155.5	174.7	145.2	152.2	156.4	149.7
Buffalo, N. Y	85.8	83.7	89.5	81.8	83.1	90.3
Chicago, Ill	165.0	209.2	139.2	143.8	180.4	154.7
Cincinnati, Ohio	133.4	131.3	131.5	118.9	120.2	164.0
Cleveland, Ohio	137.6	163.2	128.9	137.5	130.1	129.7
Columbus, Ohio	124.1	132.2	97.8	118.0	150.6	118.9
Denver, Colo	183.1	189.8	222.8	161.3	139.4	214.5
Detroit, Mich	107.1	113.4	112.4	106.4	109.8	94.8
Fall River, Mass	137.9	155.4	99.1	136.1	176.3	121.3
Indianapolis, Ind	113.0	141.9	116.8	83.7	99.7	126.1
Jersey City, N. J	182.7	189.4	155.1	149.0	181.8	226.1
Kansas City, Mo	202.4	174.7	155.8	172.4	182.6	321.9
Louisville, Ky	164.1	167.5	170.2	138.5	140.0	203.5
Memphis, Tenn	170.2	295.1	111.2	101.9	132.9	212.8
Milwaukee, Wis	101.2	136.7	89.3	87.8	95.5	98.9
Minneapolis, Minn	77.0	78.9	80.4	80.8	78.0	66.5
New Haven, Conn	124.5	162.9	108.0	100.6	132.6	120.7
New Orleans, La	156.7	187.4	147.1	148.6	135.7	166.2
New York, N. Y	208.7	277.2	201.3	182.4	166.7	219.9
Bronx borough	172.8	247.4	154.5	161.1	133.8	176.6
Brooklyn borough	196.9	259.8	204.0	176.9	152.5	195.9
Manhattan borough	225.0	297.6	209.7	189.9	184.7	246.1
Queens borough	175.7	212.4	172.9	187.1	136.6	174.5
Richmond borough	158.4	255.1	131.3	131.3	101.9	179.1
Newark, N. J	153.2	179.6	142.5	130.3	134.5	179.4
Omaha, Nebr	93.8	125.8	97.0	85.6	80.3	85.5
Paterson, N. J	149.3	142.6	146.5	141.2	144.0	168.2
Philadelphia, Pa	156.5	191.0	157.8	154.8	143.2	137.8
Pittsburg, Pa	215.3	202.4	197.0	255.0	227.2	195.0
Providence, R. I	144.8	167.4	122.1	127.3	158.3	147.6
Rochester, N. Y	95.2	108.9	104.6	62.5	95.4	104.3
St. Joseph, Mo	77.8	52.4	76.8	98.2	51.6	108.9
St. Louis, Mo	162.9	183.9	158.6	160.7	139.3	172.3
St. Paul, Minn	73.4	74.2	62.0	78.1	76.1	74.3
San Francisco, Cal	116.1	121.4	120.1	107.2	124.2	107.7
Scranton, Pa	168.9	199.9	196.9	126.9	136.7	187.9
Syracuse, N. Y	89.0	94.1	76.1	63.2	104.0	104.7
Toledo, Ohio	78.6	99.4	78.4	80.0	74.0	61.8
Washington, D. C	137.7	157.9	119.2	126.9	137.4	146.3
Worcester, Mass	136.6	157.1	139.6	122.2	141.6	125.8

It will be seen from the preceding table that for the whole five-year period the death rate from pneumonia was about 50 per cent higher in the cities of the registration states than in the rural districts of those states.

In the registration states, exclusive of the District of Columbia, the average annual death rates from pneumonia were highest in New York (154.8), Rhode Island (137.5), and Vermont (136.2); and lowest in Michigan (87.4), Indiana (90.2), and Connecticut (112.7).

For the principal cities the average annual rates were highest in Allegheny, Pa. (226.6); Pittsburg, Pa. (215.3); New York, N. Y. (208.7); and Kansas City, Mo. (202.4); and lowest in St. Paul, Minn. (73.4); Minneapolis, Minn. (77); St. Joseph, Mo. (77.8); and Toledo, Ohio (78.6). The city in which the mortality was greatest in any one year was Kansas City, Mo., where, in 1904, it was 321.9.

The death rates from pneumonia in each city of the registration area and each county, exclusive of cities, in the registration states are given in Table IV (page lxxii). A reference to this table will show that in many of the minor cities the death rate from pneumonia was excessively high. Those in which it exceeded 225 in one or more years are shown in the following table:

REGISTRATION CITY.	NUMBER OF DEATHS FROM PNEUMONIA PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Alexandria, Va	234.0	261.2	.....	.....	.....
Amesbury town, Mass	.....	306.1	.....	.....	.....
Ashtabula, Ohio	.....	.....	.....	.....	315.2
Atlanta, Ga	.....	241.1	267.2	.....	292.6
Barre, Vt	272.3	.....	.....	.....	.....
Bellaire, Ohio	.....	373.2	272.4	.....	262.3
Columbus, Ind	270.6	.....	.....	.....	.....
Corning, N. Y	244.1	.....	.....	.....	.....
Danvers town, Mass	.....	312.1	.....	360.8	367.6
Dover, N. H	234.7	.....	.....	.....	.....
Framingham town, Mass	230.1	.....	.....	.....	.....
Harrison, N. J	.....	.....	.....	.....	226.1
Hoboken, N. J	.....	.....	.....	.....	243.7
Hudson, N. Y	251.9	.....	.....	.....	.....
Johnstown, Pa	311.7	.....	.....	.....	.....
Leadville, Colo	714.6	623.9	442.9	328.9	474.3
Leavenworth, Kans	323.1	.....	.....	.....	.....
McKeesport, Pa	251.3	250.2	243.7	.....	.....
Mahanoy City, Pa	237.0	247.7	.....	.....	.....
Milford town, Mass	246.1	.....	.....	.....	.....
Mt. Carmel, Pa	478.0	.....	296.5	.....	.....
Nashville, Tenn	.....	.....	231.0	.....	.....
Newburg, N. Y	292.7	.....	.....	.....	.....
Newburyport, Mass	297.0	.....	.....	.....	.....
Ogdensburg, N. Y	.....	.....	.....	233.8	.....
Orange, N. J	.....	.....	.....	.....	236.1
Ottawa, Ill	.....	233.9	.....	.....	.....
Paducah, Ky	241.7	.....	.....	.....	256.3
Passaic, N. J	230.4	.....	.....	.....	.....
Petersburg, Va	279.7	.....	.....	.....	.....
Plymouth, Pa	271.1	.....	.....	368.1	.....
Portsmouth, N. H	.....	242.6	.....	.....	.....
Pueblo, Colo	326.7	284.0	419.0	318.1	260.2
Rochester, N. H	378.0	.....	.....	.....	.....
Rutland, Vt	.....	.....	.....	230.2	.....
South Bethlehem, Pa	.....	.....	.....	226.6	242.8
Southbridge town, Mass	289.3	.....	.....	.....	.....
Troy, N. Y	245.7	.....	.....	.....	.....
Vincennes, Ind	253.7	.....	.....	.....	.....
Ware town, Mass	242.1	.....	.....	.....	.....

The distribution of the deaths from pneumonia in the registration area, by sex and by age, is shown in the first table on page xlix.

It appears from those figures that of the deaths from pneumonia nearly 25 per cent more were of males than of females—118,959 of the former and 95,972 of the latter, or a proportion of 553 males to 447 females.

SEX AND AGE.	NUMBER OF DEATHS FROM PNEUMONIA: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	214,931	48,780	41,715	39,715	39,764	44,957
Sex:						
Male	118,959	26,370	22,878	22,055	22,034	25,622
Female	95,972	22,410	18,837	17,660	17,730	19,335
Age:						
Under 1 year	35,628	8,675	6,438	7,249	6,367	6,899
1 year	16,636	4,435	2,863	3,420	2,916	3,002
2 years	7,076	1,925	1,226	1,447	1,232	1,246
3 years	3,713	982	740	749	610	632
4 years	2,341	589	485	468	394	405
Under 5 years	65,394	16,606	11,752	13,333	11,519	12,184
5 to 9 years	5,622	1,394	1,076	1,118	1,024	1,010
10 to 14 years	2,716	629	544	506	495	542
15 to 19 years	5,055	1,086	1,042	939	949	1,039
20 to 24 years	7,390	1,593	1,501	1,358	1,372	1,566
25 to 29 years	8,808	1,918	1,773	1,521	1,755	1,841
30 to 34 years	9,576	2,020	1,896	1,671	1,850	2,139
35 to 39 years	11,032	2,258	2,173	1,949	2,129	2,523
40 to 44 years	10,848	2,176	2,165	1,939	1,999	2,569
45 to 49 years	10,416	2,211	2,002	1,837	1,977	2,389
50 to 54 years	11,165	2,349	2,160	1,965	2,136	2,555
55 to 59 years	11,001	2,420	2,217	1,903	2,002	2,459
60 to 64 years	12,101	2,631	2,414	2,060	2,276	2,720
65 to 69 years	12,174	2,702	2,462	2,112	2,306	2,592
70 to 74 years	11,077	2,457	2,307	1,923	2,063	2,327
75 to 79 years	9,374	2,041	1,922	1,618	1,747	2,046
80 to 84 years	6,439	1,349	1,334	1,151	1,234	1,371
85 to 89 years	3,025	613	610	510	581	711
90 to 94 years	892	168	193	153	179	199
95 years and over	239	42	43	38	54	62
Unknown	587	117	129	111	117	113

Considering the distribution of deaths by quinquennial age periods, it is apparent that by far the greatest number, 65,394, occurred in the group under 5 years of age and that of this number 35,628, or 54 per cent, occurred under 1 year and 16,636, or 25 per cent, between 1 and 2 years of age. After the age of 5 years the greatest mortality occurred in the groups 60 to 64 (12,101) and 65 to 69 (12,174).

The following table shows the number and proportion of deaths from pneumonia in each month in the registration area:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM PNEUMONIA: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	214,931	48,780	41,715	39,715	39,764	44,957
January	28,797	6,058	6,382	5,142	5,155	6,060
February	29,446	6,341	5,788	5,414	5,125	6,778
March	32,201	8,594	6,171	5,102	5,227	7,107
April	27,059	7,956	4,570	4,557	4,146	5,830
May	19,479	4,710	3,344	3,657	3,750	4,018
June	9,832	2,232	1,973	1,941	1,934	1,752
July	6,643	1,427	1,075	1,464	1,498	1,179
August	5,553	1,101	1,035	1,274	1,148	995
September	6,672	1,185	1,264	1,607	1,327	1,289
October	10,280	2,047	2,134	2,131	1,989	1,979
November	15,743	2,848	3,318	3,097	3,273	3,207
December	23,059	4,277	4,656	4,317	5,104	4,705
Unknown	167	4	5	12	88	58
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	134.1	124.2	153.0	129.5	129.9	135.0
February	137.1	130.0	138.8	136.3	129.2	151.0
March	149.9	176.2	147.9	128.5	131.8	158.3
April	126.0	163.1	109.6	114.8	104.5	129.8
May	90.7	96.5	80.2	92.1	94.5	89.5
June	45.8	45.8	47.3	48.9	48.7	39.0
July	30.9	29.2	25.8	36.9	37.8	26.2
August	25.8	22.6	24.8	32.1	28.9	22.2
September	31.1	24.3	30.3	40.5	33.4	28.7
October	47.9	42.0	51.2	53.7	50.1	44.1
November	73.3	58.4	79.5	78.0	82.5	71.4
December	107.4	87.7	111.6	108.7	128.7	104.8

DISEASES OF THE DIGESTIVE SYSTEM.

The total number of deaths from diseases of the digestive system, occurring in the registration area during the five years, was 321,093, representing an average annual death rate of 201.6. The deaths and death rates for each separate disease are given in Table III, (page lxviii).

The following table gives, for the registration area and its main subdivisions, the number of deaths from diseases of the digestive system, with the average annual and the yearly death rates:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE DIGESTIVE SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	321,093	69,607	62,950	61,192	61,219	66,125
Registration cities	247,538	51,706	48,484	47,821	47,671	51,856
Registration states	203,855	45,812	40,526	38,021	38,069	41,427
Cities in registration states	130,300	27,911	26,060	24,650	24,521	27,158
Rural part of registration states	73,555	17,901	14,466	13,371	13,548	14,269
Registration cities in other states	117,238	23,795	22,424	23,171	23,150	24,698

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE DIGESTIVE SYSTEM PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	201.6	226.2	201.4	192.2	188.8	200.4
Registration cities	218.6	240.7	218.9	210.9	205.3	218.6
Registration states	197.8	229.5	199.8	184.5	181.8	194.8
Cities in registration states	228.5	261.5	233.2	215.2	209.1	226.5
Rural part of registration states	159.8	192.7	158.8	146.0	147.1	153.9
Registration cities in other states	208.5	220.2	204.4	206.4	201.4	210.5

The figures in the preceding table show that the mortality from diseases of the digestive system was much higher in the cities of the registration states (average annual rate, 228.5) than in the rural districts of the same states (average annual rate, 159.8) and somewhat higher than in the cities in the nonregistration states (average annual rate, 208.5). The figures show also that the general death rate was highest in 1900 (226.2), decreasing each year until in 1903 it was 188.8; from this it rose in 1904 to 200.4.

The distribution of the deaths in the registration area from diseases of the digestive system, by sex and by age, is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE DIGESTIVE SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	321,093	69,607	62,950	61,192	61,219	66,125
Sex:						
Male	167,746	36,159	32,897	32,033	32,080	34,577
Female	153,347	33,448	30,053	29,159	29,139	31,548
Age:						
Under 1 year	135,288	31,130	26,185	24,758	24,967	28,248
Under 5 years	174,882	40,205	34,049	32,543	32,033	36,052
5 to 14 years	10,762	2,215	2,112	2,027	2,107	2,301
15 to 24 years	13,347	2,772	2,671	2,598	2,600	2,706
25 to 34 years	16,905	3,621	3,307	3,352	3,306	3,319
35 to 44 years	19,320	3,860	3,767	3,850	3,934	3,909
45 to 64 years	43,710	8,561	8,725	8,648	8,683	9,093
65 years and over	41,441	8,223	8,159	8,027	8,420	8,612
Unknown	726	150	160	147	136	133

The number of deaths of males was 167,746 and of females, 153,347—a proportion of 522 males to 478 females per 1,000 deaths of both sexes.

The number and proportion of deaths in each month from diseases of the digestive system for the registration area are shown in the following table:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM DISEASES OF THE DIGESTIVE SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	321,093	69,607	62,950	61,192	61,219	66,125
January	17,011	3,336	3,253	3,286	3,413	3,723
February	15,888	3,080	2,932	2,960	3,212	3,704
March	17,868	3,558	3,412	3,349	3,677	3,872
April	18,002	3,685	3,345	3,422	3,530	4,020
May	19,080	3,978	3,600	3,662	3,786	4,054
June	24,474	5,068	4,617	5,117	4,781	4,891
July	53,830	12,422	10,341	10,261	9,811	10,995
August	53,918	11,994	11,191	10,216	9,713	10,804
September	40,438	9,621	8,585	7,167	7,228	7,837
October	25,715	5,937	5,032	4,736	4,935	5,075
November	17,656	3,628	3,403	3,563	3,509	3,553
December	16,970	3,293	3,234	3,445	3,506	3,492
Unknown	243	7	5	8	118	105
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	53.0	47.9	51.7	53.7	55.8	56.4
February	49.5	44.3	46.6	48.4	52.6	56.1
March	55.7	51.1	54.2	54.7	60.2	58.6
April	56.1	53.0	53.1	55.9	57.8	60.9
May	59.5	57.2	57.2	59.9	62.0	61.4
June	76.3	72.8	73.3	83.6	78.2	74.1
July	167.8	178.5	164.3	167.7	160.6	166.5
August	168.1	172.3	177.8	167.0	158.9	163.7
September	126.0	138.2	136.4	117.2	118.3	118.7
October	80.1	85.3	79.9	77.4	80.8	76.9
November	55.0	52.1	54.1	58.2	57.4	53.8
December	52.9	47.3	51.4	56.3	57.4	52.9

Diarrhea and enteritis.—The number of deaths at all ages from diarrhea and enteritis in the registration area during the five years was 180,107. Under the international classification the deaths from diarrhea and enteritis are subdivided so as to segregate the deaths of children under 2 years of age. These deaths represent the infantile mortality from this disease, and correspond closely to those heretofore compiled under "cholera infantum"—a term which is used to express the cause of death in a large proportion of the cases.

The total number of deaths from diarrhea and enteritis, divided according to age, is shown below:

AGE.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	180,107	40,985	35,596	33,627	33,035	36,864
Under 2 years	145,917	33,479	28,523	26,903	26,697	30,315
2 years and over	34,190	7,506	7,073	6,724	6,338	6,549

For reasons previously stated no estimates have been made of the age distribution of the population for the years covered by these figures, and consequently the death rates can not be given except in the aggregate.

The average annual death rate from diarrhea and nteritis was 113.1. The yearly rate decreased steadily from 133.2 in 1900 to 101.9 in 1903. In 1904 it increased to 111.7.

The following table gives the death rates from diarrhea and enteritis in the registration area and its main subdivisions, and in the registration states and the cities of 100,000 population or over:

AREA.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	113.1	133.2	113.9	105.6	101.9	111.7
Registration cities	126.4	144.7	127.6	119.9	114.9	126.2
Registration states	113.7	139.9	116.4	103.4	99.1	110.7
Cities in registration states	140.7	168.9	145.7	129.8	122.8	138.6
Rural part of registration states	80.2	106.6	80.5	70.2	68.9	74.6
Registration cities in other states	112.0	120.8	109.2	109.8	106.8	113.6
Registration states:						
Connecticut	122.3	165.8	107.1	114.7	106.3	119.5
District of Columbia	156.0	181.6	165.4	159.9	135.4	139.6
Indiana	82.8	97.4	87.7	78.5	73.2	78.1
Maine	83.3	112.0	96.1	64.8	75.4	68.8
Massachusetts	123.5	161.7	117.0	113.8	115.2	111.8
Michigan	90.7	121.4	91.5	74.9	86.1	80.4
New Hampshire	104.4	133.4	108.9	84.6	99.7	95.9
New Jersey	122.2	144.4	124.0	113.1	96.9	133.6
New York	124.7	148.2	132.4	114.0	103.0	127.1
Rhode Island	178.8	209.1	182.0	176.8	177.5	151.6
Vermont	66.8	81.2	67.9	45.7	73.5	65.8
Registration cities of 100,000 population or over:						
Allegheny, Pa	164.6	171.7	126.1	165.1	152.1	205.0
Baltimore, Md	154.6	186.3	167.9	151.0	126.5	143.1
Boston, Mass	126.8	153.7	133.4	122.0	117.4	109.3
Buffalo, N. Y.	129.9	144.7	136.7	113.3	121.7	133.7
Chicago, Ill	120.5	127.4	125.1	120.5	119.2	111.5
Cincinnati, Ohio	112.5	104.9	106.5	110.5	104.2	135.6
Cleveland, Ohio	120.7	118.7	101.4	118.3	127.0	136.3
Columbus, Ohio	68.1	71.7	55.1	67.3	66.4	80.7
Denver, Colo	68.3	65.8	68.6	77.3	76.8	52.4
Detroit, Mich	129.9	165.9	135.5	116.7	122.4	113.0
Fall River, Mass	303.8	345.2	298.4	298.3	308.8	271.7
Indianapolis, Ind	83.6	105.2	69.5	75.1	90.1	79.2
Jersey City, N. J	151.5	154.1	168.4	145.5	128.1	162.7
Kansas City, Mo	72.9	89.2	71.9	65.9	78.0	61.3
Louisville, Ky	72.6	79.1	63.8	68.3	71.9	79.8
Memphis, Tenn	121.9	91.9	128.2	145.6	132.8	109.0
Milwaukee, Wis	108.8	130.3	105.5	96.0	103.2	110.4
Minneapolis, Minn	58.0	67.1	72.6	45.2	54.2	51.9
New Haven, Conn	129.0	141.6	126.1	147.7	116.9	114.7
New Orleans, La	159.4	183.9	145.4	154.7	157.7	155.7
New York, N. Y	171.5	194.8	191.5	158.0	138.9	176.4
Bronx borough	133.7	145.6	126.6	152.6	104.7	139.9
Brooklyn borough	183.6	216.2	216.9	166.8	138.3	183.4
Manhattan borough	165.8	186.0	180.5	150.7	140.6	172.6
Queens borough	180.0	198.1	188.6	155.3	149.9	209.6
Richmond borough	214.0	204.4	256.8	225.4	187.1	195.5
Newark, N. J	131.1	147.1	141.3	129.1	95.0	143.3
Omaha, Nebr	52.8	63.4	46.2	68.3	26.4	58.1
Paterson, N. J	133.9	166.4	131.7	125.8	96.3	149.3
Philadelphia, Pa	112.7	114.6	104.6	96.5	113.1	133.6
Pittsburg, Pa	212.3	214.5	217.7	228.6	198.2	203.5
Providence, R. I	172.7	164.6	191.3	166.7	184.8	155.4
Rochester, N. Y	65.4	83.0	67.8	63.1	57.4	56.5
St. Joseph, Mo	38.9	40.8	46.5	43.5	33.5	32.7
St. Louis, Mo	91.8	94.8	93.4	85.7	98.1	87.1
St. Paul, Minn	58.0	66.8	62.0	43.2	47.1	70.8
San Francisco, Cal	78.2	80.5	82.4	76.8	73.6	76.9
Scranton, Pa	133.4	180.3	90.8	110.1	123.0	162.9
Syracuse, N. Y	81.8	107.0	77.9	81.8	79.5	61.8
Toledo, Ohio	101.3	128.2	99.6	103.4	97.3	80.4
Washington, D. C	156.0	181.6	165.4	159.9	135.4	139.6
Worcester, Mass	115.8	179.9	118.2	92.7	122.1	74.3

The preceding table shows that the annual death rate from diarrhea and enteritis was much the highest in the cities of the registration states. The average annual death rate in these cities (140.7) was about 75 per cent higher than that in the rural districts of the same states (80.2), and about 25 per cent higher than in the cities of the nonregistration states (112).

For the registration states, exclusive of the District of Columbia, which is coextensive with the city of Washington, the average annual death rates were highest in Rhode Island (178.8), New York (124.7), and Massachusetts (123.5); and lowest in Vermont (66.8), Indiana (82.8), and Maine (83.3). The death rates in the registration states in general correspond closely to the proportion of urban population.

The maximum death rate in the principal cities from diarrhea and enteritis occurred, in every year, in Fall River, Mass., in which the average rate was 303.8, and the annual rate was below 275 in but one year (271.7 in 1904). Other cities for which the annual average rate was high were Pittsburg, Pa. (212.3); Providence, R. I. (172.7); New York, N. Y. (171.5); and Allegheny, Pa. (164.6).

There was an excessive death rate from diarrhea and enteritis, in one or more years, in many of the minor cities, as is shown by Table IV (page lxxii), which gives the rates for each city of the registration area and for each county, exclusive of cities, in the registration states. In each of the years cited it exceeded 175 in the cities specified in the following table:

REGISTRATION CITY.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Adams town, Mass	341.3	.....	295.2	213.5	243.7
Alexandria, Va	.....	.....	192.2	.....	184.9
Annapolis, Md	269.8	.....	252.6	.....	247.4
Ansonia, Conn	323.3	185.9	.....	.....	.....
Atlanta, Ga	181.4	.....	181.3	.....	198.4
Attleboro town, Mass	176.4	.....	.....	.....	.....
Augusta, Me	179.8	194.9	.....	.....	.....
Bath, Me	210.0	.....	.....	.....	.....
Bayonne, N. J	177.3	184.8	.....	179.2	251.3
Bellaire, Ohio	.....	.....	221.9	.....	262.3
Berlin, N. H	675.2	287.2	.....	306.7	228.3
Biddeford, Me	272.5	306.5	266.9	.....	.....
Bridgeport, Conn	.....	184.4	.....	.....	.....
Bridgeton, N. J	179.7	.....	.....	.....	.....
Burlington, Vt	182.4	178.5	.....	.....	.....
Central Falls, R. I	319.3	193.2	235.6	311.7	.....
Charleston, S. C	396.9	322.1	380.5	305.0	377.6
Chicopee, Mass	370.4	.....	267.4	207.7	188.5
Cohoes, N. Y	196.6	.....	.....	.....	.....
Dover, N. H	.....	196.2	.....	.....	.....
Dubois, Pa	416.0	.....	.....	183.7	.....
Duluth, Minn	179.4	.....	.....	.....	.....
Dunkirk, N. Y	.....	.....	.....	220.0	.....
Elizabeth, N. J	214.9	190.4	.....	.....	224.6
Escanaba, Mich	282.8	.....	.....	.....	225.3
Fitchburg, Mass	193.5	.....	.....	.....	.....
Fresno, Cal	.....	.....	.....	.....	182.8
Greenwich town, Conn	.....	.....	.....	.....	184.8
Hammond, Ind	.....	.....	.....	182.3	.....
Harrison, N. J	179.3	.....	.....	.....	.....
Holyoke, Mass	310.7	214.0	217.9	250.3	239.2
Iron Mountain, Mich	.....	.....	246.8	.....	198.0
Ironton, Ohio	176.9	.....	.....	.....	.....
Ironwood, Mich	247.3	224.9	.....	201.2	.....
Ishpeming, Mich	.....	.....	.....	241.1	.....
Key West, Fla	292.2	321.4	426.6	391.5	391.5
Lawrence, Mass	314.9	233.1	199.6	225.2	197.9
Lowell, Mass	234.8	215.1	215.4	264.6	232.6
McKeesport, Pa	210.4	.....	.....	.....	183.1
Mahanoy City, Pa	251.8	225.8	236.6	218.8	340.5
Manchester, N. H	287.8	264.3	220.0	248.2	186.7
Marlboro, Mass	191.1	.....	.....	.....	.....
Menominee, Mich	195.1	.....	.....	.....	.....
Middletown town, Conn	194.4	.....	.....	.....	.....
Millville, N. J	.....	.....	.....	.....	184.9
Montclair, N. J	236.4	.....	.....	.....	248.7
Mt. Carmel, Pa	379.4	226.8	310.6	197.9	.....
Mt. Vernon, N. Y	197.9	193.1	.....	.....	.....
Nashua, N. H	217.5	.....	.....	.....	.....
Nashville, Tenn	.....	.....	.....	.....	214.9

REGISTRATION CITY—continued.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS PER 100,000 OF POPULATION: 1900 TO 1904.				
	1900	1901	1902	1903	1904
Naugatuck, Conn	294.1	.....	.....	.....	260.8
New Bedford, Mass	309.1	222.8	266.5	281.3	255.9
New Britain town, Conn	294.3	.....	216.4	206.7	.....
New Brunswick, N. J	.....	.....	.....	181.1	209.0
New London, Conn	222.2	.....	.....	.....	.....
Newport, R. I	186.1	.....	.....	.....	.....
Niagara Falls, N. Y	.....	.....	.....	180.4	195.0
Norfolk, Va	272.4	205.0	211.2	.....	.....
Norwich town, Conn	186.7	.....	.....	.....	.....
Orange, N. J	.....	.....	.....	.....	213.3
Paducah, Ky	200.6	185.5	200.5	200.4	.....
Passaic, N. J	352.8	210.1	248.4	212.3	344.0
Pawtucket, R. I	201.4	.....	.....	175.6	.....
Peekskill, N. Y	.....	.....	257.3	.....	244.6
Perth Amboy, N. J	243.0	275.4	232.7	188.5	.....
Peru, Ind	189.1	.....	.....	.....	.....
Petersburg, Va	220.1	233.8	288.9	210.9	270.5
Phillipsburg, N. J	189.0	.....	.....	.....	.....
Plymouth, Pa	263.8	184.7	.....	207.5	.....
Pueblo, Colo	.....	.....	245.9	236.0	.....
Raleigh, N. C	278.5	218.4	310.8	.....	249.5
Richmond, Va	205.8	.....	205.2	.....	184.9
Salem, Mass	178.0	.....	.....	.....	192.0
San Antonio, Tex	213.8	238.7	320.6	217.2	236.7
Sault Ste. Marie, Mich	208.8	204.4	263.8	222.9	.....
Savannah, Ga	182.5	.....	.....	.....	.....
Schenectady, N. Y	.....	.....	.....	181.9	178.0
South Bethlehem, Pa	219.0	177.3	.....	198.2	256.6
Southbridge town, Mass	249.4	.....	.....	186.3	.....
Steelton, Pa	.....	.....	205.5	214.8	.....
Stonington town, Conn	.....	.....	215.6	.....	.....
Taunton, Mass	283.5	.....	.....	.....	.....
Traverse City, Mich	.....	.....	.....	.....	195.8
Troy, N. Y	239.1	.....	.....	.....	.....
Union, N. J	.....	.....	.....	.....	176.4
Vernon town, Conn	271.1	.....	.....	.....	.....
Ware town, Mass	302.6	227.4	378.8	.....	.....
Waterbury, Conn	260.1	194.6	224.8	.....	214.4
Watertown, N. Y	175.2	.....	.....	.....	.....
Webster town, Mass	340.7	.....	185.6	.....	.....
West Bay City, Mich	190.6	.....	.....	.....	.....
Westfield town, Mass	227.4	.....	.....	206.7	.....
Wilmington, N. C	357.6	213.6	236.3	.....	229.6
Windham town, Conn	276.2	187.2	.....	186.9	.....
Woonsocket, R. I	475.1	317.9	272.9	203.8	.....
Yonkers, N. Y	204.5	.....	197.6	178.4	202.6

The following table shows the distribution of the deaths from diarrhea and enteritis in the registration area, by sex and by age:

SEX AND AGE.	NUMBER OF DEATHS FROM DIARRHEA AND ENTERITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	180,107	40,985	35,596	33,627	33,035	36,864
Sex:						
Male	95,202	21,631	18,860	17,739	17,530	19,442
Female	84,905	19,354	16,736	15,888	15,505	17,422
Age:						
Under 1 year	120,384	27,627	23,357	21,912	22,202	25,286
1 year	25,533	5,852	5,166	4,991	4,495	5,029
2 years	5,114	1,091	999	1,072	977	975
3 years	1,772	405	291	328	324	424
4 years	986	213	202	192	172	207
Under 5 years	153,789	35,188	30,015	28,495	28,170	31,921
5 to 9 years	1,649	366	336	334	282	331
10 to 14 years	641	131	158	121	105	126
15 to 19 years	567	143	127	115	91	91
20 to 24 years	809	194	182	149	144	140
25 to 29 years	948	232	211	178	171	156
30 to 34 years	987	238	202	213	184	150
35 to 39 years	1,103	246	222	246	180	209
40 to 44 years	1,079	252	256	208	194	169
45 to 49 years	1,203	274	226	241	232	230
50 to 54 years	1,502	314	326	310	290	262
55 to 59 years	1,783	405	395	347	316	320
60 to 64 years	2,260	483	504	471	404	398
65 to 69 years	2,612	578	555	487	489	503
70 to 74 years	2,859	599	617	524	537	582
75 to 79 years	2,584	543	544	496	489	512
80 to 84 years	2,032	430	385	396	405	416
85 to 89 years	985	210	195	177	201	202
90 to 94 years	342	61	74	55	70	82
95 years and over	119	35	18	11	31	24
Unknown	254	63	48	53	50	40

During each year diarrhea and enteritis caused more deaths of males (95,202) than of females (84,905), the proportion being 529 males to 471 females in 1,000 deaths of both sexes.

The number and proportion of deaths in each month from diarrhea and enteritis in the registration area are shown in the following table:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM DIARRHEA AND ENTERITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	180,107	40,985	35,506	33,627	33,035	36,864
January	5,254	1,008	934	1,023	1,101	1,188
February	4,940	922	871	837	1,025	1,285
March	5,546	1,025	1,060	1,010	1,173	1,278
April	5,883	1,112	1,038	1,074	1,206	1,453
May	7,118	1,393	1,320	1,420	1,429	1,556
June	13,434	2,937	2,390	2,917	2,591	2,599
July	41,611	9,978	7,928	7,827	7,315	8,563
August	41,420	9,453	8,733	7,771	7,211	8,252
September	28,572	7,194	6,283	4,849	4,851	5,395
October	14,136	3,456	2,779	2,477	2,629	2,795
November	6,746	1,482	1,272	1,337	1,334	1,321
December	5,329	1,025	986	1,082	1,112	1,124
Unknown	118	.....	2	3	58	55
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	29.2	24.6	26.2	30.4	33.4	32.3
February	27.4	22.5	24.5	24.9	31.1	34.9
March	30.8	25.0	29.8	30.0	35.6	34.7
April	32.7	27.1	29.2	31.9	36.6	39.5
May	39.6	34.0	37.1	42.2	43.3	42.3
June	74.6	71.7	67.1	86.8	78.6	70.6
July	231.2	243.5	222.7	232.8	221.8	232.6
August	230.1	230.6	245.4	231.1	218.7	224.2
September	158.8	175.5	176.5	144.2	147.1	146.6
October	78.5	84.3	78.1	73.7	79.7	75.9
November	37.5	36.2	35.7	39.8	40.4	35.9
December	29.6	25.0	27.7	32.2	33.7	30.5

Cirrhosis of the liver.—The total number of deaths compiled under cirrhosis of the liver for the five-year period is 22,446, representing an average annual death rate of 14.1.

The following table gives the number of deaths from this disease in the registration area and its main subdivisions, with the corresponding average annual and yearly death rates:

AREA.	NUMBER OF DEATHS FROM CIRRHOSIS OF THE LIVER: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	22,446	3,970	4,265	4,460	4,731	5,020
Registration cities	18,099	3,159	3,461	3,618	3,813	4,048
Registration states	13,613	2,503	2,647	2,671	2,834	2,958
Cities in registration states	9,266	1,692	1,843	1,829	1,916	1,986
Rural part of registration states	4,347	811	804	842	918	972
Registration cities in other states	8,833	1,467	1,618	1,789	1,897	2,062

AREA.	NUMBER OF DEATHS FROM CIRRHOSIS OF THE LIVER PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	14.1	12.9	13.7	14.0	14.6	15.2
Registration cities	16.0	14.7	15.7	16.0	16.4	17.1
Registration states	13.2	12.6	13.1	13.0	13.5	13.9
Cities in registration states	16.3	15.9	16.5	16.0	16.3	16.6
Rural part of registration states	9.4	8.7	8.8	9.2	10.0	10.5
Registration cities in other states	15.7	13.6	14.8	15.9	16.5	17.6

The average annual death rate from cirrhosis of the liver was much higher in the cities in the registration states than in the rural districts of those states. The figures show that in the whole registration area there was a progressive increase in the death rate from cirrhosis of the liver, rising from 12.9 in 1900 to 15.2 in 1904.

The distribution of the deaths from cirrhosis of the liver in the registration area, by sex and by age, is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM CIRRHOSIS OF THE LIVER: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	22,446	3,970	4,265	4,460	4,731	5,020
Sex:						
Male	14,733	2,555	2,812	2,944	3,146	3,276
Female	7,713	1,415	1,453	1,516	1,585	1,744
Age:						
Under 1 year	81	19	18	12	16	16
Under 5 years	137	24	28	27	27	31
5 to 14 years	114	23	19	27	22	23
15 to 24 years	281	48	60	65	54	54
25 to 34 years	1,607	305	306	334	326	336
35 to 44 years	4,136	741	786	765	884	960
45 to 64 years	10,649	1,862	2,022	2,119	2,251	2,395
65 years and over	5,460	955	1,029	1,113	1,156	1,207
Unknown	62	12	15	10	11	14

Cirrhosis of the liver caused nearly twice as many deaths of males (14,733) as of females (7,713), the proportion being 656 males to 344 females per 1,000 deaths of both sexes.

Peritonitis.—For the registration area during the five years, the total number of deaths reported as due to peritonitis was 19,218 and the average annual death rate, 12.1.

The number of deaths from peritonitis in the registration area and its main subdivisions, together with the corresponding average annual and yearly death rates, are shown in the following table:

AREA.	NUMBER OF DEATHS FROM PERITONITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	19,218	4,639	4,091	3,824	3,333	3,331
Registration cities	14,205	3,395	3,019	2,894	2,503	2,394
Registration states	11,247	2,765	2,391	2,119	1,981	1,991
Cities in registration states	6,234	1,521	1,319	1,189	1,151	1,054
Rural part of registration states	5,013	1,244	1,072	930	830	937
Registration cities in other states	7,971	1,874	1,700	1,705	1,352	1,340

AREA.	NUMBER OF DEATHS FROM PERITONITIS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	12.1	15.1	13.1	12.0	10.3	10.1
Registration cities	12.5	15.8	13.7	12.8	10.8	10.1
Registration states	10.9	13.9	11.8	10.3	9.5	9.4
Cities in registration states	10.9	14.3	11.8	10.4	9.8	8.8
Rural part of registration states	10.9	13.4	11.8	10.2	9.0	10.1
Registration cities in other states	14.2	17.4	15.5	15.2	11.8	11.4

The distribution of the deaths from peritonitis in the registration area, by sex and by age, is given in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM PERITONITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	19,218	4,639	4,091	3,824	3,333	3,331
Sex:						
Male	7,072	1,666	1,541	1,413	1,232	1,220
Female	12,146	2,973	2,550	2,411	2,101	2,111
Age:						
Under 1 year	945	232	218	196	144	155
Under 5 years	1,634	410	374	329	255	266
5 to 14 years	1,844	460	346	360	347	331
15 to 24 years	3,672	893	807	699	630	643
25 to 34 years	4,176	1,044	873	863	710	689
35 to 44 years	2,991	704	594	625	572	496
45 to 64 years	3,152	718	697	600	551	586
65 years and over	1,683	402	376	339	259	307
Unknown	66	8	24	12	9	13

The above figures show that during the five-year period peritonitis caused the death of 7,072 males and of 12,146 females, the proportion being 632 females to 368 males in 1,000 deaths of both sexes.

Appendicitis.—Appendicitis was assigned as the cause of death in 16,869 cases during the five years, and the following table shows the number of deaths from this disease in the registration area and its main subdivisions, with the corresponding average annual and yearly death rates:

AREA.	NUMBER OF DEATHS FROM APPENDICITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	16,869	2,987	3,131	3,216	3,589	3,946
Registration cities	13,796	2,382	2,553	2,629	2,965	3,267
Registration states	9,637	1,763	1,794	1,825	2,031	2,224
Cities in registration states	6,564	1,158	1,216	1,238	1,407	1,545
Rural part of registration states	3,073	605	578	587	624	679
Registration cities in other states	7,232	1,224	1,337	1,391	1,558	1,722

AREA.	NUMBER OF DEATHS FROM APPENDICITIS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	10.6	9.7	10.0	10.1	11.1	12.0
Registration cities	12.2	11.1	11.5	11.6	12.8	13.8
Registration states	9.4	8.8	8.9	8.9	9.7	10.5
Cities in registration states	11.5	10.9	10.9	10.8	12.0	12.9
Rural part of registration states	6.7	6.5	6.3	6.4	6.8	7.3
Registration cities in other states	12.9	11.3	12.2	12.4	13.6	14.7

The distribution of the deaths from appendicitis in the registration area, by sex and by age, is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM APPENDICITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	16,869	2,987	3,131	3,216	3,589	3,946
Sex:						
Male	10,380	1,875	1,932	1,987	2,216	2,370
Female	6,489	1,112	1,199	1,229	1,373	1,576
Age:						
Under 1 year	73	13	19	18	11	12
Under 5 years	411	68	73	84	84	102
5 to 14 years	3,838	672	715	674	831	946
15 to 24 years	4,514	775	826	863	969	1,081
25 to 34 years	3,173	580	593	594	707	699
35 to 44 years	2,114	376	397	406	465	470
45 to 64 years	2,141	402	398	445	393	503
65 years and over	630	111	121	135	127	136
Unknown	48	3	8	15	13	9

The above distribution, by sex, of deaths from appendicitis shows that there were 10,380 deaths of males and 6,489 deaths of females, the proportion being 615 males to 385 females per 1,000 deaths of both sexes.

DISEASES OF THE GENITO-URINARY SYSTEM.

The total number of deaths for the registration area during the five years attributed to diseases of the genito-urinary system was 179,127, and the average annual death rate 112.5 per 100,000 of population. The number of deaths from each separate disease in this class and the corresponding death rates are given in Table III (page lxviii).

The following table gives the number of deaths from diseases of the genito-urinary system in the registration area and its main subdivisions, with the corresponding average annual and yearly death rates:

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE GENITO-URINARY SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	179,127	32,567	33,489	34,608	38,013	40,450
Registration cities	139,392	24,906	25,976	26,944	29,752	31,724
Registration states	114,499	21,189	21,650	22,149	23,882	25,629
Cities in registration states	74,764	13,618	14,137	14,485	15,621	16,903
Rural part of registration states	39,735	7,571	7,513	7,664	8,261	8,726
Registration cities in other states	64,628	11,378	11,839	12,459	14,131	14,821

AREA.	NUMBER OF DEATHS FROM DISEASES OF THE GENITO-URINARY SYSTEM PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	112.5	105.9	107.2	108.7	117.2	122.6
Registration cities	123.1	116.4	117.3	118.8	128.1	133.7
Registration states	111.1	106.2	106.7	107.5	114.0	120.5
Cities in registration states	131.1	127.6	126.5	126.5	133.2	140.9
Rural part of registration states	86.3	81.5	82.5	83.7	89.7	94.1
Registration cities in other states	114.9	105.3	107.9	111.0	122.9	126.3

The preceding figures show that the death rates from diseases of the genito-urinary system were much higher in the cities of the registration states than in the rural districts of those states or in the cities of the nonregistration states.

The distribution of the deaths from diseases of the genito-urinary system in the registration area, by sex and by age, is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM DISEASES OF THE GENITO-URINARY SYSTEM: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	179,127	32,567	33,489	34,608	38,013	40,450
Sex:						
Male	98,514	17,834	18,353	19,135	20,870	22,322
Female	80,613	14,733	15,136	15,473	17,143	18,128
Age:						
Under 1 year	2,689	547	545	549	499	549
Under 5 years	5,515	1,108	1,120	1,171	1,016	1,100
5 to 14 years	3,739	821	710	709	743	756
15 to 24 years	8,863	1,692	1,718	1,719	1,845	1,889
25 to 34 years	16,658	3,143	3,195	3,348	3,431	3,541
35 to 44 years	23,038	4,261	4,386	4,443	4,861	5,087
45 to 64 years	60,388	10,912	11,102	11,653	12,956	13,765
65 years and over	60,448	10,552	11,143	11,526	13,043	14,184
Unknown	478	78	115	69	118	98

Classified according to sex, the 179,127 deaths from this class of diseases represent deaths of 98,514 males and deaths of 80,613 females, the proportion being 550 males to 450 females per 1,000 deaths of both sexes. Nearly 85 per cent of the deaths in this class of diseases were due to Bright's disease and nephritis, the figures for which are given in greater detail below.

Bright's disease and nephritis.—Under the international classification, deaths from Bright's disease, or nephritis, are classified under the two titles, "acute nephritis" and "Bright's disease." Under the first title are included deaths reported as resulting from acute nephritis, acute Bright's disease, or synonymous terms, while under the latter title are placed deaths reported as resulting from Bright's disease, nephritis, or uremia, unqualified; chronic Bright's disease and chronic nephritis, or synonymous terms. There is no accurate distinction made in such cases, and it is probable that some of the cases reported as due to "uremia," unqualified, would be referred elsewhere, if the cause were more definitely stated.

In order to show the diseases included under each title, the table given below has been prepared. It shows the number of cases classified under each of the heads mentioned above.

CAUSE OF DEATH.	NUMBER OF DEATHS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	150,696	27,377	28,005	29,119	31,814	34,381
Acute nephritis	14,436	2,312	2,698	2,983	3,173	3,470
Acute Bright's disease	2,602	371	497	546	580	608
Acute nephritis	11,834	1,941	2,001	2,437	2,593	2,862
Bright's disease	136,260	25,065	25,307	26,136	28,641	30,911
Bright's disease (unqualified)	30,815	6,840	6,419	6,064	5,775	5,717
Chronic Bright's disease	8,047	1,253	1,399	1,534	1,843	2,018
Nephritis (unqualified)	30,379	6,639	5,819	5,672	6,175	6,074
Chronic nephritis	52,373	7,079	8,932	9,836	12,124	14,402
Uremia (unqualified)	14,646	3,254	2,938	3,030	2,724	2,700

It will be observed that while there has been an increase, year by year, in the total number of deaths attributed to both acute nephritis and Bright's disease, there has been a decrease in the number reported under each of the less definite, or unqualified, forms. This may be taken as further evidence of the increasing accuracy in the statement of causes of death, which has been referred to in other places. In the following discussion the deaths from these diseases will be considered together.

The following table gives the death rates from Bright's disease and nephritis in the registration area and its main subdivisions, and in the registration states and the cities of 100,000 population or over:

AREA.	NUMBER OF DEATHS FROM BRIGHT'S DISEASE AND NEPHRITIS PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	94.6	89.0	89.6	91.5	98.1	104.2
Registration cities	104.8	99.9	99.3	101.0	108.0	114.7
Registration states	93.7	88.7	89.7	90.5	96.3	102.8
Cities in registration states	113.1	110.2	109.1	108.6	114.5	122.3
Rural part of registration states	69.6	63.9	65.9	67.8	73.2	77.4
Registration cities in other states	96.3	89.6	89.4	93.3	101.4	106.8
Registration states:						
Connecticut	94.4	95.9	84.8	92.0	93.1	105.7
District of Columbia	126.9	113.7	125.6	115.5	131.3	147.3
Indiana	52.9	49.2	49.6	52.1	53.9	59.5
Maine	83.4	75.6	80.4	80.7	90.3	89.9
Massachusetts	77.6	74.7	76.2	73.5	79.9	83.1
Michigan	52.6	48.8	46.6	52.5	55.1	59.6
New Hampshire	80.7	69.5	74.4	79.1	87.4	92.8
New Jersey	98.6	96.3	94.3	97.3	102.3	102.2
New York	125.1	118.7	121.7	120.1	127.0	137.2
Rhode Island	126.9	116.0	118.8	117.9	140.0	140.3
Vermont	81.0	71.6	74.0	80.9	85.6	92.5
Registration cities of 100,000 population or over:						
Allegheny, Pa	46.5	40.8	45.8	48.6	44.9	51.3
Baltimore, Md	137.2	130.3	123.4	127.1	141.2	163.4
Boston, Mass	80.9	81.3	82.0	77.8	83.6	79.6
Buffalo, N. Y	82.6	82.3	79.3	76.1	85.0	90.0
Chicago, Ill	86.6	74.2	71.6	85.4	99.2	99.9
Cincinnati, Ohio	121.0	108.6	122.0	117.4	124.1	131.8
Cleveland, Ohio	69.6	55.8	67.0	66.5	79.3	78.2
Columbus, Ohio	65.1	67.7	61.3	64.3	76.8	54.1
Denver, Colo	101.1	89.7	98.1	102.2	99.3	114.3
Detroit, Mich	66.0	61.3	57.5	65.6	75.3	69.3
Fall River, Mass	81.1	71.5	98.2	73.9	84.2	78.6
Indianapolis, Ind	64.8	71.5	56.4	55.3	63.3	76.7
Jersey City, N. J	114.8	115.8	105.3	111.6	121.7	119.3
Kansas City, Mo	85.3	71.4	77.3	84.7	91.9	101.0
Louisville, Ky	95.7	84.0	92.0	90.6	103.4	103.1
Memphis, Tenn	102.8	104.6	113.1	83.7	90.6	123.4
Milwaukee, Wis	49.6	40.7	48.5	45.9	53.7	58.5
Minneapolis, Minn	63.2	58.7	56.7	61.8	67.2	70.7
New Haven, Conn	97.8	88.9	94.4	96.1	82.0	125.8
New Orleans, La	187.1	191.6	163.6	168.5	214.6	196.6
New York, N. Y	163.3	159.0	163.0	157.0	162.0	174.5
Bronx borough	142.3	128.2	139.4	136.4	134.2	168.9
Brooklyn borough	151.8	149.5	156.2	153.3	145.9	154.0
Manhattan borough	176.3	172.0	172.7	165.2	179.7	191.0
Queens borough	125.2	117.6	132.2	125.2	115.8	132.7
Richmond borough	165.5	153.7	161.9	139.8	160.6	206.4
Newark, N. J	137.3	134.5	132.5	133.0	145.8	140.0
Omaha, Nebr	47.4	33.2	43.3	52.8	41.5	64.1
Paterson, N. J	85.9	107.5	64.9	82.3	79.5	96.6
Philadelphia, Pa	144.3	136.2	137.8	136.3	150.0	160.0
Pittsburg, Pa	58.1	53.2	56.5	65.8	58.8	55.5
Providence, R. I	126.6	123.6	121.3	127.3	153.2	154.9
Rochester, N. Y	89.2	91.0	68.4	92.8	90.8	103.7
St. Joseph, Mo	33.3	33.0	28.5	34.3	38.0	32.7
St. Louis, Mo	116.7	119.1	111.1	117.4	111.7	123.6
St. Paul, Minn	58.0	64.4	53.6	59.2	56.4	56.0
San Francisco, Cal	112.1	105.9	99.7	102.4	128.4	123.2
Scranton, Pa	72.8	93.1	55.5	57.8	72.9	83.7
Syracuse, N. Y	91.6	109.8	68.8	79.2	98.8	100.4
Toledo, Ohio	56.7	44.8	54.9	57.4	56.9	67.7
Washington, D. C	126.9	113.7	125.6	115.5	131.3	147.3
Worcester, Mass	67.1	59.9	73.9	59.1	65.3	75.0

The average annual death rate from Bright's disease and nephritis in the registration area for the period 1900 to 1904 was 94.6. It was lowest in 1900 (89), rising to 89.6 in 1901; 91.5 in 1902; 98.1 in 1903; and 104.2 in 1904. In England and Wales the death rate from these diseases was 40.1 in 1900; 39 in 1901; 37 in 1902; and 37.2 in 1903. In Scotland it was 35 in each of the four years 1900 to 1903.

For the registration states, excluding the District of Columbia, the annual average death rates from Bright's disease and nephritis were highest in Rhode Island (126.9), New York (125.1), and New Jersey (98.6); and lowest in Michigan (52.6), Indiana (52.9), and Massachusetts (77.6).

For the principal cities the average annual death rates from these diseases were highest in New Orleans, La. (187.1); New York, N. Y. (163.3); Philadelphia, Pa. (144.3); Newark, N. J. (137.3); Baltimore, Md. (137.2); and Providence, R. I. (136.6).

The death rates from Bright's disease and nephritis in each year in each city of the registration area and in each county, exclusive of cities, in the registration states are given in Table IV (page lxxii). A reference to that table will show that there was an excessively high death rate from these diseases in many of the minor cities in one or more years.

The distribution of the deaths from Bright's disease and nephritis in the registration area, by sex and by age, are shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM BRIGHT'S DISEASE AND NEPHRITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	150,696	27,377	28,005	29,119	31,814	34,381
Sex:						
Male	84,334	15,134	15,624	16,422	17,792	19,362
Female	66,362	12,243	12,381	12,697	14,022	15,019
Age:						
Under 1 year	2,193	436	447	452	408	450
1 year	740	131	151	140	146	163
2 years	675	133	147	144	123	128
3 years	677	125	119	171	126	136
4 years	582	132	134	133	87	96
Under 5 years	4,867	957	998	1,040	890	973
5 to 9 years	2,014	467	378	409	386	374
10 to 14 years	1,551	319	285	279	318	350
15 to 19 years	2,480	451	473	496	532	528
20 to 24 years	4,442	895	863	853	898	933
25 to 29 years	5,891	1,141	1,149	1,201	1,151	1,249
30 to 34 years	6,923	1,302	1,336	1,359	1,454	1,472
35 to 39 years	8,689	1,650	1,627	1,693	1,808	1,911
40 to 44 years	10,202	1,949	1,932	1,918	2,136	2,267
45 to 49 years	11,262	1,983	2,069	2,176	2,394	2,640
50 to 54 years	13,186	2,406	2,380	2,574	2,789	3,037
55 to 59 years	13,888	2,510	2,521	2,744	3,003	3,110
60 to 64 years	15,622	2,852	2,889	2,896	3,360	3,625
65 to 69 years	15,369	2,664	2,906	2,938	3,254	3,607
70 to 74 years	14,288	2,444	2,589	2,764	3,065	3,426
75 to 79 years	10,616	1,834	1,946	2,056	2,252	2,528
80 to 84 years	5,975	1,011	1,068	1,120	1,331	1,445
85 to 89 years	2,330	383	392	418	512	625
90 to 94 years	567	80	81	97	144	165
95 years and over	153	19	33	23	41	37
Unknown	381	60	90	56	96	79

An inspection of the above figures shows that these diseases caused 84,334 deaths of males, and 66,362 deaths of females, the proportion being 560 males to 440 females per 1,000 deaths of both sexes.

The number and proportion of deaths in each month from Bright's disease and nephritis in the registration area are shown in the following table:

MONTH IN WHICH DEATH OCCURRED.	DEATHS FROM BRIGHT'S DISEASE AND NEPHRITIS: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
	Number.					
All months	150,696	27,377	28,005	29,119	31,814	34,381
January	13,792	2,472	2,569	2,619	2,940	3,192
February	13,048	2,320	2,345	2,479	2,734	3,170
March	14,232	2,750	2,559	2,672	2,899	3,352
April	13,693	2,663	2,506	2,551	2,757	3,216
May	12,866	2,366	2,401	2,534	2,659	2,906
June	11,626	2,053	2,200	2,325	2,497	2,551
July	11,703	2,063	2,213	2,264	2,529	2,634
August	11,095	2,027	2,092	2,196	2,303	2,477
September	10,966	1,998	2,088	2,149	2,277	2,454
October	11,819	2,097	2,292	2,257	2,556	2,617
November	12,232	2,165	2,303	2,351	2,663	2,750
December	13,510	2,403	2,435	2,716	2,946	3,010
Unknown	114	.....	2	6	54	52
	Per 1,000 distribution.					
All known months	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
January	91.6	90.3	91.8	90.0	92.6	93.0
February	86.7	84.7	83.7	85.1	86.1	92.3
March	94.5	100.4	91.4	91.8	91.3	97.6
April	90.9	97.3	89.5	87.6	86.8	93.7
May	85.5	86.4	85.7	87.0	83.7	84.7
June	77.2	75.0	78.6	79.9	78.6	74.3
July	77.7	75.4	79.0	77.8	79.6	76.7
August	73.7	74.0	74.7	75.4	72.5	72.2
September	72.8	73.0	74.6	73.8	71.7	71.5
October	78.5	76.6	81.8	77.5	80.5	76.2
November	81.2	79.1	82.2	80.8	83.8	80.1
December	89.7	87.8	87.0	93.3	92.8	87.7

VIOLENCE.

During the five years the total number of deaths in the registration area reported as due to violence, or, more strictly speaking, to all external causes, was 166,180, and the average annual death rate 104.3 per 100,000 of population.

In the statistical treatment of this class of deaths they naturally fall into four primary groups: (1) Suicide, (2) homicide, (3) accidental violence, (4) other external causes; but the information upon which the classification must be made is too incomplete to permit the accurate separation of the deaths even by these general groups, and all general statistics of deaths from suicide, homicide, and various special forms of accident, derived from registration records, are incorrect and absolutely misleading. It would seem that in this class of deaths more than any other there should be no difficulty whatever in securing a proper classification, to the extent specified, at least, since it is the only class in which there are practically universal provisions for an official inquiry into the circumstances attending each death, by a coroner, medical examiner, or other official, for the precise purpose of determining whether the death was due to homicide or suicide, or to purely acci-

dental causes; but instead of this being true the returns in this class of cases are the most unsatisfactory.

It may be that the inquests or investigations of the coroners and medical examiners do develop the facts upon the points specified, but if so there is a very large proportion of the cases in which these facts do not appear in connection with the statements of the causes of death contained in the certificates filed with the registration officials.

While the coroners or other officials exercising the same functions usually state the *manner* of death as "gunshot wound," "carbolic acid poisoning," "fracture of skull," "asphyxia by gas," etc., very many of them give no further information, and when the causes of death are stated in these or similar terms, without qualification, they can only be construed as *accidental* and compiled accordingly, notwithstanding the strong probability that most of them were due actually to either suicide or homicide. A case of suicide by illuminating gas, in which the whole return consists of the words "asphyxia by illuminating gas" is compiled under the title "inhalation of poisonous gases," and the result is a double error, for the only classification permissible to the compiler takes it out of the class "suicide," where it properly belongs, and adds it to the accidental deaths, to which it does not belong.

To illustrate the insufficiency of the returns in cases of death from external causes, reference may be made to those received from a single city, in which, for one of the years covered by this report, there were more than 1,000 deaths of this class, with only *one* death specifically stated as due to *suicide* and *one* to *homicide*.

The returns in this instance included 620 cases, which, under the rule, were necessarily referred to those titles supposed to embrace accidental deaths only, but the manner of death indicated a strong probability that the great majority of these cases were due actually to either suicide or homicide. Stripped of the superfluous verbiage, but specifying the manner of death as stated in the returns, these 620 cases may be grouped according to the probabilities as follows:

Probably due to suicide:		
Carbolic acid poisoning	102	
Belladonna, cyanide of potassium poisoning	21	
Asphyxia by illuminating gas	46	
Asphyxia by gas	51	
Strangulation by hanging	26	
Gunshot wound of head	54	
Incised wound of throat	7	
Total		307
Probably due to suicide or accident:		
Drowning	126	
Gas poisoning	13	
Total		139
Probably due to homicide or accident:		
Fracture of skull	130	
Gunshot wound of body	28	
Concussion or contusion of brain	13	
Total		171
Probably due to homicide:		
Stab wounds	3	
Total		3
Grand total		620

The above grouping is intended only to indicate the general probabilities arising from the nature of the deaths, practically all of which were of adults. There were, in addition to the above, nearly 400 deaths from fractures and other traumatisms, probably accidental, but not so stated. Further, no specification as to the *kind* of accident was made, although such information is required for accurate classification. The deaths specifically attributed to railroad accidents numbered only 5.

The preceding remarks relate only to the deaths in one city for one year; but the same conditions exist to a large extent in many other places.

The difficulty with respect to this class of deaths may be due to the fact that the coroners or examiners are either not under control of the registration officials, or are not required by them to make a complete and precise statement concerning the deaths investigated.

There are also many cases in which the official inquest or investigation is deferred for an indefinite period, while the certificate of death is furnished immediately, in order that the body may be disposed of. In such cases there seems to be no connection established between the record of the death and the result of the subsequent inquest. In certain cases of this kind there might be some hesitation in giving an official statement going beyond the manner of death, but there should be none in specifying that it was due to accident, when that fact was known at the time, as it would be in a vast majority of such cases, or in defining the kind of accident.

If the inquest is held before the certificate is filed, there can and should be a complete statement of the facts covering the points to which reference has been made. If it has not taken place, the certificate can not be held to be conclusive of certain features of the case, and it might properly be made out to show the manner of death, qualified by the words "probably suicide" (or accident or homicide) and "inquest pending." The qualified judgment of the coroner, so expressed, would amount to an expression of personal opinion only, but being reached from a consideration of all the circumstances it would undoubtedly be correct in most cases of this character and would furnish a far better basis for the statistical treatment of this class of cases than is now afforded.

There will always be an element of doubt in certain cases, such as those of persons found dead or drowned, but even in such cases a statement of the *probabilities* by the most competent authority—the coroner—will be most satisfactory.

There are some places from which the returns of this class of deaths are very correct and complete, and the distinction easily and accurately maintained. This is notably the case in Chicago, Ill., Cincinnati, Ohio, Providence, R. I., San Francisco, Cal., Washington, D. C., and a number of minor cities, indicating that under certain conditions the information *can* be supplied as desired.

There are also some places in which the local statis-

tics of this class of deaths show that access has been had to the records of coroners' inquests and the later information so obtained utilized for the purpose of making a proper classification; but these data have not been connected with the certificates originally filed, nor included in the transcripts furnished this Office. This will account for the difference between the figures given in this report and those in certain local statistics.

It is probable that upon a thorough understanding by the coroners of the difficulties attending the use of their certificates for statistical purposes, and of the importance of the matter, they will generally be found willing to make a complete statement of the facts in all cases in which investigations have been concluded at the time of filing the certificates, and a qualified statement in those cases in which such investigations are pending. It is suggested that a conference of the registrars or health officials and the coroners, etc., might readily bring about such an understanding.

The selection and arrangement of the titles to which all deaths from external causes are referred, in the international classification, are not very satisfactory, but the objections that lie against them are of little importance, so long as the deaths continue to be reported in such indefinite terms as to preclude their accurate classification under *any* titles that might be selected. For example, the international classification includes the title "fractures," and for the period covered by this report there are 13,850 deaths compiled thereunder, simply because the returns, while giving "fracture" as the cause of death, furnished no information as to the *cause of the fracture*. There should be no deaths to compile under this title.

There can be no doubt that the 13,850 deaths compiled under "fractures" includes cases of suicide by jumping from buildings, etc., of homicide by blows with deadly weapons, etc., and of accidents due to falls, falling bodies, railroad wrecks, collisions, boiler explosions, trolley cars, motor cars, horses and vehicles, and other kinds of accident, the statement of which would result in all of these cases being classified under more definite titles, and the total elimination of the general term. So, also, with other titles equally indefinite.

The following table gives the deaths from violence in the registration area and its main subdivisions, with the corresponding average annual and yearly death rates:

AREA.	NUMBER OF DEATHS FROM VIOLENCE: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
The registration area	166,180	29,529	33,330	31,135	35,542	36,644
Registration cities	127,254	22,413	25,642	23,915	27,226	28,058
Registration states	99,288	17,475	20,164	18,294	20,894	22,461
Cities in registration states	60,362	10,359	12,476	11,074	12,578	13,875
Rural part of registration states	38,926	7,116	7,688	7,220	8,316	8,586
Registration cities in other states	66,892	12,054	13,166	12,841	14,648	14,183

AREA.	NUMBER OF DEATHS FROM VIOLENCE PER 100,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
The registration area	104.3	96.0	106.6	97.8	109.6	111.0
Registration cities	112.4	104.4	115.8	105.5	117.2	118.3
Registration states	96.3	87.5	99.4	88.8	99.8	105.6
Cities in registration states	105.9	97.1	111.6	96.7	107.3	115.7
Rural part of registration states	84.5	76.6	84.4	78.8	90.3	92.6
Registration cities in other states	119.0	111.6	120.0	114.4	127.4	120.9

The distribution of the deaths from violence, in the registration area, by sex and by age, is shown in the following table:

SEX AND AGE.	NUMBER OF DEATHS FROM VIOLENCE: 1900 TO 1904.					
	Total.	1900	1901	1902	1903	1904
Aggregate	166,180	29,529	33,330	31,135	35,542	36,644
Sex:						
Male	125,953	22,691	24,938	23,955	26,897	27,472
Female	40,227	6,838	8,392	7,180	8,645	9,172
Age:						
Under 1 year	11,534	1,935	2,317	2,009	2,491	2,782
Under 5 years	21,568	3,889	4,419	3,827	4,473	4,960
5 to 14 years	13,263	2,483	2,543	2,470	2,824	2,943
15 to 24 years	22,592	4,147	4,208	4,203	4,911	4,933
25 to 34 years	27,308	4,844	5,174	5,230	6,068	5,992
35 to 44 years	26,162	4,745	5,121	5,009	5,637	5,650
45 to 64 years	33,729	5,802	7,152	6,308	7,056	7,411
65 years and over	19,286	3,190	4,159	3,497	4,096	4,344
Unknown	2,272	429	554	401	477	411

Classified by sex, the 166,180 deaths from violence include 125,953 deaths of males and 40,227 deaths of females, the proportion being 758 males to 242 females in 1,000 deaths of both sexes.

The conditions with respect to the statistical treatment of deaths from this class of causes being as described above, it is clear that the only reliable conclusions that may be drawn from the figures are limited to those for the class as a whole, and that the figures elsewhere given for the individual causes in this class

are subject to the qualifications noted. The deaths and death rates from each cause included in this class, as compiled, are given in Table III (page lxviii).

To show the effect of the indefinite returns upon the statistics the following table is given, showing the total number of deaths from violence occurring in the registration area during the five years, classified as in the general tables (on the left), and rearranged according to the essentially important groups of causes (on the right).

DEATHS FROM VIOLENCE: 1900 TO 1904.

Classified as given in the detail tabulations.	Number.	The definitely stated causes, classified by the groups of principal importance, and the indefinitely stated causes not so classifiable.	Number.
Total	166,180	Total	166,180
Suicide	20,834	Suicide	20,834
Suicide by poison	6,946		
Suicide by asphyxia	1,487	Homicide	3,870
Suicide by hanging or strangulation	3,232	Accidental violence (definite)	28,750
Suicide by drowning	1,059	Injuries by machinery	1,200
Suicide by firearms	4,938	Injuries in mines and quarries	1,209
Suicide by cutting instruments	1,171	Railroad accidents and injuries	22,799
Suicide by jumping from high places	252	Injuries by vehicles and horses	3,482
Suicide by crushing	87		
Other suicides	1,662	Other external violence (definite)	14,921
Fractures	13,850	Heat and sunstroke	6,323
Dislocations	259	Cold and freezing	866
Burns and scalds	13,245	Lightning	503
Burning by corrosive substances	51	Injuries at birth	7,056
Heat and sunstroke	6,323	Starvation, privation	173
Cold and freezing	866		
Lightning	503	Indefinite (construed as *accidental*)	97,805
Drowning	16,945	Fractures	13,850
Inhalation of poisonous gases	6,210	Dislocations	259
Other accidental poisonings	7,142	Burns and scalds	13,245
Accidental traumatisms	56,594	Burning by corrosive substances	51
Accidental gunshot wounds	5,862	Drowning	16,945
Injuries by machinery	1,200	Inhalation of poisonous gases	6,210
Injuries in mines and quarries	1,209	"Accidental" gunshot wounds	5,862
Railroad accidents and injuries	22,799	Other "accidental" poisonings	7,142
Injuries by vehicles and horses	3,482	Other "accidental" traumatisms	21,982
Other accidental traumatisms	21,982	Other external violence	9,672
Other external violence	23,185	Suffocation	2,587
Suffocation	2,587		
Injuries at birth	7,056		
Homicide	3,870		
Other external violence	9,672		
Starvation, privation	173		

The comparison made in the table above is intended to show, in a general way only, why the statistics do not furnish any true indication of the comparative number and frequency of deaths from suicide, homicide, or accidents, and why those purporting to show the deaths from certain special forms of suicide and certain kinds of accidents are equally faulty. Considering the groups of deaths from external causes which are of the greatest importance, as given, on the right hand, in the preceding table, it will be seen that only about 41 per cent of those compiled under the specified titles can be assigned to definite groups, while about 59 per cent are included under titles which are not sufficiently specific for that purpose.

The first group includes the 20,834 deaths accurately assignable to *suicide*, or 12.5 per cent of the whole number of deaths from violence.

The second group includes the 3,870 deaths specifically returned as the result of homicide, or 2.3 per cent of the whole number.

The third group includes 28,750 cases (17.3 per cent) in which the kind of accident, as well as the nature of the injuries, was so stated as to be properly classified under the specific titles included.

The fourth group includes 14,921 cases attributed to the specified external causes, or 9 per cent of the whole. The cases coming under this group can usually be classified accurately.

The fifth group includes 97,805 cases, or 58.9 per cent of the whole number, which, under a comprehensive statement of the essential facts in each case, would have been so classified as to be included under groups 1, 2, or 3, as suicide, homicide, or accident of a definite kind. They are classified accurately as regards the titles specified, but under each of the titles there is included a large proportion of cases in which only the manner of death is stated, no clue to the controlling cause being given. Comment has been made upon the title "fractures," and the deaths compiled thereunder, and all of the other titles in this group are subject to somewhat similar restrictions. Each of them includes an unknown proportion of cases actually due to suicide or homicide. Burns and scalds (13,245 cases) doubtless includes many cases resulting from railroad accidents or accidents in mines, etc.

Drowning and inhalation of poisonous gases (23,155 cases) include cases which are practically all due to either suicide or accident. Accidental gunshot wounds, poisonings, traumatisms (so classified because not otherwise described), other external violence, and suffocation include 47,245 cases due either to suicide or homicide, or to particular kinds of accidents concerning which accurate information would be valuable.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION OF REGISTRATION AREAS: 1900 TO 1904.

REGISTRATION AREA.	Population, June 1, 1900.	ESTIMATED POPULATION ON JUNE 1—			
		1901	1902	1903	1904
SUMMARIES.					
The registration area	30,765,618	31,236,456	31,838,263	32,432,647	32,996,989
Registration cities	21,477,112	22,146,424	22,678,360	23,220,867	23,724,258
Registration states	19,960,742	20,286,315	20,611,886	20,938,393	21,264,900
Cities in registration states	10,672,236	11,176,283	11,452,183	11,726,613	11,992,169
Rural part of registration states	9,288,506	9,110,032	9,159,703	9,211,780	9,272,731
Registration cities in other states	10,804,876	10,970,141	11,226,377	11,494,254	11,732,089
REGISTRATION STATES.					
Connecticut	908,420	924,636	940,852	957,068	973,284
District of Columbia	278,718	283,551	288,384	293,217	298,050
Indiana	2,516,462	2,548,868	2,581,274	2,613,680	2,646,086
Maine	694,466	697,804	701,142	704,480	707,818
Massachusetts	2,805,346	2,861,986	2,918,626	2,975,266	3,031,906
Michigan	2,420,982	2,448,240	2,475,498	2,502,757	2,530,016
New Hampshire	411,588	415,094	418,600	422,106	425,612
New Jersey	1,883,669	1,927,543	1,971,417	2,015,291	2,059,165
New York	7,268,894	7,396,969	7,525,042	7,654,050	7,783,058
Rhode Island	428,556	436,861	445,166	453,471	461,776
Vermont	343,641	344,763	345,885	347,007	348,129
REGISTRATION CITIES.					
Adams town, Mass	11,134	11,326	11,518	11,710	11,902
Alameda, Cal	16,464	16,994	17,524	18,054	18,584
Albany, N. Y	94,151	94,151	94,151	94,151	94,151
Alexandria, Va	14,528	14,547	14,566	14,585	14,604
Allegheny, Pa	129,896	133,280	135,672	138,064	140,456
Allentown, Pa	35,416	36,435	37,464	38,483	39,552
Altoona, Pa	38,973	39,837	40,701	41,815	42,686
Amesbury town, Mass	9,473	9,473	9,473	9,473	9,473
Amsterdam, N. Y	20,929	22,348	22,715	23,082	23,449
Anderson, Ind	.....	21,122	22,066	23,010	23,954
Ann Arbor, Mich	14,509	14,532	14,555	14,577	14,599
Annapolis, Md	8,525	8,617	8,709	8,801	8,893
Ansonia, Conn	12,681	12,915	13,149	13,383	13,617
Appleton, Wis	15,085	15,497	15,729	16,051	16,373
Arlington town, Mass	8,603	8,900	9,197	9,494	9,791
Ashtabula, Ohio	12,949	13,360	13,771	14,182	14,593
Atlanta, Ga	89,872	92,098	94,324	96,550	98,776
Atlantic City, N. J	27,838	29,316	30,794	32,272	33,750
Attleboro town, Mass	11,335	11,711	12,087	12,463	12,839
Auburn, N. Y	30,345	30,794	31,243	31,692	32,141
Augusta, Me	11,683	11,799	11,915	12,031	12,147
Aurora, Ill	24,147	24,593	25,039	25,485	25,931
Baltimore, Md	508,957	516,409	523,861	531,313	538,765
Bangor, Me	21,850	22,125	22,400	22,675	22,950
Barre, Vt	8,448	8,878	9,308	9,738	10,168
Bath, Me	10,477	10,652	10,827	11,002	11,177
Battle Creek, Mich	18,563	19,475	20,387	21,300	22,213
Bay City, Mich	27,628	27,632	27,636	27,640	27,644
Bayonne, N. J	32,722	34,091	35,460	36,829	38,198
Bellaire, Ohio	9,912	9,912	9,912	9,912	9,912
Belleville, Ill	17,484	17,696	17,908	18,120	18,332
Beloit, Wis	10,436	10,848	11,260	11,672	12,084
Bennington town, Vt	8,033	8,197	8,361	8,525	8,689
Berlin, N. Y	8,886	9,402	9,918	10,434	10,950
Beverly, Mass	13,884	14,190	14,496	14,802	15,108
Biddeford, Me	16,145	16,315	16,485	16,655	16,825
Binghamton, N. Y	39,647	40,111	40,575	41,039	41,503
Boston, Mass	560,892	572,134	583,376	594,618	605,860
Bridgeport, Conn	70,996	73,209	75,422	77,635	79,848
Bridgeton, N. J	13,913	14,162	14,411	14,660	14,909
Bristol town, Conn	9,643	9,869	10,095	10,321	10,547
Brockton, Mass	40,063	41,323	42,583	43,843	45,103
Brookline town, Mass	19,935	20,718	21,501	22,284	23,067
Buffalo, N. Y	352,387	362,059	371,731	381,403	391,075
Burlington, Iowa	23,201	23,265	23,329	23,393	23,457
Burlington, Vt	18,640	19,045	19,450	19,855	20,260
Cambridge, Mass	91,886	94,072	96,258	98,444	100,630
Camden, N. J	75,935	77,227	78,519	79,811	81,103
Canton, Ohio	30,667	31,115	31,563	32,011	32,459
Carbondale, Pa	13,536	13,776	14,016	14,256	14,496
Carlisle, Pa	9,626	9,827	10,028	10,229	10,430
Central Falls, R. I	18,167	18,635	19,103	19,571	20,039
Charleston, S. C	55,807	55,892	55,977	56,062	56,147
Chelsea, Mass	34,072	34,688	35,304	35,920	36,536
Chicago, Ill	1,698,575	1,757,010	1,815,445	1,873,880	1,932,315
Chicopee, Mass	19,167	19,679	20,191	20,703	21,215
Chillicothe, Ohio	12,976	13,145	13,314	13,483	13,652
Chippewa Falls, Wis	8,094	8,094	.....	.....	.....
Cincinnati, Ohio	325,902	327,746	329,590	332,934	341,444
Cleveland, Ohio	381,768	392,400	403,032	414,950	425,632
Clinton town, Mass	13,667	13,991	14,315	14,639	14,963
Cohoes, N. Y	23,910	24,050	24,190	24,330	24,470
Columbia, Pa	12,316	12,488	12,660	12,832	13,079
Columbus, Ind	8,130	8,271	8,412	8,553	8,694
Columbus, Ohio	125,560	128,889	132,178	135,487	138,796
Concord, N. H	19,632	19,895	20,158	20,421	20,684
Corning, N. Y	11,061	11,312	11,563	11,814	12,065
Cortland, N. Y	9,014	9,056	9,098	9,640	9,684
Covington, Ky	42,938	43,495	44,052	44,759	45,318
Danbury town, Conn	19,474	19,474	19,474	19,474	19,474
Danvers town, Mass	8,542	8,651	8,760	8,869	8,978
Danville, Ill	16,354	.....	.....	.....	.....
Davenport, Iowa	35,254	36,092	36,930	37,768	38,606
Dayton, Ohio	85,333	87,744	90,155	92,716	95,133
Decatur, Ill	20,754	21,051	21,473	21,772	22,096
Denver, Colo	133,859	135,546	137,041	147,111	148,714
Detroit, Mich	285,704	293,676	301,647	309,619	317,591
Dover, N. H	13,207	13,249	13,291	13,333	13,375
Dubois, Pa	9,375	9,698	10,021	10,344	10,667
Duluth, Minn	52,969	54,445	55,921	57,397	58,873
Dunkirk, N. Y	11,616	11,836	12,056	12,276	12,496
Easton, Pa	25,238	.....	.....	.....	.....
Eau Claire, Wis	17,517	17,527	17,537	17,547	17,557
Elizabeth, N. J	52,130	53,567	55,004	56,441	57,878
Elkhart, Ind	.....	15,566	15,948	16,330	16,712
Elmira, N. Y	35,672	36,150	36,628	37,106	37,584
Elwood, Ind	.....	13,997	15,044	16,091	17,138
Erie, Pa	52,733	53,943	55,153	56,363	57,573
Escanaba, Mich	9,549	9,936	10,323	10,710	11,098
Evansville, Ind	59,007	59,832	60,657	61,482	62,307
Everett, Mass	24,336	25,663	26,990	28,317	29,644
Fall River, Mass	104,863	107,910	110,957	114,004	117,051
Findlay, Ohio	17,613	18,613	19,613	20,613	21,613
Fitchburg, Mass	31,531	32,480	33,429	34,378	35,327
Flint, Mich	13,103	13,838	14,187	14,535	14,884
Fort Wayne, Ind	.....	46,087	47,059	48,031	49,003
Framingham town, Mass	11,302	11,508	11,714	11,920	12,126
Frederick, Md	9,296	9,406	9,516	9,626	9,736
Fresno, Cal	12,470	12,635	12,800	12,965	13,130
Gardner town, Mass	10,813	11,052	11,291	11,530	11,769
Geneva, N. Y	10,433	10,698	10,963	11,228	11,493
Glens Falls, N. Y	12,613	12,923	13,233	13,543	13,853
Gloucester, Mass	26,121	26,268	26,415	26,562	26,709
Gloversville, N. Y	18,349	18,798	19,247	19,696	20,145
Grand Rapids, Mich	87,565	89,603	91,641	93,679	95,718
Green Bay, Wis	18,684	19,170	19,656	20,142	20,628
Greenwich town, Conn	12,172	12,376	12,580	12,784	12,988
Hamilton, Ohio	23,914	24,540	25,166	25,792	26,418
Hammond, Ind	.....	13,006	13,636	14,266	14,896
Harrisburg, Pa	50,167	51,095	52,023	52,951	53,879
Harrison, N. J	10,596	10,822	11,048	11,274	11,500
Hartford, Conn	79,850	82,512	85,174	87,836	90,498
Haverhill, Mass	37,175	37,779	38,383	38,987	39,591
Hazelton, Pa	14,230	14,581	14,819	15,057	15,295
Helena, Mont	10,770	.....	.....	.....	.....
Hoboken, N. J	59,364	60,936	62,508	64,080	65,652
Holyoke, Mass	45,712	46,720	47,728	48,736	49,744
Hudson, N. Y	9,528	9,728	9,928	10,128	10,328
Huntington, Ind	.....	9,722	9,938	10,104	10,325
Hyde Park town, Mass	13,244	13,549	13,854	14,159	14,464
Indianapolis, Ind	169,164	175,537	186,410	197,555	204,622
Iron Mountain, Mich	9,242	9,078	8,914	8,750	8,585
Ironton, Ohio	11,868	11,921	11,974	12,027	12,080
Ironwood, Mich	9,705	9,783	9,861	9,940	10,019
Ishpeming, Mich	13,255	12,847	12,439	12,031	11,623
Ithaca, N. Y	13,136	13,342	13,548	13,754	13,960
Jackson, Mich	25,180	25,210	25,240	25,270	25,300
Jacksonville, Fla	28,429	29,552	30,675	31,798	32,921
Jacksonville, Ill	15,078	15,292	15,506	15,720	15,934
Jamestown, N. Y	22,892	23,577	24,262	24,947	25,632
Jeffersonville, Ind	10,774	10,785	10,796	10,807	10,818
Jersey City, N. J	206,433	210,776	215,119	219,462	223,805
Johnstown, N. Y	10,130	10,366	10,602	10,838	11,074
Johnstown, Pa	35,936	37,800	38,890	39,980	41,070
Kalamazoo, Mich	24,404	25,748	27,093	28,438	29,782
Kansas City, Mo	163,752	166,856	169,960	173,064	176,168
Keene, N. H	9,165	9,337	9,509	9,681	9,853
Key West, Fla	17,114	17,114	17,114	17,114	17,114
Kingston, N. Y	24,535	24,862	25,189	25,516	25,843
Kokomo, Ind	.....	10,844	11,079	11,314	11,549
Laconia, N. H	8,042	8,042	8,042	8,042	8,042
Lafayette, Ind	18,116	18,303	18,490	18,677	18,864
Lancaster, Pa	41,459	42,404	43,349	44,294	45,239
Lansing, Mich	16,485	17,432	18,380	19,328	20,276
Lansingburg, N. Y	12,595	.....	.....	.....	.....

TABLE I.—POPULATION OF REGISTRATION AREAS: 1900 TO 1904—Continued.

REGISTRATION AREA.	Population, June 1, 1900.	ESTIMATED POPULATION ON JUNE 1—			
		1901	1902	1903	1904
REGISTRATION CITIES—Continued.					
Lawrence, Kans.	10,862	.....	.....	.....	.....
Lawrence, Mass.	62,559	64,350	66,141	67,932	69,723
Leadville, Colo.	12,455	12,662	12,869	13,076	13,283
Leavenworth, Kans.	20,735	22,392	22,441	22,991	22,791
Lebanon, Pa.	17,628	.....	.....	.....	.....
Leominster town, Mass.	12,392	12,904	13,416	13,928	14,440
Lima, Ohio.	21,723	22,297	24,871	25,517	26,394
Lincoln, Nebr.	40,169	41,492	42,800	44,158	45,516
Lockport, N. Y.	16,581	16,635	16,689	16,743	16,797
Logansport, Ind.	.....	16,492	16,780	17,068	17,356
Louisville, Ky.	204,731	208,588	212,253	215,722	219,191
Lowell, Mass.	94,969	96,696	98,423	100,150	101,877
Lynchburg, Va.	18,891	20,350	20,850	21,350	21,850
Lynn, Mass.	68,513	69,792	71,071	72,350	73,629
McKeesport, Pa.	34,227	35,576	36,925	38,274	40,423
Madison, Wis.	19,164	19,738	20,312	20,886	22,460
Mahanoy City, Pa.	13,504	13,726	13,948	14,170	14,392
Malden, Mass.	33,664	34,727	35,790	36,853	37,916
Manchester, N. H.	56,987	58,273	59,559	60,845	62,131
Manchester town, Conn.	10,601	10,839	11,077	11,315	11,553
Manitowoc, Wis.	11,786	12,138	12,490	12,842	13,194
Mankato, Minn.	10,599	10,775	10,951	11,127	11,303
Marietta, Ohio.	13,348	13,856	14,364	14,872	15,380
Marinette, Wis.	16,195	16,662	17,129	17,596	18,063
Marion, Ind.	.....	18,194	19,051	21,108	22,082
Marlboro, Mass.	13,609	13,609	13,609	13,609	13,609
Marquette, Mich.	10,058	10,209	10,361	10,513	10,665
Massillon, Ohio.	11,944	12,129	12,314	12,499	12,684
Meadville, Pa.	10,291	10,368	10,445	10,522	11,599
Medford, Mass.	18,244	18,961	19,678	20,395	21,112
Melrose, Mass.	12,962	13,406	13,850	14,294	14,738
Memphis, Tenn.	102,320	106,103	109,886	113,669	117,452
Menominee, Mich.	12,818	12,388	11,958	11,527	11,096
Meriden town, Conn.	28,695	29,022	29,349	29,676	30,003
Michigan City, Ind.	14,850	15,257	15,664	16,071	16,478
Middletown, N. Y.	14,522	14,777	15,032	15,287	15,542
Middletown, Ohio.	9,215	9,230	9,245	9,260	9,275
Middletown town, Conn.	17,486	17,714	17,942	18,170	18,398
Milford town, Mass.	11,376	11,636	11,896	12,156	12,416
Millville, N. J.	10,583	10,641	10,699	10,757	10,815
Milwaukee, Wis.	285,315	296,604	305,100	313,025	321,450
Minneapolis, Minn.	202,718	206,516	210,314	214,112	217,910
Mobile, Ala.	38,469	39,208	39,947	40,686	41,425
Montclair, N. J.	13,962	14,493	15,024	15,555	16,086
Morristown, N. J.	11,267	11,578	11,889	12,200	12,511
Mt. Carmel, Pa.	13,179	13,672	14,165	14,658	15,151
Mt. Vernon, N. Y.	21,228	22,268	23,308	24,348	25,388
Muncie, Ind.	20,942	21,902	23,050	24,317	25,309
Muscatine, Iowa.	14,073	14,335	14,597	14,859	15,121
Muskegon, Mich.	20,818	20,837	20,857	20,877	20,897
Nashua, N. H.	23,898	24,357	24,816	25,275	25,734
Nashville, Tenn.	80,865	81,335	81,805	83,275	83,751
Natick town, Mass.	9,488	9,525	9,562	9,599	9,636
Naugatuck, Conn.	10,541	10,973	11,405	11,837	12,269
New Albany, Ind.	.....	20,628	20,628	20,628	20,628
New Bedford, Mass.	62,442	64,613	66,784	68,955	71,126
New Britain town, Conn.	28,202	29,122	30,042	30,962	31,882
New Brunswick, N. J.	20,006	20,146	20,286	20,426	20,566
New Haven, Conn.	108,027	110,227	112,427	114,627	116,827
New London, Conn.	17,548	17,927	18,306	18,685	19,064
New Orleans, La.	287,104	291,611	296,118	300,625	305,132
New Rochelle, N. Y.	14,720	15,286	15,852	16,418	16,984
New York, N. Y.	3,437,202	3,530,181	3,623,160	3,716,139	3,809,118
Bronx borough.	200,507	211,666	222,826	233,986	245,146
Brooklyn borough.	1,166,582	1,199,386	1,232,190	1,264,994	1,297,798
Manhattan borough	1,850,093	1,890,981	1,931,869	1,972,757	2,013,644
Queens borough.	152,999	159,594	166,188	172,783	179,378
Richmond borough.	67,021	68,554	70,087	71,619	73,152
Newark, N. J.	246,070	252,003	257,936	265,394	271,427
Newark, Ohio.	18,157	18,546	18,935	19,324	19,713
Newburg, N. Y.	24,943	25,129	25,315	25,501	25,687
Newburyport, Mass.	14,478	14,531	14,584	14,637	14,690
Newcastle, Pa.	28,339	29,757	31,175	32,593	34,011
Newport, Ky.	28,301	28,639	28,977	29,315	29,653
Newport, R. I.	22,034	22,292	22,550	22,808	23,066
Newton, Mass.	33,587	34,508	35,429	36,350	37,271
Niagara Falls, N. Y.	19,457	20,362	21,267	22,172	23,077
Norfolk, Va.	46,624	47,799	53,974	55,318	56,662
Norristown, Pa.	22,265	22,512	22,759	23,006	23,253
North Adams, Mass.	24,200	24,973	25,746	26,519	27,292
Northampton, Mass.	18,643	19,008	19,373	19,738	20,103
Norwalk town, Conn.	19,932	20,151	20,370	20,589	20,808
Norwich town, Conn.	24,637	24,796	24,955	25,114	25,273
Oakland, Cal.	66,960	68,102	69,244	70,386	71,528
Ogdensourg, N. Y.	12,633	14,779	14,876	14,973	15,070
Oil City, Pa.	13,264	.....	.....	.....	.....
Olean, N. Y.	9,462	9,672	9,882	10,092	10,302
Omaha, Nebr.	102,555	106,157	109,759	113,361	116,963
Orange, N. J.	24,141	24,671	25,201	25,731	26,261
Oskaloosa, Iowa.	9,212	.....	.....	.....	.....
Ottawa, Ill.	10,588	10,688	10,788	10,888	10,988
Ottumwa, Iowa.	18,197	18,603	19,009	19,565	.....
Owosso, Mich.	8,696	8,808	8,920	9,032	9,145
Paducah, Ky.	19,446	19,949	20,452	20,955	21,458
Passaic, N. J.	27,777	29,502	31,005	32,508	34,011
Paterson, N. J.	105,171	107,853	110,535	113,217	115,899
Pawtucket, R. I.	39,231	40,391	41,551	42,711	43,871
Peabody town, Mass.	11,523	11,660	11,797	11,934	12,071
Peekskill, N. Y.	10,358	10,426	10,494	10,562	10,630
Perth Amboy, N. J.	17,699	18,518	19,337	20,156	20,975
Peru, Ind.	8,463	10,607	10,792	10,977	11,162
Petersburg, Va.	21,810	21,810	21,810	21,810	21,810
Philadelphia, Pa.	1,293,697	1,318,370	1,343,043	1,367,716	1,392,389
Phillipsburg, N. J.	10,052	10,193	10,334	11,975	12,140
Phoenixville, Pa.	9,196	.....	.....	.....	.....
Pittsburg, Pa.	321,616	329,425	337,234	345,043	352,852
Pittsfield, Mass.	21,766	22,215	22,664	23,113	23,562
Plainfield, N. J.	15,369	15,779	16,189	16,599	17,009
Plymouth, Pa.	13,649	14,080	14,511	14,942	15,373
Plymouth town, Mass.	9,592	9,820	10,048	10,276	10,504
Pontiac, Mich.	9,769	10,047	10,326	10,605	10,884
Port Huron, Mich.	19,158	19,375	19,592	19,810	20,028
Port Jervis, N. Y.	9,385	9,391	9,397	9,403	9,409
Portland, Me.	50,145	50,982	51,819	52,656	53,493
Portland, Oreg.	90,426	93,169	95,912	98,655	101,398
Portsmouth, N. H.	10,637	10,718	10,799	10,880	10,961
Portsmouth, Ohio.	17,870	18,344	18,818	19,292	19,766
Pottstown, Pa.	13,696	13,737	13,778	13,819	13,860
Pottsville, Pa.	15,710	15,869	16,028	16,187	16,346
Poughkeepsie, N. Y.	24,029	24,211	24,393	24,575	24,757
Providence, R. I.	175,597	179,312	183,027	186,742	190,457
Pueblo, Colo.	28,157	28,517	28,877	29,237	29,597
Quincy, Ill.	36,252	36,728	37,204	37,680	38,156
Quincy, Mass.	23,899	24,617	25,335	26,053	26,771
Raleigh, N. C.	13,643	13,740	13,837	13,934	14,031
Reading, Pa.	78,961	80,991	83,021	85,051	87,081
Revere town, Mass.	10,395	10,868	11,341	11,814	12,287
Richmond, Ind.	18,226	18,388	18,550	18,712	18,874
Richmond, Va.	85,050	85,416	85,782	86,148	86,514
Rochester, N. H.	8,466	8,573	8,680	8,787	8,894
Rochester, N. Y.	162,608	165,338	168,068	170,798	173,528
Rockland, Me.	8,150	8,150	8,150	8,150	8,150
Rome, N. Y.	15,343	15,378	15,413	15,448	15,483
Rutland, Vt.	11,499	11,576	11,653	11,730	11,807
Sacramento, Cal.	29,282	29,572	29,862	30,152	30,442
Saginaw, Mich.	42,345	43,411	44,477	45,543	46,610
St. Joseph, Mo.	102,979	105,479	107,979	110,479	112,979
St. Louis, Mo.	575,238	587,585	599,932	612,279	624,626
St. Paul, Minn.	163,065	166,056	169,047	172,038	175,029
Salem, Mass.	35,956	36,472	36,988	37,504	38,020
Salt Lake City, Utah.	53,531	54,400	55,269	57,138	58,026
San Antonio, Tex.	53,321	54,886	56,451	58,016	59,581
San Diego, Cal.	17,700	17,940	18,180	18,420	18,660
San Francisco, Cal.	342,782	347,161	351,540	355,919	360,298
San Jose, Cal.	21,500	21,844	22,188	22,532	22,876
Saratoga Springs, N. Y.	12,409	12,452	12,495	12,538	12,581
Sault Ste. Marie, Mich.	10,538	10,764	10,990	11,216	11,442
Savannah, Ga.	54,244	55,350	63,456	64,741	66,026
Schenectady, N. Y.	31,682	34,362	45,042	48,920	52,798
Scranton, Pa.	102,026	104,603	107,180	109,757	112,334
Seattle, Wash.	80,671	84,454	88,237	92,020	95,803
Sioux City, Iowa.	33,111	33,111	33,111	33,111	33,111
Somerville, Mass.	61,643	63,792	65,941	68,090	70,239
South Bend, Ind.	.....	37,400	38,876	40,327	41,728
South Bethlehem, Pa.	13,241	13,535	13,829	14,123	14,417
Southbridge town, Mass.	10,025	10,262	10,499	10,736	10,973
Spokane, Wash.	.....	38,541	40,234	41,927	43,620
Springfield, Ill.	34,159	34,843	35,527	36,211	37,495
Springfield, Mass.	62,059	63,847	65,635	67,423	69,211
Stamford town, Conn.	18,839	19,153	19,467	19,781	20,095
Steelton, Pa.	12,086	12,370	12,654	13,038	13,325
Stonington town, Conn.	8,540	8,676	8,812	8,948	9,084
Superior, Wis.	31,091	33,002	34,913	36,824	38,735
Syracuse, N. Y.	108,374	110,397	112,420	114,443	116,466
Tacoma, Wash.	37,714	36,746	39,934	45,102	48,532
Taunton, Mass.	31,036	31,595	32,154	32,713	33,272

TABLE I.—POPULATION OF REGISTRATION AREAS: 1900 TO 1904—Continued.

REGISTRATION AREA.	Population, June 1, 1900.	ESTIMATED POPULATION ON JUNE 1—			
		1901	1902	1903	1904
REGISTRATION CITIES—Continued.					
Terre Haute, Ind	36,673	37,319	37,965	38,611	39,257
Tiffin, Ohio	10,989	11,000	11,500	12,000	12,500
Toledo, Ohio	131,822	136,515	141,208	145,901	150,594
Torrington town, Conn	12,453	13,094	13,735	14,376	15,017
Traverse City, Mich	9,407	9,864	10,321	10,779	11,237
Trenton, N. J	73,307	74,460	75,613	76,766	77,919
Troy, N. Y	60,651	75,227	75,397	75,567	75,737
Union, N. J	15,187	15,641	16,095	16,549	17,003
Utica, N. Y	56,383	57,621	58,859	60,097	61,485
Vernon town, Conn	8,483	8,450	8,417	8,384	8,351
Vincennes, Ind	10,249	10,389	10,529	10,869	11,012
Wabash, Ind		8,839	9,060	9,281	9,502
Wakefield town, Mass	9,290	9,521	9,752	9,983	10,214
Wallingford town, Conn	9,001	9,243	9,485	9,727	9,969
Waltham, Mass	23,481	23,958	24,435	24,912	25,389
Ware town, Mass	8,263	8,356	8,449	8,542	8,635
Warren, Ohio	8,529				
Washington, D. C	278,718	283,551	288,384	293,217	298,050
Washington, Ind		8,800	9,049	9,298	9,547
Waterbury, Conn	51,139	52,933	54,727	56,521	58,315
Watertown, N. Y	21,696	22,393	23,090	23,787	24,484
Watertown town, Mass	9,706	9,969	10,232	10,495	10,758
Watervliet, N. Y	14,321	14,456	14,591	14,726	14,861
Webster town, Mass	8,804	8,981	9,158	9,335	9,512
West Bay City, Mich	13,119	13,089	13,059	13,028	12,997
Westfield town, Mass	12,310	12,561	12,812	13,063	13,314
Weymouth town, Mass	11,324	11,370	11,416	11,462	11,508
Wheeling, W. Va	38,878	39,314	39,750	40,186	40,622
Wichita, Kans	24,671	24,472	28,163	31,549	31,857
Williamsport, Pa	28,757	28,920	29,083	29,246	29,409
Wilmington, Del	76,508	77,750	79,000	81,300	82,580
Wilmington, N. C	20,976	21,068	21,160	21,252	21,344
Windham town, Conn	10,137	10,148	10,159	10,170	10,181
Winona, Minn	19,714	19,865	20,016	20,167	20,318
Woburn, Mass	14,254	14,330	14,406	14,482	14,558
Woonsocket, R. I	28,204	28,941	29,678	30,415	31,152
Worcester, Mass	118,421	121,798	125,175	128,552	131,929
Yonkers, N. Y	47,931	49,521	51,111	52,701	54,291
Youngstown, Ohio	44,885	46,052	47,219	48,886	50,081
CONNECTICUT RURAL.					
Fairfield county	42,790	43,252	43,714	44,176	44,638
Hartford county	67,184	67,968	68,752	69,536	70,320
Litchfield county	51,219	51,591	51,963	52,335	52,707
Middlesex county	24,274	24,270	24,266	24,262	24,258
New Haven county	49,079	49,861	50,643	51,425	52,207
New London county	32,033	31,971	31,909	31,847	31,785
Tolland county	16,040	16,017	15,994	15,971	15,948
Windham county	36,724	36,883	37,042	37,201	37,360
INDIANA RURAL.					
Adams county	22,232	22,437	22,642	22,847	23,052
Allen county	77,270	32,241	32,327	32,414	32,500
Bartholomew county	16,464	16,396	16,328	16,260	16,192
Benton county	13,123	13,245	13,367	13,489	13,611
Blackford county	17,213	17,888	18,563	19,238	19,913
Boone county	26,321	26,296	26,271	26,246	26,221
Brown county	9,727	9,669	9,611	9,553	9,495
Carroll county	19,953	19,946	19,939	19,932	19,925
Cass county	34,545	18,392	18,443	18,494	18,545
Clark county	21,061	21,208	21,355	21,502	21,649
Clay county	34,285	34,660	35,035	35,410	35,785
Clinton county	28,202	28,285	28,368	28,451	28,534
Crawford county	13,476	13,429	13,382	13,335	13,288
Daviess county	20,914	21,483	21,603	21,723	21,843
Dearborn county	22,194	22,077	21,960	21,843	21,726
Decatur county	19,518	19,542	19,566	19,590	19,614
Dekalb county	25,711	25,851	25,991	26,131	26,271
Delaware county	28,682	29,581	30,472	31,154	32,111
Dubois county	20,357	20,367	20,377	20,387	20,397
Elkhart county	45,052	30,071	30,274	30,477	30,680
Fayette county	13,495	13,582	13,669	13,756	13,843
Floyd county	30,118	9,556	9,622	9,688	9,754
Fountain county	21,446	21,635	21,824	22,013	22,202
Franklin county	16,388	16,190	15,992	15,794	15,596
Fulton county	17,453	17,524	17,595	17,666	17,737
Gibson county	30,099	30,617	31,135	31,653	32,172
Grant county	54,693	38,820	40,283	40,546	41,892
Greene county	28,530	28,945	29,360	29,775	30,190
Hamilton county	29,914	30,293	30,672	31,051	31,430
Hancock county	19,189	19,325	19,461	19,597	19,733
Harrison county	21,702	21,794	21,886	21,978	22,070
Hendricks county	21,292	21,271	21,250	21,229	21,208
Henry county	25,088	25,209	25,330	25,451	25,572
Howard county	28,575	17,970	17,974	17,978	17,982
Huntington county	28,901	19,305	19,215	19,175	19,080
INDIANA RURAL—Continued.					
Jackson county	26,633	26,882	27,131	27,380	27,629
Jasper county	14,292	14,603	14,914	15,225	15,536
Jay county	26,818	27,152	27,486	27,820	28,154
Jefferson county	22,913	22,754	22,595	22,436	22,277
Jennings county	15,757	15,872	15,987	16,102	16,217
Johnson county	20,223	20,289	20,355	20,421	20,487
Knox county	22,497	22,827	23,157	23,287	23,614
Kosciusko county	29,109	29,155	29,201	29,247	29,293
Lagrange county	15,284	15,251	15,218	15,185	15,152
Lake county	37,892	26,287	27,058	27,829	28,600
Laporte county	23,536	23,523	23,510	23,497	23,484
Lawrence county	25,729	26,323	26,917	27,511	28,105
Madison county	70,470	38,749	40,157	41,564	42,971
Marion county	28,063	27,297	22,031	16,493	15,033
Marshall county	25,119	25,249	25,379	25,509	25,639
Martin county	14,711	14,785	14,859	14,933	15,007
Miami county	19,881	17,989	18,056	18,123	18,190
Monroe county	20,873	21,193	21,513	21,833	22,153
Montgomery county	29,388	29,524	29,660	29,796	29,932
Morgan county	20,457	20,638	20,819	21,000	21,181
Newton county	10,448	10,613	10,778	10,943	11,108
Noble county	23,533	23,550	23,567	23,584	23,601
Ohio county	4,724	4,701	4,678	4,655	4,632
Orange county	16,854	17,072	17,290	17,508	17,726
Owen county	15,149	15,160	15,171	15,182	15,193
Parke county	23,000	23,270	23,540	23,810	24,080
Perry county	18,778	18,832	18,886	18,940	18,994
Pike county	20,486	20,680	20,874	21,068	21,262
Porter county	19,175	19,287	19,399	19,511	19,623
Posey county	22,333	22,413	22,493	22,573	22,653
Pulaski county	14,033	14,313	14,593	14,873	15,153
Putnam county	21,478	21,392	21,306	21,220	21,134
Randolph county	28,653	28,710	28,767	28,824	28,881
Ripley county	19,881	19,934	19,987	20,040	20,093
Rush county	20,148	20,259	20,370	20,481	20,592
St. Joseph county	58,881	23,123	23,289	23,480	23,721
Scott county	8,307	8,354	8,401	8,448	8,495
Shelby county	26,491	26,595	26,699	26,803	26,907
Spencer county	22,407	22,442	22,477	22,512	22,547
Starke county	10,431	10,740	11,049	11,358	11,667
Steuben county	15,219	15,293	15,367	15,441	15,515
Sullivan county	26,005	26,418	26,831	27,244	27,657
Switzerland county	11,840	11,773	11,706	11,639	11,572
Tippecanoe county	20,543	20,714	20,885	21,056	21,227
Tipton county	19,116	19,212	19,308	19,404	19,500
Union county	6,748	6,722	6,696	6,670	6,644
Vanderburg county	12,762	13,133	13,504	13,875	14,246
Vermilion county	15,252	15,462	15,672	15,882	16,092
Vigo county	25,362	25,900	26,438	26,976	27,514
Wabash county	28,235	19,507	19,397	19,287	19,177
Warren county	11,371	11,413	11,455	11,497	11,539
Warrick county	22,329	22,446	22,563	22,680	22,797
Washington county	19,409	19,488	19,567	19,646	19,725
Wayne county	20,744	20,716	20,688	20,660	20,632
Wells county	23,449	23,643	23,837	24,031	24,225
White county	19,138	19,485	19,832	20,179	20,526
Whitley county	17,328	17,284	17,240	17,196	17,152
MAINE RURAL.					
Androscoggin county	54,242	54,769	55,295	55,822	56,349
Aroostook county	60,744	61,859	62,975	64,091	65,207
Cumberland county	50,544	50,681	50,818	50,955	51,092
Franklin county	18,444	18,583	18,722	18,861	19,000
Hancock county	37,241	37,234	37,227	37,220	37,213
Kennebec county	47,434	47,529	47,624	47,719	47,814
Knox county	22,256	22,149	22,042	21,935	21,828
Lincoln county	19,669	19,436	19,203	18,970	18,737
Oxford county	32,238	32,403	32,568	32,733	32,898
Penobscot county	54,396	54,459	54,522	54,584	54,647
Piscataquis county	16,949	17,031	17,113	17,195	17,277
Sagadahoc county	9,853	9,766	9,679	9,592	9,505
Somerset county	33,849	33,971	34,093	34,215	34,337
Waldo county	24,185	23,828	23,471	23,114	22,757
Washington county	45,232	45,307	45,382	45,457	45,532
York county	48,740	48,776	48,812	48,848	48,883
MASSACHUSETTS RURAL.					
Barnstable county	27,826	27,691	27,556	27,421	27,286
Berkshire county	38,567	38,609	38,651	38,693	38,735
Bristol county	42,353	42,756	43,159	43,562	43,965
Dukes county	4,561	4,580	4,599	4,618	4,637
Essex county	68,806	69,568	70,330	71,092	71,853

TABLE I.—POPULATION OF REGISTRATION AREAS: 1900 TO 1904—Continued.

REGISTRATION AREA.	Population, June 1, 1900.	ESTIMATED POPULATION ON JUNE 1—			
		1901	1902	1903	1904
MASSACHUSETTS RURAL—Continued.					
Franklin county	41,209	41,469	41,729	41,989	42,249
Hampden county	36,355	36,785	37,215	37,645	38,075
Hampshire county	31,914	32,152	32,390	32,628	32,866
Middlesex county	94,672	96,004	97,335	98,667	99,999
Nantucket county	3,006	2,980	2,954	2,928	2,902
Norfolk county	83,137	84,544	85,951	87,357	88,764
Plymouth county	64,330	64,971	65,612	66,253	66,894
Suffolk county	6,058	6,391	6,724	7,057	7,390
Worcester county	129,929	130,470	131,012	131,554	132,096
MICHIGAN RURAL.					
Alcona county	5,691	5,690	5,688	5,686	5,684
Alger county	5,868	6,034	6,201	6,368	6,535
Allegan county	38,812	38,847	38,881	38,915	38,948
Alpena county	18,254	18,627	19,000	19,374	19,748
Antrim county	16,568	16,340	16,112	15,884	15,655
Arenac county	9,821	9,911	10,002	10,093	10,184
Baraga county	4,326	4,516	4,712	4,908	5,104
Barry county	22,514	22,392	22,270	22,148	22,025
Bay county	21,631	21,924	22,217	22,512	22,807
Benzie county	9,685	9,961	10,237	10,513	10,790
Berrien county	49,165	49,222	49,278	49,334	49,390
Branch county	27,811	27,458	27,105	26,751	26,397
Calhoun county	30,752	30,752	30,753	30,751	30,750
Cass county	20,876	20,665	20,454	20,242	20,030
Charlevoix county	13,956	14,536	15,116	15,697	16,278
Cheboygan county	15,516	15,951	16,386	16,821	17,256
Chippewa county	10,800	10,770	10,741	10,712	10,683
Clare county	8,360	8,567	8,774	8,981	9,189
Clinton county	25,136	25,154	25,172	25,190	25,208
Crawford county	2,943	3,170	3,398	3,626	3,854
Delta county	14,332	14,733	15,134	15,535	15,936
Dickinson county	8,648	9,073	9,498	9,924	10,351
Eaton county	31,668	31,428	31,189	30,947	30,706
Emmet county	15,931	16,421	16,911	17,401	17,892
Genesee county	28,701	28,203	28,091	27,980	27,869
Gladwin county	6,564	7,073	7,582	8,091	8,601
Gogebic county	7,033	7,094	7,156	7,217	7,278
Grand Traverse county	11,072	11,295	11,519	11,742	11,965
Gratiot county	29,889	30,050	30,213	30,374	30,536
Hillsdale county	29,865	29,858	29,851	29,844	29,837
Houghton county	66,063	67,204	68,344	69,485	70,625
Huron county	34,162	34,358	34,554	34,750	34,945
Ingham county	23,333	23,333	23,332	23,331	23,331
Ionia county	34,329	34,404	34,478	34,553	34,627
Iosco county	10,246	10,319	10,392	10,466	10,540
Iron county	8,990	8,974	8,958	8,942	8,925
Isabella county	22,784	23,114	23,444	23,775	24,106
Jackson county	23,042	22,737	22,432	22,127	21,822
Kalamazoo county	19,906	19,925	19,943	19,961	19,980
Kalkaska county	7,133	7,251	7,370	7,489	7,608
Kent county	42,149	42,305	42,460	42,616	42,770
Keweenaw county	3,217	3,549	3,881	4,213	4,546
Lake county	4,957	4,967	4,977	4,988	4,999
Lapeer county	27,641	27,494	27,346	27,198	27,050
Leelanau county	10,556	10,623	10,690	10,758	10,826
Lenawee county	48,406	48,579	48,752	48,925	49,097
Livingston county	19,664	19,411	19,157	18,903	18,649
Luce county	2,983	3,207	3,432	3,657	3,882
Mackinac county	7,703	7,839	7,975	8,111	8,247
Macomb county	33,244	33,208	33,171	33,133	33,095
Manistee county	27,856	27,686	27,515	27,344	27,173
Marquette county	17,926	17,876	17,825	17,774	17,722
Mason county	18,885	19,065	19,246	19,427	19,608
Mecosta county	20,693	20,574	20,455	20,336	20,216
Menominee county	14,228	14,513	14,798	15,084	15,369
Midland county	14,439	14,488	14,537	14,586	14,636
Missaukee county	9,308	9,547	9,786	10,026	10,266
Monroe county	32,754	32,795	32,838	32,879	32,921
Montcalm county	32,754	32,880	33,007	33,133	33,260
Montmorency county	3,234	3,304	3,374	3,444	3,515
Muskegon county	16,218	16,283	16,347	16,411	16,476
Newaygo county	17,673	17,860	18,047	18,234	18,421
Oakland county	35,623	34,984	34,943	34,903	34,862
Oceana county	16,644	16,912	17,180	17,448	17,717
Ogemaw county	7,765	8,104	8,443	8,782	9,121
Ontonagon county	6,197	6,439	6,681	6,923	7,166
Osceola county	17,859	18,052	18,245	18,439	18,633
Oscoda county	1,468	1,573	1,678	1,783	1,888
Otsego county	6,175	6,441	6,707	6,973	7,239
Ottawa county	39,667	40,301	40,934	41,567	42,199
Presque Isle county	8,821	9,333	9,846	10,359	10,872
Roscommon county	1,787	1,773	1,759	1,745	1,731
Saginaw county	38,877	38,924	38,970	39,016	39,061
St. Clair county	36,070	35,956	35,841	35,725	35,609
St. Joseph county	23,889	23,724	23,559	23,394	23,229

REGISTRATION AREA.	Population, June 1, 1900.	ESTIMATED POPULATION ON JUNE 1—			
		1901	1902	1903	1904
MICHIGAN RURAL—Continued.					
Sanilac county	35,055	35,009	34,962	34,915	34,867
Schoolcraft county	7,889	8,073	8,258	8,443	8,628
Shiawassee county	25,170	25,020	24,869	24,718	24,566
Tuscola county	35,890	35,908	35,926	35,944	35,961
Van Buren county	33,274	33,697	34,120	34,543	34,965
Washtenaw county	33,252	32,984	32,715	32,446	32,177
Wayne county	63,089	64,626	66,163	67,700	69,236
Wexford county	16,845	17,438	18,031	18,624	19,217
NEW HAMPSHIRE RURAL.					
Belknap county	11,484	11,404	11,324	11,244	11,164
Carroll county	16,895	16,772	16,649	16,526	16,403
Cheshire county	22,156	22,158	22,160	22,162	22,164
Coos county	20,582	20,692	20,802	20,912	21,022
Grafton county	40,844	41,206	41,569	41,932	42,295
Hillsboro county	31,755	31,949	32,143	32,337	32,530
Merrimack county	32,798	32,835	32,872	32,908	32,945
Rockingham county	40,481	40,547	40,612	40,678	40,744
Strafford county	17,664	17,605	17,546	17,487	17,428
Sullivan county	18,009	18,080	18,151	18,222	18,293
NEW JERSEY RURAL.					
Atlantic county	18,564	18,843	19,122	19,401	19,680
Bergen county	78,441	81,562	84,684	87,806	90,928
Burlington county	58,241	58,389	58,536	58,684	58,832
Camden county	31,708	32,412	33,116	33,819	34,523
Cape May county	13,201	13,394	13,587	13,780	13,973
Cumberland county	26,697	26,966	27,235	27,504	27,772
Essex county	74,880	78,181	81,483	83,260	86,462
Gloucester county	31,905	32,231	32,557	32,882	33,208
Hudson county	61,746	64,873	68,001	71,129	74,257
Hunterdon county	34,507	34,422	34,336	34,251	34,166
Mercer county	22,058	22,444	22,830	23,216	23,602
Middlesex county	42,057	42,899	43,740	44,582	45,424
Monmouth county	82,057	83,349	84,642	85,935	87,228
Morris county	53,889	54,684	55,478	56,273	57,068
Ocean county	19,747	19,947	20,147	20,347	20,547
Passaic county	22,254	22,863	23,694	24,525	25,355
Salem county	25,530	25,568	25,606	25,644	25,681
Somerset county	32,948	33,412	33,876	34,339	34,803
Sussex county	24,134	24,322	24,510	24,698	24,886
Union county	31,854	32,696	33,538	34,379	35,221
Warren county	27,729	27,711	27,693	26,175	26,132
NEW YORK RURAL.					
Albany county	33,189	33,016	32,843	32,670	32,497
Allegany county	41,501	41,327	41,153	40,979	40,805
Broome county	29,502	29,656	29,810	29,964	30,118
Cattaraugus county	56,181	56,344	56,507	56,669	56,833
Cayuga county	35,889	35,533	35,177	34,821	34,465
Chautauqua county	53,806	54,212	54,618	55,024	55,430
Chemung county	18,391	18,493	18,595	18,697	18,799
Chenango county	36,568	36,447	36,326	36,205	36,084
Clinton county	47,430	47,529	47,628	47,727	47,826
Columbia county	33,683	33,187	32,691	32,195	31,699
Cortland county	18,562	18,412	18,262	17,612	17,460
Delaware county	46,413	46,505	46,597	46,689	46,781
Dutchess county	57,641	57,838	58,035	58,231	58,429
Erie county	81,299	82,545	83,792	85,039	86,286
Essex county	30,707	30,472	30,237	30,002	29,767
Franklin county	42,853	43,281	43,709	44,137	44,565
Fulton county	14,363	14,197	14,031	13,865	13,699
Genesee county	34,561	34,644	34,727	34,810	34,893
Greene county	31,478	31,466	31,454	31,442	31,430
Hamilton county	4,947	4,966	4,985	5,004	5,023
Herkimer county	51,049	51,593	52,137	52,681	53,225
Jefferson county	55,052	55,149	55,246	55,342	55,440
Lewis county	27,427	27,189	26,951	26,713	26,475
Livingston county	37,059	36,985	36,911	36,837	36,763
Madison county	40,545	40,305	40,065	39,825	39,585
Monroe county	55,246	55,343	55,440	55,536	55,634
Montgomery county	26,559	25,319	25,131	24,943	24,755
Nassau county	55,448	56,892	58,335	59,779	61,223
Niagara county	38,923	39,157	39,391	39,625	39,859
Oneida county	61,074	60,784	60,493	60,203	59,763
Onondaga county	60,361	60,537	60,712	60,888	61,064
Ontario county	39,172	39,022	38,872	38,722	38,572
Orange county	55,009	55,162	55,315	55,467	55,621
Orleans county	30,164	30,100	30,036	29,972	29,908
Oswego county	70,881	70,781	70,680	70,580	70,480
Otsego county	48,939	48,747	48,555	48,363	48,171
Putnam county	13,787	13,681	13,575	13,469	13,363
Rensselaer county	48,451	46,189	45,738	45,287	44,836
Rockland county	38,298	38,612	38,926	39,240	39,554
St. Lawrence county	76,450	74,638	74,876	75,114	75,352

TABLE I.—POPULATION OF REGISTRATION AREAS: 1900 TO 1904—Continued.

REGISTRATION AREA.	Population, June 1, 1900.	ESTIMATED POPULATION ON JUNE 1—			
		1901	1902	1903	1904
NEW YORK RURAL—Continued.					
Saratoga county	48,680	48,980	49,280	49,580	49,880
Schenectady county	15,170	15,698	8,226	8,490	8,744
Schoharie county	26,854	26,623	26,392	26,161	25,930
Schuyler county	15,811	15,721	15,631	15,541	15,451
Seneca county	28,114	28,103	28,092	28,081	28,070
Steuben county	71,761	71,645	71,528	71,412	71,296
Suffolk county	77,582	79,090	80,599	82,108	83,617
Sullivan county	32,306	32,434	32,562	32,690	32,818
Tioga county	27,951	27,753	27,555	27,357	27,159
Tompkins county	20,604	20,579	20,464	20,349	20,234
Ulster county	63,887	63,696	63,504	63,313	63,122
Warren county	17,330	17,228	17,126	17,024	16,922
Washington county	45,624	45,617	45,610	45,603	45,596
Wayne county	48,660	48,553	48,446	48,339	48,232
Westchester county	90,020	91,986	93,953	95,920	97,887
Wyoming county	30,413	30,335	30,257	30,179	30,101
Yates county	20,318	20,250	20,182	20,114	20,046
RHODE ISLAND RURAL.					
Bristol county	13,144	13,316	13,488	13,660	13,831
Kent county	29,976	30,298	30,619	30,941	31,263
Newport county	10,565	10,712	10,859	11,006	11,153
Providence county	67,484	68,759	70,035	71,311	72,587
Washington county	24,154	24,205	24,256	24,306	24,357
VERMONT RURAL.					
Addison county	21,912	21,875	21,838	21,801	21,764
Bennington county	13,672	13,634	13,596	13,558	13,520
Caledonia county	24,381	24,476	24,571	24,666	24,761
Chittenden county	20,960	20,976	20,992	21,008	21,024
Essex county	8,056	7,910	7,764	7,618	7,472
Franklin county	30,198	30,242	30,286	30,331	30,375
Grand Isle county	4,462	4,524	4,586	4,648	4,710
Lamoille county	12,289	12,235	12,181	12,127	12,073
Orange county	19,313	19,287	19,261	19,235	19,209
Orleans county	22,024	22,016	22,008	22,000	21,992
Rutland county	32,710	32,515	32,319	32,123	31,927
Washington county	28,429	28,699	28,969	28,969	29,240
Windham county	26,660	26,671	26,682	26,693	26,704
Windsor county	32,225	32,277	32,330	32,382	32,434

TABLE II.—DEATH RATES IN REGISTRATION CITIES: 1900 TO 1904.

REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Adams town, Mass	16.8	17.1	15.6	18.7	15.6	16.8
Alameda, Cal	14.1	14.3	17.5	18.0	9.9	10.7
Albany, N. Y	18.8	19.1	18.9	17.3	19.3	19.6
Alexandria, Va	23.0	25.1	23.9	20.9	21.9	23.1
Allegheny, Pa	18.3	18.3	17.2	19.0	19.0	17.8
Allentown, Pa	16.8	18.0	14.3	18.6	14.3	19.0
Altoona, Pa	16.7	17.7	15.5	14.8	18.7	16.9
Amesbury town, Mass	15.9	15.5	17.2	15.1	15.0	16.9
Amsterdam, N. Y	15.3	14.8	14.3	15.3	17.2	15.1
Anderson, Ind	14.2	.....	16.4	15.1	11.6	13.8
Ann Arbor, Mich	14.7	13.9	15.1	16.2	13.7	14.5
Annapolis, Md	22.2	27.7	20.3	20.3	18.3	24.4
Ansonia, Conn	15.4	20.6	14.2	14.0	15.6	12.6
Appleton, Wis	11.8	13.0	9.3	11.3	12.8	12.6
Arlington town, Mass	12.7	16.0	12.7	11.1	11.8	11.7
Ashtabula, Ohio	15.8	17.1	16.0	15.4	14.0	16.4
Atlanta, Ga	22.3	22.1	21.9	22.3	21.1	23.9
Atlantic City, N. J	16.9	17.3	18.8	17.0	15.8	15.6
Attleboro town, Mass	13.4	15.3	11.4	12.5	14.1	13.8
Auburn, N. Y	15.7	17.5	13.5	15.1	16.9	15.5
Augusta, Me	23.7	23.5	22.8	23.4	23.8	25.2
Aurora, Ill	14.0	15.9	15.0	12.7	12.6	13.6
Baltimore, Md	20.1	21.4	20.3	19.6	19.1	20.1
Bangor, Me	17.4	15.9	17.9	17.1	16.7	19.5
Barre, Vt	15.3	20.6	13.5	14.1	15.7	12.7
Bath, Me	15.6	17.2	14.0	14.9	16.4	15.3
Battle Creek, Mich	15.9	14.6	15.9	16.6	18.1	14.4
Bay City, Mich	13.3	13.5	12.7	12.4	13.8	14.1
Bayonne, N. J	17.5	17.0	17.0	16.4	18.5	18.6
Bellaire, Ohio	19.7	18.0	19.6	21.9	15.6	23.2
Belleville, Ill	16.9	15.3	15.3	15.9	17.6	20.6
Beloit, Wis	13.6	14.2	13.6	13.3	15.2	11.6
Bennington town, Vt	14.8	15.3	16.7	11.6	13.7	16.5
Berlin, N. H	16.1	22.8	13.1	11.5	16.3	16.7
Beverly, Mass	14.0	14.6	13.1	13.4	14.7	14.0
Biddeford, Me	20.3	22.7	20.0	20.6	18.4	19.6
Binghamton, N. Y	17.4	18.6	16.5	17.6	15.3	19.1
Boston, Mass	18.9	20.4	19.7	18.9	17.9	17.7
Bridgeport, Conn	16.8	17.7	16.8	16.2	17.0	16.5
Bridgeton, N. J	14.4	16.1	12.8	13.5	13.8	15.9
Bristol town, Conn	15.2	15.8	12.3	14.4	16.4	17.1
Brockton, Mass	12.5	14.1	13.0	11.4	11.4	12.7
Brookline town, Mass	11.1	12.7	11.0	11.1	10.3	10.5
Buffalo, N. Y	15.0	14.6	15.2	14.3	15.4	15.2
Burlington, Iowa	14.5	14.8	15.0	14.7	12.9	15.6
Burlington, Vt	17.7	17.7	17.4	16.3	19.2	18.0
Cambridge, Mass	15.2	17.1	16.3	14.4	14.5	13.8
Camden, N. J	17.7	18.0	18.1	17.5	16.0	19.1
Canton, Ohio	11.4	11.7	11.5	11.2	11.5	11.2
Carbondale, Pa	17.9	20.2	16.4	18.9	16.3	17.7
Carlisle, Pa	17.1	21.2	18.5	13.3	16.4	16.1
Central Falls, R. I	16.5	19.8	16.2	15.0	17.3	14.0
Charleston, S. C	31.3	35.0	31.5	31.1	28.8	30.0
Chelsea, Mass	18.2	19.1	16.8	18.7	17.8	18.7
Chicago, Ill	14.6	15.3	13.9	14.6	15.3	13.8
Chicopee, Mass	18.7	21.1	17.3	19.7	19.5	16.0
Chillicothe, Ohio	17.0	20.2	18.6	17.1	15.4	13.6
Chippewa Falls, Wis	13.0	14.6	11.5	.....	.....	.....
Cincinnati, Ohio	19.1	18.2	19.5	18.1	18.8	20.8
Cleveland, Ohio	16.1	17.6	15.2	15.8	16.6	15.4
Clinton town, Mass	14.8	15.4	15.9	15.9	15.0	11.8
Cohoes, N. Y	19.0	19.8	19.5	17.9	19.2	18.7
Columbia, Pa	16.2	20.0	17.4	15.2	13.7	14.5
Columbus, Ind	17.0	21.3	16.9	15.5	14.0	17.1
Columbus, Ohio	16.0	15.8	14.3	15.9	16.9	16.9
Concord, N. H	16.9	17.4	14.0	17.4	17.7	18.2
Corning, N. Y	15.7	19.0	15.8	12.2	14.6	16.8
Cortland, N. Y	14.0	14.0	15.1	10.2	15.8	14.9
Covington, Ky	18.6	19.2	22.0	17.9	15.1	18.6
Danbury town, Conn	16.7	17.6	15.4	17.3	17.4	15.6
Danvers town, Mass	25.9	22.1	25.8	22.7	27.1	31.7
Danville, Ill	17.9	17.9	.....	.....	.....	.....
Davenport, Iowa	14.4	14.6	15.6	13.9	14.6	13.5
Dayton, Ohio	14.9	15.6	16.1	14.5	13.8	14.6
Decatur, Ill	14.8	16.9	14.4	15.4	12.9	14.6
Denver, Colo	19.2	19.0	20.0	19.1	18.4	19.6
Detroit, Mich	15.6	16.3	15.3	15.6	15.8	14.9
Dover, N. H	17.1	19.0	17.6	15.0	16.0	18.0
Dubois, Pa	16.7	22.0	16.3	16.1	14.6	14.3
Duluth, Minn	13.9	15.1	13.5	13.5	15.1	12.3
Dunkirk, N. Y	17.6	15.8	13.1	17.8	19.3	21.8
Easton, Pa	17.4	17.4	.....	.....	.....	.....
Eau Claire, Wis	12.0	11.8	12.8	11.7	10.4	13.2
Elizabeth, N. J	17.6	19.3	18.0	15.3	16.7	18.9
Elkhart, Ind	12.5	.....	12.2	11.5	12.8	13.4
Elmira, N. Y	14.7	15.8	15.5	13.3	14.1	14.8
Elwood, Ind	10.8	.....	12.7	11.6	9.9	9.2
Erie, Pa	14.9	15.6	15.5	15.0	13.3	15.1
Escanaba, Mich	19.0	24.0	16.2	17.4	16.0	21.6
Evansville, Ind	13.7	15.8	13.0	12.0	12.9	14.9
Everett, Mass	13.6	15.8	15.0	14.2	11.3	11.7
Fall River, Mass	19.6	21.8	18.3	19.9	20.5	17.7
Findlay, Ohio	11.9	16.6	11.3	10.1	10.1	11.5
Fitchburg, Mass	13.9	15.7	14.7	13.6	13.3	12.0
Flint, Mich	13.3	11.6	14.0	13.7	14.4	13.0
Fort Wayne, Ind	14.3	.....	14.4	13.5	15.5	13.9
Framingham town, Mass	14.4	17.2	14.3	13.5	14.1	13.1
Frederick, Md	21.8	19.6	22.2	24.4	23.7	19.3
Fresno, Cal	19.6	19.3	20.3	18.1	21.4	19.1
Gardner town, Mass	15.6	17.2	14.5	13.9	17.1	15.2

TABLE II.—DEATH RATES IN REGISTRATION CITIES: 1900 TO 1904—Continued.

REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Geneva, N. Y	14.7	15.8	14.0	14.0	14.0	15.6
Glens Falls, N. Y	16.7	20.1	21.5	14.4	12.8	14.5
Gloucester, Mass	17.4	16.3	16.3	18.4	18.8	17.4
Gloversville, N. Y	13.4	12.9	14.5	12.2	14.4	12.9
Grand Rapids, Mich	13.4	13.8	12.9	12.3	13.4	14.8
Green Bay, Wis	14.5	16.0	14.0	12.0	14.5	15.8
Greenwich town, Conn	16.2	18.1	13.9	16.9	15.7	16.4
Hamilton, Ohio	15.0	15.4	14.5	15.4	14.1	15.6
Hammond, Ind	14.8	.....	14.8	15.5	16.1	12.9
Harrisburg, Pa	16.5	18.0	18.0	16.2	15.1	15.2
Harrison, N. J	19.9	23.2	21.3	19.4	18.5	16.9
Hartford, Conn	16.6	18.1	16.6	15.3	16.3	16.6
Haverhill, Mass	15.0	15.8	14.7	15.5	15.1	14.0
Hazelton, Pa	14.7	16.0	13.0	14.9	13.7	15.8
Helena, Mont	15.5	15.5	.....	.....	.....	.....
Hoboken, N. J	20.0	23.5	18.6	18.4	17.9	21.7
Holyoke, Mass	18.1	21.7	18.7	16.1	17.5	16.7
Hudson, N. Y	19.2	21.6	19.2	18.1	17.4	19.6
Huntington, Ind	14.2	.....	13.2	12.0	15.0	16.7
Hyde Park town, Mass	13.1	14.1	13.2	11.8	12.4	14.1
Indianapolis, Ind	15.8	17.1	15.4	14.3	15.8	16.4
Iron Mountain, Mich	14.0	14.8	14.5	12.7	15.0	12.8
Ironton, Ohio	16.4	15.6	19.4	19.6	14.1	13.4
Ironwood, Mich	14.7	16.2	14.8	18.6	16.9	7.2
Ishpeming, Mich	13.2	13.2	12.0	15.1	14.3	11.4
Ithaca, N. Y	16.3	17.1	14.6	14.4	19.6	15.7
Jackson, Mich	13.7	12.9	13.7	14.1	13.3	14.7
Jacksonville, Fla	28.1	30.1	26.9	28.6	27.6	27.5
Jacksonville, Ill	21.8	17.8	22.9	23.5	23.7	21.3
Jamestown, N. Y	12.0	12.7	12.5	10.2	12.2	12.5
Jeffersonville, Ind	20.2	19.2	23.0	20.4	19.8	18.5
Jersey City, N. J	19.8	20.7	19.3	18.8	18.9	21.1
Johnstown, N. Y	11.9	11.4	11.0	11.5	14.4	11.4
Johnstown, Pa	17.7	21.1	17.1	17.5	17.9	14.7
Kalamazoo, Mich	17.1	18.7	18.1	14.8	17.4	16.6
Kansas City, Mo	17.1	16.3	16.1	15.8	17.4	19.7
Keene, N. H	14.5	14.2	18.1	12.6	13.5	14.2
Key West, Fla	24.0	24.4	24.0	24.1	23.4	24.3
Kingston, N. Y	17.6	19.7	18.9	15.3	16.7	17.2
Kokomo, Ind	15.9	.....	14.8	14.4	17.0	17.4
Laconia, N. H	18.2	17.7	18.5	16.9	20.4	17.7
Lafayette, Ind	17.8	18.4	16.4	18.6	17.1	18.4
Lancaster, Pa	15.0	17.2	16.2	13.3	13.6	14.9
Lansing, Mich	12.5	14.5	13.0	12.6	11.0	11.5
Lansingburg, N. Y	17.6	17.6	.....	.....	.....	.....
Lawrence, Kans	16.3	16.3	.....	.....	.....	.....
Lawrence, Mass	17.8	20.6	17.6	17.7	16.8	16.5
Leadville, Colo	20.1	27.9	20.7	17.6	14.9	19.2
Leavenworth, Kans	15.2	17.7	13.4	14.8	14.7	15.2
Lebanon, Pa	17.2	17.2	.....	.....	.....	.....
Leominster town, Mass	12.7	14.7	12.2	11.6	12.8	12.2
Lima, Ohio	15.7	19.3	18.6	13.5	13.6	13.6
Lincoln, Nebr	10.4	11.2	12.4	9.5	8.9	10.0
Lockport, N. Y	16.0	15.8	17.2	13.0	16.8	17.0
Logansport, Ind	17.2	.....	17.9	17.8	15.4	17.9
Louisville, Ky	18.8	18.9	18.4	18.0	18.6	19.8
Lowell, Mass	19.4	19.5	21.1	19.7	19.4	17.1
Lynchburg, Va	21.6	27.3	19.3	20.3	19.5	21.8
Lynn, Mass	15.1	16.1	14.6	14.3	15.0	15.3
McKeesport, Pa	18.6	18.6	18.2	20.2	17.6	18.4
Madison, Wis	11.1	10.5	12.1	8.9	11.4	12.6
Mahanoy City, Pa	23.6	29.7	24.8	18.0	22.3	23.1
Malden, Mass	14.0	15.1	14.0	13.7	14.1	12.9
Manchester, N. H	17.9	20.3	18.5	17.7	17.5	15.7
Manchester town, Conn	11.7	13.8	12.6	10.3	10.9	11.1
Manitowoc, Wis	13.7	17.7	14.1	13.3	10.8	12.7
Mankato, Minn	12.9	12.5	13.6	13.3	12.9	12.4
Marietta, Ohio	14.2	15.7	18.1	12.5	13.0	11.6
Marinette, Wis	11.1	14.0	10.4	11.8	10.9	8.2
Marion, Ind	13.7	.....	14.1	13.3	12.6	14.8
Marlboro, Mass	14.7	15.5	15.8	14.4	14.3	13.3
Marquette, Mich	15.6	19.0	12.5	12.9	18.0	15.8
Massillon, Ohio	13.0	15.7	15.7	11.3	10.1	12.2
Meadville, Pa	14.9	16.5	16.9	13.8	14.6	12.9
Medford, Mass	12.0	13.8	13.2	11.1	11.1	10.9
Melrose, Mass	12.8	15.3	12.3	13.0	10.5	12.8
Memphis, Tenn	19.2	22.5	18.4	18.0	17.8	19.5
Menominee, Mich	13.1	13.7	12.7	11.8	15.6	11.5
Meriden town, Conn	14.1	15.2	14.3	12.9	14.2	13.9
Michigan City, Ind	13.4	13.1	12.8	12.0	16.3	12.9
Middletown, N. Y	19.3	19.0	19.4	19.4	16.7	21.9
Middletown, Ohio	13.2	13.3	12.6	15.8	12.5	11.9
Middletown town, Conn	19.2	18.4	20.9	20.0	25.5	11.3
Milford town, Mass	14.8	16.7	15.4	15.3	13.2	13.5
Millville, N. J	15.1	14.3	14.8	16.2	14.0	16.4
Milwaukee, Wis	13.3	15.2	13.0	12.4	13.1	13.0
Minneapolis, Minn	11.4	11.4	12.2	10.8	11.6	11.0
Mobile, Ala	24.4	27.2	23.8	22.5	23.2	25.4
Montclair, N. J	17.4	17.3	16.8	15.8	17.5	19.4
Morristown, N. J	17.7	18.1	18.0	16.3	17.4	18.5
Mt. Carmel, Pa	20.8	27.9	21.6	22.7	13.8	17.8
Mt. Vernon, N. Y	15.1	18.7	17.6	14.4	11.2	13.7
Muncie, Ind	15.5	17.3	13.7	15.1	15.9	15.6
Muscatine, Iowa	13.4	16.3	13.5	11.4	12.2	13.7
Muskegon, Mich	12.7	13.7	12.1	11.9	12.5	13.3
Nashua, N. H	16.9	19.6	17.3	18.0	15.2	14.4
Nashville, Tenn	22.1	23.8	20.2	22.1	20.8	23.8
Natick town, Mass	14.2	13.1	15.7	16.0	13.4	12.8
Naugatuck, Conn	15.0	17.3	12.4	17.0	13.8	14.4
New Albany, Ind	17.5	.....	18.1	17.0	17.0	17.7
New Bedford, Mass	20.7	21.2	19.3	20.4	23.2	19.2
New Britain town, Conn	16.2	20.3	14.1	13.8	17.5	15.2
New Brunswick, N. J	19.8	21.1	18.3	19.8	18.2	21.7
New Haven, Conn	17.4	18.2	17.9	16.7	17.0	17.2
New London, Conn	19.6	20.0	18.4	19.4	19.2	21.1
New Orleans, La	23.1	26.5	22.3	22.3	22.3	22.3
New Rochelle, N. Y	15.5	17.7	17.8	13.9	12.2	15.7
New York, N. Y	19.6	20.6	20.0	18.8	18.2	20.6
Bronx borough	21.3	18.7	22.3	22.1	20.2	22.6
Brooklyn borough	18.9	20.1	19.4	18.2	17.5	19.1
Manhattan borough	20.2	21.3	20.3	18.9	18.7	21.6
Queens borough	16.9	18.1	17.5	16.7	15.4	17.0
Richmond borough	19.1	20.6	19.7	18.3	16.9	20.0
Newark, N. J	19.3	20.2	19.2	19.1	18.5	19.7
Newark, Ohio	14.1	15.6	13.0	13.2	11.6	17.2
Newburg, N. Y	19.5	22.3	17.5	18.8	18.5	20.4
Newburyport, Mass	19.5	21.7	19.1	19.9	18.0	18.9
Newcastle, Pa	14.2	15.8	12.9	15.9	13.6	12.8
Newport, Ky	16.3	21.7	17.3	13.6	13.1	15.7
Newport, R. I	17.1	18.9	17.3	18.8	15.7	14.7
Newton, Mass	12.7	15.0	12.7	12.4	12.3	11.1
Niagara Falls, N. Y	17.0	16.2	16.5	17.7	16.6	18.0
Norfolk, Va	22.5	27.2	22.1	22.0	20.2	20.9
Norristown, Pa	23.9	19.3	26.5	24.9	24.6	24.3
North Adams, Mass	14.2	14.4	15.1	13.6	14.4	13.6
Northampton, Mass	16.2	18.7	17.1	13.6	14.2	17.3
Norwalk town, Conn	15.4	16.8	14.6	14.4	15.8	15.2
Norwich town, Conn	18.0	19.7	19.1	15.2	19.7	16.4
Oakland, Cal	15.9	15.9	16.2	16.6	15.6	15.0
Ogdensburg, N. Y	21.4	16.2	21.0	22.1	23.1	24.4
Oil City, Pa	12.9	12.9	.....	.....	.....	.....
Olean, N. Y	11.8	14.5	11.7	9.9	10.1	13.0
Omaha, Nebr	11.3	11.8	11.6	11.9	9.7	11.5
Orange, N. J	19.4	18.7	17.3	19.8	20.4	20.9
Oskaloosa, Iowa	15.3	15.3	.....	.....	.....	.....
Ottawa, Ill	13.5	14.3	15.8	13.1	12.8	11.3
Ottumwa, Iowa	12.5	14.5	11.4	11.1	13.1	.....
Owosso, Mich	10.1	12.8	12.1	11.7	7.2	6.6
Paducah, Ky	23.4	28.1	24.6	23.0	20.8	20.7
Passaic, N. J	19.9	23.8	18.3	18.2	20.0	19.4
Paterson, N. J	16.8	18.0	17.4	16.1	15.4	17.1
Pawtucket, R. I	17.0	19.8	16.4	17.7	15.5	15.5
Peabody town, Mass	15.6	18.4	16.7	13.8	15.9	13.0
Peekskill, N. Y	20.4	19.6	21.8	24.7	17.5	18.3
Perth Amboy, N. J	15.0	16.7	16.7	15.0	12.8	14.0
Peru, Ind	13.0	16.5	12.7	13.9	9.3	12.8
Petersburg, Va	27.5	30.2	26.5	25.3	25.2	30.5
Philadelphia, Pa	18.8	20.9	18.1	17.6	18.8	18.8
Phillipsburg, N. J	15.0	16.8	15.4	15.1	13.8	13.8
Phoenixville, Pa	22.5	22.5	.....	.....	.....	.....
Pittsburg, Pa	20.7	20.0	20.0	22.0	21.7	19.8
Pittsfield, Mass	16.1	16.8	15.8	15.4	15.6	16.9
Plainfield, N. J	17.0	18.9	16.7	15.9	16.1	17.2
Plymouth, Pa	16.8	20.1	17.5	11.7	19.3	15.5
Plymouth town, Mass	14.7	16.1	16.0	13.5	13.3	14.6
Pontiac, Mich	17.2	16.2	16.5	16.6	20.4	16.4
Port Huron, Mich	12.9	14.3	13.8	13.3	11.5	11.4
Port Jervis, N. Y	17.6	16.3	18.2	16.5	17.7	19.3
Portland, Me	18.8	20.8	17.8	18.1	18.2	19.0
Portland, Oreg	12.1	10.2	12.4	11.7	12.7	13.5
Portsmouth, N. H	18.5	19.4	20.0	20.0	18.8	14.4
Portsmouth, Ohio	16.2	18.1	15.0	15.6	17.2	14.9
Pottstown, Pa	15.5	17.3	14.9	14.6	15.0	15.9
Pottsville, Pa	17.2	16.7	18.1	15.6	15.9	19.8
Poughkeepsie, N. Y	19.4	22.6	17.6	17.3	18.3	21.1
Providence, R. I	19.7	20.8	19.2	18.5	20.9	18.9
Pueblo, Colo	26.2	23.0	22.3	34.6	27.3	23.9
Quincy, Ill	15.1	15.7	14.8	15.1	14.7	15.4
Quincy, Mass	14.2	14.8	13.2	16.1	13.8	13.0
Raleigh, N. C	25.4	30.1	29.0	26.2	19.2	22.5
Reading, Pa	16.7	19.3	17.4	15.8	15.1	15.7

TABLE II.—DEATH RATES IN REGISTRATION CITIES: 1900 TO 1904—Continued.

REGISTRATION CITY.	NUMBER OF DEATHS FROM ALL CAUSES PER 1,000 OF POPULATION: 1900 TO 1904.					
	Annual average.	1900	1901	1902	1903	1904
Revere town, Mass	13.1	14.6	12.7	13.2	12.2	12.6
Richmond, Ind	17.4	17.0	16.6	21.2	15.4	16.6
Richmond, Va	25.7	29.0	24.6	25.5	25.4	24.0
Rochester, N. H	16.7	22.2	13.9	14.4	16.2	16.9
Rochester, N. Y	14.6	14.4	14.5	13.7	14.9	15.4
Rockland, Me	19.2	20.5	19.6	15.8	19.9	20.4
Rome, N. Y	18.0	17.3	19.0	16.6	18.1	18.9
Rutland, Vt	18.6	17.0	17.7	17.8	20.5	19.9
Sacramento, Cal	20.1	21.6	20.6	19.7	18.7	20.1
Saginaw, Mich	13.4	14.5	13.9	13.0	12.6	13.0
St. Joseph, Mo	7.6	7.5	7.6	8.7	6.5	7.9
St. Louis, Mo	18.1	17.9	18.0	17.3	18.2	18.8
St. Paul, Minn	10.5	10.0	10.6	10.5	10.4	10.8
Salem, Mass	18.8	20.3	17.4	17.8	19.8	18.5
Salt Lake City, Utah	17.8	16.2	15.9	19.2	19.4	18.3
San Antonio, Tex	24.4	22.8	24.7	26.6	22.5	25.3
San Diego, Cal	21.5	19.5	21.2	20.8	20.8	25.0
San Francisco, Cal	21.0	20.6	20.6	21.6	21.3	20.8
San Jose, Cal	15.9	14.7	15.8	15.7	15.0	18.1
Saratoga Springs, N. Y	22.0	21.5	24.3	22.5	19.6	22.0
Sault Ste. Marie, Mich	18.8	20.8	18.7	21.0	19.4	14.3
Savannah, Ga	27.3	31.0	29.6	26.1	23.6	26.0
Schenectady, N. Y	16.3	17.7	18.5	14.4	16.3	14.8
Scranton, Pa	16.7	20.4	16.3	14.0	14.9	17.9
Seattle, Wash	11.8	11.1	10.8	12.3	12.1	12.6
Sioux City, Iowa	13.3	12.7	12.1	14.2	13.0	14.7
Somerville, Mass	14.1	16.2	13.1	13.6	14.0	13.7
South Bend, Ind	13.0	.....	13.3	12.7	12.0	13.9
South Bethlehem, Pa	17.3	19.0	19.1	14.0	17.9	16.7
Southbridge town, Mass	17.5	22.9	15.5	15.8	16.1	17.1
Spokane, Wash	14.9	.....	12.3	13.9	17.7	15.9
Springfield, Ill	18.6	17.7	19.3	18.0	16.5	21.4
Springfield, Mass	16.3	18.4	14.7	15.4	16.4	16.7
Stamford town, Conn	19.0	18.0	19.0	17.7	19.1	21.3
Steelton, Pa	16.6	15.6	12.9	19.6	20.2	14.5
Stonington town, Conn	16.7	17.0	15.7	15.1	16.1	19.8
Superior, Wis	11.1	14.0	11.3	11.0	11.2	8.2
Syracuse, N. Y	14.3	15.2	14.1	13.2	14.2	15.0
Tacoma, Wash	12.9	13.3	13.7	15.2	11.0	11.1
Taunton, Mass	19.0	20.7	17.9	17.7	19.8	18.9
Terre Haute, Ind	18.2	16.3	18.5	19.5	15.6	21.1
Tiffin, Ohio	13.0	13.5	13.1	14.6	11.5	12.1
Toledo, Ohio	14.5	15.8	14.0	14.3	14.7	13.7
Torrington town, Conn	12.1	15.6	13.1	9.7	11.8	10.3
Traverse City, Mich	17.8	15.6	18.9	17.5	17.6	19.5
Trenton, N. J	17.6	17.3	15.8	17.6	18.3	19.1
Troy, N. Y	21.3	25.6	21.3	18.8	19.3	21.7
Union, N. J	15.9	14.6	16.6	16.2	15.0	16.9
Utica, N. Y	18.3	20.1	15.9	17.9	17.6	20.2
Vernon town, Conn	14.7	16.9	12.1	14.6	15.3	14.5
Vincennes, Ind	17.7	20.6	18.6	16.3	12.1	21.0
Wabash, Ind	12.1	.....	12.3	13.9	9.4	12.8
Wakefield town, Mass	12.8	12.8	13.7	14.6	11.4	11.7
Wallingford town, Conn	13.3	14.2	12.6	10.8	14.9	14.2
Waltham, Mass	14.1	15.4	14.6	13.4	14.0	13.2
Ware town, Mass	16.5	21.1	17.0	17.4	12.4	14.5
Warren, Ohio	16.6	16.6	.....	.....	.....	.....
Washington, D. C	20.9	22.3	21.4	20.1	20.3	20.8
Washington, Ind	14.2	.....	16.4	15.5	12.0	12.8
Waterbury town, Conn.[1]	17.0	18.8	16.9	17.1	16.7	15.3
Watertown, N. Y	15.5	18.4	15.4	12.7	14.4	16.7
Watertown town, Mass	12.9	15.1	12.3	12.8	11.6	12.9
Watervliet, N. Y	16.4	19.0	17.1	14.5	16.1	15.3
Webster town, Mass	16.1	17.0	14.5	17.3	16.4	15.3
West Bay City, Mich	13.7	16.3	12.7	14.6	12.5	12.2
Westfield town, Mass	17.1	19.2	17.9	16.3	17.1	15.2
Weymouth town, Mass	15.1	16.3	14.2	13.8	16.8	14.3
Wheeling, W. Va	16.4	15.4	17.4	16.1	15.6	17.5
Wichita, Kans	15.4	15.7	16.8	14.7	14.1	15.5
Williamsport, Pa	13.2	12.4	11.9	13.7	13.3	14.9
Wilmington, Del	17.7	20.2	17.3	17.3	17.9	15.6
Wilmington, N. C	28.2	30.8	27.0	28.5	26.7	28.1
Windham town, Conn	18.1	21.3	16.6	15.8	17.0	19.6
Winona, Minn	12.5	13.7	12.7	10.3	11.8	14.1
Woburn, Mass	15.8	18.7	14.9	15.9	15.9	13.4
Woonsocket, R. I	17.1	19.6	16.6	18.4	16.1	14.9
Worcester, Mass	16.5	18.4	16.9	15.5	16.4	15.5
Yonkers, N. Y	17.0	17.0	16.7	16.9	16.0	18.5
Youngstown, Ohio	17.1	14.6	16.4	18.6	19.5	16.5

[1] Town and city made coextensive, January 1, 1902.

TABLE III.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION, IN THE REGISTRATION AREA, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Total.	1900	1901	1902	1903	1904	Annual average.	1900	1901	1902	1903	1904
All causes	2,642,555	539,939	518,207	508,640	524,415	551,354	1,659.0	1,755.0	1,657.9	1,597.6	1,616.9	1,670.9
I.—General diseases	726,908	147,236	145,527	138,514	146,082	149,549	456.3	478.6	465.6	435.1	450.4	453.2
A.—Epidemic diseases	233,939	51,120	48,832	44,629	46,925	43,033	146.8	166.2	156.2	138.3	144.7	130.4
Typhoid fever	53,857	11,044	10,127	10,980	11,149	10,557	33.8	35.9	32.4	34.5	34.4	32.0
Exanthematic typhus	15	5	.....	7	1	2	(1)	(1)	.....	(1)	(1)	(1)
Recurrent fever	12	2	4	2	1	3	(1)	(1)	(1)	(1)	(1)	(1)
Malarial fever	8,953	2,434	1,980	1,738	1,410	1,391	5.6	7.9	6.3	5.5	4.3	4.2
Smallpox	5,898	611	1,085	2,111	1,382	709	3.7	1.9	3.5	6.6	4.3	2.1
Measles	16,665	3,865	2,287	3,033	3,221	3,659	10.1	12.5	7.3	9.5	9.9	11.1
Scarlet fever	18,890	3,135	4,113	4,041	3,991	3,610	11.8	10.2	13.1	12.7	12.3	10.9
Whooping cough	17,978	3,719	3,051	3,854	5,171	2,183	11.3	12.1	9.8	12.1	15.9	6.6
Diphtheria and croup	53,647	13,314	10,667	9,859	10,363	9,444	33.7	43.3	34.1	31.0	32.0	28.6
Diphtheria	43,595	10,504	8,434	8,101	8,658	7,898	27.4	34.2	27.0	25.5	26.7	23.9
Croup	10,052	2,810	2,233	1,758	1,705	1,546	6.3	9.1	7.1	5.5	5.3	4.7
Influenza	33,137	7,031	10,093	3,225	6,064	6,724	20.8	22.9	32.3	10.1	18.7	20.4
Miliary fever	14	.....	.....	9	3	2	(1)	.....	.....	(1)	(1)	(1)
Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras	2,650	800	563	516	374	397	1.7	2.6	1.8	1.6	1.2	1.2
Dysentery	14,955	3,487	3,331	3,187	2,378	2,567	9.4	11.3	10.7	10.0	7.3	7.8
Plague	113	22	26	41	17	7	0.1	0.1	0.1	0.1	0.1	(1)
Yellow fever	21	1	2	1	17	.....	(1)	(1)	(1)	(1)	0.1	.....
Leprosy	23	4	6	5	4	4	(1)	(1)	(1)	(1)	(1)	(1)
Erysipelas	7,341	1,574	1,450	1,337	1,300	1,680	4.6	5.1	4.6	4.2	4.0	5.1
Other epidemic diseases	375	72	47	83	79	94	0.2	0.2	0.1	0.3	0.2	0.3
B.—Other general diseases	492,969	96,116	96,695	94,485	99,157	106,516	309.5	312.4	309.4	296.8	305.7	322.8
Septicemia	10,792	2,581	2,290	2,281	1,754	1,886	6.8	8.4	7.3	7.2	5.4	5.7
Glanders and farcy	27	3	2	7	12	3	(1)	(1)	(1)	(1)	(1)	(1)
Malignant pustule and charbon	126	31	32	16	22	25	0.1	0.1	0.1	0.1	0.1	0.1
Rabies	200	33	41	45	43	38	0.1	0.1	0.1	0.1	0.1	0.1
Actinomycosis, trichinosis, etc	64	10	6	18	12	18	(1)	(1)	(1)	0.1	(1)	(1)
Pellagra	5	2	.....	.....	2	1	(1)	(1)	(1)	.....	(1)	(1)
Tuberculosis (all forms)	310,709	61,888	61,599	58,938	61,487	66,797	195.0	201.2	197.0	185.0	189.6	202.6
Tuberculosis of lungs	274,991	55,504	54,735	52,079	53,910	58,763	172.6	180.5	175.1	163.6	166.2	178.1
Tuberculosis of larynx	2,583	406	527	541	539	570	1.6	1.3	1.7	1.7	1.7	1.7
Tuberculous meningitis	13,933	2,673	2,656	2,674	2,935	3,025	8.7	8.7	8.5	8.4	9.0	9.2
Abdominal tuberculosis	9,171	1,635	1,767	1,817	1,854	2,098	5.8	5.3	5.7	5.7	5.7	6.4
Pott's disease	2,314	416	442	421	516	519	1.5	1.3	1.4	1.3	1.6	1.6
Tuberculous abscess	261	40	48	39	72	62	0.2	0.1	0.1	0.1	0.2	0.2
White swelling	1,115	207	206	237	224	241	0.7	0.7	0.6	0.7	0.7	0.7
Tuberculosis of other organs	2,133	339	393	391	465	545	1.3	1.1	1.3	1.2	1.4	1.7
General tuberculosis	4,208	668	825	739	1,062	974	2.6	2.2	2.6	2.3	3.1	3.0
Scrofula	798	208	168	145	153	124	0.5	0.7	0.5	0.4	0.5	0.4
Venereal diseases	6,331	1,045	1,161	1,163	1,393	1,569	4.0	3.4	3.7	3.7	4.3	4.8
Syphilis	6,172	1,029	1,137	1,131	1,368	1,507	3.9	3.4	3.6	3.6	4.2	4.6
Gonorrhœa of the adult	78	9	14	15	12	28	(1)	(1)	0.1	(1)	(1)	0.1
Gonorrheal infections of children (under 5 years)	81	7	10	17	13	34	0.1	(1)	(1)	0.1	(1)	0.1
Cancer	106,119	19,381	20,171	20,847	22,325	23,395	66.6	63.0	64.5	65.5	68.9	70.9
Cancer of mouth	3,088	495	612	583	661	737	1.9	1.6	2.0	1.8	2.0	2.2
Cancer of stomach and liver	38,433	6,918	7,095	7,483	8,193	8,744	24.1	22.5	22.7	23.5	25.3	26.5
Cancer of intestines	10,689	1,760	2,157	2,239	2,134	2,399	6.7	5.7	6.9	7.0	6.6	7.3
Cancer of female genital organs [2]	15,373	2,696	2,919	3,033	3,289	3,436	19.3	17.5	18.7	19.1	20.3	20.8
Cancer of breast	8,647	1,433	1,647	1,750	1,787	2,030	5.4	4.7	5.3	5.5	5.5	6.2
Cancer of skin	3,483	602	683	688	752	758	2.2	2.0	2.2	2.2	2.3	2.3
Cancer of other or unspecified organs	26,466	5,477	5,658	5,671	5,509	5,291	16.6	17.8	16.2	15.9	17.0	16.0
Tumor	2,520	581	505	459	531	444	1.6	1.9	1.6	1.4	1.6	1.4
Rheumatism	14,549	2,931	2,985	2,661	2,785	3,187	9.1	9.5	9.6	8.4	8.6	9.7
Acute articular rheumatism	7,996	1,426	1,510	1,366	1,594	2,100	5.0	4.6	4.8	4.3	4.9	6.4
Chronic rheumatism and gout	6,553	1,505	1,475	1,295	1,191	1,087	4.1	4.9	4.7	4.1	3.7	3.3
Diabetes	17,460	2,996	3,212	3,312	3,681	4,259	11.0	9.7	10.3	10.4	11.3	12.9
Exophthalmic goiter	962	127	185	168	235	247	0.6	0.4	0.6	0.5	0.7	0.7
Addison's disease	740	138	149	149	156	148	0.5	0.4	0.5	0.5	0.5	0.4
Leukemia	1,798	307	324	371	396	400	1.1	1.0	1.0	1.2	1.2	1.2
Anemia, chlorosis	7,837	1,632	1,562	1,524	1,512	1,607	4.9	5.3	5.0	4.8	4.7	4.9
Alcoholism	9,865	1,962	1,870	1,943	2,163	1,927	6.2	6.4	6.0	6.1	6.7	5.8
Lead poisoning	407	61	71	94	100	81	0.3	0.2	0.2	0.3	0.3	0.2
Other occupational poisonings	22	4	3	1	11	3	(1)	(1)	(1)	(1)	(1)	(1)
Other chronic poisonings	759	96	147	157	189	170	0.5	0.3	0.5	0.5	0.6	0.5
Scurvy	238	41	48	44	55	50	0.2	0.1	0.2	0.1	0.2	0.2
Other general diseases	641	58	164	142	140	137	0.4	0.2	0.5	0.4	0.4	0.4
II.—Diseases of nervous system	302,876	64,232	60,431	59,313	58,319	60,581	190.1	208.8	193.3	186.3	179.8	183.6
Encephalitis	3,716	1,030	831	716	609	530	2.3	3.3	2.7	2.2	1.9	1.6
Meningitis	52,755	12,578	10,430	9,981	9,213	10,553	33.1	40.9	33.4	31.3	28.4	32.0
Simple meningitis	42,259	10,703	8,643	8,259	7,295	7,269	26.5	35.1	27.7	25.9	22.5	22.0
Epidemic cerebro-spinal meningitis	10,496	1,785	1,787	1,722	1,918	3,284	6.6	5.8	5.7	5.4	5.9	10.0
Locomotor ataxia	3,639	593	722	691	813	820	2.3	1.9	2.3	2.2	2.5	2.5
Other diseases of spinal cord	7,549	1,329	1,428	1,454	1,685	1,653	4.7	4.3	4.6	4.6	5.2	5.0
Apoplexy	110,163	20,772	21,390	21,862	22,311	23,828	69.2	67.5	68.4	68.7	68.8	72.2
Softening of brain	6,192	1,246	1,241	1,197	1,258	1,250	3.9	4.0	4.0	3.8	3.9	3.8
Paralysis	34,884	7,950	7,220	6,674	6,609	6,431	21.9	25.9	23.1	21.0	20.4	19.5
General paralysis of insane	10,677	1,955	2,069	2,218	2,152	2,263	6.7	6.4	6.6	7.0	6.6	6.9
Other forms of mental disease	6,135	1,325	1,232	1,207	1,232	1,139	3.9	4.3	3.9	3.8	3.8	3.4
Other diseases of brain	7,599	1,607	1,550	1,445	1,456	1,341	4.6	5.2	5.0	4.5	4.5	4.1
Epilepsy	7,230	1,337	1,417	1,483	1,512	1,481	4.5	4.4	4.5	4.7	4.6	4.5
Convulsions	40,150	10,011	8,517	7,987	6,833	6,802	25.2	32.6	27.2	25.1	21.1	20.6
Convulsions (nonpuerperal)	2,057	585	438	367	357	310	.....	.....	.....	.....	.....	.....
Convulsions of children (under 5 years)	38,093	9,426	8,079	7,620	6,476	6,492	.....	.....	.....	.....	.....	.....
Tetanus	6,072	1,354	1,129	1,158	1,326	1,105	3.8	4.4	3.6	3.6	4.1	3.3
Chorea	431	82	96	85	88	80	0.3	0.3	0.3	0.3	0.3	0.2
Other diseases of nervous system	4,033	847	846	825	763	752	2.5	2.7	2.7	2.6	2.3	2.3
Diseases of eye and its adnexa	105	20	20	15	22	28	0.1	0.1	0.1	(1)	0.1	0.1
Diseases of ear	1,746	196	293	295	437	525	1.1	0.6	0.9	0.9	1.3	1.6

[1] Less than one-tenth.

[2] Rates based on approximate female population.

TABLE III.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION, IN THE REGISTRATION AREA, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Total.	1900	1901	1902	1903	1904	Annual average.	1900	1901	1902	1903	1904
III.—Diseases of circulatory system	250,257	45,279	46,250	49,233	52,275	57,220	157.1	147.2	148.0	154.6	161.2	173.4
Pericarditis	3,598	809	748	753	664	624	2.3	2.6	2.4	2.4	2.0	1.9
Endocarditis	17,716	3,654	3,299	3,681	3,202	3,880	11.1	11.9	10.6	11.6	9.9	11.8
Heart disease	192,549	34,210	35,586	37,577	40,704	44,472	120.9	111.2	113.9	118.0	125.5	134.8
Angina pectoris	10,391	1,958	1,981	2,080	2,192	2,180	6.5	6.4	6.3	6.5	6.8	6.6
Diseases of arteries	13,061	1,876	2,132	2,629	2,908	3,516	8.2	6.1	6.8	8.2	9.0	10.7
Embolism and thrombosis	6,636	1,219	1,261	1,306	1,449	1,401	4.2	4.0	4.0	4.1	4.5	4.2
Diseases of veins	859	153	175	153	176	202	0.5	0.5	0.6	0.5	0.5	0.6
Diseases of lymphatics	327	76	57	53	58	83	0.2	0.2	0.2	0.2	0.2	0.2
Hemorrhages	4,892	1,300	959	945	862	826	3.1	4.2	3.0	3.0	2.6	2.5
Other diseases of circulatory system	228	24	32	56	60	36	0.1	0.1	0.2	0.2	0.2	0.1
IV.—Diseases of respiratory system	369,844	78,832	72,080	71,027	70,930	76,975	232.2	256.2	230.6	223.1	218.7	233.3
Diseases of nasal fossa	299	31	95	72	57	44	0.2	0.1	0.3	0.2	0.2	0.1
Diseases of larynx	4,097	925	838	837	787	710	2.6	3.0	2.7	2.6	2.4	2.2
Laryngitis	2,211	519	490	456	397	349	1.4	1.7	1.6	1.4	1.2	1.1
Other diseases of larynx	1,886	406	348	381	390	361	1.2	1.3	1.1	1.2	1.2	1.1
Diseases of thyroid body	440	67	90	93	93	97	0.3	0.2	0.3	0.3	0.3	0.3
Bronchitis	62,883	14,059	12,465	12,581	11,847	11,931	39.5	45.7	39.8	39.5	36.5	36.2
Acute bronchitis	36,545	8,135	7,040	7,588	6,842	6,910	22.9	26.4	22.5	23.8	21.1	21.0
Chronic bronchitis	26,368	5,924	5,425	4,993	5,005	5,021	16.6	19.3	17.3	15.7	15.4	15.2
Pneumonia	263,894	55,513	50,609	49,868	50,728	57,176	165.6	180.5	162.0	156.6	156.4	173.3
Bronchopneumonia	48,963	6,733	8,894	10,153	10,964	12,219	30.7	21.9	28.5	31.9	33.8	37.0
Pneumonia	214,931	48,780	41,715	39,715	39,764	44,957	134.9	158.6	133.5	124.7	122.6	136.3
Pleurisy	7,420	1,448	1,469	1,442	1,463	1,598	4.6	4.7	4.7	4.5	4.5	4.8
Congestion of lungs	15,218	3,504	3,254	2,978	2,885	2,597	9.6	11.4	10.4	9.4	8.9	7.9
Gangrene of lungs	782	125	172	196	132	157	0.5	0.4	0.5	0.6	0.4	0.5
Asthma	6,351	1,359	1,239	1,264	1,262	1,207	4.0	4.4	4.1	4.0	3.9	3.6
Emphysema	1,216	255	268	257	247	189	0.8	0.8	0.8	0.8	0.8	0.6
Other diseases of respiratory system	7,244	1,546	1,561	1,439	1,429	1,269	4.5	5.0	5.0	4.5	4.4	3.8
Hemorrhage of lungs	3,916	871	844	773	753	675	2.4	2.8	2.7	2.4	2.3	2.0
Other diseases of respiratory system	3,328	675	717	666	676	594	2.1	2.2	2.3	2.1	2.1	1.8
V.—Diseases of digestive system	321,093	69,607	62,950	61,192	61,219	66,125	201.6	226.2	201.4	192.2	188.8	200.4
Diseases of mouth	1,246	270	256	229	235	256	0.8	0.9	0.8	0.7	0.7	0.8
Diseases of pharynx	2,434	545	469	461	439	520	1.5	1.7	1.5	1.4	1.4	1.6
Tonsilitis	1,442	351	285	258	258	290	0.9	1.1	0.9	0.8	0.8	0.9
Other diseases of pharynx	992	194	184	203	181	230	0.6	0.6	0.6	0.6	0.6	0.7
Diseases of esophagus	566	119	98	126	118	110	0.4	0.4	0.3	0.4	0.3	0.3
Ulcer of stomach	4,529	804	871	905	905	1,044	2.8	2.6	2.8	2.8	2.8	3.2
Other diseases of stomach	29,298	6,401	5,604	5,562	5,788	5,943	18.4	20.8	17.9	17.5	17.8	18.1
Gastritis	19,272	4,308	3,764	3,693	3,797	3,710	12.1	14.0	12.0	11.6	11.7	11.3
Other diseases of stomach	10,026	2,093	1,840	1,869	1,991	2,233	6.3	6.8	5.9	5.9	6.1	6.8
Dentition	1,745	699	342	321	210	173	1.1	2.3	1.1	1.0	0.6	0.5
Diarrhea and enteritis	180,107	40,985	35,596	33,627	33,035	36,864	113.1	133.2	113.9	105.6	101.9	111.7
Diarrhea and enteritis (under 2 years)	145,917	33,479	28,523	26,903	26,697	30,315						
Diarrhea and enteritis (2 years and over)	34,190	7,506	7,073	6,724	6,338	6,549						
Intestinal parasites	174	32	41	35	29	37	0.1	0.1	0.1	0.1	0.1	0.1
Hernia	6,365	1,160	1,272	1,316	1,412	1,405	4.1	3.8	4.1	4.1	4.4	4.3
Obstruction of intestines	13,827	2,586	2,666	2,691	2,844	3,040	8.7	8.4	8.5	8.5	8.8	9.2
Other diseases of intestines	4,689	975	941	926	915	932	2.9	3.2	3.0	2.9	2.8	2.8
Acute yellow atrophy of liver	614	104	104	144	119	143	0.4	0.3	0.3	0.5	0.4	0.4
Hydatid tumors of liver	53	10	8	14	9	12	(1)	(1)	(1)	(1)	(1)	(1)
Cirrhosis of liver	22,446	3,970	4,265	4,460	4,731	5,020	14.1	12.9	13.7	14.0	14.6	15.2
Biliary calculi	3,254	459	500	668	795	832	2.0	1.5	1.6	2.1	2.4	2.5
Other diseases of liver	12,656	2,730	2,558	2,483	2,545	2,340	8.0	8.9	8.2	7.8	7.8	7.1
Diseases of spleen	424	89	82	89	88	76	0.3	0.3	0.3	0.3	0.3	0.2
Peritonitis	19,218	4,639	4,091	3,824	3,333	3,331	12.1	15.1	13.1	12.0	10.3	10.1
Appendicitis	16,869	2,987	3,131	3,216	3,589	3,946	10.6	9.7	10.0	10.1	11.1	12.0
Other diseases of digestive system	379	43	55	95	85	101	0.2	0.1	0.2	0.3	0.3	0.3
VI.—Diseases of genito-urinary system	179,127	32,567	33,489	34,608	38,013	40,450	112.5	105.9	107.2	108.7	117.2	122.6
Nephritis and Bright's disease	130,696	27,377	28,005	29,119	31,814	34,381	94.6	89.0	89.6	91.5	98.1	104.2
Acute nephritis	14,436	2,312	2,468	2,983	3,173	3,470	9.1	7.5	8.0	9.4	9.8	10.5
Bright's disease	136,260	25,065	25,537	26,136	28,641	30,911	85.5	81.5	81.6	82.1	88.3	93.7
Other diseases of kidneys	4,715	990	947	938	917	923	3.0	3.2	3.0	2.9	2.8	2.8
Calculi of urinary tract	697	116	126	150	151	154	0.4	0.4	0.4	0.5	0.5	0.5
Diseases of bladder	7,464	1,644	1,530	1,432	1,450	1,408	4.7	5.3	4.9	4.5	4.5	4.3
Diseases of urethra, urinary abscess, etc	648	121	119	122	140	146	0.4	0.4	0.4	0.4	0.4	0.4
Diseases of prostate [2]	3,649	423	621	666	1,012	927	4.6	2.7	4.0	4.2	6.2	5.6
Nonvenereal diseases of male genital organs [2]	166	21	27	32	47	39	0.2	0.1	0.2	0.2	0.3	0.2
Metritis [3]	368	78	51	82	71	86	0.5	0.5	0.3	0.5	0.4	0.5
Uterine hemorrhage (nonpuerperal) [3]	461	104	107	84	87	79	0.6	0.7	0.7	0.5	0.5	0.5
Uterine tumor [3]	2,696	403	529	536	608	620	3.4	2.6	3.4	3.4	3.8	3.8
Other diseases of uterus [3]	2,388	452	462	440	545	489	3.0	2.9	3.0	2.8	3.4	3.0
Ovarian tumor [3]	2,060	349	411	428	439	433	2.6	2.3	2.6	2.7	2.7	2.6
Other diseases of female genital organs [3]	3,041	473	540	571	714	743	3.8	3.1	3.5	3.6	4.4	4.5
Diseases of tubes [3]	2,455	351	407	460	583	654	3.1	2.3	2.6	2.9	3.6	4.0
Other diseases of female genital organs [3]	586	122	133	111	131	89	0.7	0.8	0.9	0.7	0.8	0.5
Nonpuerperal diseases of breast (cancer excepted) [3]	78	16	14	8	18	22	0.1	0.1	0.1	0.1	0.1	0.1

[1] Less than one-tenth. [2] Rates based on approximate male population. [3] Rates based on approximate female population.

TABLE III.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION, IN THE REGISTRATION AREA, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
	Total.	1900	1901	1902	1903	1904	Annual average.	1900	1901	1902	1903	1904
VII.—Childbirth (the puerperal state)[1]	22,242	4,106	4,294	4,164	4,569	5,109	28.0	26.7	27.5	26.2	28.2	31.0
Accidents of pregnancy[1]	2,736	526	526	535	570	579	3.4	3.4	3.4	3.4	3.5	3.5
Puerperal hemorrhage[1]	1,482	210	287	284	341	360	1.9	1.4	1.8	1.8	2.1	2.2
Other accidents of labor[1]	1,426	236	306	283	280	321	1.8	1.5	2.0	1.8	1.7	2.0
Puerperal septicemia[1]	9,747	1,769	1,882	1,813	1,992	2,291	12.3	11.5	12.1	11.4	12.3	13.9
Puerperal convulsions[1]	4,246	671	803	768	929	1,075	5.3	4.4	5.1	4.8	5.7	6.5
Puerperal phlegmasia alba dolens[1]	16	5	1	2	5	3	(2)	(2)	(2)	(2)	(2)	(2)
Other puerperal accidents[1]	2,586	689	488	478	452	479	3.3	4.5	3.1	3.0	2.9	2.9
Puerperal diseases of breast[1]	3	.....	1	1	.....	1	(2)	.....	(2)	(2)	.....	(2)
VIII.—Diseases of skin	12,016	2,461	2,419	2,269	2,470	2,397	7.5	8.0	7.7	7.1	7.6	7.3
Gangrene	7,114	1,345	1,460	1,327	1,482	1,500	4.4	4.4	4.7	4.2	4.6	4.6
Carbuncle	758	153	166	154	151	134	0.5	0.5	0.5	0.5	0.4	0.4
Abscess	2,534	599	464	448	547	476	1.6	1.9	1.5	1.4	1.7	1.4
Other diseases of skin	1,610	364	329	340	290	287	1.0	1.2	1.0	1.0	0.9	0.9
IX.—Diseases of locomotor system	4,303	677	807	849	980	990	2.7	2.2	2.6	2.7	3.0	3.0
Diseases of bones	3,605	558	642	715	829	861	2.3	1.8	2.1	2.3	2.5	2.6
Diseases of joints	358	47	79	57	93	82	0.2	0.2	0.2	0.2	0.3	0.3
Amputation	221	63	47	45	39	27	0.1	0.2	0.2	0.1	0.1	0.1
Other diseases of organs of locomotion	119	9	39	32	19	20	0.1	(2)	0.1	0.1	0.1	(2)
X.—Malformations	18,840	3,540	3,453	3,440	4,025	4,382	11.8	11.5	11.1	10.8	12.4	13.3
Hydrocephalus	2,770	635	571	490	533	541	1.7	2.0	1.8	1.5	1.6	1.6
Congenital malformation of heart (cyanosis)	10,115	1,871	1,794	1,875	2,141	2,434	6.4	6.1	5.8	5.9	6.6	7.4
Other congenital malformations	5,955	1,034	1,088	1,075	1,351	1,407	3.7	3.4	3.5	3.4	4.2	4.3
XI.—Early infancy	112,702	23,654	20,722	21,811	22,514	24,001	70.8	76.9	66.3	68.5	69.4	72.7
Premature birth	49,376	10,170	8,615	9,087	10,143	11,361	31.0	33.1	27.6	28.5	31.3	34.4
Congenital debility	34,841	7,543	6,563	6,931	6,942	6,862	21.9	24.5	21.0	21.8	21.4	20.8
Other diseases of early infancy	4,377	915	799	755	937	971	2.8	3.0	2.5	2.4	2.9	2.9
Lack of care	24,108	5,026	4,745	5,038	4,492	4,807	15.1	16.3	15.2	15.8	13.8	14.6
XII.—Old age	70,211	15,510	14,758	14,225	12,780	12,938	44.1	50.4	47.2	44.7	39.4	39.2
XIII.—Violence	166,180	29,529	33,330	31,135	35,542	36,644	104.3	96.0	106.6	97.8	109.6	111.0
Suicide	20,834	3,534	3,824	4,054	4,510	4,912	13.1	11.5	12.2	12.7	13.9	14.9
Suicide by poison	6,946	1,023	1,254	1,344	1,627	1,698	4.4	3.3	4.0	4.2	5.1	5.2
Suicide by asphyxia	1,487	180	245	280	368	414	0.9	0.6	0.8	0.9	1.1	1.3
Suicide by hanging or strangulation	3,232	607	608	620	625	772	2.0	2.0	1.9	2.0	1.9	2.3
Suicide by drowning	1,059	180	210	223	204	242	0.7	0.6	0.7	0.7	0.6	0.7
Suicide by firearms	4,938	835	913	953	1,052	1,185	3.1	2.7	2.9	3.0	3.3	3.6
Suicide by cutting instruments	1,171	171	209	221	297	273	0.7	0.6	0.7	0.7	0.9	0.8
Suicide by jumping from high places	252	31	41	45	69	66	0.2	0.1	0.1	0.1	0.2	0.2
Suicide by crushing	87	11	14	15	25	22	0.1	(2)	(2)	(2)	0.1	0.1
Other suicides	1,662	496	330	353	243	240	1.0	1.6	1.1	1.1	0.7	0.7
Fractures	13,850	2,673	2,648	2,718	2,944	2,867	8.7	8.7	8.4	8.5	9.1	8.7
Dislocations	259	52	49	58	59	41	0.2	0.2	0.2	0.2	0.2	0.1
Burns and scalds	13,245	2,573	2,685	2,575	2,667	2,745	8.3	8.4	8.6	8.1	8.2	8.3
Burning by corrosive substances	51	2	10	13	15	11	(2)	(2)	(2)	(2)	(2)	(2)
Heat and sunstroke	6,323	1,266	4,012	290	520	235	4.0	4.1	12.8	0.9	1.6	0.7
Cold and freezing	866	138	154	163	184	227	0.5	0.4	0.5	0.5	0.6	0.7
Lightning	503	95	127	108	92	81	0.3	0.3	0.4	0.3	0.3	0.2
Drowning	16,945	3,525	3,380	3,244	3,418	3,378	10.6	11.5	10.8	10.2	10.5	10.2
Inhalation of poisonous gases	[3] 6,210	592	786	930	[4] 1,715	[5] 2,167	3.9	1.9	2.5	3.0	5.3	6.6
Other accidental poisonings	7,142	1,351	1,234	1,374	1,551	1,632	4.5	4.4	3.9	4.3	4.8	4.9
Accidental traumatisms	56,594	8,799	10,300	11,091	13,038	13,366	35.6	28.6	33.1	34.9	40.2	40.6
Accidental gunshot wounds	5,862	1,139	1,082	1,196	1,151	1,294	3.7	3.7	3.5	3.8	3.5	3.9
Injuries by machinery	1,200	123	196	281	280	320	0.8	0.4	0.6	0.9	0.9	1.0
Injuries in mines and quarries	1,269	162	274	199	305	329	0.8	0.5	0.9	0.6	0.9	1.0
Railroad accidents and injuries	22,799	3,644	4,102	4,485	5,484	5,084	14.3	11.9	13.1	14.1	16.9	15.4
Injuries by vehicles and horses	3,482	409	557	660	907	949	2.2	1.3	1.8	2.1	2.8	2.9
Other accidental traumatisms	21,982	3,322	4,089	4,270	4,911	5,390	13.8	10.8	13.2	13.4	15.2	16.4
Other external violence	23,185	4,900	4,081	4,459	4,793	4,952	14.5	15.9	13.1	14.1	14.8	15.0
Suffocation	2,587	538	551	439	504	555	1.6	1.7	1.8	1.4	1.6	1.7
Injuries at birth	7,056	1,050	1,134	1,304	1,669	1,899	4.4	3.4	3.6	4.1	5.1	5.8
Homicide	3,870	658	709	734	834	935	2.4	2.1	2.3	2.3	2.6	2.8
Other external violence	9,672	2,654	1,687	1,982	1,786	1,563	6.1	8.7	5.4	6.3	5.5	4.7
Starvation, privation, etc.	173	29	40	38	36	30	0.1	0.1	0.1	0.1	0.1	0.1
XIV.—Ill-defined causes	85,956	22,709	17,697	16,860	14,697	13,993	54.0	73.8	56.6	53.0	45.3	42.4
"Dropsy"	7,758	2,204	1,580	1,609	1,221	1,144	4.9	7.2	5.1	5.1	3.8	3.5
"Heart failure"	11,730	3,146	2,141	2,087	2,189	2,167	7.4	10.2	6.8	6.6	6.7	6.6
Sudden death	539	77	109	139	118	96	0.3	0.3	0.3	0.4	0.4	0.3
Unspecified or ill-defined causes	7,552	1,762	1,739	1,536	1,410	1,105	4.8	5.7	5.6	4.8	4.3	3.3
Inanition (over 3 months of age)	10,552	2,415	2,176	2,196	1,802	1,873	6.6	7.8	7.0	6.9	5.8	5.7
Debility (over 3 months of age)	11,987	3,712	2,510	2,263	2,003	1,499	7.5	12.1	8.0	7.1	6.2	4.5
Marasmus (over 3 months of age)	24,516	5,934	5,113	5,008	4,163	4,298	15.4	19.3	16.4	15.7	12.9	13.0
Fever	1,440	435	288	269	230	218	0.9	1.4	0.9	0.9	0.7	0.7
Cause unknown	9,882	3,024	2,041	1,753	1,471	1,593	6.2	9.8	6.5	5.5	4.5	4.8

[1] Rates based on approximate female population.
[2] Less than one-tenth.
[3] Includes 1,655 deaths by conflagration.
[4] Includes 640 deaths by conflagration.
[5] Includes 1,015 deaths by conflagration.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

[The number of deaths upon which this table is based

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
SUMMARIES.													
The registration area	1900..	1,755.0	35.9	7.9	1.9	12.5	10.2	12.1	43.3	22.9	180.5	20.7	63.0
	1901..	1,657.9	32.4	6.3	3.5	7.3	13.1	9.8	34.1	32.3	175.1	22.0	64.5
	1902..	1,597.6	34.5	5.5	6.6	9.5	12.7	12.1	31.0	10.1	163.6	21.6	65.5
	1903..	1,616.9	34.4	4.3	4.3	9.9	12.3	15.9	32.0	18.7	166.2	23.4	68.9
	1904..	1,670.9	32.0	4.2	2.1	11.1	10.9	6.6	28.6	20.4	178.1	24.4	70.9
Registration cities	1900..	1,856.8	36.5	8.2	2.7	13.8	11.6	13.1	50.5	19.9	198.8	23.0	63.7
	1901..	1,740.2	33.9	6.9	4.4	7.5	15.5	10.5	39.3	25.8	192.1	24.4	65.2
	1902..	1,700.6	37.5	5.9	7.9	11.1	15.4	13.1	36.6	8.3	180.7	24.0	66.3
	1903..	1,712.8	38.2	4.6	5.4	11.3	14.3	17.4	37.6	16.2	184.0	25.9	69.6
	1904..	1,756.1	35.2	4.6	2.5	11.8	12.4	7.0	32.9	16.8	196.1	26.9	71.8
Registration states	1900..	1,719.5	31.3	6.3	0.3	13.4	9.6	12.3	40.4	26.7	173.3	21.2	63.5
	1901..	1,637.6	27.5	5.0	3.6	7.4	13.5	8.7	33.4	36.4	167.5	22.0	66.2
	1902..	1,545.9	26.3	4.0	6.5	9.3	11.9	12.4	29.7	10.4	152.6	21.4	66.2
	1903..	1,563.1	24.7	3.0	1.5	8.8	12.3	14.3	31.1	19.2	154.2	23.0	70.0
	1904..	1,645.2	24.0	2.9	0.8	11.4	11.6	5.8	29.4	21.8	164.7	24.0	71.7
Cities in registration states	1900..	1,893.4	28.5	5.4	0.3	16.4	11.9	14.4	52.4	24.2	204.1	26.1	66.2
	1901..	1,784.1	26.5	4.9	5.5	7.7	18.5	9.3	43.1	26.9	194.9	26.9	69.0
	1902..	1,708.5	25.9	3.7	9.0	12.1	16.6	14.6	39.9	7.0	177.7	26.2	68.5
	1903..	1,710.8	24.6	2.5	1.8	10.7	16.2	16.0	41.6	14.7	180.0	27.6	72.5
	1904..	1,793.9	24.0	2.6	0.6	12.9	15.1	5.9	38.6	15.8	189.9	28.9	74.1
Rural part of registration states	1900..	1,519.7	34.6	7.2	0.3	9.8	6.8	9.8	26.5	29.6	138.0	15.5	61.5
	1901..	1,457.9	28.8	5.0	1.3	6.9	7.5	7.9	21.6	48.0	133.8	16.0	62.8
	1902..	1,342.5	27.0	4.4	3.4	5.8	6.1	9.7	17.0	14.6	121.1	15.4	63.4
	1903..	1,375.2	24.7	3.7	1.2	6.4	7.4	12.2	17.8	24.9	121.4	17.1	66.8
	1904..	1,452.9	23.8	3.3	1.2	9.3	7.1	5.7	17.6	29.7	132.1	17.7	68.5
Registration cities in other states	1900..	1,820.7	44.4	11.0	5.1	11.1	11.4	11.8	48.7	15.7	193.5	20.0	61.2
	1901..	1,695.5	41.4	8.8	3.2	7.2	12.5	11.8	35.4	24.7	189.3	21.8	61.4
	1902..	1,692.5	49.4	8.2	6.8	10.0	14.1	11.6	33.3	9.6	183.8	21.8	64.1
	1903..	1,714.9	52.1	6.7	9.2	12.0	12.3	18.9	33.5	17.8	188.1	24.1	66.8
	1904..	1,717.5	46.6	6.6	4.5	10.6	9.7	8.0	27.2	17.7	202.4	25.0	69.5
REGISTRATION STATES.													
Connecticut	1900..	1,801.6	32.0	11.6	.....	18.9	7.6	14.4	35.9	70.4	173.1	16.8	68.7
	1901..	1,607.8	30.1	11.2	0.4	7.9	9.2	11.5	33.4	60.3	163.3	18.5	70.3
	1902..	1,529.0	21.8	9.4	1.5	4.8	17.9	15.5	27.7	13.1	147.1	17.9	68.3
	1903..	1,618.7	21.7	5.5	0.1	22.2	15.5	25.2	26.4	32.8	145.5	21.8	76.4
	1904..	1,591.4	17.3	4.7	.....	8.2	8.2	6.6	22.2	36.4	144.0	20.9	68.8
District of Columbia	1900..	2,225.2	79.7	19.0	1.4	16.1	5.4	31.6	43.4	43.4	293.1	33.0	76.4
	1901..	2,135.4	61.4	15.2	.....	3.9	3.9	22.2	36.7	58.5	296.2	33.9	70.2
	1902..	2,005.0	79.1	11.1	0.3	5.2	2.1	42.3	17.3	20.8	246.2	34.7	74.9
	1903..	2,027.5	48.8	7.5	0.7	15.3	0.7	24.2	8.5	29.0	266.4	37.5	75.4
	1904..	2,083.9	47.0	4.0	0.3	1.3	3.7	13.1	17.4	33.9	279.5	37.6	76.5
Indiana	1900..	1,419.1	51.1	14.5	0.9	4.7	5.5	12.4	35.0	18.6	173.2	14.7	42.8
	1901..	1,378.3	46.7	9.3	0.8	8.0	6.1	9.7	20.8	39.3	163.3	19.4	44.1
	1902..	1,276.4	49.0	7.4	3.0	4.5	6.0	9.1	15.8	12.4	152.4	18.5	47.9
	1903..	1,218.4	40.7	5.9	7.5	6.4	7.2	10.6	17.6	15.9	151.3	20.1	49.3
	1904..	1,353.0	40.7	5.6	3.7	18.6	8.3	6.0	11.9	20.7	169.4	22.0	50.4
Maine	1900..	1,711.0	28.2	1.7	0.4	8.8	5.2	10.7	22.6	34.0	157.4	25.1	74.6
	1901..	1,607.2	32.2	1.6	.....	4.2	2.9	4.3	18.2	42.7	155.5	26.4	82.4
	1902..	1,542.5	24.5	3.0	1.6	4.3	1.8	7.3	16.1	17.4	139.5	28.2	86.7
	1903..	1,592.1	32.5	1.6	1.0	5.7	2.7	15.3	16.2	26.8	129.2	24.6	85.0
	1904..	1,649.9	35.3	1.5	0.4	3.2	1.3	7.8	22.7	23.6	147.5	25.3	86.3
Massachusetts	1900..	1,825.1	22.0	2.9	0.1	11.6	14.2	14.1	52.5	37.1	188.0	24.3	74.6
	1901..	1,684.3	19.8	3.2	3.4	8.0	13.8	9.0	40.9	27.6	177.9	23.7	76.3
	1902..	1,627.4	18.3	2.0	9.7	11.3	10.6	13.5	30.6	7.5	164.5	22.8	76.5
	1903..	1,642.3	17.8	2.2	0.7	9.2	17.4	20.7	29.7	18.6	155.6	24.3	79.6
	1904..	1,597.4	16.3	1.9	0.3	8.5	5.1	5.4	24.0	14.5	169.7	25.1	86.0
Michigan	1900..	1,403.3	36.5	6.5	0.4	13.2	11.2	7.8	22.1	15.5	90.2	16.6	61.2
	1901..	1,341.9	26.3	4.6	1.1	3.1	12.4	6.6	20.8	43.4	88.4	15.1	60.0
	1902..	1,266.9	24.5	4.0	1.6	9.4	10.7	10.6	19.8	12.3	84.1	14.0	59.6
	1903..	1,323.3	24.1	2.6	1.2	6.9	8.0	15.2	27.3	18.0	85.3	16.1	67.5
	1904..	1,359.0	25.2	2.6	1.1	7.5	8.3	5.7	19.8	25.0	91.3	16.6	67.4
New Hampshire	1900..	1,854.8	22.1	2.2	0.2	5.8	6.1	9.7	24.1	44.7	151.1	19.2	71.9
	1901..	1,675.8	18.8	1.7	1.2	1.4	12.8	6.7	20.7	34.5	146.5	18.8	87.7
	1902..	1,588.4	18.1	0.5	1.7	4.8	0.5	7.4	37.5	12.2	134.5	16.0	81.2
	1903..	1,650.8	24.4	1.9	.....	9.9	2.6	15.2	24.9	36.0	128.2	17.8	77.5
	1904..	1,597.7	18.6	2.1	0.5	1.6	2.3	4.9	16.5	29.8	140.1	19.7	80.4
New Jersey	1900..	1,775.2	22.0	5.1	0.3	11.5	9.9	15.6	48.7	21.7	184.0	21.1	53.9
	1901..	1,649.3	19.6	4.4	7.2	3.6	9.9	9.2	36.6	20.3	172.4	20.8	58.4
	1902..	1,591.8	21.8	3.2	21.8	11.0	11.7	15.4	35.2	4.8	158.4	19.2	54.0
	1903..	1,586.7	19.7	3.1	0.8	3.0	15.1	14.4	39.1	11.8	171.4	20.0	59.0
	1904..	1,717.8	18.9	2.8	1.2	10.0	21.4	6.8	48.6	12.6	184.5	25.9	58.5
New York	1900..	1,820.8	27.6	4.5	0.2	16.1	9.9	11.4	45.4	19.7	191.1	23.1	66.7
	1901..	1,777.2	25.0	3.8	5.9	10.1	19.9	8.5	40.5	35.7	187.6	24.3	70.1
	1902..	1,656.6	23.4	3.1	5.9	11.5	16.6	12.0	38.0	9.5	168.2	24.1	69.5
	1903..	1,667.1	22.5	2.1	0.5	8.6	14.7	10.2	38.6	17.6	172.8	25.5	72.6
	1904..	1,824.7	21.6	2.4	0.2	14.6	16.1	5.5	38.7	22.5	182.6	25.4	75.0
Rhode Island	1900..	2,045.5	28.7	7.0	0.2	42.9	7.7	16.6	46.0	70.2	196.9	34.1	70.5
	1901..	1,820.9	23.6	8.0	1.1	3.7	4.8	3.9	44.4	40.1	193.0	30.2	73.0
	1902..	1,786.5	20.4	5.8	8.3	5.2	6.3	17.7	35.7	14.8	180.4	30.8	83.1
	1903..	1,904.9	17.9	6.2	0.7	30.4	13.0	35.1	43.4	35.1	192.1	36.6	78.3
	1904..	1,754.1	15.2	4.3	.....	3.5	15.2	1.7	31.4	23.6	173.5	39.4	88.1

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904.

is given in Table 3 for the respective years.]

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.9	9.7	40.9	167.9	147.2	158.6	97.7	133.2	93.0	89.0	76.9	11.5	84.5	64.0	158.3	9.8
1.6	10.3	33.4	160.0	148.0	133.5	97.1	113.9	87.5	89.6	66.3	12.2	94.4	50.1	153.1	6.5
1.4	10.4	31.3	154.9	154.6	124.7	98.4	105.6	86.6	91.5	68.5	12.7	85.1	47.5	146.2	5.5
1.6	11.3	28.4	151.4	161.2	122.6	96.1	101.9	86.9	98.1	69.4	13.9	95.7	40.8	142.8	4.5
1.4	12.9	32.0	151.6	173.4	136.3	97.0	111.7	88.7	104.2	72.7	14.9	96.2	37.6	146.2	4.8
1.6	9.3	44.9	165.4	147.4	177.9	108.9	144.7	96.0	99.9	87.8	12.8	91.5	65.0	153.8	8.1
1.5	10.0	36.5	154.8	147.2	143.6	107.2	127.6	91.3	99.3	73.4	13.7	102.1	51.5	149.5	5.5
1.4	9.9	35.3	151.3	154.7	138.4	112.3	119.9	91.0	101.0	75.5	14.4	91.0	50.3	143.1	4.3
1.6	11.0	31.1	145.7	158.2	136.9	107.5	114.9	90.4	108.0	78.3	15.7	101.6	43.1	140.7	3.6
1.2	12.7	35.8	143.7	169.4	151.2	107.9	126.2	92.4	114.7	80.1	16.7	101.5	38.8	142.3	3.5
2.0	11.0	40.6	165.3	151.4	152.7	95.5	139.9	89.6	88.7	72.3	10.2	77.4	56.9	158.8	8.9
1.6	11.5	32.9	162.1	153.3	129.6	97.8	116.4	83.4	89.7	66.2	10.4	89.0	45.6	151.4	5.5
1.4	11.7	29.8	155.9	160.3	116.4	97.6	103.4	81.1	90.5	68.3	10.3	78.4	40.6	144.5	5.0
1.7	12.6	27.9	154.3	168.0	113.5	96.4	99.1	82.7	96.3	67.1	11.3	88.5	36.6	140.7	4.3
1.4	14.3	34.2	157.2	182.0	130.7	98.2	110.7	84.1	102.8	71.1	12.3	93.3	33.9	146.0	4.9
1.5	11.1	48.4	158.0	155.6	186.5	116.2	168.9	92.6	110.2	90.4	11.8	85.2	52.6	149.9	4.6
1.5	12.1	38.7	153.5	156.1	146.6	118.2	145.7	87.5	109.1	80.1	11.7	99.9	44.6	142.9	2.7
1.3	11.8	36.2	149.3	164.9	136.9	124.5	129.8	85.4	108.6	82.0	11.7	85.0	40.8	136.9	2.2
1.6	13.0	32.9	145.1	167.6	134.7	119.3	122.8	86.3	114.5	83.0	12.8	94.5	37.7	134.6	2.2
1.2	15.0	43.4	145.8	180.6	156.1	120.6	138.6	87.9	122.3	84.4	13.9	101.8	33.4	138.1	2.4
2.5	10.8	31.6	173.6	146.6	113.9	71.7	106.6	86.1	63.9	51.6	8.3	68.3	61.7	160.1	13.8
1.9	10.8	25.8	172.6	149.9	108.8	72.7	80.5	78.3	65.9	49.1	8.7	75.7	46.7	161.9	9.0
1.5	11.5	21.7	164.0	154.5	90.9	64.0	70.2	75.7	67.8	51.1	8.5	70.3	40.4	154.0	8.5
1.8	12.2	21.6	165.9	168.6	86.6	67.2	68.9	78.1	73.2	47.0	9.4	80.8	35.1	148.2	7.0
1.7	13.4	22.3	171.9	183.6	98.0	69.1	74.6	79.3	77.4	53.9	10.2	82.4	34.5	156.4	8.2
1.7	7.5	41.4	172.7	139.4	169.4	101.7	120.8	99.4	89.6	85.3	13.9	97.7	77.2	157.5	11.6
1.6	8.0	34.3	156.1	138.1	140.6	96.1	109.2	95.2	89.4	66.5	15.7	104.3	58.4	156.1	8.4
1.5	8.0	34.2	153.3	144.2	140.0	99.7	109.8	96.6	93.3	69.0	17.2	97.2	60.0	149.4	6.4
1.5	9.0	29.2	146.2	148.7	139.2	95.6	106.8	94.6	101.4	73.5	18.6	108.8	48.5	146.9	4.9
1.3	10.4	27.9	141.6	158.0	146.2	95.0	113.6	96.9	106.8	75.7	19.6	101.3	44.3	146.5	4.6
2.3	14.4	41.9	168.4	166.9	138.6	91.7	165.8	97.7	95.9	78.6	12.5	85.9	24.1	164.0	3.5
2.3	12.8	33.3	166.6	162.8	107.6	89.5	107.1	81.3	84.8	74.1	10.8	89.0	16.4	145.7	7.6
1.3	12.9	34.6	167.4	168.8	99.1	76.0	114.7	82.6	92.0	74.7	11.6	84.4	21.0	139.4	3.5
1.7	13.3	34.4	165.4	180.7	107.9	90.0	106.3	85.2	93.1	75.1	12.3	100.1	22.3	135.7	2.1
2.1	17.1	42.7	163.8	184.6	111.2	77.2	119.5	87.7	105.7	74.3	15.2	98.1	17.6	130.9	6.4
1.1	7.5	37.3	232.9	215.6	157.9	108.7	181.6	97.2	113.7	110.2	9.7	78.9	43.8	185.5	1.1
0.3	10.2	23.6	207.4	224.7	119.2	125.9	165.4	97.0	125.6	105.4	10.2	100.9	39.5	177.7	0.3
0.7	10.7	26.4	183.1	203.2	126.9	141.8	159.9	91.9	115.5	116.2	13.2	72.5	38.8	169.9	0.3
0.7	12.3	17.1	200.5	223.1	137.4	128.6	135.4	104.0	131.3	112.5	20.1	82.2	39.2	168.8	0.3
0.7	12.4	22.8	206.7	222.4	146.3	120.8	139.6	105.0	147.3	107.7	21.1	97.0	37.6	181.5	0.7
1.9	7.9	35.0	148.6	90.2	110.1	59.4	97.4	85.9	49.2	60.7	6.6	61.3	75.7	145.0	10.8
1.3	8.0	29.1	140.0	97.4	102.7	67.9	87.7	81.1	49.6	72.2	7.4	63.9	55.9	141.7	4.9
0.7	8.8	23.9	124.2	100.0	78.0	57.1	78.5	79.0	52.1	81.9	7.1	63.2	45.7	143.8	6.4
1.0	8.6	21.4	124.2	111.5	68.8	55.0	73.2	76.5	53.9	55.5	7.9	71.8	33.6	119.2	3.8
1.6	9.7	26.7	132.6	120.6	92.2	62.0	78.1	79.7	59.5	78.4	8.6	71.2	33.8	136.5	4.5
2.9	10.2	44.8	200.6	174.7	143.6	84.7	112.0	86.8	75.6	61.3	8.8	59.6	66.8	183.3	26.6
1.9	12.6	41.3	189.5	175.0	123.8	70.9	96.1	77.5	80.4	34.1	11.3	62.9	55.3	173.5	30.7
1.3	12.6	34.9	195.4	179.0	120.5	71.0	64.8	75.2	80.7	48.5	10.3	63.3	48.5	182.6	23.5
2.0	13.1	33.8	195.9	185.5	121.2	67.4	75.4	80.6	90.3	55.7	10.8	65.0	50.2	179.8	24.8
1.1	14.7	29.4	189.9	194.7	124.9	73.9	68.8	85.2	89.9	62.2	12.9	82.5	44.8	188.2	31.9
1.9	12.8	46.7	163.3	183.8	142.5	101.0	161.7	80.6	74.7	99.7	9.3	72.0	56.7	168.1	8.9
2.3	11.7	39.6	164.9	184.3	126.6	89.7	117.0	77.0	76.2	90.9	10.7	80.5	52.6	152.3	4.4
1.7	13.4	37.5	164.0	190.5	121.8	94.7	113.8	72.4	73.5	91.6	9.2	72.5	53.2	145.9	4.4
2.1	14.2	36.9	156.1	195.7	125.7	91.9	115.2	73.9	79.9	93.4	10.7	77.0	43.1	146.6	4.1
1.3	15.5	32.1	157.2	206.6	118.8	86.2	111.8	73.3	83.1	91.7	10.0	78.9	30.1	141.3	2.7
2.5	10.4	25.2	151.9	129.9	92.8	79.0	121.4	93.2	48.8	55.6	9.0	71.6	44.6	164.2	22.0
1.5	10.5	18.1	147.0	133.8	99.1	80.8	91.5	86.6	46.6	45.4	9.0	82.9	35.8	158.6	12.9
1.5	12.1	15.6	139.0	147.8	85.9	75.4	74.9	86.4	52.5	48.0	9.3	78.0	28.4	148.9	12.6
2.5	11.3	15.3	146.8	152.1	80.1	74.4	86.1	88.3	55.1	50.3	9.8	86.9	29.3	150.5	12.3
2.1	13.4	15.5	149.9	164.0	80.0	74.4	80.4	90.5	59.6	53.4	11.8	84.1	30.6	164.1	14.7
1.9	17.5	54.4	217.2	187.3	182.2	104.3	133.4	76.8	69.5	76.6	8.7	61.2	92.6	195.6	18.5
2.1	11.6	40.2	208.4	187.2	131.8	93.5	108.9	74.9	74.4	36.1	11.8	63.6	73.5	187.7	19.3
2.1	12.2	45.1	210.7	198.5	128.8	82.7	84.6	81.7	79.1	37.7	6.7	54.0	61.9	176.0	12.2
3.1	18.9	37.7	200.4	216.0	124.4	77.5	99.7	82.7	87.4	34.8	11.1	86.5	46.4	178.9	6.9
1.4	14.3	30.8	198.1	213.6	110.4	78.3	95.9	86.9	92.8	41.1	10.8	72.1	44.7	184.4	5.6
1.6	8.3	54.6	194.9	152.4	145.3	114.3	144.4	87.3	96.3	75.6	11.5	98.3	69.8	121.5	5.3
1.3	8.8	44.0	189.9	142.4	126.1	98.4	124.0	81.9	94.3	72.4	12.4	110.9	59.8	118.0	2.3
0.9	9.0	40.6	183.1	151.0	117.5	105.8	113.1	79.0	97.3	69.9	11.3	84.3	59.0	111.6	1.9
0.5	10.5	41.1	179.6	150.7	119.4	94.6	96.9	81.9	102.3	71.9	13.7	98.4	52.4	113.8	1.6
1.0	11.3	41.1	175.4	162.1	157.3	102.9	133.6	81.4	102.2	74.3	14.5	96.4	46.5	123.9	2.7
1.8	11.4	40.2	158.8	156.3	193.2	105.3	148.2	93.6	118.7	69.3	11.8	83.2	53.8	156.8	2.7
1.5	12.8	31.5	157.6	160.5	154.1	119.6	132.4	86.2	121.7	61.3	10.9	102.2	41.0	151.9	0.6
1.5	12.3	27.8	152.0	168.1	136.9	122.2	114.0	82.8	120.1	61.5	11.9	87.0	34.8	141.0	0.9
1.8	13.8	26.1	147.9	176.4	133.2	122.1	103.0	84.1	127.0	65.1	12.3	97.3	33.9	139.7	0.7
1.2	15.7	42.5	154.4	198.9	161.2	126.7	127.1	86.4	137.2	66.8	13.2	111.3	34.1	142.8	0.6
1.7	13.1	48.8	155.2	169.6	158.0	142.3	209.1	89.1	116.0	73.5	11.7	86.3	28.9	210.0	11.4
1.4	19.0	47.4	154.8	162.5	129.8	100.9	182.0	94.8	118.8	81.9	12.3	86.3	24.7	169.8	8.7
1.6	11.9	42.5	153.9	172.1	129.2	105.1	176.8	98.4	117.9	72.3	12.1	85.4	20.9	184.2	2.0
0.4	15.9	24.7	148.2	176.9	140.3	120.4	177.5	98.1	140.0	71.9	11.2	95.9	25.1	167.2	2.4
0.6	16.0	24.9	155.9	179.8	139.2	108.1	151.6	86.6	140.3	68.7	13.2	91.2	19.5	159.1	3.5

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION STATES—Continued.													
Vermont	1900	1,656.4	33.8	1.7	.....	7.9	4.7	6.1	15.1	37.0	138.2	16.3	87.9
	1901	1,658.2	28.7	1.5	.....	9.3	11.3	11.0	14.8	44.1	134.0	17.7	70.5
	1902	1,504.8	19.1	1.2	0.6	6.4	9.0	9.8	11.0	21.1	119.7	16.8	69.1
	1903	1,622.2	24.8	1.4	0.9	8.4	1.4	4.3	16.4	34.3	115.0	19.9	93.7
	1904	1,601.7	29.9	1.7	.....	0.9	2.6	6.6	16.7	44.5	114.6	20.4	87.0
REGISTRATION CITIES.													
Adams town, Mass	1900	1,706.5	71.8	.....	.....	26.9	.....	.....	98.8	26.9	143.7	9.0	53.9
	1901	1,562.8	35.3	.....	.....	.....	35.3	.....	53.0	26.5	167.8	.....	61.8
	1902	1,866.6	43.4	.....	.....	.....	17.4	34.7	8.7	.....	147.6	17.4	52.1
	1903	1,562.8	25.6	.....	.....	.....	59.8	8.6	25.6	.....	153.7	8.6	68.3
	1904	1,680.4	33.6	.....	8.4	8.4	.....	.....	42.0	16.8	134.5	.....	67.2
Alameda, Cal	1900	1,433.4	24.3	.....	.....	.....	12.1	.....	36.4	6.1	176.1	30.4	91.1
	1901	1,747.7	17.6	5.9	.....	.....	5.9	11.8	47.1	.....	170.6	11.8	70.6
	1902	1,797.5	22.8	5.7	.....	.....	.....	.....	39.9	.....	142.7	39.9	108.4
	1903	991.5	33.2	5.5	.....	.....	5.5	5.5	22.2	5.5	60.9	22.2	60.9
	1904	1,065.4	.....	.....	.....	5.4	10.8	.....	10.8	.....	129.1	26.9	86.1
Albany, N. Y	1900	1,905.4	41.4	1.1	.....	18.1	3.2	2.1	57.4	24.4	233.7	13.8	85.0
	1901	1,889.5	21.2	1.1	.....	1.1	4.2	3.2	43.5	38.2	236.9	39.3	92.4
	1902	1,732.3	32.9	1.1	10.6	.....	3.2	7.4	27.6	21.2	202.9	18.1	91.3
	1903	1,925.6	20.2	1.1	2.1	10.6	22.3	22.3	15.9	39.3	214.6	27.6	100.9
	1904	1,961.7	18.1	3.2	.....	.....	9.6	4.2	10.6	35.0	230.5	26.5	112.6
Alexandria, Va	1900	2,512.4	75.7	48.2	.....	6.9	.....	6.9	117.0	75.7	261.6	6.9	75.7
	1901	2,385.4	27.5	13.7	.....	.....	.....	6.9	68.7	82.5	343.7	6.9	68.7
	1902	2,093.9	68.7	13.7	.....	6.9	.....	20.6	13.7	27.5	247.2	6.9	34.3
	1903	2,187.2	61.7	6.9	.....	.....	6.9	27.4	34.3	20.5	205.7	13.7	27.4
	1904	2,314.4	102.7	.....	.....	.....	.....	6.8	41.1	41.1	321.8	13.7	54.8
Allegheny, Pa	1900	1,828.4	93.9	1.5	0.8	9.2	13.1	14.6	26.9	15.4	155.5	27.7	39.3
	1901	1,721.9	75.0	1.5	0.7	27.0	30.0	40.5	37.5	21.8	131.3	26.3	48.0
	1902	1,896.5	121.6	1.5	5.9	38.3	20.6	19.2	32.4	17.0	148.2	25.1	49.4
	1903	1,899.1	102.9	.....	88.4	29.0	21.0	34.8	82.6	7.9	126.8	29.7	37.7
	1904	1,779.2	123.2	.....	12.1	15.7	16.4	24.9	51.3	9.3	146.7	26.3	44.9
Allentown, Pa	1900	1,798.6	28.2	2.8	.....	8.5	14.1	8.5	70.6	11.3	163.8	5.6	73.4
	1901	1,427.2	46.7	2.7	.....	.....	.....	.....	32.9	16.5	151.0	8.2	41.2
	1902	1,857.8	189.5	.....	.....	5.3	24.0	13.3	50.7	2.7	170.8	18.7	64.1
	1903	1,429.2	33.8	.....	.....	.....	20.8	10.4	36.4	7.8	109.1	7.8	62.4
	1904	1,901.3	32.9	.....	.....	5.0	68.3	5.0	144.1	7.6	131.5	10.1	48.1
Altoona, Pa	1900	1,767.9	43.6	.....	.....	7.7	23.1	15.4	151.4	5.1	133.4	7.7	38.5
	1901	1,551.3	32.6	.....	.....	7.5	22.6	5.0	50.2	12.6	108.0	10.0	52.7
	1902	1,481.5	24.5	.....	4.9	22.1	2.4	4.9	34.4	.....	110.6	22.1	41.8
	1903	1,867.8	40.7	.....	19.1	9.6	28.7	21.5	47.8	7.2	95.7	9.6	57.4
	1904	1,689.1	60.9	.....	.....	18.7	16.4	18.7	35.1	16.4	98.4	32.8	60.9
Amesbury town, Mass	1900	1,551.8	52.8	.....	.....	10.6	.....	10.6	21.1	.....	232.2	10.6	116.1
	1901	1,720.7	10.5	.....	.....	.....	21.1	21.1	31.7	63.4	179.5	.....	63.4
	1902	1,509.6	21.1	.....	10.6	42.2	42.2	.....	10.6	31.7	211.1	.....	126.7
	1903	1,499.0	31.7	.....	.....	.....	31.7	10.5	.....	10.5	95.0	10.5	116.1
	1904	1,689.0	52.8	.....	.....	.....	.....	21.1	.....	10.5	179.5	10.5	126.7
Amsterdam, N. Y	1900	1,481.2	14.3	4.8	.....	.....	4.8	4.8	52.6	28.7	152.9	19.1	62.1
	1901	1,431.9	22.4	.....	.....	8.9	.....	.....	17.9	31.3	156.6	8.9	80.6
	1902	1,532.0	17.6	.....	.....	.....	193.7	.....	13.2	4.4	136.5	17.6	35.2
	1903	1,715.6	47.7	.....	.....	8.7	112.6	21.7	21.7	13.0	151.6	17.3	65.0
	1904	1,513.9	12.8	4.3	.....	8.5	8.5	4.3	8.5	8.5	157.8	21.3	81.0
Anderson, Ind	1901	1,638.1	71.0	.....	.....	4.7	14.2	14.2	47.3	47.3	227.3	37.9	61.6
	1902	1,509.1	68.0	.....	.....	13.6	27.2	4.5	45.3	.....	154.1	45.3	49.8
	1903	1,164.7	26.1	.....	.....	.....	8.7	.....	21.7	13.0	165.2	39.1	34.8
	1904	1,381.8	37.6	8.3	.....	29.2	12.5	.....	33.4	.....	196.2	45.9	12.5
Ann Arbor, Mich	1900	1,385.3	27.6	.....	.....	.....	.....	.....	6.9	.....	151.6	48.2	151.6
	1901	1,507.0	6.9	.....	.....	.....	.....	6.9	20.6	34.4	110.1	48.2	123.9
	1902	1,621.4	20.6	6.9	.....	.....	.....	6.9	13.7	13.7	89.3	48.0	164.9
	1903	1,365.2	6.9	.....	.....	.....	27.4	6.9	6.9	13.7	54.9	27.4	144.1
	1904	1,452.2	13.7	.....	.....	13.7	.....	.....	13.7	13.7	89.1	27.4	116.5
Annapolis, Md	1900	2,768.3	35.2	.....	.....	23.5	.....	11.7	35.2	93.8	410.5	.....	35.2
	1901	2,030.9	23.2	11.6	.....	.....	.....	.....	92.8	127.7	406.2	58.0	34.8
	1902	2,032.4	57.4	11.5	.....	.....	.....	.....	34.4	34.4	367.5	34.4	91.9
	1903	1,829.3	34.1	22.7	.....	.....	.....	79.5	22.7	68.2	250.0	34.1	79.5
	1904	2,440.1	67.5	.....	.....	.....	11.2	11.2	.....	45.0	348.6	11.2	78.7
Ansonia, Conn	1900	2,058.2	23.7	.....	.....	55.2	15.8	55.2	23.7	55.2	197.1	39.4	31.5
	1901	1,424.7	15.5	7.7	.....	7.7	.....	15.5	38.7	31.0	154.9	31.0	38.7
	1902	1,399.3	7.6	15.2	.....	.....	15.2	38.0	75.1	7.6	174.9	22.8	30.4
	1903	1,561.7	44.8	7.5	.....	7.5	67.2	.....	37.4	59.8	171.9	22.4	52.3
	1904	1,263.1	7.3	.....	.....	.....	7.3	.....	.....	51.4	168.9	7.3	36.7
Appleton, Wis	1900	1,299.3	19.9	.....	.....	.....	13.3	6.6	19.9	13.3	125.9	19.9	33.1
	1901	934.6	19.5	.....	.....	6.5	.....	.....	19.5	13.0	155.8	6.5	39.0
	1902	1,125.3	19.1	.....	.....	25.4	6.4	.....	6.4	.....	69.9	.....	69.9
	1903	1,283.4	6.2	.....	6.2	.....	6.2	18.7	93.4	12.5	130.8	18.7	93.4
	1904	1,264.3	12.2	.....	.....	.....	6.1	12.2	30.5	6.1	128.3	24.5	67.2
Arlington town, Mass	1900	1,604.1	.....	11.6	.....	.....	23.2	23.2	34.9	.....	151.1	23.2	104.6
	1901	1,269.7	33.7	.....	.....	11.2	.....	.....	33.7	11.2	134.9	22.5	56.2
	1902	1,109.1	.....	.....	.....	.....	.....	10.9	10.9	.....	163.1	.....	108.8
	1903	1,179.7	.....	.....	.....	.....	10.5	21.1	21.1	10.5	94.8	31.6	52.7
	1904	1,174.5	.....	.....	.....	.....	10.2	.....	.....	.....	143.0	71.5	81.7

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
2.6	12.5	36.1	187.1	172.3	162.7	73.3	81.2	86.7	71.6	64.0	8.7	58.5	68.4	200.8	21.2
3.2	16.8	40.6	199.8	175.2	141.8	86.1	67.9	78.3	74.0	61.5	10.1	61.2	56.6	224.8	17.4
2.3	12.4	35.3	174.3	171.1	136.2	86.7	45.7	84.1	80.9	66.5	7.5	65.9	42.5	192.0	17.6
2.3	14.1	27.1	208.7	202.9	116.1	88.2	73.5	96.5	85.6	65.1	10.7	84.1	33.1	180.4	13.3
1.7	21.3	32.7	175.2	199.1	124.7	84.2	65.8	94.8	92.5	58.0	12.9	69.5	36.5	193.3	14.6
.....	.....	27.0	161.7	161.7	80.8	71.8	341.3	53.9	44.9	152.7	9.0	9.0	107.8	53.9	.....
8.8	8.8	61.8	150.1	167.8	97.1	44.2	158.9	26.5	88.3	158.9	8.8	53.0	44.2	105.9	.....
.....	8.7	52.1	138.9	112.9	138.9	69.4	295.2	130.2	60.7	182.3	17.4	86.8	112.9	130.2	8.7
.....	.....	42.7	111.0	111.0	102.5	59.8	213.5	68.3	34.1	213.5	8.6	68.3	51.2	119.5	8.6
.....	.....	58.8	134.5	109.2	142.8	100.8	243.7	117.6	50.4	176.5	16.8	25.2	42.0	151.2	.....
.....	6.1	24.3	72.9	182.2	91.1	54.7	48.6	127.6	139.7	30.4	.....	133.6	18.2	115.4	12.1
.....	29.4	82.4	158.9	241.3	135.3	64.7	53.0	141.2	141.2	53.0	5.9	105.9	47.1	135.3	11.8
.....	17.1	17.1	142.7	313.9	148.4	85.6	34.3	97.0	114.1	102.7	28.6	74.2	39.9	216.8	5.7
.....	5.5	22.2	121.9	110.8	72.0	66.5	16.6	94.2	49.9	33.2	.....	66.5	.....	99.7	11.1
.....	10.8	10.8	139.9	182.9	59.2	37.7	48.4	75.3	69.9	10.8	5.4	32.3	16.1	75.3	21.5
2.1	10.6	53.1	207.1	169.9	158.3	105.2	70.1	124.3	142.3	41.4	2.1	82.8	80.7	175.2	.....
2.1	2.1	37.2	222.0	248.5	104.1	131.7	66.9	119.0	157.2	39.8	4.2	85.0	58.4	138.1	1.1
2.1	15.9	31.9	190.1	213.5	124.3	105.2	60.5	115.8	157.2	27.6	.....	93.5	43.5	133.8	1.1
4.2	10.6	28.7	192.2	251.7	131.7	103.0	71.2	117.9	164.6	47.8	19.1	90.3	57.4	158.3	.....
4.2	18.1	34.0	182.7	266.6	131.7	98.8	93.5	126.4	208.2	35.0	11.7	94.5	43.5	162.5	.....
6.9	6.9	48.2	199.6	144.6	234.0	75.7	172.1	34.4	179.0	75.7	.....	61.9	158.3	192.7	247.8
6.9	6.9	34.4	247.5	192.5	261.2	110.0	103.1	48.1	171.9	68.7	6.9	89.4	165.0	130.6	123.7
.....	.....	.....	192.2	123.6	212.8	89.2	192.2	54.9	178.5	89.2	13.7	96.1	144.2	96.1	171.7
.....	6.9	48.0	198.8	144.0	192.0	130.3	123.4	41.1	157.7	96.0	.....	157.7	144.0	178.3	164.5
.....	.....	20.5	191.7	157.5	235.4	68.4	184.9	89.0	157.5	82.2	.....	123.3	95.9	226.0	130.1
2.3	6.2	53.1	155.5	85.5	231.0	127.0	171.7	102.4	40.8	102.4	15.4	100.1	77.0	154.7	5.4
0.7	2.3	42.0	139.6	104.3	220.6	136.6	126.1	103.5	45.8	66.0	17.3	128.3	34.5	114.0	0.7
1.5	3.7	32.4	148.9	105.4	276.4	137.9	165.1	112.0	48.6	74.4	11.8	120.1	57.5	120.1	1.5
0.7	7.2	39.8	139.1	102.1	227.4	107.9	152.1	107.2	44.9	73.2	14.5	126.0	72.4	120.2	3.6
0.7	7.1	38.4	151.6	116.1	181.6	96.8	205.0	91.1	51.3	81.9	13.5	89.7	67.6	116.0	.....
.....	11.3	31.1	228.7	169.4	180.7	39.5	104.5	96.0	53.6	98.8	25.4	101.7	149.7	110.1	11.3
2.7	19.2	30.2	238.8	151.0	140.0	49.4	43.9	71.4	63.1	52.1	8.2	60.4	120.8	76.8	.....
2.7	18.7	53.4	176.2	157.5	122.8	32.0	90.8	74.7	80.1	82.7	8.0	77.4	184.2	154.8	2.7
.....	10.4	36.4	174.1	145.5	93.5	41.6	90.9	106.5	44.2	75.4	15.6	78.0	119.5	96.1	13.0
2.5	2.5	43.0	192.2	179.5	141.6	45.5	63.2	108.7	116.3	123.9	10.1	55.6	222.5	134.0	7.6
2.6	5.1	20.5	238.6	100.1	177.1	51.3	89.8	84.7	33.4	110.3	2.6	143.7	112.9	148.8	20.5
5.0	15.1	32.6	190.8	75.3	173.2	70.3	87.9	90.4	55.2	77.8	10.0	118.0	120.5	125.5	2.5
.....	4.9	39.3	186.7	113.0	93.4	29.5	68.8	46.7	54.1	117.9	4.9	211.3	95.8	127.8	19.7
2.4	4.8	62.2	200.9	107.6	181.8	55.0	74.1	47.8	76.5	251.1	16.7	253.5	86.1	102.8	7.2
2.3	11.7	32.8	187.4	140.6	185.1	82.0	96.1	86.7	91.4	72.6	4.7	110.1	77.3	140.6	9.4
.....	.....	63.3	179.4	168.9	73.9	84.5	116.1	42.2	84.5	63.3	.....	52.8	63.3	105.6	.....
.....	10.5	73.9	116.1	263.9	306.1	52.8	73.9	10.5	126.7	73.9	.....	95.0	31.7	95.0	.....
10.6	.....	52.8	116.1	211.1	63.3	31.7	63.3	42.2	179.5	52.8	10.6	63.3	31.7	84.4	.....
.....	31.7	52.8	168.9	306.2	84.5	10.5	10.5	73.9	116.1	52.8	.....	31.7	84.5	168.9	.....
.....	21.1	42.2	190.0	253.4	211.1	31.7	95.0	42.2	84.5	116.1	.....	63.4	42.2	95.0	.....
.....	9.5	66.9	167.2	90.8	114.6	62.1	114.7	66.9	43.0	52.6	.....	114.7	100.3	114.7	19.1
.....	8.9	22.4	210.3	94.0	161.1	107.4	67.1	49.2	53.7	53.7	22.4	89.5	40.3	125.3	.....
.....	4.4	48.4	167.3	127.7	96.9	61.6	118.9	114.5	44.0	61.6	17.6	79.2	61.6	110.1	.....
.....	4.3	39.0	134.3	169.0	138.6	117.0	121.3	60.7	86.6	99.6	4.3	121.3	43.3	117.0	.....
4.3	12.8	64.0	166.3	157.8	85.3	89.6	110.9	102.3	85.3	68.2	4.3	68.2	59.7	119.4	.....
4.7	4.7	66.3	156.2	66.3	113.6	75.8	132.6	80.5	56.8	71.0	33.2	80.5	66.3	104.1	.....
.....	13.6	58.9	95.2	95.2	108.8	49.8	58.9	99.7	49.8	149.6	9.1	108.8	63.4	136.0	4.5
.....	4.3	30.4	82.6	95.6	39.1	78.2	82.6	69.5	56.5	43.5	8.7	91.3	34.8	134.7	4.3
.....	4.2	37.6	108.5	150.3	71.0	54.3	71.9	75.1	66.8	54.3	20.9	96.0	50.1	141.9	4.2
6.9	20.7	20.7	124.1	117.2	68.9	82.7	48.2	89.6	75.8	34.4	13.8	89.6	41.4	165.4	.....
6.9	20.6	13.8	130.7	137.6	144.5	75.7	68.8	151.4	34.4	27.5	6.9	75.7	27.5	227.1	6.9
13.7	6.9	13.7	151.2	226.7	151.2	55.0	55.0	137.4	89.3	20.6	27.5	68.7	27.5	213.0	.....
6.9	6.9	13.7	157.8	192.1	75.5	68.6	68.6	130.3	41.2	27.4	27.4	48.0	27.4	185.2	.....
6.8	27.4	6.8	171.3	232.9	41.1	54.8	20.5	130.2	116.5	47.9	27.4	68.5	20.5	191.8	.....
11.7	.....	35.2	445.7	117.3	70.4	117.3	269.8	164.2	35.2	164.2	11.7	140.8	140.8	375.4	23.5
.....	11.6	.....	208.9	104.5	81.2	104.5	104.5	127.7	58.0	81.2	.....	139.2	58.0	162.5	34.8
.....	11.5	.....	218.2	57.4	91.9	91.9	252.6	57.4	114.8	103.3	.....	103.3	91.9	206.7	.....
.....	11.4	56.8	102.3	193.2	56.8	56.8	79.5	68.2	90.9	125.0	.....	125.0	136.3	136.3	.....
.....	.....	33.7	258.6	135.0	90.0	123.7	247.4	78.7	179.9	191.2	22.5	157.4	179.9	168.7	.....
7.9	7.9	134.1	134.1	118.3	189.2	134.1	323.3	86.7	78.9	39.4	.....	118.3	39.4	149.8	.....
.....	15.5	92.9	116.1	85.1	108.4	54.2	185.9	46.5	92.9	69.7	15.5	46.5	15.5	116.1	23.2
.....	.....	38.0	98.9	83.7	45.6	114.1	167.3	38.0	38.0	83.7	15.2	83.7	22.8	159.7	22.8
.....	.....	119.6	82.2	97.1	29.9	74.7	134.5	104.6	82.2	104.6	.....	89.7	14.9	134.5	22.4
.....	14.7	80.8	117.5	73.5	88.1	66.1	139.6	80.8	58.8	58.8	7.3	51.4	7.3	132.2	7.3
6.6	19.9	46.4	79.5	86.2	79.5	46.4	132.6	46.4	66.3	59.7	13.3	59.7	106.1	172.3	26.5
.....	26.0	26.0	123.3	51.9	51.9	32.4	51.9	45.4	6.5	58.4	6.5	32.4	32.4	116.8	13.0
.....	19.1	19.1	82.6	89.0	95.4	44.5	57.2	76.3	44.5	76.3	.....	31.8	95.3	190.7	6.4
.....	12.5	43.6	162.0	81.0	62.3	31.2	49.8	81.0	68.5	43.6	.....	74.8	56.1	99.7	31.2
.....	12.2	30.5	158.8	91.6	67.2	48.9	30.5	73.3	36.7	91.6	6.1	67.2	61.1	183.2	18.3
.....	11.6	34.9	197.6	209.3	116.3	69.8	127.9	46.5	58.1	46.5	.....	58.1	46.5	186.0	23.2
.....	.....	22.5	67.4	157.3	123.6	67.4	89.9	44.9	33.7	67.4	.....	89.9	56.2	134.9	11.2
.....	10.9	54.4	76.1	174.0	119.6	21.7	21.7	76.1	65.2	43.5	10.9	54.4	21.7	65.2	.....
10.5	31.6	42.1	136.9	189.6	105.3	21.1	10.5	94.8	84.3	31.6	.....	21.1	42.1	115.9	.....
10.2	10.2	20.4	71.5	214.5	61.3	20.4	71.5	81.7	30.6	61.3	30.6	40.9	30.6	102.2	10.2

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Ashtabula, Ohio	1900	1,714.4	7.7	.....	.....	7.7	7.7	7.7	23.2	15.4	169.9	7.7	38.6
	1901	1,601.8	44.9	.....	.....	59.9	.....	7.5	15.0	15.0	104.8	7.5	44.9
	1902	1,539.5	36.3	.....	.....	7.3	.....	21.8	29.0	.....	152.5	21.8	29.0
	1903	1,396.1	49.4	.....	7.0	7.0	.....	63.5	14.1	21.2	134.0	7.0	49.4
	1904	1,644.6	137.1	.....	.....	27.4	.....	13.7	.....	20.5	95.9	6.9	41.1
Atlanta, Ga	1900	2,208.7	74.6	16.7	1.1	2.2	14.5	14.5	34.5	34.5	264.8	26.7	47.8
	1901	2,186.8	77.1	11.9	.....	33.7	23.9	19.5	28.2	46.7	251.9	15.2	39.1
	1902	2,228.5	68.9	6.4	4.2	7.4	10.6	23.3	21.2	21.2	283.1	12.7	58.3
	1903	2,113.9	66.3	12.4	6.2	12.4	3.1	13.5	23.8	45.6	229.9	7.2	52.8
	1904	2,388.2	60.8	7.1	9.1	7.1	4.0	36.4	31.4	52.6	262.2	21.3	51.6
Atlantic City, N. J	1900	1,727.9	25.1	.....	.....	10.8	7.2	3.6	43.1	39.5	132.9	35.9	35.9
	1901	1,876.1	23.9	3.4	.....	.....	3.4	34.1	27.3	23.9	153.5	34.1	51.2
	1902	1,698.4	16.3	3.2	.....	3.2	3.2	6.5	22.8	6.5	90.9	26.0	45.5
	1903	1,580.3	40.3	.....	.....	.....	3.1	37.2	24.8	.....	133.2	27.9	52.7
	1904	1,561.5	26.7	.....	.....	.....	2.9	.....	41.5	8.9	121.5	20.7	56.3
Attleboro town, Mass	1900	1,526.2	8.8	.....	.....	17.6	.....	8.8	35.3	17.6	141.2	8.8	97.0
	1901	1,135.7	8.5	.....	.....	.....	.....	.....	25.6	25.6	145.2	8.5	59.8
	1902	1,249.3	8.3	.....	.....	.....	.....	8.3	24.8	.....	132.4	16.5	91.0
	1903	1,412.2	24.1	.....	.....	.....	8.0	24.1	.....	8.0	160.5	.....	112.3
	1904	1,378.6	7.8	7.8	.....	.....	.....	.....	23.4	7.8	132.4	31.1	93.5
Auburn, N. Y	1900	1,746.6	46.1	3.3	.....	33.0	.....	33.0	39.5	9.9	158.2	36.2	62.6
	1901	1,354.2	22.8	.....	.....	3.2	6.5	6.5	9.7	26.0	133.1	26.0	45.5
	1902	1,513.9	6.4	.....	16.0	.....	.....	16.0	19.2	9.6	92.8	16.0	108.8
	1903	1,685.0	25.2	.....	.....	3.1	6.3	.....	50.5	18.9	179.9	18.9	123.1
	1904	1,546.3	24.9	6.2	.....	3.1	3.1	.....	43.6	21.8	152.5	15.5	96.4
Augusta, Me	1900	2,345.3	42.8	25.7	.....	.....	.....	17.1	.....	17.1	188.3	42.8	68.5
	1901	2,279.9	84.8	8.5	.....	.....	.....	.....	8.5	17.0	186.5	8.5	59.3
	1902	2,341.6	50.4	8.4	.....	16.8	.....	33.6	8.4	16.8	117.5	42.0	42.0
	1903	2,377.2	232.7	.....	8.3	8.3	83.1	16.6	.....	.....	124.7	33.3	66.5
	1904	2,519.1	49.4	.....	.....	.....	.....	.....	.....	8.2	222.3	8.2	57.6
Aurora, Ill	1900	1,590.3	70.4	4.1	.....	.....	4.1	.....	24.8	24.8	107.7	24.8	91.1
	1901	1,504.5	48.8	4.1	.....	12.2	24.4	20.3	20.3	20.3	154.5	16.2	89.5
	1902	1,274.0	39.9	.....	.....	.....	4.0	8.0	8.0	.....	99.8	12.0	63.9
	1903	1,263.5	15.7	3.9	.....	.....	.....	3.9	3.9	.....	94.2	19.6	74.6
	1904	1,361.3	46.3	.....	3.9	.....	.....	.....	50.1	7.7	119.5	15.4	92.6
Baltimore, Md	1900	2,141.4	38.9	10.2	.....	6.5	3.9	11.2	57.4	17.9	235.6	19.0	61.7
	1901	2,929.8	28.7	7.7	.....	1.4	2.3	12.6	33.1	50.5	237.6	33.3	76.5
	1902	1,957.6	42.0	6.1	1.3	8.2	7.1	16.4	24.1	10.7	220.3	32.3	77.9
	1903	1,908.9	35.0	4.1	0.4	15.6	16.2	13.2	29.0	20.1	222.7	35.0	73.0
	1904	2,007.4	37.5	4.8	0.7	1.7	26.9	4.8	20.8	23.9	251.1	32.3	86.5
Bangor, Me	1900	1,588.1	22.9	4.6	.....	.....	4.6	.....	9.1	13.7	141.9	27.5	82.4
	1901	1,794.4	104.0	.....	.....	.....	4.5	.....	9.0	40.7	180.8	49.7	72.3
	1902	1,709.8	35.7	4.5	.....	.....	.....	.....	13.4	13.4	178.6	35.7	120.5
	1903	1,667.0	44.1	.....	.....	4.4	.....	13.2	.....	17.6	141.1	26.5	83.8
	1904	1,947.7	187.4	4.3	.....	.....	.....	13.1	13.1	8.7	204.8	43.6	104.6
Barre, Vt	1900	2,059.6	47.4	.....	.....	59.2	11.8	11.8	106.5	11.8	153.9	23.7	106.5
	1901	1,351.7	22.5	.....	.....	11.3	101.4	.....	33.8	.....	146.4	22.5	45.1
	1902	1,407.4	43.0	.....	.....	.....	107.4	.....	10.7	.....	257.8	.....	21.5
	1903	1,571.2	20.5	.....	.....	30.8	.....	.....	41.1	20.5	174.6	30.8	.....
	1904	1,268.7	.....	.....	.....	.....	29.5	39.3	9.8	19.7	196.7	29.5	19.7
Bath, Me	1900	1,718.0	9.6	.....	.....	.....	.....	47.7	19.1	28.6	190.9	19.1	47.7
	1901	1,398.8	9.4	.....	.....	.....	.....	.....	46.9	18.7	262.9	9.4	56.3
	1902	1,487.0	18.5	.....	.....	.....	.....	9.2	27.7	.....	120.1	37.0	55.4
	1903	1,636.0	9.1	.....	.....	.....	.....	.....	63.6	18.2	127.2	9.1	72.7
	1904	1,529.9	26.8	.....	.....	.....	.....	.....	125.3	17.9	98.4	35.8	62.6
Battle Creek, Mich	1900	1,459.9	53.9	5.4	.....	.....	10.8	10.8	5.4	21.5	97.0	43.1	107.7
	1901	1,586.6	56.5	10.3	.....	5.1	.....	.....	10.3	35.9	102.7	20.5	118.1
	1902	1,662.8	14.7	9.8	.....	.....	.....	.....	147.2	14.7	98.1	19.6	98.1
	1903	1,812.2	42.3	4.7	.....	.....	4.7	32.9	42.3	37.6	122.1	14.1	126.7
	1904	1,440.6	22.5	4.5	.....	13.5	.....	4.5	36.0	4.5	112.6	13.5	94.5
Bay City, Mich	1900	1,350.1	43.4	3.6	.....	7.2	39.8	3.6	68.8	7.2	76.0	10.9	72.4
	1901	1,273.9	25.3	3.6	.....	.....	14.5	32.6	25.3	79.6	86.9	39.8	39.8
	1902	1,241.1	36.2	.....	.....	3.6	3.6	14.5	10.9	3.6	112.2	7.2	57.9
	1903	1,382.1	54.3	.....	.....	54.3	.....	14.5	28.9	3.6	97.7	14.5	65.1
	1904	1,407.2	43.4	3.6	7.2	21.7	3.6	.....	39.8	36.2	119.4	18.1	61.5
Bayonne, N. J	1900	1,696.1	24.4	.....	.....	12.2	.....	85.6	52.0	18.3	131.4	18.3	52.0
	1901	1,704.3	11.7	.....	5.9	32.3	11.7	2.9	32.3	26.4	176.0	23.5	49.9
	1902	1,641.3	25.4	2.8	.....	19.7	11.3	11.3	76.2	5.6	160.8	16.9	45.1
	1903	1,846.4	21.8	2.7	.....	.....	40.7	16.3	86.9	.....	173.8	21.7	57.0
	1904	1,864.0	28.8	2.6	.....	23.6	31.4	20.9	62.8	.....	159.7	23.6	44.5
Bellaire, Ohio	1900	1,795.8	60.5	.....	.....	.....	40.4	50.4	20.2	10.1	191.7	.....	30.3
	1901	1,957.2	20.2	.....	.....	.....	10.1	10.1	20.2	40.3	211.9	20.2	50.4
	1902	2,189.3	90.8	.....	10.1	.....	.....	.....	10.1	20.2	131.2	20.2	80.7
	1903	1,563.8	60.5	.....	90.8	.....	.....	.....	30.3	10.1	90.8	10.1	20.2
	1904	2,320.4	40.4	.....	.....	50.4	10.1	80.7	60.5	30.3	141.3	.....	50.4
Belleville, Ill	1900	1,527.1	68.7	22.9	.....	.....	5.7	5.7	57.2	5.7	137.3	17.2	62.9
	1901	1,525.8	56.5	5.6	.....	5.6	11.3	.....	45.2	11.3	113.0	22.6	62.2
	1902	1,585.8	39.1	.....	.....	.....	27.9	5.6	55.9	22.3	167.5	5.6	83.8
	1903	1,755.0	77.3	16.6	33.1	44.2	22.1	5.5	11.0	11.0	132.5	27.6	126.9
	1904	2,056.5	49.1	10.9	250.9	5.5	.....	21.8	5.5	10.9	180.0	16.4	76.4

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	15.4	185.4	85.0	131.3	54.1	123.6	115.8	15.4	85.0	15.4	254.9	146.7	177.6	23.2
7.5	7.5	15.0	127.2	142.2	179.6	15.0	112.3	127.2	44.9	82.3	15.0	194.6	37.4	187.1	7.5
7.3	7.3	7.3	203.3	145.2	217.9	29.0	36.3	101.7	50.8	116.2	29.0	138.0	58.1	87.1	7.3
.....	.....	7.0	105.8	84.6	176.3	28.2	119.9	42.3	7.0	56.4	7.0	169.2	49.4	176.3	14.1
6.9	6.9	27.4	164.5	54.8	315.2	27.4	116.5	20.5	6.9	89.1	27.4	185.0	109.6	143.9	.....
4.5	12.2	25.6	208.1	134.6	176.9	82.3	181.4	143.5	87.9	135.8	4.5	134.6	103.5	208.0	33.4
.....	5.4	29.3	235.6	124.9	241.1	89.0	141.2	122.7	105.3	78.2	5.4	92.3	162.9	195.4	10.9
4.2	6.4	32.9	207.8	114.4	267.2	82.7	181.3	114.5	123.0	70.0	6.4	92.2	145.2	246.0	17.0
2.1	7.2	24.9	216.5	164.7	224.8	83.9	169.9	140.9	133.6	81.8	6.2	92.2	91.1	171.9	29.0
2.0	15.2	29.4	189.3	152.9	292.6	92.1	198.4	139.7	161.0	82.0	2.0	122.5	116.4	209.6	39.5
.....	7.2	43.1	190.4	118.6	93.4	150.9	125.7	115.0	107.8	79.0	.....	122.1	107.8	125.7	7.2
10.2	20.5	40.9	187.6	225.1	109.2	122.8	95.5	133.0	156.9	92.1	.....	119.4	85.3	119.4	3.4
.....	9.7	29.2	168.9	224.1	97.4	100.7	100.7	129.9	152.6	94.2	.....	116.9	97.4	149.4	3.2
.....	12.4	24.8	210.7	164.2	96.0	77.5	71.3	74.4	123.9	80.6	6.2	127.0	62.0	130.1	.....
.....	14.8	29.6	186.7	198.5	74.1	65.2	91.9	106.7	124.4	71.1	17.8	112.6	59.3	124.4	5.9
.....	8.8	61.8	158.8	141.2	105.9	79.4	176.4	114.7	52.9	105.9	26.5	17.6	35.3	105.9	.....
.....	17.1	25.6	85.4	93.9	85.4	85.4	51.2	42.7	68.4	85.4	8.5	68.4	25.6	119.5	.....
.....	16.5	57.9	115.8	66.2	107.6	57.9	91.0	49.7	66.2	66.2	16.5	74.5	24.8	157.2	.....
.....	24.1	64.2	104.3	160.5	136.4	64.2	104.3	48.1	72.2	64.2	.....	64.2	48.1	120.4	.....
.....	23.4	70.1	140.2	148.0	62.3	54.5	85.7	62.3	70.1	132.4	7.8	116.8	7.8	93.4	.....
.....	6.6	49.4	210.9	158.2	164.8	65.9	131.8	95.6	62.6	46.1	16.5	42.9	52.7	217.5	3.3
6.5	22.8	19.5	146.1	152.6	129.9	64.9	87.7	84.4	74.7	51.9	3.2	94.2	22.8	113.7	.....
3.2	12.8	25.6	156.8	240.1	137.7	60.8	124.8	108.8	57.6	38.4	12.8	57.6	19.2	172.9	.....
.....	6.3	6.3	179.9	214.6	151.5	53.6	94.7	97.8	44.2	63.1	15.8	85.2	53.6	192.5	.....
.....	12.4	43.6	124.5	202.2	124.5	56.0	90.2	71.6	84.0	71.6	18.7	96.4	9.3	174.2	.....
8.6	.....	42.8	796.0	188.3	145.5	77.0	179.8	59.9	77.0	8.6	8.6	34.2	119.8	145.5	51.4
.....	8.5	42.3	728.9	186.5	59.3	169.5	194.9	42.3	93.2	42.3	.....	59.3	84.8	186.5	8.5
.....	.....	33.6	755.3	209.8	176.2	100.7	134.3	92.3	83.9	67.1	8.4	83.9	92.3	150.5	8.4
8.3	.....	58.2	664.9	141.3	116.4	74.8	149.6	83.1	49.9	66.5	33.3	41.6	91.4	224.4	.....
.....	16.5	16.5	675.1	197.6	123.5	189.3	148.2	115.2	90.5	107.0	24.7	107.0	74.1	271.7	16.5
8.3	16.6	53.8	194.7	120.1	161.5	66.3	99.4	70.4	87.0	37.3	16.6	111.8	58.0	120.1	16.6
8.1	12.2	40.7	183.0	85.4	146.4	61.0	109.8	105.7	52.9	28.5	28.5	61.0	32.5	138.2	.....
.....	12.0	35.9	143.8	127.8	107.8	75.9	51.9	91.9	55.9	35.9	8.0	79.9	67.9	131.8	12.0
3.9	7.9	43.2	129.5	102.0	129.5	82.4	39.2	94.2	54.9	66.7	19.6	86.4	82.4	105.9	.....
3.9	23.1	57.8	165.8	73.3	111.8	42.4	46.3	100.3	69.4	46.3	19.3	61.7	73.3	123.4	7.7
1.2	8.2	42.2	190.6	142.0	231.4	105.5	186.3	101.4	130.3	125.5	11.8	102.2	85.9	213.4	1.2
0.8	10.1	28.3	188.6	138.8	149.7	134.0	167.9	93.1	123.4	121.8	10.3	122.6	66.6	188.6	1.5
0.9	8.8	29.9	179.1	164.7	148.3	122.2	151.0	103.1	127.1	137.3	11.1	85.1	68.5	173.7	0.4
2.1	10.4	25.4	174.5	160.5	140.2	127.2	126.5	88.3	141.2	122.3	9.4	85.3	62.1	167.7	1.5
1.3	11.9	26.4	171.9	182.8	155.7	129.6	143.1	96.3	163.4	124.6	14.1	83.7	52.2	159.8	0.2
.....	9.1	64.1	210.5	155.6	100.7	73.2	73.2	109.8	54.9	45.8	4.6	87.0	77.8	201.4	13.7
.....	13.6	27.1	216.9	253.1	131.1	76.8	36.2	149.2	85.9	13.6	9.0	58.8	72.3	162.7	27.1
.....	17.9	40.2	129.5	232.1	160.7	89.3	26.8	66.9	102.6	22.3	22.3	102.7	75.9	209.9	8.9
.....	17.6	39.7	229.3	154.4	220.5	61.8	97.0	97.0	83.8	30.9	8.8	70.6	52.9	167.6	4.4
.....	8.7	17.4	152.5	230.9	213.5	65.4	52.3	100.2	78.4	69.7	13.1	130.7	21.8	161.2	52.3
.....	11.8	106.5	94.7	118.4	272.3	142.1	165.7	35.5	47.4	130.2	.....	35.5	165.7	201.2	.....
.....	.....	112.6	90.1	56.3	56.3	67.6	78.8	101.4	45.1	112.6	11.3	45.1	22.5	157.7	11.3
.....	21.5	75.2	96.7	75.2	75.2	139.7	21.5	107.4	43.0	75.2	21.5	64.5	53.7	75.2	21.5
.....	10.3	82.2	123.2	123.2	113.0	174.6	113.0	102.7	41.1	102.7	10.3	61.6	20.5	154.0	20.5
9.8	9.8	78.7	108.2	59.0	137.7	118.1	59.0	88.6	29.5	39.3	.....	39.3	39.3	108.2	.....
.....	9.6	47.7	105.0	181.4	133.6	66.8	210.0	66.8	124.1	152.7	28.6	85.9	28.6	114.5	.....
9.4	18.8	37.5	169.0	150.2	75.1	112.7	28.2	37.5	112.7	37.5	9.4	28.2	28.2	131.4	9.4
9.2	37.0	27.7	83.1	212.4	101.6	110.8	46.2	55.4	138.6	83.1	9.2	92.4	27.7	184.7	.....
.....	27.3	45.4	163.6	227.2	172.7	90.9	81.8	72.7	127.2	100.0	18.2	81.8	9.1	109.1	9.1
.....	.....	26.8	196.8	196.8	125.3	89.5	26.8	89.5	125.3	26.8	8.9	125.3	8.9	116.4	.....
.....	16.2	10.8	161.6	156.2	102.4	43.1	107.7	59.2	86.2	21.5	10.8	97.0	64.6	167.0	.....
10.3	10.3	5.1	215.7	169.4	66.8	56.5	51.3	118.1	77.0	25.7	30.8	87.3	61.6	236.2	5.1
4.9	4.9	19.6	161.9	161.9	117.7	83.4	63.8	137.4	73.5	73.5	9.8	122.6	54.0	166.8	4.9
4.7	28.2	18.8	192.5	187.8	112.7	79.8	108.0	93.8	98.5	65.7	14.1	145.5	61.0	173.7	.....
.....	31.5	4.5	144.1	162.1	126.1	40.5	49.5	126.1	85.5	58.5	18.0	72.0	54.0	162.1	.....
3.6	7.2	29.0	137.6	155.6	54.3	86.9	108.6	119.5	54.3	54.3	3.6	76.0	39.8	86.9	.....
.....	18.1	90.5	112.2	133.9	72.4	97.7	119.4	65.1	29.0	.....	43.4	14.5	130.3	.....	
.....	10.9	14.5	130.3	133.9	90.5	108.5	39.8	119.4	50.6	36.2	3.6	86.8	28.9	137.5	.....
3.6	10.9	14.5	119.4	130.2	72.4	76.0	101.3	119.4	39.8	68.7	10.9	108.5	21.7	148.3	3.6
7.2	7.2	7.2	97.7	184.5	57.9	90.4	72.4	112.2	79.6	47.0	18.1	65.1	25.3	180.9	.....
.....	3.1	73.3	174.2	73.3	119.2	171.1	177.3	58.1	88.6	82.5	9.2	113.1	58.1	100.8	.....
.....	2.9	44.0	126.1	88.0	137.9	199.5	184.8	102.7	82.1	58.7	11.7	132.0	79.2	82.1	.....
.....	5.6	39.5	146.6	124.1	121.3	180.5	124.1	73.3	98.7	79.0	5.6	110.0	56.4	101.5	.....
.....	8.1	54.3	165.6	100.5	165.6	165.6	179.2	86.9	122.2	73.3	19.0	152.1	16.3	116.8	.....
.....	2.6	49.7	144.0	117.8	154.5	170.2	251.3	78.5	102.1	102.1	13.1	123.1	31.4	125.7	.....
.....	10.1	40.4	111.0	111.0	181.6	70.6	131.1	151.3	70.6	70.6	10.1	181.6	60.5	181.6	10.1
.....	.....	70.6	181.6	80.7	373.2	80.7	100.9	141.2	20.2	70.6	.....	131.2	181.6	131.2	10.1
.....	.....	100.9	181.6	121.1	272.4	80.7	221.9	201.8	60.5	80.7	.....	131.2	181.6	161.4	30.2
.....	10.1	40.4	181.6	100.8	121.1	80.7	111.0	60.5	50.5	60.5	20.2	191.7	60.5	161.4	.....
.....	10.1	100.9	171.5	232.1	262.3	60.5	262.3	201.8	151.3	50.4	20.2	121.1	70.6	141.2	.....
.....	11.4	40.0	125.8	91.5	97.2	74.4	85.8	91.5	34.3	45.8	17.2	103.0	62.9	251.6	11.4
5.6	5.6	56.5	130.0	96.1	67.8	73.5	96.1	113.0	50.9	90.4	28.3	118.7	141.3	118.7	.....
5.6	5.6	39.1	145.2	128.4	89.3	67.0	89.3	100.5	67.0	78.2	22.3	89.3	94.9	139.6	16.8
5.5	5.5	16.6	160.0	88.3	132.5	71.7	99.3	104.9	60.7	93.8	16.6	165.6	66.2	154.5	5.5
.....	16.4	43.6	180.0	147.3	120.0	98.2	120.0	163.6	98.2	76.4	54.5	130.9	54.5	125.5	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.												
Beloit, Wis.												
1900..	1,418.2	9.6	.....	.....	.....	9.6	.....	9.6	57.5	134.1	9.6	67.1
1901..	1,355.1	9.2	9.2	.....	.....	18.4	27.7	.....	64.5	184.4	9.2	55.3
1902..	1,332.1	8.9	.....	.....	.....	17.8	8.9	8.9	.....	133.2	.....	53.3
1903..	1,516.4	17.1	.....	.....	51.4	17.1	8.6	8.6	60.0	162.8	25.7	60.0
1904..	1,158.6	8.3	.....	.....	.....	.....	.....	8.3	8.3	99.3	24.8	74.4
Bennington town, Vt.												
1900..	1,531.2	12.5	.....	.....	24.9	.....	24.9	.....	.....	136.9	.....	49.8
1901..	1,671.3	36.6	.....	.....	61.0	.....	24.4	24.4	12.2	97.6	12.2	61.0
1902..	1,160.1	12.0	.....	.....	.....	.....	.....	.....	12.0	95.7	12.0	83.7
1903..	1,372.4	35.3	.....	.....	.....	.....	.....	35.3	11.7	129.0	23.5	58.6
1904..	1,645.8	34.5	.....	.....	.....	.....	11.5	.....	57.6	172.6	46.0	80.6
Berlin, N. H.												
1900..	2,284.5	123.8	.....	.....	22.5	.....	.....	78.8	22.5	112.5	22.5	45.0
1901..	1,308.2	63.9	.....	21.3	.....	10.6	.....	.....	.....	148.9	10.6	42.5
1902..	1,149.4	20.2	.....	.....	40.3	.....	.....	20.2	.....	70.6	10.1	20.2
1903..	1,629.3	38.3	.....	.....	.....	.....	9.6	19.2	.....	76.7	9.6	9.6
1904..	1,671.2	54.8	.....	9.1	9.1	.....	54.8	27.4	.....	82.2	27.4	54.8
Beverly, Mass.												
1900..	1,462.1	21.6	.....	.....	.....	14.4	.....	7.2	43.2	194.5	21.6	79.2
1901..	1,310.8	7.0	.....	.....	.....	42.3	.....	21.2	28.2	176.2	21.2	112.8
1902..	1,338.3	20.7	.....	.....	.....	.....	.....	6.9	.....	151.7	20.7	110.4
1903..	1,466.0	20.3	.....	.....	27.0	.....	20.3	27.0	33.8	128.4	67.5	60.8
1904..	1,396.6	13.2	6.6	.....	.....	.....	6.6	13.2	6.6	119.2	46.3	86.1
Biddeford, Me.												
1900..	2,267.0	92.9	.....	.....	.....	6.2	12.4	61.9	31.0	167.2	18.6	61.9
1901..	2,004.3	116.5	6.1	.....	.....	.....	6.1	18.4	30.6	214.5	24.5	79.7
1902..	2,062.5	60.7	.....	.....	12.1	.....	.....	30.3	6.1	212.3	12.1	66.7
1903..	1,837.3	54.0	.....	.....	.....	.....	90.1	42.0	.....	186.1	36.0	66.1
1904..	1,961.4	65.4	.....	.....	.....	.....	11.9	35.7	5.9	196.1	17.8	41.6
Binghamton, N. Y.												
1900..	1,856.4	40.4	7.6	.....	2.5	22.7	2.5	138.7	17.7	141.2	10.1	78.2
1901..	1,652.9	52.4	2.5	.....	5.0	7.5	12.5	42.4	57.3	132.1	10.0	82.3
1902..	1,759.7	29.6	9.8	7.4	.....	22.2	9.8	49.3	7.4	221.8	14.8	71.5
1903..	1,527.8	12.2	2.4	.....	2.4	2.4	7.3	19.5	19.5	143.8	14.6	85.3
1904..	1,910.7	9.6	4.8	.....	43.4	9.6	4.8	41.0	21.7	197.6	14.5	96.4
Boston, Mass.												
1900..	2,041.4	24.1	1.6	.....	17.7	34.9	18.7	92.4	36.0	249.6	38.5	83.1
1901..	1,974.5	23.6	1.6	13.1	21.3	38.8	11.9	59.8	24.5	232.6	37.2	87.6
1902..	1,885.4	21.8	1.4	32.4	12.3	17.1	23.0	37.7	4.3	209.1	37.0	86.2
1903..	1,790.9	20.0	.....	2.2	10.3	12.1	25.6	37.3	13.1	200.6	33.8	91.2
1904..	1,774.8	22.9	0.5	.....	22.3	7.6	7.3	36.8	9.7	209.6	31.7	92.9
Bridgeport, Conn.												
1900..	1,770.5	19.7	9.9	.....	32.4	12.7	5.6	32.4	60.6	187.3	21.1	59.2
1901..	1,681.5	26.0	8.2	.....	2.7	23.2	19.1	24.6	42.3	229.5	17.8	71.0
1902..	1,624.2	23.9	6.6	.....	2.7	19.9	25.2	47.7	8.0	167.1	23.9	76.9
1903..	1,702.8	14.2	1.3	.....	25.8	14.2	34.8	34.8	7.7	171.3	28.3	86.3
1904..	1,650.6	17.5	5.0	.....	10.0	21.3	7.5	30.1	8.8	191.6	31.3	61.4
Bridgeton, N. J.												
1900..	1,610.0	35.9	.....	.....	21.6	.....	7.1	21.6	.....	122.2	7.1	64.7
1901..	1,278.1	21.2	7.1	.....	.....	14.1	7.1	7.1	35.3	127.1	7.1	70.6
1902..	1,353.1	20.8	.....	.....	.....	.....	.....	.....	.....	124.9	13.9	41.6
1903..	1,384.7	20.5	.....	.....	.....	6.8	.....	40.9	6.8	143.2	.....	61.4
1904..	1,589.6	40.3	.....	.....	20.1	13.4	.....	13.4	6.7	254.9	20.1	40.3
Bristol town, Conn.												
1900..	1,576.3	134.8	.....	.....	.....	.....	62.2	62.2	93.3	114.1	.....	31.1
1901..	1,226.1	40.6	.....	10.1	.....	.....	10.1	20.3	81.1	172.3	.....	60.8
1902..	1,436.4	19.8	29.7	.....	.....	.....	.....	.....	29.7	89.2	29.7	49.5
1903..	1,637.4	126.0	9.7	.....	38.7	29.1	29.1	19.4	96.9	87.2	.....	48.4
1904..	1,706.6	47.4	9.5	.....	.....	.....	9.5	37.9	47.4	85.3	19.0	47.4
Brockton, Mass.												
1900..	1,405.3	49.9	.....	.....	5.0	5.0	10.0	54.9	44.9	189.7	25.0	69.9
1901..	1,301.9	14.5	2.4	.....	2.4	26.6	2.4	31.5	26.6	159.7	24.2	60.5
1902..	1,136.6	14.1	2.3	.....	2.3	4.7	4.7	16.5	2.3	166.7	21.1	91.6
1903..	1,138.2	11.4	4.6	.....	.....	9.1	18.3	11.4	25.1	130.9	25.1	57.0
1904..	1,272.6	20.0	2.2	.....	33.2	2.2	.....	6.7	22.2	126.4	28.8	86.5
Brookline town, Mass.												
1900..	1,274.1	5.0	5.0	.....	15.1	.....	10.0	50.2	35.1	105.3	15.1	95.3
1901..	1,100.5	.....	.....	.....	9.7	9.7	.....	38.6	4.8	82.1	4.8	91.7
1902..	1,106.9	9.3	.....	4.7	.....	4.7	4.7	.....	9.3	107.0	18.6	88.4
1903..	1,032.1	4.5	9.0	.....	9.0	26.9	17.9	9.0	13.5	94.2	22.4	76.3
1904..	1,049.1	4.3	.....	.....	4.3	4.3	4.3	4.3	21.7	56.4	8.7	121.4
Buffalo, N. Y.												
1900..	1,462.9	23.5	1.1	.....	14.2	7.7	7.1	19.0	11.9	113.2	21.3	56.5
1901..	1,524.1	26.8	0.8	0.6	6.1	12.1	17.4	39.2	18.2	125.1	21.3	72.4
1902..	1,431.9	32.8	0.3	0.8	18.3	2.9	7.3	36.3	4.0	114.6	17.2	64.8
1903..	1,538.3	33.3	0.5	1.0	8.4	7.1	14.4	31.5	8.9	117.5	22.8	72.4
1904..	1,518.4	23.0	0.8	.....	9.5	4.1	2.8	28.6	7.2	129.1	22.5	68.8
Burlington, Iowa.												
1900..	1,482.7	56.0	4.3	.....	.....	.....	12.9	34.5	.....	112.1	4.3	60.3
1901..	1,500.1	55.9	4.3	4.3	.....	.....	.....	12.9	12.9	176.2	8.6	90.3
1902..	1,466.0	47.2	.....	.....	.....	4.3	17.1	12.9	4.3	180.0	8.6	72.9
1903..	1,291.0	47.0	.....	.....	12.8	4.3	.....	34.2	17.1	119.7	4.3	89.8
1904..	1,556.0	59.7	4.3	.....	.....	42.6	.....	4.3	12.8	110.8	12.8	85.3
Burlington, Vt.												
1900..	1,770.4	37.6	5.4	.....	5.4	5.4	.....	10.7	26.8	155.6	26.8	75.1
1901..	1,738.0	21.0	10.5	.....	.....	.....	5.2	5.2	5.2	168.0	42.0	68.3
1902..	1,629.8	10.3	.....	.....	20.6	.....	.....	.....	.....	118.3	15.4	61.7
1903..	1,923.9	15.1	.....	.....	.....	.....	.....	10.1	10.1	130.9	25.2	75.5
1904..	1,796.6	29.6	4.9	.....	.....	4.9	4.9	24.7	9.9	113.5	24.7	49.3
Cambridge, Mass.												
1900..	1,711.9	17.4	1.1	.....	1.1	9.8	12.0	79.4	19.6	248.1	20.7	94.7
1901..	1,631.7	8.5	2.1	3.2	11.7	6.4	11.7	62.7	24.4	220.1	25.5	108.4
1902..	1,442.0	10.4	.....	33.2	5.2	6.2	9.3	36.4	3.1	194.3	28.0	85.2
1903..	1,449.6	10.2	.....	.....	4.1	9.1	14.2	28.4	11.2	168.6	26.4	81.3
1904..	1,383.3	14.9	3.0	.....	7.0	3.0	2.0	23.8	11.9	187.8	25.8	99.4

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	86.2	153.3	76.7	76.7	67.1	57.5	124.6	28.7	105.4	9.6	86.2	86.2	153.3	9.6
.....	18.4	46.1	119.9	83.0	64.5	55.3	73.7	83.0	83.0	46.1	9.2	46.1	27.7	212.0	9.2
.....	.....	26.6	204.2	142.1	97.7	62.2	88.8	44.4	26.6	44.4	8.9	62.2	71.0	222.0	.....
.....	25.7	42.8	119.9	119.9	102.8	77.1	60.0	102.8	60.0	60.0	8.6	94.2	17.1	214.2	.....
.....	16.6	24.8	82.8	99.3	91.0	82.8	33.1	99.3	66.2	66.2	.....	57.9	33.1	173.8	8.3
12.5	.....	37.4	174.3	161.8	211.6	62.2	62.2	62.2	161.8	87.1	12.5	99.6	.....	124.5	12.5
.....	.....	36.6	280.6	207.4	183.0	134.2	85.4	24.4	61.0	97.6	.....	85.4	36.6	109.7	.....
.....	.....	59.8	191.4	95.7	107.6	59.8	47.8	59.8	83.7	47.8	.....	71.7	59.8	59.8	.....
.....	23.5	.....	246.3	175.9	70.4	105.5	46.9	82.1	93.8	70.4	.....	11.7	23.5	129.0	.....
.....	11.5	11.5	161.1	264.7	69.1	46.0	80.6	80.6	195.7	46.0	34.5	23.0	11.5	195.7	11.5
.....	11.3	146.3	112.5	67.5	213.8	101.3	675.2	33.8	33.8	101.3	.....	78.8	112.5	101.3	67.5
.....	.....	95.7	42.5	42.5	138.3	53.2	287.2	31.9	53.2	95.7	.....	31.9	85.1	21.3	31.9
.....	.....	60.5	90.7	50.4	181.5	80.7	100.8	60.5	40.3	50.4	.....	70.6	60.5	90.7	30.2
.....	28.7	115.0	115.0	134.2	201.3	47.9	306.7	19.2	28.7	86.3	.....	210.8	76.7	95.8	.....
.....	18.3	109.6	54.8	82.2	191.8	82.2	228.3	63.9	18.3	100.5	.....	146.1	91.3	73.0	91.3
.....	21.6	36.0	136.9	230.5	72.0	115.3	57.6	57.6	79.2	43.2	7.2	64.8	28.8	129.7	.....
.....	7.0	14.1	155.1	162.1	105.7	49.3	63.4	63.4	63.4	42.3	7.0	49.3	14.1	105.7	.....
.....	20.7	6.9	110.4	255.2	62.1	103.5	48.3	27.6	96.6	68.9	6.9	75.9	55.2	89.7	.....
.....	20.3	20.3	87.8	222.9	67.5	94.6	94.6	60.8	121.6	67.5	13.5	94.6	20.3	94.6	.....
.....	26.5	26.5	185.3	324.3	112.5	33.1	53.0	19.9	119.2	46.3	6.6	59.6	6.6	79.4	.....
.....	6.2	105.3	185.8	167.2	223.0	111.5	272.5	99.1	92.9	229.2	6.2	37.2	111.5	142.5	24.8
.....	18.4	79.7	153.2	98.1	104.2	141.0	306.5	61.3	73.6	110.3	12.3	73.6	91.9	153.2	30.6
.....	30.3	133.5	206.3	109.2	206.3	139.5	266.9	60.7	54.6	157.7	12.1	60.7	103.1	109.2	12.1
.....	6.0	102.1	150.1	198.1	144.1	120.1	120.1	36.0	66.1	174.1	6.0	36.0	96.1	108.1	.....
.....	17.8	83.2	255.6	267.5	160.5	154.5	124.8	29.7	89.2	231.8	.....	23.8	35.7	107.0	5.9
.....	15.1	45.4	204.3	151.3	158.9	118.5	75.7	98.4	103.4	80.7	10.1	68.1	53.0	211.9	.....
.....	17.4	19.9	152.1	112.2	154.6	92.2	62.3	114.7	87.3	92.2	10.0	79.8	54.8	199.4	.....
2.5	9.8	22.2	278.5	160.2	128.1	64.1	64.1	88.7	140.5	41.9	17.2	93.7	34.5	167.6	2.5
.....	24.4	14.6	192.5	170.6	109.7	70.7	63.4	82.8	85.3	56.0	19.5	87.7	24.4	216.8	.....
2.4	9.6	28.9	250.6	245.8	125.3	81.9	120.5	110.9	134.9	53.0	7.2	98.8	36.1	161.4	.....
1.6	15.2	45.3	136.7	213.1	174.7	108.2	153.7	100.7	81.3	91.8	13.7	91.6	40.3	166.7	10.2
2.1	14.1	38.6	145.4	214.1	145.2	118.7	133.4	101.9	82.0	95.3	14.3	114.3	39.5	156.4	7.2
1.2	13.7	38.1	141.8	230.7	152.2	118.3	122.0	93.3	77.8	92.4	13.4	101.6	44.1	156.5	6.0
1.8	13.8	34.6	127.8	225.2	156.4	104.3	117.4	86.5	83.6	94.5	13.5	96.0	34.1	147.8	7.4
1.5	18.0	32.7	135.9	222.5	149.7	104.2	109.3	89.1	79.6	93.9	12.2	94.2	30.5	155.6	4.6
1.4	12.7	42.3	139.5	114.1	190.2	88.7	173.2	90.1	126.8	98.6	19.7	88.7	16.9	123.9	2.8
1.4	12.3	38.2	129.8	157.1	135.2	110.7	184.4	71.0	91.5	64.2	8.2	75.1	23.2	113.4	1.4
.....	9.3	33.1	147.2	148.5	123.3	84.9	164.4	83.5	140.5	91.5	5.3	72.9	17.2	99.4	1.3
2.6	15.4	38.6	144.3	171.3	109.5	128.8	119.8	72.1	124.9	90.2	15.4	105.6	19.3	123.7	2.6
.....	11.3	41.3	103.9	164.1	125.2	83.9	155.3	95.2	156.6	72.6	12.5	102.7	17.5	121.5	2.5
.....	7.1	21.6	251.6	208.5	79.1	79.1	179.7	71.9	115.0	86.3	.....	43.1	64.7	122.1	.....
.....	14.1	.....	240.1	120.0	77.7	28.2	56.5	105.9	127.1	70.6	.....	21.2	56.5	63.5	.....
.....	.....	55.5	173.5	131.8	131.8	90.2	138.8	41.6	180.5	13.9	.....	34.7	55.5	104.1	.....
.....	27.3	27.3	170.5	156.9	81.9	95.5	40.9	102.3	184.2	68.2	.....	54.6	40.9	54.6	.....
6.7	6.7	13.4	187.8	120.7	107.3	87.2	100.6	107.3	140.9	26.8	.....	67.1	73.8	120.7	13.4
.....	20.8	62.2	134.8	124.4	134.8	62.2	93.3	83.0	83.0	83.0	10.4	41.5	20.8	124.4	.....
10.1	30.4	10.1	91.2	121.6	70.9	30.4	50.7	60.8	81.1	30.4	10.1	70.9	30.4	131.7	.....
.....	29.7	29.7	138.7	128.8	128.8	49.5	128.8	79.3	9.9	59.4	.....	89.2	39.6	277.4	.....
.....	9.7	29.1	184.1	145.3	174.4	67.8	135.6	77.5	58.1	58.1	9.7	87.2	.....	116.3	.....
.....	9.5	208.6	104.3	180.1	189.6	47.4	161.2	47.4	113.7	56.9	9.5	56.9	19.0	199.1	.....
.....	17.5	39.9	129.8	127.3	94.9	69.9	82.4	39.9	64.9	74.9	5.0	49.9	44.9	102.3	7.5
2.4	9.7	48.4	92.0	150.1	121.0	60.5	77.4	48.4	36.3	87.1	19.4	50.8	41.1	106.5	.....
.....	4.7	32.9	112.7	129.2	51.7	54.0	47.0	47.0	63.4	56.4	4.7	39.9	30.5	129.2	7.0
.....	11.4	36.5	134.6	120.9	45.6	34.2	43.3	73.0	57.0	82.1	18.3	47.9	22.8	125.4	2.3
.....	8.9	26.6	124.2	159.6	70.9	59.9	64.3	77.6	46.6	64.3	11.0	53.2	26.6	146.3	4.4
.....	10.0	15.1	100.3	215.7	80.3	60.2	45.1	40.1	65.2	60.2	.....	35.1	25.1	150.5	35.1
4.8	9.7	9.7	120.7	159.3	77.2	57.9	43.4	53.1	67.6	62.7	4.8	57.9	29.0	96.5	4.8
4.7	13.9	13.9	93.0	148.8	79.1	74.4	74.4	46.5	41.8	37.2	.....	32.5	27.9	167.4	4.7
.....	26.9	.....	130.2	184.0	58.3	44.9	53.9	22.4	31.4	26.9	9.0	26.9	26.9	103.2	4.5
.....	17.3	4.3	104.0	203.8	86.7	56.4	30.4	43.4	73.7	30.4	4.3	39.0	8.7	117.0	.....
1.1	12.8	45.7	128.0	129.7	83.7	202.0	144.7	86.3	82.3	80.9	9.1	71.5	47.7	59.9	2.0
2.2	11.0	32.9	121.5	146.1	89.5	126.5	136.7	81.8	79.3	75.4	14.1	100.0	17.4	149.7	.....
1.6	12.9	32.8	124.6	152.8	81.8	125.9	113.3	86.1	76.1	67.2	9.7	90.7	18.8	138.3	.....
1.3	15.4	31.2	132.2	169.6	83.1	107.8	121.7	94.4	85.0	72.6	12.3	115.1	18.9	158.9	1.0
1.5	18.4	26.1	138.6	175.7	90.3	116.6	133.7	85.4	90.0	78.0	10.2	94.1	19.7	143.2	0.5
4.3	8.6	43.1	159.5	103.5	129.3	43.1	34.5	112.1	86.2	43.1	21.6	90.5	86.2	232.7	.....
4.3	8.6	25.6	133.2	141.8	103.1	60.2	64.5	86.0	73.1	38.7	25.8	111.7	60.2	193.4	4.3
.....	12.9	17.1	175.8	107.2	94.3	30.0	81.4	94.3	68.6	34.3	21.4	55.7	51.4	248.6	25.7
4.3	8.5	.....	162.5	119.7	106.9	55.6	29.9	94.0	51.3	17.1	8.5	85.5	29.9	175.3	12.8
.....	21.3	12.8	170.5	136.4	123.6	38.4	46.9	89.5	55.4	55.4	4.3	132.1	72.5	251.5	12.8
5.4	10.7	48.3	182.4	123.4	166.3	96.6	182.4	80.5	53.6	144.8	10.7	48.3	69.7	187.8	10.7
.....	15.8	78.8	199.5	141.8	78.8	110.3	178.5	47.3	84.0	94.5	5.2	105.0	78.8	194.3	.....
.....	5.1	108.0	128.5	149.1	87.4	154.2	133.7	61.7	92.6	154.2	.....	51.4	61.7	215.9	.....
5.0	25.2	65.5	176.3	146.1	151.1	141.0	146.1	141.0	85.6	156.1	10.1	60.4	85.6	261.9	.....
.....	14.8	103.7	138.2	138.2	153.0	79.0	172.8	79.0	93.8	148.1	19.7	39.2	128.3	202.4	.....
3.2	8.7	30.5	134.9	143.7	126.2	107.8	157.8	65.3	67.5	103.4	6.5	68.6	66.4	107.7	9.8
1.1	9.6	39.3	141.4	177.5	133.9	96.7	97.8	53.2	52.1	91.4	7.4	70.2	62.7	111.6	1.1
2.1	15.6	31.2	120.5	168.3	134.0	85.2	89.4	47.8	51.9	82.1	5.2	40.5	47.8	108.1	1.0
4.1	5.1	29.4	143.2	156.4	140.2	96.5	103.6	54.9	68.1	95.5	11.2	45.7	53.8	87.4	1.0
1.0	12.9	30.8	108.3	199.8	105.3	71.6	105.3	51.7	60.6	84.5	4.0	40.8	24.8	102.3	1.0

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Camden, N. J	1900	1,801.5	13.2	2.6	.....	10.5	4.0	2.6	172.5	17.1	142.2	15.8	44.8
	1901	1,810.2	15.5	.....	2.6	.....	5.2	14.2	81.6	25.9	189.1	23.3	63.4
	1902	1,746.1	22.9	.....	24.2	3.8	5.1	19.1	36.9	15.3	157.9	33.1	62.4
	1903	1,603.8	13.8	.....	7.5	.....	10.0	12.5	31.3	10.0	186.7	22.6	63.9
	1904	1,914.8	21.0	1.2	8.6	16.0	17.3	3.7	88.8	8.6	202.2	30.8	66.6
Canton, Ohio	1900	1,173.9	29.3	.....	.....	3.3	.....	16.3	45.6	9.8	94.6	9.8	45.6
	1901	1,147.4	16.1	.....	.....	.....	.....	6.4	19.3	16.1	128.6	9.6	48.3
	1902	1,124.7	12.7	.....	3.2	.....	.....	.....	9.5	3.2	91.9	12.7	31.7
	1903	1,146.5	21.9	.....	.....	.....	12.5	31.2	21.9	18.7	134.3	12.5	43.7
	1904	1,124.4	30.8	.....	.....	3.1	3.1	.....	18.5	9.2	98.6	18.5	58.5
Carbondale, Pa	1900	2,016.8	36.9	.....	.....	.....	29.6	36.9	147.8	39.1	36.9	29.6	73.9
	1901	1,640.5	14.5	.....	.....	7.3	7.3	.....	58.1	29.0	65.3	7.3	65.3
	1902	1,890.7	42.8	.....	.....	35.7	.....	78.5	35.7	35.7	99.9	28.5	42.8
	1903	1,627.4	63.1	7.0	.....	.....	.....	7.0	133.3	21.0	98.2	7.0	28.1
	1904	1,772.9	34.5	.....	.....	.....	.....	.....	62.1	48.3	89.7	27.6	34.5
Carlisle, Pa	1900	2,119.3	10.4	.....	.....	.....	.....	10.4	135.0	31.2	197.4	41.6	72.7
	1901	1,852.1	20.4	10.2	.....	.....	.....	20.4	61.0	61.0	234.0	20.4	40.7
	1902	1,326.3	10.0	39.9	.....	.....	.....	10.0	19.9	.....	149.6	29.9	59.8
	1903	1,642.4	48.9	.....	.....	58.6	.....	.....	.....	.....	195.5	9.8	68.4
	1904	1,610.7	.....	9.6	.....	.....	.....	9.6	9.6	19.2	201.3	19.2	95.9
Central Falls, R. I	1900	1,976.1	27.5	5.5	5.5	27.5	11.0	16.5	33.0	33.0	132.1	5.5	49.5
	1901	1,615.2	16.1	16.1	10.7	21.5	5.4	.....	42.9	37.6	209.3	26.8	37.6
	1902	1,502.4	31.4	15.7	.....	10.5	26.2	.....	31.4	10.5	104.7	31.4	31.4
	1903	1,727.0	10.2	5.1	5.1	5.1	30.7	46.0	25.5	25.5	158.4	15.3	35.8
	1904	1,402.3	10.0	.....	.....	.....	5.0	.....	20.0	29.9	104.8	39.9	59.9
Charleston, S. C	1900	3,501.4	132.6	69.9	.....	1.8	3.6	8.9	19.7	111.1	440.8	7.2	69.9
	1901	3,150.7	85.9	85.9	.....	.....	10.7	.....	17.9	75.1	373.9	26.8	59.0
	1902	3,108.4	80.4	66.1	3.6	5.4	5.4	1.8	14.3	30.4	382.3	33.9	51.8
	1903	2,884.3	64.2	46.4	16.1	1.8	1.8	33.9	3.6	30.3	387.1	37.5	53.5
	1904	3,004.6	58.8	46.3	5.3	.....	1.8	.....	8.9	32.0	363.3	17.8	49.9
Chelsea, Mass	1900	1,907.7	20.5	5.9	.....	2.9	.....	14.7	82.2	44.0	187.8	11.7	85.1
	1901	1,680.7	28.8	.....	.....	.....	5.8	2.9	46.1	23.0	173.3	11.5	69.2
	1902	1,866.6	31.2	.....	.....	25.5	5.7	25.5	31.2	2.8	175.6	17.0	87.8
	1903	1,776.1	13.9	5.6	.....	2.8	2.8	33.4	11.1	19.5	206.0	16.7	80.7
	1904	1,872.1	32.8	.....	.....	13.7	8.2	.....	41.1	32.8	224.5	8.2	82.1
Chicago, Ill	1900	1,534.3	21.1	1.9	0.2	12.7	14.1	16.9	49.6	10.4	165.8	18.8	60.4
	1901	1,393.2	29.8	1.2	0.2	10.2	11.1	12.6	28.5	15.9	147.5	20.5	63.7
	1902	1,458.9	45.1	0.9	0.3	8.2	26.4	13.3	34.4	8.4	147.0	18.7	64.7
	1903	1,534.7	32.1	1.0	2.5	15.4	16.3	13.7	33.7	14.0	158.1	24.1	64.4
	1904	1,381.6	20.2	0.5	1.5	2.8	7.8	7.2	21.1	10.9	163.9	20.9	64.0
Chicopee, Mass	1900	2,113.0	31.3	.....	5.2	10.4	.....	5.2	20.9	36.5	213.9	31.3	26.1
	1901	1,727.7	25.4	.....	.....	.....	.....	45.7	50.8	30.5	137.2	25.4	45.7
	1902	1,971.2	9.9	9.9	.....	9.9	69.3	5.0	99.1	5.0	99.1	14.8	54.5
	1903	1,951.4	19.3	4.8	.....	14.5	207.7	24.2	43.5	4.8	154.6	9.7	29.0
	1904	1,597.9	9.4	.....	.....	4.7	18.9	4.7	37.7	18.9	179.1	23.6	66.0
Chillicothe, Ohio	1900	2,019.1	69.4	23.1	.....	.....	.....	23.1	15.4	38.5	323.7	.....	61.7
	1901	1,856.2	76.1	.....	.....	15.2	.....	.....	15.2	68.5	243.4	7.6	98.9
	1902	1,712.5	82.6	.....	.....	.....	.....	22.5	7.5	7.5	187.8	22.5	90.1
	1903	1,535.3	29.7	.....	.....	37.1	.....	7.4	7.4	22.3	148.3	22.3	81.6
	1904	1,355.1	95.2	.....	.....	.....	.....	29.3	22.0	44.0	212.4	.....	58.6
Chippewa Falls, Wis	1900	1,457.9	24.7	.....	.....	.....	12.4	12.4	.....	.....	185.3	12.4	61.8
	1901	1,149.0	12.4	12.4	.....	.....	24.7	.....	24.7	49.4	123.5	24.7	37.1
Cincinnati, Ohio	1900	1,818.3	39.0	1.2	2.5	1.2	8.3	5.5	27.9	15.0	202.2	21.8	70.6
	1901	1,953.0	54.9	4.6	0.3	18.3	7.9	5.8	21.7	41.5	236.5	29.6	77.8
	1902	1,806.5	61.9	4.2	1.8	17.3	17.9	6.7	23.4	14.3	206.9	28.2	78.0
	1903	1,877.5	42.7	1.2	4.2	9.9	11.1	6.9	18.6	31.8	237.9	30.6	83.5
	1904	2,084.7	80.2	0.9	3.5	23.1	7.0	2.0	13.5	34.6	268.9	36.9	80.0
Cleveland, Ohio	1900	1,763.1	56.8	1.8	5.0	2.3	9.7	5.5	56.8	7.1	127.3	5.5	53.2
	1901	1,520.9	34.9	1.8	5.1	4.1	10.2	2.8	43.8	15.8	108.1	14.0	59.4
	1902	1,583.0	35.5	0.7	57.8	4.5	10.2	9.2	52.6	4.5	117.4	11.7	54.3
	1903	1,662.9	115.0	0.7	5.5	2.9	4.3	13.0	48.4	7.7	131.8	12.5	62.2
	1904	1,537.9	49.6	1.2	1.4	12.2	0.9	2.3	33.4	5.2	143.8	12.7	61.1
Clinton town, Mass	1900	1,536.5	7.3	.....	.....	7.3	.....	65.9	29.3	.....	139.0	7.3	21.9
	1901	1,593.9	28.6	7.1	.....	7.1	.....	.....	21.5	14.3	128.7	.....	35.7
	1902	1,592.7	20.9	14.0	.....	20.9	.....	7.0	20.9	.....	125.8	20.9	41.9
	1903	1,496.0	20.5	6.8	.....	6.8	.....	.....	27.3	13.7	102.5	13.7	41.0
	1904	1,182.9	26.7	.....	.....	.....	.....	.....	.....	13.4	40.1	6.7	33.4
Cohoes, N. Y	1900	1,982.4	117.1	.....	.....	4.2	12.5	16.7	16.7	12.5	204.9	29.3	58.5
	1901	1,954.3	66.5	.....	.....	4.2	4.2	4.2	33.3	20.8	274.4	12.5	45.7
	1902	1,790.0	124.0	.....	.....	.....	4.1	49.6	12.4	8.3	190.2	12.4	53.8
	1903	1,915.3	94.5	4.1	.....	.....	53.4	32.9	8.2	16.4	217.8	20.5	86.3
	1904	1,871.7	102.2	.....	.....	.....	20.4	4.1	28.6	24.5	237.0	45.0	85.8
Columbia, Pa	1900	1,997.4	81.2	.....	.....	.....	.....	.....	138.1	8.1	146.2	24.4	89.3
	1901	1,737.7	80.1	.....	.....	.....	.....	.....	56.1	8.0	128.1	24.0	56.1
	1902	1,524.5	79.0	.....	15.8	.....	15.8	.....	.....	.....	79.0	7.9	15.8
	1903	1,371.6	54.5	.....	.....	.....	46.8	7.8	.....	.....	116.9	15.6	39.0
	1904	1,452.7	122.3	.....	.....	22.9	.....	.....	.....	.....	91.8	.....	61.2
Columbus, Ind	1900	2,127.9	123.0	12.3	.....	.....	12.3	.....	12.3	49.2	332.1	12.3	61.5
	1901	1,602.7	36.3	.....	.....	108.8	.....	.....	24.2	36.3	205.5	36.3	24.2
	1902	1,545.4	23.8	11.9	.....	.....	.....	11.9	59.4	11.9	178.3	35.7	83.2
	1903	1,403.0	35.1	.....	.....	11.7	.....	23.4	46.8	93.5	233.8	11.7	23.4
	1904	1,713.8	103.5	.....	.....	34.5	.....	11.5	46.0	34.5	287.6	34.5	46.0

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.3	4.0	72.4	197.5	151.5	144.9	71.1	117.2	90.9	117.2	111.9	1.3	84.3	100.1	104.0	6.6
3.9	6.5	60.9	212.4	170.9	142.4	79.0	97.1	90.6	121.7	81.6	5.2	123.0	88.0	106.2	.....
.....	7.6	44.6	196.1	173.2	154.1	93.0	79.0	91.7	132.5	107.0	5.1	119.7	59.9	101.9	.....
.....	1.3	40.1	196.7	161.6	110.3	66.4	91.5	73.9	110.3	104.0	6.3	104.0	78.9	100.2	.....
.....	7.4	40.7	167.7	186.2	166.4	93.7	138.1	94.9	164.0	93.7	6.2	111.0	56.7	123.3	.....
.....	9.8	22.8	212.0	55.4	94.6	35.9	61.9	65.2	52.2	42.4	9.8	55.4	52.2	123.9	26.1
3.2	6.4	19.3	173.5	93.2	118.9	35.3	41.8	80.3	32.1	16.1	3.2	86.8	83.6	106.1	3.2
.....	15.9	25.4	167.9	107.1	88.7	47.6	50.7	72.9	50.7	50.7	15.9	85.6	95.1	82.4	3.2
.....	12.5	21.9	134.3	131.2	65.6	37.5	46.9	56.2	37.5	71.9	9.4	75.0	37.5	106.2	6.2
6.2	15.4	27.7	126.3	98.6	98.6	55.5	24.6	77.0	40.0	52.4	9.2	70.9	64.7	104.7	12.3
.....	14.8	59.1	214.2	118.2	169.9	140.4	96.0	133.0	51.7	81.3	.....	221.6	103.4	155.1	7.4
.....	7.3	50.8	181.5	145.2	159.6	137.9	101.6	108.9	79.8	58.0	7.3	145.2	87.1	108.9	7.3
.....	7.1	78.5	228.4	171.2	171.2	164.1	128.4	78.5	78.5	42.8	7.1	128.4	57.1	149.8	.....
.....	35.1	35.1	91.2	154.4	105.2	126.3	70.1	98.2	63.1	70.1	.....	182.4	77.2	154.3	.....
6.9	41.4	41.4	193.1	144.8	200.0	89.7	110.4	124.2	89.7	69.0	.....	227.6	48.3	89.7	.....
.....	.....	83.1	280.5	218.2	155.8	51.9	72.7	145.4	114.3	93.5	.....	41.6	93.5	238.9	31.2
10.2	10.2	40.7	203.5	162.8	101.8	111.9	111.9	122.1	50.9	91.6	.....	50.9	81.4	223.9	10.2
.....	.....	.....	219.4	139.6	39.9	79.8	99.7	119.7	19.9	59.8	.....	39.9	39.9	139.6	10.0
.....	.....	39.1	254.2	205.3	68.4	78.2	48.9	97.8	29.3	97.8	.....	88.0	88.0	136.9	29.3
.....	9.6	19.2	210.9	153.4	143.8	76.7	38.3	95.9	57.5	76.7	.....	38.3	95.9	220.5	9.6
.....	27.5	55.0	159.7	137.6	198.2	214.7	319.3	66.1	110.1	66.1	5.5	66.1	38.5	165.1	.....
.....	10.7	80.5	118.1	85.8	91.2	187.8	193.2	91.2	53.7	85.8	16.1	37.6	10.7	123.4	5.4
.....	.....	78.5	104.7	115.2	109.9	136.1	235.6	83.8	83.8	68.0	5.2	52.3	20.9	115.2	.....
5.1	.....	30.7	117.5	122.6	178.9	199.3	311.7	51.1	102.2	66.4	15.3	51.1	10.2	102.2	.....
.....	5.0	44.9	139.7	74.8	119.8	129.8	164.7	94.8	89.8	74.8	.....	64.9	10.0	119.8	.....
10.7	7.2	30.5	406.7	224.0	175.6	120.0	336.9	152.3	408.6	207.9	5.4	123.6	127.2	292.1	7.2
3.6	.....	26.8	379.3	182.5	173.6	93.0	322.1	146.7	373.9	173.6	1.8	87.7	153.9	297.0	.....
8.9	8.9	30.4	368.0	210.8	198.3	76.8	380.5	151.8	339.4	157.2	8.9	110.8	130.4	250.1	1.8
5.3	1.8	17.8	344.3	160.5	126.6	82.1	305.0	123.1	347.8	94.5	5.3	83.8	110.6	397.8	1.8
3.6	1.8	23.1	333.1	208.1	124.7	78.4	377.6	110.4	393.6	103.3	1.8	96.2	119.3	340.2	5.3
2.9	23.5	55.8	243.6	173.2	132.1	96.9	129.1	64.6	61.6	135.0	17.6	76.3	85.1	155.6	.....
5.8	8.6	57.6	216.2	236.4	86.5	80.7	115.3	74.9	89.3	80.7	5.8	63.4	43.2	152.8	2.9
5.7	8.5	34.0	229.4	209.6	144.4	104.8	124.6	113.3	87.8	119.0	11.3	45.3	90.6	136.0	.....
2.8	16.7	22.3	189.3	228.3	91.9	75.2	105.8	77.9	133.6	128.0	8.3	69.6	36.2	197.7	.....
.....	13.7	46.5	251.8	229.9	120.4	93.1	134.1	73.9	150.5	68.4	16.4	87.6	19.2	123.2	.....
1.0	6.7	39.4	123.5	127.6	209.2	89.4	127.4	74.7	74.2	50.9	21.4	82.8	16.4	116.0	1.8
0.8	8.2	31.5	110.1	121.9	139.2	85.3	125.1	76.6	71.6	44.1	22.5	82.7	14.6	117.5	0.3
0.5	8.4	32.8	107.2	125.5	143.8	108.2	120.5	81.2	85.4	37.4	24.1	85.0	14.7	116.3	0.5
0.6	9.2	30.3	108.8	126.2	180.4	105.0	119.2	76.2	99.2	40.9	25.0	116.4	11.9	109.8	0.3
0.7	10.0	24.2	98.2	127.2	154.7	90.3	111.5	74.3	99.9	51.4	21.1	88.8	9.4	98.5	0.6
.....	.....	125.2	182.6	93.9	208.7	177.4	370.4	67.8	62.6	161.8	5.2	62.6	83.5	130.5	.....
.....	5.1	101.6	172.8	157.5	127.0	81.3	147.4	45.7	91.5	203.3	.....	76.2	40.7	116.9	.....
.....	5.0	123.8	153.5	113.9	123.8	108.9	267.4	54.5	94.1	188.2	5.0	69.3	138.7	148.6	.....
.....	19.3	77.3	130.4	106.3	149.7	120.8	207.7	67.6	82.1	164.2	.....	115.9	67.6	130.4	.....
.....	4.7	94.3	136.7	165.0	84.8	84.8	188.5	61.3	75.4	108.4	4.7	103.7	18.9	103.7	.....
15.4	30.8	84.8	177.3	123.3	123.3	84.8	123.3	92.5	46.2	46.2	7.7	92.5	161.8	254.3	.....
7.6	.....	38.0	175.0	159.8	106.5	76.1	114.1	76.1	38.0	22.8	15.2	121.7	114.1	266.3	.....
.....	.....	52.6	157.7	195.3	105.2	60.1	60.1	45.1	60.1	52.6	30.0	75.1	105.2	285.4	7.5
.....	.....	44.5	133.5	237.3	74.2	51.9	51.9	89.0	37.1	66.8	14.8	103.8	103.8	170.6	.....
14.6	.....	29.3	73.2	102.5	102.5	65.9	44.0	73.2	44.0	80.6	22.0	80.6	51.3	109.9	.....
12.4	.....	12.4	148.2	123.5	37.1	24.7	123.5	111.2	24.7	111.2	.....	86.5	148.2	185.3	.....
12.4	.....	12.4	135.9	61.7	61.7	74.1	12.4	61.7	37.1	37.1	.....	98.8	24.7	197.7	12.4
1.5	8.9	70.6	171.9	144.2	131.3	139.3	104.9	111.4	108.6	69.0	12.9	90.8	88.7	165.7	3.4
0.9	9.8	58.0	166.6	168.7	131.5	152.2	106.5	114.1	122.0	76.0	24.4	117.2	31.7	173.6	0.9
1.8	6.7	54.0	142.9	178.1	118.9	131.7	110.5	119.2	117.4	75.3	21.2	97.1	25.5	145.6	.....
1.8	9.0	44.2	166.7	164.9	120.2	143.3	104.2	108.1	124.1	70.9	24.3	115.3	41.1	161.0	.....
2.3	10.3	50.4	162.3	188.3	164.0	156.1	135.6	113.6	131.8	73.8	25.5	104.8	39.0	176.0	0.3
1.8	4.4	49.2	214.3	127.3	163.2	94.3	118.7	91.2	55.8	110.3	15.2	83.3	171.6	126.8	4.7
1.8	5.9	39.2	163.9	128.4	128.9	84.1	101.4	93.0	67.0	110.6	13.8	83.6	63.7	134.8	0.8
2.7	5.2	39.7	157.1	134.0	137.5	104.7	118.3	82.1	66.5	91.3	15.4	97.3	54.3	118.0	0.5
2.2	7.2	32.3	157.1	137.4	130.1	92.1	127.0	83.4	79.3	116.7	17.4	99.1	54.7	121.9	1.0
1.2	7.3	30.1	151.5	139.3	129.7	83.6	136.3	79.9	78.2	96.8	17.1	86.5	40.4	134.6	1.6
7.3	7.3	36.6	80.5	102.4	95.1	95.1	153.7	109.8	36.6	175.6	7.3	87.8	73.2	146.3	43.9
.....	.....	28.6	107.2	200.1	92.9	64.3	114.4	114.4	64.3	114.4	21.5	78.6	143.0	200.1	7.1
.....	14.0	48.9	251.5	167.7	132.7	76.8	83.8	55.9	62.9	153.7	7.0	62.9	55.9	146.7	.....
6.8	6.8	27.3	136.6	116.1	218.6	27.3	143.5	75.1	34.2	102.5	13.7	123.0	41.0	184.4	6.8
.....	13.4	13.4	93.6	120.3	160.4	66.8	120.3	100.2	53.5	66.8	20.0	73.5	33.4	120.3	6.7
4.2	4.2	79.5	209.1	87.8	196.6	71.1	196.6	125.5	71.1	125.5	4.2	146.4	58.5	129.7	.....
.....	16.6	108.1	158.0	145.5	216.2	120.6	149.7	103.9	83.1	95.6	4.2	99.8	41.6	141.4	4.2
.....	8.3	66.1	153.0	124.0	148.8	111.6	107.5	107.5	78.5	111.6	12.4	107.5	62.0	136.4	.....
.....	.....	78.1	160.3	102.8	143.9	139.7	156.2	102.8	57.5	106.9	4.1	102.8	82.2	143.9	.....
.....	4.1	57.2	179.8	81.7	110.3	114.4	114.4	122.6	106.3	102.2	8.2	134.9	85.8	102.2	.....
.....	.....	56.8	251.7	129.9	170.5	56.8	48.7	97.4	48.7	89.3	.....	203.0	162.4	186.8	8.1
.....	24.0	32.0	264.2	136.1	152.1	24.0	88.1	64.1	56.1	72.1	.....	104.1	104.1	264.3	.....
.....	.....	31.6	158.0	158.0	102.7	63.2	63.2	94.7	39.5	55.3	15.8	150.1	165.9	213.2	.....
.....	7.8	39.0	202.6	140.3	77.9	77.9	54.5	62.4	77.9	54.5	7.8	140.3	23.4	124.7	.....
.....	.....	7.6	191.2	183.5	76.5	68.8	130.0	38.2	114.7	107.0	.....	107.0	38.2	91.8	.....
.....	.....	86.1	159.9	73.8	270.6	147.6	98.4	147.6	110.7	98.4	12.3	123.0	49.2	110.7	24.6
.....	.....	60.5	205.5	96.7	145.1	108.8	108.8	60.5	72.5	72.5	12.1	72.5	36.3	169.3	.....
23.8	11.9	59.4	118.9	178.3	83.2	47.5	83.2	107.0	47.5	71.3	.....	47.5	35.7	202.2	11.9
.....	35.1	46.8	140.3	70.1	116.9	81.8	58.4	46.8	.....	46.8	11.7	105.2	23.4	140.3	.....
.....	23.0	57.5	92.0	80.5	126.5	46.0	92.0	46.0	34.5	92.0	11.5	149.6	34.5	230.1	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Columbus, Ohio	1900	1,584.1	53.4	4.8	.....	7.2	8.8	13.5	22.3	22.3	209.5	19.9	67.7
	1901	1,434.8	48.1	5.4	.....	.....	14.7	3.9	7.0	24.1	206.4	19.4	51.2
	1902	1,588.8	37.1	.....	0.8	16.6	6.8	12.1	9.1	12.1	196.0	5.3	65.1
	1903	1,688.0	37.6	1.5	36.9	11.8	12.5	18.5	5.2	10.3	217.0	11.1	67.2
	1904	1,685.9	147.7	2.9	.....	7.9	10.1	1.5	17.3	13.0	214.0	43.2	72.8
Concord, N. H	1900	1,742.1	5.1	.....	.....	5.1	.....	25.5	25.5	30.5	96.8	.....	71.3
	1901	1,397.3	10.1	.....	5.0	.....	.....	5.0	35.2	35.2	140.7	25.1	45.2
	1902	1,741.2	14.9	.....	.....	.....	.....	5.0	9.9	29.8	138.9	9.9	74.4
	1903	1,772.7	19.6	.....	.....	39.2	.....	14.7	19.6	24.5	122.4	19.6	73.4
	1904	1,822.7	9.7	.....	.....	.....	.....	4.8	19.3	33.8	140.2	9.7	91.9
Corning, N. Y	1900	1,898.6	63.3	18.1	.....	.....	45.2	.....	135.6	18.1	135.6	18.1	81.4
	1901	1,582.4	35.4	.....	.....	17.7	8.8	.....	8.8	61.9	212.2	26.5	53.0
	1902	1,219.4	17.3	.....	.....	.....	8.6	.....	43.3	17.3	121.1	17.3	34.6
	1903	1,455.9	50.8	.....	.....	16.9	.....	16.9	8.5	.....	84.6	25.4	84.6
	1904	1,682.6	58.0	.....	.....	.....	8.3	8.3	82.9	24.9	116.0	16.6	99.5
Cortland, N. Y	1900	1,397.8	44.4	.....	.....	.....	22.2	.....	11.1	22.2	99.8	11.1	99.8
	1901	1,512.8	121.5	.....	.....	88.3	.....	.....	.....	55.2	33.1	44.2	66.3
	1902	1,022.2	11.0	.....	.....	.....	.....	.....	11.0	11.0	98.9	33.0	44.0
	1903	1,576.8	41.5	.....	.....	10.4	.....	.....	.....	20.7	93.4	31.1	134.9
	1904	1,487.0	10.3	.....	.....	20.7	.....	.....	.....	31.0	113.6	20.7	103.3
Covington, Ky	1900	1,919.0	44.2	.....	4.7	.....	7.0	14.0	34.9	7.0	207.3	11.6	55.9
	1901	2,195.7	27.6	9.2	.....	85.1	16.1	25.3	62.1	46.0	266.7	23.0	50.6
	1902	1,786.5	36.3	.....	.....	11.4	18.2	9.1	36.3	15.9	236.1	22.7	68.1
	1903	1,514.8	35.7	.....	2.2	15.6	13.4	6.7	17.9	40.2	198.9	22.3	64.8
	1904	1,864.6	39.7	.....	.....	35.3	6.6	35.3	24.3	44.1	233.9	30.9	61.8
Danbury town, Conn	1900	1,756.2	25.7	5.1	.....	10.3	10.3	.....	61.6	71.9	220.8	25.7	71.9
	1901	1,535.4	25.7	5.1	.....	10.3	10.3	.....	61.6	61.6	246.5	15.4	35.9
	1902	1,730.5	15.4	20.6	.....	5.1	25.7	30.8	66.8	15.4	164.3	15.4	77.0
	1903	1,740.8	46.2	5.1	.....	.....	10.3	.....	30.8	20.6	195.1	15.4	97.6
	1904	1,555.9	5.1	10.3	.....	10.3	.....	10.3	25.7	46.2	143.8	51.3	92.4
Danvers town, Mass	1900	2,212.6	11.7	.....	.....	.....	.....	.....	46.8	11.7	257.6	23.4	82.0
	1901	2,577.7	.....	46.2	.....	23.1	.....	.....	11.5	34.7	277.4	11.5	92.5
	1902	2,271.7	22.8	11.4	.....	.....	.....	.....	.....	.....	239.7	.....	114.2
	1903	2,706.1	11.3	.....	.....	.....	.....	.....	.....	11.3	270.6	33.8	135.3
	1904	3,174.4	33.4	.....	.....	.....	.....	.....	.....	.....	245.0	44.6	100.2
Danville, Ill	1900	1,791.6	61.2	18.3	.....	6.1	6.1	.....	42.8	.....	244.6	12.2	91.7
Davenport, Iowa	1900	1,458.0	53.9	2.8	.....	.....	2.8	.....	14.2	11.3	136.2	11.3	90.8
	1901	1,562.7	33.2	.....	2.8	13.9	2.8	2.8	13.9	44.3	169.0	8.3	80.4
	1902	1,389.1	29.8	.....	2.7	.....	27.1	5.4	13.5	13.5	138.1	16.2	111.0
	1903	1,464.2	31.8	7.9	.....	7.9	7.9	5.3	7.9	26.5	132.4	29.1	74.1
	1904	1,352.1	33.7	.....	.....	7.8	5.2	.....	2.6	5.2	129.5	15.5	103.6
Dayton, Ohio	1900	1,564.5	35.2	3.5	.....	1.2	7.0	3.5	37.5	12.9	171.1	24.6	75.0
	1901	1,612.6	34.2	2.3	.....	4.6	4.6	5.7	28.5	31.9	191.5	37.6	72.9
	1902	1,453.1	44.4	7.8	.....	22.2	4.4	17.7	21.1	5.5	177.5	36.6	68.8
	1903	1,377.3	23.7	1.1	6.5	.....	1.1	7.6	10.8	14.0	178.0	19.4	78.7
	1904	1,460.1	27.3	2.1	24.2	6.3	4.2	7.4	6.3	11.6	182.9	37.8	84.1
Decatur, Ill	1900	1,691.2	48.2	.....	.....	19.3	9.6	.....	43.4	24.1	163.8	28.9	86.7
	1901	1,439.3	42.8	9.5	.....	.....	23.8	33.2	4.7	38.0	152.0	4.7	28.5
	1902	1,541.5	14.0	.....	.....	9.3	51.2	9.3	46.6	9.3	149.0	23.3	79.2
	1903	1,286.1	18.4	.....	.....	36.7	.....	9.2	45.9	23.0	110.2	18.4	59.7
	1904	1,461.8	40.8	9.0	4.5	4.5	.....	22.6	4.5	13.6	172.0	22.6	99.6
Denver, Colo	1900	1,896.8	40.3	1.5	.....	8.2	20.9	8.2	20.2	11.2	375.0	22.4	55.3
	1901	2,002.3	48.7	0.7	1.5	4.4	47.2	2.2	34.7	19.2	396.2	34.7	70.8
	1902	1,908.2	60.6	0.7	.....	15.3	24.1	11.7	51.1	8.0	406.5	30.6	65.7
	1903	1,839.4	55.7	0.7	.....	2.7	19.0	7.5	34.0	9.5	409.9	30.6	63.2
	1904	1,961.5	30.3	.....	.....	18.2	14.1	14.1	31.6	8.1	457.9	35.6	72.0
Detroit, Mich	1900	1,630.0	28.4	3.1	0.3	18.9	6.3	7.3	29.1	6.3	113.1	17.8	74.2
	1901	1,529.6	20.1	3.4	0.3	4.4	18.0	10.2	18.0	28.9	110.3	17.4	63.3
	1902	1,559.4	23.5	3.0	2.3	22.9	24.2	18.9	44.4	4.6	115.7	15.9	64.0
	1903	1,581.0	20.0	1.6	3.6	4.8	7.1	18.7	71.7	11.6	107.6	13.6	78.2
	1904	1,492.2	17.6	2.2	0.3	12.9	11.3	2.2	44.4	9.4	118.7	23.3	74.6
Dover, N. H	1900	1,900.5	22.7	.....	.....	.....	.....	7.6	22.7	53.0	181.7	22.7	83.3
	1901	1,758.6	37.7	15.1	.....	22.7	.....	.....	37.7	67.9	173.6	.....	98.1
	1902	1,504.8	7.5	.....	.....	.....	.....	7.5	22.6	7.5	112.9	7.5	67.7
	1903	1,597.5	22.5	.....	.....	.....	.....	22.5	7.5	15.0	142.5	30.0	45.0
	1904	1,801.9	22.4	7.5	.....	.....	.....	.....	.....	15.0	239.3	37.4	82.2
Dubois, Pa	1900	2,197.3	53.3	21.3	.....	74.7	53.3	21.3	42.7	21.3	128.0	10.7	.....
	1901	1,629.2	20.6	.....	.....	.....	10.3	30.9	20.6	.....	82.5	10.3	10.3
	1902	1,606.6	59.9	.....	39.9	29.9	29.9	10.0	20.0	20.0	49.9	10.0	69.8
	1903	1,459.8	38.7	.....	.....	19.3	9.7	29.0	19.3	19.3	38.7	19.3	38.7
	1904	1,425.0	65.6	.....	18.7	28.1	.....	46.9	65.6	18.7	65.6	9.4	37.5
Duluth, Minn	1900	1,514.1	109.5	.....	1.9	18.9	5.7	11.3	30.2	1.9	100.1	41.5	56.6
	1901	1,348.1	75.3	.....	1.8	5.5	3.7	3.7	56.9	12.9	110.2	42.2	51.4
	1902	1,348.3	55.4	.....	.....	14.3	19.7	14.3	55.4	7.1	137.7	26.8	39.3
	1903	1,508.8	67.9	.....	.....	17.4	26.1	13.9	50.5	17.4	135.9	27.9	54.0
	1904	1,229.8	57.8	.....	.....	.....	15.3	.....	13.6	.....	156.3	22.1	69.6
Dunkirk, N. Y	1900	1,584.0	34.4	8.6	.....	.....	17.2	34.4	8.6	34.4	111.9	8.6	43.0
	1901	1,309.6	25.3	.....	.....	16.9	.....	8.4	.....	67.6	33.8	25.3	67.6
	1902	1,775.0	82.9	.....	.....	49.8	8.3	.....	91.2	41.5	91.2	.....	41.5
	1903	1,930.6	57.0	.....	.....	.....	105.9	48.9	32.6	32.6	114.0	.....	81.5
	1904	2,184.7	48.0	.....	.....	8.0	312.1	8.0	32.0	40.0	104.0	16.0	64.0

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
2.4	6.4	47.8	166.4	130.6	132.2	62.9	71.7	96.4	67.7	56.5	13.5	79.6	41.4	165.7	13.5
0.8	3.9	38.0	169.9	112.5	97.8	45.0	55.1	87.7	61.3	31.8	14.0	82.3	80.7	158.3	15.5
3.8	9.8	49.2	211.8	139.2	118.0	45.4	67.3	99.9	64.3	39.3	15.9	94.6	106.7	155.8	6.8
3.7	9.6	36.2	174.9	135.8	150.6	51.7	66.4	109.2	76.8	84.2	15.5	112.2	48.7	180.0	2.9
1.5	10.1	34.6	168.1	175.8	118.9	64.9	80.7	94.4	54.1	37.5	10.8	116.7	29.6	153.5	4.3
.....	15.3	61.1	270.0	173.2	107.0	157.9	81.5	61.1	86.6	66.2	10.2	61.1	91.7	224.1	15.3
.....	25.1	30.2	221.2	175.9	100.5	75.4	30.2	45.2	45.2	30.2	15.1	65.4	60.3	170.9	5.0
.....	19.8	54.6	322.5	198.4	124.0	59.5	69.5	84.3	99.2	49.6	9.9	44.6	49.6	272.9	.....
4.9	34.3	49.0	288.9	215.5	78.3	88.1	38.8	53.9	73.4	39.2	24.5	117.5	34.3	264.4	14.7
.....	38.7	29.0	290.1	217.6	120.9	67.7	106.4	72.5	96.7	38.7	24.2	101.5	48.3	256.2	4.8
.....	18.1	54.2	207.9	171.8	244.1	117.5	117.5	63.3	63.3	54.2	.....	81.4	45.2	135.6	9.1
.....	.....	44.2	159.1	176.8	123.8	53.0	79.6	106.1	53.0	26.5	17.7	141.5	8.8	168.0	.....
.....	17.3	34.6	95.1	181.6	129.7	34.6	43.3	103.8	60.5	17.3	.....	164.3	25.9	51.9	.....
.....	25.4	16.9	135.5	152.4	118.5	33.9	25.4	118.5	110.0	42.3	16.9	152.4	25.4	194.7	.....
.....	16.6	33.1	174.1	116.0	149.2	58.0	74.6	132.6	99.5	16.6	8.3	190.6	41.4	140.9	16.6
.....	11.1	11.1	221.9	133.1	44.4	110.9	77.6	122.0	33.3	55.5	.....	55.5	11.1	199.7	.....
.....	22.1	33.1	165.6	143.5	77.3	66.3	77.3	66.3	55.2	110.4	.....	44.2	55.2	187.7	.....
.....	.....	.....	98.9	153.9	33.0	54.9	33.0	54.9	120.9	33.0	.....	65.9	33.0	131.9	.....
.....	31.1	20.7	134.9	269.7	186.7	83.0	51.9	62.2	72.6	31.1	.....	93.4	10.4	197.1	.....
.....	.....	31.0	134.2	206.5	123.9	72.3	41.3	92.9	123.9	62.0	10.3	82.6	51.6	154.9	.....
14.0	7.0	93.2	202.6	165.4	128.1	79.2	72.2	86.1	160.7	88.4	11.6	109.5	184.0	121.1	9.3
.....	2.3	92.0	158.6	163.2	179.3	96.6	101.2	112.7	179.3	52.9	25.3	119.6	66.7	229.7	4.6
.....	4.5	52.2	179.3	152.1	133.9	99.9	79.5	106.7	172.5	61.3	15.9	59.0	74.9	133.9	6.8
4.5	8.9	82.7	118.4	109.5	134.1	49.2	58.1	111.7	140.8	42.5	6.7	89.3	46.9	89.3	4.5
2.2	8.8	68.4	134.6	158.9	198.6	68.4	64.0	83.9	152.3	59.6	13.2	79.4	70.6	187.6	2.2
.....	15.4	61.6	184.9	246.5	138.6	35.9	71.9	102.7	82.2	77.0	10.3	66.8	5.1	148.9	5.1
.....	20.6	41.1	154.0	190.0	71.9	46.2	123.3	46.2	107.8	71.9	10.3	61.6	.....	118.1	.....
5.1	.....	56.5	184.9	231.0	133.5	77.0	61.6	123.3	92.4	77.0	20.6	102.7	25.7	102.7	.....
.....	20.6	41.1	195.1	261.8	102.7	123.3	61.6	97.6	107.8	82.2	5.1	102.7	10.3	107.8	.....
.....	30.8	25.7	205.4	190.0	102.7	56.5	113.0	82.2	92.4	97.6	30.8	35.9	.....	92.4	5.1
.....	58.5	58.5	386.3	316.1	152.2	93.7	93.7	11.7	105.4	35.1	46.8	23.4	35.1	351.2	11.7
.....	.....	92.5	497.1	289.0	312.1	150.3	92.5	69.4	115.6	57.8	11.5	80.9	23.1	289.0	.....
.....	34.3	22.8	536.5	353.9	182.6	114.2	34.3	79.9	159.8	57.1	.....	45.7	22.8	239.7	.....
.....	33.8	33.8	462.3	417.2	360.8	180.4	124.0	56.4	157.9	67.6	56.4	56.4	11.3	225.5	.....
.....	.....	22.3	679.4	423.2	367.6	579.2	55.7	78.0	178.2	44.6	33.4	33.4	33.4	222.8	.....
.....	6.1	36.7	177.3	110.1	61.2	73.4	91.7	104.0	85.6	73.4	6.1	189.5	110.1	165.1	18.3
.....	.....	28.4	187.2	119.1	102.1	110.6	59.6	82.3	39.7	70.9	17.0	82.3	36.9	198.6	.....
.....	.....	16.6	238.3	144.1	74.8	85.9	83.1	66.5	44.3	33.2	24.9	105.3	52.6	221.7	.....
.....	.....	19.0	154.4	151.6	78.5	102.9	54.2	81.3	35.2	16.2	8.1	67.7	19.0	243.7	.....
.....	15.9	29.1	158.9	148.3	108.6	68.8	37.1	76.8	60.9	63.5	31.8	92.7	108.6	132.4	.....
.....	13.0	18.1	121.7	116.6	72.5	108.8	54.4	75.1	46.6	57.0	41.4	80.3	28.5	212.4	2.6
3.5	8.2	48.0	146.5	171.1	71.5	65.6	104.3	84.4	77.3	85.6	2.3	85.6	57.4	180.5	1.2
1.1	10.2	39.9	145.9	175.5	93.5	76.3	80.9	75.2	86.6	65.0	4.6	102.6	23.9	216.5	1.1
.....	8.9	43.2	136.4	140.9	78.8	68.8	64.3	86.5	66.6	74.3	4.4	93.2	36.6	142.0	2.2
2.2	9.7	31.3	125.1	149.9	85.2	53.9	78.7	79.8	78.7	44.2	7.6	113.3	23.7	153.1	.....
1.1	8.4	37.8	131.4	123.0	85.1	52.6	76.7	99.9	92.5	59.9	3.2	87.3	45.2	161.8	.....
.....	14.4	67.4	178.3	125.3	134.9	48.2	72.3	86.7	96.4	72.3	4.8	139.7	53.0	154.2	19.3
4.7	19.0	4.7	190.0	104.5	109.2	66.5	85.5	52.3	99.8	61.8	19.0	99.8	42.8	142.5	.....
4.7	.....	18.6	135.1	107.1	97.8	41.9	102.5	97.8	116.4	107.1	23.3	97.8	60.5	135.0	4.7
4.6	9.2	9.2	142.4	114.8	59.7	64.3	45.9	91.9	68.9	55.1	13.8	105.6	32.2	142.4	4.6
4.5	13.6	27.1	144.8	135.8	81.5	49.8	81.5	86.0	104.1	86.0	27.1	81.5	27.1	117.7	.....
3.7	12.7	47.1	133.7	143.5	189.8	103.1	65.8	130.8	89.7	82.9	11.2	97.1	64.2	155.3	3.0
2.9	11.1	56.8	138.0	150.5	222.8	94.4	68.6	115.8	98.1	59.8	22.1	73.8	44.3	183.0	.....
0.7	13.9	30.6	114.6	159.8	161.3	63.5	77.3	124.8	102.2	68.6	25.5	84.6	19.7	186.8	.....
1.4	9.5	35.3	132.6	167.2	139.4	69.3	76.8	110.8	99.3	75.5	27.1	89.7	9.5	161.8	1.4
0.7	12.8	26.9	115.0	162.7	214.5	83.4	52.4	121.0	114.3	58.5	33.6	93.5	10.8	179.5	.....
1.0	9.4	39.2	162.8	116.9	113.4	123.9	165.9	99.8	61.3	112.0	11.5	66.9	45.9	185.5	9.8
1.7	12.8	31.3	139.3	116.5	112.4	134.5	135.5	97.1	57.5	81.0	8.5	79.7	47.7	176.4	3.4
1.6	11.9	26.9	120.7	142.2	106.4	140.6	116.7	111.7	65.6	84.5	10.3	69.0	35.5	173.7	2.7
1.9	10.3	26.5	132.7	138.6	109.8	121.4	122.4	106.6	75.3	92.7	11.0	78.5	37.8	174.7	2.3
0.6	11.7	27.1	132.3	134.1	94.8	102.7	113.0	98.6	69.3	94.2	14.8	58.9	40.3	168.4	14.5
7.6	7.6	30.3	234.7	219.6	234.7	98.4	83.3	60.6	121.2	83.3	15.1	45.4	106.0	136.3	22.7
.....	22.7	30.2	226.5	188.7	98.1	45.3	196.2	60.4	83.0	7.5	.....	98.1	60.4	166.0	22.7
.....	15.0	15.0	210.7	263.4	143.0	22.6	112.9	75.2	105.3	15.0	7.5	90.3	82.8	60.2	52.7
.....	7.5	30.0	135.0	420.0	165.0	30.0	37.5	82.5	97.5	52.5	7.5	75.0	7.5	165.0	.....
.....	7.5	29.9	261.7	276.6	89.7	67.3	89.7	59.8	112.2	52.3	.....	74.8	59.8	209.3	7.5
.....	.....	53.3	128.0	138.7	96.0	106.7	416.0	106.7	21.3	106.7	10.7	128.0	181.3	213.3	64.0
.....	.....	20.6	154.7	113.4	154.7	72.2	165.0	134.1	20.6	103.1	10.3	185.6	123.7	134.1	51.6
.....	10.0	20.0	159.7	79.8	69.8	89.8	169.7	49.9	20.0	179.6	.....	139.7	69.8	179.6	29.9
.....	.....	29.0	145.0	48.3	67.7	67.7	183.7	87.0	77.3	125.7	19.3	183.7	58.0	125.7	9.7
9.4	9.4	28.1	65.6	75.0	56.3	121.9	131.3	84.4	56.3	93.7	9.4	112.5	75.0	140.6	.....
1.9	5.7	37.7	69.8	81.2	149.1	64.2	179.4	94.4	100.1	77.4	5.7	122.7	24.5	115.2	7.5
3.6	5.5	56.9	64.3	62.5	90.0	55.1	150.6	71.6	56.9	47.8	12.9	148.8	27.6	128.6	1.8
.....	5.4	28.6	75.1	87.6	82.3	62.6	109.1	68.0	68.0	55.4	19.7	141.3	12.5	159.1	3.6
1.7	7.0	40.1	83.6	141.1	122.0	54.0	101.1	104.6	73.2	71.5	17.4	127.2	26.1	120.2	7.0
.....	8.5	35.7	44.2	98.5	100.2	45.9	91.7	73.0	66.2	74.7	13.6	120.6	13.6	108.7	.....
.....	.....	25.8	137.8	111.9	77.5	172.2	68.9	137.8	172.2	43.0	.....	120.6	43.0	172.2	.....
8.4	8.4	16.9	76.1	152.1	50.7	76.1	160.5	109.9	42.3	67.6	.....	101.4	16.9	169.0	8.4
16.6	.....	33.2	157.6	149.3	124.4	24.9	149.3	199.0	49.8	141.0	8.3	124.4	16.6	174.2	.....
.....	16.3	16.3	97.8	179.2	162.9	40.7	220.0	138.5	65.2	114.0	16.3	179.2	24.4	187.3	.....
.....	8.0	8.0	136.1	152.1	208.1	104.0	120.0	232.1	64.0	104.0	24.0	168.1	40.0	184.1	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Easton, Pa	1900..	1,743.4	19.8	.....	.....	.....	.....	7.9	39.6	11.9	150.6	19.8	71.3
Eau Claire, Wis	1900..	1,181.7	22.8	.....	.....	.....	.....	28.5	5.7	5.7	102.8	17.1	85.6
	1901..	1,283.7	5.7	.....	5.7	34.2	.....	34.2	17.1	22.8	119.8	5.7	34.2
	1902..	1,169.0	17.1	5.7	.....	.....	.....	17.1	17.1	.....	114.1	34.2	39.9
	1903..	1,037.2	11.4	5.7	.....	11.4	5.7	5.7	28.5	.....	114.0	5.7	74.1
	1904..	1,321.4	5.7	.....	.....	.....	5.7	.....	62.7	.....	193.7	22.8	68.3
Elizabeth, N. J	1900..	1,931.7	11.5	1.9	.....	7.7	23.0	30.7	82.5	9.6	189.9	36.4	55.6
	1901..	1,801.5	28.0	1.9	.....	1.9	7.5	1.9	39.2	11.2	203.5	42.9	41.1
	1902..	1,530.8	27.3	.....	14.5	3.6	7.3	5.4	18.2	.....	107.3	29.1	38.2
	1903..	1,665.5	21.3	.....	.....	3.5	51.4	24.8	26.6	14.2	147.1	23.0	54.9
	1904..	1,891.9	19.0	.....	1.7	8.6	10.4	.....	82.9	8.6	159.0	46.6	48.4
Elkhart, Ind	1901..	1,220.6	32.1	.....	.....	.....	6.4	.....	.....	32.1	134.9	6.4	77.1
	1902..	1,147.5	56.4	.....	.....	.....	.....	.....	6.3	.....	138.0	6.3	75.3
	1903..	1,279.9	55.1	.....	.....	6.1	.....	12.2	6.1	12.2	140 8	30.6	67.4
	1904..	1,340.4	47.9	6.0	.....	.....	6.0	.....	.....	12.0	173.5	12.0	65.8
Elmira, N. Y	1900..	1,575.5	44.8	2.8	.....	5.6	2.8	2.8	2.8	33.6	129.0	11.2	78.5
	1901..	1,554.6	27.7	.....	.....	2.8	2.8	36.0	52.5	55.3	118.9	22.1	71.9
	1902..	1,326.9	35.5	.....	2.7	.....	.....	2.7	35.5	16.4	142.0	16.4	73.7
	1903..	1,412.2	83.5	5.4	.....	16.2	.....	16.2	18.9	26.9	107.8	16.2	72.8
	1904..	1,476.7	50.6	.....	.....	.....	5.3	.....	39.9	21.3	114.4	16.0	90.5
Elwood, Ind	1901..	1,271.7	57.2	35.7	.....	7.1	42.9	7.1	42.9	7.1	128.6	28.6	42.9
	1902..	1,156.6	59.8	13.3	.....	13.3	.....	13.3	.....	.....	146.2	13.3	53.2
	1903..	994.3	49.7	12.4	.....	.....	.....	.....	55.9	6.2	93.2	31.1	31.1
	1904..	921.9	40.9	5.8	.....	11.7	.....	.....	11.7	5.8	116.7	5.8	17.5
Erie, Pa	1900..	1,558.8	37.9	.....	1.9	1.9	1.9	3.8	60.7	7.6	110.0	13.3	51.2
	1901..	1,549.8	16.7	1.9	.....	63.1	5.6	40.8	18.5	1.9	113.1	18.5	53.8
	1902..	1,504.9	25.4	1.8	.....	.....	3.6	1.8	34.4	7.3	116.0	23.6	50.8
	1903..	1,328.9	33.7	3.5	7.1	.....	3.5	24.8	40.8	3.5	124.2	10.7	39.0
	1904..	1,514.6	48.6	.....	.....	1.7	3.5	3.5	62.5	19.1	114.6	12.2	93.8
Escanaba, Mich	1900..	2,398.2	125.7	.....	.....	10.5	20.9	10.5	20.9	.....	136.1	.....	41.9
	1901..	1,620.4	50.3	.....	.....	10.1	10.1	.....	10.1	.....	140.9	40.3	50.3
	1902..	1,743.7	67.8	.....	19.4	.....	58.1	.....	29.1	.....	155.0	38.7	67.8
	1903..	1,596.6	28.0	9.3	.....	.....	9.3	37.3	112.1	.....	140.1	18.7	84.0
	1904..	2,162.6	351.4	.....	.....	.....	.....	36.0	18.0	36.0	198.3	54.1	63.1
Evansville, Ind	1900..	1,577.8	49.2	30.5	.....	13.5	1.7	13.5	11.9	8.5	227.1	13.5	44.1
	1901..	1,297.0	26.7	11.7	.....	.....	.....	5.0	13.4	20.0	193.9	20.0	63.5
	1902..	1,196.9	42.9	1.6	.....	.....	1.6	4.9	8.2	8.2	176.4	18.2	42.9
	1903..	1,286.6	27.7	14.7	1.6	.....	6.5	.....	6.5	6.5	240.7	27.7	47.2
	1904..	1,491.0	40.1	8.0	1.6	4.8	8.0	9.6	43.3	19.3	171.7	19.3	56.2
Everett, Mass	1900..	1,582.0	20.5	4.1	.....	4.1	20.5	20.5	78.1	49.3	152.1	12.3	49.3
	1901..	1,500.2	7.8	3.9	.....	11.7	3.9	7.8	50.7	39.0	190.9	7.8	74.0
	1902..	1,422.7	25.9	.....	25.9	3.7	3.7	18.5	22.3	14.8	159.3	14.8	100.1
	1903..	1,133.6	7.1	.....	.....	.....	7.1	21.2	21.2	7.1	127.1	10.6	70.6
	1904..	1,170.6	10.1	.....	.....	3.4	3.4	3.4	23.6	20.2	155.2	16.9	60.7
Fall River, Mass	1900..	2,180.0	27.7	2.9	1.0	16.2	1.9	12.4	23.8	30.5	184.1	21.9	52.4
	1901..	1,833.9	25.0	1.9	0.9	1.9	1.9	.....	23.2	9.3	150.1	10.2	67.6
	1902..	1,988.2	10.8	0.9	1.8	20.7	33.4	21.6	45.1	7.2	164.9	11.7	48.7
	1903..	2,054.3	21.0	.....	0.9	11.4	16.7	11.4	37.7	14.9	170.2	17.5	61.4
	1904..	1,771.9	17.1	0.8	.....	6.0	3.4	1.7	24.8	9.4	191.4	10.3	57.3
Findlay, Ohio	1900..	1,663.5	113.6	.....	.....	.....	5.7	5.7	68.1	17.0	221.4	17.0	45.4
	1901..	1,133.6	32.2	10.7	10.7	26.9	.....	5.4	37.6	5.4	134.3	21.5	37.6
	1902..	1,009.5	30.6	.....	.....	.....	.....	.....	.....	10.2	132.5	10.2	71.4
	1903..	1,009.1	29.1	.....	4.8	.....	.....	9.7	.....	4.8	87.3	4.8	43.7
	1904..	1,152.1	37.0	9.2	.....	9.2	4.6	.....	.....	13.9	124.9	18.5	32.4
Fitchburg, Mass	1900..	1,569.9	31.7	.....	.....	6.3	9.5	15.9	44.4	6.3	98.3	9.5	60.3
	1901..	1,465.5	21.6	3.1	6.1	.....	.....	9.2	40.0	12.3	120.1	6.1	83.1
	1902..	1,355.1	12.0	6.0	.....	23.9	9.0	.....	29.9	3.0	104.7	12.0	65.8
	1903..	1,332.2	2.9	.....	.....	23.3	.....	75.6	20.4	2.9	116.4	26.2	69.8
	1904..	1,197.4	8.5	2.8	2.8	.....	.....	11.3	2.8	2.8	99.1	11.3	70.8
Flint, Mich	1900..	1,160.0	22.9	7.6	.....	.....	.....	15.3	15.3	22.9	68.7	7.6	38.1
	1901..	1,401.9	36.1	7.2	7.2	.....	7.2	7.2	21.7	43.4	108.4	.....	36.1
	1902..	1,367.4	49.4	.....	.....	7.0	.....	28.2	21.1	14.1	126.9	14.1	84.6
	1903..	1,437.9	68.8	.....	.....	13.8	6.9	6.9	27.5	20.6	61.9	27.5	61.9
	1904..	1,303.4	20.2	.....	6.7	.....	26.9	.....	13.4	.....	60.5	13.4	80.6
Fort Wayne, Ind	1901..	1,442.9	36.9	.....	2.2	4.3	15.2	4.3	21.5	17.4	160.6	15.2	62.9
	1902..	1,351.5	27.6	6.4	.....	.....	6.4	6.4	36.1	4.2	153.0	27.6	80.8
	1903..	1,553.2	39.6	.....	4.2	2.1	10.4	4.2	18.7	22.9	170.7	29.2	77.0
	1904..	1,391.8	30.6	8.2	.....	2.0	.....	2.0	12.2	8.2	142.9	32.7	59.2
Framingham town, Mass	1900..	1,716.5	17.7	8.8	.....	.....	.....	.....	8.8	70.8	132.7	79.6	53.1
	1901..	1,433.8	.....	.....	.....	.....	.....	.....	8.7	34.8	130.3	17.4	78.2
	1902..	1,348.8	34.1	8.5	.....	.....	.....	8.5	42.7	42.7	85.4	.....	68.3
	1903..	1,409.4	8.4	16.8	.....	.....	.....	50.3	25.2	16.8	92.3	25.2	117.5
	1904..	1,311.2	8.2	.....	.....	.....	8.2	.....	.....	24.8	115.5	16.5	90.7
Frederick, Md	1900..	1,957.8	32.3	21.5	.....	21.5	.....	.....	32.3	10.8	139.8	32.3	96.8
	1901..	2,222.0	31.9	10.6	.....	.....	.....	21.3	31.9	42.5	212.6	53.2	95.7
	1902..	2,438.0	63.0	10.5	.....	.....	21.0	73.6	84.1	.....	378.3	31.5	73.6
	1903..	2,368.6	31.2	.....	.....	62.3	.....	10.4	72.7	31.2	280.5	31.2	93.5
	1904..	1,931.0	61.6	.....	.....	.....	.....	.....	.....	61.6	287.6	.....	71.9
Fresno, Cal	1900..	1,932.6	240.6	24.1	.....	8.0	8.0	.....	32.1	8.0	184.4	24.1	112.3
	1901..	2,034.0	182.0	15.8	.....	15.8	.....	.....	47.5	15.8	324.5	23.8	47.5
	1902..	1,812.5	117.2	39.1	.....	7.8	7.8	.....	70.3	.....	218.8	31.2	46.9
	1903..	2,136.5	123.4	30.9	7.7	7.7	38.6	.....	23.1	23.1	231.4	15.4	108.0
	1904..	1,911.7	60.9	22.8	.....	38.1	.....	45.7	.....	15.2	243.7	7.6	38.1

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	4.0	27.7	289.3	158.5	170.4	39.6	110.9	47.5	59.4	79.2	15.9	118.9	162.5	138.7	.....
.....	5.7	5.7	34.3	62.8	108.5	40.0	57.1	91.3	34.3	17.1	5.7	91.3	57.1	74.2	228.4
5.7	17.1	5.7	34.2	40.0	91.3	51.4	51.4	40.0	5.7	22.8	5.7	34.2	40.0	131.2	427.9
11.4	11.4	22.8	114.1	74.1	97.0	11.4	22.8	74.1	11.4	.....	22.8	85.6	68.4	114.0	182.5
.....	11.4	5.7	79.8	62.6	108.3	45.6	11.4	114.0	34.2	28.5	.....	57.0	74.0	108.3	34.2
11.4	17.1	.....	136.7	79.7	96.8	51.3	11.4	74.0	22.8	22.8	.....	74.0	113.9	244.9	5.7
.....	5.8	36.4	197.6	149.6	203.3	120.9	214.9	72.9	80.6	92.1	13.4	105.5	61.4	118.9	9.6
.....	13.1	33.6	166.1	190.4	140.0	115.7	190.4	61.6	100.8	89.6	11.2	140.0	57.9	108.3	3.7
.....	1.8	30.9	167.3	136.4	114.5	145.4	158.2	89.1	76.4	85.4	14.5	114.5	56.4	89.1	.....
.....	8.9	31.9	148.8	148.8	147.1	136.4	125.8	85.0	86.8	95.7	7.1	115.2	60.2	101.0	.....
3.5	22.5	31.1	155.5	160.7	202.2	108.9	224.6	77.7	105.4	95.0	15.5	141.7	51.8	107.1	3.5
12.9	6.4	19.3	134.9	154.2	57.8	51.4	45.0	89.9	64.2	32.1	12.9	57.8	45.0	134.9	12.9
6.3	12.5	25.1	125.4	106.6	62.7	62.7	12.5	100.3	56.4	69.0	12.5	37.6	50.2	119.1	6.3
6.1	.....	12.2	116.4	196.0	91.9	36.8	73.5	55.1	61.3	61.3	6.1	55.1	49.0	128.6	.....
.....	18.0	18.0	137.6	179.5	53.9	59.8	41.9	95.7	71.8	47.9	6.0	125.6	29.9	125.6	6.0
2.8	14.0	47.7	168.2	134.6	114.9	131.8	70.1	64.5	134.5	70.1	5.6	72.9	47.7	182.2	.....
5.5	19.4	33.2	138.3	138.3	152.1	63.6	58.1	99.6	107.9	83.0	5.5	110.7	8.3	141.1	.....
2.7	2.7	35.5	144.7	95.6	87.4	65.5	76.4	76.4	133.8	62.8	10.9	95.6	32.8	79.2	.....
2.7	2.7	13.5	113.2	175.2	75.4	72.8	64.7	78.2	145.5	51.2	2.7	75.4	26.9	148.2	.....
5.3	13.3	18.6	157.0	188.9	95.8	82.5	74.5	79.8	143.7	37.3	10.6	114.4	10.6	106.4	.....
.....	7.1	35.7	142.9	64.3	42.9	42.9	135.8	71.4	21.4	78.6	14.3	50.0	71.4	92.9	.....
.....	6.6	19.9	66.5	53.2	73.1	66.5	133.0	26.6	26.6	113.0	.....	59.8	39.9	159.5	.....
.....	.....	24.9	99.4	43.5	49.7	43.5	87.0	62.2	37.3	55.9	.....	49.7	31.1	130.5	.....
5.8	5.8	11.7	75.9	29.2	70.0	46.7	110.9	81.7	23.3	46.7	5.8	52.5	35.0	105.0	.....
.....	.....	26.5	183.9	176.4	127.1	77.7	125.2	81.5	89.1	73.9	7.6	66.4	55.0	174.5	3.8
.....	9.3	11.1	178.0	153.9	115.0	87.1	109.4	113.1	68.2	64.9	14.8	81.6	42.7	166.8	.....
.....	14.5	32.6	179.5	145.1	97.9	50.8	110.6	125.1	76.2	97.9	1.8	119.7	25.4	161.3	1.8
1.8	10.7	30.2	150.8	143.7	88.7	37.3	102.9	94.1	63.9	74.5	3.5	78.1	30.2	127.7	.....
1.7	17.4	26.1	130.3	133.7	90.3	74.7	97.3	118.1	111.2	90.3	12.2	88.6	15.6	145.9	1.7
.....	.....	52.4	157.1	83.8	125.7	178.1	282.8	125.7	20.9	136.1	20.9	345.6	146.6	251.3	104.7
.....	.....	40.3	181.2	50.3	50.3	140.9	140.9	70.4	50.3	60.4	.....	231.5	50.3	191.2	50.3
.....	9.7	58.1	126.0	126.0	77.5	116.2	174.4	48.4	58.1	96.9	.....	155.0	67.8	145.3	48.4
.....	.....	28.0	93.4	102.7	65.4	121.4	140.1	93.4	28.0	102.7	9.3	158.7	37.3	140.1	37.3
.....	.....	36.0	126.2	108.1	81.1	162.2	225.3	108.1	54.1	81.1	9.0	135.2	45.1	198.2	36.0
1.7	5.1	32.1	166.1	93.2	133.9	94.9	137.3	89.8	64.4	94.9	8.5	66.1	69.5	105.1	1.7
.....	1.7	13.4	122.0	86.9	100.3	71.9	98.6	93.6	60.2	68.5	13.4	75.2	30.1	105.3	1.7
.....	4.9	13.2	118.7	89.8	74.2	61.0	67.6	87.4	80.8	115.4	16.5	54.4	26.4	90.7	.....
1.6	1.6	8.2	117.2	139.9	66.7	74.9	102.5	83.0	66.7	71.1	17.9	60.2	21.2	73.2	1.6
1.6	9.6	36.9	210.2	134.8	83.5	88.3	88.3	94.7	88.3	70.6	20.9	53.0	24.1	101.1	3.2
.....	8.2	53.4	106.9	148.0	180.8	65.8	90.4	69.9	53.4	143.8	.....	57.5	78.1	106.8	8.2
.....	3.9	74.0	136.4	148.1	85.7	77.9	77.9	93.5	54.6	101.3	7.8	58.4	62.4	116.9	3.9
.....	3.7	59.3	114.9	159.3	85.2	77.8	88.9	51.9	81.5	70.4	11.1	59.3	81.5	88.9	.....
.....	7.1	35.3	123.6	127.1	74.1	63.6	74.1	56.5	42.4	88.3	7.1	38.8	24.7	98.9	.....
6.7	13.5	27.0	114.7	145.1	111.3	50.6	70.9	64.1	47.2	47.2	10.1	57.4	20.2	87.7	.....
1.0	7.6	64.8	189.8	150.7	155.4	186.0	345.2	92.5	71.5	222.2	5.7	55.3	108.7	148.8	.....
1.9	6.5	57.4	153.8	125.1	99.1	118.6	298.4	82.5	98.2	195.5	4.6	48.2	127.9	122.3	1.9
1.8	13.5	57.7	148.7	107.3	136.1	206.4	298.3	72.1	73.9	219.9	8.1	49.6	117.2	108.1	2.7
0.9	14.9	53.5	158.8	128.1	176.3	179.8	308.8	77.2	84.2	222.8	9.6	63.2	97.4	113.1	2.6
0.8	11.1	42.7	168.3	105.9	121.3	141.0	271.7	70.9	78.6	217.0	2.6	47.8	52.1	114.5	3.4
.....	.....	51.1	176.0	124.9	130.6	96.5	90.9	130.6	39.7	39.7	11.4	73.8	62.5	119.2	22.7
10.7	16.1	32.3	145.1	129.0	37.6	16.1	53.7	75.2	37.6	16.1	16.1	80.6	26.9	118.2	.....
.....	10.2	20.4	122.3	107.1	40.8	51.0	71.4	40.8	45.9	30.6	20.4	76.4	25.5	86.7	5.1
.....	14.6	.....	97.0	116.5	82.5	24.3	58.2	77.6	82.5	38.8	9.7	72.8	53.4	92.2	4.8
4.6	13.9	27.8	148.1	134.2	46.3	55.5	83.3	69.4	27.8	60.1	23.1	78.7	13.9	115.7	.....
6.3	6.3	31.7	79.3	158.6	79.3	85.6	193.5	76.1	38.1	174.4	3.2	73.0	76.1	206.2	.....
6.1	9.2	30.8	95.5	190.9	101.6	64.7	123.2	43.1	30.8	166.3	6.1	77.0	58.5	160.1	.....
.....	9.0	38.9	80.7	185.5	110.7	83.7	104.7	47.9	29.9	167.5	.....	56.8	59.8	110.7	3.0
.....	17.5	52.3	96.0	174.5	75.6	107.6	78.5	58.2	20.4	110.5	8.7	75.6	52.4	66.9	.....
.....	14.2	11.3	99.1	172.7	73.6	84.9	104.8	73.6	28.3	96.3	11.3	84.9	39.6	90.6	.....
.....	.....	22.9	152.6	99.2	68.7	53.4	68.7	91.6	45.8	38.1	7.6	68.7	15.3	206.1	22.9
.....	.....	36.1	151.8	79.5	166.2	86.7	36.1	144.5	28.9	65.1	14.5	115.6	28.9	159.0	14.5
14.1	7.0	14.1	204.4	91.6	133.9	63.5	7.0	84.6	35.3	35.3	7.0	91.6	42.3	169.2	21.1
.....	41.3	13.8	117.0	192.6	68.8	103.2	61.9	117.0	41.3	68.8	.....	96.3	27.5	172.0	20.6
6.7	26.9	20.2	120.9	147.8	127.6	47.0	73.9	67.2	40.3	67.2	20.2	60.5	26.9	221.7	6.7
4.3	15.2	19.5	177.9	78.1	86.8	108.5	60.8	80.3	91.2	58.6	2.2	108.5	67.3	141.0	2.2
.....	17.0	10.6	133.9	82.9	68.0	93.5	72.2	89.3	70.1	95.6	17.0	65.9	44.6	142.4	.....
.....	20.8	29.2	181.1	114.5	75.0	99.9	64.5	139.5	112.4	60.4	22.9	112.4	31.2	108.3	2.1
4.1	20.4	24.5	183.7	102.0	110.2	95.9	69.4	102.0	91.8	67.4	12.2	93.9	24.5	85.7	6.1
.....	35.4	35.4	168.2	159.3	230.1	70.8	70.8	79.6	70.8	79.6	.....	61.9	79.6	203.5	.....
.....	8.7	17.4	191.2	139.0	139.0	86.9	69.5	95.6	95.6	104.3	8.7	52.1	17.4	139.0	.....
.....	.....	25.6	204.9	204.9	68.3	42.7	59.8	51.2	51.2	17.1	17.1	85.4	25.6	196.3	8.5
.....	25.2	.....	125.8	167.8	184.6	58.7	41.9	67.1	58.7	58.7	.....	67.1	50.3	151.0	.....
.....	16.5	16.5	181.4	156.7	90.7	16.5	33.0	82.5	41.2	41.2	8.2	132.0	8.2	222.7	.....
.....	32.3	21.5	247.4	365.8	53.8	64.5	118.3	53.8	204.4	96.8	.....	43.0	75.3	172.1	21.5
.....	.....	10.6	276.4	233.9	148.8	74.4	127.6	74.4	95.7	85.1	10.6	159.5	223.3	191.4	10.6
.....	31.5	10.5	367.8	262.7	84.1	157.6	73.6	115.6	147.1	52.6	.....	63.0	84.1	241.7	10.5
.....	.....	20.8	374.0	270.1	176.6	114.3	83.1	135.0	93.5	114.3	.....	114.3	41.5	218.1	.....
.....	10.3	30.8	215.7	174.6	30.8	51.4	51.4	113.0	174.6	133.5	10.3	113.0	30.8	297.8	10.3
.....	.....	80.2	120.3	56.1	96.2	96.2	64.2	88.2	24.0	32.1	48.1	96.2	32.1	176.4	280.7
7.9	7.9	23.8	126.6	87.1	166.2	87.1	118.7	110.8	31.7	15.8	39.6	118.7	277.0	134.5	7.9
.....	7.8	62.5	101.6	31.2	140.6	109.4	117.2	132.8	31.2	62.5	23.4	156.3	164.1	132.8	.....
.....	7.7	23.1	84.9	146.6	146.6	146.6	138.8	138.8	61.7	77.1	46.3	123.4	177.4	208.2	.....
.....	15.2	30.5	129.5	137.1	121.9	76.2	182.8	213.3	22.8	68.5	30.5	114.2	121.9	175.2	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Gardner town, Mass	1900	1,720.2	9.2	.....	.....	18.5	18.5	18.5	64.7	74.0	148.0	18.5	37.0
	1901	1,447.7	54.3	.....	.....	.....	.....	.....	9.0	81.4	135.7	27.2	54.3
	1902	1,390.5	26.6	.....	.....	17.7	.....	.....	17.7	44.3	132.8	.....	44.3
	1903	1,708.6	8.7	.....	.....	8.7	.....	43.4	52.0	52.0	112.8	8.7	78.1
	1904	1,520.9	25.5	.....	.....	.....	.....	17.0	51.0	34.0	186.9	17.0	8.5
Geneva, N. Y	1900	1,581.5	9.6	.....	.....	.....	19.2	38.3	9.6	.....	115.0	.....	47.9
	1901	1,402.1	56.1	.....	.....	37.4	.....	28.1	.....	37.4	56.1	46.7	74.8
	1902	1,395.6	9.1	.....	.....	.....	.....	.....	.....	.....	91.2	45.6	27.4
	1903	1,398.3	44.5	.....	.....	17.8	.....	.....	.....	17.8	80.2	8.9	106.9
	1904	1,557.5	52.2	.....	.....	.....	.....	8.7	43.5	17.4	87.0	17.4	60.9
Glens Falls, N. Y	1900	2,005.9	63.4	.....	.....	.....	63.4	47.6	31.7	39.7	229.9	15.9	63.4
	1901	2,151.2	85.1	.....	.....	23.2	61.9	15.5	15.5	61.9	170.2	7.7	69.6
	1902	1,443.4	15.1	22.7	.....	.....	15.1	.....	15.1	37.8	204.0	37.8	90.7
	1903	1,277.4	29.5	7.4	.....	.....	.....	.....	7.4	.....	96.0	22.1	73.8
	1904	1,450.9	50.5	.....	.....	.....	.....	.....	7.2	36.1	122.7	36.1	57.8
Gloucester, Mass	1900	1,627.0	3.8	.....	.....	.....	7.7	.....	38.3	61.3	157.0	15.3	68.9
	1901	1,625.6	19.0	3.8	.....	.....	7.6	11.4	26.7	22.9	95.2	19.0	80.0
	1902	1,836.1	15.1	.....	.....	15.1	.....	26.5	98.4	.....	159.0	11.4	64.4
	1903	1,882.4	26.3	.....	.....	.....	3.8	15.1	154.3	15.1	169.4	18.8	101.6
	1904	1,744.7	15.0	3.7	.....	7.5	11.2	.....	41.2	22.5	127.3	33.7	67.4
Gloversville, N. Y	1900	1,286.2	49.1	.....	5.4	5.4	5.4	.....	10.9	10.9	76.3	5.4	54.5
	1901	1,447.0	5.3	.....	16.0	5.3	.....	26.6	.....	37.2	170.3	.....	47.9
	1902	1,215.8	26.0	.....	.....	.....	10.4	.....	26.0	5.2	72.7	10.4	62.3
	1903	1,436.8	15.2	.....	.....	.....	.....	15.2	20.3	35.5	96.5	15.2	96.5
	1904	1,290.6	5.0	.....	.....	5.0	9.9	.....	24.8	19.8	89.3	24.8	59.6
Grand Rapids, Mich	1900	1,375.0	30.8	3.4	2.3	17.1	9.1	10.3	27.4	17.1	93.7	16.0	77.7
	1901	1,285.7	33.5	5.6	.....	1.1	11.2	4.5	25.7	40.2	96.0	22.3	79.2
	1902	1,225.4	51.3	2.2	.....	3.3	5.5	5.5	9.8	4.4	100.4	21.8	73.1
	1903	1,341.8	41.6	2.1	1.1	3.2	4.3	9.6	20.3	13.9	114.2	27.8	92.9
	1904	1,480.4	61.6	2.1	.....	4.2	6.3	12.5	12.5	20.9	121.2	27.2	70.0
Green Bay, Wis	1900	1,600.3	37.5	.....	.....	5.4	10.7	.....	21.4	10.7	96.3	10.7	53.5
	1901	1,403.2	41.8	.....	5.2	5.2	15.6	.....	31.3	31.3	109.6	15.6	93.9
	1902	1,195.6	20.3	.....	10.2	5.1	10.2	.....	5.1	10.2	127.2	15.3	127.2
	1903	1,454.7	9.9	.....	.....	.....	19.8	.....	9.9	9.9	139.0	5.0	84.4
	1904	1,580.4	38.8	.....	.....	4.8	4.8	29.1	19.4	.....	111.5	29.1	82.4
Greenwich town, Conn	1900	1,807.4	24.6	.....	.....	8.2	.....	.....	147.9	65.7	131.5	.....	73.9
	1901	1,389.8	8.1	24.2	.....	.....	.....	8.1	32.3	16.2	129.3	.....	48.5
	1902	1,693.2	23.8	23.8	.....	.....	47.7	23.8	55.7	.....	119.2	15.9	63.6
	1903	1,572.3	39.1	.....	.....	15.6	.....	7.8	15.6	23.5	86.1	7.8	70.4
	1904	1,640.0	15.4	.....	.....	15.4	.....	15.4	30.8	30.8	100.1	15.4	84.7
Hamilton, Ohio	1900	1,538.8	25.1	4.2	.....	.....	12.5	8.4	16.7	20.9	175.6	29.3	46.0
	1901	1,454.8	24.5	.....	.....	16.3	28.5	8.1	16.3	28.5	175.2	24.5	48.9
	1902	1,541.8	43.7	.....	.....	11.9	4.0	15.9	51.7	7.9	158.9	27.8	51.7
	1903	1,407.4	42.6	.....	7.8	.....	11.6	.....	31.0	34.9	131.8	31.0	69.8
	1904	1,559.5	26.5	.....	.....	53.0	7.6	11.3	15.1	11.3	170.3	26.5	53.0
Hammond, Ind	1901	1,476.2	92.3	.....	.....	.....	.....	7.7	61.5	15.4	100.0	7.7	23.1
	1902	1,554.7	66.0	.....	.....	14.7	29.3	.....	29.3	7.3	176.0	7.3	29.3
	1903	1,612.2	126.2	.....	14.0	7.0	.....	7.0	63.1	14.0	98.1	14.0	70.1
	1904	1,288.9	40.3	.....	.....	6.7	33.6	33.6	6.7	6.7	94.0	47.0	67.1
Harrisburg, Pa	1900	1,802.0	49.8	17.9	.....	8.0	2.0	15.9	63.8	29.9	135.5	6.0	63.8
	1901	1,802.5	66.5	5.9	.....	5.9	3.9	7.8	31.3	35.2	176.1	17.6	68.5
	1902	1,616.6	63.4	3.8	.....	3.8	9.6	7.7	48.1	11.5	144.2	21.1	51.9
	1903	1,505.2	103.9	9.4	3.8	9.4	13.2	37.8	11.3	17.0	120.9	18.9	41.5
	1904	1,523.8	59.4	9.3	.....	9.3	5.6	1.8	20.4	35.3	126.2	16.7	50.1
Harrison, N. J	1900	2,321.6	47.2	37.7	.....	9.4	18.9	28.3	28.3	66.1	151.0	75.5	47.2
	1901	2,125.3	9.2	37.0	18.5	.....	9.2	.....	138.6	37.0	166.3	37.0	64.7
	1902	1,937.0	36.2	18.1	9.1	36.2	9.1	9.1	135.8	.....	172.0	.....	36.2
	1903	1,853.8	26.6	35.5	.....	.....	35.5	8.9	26.6	35.5	195.1	26.6	26.6
	1904	1,687.0	8.7	43.5	.....	.....	26.1	.....	43.5	8.7	165.2	.....	34.8
Hartford, Conn	1900	1,814.7	52.6	5.0	.....	1.3	2.5	10.0	61.4	37.6	194.1	13.8	67.6
	1901	1,661.6	43.6	6.1	.....	8.5	12.1	1.2	55.7	36.4	180.6	20.6	93.3
	1902	1,528.6	16.4	5.9	2.3	10.6	38.7	12.9	18.8	9.4	132.7	10.6	68.1
	1903	1,625.8	21.6	1.1	.....	22.8	14.8	23.9	37.6	18.2	168.5	23.9	87.7
	1904	1,657.5	13.3	.....	.....	4.4	4.4	7.7	30.9	27.6	140.3	21.0	77.4
Haverhill, Mass	1900	1,576.3	16.1	8.1	.....	.....	2.7	5.4	29.6	37.6	182.9	32.3	72.6
	1901	1,471.7	23.8	5.3	.....	.....	5.3	2.6	37.0	39.7	235.6	21.2	76.8
	1902	1,547.6	26.1	5.2	.....	39.1	2.6	13.0	23.4	.....	153.7	33.9	86.0
	1903	1,505.6	12.8	2.6	2.6	.....	.....	20.5	15.4	12.8	159.0	18.0	76.9
	1904	1,404.4	12.6	.....	.....	17.7	.....	.....	5.0	5.0	156.6	25.3	88.4
Hazelton, Pa	1900	1,595.2	28.1	.....	.....	28.1	28.1	7.0	35.1	.....	49.2	.....	84.3
	1901	1,296.2	27.4	.....	.....	.....	13.7	27.4	13.7	.....	109.7	13.7	34.3
	1902	1,491.3	20.2	.....	.....	13.5	60.7	20.2	33.8	.....	81.0	.....	20.2
	1903	1,368.1	19.9	.....	.....	6.6	6.6	19.9	39.9	6.6	53.1	6.6	13.3
	1904	1,575.7	13.1	.....	.....	6.5	19.6	.....	104.6	6.5	111.2	.....	45.7
Helena, Mont	1900	1,550.6	46.4	.....	.....	.....	27.9	.....	18.6	.....	167.1	18.6	120.7
Hoboken, N. J	1900	2,346.5	16.8	1.7	.....	23.6	5.1	13.5	52.2	11.8	249.3	33.7	53.9
	1901	1,864.3	26.2	1.6	3.3	6.6	14.8	.....	42.7	4.9	244.5	18.1	50.9
	1902	1,844.6	9.6	.....	6.4	9.6	27.2	20.8	68.8	.....	220.7	11.2	65.6
	1903	1,788.4	15.6	1.6	.....	10.9	3.1	15.6	79.6	1.6	237.2	26.5	56.2
	1904	2,173.6	19.8	1.5	.....	19.8	13.7	10.7	71.6	1.5	280.3	54.8	83.8

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	9.2	194.2	138.7	129.5	83.3	83.3	166.5	18.5	55.5	92.5	9.2	55.5	64.7	203.5	9.2
.....	18.1	99.5	153.8	36.2	90.5	54.3	99.5	36.2	108.6	90.5	18.1	54.3	72.4	153.8	.....
.....	8.9	79.7	88.6	115.1	159.4	35.4	124.0	44.3	124.0	79.7	8.9	26.6	53.1	159.4	.....
.....	17.3	121.4	138.8	104.1	147.5	34.7	86.7	52.0	86.7	156.1	.....	95.4	52.0	251.5	.....
.....	8.5	93.5	118.9	144.4	93.5	93.5	67.9	25.5	85.0	135.9	8.5	76.5	25.5	203.9	.....
9.6	9.6	9.6	210.9	258.8	95.8	57.5	172.5	86.3	95.8	28.8	9.6	86.3	47.9	162.9	.....
.....	28.1	9.3	186.9	168.3	84.1	102.8	84.1	84.1	93.5	46.7	.....	56.1	18.7	102.8	.....
9.1	9.1	18.2	237.2	173.3	73.0	91.2	45.6	109.5	54.7	63.9	.....	127.7	27.4	182.4	.....
.....	17.8	35.6	124.7	195.9	89.1	98.0	44.5	142.5	71.3	26.7	.....	115.8	.....	160.3	.....
.....	8.7	43.5	156.7	147.9	139.2	95.7	78.3	95.7	87.0	60.9	17.4	104.4	8.7	226.3	.....
7.9	15.9	55.5	214.1	198.2	190.3	111.0	158.6	87.2	95.1	39.6	.....	71.4	31.7	174.4	.....
7.7	15.5	69.6	301.8	255.4	139.3	46.4	116.1	162.5	116.1	61.9	7.7	92.9	31.0	216.7	.....
7.6	7.6	68.0	136.0	204.0	60.4	52.9	7.6	98.2	75.6	15.1	7.6	120.9	.....	136.0	7.6
.....	29.5	22.1	155.1	155.1	59.1	44.3	88.6	96.0	51.7	44.3	.....	59.1	36.9	199.4	.....
7.2	7.2	14.4	202.1	158.8	65.0	43.3	79.4	129.9	101.1	93.9	.....	65.0	14.4	158.8	.....
3.8	3.8	49.8	160.8	179.9	49.8	53.5	72.7	88.1	80.4	76.6	3.8	187.6	68.9	191.4	3.8
.....	7.6	57.1	106.6	175.1	99.0	64.7	22.9	72.3	72.3	83.8	15.2	350.2	60.9	152.3	.....
3.8	11.4	53.0	155.2	193.1	102.2	45.4	143.8	75.7	64.4	87.1	3.8	325.6	41.6	140.1	.....
3.8	15.1	56.5	165.7	173.2	71.5	60.2	71.5	64.0	79.1	71.5	15.1	342.6	37.6	150.6	.....
3.7	22.5	33.7	190.9	220.9	89.9	67.4	56.2	71.1	89.9	131.0	22.5	224.6	33.7	157.2	.....
.....	16.3	49.1	152.6	130.8	76.3	60.0	43.6	70.9	92.7	76.3	16.3	60.0	27.3	190.7	.....
10.6	21.3	26.6	164.9	127.7	106.4	85.1	47.9	69.2	117.0	37.2	21.3	95.8	31.9	175.5	.....
.....	10.4	67.5	161.1	150.7	98.7	36.4	41.6	62.3	62.3	36.4	.....	72.7	46.8	155.9	.....
.....	10.2	30.5	192.9	162.5	91.4	86.3	50.8	76.2	111.7	66.0	.....	55.8	20.3	187.8	.....
5.0	9.9	24.8	183.7	218.4	59.6	114.2	14.9	59.6	104.2	54.6	5.0	54.6	24.8	119.1	.....
1.1	10.3	27.4	143.9	129.1	100.5	98.2	76.5	103.9	56.0	78.8	14.9	52.6	33.1	142.7	1.1
1.1	15.6	15.6	129.4	123.9	56.9	116.1	79.2	91.5	40.2	53.6	16.7	62.5	21.2	142.9	.....
1.1	7.6	16.4	99.3	185.5	68.7	99.3	51.3	93.8	36.0	40.4	12.0	60.0	30.5	146.2	.....
2.1	10.7	12.8	133.4	154.8	80.1	91.8	84.3	99.3	25.6	52.3	11.7	85.4	28.8	137.7	.....
1.0	16.7	18.8	111.8	180.7	107.6	98.2	104.5	110.8	55.4	56.4	20.9	67.9	38.7	151.5	1.0
.....	.....	64.2	155.2	112.4	107.0	37.5	112.4	107.0	26.8	133.8	10.7	117.8	96.3	230.2	42.8
.....	.....	36.5	93.9	93.9	193.0	41.7	52.2	104.3	31.3	67.8	15.6	57.4	20.9	193.0	52.2
5.1	5.1	30.5	106.8	127.2	81.4	61.0	56.0	30.5	45.8	81.4	10.2	61.0	50.9	111.9	.....
.....	14.9	44.7	144.0	124.1	89.4	34.7	104.3	129.1	59.6	99.3	5.0	44.7	84.4	168.8	29.8
.....	14.6	29.1	130.9	97.0	140.6	82.4	106.7	130.9	77.6	111.5	4.8	43.6	14.6	271.4	4.8
.....	8.2	24.6	246.5	73.9	180.8	106.8	106.8	90.4	115.0	115.0	8.2	73.9	16.5	189.0	.....
.....	.....	.....	153.5	105.0	121.2	129.3	145.4	72.7	129.3	48.5	8.1	88.9	16.2	105.0	.....
.....	.....	23.8	174.9	143.1	79.5	79.5	135.2	151.1	135.2	111.3	.....	79.5	23.8	182.8	.....
.....	15.6	15.6	187.8	179.9	101.7	140.8	54.8	101.7	133.0	46.9	23.5	140.8	.....	164.3	.....
.....	23.1	23.1	115.5	100.1	107.8	92.4	184.8	130.9	115.5	76.9	30.8	130.9	69.3	123.2	7.7
.....	4.2	46.0	133.8	133.8	83.6	54.4	83.6	87.8	66.9	133.8	8.4	79.5	125.4	158.9	.....
.....	12.2	85.6	126.3	122.2	134.5	57.1	69.3	61.1	57.1	85.6	12.2	93.7	61.1	101.9	4.1
.....	7.9	39.7	131.1	143.1	151.0	83.5	59.6	75.5	95.4	83.5	15.9	75.5	47.7	147.0	11.9
.....	7.8	34.9	131.8	131.8	131.8	27.1	58.2	69.8	54.3	108.6	19.4	116.3	38.8	112.4	3.9
3.8	3.8	37.9	136.3	124.9	151.4	90.8	56.8	83.3	60.6	71.9	41.6	143.8	60.6	113.6	3.8
.....	7.7	30.7	123.0	92.3	123.0	69.2	46.1	138.4	30.7	138.4	15.4	38.4	46.1	269.1	.....
.....	7.3	14.7	102.7	95.4	132.0	58.7	44.0	146.7	66.0	146.7	7.3	110.0	73.3	190.7	.....
.....	7.0	63.1	98.1	84.1	70.1	63.1	182.3	168.2	35.1	91.1	7.0	119.2	21.0	189.3	.....
.....	.....	20.1	67.1	53.7	127.6	33.6	107.4	107.4	53.7	73.8	20.1	134.3	40.3	114.1	.....
.....	8.0	53.8	281.1	123.6	119.6	85.7	95.7	71.8	63.8	63.8	8.0	131.6	113.6	135.5	53.8
3.9	5.9	27.4	270.1	140.9	88.1	82.2	113.5	84.2	66.5	97.9	7.8	117.4	97.9	142.9	37.2
1.9	3.8	26.9	248.0	125.0	123.0	82.7	78.8	75.0	75.0	73.1	.....	130.7	100.0	103.8	3.8
5.7	7.5	22.7	249.3	128.4	88.8	54.8	73.7	56.7	71.8	47.2	7.5	105.7	92.5	105.8	.....
.....	13.0	20.4	180.1	113.2	126.2	66.8	65.0	79.8	76.1	83.5	3.7	115.1	79.8	167.0	.....
.....	.....	160.4	235.9	151.0	151.0	122.7	179.3	66.1	94.4	141.6	9.4	122.7	122.7	235.9	18.9
.....	18.5	101.6	203.3	129.4	175.6	157.1	101.6	73.9	101.6	101.6	9.2	212.6	73.9	147.9	.....
.....	.....	54.3	316.8	135.8	181.0	181.0	144.8	54.3	36.2	72.4	18.1	99.5	72.4	108.6	.....
.....	17.7	115.3	133.1	168.5	124.2	141.9	106.5	115.3	79.8	115.3	17.7	124.2	71.0	70.9	35.5
.....	.....	78.3	121.7	165.2	226.1	69.6	86.9	60.9	121.7	104.4	.....	139.1	60.9	95.6	26.1
2.5	7.5	61.4	159.0	126.5	137.8	91.4	134.0	110.2	121.5	86.4	5.0	91.4	51.3	180.4	2.5
.....	7.3	44.8	144.2	174.5	123.6	70.3	70.3	97.0	97.0	88.5	9.7	117.6	23.0	133.3	2.4
.....	10.6	37.6	159.7	182.0	131.5	77.5	65.7	86.9	128.0	56.3	8.2	79.8	24.6	153.8	.....
.....	9.1	33.0	141.2	178.8	111.6	66.0	62.6	103.6	99.1	89.9	12.5	101.3	18.2	176.5	2.3
6.6	16.6	100.6	122.7	186.8	118.2	72.9	107.2	97.2	116.0	89.5	15.5	108.3	13.3	158.0	1.1
2.7	24.2	53.8	142.6	185.6	115.7	99.5	88.8	80.7	64.6	69.9	13.4	59.2	35.0	147.9	5.4
2.6	5.3	37.0	150.9	158.8	105.9	52.9	90.0	50.3	71.5	55.6	21.2	76.8	26.5	113.8	5.3
.....	20.8	15.6	185.0	187.6	138.1	75.6	93.8	41.7	75.6	75.6	23.4	62.5	20.8	143.3	5.2
2.6	18.0	18.0	128.2	238.6	138.5	76.9	76.9	74.4	89.8	74.4	23.1	84.6	12.8	123.1	5.1
2.5	20.2	35.4	136.4	247.6	96.0	50.5	50.5	48.0	75.8	78.3	15.2	106.1	12.6	116.2	2.5
.....	7.0	14.1	224.9	84.3	112.4	182.7	168.7	84.3	56.2	91.4	7.0	70.3	140.6	91.4	.....
.....	6.9	34.3	130.3	82.3	89.2	109.7	96.0	41.1	89.2	27.4	6.9	102.9	82.3	150.9	6.9
.....	13.5	67.5	209.2	108.0	67.5	135.0	155.2	87.7	74.2	47.2	13.5	81.0	81.0	87.7	13.5
.....	6.6	19.9	172.7	146.1	73.1	86.4	119.6	66.4	106.3	73.1	6.6	112.9	73.1	112.9	19.9
.....	19.6	71.9	156.9	78.5	111.2	117.7	117.7	85.0	85.0	98.1	.....	98.1	124.2	91.5	13.1
.....	18.6	46.4	102.1	111.4	157.9	37.1	55.7	111.4	102.1	27.9	18.6	102.1	83.6	167.1	9.3
.....	8.4	99.4	180.3	181.9	180.3	227.4	146.6	111.2	92.6	84.2	28.6	335.2	50.5	158.3	.....
.....	14.8	82.1	182.2	160.8	159.2	126.4	144.4	95.2	87.0	55.8	37.7	149.3	37.7	116.5	1.6
.....	12.8	81.6	204.7	177.6	142.4	136.0	86.4	81.6	136.0	60.8	36.8	91.2	48.0	108.8	.....
.....	15.6	82.7	157.6	152.9	156.1	98.3	101.4	89.0	138.9	53.1	26.5	110.8	31.2	126.4	.....
.....	15.2	86.8	164.5	188.9	243.7	131.0	131.0	97.5	140.2	80.7	39.6	117.3	59.4	118.8	1.5

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Holyoke, Mass	1900	2,165.7	30.6	2.2	.....	50.3	15.3	4.4	172.8	28.4	196.1	21.9	52.5
	1901	1,868.6	15.0	4.3	.....	.....	8.6	40.7	85.6	36.4	179.8	17.1	62.1
	1902	1,611.2	16.7	.....	.....	6.3	4.2	.....	52.4	20.9	165.5	29.3	52.4
	1903	1,748.2	10.3	.....	.....	32.8	12.3	24.6	32.8	18.5	151.8	30.8	51.3
	1904	1,672.6	8.0	6.0	.....	.....	4.0	10.1	32.2	16.1	197.0	28.1	86.4
Hudson, N. Y	1900	2,162.0	63.0	10.5	.....	.....	.....	.....	42.0	52.5	241.4	21.0	73.4
	1901	1,922.3	61.7	.....	.....	10.3	10.3	20.5	10.3	41.1	277.5	10.3	72.0
	1902	1,813.1	70.5	.....	.....	.....	.....	20.1	20.1	.....	151.1	50.4	131.0
	1903	1,737.8	39.5	19.7	.....	29.6	.....	19.7	39.5	29.6	167.9	19.7	79.0
	1904	1,955.8	164.6	.....	.....	9.7	.....	.....	19.4	87.1	145.2	38.7	87.1
Huntington, Ind	1901	1,316.6	82.3	20.6	.....	.....	.....	.....	10.3	10.3	236.6	.....	51.4
	1902	1,197.4	20.1	.....	.....	.....	.....	.....	.....	.....	161.0	40.2	40.2
	1903	1,504.4	49.5	19.8	.....	19.8	.....	69.3	.....	.....	168.2	29.7	99.0
	1904	1,665.9	38.7	.....	.....	19.4	.....	.....	9.7	19.4	164.6	19.4	135.6
Hyde Park town, Mass	1900	1,412.0	7.5	.....	.....	.....	7.5	7.5	37.8	68.0	128.4	22.6	98.1
	1901	1,321.1	22.1	.....	7.4	.....	7.4	.....	44.3	14.8	177.1	29.5	44.3
	1902	1,176.6	14.4	7.2	7.2	7.2	.....	36.1	28.9	.....	137.2	7.2	50.5
	1903	1,236.0	14.1	7.1	.....	.....	35.3	28.2	.....	14.1	134.2	21.2	84.8
	1904	1,410.4	6.9	.....	.....	13.8	6.9	20.7	.....	34.6	193.6	55.3	69.1
Indianapolis, Ind	1900	1,706.0	41.4	10.0	.....	1.2	10.6	9.5	31.3	28.4	221.1	11.8	60.9
	1901	1,536.4	33.1	2.8	1.1	2.8	5.7	2.8	20.5	35.3	179.5	24.5	50.7
	1902	1,434.5	44.5	7.0	9.1	.....	3.8	9.1	16.1	10.7	167.9	18.2	61.2
	1903	1,577.8	51.1	3.5	52.1	7.1	5.1	11.6	17.7	11.1	185.8	23.3	55.7
	1904	1,635.2	68.4	4.4	.....	8.3	1.0	1.0	9.3	13.2	206.2	28.8	59.6
Iron Mountain, Mich	1900	1,482.4	.....	.....	.....	.....	43.3	.....	54.1	21.6	32.5	75.7	75.7
	1901	1,454.1	.....	.....	.....	33.1	11.0	.....	11.0	.....	110.2	66.1	11.0
	1902	1,267.7	.....	.....	.....	11.2	.....	22.4	.....	.....	134.7	22.4	11.2
	1903	1,497.1	11.4	.....	.....	22.9	34.3	57.1	.....	.....	57.1	22.9	22.9
	1904	1,281.3	11.6	.....	.....	.....	.....	.....	23.3	.....	93.2	.....	81.6
Ironton, Ohio	1900	1,558.8	92.7	.....	.....	33.7	.....	16.9	8.4	8.4	168.5	42.1	42.1
	1901	1,937.8	58.7	.....	.....	8.4	.....	50.3	16.8	16.8	293.6	8.4	75.5
	1902	1,962.6	66.8	.....	8.3	75.2	.....	.....	8.3	33.4	309.0	41.7	91.9
	1903	1,413.5	66.5	8.3	41.6	16.6	.....	25.0	16.6	8.3	224.5	.....	41.6
	1904	1,341.1	33.1	.....	49.7	8.3	8.3	.....	24.8	.....	149.0	16.6	33.1
Ironwood, Mich	1900	1,617.7	82.4	.....	.....	.....	41.2	41.2	51.5	10.3	51.5	41.2	20.6
	1901	1,482.2	30.7	.....	.....	30.7	92.0	20.4	51.1	.....	61.3	30.7	40.9
	1902	1,855.8	40.6	.....	.....	10.1	10.1	.....	121.7	10.1	71.0	20.3	20.3
	1903	1,690.1	.....	.....	.....	10.1	.....	20.1	150.9	10.1	120.7	30.2	30.2
	1904	718.6	39.9	.....	.....	.....	.....	.....	20.0	20.0	49.9	.....	10.0
Ishpeming, Mich	1900	1,320.3	83.0	.....	.....	45.3	30.2	30.2	52.8	.....	45.3	37.7	37.7
	1901	1,198.7	23.3	.....	.....	23.3	46.7	.....	7.8	.....	101.2	15.6	54.5
	1902	1,511.4	8.0	.....	.....	16.1	40.2	.....	104.5	8.0	128.6	56.3	48.2
	1903	1,429.6	33.2	.....	.....	.....	8.3	91.4	124.7	.....	99.7	24.9	41.6
	1904	1,135.7	.....	.....	.....	.....	8.6	43.0	43.0	.....	154.9	.....	60.2
Ithaca, N. Y	1900	1,705.2	45.7	.....	.....	22.8	7.6	.....	45.7	60.9	129.4	15.2	53.3
	1901	1,461.5	45.0	.....	.....	.....	.....	15.0	7.5	82.4	127.4	.....	52.5
	1902	1,439.3	7.4	.....	.....	.....	.....	7.4	22.1	29.5	199.3	14.8	88.6
	1903	1,955.8	341.7	.....	.....	.....	7.3	14.5	7.3	29.1	123.6	29.1	87.3
	1904	1,568.8	28.6	7.2	.....	28.6	7.2	.....	7.2	57.3	100.3	21.5	107.4
Jackson, Mich	1900	1,286.7	67.5	7.9	.....	.....	.....	.....	7.9	11.9	91.3	11.9	75.5
	1901	1,368.5	55.5	7.9	.....	.....	.....	.....	4.0	79.3	83.3	19.8	63.5
	1902	1,414.4	55.5	7.9	.....	7.9	.....	27.7	11.9	.....	79.2	11.9	95.1
	1903	1,333.6	23.8	3.9	.....	7.9	.....	19.8	11.9	11.9	100.8	31.7	75.1
	1904	1,470.4	47.4	3.9	19.8	.....	.....	.....	19.8	23.7	98.9	11.9	79.0
Jacksonville, Fla	1900	3,014.5	35.2	239.2	.....	.....	.....	17.6	10.5	49.2	415.1	17.6	31.6
	1901	2,690.2	54.1	280.9	.....	3.4	27.1	.....	20.3	16.9	331.6	10.2	37.2
	1902	2,862.3	130.4	153.2	.....	3.2	29.3	.....	3.2	9.8	433.6	39.1	48.9
	1903	2,761.2	62.9	151.0	.....	6.3	.....	59.8	9.4	18.9	292.5	9.4	69.2
	1904	2,746.0	88.1	60.8	.....	18.2	.....	24.3	12.2	3.0	419.2	12.2	54.7
Jacksonville, Ill	1900	1,777.4	26.5	6.6	.....	.....	6.6	.....	.....	46.4	179.1	33.2	53.1
	1901	2,288.8	32.7	.....	6.5	.....	.....	19.6	13.1	32.7	202.8	26.1	32.7
	1902	2,347.5	96.7	12.9	6.5	.....	12.9	6.5	.....	6.5	264.4	38.7	64.5
	1903	2,366.4	101.8	12.7	.....	44.5	.....	19.1	25.4	63.6	267.2	31.8	89.1
	1904	2,127.5	56.5	.....	.....	.....	.....	.....	6.3	18.8	219.7	50.2	69.0
Jamestown, N. Y	1900	1,266.8	52.4	.....	.....	.....	.....	21.8	4.4	8.7	148.5	35.0	56.8
	1901	1,251.2	21.2	.....	.....	.....	4.2	12.7	21.2	17.0	131.5	25.5	72.1
	1902	1,022.2	4.1	.....	.....	.....	12.4	.....	33.0	4.1	119.6	16.5	37.1
	1903	1,222.6	24.1	.....	.....	4.0	4.0	8.0	48.1	24.1	100.2	16.0	80.2
	1904	1,252.3	39.0	.....	.....	.....	3.9	7.8	19.5	19.5	121.0	11.7	66.3
Jeffersonville, Ind	1900	1,921.3	55.7	18.6	.....	18.6	.....	18.6	.....	.....	306.2	120.7	37.1
	1901	2,299.5	111.3	27.8	.....	.....	.....	.....	18.5	64.9	296.7	83.4	74.2
	1902	2,037.8	37.0	27.8	.....	.....	.....	.....	.....	9.3	352.0	37.0	74.1
	1903	1,980.2	64.8	18.5	.....	.....	.....	46.3	9.2	37.0	231.3	55.5	74.0
	1904	1,848.8	46.2	37.0	.....	.....	.....	9.2	18.5	27.7	184.9	55.5	129.4
Jersey City, N. J	1900	2,070.4	22.8	4.8	.....	8.2	15.0	10.2	64.4	12.1	251.4	32.0	48.0
	1901	1,928.1	16.1	4.7	1.4	7.6	15.7	9.5	52.7	16.6	218.7	27.5	52.2
	1902	1,882.2	20.5	3.3	5.1	7.0	17.7	18.6	56.7	1.8	210.1	26.5	47.0
	1903	1,888.3	15.0	2.3	0.5	8.2	12.3	10.5	53.8	6.8	231.0	17.3	57.4
	1904	2,112.6	19.2	2.7	.....	4.9	41.1	13.0	68.4	11.1	263.6	24.1	55.0
Johnstown, N. Y	1900	1,135.2	19.7	.....	.....	9.9	.....	.....	.....	19.7	108.6	9.9	49.4
	1901	1,099.7	.....	.....	.....	19.3	.....	.....	9.6	48.2	57.9	19.3	77.2
	1902	1,150.7	18.9	.....	.....	.....	9.4	.....	28.3	18.9	122.6	9.4	84.9
	1903	1,439.4	36.9	.....	.....	.....	9.2	27.7	9.2	18.5	101.5	9.2	101.5
	1904	1,137.8	.....	.....	.....	9.0	.....	.....	.....	18.1	108.4	9.0	72.2

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	15.3	107.2	140.0	131.3	164.1	126.8	310.7	115.9	54.7	100.6	8.8	74.4	76.6	150.9	10.9
.....	19.3	98.4	109.2	130.6	119.9	109.2	214.0	92.0	55.6	124.1	12.8	115.6	68.5	147.7	2.1
.....	16.7	54.5	136.2	129.9	85.9	83.8	217.9	85.9	60.8	138.3	8.4	75.4	60.8	106.9	2.1
2.0	12.3	57.5	110.8	125.2	145.7	117.0	250.3	88.2	86.2	153.9	10.3	63.6	36.9	123.1	.....
.....	16.1	58.3	108.6	138.7	128.7	106.5	239.2	74.4	78.4	138.7	14.1	56.3	38.2	88.5	.....
.....	31.5	31.5	335.8	220.4	251.9	84.0	136.4	136.4	73.5	63.0	10.5	63.0	73.4	146.9	.....
10.3	20.5	41.1	215.9	205.6	72.0	133.6	72.0	92.5	113.1	61.7	.....	102.8	41.1	226.1	.....
.....	10.1	20.1	312.3	241.8	70.5	100.7	60.4	110.8	50.4	90.7	20.1	90.7	20.1	171.2	.....
.....	19.7	29.6	148.1	207.4	29.6	108.6	59.3	138.3	118.5	69.1	.....	118.5	49.4	187.6	9.9
9.7	19.4	48.4	222.7	232.4	58.1	87.1	48.4	77.5	87.1	116.2	.....	125.9	77.5	193.6	.....
.....	.....	30.8	205.7	82.3	82.3	20.6	72.0	61.7	61.7	20.6	.....	51.4	61.7	154.3	.....
.....	30.2	161.0	60.4	60.4	50.3	70.5	80.5	30.2	90.6	.....	.....	40.2	40.2	211.3	10.1
.....	.....	9.9	188.0	108.9	108.9	29.7	39.6	128.6	158.3	29.7	.....	118.8	9.9	108.9	9.9
9.7	29.1	48.4	135.6	135.6	87.1	38.8	87.1	222.8	106.5	48.4	19.4	106.5	9.7	155.0	19.4
.....	22.6	30.2	113.3	105.7	158.6	60.4	113.3	52.9	75.5	68.0	.....	45.3	68.0	120.8	.....
.....	14.8	7.4	140.2	110.7	132.8	59.0	88.6	66.4	51.7	66.4	7.4	59.0	36.9	132.9	.....
7.2	21.7	21.7	115.5	158.8	50.5	65.0	129.9	28.9	50.5	72.2	.....	14.4	65.0	72.2	7.2
.....	14.1	7.1	70.6	113.0	113.0	42.4	28.2	63.6	56.5	77.7	7.1	63.6	56.5	183.6	.....
.....	13.8	13.8	117.6	131.4	110.6	62.2	138.3	55.3	62.2	48.4	27.7	76.1	20.7	131.4	.....
1.8	11.8	50.2	180.2	99.9	141.9	68.0	105.2	92.2	71.5	92.2	10.0	69.2	109.4	165.5	1.8
1.1	9.7	40.5	143.0	140.7	116.8	81.5	69.5	93.4	56.4	125.3	6.3	72.9	66.7	152.7	1.1
.....	7.0	25.7	137.9	123.9	83.7	71.9	75.1	84.8	55.3	114.8	9.1	79.4	55.3	160.9	2.1
0.5	10.6	32.4	143.8	137.2	99.7	78.5	90.1	88.6	63.3	95.2	12.2	84.5	49.1	167.0	1.0
2.0	8.8	42.5	157.4	149.6	126.1	78.7	79.2	98.2	76.7	102.1	17.6	90.9	49.8	155.4	.....
.....	.....	21.6	119.0	86.6	129.9	54.1	151.5	43.3	32.5	162.3	.....	184.0	21.6	108.2	64.9
.....	.....	22.0	66.1	143.2	110.2	121.2	88.1	88.1	11.0	132.2	11.0	242.3	33.1	143.2	.....
.....	.....	33.7	67.3	78.5	101.0	67.3	246.8	78.5	.....	67.3	.....	112.2	44.9	123.4	44.9
.....	.....	22.9	114.2	80.0	.....	125.7	137.1	114.2	22.9	194.3	22.9	228.5	22.9	160.0	22.9
11.6	.....	11.6	81.6	46.6	23.3	69.9	198.0	93.2	46.6	151.4	23.3	151.4	11.6	116.5	35.0
.....	8.4	8.4	134.8	50.6	84.3	160.1	176.9	92.7	25.3	25.3	.....	118.0	25.3	143.2	92.7
.....	.....	16.8	117.4	176.2	134.2	159.4	125.8	159.4	33.6	8.4	.....	142.6	41.9	226.5	67.1
.....	.....	16.7	158.7	75.2	142.0	116.9	167.0	75.2	33.4	41.7	.....	125.3	16.7	200.5	158.7
8.3	.....	25.0	116.4	116.4	108.1	74.8	91.5	91.5	8.3	16.6	.....	83.1	58.2	124.7	41.6
.....	8.3	8.3	66.2	140.7	91.1	57.9	82.8	82.8	82.8	66.2	16.6	99.3	41.4	173.8	.....
.....	10.3	.....	61.8	41.2	103.1	103.1	247.3	61.8	41.2	82.4	.....	175.2	72.2	51.5	226.7
.....	.....	51.1	71.6	20.4	71.6	92.0	224.9	81.8	.....	81.8	20.4	204.4	.....	92.0	112.4
.....	.....	.....	91.3	71.0	142.0	142.0	172.4	111.5	.....	40.6	10.1	314.4	40.6	182.5	233.2
.....	.....	.....	90.5	60.4	181.1	90.5	201.2	30.2	20.1	80.5	10.1	211.2	30.2	100.6	211.2
.....	.....	.....	49.9	.....	29.9	79.9	49.9	39.9	.....	69.8	.....	79.9	29.9	59.9	89.8
.....	.....	22.6	83.0	67.9	30.2	181.1	150.9	45.3	15.1	98.1	7.5	75.4	15.1	90.5	75.4
.....	23.3	38.9	109.0	31.1	77.9	85.6	155.7	46.7	7.8	23.3	.....	155.7	7.8	77.9	85.6
.....	24.1	40.2	80.4	40.2	72.4	160.8	136.7	72.4	16.1	88.4	.....	241.2	16.1	72.3	40.2
.....	8.3	8.3	58.2	74.8	108.1	91.4	241.1	49.9	16.6	66.5	8.3	174.6	8.3	58.2	33.2
.....	.....	60.2	51.6	77.5	51.6	94.7	137.7	51.6	43.0	77.5	.....	68.8	17.2	86.0	8.6
7.6	.....	30.5	182.7	251.2	137.0	60.9	53.3	68.5	114.2	22.8	22.8	144.7	38.1	175.1	15.2
.....	15.0	30.0	149.9	202.4	89.9	30.0	97.4	82.4	104.9	30.0	7.5	67.4	30.0	194.9	.....
.....	22.1	14.8	206.7	214.1	73.8	29.5	59.0	59.0	118.1	59.0	14.8	73.8	29.5	96.0	.....
.....	21.8	21.8	196.3	210.8	101.8	94.5	72.7	94.5	123.6	50.9	7.3	80.0	29.1	210.8	.....
.....	21.5	14.3	143.3	200.6	164.8	86.0	57.3	71.6	179.1	28.6	7.2	100.3	14.3	114.6	.....
4.0	7.9	23.8	158.9	174.8	71.5	55.6	79.4	95.3	47.7	27.8	19.9	87.4	35.7	119.1	4.0
.....	11.9	7.9	142.8	162.7	71.4	83.3	63.5	126.9	55.5	43.6	7.9	63.5	27.8	186.5	.....
4.0	15.8	11.9	142.6	210.0	99.1	95.1	43.6	79.2	59.4	43.6	11.9	71.3	27.7	198.1	4.0
3.9	23.8	19.8	142.5	174.1	95.0	35.6	63.3	67.3	55.4	59.4	11.9	91.0	31.7	162.2	3.9
7.9	11.9	11.9	173.9	193.7	102.8	75.1	47.4	79.0	79.0	67.2	19.8	75.1	47.4	173.9	.....
.....	7.0	56.3	330.6	161.8	140.7	137.2	137.2	207.5	137.2	172.4	3.5	151.3	295.5	242.7	17.6
.....	3.4	40.6	280.9	159.0	132.0	98.1	118.4	115.1	142.1	121.8	.....	209.8	216.6	196.3	74.4
.....	.....	42.4	221.7	166.3	120.6	75.0	146.7	146.7	166.3	179.3	9.8	185.9	286.9	218.4	45.6
9.4	9.4	40.9	220.1	273.6	147.8	84.9	103.8	157.2	179.3	195.0	9.4	217.0	188.7	229.6	15.7
.....	12.2	30.4	243.0	139.7	206.5	115.4	154.9	130.6	200.5	194.4	9.1	164.0	185.3	230.8	36.5
.....	6.6	46.4	271.9	199.0	92.9	66.3	53.1	99.5	86.2	53.1	6.6	72.9	59.7	291.8	19.9
.....	6.5	26.1	575.5	274.7	124.2	91.6	32.7	183.1	58.9	85.0	13.1	58.9	65.4	274.6	52.3
.....	12.9	25.8	606.2	245.1	161.2	77.4	58.0	77.4	90.3	83.8	.....	96.7	70.9	232.2	.....
6.4	12.7	6.4	413.5	216.3	108.1	76.3	108.1	108.1	95.4	38.2	31.8	101.8	38.2	349.9	.....
.....	12.5	25.1	364.0	232.2	194.6	56.5	50.2	113.0	131.8	69.0	18.8	125.5	37.7	276.1	.....
.....	8.7	13.1	126.7	126.7	100.5	91.7	61.2	65.5	61.2	39.3	4.4	65.5	56.8	109.2	8.7
.....	12.7	33.9	135.8	101.7	76.4	84.8	38.2	93.3	131.5	42.4	.....	55.1	42.4	97.6	.....
8.2	12.4	20.6	119.6	78.3	37.1	41.2	41.2	82.4	65.9	45.3	.....	57.7	33.0	152.5	.....
4.0	12.0	12.0	104.3	156.4	56.1	56.1	32.1	60.1	48.1	52.1	4.0	108.2	64.1	140.3	4.0
3.9	11.7	27.3	128.8	191.2	54.6	50.7	35.1	81.9	89.8	58.5	7.8	66.3	31.2	124.8	.....
.....	18.6	46.4	232.0	120.7	176.3	111.4	102.1	83.5	111.4	92.8	9.3	46.4	46.4	148.5	.....
.....	9.3	37.1	194.7	120.5	213.3	176.2	111.3	194.7	92.7	129.8	18.5	64.9	102.0	148.4	9.3
.....	.....	83.4	166.7	138.9	83.4	83.4	92.6	194.5	120.7	148.2	9.3	83.4	101.9	185.2	.....
9.2	9.2	27.8	166.6	101.8	148.1	92.5	120.3	111.0	212.8	185.1	.....	83.3	27.8	148.1	.....
.....	18.5	46.2	184.9	157.1	101.7	101.7	138.7	166.4	147.9	64.7	.....	46.2	37.0	129.4	.....
2.9	6.3	82.8	201.0	176.3	189.4	155.5	154.1	119.7	115.8	76.5	17.9	110.9	62.0	122.6	7.8
0.5	7.6	62.2	203.0	141.4	155.1	132.8	168.4	106.3	105.3	76.9	15.2	147.1	45.5	133.8	4.3
0.5	7.4	71.1	198.0	157.1	159.0	130.2	145.5	101.8	111.6	77.6	14.4	101.3	55.3	135.7	1.4
.....	11.4	56.5	185.9	168.1	181.8	113.9	128.1	105.3	121.7	78.8	20.0	112.1	57.0	130.8	1.8
.....	8.9	76.0	176.5	206.0	226.1	125.1	162.7	106.3	119.3	69.7	19.7	120.2	54.5	134.5	4.0
.....	19.7	29.6	138.2	79.0	29.6	19.7	108.6	88.8	29.6	39.5	.....	39.5	69.1	187.6	39.5
.....	19.3	48.2	135.1	154.4	77.2	57.9	57.9	77.2	38.6	9.6	.....	28.9	9.6	144.7	9.6
.....	9.4	9.4	141.5	160.3	47.2	56.6	28.3	37.7	94.3	18.9	.....	47.2	47.2	160.3	.....
.....	27.7	36.9	258.4	184.5	46.1	55.4	64.6	46.1	83.1	64.6	.....	101.5	36.9	119.9	.....
.....	9.0	36.1	180.6	162.6	72.2	72.2	63.2	36.1	54.2	45.2	.....	45.2	45.2	99.3	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.												
Johnstown, Pa.....1900..	2,109.3	130.8	.....	.....	25.0	16.7	39.0	75.1	13.9	114.1	16.7	44.5
1901..	1,708.9	116.4	.....	.....	2.6	21.2	.....	39.7	7.9	103.2	5.3	37.0
1902..	1,748.5	36.0	.....	59.1	7.7	113.1	2.6	54.0	5.1	131.1	10.3	30.9
1903..	1,785.9	22.5	.....	27.5	17.5	60.0	12.5	85.0	5.0	112.6	7.5	32.5
1904..	1,468.2	34.1	2.4	4.9	2.4	65.7	14.6	53.6	2.4	131.5	7.3	56.0
Kalamazoo, Mich.....1900..	1,868.5	36.9	12.3	.....	12.3	.....	20.5	8.2	12.3	102.4	24.6	81.9
1901..	1,809.8	27.2	.....	.....	.....	11.6	.....	.....	35.0	112.6	38.8	101.0
1902..	1,476.4	18.4	3.7	.....	11.1	.....	3.7	29.5	7.4	92.3	33.2	55.4
1903..	1,740.6	38.7	.....	.....	3.5	14.1	14.1	7.0	24.6	84.4	17.6	112.5
1904..	1,658.7	20.1	3.4	.....	6.7	10.1	3.4	16.8	30.2	114.2	20.1	87.3
Kansas City, Mo.....1900..	1,633.0	35.4	6.1	5.5	6.7	6.7	4.3	47.6	9.2	196.7	8.5	39.7
1901..	1,611.0	45.5	7.8	3.6	.....	16.8	1.8	24.0	14.4	188.8	5.4	46.7
1902..	1,577.4	38.2	5.9	4.7	14.7	8.8	12.4	11.2	5.3	177.7	5.9	59.4
1903..	1,738.1	80.3	8.1	4.6	1.7	8.1	9.8	13.3	12.7	203.4	13.3	55.5
1904..	1,966.9	43.1	7.4	4.5	10.2	11.4	4.0	27.8	34.6	235.6	15.3	72.7
Keene, N. H.....1900..	1,418.4	.....	.....	.....	.....	10.9	10.9	10.9	32.7	141.9	21.8	87.3
1901..	1,810.0	21.4	.....	.....	.....	246.3	.....	21.4	53.6	192.8	.....	182.1
1902..	1,262.0	10.5	.....	.....	10.5	.....	.....	.....	31.6	52.6	10.5	84.0
1903..	1,353.2	10.3	.....	.....	.....	.....	20.7	10.3	72.3	82.6	.....	134.3
1904..	1,422.4	10.1	.....	.....	.....	.....	10.1	.....	121.8	131.9	.....	81.2
Key West, Fla.....1900..	2,442.4	52.6	40.9	.....	.....	.....	23.4	46.7	23.4	356.4	23.4	35.1
1901..	2,401.5	29.2	23.4	.....	.....	.....	17.5	11.7	11.7	350.6	23.4	35.1
1902..	2,407.4	46.7	23.4	.....	.....	64.3	.....	29.2	23.4	356.4	23.4	70.1
1903..	2,343.1	11.7	46.7	.....	.....	29.2	5.8	17.5	.....	251.3	17.5	58.4
1904..	2,430.8	99.4	40.9	.....	5.8	17.5	.....	11.7	.....	309.7	11.7	40.9
Kingston, N. Y.....1900..	1,968.6	12.2	16.3	.....	48.9	40.8	28.5	32.6	40.8	183.4	8.1	65.2
1901..	1,886.4	12.1	16.1	.....	4.0	116.7	.....	52.3	24.1	193.1	28.2	88.5
1902..	1,532.4	15.9	7.9	.....	.....	4.0	7.9	31.8	15.9	174.7	23.8	67.5
1903..	1,669.5	27.4	15.7	.....	.....	70.5	15.7	19.6	27.4	168.5	31.4	70.5
1904..	1,718.1	19.3	3.9	.....	.....	3.9	27.1	34.8	27.1	185.7	19.3	89.0
Kokomo, Ind.....1901..	1,484.7	36.9	.....	.....	.....	.....	.....	.....	18.5	239.8	9.2	129.1
1902..	1,435.1	45.1	9.0	.....	.....	.....	.....	.....	9.0	189.6	9.0	63.2
1903..	1,607.0	17.7	.....	.....	44.2	8.8	.....	35.3	17.7	167.9	35.3	70.7
1904..	1,740.4	8.7	.....	.....	.....	.....	.....	17.3	43.3	242.4	8.7	86.6
Isconia, N. H.....1900..	1,765.7	24.9	.....	.....	.....	12.4	.....	.....	24.9	223.9	24.9	24.9
1901..	1,852.8	24.9	.....	.....	.....	12.4	.....	.....	.....	199.0	24.9	111.9
1902..	1,691.1	24.9	.....	.....	.....	.....	.....	12.4	.....	161.6	.....	111.9
1903..	2,039.3	12.4	.....	.....	62.2	.....	24.9	.....	24.9	211.4	.....	99.5
1904..	1,765.7	12.4	12.4	.....	.....	.....	.....	12.4	.....	174.1	12.4	136.8
Lafayette, Ind.....1900..	1,838.2	16.6	27.6	.....	5.5	.....	5.5	66.2	33.1	226.3	16.6	33.1
1901..	1,639.1	43.7	38.2	.....	.....	.....	16.4	16.4	27.3	185.8	38.2	49.2
1902..	1,800.5	81.1	10.8	.....	5.4	.....	.....	5.4	16.2	189.3	43.3	102.8
1903..	1,713.3	26.8	10.7	5.3	.....	5.3	5.3	.....	26.8	230.2	26.8	69.6
1904..	1,839.5	37.1	5.3	.....	.....	5.3	.....	15.9	26.5	243.9	31.8	37.1
Lancaster, Pa.....1900..	1,724.6	43.4	2.4	.....	4.8	9.6	26.5	69.9	41.0	127.8	33.8	60.3
1901..	1,622.5	21.2	2.3	.....	2.3	7.1	18.9	47.2	77.8	125.0	14.1	47.2
1902..	1,326.4	50.8	2.3	.....	.....	.....	16.1	9.2	18.5	140.7	16.1	60.0
1903..	1,359.1	51.9	.....	2.3	.....	6.8	20.3	27.1	13.5	135.5	20.3	65.5
1904..	1,494.3	79.6	.....	.....	35.4	2.2	.....	28.7	19.9	132.6	22.1	59.7
Lansing, Mich.....1900..	1,449.8	72.8	6.1	.....	12.1	12.1	6.1	72.8	12.1	84.9	6.1	66.7
1901..	1,296.5	34.4	5.7	.....	.....	5.7	11.5	45.9	45.9	68.8	11.5	45.9
1902..	1,256.8	10.9	.....	.....	16.3	.....	16.3	5.4	27.2	38.1	5.4	76.2
1903..	1,096.9	62.1	.....	.....	5.2	5.2	5.2	36.2	20.7	77.6	31.0	36.2
1904..	1,154.1	44.4	.....	.....	4.9	.....	9.9	9.9	19.7	39.5	9.9	64.1
Lansingburg, N. Y.....1900..	1,762.6	127.0	.....	.....	.....	.....	.....	63.5	39.7	174.7	31.8	55.6
Lawrence, Kans.....1900..	1,629.5	36.8	9.2	.....	.....	9.2	64.5	138.1	.....	184.1	9.2	73.7
Lawrence, Mass.....1900..	2,062.1	19.2	1.6	.....	33.6	14.4	11.2	57.5	41.6	187.0	14.4	51.1
1901..	1,756.0	18.6	1.6	.....	1.6	.....	4.7	28.0	26.4	161.6	17.1	76.1
1902..	1,765.9	19.7	3.0	6.0	27.2	9.1	27.2	19.7	1.5	172.4	18.1	65.0
1903..	1,684.0	28.0	4.4	1.5	13.2	13.2	17.7	47.1	7.4	154.6	28.0	58.9
1904..	1,645.1	17.2	1.4	.....	1.4	4.3	8.6	17.2	8.6	164.9	21.5	58.8
Leadville, Colo.....1900..	2,786.0	104.4	.....	.....	.....	48.2	96.3	24.1	8.0	56.2	.....	72.3
1901..	2,069.2	55.3	.....	.....	.....	86.9	7.9	7.9	39.5	31.6	.....	15.8
1902..	1,756.2	38.9	.....	.....	.....	15.6	7.8	7.8	23.3	15.6	.....	46.6
1903..	1,491.3	22.9	.....	.....	38.3	7.6	30.6	.....	22.9	15.3	.....	45.9
1904..	1,919.7	286.1	.....	.....	7.5	7.5	.....	7.5	30.1	22.6	7.5	30.1
Leavenworth, Kans.....1900..	1,774.8	28.9	24.1	.....	.....	4.8	28.9	19.3	9.7	178.5	4.8	53.1
1901..	1,335.3	58.1	8.9	3.9	.....	.....	.....	8.9	22.3	178.6	4.5	44.7
1902..	1,483.9	84.7	17.8	.....	4.4	62.4	13.4	4.4	13.4	138.1	.....	75.8
1903..	1,465.8	52.2	4.3	4.3	.....	4.3	.....	34.8	13.1	143.5	8.7	87.0
1904..	1,518.1	48.3	.....	4.4	4.4	4.4	17.5	39.5	8.8	144.8	8.8	48.3
Lebanon, Pa.....1900..	1,718.9	34.0	5.7	.....	22.7	.....	.....	141.8	34.0	102.1	5.7	17.0
Leominster town, Mass.....1900..	1,468.7	16.1	.....	.....	.....	16.1	.....	56.5	.....	129.1	8.1	72.6
1901..	1,216.7	15.5	7.7	.....	.....	.....	.....	62.0	15.5	85.3	15.5	38.8
1902..	1,155.3	7.4	.....	.....	.....	7.4	.....	22.4	.....	156.5	14.9	89.4
1903..	1,278.0	7.2	.....	.....	.....	7.2	7.2	14.4	7.2	114.9	14.4	86.2
1904..	1,218.8	6.9	.....	.....	.....	6.9	.....	.....	6.9	138.5	20.8	48.5
Lima, Ohio.....1900..	1,933.4	73.7	9.2	.....	9.2	9.2	9.2	23.0	23.0	165.7	13.8	46.0
1901..	1,856.8	58.3	.....	.....	.....	4.5	13.4	53.8	62.8	219.8	22.4	71.8
1902..	1,347.0	24.1	12.1	.....	.....	4.0	8.1	40.2	20.1	160.8	16.1	48.2
1903..	1,356.0	31.3	.....	.....	39.2	.....	19.6	11.8	11.8	164.6	15.7	47.0
1904..	1,360.2	34.1	7.6	.....	3.8	7.6	15.1	26.5	37.9	109.9	26.5	34.1

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	5.6	128.0	161.4	116.9	311.7	47.3	161.4	105.8	44.5	64.0	.....	175.3	128.0	105.7	77.9
2.6	5.3	50.3	172.0	74.1	177.2	63.5	153.4	95.2	50.3	66.1	10.6	193.1	116.4	103.2	42.3
2.6	12.8	46.3	180.0	69.4	192.9	46.3	108.0	69.4	64.3	64.3	2.6	216.0	138.9	69.4	15.4
.....	7.5	40.0	127.6	95.1	215.1	65.0	122.6	62.5	60.0	90.1	5.0	227.6	132.6	137.6	15.0
.....	9.7	12.2	133.9	65.7	136.4	34.1	90.1	87.7	36.5	48.7	9.7	158.3	165.6	87.7	17.0
.....	8.2	24.6	405.7	184.4	81.9	114.7	127.0	131.1	53.3	65.6	20.5	69.6	32.8	221.3	16.4
.....	23.3	3.9	403.9	178.7	73.8	85.4	143.7	93.2	58.3	31.1	27.2	89.3	35.0	225.2	11.6
.....	14.8	.....	287.9	203.0	77.5	66.4	70.1	114.4	70.1	44.3	14.8	88.6	11.1	158.7	.....
.....	17.6	21.1	397.3	253.2	84.4	105.5	49.2	98.5	63.3	28.1	10.5	98.5	7.0	186.4	3.5
3.4	6.7	16.8	369.3	261.9	70.5	70.5	63.8	80.6	57.1	36.9	3.4	107.4	6.7	188.0	3.4
1.8	4.3	44.6	134.3	130.7	174.7	76.3	89.2	91.0	71.4	89.8	11.0	110.5	106.3	125.2	5.5
1.2	6.6	30.0	128.9	115.7	155.8	51.5	71.9	95.3	77.3	103.1	10.2	138.4	119.9	143.2	7.2
3.5	6.5	41.8	110.6	119.4	172.4	74.1	65.9	104.7	84.7	88.9	16.5	100.0	91.2	147.7	5.3
1.2	5.2	38.7	117.3	133.5	182.6	61.8	78.0	104.0	91.9	92.5	23.7	126.0	126.5	144.4	.....
2.8	10.2	34.1	103.3	169.7	321.9	75.5	61.3	118.6	101.0	85.2	19.3	161.2	67.0	166.9	2.3
10.9	10.9	54.6	98.2	163.7	130.9	65.5	21.8	109.1	32.7	32.7	10.9	76.4	109.1	174.6	.....
10.7	10.7	53.6	139.2	203.5	75.0	42.8	53.6	32.1	96.4	21.4	.....	42.8	107.1	203.5	.....
10.5	31.6	21.0	147.3	189.3	105.2	105.2	21.0	105.2	63.1	10.5	.....	31.6	10.5	210.3	.....
.....	10.3	31.0	196.3	175.6	103.3	41.3	20.7	51.7	41.3	.....	.....	93.0	31.0	227.2	.....
.....	20.3	10.1	182.7	274.0	101.5	71.1	71.1	40.6	71.1	20.3	.....	91.4	20.3	192.8	.....
.....	.....	.....	99.3	391.5	122.7	81.8	105.2	292.2	122.7	40.9	163.6	5.8	64.3	140.2	204.5	5.8
.....	5.8	.....	99.3	321.4	181.1	163.6	128.5	321.4	87.6	52.6	146.1	.....	40.9	157.8	192.8	.....
5.8	.....	.....	105.2	222.0	134.4	76.0	40.9	426.6	81.8	87.6	163.6	.....	52.6	169.5	198.7	5.8
.....	.....	.....	46.7	298.0	151.9	64.3	81.8	391.5	87.7	87.7	187.0	.....	81.8	222.1	198.7	5.8
.....	5.8	.....	81.8	274.6	175.3	23.4	81.8	391.5	58.4	64.3	239.6	.....	76.0	245.4	169.5	5.8
12.2	.....	.....	65.2	187.5	232.3	89.7	126.4	101.9	130.4	93.7	81.5	.....	126.4	57.1	183.4	4.1
.....	4.0	.....	32.2	221.2	237.3	96.5	60.3	60.3	124.7	96.5	68.4	.....	120.7	52.3	172.9	4.0
.....	11.9	.....	31.8	194.6	174.7	135.0	83.4	75.4	87.3	79.4	47.6	.....	87.3	23.8	150.8	.....
.....	11.8	.....	27.4	164.6	219.5	109.8	70.5	70.5	98.0	94.1	82.3	.....	105.8	31.4	137.1	.....
3.9	7.7	.....	31.0	232.2	193.5	112.2	85.1	108.4	85.1	89.0	77.4	3.9	112.2	34.8	131.6	.....
.....	9.2	.....	46.1	166.0	129.1	55.3	46.1	55.3	138.3	36.9	73.8	.....	83.0	36.9	175.2	.....
.....	36.1	.....	9.0	90.3	99.3	108.3	45.1	126.4	117.3	54.2	81.2	.....	126.4	27.1	189.5	.....
.....	17.7	.....	53.0	132.6	132.6	123.8	97.2	168.0	114.9	35.3	35.3	17.7	150.3	44.2	176.8	.....
26.0	17.3	.....	17.3	121.2	147.2	155.9	86.6	60.6	147.2	17.3	164.5	17.3	95.2	52.0	207.8	.....
.....	24.9	.....	87.0	186.5	111.9	161.7	74.6	149.2	74.6	12.4	111.9	.....	149.2	87.0	186.5	12.4
.....	24.9	.....	49.7	348.2	111.9	136.8	99.5	49.7	49.7	99.5	37.3	24.9	161.7	49.7	236.2	.....
.....	.....	.....	12.4	286.0	198.9	111.9	87.1	87.1	99.5	87.1	24.9	.....	49.7	49.7	286.0	.....
.....	37.3	.....	49.7	323.3	236.2	99.5	62.2	149.2	62.2	87.0	24.9	.....	149.2	37.3	261.1	24.9
.....	24.9	.....	.....	310.9	149.2	149.2	111.9	74.6	124.4	87.0	24.9	12.4	99.5	49.8	186.5	.....
11.0	.....	.....	60.7	160.1	176.7	138.0	71.8	104.9	149.1	38.6	60.7	5.5	132.5	110.4	154.6	33.1
5.5	16.4	.....	27.3	147.5	180.3	125.7	65.6	81.9	109.3	32.8	54.6	5.5	103.8	76.5	180.3	10.9
.....	21.6	.....	27.0	194.7	221.8	59.5	86.5	48.7	162.3	64.9	92.0	5.4	146.0	43.3	227.1	5.4
.....	5.3	.....	32.1	262.4	230.2	112.5	69.6	32.1	85.7	80.3	26.8	.....	123.2	58.9	187.4	.....
15.9	10.6	.....	26.5	212.1	286.3	127.3	58.3	79.5	106.0	79.5	79.5	.....	90.1	58.3	201.4	5.3
7.2	2.4	.....	19.3	205.0	195.4	111.0	72.4	132.7	111.0	94.1	48.3	14.5	67.5	101.3	120.6	2.4
4.7	4.7	.....	16.5	179.2	191.0	188.7	47.2	127.3	108.5	80.2	47.2	7.1	63.7	56.6	136.8	.....
4.6	4.6	.....	6.9	189.2	145.4	69.2	46.1	110.7	71.5	94.6	41.5	6.9	55.4	43.8	122.3	.....
2.3	20.3	.....	29.3	169.3	142.2	70.0	51.9	83.6	90.3	94.8	24.8	11.3	61.0	33.9	130.9	.....
.....	13.3	.....	26.5	207.8	161.4	108.3	59.7	92.8	77.4	92.8	39.8	13.3	61.9	30.9	128.2	.....
6.1	.....	.....	48.5	163.8	194.1	66.7	60.7	121.3	91.0	66.7	42.5	12.1	60.7	24.3	121.3	18.2
.....	5.7	.....	11.5	154.9	229.5	86.1	28.7	86.1	80.3	57.4	22.9	11.5	97.5	17.2	131.9	.....
.....	16.3	.....	.....	92.5	272.1	65.3	43.5	92.5	114.3	76.2	49.0	16.3	59.8	10.9	152.3	.....
.....	10.3	.....	5.2	88.0	155.3	113.8	31.0	51.7	67.3	46.6	51.7	5.2	51.7	20.7	113.8	5.2
14.8	4.9	.....	14.8	123.3	202.2	59.2	29.6	83.8	88.8	44.4	9.9	4.9	143.0	4.9	103.6	19.7
.....	.....	.....	31.8	222.3	111.2	198.5	79.4	95.3	71.4	142.9	39.7	.....	47.6	103.2	127.0	.....
9.2	18.4	.....	.....	138.1	128.9	119.7	36.8	18.4	138.1	46.0	18.4	9.2	73.7	36.8	165.7	147.3
3.2	12.8	.....	49.6	132.7	185.4	147.1	142.3	314.9	121.5	65.5	118.3	11.2	81.5	51.1	171.0	22.4
.....	7.8	.....	74.6	178.7	147.6	139.9	129.0	233.1	80.8	65.3	99.4	18.6	63.7	88.6	93.2	.....
1.5	9.1	.....	65.0	160.3	145.2	176.9	155.7	199.6	101.3	77.1	93.7	4.5	63.5	51.4	87.7	4.5
2.9	14.7	.....	51.5	132.5	120.7	120.7	116.3	225.2	82.4	83.9	81.0	7.4	64.8	60.3	120.7	25.0
.....	14.4	.....	48.8	126.2	134.8	156.4	126.2	197.9	90.4	104.7	86.1	14.4	61.7	51.6	126.2	1.4
.....	.....	.....	32.1	104.4	144.5	714.6	168.6	48.2	152.5	80.3	136.5	48.2	289.0	96.3	313.1	48.2
7.9	.....	.....	23.7	94.8	173.7	623.9	126.4	79.6	165.8	71.1	86.9	15.8	165.8	7.9	173.7	7.9
.....	.....	.....	23.3	124.3	132.1	442.9	93.2	132.1	108.8	85.5	101.0	23.3	178.7	23.3	132.1	.....
.....	15.3	.....	7.6	61.2	76.5	328.9	76.5	68.8	84.1	61.2	145.3	22.9	160.6	.....	198.9	.....
.....	7.5	.....	7.5	135.5	120.5	474.3	135.5	90.4	82.8	82.8	90.4	22.6	60.2	37.7	165.6	7.5
.....	.....	.....	38.6	149.5	82.0	323.1	106.1	48.2	110.9	28.9	91.7	14.5	130.2	82.0	192.9	24.1
4.5	8.9	.....	40.2	129.5	84.9	93.8	102.7	49.1	49.1	62.5	44.7	22.3	98.2	71.5	134.0	4.5
.....	4.4	.....	13.4	138.1	133.7	124.8	80.2	53.5	80.2	93.6	17.8	22.3	71.3	62.4	164.9	8.9
17.4	.....	.....	47.9	152.2	147.9	130.5	52.2	39.2	100.0	73.9	47.9	21.7	65.3	39.2	178.3	.....
.....	13.2	.....	21.9	166.7	131.6	215.0	79.0	43.8	92.1	61.4	52.6	8.8	118.5	48.3	109.7	26.3
.....	5.7	.....	11.4	306.3	90.8	158.8	85.1	68.1	56.7	45.4	73.7	11.4	96.4	215.6	113.5	17.0
.....	16.1	.....	32.3	145.3	96.9	72.6	129.1	129.1	56.5	56.5	96.9	.....	32.3	88.8	201.7	16.1
7.7	7.7	.....	23.2	170.5	170.5	93.0	69.8	31.0	38.8	23.2	77.5	.....	46.5	62.0	155.0	.....
.....	22.4	.....	7.4	134.2	134.2	67.1	29.8	67.1	37.3	52.2	82.0	7.4	22.4	52.2	141.6	.....
7.2	14.4	.....	21.5	93.3	136.4	86.2	28.7	93.3	50.2	50.2	64.6	7.2	86.2	64.6	215.3	.....
.....	20.8	.....	20.8	131.6	173.1	48.5	48.5	90.0	27.7	76.2	83.1	6.9	62.3	27.7	173.1	.....
.....	9.2	.....	36.8	188.8	82.9	151.9	64.4	128.9	105.9	36.8	128.9	13.8	124.3	211.8	124.3	142.7
4.5	4.5	.....	35.9	121.1	112.1	139.0	71.8	89.7	125.6	71.8	80.7	13.4	174.9	71.8	197.3	35.9
.....	8.1	.....	20.1	116.6	100.5	100.5	44.2	72.4	68.4	88.5	76.4	4.0	112.6	44.2	116.6	40.2
.....	11.8	.....	27.4	101.9	50.9	141.1	39.2	90.1	117.6	70.5	54.9	3.9	94.0	35.3	156.8	19.6
7.6	15.1	.....	49.2	113.7	144.0	90.9	45.5	34.1	79.6	75.8	75.8	3.8	94.7	72.0	147.7	7.6

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Lincoln, Nebr	1900	1,120.3	9.9	5.0	.....	2.5	5.0	5.0	82.2	14.9	82.2	12.4	47.3
	1901	1,243.6	36.2	2.4	2.4	4.8	2.4	9.6	60.3	45.8	74.7	16.9	60.3
	1902	946.3	39.7	2.3	.....	16.4	.....	7.0	16.4	2.3	74.8	4.7	46.7
	1903	887.7	15.8	4.5	.....	13.6	.....	13.6	15.8	13.6	47.6	11.3	54.4
	1904	1,004.0	22.0	.....	.....	30.8	2.2	.....	8.8	6.6	72.5	8.8	50.5
Lockport, N. Y	1900	1,580.1	24.1	.....	.....	.....	.....	18.1	36.2	18.1	150.8	12.1	96.5
	1901	1,719.3	84.2	6.0	6.0	12.0	.....	6.0	42.1	30.1	186.4	12.0	72.1
	1902	1,300.3	30.0	6.0	.....	12.0	24.0	.....	18.0	18.0	77.9	12.0	71.9
	1903	1,684.3	53.8	.....	.....	11.9	17.9	11.9	89.6	17.9	125.4	11.9	41.8
	1904	1,696.7	41.7	.....	.....	.....	11.9	.....	95.2	17.9	160.7	23.8	47.6
Logansport, Ind	1901	1,788.7	48.5	12.1	.....	6.1	.....	.....	18.2	42.4	248.6	12.1	24.3
	1902	1,775.9	29.8	.....	.....	.....	.....	29.8	5.9	17.9	226.5	11.9	59.6
	1903	1,540.9	52.7	17.6	11.7	.....	.....	.....	23.4	23.4	134.8	11.7	76.2
	1904	1,791.9	51.9	.....	.....	.....	5.8	11.5	28.8	34.6	207.4	46.1	109.5
Louisville, Ky	1900	1,891.3	64.0	4.4	0.5	7.8	2.0	21.5	21.5	10.8	207.1	20.5	64.0
	1901	1,837.6	46.0	7.2	1.0	1.0	2.4	3.4	51.8	26.4	197.0	21.1	54.7
	1902	1,797.4	60.3	5.2	1.4	2.4	2.4	7.5	41.0	3.8	183.3	26.8	62.2
	1903	1,864.0	59.8	2.3	7.9	.....	6.0	20.4	32.4	7.4	214.2	19.5	55.6
	1904	1,981.8	61.6	5.9	3.2	6.4	3.2	0.9	18.2	24.2	239.5	20.5	61.6
Lowell, Mass	1900	1,945.9	17.9	.....	1.1	1.1	.....	1.1	28.4	33.7	192.7	18.9	51.6
	1901	2,110.7	19.6	3.1	.....	22.8	2.1	15.5	118.9	26.9	163.4	16.5	64.1
	1902	1,974.1	17.3	2.0	4.1	9.1	4.1	8.1	76.2	9.1	158.5	14.2	57.9
	1903	1,940.1	30.9	1.0	.....	1.0	9.0	16.0	32.9	10.0	128.8	23.0	79.9
	1904	1,706.0	18.6	2.0	1.0	18.6	5.9	2.9	34.4	6.9	131.5	21.6	69.7
Lynchburg, Va	1900	2,731.5	121.8	.....	.....	.....	5.3	.....	68.8	26.4	365.2	31.8	47.6
	1901	1,926.3	78.6	.....	.....	.....	.....	63.9	19.7	49.1	191.7	9.8	34.4
	1902	2,033.6	105.5	9.6	.....	9.6	4.8	.....	9.6	14.4	249.4	33.6	38.4
	1903	1,953.2	74.9	18.7	4.7	.....	.....	74.9	9.4	4.7	295.1	60.9	42.2
	1904	2,183.1	114.4	.....	4.6	9.1	.....	13.7	22.9	9.1	315.8	41.2	45.8
Lynn, Mass	1900	1,609.9	19.0	2.9	.....	2.9	2.9	20.4	54.0	39.4	192.7	26.3	64.2
	1901	1,461.5	14.3	5.7	.....	.....	10.0	.....	54.5	21.5	147.6	31.5	86.0
	1902	1,425.3	12.7	2.8	.....	31.0	2.8	.....	38.0	2.8	137.9	31.0	66.1
	1903	1,498.3	18.0	4.1	2.8	.....	2.8	41.5	45.6	11.1	127.2	27.6	92.6
	1904	1,530.6	24.4	1.4	.....	1.4	.....	2.7	28.5	6.8	198.3	21.7	86.9
McKeesport, Pa	1900	1,855.3	70.1	5.8	2.9	14.6	26.3	20.5	55.5	8.8	99.3	8.8	55.5
	1901	1,818.6	81.5	.....	.....	2.8	39.3	2.8	30.9	2.8	104.0	2.8	56.2
	1902	2,023.0	81.3	.....	29.8	2.7	2.7	13.5	59.6	.....	89.4	5.4	32.5
	1903	1,758.4	81.0	.....	10.5	13.1	10.5	52.3	70.5	7.8	99.3	13.1	36.6
	1904	1,838.1	133.6	.....	.....	2.5	19.8	.....	64.3	9.9	131.1	24.7	37.1
Madison, Wis	1900	1,054.1	5.2	.....	.....	.....	31.3	.....	26.1	.....	99.2	5.2	36.5
	1901	1,205.8	5.1	.....	.....	20.2	5.1	15.2	76.0	55.7	86.1	10.1	45.6
	1902	891.1	.....	.....	.....	4.9	.....	4.9	4.9	14.8	83.7	19.7	49.2
	1903	1,144.3	.....	.....	.....	.....	23.9	43.1	.....	23.9	124.5	4.8	67.0
	1904	1,260.0	.....	.....	.....	.....	.....	.....	8.9	35.6	138.0	31.2	84.6
Mahanoy City, Pa	1900	2,969.5	.....	.....	.....	59.2	7.4	.....	162.9	29.6	111.1	.....	66.7
	1901	2,484.3	7.3	.....	.....	.....	7.3	29.1	102.0	7.3	43.7	.....	21.9
	1902	1,709.5	21.5	.....	.....	.....	21.5	.....	14.3	.....	57.4	.....	28.7
	1903	2,230.1	14.1	7.0	.....	.....	218.8	63.5	21.2	.....	42.3	7.0	14.1
	1904	2,313.8	13.9	.....	13.9	13.9	48.6	.....	90.3	.....	83.4	.....	41.7
Malden, Mass	1900	1,509.0	20.8	.....	.....	.....	14.8	8.9	53.5	38.6	175.3	5.9	92.1
	1901	1,399.5	28.8	.....	2.9	2.9	5.8	23.0	34.6	34.6	126.7	31.7	69.1
	1902	1,371.9	25.1	.....	5.6	25.1	8.4	5.6	36.3	5.6	156.5	22.4	78.2
	1903	1,411.0	19.0	2.7	.....	5.4	21.7	16.3	19.0	8.1	138.4	16.3	103.1
	1904	1,289.7	26.4	.....	.....	7.9	5.3	5.3	10.5	15.8	147.7	26.4	76.5
Manchester, N. H	1900	2,025.0	15.8	1.7	1.7	.....	10.5	5.3	21.0	10.5	198.3	31.6	40.4
	1901	1,848.2	17.2	1.7	.....	.....	18.9	20.6	10.3	15.4	175.1	20.6	66.9
	1902	1,774.7	15.1	1.7	.....	8.4	1.7	10.1	53.7	1.7	120.9	31.9	48.7
	1903	1,750.3	18.1	.....	.....	1.6	3.3	29.6	57.5	18.1	126.6	36.2	60.8
	1904	1,572.5	20.9	3.2	1.6	.....	1.6	11.3	27.4	12.9	144.9	32.2	59.6
Manchester town, Conn	1900	1,377.2	75.5	.....	.....	.....	.....	37.7	37.7	37.7	217.0	9.4	47.2
	1901	1,264.0	.....	18.5	.....	55.4	9.2	9.2	92.3	36.9	119.9	9.2	9.2
	1902	1,029.2	.....	9.0	.....	.....	9.0	9.0	63.2	.....	144.4	36.1	45.2
	1903	1,087.1	26.5	8.8	.....	.....	26.5	17.7	17.7	8.8	185.6	.....	61.9
	1904	1,107.9	26.0	.....	.....	.....	8.6	.....	60.6	26.0	129.8	17.3	34.6
Manitowoc, Wis	1900	1,773.3	8.5	.....	.....	.....	33.9	.....	67.9	.....	229.1	33.9	84.9
	1901	1,408.8	24.7	.....	.....	.....	.....	.....	49.4	16.5	230.7	16.5	41.2
	1902	1,329.1	.....	.....	8.0	.....	.....	8.0	8.0	8.0	144.1	16.0	56.1
	1903	1,082.4	7.8	.....	.....	.....	.....	7.8	.....	7.8	147.9	31.1	77.9
	1904	1,265.7	15.2	.....	.....	7.6	.....	.....	15.2	22.7	98.5	22.7	83.4
Mankato, Minn	1900	1,254.8	28.3	.....	.....	.....	.....	.....	.....	.....	75.5	18.9	113.2
	1901	1,355.0	18.6	.....	.....	18.6	18.6	.....	55.7	37.1	185.6	9.3	46.4
	1902	1,333.2	9.1	.....	.....	100.5	27.4	54.8	45.6	.....	146.1	27.4	109.5
	1903	1,294.1	.....	.....	.....	.....	9.0	9.0	9.0	9.0	134.8	44.9	89.9
	1904	1,238.6	17.7	.....	.....	.....	8.8	.....	.....	17.7	97.3	26.6	79.6
Marietta, Ohio	1900	1,565.8	67.4	15.0	.....	7.5	45.0	15.0	37.4	30.0	157.3	.....	67.4
	1901	1,811.5	115.5	7.2	.....	.....	.....	21.7	43.3	28.9	187.6	28.9	57.7
	1902	1,246.2	90.5	14.0	.....	.....	7.0	7.0	7.0	.....	111.4	27.8	62.6
	1903	1,304.5	74.0	6.7	47.1	.....	.....	.....	53.8	.....	107.6	13.4	100.9
	1904	1,157.3	65.0	.....	.....	13.0	6.5	13.0	.....	13.0	65.0	6.5	65.0

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
7.5	9.9	22.4	97.1	54.8	84.7	57.3	67.2	92.1	39.8	44.8	9.9	59.7	82.2	104.6	19.9
7.2	2.4	28.9	120.5	67.5	94.0	48.2	55.4	57.8	43.4	53.0	19.3	103.6	84.4	135.0	7.2
4.7	11.7	21.0	119.2	58.4	79.4	25.7	58.4	53.7	25.7	44.4	2.3	49.1	86.5	88.8	7.0
2.3	9.0	22.6	83.8	47.6	81.5	24.9	54.4	81.5	31.7	38.5	4.5	67.9	54.4	90.6	2.3
4.4	11.0	24.2	112.0	92.3	85.7	41.7	46.1	50.5	46.1	52.7	13.2	57.1	52.7	107.7	4.4
6.0	12.1	24.1	168.9	126.6	72.4	126.6	60.3	96.5	96.5	24.1	6.0	72.4	126.6	187.0	18.1
.....	12.0	18.0	210.4	156.3	60.1	132.3	126.2	78.2	60.1	78.2	6.0	60.1	54.1	210.4	.....
6.0	24.0	24.0	167.8	137.8	59.9	107.8	47.9	65.9	36.0	41.9	18.0	101.8	41.9	149.8	.....
.....	23.9	6.0	238.9	203.1	83.6	125.4	95.6	113.5	65.7	35.9	11.9	89.6	29.9	179.2	.....
6.0	29.8	29.8	107.2	327.4	65.5	101.2	77.4	125.0	71.4	59.5	6.0	77.4	59.5	154.8	.....
.....	6.1	36.4	260.7	127.3	163.7	66.7	66.7	121.3	66.7	78.8	24.3	145.5	48.5	151.6	12.1
.....	17.9	53.6	303.9	143.0	65.6	59.6	77.5	89.4	125.1	101.3	11.9	95.4	29.8	220.5	.....
.....	11.7	17.6	181.6	76.2	76.2	64.4	41.0	87.9	128.9	105.5	23.4	123.1	64.4	187.5	.....
.....	11.5	51.9	167.1	86.4	92.2	57.6	121.0	161.3	92.2	103.7	11.5	126.8	23.0	190.1	.....
4.9	5.9	49.8	196.4	167.5	167.5	123.6	79.1	99.2	84.0	77.1	7.3	88.4	113.8	199.8	2.9
1.0	5.3	42.4	192.2	168.8	170.2	126.1	63.8	105.5	92.0	81.0	6.7	82.5	97.8	188.4	1.9
2.4	10.8	35.3	196.0	152.2	138.5	89.5	68.3	109.3	96.6	94.2	13.7	82.4	113.1	195.5	3.3
0.9	6.9	53.3	200.2	149.3	140.0	95.5	71.9	106.2	103.4	96.9	13.4	76.5	105.7	217.0	1.4
2.3	8.2	42.0	187.1	145.5	203.5	118.2	79.8	100.4	103.1	112.2	22.4	72.5	121.8	213.5	4.1
4.2	9.5	66.3	194.8	205.3	170.6	161.1	234.8	83.2	69.5	130.5	9.5	53.7	69.5	135.8	1.1
2.1	6.2	72.4	187.2	212.0	204.8	142.7	215.1	94.1	80.7	155.1	9.3	64.1	74.5	137.5	.....
2.0	8.1	76.2	205.2	233.7	162.6	127.0	215.4	91.5	74.2	147.3	8.1	63.0	67.1	130.1	2.0
2.0	7.0	62.9	170.7	196.7	142.8	139.8	264.6	88.9	98.8	129.8	14.0	68.9	82.9	136.8	1.0
1.0	12.8	54.0	150.2	161.0	135.4	108.0	232.6	100.1	84.4	123.7	10.8	58.9	23.5	134.5	2.0
5.3	5.3	90.0	259.4	217.0	180.0	105.9	95.3	121.8	74.1	84.7	5.3	58.2	111.2	169.4	481.7
.....	4.9	19.7	196.6	186.7	88.5	73.7	73.7	93.4	34.4	14.7	.....	117.9	98.3	113.0	363.6
.....	9.6	24.0	215.8	225.4	86.3	28.8	110.3	129.5	67.1	24.0	.....	100.7	48.0	139.1	350.1
.....	4.7	9.4	192.1	168.6	84.3	79.6	70.3	93.7	23.4	28.1	.....	84.3	46.8	112.4	370.0
4.6	.....	18.3	196.8	242.6	151.0	73.2	141.9	87.0	45.8	22.9	.....	91.5	59.5	164.8	306.6
4.4	8.7	33.6	134.3	181.0	99.3	59.8	124.1	75.9	80.3	97.8	5.8	68.6	23.4	179.5	8.7
.....	7.2	25.8	151.9	143.3	136.1	54.5	87.4	78.8	80.2	61.6	7.2	70.2	31.5	141.8	12.9
1.4	14.1	33.8	161.8	150.5	106.9	60.5	85.8	59.1	80.2	64.7	5.6	54.9	54.9	157.6	8.4
.....	6.9	31.8	128.5	172.8	98.1	70.5	59.4	94.0	95.4	81.5	4.1	82.9	33.2	149.3	16.6
2.7	14.9	35.3	146.7	145.3	112.7	51.6	92.4	51.6	97.8	111.4	8.1	99.2	32.6	145.3	10.9
.....	8.8	43.8	210.4	76.0	251.3	84.7	210.4	93.5	38.0	108.1	2.9	140.2	96.4	116.9	5.8
5.6	2.8	45.0	180.0	78.7	250.2	75.9	171.5	134.9	33.7	98.4	16.9	213.6	104.0	81.5	2.8
.....	.....	65.0	235.6	100.2	243.7	102.9	154.4	86.7	46.0	138.1	16.3	268.1	105.6	143.5	.....
2.6	5.2	36.6	164.6	104.5	167.2	86.2	128.0	107.1	49.6	130.6	13.1	172.5	70.5	122.8	2.6
.....	9.9	34.6	141.0	108.9	168.2	84.1	183.1	84.1	69.3	118.8	9.9	225.1	61.8	113.8	2.5
5.2	.....	31.3	99.2	120.0	52.2	31.3	62.6	57.4	62.6	41.8	.....	26.1	125.2	109.6	26.1
5.1	5.1	5.1	106.4	106.4	91.2	35.4	76.0	86.1	60.8	15.2	.....	81.1	45.6	152.0	15.2
4.9	.....	9.8	103.4	78.8	83.7	64.0	34.5	49.2	14.8	44.3	9.8	64.0	54.2	88.7	4.9
4.8	19.2	9.6	143.6	100.6	23.9	76.6	33.5	91.0	67.0	43.1	9.6	81.4	28.7	124.5	.....
.....	13.3	17.8	115.8	138.0	102.4	75.7	31.2	111.3	66.8	35.6	4.4	93.5	22.3	124.7	8.9
.....	.....	59.2	362.9	155.5	237.0	185.2	251.8	162.9	59.2	244.4	7.4	288.8	303.6	162.9	51.8
.....	.....	36.4	276.8	262.3	247.7	123.9	225.8	116.6	51.0	138.4	7.3	284.1	262.3	225.8	7.3
.....	.....	100.4	222.3	172.0	143.4	114.7	236.6	64.5	21.5	71.7	14.3	222.3	186.4	86.0	.....
.....	.....	56.5	218.8	91.8	218.8	211.7	218.8	120.0	70.6	120.0	7.0	211.7	169.4	120.0	7.0
.....	.....	76.5	291.8	132.0	145.9	118.1	340.5	90.3	62.6	90.3	6.9	264.1	215.4	159.8	13.9
.....	11.9	29.7	154.5	166.3	86.1	62.4	142.6	65.4	71.3	80.2	8.9	50.5	41.6	118.8	8.9
.....	11.5	20.1	152.6	138.2	141.1	66.2	86.4	69.1	74.9	83.5	8.6	37.4	49.0	95.0	5.8
5.6	11.2	25.1	125.7	187.2	67.1	69.9	50.3	75.5	89.4	86.6	5.6	25.1	36.3	139.7	2.8
5.4	16.3	29.9	157.4	187.3	62.4	81.4	65.1	81.4	62.4	122.1	5.4	43.4	24.4	116.7	.....
.....	18.4	26.4	118.7	229.7	126.6	50.1	79.1	36.9	44.8	60.6	2.6	50.1	10.5	110.8	2.6
.....	5.3	86.0	210.6	173.7	166.7	152.7	287.8	114.1	63.2	154.4	5.3	47.4	75.4	124.6	21.0
1.7	1.7	89.2	166.5	163.0	135.6	144.1	264.3	85.8	73.8	66.9	8.6	54.9	70.4	144.1	30.9
.....	5.0	85.6	189.7	142.7	178.0	159.5	220.0	90.7	47.0	73.9	6.7	47.0	80.6	134.3	20.1
3.3	9.9	52.6	182.4	156.1	147.9	115.1	248.2	83.8	90.4	69.0	13.1	69.0	50.9	103.5	3.3
.....	16.1	53.1	115.9	141.6	117.5	99.8	186.7	104.6	74.0	99.8	9.6	54.7	51.5	132.0	.....
.....	9.4	56.6	122.6	84.9	84.9	56.6	66.0	103.8	66.0	47.2	18.9	75.5	37.7	84.9	.....
.....	18.5	55.4	101.5	156.6	64.6	73.8	83.0	27.7	27.7	73.8	.....	55.4	9.2	147.6	9.2
.....	9.0	27.1	117.4	144.4	72.2	36.1	36.1	45.2	45.2	63.2	.....	36.1	18.1	63.2	.....
.....	.....	26.5	79.5	150.3	53.0	61.9	35.4	79.5	26.5	88.4	.....	35.4	8.8	88.4	.....
.....	26.0	.....	129.8	103.9	43.3	43.3	121.2	34.6	34.6	86.6	8.6	43.3	17.3	112.5	.....
.....	.....	33.0	152.7	144.2	110.3	118.8	110.3	50.9	50.9	76.4	.....	127.3	84.9	203.6	50.9
8.2	8.2	8.2	131.8	123.6	65.9	49.4	82.4	82.4	57.7	49.4	8.2	74.2	90.7	156.5	33.0
.....	8.0	40.0	136.1	136.1	144.1	56.1	40.0	72.1	64.1	48.0	8.0	40.0	80.1	200.2	8.0
.....	.....	23.4	124.6	77.9	62.3	77.9	23.4	38.9	54.5	62.3	7.8	46.7	85.6	101.2	15.6
.....	15.2	.....	121.3	106.1	53.0	151.6	45.5	68.2	45.5	60.6	22.7	53.0	22.7	219.8	15.2
.....	9.4	37.7	151.0	122.7	75.5	66.0	94.3	103.8	37.7	28.3	28.3	56.6	75.5	113.2	18.9
.....	.....	46.4	120.6	74.2	83.5	83.5	92.8	83.5	18.6	83.5	9.3	92.8	9.3	148.5	18.6
.....	.....	36.5	91.3	118.7	91.3	91.3	9.1	82.2	27.4	27.4	.....	109.6	36.5	100.5	.....
.....	.....	9.0	152.8	53.9	161.7	62.9	27.0	98.8	62.9	35.9	27.0	62.9	27.0	206.7	.....
.....	.....	17.7	79.6	106.2	123.8	97.3	26.6	79.6	115.1	115.1	8.8	35.4	79.6	97.3	8.8
7.5	15.0	30.0	224.8	112.4	97.4	67.4	45.0	59.9	52.4	59.9	30.0	37.4	52.4	217.3	15.0
14.4	.....	43.3	144.3	173.2	158.8	57.7	93.8	101.0	43.3	50.5	21.7	108.3	65.0	245.4	.....
7.0	7.0	41.8	146.2	160.1	111.4	34.8	48.7	55.7	48.7	62.6	20.9	20.9	27.8	125.3	.....
6.7	.....	13.4	127.8	174.8	26.9	60.5	100.9	53.8	33.6	53.8	.....	114.3	26.9	107.6	.....
.....	6.5	45.5	143.1	130.1	78.0	65.0	26.0	65.0	13.0	45.5	6.5	97.5	19.5	162.6	6.5

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Marinette, Wis.	1900..	1,395.5	24.7	.....	.....	12.3	12.3	.....	18.5	.....	123.5	24.7	12.3
	1901..	1,038.3	30.0	6.0	.....	.....	30.0	.....	36.0	12.0	66.0	30.0	36.0
	1902..	1,179.3	29.2	.....	.....	5.8	29.2	11.7	11.7	.....	99.2	17.5	46.7
	1903..	1,085.5	45.5	.....	.....	45.5	34.1	.....	22.7	.....	79.6	22.7	45.5
	1904..	819.4	22.1	.....	.....	.....	.....	5.5	.....	22.1	105.2	.....	5.5
Marion, Ind.	1901..	1,412.6	82.4	5.5	.....	.....	5.5	5.5	11.0	11.0	170.4	11.0	49.5
	1902..	1,333.3	78.8	5.2	.....	26.3	10.5	.....	5.2	5.2	141.7	.....	47.3
	1903..	1,260.2	23.7	.....	.....	.....	23.7	.....	42.6	19.0	161.1	19.0	56.9
	1904..	1,480.8	63.4	.....	.....	22.6	77.0	.....	13.6	.....	172.1	13.6	49.8
Marlboro, Mass.	1900..	1,550.4	.....	.....	.....	.....	.....	29.4	22.1	7.3	154.3	7.3	66.1
	1901..	1,579.8	.....	.....	.....	.....	7.3	.....	95.5	.....	220.5	44.1	22.0
	1902..	1,440.2	7.3	.....	.....	.....	7.3	.....	161.6	14.7	102.9	22.1	44.1
	1903..	1,432.9	7.3	.....	.....	29.4	22.1	44.1	22.1	7.3	117.6	14.7	66.1
	1904..	1,330.0	14.7	.....	.....	.....	14.7	.....	22.1	7.3	95.5	14.7	88.2
Marquette, Mich.	1900..	1,899.0	79.5	.....	9.9	9.9	49.7	.....	9.9	.....	188.9	9.9	79.5
	1901..	1,253.8	19.6	.....	.....	.....	29.4	.....	.....	.....	156.7	19.6	68.6
	1902..	1,293.3	57.9	.....	.....	.....	9.6	9.6	.....	9.6	144.8	29.0	38.6
	1903..	1,797.8	28.5	.....	.....	.....	47.6	28.5	95.1	9.5	142.7	19.0	95.1
	1904..	1,575.2	37.5	.....	.....	.....	9.4	28.1	9.4	9.4	93.8	28.1	46.9
Massillon, Ohio.	1900..	1,565.6	100.5	.....	.....	.....	.....	.....	16.7	25.1	117.2	25.1	41.9
	1901..	1,566.5	33.0	8.2	.....	.....	.....	.....	.....	16.5	123.7	.....	49.5
	1902..	1,128.8	16.2	8.1	.....	.....	.....	.....	24.4	.....	97.5	8.1	40.6
	1903..	1,008.1	16.0	.....	.....	.....	.....	8.0	64.0	32.0	56.0	.....	48.0
	1904..	1,222.0	15.8	.....	.....	31.5	15.8	7.9	7.9	23.6	110.4	.....	78.8
Meadville, Pa.	1900..	1,651.9	68.0	9.7	.....	.....	.....	9.7	29.2	48.6	155.5	.....	68.0
	1901..	1,687.9	86.8	9.6	.....	.....	.....	.....	9.6	57.9	57.9	19.3	28.9
	1902..	1,378.7	105.3	.....	.....	.....	9.6	.....	9.6	19.1	76.6	9.6	57.4
	1903..	1,463.6	47.5	9.5	.....	38.0	.....	28.5	9.5	38.0	114.1	.....	104.6
	1904..	1,293.2	17.2	.....	.....	.....	.....	.....	.....	25.9	69.0	17.2	77.6
Medford, Mass.	1900..	1,381.3	27.4	.....	.....	11.0	.....	27.4	60.3	65.8	126.0	11.0	65.8
	1901..	1,318.5	5.3	.....	.....	21.1	36.9	10.5	36.9	26.4	147.7	10.5	110.8
	1902..	1,112.9	15.2	5.1	5.1	.....	.....	5.1	5.1	15.2	111.8	5.1	50.8
	1903..	1,113.0	14.7	4.9	.....	.....	4.9	9.8	24.5	4.9	112.8	19.6	78.5
	1904..	1,094.2	9.5	4.7	.....	.....	4.7	.....	9.5	9.5	99.5	33.2	90.0
Melrose, Mass.	1900..	1,527.5	15.4	7.7	.....	15.4	30.9	15.4	30.9	54.0	138.9	23.1	77.2
	1901..	1,230.8	29.8	7.5	.....	7.5	.....	.....	22.4	14.9	111.9	22.4	59.7
	1902..	1,299.6	7.2	.....	28.9	.....	7.2	14.4	14.4	21.7	137.2	14.4	115.6
	1903..	1,049.4	7.0	.....	.....	.....	.....	42.0	7.0	14.0	118.9	28.0	104.9
	1904..	1,275.6	6.8	.....	.....	.....	.....	20.3	13.6	13.6	101.8	47.5	108.6
Memphis, Tenn.	1900..	2,249.8	47.9	204.3	2.9	43.0	5.9	35.2	7.8	33.2	242.4	13.7	45.9
	1901..	1,842.5	51.8	112.2	9.4	1.9	5.7	2.8	4.7	45.2	218.7	21.7	28.3
	1902..	1,802.8	39.1	132.0	4.6	1.8	10.0	10.0	12.7	26.4	249.4	20.0	36.4
	1903..	1,779.7	41.3	117.0	1.8	3.5	5.3	47.5	10.6	33.4	179.5	11.4	44.9
	1904..	1,949.7	46.0	138.8	7.7	17.0	15.3	10.2	14.5	42.6	218.0	13.6	29.8
Menominee, Mich.	1900..	1,373.1	54.6	.....	.....	.....	7.8	.....	7.8	.....	78.0	15.6	23.4
	1901..	1,267.4	56.5	.....	.....	.....	24.2	40.4	24.2	8.1	88.8	32.3	56.5
	1902..	1,179.1	25.1	.....	16.7	16.7	.....	8.4	25.1	.....	66.9	8.4	33.4
	1903..	1,561.6	86.8	.....	.....	34.7	8.7	.....	34.7	8.7	156.2	52.0	60.7
	1904..	1,153.6	117.2	.....	.....	.....	.....	9.0	.....	.....	63.1	9.0	63.1
Meriden town, Conn.	1900..	1,522.9	24.4	38.3	.....	.....	10.5	10.5	10.5	94.1	191.7	10.5	73.2
	1901..	1,426.5	17.2	55.1	.....	.....	.....	13.8	24.1	68.9	175.7	13.8	68.9
	1902..	1,291.4	6.8	40.9	.....	.....	10.2	10.2	20.4	44.3	163.6	13.6	54.5
	1903..	1,422.0	33.7	40.4	.....	13.5	.....	57.3	13.5	53.9	158.4	40.4	91.0
	1904..	1,386.5	6.7	20.0	.....	.....	.....	3.3	6.7	46.7	170.0	16.7	66.7
Michigan City, Ind.	1900..	1,306.4	33.7	6.7	.....	6.7	20.2	.....	20.2	.....	87.5	.....	53.9
	1901..	1,284.7	13.1	.....	13.1	.....	6.6	13.1	6.6	.....	104.9	26.2	26.2
	1902..	1,200.2	31.9	.....	6.4	.....	6.4	.....	12.8	6.4	121.3	25.5	51.1
	1903..	1,630.3	68.4	.....	6.2	68.4	.....	18.7	56.0	.....	124.5	12.4	43.6
	1904..	1,292.6	54.6	.....	.....	.....	.....	.....	18.2	12.1	145.6	18.2	72.8
Middletown, N. Y.	1900..	1,900.6	6.9	13.8	.....	20.7	.....	34.4	34.4	6.9	254.8	20.7	89.5
	1901..	1,942.2	40.6	.....	.....	.....	.....	.....	13.5	54.1	189.5	13.5	67.7
	1902..	1,942.5	53.2	6.6	.....	20.0	.....	6.6	6.6	6.6	166.3	59.9	79.9
	1903..	1,674.6	19.6	.....	.....	.....	.....	13.1	13.1	19.6	176.6	13.1	91.6
	1904..	2,194.1	6.4	.....	.....	25.7	.....	.....	25.7	25.7	263.8	19.3	83.7
Middletown, Ohio.	1900..	1,334.8	10.9	.....	.....	.....	.....	.....	32.6	.....	151.9	43.4	43.4
	1901..	1,256.8	32.5	.....	.....	10.8	21.7	.....	10.8	43.3	184.2	21.7	97.5
	1902..	1,579.2	10.8	.....	.....	32.5	.....	75.7	21.6	10.8	216.4	21.6	75.7
	1903..	1,252.7	21.6	.....	10.8	.....	10.8	43.2	43.2	10.8	129.5	54.0	43.2
	1904..	1,186.0	10.8	.....	.....	.....	.....	.....	.....	.....	194.1	10.8	32.3
Middletown town, Conn.	1900..	1,835.8	17.2	22.9	.....	5.7	5.7	51.5	28.6	51.5	148.7	5.7	62.9
	1901..	2,094.4	39.5	22.6	.....	.....	.....	5.6	22.6	39.5	299.2	16.9	50.8
	1902..	2,000.9	5.6	16.7	.....	.....	.....	11.1	16.7	.....	256.4	44.6	105.9
	1903..	2,553.7	22.0	11.0	.....	44.0	16.5	49.5	16.5	49.5	280.7	27.5	121.1
	1904..	1,125.1	5.4	.....	.....	.....	.....	.....	5.4	.....	135.9	16.3	38.1
Milford town, Mass.	1900..	1,670.2	17.6	17.6	.....	.....	8.8	8.8	44.0	52.7	193.4	8.8	61.5
	1901..	1,538.3	8.6	34.4	.....	.....	.....	.....	103.1	.....	197.7	17.2	25.8
	1902..	1,529.9	16.8	.....	.....	50.4	.....	25.2	16.8	16.8	117.7	8.4	50.4
	1903..	1,316.2	8.2	8.2	.....	.....	.....	.....	49.4	32.9	106.9	24.7	32.9
	1904..	1,353.1	8.0	8.0	.....	.....	.....	8.0	8.0	8.0	120.8	16.1	56.4
Millville, N. J.	1900..	1,426.8	28.3	.....	.....	9.4	.....	.....	104.0	.....	179.5	.....	75.6
	1901..	1,475.4	28.2	.....	.....	.....	9.4	.....	9.4	18.8	112.7	18.8	75.2
	1902..	1,617.0	46.7	.....	.....	9.3	37.4	28.0	.....	.....	168.3	9.3	102.8
	1903..	1,403.7	37.2	.....	.....	.....	27.9	.....	27.9	.....	83.7	9.3	93.0
	1904..	1,636.6	27.7	.....	.....	9.2	.....	18.5	74.0	18.5	157.2	27.7	92.5

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	12.3	92.7	61.8	117.4	105.0	172.9	98.8	55.6	148.2	18.5	86.5	74.1	111.1	12.3
.....	.....	42.0	78.1	72.0	66.0	66.0	90.1	42.0	42.0	78.1	.....	72.0	48.0	84.0	12.0
.....	.....	35.0	128.5	64.2	40.9	134.3	35.0	64.2	23.4	151.8	.....	75.9	64.2	105.1	5.8
.....	.....	17.0	56.8	79.6	39.8	108.0	68.2	108.0	28.4	51.1	11.4	51.1	45.5	119.3	5.7
.....	.....	16.6	60.9	72.0	66.5	44.3	49.9	66.5	33.2	72.0	5.5	66.5	22.1	83.0	.....
5.5	5.5	11.0	148.4	93.4	153.9	65.9	98.9	60.5	33.0	71.5	11.0	55.0	98.9	148.4	.....
.....	.....	21.0	120.7	120.7	52.5	73.5	36.8	78.8	52.5	115.5	15.7	99.7	42.0	178.5	5.2
4.7	9.5	14.2	137.4	94.7	85.3	52.1	61.6	94.7	52.1	23.7	19.0	80.5	37.9	142.1	4.7
.....	4.5	13.6	126.8	99.6	95.1	45.3	77.0	95.1	45.3	172.1	22.6	77.0	36.2	144.9	13.6
.....	.....	95.5	73.5	169.0	147.0	95.5	191.1	88.2	58.8	80.8	7.3	14.7	14.7	213.1	14.7
.....	.....	58.8	154.3	220.5	124.9	95.5	29.4	124.9	73.5	66.1	14.7	58.8	14.7	154.3	.....
.....	7.3	73.5	124.9	301.3	117.6	44.1	58.8	44.1	36.8	73.5	.....	29.4	51.4	110.2	7.3
.....	7.3	80.8	139.6	198.4	132.3	36.8	95.5	95.5	66.1	22.1	.....	29.4	44.1	147.0	7.3
7.3	7.3	80.8	147.0	220.5	95.5	51.4	51.4	117.6	44.1	58.8	.....	44.1	22.1	124.9	.....
.....	19.9	39.8	89.5	109.4	59.7	198.9	149.2	79.5	99.4	188.9	.....	149.2	59.7	208.8	9.9
.....	29.4	19.6	68.6	78.4	97.9	117.5	107.7	88.1	58.8	49.0	.....	156.7	19.6	68.6	.....
.....	9.6	19.3	106.2	115.8	57.9	96.6	106.2	115.8	38.6	115.8	.....	125.5	19.3	67.6	.....
.....	9.5	28.5	123.7	161.7	133.2	190.3	76.1	104.6	57.1	142.7	.....	152.2	19.0	133.2	.....
.....	37.5	.....	187.5	159.4	112.5	103.1	112.5	112.5	131.3	84.4	9.4	140.6	9.4	112.5	.....
8.4	8.4	8.4	318.2	133.9	83.7	58.6	100.5	75.3	58.6	25.1	25.1	75.3	125.6	134.0	.....
.....	.....	.....	305.1	123.7	115.4	8.2	49.5	148.4	65.9	49.5	8.2	115.4	164.9	181.4	.....
8.1	24.4	8.1	170.6	121.8	65.0	48.7	40.6	81.2	16.2	56.9	8.1	121.8	89.3	73.1	.....
.....	8.0	24.0	160.1	48.0	40.0	40.0	48.0	24.0	56.0	56.0	24.0	128.0	24.0	96.0	8.0
.....	7.9	23.6	181.3	102.5	71.0	47.3	23.6	31.5	23.6	126.2	15.8	94.6	15.8	157.7	7.9
19.4	29.2	19.4	233.2	87.5	77.7	48.6	68.0	116.6	97.2	38.9	.....	174.9	38.9	213.7	.....
.....	9.6	19.3	250.8	115.7	212.2	67.5	77.2	135.1	106.1	28.9	.....	77.2	135.1	173.6	9.6
9.6	.....	19.1	181.9	153.2	47.9	47.9	47.9	86.2	95.7	57.4	9.6	86.2	38.3	210.6	.....
.....	19.0	19.0	237.6	152.1	57.0	38.0	38.0	123.6	95.0	28.5	28.5	76.0	19.0	142.6	.....
8.6	8.6	17.2	232.8	172.4	77.6	17.2	60.4	77.6	138.0	60.4	8.6	146.6	17.2	43.1	.....
5.5	11.0	11.0	76.7	131.5	93.2	60.3	142.5	65.8	43.8	71.2	.....	49.3	11.0	202.8	11.0
.....	21.1	21.1	58.0	195.1	131.8	58.0	79.1	47.5	47.5	58.0	5.3	42.2	42.2	105.5	.....
.....	5.1	35.6	127.0	157.6	71.1	71.1	76.2	35.6	61.0	81.3	5.1	35.6	30.5	101.6	.....
.....	4.9	39.2	147.1	171.6	107.9	68.7	19.6	34.3	34.3	63.8	9.8	53.9	24.5	58.8	.....
.....	9.5	37.9	165.8	151.6	90.0	18.9	94.8	23.7	66.3	42.6	4.7	37.9	.....	89.9	.....
.....	.....	.....	138.9	254.6	92.6	69.4	54.0	100.3	69.4	69.4	.....	54.0	92.6	123.4	.....
.....	7.5	59.7	171.6	156.6	59.7	67.1	74.6	52.2	29.8	74.6	.....	29.8	29.8	141.7	.....
.....	7.2	14.4	173.3	245.5	93.9	57.8	57.8	65.0	43.3	43.3	7.2	43.3	7.2	79.4	.....
.....	14.0	.....	97.9	153.9	83.9	35.0	7.0	70.0	70.0	21.0	.....	49.0	14.0	111.9	.....
.....	13.6	20.3	122.1	176.4	115.4	81.4	27.1	81.4	54.3	61.1	13.6	95.0	27.1	74.6	.....
2.9	5.9	37.1	136.8	100.6	295.1	91.9	91.9	131.9	104.6	44.0	1.9	152.4	81.1	214.0	75.2
0.9	2.8	31.1	99.9	82.9	111.2	77.3	128.2	96.1	113.1	43.4	12.3	164.9	78.2	180.9	116.9
.....	3.6	27.3	107.4	111.0	101.9	54.6	145.6	109.2	83.7	43.7	6.4	107.4	71.0	192.9	94.7
1.8	2.6	23.8	106.4	124.9	132.9	92.4	132.8	116.1	90.6	49.3	7.0	123.2	68.6	169.8	41.3
2.5	9.4	31.5	109.0	114.9	212.8	91.9	109.0	112.4	123.4	38.3	11.9	142.2	42.6	177.1	67.3
7.8	7.8	70.2	171.7	46.8	85.8	117.0	195.1	148.3	31.2	39.0	23.4	62.4	31.2	140.4	7.8
.....	16.1	8.1	129.2	48.4	88.8	56.5	96.9	96.9	8.1	80.7	.....	145.3	40.4	104.9	16.1
.....	16.7	33.4	133.8	41.8	75.3	92.0	75.3	41.8	8.4	192.3	.....	108.7	25.1	100.4	33.4
.....	17.3	43.4	112.8	112.8	86.8	121.5	138.8	104.1	26.0	95.4	26.0	104.1	.....	112.8	17.3
.....	.....	27.0	81.1	108.2	99.1	63.1	72.1	63.1	18.0	81.1	36.1	99.1	27.0	117.2	.....
.....	13.9	17.4	184.7	104.5	160.3	55.7	101.1	87.1	59.2	69.7	17.4	52.3	3.5	132.4	.....
.....	20.7	34.5	155.1	103.4	51.7	72.4	106.8	37.9	68.9	75.8	6.9	75.8	6.9	168.8	3.4
3.4	10.2	27.3	139.7	136.3	44.3	61.3	64.8	81.8	51.1	51.1	40.9	75.0	6.8	132.9	.....
.....	16.8	23.6	148.3	161.8	80.9	47.2	111.2	53.9	67.4	50.5	3.4	50.5	10.1	94.3	.....
3.3	10.0	26.7	133.3	103.4	120.0	103.4	96.7	53.3	83.3	86.7	26.7	46.7	16.7	139.5	.....
.....	6.7	26.9	188.6	128.0	74.1	67.3	101.0	107.8	67.3	60.6	13.5	47.1	74.1	114.5	.....
.....	.....	39.3	163.8	91.8	52.4	52.4	104.9	85.2	104.9	78.7	19.7	85.2	52.4	144.2	.....
.....	.....	38.3	140.4	146.8	63.8	25.5	57.5	76.6	25.5	127.7	12.8	57.5	57.5	108.5	.....
.....	12.4	37.3	224.0	143.1	68.4	155.6	99.6	99.6	68.4	105.8	6.2	93.4	43.6	74.7	.....
6.1	6.1	30.3	139.6	139.6	78.9	42.5	103.2	60.7	97.1	72.8	6.1	60.7	18.2	109.2	.....
6.9	.....	34.4	351.2	179.0	165.3	41.3	82.6	82.6	110.2	103.3	.....	68.9	55.1	137.7	.....
6.8	6.8	27.1	527.9	155.6	81.2	81.2	115.0	67.7	128.6	67.7	13.5	142.1	40.6	101.5	.....
13.3	6.6	20.0	439.1	133.0	126.4	73.2	146.4	99.8	139.7	39.9	20.0	113.1	33.3	133.0	.....
.....	6.5	52.3	294.4	176.6	157.0	58.9	13.1	150.5	85.0	39.2	13.1	104.7	19.6	157.0	.....
.....	6.4	19.3	456.9	263.8	135.1	141.6	51.5	103.0	173.7	70.8	12.9	128.7	25.7	154.4	.....
21.7	.....	32.6	195.3	151.9	119.4	43.4	43.4	130.2	65.1	65.1	.....	86.8	10.9	86.8	.....
.....	.....	10.8	173.4	86.7	86.7	75.8	43.3	32.5	54.2	21.7	10.8	86.7	32.5	119.2	.....
.....	10.8	21.6	216.4	194.7	108.2	75.7	75.7	32.5	64.9	140.6	.....	86.5	.....	86.5	.....
.....	.....	64.8	97.2	86.4	21.6	54.0	64.8	43.2	86.4	97.2	10.8	118.8	10.8	118.8	10.8
.....	21.6	32.3	150.9	107.8	75.5	75.5	32.3	32.3	75.5	129.4	10.8	64.7	21.6	97.0	10.8
.....	34.3	22.9	125.8	257.4	143.0	102.9	194.4	125.8	74.3	51.5	5.7	51.5	40.0	200.2	5.7
.....	11.3	22.6	350.0	361.3	107.3	124.2	56.5	84.7	118.6	62.1	11.3	62.1	28.2	191.9	5.6
.....	11.1	27.9	373.4	256.4	128.2	100.3	111.5	117.1	72.5	66.9	.....	61.3	22.3	183.9	11.1
.....	22.0	27.5	335.7	407.3	159.6	231.2	170.6	104.6	77.1	82.6	16.5	66.1	16.5	198.1	.....
.....	10.9	10.9	190.2	250.0	141.3	92.4	27.2	38.1	32.6	32.6	5.4	27.2	.....	59.8	5.4
.....	17.6	26.4	158.2	167.0	246.1	52.7	123.1	44.0	70.3	70.3	.....	87.9	17.6	158.2	17.6
17.2	17.2	51.5	137.5	163.3	206.3	77.3	77.3	34.4	77.3	51.5	.....	25.8	25.8	189.1	.....
.....	16.8	8.4	218.6	168.1	126.1	50.4	159.7	67.3	100.9	58.9	8.4	16.8	16.8	210.2	.....
.....	8.2	41.1	106.9	238.6	90.5	65.8	65.8	49.4	82.3	82.3	8.2	65.8	8.2	139.9	.....
.....	8.0	24.2	128.9	169.2	120.8	48.4	72.5	64.5	145.0	72.5	8.0	80.6	16.1	161.1	.....
.....	9.4	28.3	170.1	122.8	85.1	37.8	47.2	85.1	85.1	104.0	.....	28.3	66.2	160.6	.....
.....	.....	28.2	234.9	159.7	84.6	84.6	75.2	103.4	103.4	56.4	.....	37.6	84.6	150.3	.....
.....	.....	.....	158.9	121.5	121.5	121.5	121.5	130.9	74.8	112.2	.....	46.7	93.5	112.2	.....
.....	.....	18.6	223.1	158.0	27.9	120.8	74.4	102.2	27.9	46.5	.....	46.5	102.2	176.6	.....
.....	37.0	18.5	175.7	129.4	37.0	92.5	184.9	74.0	55.5	64.7	9.2	111.0	83.2	138.7	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Milwaukee, Wis	1900	1,515.5	19.3	0.4	.....	6.3	24.5	7.7	42.8	1.8	138.5	12.6	64.8
	1901	1,301.3	21.9	.....	0.3	4.7	5.1	3.4	34.4	22.9	132.5	19.2	66.4
	1902	1,238.0	14.7	0.3	0.6	8.2	2.0	8.5	23.3	3.6	100.0	16.7	59.7
	1903	1,308.2	16.3	0.3	0.3	1.3	3.5	16.6	20.1	23.7	123.6	22.7	68.7
	1904	1,299.7	13.1	0.6	0.3	12.8	13.4	3.4	16.8	15.6	135.6	17.7	71.2
Minneapolis, Minn	1900	1,138.5	41.4	1.0	4.4	1.5	7.9	3.9	61.2	6.4	128.3	29.1	56.2
	1901	1,218.3	61.0	.....	0.5	7.7	7.3	9.7	92.5	6.8	124.9	36.3	60.1
	1902	1,077.4	29.0	0.5	.....	1.4	15.2	10.5	35.2	2.9	114.6	23.3	56.6
	1903	1,159.7	45.8	.....	4.2	8.4	13.1	8.4	27.5	12.1	132.2	30.3	75.7
	1904	1,103.7	46.3	.....	7.8	0.9	15.1	7.8	26.6	4.6	118.9	30.3	66.1
Mobile, Ala	1900	2,716.5	83.2	75.4	2.6	2.6	31.2	41.6	5.2	10.4	431.5	23.4	88.4
	1901	2,384.7	68.9	56.1	7.7	.....	55.5	2.5	2.5	33.2	418.3	12.7	68.9
	1902	2,253.0	80.1	45.1	.....	.....	.....	12.5	35.0	7.5	335.5	20.0	65.1
	1903	2,315.3	51.6	51.6	.....	.....	.....	19.7	19.7	19.7	385.9	7.4	68.8
	1904	2,539.5	57.9	26.6	2.4	33.8	.....	12.1	24.1	9.6	393.5	26.6	55.5
Montclair, N. J	1900	1,733.3	28.6	7.2	.....	.....	7.2	.....	28.6	14.3	128.9	50.1	57.3
	1901	1,676.7	13.8	6.9	.....	.....	.....	20.7	20.7	48.3	131.1	34.5	89.7
	1902	1,577.5	13.3	6.6	20.0	26.6	.....	26.6	13.3	.....	79.9	39.9	59.9
	1903	1,748.6	19.3	.....	.....	6.4	12.9	32.1	38.6	25.7	128.6	19.3	38.6
	1904	1,939.6	43.5	.....	.....	24.9	6.2	.....	18.6	6.2	143.0	49.7	68.4
Morristown, N. J	1900	1,810.6	35.5	.....	8.9	.....	.....	26.6	8.9	26.6	257.4	8.9	97.6
	1901	1,796.5	34.5	.....	.....	.....	.....	17.3	17.3	25.9	241.8	25.9	69.1
	1902	1,631.8	33.7	.....	16.8	16.8	33.7	50.5	8.4	8.4	176.6	16.8	67.3
	1903	1,737.7	16.4	.....	.....	.....	.....	16.4	8.2	8.2	139.3	32.8	73.8
	1904	1,854.3	16.0	8.0	.....	.....	8.0	.....	56.0	8.0	183.8	40.0	103.9
Mt. Carmel, Pa	1900	2,702.3	15.2	.....	.....	22.8	53.1	.....	83.4	7.6	83.5	.....	30.3
	1901	2,177.7	.....	.....	.....	7.3	95.1	21.9	80.5	.....	124.3	.....	29.3
	1902	2,273.2	7.0	.....	21.2	.....	21.2	42.4	84.7	.....	63.5	.....	35.3
	1903	1,384.9	.....	.....	.....	6.8	27.3	6.8	54.6	.....	88.7	6.8	13.6
	1904	1,782.0	6.6	.....	.....	13.2	145.2	6.6	92.4	.....	85.8	.....	26.4
Mt. Vernon, N. Y	1900	1,874.9	4.7	4.7	.....	28.3	9.4	9.4	28.3	4.7	160.2	18.8	51.8
	1901	1,760.4	13.5	18.0	9.0	4.5	.....	4.5	26.9	.....	143.7	40.4	40.4
	1902	1,437.3	8.6	12.9	8.6	12.9	17.2	8.6	34.3	4.3	115.8	17.2	47.2
	1903	1,117.1	4.1	.....	.....	.....	4.1	8.2	8.2	8.2	98.6	16.4	45.2
	1904	1,370.7	23.6	.....	.....	7.9	23.6	7.9	39.4	3.9	106.3	19.7	47.3
Muncie, Ind	1900	1,733.4	76.4	.....	.....	43.0	.....	19.1	81.2	4.8	205.3	23.9	23.9
	1901	1,373.2	86.4	9.1	.....	22.7	.....	9.1	18.2	18.2	136.4	36.4	22.7
	1902	1,509.8	95.5	4.3	4.3	.....	4.3	21.7	26.0	13.0	130.2	8.7	43.4
	1903	1,587.4	16.4	4.1	.....	4.1	12.3	8.2	28.8	20.6	148.1	41.1	37.0
	1904	1,560.7	63.2	7.9	3.9	3.9	.....	11.9	11.9	19.7	201.5	27.7	71.1
Muscatine, Iowa	1900	1,634.3	120.8	14.2	.....	7.1	.....	7.1	7.1	28.4	85.3	.....	56.9
	1901	1,353.3	34.9	7.0	.....	.....	.....	7.0	14.0	55.8	83.7	14.0	69.7
	1902	1,144.1	41.1	.....	.....	.....	.....	20.6	6.8	6.8	61.7	6.8	54.8
	1903	1,218.1	87.5	6.7	13.5	6.7	6.7	13.5	33.6	13.5	87.5	6.7	33.6
	1904	1,369.0	99.2	.....	.....	.....	6.6	.....	6.6	59.5	72.7	33.1	92.6
Muskegon, Mich	1900	1,373.8	14.4	.....	.....	.....	.....	.....	14.4	14.4	105.7	24.0	33.6
	1901	1,214.2	19.2	4.8	.....	.....	.....	4.8	4.8	19.2	124.7	28.8	57.6
	1902	1,180.0	14.4	.....	.....	.....	.....	.....	28.8	.....	95.9	33.5	71.9
	1903	1,250.2	19.2	4.8	.....	43.1	4.8	14.4	4.8	19.2	76.6	14.4	71.8
	1904	1,330.3	28.7	4.8	.....	14.3	9.6	28.7	9.6	19.1	134.0	14.3	52.6
Nashua, N. H	1900	1,958.3	4.2	12.6	.....	29.3	.....	8.4	62.8	41.8	175.7	20.9	62.8
	1901	1,732.6	8.2	8.2	.....	.....	.....	12.3	86.2	41.1	160.1	32.8	37.0
	1902	1,801.3	12.1	.....	12.1	4.0	4.0	12.1	165.2	4.0	193.4	20.1	112.8
	1903	1,515.3	15.8	3.9	.....	3.9	3.9	23.7	47.5	27.7	150.4	7.9	59.3
	1904	1,441.7	19.4	.....	.....	23.3	3.9	3.9	35.0	23.3	151.5	23.3	66.1
Nashville, Tenn	1900	2,375.6	49.5	27.2	.....	9.9	3.7	19.8	34.6	55.6	346.3	40.8	33.4
	1901	2,021.3	43.0	35.6	.....	.....	14.8	7.4	19.7	34.4	268.0	38.1	57.8
	1902	2,212.6	51.4	40.3	.....	1.2	23.2	1.2	11.0	35.5	314.2	41.6	42.8
	1903	2,079.9	69.7	18.0	.....	25.2	8.4	15.6	10.8	56.4	249.8	51.6	54.0
	1904	2,383.3	54.9	34.6	.....	43.0	9.6	20.3	9.6	70.5	353.4	76.4	58.5
Natick town, Mass	1900	1,306.9	31.6	10.5	.....	.....	.....	31.6	31.6	31.6	105.4	21.1	63.2
	1901	1,574.8	10.5	.....	.....	.....	.....	31.5	10.5	31.5	189.0	10.5	115.5
	1902	1,600.0	41.8	.....	.....	.....	10.5	10.5	.....	52.3	177.8	.....	52.3
	1903	1,343.9	10.4	.....	.....	.....	.....	.....	52.1	31.3	114.5	.....	101.2
	1904	1,276.5	10.4	.....	.....	.....	.....	.....	10.4	20.8	166.0	51.9	114.1
Naugatuck, Conn	1900	1,726.6	28.5	9.5	.....	.....	.....	9.5	9.5	56.9	123.3	28.5	66.4
	1901	1,239.4	18.2	18.2	.....	.....	54.7	45.6	18.2	27.3	109.4	9.1	27.3
	1902	1,701.0	26.3	.....	.....	.....	184.1	8.8	78.9	26.3	149.1	.....	61.4
	1903	1,377.0	16.9	8.4	.....	33.8	84.5	50.7	50.7	16.9	169.0	33.8	50.7
	1904	1,442.7	16.3	.....	.....	.....	.....	8.2	8.2	.....	203.8	48.9	32.6
New Albany, Ind	1901	1,813.1	34.0	19.4	.....	.....	4.8	.....	106.7	34.0	276.3	34.0	29.1
	1902	1,701.6	29.1	34.0	.....	.....	4.8	19.4	48.5	4.8	218.1	4.8	92.1
	1903	1,696.7	87.3	4.8	.....	.....	.....	19.4	77.6	24.2	227.8	29.1	48.5
	1904	1,774.2	14.5	4.8	.....	14.5	4.8	.....	19.4	34.0	237.6	.....	43.7
New Bedford, Mass	1900	2,122.0	40.0	.....	.....	22.4	22.4	22.4	8.0	19 2	169.8	19.2	81.7
	1901	1,933.0	30.9	.....	9.3	6.2	15.5	1.5	21.7	9.3	218.2	29.4	83.6
	1902	2,042.4	35.9	.....	.....	7.5	50.9	25.5	41.9	1.5	182.7	12.0	70.4
	1903	2,325.3	50.7	1.5	.....	15.9	216.1	24.7	47.8	10.2	182.7	24.7	75.4
	1904	1,930.5	21.1	1.4	.....	2.8	.....	14.1	12.7	9.8	212.3	22.5	81.5
New Britain town, Conn	1900	2,031.8	14.2	7.1	.....	7.1	21.3	53.2	63.8	88.6	170.2	17.7	21.3
	1901	1,407.9	20.6	13.7	3.4	3.4	37.8	13.7	37.8	51.5	113.3	30.9	55.0
	1902	1,378.1	13.3	3.3	10.0	3.3	26.6	.....	36.6	6.7	119.8	13.3	26.6
	1903	1,753.8	19.4	3.2	.....	77.5	32.2	54.9	71.1	32.2	126.0	16.2	51.7
	1904	1,521.2	22.0	.....	.....	6.3	12.5	3.1	28.2	28.2	97.2	15.7	65.9

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.1	7.0	30.8	146.5	104.8	136.7	108.3	130.3	87.6	40.7	124.4	21.4	64.1	66.6	121.6	4.9
1.7	9.0	29.3	119.7	80.9	89.3	105.8	105.5	73.1	48.5	75.8	19.9	60.0	44.2	124.4	3.4
1.3	9.2	28.2	108.2	93.7	87.8	127.2	96.0	71.8	45.9	76.1	21.0	65.2	61.0	105.2	2.6
1.3	10.2	25.6	105.4	117.6	95.5	110.5	103.2	82.8	53.7	89.1	22.7	73.8	13.7	105.7	0.3
0.9	10.9	19.6	108.0	116.7	98.9	100.8	110.4	90.8	58.5	78.4	22.4	66.0	11.5	104.5	0.9
2.0	6.4	35.5	101.1	76.0	78.9	50.8	67.1	63.2	58.7	49.8	9.4	43.9	37.0	114.9	2.5
0.5	10.7	24.2	81.4	103.1	80.4	60.5	72.6	75.5	56.7	36.8	8.2	66.8	12.1	122.0	.....
1.4	7.1	25.7	90.3	102.2	80.8	66.6	45.2	71.8	61.8	36.1	16.6	47.1	20.9	114.1	0.5
1.9	8.9	20.1	78.9	107.0	78.0	65.9	54.2	73.3	67.2	32.2	13.1	63.5	9.3	128.0	0.5
.....	10.1	19.7	81.7	105.1	66.5	51.9	51.9	69.8	70.7	21.1	20.2	79.8	12.4	118.4	.....
5.2	5.2	31.2	369.1	221.0	140.4	78.0	109.2	85.8	213.2	156.0	5.2	122.2	106.6	257.1	15.6
.....	5.1	7.7	339.2	170.9	107.1	71.4	112.2	109.7	206.6	86.7	10.2	89.3	86.7	262.7	22.9
.....	10.0	22.5	250.4	160.2	150.2	70.1	92.6	120.2	200.3	87.6	12.5	127.7	97.6	235.3	15.0
2.5	7.4	27.0	302.3	172.0	115.5	103.2	83.6	103.2	218.8	103.2	9.8	122.9	81.1	226.1	12.3
.....	4.8	29.0	272.8	210.0	171.4	91.7	135.2	152.1	224.5	125.5	19.3	120.7	91.7	236.6	12.1
.....	.....	21.5	164.8	114.6	164.8	150.4	236.4	136.1	78.8	128.9	.....	50.1	50.1	114.6	.....
.....	6.9	48.3	158.7	75.9	103.5	69.0	172.5	103.5	82.8	69.0	.....	69.0	158.7	193.2	.....
.....	20.0	26.6	59.9	186.4	166.4	66.6	153.1	33.3	33.3	193.0	20.0	73.2	126.5	126.5	6.6
.....	.....	25.7	173.6	173.6	115.7	57.9	160.7	96.4	77.1	109.3	12.9	115.7	77.1	225.0	6.4
.....	12.4	31.1	180.3	143.0	167.9	149.2	248.7	87.0	80.8	105.7	24.9	74.6	18.6	254.9	.....
8.9	8.9	35.5	213.0	186.4	79.9	35.5	97.6	159.8	150.9	53.2	8.9	71.0	8.9	204.1	17.7
.....	34.5	69.1	267.8	198.7	155.5	77.7	43.2	77.7	69.1	51.8	8.6	103.7	51.8	155.5	.....
8.4	.....	16.8	176.6	201.9	126.2	84.1	42.1	84.1	100.9	58.9	.....	67.3	58.9	176.6	.....
.....	32.8	24.6	114.8	188.5	196.7	123.0	106.5	131.1	65.6	131.1	8.2	73.8	98.4	147.5	.....
.....	24.0	56.0	159.9	183.8	183.8	79.9	119.9	87.9	111.9	63.9	.....	127.9	47.9	183.8	.....
7.6	.....	53.1	523.6	144.2	478.0	129.0	379.4	68.3	22.8	136.6	.....	242.8	212.4	68.3	30.3
.....	.....	51.2	219.4	102.4	182.9	204.8	226.8	95.1	51.2	212.1	29.3	146.3	190.1	80.4	7.3
.....	.....	70.6	338.9	63.5	296.5	113.0	310.6	127.1	35.3	127.1	.....	169.4	247.1	98.8	.....
.....	.....	34.1	136.5	75.0	163.7	75.0	197.9	61.4	54.6	68.2	.....	116.0	109.2	34.1	54.6
.....	6.6	33.0	237.6	39.6	204.6	158.4	158.4	26.4	39.6	99.0	6.6	118.8	145.2	125.4	6.6
.....	4.7	28.3	169.6	103.6	188.4	273.2	197.9	75.4	141.3	66.0	.....	61.2	131.9	113.1	.....
.....	9.0	49.4	197.6	121.3	94.3	224.5	193.1	76.3	112.3	80.8	9.0	71.9	98.8	121.2	.....
.....	12.9	17.2	111.5	103.0	120.1	158.7	120.1	55.8	81.5	68.6	4.3	90.1	38.6	167.3	.....
.....	24.7	20.5	86.2	135.6	53.4	102.7	53.4	86.2	86.2	73.9	.....	65.7	24.7	110.9	.....
.....	7.9	31.5	82.7	153.6	90.6	70.9	102.4	90.6	126.0	63.0	7.9	86.7	59.1	118.2	.....
4.8	.....	62.1	128.9	95.5	148.0	52.5	143.2	114.6	71.6	109.8	23.9	62.1	76.4	157.6	4.8
.....	4.5	36.4	150.1	54.6	113.7	63.6	50.0	118.2	45.5	109.1	18.2	54.6	13.6	181.9	.....
.....	13.0	30.4	160.5	130.2	82.4	60.8	82.4	104.1	69.4	91.1	26.0	73.8	43.4	190.9	.....
.....	4.1	24.7	139.8	131.6	119.3	49.3	90.5	106.9	82.3	148.1	20.6	111.0	37.0	201.5	.....
.....	.....	35.6	162.0	122.5	83.0	51.4	98.8	102.7	67.2	90.9	31.6	94.8	35.6	158.0	3.9
7.1	28.4	42.6	99.5	113.7	220.3	49.7	71.1	106.6	85.3	49.7	21.3	49.7	85.3	277.1	.....
.....	.....	20.9	97.6	83.7	118.6	83.7	69.7	132.5	34.9	14.0	7.0	83.7	48.8	258.1	14.0
.....	.....	34.3	143.9	61.7	95.9	82.2	27.4	75.4	13.7	27.4	13.7	82.2	68.5	219.2	.....
.....	6.7	26.9	101.0	60.6	60.6	53.9	60.6	107.7	47.1	20.2	6.7	74.0	33.6	242.3	6.7
.....	.....	13.2	132.3	99.2	171.9	39.7	39.7	72.7	125.7	33.1	.....	46.3	26.5	185.2	13.2
4.8	14.4	14.4	192.2	105.7	129.7	81.7	158.5	62.4	52.8	86.5	.....	72.1	43.2	124.9	24.0
.....	28.8	4.8	168.0	86.4	81.5	72.0	86.4	72.0	43.2	28.8	4.8	62.4	33.6	163.2	14.4
.....	24.0	19.2	148.6	115.1	71.9	52.7	38.3	100.7	71.9	33.5	14.4	95.9	19.2	119.9	19.2
9.6	4.8	4.8	191.6	110.2	86.2	91.0	28.7	62.3	76.6	33.5	9.6	86.2	14.4	138.9	28.7
.....	14.3	9.6	138.8	153.1	71.8	57.4	62.2	38.3	105.3	33.5	4.8	119.7	9.6	148.3	47.9
.....	25.1	58.6	175.7	167.4	192.5	125.5	217.5	58.6	46.0	175.7	8.4	71.1	87.9	117.2	12.6
.....	4.1	45.2	131.4	180.7	151.9	135.5	168.3	106.7	73.9	90.3	4.1	73.9	53.4	119.1	8.2
.....	16.1	60.5	133.0	169.3	129.0	104.8	108.8	64.5	72.5	80.6	8.1	36.3	92.7	169.2	16.1
7.9	11.9	63.3	130.6	122.7	87.0	95.0	166.2	75.2	55.4	71.2	7.9	79.1	67.3	130.6	.....
.....	3.9	50.5	139.9	151.5	81.6	101.0	163.2	89.4	31.1	62.2	.....	85.5	38.9	93.3	.....
1.2	2.5	35.9	232.5	181.8	207.8	129.9	145.9	136.0	71.7	92.7	12.4	87.8	132.3	243.6	40.8
2.5	2.5	29.5	249.6	162.3	177.0	119.2	153.7	88.5	59.0	98.4	2.5	72.5	70.1	186.9	28.3
3.7	7.3	45.2	187.0	172.4	231.0	129.6	143.0	125.9	70.9	62.4	8.6	91.7	105.1	259.1	7.3
2.4	4.8	19.2	160.9	223.4	136.9	102.1	136.9	153.7	66.1	120.1	2.4	130.9	32.4	223.4	4.8
2.4	2.4	14.3	177.9	216.1	167.2	152.8	214.9	133.7	65.7	78.8	3.6	136.1	21.5	256.7	8.4
.....	21.1	.....	137.0	253.0	147.6	42.2	31.6	84.3	31.6	21.1	.....	73.8	.....	137.0	.....
.....	21.0	31.5	157.5	251.9	178.4	42.0	31.5	115.5	42.0	21.0	.....	31.5	52.5	189.0	10.5
10.5	41.8	10.5	188.2	167.3	198.7	41.8	41.8	52.3	94.1	104.6	.....	73.2	41.8	188.2	.....
.....	.....	20.8	250.0	177.1	125.0	52.1	20.8	52.1	72.9	41.7	.....	93.8	31.3	93.8	.....
.....	10.4	20.8	114.1	259.4	93.4	20.8	20.8	62.3	83.0	31.1	10.4	72.6	.....	103.8	.....
.....	19.0	75.9	56.9	113.8	208.7	37.9	294.1	132.8	66.4	85.4	.....	66.4	28.5	208.7	.....
.....	.....	63.8	36.5	63.8	91.1	63.8	118.5	109.4	27.3	63.8	.....	100.3	18.2	136.7	18.2
.....	.....	61.4	114.0	140.3	105.2	114.0	131.5	105.2	52.6	52.6	.....	114.0	.....	157.8	17.5
.....	.....	16.9	84.5	92.9	109.8	67.6	109.8	67.6	67.6	76.0	.....	92.9	16.9	59.1	.....
.....	16.3	16.3	105.9	97.8	57.1	89.6	260.8	57.1	114.1	89.6	.....	89.6	8.2	122.3	.....
4.8	4.8	24.2	189.1	160.0	92.1	106.7	92.1	82.4	77.6	155.1	14.5	63.0	92.1	111.5	4.8
.....	4.8	29.1	184.2	145.5	63.0	145.5	106.7	92.1	82.4	87.3	.....	111.5	92.1	97.0	4.8
.....	.....	9.7	174.5	193.9	111.5	87.3	82.4	97.0	53.3	67.8	4.8	87.3	58.2	140.6	9.7
.....	14.5	24.2	232.7	101.8	179.4	121.2	77.6	121.2	63.0	87.3	4.8	116.4	24.2	227.8	4.8
1.6	9.6	88.1	219.4	187.4	152.2	116.9	309.1	59.3	96.1	198.6	.....	52.8	64.1	145.7	16.0
.....	18.6	65.0	151.7	207.4	106.8	139.3	222.8	61.9	91.3	159.4	7.7	54.2	77.4	142.4	1.5
.....	10.5	70.4	170.7	164.7	142.2	166.2	266.5	61.4	98.8	182.7	4.5	74.9	74.8	124.3	1.5
1.5	15.9	72.5	153.7	192.9	159.5	185.6	281.3	58.0	114.6	161.0	7.3	55.1	71.1	143.6	.....
.....	18.3	45.0	158.9	213.7	113.9	122.3	255.9	73.1	112.5	160.3	5.6	71.7	59.0	129.3	2.8
.....	24.8	42.6	191.5	117.0	138.3	134.7	294.3	106.4	99.3	124.1	14.2	88.6	21.3	148.9	21.3
3.4	13.7	48.1	130.5	92.7	92.7	68.7	120.2	79.0	48.1	116.8	13.7	44.7	6.9	127.0	20.6
.....	6.7	66.6	113.2	69.9	89.9	76.6	216.4	99.9	53.3	89.9	26.6	86.5	10.0	109.8	3.3
.....	25.8	58.1	129.2	126.0	90.4	103.4	206.7	113.1	84.0	96.9	12.9	93.7	6.5	119.5	3.2
3.1	15.7	53.3	141.1	163.1	94.1	75.3	169.4	100.4	87.8	109.8	6.3	100.4	12.5	103.5	6.3

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
New Brunswick, N. J	1900	2,109.4	20.0	.....	.....	15.0	5.0	20.0	25.0	20.0	239.9	15.0	30.0
	1901	1,831.6	29.8	5.0	.....	.....	.....	19.9	19.9	34.7	203.5	14.9	79.4
	1902	1,981.7	14.8	.....	9.9	.....	.....	14.8	59.2	14.8	177.5	29.6	54.2
	1903	1,816.3	4.9	4.9	.....	.....	.....	4.9	151.8	14.7	166.5	4.9	53.8
	1904	2,168.6	38.9	.....	.....	14.6	48.6	.....	97.2	4.9	155.6	43.8	43.8
New Haven, Conn	1900	1,821.8	25.0	14.8	.....	7.4	6.5	21.3	17.6	44.4	187.9	25.0	69.4
	1901	1,793.6	94.4	12.7	.....	10.0	4.5	23.6	23.6	42.6	193.2	24.5	88.9
	1902	1,665.1	39.1	8.9	.....	6.2	7.1	29.4	8.9	6.2	187.7	29.4	82.7
	1903	1,695.1	36.6	5.2	.....	26.2	13.1	20.1	16.6	15.7	164.9	25.3	79.4
	1904	1,724.8	27.4	8.6	.....	14.6	5.1	11.1	14.6	36.0	163.5	28.2	71.9
New London, Conn	1900	2,000.2	17.1	.....	.....	11.4	17.1	.....	68.4	5.7	193.7	.....	68.4
	1901	1,835.2	11.2	5.6	.....	.....	5.6	.....	89.3	66.9	206.4	16.7	55.8
	1902	1,944.7	38.2	.....	.....	10.9	10.9	71.0	21.9	.....	240.3	5.5	81.9
	1903	1,921.3	16.0	5.4	.....	32.1	5.4	10.7	26.8	42.8	182.0	.....	91.0
	1904	2,113.9	5.2	.....	.....	.....	5.2	10.5	36.7	57.7	215.1	10.5	110.2
New Orleans, La	1900	2,652.3	52.6	56.1	158.1	21.2	6.6	2.8	13.9	15.0	342.7	26.5	63.0
	1901	2,229.3	50.1	38.1	17.8	0.3	21.3	8.2	14.4	24.0	306.2	33.3	70.0
	1902	2,226.8	44.2	32.8	1.4	0.3	4.7	4.4	14.9	18.2	325.9	27.0	71.9
	1903	2,230.4	40.9	26.3	1.3	0.7	2.7	9.3	12.0	39.2	317.7	31.6	79.8
	1904	2,234.8	36.7	22.9	.....	10.5	0.7	3.6	15.4	38.0	338.9	31.1	82.9
New Rochelle, N. Y	1900	1,766.3	6.8	34.0	.....	81.5	27.2	6.8	54.3	6.8	115.4	20.4	61.1
	1901	1,779.4	39.3	13.1	6.5	.....	6.5	6.5	32.7	32.7	130.8	13.1	78.5
	1902	1,394.1	25.2	.....	.....	12.6	6.3	44.2	25.2	12.6	63.1	18.9	31.5
	1903	1,224.3	24.4	6.1	.....	18.3	6.1	6.1	24.4	18.3	115.7	36.5	18.3
	1904	1,572.1	17.7	.....	.....	.....	5.9	5.9	35.3	17.7	106.0	5.9	53.0
New York, N. Y	1900	2,061.8	20.4	5.7	0.3	20.8	14.1	14.3	65.7	15.1	242.0	31.4	65.5
	1901	2,000.1	20.7	5.0	11.2	10.2	33.5	6.6	56.5	20.0	230.0	32.8	69.5
	1902	1,876.4	20.6	3.5	8.5	17.7	25.9	15.9	55.3	5.1	210.0	33.2	67.3
	1903	1,824.1	17.4	2.1	0.1	11.5	21.2	8.5	56.0	11.2	215.0	34.2	70.6
	1904	2,056.3	17.2	2.8	0.2	22.0	23.3	5.5	53.7	14.5	225.0	33.4	72.8
Bronx borough, N. Y.	1900	1,870.3	14.0	18.9	3.0	30.9	14.0	15.5	68.8	6.5	262.8	21.4	60.3
	1901	2,232.3	16.5	22.2	147.4	17.5	44.9	3.3	48.2	20.3	534.4	30.7	62.8
	1902	2,214.7	16.2	10.3	90.7	59.2	84.4	18.8	53.4	3.1	520.6	32.8	60.1
	1903	2,021.1	15.4	6.0	1.3	11.5	73.5	8.1	65.4	6.4	549.6	37.2	69.7
	1904	2,258.2	12.6	6.5	0.4	46.1	72.2	5.3	60.0	10.2	576.4	37.1	64.0
Brooklyn borough, N. Y	1900	2,011.9	25.0	5.1	.....	24.9	11.8	20.1	72.2	17.1	219.5	31.3	59.1
	1901	1,940.2	22.5	4.7	4.0	11.5	39.3	7.8	61.3	17.3	207.0	27.9	62.4
	1902	1,820.1	24.5	4.1	7.1	18.7	23.1	17.3	59.2	6.4	190.5	30.8	64.4
	1903	1,754.8	19.6	2.5	0.2	12.2	20.7	9.8	63.0	14.5	191.1	32.5	63.7
	1904	1,913.2	22.7	4.4	0.4	24.2	22.8	5.9	53.7	16.0	205.3	32.4	65.9
Manhattan borough, N. Y	1900	2,134.8	17.9	2.8	0.3	17.8	15.9	10.7	61.4	15.0	259.6	33.3	70.9
	1901	2,034.1	20.0	2.6	1.7	9.1	30.8	6.4	55.5	21.2	216.4	37.2	76.2
	1902	1,892.5	18.7	2.1	0.9	13.8	22.4	14.4	54.1	4.8	193.7	35.6	71.7
	1903	1,874.9	16.1	1.1	.....	11.3	16.6	7.3	50.7	9.6	198.7	37.1	76.2
	1904	2,157.7	13.7	1.1	.....	20.1	18.7	5.3	54.5	13.6	204.5	34.4	79.9
Queens borough, N. Y	1900	1,809.2	24.2	28.1	.....	11.8	14.4	12.4	53.6	13.1	187.6	23.5	48.4
	1901	1,754.5	18.2	11.9	1.3	1.9	15.0	4.4	45.7	25.1	178.0	21.3	42.0
	1902	1,674.0	21.7	4.8	.....	6.0	7.8	16.2	53.6	1.8	139.6	25.9	48.7
	1903	1,541.2	16.8	4.0	.....	12.2	12.7	12.7	61.3	9.8	135.4	16.8	53.2
	1904	1,697.5	20.6	4.4	.....	1.1	10.6	5.6	41.2	17.3	149.4	22.3	50.2
Richmond borough, N. Y	1900	2,063.5	19.3	6.0	.....	22.4	.....	13.4	89.5	14.9	208.9	26.9	77.6
	1901	1,966.3	26.3	8.8	.....	16.0	14.6	5.8	52.5	20.4	189.6	32.1	91.9
	1902	1,827.7	14.3	5.7	1.4	4.3	25.7	24.3	28.5	2.8	184.1	25.7	65.6
	1903	1,688.1	19.5	4.2	.....	5.6	4.2	8.4	33.5	18.2	185.7	19.5	82.4
	1904	2,004.0	20.5	2.7	.....	5.5	26.0	2.7	43.7	21.9	146.3	36.9	87.5
Newark, N. J	1900	2,015.3	21.1	4.5	0.4	23.2	22.3	17.9	57.3	23.6	246.7	29.3	61.0
	1901	1,921.4	23.8	6.3	28.2	6.7	9.1	14.3	40.9	13.1	228.2	26.6	75.4
	1902	1,908.2	19.8	4.3	72.9	20.9	18.6	15.9	39.1	5.4	228.0	28.7	64.3
	1903	1,851.2	23.0	1.1	1.1	0.8	26.8	18.8	43.3	15.8	245.3	29.0	72.0
	1904	1,965.9	13.6	3.7	.....	14.0	45.0	4.8	54.5	11.4	249.5	33.2	70.8
Newark, Ohio	1900	1,558.6	60.6	11.0	.....	11.0	16.5	11.0	11.0	11.0	159.6	27.6	60.6
	1901	1,304.9	26.9	21.6	.....	.....	16.2	5.4	48.5	48.5	75.5	10.8	43.1
	1902	1,320.3	47.5	21.1	.....	.....	15.8	10.6	31.7	15.8	142.6	5.3	63.4
	1903	1,159.2	25.9	.....	15.5	.....	.....	5.2	20.7	15.5	129.4	10.3	72.4
	1904	1,724.8	10.1	.....	5.1	35.5	.....	25.4	35.5	20.3	142.0	50.7	71.0
Newburg, N. Y	1900	2,229.1	44.1	8.0	.....	4.0	.....	8.0	24.1	4.0	320.8	12.0	56.1
	1901	1,747.0	31.8	4.0	.....	4.0	35.8	.....	47.8	15.9	163.2	11.9	47.8
	1902	1,876.4	47.4	4.0	.....	.....	102.7	4.0	31.6	.....	221.2	35.5	63.2
	1903	1,847.0	39.2	.....	.....	.....	11.8	11.8	27.4	19.6	243.1	19.6	62.8
	1904	2,039.9	42.8	.....	.....	38.9	.....	7.8	74.0	11.7	241.4	19.5	93.4
Newburyport, Mass	1900	2,168.8	41.4	6.9	.....	6.9	.....	13.8	6.9	76.0	200.3	34.5	96.7
	1901	1,906.3	41.3	.....	.....	.....	.....	13.8	.....	82.6	137.6	41.3	123.9
	1902	1,988.5	48.0	.....	6.8	20.6	13.7	.....	27.4	34.3	144.0	27.4	116.6
	1903	1,796.8	13.7	.....	.....	.....	.....	6.8	47.8	116.2	170.8	20.5	95.6
	1904	1,885.6	20.4	.....	.....	.....	.....	13.6	20.4	34.0	156.6	6.8	177.0
Newcastle, Pa	1900	1,577.3	137.6	.....	.....	31.8	7.1	.....	17.6	28.2	67.0	7.1	45.9
	1901	1,287.1	57.1	3.4	.....	.....	6.7	16.8	20.2	43.7	100.8	3.4	47.0
	1902	1,587.8	192.5	3.2	.....	48.1	.....	19.2	28.9	22.5	102.7	19.2	22.5
	1903	1,359.2	122.7	.....	.....	6.1	12.3	33.7	21.5	12.3	92.0	6.1	27.6
	1904	1,284.9	64.7	.....	.....	2.9	5.9	.....	35.3	14.7	79.4	5.9	38.2
Newport, Ky	1900	2,173.1	60.1	3.5	.....	7.1	24.7	3.5	35.3	10.6	187.3	31.8	70.7
	1901	1,728.4	7.0	.....	.....	10.5	14.0	3.5	17.5	41.9	150.1	17.5	80.3
	1902	1,363.2	13.8	.....	3.5	13.8	17.2	10.4	13.8	6.9	162.2	13.8	44.9
	1903	1,313.3	30.7	.....	.....	13.6	6.8	.....	13.6	40.9	160.3	34.1	61.4
	1904	1,571.5	33.7	3.4	.....	3.4	3.4	10.1	53.9	27.0	215.8	33.7	33.7

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
5.0	5.0	65.0	289.9	284.9	159.9	60.0	155.6	80.0	95.0	85.0	20.0	165.0	134.9	159.9	15.0
.....	.....	29.8	243.2	188.6	153.9	79.4	104.2	54.6	119.1	89.3	.....	124.1	99.3	139.0	.....
.....	14.8	39.4	310.5	226.8	187.3	49.3	128.2	108.4	118.3	69.0	9.9	93.7	108.4	142.9	.....
.....	9.8	34.3	230.1	161.6	122.4	63.6	181.1	107.7	142.0	58.7	.....	102.8	63.6	132.2	.....
.....	14.6	68.1	330.6	121.5	160.4	102.1	209.0	107.0	107.0	131.3	4.9	102.1	82.7	170.2	9.7
1.9	17.6	30.5	165.7	172.2	162.9	122.2	141.6	99.1	88.9	103.7	18.5	92.6	25.0	160.1	.....
2.7	17.2	36.3	156.1	168.8	108.0	95.3	126.1	81.6	94.4	75.3	14.5	92.5	17.2	173.3	16.3
2.7	7.1	41.8	163.7	157.4	100.6	98.7	147.7	74.7	96.1	81.8	6.2	92.5	31.1	152.1	5.3
0.9	20.1	47.1	158.8	171.0	132.6	105.5	116.9	80.3	82.0	72.4	15.7	110.8	50.6	124.7	2.6
2.6	14.6	46.2	145.5	184.9	120.7	99.3	114.7	101.9	125.8	78.7	24.0	119.8	20.5	124.1	20.5
17.1	17.1	34.2	193.7	239.3	131.1	108.3	222.2	102.6	108.3	62.7	34.2	85.5	39.9	210.8	11.4
.....	5.6	16.7	189.6	195.2	100.4	117.1	156.2	83.7	72.5	72.5	22.3	178.5	11.2	150.6	5.6
.....	16.4	65.6	169.3	207.6	81.9	103.8	153.0	92.9	81.9	114.7	16.4	158.4	21.9	180.3	.....
16.0	5.4	26.8	171.3	187.3	80.3	64.2	165.9	123.1	112.3	112.3	26.8	219.4	32.1	165.9	.....
.....	36.7	47.2	251.8	251.8	94.4	68.2	141.6	120.7	173.1	83.9	5.2	178.4	36.7	173.1	.....
1.0	3.5	52.9	235.8	204.5	187.4	144.1	183.9	119.5	191.6	92.0	14.3	116.7	120.9	222.2	3.5
1.0	8.2	39.4	219.5	222.2	147.1	80.9	145.4	104.9	163.6	72.7	12.0	114.5	76.8	237.1	0.3
1.0	5.7	40.9	221.9	231.0	148.6	90.5	154.7	114.5	168.5	87.8	15.9	116.8	65.2	217.8	0.3
1.0	6.0	28.3	209.9	221.5	135.7	88.8	157.7	118.1	214.6	70.2	12.6	120.7	61.9	221.6	0.3
0.7	7.5	36.7	199.6	227.4	166.2	94.4	155.7	113.7	196.6	74.4	13.8	124.2	52.8	190.4	.....
.....	13.6	54.3	149.5	203.8	176.6	142.7	149.5	81.5	61.1	47.6	.....	142.7	47.6	81.5	.....
.....	6.5	98.2	124.3	183.2	163.6	157.0	117.8	91.6	78.5	130.8	.....	111.2	32.7	117.8	6.5
.....	.....	37.9	132.5	132.5	100.9	138.8	69.4	69.4	56.8	100.9	18.9	132.5	56.8	107.2	.....
.....	6.1	36.5	91.4	127.9	73.1	79.2	60.9	85.3	73.1	97.4	6.1	97.4	42.6	73.1	.....
.....	29.4	35.3	164.9	159.0	100.1	88.3	106.0	117.7	88.3	88.3	17.7	129.5	53.0	147.2	.....
0.8	11.4	43.6	130.7	147.7	277.2	125.4	194.8	94.5	159.0	86.3	15.9	93.7	44.7	140.7	0.1
0.6	14.1	33.3	130.8	149.1	201.3	152.4	191.5	85.7	163.0	74.9	14.1	118.0	41.2	133.9	0.2
1.0	13.0	30.4	124.8	157.5	182.4	171.1	158.0	80.4	157.0	77.4	14.0	90.7	33.7	121.8	0.2
1.7	13.9	27.1	117.5	160.4	166.7	164.9	138.9	79.5	162.0	78.1	14.4	102.4	33.6	114.9	0.3
0.6	16.7	58.0	122.0	182.2	219.9	174.3	176.4	81.4	174.5	81.4	16.5	126.8	31.6	123.5	0.1
.....	10.0	37.9	127.2	138.1	247.4	75.8	145.6	76.8	128.2	80.8	14.5	95.3	49.4	127.2	.....
.....	12.3	32.1	140.8	133.2	154.5	119.5	126.6	70.4	139.4	82.7	18.9	92.6	42.0	119.1	.....
1.3	13.5	33.7	118.0	145.9	161.1	140.0	152.6	65.5	135.4	66.9	14.8	85.7	30.5	98.3	0.9
2.6	16.2	27.8	116.3	128.7	133.8	117.1	104.7	70.1	134.2	66.2	22.2	97.4	22.2	116.2	1.3
0.4	24.1	55.1	111.4	166.8	176.6	119.1	139.9	62.8	168.9	78.7	18.8	109.7	23.7	111.4	.....
1.0	9.7	45.1	137.7	158.2	259.8	113.6	216.2	98.6	149.5	69.7	3.2	80.2	43.3	139.8	0.2
0.6	10.6	30.4	135.6	152.9	204.0	128.6	216.9	88.5	156.2	66.5	1.3	103.6	41.6	136.9	0.3
0.9	12.1	30.8	127.1	162.7	176.9	166.9	166.8	78.4	153.3	64.0	2.5	81.2	33.3	126.8	0.3
1.6	12.4	18.8	125.0	185.3	152.5	153.1	138.3	77.7	145.9	64.1	0.1	100.2	32.8	117.0	0.2
0.2	14.0	36.5	124.5	201.8	195.9	156.7	183.4	76.1	154.0	59.2	2.2	94.7	33.1	127.0	0.2
0.9	13.0	44.3	124.6	144.3	297.6	142.4	186.0	94.8	172.0	97.6	23.3	100.7	42.9	144.7	0.1
0.8	16.8	36.3	124.0	148.5	209.7	173.8	180.5	86.7	172.7	80.9	21.2	130.0	40.8	134.2	0.1
1.0	14.0	35.8	122.6	154.8	189.9	184.9	150.7	82.8	165.2	87.2	20.4	95.7	32.0	123.3	0.1
1.8	14.6	33.0	112.8	149.4	184.7	185.2	140.6	81.5	179.7	90.3	22.5	102.7	35.2	116.0	0.2
0.8	18.2	76.1	118.5	172.6	246.1	199.9	172.6	88.1	191.0	96.7	24.9	149.7	31.4	125.3	[1]
.....	5.9	30.7	148.4	116.3	212.4	94.1	198.1	82.4	117.6	81.0	28.1	109.8	40.5	126.8	.....
.....	10.7	23.8	132.9	139.1	172.9	125.3	188.6	79.6	132.2	66.4	24.4	107.1	45.7	119.7	1.3
0.6	8.4	36.7	139.6	153.4	187.1	107.1	155.3	80.0	125.2	82.4	20.5	99.3	57.2	95.1	.....
0.6	11.6	26.0	123.3	144.7	136.6	106.5	149.9	82.8	115.8	66.0	14.5	102.4	35.9	89.1	0.6
.....	12.3	27.9	144.9	165.6	174.5	106.5	209.6	68.6	132.7	66.9	21.7	119.9	28.4	94.8	0.5
.....	13.4	43.3	149.2	155.2	255.1	82.1	204.4	94.0	153.7	92.5	7.5	95.5	116.4	122.3	.....
.....	14.6	27.7	151.7	172.1	131.3	141.5	256.8	71.5	161.9	51.1	5.8	140.0	32.1	150.2	.....
1.4	10.0	28.5	131.3	189.8	131.3	117.0	225.4	95.6	139.8	64.2	22.8	118.4	42.8	127.0	.....
.....	19.5	11.2	106.1	162.0	101.9	108.9	187.1	76.8	160.6	60.0	18.2	152.2	37.7	103.3	1.4
.....	12.3	23.2	155.8	191.4	179.1	135.3	195.5	86.1	206.4	97.1	21.9	140.8	45.1	120.3	.....
1.2	13.4	74.0	184.9	152.8	179.6	152.4	147.1	86.6	134.5	90.2	19.1	90.6	64.2	117.4	.....
0.4	8.7	61.5	175.4	148.8	142.5	123.4	141.3	89.2	132.5	84.9	29.0	130.2	59.6	121.4	.....
0.4	10.5	57.8	178.7	171.4	130.3	134.1	129.1	86.4	133.0	91.1	20.5	76.0	52.7	117.1	1.2
1.5	12.4	53.9	168.8	157.1	134.5	129.3	95.0	97.6	145.8	87.0	26.0	93.8	50.9	119.8	0.8
1.1	11.1	56.7	154.4	161.0	179.4	149.6	143.3	85.9	140.0	91.4	23.2	85.9	46.1	135.2	1.1
.....	11.0	27.6	148.7	132.2	49.6	38.6	132.2	154.2	55.1	93.6	5.5	93.6	71.6	154.2	11.0
5.4	16.2	5.4	151.0	151.0	86.3	32.4	37.7	43.1	80.9	48.5	32.4	107.8	43.1	156.4	10.8
.....	10.6	31.7	206.0	100.3	73.9	52.8	15.8	84.5	42.2	68.7	10.6	89.8	37.0	142.6	.....
.....	10.3	25.9	113.9	119.1	72.4	36.2	62.1	72.4	67.3	41.4	.....	88.0	5.2	150.1	.....
.....	15.2	60.9	157.3	192.8	96.4	66.0	137.0	142.0	45.7	66.0	15.2	167.4	10.1	157.2	.....
.....	.....	96.2	220.5	236.5	292.7	84.2	152.4	100.2	144.3	80.2	.....	128.3	96.2	116.3	.....
4.0	11.9	87.5	175.1	199.0	147.2	63.7	147.2	43.8	135.3	87.5	8.0	107.4	43.8	123.4	.....
.....	7.9	35.5	197.5	134.3	154.1	94.8	94.8	86.9	158.0	67.1	4.0	118.5	39.5	169.9	4.0
.....	3.9	39.2	149.0	207.8	117.7	141.2	98.0	70.6	188.2	66.7	7.8	109.8	47.1	164.7	.....
.....	31.1	66.2	194.7	229.7	144.0	105.1	89.5	97.3	171.3	77.9	.....	147.9	35.0	120.7	.....
.....	13.8	34.5	214.1	158.9	297.0	124.3	145.1	41.4	48.4	76.0	.....	89.8	96.7	269.4	76.0
.....	20.6	13.8	190.6	213.3	123.9	89.5	137.6	61.9	110.1	48.2	.....	123.9	55.0	261.5	6.9
6.8	34.3	27.4	164.6	164.6	102.9	123.4	89.1	130.3	82.3	102.9	20.6	75.4	171.4	240.0	13.7
6.8	20.5	6.8	129.8	205.0	116.2	75.2	68.3	102.5	109.3	75.2	6.8	88.8	129.8	177.6	6.8
.....	.....	13.6	170.2	245.1	88.5	68.1	108.9	129.3	81.7	68.1	20.4	129.3	143.0	183.8	6.8
.....	10.6	42.3	109.4	67.0	88.2	81.2	158.8	105.9	42.3	45.9	14.1	144.7	67.0	197.6	60.0
3.4	3.4	30.2	104.1	53.8	121.0	30.2	90.7	77.3	30.2	43.7	3.4	147.9	37.0	157.9	53.8
3.2	3.2	19.2	99.4	93.0	102.7	57.7	99.4	128.3	57.7	32.1	.....	202.1	57.7	118.7	54.6
6.1	.....	21.5	89.0	98.2	61.4	64.4	147.3	92.0	49.1	58.3	3.1	147.3	39.9	116.6	30.7
5.9	5.9	26.5	97.0	64.7	94.1	70.6	55.8	117.6	64.7	58.8	5.9	173.5	47.0	99.9	50.0
.....	31.8	63.6	261.5	144.9	176.7	123.7	134.3	81.3	95.4	102.4	17.6	84.8	155.5	183.7	81.3
.....	3.5	76.8	164.1	160.6	167.6	157.1	87.3	83.8	66.3	104.8	.....	76.8	66.3	153.6	17.5
3.5	3.5	62.1	151.8	151.8	86.3	89.7	79.4	89.7	38.0	79.4	3.5	41.4	41.4	117.3	24.1
.....	10.2	44.4	119.4	81.9	98.9	75.1	71.7	68.2	51.2	34.1	6.8	58.0	71.7	143.3	17.0
3.4	10.1	33.7	158.5	101.2	148.4	114.7	104.5	64.1	50.6	80.9	.....	74.2	77.6	121.4	10.1

[1] Less than one-tenth.

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA.

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Newport, R. I.	1900..	1,892.5	90.8	4.5	.....	.....	13.6	.....	63.5	49.9	190.6	18.2	45.4
	1901..	1,731.6	40.4	4.5	4.5	.....	9.0	4.5	31.4	4.5	183.9	22.4	103.2
	1902..	1,880.3	31.1	.....	4.4	.....	17.8	44.3	31.1	.....	146.4	53.2	79.8
	1903..	1,574.0	17.5	.....	.....	.....	4.4	.....	57.0	.....	157.8	26.3	70.2
	1904..	1,474.0	17.4	.....	.....	.....	.....	.....	.....	8.7	108.4	47.7	78.0
Newton, Mass.	1900..	1,500.6	26.8	.....	.....	.....	5.9	3.0	77.4	35.7	104.2	20.8	71.5
	1901..	1,269.3	17.4	2.9	2.9	.....	2.9	2.9	31.9	2.9	104.3	31.9	63.7
	1902..	1,239.1	5.6	.....	2.8	8.5	2.8	2.8	17.0	5.6	90.3	42.3	62.1
	1903..	1,227.0	8.3	.....	.....	2.8	.....	13.7	16.5	33.0	68.8	24.7	66.0
	1904..	1,105.4	8.0	5.4	.....	2.7	2.7	5.4	16.1	10.7	102.0	18.8	69.8
Niagara Falls, N. Y.	1900..	1,619.0	107.9	.....	.....	20.6	10.3	15.4	36.0	15.4	138.8	.....	46.3
	1901..	1,645.2	147.3	.....	.....	.....	4.9	4.9	29.5	44.2	181.7	14.7	63.8
	1902..	1,768.0	136.4	4.7	.....	23.5	75.2	23.5	42.3	4.7	94.1	14.1	18.8
	1903..	1,659.8	135.3	.....	.....	.....	85.7	4.5	13.5	.....	94.7	18.0	76.7
	1904..	1,802.7	151.7	.....	4.3	8.7	.....	26.0	52.0	26.0	95.3	26.0	78.0
Norfolk, Va.	1900..	2,717.5	79.8	42.9	12.9	6.4	.....	102.9	4.3	51.5	315.3	30.0	51.5
	1901..	2,211.3	33.5	43.9	.....	4.2	.....	6.3	16.7	37.7	282.4	29.3	54.4
	1902..	2,199.2	51.9	46.3	1.9	1.9	.....	16.7	96.3	18.5	250.1	40.8	48.2
	1903..	2,015.6	59.7	16.3	.....	1.8	1.8	43.4	27.1	34.3	289.2	38.0	81.3
	1904..	2,094.9	58.2	17.7	.....	3.5	5.3	14.1	22.9	40.6	285.9	33.5	63.5
Norristown, Pa.	1900..	1,931.3	44.9	.....	.....	9.0	4.5	9.0	58.4	40.4	206.6	22.5	80.8
	1901..	2,651.9	71.1	.....	22.2	.....	.....	13.3	44.4	80.0	395.3	22.2	44.4
	1902..	2,486.9	48.3	.....	17.6	.....	.....	4.4	35.2	17.6	329.5	8.8	61.5
	1903..	2,464.6	52.2	8.7	.....	13.0	.....	8.7	43.5	21.7	247.8	8.7	34.8
	1904..	2,434.1	77.4	4.3	.....	8.6	12.9	12.9	12.9	34.4	240.9	21.5	81.7
North Adams, Mass.	1900..	1,442.1	28.9	.....	.....	4.1	8.3	16.5	12.4	12.4	124.0	24.8	57.9
	1901..	1,513.6	20.0	.....	.....	16.0	4.0	8.0	48.1	20.0	180.2	8.0	40.0
	1902..	1,355.6	50.5	.....	.....	7.8	11.6	7.8	54.4	.....	151.5	.....	38.8
	1903..	1,436.7	49.0	3.8	.....	.....	75.4	18.9	52.8	22.6	113.1	15.1	52.8
	1904..	1,359.4	36.6	.....	18.3	3.7	14.7	3.7	69.6	14.7	106.2	29.3	58.6
Northampton, Mass.	1900..	1,866.7	42.9	21.5	.....	5.4	21.5	16.1	32.2	37.5	177.0	16.1	85.8
	1901..	1,709.8	21.0	5.3	.....	5.3	.....	.....	10.5	57.9	163.1	21.0	99.9
	1902..	1,362.7	5.2	.....	.....	.....	.....	10.3	5.2	.....	129.1	25.8	51.6
	1903..	1,423.6	10.1	.....	.....	.....	16.1	15.2	30.4	10.1	101.3	15.2	35.4
	1904..	1,726.1	14.9	5.0	.....	14.9	.....	.....	5.0	9.9	139.3	19.9	84.6
Norwalk town, Conn.	1900..	1,675.7	45.2	20.1	.....	10.0	10.0	.....	35.1	145.5	165.6	10.0	120.4
	1901..	1,439.0	54.6	9.9	.....	.....	9.9	.....	24.8	44.7	139.0	.....	89.3
	1902..	1,438.4	54.0	4.9	.....	.....	4.9	.....	19.6	39.3	152.2	9.8	49.1
	1903..	1,578.5	24.3	4.9	.....	9.7	29.1	4.9	48.6	92.3	121.4	9.7	77.7
	1904..	1,323.5	24.0	4.8	.....	19.2	9.6	4.8	14.4	28.8	187.4	.....	86.5
Norwich town, Conn.	1900..	1,968.6	28.4	.....	.....	.....	8.1	.....	77.1	24.4	211.1	4.0	73.1
	1901..	1,907.6	12.1	32.3	.....	16.1	20.2	.....	52.4	56.5	173.4	40.3	108.9
	1902..	1,518.7	20.0	4.0	4.0	4.0	4.0	16.0	4.0	12.0	172.3	20.0	104.2
	1903..	1,967.0	15.9	11.9	.....	23.9	.....	47.8	23.9	31.9	191.1	39.8	91.5
	1904..	1,642.1	7.9	.....	.....	.....	.....	.....	7.9	27.7	134.5	27.7	75.2
Oakland, Cal.	1900..	1,589.0	23.9	1.5	.....	3.0	7.5	3.0	16.4	14.9	194.1	32.9	98.6
	1901..	1,618.2	11.7	5.9	.....	5.9	4.4	8.8	29.4	17.6	232.0	30.8	73.4
	1902..	1,663.5	23.1	4.3	.....	1.4	7.2	1.4	54.9	7.2	193.5	31.8	108.3
	1903..	1,562.8	21.3	.....	.....	15.6	4.3	11.4	60.6	19.9	166.2	39.8	93.8
	1904..	1,500.1	43.3	4.2	.....	2.8	2.8	7.0	11.0	4.2	135.6	47.5	100.7
Ogdensburg, N. Y.	1900..	1,622.7	55.4	.....	.....	.....	39.6	.....	31.7	7.9	166.2	39.6	47.5
	1901..	2,104.3	20.3	.....	.....	13.5	.....	13.5	6.8	20.3	257.1	47.4	81.2
	1902..	2,211.6	94.1	.....	.....	.....	.....	.....	.....	20.2	275.6	.....	107.6
	1903..	2,310.8	53.4	.....	.....	.....	20.0	.....	6.7	33.4	280.5	20.0	120.2
	1904..	2,441.9	59.7	.....	.....	.....	.....	13.3	13.3	6.6	318.5	39.8	146.0
Oil City, Pa.	1900..	1,289.2	52.8	.....	.....	.....	.....	7.5	.....	7.5	165.9	7.5	52.8
Olean, N. Y.	1900..	1,447.9	21.1	.....	.....	.....	.....	.....	.....	63.4	84.6	.....	52.8
	1901..	1,168.3	10.3	.....	.....	.....	10.3	10.3	.....	51.7	41.4	20.7	62.0
	1902..	991.7	40.5	10.1	.....	30.4	20.2	10.1	10.1	20.2	40.5	20.2	40.5
	1903..	1,010.7	29.7	.....	.....	.....	19.8	.....	9.9	39.6	39.6	9.9	19.8
	1904..	1,300.7	19.4	.....	.....	.....	.....	.....	.....	29.1	106.8	.....	58.2
Omaha, Nebr.	1900..	1,179.9	23.4	2.9	.....	0.9	6.8	5.8	25.4	11.7	97.5	22.4	43.9
	1901..	1,161.5	24.5	.....	2.8	.....	12.2	11.3	13.2	23.6	90.4	19.8	56.5
	1902..	1,191.7	21.9	2.7	2.7	13.7	12.8	18.2	14.6	6.4	100.2	13.7	46.5
	1903..	967.7	11.5	0.9	.....	4.4	11.5	3.5	8.8	15.0	118.2	8.8	47.6
	1904..	1,149.1	17.1	2.6	0.9	8.5	6.8	10.3	14.5	12.8	106.0	17.1	62.4
Orange, N. J.	1900..	1,872.3	33.1	8.3	.....	24.9	16.6	.....	29.0	8.3	200.0	33.1	62.1
	1901..	1,726.7	12.2	4.0	8.1	4.0	4.0	.....	8.1	8.1	227.0	48.6	56.8
	1902..	1,976.1	39.7	.....	27.8	55.5	7.9	11.9	27.8	4.0	289.7	11.9	63.5
	1903..	2,036.5	19.4	3.9	.....	.....	3.9	27.2	19.4	3.9	303.1	35.0	46.6
	1904..	2,094.4	19.0	.....	.....	7.6	26.7	11.4	49.5	19.0	281.8	30.5	110.4
Oskaloosa, Iowa.	1900..	1,530.6	21.7	21.7	.....	10.9	.....	21.7	21.7	10.9	97.7	10.9	43.4
Ottawa, Ill.	1900..	1,426.1	28.3	.....	.....	.....	.....	.....	28.3	.....	160.6	9.4	103.9
	1901..	1,581.2	56.1	9.4	.....	.....	.....	9.4	.....	18.7	121.6	28.1	74.8
	1902..	1,307.0	18.5	.....	.....	.....	.....	18.5	9.3	.....	139.1	9.3	64.9
	1903..	1,276.6	9.2	.....	.....	.....	.....	.....	.....	.....	128.6	27.5	73.5
	1904..	1,128.5	9.1	.....	.....	.....	.....	.....	9.1	27.3	145.7	18.2	54.6

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	9.1	90.8	181.5	213.3	95.3	99.8	186.1	59.0	72.6	95.3	18.2	31.8	31.8	217.8	13.6
.....	22.4	85.2	175.0	206.4	112.1	53.8	112.1	53.8	121.1	71.8	4.5	62.8	80.8	152.5	9.0
.....	22.2	79.8	164.1	208.4	128.6	79.8	137.5	48.8	102.0	106.4	26.6	88.7	22.2	252.7	4.4
.....	26.3	26.3	192.9	144.7	83.3	74.5	52.6	100.9	135.9	65.8	17.5	61.4	87.7	171.0	.....
.....	21.7	13.0	147.4	234.1	95.4	78.0	86.7	86.7	95.4	56.4	8.7	78.0	4.3	203.7	4.3
.....	3.0	47.6	131.0	187.6	116.1	92.3	110.1	71.5	62.5	71.5	3.0	68.5	38.7	148.9	3.0
.....	17.4	29.0	124.6	153.6	86.9	55.1	92.7	58.0	78.2	55.1	2.9	66.6	52.2	127.5	5.8
2.8	17.0	19.8	127.1	189.1	62.1	76.2	87.5	64.9	62.1	64.9	.....	90.3	31.1	104.4	.....
2.8	8.3	19.2	148.5	167.8	85.3	57.8	49.5	68.8	90.8	46.8	2.8	60.5	24.7	159.6	.....
2.7	13.4	32.2	107.3	163.7	85.8	56.3	45.6	61.7	69.8	56.3	.....	53.7	24.1	91.2	.....
.....	.....	30.8	159.3	82.2	133.6	56.5	113.1	87.4	82.2	92.5	15.4	149.1	87.4	113.1	25.7
.....	9.8	49.1	147.3	49.1	108.1	83.5	142.4	78.6	73.7	73.7	4.9	196.5	54.0	73.7	9.8
.....	9.4	32.9	112.9	75.2	141.1	75.2	141.1	150.5	89.3	75.2	.....	202.2	108.2	108.1	9.4
4.5	13.5	40.6	99.2	90.2	99.2	76.7	180.4	63.2	81.2	108.3	9.0	108.3	99.2	139.9	18.0
.....	13.0	34.7	130.0	117.0	112.7	65.0	195.0	108.3	60.7	121.4	8.7	147.3	78.0	138.6	4.3
.....	4.3	25.7	311.0	186.6	160.9	128.7	272.4	180.2	105.1	115.8	4.3	150.1	137.3	229.5	8.6
.....	8.4	20.9	282.4	119.3	163.2	123.4	205.0	123.4	150.7	125.5	2.1	96.2	96.2	186.2	.....
.....	3.7	31.5	235.3	155.6	155.6	92.6	211.2	131.5	113.0	122.3	9.3	100.0	72.3	192.7	.....
.....	5.4	16.3	204.3	164.5	122.9	74.1	159.1	103.1	144.6	94.0	3.6	108.5	50.6	171.7	.....
.....	3.5	17.7	224.2	188.8	151.8	82.9	171.2	121.8	116.5	98.8	5.3	118.3	35.3	211.8	1.8
4.5	9.0	40.4	251.5	229.1	76.4	94.3	71.9	89.8	89.8	62.9	.....	130.2	80.8	211.1	13.5
4.4	.....	44.4	386.5	315.4	124.4	124.4	66.6	97.7	133.3	75.5	.....	155.5	191.0	239.9	.....
.....	4.4	30.8	496.5	276.8	149.4	140.6	74.7	109.8	140.6	48.3	.....	145.0	131.8	210.9	4.4
.....	.....	30.4	421.6	243.4	208.7	139.1	69.5	117.4	191.3	17.4	.....	282.5	160.8	139.1	4.3
.....	8.6	51.6	335.5	352.7	193.5	111.8	90.3	116.1	163.4	55.9	.....	159.1	47.3	240.8	.....
.....	4.1	49.6	160.4	152.9	119.8	78.5	140.5	86.8	74.4	82.6	8.3	53.7	53.7	74.4	4.1
8.0	4.0	56.1	136.1	136.1	128.1	60.1	152.2	60.1	52.1	92.1	8.0	80.1	44.0	148.2	4.0
3.9	3.9	38.8	143.7	120.4	116.5	62.2	139.8	77.7	69.9	73.8	3.9	73.8	50.5	54.4	.....
.....	18.9	22.6	98.0	116.9	71.6	94.3	109.4	132.0	82.9	67.9	11.3	49.0	37.7	120.7	.....
.....	3.7	14.7	135.6	113.6	131.9	58.6	117.3	69.6	47.6	69.6	7.3	95.3	11.0	128.2	.....
.....	26.8	53.6	273.6	171.6	96.6	85.8	118.0	64.4	32.2	118.0	.....	101.9	26.8	219.9	21.5
.....	31.6	26.3	215.7	199.9	84.2	73.7	110.5	94.7	78.9	52.6	.....	126.3	21.0	199.9	10.5
.....	10.3	31.0	206.5	180.7	77.4	51.6	77.4	46.4	56.8	36.1	15.5	67.1	46.4	216.8	15.5
.....	10.1	30.4	228.0	197.6	55.8	81.1	70.9	50.7	50.7	86.1	20.3	91.2	25.3	197.6	.....
.....	9.9	54.7	233.8	233.8	99.5	89.5	139.3	84.6	84.6	84.6	9.9	99.5	9.9	199.0	.....
5.0	20.1	25.1	220.8	110.4	85.3	45.2	125.4	95.3	120.4	40.1	10.0	95.3	15.1	95.3	5.0
.....	5.0	19.8	223.3	119.1	74.4	64.5	119.1	59.6	84.3	54.6	5.0	114.2	19.8	124.1	.....
.....	14.7	29.5	117.8	201.3	127.7	58.9	117.8	54.0	88.4	63.8	19.6	68.7	9.8	132.6	.....
.....	4.9	29.1	204.0	228.3	97.1	53.4	102.0	82.6	87.4	34.0	19.4	116.6	9.7	87.4	.....
.....	14.4	19.2	192.3	201.9	91.3	57.7	91.3	57.7	110.6	52.9	9.6	110.6	9.6	124.9	.....
12.2	24.4	20.3	215.1	239.5	113.6	117.7	186.7	89.3	97.4	69.0	12.2	89.3	20.3	235.4	.....
.....	.....	8.1	201.7	185.5	201.7	92.8	125.0	96.8	112.9	112.9	12.1	52.4	16.1	177.4	.....
.....	24.0	28.1	196.4	184.4	72.1	60.1	76.2	100.2	72.1	76.2	12.0	64.1	20.0	168.3	.....
4.0	27.9	27.9	191.1	254.9	87.6	87.6	123.4	99.5	131.4	67.7	4.0	91.6	11.9	278.7	.....
4.0	15.8	27.7	225.5	201.8	138.5	83.1	87.1	134.5	91.0	63.3	11.9	91.0	19.8	166.2	.....
1.5	16.4	52.3	158.3	237.5	135.9	103.0	34.3	89.6	85.1	38.8	9.0	95.6	25.4	106.0	4.5
.....	22.0	30.8	142.5	295.2	142.5	64.6	41.1	107.2	74.9	19.1	27.9	95.4	10.3	124.8	.....
.....	28.9	34.6	157.4	283.1	131.4	93.9	53.4	109.8	78.0	27.4	15.9	92.4	13.0	111.2	.....
1.4	14.2	31.1	146.3	248.6	99.5	71.0	46.9	106.6	66.8	25.6	38.4	92.4	19.9	112.2	.....
2.8	22.3	32.2	132.8	283.8	88.1	62.9	41.9	104.9	90.9	30.8	32.2	90.9	15.4	107.7	1.4
.....	.....	63.3	95.0	158.3	102.9	95.0	150.4	95.0	118.7	118.7	.....	87.1	15.8	134.6	.....
.....	6.8	27.1	277.4	196.2	169.2	88.0	155.6	74.4	115.0	60.9	13.5	94.7	47.4	318.0	.....
.....	26.9	40.3	363.0	248.7	121.0	114.3	114.3	80.7	201.7	13.4	6.7	94.1	33.6	255.4	.....
.....	26.7	40.1	260.5	293.9	233.8	66.8	106.8	120.2	227.1	46.7	6.7	73.5	80.1	187.0	6.7
.....	19.9	26.5	292.0	345.1	179.2	112.8	79.6	72.9	278.7	119.5	6.6	26.5	46.5	238.9	.....
.....	7.5	30.2	188.5	120.6	90.5	37.7	82.9	52.8	30.2	37.7	7.5	75.4	113.1	98.0	22.6
10.6	21.1	95.1	158.5	105.7	95.1	74.0	105.7	74.0	21.1	84.6	10.6	116.3	21.1	232.5	.....
.....	.....	51.7	144.8	144.8	31.0	51.7	41.4	62.0	.....	51.7	10.3	155.1	.....	217.1	.....
.....	10.1	50.6	141.7	91.1	70.9	50.6	70.9	10.1	10.1	.....	30.4	50.6	10.1	151.7	.....
.....	.....	19.8	89.2	168.5	49.6	49.6	59.5	79.3	19.8	19.8	.....	158.5	19.8	109.0	.....
.....	.....	58.2	116.5	106.8	87.4	77.7	38.8	87.4	77.7	67.9	9.7	155.3	29.1	174.7	.....
.....	4.9	28.3	110.2	78.0	125.8	60.5	63.4	85.8	33.2	70.2	15.6	80.9	41.0	134.6	6.8
3.8	8.5	38.6	117.8	67.8	97.0	67.8	46.2	98.0	43.3	47.1	13.2	74.4	34.9	143.1	5.7
8.2	3.6	22.8	142.1	83.8	85.6	70.2	68.3	91.1	52.8	40.1	15.5	70.2	48.3	126.6	9.1
1.8	6.2	15.0	90.9	90.9	80.3	41.5	26.4	67.0	41.5	53.8	11.4	72.3	22.0	115.6	0.9
1.7	7.7	13.7	108.6	101.7	85.5	54.7	58.1	106.9	64.1	35.9	15.4	75.2	23.1	136.9	0.9
4.1	16.6	62.1	128.4	149.1	190.6	107.7	140.9	87.0	107.7	70.4	12.4	82.8	45.6	153.2	8.3
.....	4.0	48.6	154.0	121.6	182.4	125.7	141.9	81.1	133.8	109.5	20.3	89.2	40.5	93.2	.....
.....	15.9	67.4	174.6	130.9	178.6	107.1	170.6	99.2	138.9	91.3	4.0	91.3	47.6	119.0	.....
.....	11.7	70.0	225.4	155.5	163.2	108.8	124.4	108.8	174.9	93.3	38.9	93.3	50.5	155.4	.....
.....	7.6	41.9	175.2	186.6	236.1	95.2	213.3	137.1	118.0	87.6	26.7	99.0	19.0	95.2	.....
10.9	.....	21.7	173.7	130.3	130.3	43.4	76.0	65.1	65.1	65.1	.....	108.5	130.3	206.2	43.4
.....	.....	37.8	217.3	94.4	151.1	28.3	37.8	103.9	94.4	56.7	9.4	66.1	56.7	122.8	18.9
.....	28.1	37.4	121.6	196.5	233.9	37.4	74.8	112.3	65.5	9.4	9.4	84.2	84.2	140.3	28.1
9.3	.....	27.8	166.9	111.2	129.8	83.4	46.3	129.8	46.3	55.6	.....	92.7	18.5	129.8	.....
.....	.....	36.7	101.0	73.5	82.7	91.8	55.1	156.1	110.2	36.7	.....	119.4	18.4	147.0	9.2
.....	9.1	18.2	45.5	136.5	109.2	91.0	36.4	81.9	45.5	45.5	54.6	81.9	18.2	63.7	27.3

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.												
Ottumwa, Iowa 1900	1,445.3	65.9	.....	.....	5.5	.....	44.0	5.5	5.5	192.3	22.0	71.4
1901	1,139.6	59.1	5.4	.....	.....	.....	.....	16.1	26.9	188.1	16.1	53.8
1902	1,110.0	47.3	5.3	.....	15.8	.....	10.5	5.3	5.3	110.5	21.0	57.9
1903	1,308.5	35.8	5.1	.....	5.1	.....	15.3	25.6	5.1	117.6	15.3	51.1
Owosso, Mich 1900	1,276.5	34.5	.....	.....	.....	.....	.....	57.5	57.5	103.5	.....	69.0
1901	1,214.8	22.7	.....	.....	.....	.....	.....	34.1	90.8	79.5	22.7	56.8
1902	1,165.9	44.8	.....	.....	22.4	11.2	.....	.....	11.2	134.6	11.2	56.1
1903	719.7	.....	.....	.....	.....	11.1	22.1	33.2	22.1	77.5	.....	11.1
1904	656.1	.....	10.9	.....	.....	.....	.....	.....	21.9	21.9	10.9	54.7
Paducah, Ky 1900	2,812.9	138.8	257.1	10.3	61.7	5.1	92.6	30.9	20.6	272.5	30.9	30.9
1901	2,461.3	75.2	235.6	.....	.....	25.1	.....	5.0	50.1	315.8	20.1	30.1
1902	2,208.1	92.9	146.7	.....	.....	4.9	9.8	14.7	29.3	371.6	29.3	39.1
1903	2,080.6	42.9	119.3	4.8	4.8	.....	47.7	38.2	14.3	305.4	4.8	19.1
1904	2,073.8	60.6	121.2	.....	74.5	4.7	4.7	14.0	28.0	307.5	4.7	18.6
Passaic, N. J 1900	2,376.0	39.6	14.4	.....	61.2	7.2	46.8	25.2	25.2	183.6	32.4	46.8
1901	1,830.4	16.9	6.8	3.4	3.4	3.4	6.8	57.6	3.4	139.0	13.6	50.8
1902	1,822.3	9.7	.....	.....	54.8	16.1	16.1	41.9	.....	167.7	19.4	38.7
1903	1,999.5	15.4	3.1	.....	6.2	92.3	33.8	52.3	3.1	163.0	36.9	55.4
1904	1,943.5	17.6	2.9	.....	14.7	17.6	5.9	32.3	8.8	152.9	29.4	50.0
Paterson, N. J 1900	1,804.7	26.6	4.8	0.9	1.9	10.5	11.4	44.7	9.5	206.3	15.2	60.9
1901	1,740.3	23.2	2.8	0.9	0.9	7.4	9.3	26.0	9.3	180.9	15.8	72.3
1902	1,613.1	33.5	4.5	4.5	17.2	16.3	9.0	44.3	2.7	171.9	17.2	53.4
1903	1,536.9	21.2	2.6	.....	0.9	1.8	15.9	45.1	2.6	163.4	18.5	61.8
1904	1,714.4	6.9	2.6	.....	12.1	13.8	5.2	40.6	3.4	198.4	24.2	60.4
Pawtucket, R. I 1900	1,983.1	22.9	5.1	.....	33.1	10.2	10.2	53.5	181.0	158.1	35.7	51.0
1901	1,643.9	12.4	7.4	.....	2.5	2.5	.....	56.9	52.0	165.9	17.3	56.9
1902	1,773.7	24.1	7.2	2.4	9.6	4.8	21.7	31.3	36.1	161.3	19.3	81.8
1903	1,550.0	18.7	7.0	.....	7.0	4.7	21.1	28.1	42.2	163.9	11.7	51.5
1904	1,552.3	22.8	6.8	.....	2.3	18.2	.....	25.1	41.0	143.6	27.4	84.3
Peabody town, Mass 1900	1,839.8	17.4	8.7	.....	.....	8.7	.....	17.4	95.5	277.7	17.4	121.5
1901	1,672.4	.....	.....	.....	17.1	60.0	8.6	51.4	42.9	128.6	.....	51.4
1902	1,381.7	8.5	.....	.....	.....	.....	.....	17.0	.....	135.6	8.5	93.2
1903	1,592.1	.....	.....	.....	8.4	8.4	41.9	16.8	8.4	192.7	33.5	58.7
1904	1,300.6	16.6	.....	.....	.....	.....	.....	16.6	8.3	91.1	16.6	91.1
Peekskill, N. Y 1900	1,959.8	9.7	.....	.....	67.6	.....	19.3	86.9	38.6	125.5	38.6	106.2
1901	2,177.2	19.2	19.2	.....	.....	9.6	9.6	57.5	67.1	191.8	19.2	57.5
1902	2,468.1	28.6	.....	.....	38.1	.....	47.6	57.2	.....	266.8	76.2	152.5
1903	1,751.6	47.3	.....	.....	28.4	.....	.....	18.9	9.5	161.0	47.3	85.2
1904	1,825.0	9.4	18.8	.....	18.8	.....	9.4	28.2	18.8	150.5	28.2	65.9
Perth Amboy, N. J 1900	1,666.8	.....	.....	.....	11.3	5.6	.....	28.3	5.6	101.7	50.8	28.3
1901	1,668.6	16.2	5.4	.....	.....	5.4	16.2	124.2	10.8	91.8	37.8	27.0
1902	1,499.7	20.7	5.2	5.2	5.2	15.5	15.5	77.6	.....	87.9	41.4	25.8
1903	1,275.1	9.9	.....	.....	9.9	19.9	.....	114.1	.....	84.4	14.9	29.8
1904	1,401.2	33.4	4.8	.....	9.5	62.0	.....	75.8	14.3	104.9	23.8	52.4
Peru, Ind 1900	1,654.3	130.0	11.8	.....	.....	11.8	47.3	23.6	23.6	177.3	.....	35.4
1901	1,272.7	75.4	.....	.....	9.4	.....	.....	47.2	37.7	103.7	9.4	18.8
1902	1,389.9	55.6	.....	.....	9.3	.....	.....	9.3	18.5	129.7	9.3	74.1
1903	929.8	72.9	.....	.....	.....	.....	9.1	9.1	.....	91.2	18.2	45.6
1904	1,281.1	53.7	.....	.....	17.9	.....	.....	9.0	17.9	179.2	44.8	26.9
Petersburg, Va 1900	3,017.0	82.5	36.7	.....	4.6	4.6	18.3	9.2	45.9	298.0	27.5	55.0
1901	2,650.2	82.5	27.5	.....	.....	4.6	160.5	.....	119.2	321.0	13.8	64.2
1902	2,530.9	96.3	91.7	4.6	9.2	4.6	13.8	.....	55.0	311.8	32.1	18.3
1903	2,521.8	96.3	45.8	.....	.....	.....	41.3	73.4	64.2	376.0	18.3	64.2
1904	3,049.1	105.5	55.0	.....	45.9	.....	.....	22.9	73.4	463.1	22.9	59.6
Philadelphia, Pa 1900	2,085.1	37.2	0.9	.....	26.7	12.7	8.6	85.1	19.4	218.3	21.3	69.0
1901	1,805.7	34.6	1.2	13.5	3.5	17.2	18.7	49.3	12.6	211.4	21.8	62.3
1902	1,755.6	47.3	1.5	16.2	11.8	10.1	13.9	38.5	4.9	199.1	23.6	67.0
1903	1,881.3	72.6	0.9	20.6	17.3	14.7	31.7	45.1	14.4	217.2	28.9	71.9
1904	1,883.0	55.0	1.2	16.2	22.3	15.8	6.9	39.3	15.6	231.6	31.2	78.7
Phillipsburg, N. J 1900	1,681.3	39.8	9.9	.....	.....	19.9	29.9	29.9	19.9	89.5	.....	49.8
1901	1,540.3	29.4	9.8	.....	.....	.....	.....	49.1	9.8	166.8	9.8	78.5
1902	1,509.6	106.4	9.7	.....	9.7	9.7	.....	48.4	.....	125.8	.....	48.4
1903	1,377.9	8.4	.....	.....	.....	8.4	33.4	58.4	25.0	75.1	8.4	83.5
1904	1,383.9	16.5	.....	.....	.....	.....	.....	32.9	.....	98.9	8.2	49.4
Phoenixville, Pa 1900	2,251.0	43.5	.....	.....	32.6	10.9	.....	97.9	54.4	97.9	10.9	43.5
Pittsburg, Pa 1900	2,002.7	144.3	2.5	.....	28.6	15.9	24.3	45.4	16.8	125.3	15.5	51.9
1901	1,996.8	123.8	2.1	1.2	17.3	34.9	29.1	48.9	32.5	133.9	22.5	44.6
1902	2,200.0	140.6	1.8	36.5	54.3	26.4	23.7	48.6	16.9	135.2	24.6	54.9
1903	2,166.7	136.5	1.2	91.3	26.1	21.2	48.7	61.7	14.2	140.9	30.7	57.1
1904	1,975.9	139.4	.....	5.7	24.4	11.6	19.6	46.2	10.5	153.3	28.3	50.7
Pittsfield, Mass 1900	1,681.5	22.9	4.6	.....	13.8	9.2	13.8	50.5	9.2	128.6	13.8	91.9
1901	1,584.5	31.5	.....	.....	.....	.....	40.5	67.5	36.0	121.6	9.0	63.0
1902	1,535.5	22.1	.....	.....	.....	.....	.....	17.6	4.4	105.9	13.3	66.2
1903	1,557.6	26.0	4.3	.....	21.6	.....	4.3	8.7	17.3	103.8	30.3	86.5
1904	1,689.2	34.0	.....	.....	.....	.....	.....	25.5	8.5	161.3	42.4	97.6
Plainfield, N. J 1900	1,886.9	19.5	.....	.....	13.0	13.0	26.0	6.5	26.0	169.2	13.0	84.6
1901	1,666.8	44.4	6.3	.....	.....	6.3	.....	31.6	31.6	139.4	12.7	114.1
1902	1,587.5	12.3	.....	24.7	.....	37.1	.....	30.9	.....	210.0	12.3	43.2
1903	1,614.6	30.1	.....	.....	.....	6.0	18.1	30.1	12.0	180.7	42.2	60.3
1904	1,716.7	52.9	.....	.....	.....	5.9	18.1	23.5	17.6	264.5	23.5	64.7

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	11.0	60.4	126.4	76.9	170.4	87.9	38.5	82.4	33.0	16.5	11.0	126.4	38.5	142.9	11.0
.....	.....	10.8	91.4	107.5	86.0	26.9	37.6	64.5	16.1	32.3	16.1	75.3	59.1	145.1	5.4
5.3	.....	15.8	115.7	78.9	52.6	68.4	57.9	73.6	36.8	63.1	21.0	52.6	52.6	126.3	10.5
.....	10.2	25.6	163.6	138.0	76.7	40.9	86.9	66.4	40.9	30.7	5.1	107.3	66.4	163.6	10.2
.....	11.5	34.5	80.5	195.5	69.0	80.5	161.0	69.0	69.0	23.0	23.0	46.0	34.5	57.5	.....
.....	22.7	11.3	136.2	158.9	102.2	79.5	79.5	45.4	45.4	22.7	.....	68.1	34.1	102.2	.....
.....	44.8	11.2	100.9	168.2	78.5	100.9	67.3	33.6	11.2	44.8	.....	44.8	11.2	145.8	11.2
.....	11.1	.....	33.2	66.4	55.4	33.2	33.2	33.2	77.5	11.1	.....	66.4	11.1	110.8	.....
.....	21.9	.....	21.9	120.3	21.9	.....	98.3	10.9	32.8	43.8	.....	10.9	10.9	142.2	.....
5.1	5.1	66.8	164.6	102.8	241.7	108.0	200.6	128.6	97.7	164.6	10.3	154.3	185.1	210.8	15.4
5.0	.....	65.2	195.5	145.4	185.5	65.2	185.5	125.3	55.1	55.1	15.0	230.6	135.3	215.5	25.1
.....	14.7	53.8	180.9	73.3	180.9	83.1	200.5	127.1	39.1	68.5	14.7	171.1	190.7	156.5	4.9
4.8	14.3	47.7	133.6	66.8	176.6	133.6	200.4	128.9	19.1	47.7	9.5	205.2	143.2	147.9	.....
4.7	4.7	41.9	158.4	116.5	256.3	93.2	139.8	102.5	37.3	46.6	4.7	139.8	135.1	144.5	9.3
.....	3.6	54.0	198.0	126.0	230.4	205.2	352.8	140.4	32.4	230.4	21.6	100.8	72.0	122.4	3.6
3.4	10.2	54.2	183.0	94.9	162.7	152.5	210.1	88.1	67.8	172.9	13.6	108.5	98.3	101.7	3.4
3.2	6.4	58.1	141.9	71.0	138.7	222.5	248.4	80.6	77.4	148.4	3.2	90.3	58.1	109.7	.....
.....	21.5	64.6	126.1	120.0	120.0	215.3	212.3	101.5	70.7	166.1	9.2	101.5	61.5	144.6	3.1
.....	2.9	41.2	108.8	91.2	170.6	205.8	344.0	76.5	73.5	185.3	17.6	88.2	50.0	155.8	.....
0.9	6.7	73.2	178.8	136.9	142.6	114.1	166.4	93.2	107.5	95.1	9.5	94.1	59.0	131.2	2.8
0.9	12.1	70.5	154.9	171.5	146.5	124.2	131.7	95.5	64.9	110.3	4.6	113.1	63.9	125.1	1.8
.....	8.1	58.8	137.5	148.4	141.2	127.6	125.8	95.0	82.3	83.3	9.9	66.9	52.5	100.4	0.9
.....	7.1	60.9	150.2	164.3	144.0	90.1	96.3	90.1	79.5	80.4	13.2	89.2	51.2	85.7	0.9
.....	11.2	48.3	165.7	164.8	168.2	115.6	149.3	102.7	96.6	76.8	7.8	81.1	35.4	121.6	1.7
2.5	12.7	61.2	135.1	173.4	124.9	142.8	201.4	107.1	96.9	68.8	28.0	58.6	22.9	173.3	12.7
.....	17.3	56.9	136.2	183.2	143.6	111.4	146.1	108.9	71.8	86.7	12.4	54.5	9.9	131.2	.....
4.8	14.4	74.6	151.6	187.7	108.3	105.9	154.0	137.2	110.7	40.9	4.8	60.2	24.1	194.9	.....
.....	7.0	51.5	114.7	147.5	96.0	114.7	175.6	84.3	126.5	58.5	9.4	72.6	11.7	117.1	7.0
.....	9.1	27.4	123.1	143.6	104.9	102.6	114.0	100.3	123.1	59.3	9.1	82.0	6.8	166.4	9.1
.....	.....	26.0	208.3	225.6	104.1	95.5	112.8	26.0	60.7	138.8	8.7	34.7	52.1	182.2	.....
.....	8.6	34.3	180.1	197.3	102.9	85.8	163.0	68.6	85.8	77.2	8.6	68.6	77.2	154.4	.....
.....	8.5	17.0	118.7	203.4	76.3	93.2	50.9	127.1	101.7	59.3	8.5	59.3	42.4	152.6	.....
.....	16.8	33.5	184.3	284.9	67.0	100.5	125.7	50.3	117.3	83.8	.....	16.8	41.9	100.5	.....
.....	8.3	8.3	107.6	298.2	66.3	82.8	149.2	24.8	66.3	99.4	.....	16.6	41.4	91.1	.....
9.7	19.3	48.3	183.4	202.7	144.8	202.7	96.5	96.5	77.2	135.2	.....	86.9	29.0	135.2	.....
.....	.....	28.8	259.0	115.1	153.5	211.0	124.7	76.7	143.9	153.5	.....	115.1	182.2	163.0	.....
.....	28.6	19.1	266.8	209.7	152.5	181.1	257.3	104.8	133.4	123.9	9.5	133.4	47.6	133.4	.....
.....	.....	37.9	104.1	75.8	151.5	142.1	113.6	94.7	217.8	104.1	.....	104.1	56.8	151.5	.....
.....	9.4	37.6	169.3	188.2	178.8	159.9	244.6	37.6	94.1	94.1	.....	94.1	28.2	141.1	.....
.....	.....	67.8	163.9	84.7	141.3	113.0	243.0	67.8	67.8	101.7	16.9	113.0	90.4	163.9	.....
.....	5.4	37.8	140.4	97.2	97.2	151.2	275.4	81.0	81.0	59.4	16.2	140.4	59.4	86.4	5.4
.....	.....	20.7	72.4	103.4	129.3	118.9	232.7	77.6	93.1	103.4	5.2	46.5	72.4	118.9	5.2
.....	.....	19.9	114.1	74.4	99.2	64.5	188.5	59.5	59.5	54.6	9.9	129.0	34.7	84.4	.....
.....	4.8	33.4	52.4	52.4	109.7	52.4	171.7	85.8	28.6	90.6	4.8	171.7	66.7	85.8	9.5
.....	11.8	47.3	94.5	118.2	70.9	118.2	189.1	82.7	47.3	35.4	.....	106.4	70.9	177.2	23.6
.....	9.4	47.2	169.7	75.4	66.0	113.1	37.7	94.3	47.2	56.6	.....	94.3	37.7	113.1	9.4
.....	9.3	83.4	129.7	166.8	83.4	37.1	37.1	74.1	74.1	46.3	.....	176.0	37.1	129.7	.....
.....	.....	.....	72.9	82.1	27.3	72.9	82.1	63.8	72.9	36.5	.....	91.2	18.2	63.8	.....
.....	26.9	.....	161.3	125.4	80.6	89.6	35.8	98.5	35.8	71.7	9.0	89.6	26.9	62.7	17.9
4.6	.....	45.9	453.9	233.8	279.7	142.1	220.1	183.4	123.8	146.7	9.2	82.5	275.1	220.1	13.8
.....	9.2	59.6	339.3	220.1	110.0	110.0	233.8	114.6	160.5	105.5	4.6	100.9	100.9	169.6	18.3
.....	.....	22.9	311.8	201.7	82.5	110.0	288.9	160.5	160.5	77.9	9.2	77.9	165.1	215.4	9.2
.....	4.6	22.9	275.1	247.6	132.9	50.4	210.9	128.4	210.9	91.7	.....	68.8	73.4	183.4	41.3
.....	4.6	68.8	316.4	275.1	174.2	114.6	270.5	123.8	243.0	160.5	22.9	77.9	137.6	192.6	18.3
1.5	8.4	36.2	206.1	172.9	191.0	131.3	114.6	109.2	136.2	118.1	12.4	86.8	94.5	165.0	1.7
1.8	9.1	30.9	175.1	160.4	157.8	104.8	104.6	93.9	137.8	53.8	11.4	103.1	75.4	139.4	0.3
1.2	7.8	30.7	162.0	172.6	154.8	111.9	96.5	96.1	136.3	53.0	13.9	74.0	78.3	131.2	1.4
1.6	11.3	15.9	152.4	191.0	143.2	105.6	113.1	91.5	150.0	78.1	14.7	91.5	48.4	137.5	0.2
1.1	12.6	15.6	143.6	205.6	137.8	108.4	133.6	89.3	160.0	86.4	15.3	87.4	36.8	134.8	0.9
.....	9.9	49.8	258.7	119.4	159.2	69.6	189.0	109.4	69.6	49.8	9.9	59.7	109.4	129.3	.....
9.8	9.8	29.4	264.9	127.6	78.5	29.4	78.5	88.3	68.7	29.4	19.6	157.0	78.5	117.7	.....
.....	.....	9.7	222.5	174.2	106.4	19.4	29.0	116.1	67.7	38.7	19.4	135.5	48.4	135.5	29.0
.....	.....	25.0	250.5	133.6	100.2	33.4	66.8	91.9	50.1	100.2	.....	91.9	33.4	91.9	8.4
8.2	16.5	32.9	230.7	131.8	123.6	57.7	82.4	131.8	57.7	32.9	.....	123.6	32.9	115.3	.....
.....	32.6	32.6	206.6	141.4	217.5	184.8	174.0	217.5	65.2	97.9	10.9	152.2	184.8	141.4	.....
1.5	4.7	51.6	158.3	101.4	202.4	134.9	214.5	110.1	53.2	91.7	11.2	179.1	64.7	143.3	9.6
2.4	3.6	34.3	136.3	112.6	197.0	132.0	217.7	109.9	56.5	90.5	13.7	202.8	41.9	152.7	2.1
0.9	6.2	35.0	141.4	110.0	255.0	154.8	228.6	110.9	65.8	86.9	16.3	203.4	71.2	148.3	1.8
2.0	4.1	35.9	128.4	116.5	227.2	120.0	198.2	104.6	58.8	108.7	16.5	212.2	64.0	139.4	0.6
0.9	4.8	35.1	143.7	125.6	195.0	132.9	203.5	105.1	55.5	109.4	19.6	163.8	49.3	140.9	1.1
9.2	13.8	45.9	160.8	156.2	105.7	105.7	128.6	82.7	82.7	82.7	4.6	96.5	91.9	156.2	.....
18.0	18.0	36.0	184.6	175.6	99.1	63.0	72.0	121.6	81.0	67.5	9.0	67.5	58.5	139.5	4.5
4.4	17.6	35.3	220.6	203.0	154.4	101.5	61.8	92.7	101.5	44.1	8.8	145.6	30.9	83.8	.....
.....	26.0	30.3	233.6	125.5	129.8	82.2	99.5	121.1	60.6	60.6	13.0	95.2	21.6	155.8	.....
4.2	25.5	29.7	118.8	271.6	114.6	72.1	93.4	106.1	84.9	80.6	.....	114.6	34.0	169.8	.....
.....	13.0	71.6	201.7	169.2	175.7	117.1	97.6	97.6	84.6	123.6	.....	123.6	71.6	169.2	.....
6.3	25.4	50.7	145.8	120.4	145.8	95.1	95.1	107.8	152.1	63.4	19 0	88.8	19.0	139.4	6.3
.....	.....	37.1	222.4	129.7	129.7	98.8	74.1	105.0	105.0	86.5	6.2	92.7	37.1	92.7	.....
6.0	12.0	42.2	180.7	138.6	66.3	60.3	168.7	96.4	78.3	90.4	18.1	126.5	18.1	132.5	.....
11.8	11.8	35.3	111.7	135.2	141.1	105.8	152.9	47.0	105.8	58.7	5.9	123.5	29.4	170.5	5.9

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Plymouth, Pa	1900	2,097.5	51.3	.....	.....	95.2	22.0	.....	117.2	44.0	65.9	22.0	14.7
	1901	1,754.3	35.5	14.2	99.5	.....	21.3	7.1	92.3	42.6	56.8	.....	35.5
	1902	1,171.5	27.6	.....	.....	6.9	6.9	6.9	55.1	.....	27.6	.....	13.8
	1903	1,934.1	13.4	6.7	.....	133.8	13.4	6.7	120.5	6.7	20.1	6.7	53.5
	1904	1,554.7	6.5	.....	.....	13.0	6.5	13.0	97.6	.....	45.5	.....	32.5
Plymouth town, Mass	1900	1,605.5	.....	10.4	.....	.....	10.4	20.9	10.4	20.9	156.4	20.9	93.8
	1901	1,598.8	.....	10.2	10.2	.....	.....	.....	30.5	30.5	81.5	61.1	71.2
	1902	1,353.5	19.9	.....	.....	.....	.....	.....	19.9	9.9	139.3	69.7	119.4
	1903	1,333.2	.....	.....	.....	19.5	38.9	48.7	38.9	.....	146.0	19.5	97.3
	1904	1,456.6	57.1	.....	.....	9.5	.....	.....	19.0	9.5	76.2	38.1	133.3
Pontiac, Mich	1900	1,617.4	20.5	20.5	.....	.....	.....	.....	40.9	10.2	71.7	20.5	30.7
	1901	1,652.2	49.8	9.9	.....	.....	9.9	.....	9.9	69.7	39.8	19.9	79.6
	1902	1,656.0	9.7	.....	.....	.....	.....	19.4	19.4	19.4	106.5	29.0	67.8
	1903	2,036.8	9.4	.....	9.4	.....	.....	.....	56.6	9.4	103.7	.....	132.0
	1904	1,635.4	18.4	.....	.....	.....	.....	.....	18.4	27.6	91.9	27.6	82.7
Port Huron, Mich	1900	1,430.2	47.0	15.7	.....	5.2	.....	5.2	20.9	5.2	114.9	31.3	62.6
	1901	1,378.1	41.3	10.3	.....	5.2	5.2	5.2	36.1	41.3	72.2	15.5	77.4
	1902	1,332.2	61.2	.....	.....	5.1	5.1	30.6	5.1	15.3	61.2	20.4	56.2
	1903	1,150.9	25.2	5.0	.....	.....	.....	5.0	25.2	20.2	40.4	15.2	116.1
	1904	1,138.4	34.9	.....	.....	5.0	.....	5.0	10.0	20.0	49.9	15.0	30.0
Port Jervis, N. Y	1900	1,630.3	32.0	.....	.....	.....	.....	32.0	21.3	32.0	117.2	.....	32.0
	1901	1,820.9	31.9	.....	10.6	.....	.....	.....	42.6	181.0	266.2	.....	63.9
	1902	1,649.5	53.2	10.6	.....	.....	.....	10.6	63.9	31.9	149.0	.....	63.9
	1903	1,765.4	63.8	.....	.....	.....	.....	21.3	53.2	63.8	180.8	.....	85.1
	1904	1,934.3	85.0	21.3	.....	.....	.....	.....	180.7	63.8	191.3	10.6	31.9
Portland, Me	1900	2,076.0	41.9	.....	4.0	.....	.....	15.9	33.9	19.9	197.4	49.9	69.8
	1901	1,777.1	29.4	3.9	.....	3.9	.....	15.7	47.1	13.7	217.7	29.4	78.5
	1902	1,814.0	28.9	.....	13.5	.....	.....	1.9	28.9	3.9	166.0	67.6	100.4
	1903	1,817.5	32.3	.....	.....	5.7	.....	22.8	17.1	9.5	153.8	34.2	108.2
	1904	1,899.3	28.0	1.9	.....	9.3	1.9	20.6	33.6	7.5	155.2	37.4	104.7
Portland, Oreg	1900	1,018.5	35.4	2.2	.....	1.1	8.8	6.6	17.7	5.5	115.0	17.7	64.2
	1901	1,235.4	21.5	1.1	.....	7.5	3.2	.....	23.6	24.7	127.7	27.9	81.6
	1902	1,168.8	36.5	2.1	.....	1.0	7.3	.....	26.1	6.2	120.9	19.8	76.1
	1903	1,271.1	35.5	1.0	2.0	2.0	7.1	2.0	29.4	12.2	131.8	19.3	64.9
	1904	1,353.2	25.6	.....	1.0	2.0	3.9	3.0	22.7	5.9	134.1	10.8	122.3
Portsmouth, N. H	1900	1,936.6	28.2	9.4	.....	.....	28.2	.....	28.2	9.4	188.0	18.8	178.6
	1901	1,996.6	18.7	.....	.....	9.3	.....	9.3	18.7	.....	167.9	9.3	140.0
	1902	2,000.2	55.6	.....	.....	18.5	.....	27.8	74.1	9.2	101.9	9.2	64.8
	1903	1,884.2	36.8	.....	.....	.....	.....	.....	.....	.....	165.4	18.4	128.7
	1904	1,441.5	9.1	.....	.....	.....	.....	.....	.....	.....	246.3	9.1	91.3
Portsmouth, Ohio	1900	1,807.5	67.2	.....	.....	72.7	.....	28.0	11.2	11.2	235.0	28.0	39.2
	1901	1,504.6	60.0	.....	16.4	.....	10.9	.....	5.5	32.7	190.8	.....	65.4
	1902	1,557.0	69.1	.....	37.2	5.3	21.3	15.9	.....	10.6	191.3	5.3	47.8
	1903	1,720.9	88.1	.....	41.5	10.4	20.7	51.8	25.9	5.2	269.5	25.9	57.0
	1904	1,487.4	75.9	10.1	.....	5.0	15.2	.....	15.2	20.2	217.6	15.2	55.7
Pottstown, Pa	1900	1,730.4	58.4	14.6	.....	65.7	21.9	29.2	36.5	21.9	153.3	21.9	51.1
	1901	1,492.3	29.1	7.3	.....	.....	.....	.....	29.1	51.0	138.3	21.8	65.5
	1902	1,458.8	43.5	.....	.....	.....	.....	7.2	29.1	14.5	123.4	.....	36.3
	1903	1,497.9	79.6	14.5	.....	.....	.....	21.7	14.5	14.5	152.0	21.7	65.1
	1904	1,587.3	86.6	7.2	21.6	28.9	.....	.....	72.2	21.6	173.2	28.9	28.9
Pottsville, Pa	1900	1,667.7	44.5	.....	.....	6.4	6.4	.....	44.5	12.7	101.8	.....	89.1
	1901	1,808.6	12.6	.....	.....	44.1	44.1	.....	31.5	50.4	113.4	6.3	50.4
	1902	1,559.8	49.9	.....	.....	.....	43.7	18.7	68.6	6.2	49.9	12.5	43.7
	1903	1,587.7	37.1	.....	.....	.....	6.2	6.2	43.2	.....	98.8	.....	74.1
	1904	1,976.0	12.2	6.1	.....	24.5	18.4	6.1	97.9	12.2	152.9	24.5	55.1
Poughkeepsie, N. Y	1900	2,263.9	45.7	25.0	.....	16.6	4.2	.....	12.5	12.5	212.2	4.2	83.2
	1901	1,755.4	45.4	12.4	.....	.....	16.5	4.1	49.6	37.2	161.1	8.3	78.5
	1902	1,734.1	24.6	12.3	.....	.....	4.1	12.3	61.5	16.4	180.4	4.1	110.7
	1903	1,831.1	44.8	12.2	.....	8.1	20.3	4.1	20.3	24.4	150.6	12.2	113.9
	1904	2,108.5	64.6	8.1	.....	44.4	.....	8.1	8.1	28.3	189.9	32.3	96.9
Providence, R. I	1900	2,082.0	23.9	8.0	.....	56.4	5.1	22.8	31.3	66.1	236.4	42.7	76.9
	1901	1,920.7	25.1	8.4	1.1	1.7	5.0	7.2	48.0	41.3	218.6	42.4	82.5
	1902	1,854.4	21.3	8.2	4.4	3.8	4.4	14.2	39.3	16.9	215.3	38.3	88.5
	1903	2,087.4	19.8	5.4	.....	51.4	13.3	39.6	45.0	39.1	217.4	55.2	81.9
	1904	1,887.6	15.8	4.5	.....	3.2	22.6	1.1	46.7	18.4	191.1	45.7	98.7
Pueblo, Colo	1900	2,301.4	78.1	.....	.....	17.8	46.2	46.2	39.1	.....	348.0	14.2	39.1
	1901	2,233.8	101.7	.....	3.5	17.5	70.1	.....	42.1	38.6	319.1	17.5	52.6
	1902	3,456.0	311.7	.....	3.5	48.5	38.1	3.5	79.6	34.6	432.9	10.4	58.9
	1903	2,729.4	184.7	3.4	3.4	10.3	10.3	47.9	88.9	13.7	311.2	37.6	58.1
	1904	2,392.1	111.5	.....	.....	50.7	10.1	23.6	40.5	43.9	290.6	23.6	84.5
Quincy, Ill	1900	1,566.8	30.3	8.3	2.8	2.8	.....	2.8	27.6	2.8	179.3	8.3	38.6
	1901	1,475.7	40.8	.....	.....	.....	10.9	.....	2.7	27.2	160.7	40.8	49.0
	1902	1,507.9	56.4	2.7	5.4	5.4	16.1	.....	21.5	10.8	180.1	16.1	56.4
	1903	1,465.0	39.8	8.0	2.6	2.6	5.3	2.6	13.3	21.3	140.6	21.3	63.7
	1904	1,535.8	52.4	.....	.....	.....	.....	.....	7.9	13.1	186.1	21.0	62.9
Quincy, Mass	1900	1,481.2	16.7	.....	.....	4.2	.....	8.4	79.5	25.1	179.9	25.1	37.6
	1901	1,316.2	8.1	.....	.....	.....	.....	20.3	32.5	20.3	142.2	32.5	48.7
	1902	1,610.4	19.7	.....	15.8	7.9	3.9	3.9	55.3	.....	161.8	19.7	39.5
	1903	1,381.8	7.7	.....	.....	3.8	.....	34.5	42.2	30.7	115.2	23.0	96.0
	1904	1,303.6	3.7	.....	.....	11.2	7.5	3.7	37.3	7.5	145.7	48.5	74.7

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	51.3	256.4	51.3	271.1	146.6	263.8	95.2	29.3	139.2	.....	95.2	51.3	124.5	.....
.....	7.1	14.2	163.4	56.8	206.0	92.3	184.7	63.9	78.1	170.5	7.1	170.5	78.1	56.8	.....
.....	.....	34.5	75.8	82.7	206.8	124.0	137.8	75.8	41.3	55.1	.....	55.1	89.6	48.2	.....
.....	.....	40.1	234.2	53.5	368.1	120.5	207.5	26.8	87.0	40.1	.....	113.8	187.4	73.6	.....
.....	.....	91.1	175.6	58.6	182.2	136.6	169.1	39.0	71.6	52.0	13.0	130.1	130.1	91.1	.....
.....	.....	31.3	156.4	208.5	166.8	52.1	10.4	73.0	93.8	62.5	20.9	62.5	73.0	250.2	.....
.....	10.2	20.4	142.6	264.8	112.0	71.2	61.1	81.5	81.5	81.5	10.2	81.5	101.8	183.3	.....
.....	9.9	9.9	149.3	268.7	19.9	49.8	89.6	59.7	59.7	59.7	.....	29.9	19.9	129.4	.....
.....	9.7	.....	97.3	165.4	9.7	58.4	77.9	87.6	68.1	107.0	38.9	29.2	29.2	146.0	.....
.....	.....	19.0	152.3	171.4	47.6	114.2	104.7	95.2	76.2	38.1	.....	133.3	28.6	133.3	.....
10.2	10.2	30.7	276.4	133.1	163.8	30.7	112.6	92.1	30.7	61.4	51.2	20.5	71.7	286.6	20.5
.....	.....	29.9	348.4	129.4	179.2	69.7	59.7	79.6	29.9	19.9	.....	109.5	39.8	248.8	19.9
.....	9.7	29.0	552.0	184.0	77.5	87.1	58.1	67.8	58.1	48.4	19.4	38.7	9.7	145.3	.....
.....	37.7	9.4	660.1	207.5	94.3	47.2	75.4	94.3	150.9	37.7	18.9	103.7	.....	179.2	.....
.....	9.1	.....	532.9	156.2	128.6	55.1	27.6	91.9	73.5	27.6	27.6	36.7	9.1	192.9	.....
5.2	5.2	31.2	141.0	135.7	109.6	47.0	120.1	109.6	62.6	41.8	.....	94.0	52.2	156.6	10.4
5.2	5.2	25.8	129.0	103.2	139.3	41.3	103.2	67.1	82.6	41.3	5.2	77.4	25.8	216.8	.....
.....	5.1	.....	148.0	97.0	102.1	40.9	168.5	107.2	71.5	25.5	10.2	112.3	15.3	168.4	.....
.....	5.0	5.0	131.3	151.5	50.5	20.2	70.7	60.6	75.7	50.5	5.0	70.7	25.2	176.7	.....
5.0	15.0	10.0	134.8	164.7	54.9	34.9	64.9	74.9	79.9	84.9	5.0	84.9	15.0	134.8	5.0
.....	21.3	53.3	159.8	170.5	74.6	63.9	117.2	138.5	74.6	53.3	10.6	63.9	138.5	223.8	.....
.....	21.3	10.6	191.7	234.3	74.5	53.3	42.6	85.2	53.3	31.9	21.3	191.7	42.6	170.4	.....
.....	10.6	31.9	202.2	159.6	106.4	63.9	53.2	85.2	85.2	85.2	10.6	138.3	31.9	202.2	.....
10.6	10.6	31.9	170.2	85.1	95.7	63.8	31.9	63.8	170.2	106.3	.....	212.7	53.2	191.4	.....
.....	21.3	63.8	95.6	191.3	138.2	127.5	85.0	148.8	53.1	53.1	10.6	116.9	106.3	138.2	.....
2.0	12.0	79.8	245.3	187.5	169.5	97.7	153.6	93.7	127.6	101.7	13.9	111.7	75.8	163.5	8.0
2.0	11.8	70.6	209.9	225.6	123.6	60.8	49.0	72.6	141.2	49.0	5.9	84.4	49.0	174.6	7.8
.....	11.6	50.2	212.3	202.6	117.7	75.3	44.4	84.9	152.5	50.1	9.6	94.6	77.2	212.2	7.7
1.9	13.3	43.7	163.3	208.9	146.2	68.4	60.8	115.8	170.9	91.2	5.7	76.0	58.9	199.4	9.5
.....	24.3	63.5	194.4	224.3	132.7	65.4	56.1	108.4	160.8	69.2	20.6	121.5	50.5	201.9	5.6
3.3	8.8	39.8	104.0	110.6	43.1	36.5	36.5	91.8	40.9	17.7	15.5	76.3	27.7	88.5	3.3
1.1	7.5	29.0	92.3	123.4	124.5	35.4	42.9	99.8	40.8	20.4	16.1	94.5	56.9	127.7	4.3
3.1	11.3	36.5	97.0	136.6	64.7	49.0	36.5	83.4	57.4	21.9	18.8	95.9	50.0	107.4	3.1
3.0	10.1	56.8	98.3	136.8	105.4	40.6	40.6	86.2	53.7	31.4	17.2	100.4	39.5	132.8	11.1
1.0	18.7	47.3	121.3	168.7	80.9	41.4	59.2	96.7	68.1	46.4	3.0	112.4	46.4	105.5	4.9
9.4	9.4	56.4	291.5	225.7	131.6	28.2	47.0	94.0	131.6	47.0	.....	75.2	47.0	244.4	9.4
18.7	9.3	28.0	279.9	289.2	242.6	130.6	74.6	140.0	93.3	46.7	.....	102.6	37.3	130.6	.....
9.2	.....	55.6	305.6	314.9	148.2	120.4	92.6	111.1	46.3	55.6	.....	120.4	92.6	157.4	9.2
9.2	9.2	27.6	257.3	248.1	137.8	36.8	27.6	211.4	128.6	36.8	36.8	119.5	36.8	193.0	18.4
.....	9.1	36.5	155.1	200.7	146.0	27.4	82.1	63.9	127.7	36.5	9.1	45.6	27.4	118.6	.....
.....	11.2	33.6	173.5	145.5	128.7	111.9	61.5	95.1	61.5	173.5	5.6	89.5	44.8	179.1	.....
10.9	5.5	21.8	163.6	141.7	141.7	70.9	76.3	43.6	32.7	109.0	.....	119.9	109.0	76.3	.....
5.3	5.3	69.1	127.6	138.2	106.3	79.7	106.3	85.0	26.6	90.3	.....	90.3	58.5	164.7	.....
.....	10.4	46.7	108.9	155.5	103.7	88.1	98.5	72.5	15.6	98.5	.....	82.9	67.4	171.0	5.2
.....	10.1	15.2	101.2	187.2	111.3	55.7	45.5	60.7	45.5	146.7	5.0	60.7	60.7	151.8	.....
.....	.....	14.6	248.3	182.6	109.5	36.5	73.0	73.0	94.9	58.4	.....	80.3	94.9	182.6	7.3
.....	.....	21.8	203.8	109.2	189.3	116.5	51.0	80.1	36.4	36.4	7.3	101.9	36.4	145.6	14.5
.....	7.2	.....	196.0	152.4	145.2	58.1	108.9	87.1	43.5	43.5	7.2	123.4	123.4	108.9	.....
.....	7.2	14.5	188.1	159.2	166.4	65.1	72.4	79.6	57.9	50.6	.....	101.3	79.6	72.4	.....
.....	14.4	7.2	202.0	108.2	194.8	43.3	122.6	72.2	86.6	21.6	21.6	86.6	43.3	79.4	14.4
.....	19.1	63.7	248.3	95.5	152.8	63.7	63.7	120.9	50.9	70.0	19.1	108.2	108.2	178.2	.....
.....	12.6	63.0	252.1	176.5	145.0	163.9	50.4	126.0	31.5	81.9	6.3	94.5	63.0	176.5	12.6
.....	6.2	43.7	199.7	137.3	118.5	99.8	74.9	93.6	106.1	31.2	6.2	106.1	68.6	174.7	.....
.....	6.2	37.1	216.2	135.9	148.3	86.5	61.8	117.4	123.6	80.3	.....	154.4	49.4	105.0	.....
6.1	24.5	24.5	287.5	208.0	159.1	97.9	146.8	189.6	91.8	67.3	6.1	73.4	67.3	116.2	.....
.....	4.2	37.5	349.6	199.8	195.6	116.5	162.3	79.1	66.6	116.5	8.3	83.2	104.0	324.6	.....
8.3	8.3	8.3	264.3	115.6	177.6	140.4	49.6	99.1	70.2	57.8	4.1	82.6	66.1	190.0	.....
.....	8.2	8.2	254.1	205.0	114.8	114.8	86.1	90.2	49.2	45.1	20.5	102.5	53.3	155.7	.....
4.1	4.1	20.3	252.3	203.5	138.4	126.1	73.2	109.9	85.5	57.0	.....	130.2	40.7	174.9	.....
.....	12.1	24.2	286.8	197.9	149.5	133.3	105.0	161.6	121.2	68.7	4.0	96.9	48.5	218.1	.....
2.3	13.1	37.0	131.0	173.1	167.4	167.4	164.6	99.1	123.6	74.0	8.5	102.5	37.6	201.5	9.7
2.2	21.2	39.0	134.4	161.7	122.1	115.5	191.3	114.3	123.3	82.0	7.8	106.0	25.1	187.4	6.1
2.7	10.9	32.8	125.7	184.7	127.3	110.9	166.7	111.5	127.3	83.6	10.9	98.9	24.6	180.8	0.5
0.5	18.8	23.0	122.6	186.4	158.3	140.3	184.8	121.6	153.2	88.9	11.3	108.2	22.5	176.8	2.1
0.5	18.4	21.0	140.2	185.4	147.6	118.7	155.4	98.7	154.9	79.3	16.3	105.5	27.8	166.4	3.7
.....	10.7	78.1	213.1	117.2	326.7	63.9	113.6	88.8	53.3	124.3	21.3	156.3	92.3	195.3	17.8
3.5	7.0	49.1	189.4	129.7	284.0	56.1	80.7	136.8	49.1	84.2	28.1	157.8	38.6	266.5	10.5
.....	17.3	51.9	232.0	183.5	419.0	107.3	245.9	204.3	114.3	180.1	24.2	277.0	45.0	301.3	31.2
.....	10.3	34.2	194.9	119.7	318.1	95.8	236.0	167.6	75.2	133.4	34.2	273.6	27.4	229.2	10.3
3.4	3.4	37.2	219.6	145.3	260.2	71.0	131.8	158.8	128.4	77.7	40.5	192.6	23.6	206.1	13.5
.....	2.8	46.9	190.3	126.9	124.1	99.3	55.2	96.5	91.0	74.4	13.8	104.8	55.2	171.0	11.0
2.7	2.7	32.7	185.2	147.0	79.0	76.2	43.6	95.3	76.2	27.2	13.6	92.6	65.4	198.8	5.4
.....	5.4	40.3	155.9	153.2	110.2	96.8	56.4	69.9	72.6	67.2	21.5	40.3	75.3	172.0	.....
2.6	8.0	13.3	156.6	138.0	98.2	98.2	69.0	87.6	63.7	79.6	8.0	79.6	82.3	148.6	10.6
.....	10.5	7.9	196.5	131.0	159.9	120.5	62.9	81.2	62.9	60.3	7.9	73.4	28.8	178.2	10.5
.....	8.4	58.6	108.8	213.4	96.2	83.7	133.9	62.8	29.3	83.7	.....	58.6	37.6	117.2	12.5
.....	4.1	24.4	89.4	178.7	77.2	73.1	101.6	60.9	44.7	77.2	20.3	65.0	32.5	162.5	.....
.....	19.7	27.6	126.3	205.3	106.6	71.1	173.7	79.0	55.3	118.4	7.9	102.6	15.8	161.8	11.8
3.8	23.0	38.4	92.1	199.6	84.5	57.6	80.6	65.3	72.9	92.1	15.4	92.1	15.4	95.9	.....
.....	7.5	22.4	59.8	205.4	112.1	52.3	97.1	33.6	41.1	112.1	7.5	104.6	11.2	97.1	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Raleigh, N. C.	1900	3,005.2	95.3	36.6	.....	14.7	.....	29.3	14.7	51.3	271.2	.....	51.3
	1901	2,903.9	87.3	43.7	.....	.....	.....	58.2	21.8	72.8	305.7	36.4	14.6
	1902	2,623.4	65.0	43.4	.....	7.2	.....	.....	7.2	.....	361.4	50.6	79.5
	1903	1,916.2	71.8	21.5	.....	.....	.....	28.7	.....	.....	373.2	14.3	71.8
	1904	2,245.0	57.0	7.1	.....	.....	.....	35.7	28.5	28.5	349.2	57.0	106.9
Reading, Pa.	1900	1,932.6	48.1	.....	.....	35.5	25.3	6.3	102.6	21.5	152.0	19.0	58.3
	1901	1,737.2	53.1	1.2	.....	11.1	33.3	34.6	71.6	38.3	145.7	19.7	49.4
	1902	1,580.3	66.2	2.4	.....	3.6	16.9	8.4	45.8	13.2	118.0	25.3	53.0
	1903	1,508.5	31.7	.....	.....	2.4	35.3	18.8	69.4	21.2	124.6	14.1	61.1
	1904	1,566.4	33.3	4.6	.....	37.9	24.1	2.3	70.1	21.8	117.1	24.1	48.2
Revere town, Mass.	1900	1,462.2	9.6	.....	.....	19.2	9.6	19.2	77.0	28.8	115.5	67.3	57.7
	1901	1,269.8	9.2	.....	.....	9.2	46.0	18.4	27.6	18.4	82.8	18.4	46.0
	1902	1,322.6	17.6	.....	26.5	8.8	8.8	26.5	17.6	.....	114.7	52.9	61.7
	1903	1,218.9	16.9	.....	.....	.....	.....	42.3	25.4	8.5	101.6	16.9	33.9
	1904	1,261.5	8.1	.....	.....	.....	.....	.....	24.4	24.4	113.9	24.4	73.3
Richmond, Ind.	1900	1,695.4	32.9	.....	.....	.....	5.5	5.5	43.9	16.5	230.4	11.0	76.8
	1901	1,664.1	27.2	.....	.....	5.4	.....	.....	27.2	70.7	146.8	48.9	70.7
	1902	2,118.6	59.3	5.4	.....	.....	5.4	.....	156.3	10.8	221.0	43.1	70.1
	1903	1,544.5	26.7	.....	.....	.....	.....	16.0	5.3	5.3	213.8	48.1	96.2
	1904	1,658.4	26.5	.....	.....	.....	.....	5.3	31.8	15.9	164.2	58.3	68.9
Richmond, Va.	1900	2,898.3	104.6	28.2	1.2	3.5	3.5	36.4	11.8	43.5	308.1	28.2	65.8
	1901	2,456.2	51.5	17.6	.....	.....	.....	43.3	12.9	62.0	251.7	23.4	72.7
	1902	2,550.7	72.3	17.5	.....	4.7	2.3	24.5	44.3	17.5	260.0	32.6	42.0
	1903	2,539.8	73.1	20.9	1.2	25.5	4.6	87.1	51.1	52.2	269.3	34.8	67.3
	1904	2,396.1	54.3	19.6	.....	1.2	3.5	5.8	11.6	37.0	276.3	55.5	77.4
Rochester, N. H.	1900	2,220.6	11.8	.....	.....	11.8	.....	35.4	35.4	82.7	212.6	59.1	106.3
	1901	1,388.1	11.7	.....	.....	.....	.....	.....	.....	46.6	221.6	58.3	81.7
	1902	1,440.1	23.1	.....	.....	.....	.....	.....	46.1	23.1	299.5	11.5	69.1
	1903	1,616.0	34.1	.....	.....	.....	.....	45.5	34.1	45.5	182.1	56.9	45.5
	1904	1,686.5	22.5	.....	.....	.....	.....	22.5	33.7	67.5	213.6	22.5	78.7
Rochester, N. Y.	1900	1,437.2	17.2	0.6	.....	6.1	6.8	9.2	28.9	6.8	143.9	17.2	61.5
	1901	1,449.8	17.5	0.6	.....	9.1	2.4	4.2	13.3	24.8	150.0	18.1	86.5
	1902	1,365.5	11.9	0.6	45.8	0.6	7.7	4.8	8.3	6.5	111.9	17.8	89.8
	1903	1,489.5	12.3	.....	14.1	15.2	7.0	4.7	65.6	9.4	127.6	19.3	80.2
	1904	1,535.8	16.1	2.9	.....	0.6	20.2	0.6	53.6	16.1	143.5	20.2	88.8
Rockland, Me.	1900	2,049.1	.....	.....	12.3	12.3	.....	.....	.....	24.5	196.3	24.5	85.9
	1901	1,963.2	12.3	.....	.....	.....	.....	.....	12.3	24.5	196.3	24.5	208.5
	1902	1,582.9	12.3	.....	.....	.....	.....	24.5	12.3	.....	196.3	12.3	122.7
	1903	1,987.7	12.3	.....	.....	.....	.....	.....	.....	24.5	245.4	36.8	122.7
	1904	2,036.8	24.5	.....	.....	.....	.....	.....	.....	.....	36.8	208.5	49.1	147.2
Rome, N. Y.	1900	1,727.2	19.6	6.5	.....	6.5	6.5	.....	6.5	6.5	110.8	19.6	91.2
	1901	1,898.8	19.5	.....	6.5	.....	13.0	.....	32.5	97.5	162.6	19.5	19.5
	1902	1,660.9	26.0	.....	.....	.....	.....	.....	19.4	26.0	181.6	13.0	136.2
	1903	1,806.1	19.4	6.5	.....	.....	6.5	32.4	12.9	12.9	142.4	25.9	45.3
	1904	1,885.9	19.4	.....	.....	.....	25.8	.....	6.4	38.8	271.3	71.0	32.3
Rutland, Vt.	1900	1,695.8	26.1	.....	.....	8.7	.....	17.4	34.8	34.8	121.7	26.1	113.1
	1901	1,770.9	8.6	.....	.....	.....	.....	8.6	8.6	51.9	198.7	25.9	103.7
	1902	1,784.9	17.2	.....	.....	34.3	.....	.....	.....	17.2	145.9	25.7	85.8
	1903	2,054.6	34.1	8.5	8.5	.....	.....	8.5	8.5	25.6	162.0	34.1	85.3
	1904	1,990.3	25.4	.....	.....	.....	.....	16.9	8.5	59.3	135.5	25.4	67.8
Sacramento, Cal.	1900	2,158.3	75.1	3.4	.....	3.4	3.4	.....	13.7	20.5	314.2	23.9	92.2
	1901	2,062.8	84.5	13.6	.....	6.8	.....	6.8	27.1	13.6	358.4	6.8	81.1
	1902	1,972.4	36.8	10.0	.....	.....	.....	.....	46.9	13.4	247.8	20.1	67.0
	1903	1,870.5	49.8	13.3	.....	3.3	16.6	29.8	23.2	6.6	252.1	23.2	82.9
	1904	2,010.4	75.6	16.4	.....	6.6	.....	13.1	19.7	9.9	285.8	29.6	111.7
Saginaw, Mich.	1900	1,452.4	28.3	11.8	.....	7.1	2.4	2.4	35.4	9.4	96.8	16.5	70.8
	1901	1,389.0	27.6	9.2	2.3	.....	4.6	4.6	43.8	25.3	103.7	18.4	66.8
	1902	1,304.0	9.0	22.5	.....	18.0	9.0	9.0	18.0	4.5	80.9	9.0	85.4
	1903	1,260.3	11.0	2.2	.....	4.4	2.2	4.4	13.2	11.0	85.6	19.8	92.2
	1904	1,298.0	49.3	4.3	2.1	.....	4.3	.....	12.9	21.4	113.7	10.7	81.5
St. Joseph, Mo.	1900	746.8	22.3	6.8	1.0	.....	.....	1.0	18.5	4.8	82.5	9.7	26.2
	1901	761.3	14.2	1.9	6.6	0.9	3.8	1.9	11.4	15.2	81.5	5.7	31.3
	1902	866.8	13.9	3.7	8.3	22.2	2.8	6.5	8.3	4.6	87.1	13.0	23.1
	1903	653.5	8.1	2.7	0.9	0.9	4.5	.....	5.4	19.9	59.7	2.7	26.3
	1904	788.6	12.4	2.6	1.8	8.0	3.5	3.5	8.9	4.4	62.8	9.7	43.4
St. Louis, Mo.	1900	1,794.4	32.5	10.4	0.5	4.2	10.6	1.2	66.8	9.4	187.4	18.3	57.2
	1901	1,804.5	33.4	7.8	1.4	2.4	10.6	6.0	47.3	15.1	192.3	15.5	55.3
	1902	1,727.4	40.0	7.3	1.5	1.0	21.0	12.2	29.5	5.5	181.0	20.0	55.0
	1903	1,817.1	52.4	10.0	0.6	23.3	15.8	13.8	32.2	26.3	186.5	24.7	73.2
	1904	1,883.8	37.9	10.2	8.2	5.1	10.6	6.9	27.2	25.3	230.5	21.6	69.5
St. Paul, Minn.	1900	1,000.8	21.5	.....	0.6	1.2	4.9	7.4	37.4	3.7	120.8	29.4	60.7
	1901	1,058.7	13.8	.....	0.6	7.2	10.2	3.0	31.3	12.0	123.5	22.3	47.6
	1902	1,047.0	14.2	.....	.....	7.1	10.1	11.2	36.0	5.3	109.4	27.2	53.8
	1903	1,035.8	11.0	0.6	9.3	7.6	14.5	5.8	12.2	12.2	100.6	21.5	62.8
	1904	1,083.2	14.9	.....	1.1	1.7	4.6	8.6	28.6	5.7	114.8	28.6	65.7
Salem, Mass.	1900	2,030.3	22.3	.....	.....	.....	.....	13.9	47.3	69.5	55.6	172.4	36.2	97.4
	1901	1,738.3	24.7	2.7	.....	.....	.....	43.9	2.7	38.4	38.4	150.8	30.2	79.5
	1902	1,776.3	24.3	2.7	5.4	10.8	.....	.....	.....	54.1	.....	170.3	24.3	86.5
	1903	1,975.8	45.3	2.7	.....	5.3	.....	37.3	69.3	13.3	165.3	13.3	109.3
	1904	1,849.0	21.0	.....	.....	.....	.....	13.2	28.9	10.5	149.9	21.0	128.9

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	109.9	146.6	124.6	161.3	146.6	278.5	285.9	80.6	29.3	.....	95.3	366.5	241.9	373.8
7.3	7.3	94.6	349.4	181.5	167.4	145.6	218.4	116.5	152.8	80.1	7.3	72.8	160.2	152.8	349.4
.....	7.2	72.3	231.3	144.5	130.1	101.2	310.8	159.0	57.8	101.2	7.2	108.4	115.6	209.6	252.9
.....	7.2	35.9	129.2	100.5	107.7	93.3	93.3	143.5	93.3	35.9	14.3	122.0	50.2	129.2	179.4
7.1	.....	42.8	171.1	156.8	85.5	64.1	249.5	135.4	64.1	78.4	7.1	121.2	71.3	213.8	106.9
1.3	15.2	50.6	290.0	167.2	131.7	54.5	135.5	87.4	63.3	160.8	8.9	69.7	87.4	138.0	2.5
2.5	3.7	25.9	222.2	149.4	116.1	55.6	106.2	81.5	67.9	92.6	13.6	108.7	71.6	161.7	.....
1.2	14.5	45.8	215.6	175.9	87.9	54.2	95.2	78.3	71.1	103.6	10.8	92.7	67.5	113.2	.....
1.2	9.4	18.8	192.8	116.4	78.8	62.3	87.0	84.7	61.1	98.8	10.6	85.8	76.4	145.8	.....
1.1	9.2	23.0	168.8	136.7	126.3	62.0	98.8	86.1	58.6	110.3	11.5	105.7	68.9	115.9	.....
.....	19.2	19.2	125.1	105.8	115.5	86.6	115.5	48.1	38.5	67.3	.....	86.6	115.5	115.4	.....
.....	9.2	18.4	138.2	101.2	82.8	64.4	110.4	55.2	73.6	119.6	.....	82.8	36.8	101.2	.....
.....	8.8	8.8	132.3	141.1	123.4	52.9	123.4	35.3	97.0	70.5	8.8	79.4	35.3	70.5	.....
.....	8.5	25.4	127.0	135.5	93.1	84.6	110.0	84.6	50.8	50.8	16.9	50.8	16.9	118.5	.....
.....	16.3	48.8	81.4	154.6	73.3	73.3	105.8	122.1	65.1	48.8	.....	73.3	24.4	105.8	.....
.....	5.5	54.9	142.6	148.2	142.6	21.9	38.4	98.8	142.6	54.9	16.5	49.4	115.2	241.4	.....
.....	21.8	76.1	108.8	146.8	119.7	48.9	38.1	97.9	97.9	146.8	27.2	59.8	21.8	255.6	.....
.....	21.6	48.5	328.9	183.3	124.0	86.3	59.3	91.6	91.6	97.0	48.5	86.3	64.7	215.6	.....
5.3	10.7	32.1	272.6	160.3	112.2	32.1	69.5	101.6	101.6	26.7	.....	74.8	42.8	90.8	.....
.....	5.3	26.5	127.1	164.2	95.4	42.4	68.9	53.0	100.7	180.1	21.2	90.1	53.0	259.6	.....
3.5	5.9	75.2	350.4	190.5	214.0	232.8	205.8	154.0	94.1	128.2	7.1	129.3	209.3	198.7	64.7
1.2	4.7	42.1	293.8	142.8	181.5	202.5	158.0	139.3	113.6	92.5	3.5	114.7	137.0	237.7	56.2
8.2	4.7	37.3	289.1	205.2	165.5	191.2	205.2	171.3	110.7	125.9	9.3	95.6	123.6	254.1	36.1
1.2	9.3	49.9	280.9	184.6	140.5	224.0	154.4	138.1	116.1	102.2	6.9	116.1	99.8	206.6	22.1
1.2	10.4	32.4	232.3	182.6	171.1	153.7	184.9	153.7	153.7	101.7	8.1	104.0	119.1	213.8	31.2
.....	11.8	129.9	141.8	129.9	378.0	70.9	118.1	106.3	94.5	106.3	23.6	82.7	94.5	177.2	.....
.....	11.7	23.3	128.3	128.3	105.0	70.0	81.7	70.0	46.6	35.0	46.6	11.7	35.0	175.0	.....
.....	23.1	23.1	80.6	138.2	69.1	126.7	46.1	57.6	80.6	11.5	11.5	103.7	23.1	172.8	.....
.....	22.7	45.5	68.3	193.5	113.8	56.9	68.3	125.2	113.8	11.4	11.4	68.3	68.3	193.5	11.4
.....	33.7	11.2	236.1	146.2	146.2	67.5	33.7	90.0	90.0	22.5	11.2	134.9	11.2	191.1	.....
2.5	13.5	50.4	162.4	149.4	108.9	100.9	83.0	90.4	91.0	26.5	19.7	44.9	48.6	145.1	1.8
3.0	12.7	45.4	166.9	141.5	104.6	100.4	67.8	105.9	68.4	23.0	6.7	75.6	33.9	167.5	.....
1.2	11.9	36.3	148.8	168.4	62.5	82.7	63.1	103.5	92.8	28.0	17.3	70.8	19.6	132.3	0.6
4.1	10.5	28.1	177.4	184.4	95.4	99.0	57.4	111.2	90.8	25.8	12.9	56.8	18.7	161.6	.....
.....	19.0	32.8	167.7	197.7	104.3	87.0	56.5	96.2	103.7	21.3	12.1	73.2	21.3	180.4	.....
.....	.....	12.3	257.7	454.0	110.4	73.6	85.9	98.1	73.6	61.4	24.5	49.1	85.9	306.8	.....
.....	12.3	36.8	282.2	220.8	110.4	61.4	61.4	135.0	110.4	36.8	12.3	61.4	49.1	270.0	24.5
.....	36.8	.....	257.7	135.0	122.7	61.4	49.1	73.6	159.5	36.8	.....	98.1	12.3	159.5	.....
12.3	.....	73.6	220.8	270.0	85.9	12.3	73.6	85.9	147.2	24.5	12.3	159.5	73.6	282.2	12.3
12.3	12.3	.....	233.1	282.2	61.4	24.5	24.5	135.0	245.4	61.4	12.3	36.8	49.1	368.1	12.3
6.5	.....	58.7	221.6	273.8	110.8	136.9	143.4	104.3	39.1	26.1	6.5	91.2	78.2	149.9	6.5
6.5	.....	13.0	227.6	403.2	130.1	52.0	117.1	201.6	65.0	19.5	.....	104.0	32.5	149.6	6.5
.....	6.5	26.0	246.5	194.6	116.8	45.4	26.0	77.8	26.0	64.9	13.0	97.3	97.3	220.6	.....
.....	19.4	12.9	213.6	168.3	136.0	58.3	77.7	45.3	64.7	64.7	25.9	136.0	181.3	297.8	.....
.....	.....	25.8	258.4	129.2	122.7	58.1	96.9	122.7	90.4	32.3	12.9	96.9	142.1	232.5	.....
.....	8.7	8.7	156.5	139.1	208.7	130.4	121.7	104.4	95.7	87.0	8.7	60.9	17.4	165.2	.....
8.6	8.6	25.9	198.7	198.7	190.1	112.3	51.8	95.0	129.6	60.5	.....	69.1	34.6	181.4	.....
.....	17.2	25.7	154.5	206.0	137.3	77.2	120.1	94.4	94.4	111.5	8.6	120.1	77.2	206.0	8.6
8.5	8.5	34.1	179.0	247.3	230.2	85.3	162.0	144.9	162.0	102.3	.....	110.8	34.1	170.5	.....
.....	25.4	67.8	228.7	288.0	152.4	50.8	76.2	177.9	169.4	42.3	.....	101.6	16.9	245.6	8.5
.....	10.2	58.0	222.0	208.3	150.2	82.0	44.4	163.9	82.0	64.9	13.7	177.6	44.4	242.5	44.4
.....	10.1	33.8	172.5	202.9	172.5	111.6	71.0	108.2	84.5	23.7	10.1	152.2	81.1	226.5	3.4
.....	10.0	36.8	177.5	197.6	140.7	107.2	43.5	147.4	77.0	63.6	10.0	217.7	67.0	234.4	.....
.....	13.3	26.5	142.6	165.8	159.2	89.5	49.8	155.9	46.4	46.4	23.2	142.6	73.0	232.1	3.3
.....	13.1	29.6	174.1	207.0	124.8	92.0	23.0	164.2	62.4	55.8	16.4	151.1	46.0	279.2	3.3
4.7	9.4	23.6	163.0	132.3	129.9	89.8	85.0	99.2	44.9	75.6	2.4	77.9	54.3	165.3	14.2
4.6	9.2	13.8	138.2	156.7	117.5	87.5	64.5	133.6	34.6	53.0	11.5	87.5	34.6	135.9	.....
2.2	9.0	4.5	139.4	170.9	74.2	87.7	45.0	132.6	54.0	47.2	13.5	67.4	18.0	173.1	.....
4.4	13.2	13.2	147.1	140.5	79.0	65.9	74.6	96.6	37.3	52.7	24.1	74.6	19.8	169.1	2.2
4.3	15.0	12.9	139.5	163.1	66.5	68.7	38.6	122.3	47.2	49.3	19.3	94.4	17.2	139.5	.....
1.0	5.8	10.7	71.9	74.8	52.4	35.0	40.8	68.9	33.0	21.4	12.6	49.5	28.2	67.0	1.0
0.9	4.7	26.5	75.9	44.6	76.8	34.1	46.5	40.8	28.5	19.0	4.7	60.7	49.3	73.0	0.9
2.8	4.6	13.9	115.8	43.5	98.2	44.4	43.5	64.8	34.3	13.9	10.2	48.2	61.1	74.1	.....
1.8	1.8	12.7	75.1	48.9	51.6	28.1	33.5	51.6	38.0	12.7	15.4	48.9	38.0	64.3	.....
0.9	4.4	8.0	44.3	62.8	108.9	50.5	32.7	67.3	32.7	14.2	9.7	74.4	34.5	81.4	0.9
1.7	5.7	28.9	155.3	120.5	183.9	111.3	94.8	110.7	119.1	91.6	22.4	90.9	72.1	184.0	3.0
1.4	7.1	31.0	156.4	127.1	158.6	131.2	93.4	108.1	111.1	89.3	22.8	116.6	73.7	187.7	1.9
1.3	4.7	24.5	160.5	120.2	160.7	119.7	85.7	94.7	117.4	100.0	21.9	81.7	77.5	180.1	2.8
0.5	7.7	23.5	150.2	142.6	139.3	133.6	98.1	100.3	111.7	99.5	27.3	98.1	48.0	176.1	1.8
1.0	8.6	20.0	135.0	170.0	172.3	131.6	87.1	110.6	123.6	95.1	34.6	121.2	37.3	180.9	1.9
1.8	9.2	31.9	99.4	76.7	74.2	42.9	66.8	62.6	64.4	39.9	1.8	12.9	29.4	97.5	1.8
.....	5.4	21.7	77.1	79.5	62.0	65.7	62.0	74.7	53.6	53.6	14.5	59.0	30.7	126.5	1.2
0.6	5.3	20.1	82.8	88.2	78.1	61.5	43.2	68.0	59.2	50.9	11.8	57.4	32.0	112.4	1.2
0.6	8.1	18.0	79.6	84.9	76.1	62.2	47.1	70.3	56.4	62.8	15.7	59.9	20.3	115.1	0.6
1.1	11.4	29.7	82.9	83.4	74.3	45.7	70.8	69.1	56.0	69.1	18.9	70.8	25.1	100.0	0.6
.....	13.9	44.5	208.6	208.6	114.0	130.7	178.0	58.4	75.1	172.4	2.8	61.2	75.1	172.4	.....
2.7	8.2	21.9	194.7	178.2	90.5	65.8	161.8	79.5	106.9	120.7	2.7	52.1	82.3	156.3	2.7
.....	13.5	35.1	208.2	240.6	97.3	110.9	110.9	46.0	100.0	121.7	8.1	56.8	116.3	132.5	.....
2.7	18.7	48.0	186.6	272.0	112.0	136.0	154.7	45.3	96.0	138.7	5.3	74.7	72.0	152.0	.....
5.3	18.4	28.9	173.6	268.3	94.7	81.5	192.0	78.9	97.3	155.2	15.8	84.2	57.9	123.6	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Salt Lake City, Utah	1900	1,619.6	39.2	1.9	1.9	1.9	7.5	22.4	26.2	22.4	89.7	14.9	65.4
	1901	1,588.2	79.0	.....	7.4	1.8	38.6	3.7	90.1	29.4	102.9	7.4	49.6
	1902	1,916.1	72.4	1.8	1.8	9.0	72.4	1.8	81.4	3.6	103.2	10.9	83.2
	1903	1,935.7	61.3	.....	3.5	1.7	19.2	5.2	91.0	17.5	98.0	14.0	66.5
	1904	1,831.9	74.1	.....	1.7	.....	.....	50.0	46.5	10.3	115.5	12.1	77.6
San Antonio, Tex	1900	2,276.8	46.9	82.5	1.9	20.6	22.5	15.0	35.6	28.1	512.0	45.0	58.1
	1901	2,465.1	61.9	65.6	.....	18.2	10.9	7.3	34.6	60.1	577.6	43.7	65.6
	1902	2,664.3	65.5	46.1	.....	.....	1.8	1.8	23.0	49.6	669.6	40.8	79.7
	1903	2,245.9	62.0	75.8	.....	24.1	.....	12.1	39.6	32.7	444.7	22.4	67.2
	1904	2,527.7	50.4	47.0	.....	21.8	1.7	5.0	58.7	48.7	619.3	31.9	68.8
San Diego, Cal	1900	1,949.2	11.3	.....	.....	16.9	.....	16.9	5.6	22.6	254.3	90.4	84.8
	1901	2,118.2	39.0	11.1	.....	.....	.....	.....	.....	78.0	395.8	16.7	117.1
	1902	2,084.7	5.5	.....	.....	.....	.....	.....	5.5	44.0	445.6	44.0	137.5
	1903	2,079.3	10.9	5.4	.....	10.9	.....	.....	16.3	114.0	401.7	43.4	108.6
	1904	2,502.7	16.1	5.3	.....	.....	.....	.....	16.1	42.9	434.1	64.3	107.2
San Francisco, Cal	1900	2,057.6	30.3	4.4	1.4	3.8	3.2	8.8	23.9	9.6	284.1	46.1	117.0
	1901	2,060.1	25.1	1.4	0.3	14.1	3.7	13.8	37.4	16.1	292.7	41.8	115.2
	1902	2,159.9	29.6	2.6	.....	12.2	5.1	1.7	67.7	10.2	284.2	40.7	128.3
	1903	2,133.1	25.0	2.0	0.6	9.3	3.7	30.6	32.0	15.7	289.4	50.0	125.3
	1904	2,078.0	31.4	3.9	.....	6.9	2.5	14.4	18.9	4.7	274.8	44.7	134.3
San Jose, Cal	1900	1,474.4	9.3	4.6	.....	4.6	.....	4.6	32.6	32.6	274.4	18.6	69.8
	1901	1,584.0	13.7	.....	.....	9.1	4.6	4.6	9.1	9.1	293.0	27.5	87.0
	1902	1,568.4	4.5	4.5	.....	.....	4.5	.....	54.1	27.0	279.5	22.5	90.1
	1903	1,500.1	31.1	.....	4.4	.....	.....	4.4	35.5	26.6	204.2	44.4	111.0
	1904	1,805.4	21.8	.....	.....	21.8	.....	32.5	30.6	17.5	279.8	43.7	83.1
Saratoga Springs, N. Y	1900	2,151.7	40.3	.....	.....	.....	.....	.....	8.1	24.2	274.0	8.1	72.5
	1901	2,433.3	72.3	.....	.....	16.1	8.0	16.1	32.1	48.2	248.9	.....	32.1
	1902	2,248.9	24.0	.....	.....	.....	.....	8.0	8.0	16.0	208.1	.....	96.0
	1903	1,962.0	47.8	.....	.....	.....	.....	31.9	16.0	16.0	207.3	16.0	71.8
	1904	2,201.7	47.7	15.9	.....	7.9	.....	.....	31.8	55.6	206.7	15.9	127.2
Sault Ste. Marie, Mich	1900	2,078.2	132.9	.....	.....	.....	.....	9.5	123.4	.....	132.9	9.5	56.9
	1901	1,867.3	92.9	.....	.....	.....	9.3	46.4	74.3	9.3	102.2	27.9	9.3
	1902	2,101.9	172.9	.....	18.2	36.4	18.2	9.1	36.4	.....	81.9	9.1	36.4
	1903	1,943.7	115.9	.....	.....	.....	8.9	53.5	35.7	.....	89.2	26.8	8.9
	1904	1,433.3	52.4	.....	.....	.....	17.5	.....	.....	17.5	104.9	17.5	26.2
Savannah, Ga	1900	3,100.8	40.6	169.6	1.8	.....	3.7	27.7	9.2	55.3	396.4	18.4	40.6
	1901	2,963.0	28.9	150.0	.....	3.6	21.7	.....	5.4	47.0	372.2	18.1	32.5
	1902	2,614.4	44.1	138.7	.....	4.7	9.5	1.6	12.6	9.5	324.6	15.8	52.0
	1903	2,358.6	54.1	92.7	.....	.....	1.5	30.9	3.1	29.3	319.7	12.4	35.5
	1904	2,602.0	78.8	104.5	.....	6.1	.....	15.1	4.5	43.9	345.3	27.3	60.6
Schenectady, N. Y	1900	1,770.7	41.0	.....	3.2	85.2	6.3	18.9	28.4	6.3	138.9	25.3	47.3
	1901	1,850.9	37.8	2.9	.....	8.7	8.7	5.8	87.3	11.6	183.4	20.4	55.3
	1902	1,438.7	20.0	.....	4.4	8.9	35.5	4.4	66.6	4.4	126.6	20.0	22.2
	1903	1,633.3	32.7	4.1	.....	26.6	20.4	18.4	45.0	4.1	169.6	14.3	45.0
	1904	1,484.9	22.7	.....	.....	1.9	5.7	17.0	32.2	20.8	128.8	5.7	64.4
Scranton, Pa	1900	2,040.7	34.3	4.9	.....	4.9	96.1	2.0	136.2	9.8	99.0	7.8	36.3
	1901	1,629.0	34.4	1.0	.....	8.6	7.6	14.3	41.1	34.4	91.8	10.5	43.0
	1902	1,397.6	19.6	4.7	0.9	1.9	2.8	15.9	15.9	10.2	86.7	5.6	51.3
	1903	1,486.9	18.2	0.9	1.8	8.2	5.5	4.6	20.0	8.2	100.2	2.7	44.6
	1904	1,790.2	10.7	1.7	.....	5.3	2.7	6.2	17.8	33.8	104.2	.....	35.6
Seattle, Wash	1900	1,114.4	34.7	1.2	.....	2.5	11.1	7.4	5.0	7.4	111.6	18.6	45.9
	1901	1,078.7	30.8	1.2	3.6	7.1	10.7	7.1	14.2	8.3	118.4	24.9	48.5
	1902	1,226.2	32.9	.....	.....	2.3	10.2	1.1	12.5	1.1	117.8	13.6	68.0
	1903	1,213.9	36.9	2.2	3.3	16.3	16.4	3.3	8.7	5.4	116.3	29.3	60.8
	1904	1,258.8	36.5	.....	.....	2.1	9.4	13.6	40.7	9.4	127.3	25.1	56.4
Sioux City, Iowa	1900	1,268.5	39.3	3.0	.....	3.0	3.0	.....	36.2	6.0	72.5	15.1	45.3
	1901	1,208.1	15.1	.....	.....	3.0	6.0	3.0	15.1	18.1	117.8	33.2	54.4
	1902	1,422.5	27.2	3.0	15.1	51.4	3.0	36.2	12.1	21.1	81.6	12.1	87.6
	1903	1,304.7	21.1	3.0	.....	.....	27.2	18.1	33.2	15.1	93.6	6.0	60.4
	1904	1,473.8	21.1	.....	.....	9.1	9.1	6.0	18.1	24.2	105.7	33.2	78.5
Somerville, Mass	1900	1,623.9	16.2	.....	.....	1.6	13.0	27.6	77.9	42.2	168.7	26.0	61.6
	1901	1,308.9	18.8	.....	.....	7.8	9.4	25.1	43.9	20.4	144.2	20.4	69.0
	1902	1,357.3	7.6	.....	7.6	7.6	4.6	13.7	30.3	4.6	166.8	30.3	68.3
	1903	1,404.0	13.2	.....	.....	2.9	16.2	36.7	30.9	22.0	120.4	17.6	73.3
	1904	1,373.9	17.1	.....	.....	7.1	4.3	.....	24.2	11.4	133.8	25.6	71.2
South Bend, Ind	1901	1,334.2	29.4	.....	.....	.....	2.7	10.7	26.7	24.1	136.4	5.3	40.1
	1902	1,270.7	28.3	.....	5.1	7.7	10.3	18.0	33.4	2.6	146.6	20.6	30.9
	1903	1,195.2	14.9	2.5	.....	29.8	12.4	14.9	57.0	9.9	163.7	29.8	39.6
	1904	1,392.4	16.8	.....	2.4	4.8	16.8	21.6	19.2	9.6	119.8	31.2	47.9
South Bethlehem, Pa	1900	1,903.2	45.3	.....	.....	.....	15.1	.....	120.8	7.6	120.8	7.6	30.2
	1901	1,913.6	29.6	.....	.....	.....	.....	7.4	51.7	29.6	206.8	14.8	29.6
	1902	1,395.6	57.8	.....	14.5	36.2	21.7	.....	14.5	.....	137.4	14.5	50.6
	1903	1,791.4	205.3	.....	.....	7.1	7.1	63.7	7.1	.....	106.2	.....	42.5
	1904	1,671.6	48.5	.....	.....	.....	20.8	.....	13.9	13.9	97.1	13.9	34.7
Southbridge town, Mass	1900	2,294.3	.....	.....	.....	69.8	.....	20.0	59.9	.....	99.7	10.0	69.8
	1901	1,549.4	19.5	.....	.....	.....	.....	.....	39.0	.....	107.2	19.5	9.7
	1902	1,581.1	57.2	.....	.....	9.5	.....	9.5	19.0	.....	114.3	19.0	57.2
	1903	1,611.4	9.3	.....	.....	.....	.....	.....	9.3	.....	74.5	9.3	83.8
	1904	1,713.3	.....	.....	.....	.....	.....	27.3	200.5	.....	191.4	36.5	45.6
Spokane, Wash	1901	1,232.5	51.9	.....	5.2	2.6	13.0	10.4	13.0	23.3	134.9	10.4	77.8
	1902	1,386.9	47.2	.....	.....	.....	29.8	5.0	34.8	7.5	146.7	12.4	69.6
	1903	1,774.5	88.2	.....	16.7	9.5	11.9	.....	19.1	14.3	176.5	28.6	54.9
	1904	1,588.7	80.3	2.3	11.5	4.6	4.6	2.3	52.7	6.9	151.3	20.3	52.7

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	11.2	33.6	136.4	119.6	143.8	102.7	97.1	110.2	87.8	104.6	7.5	102.7	87.8	175.6	5.6
.....	9.2	49.6	82.7	136.0	123.2	75.4	51.5	119.5	90.1	51.5	7.4	93.7	34.9	251.8	1.8
1.8	14.5	76.0	124.9	152.0	137.5	115.8	77.8	142.9	92.3	76.0	19.9	133.9	45.2	262.3	1.8
1.7	7.0	57.7	113.8	162.8	182.0	78.8	98.0	148.8	106.8	91.0	21.0	159.3	43.8	274.8	10.5
1.7	13.8	44.8	113.8	149.9	191.8	148.2	60.3	127.5	96.5	70.7	10.3	105.1	53.4	236.1	17.2
1.9	3.8	31.9	161.3	121.9	69.4	88.1	213.8	91.9	91.9	71.3	20.6	125.7	76.9	191.3	46.9
.....	7.3	40.1	149.4	125.7	83.8	63.8	238.7	131.2	92.9	105.7	16.4	142.1	74.7	244.2	3.6
1.8	12.4	28.3	129.3	150.6	122.2	72.6	320.6	122.2	125.8	136.4	7.1	106.3	101.0	246.3	3.5
3.4	6.9	37.9	153.4	91.4	91.4	77.6	217.2	106.9	103.4	127.6	13.8	100.0	86.2	248.2	.....
3.4	6.7	42.0	182.9	100.7	130.9	95.7	236.7	124.2	82.2	124.2	25.2	107.4	78.9	229.9	3.4
5.6	33.9	28.2	271.2	209.1	118.7	101.7	67.8	90.4	96.1	62.2	5.6	118.7	33.9	163.8	39.5
.....	27.9	55.7	189.5	228.6	105.9	100.4	39.0	128.2	105.9	50.2	22.3	128.2	78.0	200.7	.....
.....	11.0	22.0	286.0	308.1	71.5	93.5	60.5	93.5	104.5	22.0	27.5	66.0	55.0	181.5	.....
.....	16.3	27.1	217.2	179.2	92.3	103.2	76.0	119.4	81.4	38.0	76.0	81.4	48.9	195.4	16.3
.....	32.1	32.1	235.8	369.8	123.3	91.1	160.9	96.5	101.8	42.9	58.9	96.5	91.1	251.9	42.9
0.6	14.3	42.3	128.1	273.1	121.4	183.5	80.5	128.1	165.9	66.8	23.0	117.3	42.3	196.9	0.9
0.3	18.1	36.6	132.2	261.8	120.1	140.9	82.4	142.3	99.7	64.5	45.5	103.1	20.5	229.9	0.6
0.6	16.8	34.1	145.4	281.6	107.2	145.1	76.8	157.3	102.4	74.8	57.5	129.7	18.2	229.0	1.1
0.3	18.5	23.6	141.3	293.6	124.2	127.6	73.6	129.3	128.4	82.6	56.2	129.3	12.6	208.4	.....
0.5	20.3	23.9	148.2	296.7	107.7	123.5	76.9	148.8	123.2	73.8	72.7	116.3	11.6	196.0	1.4
.....	4.6	46.5	172.1	190.7	60.5	79.0	27.9	97.7	74.4	51.2	18.6	41.9	32.6	125.6	.....
.....	13.7	13.7	137.4	192.3	105.3	68.7	73.3	91.6	96.1	41.2	41.2	105.3	22.9	114.5	9.1
.....	22.5	13.5	139.7	180.3	99.2	85.6	90.1	72.1	99.2	31.6	31.6	58.6	13.5	144.2	.....
.....	26.6	26.6	106.5	244.1	53.3	79.9	57.7	62.1	75.5	31.1	22.2	106.5	39.9	106.5	.....
4.4	13.1	52.5	131.2	266.7	118.0	109.3	91.8	96.2	96.2	43.7	8.7	69.9	21.8	131.1	.....
.....	.....	40.3	193.4	274.0	169.2	153.1	88.6	128.9	201.5	96.7	8.1	88.6	104.8	177.3	.....
.....	40.2	48.2	313.2	168.6	184.7	176.7	96.4	184.7	369.4	24.1	.....	80.3	88.3	184.7	.....
.....	8.0	32.0	264.1	272.1	160.1	88.0	120.1	184.1	208.1	64.0	8.0	176.1	72.0	232.1	.....
.....	8.0	16.0	247.2	255.2	95.7	135.6	71.8	151.5	215.3	31.9	.....	119.6	16.0	191.4	.....
.....	31.8	23.8	143.1	214.6	127.2	151.0	79.5	174.9	286.1	79.5	.....	214.6	31.8	135.1	.....
.....	9.5	28.5	142.3	113.9	161.3	189.8	208.8	142.3	56.9	66.4	.....	180.2	104.4	123.4	85.4
.....	9.3	.....	83.6	74.3	102.2	120.7	204.4	130.1	18.6	92.9	37.2	269.4	74.3	148.6	130.1
.....	9.1	27.3	154.7	109.2	182.0	45.5	263.8	100.1	54.6	118.3	36.4	191.0	36.4	282.1	72.8
.....	.....	62.4	178.3	178.3	115.9	53.5	222.9	124.8	89.2	62.4	17.8	231.8	44.6	187.2	35.7
.....	.....	.....	148.6	139.8	61.2	96.1	148.7	52.4	34.9	122.3	17.5	148.6	26.2	174.8	26.2
1.8	5.5	18.4	331.8	154.9	213.9	162.2	182.5	130.9	116 1	184.4	9.2	197.3	208.3	272.8	147.5
3.6	1.8	12.6	299.9	153.6	159.0	169.8	144.5	126.5	164.4	236.7	12.6	148.1	206.0	298.1	146.4
.....	1.6	18.9	291.5	134.0	163.9	141.8	163.9	104.0	118.2	163.9	4.7	149.7	184.4	252.1	108.7
.....	4.6	12.4	265.7	152.9	146.7	129.7	125.1	123.6	120.5	55.6	9.3	106.6	151.4	244.0	131.3
1.5	12.1	18.2	302.9	216.6	156.0	139.3	104.5	142.4	146.9	136.3	9.1	104.5	193.9	219.6	12.1
6.3	9.5	72.6	170.4	116.8	107.3	97.8	138.9	104.2	63.1	97.8	3.2	148.4	101.0	132.6	.....
.....	17.5	40.8	174.6	125.2	168.8	139.7	165.9	110.6	93.1	96.0	2.9	133.9	34.9	125.1	.....
.....	2.2	40.0	128.8	117.7	115.4	79.9	155.4	62.2	66.6	66.6	.....	133.2	31.1	126.6	.....
4.1	4.1	55.2	139.0	114.5	130.8	73.5	181.9	81.8	81.8	98.1	4.1	143.1	36.8	104.3	.....
.....	3.8	66.3	130.7	106.1	89.0	85.2	178.0	87.1	72.0	98.5	7.6	136.4	18.9	106.1	.....
1.0	10.8	46.1	237.2	115.7	199.9	152.9	180.3	103.9	93.1	94.1	8.8	155.8	79.4	128.4	2.0
1.0	8.6	47.8	199.8	106.1	196.9	146.3	90.8	96.6	55.5	46.9	3.8	171.1	49.7	121.4	.....
0.9	9.3	48.5	195.0	107.3	126.9	124.1	110.1	81.2	57.8	39.2	.....	115.7	61.6	104.5	.....
2.7	8.2	33.7	203.2	110.2	136.7	103.9	123.0	62.9	72.9	56.5	18.2	144.9	104.8	87.5	2.7
1.7	9.8	40.1	207.4	88.1	187.9	100.6	162.9	82.8	83.7	109.5	7.1	161.1	214.6	112.2	2.7
1.2	8.7	21.1	74.4	99.2	137.6	40.9	37.2	80.6	34.7	33.5	23.5	127.7	44.6	97.9	6.2
.....	5.9	24.9	78.1	98.3	103.0	28.4	49.7	85.3	45.0	43.8	15.4	92.3	34.3	99.5	.....
2.3	9.1	31.7	87.3	130.3	107.6	41.9	43.1	87.3	58.9	36.3	1.1	170.0	35.5	104.3	.....
2.2	4.3	21.7	80.4	154.3	68.5	35.9	38.0	73.9	64.1	40.2	28.3	139.1	21.7	142.4	.....
.....	14.7	16.7	63.7	155.5	53.2	44.9	59.5	86.6	61.6	67.8	38.6	121.1	17.7	135.7	1.0
.....	6.0	33.2	138.9	72.5	87.6	57.4	87.6	105.7	42.3	60.4	6.0	99.7	81.6	157.1	9.1
3.0	12.1	18.1	105.7	78.5	57.4	63.4	96.7	114.8	36.2	57.4	9.1	102.7	42.3	145.0	.....
6.0	15.1	45.3	90.6	123.8	120.8	60.4	93.6	87.6	51.4	84.6	3.0	90.6	30.2	169.1	.....
12.1	6.0	24.2	117.8	129.9	114.8	36.2	36.2	102.7	60.4	27.2	12.1	154.1	54.4	132.9	6.0
6.0	18.1	27.2	66.4	154.1	126.8	51.4	84.6	178.2	66.4	30.2	15.1	102.7	42.3	199.3	.....
.....	8.1	38.9	134.6	155.7	115.5	76.2	139.5	68.1	69.7	92.5	1.6	69.7	58.4	159.0	1.6
.....	11.0	28.2	109.7	149.0	79.9	79.9	69.0	70.6	79.9	64.3	7.8	45.5	26.6	128.5	.....
.....	13.7	30.3	124.1	178.9	144.1	75.8	71.3	71.3	78.9	57.6	4.6	42.5	25.8	97.0	.....
2.9	20.6	41.1	138.1	185.1	126.3	70.5	55.8	47.0	79.3	102.8	7.4	51.4	20.6	120.4	1.5
1.4	18.5	24.2	138.1	219.3	121.0	64.1	59.8	61.2	86.9	81.2	1.4	66.9	25.6	109.6	.....
.....	10.7	13.4	115.0	88.2	64.2	93.6	131.0	80.2	61.5	106.9	.....	53.5	101.6	128.3	10.7
.....	10.3	18.0	110.6	90.0	95.2	56.6	102.9	97.8	61.7	38.6	10.3	74.6	54.0	144.0	2.6
.....	12.4	17.4	114.1	91.7	57.0	37.2	76.9	69.4	49.6	42.2	7.4	49.6	79.3	116.5	.....
.....	14.4	31.2	107.8	105.4	67.1	38.3	115.0	95.9	67.1	215.7	2.4	64.7	67.1	103.0	7.2
.....	7.6	52.9	279.4	173.7	181.3	37.8	219.0	75.5	75.5	90.6	.....	135.9	113.3	113.3	.....
.....	.....	59.1	229.0	96.0	147.8	73.9	177.3	73.9	81.3	66.5	.....	133.0	81.3	88.6	236.4
.....	.....	.....	180.8	94.0	159.1	43.4	166.3	36.2	14.5	57.8	21.7	130.1	57.8	79.5	7.2
.....	7.1	7.1	134.5	99.1	226.6	85.0	198.2	56.6	49.6	85.0	7.1	169.9	99.1	113.3	14.2
.....	6.9	6.9	222.0	69.4	242.8	41.6	256.6	62.4	76.3	111.0	.....	111.0	104.0	117.9	.....
.....	20.0	79.8	159.6	79.8	289.3	169.6	249.4	139.6	149.6	259.3	.....	69.8	89.8	199.5	10.0
.....	19.5	77.9	97.5	126.7	155.9	58.5	136.4	58.5	126.7	58.5	9.7	39.0	116.9	272.8	.....
.....	9.5	38.1	142.9	85.7	142.9	133.4	152.4	38.1	57.2	152.4	9.5	47.6	85.7	200.0	.....
.....	9.3	37.3	139.8	93.1	111.8	93.1	186.3	74.5	55.9	167.7	.....	46.6	83.8	242.2	83.8
.....	.....	82.0	91.1	100.3	36.5	91.1	118.5	127.6	82.0	218.7	9.1	63.8	27.3	164.0	.....
.....	5.2	44.1	88.2	114.2	77.8	57.1	49.3	111.6	46.7	41.5	25.9	62.3	18.2	132.3	15.6
.....	14.9	37.3	129.2	111.8	124.3	47.2	54.7	129.2	62.1	39.8	32.3	87.0	34.8	124.3	5.0
4.8	21.5	31.0	104.9	119.3	135.9	45.3	135.9	164.6	83.5	76.3	42.9	133.6	54.9	198.0	2.4
4.6	18.3	29.8	91.7	137.6	96.3	41.3	100.9	167.4	82.5	64.2	45.9	112.4	29.8	169.6	6.9

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Springfield, Ill.	1900	1,771.1	35.1	.....	.....	.....	11.7	17.6	58.5	26.3	216.6	17.6	55.6
	1901	1,934.4	25.8	2.9	.....	17.2	8.6	28.7	74.6	31.6	287.0	20.1	66.0
	1902	1,801.4	31.0	.....	22.5	.....	2.8	8.4	53.5	16.9	239.3	31.0	70.4
	1903	1,651.4	49.7	.....	2.8	2.8	11.0	19.3	60.8	5.5	204.3	13.8	58.0
	1904	2,136.3	40.0	2.7	2.7	10.7	18.7	16.0	29.3	21.3	242.7	24.0	66.7
Springfield, Mass.	1900	1,841.8	27.4	6.4	.....	17.7	1.6	14.5	41.9	51.6	159.5	35.5	77.3
	1901	1,472.3	28.2	6.3	.....	1.6	3.1	11.0	20.4	18.8	167.6	25.0	67.3
	1902	1,544.9	19.8	.....	.....	.....	19.8	10.7	24.4	15.2	141.7	33.5	85.3
	1903	1,637.4	23.7	4.4	.....	25.2	25.2	37.1	32.6	28.2	146.8	19.3	92.0
	1904	1,667.4	15.9	1.4	.....	4.3	15.9	5.8	40.5	21.7	145.9	33.2	104.0
Stamford town, Conn.	1900	1,799.5	26.5	.....	.....	31.8	.....	.....	37.2	58.4	169.9	5.3	79.6
	1901	1,900.5	15.7	15.7	.....	.....	.....	41.8	20.9	78.3	198.4	10.4	62.7
	1902	1,767.1	61.7	.....	5.1	5.1	.....	15.4	61.7	10.3	138.7	25.7	61.7
	1903	1,910.9	50.5	.....	.....	.....	30.3	.....	60.7	65.7	116.3	25.3	65.7
	1904	2,134.9	29.9	.....	.....	24.9	24.9	.....	64.7	54.7	164.2	9.9	69.7
Steelton, Pa.	1900	1,555.5	33.1	8.3	.....	33.1	33.1	.....	24.8	24.8	115.8	.....	16.5
	1901	1,285.4	32.3	.....	.....	8.1	8.1	24.3	8.1	8.1	129.3	8.1	40.4
	1902	1,959.9	276.6	.....	.....	7.9	.....	7.9	31.6	.....	166.0	31.6	15.8
	1903	2,024.9	184.1	.....	.....	84.4	.....	7.7	46.0	15.3	199.4	15.3	53.7
	1904	1,448.4	52.5	.....	.....	.....	.....	7.5	15.0	15.0	187.6	15.0	15.0
Stonington town, Conn.	1900	1,697.9	35.1	23.4	.....	.....	.....	.....	.....	105.4	234.2	.....	140.5
	1901	1,567.5	.....	.....	.....	.....	.....	.....	11.5	57.6	184.4	.....	92.2
	1902	1,509.3	.....	11.3	.....	.....	34.0	.....	56.8	.....	113.5	34.0	45.4
	1903	1,609.3	44.7	.....	.....	55.9	22.3	22.3	11.2	.....	134.1	.....	44.7
	1904	1,981.5	33.0	.....	.....	11.0	11.0	.....	22.0	.....	176.1	44.0	110.1
Superior, Wis.	1900	1,399.1	115.8	.....	3.2	.....	.....	9.6	19.3	19.3	109.4	16.1	45.0
	1901	1,130.2	48.5	.....	.....	3.0	9.1	3.0	24.2	33.3	103.0	12.1	36.4
	1902	1,097.0	31.5	.....	.....	22.9	17.2	14.3	65.9	.....	88.8	8.6	22.9
	1903	1,121.6	46.2	.....	.....	5.4	105.9	16.3	29.9	2.7	100.5	10.9	35.3
	1904	823.5	31.0	.....	.....	.....	7.7	.....	12.9	2.6	90.4	7.7	23.2
Syracuse, N. Y.	1900	1,515.1	29.5	3.7	.....	11.1	0.9	11.1	19.4	10.2	157.8	26.7	80.3
	1901	1,407.6	19.0	1.8	.....	0.9	4.5	7.2	25.4	29.9	158.5	15.4	69.7
	1902	1,322.7	8.0	.....	.....	5.3	5.3	10.7	11.6	1.8	117.4	17.8	76.5
	1903	1,421.7	17.5	.....	.....	14.0	1.7	20.1	18.3	10.5	130.2	17.5	81.3
	1904	1,504.3	18.0	0.9	.....	4.3	25.8	0.9	18.9	12.0	145.1	24.0	68.7
Tacoma, Wash.	1900	1,325.8	29.2	2.7	5.3	.....	5.3	2.7	8.0	21.2	161.7	26.5	39.8
	1901	1,371.6	29.9	.....	.....	13.6	13.6	8.2	29.9	10.9	136.1	10.9	40.0
	1902	1,515.0	35.1	.....	2.5	.....	7.5	.....	50.1	2.5	130.2	12.5	67.6
	1903	1,097.5	59.9	.....	.....	2.2	13.3	2.2	24.4	4.4	146.4	8.9	57.6
	1904	1,114.7	61.8	.....	2.1	.....	4.1	14.4	16.5	2.1	148.4	16.5	55.6
Taunton, Mass.	1900	2,071.8	25.8	9.7	.....	32.2	.....	6.4	16.1	29.0	219.1	12.9	58.0
	1901	1,788.3	28.5	6.3	.....	.....	12.7	.....	15.8	22.1	208.9	25.3	41.1
	1902	1,772.7	21.8	.....	.....	.....	3.1	21.8	24.9	12.4	205.3	18.7	74.6
	1903	1,980.9	18.3	9.2	.....	3.1	15.3	12.2	30.6	33.6	159.0	21.4	76.4
	1904	1,800.5	6.0	6.0	.....	.....	9.0	.....	15.0	27.0	183.4	21.0	63.1
Terre Haute, Ind.	1900	1,627.9	65.5	10.9	.....	5.5	2.7	19.1	32.7	19.1	180.0	13.6	57.3
	1901	1,846.2	75.0	10.7	.....	8.0	29.5	24.1	42.9	53.6	176.9	32.2	72.3
	1902	1,954.4	44.8	10.5	.....	2.6	13.2	5.3	47.4	15.8	179.1	29.0	89.6
	1903	1,559.1	57.0	7.8	.....	2.6	5.2	12.9	41.4	18.1	155.4	20.7	62.1
	1904	2,106.6	61.1	5.1	50.9	30.6	10.2	7.6	22.9	33.1	208.9	43.3	71.3
Tiffin, Ohio.	1900	1,346.8	27.3	.....	.....	.....	27.3	9.1	72.8	9.1	154.7	9.1	63.7
	1901	1,309.1	9.1	.....	.....	.....	.....	.....	36.4	63.6	163.6	.....	72.7
	1902	1,460.9	17.4	.....	.....	.....	.....	26.1	43.5	.....	147.8	17.4	86.9
	1903	1,150.0	25.0	.....	.....	25.0	.....	8.3	66.7	8.3	100.0	16.7	66.7
	1904	1,208.0	48.0	.....	.....	.....	.....	16.0	16.0	40.0	160.0	16.0	48.0
Toledo, Ohio.	1900	1,584.0	41.0	9.1	.....	5.3	19.0	7.6	86.5	26.5	127.4	21.2	51.6
	1901	1,403.5	32.2	2.9	.....	5.1	8.1	11.0	48.3	28.6	128.9	11.7	59.3
	1902	1,430.5	34.7	7.8	7.8	11.3	6.4	3.6	52.4	6.4	121.1	14.8	57.4
	1903	1,468.8	29.5	2.7	2.1	3.4	2.1	10.3	80.9	17.1	120.6	8.9	54.8
	1904	1,365.9	37.2	2.6	.....	8.6	0.7	.....	29.2	12.6	161.4	18.6	62.4
Torrington town, Conn.	1900	1,557.9	8.0	.....	.....	88.3	.....	48.2	8.0	40.1	176.7	16.1	56.2
	1901	1,313.6	7.6	.....	.....	7.6	.....	.....	7.6	22.9	137.5	30.6	30.6
	1902	968.3	.....	.....	.....	.....	.....	.....	21.8	21.8	116.5	14.6	21.8
	1903	1,182.5	13.9	6.9	.....	.....	6.9	13.9	62.6	13.9	97.4	6.9	48.7
	1904	1,032.2	6.7	.....	.....	.....	13.3	.....	6.7	6.7	153.1	6.7	33.3
Traverse City, Mich.	1900	1,562.7	31.9	.....	.....	10.6	.....	.....	21.3	10.6	148.9	21.3	42.5
	1901	1,885.6	30.4	.....	.....	.....	20.3	10.1	10.1	30.4	172.4	10.1	81.1
	1902	1,753.7	19.4	.....	.....	.....	58.1	9.7	29.1	19.4	116.3	.....	58.1
	1903	1,762.7	.....	.....	.....	.....	18.6	9.3	.....	27.8	120.6	27.8	27.8
	1904	1,948.9	35.6	.....	.....	.....	17.8	.....	.....	8.9	186.9	35.6	26.7
Trenton, N. J.	1900	1,733.8	32.7	2.7	.....	10.9	6.8	28.6	30.0	38.2	184.2	15.0	58.7
	1901	1,576.7	18.8	1.3	1.3	2.7	.....	14.8	13.4	16.1	159.8	25.5	49.7
	1902	1,759.0	40.9	2.6	4.0	13.2	7.9	7.9	15.9	5.3	138.9	17.2	59.5
	1903	1,832.8	62.5	1.3	.....	.....	5.2	22.1	30.0	9.1	225.4	22.1	69.0
	1904	1,907.1	44.9	1.3	9.0	24.4	24.4	7.7	71.9	12.8	207.9	23.1	52.6
Troy, N. Y.	1900	2,560.6	131.9	.....	.....	1.6	3.3	14.8	49.5	16.5	344.6	23.1	70.9
	1901	2,128.2	57.2	.....	.....	25.2	9.3	19.9	34.6	70.5	324.4	25.2	90.4
	1902	1,876.7	49.1	1.3	1.3	1.3	2.6	6.6	14.6	10.6	256.0	13.3	73.0
	1903	1,932.1	35.7	.....	.....	.....	5.3	9.3	31.8	27.8	272.6	31.8	78.1
	1904	2,172.0	50.2	.....	.....	9.2	2.6	9.2	15.8	37.0	289.2	26.4	91.1

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	5.9	52.7	172.7	140.5	99.5	55.6	84.9	134.7	99.5	67.3	8.8	143.5	90.8	166.9	8.8
.....	17.2	20.1	134.9	149.2	117.7	103.3	68.9	134.9	126.3	34.4	14.4	157.8	60.3	232.5	.....
2.8	2.8	11.3	171.7	171.7	104.1	84.4	98.5	166.1	112.6	22.5	36.6	115.4	64.7	160.4	.....
.....	16.6	46.9	116.0	124.3	127.0	96.7	46.9	102.2	143.6	38.7	24.9	104.9	82.8	146.4	5.5
5.3	21.3	34.7	125.4	152.0	208.0	98.7	114.7	157.3	141.4	88.0	29.3	184.0	58.7	237.4	5.3
.....	14.5	58.0	140.2	161.1	133.8	99.9	154.7	83.8	157.9	111.2	9.7	69.3	45.1	169.2	.....
3.1	17.2	20.4	144.1	175.4	106.5	43.8	73.6	56.4	150.4	75.2	6.3	104.9	32.9	112.8	.....
.....	12.2	48.8	135.6	179.8	97.5	68.6	71.6	86.8	138.7	112.7	7.6	65.5	32.0	137.1	.....
1.5	16.3	38.6	148.3	155.7	132.0	80.1	81.6	66.7	124.6	77.1	10.4	105.3	26.7	135.0	3.0
1.4	14.4	24.6	156.1	252.9	73.7	65.0	96.8	79.5	147.4	93.9	7.2	111.3	11.6	143.0	.....
.....	26.5	37.2	302.6	169.9	159.3	31.8	84.9	58.4	196.4	74.3	.....	74.3	42.5	132.7	.....
5.2	10.4	47.0	261.1	141.0	130.5	99.2	161.9	135.8	104.4	83.5	5.2	83.5	36.5	151.4	.....
5.1	20.6	46.2	226.0	241.4	113.0	66.8	71.9	77.1	82.2	133.6	5.1	87.3	46.2	159.2	.....
5.1	5.1	55.6	278.0	141.5	151.7	60.7	131.4	91.0	141.5	96.0	5.1	151.7	35.4	146.6	.....
5.0	14.9	49.8	268.7	209.0	214.0	79.6	169.2	139.3	134.4	74.7	5.0	104.5	59.7	164.2	.....
.....	.....	49.6	157.2	74.5	173.8	115.9	157.2	82.7	66.2	82.7	.....	91.0	107.6	66.2	41.4
.....	.....	48.5	137.4	40.4	145.5	56.6	72.8	64.7	24.3	64.7	.....	129.3	161.7	40.4	32.3
.....	.....	39.5	142.2	71.1	110.6	55.3	205.5	47.4	55.3	158.1	.....	237.1	150.2	134.4	15.8
.....	15.3	53.7	161.1	92.1	107.4	69.0	214.8	69.0	38.3	138.1	7.7	161.1	199.4	76.7	15.3
.....	.....	37.5	165.1	97.6	180.1	75.1	127.6	30.0	15.0	142.6	.....	127.6	82.6	60.0	.....
.....	11.7	46.8	152.2	140.5	58.5	93.7	164.0	105.4	82.0	11.7	11.7	70.3	46.8	164.0	.....
.....	11.5	11.5	103.8	195.9	80.7	115.3	138.3	92.2	46.1	46.1	.....	103.8	23.1	242.0	11.5
.....	.....	11.3	147.6	238.3	45.4	79.4	215.6	34.0	68.1	56.8	11.3	68.1	56.8	181.6	.....
.....	11.2	44.7	167.6	257.0	89.4	67.1	111.8	89.4	44.7	67.1	.....	111.8	22.3	190.0	.....
11.0	22.0	55.1	110.1	264.2	143.1	55.1	132.1	121.1	121.1	110.1	22.0	77.0	55.1	275.2	.....
.....	6.4	41.8	77.2	54.7	160.8	48.3	164.0	67.6	28.9	77.2	.....	138.3	67.6	99.7	28.9
3.0	3.0	36.4	63.6	48.5	94.0	27.3	130.3	48.5	24.2	36.4	6.1	124.3	63.6	115.1	33.3
2.9	5.7	43.0	85.9	65.9	120.3	37.2	83.1	45.8	37.2	60.2	8.6	108.8	60.2	54.4	5.7
.....	2.7	40.7	89.6	70.6	100.5	57.0	70.6	65.2	24.5	13.6	2.7	103.2	51.6	73.3	2.7
.....	7.7	31.0	36.1	49.1	62.0	36.1	74.9	77.4	41.3	25.8	10.3	103.3	33.6	59.4	.....
2.8	10.2	48.9	152.2	145.8	94.1	90.4	107.0	89.5	109.8	77.5	2.8	66.4	35.1	131.9	.....
1.8	8.2	31.7	148.5	190.2	76.1	87.9	77.9	80.6	68.8	55.3	8.2	73.4	22.6	144.1	.....
4.4	15.1	39.2	137.0	193.9	63.2	69.4	81.8	85.4	79.2	59.6	13.4	52.4	22.2	151.2	0.9
0.9	14.0	27.1	131.1	168.7	104.0	64.5	79.5	83.0	98.8	69.0	23.6	71.7	18.3	156.4	.....
2.6	12.0	27.5	154.6	196.6	104.7	75.6	61.8	99.6	100.4	65.3	14.6	73.0	24.0	173.4	.....
.....	10.6	26.5	71.6	114.0	76.9	39.8	47.7	98.1	47.7	66.3	26.5	196.2	42.4	148.5	10.6
2.7	8.2	29.9	117.0	174.2	100.7	49.0	24.5	78.9	51.7	40.8	29.9	138.8	81.7	130.6	10.9
.....	5.0	65.1	102.7	187.8	87.7	35.1	50.1	127.7	112.7	32.6	30.0	85.1	67.6	205.3	12.5
.....	6.7	37.7	64.3	73.2	68.7	24.4	42.1	68.7	39.9	51.0	6.7	57.6	79.8	153.0	4.4
4.1	4.1	22.7	80.3	72.1	84.5	14.4	43.3	72.1	41.2	30.9	20.6	78.3	90.7	133.9	.....
9.7	12.9	48.3	254.5	174.0	161.1	128.9	283.5	83.8	77.3	80.6	9.7	45.1	80.6	209.4	3.2
22.1	3.2	22.1	332.4	155.1	110.8	98.1	129.8	85.5	66.5	98.1	19.0	53.8	28.5	202.6	.....
12.4	12.4	28.0	270.6	255.0	105.7	102.6	130.6	52.9	37.3	77.8	9.3	74.6	46.7	174.2	.....
3.1	21.4	52.0	348.5	168.1	162.0	155.9	140.6	76.4	103.9	85.6	12.2	52.0	58.1	162.0	.....
3.0	15.0	42.1	276.5	189.4	186.4	135.3	150.3	84.2	105.2	93.2	3.0	81.1	24.0	171.3	.....
2.7	5.5	40.9	133.4	100.9	150.0	103.6	109.1	114.5	62.7	106.4	5.5	51.8	70.9	163.6	.....
2.7	13.4	42.9	117.9	184.9	131.3	64.3	125.9	101.8	59.0	125.9	24.1	104.5	77.7	144.7	.....
2.6	2.6	34.2	171.2	216.0	155.4	81.7	130.1	126.4	76.4	105.4	36.9	110.6	71.1	173.9	2.6
.....	5.2	33.7	132.1	163.1	101.0	80.3	82.9	106.2	77.7	90.6	2.6	111.4	44.0	137.3	7.8
.....	12.7	53.5	142.7	193.6	132.5	104.4	112.1	155.4	94.3	90.8	20.4	168.1	81.5	193.6	.....
.....	9.1	18.2	145.6	154.7	163.8	36.4	36.4	54.6	36.4	72.8	.....	45.5	72.8	118.3	9.1
.....	18.2	54.5	154.6	181.8	100.0	90.9	9.1	45.5	36.4	18.2	.....	54.5	54.5	145.5	.....
.....	17.4	34.8	208.7	156.5	95.7	26.1	139.2	69.6	8.7	95.7	8.7	86.9	86.9	86.9	.....
25.0	.....	16.7	108.3	175.0	91.6	41.7	25.0	100.0	25.0	16.6	25.0	66.7	.....	116.7	.....
8.0	.....	24.0	136.0	216.0	40.0	40.0	80.0	48.0	56.0	8.0	16.0	64.0	32.0	96.0	.....
2.3	10.6	34.1	174.5	99.4	99.4	73.6	128.2	93.3	44.8	97.9	5.3	93.3	51.6	176.7	3.8
3.7	11.0	29.3	172.9	115.7	78.4	76.9	99.6	94.5	54.9	30.8	10.3	100.4	38.1	145.8	5.1
2.8	11.3	26.2	189.8	99.9	80.0	72.2	103.4	88.5	57.4	43.9	15.6	96.3	33.3	184.8	1.4
1.4	9.6	29.5	200.8	120.6	74.0	89.8	97.3	98.0	56.9	52.1	21.2	87.1	35.0	163.1	.....
0.7	12.0	29.2	184.6	118.2	61.8	83.7	80.4	96.9	67.7	47.8	17.3	74.4	28.6	146.7	2.6
.....	.....	24.1	136.5	64.2	128.5	72.3	160.6	104.4	80.3	120.5	.....	96.4	24.1	96.4	8.0
.....	.....	15.3	198.6	61.1	122.1	45.8	76.4	91.7	53.5	183.3	7.6	122.1	7.6	68.8	15.3
.....	.....	14.6	94.6	29.1	58.3	51.0	123.8	51.0	43.7	94.6	7.3	101.9	29.1	65.5	7.3
.....	6.9	34.8	111.3	62.6	118.3	48.7	160.0	34.8	55.7	55.7	6.9	83.5	20.9	104.4	6.9
.....	.....	13.3	113.2	73.2	86.6	46.6	99.9	46.6	66.6	66.6	13.3	59.9	20.0	79.9	20.0
.....	10.6	21.3	414.6	170.1	106.3	42.5	85.0	116.9	53.2	63.8	.....	42.5	21.3	116.9	10.6
.....	30.4	10.1	486.6	253.5	101.4	111.5	91.3	81.1	60.8	50.7	30.4	20.3	30.4	152.1	10.1
.....	9.7	19.4	358.5	290.7	38.7	96.9	77.5	106.6	48.4	77.5	19.4	125.9	29.1	145.3	.....
.....	9.3	18.6	473.1	287.6	37.1	37.1	148.4	120.6	37.1	83.5	18.6	74.2	9.3	167.0	9.3
.....	17.8	44.5	329.2	302.6	44.5	89.0	195.8	89.0	106.8	44.5	17.8	97.9	35.6	222.4	.....
1.4	9.5	46.4	257.8	117.3	143.3	113.2	109.1	88.7	101.0	60.0	.....	75.0	85.9	111.9	5.5
2.7	2.7	34.9	227.0	141.0	126.2	76.6	123.6	80.6	75.2	77.9	2.7	104.8	81.9	112.8	2.7
2.6	9.3	42.3	293.6	152.1	121.7	108.5	144.2	87.3	86.0	64.8	5.3	93.9	107.1	125.7	1.3
2.6	14.3	26.0	264.4	131.6	142.0	86.0	130.3	102.9	82.1	83.4	3.9	104.2	74.3	136.8	1.3
3.9	15.4	30.8	247.7	136.0	187.4	106.5	112.9	101.4	98.8	80.9	6.4	86.0	59.0	152.7	1.3
1.6	16.5	64.3	204.5	252.3	245.7	136.9	239.1	125.3	146.8	92.3	1.6	69.2	102.2	206.1	.....
.....	16.0	41.2	214.0	188.8	210.0	111.7	128.9	99.7	123.6	59.8	5.3	70.5	46.5	154.2	1.3
2.6	18.6	50.4	191.0	209.6	208.2	119.4	102.1	95.5	100.8	83.6	9.3	71.6	46.4	136.6	1.3
.....	9.3	41.0	194.5	201.1	161.4	108.5	62.2	90.0	146.9	103.2	4.0	100.6	60.9	156.1	.....
.....	11.9	26.4	195.4	246.9	159.8	145.2	141.3	146.6	153.2	89.8	4.0	106.9	70.0	143.9	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
Union, N. J.	1900	1,461.8	6.6			13.2	6.6		85.6		144.9		52.7
	1901	1,662.3	6.4				57.5	6.4	95.9		121.5	12.8	57.5
	1902	1,621.6	24.9		6.2	6.2	6.2	6.2	24.9		149.1	12.4	55.9
	1903	1,498.6	6.0					12.1	42.3		145.0	12.1	54.4
	1904	1,687.9	11.8			5.9	17.6	5.9	29.4	5.9	164.7	11.8	41.2
Utica, N. Y.	1900	2,014.8	16.0			24.8	5.3	35.5	69.2	24.8	196.9	12.4	101.1
	1901	1,593.2	15.6			3.5	3.5	20.8	45.1	33.0	192.6	17.4	57.3
	1902	1,785.6	17.0	1.7		8.5	6.8	5.1	23.8	6.8	181.8	13.6	98.5
	1903	1,760.5	18.3		1.7		6.6	13.3	49.9	10.0	166.4	26.6	63.2
	1904	2,023.3	17.9			13.0	87.8	16.3	34.2	17.9	164.3	34.2	82.9
Vernon town, Conn.	1900	1,685.7	11.8			11.8				129.7	153.2		47.1
	1901	1,207.1	11.8				11.8		23.7	23.7	71.0	23.7	82.8
	1902	1,461.3	11.9						59.4	11.9	130.7		59.4
	1903	1,526.7						35.8		35.8	107.4	11.9	71.6
	1904	1,448.9	23.9	12.0				23.9		59.9	119.8	47.9	107.8
Vincennes, Ind.	1900	2,058.7	48.8	68.3			29.3		39.0	9.8	273.2	19.5	48.8
	1901	1,857.7	38.5	38.5			9.6	9.6	19.3	38.5	259.9	19.3	86.6
	1902	1,633.6	57.0	19.0	19.0			9.5	28.5	9.5	180.4	47.5	38.0
	1903	1,214.4	55.2						36.8	9.2	119.6	18.4	18.4
	1904	2,097.7	118.1	9.1		72.6		9.1	9.1		281.5	18.2	81.7
Wabash, Ind.	1901	1,233.2	67.9					56.6		45.3	135.8	22.6	33.9
	1902	1,390.7	77.3				11.0			22.1	145.5	11.0	88.3
	1903	937.4	21.5				10.8	32.3			107.7	21.5	43.1
	1904	1,283.9	21.0		21.0	10.5	10.5		10.5	10.5	210.5		31.6
Wakefield town, Mass.	1900	1,280.9	32.3				43.1	10.8	53.8	21.5	118.4		75.3
	1901	1,365.5	21.0						10.5	10.5	126.1	31.5	73.6
	1902	1,456.1	20.5			30.8	20.5				235.8	10.2	102.6
	1903	1,141.9	10.0					30.1			190.2	10.0	50.1
	1904	1,174.9				9.8					166.5	9.8	88.1
Wallingford town, Conn.	1900	1,422.1	66.7	11.1						66.7	177.8		44.4
	1901	1,255.0		10.8			10.8	10.8	43.3	54.1	97.4		119.0
	1902	1,075.4		21.1		10.5	10.5	10.5	21.1	10.5	94.9	21.1	63.3
	1903	1,490.7	10.3	10.3		20.6	72.0	20.6	41.1	30.8	113.1		41.1
	1904	1,424.4	20.1	10.0			20.1	20.1	30.1	60.2	140.4	20.1	110.3
Waltham, Mass.	1900	1,541.7	21.3	4.2				8.5	106.5	21.3	153.4	55.4	93.7
	1901	1,456.7	29.2	4.2		4.2	4.2	8.3	29.2	29.2	225.4	25.0	58.4
	1902	1,338.2	40.9	4.1		20.5	16.4	16.4	20.5		135.0	36.8	106.4
	1903	1,400.9	32.1	4.0		12.0	4.0	24.1	24.1	24.1	108.4	28.1	64.2
	1904	1,315.5	15.8	7.9					23.6	15.8	161.5	35.4	82.7
Ware town, Mass.	1900	2,105.8		12.1		121.0		108.9		48.4	181.6	24.2	72.6
	1901	1,699.4	12.0			59.8		12.0	35.9	47.9	191.5	71.8	23.9
	1902	1,739.9					11.8				248.6	23.7	59.2
	1903	1,240.9				23.4	46.8		23.4	35.1	117.1	23.4	35.1
	1904	1,447.6							11.6	34.7	185.3	34.7	57.9
Warren, Ohio	1900	1,664.9	93.8	23.4					82.1	11.7	129.0		46.9
Washington, D. C.	1900	2,225.2	79.7	19.0	1.4	16.1	5.4	31.6	43.4	43.4	293.1	33.0	76.4
	1901	2,135.4	61.4	15.2		3.9	3.9	22.2	36.7	58.5	296.2	33.9	70.2
	1902	2,005.0	79.1	11.1	0.3	5.2	2.1	42.3	17.3	20.8	246.2	34.7	74.9
	1903	2,027.5	48.8	7.5	0.7	15.3	0.7	24.2	8.5	29.0	266.4	37.5	75.4
	1904	2,083.9	47.0	4.0	0.3	1.3	3.7	13.1	17.4	33.9	279.5	37.6	76.5
Washington, Ind.	1901	1,636.4	125.0	22.7			11.4		45.4	45.4	227.3		68.2
	1902	1,547.1	22.1	11.1			11.1	22.1	11.1		309.4	11.1	11.1
	1903	1,204.6	43.0	21.5	129.1		21.5		10.8	10.8	150.6	43.0	10.8
	1904	1,277.9	41.9	31.4			31.4			21.0	199.0	31.4	
Waterbury town, Conn.[1]	1900	1,875.3	48.9	11.7		45.0	13.7	5.9	29.3	31.3	207.3	31.3	45.0
	1901	1,600.8	32.1	9.4		3.8	11.3	35.9	35.9	45.3	162.5	17.0	35.9
	1902	1,712.1	32.9	12.8	5.5	5.5	32.9	9.1	42.0	9.1	173.6	16.4	42.0
	1903	1,666.6	30.1	1.8		51.3	21.2	33.6	42.5	10.6	139.8	19.5	58.4
	1904	1,533.1	20.6	6.9			20.6	10.3	42.9	13.7	154.3	25.7	49.7
Watertown, N. Y.	1900	1,843.7	106.0	4.6		32.3	4.6	4.6	4.6	23.1	161.3	18.4	106.0
	1901	1,540.7	49.1		4.5	22.3		4.5	8.9	22.3	138.4	22.3	44.7
	1902	1,273.3	65.0						17.3		69.3	30.3	65.0
	1903	1,442.0	71.5				4.2		46.2		117.7	46.2	84.1
	1904	1,670.5	212.4					12.3	32.7	49.0	73.5	44.9	61.3
Watertown town, Mass.	1900	1,514.5	41.2	10.3			10.3	10.3	41.2	41.2	134.0	10.3	51.5
	1901	1,233.8	10.0			10.0			20.1	20.1	130.4	10.0	30.1
	1902	1,280.3			9.8		29.3				107.5	9.8	107.5
	1903	1,162.5	19.1					9.5		28.6	104.8	9.5	47.7
	1904	1,292.1				9.3		9.3		18.6	130.1		55.8
Watervliet, N. Y.	1900	1,899.3	69.8			7.0		7.0	20.9	62.8	153.6	7.0	41.9
	1901	1,708.6	55.3					27.7	13.8	83.0	172.9	20.7	13.8
	1902	1,453.0	61.7	6.8	6.8			34.3	6.8	6.8	102.8	13.7	54.9
	1903	1,609.4	67.9			6.8		27.2	27.2	20.4	190.1	20.4	95.1
	1904	1,534.2	47.1			13.5			40.4	26.9	188.4		33.6
Webster town, Mass.	1900	1,703.8	11.4	11.4			11.4		11.4	45.4	170.4	11.4	34.1
	1901	1,447.5	22.3	33.4		22.3	11.1	11.1	33.4	44.5	66.8		11.1
	1902	1,725.3	10.9	10.9		10.9	142.0	32.8	87.4	10.9	120.1	21.8	21.8
	1903	1,639.0						32.1	53.6	21.4	139.3		64.3
	1904	1,531.9	10.5					10.5	21.0	10.5	168.2	21.0	42.1

[1] Town and city made coextensive January 1, 1902.

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.6	52.7	184.3	111.9	184.3	65.8	151.4	72.4	59.3	59.3	19.8	39.5	52.7	85.6	6.6
.....	12.8	51.2	166.2	121.5	108.7	95.9	140.7	63.9	134.3	57.5	25.6	83.1	70.3	172.6	.....
.....	24.9	24.9	130.5	105.6	142.9	192.6	105.6	99.4	99.4	74.5	37.3	118.0	43.5	130.5	.....
.....	12.1	30.2	114.8	145.0	181.3	84.6	108.8	48.3	108.8	72.5	24.2	157.1	54.4	72.5	12.1
.....	11.8	64.7	158.8	147.0	182.3	141.1	176.4	58.8	82.3	94.1	64.7	105.9	23.5	82.3	.....
.....	14.2	60.3	186.2	152.5	188.0	111.7	157.9	122.4	108.2	86.9	3.5	74.5	72.7	188.0	1.8
5.2	6.9	53.8	147.5	105.9	184.0	79.8	60.8	90.2	78.1	92.0	6.9	69.4	67.7	156.2	.....
3.4	15.3	28.9	198.8	229.4	163.1	112.1	86.6	103.6	91.7	81.6	10.2	115.5	34.0	147.8	.....
1.7	20.0	43.3	211.3	183.0	156.4	108.2	99.8	84.9	108.2	96.5	8.3	108.2	31.6	143.1	.....
1.6	14.6	50.4	188.7	245.6	190.3	105.7	100.8	128.5	113.8	79.7	4.9	139.9	37.4	152.9	.....
.....	.....	11.8	141.4	176.8	176.8	35.4	271.1	58.9	94.3	35.4	11.8	129.7	35.4	141.5	11.8
.....	11.8	82.8	130.2	177.6	59.2	23.7	35.5	71.0	59.2	47.3	47.3	59.2	11.8	130.2	11.8
.....	11.9	11.9	273.2	178.2	47.5	59.4	118.8	130.7	47.5	59.4	23.8	47.5	11.9	154.4	11.9
.....	11.9	.....	202.8	226.6	119.3	23.8	83.5	107.4	119.3	119.3	23.8	83.5	11.9	107.3	23.8
12.0	12.0	12.0	167.6	155.7	83.8	35.9	155.7	83.8	83.8	23.9	35.9	59.9	23.9	107.8	.....
.....	.....	48.8	175.6	68.3	253.7	126.8	165.9	136.6	58.5	136.6	.....	107.3	87.8	156.1	.....
.....	.....	28.9	192.5	86.6	202.1	115.5	86.6	96.3	115.5	67.4	.....	86.6	115.5	144.4	.....
.....	.....	28.5	208.9	142.4	114.0	76.0	114.0	57.0	104.5	123.4	.....	57.0	66.5	133.0	.....
.....	18.4	36.8	128.8	101.2	64.4	55.2	64.4	82.8	82.8	119.6	.....	46.0	46.0	101.2	9.2
9.1	36.3	72.6	72.6	154.4	217.9	54.5	154.4	118.1	136.2	90.8	.....	90.8	54.5	227.0	9.1
.....	11.3	45.3	147.0	101.8	56.6	56.6	90.5	90.5	33.9	22.6	11.3	22.6	45.3	135.8	.....
.....	44.1	110.4	88.3	110.4	110.4	110.4	66.2	44.1	99.3	22.1	22.1	55.2	11.0	143.5	.....
.....	.....	32.3	86.2	97.0	53.9	43.1	64.7	86.2	21.5	75.4	.....	64.7	10.8	64.7	.....
.....	10.5	42.1	94.7	231.5	105.3	31.6	42.1	42.1	31.6	136.8	.....	73.7	.....	115.8	.....
.....	.....	32.3	183.0	139.9	139.9	53.8	32.3	10.8	129.2	.....	10.8	53.8	.....	139.9	.....
.....	10.5	31.5	252.1	168.1	63.0	94.5	52.5	63.0	94.5	84.0	10.5	42.0	21.0	105.1	.....
10.2	10.2	30.8	184.6	215.3	102.6	102.6	10.2	30.8	92.3	41.0	.....	41.0	20.5	143.6	.....
.....	10.0	60.1	130.2	110.2	80.2	100.2	10.0	30.1	20.0	100.2	30.1	40.1	10.0	120.1	.....
.....	19.6	19.6	176.2	127.3	78.3	97.9	48.9	29.4	58.7	39.2	.....	48.9	29.4	127.3	.....
.....	.....	55.5	100.0	88.9	77.8	55.5	155.6	55.5	55.5	66.7	33.3	122.2	11.1	177.8	.....
.....	21.7	21.7	119.0	151.4	43.3	54.1	108.2	75.7	64.9	64.9	10.8	10.8	21.7	140.6	.....
10.5	10.5	52.8	168.7	126.6	52.8	73.8	84.4	42.2	10.5	31.6	10.5	94.9	10.5	31.6	.....
.....	10.3	30.8	154.2	143.9	102.8	51.4	154.2	113.1	41.1	92.5	.....	72.0	10.3	154.2	.....
.....	20.1	40.1	90.3	110.3	50.1	30.1	150.5	40.1	60.2	120.4	20.1	140.4	10.0	110.3	.....
4.2	4.2	59.6	102.2	187.4	123.5	72.4	55.4	55.4	72.4	63.9	4.2	85.2	29.8	136.3	21.3
.....	12.5	37.6	116.9	225.4	91.8	58.4	100.2	29.2	37.6	58.4	4.2	71.0	54.3	137.7	4.2
.....	28.6	24.6	151.4	147.3	114.6	45.0	36.8	81.8	49.1	45.0	4.1	65.5	24.6	118.7	4.1
.....	16.1	16.1	168.6	204.7	108.4	72.2	36.1	68.2	48.2	76.3	.....	84.3	36.1	140.5	.....
.....	15.8	15.8	141.8	197.0	137.9	35.4	66.9	63.0	39.4	66.9	.....	66.9	3.9	122.1	.....
.....	12.1	12.1	169.4	84.7	242.1	84.7	302.6	24.2	108.9	133.1	.....	72.6	48.4	217.9	24.2
.....	12.0	12.0	203.5	95.7	143.6	95.7	227.4	47.9	47.9	59.8	23.9	47.9	71.8	131.6	23.9
.....	23.7	47.3	142.0	153.9	94.6	118.4	378.8	59.2	35.5	71.0	.....	11.8	71.0	189.4	.....
.....	.....	23.4	117.1	70.2	82.0	58.5	93.7	23.4	58.5	105.4	23.4	82.0	58.5	117.1	23.4
.....	.....	23.2	127.4	162.1	127.4	57.9	150.5	81.1	11.6	139.0	.....	81.1	23.1	127.4	11.6
.....	.....	35.2	187.6	140.7	187.6	105.5	70.4	93.8	35.2	23.4	11.7	82.1	105.5	187.6	11.7
1.1	7.5	37.3	232.9	215.6	157.9	108.7	181.6	97.2	113.7	110.2	9.7	78.9	43.8	185.5	1.1
0.3	10.2	23.6	207.4	224.7	119.2	125.9	165.4	97.0	125.6	135.4	10.2	100.9	39.5	177.7	0.3
0.7	10.7	26.4	183.1	203.2	126.9	141.8	159.9	91.9	115.5	116.2	13.2	72.5	38.8	169.9	0.3
0.7	12.3	17.1	200.5	223.1	137.4	128.6	135.4	104.0	131.3	112.5	20.1	82.2	39.2	168.8	0.3
0.7	12.4	22.8	206.7	222.4	146.3	120.8	139.6	105.0	147.3	107.7	21.1	97.0	37.6	181.5	0.7
.....	11.4	56.8	113.7	79.5	45.4	113.7	125.0	79.5	45.4	102.3	.....	102.3	56.8	147.8	11.4
.....	.....	55.2	198.9	132.6	66.3	33.1	55.2	110.5	66.3	88.4	.....	44.2	55.2	232.1	.....
.....	.....	21.5	86.0	86.0	21.5	64.5	32.3	86.0	43.0	75.3	.....	64.5	64.5	118.4	.....
10.5	21.0	62.8	94.3	125.7	52.4	41.9	104.7	83.8	10.5	104.7	.....	62.8	21.0	125.7	.....
.....	5.9	45.0	127.1	111.4	172.1	127.1	260.1	93.8	78.2	105.6	7.8	103.6	21.5	146.7	.....
1.9	20.8	47.2	102.0	109.6	143.6	149.3	194.6	83.1	56.7	100.1	1.9	98.2	18.9	171.9	1.9
.....	7.3	47.5	116.9	144.4	120.6	84.0	224.8	85.9	93.2	104.2	7.3	113.3	29.2	146.2	5.5
1.8	7.1	33.6	139.8	123.8	122.1	115.0	159.2	90.2	77.8	115.0	14.1	127.4	14.1	115.0	1.8
.....	18.9	15.4	137.2	156.0	120.0	72.0	214.4	75.5	78.9	84.0	13.7	89.2	10.3	102.9	.....
4.6	4.6	50.7	124.5	221.2	147.5	59.9	175.2	110.6	50.7	92.2	9.2	78.4	55.3	189.0	4.6
4.5	4.5	40.2	138.4	116.1	116.1	133.9	80.4	98.2	89.3	67.0	17.9	80.4	31.3	201.0	4.5
4.3	13.0	47.6	82.3	147.3	82.3	82.3	52.0	82.3	78.0	82.3	4.3	43.3	17.3	203.5	4.3
.....	12.6	46.2	122.0	197.6	71.5	58.9	117.7	79.9	46.2	88.3	12.6	46.2	16.8	155.6	.....
.....	24.5	44.9	122.5	208.3	89.9	98.0	49.0	110.3	36.8	151.1	16.3	53.1	16.3	159.3	4.1
.....	10.3	82.4	103.0	154.5	175.2	61.8	144.3	61.8	72.1	41.2	.....	72.1	20.6	123.7	41.2
10.0	20.1	20.1	100.3	120.4	120.4	80.2	70.2	30.1	80.2	50.2	.....	80.2	90.3	130.4	.....
.....	9.8	58.6	127.1	117.3	88.0	58.6	117.3	19.5	29.3	58.6	9.8	58.6	88.0	166.1	9.8
.....	9.5	38.1	142.9	133.4	38.1	57.2	57.2	28.6	47.7	76.2	.....	76.2	66.7	171.5	.....
.....	9.3	27.9	92.9	111.6	102.2	83.7	92.9	18.6	46.5	83.7	.....	130.1	83.7	185.9	.....
.....	.....	83.8	118.7	202.5	216.5	125.7	160.6	146.7	132.7	48.9	.....	83.8	27.9	181.5	.....
.....	6.9	27.7	166.0	117.6	186.8	138.4	76.1	103.8	117.6	48.4	.....	117.6	62.3	152.2	.....
.....	6.8	34.3	102.8	150.8	150.8	137.1	123.4	109.7	109.7	41.1	.....	27.4	48.0	116.5	.....
.....	.....	40.7	163.0	190.1	108.7	142.6	81.5	81.5	115.4	54.3	6.8	47.5	33.9	88.3	.....
.....	.....	33.6	168.2	107.7	161.5	114.4	94.2	101.0	87.5	26.9	6.7	67.3	40.4	174.9	.....
.....	.....	.....	159.0	45.4	159.0	45.4	340.7	136.3	68.1	124.9	.....	56.8	147.6	102.3	11.4
.....	.....	44.5	155.9	77.9	100.2	66.8	167.1	89.1	22.3	122.5	.....	55.7	155.9	122.5	11.1
.....	10.9	43.7	218.4	54.6	196.6	87.4	185.6	109.2	21.8	54.6	.....	43.7	87.4	131.0	10.9
.....	.....	32.1	192.8	128.6	171.4	53.6	160.7	96.4	75.0	75.0	10.7	32.1	96.4	182.1	21.4
.....	10.5	21.0	126.2	63.1	220.8	31.5	147.2	94.6	73.6	73.6	21.0	21.0	63.1	199.8	84.1

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
REGISTRATION CITIES—Continued.													
West Bay City, Mich	1900..	1,631.2	38.1	.....	.....	30.5	61.0	.....	45.7	15.2	106.7	30.5	68.6
	1901..	1,268.2	15.3	.....	.....	.....	15.3	7.6	45.8	61.1	68.8	15.3	53.5
	1902..	1,462.6	15.3	30.6	.....	.....	15.3	45.9	7.7	.....	61.3	7.7	99.5
	1903..	1,251.2	23.0	7.7	.....	38.4	.....	15.3	53.7	7.7	107.5	.....	30.7
	1904..	1,215.7	53.9	.....	.....	23.1	.....	.....	38.5	23.1	46.2	15.4	23.1
Westfield town, Mass	1900..	1,917.1	8.1	.....	.....	.....	8.1	24.4	73.1	16.2	178.7	24.4	56.9
	1901..	1,791.3	.....	.....	.....	.....	.....	.....	143.3	55.7	143.3	8.0	95.5
	1902..	1,631.3	23.4	.....	.....	.....	31.2	15.6	70.3	.....	124.9	39.0	62.4
	1903..	1,714.8	30.6	7.7	.....	15.3	15.3	45.9	61.2	15.3	114.8	7.7	107.2
	1904..	1,524.7	37.6	.....	.....	7.5	7.5	.....	37.6	.....	157.7	37.6	82.6
Weymouth town, Mass	1900..	1,633.7	35.3	.....	.....	.....	.....	.....	26.5	35.3	238.4	8.8	53.0
	1901..	1,424.8	26.4	17.6	.....	8.8	17.6	.....	26.4	8.8	193.5	17.6	52.8
	1902..	1,384.0	26.3	.....	17.5	.....	17.5	26.3	8.8	8.8	131.4	.....	96.4
	1903..	1,675.1	8.7	.....	.....	.....	.....	17.4	26.2	8.7	130.9	17.4	78.5
	1904..	1,425.1	8.7	.....	.....	.....	8.7	.....	26.1	17.4	165.1	26.1	52.1
Wheeling, W. Va	1900..	1,538.1	59.1	.....	.....	33.4	12.9	38.6	25.7	10.3	126.0	12.9	64.3
	1901..	1,742.4	86.5	5.1	2.5	10.2	33.1	15.3	63.6	48.3	152.6	22.9	78.8
	1902..	1,610.1	95.6	.....	5.0	.....	5.0	15.1	45.3	5.0	140.9	22.6	67.9
	1903..	1,562.7	97.0	2.5	22.4	2.5	.....	2.5	32.3	7.5	149.3	24.9	72.1
	1904..	1,745.4	78.8	.....	.....	17.2	2.5	34.5	29.5	4.9	108.3	12.3	73.9
Wichita, Kans	1900..	1,572.7	40.5	12.2	20.3	.....	.....	4.0	68.9	8.1	154.0	4.0	73.0
	1901..	1,675.4	114.4	8.2	4.1	.....	32.7	32.7	57.2	40.9	138.9	16.3	45.0
	1902..	1,473.6	85.2	10.6	.....	.....	.....	10.6	7.1	17.8	149.1	17.8	74.6
	1903..	1,413.7	44.4	.....	3.2	28.5	3.2	9.5	12.7	15.8	120.5	31.7	53.9
	1904..	1,547.5	28.3	.....	.....	3.1	.....	15.7	53.4	43.9	157.0	15.7	75.3
Williamsport, Pa	1900..	1,244.9	27.8	.....	.....	.....	3.5	13.9	13.9	24.3	132.2	13.9	38.3
	1901..	1,192.9	17.3	.....	.....	6.9	10.4	.....	3.5	6.9	138.3	10.4	41.5
	1902..	1,371.9	51.6	10.3	.....	.....	.....	24.1	30.9	6.9	113.5	6.9	61.9
	1903..	1,333.5	30.8	.....	.....	.....	.....	10.2	17.1	13.7	136.8	23.9	47.9
	1904..	1,492.7	40.8	.....	17.0	.....	3.4	3.4	17.0	17.0	98.6	17.0	68.0
Wilmington, Del	1900..	2,020.7	52.3	5.2	1.3	5.2	2.6	6.5	98.0	18.3	237.9	2.6	60.1
	1901..	1,727.3	41.2	2.6	.....	.....	3.8	12.9	43.7	24.4	174.9	6.4	25.7
	1902..	1,731.6	60.7	2.5	.....	1.3	5.1	29.1	10.1	7.6	194.9	3.8	43.0
	1903..	1,792.1	94.7	1.2	1.2	8.6	3.7	17.2	61.5	12.3	199.3	3.7	45.5
	1904..	1,558.5	50.9	2.4	1.2	2.4	3.6	7.3	41.2	6.1	181.7	3.6	53.3
Wilmington, N. C	1900..	3,079.7	100.1	262.2	.....	4.8	4.8	.....	14.3	81.0	224.1	57.2	38.1
	1901..	2,700.8	90.2	246.8	.....	4.7	.....	4.7	38.0	75.9	251.6	42.7	38.0
	1902..	2,845.0	89.8	264.7	.....	.....	.....	18.9	33.1	80.3	269.4	37.8	66.2
	1903..	2,668.0	56.5	178.8	.....	.....	9.4	141.2	14.1	75.3	202.3	42.3	23.5
	1904..	2,811.1	75.0	206.1	.....	23.4	4.7	4.7	23.4	121.8	257.7	18.7	14.1
Windham town, Conn	1900..	2,130.8	49.3	29.6	.....	.....	9.9	39.5	19.7	138.1	256.5	.....	59.2
	1901..	1,655.5	19.7	9.8	.....	29.6	9.8	.....	29.6	88.7	256.2	29.6	39.4
	1902..	1,575.0	9.8	29.5	9.8	.....	.....	.....	.....	49.2	157.5	19.7	68.9
	1903..	1,701.1	29.5	9.8	.....	9.8	.....	19.7	.....	88.5	177.0	68.8	68.8
	1904..	1,964.4	19.6	19.6	.....	9.8	.....	.....	.....	49.1	255.4	19.6	58.9
Winona, Minn	1900..	1,369.6	35.5	5.1	5.1	.....	30.4	.....	40.6	10.1	111.6	30.4	71.0
	1901..	1,273.6	10.1	.....	5.0	.....	20.1	20.1	40.3	10.1	125.9	20.1	55.4
	1902..	1,029.2	5.0	.....	.....	20.0	.....	25.0	25.0	15.0	94.9	15.0	74.9
	1903..	1,175.2	14.9	.....	14.9	.....	.....	9.9	5.0	29.7	94.2	9.9	89.3
	1904..	1,412.5	9.8	.....	.....	.....	34.4	14.8	83.7	39.4	103.4	19.7	88.6
Woburn, Mass	1900..	1,866.1	28.1	14.0	.....	.....	14.0	7.0	63.1	28.1	189.4	28.1	77.2
	1901..	1,486.4	14.0	14.0	.....	14.0	.....	14.0	.....	7.0	209.3	20.9	62.8
	1902..	1,589.6	.....	.....	6.9	.....	.....	6.9	6.9	6.9	236.0	20.8	55.6
	1903..	1,588.2	.....	13.8	.....	.....	34.5	48.4	13.8	27.6	165.7	41.4	62.2
	1904..	1,339.5	.....	.....	.....	6.9	6.9	.....	6.9	13.7	103.0	41.2	75.6
Woonsocket, R. I	1900..	1,964.3	28.4	3.5	.....	3.5	10.6	17.7	127.7	17.7	187.9	39.0	35.5
	1901..	1,655.1	10.4	3.4	.....	10.4	.....	3.4	41.5	20.7	179.7	24.2	41.5
	1902..	1,839.7	3.4	.....	84.2	3.4	.....	3.4	60.7	.....	215.6	30.3	50.5
	1903..	1,607.8	3.3	.....	.....	.....	23.0	42.7	95.3	6.6	200.6	23.0	23.0
	1904..	1,492.7	6.4	.....	.....	9.6	3.2	9.6	28.9	.....	199.0	32.1	64.2
Worcester, Mass	1900..	1,837.5	25.3	4.2	.....	26.2	31.2	24.5	47.3	21.9	206.0	24.5	62.5
	1901..	1,687.2	21.3	6.6	3.3	2.5	10.7	13.1	14.8	27.9	189.7	29.5	63.2
	1902..	1,546.6	13.6	5.6	0.8	7.2	12.8	20.8	7.2	6.4	161.4	23.2	63.1
	1903..	1,639.8	14.8	8.6	.....	22.5	5.4	11.7	8.6	9.3	164.9	31.9	66.9
	1904..	1,551.6	6.1	3.8	.....	2.3	2.3	10.6	6.8	2.3	160.7	28.8	97.0
Yonkers, N. Y	1900..	1,696.2	6.2	4.2	.....	10.4	2.1	6.2	20.9	16.7	173.2	39.6	48.0
	1901..	1,672.0	20.2	6.0	18.2	12.1	2.0	2.0	30.3	26.3	206.0	36.3	52.5
	1902..	1,690.4	11.7	3.9	3.9	11.7	21.5	37.2	46.9	3.9	168.3	33.3	45.0
	1903..	1,597.7	15.2	3.8	.....	5.7	13.3	13.3	47.4	9.5	216.3	20.9	79.7
	1904..	1,849.3	16.6	1.8	.....	9.2	12.9	7.4	42.4	14.7	211.9	44.2	71.8
Youngstown, Ohio	1900..	1,461.5	82.4	.....	.....	2.2	2.2	6.7	13.4	4.4	127.0	4.4	26.7
	1901..	1,635.1	136.8	8.7	.....	13.0	6.5	2.2	54.3	32.6	84.7	4.3	45.6
	1902..	1,855.2	135.5	4.2	33.9	29.6	19.1	10.6	29.6	6.4	95.3	21.2	42.4
	1903..	1,947.4	180.0	.....	4.1	12.3	2.0	22.5	26.6	16.4	126.8	30.7	53.2
	1904..	1,647.3	89.8	4.0	6.0	18.0	6.0	.....	47.9	8.0	129.8	10.0	37.9
CONNECTICUT RURAL.													
Fairfield county	1900..	1,738.7	28.1	7.0	.....	21.0	2.3	4.7	28.1	105.2	137.9	14.0	70.1
	1901..	1,544.4	13.9	11.6	.....	2.3	6.9	4.6	23.1	74.0	117.9	16.2	67.1
	1902..	1,546.4	9.1	4.6	.....	.....	9.1	4.6	41.2	20.6	141.8	18.3	59.5
	1903..	1,595.9	4.5	4.5	2.3	13.6	15.8	9.1	15.8	34.0	142.6	11.3	106.4
	1904..	1,675.5	17.9	.....	.....	11.2	9.0	4.5	31.4	42.6	109.5	9.0	82.9

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	45.7	152.5	76.2	99.1	137.2	190.6	99.1	53.4	91.5	15.2	106.7	45.7	122.0	.....
7.6	7.6	15.3	175.7	76.4	122.2	114.6	84.1	84.1	30.6	15.3	7.6	61.1	15.3	160.4	7.6
7.7	7.7	38.3	153.2	176.1	107.2	91.9	68.9	107.2	68.9	137.8	7.7	68.9	15.3	122.5	.....
15.3	.....	15.3	76.8	122.8	38.4	76.8	115.1	99.8	38.4	61.4	.....	168.9	46.1	92.1	.....
.....	15.4	15.4	130.8	138.5	100.0	69.2	84.6	76.9	30.8	61.5	7.7	53.9	15.4	192.3	.....
.....	24.4	56.9	178.7	251.8	121.9	48.7	227.4	81.2	56.9	81.2	24.4	121.9	73.1	178.7	.....
.....	.....	39.8	183.1	206.9	159.2	103.5	71.7	87.6	87.6	71.7	8.0	95.5	39.8	191.1	.....
.....	23.4	23.4	218.5	163.9	117.1	70.3	54.6	124.9	101.5	117.1	7.8	54.6	70.3	117.1	.....
.....	7.7	38.3	214.4	183.7	107.2	61.2	206.7	68.9	76.6	99.5	.....	84.2	45.9	99.5	.....
7.5	30.0	22.5	157.7	202.8	75.1	37.6	112.7	67.6	75.1	67.6	7.5	120.2	30.0	142.7	.....
.....	17.7	35.3	194.3	291.4	114.8	79.5	97.1	44.2	70.7	70.7	.....	35.3	35.3	141.3	8.8
.....	8.8	.....	149.5	175.9	44.0	44.0	105.5	87.9	87.9	35.2	8.8	17.6	52.8	237.4	.....
8.8	17.5	17.5	166.4	254.0	78.8	43.8	52.6	35.0	78.8	61.3	8.8	61.3	26.3	140.1	.....
.....	34.9	26.2	148.3	322.8	218.1	61.1	104.7	104.7	61.1	104.7	.....	69.8	26.2	104.7	.....
.....	34.8	52.1	95.6	304.1	139.0	17.4	60.8	78.2	95.6	60.8	8.7	43.4	8.7	121.7	.....
.....	7.7	43.7	110.6	123.5	133.8	92.6	128.6	90.0	54.0	61.7	10.3	82.3	12.9	195.5	7.7
5.1	7.6	38.1	119.6	124.6	129.7	104.3	89.0	137.4	66.1	45.8	10.2	119.6	50.9	175.5	.....
2.5	7.5	83.0	123.3	105.7	113.2	125.8	78.0	105.7	88.1	60.4	17.6	88.1	62.9	138.4	7.5
.....	7.5	62.2	139.3	92.1	114.5	72.1	92.1	84.6	69.7	69.7	24.9	124.4	67.2	121.9	7.5
.....	7.4	78.8	120.6	108.3	194.5	105.9	120.6	93.6	86.2	44.3	29.5	120.6	108.3	160.0	4.9
.....	.....	8.1	141.9	64.8	101.3	60.8	73.0	113.5	60.8	44.6	8.1	133.8	158.1	174.3	44.6
4.1	4.1	16.3	102.2	114.4	57.2	40.9	114.4	138.9	77.6	53.1	16.3	130.8	118.5	188.0	8.2
7.1	3.5	42.6	103.0	99.4	71.0	32.0	74.6	92.3	74.6	60.4	.....	124.3	120.7	159.8	35.5
6.3	6.3	28.5	145.8	98.3	69.7	44.4	47.6	155.3	82.4	69.7	3.2	85.6	60.2	155.3	31.7
3.1	12.6	18.8	135.0	103.6	128.7	37.7	69.1	138.1	75.3	59.6	3.1	106.7	69.1	175.8	18.8
.....	13.9	48.7	139.1	121.7	86.9	69.6	62.6	73.0	62.6	41.7	7.0	45.2	41.7	163.4	.....
.....	6.9	17.3	134.8	131.4	131.4	65.7	62 2	65.7	55.3	24.2	10.4	27.7	86.4	134.8	3.5
.....	3.4	48.1	127.2	110.0	137.6	72.2	34.4	110.0	61.9	30.9	6.9	89.4	82.5	141.0	10.3
.....	13.7	13.7	133.4	157.3	99.1	61.5	47.9	68.4	99.1	30.8	.....	78.6	119.7	129.9	.....
3.4	.....	51.0	132.6	159.9	112.2	47.6	71.4	115.6	102.0	64.6	3.4	88.4	78.2	176.8	3.4
3.9	6.5	74.5	248.4	160.8	200.0	60.1	133.3	62.8	74.5	105.9	9.2	112.4	116.3	139.9	22.2
6.4	2.6	66.9	203.2	172.3	150.5	75.9	102.9	87.5	70.7	96.5	2.6	126.0	95.2	129.9	2.6
5.1	5.1	81.0	194.9	157.0	164.6	63.3	97.5	63.3	77.2	93.6	6.3	134.2	116.5	110.1	3.8
7.4	4.9	50.4	202.9	148.8	184.5	88.6	87.3	92.3	80.8	83.6	8.6	104.6	77.5	109.5	2.5
1.2	2.4	56.9	196.2	157.4	129.6	53.3	104.1	94.5	78.7	56.9	2.4	92.0	79.9	99.3	.....
.....	4.8	38.1	390.9	157.3	205.0	138.3	357.6	147.8	71.5	128.7	.....	90.6	319.4	171.6	71.5
.....	.....	42.7	284.8	213.6	147.2	142.4	213.6	85.4	80.7	118.7	.....	99.7	156.6	189.9	132.9
4.7	.....	18.9	335.5	231.6	193.8	94.5	236.3	127.6	56.7	132.3	4.7	141.8	165.4	184.3	56.7
.....	.....	28.2	301.2	310.6	131.8	61.2	174.1	188.2	103.5	70.6	4.7	169.4	89.4	207.0	84.7
.....	4.7	51.5	281.1	238.9	121.8	117.1	229.6	182.7	107.8	126.5	4.7	135.9	173.4	220.2	65.6
.....	39.5	78.9	197.3	108.5	59.2	108.5	276.2	118.4	98.6	29.6	29.6	128.2	69.1	187.4	.....
9.8	29.6	69.0	177.4	128.1	88.7	69.0	187.2	69.0	88.7	49.3	19.7	59.1	9.8	88.7	.....
.....	49.2	29.5	167.4	196.9	78.8	128.0	39.4	108.3	157.5	59.1	.....	128.0	9.8	78.7	.....
.....	29.5	49.2	137.7	157.4	88.5	68.8	186.9	68.8	68.8	68.8	9.8	68.8	29.5	196.7	.....
.....	9.8	29.5	226.0	245.6	88.4	147.3	147.3	117.9	117.9	88.4	.....	137.5	49.1	127.7	.....
.....	20.3	25.4	147.1	101.5	81.2	30.4	45.6	91.3	30.4	126.8	5.1	101.5	50.7	137.0	35.5
.....	10.1	40.3	130.9	110.8	70.5	95.6	65.4	95.6	35.2	20.1	10.1	55.4	30.2	161.1	35.2
.....	10.0	25.0	129.9	84.9	64.9	50.0	20.0	54.9	45.0	30.0	.....	64.9	15.0	134.9	25.0
.....	.....	24.8	114.1	153.7	54.5	59.5	64.5	104.1	64.5	29.7	5.0	39.7	19.8	153.7	19.8
.....	9.8	29.5	73.8	152.6	108.3	108.3	34.4	83.7	14.8	54.1	.....	88.6	29.5	201.8	29.5
.....	21.0	84.2	147.3	168.4	161.4	49.1	126.3	91.2	49.1	119.3	14.0	84.2	91.2	210.4	.....
.....	.....	27.9	160.6	132.6	139.5	48.8	69.8	55.8	153.5	76.7	.....	125.6	34.9	104.7	.....
.....	13.9	20.8	187.4	222.1	69.4	69.4	111.1	62.5	131.9	90.3	6.9	76.4	55.6	131.9	.....
.....	.....	13.8	165.7	234.8	131.2	55.3	193.5	20.7	110.5	76.0	6.9	55.3	27.6	179.5	.....
.....	6.9	13.7	178.6	151.1	89.3	75.6	109.9	68.7	103.1	48.1	13.7	61.8	13.7	151.1	.....
.....	3.5	67.4	117.0	127.7	131.2	95.8	475.1	56.7	67.4	88.7	3.5	85.1	10.6	156.0	7.1
.....	10.4	58.7	138.2	107.1	96.7	86.4	317.9	82.9	62.2	145.1	17.3	48.4	34.6	114.0	.....
.....	3.4	47.2	148.2	97.7	144.9	121.3	272.9	67.4	97.7	117.9	10.1	60.7	20.2	178.6	.....
.....	13.1	19.7	115.1	108.5	144.7	121.7	203.8	62.5	82.2	88.8	6.6	65.8	36.2	121.6	.....
.....	16.1	45.0	118.8	128.4	192.6	73.8	150.9	64.2	99.5	80.3	12.8	35.3	16.1	165.9	.....
1.8	15.2	47.3	129.2	163.0	157.1	120.8	179.9	63.3	59.9	148.6	9.3	74.3	32.1	159.6	2.5
1.6	10.8	34.5	179.8	162.6	139.6	109.2	118.2	79.6	73.9	114.1	10.7	90.3	29.5	150.2	.....
3.2	8.8	35.9	164.6	178.9	122.2	114.2	92.7	57.5	59.1	120.6	12.0	90.3	29.5	131.0	4.0
4.7	10.1	45.1	162.6	172.7	141.6	99.6	122.1	99.6	65.3	125.2	7.0	83.2	24.9	131.5	.....
.....	18.9	19.7	158.4	198.6	125.8	109.9	74.3	68.2	75.0	122.8	11.4	91.0	21.2	134.2	1.5
2.1	18.8	58.4	131.5	162.7	139.8	118.9	204.5	106.4	85.5	100.1	4.2	102.2	37.6	96.0	.....
.....	6.0	68.7	127.2	197.9	125.2	127.2	107.0	80.8	78.8	78.8	2.0	111.1	32.3	115.1	2.0
.....	5.9	45.0	135.0	152.6	111.5	117.4	197.6	107.6	127.2	64.6	9.8	76.3	23.5	129.1	.....
.....	7.6	43.6	129.0	142.3	70.2	108.2	178.4	79.7	113.8	77.8	7.6	85.4	32.2	96.8	.....
.....	9.2	64.5	140.0	140.0	141.8	140.0	202.6	95.8	154.7	66.3	5.5	108.7	14.7	132.6	.....
2.2	4.4	24.5	124.8	106.9	205.0	69.1	115.9	115.9	35.7	78.0	6.7	113.6	46.8	127.0	15.6
4.3	4.3	52.1	134.6	110.8	158.5	89.0	95.6	95.6	36.9	45.6	17.4	180.2	84.7	117.3	19.5
.....	4.2	33.9	141.9	97.4	156.7	80.5	103.8	89.0	52.9	118.6	16.9	281.7	95.3	135.5	19.1
.....	10.2	36.8	106.4	92.0	159.6	94.1	171.8	178.0	61.4	137.1	8.2	188.2	83.9	143.1	2.0
.....	4.0	28.0	135.8	117.8	169.7	85.9	153.7	119.8	45.9	57.9	12.0	173.7	47.9	133.8	4.0
2.3	11.7	30.4	203.3	259.4	102.8	81.7	98.2	116.9	81.7	65.5	14.0	56.1	18.7	172.9	4.7
6.9	9.2	18.5	189.6	182.7	99.4	94.8	64.7	85.5	113.3	55.5	11.6	85.5	18.5	164.2	6.9
4.6	16.0	16.0	242.5	210.5	89.2	75.5	77.8	89.2	100.6	73.5	16.0	84.6	2.3	137.3	.....
.....	15.8	15.8	219.6	237.7	95.1	88.3	65.6	88.3	92.8	67.9	9.1	120.0	13.6	106.4	.....
.....	31.3	26.9	192.7	253.1	103.1	67.2	89.5	82.9	152.4	71.7	17.9	112.0	13.4	141.1	2.2

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
CONNECTICUT RURAL—Continued.													
Hartford county	1900	1,683.4	34.2	7.4	.....	23.8	8.9	6.0	53.6	87.8	135.4	10.4	74.4
	1901	1,547.8	14.7	5.9	.....	20.6	4.4	5.9	42.7	72.1	128.0	7.3	67.7
	1902	1,332.3	21.8	13.1	1.5	1.5	17.5	5.8	18.9	8.7	107.6	7.3	59.6
	1903	1,423.7	7.2	2.9	.....	23.0	12.9	46.0	23.0	31.6	96.4	23.0	59.0
	1904	1,523.0	8.5	4.3	.....	1.4	7.1	5.7	15.6	49.8	128.0	24.2	75.4
Litchfield county	1900	1,913.4	27.3	9.8	.....	35.1	9.8	27.3	35.1	68.3	150.3	29.3	107.4
	1901	1,599.1	15.5	5.8	.....	1.9	1.9	9.7	11.6	89.2	137.6	29.1	79.5
	1902	1,445.3	11.6	5.8	.....	.....	17.3	9.6	25.0	7.7	119.3	23.1	73.1
	1903	1,421.6	9.6	.....	.....	1.9	13.4	11.5	15.3	42.0	103.2	11.5	80.2
	1904	1,476.1	13.3	.....	.....	20.9	.....	3.8	11.4	49.3	134.7	19.0	60.7
Middlesex county	1900	1,701.4	28.8	20.6	.....	28.8	8.2	16.5	61.8	127.7	94.8	20.6	57.7
	1901	1,574.0	8.2	.....	8.2	4.1	4.1	4.1	4.1	156.6	144.3	12.4	78.3
	1902	1,458.8	20.6	28.9	.....	.....	.....	8.2	8.2	12.4	94.8	20.6	90.7
	1903	1,492.0	8.2	4.1	.....	33.0	20.6	20.6	16.5	61.8	107.2	24.7	57.7
	1904	1,541.8	16.5	.....	.....	8.2	8.2	8.2	16.5	53.6	103.1	8.2	86.6
New Haven county	1900	1,752.3	26.5	38.7	.....	18.3	10.2	4.1	8.2	85.6	167.1	12.2	55.0
	1901	1,476.1	22.1	12.0	.....	.....	12.0	6.0	24.1	60.2	148.4	24.1	60.2
	1902	1,388.1	21.7	7.9	.....	21.7	15.8	29.6	13.8	23.7	102.7	17.8	81.0
	1903	1,407.8	7.8	13.6	.....	3.9	3.9	17.5	11.7	36.9	112.8	27.2	73.9
	1904	1,538.1	17.2	15.3	.....	17.2	15.3	5.7	15.3	40.2	101.6	17.2	57.5
New London county	1900	1,923.0	21.9	9.4	.....	31.2	9.4	3.1	37.5	90.5	140.5	25.0	93.6
	1901	1,548.3	6.3	12.5	.....	12.5	6.3	3.1	46.9	115.7	84.4	12.5	62.6
	1902	1,476.1	12.5	.....	.....	6.3	9.4	9.4	18.8	15.7	134.7	9.4	75.2
	1903	1,563.7	12.6	6.3	.....	6.3	6.3	15.7	9.4	53.4	150.7	25.1	97.3
	1904	1,582.5	9.4	3.1	.....	12.6	.....	3.1	15.7	59.8	97.5	22.0	94.4
Tolland county	1900	1,976.3	18.7	.....	.....	24.9	.....	24.9	18.7	106.0	174.6	6.2	81.1
	1901	1,692.0	31.2	.....	.....	6.2	.....	.....	56.2	106.1	137.4	12.5	87.4
	1902	1,519.3	43.8	.....	6.3	.....	6.3	.....	56.3	25.0	125.0	12.5	68.8
	1903	1,959.8	12.5	.....	.....	37.6	12.5	25.0	6.3	100.2	131.5	12.5	68.9
	1904	1,655.4	25.1	.....	.....	6.3	.....	6.3	37.6	100.3	119.1	6.3	62.7
Windham county	1900	1,914.3	40.9	8.2	.....	24.5	.....	19.1	5.4	117.1	168.8	19.1	79.0
	1901	1,531.9	8.1	8.1	.....	29.8	.....	5.4	32.5	75.9	116.6	21.7	84.1
	1902	1,549.6	8.1	.....	2.7	8.1	8.1	13.5	16.2	16.2	145.8	5.4	89.1
	1903	1,537.6	13.4	5.4	.....	10.8	.....	13.4	16.1	37.6	145.2	26.9	64.5
	1904	1,547.1	24.1	5.4	.....	2.7	8.0	5.4	10.7	53.5	125.8	2.7	45.5
INDIANA RURAL.													
Adams county	1900	1,304.4	63.0	4.5	.....	.....	9.0	18.0	13.5	13.5	170.9	9.0	36.0
	1901	1,323.7	66.9	4.4	.....	.....	4.4	13.4	13.4	26.7	138.2	26.7	66.9
	1902	1,055.6	57.4	22.1	.....	4.4	.....	4.4	4.4	4.4	123.7	26.5	30.9
	1903	1,002.3	35.0	4.4	4.4	8.7	.....	17.5	4.4	8.7	122.5	21.9	61.3
	1904	997.7	21.7	.....	.....	13.0	17.4	4.3	4.3	13.0	143.2	21.7	21.7
Allen county	1900	1,312.3	35.0	7.8	1.3	5.2	6.5	5.2	33.6	2.6	134.6	19.4	53.1
	1901	980.1	62.0	9.3	6.2	.....	6.2	.....	24.8	24.8	86.9	12.4	31.0
	1902	983.7	21.7	.....	.....	6.2	12.4	6.2	9.3	12.4	120.6	3.1	27.8
	1903	799.0	24.7	.....	.....	.....	.....	9.3	15.4	6.2	89.4	18.5	15.4
	1904	926.2	43.1	.....	.....	6.2	3.1	3.1	3.1	12.3	73.8	6.2	61.5
Bartholomew county	1900	1,664.2	109.3	30.4	.....	6.1	12.1	24.3	60.7	36.4	206.5	6.1	42.5
	1901	1,378.4	36.6	.....	.....	.....	12.2	12.2	24.4	6.1	176.9	6.1	18.3
	1902	1,194.3	36.8	6.1	.....	.....	.....	6.1	.....	.....	171.5	18.4	67.4
	1903	1,107.0	43.1	6.1	12.3	.....	6.1	24.6	12.3	6.1	123.0	18.4	36.9
	1904	1,241.4	24.7	.....	.....	24.7	.....	18.5	24.7	18.5	166.8	6.2	43.2
Benton county	1900	983.0	.....	7.6	.....	.....	7.6	.....	22.9	7.6	129.6	7.6	30.5
	1901	1,132.5	7.6	.....	.....	15.1	.....	7.6	22.7	.....	173.6	7.6	22.7
	1902	785.5	.....	.....	.....	7.5	.....	.....	7.5	15.0	52.3	7.5	44.9
	1903	785.8	44.5	7.4	.....	7.4	.....	22.2	.....	7.4	111.2	7.4	44.5
	1904	911.0	7.3	.....	7.3	7.3	.....	14.7	.....	14.7	117.6	7.3	44.1
Blackford county	1900	1,214.2	29.0	34.9	.....	.....	5.8	.....	29.0	5.8	168.5	5.8	46.5
	1901	1,324.9	39.1	11.2	.....	22.4	.....	5.6	28.0	44.7	167.7	16.7	33.5
	1902	1,174.4	32.3	5.4	.....	5.4	.....	26.9	5.4	5.4	113.1	16.2	43.1
	1903	1,008.4	36.3	10.4	.....	.....	26.0	5.2	36.3	31.2	140.3	31.2	41.6
	1904	1,094.8	30.1	5.0	5.0	20.1	5.0	.....	25.1	30.1	135.6	10.0	20.1
Boone county	1900	1,318.3	38.0	.....	.....	.....	7.6	.....	68.4	11.4	201.3	7.6	76.0
	1901	1,216.9	30.4	7.6	.....	.....	3.8	11.4	22.8	22.8	197.8	26.6	53.2
	1902	1,183.8	64.7	11.4	3.8	.....	3.8	.....	7.6	19.0	133.2	30.5	49.5
	1903	1,177.3	34.3	3.8	7.6	.....	7.6	11.4	3.8	11.4	156.2	26.7	49.5
	1904	1,247.1	64.8	3.8	.....	30.5	7.6	3.8	7.6	11.4	209.8	26.7	38.1
Brown county	1900	1,686.0	143.9	92.5	.....	10.3	.....	20.6	61.7	20.6	215.9	.....	30.8
	1901	1,365.2	93.1	20.7	.....	.....	20.7	41.4	.....	31.0	206.8	20.7	10.3
	1902	1,300.6	31.2	52.0	10.4	20.8	31.2	20.8	83.2	20.8	114.5	.....	31.2
	1903	1,266.6	52.3	.....	.....	.....	.....	.....	41.9	20.9	219.9	20.9	31.4
	1904	1,221.7	10.5	10.5	.....	10.5	.....	42.1	.....	31.6	284.4	21.1	52.7
Carroll county	1900	1,368.2	45.1	5.0	.....	.....	5.0	5.0	40.1	5.0	140.3	30.1	55.1
	1901	957.6	45.1	.....	.....	5.0	.....	.....	40.1	20.1	130.4	10.0	35.1
	1902	988.0	25.1	5.0	.....	5.0	.....	.....	5.0	20.1	115.3	15.0	10.0
	1903	1,184.0	45.2	5.0	.....	10.0	5.0	10.0	10.0	10.0	145.5	5.0	50.2
	1904	948.6	25.1	10.0	.....	.....	.....	.....	.....	20.1	90.3	5.0	35.1
Cass county	1900	1,574.8	37.6	8.7	2.9	2.9	5.8	8.7	34.7	26.0	211.3	28.9	49.2
	1901	880.8	38.1	.....	.....	.....	.....	10.9	10.9	32.6	108.8	16.3	21.7
	1902	873.0	21.7	5.4	5.4	.....	5.4	16.3	5.4	5.4	103.0	5.4	38.0
	1903	1,286.9	.....	10.8	.....	.....	.....	.....	37.9	21.6	108.1	10.8	37.9
	1904	1,547.6	10.8	.....	.....	10.8	5.4	.....	.....	16.2	118.6	32.3	53.9

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
7.4	26.8	26.8	162.2	190.5	105.7	92.3	129.5	70.0	83.4	68.5	14.9	87.8	17.9	151.8	6.0
2.9	14.7	27.9	186.9	192.7	119.2	103.0	63.3	78.0	89.7	54.4	5.9	83.9	16.2	133.9	5.9
.....	17.5	14.5	145.5	154.2	100.4	61.1	88.7	66.9	93.1	88.7	16.0	78.5	27.6	110.5	5.8
1.4	7.2	25.9	158.2	175.4	93.5	86.3	100.7	64.7	71.9	47.5	14.4	79.1	25.9	145.2	1.4
4.3	25.6	58.3	166.4	204.8	115.2	62.6	93.8	83.9	75.4	54.0	17.0	93.8	21.3	120.9	5.7
2.0	9.8	52.7	177.7	218.7	123.0	85.9	150.3	121.1	99.6	70.3	11.7	105.4	17.6	164.0	3.9
3.9	11.6	21.3	184.2	180.3	122.1	100.8	58.1	95.0	91.1	64.0	9.7	93.0	13.6	153.1	15.5
1.9	25.0	36.6	194.4	173.2	113.6	48.1	77.0	84.7	103.9	55.8	19.3	55.8	25.0	134.7	3.8
7.6	15.3	28.7	181.5	175.8	97.4	80.2	49.7	84.1	95.5	57.3	13.4	84.1	11.5	147.1	3.8
.....	11.4	32.2	218.2	142.3	100.5	56.9	68.3	89.2	117.6	66.4	15.2	77.8	7.6	138.5	20.9
.....	8.2	28.8	152.4	197.8	111.3	70.0	148.3	119.5	82.4	49.4	8.2	53.6	33.0	164.8	8.2
.....	20.6	16.5	214.3	177.2	103.0	41.2	65.9	98.9	65.9	41.2	4.1	111.3	4.1	164.8	20.6
.....	8.2	12.4	164.8	222.5	70.1	41.2	61.8	127.8	119.5	53.6	8.2	61.8	20.6	201.9	.....
.....	8.2	20.6	214.3	193.7	111.3	90.7	49.5	70.1	82.4	41.2	16.5	70.1	33.0	136.0	.....
.....	12.4	20.6	177.3	247.4	61.8	82.5	49.5	94.8	136.0	45.4	8.2	127.8	16.5	152.5	.....
2.0	4.1	44.8	185.4	152.8	130.4	79.5	177.3	99.8	91.7	63.2	12.2	97.8	16.3	165.0	4.1
4.0	10.0	20.1	198.5	144.4	64.2	74.2	62.2	74.2	90.3	88.2	24.1	110.3	16.0	124.3	2.0
2.0	13.8	25.7	167.8	138.2	82.9	67.1	88.9	73.1	61.2	65.2	13.8	90.8	11.8	142.2	7.9
.....	9.7	33.0	173.0	155.6	85.6	77.8	87.5	60.3	116.7	64.2	15.5	91.4	13.6	114.7	.....
.....	21.1	23.0	201.2	195.4	122.6	86.2	95.8	70.9	97.7	74.7	5.7	111.1	17.2	107.3	5.7
.....	25.0	37.5	171.7	262.2	96.8	74.9	184.2	115.5	115.5	59.3	3.1	87.4	3.1	221.6	3.1
3.1	12.5	28.2	187.7	190.8	103.2	87.6	65.7	84.4	75.1	62.6	12.5	81.3	15.6	165.8	9.4
3.1	28.2	37.6	181.8	257.0	106.6	53.3	68.9	43.9	75.2	43.9	6.3	103.4	12.5	156.7	6.3
3.1	18.8	18.8	141.3	185.3	106.8	84.8	87.9	103.6	128.8	62.8	9.4	91.1	18.8	116.2	3.1
6.3	12.6	34.6	214.0	261.1	66.1	75.5	91.3	62.9	72.4	81.8	22.0	91.3	3.1	163.6	6.3
.....	.....	43.7	193.3	218.2	187.0	149.6	193.3	62.3	62.3	68.6	12.5	74.8	18.7	236.9	.....
6.2	18.7	31.2	249.8	206.1	112.4	112.4	81.2	87.4	43.7	50.0	31.2	99.9	6.2	112.4	6.2
.....	18.7	25.0	200.1	175.1	75.0	87.5	50.0	93.8	137.5	56.3	18.7	68.8	18.7	143.8	6.3
.....	6.3	31.3	225.4	294.3	156.5	93.9	75.1	112.7	112.7	112.7	12.5	119.0	68.9	131.5	.....
.....	18.8	12.5	188.1	225.8	100.3	112.9	75.2	100.3	81.5	50.2	12.5	106.6	25.1	175.6	6.3
.....	10.9	62.6	152.5	206.9	125.3	84.4	231.5	81.7	81.7	76.2	10.9	70.8	19.1	212.3	5.4
2.7	5.4	35.3	157.3	198.0	73.2	81.4	97.6	92.2	73.2	75.9	5.4	84.1	8.1	149.1	10.8
.....	16.2	45.9	202.4	197.0	75.6	91.8	148.5	83.7	75.6	56.7	8.1	86.4	10.8	137.7	.....
2.7	13.4	37.6	139.8	201.6	121.0	69.9	118.3	91.4	80.6	61.8	8.1	88.7	29.6	137.1	2.7
2.7	13.4	37.5	224.8	208.8	96.4	77.6	133.8	93.7	56.2	58.9	16.0	99.0	16.0	117.8	10.7
.....	.....	36.0	148.4	45.0	112.4	54.0	99.0	99.0	54.0	54.0	.....	67.4	80.9	103.4	13.5
.....	4.4	31.2	164.9	84.7	66.9	66.9	66.9	107.0	53.5	107.0	.....	80.2	26.7	98.0	4.4
4.4	4.4	8.8	114.9	79.5	66.3	53.0	70.7	83.9	35.3	44.2	.....	53.0	26.5	132.5	.....
.....	.....	26.3	96.3	52.5	65.7	52.5	35.0	91.9	61.3	83.2	4.4	52.5	30.6	61.3	.....
.....	4.3	21.7	95.4	73.8	60.7	30.4	69.4	43.4	34.7	69.4	8.7	60.7	47.7	112.8	4.3
2.6	6.5	40.1	177.3	80.2	86.7	72.5	88.0	80.2	53.1	58.2	11.6	46.6	64.7	131.9	7.8
.....	3.1	12.4	111.7	43.4	37.2	77.6	34.1	62.0	80.7	27.9	3.1	52.7	31.0	136.5	3.1
.....	.....	15.4	117.5	68.1	49.5	37.1	71.1	68.1	46.4	77.3	3.1	58.8	21.7	126.8	3.1
.....	9.3	9.3	95.6	52.4	43.2	58.6	43.2	37.0	61.7	67.9	3.1	37.0	12.3	83.3	6.2
.....	18.4	6.2	107.7	83.1	46.1	80.0	55.4	33.8	40.0	40.0	12.3	55.4	27.7	104.6	3.1
6.1	12.1	48.6	133.6	85.0	151.9	48.6	127.6	121.5	66.8	60.7	6.1	36.4	72.9	127.6	24.3
.....	12.2	30.5	176.9	152.5	134.1	91.5	109.8	67.1	54.9	24.4	12.2	18.3	67.1	134.1	.....
.....	18.4	18.4	98.0	104.1	98.0	36.8	104.1	85.7	85.7	73.5	.....	49.0	24.5	85.7	6.1
.....	6.1	18.4	116.9	110.7	61.5	80.0	67.7	104.6	30.8	30.8	.....	55.3	24.6	104.6	6.1
.....	.....	18.5	148.2	117.3	111.2	37.1	86.5	105.0	43.2	61.8	.....	49.4	24.7	111.2	.....
7.6	.....	15.2	91.5	68.6	22.9	53.3	45.7	99.1	53.3	38.1	7.6	53.3	68.6	129.6	15.2
.....	37.7	15.1	128.4	105.7	90.6	98.1	67.9	90.6	37.7	75.5	.....	37.7	.....	90.6	.....
.....	7.5	7.5	82.3	89.8	44.9	29.9	37.4	59.8	44.9	44.9	22.4	22.4	37.4	112.2	7.5
.....	.....	.....	81.6	96.4	37.1	59.3	29.7	22.2	7.4	37.1	14.8	59.3	14.8	74.1	.....
.....	29.4	.....	117.6	14.7	66.2	51.4	44.1	44.1	36.7	102.9	7.3	51.4	14.7	95.5	14.7
.....	11.6	46.5	52.3	87.2	63.9	81.3	52.3	98.8	52.3	58.1	5.8	63.9	75.5	127.8	11.6
.....	.....	33.5	123.0	78.3	89.5	50.3	123.0	72.7	39.1	95.0	5.6	50.3	55.9	139.8	.....
.....	.....	26.9	75.4	97.0	43.1	43.1	102.3	48.5	43.1	161.6	.....	91.6	53.9	129.3	5.4
.....	20.8	10.4	67.6	67.6	62.4	31.2	57.2	88.3	26.0	67.6	.....	67.6	10.4	67.6	5.2
.....	10.0	20.1	90.4	110.5	90.4	40.2	55.3	40.2	45.2	100.5	10.0	90.4	15.1	90.4	.....
3.8	7.6	19.0	167.1	76.0	87.4	38.0	98.8	87.4	19.0	45.6	3.8	34.2	41.8	170.9	7.6
7.6	7.6	11.4	144.5	87.5	76.1	72.3	45.6	53.2	34.2	57.1	15.2	60.9	38.0	129.3	.....
.....	3.8	.....	133.2	68.5	57.1	53.3	26.7	83.8	30.5	76.1	3.8	64.7	53.3	197.9	7.6
3.8	19.1	7.6	160.1	125.8	45.7	41.9	80.0	49.5	41.9	38.1	.....	91.5	38.1	121.9	.....
.....	.....	15.3	164.0	95.4	42.0	38.1	49.6	76.3	42.0	45.8	.....	61.0	38.1	171.6	3.8
.....	10.3	82.2	174.8	20.6	92.5	30.8	113.1	123.3	71.9	41.1	.....	20.6	113.1	174.8	20.6
.....	10.3	51.7	113.8	103.4	134.5	20.7	82.7	51.7	62.0	93.1	.....	20.7	41.4	134.5	.....
.....	10.4	10.4	72.9	135.3	62.4	83.2	41.6	62.4	62.4	135.3	.....	72.9	41.6	93.7	.....
.....	10.5	41.9	115.1	146.6	94.2	20.9	115.1	31.4	73.3	41.9	10.5	31.4	31.4	94.2	20.9
.....	.....	10.5	94.8	137.0	73.7	42.1	84.3	31.6	73.7	10.5	10.5	31.6	10.5	115.9	31.6
.....	10.0	40.1	190.5	115.3	45.1	100.3	65.2	75.2	90.2	55.1	5.0	50.1	55.1	135.3	5.0
.....	20.1	5.0	80.2	60.2	95.2	45.1	70.2	70.2	60.2	55.1	10.0	20.1	10.0	70.2	.....
.....	10.0	10.0	150.5	75.2	20.1	25.1	70.2	85.3	120.4	50.1	.....	20.1	.....	150.5	.....
.....	15.1	30.1	130.4	90.3	55.2	55.2	40.2	85.3	95.3	45.2	.....	75.3	35.1	130.4	5.0
.....	5.0	15.1	105.4	115.5	40.2	50.2	55.2	55.2	50.2	55.2	5.0	55.2	20.1	135.5	.....
.....	8.7	23.2	231.6	121.6	75.3	55.0	98.4	95.5	72.4	49.2	11.6	72.4	72.4	159.2	11.6
.....	.....	48.9	125.1	32.6	27.2	54.4	48.9	38.1	48.9	43.5	5.4	76.1	16.3	76.1	.....
5.4	5.4	27.1	86.8	65.1	75.9	32.5	21.7	48.8	54.2	43.4	.....	59.7	38.0	92.2	5.4
.....	16.2	16.2	259.5	86.5	54.1	86.5	81.1	59.5	70.3	70.3	5.4	86.5	37.9	129.8	.....
.....	5.4	27.0	269.6	167.2	86.3	145.6	59.3	70.1	64.7	80.9	10.8	53.9	75.5	183.3	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.													
Clark county	1900	1,481.4	76.0	23.8	.....	4.7	14.2	4.7	38.0	4.7	185.2	52.2	33.2
	1901	1,254.2	61.3	4.7	.....	.....	.....	9.4	14.1	33.0	141.5	14.1	42.4
	1902	1,142.6	84.3	18.7	.....	4.7	4.7	.....	9.4	.....	131.1	14.0	28.1
	1903	1,288.3	46.5	.....	4.6	41.9	18.6	27.9	18.6	18.6	232.6	51.2	55.8
	1904	1,284.1	32.3	.....	.....	18.5	.....	9.2	9.2	13.9	198.6	50.8	73.9
Clay county	1900	1,254.2	61.2	17.5	14.6	2.9	.....	14.6	20.4	14.6	134.2	11.7	26.3
	1901	1,208.9	40.4	11.5	.....	8.7	.....	2.9	8.7	31.7	164.4	20.2	11.5
	1902	1,184.5	68.5	.....	.....	2.8	5.7	2.8	40.0	25.7	111.3	11.4	22.8
	1903	946.1	45.2	5.6	5.6	2.8	.....	31.1	25.4	22.6	98.9	5.6	14.1
	1904	1,131.8	30.7	14.0	14.0	36.3	5.6	16.8	14.0	14.0	122.9	2.8	30.7
Clinton county	1900	1,397.1	49.6	7.1	.....	.....	3.5	7.1	92.2	17.7	148.9	28.4	39.0
	1901	1,283.4	53.0	3.5	3.5	3.5	.....	10.6	17.7	49.5	141.4	14.2	28.3
	1902	1,357.2	56.4	.....	24.7	.....	10.6	.....	7.1	17.6	119.9	14.1	49.3
	1903	1,314.5	73.8	.....	3.5	10.5	14.0	.....	.....	10.5	119.5	14.0	45.7
	1904	1,293.2	70.1	3.5	.....	10.5	3.5	7.0	17.5	52.6	133.2	24.5	31.5
Crawford county	1900	1,484.1	22.3	22.3	.....	7.4	7.4	7.4	14.8	29.7	215.2	7.4	29.7
	1901	1,601.0	59.6	7.4	.....	29.8	7.4	.....	22.3	44.7	297.9	7.4	29.8
	1902	1,210.6	112.1	.....	.....	.....	.....	.....	.....	14.9	231.7	29.9	44.8
	1903	1,214.8	97.4	15.0	22.5	.....	.....	.....	.....	15.0	240.0	30.0	37.5
	1904	1,286.9	45.2	7.5	.....	.....	22.6	.....	.....	15.0	361.2	22.6	30.1
Daviess county	1900	1,494.3	73.6	36.8	.....	.....	6.7	43.5	80.2	33.4	203.9	26.7	20.1
	1901	1,335.9	97.7	27.9	18.6	14.0	.....	32.6	14.0	32.6	186.2	14.0	32.6
	1902	1,171.1	74.1	23.1	.....	.....	.....	23.1	4.6	50.9	148.1	9.3	37.0
	1903	1,118.6	59.9	13.8	46.0	4.6	4.6	4.6	36.8	27.6	147.3	18.4	23.0
	1904	1,387.2	105.3	18.3	.....	41.2	27.5	4.6	13.7	22.9	215.2	13.7	32.0
Dearborn county	1900	1,324.7	45.1	4.5	.....	4.5	9.0	.....	22.5	4.5	130.7	13.5	54.1
	1901	1,567.2	27.2	9.0	.....	4.5	9.0	9.0	9.0	49.8	172.3	18.1	68.0
	1902	1,325.1	36.4	4.5	.....	4.5	9.1	4.5	13.7	13.7	173.1	9.1	68.3
	1903	1,213.2	50.4	4.6	.....	.....	.....	27.5	.....	9.1	151.1	9.1	54.9
	1904	1,518.9	69.1	9.2	9.2	9.2	4.6	4.6	.....	32.2	179.5	18.4	73.6
Decatur county	1900	1,378.2	71.7	5.1	.....	5.1	.....	20.5	5.1	15.4	169.1	20.5	56.4
	1901	1,688.7	71.6	10.2	.....	5.1	10.2	20.5	10.2	46.1	163.8	10.2	56.3
	1902	1,395.3	46.0	10.2	.....	5.1	10.2	5.1	.....	15.3	189.1	20.5	35.8
	1903	1,306.8	56.2	15.3	.....	15.3	5.1	.....	5.1	25.5	178.7	35.7	71.5
	1904	1,463.2	45.9	15.3	.....	5.1	.....	5.1	10.2	20.4	260.0	30.6	45.9
Dekalb county	1900	1,139.6	46.7	11.7	.....	3.9	3.9	7.8	7.8	11.7	132.2	.....	42.8
	1901	1,268.8	38.7	.....	3.9	7.7	27.1	7.7	11.6	50.3	139.3	19.3	50.3
	1902	1,161.9	53.9	.....	.....	3.8	7.7	15.4	19.2	15.4	138.5	11.5	50.0
	1903	1,040.9	34.4	11.5	.....	.....	11.5	11.5	.....	3.8	118.7	15.3	84.2
	1904	921.2	26.7	3.8	3.8	7.6	11.4	.....	11.4	22.8	99.0	7.6	41.9
Delaware county	1900	1,192.4	59.3	10.4	.....	17.4	7.0	13.9	20.9	27.9	111.6	10.4	7.0
	1901	1,257.6	47.3	6.8	.....	23.7	3.4	20.3	23.7	33.8	165.7	13.5	27.0
	1902	1,037.0	49.2	.....	.....	23.0	6.6	9.8	16.4	6.6	101.7	16.4	16.4
	1903	885.9	44.9	3.2	6.4	.....	12.8	3.2	6.4	6.4	118.8	22.5	25.7
	1904	962.3	53.0	3.1	.....	6.2	3.1	.....	28.0	24.9	71.6	18.7	34.3
Dubois county	1900	1,257.6	54.1	14.7	.....	.....	.....	.....	39.3	9.8	152.3	19.6	19.6
	1901	1,419.0	93.3	19.6	4.9	34.4	.....	9.8	44.2	34.4	147.3	4.9	4.9
	1902	1,305.4	88.3	19.6	.....	4.9	.....	39.3	34.4	14.7	186.5	.....	39.3
	1903	976.1	34.3	4.9	4.9	.....	.....	4.9	9.8	39.2	127.6	9.8	34.3
	1904	1,191.4	39.2	.....	29.4	9.8	4.9	9.8	.....	29.4	122.6	24.5	4.9
Elkhart county	1900	1,325.1	57.7	6.7	.....	26.6	2.2	.....	20.0	13.3	119.9	15.6	55.5
	1901	1,114.0	43.2	.....	.....	.....	.....	.....	10.0	43.2	93.1	10.0	53.2
	1902	1,142.9	39.6	.....	3.3	.....	9.9	3.3	13.2	3.3	142.0	23.1	56.2
	1903	1,115.9	32.8	6.6	.....	9.9	.....	13.1	3.3	19.7	121.4	6.6	39.4
	1904	1,225.6	29.3	.....	6.5	.....	26.1	3.3	3.3	22.8	127.1	9.8	65.2
Fayette county	1900	1,363.5	14.8	.....	.....	.....	.....	14.8	96.4	7.4	118.6	37.1	81.5
	1901	1,612.4	36.8	.....	.....	.....	22.1	7.4	7.4	44.2	162.0	14.7	88.3
	1902	1,338.8	36.6	7.3	.....	7.3	29.3	.....	36.6	36.6	109.7	14.6	95.1
	1903	1,170.4	29.1	.....	.....	.....	7.3	36.3	43.6	14.5	101.8	14.5	80.0
	1904	1,531.5	28.9	.....	.....	21.7	7.2	7.2	7.2	21.7	130.0	14.4	36.1
Floyd county	1900	1,570.5	86.3	10.0	.....	3.3	.....	6.6	46.5	26.6	202.5	3.3	63.1
	1901	1,318.5	83.7	.....	.....	10.5	.....	10.5	62.8	52.3	188.4	10.5	52.3
	1902	966.5	52.0	20.8	.....	.....	.....	.....	52.0	.....	103.9	10.4	41.6
	1903	1,011.6	10.3	10.3	.....	.....	.....	10.3	51.6	.....	144.5	.....	31.0
	1904	984.2	10.2	10.2	10.2	.....	10.2	.....	30.8	20.5	153.8	20.5	30.8
Fountain county	1900	1,254.3	23.3	14.0	.....	.....	9.3	.....	14.0	32.6	191.2	14.0	37.3
	1901	1,437.5	37.0	9.3	.....	.....	4.6	.....	27.7	87.8	147.9	27.7	9.3
	1902	1,108.9	13.7	.....	.....	9.2	.....	9.2	9.2	13.7	96.2	9.2	32.1
	1903	1,158.4	27.3	.....	.....	4.5	9.1	40.9	13.6	18.2	149.9	18.2	40.9
	1904	1,135.0	22.5	9.0	.....	9.0	18.0	4.5	4.5	31.5	207.2	9.0	49.6
Franklin county	1900	1,440.1	24.4	18.3	.....	.....	.....	30.5	42.7	61.0	195.3	.....	42.7
	1901	1,500.9	61.8	18.5	.....	12.4	.....	.....	18.5	49.4	117.4	37.0	24.7
	1902	1,600.8	43.8	18.8	.....	6.2	25.0	12.5	18.8	62.5	168.8	43.8	62.5
	1903	1,342.3	19.0	12.7	19.0	.....	.....	.....	25.3	44.3	240.6	19.0	31.6
	1904	1,532.4	76.9	.....	6.4	19.2	.....	.....	6.4	51.3	198.8	12.8	38.5
Fulton county	1900	1,214.7	22.9	.....	.....	.....	5.7	17.2	51.6	11.5	131.8	11.5	45.8
	1901	1,147.0	39.9	5.7	.....	5.7	5.7	5.7	22.8	45.7	114.1	5.7	45.7
	1902	1,187.8	39.8	.....	.....	5.7	.....	5.7	.....	28.4	125.1	22.2	68.2
	1903	1,251.0	39.6	.....	.....	.....	.....	17.0	5.7	34.0	158.5	11.3	50.9
	1904	1,172.7	.....	5.6	.....	11.3	5.6	.....	11.3	16.9	101.5	5.6	50.8

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	9.5	33.2	128.2	118.7	133.0	52.2	114.0	99.8	61.7	23.8	4.7	80.7	76.0	95.0	14.2
.....	9.4	28.3	160.3	84.9	165.1	66.0	66.0	56.6	56.6	47.2	.....	28.3	61.3	94.3	9.4
4.7	4.7	9.4	79.6	107.7	74.9	37.5	79.6	65.5	70.2	74.9	.....	56.2	51.5	121.8	9.4
.....	4.6	23.3	125.6	93.0	46.5	46.5	74.4	55.8	46.5	51.2	9.3	102.3	18.6	74.4	.....
.....	9.2	13.9	134.0	97.0	129.4	73.9	55.4	64.7	50.8	41.6	4.6	73.9	23.1	106.2	.....
.....	5.8	58.3	93.3	87.5	87.5	78.8	46.7	70.0	29.2	93.3	.....	61.2	99.2	110.8	14.6
.....	5.8	34.6	80.8	60.6	132.7	51.9	77.9	54.8	40.4	115.4	2.9	80.8	57.7	103.9	8.7
2.8	11.4	28.6	88.5	54.2	114.2	79.9	62.8	68.5	37.1	174.2	8.6	59.9	65.7	82.8	14.3
.....	5.6	2.8	62.1	67.8	48.0	31.1	67.8	73.4	28.3	50.9	.....	84.7	50.9	113.0	2.8
.....	5.6	30.7	67.1	100.6	100.6	64.3	50.3	67.1	50.3	58.7	.....	75.4	55.9	103.4	.....
3.5	.....	31.9	138.3	70.9	163.1	67.4	70.9	88.7	60.3	35.5	7.1	60.3	85.1	106.4	14.2
3.5	.....	17.7	162.7	91.9	116.7	70.7	109.6	99.0	35.4	35.4	3.5	42.4	28.3	134.3	7.1
.....	14.1	28.2	130.4	70.5	84.6	45.8	144.5	88.1	63.5	77.6	3.5	70.5	77.6	148.0	10.6
.....	7.0	17.6	123.0	137.1	112.5	45.7	87.9	45.7	70.3	84.4	28.1	80.9	38.7	144.1	.....
.....	14.0	14.0	108.7	122.7	70.1	63.1	87.6	87.6	59.6	84.1	3.5	73.6	28.0	119.2	3.5
.....	.....	37.1	185.5	59.4	207.7	22.3	133.6	51.9	29.7	51.9	.....	44.5	133.6	141.0	22.3
.....	.....	44.7	148.9	59.6	201.1	67.0	44.7	52.1	59.6	81.9	22.3	59.6	89.4	126.6	37.2
.....	.....	44.8	89.7	119.6	52.3	59.8	59.8	52.3	44.8	59.8	7.5	59.8	14.9	97.2	14.9
.....	7.5	22.5	75.0	105.0	37.5	37.5	60.0	82.4	30.0	60.0	.....	45.0	15.0	180.0	.....
7.5	.....	22.6	75.3	120.4	112.9	75.3	82.8	37.6	22.6	37.6	.....	37.6	37.6	105.4	7.5
.....	.....	50.1	96.9	76.9	103.6	56.8	83.6	86.9	33.4	60.2	6.7	66.9	120.4	117.0	10.0
.....	.....	65.2	65.2	60.5	135.0	51.2	93.1	60.5	46.5	23.3	.....	69.8	46.5	139.6	9.3
.....	4.6	41.7	64.8	64.8	55.6	46.3	83.3	69.4	37.0	60.2	9.3	78.7	74.1	111.1	.....
.....	.....	32.2	87.5	78.3	32.2	69.1	96.7	82.9	18.4	50.6	9.2	64.5	41.4	69.0	.....
.....	4.6	77.8	68.7	109.9	100.7	73.2	96.1	64.1	50.4	64.1	.....	45.8	22.9	114.5	.....
.....	4.5	27.0	193.7	103.7	130.7	40.6	54.1	85.6	27.0	13.5	9.0	81.1	58.6	193.7	13.5
.....	.....	27.2	149.5	163.1	149.5	104.2	86.1	81.5	49.8	36.2	4.5	95.1	81.5	163.1	.....
.....	4.5	4.5	104.8	132.1	104.8	41.0	72.9	86.5	59.2	36.4	4.5	77.4	59.2	186.7	13.7
.....	.....	9.1	146.5	128.2	59.5	96.2	41.2	50.4	54.9	32.1	.....	141.9	18.3	128.2	.....
.....	9.2	18.4	142.7	174.9	92.1	64.5	73.6	92.1	46.0	73.6	4.6	147.3	23.0	147.3	.....
.....	10.2	10.2	112.7	92.2	87.1	35.9	112.7	76.9	61.5	20.5	15.4	66.6	107.6	189.6	10.2
.....	.....	30.7	184.2	127.9	133.1	71.6	122.8	81.9	46.1	61.4	15.4	76.8	66.5	261.0	5.1
.....	10.2	35.8	122.7	132.9	71.4	61.3	122.7	97.1	20.5	86.9	5.1	30.7	81.8	178.9	.....
.....	10.2	5.1	148.0	122.5	71.5	35.7	66.4	97.0	46.0	61.3	15.3	40.8	30.6	148.0	.....
5.1	10.2	15.3	178.5	132.6	76.4	61.2	71.4	76.4	51.0	30.6	25.5	76.4	61.2	152.9	.....
3.9	11.7	27.2	124.5	85.6	70.0	54.4	93.3	62.2	23.3	23.3	11.7	70.0	66.1	116.7	27.2
.....	7.7	27.1	108.3	89.0	65.8	58.0	85.1	96.7	46.4	73.5	7.7	73.5	50.3	116.1	7.7
.....	19.2	11.5	123.1	142.4	46.2	30.8	80.8	38.5	46.2	50.0	11.5	42.3	27.0	177.0	.....
3.8	.....	7.7	122.5	141.6	45.9	19.2	42.1	61.2	45.9	34.4	3.8	88.0	26.8	107.1	.....
.....	3.8	11.4	167.5	80.0	22.8	41.9	38.1	57.1	49.5	34.3	3.8	68.5	19.0	83.7	3.8
.....	17.4	38.4	115.1	80.2	80.2	62.8	69.7	62.8	41.8	111.6	17.4	52.3	55.8	97.6	3.5
.....	10.1	27.0	165.7	64.2	81.1	57.5	87.9	57.5	47.3	101.4	3.4	40.6	43.9	101.4	3.4
.....	6.6	19.7	95.2	88.6	52.5	45.9	72.2	78.7	52.5	59.1	3.3	59.1	36.1	111.6	9.8
.....	6.4	19.3	83.5	61.0	48.1	28.9	28.9	54.6	67.4	48.1	12.8	38.5	19.3	115.6	3.2
.....	9.3	12.5	109.0	68.5	43.6	49.8	62.3	49.8	56.1	71.6	6.2	53.0	34.3	90.3	3.1
4.9	4.9	14.7	108.1	14.7	142.5	73.7	88.4	93.4	49.1	59.0	9.8	59.0	78.6	142.5	4.9
.....	.....	29.5	103.1	44.2	211.1	14.7	93.3	68.7	49.1	117.9	4.9	49.1	39.3	196.4	.....
4.9	.....	19.6	83.4	44.2	157.0	78.5	83.4	88.3	44.2	49.1	.....	44.2	39.3	142.3	.....
.....	.....	4.9	83.4	54.0	78.5	73.6	54.0	63.8	19.6	39.2	4.9	73.6	39.2	107.9	9.8
.....	9.8	29.4	107.9	58.9	88.2	29.4	117.7	58.9	44.1	147.1	4.9	19.6	24.5	176.5	.....
.....	6.7	24.4	195.3	135.4	68.8	48.8	77.7	82.1	37.7	26.6	6.7	48.8	55.5	173.1	20.0
3.3	10.0	13.3	149.7	126.4	63.2	56.5	49.9	83.2	56.5	29.9	10.0	56.5	29.9	123.0	.....
.....	3.3	13.2	165.2	115.6	46.2	33.0	49.6	82.6	43.0	39.6	19.8	59.5	43.0	122.2	13.2
.....	9.9	32.8	151.0	134.5	32.8	36.1	62.4	65.6	32.8	55.8	6.6	52.5	29.5	160.8	.....
.....	3.3	26.1	140.2	179.3	78.2	48.9	42.4	61.9	81.5	35.8	13.0	55.4	13.0	143.4	9.8
.....	7.4	22.2	103.7	111.2	155.6	44.5	74.1	103.7	51.9	51.9	.....	66.7	88.9	103.7	7.4
.....	22.1	29.5	139.9	88.3	213.5	132.5	139.9	110.4	36.8	36.8	7.4	73.6	36.8	162.0	.....
.....	21.9	21.9	131.7	102.4	95.1	51.2	73.2	73.2	65.8	95.1	29.3	80.5	29.3	95.1	.....
.....	14.5	14.5	87.3	145.4	94.5	65.4	87.3	72.7	43.6	7.3	14.5	72.7	21.8	101.8	.....
.....	14.4	28.9	144.5	108.4	115.6	86.7	72.3	158.9	93.9	115.6	.....	79.5	50.6	180.6	7.2
.....	.....	13.3	212.5	169.3	49.8	93.0	79.7	79.7	29.9	59.8	3.3	46.5	83.0	202.5	.....
10.5	.....	10.5	146.5	94.2	115.1	94.2	41.8	62.8	10.5	52.3	10.5	73.2	52.3	73.1	.....
.....	.....	20.8	52.0	83.1	72.7	20.8	52.0	62.3	31.1	20.8	.....	124.7	41.6	93.5	10.4
.....	.....	10.3	41.3	134.2	165.2	61.9	61.9	51.6	31.0	31.0	.....	51.6	20.7	92.9	.....
.....	.....	10.2	143.6	133.3	112.8	30.8	30.8	10.2	.....	51.3	10.2	20.5	30.8	102.5	.....
4.7	9.3	14.0	135.2	111.9	125.9	55.9	42.0	83.9	55.9	51.3	4.7	60.6	42.0	102.6	18.7
.....	4.6	23.1	120.2	101.7	138.7	55.5	101.7	106.3	50.9	87.8	4.6	50.8	46.2	189.5	4.6
.....	13.7	45.8	142.1	96.2	50.4	73.3	64.2	68.7	50.4	64.2	9.2	45.8	68.7	119.1	4.6
.....	4.5	45.4	127.2	81.8	95.4	72.7	63.6	50.0	22.7	36.3	.....	50.0	45.4	131.7	9.1
.....	9.0	27.0	103.6	99.1	49.6	36.0	63.1	76.6	40.5	54.0	18.0	49.6	36.0	99.1	9.0
.....	12.2	30.5	140.4	140.4	85.4	73.2	54.9	140.4	54.9	54.9	12.2	67.1	48.8	103.8	6.1
.....	6.2	30.9	216.2	67.9	129.7	98.8	105.0	111.2	37.0	111.2	18.5	30.9	61.8	135.9	.....
.....	6.2	.....	218.8	168.8	100.0	43.8	93.8	106.3	68.8	68.8	18.8	68.8	18.8	137.6	18.8
.....	6.3	.....	164.6	152.0	82.3	50.7	76.0	133.0	44.3	38.0	19.0	76.0	.....	88.6	.....
6.4	.....	6.4	173.1	153.9	83.4	64.1	57.7	115.4	64.1	83.4	6.4	102.6	6.4	192.4	6.4
5.7	5.7	34.4	137.5	114.6	103.2	34.4	114.6	68.8	51.6	28.6	.....	28.6	45.8	143.2	.....
.....	17.1	17.1	102.7	125.5	91.3	57.1	68.5	68.5	45.7	51.3	.....	5.7	45.7	148.4	5.7
.....	11.4	11.4	136.4	119.4	79.6	28.4	73.9	45.5	45.5	51.2	.....	51.2	51.2	176.2	11.4
.....	5.7	34.0	164.2	130.2	67.9	56.6	62.3	79.2	45.3	.....	.....	62.3	50.9	152.8	22.6
.....	11.3	11.3	107.1	67.7	95.8	84.6	90.2	50.7	67.7	56.4	5.6	78.9	28.2	203.0	5.6

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.													
Gibson county	1900	1,259.1	39.9	46.5	.....	.....	3.3	6.6	3.3	16.6	176.1	6.6	23.2
	1901	1,433.9	68.6	26.1	.....	.....	3.3	13.1	6.5	42.5	215.6	29.4	26.1
	1902	1,165.9	73.9	35.4	.....	.....	3.2	22.5	3.2	9.6	170.2	22.5	57.8
	1903	973.1	37.9	25.3	.....	.....	.....	6.3	9.5	25.3	145.3	25.3	50.6
	1904	1,451.6	65.3	21.8	3.1	37.3	3.1	6.2	12.4	43.5	167.9	31.1	34.2
Grant county	1900	1,530.4	47.5	11.0	.....	5.5	5.5	9.1	40.2	21.9	190.2	11.0	34.7
	1901	1,365.3	61.8	2.6	.....	2.6	2.6	5.2	12.9	18.0	170.0	15.4	30.9
	1902	1,477.0	47.2	2.5	.....	17.4	.....	.....	19.9	12.4	131.6	22.3	47.2
	1903	1,238.1	39.5	7.4	7.4	2.5	9.9	7.4	32.1	2.5	106.1	19.7	46.9
	1904	1,415.5	26.3	2.4	2.4	28.7	16.7	2.4	9.5	11.9	140.8	9.5	28.7
Greene county	1900	1,437.1	59.6	56.1	.....	10.5	3.5	21.0	21.0	28.0	206.8	14.0	42.1
	1901	1,354.3	55.3	34.5	.....	41.5	.....	13.8	17.3	41.5	196.9	17.3	38.0
	1902	1,314.7	54.5	40.9	.....	.....	3.4	6.8	3.4	13.6	146.5	10.2	37.5
	1903	1,309.8	80.6	6.7	10.1	16.8	13.4	13.4	26.9	3.3	181.4	10.1	40.3
	1904	1,709.2	59.6	16.6	36.4	86.1	33.1	16.6	26.5	23.2	218.6	16.6	49.7
Hamilton county	1900	1,417.4	36.8	3.3	.....	6.7	20.1	23.4	33.4	23.4	170.5	10.0	33.4
	1901	1,330.3	33.0	3.3	.....	.....	6.6	9.9	23.1	42.9	168.4	26.4	59.4
	1902	1,186.8	45.7	6.5	.....	.....	3.3	3.3	26.1	22.8	97.8	22.8	39.1
	1903	1,046.7	41.9	12.9	.....	.....	.....	.....	51.5	45.1	119.2	3.2	58.0
	1904	1,135.9	31.8	.....	.....	28.6	6.4	3.2	3.2	35.0	184.6	28.6	76.4
Hancock county	1900	1,209.0	67.8	5.2	.....	.....	10.4	.....	5.2	10.4	161.6	20.8	20.8
	1901	1,190.2	31.1	.....	.....	.....	5.2	15.5	10.3	36.2	98.3	10.3	20.7
	1902	1,366.8	56.5	10.3	.....	5.1	5.1	10.3	5.1	5.1	128.5	10.3	51.4
	1903	1,265.5	40.8	.....	.....	.....	.....	40.8	5.1	35.7	178.6	15.3	40.8
	1904	1,454.4	30.4	.....	.....	10.1	5.1	.....	20.3	70.9	197.6	20.3	35.5
Harrison county	1900	1,363.9	110.6	23.0	.....	23.0	.....	4.6	13.8	18.4	221.2	4.6	41.5
	1901	1,362.8	55.1	.....	.....	45.9	18.4	.....	22.9	55.1	183.6	22.9	32.1
	1902	1,110.3	109.7	22.8	.....	.....	.....	13.7	18.3	32.0	146.2	27.4	32.0
	1903	1,046.5	54.6	4.5	.....	.....	9.1	4.5	9.1	22.8	159.3	18.2	81.9
	1904	1,304.9	86.1	.....	4.5	.....	18.1	4.5	9.1	22.7	185.8	13.6	54.4
Hendricks county	1900	1,183.5	9.4	9.4	4.7	.....	9.4	18.8	18.8	18.8	145.6	14.1	47.0
	1901	1,316.3	42.3	23.5	.....	9.4	4.7	9.4	14.1	32.9	103.5	18.8	28.2
	1902	1,261.2	28.2	18.8	.....	.....	14.1	.....	28.2	9.4	164.7	28.2	28.2
	1903	1,135.2	23.6	.....	.....	9.4	9.4	4.7	4.7	18.8	122.5	9.4	42.4
	1904	1,306.1	14.1	18.9	.....	42.5	14.1	4.7	4.7	23.6	221.6	42.5	28.3
Henry county	1900	1,542.6	43.8	12.0	.....	* 15.9	31.9	23.9	31.9	43.8	131.5	12.0	47.8
	1901	1,630.4	67.4	4.0	.....	39.7	7.9	23.8	11.9	39.7	158.7	19.8	27.8
	1902	1,468.6	63.2	7.9	55.3	11.8	7.9	11.8	7.9	11.8	177.7	15.8	51.3
	1903	1,257.3	27.5	15.7	.....	.....	.....	15.7	7.9	11.8	129.7	27.5	66.8
	1904	1,450.8	35.2	.....	.....	19.6	.....	3.9	7.8	19.6	117.3	31.3	50.8
Howard county	1900	1,427.8	49.0	7.0	.....	.....	.....	38.5	63.0	24.5	199.5	14.0	80.5
	1901	1,157.5	33.4	.....	.....	27.8	.....	.....	5.6	22.3	128.0	22.3	61.2
	1902	929.1	22.3	.....	16.7	.....	.....	.....	11.1	11.1	105.7	22.3	44.5
	1903	1,068.0	33.4	.....	5.6	16.7	11.1	5.6	11.1	16.7	105.7	27.8	38.9
	1904	1,112.2	44.5	.....	.....	.....	5.6	16.7	27.8	33.4	105.7	16.7	55.6
Huntington county	1900	1,117.6	55.4	.....	.....	.....	.....	10.4	41.5	17.3	128.0	3.5	41.5
	1901	1,041.2	51.8	5.2	.....	.....	.....	5.2	20.7	41.4	119.2	25.9	57.0
	1902	1,072.1	32.0	5.2	.....	.....	.....	.....	.....	.....	78.1	10.4	36.4
	1903	970.0	31.3	.....	.....	10.4	.....	20.9	10.4	15.6	114.7	20.9	31.3
	1904	1,105.9	21.0	.....	.....	31.4	10.5	.....	15.7	26.2	167.7	5.2	36.7
Jackson county	1900	1,584.5	90.1	7.5	.....	.....	.....	37.5	63.8	22.5	232.8	11.3	52.6
	1901	1,621.9	85.6	14.9	.....	22.3	18.6	22.3	55.8	52.1	238.1	37.2	44.6
	1902	1,389.6	81.1	.....	.....	7.4	11.0	25.8	7.4	14.7	213.8	29.5	44.2
	1903	1,132.2	36.5	7.3	.....	3.6	18.3	3.6	11.0	21.9	200.8	11.0	14.3
	1904	1,368.1	54.3	.....	.....	25.3	10.9	7.2	3.6	14.5	235.3	47.1	25.3
Jasper county	1900	1,231.5	21.0	21.0	7.0	.....	7.0	35.0	35.0	14.0	125.9	28.0	21.0
	1901	1,075.1	20.6	13.7	.....	.....	.....	13.7	47.9	47.9	123.3	13.7	13.7
	1902	751.0	6.7	.....	.....	.....	.....	.....	.....	13.4	73.8	20.1	40.2
	1903	722.5	6.6	6.6	6.6	.....	.....	.....	6.6	.....	65.6	6.6	13.2
	1904	823.9	.....	.....	.....	6.4	12.9	.....	.....	19.3	135.2	6.4	51.5
Jay county	1900	1,312.6	67.1	26.1	.....	.....	3.7	7.5	41.0	22.4	164.1	18.6	26.1
	1901	1,285.4	44.2	.....	.....	29.5	3.7	.....	14.7	40.5	147.3	18.4	51.6
	1902	1,207.9	43.7	3.6	3.6	3.6	3.6	32.7	21.8	14.6	178.3	21.8	14.6
	1903	1,013.7	35.9	.....	.....	.....	7.2	14.4	7.2	32.4	122.2	14.4	28.8
	1904	1,126.0	42.6	.....	.....	17.7	.....	3.5	7.1	17.7	156.3	21.3	39.1
Jefferson county	1900	1,702.1	52.4	.....	4.4	8.7	.....	4.4	17.5	13.1	226.9	17.5	69.8
	1901	1,700.8	65.9	8.8	4.4	.....	.....	4.4	4.4	74.7	303.3	35.2	57.1
	1902	1,526.9	66.4	8.8	4.4	.....	8.8	.....	8.8	8.8	243.4	26.6	84.1
	1903	1,537.7	75.8	.....	.....	4.5	4.5	13.4	4.5	13.4	263.0	40.1	62.4
	1904	1,620.5	53.9	.....	.....	17.9	13.5	9.0	4.5	35.9	237.9	40.4	67.3
Jennings county	1900	1,447.0	95.2	6.3	.....	6.3	6.3	.....	38.1	6.3	209.5	12.7	57.1
	1901	1,486.9	12.6	.....	.....	.....	12.6	.....	.....	25.2	189.1	6.3	50.4
	1902	1,251.0	37.5	6.2	.....	.....	.....	18.8	6.2	12.5	175.2	.....	50.0
	1903	1,204.8	55.9	12.4	.....	.....	.....	6.2	12.4	12.4	223.6	6.2	43.5
	1904	1,331.9	55.5	12.3	.....	24.7	6.2	.....	24.7	.....	197.3	24.7	74.0
Johnson county	1900	1,285.7	64.3	14.8	.....	.....	4.9	4.9	9.9	29.7	192.9	19.8	54.4
	1901	1,399.8	34.5	4.9	.....	9.9	4.9	4.9	9.9	39.4	162.6	14.8	44.4
	1902	1,193.8	59.0	9.8	.....	4.9	14.7	4.9	19.6	.....	211.2	14.7	44.2
	1903	1,366.2	53.9	.....	.....	4.9	9.8	4.9	34.3	24.5	191.0	4.9	58.8
	1904	1,488.7	48.8	.....	.....	14.6	24.4	4.9	9.8	29.3	190.4	48.8	68.3

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.6	73.1	116.3	43.2	109.6	26.6	113.0	73.1	16.6	93.0	.....	53.2	83.1	119.6	10.0
.....	39.2	114.3	91.4	107.8	45.7	147.0	71.8	42.5	88.2	3.3	78.4	35.9	137.2	.....	
.....	6.4	35.4	86.7	61.0	73.9	45.0	80.3	77.1	25.7	86.7	3.2	57.8	32.1	93.1	3.2
.....	6.3	22.1	66.3	60.0	69.5	53.7	72.7	28.4	34.8	60.0	3.2	66.3	22.1	79.0	3.2
3.1	6.2	31.1	80.8	83.9	121.2	83.9	108.8	77.7	56.0	152.3	3.1	80.8	18.7	118.1	.....
3.6	3.6	34.7	190.2	107.9	122.5	51.2	113.4	86.0	32.9	69.5	3.6	49.4	107.9	164.6	12.8
2.6	.....	28.3	157.1	123.6	95.3	51.5	74.7	79.9	33.5	61.8	10.3	79.9	67.0	172.6	5.2
.....	5.0	19.9	163.8	131.6	79.4	54.6	129.1	124.1	42.2	76.9	7.4	49.6	67.0	220.9	5.0
.....	4.9	19.7	152.9	155.4	71.5	49.3	27.1	71.5	64.1	74.0	7.4	69.0	46.9	138.1	4.9
4.8	4.8	19.1	198.1	143.2	85.9	47.8	74.0	78.8	69.2	124.1	9.5	66.8	54.9	152.8	2.4
.....	3.5	38.6	133.2	77.1	98.2	31.6	77.1	73.6	28.0	91.1	.....	63.1	91.1	143.7	24.6
.....	48.4	69.1	51.8	96.7	69.1	79.5	86.4	48.4	100.2	.....	44.9	58.7	141.6	3.4	
.....	6.8	44.3	112.4	92.0	105.6	61.3	85.1	68.1	30.7	71.5	6.8	47.7	54.5	200.9	10.2
.....	3.3	30.2	131.0	70.5	57.1	47.0	87.4	84.0	30.2	73.9	6.7	107.5	33.6	141.1	3.3
.....	3.3	23.2	122.6	76.2	142.4	92.8	135.8	79.5	49.7	115.9	6.6	79.5	72.9	119.2	6.6
3.3	6.7	20.1	157.1	63.5	93.6	60.2	90.3	83.6	30.1	76.9	.....	56.8	66.8	234.0	13.4
3.3	.....	6.6	142.0	99.1	95.7	56.1	85.8	89.1	36.3	95.7	.....	46.2	42.9	158.5	.....
3.3	13.0	3.3	136.9	97.8	58.7	55.4	71.7	78.2	35.9	91.3	6.5	45.7	42.4	179.3	.....
.....	.....	12.9	99.8	74.1	54.7	45.1	58.0	54.7	22.5	77.3	6.4	58.0	16.1	135.3	.....
.....	9.5	9.5	143.2	101.8	70.0	57.3	35.0	54.1	38.2	79.5	3.2	35.0	19.1	79.5	3.2
.....	10.4	20.8	125.1	73.0	93.8	31.3	109.4	73.0	57.3	78.2	5.2	41.7	41.7	135.5	10.4
.....	5.2	31.0	217.4	72.5	67.3	31.0	82.8	93.2	56.9	67.3	.....	62.1	77.6	98.3	.....
.....	5.1	41.1	133.6	113.1	82.2	56.5	113.1	82.2	77.1	30.8	.....	92.5	77.1	169.6	5.1
.....	5.1	20.4	142.9	122.5	30.6	61.3	163.3	81.7	51.0	40.8	5.1	56.2	40.8	86.7	.....
5.1	20.3	60.8	167.2	111.5	81.1	65.9	70.9	81.1	81.1	60.8	.....	70.9	25.3	162.2	.....
.....	4.6	32.3	179.7	96.8	101.4	41.5	59.9	59.9	27.6	50.7	.....	50.7	59.9	133.6	4.6
4.6	.....	27.5	114.7	87.2	146.8	59.7	68.8	87.2	36.7	78.0	4.6	73.4	22.9	100.9	13.8
.....	.....	27.4	91.4	91.4	50.2	32.0	54.8	73.1	36.6	22.8	4.6	64.0	50.2	109.7	.....
.....	18.2	31.9	127.4	72.8	63.7	27.3	45.5	118.3	27.3	13.7	.....	50.0	27.3	54.6	4.5
.....	18.1	63.4	145.0	122.3	108.7	58.9	58.9	54.4	45.3	45.3	.....	49.9	22.7	108.7	4.5
14.1	14.1	42.2	126.8	56.4	79.8	32.9	84.5	103.3	42.2	42.2	4.7	23.5	65.8	150.3	4.7
4.7	.....	14.1	192.8	89.3	84.6	117.6	47.0	94.0	65.8	61.1	4.7	61.1	70.5	122.2	.....
4.7	.....	23.5	169.4	108.3	94.1	56.5	75.3	42.4	47.1	80.0	.....	80.0	33.0	127.1	.....
4.7	14.2	18.8	146.0	117.8	61.2	56.5	84.8	70.7	42.4	47.1	9.4	28.3	37.7	146.0	4.7
4.7	9.4	14.1	141.5	122.6	61.3	61.3	80.2	61.3	61.3	51.9	4.7	37.7	14.1	160.3	4.7
8.0	12.0	35.9	143.5	83.7	99.6	63.8	99.6	155.5	55.8	55.8	4.0	67.8	67.8	183.3	12.0
7.9	4.0	23.8	150.8	123.0	91.2	79.3	71.4	115.0	63.5	138.8	11.9	39.7	71.4	238.0	.....
.....	.....	23.7	146.1	157.9	71.1	67.1	63.2	75.0	75.0	67.1	.....	55.3	43.4	185.5	15.8
3.9	3.9	15.7	192.5	117.9	66.8	58.9	70.7	106.1	55.0	51.1	3.9	55.0	35.4	110.0	7.9
7.8	7.8	35.2	152.5	140.8	101.7	43.0	58.6	105.6	50.8	172.1	3.9	58.6	23.5	203.4	.....
3.5	17.5	24.5	136.4	98.0	108.4	31.5	91.0	80.5	59.5	28.0	3.5	66.5	49.0	150.5	3.5
5.6	.....	27.8	89.0	133.5	66.8	50.1	72.3	89.0	44.5	50.1	5.6	72.3	33.4	116.9	.....
.....	.....	5.6	66.7	83.4	55.6	16.7	83.4	77.9	16.7	50.1	5.6	38.9	61.2	128.0	5.6
.....	5.6	22.2	122.4	94.5	77.9	55.6	100.1	61.2	16.7	16.7	16.7	44.5	11.1	144.6	5.6
.....	11.1	27.8	77.8	116.8	77.8	50.0	72.3	72.3	33.4	72.3	5.6	50.0	16.7	122.3	.....
.....	6.9	17.3	121.1	83.0	58.8	27.7	62.3	107.3	31.1	34.6	3.5	48.4	83.0	131.5	3.5
.....	5.2	15.5	129.5	103.6	25.9	20.7	67.3	62.2	25.9	46.6	.....	25.9	72.5	108.8	5.2
.....	.....	5.2	104.1	67.7	67.7	93.7	62.5	57.2	57.2	62.5	5.2	36.4	52.0	203.0	15.6
.....	20.9	15.6	140.8	52.2	62.6	46.9	36.5	62.6	52.2	52.2	.....	36.5	10.4	88.6	36.5
.....	.....	10.5	141.5	73.4	99.6	36.7	68.1	73.4	57.7	36.7	.....	31.4	21.0	136.3	5.2
.....	.....	41.3	131.4	78.9	138.9	48.8	157.7	101.4	22.5	71.3	3.8	63.8	52.6	127.7	26.3
3.7	11.2	37.2	119.0	74.4	141.4	70.7	133.9	96.7	44.6	33.5	14.9	44.6	74.4	111.6	18.6
.....	3.7	25.8	106.9	103.2	114.3	47.9	103.2	62.7	29.5	106.9	14.7	55.3	25.8	132.7	22.1
.....	7.3	18.3	62.1	91.3	43.8	43.8	124.2	65.8	32.9	54.8	3.6	65.8	32.9	149.7	7.3
.....	3.6	32.6	90.5	94.1	79.6	29.0	130.3	43.4	97.7	97.7	10.9	39.8	18.1	170.1	7.2
.....	7.0	28.0	139.9	49.0	105.0	77.0	83.9	83.9	63.0	56.0	.....	28.0	49.0	132.9	14.0
.....	.....	6.8	82.2	61.6	54.8	82.2	123.3	61.6	68.5	34.2	.....	34.2	41.1	102.7	27.4
.....	13.4	20.1	80.5	60.3	73.8	26.8	93.9	20.1	20.1	73.8	.....	20.1	6.7	73.8	13.4
.....	13.2	6.6	91.9	39.4	32.8	45.9	59.1	59.1	19.7	52.6	.....	32.8	26.2	124.8	6.6
.....	6.4	19.3	51.5	57.9	38.6	64.4	57.9	38.6	77.3	19.3	6.4	38.6	25.8	77.3	12.9
.....	11.2	33.6	89.5	59.7	108.1	26.1	119.3	85.8	44.8	78.3	3.7	48.5	82.0	123.0	22.4
.....	3.7	18.4	143.6	40.5	95.8	66.3	73.7	143.6	36.8	77.4	11.0	58.9	55.3	106.8	3.7
.....	10.9	36.4	94.6	69.1	83.7	43.7	120.1	69.1	43.7	69.1	7.3	36.4	47.3	127.3	7.3
.....	10.8	25.2	129.4	79.1	100.6	53.9	107.8	46.7	39.5	57.5	.....	28.8	18.0	46.7	7.2
.....	10.7	7.1	110.1	106.6	88.8	32.0	95.9	74.6	53.3	53.3	7.1	53.3	24.9	103.0	.....
.....	21.8	17.5	161.5	135.3	152.8	52.4	91.7	126.6	74.2	34.9	4.4	113.5	78.6	204.7	17.5
.....	8.8	13.2	167.0	87.9	123.1	61.5	136.2	109.9	52.7	74.7	.....	65.9	43.9	197.8	.....
.....	22.1	.....	115.1	190.3	75.3	79.7	97.4	79.7	48.7	53.1	13.3	62.0	31.0	194.7	4.4
.....	8.9	13.4	133.7	196.1	124.8	57.9	66.8	80.2	93.6	40.1	4.5	66.8	26.7	142.6	.....
.....	9.0	13.5	148.1	184.0	121.2	62.8	76.3	94.3	85.3	85.3	13.5	53.9	13.5	179.5	.....
6.3	6.3	19.0	139.6	69.9	107.9	57.1	88.9	76.2	82.5	44.4	6.3	69.9	63.5	146.0	25.4
.....	12.6	18.9	182.7	132.3	107.1	50.4	113.4	69.3	37.8	69.3	.....	63.0	157.5	176.4	.....
.....	18.8	25.0	112.6	62.6	62.6	37.5	81.3	81.3	100.1	81.3	.....	75.1	25.0	181.4	.....
12.4	6.2	24.8	130.4	111.8	68.3	31.1	68.3	55.9	62.1	49.7	6.2	87.0	18.6	99.4	.....
.....	6.2	.....	148.0	104.8	86.3	80.2	49.3	74.0	18.5	117.1	.....	86.3	18.5	123.3	.....
.....	9.9	39.6	128.6	94.0	69.2	84.1	103.8	79.1	39.6	14.8	.....	29.7	24.7	168.1	4.9
.....	9.9	29.6	157.7	152.8	83.8	69.0	83.8	54.2	59.1	49.3	.....	34.5	133.1	152.8	.....
.....	24.6	24.6	113.0	68.8	59.0	44.2	63.9	34.4	88.4	113.0	4.9	24.6	29.5	117.9	.....
.....	19.6	4.9	166.5	127.3	58.8	78.4	68.5	88.1	93.0	63.6	4.9	73.4	34.3	88.1	9.8
.....	.....	34.2	122.0	131.8	112.3	43.9	68.3	107.4	107.4	97.6	.....	43.9	53.7	126.9	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.												
Knox county.....1900..	1,782.5	66.7	57.8	.....	8.9	.....	22.2	71.1	13.3	208.9	13.3	40.0
1901..	1,318.6	70.1	30.7	.....	8.8	8.8	43.8	21.9	48.2	96.4	.....	17.5
1902..	1,140.0	60.4	25.9	4.3	.....	.....	17.3	8.6	8.6	133.9	21.6	17.3
1903..	854.6	42.9	17.2	.....	4.3	8.6	4.3	25.8	12.9	81.6	4.3	34.4
1904..	1,151.9	50.8	16.9	.....	50.8	8.5	25.4	8.5	8.5	114.4	12.7	16.9
Kosciusko county.....1900..	1,065.0	27.5	6.9	.....	.....	3.4	.....	13.7	6.9	130.5	10.3	17.2
1901..	1,149.0	48.0	.....	.....	.....	13.7	6.9	17.1	34.3	85.8	13.7	30.9
1902..	1,133.5	17.1	.....	6.8	.....	13.7	24.0	3.4	20.5	126.7	3.4	61.7
1903..	1,135.2	44.4	3.4	.....	30.8	6.8	23.9	10.3	23.9	119.7	3.4	54.7
1904..	1,099.2	13.7	13.7	.....	20.5	.....	3.4	.....	10.2	143.4	3.4	51.2
Lagrange county.....1900..	1,092.6	26.2	13.1	.....	.....	.....	6.5	39.3	.....	124.3	13.1	45.8
1901..	1,377.0	19.7	6.6	.....	6.6	.....	6.6	.....	59.0	104.9	19.7	72.1
1902..	1,182.8	32.8	.....	.....	.....	6.6	6.6	19.7	46.0	111.7	13.1	46.0
1903..	1,317.1	13.2	.....	.....	6.6	.....	13.2	19.7	26.3	144.9	26.3	59.3
1904..	1,115.4	33.0	6.6	.....	13.2	19.8	6.6	6.6	26.4	118.8	33.0	79.2
Lake county.....1900..	1,171.8	21.1	5.3	.....	.....	5.3	21.1	60.7	7.9	81.8	5.3	42.2
1901..	1,278.2	15.2	15.2	.....	11.4	15.2	11.4	26.6	30.4	79.9	19.0	38.1
1902..	1,245.5	25.9	11.1	3.7	.....	33.3	.....	29.6	7.4	73.9	3.7	29.6
1903..	1,257.7	35.9	.....	.....	32.3	10.8	25.2	39.5	10.8	100.6	18.0	21.6
1904..	1,451.0	41.9	.....	3.5	3.5	21.0	21.0	21.0	14.0	94.4	14.0	52.4
Laporte county.....1900..	1,244.9	34.0	4.2	.....	.....	12.7	.....	29.8	25.5	114.7	.....	59.5
1901..	1,237.1	12.8	12.8	.....	.....	12.8	.....	29.7	29.7	93.5	17.0	68.0
1902..	1,259.0	42.5	4.3	.....	.....	.....	8.5	.....	4.3	131.8	21.3	63.8
1903..	1,468.3	21.3	4.3	.....	29.8	21.3	8.5	4.3	8.5	123.4	12.8	63.8
1904..	1,358.4	12.8	.....	.....	4.3	4.3	.....	12.8	12.8	136.3	25.5	51.1
Lawrence county.....1900..	1,566.3	70.0	19.4	7.8	27.2	.....	19.4	50.5	35.0	202.1	19.4	23.3
1901..	1,249.8	87.4	26.6	7.6	3.8	.....	15.2	15.2	22.8	129.1	15.2	15.2
1902..	1,192.5	52.0	26.0	.....	.....	7.4	26.0	18.6	7.4	152.3	29.7	40.9
1903..	1,275.9	43.6	14.5	.....	3.6	3.6	21.8	10.9	10.9	214.5	32.7	32.7
1904..	1,594.0	49.8	24.9	.....	78.3	.....	.....	.....	3.6	181.5	14.2	42.7
Madison county.....1900..	1,480.1	55.3	15.6	2.8	9.9	9.9	19.9	41.2	11.4	177.4	18.4	44.0
1901..	1,215.5	36.1	7.7	2.6	2.6	20.6	10.3	20.6	18.1	152.3	10.3	38.7
1902..	1,150.5	39.8	5.0	.....	5.0	7.5	5.0	24.9	5.0	156.9	17.4	27.4
1903..	947.9	31.3	4.8	4.8	2.4	.....	14.4	9.6	4.8	105.9	19.3	38.5
1904..	877.3	18.6	.....	.....	16.3	9.3	.....	7.0	7.0	130.3	7.0	11.6
Marion county.....1900..	1,129.6	28.5	.....	.....	.....	10.7	14.3	49.9	24.9	156.8	7.1	21.4
1901..	1,897.6	25.6	7.3	.....	.....	7.3	18.3	40.3	65.9	263.8	18.3	40.3
1902..	1,988.1	68.1	.....	4.5	.....	.....	13.6	13.6	13.6	304.1	36.3	59.0
1903..	1,358.2	48.5	.....	18.2	6.1	6.1	12.1	18.2	18.2	175.8	30.3	78.8
1904..	1,902.5	66.5	13.3	.....	33.3	6.6	.....	6.6	20.0	232.8	46.6	93.1
Marshall county.....1900..	1,321.7	39.8	15.9	.....	.....	4.0	8.0	31.9	15.9	127.4	15.9	59.7
1901..	1,140.6	15.8	11.9	.....	4.0	4.0	4.0	35.6	39.6	130.7	7.9	35.6
1902..	1,142.7	11.8	7.9	.....	.....	3.9	3.9	27.6	7.9	122.2	7.9	35.5
1903..	1,238.8	15.7	3.9	.....	11.8	19.6	11.8	15.7	15.7	86.2	11.8	70.6
1904..	1,150.6	35.1	15.6	3.9	3.9	7.8	.....	.....	35.1	136.5	19.5	78.0
Martin county.....1900..	1,590.6	122.3	20.4	.....	.....	.....	54.4	20.4	68.0	169.9	27.2	34.0
1901..	1,562.4	81.2	6.8	.....	13.5	6.8	67.6	40.6	47.3	230.0	6.8	27.1
1902..	1,157.5	60.6	13.5	6.7	.....	6.7	.....	40.4	26.9	168.2	.....	40.4
1903..	1,051.4	40.2	13.4	.....	.....	13.4	.....	13.4	13.4	147.3	13.4	20.1
1904..	1,479.3	53.3	33.3	6.6	80.0	26.7	53.3	20.0	26.7	199.9	13.3	53.3
Miami county.....1900..	1,222.3	20.1	5.0	.....	5.0	.....	20.1	25.1	35.2	100.6	5.0	30.2
1901..	1,373.1	38.9	5.6	.....	11.1	11.1	.....	22.2	50.0	139.0	27.8	38.9
1902..	1,218.4	55.4	.....	.....	.....	.....	16.6	5.5	16.6	110.8	22.2	66.5
1903..	1,296.7	66.2	5.5	.....	5.5	16.6	.....	22.1	5.5	132.4	11.0	66.2
1904..	1,149.0	5.5	.....	.....	38.5	33.0	.....	11.0	27.5	137.4	16.5	16.5
Monroe county.....1900..	1,523.4	47.9	19.2	.....	4.8	.....	33.5	38.3	14.4	220.4	14.4	52.7
1901..	1,354.2	51.9	14.2	.....	4.7	4.7	37.7	23.6	51.9	165.2	23.6	42.5
1902..	1,324.8	65.1	9.3	.....	23.3	.....	18.6	13.9	4.6	218.5	46.5	23.3
1903..	1,067.1	55.0	.....	.....	.....	.....	.....	13.7	4.6	201.5	45.8	55.0
1904..	1,232.3	36.1	9.0	.....	18.1	4.5	.....	13.5	13.5	171.6	13.5	67.7
Montgomery county.....1900..	1,415.5	44.2	3.4	.....	.....	3.4	.....	30.6	23.8	245.0	13.6	64.7
1901..	1,314.2	23.7	6.8	.....	13.5	16.9	3.4	3.4	71.1	149.0	33.9	47.4
1902..	1,308.2	47.2	.....	6.7	3.4	.....	3.4	3.4	13.5	175.3	13.5	60.7
1903..	1,285.4	16.8	3.3	.....	.....	10.1	.....	3.3	20.1	157.7	16.8	94.0
1904..	1,409.9	43.4	.....	.....	16.7	.....	3.3	.....	33.4	157.0	46.8	83.5
Morgan county.....1900..	1,525.2	68.4	19.6	.....	.....	4.9	58.7	.....	19.6	190.6	24.4	68.4
1901..	1,293.7	58.1	.....	.....	.....	.....	19.4	4.8	72.7	179.3	24.2	29.1
1902..	1,042.3	62.4	.....	.....	.....	.....	.....	.....	4.8	197.0	19.2	48.0
1903..	1,204.8	71.4	4.8	4.8	23.8	.....	.....	4.8	4.8	190.5	23.8	52.4
1904..	1,482.5	33.0	.....	.....	18.9	.....	.....	4.7	37.8	184.1	23.6	61.4
Newton county.....1900..	1,148.5	19.1	9.6	.....	.....	.....	19.1	19.1	38.3	95.7	28.7	38.3
1901..	1,224.9	9.4	9.4	.....	9.4	.....	.....	75.4	18.8	56.5	18.8	37.7
1902..	1,020.6	27.8	.....	.....	.....	.....	.....	9.3	.....	55.7	9.3	55.7
1903..	1,114.9	54.8	.....	.....	9.1	.....	9.1	18.3	18.3	100.6	9.1	45.7
1904..	936.2	9.0	.....	.....	.....	9.0	.....	9.0	18.0	63.0	9.0	27.0
Noble county.....1900..	1,249.3	46.8	12.7	.....	12.7	.....	.....	25.5	12.7	102.0	12.7	46.8
1901..	1,231.4	25.5	4.2	.....	.....	.....	8.5	12.7	59.4	131.7	12.7	59.4
1902..	1,052.3	21.2	.....	.....	8.5	.....	8.5	.....	8.5	84.9	12.7	33.9
1903..	1,064.3	17.0	8.5	.....	17.0	8.5	17.0	4.2	25.4	93.3	29.7	59.4
1904..	1,368.6	21.2	.....	.....	.....	12.7	.....	.....	25.4	169.5	25.4	50.9

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	13.3	35.6	168.9	57.8	137.8	80.0	146.7	97.8	44.5	111.1	.....	93.4	111.1	146.7	35.6
4.4	17.5	30.7	105.1	83.2	153.3	43.8	109.5	57.0	21.9	105.1	13.1	48.2	57.0	105.1	17.5
.....	17.3	25.9	77.7	56.1	103.7	64.8	73.4	51.8	38.9	60.4	.....	51.8	43.2	138.2	38.9
.....	4.3	8.6	85.9	51.5	47.2	34.4	55.8	42.9	42.9	55.8	8.6	51.5	21.5	103.1	4.3
4.2	.....	16.9	93.2	80.5	97.4	59.3	80.5	46.6	42.4	84.7	8.5	72.0	16.9	131.2	4.2
.....	3.4	34.4	154.6	75.6	82.4	27.5	89.3	113.4	20.6	13.7	6.9	44.7	61.8	113.4	6.9
.....	6.9	54.9	137.2	96.0	89.2	51.4	41.2	68.6	68.6	61.7	13.7	44.6	54.9	106.3	3.4
.....	20.5	27.4	147.3	109.6	82.2	34.3	65.1	68.5	44.5	54.8	3.4	48.0	30.8	116.4	3.4
10.3	13.7	10.3	126.5	133.4	37.6	41.0	58.1	65.0	65.0	27.4	6.8	23.9	37.6	143.6	13.7
.....	10.2	17.1	204.8	112.6	75.1	64.9	34.1	71.7	20.5	20.5	10.2	61.4	27.3	88.8	20.5
.....	6.5	13.1	130.8	111.2	65.4	39.3	85.0	45.8	45.8	39.3	.....	45.8	72.0	111.2	13.1
.....	13.1	19.7	157.4	203.3	85.2	91.8	39.3	85.2	52.4	39.3	6.6	78.7	85.2	118.0	6.6
.....	19.7	6.6	118.3	85.4	111.7	59.2	32.8	46.0	46.0	105.1	.....	46.0	52.6	164.3	6.6
.....	26.3	6.6	184.4	171.2	59.3	65.8	79.0	105.4	52.7	39.5	13.2	59.3	32.9	105.4	6.6
.....	6.6	13.2	118.8	72.6	79.2	46.2	52.8	85.8	46.2	19.8	6.6	39.6	39.6	138.6	6.6
.....	2.6	15.8	118.8	58.1	102.9	97.7	63.3	79.2	44.9	58.0	10.6	102.9	52.8	105.6	7.9
.....	15.2	11.4	133.2	98.9	64.7	87.5	159.8	95.1	34.2	41.9	19.0	57.1	34.2	163.6	.....
.....	.....	14.8	107.2	103.5	66.5	66.5	107.2	110.9	48.0	88.7	.....	155.2	44.3	107.1	7.4
.....	3.6	21.6	125.7	107.8	50.3	86.2	107.8	71.9	35.9	57.5	10.8	158.1	25.2	97.0	3.6
3.5	24.5	21.0	118.9	118.9	73.4	101.4	146.8	122.4	52.4	69.9	7.0	115.4	28.0	157.3	3.5
4.2	8.5	42.5	140.2	114.7	63.8	85.0	85.0	59.5	51.0	46.7	21.3	42.5	38.2	152.9	8.5
.....	21.2	29.7	140.3	170.0	59.5	72.3	55.3	34.0	85.0	12.8	12.8	46.8	63.8	157.3	.....
.....	17.0	25.5	157.4	170.1	29.8	51.0	63.8	38.3	68.0	59.5	4.3	85.1	34.0	174.4	4.3
.....	12.8	12.8	131.9	242.6	46.8	76.6	72.3	131.9	93.6	51.1	4.3	110.6	29.8	153.2	.....
4.3	21.3	29.8	123.5	200.1	55.3	98.0	55.3	93.7	68.1	55.3	12.8	76.6	17.0	187.4	.....
3.9	3.9	27.2	108.8	54.4	163.2	101.1	159.4	70.0	23.3	62.2	.....	104.9	81.6	124.4	3.9
.....	7.5	38.0	79.8	102.6	121.5	26.6	133.0	68.4	30.4	41.8	3.8	110.1	60.8	79.8	7.6
.....	.....	22.3	63.2	85.4	81.7	63.2	115.2	74.3	37.2	74.3	11.1	55.7	37.2	111.4	.....
.....	7.3	18.2	98.2	116.3	94.5	47.3	69.1	65.4	18.2	54.5	3.6	94.5	50.9	141.8	7.3
.....	3.6	46.2	89.0	124.5	156.6	89.0	167.2	81.8	46.2	103.2	.....	99.6	32.0	160.1	.....
1.4	5.7	53.9	123.5	75.2	112.1	83.7	133.4	75.2	41.2	66.7	5.7	65.3	73.8	151.8	5.7
5.2	5.2	28.4	80.0	74.9	64.5	61.9	121.3	80.0	12.9	54.2	12.9	82.6	69.7	141.9	.....
.....	5.0	17.4	104.6	47.3	87.1	44.8	87.1	42.4	44.8	82.2	2.5	79.7	64.7	142.0	5.0
.....	16.8	14.4	74.6	89.0	43.3	43.3	48.1	69.8	36.1	38.5	2.4	48.1	26.5	154.0	7.2
2.3	2.3	16.3	95.4	67.5	83.8	46.5	55.9	41.9	25.6	51.2	2.3	48.9	37.2	93.1	.....
.....	7.1	39.2	174.6	60.6	92.6	21.4	35.6	53.5	24.9	35.6	.....	32.1	60.6	174.6	3.6
.....	7.3	33.0	282.1	135.6	87.9	69.6	117.2	69.6	55.0	95.3	7.3	117.2	80.6	252.8	.....
.....	13.6	31.8	381.3	136.2	59.0	68.1	136.2	86.2	95.3	54.5	13.6	77.2	45.4	254.2	22.7
.....	6.1	24.3	133.4	151.6	72.7	60.6	97.0	60.6	36.4	54.6	24.3	72.7	30.3	115.2	6.1
6.6	.....	26.6	226.2	226.2	119.7	86.5	126.4	86.5	93.1	73.2	.....	106.4	46.6	159.7	.....
.....	8.0	19.9	147.3	159.2	71.7	35.8	99.5	71.7	47.8	51.7	.....	51.7	111.5	119.4	8.0
.....	.....	15.8	174.3	87.1	55.5	63.4	67.3	67.3	31.7	59.4	.....	39.6	47.5	134.7	7.9
.....	11.8	27.6	106.4	141.8	27.6	63.0	47.3	63.0	51.2	74.9	3.9	55.2	94.6	145.8	.....
.....	7.8	19.6	160.7	133.3	47.0	62.7	70.6	109.7	35.3	70.6	7.8	54.9	58.8	133.3	3.9
.....	39.0	7.8	144.3	93.6	70.2	58.5	35.1	70.2	54.6	54.6	.....	50.7	39.0	93.7	3.9
.....	6.8	68.0	169.9	88.4	74.8	54.4	88.4	115.5	40.8	40.8	.....	81.6	115.5	115.5	13.6
6.8	13.5	54.1	142.0	54.1	94.7	87.9	108.2	121.7	27.1	54.1	.....	33.8	115.0	108.2	13.5
.....	.....	53.8	80.8	67.3	47.1	47.1	121.1	60.6	6.7	60.6	.....	74.0	47.1	127.9	.....
6.7	.....	113.8	53.5	40.2	87.1	53.5	73.7	87.1	20.1	6.7	13.4	113.8	20.1	67.0	20.1
.....	.....	26.7	80.0	66.6	86.6	86.6	80.0	80.0	33.3	126.6	.....	66.6	60.0	119.9	.....
.....	10.1	20.1	130.8	120.7	75.5	80.5	95.6	85.5	50.3	45.3	5.0	15.1	65.4	161.0	15.1
.....	11.1	38.9	116.8	105.7	77.8	83.4	111.2	77.8	38.9	38.9	.....	94.5	66.7	150.1	16.7
5.5	16.6	27.7	132.9	60.9	138.5	72.0	38.8	60.9	44.3	77.3	5.5	44.3	27.7	166.2	5.5
.....	44.1	22.1	143.5	110.4	60.7	71.8	93.8	88.3	60.7	38.6	5.5	60.7	27.6	132.4	5.5
.....	5.5	22.0	153.9	104.4	88.0	49.5	27.5	77.0	22.0	27.5	.....	82.4	22.0	175.9	5.5
9.6	9.6	38.3	186.8	81.4	148.5	62.3	153.3	76.6	43.1	43.1	19.2	24.0	43.1	138.9	.....
4.7	.....	23.6	108.5	47.2	84.9	75.5	108.5	66.1	23.6	56.6	.....	94.4	51.9	184.0	4.7
.....	13.9	41.8	97.6	83.7	106.9	60.4	97.6	83.7	13.9	120.9	.....	32.5	65.1	83.7	.....
.....	4.6	32.0	91.6	82.4	50.4	41.2	55.0	64.1	36.6	55.0	.....	41.2	22.9	165.3	9.2
.....	4.5	27.1	162.5	99.3	81.3	54.2	85.8	58.7	40.6	63.2	.....	63.2	22.6	112.8	9.0
.....	10.2	40.8	163.3	88.5	68.1	51.0	68.1	88.5	51.0	51.0	17.0	61.3	71.5	149.7	6.8
3.4	10.2	54.2	132.1	98.2	81.3	57.6	64.3	81.3	20.3	33.9	10.2	54.2	37.3	199.8	6.8
3.4	13.5	23.6	141.6	111.3	67.4	30.4	77.5	94.4	37.1	77.5	.....	50.6	84.3	161.8	6.7
.....	6.7	33.6	157.7	134.3	47.0	40.3	87.3	63.8	83.9	50.3	10.1	63.8	30.2	151.0	3.3
.....	23.4	33.4	160.4	127.0	120.3	36.7	63.5	83.5	53.5	53.5	10.0	66.8	46.8	140.3	6.7
.....	4.9	39.1	136.9	97.8	156.4	63.5	102.7	53.8	68.4	97.8	9.8	24.4	68.4	127.1	19.6
.....	14.5	19.4	106.6	126.0	116.3	48.4	96.9	82.4	58.1	63.0	.....	29.1	38.8	96.9	9.7
.....	4.8	9.6	105.7	86.5	48.0	28.8	100.9	33.6	67.3	52.8	.....	19.2	9.6	134.5	9.6
.....	.....	14.3	147.6	128.6	80.9	28.6	66.6	76.2	42.8	19.0	4.8	76.2	9.5	123.8	4.8
.....	23.6	37.8	108.6	155.8	146.3	61.4	85.0	85.0	85.0	61.4	14.2	85.0	42.5	122.7	4.7
.....	28.7	19.1	181.9	47.9	76.6	67.0	57.4	86.2	76.6	67.0	9.6	19.1	19.1	124.4	.....
.....	18.8	37.7	75.4	66.0	103.7	84.8	188.5	66.0	56.5	28.3	.....	56.5	66.0	131.9	9.4
.....	27.8	9.3	83.5	83.5	64.9	37.1	111.3	83.5	83.5	102.1	.....	37.1	.....	139.2	.....
18.3	18.3	27.4	73.1	118.8	73.1	54.8	54.8	73.1	73.1	54.8	18.3	73.1	18.3	100.6	.....
9.0	63.0	36.0	126.1	81.0	27.0	36.0	90.0	45.0	9.0	27.0	9.0	90.0	18.0	117.1	9.0
8.5	.....	21.2	123.3	127.5	59.5	51.0	76.5	85.0	38.2	38.2	.....	63.8	68.0	208.2	8.5
4.2	.....	29.7	110.4	148.6	55.2	51.0	34.0	68.0	68.0	63.7	8.5	89.2	25.5	157.1	4.2
.....	.....	25.5	131.5	127.3	25.5	46.7	59.4	76.4	38.2	50.9	.....	42.4	72.1	169.7	8.5
.....	8.5	12.7	131.4	173.9	33.9	33.9	72.1	55.1	38.2	21.2	4.2	55.1	25.4	118.7	.....
8.5	12.7	21.2	144.1	241.5	46.6	67.8	42.4	101.7	72.0	16.9	.....	55.1	21.2	211.8	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.													
Ohio county	1900	1,587.6	63.5	21.2	.....	21.2	.....	.....	.....	21.2	190.5	.....	63.5
	1901	1,148.6	21.3	.....	.....	.....	.....	.....	.....	42.5	255.3	.....	63.8
	1902	1,325.4	64.1	.....	.....	21.4	.....	.....	.....	.....	171.0	42.8	.....
	1903	1,546.7	64.4	.....	.....	.....	.....	.....	.....	21.5	257.8	.....	64.4
	1904	1,511.2	21.6	.....	.....	.....	.....	21.6	21.6	.....	215.9	64.7	43.2
Orange county	1900	1,477.4	53.4	23.7	.....	5.9	5.9	.....	35.6	29.7	243.3	11.9	29.7
	1901	1,441.0	70.3	23.4	.....	5.9	5.9	23.4	5.9	82.0	216.7	17.6	23.4
	1902	1,058.4	63.6	.....	.....	.....	5.8	5.8	17.4	40.5	208.2	28.9	28.9
	1903	1,045.2	68.5	5.7	.....	.....	5.7	5.7	34.3	22.9	211.3	17.1	28.6
	1904	1,483.7	45.1	5.6	11.3	62.1	.....	5.6	.....	16.9	293.4	28.2	39.5
Owen county	1900	1,366.4	79.2	13.2	.....	6.6	.....	6.6	6.6	6.6	191.5	6.6	13.2
	1901	1,438.0	39.6	.....	.....	6.5	13.2	13.2	.....	33.0	270.5	19.8	52.8
	1902	1,245.8	98.9	6.6	.....	13.2	13.2	.....	6.6	39.5	178.0	6.6	39.3
	1903	1,007.8	46.1	.....	19.8	32.9	.....	.....	26.3	.....	158.1	26.3	32.9
	1904	1,178.2	26.3	6.6	.....	19.7	6.6	6.6	6.6	39.5	177.7	13.2	46.1
Parke county	1900	1,134.8	60.9	17.4	.....	.....	.....	17.4	13.0	8.7	178.3	4.3	30.4
	1901	1,190.4	60.2	8.6	.....	4.3	4.3	.....	17.2	51.6	167.6	12.9	34.4
	1902	1,185.2	29.7	12.7	.....	8.5	4.2	8.5	8.5	29.8	110.5	17.0	34.0
	1903	1,087.8	12.6	4.2	4.2	12.6	16.8	12.6	4.2	16.8	163.8	12.6	42.0
	1904	1,391.2	45.7	.....	.....	74.8	4.1	4.1	8.3	.....	132.9	20.8	58.1
Perry county	1900	1,443.2	69.2	16.0	.....	.....	5.3	32.0	21.3	5.3	170.4	.....	26.6
	1901	1,428.4	53.1	10.6	.....	.....	10.6	10.6	37.2	53.1	175.2	.....	42.5
	1902	1,355.5	42.4	10.6	10.6	.....	.....	5.3	21.2	10.6	206.5	15.9	47.7
	1903	1,056.0	52.8	10.6	15.8	.....	21.1	10.6	26.4	15.8	174.3	15.8	37.0
	1904	1,453.1	47.4	5.3	.....	42.1	5.3	10.5	42.1	26.3	205.3	26.3	26.3
Pike county	1900	1,586.4	63.5	24.4	.....	.....	.....	.....	24.4	19.5	219.7	24.4	29.3
	1901	1,726.3	82.2	38.7	.....	9.7	.....	19.3	9.7	38.7	246.6	24.2	43.5
	1902	1,638.4	119.8	14.4	.....	23.9	4.8	52.7	28.7	.....	287.4	28.7	47.9
	1903	1,262.6	80.7	14.2	.....	.....	4.7	14.2	47.5	23.7	180.4	9.5	42.7
	1904	1,683.8	42.3	14.1	.....	32.9	14.1	18.8	9.4	18.8	296.3	37.6	28.2
Porter county	1900	1,309.0	20.9	10.4	5.2	.....	15.6	20.9	15.6	46.9	109.6	5.2	36.5
	1901	1,234.0	15.6	20.7	.....	10.4	5.2	5.2	46.6	51.8	67.4	15.6	57.0
	1902	1,221.7	25.8	.....	.....	.....	5.1	5.1	10.3	10.3	108.3	30.9	56.7
	1903	1,342.8	20.5	.....	.....	20.5	5.1	20.5	15.4	20.5	97.4	10.3	66.6
	1904	1,488.0	20.4	.....	.....	5.1	.....	.....	30.6	45.9	142.7	10.2	66.2
Posey county	1900	1,737.3	76.1	26.9	17.9	4.5	4.5	8.9	13.4	13.4	223.9	26.9	22.4
	1901	1,914.1	66.9	49.1	.....	22.3	22.3	40.2	26.8	75.8	196.3	26.8	49.1
	1902	1,582.7	102.3	17.8	.....	4.4	31.1	26.7	17.8	8.9	235.6	26.7	26.7
	1903	1,103.1	44.3	13.3	.....	.....	8.9	4.4	.....	22.1	155.0	13.3	44.3
	1904	1,311.1	53.0	4.4	.....	4.4	.....	4.4	17.7	17.7	198.7	26.5	61.8
Pulaski county	1900	1,111.7	28.5	14.2	.....	.....	21.4	.....	28.5	14.2	78.4	7.1	7.1
	1901	1,027.0	27.9	41.9	.....	.....	.....	7.0	21.0	21.0	104.8	7.0	34.9
	1902	966.2	27.4	13.7	.....	13.7	.....	27.4	20.6	6.9	143.9	.....	13.7
	1903	779.9	20.2	6.7	.....	6.7	6.7	.....	13.4	20.2	67.2	.....	20.2
	1904	864.6	19.8	.....	.....	6.6	.....	.....	6.6	.....	79.2	19.8	13.2
Putnam county	1900	1,289.7	32.6	14.0	.....	4.7	.....	4.7	41.9	18.6	195.5	18.6	27.9
	1901	1,308.9	42.1	.....	.....	9.3	.....	9.3	4.7	46.7	182.3	18.7	56.1
	1902	1,337.7	56.3	.....	.....	9.4	14.1	.....	9.4	14.1	183.0	.....	51.6
	1903	1,145.1	37.7	9.4	9.4	4.7	4.7	.....	4.7	28.3	174.4	14.1	70.7
	1904	1,433.7	23.7	14.2	.....	28.4	.....	14.2	18.9	18.9	231.9	33.1	52.0
Randolph county	1900	1,235.5	17.5	7.0	.....	.....	3.5	17.5	34.9	10.5	153.6	27.9	27.9
	1901	1,358.4	31.3	.....	.....	38.3	.....	.....	3.5	31.3	174.2	38.3	59.2
	1902	1,234.1	38.2	3.5	.....	3.5	7.0	3.5	3.5	10.4	163.4	24.3	38.2
	1903	1,193.4	24.3	6.9	24.3	.....	.....	6.9	3.5	13.9	138.8	24.3	55.5
	1904	1,236.1	38.1	.....	.....	17.3	6.9	.....	10.4	24.2	162.8	24.2	48.5
Ripley county	1900	1,483.8	50.3	10.1	.....	.....	5.0	.....	5.0	35.2	261.6	15.1	30.2
	1901	1,334.4	50.2	10.0	.....	.....	.....	10.0	.....	60.2	150.5	40.1	35.1
	1902	1,050.7	40.0	.....	.....	15.0	.....	.....	5.0	5.0	145.1	35.0	55.0
	1903	1,052.9	44.9	5.0	5.0	.....	.....	5.0	39.9	5.0	174.6	20.0	64.9
	1904	1,244.2	49.8	14.9	.....	24.9	10.0	.....	10.0	39.8	194.1	14.9	29.9
Rush county	1900	1,424.5	74.5	14.9	.....	.....	.....	9.9	29.8	34.7	218.4	34.7	64.5
	1901	1,337.7	24.7	9.9	.....	9.9	4.9	4.9	4.9	44.4	162.9	29.6	54.3
	1902	1,227.3	54.0	.....	.....	.....	.....	4.9	.....	9.8	137.5	34.4	68.7
	1903	1,137.6	43.9	4.9	.....	.....	9.8	4.9	4.9	19.5	107.4	19.5	92.8
	1904	1,248.1	43.7	4.9	.....	9.7	19.4	14.6	.....	24.3	145.7	29.1	102.0
St. Joseph county	1900	1,464.0	42.4	6.8	.....	5.1	1.7	8.5	129.1	13.6	149.5	6.8	34.0
	1901	1,172.0	30.3	4.3	.....	.....	8.6	8.6	8.6	51.9	108.1	21.6	26.0
	1902	1,013.4	25.8	4.3	34.3	.....	.....	8.6	21.5	4.3	81.6	25.8	55.8
	1903	1,950.6	42.6	4.2	.....	29.8	34.1	4.2	34.1	17.0	208.7	34.1	76.7
	1904	1,635.7	21.1	.....	.....	8.4	33.7	16.9	8.4	25.3	172.9	25.3	101.2
Scott county	1900	1,865.9	60.2	.....	.....	.....	.....	24.1	36.1	36.1	325.0	12.0	72.2
	1901	1,436.4	35.9	.....	.....	.....	35.9	35.9	35.9	83.8	203.5	47.9	59.8
	1902	1,404.6	59.5	.....	.....	.....	.....	.....	.....	47.6	214.3	23.8	35.7
	1903	1,171.9	35.5	.....	.....	.....	.....	.....	11.8	23.7	213.1	11.8	71.1
	1904	1,436.1	47.1	11.8	.....	35.3	.....	11.8	.....	82.4	364.9	11.8	47.1
Shelby county	1900	1,268.4	37.7	7.5	.....	.....	7.5	18.9	11.3	18.9	196.3	11.3	45.3
	1901	1,312.3	56.4	7.5	.....	3.8	.....	.....	22.6	41.4	191.7	15.0	52.6
	1902	1,367.1	74.9	.....	3.7	22.5	22.5	3.7	7.5	15.0	131.1	7.5	56.2
	1903	1,264.8	52.2	.....	.....	.....	3.7	18.7	7.5	14.9	145.5	44.8	59.7
	1904	1,330.5	44.6	.....	.....	18.6	3.7	7.4	3.7	18.6	171.0	22.3	55.8

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	63.5	105.8	127.0	148.2	21.2	211.6	21.2	84.7	42.3	.....	42.3	84.7	254.0	.....
.....	.....	21.3	106.4	85.1	42.5	.....	42.5	85.1	42.5	63.8	.....	63.8	42.5	170.2	.....
.....	.....	.....	213.8	171.0	42.8	42.8	21.4	149.6	128.2	.....	.....	21.4	106.9	128.2	.....
.....	.....	.....	128.9	214.8	214.8	85.9	21.5	43.0	85.9	43.0	21.5	171.9	21.5	85.9	.....
.....	.....	21.6	151.1	237.5	129.6	21.6	151.1	64.7	64.7	43.2	43.2	64.7	21.6	108.0	.....
.....	5.9	35.6	124.6	77.1	178.0	59.3	112.8	89.0	17.8	59.3	.....	29.7	53.4	154.3	41.5
.....	5.9	29.3	181.6	46.9	111.3	87.8	93.7	52.7	23.4	46.9	11.7	52.7	70.3	146.4	5.9
.....	.....	23.1	92.5	63.6	46.3	57.8	52.1	57.8	11.6	98.3	.....	17.4	34.7	104.1	.....
.....	11.4	11.4	85.7	74.3	68.5	51.4	51.4	68.5	40.0	68.5	5.7	45.7	22.9	40.0	.....
.....	5.6	16.9	95.9	95.9	107.2	73.3	135.4	67.7	39.5	101.6	.....	56.4	45.1	107.3	28.2
.....	13.2	19.8	105.6	118.8	171.7	19.8	158.4	72.6	52.8	52.8	.....	46.2	72.6	132.0	.....
.....	19.8	13.2	125.3	46.2	92.4	72.6	118.7	72.6	72.6	98.9	6.5	59.4	39.6	145.1	6.5
.....	13.2	19.8	151.6	112.1	118.6	52.7	52.7	59.3	26.4	32.9	6.6	52.7	26.4	98.9	.....
6.6	6.6	19.8	131.7	92.2	79.1	13.2	32.9	59.3	79.1	26.3	6.6	39.5	13.2	59.3	.....
.....	6.6	13.2	118.5	131.6	151.4	65.8	59.2	52.7	39.5	19.7	19.7	52.6	13.2	79.0	6.6
.....	4.3	34.8	117.4	60.9	95.7	21.8	117.4	69.6	13.0	30.4	.....	47.8	95.7	91.3	4.3
.....	8.6	25.8	167.6	55.9	77.3	60.1	94.5	64.5	17.2	34.4	8.6	85.9	30.1	94.5	4.3
.....	12.7	12.7	123.2	89.2	106.2	46.7	97.7	68.0	25.5	119.0	8.5	85.0	25.5	97.7	4.2
4.2	4.2	21.0	88.2	100.8	84.0	25.2	71.4	75.6	25.2	29.4	21.0	113.4	46.2	71.4	4.2
.....	12.5	58.1	166.1	124.6	99.7	58.1	137.1	66.5	29.1	54.0	8.3	78.9	33.2	112.1	4.1
.....	.....	16.0	117.2	90.5	186.4	58.6	95.9	69.2	58.6	47.9	5.3	95.9	85.2	165.1	5.3
.....	5.3	26.6	191.2	74.3	148.7	53.1	95.6	69.0	21.2	85.0	.....	31.9	74.3	138.1	21.2
5.3	10.6	15.9	95.3	95.3	148.2	42.4	90.0	90.0	31.8	63.5	.....	68.8	52.9	169.4	5.3
.....	.....	15.8	73.9	52.8	42.2	52.8	47.5	105.6	37.0	52.8	.....	42.2	68.7	79.2	5.3
.....	10.5	31.6	89.5	84.3	110.6	79.0	79.0	63.2	42.1	121.1	.....	73.7	57.9	163.2	10.5
.....	19.5	39.1	92.7	48.8	205.0	53.7	161.1	68.3	58.6	102.5	4.9	53.7	107.4	146.4	19.5
.....	.....	33.8	125.7	48.4	207.9	82.2	96.7	87.1	38.7	140.2	.....	82.2	140.2	130.6	.....
.....	.....	47.9	62.3	115.0	134.1	100.6	177.3	81.4	19.2	86.2	9.6	62.3	14.4	105.4	14.4
.....	4.7	57.0	80.7	128.2	66.5	23.7	85.5	52.2	47.5	66.5	.....	61.7	23.7	147.1	.....
.....	9.4	32.9	61.2	75.3	103.5	70.6	225.8	75.3	47.0	183.4	.....	75.3	28.2	178.7	4.7
.....	.....	15.6	140.8	104.3	99.1	125.2	104.3	93.9	62.6	62.6	10.4	67.8	46.9	88.7	.....
.....	5.2	10.4	119.2	124.4	103.7	62.2	77.8	98.5	51.8	72.6	5.2	77.8	15.6	114.1	.....
.....	10.3	10.3	134.0	103.1	92.8	82.5	61.9	92.8	67.0	92.8	.....	87.7	25.8	97.9	10.3
.....	20.5	20.5	112.8	164.0	107.7	87.1	66.6	87.1	87.1	25.6	15.4	87.1	25.6	158.9	.....
.....	5.1	25.5	178.4	163.0	137.6	81.5	86.6	96.8	81.5	30.6	10.2	71.3	20.4	178.4	.....
4.5	4.5	80.6	116.4	85.1	161.2	94.0	165.7	89.5	67.2	103.0	13.4	71.6	67.2	152.2	22.4
.....	13.4	80.3	102.6	120.5	178.5	129.4	200.8	116.0	53.5	71.4	13.4	75.8	53.5	111.6	17.8
.....	17.8	31.1	93.4	48.9	115.6	66.7	168.9	102.3	62.2	93.4	.....	80.0	40.0	151.1	13.3
.....	.....	22.1	70.9	84.2	39.9	44.3	101.9	88.6	53.2	57.6	4.4	88.6	26.6	101.9	13.3
.....	8.8	22.1	106.0	92.7	88.3	75.0	132.4	97.1	53.0	39.7	8.8	39.7	22.1	132.4	4.4
.....	.....	14.2	71.3	49.9	114.0	142.5	64.2	71.3	42.8	35.7	.....	85.5	85.5	57.0	78.4
.....	.....	.....	139.7	69.9	104.8	14.0	97.8	7.0	76.8	69.8	.....	21.0	27.9	118.8	14.0
.....	6.9	13.7	54.8	54.8	68.5	20.6	68.5	82.2	27.4	82.2	6.9	41.1	41.1	102.8	27.4
.....	.....	6.7	80.7	67.2	26.9	40.4	47.1	13.4	40.4	67.2	.....	53.8	53.8	107.6	13.4
.....	6.6	13.2	105.6	79.2	59.4	39.6	39.6	59.4	52.8	46.2	6.6	33.0	39.6	132.0	6.6
.....	14.0	41.9	139.7	65.2	69.8	93.1	79.1	83.8	55.9	116.4	.....	41.9	41.9	74.5	14.0
4.7	14.0	4.7	144.9	112.2	84.2	84.2	60.8	74.8	65.4	70.1	9.3	79.5	18.7	112.2	.....
4.7	4.7	32.9	84.5	84.5	98.6	51.6	98.6	46.9	51.6	154.9	4.7	75.1	61.0	145.5	.....
.....	14.1	14.1	89.6	94.3	80.1	37.7	75.4	56.6	37.7	84.8	4.7	42.4	33.0	122.5	.....
.....	9.5	9.5	123.0	108.8	80.4	66.3	52.0	89.9	75.7	142.0	14.2	61.5	28.4	137.2	.....
.....	31.4	27.9	150.1	76.8	69.8	55.8	66.3	41.9	34.9	59.3	.....	62.8	66.3	164.0	27.9
.....	10.4	59.2	132.4	97.5	83.6	87.1	115.0	66.2	55.7	59.2	7.0	24.4	38.3	146.3	.....
3.5	17.4	27.8	132.1	111.3	45.2	76.5	45.2	83.4	38.2	93.9	7.0	24.3	38.2	184.2	10.4
.....	6.9	17.4	111.0	121.4	79.8	52.0	65.9	93.7	65.9	52.0	13.9	59.0	13.9	142.2	.....
.....	13.9	17.3	107.4	138.5	76.2	62.3	65.8	90.0	72.7	51.9	10.4	34.6	31.2	124.6	6.9
5.0	10.1	35.2	171.0	75.4	95.6	55.3	60.4	110.7	25.1	60.4	10.1	90.5	75.4	186.1	5.0
5.0	15.1	50.2	100.3	55.2	110.4	95.3	50.2	75.3	40.1	65.2	20.1	70.2	50.2	165.5	10.0
.....	20.0	25.0	70.1	40.0	70.1	50.0	80.1	65.1	50.0	80.1	.....	25.0	35.0	135.1	5.0
.....	5.0	29.9	104.8	44.9	79.8	39.9	44.9	94.8	29.9	25.0	25.0	54.9	25.0	94.8	.....
5.0	5.0	19.9	129.4	69.7	109.5	54.7	79.6	89.6	34.8	59.7	.....	74.6	10.0	99.5	14.9
.....	19.9	34.7	139.0	119.1	54.6	44.7	54.6	119.1	54.6	44.7	9.9	29.8	59.6	148.9	9.9
.....	34.6	24.7	177.7	69.1	108.6	69.1	69.1	98.8	44.4	64.2	4.9	29.6	59.3	128.3	4.9
.....	4.9	.....	157.1	103.1	98.2	68.7	29.5	63.8	54.0	93.3	.....	63.8	44.2	127.6	9.8
4.9	19.5	53.7	102.5	136.7	34.2	24.4	53.7	117.2	53.7	24.4	4.9	48.8	9.8	141.6	.....
4.9	19.4	29.1	136.0	97.1	43.7	43.7	77.7	68.0	43.7	72.8	4.9	77.7	14.6	116.5	4.9
5.1	11.9	34.0	159.6	96.8	96.8	47.5	103.6	73.0	44.1	49.3	8.5	93.4	101.9	134.2	6.8
.....	13.0	21.6	121.1	90.8	73.5	64.9	64.9	90.8	60.6	60.6	8.6	64.9	47.6	121.1	.....
.....	8.6	17.2	103.1	124.5	77.3	47.2	47.2	64.4	73.0	34.3	.....	38.6	12.9	98.8	4.3
.....	12.8	34.1	217.2	183.1	153.3	72.4	161.8	106.5	93.7	63.9	21.3	76.7	98.0	144.8	25.5
.....	8.4	21.1	139.1	134.9	80.1	88.5	63.2	97.0	109.6	134.9	4.2	105.4	71.7	160.2	4.2
.....	.....	60.2	132.4	84.3	180.6	72.2	180.6	120.4	24.1	36.1	12.0	96.3	108.4	180.6	12.0
12.0	.....	35.9	47.9	95.8	95.8	83.8	47.9	71.8	59.8	.....	23.9	35.9	59.8	215.5	12.0
.....	23.8	23.8	107.1	107.1	142.9	83.4	47.6	71.4	47.6	47.6	11.9	35.7	59.5	214.3	.....
.....	23.7	.....	130.2	118.4	59.2	59.2	47.3	47.3	47.3	23.7	11.8	71.1	35.5	130.2	.....
.....	11.8	.....	94.2	105.9	105.9	23.5	47.1	35.3	70.6	94.2	.....	70.6	.....	164.8	.....
3.8	11.3	30.2	128.4	86.8	83.1	45.3	94.4	52.9	60.4	60.4	3.8	49.1	71.7	120.8	11.3
.....	11.3	22.6	97.8	94.0	90.2	56.4	94.0	71.4	56.4	86.5	.....	56.4	56.4	116.6	11.3
.....	15.0	26.2	127.4	78.7	86.1	63.7	59.9	116.1	48.7	149.8	.....	48.7	44.9	157.3	.....
3.7	11.2	7.5	111.9	100.8	74.6	59.7	97.0	74.6	82.1	70.9	14.9	52.2	18.7	138.0	.....
.....	3.7	22.3	152.4	118.9	78.0	66.9	48.3	66.9	66.9	55.8	11.1	92.9	18.6	178.4	3.7

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.												
Spencer county.....1900..	1,655.7	116.0	17.8	.....	.....	.....	8.9	31.2	8.9	183.0	13.4	49.1
1901..	1,350.1	62.4	17.8	4.4	22.3	8.9	31.2	22.3	31.2	227.2	22.3	31.2
1902..	1,405.9	71.2	8.9	.....	17.8	13.3	22.2	.....	22.2	204.7	4.4	40.0
1903..	937.2	48.9	.....	.....	.....	17.8	22.2	26.6	17.8	106.6	8.9	26.6
1904..	1,139.8	31.1	8.9	.....	.....	13.3	4.4	8.9	22.2	221.8	13.3	17.3
Starke county.....1900..	1,188.8	57.5	38.3	.....	9.6	9.6	.....	38.3	9.6	86.3	9.6	19.2
1901..	1,368.7	37.3	27.9	.....	.....	.....	18.6	65.2	27.9	111.7	9.3	65.2
1902..	1,149.4	54.3	45.3	.....	.....	.....	18.1	.....	18.1	81.4	.....	72.4
1903..	1,153.4	52.8	26.4	.....	8.8	.....	17.6	.....	17.6	123.3	8.8	17.6
1904..	1,011.4	17.1	25.7	.....	.....	8.6	17.1	17.1	34.3	77.1	8.6	25.7
Steuben county.....1900..	1,143.3	52.6	6.6	.....	6.6	6.6	.....	.....	13.1	105.2	6.6	46.0
1901..	1,111.6	13.1	.....	.....	.....	13.1	.....	.....	78.4	85.0	6.5	26.2
1902..	1,080.2	19.5	6.5	.....	.....	19.5	.....	13.0	13.0	104.1	6.5	104.1
1903..	1,133.3	19.4	.....	.....	6.5	6.5	.....	19.4	45.3	97.1	19.4	64.8
1904..	1,140.8	12.9	6.4	.....	12.9	.....	19.3	6.4	19.3	58.0	12.9	64.5
Sullivan county.....1900..	1,384.3	65.4	23.1	.....	3.8	.....	11.5	46.1	11.5	173.1	7.7	42.3
1901..	1,567.1	37.9	11.4	.....	41.6	.....	26.5	34.1	41.6	219.5	11.4	45.4
1902..	1,267.2	70.8	11.2	3.7	3.7	.....	33.5	14.9	14.9	160.3	7.5	26.1
1903..	1,097.5	29.4	14.7	7.3	3.7	22.0	7.3	22.0	3.7	165.2	18.4	58.7
1904..	1,511.4	39.8	10.8	36.2	50.6	10.8	3.6	25.3	7.2	227.8	18.1	50.6
Switzerland county.....1900..	1,478.0	50.7	.....	.....	8.4	.....	.....	.....	8.4	295.6	16.9	33.8
1901..	1,291.1	25.5	.....	.....	.....	.....	.....	17.0	25.5	212.3	17.0	84.9
1902..	1,341.2	34.2	.....	.....	.....	17.1	8.5	59.8	8.5	179.4	25.6	68.3
1903..	1,091.2	17.2	8.6	.....	.....	.....	34.4	.....	25.8	171.9	.....	68.7
1904..	1,382.6	51.8	8.6	.....	8.6	.....	.....	.....	8.6	267.9	8.6	86.5
Tippecanoe county.....1900..	1,192.6	43.8	.....	.....	.....	.....	.....	43.8	19.5	107.1	9.7	29.2
1901..	1,187.6	24.1	.....	.....	14.5	.....	14.5	9.7	33.8	140.0	24.1	53.1
1902..	833.1	33.5	9.6	.....	.....	4.8	.....	.....	9.6	100.5	9.6	28.7
1903..	949.8	19.0	.....	4.7	.....	.....	.....	4.7	23.7	147.3	19.0	42.8
1904..	1,173.0	9.4	14.1	.....	14.1	4.7	.....	18.8	33.0	141.3	9.4	37.7
Tipton county.....1900..	1,428.1	73.2	5.2	.....	.....	5.2	5.2	26.2	5.2	172.7	31.4	41.8
1901..	1,290.9	83.3	.....	.....	5.2	15.6	10.4	31.2	15.6	140.5	31.2	72.9
1902..	1,160.1	36.2	5.2	.....	5.2	.....	15.5	5.2	5.2	150.2	51.8	51.8
1903..	1,205.9	41.2	5.2	.....	.....	10.3	20.6	20.6	5.2	144.3	51.5	46.4
1904..	1,071.8	25.6	.....	.....	35.9	.....	10.2	10.2	5.1	123.1	10.2	41.0
Union county.....1900..	1,378.2	29.6	14.8	.....	.....	.....	.....	44.5	29.6	148.2	29.6	.....
1901..	1,145.5	14.9	.....	.....	.....	.....	.....	.....	14.9	133.9	.....	.....
1902..	1,374.0	29.9	.....	.....	.....	29.9	.....	14.9	.....	149.4	44.8	89.6
1903..	1,244.4	15.0	15.0	.....	.....	.....	.....	45.0	.....	179.9	30.0	15.0
1904..	1,505.1	45.1	.....	.....	45.1	.....	15.1	15.1	15.1	165.6	75.3	45.1
Vanderburg county.....1900..	1,700.4	39.2	23.5	7.8	.....	.....	.....	15.7	7.8	203.7	47.0	47.0
1901..	1,774.2	45.7	.....	.....	.....	7.6	.....	.....	38.1	220.8	7.6	45.7
1902..	1,451.4	29.6	.....	.....	.....	.....	.....	.....	7.4	148.1	37.0	59.2
1903..	1,160.4	36.0	21.6	14.4	.....	14.4	.....	.....	.....	194.6	.....	36.0
1904..	1,375.8	70.2	.....	.....	.....	14.0	7.0	14.0	28.1	196.5	35.1	28.1
Vermilion county.....1900..	1,232.6	59.0	19.7	.....	.....	6.5	6.5	26.2	32.8	111.5	32.8	39.3
1901..	1,513.4	32.3	12.9	6.5	.....	.....	12.9	19.4	116.4	239.3	19.4	38.8
1902..	1,429.3	44.7	.....	.....	38.3	.....	.....	6.4	19.1	172.3	12.8	19.1
1903..	1,227.8	18.9	12.6	18.9	6.3	18.9	12.6	6.3	18.9	113.3	18.9	63.0
1904..	1,789.7	43.5	18.7	.....	49.7	12.4	.....	18.7	49.7	161.6	18.7	37.3
Vigo county.....1900..	1,238.1	59.2	23.7	.....	.....	7.9	7.9	27.6	23.7	114.4	3.9	23.7
1901..	1,223.9	42.5	23.2	.....	15.4	3.9	19.3	38.6	30.9	112.0	.....	15.4
1902..	839.7	45.4	3.8	.....	7.6	3.8	15.1	26.5	18.9	98.4	3.8	7.6
1903..	900.8	29.7	11.1	11.1	.....	14.8	11.1	14.8	18.5	137.2	11.1	33.4
1904..	1,119.4	47.2	3.6	72.7	50.9	14.5	10.9	3.6	10.9	145.4	10.9	32.7
Wabash county.....1900..	1,147.5	49.6	3.5	.....	14.2	.....	7.1	17.7	17.7	77.9	7.1	39.0
1901..	1,250.8	20.5	.....	.....	.....	.....	.....	20.5	35.9	143.5	15.4	46.1
1902..	1,108.4	56.7	.....	.....	.....	5.1	.....	15.5	.....	72.2	10.3	51.5
1903..	1,037.0	25.9	5.2	.....	5.2	20.7	20.7	5.2	20.7	103.7	36.3	36.3
1904..	1,142.0	31.3	.....	5.2	15.6	.....	.....	20.9	31.3	151.2	5.2	62.6
Warren county.....1900..	1,134.5	.....	8.8	.....	.....	.....	.....	44.0	8.8	114.3	26.4	8.8
1901..	946.3	43.8	.....	.....	.....	8.8	.....	8.8	26.3	43.8	8.8	26.3
1902..	855.5	43.6	8.7	.....	.....	.....	.....	17.5	26.2	96.1	17.5	34.9
1903..	965.5	17.4	.....	8.7	.....	.....	.....	.....	17.4	173.9	8.7	52.2
1904..	1,022.6	17.3	8.7	8.7	8.7	.....	.....	.....	17.3	173.4	.....	26.0
Warrick county.....1900..	1,925.7	85.1	94.0	.....	4.5	.....	71.7	62.7	31.3	156.7	26.9	49.3
1901..	1,416.7	102.5	44.6	.....	.....	.....	.....	53.5	57.9	138.1	35.6	57.9
1902..	1,285.3	62.0	8.9	13.3	13.3	.....	13.3	13.3	13.3	195.0	31.0	31.0
1903..	965.6	30.9	13.2	.....	.....	8.8	4.4	22.0	8.8	92.6	4.4	17.6
1904..	1,241.4	43.9	21.9	4.4	35.1	17.5	35.1	13.2	8.8	179.8	21.9	57.0
Washington county.....1900..	1,545.7	72.1	10.3	10.3	5.1	10.3	5.1	5.1	10.3	185.5	10.3	41.2
1901..	1,529.1	77.0	15.4	5.1	15.4	.....	20.5	10.3	41.1	169.3	25.7	77.0
1902..	1,323.7	81.8	5.1	.....	5.1	10.2	15.3	10.2	5.1	189.1	25.6	46.0
1903..	1,018.0	71.2	10.2	.....	.....	5.1	.....	10.2	20.4	117.1	25.4	66.2
1904..	1,100.1	25.3	.....	.....	15.2	5.1	5.1	5.1	25.3	157.2	35.5	55.8
Wayne county.....1900..	1,595.6	33.7	4.8	.....	4.8	14.5	.....	14.5	19.3	236.2	9.6	57.8
1901..	1,848.8	62.7	.....	.....	9.6	.....	.....	.....	53.1	231.7	19.3	48.3
1902..	1,392.1	48.3	4.8	.....	9.7	9.7	4.8	9.7	.....	135.3	24.2	82.2
1903..	1,181.0	24.2	.....	.....	.....	.....	.....	4.8	29.0	96.8	19.4	38.7
1904..	1,560.7	24.2	.....	.....	4.8	4.8	4.8	.....	24.2	101.8	14.6	106.7

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	40.2	156.2	89.3	120.5	40.2	183.0	93.7	40.2	22.3	.....	84.8	111.6	223.1	22.3
.....	4.4	22.3	142.6	31.2	75.7	62.4	111.4	66.8	44.6	49.0	.....	17.8	62.4	164.9	13.4
.....	8.9	17.8	133.5	66.8	80.1	35.6	111.3	133.5	40.0	106.8	8.9	80.1	40.0	133.5	4.4
.....	4.4	8.9	93.3	57.7	62.2	40.0	57.7	80.0	35.5	31.1	.....	53.3	35.5	102.2	.....
4.4	.....	8.9	93.2	79.9	93.2	31.1	110.9	39.9	26.6	75.4	4.4	48.8	35.5	146.4	.....
.....	9.6	.....	95.9	47.9	76.7	38.3	153.4	105.5	19.2	47.9	.....	76.7	86.3	134.2	19.2
.....	9.3	9.3	139.7	83.8	121.1	65.2	149.0	111.7	9.3	27.9	9.3	55.9	74.5	111.7	27.9
.....	.....	18.1	36.2	63.4	27.2	72.4	54.3	90.5	36.2	126.7	.....	99.5	81.4	153.9	.....
.....	.....	.....	132.1	114.5	26.4	35.2	140.9	105.7	35.2	35.2	17.6	96.9	44.0	88.0	8.8
.....	.....	8.6	77.1	137.2	25.7	77.1	68.6	60.0	8.6	60.0	17.1	77.1	.....	154.4	8.6
.....	13.1	19.7	151.1	118.3	39.4	13.1	124.8	118.3	19.7	32.9	.....	39.4	65.7	124.8	19.7
.....	.....	26.2	137.3	150.4	91.5	26.2	32.7	52.3	13.1	39.2	6.5	65.4	52.3	196.2	.....
.....	6.5	26.0	104.1	149.7	84.6	39.1	58.6	78.1	19.5	19.5	6.5	32.6	52.1	110.6	6.5
.....	.....	13.0	148.9	142.5	19.4	45.3	58.3	77.7	51.8	38.9	6.5	58.3	38.9	148.9	6.5
.....	12.9	32.2	167.6	219.2	45.1	51.6	38.7	96.7	32.2	32.2	.....	45.1	19.3	135.4	.....
7.7	11.5	30.8	130.7	92.3	73.1	50.0	115.4	46.1	30.8	92.3	7.7	111.5	61.5	130.7	7.7
.....	11.4	41.6	132.5	79.5	113.5	71.9	121.1	109.8	30.3	71.9	3.8	49.2	53.0	204.4	3.8
3.7	3.7	52.2	104.3	67.1	70.8	63.4	100.6	100.6	48.5	44.7	11.2	52.2	37.3	149.1	11.2
.....	.....	29.4	99.1	77.1	40.4	25.7	102.8	55.0	40.4	22.0	7.3	88.1	40.4	106.4	11.0
.....	3.6	43.4	112.1	75.9	79.6	57.9	65.1	50.6	57.9	151.9	25.3	97.6	72.3	122.9	14.5
.....	.....	33.8	118.2	143.6	118.2	92.9	84.5	67.6	50.7	25.3	16.9	67.6	25.3	219.6	.....
.....	25.5	34.0	118.9	118.9	110.4	68.0	110.4	59.4	34.0	51.0	.....	25.5	34.0	118.9	.....
.....	25.6	8.5	145.3	136.7	76.9	42.7	119.6	42.7	34.2	128.2	.....	34.2	25.6	119.6	.....
.....	8.6	34.4	94.5	189.0	60.1	51.5	51.5	17.2	51.5	34.4	43.0	51.5	.....	77.4	.....
.....	.....	25.9	164.2	181.5	86.5	69.1	8.6	34.6	86.5	86.5	8.6	8.6	51.8	121.0	8.6
4.9	4.9	24.3	141.1	107.1	107.1	48.8	63.3	68.1	43.8	53.5	4.9	63.2	43.9	150.9	9.7
.....	9.7	4.8	197.9	67.6	67.6	67.6	53.1	72.4	48.3	29.0	.....	43.4	62.8	149.6	.....
9.6	14.4	4.8	95.8	57.4	38.3	76.6	47.9	71.8	43.1	28.7	.....	33.5	19.1	86.2	9.6
.....	.....	14.2	128.2	133.0	33.2	42.8	28.5	71.3	23.7	33.2	.....	61.8	33.2	85.5	.....
.....	.....	9.4	131.9	160.2	70.7	75.4	37.7	70.7	56.6	51.8	.....	42.4	37.7	141.3	4.7
5.2	.....	36.6	94.2	109.9	73.2	78.5	109.9	68.0	36.6	57.6	20.9	73.2	94.2	183.1	20.9
.....	15.6	20.8	83.3	83.3	57.3	41.6	114.5	78.1	57.3	67.7	10.4	46.9	67.7	140.5	.....
.....	5.2	10.4	62.1	57.0	62.1	62.1	77.7	62.1	20.7	119.1	5.2	51.8	51.8	181.3	5.2
.....	15.5	36.1	77.3	87.6	36.1	61.8	118.5	61.8	25.8	92.8	.....	77.3	46.4	123.6	.....
.....	10.2	25.6	97.5	102.7	51.3	66.7	46.2	71.8	46.2	61.6	10.2	56.4	35.9	128.2	.....
.....	14.8	14.8	163.0	163.0	118.6	103.8	44.5	103.8	29.6	29.6	14.8	59.3	74.1	148.2	.....
.....	14.9	14.9	148.8	133.9	89.2	59.5	44.6	104.1	89.2	29.8	.....	29.8	104.1	104.1	14.9
.....	.....	44.8	209.1	74.7	89.6	14.9	59.7	74.7	74.7	59.7	14.9	89.6	149.4	59.7	.....
.....	15.0	60.0	164.9	119.9	119.9	15.0	60.0	60.0	89.9	30.0	.....	45.0	60.0	104.9	.....
.....	.....	30.1	225.8	180.6	120.4	45.1	30.1	45.1	90.3	60.2	30.1	15.1	45.1	165.6	.....
.....	.....	47.0	399.6	148.9	109.7	78.4	109.7	78.4	31.3	39.2	7.8	39.2	62.7	141.1	15.7
.....	.....	45.7	312.2	121.8	91.4	83.8	83.8	53.3	45.7	76.1	30.4	106.6	83.8	274.1	.....
.....	.....	44.4	192.5	133.3	96.3	74.1	59.2	66.7	66.7	133.3	14.8	37.0	74.1	177.7	.....
7.2	7.2	.....	180.2	122.6	64.9	64.9	64.9	43.2	43.2	50.5	14.4	93.7	14.4	72.1	.....
.....	.....	28.1	168.4	133.4	91.3	56.2	98.3	70.2	63.2	63.2	.....	49.1	21.0	140.4	.....
.....	.....	6.5	98.4	45.9	124.6	52.5	65.6	78.7	45.9	32.8	.....	78.7	72.1	183.5	13.1
.....	6.5	45.3	129.3	64.7	129.3	90.5	71.2	58.2	19.4	97.0	6.5	97.0	71.2	103.5	25.9
.....	.....	31.9	114.8	51.0	140.4	95.7	95.7	95.7	76.6	76.6	12.8	108.5	19.1	165.9	31.9
6.3	6.3	6.3	163.7	107.0	88.1	63.0	94.4	63.0	12.6	63.0	18.9	107.0	63.0	44.0	12.6
.....	12.4	118.1	142.9	99.4	161.6	55.9	105.6	80.8	43.5	87.0	12.4	186.4	55.9	180.2	37.3
.....	7.9	27.6	122.2	47.3	106.5	31.5	102.5	90.7	31.5	86.7	11.8	86.7	78.9	94.6	19.7
.....	7.7	27.0	142.8	112.0	108.1	38.6	92.7	46.3	57.9	42.5	7.7	112.0	42.5	84.9	.....
.....	.....	34.0	94.6	45.4	56.7	34.0	64.3	49.2	15.1	37.8	.....	41.6	34.0	87.0	15.1
3.7	11.1	25.9	59.3	81.5	40.8	29.7	29.7	33.4	29.7	22.2	.....	85.3	33.4	114.9	7.4
.....	10.9	40.0	50.9	65.4	98.1	29.1	83.6	47.2	29.1	47.2	7.3	80.0	36.4	83.6	7.3
.....	10.6	28.3	152.3	92.1	106.3	53.1	74.4	99.2	42.5	21.2	7.1	31.9	60.2	113.3	21.2
.....	15.4	20.5	153.8	66.7	107.7	61.5	41.0	71.8	46.1	61.5	5.1	61.5	56.4	184.5	15.4
.....	15.5	20.6	144.4	82.5	41.2	61.9	87.6	72.2	51.5	56.7	5.1	61.9	15.5	154.7	25.8
.....	15.6	31.1	108.9	98.5	57.1	51.9	36.3	67.4	98.5	20.7	.....	41.5	31.1	98.5	.....
.....	10.4	26.1	88.7	99.1	104.3	46.9	31.3	88.7	78.2	41.7	5.2	57.4	10.4	125.1	5.2
.....	.....	17.6	131.9	52.8	123.1	44.0	123.1	61.6	26.4	35.2	.....	79.1	79.1	149.5	.....
.....	17.5	17.5	105.1	78.8	140.2	70.1	52.6	61.3	8.8	43.8	.....	61.3	17.5	96.4	8.8
.....	8.7	26.2	122.2	69.9	17.5	43.6	43.6	43.6	43.6	26.2	8.7	61.1	17.5	69.9	8.7
.....	8.7	.....	104.4	87.0	26.1	52.2	95.6	104.4	17.4	17.4	.....	43.5	34.8	95.7	.....
.....	8.7	26.0	78.0	121.4	52.0	69.3	69.3	60.6	60.6	52.0	.....	60.6	17.3	78.0	8.7
.....	17.9	58.2	188.1	67.2	215.0	53.7	116.4	129.9	53.7	85.1	9.0	85.1	76.1	174.7	13.4
.....	4.4	17.8	138.1	57.9	98.0	44.6	129.2	53.5	31.2	57.9	.....	66.8	44.6	173.7	8.9
.....	4.4	17.7	106.4	62.0	79.8	48.8	115.2	70.9	31.0	97.5	.....	79.8	35.5	133.0	8.9
.....	4.4	17.6	83.8	70.6	88.2	35.3	70.6	57.3	57.3	44.1	4.4	75.0	52.9	101.4	.....
.....	.....	4.4	74.6	70.2	96.5	57.0	109.7	100.9	17.5	61.4	4.4	35.1	30.7	136.0	4.4
5.1	10.3	15.5	180.4	67.0	216.4	51.5	82.5	87.6	56.7	92.8	10.3	30.9	113.4	154.6	5.1
.....	25.7	5.1	128.3	71.8	236.0	51.3	138.5	112.9	15.4	51.3	.....	92.4	35.9	102.6	5.1
.....	5.1	15.3	127.8	81.8	107.3	71.6	61.3	107.3	40.9	66.5	5.1	46.0	30.7	148.2	15.3
.....	5.1	10.2	101.8	86.5	61.1	35.6	81.4	66.2	66.2	30.5	.....	56.0	15.3	76.3	.....
5.1	10.1	10.1	71.0	136.9	101.4	25.3	86.2	65.9	76.0	30.4	.....	30.4	5.1	106.5	10.1
.....	9.6	38.6	188.0	144.6	110.9	72.3	43.4	72.3	178.4	53.0	4.8	82.0	43.4	159.1	.....
.....	14.5	33.8	294.5	178.6	120.7	67.6	62.7	86.9	86.9	101.4	14.5	38.6	43.4	280.0	.....
.....	19.3	14.5	149.9	120.8	67.7	38.7	48.3	91.8	106.3	87.0	14.5	53.2	53.2	188.5	9.7
.....	4.8	14.5	193.6	111.3	77.5	53.3	67.8	92.0	67.8	29.0	9.7	43.6	14.5	183.9	4.8
4.8	4.8	14.6	295.7	218.1	77.6	29.1	82.4	92.1	101.8	87.3	19.4	43.6	19.4	179.3	4.8

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
INDIANA RURAL—Continued.													
Wells county	1900	1,206.9	51.2	4.3	.....	4.3	12.8	8.5	64.0	8.5	157.8	8.5	46.9
	1901	1,180.1	38.1	.....	.....	.....	.....	.....	16.9	25.4	143.8	8.5	50.8
	1902	977.5	29.4	.....	8.4	.....	12.6	.....	21.0	8.4	142.6	8.4	33.6
	1903	1,156.8	49.9	.....	.....	16.6	12.5	8.3	.....	4.2	149.8	20.8	62.4
	1904	1,114.6	28.9	.....	.....	16.5	.....	.....	12.4	12.4	177.5	8.2	37.2
White county	1900	1,065.9	47.0	10.5	.....	.....	20.9	.....	52.3	15.7	67.9	5.2	36.6
	1901	1,057.2	20.6	.....	.....	20.5	5.1	10.3	10.3	46.2	87.2	15.4	61.6
	1902	1,038.7	30.2	10.1	.....	.....	.....	.....	.....	30.2	116.0	10.1	35.3
	1903	872.2	39.6	5.0	.....	.....	5.0	5.0	14.9	.....	168.5	9.9	34.7
	1904	989.0	19.5	.....	.....	9.7	4.9	4.9	14.6	24.4	97.4	9.7	58.5
Whitley county	1900	1,206.2	34.6	5.8	.....	11.6	.....	17.3	11.6	.....	132.7	11.6	34.6
	1901	1,220.8	40.5	5.8	.....	.....	11.6	.....	11.6	17.4	144.6	17.4	57.8
	1902	1,084.7	46.4	.....	.....	5.8	.....	11.6	.....	.....	81.2	11.6	63.8
	1903	1,116.5	23.3	.....	.....	11.6	29.1	17.4	5.8	17.4	116.3	.....	46.5
	1904	1,259.3	58.3	.....	.....	17.5	5.8	.....	.....	17.5	128.2	.....	35.0
MAINE RURAL.													
Androscoggin county	1900	1,873.1	44.2	1.8	.....	5.5	11.1	9.2	59.0	33.2	160.4	14.7	66.4
	1901	1,532.0	29.2	.....	.....	.....	1.8	5.5	21.9	42.0	129.6	32.9	82.2
	1902	1,468.5	10.8	1.8	.....	14.5	1.8	1.8	1.8	10.8	141.1	25.3	76.0
	1903	1,343.6	9.0	1.8	10.8	1.8	3.6	14.3	19.7	21.5	98.5	26.9	77.0
	1904	1,504.9	23.1	.....	.....	.....	.....	5.3	19.5	21.3	120.7	30.2	79.9
Aroostook county	1900	1,254.4	26.3	.....	.....	24.7	16.5	41.2	26.3	39.5	105.4	11.5	37.9
	1901	1,324.0	27.5	1.6	.....	.....	4.8	4.8	33.9	63.1	132.6	21.0	35.6
	1902	1,183.0	19.1	.....	.....	7.9	4.8	15.8	47.6	41.3	92.1	20.6	30.2
	1903	1,217.0	15.6	1.6	.....	17.2	4.7	3.1	37.4	51.5	67.1	14.0	35.9
	1904	1,262.1	46.0	.....	.....	1.5	1.5	15.3	27.6	36.8	108.9	24.5	44.5
Cumberland county	1900	1,723.3	13.8	.....	.....	5.9	2.0	9.9	45.5	49.5	116.7	23.8	98.9
	1901	1,681.1	11.8	.....	.....	11.8	3.9	13.8	11.8	51.3	151.9	31.6	98.7
	1902	1,515.2	7.9	5.9	.....	7.9	.....	5.9	9.8	27.5	133.8	15.7	127.9
	1903	1,562.2	31.4	.....	.....	3.9	.....	11.8	23.6	27.5	113.8	21.6	113.8
	1904	1,657.8	17.6	.....	.....	9.8	1.9	5.9	35.2	29.4	144.8	21.5	101.8
Franklin county	1900	1,740.4	27.1	.....	.....	16.3	.....	10.8	21.7	43.4	130.1	27.1	97.6
	1901	1 479.8	10.8	.....	.....	.....	5.4	.....	5.4	53.8	102.2	21.5	91.5
	1902	1,388.7	5.3	.....	5.3	.....	.....	.....	5.3	5.3	106.8	10.7	122.9
	1903	1,405.1	15.9	.....	.....	.....	.....	15.9	10.6	21.2	116.7	10.6	100.7
	1904	1,615.8	10.5	.....	.....	.....	.....	21.1	5.3	.....	147.4	5.3	100.0
Hancock county	1900	1,436.6	26.9	.....	.....	8.0	.....	.....	16.1	21.5	182.6	24.2	80.5
	1901	1,377.8	13.4	5.4	.....	5.4	.....	10.7	10.7	10.7	155.8	10.7	86.0
	1902	1,276.0	29.5	.....	.....	.....	.....	5.4	5.4	5.4	123.6	10.7	85.9
	1903	1,456.2	16.1	2.7	.....	5.4	.....	.....	2.7	34.9	155.8	18.8	67.2
	1904	1,389.3	10.7	2.7	.....	10.7	.....	.....	13.4	16.1	123.6	2.7	75.2
Kennebec county	1900	1,842.6	21.1	2.1	.....	10.6	2.1	19.0	29.5	25.3	191.9	33.7	69.6
	1901	1,714.7	37.9	2.1	.....	4.2	2.1	.....	18.9	73.6	143.1	27.4	105.2
	1902	1,586.8	35.7	4.2	4.2	.....	2.1	4.2	10.5	16.8	117.5	27.3	94.4
	1903	1,731.0	62.9	2.1	.....	.....	4.2	25.1	23.0	31.4	157.2	23.0	96.4
	1904	1,840.5	16.7	.....	.....	4.2	2.1	2.1	16.7	35.6	140.1	14.6	117.1
Knox county	1900	1,680.4	18.0	.....	.....	.....	4.5	.....	18.0	53.9	188.7	18.0	85.4
	1901	1,536.0	27.1	4.5	.....	9.0	.....	.....	4.5	22.6	135.4	36.1	90.3
	1902	1,456.3	13.6	4.5	.....	9.1	4.5	4.5	.....	13.6	158.8	36.3	95.3
	1903	1,486.2	18.2	4.6	.....	.....	.....	4.6	.....	59.3	141.3	36.5	45.6
	1904	1,571.4	4.6	9.2	.....	4.6	.....	9.2	4.6	22.9	142.0	18.3	82.5
Lincoln county	1900	1,540.5	10.2	.....	.....	.....	.....	10.2	.....	30.5	122.0	30.5	81.3
	1901	1,677.3	25.7	.....	.....	.....	.....	.....	20.6	61.8	133.8	20.6	102.9
	1902	1,333.1	5.2	.....	.....	.....	.....	.....	20.8	10.4	182.3	15.6	78.1
	1903	1,755.4	21.1	5.3	.....	.....	5.3	10.5	15.8	31.6	158.1	5.3	131.8
	1904	1,574.4	21.4	.....	.....	.....	5.3	.....	16.0	16.0	149.4	10.7	69.4
Oxford county	1900	1,718.5	40.3	6.2	.....	6.2	3.1	3.1	15.5	46.5	130.3	24.8	62.0
	1901	1,672.7	27.8	.....	.....	3.1	9.3	.....	18.5	64.8	114.2	18.5	80.2
	1902	1,734.8	21.5	9.2	.....	6.1	.....	15.4	18.4	52.2	153.5	39.9	92.1
	1903	1,689.4	27.5	3.1	.....	9.2	.....	3.1	6.1	51.9	113.0	21.4	79.4
	1904	1,769.1	36.5	9.1	.....	3.0	.....	.....	15.2	39.5	109.4	18.2	106.4
Penobscot county	1900	1,560.8	36.8	3.7	.....	9.2	3.7	.....	5.5	20.2	163.6	42.3	82.7
	1901	1,588.4	64.3	.....	.....	5.5	5.5	1.8	20.2	47.8	152.4	31.2	86.3
	1902	1,568.2	33.0	1.8	.....	1.8	5.5	20.2	11.0	11.0	117.4	27.5	77.0
	1903	1,702.0	40.3	3.7	.....	9.2	.....	12.8	5.5	14.6	146.6	45.8	102.6
	1904	1,758.6	86.0	1.8	1.8	.....	.....	14.6	31.1	23.8	184.8	31.1	71.4
Piscataquis county	1900	1,492.7	23.6	.....	.....	23.6	23.6	.....	5.9	47.2	123.9	17.7	41.3
	1901	1,491.4	11.7	.....	.....	.....	5.9	.....	5.9	64.6	117.4	29.4	47.0
	1902	1,279.7	35.1	.....	.....	.....	5.8	.....	5.8	5.8	151.9	29.2	46.7
	1903	1,262.0	29.1	5.8	.....	5.8	.....	.....	5.8	11.7	87.2	5.8	34.9
	1904	1,470.2	46.3	.....	.....	.....	.....	5.8	11.6	28.9	173.7	46.3	98.4
Sagadahoc county	1900	1,745.7	40.6	.....	.....	20.3	20.3	30.4	10.1	20.3	142.1	30.4	121.8
	1901	1,474.5	20.5	.....	.....	.....	.....	.....	.....	20.5	163.8	10.2	122.9
	1902	1,601.4	10.3	10.3	.....	.....	.....	10.3	.....	.....	103.3	20.7	155.0
	1903	1,751.5	41.7	.....	.....	.....	.....	31.3	20.8	.....	135.5	31.3	83.4
	1904	1,515.0	31.6	10.5	.....	.....	.....	.....	31.6	.....	105.2	21.0	126.3
Somerset county	1900	1,500.8	11.8	.....	.....	38.4	.....	2.9	2.9	26.6	168.4	5.9	100.5
	1901	1,460.1	17.7	2.9	.....	5.9	2.9	2.9	14.7	41.2	135.4	26.5	91.3
	1902	1,583.9	5.9	8.8	.....	.....	.....	11.7	11.7	14.7	158.4	44.0	99.7
	1903	1,613.3	29.2	.....	.....	20.5	.....	8.8	32.1	11.7	140.3	14.6	67.2
	1904	1,695.0	11.6	.....	2.9	2.9	2.9	8.7	40.8	40.8	183.5	20.4	116.5

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	4.3	12.8	153.5	89.6	55.4	38.4	51.2	55.4	55.4	59.7	8.5	38.4	81.0	132.2	4.3
.....	4.2	8.5	80.4	101.5	84.6	67.7	122.6	63.4	71.9	76.1	.....	67.7	59.2	88.8	.....
.....	4.2	8.4	113.3	54.5	54.5	54.5	33.6	54.5	62.9	75.5	4.2	37.8	58.7	88.1	8.4
.....	4.2	12.5	137.3	74.9	79.1	54.1	74.9	74.9	41.6	74.9	4.2	70.7	29.1	99.9	.....
.....	4.1	16.5	86.7	78.5	53.7	49.5	74.3	70.2	74.3	49.5	8.2	45.4	37.2	161.0	12.4
15.7	5.2	26.1	94.1	31.4	146.3	36.6	114.9	78.4	26.1	67.9	5.2	41.8	26.1	78.3	15.7
.....	10.3	10.3	143.7	51.3	82.1	35.9	51.3	41.0	51.3	35.9	.....	61.6	61.6	133.4	10.3
.....	10.1	5.0	105.9	45.4	50.4	55.5	35.3	80.7	55.5	105.9	5.0	60.5	35.3	121.0	35.3
.....	5.0	24.8	59.4	84.2	44.6	54.5	44.6	49.5	44.6	44.6	.....	69.4	9.9	54.5	.....
.....	24.4	14.6	77.9	107.2	97.4	14.6	53.6	73.1	34.1	43.9	4.9	63.3	19.5	102.3	14.6
.....	17.3	23.1	173.1	63.5	63.5	17.3	57.7	69.3	40.4	34.6	17.3	86.5	103.9	173.1	5.8
.....	.....	23.1	167.8	81.0	75.2	52.1	57.8	52.1	63.6	46.3	17.4	81.0	34.7	138.9	23.1
.....	5.8	29.0	127.6	98.6	75.4	34.8	34.8	98.6	23.2	58.0	17.4	52.2	29.0	168.3	11.6
5.8	40.7	5.8	110.5	145.4	58.2	29.1	61.0	81.4	69.8	81.4	5.8	52.4	5.8	81.4	11.6
5.8	23.3	11.7	163.2	209.9	93.3	70.0	46.6	70.0	46.6	52.5	5.8	70.0	.....	106.6	11.7
7.4	11.1	86.6	202.8	171.5	177.0	123.5	147.5	84.8	66.4	53.5	5.5	59.0	68.2	180.7	22.1
7.3	9.1	69.4	175.3	146.1	120.5	80.3	131.5	74.9	56.6	34.7	20.1	60.2	47.5	164.3	9.1
.....	7.2	54.3	188.1	184.5	110.3	85.0	77.8	70.5	74.1	52.4	16.3	47.0	32.6	162.8	19.9
5.4	14.3	43.0	163.0	138.0	96.8	71.7	52.0	84.2	84.2	44.8	17.9	41.0	37.6	148.7	16.1
1.8	17.8	53.2	189.9	179.3	95.8	56.8	76.3	81.6	76.3	67.4	12.4	74.5	53.2	152.6	16.0
1.6	8.2	16.5	72.4	80.7	87.3	54.3	118.5	75.7	24.7	57.6	8.2	42.8	41.2	139.9	95.5
1.6	6.5	30.7	92.2	64.7	71.1	22.6	261.9	51.7	37.2	45.3	4.8	35.6	29.1	147.1	97.0
.....	3.2	30.2	85.7	77.8	71.5	36.5	163.6	49.2	34.9	46.1	1.6	44.5	28.6	154.0	76.2
3.1	9.4	23.4	79.6	78.0	81.1	51.5	182.5	73.3	28.1	35.9	1.6	39.0	25.0	126.4	131.0
3.1	10.7	16.9	81.3	75.2	64.4	39.9	188.6	46.0	38.3	47.5	4.6	58.3	32.2	145.7	102.8
2.0	17.8	33.6	213.7	197.9	106.8	95.0	120.7	55.4	95.0	77.2	7.9	47.5	57.4	215.6	13.8
2.0	7.9	25.7	191.4	250.6	126.3	88.8	82.9	55.2	94.7	37.5	11.8	65.1	37.5	199.3	17.8
.....	17.7	31.5	192.8	198.8	118.1	84.6	43.3	51.2	86.6	66.9	5.9	66.9	43.3	157.4	7.9
.....	25.5	27.5	194.3	200.2	115.8	53.0	45.1	76.6	104.0	45.1	13.7	78.5	27.5	198.2	9.8
.....	11.7	19.6	197.7	225.1	123.3	82.2	60.7	94.0	76.3	68.5	9.8	70.5	33.3	191.8	25.4
.....	5.4	27.1	206.0	189.8	119.3	119.3	59.6	119.3	119.3	32.5	.....	59.6	48.8	233.2	27.0
.....	.....	5.4	134.5	204.5	129.2	64.6	64.6	69.9	86.1	48.4	26.9	48.4	53.8	193.7	59.2
.....	21.4	32.0	213.7	165.6	117.5	69.4	21.4	69.4	85.5	42.7	.....	58.8	26.7	165.6	37.4
.....	15.9	26.5	116.7	153.8	143.2	68.9	47.7	68.9	84.8	58.3	21.2	47.7	84.8	228.0	37.1
.....	26.3	15.8	200.0	184.2	168.4	57.9	42.1	94.7	147.4	36.8	10.5	89.5	36.8	189.5	26.3
2.7	8.0	32.2	166.5	150.4	88.6	61.8	61.8	110.1	64.4	45.6	5.4	40.3	40.3	182.6	16.1
2.7	10.7	21.5	158.5	185.3	104.8	48.4	56.4	88.6	72.5	16.1	13.4	53.7	40.3	170.0	16.1
.....	16.1	24.2	126.3	163.9	118.2	37.6	40.3	61.8	85.9	40.3	8.0	40.3	45.7	180.0	21.5
.....	8.1	37.6	171.9	239.1	107.5	45.7	56.4	64.5	72.5	45.7	10.7	61.8	48.4	169.3	13.4
5.4	2.7	10.7	115.6	172.0	150.5	53.8	45.7	94.1	83.3	48.4	13.4	94.1	24.2	188.1	32.2
4.2	4.2	52.7	215.0	208.7	210.8	113.9	63.3	84.3	84.3	35.8	6.3	59.0	65.4	204.5	25.3
.....	16.8	52.6	191.5	166.2	191.5	80.0	75.7	75.7	75.7	18.9	10.5	84.2	71.5	157.8	31.6
2.1	12.6	39.9	224.6	176.3	140.6	83.9	58.8	98.6	50.4	42.0	8.4	56.7	63.0	197.3	14.7
2.1	4.2	31.4	282.9	194.9	90.1	109.0	39.8	96.4	83.8	52.4	8.4	58.7	62.9	169.8	18.9
.....	25.1	35.6	244.7	213.3	156.9	136.0	77.4	89.9	73.2	35.6	18.8	69.0	77.4	219.6	18.8
.....	9.0	31.4	175.2	247.1	148.3	80.9	44.9	85.4	67.4	26.9	18.0	67.4	53.9	206.7	31.4
4.5	22.6	18.1	180.6	194.1	81.3	49.7	36.1	67.7	90.3	31.6	4.5	63.2	54.2	266.4	31.6
9.1	4.5	22.7	208.7	208.7	59.0	72.6	36.3	63.5	54.4	27.2	.....	68.1	27.2	254.1	.....
.....	13.7	18.2	227.9	218.8	95.7	54.7	36.5	68.4	91.2	27.3	13.7	72.9	36.5	196.0	4.6
.....	18.3	22.9	219.9	197.0	82.5	82.5	9.2	96.2	96.2	64.1	22.9	105.4	41.2	201.5	13.7
.....	10.2	20.3	183.0	218.6	96.6	45.8	61.0	106.8	91.5	66.1	10.2	55.9	55.9	208.5	25.4
.....	5.1	5.1	180.1	241.8	185.2	108.1	25.7	56.6	113.2	25.7	15.4	56.6	56.6	200.7	35.0
.....	5.2	5.2	135.4	208.3	72.9	36.5	15.6	88.5	93.7	36.5	.....	36.5	36.5	161.4	88.5
.....	26.3	21.1	263.6	242.5	94.9	63.3	26.3	63.3	89.6	36.9	.....	110.7	47.4	263.6	21.1
.....	16.0	5.3	128.1	234.8	149.4	42.7	16.0	96.1	144.1	32.0	37.4	53.4	21.4	293.5	16.0
.....	12.4	37.2	254.4	158.2	117.9	80.7	99.3	121.0	58.9	46.5	15.5	49.6	65.2	238.9	24.8
.....	24.7	55.6	194.4	157.4	172.8	83.3	64.8	92.6	67.9	37.0	3.1	95.7	83.3	175.9	27.8
3.1	6.1	30.7	214.9	193.5	150.5	79.8	39.9	116.7	58.3	70.6	12.3	64.5	36.9	239.5	9.2
.....	18.3	42.8	171.1	238.3	131.4	94.7	79.4	58.0	91.7	61.1	18.3	67.2	51.9	235.2	15.3
.....	6.1	30.4	212.8	234.1	106.4	85.1	54.7	97.3	97.3	66.9	12.1	115.5	51.7	218.8	42.6
1.8	3.7	31.3	156.3	154.4	132.4	79.0	95.6	82.7	53.3	51.5	7.3	66.2	90.1	167.3	20.2
1.8	7.3	40.4	187.3	132.2	106.5	75.3	97.3	93.7	53.3	42.3	7.3	66.1	71.6	165.3	25.7
1.8	7.3	34.9	166.9	207.3	130.2	69.7	78.9	64.2	77.0	40.4	12.8	66.0	56.9	212.8	34.9
3.7	3.7	36.6	164.9	183.2	144.7	75.1	97.1	84.3	71.4	73.3	11.0	91.6	62.3	196.0	22.0
.....	16.5	21.9	177.5	183.0	97.0	97.0	75.0	95.2	78.7	53.1	11.0	97.0	49.4	230.6	29.3
5.9	17.7	41.3	147.5	118.0	177.0	35.4	76.7	53.1	64.9	47.2	11.8	70.8	100.3	200.6	17.7
.....	11.7	29.4	205.5	117.4	111.6	76.3	58.7	82.2	82.2	11.7	29.4	111.6	35.2	187.9	58.7
5.8	23.4	46.7	198.7	111.0	116.9	29.2	35.1	52.6	35.1	58.4	35.1	87.7	35.1	128.6	.....
5.8	5.8	23.3	244.3	122.1	104.7	34.9	40.7	87.2	87.2	34.9	5.8	81.4	40.7	133.8	23.3
.....	5.8	23.2	138.9	138.9	104.2	28.9	17.4	92.6	69.5	46.3	28.9	138.9	28.9	167.9	28.9
.....	20.3	20.3	131.9	162.4	233.5	50.8	121.8	60.9	60.9	40.6	10.1	71.1	101.5	182.7	40.6
.....	20.5	41.0	153.6	143.3	122.9	61.4	41.0	122.9	92.2	30.7	10.2	61.4	51.2	163.8	20.5
.....	31.0	.....	248.0	258.3	113.7	62.0	31.0	72.3	103.3	31.0	10.3	41.3	51.7	237.6	.....
.....	.....	20.8	208.5	302.4	62.6	62.6	52.1	83.4	177.2	31.3	41.7	41.7	73.0	239.8	10.4
.....	10.5	.....	263.0	147.3	147.3	73.6	21.0	105.2	84.2	42.1	.....	63.1	10.5	189.4	31.6
2.9	11.8	29.6	192.0	168.4	91.6	85.7	76.8	76.8	59.1	38.4	8.9	68.0	62.1	153.6	17.7
.....	26.5	53.0	167.8	167.8	97.1	70.6	47.1	100.1	44.2	8.8	11.8	44.2	67.7	185.5	26.5
.....	8.8	26.4	181.8	208.2	170.1	67.5	14.7	61.6	61.6	35.2	14.7	70.4	49.9	228.8	29.3
.....	26.3	5.8	219.2	187.1	163.7	29.2	81.8	102.3	76.0	35.1	5.8	73.1	43.9	210.4	29.2
2.9	5.8	32.0	148.5	180.6	177.7	52.4	61.2	96.1	67.0	49.5	8.7	90.3	64.1	192.2	35.0

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MAINE RURAL—Continued.													
Waldo county	1900	1,811.0	16.5	4.1	.....	4.1	4.1	4.1	.....	53.8	181.9	20.7	107.5
	1901	1,670.3	16.8	.....	.....	4.2	.....	.....	8.4	33.6	184.7	25.2	75.5
	1902	1,576.4	29.8	8.5	.....	4.3	4.3	.....	12.8	4.3	178.9	21.3	102.3
	1903	1,561.8	8.6	.....	.....	4.3	.....	4.3	.....	17.3	147.1	17.3	86.5
	1904	1,740.1	30.7	4.4	.....	.....	.....	4.4	4.4	30.7	167.0	35.2	52.7
Washington county	1900	1,633.8	24.3	.....	.....	.....	4.4	2.2	8.8	13.3	170.2	17.7	68.5
	1901	1,441.3	15.5	2.2	.....	15.5	4.4	2.2	6.6	28.7	167.8	24.3	70.6
	1902	1,302.3	11.0	2.2	.....	.....	2.2	4.4	6.6	30.8	154.3	24.2	61.7
	1903	1,390.3	26.4	.....	.....	4.4	.....	37.4	6.6	24.2	145.2	39.6	79.2
	1904	1,295.8	8.8	.....	2.2	6.6	.....	4.4	17.6	28.5	138.4	37.3	72.5
York county	1900	1,924.5	22.6	2.0	.....	2.0	6.2	4.1	24.6	69.8	153.9	24.6	71.8
	1901	1,777.5	32.8	.....	.....	2.0	2.0	2.0	10.3	45.1	164.0	30.8	94.3
	1902	1,829.5	59.4	2.0	2.0	6.1	2.0	2.0	28.7	16.4	127.0	24.6	110.6
	1903	1,842.5	43.0	2.0	.....	.....	2.0	20.5	10.2	41.0	106.5	16.4	126.9
	1904	1,785.9	28.6	.....	.....	.....	6.1	2.0	10.2	14.3	147.3	26.6	102.3
MASSACHUSETTS RURAL.													
Barnstable county	1900	2,105.9	7.2	3.6	.....	.....	.....	18.0	28.7	53.9	133.0	18.0	89.8
	1901	1,729.8	14.4	.....	.....	.....	3.6	7.2	10.8	14.4	169.8	14.4	86.7
	1902	1,887.1	18.1	3.6	.....	.....	.....	18.1	.....	39.9	185.1	10.9	116.1
	1903	1,881.8	3.6	.....	3.6	7.3	.....	14.6	29.2	36.5	138.6	32.8	156.8
	1904	1,847.1	25.7	3.7	.....	7.3	7.3	.....	14.7	18.3	124.6	18.3	109.9
Berkshire county	1900	1,571.3	15.5	2.6	.....	.....	10.4	10.4	13.0	25.9	127.0	13.0	70.0
	1901	1,445.3	23.3	.....	.....	.....	2.6	2.6	38.8	75.1	103.6	10.4	64.7
	1902	1,363.5	28.4	.....	.....	.....	.....	5.2	12.9	7.8	98.3	.....	69.9
	1903	1,457.6	10.3	.....	.....	12.9	20.7	12.9	12.9	25.8	93.0	12.9	69.8
	1904	1,528.3	7.7	.....	2.6	10.3	5.2	7.7	10.3	49.1	103.3	15.5	87.8
Bristol county	1900	1,726.0	16.5	.....	.....	16.5	9.4	11.8	16.5	61.4	179.5	21.3	89.7
	1901	1,531.9	21.0	.....	.....	9.4	4.7	.....	23.4	39.8	180.1	18.7	100.6
	1902	1,438.9	7.0	2.3	.....	13.9	.....	11.6	11.6	13.9	115.8	13.9	90.4
	1903	1,542.6	18.4	2.3	.....	9.2	20.7	25.2	27.5	25.2	128.5	11.5	68.9
	1904	1,580.8	13.6	6.8	.....	4.5	4.5	4.5	27.3	22.7	152.4	20.4	88.7
Dukes county	1900	1,819.8	43.8	.....	.....	.....	.....	.....	.....	43.8	153.5	21.9	65.8
	1901	1,855.9	.....	.....	.....	.....	.....	.....	.....	21.8	87.3	.....	131.0
	1902	1,652.5	21.7	.....	.....	.....	.....	.....	.....	.....	152.2	.....	130.5
	1903	1,970.6	.....	.....	.....	.....	.....	.....	.....	43.3	108.3	.....	43.3
	1904	2,005.6	43.1	.....	.....	.....	.....	.....	.....	21.6	43.1	.....	129.4
Essex county	1900	1,594.3	11.6	4.4	.....	1.4	4.4	5.8	34.9	49.4	114.8	23.2	82.8
	1901	1,542.4	21.6	8.6	1.4	.....	2.9	8.6	11.5	41.7	116.5	18.7	93.4
	1902	1,467.4	19.9	2.8	2.8	12.8	.....	7.1	12.8	8.5	125.1	14.2	110.9
	1903	1,499.5	15.5	4.2	1.4	7.0	1.4	14.1	39.4	29.5	130.8	21.1	105.5
	1904	1,462.7	8.4	.....	.....	7.0	8.4	1.4	26.4	18.1	128.0	16.7	103.0
Franklin county	1900	1,557.9	24.3	2.4	.....	2.4	7.3	2.4	19.4	19.4	121.4	17.0	87.4
	1901	1,567.4	16.9	.....	.....	9.6	4.8	7.2	12.1	45.8	120.5	16.9	62.7
	1902	1,493.0	4.8	.....	.....	26.4	4.8	16.8	9.6	26.4	98.2	16.8	91.0
	1903	1,407.5	7.1	4.8	2.4	2.4	.....	4.8	16.7	23.8	90.5	11.9	104.8
	1904	1,585.8	16.6	11.8	.....	.....	4.7	.....	21.3	30.7	134.9	23.7	80.5
Hampden county	1900	2,019.0	33.0	2.8	.....	16.5	22.0	13.8	71.5	71.5	181.5	24.7	79.8
	1901	1,500.3	27.2	2.7	.....	.....	8.2	8.2	32.6	57.1	157.7	19.0	65.2
	1902	1,663.3	18.8	2.7	.....	5.4	8.1	2.7	26.9	18.8	129.0	24.2	53.7
	1903	1,572.6	21.3	5.3	.....	42.5	47.8	26.6	29.2	21.3	138.1	26.6	69.1
	1904	1,509.5	18.4	5.3	.....	2.6	5.3	23.6	36.8	31.5	126.1	26.3	81.4
Hampshire county	1900	1,767.2	21.9	6.3	.....	21.9	9.4	3.1	37.6	53.3	131.6	6.3	59.5
	1901	1,536.5	3.1	3.1	3.1	.....	6.2	3.1	31.1	43.6	149.3	15.6	112.0
	1902	1,272.0	12.3	.....	.....	9.3	6.2	15.4	15.4	18.5	92.6	18.5	67.9
	1903	1,385.3	15.3	9.2	.....	12.3	.....	12.3	12.3	24.5	119.5	21.5	30.6
	1904	1,557.8	6.1	6.1	.....	6.1	18.3	6.1	12.2	24.3	109.5	15.2	82.2
Middlesex county	1900	1,972.1	16.9	1.1	.....	1.1	9.5	9.5	19.0	41.2	272.5	27.5	90.9
	1901	1,847.8	20.8	6.2	1.0	3.1	6.2	12.5	28.1	28.1	276.1	36.5	95.7
	1902	1,805.1	18.5	2.1	2.1	6.2	2.1	1.0	27.7	9.2	258.9	25.7	95.5
	1903	1,900.3	12.2	3.0	.....	9.1	18.2	6.1	14.2	38.5	274.7	39.5	112.5
	1904	1,915.0	8.0	1.0	.....	1.0	4.0	2.0	19.0	22.0	326.0	35.0	118.0
Nantucket county	1900	2,029.3	.....	.....	.....	.....	.....	.....	.....	133.1	33.3	.....	99.8
	1901	1,845.6	.....	.....	.....	.....	.....	.....	.....	.....	201.3	67.1	134.2
	1902	2,200.4	33.9	.....	.....	.....	.....	.....	33.9	.....	135.4	33.9	169.3
	1903	1,912.6	.....	.....	.....	.....	.....	.....	.....	68.3	68.3	34.2	68.3
	1904	2,481.1	.....	.....	.....	.....	.....	.....	.....	68.9	103.4	68.9	275.7
Norfolk county	1900	1,617.8	14.4	4.8	.....	2.4	9.6	3.6	18.1	44.5	166.0	18.1	93.8
	1901	1,535.3	8.3	7.1	.....	1.2	3.5	3.5	20.1	21.3	140.8	13.0	79.2
	1902	1,333.3	15.1	4.7	2.3	4.7	1.2	9.3	22.1	4.7	146.6	12.8	64.0
	1903	1,482.4	14.9	1.1	1.1	1.1	10.3	10.3	20.6	26.3	127.1	22.9	76.7
	1904	1,471.3	11.3	2.3	.....	3.4	4.5	1.1	10.1	20.3	158.8	14.6	73.2
Plymouth county	1900	1,700.6	14.0	.....	.....	1.6	.....	6.2	18.7	54.4	164.8	14.0	76.2
	1901	1,642.3	20.0	.....	.....	1.5	3.1	1.5	29.3	24.6	175.5	9.2	86.2
	1902	1,536.3	10.7	.....	3.0	9.1	.....	19.8	13.7	19.8	123.5	19.8	91.5
	1903	1,532.0	15.1	.....	.....	.....	7.5	1.5	6.0	33.2	144.9	22.6	77.0
	1904	1,509.9	9.0	3.0	.....	7.5	1.5	1.5	13.5	17.9	191.3	10.5	106.1
Suffolk county	1900	742.8	.....	.....	.....	.....	.....	.....	16.5	33.0	16.5	.....	82.6
	1901	1,032.7	.....	.....	.....	.....	31.3	.....	.....	.....	125.2	31.3	78.3
	1902	1,085.7	.....	.....	.....	14.9	.....	.....	59.5	.....	89.3	.....	133.9
	1903	1,006.1	42.5	.....	.....	.....	.....	14.2	.....	.....	99.2	14.2	113.4
	1904	906.6	27.1	.....	.....	.....	.....	.....	.....	.....	40.6	.....	81.2

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	12.4	12.4	239.8	268.8	223.3	70.3	66.2	82.7	82.7	33.1	12.4	49.6	53.8	190.2	16.5
.....	12.6	21.0	222.4	268.6	155.3	46.2	33.6	67.1	88.1	16.8	33.6	67.1	54.5	209.8	25.2
.....	8.5	21.3	234.3	174.7	98.0	102.2	34.1	106.5	80.9	21.3	12.8	51.1	46.9	204.5	12.8
.....	17.3	17.3	216.3	250.9	108.2	43.3	43.3	64.9	116.8	34.6	13.0	60.6	43.3	229.3	17.3
.....	22.0	13.2	232.9	259.3	145.0	79.1	30.7	105.5	96.7	70.3	8.8	61.5	44.0	210.9	30.7
4.4	11.1	61.9	143.7	185.7	132.7	88.4	165.8	79.6	66.3	79.6	4.4	53.1	50.9	174.7	22.1
.....	11.0	50.8	161.1	147.9	141.3	75.0	134.6	68.4	48.6	26.5	8.8	39.7	35.3	134.6	19.9
.....	8.8	30.8	193.9	125.6	134.4	39.7	52.9	68.3	66.1	48.5	4.4	50.7	35.3	119.0	26.5
.....	8.8	30.8	162.8	158.4	110.0	79.2	52.8	59.4	66.0	59.4	6.6	41.8	41.8	138.5	11.0
.....	2.2	30.8	129.6	169.1	112.0	48.3	41.7	43.9	50.5	68.1	4.4	54.9	46.1	142.7	35.2
8.2	16.4	47.2	281.1	149.8	197.0	88.2	135.4	102.6	108.7	65.7	6.2	49.2	90.3	176.4	20.5
4.1	16.4	34.9	239.9	225.5	143.5	57.4	53.3	90.2	145.6	38.9	8.2	67.7	80.0	155.8	32.8
4.1	22.5	22.5	268.4	241.8	108.6	90.2	57.4	120.9	125.0	36.9	20.5	73.8	61.5	180.3	14.3
4.1	16.4	32.8	270.2	223.2	147.4	79.8	81.9	94.2	126.9	69.6	10.2	73.7	73.7	165.8	4.1
2.0	28.6	32.7	263.9	255.7	143.2	79.8	53.2	73.7	122.8	69.6	14.3	61.4	57.3	163.7	26.6
3.6	7.2	61.1	273.1	237.2	186.9	154.5	64.7	79.0	71.9	32.3	10.8	133.0	122.2	291.1	25.1
3.6	10.8	32.5	249.2	245.6	112.0	54.2	61.4	68.6	65.0	36.1	7.2	104.7	97.5	238.4	21.7
.....	7.3	29.0	286.7	257.7	94.4	65.3	61.7	87.1	61.7	43.5	7.3	87.1	98.0	301.2	7.3
.....	18.2	21.9	273.5	269.9	51.1	109.4	91.2	83.9	124.0	36.5	.....	65.6	94.8	218.8	.....
.....	25.7	29.3	227.2	289.5	84.3	124.6	95.3	124.6	99.0	66.0	3.7	120.9	36.6	190.6	.....
7.8	18.2	20.7	178.9	171.1	116.7	108.9	83.0	75.2	88.1	67.4	7.8	83.0	62.2	191.9	2.6
5.2	10.4	20.7	189.1	194.2	121.7	62.2	44.0	114.0	59.6	49.2	10.4	69.9	31.1	137.3	5.2
2.6	12.9	31.0	160.4	191.5	147.5	85.4	36.2	93.2	56.9	33.6	7.8	80.2	56.9	142.3	2.6
.....	12.9	23.3	173.2	196.4	137.0	82.7	69.8	75.0	85.3	43.9	20.7	67.2	15.5	178.3	5.2
5.2	15.5	12.9	191.0	224.6	108.4	74.9	67.1	95.5	85.2	51.6	10.3	113.6	18.1	149.7	5.2
.....	16.5	35.4	181.8	198.4	167.7	89.8	127.4	77.9	75.6	59.0	2.4	37.8	40.1	181.8	11.8
.....	11.7	14.0	170.7	198.8	98.2	70.1	56.1	58.5	67.8	72.5	16.4	46.8	37.4	205.8	9.4
2.3	13.9	34.8	199.3	171.4	57.9	64.9	88.0	67.2	88.0	69.5	11.6	62.6	53.3	171.5	2.3
2.3	29.8	16.1	163.0	204.3	110.2	59.7	110.2	71.1	101.0	62.0	9.2	68.9	57.4	140.0	.....
.....	20.4	11.4	184.3	245.7	113.8	79.6	93.3	38.7	134.2	68.3	18.2	59.1	41.0	127.4	.....
.....	.....	.....	223.1	197.3	65.8	87.7	241.2	65.8	65.8	87.7	.....	131.6	21.9	241.2	21.9
.....	21.8	21.8	196.5	283.9	87.3	174.7	43.7	152.9	87.3	65.5	.....	152.9	109.2	218.3	.....
21.7	.....	.....	217.4	391.4	87.0	130.5	21.7	43.5	43.5	43.5	.....	87.0	108.7	130.5	21.7
.....	21.6	65.0	346.5	433.1	65.0	108.3	43.3	65.0	86.6	.....	.....	65.0	86.6	368.1	21.6
.....	21.6	.....	280.3	323.5	107.8	129.4	64.7	129.4	86.3	43.1	21.6	172.5	43.1	323.5	21.6
1.4	14.5	37.8	206.4	204.9	88.7	88.7	91.6	59.6	62.5	49.4	16.0	56.7	65.4	202.0	16.0
5.7	18.7	27.3	168.2	214.2	89.1	76.2	79.1	47.4	81.9	84.8	15.8	63.3	48.9	188.3	8.6
2.8	12.8	22.7	179.2	209.0	88.2	55.5	68.3	62.6	58.3	58.3	12.8	62.6	48.4	197.6	11.4
2.8	22.5	18.3	189.9	209.6	90.0	61.9	46.4	52.0	74.6	54.9	14.1	77.4	32.3	182.9	.....
.....	12.5	25.0	172.6	242.2	98.8	65.4	48.7	50.1	79.3	62.6	15.3	55.7	45.9	169.8	1.4
2.4	9.7	36.4	167.5	145.6	118.9	82.5	84.9	80.1	67.9	77.7	12.1	87.4	65.5	213.5	2.4
2.4	16.9	33.8	192.9	200.2	144.7	103.7	62.7	91.6	57.9	53.1	16.9	82.0	69.9	137.4	4.8
.....	19.2	45.5	148.6	174.9	160.5	79.1	43.1	86.3	76.7	64.7	4.8	79.1	57.5	153.4	4.8
2.4	9.5	38.1	152.4	197.7	114.3	85.7	26.2	69.0	66.7	59.5	4.8	73.8	59.5	173.9	4.8
.....	7.1	35.5	187.0	215.4	137.3	66.3	80.5	63.9	106.5	54.4	9.5	89.9	37.9	158.6	11.8
.....	11.0	46.7	211.8	156.8	132.0	77.0	200.8	134.8	112.8	90.8	8.3	68.8	85.3	159.5	5.5
2.7	24.5	43.5	195.7	122.3	133.2	43.5	95.1	81.6	65.2	81.6	19.0	119.6	68.0	108.7	8.2
.....	5.4	37.6	206.9	147.8	158.5	69.8	91.4	72.5	94.0	96.7	16.1	91.4	64.5	215.0	5.4
2.6	21.3	55.8	148.7	132.8	100.9	90.3	77.0	63.7	87.7	74.4	13.3	87.7	21.3	167.3	.....
.....	7.9	39.4	173.3	220.6	126.1	84.0	112.9	63.0	99.8	89.3	5.3	68.3	23.6	128.7	.....
.....	15.7	50.1	260.1	194.3	134.7	112.8	90.9	78.3	65.8	50.1	15.7	65.8	87.7	175.5	18.8
9.3	12.4	21.8	217.7	164.8	112.0	93.3	56.0	62.2	37.3	68.4	6.2	52.9	43.6	189.7	18.7
.....	3.1	30.9	154.4	142.0	58.7	67.9	61.7	86.4	52.5	58.7	3.1	55.6	49.4	182.2	9.3
9.2	21.5	30.6	190.0	174.7	85.8	82.8	52.1	70.5	82.8	73.5	6.1	58.2	39.8	150.2	.....
3.0	18.3	51.7	203.8	170.4	121.7	60.9	118.7	70.0	79.1	66.9	9.1	76.1	21.3	197.7	3.0
4.2	15.8	33.8	231.3	251.4	146.9	79.2	112.0	96.1	79.2	71.8	11.6	67.6	60.2	214.4	7.4
1.0	13.6	25.0	232.3	226.1	132.3	75.0	94.8	57.3	69.8	61.5	9.4	68.8	47.9	218.7	.....
2.1	23.6	20.5	207.5	244.5	136.6	81.2	75.0	63.7	68.8	65.8	10.3	74.0	75.0	203.4	4.1
1.0	17.1	42.6	195.6	288.9	118.6	76.0	96.3	74.0	74.0	63.9	11.1	81.1	44.6	183.4	4.1
1.0	15.0	23.0	226.0	352.0	107.0	90.0	68.0	76.0	92.0	59.0	12.0	74.0	23.0	161.0	.....
.....	.....	.....	332.6	232.9	133.1	33.3	99.8	99.8	66.5	66.5	.....	266.1	133.1	299.4	.....
.....	.....	67.1	503.3	268.5	33.6	33.6	33.6	100.6	33.6	.....	.....	33.6	134.2	201.3	.....
.....	33.9	33.9	203.1	473.9	.....	101.5	101.5	101.5	67.7	67.7	.....	135.4	67.7	406.2	.....
.....	.....	68.3	341.5	478.1	68.3	.....	34.2	136.6	34.2	34.2	34.2	68.3	68.3	307.3	.....
.....	.....	34.5	275.7	516.9	68.9	137.8	103.4	172.3	137.8	68.9	.....	172.3	34.5	241.2	.....
3.6	20.4	40.9	164.8	197.3	126.3	74.6	104.7	68.6	67.4	55.3	15.6	49.3	55.3	186.4	12.0
2.4	9.5	37.9	227.1	195.2	117.1	59.1	63.9	73.3	93.5	61.5	10.6	62.7	52.0	165.6	5.9
2.3	18.6	19.8	195.5	186.1	82.6	55.8	46.5	72.1	62.8	61.7	8.1	52.3	41.9	135.0	4.7
4.6	10.3	16.0	207.2	248.4	108.8	77.9	66.4	42.4	57.3	58.4	8.0	59.5	38.9	164.8	1.1
3.4	13.5	15.8	223.1	226.5	98.0	63.1	50.7	67.6	81.1	63.1	9.0	69.8	39.4	144.2	3.4
3.1	12.4	32.6	209.8	213.0	139.9	69.9	110.4	76.2	90.2	59.1	12.4	63.7	60.6	181.9	15.5
.....	9.2	32.3	183.2	230.9	155.5	80.0	60.0	93.9	81.6	49.3	10.8	61.6	52.3	173.9	16.9
1.5	18.3	9.1	201.2	248.4	91.5	77.7	77.7	67.1	62.5	44.2	7.6	62.5	53.4	182.9	19.8
3.0	10.6	16.6	193.2	288.3	99.6	63.4	52.8	90.6	71.0	37.7	9.1	74.0	42.3	164.5	7.5
4.5	13.5	12.0	173.4	242.2	83.7	67.3	59.8	59.8	82.2	43.3	14.9	58.3	37.4	195.8	.....
.....	.....	.....	82.6	99.0	82.6	33.0	66.0	33.0	49.5	33.0	.....	.....	33.0	66.0	16.5
.....	.....	15.6	156.5	125.2	93.9	15.6	31.3	31.3	46.9	31.3	15.6	62.6	46.9	93.9	.....
.....	.....	.....	163.6	148.7	133.9	44.6	29.7	14.9	29.7	.....	14.9	29.7	29.7	148.7	.....
.....	14.2	.....	113.4	170.0	14.2	56.7	28.3	28.3	85.0	42.5	.....	28.3	42.5	99.2	.....
.....	13.5	13.5	108.3	203.0	54.1	27.1	54.1	.....	94.7	54.1	27.1	67.6	.....	40.6	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MASSACHUSETTS RURAL—Continued.													
Worcester county	1900	1,784.8	21.6	7.6	.....	13.9	9.2	13.9	20.0	42.3	133.9	15.4	72.3
	1901	1,639.5	16.9	4.6	.....	6.9	11.5	5.4	26.1	45.2	153.3	15.3	63.6
	1902	1,451.8	16.0	6.9	4.6	16.8	0.8	6.9	16.8	6.1	146.6	13.0	61.8
	1903	1,639.6	12.2	2.3	.....	12.9	7.6	13.7	23.5	28.9	141.4	12.2	51.7
	1904	1,605.7	12.1	3.8	.....	.....	6.1	11.4	12.1	25.7	159.7	24.2	75.7
MICHIGAN RURAL.													
Alcona county	1900	931.3	17.6	.....	.....	52.7	.....	.....	.....	35.1	70.3	17.6	17.6
	1901	1,107.2	17.6	.....	.....	.....	.....	.....	.....	35.1	87.8	17.6	35.1
	1902	791.1	.....	.....	.....	.....	.....	.....	.....	.....	52.7	.....	.....
	1903	984.9	35.2	.....	.....	.....	.....	17.6	35.2	17.6	105.5	17.6	35.2
	1904	1,055.6	35.2	.....	.....	.....	17.6	17.6	.....	.....	87.9	17.6	35.2
Alger county	1900	715.7	.....	.....	.....	.....	.....	.....	17.0	.....	68.2	17.0	.....
	1901	795.5	16.6	.....	.....	.....	.....	.....	.....	.....	82.9	16.6	16.6
	1902	1,193.4	32.2	.....	.....	32.2	16.1	.....	32.2	.....	48.4	32.2	32.2
	1903	1,272.0	.....	.....	.....	15.7	.....	172.7	15.7	.....	125.7	15.7	15.7
	1904	1,132.4	15.3	.....	.....	.....	.....	15.3	.....	.....	76.5	30.6	30.6
Allegan county	1900	1,164.6	12.9	10.3	.....	.....	.....	10.3	10.3	18.0	110.8	18.0	54.1
	1901	1,281.9	12.9	10.3	.....	7.7	.....	.....	.....	64.4	103.0	15.4	64.4
	1902	1,216.5	7.7	10.3	.....	2.6	.....	.....	2.6	20.6	95.1	20.6	56.6
	1903	1,187.2	18.0	7.7	.....	12.8	2.6	15.4	10.3	10.3	59.1	18.0	59.1
	1904	1,440.4	12.8	2.6	.....	7.7	7.7	2.6	2.6	48.8	84.7	12.8	92.4
Alpena county	1900	1,566.8	49.3	5.5	.....	16.4	5.5	5.5	60.3	11.0	87.6	5.5	38.3
	1901	1,127.4	5.4	.....	.....	.....	5.4	.....	21.5	5.4	85.9	10.7	37.6
	1902	894.7	5.3	.....	5.3	.....	5.3	.....	52.6	10.5	52.6	10.5	42.1
	1903	1,192.3	31.0	5.2	.....	.....	5.2	51.6	15.5	15.5	82.6	5.2	20.6
	1904	1,362.2	10.1	5.1	.....	5.1	116.5	30.4	106.3	30.4	65.8	15.2	60.8
Antrim county	1900	1,671.9	60.4	6.0	.....	42.3	42.3	24.1	6.0	24.1	84.5	24.1	48.3
	1901	1,279.1	30.6	6.1	.....	.....	12.2	6.1	24.5	61.2	61.2	12.2	42.9
	1902	1,042.7	49.7	6.2	6.2	.....	12.4	6.2	12.4	12.4	49.7	.....	12.4
	1903	1,158.4	50.4	.....	.....	18.9	.....	12.6	.....	25.2	62.9	6.3	31.5
	1904	1,469.2	31.9	.....	.....	12.8	19.2	19.2	19.2	31.9	57.5	12.8	44.7
Arenac county	1900	1,232.1	10.2	.....	.....	30.5	10.2	.....	20.4	.....	50.9	.....	20.4
	1901	1,210.8	.....	10.1	.....	.....	60.6	10.1	60.6	50.4	20.2	10.1	50.4
	1902	789.9	.....	10.0	10.0	.....	.....	.....	.....	.....	60.0	.....	20.0
	1903	881.7	9.9	.....	.....	.....	9.9	29.7	9.9	.....	49.5	9.9	39.6
	1904	1,207.8	9.8	9.8	.....	9.8	9.8	9.8	39.3	19.6	88.4	19.6	49.1
Baraga county	1900	879.6	.....	.....	.....	.....	.....	.....	.....	.....	46.3	.....	23.1
	1901	1,328.6	.....	.....	.....	221.5	.....	.....	22.1	.....	155.0	.....	.....
	1902	848.9	.....	.....	.....	.....	.....	63.7	.....	.....	84.9	21.2	21.2
	1903	1,100.2	20.4	.....	.....	.....	.....	20.4	20.4	.....	101.8	20.4	20.4
	1904	862.1	.....	.....	.....	.....	.....	.....	.....	.....	137.2	19.6	19.6
Barry county	1900	1,234.8	17.8	4.4	.....	4.4	.....	4.4	4.4	17.8	66.6	13.3	75.5
	1901	1,196.8	26.8	.....	.....	4.5	8.9	4.5	4.5	67.0	49.1	.....	84.8
	1902	1,198.9	13.5	.....	.....	18.0	.....	4.5	.....	18.0	85.3	9.0	112.2
	1903	1,173.9	13.5	4.5	.....	.....	4.5	13.5	9.0	18.1	72.3	13.5	67.7
	1904	1,398.4	9.1	.....	.....	9.1	.....	22.7	4.5	68.1	77.2	4.5	95.3
Bay county	1900	1,234.3	37.0	.....	.....	18.5	32.4	23.1	41.6	.....	64.7	13.9	50.9
	1901	1,213.3	9.1	.....	4.6	.....	36.5	4.6	27.4	68.4	91.2	27.4	36.5
	1902	954.2	18.0	.....	4.5	4.5	9.0	.....	9.0	.....	90.1	4.5	54.0
	1903	1,035.0	8.9	4.4	.....	26.7	.....	8.9	44.4	4.4	62.2	13.3	57.7
	1904	1,047.9	13.1	4.4	8.8	8.8	.....	8.8	13.1	17.5	109.6	4.4	48.2
Benzie county	1900	1,290.7	20.7	.....	.....	20.7	.....	.....	.....	.....	62.0	41.3	31.0
	1901	1,375.4	10.0	.....	.....	.....	50.2	.....	.....	20.1	150.6	10.0	30.1
	1902	1,055.0	.....	.....	.....	9.8	9.8	9.8	.....	9.8	97.7	19.5	29.3
	1903	1,350.7	47.6	.....	.....	.....	19.0	19.0	28.5	9.5	142.7	19.0	28.5
	1904	1,297.5	9.2	.....	.....	.....	.....	.....	37.1	.....	83.4	27.8	64.9
Berrien county	1900	1,230.6	30.5	10.2	.....	12.2	16.3	12.2	24.4	20.3	57.0	26.4	59.0
	1901	1,359.1	8.1	10.2	.....	2.0	10.2	16.3	14.2	52.8	89.4	12.2	67.1
	1902	1,120.2	20.3	.....	.....	8.1	4.1	14.2	.....	12.2	85.2	10.1	52.8
	1903	1,218.2	22.3	6.1	.....	12.1	2.0	2.0	20.3	26.4	60.8	20.3	70.9
	1904	1,283.7	10.1	6.1	.....	2.0	2.0	2.0	10.1	30.4	95.2	16.2	70.9
Branch county	1900	1,474.2	25.2	3.6	.....	10.8	10.8	3.6	3.6	35.9	89.9	25.2	93.5
	1901	1,394.8	25.5	.....	3.6	3.6	.....	7.3	14.6	94.7	76.5	32.8	91.0
	1902	1,398.3	22.1	.....	.....	14.8	.....	18.4	7.4	48.0	62.7	3.7	73.8
	1903	1,371.9	7.5	11.2	3.7	7.5	.....	7.5	37.4	37.4	78.5	18.7	82.2
	1904	1,447.1	11.4	3.8	.....	3.8	.....	.....	.....	60.6	83.4	11.4	53.0
Calhoun county	1900	1,320.2	19.5	6.5	.....	9.7	.....	6.5	35.8	9.7	81.3	9.7	91.1
	1901	1,391.8	35.8	6.5	.....	.....	3.3	3.3	3.3	58.5	58.5	6.5	120.3
	1902	1,372.2	6.5	.....	.....	13.0	6.5	6.5	16.3	6.5	81.3	6.5	71.5
	1903	1,271.5	3.3	3.3	.....	.....	3.3	6.5	22.8	42.3	48.8	9.7	52.0
	1904	1,385.4	9.7	.....	3.3	3.3	3.3	6.5	16.3	26.0	97.6	.....	87.8
Cass county	1900	1,437.1	33.5	4.8	.....	47.9	.....	9.6	23.9	9.6	76.6	19.2	86.2
	1901	1,311.4	29.0	9.7	.....	.....	.....	4.8	9.7	58.1	96.8	9.7	48.4
	1902	1,403.1	29.3	4.9	.....	4.9	4.9	14.7	4.9	14.7	102.7	14.7	97.8
	1903	1,338.8	24.7	.....	.....	.....	14.8	5.0	24.7	19.8	74.1	14.8	79.0
	1904	1,402.9	30.0	.....	.....	15.0	5.0	.....	15.0	25.0	99.8	15.0	104.8
Charlevoix county	1900	1,447.4	64.5	21.5	.....	7.2	7.2	14.3	.....	28.7	78.9	7.2	50.1
	1901	1,217.7	61.9	6.9	.....	.....	13.8	20.6	27.5	34.4	82.5	6.9	55.0
	1902	1,071.7	6.6	.....	.....	.....	6.6	6.6	26.5	13.2	105.9	.....	72.8
	1903	1,306.0	38.2	.....	.....	6.4	.....	12.7	19.1	.....	114.7	19.1	38.2
	1904	1,333.1	24.6	.....	.....	6.1	.....	.....	.....	18.4	116.8	12.3	67.6

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	7.7	35.4	186.3	167.8	145.5	80.0	181.7	77.7	84.7	85.4	13.1	82.4	60.8	217.0	9.2
3.8	12.3	34.5	203.1	189.3	141.8	74.4	76.6	70.5	67.4	65.9	12.3	74.4	59.0	202.3	3.1
2.3	14.5	33.6	215.2	158.0	109.9	71.0	71.0	48.9	70.2	58.0	13.7	55.7	51.1	177.8	4.6
2.3	12.9	37.2	196.9	215.9	136.0	57.8	90.4	65.4	72.2	76.0	17.5	88.2	47.9	212.8	3.8
1.5	23.5	36.3	215.7	205.2	109.8	70.4	82.5	68.9	93.9	71.9	11.4	73.4	26.5	181.0	3.0
.....	.....	.....	123.0	70.3	140.6	.....	87.8	35.1	35.1	17.6	.....	123.0	52.7	17.6	17.6
.....	.....	.....	105.5	175.8	175.8	70.3	17.6	35.1	52.7	52.7	.....	17.6	70.3	105.5	35.1
.....	17.6	.....	70.3	35.2	87.9	.....	17.6	17.6	35.2	52.7	.....	87.9	35.2	193.3	87.9
.....	17.6	17.6	70.4	35.2	105.5	52.7	17.6	35.2	52.7	52.7	.....	70.4	17.6	123.1	52.7
.....	.....	.....	105.5	70.4	52.8	35.2	35.2	70.4	70.4	35.2	.....	123.1	35.2	175.9	35.2
.....	.....	51.1	51.1	17.0	51.1	.....	102.3	51.1	.....	34.1	.....	68.2	.....	34.1	153.4
.....	.....	.....	16.6	33.1	33.1	82.9	99.4	49.7	16.6	82.9	.....	33.1	66.3	99.4	49.7
.....	16.1	16.1	96.8	80.7	112.9	96.8	80.7	80.7	.....	64.5	.....	209.7	.....	16.1	96.8
.....	.....	15.7	109.9	31.4	62.8	109.9	141.4	15.7	31.4	78.5	.....	125.7	15.7	109.9	62.8
.....	.....	30.6	45.9	137.7	76.5	122.5	91.8	45.9	15.3	61.2	15.3	122.5	30.6	153.0	15.3
.....	2.6	12.9	144.3	136.6	46.4	64.4	51.5	92.8	30.9	20.6	15.5	64.4	56.7	159.7	20.6
.....	5.1	5.1	141.6	180.2	90.1	77.2	46.3	90.1	36.0	41.2	20.6	72.1	43.8	154.4	.....
.....	15.4	18.0	200.6	151.7	48.8	90.0	23.1	100.3	66.9	25.7	5.1	38.6	23.1	185.4	7.7
.....	15.4	7.7	156.8	154.2	43.7	74.5	48.8	110.5	54.0	25.7	12.8	79.7	23.1	159.3	7.7
.....	25.7	20.5	133.5	254.2	79.6	74.5	87.3	123.2	59.1	20.5	10.3	74.5	10.3	179.7	12.8
.....	11.0	32.9	120.5	115.0	60.3	147.9	246.6	76.6	16.4	76.7	.....	109.6	38.3	153.4	76.7
.....	16.1	10.7	102.0	96.6	69.8	112.7	91.3	91.3	26.8	59.1	.....	64.4	37.6	128.8	48.3
5.3	.....	10.5	63.1	52.6	47.4	68.5	57.9	63.1	15.8	89.5	.....	63.1	26.3	100.0	47.4
.....	10.3	.....	113.6	87.7	98.1	118.7	77.4	77.4	56.8	61.9	10.3	92.9	41.3	92.9	20.6
.....	10.1	.....	91.1	76.0	45.6	121.5	60.8	76.0	40.5	65.8	10.1	101.3	30.4	151.9	35.4
.....	6.0	60.4	120.7	84.5	114.7	169.0	235.4	72.4	30.2	54.3	6.0	108.7	30.2	175.0	42.3
.....	6.1	12.2	122.4	116.3	128.5	91.8	73.4	49.0	24.5	24.5	.....	140.8	30.6	183.6	18.4
.....	.....	24.8	86.9	86.9	68.3	80.7	86.9	55.9	18.6	18.6	6.2	43.4	24.8	235.9	37.2
.....	6.3	31.5	75.5	107.0	56.6	37.8	144.8	81.8	25.2	37.8	6.3	107.0	25.2	195.2	12.6
.....	6.4	25.5	108.6	153.3	102.2	140.5	127.8	121.4	25.5	38.3	12.8	70.3	31.9	223.6	31.9
.....	.....	10.2	112.0	81.5	213.8	71.3	224.0	101.8	10.2	30.5	.....	81.5	10.2	101.8	40.7
.....	.....	.....	90.8	70.6	90.8	111.0	100.9	111.0	10.1	80.7	20.2	80.7	10.1	111.0	50.4
.....	.....	10.0	70.0	80.0	139.9	50.0	60.0	40.0	10.0	30.0	.....	70.0	30.0	70.0	30.0
.....	.....	.....	89.2	99.1	59.5	29.7	79.3	39.6	59.5	29.7	.....	49.5	29.7	118.9	39.6
.....	.....	.....	117.8	98.2	88.4	78.6	58.9	108.0	58.9	68.8	.....	39.3	.....	147.3	78.6
.....	.....	23.1	115.8	46.3	23.1	92.6	208.5	23.1	23.1	23.1	.....	115.8	46.3	46.3	23.1
.....	.....	22.1	66.4	.....	132.9	66.4	88.6	66.4	44.3	.....	.....	177.2	88.6	66.4	110.7
.....	.....	21.2	84.9	21.2	42.4	42.4	63.7	42.4	.....	42.4	.....	106.2	21.2	148.7	21.2
.....	20.4	20.4	40.7	61.1	61.1	40.7	142.6	20.4	20.4	61.1	20.4	81.5	20.4	244.5	40.7
.....	.....	.....	97.9	97.9	78.4	19.6	.....	19.6	.....	39.2	19.6	137.1	.....	117.6	58.8
.....	57.7	8.9	191.0	199.9	62.2	17.8	71.1	115.5	48.9	22.2	8.9	17.8	40.0	164.3	.....
.....	17.9	4.5	169.7	201.0	71.5	49.1	49.1	75.9	44.6	26.8	8.9	44.6	22.3	156.3	4.5
.....	18.0	13.5	161.6	202.0	71.8	53.9	62.9	58.4	71.8	22.4	13.5	44.9	18.0	125.7	.....
.....	31.6	18.1	158.1	207.7	63.2	54.2	45.2	90.3	40.6	18.1	4.5	63.2	13.5	144.5	4.5
.....	31.8	13.6	172.5	245.2	72.7	54.5	63.6	95.3	59.0	18.2	18.2	81.7	22.7	158.9	.....
.....	.....	18.5	83.2	60.1	69.3	46.2	217.3	46.2	64.7	64.7	.....	92.5	27.7	152.6	9.2
.....	4.6	13.7	73.0	104.9	100.3	59.3	136.8	73.0	36.5	27.4	9.1	68.4	45.6	123.1	31.9
9.0	.....	18.0	72.0	49.5	81.0	36.0	67.5	58.5	40.5	54.0	9.0	72.0	45.0	130.6	22.5
.....	8.9	8.9	80.0	111.1	66.6	48.9	97.7	31.1	35.5	22.2	.....	80.0	48.9	142.1	22.2
.....	4.4	13.1	122.8	109.6	48.2	65.8	70.2	57.0	35.1	61.4	4.4	70.2	30.7	105.2	13.1
.....	.....	.....	103.3	134.2	82.6	41.3	289.1	51.6	51.6	10.3	10.3	82.6	31.0	175.5	51.6
.....	.....	10.0	140.6	80.3	160.7	100.4	210.9	60.2	30.1	50.2	.....	50.2	40.2	160.6	10.0
.....	19.5	19.5	39.1	78.1	97.7	87.9	58.6	48.8	58.6	48.8	9.8	166.1	29.3	97.7	9.8
.....	9.5	.....	85.6	171.2	66.6	47.6	104.7	114.2	47.6	66.6	38.0	85.6	38.0	161.7	.....
.....	9.2	9.2	83.4	213.2	83.4	55.6	139.1	83.4	37.1	92.7	.....	102.0	37.1	120.5	9.2
.....	12.2	12.2	152.6	154.6	54.9	50.8	65.1	105.8	50.8	40.7	10.2	69.2	32.5	140.3	10.2
2.0	16.3	16.3	201.1	188.9	58.9	32.8	79.2	95.5	50.6	36.6	8.1	75.2	36.6	148.3	10.2
.....	8.1	14.2	148.2	150.1	52.8	54.8	50.7	71.0	54.8	54.8	8.1	87.3	26.4	125.8	6.1
2.0	12.1	12.1	162.2	152.0	66.9	73.0	83.1	95.3	50.7	40.5	14.2	87.2	22.3	95.3	6.1
.....	8.1	10.1	170.1	180.2	54.7	46.6	56.7	74.9	64.8	52.7	10.1	125.5	12.1	149.8	22.3
7.2	14.4	7.2	212.2	143.8	64.7	64.7	104.3	71.9	35.9	39.5	10.8	68.3	53.9	258.9	14.4
.....	14.6	18.2	222.2	214.9	47.3	36.4	61.9	98.3	54.6	43.7	7.3	58.3	7.3	160.2	.....
.....	18.4	7.4	225.0	250.9	70.1	62.7	48.0	99.6	55.3	29.5	7.4	84.9	7.4	173.4	7.4
.....	7.5	14.9	127.1	276.6	44.9	59.8	67.3	89.7	44.9	18.7	3.7	74.8	29.9	216.8	3.7
3.8	15.2	15.2	189.4	299.3	79.5	56.8	56.8	79.5	49.2	45.4	15.2	49.2	37.9	212.1	15.2
6.5	26.0	9.7	188.6	162.6	74.8	45.5	35.8	133.4	48.8	35.8	19.5	32.5	68.3	162.6	.....
.....	9.8	19.5	169.1	208.1	107.3	78.0	35.8	100.8	35.8	45.5	13.0	81.3	16.2	165.8	9.8
.....	13.0	9.8	204.9	263.4	87.8	55.3	58.5	94.3	65.0	45.5	6.5	58.5	42.3	149.6	3.2
.....	22.8	19.5	169.1	204.9	71.5	65.0	58.5	68.3	78.0	29.3	19.5	113.8	16.2	130.6	6.5
3.3	19.5	19.5	162.6	276.4	61.8	78.0	32.5	100.8	68.3	26.0	13.0	113.8	19.5	136.6	.....
4.8	28.7	14.4	210.8	186.9	52.7	57.5	67.1	86.2	57.5	47.9	4.8	52.7	33.5	196.4	23.9
4.8	19.4	19.4	188.7	193.5	72.6	48.4	53.2	101.6	72.6	19.4	9.7	48.4	14.5	174.2	4.8
.....	29.3	.....	180.9	259.1	83.1	48.9	48.9	88.0	78.2	24.4	4.9	63.5	34.2	166.2	.....
9.9	9.9	5.0	202.5	207.4	39.5	39.5	88.9	93.9	84.0	14.8	5.0	123.5	14.8	138.3	5.0
.....	10.0	30.0	159.8	229.6	49.9	44.9	64.9	84.9	99.8	44.9	10.0	59.9	39.9	154.8	10.0
.....	.....	57.3	93.1	50.1	121.8	121.8	186.3	93.1	28.7	28.7	7.2	93.1	21.5	222.1	43.0
.....	6.9	6.9	75.7	75.7	34.4	61.9	75.7	55.0	41.3	123.8	6.9	137.6	34.4	144.5	27.5
6.6	6.6	.....	105.9	99.3	59.5	86.0	52.9	72.8	59.5	26.5	.....	119.1	19.8	99.2	19.8
12.7	19.1	.....	102.0	127.4	82.8	127.4	152.9	38.2	51.0	19.1	6.4	133.8	25.5	152.9	6.4
.....	6.1	6.1	104.4	116.8	55.3	110.6	147.5	73.7	49.1	49.1	18.4	110.6	67.6	165.9	6.1

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.												
Cheboygan county..1900..	1,463.0	32.2	19.3	.....	19.3	12.9	.....	32.2	6.4	45.1	19.3	32.2
1901..	1,260.1	18.8	6.3	.....	.....	31.3	25.1	37.6	31.3	81.5	6.3	43.9
1902..	1,098.5	6.1	12.2	12.2	.....	18.3	6.1	6.1	12.2	42.7	.....	30.5
1903..	1,165.2	5.9	.....	.....	.....	.....	11.9	47.6	5.9	77.3	11.9	41.6
1904..	1,124.3	11.6	5.8	.....	.....	.....	23.2	11.6	5.8	63.7	5.8	34.8
Chippewa county..1900..	861.1	18.5	.....	.....	.....	.....	9.3	18.5	9.3	55.6	9.3	.....
1901..	1,058.5	37.1	.....	9.3	9.3	55.7	27.8	18.6	9.3	74.3	9.3	46.4
1902..	996.2	65.2	.....	.....	.....	27.9	9.3	37.2	9.3	65.2	.....	27.9
1903..	1,138.9	65.4	.....	.....	.....	28.0	.....	9.3	.....	84.0	9.3	28.0
1904..	1,011.0	.....	.....	.....	9.4	.....	.....	18.7	.....	74.9	18.7	9.4
Clare county..1900..	1,196.2	47.8	23.9	.....	12.0	12.0	.....	12.0	23.9	83.8	.....	59.8
1901..	1,050.5	.....	.....	11.7	.....	.....	11.7	23.3	35.0	58.4	11.7	46.7
1902..	946.0	.....	11.4	.....	.....	11.4	11.4	22.8	11.4	57.0	.....	22.8
1903..	1,113.5	11.1	.....	.....	.....	.....	.....	11.1	11.1	100.3	11.1	33.4
1904..	1,186.2	43.5	.....	.....	43.5	43.5	10.9	10.9	.....	76.2	21.8	65.3
Clinton county..1900..	1,304.9	43.8	8.0	.....	4.0	.....	4.0	11.9	8.0	103.4	.....	59.7
1901..	1,339.7	27.8	4.0	.....	4.0	15.9	8.0	35.8	79.5	63.6	19.9	55.7
1902..	1,183.9	35.8	4.0	.....	11.9	4.0	7.9	.....	19.9	63.6	19.9	91.4
1903..	1,230.6	15.9	4.0	7.9	.....	.....	11.9	7.9	43.7	71.4	4.0	83.4
1904..	1,229.8	27.7	4.0	.....	.....	7.9	11.9	.....	39.7	75.4	7.9	67.4
Crawford county..1900..	849.5	.....	.....	.....	.....	34.0	.....	.....	.....	34.0	.....	.....
1901..	851.8	126.2	.....	.....	.....	94.6	.....	.....	31.6	31.6	.....	.....
1902..	1,383.2	29.4	29.4	.....	.....	.....	.....	.....	.....	58.9	.....	117.7
1903..	1,434.1	55.2	.....	.....	55.2	.....	.....	.....	.....	27.6	27.6	27.6
1904..	1,141.7	26.0	.....	.....	26.0	.....	.....	.....	.....	77.8	.....	26.0
Delta county..1900..	1,200.1	20.9	.....	.....	14.0	27.9	.....	69.8	20.9	69.8	7.0	14.0
1901..	902.7	33.9	.....	13.6	6.8	.....	.....	27.1	13.6	67.9	.....	13.6
1902..	938.2	13.2	.....	.....	39.7	6.6	6.6	13.2	.....	72.7	13.2	33.0
1903..	894.8	25.7	.....	6.4	.....	6.4	12.9	25.7	12.9	77.2	.....	6.4
1904..	1,066.8	25.1	.....	.....	.....	6.3	25.1	.....	12.6	50.2	.....	56.5
Dickinson county..1900..	1,295.1	.....	.....	.....	.....	46.2	23.1	.....	11.6	115.7	34.7	46.2
1901..	1,344.6	33.1	.....	.....	33.1	.....	.....	22.0	11.0	88.2	11.0	44.1
1902..	1,189.7	10.5	.....	.....	21.1	10.5	.....	42.1	10.5	52.6	10.5	10.5
1903..	1,299.9	30.2	.....	.....	.....	20.1	.....	10.1	.....	60.5	30.2	20.1
1904..	985.4	.....	.....	.....	.....	.....	.....	29.0	.....	58.0	9.6	29.0
Eaton county..1900..	1,285.2	31.6	28.4	.....	9.5	6.3	.....	6.3	12.6	78.9	6.3	91.6
1901..	1,285.5	25.4	6.4	.....	3.2	3.2	3.2	22.3	63.6	57.3	15.9	66.8
1902..	1,282.5	35.3	3.2	.....	16.0	3.2	.....	16.0	22.5	67.4	16.0	60.9
1903..	1,321.6	29.1	3.2	.....	3.2	.....	6.5	6.5	48.5	80.8	12.9	87.2
1904..	1,569.7	22.8	.....	.....	16.3	.....	6.5	13.0	39.1	97.7	6.5	81.4
Emmet county..1900..	1,443.7	31.4	12.5	6.3	6.3	.....	.....	.....	31.4	75.3	12.5	37.7
1901..	1,291.0	24.4	6.1	6.1	.....	6.1	.....	18.3	12.2	103.5	6.1	60.9
1902..	1,366.0	23.7	.....	.....	.....	.....	5.9	.....	23.7	106.4	5.9	53.2
1903..	1,433.9	40.2	5.7	.....	28.7	.....	46.0	5.7	23.0	91.9	17.2	69.0
1904..	1,296.7	16.8	.....	5.6	22.3	5.6	5.6	5.6	27.9	100.6	16.8	33.5
Genesee county..1900..	1,407.6	17.4	.....	.....	.....	.....	7.0	13.9	13.9	55.7	10.5	62.7
1901..	1,343.8	10.6	7.1	.....	.....	7.1	3.5	14.2	60.3	60.3	21.3	63.8
1902..	1,306.5	32.0	.....	3.6	3.6	.....	3.6	7.1	7.1	106.8	3.6	57.0
1903..	1,447.5	17.9	7.1	.....	10.7	.....	14.3	25.0	10.7	89.4	10.7	85.8
1904..	1,381.5	17.9	3.6	.....	.....	7.2	.....	10.8	28.7	53.8	21.5	71.8
Gladwin county..1900..	1,127.3	15.2	15.2	.....	15.2	15.2	.....	.....	.....	76.2	.....	15.2
1901..	904.8	14.1	.....	.....	.....	14.1	.....	.....	28.3	28.3	.....	14.1
1902..	791.4	13.2	.....	.....	.....	.....	26.4	13.2	.....	39.5	13.2	39.5
1903..	716.9	12.4	.....	.....	.....	.....	.....	12.4	.....	37.1	12.4	24.7
1904..	651.1	23.3	11.6	.....	11.6	23.3	.....	.....	.....	11.6	.....	11.6
Gogebic county..1900..	1,336.6	42.7	.....	.....	.....	14.2	.....	.....	.....	42.7	.....	.....
1901..	1,502.9	42.3	.....	.....	56.4	28.2	.....	56.4	.....	112.8	14.1	14.1
1902..	1,704.9	41.9	.....	.....	.....	14.0	14.0	111.8	14.0	41.9	14.0	97.8
1903..	1,635.0	.....	.....	.....	13.9	13.9	13.9	69.2	13.9	166.2	13.9	.....
1904..	1,923.6	27.5	.....	.....	.....	13.7	.....	68.7	.....	68.7	55.0	27.5
Grand Traverse county..1900..	1,400.0	54.2	.....	.....	36.1	.....	27.1	.....	.....	117.4	.....	63.2
1901..	1,381.1	44.3	.....	17.7	.....	44.3	35.4	35.4	53.1	70.8	8.8	44.3
1902..	998.4	17.4	.....	.....	.....	17.4	17.4	26.0	.....	78.2	8.7	34.7
1903..	953.8	25.6	.....	.....	8.5	8.5	8.5	17.0	8.5	76.7	17.0	25.6
1904..	1,337.2	8.3	.....	8.3	.....	.....	25.1	8.3	25.1	100.3	.....	33.4
Gratiot county..1900..	1,355.0	46.9	3.3	3.3	16.7	3.3	16.7	6.7	16.7	83.7	13.4	53.5
1901..	1,201.3	33.3	3.3	.....	.....	13.3	6.7	6.7	30.0	73.2	13.3	53.3
1902..	1,161.8	19.9	.....	3.3	9.9	.....	13.2	.....	23.2	69.5	16.5	69.5
1903..	1,142.4	26.3	.....	.....	3.3	3.3	9.9	3.3	26.3	118.5	9.9	62.6
1904..	1,264.1	29.5	.....	.....	13.1	6.5	3.3	9.8	55.7	75.3	13.1	68.8
Hillsdale county..1900..	1,376.2	30.2	6.7	.....	10.0	.....	.....	.....	40.2	97.1	6.7	83.7
1901..	1,416.7	26.8	6.7	.....	6.7	3.3	3.3	.....	70.4	73.7	16.7	97.1
1902..	1,256.2	43.5	6.7	.....	.....	3.3	.....	6.7	26.8	50.3	6.7	90.5
1903..	1,330.3	20.1	10.0	3.4	10.0	3.4	3.4	6.7	26.8	83.8	20.1	63.7
1904..	1,411.0	10.0	10.0	.....	16.7	3.4	3.4	13.4	36.9	100.5	20.1	77.1
Houghton county..1900..	1,460.7	33.3	.....	1.5	1.5	71.2	12.1	9.1	3.0	90.8	30.3	48.4
1901..	1,328.8	43.2	1.5	.....	.....	25.3	10.4	17.9	7.4	92.3	20.8	44.6
1902..	1,373.9	16.1	.....	2.9	16.1	16.1	8.8	11.7	2.9	92.2	26.3	64.4
1903..	1,221.8	17.3	.....	1.4	5.8	21.6	31.7	28.8	8.6	102.2	30.2	46.1
1904..	1,259.8	2.8	.....	.....	8.5	46.7	34.0	18.4	7.1	109.0	45.3	62.3

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	6.4	70.9	141.8	122.5	51.6	186.9	193.4	51.6	70.9	135.4	6.4	70.9	64.5	38.7	32.2
.....	6.3	18.8	131.7	106.6	119.1	62.7	106.6	87.8	12.5	75.2	6.3	94.0	31.3	119.1	.....
6.1	12.2	30.5	97.7	116.0	97.7	116.0	73.2	73.2	.....	73.2	.....	48.8	48.8	146.5	12.2
.....	.....	29.7	77.3	154.6	53.5	71.3	142.7	53.5	53.5	59.5	5.9	59.5	29.7	142.7	29.7
5.8	29.0	46.4	52.1	104.3	81.1	75.3	133.3	46.4	46.4	75.3	11.6	110.1	11.6	110.1	23.2
.....	.....	27.8	64.8	83.3	129.6	55.6	55.6	37.0	27.8	37.0	.....	83.3	37.0	64.8	37.0
.....	.....	.....	92.9	55.7	92.9	65.0	74.3	46.4	37.1	37.1	9.3	55.7	37.1	139.3	18.6
.....	.....	18.6	83.8	55.9	74.5	27.9	111.8	46.6	18.6	18.6	.....	93.1	9.3	167.6	27.9
.....	.....	9.3	93.4	84.0	74.7	74.7	112.0	46.7	28.0	28.0	9.3	102.7	46.7	149.4	56.0
.....	9.4	.....	84.2	103.0	84.2	65.5	112.3	28.1	9.4	28.1	9.4	131.0	56.2	131.0	28.1
.....	12.0	12.0	119.6	83.8	59.8	47.8	167.4	35.9	71.7	47.8	.....	83.8	35.9	119.6	23.9
.....	35.0	93.4	93.4	70.0	70.0	46.7	58.4	70.0	70.0	70.0	11.7	70.0	11.7	116.7	35.0
.....	.....	11.4	182.3	68.4	34.2	68.4	34.2	68.4	22.8	22.8	11.4	34.2	11.4	170.9	57.0
.....	22.3	.....	133.6	100.3	44.5	22.3	100.3	66.8	22.3	33.4	.....	66.8	55.6	222.7	44.5
.....	21.8	21.8	87.1	32.6	54.4	65.3	43.5	119.7	87.1	54.4	10.9	97.9	32.6	119.7	21.8
.....	8.0	27.8	155.1	183.0	75.6	55.7	119.4	83.5	47.7	35.8	4.0	51.7	35.8	167.1	11.9
.....	4.0	11.9	178.9	202.7	127.2	43.7	27.8	111.3	51.7	23.8	11.9	43.7	15.9	167.0	4.0
.....	27.8	11.9	127.1	198.6	95.3	39.7	55.6	71.5	47.7	19.9	7.9	55.6	27.8	135.1	4.0
.....	15.9	11.9	170.7	202.5	95.3	71.4	47.6	87.3	27.8	39.7	7.9	23.8	31.8	142.9	4.0
4.0	15.9	15.9	170.6	214.2	39.7	51.6	43.6	63.5	43.6	23.8	23.8	63.5	23.8	186.4	4.0
.....	.....	.....	101.9	34.0	101.9	34.0	34.0	34.0	.....	68.0	.....	135.9	101.9	135.9	.....
.....	.....	.....	94.6	63.1	63.1	94.6	94.6	.....	.....	31.6	.....	94.6	.....	.....	31.6
.....	.....	.....	29.4	88.3	147.2	206.0	88.3	.....	88.3	117.7	.....	206.0	29.4	147.2	.....
.....	.....	.....	82.7	110.3	110.3	27.6	110.3	82.7	27.6	82.7	27.6	248.2	27.6	303.3	.....
.....	.....	.....	129.7	77.8	51.9	77.8	77.8	51.9	51.9	51.9	.....	363.3	.....	51.9	.....
.....	20.9	20.9	55.8	27.9	62.8	48.8	244.2	62.8	7.0	48.8	.....	69.8	34.9	111.6	139.6
.....	.....	6.8	54.3	74.6	67.9	54.3	81.5	61.1	27.1	47.5	.....	108.6	27.1	81.5	33.9
6.6	.....	13.2	39.7	26.4	39.7	33.0	138.8	72.7	26.4	33.0	6.6	118.9	26.4	99.1	59.5
.....	.....	12.9	45.1	32.2	64.4	45.1	96.5	57.9	12.9	70.8	12.9	45.1	45.1	115.9	64.4
.....	.....	6.3	62.7	50.2	106.6	62.7	87.9	62.7	18.8	50.2	6.3	131.8	18.8	138.1	87.9
.....	.....	34.7	69.4	23.1	46.2	138.8	161.9	57.8	34.7	80.9	.....	196.6	11.6	127.2	34.7
.....	.....	11.0	99.2	99.2	88.2	77.2	253.5	22.0	55.1	55.1	22.0	209.4	.....	88.2	22.0
.....	.....	31.6	52.6	63.2	52.6	84.2	263.3	63.2	.....	94.8	.....	179.0	.....	94.8	42.1
.....	20.1	.....	60.5	80.6	50.4	60.5	292.3	30.2	40.3	100.8	10.1	201.6	20.1	131.0	30.2
.....	19.3	.....	67.7	86.9	29.0	77.3	193.2	67.7	9.6	67.7	9.6	144.9	9.6	58.0	19.3
3.2	18.9	6.3	151.6	186.3	63.2	28.4	94.7	85.3	31.6	15.8	.....	37.9	37.9	240.0	12.6
.....	9.5	15.9	194.1	197.3	108.2	31.8	38.2	95.5	63.6	22.3	6.4	73.2	12.7	149.5	.....
3.2	16.0	19.2	170.0	243.7	70.6	64.1	38.5	102.6	48.1	19.2	9.6	48.1	16.0	169.9	3.2
9.7	25.9	9.7	174.5	206.8	58.2	51.7	54.9	87.2	80.8	32.3	9.7	67.8	22.6	145.4	6.5
6.5	13.0	26.0	254.0	228.0	100.9	61.9	55.4	84.7	84.7	52.1	16.3	104.2	13.0	175.9	9.8
6.3	.....	37.7	175.7	81.6	125.5	37.7	213.4	94.2	18.8	37.7	.....	150.6	50.2	169.5	31.4
.....	18.3	30.4	91.3	97.4	127.9	36.5	127.9	91.3	30.4	60.9	6.1	85.2	24.4	194.9	24.4
5.9	11.8	47.3	147.8	130.1	82.8	53.2	94.6	76.9	71.0	88.7	46.9	147.8	23.7	136.0	23.7
.....	11.5	23.0	115.0	132.2	143.7	86.2	91.9	40.2	57.5	69.0	5.7	132.2	46.0	149.4	23.0
5.6	11.2	16.8	78.2	111.8	61.6	100.6	72.6	72.6	67.1	111.8	.....	128.5	16.8	184.4	16.8
7.0	24.4	27.9	174.2	195.1	59.2	83.6	94.1	128.9	55.7	55.7	7.0	66.2	52.3	184.7	10.5
3.5	28.4	7.1	191.5	159.6	102.8	88.7	56.7	74.5	63.8	10.6	7.1	70.9	24.8	195.0	10.6
3.6	21.4	7.1	181.6	170.9	99.7	81.9	32.0	49.8	57.0	49.8	14.2	67.6	49.8	181.5	14.2
.....	10.7	7.1	139.4	250.2	150.1	50.1	25.0	100.1	96.5	10.7	21.5	85.8	39.3	182.3	7.1
3.6	10.8	3.6	143.5	258.4	107.7	64.6	46.6	82.5	89.7	21.5	7.2	78.9	46.6	197.4	3.6
.....	.....	30.5	76.2	91.4	121.9	45.7	60.9	106.7	15.2	91.4	.....	76.2	30.5	167.6	60.9
.....	.....	28.3	56.6	.....	70.7	14.1	169.7	113.1	14.1	14.1	.....	113.1	14.1	127.3	70.7
.....	26.4	.....	39.5	52.8	79.1	26.4	105.5	52.8	13.2	26.4	.....	52.8	65.9	52.8	52.8
.....	.....	.....	61.8	74.1	49.4	12.4	74.1	86.5	.....	.....	.....	61.8	24.7	160.7	12.4
.....	11.6	11.6	81.4	34.9	46.5	58.2	46.5	23.3	11.6	23.3	.....	93.0	11.6	93.0	11.6
.....	.....	28.4	128.0	28.4	113.7	85.3	241.7	42.7	28.4	71.1	14.2	199.1	71.1	128.0	56.9
.....	14.1	28.2	112.8	98.6	98.6	169.2	239.6	14.1	.....	141.0	.....	197.3	70.5	70.5	14.1
.....	27.9	14.0	83.8	41.9	139.8	209.6	223.6	55.9	27.9	223.6	.....	223.6	14.0	69.9	.....
.....	.....	13.9	83.1	13.9	27.7	83.1	193.9	110.8	13.9	152.4	13.9	374.1	97.0	124.7	27.7
.....	.....	68.7	274.8	82.4	96.2	123.7	137.4	96.2	13.7	206.1	27.5	192.3	68.7	178.6	96.2
.....	9.0	18.1	189.7	126.5	72.3	54.2	162.6	108.4	63.2	63.2	.....	63.2	.....	162.6	9.0
.....	8.8	17.7	97.4	132.8	53.1	44.3	141.6	97.4	79.7	26.6	.....	97.4	62.0	168.2	.....
.....	26.0	17.4	104.2	147.6	69.4	43.4	69.4	69.4	17.4	43.4	.....	17.4	26.0	130.2	17.4
.....	.....	8.5	102.2	85.2	76.7	25.6	59.6	42.6	68.1	59.6	17.0	68.1	17.0	119.2	8.5
.....	41.8	16.7	133.7	200.6	41.8	75.2	150.5	75.2	33.4	25.1	16.7	108.7	41.8	142.1	25.1
.....	13.4	20.1	157.3	137.2	103.7	66.9	160.6	63.6	66.9	53.5	6.7	50.2	43.5	137.2	10.0
3.3	16.6	26.6	129.8	146.5	126.5	66.5	66.5	63.2	33.3	23.3	6.7	66.5	39.9	153.0	.....
3.3	23.2	16.5	165.5	162.2	56.3	39.7	59.6	79.5	33.1	43.0	16.5	53.0	23.2	158.9	3.3
3.3	9.9	26.3	141.6	131.7	79.0	49.4	36.2	88.9	49.4	32.9	3.3	49.4	23.0	154.7	.....
3.3	13.1	19.6	117.9	206.3	72.1	49.1	62.2	88.5	49.1	49.1	9.8	62.2	39.3	147.4	.....
3.3	26.8	20.1	207.6	194.2	97.1	40.2	77.0	90.4	60.3	13.4	3.3	67.0	33.5	167.4	.....
.....	16.7	26.8	231.1	217.7	107.2	46.9	53.6	87.1	70.3	10.0	10.0	43.6	23.5	167.5	.....
.....	23.4	6.7	157.5	237.9	60.3	36.8	43.5	93.8	83.8	23.4	13.4	83.8	26.8	130.6	.....
3.4	20.1	6.7	177.6	271.4	83.8	50.3	36.8	80.4	70.4	20.1	23.4	53.6	23.4	157.5	.....
3.4	36.9	10.0	207.8	241.3	70.4	53.6	36.9	107.2	63.7	20.1	3.4	63.7	30.2	164.2	6.7
.....	12.1	33.3	95.4	77.2	104.5	89.3	201.3	90.8	50.0	90.8	4.5	124.1	33.3	113.5	39.4
1.5	10.4	22.3	101.2	99.7	81.8	98.2	160.7	59.5	25.3	77.4	8.9	175.6	32.7	92.3	17.9
.....	13.2	16.1	99.5	67.3	93.7	98.0	178.5	71.7	38.0	99.5	5.9	158.0	35.1	120.0	21.9
.....	5.8	31.7	76.3	79.2	89.2	106.5	107.9	61.9	53.2	60.4	1.4	126.6	27.3	77.7	23.0
.....	4.2	18.4	90.6	86.4	94.9	110.5	99.1	46.7	53.8	69.4	4.2	148.7	17.0	103.4	18.4

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.													
Huron county	1900	1,068.4	41.0	8.8	.....	8.8	14.6	2.9	17.5	11.7	52.7	8.8	26.3
	1901	1,094.4	14.5	.....	.....	.....	26.2	.....	11.6	46.6	78.6	11.6	43.7
	1902	975.3	20.2	.....	.....	2.9	11.6	31.8	11.6	.....	86.8	17.4	31.8
	1903	1,047.5	5.7	2.9	5.7	2.9	28.8	20.1	31.7	14.4	72.0	11.5	34.5
	1904	1,018.7	14.3	2.9	2.9	11.4	14.3	.....	25.8	8.6	68.7	11.4	45.8
Ingham county	1900	1,452.9	81.4	12.8	.....	.....	12.8	4.3	17.2	42.9	85.7	25.7	72.9
	1901	1,337.2	47.1	8.6	.....	.....	.....	.....	12.9	72.9	90.0	17.1	51.4
	1902	1,401.5	30.0	8.6	.....	25.7	.....	4.3	4.3	38.6	47.1	12.9	60.0
	1903	1,238.7	42.9	8.6	.....	.....	4.3	8.6	4.3	17.1	85.7	12.9	85.7
	1904	1,697.3	25.7	.....	.....	8.6	4.3	8.6	34.3	55.7	72.9	21.4	85.7
Ionia county	1900	1,476.9	46.6	14.6	.....	20.4	.....	14.6	5.8	17.5	113.6	29.1	49.5
	1901	1,348.7	23.3	5.8	.....	.....	11.6	.....	34.9	40.7	98.8	11.6	55.2
	1902	1,241.4	23.2	11.6	2.9	2.9	8.7	.....	17.4	37.7	72.5	8.7	40.6
	1903	1,201.1	31.8	5.8	.....	2.9	2.9	8.7	5.8	14.5	60.8	23.2	81.0
	1904	1,435.3	31.8	5.8	.....	.....	8.7	2.9	2.9	17.3	86.6	14.4	121.3
Iosco county	1900	1,161.4	29.3	9.7	.....	.....	.....	.....	29.3	48.8	78.1	9.7	.....
	1901	1,308.3	19.4	.....	.....	.....	29.1	.....	135.7	19.4	58.1	9.7	77.5
	1902	952.7	9.6	28.9	9.6	.....	9.6	.....	28.9	19.3	86.6	.....	57.7
	1903	1,165.7	28.7	19.1	9.6	.....	19.1	28.7	9.6	19.1	114.6	9.6	57.3
	1904	1,081.6	19.0	9.5	.....	.....	19.0	9.5	9.5	19.0	104.4	28.4	47.4
Iron county	1900	878.7	11.1	.....	.....	33.4	11.1	66.8	22.2	22.2	22.2	11.1	33.4
	1901	1,170.0	22.3	.....	.....	.....	22.3	.....	89.2	11.1	66.9	11.1	.....
	1902	960.0	11.2	.....	.....	.....	.....	.....	22.3	11.2	78.1	11.2	22.3
	1903	1,096.0	22.4	.....	.....	11.2	.....	.....	.....	11.2	11.2	11.2	33.5
	1904	974.8	11.2	.....	.....	.....	.....	.....	11.2	22.4	56.0	.....	89.7
Isabella county	1900	1,334.3	39.5	.....	.....	8.8	4.4	8.8	21.9	8.8	109.7	13.2	52.6
	1901	1,047.0	26.0	.....	8.7	.....	8.7	8.7	21.6	34.6	69.2	8.7	26.0
	1902	1,117.6	25.6	4.3	.....	12.8	12.8	21.3	17.1	8.5	76.8	12.8	29.9
	1903	996.8	29.4	4.2	.....	.....	4.2	4.2	16.8	8.4	50.5	21.0	50.5
	1904	970.7	16.6	4.1	.....	16.6	.....	4.1	8.3	8.3	58.1	24.9	58.1
Jackson county	1900	1,189.1	52.1	.....	.....	8.7	.....	.....	8.7	13.0	56.4	13.0	52.1
	1901	1,187.5	13.2	4.4	.....	.....	.....	.....	.....	52.8	70.4	4.4	74.7
	1902	1,257.1	22.3	.....	.....	4.5	.....	.....	4.5	35.7	58.0	8.9	80.2
	1903	1,292.5	18.1	4.5	.....	.....	.....	9.0	4.5	27.1	45.2	13.6	72.3
	1904	1,530.6	9.2	.....	4.6	9.2	4.6	.....	9.2	32.1	55.0	4.6	155.8
Kalamazoo county	1900	1,411.6	35.2	10.0	.....	.....	10.0	15.1	15.1	25.1	70.3	10.0	75.4
	1901	1,340.0	20.1	20.1	.....	35.1	10.0	.....	15.1	45.2	80.3	15.1	55.2
	1902	1,178.4	20.1	.....	.....	.....	5.0	.....	10.0	15.1	55.1	5.0	110.3
	1903	1,367.7	20.0	10.0	.....	5.0	.....	.....	.....	5.0	75.2	15.0	60.1
	1904	1,496.5	10.0	5.0	.....	15.0	.....	5.0	15.0	55.1	70.1	15.0	90.1
Kalkaska county	1900	1,500.1	98.1	.....	.....	84.1	.....	.....	.....	14.0	42.1	.....	28.0
	1901	1,213.6	.....	13.8	.....	13.8	13.8	.....	96.5	69.0	110.3	27.6	13.8
	1902	1,044.7	13.6	13.6	.....	.....	27.1	.....	27.1	13.6	27.1	13.6	13.6
	1903	1,535.6	26.7	.....	.....	.....	.....	.....	40.1	13.3	80.1	40.1	66.8
	1904	1,275.0	.....	.....	13.1	13.1	13.1	13.1	26.3	13.1	52.6	26.3	65.7
Kent county	1900	1,527.9	30.8	.....	.....	11.9	14.2	4.7	26.1	16.6	99.7	21.4	121.0
	1901	1,458.5	21.3	2.4	.....	.....	.....	7.1	26.0	61.5	75.6	9.4	61.5
	1902	1,394.3	16.5	.....	4.7	.....	11.8	9.4	2.4	18.8	82.4	25.9	84.8
	1903	1,433.7	25.8	.....	.....	4.7	9.4	11.7	7.0	25.8	103.3	14.1	107.9
	1904	1,613.3	18.7	7.0	.....	.....	.....	4.7	9.4	21.0	60.8	18.7	81.8
Keweenaw county	1900	1,492.1	.....	.....	.....	.....	155.4	.....	.....	.....	124.4	.....	62.1
	1901	1,155.3	.....	.....	.....	.....	140.9	.....	.....	.....	28.2	28.2	28.2
	1902	850.3	.....	.....	.....	.....	.....	.....	.....	.....	51.5	.....	.....
	1903	1,091.9	.....	.....	.....	.....	.....	.....	.....	.....	47.5	.....	47.5
	1904	989.9	.....	.....	.....	.....	22.0	.....	.....	.....	153.9	.....	.....
Lake county	1900	1,250.8	100.9	20.2	.....	.....	.....	.....	.....	.....	80.7	20.2	60.5
	1901	1,167.7	40.3	.....	.....	.....	.....	.....	.....	40.3	80.5	.....	40.3
	1902	944.3	20.1	20.1	.....	.....	.....	.....	20.1	.....	80.3	.....	.....
	1903	1,022.4	.....	.....	.....	.....	.....	.....	.....	.....	60.2	.....	80.2
	1904	1,200.2	40.0	20.0	.....	.....	40.0	.....	20.0	60.0	100.0	.....	60.0
Lapeer county	1900	1,313.3	28.9	10.9	.....	14.5	14.5	3.6	28.9	18.1	83.2	21.7	47.0
	1901	1,513.1	40.0	.....	.....	.....	3.6	3.6	50.9	69.1	105.5	21.8	61.9
	1902	1,371.3	25.6	11.0	.....	18.3	11.0	14.6	25.6	29.2	43.9	11.0	65.8
	1903	1,297.9	25.7	.....	.....	.....	14.7	14.7	3.7	14.7	40.4	25.7	58.8
	1904	1,549.0	14.8	3.7	3.7	.....	7.4	.....	11.1	14.8	70.2	3.7	73.9
Leelanau county	1900	1,496.8	9.5	.....	.....	.....	18.9	18.9	9.5	47.4	85.3	18.9	66.3
	1901	1,148.5	9.4	.....	.....	.....	.....	18.8	9.4	28.2	56.5	.....	75.3
	1902	1,094.4	.....	.....	.....	.....	9.4	28.0	9.4	18.7	93.5	9.4	9.4
	1903	1,208.4	9.3	.....	.....	18.6	.....	9.3	9.3	18.6	102.2	.....	55.8
	1904	1,330.1	.....	.....	.....	.....	9.2	.....	.....	27.7	138.5	.....	64.7
Lenawee county	1900	1,442.0	35.1	8.3	.....	6.2	10.3	.....	8.3	39.2	97.1	20.7	82.6
	1901	1,455.4	37.0	12.4	2.0	.....	6.2	4.1	10.3	76.2	98.8	10.3	100.9
	1902	1,306.6	32.8	10.2	.....	2.1	6.2	12.3	8.2	45.1	92.3	24.6	80.0
	1903	1,349.0	16.4	.....	.....	2.0	2.0	8.2	8.2	40.9	75.6	26.6	79.7
	1904	1,425.7	28.5	.....	.....	10.2	6.1	6.1	18.3	44.9	77.4	8.1	77.4
Livingston county	1900	1,296.8	10.2	10.2	.....	.....	.....	10.2	.....	10.2	111.9	10.2	55.9
	1901	1,303.4	41.2	5.2	.....	.....	.....	.....	10.3	72.1	87.6	15.4	82.4
	1902	1,174.5	5.2	.....	.....	.....	5.2	5.2	10.4	15.7	88.7	15.7	78.3
	1903	1,423.1	21.2	.....	.....	5.3	10.6	5.3	5.3	21.2	89.9	10.6	84.6
	1904	1,421.0	48.3	.....	.....	5.4	10.7	.....	16.1	37.5	59.0	16.1	91.2

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	8.8	23.4	70.3	105.4	73.2	38.1	111.2	79.0	43.9	41.0	.....	46.8	29.3	146.4	58.5
2.9	11.6	5.8	101.9	55.3	78.6	81.5	69.9	84.4	43.7	34.9	8.7	49.5	17.5	154.3	61.1
.....	23.2	14.5	92.6	104.2	75.2	69.5	57.9	55.0	31.8	28.9	14.5	46.3	11.6	95.5	40.5
5.7	2.9	14.4	92.1	89.2	57.6	66.2	95.0	60.4	40.3	28.8	17.3	60.4	20.1	123.7	43.2
.....	2.9	11.4	80.1	134.5	42.9	42.9	57.2	100.2	54.4	57.2	2.9	60.1	5.7	125.9	34.3
.....	21.4	38.6	162.9	145.7	72.9	64.3	98.6	115.7	55.7	25.7	4.3	60.0	60.0	150.0	21.4
4.3	8.6	.....	205.7	235.7	94.3	47.1	25.7	107.2	60.0	8.6	.....	25.7	42.9	167.1	4.3
.....	17.1	30.0	188.6	252.9	107.1	47.1	68.6	68.6	68.6	30.0	17.1	34.3	25.7	210.0	4.3
8.6	17.1	8.6	154.3	171.4	81.4	72.9	34.3	94.3	60.0	21.4	.....	64.3	21.4	158.6	.....
4.3	60.0	12.9	210.0	222.9	120.0	64.3	42.9	141.4	90.0	30.0	25.7	85.7	17.1	252.9	.....
.....	14.6	34.9	221.4	180.6	78.7	64.1	101.9	84.5	49.5	37.9	14.6	46.6	64.1	168.9	2.9
5.8	14.5	8.7	197.7	206.4	72.7	75.6	55.2	75.6	43.6	40.7	20.3	61.0	23.3	162.8	2.9
.....	5.8	11.6	174.1	223.4	60.9	34.8	58.0	75.4	60.9	34.8	8.7	72.5	37.7	156.6	.....
2.9	11.6	8.7	188.1	196.8	52.1	57.9	52.1	107.1	60.8	28.9	.....	34.7	31.8	121.5	8.7
5.8	23.1	5.8	210.8	207.9	104.0	60.6	49.1	135.8	63.5	23.1	14.4	69.3	23.1	135.7	11.6
9.7	9.7	.....	68.3	78.1	87.9	29.3	175.7	97.6	19.5	97.6	.....	68.3	58.6	126.9	29.3
.....	29.1	29.1	116.3	38.8	106.6	87.2	48.4	87.2	48.4	19.4	9.7	155.0	19.4	145.4	19.4
.....	9.6	38.5	67.4	86.6	77.0	38.5	38.5	57.7	9.6	105.9	.....	57.7	9.6	105.9	.....
9.6	.....	9.6	95.5	57.3	76.4	57.3	86.0	124.2	47.8	38.2	38.2	76.4	47.8	86.0	.....
.....	.....	9.5	38.0	75.9	85.4	38.0	94.9	75.9	28.4	56.9	.....	75.9	28.4	189.7	19.0
.....	.....	11.1	11.1	33.4	66.8	66.8	66.8	33.4	11.1	44.4	11.1	144.6	33.4	66.8	44.4
.....	.....	11.1	33.4	22.3	55.7	66.9	133.7	89.2	11.1	55.7	22.3	256.3	55.7	122.6	11.1
.....	.....	.....	67.0	33.5	111.6	89.3	122.8	11.2	.....	55.8	.....	234.4	.....	44.6	33.5
.....	.....	.....	55.9	89.5	55.9	134.2	123.0	44.7	22.4	89.5	11.2	246.0	11.2	67.1	44.7
.....	.....	11.2	33.6	22.4	22.4	123.3	112.0	56.0	.....	89.7	22.4	190.5	22.4	56.0	22.4
4.4	4.4	26.3	131.7	87.8	83.4	52.6	131.8	109.7	39.5	39.5	.....	79.0	52.6	175.6	48.3
.....	13.0	21.6	73.5	73.5	51.9	56.2	121.1	82.2	47.6	47.6	.....	30.3	13.0	164.4	38.9
.....	21.3	17.1	89.6	123.7	81.0	34.1	59.7	123.7	68.3	42.7	8.5	81.0	21.3	115.2	8.5
.....	4.2	12.6	109.4	92.5	50.5	63.1	46.3	84.1	63.1	33.7	16.8	46.3	21.0	151.4	12.6
.....	20.7	8.3	99.6	83.0	78.8	41.5	53.9	70.5	58.1	24.9	4.1	58.1	16.6	132.8	20.7
13.0	13.0	8.7	143.2	156.2	65.1	65.1	47.7	73.8	82.5	30.4	17.4	26.0	65.1	173.6	4.3
8.8	13.2	17.6	158.3	158.3	79.2	61.6	44.0	66.0	74.7	22.0	13.2	57.2	30.8	158.3	4.4
4.5	8.9	17.8	147.1	173.8	66.9	53.5	26.7	102.5	71.3	40.1	8.9	89.2	31.2	196.1	4.5
.....	13.6	18.1	198.8	253.1	63.3	54.2	49.7	58.8	90.4	18.1	9.0	99.4	22.6	144.6	4.5
.....	18.3	4.6	256.6	229.1	114.6	91.6	32.1	96.2	64.1	36.7	13.7	82.5	27.5	165.0	13.7
.....	.....	10.0	226.1	195.9	120.6	40.2	55.3	150.7	40.2	25.1	15.1	45.2	45.2	170.8	5.0
.....	5.0	10.0	215.9	175.6	75.3	80.3	40.1	70.3	65.2	25.1	10.0	80.3	15.1	175.6	.....
5.0	5.0	5.0	165.5	205.6	50.2	45.1	50.2	85.2	55.1	15.1	10.0	100.3	15.1	145.4	.....
.....	5.0	25.1	195.4	245.5	95.2	100.2	35.1	125.3	60.1	25.1	20.0	60.1	5.0	160.3	20.0
.....	10.0	10.0	135.1	335.3	105.1	65.1	60.1	70.1	80.1	30.0	20.0	75.1	20.0	195.2	5.0
14.0	.....	42.1	154.2	140.2	56.1	56.1	140.2	126.2	28.0	84.1	.....	112.2	84.1	196.3	.....
.....	.....	.....	124.1	69.0	82.7	96.5	110.3	110.3	13.8	27.6	13.8	55.2	55.2	82.7	13.8
.....	13.6	.....	108.5	81.4	67.8	108.5	67.8	54.3	40.7	54.3	40.7	67.8	13.6	176.4	.....
.....	.....	.....	120.2	160.2	66.8	120.2	213.6	40.1	80.1	53.4	.....	173.6	66.8	146.8	26.7
.....	.....	52.6	131.5	131.5	65.7	118.3	105.2	105.2	52.6	52.6	13.1	105.2	13.1	78.9	13.1
.....	7.1	26.1	159.0	204.0	87.8	80.7	73.6	92.5	83.0	40.3	9.5	61.7	54.6	187.4	14.2
.....	14.2	16.5	191.5	196.2	125.3	70.9	70.9	70.9	99.3	23.6	14.2	54.4	30.7	210.4	4.7
.....	14.1	21.2	207.3	193.1	73.0	58.9	65.9	70.7	73.0	37.7	7.1	82.4	33.0	195.5	4.7
9.4	4.7	14.1	192.4	258.1	42.2	89.2	49.3	89.2	61.0	18.8	.....	86.8	30.5	176.0	2.3
2.3	16.4	25.7	231.5	250.2	93.5	91.2	79.5	100.5	88.8	35.1	11.7	93.5	35.1	226.8	9.4
.....	.....	31.0	155.4	62.1	124.4	155.4	124.4	155.4	.....	124.4	.....	93.3	.....	124.4	.....
.....	28.2	28.2	169.1	56.3	28.2	56.3	112.7	84.5	.....	.....	28.2	112.7	.....	197.2	28.2
.....	51.5	25.8	103.1	.....	51.5	128.8	154.6	25.8	25.8	.....	.....	103.1	.....	128.8	.....
.....	.....	23.7	118.7	71.2	47.5	166.1	237.4	71.2	.....	47.5	.....	94.9	.....	118.7	.....
.....	.....	22.0	88.0	44.0	88.0	44.0	176.0	22.0	44.0	44.0	.....	176.0	.....	44.0	22.0
.....	.....	.....	121.0	60.5	100.9	80.7	121.0	121.0	20.2	20.2	20.2	100.9	20.2	181.5	.....
.....	.....	20.1	100.7	140.9	100.7	80.5	60.4	80.5	.....	.....	.....	60.4	60.4	201.3	60.4
.....	40.2	.....	40.2	140.6	100.5	40.2	40.2	100.5	.....	40.2	.....	80.3	20.1	160.7	.....
.....	.....	20.0	160.4	100.2	20.0	40.1	40.1	100.2	.....	120.3	.....	60.2	60.2	140.3	20.0
20.0	.....	.....	180.1	60.0	.....	20.0	100.0	160.1	.....	20.0	.....	100.0	40.0	140.0	20.0
.....	3.6	7.2	144.7	133.9	90.5	50.6	141.1	90.5	54.3	32.6	3.6	54.3	47.0	188.1	.....
.....	7.3	.....	251.0	152.8	101.9	87.3	98.2	76.4	43.6	47.3	14.5	58.2	50.9	163.7	3.6
.....	11.0	7.3	212.1	179.2	117.0	80.4	65.8	117.0	43.9	25.6	18.3	47.5	32.9	157.3	.....
3.7	18.4	7.4	194.9	198.6	69.9	29.4	36.8	139.7	51.5	40.4	7.4	58.8	47.8	183.8	11.0
3.7	33.3	14.8	240.3	162.7	107.2	103.5	77.6	103.5	62.8	44.4	3.7	59.1	55.5	262.5	11.1
.....	.....	28.4	161.1	180.0	66.3	85.3	151.6	66.3	37.9	37.9	.....	66.3	56.8	255.8	28.4
.....	18.8	9.4	160.1	113.0	47.1	28.2	122.4	65.9	47.1	37.7	9.4	37.7	28.2	225.9	.....
.....	.....	9.4	93.5	102.9	112.2	46.8	93.5	65.5	37.4	56.1	.....	56.1	18.7	149.7	74.8
.....	18.6	.....	139.4	92.9	102.2	37.2	92.9	120.9	46.5	27.9	.....	37.2	55.8	148.7	65.1
.....	.....	27.7	157.0	138.5	64.7	64.7	129.3	92.4	36.9	64.7	9.2	64.7	46.2	194.0	.....
8.3	10.3	24.8	165.3	179.7	107.4	59.9	80.6	97.1	41.3	33.1	20.7	57.8	41.3	194.2	12.4
.....	14.4	6.2	156.4	156.4	96.7	76.2	61.8	90.6	30.9	28.8	12.4	119.4	28.8	214.1	4.1
2.1	26.7	4.1	184.6	199.0	51.3	73.8	63.6	73.8	45.1	32.8	12.3	73.8	26.7	121.0	2.1
4.1	10.2	4.1	188.0	206.4	59.3	55.2	75.6	106.3	42.9	45.0	14.3	89.9	22.5	165.6	.....
6.1	14.3	14.3	191.5	242.4	61.1	69.2	59.1	93.7	52.9	24.4	16.3	55.0	30.5	207.7	10.2
5.1	20.3	5.1	213.6	147.5	116.9	76.3	55.9	76.3	40.7	5.1	15.2	35.6	35.6	213.6	15.2
5.2	5.2	5.2	200.9	170.0	118.5	30.9	51.5	87.6	72.1	25.7	5.2	56.7	25.7	128.8	.....
.....	10.4	20.9	151.4	261.0	67.9	36.6	26.1	78.3	88.7	26.1	5.2	31.3	20.9	109.6	15.7
5.3	10.6	15.9	169.3	343.8	84.6	58.2	21.2	58.2	74.0	.....	5.3	58.2	31.7	216.9	15.9
.....	16.1	21.4	176.9	321.7	48.3	59.0	32.2	101.9	32.2	42.9	5.4	80.4	21.4	155.5	21.4

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.													
Luce county	1900	1,240.4	134.1	.....	.....	.....	.....	.....	.....	33.5	100.6	.....	.....
	1901	1,340.8	31.2	.....	.....	.....	.....	.....	.....	.....	62.3	.....	31.2
	1902	1,864.8	.....	29.1	.....	58.3	29.1	.....	.....	.....	145.7	.....	58.3
	1903	2,707.1	82.0	.....	.....	82.0	.....	27.3	.....	27.3	164.1	.....	54.7
	1904	1,571.4	77.3	.....	.....	25.7	.....	.....	.....	.....	77.3	.....	.....
Mackinac county	1900	1,129.5	.....	.....	.....	.....	13.0	.....	.....	.....	142.8	51.9	.....
	1901	1,046.1	25.5	.....	.....	.....	.....	.....	12.8	25.5	140.3	.....	12.8
	1902	1,040.7	.....	.....	.....	.....	12.5	.....	.....	.....	125.4	12.5	12.5
	1903	850.7	12.3	.....	12.3	.....	.....	.....	.....	24.7	123.3	24.7	37.0
	1904	1,200.4	24.3	.....	12.1	.....	.....	24.3	.....	12.1	121.2	.....	.....
Macomb county	1900	1,561.2	87.2	9.0	.....	24.1	3.0	3.0	36.1	18.0	111.3	15.1	60.2
	1901	1,457.5	36.1	6.0	.....	3.0	27.1	9.0	21.1	45.2	108.4	3.0	60.2
	1902	1,404.8	21.1	9.0	6.0	18.1	45.2	12.1	18.1	9.0	99.5	9.0	69.3
	1903	1,261.6	3.0	.....	3.0	.....	30.2	18.1	33.2	15.1	54.3	6.0	102.6
	1904	1,535.0	18.1	6.0	.....	9.1	9.1	.....	21.1	18.1	108.8	30.2	75.5
Manistee county	1900	1,371.3	46.7	3.6	.....	21.5	21.5	7.2	21.5	7.2	93.3	10.8	39.5
	1901	1,116.1	21.7	7.2	.....	.....	25.3	.....	14.4	25.3	57.8	7.2	65.0
	1902	1,133.9	25.4	.....	.....	.....	10.9	10.9	14.5	3.6	87.2	14.5	54.5
	1903	1,188.6	32.9	.....	.....	.....	11.0	11.0	18.3	11.0	76.8	11.0	91.4
	1904	1,148.2	33.1	3.7	.....	.....	7.4	.....	22.1	18.4	62.5	7.4	33.1
Marquette county	1900	1,422.5	16.7	.....	.....	16.7	22.3	11.2	27.9	11.2	106.0	27.9	22.3
	1901	1,247.5	16.8	.....	5.6	5.6	5.6	.....	67.1	5.6	67.1	16.8	16.8
	1902	1,071.5	56.1	.....	.....	5.6	11.2	.....	61.7	11.2	67.3	28.1	39.3
	1903	1,282.7	28.1	.....	5.6	5.6	22.5	50.6	45.0	11.3	90.0	11.3	61.9
	1904	1,100.3	33.9	.....	.....	5.6	11.3	11.3	5.6	5.6	56.4	5.6	50.8
Mason county	1900	1,408.5	79.4	.....	5.3	21.2	.....	10.6	15.9	10.6	111.2	31.7	42.4
	1901	1,342.8	31.5	5.2	.....	.....	5.2	.....	.....	31.5	120.7	15.7	41.9
	1902	950.8	20.8	.....	5.2	5.2	20.8	20.8	5.2	10.4	72.7	26.0	36.4
	1903	926.5	15.4	5.1	.....	.....	5.1	15.4	.....	.....	72.1	5.1	41.2
	1904	1,244.4	10.2	.....	.....	.....	5.1	5.1	20.4	61.2	102.0	15.3	35.7
Mecosta county	1900	1,304.8	48.3	14.5	.....	4.8	.....	4.8	9.7	14.5	77.3	19.3	43.5
	1901	1,336.6	24.3	9.7	.....	.....	.....	9.7	4.9	72.9	63.2	19.4	34.0
	1902	1,090.2	29.3	4.9	4.9	.....	4.9	.....	14.6	19.6	78.2	14.7	44.0
	1903	1,209.7	14.8	9.8	.....	9.8	.....	4.9	9.8	14.8	93.5	14.8	73.8
	1904	1,370.2	44.5	4.9	.....	.....	9.9	.....	29.7	54.4	59.4	14.8	59.4
Menominee county	1900	969.9	21.1	.....	.....	.....	.....	35.1	14.1	14.1	70.3	.....	35.1
	1901	944.0	13.8	.....	.....	.....	.....	13.8	27.6	27.6	27.6	13.8	41.3
	1902	858.2	6.8	.....	.....	13.5	6.8	.....	6.8	13.5	54.1	13.5	13.5
	1903	1,054.1	13.3	.....	.....	13.3	19.9	33.1	33.1	13.3	106.1	.....	26.5
	1904	1,067.1	13.0	.....	.....	.....	6.5	13.0	32.5	19.5	58.6	6.5	13.0
Midland county	1900	1,392.1	48.5	27.7	.....	6.9	27.7	20.8	13.9	.....	97.0	6.9	34.6
	1901	1,332.1	62.1	6.9	.....	.....	6.9	.....	41.4	41.4	75.9	13.8	41.4
	1902	1,011.2	20.6	6.9	.....	.....	.....	6.9	.....	13.7	55.0	6.9	34.4
	1903	1,055.8	13.7	.....	.....	13.7	13.7	6.9	13.7	6.9	34.3	.....	20.6
	1904	970.2	47.8	.....	.....	13.7	.....	6.8	6.8	13.7	47.8	13.7	61.5
Missaukee county	1900	1,095.8	96.7	10.7	.....	10.7	43.0	10.7	75.2	32.3	21.5	.....	10.7
	1901	911.3	31.4	.....	.....	.....	.....	.....	41.9	10.5	10.5	.....	20.9
	1902	868.6	10.2	.....	10.2	10.2	.....	.....	20.4	.....	61.3	.....	20.4
	1903	1,326.6	19.9	.....	.....	.....	19.9	39.9	10.0	29.9	69.8	19.9	39.9
	1904	1,061.8	19.5	.....	.....	29.2	.....	.....	19.5	19.5	68.2	9.7	19.5
Monroe county	1900	1,422.7	42.7	12.2	.....	21.4	15.3	12.2	33.6	18.3	91.6	18.3	48.8
	1901	1,286.8	33.6	12.2	.....	.....	9.1	3.0	12.2	36.6	82.3	6.1	85.4
	1902	1,123.7	15.2	6.1	.....	15.2	9.1	24.4	15.2	6.1	67.0	6.1	60.9
	1903	1,234.8	18.2	12.2	.....	3.0	9.1	6.1	39.5	15.2	88.2	15.2	70.0
	1904	1,284.9	15.2	.....	.....	6.1	3.0	.....	45.6	18.2	88.1	42.5	82.0
Montcalm county	1900	1,392.2	33.6	15.3	.....	18.3	.....	21.4	6.1	18.3	91.6	9.1	64.1
	1901	1,271.3	6.1	.....	.....	18.2	9.1	27.4	.....	73.0	106.4	9.1	76.0
	1902	1,136.1	18.2	6.0	3.0	3.0	6.0	.....	6.0	33.3	78.8	3.0	45.5
	1903	1,231.4	24.1	3.0	.....	27.2	3.0	9.1	30.2	27.2	51.3	6.0	63.4
	1904	1,298.9	12.0	3.0	3.0	.....	6.0	.....	9.0	54.1	87.2	15.0	72.2
Montmorency county	1900	865.8	.....	.....	.....	30.9	.....	.....	30.9	.....	.....	.....	.....
	1901	968.5	30.3	.....	.....	.....	.....	.....	.....	30.3	121.0	30.3	.....
	1902	1,304.0	29.6	29.6	.....	.....	.....	.....	29.6	.....	148.2	.....	.....
	1903	842.0	29.0	29.0	.....	.....	.....	.....	.....	29.0	116.2	.....	.....
	1904	1,593.2	56.9	.....	.....	113.8	.....	.....	170.7	.....	85.4	.....	28.4
Muskegon county	1900	1,288.7	49.3	.....	.....	18.5	6.2	6.2	24.7	12.3	61.6	18.5	24.7
	1901	1,179.1	24.6	6.1	.....	.....	.....	6.1	18.4	43.0	73.7	18.4	61.4
	1902	1,015.5	18.4	6.1	.....	.....	.....	6.1	12.2	12.2	91.8	12.2	73.4
	1903	1,127.3	6.1	.....	.....	36.6	12.2	18.3	12.2	6.1	67.0	12.2	67.0
	1904	1,468.8	24.3	6.1	6.1	12.1	24.3	24.3	12.1	12.1	60.7	12.1	85.0
Newaygo county	1900	1,261.8	50.9	11.3	.....	17.0	.....	11.3	11.3	34.0	62.2	11.3	84.9
	1901	1,164.6	44.8	.....	.....	.....	5.6	5.6	5.6	33.6	78.4	28.0	44.8
	1902	1,124.8	33.3	5.5	5.5	5.5	.....	5.5	22.2	16.6	72.0	.....	55.4
	1903	1,272.3	21.9	11.0	.....	5.5	.....	11.0	5.5	21.9	49.3	11.0	65.8
	1904	1,340.9	10.9	5.4	.....	.....	.....	.....	.....	65.1	81.4	10.9	70.6
Oakland county	1900	1,421.9	25.7	5.7	.....	14.3	2.8	.....	11.4	28.6	119.9	5.7	85.7
	1901	1,429.2	8.6	2.8	.....	.....	5.7	.....	8.6	74.3	102.9	14.3	85.8
	1902	1,161.9	14.3	.....	.....	5.7	5.7	8.6	8.6	5.7	71.6	8.6	68.7
	1903	1,275.0	14.3	2.9	.....	.....	8.6	14.3	25.8	48.7	74.5	17.2	94.6
	1904	1,333.8	17.2	.....	.....	5.7	17.2	.....	2.9	40.2	74.6	8.6	68.8

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	.....	.....	167.6	33.5	67.0	167.6	67.1	100.6	33.5	33.5	.....	67.1	100.6	134.1	.....
.....	31.2	.....	218.3	62.3	93.6	31.2	218.3	93.6	.....	31.2	62.3	155.9	31.2	124.7	62.3
29.1	.....	29.1	641.0	116.6	58.3	.....	58.3	87.4	29.1	.....	58.3	116.6	87.4	233.1	.....
27.3	.....	54.7	711.0	109.4	82.0	82.0	191.4	191.4	.....	218.8	.....	218.8	136.8	246.1	.....
.....	.....	25.7	257.6	51.5	103.1	77.3	77.3	154.6	77.3	51.5	.....	128.8	154.6	231.8	.....
.....	.....	26.0	64.9	90.9	90.9	116.8	90.9	64.9	26.0	26.0	13.0	38.9	64.9	181.7	26.0
.....	25.5	12.8	38.3	76.5	89.3	38.3	140.3	51.0	38.3	12.8	12.8	89.3	25.5	114.8	63.7
.....	.....	12.5	62.7	50.2	125.4	50.2	12.5	50.2	62.7	25.1	.....	163.0	50.2	150.4	62.7
.....	12.3	.....	61.6	86.3	86.3	24.7	61.6	74.0	12.3	24.7	.....	24.7	12.3	98.6	37.0
.....	.....	.....	145.5	84.9	48.5	36.4	24.3	109.1	60.6	36.4	12.1	97.0	48.5	254.6	48.5
.....	9.0	18.0	147.4	141.4	123.3	78.2	129.4	132.4	81.2	48.1	15.1	57.2	42.1	153.4	18.0
.....	6.0	12.0	177.7	174.7	84.3	69.3	90.4	108.4	60.2	42.2	15.1	51.2	48.2	195.7	3.0
.....	18.1	18.1	147.7	168.8	78.4	60.3	72.4	72.4	114.6	42.2	27.1	63.3	30.1	174.9	.....
3.0	15.1	18.1	193.2	135.8	60.4	48.3	84.5	99.6	51.3	48.3	12.1	60.4	12.1	144.9	9.0
6.0	21.1	9.1	232.7	190.4	63.5	42.3	60.4	108.8	99.7	42.3	15.1	66.5	51.4	217.6	12.1
7.2	.....	14.4	161.5	53.8	150.8	53.8	118.5	82.6	25.1	53.8	7.2	82.6	35.9	183.1	68.2
.....	7.2	21.7	101.1	54.2	133.7	47.0	50.6	65.0	50.6	39.7	.....	101.1	43.3	144.5	32.5
.....	21.8	10.9	105.4	69.1	152.7	43.6	50.9	76.4	50.9	50.9	21.8	43.6	29.1	130.8	54.5
.....	14.6	14.6	142.6	113.4	58.5	36.6	95.1	95.1	47.5	43.9	14.6	84.1	18.3	113.4	32.9
.....	7.4	11.0	110.4	88.3	81.0	58.9	92.0	95.7	51.5	55.2	7.4	99.3	25.7	154.6	22.1
.....	5.6	22.3	111.6	89.3	72.5	200.8	156.2	55.8	50.2	83.7	.....	172.9	27.9	94.8	16.7
.....	11.2	5.6	39.2	72.7	55.9	184.6	139.9	61.5	50.3	55.9	11.2	218.2	22.4	95.1	16.4
11.2	16.8	5.6	56.1	39.3	72.9	95.4	84.2	33.7	39.3	61.7	11.2	157.1	22.4	67.3	16.8
.....	16.9	5.6	84.4	50.6	45.0	106.9	95.6	67.5	50.6	101.3	16.9	185.7	16.9	78.8	28.1
.....	.....	11.3	73.4	67.7	39.5	135.4	101.6	73.4	50.8	45.1	16.9	174.9	33.9	73.4	16.9
5.3	5.3	15.9	127.1	127.1	68.8	95.3	132.4	79.4	37.1	74.1	15.9	68.8	37.1	148.2	42.4
5.2	15.7	26.2	125.9	104.9	152.2	26.2	84.0	104.9	31.5	63.0	10.5	57.7	36.7	236.0	10.5
.....	5.2	20.8	62.4	88.3	51.9	46.8	98.7	72.7	51.9	26.0	10.4	77.9	15.6	93.5	5.2
.....	.....	5.1	149.3	108.1	66.9	41.2	92.7	61.8	61.8	20.6	5.1	41.2	10.3	82.4	20.6
15.3	5.1	5.1	127.5	147.9	86.7	96.9	81.6	117.3	51.0	40.8	15.3	71.4	5.1	122.4	.....
9.7	4.8	33.8	82.2	145.0	91.8	72.5	140.2	106.3	29.0	53.2	.....	91.8	58.0	130.5	19.3
.....	4.9	29.2	136.1	160.4	150.7	82.6	77.8	102.1	58.3	29.2	9.7	72.9	53.4	121.5	9.7
.....	24.4	24.4	83.1	88.0	102.7	34.2	53.8	68.5	63.6	39.1	14.7	78.2	29.3	171.1	.....
.....	4.9	14.8	142.6	113.1	118.0	39.3	63.9	108.2	88.5	63.9	4.9	49.2	24.6	122.9	4.9
.....	4.9	19.8	128.6	183.0	69.3	44.5	79.2	113.8	103.9	29.7	14.8	89.0	29.7	173.1	9.9
.....	7.0	7.0	49.2	56.2	98.4	42.2	147.6	77.3	28.2	35.1	.....	56.2	35.1	77.3	63.3
.....	.....	27.6	68.9	41.3	75.8	27.6	103.3	62.0	13.8	62.0	6.9	82.7	41.3	75.8	89.5
.....	6.8	13.5	27.0	54.1	128.3	40.5	81.1	54.1	60.8	47.3	.....	81.1	27.0	47.3	60.8
.....	.....	19.9	112.7	86.2	72.9	26.5	132.6	39.8	13.3	46.4	.....	99.4	13.3	99.4	33.1
.....	6.5	19.5	84.6	91.1	58.6	45.6	130.1	84.6	19.5	52.1	19.5	143.2	26.0	91.1	32.5
.....	13.9	20.8	103.9	145.4	103.9	48.5	166.2	117.7	83.1	34.6	6.9	90.0	27.7	97.0	48.5
6.9	.....	13.8	89.7	89.7	165.7	48.3	193.3	151.9	13.8	62.1	13.8	62.1	13.8	103.6	13.8
.....	6.9	13.7	137.6	158.2	82.6	41.3	48.2	82.6	34.4	13.7	6.9	75.7	13.7	130.7	20.6
6.9	13.7	20.6	116.5	96.0	41.1	75.4	82.3	137.1	41.1	41.1	.....	102.8	13.7	137.1	6.9
6.8	6.8	34.2	82.0	109.3	61.5	54.7	82.0	61.5	34.2	34.2	13.6	82.0	6.8	75.2	13.6
.....	.....	21.5	96.7	32.3	128.9	53.7	75.2	86.0	21.5	21.5	10.7	75.2	21.5	128.9	10.7
.....	.....	41.9	41.9	52.4	178.1	83.8	62.8	83.8	31.4	31.4	10.5	31.4	10.5	104.8	31.4
10.2	.....	.....	51.1	81.8	143.1	30.7	51.1	61.3	10.2	71.6	.....	61.3	40.9	102.2	20.4
.....	19.9	10.0	109.7	79.8	99.8	119.7	139.6	89.8	49.9	39.9	.....	59.9	39.9	209.5	10.0
.....	9.7	19.5	68.2	58.5	87.7	29.2	194.9	77.9	48.7	29.2	.....	48.7	48.7	146.1	9.7
3.1	18.3	18.3	183.2	161.8	85.5	33.6	100.8	94.6	51.9	48.8	.....	33.6	58.0	183.2	33.6
.....	.....	24.4	179.9	170.8	88.4	79.3	61.0	79.3	36.6	12.2	3.0	79.3	21.4	161.6	9.1
.....	3.0	30.5	146.2	130.9	73.1	60.9	60.9	70.0	45.7	24.4	6.1	54.8	30.5	152.3	9.1
.....	21.3	18.2	136.9	170.3	73.0	63.9	85.2	73.0	42.6	33.5	9.1	85.2	18.2	127.7	.....
3.0	12.2	12.2	167.1	139.7	100.2	60.7	63.8	112.4	39.5	45.6	.....	72.9	21.3	124.5	9.1
.....	15.3	27.5	186.3	113.0	88.5	58.0	79.4	119.1	48.8	48.8	9.1	91.6	45.8	167.9	15.3
.....	12.2	24.3	146.0	124.7	70.0	39.5	82.1	85.2	39.5	27.4	6.1	85.2	42.6	152.1	9.1
3.0	6.0	6.0	160.6	130.5	81.8	54.6	66.7	109.1	57.6	24.3	3.0	39.4	30.3	151.5	9.1
3.0	6.0	6.0	150.9	160.0	72.4	48.3	51.3	102.6	39.2	57.4	9.1	96.6	27.2	150.9	6.0
.....	15.0	6.0	168.4	150.4	69.2	54.1	84.2	99.2	60.2	36.1	9.0	48.1	39.1	192.4	6.0
.....	.....	30.9	.....	123.7	92.8	30.9	123.7	92.8	.....	30.9	.....	61.9	30.9	185.5	.....
.....	.....	60.5	30.3	.....	121.0	90.8	90.8	30.3	60.5	30.3	.....	60.5	30.3	151.3	.....
.....	.....	29.6	88.9	177.9	148.2	.....	148.2	59.3	88.9	29.6	.....	59.3	88.9	88.9	59.3
.....	.....	29.0	116.2	58.1	58.1	58.1	87.1	.....	.....	58.1	.....	.....	.....	145.1	29.0
28.4	.....	28.4	85.4	142.2	85.4	85.4	170.7	85.4	28.4	85.4	28.4	56.9	56.9	113.8	56.9
6.2	6.2	18.5	148.0	104.8	135.7	37.0	123.3	49.3	61.6	37.0	12.3	80.2	67.8	160.3	18.5
.....	6.1	30.7	92.1	159.7	129.0	49.1	49.1	79.9	36.9	30.7	.....	98.3	30.7	135.1	.....
.....	6.1	.....	97.9	97.9	85.6	42.8	42.8	61.2	55.1	18.4	6.1	97.9	30.6	128.5	12.2
.....	6.1	.....	121.8	121.8	30.5	60.9	79.2	97.5	30.5	30.5	6.1	79.2	30.5	188.9	6.1
.....	24.3	.....	145.7	218.5	60.7	48.5	85.0	85.0	36.4	91.0	12.1	66.8	54.6	248.9	12.1
.....	22.6	28.3	135.8	90.5	84.9	96.2	67.9	96.2	34.0	17.0	5.6	79.2	17.0	175.4	17.0
.....	5.6	5.6	89.6	89.6	95.2	67.2	106.3	100.8	44.8	33.6	.....	56.0	56.0	151.1	16.8
5.5	22.2	5.5	116.4	177.3	38.8	33.3	61.0	88.7	61.0	55.4	.....	49.9	5.5	166.2	16.6
5.5	21.9	16.4	104.2	230.3	115.2	76.8	38.4	104.2	21.9	43.9	5.5	71.3	43.9	164.5	5.5
.....	27.1	10.9	162.8	195.4	48.9	97.7	59.7	135.7	32.6	48.9	16.3	54.3	32.6	168.3	5.4
5.7	5.7	11.4	159.9	185.6	108.5	65.7	65.7	114.2	48.5	22.8	5.7	71.4	54.3	185.6	11.4
.....	8.6	14.3	151.5	165.8	125.8	80.0	57.2	100.1	45.7	14.3	5.7	97.2	60.0	197.2	2.8
2.8	14.3	5.7	143.1	188.9	57.2	42.9	54.4	103.0	77.3	17.2	8.6	68.7	22.9	151.7	5.7
5.7	5.7	2.9	166.2	177.6	63.0	40.1	54.4	94.6	83.1	28.7	17.2	65.9	22.9	140.4	5.7
2.9	.....	5.7	209.4	195.1	63.1	48.8	34.4	88.9	88.9	28.7	17.2	74.6	34.4	192.2	14.3

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.													
Oceana county	1900	1,297.8	36.1	6.0	.....	.....	12.0	.....	.....	24.0	102.1	12.0	72.1
	1901	1,247.6	17.7	11.8	.....	.....	5.9	.....	23.7	71.0	59.1	.....	71.0
	1902	937.1	23.3	.....	.....	5.8	.....	5.8	17.5	17.5	69.8	.....	46.6
	1903	1,295.3	17.2	.....	.....	11.5	.....	17.2	11.5	57.3	74.5	5.7	34.4
	1904	1,377.2	22.6	5.6	.....	16.9	.....	.....	16.9	67.8	96.0	16.9	56.4
Ogemaw county	1900	1,300.7	25.7	.....	.....	64.4	12.9	.....	25.7	12.9	128.8	12.9	25.7
	1901	1,221.6	49.4	12.3	.....	.....	.....	24.7	12.3	98.7	37.0	24.7	.....
	1902	935.7	11.8	.....	.....	.....	35.6	11.8	.....	11.8	47.4	.....	11.8
	1903	945.1	.....	.....	.....	22.8	11.4	.....	22.8	22.8	79.7	.....	.....
	1904	1,063.5	21.9	21.9	.....	.....	.....	.....	21.9	21.9	43.9	11.0	32.9
Ontonagon county	1900	935.9	.....	.....	.....	16.1	.....	.....	16.1	32.3	32.3	16.1	16.1
	1901	1,304.6	31.1	.....	.....	15.5	31.1	.....	46.6	62.1	139.8	.....	46.6
	1902	1,392.0	74.8	.....	.....	15.0	29.9	15.0	59.9	15.0	29.9	29.9	44.9
	1903	1,285.6	.....	.....	.....	.....	14.4	.....	28.9	14.4	101.2	14.4	57.8
	1904	1,367.6	83.7	.....	.....	.....	.....	27.9	27.9	41.9	125.6	.....	41.9
Osceola county	1900	1,439.1	39.2	11.2	.....	11.2	5.6	11.2	16.8	11.2	78.4	11.2	67.2
	1901	1,019.3	22.2	.....	5.5	5.5	.....	5.5	5.5	16.6	88.6	11.1	27.7
	1902	1,140.0	27.4	.....	5.5	.....	.....	.....	5.5	16.4	65.8	.....	71.3
	1903	1,214.8	27.1	5.4	.....	.....	.....	10.8	10.8	10.8	92.2	10.8	48.8
	1904	1,202.2	32.2	5.4	5.4	.....	5.4	.....	5.4	32.2	123.5	10.7	26.8
Oscoda county	1900	885.5	.....	.....	.....	.....	136.2	.....	.....	.....	.....	.....	68.1
	1901	381.5	.....	.....	.....	.....	.....	.....	.....	63.6	63.6	.....	.....
	1902	595.9	59.6	.....	.....	.....	.....	.....	59.6	.....	.....	.....	.....
	1903	617.1	.....	.....	.....	.....	.....	.....	.....	.....	112.2	.....	.....
	1904	582.5	.....	.....	.....	.....	.....	.....	.....	.....	105.9	.....	.....
Otsego county	1900	1,344.1	113.3	.....	.....	64.8	48.6	.....	16.2	.....	81.0	16.2	16.2
	1901	1,288.6	62.1	15.5	.....	.....	15.5	.....	15.5	15.5	46.6	15.5	31.1
	1902	1,118.2	74.5	14.9	.....	.....	14.9	14.9	29.8	.....	59.7	.....	.....
	1903	1,505.8	86.1	.....	.....	43.0	.....	71.7	86.1	14.3	71.7	.....	.....
	1904	1,160.4	69.1	.....	.....	.....	13.8	.....	.....	13.8	13.8	.....	82.9
Ottawa county	1900	1,341.2	25.2	7.6	.....	2.5	7.6	2.5	12.6	35.3	88.2	12.6	60.5
	1901	1,208.4	29.8	5.0	.....	5.0	2.5	5.0	27.3	39.7	76.9	19.8	62.0
	1902	1,018.7	19.6	4.9	.....	.....	7.3	9.8	2.4	14.7	80.6	17.1	53.8
	1903	1,162.0	24.1	4.8	2.4	16.8	9.6	9.6	7.2	26.5	69.8	21.7	65.0
	1904	1,175.4	23.7	2.4	.....	2.4	.....	9.5	4.7	37.9	92.4	4.7	75.9
Presque Isle county	1900	816.2	.....	.....	.....	22.7	.....	.....	56.7	.....	56.7	11.3	.....
	1901	1,146.5	42.9	.....	.....	.....	.....	.....	96.4	10.7	53.6	.....	.....
	1902	944.5	20.3	.....	20.3	20.3	.....	10.2	101.6	.....	40.6	.....	20.3
	1903	1,000.8	77.2	.....	.....	.....	19.3	19.3	9.6	.....	29.0	9.6	.....
	1904	855.4	18.4	.....	.....	.....	18.4	.....	18.4	.....	27.6	.....	.....
Roscommon county	1900	805.4	.....	.....	.....	56.0	.....	.....	.....	.....	111.9	.....	.....
	1901	1,522.8	.....	.....	.....	.....	.....	.....	.....	.....	225.6	.....	112.8
	1902	511.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1903	1,432.7	57.3	57.3	.....	.....	.....	.....	114.6	.....	171.9	.....	57.3
	1904	1,733.1	.....	.....	.....	.....	.....	.....	173.3	.....	57.8	.....	.....
Saginaw county	1900	1,183.2	38.6	12.9	.....	10.3	5.1	7.7	38.6	15.4	84.9	12.9	41.2
	1901	1,243.4	20.6	5.1	7.7	2.6	10.3	2.6	48.8	43.7	71.9	7.7	51.4
	1902	1,059.8	12.8	2.5	2.5	10.3	25.7	15.4	5.1	12.8	77.0	10.3	33.4
	1903	1,015.0	5.1	.....	.....	.....	.....	7.7	7.7	20.5	71.8	25.6	51.3
	1904	1,216.0	12.8	.....	.....	2.6	2.6	.....	5.1	35.8	84.5	12.8	64.0
St. Clair county	1900	1,333.5	11.1	2.8	.....	2.8	5.5	.....	25.0	16.6	69.3	13.9	61.0
	1901	1,407.3	41.7	2.8	5.6	.....	5.6	.....	8.3	89.0	44.5	13.9	80.7
	1902	1,300.2	30.7	5.6	.....	36.3	8.4	22.3	25.1	19.5	67.0	13.9	64.2
	1903	1,161.7	19.6	.....	.....	.....	25.2	5.6	13.9	16.8	70.0	13.9	56.0
	1904	1,246.9	28.1	2.8	.....	5.6	8.4	2.8	22.5	30.9	50.6	8.4	87.1
St. Joseph county	1900	1,398.1	12.6	12.6	.....	12.6	.....	4.2	.....	29.3	79.5	16.7	58.6
	1901	1,496.4	16.9	.....	.....	.....	.....	.....	.....	46.4	113.8	16.9	59.0
	1902	1,281.9	34.0	4.2	.....	.....	4.2	4.2	4.2	21.2	97.7	12.7	55.2
	1903	1,376.4	12.8	4.3	.....	8.5	.....	8.5	12.8	25.7	77.0	12.8	81.2
	1904	1,416.3	4.3	4.3	8.6	4.3	4.3	4.3	8.6	38.7	90.0	17.2	94.7
Sanilac county	1900	1,215.2	51.3	14.3	.....	17.1	2.9	11.4	54.2	28.5	82.7	14.3	51.3
	1901	991.2	8.6	8.6	.....	.....	8.6	.....	14.3	34.3	57.1	8.6	31.4
	1902	1,072.6	8.6	11.4	2.9	5.7	11.4	14.3	11.4	2.9	88.7	17.2	37.2
	1903	1,200.1	20.0	.....	2.9	.....	25.8	28.7	17.2	20.0	77.3	14.3	37.2
	1904	1,127.1	14.3	8.6	.....	.....	5.7	.....	5.7	25.8	66.0	20.1	45.9
Schoolcraft county	1900	1,343.6	50.7	.....	.....	.....	63.4	.....	50.7	12.7	152.1	12.7	25.3
	1901	1,412.1	12.4	.....	.....	.....	61.9	.....	111.5	12.4	74.3	12.4	49.5
	1902	1,150.4	.....	12.1	.....	.....	24.2	.....	12.1	24.2	24.2	.....	24.2
	1903	1,172.6	11.9	.....	.....	.....	35.5	71.1	.....	.....	59.2	11.9	59.2
	1904	1,054.7	11.6	11.6	.....	11.6	.....	.....	11.6	11.6	57.9	.....	23.2
Shiawassee county	1900	1,378.6	27.8	4.0	.....	.....	11.9	31.8	51.6	15.9	107.3	11.9	91.4
	1901	1,386.9	8.0	.....	4.0	.....	8.0	4.0	20.0	52.0	95.9	20.0	44.0
	1902	1,246.5	16.1	.....	.....	8.0	8.0	4.0	.....	28.1	64.3	20.1	48.3
	1903	1,549.5	32.4	.....	.....	4.0	4.0	8.1	12.1	32.4	80.9	8.1	85.0
	1904	1,534.6	32.6	4.1	.....	.....	4.1	.....	12.2	77.3	114.0	12.2	93.6
Tuscola county	1900	1,351.4	25.1	5.6	.....	13.9	19.5	2.8	22.3	11.1	78.0	13.9	69.7
	1901	1,417.5	16.7	19.5	.....	.....	61.3	.....	27.8	50.1	114.2	8.4	55.7
	1902	1,163.5	22.3	11.1	2.8	5.6	13.9	16.7	13.9	16.7	69.6	8.3	55.7
	1903	1,179.6	8.3	.....	.....	5.6	2.8	30.6	2.8	19.5	66.8	13.9	72.3
	1904	1,176.3	22.2	2.8	.....	8.3	2.8	.....	5.6	19.5	75.1	19.5	61.2

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
6.0	12.0	24.0	78.1	150.2	90.1	66.1	78.1	78.1	30.1	42.1	12.0	54.1	60.1	210.3	42.1
5.9	5.9	5.9	147.8	141.9	76.9	29.6	165.6	65.0	29.6	59.1	5.9	59.1	41.4	141.9	5.9
.....	.....	11.6	128.1	157.2	87.3	34.9	110.6	40.7	17.5	5.8	17.5	34.9	23.3	81.4	.....
.....	17.2	17.2	126.1	137.5	114.6	86.0	103.2	63.0	74.5	57.3	5.7	40.1	40.1	172.0	11.5
.....	16.9	11.3	146.8	169.3	107.3	56.4	73.4	107.3	33.9	39.5	5.6	73.4	39.5	191.9	5.6
.....	.....	.....	128.8	115.9	51.5	90.2	128.8	128.8	38.7	38.7	12.9	51.5	25.7	154.5	25.7
.....	.....	12.3	86.4	98.7	148.1	98.7	37.0	61.7	111.1	98.7	.....	98.7	24.7	86.4	.....
.....	.....	.....	35.6	82.9	142.1	35.6	71.1	94.8	59.2	47.4	11.8	82.9	23.7	106.6	11.8
.....	11.4	22.8	79.7	125.2	34.2	45.5	125.2	68.3	34.2	45.5	.....	56.9	34.2	91.1	11.4
.....	.....	11.0	65.8	54.8	131.6	76.7	109.7	76.7	54.8	98.7	11.0	54.8	21.9	120.6	.....
.....	.....	.....	32.3	16.1	129.1	96.8	145.3	48.4	48.4	16.1	32.3	64.6	16.1	113.0	48.4
.....	15.5	15.5	46.6	31.1	139.8	62.1	155.3	62.1	31.1	15.5	.....	108.7	108.7	124.3	15.5
.....	.....	29.9	29.9	59.9	119.8	134.7	194.6	74.8	15.0	104.8	.....	194.6	29.9	89.8	.....
.....	.....	14.4	86.7	86.7	101.1	101.1	130.0	57.8	28.9	43.3	.....	144.5	72.2	144.5	43.3
.....	.....	.....	27.9	111.7	55.8	125.6	125.6	55.8	69.8	97.7	13.9	209.4	13.9	97.7	13.9
.....	5.6	16.8	156.8	84.0	134.4	78.4	128.7	89.6	50.4	67.2	11.2	56.0	50.4	207.2	39.2
.....	.....	38.8	116.3	94.2	77.6	60.9	66.5	44.3	5.5	22.2	.....	66.5	22.2	205.0	11.1
.....	5.5	21.9	98.6	65.8	98.6	60.3	93.2	76.7	27.4	60.3	16.4	87.7	5.5	191.8	38.4
.....	21.7	10.8	119.4	135.6	81.4	59.7	97.7	65.1	38.0	43.4	10.8	86.8	5.4	211.5	10.8
.....	10.7	5.4	128.8	75.1	64.4	59.0	102.0	91.2	75.1	26.8	.....	123.5	5.4	177.1	10.7
.....	.....	.....	136.2	.....	.....	.....	.....	.....	204.4	.....	.....	.....	204.4	68.1	68.1
.....	.....	.....	.....	.....	63.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	190.7
.....	.....	.....	59.6	119.2	59.6	.....	.....	59.6	.....	.....	.....	.....	.....	178.7	.....
.....	.....	.....	112.2	.....	56.1	.....	.....	.....	.....	.....	.....	112.2	56.1	112.2	56.1
.....	.....	.....	.....	105.9	105.9	.....	.....	.....	.....	53.0	.....	105.9	.....	.....	105.9
.....	16.2	64.8	194.3	97.1	64.8	32.4	178.1	64.8	16.2	16.2	.....	32.4	32.4	81.0	97.1
.....	.....	15.5	124.2	93.1	124.2	77.6	155.3	46.6	31.1	15.5	15.5	155.3	31.1	170.8	15.5
.....	.....	.....	89.5	104.4	104.4	59.7	74.5	74.5	14.9	29.8	14.9	119.3	.....	193.8	29.8
.....	.....	28.7	143.4	172.1	86.1	86.1	71.7	86.0	100.3	43.0	.....	71.7	28.7	172.1	43.0
.....	.....	.....	96.7	41.4	138.1	82.9	110.5	55.3	13.8	55.3	13.8	124.4	55.3	138.1	41.4
10.1	12.6	35.3	163.9	118.5	60.5	93.3	55.5	108.4	47.9	40.3	12.6	63.0	65.5	191.6	7.6
2.5	7.4	22.3	121.6	114.1	79.4	114.1	64.5	57.1	54.6	32.2	.....	54.6	42.2	161.3	7.5
.....	7.3	17.1	146.6	114.8	41.5	70.8	29.3	68.4	36.7	17.1	17.1	70.8	39.1	131.9	.....
4.8	7.2	7.2	161.2	129.9	62.5	79.4	69.8	69.8	62.5	33.7	9.6	45.7	36.1	115.5	9.6
2.4	4.7	16.6	123.2	139.8	54.5	68.7	59.3	92.4	68.7	30.8	2.4	54.5	35.6	163.5	4.7
.....	.....	11.3	68.0	22.6	102.1	11.3	22.6	68.0	11.3	.....	.....	11.3	45.4	102.1	192.8
.....	.....	32.1	75.0	96.4	107.2	42.9	32.1	64.3	.....	53.6	.....	75.0	10.7	75.0	278.6
.....	.....	.....	60.9	30.5	60.9	40.6	40.6	40.6	20.3	50.8	10.2	40.6	71.1	91.5	152.3
.....	.....	19.3	77.3	48.3	67.6	38.6	164.1	67.6	9.6	57.9	9.6	77.3	57.9	154.4	77.3
9.2	27.6	.....	101.1	18.4	46.0	36.8	73.6	55.2	27.6	18.4	.....	27.6	46.0	119.6	165.5
.....	.....	.....	56.0	167.8	111.9	.....	167.8	56.0	.....	.....	56.0	.....	56.0	56.0	.....
.....	.....	.....	225.6	56.4	56.4	56.4	56.4	112.8	.....	56.4	.....	169.2	56.4	338.4	.....
.....	.....	.....	56.8	113.7	.....	.....	170.6	.....	.....	.....	.....	113.7	.....	56.8	.....
.....	.....	.....	114.6	343.9	.....	.....	.....	.....	57.3	57.3	.....	57.3	.....	114.6	229.3
.....	.....	57.8	231.1	115.5	346.6	.....	.....	173.3	.....	.....	57.8	173.3	57.8	115.5	173.3
5.1	.....	20.6	97.8	113.2	87.5	51.4	113.2	84.9	69.4	25.7	15.4	54.0	36.0	128.5	12.9
.....	12.8	36.0	123.3	113.1	149.0	38.5	82.2	59.1	46.2	23.1	7.7	59.1	43.7	164.4	12.8
.....	5.1	10.3	123.2	97.5	84.7	53.9	56.5	74.4	59.0	30.8	7.7	59.0	23.1	154.0	12.8
.....	12.8	5.1	99.9	97.4	59.0	61.5	92.3	79.5	41.0	38.4	15.4	71.8	17.9	120.5	12.8
2.6	23.0	2.6	125.5	138.3	81.9	64.0	94.7	81.9	30.7	48.6	5.1	92.2	48.6	145.9	10.2
8.3	.....	13.9	149.7	155.3	83.2	66.5	113.7	127.5	52.7	44.3	.....	97.0	49.9	158.0	5.5
5.6	8.3	13.9	186.4	114.0	91.8	86.2	86.2	102.9	69.5	27.8	5.6	58.4	55.6	194.7	8.3
.....	11.2	13.9	178.5	153.4	117.2	78.1	25.1	89.3	67.0	11.2	5.6	47.4	55.8	150.7	2.8
.....	22.4	28.0	156.8	114.8	75.6	42.0	58.8	78.4	33.6	44.8	2.8	89.6	39.2	140.0	13.9
.....	11.2	22.5	143.2	168.5	73.0	92.7	42.1	95.5	56.2	33.7	5.6	78.6	22.5	148.8	5.6
.....	20.9	29.3	200.9	184.2	83.7	92.1	79.5	100.5	54.4	20.9	25.1	75.3	67.0	129.8	8.4
.....	16.9	12.6	210.8	227.6	134.9	67.5	37.9	134.9	33.7	37.9	8.4	88.5	46.4	177.0	8.4
.....	12.7	17.0	191.0	208.0	110.4	46.7	38.2	114.6	76.4	8.5	8.5	72.2	21.2	118.9	.....
12.8	8.5	12.8	200.9	230.8	85.5	34.2	59.9	85.5	72.7	17.1	4.3	85.5	21.4	192.4	8.5
.....	17.2	4.3	223.9	198.1	64.6	56.0	38.7	81.8	94.7	25.8	4.3	64.6	56.0	189.4	8.6
2.9	20.0	20.0	114.1	94.1	91.3	45.6	102.7	54.2	39.9	25.7	2.9	48.5	20.0	154.0	51.3
5.7	2.9	5.7	114.3	102.8	91.4	54.3	45.7	57.1	51.4	45.7	5.7	51.4	42.8	137.1	5.7
.....	14.3	8.6	103.0	111.5	57.2	62.9	48.6	100.1	45.8	34.3	8.6	62.9	48.6	151.6	2.9
11.5	5.7	22.9	111.7	94.3	88.8	74.5	77.3	97.4	31.5	57.3	2.9	45.8	51.6	160.4	22.9
2.9	20.1	8.6	154.9	123.3	83.2	34.4	63.1	77.4	37.3	34.4	5.7	40.1	45.9	183.6	20.1
12.7	.....	38.0	152.1	50.7	139.4	76.6	190.1	12.7	38.0	50.7	.....	50.7	76.1	50.7	38.0
.....	.....	24.8	111.5	74.3	123.9	24.8	210.6	74.3	24.8	61.9	.....	136.2	49.5	123.9	37.2
.....	.....	12.1	96.9	72.7	157.4	12.1	109.0	72.7	12.1	72.7	.....	121.1	72.7	193.7	24.2
.....	.....	23.7	106.6	47.4	35.5	59.2	130.3	82.9	23.7	71.1	11.9	165.8	35.5	94.7	35.5
.....	.....	23.2	173.8	81.1	34.8	34.8	57.9	46.4	23.2	92.7	11.6	185.4	34.8	81.1	34.8
4.0	11.9	19.9	158.9	135.1	67.5	67.5	131.1	103.3	31.8	23.8	4.0	51.6	71.5	139.1	4.0
.....	4.0	4.0	179.8	163.9	79.9	71.9	83.9	123.9	67.9	52.0	.....	83.9	36.0	179.9	.....
.....	20.1	8.0	156.8	168.9	88.5	84.5	48.3	128.7	64.3	32.2	4.0	48.3	32.2	160.8	4.0
4.0	16.2	24.3	186.1	222.5	117.3	72.8	56.6	113.3	76.9	36.4	8.1	178.0	48.6	121.4	.....
.....	4.1	16.3	183.2	187.2	97.7	52.9	61.1	130.3	85.5	32.6	20.3	105.8	20.3	179.1	8.1
.....	13.9	33.4	153.2	131.0	103.1	89.2	117.0	78.0	47.4	41.8	11.1	27.9	47.4	189.5	5.6
2.8	11.1	25.1	142.0	130.9	114.2	111.4	97.5	86.3	30.6	52.9	8.4	66.8	36.2	144.8	2.8
.....	11.1	5.6	155.9	122.5	105.8	64.0	58.4	89.1	33.4	25.0	2.8	69.6	13.9	158.7	11.1
.....	16.7	11.1	169.7	139.1	91.8	55.6	47.3	94.6	25.0	41.7	2.8	61.2	19.5	175.3	5.6
2.8	13.9	11.1	158.5	169.6	80.6	58.4	36.1	86.2	47.3	50.1	.....	75.1	25.0	141.8	2.8

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
MICHIGAN RURAL—Continued.													
Van Buren county	1900	1,385.5	18.0	18.0	.....	15.0	9.0	12.0	18.0	39.1	84.2	18.0	87.2
	1901	1,480.8	11.9	5.9	5.9	3.0	.....	17.8	17.8	32.6	97.9	14.8	86.1
	1902	1,066.8	38.1	2.9	.....	5.9	.....	.....	5.9	2.9	44.0	14.6	73.3
	1903	1,357.7	37.6	2.9	.....	2.9	14.5	20.3	5.8	26.0	69.5	11.6	127.4
	1904	1,510.1	42.9	.....	.....	11.4	5.7	.....	11.4	31.5	85.8	25.7	88.7
Washtenaw county	1900	1,320.2	18.0	3.0	.....	27.1	3.0	.....	6.0	.....	66.2	15.0	81.2
	1901	1,321.9	18.2	.....	.....	.....	24.3	.....	21.2	45.5	78.8	.....	66.7
	1902	1,293.0	12.2	3.0	.....	.....	12.2	.....	27.5	9.2	73.4	15.3	82.5
	1903	1,454.7	18.5	.....	.....	12.3	15.4	9.2	12.3	43.2	98.6	21.6	101.7
	1904	1,476.2	18.6	9.3	.....	18.6	3.1	3.1	3.1	49.7	108.8	21.8	87.0
Wayne county	1900	1,656.4	60.2	6.3	1.6	23.8	11.1	9.5	23.8	17.4	98.3	17.4	60.2
	1901	1,547.4	29.4	1.5	.....	.....	6.2	10.8	20.1	48.0	105.2	7.7	57.3
	1902	1,570.4	27.2	3.0	.....	13.6	21.2	19.6	36.3	7.6	102.8	12.1	57.4
	1903	1,725.3	45.8	2.9	4.4	2.9	13.3	8.9	69.4	17.7	112.3	22.2	56.1
	1904	1,717.3	33.2	1.4	2.9	14.4	4.3	2.9	57.8	14.4	121.4	14.4	54.9
Wexford county	1900	1,608.8	41.6	17.8	.....	41.6	23.7	5.9	5.9	11.9	83.1	17.8	29.7
	1901	1,238.7	74.5	5.7	5.7	.....	11.5	11.5	28.7	63.1	97.5	5.7	22.9
	1902	1,153.6	38.8	.....	.....	.....	11.1	.....	22.2	5.5	83.2	16.6	33.3
	1903	1,277.9	37.5	.....	.....	16.1	5.4	10.7	26.8	5.4	96.7	10.7	43.0
	1904	1,311.3	20.8	.....	.....	.....	.....	.....	15.6	26.0	72.9	10.4	31.2
NEW HAMPSHIRE RURAL.													
Belknap county	1900	1,976.6	8.7	.....	.....	.....	.....	8.7	17.4	69.7	182.9	.....	52.2
	1901	1,709.9	35.1	8.8	.....	.....	.....	17.5	8.8	17.5	105.2	.....	114.0
	1902	1,783.8	17.7	.....	.....	.....	.....	.....	8.8	8.8	141.3	8.8	61.8
	1903	1,894.3	17.8	.....	.....	.....	.....	.....	.....	80.0	142.3	8.9	88.9
	1904	1,594.4	8.9	.....	.....	.....	.....	.....	26.9	.....	71.7	8.9	44.8
Carroll county	1900	1,811.2	23.7	.....	.....	11.8	.....	23.7	11.8	53.3	136.1	35.5	76.9
	1901	1,264.0	17.9	.....	.....	.....	.....	.....	.....	11.9	131.2	35.8	107.3
	1902	1,567.7	24.0	.....	6.0	.....	.....	.....	12.0	48.1	144.2	12.0	108.1
	1903	1,682.2	18.2	.....	.....	.....	.....	.....	18.2	78.7	96.8	24.2	96.8
	1904	1,475.3	12.2	.....	.....	.....	.....	6.1	6.1	6.1	140.2	36.6	109.7
Cheshire county	1900	1,651.9	9.0	4.5	.....	.....	.....	13.5	18.1	76.7	135.4	22.6	76.7
	1901	1,660.8	18.1	.....	.....	4.5	18.1	.....	13.5	76.7	130.9	9.0	130.9
	1902	1,421.5	13.5	.....	4.5	4.5	.....	.....	45.1	4.5	90.3	18.1	63.2
	1903	1,471.0	13.5	.....	.....	13.5	.....	.....	13.5	36.1	103.8	18.0	63.2
	1904	1,737.1	9.0	.....	.....	.....	.....	.....	27.1	54.1	130.9	9.0	85.7
Coos county	1900	1,122.3	29.2	.....	.....	.....	.....	4.9	4.9	34.0	68.0	4.9	58.3
	1901	1,237.2	38.7	.....	.....	.....	4.8	.....	14.5	19.3	106.3	.....	72.5
	1902	1,197.0	24.0	.....	.....	4.8	.....	4.8	19.2	14.4	101.0	4.8	105.8
	1903	1,329.4	33.5	9.6	.....	9.6	.....	4.8	14.3	23.9	114.8	14.3	66.9
	1904	1,274.9	14.3	4.7	.....	.....	.....	.....	14.3	33.3	133.2	9.5	71.4
Grafton county	1900	1,757.9	41.6	4.9	.....	2.4	7.3	9.8	14.7	53.9	144.5	7.3	75.9
	1901	1,650.2	19.4	.....	4.9	.....	4.9	4.9	21.8	53.4	94.6	19.4	97.1
	1902	1,469.8	21.7	2.4	.....	7.2	.....	4.8	28.9	26.5	129.9	16.8	108.2
	1903	1,616.9	37.2	.....	.....	9.5	.....	16.7	16.7	26.2	104.9	14.3	97.8
	1904	1,469.0	16.5	4.7	.....	.....	.....	2.4	18.9	52.0	99.3	21.3	85.1
Hillsboro county	1900	1,791.8	6.3	.....	.....	.....	28.3	9.4	15.8	40.9	141.7	15.8	53.5
	1901	1,909.3	28.2	.....	.....	.....	.....	3.1	6.3	25.0	200.3	18.8	106.4
	1902	1,664.4	9.3	.....	.....	.....	.....	6.2	18.7	9.3	102.7	24.9	93.3
	1903	1,635.9	27.8	.....	.....	9.3	.....	18.5	37.1	37.1	136.1	15.5	102.0
	1904	1,767.6	15.4	.....	.....	.....	.....	3.1	18.4	30.8	175.2	6.1	86.1
Merrimack county	1900	2,146.5	18.2	.....	.....	9.1	.....	21.4	42.7	51.9	128.1	18.2	82.3
	1901	1,629.4	9.1	.....	.....	.....	12.2	12.2	21.3	42.6	112.7	21.3	97.5
	1902	1,536.3	24.5	.....	.....	3.0	.....	3.0	12.2	15.2	158.2	18.3	76.1
	1903	1,783.8	27.3	6.1	.....	9.1	18.2	.....	15.2	60.8	142.8	9.1	73.0
	1904	1,721.1	33.4	3.0	.....	.....	6.1	.....	3.0	42.5	115.4	36.4	94.1
Rockingham county	1900	1,872.5	32.1	.....	.....	2.5	4.9	.....	17.3	66.7	143.3	24.7	101.3
	1901	1,706.7	9.9	.....	.....	2.5	4.9	.....	24.7	39.5	128.3	19.7	86.3
	1902	1,632.5	17.2	.....	2.5	2.5	.....	12.3	49.2	4.9	162.5	14.8	91.1
	1903	1,602.8	19.7	2.5	.....	.....	4.9	22.1	19.7	44.2	125.4	9.8	66.4
	1904	1,615.0	9.8	2.5	.....	.....	.....	.....	7.4	19.6	142.3	12.3	90.8
Strafford county	1900	1,953.1	22.6	.....	.....	28.3	.....	5.7	39.6	62.3	158.5	17.0	73.6
	1901	1,704.1	5.7	.....	.....	.....	.....	11.4	34.1	17.0	159.1	28.4	51.1
	1902	1,550.2	22.8	.....	.....	.....	.....	34.2	22.8	5.7	171.0	.....	68.4
	1903	1,601.2	11.4	11.4	.....	51.5	.....	5.7	5.7	51.5	165.8	22.9	74.4
	1904	1,543.5	34.4	.....	.....	.....	34.4	.....	5.7	45.9	132.0	11.5	74.6
Sullivan county	1900	1,810.2	27.8	5.5	.....	5.5	.....	5.5	11.1	50.0	138.8	5.5	77.7
	1901	1,792.0	11.1	5.5	.....	.....	22.1	.....	11.1	60.8	143.8	11.1	94.0
	1902	1,487.5	11.0	.....	5.5	.....	.....	.....	5.5	5.5	121.2	5.5	93.7
	1903	1,712.2	5.5	.....	.....	16.5	.....	5.5	27.4	49.4	115.3	5.5	120.7
	1904	1,503.3	21.9	.....	.....	.....	.....	.....	5.5	21.9	98.4	16.4	76.5
NEW JERSEY RURAL.													
Atlantic county	1900	1,513.7	26.9	.....	.....	.....	5.4	.....	91.6	32.3	145.4	.....	32.3
	1901	1,464.7	21.2	.....	.....	5.3	15.9	5.3	69.0	42.5	84.9	5.3	37.1
	1902	1,265.5	20.9	5.2	.....	5.2	5.2	5.2	36.6	.....	104.6	15.7	57.5
	1903	1,587.5	20.6	.....	.....	.....	5.2	20.6	15.5	5.2	159.8	25.8	61.8
	1904	1,377.0	10.2	.....	.....	5.1	.....	.....	15.2	15.2	86.4	5.1	45.7

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
3.0	21.0	24.1	156.3	213.4	78.2	108.2	75.1	75.1	27.1	39.1	21.0	39.1	51.1	117.2	18.0
5.9	14.8	11.9	172.1	232.2	112.8	65.3	95.0	77.2	50.5	32.6	5.9	74.2	50.5	154.3	11.9
5.9	20.5	11.7	126.0	237.4	55.7	52.7	32.2	58.6	46.9	17.6	.....	44.0	26.4	143.6	.....
.....	26.0	5.8	153.4	243.2	63.7	28.9	66.6	92.6	66.6	43.4	20.3	60.8	26.0	133.2	8.7
2.8	17.2	5.7	194.5	268.9	74.4	71.5	68.6	94.4	51.5	60.1	2.8	74.4	54.3	151.6	14.3
3.0	12.0	24.1	162.4	186.5	45.1	63.2	66.2	84.2	51.1	33.1	6.0	60.1	30.1	261.6	12.0
.....	12.1	21.2	166.8	181.9	84.9	54.6	63.7	84.9	57.6	33.3	21.2	72.8	66.7	142.5	3.0
.....	6.1	3.0	171.2	198.7	100.9	61.1	79.5	94.7	73.4	24.4	15.3	52.0	30.6	137.6	9.2
3.1	9.2	15.4	194.2	191.1	95.6	95.6	24.7	89.4	101.7	27.7	9.2	80.1	30.8	147.9	6.2
3.1	12.4	12.4	192.7	202.0	71.5	87.0	49.7	56.0	74.6	24.9	24.9	77.7	28.0	226.9	9.3
1.6	11.1	20.6	209.2	122.1	136.3	111.0	123.7	115.7	44.4	57.1	7.9	76.1	49.1	212.4	28.5
.....	3.1	20.1	157.9	131.5	120.7	111.4	139.3	82.0	55.7	63.5	9.3	106.8	52.6	199.6	7.7
1.5	3.0	18.1	226.7	179.9	116.4	105.8	98.3	93.7	58.9	54.4	6.0	86.2	21.2	182.9	16.6
1.5	4.4	11.8	208.3	169.9	118.2	99.0	127.0	90.1	78.3	47.3	8.9	113.7	44.3	237.8	8.9
1.4	10.1	14.4	228.2	148.8	117.0	95.4	117.0	96.8	75.1	53.5	14.4	96.8	39.0	251.3	36.1
5.9	5.9	35.6	100.9	172.2	95.0	100.9	219.7	100.9	17.8	89.1	11.9	106.9	29.7	213.7	23.7
.....	11.5	28.7	120.4	80.3	109.0	57.4	80.3	97.5	22.9	63.1	5.7	63.1	40.1	126.2	5.7
.....	11.1	22.2	127.6	110.9	122.0	22.2	66.6	94.3	27.7	49.9	5.5	83.2	22.2	166.4	11.1
5.4	5.4	10.7	145.0	75.2	64.4	80.5	128.9	123.5	43.0	48.3	5.4	96.7	32.2	134.2	26.8
.....	15.6	10.4	93.7	171.7	98.9	62.4	98.9	83.3	46.8	88.5	20.8	104.1	36.4	197.7	5.2
.....	26.1	17.4	330.9	243.8	243.8	52.2	61.0	78.4	43.5	43.5	17.4	69.7	69.7	322.2	17.4
.....	17.5	17.5	280.6	236.8	105.2	52.6	61.4	52.6	78.9	.....	8.8	26.3	96.5	350.8	17.5
.....	8.8	.....	388.6	212.0	123.6	88.3	17.7	114.8	97.1	35.3	17.7	52.9	70.7	291.4	17.7
.....	8.9	8.9	311.3	266.8	222.4	62.2	62.2	88.9	44.5	.....	17.8	115.6	26.7	311.3	8.9
17.9	17.9	26.9	367.3	295.6	89.6	98.5	44.8	80.6	80.6	8.9	.....	44.8	62.7	197.1	.....
.....	29.6	29.6	201.3	278.2	183.5	47.4	88.8	100.6	53.3	41.4	5.9	59.2	76.9	195.3	47.4
6.0	17.9	23.8	137.1	172.9	71.5	83.5	29.8	29.8	101.3	6.0	35.8	17.9	65.6	143.1	17.9
12.0	6.0	30.0	210.2	276.3	114.1	66.1	24.0	42.0	48.1	18.0	18.0	48.1	54.1	228.3	18.0
.....	36.3	18.2	314.6	308.6	139.2	24.2	18.2	78.7	54.4	36.3	6.0	66.6	42.3	181.5	24.2
.....	6.1	12.2	176.8	243.8	134.1	36.6	24.4	91.4	97.5	12.2	12.2	85.4	61.0	152.4	12.2
.....	31.6	45.1	212.2	139.9	171.5	76.7	94.8	63.2	36.1	76.7	4.5	54.2	90.3	198.6	.....
4.5	22.6	36.1	248.2	203.1	117.3	99.3	81.2	72.2	45.1	22.6	13.5	63.2	58.7	148.9	22.6
.....	18.1	22.6	225.7	216.6	72.2	49.6	76.7	72.2	40.6	40.6	9.0	49.6	81.2	198.6	4.5
9.0	9.0	27.1	212.1	261.7	67.7	81.2	63.2	54.1	99.3	22.6	22.6	108.3	22.6	144.4	4.5
.....	4.5	22.6	248.2	297.8	81.2	94.7	121.8	108.3	103.8	27.1	18.0	67.7	22.6	198.5	4.5
.....	9.7	53.4	150.6	131.2	82.6	48.6	53.4	53.4	34.0	48.6	.....	43.7	48.6	140.9	19.4
.....	4.8	38.7	130.5	101.5	87.0	72.5	48.3	67.6	91.8	4.8	24.2	53.2	29.0	188.5	38.7
.....	4.8	33.7	149.0	221.1	91.3	57.7	48.1	38.5	62.5	14.4	4.8	57.7	33.7	76.9	24.0
.....	9.6	38.2	138.7	138.7	100.4	23.9	81.3	86.1	95.6	28.7	4.8	110.0	23.9	157.8	.....
.....	9.5	23.8	180.8	166.5	76.1	42.8	33.3	38.0	123.7	23.8	.....	76.1	47.6	142.7	9.5
.....	22.0	31.8	181.2	213.0	156.7	102.9	63.7	68.6	88.1	22.0	4.9	71.0	124.9	227.7	17.1
.....	9.7	24.3	206.3	174.7	145.6	75.2	55.8	97.1	70.4	31.5	12.1	70.4	75.2	259.7	21.8
.....	12.0	43.3	199.7	151.6	141.9	84.2	33.7	86.6	101.0	21.7	12.0	43.3	48.1	141.9	2.4
2.4	31.0	21.5	198.0	202.7	145.5	45.3	57.2	90.6	112.1	16.7	4.8	93.0	45.3	200.3	7.2
.....	18.9	30.7	160.8	193.9	118.2	35.5	52.0	87.5	113.5	21.3	11.8	78.0	33.1	241.2	2.4
3.1	12.6	44.1	292.9	176.4	135.4	110.2	59.8	59.8	103.9	56.7	15.8	72.4	88.2	236.2	12.6
3.1	6.3	25.0	284.8	259.8	112.7	112.7	50.1	81.4	90.8	37.6	12.5	53.2	115.8	253.5	21.9
.....	18.7	37.3	230.2	242.7	108.9	90.2	62.2	115.1	127.6	43.6	6.2	40.4	59.1	214.7	3.1
6.2	6.2	27.8	216.5	197.9	126.8	123.7	58.7	86.6	102.1	18.5	12.4	40.2	49.5	176.3	3.1
3.1	12.3	27.7	249.0	270.5	70.7	104.5	49.2	110.7	116.8	33.8	21.5	67.6	55.3	239.8	.....
6.1	12.1	58.0	250.0	274.4	292.7	115.9	109.8	91.5	58.0	64.0	12.1	45.7	109.8	253.1	21.4
.....	12.2	21.3	265.0	179.7	131.0	82.2	76.1	70.1	57.9	21.3	9.1	73.1	60.9	231.5	9.1
6.1	24.3	42.6	237.3	191.7	143.0	45.6	76.1	100.4	63.9	24.3	3.0	57.8	60.9	146.0	3.0
.....	33.4	33.4	197.5	231.0	142.8	88.1	85.1	109.4	66.9	24.3	15.2	88.1	45.6	255.3	6.1
3.0	6.1	15.2	264.1	236.8	130.5	60.7	88.0	75.9	151.8	27.3	6.1	63.7	60.7	197.3	.....
2.5	22.2	49.4	259.4	182.8	192.7	84.0	79.1	81.5	69.2	34.6	4.9	54.3	121.0	219.9	22.2
2.5	17.3	34.5	241.7	231.8	180.0	66.6	81.4	74.0	59.2	29.4	2.3	59.2	106.1	187.4	17.3
2.5	7.4	41.9	224.1	258.6	125.6	51.7	56.6	68.9	96.0	24.6	.....	59.1	44.3	204.4	9.8
.....	19.7	22.1	233.5	280.3	86.0	68.8	39.3	54.1	91.0	24.6	4.9	81.1	68.8	206.5	7.4
.....	14.7	14.7	245.4	270.0	108.0	81.0	66.3	90.8	81.0	29.5	9.8	68.7	27.0	216.0	7.4
.....	39.6	28.3	169.8	135.9	215.1	181.2	181.2	62.3	90.6	90.6	11.3	56.6	73.6	198.1	11.3
.....	17.0	34.1	193.1	181.8	113.6	119.3	147.7	73.8	79.5	39.8	17.0	85.2	85.2	181.8	28.4
11.4	22.8	45.6	210.9	171.0	51.3	39.9	96.9	108.2	68.4	28.5	11.4	68.4	68.4	199.4	22.8
5.7	5.7	40.0	154.4	217.3	97.2	85.8	102.9	108.7	80.1	40.0	5.7	28.6	74.4	137.2	17.2
.....	.....	40.2	126.2	281.2	63.1	114.8	126.2	103.3	74.6	28.7	17.2	40.2	34.4	137.7	17.2
5.5	16.7	22.2	205.5	222.1	188.8	77.7	100.0	38.9	88.9	50.0	27.8	61.1	94.4	261.0	22.2
5.5	11.1	22.1	243.4	232.3	177.0	77.4	60.8	77.4	121.7	11.1	16.6	88.5	83.0	182.5	22.1
.....	.....	38.6	187.3	225.9	159.8	55.1	11.0	38.6	143.2	11.0	.....	49.6	71.6	236.9	11.0
5.5	38.4	43.9	170.1	257.9	142.7	126.2	54.9	82.3	137.2	5.5	16.5	93.3	27.4	159.1	5.5
10.9	27.3	10.9	174.9	196.8	164.0	103.9	38.3	76.5	65.6	5.5	27.3	49.2	49.2	262.4	.....
.....	5.4	32.3	183.2	161.6	123.9	59.3	118.5	75.4	86.2	64.6	.....	43.1	59.3	167.0	.....
.....	5.3	26.5	207.0	153.9	58.4	90.2	122.1	53.1	79.6	74.3	.....	100.8	84.9	122.1	.....
.....	.....	15.7	156.9	141.2	57.5	57.5	83.7	68.0	99.4	62.8	.....	57.5	47.1	156.9	5.2
.....	10.3	30.9	180.4	201.0	113.4	77.3	82.5	51.5	82.5	82.5	.....	61.8	87.6	211.3	.....
10.2	10.2	15.2	132.1	167.7	111.8	101.6	203.2	66.1	86.4	30.5	5.0	61.0	76.2	111.8	5.1

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW JERSEY RURAL—Continued.													
Bergen county	1900	1,612.7	22.9	8.9	.....	5.1	3.8	16.6	37.0	26.8	136.4	12.7	47.2
	1901	1,549.7	12.3	8.6	1.2	2.4	14.7	13.5	29.4	14.7	128.7	9.8	51.5
	1902	1,373.3	10.6	5.9	2.4	23.6	3.5	28.3	29.5	7.1	127.5	10.6	54.3
	1903	1,375.8	10.2	5.7	1.1	2.3	20.5	12.5	36.4	12.5	119.6	13.7	39.9
	1904	1,352.7	12.1	2.2	.....	8.8	15.4	7.7	29.7	11.0	93.4	20.9	47.3
Burlington county	1900	1,753.1	39.5	1.7	.....	.....	10.3	15.5	27.5	30.9	151.1	18.9	70.4
	1901	1,625.3	30.8	.....	1.7	.....	8.6	1.7	18.8	42.8	150.7	24.0	61.7
	1902	1,404.3	23.9	1.7	3.4	6.8	8.5	6.8	12.0	8.5	126.4	17.1	41.0
	1903	1,601.8	34.1	6.8	8.5	1.7	35.8	10.2	20.4	18.7	141.5	20.5	76.7
	1904	1,660.7	30.6	3.4	3.4	8.5	13.6	10.2	22.1	18.7	185.3	17.0	69.7
Camden county	1900	1,576.9	37.8	.....	.....	6.3	3.2	3.2	34.7	31.5	170.3	9.5	44.2
	1901	1,638.3	43.2	3.1	33.9	.....	6.2	.....	21.6	27.8	194.4	15.4	40.1
	1902	1,570.2	33.2	.....	3.0	3.0	3.0	6.0	18.1	3.0	205.3	6.0	75.5
	1903	1,650.0	20.7	2.9	.....	5.9	8.9	17.8	29.6	5.9	189.3	17.8	47.3
	1904	1,514.9	29.0	.....	2.9	8.7	2.9	2.9	43.4	20.3	194.1	29.0	60.8
Cape May county	1900	1,454.4	22.7	7.6	.....	.....	15.1	.....	.....	22.7	121.2	7.6	30.3
	1901	1,597.7	22.4	14.9	.....	.....	22.4	.....	22.4	7.5	171.7	37.3	67.2
	1902	1,420.5	44.2	7.4	.....	.....	.....	22.1	36.8	7.4	139.8	7.4	81.0
	1903	1,277.2	7.3	.....	.....	14.5	7.3	.....	14.5	14.5	123.4	29.0	29.0
	1904	1,510.1	.....	.....	.....	.....	.....	7.2	28.6	14.3	93.0	7.2	100.2
Cumberland county	1900	1,404.7	26.2	3.7	.....	11.2	.....	.....	7.5	7.5	127.4	7.5	67.4
	1901	1,123.6	22.3	3.7	.....	.....	22.3	14.8	7.4	37.1	140.9	14.8	44.5
	1902	1,222.7	11.0	3.7	.....	.....	.....	22.0	7.3	3.7	150.5	14.7	40.4
	1903	1,276.2	3.6	7.3	.....	.....	7.3	7.3	18.2	18.2	156.3	18.2	87.3
	1904	1,361.1	21.6	3.6	3.6	3.6	14.4	7.2	21.6	10.8	147.7	18.0	43.2
Essex county	1900	1,324.8	9.3	2.7	.....	4.0	9.3	9.3	38.7	16.0	145.6	16.0	36.1
	1901	1,172.9	16.6	1.3	3.8	.....	15.3	2.6	34.5	17.9	107.5	12.8	62.7
	1902	1,125.4	22.1	3.7	13.5	2.5	6.1	14.7	33.1	3.7	122.7	13.5	50.3
	1903	1,119.4	14.4	4.8	.....	1.2	28.8	10.8	19.2	8.4	128.5	22.8	56.5
	1904	1,250.3	5.8	3.5	.....	6.9	12.7	5.8	35.9	8.1	135.3	27.7	56.7
Gloucester county	1900	1,479.4	28.2	9.4	.....	18.8	9.4	3.1	65.8	12.5	175.5	18.8	47.0
	1901	1,237.9	24.8	3.1	3.1	6.2	9.3	6.2	34.1	27.9	117.9	24.8	34.1
	1902	1,204.0	27.6	3.1	.....	.....	3.1	24.6	24.6	6.1	89.1	18.4	52.2
	1903	1,186.1	24.3	.....	.....	3.0	3.0	15.2	15.2	12.2	94.3	12.2	33.5
	1904	1,460.5	21.1	3.0	.....	3.0	12.0	6.0	15.1	12.0	144.6	36.1	72.3
Hudson county	1900	1,996.9	14.6	12.9	1.6	9.7	14.6	29.2	74.5	14.6	223.5	21.1	56.7
	1901	1,817.4	27.7	7.7	35.5	1.5	15.4	4.6	46.2	9.2	192.7	17.0	58.6
	1902	1,825.0	13.2	4.4	186.8	8.8	20.6	2.9	54.4	2.9	172.1	19.1	53.0
	1903	1,566.2	15.5	9.8	1.4	4.2	7.0	2.8	47.8	5.6	182.8	16.9	70.3
	1904	1,886.7	14.8	4.0	1.3	9.4	29.6	14.8	71.4	5.4	214.1	14.8	55.2
Hunterdon county	1900	1,512.7	5.8	2.9	.....	5.8	.....	31.9	17.4	60.8	124.6	14.5	52.2
	1901	1,490.3	20.3	14.5	.....	11.6	.....	.....	23.2	32.0	110.4	26.1	72.6
	1902	1,328.1	20.4	5.8	2.9	8.7	14.6	.....	23.3	11.6	99.0	23.3	61.2
	1903	1,404.3	14.6	2.9	.....	.....	2.9	2.9	35.0	35.0	73.0	20.5	78.8
	1904	1,346.4	14.6	2.9	.....	.....	2.9	.....	29.3	26.4	102.5	17.6	43.9
Mercer county	1900	1,423.5	27.2	9.1	.....	4.5	4.5	4.5	13.6	22.7	176.8	9.1	45.3
	1901	1,206.6	13.4	.....	.....	.....	4.4	8.9	4.4	13.4	111.4	31.2	40.1
	1902	1,003.1	4.4	.....	8.8	4.4	13.1	17.5	4.4	4.4	87.6	.....	43.8
	1903	1,158.7	25.8	.....	.....	.....	.....	38.8	4.3	12.9	68.9	12.9	43.1
	1904	1,194.8	17.0	4.2	.....	4.2	8.5	4.2	25.4	17.0	97.5	4.2	59.3
Middlesex county	1900	1,536.0	26.2	19.0	.....	16.6	4.8	11.9	26.2	30.9	145.0	16.6	45.2
	1901	1,305.4	7.0	9.3	9.3	.....	2.3	2.3	18.7	25.7	118.9	16.3	32.6
	1902	1,307.7	16.0	2.3	20.6	.....	4.6	29.7	16.0	.....	121.2	9.1	45.7
	1903	1,433.3	9.0	11.2	.....	6.7	20.2	9.0	51.6	17.9	114.4	9.0	62.8
	1904	1,424.4	17.6	6.6	.....	8.8	26.4	4.4	66.1	17.6	101.3	19.8	48.4
Monmouth county	1900	1,633.0	31.7	3.6	.....	9.7	3.6	4.9	37.8	18.3	153.6	23.2	62.2
	1901	1,576.5	19.2	3.6	3.6	3.6	10.8	18.0	26.4	25.2	178.7	15.6	74.4
	1902	1,404.7	21.3	4.7	1.2	5.9	7.1	10.6	30.7	5.9	107.5	17.7	62.6
	1903	1,359.2	17.5	3.5	.....	1.2	2.3	8.1	31.4	15.1	123.3	17.5	59.3
	1904	1,505.3	21.8	8.0	.....	8.0	1.1	6.9	17.2	29.8	144.4	28.7	49.3
Morris county	1900	1,506.8	9.3	11.1	1.9	9.3	9.3	13.0	26.0	31.5	144.8	11.1	64.9
	1901	1,369.7	9.1	.....	5.5	3.7	7.3	11.0	31.1	38.4	144.5	9.1	62.2
	1902	1,452.8	10.8	3.6	1.8	5.4	14.4	34.3	19.8	9.0	135.2	14.4	32.5
	1903	1,448.3	17.8	7.1	.....	7.1	7.1	12.4	23.1	26.7	110.2	14.2	39.1
	1904	1,470.2	7.0	.....	.....	5.2	10.5	3.5	42.1	28.0	163.0	17.5	49.1
Ocean county	1900	1,352.1	10.1	.....	.....	10.1	.....	.....	30.4	30.4	86.1	10.1	50.6
	1901	1,709.5	10.0	5.0	.....	.....	5.0	40.1	10.0	45.1	175.5	15.0	70.2
	1902	1,350.1	29.8	.....	.....	.....	5.0	9.9	19.8	5.0	158.8	9.9	69.5
	1903	1,007.5	4.9	.....	.....	.....	.....	9.8	9.8	24.6	127.8	.....	54.1
	1904	1,323.8	14.6	4.9	.....	4.9	.....	.....	34.1	43.8	131.4	24.3	43.8
Passaic county	1900	1,384.0	18.0	4.5	.....	.....	.....	13.5	40.4	.....	143.8	.....	53.9
	1901	1,023.5	13.1	4.4	.....	.....	26.3	13.1	30.6	8.7	83.1	8.7	17.5
	1902	1,063.1	8.4	4.2	.....	12.7	4.2	25.3	38.0	.....	50.7	16.9	50.7
	1903	1,121.3	20.4	.....	.....	4.1	4.1	8.1	16.3	8.1	130.5	8.1	44.9
	1904	1,289.7	.....	.....	.....	3.9	3.9	3.9	63.1	7.9	122.3	27.6	27.6
Salem county	1900	1,464.9	7.8	7.8	.....	7.8	11.8	27.4	7.8	43.1	156.7	3.9	39.2
	1901	1,298.5	.....	.....	3.9	.....	7.8	3.9	3.9	50.9	156.4	3.9	46.9
	1902	1,218.5	19.5	7.8	.....	.....	.....	11.7	11.7	7.8	97.6	3.9	43.0
	1903	1,446.7	35.1	.....	.....	.....	.....	15.6	31.2	31.2	202.7	15.6	74.1
	1904	1,647.1	42.8	.....	15.6	19.5	19.5	7.8	15.6	23.4	183.0	7.8	66.2

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
.....	7.6	52.3	187.4	146.6	135.2	84.1	163.2	70.1	71.4	66.3	14.0	105.8	77.8	108.4	5.1
.....	12.3	30.7	223.1	139.8	139.8	88.3	100.5	69.9	66.2	60.1	11.0	118.9	53.9	144.7	3.7
2.4	9.4	28.3	155.9	165.3	90.9	79.1	81.5	63.8	52.0	68.5	7.1	107.5	59.1	98.0	1.2
.....	14.8	34.2	189.1	152.6	95.7	60.4	94.5	62.6	64.9	66.1	4.6	102.5	53.5	105.9	.....
1.1	5.5	27.5	158.3	158.3	137.5	78.1	105.6	56.1	62.7	66.0	6.6	91.3	42.9	105.6	1.1
1.7	12.0	30.9	242.1	185.5	159.7	101.3	103.0	73.8	115.0	63.5	10.3	77.3	103.0	108.2	.....
.....	10.3	30.8	232.9	147.3	104.5	71.9	126.7	89.1	95.9	58.2	6.9	78.8	80.5	147.3	3.4
.....	12.0	18.8	205.0	165.7	97.4	54.7	102.5	66.6	92.3	58.1	12.0	78.6	80.3	104.2	.....
.....	8.5	47.7	168.7	172.1	107.4	88.6	81.8	76.7	105.7	83.5	8.5	57.9	78.4	138.0	3.4
1.7	10.2	25.5	197.1	188.6	124.1	73.1	102.0	73.1	115.6	61.2	6.8	103.7	69.7	122.4	3.4
.....	12.6	12.6	230.2	167.1	110.4	69.4	123.0	44.2	69.4	66.2	6.3	91.4	107.2	123.0	3.2
.....	9.2	27.8	243.7	154.3	123.4	61.7	101.8	89.5	83.3	64.8	3.1	98.7	80.2	111.1	.....
.....	3.0	15.1	253.7	163.1	129.9	75.5	111.7	66.4	84.6	51.3	9.1	54.4	69.5	120.8	6.0
.....	5.9	32.5	257.3	171.5	115.3	59.2	124.2	71.0	141.9	53.2	5.9	82.8	53.2	127.1	2.9
.....	2.9	23.2	188.3	185.4	115.8	95.6	89.8	63.7	84.0	52.1	20.3	40.5	52.1	104.3	2.9
.....	7.6	30.3	242.4	128.8	136.4	30.3	143.9	98.5	53.0	37.9	.....	128.8	106.0	83.3	.....
.....	7.5	29.9	261.3	119.4	37.3	82.1	74.7	74.7	67.2	52.3	7.5	67.2	97.0	253.8	.....
.....	22.1	14.7	206.1	103.0	66.2	66.2	73.6	110.4	66.2	14.7	.....	73.6	125.1	125.1	7.4
.....	7.3	14.5	159.6	152.4	29.0	94.3	72.6	108.8	72.6	14.5	7.3	50.8	101.6	137.9	14.5
.....	14.3	21.5	236.2	157.5	35.8	93.0	136.0	71.6	107.3	50.1	21.5	107.3	100.2	107.3	.....
.....	3.7	45.0	198.6	149.9	116.1	41.2	86.2	63.7	82.4	18.7	3.7	67.4	108.6	142.4	18.7
3.7	14.8	25.9	166.9	107.6	81.6	44.5	25.9	40.8	74.2	33.4	.....	51.9	51.9	92.7	.....
.....	18.4	36.7	161.6	146.9	95.5	40.4	47.7	47.7	77.1	25.7	11.0	62.4	69.8	128.5	.....
.....	10.9	18.2	163.6	130.9	80.0	72.7	69.1	50.9	109.1	32.7	3.6	69.1	47.2	94.5	.....
.....	7.2	10.8	230.5	162.1	75.6	50.4	50.4	68.4	97.2	50.4	.....	64.8	50.4	144.0	3.6
1.3	6.7	36.1	137.6	145.6	101.5	81.5	120.2	69.4	82.8	53.4	4.0	60.1	36.1	93.5	8.0
3.8	6.4	26.9	126.6	117.7	89.5	69.1	83.1	66.5	69.1	65.2	9.0	67.8	37.1	60.1	.....
.....	3.7	19.6	137.5	116.6	77.3	67.5	87.1	52.8	77.3	49.1	12.3	41.7	34.4	62.6	.....
1.2	4.8	21.6	135.7	116.5	70.9	74.5	38.4	67.3	70.9	44.4	10.8	51.7	43.2	72.1	.....
.....	18.5	33.5	124.9	135.3	118.0	67.1	87.9	64.8	81.0	55.5	6.9	45.1	22.0	87.9	3.5
.....	9.4	31.4	184.9	159.9	81.5	43.9	109.7	75.2	75.2	62.7	9.4	78.4	28.2	125.4	15.7
.....	.....	9.3	207.9	121.0	90.0	46.5	80.7	49.6	74.5	55.9	3.1	102.4	24.8	77.6	3.1
.....	3.1	15.4	193.5	187.4	76.8	39.9	61.4	49.1	70.6	27.6	12.3	89.1	49.1	76.8	3.1
.....	3.0	30.4	170.3	112.5	106.5	63.9	70.0	57.8	94.3	21.3	9.1	76.0	66.9	91.2	.....
3.0	3.0	24.1	216.8	147.6	120.5	69.3	87.3	81.3	66.2	66.2	3.0	96.4	42.2	108.4	.....
.....	4.8	37.2	223.5	124.7	187.9	183.0	208.9	85.8	103.7	51.8	24.3	95.6	76.1	113.4	3.2
1.5	1.5	49.3	214.3	94.0	191.2	134.1	134.1	72.5	111.0	84.8	17.0	104.8	55.5	132.6	3.1
.....	4.4	50.0	192.7	101.5	133.8	170.6	108.8	66.2	105.9	60.3	23.5	75.0	73.5	117.7	2.9
1.4	8.4	52.0	205.3	129.4	106.9	120.9	92.8	82.9	81.6	49.2	19.7	97.0	32.3	119.5	2.8
.....	16.2	43.1	234.3	164.3	185.9	125.3	161.6	68.7	87.5	68.7	29.6	79.5	37.7	146.8	2.7
2.9	17.4	31.9	202.9	199.9	78.2	113.0	78.2	84.0	78.2	49.3	14.5	55.1	40.6	144.9	5.8
2.9	8.7	32.0	226.6	229.5	101.7	37.8	75.6	69.7	84.3	52.3	5.8	66.8	49.4	130.7	5.8
.....	14.6	17.5	256.3	183.5	58.3	81.5	52.4	81.5	58.3	35.0	.....	81.5	40.8	96.1	.....
.....	23.4	29.2	256.9	239.4	90.5	40.9	46.7	35.5	73.0	32.1	20.5	64.2	35.0	131.4	.....
2.9	14.6	14.6	234.2	204.9	84.9	64.4	46.8	76.1	84.9	55.6	11.7	67.3	29.3	111.2	2.9
4.5	9.1	31.7	204.0	136.0	99.7	77.1	68.0	45.3	77.1	49.9	9.1	104.3	45.3	140.6	4.5
.....	4.4	31.2	169.3	169.3	57.9	71.3	71.3	53.5	35.7	53.5	.....	147.0	40.1	164.9	.....
4.4	13.1	17.5	135.8	109.5	61.4	56.9	56.9	43.8	70.1	42.2	.....	48.2	56.9	92.0	.....
.....	8.6	21.5	155.1	137.8	90.5	51.7	21.5	60.3	47.4	34.5	4.3	146.5	51.7	116.3	4.3
.....	4.2	21.2	203.4	127.1	93.2	38.1	72.0	50.9	38.1	38.1	.....	148.3	29.7	89.0	.....
2.4	4.8	26.2	166.4	123.6	99.8	68.9	152.2	64.2	52.3	73.7	4.8	152.2	92.7	95.1	14.3
2.3	7.0	28.0	146.9	149.2	93.3	53.6	114.2	62.9	74.6	39.6	16.3	118.9	58.3	97.9	.....
2.3	9.1	29.7	178.3	93.7	84.6	86.9	123.5	68.6	68.6	38.9	6.8	109.7	52.6	89.2	.....
.....	9.0	26.9	179.5	136.8	92.0	74.0	96.5	89.7	78.5	53.8	17.9	161.5	26.9	76.3	2.2
4.4	2.2	33.0	138.7	136.5	125.5	94.7	121.1	66.1	52.8	39.6	6.6	127.7	37.4	118.9	2.2
2.4	6.1	42.7	202.3	148.7	92.6	57.3	160.9	104.8	84.1	68.2	3.6	89.0	99.9	118.2	3.6
2.4	16.8	32.4	209.9	152.3	79.2	67.2	150.9	69.6	93.6	45.6	8.4	97.2	57.6	103.2	12.0
.....	15.4	16.6	168.9	163.0	83.9	68.5	113.4	70.9	91.0	42.5	2.4	75.6	76.8	133.5	7.1
1.2	12.8	17.5	174.6	172.2	79.1	70.9	87.3	75.6	81.5	43.1	10.5	88.4	55.9	109.4	.....
.....	13.8	28.7	192.6	155.9	102.0	68.8	107.8	82.5	90.6	72.2	13.8	83.7	63.1	112.3	2.3
7.4	13.0	35.3	196.7	144.8	111.3	111.3	98.4	66.8	76.1	61.2	3.7	79.8	48.2	111.3	9.3
1.8	9.1	23.8	151.8	129.8	73.1	86.0	102.5	62.2	84.1	71.3	5.5	76.8	60.3	102.4	7.3
7.2	14.4	25.2	228.9	151.4	99.1	101.0	82.9	57.7	108.2	61.3	3.6	90.1	41.5	86.5	12.6
.....	7.1	37.3	215.0	136.9	94.2	85.3	67.5	48.0	140.4	80.0	5.3	108.4	28.4	124.4	5.3
.....	7.0	12.3	206.8	166.5	140.2	73.6	75.3	50.8	115.7	42.1	1.7	92.9	17.5	140.2	1.7
.....	.....	30.4	233.0	121.5	50.6	111.4	101.3	111.4	55.7	35.5	5.1	40.5	65.8	141.8	20.3
.....	20.0	45.1	245.7	135.4	145.4	85.2	100.3	85.2	60.2	70.2	10.0	105.3	90.2	135.4	.....
.....	29.8	19.8	163.8	163.8	34.7	94.3	94.3	84.4	89.4	19.8	5.0	74.5	69.5	99.3	.....
.....	4.9	19.7	108.1	122.9	63.9	63.9	39.3	73.7	68.8	44.2	.....	49.1	59.0	59.0	.....
4.9	4.9	19.5	219.0	126.5	111.9	58.4	92.4	63.3	63.3	43.8	.....	68.1	68.1	73.0	4.9
4.5	4.5	62.9	139.3	134.8	112.4	76.3	103.4	80.9	67.4	40.4	9.0	121.3	49.4	98.9	4.5
.....	.....	21.9	157.3	78.7	65.6	52.5	96.2	43.8	39.4	43.7	8.7	96.2	39.4	74.4	.....
.....	4.2	33.8	168.8	97.1	97.1	71.7	114.0	29.5	29.5	33.8	4.2	80.2	25.3	88.6	4.2
.....	4.1	20.4	114.2	130.5	85.6	44.9	65.2	20.4	53.0	85.6	20.4	85.6	53.0	93.8	.....
.....	27.6	11.8	90.7	149.9	110.4	86.8	122.3	15.8	47.3	102.6	15.8	138.1	27.6	82.8	.....
3.9	15.7	31.3	199.8	129.3	90.1	86.2	125.3	54.8	82.2	50.9	11.8	66.6	90.1	109.7	3.9
.....	.....	19.6	211.2	109.5	113.4	54.8	70.4	62.6	70.4	50.9	7.8	35.2	62.6	152.5	.....
3.9	19.5	7.8	226.5	109.4	89.8	39.1	105.5	58.6	74.2	66.4	.....	46.9	54.7	113.2	.....
.....	.....	19.5	245.7	113.1	85.8	70.2	66.3	39.0	93.5	81.9	.....	50.7	54.6	117.0	3.9
.....	15.6	15.6	202.5	140.2	124.6	66.2	93.4	89.5	89.5	89.5	7.8	77.9	50.6	175.2	7.8

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.										
		All causes	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW JERSEY RURAL—Continued.													
Somerset county	1900	1,408.3	15.2	6.1	.....	27.3	3.0	33.4	24.3	18.2	109.3	6.1	54.6
	1901	1,257.0	6.0	12.0	.....	3.0	15.0	.....	32.9	17.9	119.7	15.0	38.9
	1902	1,322.5	5.9	2.9	2.9	.....	2.9	32.5	32.5	5.9	115.1	32.5	59.1
	1903	1,290.1	11.6	14.6	.....	.....	2.9	20.4	26.2	8.7	110.7	11.6	58.3
	1904	1,206.8	8.6	.....	.....	8.6	2.9	5.7	25.9	8.6	83.3	17.3	63.2
Sussex county	1900	1,553.8	12.4	8.3	.....	.....	.....	4.1	8.3	53.9	103.6	12.4	53.9
	1901	1,085.4	16.4	8.2	.....	.....	4.1	.....	24.7	32.9	86.3	.....	57.6
	1902	922.1	12.2	4.1	.....	.....	4.1	12.2	24.5	4.1	85.7	.....	53.0
	1903	947.4	8.1	4.0	.....	8.1	4.0	.....	16.2	24.3	109.3	.....	36.5
	1904	1,185.4	20.1	.....	.....	8.0	20.1	4.0	20.1	12.1	72.3	20.1	40.2
Union county	1900	1,547.7	22.0	3.1	.....	9.4	6.3	18.8	18.8	34.5	147.6	28.3	62.8
	1901	1,345.7	18.4	.....	.....	.....	3.0	3.0	55.1	24.5	140.7	12.2	58.1
	1902	1,270.2	32.8	.....	14.9	14.9	3.0	17.9	8.9	3.0	125.2	6.0	53.7
	1903	1,256.6	14.5	.....	.....	2.9	5.8	5.8	17.5	17.5	104.7	20.4	32.0
	1904	1,212.3	22.7	2.8	.....	5.7	8.5	2.8	14.2	17.0	119.2	34.1	48.3
Warren county	1900	1,478.6	18.0	3.6	.....	.....	.....	18.0	32.5	36.1	97.4	10.8	68.5
	1901	1,338.8	14.4	3.6	3.6	.....	.....	.....	10.8	39.7	119.1	7.2	32.5
	1902	1,325.2	25.3	3.6	25.3	7.2	14.4	10.8	10.8	18.1	90.3	.....	61.4
	1903	1,444.1	15.3	.....	.....	3.8	3.8	19.1	26.7	22.9	114.6	22.9	65.0
	1904	1,569.0	26.8	3.8	.....	11.5	7.7	15.3	19.1	30.6	156.9	3.8	53.6
NEW YORK RURAL.													
Albany county	1900	1,678.3	39.2	.....	.....	6.0	15.1	6.0	54.2	42.2	135.6	15.1	78.3
	1901	1,568.9	75.7	.....	.....	15.1	3.0	3.0	30.3	45.4	106.0	6.1	66.6
	1902	1,464.5	30.4	.....	.....	.....	12.2	9.1	21.3	24.4	140.1	3.0	91.3
	1903	1,536.6	15.3	.....	.....	.....	18.4	27.5	15.3	52.0	104.1	18.4	67.4
	1904	1,597.1	36.9	.....	.....	.....	.....	3.1	9.2	46.2	156.9	18.5	61.5
Allegany county	1900	1,366.2	33.7	2.4	.....	9.6	2.4	2.4	7.2	33.7	74.7	12.0	69.9
	1901	1,326.0	31.5	2.4	.....	2.4	4.8	16.9	7.3	60.5	65.3	12.1	46.0
	1902	1,363.2	21.9	4.9	2.4	.....	9.7	.....	4.9	36.4	82.6	7.3	82.6
	1903	1,364.1	24.4	2.4	.....	2.4	.....	19.5	.....	51.2	58.6	4.9	70.8
	1904	1,485.1	9.8	2.5	.....	7.4	2.5	2.5	4.9	66.2	56.4	17.1	58.8
Broome county	1900	1,630.4	23.7	3.4	.....	6.8	6.8	.....	57.6	27.1	155.9	10.2	81.4
	1901	1,648.9	33.7	3.4	3.4	20.2	10.1	6.7	30.3	54.0	77.6	6.7	101.2
	1902	1,318.3	13.4	3.4	.....	.....	3.4	10.1	10.1	13.4	93.9	.....	63.7
	1903	1,385.0	10.0	3.3	.....	3.3	.....	6.7	6.7	43.4	90.1	13.3	86.8
	1904	1,729.9	6.6	3.3	.....	49.8	3.3	13.3	13.3	43.2	86.3	10.0	53.1
Cattaraugus county	1900	1,338.5	40.9	1.8	.....	8.9	1.8	7.1	7.1	48.1	78.3	8.9	78.3
	1901	1,229.9	19.5	.....	.....	3.5	3.5	1.8	7.1	49.7	67.4	8.9	51.5
	1902	1,254.7	19.5	1.8	.....	23.0	7.1	3.5	21.2	17.7	56.6	5.3	58.4
	1903	1,207.0	17.6	.....	.....	.....	5.3	15.9	8.8	24.7	44.1	12.3	58.2
	1904	1,284.5	21.1	.....	.....	3.5	.....	1.8	22.9	19.4	68.6	.....	63.3
Cayuga county	1900	1,554.8	27.9	2.8	.....	11.1	11.1	2.8	36.2	52.9	125.4	25.1	75.2
	1901	1,561.9	19.7	2.8	.....	16.9	.....	8.4	11.3	118.2	118.2	19.7	90.1
	1902	1,472.5	11.4	5.7	.....	2.8	2.8	11.4	8.5	22.7	85.3	14.2	65.4
	1903	1,464.6	20.1	2.9	.....	5.7	.....	5.7	17.2	34.5	114.9	11.5	48.8
	1904	1,630.6	31.6	2.9	2.9	.....	2.9	.....	5.8	26.1	116.1	8.7	98.7
Chautauqua county	1900	1,397.6	31.6	1.9	.....	3.7	3.7	13.0	9.3	52.0	87.3	13.0	70.6
	1901	1,265.4	24.0	9.2	.....	7.4	5.5	12.9	11.1	84.9	101.5	20.3	46.1
	1902	1,329.2	22.0	1.8	.....	9.2	7.3	5.5	34.8	25.6	93.4	14.6	60.4
	1903	1,355.8	21.8	1.8	.....	.....	7.3	5.5	14.5	23.6	94.5	20.0	74.5
	1904	1,432.4	19.9	1.8	1.8	5.4	12.6	1.8	3.6	66.8	93.8	14.4	81.2
Chemung county	1900	1,446.4	43.5	.....	.....	27.2	5.4	.....	5.4	21.7	103.3	5.4	38.1
	1901	1,633.1	43.3	5.4	.....	10.8	5.4	32.4	21.6	97.3	140.6	10.8	75.7
	1902	1,446.6	53.8	.....	.....	.....	.....	.....	48.4	21.5	113.0	37.7	48.4
	1903	1,347.8	37.4	.....	.....	5.3	5.3	21.4	16.0	10.7	74.9	5.3	64.2
	1904	1,521.4	16.0	10.6	.....	.....	.....	10.6	26.6	26.6	111.7	21.3	95.8
Chenango county	1900	1,843.1	24.6	5.5	.....	24.6	2.7	5.5	8.2	41.0	120.3	16.4	87.5
	1901	1,786.2	27.4	.....	2.7	16.5	21.9	11.0	8.2	93.3	153.6	13.7	129.0
	1902	1,445.2	27.5	2.8	.....	.....	2.8	.....	2.8	11.0	118.4	13.8	74.3
	1903	1,510.8	11.0	2.8	.....	8.3	2.8	8.3	11.0	27.6	82.9	8.3	93.9
	1904	1,773.6	16.6	.....	.....	2.8	5.5	.....	8.3	55.4	85.9	16.6	124.7
Clinton county	1900	1,366.2	29.5	4.2	.....	2.1	2.1	19.0	29.5	25.3	134.9	14.8	42.2
	1901	1,134.0	14.7	.....	2.1	8.4	21.0	8.4	33.7	48.4	130.5	14.7	44.2
	1902	988.9	8.4	.....	2.1	8.4	6.3	12.6	21.0	25.2	121.7	8.4	42.0
	1903	1,070.7	12.6	.....	.....	10.5	29.3	2.1	8.4	39.8	111.0	12.6	25.1
	1904	1,193.9	10.4	2.1	2.1	.....	31.4	6.3	14.6	48.1	121.3	10.4	43.9
Columbia county	1900	1,772.4	56.4	.....	.....	17.8	5.9	3.0	23.7	23.7	127.7	5.9	65.3
	1901	1,672.3	63.3	.....	.....	.....	.....	3.0	24.1	72.3	111.5	3.0	72.3
	1902	1,428.5	18.3	9.2	.....	3.0	.....	6.1	9.2	12.2	137.6	6.1	88.7
	1903	1,652.4	21.7	3.1	.....	9.3	9.3	3.1	21.7	40.4	114.9	12.4	80.8
	1904	1,728.8	22.1	3.1	.....	6.3	18.9	3.1	6.3	69.4	132.5	15.8	69.4
Cortland county	1900	1,562.3	48.5	.....	.....	.....	5.4	.....	10.8	21.5	134.7	10.8	118.5
	1901	1,602.2	86.9	5.4	.....	5.4	.....	5.4	5.4	43.4	119.5	5.4	92.4
	1902	1,631.8	16.4	.....	.....	.....	.....	5.5	21.9	49.3	76.7	5.5	120.5
	1903	1,629.6	22.7	.....	.....	5.7	.....	5.7	22.7	34.1	73.8	17.0	90.8
	1904	1,804.1	22.9	.....	.....	11.5	.....	.....	.....	57.3	51.5	17.2	131.7
Delaware county	1900	1,467.3	43.1	.....	.....	6.5	15.1	4.3	17.2	30.2	94.8	4.3	58.2
	1901	1,333.2	25.8	.....	.....	28.0	4.3	4.3	10.8	62.4	86.0	8.6	62.4
	1902	1,221.1	6.4	.....	.....	.....	2.1	8.6	15.0	17.2	60.1	15.0	81.6
	1903	1,047.4	12.9	.....	.....	.....	4.3	6.4	2.1	21.4	85.7	6.4	77.1
	1904	1,261.2	23.5	.....	.....	10.7	4.3	6.4	25.6	27.8	74.8	12.8	51.3

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
3.0	12.1	24.3	154.8	203.4	91.0	81.9	127.5	42.5	63.7	42.5	21.2	66.8	66.8	103.2	6.1
3.0	6.0	9.0	209.5	137.7	59.8	62.8	53.9	68.8	74.8	50.9	12.0	101.7	44.9	101.8	.....
2.9	5.9	23.6	156.5	150.6	82.7	82.7	73.8	73.8	79.7	56.1	8.8	62.0	56.1	115.1	.....
.....	11.6	23.3	174.8	166.0	55.3	101.9	69.9	67.0	61.2	55.3	8.7	69.9	72.8	87.4	.....
.....	8.6	11.5	201.2	140.8	94.8	51.7	86.2	40.2	57.5	63.2	5.7	71.9	43.1	100.6	5.7
4.1	8.3	16.6	165.8	211.3	232.0	99.5	107.8	66.3	78.7	37.3	4.1	58.0	49.7	145.0	12.4
.....	4.1	20.6	160.4	131.6	135.7	74.0	37.0	49.3	37.0	37.0	4.1	41.1	32.9	90.4	.....
4.1	.....	4.1	122.4	122.4	61.2	53.0	57.1	69.4	53.0	28.6	.....	57.1	20.4	69.4	.....
.....	4.0	12.1	153.9	121.5	76.9	32.4	20.3	56.7	40.5	24.3	12.1	72.9	8.1	101.2	.....
.....	12.1	8.0	160.8	128.6	156.7	52.2	28.1	80.4	44.2	32.1	24.1	80.4	28.1	124.6	8.0
.....	.....	25.1	157.0	135.0	131.9	65.9	122.4	81.6	100.5	59.6	.....	103.6	65.9	141.3	6.3
.....	.....	21.4	165.2	82.6	125.4	61.2	88.7	61.2	104.0	64.2	3.0	110.1	27.5	113.2	3.0
.....	6.0	17.9	131.2	164.0	107.3	56.6	83.4	38.8	89.5	47.7	14.9	89.5	29.8	110.3	3.0
.....	17.5	20.4	151.3	107.6	93.1	93.1	55.3	43.6	139.6	49.4	11.6	168.7	14.5	69.8	.....
.....	17.0	25.5	156.2	142.0	113.6	45.4	56.8	28.4	88.0	48.3	14.2	105.1	25.5	65.3	5.7
3.6	21.6	39.7	238.0	183.9	61.3	50.5	108.2	93.8	64.9	50.5	10.8	101.0	36.1	129.8	.....
.....	14.4	7.2	198.5	122.7	115.5	75.8	83.0	101.1	93.8	43.3	7.2	93.8	57.8	93.8	.....
.....	7.2	25.3	184.2	144.5	54.2	75.8	72.2	68.6	72.2	61.4	7.2	104.7	39.7	140.8	.....
.....	22.9	30.6	225.4	149.0	80.2	76.4	49.7	57.3	68.8	61.1	3.8	149.0	53.5	110.8	11.5
.....	19.1	15.3	199.0	206.6	111.0	84.2	91.9	68.9	88.0	61.2	19.1	111.0	30.6	134.0	.....
3.0	9.0	39.2	207.9	207.9	132.6	60.3	87.4	48.2	114.5	51.2	.....	72.3	75.3	177.8	.....
.....	9.1	27.3	157.5	175.7	115.1	93.9	75.7	78.7	109.1	42.4	3.0	100.0	30.3	199.9	.....
3.0	9.1	27.4	161.4	197.9	73.1	48.7	51.8	45.7	140.1	54.8	6.1	112.6	24.4	170.5	6.1
.....	15.3	39.8	153.1	153.1	91.8	107.1	70.4	85.7	146.9	24.5	9.2	140.8	39.8	140.7	.....
3.1	27.7	33.8	153.9	237.0	98.5	101.5	76.9	76.9	92.3	43.1	9.2	123.1	46.2	138.5	3.1
4.8	31.3	14.5	163.9	168.7	125.3	50.6	67.5	86.8	67.5	21.7	14.5	77.1	36.1	183.1	4.8
7.3	4.8	14.5	174.2	217.8	84.7	43.6	33.9	75.0	77.4	21.8	9.7	108.9	33.9	164.5	4.8
4.9	4.9	9.7	155.5	223.6	99.6	58.3	58.3	89.9	92.3	31.6	14.6	34.0	21.9	206.5	4.9
2.4	24.4	34.2	134.2	231.8	90.3	48.8	24.4	95.2	73.2	24.4	7.3	83.0	34.2	222.1	.....
.....	12.3	17.1	196.0	262.2	122.5	83.3	31.8	102.9	61.3	53.9	12.3	98.0	34.3	169.1	.....
3.4	20.3	20.3	210.1	142.4	122.0	78.0	64.4	128.8	78.0	33.9	6.8	88.1	30.5	227.1	3.4
10.1	6.7	16.9	202.3	131.5	128.1	70.8	43.8	94.4	101.2	23.6	10.1	101.2	40.5	317.0	3.4
3.4	3.4	26.8	231.4	147.6	73.8	60.4	23.5	67.1	93.9	43.6	13.4	63.7	40.2	211.3	3.4
10.0	10.0	10.0	186.9	170.2	66.8	53.4	33.4	146.9	83.4	36.7	10.0	43.4	20.0	240.3	.....
13.3	26.6	10.0	195.9	262.3	99.6	66.4	43.2	106.2	122.8	43.2	10.0	116.2	43.2	285.5	3.3
.....	14.2	17.8	137.1	147.7	81.9	78.3	90.8	90.8	53.4	44.5	5.3	55.2	62.3	160.2	17.8
.....	7.1	12.4	133.1	186.4	88.8	62.1	55.0	78.1	71.0	44.4	5.3	87.0	33.7	149.1	3.5
.....	15.9	10.6	164.6	184.1	97.3	69.0	53.1	81.4	37.2	35.4	10.6	76.1	38.9	164.6	1.8
1.8	14.1	15.9	155.3	188.8	82.9	49.4	40.6	61.8	42.4	42.4	15.9	95.3	24.7	188.8	.....
1.8	19.4	7.0	142.5	212.9	95.0	44.0	68.6	58.1	65.1	31.7	12.3	123.2	49.3	149.5	3.5
5.6	5.6	19.5	236.8	172.8	117.0	33.4	83.6	86.4	75.2	36.2	22.3	47.4	50.2	183.9	8.4
5.6	5.6	11.3	194.2	152.0	98.5	76.0	42.2	73.2	90.1	47.8	19.7	73.1	87.2	180.1	.....
2.8	11.4	19.9	261.5	227.4	73.9	45.5	48.3	76.8	82.5	39.8	8.5	93.8	37.0	213.2	.....
.....	23.0	23.0	247.0	203.9	89.0	66.0	31.6	83.3	68.9	37.3	28.7	74.7	37.3	186.7	2.9
2.9	23.2	8.7	249.5	325.0	104.5	61.0	23.2	90.0	92.9	46.4	14.5	87.1	26.1	179.9	.....
1.9	22.3	16.7	198.9	180.3	52.0	55.8	63.2	87.3	61.3	37.2	11.2	78.0	37.2	198.9	9.3
.....	12.9	18.4	204.8	140.2	51.6	38.7	35.1	64.6	62.7	38.7	7.4	53.5	25.8	186.3	1.8
5.5	7.3	9.2	164.8	186.7	87.9	47.6	49.4	82.4	80.5	25.6	9.2	62.3	56.8	173.9	5.5
3.6	18.2	18.2	178.1	181.7	76.3	58.2	56.3	101.8	70.9	29.1	7.3	83.6	30.9	178.1	.....
1.8	16.2	21.6	178.6	243.6	99.2	61.3	41.5	74.0	74.0	32.5	12.6	90.2	34.3	146.1	1.8
5.4	16.3	16.3	195.8	190.4	65.3	65.3	103.3	70.7	59.8	43.5	5.4	65.3	43.5	250.1	.....
.....	21.6	21.6	248.8	178.5	108.2	70.3	64.9	102.8	48.7	27.0	16.2	91.9	10.8	178.5	.....
.....	16.1	10.8	193.6	204.4	86.1	59.2	26.9	96.8	96.8	32.3	5.4	53.4	21.5	215.1	5.4
.....	10.7	21.4	144.4	208.6	101.6	58.9	37.4	96.3	58.9	21.4	.....	139.1	16.0	192.6	.....
5.3	5.3	10.6	207.5	218.1	79.8	101.1	26.6	111.7	53.2	31.9	31.9	79.8	21.3	218.1	.....
5.5	8.2	32.8	227.0	194.1	134.0	106.6	101.2	134.0	93.0	43.8	13.7	87.5	82.0	243.4	.....
5.5	11.0	35.7	227.7	225.0	104.3	107.0	41.2	96.0	76.8	41.2	21.9	93.3	35.7	186.6	.....
11.0	24.8	11.0	234.0	209.2	93.6	71.6	27.5	115.6	79.8	24.8	8.2	55.0	44.0	181.7	.....
.....	16.6	11.0	187.8	284.5	107.7	93.9	22.1	93.9	91.1	38.7	13.8	82.9	33.1	176.8	.....
2.8	27.7	27.7	221.7	338.1	116.4	72.0	30.5	94.2	105.3	33.3	22.2	99.8	33.3	232.8	.....
4.2	10.6	52.7	128.6	109.6	92.8	54.8	109.6	69.6	38.0	50.6	6.3	59.0	59.0	194.0	23.2
.....	14.7	37.9	92.6	117.8	44.2	61.0	73.6	58.9	40.0	44.2	4.2	48.4	25.2	143.1	2.1
2.1	4.2	18.9	105.0	107.0	52.5	37.8	37.8	48.3	46.2	42.0	10.5	56.7	33.6	130.2	.....
.....	2.1	31.4	102.7	140.4	58.7	58.7	58.7	64.9	18.8	33.5	6.3	62.9	52.4	121.5	6.3
2.1	6.3	31.4	108.7	148.5	75.3	48.1	46.0	66.9	35.5	62.7	8.4	56.4	37.6	163.1	6.3
3.0	5.9	32.6	204.9	163.3	136.6	118.8	83.1	86.1	136.6	44.5	11.9	71.3	106.9	231.6	5.9
.....	15.1	27.1	229.0	135.6	99.4	99.4	60.3	105.5	123.6	54.2	6.0	93.4	21.1	253.1	.....
.....	9.2	15.3	201.9	208.0	88.7	42.8	39.8	88.7	122.4	30.6	9.2	122.4	24.5	134.6	.....
3.1	21.7	12.4	229.9	208.1	90.1	124.3	40.4	96.3	133.6	55.9	6.2	108.7	28.0	170.8	6.2
.....	9.5	6.3	195.6	306.0	107.3	78.9	50.5	116.7	138.8	44.2	3.1	88.4	31.6	201.9	3.1
10.8	16.2	16.2	172.4	156.2	102.3	43.1	80.8	91.6	48.5	48.5	26.9	43.1	64.6	285.5	5.4
.....	16.3	5.4	168.4	162.9	228.1	70.6	48.9	70.6	81.5	38.0	10.9	38.0	59.8	233.6	.....
.....	27.4	10.9	186.2	230.0	98.6	49.3	32.8	147.8	131.4	71.2	10.9	76.7	21.9	230.0	10.9
.....	11.4	5.7	261.2	340.7	164.6	68.1	39.7	56.8	107.9	39.7	5.7	56.8	11.4	181.7	5.7
.....	22.9	11.5	229.1	297.8	108.8	91.6	22.9	154.7	126.0	51.5	17.2	103.1	22.9	246.3	5.7
.....	8.6	28.0	193.9	159.4	135.7	49.6	118.5	103.4	62.5	43.1	6.5	34.5	32.3	206.8	10.8
4.3	15.0	15.0	208.6	236.5	96.8	43.0	49.4	64.5	71.0	21.5	2.1	62.4	21.5	122.6	6.4
.....	6.4	15.0	154.5	173.9	130.9	47.2	62.3	85.9	70.8	10.7	2.1	90.1	17.2	143.8	4.3
.....	8.6	8.6	132.8	134.9	77.1	45.0	36.4	79.3	70.7	27.8	4.3	57.8	8.6	139.2	.....
2.1	21.4	15.0	158.2	220.2	115.4	42.8	36.3	81.2	79.1	17.1	4.3	83.4	19.2	124.0	4.3

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL—Continued.												
Dutchess county....1900..	1,767.8	27.8	12.1	.....	12.1	8.7	13.9	29.5	34.7	190.8	10.4	48.6
1901..	1,948.5	29.4	12.1	.....	1.7	8.6	5.2	29.4	55.3	231.7	25.9	48.4
1902..	1,773.1	25.8	10.3	.....	1.7	1.7	10.3	22.4	20.7	156.8	12.1	75.8
1903..	1,859.8	30.9	5.2	.....	10.3	5.2	6.9	15.5	32.6	221.5	24.0	84.1
1904..	1,978.5	20.5	5.1	.....	13.7	.....	10.3	15.4	44.5	243.0	12.0	83.9
Erie county....1900..	1,389.9	29.5	3.7	.....	22.1	9.8	6.2	28.3	27.1	110.7	18.5	66.4
1901..	1,430.7	18.2	2.4	.....	2.4	3.6	14.5	21.8	44.8	103.0	13.3	65.4
1902..	1,335.4	19.1	.....	.....	7.2	6.0	11.9	27.4	11.9	90.7	13.1	69.2
1903..	1,330.0	28.2	.....	.....	1.2	3.5	11.8	20.0	22.3	82.3	9.4	47.0
1904..	1,380.3	13.9	1.2	.....	9.3	5.8	.....	13.9	23.2	98.5	10.4	56.8
Essex county....1900..	1,449.2	35.8	.....	.....	.....	6.5	9.8	13.0	9.8	143.3	.....	87.9
1901..	1,539.1	26.2	.....	.....	13.1	6.6	26.2	6.6	95.2	124.7	9.8	65.6
1902..	1,425.4	29.8	.....	6.6	6.6	3.3	3.3	9.9	13.2	181.9	29.8	59.5
1903..	1,426.6	26.7	3.3	.....	3.3	6.7	10.0	3.3	20.0	136.7	20.0	70.0
1904..	1,508.4	10.1	.....	.....	3.3	20.2	.....	20.2	20.2	211.7	13.4	60.5
Franklin county....1900..	1,453.8	23.3	.....	.....	2.3	2.3	2.3	53.7	16.3	233.4	18.7	23.3
1901..	1,585.0	9.2	2.3	.....	2.3	2.3	9.2	80.9	50.8	268.0	18.5	34.7
1902..	1,555.7	20.6	4.6	13.7	38.9	27.5	11.4	13.7	11.4	200.6	18.3	48.0
1903..	1,452.3	34.0	4.5	.....	2.3	9.1	4.5	13.6	31.7	271.9	20.4	40.8
1904..	1,656.0	13.5	.....	.....	.....	9.0	6.7	26.9	26.9	244.6	9.0	62.8
Fulton county....1900..	1,545.6	.....	.....	.....	27.8	.....	.....	13.9	13.9	188.0	.....	48.7
1901..	1,683.5	21.1	.....	.....	28.2	.....	7.0	28.2	70.5	140.9	14.1	77.5
1902..	1,560.8	28.5	.....	.....	.....	7.1	.....	14.2	14.2	71.3	21.4	99.8
1903..	1,406.4	7.2	.....	.....	.....	14.4	21.6	14.4	21.6	93.8	7.2	79.4
1904..	1,438.1	.....	.....	.....	.....	7.3	.....	51.1	36.5	102.2	7.3	73.0
Genesee county....1900..	1,652.2	31.8	.....	.....	2.9	.....	2.9	83.9	52.1	144.7	20.3	69.4
1901..	1,541.4	31.8	5.8	.....	5.8	8.7	28.9	23.1	72.2	98.1	14.4	89.5
1902..	1,246.9	28.8	2.9	.....	.....	.....	8.6	5.8	23.0	80.6	14.4	69.1
1903..	1,370.3	43.1	.....	.....	.....	.....	2.9	5.7	40.2	97.7	.....	74.7
1904..	1,470.2	22.9	2.9	.....	5.7	8.6	.....	20.1	54.4	91.7	11.5	91.7
Greene county....1900..	1,871.1	38.1	.....	.....	9.5	.....	12.7	22.2	31.8	162.0	22.2	111.2
1901..	1,700.2	54.0	.....	.....	19.1	15.9	.....	28.6	35.0	181.2	12.7	50.8
1902..	1,615.1	47.7	3.2	.....	.....	3.2	6.4	31.8	22.2	159.0	19.1	60.4
1903..	1,733.4	44.5	3.2	.....	.....	.....	9.5	12.7	19.1	127.2	22.3	82.7
1904..	1,667.2	47.7	.....	.....	.....	.....	9.5	12.7	50.9	136.8	22.3	98.6
Hamilton county....1900..	1,354.3	20.2	.....	.....	.....	40.4	.....	.....	.....	80.9	20.2	80.9
1901..	1,087.4	40.3	.....	.....	.....	.....	.....	.....	80.6	161.1	40.3	60.4
1902..	882.6	.....	.....	.....	.....	.....	.....	.....	20.0	60.2	60.2	40.1
1903..	979.2	.....	.....	.....	.....	.....	20.0	40.0	40.0	20.0	.....	20.0
1904..	1,035.2	19.9	.....	.....	.....	.....	.....	.....	19.9	99.6	.....	19.9
Herkimer county....1900..	1,469.2	54.9	1.9	.....	7.8	3.9	7.8	27.4	15.7	129.3	21.5	78.4
1901..	1,378.1	15.5	3.9	.....	15.5	13.6	5.8	50.4	42.7	122.1	5.8	75.6
1902..	1,060.7	13.4	.....	.....	5.8	7.7	3.8	30.7	3.8	74.8	11.5	57.6
1903..	1,323.1	15.2	.....	.....	1.9	1.9	24.7	26.6	15.2	115.8	7.6	72.1
1904..	1,268.2	15.0	1.9	.....	1.9	7.5	.....	30.1	15.0	107.1	18.8	65.7
Jefferson county....1900..	1,549.4	32.7	7.2	.....	32.7	.....	3.6	5.4	30.9	132.6	14.5	56.3
1901..	1,457.9	25.4	1.8	1.8	30.8	3.6	1.8	5.4	74.4	125.1	16.3	54.4
1902..	1,276.1	23.5	1.8	.....	.....	1.8	3.6	5.4	29.0	85.1	14.5	59.7
1903..	1,313.6	18.1	1.8	1.8	.....	.....	5.4	16.3	18.1	99.4	19.9	68.7
1904..	1,453.8	21.6	.....	.....	1.8	3.6	9.0	27.1	32.5	104.6	10.8	64.9
Lewis county....1900..	1,447.5	32.8	7.3	.....	29.2	3.6	7.3	10.9	10.9	98.5	25.5	36.5
1901..	1,419.7	18.4	3.7	.....	18.4	.....	7.3	18.4	73.6	128.7	14.7	55.2
1902..	1,213.3	14.8	3.7	.....	.....	11.1	.....	.....	29.7	77.9	7.4	77.9
1903..	1,396.3	26.2	7.5	.....	.....	.....	3.7	30.0	37.4	97.3	11.2	104.8
1904..	1,431.5	15.1	.....	.....	.....	3.8	11.3	11.3	37.8	86.9	7.5	71.8
Livingston county....1900..	1,324.9	35.1	2.7	.....	2.7	.....	.....	13.5	27.0	110.6	27.0	62.1
1901..	1,411.4	13.5	8.1	2.7	2.7	.....	18.9	2.7	40.6	140.6	5.4	78.4
1902..	1,346.5	5.4	2.7	2.7	.....	5.4	2.7	16.3	24.4	100.3	10.8	70.4
1903..	1,579.9	8.1	.....	.....	19.0	.....	.....	13.6	43.4	105.9	13.6	92.3
1904..	1,504.2	19.0	5.4	.....	.....	2.7	2.7	21.8	46.3	81.6	8.2	76.2
Madison county....1900..	1,467.5	22.2	.....	.....	17.3	4.9	7.4	7.4	22.2	115.9	14.8	98.6
1901..	1,617.7	34.7	.....	.....	.....	2.5	5.0	9.9	76.9	136.5	29.8	104.2
1902..	1,417.7	24.9	.....	.....	.....	2.5	15.0	12.5	30.0	92.3	24.9	77.4
1903..	1,451.3	12.6	2.5	.....	5.0	5.0	2.5	.....	10.0	90.4	17.6	87.8
1904..	1,580.5	22.8	.....	.....	2.5	2.5	.....	7.6	30.3	111.3	15.2	73.3
Monroe county....1900..	1,424.5	12.7	.....	.....	3.6	14.5	16.3	14.5	18.1	105.0	10.9	63.3
1901..	1,420.2	19.9	.....	.....	18.1	.....	12.6	19.9	50.6	115.6	14.5	57.8
1902..	1,356.4	14.4	.....	5.4	1.8	1.8	7.2	12.6	7.2	124.4	7.2	70.4
1903..	1,408.1	10.8	.....	.....	5.4	3.6	16.2	32.4	28.8	100.9	19.8	82.8
1904..	1,504.5	21.6	.....	.....	1.8	12.6	9.0	32.4	28.8	106.0	23.4	89.9
Montgomery county....1900..	1,291.5	22.6	.....	.....	.....	7.5	.....	22.6	15.0	109.2	.....	71.6
1901..	1,323.1	31.6	.....	.....	.....	.....	.....	7.9	55.3	94.8	15.8	51.3
1902..	1,345.0	15.9	4.0	.....	.....	15.9	8.0	39.8	4.0	119.4	.....	47.7
1903..	1,467.3	44.1	4.0	.....	.....	32.1	4.0	20.0	36.1	104.2	12.0	76.2
1904..	1,510.8	28.3	.....	.....	.....	.....	8.1	12.1	20.2	161.6	20.2	105.0
Nassau county....1900..	1,388.7	14.4	12.6	.....	7.2	1.8	5.4	43.3	23.5	124.5	19.8	52.3
1901..	1,516.9	14.1	3.5	3.5	14.1	12.3	7.0	19.3	21.1	128.3	10.5	96.7
1902..	1,400.5	20.6	6.8	.....	8.6	8.6	15.4	24.0	5.1	123.4	34.3	66.9
1903..	1,440.3	8.4	15.0	.....	5.0	8.4	8.4	30.1	26.8	128.8	20.1	68.6
1904..	1,522.3	16.3	6.5	.....	13.1	4.9	19.6	29.4	11.4	127.4	14.7	67.0

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.7	6.9	43.4	241.1	183.9	178.7	79.8	86.7	105.8	45.2	72.9	5.2	59.0	116.2	152.7	.....
3.5	6.9	24.2	313.0	262.8	126.2	91.6	100.3	84.7	70.9	53.6	1.7	115.9	45.0	198.8	1.7
.....	8.6	22.4	315.3	277.4	106.9	77.6	84.5	84.5	98.2	29.3	8.6	94.8	46.5	179.2	1.7
.....	10.3	22.3	295.4	218.1	142.5	79.0	63.5	94.5	106.5	34.3	8.6	116.8	39.5	192.3	.....
1.7	18.8	35.9	352.0	279.0	135.2	82.2	77.0	87.3	113.0	46.2	10.3	97.6	18.8	195.1	.....
.....	16.0	20.9	124.2	166.1	78.7	61.5	119.3	83.6	57.8	36.9	7.4	95.9	28.3	159.9	11.1
.....	17.0	31.5	178.1	181.7	78.7	70.3	89.7	83.6	72.7	52.1	14.5	109.0	27.9	133.3	1.2
.....	10.7	25.1	168.3	164.7	91.9	77.6	76.4	66.8	54.9	58.5	10.7	94.3	34.6	142.0	2.4
3.5	14.1	11.8	164.6	164.6	80.0	89.4	72.9	77.6	60.0	58.8	7.1	124.6	35.3	137.6	2.4
1.2	8.1	29.0	166.9	187.7	78.8	61.4	81.1	78.8	76.5	62.6	12.7	114.7	37.1	149.5	1.2
3.2	9.8	29.3	140.0	188.9	101.0	55.4	101.0	61.9	65.1	45.6	.....	78.1	97.7	159.6	6.5
3.3	23.0	26.2	147.7	101.7	160.8	42.7	52.5	75.5	111.6	62.3	3.3	55.8	78.8	219.9	.....
.....	19.8	23.2	175.3	175.3	86.0	69.5	52.9	69.5	69.5	26.4	13.2	62.8	26.4	208.4	3.3
.....	23.3	43.3	186.7	153.3	50.0	100.0	40.0	70.0	83.3	50.0	10.0	120.0	36.7	156.7	3.3
.....	20.2	23.5	204.9	218.4	53.8	73.9	47.0	90.7	73.9	57.1	3.3	97.4	30.2	147.8	6.7
.....	9.3	49.0	119.0	77.0	121.4	93.4	105.0	67.7	56.0	44.3	2.3	53.7	72.4	175.0	32.7
2.3	11.6	43.9	110.9	113.2	157.1	83.2	80.9	69.3	55.5	94.7	.....	53.2	62.4	166.3	2.3
.....	11.4	25.2	119.0	130.4	123.6	73.2	73.2	68.6	36.6	54.9	2.3	77.8	86.9	167.0	6.9
6.8	2.3	24.9	104.2	86.1	104.2	61.2	90.6	70.3	38.5	77.0	.....	86.1	72.5	190.3	4.5
4.5	13.5	53.8	148.1	195.2	101.0	92.0	69.6	65.1	69.6	78.5	4.5	83.0	85.3	190.7	2.2
.....	7.0	27.8	264.6	146.2	125.3	41.8	83.6	132.3	83.6	20.9	.....	34.8	62.6	215.8	7.0
.....	7.0	21.1	239.5	162.0	176.1	70.4	56.4	35.2	84.5	49.3	.....	77.5	112.7	204.3	.....
7.1	7.1	49.9	242.3	135.4	99.8	49.9	64.2	57.0	135.4	42.8	7.1	121.2	42.8	242.3	.....
7.2	21.6	7.2	194.8	180.4	158.7	72.1	28.8	86.6	129.8	14.4	.....	57.7	21.6	158.7	7.2
.....	.....	29.2	182.5	138.7	124.1	43.8	43.8	87.6	116.8	14.6	14.6	73.0	43.8	248.2	.....
2.9	8.7	34.7	205.4	159.1	89.7	43.4	55.0	98.4	63.7	34.7	31.8	98.4	69.4	240.2	8.7
.....	11.5	17.3	190.5	127.0	155.9	63.5	43.3	52.0	75.0	20.2	17.3	77.9	129.9	181.8	.....
2.9	5.8	20.2	178.5	195.8	74.9	40.3	37.4	66.2	63.4	17.3	23.0	92.1	46.1	146.9	2.9
2.9	17.2	20.1	152.3	160.9	71.8	80.4	43.1	71.8	77.6	60.3	5.7	109.2	51.7	178.1	2.9
2.9	17.2	17.2	203.5	220.7	63.0	43.0	54.4	83.1	74.5	28.6	25.8	111.8	45.9	169.1	.....
6.4	3.2	44.5	317.7	171.5	146.1	98.5	120.7	92.1	66.7	31.8	6.4	95.3	63.5	193.8	3.2
6.3	12.7	15.9	212.9	251.1	120.8	50.8	73.1	95.3	111.2	35.0	12.7	114.4	15.9	174.8	.....
6.4	19.1	25.4	276.6	225.7	98.5	82.7	69.9	73.1	92.2	35.0	12.7	63.6	50.9	130.3	.....
12.7	12.7	38.2	229.0	238.5	162.2	105.0	66.8	85.9	98.6	31.8	6.4	98.6	44.5	181.3	.....
.....	9.5	31.8	219.6	235.5	136.8	60.5	66.8	79.6	127.3	31.8	15.9	85.9	38.2	149.5	.....
.....	20.2	40.4	161.7	80.9	80.9	60.6	101.1	40.4	20.2	20.2	20.2	161.7	60.6	242.6	.....
.....	.....	.....	60.4	100.7	100.7	60.4	20.1	100.7	40.3	20.1	.....	20.1	20.1	161.1	.....
.....	20.0	60.2	80.3	60.2	.....	40.1	.....	60.2	40.1	40.1	.....	80.3	60.2	140.4	20.0
.....	20.0	.....	119.9	139.8	99.9	20.0	59.9	20.0	79.9	20.0	.....	99.9	40.0	119.9	.....
.....	.....	19.9	119.4	159.3	79.6	19.9	99.6	119.4	39.8	19.9	.....	99.6	19.9	79.6	.....
5.9	7.8	41.1	152.8	125.4	119.5	74.4	103.8	86.2	68.6	45.1	5.9	78.4	45.1	133.2	27.4
.....	.....	34.9	137.6	147.3	98.9	46.5	65.9	67.8	91.1	38.8	.....	67.8	36.8	191.9	1.9
.....	7.7	28.8	105.5	149.6	78.6	40.3	44.1	49.9	59.5	51.8	13.4	67.1	21.1	132.3	1.9
.....	7.6	49.3	136.7	168.9	64.5	66.4	41.8	168.2	102.5	36.1	7.6	66.4	38.0	148.1	.....
.....	11.3	16.9	107.1	178.5	84.5	52.6	54.5	90.2	90.2	28.2	7.5	80.8	54.5	148.4	.....
1.8	21.8	14.5	214.4	207.1	99.9	45.4	105.4	85.4	36.3	49.1	14.5	78.1	63.6	192.6	3.6
5.4	12.7	16.3	179.5	235.8	81.6	68.9	43.5	70.7	50.8	36.3	9.1	54.4	23.6	226.7	1.8
.....	12.7	18.1	177.4	181.0	52.5	43.5	41.6	81.5	70.6	61.5	7.2	61.5	29.0	211.8	1.8
7.2	16.3	9.0	153.6	220.4	43.4	88.5	39.7	83.1	65.0	56.0	7.2	43.4	18.1	213.2	.....
1.8	9.0	23.4	182.2	268.8	64.9	52.3	25.3	92.0	70.4	52.3	10.8	93.8	27.1	200.2	3.6
3.6	10.9	47.4	138.6	149.5	76.6	72.9	102.1	87.5	36.5	32.8	10.9	98.5	72.9	229.7	14.6
3.7	14.7	36.8	169.2	187.6	58.8	106.7	36.8	103.0	58.8	25.7	14.7	36.8	47.8	172.9	7.3
.....	22.3	29.7	181.8	185.5	40.8	40.8	59.4	66.8	63.1	29.7	3.7	63.1	29.7	174.4	.....
.....	7.5	33.7	157.2	205.9	52.4	48.7	56.2	104.8	67.4	33.7	3.7	56.2	22.5	224.6	3.7
.....	22.6	7.5	170.0	211.5	83.1	71.8	71.8	60.5	68.0	30.2	15.1	94.4	22.6	253.1	3.8
8.1	10.8	18.9	180.8	242.8	62.1	21.6	48.6	80.9	72.8	13.5	8.1	70.1	45.9	156.5	2.7
2.7	2.7	10.8	224.4	183.9	75.7	62.2	21.6	94.7	97.4	40.6	8.1	91.9	27.0	154.1	.....
5.4	16.3	13.5	192.4	235.7	105.7	46.1	37.9	86.7	78.6	27.1	13.5	62.3	43.3	140.9	.....
5.4	19.0	5.4	241.6	230.7	111.3	67.9	38.0	97.7	92.3	48.9	16.3	86.9	35.3	187.3	.....
2.7	5.4	16.3	242.1	277.5	95.2	46.3	49.0	87.0	81.6	29.9	10.9	122.4	32.6	141.4	.....
2.5	17.3	34.5	187.4	172.6	66.6	56.7	74.0	91.3	64.1	39.5	9.9	66.6	59.2	214.6	.....
5.0	14.9	12.4	201.0	270.4	76.9	89.3	47.1	104.2	72.0	27.3	12.4	89.3	34.7	161.3	.....
2.5	10.0	10.0	197.2	199.7	79.9	74.9	39.9	92.3	69.9	30.0	17.5	89.8	34.9	189.7	.....
2.5	10.0	12.6	183.3	276.2	113.0	45.2	45.2	85.4	85.4	37.7	17.6	67.8	27.6	205.9	2.5
5.1	15.2	17.7	273.1	250.4	131.5	53.1	65.8	73.3	86.0	30.3	10.1	103.7	27.8	169.4	2.5
1.8	10.9	29.0	206.3	130.3	119.4	72.4	77.8	79.6	65.2	41.6	12.7	90.5	47.1	179.2	1.8
1.8	12.6	23.5	166.2	130.1	113.8	95.8	47.0	63.2	83.1	45.2	12.6	74.1	66.9	173.5	1.8
.....	9.0	25.3	167.7	191.2	64.9	74.0	77.6	84.8	75.8	39.7	16.2	106.4	32.5	137.1	1.8
.....	10.8	12.6	174.7	208.9	72.0	81.0	52.2	77.4	84.6	54.0	9.0	86.5	21.6	162.1	.....
.....	12.6	18.0	179.7	240.8	102.4	86.3	75.5	73.7	70.1	41.3	18.0	104.2	18.0	138.4	.....
3.8	3.8	18.8	158.1	120.5	52.7	56.5	94.2	105.4	71.6	52.7	15.0	86.6	56.5	135.5	11.3
.....	11.8	11.8	193.6	130.3	83.0	63.2	31.6	98.8	47.4	15.8	11.8	106.6	63.2	197.5	.....
8.0	11.9	11.9	230.8	195.0	67.6	55.7	39.8	103.5	63.7	31.8	11.9	91.5	43.8	119.4	4.0
.....	28.1	20.0	208.5	252.6	64.1	32.1	28.1	84.2	72.2	20.0	24.0	84.2	40.1	172.4	4.0
.....	16.2	24.2	193.9	230.3	64.6	44.4	48.5	80.8	117.1	20.2	8.1	125.2	36.4	145.4	.....
1.8	1.8	14.4	155.1	142.5	115.4	68.5	115.4	83.0	79.4	68.5	5.4	74.0	18.0	128.9	1.8
1.7	8.8	33.4	181.0	149.4	112.5	98.4	105.5	75.6	90.7	47.5	8.8	114.3	40.4	112.5	.....
1.7	8.6	13.7	159.9	149.1	85.7	96.0	92.6	65.1	113.1	42.9	12.0	87.4	37.7	128.6	1.7
1.7	15.0	28.4	162.3	153.9	70.2	80.3	85.3	78.6	110.4	63.6	10.0	115.4	38.5	107.1	.....
3.3	13.1	19.6	148.6	181.3	120.9	88.2	125.8	80.0	88.2	55.5	3.3	98.0	45.7	140.5	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
NEW YORK RURAL—Continued.													
Niagara county	1900	1,415.6	20.5	.....	.....	7.7	2.6	7.7	5 1	18.0	133.6	7.7	51.4
	1901	1,292.2	35.8	.....	.....	.....	7.7	10.2	17.9	63.8	84.3	10.2	81.7
	1902	1,243.9	38.1	7.6	.....	10.2	5.1	10.2	17.8	2.5	60.9	2.5	66.0
	1903	1,415.8	35.3	2.5	.....	.....	12.6	12.6	15.1	10.1	123.7	27.8	70.7
	1904	1,407.5	37.6	5.0	.....	.....	7.5	10.0	17.6	42.7	80.3	15.1	85.3
Oneida county	1900	1,567.0	49.1	1.6	.....	6.5	1.6	3.3	21.3	18.0	129.4	9.8	80.2
	1901	1,474.1	18.1	1.6	1.6	11.5	3.3	9.9	14.8	54.3	106.9	11.5	90.5
	1902	1,301.0	19.8	.....	.....	.....	3.3	3.3	13.2	5.0	107.4	8.3	79.3
	1903	1,362.1	19.9	.....	1.7	.....	5.0	8.3	14.9	16.6	98.0	23.3	81.4
	1904	1,541.1	28.4	1.7	.....	3.3	16.7	6.7	23.4	33.5	108.8	1.7	61.9
Onondaga county	1900	1,519.2	21.5	1.6	.....	6.6	5.0	14.9	13.3	14.9	127.6	19.9	63.0
	1901	1,476.8	31.4	1.6	1.6	11.6	8.3	8.3	18.2	57.8	128.9	13.2	71.0
	1902	1,492.3	26.4	1.6	.....	4.9	.....	9.9	13.2	11.5	153.2	24.7	70.8
	1903	1,461.7	26.3	.....	.....	18.1	3.3	23.0	8.2	39.4	113.3	18.1	69.0
	1904	1,487.0	26.2	1.6	.....	.....	13.1	.....	4.9	19.7	109.7	11.5	80.2
Ontario county	1900	1,434.7	38.3	.....	.....	2.6	15.3	7.7	2.6	28.1	109.8	7.7	89.3
	1901	1,414.6	20.5	5.1	.....	10.3	.....	5.1	.....	89.7	107.6	10.3	74.3
	1902	1,494.6	23.1	.....	2.6	.....	2.6	5.1	12.9	12.9	61.7	23.1	87.5
	1903	1,557.3	25.8	.....	.....	7.7	2.6	7.7	7.7	25.8	111.0	15.5	118.8
	1904	1,488.1	15.5	2.6	.....	.....	2.6	7.8	10.4	28.5	103.7	15.5	67.4
Orange county	1900	1,568.8	32.7	7.3	.....	18.2	3.6	14.5	32.7	43.6	158.2	14.5	52.7
	1901	1,515.5	21.7	9.1	.....	1.8	5.4	7.2	30.8	58.0	121.5	10.9	56.2
	1902	1,350.4	18.1	10.8	.....	5.4	9.0	12.7	30.7	9.0	117.5	14.5	43.4
	1903	1,521.6	21.6	1.8	.....	.....	3.6	9.0	27.0	41.5	133.4	25.2	54.1
	1904	1,465.3	21.6	3.6	.....	9.0	5.4	14.4	35.9	37.8	147.4	12.6	59.3
Orleans county	1900	1,495.2	26.5	6.6	.....	3.3	13.3	.....	16.6	16.6	126.0	6.6	63.0
	1901	1,515.0	33.2	.....	.....	26.6	.....	29.9	6.6	59.8	149.5	16.6	83.1
	1902	1,341.7	46.6	.....	.....	.....	.....	6.7	16.6	16.6	119.9	13.3	49.9
	1903	1,498.1	30.0	6.7	.....	.....	10.0	3.3	13.3	26.7	93.4	13.3	53.4
	1904	1,514.6	3.3	3.3	.....	.....	10.0	.....	30.1	23.4	133.8	23.4	97.0
Oswego county	1900	1,893.3	33.9	4.2	.....	24.0	.....	12.7	40.9	46.6	160.8	19.8	81.8
	1901	1,597.9	26.8	1.4	.....	1.4	.....	11.3	36.7	59.3	155.4	11.3	84.8
	1902	1,387.9	26.9	7.1	.....	1.4	.....	7.1	8.5	17.0	135.8	26.9	69.3
	1903	1,548.6	36.8	1.4	.....	8.5	4.2	17.0	26.9	21.3	103.4	9.9	70.9
	1904	1,597.6	29.8	.....	1.4	.....	2.8	1.4	22.7	42.6	126.3	8.5	79.5
Otsego county	1900	1,557.0	26.6	.....	.....	8.2	.....	.....	12.3	10.2	106.3	20.4	98.1
	1901	1,729.3	24.6	2.0	.....	47.2	12.3	8.2	22.6	55.4	119.0	12.3	84.1
	1902	1,355.2	30.9	2.0	.....	.....	6.2	10.3	2.0	12.4	86.5	12.4	88.6
	1903	1,563.2	20.7	.....	.....	4.1	10.3	6.0	10.3	20.7	84.8	18.6	95.1
	1904	1,752.1	27.0	.....	.....	12.4	.....	8.3	8.3	60.2	105.9	20.8	114.2
Putnam county	1900	1,777.0	21.8	14.5	.....	.....	.....	7.2	43.5	21.8	181.3	7.2	65.3
	1901	1,608.1	21.9	7.3	.....	21.9	.....	7.3	21.9	29.2	175.4	14.6	87.7
	1902	1,561.7	7.4	7.4	.....	.....	.....	.....	44.2	14.7	132.6	14.7	81.0
	1903	1,470.0	.....	.....	.....	.....	.....	.....	.....	37.1	133.6	14.8	111.4
	1904	1,825.9	.....	.....	.....	.....	22.5	7.5	37.4	7.5	209.5	15.0	89.8
Rensselaer county	1900	1,638.8	68.1	2.1	.....	12.4	2.1	4.1	20.6	45.4	183.7	10.3	88.8
	1901	1,716.9	62.8	.....	.....	23.8	2.2	6.5	34.6	69.3	155.9	13.0	90.9
	1902	1,491.1	39.4	.....	.....	8.7	2.2	15.3	13.1	19.7	104.9	15.3	91.8
	1903	1,600.9	26.5	2.2	.....	4.4	.....	26.5	11.0	33.1	123.7	13.3	86.1
	1904	1,601.4	35.7	2.2	2.2	6.7	8.9	6.7	11.2	58.0	138.3	8.9	66.9
Rockland county	1900	1,524.9	10.5	7.8	.....	7.8	2.6	10.5	65.3	20.9	141.0	7.8	33.9
	1901	1,491.8	15.5	10.4	2.6	.....	5.2	20.7	33.7	44.0	152.8	2.6	62.2
	1902	1,454.0	18.0	10.3	5.1	18.0	10.3	33.4	20.6	12.8	149.0	12.8	87.3
	1903	1,409.3	12.7	5.1	.....	17.8	2.5	12.7	25.5	28.0	158.0	15.3	51.0
	1904	1,630.7	25.3	7.6	.....	40.5	5.1	20.1	35.4	10.1	123.9	17.7	63.2
St. Lawrence county	1900	1,602.5	61.5	1.3	.....	24.9	5.2	.....	18.3	40.5	146.5	14.4	57.6
	1901	1,463.1	34.8	1.3	.....	30.8	6.7	6.7	25.5	53.6	139.4	30.8	61.6
	1902	1,156.6	32.1	.....	1.3	1.3	1.3	8.0	4.0	21.4	101.5	13.4	60.1
	1903	1,215.5	41.3	.....	.....	1.4	.....	6.6	17.3	24.0	86.5	6.6	59.9
	1904	1,205.0	26.5	.....	.....	.....	5.3	8.0	10.6	51.8	102.2	13.3	65.0
Saratoga county	1900	1,600.2	26.7	.....	.....	.....	6.2	14.4	32.9	28.8	137.6	12.3	63.7
	1901	1,843.6	42.9	2.0	.....	16.3	8.2	8.2	22.5	110.3	157.2	10.2	81.7
	1902	1,511.8	20.3	2.0	.....	.....	4.1	.....	16.2	8.1	146.1	20.3	73.1
	1903	1,543.0	34.3	.....	.....	4.0	12.1	12.1	8.1	30.3	185.6	16.1	48.4
	1904	1,495.6	20.1	.....	.....	4.0	2.0	2.0	14.0	26.1	124.3	18.0	66.2
Schenectady county	1900	1,410.7	32.9	.....	.....	26.4	19.8	6.6	65.9	19.8	125.2	19.8	72.5
	1901	1,528.9	51.0	.....	.....	6.4	6.4	6.4	101.9	6.4	133.8	12.7	44.6
	1902	2,224.7	24.3	.....	.....	.....	72.9	12.2	194.5	12.2	121.6	24.3	97.3
	1903	2,002.4	58.9	.....	.....	11.8	23.5	23.5	23.5	11.8	176.7	11.8	82.4
	1904	2,024.2	11.4	.....	.....	.....	.....	34.3	57.2	22.9	137.3	.....	91.5
Schoharie county	1900	1,679.5	63.3	.....	.....	3.7	.....	3.7	11.1	11.1	182.5	.....	67.0
	1901	1,630.2	56.3	.....	.....	22.5	3.7	.....	.....	108.9	139.0	15.0	112.7
	1902	1,519.4	15.1	.....	.....	.....	.....	.....	11.4	41.7	136.4	15.1	79.6
	1903	1,701.0	34.4	.....	.....	3.8	.....	11.5	7.6	42.0	133.8	26.8	61.2
	1904	1,623.6	23.2	.....	.....	.....	11.6	7.7	23.2	81.0	123.4	11.6	115.7
Schuyler county	1900	1,625.5	19.0	6.3	.....	19.0	6.3	25.3	.....	19.0	94.9	.....	113.9
	1901	1,634.8	12.7	.....	.....	12.7	.....	12.7	19.1	50.9	82.7	12.7	89.1
	1902	1,349.9	19.2	.....	.....	.....	.....	.....	25.6	70.4	83.2	12.8	127.9
	1903	1,248.3	19.3	.....	.....	.....	.....	6.4	6.4	19.3	64.4	.....	64.4
	1904	1,475.6	19.4	.....	.....	12.9	.....	6.5	32.4	25.9	97.1	.....	90.6

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
2.6	15.4	28.3	143.9	169.6	118.2	59.1	102.8	100.2	48.8	46.2	7.7	79.6	69.4	161.8	7.7
.....	10.2	20.4	107.3	135.3	89.4	69.0	91.9	61.3	46.0	43.4	5.1	91.9	15.3	194.1	.....
.....	15.2	7.6	167.5	180.2	76.2	58.4	66.0	93.9	40.6	50.8	12.7	88.9	30.5	129.4	5.1
.....	20.2	35.3	199.4	189.3	63.1	73.2	58.0	90.9	32.8	63.1	2.5	75.7	27.8	169.1	5.0
.....	10.0	40.1	125.5	195.7	97.8	47.7	72.8	95.3	55.2	52.7	5.0	112.9	47.7	148.0	.....
1.6	9.8	29.5	201.4	186.7	134.3	70.4	81.9	70.4	67.1	45.9	8.2	72.1	60.6	191.6	14.7
.....	18.1	36.2	177.7	179.3	126.7	83.9	44.4	95.4	74.0	31.3	3.3	49.4	60.9	169.5	.....
3.3	3.3	9.9	171.9	183.5	92.6	39.7	41.3	102.5	95.9	39.7	.....	57.9	36.4	183.5	.....
1.7	14.9	28.2	147.8	157.8	106.3	66.5	38.2	78.1	73.1	49.8	10.0	74.8	63.1	182.7	.....
3.3	20.1	36.8	187.4	204.1	108.8	73.6	55.2	90.4	88.7	43.5	21.8	98.7	45.2	175.7	1.7
5.0	8.3	36.4	190.5	124.3	111.0	76.2	79.5	92.8	67.9	38.1	6.6	74.6	87.8	231.9	.....
5.0	14.9	23.1	185.0	173.4	85.9	105.7	57.8	82.6	69.4	26.4	8.3	67.7	39.6	180.1	.....
.....	11.5	28.0	222.4	182.9	95.5	72.5	49.4	82.4	67.5	49.4	19.8	69.2	42.8	182.8	.....
4.9	18.1	21.4	169.2	228.3	100.2	62.4	34.5	87.0	70.6	32.8	11.5	73.9	32.8	195.4	.....
3.3	9.8	31.1	203.1	226.0	109.7	68.8	40.9	52.4	90.1	40.9	19.7	73.7	45.9	204.7	.....
.....	10.2	17.9	188.9	183.8	84.2	74.0	79.1	94.5	56.2	35.7	10.2	84.2	58.7	150.6	5.1
2.6	17.9	17.9	228.1	110.2	92.2	64.1	41.0	71.8	69.2	51.3	5.1	46.1	82.0	192.2	.....
.....	20.6	18.0	218.7	213.5	110.6	79.8	56.6	100.3	92.6	36.0	7.7	72.0	38.6	195.5	2.6
.....	10.3	10.3	204.0	214.4	126.6	82.7	59.4	121.4	93.0	31.0	15.5	77.5	36.2	152.4	.....
.....	15.5	13.0	243.7	215.2	64.8	83.0	93.3	83.0	101.1	33.7	13.0	85.5	10.4	178.9	.....
1.8	12.7	38.2	200.0	160.0	87.3	90.9	112.7	81.8	80.0	40.0	5.5	83.6	61.8	132.7	1.8
.....	10.9	23.6	194.0	172.2	97.9	108.8	96.1	72.5	59.8	47.1	16.3	107.0	34.4	152.3	.....
3.6	9.0	16.3	202.5	133.8	94.0	72.3	74.1	79.5	74.1	47.0	12.7	112.1	16.3	132.0	.....
.....	19.8	30.7	191.1	183.9	86.5	101.0	63.1	66.7	101.0	45.1	10.8	128.0	41.5	135.2	.....
3.6	10.8	28.8	167.2	167.2	88.1	59.3	93.5	77.3	91.7	46.7	3.6	91.7	37.8	149.2	1.8
.....	.....	23.2	169.1	182.3	79.6	43.1	109.4	92.8	59.7	76.2	9.9	49.7	96.2	212.2	13.3
3.3	16.6	13.3	192.7	255.8	79.8	53.2	66.5	76.4	59.8	16.6	3.3	99.7	33.2	139.5	.....
.....	6.7	6.7	173.1	193.1	113.2	76.6	59.9	66.6	76.6	33.3	13.3	46.6	36.6	166.5	3.3
.....	16.7	20.0	196.9	206.9	96.8	76.8	53.4	76.7	106.8	36.7	6.7	63.4	40.0	250.2	.....
3.3	20.1	10.0	163.8	197.3	120.4	60.2	56.8	90.3	83.6	40.1	6.7	80.2	36.8	220.7	.....
8.5	19.8	36.7	227.1	220.1	141.1	81.8	115.7	132.6	118.5	42.3	11.3	56.4	53.6	203.1	.....
1.4	18.4	18.4	228.9	238.8	94.7	69.2	70.7	110.2	69.2	35.3	1.4	73.5	19.8	159.6	.....
1.4	8.5	17.0	182.5	175.4	90.5	45.3	42.4	89.1	107.5	35.4	7.1	69.3	26.9	189.6	.....
2.8	11.3	14.2	229.5	263.5	100.6	62.3	49.6	90.7	96.4	39.7	8.5	96.4	22.7	160.1	.....
2.8	12.7	22.7	239.8	263.9	97.9	45.4	49.7	100.8	105.0	52.5	5.6	85.1	35.5	163.2	.....
.....	18.4	24.5	194.1	163.5	157.3	53.1	77.6	116.5	102.2	28.6	10.2	53.1	47.0	226.8	2.0
.....	10.3	22.6	199.0	258.5	129.2	65.6	45.1	112.8	119.0	32.8	2.0	73.9	45.1	225.7	.....
2.0	28.8	10.3	177.1	189.5	68.0	39.2	47.4	90.6	131.8	30.9	8.2	47.4	30.9	201.8	.....
2.1	33.1	18.6	241.9	246.1	68.3	47.6	31.0	107.5	138.6	31.0	8.3	95.1	22.8	200.6	.....
4.1	24.9	18.7	211.7	280.3	116.3	56.1	47.7	91.3	132.9	60.1	10.4	93.4	37.4	209.7	.....
.....	14.5	21.8	174.1	174.1	87.0	106.8	94.3	58.0	94.3	94.3	.....	123.3	181.3	130.6	.....
.....	.....	7.3	277.8	153.5	138.9	87.7	58.5	87.7	51.2	43.9	.....	131.6	65.8	117.0	.....
7.4	7.4	7.4	184.2	206.2	95.8	95.8	88.4	125.2	81.0	29.4	14.7	51.6	88.4	169.4	7.4
.....	.....	37.1	141.1	178.2	89.1	81.7	59.4	52.0	89.1	59.4	14.8	133.6	59.4	178.2	.....
.....	15.0	22.5	217.0	194.6	97.3	119.7	67.3	82.3	112.2	67.3	.....	157.2	67.3	217.0	.....
.....	10.3	26.8	175.5	165.1	125.9	74.3	66.1	86.6	105.3	39.2	12.4	72.2	61.9	177.5	2.1
2.2	8.6	32.5	201.3	188.3	125.6	80.1	56.3	95.3	80.1	30.3	2.2	106.1	32.5	216.5	.....
2.2	13.1	30.6	199.0	205.5	135.6	78.7	48.1	80.9	96.2	35.0	8.7	78.7	39.4	129.0	.....
2.2	24.3	26.5	196.5	251.7	121.5	79.5	48.6	99.4	128.1	33.1	2.2	88.3	28.7	143.5	.....
2.2	6.7	29.0	200.7	225.3	158.4	71.4	53.5	80.3	104.8	40.1	6.7	89.2	42.4	145.0	.....
5.2	5.2	73.1	180.2	156.7	91.4	75.7	156.7	47.0	91.4	73.1	7.8	60.1	78.3	101.8	13.1
2.6	7.8	41.4	186.5	124.3	106.2	64.7	103.6	69.9	82.9	54.4	5.2	90.6	44.0	155.4	2.6
7.7	5.1	25.7	190.1	125.9	64.2	77.1	105.3	46.2	107.9	66.8	2.6	84.8	46.2	118.2	2.6
.....	12.7	23.0	155.5	163.1	102.0	76.5	43.3	76.5	114.7	76.5	7.6	104.5	30.6	91.7	2.5
2.5	20.2	27.8	156.7	217.4	96.1	83.4	134.0	68.3	113.8	70.8	10.1	126.4	35.4	126.4	2.5
3.9	17.0	34.0	179.2	188.4	150.4	65.4	83.7	95.5	82.4	44.5	11.8	66.7	47.1	217.1	5.2
.....	16.1	22.8	139.4	150.1	108.5	67.0	56.3	80.4	44.2	38.9	8.0	69.7	37.5	231.7	1.3
1.3	12.0	14.7	153.6	130.9	65.4	68.1	58.8	57.4	48.1	37.4	1.3	54.8	33.4	172.3	2.7
1.4	12.0	12.0	146.5	153.1	89.2	47.9	70.5	70.5	47.9	42.6	8.0	66.6	25.3	178.4	.....
1.3	15.9	9.3	131.4	203.0	57.1	53.1	41.1	67.7	57.1	37.2	8.0	62.4	26.5	148.6	2.6
.....	10.3	28.8	186.9	139.7	119.1	102.7	84.2	88.3	67.8	74.0	2.0	80.1	90.4	201.3	2.0
.....	6.1	28.6	157.2	157.2	167.4	100.1	75.5	85.7	98.0	51.0	2.0	108.2	118.4	228.7	.....
.....	10.1	28.4	194.8	140.1	119.7	89.3	54.8	71.0	103.5	52.8	2.0	113.6	44.7	196.8	.....
4.0	8.1	24.2	175.5	171.5	74.6	96.8	54.5	64.5	143.2	26.2	.....	104.9	38.3	201.7	4.0
.....	4.0	32.1	198.5	170.4	108.3	86.2	66.2	88.2	100.2	52.1	2.0	100.2	50.1	160.4	.....
.....	13.2	19.8	210.9	105.5	59.3	98.9	131.8	92.3	46.1	39.6	.....	72.5	39.6	92.3	.....
.....	6.4	25.5	159.2	133.8	95.5	133.8	146.5	44.6	76.4	38.2	6.4	140.1	63.7	89.2	.....
.....	.....	48.6	194.5	133.7	231.0	133.7	145.9	72.9	60.8	97.3	24.3	231.0	109.4	182.3	.....
35.3	11.8	35.3	176.7	247.4	117.8	129.6	129.6	117.8	117.8	82.4	.....	106.0	11.8	247.4	11.8
.....	.....	11.4	217.3	228.7	171.5	160.1	125.8	102.9	125.8	68.6	22.9	171.5	57.2	205.9	.....
.....	14.9	22.4	189.9	175.0	108.0	74.5	44.7	141.5	89.4	52.2	7.5	37.2	119.2	245.8	14.9
.....	11.3	18.8	191.6	176.5	135.2	63.9	41.3	90.1	105.2	18.8	11.3	63.9	37.6	199.1	7.5
.....	41.7	7.6	204.6	197.0	56.8	79.6	49.3	90.9	106.1	45.5	7.6	68.2	56.8	197.0	11.4
7.6	15.3	30.6	271.4	233.2	80.3	84.1	57.3	80.3	130.0	38.2	7.6	84.1	57.3	202.6	.....
.....	19.3	30.8	266.1	212.1	61.7	69.4	27.0	104.1	69.4	23.2	15.4	73.2	23.2	227.5	3.8
12.6	.....	6.3	189.8	151.8	158.1	56.9	113.9	113.9	88.5	25.3	12.6	82.2	69.6	240.3	.....
.....	6.4	6.4	273.5	209.9	139.1	82.7	57.2	120.9	82.7	57.2	12.7	63.6	63.6	146.3	.....
.....	.....	25.6	159.9	166.3	115.1	38.4	25.6	108.8	102.4	44.8	12.8	57.6	19.2	127.9	6.4
6.4	19.3	6.4	265.9	231.7	38.6	51.5	25.7	115.9	51.5	19.3	6.4	96.5	25.7	160.9	6.4
6.5	32.4	.....	233.0	213.5	71.2	64.7	38.8	103.5	123.0	19.4	6.5	51.8	19.4	207.1	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.	NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
	All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer
NEW YORK RURAL—Continued.												
Seneca county	1900.. 1,714.4	21.3	7.1	.....	.....	7.1	3.6	14.2	24.9	163.6	3.6	85.4
	1901.. 2,053.2	10.7	.....	.....	17.8	10.7	14.2	14.2	85.4	220.6	21.4	92.5
	1902.. 1,811.9	21.4	3.6	.....	.....	.....	3.6	10.7	17.8	217.1	17.8	113.9
	1903.. 1,880.3	17.8	.....	.....	3.6	.....	7.1	10.7	24.9	185.2	21.4	149.6
	1904.. 1,948.7	10.7	.....	.....	3.6	.....	3.6	7.1	49.9	217.3	17.8	67.7
Steuben county	1900.. 1,456.2	23.7	2.8	.....	1.4	1.4	2.8	23.7	12.5	105.9	16.7	71.1
	1901.. 1,450.2	16.7	1.4	.....	13.9	5.6	15.3	13.9	44.7	100.5	5.6	75.4
	1902.. 1,389.7	22.4	.....	.....	2.8	1.4	2.8	12.6	8.4	83.9	7.0	72.7
	1903.. 1,408.7	18.2	.....	.....	4.2	1.4	9.8	23.8	36.4	91.0	14.0	70.0
	1904.. 1,582.1	23.8	1.4	.....	25.3	4.2	1.4	37.9	28.1	116.4	11.2	91.2
Suffolk county	1900.. 1,648.6	23.2	6.4	.....	.....	1.3	12.9	25.8	27.1	168.9	14.2	47.7
	1901.. 1,651.3	21.5	1.3	.....	1.3	1.3	15.2	11.4	34.1	197.2	16.4	69.5
	1902.. 1,657.6	17.4	8.7	5.0	8.7	8.7	13.6	17.4	3.7	183.6	9.9	50.9
	1903.. 1,819.6	12.2	7.3	.....	2.4	7.3	30.5	15.8	17.1	216.8	8.5	67.0
	1904.. 1,999.6	19.1	3.6	.....	13.2	4.8	7.2	15.5	25.1	210.5	8.4	82.5
Sullivan county	1900.. 1,776.8	37.1	9.3	.....	3.1	6.2	6.2	9.3	31.0	256.9	18.6	77.4
	1901.. 1,618.7	24.7	.....	.....	3.1	.....	9.2	15.4	67.8	348.5	30.8	52.4
	1902.. 1,514.0	33.8	6.1	.....	6.1	3.1	.....	9.2	12.3	301.0	18.4	58.4
	1903.. 1,554.0	18.4	6.1	.....	9.2	3.0	9.2	27.5	30.6	321.2	15.3	33.6
	1904.. 1,907.5	9.1	3.0	.....	15.2	3.0	6.1	27.4	70.1	515.0	9.1	79.2
Tioga county	1900.. 1,713.7	43.0	.....	.....	7.1	7.1	25.1	10.7	60.8	128.8	.....	96.6
	1901.. 1,675.5	32.4	3.6	.....	32.4	.....	10.8	7.2	72.1	126.1	3.6	79.3
	1902.. 1,419.0	21.8	.....	.....	.....	3.6	7.2	32.7	32.7	72.6	.....	79.8
	1903.. 1,619.3	25.6	7.3	.....	.....	11.0	3.6	21.9	36.5	76.8	14.6	95.0
	1904.. 1,704.8	14.7	.....	.....	14.7	3.7	7.4	11.0	58.9	92.1	14.7	110.5
Tompkins county	1900.. 1,531.8	29.0	.....	.....	.....	9.7	.....	4.8	24.2	91.8	19.3	82.1
	1901.. 1,516.1	29.2	.....	.....	4.8	.....	9.7	14.6	43.7	92.3	14.6	82.6
	1902.. 1,485.5	24.4	.....	.....	4.9	.....	4.9	14.7	34.2	131.9	4.9	39.1
	1903.. 1,548.0	29.5	4.9	.....	.....	.....	19.7	14.8	68.8	83.6	4.9	93.4
	1904.. 1,527.1	29.6	.....	.....	4.9	.....	.....	4.9	89.0	79.1	9.9	69.2
Ulster county	1900.. 1,588.7	39.1	7.8	.....	32.9	14.1	23.5	31.3	21.9	142.4	12.5	68.9
	1901.. 1,662.6	26.7	14.1	6.3	1.6	26.7	3.1	50.2	51.8	169.6	15.7	70.6
	1902.. 1,437.7	44.1	7.9	.....	4.7	7.9	12.6	33.1	14.2	154.3	14.2	56.7
	1903.. 1,355.2	23.7	7.9	.....	1.6	15.8	17.4	15.8	41.1	156.4	7.9	71.1
	1904.. 1,471.8	39.6	7.9	.....	23.8	1.6	11.1	23.8	41.2	145.7	15.8	63.4
Warren county	1900.. 1,569.5	34.6	.....	.....	.....	23.1	.....	17.3	23.1	144.2	5.8	86.5
	1901.. 1,538.2	17.4	.....	5.8	11.6	11.6	.....	5.8	69.7	116.1	17.4	52.2
	1902.. 1,179.5	46.7	5.8	.....	5.8	.....	.....	.....	40.9	64.2	.....	52.6
	1903.. 1,574.2	23.5	.....	5.9	11.7	.....	.....	.....	29.4	170.3	17.6	99.9
	1904.. 1,453.7	11.8	.....	.....	.....	.....	11.8	17.7	17.7	141.8	.....	76.8
Washington county	1900.. 1,643.9	30.7	8.8	.....	4.4	2.2	4.4	30.7	19.7	140.3	8.8	89.9
	1901.. 1,602.5	26.3	.....	2.2	4.4	17.5	8.8	37.3	78.9	140.3	19.7	78.9
	1902.. 1,512.8	24.1	.....	.....	.....	21.9	2.2	35.1	17.5	140.3	19.7	83.3
	1903.. 1,445.1	11.0	.....	.....	.....	4.4	.....	2.2	19.7	98.7	21.9	70.2
	1904.. 1,497.9	21.9	2.2	.....	.....	.....	13.2	8.8	52.6	118.4	19.7	54.8
Wayne county	1900.. 1,547.5	10.3	2.1	2.1	4.1	8.2	.....	8.2	30.8	160.3	8.2	86.3
	1901.. 1,462.3	26.8	2.1	.....	6.2	6.2	2.1	12.3	70.0	113.3	8.2	72.1
	1902.. 1,312.8	39.2	.....	.....	.....	.....	.....	6.2	22.7	101.1	8.3	97.0
	1903.. 1,547.4	14.5	6.2	.....	16.5	14.5	.....	8.3	33.1	109.7	12.4	84.8
	1904.. 1,503.2	29.0	.....	.....	.....	4.1	2.1	22.8	31.1	109.9	22.8	89.2
Westchester county	1900.. 1,675.2	17.8	14.4	.....	7.8	5.6	11.1	45.5	35.5	163.3	18.9	54.4
	1901.. 1,740.5	19.6	11.9	4.3	13.4	7.6	21.7	39.1	47.8	221.8	14.1	59.8
	1902.. 1,633.8	11.7	9.6	5.3	3.2	7.5	13.8	38.3	9.6	161.8	13.8	93.7
	1903.. 1,523.1	13.6	6.2	2.1	4.2	6.2	13.6	21.9	20.9	184.5	13.6	84.4
	1904.. 1,744.9	25.5	6.1	.....	15.3	8.2	3.1	25.5	19.4	171.6	24.5	83.8
Wyoming county	1900.. 1,358.0	26.3	6.6	.....	19.7	3.3	3.3	9.9	26.3	88.8	3.3	49.3
	1901.. 1,552.7	13.2	.....	.....	3.3	.....	6.6	13.2	82.4	92.3	16.5	62.6
	1902.. 1,417.9	33.1	3.3	3.3	.....	.....	3.3	.....	23.1	95.9	13.2	82.6
	1903.. 1,361.9	19.9	.....	.....	.....	.....	.....	6.6	39.8	56.3	13.3	63.0
	1904.. 1,511.6	6.6	3.3	.....	.....	.....	6.6	10.0	36.6	69.8	33.2	93.0
Yates county	1900.. 1,442.1	49.2	.....	.....	4.9	.....	.....	.....	19.7	78.8	14.8	68.9
	1901.. 1,427.2	24.7	4.9	.....	.....	19.8	9.9	4.9	88.9	103.7	4.9	54.3
	1902.. 1,313.1	19.8	.....	.....	.....	9.9	.....	9.9	34.7	119.0	9.9	84.3
	1903.. 1,595.9	19.9	.....	.....	5.0	.....	.....	9.9	39.8	134.2	19.9	69.6
	1904.. 1,646.2	34.9	.....	.....	5.0	.....	.....	20.0	69.8	99.8	15.0	64.8
RHODE ISLAND RURAL.												
Bristol county	1900.. 2,259.6	30.4	30.4	.....	22.8	.....	22.8	45.6	53.3	190.2	30.4	144.6
	1901.. 1,802.3	52.6	15.0	.....	.....	.....	.....	15.0	105.1	150.2	37.5	45.1
	1902.. 1,846.1	14.8	.....	7.4	7.4	.....	14.8	29.7	22.2	170.5	29.7	96.4
	1903.. 2,020.5	7.3	7.3	.....	14.6	43.9	43.9	36.6	73.2	183.0	14.6	80.5
	1904.. 1,908.8	21.7	.....	.....	7.2	21.7	7.2	36.2	14.5	122.9	14.5	65.1
Kent county	1900.. 2,365.2	13.3	3.3	.....	83.4	3.3	16.7	73.4	50.0	133.4	23.4	70.1
	1901.. 1,947.3	13.2	6.6	.....	3.3	6.6	3.3	69.3	26.4	158.4	13.2	49.5
	1902.. 1,779.9	16.3	.....	.....	.....	16.3	22.9	32.7	9.8	127.4	19.6	68.6
	1903.. 1,839.0	32.3	6.5	3.2	51.7	19.4	42.0	54.9	19.4	126.0	25.9	67.9
	1904.. 1,900.0	19.2	12.8	.....	3.2	9.6	3.2	25.6	35.2	207.9	44.8	60.8
Newport county	1900.. 1,732.1	28.4	9.5	.....	.....	28.4	18.9	9.5	94.6	75.7	28.4	66.2
	1901.. 1,512.3	37.3	.....	.....	9.3	.....	.....	28.0	18.7	74.7	9.3	121.4
	1902.. 1,694.4	36.8	.....	.....	9.2	9.2	55.3	55.3	9.2	73.7	18.4	110.5
	1903.. 1,590.0	9.1	9.1	.....	9.1	9.1	18.2	27.3	9.1	90.8	18.2	72.7
	1904.. 1,362.9	.....	.....	.....	.....	.....	.....	.....	9.0	89.7	26.9	98.6

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
14.2	14.2	17.8	259.7	256.1	135.2	46.2	92.5	99.6	106.7	39.1	17.8	71.1	49.8	163.6	.....
7.1	17.8	14.2	288.2	338.1	142.3	81.9	64.1	92.5	135.2	32.0	14.2	135.2	21.4	181.5	.....
3.6	17.8	10.7	234.9	331.0	131.7	57.0	60.5	92.5	131.7	17.8	17.8	89.0	7.1	199.3	3.6
.....	14.2	7.1	274.2	267.1	156.7	96.1	53.4	121.1	146.0	32.1	14.2	64.1	17.8	192.3	3.6
.....	24.9	10.7	345.6	409.7	138.9	53.4	57.0	89.1	131.8	24.9	14.3	99.7	14.3	156.7	.....
2.8	9.7	37.6	196.5	200.6	101.7	66.9	92.0	80.8	65.5	25.1	4.2	59.9	41.8	202.1	7.0
1.4	8.4	23.7	175.9	153.5	148.0	93.5	22.3	72.6	68.4	40.5	5.6	67.0	46.1	230.3	.....
2.8	11.2	25.2	153.8	216.7	107.6	60.1	55.9	100.6	72.7	18.2	18.2	89.5	40.5	199.9	2.8
.....	14.0	25.2	168.1	263.3	88.2	65.8	39.2	74.2	82.6	39.2	11.2	64.4	37.8	166.7	.....
1.4	15.4	16.8	206.2	234.2	89.8	68.7	47.7	108.0	85.6	49.1	15.4	81.4	50.4	171.1	.....
.....	6.4	21.9	257.8	188.2	85.1	63.1	98.0	73.5	110.8	47.7	11.6	60.6	112.1	181.7	2.6
2.5	8.9	17.7	279.4	194.7	84.7	82.2	118.9	75.9	94.8	41.7	6.3	74.6	53.1	145.4	1.3
.....	12.4	16.1	290.3	220.8	72.0	74.4	103.0	94.3	122.8	38.5	6.2	88.1	44.7	142.7	3.7
1.2	14.6	26.8	327.6	238.7	97.4	85.3	59.7	95.0	130.3	59.7	11.0	97.4	46.3	141.3	2.4
1.2	15.5	27.5	356.4	310.9	116.0	81.3	98.1	92.1	138.7	32.3	10.8	89.7	65.8	173.4	.....
.....	3.1	34.0	244.5	216.7	145.5	77.4	117.6	80.5	43.3	27.8	.....	74.3	92.9	157.9	6.2
3.1	12.3	24.7	135.7	188.1	95.6	89.4	80.2	101.7	67.8	6.2	9.2	52.4	43.2	157.2	.....
9.2	12.3	18.4	184.3	175.0	138.2	52.2	79.8	82.9	43.0	24.6	12.3	52.2	58.4	122.8	.....
6.1	6.1	15.3	165.2	198.9	107.1	73.4	55.1	88.7	70.4	45.9	9.2	79.5	45.9	110.1	3.0
3.0	15.2	18.3	170.7	210.3	94.5	67.0	42.7	73.1	112.8	24.4	12.2	94.5	82.3	146.3	3.0
7.1	7.1	21.5	254.0	182.5	146.7	78.7	82.3	96.6	107.4	28.6	10.7	68.0	50.1	193.2	.....
3.6	25.2	18.0	273.9	230.6	61.3	54.0	54.0	82.9	72.1	32.4	10.8	140.6	43.2	205.4	.....
.....	3.6	14.5	232.3	221.4	83.5	47.2	65.3	69.0	61.7	25.4	18.1	79.8	47.2	196.0	3.6
.....	14.6	11.0	241.3	241.3	62.1	106.0	62.1	69.5	91.4	73.1	7.3	98.7	51.2	197.4	.....
.....	7.4	25.8	261.4	279.8	92.1	55.2	44.2	92.1	95.7	55.2	7.4	99.4	47.9	213.5	.....
4.8	14.5	14.5	294.8	198.2	82.1	58.0	67.7	82.1	67.7	33.8	9.7	77.3	82.1	169.1	14.5
.....	14.6	14.6	247.8	170.1	97.2	72.9	97.2	82.6	92.3	24.3	4.8	63.2	53.5	189.5	.....
.....	14.7	19.5	205.2	273.6	102.6	39.1	34.2	73.3	73.3	39.1	14.7	48.9	73.3	210.1	4.9
.....	9.8	4.9	235.9	245.7	49.1	83.6	39.3	68.8	78.6	39.3	9.8	68.8	49.1	245.7	.....
.....	4.9	4.9	257.0	257.0	93.9	59.3	29.6	74.2	89.0	24.7	14.8	79.1	54.4	197.7	.....
.....	14.1	18.8	217.6	173.8	131.5	106.4	122.1	75.1	56.3	36.0	3.1	53.2	53.2	131.5	1.6
6.3	7.8	28.3	223.0	152.3	119.3	89.5	73.8	117.8	78.5	45.5	3.1	83.2	40.8	157.0	.....
1.6	17.3	25.2	204.7	168.5	108.6	81.9	48.8	74.0	69.3	23.6	3.1	75.6	45.7	140.1	.....
1.6	6.3	25.3	191.1	151.6	83.7	63.2	55.3	80.5	83.7	28.4	15.8	66.3	45.8	96.3	1.6
1.6	6.3	26.9	223.4	201.2	91.9	66.5	65.0	82.4	84.0	31.7	4.8	55.4	47.5	109.3	.....
5.8	5.8	17.3	201.9	167.3	121.2	51.9	46.2	121.2	121.2	63.5	.....	40.4	63.5	173.1	34.6
11.6	.....	23.2	214.8	156.7	127.7	104.5	40.6	110.3	110.3	40.6	5.8	63.9	17.4	197.4	5.8
5.8	11.7	5.8	128.5	157.7	81.8	46.7	58.4	40.9	99.3	29.2	5.8	75.9	46.7	169.3	.....
11.7	11.7	5.9	152.7	205.6	105.8	41.1	41.1	94.0	141.0	11.7	5.9	164.5	17.6	205.6	.....
.....	23.7	17.7	118.2	242.3	65.0	59.1	94.6	70.9	130.0	47.3	5.9	112.3	23.7	159.5	5.9
2.2	6.6	21.9	192.9	170.9	151.2	70.1	81.1	63.6	114.0	32.6	2.2	74.5	94.2	201.6	4.4
.....	15.3	37.3	175.4	149.1	157.8	74.5	70.1	68.0	94.3	32.9	11.0	100.8	19.7	179.8	2.2
2.2	13.1	32.9	168.8	153.4	122.8	63.6	35.1	89.9	68.0	39.5	11.0	98.7	54.8	206.1	8.8
.....	15.3	17.5	186.4	210.5	114.0	68.0	54.8	78.9	140.4	37.3	6.6	89.9	32.9	162.3	2.2
2.2	15.4	26.3	188.6	188.6	133.8	74.6	57.0	85.5	136.0	39.5	8.8	92.1	11.0	142.5	4.4
12.3	14.4	32.9	232.2	164.4	86.3	67.8	78.1	111.0	53.5	47.3	12.3	76.1	34.9	195.2	8.2
2.1	26.8	24.7	191.5	158.6	82.4	74.1	41.2	78.2	72.1	57.6	10.3	103.0	51.5	168.9	.....
.....	8.3	14.4	192.0	196.1	51.6	37.1	35.1	95.0	66.1	35.1	10.3	82.6	20.6	194.0	.....
.....	10.3	22.8	240.0	206.9	51.7	91.0	43.4	97.2	78.6	45.5	41.4	109.6	22.8	184.1	2.1
4.1	20.7	16.6	232.2	207.4	76.7	51.8	49.8	91.2	101.6	51.8	14.5	66.4	39.4	165.9	2.1
.....	10.0	34.4	163.3	162.2	124.4	86.7	136.7	100.0	96.6	73.3	6.7	105.5	50.0	151.1	.....
2.2	11.9	34.8	150.0	143.5	132.6	120.7	100.0	73.9	135.9	53.2	8.7	134.8	40.2	137.0	.....
1.1	4.2	31.9	169.2	173.5	84.1	96.9	122.4	62.8	106.4	72.4	6.4	121.3	54.3	157.5	1.1
1.0	12.5	27.1	176.2	152.2	84.4	83.4	87.6	62.6	123.0	54.2	10.4	116.8	39.6	118.8	2.1
1.0	14.3	43.9	169.6	177.8	119.5	99.1	135.9	69.5	126.7	56.2	7.2	157.3	51.1	131.8	1.0
9.9	16.4	19.7	180.8	180.8	49.3	65.8	72.3	131.5	65.8	32.9	9.9	39.5	46.0	200.6	.....
3.3	13.2	23.1	247.3	257.1	62.6	82.4	49.4	102.2	65.9	23.1	16.5	102.2	39.6	171.4	3.3
9.9	16.5	9.9	185.1	218.1	102.5	52.9	49.6	92.5	66.1	33.1	13.2	76.0	56.2	178.5	.....
.....	9.9	9.9	198.8	255.2	86.2	76.2	26.5	125.9	43.1	53.0	19.9	76.2	6.6	175.6	.....
3.3	23.3	13.3	202.7	279.1	66.4	63.1	36.6	122.9	73.1	46.5	6.6	96.3	39.9	179.4	.....
4.9	.....	24.6	236.2	162.4	54.1	59.1	78.8	108.3	34.5	24.6	9.8	54.1	172.3	177.2	4.9
.....	14.8	24.7	242.0	167.9	54.3	54.3	29.6	98.8	59.3	29.6	9.9	59.3	54.3	212.4	.....
.....	9.9	9.9	198.2	163.5	39.6	84.3	39.6	64.4	54.5	39.6	19.8	79.3	19.8	198.2	5.0
.....	29.8	19.9	228.7	228.7	89.5	69.6	34.8	84.5	119.3	59.7	14.9	109.4	29.8	179.0	.....
.....	5.0	25.0	164.6	324.2	144.7	64.8	34.9	64.8	139.7	15.0	5.0	89.8	34.9	219.5	5.0
.....	7.6	15.2	175.0	167.4	159.8	106.5	304.4	68.5	106.5	91.3	7.6	121.7	60.9	289.1	7.6
7.5	.....	45.1	202.8	165.2	120.2	30.0	202.8	75.1	172.7	37.5	22.5	82.6	15.0	187.8	15.0
.....	7.4	22.2	200.2	178.0	126.1	103.8	200.2	74.1	200.2	44.5	29.7	74.1	7.4	177.9	7.4
.....	7.3	22.0	183.0	212.3	117.2	58.6	256.3	109.8	175.7	36.6	7.3	139.1	29.3	161.1	.....
.....	.....	.....	245.8	173.5	216.9	137.4	195.2	94.0	202.4	79.5	.....	108.5	14.5	130.1	.....
.....	13.3	63.4	166.8	170.1	256.9	163.5	280.2	116.8	66.7	103.4	6.7	116.8	40.0	306.9	23.4
.....	13.2	69.3	184.9	161.7	211.3	85.8	217.9	112.2	112.2	102.3	26.4	75.9	23.1	201.3	.....
.....	22.9	45.7	186.1	140.4	107.8	101.2	284.1	68.6	114.3	62.1	9.8	68.6	26.1	225.3	3.3
.....	12.9	25.9	177.7	148.7	129.3	90.5	177.7	87.3	116.4	90.5	6.5	103.4	29.1	193.9	.....
3.2	16.0	28.8	207.9	179.1	134.3	124.7	262.3	41.6	105.5	64.0	12.8	89.6	22.4	185.5	.....
9.5	.....	28.4	236.6	142.0	113.6	85.2	189.3	66.2	75.7	56.8	28.4	56.8	9.5	255.6	18.9
.....	18.7	65.3	224.1	149.4	74.7	46.7	140.0	84.0	84.0	56.0	9.3	102.7	37.3	121.4	.....
.....	9.2	46.0	202.6	147.3	55.3	36.8	276.3	147.3	18.4	73.7	18.4	73.7	82.9	128.9	.....
.....	9.1	36.3	163.5	181.7	127.2	81.8	145.4	54.5	90.8	99.9	18.2	109.0	18.2	172.6	9.1
.....	.....	17.9	215.2	277.9	53.8	53.8	62.8	89.7	53.8	53.8	.....	125.5	.....	134.5	.....

TABLE IV.—DEATH RATES PER 100,000 OF POPULATION IN EACH REGISTRATION AREA,

REGISTRATION AREA.		NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION.											
		All causes.	Typhoid fever.	Malarial fever.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
RHODE ISLAND RURAL—Continued.													
Providence county	1900	2,049.4	26.7	7.4	.....	43.0	11.9	10.4	34.1	77.0	210.4	32.6	72.6
	1901	1,884.9	23.3	8.7	.....	2.9	8.7	1.5	42.2	42.2	200.7	23.3	71.3
	1902	1,820.5	15.7	7.1	1.4	10.0	4.3	24.3	31.4	12.9	191.3	25.7	84.3
	1903	2,050.2	15.4	12.6	1.4	19.6	7.0	40.7	33.7	50.5	234.2	37.9	109.4
	1904	1,840.5	9.6	4.1	.....	1.4	12.4	1.4	19.3	34.4	199.8	34.4	88.2
Washington county	1900	1,780.2	41.4	.....	.....	37.3	.....	8.3	53.8	33.1	136.6	20.7	91.1
	1901	1,623.6	28.9	8.3	.....	4.1	.....	.....	12.4	53.7	157.0	24.8	95.0
	1902	1,286.3	24.7	.....	.....	.....	.....	4.1	4.1	8.2	86.6	8.2	123.7
	1903	1,686.8	24.7	4.1	.....	20.6	.....	16.5	20.6	32.9	107.0	12.3	131.6
	1904	1,609.4	24.6	4.1	.....	12.3	8.2	.....	20.5	37.0	119.1	41.1	119.1
VERMONT RURAL.													
Addison county	1900	1,560.8	54.8	.....	.....	.....	4.6	4.6	13.7	41.1	114.1	18.2	123.2
	1901	1,586.3	59.4	.....	.....	.....	4.6	.....	4.6	68.6	114.3	13.7	64.0
	1902	1,415.0	41.2	.....	.....	9.2	.....	.....	9.2	36.6	137.4	4.6	82.4
	1903	1,527.5	36.7	9.2	.....	22.9	.....	.....	13.8	45.9	96.3	32.1	87.2
	1904	1,295.7	36.7	4.6	.....	.....	4.6	.....	.....	50.5	82.7	.....	78.1
Bennington county	1900	1,740.8	21.9	.....	.....	.....	.....	.....	7.3	43.9	139.0	.....	58.5
	1901	1,855.7	58.7	.....	.....	51.3	7.3	.....	36.7	29.3	146.7	22.0	51.3
	1902	1,316.6	22.1	.....	.....	.....	.....	36.8	7.4	7.4	73.5	7.4	88.3
	1903	1,394.0	29.5	.....	.....	.....	7.4	.....	44.2	29.5	95.9	.....	59.0
	1904	1,693.8	37.0	.....	.....	7.4	.....	.....	7.4	7.4	74.0	22.2	66.6
Caledonia county	1900	1,693.9	61.5	4.1	.....	8.2	4.1	.....	20.5	36.9	131.3	20.5	77.9
	1901	1,675.1	16.3	.....	.....	28.6	16.3	28.6	32.7	20.4	151.2	28.6	85.8
	1902	1,534.3	48.8	.....	.....	.....	.....	8.1	24.4	32.6	105.8	44.8	28.5
	1903	1,731.1	28.4	.....	.....	36.5	4.1	8.1	8.1	32.4	133.8	36.5	105.4
	1904	1,490.2	36.3	.....	.....	.....	.....	.....	24.2	48.5	84.8	28.3	80.8
Chittenden county	1900	1,655.5	19.1	4.8	.....	.....	.....	.....	4.8	33.4	162.2	23.9	71.6
	1901	1,468.3	14.3	.....	.....	.....	4.8	4.8	.....	23.8	119.2	9.5	52.4
	1902	1,448.2	14.3	.....	.....	.....	.....	4.8	19.0	4.8	104.8	19.0	71.4
	1903	1,704.1	14.3	.....	.....	.....	.....	14.3	.....	57.1	104.7	9.5	104.7
	1904	1,512.6	23.8	4.8	.....	.....	.....	4.8	23.8	38.1	142.7	33.3	61.8
Essex county	1900	1,489.6	62.1	.....	.....	12.4	.....	.....	.....	49.6	149.0	12.4	74.5
	1901	1,517.1	88.5	.....	.....	25.3	.....	.....	.....	37.9	63.2	.....	75.9
	1902	1,455.4	38.6	.....	12.9	12.9	25.8	25.8	38.6	25.8	77.3	25.8	25.8
	1903	1,282.4	26.2	.....	.....	.....	.....	.....	39.4	13.1	78.8	13.1	39.4
	1904	1,485.5	53.5	.....	.....	.....	.....	.....	66.9	80.3	66.9	13.4	147.2
Franklin county	1900	1,533.2	26.5	.....	.....	9.9	.....	9.9	13.2	19.9	188.7	16.6	69.6
	1901	1,468.2	39.7	.....	.....	.....	33.1	16.5	6.6	23.2	172.0	6.6	86.0
	1902	1,350.5	13.2	.....	3.3	.....	23.1	3.3	13.2	6.6	115.6	9.9	62.8
	1903	1,569.4	39.6	.....	.....	16.5	.....	3.3	6.6	26.4	145.1	19.8	79.1
	1904	1,695.5	62.6	.....	.....	6.6	6.6	6.6	23.0	42.8	138.3	32.9	105.3
Grand Isle county	1900	1,411.9	44.8	.....	.....	.....	.....	.....	.....	.....	22.4	22.4	67.2
	1901	1,282.0	.....	.....	.....	.....	44.2	44.2	.....	22.1	66.3	22.1	22.1
	1902	850.4	.....	.....	.....	.....	21.8	.....	.....	.....	130.9	.....	43.6
	1903	1,204.8	86.1	.....	.....	.....	.....	.....	21.5	43.0	172.1	.....	64.5
	1904	764.3	21.2	.....	.....	.....	.....	.....	.....	.....	85.0	21.2	63.7
Lamoille county	1900	1,448.4	8.1	.....	.....	8.1	.....	16.3	8.1	73.2	122.1	.....	73.2
	1901	1,536.6	24.5	.....	.....	.....	.....	16.3	8.2	98.1	114.4	32.7	98.1
	1902	1,354.6	.....	16.4	.....	8.2	8.2	8.2	8.2	32.8	139.6	32.8	24.6
	1903	1,261.6	8.2	.....	.....	.....	.....	.....	8.2	24.7	57.7	8.2	90.8
	1904	1,341.8	.....	16.6	.....	.....	.....	.....	8.3	41.4	82.8	16.6	99.4
Orange county	1900	1,527.5	25.9	5.2	.....	20.7	10.4	5.2	.....	20.7	150.1	20.7	51.8
	1901	1,731.7	15.6	.....	.....	5.2	5.2	10.4	.....	57.0	103.7	31.1	46.6
	1902	1,640.6	20.8	.....	.....	.....	15.6	5.2	26.0	20.8	109.0	10.4	114.2
	1903	1,544.1	36.4	.....	.....	.....	.....	10.4	15.6	46.8	109.2	10.4	104.0
	1904	1,723.2	5.2	.....	.....	.....	.....	5.2	10.4	78.1	93.7	15.6	130.2
Orleans county	1900	1,457.5	22.7	.....	.....	4.5	4.5	13.6	40.9	13.6	99.9	4.5	77.2
	1901	1,576.1	50.0	.....	.....	31.8	27.3	4.5	13.6	63.6	86.3	22.7	86.3
	1902	1,590.3	9.1	4.5	.....	.....	.....	40.9	13.6	36.4	140.8	9.1	100.0
	1903	1,463.6	22.7	.....	9.1	13.6	4.5	.....	27.3	31.8	122.7	13.6	90.9
	1904	1,582.4	77.3	4.5	.....	.....	.....	.....	27.3	77.3	100.0	27.3	91.0
Rutland county	1900	1,605.0	39.7	3.1	.....	.....	6.1	9.2	12.2	21.4	149.8	6.1	64.2
	1901	1,556.2	24.6	.....	.....	3.1	.....	3.1	40.0	64.6	116.9	12.3	55.3
	1902	1,407.8	15.5	.....	.....	6.2	9.3	6.2	9.3	15.5	71.1	18.5	55.7
	1903	1,621.9	28.0	3.1	.....	3.1	3.1	6.2	3.1	12.5	96.5	12.5	143.2
	1904	1,653.8	21.9	.....	.....	.....	3.1	15.7	25.1	28.2	141.0	15.7	62.6
Washington county	1900	1,775.6	32.0	3.5	.....	10.6	21.3	7.1	14.2	21.3	152.7	24.9	106.6
	1901	1,783.4	31.6	3.5	.....	.....	10.6	10.6	21.1	38.7	130.1	10.6	73.9
	1902	1,547.1	24.4	.....	.....	7.0	10.5	17.4	3.5	38.3	125.4	17.4	69.7
	1903	1,746.7	13.8	.....	.....	6.9	3.4	10.3	31.1	27.6	145.0	20.7	93.2
	1904	1,771.5	20.5	.....	.....	.....	3.4	17.1	10.3	23.9	123.1	17.1	106.0
Windham county	1900	1,901.7	26.3	.....	.....	.....	3.8	3.8	.....	93.7	138.8	22.5	138.8
	1901	1,796.0	3.7	.....	.....	3.7	3.7	15.0	7.5	67.5	176.2	11.2	90.0
	1902	1,656.5	7.5	.....	.....	15.0	.....	3.7	7.5	15.0	179.9	22.5	71.2
	1903	1,734.5	3.7	3.7	.....	.....	.....	3.7	15.0	48.7	89.9	18.7	101.2
	1904	1,572.8	22.5	.....	.....	.....	.....	.....	11.2	22.5	101.1	15.0	104.9
Windsor county	1900	1,731.6	37.2	.....	.....	9.3	.....	.....	15.5	68.3	102.4	15.5	121.0
	1901	1,930.2	21.7	6.2	.....	.....	.....	18.6	9.3	52.7	136.3	12.4	62.0
	1902	1,701.2	9.3	3.1	.....	6.2	3.1	12.4	6.2	37.1	95.9	12.4	89.7
	1903	1,658.3	21.6	.....	.....	3.1	.....	.....	18.5	67.9	83.4	27.8	120.4
	1904	1,658.8	12.3	.....	.....	.....	.....	3.1	12.3	89.4	114.1	6.2	107.9

FROM CERTAIN PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS FROM SPECIFIED CAUSES PER 100,000 OF POPULATION—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.	Other diseases of digestive system.	Bright's disease and nephritis.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.
1.5	16.3	62.2	204.5	173.4	163.0	112.6	168.9	72.6	163.0	60.7	14.8	71.1	11.9	214.9	11.9
1.5	23.3	37.8	187.6	178.9	139.6	84.3	165.8	53.8	184.7	68.4	18.9	97.4	16.0	171.6	30.5
.....	11.4	35.7	218.5	174.2	124.2	101.4	148.5	84.3	139.9	52.8	11.4	100.0	7.1	195.6	7.1
.....	15.4	16.8	224.4	204.7	145.8	109.4	168 3	74.3	168.3	35.1	14.0	96.8	19.6	192.1	2.8
.....	19.3	34.4	192.9	186.0	148.8	108.8	155.7	63.4	180.4	52.3	15.2	88.2	19.3	165.3	5.5
.....	16.6	20.7	182.1	173.9	82.8	99.3	153.2	103.5	144.9	41.4	8.3	78.6	12.4	223.6	16.6
.....	24.8	12.4	177.6	177.6	148.7	99.2	74.4	90.9	86.8	53.7	4.1	74.4	29.7	190.0	4.1
.....	16.5	16.5	131.9	193.8	86.6	86.6	53.6	99.0	66.0	41.2	20.6	70.1	.....	144.3	.....
.....	28.8	8.2	139.9	246.8	111.1	78.2	98.7	119.3	119.3	45.3	8.2	107.0	20.6	181.0	4.1
4.1	20.5	4.1	151.9	242.2	98.5	73.9	102.6	110.9	123.2	49.3	20.5	86.2	12.3	123.2	.....
4.6	13.7	31.9	155.1	209.9	127.8	54.8	63.9	50.2	59.3	50.2	13.7	54.8	73.0	205.4	18.2
9.1	27.4	22.9	155.4	132.6	109.7	100.6	86.9	105.1	59.4	41.1	.....	59.4	54.9	278.9	13.7
9.2	36.6	22.9	137.4	128.2	187.7	68.7	45.8	96.2	82.4	22.9	13.7	55.0	9.2	164.8	13.7
4.6	9.2	18.3	243.1	192.6	110.1	73.4	32.1	82.6	59.6	59.6	18.3	82.6	13.8	169.7	13.8
.....	18.4	18.4	147.0	147.0	96.5	41.3	45.9	101.1	96.5	50.6	9.2	50.6	27.6	160.8	27.6
.....	.....	51.2	146.3	219.4	234.1	58.5	109.7	139.0	117.0	36.6	7.3	80.5	51.2	197.5	21.9
.....	14.7	66.0	220.0	212.7	249.4	66.0	73.4	88.0	88.0	58.7	14.7	73.4	95.4	132.0	.....
.....	14.7	14.7	228.0	154.4	117.7	29.4	36.8	58.8	95.6	58.8	.....	51.5	14.7	198.6	.....
.....	36.9	44.2	221.3	147.5	81.1	59.0	29.5	36.9	73.8	66.4	7.4	103.3	51.6	169.6	.....
.....	14.8	29.6	244.0	214.5	207.1	37.0	66.6	88.7	125.7	74.0	14.8	96.1	66.6	184.9	7.4
.....	16.4	36.9	155.9	217.4	123.0	73.8	86.2	77.9	57.4	57.4	16.4	69.7	90.3	209.2	41.0
8.2	8.2	36.8	208.4	192.1	134.9	106.2	32.7	61.3	53.1	44.9	16.3	44.9	57.2	245.1	16 3
4.1	8.1	44.8	183.1	162.8	195.3	97.7	61.0	73.3	77.3	28.5	16.3	44.8	52.9	179.1	12.2
.....	8.1	28.4	247.3	190.6	137.9	93.2	77.0	113.5	68.9	36.5	.....	93.2	28.4	190.5	24.3
4.0	8.1	24.2	145.4	185.8	161.6	109.0	44.4	92.9	60.6	44.4	20.2	40.4	44.4	197.9	4.0
.....	28.6	66.8	147.9	195.6	171.8	57.2	81.1	95.4	57.2	76.3	4.8	28.6	76.3	224.2	23.9
.....	19.1	47.7	162.1	114.4	100.1	52.4	90.6	95.3	109.6	104.9	4.8	47.7	62.0	200.2	28.6
.....	14.3	14.3	147.7	166.7	119.1	109.6	57.2	52.4	104.8	71.4	.....	95.3	47.6	204.9	4.8
.....	4.8	9.5	166.6	180.9	171.4	114.2	128.5	90.4	95.2	100.0	4.8	80.9	33.3	219.0	.....
.....	28.5	19.0	142.7	180.8	128.4	85.6	57.1	66.6	95.1	52.3	14.3	52.3	23.8	214.0	19.0
.....	.....	24.8	198.6	173.8	99.3	24.8	24.8	62.1	74.5	37.2	12.4	99.3	86.9	149.0	62.1
.....	12.6	12.6	164.4	126.4	113.8	37.9	63.2	50.6	88.5	75.9	12.6	75.9	63.2	200.8	37.9
.....	12.9	51.5	115.9	103.0	115.9	103.0	51.5	25.8	103.0	141.7	12.9	38.6	51.5	167.4	51.5
.....	13.1	39.4	183.8	183.8	105.0	13.1	39.4	91.9	118.1	39.4	13.1	78.8	65.6	91.9	.....
.....	13.4	13.4	160.6	214.1	93.7	93.7	40.1	93.7	40.1	13.4	.....	40.1	26.8	200.8	13.4
6.6	6.6	43.0	172.2	102.7	172.2	62.9	102.7	72.9	53.0	69.6	.....	43.0	59.6	175.5	36.4
.....	9.9	46.3	165.3	122.4	109.1	52.9	69.4	69.4	26.5	89.3	16.5	33.1	56.2	205.0	13.2
6.6	9.9	33.0	138.7	145.3	95.8	59.4	42.9	76.0	72.7	66.0	.....	66.0	52.8	211.3	23.1
.....	13.2	26.4	217.6	161.6	89.0	85.7	75.8	79.1	89.0	69.2	9.9	69.2	29.7	194.5	23.1
.....	16.5	29.6	158.0	154.7	108.6	92.2	75.7	102.1	62.6	98.8	6.6	85.6	52.7	200.8	26.3
.....	.....	156.9	112.1	179.3	224.1	67.2	22.4	67.2	89.7	67.2	.....	89.7	.....	156.9	22.4
.....	44.2	44.2	176.9	132.6	88.4	22.1	66.3	44.2	22.1	.....	22.1	110.5	44.2	199.0	44.2
.....	.....	43.6	152.7	43.6	43.6	.....	.....	65.4	87.2	21.8	.....	43.6	43.6	87.2	21.8
.....	21.5	21.5	107.6	215.2	107.6	21.5	21.5	86.1	43.0	21.5	.....	107.6	.....	43.0	.....
.....	21.2	.....	42.5	63.7	106.1	21.2	21.2	63.7	21.2	63.7	.....	42.5	21.2	85.0	.....
.....	.....	16.3	195.3	170.9	97.7	73.2	40.7	113.9	81.4	48.8	.....	40.7	40.7	203.4	16.3
8.2	24.5	32.7	122.6	147.1	106.3	163.5	24.5	57.2	49.0	40.9	8.2	32.7	49.0	245.2	32.7
.....	16.4	32.8	147.8	164.2	98.5	57.5	24.6	106.8	57.5	57.5	8.2	57.5	41.1	180.6	24.6
.....	8.2	.....	173.2	263.9	132.0	66.0	49.5	66.0	57.7	33.0	.....	57.7	24.7	123.7	8.2
.....	24.8	8.3	190.5	149.1	107.7	115.9	8.3	49.7	115.9	41.4	8.3	49.7	8.3	190.5	8.3
5.2	10.4	15.5	253.7	176.0	124.3	57.0	46.6	88.0	41.4	15.5	10.4	62.1	67.3	238.2	5.2
5.2	20.7	31.1	269.6	248.9	88.1	103.7	62.2	103.7	72.6	36.3	10.4	57.0	57.0	274.8	15.6
.....	5.2	26.0	228.4	249.2	114.2	93.4	20.8	93.4	114.2	72.7	20.8	41.5	36.3	186.9	15.6
5.2	15.6	10.4	166.3	259.9	41.6	78.0	46.8	88.4	88.4	46.8	26.0	78.0	36.4	207.9	15.6
5.2	31.2	15.6	182.2	255.1	125.0	130.2	41.6	119.8	114.5	62.5	20.8	62.5	31.2	171.8	15.6
4.5	4.5	9.1	199.8	136.2	131.7	104.4	72.6	95.4	40.9	54.5	18.2	31.8	77.2	172.6	22.7
.....	13.6	54.5	199.9	186.2	86.3	18.2	54.5	86.3	59.0	72.7	18.2	54.5	31.8	240.7	13.6
4.5	9.1	31.8	154.5	154.5	159.0	95.4	31.8	109.1	77.2	72.7	9.1	59.1	36.4	156.3	45.4
4.5	13.6	27.3	159.1	122.7	59.1	109.1	81.8	95.5	68.2	54.6	18.2	77.3	36.4	172.7	27.3
.....	22.7	54.6	127.3	181.9	100.0	122.8	54.6	113.7	86.4	40.9	.....	81.8	18.2	163.7	9.1
.....	15.3	33.6	162.0	186.5	186.5	52.0	70.3	91.7	73.4	58.1	.....	67.3	61.1	201.8	33.6
.....	15.4	36.9	156.8	163.0	196.8	73.8	64.6	64.6	89.2	46.1	12.3	58.4	43.1	187.6	27.7
.....	9.3	12.4	170.1	164.0	157.8	92.8	43.3	80.0	49.5	61.9	6.2	61.9	15.5	232.1	24.7
.....	3.1	34.2	183.7	211.7	137.0	74.7	68.5	112.1	56.0	65.4	6.2	130.7	28.0	180.6	18.7
.....	15.7	25.1	184.8	184.8	166.0	78.3	90.8	100.2	81.4	50.1	9.4	97.1	21.9	203.6	31.3
3.5	10.6	32.0	163.4	156.3	248.6	56.8	71.0	81.7	110.1	60.4	3.5	49.7	99.4	213.1	21.3
10.6	14.1	14.1	263.8	165.3	204.0	91.4	52.8	84.4	119.6	45.7	10.6	56.3	63.3	214.5	42.2
.....	3.5	38.3	170.7	195.1	160.3	101.1	20.9	104.5	76.7	31.4	10.5	87.1	59.2	156.8	17.4
6.9	20.7	17.3	231.3	220.9	124.3	82.8	72.5	96.7	127.7	58.7	24.2	93.2	31.1	172.6	13.8
.....	34.2	34.2	215.5	239.4	133.4	65.0	78.7	109.4	92.3	71.8	30.8	88.9	34.2	205.2	17.1
3.8	30.0	30.0	243.8	221.3	127.5	97.5	45.0	82.5	82.5	52.5	3.8	82.5	82.5	273.8	15.0
.....	22.5	45.0	273.7	228.7	135.0	97.5	41.3	41.3	78.8	41.3	15.0	78.8	60.0	254.9	3.7
3.7	18.7	37.3	232.4	236.1	127.4	60.0	33.7	60.0	78.7	75.0	.....	82.5	45.0	224.8	18.7
.....	26.2	11.2	296.0	269.7	134.9	89.9	71.2	82.4	89.9	45.0	15.0	78.7	33.7	191.1	15.0
3.7	22.5	44.9	232.2	220.9	71.1	82.4	48.7	101.1	116.1	26.2	11.2	63.7	15.0	220.9	15.0
.....	15.5	24.8	285.5	180.0	117.9	80.7	80.7	114.8	71.4	65.2	24.8	65.2	46.6	183.1	6.2
3.1	27.9	27.9	207.6	254.0	207.6	117.7	65.1	123.9	65.1	58.9	3.1	74.3	71.2	288.1	15.5
3.1	15.5	30.9	256.7	207.2	160.8	86.6	30.9	105.2	89.7	71.1	9.3	68.0	40.2	235.1	15.5
3.1	9.3	34.0	240.9	265.6	95.7	74.1	40.1	111.2	101.9	46.3	6.2	83.4	21.6	169.8	12.4
6.2	30.8	6.2	206.6	296.0	104.8	86.3	52.4	61.7	86.3	37.0	12.3	80.2	37.0	200.4	9.3

TABLE V.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE MAIN SUBDIVISIONS OF THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES: 1900 TO 1904.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
All causes	1900	539,939	398,786	343,217	202,064	141,153	196 722	1,755.0	1,856.8	1,719.5	1,893.4	1,519.7	1,820.7
	1901	518,207	385,395	332,203	199,391	132,812	186 004	1,657.9	1,740.2	1,637.6	1,784.1	1,457.9	1,695.5
	1902	508,640	385,670	318,636	195,666	122,970	190,004	1,597.6	1,700.6	1,545.9	1,708.5	1,342.5	1,692.5
	1903	524,415	397,736	327,295	200,616	126,679	197,120	1,616.9	1,712.8	1,563.1	1,710.8	1,375.2	1,714.9
	1904	551,354	416,627	349,855	215,128	134,727	201,499	1,670.9	1,756.1	1,645.2	1,793.9	1,452.9	1,717.5
I.—General diseases	1900	147,236	109,298	93,148	55,210	37,938	54,088	478.6	508.9	466.7	517.3	408.5	500.6
	1901	145,527	108,992	92,290	55,755	36,535	53,237	465.6	492.1	454.9	498.9	401.0	485.3
	1902	138,514	106,681	84,835	53,002	31,833	53,679	435.0	470.4	411.6	462.8	347.5	478.2
	1903	146,082	112,935	88,249	55,102	33,147	57,833	450.4	486.3	421.5	469.9	359.8	503.2
	1904	149,549	114,508	91,752	56,711	35,041	57,797	453.2	482.7	431.5	472.9	377.9	492.7
Typhoid fever	1900	11,044	7,843	6,244	3,043	3,201	4,800	35.9	36.5	31.3	28.5	34.6	44.4
	1901	10,127	7,501	5,585	2,959	2,626	4,542	32.4	33.9	27.5	26.5	28.8	41.4
	1902	10,980	8,511	5,431	2,962	2,469	5,549	34.5	37.5	26.3	25.9	27.0	49.4
	1903	11,149	8,876	5,162	2,889	2,273	5,987	34.4	38.2	24.7	24.6	24.7	52.1
	1904	10,557	8,347	5,094	2,884	2,210	5,463	32.0	35.2	24.0	24.0	23.8	46.6
Malarial fever	1900	2,434	1,761	1,244	571	673	1,190	7.9	8.2	6.3	5.4	7.2	11.0
	1901	1,980	1,520	1,012	552	460	968	6.3	6.9	5.0	4.9	5.0	8.8
	1902	1,738	1,339	819	420	399	919	5.5	5.9	4.0	3.7	4.4	8.2
	1903	1,410	1,066	636	292	344	774	4.3	4.6	3.0	2.5	3.7	6.7
	1904	1,391	1,087	619	315	304	772	4.2	4.6	2.9	2.6	3.3	6.6
Smallpox	1900	611	581	63	33	30	548	1.9	2.7	0.3	0.3	0.3	5.1
	1901	1,085	967	734	616	118	351	3.5	4.4	3.6	5.5	1.3	3.2
	1902	2,111	1,802	1,345	1,036	309	766	6.6	7.9	6.5	9.0	3.4	6.8
	1903	1,382	1,267	321	206	115	1,061	4.3	5.4	1.5	1.8	1.2	9.2
	1904	709	602	176	69	107	533	2.1	2.5	0.8	0.6	1.2	4.5
Measles	1900	3,865	2,955	2,665	1,755	910	1,200	12.5	13.8	13.4	16.4	9.8	11.1
	1901	2,287	1,657	1,494	864	630	793	7.3	7.5	7.4	7.7	6.9	7.2
	1902	3,033	2,506	1,914	1,387	527	1,119	9.5	11.1	9.3	12.1	5.8	10.0
	1903	3,221	2,629	1,843	1,251	592	1,378	9.9	11.3	8.8	10.7	6.4	12.0
	1904	3,659	2,793	2,418	1,552	866	1,241	11.1	11.8	11.4	12.9	9.3	10.6
Scarlet fever	1900	3,135	2,500	1,908	1,273	635	1,227	10.2	11.6	9.6	11.9	6.8	11.4
	1901	4,113	3,433	2,744	2,064	680	1,369	13.1	15.5	13.5	18.5	7.5	12.5
	1902	4,041	3,484	2,456	1,899	557	1,585	12.7	15.4	11.9	16.6	6.1	14.1
	1903	3,991	3,313	2,578	1,900	678	1,413	12.3	14.3	12.3	16.2	7.4	12.3
	1904	3,610	2,950	2,470	1,810	660	1,140	10.9	12.4	11.6	15.1	7.1	9.7
Whooping cough	1900	3,719	2,812	2,444	1,537	907	1,275	12.1	13.1	12.3	14.4	9.8	11.8
	1901	3,051	2,329	1,759	1,037	722	1,292	9.8	10.5	8.7	9.3	7.9	11.8
	1902	3,854	2,970	2,559	1,675	884	1,295	12.1	13.1	12.4	14.6	9.7	11.6
	1903	5,171	4,046	3,004	1,879	1,125	2,167	15.9	17.4	14.3	16.0	12.2	18.9
	1904	2,183	1,653	1,242	712	530	941	6.6	7.0	5.8	5.9	5.7	8.0
Diphtheria	1900	10,504	8,815	6,286	4,597	1,689	4,218	34.2	41.0	31.5	43.1	18.1	39.1
	1901	8,434	7,058	5,301	3,925	1,376	3,133	27.0	31.9	26.1	35.1	15.1	28.5
	1902	8,101	6,948	4,976	3,823	1,153	3,125	25.5	30.6	24.1	33.4	12.6	27.9
	1903	8,658	7,391	5,449	4,182	1,267	3,209	26.7	31.9	26.0	35.7	13.8	27.9
	1904	7,898	6,655	5,235	3,992	1,243	2,663	23.9	28.0	24.6	33.3	13.4	22.7
Croup	1900	2,810	2,034	1,770	994	776	1,040	9.1	9.5	8.9	9.3	8.4	9.6
	1901	2,233	1,643	1,481	891	590	752	7.1	7.4	7.3	8.0	6.5	6.9
	1902	1,758	1,351	1,152	745	407	606	5.5	6.0	5.6	6.5	4.4	5.4
	1903	1,705	1,334	1,067	696	371	638	5.3	5.7	5.1	5.9	4.0	5.6
	1904	1,546	1,155	1,022	631	391	524	4.7	4.9	4.8	5.3	4.2	4.5
Influenza	1900	7,031	4,283	5,332	2,584	2,748	1,699	22.9	19.9	26.7	24.2	29.6	15.7
	1901	10,093	5,718	7,378	3,003	4,375	2,715	32.3	25.8	36.4	26.9	48.0	24.7
	1902	3,225	1,886	2,146	807	1,339	1,079	10.1	8.3	10.4	7.0	14.6	9.6
	1903	6,064	3,772	4,020	1,728	2,292	2,044	18.7	16.2	19.2	14.7	24.9	17.8
	1904	6,724	3,972	4,643	1,891	2,752	2,081	20.4	16.8	21.8	15.8	29.7	17.7
Cholera nostras	1900	800	509	562	271	291	238	2.6	2.4	2.8	2.5	3.1	2.2
	1901	563	372	367	176	191	196	1.8	1.7	1.8	1.6	2.1	1.8
	1902	516	368	296	148	148	220	1.6	1.6	1.4	1.3	1.6	1.9
	1903	374	261	243	130	113	131	1.2	1.1	1.2	1.1	1.2	1.1
	1904	397	287	254	144	110	143	1.2	1.2	1.2	1.2	1.2	1.2
Dysentery	1900	3,487	2,086	2,402	1,001	1,401	1,085	11.3	9.7	12.1	9.4	15.1	10.1
	1901	3,331	2,232	2,242	1,143	1,099	1,089	10.7	10.1	11.1	10.2	12.1	9.9
	1902	3,187	2,196	2,082	1,091	991	1,105	10.0	9.7	10.1	9.5	10.8	9.9
	1903	2,378	1,646	1,534	802	732	844	7.3	7.1	7.3	6.8	8.0	7.3
	1904	2,567	1,704	1,720	857	863	847	7.8	7.2	8.1	7.1	9.3	7.2
Erysipelas	1900	1,574	1,214	1,080	720	360	494	5.1	5.7	5.4	6.7	3.9	4.6
	1901	1,450	1,090	914	554	360	536	4.6	4.9	4.5	5.0	4.0	4.9
	1902	1,337	1,006	845	514	331	492	4.2	4.4	4.1	4.5	3.6	4.4
	1903	1,300	994	839	533	306	461	4.0	4.3	4.0	4.5	3.3	4.0
	1904	1,680	1,271	1,095	686	409	585	5.1	5.4	5.1	5.7	4.4	5.0
Other epidemic diseases[1]	1900	106	84	46	24	22	60	0.3	0.4	0.2	0.2	0.2	0.6
	1901	85	68	30	13	17	55	0.3	0.3	0.1	0.1	0.2	0.5
	1902	148	125	63	40	23	85	0.5	0.6	0.3	0.3	0.2	0.8
	1903	122	101	40	19	21	82	0.4	0.4	0.2	0.2	0.2	0.7
	1904	112	89	50	27	23	62	0.3	0.4	0.2	0.2	0.2	0.5
Septicemia	1900	2,581	1,830	1,436	685	751	1,145	8.4	8.5	7.2	6.4	8.1	10.6
	1901	2,290	1,694	1,192	596	596	1,098	7.3	7.6	5.9	5.3	6.5	10.0
	1902	2,281	1,705	1,209	633	576	1,072	7.2	7.5	5.9	5.5	6.3	9.6
	1903	1,754	1,321	982	549	433	772	5.4	5.7	4.7	4.7	4.7	6.7
	1904	1,886	1,367	1,036	517	519	850	5.7	5.8	4.9	4.3	5.6	7.2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE V.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE MAIN SUBDIVISIONS OF THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Tuberculosis of lungs	1900	55,504	42,691	34,593	21,780	12,813	20,911	180.5	198.8	173.3	204.1	138.0	193.5
	1901	54,735	42,546	33,969	21,780	12,189	20,766	175.1	192.1	167.5	194.9	133.8	189.3
	1902	52,079	40,983	31,449	20,353	11,096	20,630	163.6	180.7	152.6	177.7	121.1	183.8
	1903	53,910	42,729	32,291	21,110	11,181	21,619	166.2	184.0	154.2	180.0	121.4	188.1
	1904	58,763	46,517	35,022	22,776	12,246	23,741	178.1	196.1	164.7	189.9	132.1	202.4
Tuberculosis of larynx	1900	406	323	245	162	83	161	1.3	1.5	1.2	1.5	0.9	1.5
	1901	527	397	321	191	130	206	1.7	1.8	1.6	1.7	1.4	1.9
	1902	541	416	322	197	125	219	1.7	1.8	1.6	1.7	1.4	2.0
	1903	539	422	307	190	117	232	1.7	1.8	1.5	1.6	1.3	2.0
	1904	570	455	344	229	115	226	1.7	1.9	1.6	1.9	1.2	1.9
Tuberculous meningitis	1900	2,673	2,208	1,882	1,417	465	791	8.7	10.3	9.4	13.3	5.0	7.3
	1901	2,656	2,237	1,841	1,422	419	815	8.5	10.1	9.1	12.7	4.6	7.4
	1902	2,674	2,235	1,894	1,455	439	780	8.4	9.9	9.2	12.7	4.8	6.9
	1903	2,905	2,442	2,002	1,539	463	903	9.0	10.5	9.6	13.1	5.0	7.9
	1904	3,025	2,498	2,089	1,562	527	936	9.2	10.5	9.8	13.0	5.7	8.0
Abdominal tuberculosis	1900	1,635	1,193	980	538	442	655	5.3	5.6	4.9	5.0	4.8	6.1
	1901	1,767	1,304	1,083	620	463	684	5.7	5.9	5.3	5.5	5.1	6.2
	1902	1,817	1,416	1,042	641	401	775	5.7	6.2	5.1	5.6	4.4	6.9
	1903	1,854	1,398	1,084	628	456	770	5.7	6.0	5.2	5.4	5.0	6.7
	1904	2,008	1,605	1,245	752	493	853	6.4	6.8	5.9	6.3	5.3	7.3
Pott's disease	1900	416	272	302	158	144	114	1.3	1.3	1.5	1.5	1.6	1.1
	1901	442	330	286	174	112	156	1.4	1.5	1.4	1.6	1.2	1.4
	1902	421	320	282	181	101	139	1.3	1.4	1.4	1.6	1.1	1.2
	1903	516	402	323	209	114	193	1.6	1.7	1.5	1.8	1.2	1.7
	1904	519	415	332	228	104	187	1.6	1.7	1.6	1.9	1.1	1.6
Tuberculous abscess	1900	40	31	23	14	9	17	0.1	0.1	0.1	0.1	(1)	0.2
	1901	48	36	30	18	12	18	0.1	0.2	0.1	0.2	0.1	0.2
	1902	39	26	24	11	13	15	0.1	0.1	0.1	0.1	0.1	0.1
	1903	72	52	45	25	20	27	0.2	0.2	0.2	0.2	0.2	0.2
	1904	62	43	41	22	19	21	0.2	0.2	0.2	0.2	0.2	0.2
White swelling	1900	207	161	129	83	46	78	0.7	0.7	0.6	0.8	0.5	0.7
	1901	206	165	130	89	41	76	0.6	0.7	0.6	0.8	0.4	0.7
	1902	237	202	132	97	35	105	0.7	0.9	0.6	0.8	0.4	0.9
	1903	224	176	132	84	48	92	0.7	0.8	0.6	0.7	0.5	0.8
	1904	241	199	140	98	42	101	0.7	0.8	0.6	0.8	0.5	0.9
Tuberculosis of other organs	1900	339	242	205	108	97	134	1.1	1.1	1.0	1.0	1.0	1.3
	1901	393	296	235	138	97	158	1.3	1.3	1.2	1.2	1.1	1.4
	1902	391	279	228	116	112	163	1.2	1.2	1.1	1.0	1.2	1.5
	1903	465	349	288	172	116	177	1.4	1.5	1.4	1.5	1.3	1.5
	1904	545	402	331	188	143	214	1.7	1.7	1.5	1.6	1.5	1.8
General tuberculosis	1900	668	512	461	305	156	207	2.2	2.4	2.3	2.9	1.7	1.9
	1901	825	638	539	352	187	286	2.6	2.9	2.7	3.1	2.1	2.6
	1902	739	556	486	303	183	253	2.3	2.5	2.4	2.6	2.0	2.3
	1903	1,002	764	630	392	238	372	3.1	3.3	3.0	3.3	2.6	3.2
	1904	974	774	581	381	200	393	3.0	3.3	2.7	3.2	2.2	3.3
Scrofula	1900	208	109	141	42	99	67	0.7	0.5	0.7	0.4	1.1	0.6
	1901	168	117	93	42	51	75	0.5	0.5	0.5	0.4	0.5	0.7
	1902	145	96	87	38	49	58	0.4	0.4	0.4	0.3	0.5	0.5
	1903	153	103	89	39	50	64	0.5	0.4	0.4	0.3	0.5	0.6
	1904	124	82	80	38	42	44	0.4	0.3	0.4	0.3	0.5	0.4
Venereal diseases	1900	1,045	915	543	413	130	502	3.4	4.3	2.7	3.9	1.4	4.7
	1901	1,161	1,020	613	472	141	548	3.7	4.6	3.0	4.2	1.5	5.0
	1902	1,163	1,022	629	488	141	534	3.7	4.5	3.1	4.3	1.5	4.8
	1903	1,393	1,213	729	549	180	664	4.3	5.2	3.5	4.7	2.0	5.8
	1904	1,569	1,387	778	596	182	791	4.8	5.8	3.7	5.0	2.0	6.7
Cancer of mouth	1900	495	367	318	190	128	177	1.6	1.7	1.6	1.8	1.4	1.6
	1901	612	473	373	234	139	239	2.0	2.1	1.8	2.1	1.5	2.2
	1902	583	429	368	214	154	215	1.8	1.9	1.8	1.9	1.7	1.9
	1903	661	478	427	244	183	234	2.0	2.1	2.0	2.1	2.0	2.0
	1904	737	550	458	271	187	279	2.2	2.3	2.1	2.3	2.0	2.4
Cancer of stomach and liver	1900	6,918	4,925	4,474	2,481	1,993	2,444	22.5	22.9	22.4	23.3	21.5	22.6
	1901	7,095	5,149	4,664	2,718	1,946	2,431	22.7	23.3	23.0	24.3	21.4	22.2
	1902	7,483	5,413	4,881	2,811	2,070	2,602	23.5	23.9	23.7	24.6	22.6	23.2
	1903	8,193	5,954	5,267	3,028	2,239	2,926	25.3	25.7	25.2	25.8	24.3	25.5
	1904	8,744	6,301	5,660	3,217	2,443	3,084	26.5	26.6	26.6	26.8	26.4	26.3
Cancer of intestines	1900	1,760	1,313	1,185	738	447	575	5.7	6.1	5.9	6.9	4.8	5.3
	1901	2,157	1,655	1,471	969	502	686	6.9	7.5	7.3	8.7	5.5	6.3
	1902	2,239	1,658	1,514	933	581	725	7.0	7.3	7.3	8.2	6.3	6.5
	1903	2,134	1,597	1,469	932	537	665	6.6	6.9	7.0	8.0	5.8	5.8
	1904	2,399	1,798	1,633	1,032	601	766	7.3	7.6	7.7	8.6	6.5	6.5
Cancer of female genital organs[2]	1900	2,696	2,079	1,638	1,021	617	1,058	17.5	19.2	16.4	18.8	13.6	19.6
	1901	2,919	2,246	1,830	1,177	673	1,069	18.7	20.1	18.2	20.7	15.1	19.5
	1902	3,033	2,418	1,844	1,229	615	1,189	19.1	21.2	17.9	21.1	13.8	21.2
	1903	3,289	2,603	2,033	1,347	686	1,256	20.3	22.2	19.4	22.6	15.3	21.9
	1904	3,436	2,713	2,143	1,420	723	1,293	20.8	22.7	20.2	23.3	16.0	22.1
Cancer of breast	1900	1,433	991	1,015	573	442	418	4.7	4.6	5.1	5.4	4.8	3.9
	1901	1,647	1,169	1,119	641	478	528	5.3	5.3	5.5	5.7	5.2	4.8
	1902	1,750	1,221	1,210	681	529	540	5.5	5.4	5.9	5.9	5.8	4.8
	1903	1,787	1,269	1,251	733	518	536	5.5	5.5	6.0	6.3	5.6	4.7
	1904	2,030	1,489	1,367	826	541	663	6.2	6.3	6.4	6.9	5.8	5.7

[1] Less than one-tenth.

[2] Rates based on approximate female population.

TABLE V.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE MAIN SUBDIVISIONS OF THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Cancer of skin	1900	602	356	425	179	246	177	2.0	1.7	2.1	1.7	2.6	1.6
	1901	683	403	496	216	280	187	2.2	1.8	2.4	1.9	3.1	1.7
	1902	688	406	478	196	282	210	2.2	1.8	2.3	1.7	3.1	1.9
	1903	752	434	536	218	318	216	2.3	1.9	2.6	1.9	3.5	1.9
	1904	758	429	551	222	329	207	2.3	1.8	2.6	1.9	3.5	1.8
Cancer of other or unspecified organs	1900	5,477	3,641	3,714	1,878	1,836	1,763	17.8	17.0	18.6	17.6	19.8	16.3
	1901	5,058	3,355	3,465	1,762	1,703	1,593	16.2	15.1	17.1	15.8	18.7	14.5
	1902	5,071	3,493	3,358	1,780	1,578	1,713	15.9	15.4	16.3	15.6	17.2	15.3
	1903	5,509	3,838	3,667	1,996	1,671	1,842	17.0	16.5	17.5	17.0	18.1	16.0
	1904	5,291	3,760	3,435	1,904	1,531	1,856	16.0	15.8	16.2	15.9	16.5	15.8
Tumor	1900	581	350	394	163	231	187	1.9	1.6	2.0	1.5	2.5	1.7
	1901	505	336	332	163	169	173	1.6	1.5	1.6	1.5	1.9	1.6
	1902	459	321	287	149	138	172	1.4	1.4	1.4	1.3	1.5	1.5
	1903	531	363	355	187	168	176	1.6	1.6	1.7	1.6	1.8	1.5
	1904	444	290	294	140	154	150	1.4	1.2	1.4	1.2	1.7	1.3
Rheumatism	1900	2,931	2,005	2,009	1,083	926	922	9.5	9.3	10.1	10.1	10.0	8.5
	1901	2,985	2,137	1,949	1,101	848	1,036	9.6	9.6	9.6	9.9	9.3	9.4
	1902	2,661	1,797	1,739	895	864	902	8.4	7.9	8.5	7.8	9.4	8.0
	1903	2,785	2,017	1,772	1,004	768	1,013	8.6	8.7	8.5	8.6	8.3	8.8
	1904	3,187	2,287	2,053	1,153	900	1,134	9.7	9.6	9.7	9.6	9.7	9.7
Diabetes	1900	2,996	1,991	2,187	1,182	1,005	809	9.7	9.3	11.0	11.1	10.8	7.5
	1901	3,212	2,230	2,339	1,357	982	873	10.3	10.0	11.5	12.1	10.8	8.0
	1902	3,312	2,256	2,411	1,355	1,056	901	10.4	9.9	11.7	11.8	11.5	8.0
	1903	3,681	2,559	2,650	1,528	1,122	1,031	11.3	11.0	12.6	13.0	12.2	9.0
	1904	4,259	3,017	3,036	1,794	1,242	1,223	12.9	12.7	14.3	15.0	13.4	10.4
Anemia, leukemia	1900	1,939	1,234	1,350	645	705	589	6.3	5.7	6.8	6.0	7.6	5.5
	1901	1,886	1,294	1,289	697	592	597	6.0	5.8	6.4	6.2	6.5	5.4
	1902	1,895	1,293	1,241	639	602	654	6.0	5.7	6.0	5.6	6.6	5.8
	1903	1,908	1,277	1,277	646	631	631	5.9	5.5	6.1	5.5	6.9	5.5
	1904	2,007	1,305	1,376	674	702	631	6.1	5.5	6.5	5.6	7.6	5.4
Alcoholism	1900	1,962	1,657	1,063	758	305	899	6.4	7.7	5.3	7.1	3.3	8.3
	1901	1,870	1,591	1,016	737	279	854	6.0	7.2	5.0	6.6	3.1	7.8
	1902	1,943	1,644	1,080	781	299	863	6.1	7.2	5.2	6.8	3.3	7.7
	1903	2,163	1,796	1,290	923	367	873	6.7	7.7	6.2	7.9	4.0	7.6
	1904	1,927	1,608	1,128	809	319	799	5.8	6.8	5.3	6.7	3.4	6.8
Chronic poisonings	1900	161	116	91	46	45	70	0.5	0.5	0.5	0.4	0.5	0.6
	1901	221	161	137	77	60	84	0.7	0.7	0.7	0.7	0.7	0.8
	1902	252	176	159	83	76	93	0.8	0.8	0.8	0.7	0.8	0.8
	1903	300	222	175	97	78	125	0.9	1.0	0.8	0.8	0.8	1.1
	1904	254	177	148	71	77	106	0.8	0.7	0.7	0.6	0.8	0.9
Other general diseases	1900	443	309	299	165	134	144	1.4	1.4	1.5	1.5	1.4	1.3
	1901	627	425	417	215	202	210	2.0	1.9	2.1	1.9	2.2	1.9
	1902	589	408	377	196	181	212	1.8	1.8	1.8	1.7	2.0	1.9
	1903	677	461	442	226	216	235	2.1	2.0	2.1	1.9	2.3	2.0
	1904	667	475	413	221	192	254	2.0	2.0	1.9	1.8	2.1	2.2
II.—Diseases of nervous system	1900	64,232	45,171	41,092	22,031	19,061	23,140	208.8	210.3	205.9	206.4	205.2	214.2
	1901	60,431	42,357	39,550	21,476	18,074	20,881	193.3	191.3	194.9	192.2	198.4	190.3
	1902	59,313	42,302	38,260	21,249	17,011	21,053	186.3	186.5	185.6	185.5	185.7	187.5
	1903	58,319	41,046	38,152	20,879	17,273	20,167	179.8	176.8	182.2	178.1	187.5	175.5
	1904	60,581	42,574	40,696	22,689	18,007	19,885	183.6	179.4	191.4	189.2	194.2	169.5
Encephalitis	1900	1,030	601	646	217	429	384	3.3	2.8	3.2	2.0	4.6	3.6
	1901	831	502	526	197	329	305	2.7	2.3	2.6	1.8	3.6	2.8
	1902	716	458	432	174	258	284	2.2	2.0	2.1	1.5	2.8	2.5
	1903	609	423	335	149	186	274	1.9	1.8	1.6	1.2	2.0	2.4
	1904	530	359	312	141	171	218	1.6	1.5	1.5	1.2	1.8	1.9
Meningitis	1900	12,578	9,645	8,103	5,170	2,933	4,475	40.9	44.9	40.6	48.4	31.6	41.4
	1901	10,430	8,079	6,670	4,319	2,351	3,760	33.4	36.5	32.9	38.7	25.8	34.3
	1902	9,981	7,992	6,138	4,149	1,989	3,843	31.3	35.3	29.8	36.2	21.7	34.2
	1903	9,213	7,222	5,851	3,860	1,991	3,362	28.4	31.1	27.9	32.9	21.6	29.2
	1904	10,553	8,482	7,275	5,204	2,071	3,278	32.0	35.8	34.2	43.4	22.3	27.9
Locomotor ataxia	1900	593	411	393	211	182	200	1.9	1.9	2.0	2.0	2.0	1.8
	1901	722	524	456	258	198	266	2.3	2.4	2.2	2.3	2.2	2.4
	1902	691	498	432	239	193	259	2.2	2.2	2.1	2.1	2.1	2.3
	1903	813	579	511	277	234	302	2.5	2.5	2.4	2.4	2.5	2.6
	1904	820	560	545	285	260	275	2.5	2.4	2.6	2.4	2.8	2.3
Other diseases of spinal cord	1900	1,329	856	951	478	473	378	4.3	4.0	4.8	4.5	5.1	3.5
	1901	1,428	938	1,000	510	490	428	4.6	4.2	4.9	4.6	5.4	3.9
	1902	1,454	1,008	993	547	446	461	4.6	4.4	4.8	4.8	4.9	4.1
	1903	1,685	1,131	1,157	603	554	528	5.2	4.9	5.5	5.1	6.0	4.6
	1904	1,653	1,097	1,177	621	556	476	5.0	4.6	5.5	5.2	6.0	4.1
Apoplexy	1900	20,772	14,269	14,465	7,962	6,503	6,307	67.5	66.4	72.5	74.6	70.0	58.4
	1901	21,390	14,577	15,086	8,273	6,813	6,304	68.4	65.9	74.4	74.0	74.8	57.5
	1902	21,862	14,912	15,427	8,477	6,950	6,435	68.7	65.8	74.8	74.0	75.9	57.3
	1903	22,311	14,931	15,930	8,550	7,380	6,381	68.8	64.3	76.1	72.9	80.1	55.5
	1904	23,828	15,943	17,090	9,205	7,885	6,738	72.2	67.2	80.4	76.7	85.1	57.4
Softening of brain	1900	1,246	711	808	273	535	438	4.0	3.3	4.0	2.6	5.8	4.1
	1901	1,241	737	814	310	504	427	4.0	3.3	4.0	2.8	5.5	3.9
	1902	1,197	700	761	264	497	436	3.8	3.1	3.7	2.3	5.4	3.9
	1903	1,258	782	792	316	476	466	3.9	3.4	3.8	2.7	5.2	4.1
	1904	1,250	775	816	341	475	434	3.8	3.3	3.8	2.8	5.1	3.7

TABLE V.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE MAIN SUBDIVISIONS OF THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Paralysis	1900	7,950	4,455	5,238	1,743	3,495	2,712	25.9	20.8	26.2	16.3	37.6	25.1
	1901	7,220	4,075	4,896	1,751	3,145	2,324	23.1	18.4	24.1	15.7	34.5	21.2
	1902	6,674	3,982	4,345	1,653	2,692	2,329	21.0	17.6	21.1	14.4	29.4	20.8
	1903	6,609	3,845	4,355	1,591	2,764	2,254	20.4	16.5	20.8	13.6	30.0	19.6
	1904	6,431	3,695	4,324	1,588	2,736	2,107	19.5	15.6	20.3	13.2	29.5	18.0
General paralysis of insane	1900	1,955	1,256	1,476	777	699	479	6.4	5.8	7.4	7.3	7.5	4.4
	1901	2,069	1,340	1,477	748	729	592	6.6	6.1	7.3	6.7	8.0	5.4
	1902	2,238	1,472	1,609	843	766	629	7.0	6.5	7.8	7.4	8.4	5.6
	1903	2,152	1,410	1,542	800	742	610	6.6	6.1	7.4	6.8	8.1	5.3
	1904	2,263	1,469	1,670	876	794	593	6.9	6.2	7.9	7.3	8.6	5.1
Other forms of mental disease	1900	1,325	978	809	462	347	516	4.3	4.6	4.1	4.3	3.7	4.8
	1901	1,232	914	802	484	318	430	3.9	4.1	4.0	4.3	3.5	3.9
	1902	1,207	885	775	453	322	432	3.8	3.9	3.8	4.0	3.5	3.9
	1903	1,232	902	794	464	330	438	3.8	3.9	3.8	4.0	3.6	3.8
	1904	1,139	795	725	381	344	414	3.4	3.3	3.4	3.2	3.7	3.5
Other diseases of brain	1900	1,607	1,074	1,092	559	533	515	5.2	5.0	5.5	5.2	5.8	4.8
	1901	1,550	1,070	1,040	560	480	510	5.0	4.8	5.1	5.0	5.3	4.6
	1902	1,445	1,051	959	565	394	486	4.5	4.6	4.7	4.9	4.3	4.3
	1903	1,456	1,085	941	570	371	515	4.5	4.7	4.5	4.9	4.0	4.5
	1904	1,341	956	900	515	385	441	4.1	4.0	4.2	4.3	4.2	3.8
Epilepsy	1900	1,337	777	983	423	560	354	4.4	3.6	4.9	4.0	6.0	3.3
	1901	1,417	852	1,017	452	565	400	4.5	3.8	5.0	4.0	6.2	3.6
	1902	1,483	933	1,016	466	550	467	4.7	4.1	4.9	4.1	6.0	4.2
	1903	1,512	972	1,065	525	540	447	4.6	4.2	5.1	4.5	5.9	3.9
	1904	1,481	906	1,076	501	575	405	4.5	3.8	5.1	4.2	6.2	3.4
Convulsions	1900	10,011	8,226	4,876	3,091	1,785	5,135	32.6	38.3	24.4	29.0	19.2	47.5
	1901	8,517	7,006	4,437	2,926	1,511	4,080	27.2	31.6	21.9	26.2	16.6	37.2
	1902	7,987	6,586	4,089	2,688	1,401	3,898	25.1	29.0	19.8	23.5	15.3	34.7
	1903	6,833	5,672	3,539	2,378	1,161	3,294	21.1	24.4	16.9	20.3	12.6	28.7
	1904	6,802	5,632	3,439	2,269	1,170	3,363	20.6	23.7	16.2	18.9	12.6	28.7
Tetanus	1900	1,354	1,166	476	288	188	878	4.4	5.4	2.4	2.7	2.0	8.1
	1901	1,129	947	458	276	182	671	3.6	4.3	2.2	2.5	2.0	6.1
	1902	1,158	1,000	448	290	158	710	3.6	4.4	2.2	2.5	1.7	6.3
	1903	1,326	1,165	472	311	161	854	4.1	5.0	2.3	2.7	1.7	7.4
	1904	1,105	921	445	261	184	660	3.3	3.9	2.1	2.2	2.0	5.6
Other diseases of nervous system	1900	1,145	746	776	377	399	369	3.7	3.5	3.9	3.5	4.3	3.4
	1901	1,255	796	871	412	459	384	4.0	3.6	4.3	3.7	5.0	3.5
	1902	1,220	825	836	441	395	384	3.8	3.6	4.0	3.8	4.3	3.4
	1903	1,310	927	868	485	383	442	4.0	4.0	4.1	4.1	4.2	3.8
	1904	1,385	984	902	501	401	483	4.2	4.1	4.2	4.2	4.3	4.1
III.—Diseases of circulatory system	1900	45,279	31,660	30,222	16,603	13,619	15,057	147.2	147.4	151.4	155.6	146.6	139.4
	1901	46,250	32,595	31,103	17,449	13,654	15,147	148.0	147.2	153.3	156.1	149.9	138.1
	1902	49,233	35,081	33,043	18,891	14,152	16,190	154.6	154.7	160.3	164.9	154.5	144.2
	1903	52,275	36,743	35,188	19,656	15,532	17,087	161.2	158.2	168.0	167.6	168.6	148.7
	1904	57,220	40,191	38,690	21,661	17,029	18,530	173.4	169.4	182.0	180.6	183.6	158.0
Pericarditis	1900	809	582	480	253	227	329	2.6	2.7	2.4	2.4	2.4	3.0
	1901	748	553	401	206	195	347	2.4	2.5	2.0	1.8	2.2	3.2
	1902	753	564	404	215	189	349	2.4	2.5	2.0	1.9	2.1	3.1
	1903	664	480	360	176	184	304	2.0	2.1	1.7	1.5	2.0	2.6
	1904	624	452	372	200	172	252	1.9	1.9	1.8	1.7	1.8	2.2
Endocarditis	1900	3,654	3,162	2,415	1,923	492	1,239	11.9	14.7	12.1	18.0	5.3	11.5
	1901	3,299	2,888	2,112	1,701	411	1,187	10.6	13.1	10.4	15.2	4.5	10.8
	1902	3,681	3,211	2,337	1,867	470	1,344	11.6	14.2	11.3	16.3	5.1	12.0
	1903	3,202	2,755	1,976	1,529	447	1,226	9.9	11.9	9.4	13.0	4.9	10.7
	1904	3,880	3,348	2,315	1,783	532	1,565	11.8	14.1	10.9	14.9	5.7	13.3
Heart disease	1900	34,210	23,255	23,162	12,207	10,955	11,048	111.2	108.3	116.0	114.4	117.9	102.3
	1901	35,586	24,378	24,413	13,205	11,208	11,173	113.9	110.1	120.3	118.2	123.0	101.8
	1902	37,577	26,004	25,710	14,137	11,573	11,867	118.0	114.7	124.7	123.4	126.3	105.7
	1903	40,704	27,901	27,872	15,069	12,803	12,832	125.5	120.1	133.1	128.5	139.0	111.6
	1904	44,472	30,436	30,724	16,688	14,036	13,748	134.8	128.3	144.5	139.1	151.4	117.2
Angina pectoris	1900	1,958	1,205	1,370	617	753	588	6.4	5.6	6.9	5.8	8.1	5.4
	1901	1,981	1,201	1,403	623	780	578	6.3	5.4	6.9	5.6	8.6	5.3
	1902	2,080	1,304	1,474	698	776	606	6.5	5.7	7.1	6.1	8.5	5.4
	1903	2,192	1,344	1,589	741	848	603	6.8	5.8	7.6	6.3	9.2	5.3
	1904	2,180	1,375	1,514	709	805	666	6.6	5.8	7.1	5.9	8.7	5.7
Diseases of arteries	1900	1,876	1,513	1,028	665	363	848	6.1	7.0	5.2	6.2	3.9	7.8
	1901	2,132	1,734	1,171	773	398	961	6.8	7.8	5.8	6.9	4.4	8.8
	1902	2,629	2,131	1,532	1,034	498	1,097	8.2	9.4	7.4	9.0	5.4	9.8
	1903	2,908	2,291	1,761	1,144	617	1,147	9.0	9.9	8.4	9.8	6.7	10.0
	1904	3,516	2,720	2,143	1,347	796	1,373	10.7	11.5	10.1	11.2	8.6	11.7
Embolism and thrombosis	1900	1,219	841	842	464	378	377	4.0	3.9	4.2	4.3	4.1	3.5
	1901	1,261	931	843	513	330	418	4.0	4.2	4.1	4.6	3.6	3.8
	1902	1,306	965	858	517	341	448	4.1	4.2	4.2	4.5	3.7	4.0
	1903	1,449	1,116	954	621	333	495	4.5	4.8	4.6	5.3	3.6	4.3
	1904	1,401	1,021	942	562	380	459	4.2	4.3	4.4	4.7	4.1	3.9
Diseases of veins	1900	153	119	102	68	34	51	0.5	0.6	0.5	0.6	0.4	0.5
	1901	175	127	114	66	48	61	0.6	0.6	0.6	0.6	0.5	0.6
	1902	153	119	103	69	34	50	0.5	0.5	0.5	0.6	0.4	0.4
	1903	176	131	107	62	45	69	0.5	0.5	0.5	0.5	0.5	0.6
	1904	202	150	134	82	52	68	0.6	0.6	0.6	0.7	0.6	0.6

TABLE V.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE MAIN SUBDIVISIONS OF THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Diseases of lymphatics	1900	76	55	48	27	21	28	0.2	0.3	0.2	0.3	0.2	0.3
	1901	57	49	33	25	8	24	0.2	0.2	0.2	0.2	0.1	0.2
	1902	53	37	34	18	16	19	0.2	0.2	0.2	0.2	0.2	0.2
	1903	58	47	37	26	11	21	0.2	0.2	0.2	0.2	0.1	0.2
	1904	83	69	50	36	14	33	0.2	0.3	0.2	0.3	0.1	0.3
Other diseases of circulatory system	1900	1,324	928	775	379	396	549	4.3	4.3	3.9	3.6	4.3	5.1
	1901	1,011	735	613	337	276	398	3.2	3.3	3.0	3.0	3.0	3.6
	1902	1,001	746	591	336	255	410	3.1	3.3	2.9	2.9	2.8	3.6
	1903	922	678	532	288	244	390	2.8	2.9	2.5	2.5	2.6	3.4
	1904	862	620	496	254	242	366	2.6	2.6	2.4	2.1	2.6	3.1
IV.—Diseases of respiratory system	1900	78,832	61,589	49,537	32,294	17,243	29,295	256.2	286.8	248.2	302.6	185.7	271.1
	1901	72,080	55,541	46,124	29,585	16,539	25,956	230.6	250.8	227.4	264.7	181.5	236.6
	1902	71,027	56,842	44,118	29,933	14,185	26,909	223.1	250.6	214.0	261.4	154.9	239.7
	1903	70,930	56,765	43,945	29,780	14,165	26,985	218.7	244.5	209.9	254.0	153.8	234.8
	1904	76,975	61,476	48,678	33,179	15,499	28,297	233.3	259.1	228.9	276.7	167.1	241.2
Laryngitis	1900	519	378	338	197	141	181	1.7	1.8	1.7	1.8	1.5	1.7
	1901	490	359	327	196	131	163	1.6	1.6	1.6	1.8	1.4	1.5
	1902	456	359	299	202	97	157	1.4	1.6	1.5	1.8	1.1	1.4
	1903	397	297	251	151	100	146	1.2	1.3	1.2	1.3	1.1	1.3
	1904	349	253	228	132	96	121	1.1	1.1	1.1	1.1	1.0	1.0
Other diseases of larynx	1900	406	321	237	152	85	169	1.3	1.5	1.2	1.4	0.9	1.6
	1901	348	278	216	146	70	132	1.1	1.2	1.1	1.3	0.8	1.2
	1902	381	311	221	151	70	160	1.2	1.4	1.1	1.3	0.8	1.4
	1903	390	311	227	148	79	163	1.2	1.3	1.1	1.3	0.9	1.4
	1904	361	290	226	155	71	135	1.1	1.2	1.0	1.3	0.8	1.2
Diseases of thyroid body	1900	67	38	43	14	29	24	0.2	0.2	0.2	0.1	0.3	0.2
	1901	90	63	54	27	27	36	0.3	0.3	0.3	0.2	0.3	0.3
	1902	93	70	50	27	23	43	0.3	0.3	0.2	0.2	0.3	0.4
	1903	93	68	51	26	25	42	0.3	0.3	0.2	0.2	0.3	0.4
	1904	97	76	58	37	21	39	0.3	0.3	0.3	0.3	0.2	0.3
Acute bronchitis	1900	8,135	6,583	5,245	3,693	1,552	2,890	26.4	30.6	26.3	34.6	16.7	26.7
	1901	7,040	5,571	4,669	3,200	1,469	2,371	22.5	25.2	23.0	28.6	16.1	21.6
	1902	7,588	6,248	4,993	3,653	1,340	2,595	23.8	27.6	24.2	31.9	14.6	23.1
	1903	6,842	5,433	4,478	3,069	1,409	2,364	21.1	23.4	21.4	26.2	15.3	20.6
	1904	6,910	5,646	4,472	3,208	1,264	2,438	21.0	23.8	21.0	26.7	13.6	20.8
Chronic bronchitis	1900	5,924	4,544	3,786	2,406	1,380	2,138	19.3	21.1	18.9	22.6	14.9	19.8
	1901	5,425	4,132	3,502	2,209	1,293	1,923	17.3	18.7	17.3	19.8	14.2	17.5
	1902	4,993	3,881	3,119	2,007	1,112	1,874	15.7	17.1	15.1	17.5	12.1	16.7
	1903	5,005	3,842	3,030	1,867	1,163	1,975	15.4	16.6	14.5	15.9	12.6	17.2
	1904	5,021	3,754	3,099	1,832	1,267	1,922	15.2	15.8	14.6	15.3	13.7	16.4
Bronchopneumonia	1900	6,733	5,318	4,553	3,138	1,415	2,180	21.9	24.8	22.8	29.4	15.2	20.2
	1901	8,894	7,248	6,234	4,588	1,646	2,660	28.5	32.7	30.7	41.1	18.1	24.2
	1902	10,153	8,688	7,063	5,598	1,465	3,090	31.9	38.3	34.3	48.9	16.0	27.5
	1903	10,964	9,235	7,672	5,943	1,729	3,292	33.8	39.8	36.7	50.7	18.8	28.7
	1904	12,219	10,222	8,542	6,545	1,997	3,677	37.0	43.1	40.2	54.6	21.5	31.4
Pneumonia	1900	48,780	38,201	30,477	19,898	10,579	18,303	158.6	177.9	152.7	186.5	113.9	169.4
	1901	41,715	31,800	26,296	16,381	9,915	15,419	133.5	143.6	129.6	146.6	108.8	140.6
	1902	39,715	31,390	23,999	15,674	8,325	15,716	124.7	138.4	116.4	136.9	90.9	140.0
	1903	39,764	31,792	23,763	15,791	7,972	16,001	122.6	136.9	113.5	134.7	86.6	139.2
	1904	44,957	35,899	27,804	18,716	9,088	17,153	136.3	151.2	130.7	156.1	98.0	146.2
Pleurisy	1900	1,448	1,189	916	657	259	532	4.7	5.5	4.6	6.2	2.8	4.9
	1901	1,469	1,186	925	642	283	544	4.7	5.3	4.6	5.7	3.1	5.0
	1902	1,442	1,200	872	630	242	570	4.5	5.3	4.2	5.5	2.6	5.1
	1903	1,463	1,199	929	665	264	534	4.5	5.2	4.4	5.7	2.9	4.6
	1904	1,598	1,293	1,032	727	305	566	4.8	5.5	4.8	6.1	3.3	4.8
Congestion of lungs	1900	3,504	2,493	2,156	1,145	1,011	1,348	11.4	11.6	10.8	10.7	10.9	12.5
	1901	3,254	2,337	2,039	1,122	917	1,215	10.4	10.6	10.1	10.0	10.1	11.1
	1902	2,978	2,212	1,747	981	766	1,231	9.4	9.7	8.5	8.6	8.4	11.0
	1903	2,885	2,116	1,824	1,055	769	1,061	8.9	9.1	8.7	9.0	8.3	9.2
	1904	2,597	1,866	1,632	901	731	965	7.9	7.9	7.7	7.5	7.9	8.2
Gangrene of lungs	1900	125	101	76	52	24	49	0.4	0.5	0.4	0.5	0.3	0.4
	1901	172	143	106	77	29	66	0.5	0.6	0.5	0.7	0.3	0.6
	1902	196	161	107	72	35	89	0.6	0.7	0.5	0.6	0.4	0.8
	1903	132	102	82	52	30	50	0.4	0.4	0.4	0.4	0.3	0.4
	1904	157	119	100	62	38	57	0.5	0.5	0.5	0.5	0.4	0.5
Asthma and emphysema	1900	1,614	1,294	783	463	320	831	5.2	6.0	3.9	4.3	3.4	7.7
	1901	1,527	1,213	795	481	314	732	4.9	5.5	3.9	4.3	3.4	6.7
	1902	1,521	1,205	784	468	316	737	4.8	5.3	3.8	4.1	3.4	6.6
	1903	1,509	1,237	728	456	272	781	4.7	5.3	3.5	3.9	3.0	6.8
	1904	1,396	1,124	700	428	272	696	4.2	4.7	3.3	3.6	2.9	5.9
Hemorrhage of lungs	1900	871	662	475	266	209	396	2.8	3.1	2.4	2.5	2.3	3.7
	1901	844	665	450	271	179	394	2.7	3.0	2.2	2.4	2.0	3.6
	1902	773	615	414	256	158	359	2.4	2.7	2.0	2.2	1.7	3.2
	1903	753	615	428	290	138	325	2.3	2.7	2.0	2.5	1.5	2.8
	1904	675	531	386	242	144	289	2.0	2.2	1.8	2.0	1.6	2.5
Other diseases of respiratory system	1900	706	467	452	213	239	254	2.3	2.2	2.3	2.0	2.6	2.3
	1901	812	546	511	245	266	301	2.6	2.5	2.5	2.2	2.9	2.7
	1902	738	502	450	214	236	288	2.3	2.2	2.2	1.9	2.6	2.5
	1903	733	518	482	267	215	251	2.3	2.2	2.3	2.3	2.3	2.2
	1904	638	433	399	194	205	239	1.9	1.8	1.9	1.6	2.2	2.0

TABLE V.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE MAIN SUBDIVISIONS OF THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
V.—Diseases of digestive system	1900	69,607	51,706	45,812	27,911	17,901	23,795	226.2	240.7	229.5	261.5	192.7	220.2
	1901	62,950	48,484	40,526	26,060	14,466	22,424	201.4	218.9	199.8	233.2	158.8	204.4
	1902	61,192	47,821	38,021	24,650	13,371	23,171	192.2	210.9	184.5	215.2	146.0	206.4
	1903	61,219	47,671	38,069	24,521	13,548	23,150	188.8	205.3	181.8	209.1	147.1	201.4
	1904	66,125	51,856	41,427	27,158	14,269	24,698	200.4	218.6	194.8	226.5	153.9	210.5
Diseases of mouth	1900	270	180	169	79	90	101	0.9	0.8	0.8	0.7	1.0	0.9
	1901	256	185	161	90	71	95	0.8	0.8	0.8	0.8	0.8	0.9
	1902	229	170	128	69	59	101	0.7	0.7	0.6	0.6	0.6	0.9
	1903	235	177	138	80	58	97	0.7	0.8	0.6	0.7	0.6	0.8
	1904	256	196	146	86	60	110	0.8	0.8	0.7	0.7	0.6	0.9
Tonsilitis	1900	351	216	223	88	135	128	1.1	1.0	1.1	0.8	1.5	1.2
	1901	285	174	184	73	111	101	0.9	0.8	0.9	0.7	1.2	0.9
	1902	258	165	162	69	93	96	0.8	0.7	0.8	0.6	1.0	0.8
	1903	258	151	179	72	107	79	0.8	0.6	0.9	0.6	1.1	0.7
	1904	290	179	198	87	111	92	0.9	0.8	0.9	0.7	1.2	0.8
Other diseases of pharynx	1900	313	219	186	92	94	127	1.0	1.0	0.9	0.9	1.0	1.2
	1901	282	203	181	102	79	101	0.9	0.9	0.9	0.9	0.9	0.9
	1902	329	235	218	124	94	111	1.0	1.0	1.1	1.1	1.0	1.0
	1903	294	213	184	103	81	110	0.9	0.9	0.9	0.9	0.9	0.9
	1904	340	237	232	129	103	108	1.0	1.0	1.1	1.1	1.1	0.9
Ulcer of stomach	1900	804	569	534	299	235	270	2.6	2.6	2.7	2.8	2.5	2.5
	1901	871	645	566	340	226	305	2.8	2.9	2.8	3.0	2.5	2.8
	1902	905	689	608	392	216	297	2.8	3.0	2.9	3.4	2.4	2.6
	1903	905	669	565	329	236	340	2.8	2.9	2.7	2.8	2.6	2.9
	1904	1,044	791	643	390	253	401	3.2	3.3	3.0	3.3	2.7	3.4
Gastritis	1900	4,308	2,968	2,709	1,369	1,340	1,599	14.0	13.8	13.6	12.8	14.4	14.8
	1901	3,764	2,681	2,327	1,244	1,083	1,437	12.0	12.1	11.5	11.1	11.9	13.1
	1902	3,693	2,597	2,258	1,162	1,096	1,435	11.6	11.5	11.0	10.1	12.0	12.8
	1903	3,797	2,713	2,340	1,256	1,084	1,457	11.7	11.7	11.2	10.7	11.8	12.7
	1904	3,710	2,703	2,250	1,243	1,007	1,460	11.3	11.4	10.6	10.4	10.9	12.4
Other diseases of stomach	1900	2,093	1,236	1,520	663	857	573	6.8	5.8	7.6	6.2	9.2	5.3
	1901	1,840	1,170	1,296	626	670	544	5.9	5.3	6.4	5.6	7.4	5.0
	1902	1,869	1,188	1,301	620	681	568	5.9	5.2	6.3	5.4	7.4	5.1
	1903	1,991	1,201	1,469	679	790	522	6.1	5.2	7.0	5.8	8.6	4.5
	1904	2,233	1,412	1,598	777	821	635	6.8	6.0	7.5	6.5	8.9	5.4
Dentition	1900	699	639	332	272	60	367	2.3	3.0	1.7	2.5	0.6	3.4
	1901	342	305	158	121	37	184	1.1	1.4	0.8	1.1	0.4	1.7
	1902	321	287	133	99	34	188	1.0	1.3	0.6	0.9	0.4	1.7
	1903	210	185	68	43	25	142	0.6	0.8	0.3	0.4	0.3	1.2
	1904	173	150	57	34	23	116	0.5	0.6	0.3	0.3	0.2	1.0
Diarrhea and enteritis	1900	40,985	31,082	27,929	18,026	9,903	13,056	133.2	144.7	139.9	168.9	106.6	120.8
	1901	35,596	28,264	23,619	16,287	7,332	11,977	113.9	127.6	116.4	145.7	80.5	109.2
	1902	33,627	27,194	21,303	14,870	6,433	12,324	105.6	119.9	103.4	129.8	70.2	109.8
	1903	33,035	26,684	20,754	14,403	6,351	12,281	101.9	114.9	99.1	122.8	68.9	106.8
	1904	36,864	29,946	23,537	16,619	6,918	13,327	111.7	126.2	110.7	138.6	74.6	113.6
Hernia	1900	1,160	896	735	471	264	425	3.8	4.2	3.7	4.4	2.9	3.9
	1901	1,272	962	820	510	310	452	4.1	4.3	4.0	4.6	3.4	4.1
	1902	1,316	1,038	836	558	278	480	4.1	4.6	4.1	4.9	3.0	4.3
	1903	1,412	1,107	884	579	305	528	4.4	4.8	4.2	4.9	3.3	4.6
	1904	1,405	1,102	870	567	303	535	4.3	4.7	4.1	4.7	3.3	4.6
Obstruction of intestines	1900	2,586	1,851	1,637	902	735	949	8.4	8.6	8.2	8.5	7.9	8.8
	1901	2,666	1,957	1,657	948	709	1,009	8.5	8.8	8.2	8.5	7.8	9.2
	1902	2,691	2,073	1,644	1,026	618	1,047	8.5	9.2	8.0	9.0	6.8	9.3
	1903	2,844	2,087	1,799	1,042	757	1,045	8.8	9.0	8.6	8.9	8.2	9.1
	1904	3,040	2,289	1,900	1,149	751	1,140	9.2	9.7	8.9	9.6	8.1	9.7
Other diseases of intestines	1900	1,007	639	636	268	368	371	3.3	3.0	3.2	2.5	4.0	3.4
	1901	982	665	649	332	317	333	3.1	3.0	3.2	3.0	3.5	3.0
	1902	961	620	641	300	341	320	3.0	2.7	3.1	2.6	3.7	2.8
	1903	944	638	614	308	306	330	2.9	2.7	2.9	2.6	3.3	2.9
	1904	969	665	626	322	304	343	2.9	2.8	2.9	2.7	3.3	2.9
Acute yellow atrophy of liver	1900	104	69	79	44	35	25	0.3	0.3	0.4	0.4	0.4	0.2
	1901	104	68	71	35	36	33	0.3	0.3	0.3	0.3	0.4	0.3
	1902	144	95	91	42	49	53	0.5	0.4	0.4	0.4	0.5	0.5
	1903	119	76	76	33	43	43	0.4	0.3	0.4	0.3	0.5	0.4
	1904	143	99	95	51	44	48	0.4	0.4	0.4	0.4	0.5	0.4
Hydatid tumors of liver	1900	10	8	8	6	2	2	[1]	[1]	[1]	0.1	[1]	[1]
	1901	8	8	4	4	.....	4	[1]	[1]	[1]	[1]	.....	[1]
	1902	14	11	10	7	3	4	[1]	[1]	[1]	0.1	[1]	[1]
	1903	9	6	8	5	3	1	[1]	[1]	[1]	[1]	[1]	[1]
	1904	12	7	10	5	5	2	[1]	[1]	[1]	[1]	[1]	[1]
Cirrhosis of liver	1900	3,970	3,159	2,503	1,692	811	1,467	12.9	14.7	12.6	15.9	8.7	13.6
	1901	4,265	3,461	2,647	1,843	804	1,618	13.7	15.7	13.1	16.5	8.8	14.8
	1902	4,460	3,618	2,671	1,829	842	1,789	14.0	16.0	13.0	16.0	9.2	15.9
	1903	4,731	3,813	2,834	1,916	918	1,897	14.6	16.4	13.5	16.3	10.0	16.5
	1904	5,020	4,048	2,958	1,986	972	2,062	15.2	17.1	13.9	16.6	10.5	17.6
Biliary calculi	1900	459	319	277	137	140	182	1.5	1.5	1.4	1.3	1.5	1.7
	1901	500	377	287	164	123	213	1.6	1.7	1.4	1.5	1.3	1.9
	1902	668	513	379	224	155	289	2.1	2.3	1.8	1.9	1.7	2.6
	1903	795	618	440	263	177	355	2.4	2.7	2.1	2.3	1.9	3.1
	1904	832	643	484	295	189	348	2.5	2.7	2.3	2.4	2.0	3.0

[1] Less than one-tenth.

TABLE V.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE MAIN SUBDIVISIONS OF THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Other diseases of liver	1900	2,730	1,794	1,714	778	936	1,016	8.9	8.4	8.6	7.2	10.1	9.4
	1901	2,558	1,688	1,633	763	870	925	8.2	7.6	8.0	6.8	9.5	8.4
	1902	2,483	1,672	1,567	756	811	916	7.8	7.4	7.6	6.6	8.9	8.2
	1903	2,545	1,735	1,593	783	810	952	7.8	7.5	7.6	6.7	8.8	8.3
	1904	2,340	1,593	1,484	737	747	856	7.1	6.7	7.0	6.1	8.1	7.3
Diseases of spleen	1900	89	51	62	24	38	27	0.3	0.2	0.3	0.2	0.4	0.2
	1901	82	50	52	20	32	30	0.3	0.2	0.3	0.2	0.3	0.3
	1902	89	61	63	35	28	26	0.3	0.3	0.3	0.3	0.3	0.2
	1903	88	62	57	31	26	31	0.3	0.2	0.3	0.3	0.3	0.3
	1904	76	51	57	32	25	19	0.2	0.2	0.3	0.3	0.3	0.2
Peritonitis	1900	4,639	3,395	2,765	1,521	1,244	1,874	15.1	15.8	13.9	14.3	13.4	17.4
	1901	4,091	3,019	2,391	1,319	1,072	1,700	13.1	13.7	11.8	11.8	11.8	15.5
	1902	3,824	2,894	2,119	1,189	930	1,705	12.0	12.8	10.3	10.4	10.2	15.2
	1903	3,333	2,503	1,981	1,151	830	1,352	10.3	10.8	9.5	9.8	9.0	11.8
	1904	3,331	2,394	1,991	1,054	937	1,340	10.1	10.1	9.4	8.8	10.1	11.4
Appendicitis	1900	2,987	2,382	1,763	1,158	605	1,224	9.7	11.1	8.8	10.9	6.5	11.3
	1901	3,131	2,553	1,794	1,216	578	1,337	10.0	11.5	8.9	10.9	6.3	12.2
	1902	3,216	2,629	1,825	1,238	587	1,391	10.1	11.6	8.9	10.8	6.4	12.4
	1903	3,589	2,965	2,031	1,407	624	1,558	11.1	12.8	9.7	12.0	6.8	13.6
	1904	3,946	3,267	2,224	1,545	679	1,722	12.0	13.8	10.5	12.9	7.3	14.7
Other diseases of digestive system	1900	43	34	31	22	9	12	0.1	0.2	0.1	0.2	0.1	0.1
	1901	55	49	29	23	6	26	0.2	0.2	0.1	0.2	0.1	0.2
	1902	95	72	64	41	23	31	0.3	0.3	0.3	0.3	0.3	0.3
	1903	85	68	55	38	17	30	0.3	0.3	0.3	0.3	0.2	0.3
	1904	101	84	67	50	17	34	0.3	0.3	0.3	0.4	0.2	0.3
VI.—Diseases of genito-urinary system	1900	32,567	24,996	21,189	13,618	7,571	11,378	105.9	116.4	106.2	127.6	81.5	105.3
	1901	33,489	25,976	21,650	14,137	7,513	11,839	107.2	117.3	106.7	126.5	82.5	107.9
	1902	34,608	26,944	22,149	14,485	7,664	12,459	108.7	118.8	107.5	126.5	83.7	111.0
	1903	38,013	29,752	23,882	15,621	8,261	14,131	117.2	128.1	114.0	133.2	89.7	122.9
	1904	40,450	31,724	25,629	16,903	8,726	14,821	122.6	133.7	120.5	140.9	94.1	126.3
Acute nephritis	1900	2,312	1,929	1,536	1,153	383	776	7.5	9.0	7.7	10.8	4.1	7.2
	1901	2,498	2,033	1,745	1,280	465	753	8.0	9.2	8.6	11.5	5.1	6.8
	1902	2,983	2,470	2,038	1,525	513	945	9.4	10.9	9.9	13.3	5.6	8.4
	1903	3,173	2,613	2,116	1,556	560	1,057	9.8	11.2	10.1	13.3	6.1	9.2
	1904	3,470	2,852	2,277	1,659	618	1,193	10.5	12.0	10.7	13.8	6.7	10.2
Bright's disease	1900	25,065	19,515	16,163	10,613	5,550	8,902	81.5	90.9	81.0	99.4	59.8	82.4
	1901	25,507	19,968	16,450	10,911	5,539	9,057	81.6	90.1	81.1	97.6	60.8	82.6
	1902	26,136	20,439	16,604	10,907	5,697	9,532	82.1	90.1	80.6	95.3	62.2	84.9
	1903	28,641	22,463	18,042	11,864	6,178	10,599	88.3	96.8	86.2	101.2	67.1	92.2
	1904	30,911	24,349	19,574	13,012	6,562	11,337	93.7	102.7	92.1	108.5	70.7	96.6
Other diseases of kidneys	1900	990	637	672	319	353	318	3.2	3.0	3.4	3.0	3.8	2.9
	1901	947	658	596	307	289	351	3.0	3.0	2.9	2.7	3.2	3.2
	1902	938	700	575	337	238	363	2.9	3.1	2.8	3.0	2.6	3.2
	1903	917	670	555	308	247	362	2.8	2.9	2.6	2.6	2.7	3.1
	1904	923	678	608	363	245	315	2.8	2.8	2.9	3.0	2.6	2.7
Calculi of urinary tract	1900	116	86	72	42	30	44	0.4	0.4	0.4	0.4	0.3	0.4
	1901	126	104	73	51	22	53	0.4	0.5	0.4	0.5	0.2	0.5
	1902	150	113	96	59	37	54	0.5	0.5	0.5	0.5	0.4	0.5
	1903	151	117	88	54	34	63	0.5	0.5	0.4	0.5	0.4	0.5
	1904	154	117	98	61	37	56	0.5	0.5	0.5	0.5	0.4	0.5
Diseases of bladder	1900	1,644	947	1,210	513	697	434	5.3	4.4	6.1	4.8	7.5	4.0
	1901	1,530	912	1,100	482	618	430	4.9	4.1	5.4	4.3	6.8	3.9
	1902	1,432	877	1,016	461	555	416	4.5	3.9	4.9	4.0	6.1	3.7
	1903	1,450	899	1,006	455	551	444	4.5	3.9	4.8	3.9	6.0	3.9
	1904	1,408	820	987	399	588	421	4.3	3.5	4.6	3.3	6.3	3.6
Uterine tumor[1]	1900	403	323	253	173	80	150	2.6	3.0	2.5	3.2	1.8	2.8
	1901	529	443	294	208	86	235	3.4	4.0	2.9	3.7	1.9	4.3
	1902	536	436	338	238	100	198	3.4	3.8	3.3	4.1	2.2	3.5
	1903	608	508	336	236	100	272	3.8	4.3	3.2	4.0	2.2	4.7
	1904	620	540	365	285	80	255	3.8	4.5	3.4	4.7	1.8	4.4
Other diseases of uterus[1]	1900	634	493	353	212	141	281	4.1	4.6	3.5	3.9	3.1	5.2
	1901	620	520	336	236	100	284	4.0	4.7	3.3	4.1	2.2	5.2
	1902	606	497	329	220	109	277	3.8	4.3	3.2	3.8	2.4	4.9
	1903	703	579	376	252	124	327	4.3	4.9	3.6	4.2	2.8	5.7
	1904	654	537	350	233	117	304	4.0	4.5	3.3	3.8	2.6	5.2
Ovarian tumor[1]	1900	349	253	234	138	96	115	2.3	2.3	2.3	2.5	2.1	2.1
	1901	411	318	260	167	93	151	2.6	2.8	2.6	2.9	2.1	2.8
	1902	428	338	265	175	90	163	2.7	3.0	2.6	3.0	2.0	2.9
	1903	430	362	239	162	77	200	2.7	3.1	2.3	2.7	1.7	3.5
	1904	433	342	255	164	91	178	2.6	2.9	2.4	2.7	2.0	3.0
Diseases of tubes[1]	1900	351	331	201	181	20	150	2.3	3.1	2.0	3.3	0.4	2.8
	1901	407	389	198	180	18	209	2.6	3.5	2.0	3.2	0.4	3.8
	1902	460	437	240	217	23	220	2.9	3.8	2.3	3.7	0.5	3.9
	1903	583	551	265	233	32	318	3.6	4.7	2.5	3.9	0.7	5.5
	1904	654	613	316	275	41	338	4.0	5.1	3.0	4.5	0.9	5.8
Other diseases of genito-urinary system	1900	703	482	495	274	221	208	2.3	2.2	2.5	2.6	2.4	1.9
	1901	914	631	598	315	283	316	3.0	2.8	2.9	2.8	3.1	2.9
	1902	939	637	648	346	302	291	3.0	2.8	3.1	3.0	3.3	2.6
	1903	1,348	990	859	501	358	489	4.1	4.3	4.1	4.2	3.9	4.3
	1904	1,223	876	799	452	347	424	3.7	3.7	3.8	3.8	3.7	3.6

[1] Rates based on approximate female population.

TABLE V.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE MAIN SUBDIVISIONS OF THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
VII.—Childbirth [1]	1900	4,106	3,019	2,682	1,595	1,087	1,424	26.7	27.9	26.9	29.3	23.9	26.4
	1901	4,294	3,197	2,704	1,607	1,097	1,590	27.5	28.6	26.7	28.2	24.7	29.1
	1902	4,164	3,113	2,626	1,575	1,051	1,538	26.2	27.2	25.5	27.0	23.5	27.5
	1903	4,569	3,450	2,778	1,659	1,119	1,791	28.2	29.5	26.5	27.8	24.9	31.2
	1904	5,109	3,861	3,216	1,968	1,248	1,893	31.0	32.3	30.2	32.2	27.6	32.4
Puerperal septicemia [1]	1900	1,769	1,327	1,155	713	442	614	11.5	12.3	11.6	13.1	9.7	11.4
	1901	1,882	1,419	1,124	661	463	758	12.1	12.7	11.1	11.6	10.4	13.9
	1902	1,813	1,431	1,092	710	382	721	11.4	12.5	10.6	12.2	8.6	12.9
	1903	1,992	1,554	1,153	715	438	839	12.3	13.3	11.0	12.0	9.8	14.6
	1904	2,291	1,780	1,403	892	511	888	13.9	14.9	13.2	14.6	11.3	15.2
Puerperal convulsions [1]	1900	671	488	442	259	183	229	4.4	4.5	4.4	4.8	4.0	4.2
	1901	803	583	546	326	220	257	5.1	5.2	5.4	5.7	5.0	4.7
	1902	768	543	517	292	225	251	4.8	4.7	5.0	5.0	5.0	4.5
	1903	929	662	594	327	267	335	5.7	5.7	5.7	5.5	5.9	5.8
	1904	1,075	763	713	401	312	362	6.5	6.4	6.7	6.6	6.9	6.2
Other causes incident to childbirth [1]	1900	1,666	1,204	1,085	623	462	581	10.8	11.1	10.9	11.4	10.2	10.8
	1901	1,609	1,195	1,034	620	414	575	10.3	10.7	10.2	10.9	9.3	10.5
	1902	1,583	1,139	1,017	573	444	566	10.0	10.0	9.9	9.8	9.9	10.1
	1903	1,648	1,234	1,031	617	414	617	10.2	10.5	9.8	10.3	9.2	10.8
	1904	1,743	1,318	1,100	675	425	643	10.6	11.0	10.3	11.0	9.4	11.0
VIII.—Diseases of skin	1900	2,461	1,642	1,664	845	819	797	8.0	7.6	8.3	7.9	8.8	7.4
	1901	2,419	1,611	1,603	795	808	816	7.7	7.3	7.9	7.1	8.9	7.4
	1902	2,269	1,488	1,515	734	781	754	7.1	6.6	7.3	6.4	8.5	6.7
	1903	2,470	1,696	1,610	836	774	860	7.6	7.3	7.7	7.1	8.4	7.5
	1904	2,397	1,576	1,643	822	821	754	7.3	6.6	7.7	6.9	8.9	6.4
Gangrene	1900	1,345	806	977	438	539	368	4.4	3.8	4.9	4.1	5.8	3.4
	1901	1,460	881	1,024	445	579	436	4.7	4.0	5.0	4.0	6.4	4.0
	1902	1,327	793	938	404	534	389	4.2	3.5	4.5	3.5	5.8	3.5
	1903	1,482	941	1,020	479	541	462	4.6	4.1	4.9	4.1	5.9	4.0
	1904	1,500	914	1,076	490	586	424	4.6	3.9	5.1	4.1	6.3	3.6
Carbuncle	1900	153	119	86	52	34	67	0.5	0.5	0.4	0.5	0.4	0.6
	1901	166	137	82	53	29	84	0.5	0.6	0.4	0.4	0.3	0.7
	1902	154	120	86	52	34	68	0.5	0.5	0.4	0.5	0.4	0.6
	1903	151	106	88	43	45	63	0.4	0.4	0.4	0.4	0.5	0.6
	1904	134	107	77	50	27	57	0.4	0.4	0.4	0.4	0.3	0.5
Abscess	1900	599	448	375	224	151	224	1.9	2.1	1.9	2.1	1.6	2.1
	1901	464	343	296	175	121	168	1.5	1.6	1.5	1.6	1.3	1.5
	1902	448	335	284	171	113	164	1.4	1.5	1.4	1.5	1.2	1.4
	1903	547	448	316	217	99	231	1.7	1.9	1.5	1.8	1.1	2.0
	1904	476	357	309	190	119	167	1.4	1.5	1.4	1.6	1.3	1.4
Other diseases of skin	1900	364	269	226	131	95	138	1.2	1.2	1.1	1.2	1.0	1.3
	1901	329	250	201	122	79	128	1.0	1.1	1.0	1.1	0.9	1.2
	1902	340	240	207	107	100	133	1.0	1.1	1.0	0.9	1.1	1.2
	1903	290	201	186	97	89	104	0.9	0.9	0.9	0.8	0.9	0.9
	1904	287	198	181	92	89	106	0.9	0.8	0.8	0.8	1.0	0.9
IX.—Diseases of locomotor system	1900	677	534	438	295	143	239	2.2	2.5	2.2	2.8	1.5	2.2
	1901	807	670	504	367	137	303	2.6	3.0	2.5	3.3	1.5	2.8
	1902	849	676	541	368	173	308	2.7	3.0	2.6	3.2	1.9	2.7
	1903	980	817	607	444	163	373	3.0	3.5	2.9	3.8	1.8	3.2
	1904	990	828	614	452	162	376	3.0	3.5	2.9	3.8	1.7	3.2
Diseases of bones	1900	558	441	352	235	117	206	1.8	2.1	1.8	2.2	1.2	1.9
	1901	642	539	405	302	103	237	2.1	2.4	2.0	2.7	1.1	2.2
	1902	715	569	470	324	146	245	2.3	2.5	2.3	2.8	1.6	2.2
	1903	829	701	508	380	128	321	2.5	3.0	2.4	3.2	1.4	2.8
	1904	861	723	538	400	138	323	2.6	3.0	2.6	3.3	1.5	2.7
Diseases of joints	1900	47	38	33	24	9	14	0.2	0.2	0.1	0.2	0.1	0.1
	1901	79	61	50	32	18	29	0.2	0.3	0.3	0.3	0.2	0.3
	1902	57	47	31	21	10	26	0.2	0.2	0.1	0.2	0.1	0.2
	1903	93	79	56	42	14	37	0.3	0.3	0.3	0.4	0.2	0.3
	1904	82	64	49	31	18	33	0.3	0.3	0.2	0.3	0.2	0.3
Other diseases of locomotor system	1900	72	55	53	36	17	19	0.2	0.2	0.3	0.4	0.2	0.2
	1901	86	70	49	33	16	37	0.3	0.3	0.2	0.3	0.2	0.3
	1902	77	60	40	23	17	37	0.2	0.3	0.2	0.2	0.2	0.3
	1903	58	37	43	22	21	15	0.2	0.2	0.2	0.2	0.2	0.1
	1904	47	41	27	21	6	20	0.1	0.2	0.1	0.2	[2]	0.2
X.—Malformations	1900	3,540	2,531	2,394	1,385	1,009	1,146	11.5	11.8	12.0	13.0	10.9	10.6
	1901	3,453	2,440	2,426	1,413	1,013	1,027	11.1	11.0	12.0	12.6	11.1	9.4
	1902	3,440	2,458	2,454	1,472	982	986	10.8	10.8	11.9	12.9	10.7	8.8
	1903	4,025	2,875	2,701	1,551	1,150	1,324	12.4	12.4	12.9	13.2	12.5	11.5
	1904	4,382	3,192	2,977	1,787	1,190	1,405	13.3	13.5	14.0	14.9	12.8	12.0
Hydrocephalus	1900	635	456	431	252	179	204	2.0	2.1	2.2	2.4	1.9	1.9
	1901	571	412	411	252	159	160	1.8	1.9	2.0	2.2	1.7	1.5
	1902	490	355	358	223	135	132	1.5	1.6	1.7	2.0	1.5	1.2
	1903	533	396	362	225	137	171	1.6	1.7	1.7	1.9	1.5	1.5
	1904	541	400	387	246	141	154	1.6	1.7	1.8	2.1	1.5	1.3
Congenital malformation of heart (cyanosis)	1900	1,871	1,416	1,202	747	455	669	6.1	6.6	6.0	7.0	4.9	6.2
	1901	1,794	1,293	1,217	716	501	577	5.8	5.8	6.0	6.4	5.5	5.3
	1902	1,875	1,387	1,288	800	488	587	5.9	6.1	6.3	7.0	5.3	5.2
	1903	2,141	1,553	1,408	820	588	733	6.6	6.7	6.7	7.0	6.4	6.4
	1904	2,434	1,817	1,616	999	617	818	7.4	7.7	7.6	8.3	6.7	7.0

[1] Rates based on approximate female population.

[2] Less than one-tenth.

TABLE V.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE MAIN SUBDIVISIONS OF THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Other congenital malformations	1900	1,034	659	661	386	375	273	3.4	3.1	3.8	3.6	4.1	2.5
	1901	1,088	735	798	445	353	290	3.5	3.3	4.0	4.0	3.9	2.6
	1902	1,075	716	808	449	359	267	3.4	3.1	3.9	3.9	3.9	2.4
	1903	1,351	926	931	506	425	420	4.2	4.0	4.5	4.3	4.6	3.6
	1904	1,407	975	974	542	432	433	4.3	4.1	4.6	4.5	4.6	3.7
XI.—Early infancy	1900	23,654	18,867	14,433	9,646	4,787	9,221	76.9	87.8	72.3	90.4	51.6	85.3
	1901	20,722	16,250	13,423	8,951	4,472	7,299	66.3	73.4	66.2	80.1	49.1	66.5
	1902	21,811	17,128	14,069	9,386	4,683	7,742	68.5	75.5	68.3	82.0	51.1	69.0
	1903	22,514	18,188	14,060	9,734	4,326	8,454	69.4	78.3	67.1	83.0	47.0	73.5
	1904	24,001	19,004	15,116	10,119	4,997	8,885	72.7	80.1	71.1	84.4	53.9	75.7
Premature birth	1900	10,170	7,939	6,462	4,212	2,250	3,708	33.1	36.8	32.4	39.5	24.3	34.3
	1901	8,615	6,527	6,143	4,055	2,088	2,472	27.6	29.5	30.3	36.3	22.9	22.5
	1902	9,087	6,785	6,583	4,281	2,302	2,504	28.5	29.9	32.0	37.4	25.1	22.3
	1903	10,143	7,993	6,873	4,723	2,150	3,270	31.3	34.4	32.8	40.3	23.4	28.4
	1904	11,361	8,789	7,569	4,997	2,572	3,792	34.4	37.0	35.6	41.7	27.7	32.3
Congenital debility	1900	13,484	10,947	7,971	5,434	2,537	5,513	43.8	51.0	39.9	50.9	27.3	51.0
	1901	12,107	9,723	7,280	4,896	2,384	4,827	38.7	43.9	35.9	43.8	26.2	44.0
	1902	12,724	10,343	7,486	5,105	2,381	5,238	40.0	45.6	36.3	44.6	26.0	46.7
	1903	12,371	10,195	7,187	5,011	2,176	5,184	38.1	43.9	34.3	42.7	23.6	45.1
	1904	12,640	10,215	7,547	5,122	2,425	5,093	38.3	43.1	35.5	42.7	26.2	43.4
XII.—Old age	1900	15,510	9,666	10,015	4,171	5,844	5,495	50.4	45.0	50.2	39.1	62.9	50.8
	1901	14,758	9,014	9,771	4,027	5,744	4,987	47.2	40.7	48.2	36.0	63.1	45.5
	1902	14,225	8,839	9,309	3,923	5,386	4,916	44.7	39.0	45.2	34.2	58.8	43.8
	1903	12,780	7,747	8,604	3,571	5,033	4,176	39.4	33.4	41.1	30.5	54.6	36.3
	1904	12,938	7,741	8,702	3,505	5,197	4,236	39.2	32.6	40.9	29.2	56.0	36.1
XIII.—Violence	1900	29,529	22,413	17,475	10,359	7,116	12,054	96.0	104.4	87.5	97.1	76.6	111.6
	1901	33,330	25,642	20,164	12,476	7,688	13,166	106.6	115.8	99.4	111.6	84.4	120.0
	1902	31,135	23,915	18,294	11,074	7,220	12,841	97.8	105.5	88.8	96.7	78.8	114.4
	1903	35,542	27,226	20,894	12,578	8,316	14,648	109.6	117.2	99.8	107.3	90.3	127.4
	1904	36,644	28,058	22,461	13,875	8,586	14,183	111.0	118.3	105.6	115.7	92.6	120.9
Suicide	1900	3,534	2,759	2,036	1,261	775	1,498	11.5	12.8	10.2	11.8	8.3	13.9
	1901	3,824	3,028	2,105	1,309	796	1,719	12.2	13.7	10.4	11.7	8.7	15.7
	1902	4,054	3,271	2,124	1,341	783	1,930	12.7	14.4	10.3	11.7	8.5	17.2
	1903	4,510	3,641	2,371	1,502	869	2,139	13.9	15.7	11.3	12.8	9.4	18.6
	1904	4,912	3,969	2,611	1,668	943	2,301	14.9	16.7	12.3	13.9	10.2	19.6
Fractures and dislocations	1900	2,725	2,119	1,859	1,253	606	866	8.9	9.9	9.3	11.8	6.5	8.0
	1901	2,697	2,038	1,902	1,243	659	795	8.6	9.2	9.4	11.1	7.2	7.3
	1902	2,776	2,136	1,982	1,342	640	794	8.7	9.4	9.6	11.7	7.0	7.1
	1903	3,003	2,263	2,084	1,344	740	919	9.3	9.7	10.0	11.5	8.0	8.0
	1904	2,908	2,080	2,134	1,306	828	774	8.8	8.8	10.0	10.9	8.9	6.6
Burns and scalds	1900	2,573	2,046	1,505	978	527	1,068	8.4	9.5	7.5	9.2	5.7	9.9
	1901	2,685	2,125	1,575	1,015	560	1,110	8.6	9.6	7.8	9.1	6.2	10.1
	1902	2,575	2,063	1,463	951	512	1,112	8.1	9.1	7.1	8.3	5.6	9.9
	1903	2,667	2,168	1,519	1,020	499	1,148	8.2	9.3	7.3	8.7	5.4	10.0
	1904	2,745	2,193	1,593	1,041	552	1,152	8.3	9.3	7.5	8.7	6.0	9.8
Heat and sunstroke	1900	1,266	1,139	710	583	127	556	4.1	5.3	3.6	5.5	1.4	5.1
	1901	4,012	3,643	2,462	2,093	369	1,550	12.8	16.5	12.1	18.7	4.1	14.1
	1902	200	266	105	81	24	185	0.9	1.2	0.5	0.7	0.3	1.6
	1903	520	449	294	223	71	226	1.6	1.9	1.4	1.9	0.8	2.0
	1904	235	201	136	102	34	99	0.7	0.8	0.6	0.8	0.4	0.8
Cold and freezing	1900	138	66	98	26	72	40	0.4	0.3	0.5	0.2	0.8	0.4
	1901	154	78	122	46	76	32	0.5	0.3	0.6	0.4	0.8	0.3
	1902	163	88	132	57	75	31	0.5	0.4	0.7	0.5	0.8	0.3
	1903	184	82	142	40	102	42	0.6	0.3	0.7	0.3	1.1	0.4
	1904	227	113	182	68	114	45	0.7	0.5	0.9	0.6	1.2	0.4
Lightning	1900	95	29	77	11	66	18	0.3	0.1	0.4	0.1	0.7	0.2
	1901	127	35	101	9	92	26	0.4	0.1	0.5	0.1	1.0	0.2
	1902	108	27	92	11	81	16	0.3	0.1	0.4	0.1	0.9	0.1
	1903	92	24	78	10	68	14	0.3	0.1	0.4	0.1	0.7	0.1
	1904	81	26	67	12	55	14	0.2	0.1	0.3	0.1	0.6	0.1
Drowning	1900	3,525	2,457	2,413	1,345	1,068	1,112	11.5	11.5	12.1	12.6	11.5	10.3
	1901	3,380	2,275	2,396	1,291	1,105	984	10.8	10.3	11.8	11.6	12.1	9.0
	1902	3,244	2,243	2,215	1,214	1,001	1,029	10.2	9.9	10.8	10.6	10.9	9.2
	1903	3,418	2,314	2,399	1,295	1,104	1,019	10.5	10.0	11.5	11.0	12.0	8.9
	1904	3,378	2,273	2,416	1,311	1,105	962	10.2	9.6	11.4	10.9	11.9	8.2
Inhalation of poisonous gases	1900	592	545	394	347	47	198	1.9	2.5	2.0	3.3	0.5	1.8
	1901	786	719	467	400	67	319	2.5	3.2	2.3	3.6	0.7	2.9
	1902	950	886	600	536	64	350	3.0	3.9	2.9	4.7	0.7	3.1
	1903	1,715	1,643	703	631	72	1,012	5.3	7.1	3.4	5.4	0.8	8.8
	1904	2,167	2,050	1,712	1,595	117	455	6.6	8.7	8.1	13.3	1.3	3.9
Other accidental poisonings	1900	1,351	987	846	482	364	505	4.4	4.6	4.2	4.5	3.9	4.7
	1901	1,234	912	783	461	322	451	3.9	4.1	3.9	4.1	3.5	4.1
	1902	1,374	1,038	877	541	336	497	4.3	4.6	4.3	4.7	3.7	4.4
	1903	1,551	1,131	1,083	663	420	468	4.8	4.9	5.2	5.7	4.6	4.1
	1904	1,632	1,205	1,064	637	427	568	4.9	5.1	5.0	5.3	4.6	4.8
Accidental gunshot wounds	1900	1,139	824	543	228	315	596	3.7	3.8	2.7	2.1	3.4	5.5
	1901	1,082	750	558	226	332	524	3.5	3.4	2.8	2.0	3.7	4.8
	1902	1,196	873	623	300	323	573	3.8	3.9	3.0	2.6	3.5	5.1
	1903	1,151	782	653	284	369	498	3.5	3.4	3.1	2.4	4.0	4.3
	1904	1,294	882	730	318	412	564	3.9	3.7	3.4	2.6	4.4	4.8

TABLE V.—NUMBER OF DEATHS AND DEATH RATES PER 100,000 OF POPULATION IN THE MAIN SUBDIVISIONS OF THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

CAUSE OF DEATH.		NUMBER OF DEATHS.						NUMBER OF DEATHS PER 100,000 OF POPULATION.					
		Registration area.	Registration cities.	Registration states.			Registration cities in other states.	Registration area.	Registration cities.	Registration states.			Registration cities in other states.
				Total.	Cities.	Rural districts.				Total.	Cities.	Rural districts.	
Injuries by machinery	1900	123	79	70	26	44	53	0.4	0.4	0.3	0.2	0.5	0.5
	1901	196	140	109	53	56	87	0.6	0.6	0.5	0.5	0.6	0.8
	1902	281	222	135	76	59	146	0.9	1.0	0.7	0.7	0.6	1.3
	1903	280	209	150	79	71	130	0.9	0.9	0.7	0.7	0.8	1.1
	1904	320	213	177	70	107	143	1.0	0.9	0.8	0.6	1.2	1.2
Injuries in mines and quarries	1900	162	92	85	15	70	77	0.5	0.4	0.4	0.1	0.7	0.7
	1901	274	185	130	41	89	144	0.9	0.8	0.6	0.4	1.0	1.3
	1902	199	122	113	36	77	86	0.6	0.5	0.5	0.3	0.8	0.8
	1903	305	165	172	32	140	133	0.9	0.7	0.8	0.3	1.5	1.1
	1904	329	207	144	22	122	185	1.0	0.9	0.7	0.2	1.3	1.6
Railroad accidents and injuries	1900	3,644	2,689	1,928	973	955	1,716	11.9	12.6	9.7	9.1	10.3	15.9
	1901	4,102	3,039	2,208	1,145	1,063	1,894	13.1	13.8	10.9	10.2	11.7	17.3
	1902	4,485	3,428	2,280	1,223	1,057	2,205	14.1	15.1	11.1	10.7	11.5	19.7
	1903	5,484	4,098	2,960	1,574	1,386	2,524	16.9	17.6	14.1	13.4	15.1	22.0
	1904	5,084	3,804	2,812	1,532	1,280	2,272	15.4	16.0	13.2	12.8	13.8	19.4
Injuries by vehicles and horses	1900	409	300	280	171	109	129	1.3	1.4	1.4	1.6	1.2	1.2
	1901	557	411	335	189	146	222	1.8	1.9	1.7	1.7	1.6	2.0
	1902	660	517	375	232	143	285	2.1	2.3	1.8	2.0	1.6	2.5
	1903	907	702	572	367	205	335	2.8	3.0	2.7	3.1	2.2	2.9
	1904	949	744	620	415	205	329	2.9	3.1	2.9	3.5	2.2	2.8
Suffocation	1900	538	354	338	154	184	200	1.7	1.6	1.7	1.4	2.0	1.8
	1901	551	372	373	194	179	178	1.8	1.7	1.8	1.7	2.0	1.6
	1902	439	303	271	135	136	168	1.4	1.3	1.3	1.2	1.5	1.5
	1903	504	341	364	201	163	140	1.6	1.5	1.7	1.7	1.8	1.2
	1904	555	379	365	189	176	190	1.7	1.6	1.7	1.6	1.9	1.6
Other accidental injuries	1900	6,097	4,544	3,283	1,820	1,463	2,724	19.6	21.2	16.4	17.1	15.7	25.2
	1901	5,826	4,378	3,437	1,989	1,448	2,389	18.7	19.8	16.9	17.8	15.9	21.8
	1902	6,303	4,800	3,652	2,149	1,503	2,651	19.8	21.2	17.7	18.8	16.4	25.6
	1903	6,748	5,190	3,877	2,319	1,558	2,871	20.8	22.4	18.5	19.8	16.9	25.0
	1904	6,994	5,311	4,076	2,393	1,683	2,918	21.2	22.4	19.2	19.9	18.1	24.9
Injuries at birth	1900	1,050	800	780	530	250	270	3.4	3.7	3.9	5.0	2.7	2.5
	1901	1,134	873	868	607	261	266	3.6	3.9	4.3	5.4	2.9	2.4
	1902	1,304	958	1,000	654	346	304	4.1	4.2	4.9	5.7	3.8	2.7
	1903	1,669	1,265	1,237	833	404	432	5.1	5.4	5.9	7.1	4.4	3.7
	1904	1,899	1,530	1,339	970	369	560	5.8	6.4	6.3	8.1	4.0	4.8
Homicide	1900	658	584	230	156	74	428	2.1	2.7	1.2	1.5	0.8	4.0
	1901	709	641	233	165	68	476	2.3	2.9	1.1	1.5	0.7	4.3
	1902	734	674	255	195	60	479	2.3	3.0	1.2	1.7	0.7	4.3
	1903	834	759	236	161	75	598	2.6	3.3	1.1	1.4	0.8	5.2
	1904	935	878	283	226	57	652	2.8	3.7	1.3	1.9	0.6	5.6
XIV.—Ill-defined diseases	1900	22,709	15,694	13,116	6,101	7,015	9,593	73.8	73.1	65.7	57.2	75.5	88.8
	1901	17,697	12,625	10,365	5,293	5,072	7,332	56.6	57.0	51.1	47.4	55.7	66.8
	1902	16,860	12,382	9,402	4,924	4,478	7,458	53.0	54.6	45.6	43.0	48.9	66.4
	1903	14,697	10,825	8,556	4,684	3,872	6,141	45.3	46.6	40.9	39.9	42.0	53.4
	1904	13,993	10,038	8,254	4,299	3,955	5,739	42.4	42.3	38.8	35.8	42.7	48.9
"Dropsy"	1900	2,204	1,220	1,278	294	984	926	7.2	5.7	6.4	2.8	10.6	8.6
	1901	1,580	884	937	241	696	643	5.1	4.0	4.6	2.2	7.6	5.8
	1902	1,609	979	854	224	630	755	5.1	4.3	4.1	2.0	6.9	6.7
	1903	1,221	699	719	197	522	502	3.8	3.0	3.4	1.6	5.7	4.4
	1904	1,144	681	623	160	463	521	3.5	2.9	2.9	1.3	5.0	4.5
"Heart failure"	1900	3,146	1,654	2,607	515	1,492	1,139	10.2	7.7	10.0	4.8	16.0	10.5
	1901	2,141	1,143	1,351	353	998	790	6.8	5.2	6.7	3.2	11.0	7.2
	1902	2,087	1,315	1,116	344	772	971	6.6	5.8	5.4	3.0	8.4	8.6
	1903	2,189	1,429	1,285	525	760	904	6.7	6.1	6.2	4.5	8.2	7.9
	1904	2,167	1,422	1,213	468	745	954	6.6	6.0	5.7	3.9	8.0	8.1
Other ill-defined diseases	1900	14,335	11,078	8,060	4,803	3,257	6,275	46.6	51.6	40.4	45.0	35.1	58.1
	1901	11,935	9,373	6,957	4,395	2,562	4,978	38.2	42.3	34.3	39.3	28.1	45.4
	1902	11,411	9,115	6,399	4,103	2,296	5,012	35.8	40.2	31.1	35.8	25.1	44.7
	1903	9,816	7,869	5,651	3,704	1,947	4,165	30.3	33.9	27.0	31.6	21.1	36.2
	1904	9,089	7,101	5,367	3,379	1,988	3,722	27.5	29.9	25.3	28.2	21.5	31.7
Unknown causes	1900	3,024	1,742	1,771	489	1,282	1,253	9.8	8.1	8.9	4.6	13.8	11.6
	1901	2,041	1,225	1,120	304	816	921	6.5	5.5	5.5	2.7	9.0	8.4
	1902	1,753	973	1,033	253	780	720	5.5	4.3	5.0	2.2	8.5	6.4
	1903	1,471	828	901	258	643	570	4.5	3.6	4.3	2.2	7.0	4.9
	1904	1,593	834	1,051	292	759	542	4.8	3.5	4.9	2.4	8.2	4.6

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
All causes	1903	1,799.8	1,805.0	1,693.6	1,371.1	2,005.1	1,650.5	1,848.7	1,750.2
	1901	1,637.6	1,551.8	1,517.4	1,332.8	1,839.6	1,558.9	1,705.3	1,616.9
	1902	1,572.9	1,445.7	1,472.8	1,210.4	1,835.6	1,481.0	1,661.9	1,515.0
	1903	1,679.2	1,502.1	1,462.8	1,133.5	1,842.2	1,539.1	1,657.3	1,592.7
	1904	1,610.1	1,554.9	1,573.0	1,275.1	1,952.8	1,585.0	1,594.3	1,607.7
1.—General diseases	1900	526.6	539.6	496.8	431.2	461.8	419.1	533.3	451.7
	1901	510.9	444.4	456.2	425.9	511.6	403.8	479.1	429.7
	1902	437.3	365.7	435.4	380.2	453.2	365.7	441.2	382.1
	1903	490.6	385.6	452.1	363.4	460.4	376.8	442.6	417.0
	1904	417.4	376.7	460.1	403.7	493.8	393.4	418.9	421.2
Typhoid fever	1900	33.4	29.4	49.4	51.5	39.7	25.9	23.4	17.7
	1901	38.3	14.6	46.2	46.9	57.5	27.0	20.6	17.2
	1902	24.3	17.0	46.9	49.7	34.6	22.5	19.1	15.7
	1903	28.4	8.9	44.6	39.4	53.6	28.0	19.1	13.6
	1904	18.3	15.2	50.3	37.4	64.2	29.1	17.7	11.8
Exanthematic typhus	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	0.1
Recurrent fever	1900	.....	.....	.....	.....	0.8	.....	[1]	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	0.1
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
Malarial fever	1900	10.5	13.5	14.9	14.5	3.4	1.4	2.6	3.6
	1901	13.1	7.8	7.7	9.9	3.3	1.2	3.0	3.9
	1902	10.4	7.7	6.6	7.7	1.6	3.3	1.7	2.9
	1903	5.9	4.9	5.2	6.2	.....	1.9	2.1	2.6
	1904	5.0	4.3	5.2	5.8	1.6	1.5	1.5	3.3
Smallpox	1900	.....	.....	.....	1.0	2.5	.....	0.1	.....
	1901	0.3	0.6	0.8	0.8	.....	.....	4.3	0.4
	1902	1.8	0.9	3.5	2.8	5.8	0.7	12.0	2.0
	1903	.....	0.3	18.4	3.6	0.8	1.0	0.8	0.6
	1904	.....	.....	3.6	3.7	.....	0.5	0.3	0.1
Measles	1900	15.3	25.7	6.7	4.4	0.8	10.4	13.2	6.5
	1901	6.6	10.3	4.6	9.2	1.7	4.7	9.5	3.2
	1902	4.5	5.3	2.8	5.0	3.3	4.5	11.7	10.2
	1903	26.7	13.8	7.4	6.1	4.1	6.0	9.1	9.3
	1904	7.1	10.3	10.1	21.6	4.0	3.1	10.0	3.6
Scarlet fever	1900	8.0	6.9	7.8	5.1	1.7	5.9	16.1	8.0
	1901	11.5	5.0	7.0	5.8	0.8	3.3	16.3	6.1
	1902	20.8	12.3	5.9	6.1	.....	2.2	13.4	1.6
	1903	18.1	10.4	6.1	7.5	8.1	1.5	19.3	11.3
	1904	9.0	6.7	7.4	8.6	0.8	1.4	5.0	5.6
Whooping cough	1900	15.8	11.9	11.5	12.6	14.4	9.9	15.8	8.8
	1901	14.6	5.6	6.7	10.7	7.5	3.6	10.1	5.7
	1902	17.8	11.1	8.2	9.4	6.6	7.4	15.0	8.9
	1903	27.1	21.4	10.4	10.6	26.0	13.1	23.4	11.7
	1904	7.3	5.2	5.1	6.3	12.8	6.7	5.5	5.2
Diphtheria	1900	28.5	24.4	20.6	23.4	18.6	12.8	54.4	18.3
	1901	26.7	20.5	19.8	12.3	20.0	9.9	39.9	17.6
	1902	23.4	17.0	19.4	8.1	18.1	10.4	29.4	13.4
	1903	25.7	12.6	20.2	10.6	13.0	10.8	28.4	16.2
	1904	20.3	13.4	13.9	6.4	28.9	15.1	22.9	12.0
Croup	1900	9.5	7.5	11.2	12.3	7.6	9.0	7.1	5.8
	1901	9.0	8.7	5.7	6.9	10.0	5.9	6.4	5.9
	1902	7.0	5.8	4.9	4.9	4.9	4.3	5.3	4.1
	1903	6.4	3.1	5.3	4.1	5.7	4.8	4.1	4.3
	1904	4.2	4.3	3.3	3.7	4.0	5.5	3.2	5.0
Influenza	1900	57.4	94.3	20.6	18.2	21.1	36.7	34.3	46.1
	1901	46.6	86.1	31.2	41.9	22.5	46.9	24.5	37.4
	1902	12.0	15.1	8.8	13.6	6.6	19.7	6.1	12.3
	1903	27.6	42.9	14.3	16.5	10.6	30.3	15.3	29.4
	1904	28.7	51.3	15.9	22.4	10.4	26.4	11.7	24.2
Miliary fever	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	[1]	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
Asiatic cholera	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras	1900	3.9	5.0	1.3	1.3	1.7	3.1	3.3	3.0
	1901	2.3	2.8	1.0	1.4	4.2	3.6	1.5	2.4
	1902	2.4	1.9	1.1	1.1	0.8	2.4	2.0	1.8
	1903	1.1	0.3	0.9	1.0	.....	3.8	1.4	1.2
	1904	2.0	0.6	0.7	0.7	2.4	1.9	1.1	1.3

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1,541.9	1,345.9	1,940.6	1,800.8	1,943.2	1,554.5	1,949.5	1,553.2	2,035.1	2,065.7	1,763.2	1,639.6
1,454.3	1,294.3	1,720.2	1,647.4	1,817.8	1,427.0	1,889.2	1,538.4	1,821.3	1,820.2	1,662.6	1,657.5
1,457.7	1,185.0	1,678.7	1,529.8	1,780.7	1,341.9	1,771.5	1,404.7	1,820.8	1,718.5	1,543.9	1,498.4
1,489.0	1,251.3	1,690.5	1,624.6	1,760.3	1,354.8	1,758.6	1,462.3	1,901.1	1,912.4	1,791.4	1,593.8
1,434.9	1,325.5	1,611.1	1,588.7	1,924.8	1,440.4	1,943.0	1,554.0	1,737.6	1,787.3	1,710.4	1,583.1
377.2	336.3	431.1	431.8	497.0	382.0	522.6	402.3	630.2	593.8	446.2	410.8
379.1	326.4	449.8	397.2	459.8	361.1	528.4	427.3	520.1	463.7	417.2	430.2
379.5	282.5	395.1	370.3	461.0	341.4	484.2	345.5	517.7	434.9	396.3	350.1
396.7	305.9	410.3	404.1	468.0	332.7	483.9	361.4	569.1	568.0	377.1	381.3
372.8	319.5	403.8	367.1	515.5	361.6	506.3	383.6	473.1	447.1	394.7	399.0
38.2	35.8	19.5	23.7	22.8	21.0	25.4	32.0	29.6	26.8	32.2	34.0
28.3	25.5	19.8	18.1	20.8	17.9	24.0	27.3	22.4	25.8	20.9	30.0
30.9	21.7	17.6	18.5	24.1	18.6	23.4	23.4	21.3	18.8	18.5	19.2
28.6	22.1	20.9	26.7	22.1	16.6	22.6	22.1	17.2	19.2	24.1	24.9
36.2	20.3	19.9	17.6	20.5	16.7	21.6	21.8	15.6	14.4	23.6	31.0
.....	(1)	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
0.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
0.1	0.1	.....	.....	.....	.....	(1)	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	(1)	.....	.....	.....	.....
.....	.....	.....	.....	0.1	.....	.....	(1)	.....	.....	.....	.....
4.4	7.4	3.1	1.6	4.1	6.4	4.9	3.8	6.7	7.6	2.1	1.6
4.1	4.8	3.1	0.8	4.2	4.7	4.1	3.1	8.0	8.1	4.2	1.0
4.2	3.9	0.6	0.4	2.8	3.7	3.0	3.3	7.1	3.3	.....	1.4
1.8	3.0	0.6	2.8	1.8	4.9	1.9	2.5	4.6	9.3	2.0	1.3
2.2	2.8	2.3	2.0	2.6	3.1	2.5	2.1	3.9	5.2	2.0	1.7
0.6	0.3	0.6	.....	0.3	0.2	0.3	(1)	0.4	.....	.....	.....
0.4	1.3	1.8	0.8	7.9	6.3	8.3	0.8	1.7	.....	.....	.....
1.7	1.6	1.8	1.6	23.1	20.0	8.0	1.2	11.8	1.3	.....	0.7
1.7	1.0	.....	.....	0.9	0.8	0.7	0.2	0.3	1.3	2.0	0.7
1.3	1.0	1.2	.....	1.3	1.0	0.1	0.2	.....	.....	.....	.....
13.1	13.2	6.9	5.1	14.4	7.7	18.9	10.4	41.6	45.4	19.3	6.1
3.6	3.0	2.5	0.8	4.9	1.9	9.4	11.5	3.8	3.4	12.6	8.8
13.9	7.5	7.9	2.8	14.4	6.6	14.7	4.3	4.7	6.0	16.4	4.7
8.2	6.4	8.9	10.6	3.0	2.9	10.6	4.4	33.1	25.1	6.0	8.8
8.5	7.0	4.1	.....	12.1	7.3	17.9	7.2	3.2	3.9	.....	1.0
9.8	11.7	6.9	5.5	12.9	6.0	12.1	5.3	7.4	8.3	4.3	4.7
14.3	11.7	22.3	6.7	9.4	10.5	26.2	6.4	4.5	5.4	18.9	10.1
14.5	9.1	1.2	.....	14.9	7.4	21.8	5.3	6.4	6.0	20.5	7.0
7.1	8.4	1.8	3.1	17.9	11.4	18.7	5.7	13.6	11.9	.....	1.7
7.8	8.5	1.2	3.1	28.7	11.7	20.6	5.9	17.2	11.1	7.8	1.7
7.4	8.0	9.5	9.9	17.2	13.5	13.3	7.5	18.3	13.1	10.8	5.4
8.9	5.6	10.5	4.3	10.6	7.3	7.9	10.0	5.2	1.4	8.4	11.4
14.3	9.0	8.5	6.7	14.5	16.6	13.9	7.7	15.6	22.1	.....	11.5
17.4	14.3	23.2	9.8	17.0	11.0	10.0	10.8	34.7	35.7	2.0	4.7
5.6	5.8	10.5	1.2	6.9	6.5	5.4	5.7	1.6	1.9	15.7	5.0
24.9	13.0	18.9	13.1	44.9	24.7	46.5	16.9	28.2	22.0	27.9	8.8
14.9	14.8	20.4	11.0	31.6	21.3	41.0	16.2	33.2	18.3	14.6	9.1
29.2	9.9	41.3	20.5	33.1	19.0	40.2	14.6	33.5	24.8	2.0	8.1
41.1	14.5	20.9	14.5	39.2	21.7	42.8	12.0	42.7	30.4	16.1	12.8
24.3	12.9	14.6	8.2	47.6	25.7	41.8	15.2	33.1	17.0	9.8	14.1
5.9	5.5	12.0	6.7	15.0	9.5	9.2	7.1	18.3	22.7	4.3	3.7
6.8	5.6	6.2	5.9	11.7	6.6	8.2	6.0	13.8	21.0	.....	5.7
4.3	3.9	15.2	4.7	9.6	6.5	6.9	3.7	5.7	4.0	.....	4.4
6.7	3.9	13.7	3.9	8.7	5.6	6.1	3.4	4.6	5.3	4.0	3.0
3.7	3.2	7.0	4.7	12.3	7.6	5.6	3.7	3.6	3.9	3.9	3.0
9.8	17.8	27.7	55.4	18.2	26.2	15.6	28.4	73.8	63.3	21.5	39.4
34.2	47.2	27.2	39.1	15.9	26.3	24.1	60.6	37.7	44.8	16.8	48.5
6.2	15.0	9.1	14.2	4.1	5.7	6.1	16.9	16.2	12.1	6.2	23.6
13.2	20.1	22.6	44.8	9.0	15.5	12.5	28.9	32.4	40.3	16.1	37.4
15.2	29.3	24.0	33.7	9.2	17.2	16.0	37.3	19.8	31.3	31.4	46.8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	0.1	0.1	.....	.....	.....	.....
.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	(1)	(1)	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2.2	3.2	1.9	3.2	2.8	2.6	2.1	4.0	3.9	10.3	2.1	5.7
1.6	1.6	1.8	2.4	2.1	1.0	1.3	2.6	2.4	2.0	4.2	4.4
1.2	1.6	3.0	0.4	1.5	1.1	0.8	2.1	2.7	1.3	.....	2.4
1.4	1.0	2.4	.....	1.2	0.8	0.9	1.4	1.0	0.7	4.0	0.7
1.4	1.1	0.6	3.5	0.9	1.2	1.1	1.2	2.0	.....	5.9	1.7

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Dysentery	1900	14.9	21.3	15.2	21.4	5.9	8.9	8.9	10.7
	1901	14.6	13.7	12.9	19.5	5.8	7.8	7.6	9.0
	1902	16.5	14.2	18.4	19.7	4.1	4.5	5.9	7.7
	1903	12.3	8.6	11.1	13.2	4.9	4.1	6.1	6.6
	1904	9.3	10.9	11.4	13.9	2.4	5.1	5.7	9.0
Plague	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
Yellow fever	1900	.....	.....	.....	(1)	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
Leprosy	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
Erysipelas	1900	7.0	5.9	6.7	3.1	2.5	3.5	6.8	3.7
	1901	6.1	4.4	3.9	3.0	3.3	1.6	5.4	4.0
	1902	6.6	2.2	4.5	3.7	3.3	4.1	4.3	3.5
	1903	4.4	4.0	4.6	2.4	0.8	2.4	3.7	3.3
	1904	5.4	2.7	5.8	4.4	3.2	4.4	6.2	4.0
Other epidemic diseases	1900	0.5	0.6	0.5	0.2	.....	0.3	0.4	.....
	1901	0.2	0.3	.....	0.1	.....	.....	(1)	0.1
	1902	0.2	.....	.....	0.2	1.6	.....	0.4	0.1
	1903	0.2	.....	.....	0.2	.....	0.2	0.2	0.6
	1904	0.2	.....	.....	0.2	.....	.....	0.2	0.4
Septicemia	1900	4.7	4.4	12.8	9.4	12.6	8.9	8.0	9.8
	1901	4.5	3.1	13.1	10.1	5.0	3.5	7.0	6.3
	1902	4.4	2.2	14.8	9.1	10.7	2.9	6.7	6.6
	1903	5.2	1.5	9.4	5.7	9.7	4.3	6.1	5.2
	1904	3.6	4.6	10.9	6.3	11.2	7.2	5.4	3.9
Glanders and farcy	1900	.....	.....	.....	.....	.....	.....	0.1	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	(1)	.....
	1903	0.2	.....	.....	.....	.....	.....	(1)	.....
	1904	.....	.....	.....	.....	.....	0.2	(1)	.....
Malignant pustule and charbon	1900	0.3	.....	0.3	(1)	0.8	.....	0.1	0.4
	1901	.....	.....	.....	0.1	.....	.....	0.1	0.1
	1902	.....	.....	.....	0.1	.....	0.2	0.1	.....
	1903	.....	.....	.....	0.1	.....	.....	0.1	.....
	1904	.....	.....	.....	(1)	.....	0.5	0.2	0.1
Rabies	1900	.....	.....	.....	(1)	.....	.....	.....	.....
	1901	.....	.....	.....	0.1	.....	.....	.....	.....
	1902	.....	.....	.....	0.1	.....	.....	.....	.....
	1903	.....	.....	0.3	0.2	.....	.....	.....	.....
	1904	0.2	.....	.....	0.2	.....	.....	.....	.....
Actinomycosis, trichinosis, etc	1900	.....	.....	.....	.....	.....	.....	.....	0.1
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	(1)	.....	.....	0.1	0.1
	1903	.....	.....	.....	0.1	.....	.....	(1)	0.1
	1904	0.2	.....	.....	(1)	.....	.....	0.2	0.1
Pellagra	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of lungs	1900	187.6	146.2	217.8	165.4	181.5	152.5	196.6	161.2
	1901	182.5	127.4	179.5	158.1	210.0	144.2	182.1	164.6
	1902	161.2	120.3	172.1	145.8	167.8	133.6	169.6	148.0
	1903	159.0	119.7	175.8	142.8	156.8	123.3	157.6	149.0
	1904	157.9	117.0	187.4	163.1	174.8	141.7	169.5	170.3
Tuberculosis of larynx	1900	1.2	0.6	1.1	0.7	2.5	1.0	1.2	0.7
	1901	0.8	1.9	1.9	1.3	.....	2.6	1.0	0.7
	1902	1.3	0.9	2.6	2.0	2.5	0.9	1.2	0.9
	1903	1.4	0.3	2.1	1.3	1.6	1.2	0.9	2.0
	1904	1.2	2.1	2.8	1.5	0.8	1.2	1.3	1.3
Tuberculous meningitis	1900	9.0	6.9	4.0	4.2	11.0	7.5	13.1	6.7
	1901	7.8	5.0	8.4	5.2	15.8	6.9	12.3	7.2
	1902	8.4	5.5	6.5	5.3	18.1	6.6	11.9	5.8
	1903	11.3	7.0	6.7	5.0	8.1	6.5	12.1	6.5
	1904	8.8	6.4	9.5	6.3	11.2	7.4	11.5	7.5
Abdominal tuberculosis	1900	4.3	6.9	5.6	4.3	9.3	7.0	4.7	4.2
	1901	5.5	3.7	7.2	6.0	7.5	8.1	5.1	3.9
	1902	4.9	4.0	7.1	6.0	12.3	7.4	5.6	2.9
	1903	5.4	6.7	9.1	6.5	7.3	7.6	5.4	3.8
	1904	6.7	2.7	9.5	6.8	9.6	6.9	5.7	4.6

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
9.4	11.6	8.2	9.1	6.2	10.3	8.6	15.9	17.3	28.9	19.3	10.5
11.8	7.5	8.0	10.6	9.9	12.5	10.3	10.7	18.6	15.6	4.2	13.1
5.7	5.6	9.1	4.7	9.4	11.4	8.6	9.7	29.8	22.1	8.2	6.7
4.7	5.6	3.6	5.1	7.8	7.8	5.5	6.2	20.2	23.1	4.0	5.7
4.5	6.3	5.9	6.7	9.7	10.3	6.4	8.5	14.6	15.7	3.9	6.1
											0.3
0.3						(1)					
				0.1							
	(1)					(1)					
						(1)					
5.8	4.1	0.6	3.2	6.6	4.7	7.3	3.9	7.1	4.8	4.3	5.1
6.2	4.4	2.5	3.2	3.6	3.0	5.2	5.3	2.4	2.0	4.2	5.7
5.4	3.4	3.6	5.1	3.7	3.2	4.6	3.5	3.7	7.4	6.2	3.7
5.5	3.2	5.4	2.3	4.7	2.8	4.7	4.2	6.0	9.3		3.7
4.5	4.7	8.2	5.1	5.3	3.9	6.0	4.7	6.5	0.7	3.9	7.1
0.3	0.2			0.1	0.1	0.1	0.2				0.3
0.4	0.3			0.1	0.1	(1)	0.2				
0.4	0.6	0.6			0.1	0.2	0.1				0.3
0.1	0.4			0.1	0.1	0.1	(1)	0.7	1.3		
0.3	0.5	0.6		0.1	0.1	0.2	0.1	1.0			0.3
6.9	7.5	16.4	14.2	7.8	6.6	4.8	7.3	3.9	4.1	6.5	7.4
4.1	5.3	13.0	11.4	6.6	5.6	3.5	5.5	1.0	1.4	8.4	10.1
6.5	5.4	15.2	11.8	6.5	5.1	3.5	5.8	3.3	0.7	8.2	9.8
6.5	3.9	3.0	7.1	6.4	2.8	3.0	5.1	1.7	2.0	8.0	8.1
6.3	5.9	7.0	7.4	5.0	4.1	2.6	5.8	1.0	1.3	13.7	5.0
				0.1							
0.1				0.1		0.1					
	0.1			0.1		0.1			0.7		
						(1)					
0.3	(1)			0.1		0.1					
0.1	0.3					0.2	0.1	0.3	0.7		
0.1					0.1	(1)	0.1				
0.1	0.1				0.1	0.1			0.7		
0.1	0.1			0.1		(1)	0.1				
0.3	(1)			0.2	0.2	0.1					
				0.4	0.6	0.1	(1)				0.3
0.3	(1)			0.3	0.2	0.1					
0.3	0.1				0.2	0.1					
				0.2	0.2	(1)	(1)				
						(1)					
	0.1					(1)					
0.3					0.1		(1)				
0.1			0.4								
0.1				0.1		(1)					
			0.4				(1)				
						(1)					
103.4	84.7	174.3	136.5	211.8	147.4	217.9	135.4	210.4	170.6	143.8	137.4
103.1	82.2	171.2	130.7	197.7	139.1	211.0	137.8	204.1	171.1	159.3	129.9
103.5	75.9	136.6	133.2	185.1	123.2	190.1	120.4	195.4	150.8	147.6	115.1
101.6	78.3	134.8	123.8	203.1	128.9	195.3	122.2	199.8	176.6	146.5	109.7
110.1	83.0	159.4	127.1	219.2	138.0	205.7	129.8	173.4	173.6	145.3	109.4
1.0	0.6	1.3	2.4	2.9	1.7	1.4	0.8	2.5	0.7		1.0
1.9	0.7	1.8	2.0	3.1	2.0	1.7	1.7	2.1		2.1	1.3
0.8	0.9	0.6		3.0	2.2	1.7	1.3	1.0	2.0	2.0	1.4
1.2	1.1	1.8	1.6	2.0	1.2	1.8	1.3	1.7	2.6		0.3
1.0	1.0	2.3	0.8	4.1	2.0	1.9	0.9	0.6	2.6		0.3
7.0	4.1	8.2	7.5	11.9	5.2	15.7	4.7	21.5	8.9	12.8	3.7
6.5	2.3	7.4	4.7	9.9	5.7	15.6	3.9	15.2	6.8	12.6	4.0
6.0	3.2	8.5	6.7	10.2	4.1	16.1	4.3	14.2	9.4	6.2	5.4
5.4	4.1	8.9	4.3	10.3	4.8	16.5	4.4	18.8	13.2	18.1	3.7
5.9	4.0	11.1	6.7	13.0	7.8	15.4	3.5	18.1	16.3	17.7	7.7
6.1	5.9	6.9	3.2	4.9	3.3	4.8	4.2	4.2	7.6	2.1	5.1
6.3	4.7	6.2	5.5	4.2	4.8	5.3	4.4	9.7	5.4	4.2	4.4
5.7	3.3	4.9	2.8	4.9	4.4	5.1	3.8	9.8	2.0	2.0	5.0
4.9	4.0	5.4	3.1	4.0	4.3	5.0	4.3	6.9	6.6	2.0	4.0
7.6	4.8	4.7	5.5	5.8	6.3	5.6	4.3	8.7	8.5	3.9	3.7

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Pott's disease	1900	0.3	1.9	1.1	1.8	5.9	2.1	1.6	1.5
	1901	0.8	2.2	1.1	1.6	4.2	2.4	1.9	1.0
	1902	2.1	0.3	0.8	1.1	4.1	2.1	1.4	1.2
	1903	1.2	1.5	0.9	1.1	2.4	2.1	2.0	1.2
	1904	2.2	1.5	1.4	0.9	0.8	1.4	2.1	1.3
Tuberculous abscess	1900	0.2	.....	.....	(1)	.....	0.2	0.2	0.1
	1901	0.2	.....	.....	0.3	.....	.....	0.1	.....
	1902	0.2	.....	.....	0.2	.....	0.3	0.1	0.1
	1903	0.3	0.3	0.6	0.3	.....	0.5	(1)	0.3
	1904	.....	.....	0.4	0.3	1.6	0.5	0.2	0.1
White swelling	1900	0.5	0.6	0.8	0.6	.....	0.3	0.4	0.4
	1901	1.2	0.3	0.5	0.4	.....	0.3	0.7	0.1
	1902	0.8	0.6	0.3	0.2	.....	0.5	0.9	0.4
	1903	0.2	0.3	0.4	0.2	0.8	0.9	0.2	0.3
	1904	0.2	.....	0.4	0.2	1.6	0.8	1.0	0.4
Tuberculosis of other organs	1900	1.0	0.3	0.5	1.0	0.8	1.9	1.0	0.9
	1901	1.2	1.2	1.1	1.5	.....	1.7	0.8	0.9
	1902	0.8	0.3	0.9	1.3	0.8	2.2	0.7	1.3
	1903	1.0	1.2	2.2	1.9	0.8	1.4	1.1	1.2
	1904	1.7	1.2	1.7	1.8	0.8	2.1	1.6	1.3
General tuberculosis	1900	0.2	.....	2.7	1.9	6.8	2.8	3.8	3.9
	1901	1.6	3.1	3.2	1.8	0.8	3.8	3.4	4.4
	1902	1.3	2.5	2.8	1.5	7.4	4.7	3.1	3.1
	1903	1.7	3.1	4.8	1.5	9.7	3.1	3.6	6.2
	1904	2.8	1.5	2.8	1.8	7.2	3.3	2.9	4.5
Scrofula	1900	0.3	1.6	0.5	1.5	.....	1.7	0.5	0.7
	1901	0.5	0.9	1.0	0.6	1.7	1.0	0.5	0.3
	1902	0.3	0.6	0.5	0.9	0.8	1.5	0.3	0.4
	1903	0.3	0.3	0.4	1.0	0.8	0.9	0.4	0.4
	1904	.....	.....	0.3	0.8	.....	0.3	0.4	0.6
Syphilis	1900	3.2	2.2	3.2	2.3	0.8	0.7	2.9	2.4
	1901	2.8	0.3	2.6	1.8	2.5	0.5	2.8	1.9
	1902	3.7	1.2	3.1	2.0	3.3	0.3	2.3	1.0
	1903	3.6	2.1	3.3	1.9	0.8	0.9	2.8	1.6
	1904	3.3	2.1	5.2	2.1	3.2	0.7	3.2	2.6
Gonorrhea of the adult	1900	.....	.....	.....	.....	.....	.....	0.1	.....
	1901	.....	.....	.....	(1)	.....	.....	(1)	.....
	1902	.....	.....	.....	(1)	.....	.....	(1)	.....
	1903	.....	.....	.....	.....	.....	.....	(1)	.....
	1904	.....	.....	.....	.....	.....	.....	(1)	.....
Gonorrheal infections of children	1900	0.2	.....	.....	.....	.....	.....	(1)	.....
	1901	.....	.....	.....	.....	.....	.....	(1)	.....
	1902	.....	.....	.....	.....	.....	.....	0.1	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	0.3	.....	.....	.....	.....	0.1	0.1
Cancer of mouth	1900	1.4	2.8	1.6	0.7	0.8	2.5	1.7	0.7
	1901	2.5	0.6	0.8	0.9	3.3	2.9	2.4	1.9
	1902	2.4	1.9	1.4	0.9	2.5	3.8	1.7	1.9
	1903	2.4	2.1	1.3	1.6	.....	3.3	2.2	3.0
	1904	1.7	2.1	2.2	1.0	1.6	3.6	2.6	3.0
Cancer of stomach and liver	1900	19.3	27.6	16.6	13.2	25.3	29.5	21.3	23.7
	1901	24.7	24.3	17.5	14.3	22.5	31.4	21.3	20.1
	1902	21.1	22.8	21.8	15.7	33.8	33.8	24.3	25.0
	1903	26.7	23.9	19.3	18.6	38.2	30.1	24.5	26.2
	1904	24.2	31.0	19.5	19.2	32.9	33.6	26.6	32.7
Cancer of intestines	1900	6.8	6.3	2.4	2.4	11.8	8.5	7.9	6.4
	1901	8.4	11.2	4.5	2.7	10.0	9.2	9.4	6.1
	1902	8.6	10.8	3.5	2.7	14.0	8.6	8.6	9.3
	1903	7.8	9.5	5.0	2.5	10.6	9.5	8.6	7.9
	1904	6.8	5.2	4.0	4.4	13.6	10.1	10.4	8.5
Cancer of female genital organs [2]	1900	21.3	19.6	9.0	7.5	14.5	20.6	16.9	11.8
	1901	19.5	16.4	13.6	10.6	30.3	25.9	17.4	10.8
	1902	21.3	19.3	20.5	10.6	29.9	26.8	19.2	9.0
	1903	23.0	18.6	19.7	10.8	31.0	26.0	21.1	12.4
	1904	24.1	17.8	21.2	12.7	35.2	16.5	23.4	13.1
Cancer of breast	1900	6.3	8.5	2.7	2.3	2.5	6.1	5.8	4.3
	1901	6.8	7.4	3.5	3.3	13.3	6.7	6.7	4.6
	1902	6.5	10.2	4.9	4.3	8.3	9.5	5.8	4.0
	1903	8.9	7.3	3.4	3.6	6.5	7.7	5.9	6.4
	1904	6.5	6.7	4.2	3.2	4.0	6.9	8.7	7.9
Cancer of skin	1900	3.6	2.8	1.1	1.9	1.7	3.1	1.5	2.4
	1901	2.1	2.8	1.7	2.1	4.2	5.2	2.0	3.2
	1902	1.6	3.7	1.1	2.9	2.5	4.7	1.6	2.2
	1903	2.8	3.7	1.2	3.4	2.4	3.3	1.8	1.6
	1904	2.9	3.3	1.6	3.0	2.4	4.1	2.0	3.4
Cancer of other or unspecified organs	1900	15.8	20.0	24.5	16.8	20.3	15.8	25.5	38.2
	1901	15.3	17.1	17.9	12.8	13.3	14.4	23.9	40.7
	1902	15.1	13.9	17.6	12.0	14.8	12.2	22.9	35.6
	1903	16.5	20.2	15.0	12.3	17.9	17.0	25.0	30.2
	1904	14.0	12.8	16.6	10.4	17.7	19.0	21.8	30.1

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1.4	1.4	1.9	1.2	1.2	1.6	1.5	1.1	1.4	2.0	2.1	2.7
1.4	1.3	1.2	0.4	2.1	0.4	1.4	1.0	1.0	0.7	2.1	1.0
1.7	1.0	1.8	1.2	1.1	0.5	1.7	1.3	0.7	2.0	.....	0.3
2.4	1.5	0.6	1.6	1.5	1.2	1.9	0.9	2.6	0.7	.....	2.0
1.2	1.0	0.6	1.2	1.6	0.9	2.0	1.2	3.2	1.9	.....	1.7
0.6	0.1	.....	.....	0.1	.....	0.1	0.2	.....	.....	.....	.....
0.1	0.1	.....	.....	0.2	0.1	0.2	0.2	.....	.....	2.1	0.3
0.1	0.1	.....	0.4	0.3	.....	0.1	0.1	.....	.....	.....	.....
0.1	0.2	.....	.....	0.4	.....	0.2	0.2	.....	.....	2.0	0.3
0.4	0.2	0.6	.....	0.1	.....	0.1	0.1	0.3	2.3	2.0	0.3
1.1	0.6	.....	.....	1.0	0.2	0.9	0.4	1.1	1.4	.....	0.3
1.1	0.6	0.6	.....	0.9	.....	0.8	0.5	1.7	3.4	2.1	0.7
1.1	0.5	.....	0.4	0.5	0.4	1.0	0.3	0.3	.....	.....	0.7
0.9	0.8	0.6	.....	0.9	0.8	0.9	0.6	1.7	.....	2.0	0.7
0.8	0.6	0.6	.....	0.7	0.3	0.9	0.6	1.3	1.3	2.0	.....
0.8	1.5	1.9	0.8	1.7	0.4	0.9	0.9	1.1	2.0	2.1	1.0
2.1	0.8	1.8	2.8	1.7	0.2	1.3	0.9	0.7	0.7	.....	1.0
1.3	1.1	0.6	0.8	1.1	0.7	1.0	1.3	1.7	.....	2.0	1.7
1.2	1.4	3.6	0.4	1.0	0.9	1.7	0.9	1.3	.....	.....	1.7
1.5	1.8	1.2	0.8	1.8	0.9	1.5	1.4	2.0	.....	.....	2.0
1.7	1.1	4.4	0.8	2.5	2.0	2.4	1.0	5.3	5.5	2.1	1.6
2.3	1.7	1.8	2.0	3.2	1.7	3.1	1.1	4.2	4.8	4.2	3.0
1.5	1.8	2.4	1.9	2.4	1.2	2.1	1.4	7.8	6.0	2.0	2.7
2.5	2.0	3.0	2.8	2.9	3.0	2.7	1.9	7.9	4.6	4.0	5.7
1.9	1.4	2.3	2.4	2.9	2.4	3.1	1.9	7.1	3.3	3.9	3.0
1.0	0.9	.....	1.2	0.4	0.1	0.2	0.9	0.7	1.4	4.3	1.0
0.8	0.6	0.6	1.2	0.1	0.5	0.2	0.3	0.3	1.4	.....	0.3
0.8	0.5	1.2	.....	0.4	0.1	0.2	0.3	0.7	0.7	.....	0.3
0.4	0.6	1.2	0.4	0.4	0.2	0.2	0.3	1.3	.....	2.0	0.3
0.5	0.5	0.6	.....	0.1	0.1	0.3	0.4	0.6	.....	.....	0.3
5.6	1.2	1.3	0.8	1.6	0.4	4.3	0.9	6.4	2.8	2.1	0.7
7.6	1.8	1.8	.....	2.6	1.4	4.9	1.3	4.5	2.0	2.1	2.0
10.5	1.8	.....	1.2	3.4	1.2	4.3	1.2	4.0	6.0	.....	1.0
10.6	2.8	1.8	2.0	3.9	1.5	4.9	1.5	5.3	6.6	4.0	1.7
8.4	2.2	1.2	0.8	3.3	1.5	5.2	1.9	5.2	3.3	5.9	1.0
.....	.....	.....	.....	.....	.....	[1]	[1]	.....	.....	.....	.....
.....	0.1	.....	.....	.....	.....	[1]	0.1	0.3	.....	.....	.....
.....	.....	.....	.....	0.1	.....	0.1	.....	.....	.....	.....	.....
.....	0.1	0.6	.....	.....	.....	[1]	0.1	.....	0.7	.....	.....
0.1	[1]	.....	.....	0.1	.....	0.2	[1]	0.3	.....	.....	.....
.....	.....	.....	.....	.....	.....	[1]	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	0.2	[1]	.....	.....	.....	.....	.....
.....	0.1	.....	.....	.....	0.1	[1]	.....	0.3	0.7	.....	.....
.....	.....	.....	.....	.....	.....	[1]	.....	0.3	.....	.....	.....
.....	.....	.....	.....	0.1	.....	0.1	0.1	.....	.....	.....	.....
1.4	2.3	2.5	[1] 1.2	1.5	1.5	1.9	1.0	3.2	1.4	.....	1.6
1.5	1.5	3.1	2.8	1.4	0.6	2.2	1.7	1.7	2.7	4.2	2.4
1.9	1.7	1.8	2.8	1.4	2.1	1.9	1.4	2.0	3.3	2.0	0.7
1.8	2.0	1.8	2.0	2.2	1.3	2.1	1.9	2.0	1.3	.....	2.7
3.0	2.7	2.3	1.2	1.4	2.0	2.4	1.6	2.0	2.6	2.0	2.4
27.4	22.4	23.9	22.2	22.6	18.1	24.3	24.9	25.8	31.0	32.2	26.0
29.3	22.3	18.6	27.6	24.2	19.3	26.1	23.4	25.6	23.1	25.2	25.2
26.5	23.8	23.1	24.8	20.1	19.4	26.0	24.5	25.0	28.1	10.3	22.9
28.6	26.1	22.6	24.4	23.8	20.8	27.3	24.9	27.5	33.7	12.0	36.4
27.9	27.7	18.8	27.8	23.3	20.7	28.9	27.2	28.2	38.5	17.7	33.0
7.6	5.1	6.3	5.9	5.4	3.8	6.8	5.0	8.1	6.2	6.5	7.8
6.0	4.8	8.7	5.5	9.2	4.9	9.2	6.1	10.0	8.1	6.3	8.8
7.1	5.2	6.1	6.3	6.3	5.8	8.5	7.2	14.9	13.4	6.2	11.1
9.5	4.2	7.1	7.5	6.0	5.2	8.4	7.4	8.9	7.9	4.0	7.7
7.9	6.3	10.0	7.4	6.7	5.5	8.9	6.7	12.6	7.8	2.0	11.4
23.6	16.1	10.9	4.0	16.5	12.1	19.7	15.6	17.8	31.8	8.3	13.8
21.2	19.1	22.6	14.5	18.3	15.3	22.2	13.9	29.5	25.9	12.2	13.8
23.9	15.6	19.8	12.1	16.3	10.9	21.9	13.7	24.3	22.9	23.8	9.0
30.2	14.4	16.1	12.1	20.5	15.7	22.2	14.9	20.6	30.9	23.3	22.1
23.0	16.8	24.8	16.8	20.5	14.5	22.4	17.8	38.4	15.8	26.6	25.6
5.8	5.5	5.6	3.2	3.1	5.0	5.4	5.6	8.5	9.6	8.6	4.7
5.4	5.2	5.6	3.5	3.6	4.6	5.4	6.4	8.6	12.9	6.3	4.7
5.1	5.1	2.4	2.8	4.8	4.1	6.0	7.1	11.1	14.1	10.3	3.7
4.9	5.0	5.4	4.7	5.0	4.8	6.6	6.3	9.3	11.2	4.0	9.8
5.9	5.5	7.0	2.0	4.7	5.2	6.7	6.7	12.6	15.0	2.0	10.8
2.5	2.7	0.6	1.6	1.4	2.2	1.5	3.3	2.1	5.5	2.1	3.0
2.1	3.6	.....	3.2	2.5	1.9	1.7	3.3	2.8	4.8	.....	2.4
2.2	3.1	0.6	3.5	1.5	2.5	1.8	3.1	2.4	5.4	.....	2.0
1.7	4.2	.....	3.1	1.6	1.3	1.9	3.8	1.7	7.9	4.0	5.0
1.7	3.8	2.3	5.1	2.5	2.4	1.4	4.3	2.9	3.3	3.9	2.0
14.1	11.7	21.4	39.6	12.2	16.5	16.0	21.3	8.1	11.7	32.2	38.4
11.0	10.9	27.8	45.8	11.9	14.8	13.9	23.1	9.7	7.5	23.1	20.2
13.5	9.6	24.3	43.3	12.5	13.6	13.3	21.1	11.5	14.8	22.6	25.2
17.4	13.9	22.1	36.6	12.6	14.6	15.2	20.7	7.9	17.2	24.1	26.9
12.0	12.4	20.5	32.9	13.1	10.7	14.9	20.7	11.0	11.1	11.8	20.9

[1] Rates based on approximate female population.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Tumor	1900	2.2	2.5	2.1	1.9	1.7	3.1	1.8	2.2
	1901	1.5	3.7	1.7	1.2	1.7	1.9	2.1	2.9
	1902	1.1	1.5	0.6	0.8	0.8	1.4	1.7	1.9
	1903	1.4	2.1	0.9	1.0	2.4	1.9	1.9	2.6
	1904	2.3	1.8	2.6	1.2	0.8	1.2	1.2	1.7
Acute articular rheumatism	1900	10.4	7.2	2.1	3.0	2.5	2.3	6.3	6.3
	1901	4.6	5.6	3.5	2.8	4.2	3.8	4.3	3.9
	1902	4.5	6.2	2.5	3.5	1.6	2.6	3.9	2.8
	1903	5.6	5.5	4.0	3.5	6.5	3.8	4.7	3.0
	1904	9.8	5.2	6.5	5.2	7.2	3.4	6.0	5.5
Chronic rheumatism and gout	1900	4.4	8.8	6.4	6.4	.....	4.5	3.0	4.0
	1901	6.0	8.7	6.4	5.9	3.3	2.8	4.0	4.7
	1902	5.4	6.5	6.3	5.8	1.6	4.0	2.4	5.1
	1903	2.5	4.6	5.0	3.5	3.2	2.7	3.2	4.5
	1904	2.6	3.3	2.8	4.7	1.6	3.3	2.4	3.4
Diabetes	1900	14.8	13.8	8.0	7.9	8.4	10.6	12.6	13.3
	1901	13.1	12.1	8.6	7.9	13.3	12.5	11.2	13.1
	1902	10.1	18.2	9.4	8.6	18.1	11.4	12.9	15.2
	1903	14.0	11.9	8.8	8.5	12.2	13.2	13.7	15.9
	1904	15.8	19.4	11.4	9.1	16.8	14.2	15.3	16.1
Exophthalmic goiter	1900	0.5	0.3	0.5	0.3	.....	0.3	0.7	0.6
	1901	0.8	0.6	1.0	0.8	.....	0.3	0.3	0.7
	1902	0.5	0.3	0.6	0.4	.....	.....	0.6	0.3
	1903	0.5	.....	1.5	0.9	.....	0.3	0.4	0.6
	1904	0.2	0.3	0.9	0.7	0.8	0.3	0.8	0.1
Addison's disease	1900	0.7	.....	0.3	0.1	3.4	0.3	0.4	1.0
	1901	0.2	0.6	0.6	0.3	.....	0.3	0.5	0.4
	1902	0.2	0.9	0.6	0.6	0.8	0.3	0.5	0.3
	1903	0.3	0.3	0.1	0.4	0.8	0.7	0.3	0.9
	1904	0.5	.....	0.1	0.3	1.6	0.7	0.6	0.7
Leukemia	1900	0.8	0.6	0.8	1.0	1.7	0.3	1.0	1.3
	1901	1.8	0.6	1.7	0.8	0.8	1.4	1.1	0.9
	1902	1.0	0.6	1.2	1.0	0.8	0.7	1.5	2.0
	1903	0.8	1.2	1.6	0.9	0.8	0.7	1.0	1.6
	1904	0.9	1.2	1.7	0.9	1.6	1.4	1.3	1.6
Anemia, chlorosis	1900	4.1	3.5	3.2	4.3	17.7	5.7	7.3	10.3
	1901	3.8	4.7	7.2	4.1	11.7	5.7	7.7	8.8
	1902	2.9	1.5	4.6	4.1	12.3	7.2	5.8	10.0
	1903	3.3	2.5	3.4	3.3	10.6	5.2	6.0	10.1
	1904	3.9	3.6	3.6	3.6	8.8	6.0	5.4	9.0
Alcoholism	1900	5.9	7.2	2.9	2.8	3.4	1.7	6.4	5.2
	1901	8.5	5.0	4.1	1.9	8.3	1.6	5.1	5.3
	1902	7.3	6.5	4.8	2.5	3.3	1.9	6.1	4.7
	1903	9.4	4.6	4.6	1.9	5.7	2.1	6.1	6.1
	1904	7.0	5.5	5.1	2.3	6.4	2.1	4.9	4.5
Lead poisoning	1900	0.3	.....	.....	.....	.....	.....	0.4	0.1
	1901	0.7	0.6	0.2	(1)	.....	0.2	0.4	0.1
	1902	0.2	.....	0.2	.....	0.8	0.9	0.2	0.4
	1903	0.3	.....	0.6	0.1	.....	.....	0.5	0.6
	1904	0.2	0.3	.....	0.1	.....	.....	0.3	0.7
Other occupational poisonings	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	0.2	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
Other chronic poisonings	1900	0.2	.....	.....	0.2	.....	.....	0.1	0.3
	1901	1.0	1.2	0.6	0.6	.....	0.3	0.3	0.6
	1902	0.3	1.5	0.6	0.5	0.8	0.3	0.1	0.1
	1903	0.8	1.2	0.6	0.2	.....	1.0	0.4	0.3
	1904	0.2	1.2	0.6	0.4	.....	0.2	0.1	0.7
Scurvy	1900	0.2	.....	.....	(1)	.....	.....	0.2	0.1
	1901	.....	.....	0.2	.....	.....	.....	0.3	.....
	1902	0.5	0.3	.....	.....	.....	.....	0.1	.....
	1903	0.3	.....	0.1	0.1	.....	0.2	0.1	0.1
	1904	0.2	0.6	.....	(1)	.....	0.2	0.1	0.3
Other general diseases	1900	0.2	.....	0.3	0.2	.....	0.3	(1)	0.1
	1901	.....	.....	0.5	1.0	1.7	.....	0.2	1.9
	1902	0.2	.....	0.9	1.2	1.6	.....	0.2	0.6
	1903	.....	0.6	1.2	0.9	.....	0.5	0.1	0.7
	1904	.....	.....	1.0	0.6	.....	0.2	0.1	0.4
II.—Diseases of nervous system	1900	208.0	214.8	218.6	177.4	342.8	225.4	201.3	237.8
	1901	191.8	215.0	183.1	164.5	311.6	213.9	195.1	234.5
	1902	197.8	210.3	176.0	138.7	293.6	217.1	194.6	224.0
	1903	198.2	202.9	171.7	136.7	280.9	218.8	184.6	221.0
	1904	193.8	231.5	187.6	149.2	290.2	204.1	177.9	227.2
Encephalitis	1900	0.5	2.8	5.6	8.6	1.7	4.0	2.1	2.5
	1901	0.5	2.5	7.7	7.3	5.0	2.9	1.6	2.5
	1902	0.5	1.9	6.0	4.9	4.9	2.2	1.9	1.9
	1903	1.4	1.8	3.0	3.1	4.1	3.1	1.3	1.2
	1904	1.1	0.3	3.6	2.9	2.4	1.2	1.2	1.2

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
2.0	2.7	1.9	2.0	1.4	2.0	1.2	3.1	1.8	1.4	4.3	2.3
1.8	1.3	2.5	2.0	1.3	1.3	1.1	2.2	1.4	1.4	2.1	3.4
1.9	1.3	1.2	2.8	0.5	1.3	1.3	2.0	2.4	.....	.....	2.7
2.4	2.5	3.6	2.8	0.6	0.3	1.7	2.2	0.7	.....	4.0	2.0
2.2	2.1	.....	2.4	1.0	1.0	0.8	2.0	0.3	1.3	2.0	1.7
6.9	5.5	2.5	2.4	5.1	4.4	5.7	5.2	8.1	6.9	2.1	2.7
5.5	4.8	1.8	2.0	4.1	4.6	6.1	4.8	10.7	3.4	4.2	6.1
6.2	5.4	1.8	3.5	3.0	2.6	4.9	4.8	7.8	4.7	.....	4.7
6.2	4.7	5.4	2.3	3.6	3.1	6.0	4.7	5.3	4.6	2.0	2.0
5.7	6.6	4.1	6.3	5.4	4.5	8.4	5.9	4.5	3.9	2.0	5.7
2.4	4.7	2.5	3.9	2.0	3.3	5.0	6.0	7.8	8.3	4.3	5.7
3.7	4.9	3.1	2.8	2.6	3.4	4.6	5.6	4.5	2.7	2.1	7.1
3.6	5.7	3.6	5.5	2.5	2.6	3.2	5.6	3.7	5.4	4.1	6.7
5.7	4.4	4.8	2.8	2.3	2.4	2.9	6.5	2.3	1.3	8.0	4.0
3.1	4.0	1.8	5.5	2.7	3.1	2.2	4.9	3.2	1.3	2.0	5.4
9.0	11.0	12.0	21.0	8.1	8.6	11.3	11.5	12.7	13.7	8.6	13.1
12.7	9.5	9.3	13.0	9.3	8.2	13.2	12.0	19.0	19.0	8.4	18.2
11.4	12.4	10.9	13.0	8.5	9.7	12.7	11.5	10.8	14.1	10.3	12.8
11.7	11.1	16.1	20.8	10.9	9.9	13.6	14.2	15.9	15.9	18.1	13.5
12.9	13.6	17.6	12.2	11.3	11.3	16.2	14.7	16.2	15.7	15.7	22.2
0.8	0.6	.....	0.4	0.3	0.1	0.3	0.7	0.7	.....	2.1	.....
0.8	0.6	.....	1.6	0.5	0.5	0.7	0.6	.....	.....	.....	2.0
1.1	1.2	.....	0.4	0.4	0.8	0.5	0.6	0.3	.....	.....	0.3
1.2	1.5	0.6	0.8	0.3	0.3	0.6	1.2	0.7	0.7	.....	1.7
1.3	0.7	.....	1.2	0.4	0.9	0.8	0.7	1.0	.....	.....	1.0
0.8	0.6	.....	0.4	0.8	0.1	0.4	0.6	0.7	.....	.....	1.0
0.5	0.7	.....	1.6	0.3	0.4	0.5	0.7	.....	.....	2.1	0.7
0.4	0.5	.....	0.4	0.3	0.2	0.4	0.8	0.7	.....	.....	.....
0.5	0.7	1.2	0.4	0.3	0.3	0.7	0.6	.....	0.7	.....	1.0
0.7	0.7	1.2	.....	0.1	0.2	0.5	0.9	0.6	0.7	.....	.....
1.7	1.4	.....	1.2	0.1	0.9	1.1	0.8	0.7	0.7	.....	0.7
1.5	0.8	.....	0.8	0.7	0.7	1.0	0.9	2.1	.....	.....	1.3
0.9	0.8	0.6	.....	0.9	0.5	1.4	0.8	1.0	1.3	.....	2.4
2.0	1.4	.....	0.4	1.6	0.6	1.4	0.9	.....	1.3	2.0	1.7
0.9	0.9	1.2	0.4	0.6	0.9	1.3	1.2	0.6	1.3	3.9	.....
7.6	7.5	12.0	16.6	4.0	3.8	3.4	7.4	7.8	7.6	4.3	7.8
8.0	7.0	18.6	10.3	3.5	2.9	3.3	5.0	3.8	6.8	10.5	10.1
6.5	5.8	13.4	10.5	3.2	3.9	3.3	5.6	6.4	2.7	8.2	9.8
6.9	6.5	12.5	9.8	3.7	3.8	2.8	6.6	6.0	10.6	4.0	6.1
8.4	8.7	5.9	9.0	3.5	3.8	3.6	7.3	6.2	5.9	5.9	11.8
5.1	2.3	1.3	2.0	6.2	3.2	8.3	3.6	12.7	11.7	8.6	2.0
3.3	2.1	3.7	2.4	8.3	3.2	7.5	3.7	6.2	10.2	6.3	3.4
3.4	3.2	1.2	3.5	10.8	2.8	7.3	3.4	6.8	6.7	.....	2.4
3.3	4.1	7.1	6.7	11.5	4.0	8.8	5.0	8.3	6.0	8.0	3.4
4.6	3.9	5.3	5.1	12.0	4.1	6.9	3.1	7.5	9.8	7.8	2.7
0.1	.....	0.6	0.4	0.2	0.4	0.2	0.1	0.4	0.7	.....	.....
0.3	0.1	.....	.....	0.3	.....	0.3	0.2	.....	0.7	.....	0.7
0.1	0.2	1.2	0.4	0.7	0.2	0.3	0.2	0.3	.....	.....	0.3
0.4	0.1	1.2	0.8	0.2	0.1	0.4	0.3	.....	.....	.....	.....
.....	(1)	.....	0.4	0.4	0.1	0.4	0.3	.....	.....	.....	0.3
0.1	.....	.....	.....	.....	.....	(1)	.....	.....	.....	.....	.....
.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	(1)	.....	0.3	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
0.4	0.7	.....	.....	0.2	.....	0.1	0.7	.....	0.7	.....	.....
0.7	0.5	0.6	.....	0.1	.....	0.4	0.6	.....	0.7	2.1	0.3
2.3	0.9	0.6	0.8	0.2	0.2	0.3	0.7	0.3	.....	.....	1.4
0.4	1.0	.....	0.4	0.2	0.2	0.4	0.9	0.7	.....	2.0	2.0
0.8	1.3	.....	.....	0.2	0.5	0.4	0.3	.....	2.6	.....	1.3
0.3	0.1	.....	0.4	0.3	.....	0.2	(1)	0.4	0.7	.....	.....
0.1	0.1	0.6	.....	0.1	0.1	0.3	(1)	.....	0.7	.....	.....
0.1	.....	.....	.....	0.2	0.2	0.2	0.1	.....	.....	2.0	0.3
0.4	0.2	0.6	.....	0.6	0.1	0.3	(1)	0.3	.....	.....	1.0
.....	.....	.....	.....	0.2	0.2	0.3	0.1	.....	.....	.....	.....
0.3	0.4	.....	.....	0.2	0.1	0.1	0.5	0.4	.....	.....	.....
0.8	0.6	0.6	0.8	1.0	0.5	0.3	0.6	.....	.....	.....	.....
0.7	0.8	0.6	.....	0.4	.....	0.2	0.7	.....	.....	.....	.....
0.7	0.5	0.6	0.8	0.3	.....	0.2	0.4	0.3	.....	.....	.....
0.8	0.7	1.2	1.6	0.2	0.5	0.2	0.6	.....	.....	.....	.....
198.4	168.2	279.4	266.7	265.7	228.4	187.8	222.3	184.7	241.5	206.0	225.9
175.4	160.7	237.9	235.5	243.1	222.0	176.6	215.5	186.9	232.2	257.9	237.7
159.3	152.6	255.5	256.1	239.9	202.4	167.3	207.1	179.8	220.1	213.2	209.0
173.6	157.1	238.5	237.8	228.3	210.5	157.8	210.5	153.2	212.3	228.7	236.9
164.7	165.7	213.3	239.2	223.0	207.9	185.8	222.3	161.4	220.0	231.7	203.9
5.3	4.5	8.8	3.9	2.2	3.3	1.1	2.8	1.8	4.8	2.1	2.3
3.3	3.1	6.8	3.9	2.0	2.4	0.8	1.9	1.7	4.1	2.1	4.0
2.7	2.9	3.0	5.1	1.9	1.4	0.6	1.2	1.7	10.0	4.1	4.4
2.1	2.1	3.0	3.5	1.6	1.3	0.8	1.2	0.7	2.0	.....	2.0
2.3	2.6	2.9	1.5	2.1	1.8	0.5	1.2	1.3	2.0	2.0	0.3

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Meningitis	1900	36.2	34.1	43.0	26.6	63.3	33.5	42.6	31.7
	1901	30.9	19.9	29.3	19.9	50.0	31.0	37.1	25.5
	1902	32.6	21.9	26.0	18.7	51.8	25.9	34.8	21.9
	1903	31.8	21.4	23.6	13.1	45.5	23.6	33.9	24.4
	1904	23.7	19.1	29.5	17.6	41.7	23.0	28.7	21.2
Epidemic cerebro-spinal meningitis	1900	6.6	6.3	4.5	6.2	5.9	6.2	7.2	5.1
	1901	7.1	4.7	4.9	7.5	5.8	7.3	5.4	4.7
	1902	6.5	4.3	3.8	3.2	0.8	5.3	6.1	4.7
	1903	6.7	5.2	3.1	6.4	8.9	5.9	5.3	4.9
	1904	23.1	15.5	6.5	5.8	4.0	2.9	5.4	4.3
Locomotor ataxia	1900	2.5	2.8	1.9	1.5	3.4	2.1	2.0	2.2
	1901	3.1	3.1	1.6	1.3	3.3	3.5	1.8	2.4
	1902	2.6	1.5	1.4	1.5	3.3	2.1	1.7	2.8
	1903	3.8	3.1	2.7	1.6	1.6	2.6	2.0	2.6
	1904	2.6	4.0	2.0	1.9	3.2	4.1	2.1	4.0
Other diseases of spinal cord	1900	4.6	6.3	5.1	3.6	9.3	6.4	4.2	4.9
	1901	3.8	6.5	5.4	4.6	7.5	5.7	4.7	6.2
	1902	4.1	6.8	5.1	3.8	6.6	5.9	5.2	5.1
	1903	7.1	4.0	5.6	4.8	4.9	7.7	4.7	6.5
	1904	5.0	5.5	4.9	5.6	6.4	7.6	5.0	6.6
Apoplexy	1900	79.1	93.3	61.1	37.8	88.7	83.6	70.0	92.2
	1901	79.6	100.4	53.9	43.2	93.4	82.4	70.8	93.2
	1902	86.6	103.0	57.7	40.0	108.5	93.6	75.4	95.0
	1903	88.1	104.7	54.4	45.3	98.2	98.4	74.2	101.8
	1904	86.2	120.0	57.0	48.4	110.7	98.5	79.7	114.4
Softening of brain	1900	3.1	8.8	4.3	4.8	6.8	7.5	2.9	5.3
	1901	5.5	11.8	4.1	4.5	2.5	5.7	2.5	6.5
	1902	4.1	9.0	3.8	4.4	2.5	7.2	2.5	5.7
	1903	2.5	8.3	3.4	4.7	0.8	5.9	2.6	4.9
	1904	3.0	11.2	3.5	4.7	4.0	6.0	3.1	3.7
Paralysis	1900	16.1	22.2	33.4	44.0	48.2	39.4	19.6	37.6
	1901	12.3	22.4	29.0	36.1	43.3	34.6	19.0	32.9
	1902	9.9	19.5	24.8	29.5	24.7	31.3	19.5	29.3
	1903	10.3	17.7	26.9	29.3	26.0	30.4	15.7	27.1
	1904	10.7	17.9	30.9	30.8	32.9	23.3	13.2	20.8
General paralysis of insane	1900	7.3	6.9	5.9	3.7	15.2	6.2	6.6	12.6
	1901	6.5	4.0	5.4	5.8	13.3	4.3	9.3	11.8
	1902	10.1	4.3	7.1	4.1	7.4	6.0	9.0	13.9
	1903	7.0	4.0	9.8	4.0	7.3	7.7	7.9	10.8
	1904	6.7	5.5	7.8	4.0	16.0	5.8	8.0	11.5
Other forms of mental disease	1900	3.2	2.5	5.3	2.8	56.6	4.0	3.6	3.3
	1901	3.8	2.2	2.1	2.4	48.3	4.3	3.2	5.4
	1902	2.9	3.1	4.3	2.2	44.4	3.3	3.5	6.8
	1903	1.9	2.7	4.0	1.4	39.8	2.4	3.1	7.4
	1904	1.9	3.4	6.2	2.6	33.7	3.9	2.8	6.9
Other diseases of brain	1900	6.5	4.1	4.8	4.5	5.9	8.2	7.2	7.4
	1901	5.0	6.2	4.8	4.4	10.0	7.6	7.2	8.2
	1902	4.4	4.0	5.1	2.5	9.1	9.1	5.5	6.6
	1903	5.4	5.8	3.0	3.1	10.6	5.3	5.4	5.5
	1904	3.6	3.0	4.3	3.3	4.0	5.7	4.6	6.6
Epilepsy	1900	2.9	7.8	6.1	6.5	8.4	4.0	3.4	7.0
	1901	5.0	5.0	6.1	5.2	8.3	3.6	3.6	7.2
	1902	4.9	8.6	4.5	5.2	9.9	3.6	3.2	7.7
	1903	6.5	5.5	6.4	5.0	8.1	5.0	3.4	6.2
	1904	3.6	7.3	6.1	5.2	8.0	2.6	3.7	10.3
Convulsions (nonpuerperal)	1900	1.2	0.9	4.0	1.8	.....	1.0	2.1	2.1
	1901	0.7	0.6	1.1	1.1	1.7	1.6	1.5	1.5
	1902	0.8	0.9	1.7	0.8	.....	2.4	1.2	1.6
	1903	0.6	.....	2.1	0.4	2.4	1.0	1.7	0.6
	1904	1.4	1.2	2.3	0.7	.....	2.2	0.9	0.4
Convulsions of children	1900	29.5	10.7	25.3	17.4	22.8	14.9	22.7	18.0
	1901	19.4	16.5	20.2	12.6	15.0	12.0	20.9	19.4
	1902	19.8	13.9	14.2	10.1	14.8	14.2	19.8	14.9
	1903	16.1	9.2	14.6	7.9	14.6	11.5	16.8	12.3
	1904	15.2	12.5	15.8	8.9	15.2	9.8	13.5	9.3
Tetanus	1900	4.4	2.5	4.3	2.2	.....	0.9	1.6	2.1
	1901	2.0	3.1	3.2	2.4	1.7	0.5	2.0	1.5
	1902	3.6	1.2	4.6	2.7	0.8	1.0	1.8	0.9
	1903	3.6	4.0	4.3	2.1	4.1	1.0	2.0	1.2
	1904	2.6	1.8	4.3	2.8	2.4	1.7	1.2	1.0
Chorea	1900	0.5	0.6	0.3	0.3	0.8	0.3	0.2	0.3
	1901	0.3	0.9	0.3	0.7	.....	.....	0.4	0.3
	1902	0.6	.....	0.2	0.3	0.8	0.3	0.2	0.3
	1903	.....	0.3	0.1	0.3	.....	0.2	0.3	.....
	1904	0.5	0.3	.....	0.4	.....	0.2	0.3	.....
Other diseases of nervous system	1900	2.9	1.6	3.7	4.5	5.0	3.0	2.0	3.1
	1901	4.0	3.7	3.3	5.0	2.5	6.4	2.5	4.4
	1902	3.2	5.8	5.1	4.1	3.3	3.5	2.1	4.2
	1903	2.4	3.4	3.7	3.4	3.2	6.4	2.6	3.3
	1904	1.1	1.8	2.0	2.7	5.6	5.1	2.5	3.4

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
20.3	13.0	67.4	32.5	62.0	30.4	38.4	24.5	41.3	39.3	40.8	29.6
16.7	10.5	55.6	23.7	52.5	23.9	28.4	19.2	41.7	40.0	56.6	30.0
13.5	8.6	52.8	30.3	48.7	20.3	24.6	15.1	39.2	26.8	69.7	25.9
13.5	8.6	44.1	22.4	44.8	23.7	20.6	16.1	16.6	15.9	44.2	19.9
13.6	8.2	41.0	18.4	37.1	18.5	22.5	17.4	14.3	10.4	66.8	20.6
12.2	9.2	8.8	8.3	7.4	4.9	7.2	4.4	7.4	9.6	6.5	4.7
5.5	5.8	3.7	4.3	4.0	3.8	6.6	4.8	7.9	2.7	8.4	6.7
6.9	5.0	5.5	6.3	5.0	2.9	7.1	4.2	7.4	7.3	4.1	3.0
6.6	4.6	8.3	5.5	5.4	5.3	7.7	5.1	10.9	3.3	6.0	3.4
6.3	5.4	2.3	3.9	16.5	5.7	28.4	5.9	11.0	13.7	7.8	5.0
1.4	1.9	3.1	2.8	1.8	2.2	2.0	1.9	1.8	2.8	.....	2.7
1.4	1.9	2.5	2.8	2.2	2.6	2.6	2.2	2.4	4.8	2.1	1.3
2.2	2.4	2.4	3.2	1.5	1.8	2.2	2.2	6.1	2.0	.....	2.4
3.2	2.8	2.4	3.9	2.5	2.4	2.2	2.7	1.7	4.0	4.0	4.0
2.1	2.8	1.8	3.1	1.9	2.8	2.6	2.7	1.6	1.3	5.9	2.7
3.8	5.2	5.0	5.1	5.5	5.8	4.1	5.7	5.6	3.4	2.1	6.1
4.4	5.5	9.9	6.7	4.6	4.1	4.1	5.2	5.9	8.1	4.2	8.4
5.5	5.2	7.9	5.1	4.6	3.9	4.4	4.8	2.4	2.7	10.3	9.1
4.3	5.3	4.2	6.3	5.1	5.7	5.1	7.2	4.6	5.3	8.0	6.7
5.4	5.1	5.3	7.5	5.8	5.6	4.8	6.1	5.5	9.8	.....	7.1
54.6	48.9	79.3	103.0	86.9	76.2	74.7	91.6	78.4	92.2	75.1	95.3
51.5	52.9	64.8	97.2	85.8	85.2	75.2	94.0	84.3	103.2	90.1	106.1
49.8	53.5	77.7	112.6	86.0	78.0	72.9	98.2	86.6	107.2	73.8	101.3
58.3	57.0	73.3	114.0	87.1	79.0	69.5	101.8	74.1	102.5	76.3	120.8
55.7	60.4	75.0	114.5	85.7	86.2	74.8	109.1	86.2	108.4	88.4	105.7
2.5	4.1	2.5	7.9	2.1	6.9	1.9	6.0	4.9	8.9	.....	8.1
2.5	5.0	1.8	9.1	3.5	5.9	2.0	4.9	2.8	4.1	.....	8.1
1.1	4.3	4.9	7.1	3.7	7.9	1.7	5.1	2.0	4.7	.....	4.4
3.0	3.7	2.4	13.0	2.3	3.9	2.4	5.5	4.3	3.3	8.0	7.4
2.6	4.9	4.7	7.5	3.0	5.0	2.5	4.9	2.6	3.3	3.9	5.0
28.1	36.8	29.6	44.3	16.9	36.0	10.9	36.3	12.0	18.6	21.5	28.0
22.8	33.5	37.7	39.5	16.1	35.6	10.1	37.5	15.2	21.0	33.5	22.9
21.2	29.9	31.0	34.3	16.2	32.7	9.2	30.7	12.5	18.8	10.3	14.8
21.2	34.8	29.2	29.5	14.8	34.8	9.3	29.8	11.9	15.9	16.1	22.2
20.9	34.7	28.7	33.7	14.2	35.2	8.8	29.8	10.7	21.5	11.8	16.5
10.8	4.4	8.8	9.1	5.0	8.7	7.5	11.4	4.5	17.9	6.5	4.4
10.5	4.5	11.1	13.4	3.8	9.4	5.8	10.8	3.5	18.3	6.3	9.7
9.5	6.6	9.1	8.3	4.7	8.8	6.8	12.1	3.0	20.1	.....	5.4
9.6	5.3	11.3	9.0	5.5	10.6	5.6	11.8	3.6	17.8	12.0	6.7
10.6	5.7	6.4	11.0	6.2	9.7	6.8	13.4	4.2	20.2	7.8	7.1
3.4	3.1	3.2	9.1	3.4	3.9	3.9	4.1	2.5	13.7	6.5	3.0
4.8	2.5	5.0	10.7	2.8	3.4	4.6	3.8	1.4	3.4	4.2	3.4
3.6	2.9	6.7	7.1	1.9	4.5	3.9	3.5	0.3	7.3	4.1	1.4
5.4	3.3	10.7	3.2	3.2	4.4	3.1	4.1	1.7	9.3	2.0	5.1
4.0	3.5	7.6	6.3	2.4	4.4	2.4	3.4	1.6	5.9	3.9	1.7
6.7	5.7	16.4	11.1	4.3	4.7	3.4	5.3	4.2	8.3	2.1	9.1
7.7	4.8	9.3	9.5	4.6	3.6	3.2	4.7	3.5	4.1	4.2	6.7
4.4	3.5	12.1	7.5	4.3	4.0	3.5	4.0	4.4	4.7	4.1	7.0
6.7	3.3	14.9	3.5	4.1	3.2	4.3	4.0	2.3	5.9	8.0	8.4
4.6	3.5	8.2	7.8	4.7	2.4	3.7	4.6	4.2	0.6	3.9	5.7
5.5	6.4	5.0	6.7	2.9	5.9	3.9	5.4	1.4	8.3	4.3	4.0
6.2	7.8	0.6	6.7	3.5	4.8	3.6	6.4	3.5	10.2	6.3	7.4
5.7	6.4	5.5	7.1	3.3	4.4	3.9	6.1	2.4	8.1	4.1	8.7
5.5	6.1	3.6	5.1	3.6	5.2	4.1	6.1	5.3	9.9	6.0	10.1
4.0	6.2	5.3	6.7	3.6	5.0	4.0	6.7	3.3	8.5	2.0	7.7
1.1	1.6	5.0	1.6	3.4	1.8	0.6	1.7	0.4	0.7	4.3	2.7
1.0	1.0	3.1	3.9	2.1	2.6	0.4	1.0	0.7	0.7	.....	0.7
0.8	0.8	3.0	1.6	2.8	1.2	0.3	0.9	1.4	.....	2.0	1.4
1.1	1.0	1.2	1.2	3.7	2.0	0.4	0.8	0.3	.....	2.0	1.0
1.2	1.0	2.9	0.4	1.9	1.3	0.3	1.1	0.3	.....	.....	1.0
37.1	17.9	32.1	14.2	55.0	30.1	22.4	15.5	11.3	5.5	25.7	18.5
31.6	16.4	23.5	13.8	49.6	27.7	23.7	12.3	8.3	6.1	25.2	16.2
26.5	14.4	29.7	14.5	47.5	25.5	20.2	13.9	8.4	6.7	24.6	13.1
25.8	13.3	23.3	10.6	38.7	22.5	16.6	10.4	7.0	7.9	20.1	12.1
26.7	14.9	13.5	10.2	31.2	16.6	17.6	11.4	7.5	7.2	15.7	9.4
1.7	1.2	0.6	1.6	4.2	4.4	2.6	1.7	0.7	4.1	2.1	2.6
1.5	1.0	.....	2.4	3.8	4.8	2.3	1.9	1.7	.....	4.2	1.7
2.0	1.1	2.4	1.6	4.5	3.3	2.0	1.4	0.7	0.7	.....	1.7
3.7	1.6	1.8	2.0	3.4	4.5	2.0	0.8	2.6	1.3	12.0	0.7
0.8	1.5	1.2	2.0	3.5	3.6	2.0	1.3	1.3	2.0	3.9	3.0
0.4	0.4	.....	.....	0.2	0.1	0.1	0.4	0.4	.....	.....	0.3
0.7	0.5	.....	0.4	0.1	0.1	0.2	0.1	0.3	.....	.....	0.3
0.1	0.6	0.6	0.4	.....	0.1	0.2	0.2	.....	.....	.....	0.3
0.4	0.4	.....	.....	0.3	0.1	0.3	0.2	.....	.....	.....	0.3
0.4	0.6	0.6	0.8	0.2	0.1	0.2	0.1	.....	.....	.....	0.3
2.8	3.6	3.8	4.7	2.1	2.7	1.6	3.3	3.2	3.4	4.3	5.1
2.1	3.0	2.5	6.7	1.5	1.6	1.5	4.0	1.4	1.4	6.3	3.4
2.2	3.5	1.2	3.2	2.8	1.5	1.8	2.9	1.0	1.3	2.0	4.4
2.0	2.5	3.0	4.7	1.8	1.6	1.7	2.3	1.0	4.0	2.0	5.1
1.8	2.7	1.2	2.7	1.7	2.6	1.6	2.5	2.9	2.6	5.9	4.4

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of eye and its adnexa	1900	0.2	.....	.....	0.1	.....	.....	0.1	0.3
	1901	.....	.....	0.2	.....	.....	.....	.....	0.3
	1902	.....	0.3	.....	.....	.....	.....	(1)	0.3
	1903	.....	.....	0.1	0.1	.....	0.2	.....	.....
	1904	0.3	.....	.....	.....	.....	0.2	0.1	.....
Diseases of ear	1900	0.7	0.6	.....	0.5	0.8	0.2	1.2	0.1
	1901	2.3	1.5	0.5	0.5	.....	0.5	1.6	0.6
	1902	0.6	0.3	0.6	0.7	.....	0.2	1.2	0.4
	1903	2.0	1.8	0.9	0.7	0.8	0.5	1.7	0.3
	1904	1.5	1.2	0.9	0.9	.....	0.3	1.9	1.6
III.—Diseases of circulatory system	1900	143.8	209.5	105.5	87.5	196.7	170.2	180.2	195.5
	1901	152.6	181.8	116.2	91.2	202.5	169.3	179.1	201.2
	1902	161.1	183.5	123.5	92.0	192.5	176.2	188.5	197.0
	1903	174.8	191.9	128.6	105.6	196.5	183.2	184.8	231.5
	1904	171.7	209.9	138.2	114.4	230.1	187.1	195.1	245.1
Pericarditis	1900	1.7	1.9	4.0	2.9	0.8	2.3	2.1	1.3
	1901	1.6	1.5	3.7	3.3	0.8	3.1	1.3	1.2
	1902	0.8	0.9	3.2	1.9	2.5	4.5	1.5	1.6
	1903	1.0	1.2	2.8	2.1	0.8	1.5	1.4	1.1
	1904	1.4	1.5	3.2	2.6	0.8	1.0	1.2	2.5
Endocarditis	1900	14.9	11.9	6.9	3.0	4.2	3.1	13.5	7.6
	1901	10.8	5.6	6.5	2.8	2.5	2.1	11.3	7.2
	1902	12.0	6.2	8.2	3.6	0.8	4.3	12.7	8.6
	1903	13.0	3.4	6.1	2.6	4.9	4.6	13.1	7.8
	1904	12.9	6.1	8.4	3.2	10.5	6.0	14.2	9.3
Heart disease	1900	108.3	166.6	80.6	67.9	163.0	144.6	138.1	162.0
	1901	117.0	150.8	84.5	70.6	174.2	142.1	140.5	165.1
	1902	122.7	153.3	90.3	71.6	167.0	143.1	147.5	159.8
	1903	132.8	154.5	100.6	86.0	154.3	151.6	142.5	190.7
	1904	131.7	177.1	105.9	93.1	191.6	151.3	149.7	196.2
Angina pectoris	1900	7.3	9.4	3.2	5.1	9.3	11.1	5.5	8.5
	1901	6.3	9.7	5.6	5.5	10.8	11.1	6.2	9.0
	1902	7.6	8.6	5.1	5.9	4.9	11.0	6.1	6.7
	1903	6.7	13.5	5.6	6.1	12.2	13.9	7.0	11.0
	1904	5.9	8.5	6.2	6.1	9.6	11.3	6.3	10.2
Diseases of arteries	1900	4.8	6.0	3.5	1.8	4.2	2.6	10.7	7.6
	1901	8.5	6.2	6.7	3.1	4.2	3.3	8.9	8.1
	1902	7.8	7.1	7.9	4.2	5.8	4.8	10.6	9.2
	1903	12.3	10.1	7.1	4.0	8.1	4.3	11.9	12.0
	1904	10.4	8.8	7.5	4.5	8.0	5.7	16.2	19.2
Embolism and thrombosis	1900	2.9	7.5	1.1	1.6	6.8	4.0	5.7	4.8
	1901	4.6	5.9	1.3	1.5	7.5	4.2	6.5	5.7
	1902	6.8	4.6	2.0	1.1	6.6	5.2	6.1	6.0
	1903	5.7	4.9	2.5	1.5	8.1	4.0	5.6	4.5
	1904	6.8	6.4	2.8	2.0	5.6	6.7	4.6	4.3
Diseases of veins	1900	0.8	0.9	0.3	0.2	.....	0.2	0.5	0.3
	1901	0.5	0.6	1.1	0.5	0.8	0.5	0.7	0.9
	1902	0.8	0.3	.....	0.2	0.8	0.2	0.6	0.7
	1903	0.5	0.6	0.3	0.3	0.8	0.5	0.4	0.3
	1904	0.8	0.3	0.3	0.2	0.8	0.5	0.8	1.2
Diseases of lymphatics	1900	0.2	0.3	.....	0.1	.....	0.2	0.3	.....
	1901	.....	.....	0.3	(1)	.....	.....	0.2	.....
	1902	0.2	.....	.....	(1)	.....	0.2	(1)	0.3
	1903	.....	0.6	0.3	0.2	.....	0.2	0.1	.....
	1904	0.1	.....	0.1	(1)	0.8	0.2	0.4	0.1
Hemorrhages	1900	2.9	5.0	5.6	4.8	8.4	2.1	3.8	3.4
	1901	3.0	1.5	4.9	3.3	1.7	2.9	3.4	4.0
	1902	2.4	1.9	4.2	2.8	4.1	2.9	3.3	4.1
	1903	2.8	3.1	2.4	2.0	7.3	2.1	2.7	3.8
	1904	1.6	1.2	2.8	2.5	2.4	4.1	1.7	2.0
Other diseases of circulatory system	1900	.....	.....	0.3	0.1	.....	.....	.....	.....
	1901	0.3	.....	1.6	0.6	.....	.....	0.1	.....
	1902	.....	0.6	2.6	0.7	.....	.....	0.1	.....
	1903	.....	.....	0.9	0.8	.....	0.5	0.1	0.3
	1904	0.1	.....	1.0	0.2	.....	0.3	(1)	0.1
IV.—Diseases of respiratory system	1900	244.5	204.2	222.6	160.2	243.2	225.2	250.9	219.8
	1901	201.6	188.9	186.0	165.5	200.8	193.5	222.1	197.7
	1902	184.5	157.0	156.9	127.8	233.5	182.7	228.3	177.8
	1903	204.7	184.8	158.6	111.7	228.1	180.3	228.6	181.5
	1904	195.8	173.7	179.2	145.3	234.1	191.2	212.3	180.5
Diseases of nasal fossa	1900	.....	.....	0.3	0.3	.....	.....	.....	.....
	1901	.....	0.3	0.2	0.5	.....	0.2	0 2	.....
	1902	.....	0.3	.....	0.2	.....	.....	(1)	.....
	1903	0.1	0.3	0.3	0.5	.....	.....	0.2	.....
	1904	.....	.....	0.1	0.3	.....	.....	0.2	.....
Laryngitis	1900	2.0	1.6	0.5	1.6	2.5	2.3	1.8	1.6
	1901	1.2	2.2	1.9	1.9	3.3	1.6	1.6	1.0
	1902	1.3	1.9	2.5	1.0	8.3	1.0	1.2	0.4
	1903	1.0	1.8	0.7	1.0	2.4	0.9	1.1	1.4
	1904	0.6	1.2	1.4	1.0	.....	2.1	0.9	1.1

(1) Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
.....	.....	.....	.....	0.1	.....	.....	0.1	0.4	.....	.....	.....
0.1	0.1	.....	0.4	0.2	.....	(1)	.....	.....	.....	.....	.....
.....	0.2	.....	.....	.....	0.1	(1)	.....	.....	.....	.....	.....
.....	0.1	.....	.....	0.1	.....	(1)	(1)	0.3	.....	2.0	.....
.....	0.3	0.6	0.4	0.2	.....	(1)	.....	.....	.....	.....	.....
0.7	0.3	.....	0.8	0.3	0.4	1.5	0.2	2.5	.....	2.1	.....
1.1	0.9	.....	0.4	0.4	0.5	1.5	0.8	0.7	.....	4.2	0.7
1.6	0.8	.....	0.8	0.5	0.1	2.0	0.6	0.3	0.7	.....	0.3
1.2	1.3	1.8	0.4	0.3	0.3	2.1	0.6	4.3	4.0	.....	1.0
1.7	1.7	4.1	0.8	1.1	1.4	2.3	0.7	2.9	2.6	2.0	0.7
124.8	132.1	168.0	199.5	151.6	153.5	150.1	169.2	169.5	170.0	133.0	178.4
122.2	138.7	168.7	199.0	149.4	133.2	152.5	177.5	157.8	171.7	151.0	179.1
153.4	145.3	174.2	214.3	157.6	142.4	160.4	185.0	173.7	168.8	139.4	176.4
148.5	153.6	190.8	232.7	153.8	146.5	165.6	200.5	165.7	199.0	170.5	208.3
155.1	168.0	171.1	242.0	165.6	157.5	185.3	229.9	170.1	199.1	178.7	202.6
1.7	2.6	6.3	2.8	2.8	2.0	2.4	2.5	2.5	0.7	2.1	3.0
1.4	2.3	3.1	2.0	1.9	1.4	1.8	1.5	2.4	.....	6.3	2.4
1.9	1.9	3.0	3.9	2.0	2.4	1.9	1.7	1.0	2.7	2.1	1.7
0.9	2.1	0.6	2.0	1.6	1.8	1.5	2.2	1.0	4.0	.....	2.0
2.2	2.0	1.8	1.2	2.2	0.7	1.6	1.7	1.6	1.3	2.0	2.7
6.2	3.7	5.6	4.4	15.1	10.5	24.9	5.6	14.8	6.9	8.6	6.4
4.8	3.9	5.0	8.3	17.5	6.0	20.9	4.9	12.1	6.1	4.2	4.7
5.7	3.1	7.3	5.5	17.4	8.4	22.5	5.2	10.2	6.7	6.2	8.4
6.3	3.1	3.0	3.5	19.9	6.4	14.2	6.4	11.9	7.9	4.0	7.4
7.1	4.2	10.0	6.3	24.8	10.6	16.3	5.6	10.0	5.9	5.9	7.8
99.2	108.4	131.6	162.2	113.2	119.4	103.8	135.9	131.7	134.1	100.8	139.1
98.5	113.8	134.6	157.2	109.2	108.3	110.9	149.5	129.5	141.2	119.5	146.5
122.6	120.8	134.8	170.6	113.3	114.2	114.9	155.9	141.3	137.3	106.6	133.7
119.7	130.5	162.2	200.1	109.6	117.5	126.0	164.1	134.3	160.0	126.4	172.3
122.9	142.6	139.5	200.0	117.0	125.7	143.1	190.4	135.5	167.8	143.3	167.9
6.6	7.1	10.1	11.9	7.5	8.4	5.1	9.2	5.3	11.7	6.5	12.8
4.8	8.8	12.3	11.0	7.2	5.6	4.7	9.9	3.1	14.2	8.4	13.1
8.2	9.1	9.7	14.2	7.5	5.7	5.3	9.5	5.7	11.4	8.2	14.2
7.9	8.7	9.5	10.6	6.5	8.6	5.3	9.9	7.6	6.0	10.1	11.1
7.1	8.5	10.5	16.1	7.0	6.8	4.9	10.1	6.8	7.8	15.7	6.7
4.5	4.1	2.5	3.2	5.5	3.7	5.3	4.6	4.5	6.9	4.3	4.4
5.5	4.3	5.0	3.9	4.8	4.7	6.8	4.4	4.5	3.4	2.1	4.0
8.5	5.7	6.7	6.7	7.5	4.8	9.3	5.3	5.4	6.0	2.0	4.0
7.2	5.8	3.6	6.3	6.7	5.6	10.2	8.3	6.3	10.6	12.0	7.8
9.2	6.1	2.3	8.2	6.8	6.5	11.3	12.1	10.0	13.1	2.0	6.7
3.1	2.9	5.0	8.3	3.6	5.5	4.2	5.0	6.7	5.5	2.1	8.1
2.6	2.6	5.0	9.5	4.6	4.7	4.4	4.0	3.5	2.7	6.3	4.7
4.0	1.8	8.5	8.3	5.5	4.1	3.4	4.8	5.7	3.3	4.1	9.4
3.2	1.5	6.5	6.3	5.5	3.5	5.7	6.0	2.3	5.3	12.0	3.4
3.6	2.2	4.1	6.3	3.7	4.0	5.2	5.9	2.6	2.6	7.8	5.7
0.3	0.7	1.3	.....	0.6	0.2	0.8	0.4	1.1	0.7	2.1	.....
1.0	0.3	.....	0.4	0.4	0.5	0.4	0.6	0.7	2.0	.....	.....
0.5	0.5	.....	0.4	0.3	0.1	0.7	0.4	1.4	0.7	.....	.....
0.3	0.5	.....	.....	0.5	0.9	0.6	0.5	0.3	2.6	.....	0.3
0.7	0.5	0.6	0.8	0.4	0.6	0.7	0.8	1.0	.....	.....	0.7
0.3	0.3	0.6	.....	0.1	0.1	0.2	0.3	1.1	.....	.....	0.3
0.3	0.3	0.6	0.4	0.3	.....	0.2	(1)	0.3	.....	.....	.....
0.3	0.3	.....	.....	0.3	0.1	0.2	0.2	0.3	.....	2.0	.....
0.3	.....	.....	.....	0.3	0.1	0.3	0.2	0.3	.....	.....	.....
.....	0.1	.....	.....	0.5	0.1	0.3	0.3	0.6	.....	.....	0.3
2.6	2.0	5.0	6.3	3.2	3.5	3.4	5.6	1.8	2.8	6.5	4.0
2.9	2.3	3.1	5.9	3.5	2.0	2.3	2.6	1.7	0.7	4.2	3.4
1.6	1.8	3.0	4.7	3.7	2.6	2.2	1.9	2.4	0.7	8.2	4.7
2.6	1.1	4.8	3.9	3.0	2.1	1.7	2.6	1.7	2.6	4.0	4.0
2.3	1.4	2.3	3.1	3.1	2.5	1.9	2.8	2.0	0.6	2.0	4.1
0.3	0.3	.....	0.4	.....	0.2	(1)	0.1	.....	0.7	.....	0.3
0.4	0.1	.....	0.4	.....	.....	0.1	0.1	.....	1.4	.....	0.3
0.1	0.3	1.2	.....	0.1	.....	(1)	0.1	0.3	.....	.....	0.3
0.1	0.3	0.6	.....	0.2	.....	0.1	0.3	.....	.....	2.0	.....
.....	0.4	.....	.....	0.1	.....	(1)	0.2	.....	.....	.....	.....
208.6	156.5	298.3	279.0	302.4	203.2	355.0	181.0	308.9	283.5	311.0	224.3
208.6	167.7	241.0	215.2	259.8	177.7	315.4	185.0	231.7	228.8	226.4	228.2
203.6	143.1	258.6	180.9	266.8	165.6	307.3	153.4	235.9	204.4	217.3	223.8
190.1	139.0	210.5	196.1	251.6	163.7	292.3	162.5	277.6	226.8	276.8	192.2
172.5	146.5	204.0	178.4	307.6	196.8	340.6	167.5	249.9	242.2	210.1	208.6
.....	0.2	0.6	0.4	.....	.....	0.1	0.2	.....	.....	.....	.....
.....	0.7	.....	0.4	0.1	0.5	0.2	0.4	.....	.....	.....	.....
0.5	0.7	.....	.....	0.2	.....	0.1	0.4	.....	.....	.....	.....
.....	0.8	.....	.....	.....	0.1	(1)	(1)	.....	.....	.....	0.3
0.1	0.5	.....	.....	.....	.....	(1)	0.3	.....	.....	.....	0.3
0.8	1.2	1.9	2.0	2.7	2.2	1.8	1.4	3.5	0.7	.....	0.7
1.6	1.5	3.1	0.4	2.5	2.0	1.5	0.8	2.8	1.4	4.2	2.0
2.2	1.0	0.6	1.2	3.0	1.1	1.6	1.0	1.7	2.7	6.1	2.0
0.8	0.8	1.8	1.6	2.3	1.3	1.2	1.1	3.3	0.7	2.0	1.4
1.0	0.6	.....	1.2	1.7	1.1	1.1	1.0	2.0	1.3	.....	1.0

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other diseases of larynx	1900	0.7	1.2	1.9	1.0	1.7	0.9	1.1	1.0
	1901	0.3	2.2	1.3	0.4	.....	0.9	1.0	0.4
	1902	1.0	0.6	1.4	0.6	1.6	0.9	1.4	1.0
	1903	1.9	0.3	1.2	0.8	1.6	1.0	1.2	0.1
	1904	0.9	1.8	1.0	0.8	1.6	0.5	1.3	0.7
Diseases of thyroid body	1900	.....	0.3	.....	0.5	0.8	0.3	0.1	0.4
	1901	0.3	.....	0.5	0.2	0.8	0.5	0.2	0.3
	1902	0.2	0.3	0.2	0.4	0.8	0.2	0.1	0.7
	1903	.....	.....	.....	0.1	.....	0.5	0.4	0.4
	1904	.....	.....	0.4	0.4	.....	.....	0.3	0.3
Acute bronchitis	1900	26.5	21.6	16.8	11.4	24.5	23.1	27.7	19.3
	1901	28.2	22.7	12.2	10.5	25.9	15.2	23.0	18.7
	1902	26.9	18.2	11.4	8.0	19.8	19.4	27.4	15.4
	1903	23.2	21.4	12.2	9.2	17.1	17.2	23.3	18.1
	1904	19.9	18.8	10.4	8.2	25.7	15.9	21.7	15.9
Chronic bronchitis	1900	25.3	29.4	16.0	10.6	6.8	15.5	23.4	22.2
	1901	17.4	18.3	16.4	9.1	15.8	13.2	19.6	18.2
	1902	13.0	10.8	13.0	9.3	11.5	15.7	18.6	18.0
	1903	15.3	23.0	13.2	7.9	8.1	13.2	19.0	15.2
	1904	12.9	14.9	12.7	9.8	15.2	13.2	17.3	18.9
Bronchopneumonia	1900	16.5	12.2	10.1	9.6	26.2	19.4	31.5	17.7
	1901	26.7	22.4	15.0	17.5	18.3	14.4	28.9	13.9
	1902	23.5	16.3	14.3	12.6	28.8	13.6	33.8	14.1
	1903	28.7	19.9	19.2	12.7	26.8	17.7	32.8	22.0
	1904	26.2	19.4	23.7	19.6	25.7	21.6	31.9	21.5
Pneumonia	1900	149.9	117.8	144.2	104.1	154.6	141.3	145.0	134.4
	1901	111.7	100.1	106.9	101.3	110.9	126.5	127.1	125.2
	1902	102.5	92.5	86.2	75.2	142.3	116.0	126.2	107.4
	1903	111.1	101.9	86.4	62.6	155.1	114.1	130.6	109.4
	1904	116.4	100.9	108.2	86.5	145.1	120.6	122.8	105.8
Pleurisy	1900	5.1	6.3	2.7	1.8	6.8	2.6	5.0	4.2
	1901	3.3	6.8	2.9	1.9	5.0	2.4	4.6	4.7
	1902	4.7	2.8	3.4	2.3	4.1	1.5	4.4	4.4
	1903	6.5	2.5	2.2	2.1	4.9	1.9	5.1	3.9
	1904	5.9	4.3	2.5	1.8	2.4	2.7	5.1	4.6
Congestion of lungs	1900	10.7	8.1	12.5	9.1	15.2	11.1	8.7	11.9
	1901	8.0	7.8	12.6	10.9	9.2	10.0	8.1	7.4
	1902	5.0	6.2	13.2	8.0	12.3	6.7	8.3	8.8
	1903	10.8	10.4	12.8	7.7	8.9	6.0	8.1	5.4
	1904	8.2	6.7	8.5	8.8	7.2	6.5	6.1	7.2
Gangrene of lungs	1900	0.7	.....	0.8	0.3	0.8	0.2	0.3	0.3
	1901	0.5	0.9	0.5	0.1	.....	0.3	0.6	0.6
	1902	0.3	.....	0.3	0.2	.....	0.5	0.8	0.7
	1903	0.3	0.3	.....	0.2	.....	0.2	0.4	0.3
	1904	0.2	0.3	0.3	0.3	0.8	0.8	0.4	0.4
Asthma	1900	4.1	1.9	8.0	4.0	.....	2.1	2.4	2.2
	1901	1.2	2.8	7.9	4.3	2.5	4.7	2.5	2.9
	1902	3.2	3.1	5.1	4.0	1.6	2.4	2.4	1.8
	1903	1.4	1.2	3.6	2.3	0.8	4.0	2.4	3.3
	1904	3.1	0.9	4.6	2.8	2.4	3.3	1.2	2.3
Emphysema	1900	0.8	.....	0.5	0.4	.....	1.0	0.3	0.4
	1901	1.0	1.2	1.1	0.4	.....	0.5	0.5	0.3
	1902	0.6	0.6	0.5	0.8	.....	0.3	0.2	0.7
	1903	1.7	.....	1.0	0.5	.....	0.5	0.3	0.4
	1904	0.2	0.6	0.9	0.5	0.8	0.2	0.1	0.3
Hemorrhage of lungs	1900	1.5	2.2	4.3	1.9	2.5	2.3	2.3	2.7
	1901	1.3	0.3	2.1	1.8	5.8	0.9	2.2	2.8
	1902	1.3	1.2	2.6	1.8	1.6	2.8	1.7	2.6
	1903	1.1	0.9	2.4	1.2	.....	0.9	2.1	0.4
	1904	0.2	0.9	1.7	1.5	6.4	1.7	1.4	0.6
Other diseases of respiratory system	1900	0.7	1.6	4.0	3.6	0.8	2.8	1.3	1.5
	1901	0.5	0.9	4.5	4.7	3.3	2.2	2.0	1.3
	1902	1.0	2.2	2.8	3.4	0.8	1.7	1.8	1.8
	1903	1.6	0.9	3.4	2.9	2.4	2.2	1.6	1.2
	1904	1.1	3.0	2.8	3.0	0.8	2.1	1.6	0.9
V.—Diseases of digestive system	1900	267.4	256.2	213.6	178.0	249.9	188.4	254.9	202.2
	1901	207.2	153.2	178.4	165.6	178.3	172.7	209.8	143.2
	1902	213.9	165.6	172.4	152.5	156.3	136.5	202.4	133.3
	1903	207.1	161.3	177.1	140.2	179.4	151.0	204.2	139.3
	1904	224.8	172.8	189.8	146.4	165.9	151.4	197.9	142.2
Diseases of mouth	1900	0.7	1.6	1.1	1.5	.....	0.7	0.4	0.1
	1901	1.0	2.2	1.6	1.2	.....	0.5	0.5	.....
	1902	0.6	0.3	1.7	0.8	.....	0.8	0.2	0.3
	1903	0.6	0.3	1.0	0.7	0.8	0.7	0.4	0.3
	1904	1.1	0.3	0.9	0.8	.....	.....	0.5	0.1
Tonsilitis	1900	1.2	1.9	1.6	2.9	1.7	0.5	1.1	1.2
	1901	0.5	0.9	0.8	2.1	0.8	1.0	0.4	0.4
	1902	1.5	0.3	1.4	1.8	0.8	0.8	0.3	0.4
	1903	1.8	0.6	0.7	1.3	.....	1.9	0.4	0.9
	1904	0.5	0.6	0.9	1.2	0.8	0.8	0.7	0.8

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1.5	0.9	3.8	0.8	1.5	1.2	1.4	0.7	1.8	1.4	2.1	0.3
0.7	1.1	4.9	.....	2.3	1.0	1.3	0.7	3.1	1.4	.....	0.7
0.9	0.5	1.2	0.8	2.5	0.4	1.1	0.8	2.0	1.3	2.0	2.7
0.9	1.1	4.2	0.4	1.8	1.3	1.1	0.7	1.0	2.6	.....	1.0
1.0	0.7	2.9	1.2	1.8	0.5	1.2	0.6	1.3	2.0	2.0	1.7
0.1	0.2	.....	0.4	0.1	0.1	0.2	0.3	0.4	.....	.....	0.3
0.5	0.6	.....	0.4	.....	0.2	0.2	0.1	0.3	0.7	.....	0.3
0.3	0.1	.....	.....	0.2	0.1	0.3	0.1	0.3	0.7	.....	0.7
0.4	0.1	.....	.....	0.2	0.1	0.2	0.5	0.3	1.3	.....	.....
0.3	0.3	.....	.....	0.2	0.2	0.4	0.2	.....	0.7	.....	.....
27.9	17.4	32.8	23.3	34.4	20.5	40.7	14.0	50.5	35.8	49.3	23.3
29.6	17.4	26.0	17.4	25.3	14.9	33.8	17.5	34.2	27.1	35.6	19.8
28.8	15.3	33.4	17.7	25.0	15.7	38.6	15.5	38.9	34.1	43.1	17.5
24.8	16.4	26.2	20.0	21.0	14.3	29.6	15.6	45.0	27.1	36.1	22.2
21.8	16.7	28.1	14.5	24.3	13.1	32.6	12.3	34.0	25.4	17.6	20.9
17.5	11.9	20.1	20.1	18.7	15.4	24.7	15.5	25.4	17.9	17.2	15.9
17.9	13.4	17.3	18.5	18.7	13.0	21.3	16.5	24.2	21.0	12.6	18.2
17.2	11.6	22.5	13.0	15.6	11.9	18.7	12.0	16.2	17.5	8.2	13.5
13.8	11.6	17.9	20.8	14.5	11.8	15.7	14.0	19.8	12.5	22.1	15.8
14.6	14.6	11.1	16.9	16.2	11.0	15.0	14.0	18.5	18.9	7.8	20.9
29.3	14.1	36.5	26.5	48.3	23.4	26.6	14.5	52.9	40.6	8.6	13.5
28.3	16.9	25.3	24.1	37.4	20.5	55.6	19.5	29.0	14.9	29.3	19.2
30.5	15.6	26.1	13.0	54.3	26.2	66.4	15.0	36.9	30.1	28.7	23.9
33.3	18.0	21.5	16.5	42.8	23.9	71.3	20.2	50.6	40.3	30.1	20.9
26.1	18.5	27.6	18.4	48.9	30.1	80.3	21.3	44.7	43.7	27.5	21.8
103.2	88.5	178.1	184.8	166.7	117.2	232.8	110.9	154.2	165.2	203.8	156.3
101.6	98.0	132.9	131.1	142.4	104.6	176.2	107.1	119.8	149.3	119.5	145.5
95.3	81.8	146.3	117.5	139.8	87.9	158.5	89.8	125.4	109.9	100.5	142.0
94.0	74.0	127.6	122.2	142.4	88.7	148.4	89.2	143.9	132.9	148.5	110.7
86.9	77.0	119.0	104.7	184.2	121.3	188.1	99.8	140.3	137.1	135.5	122.8
4.4	2.5	3.2	3.2	5.9	2.3	7.6	3.3	5.6	4.1	2.1	1.6
5.4	2.8	3.7	3.5	6.1	3.5	7.0	3.0	4.2	5.4	8.4	4.0
5.5	2.5	4.9	2.8	4.5	2.8	6.8	2.5	5.7	4.0	2.0	2.7
3.7	2.7	3.0	4.3	4.5	3.4	6.8	3.0	6.0	4.0	8.0	4.0
2.7	3.0	4.7	2.3	6.1	4.1	7.8	3.8	2.6	7.8	2.0	3.7
9.6	10.2	10.7	9.1	13.9	12.5	10.3	12.9	6.4	11.0	19.3	8.4
9.5	6.8	17.9	11.8	13.9	11.5	9.2	12.6	7.6	4.8	10.5	9.4
9.5	5.7	15.8	8.3	11.2	9.8	7.1	11.0	1.7	0.7	14.4	10.1
6.9	5.7	6.5	5.9	12.5	10.4	8.2	11.9	1.0	0.7	12.0	8.7
6.9	6.2	8.8	10.6	14.8	7.9	6.2	9.0	3.3	3.3	9.8	8.7
0.4	0.2	0.6	0.8	0.2	0.4	0.6	0.2	0.4	0.7	.....	.....
0.4	0.2	.....	0.8	0.7	0.4	0.8	0.3	0.3	0.7	4.2	0.3
0.9	0.3	.....	0.4	0.6	0.8	0.6	0.4	.....	.....	.....	0.3
0.5	0.3	.....	0.4	0.3	0.2	0.5	0.4	0.3	.....	.....	1.4
0.7	0.5	.....	0.8	0.5	0.8	0.6	0.3	.....	.....	2.0	.....
7.0	3.6	5.0	2.4	2.2	2.2	2.8	2.6	5.6	.....	.....	1.4
6.7	3.4	3.7	1.6	3.4	1.6	3.0	1.9	4.2	.....	.....	3.4
5.0	3.6	3.6	2.3	3.2	2.8	2.9	1.7	3.7	2.7	4.1	3.7
3.6	3.3	1.8	2.8	2.6	2.6	3.3	2.2	3.3	2.0	2.0	1.7
5.7	3.2	0.6	5.1	3.3	2.8	3.2	1.6	2.3	1.3	5.9	1.7
0.8	0.9	0.6	0.4	0.8	1.0	1.5	0.4	.....	.....	.....	.....
0.3	0.6	0.6	1.2	1.6	0.6	1.3	0.3	0.3	0.7	.....	0.7
0.8	0.3	.....	.....	1.7	1.7	1.2	0.3	0.7	.....	.....	0.7
0.5	0.6	.....	.....	1.1	0.1	1.2	0.2	0.7	0.7	.....	.....
0.1	0.5	.....	.....	0.8	0.6	0.8	0.4	.....	.....	.....	0.7
2.6	1.7	2.5	2.4	4.0	2.7	2.1	2.6	1.8	4.1	6.5	1.6
2.7	1.6	3.1	3.2	3.5	2.0	2.2	2.6	1.0	0.7	2.1	2.0
2.4	1.0	3.0	1.6	3.2	2.7	2.0	1.7	1.0	.....	8.2	.....
3.2	1.3	.....	0.4	3.5	3.2	2.5	1.9	1.7	1.3	10.0	1.7
1.5	1.7	.....	0.4	3.9	1.9	1.9	1.8	0.6	.....	.....	2.0
3.5	3.0	1.9	2.4	3.0	2.1	1.8	1.5	0.4	2.0	2.1	1.0
3.4	2.7	2.5	0.8	1.9	1.4	1.8	1.7	0.7	0.7	.....	2.7
3.8	3.1	1.2	2.3	1.8	1.7	1.4	1.2	1.7	0.7	.....	4.0
3.7	2.3	.....	0.8	2.1	2.3	2.3	1.6	0.7	0.7	6.0	2.4
3.1	2.5	1.2	2.3	0.9	1.4	1.4	1.1	0.3	0.7	.....	2.4
235.4	205.7	295.1	156.7	253.1	203.5	269.2	184.8	303.0	289.0	218.8	159.9
208.0	165.5	248.4	142.6	235.8	166.4	252.4	146.5	296.0	239.0	178.2	141.0
198.6	145.2	217.3	133.2	222.3	152.0	223.1	139.2	281.8	262.0	172.2	122.8
202.0	162.5	240.3	144.3	210.4	136.4	209.4	137.1	287.9	251.3	250.8	156.5
190.6	162.2	228.0	152.6	254.4	162.3	242.4	147.2	238.8	236.9	216.0	151.1
1.4	1.2	.....	0.4	0.7	0.9	0.9	0.8	0.4	0.7	.....	.....
1.2	1.3	0.6	0.8	1.3	0.5	0.7	0.3	.....	0.7	.....	.....
0.9	1.3	1.2	.....	0.2	0.5	0.6	0.3	1.4	0.7	.....	.....
1.4	1.0	.....	0.4	0.9	0.7	0.6	0.5	0.7	0.7	2.0	0.3
0.5	1.0	.....	0.8	0.3	0.6	0.9	0.7	0.6	0.7	.....	0.3
1.1	1.1	0.6	1.2	0.6	1.1	0.6	1.0	1.1	.....	.....	0.3
0.5	1.7	.....	0.8	0.8	1.0	0.8	0.7	0.3	0.7	2.1	0.3
0.7	1.0	1.8	0.8	0.4	0.6	0.5	0.8	0.7	2.7	.....	0.7
0.9	1.6	0.6	0.8	0.4	0.8	0.6	0.9	0.7	2.0	.....	0.3
0.9	1.8	0.6	1.6	0.6	0.7	0.8	1.3	1.3	0.7	.....	0.7

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of pharynx	1900	0.8	0.9	0.3	0.7	0.8	2.5	0.6	0.9
	1901	0.7	1.5	0.5	0.5	1.7	1.0	0.5	0.9
	1902	0.5	0.3	0.5	0.8	0.8	1.9	0.3	0.4
	1903	0.2	0.6	0.9	0.3	0.8	1.7	0.6	0.4
	1904	0.8	0.9	.....	0.3	0.8	1.4	0.8	0.6
Diseases of esophagus	1900	0.2	0.3	0.3	0.1	.....	0.2	0.3	0.4
	1901	0.5	0.6	0.2	0.1	.....	.....	0.3	0.3
	1902	1.0	0.3	0.8	0.2	0.8	0.2	0.3	0.7
	1903	0.3	0.6	.....	0.2	.....	0.2	0.4	0.3
	1904	0.3	0.6	0.4	0.2	.....	0.5	0.6	.....
Ulcer of stomach	1900	3.2	1.6	1.9	2.4	3.4	3.3	2.6	2.7
	1901	2.8	2.2	2.1	2.0	1.7	2.8	2.9	2.8
	1902	3.6	0.6	2.3	1.8	0.8	2.1	2.9	2.5
	1903	2.5	1.2	2.2	2.1	1.6	1.9	2.5	2.0
	1904	2.6	1.5	2.6	2.2	1.6	3.4	2.6	2.6
Gastritis	1900	17.3	20.4	17.6	14.8	10.2	14.1	9.6	11.9
	1901	14.8	14.6	14.0	13.8	9.2	12.6	8.5	11.4
	1902	13.3	18.8	12.8	11.7	4.1	12.1	8.8	12.3
	1903	14.6	18.1	14.3	11.3	8.1	11.0	9.3	11.2
	1904	16.5	14.3	13.0	8.9	11.2	11.7	9.1	9.2
Other diseases of stomach	1900	7.0	12.5	10.4	11.2	10.2	9.7	4.8	6.3
	1901	5.8	6.8	5.6	8.6	6.7	7.6	4.5	6.9
	1902	4.7	9.3	7.7	9.1	10.7	6.4	4.8	5.8
	1903	6.5	6.7	8.4	7.1	6.5	10.3	5.6	6.1
	1904	6.8	10.0	6.8	6.9	13.7	9.9	5.8	7.6
Dentition	1900	3.4	1.2	.....	0.4	.....	.....	1.9	1.3
	1901	0.8	0.9	.....	0.4	.....	0.2	0.6	0.6
	1902	0.3	0.3	0.5	0.6	0.8	0.7	0.6	0.4
	1903	.....	.....	0.1	0.2	.....	0.2	0.4	0.3
	1904	0.2	.....	0.1	0.2	.....	0.2	0.3	0.6
Diarrhea and enteritis	1900	170.2	157.9	112.6	94.8	157.8	102.6	174.1	122.3
	1901	128.1	67.8	84.2	88.9	95.0	96.4	131.3	70.9
	1902	129.6	86.4	78.2	78.7	80.6	61.5	128.5	66.0
	1903	119.2	81.4	84.1	69.5	86.9	72.9	128.1	72.7
	1904	134.8	89.6	86.7	75.1	68.9	68.8	123.2	74.0
Intestinal parasites	1900	.....	0.3	.....	0.2	.....	0.3	0.1	.....
	1901	0.3	.....	.....	0.3	0.8	1.0	0.3	.....
	1902	.....	.....	.....	.....	.....	0.3	0.2	.....
	1903	.....	0.3	.....	0.2	.....	0.2	(1)	0.1
	1904	.....	.....	0.1	0.2	.....	0.2	.....	.....
Hernia	1900	4.3	2.2	2.7	1.6	4.2	2.8	3.8	3.4
	1901	3.6	4.4	3.2	2.2	7.5	4.0	4.2	4.0
	1902	4.1	1.2	3.2	2.2	7.4	3.1	4.4	3.5
	1903	4.3	3.7	2.5	2.6	2.4	3.1	4.2	3.2
	1904	5.7	3.3	4.9	2.8	6.4	2.7	4.3	3.3
Obstruction of intestines	1900	11.2	10.4	6.9	6.7	11.8	9.4	8.7	8.0
	1901	7.5	9.4	7.9	6.7	7.5	6.4	7.8	7.5
	1902	8.9	8.0	9.5	5.9	5.8	5.9	7.6	6.4
	1903	8.6	9.5	11.0	7.5	12.2	8.1	8.4	8.5
	1904	10.7	9.7	11.0	7.2	8.0	8.7	8.6	8.2
Other diseases of intestines	1900	1.5	2.5	6.9	5.4	2.5	2.8	2.2	2.4
	1901	1.6	1.2	3.9	3.8	3.3	2.8	2.8	2.9
	1902	2.1	2.2	3.5	4.0	3.3	3.3	1.9	2.2
	1903	2.2	1.9	4.0	3.7	1.6	3.4	2.2	1.4
	1904	2.0	1.8	4.8	3.7	3.2	2.9	2.4	2.9
Acute yellow atrophy of liver	1900	0.3	.....	0.3	0.4	0.8	0.2	0.4	0.1
	1901	0.3	.....	0.8	0.2	.....	0.5	0.2	0.6
	1902	0.5	0.3	0.6	0.2	.....	0.8	0.2	0.6
	1903	0.1	1.2	0.1	0.4	.....	.....	0.1	0.1
	1904	0.3	0.3	0.6	0.5	.....	1.4	0.4	0.4
Hydatid tumors of liver	1900	.....	0.3	.....	(1)	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	(1)	.....	.....	0.1	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	0.3	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	1900	14.4	11.6	7.2	4.9	4.2	8.9	10.3	9.5
	1901	13.1	15.0	11.2	5.9	9.2	6.4	10.5	8.4
	1902	16.7	12.0	9.7	7.4	9.1	6.0	10.0	8.9
	1903	16.2	9.5	11.0	7.6	8.9	9.6	9.8	9.1
	1904	13.5	18.0	13.6	8.5	7.2	7.9	10.1	7.9
Biliary calculi	1900	0.8	1.2	1.6	2.0	.....	1.4	1.7	0.9
	1901	0.7	1.5	1.4	1.7	0.8	0.9	2.3	0.7
	1902	1.9	1.2	2.3	1.7	0.8	1.9	1.9	1.3
	1903	3.0	2.8	2.5	2.1	3.3	1.0	2.9	2.2
	1904	3.0	1.8	2.5	2.3	0.8	2.6	2.1	1.9
Other diseases of liver	1900	9.2	11.6	9.8	9.6	11.0	10.9	6.7	9.7
	1901	7.1	9.0	9.2	9.8	7.5	10.2	6.6	8.0
	1902	5.4	7.7	10.9	9.6	6.6	9.5	6.9	7.5
	1903	6.5	10.7	10.6	9.1	15.4	9.1	5.9	7.5
	1904	7.1	7.3	12.0	8.9	4.8	9.3	5.0	8.4

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.3	0.9	.....	0.8	0.6	1.0	0.5	0.6	0.4	0.7	.....	.....
0.3	0.9	.....	0.8	1.0	0.6	0.5	0.4	0.3	.....	2.1	.....
0.9	1.2	1.2	0.4	0.5	0.4	0.6	0.3	1.0	1.3	.....	1.0
0.1	1.1	.....	1.6	0.5	0.1	0.6	0.5	0.7	.....	.....	0.3
0.4	1.0	0.6	1.2	1.0	1.1	0.7	1.1	0.3	0.7	.....	0.3
0.4	0.4	0.6	.....	0.4	0.6	0.4	0.4	.....	.....	.....	.....
0.3	0.3	0.6	.....	0.6	0.1	0.3	0.2	0.7	.....	.....	1.0
0.8	0.3	.....	.....	0.3	0.4	0.5	0.2	0.7	.....	2.0	1.0
0.4	0.3	.....	.....	0.4	0.1	0.4	0.3	.....	.....	.....	0.3
0.3	0.2	.....	0.4	0.2	0.1	0.4	0.3	.....	.....	.....	0.7
2.5	2.7	1.3	1.6	2.2	1.8	3.1	2.5	3.5	2.0	2.1	4.4
2.2	3.5	1.8	2.8	1.8	2.4	3.5	2.2	3.5	2.0	2.1	1.7
3.0	2.8	4.9	3.2	2.8	2.0	4.1	2.8	1.0	5.4	6.1	1.7
2.9	3.3	1.2	2.4	2.6	1.5	3.2	2.9	1.6	1.3	8.0	6.7
2.8	3.3	5.9	3.1	2.9	2.5	3.6	2.9	5.2	2.0	7.9	2.4
13.2	13.3	13.2	15.0	15.0	14.5	12.6	14.7	8.5	15.1	10.7	14.8
12.4	9.9	14.3	9.5	15.1	12.0	9.5	11.4	14.5	15.6	10.5	11.8
13.3	9.2	9.7	13.8	12.7	12.8	8.6	12.1	11.8	10.7	6.1	17.5
11.9	9.2	15.5	11.8	14.7	13.8	8.3	12.7	15.9	11.3	26.1	12.5
9.9	11.7	13.5	12.5	14.3	12.7	7.9	10.7	12.0	10.4	11.8	11.8
10.4	10.1	6.9	5.9	5.6	6.8	4.8	8.2	21.9	13.1	4.3	8.1
8.7	7.2	6.8	6.7	4.7	6.0	4.7	7.3	21.8	8.8	.....	5.4
7.8	6.5	6.1	10.2	3.7	4.4	4.1	8.2	25.0	10.0	10.3	4.7
8.0	8.0	6.6	14.1	5.1	5.9	4.4	10.7	12.6	19.2	14.1	6.7
8.5	7.1	7.6	7.4	5.5	7.6	5.2	11.3	20.4	13.7	5.9	14.5
1.4	0.6	5.6	1.2	1.3	1.1	3.2	0.6	1.1	1.4	.....	.....
0.7	0.6	3.7	.....	0.4	0.2	1.6	0.4	1.4	.....	.....	0.3
0.4	0.2	6.1	0.4	0.3	0.4	1.1	0.3	0.7	.....	.....	.....
0.5	0.5	0.6	.....	0.4	0.5	0.4	0.2	1.3	0.7	.....	0.3
0.3	0.3	1.2	.....	0.5	0.5	0.2	0.1	.....	.....	.....	0.3
137.2	114.9	208.9	85.9	156.3	128.7	174.2	94.2	212.1	203.0	143.7	71.3
109.6	83.9	171.8	68.7	143.4	98.5	164.4	64.0	191.7	162.9	113.1	60.6
93.2	67.1	133.5	52.8	131.2	89.1	139.0	59.4	177.8	174.9	94.3	37.8
104.0	78.3	158.0	61.3	115.7	71.7	125.7	52.0	183.6	165.3	126.4	64.7
95.7	73.7	141.8	65.1	160.0	98.3	155.1	62.9	144.6	165.8	111.9	57.9
0.1	0.2	.....	0.4	0.1	.....	(1)	(1)	.....	0.7	.....	0.3
0.1	0.5	.....	.....	.....	0.2	.....	0.3	.....	.....	.....	.....
.....	0.3	.....	.....	.....	.....	0.1	0.2	0.3	.....	.....	.....
.....	0.3	.....	.....	.....	0.1	(1)	0.2	.....	.....	.....	.....
0.1	0.2	.....	.....	.....	.....	0.1	0.1	0.3	.....	.....	.....
3.5	2.7	3.1	3.2	4.4	3.1	4.9	3.7	5.3	3.4	.....	3.4
4.1	4.1	2.5	2.8	5.1	3.1	4.7	3.6	9.0	4.8	4.2	2.4
5.7	3.5	0.6	3.9	4.5	2.6	5.2	3.3	6.1	3.3	8.2	4.7
4.3	3.8	1.8	4.7	4.9	2.0	5.7	3.4	7.6	2.6	14.1	7.8
3.1	3.2	1.7	5.5	4.2	2.7	5.2	3.5	4.9	3.9	7.9	5.0
6.9	7.2	8.8	8.7	8.5	6.1	8.4	9.4	5.3	6.2	6.5	8.4
11.1	8.8	5.0	9.1	8.5	8.6	8.9	7.9	6.9	4.1	6.3	8.1
10.5	8.0	9.1	7.8	8.6	5.9	9.6	6.9	5.4	5.4	6.1	7.4
11.3	8.1	8.3	4.3	9.4	6.0	8.6	10.2	4.6	4.6	8.0	7.4
10.2	9.2	9.4	9.4	12.1	6.4	9.2	8.6	6.8	2.6	9.8	7.1
2.4	4.1	3.8	1.6	2.5	2.3	2.2	3.9	2.5	4.8	8.6	1.7
2.7	3.4	1.8	2.8	2.7	1.9	2.8	3.7	5.5	1.4	4.2	2.0
5.4	4.0	3.0	3.2	2.1	2.8	2.3	3.7	4.0	7.4	.....	4.0
2.8	3.4	3.0	2.4	3.0	2.8	2.5	3.3	4.6	4.6	4.0	2.0
2.8	3.8	4.7	2.4	2.6	1.7	2.2	3.1	3.6	5.2	5.9	2.7
0.1	0.8	1.9	0.8	0.7	0.2	0.3	0.3	0.7	0.7	.....	.....
0.5	0.6	1.8	0.4	0.2	0.1	0.3	0.4	.....	0.7	.....	0.3
0.7	0.8	1.2	.....	0.7	0.4	0.3	0.7	0.3	0.7	.....	0.3
0.3	0.3	.....	2.0	0.4	0.8	0.3	0.5	0.7	.....	2.0	0.7
0.5	0.5	.....	0.4	0.4	0.2	0.5	0.4	0.3	0.6	.....	0.7
0.1	.....	.....	.....	0.1	.....	0.1	.....	.....	.....	.....	.....
.....	.....	.....	.....	0.1	.....	(1)	.....	0.3	.....	.....	.....
0.3	(1)	.....	.....	0.2	.....	(1)	(1)	.....	.....	.....	.....
0.3	0.1	.....	.....	0.2	0.1	(1)	.....	.....	0.7	.....	.....
.....	0.2	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....
10.0	9.0	7.6	5.9	19.1	12.5	20.5	10.1	13.0	9.6	8.6	9.8
9.5	8.2	9.9	5.1	19.7	10.6	21.4	11.2	15.6	14.9	8.4	6.7
10.5	8.9	11.6	8.3	19.3	8.2	20.0	11.8	16.2	11.4	10.3	7.8
10.7	11.0	11.9	9.4	20.5	10.3	20.1	11.5	19.5	15.2	10.0	7.1
12.7	11.2	9.4	10.6	19.1	10.4	20.9	11.9	13.9	13.7	3.9	9.4
1.5	2.1	1.3	0.4	0.7	0.5	1.2	1.4	1.4	1.4	2.1	1.4
2.6	1.5	.....	1.2	0.4	0.8	1.4	1.5	0.7	2.0	4.2	1.0
3.6	2.2	.....	0.4	1.7	1.8	1.8	1.5	2.7	3.3	4.1	1.0
4.2	2.0	1.2	2.0	1.6	0.9	1.8	1.8	2.0	3.3	.....	3.7
2.8	2.5	1.2	1.6	2.6	1.6	2.5	1.6	3.9	0.6	3.9	3.0
9.4	11.8	6.9	7.9	6.4	5.2	6.7	11.0	8.1	9.6	4.3	9.8
11.1	9.2	11.1	12.6	6.1	5.2	5.9	10.7	6.9	6.8	4.2	14.1
10.2	9.7	6.7	9.1	7.1	6.6	5.3	8.6	7.8	13.4	4.1	8.7
8.2	9.7	6.6	8.6	6.7	7.0	5.9	9.1	8.3	5.3	6.0	6.1
7.1	8.3	8.2	10.6	6.8	4.1	5.6	8.2	3.9	6.5	7.9	7.4

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Diseases of spleen	1900	0.8	0.3	0.3	0.7	.....	0.2	0.2	0.1
	1901	0.2	0.6	0.2	0.4	.....	0.2	0.2	0.7
	1902	0.3	0.3	0.8	0.1	.....	0.5	0.2	0.1
	1903	0.3	.....	0.1	0.4	.....	0.3	0.3	0.3
	1904	0.3	0.6	.....	0.2	.....	0.2	0.2	0.4
Peritonitis	1900	10.4	9.4	24.0	12.5	21.1	14.9	14.1	14.2
	1901	8.0	8.4	24.1	11.6	20.8	12.5	14.9	10.5
	1902	8.6	10.2	18.4	10.8	16.5	10.2	12.2	7.6
	1903	9.4	6.1	14.6	7.6	13.0	5.2	11.6	7.2
	1904	8.2	6.4	16.8	11.0	16.8	12.5	9.4	6.7
Appendicitis	1900	10.5	8.1	7.8	5.2	10.2	5.0	11.0	6.5
	1901	9.6	6.2	7.2	5.4	5.8	5.5	10.0	5.6
	1902	9.7	5.9	7.4	5.0	7.4	8.5	9.6	5.8
	1903	10.7	6.1	8.9	6.2	17.9	10.0	10.7	5.2
	1904	10.1	5.2	11.8	5.3	21.7	6.3	11.1	6.6
Other diseases of digestive system	1900	.....	.....	0.3	[1]	.....	.....	0.3	0.3
	1901	0.2	.....	0.3	.....	.....	0.2	0.5	0.1
	1902	0.6	.....	0.2	0.1	.....	.....	0.5	0.6
	1903	0.1	.....	0.1	0.1	.....	0.2	0.4	0.3
	1904	0.3	0.3	0.3	[1]	.....	.....	0.7	.....
VI.—Diseases of genito-urinary system	1900	118.0	113.4	88.6	58.9	115.7	88.9	92.6	98.0
	1901	104.7	104.4	75.4	57.6	130.0	91.9	95.3	86.1
	1902	106.7	110.7	83.0	58.4	140.6	89.7	92.5	81.1
	1903	112.7	115.1	90.4	61.9	147.8	103.6	99.2	93.9
	1904	126.5	119.4	94.0	67.4	149.9	99.1	99.9	109.5
Acute nephritis	1900	9.9	5.3	5.3	1.8	8.4	.....	7.6	2.7
	1901	9.1	7.8	5.1	3.1	6.7	7.8	8.4	4.6
	1902	13.8	7.4	5.2	3.2	7.4	5.9	8.1	6.6
	1903	14.0	7.7	6.7	3.2	10.6	7.1	8.5	6.4
	1904	15.5	6.7	5.9	4.5	9.6	7.7	7.7	7.6
Bright's disease	1900	89.8	83.6	67.0	43.3	92.0	70.5	66.0	75.5
	1901	75.1	78.0	56.1	42.8	105.8	66.0	69.5	66.4
	1902	78.7	83.9	60.8	44.3	115.2	66.1	67.3	60.9
	1903	78.2	87.2	64.4	44.7	112.9	76.2	72.5	70.0
	1904	93.9	91.7	69.7	49.4	121.9	73.2	72.7	84.6
Other diseases of kidneys	1900	3.2	4.4	3.2	3.5	3.4	3.6	3.8	3.4
	1901	2.3	1.2	2.1	2.3	5.8	3.1	3.2	3.1
	1902	2.1	2.8	2.8	2.1	6.6	2.4	2.9	2.3
	1903	1.4	2.8	2.7	2.6	3.3	4.3	2.4	3.6
	1904	3.3	2.7	2.6	2.4	2.4	2.4	2.6	1.9
Calculi of urinary tract	1900	0.3	.....	0.3	[1]	.....	0.5	0.3	0.3
	1901	0.7	0.3	.....	0.1	.....	.....	0.6	0.1
	1902	0.5	0.6	0.3	0.2	.....	0.3	0.8	0.4
	1903	0.5	.....	0.3	0.3	1.6	0.3	0.4	0.4
	1904	0.6	0.9	0.1	0.4	0.8	0.2	0.6	0.1
Diseases of bladder	1900	7.3	9.7	5.6	4.8	8.4	8.9	5.1	9.5
	1901	7.0	8.1	4.6	4.5	7.5	7.3	4.7	6.9
	1902	4.1	7.7	4.9	4.2	4.9	7.2	4.2	6.4
	1903	6.4	8.3	5.5	4.5	9.0	6.9	4.3	6.7
	1904	3.3	6.1	5.5	4.7	6.4	7.9	3.8	6.9
Diseases of urethra, urinary abscess, etc	1900	0.2	.....	.....	0.1	.....	.....	0.5	0.4
	1901	0.5	0.6	0.2	0.1	.....	0.2	0.6	.....
	1902	0.2	.....	0.2	0.1	.....	0.5	0.4	0.1
	1903	0.6	.....	.....	0.3	0.8	.....	0.4	0.1
	1904	0.6	.....	0.1	0.1	0.8	0.2	0.6	0.3
Diseases of prostate [2]	1900	3.1	8.7	0.5	2.5	1.8	2.7	5.4	4.5
	1901	4.3	6.8	1.6	3.2	3.5	6.4	3.6	3.6
	1902	6.5	7.9	3.4	2.7	.....	4.0	4.9	5.0
	1903	8.3	8.5	5.7	5.4	5.1	7.1	6.6	8.2
	1904	6.9	11.4	4.7	4.0	3.4	6.7	8.0	9.2
Nonvenereal diseases of male genital organs [2]	1900	0.3	.....	.....	0.2	.....	.....	.....	0.3
	1901	1.0	.....	.....	.....	.....	0.3	.....	.....
	1902	0.3	0.6	0.3	.....	.....	.....	0.1	.....
	1903	.....	0.6	.....	0.3	.....	0.7	0.3	.....
	1904	0.6	.....	.....	.....	.....	.....	0.4	0.3
Metritis [2]	1900	1.0	.....	.....	0.9	.....	0.4	0.4	0.3
	1901	.....	.....	0.6	0.2	.....	0.4	0.3	.....
	1902	0.6	0.6	0.3	0.7	.....	.....	0.5	0.3
	1903	.....	1.2	1.2	0.5	.....	.....	0.3	.....
	1904	.....	.....	0.3	0.5	.....	.....	0.7	0.3
Uterine hemorrhage (nonpuerperal) [2]	1900	0.3	.....	0.5	0.6	1.6	0.4	0.5	0.6
	1901	1.0	.....	0.9	0.5	.....	0.4	0.4	0.9
	1902	0.3	0.6	1.2	.....	.....	1.4	0.2	.....
	1903	0.9	.....	0.3	0.5	.....	0.7	0.4	0.9
	1904	0.9	1.2	1.1	0.8	.....	0.4	0.4	0.6
Uterine tumor [2]	1900	2.4	5.7	3.7	1.1	1.6	1.4	3.3	1.5
	1901	4.0	4.4	3.5	0.9	.....	1.8	3.6	2.0
	1902	1.6	0.6	2.8	1.1	3.1	2.5	2.9	1.2
	1903	4.1	1.9	2.9	1.5	1.6	2.5	4.7	2.0
	1904	4.3	3.7	3.2	1.6	.....	0.7	4.4	1.7

[1] Less than one-tenth.

[2] Rates based on approximate male population.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.1	0.6	.....	.....	0.2	0.1	0.2	0.4	0.4	.....	.....	0.3
0.3	0.2	.....	1.2	.....	0.2	0.2	0.3	0.3	.....	.....	.....
0.1	0.5	0.6	0.4	0.1	0.1	0.4	0.3	.....	.....	.....	0.3
0.4	0.6	.....	0.4	0.2	0.1	0.3	0.1	0.7	.....	.....	0.3
0.7	0.3	1.2	0.4	0.3	.....	0.2	0.3	0.6	.....	3.9	0.3
20.8	13.7	22.7	10.3	19.7	12.8	12.1	14.5	8.5	8.3	12.8	15.8
14.5	10.9	14.3	12.2	15.9	11.3	8.5	13.1	3.5	9.5	8.4	14.8
14.1	9.6	15.2	10.2	16.7	10.1	7.0	10.4	4.4	6.0	10.3	14.8
14.0	10.2	17.9	10.6	13.0	8.2	6.9	10.3	4.9	6.6	16.0	17.5
14.1	11.5	14.0	10.2	9.9	6.5	6.4	10.5	3.6	5.9	15.7	13.1
12.6	8.1	1.9	5.5	8.0	4.1	12.0	7.1	8.8	7.6	15.1	10.1
15.3	8.7	1.8	5.1	7.8	3.1	12.2	6.8	13.1	4.1	8.4	10.5
16.4	7.8	4.2	8.3	8.9	2.8	11.6	7.0	14.2	5.4	10.3	9.4
15.1	9.5	7.1	7.1	9.5	3.0	12.8	5.8	16.9	7.9	14.1	11.1
16.9	11.0	7.0	9.0	11.0	3.9	14.2	7.6	12.3	3.3	19.6	13.5
.....	0.2	.....	.....	.....	0.1	0.3	[1]	.....	0.7	.....	.....
0.3	0.1	0.6	.....	0.2	.....	0.1	0.1	.....	.....	.....	.....
0.1	0.3	0.6	.....	0.3	0.1	0.4	0.4	0.3	.....	.....	.....
0.3	0.2	.....	0.4	0.3	.....	0.3	0.2	1.0	.....	.....	0.7
0.3	0.2	.....	0.4	0.1	0.7	0.5	0.1	0.3	0.6	.....	.....
70.0	65.2	83.7	90.2	122.4	92.5	155.6	93.4	137.0	151.4	103.0	86.5
73.1	65.0	80.9	91.2	118.4	91.8	158.4	98.1	126.7	164.9	104.8	96.0
85.6	69.5	85.6	102.4	121.3	89.1	155.5	100.7	145.0	140.7	88.2	99.6
84.9	71.1	97.2	119.5	125.1	95.3	162.7	106.9	139.8	156.7	120.4	102.6
91.0	76.3	89.7	121.6	131.5	92.3	174.1	111.4	157.2	163.8	141.4	108.7
6.5	3.8	8.8	11.9	15.7	8.7	11.8	5.1	18.3	10.3	8.6	3.0
6.0	3.1	11.1	5.1	13.6	8.1	14.1	5.8	10.0	4.8	12.6	9.4
6.6	3.4	10.3	7.8	17.1	7.9	17.0	7.3	12.8	11.4	2.1	4.7
8.6	5.0	10.7	6.7	17.2	7.3	15.9	7.4	15.6	11.2	6.0	9.4
7.5	5.4	7.6	9.8	18.1	8.4	17.0	8.2	17.5	4.6	7.8	5.1
50.0	41.9	59.8	58.2	92.7	71.5	128.5	68.9	91.1	118.4	73.0	67.0
43.3	42.3	61.2	70.7	92.3	71.0	127.4	73.8	95.3	140.5	71.3	63.0
49.8	47.4	55.8	79.6	94.1	71.1	120.6	74.5	104.5	107.9	79.9	76.1
50.7	48.2	69.8	85.3	97.6	78.4	127.8	82.2	122.1	133.6	90.3	74.4
57.7	51.8	66.8	95.3	100.0	72.3	139.2	85.4	118.6	144.3	108.0	83.4
3.5	4.4	2.5	2.8	2.8	2.3	2.4	4.4	4.2	5.5	2.1	2.3
3.4	4.9	1.2	2.8	2.3	1.7	2.6	3.4	4.5	2.0	2.1	4.0
5.0	3.2	2.4	3.9	1.4	0.8	3.0	3.1	5.1	4.0	2.1	2.7
3.0	2.6	4.2	4.3	1.8	1.3	2.8	2.4	3.6	2.6	.....	3.0
4.4	3.1	1.8	1.6	3.1	2.3	2.9	3.3	2.0	1.3	2.0	1.7
0.4	0.7	.....	0.4	0.4	0.1	0.4	0.3	0.7	1.4	.....	.....
0.4	0.5	.....	.....	0.4	.....	0.4	0.2	1.0	1.4	.....	0.3
0.5	0.7	1.2	.....	0.2	0.5	0.4	0.4	0.7	.....	.....	0.3
0.7	0.5	0.6	0.4	0.1	0.5	0.5	0.4	0.3	.....	.....	0.7
0.4	0.4	.....	0.8	0.1	0.1	0.6	0.5	1.0	0.7	.....	0.7
6.5	6.3	7.6	12.7	4.9	6.5	3.7	9.1	4.9	8.3	8.6	10.4
4.4	5.4	1.8	7.9	3.3	6.7	3.9	8.7	3.5	5.4	8.4	11.4
4.2	4.9	10.9	6.7	4.5	5.1	3.5	7.4	4.0	10.0	2.1	8.7
5.1	5.6	3.0	14.5	2.7	4.1	3.2	6.8	2.3	4.0	6.0	5.0
3.5	6.1	3.5	7.4	3.1	5.6	2.5	7.4	3.6	6.5	15.7	7.4
0.3	0.1	.....	.....	0.3	0.2	0.6	0.1	0.7	.....	.....	0.3
0.3	0.2	.....	.....	0.5	0.1	0.5	0.1	0.3	.....	.....	.....
0.4	[1]	.....	.....	0.1	.....	0.6	0.1	1.0	0.7	.....	0.3
0.7	0.2	.....	.....	0.3	.....	0.3	0.1	0.7	0.7	2.0	0.3
0.9	[1]	.....	.....	0.3	0.3	0.5	0.2	0.3	0.7	.....	0.3
2.6	4.2	2.6	3.1	2.1	2.7	2.1	4.2	5.8	4.1	4.4	2.6
3.9	6.8	2.6	3.1	2.0	3.1	4.1	5.9	5.7	9.5	4.3	3.9
4.1	8.7	1.3	2.3	1.8	2.3	3.9	6.5	7.0	4.0	.....	6.6
10.4	7.8	13.7	6.9	2.4	1.4	6.1	7.4	13.0	3.9	12.4	12.4
9.2	8.5	4.9	9.2	3.2	1.6	4.4	6.4	6.0	3.9	4.1	11.1
0.3	0.4	.....	.....	0.6	0.2	0.1	.....	.....	.....	.....	.....
0.3	0.4	.....	.....	.....	0.5	0.1	0.2	.....	.....	.....	.....
0.8	0.8	.....	.....	.....	.....	0.1	0.3	0.7	1.3	.....	.....
0.3	0.1	.....	.....	0.3	0.2	0.3	0.2	.....	.....	.....	.....
0.5	0.2	.....	.....	0.2	0.5	0.4	0.2	1.3	1.3	.....	.....
0.8	0.4	1.2	.....	0.6	0.2	1.0	0.2	0.7	.....	.....	.....
0.5	0.1	.....	.....	0.2	0.2	0.2	0.1	.....	2.7	4.1	0.7
0.3	0.4	.....	.....	0.2	0.5	0.6	0.3	.....	.....	.....	.....
.....	0.4	.....	.....	0.9	0.7	0.5	0.1	.....	.....	.....	.....
0.5	0.5	.....	.....	0.7	.....	0.5	0.3	1.3	.....	.....	.....
0.6	1.1	2.4	.....	1.3	1.2	0.5	0.4	0.7	.....	.....	.....
.....	0.2	2.4	.....	1.3	0.7	0.6	0.3	0.7	1.4	.....	0.7
0.3	0.7	.....	0.8	0.4	1.7	0.5	0.5	1.3	.....	.....	.....
.....	0.5	.....	0.8	1.0	0.2	0.4	0.6	1.3	.....	.....	0.7
0.3	0.6	.....	.....	0.3	0.5	0.3	0.6	.....	1.3	.....	0.7
5.3	2.2	2.4	1.6	2.2	0.2	2.8	2.1	10.3	5.5	.....	1.4
6.8	2.7	2.4	3.2	2.0	1.7	3.5	1.7	6.0	4.1	4.1	2.1
7.7	2.8	3.5	3.2	1.2	1.7	4.9	3.3	8.5	1.3	4.0	3.5
3.9	2.4	2.3	.....	1.6	2.6	4.1	2.7	7.1	4.0	7.8	2.8
7.1	2.4	5.6	2.4	3.0	1.8	4.7	0.9	8.2	2.6	7.6	4.8

[1] Rates based on approximate female population.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Other diseases of uterus[1]	1900	1.7	0.6	4.7	2.8	1.6	2.8	1.8	1.5
	1901	0.7	0.6	2.8	1.6	3.2	1.4	2.2	0.9
	1902	1.3	0.6	4.9	1.6	.....	1.1	2.0	0.9
	1903	3.2	1.9	5.0	1.8	4.7	2.5	2.4	0.6
	1904	1.5	3.1	3.4	2.2	7.7	3.2	2.4	0.9
Ovarian tumor[1]	1900	3.0	5.1	1.1	1.6	.....	2.5	2.3	2.4
	1901	4.6	2.5	2.8	1.6	1.6	3.5	2.6	0.9
	1902	1.6	3.7	2.1	1.8	6.3	3.5	1.8	1.2
	1903	4.1	2.5	3.5	1.3	3.1	3.5	2.2	1.1
	1904	1.5	1.2	4.6	2.1	4.6	1.8	2.2	2.0
Diseases of tubes[1]	1900	1.3	.....	1.1	0.4	.....	0.4	3.8	0.9
	1901	4.0	.....	0.6	0.3	.....	1.1	3.0	1.2
	1902	3.3	.....	1.8	0.3	3.1	1.1	4.3	.....
	1903	1.9	1.2	1.2	0.9	4.7	0.7	3.5	0.3
	1904	2.2	1.8	2.0	0.6	.....	1.8	4.2	0.6
Other diseases of female genital organs[1]	1900	1.0	0.6	2.6	0.8	.....	0.4	0.5	0.3
	1901	0.3	1.3	1.3	0.8	.....	.....	0.4	0.3
	1902	0.3	0.6	0.6	0.4	.....	1.1	0.9	0.3
	1903	0.3	0.6	1.8	0.6	.....	.....	0.7	0.3
	1904	0.6	.....	0.6	0.4	.....	0.7	0.5	0.3
Nonpuerperal diseases of breast (cancer excepted)[1]	1900	0.3	.....	.....	.....	.....	.....	0.2	.....
	1901	.....	1.3	0.3	0.1	.....	.....	0.1	.....
	1902	.....	1.2	.....	.....	.....	.....	.....	.....
	1903	0.3	.....	.....	0.1	.....	.....	0.3	.....
	1904	.....	.....	.....	.....	.....	.....	0.3	0.6
VII.—Childbirth[1]	1900	25.6	26.6	17.4	22.1	14.5	19.9	23.7	15.1
	1901	25.4	21.4	19.6	21.2	15.9	23.7	19.4	14.3
	1902	30.3	21.2	18.3	18.2	29.9	31.1	19.7	13.6
	1903	28.1	24.2	19.5	21.7	29.5	26.0	24.2	16.1
	1904	29.6	21.5	22.7	25.2	23.0	26.7	26.5	21.4
Accidents of pregnancy[1]	1900	2.7	1.3	1.6	3.1	3.3	1.8	3.9	1.5
	1901	3.0	1.9	0.9	2.3	.....	2.1	2.0	0.6
	1902	4.8	2.5	2.4	3.3	6.3	3.9	3.0	1.7
	1903	2.5	3.1	1.8	2.9	6.2	5.6	4.2	1.2
	1904	4.6	2.5	4.3	2.1	1.5	3.2	4.1	1.1
Puerperal hemorrhage[1]	1900	1.0	1.3	1.6	0.8	.....	0.3	1.9	1.2
	1901	2.0	0.6	0.9	1.4	3.2	1.4	1.6	0.9
	1902	2.3	0.6	0.6	0.7	3.1	0.7	1.5	0.6
	1903	3.8	2.5	1.5	1.1	1.6	1.8	2.3	1.4
	1904	1.5	3.1	1.4	1.6	3.1	1.7	2.6	0.9
Other accidents of labor[1]	1900	2.0	1.3	.....	0.8	.....	.....	1.5	0.9
	1901	2.0	0.6	3.2	1.0	1.6	1.1	2.3	0.6
	1902	2.3	1.8	1.5	0.9	1.6	1.8	1.6	0.3
	1903	2.2	0.6	0.9	0.9	3.1	1.8	1.3	1.4
	1904	2.2	0.6	0.6	1.3	.....	2.1	2.2	1.4
Puerperal septicemia[1]	1900	12.2	10.1	9.0	10.1	4.8	6.4	7.7	5.9
	1901	8.9	8.8	9.2	10.4	3.2	9.6	6.6	5.2
	1902	11.9	6.9	8.6	7.4	11.0	12.7	6.9	2.9
	1903	9.5	8.1	11.5	10.7	12.4	7.0	8.6	4.3
	1904	10.5	8.6	9.5	12.4	13.8	10.2	8.7	8.0
Puerperal convulsions[1]	1900	4.0	9.5	2.6	3.3	1.6	1.8	5.1	1.8
	1901	5.9	6.3	4.1	3.0	.....	3.5	4.7	3.5
	1902	4.5	6.9	3.4	2.8	4.7	4.9	4.3	2.3
	1903	7.6	9.3	2.0	3.5	1.6	5.6	5.2	4.3
	1904	6.5	6.1	4.6	5.8	3.1	4.2	5.5	6.0
Puerperal phlegmasia alba dolens[1]	1900	0.3	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal accidents[1]	1900	3.4	3.1	2.6	4.0	4.8	9.6	3.6	3.8
	1901	3.6	3.2	1.3	3.1	7.9	6.0	2.2	3.5
	1902	4.5	2.5	1.8	3.0	3.2	7.1	2.4	5.8
	1903	2.5	0.6	1.8	2.6	4.6	4.2	2.6	3.5
	1904	4.3	0.6	2.3	2.0	1.5	5.3	3.4	4.0
Puerperal diseases of breast[1]	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	0.1	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	.....	.....
	1904	.....	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	1900	9.8	10.0	6.7	6.4	12.6	9.9	8.7	10.4
	1901	11.2	10.2	5.4	5.4	9.2	10.4	6.8	9.8
	1902	8.1	8.6	6.8	6.8	12.3	11.9	7.0	9.3
	1903	9.8	8.3	5.6	4.7	14.6	12.0	6.9	10.4
	1904	7.3	9.1	6.5	5.4	8.0	10.8	6.6	9.0
Gangrene	1900	5.7	6.6	2.9	3.5	8.4	7.6	4.4	6.7
	1901	6.3	6.5	2.7	2.8	4.2	8.5	4.5	7.5
	1902	5.4	6.2	3.7	3.8	10.7	9.5	4.0	6.4
	1903	6.2	6.5	3.1	2.4	9.0	10.1	4.2	8.1
	1904	4.8	6.4	3.2	3.7	6.4	8.4	4.3	5.7

[1] Rates based on approximate female population.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
6.4	3.2	.....	1.6	1.1	0.2	2.2	1.7	4.8	5.5	8.3	.....
9.0	2.1	3.6	.....	2.0	0.7	3.2	2.1	3.4	1.4	4.1	2.1
7.7	1.9	.....	0.8	1.9	1.0	2.7	1.9	3.9	1.3	.....	.....
4.7	3.9	.....	3.2	1.4	1.4	4.0	1.2	1.9	.....	7.8	0.7
5.9	2.2	3.4	.....	1.3	0.5	3.0	1.2	1.9	.....	3.8	1.4
4.2	3.1	1.2	1.6	1.1	1.0	2.9	1.8	3.4	.....	4.2	2.8
4.1	3.3	.....	3.2	1.1	1.0	2.9	1.5	6.0	2.7	4.1	4.2
5.3	2.4	4.7	1.6	1.2	0.5	3.7	2.1	5.3	1.3	.....	2.8
3.1	1.4	2.3	4.0	1.0	0.7	3.1	2.1	1.9	.....	.....	2.1
5.1	3.2	1.1	0.8	1.0	1.4	2.9	1.7	2.5	1.3	.....	1.4
3.1	0.9	.....	.....	1.7	0.2	3.6	0.3	4.8	.....	.....	.....
4.1	0.5	.....	.....	2.2	.....	3.4	0.3	1.3	.....	.....	.....
10.4	1.2	.....	.....	1.1	.....	3.5	0.3	3.3	2.7	.....	0.7
7.5	0.8	.....	1.6	1.4	0.5	4.8	0.6	5.1	.....	3.9	0.7
3.8	1.1	4.5	0.8	3.4	0.2	5.6	1.1	5.7	1.3	.....	.....
0.3	0.9	.....	0.8	.....	.....	1.2	0.4	2.1	.....	4.2	.....
1.4	1.1	.....	.....	1.3	0.5	0.6	.....	0.7	.....	.....	2.1
1.3	0.7	.....	.....	.....	.....	0.8	0.7	2.6	1.3	.....	.....
2.1	0.7	.....	.....	0.7	.....	0.9	0.2	.....	.....	.....	.....
0.8	0.2	.....	.....	0.3	0.2	0.5	0.3	0.6	.....	.....	0.7
.....	.....	.....	.....	0.4	.....	0.2	0.1	0.7	.....	.....	.....
0.3	.....	.....	.....	.....	.....	(1)	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	0.1	.....	0.7	.....	.....	.....
.....	0.1	.....	.....	.....	.....	0.2	0.2	.....	1.3	.....	.....
.....	.....	.....	.....	.....	.....	0.3	0.1	0.6	.....	.....	.....
35.2	39.7	16.9	15.4	28.8	21.3	32.6	18.2	42.5	37.4	16.7	29.1
36.4	40.5	14.3	13.7	22.8	16.0	32.8	24.2	39.6	32.8	12.2	20.8
34.0	38.8	11.7	14.5	27.9	14.5	30.0	21.8	30.2	33.7	11.9	24.9
29.2	36.8	16.1	24.1	26.2	19.4	30.5	22.7	28.9	22.6	15.5	32.5
36.5	43.1	16.9	18.4	30.5	19.3	36.1	23.7	44.7	34.1	19.0	37.4
3.1	3.7	.....	0.8	3.3	2.5	4.1	1.6	2.8	2.8	.....	4.8
6.5	4.2	1.2	2.4	2.0	1.0	4.8	2.2	4.0	5.5	.....	2.1
3.7	3.3	2.3	0.8	2.5	2.1	3.3	3.0	1.3	.....	.....	4.8
3.9	3.8	.....	4.0	2.8	1.4	3.5	1.5	3.9	2.7	.....	6.9
3.1	4.1	2.3	2.4	2.5	0.5	3.8	1.4	7.5	1.3	3.8	5.5
1.6	1.0	1.2	.....	1.9	1.7	2.0	0.6	3.4	2.8	.....	1.4
1.6	1.8	.....	0.8	1.4	2.9	2.3	2.1	4.0	1.4	4.1	0.7
3.2	3.0	1.2	0.8	2.0	1.0	2.5	1.5	2.0	4.0	.....	1.4
3.4	2.4	3.5	2.4	2.5	0.2	3.3	1.0	1.9	5.3	.....	0.7
0.8	3.5	1.1	4.8	3.0	1.6	2.8	2.3	1.9	1.3	.....	0.7
1.6	1.0	1.2	.....	2.4	3.0	2.6	1.2	4.1	1.4	4.2	0.7
2.7	1.1	.....	.....	2.5	1.0	2.6	1.5	3.4	6.8	.....	1.4
3.4	2.1	.....	.....	2.6	1.9	2.2	1.5	2.0	1.4	4.0	2.1
1.1	1.7	.....	.....	2.8	2.6	2.5	0.7	3.9	.....	.....	1.4
3.3	2.3	1.1	.....	2.7	1.2	2.4	0.8	3.8	3.9	3.8	1.4
18.3	18.3	3.6	5.7	12.6	6.2	15.7	6.8	18.5	12.4	8.3	10.4
14.7	20.6	7.1	5.7	8.9	6.0	14.3	7.9	16.1	8.2	4.1	6.2
14.1	16.6	4.7	5.7	12.9	5.2	14.9	5.8	13.1	16.2	7.9	7.6
13.0	16.2	8.0	7.3	10.0	8.4	13.9	8.0	13.5	7.9	3.9	7.6
16.6	18.3	5.6	7.2	15.5	8.9	17.7	7.9	23.9	15.8	7.6	11.8
5.3	5.4	7.3	4.0	5.6	3.0	4.4	4.2	9.6	8.3	4.2	4.2
5.4	6.7	4.8	0.8	5.8	3.9	5.9	6.1	10.1	9.5	4.0	6.9
6.9	7.7	2.3	4.0	5.3	3.3	5.1	6.2	9.2	9.4	.....	3.5
6.5	6.5	1.1	5.6	6.7	4.7	5.5	7.5	5.1	4.0	7.7	11.8
9.9	10.7	3.4	1.6	5.4	4.6	7.2	7.0	5.7	7.9	.....	10.4
.....	0.1	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....
0.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	0.1	.....	.....	.....	.....	(1)	0.1	.....	.....	.....	.....
.....	0.2	.....	.....	.....	.....	(1)	.....	.....	.....	.....	.....
5.3	10.2	3.6	4.9	3.0	4.9	3.8	3.7	4.1	9.7	.....	7.6
5.2	6.1	1.2	4.0	2.2	1.2	2.9	4.4	2.0	1.4	.....	3.5
2.7	6.0	1.2	3.2	2.6	1.0	2.0	3.8	2.6	2.7	.....	5.5
1.3	6.0	3.5	4.8	1.4	2.1	1.8	3.9	0.6	2.7	3.9	4.1
2.8	4.2	3.4	2.4	1.2	2.5	2.2	4.3	1.9	3.9	3.8	7.6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	0.2	.....	.....	.....	.....	.....	.....	.....
7.8	8.5	10.7	13.5	8.2	6.3	7.2	10.1	7.4	10.3	2.1	13.1
7.6	7.5	8.0	16.2	6.8	7.0	6.8	10.9	6.9	10.9	12.6	14.1
7.2	7.4	7.3	11.4	6.5	7.0	5.6	10.1	3.8	6.7	6.2	8.4
6.7	8.6	10.1	10.6	6.7	6.9	6.7	9.8	9.3	15.9	6.0	6.7
6.0	8.3	8.8	12.5	8.1	8.3	6.5	10.9	6.5	8.5	9.8	12.1
4.2	5.0	5.6	10.3	4.5	3.5	3.7	7.4	2.8	6.9	2.1	9.8
4.0	4.5	5.0	13.0	3.8	5.3	3.6	8.5	2.8	10.2	10.5	11.4
3.2	4.8	5.5	9.4	3.7	5.8	2.9	7.0	1.4	2.7	4.1	6.0
3.4	5.3	7.7	7.5	3.8	5.6	3.5	7.3	5.6	7.9	4.0	4.7
4.3	5.1	4.7	9.8	4.9	6.0	3.6	8.5	3.9	7.8	7.8	7.7

[1] Less than one-tenth.

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Carbuncle	1900	0.2	0.6	0.3	0.4	1.7	0.2	0.4	0.7
	1901	0.5	.....	0.2	0.6	0.8	0.5	0.4	0.1
	1902	0.2	0.6	0.8	0.4	0.8	0.8	0.5	0.1
	1903	0.3	.....	0.3	0.7	0.8	.....	0.6	0.3
	1904	0.3	0.9	0.6	0.2	0.8	.....	0.5	0.3
Abscess	1900	2.0	1.6	2.4	1.6	0.8	1.4	2.3	2.1
	1901	2.8	2.2	1.4	1.2	2.5	1.2	1.0	1.3
	1902	1.9	1.5	1.5	1.4	.....	1.4	1.6	1.3
	1903	2.1	0.9	0.7	0.6	2.4	1.2	1.4	0.9
	1904	1.1	0.9	1.9	0.6	0.8	2.2	1.3	1.4
Other diseases of skin	1900	1.9	1.2	1.1	0.9	1.7	0.7	1.6	0.9
	1901	1.6	1.5	1.1	0.8	1.7	0.2	0.9	0.9
	1902	0.6	0.3	0.8	1.2	0.8	0.2	0.9	1.5
	1903	1.2	0.9	1.5	1.0	2.4	0.7	0.7	1.1
	1904	1.1	0.9	0.8	0.9	.....	0.2	0.5	1.6
IX.—Diseases of locomotor system	1900	1.7	2.5	1.4	1.4	3.4	1.0	2.8	1.2
	1901	2.5	1.5	2.1	1.3	0.8	0.9	2.8	1.3
	1902	2.6	2.2	2.8	1.5	0.8	1.5	2.8	2.2
	1903	2.5	3.4	2.8	1.5	1.6	2.1	2.9	1.4
	1904	3.0	2.1	2.8	1.9	3.2	1.2	3.2	1.6
Diseases of bones	1900	1.4	1.9	1.1	1.2	3.4	1.0	2.3	0.9
	1901	2.1	1.5	1.7	1.2	0.8	0.9	2.4	0.9
	1902	2.6	2.2	1.8	1.2	.....	1.0	2.5	2.2
	1903	1.6	2.8	2.4	1.2	1.6	1.7	2.5	1.1
	1904	2.3	1.5	2.5	1.6	2.4	1.2	2.9	1.5
Diseases of joints	1900	.....	.....	.....	0.1	.....	.....	0.3	0.3
	1901	0.2	.....	0.2	0.1	.....	.....	0.2	0.3
	1902	.....	.....	0.5	0.1	0.8	.....	0.1	.....
	1903	0.8	.....	0.4	0.1	.....	0.2	0.2	0.3
	1904	0.2	0.3	0.3	0.2	.....	.....	0.2	0.1
Amputation	1900	0.3	0.3	.....	0.1	.....	.....	0.2	.....
	1901	.....	.....	0.2	.....	.....	.....	0.1	.....
	1902	.....	.....	0.3	(1)	.....	0.2	0.1	.....
	1903	.....	0.3	.....	0.1	.....	0.2	0.1	.....
	1904	0.2	.....	.....	.....	0.8	.....	.....	.....
Other diseases of organs of locomotion	1900	.....	0.3	0.3	(1)	.....	.....	(1)	.....
	1901	0.2	.....	.....	(1)	.....	.....	0.1	0.1
	1902	.....	.....	0.2	0.2	.....	0.3	0.1	.....
	1903	0.1	0.3	.....	0.1	.....	.....	0.1	.....
	1904	0.3	0.3	.....	0.1	.....	.....	0.1	.....
X.—Malformations	1900	12.6	11.0	6.7	9.4	5.9	11.9	13.0	11.3
	1901	12.6	12.4	9.7	12.4	7.5	9.7	12.1	9.1
	1902	16.0	13.0	10.3	10.5	9.9	9.5	11.3	9.8
	1903	13.1	14.1	9.9	11.1	8.1	8.9	13.2	13.6
	1904	16.0	14.0	9.5	11.7	8.8	8.2	14.3	16.2
Hydrocephalus	1900	2.6	3.5	1.1	1.7	3.4	4.3	2.3	2.7
	1901	3.3	1.9	1.3	1.6	0.8	2.2	2.6	1.5
	1902	1.6	2.5	1.4	1.1	4.1	1.7	2.1	2.2
	1903	2.2	2.8	0.9	1.6	0.8	1.5	2.2	1.4
	1904	2.3	1.5	1.6	1.4	0.8	1.2	2.1	2.0
Congenital malformation of heart (cyanosis)	1900	6.1	4.4	4.0	4.0	1.7	4.3	6.5	4.9
	1901	5.0	6.8	4.3	6.4	1.7	4.9	5.8	4.1
	1902	7.6	6.5	5.5	5.4	3.3	4.0	5.5	4.5
	1903	6.0	7.3	5.6	5.7	4.9	3.3	6.5	8.4
	1904	8.1	7.6	5.2	5.8	5.6	4.3	7.3	7.5
Other congenital malformations	1900	3.9	3.1	1.6	3.7	0.8	3.3	4.2	3.7
	1901	4.3	3.7	4.1	4.4	5.0	2.6	3.7	3.5
	1902	6.8	4.0	3.4	4.0	2.5	3.8	3.7	3.1
	1903	4.9	4.0	3.4	3.8	2.4	4.1	4.5	3.8
	1904	5.6	4.9	2.7	4.5	2.4	2.7	4.9	6.7
XI.—Early infancy	1900	85.4	66.1	90.5	55.6	101.3	53.1	110.2	66.3
	1901	79.8	63.4	97.1	64.1	48.3	31.2	99.6	62.9
	1902	79.5	65.7	102.5	75.0	63.3	45.4	101.6	59.0
	1903	82.8	60.3	76.8	48.1	85.3	49.4	103.6	59.7
	1904	79.5	64.1	100.0	70.7	90.6	56.1	100.3	62.9
Premature birth	1900	48.2	40.4	38.1	26.6	41.4	27.5	47.3	25.3
	1901	47.5	32.6	42.7	28.1	1.7	12.3	43.3	25.2
	1902	47.4	38.5	48.8	35.3	21.4	19.7	46.2	22.8
	1903	46.3	36.7	33.9	22.9	42.3	24.4	50.7	28.6
	1904	47.8	40.1	52.7	36.6	47.3	29.0	52.3	32.1
Congenital debility	1900	19.6	16.9	12.3	8.3	37.1	16.3	40.1	23.2
	1901	17.9	16.5	15.5	10.5	25.8	13.3	36.6	23.9
	1902	18.0	13.0	14.8	8.5	23.8	18.5	38.5	22.5
	1903	18.6	14.1	12.5	8.3	28.4	16.2	35.1	17.8
	1904	16.8	14.0	12.9	9.3	25.7	19.0	31.2	18.6
Other diseases of early infancy	1900	8.3	1.6	2.7	2.2	5.9	3.6	4.3	2.2
	1901	4.0	4.0	3.0	3.1	6.7	1.6	2.5	2.9
	1902	4.4	3.1	2.6	3.7	3.3	2.4	3.5	2.6
	1903	5.7	1.2	2.1	2.4	1.6	2.8	3.3	2.7
	1904	4.7	2.1	4.2	3.2	2.4	2.6	4.3	2.7

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.1	0.3	1.3	0.4	0.5	0.4	0.5	0.3	1.1	.....	.....	0.3
0.5	0.4	.....	.....	0.4	0.1	0.6	0.2	0.3	.....	.....	0.3
0.7	0.4	0.6	0.4	0.3	0.2	0.4	0.3	0.3	1.3	2.1	.....
0.3	0.6	.....	0.8	0.3	0.2	0.4	0.5	0.7	2.0	.....	0.3
0.5	0.2	0.6	.....	0.3	0.6	0.4	0.3	0.3	.....	.....	.....
2.1	1.9	1.3	2.0	2.0	1.5	2.1	1.4	2.8	2.0	.....	1.6
2.1	1.6	1.2	2.0	1.4	0.6	1.6	1.3	2.1	0.7	.....	1.7
1.6	1.0	1.2	1.2	1.6	0.5	1.5	1.4	0.7	2.0	.....	1.0
1.6	1.4	1.8	1.9	2.1	0.2	2.1	1.3	2.7	4.0	2.0	0.7
0.8	1.6	1.8	1.2	2.1	1.2	1.7	1.2	0.7	0.7	2.0	3.4
1.4	1.3	2.5	0.8	1.2	0.9	0.9	1.0	0.7	1.4	.....	1.4
1.0	1.0	1.8	1.2	1.2	1.0	1.0	0.9	1.7	.....	2.1	0.7
1.7	1.2	.....	0.4	0.9	0.5	0.8	1.4	1.4	0.7	.....	1.4
1.4	1.3	0.6	0.4	0.5	0.9	0.7	0.7	0.3	2.0	.....	1.0
0.4	1.4	1.7	1.5	0.8	0.5	0.8	0.9	1.6	.....	.....	1.0
0.7	2.1	3.1	2.0	3.1	1.5	3.2	1.2	1.8	2.8	4.3	1.7
2.3	2.1	0.6	0.8	2.9	1.7	3.9	1.5	4.8	2.0	.....	1.3
3.6	2.2	1.8	2.8	2.5	1.4	3.7	1.9	3.3	4.7	2.0	1.7
2.6	2.0	3.6	0.8	3.6	1.9	4.6	1.6	3.6	3.3	6.0	1.7
2.6	2.1	2.3	2.0	4.7	2.1	4.2	1.3	3.9	3.9	7.9	1.0
0.6	1.8	2.5	2.0	2.1	1.1	2.6	0.9	1.8	2.8	4.3	1.4
2.1	1.6	0.6	0.4	2.6	1.0	3.1	1.0	3.1	2.0	.....	0.7
3.4	1.9	1.8	1.6	2.2	1.3	3.3	1.6	3.0	4.7	.....	1.4
2.1	1.4	3.0	0.4	3.2	1.4	4.0	1.2	3.0	3.3	6.0	1.7
2.1	1.8	2.3	1.6	4.1	1.7	3.8	1.1	3.9	3.9	7.9	1.0
.....	.....	0.6	.....	0.2	.....	0.3	0.2	.....	.....	.....	0.3
0.1	0.2	.....	.....	0.2	0.5	0.3	0.3	0.7	.....	.....	.....
0.1	0.1	.....	0.8	.....	0.1	0.2	0.1	0.3	.....	2.0	.....
0.1	0.3	0.6	.....	0.2	0.1	0.5	0.2	0.3	.....	.....	.....
0.5	0.2	.....	0.4	0.3	0.3	0.2	0.2	.....	.....	.....	.....
0.1	0.2	.....	.....	0.7	0.4	0.3	0.1	.....	.....	.....	.....
.....	.....	.....	.....	.....	0.1	0.3	0.1	0.3	.....	.....	0.3
.....	.....	.....	.....	0.3	.....	0 2	0.1	.....	.....	.....	.....
0.4	0.2	.....	.....	0.2	0.2	0.1	0.2	.....	.....	.....	.....
.....	.....	.....	.....	0.3	.....	0.1	.....	.....	.....	.....	.....
.....	0.1	.....	.....	0.1	.....	(1)	.....	.....	.....	.....	.....
0.1	0.3	.....	0.4	0.1	0.1	0.2	0.1	0.7	.....	.....	0.3
0.1	0.2	.....	0 4	.....	.....	(1)	0.1	.....	.....	.....	0.3
.....	0.1	.....	0.4	.....	0.2	(1)	(1)	0.3	.....	.....	.....
.....	0.1	.....	.....	.....	0.1	0.1	.....	.....	.....	.....	.....
11.1	12.7	10.7	7.9	16.4	13.6	13.5	9.6	14.8	16.5	8.6	9.4
11.9	13.6	8.7	8.7	15.0	8.3	13.0	10.1	18.6	16.3	23.1	9.7
13.9	12.2	8.4	7.8	13.8	12.6	13.4	9.6	16.2	18.1	18.5	8.4
12.6	14.3	9.6	13.8	15.5	12.2	13.5	11.7	16.5	15.2	16.0	17.8
13.2	15.6	17.0	11.8	18.2	11.5	15.2	11.8	17.8	15.7	27.5	15.5
1.3	2.0	2.5	0.4	2.4	1.4	2.5	1.3	4.2	4.1	4.3	1.6
1.4	2.4	.....	0.4	2.5	1.2	2.4	1.5	1.0	2.7	.....	2.0
2.2	1.8	0.6	0.4	1.1	1.9	2.1	0.9	3.0	2.7	6.2	2.0
1.8	1.3	2.4	2.0	1.7	1.2	2.0	1.2	2.3	2.6	2 0	2.0
0.7	1.7	4.1	0.8	2.8	1.6	2.1	1.3	1.3	2.0	5.9	2.4
5.2	4.4	4.4	3.9	7.7	9.2	8.1	4.8	6.7	7.6	4.3	4.4
5.6	5.8	3.1	5.1	6.4	5.3	7.2	5.3	11.7	6.8	18.9	3.0
7.5	5.6	3.6	5.1	6.8	7.7	8.0	4.7	7.8	9.4	8.2	3.7
6.1	6.2	5.4	7.5	8.1	7.8	7.4	6.2	10.2	6.6	10.0	8.7
8.0	7.5	7.6	7.5	8.5	6.8	9.1	6.3	11.7	9.1	13.7	9.4
4.6	6.3	3.8	3.6	6.3	3.0	2.9	3.5	3.9	4.8	.....	3.4
4.9	5.4	5.6	3.2	6.1	1.8	3.4	3.3	5.9	6.8	4.2	4.7
4.2	4.8	4.2	2.3	5.9	3.0	3.3	4.0	5.4	6.0	4.1	2.7
4.7	6.8	1.8	4.3	5.7	3.2	4.1	4 3	4.0	6.0	4.0	7.1
4.5	6.4	5.3	3.5	6.9	3.1	4.0	4.2	4.8	4.6	7.9	3.7
86.0	43.0	118.9	49.9	90.4	56.1	81.3	44.5	75.9	68.8	118.0	55.6
60.1	39.2	55.6	23.7	83.6	57.5	71.2	40.0	88.4	69.3	90.1	56.9
67.8	39.6	55.3	26.4	85.5	49.3	71.5	39.4	81.8	53.6	110.7	59.2
73.3	40.3	54.3	22.0	85.4	53.9	74.8	43.4	81.4	52.9	118.4	56.2
72.7	44.9	66.8	23.9	85.9	58.6	77.1	43.3	74.5	56.8	84.4	53.5
41.0	21.0	45.9	16.6	33.5	23.2	35.0	21.0	35.0	30.3	68.6	31.7
22.8	19.8	.....	.....	33.0	25.6	34.3	21.3	40.0	34.6	60.8	31.3
29.9	20.7	.....	0.4	33.4	23.5	32.6	21.7	38.5	25.5	67.7	29.3
31.4	19.5	1.2	1.6	38.1	26.2	36.7	23.0	40.4	25.8	72.2	31.3
26.2	22.6	4.7	2.3	41.8	27.6	37.4	24.0	34.0	25.5	37.3	26.9
27.3	10.4	40.3	19.8	37.6	20.6	30.1	11.6	28.6	26.8	30.0	11.8
24.9	10.3	32.7	12.6	32.7	19.7	26.5	8.9	14.9	26.5	10.5	15.2
21.5	11.0	32.2	16.9	32.6	15.6	28.9	10.3	30.8	24.1	20.5	13.5
23.5	10.8	35.2	11.8	27.7	17.3	27.6	10.7	24.2	19.2	32.1	14.1
24.8	11.4	38.1	13.3	24.1	17.8	28.0	9.9	24.9	26.1	25.5	13.1
5.1	3.0	6.9	2.8	3.8	2.8	2.6	3.2	4.5	2.8	4.3	1.6
2.5	2.7	3.7	1.2	3.3	2.9	2.6	2.2	4.5	3.4	4.2	4.0
2.3	1.8	5.5	0.4	3.9	2.7	2.3	1.3	3.0	2.0	2.0	1.4
4.2	2.8	3.0	2.7	4.7	2.3	3.3	2.1	3.6	2.0	2.0	4.7
3.1	2.6	5.9	2.4	4.4	2.7	3.4	1.7	3.9	2.6	3.9	2.4

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Lack of care	1900	9.3	7.2	37.4	18.5	16.9	5.7	18.5	15.6
	1901	10.4	10.3	35.9	22.4	14.1	4.0	17.2	10.9
	1902	9.7	11.1	36.3	27.5	14.8	4.8	13.4	11.1
	1903	12.2	8.3	28.3	14.5	13.0	6.0	14.5	10.6
	1904	10.2	7.9	30.2	21.6	15.2	5.5	12.5	9.5
XII.—Old age	1900	37.8	48.2	57.9	43.7	72.6	92.0	45.1	90.7
	1901	27.7	39.2	45.2	43.7	77.5	88.4	44.3	89.3
	1902	26.3	38.9	46.0	44.5	81.4	91.8	42.4	92.7
	1903	27.1	35.2	37.0	29.9	72.3	89.6	38.7	82.4
	1904	22.2	33.7	42.1	40.5	90.6	97.9	32.3	61.1
XIII.—Violence	1900	100.8	94.2	80.1	65.8	95.4	62.8	81.0	82.2
	1901	97.5	104.1	87.2	66.1	76.6	73.8	93.7	83.2
	1902	97.5	93.1	94.4	62.1	102.0	67.6	83.5	76.0
	1903	117.1	103.4	97.6	73.4	82.8	74.3	88.2	86.0
	1904	112.7	114.5	106.4	70.5	118.6	90.4	89.5	86.4
Suicide by poison	1900	5.1	1.9	4.5	0.9	0.8	1.0	1.9	1.3
	1901	4.8	3.4	4.9	1.2	0.8	1.6	2.2	1.0
	1902	4.2	3.1	3.4	0.8	.....	2.1	1.9	1.6
	1903	6.4	4.9	5.6	1.6	0.8	1.9	2.2	1.9
	1904	6.5	3.3	7.2	1.9	1.6	1.2	2.6	0.9
Suicide by asphyxia	1900	.....	.....	.....	(1)	.....	.....	0.6	.....
	1901	0.7	.....	0.3	.....	.....	.....	0.5	0.3
	1902	0.5	0.3	.....	.....	0.8	.....	0.7	0.1
	1903	0.6	.....	0.3	0.1	0.8	.....	1.1	.....
	1904	1.2	.....	0.1	.....	.....	.....	0.7	0.3
Suicide by hanging or strangulation	1900	3.1	3.8	0.3	0.9	3.4	1.9	1.2	2.8
	1901	1.5	2.8	1.1	1.2	2.5	4.9	1.4	3.9
	1902	2.4	1.9	0.6	0.8	4.9	2.9	1.4	2.3
	1903	1.1	1.5	1.0	1.6	1.6	3.3	1.6	3.3
	1904	2.8	2.4	1.4	1.4	4.0	3.6	1.2	2.6
Suicide by drowning	1900	0.3	1.9	.....	0.3	1.7	1.2	0.5	2.0
	1901	0.2	0.6	0.6	0.4	1.7	1.2	1.1	2.2
	1902	0.2	3.7	0.2	0.2	0.8	1.0	0.8	0.6
	1903	0.5	0.6	0.4	0.4	1.6	1.9	0.5	1.2
	1904	0.5	0.9	1.3	0.3	0.8	1.0	0.9	2.3
Suicide by firearms	1900	2.2	1.6	3.2	1.7	6.8	1.7	2.6	3.3
	1901	2.0	1.5	1.6	0.9	0.8	2.8	2.7	2.4
	1902	1.1	3.1	0.8	0.4	4.1	2.8	2.3	3.1
	1903	2.5	1.5	2.2	1.7	4.1	3.1	2.4	2.0
	1904	2.9	4.0	2.2	2.0	3.2	4.0	2.7	3.9
Suicide by cutting instruments	1900	1.0	0.6	.....	0.4	.....	0.9	0.8	0.7
	1901	0.5	0.9	0.2	0.2	0.8	1.2	0.7	0.3
	1902	1.1	0.6	0.2	(1)	0.8	1.0	0.9	0.1
	1903	0.6	1.5	0.3	0.5	.....	0.5	1.2	1.9
	1904	1.1	1.2	0.3	0.3	1.6	0.3	0.9	0.3
Suicide by jumping from high places	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	0.2	.....	.....	.....	.....	.....	(1)	.....
	1902	.....	.....	0.2	.....	.....	.....	.....	.....
	1903	.....	0.3	.....	0.1	0.8	.....	0.3	0.1
	1904	.....	.....	.....	(1)	.....	.....	0.1	.....
Suicide by crushing	1900	.....	.....	.....	.....	.....	.....	.....	0.1
	1901	0.2	0.3	.....	.....	.....	.....	.....	.....
	1902	0.2	.....	.....	.....	.....	.....	(1)	0.1
	1903	.....	0.6	0.1	0.1	.....	0.2	(1)	.....
	1904	0.2	.....	0.1	(1)	0.8	.....	(1)	0.1
Other suicides	1900	1.4	1.9	1.9	1.8	.....	1.2	0.9	1.6
	1901	0.3	2.2	2.1	2.3	0.8	0.5	1.6	2.1
	1902	0.6	1.2	7.7	2.9	.....	0.2	1.0	2.0
	1903	0.5	1.5	0.6	0.9	0.8	.....	1.0	1.0
	1904	0.3	2.7	1.9	0.6	3.2	2.2	0.4	1.3
Fractures	1900	15.3	7.9	5.3	3.7	7.6	6.2	11.2	8.9
	1901	11.9	13.7	5.4	3.7	5.0	4.0	11.5	7.2
	1902	11.8	12.0	9.2	5.4	9.1	4.3	12.0	8.8
	1903	15.3	8.0	8.2	5.9	7.3	4.8	12.2	8.3
	1904	14.3	11.8	10.4	6.4	14.4	7.9	9.8	9.4
Dislocations	1900	.....	0.6	0.3	(1)	.....	.....	0.1	0.3
	1901	0.3	0.3	.....	0.1	.....	0.2	(1)	.....
	1902	0.2	.....	0.3	0.1	0.8	.....	0.2	.....
	1903	.....	.....	.....	0.3	.....	.....	0.2	0.3
	1904	0.3	.....	.....	0.2	.....	.....	0.2	0.3
Burns and scalds	1900	9.8	7.2	7.8	6.7	8.4	6.2	8.6	4.9
	1901	10.3	7.4	7.2	6.6	9.2	6.2	9.1	5.4
	1902	10.9	8.0	9.8	6.7	9.1	6.6	8.2	4.1
	1903	8.9	5.8	8.8	6.1	6.5	5.5	7.8	5.2
	1904	10.7	8.8	8.7	6.6	8.8	5.5	7.9	5.1
Heat and sunstroke	1900	4.1	1.9	1.9	0.9	1.7	0.5	3.6	1.8
	1901	5.3	4.7	6.4	2.6	0.8	1.4	7.1	5.7
	1902	0.3	.....	0.9	0.2	1.6	0.2	0.4	0.3
	1903	1.7	2.2	0.7	0.6	.....	0.2	0.8	0.7
	1904	0.2	.....	0.3	0.3	.....	0.3	0.9	0.6

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
12.6	8.6	25.8	10.7	15.5	9.5	13.6	8.7	7.8	8.9	15.1	10.5
9.9	6.4	19.2	9.9	14.6	9.3	7.8	7.6	29.0	4.8	14.6	6.4
14.1	6.1	17.6	8.7	15.6	7.5	7.7	6.1	9.5	2.0	20.5	5.0
14.2	7.2	14.9	5.9	14.9	8.1	7.2	7.6	13.2	5.9	12.1	6.1
18.6	8.3	18.1	5.9	15.6	10.5	8.3	7.7	11.7	2.6	17.7	11.1
43.9	50.8	56.6	112.0	23.8	31.4	35.2	75.7	39.9	84.6	68.6	99.7
42.9	49.7	56.8	114.9	24.9	35.2	31.2	76.8	35.9	63.1	56.6	106.7
33.9	41.1	64.3	91.8	22.8	28.3	28.0	71.0	45.3	59.6	84.1	96.0
39.8	43.4	56.6	86.5	20.5	34.9	23.6	70.3	30.4	58.9	88.3	73.7
42.6	51.0	55.1	101.6	21.4	30.1	22.4	36.4	33.1	50.9	57.0	76.7
89.4	77.0	72.4	68.5	121.2	94.8	102.3	80.0	98.1	97.8	66.4	67.3
99.1	88.9	76.0	75.0	141.5	99.3	122.7	92.6	95.0	106.0	86.0	69.0
94.9	84.1	63.1	59.1	104.2	84.4	103.0	89.8	96.6	99.1	80.0	72.3
105.7	92.8	106.7	91.6	121.5	99.5	114.1	99.3	102.9	115.8	70.2	99.0
90.1	98.4	88.5	79.2	121.6	96.5	132.6	106.1	103.7	105.8	72.7	84.1
3.4	1.8	0.6	0.8	6.9	2.0	5.4	1.9	3.5	2.8	.....	1.0
4.5	2.0	1.8	2.0	7.7	1.3	5.0	1.2	2.1	4.1	2.1	2.0
4.9	2.0	.....	0.8	6.3	1.5	5.1	2.0	3.0	2.0	2.1	0.3
4.0	2.0	0.6	0.8	8.1	2.8	5.7	2.6	3.0	4.6	.....	3.7
7.4	3.1	1.2	0.8	7.9	3.1	5.2	2.0	4.9	3.3	2.0	3.7
0.3	(1)	.....	.....	0.4	0.1	1.7	.....	0.7	.....	.....	0.3
.....	.....	.....	.....	1.7	0.4	1.3	(1)	1.4	.....	.....	0.7
0.1	0.1	.....	.....	2.2	0.1	1.2	(1)	1.7	0.7	.....	.....
0.7	0.2	1.2	.....	1.6	0.5	1.8	(1)	3.0	1.3	.....	.....
0.1	(1)	0.6	.....	1.9	0.6	2.4	.....	2.3	2.0	.....	.....
2.2	2.5	0.6	2.4	1.6	2.7	2.2	2.8	1.8	4.8	.....	2.0
1.8	2.0	2.5	3.2	1.7	2.3	1.9	2.6	1.7	6.1	.....	3.0
1.7	1.8	1.2	1.6	1.6	1.8	2.0	2.6	1.7	3.3	.....	2.4
1.8	2.1	3.0	2.0	1.8	2.6	1.4	3.2	2.0	2.0	2.0	3.4
2.3	2.9	1.2	3.1	2.1	2.7	2.3	4.3	2.3	3.3	3.9	3.7
0.4	0.8	1.3	0.8	0.8	1.1	0.3	0.5	1.8	2.0	.....	0.3
1.1	0.4	1.2	1.2	0.6	0.2	0.2	0.6	1.0	2.0	.....	0.3
0.4	1.0	0.6	0.8	0.6	0.7	0.5	1.1	0.7	2.7	.....	0.3
0.8	1.0	1.2	1.2	0.8	0.2	0.2	0.7	1.0	0.7	2.0	1.0
0.8	0.5	1.8	1.2	0.6	0.3	0.2	0.8	0.6	2.6	2.0	1.0
3.4	1.7	1.9	2.4	2.4	2.2	2.6	1.3	1.8	2.8	4.3	1.4
1.8	1.9	0.6	2.0	2.6	2.4	2.6	1.7	2.4	4.8	2.1	3.4
2.3	1.6	2.4	1.2	2.5	1.8	3.2	1.7	2.0	4.0	.....	1.4
3.3	2.2	5.4	2.4	3.1	2.1	2.8	1.7	1.7	2.0	2.0	1.7
3.1	2.5	2.3	3.9	3.0	2.3	3.0	1.8	2.9	2.0	5.9	2.7
0.4	0.3	0.6	0.4	0.7	.....	0.5	0.6	1.4	.....	2.1	0.7
0.8	0.7	1.2	.....	1.0	0.6	0.7	0.6	1.0	0.7	.....	1.0
0.5	0.5	0.6	.....	0.3	0.7	0.5	0.9	1.4	1.3	2.1	0.3
1.2	0.7	0.6	.....	0.9	0.7	0.8	1.1	0.3	.....	.....	1.0
0.5	0.8	.....	2.0	1.5	0.6	0.7	0.8	0.3	.....	.....	1.7
.....	.....	.....	.....	0.1	.....	0.2	(1)	.....	.....	.....	.....
0.1	0.1	.....	.....	.....	0.1	0.3	.....	.....	.....	.....	.....
0.1	.....	.....	.....	0.1	.....	0.2	(1)	.....	0.7	.....	0.3
.....	.....	.....	.....	0.1	.....	0.4	.....	0.3	0.7	.....	.....
0.3	0.1	.....	.....	.....	.....	0.5	(1)	.....	.....	.....	.....
.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	0.1	(1)	(1)	.....	.....	.....	.....
.....	0.1	.....	.....	.....	.....	(1)	.....	.....	.....	.....	.....
.....	.....	.....	.....	0.1	.....	(1)	(1)	.....	.....	.....	.....
.....	.....	.....	.....	0.2	.....	(1)	(1)	.....	.....	.....	.....
1.1	0.8	2.5	2.8	0.5	0.7	0.3	1.5	0.4	.....	2.1	3.0
0.5	1.2	1.8	5.1	0.3	0.6	0.3	1.0	.....	.....	.....	0.7
0.8	1.6	1.2	2.8	0.1	1.4	0.1	1.5	0.3	.....	2.1	2.7
0.1	0.7	0.6	3.9	0.3	0.8	0.1	0.7	.....	.....	.....	0.7
0.7	0.3	1.2	1.5	0.1	1.1	0.1	0.8	.....	.....	.....	.....
6.9	6.8	11.3	5.1	8.9	6.1	13.9	7.9	1.1	1.4	8.6	7.4
8.1	5.3	8.7	11.0	9.7	6.9	12.9	10.3	0.7	2.7	6.3	8.8
7.4	5.7	11.6	6.3	11.3	6.5	13.1	8.6	1.4	2.7	12.3	8.1
10.8	6.7	14.9	9.4	13.4	6.8	11.3	10.4	2.6	2.0	4.0	14.5
11.5	7.4	6.4	5.5	11.4	6.8	11.5	13.2	1.3	.....	3.9	7.1
.....	0.3	.....	0.4	0.5	0.1	0.1	0.1	.....	.....	.....	0.3
0.4	0.1	.....	.....	.....	0.4	0.1	0.5	.....	.....	.....	0.3
0.4	(1)	.....	.....	.....	0.2	0.2	0.3	.....	.....	.....	.....
0.1	0.3	0.6	.....	0.2	0.3	0.2	0.3	.....	.....	2.0	.....
0.3	0.2	.....	.....	0.2	0.1	0.1	0.2	.....	.....	.....	.....
6.1	5.1	6.3	5.5	12.4	6.6	9.3	5.0	8.1	6.9	4.3	3.0
6.9	6.6	6.8	2.4	12.8	7.3	8.8	5.5	8.6	6.8	8.4	5.7
7.3	5.9	9.1	3.5	8.6	6.3	8.0	4.8	9.5	4.0	4.1	2.0
6.7	6.1	8.3	6.3	11.4	6.0	8.6	4.0	8.9	4.6	6.0	5.7
5.4	6.3	7.6	4.7	11.4	6.9	8.7	5.4	5.5	5.9	9.8	2.7
2.1	1.0	1.9	0.4	7.8	4.3	6.7	1.4	2.5	0.7	2.1	.....
3.2	1.7	6.2	4.3	33.2	12.4	27.1	4.3	9.7	4.1	6.3	1.7
0.7	0.3	.....	.....	0.5	0.5	0.8	0.2	0.3	.....	2.0	0.3
1.3	0.3	.....	0.4	3.7	2.0	2.4	0.8	1.3	2.0	.....	.....
0.8	0.3	1.2	0.8	1.8	0.5	0.7	0.3	1.3	1.3	.....	0.3

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Cold and freezing	1900	0.7	1.2	0.5	0.4	.....	0.5	0.2	0.9
	1901	0.5	1.9	0.2	0.7	0.8	0.9	0.5	0.4
	1902	1.1	0.9	0.3	0.5	2.5	0.3	0.5	1.6
	1903	0.3	0.9	0.3	0.9	.....	0.7	0.6	1.6
	1904	0.9	1.8	0.6	0.6	.....	0.2	0.6	1.7
Lightning	1900	0.2	0.9	.....	0.6	.....	0.2	.....	0.4
	1901	.....	1.2	0.2	1.2	.....	0.2	(1)	0.4
	1902	.....	0.6	.....	1.6	0.8	0.3	(1)	0.3
	1903	.....	0.9	0.4	1.2	.....	.....	(1)	0.3
	1904	.....	1.2	0.3	0.6	.....	0.2	0.1	0.1
Drowning	1900	11.5	16.6	6.1	5.1	16.9	13.1	10.4	19.5
	1901	11.5	18.0	4.8	4.4	10.8	16.6	11.3	15.2
	1902	9.2	10.5	5.5	3.8	18.9	15.9	11.9	13.6
	1903	12.6	16.3	6.7	4.5	11.4	19.3	10.3	14.2
	1904	11.3	14.0	7.1	5.3	20.1	21.1	9.3	12.2
Inhalation of poisonous gases	1900	2.4	0.6	0.5	0.1	.....	.....	1.8	0.9
	1901	2.8	0.6	2.1	0.3	1.7	0.3	1.6	0.7
	1902	2.3	0.6	0.8	0.2	4.9	0.5	2.9	0.4
	1903	6.2	0.6	0.9	0.6	1.6	0.3	2.6	0.9
	1904	5.0	2.1	2.2	0.4	4.0	1.0	2.9	1.0
Conflagration	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	.....	.....
	1902	.....	.....	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	0.8	.....	0.1	.....
	1904	.....	.....	0.1	0.2	.....	.....	.....	.....
Other accidental poisonings	1900	6.1	5.0	6.9	4.4	5.0	2.6	2.3	2.7
	1901	4.3	3.4	5.1	3.5	5.8	2.2	2.9	2.9
	1902	4.7	2.8	7.1	4.6	3.3	1.9	3.1	3.1
	1903	5.4	3.1	6.7	5.0	4.9	3.1	3.1	2.7
	1904	4.6	5.8	7.8	4.6	1.6	5.2	3.2	4.6
Accidental gunshot wounds	1900	1.4	2.8	3.7	5.3	3.4	2.5	1.2	2.0
	1901	1.6	1.9	3.9	4.2	1.7	2.6	1.0	3.1
	1902	2.9	3.7	4.2	4.9	3.3	2.2	1.2	2.2
	1903	2.2	1.8	6.6	5.3	4.1	2.4	1.2	2.7
	1904	2.5	4.6	4.9	6.0	5.6	5.0	1.2	1.3
Injuries by machinery	1900	0.3	.....	.....	0.1	.....	1.0	0.2	0.4
	1901	0.5	0.6	0.8	0.3	0.8	0.5	0.5	0.3
	1902	1.0	0.6	0.9	0.5	0.8	.....	0.2	0.4
	1903	0.5	0.6	0.9	0.5	0.8	1.2	0.6	0.4
	1904	0.6	1.5	0.9	0.4	.....	2.2	0.8	0.9
Injuries in mines and quarries	1900	.....	.....	.....	0.7	.....	.....	.....	.....
	1901	.....	.....	0.5	0.7	.....	0.2	0.1	0.3
	1902	.....	.....	.....	0.2	.....	0.2	.....	.....
	1903	.....	.....	0.9	2.6	0.8	.....	(1)	.....
	1904	.....	0.3	0.4	1.5	.....	0.2	0.1	.....
Railroad accidents and injuries	1900	14.1	10.7	16.3	8.9	13.5	2.8	7.0	10.6
	1901	11.9	13.1	16.0	9.6	7.5	3.8	8.0	10.8
	1902	13.3	15.8	10.9	7.2	5.8	4.5	9.3	12.9
	1903	16.2	20.2	23.4	11.3	13.9	5.7	10.7	11.9
	1904	16.8	21.0	19.8	10.7	13.6	4.8	10.3	12.6
Injuries by vehicles and horses	1900	0.3	0.6	1.9	1.2	1.7	1.0	0.5	0.7
	1901	0.8	2.2	0.5	0.9	2.5	1.7	0.4	0.9
	1902	1.0	1.5	0.3	1.1	0.8	1.4	0.6	0.4
	1903	1.4	1.8	1.3	2.2	1.6	2.6	1.7	2.2
	1904	1.7	1.2	1.0	2.0	0.8	2.4	2.4	1.7
Suffocation	1900	1.0	1.2	2.1	2.8	1.7	0.7	2.4	1.5
	1901	2.7	3.1	2.4	3.0	2.5	0.7	2.5	1.2
	1902	2.8	0.6	2.0	2.0	2.5	0.7	1.4	0.9
	1903	2.5	2.2	1.5	2.5	.....	1.2	1.9	1.0
	1904	1.9	0.9	2.2	1.4	2.4	1.0	2.5	1.9
Injuries at birth	1900	5.9	3.1	1.1	1.6	5.9	2.8	6.1	2.1
	1901	7.0	4.4	1.3	1.9	5.0	2.2	7.4	1.5
	1902	9.6	6.5	2.8	2.6	.....	2.4	6.2	2.5
	1903	13.3	5.5	1.5	2.6	0.8	2.9	6.7	3.3
	1904	10.1	7.6	2.8	2.2	5.6	3.3	9.7	3.6
Other accidental traumatisms	1900	9.2	11.9	6.4	6.7	9.3	7.5	9.3	7.9
	1901	13.1	13.4	7.2	6.2	9.2	12.8	13.1	7.8
	1902	12.2	10.8	6.3	5.1	18.1	12.6	9.4	7.5
	1903	14.8	15.9	12.1	8.5	13.0	8.9	12.4	12.4
	1904	13.2	13.1	13.5	9.7	16.1	11.8	13.1	13.7
Burning by corrosive substances	1900	.....	.....	.....	.....	.....	.....	.....	.....
	1901	.....	.....	.....	.....	.....	.....	(1)	.....
	1902	.....	1.2	.....	.....	.....	.....	.....	.....
	1903	.....	.....	.....	.....	.....	.....	(1)	.....
	1904	0.2	.....	.....	.....	.....	.....	.....	.....
Other external violence	1900	5.4	10.0	8.3	8.9	6.8	5.4	6.8	3.3
	1901	1.8	2.5	10.0	9.5	4.2	3.5	5.0	5.9
	1902	3.2	2.8	17.8	9.6	8.3	3.1	5.7	6.4
	1903	2.5	4.3	4.6	4.7	2.4	3.6	3.6	5.8
	1904	2.6	4.0	5.3	4.2	8.0	5.7	3.5	3.7

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.1	0.8	.....	2.0	0.4	0.9	0.2	1.0	0.8	0.7	.....	0.3
0.4	0.7	1.2	0.8	0.4	0.6	0.3	0.9	1.0	3.4	.....	.....
0.1	1.1	.....	1.9	0.5	0.5	0.4	0.8	1.0	.....	2.0	0.3
0.3	0.6	0.6	1.6	0.7	2.3	0.2	1.3	0.3	1.3	.....	.....
0.7	1.9	0.6	2.0	0.8	1.4	0.4	1.4	1.0	.....	.....	0.7
0.1	1.3	1.3	.....	.....	0.6	0.1	0.7	.....	1.4	.....	0.3
0.1	1.6	.....	0.4	0.1	1.6	0.1	0.8	.....	.....	.....	0.7
0.1	0.8	.....	1.6	0.3	0.5	0.1	0.9	.....	0.7	.....	.....
0.3	1.4	.....	.....	0.1	0.8	(1)	0.3	.....	0.7	.....	.....
0.1	0.8	.....	.....	0.2	0.5	0.1	0.8	.....	.....	.....	0.7
13.1	10.0	12.6	11.9	23.1	17.3	12.2	12.9	9.5	23.3	4.3	7.1
10.5	13.0	8.7	11.8	13.8	16.0	12.5	13.4	8.3	23.7	14.6	9.1
11.8	10.4	10.3	9.1	10.5	15.9	10.9	13.6	7.1	17.5	6.2	8.4
10.7	10.1	13.1	20.4	13.0	15.6	11.5	13.6	7.9	31.1	14.1	7.4
8.8	11.5	12.9	12.1	12.7	13.6	11.8	14.0	6.8	21.5	9.8	10.1
1.4	0.3	.....	.....	4.1	1.0	4.6	0.9	2.8	1.4	.....	.....
0.8	0.7	.....	.....	3.4	1.4	5.2	1.1	3.8	.....	2.1	0.3
2.4	0.7	0.6	0.4	4.4	0.9	6.8	1.2	6.1	0.7	4.1	0.3
2.4	0.5	4.2	0.4	5.1	1.7	6.6	0.9	6.3	.....	.....	.....
2.2	0.4	4.1	0.8	5.6	3.1	7.0	1.5	3.6	1.3	.....	0.3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	1.0	0.2	.....	.....	.....	.....
0.1	0.6	.....	.....	.....	.....	18.1	.....	.....	.....	.....	.....
3.9	3.5	1.3	5.1	4.5	4.8	5.5	3.7	4.5	0.7	4.3	7.1
4.8	3.0	4.4	3.9	3.0	3.8	4.7	4.3	2.8	2.0	4.2	4.4
3.8	3.7	2.4	1.9	3.4	3.2	5.9	4.0	2.4	1.3	4.1	4.7
6.3	5.3	6.5	3.5	3.8	3.6	7.2	5.2	3.3	3.3	8.1	5.1
5.7	4.7	4.1	4.7	4.6	3.6	6.4	4.8	1.3	3.9	5.9	3.4
1.5	3.0	2.5	2.4	1.4	3.1	2.8	3.1	0.4	0.7	2.1	3.4
3.3	4.7	1.2	2.4	1.3	2.8	2.3	3.8	0.7	1.4	4.2	3.0
3.5	3.7	2.4	1.2	2.9	2.7	3.0	3.8	.....	1.3	.....	2.7
3.7	5.3	3.0	4.3	2.6	2.9	2.3	3.5	.....	2.6	.....	4.0
2.2	4.6	0.6	5.5	2.8	4.1	3.3	4.1	0.3	0.6	.....	4.1
0.7	0.8	.....	0.4	0.5	0.5	0.1	0.5	1.4	1.4	.....	0.3
0.7	1.3	0.6	.....	1.3	0.5	0.3	0.7	.....	.....	.....	.....
1.6	1.4	1.2	0.4	0.8	0.5	0.4	0.5	3.3	1.3	2.0	0.3
1.1	1.1	1.2	0.4	0.9	0.8	0.6	0.6	1.0	1.3	2.0	1.7
1.0	2.2	.....	1.2	0.7	0.9	0.4	0.8	1.0	2.0	2.0	1.3
2.1	2.9	.....	.....	.....	0.6	.....	0.1	.....	.....	.....	.....
4.8	3.9	.....	.....	.....	0.2	(1)	.....	.....	.....	.....	0.7
4.4	3.5	.....	.....	0.1	1.1	(1)	0.1	.....	.....	.....	.....
3.0	3.9	.....	0.4	.....	0.8	(1)	0.5	.....	0.7	.....	0.3
1.8	4.2	.....	.....	0.1	0.8	(1)	0.1	.....	.....	.....	2.0
15.4	9.0	9.5	4.7	18.6	17.9	5.9	13.0	9.5	12.4	8.6	3.6
13.9	10.0	13.0	6.3	20.2	17.7	8.0	15.8	10.0	10.9	10.5	6.7
13.5	9.1	4.9	5.5	21.2	17.9	8.5	16.3	12.5	13.4	14.4	9.1
17.2	13.7	10.7	6.7	23.6	23.9	10.8	19.5	11.9	15.9	8.0	13.1
11.5	11.0	11.1	7.8	22.0	20.1	10.5	18.7	14.2	11.7	5.9	12.1
1.3	2.0	.....	0.8	0.6	0.4	2.4	1.0	4.5	4.1	.....	0.3
1.4	3.4	0.6	0.8	1.0	0.6	2.6	1.4	4.5	4.1	.....	0.7
2.3	3.1	1.8	1.2	0.9	0.6	3.1	1.4	5 0	3.3	2.0	1.7
2.6	2.7	.....	2.7	1.4	0.8	4.7	2.1	6.0	4.6	2.0	2.7
1.7	3.1	.....	3.1	1.6	1.0	5.3	2.0	3.6	5.9	.....	3.0
0.7	1.6	2.5	1.6	1.8	1.7	1.0	2.0	2.1	4.1	2.1	2.0
2.1	1.6	3.1	2.4	1.3	1.3	1.3	1.9	1.7	4.8	.....	1.3
1.6	1.7	0.6	1.2	1.1	1.8	0.8	1.1	1.4	1.3	.....	2.7
1.8	1.5	1.8	2.0	1.6	1.4	1.7	1.5	1.7	3.3	.....	2.7
1.5	2.9	2.9	1.2	0.8	2.3	1.1	1.8	2.6	3.9	2.0	1.0
3.8	3.2	0.6	1.2	5.7	4.1	4.5	3.1	11.6	6.9	2.1	0.7
4.8	3.1	1.2	0.8	6.1	2.6	4.8	3.9	6.9	8.8	4.2	1.7
4.6	3.0	1.2	1.9	5.3	3.3	5.6	5.1	11.1	14.1	8.2	5.8
4.2	4.8	4.2	2.4	6.6	5.5	7.9	5.3	11.6	11.9	6.0	5.1
4.1	3.8	8.8	0.8	8.1	4.5	8.0	5.1	18.1	13.0	.....	2.4
10.4	10.0	5.0	4.7	9.8	10.6	14.8	8.6	24.0	13.7	4.3	10.2
15.3	13.8	4.4	5.9	14.6	11.5	15.7	11.2	21.8	12.2	12.6	8.1
13.2	14.8	6.1	7.1	13.2	8.6	18.2	12.0	20.3	14.1	10.3	11.5
12.7	14.2	15.5	9.8	12.7	10.8	19.6	13.5	23.5	13.9	8.0	14.5
11.2	16.1	15.8	10.6	16.2	10.8	20.6	15.4	24.9	17.6	13.7	16.8
.....	.....	.....	.....	.....	.....	(1)	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	0.1	0.1	.....	0.7	.....	.....
.....	.....	.....	.....	.....	0.1	(1)	0.1	.....	.....	.....	.....
.....	.....	.....	.....	.....	0.1	0.1	.....	.....	.....	.....	.....
0.1	0.1	.....	.....	.....	.....	(1)	0.3	.....	.....	.....	.....
0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7.8	6.5	10.1	12.3	6.0	5.3	2.9	6.2	1.4	2.8	15.1	13.2
5 6	4.4	6.2	7.9	2.8	3.5	1.7	4.2	2.1	2.0	8.4	4.4
3.6	5 1	4.9	8.7	4.1	4.5	2.3	4.7	1.7	2.7	2.0	6.4
6.7	3.9	8.9	10.6	3.1	3.5	2.7	5.1	3.0	2.6	4.0	10.1
3.2	5.2	4.1	5 1	1.9	3.8	1.9	5.0	1.3	2.0	3.9	3.0

TABLE VI.—DEATH RATES PER 100,000 OF POPULATION IN CITIES AND RURAL DISTRICTS OF

CAUSE OF DEATH.		NUMBER OF DEATHS PER 100,000 OF POPULATION.							
		Connecticut.		Indiana.		Maine.		Massachusetts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
Starvation, privation, etc.	1900	.....	0.3	.....	0.2	0.8	0.2	0.1	0.4
	1901	0.5	.....	.....	(1)	.....	.....	0.4	.....
	1902	0.2	0.3	0.2	0.1	.....	0.2	(1)	0.1
	1903	0.5	.....	0.3	.....	.....	.....	0.2	.....
	1904	.....	0.3	0.6	(1)	.....	0.3	(1)	.....
Homicide	1900	.....	.....	1.1	1.5	.....	1.7	0.7	1.2
	1901	0.3	.....	2.4	0.5	1.7	1.6	1.1	1.3
	1902	0.5	.....	2.0	0.6	.....	0.3	1.3	0.6
	1903	0.6	0.9	1.3	1.1	2.4	1.0	1.2	0.7
	1904	0.3	.....	3.0	0.7	2.4	.....	1.5	0.3
XIV.—Ill-defined diseases	1900	30.5	22.2	95.8	84.9	96.2	92.9	62.5	75.5
	1901	24.7	22.7	65.5	59.2	76.6	87.9	55.5	61.7
	1902	26.4	20.9	53.6	51.6	80.6	70.2	55.6	63.8
	1903	24.6	23.9	44.8	34.8	69.0	76.4	47.3	46.9
	1904	24.5	22.8	45.4	35.8	56.9	81.0	32.4	34.1
"Dropsy"	1900	0.8	1.9	10.1	15.8	5.0	9.9	1.8	4.4
	1901	0.5	0.9	10.9	9.9	4.2	8.7	1.2	4.0
	1902	1.1	1.2	7.4	10.3	2.5	5.7	1.5	4.5
	1903	1.0	3.7	5.6	6.5	4.1	6.7	1.0	1.7
	1904	0.1	3.1	5.6	6.2	0.8	5.2	1.0	1.7
"Heart failure"	1900	.....	0.6	19.0	20.7	7.6	19.6	6.5	17.4
	1901	.....	.....	9.7	11.9	3.3	18.3	4.0	15.1
	1902	.....	.....	4.9	7.6	11.5	11.2	4.4	15.3
	1903	0.5	0.6	7.3	6.9	9.7	11.9	3.5	10.7
	1904	0.5	0.6	7.7	7.0	1.6	12.5	2.9	6.0
Sudden death	1900	0.2	.....	.....	(1)	0.8	0.7	(1)	0.9
	1901	0.2	.....	0.9	0.6	.....	0.3	0.6	0.3
	1902	0.5	0.6	.....	0.4	2.5	1.4	0.4	0.7
	1903	0.3	1.2	.....	0.2	1.6	3.4	0.3	.....
	1904	.....	0.6	0.3	0.1	.....	0.7	0.2	0.1
Unspecified or ill-defined causes of death	1900	2.9	2.5	6.9	6.2	19.4	8.5	4.8	5.1
	1901	2.0	1.9	7.9	6.3	15.0	6.4	9.6	9.6
	1902	5.4	1.5	7.4	3.8	12.3	5.3	7.6	7.6
	1903	5.1	6.4	5.8	3.5	13.8	6.2	6.5	8.4
	1904	1.9	2.4	4.8	2.9	11.2	7.2	4.6	5.3
Inanition, over 3 months	1900	5.4	2.2	21.6	8.8	9.3	6.2	5.3	6.5
	1901	3.3	2.2	13.3	8.0	9.2	5.2	5.4	3.5
	1902	4.4	4.6	14.0	8.5	17.3	5.7	5.7	5.1
	1903	2.5	2.2	9.6	4.5	7.3	3.1	5.1	4.8
	1904	3.1	1.8	12.9	5.6	12.0	5.5	3.6	4.0
Debility, over 3 months	1900	7.3	3.1	20.6	13.4	23.7	13.2	11.9	15.8
	1901	3.3	3.4	10.2	11.0	14.1	10.0	11.0	13.1
	1902	3.7	3.1	8.6	7.9	14.8	8.8	9.3	10.4
	1903	2.7	2.2	7.0	5.2	14.6	11.0	8.7	9.0
	1904	3.4	0.6	5.4	4.5	8.8	8.4	3.2	4.2
Marasmus, over 3 months	1900	10.5	6.0	11.5	3.9	13.5	4.2	23.4	13.2
	1901	8.4	4.4	7.5	2.9	15.0	4.5	20.0	8.8
	1902	7.8	5.3	6.2	2.4	12.3	2.9	22.9	13.3
	1903	10.0	4.6	4.3	1.4	11.4	4.3	17.5	8.7
	1904	9.3	4.6	4.3	2.3	7.2	4.8	14.0	9.0
Fever	1900	0.5	1.2	2.1	4.1	2.5	1.4	0.5	1.2
	1901	0.2	0.9	2.2	3.1	.....	0.7	0.2	0.1
	1902	0.3	0.6	3.1	2.8	.....	2.2	0.2	.....
	1903	0.1	1.5	3.3	2.1	.....	1.0	0.2	0.7
	1904	0.6	1.2	1.4	2.2	.....	1.2	0.2	1.3
Unknown causes	1900	2.9	4.7	4.0	12.0	14.4	29.2	8.3	11.0
	1901	6.8	9.0	2.9	5.5	15.8	33.8	3.5	7.2
	1902	3.2	4.0	2.0	7.9	7.4	27.0	3.6	6.9
	1903	2.4	1.5	1.9	4.5	6.5	28.8	4.5	2.9
	1904	5.6	7.9	3.0	5.0	15.3	35.5	2.7	2.5

[1] Less than one-tenth.

THE REGISTRATION STATES, FROM EACH DISEASE AND CLASS OF DISEASES: 1900 TO 1904—Continued.

NUMBER OF DEATHS PER 100,000 OF POPULATION—continued.

Michigan.		New Hampshire.		New Jersey.		New York.		Rhode Island.		Vermont.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
0.1	0.2	.....	.....	.....	.....	0.1	(1)	.....	.....	.....	.....
0.3	0.1	0.6	.....	.....	0.1	0.1	0.4	.....	.....	.....	.....
0.3	0.2	.....	.....	.....	.....	0.1	0.2	.....	2.0	.....	.....
0.4	0.1	0.6	.....	0.1	.....	0.1	0.2	.....	0.7	.....	0.3
.....	(1)	.....	.....	.....	0.1	0.1	0.2	.....	.....	.....	.....
0.7	0.7	.....	0.4	1.7	0.1	2.0	0.2	2.5	2.8	.....	.....
1.1	1.6	.....	0.4	0.9	0.1	1.8	0.4	2.8	0.7	.....	0.3
1.5	1.2	.....	.....	1.4	0.8	2.0	0.3	2.7	4.0	.....	0.3
1.4	1.3	.....	.....	0.7	0.2	1.4	0.5	2.3	2.0	.....	0.3
1.0	1.0	.....	0.8	1.4	0.9	2.2	0.5	3.6	2.0	2.0	0.3
60.8	69.0	103.8	115.6	73.4	77.1	50.0	70.1	42.0	37.1	68.6	92.9
45.6	50.0	80.4	100.7	65.3	57.9	40.1	44.7	32.1	36.0	52.4	77.5
39.2	41.8	86.2	66.2	62.5	58.8	33.3	41.3	24.3	20.1	69.7	58.6
37.7	43.2	53.7	53.0	56.7	50.7	34.1	36.1	28.8	25.1	54.2	45.1
42.5	46.6	53.9	47.8	52.0	45.4	32.2	40.6	24.6	19.6	68.7	48.1
7.4	11.5	4.4	10.3	2.7	5.0	2.1	11.7	0.7	1.4	4.3	4.4
4.9	8.8	6.8	5.9	2.2	3.8	1.2	9.1	0.3	.....	6.3	4.7
3.4	6.8	7.9	6.3	2.1	6.2	1.1	7.3	0.7	.....	2.0	1.7
5.7	7.3	1.8	4.3	0.9	2.9	1.2	6.8	1.0	2.0	.....	2.0
3.4	7.3	2.3	5.1	1.6	2.2	0.8	5.1	0.6	0.7	2.0	2.7
6.5	9.7	11.3	35.7	7.3	16.8	2.8	14.1	1.1	3.4	23.6	28.9
4.1	7.2	8.0	23.7	6.9	11.8	1.5	9.4	0.7	0.7	4.2	18.9
3.2	4.3	6.1	21.3	7.7	10.5	1.4	8.8	1.0	0.7	8.2	10.4
4.7	6.2	10.1	11.0	11.2	13.6	3.6	8.6	0.3	0.7	8.0	8.1
4.8	7.5	6.4	9.8	4.6	8.2	4.1	10.0	1.0	.....	19.6	8.7
.....	0.2	.....	0.8	0.1	.....	0.1	0.7	.....	.....	2.1	0.3
.....	0.7	1.2	1.2	0.3	0.2	0.2	0.4	.....	.....	.....	1.0
0.3	1.1	1.8	1.6	1.4	0.4	0.1	0.3	0.3	.....	.....	0.7
.....	0.5	1.2	.....	0.2	.....	(1)	0.9	0.7	.....	4.0	2.4
0.5	0.2	1.2	.....	0.1	0.2	0.1	1.1	.....	1.3	2.0	1.3
4.5	3.4	12.6	11.1	3.8	4.8	3.2	6.1	3.9	2.8	8.6	10.1
4.3	6.4	6.2	19.0	4.8	4.7	2.3	5.3	2.4	1.4	14.6	12.8
4.7	5.2	6.1	7.5	3.7	3.8	1.5	4.1	3.0	0.7	12.3	9.1
4.5	4.1	7.8	5.9	3.6	3.6	1.5	3.4	2.7	2.6	18.1	5.0
1.9	3.2	7.6	9.4	2.1	1.8	1.0	4.0	2.6	2.6	7.8	3.4
5.3	4.0	12.6	4.7	7.3	5.2	4.6	5.6	15.5	8.9	6.5	4.0
6.0	2.6	9.3	1.6	8.0	4.1	3.4	4.2	13.5	12.2	8.4	3.7
6.9	2.2	7.9	4.7	7.0	6.0	3.2	3.8	7.8	7.3	6.2	2.4
3.8	3.3	5.4	5.1	5.9	4.3	3.8	2.6	11.2	14.6	10.1	3.7
4.9	3.6	10.6	5.5	6.9	3.3	3.1	4.1	9.7	7.8	15.7	4.0
8.0	11.1	30.8	28.9	6.2	13.4	5.1	15.5	2.5	1.4	2.1	14.5
4.3	5.4	18.6	19.3	5.1	6.9	2.7	9.2	5.9	.....	8.4	11.8
3.8	5.0	18.2	11.1	4.6	7.3	1.5	7.8	6.8	1.3	12.3	6.7
3.2	4.7	10.1	15.3	6.1	6.0	2.6	6.2	7.6	1.3	4.0	5.7
3.4	4.6	4.1	7.8	2.6	6.5	1.7	7.5	1.3	0.7	2.0	6.1
11.8	3.5	12.0	5.1	40.6	24.8	30.9	8.5	8.8	3.4	12.8	3.4
11.6	3.4	13.0	7.5	35.4	22.3	28.2	5.2	4.5	5.4	8.4	2.4
7.6	2.4	21.8	3.5	34.5	20.6	24.1	6.2	4.0	5.4	20.5	6.0
7.6	2.2	10.7	3.5	27.0	17.7	20.6	5.4	2.7	1.3	6.0	2.7
12.4	3.0	12.9	4.7	31.3	19.8	20.9	6.8	5.5	3.3	15.7	3.0
1.1	1.2	1.9	0.4	1.1	0.6	0.4	1.2	.....	0.7	2.1	3.7
1.2	1.0	0.6	1.6	0.8	1.1	0.2	0.8	.....	.....	.....	2.4
0.3	0.6	.....	0.8	0.3	1.3	0.1	0.7	.....	.....	2.0	2.0
0.4	0.7	0.6	0.4	0.3	0.7	0.3	0.8	0.3	.....	.....	0.7
0.4	0.7	1.8	0.8	0.3	0.6	0.3	0.6	.....	0.6	.....	2.4
16.2	24.4	18.2	18.6	4.3	6.5	0.8	6.7	9.5	15.1	6.5	23.6
9.2	14.5	16.7	20.9	1.8	3.0	0.4	1.1	4.8	16.3	2.1	19.8
9.0	14.2	16.4	9.4	1.2	2.7	0.3	2.3	0.7	4.7	6.2	19.6
7.8	14.2	6.0	7.5	1.5	1.9	0.5	1.4	2.3	2.6	4.0	14.8
10.8	16.5	7.0	4.7	2.5	2.8	0.2	1.4	3.9	2.6	3.9	16.5

TABLE VII.—NUMBER OF DEATHS IN EACH MONTH IN THE REGISTRATION AREA, FROM CERTAIN SPECIFIED CAUSES: 1900 TO 1904.

CAUSE OF DEATH.	Total number of deaths.	NUMBER OF DEATHS IN EACH MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Month unknown.
All causes	2,642,555	237,782	229,651	252,556	236,887	218,232	193,167	232,567	222,488	204,196	198,401	195,192	218,840	2,596
1900	539,939	46,648	45,134	55,580	53,505	45,971	37,893	47,434	46,526	42,232	40,040	37,704	41,194	78
1901	518,207	49,141	45,248	48,263	43,483	40,584	38,398	47,964	44,112	41,206	39,262	38,314	42,056	86
1902	508,640	44,487	43,196	44,789	43,924	42,330	38,694	45,410	44,254	40,013	39,174	38,645	43,508	216
1903	524,415	47,014	44,663	48,784	44,808	43,354	38,635	46,224	43,164	39,720	39,872	40,301	46,684	1,192
1904	551,354	50,492	51,410	55,140	51,167	45,993	39,547	45,535	44,432	40,935	40,053	40,228	45,398	1,024
Typhoid fever	53,857	4,337	3,516	3,890	3,634	3,527	2,888	3,738	5,582	6,435	6,382	5,306	4,578	44
1900	11,044	834	637	721	632	599	520	669	1,133	1,399	1,492	1,255	1,153	.....
1901	10,127	875	589	589	616	582	533	750	1,128	1,283	1,385	964	833	.....
1902	10,980	749	586	616	633	680	617	796	1,292	1,429	1,367	1,174	1,041	.....
1903	11,149	1,022	829	986	838	846	628	805	1,094	1,185	1,098	964	833	21
1904	10,557	857	875	978	915	820	590	718	935	1,139	1,040	949	718	23
Malarial fever	8,953	391	366	439	478	644	739	962	1,166	1,356	1,176	735	490	11
1900	2,434	89	117	130	125	165	167	209	311	390	372	219	140	.....
1901	1,980	91	60	80	105	132	169	244	261	315	258	159	106	.....
1902	1,738	91	70	90	94	132	151	208	244	240	194	129	94	1
1903	1,410	58	51	65	76	105	126	183	192	194	168	120	67	5
1904	1,391	62	68	74	78	110	126	118	158	217	184	108	83	5
Measles	16,065	1,505	1,805	2,293	2,388	2,451	1,805	1,162	529	246	295	574	1,003	9
1900	3,865	422	501	609	587	575	406	281	130	50	63	98	143	.....
1901	2,287	155	212	244	289	322	307	195	86	35	56	117	269	.....
1902	3,033	305	351	388	427	502	365	243	95	45	57	90	165	.....
1903	3,221	218	277	392	462	504	399	265	139	72	68	149	270	6
1904	3,659	405	464	660	623	548	328	178	79	44	51	120	156	3
Scarlet fever	18,890	2,180	2,080	2,127	2,196	2,218	1,599	1,197	809	681	961	1,240	1,590	12
1900	3,135	398	403	380	336	331	233	169	134	103	164	218	266	.....
1901	4,113	396	400	502	509	477	352	267	175	146	206	302	381	.....
1902	4,041	469	463	422	460	511	343	250	194	160	224	254	290	1
1903	3,991	400	331	369	405	478	411	330	196	160	217	297	392	5
1904	3,610	517	483	454	486	421	260	181	110	112	150	169	261	6
Whooping cough	17,978	1,453	1,492	1,812	1,866	1,719	1,598	1,852	1,871	1,331	921	897	1,147	19
1900	3,719	269	283	381	407	378	355	392	380	264	199	175	236	.....
1901	3,051	245	247	294	323	283	238	291	361	282	172	143	152	.....
1902	3,854	220	242	267	313	341	358	489	468	309	234	251	361	1
1903	5,171	531	530	654	608	537	464	491	455	303	186	182	218	12
1904	2,183	188	190	216	215	180	163	189	207	173	130	146	180	6
Diphtheria and croup	53,647	6,013	4,942	4,453	4,058	3,794	3,502	2,873	2,852	3,635	5,353	6,054	6,088	30
1900	13,314	1,535	1,316	1,191	1,004	932	767	646	626	835	1,337	1,597	1,527	1
1901	10,667	1,382	949	910	796	749	705	463	542	740	1,063	1,203	1,165	.....
1902	9,859	1,046	906	816	756	695	672	524	583	692	995	1,025	1,148	1
1903	10,363	1,015	859	757	722	746	722	669	583	729	1,086	1,270	1,194	11
1904	9,444	1,035	912	779	780	672	636	571	518	639	872	959	1,054	17
Influenza	33,137	5,351	6,921	7,970	5,519	2,329	792	395	250	310	446	877	1,953	24
1900	7,031	519	715	1,854	2,291	750	214	94	61	51	62	120	298	2
1901	10,093	2,744	2,960	2,017	892	413	173	87	51	79	109	184	384	.....
1902	3,225	564	642	623	385	237	82	72	28	62	87	136	306	1
1903	6,064	627	1,180	1,654	867	503	179	81	61	72	106	227	495	12
1904	6,724	897	1,424	1,822	1,084	426	144	61	49	46	82	210	470	9
All other epidemic diseases[1]	31,412	2,077	2,016	2,168	2,119	2,035	2,139	4,000	5,142	3,956	2,395	1,575	1,750	20
1900	6,578	362	397	445	484	443	396	831	1,127	944	584	296	268	1
1901	6,514	306	337	410	392	364	429	816	1,158	975	527	355	445	.....
1902	7,299	560	487	452	494	490	639	1,013	1,163	792	469	340	400	.....
1903	5,556	411	384	400	365	386	373	643	838	604	447	341	355	9
1904	5,465	438	411	461	384	352	322	697	856	641	368	243	282	10
Tuberculosis (all forms)	310,709	27,455	26,567	30,786	29,553	28,522	24,823	24,705	23,905	22,561	23,545	23,279	24,778	230
1900	61,888	5,400	5,234	6,310	6,107	5,772	4,766	4,929	4,837	4,466	4,641	4,579	4,840	7
1901	61,599	5,712	5,208	6,060	5,694	5,679	4,952	4,920	4,734	4,524	4,732	4,661	4,719	4
1902	58,938	5,275	5,026	5,690	5,513	5,427	4,741	4,715	4,596	4,309	4,489	4,405	4,737	15
1903	61,487	5,253	5,191	5,986	5,699	5,487	4,997	4,803	4,642	4,535	4,755	4,717	5,220	112
1904	66,797	5,815	5,908	6,740	6,540	6,157	5,367	5,248	5,096	4,727	4,928	4,917	5,262	92
Tuberculosis of lungs	274,991	24,645	23,703	27,416	26,184	25,135	21,723	21,494	20,831	19,765	20,886	20,814	22,196	199
1900	55,504	4,886	4,707	5,667	5,477	5,202	4,219	4,372	4,307	3,976	4,149	4,129	4,406	7
1901	54,735	5,177	4,670	5,397	5,046	5,014	4,335	4,318	4,127	3,979	4,238	4,218	4,212	4
1902	52,079	4,721	4,494	5,069	4,905	4,782	4,135	4,093	3,963	3,764	3,981	3,917	4,242	13
1903	53,910	4,703	4,583	5,297	5,019	4,776	4,339	4,175	4,008	3,917	4,177	4,176	4,644	96
1904	58,763	5,158	5,249	5,986	5,737	5,361	4,695	4,536	4,426	4,129	4,341	4,374	4,692	79
Other forms of tuberculosis	35,718	2,810	2,864	3,370	3,369	3,387	3,100	3,211	3,074	2,796	2,659	2,465	2,582	31
1900	6,384	514	527	643	630	570	547	557	530	490	492	450	434	.....
1901	6,864	535	538	663	648	665	617	602	607	545	494	443	507	.....
1902	6,859	554	532	621	608	645	606	622	633	545	508	488	495	2
1903	7,577	550	608	689	680	711	658	718	634	618	578	541	576	16
1904	8,034	657	659	754	803	796	672	712	670	398	587	543	570	13

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE VII.—NUMBER OF DEATHS IN EACH MONTH IN THE REGISTRATION AREA, FROM CERTAIN SPECIFIED CAUSES: 1900 TO 1904—Continued.

CAUSE OF DEATH.	Total number of deaths.	NUMBER OF DEATHS IN EACH MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Month unknown.
Cancer	106,119	8,668	8,053	8,959	8,697	9,046	8,511	9,300	9,219	8,818	8,961	8,627	9,163	97
1900	19,381	1,581	1,452	1,778	1,722	1,632	1,545	1,649	1,680	1,595	1,554	1,597	1,595	1
1901	20,171	1,684	1,454	1,584	1,596	1,770	1,732	1,824	1,715	1,683	1,733	1,653	1,742	1
1902	20,847	1,655	1,624	1,700	1,700	1,849	1,688	1,850	1,863	1,705	1,753	1,659	1,798	3
1903	22,325	1,861	1,656	1,927	1,788	1,845	1,760	1,930	1,958	1,922	1,884	1,762	1,976	56
1904	23,395	1,887	1,867	1,970	1,891	1,950	1,786	2,047	2,003	1,913	2,037	1,956	2,052	36
Diseases of nervous system	302,876	26,992	25,885	28,835	27,810	26,550	23,638	26,360	23,685	22,429	22,544	22,550	25,368	230
1900	64,232	5,742	5,428	6,437	6,262	5,824	4,862	5,634	5,306	4,799	4,621	4,432	4,883	2
1901	60,431	5,374	5,078	5,766	5,408	5,054	4,903	5,616	4,675	4,568	4,416	4,452	5,026	5
1902	59,313	5,052	4,999	5,420	5,433	5,094	4,703	5,163	4,669	4,478	4,526	4,651	5,087	18
1903	58,319	5,357	5,003	5,249	4,956	4,936	4,521	5,167	4,524	4,295	4,530	4,523	5,131	127
1904	60,581	5,467	5,377	5,963	5,731	5,642	4,559	4,780	4,511	4,289	4,451	4,492	5,241	78
Meningitis	52,755	4,114	4,160	5,150	5,263	5,295	4,426	5,141	4,699	4,032	3,528	3,231	3,678	29
1900	12,578	996	1,032	1,269	1,301	1,245	1,002	1,253	1,142	1,002	872	714	750	.....
1901	10,430	839	811	1,038	951	936	853	1,084	975	872	695	658	720	.....
1902	9,981	773	800	961	989	874	873	1,017	865	761	677	672	717	2
1903	9,213	745	734	905	819	886	763	871	879	683	620	589	704	15
1904	10,553	761	783	988	1,203	1,354	935	916	838	714	664	598	787	12
Apoplexy and paralysis	145,047	13,616	12,977	13,851	12,975	12,248	10,915	11,186	10,716	10,429	11,211	11,586	13,242	95
1900	28,722	2,717	2,535	2,986	2,709	2,518	2,124	2,204	2,220	2,025	2,081	2,175	2,426	2
1901	28,610	2,669	2,531	2,698	2,538	2,376	2,271	2,344	2,074	2,060	2,170	2,265	2,612	2
1902	28,536	2,550	2,509	2,624	2,551	2,447	2,209	2,224	2,132	2,091	2,244	2,319	2,629	7
1903	28,920	2,822	2,556	2,540	2,459	2,339	2,110	2,256	2,128	2,095	2,386	2,393	2,779	57
1904	30,259	2,858	2,846	3,003	2,718	2,568	2,201	2,158	2,162	2,158	2,330	2,434	2,796	27
Other diseases of nervous system	105,074	9,262	8,748	9,825	9,572	9,007	8,297	10,033	8,270	7,968	7,805	7,733	8,448	106
1900	22,932	2,029	1,861	2,182	2,252	2,061	1,736	2,177	1,944	1,772	1,668	1,543	1,707	.....
1901	21,391	1,866	1,736	2,032	1,919	1,742	1,869	2,188	1,626	1,636	1,551	1,529	1,694	3
1902	20,796	1,729	1,690	1,835	1,913	1,773	1,621	1,922	1,672	1,626	1,605	1,660	1,741	9
1903	20,186	1,700	1,713	1,804	1,678	1,711	1,648	2,040	1,517	1,517	1,524	1,541	1,648	55
1904	19,769	1,848	1,748	1,972	1,810	1,720	1,423	1,706	1,511	1,417	1,457	1,460	1,658	39
Diseases of circulatory system	250,257	23,591	22,619	23,784	23,247	21,634	18,694	18,174	17,485	17,616	19,516	20,453	23,221	223
1900	45,279	4,184	4,002	4,700	4,518	4,039	3,346	3,337	3,178	3,060	3,452	3,486	3,974	3
1901	46,250	4,418	4,196	4,331	4,121	3,845	3,625	3,313	3,287	3,358	3,623	3,877	4,249	7
1902	49,233	4,575	4,417	4,401	4,480	4,333	3,917	3,695	3,458	3,606	3,856	3,897	4,580	18
1903	52,275	4,856	4,577	4,705	4,756	4,502	3,786	3,904	3,726	3,665	4,124	4,534	5,037	103
1904	57,220	5,558	5,427	5,647	5,372	4,915	4,020	3,925	3,836	3,927	4,461	4,659	5,381	92
Heart disease	192,549	18,272	17,524	18,313	17,872	16,580	14,389	13,935	13,482	13,527	14,973	15,691	17,821	170
1900	34,210	3,139	3,017	3,496	3,354	3,031	2,510	2,571	2,409	2,350	2,640	2,689	3,001	3
1901	35,586	3,496	3,285	3,336	3,159	2,905	2,768	2,531	2,535	2,546	2,760	3,005	3,256	4
1902	37,577	3,506	3,340	3,398	3,391	3,328	3,043	2,791	2,642	2,748	2,922	2,911	3,544	13
1903	40,704	3,814	3,623	3,653	3,737	3,458	2,962	3,038	2,933	2,877	3,182	3,480	3,869	78
1904	44,472	4,317	4,259	4,430	4,231	3,858	3,106	3,004	2,963	3,006	3,469	3,606	4,151	72
Other diseases of circulatory system	57,708	5,319	5,095	5,471	5,375	5,054	4,305	4,239	4,003	4,089	4,543	4,762	5,400	53
1900	11,069	1,045	985	1,204	1,164	1,008	836	766	769	710	812	797	973	.....
1901	10,664	922	911	995	962	940	857	782	752	812	863	872	993	3
1902	11,656	1,069	1,077	1,003	1,089	1,005	874	904	816	858	934	986	1,036	5
1903	11,571	1,042	954	1,052	1,019	1,044	824	806	793	788	942	1,054	1,168	25
1904	12,748	1,241	1,168	1,217	1,141	1,057	914	921	873	921	992	1,053	1,230	20
Diseases of respiratory system	360,844	47,506	47,748	51,783	44,324	32,599	18,654	13,976	12,124	14,158	19,971	28,075	38,638	288
1900	78,832	9,330	9,827	13,078	12,007	7,370	3,884	2,765	2,249	2,539	3,737	4,902	7,149	5
1901	72,080	10,342	9,263	9,991	7,782	5,787	3,747	2,461	2,359	2,804	4,162	5,794	7,580	8
1902	71,027	8,749	9,025	8,578	7,891	6,340	3,799	3,073	2,744	3,264	4,301	5,778	7,463	22
1903	70,930	9,111	8,800	8,924	7,191	6,334	3,708	3,127	2,499	2,784	3,878	5,871	8,469	144
1904	76,975	9,984	10,833	11,212	9,453	6,768	3,426	2,550	2,273	2,767	3,893	5,730	7,977	109
Bronchitis, acute and chronic	62,883	7,837	7,815	8,253	7,066	5,327	3,385	2,551	2,399	2,797	3,875	5,036	6,483	59
1900	14,059	1,588	1,737	2,157	1,946	1,210	735	525	469	554	775	994	1,368	1
1901	12,465	1,738	1,540	1,677	1,332	981	671	427	406	578	814	1,009	1,230	2
1902	12,581	1,544	1,480	1,375	1,346	1,104	696	577	541	609	841	1,107	1,356	5
1903	11,847	1,518	1,511	1,445	1,147	1,003	686	556	483	515	727	955	1,269	32
1904	11,931	1,449	1,547	1,599	1,295	1,029	597	466	440	541	718	971	1,260	19
Bronchopneumonia	48,963	6,119	6,114	6,621	5,882	4,184	2,643	2,084	1,744	2,047	2,768	3,710	5,012	35
1900	6,733	716	765	1,157	1,097	589	325	265	217	265	289	395	653	.....
1901	8,894	1,188	1,085	1,192	978	734	491	378	327	422	554	708	837	.....
1902	10,153	1,170	1,302	1,293	1,156	865	605	471	409	479	678	831	983	1
1903	10,964	1,449	1,327	1,421	1,121	915	632	522	400	428	599	897	1,236	17
1904	12,219	1,596	1,635	1,648	1,530	1,081	590	448	391	453	648	879	1,303	17
Pneumonia	214,931	28,797	29,446	32,201	27,059	19,479	9,832	6,643	5,553	6,672	10,280	15,743	23,059	167
1900	48,780	6,058	6,341	8,594	7,956	4,710	2,232	1,427	1,101	1,185	2,047	2,848	4,277	4
1901	41,715	6,382	5,788	6,171	4,570	3,344	1,973	1,075	1,035	1,264	2,134	3,318	4,656	5
1902	39,715	5,142	5,414	5,102	4,557	3,657	1,941	1,464	1,274	1,607	2,131	3,097	4,317	12
1903	39,764	5,155	5,125	5,227	4,146	3,750	1,934	1,498	1,148	1,327	1,989	3,273	5,104	88
1904	44,957	6,060	6,778	7,107	5,830	4,018	1,752	1,179	995	1,289	1,979	3,207	4,705	58

TABLE VII.—NUMBER OF DEATHS IN EACH MONTH IN THE REGISTRATION AREA, FROM CERTAIN SPECIFIED CAUSES: 1900 TO 1904—Continued.

CAUSE OF DEATH.	Total number of deaths.	NUMBER OF DEATHS IN EACH MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Month unknown.
Diseases of respiratory system—Continued.														
Other diseases of respiratory system	43,067	4,753	4,373	4,708	4,317	3,609	2,794	2,698	2,428	2,642	3,048	3,586	4,084	27
1900	9,260	958	984	1,170	1,008	861	592	548	462	535	626	665	851	.....
1901	9,006	1,034	850	951	902	728	612	581	531	540	660	759	857	1
1902	8,578	893	829	898	832	714	557	561	520	569	651	743	807	4
1903	8,355	989	837	831	777	666	546	551	468	514	563	746	860	7
1904	7,868	879	873	858	798	640	487	457	447	484	548	673	709	15
Diseases of digestive system	321,093	17,011	15,888	17,868	18,002	19,080	24,474	53,830	53,918	40,438	25,715	17,656	16,970	243
1900	69,607	3,336	3,080	3,558	3,685	3,978	5,068	12,422	11,994	9,621	5,937	3,628	3,293	7
1901	62,950	3,253	2,932	3,412	3,345	3,600	4,617	10,341	11,191	8,585	5,032	3,403	3,234	5
1902	61,192	3,286	2,960	3,349	3,422	3,662	5,117	10,261	10,216	7,167	4,736	3,563	3,445	8
1903	61,219	3,413	3,212	3,677	3,530	3,786	4,781	9,811	9,713	7,228	4,935	3,509	3,506	118
1904	66,125	3,723	3,704	3,872	4,020	4,054	4,891	10,995	10,804	7,837	5,075	3,553	3,492	105
Diarrhea and enteritis	180,107	5,254	4,940	5,546	5,883	7,118	13,434	41,611	41,420	28,572	14,136	6,746	5,329	118
1900	40,985	1,008	922	1,025	1,112	1,393	2,937	9,978	9,453	7,194	3,456	1,482	1,025	.....
1901	35,596	934	871	1,060	1,038	1,320	2,390	7,928	8,733	6,283	2,779	1,272	986	2
1902	33,627	1,023	837	1,010	1,074	1,420	2,917	7,827	7,771	4,849	2,477	1,337	1,082	3
1903	33,035	1,101	1,025	1,173	1,206	1,429	2,591	7,315	7,211	4,851	2,629	1,334	1,112	58
1904	36,864	1,188	1,285	1,278	1,453	1,556	2,599	8,563	8,252	5,395	2,795	1,321	1,124	55
Other diseases of digestive system	140,986	11,757	10,948	12,322	12,119	11,962	11,040	12,219	12,498	11,866	11,579	10,910	11,641	125
1900	28,622	2,328	2,158	2,533	2,573	2,585	2,131	2,444	2,541	2,427	2,481	2,146	2,268	7
1901	27,354	2,319	2,061	2,352	2,307	2,280	2,227	2,413	2,458	2,302	2,253	2,131	2,248	3
1902	27,565	2,263	2,123	2,339	2,348	2,242	2,200	2,434	2,445	2,318	2,259	2,226	2,363	5
1903	28,184	2,312	2,187	2,504	2,324	2,357	2,190	2,496	2,502	2,377	2,306	2,175	2,394	60
1904	29,261	2,535	2,419	2,594	2,567	2,498	2,292	2,432	2,552	2,442	2,280	2,232	2,368	50
Bright's disease and nephritis	150,696	13,792	13,048	14,232	13,693	12,866	11,626	11,703	11,095	10,966	11,819	12,232	13,510	114
1900	27,377	2,472	2,320	2,750	2,663	2,366	2,053	2,063	2,027	1,998	2,097	2,165	2,403	.....
1901	28,005	2,569	2,345	2,559	2,506	2,401	2,200	2,213	2,092	2,088	2,292	2,303	2,435	2
1902	29,119	2,619	2,479	2,672	2,551	2,534	2,325	2,264	2,196	2,149	2,257	2,351	2,716	6
1903	31,814	2,940	2,734	2,899	2,757	2,659	2,497	2,529	2,303	2,277	2,556	2,663	2,946	54
1904	34,381	3,192	3,170	3,352	3,216	2,906	2,551	2,634	2,477	2,454	2,617	2,750	3,010	52
Childbirth	22,242	2,013	2,068	2,345	2,239	2,110	1,711	1,763	1,706	1,448	1,544	1,581	1,684	30
1900	4,106	367	351	491	454	420	319	308	335	257	266	255	283	.....
1901	4,294	380	439	456	441	405	326	333	313	282	278	312	329	.....
1902	4,164	366	414	434	413	387	307	346	334	270	292	301	298	2
1903	4,569	409	351	429	423	422	332	401	365	322	353	325	406	11
1904	5,109	491	513	535	508	476	407	375	359	317	355	388	368	17
Suicide	20,834	1,538	1,375	1,693	1,944	2,001	1,885	1,994	1,808	1,746	1,674	1,597	1,538	41
1900	3,534	282	233	283	355	360	285	348	305	296	268	253	265	1
1901	3,824	278	242	292	338	381	359	372	358	314	310	278	299	3
1902	4,054	281	258	311	356	406	381	396	353	327	338	345	298	4
1903	4,510	330	290	395	442	408	369	415	359	402	378	354	351	17
1904	4,912	367	352	412	453	446	491	463	433	407	380	367	325	16
Other violence	145,346	10,785	9,784	10,121	10,225	11,491	13,395	18,830	13,870	11,662	11,491	11,185	12,142	365
1900	25,995	1,984	1,764	1,912	1,907	2,181	2,398	3,092	2,980	2,114	1,918	1,805	1,912	28
1901	29,506	1,971	1,760	1,707	1,811	2,016	2,708	6,276	2,633	2,184	2,142	2,095	2,174	29
1902	27,081	2,056	1,900	1,917	1,951	2,227	2,336	2,910	2,596	2,176	2,288	2,272	2,392	60
1903	31,032	2,315	2,040	2,171	2,239	2,574	2,424	3,563	2,781	2,586	2,592	2,463	3,150	134
1904	31,732	2,459	2,320	2,414	2,317	2,493	3,529	2,989	2,880	2,602	2,551	2,550	2,514	114
All other causes	408,600	35,124	33,478	36,908	34,895	33,616	30,674	35,753	35,472	34,404	33,692	30,699	33,229	566
1900	88,588	7,552	7,074	8,572	7,959	7,856	6,309	7,596	7,733	7,451	7,276	6,624	6,566	20
1901	80,265	6,966	6,577	7,059	6,519	6,324	6,213	7,182	6,993	7,051	6,766	6,059	6,534	22
1902	79,643	6,569	6,347	6,643	6,632	6,483	6,153	7,142	7,162	6,833	6,711	6,024	6,889	55
1903	79,010	6,887	6,368	7,145	6,684	6,296	6,048	7,017	6,736	6,385	6,511	6,030	6,668	235
1904	81,094	7,150	7,112	7,579	7,101	6,657	5,951	6,816	6,848	6,684	6,428	5,962	6,572	234

TABLE VIII.—PROPORTION OF DEATHS IN EACH MONTH IN THE REGISTRATION AREA, FROM CERTAIN SPECIFIED CAUSES: 1900 TO 1904.

CAUSE OF DEATH.	NUMBER OF DEATHS IN EACH MONTH PER 1,000 DEATHS IN KNOWN MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
All causes	90.1	87.0	95.7	89.7	82.7	73.2	88.1	84.3	77.3	75.1	73.9	82.9
1900	86.4	83.6	102.9	99.1	85.2	70.2	87.9	86.2	78.2	74.2	69.8	76.3
1901	94.9	87.3	93.2	83.9	78.3	74.1	92.6	85.1	79.7	75.8	73.9	81.2
1902	87.5	85.0	88.1	86.4	83.3	76.1	89.3	87.0	78.7	77.0	76.0	85.6
1903	89.9	85.4	93.2	85.6	82.9	73.8	88.4	82.5	75.9	76.2	77.0	89.2
1904	91.7	93.4	100.2	93.0	83.6	71.9	82.7	80.7	74.4	72.8	73.1	82.5
Typhoid fever	80.6	65.3	72.3	67.5	65.5	53.7	69.5	103.7	119.6	118.6	98.6	85.1
1900	75.5	57.7	65.3	57.2	54.2	47.1	60.6	102.6	126.7	135.1	113.6	104.4
1901	86.4	58.2	58.2	60.8	57.5	52.6	74.0	111.4	126.7	136.8	95.2	82.2
1902	68.2	53.4	56.1	57.7	61.9	56.2	72.5	117.7	130.1	124.5	106.9	94.8
1903	91.9	74.5	88.6	75.3	76.0	56.4	72.3	98.3	106.5	98.7	86.6	74.9
1904	81.3	83.1	92.8	86.9	77.8	56.0	68.2	88.8	108.1	98.7	90.1	68.2
Malarial fever	43.7	40.9	49.1	53.5	72.0	82.6	107.6	130.4	151.7	131.5	82.2	54.8
1900	36.6	48.1	53.4	51.3	67.8	68.6	85.9	127.8	160.2	152.8	90.0	57.5
1901	46.0	30.3	40.4	53.0	66.7	85.4	123.2	131.8	150.1	130.3	80.3	53.5
1902	52.4	40.3	51.8	54.1	76.0	86.9	119.7	140.5	138.2	111.7	74.3	54.1
1903	41.3	36.3	46.3	54.1	74.7	89.7	130.2	136.6	138.1	119.6	85.4	47.7
1904	44.7	49.1	53.4	56.3	79.4	90.9	85.1	114.0	156.6	132.7	77.9	59.9
Measles	93.7	112.4	142.8	148.7	152.7	112.4	72.4	32.9	15.3	18.4	35.8	62.5
1900	109.2	129.6	157.6	151.9	148.8	105.0	72.7	33.6	12.9	16.3	25.4	37.0
1901	67.8	92.7	106.7	126.4	140.8	134.2	85.3	37.6	15.3	24.5	51.5	117.6
1902	100.6	115.7	127.9	140.8	165.5	120.4	80.1	31.3	14.8	18.8	29.7	54.4
1903	67.8	86.2	121.9	143.7	156.8	124.1	82.4	43.2	22.4	21.2	46.3	84.0
1904	110.8	126.9	180.5	170.4	149.9	89.7	48.7	21.6	12.0	14.0	32.8	42.7
Scarlet fever	115.5	110.2	112.7	116.3	117.5	84.7	63.4	42.8	36.1	50.9	65.7	84.2
1900	127.0	128.6	121.2	107.2	105.6	74.3	53.9	42.7	32.9	52.3	69.5	84.8
1901	96.3	97.3	122.0	123.8	116.0	85.6	64.9	42.5	35.5	50.1	73.4	92.6
1902	116.1	114.6	104.4	113.9	126.5	84.9	61.9	48.0	39.6	55.4	62.9	71.8
1903	100.4	83.0	92.6	101.6	119.9	103.1	82.8	49.2	40.1	54.4	74.5	98.4
1904	143.5	134.0	126.0	134.9	116.8	72.1	50.2	30.5	31.1	41.6	46.9	72.4
Whooping cough	80.9	83.1	100.9	103.9	95.7	89.0	103.1	104.2	74.1	51.3	49.9	63.9
1900	72.3	76.1	102.4	109.4	101.6	95.5	105.4	102.2	71.0	53.5	47.1	63.5
1901	80.3	80.9	96.4	105.9	92.7	84.6	95.4	118.3	92.4	56.4	46.9	49.8
1902	57.1	62.8	69.3	81.2	88.5	92.9	126.9	121.5	80.2	60.7	65.2	93.7
1903	102.9	102.7	126.8	117.8	104.1	89.9	95.2	88.2	58.7	36.1	35.3	42.3
1904	86.3	87.3	99.2	98.7	82.7	74.9	86.8	95.1	79.5	59.7	67.1	82.7
Diphtheria and croup	112.1	92.2	83.1	75.7	70.8	65.3	53.6	53.2	67.8	99.8	112.9	113.5
1900	115.3	98.9	89.5	75.4	70.0	57.6	48.5	47.0	62.7	100.4	120.0	114.7
1901	129.6	99.0	85.3	74.6	70.2	66.1	43.4	50.8	69.4	99.6	112.8	109.2
1902	106.1	91.9	82.8	76.7	70.5	68.2	53.2	59.1	70.2	103.9	104.0	116.4
1903	98.1	83.0	73.1	69.7	72.1	69.7	64.6	56.3	70.4	104.9	122.7	115.4
1904	109.8	96.8	82.6	82.7	71.3	67.5	60.6	54.9	67.8	92.5	101.7	111.8
Influenza	161.6	209.0	240.7	166.7	70.3	23.9	11.9	7.5	9.4	13.5	26.5	59.0
1900	73.8	101.7	263.8	325.9	106.7	30.4	13.4	8.7	7.3	8.8	17.1	42.4
1901	271.9	293.3	199.9	88.4	40.9	17.1	8.6	5.1	7.8	10.8	18.2	38.0
1902	175.0	199.1	193.3	119.4	73.5	25.4	22.3	8.7	19.2	27.0	42.2	94.9
1903	103.6	195.0	273.3	143.2	83.1	29.6	13.4	10.1	11.9	17.5	37.5	81.8
1904	133.6	212.1	271.3	161.4	63.4	21.4	9.1	7.3	6.9	12.2	31.3	70.0
All other epidemic diseases [1]	66.2	64.2	69.1	67.5	64.8	68.8	127.4	163.8	126.0	76.3	50.2	55.7
1900	55.0	60.4	67.7	73.6	67.4	60.2	126.3	171.4	143.5	88.8	45.0	40.7
1901	47.0	51.7	62.9	60.2	55.9	65.8	125.3	177.8	149.7	80.9	54.5	68.3
1902	76.7	66.7	61.9	67.7	67.1	87.6	138.8	159.3	108.5	64.3	46.6	54.8
1903	74.1	69.2	72.1	65.8	69.6	67.2	115.9	151.1	108.9	80.6	61.5	64.0
1904	80.3	75.4	84.5	70.4	64.5	59.0	127.8	156.9	117.5	67.5	44.5	51.7
Tuberculosis (all forms)	88.4	85.6	90.1	95.2	91.9	79.9	79.6	77.0	72.7	75.8	75.0	79.8
1900	87.3	84.6	101.9	98.7	93.3	77.0	79.6	78.2	72.2	75.0	74.0	78.2
1901	92.7	84.6	98.4	92.4	92.2	80.4	79.9	76.9	73.4	76.8	75.7	76.6
1902	89.5	85.3	96.6	93.6	92.1	80.5	80.0	78.0	73.1	76.2	74.7	80.4
1903	85.6	84.6	97.5	92.9	89.4	81.4	79.7	75.6	73.9	77.5	76.9	85.0
1904	87.2	88.6	101.0	98.0	92.3	80.4	78.7	76.4	70.9	73.9	73.7	78.9
Tuberculosis of lungs	89.7	86.3	90.8	95.3	91.4	79.1	78.2	75.8	71.9	76.0	75.7	80.8
1900	88.1	84.8	102.1	98.7	93.7	76.0	78.8	77.6	71.6	74.8	74.4	79.4
1901	94.6	85.3	98.6	92.2	91.6	79.2	78.9	75.4	72.7	77.4	77.1	77.0
1902	90.7	86.3	97.4	94.2	91.8	79.4	78.6	76.1	72.3	76.5	75.2	81.5
1903	87.4	85.2	98.4	93.3	88.7	80.6	77.6	74.5	72.8	77.6	77.6	86.3
1904	87.9	89.4	102.0	97.8	91.4	80.0	77.3	75.4	70.4	74.0	74.5	79.9
Other forms of tuberculosis	78.7	80.3	94.4	94.4	94.9	86.9	90.0	86.1	78.3	74.5	69.1	72.4
1900	80.5	82.5	100.7	98.7	89.3	85.7	87.2	83.0	76.8	77.1	70.5	68.0
1901	77.9	78.4	96.6	94.4	96.9	89.9	87.7	88.4	79.4	72.0	64.5	73.9
1902	80.8	77.6	90.5	88.7	94.0	88.4	90.7	92.3	79.5	74.1	71.2	72.2
1903	72.7	80.4	91.1	89.9	94.0	87.0	95.0	83.9	81.7	76.5	71.6	76.2
1904	81.9	82.2	94.0	100.1	99.2	83.8	88.8	83.5	74.5	73.2	67.7	71.1

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE VIII.—PROPORTION OF DEATHS IN EACH MONTH IN THE REGISTRATION AREA, FROM CERTAIN SPECIFIED CAUSES: 1900 TO 1904—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS IN EACH MONTH PER 1,000 DEATHS IN KNOWN MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Cancer	81.8	76.0	84.5	82.0	85.3	80.3	87.7	86.9	83.2	84.5	81.4	86.4
1900	81.6	74.9	91.7	88.9	84.2	79.7	85.1	86.7	82.3	80.2	82.4	82.3
1901	83.5	72.1	78.5	79.1	87.8	85.9	90.4	85.0	83.4	85.9	82.0	86.4
1902	79.4	77.9	81.6	81.6	88.7	81.0	88.7	89.4	81.8	84.1	79.6	86.2
1903	83.6	74.4	86.5	80.3	82.9	79.0	86.7	87.9	86.3	84.6	79.1	88.7
1904	80.8	79.9	84.3	81.0	83.5	76.5	87.6	85.7	81.9	87.2	83.7	87.9
Diseases of nervous system	89.2	85.5	95.3	91.9	87.7	78.1	87.1	78.3	74.1	74.5	74.5	83.8
1900	89.4	84.5	100.2	97.5	90.7	75.7	87.7	82.6	74.7	72.0	69.0	76.0
1901	88.9	84.0	95.4	89.5	83.6	82.6	93.0	77.4	75.6	73.1	73.7	83.2
1902	85.2	84.3	91.4	92.0	85.9	79.3	87.1	78.8	75.5	76.3	78.4	85.8
1903	92.1	86.0	90.2	85.2	84.8	77.7	88.8	77.7	73.8	77.8	77.7	88.2
1904	90.4	88.9	98.6	94.7	93.2	75.3	79.0	74.6	70.9	73.6	74.2	86.6
Meningitis	78.0	78.9	97.9	99.8	100.4	83.9	97.5	89.1	76.5	66.9	61.3	69.8
1900	79.2	82.0	100.9	103.4	99.0	79.7	99.6	90.8	79.7	69.3	56.8	59.6
1901	80.4	77.8	99.3	91.2	89.8	81.8	103.9	93.5	83.6	66.6	63.1	69.0
1902	77.5	80.2	96.3	99.1	87.6	87.5	101.9	86.7	76.3	67.8	67.3	71.8
1903	81.0	79.8	98.4	89.0	96.3	83.0	94.7	95.6	74.3	67.4	64.0	76.5
1904	72.2	74.3	93.7	114.1	128.5	88.7	86.9	79.5	67.7	63.0	56.7	74.7
Apoplexy and paralysis	93.9	89.5	95.6	89.5	84.5	75.3	77.2	73.9	71.9	77.4	79.9	91.4
1900	94.6	88.3	104.0	94.3	87.7	73.9	76.7	77.3	70.5	72.5	75.7	84.5
1901	93.3	88.5	94.3	88.7	83.1	79.4	81.9	72.5	72.0	75.8	79.2	91.3
1902	89.4	87.9	92.0	89.4	85.8	77.4	78.0	74.7	73.3	78.7	81.3	92.1
1903	97.8	88.5	88.0	85.2	81.0	73.1	78.2	73.7	72.6	82.7	82.9	96.3
1904	94.5	94.1	99.3	89.9	85.0	72.8	71.4	71.5	71.4	77.1	80.5	92.5
Other diseases of nervous system	88.2	83.3	93.6	91.2	85.8	79.0	95.6	78.8	75.9	74.4	73.7	80.5
1900	88.5	81.2	95.1	98.2	89.9	75.7	94.9	84.8	77.3	72.7	67.3	74.4
1901	87.3	81.2	95.0	89.7	81.4	87.4	102.3	76.0	76.5	72.5	71.5	79.2
1902	83.2	81.3	88.3	92.0	85.3	78.0	92.5	80.4	78.2	77.2	79.9	83.7
1903	88.9	85.1	89.6	83.3	85.0	81.9	101.3	75.4	75.4	75.7	76.5	81.9
1904	93.7	88.6	100.0	91.7	87.2	72.1	86.5	76.6	71.8	73.8	74.0	84.0
Diseases of circulatory system	94.3	90.5	95.1	93.0	86.5	74.8	72.7	69.9	70.5	78.0	81.8	92.9
1900	92.4	88.4	103.8	99.8	89.2	73.9	73.7	70.2	67.6	76.2	77.0	87.8
1901	95.5	90.7	93.7	89.1	83.2	78.4	71.6	71.1	72.6	78.4	83.8	91.9
1902	93.0	89.7	89.4	91.0	88.0	79.6	75.1	70.3	73.3	78.3	79.2	93.1
1903	93.1	87.7	90.2	91.2	86.3	72.6	74.8	71.4	70.2	79.0	86.9	96.6
1904	97.3	95.0	98.9	94.0	86.0	70.4	68.7	67.1	68.7	78.1	81.6	94.2
Heart disease	95.0	91.1	95.2	92.9	86.2	74.8	72.4	70.1	70.3	77.8	81.6	92.6
1900	91.8	88.2	102.2	98.0	88.6	73.4	75.2	70.4	68.7	77.2	78.6	87.7
1901	98.2	92.3	93.8	88.8	81.6	77.8	71.1	71.2	71.6	77.6	84.5	91.5
1902	93.3	88.9	90.5	90.3	88.6	81.0	74.3	70.3	73.2	77.8	77.5	94.3
1903	93.9	89.2	89.9	92.0	85.1	72.9	74.8	72.2	70.8	78.3	85.7	95.2
1904	97.2	95.9	99.8	95.3	86.9	70.0	67.7	66.7	67.7	78.1	81.2	93.5
Other diseases of circulatory system	92.2	88.4	94.9	93.2	87.7	74.7	73.5	69.4	70.9	78.8	82.6	93.7
1900	94.4	89.0	108.8	105.2	91.1	75.5	69.2	69.5	64.1	73.3	72.0	87.9
1901	86.5	85.5	93.3	90.2	88.2	80.4	73.4	70.5	76.2	80.9	81.8	93.1
1902	91.8	92.4	86.1	93.5	86.3	75.0	77.6	70.0	73.6	80.2	84.6	88.9
1903	90.2	82.6	91.1	88.3	90.4	71.4	75.0	68.7	68.2	81.6	91.3	101.2
1904	97.5	91.8	95.6	89.7	83.0	71.8	72.4	68.6	72.4	77.9	82.7	96.6
Diseases of respiratory system	128.6	129.2	140.1	119.9	88.2	50.5	37.8	32.8	38.3	54.0	76.0	104.6
1900	118.2	124.7	165.9	152.3	93.5	49.3	35.1	28.5	32.2	47.4	62.2	90.7
1901	143.5	128.5	138.6	108.0	80.3	52.0	34.1	32.7	38.9	57.8	80.4	105.2
1902	123.2	127.1	120.8	111.1	89.3	53.5	43.3	38.6	46.0	60.6	81.4	105.1
1903	128.7	124.3	126.1	101.6	89.5	53.7	44.2	35.3	39.3	54.8	82.9	119.6
1904	129.9	140.9	145.9	123.0	88.0	44.6	33.2	29.6	36.0	50.6	74.5	103.8
Bronchitis, acute and chronic	124.7	124.4	131.3	112.5	84.8	53.9	40.6	38.2	44.5	61.7	80.2	103.2
1900	113.0	123.6	153.4	138.4	86.1	52.3	37.3	33.4	39.4	55.1	70.7	97.3
1901	139.4	123.6	134.5	106.9	78.7	53.8	34.3	37.4	46.4	65.3	81.0	98.7
1902	122.8	117.7	109.3	107.0	87.8	55.4	45.9	43.0	48.4	66.9	88.0	107.8
1903	128.5	127.9	122.3	97.1	84.9	58.1	47.0	40.9	43.6	61.5	80.8	107.4
1904	121.7	129.9	134.2	108.7	86.4	50.1	39.1	36.9	45.4	60.3	81.5	105.8
Bronchopneumonia	125.1	125.0	135.3	120.2	85.5	54.0	42.6	35.7	41.8	56.6	75.8	102.4
1900	106.3	113.6	171.8	162.9	87.5	48.3	39.4	32.2	39.4	42.9	58.7	97.0
1901	133.6	122.0	134.0	110.0	82.5	55.2	42.5	36.8	47.4	62.3	79.6	94.1
1902	115.2	128.2	118.5	113.9	85.2	59.6	46.4	40.3	47.2	66.8	81.9	96.8
1903	132.4	121.2	129.8	102.4	83.6	57.7	47.7	36.5	39.1	54.7	82.0	112.9
1904	130.8	134.0	135.1	125.4	88.6	48.4	36.7	32.0	37.1	53.1	72.0	106.8
Pneumonia	134.1	137.1	149.9	126.0	90.7	45.8	30.9	25.8	31.1	47.9	73.3	107.4
1900	124.2	130.0	176.2	163.1	96.5	45.8	29.2	22.6	24.3	42.0	58.4	87.7
1901	153.0	138.8	147.9	109.6	80.2	47.3	25.8	24.8	30.3	51.2	79.5	111.6
1902	129.5	136.3	128.5	114.8	92.1	48.9	36.9	32.1	40.5	53.7	78.0	108.7
1903	120.9	129.2	131.8	104.5	94.5	48.7	37.8	28.9	33.4	50.1	82.5	128.7
1904	135.0	151.0	158.3	129.8	89.5	39.0	26.2	22.2	28.7	44.1	71.4	104.8

TABLE VIII.—PROPORTION OF DEATHS IN EACH MONTH IN THE REGISTRATION AREA, FROM CERTAIN SPECIFIED CAUSES: 1900 TO 1904—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS IN EACH MONTH PER 1,000 DEATHS IN KNOWN MONTHS.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Diseases of respiratory system—Continued.												
Other diseases of respiratory system	110.4	101.6	109.4	100.3	83.9	64.9	62.7	56.4	61.4	70.8	83.3	94.9
1900	103.5	106.3	126.3	108.8	93.0	63.9	59.2	49.9	57.8	67.6	71.8	91.9
1901	114.8	94.4	105.6	100.1	80.8	68.0	64.5	59.0	60.0	73.3	84.3	95.2
1902	104.2	96.7	104.7	97.0	83.3	65.0	65.4	60.6	66.4	75.9	86.7	94.1
1903	118.5	100.2	99.5	93.1	79.8	65.4	66.0	56.1	61.6	67.4	80.4	103.0
1904	111.9	111.2	109.3	101.6	81.5	62.0	58.2	56.9	61.6	69.8	85.7	90.3
Diseases of digestive system	53.0	49.5	55.7	56.1	59.5	76.3	167.8	168.1	126.0	80.1	55.0	52.9
1900	47.9	44.3	51.1	53.0	57.2	72.8	178.5	172.3	138.2	85.3	52.1	47.3
1901	51.7	46.6	54.2	53.1	57.2	73.3	164.3	177.8	136.4	79.9	54.1	51.4
1902	53.7	48.4	54.7	55.9	59.9	83.6	167.7	167.0	117.2	77.4	58.2	56.3
1903	55.8	52.6	60.2	57.8	62.0	78.2	160.6	158.9	118.3	80.8	57.4	57.4
1904	56.4	56.1	58.6	60.9	61.4	74.1	166.5	163.7	118.7	76.9	53.8	52.9
Diarrhea and enteritis	29.2	27.4	30.8	32.7	39.6	74.6	231.2	230.1	158.8	78.5	37.5	29.6
1900	24.6	22.5	25.0	27.1	34.0	71.7	243.5	230.6	175.5	84.3	36.2	25.0
1901	26.2	24.5	29.8	29.2	37.1	67.1	222.7	245.4	176.5	78.1	35.7	27.7
1902	30.4	24.9	30.0	31.9	42.2	86.8	232.8	231.1	144.2	73.7	39.8	32.2
1903	33.4	31.1	35.6	36.6	43.3	78.6	221.8	218.7	147.1	79.7	40.4	33.7
1904	32.3	34.9	34.7	39.5	42.3	70.6	232.6	224.2	146.6	75.9	35.9	30.5
Other diseases of digestive system	83.5	77.7	87.5	86.0	84.9	78.4	86.8	88.7	84.2	82.2	77.5	82.6
1900	81.4	75.4	88.5	89.9	90.3	74.5	85.4	88.8	84.8	86.7	75.0	79.3
1901	84.8	75.3	86.0	84.3	83.4	81.4	88.2	89.9	84.2	82.4	77.9	82.2
1902	82.1	77.0	84.9	85.2	81.4	79.8	88.3	88.7	84.1	82.0	80.8	85.7
1903	82.2	77.8	89.0	82.6	83.8	77.9	88.8	89.0	84.5	82.0	77.3	85.1
1904	86.8	82.8	88.8	87.9	85.5	78.5	83.2	87.4	83.6	78.0	76.4	81.1
Bright's disease and nephritis	91.6	86.7	94.5	90.9	85.5	77.2	77.7	73.7	72.8	78.5	81.2	89.7
1900	90.3	84.7	100.4	97.3	86.4	75.0	75.4	74.0	73.0	76.6	79.1	87.8
1901	91.8	83.7	91.4	89.5	85.7	78.6	79.0	74.7	74.6	81.8	82.2	87.0
1902	90.0	85.1	91.8	87.6	87.0	79.9	77.8	75.4	73.8	77.5	80.8	93.3
1903	92.6	86.1	91.3	86.8	83.7	78.6	79.6	72.5	71.7	80.5	83.8	92.8
1904	93.0	92.3	97.6	93.7	84.7	74.3	76.7	72.2	71.5	76.2	80.1	87.7
Childbirth	90.6	93.1	105.6	100.8	95.0	77.0	79.4	76.8	65.2	69.5	71.2	75.8
1900	89.4	85.5	119.6	110.5	102.3	77.7	75.0	81.6	62.6	64.8	62.1	68.9
1901	88.5	102.2	106.2	102.7	94.3	75.9	77.6	72.9	65.7	64.7	72.7	76.6
1902	87.9	99.5	104.3	99.2	93.0	73.8	83.1	80.2	64.9	70.2	72.3	71.6
1903	89.7	77.0	94.1	92.8	92.6	77.2	88.0	80.1	70.6	77.5	71.3	89.1
1904	96.4	100.7	105.1	99.8	93.5	79.9	73.6	70.5	62.3	69.7	76.2	72.3
Suicide	74.0	66.1	81.4	93.5	96.2	90.7	95.9	86.9	84.0	80.5	76.8	74.0
1900	79.8	65.9	80.1	100.5	101.9	80.7	98.5	86.3	83.8	75.9	71.6	75.0
1901	72.8	63.3	76.4	88.5	99.7	93.9	97.4	93.7	82.2	81.1	72.8	78.2
1902	69.4	63.7	76.8	87.9	100.2	94.1	97.8	87.2	80.7	83.4	85.2	73.6
1903	73.5	64.5	87.9	98.4	90.8	82.1	92.4	79.9	89.5	84.1	78.8	78.1
1904	74.9	71.9	84.2	92.5	91.1	100.3	94.6	88.4	83.1	77.6	75.0	66.4
Other violence	74.4	67.5	69.8	70.5	79.3	92.4	129.9	95.7	80.4	79.3	77.1	83.7
1900	76.4	67.9	73.6	73.4	84.0	92.4	119.1	114.8	81.4	73.9	69.5	73.6
1901	66.9	59.7	57.9	61.4	68.4	91.9	212.9	89.3	74.1	72.7	71.1	73.7
1902	76.1	70.3	70.9	72.2	82.4	86.5	107.7	96.1	80.5	84.7	84.1	88.5
1903	74.9	66.0	70.3	72.5	83.3	78.5	115.3	90.0	83.7	83.9	79.7	101.9
1904	77.8	73.4	76.3	73.3	78.8	111.6	94.5	91.1	82.3	80.7	80.7	79.5
All other causes	86.1	82.1	90.7	85.5	82.4	75.2	87.6	86.9	84.3	82.6	75.2	81.4
1900	85.3	79.9	96.8	89.9	88.7	71.2	85.8	87.3	84.1	82.1	74.8	74.1
1901	86.8	82.0	88.0	81.2	78.8	77.4	89.5	87.2	87.9	84.3	75.5	81.4
1902	82.5	79.7	83.5	83.3	81.5	77.3	89.7	90.0	85.9	84.3	75.7	86.6
1903	87.4	80.8	90.7	84.9	79.9	76.8	89.1	85.5	81.1	82.7	76.5	84.6
1904	88.4	88.0	93.7	87.8	82.3	73.6	84.3	84.7	82.7	79.5	73.7	81.3

TABLE IX.—NUMBER OF DEATHS IN EACH AGE GROUP IN THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, DURING THE PERIOD 1900 TO 1904.

CAUSE OF DEATH.	NUMBER OF DEATHS AT EACH AGE PERIOD.								
	All ages.	Under 1	Under 5	5 to 14	15 to 24	25 to 34	35 to 44	45 to 64	65 and over.	Unknown.
All causes	2,642,555	507,476	735,172	115,045	183,105	242,393	246,908	515,411	594,630	9,891
I.—General diseases	726,508	43,055	121,785	52,587	93,293	115,826	96,978	149,495	94,820	2,124
Typhoid fever	53,857	383	2,633	6,771	15,944	12,875	7,452	6,265	1,729	188
Malarial fever	8,953	835	2,020	891	1,050	994	838	1,680	1,443	37
Smallpox	5,898	653	1,422	366	1,060	1,331	881	638	165	35
Measles	16,065	3,960	12,987	1,690	530	308	238	212	84	16
Scarlet fever	18,890	986	10,813	6,827	772	307	93	48	12	18
Whooping cough	17,978	9,787	17,121	725	35	16	12	20	21	28
Diphtheria	43,595	2,451	25,024	15,968	1,389	545	291	232	76	70
Croup	10,052	1,285	7,899	2,041	46	17	8	21	3	17
Influenza	33,137	2,305	3,544	702	1,298	1,624	2,113	7,044	16,680	132
Cholera nostras	2,650	433	665	148	76	122	156	560	913	10
Dysentery	14,950	2,479	5,206	530	458	655	744	2,502	4,795	60
Erysipelas	7,341	1,915	2,172	93	297	555	735	1,682	1,763	24
Other epidemic diseases[1]	573	134	244	48	43	63	61	89	23	2
Septicemia	10,792	939	1,394	561	1,492	2,197	1,667	2,097	1,322	62
Tuberculosis	310,709	9,323	21,327	11,108	63,237	82,789	58,854	55,548	17,044	802
Tuberculosis of lungs	274,991	3,916	8,676	6,813	58,632	78,138	55,245	51,351	15,407	729
Tuberculosis of larynx	2,583	27	53	32	333	697	625	632	204	7
Tuberculous meningitis	13,933	3,859	9,377	2,199	867	655	430	306	82	17
Abdominal tuberculosis	9,171	948	1,789	756	1,583	1,536	1,221	1,603	657	26
Pott's disease	2,314	123	351	483	373	334	257	364	150	2
Tuberculous abscess	261	20	32	17	40	50	32	63	26	1
White swelling	1,115	27	112	294	228	139	108	152	79	3
Tuberculosis of other organs	2,133	93	215	152	314	400	325	474	243	10
General tuberculosis	4,208	310	722	362	867	840	611	603	196	7
Scrofula	798	334	498	97	46	35	23	49	46	4
Venereal diseases	6,331	3,285	3,573	71	341	702	683	765	165	31
Cancer	106,119	136	540	473	1,109	4,162	13,380	50,787	35,326	342
Cancer of mouth	3,088	10	28	18	31	58	235	1,451	1,258	9
Cancer of stomach and liver	38,433	28	69	61	187	1,012	3,800	18,947	14,250	107
Cancer of intestines	10,689	12	39	50	145	565	1,331	4,954	3,566	39
Cancer of female genital organs	15,373	1	8	15	109	967	3,234	8,403	2,594	43
Cancer of breast	8,647	1	1	4	20	281	1,321	4,350	2,649	21
Cancer of skin	3,483	5	17	12	15	61	199	1,084	2,077	18
Cancer of other or unspecified organs	26,406	79	378	313	602	1,218	3,260	11,598	8,932	105
Tumor	2,520	65	113	55	87	217	347	908	784	9
Rheumatism	14,549	161	521	1,823	1,450	1,302	1,469	3,731	4,210	43
Diabetes	17,460	60	289	935	1,024	1,311	1,548	6,953	5,357	43
Anemia, leukemia	9,635	858	1,310	496	897	1,034	1,263	2,869	1,733	33
Alcoholism	9,865	3	22	13	219	2,041	3,287	3,585	592	106
Chronic poisonings	1,188	3	8	5	76	202	274	411	206	6
Other general diseases	3,003	282	440	150	317	422	541	799	328	5
II.—Diseases of nervous system	302,876	58,737	86,331	11,847	9,143	12,127	19,160	66,861	96,423	984
Encephalitis	3,716	1,041	1,881	367	259	250	241	407	297	14
Meningitis	52,755	17,742	34,146	6,784	3,250	2,439	2,079	2,679	1,268	110
Locomotor ataxia	3,639	18	22	13	37	154	556	1,936	910	11
Other diseases of spinal cord	7,549	331	640	219	325	518	817	2,527	2,477	26
Apoplexy	110,163	3,189	4,757	765	1,245	2,935	6,780	36,996	56,285	400
Softening of brain	6,102	15	24	16	41	129	255	1,708	3,990	29
Paralysis	34,884	302	624	280	381	698	1,570	9,203	21,996	132
General paralysis of insane	10,677	8	17	24	79	713	2,325	3,846	3,622	51
Other forms of mental disease	6,135	9	13	19	305	763	1,076	2,169	1,755	35
Other diseases of brain	7,309	905	1,406	489	577	797	974	1,778	1,353	25
Epilepsy	7,230	307	529	518	1,262	1,360	1,197	1,510	811	43
Convulsions	40,150	31,387	38,093	690	406	353	222	188	119	79
Tetanus	6,072	2,960	3,163	1,181	483	401	341	390	100	13
Other diseases of nervous system	6,315	523	1,016	482	493	617	727	1,524	1,440	16
III.—Diseases of circulatory system	250,257	5,821	7,900	7,381	10,119	15,391	23,331	79,616	105,627	883
Pericarditis	3,508	62	161	329	314	343	424	1,011	1,006	10
Endocarditis	17,716	324	684	1,480	1,387	1,630	2,021	5,249	5,221	44
Heart disease	192,549	3,665	4,888	5,068	7,233	11,077	17,720	62,758	83,101	704
Angina pectoris	10,391	22	45	57	204	501	849	3,973	4,729	33
Diseases of arteries	13,061	20	28	24	75	366	871	3,497	8,161	49
Embolism and thrombosis	6,636	111	166	125	410	722	738	1,910	2,548	17
Diseases of veins	859	26	35	10	35	102	126	298	251	2
Diseases of lymphatics	327	113	168	20	17	19	11	52	39	1
Other diseases of circulatory system	5,120	1,478	1,734	268	444	632	571	868	571	32
IV.—Diseases of respiratory system	369,844	82,754	139,803	12,957	16,707	24,100	28,608	65,550	81,192	927
Laryngitis	2,211	373	1,276	345	78	109	85	169	143	6
Other diseases of larynx	1,886	493	1,205	236	50	91	87	127	85	5
Diseases of thyroid body	440	18	28	20	51	46	48	148	99	.....
Bronchitis	62,883	22,493	31,795	1,129	975	1,203	1,473	6,927	19,267	114
Acute bronchitis	36,515	21,835	30,712	470	204	213	253	1,118	3,509	36
Chronic bronchitis	26,368	658	1,083	659	771	990	1,220	5,809	15,758	78
Bronchopneumonia and pneumonia	263,894	54,727	98,664	10,030	13,279	19,452	23,090	48,496	50,226	657
Bronchopneumonia	48,963	19,099	33,270	1,692	834	1,068	1,210	3,813	7,006	70
Pneumonia	214,931	35,628	65,394	8,338	12,445	18,384	21,880	44,683	43,220	587
Pleurisy	7,420	302	997	425	755	938	974	1,897	1,415	19
Congestion of lungs	15,218	3,628	4,728	451	569	805	998	2,786	4,832	49
Gangrene of lungs	782	8	31	19	67	106	156	276	122	5
Asthma and emphysema	7,567	160	302	87	118	266	567	2,648	3,552	27
Hemorrhage of lungs	3,916	158	188	80	386	636	709	1,164	733	20
Other diseases of respiratory system	3,627	302	589	135	379	448	421	912	718	25

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE IX.—NUMBER OF DEATHS IN EACH AGE GROUP IN THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, DURING THE PERIOD 1900 TO 1904—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS AT EACH AGE PERIOD.									
	All ages.	Under 1	Under 5	5 to 14	15 to 24	25 to 34	35 to 44	45 to 64	65 and over.	Unknown.
V.—Diseases of digestive system	321,093	135,288	174,882	10,762	13,347	16,905	19,320	43,710	41,441	726
Diseases of mouth	1,246	813	1,004	38	23	24	16	54	83	4
Tonsilitis	1,442	135	590	435	129	94	61	80	50	3
Other diseases of pharynx	1,558	208	417	133	81	108	114	334	364	7
Diseases of stomach	33,827	7,301	9,402	748	1,168	2,133	2,755	7,636	9,886	99
Ulcer of stomach	4,529	40	76	79	352	631	739	1,579	1,053	20
Gastritis	19,272	3,278	4,517	449	590	1,167	1,509	4,518	6,465	57
Other diseases of stomach	10,026	3,983	4,809	220	226	335	507	1,539	2,368	22
Dentition	1,745	1,038	1,731	4	1	.....	1	1	5	2
Diarrhea and enteritis	180,107	120,384	153,789	2,290	1,376	1,935	2,182	6,748	11,533	254
Diseases of intestines	25,255	3,582	4,692	994	1,373	2,114	2,659	6,746	6,566	111
Hernia	6,565	520	615	70	159	342	692	2,395	2,268	24
Obstruction of intestines	13,827	2,082	2,829	729	941	1,308	1,457	3,362	3,137	64
Other diseases of intestines	4,863	980	1,248	195	273	464	510	989	1,161	23
Diseases of liver	39,023	794	1,170	410	952	3,030	6,287	16,527	10,517	130
Acute yellow atrophy of liver	614	31	42	11	59	96	79	188	136	3
Hydatid tumors of liver	53	5	5	1	3	8	14	16	6	.....
Cirrhosis of liver	22,446	81	137	114	281	1,607	4,136	10,649	5,460	62
Biliary calculi	3,254	26	32	11	55	223	464	1,457	1,002	10
Other diseases of liver	12,656	651	954	273	554	1,096	1,594	4,217	3,913	55
Diseases of spleen	424	12	33	22	34	60	68	142	64	1
Peritonitis	19,218	945	1,634	1,844	3,672	4,176	2,991	3,152	1,683	66
Appendicitis	16,869	73	411	3,838	4,514	3,173	2,114	2,141	630	48
Other diseases of digestive system	379	3	9	6	24	58	72	149	60	1
VI.—Diseases of genito-urinary system	179,127	2,689	5,515	3,739	8,863	16,658	23,038	60,388	60,448	478
Bright's disease and nephritis	150,696	2,193	4,867	3,565	6,922	12,814	18,891	53,958	49,298	381
Bright's disease	136,260	1,396	2,905	2,308	5,385	10,730	16,764	50,558	47,254	356
Acute nephritis	14,436	797	1,962	1,257	1,537	2,084	2,127	3,400	2,044	25
Other diseases of kidneys	4,715	278	372	81	236	458	553	1,356	1,641	18
Calculi of urinary tract	697	14	19	11	18	68	81	216	283	1
Diseases of bladder	7,464	125	155	37	91	167	263	1,370	5,342	39
Uterine tumor	2,696	.....	1	1	45	325	958	1,084	278	4
Other diseases of uterus	3,217	4	9	28	610	1,011	850	589	110	10
Ovarian tumor	2,060	.....	3	7	162	413	458	678	334	5
Diseases of tubes	2,455	.....	.....	1	630	1,047	630	139	6	2
Other diseases of genito-urinary system	5,127	75	89	8	149	355	354	998	3,156	18
VII.—Childbirth	22,242	.....	.....	18	6,304	10,242	5,371	221	6	80
Puerperal septicemia	9,747	.....	.....	10	3,107	4,539	1,996	62	1	32
Puerperal convulsions	4,246	.....	.....	4	1,541	1,750	906	35	.....	10
Other causes incident to childbirth	8,249	.....	.....	4	1,656	3,953	2,469	124	5	38
VIII.—Diseases of skin	12,016	1,539	1,988	264	331	482	663	2,421	5,819	48
Gangrene	7,114	162	315	83	85	144	213	1,372	4,863	39
Carbuncle	758	76	86	7	34	36	74	281	237	3
Abscess	2,534	503	693	147	176	261	304	538	410	5
Other diseases of skin	1,610	798	894	27	36	41	72	230	309	1
IX.—Diseases of locomotor system	4,303	1,035	1,873	449	337	270	311	588	466	9
Diseases of bones	3,605	1,006	1,819	395	270	194	221	415	284	7
Diseases of joints	358	26	42	26	30	34	41	84	101	.....
Other diseases of locomotor system	340	3	12	28	37	42	49	89	81	2
X.—Malformations	18,840	17,251	18,310	258	78	38	19	41	23	73
Hydrocephalus	2,770	1,831	2,503	142	40	18	12	22	12	18
Congenital malformation of heart (cyanosis)	10,115	9,734	9,939	74	24	10	2	10	6	30
Other congenital malformations	5,955	5,686	5,845	42	14	10	5	9	5	25
XI.—Early infancy	112,702	112,702	112,702	.....	.....	.....	.....	.....	.....	.....
Premature birth	49,376	49,376	49,376	.....	.....	.....	.....	.....	.....	.....
Congenital debility	63,326	63,326	63,326	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	70,211	.....	.....	.....	.....	.....	.....	1,320	68,641	250
XIII.—Violence	166,180	11,534	21,568	13,263	22,592	27,308	26,162	33,729	19,286	2,272
Suicide	20,834	.....	.....	64	2,878	4,304	4,649	6,616	2,153	170
Fractures and dislocations	14,109	96	501	783	1,376	1,973	2,131	2,833	4,371	141
Burns and scalds	13,245	489	5,105	1,830	1,079	1,306	1,200	1,558	1,087	80
Heat and sunstroke	6,323	900	1,185	103	245	625	973	1,757	1,384	51
Cold and freezing	896	37	55	18	38	93	121	282	238	21
Lightning	503	3	12	80	118	87	80	93	28	5
Drowning	16,945	122	959	3,586	3,540	2,614	2,527	2,496	620	603
Inhalation of poisonous gases	6,210	111	319	640	963	1,188	1,052	1,402	609	37
Other accidental poisonings	7,142	391	1,468	327	911	1,238	1,181	1,456	498	63
Accidental gunshot wounds	5,892	15	101	664	1,581	1,383	978	859	208	85
Injuries by machinery	1,200	7	15	43	313	292	239	232	56	10
Injuries in mines and quarries	1,269	.....	.....	9	303	428	275	222	16	16
Railroad accidents and injuries	22,799	25	480	1,869	4,019	4,978	4,175	4,960	1,702	616
Injuries by vehicles and horses	3,482	22	337	723	309	432	481	798	390	12
Suffocation	2,587	1,522	1,657	90	128	124	175	264	103	46
Other accidental injuries	31,878	616	2,148	2,315	3,901	5,070	5,070	7,353	5,751	270
Injuries at birth	7,056	7,056	7,056	.....	.....	.....	.....	.....	.....	.....
Homicide	3,870	122	167	119	890	1,173	855	548	72	46
XIV—Ill-defined causes	85,956	35,051	42,506	1,320	1,991	3,046	3,947	11,471	20,438	1,037
"Dropsy"	7,758	147	281	218	275	347	598	2,273	3,721	45
"Heart failure"	11,730	1,359	1,564	253	405	752	1,102	3,132	4,435	87
Other ill-defined causes	56,586	28,958	35,498	803	895	1,412	1,651	4,877	10,948	502
Unknown causes	9,882	4,587	5,163	246	416	535	596	1,189	1,334	403

TABLE X.—PROPORTION OF DEATHS IN EACH AGE GROUP IN THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, DURING THE PERIOD 1900 TO 1904.

[The number of deaths upon which these proportions are based is given in Table IX.]

CAUSE OF DEATH.	NUMBER OF DEATHS AT EACH AGE PERIOD PER 1,000 AT KNOWN AGE.							
	Under 1	Under 5	5 to 14	15 to 24	25 to 34	35 to 44	45 to 64	65 and over.
All causes	192.8	279.2	43.7	69.5	92.1	93.8	195.8	225.9
I.—General diseases	59.4	168.0	72.6	128.7	159.8	133.8	206.3	130.8
Typhoid fever	7.1	49.1	126.2	297.1	239.9	138.8	116.7	32.2
Malarial fever	93.7	226.6	99.9	117.8	111.5	94.0	188.4	161.8
Smallpox	111.4	242.5	62.4	180.8	227.0	150.3	108.8	28.2
Measles	246.7	809.2	105.3	33.0	19.2	14.8	13.2	5.3
Scarlet fever	52.2	573.0	361.8	40.9	16.3	4.9	2.5	0.6
Whooping cough	545.2	953.8	40.4	1.9	0.9	0.7	1.1	1.2
Diphtheria	56.3	574.9	366.9	31.9	12.5	6.7	5.3	1.8
Croup	128.1	787.1	203.4	4.6	1.7	0.8	2.1	0.3
Influenza	69.8	107.4	21.3	39.3	49.2	64.0	213.4	505.4
Cholera nostras	164.0	251.9	56.1	28.8	46.2	59.1	212.1	345.8
Dysentery	166.5	349.6	35.6	30.8	44.0	50.0	168.0	322.0
Erysipelas	261.7	296.8	12.7	40.6	75.9	103.2	229.9	240.9
Other epidemic diseases[1]	234.7	427.3	84.1	75.3	110.3	106.8	155.9	40.3
Septicemia	87.5	129.9	52.3	139.0	204.8	155.4	195.4	123.2
Tuberculosis	30.1	68.8	35.8	204.1	267.2	189.9	179.2	55.0
Tuberculosis of lungs	14.3	31.6	24.9	213.8	284.9	201.4	187.2	56.2
Tuberculosis of larynx	10.5	20.6	12.4	129.3	270.6	242.6	245.3	79.2
Tuberculous meningitis	277.3	673.8	158.0	62.3	47.1	30.9	22.0	5.9
Abdominal tuberculosis	103.7	195.6	82.7	173.1	168.0	133.5	175.3	71.8
Pott's disease	53.2	151.8	208.9	161.3	144.5	111.2	157.4	64.9
Tuberculous abscess	76.9	123.1	65.4	153.8	192.3	123.1	242.3	100.0
White swelling	24.3	100.7	264.4	205.0	125.0	97.1	136.7	71.1
Tuberculosis of other organs	43.8	101.3	71.6	147.9	188.4	153.1	223.2	114.5
General tuberculosis	73.8	171.9	86.2	206.4	199.9	145.4	143.5	46.7
Scrofula	420.7	627.2	122.2	57.9	44.1	29.0	61.7	57.9
Venereal diseases	521.4	567.2	11.3	54.1	111.4	108.4	121.4	26.2
Cancer	1.3	5.1	4.5	10.5	39.3	126.5	480.1	334.0
Cancer of mouth	3.2	9.1	5.8	10.1	18.8	76.3	471.3	408.6
Cancer of stomach and liver	0.7	1.8	1.6	4.9	26.4	99.1	494.4	371.8
Cancer of intestines	1.1	3.7	4.7	13.6	53.0	125.0	465.2	334.8
Cancer of female genital organs	0.1	0.5	1.0	7.1	63.1	211.0	548.1	169.2
Cancer of breast	0.1	0.1	0.5	2.3	32.6	153.1	504.3	307.1
Cancer of skin	1.4	4.9	3.5	4.3	17.6	57.4	312.9	599.4
Cancer of other or unspecified organs	3.0	14.4	11.9	22.9	46.3	123.9	441.0	339.6
Tumor	25.9	45.0	21.9	34.7	86.4	138.2	361.6	312.2
Rheumatism	11.1	35.9	125.7	100.0	89.7	101.3	257.2	290.2
Diabetes	3.4	16.6	53.7	58.8	75.2	88.9	399.2	307.6
Anemia, leukemia	89.4	136.4	51.7	93.4	107.7	131.5	298.8	180.5
Alcoholism	0.3	2.3	1.3	22.4	209.1	336.8	367.4	60.7
Chronic poisonings	2.5	6.8	4.2	64.3	170.9	231.8	347.7	174.3
Other general diseases	94.1	146.8	50.1	105.8	140.8	180.5	266.6	109.4
II.—Diseases of nervous system	194.6	286.0	39.2	30.3	40.1	63.5	221.5	319.4
Encephalitis	281.2	508.1	99.1	70.0	67.5	65.1	110.0	80.2
Meningitis	337.0	648.6	128.9	61.7	46.3	39.5	50.9	24.1
Locomotor ataxia	5.0	6.1	3.6	10.2	42.4	153.3	533.6	250.8
Other diseases of spinal cord	44.0	85.1	29.1	43.2	68.8	108.6	335.9	329.3
Apoplexy	29.1	43.3	7.0	11.3	26.7	61.8	337.1	512.8
Softening of brain	2.4	3.9	2.6	6.7	20.9	41.4	277.1	647.4
Paralysis	8.7	17.9	8.1	11.0	20.1	45.2	264.8	632.9
General paralysis of insane	0.8	1.6	2.3	7.4	67.1	218.8	361.9	340.9
Other forms of mental disease	1.5	2.1	3.1	50.0	125.1	176.4	355.6	287.7
Other diseases of brain	122.7	190.7	66.3	78.2	108.1	132.1	241.1	183.5
Epilepsy	42.7	73.6	72.1	175.6	189.2	166.6	210.1	112.8
Convulsions	783.3	950.6	17.2	10.1	8.8	5.6	4.7	3.0
Tetanus	491.8	522.0	194.9	79.7	66.2	56.3	64.4	16.5
Other diseases of nervous system	83.0	161.3	76.5	78.3	98.0	115.4	241.9	228.6
III.—Diseases of circulatory system	23.3	31.7	29.6	40.6	61.7	93.5	319.3	423.6
Pericarditis	17.3	44.8	91.7	87.5	95.6	118.2	281.8	280.4
Endocarditis	18.3	38.7	83.8	78.5	92.2	114.4	297.0	295.4
Heart disease	19.1	25.5	26.4	37.7	57.7	92.4	327.1	433.2
Angina pectoris	2.1	4.3	5.5	19.7	48.4	82.0	383.6	456.5
Diseases of arteries	1.5	2.1	1.8	5.8	28.0	66.9	268.6	626.8
Embolism and thrombosis	16.8	25.1	18.9	61.9	109.1	111.5	288.6	384.9
Diseases of veins	30.3	40.9	11.6	40.9	119.0	147.0	347.7	292.9
Diseases of lymphatics	346.6	515.3	61.4	52.2	58.3	33.7	159.5	119.6
Other diseases of circulatory system	290.5	340.8	52.7	87.3	124.2	112.2	170.6	112.2
IV.—Diseases of respiratory system	224.3	379.0	35.1	45.3	65.3	77.5	177.7	220.1
Laryngitis	170.1	578.7	156.5	35.4	49.4	38.5	76.6	64.9
Other diseases of larynx	262.1	640.6	125.5	26.6	48.4	46.2	67.5	45.2
Diseases of thyroid body	40.9	63.6	45.5	115.9	104.5	109.1	336.4	225.0
Bronchitis	358.3	506.5	18.0	15.5	19.2	23.5	110.4	306.9
Acute bronchitis	598.6	841.9	12.9	5.6	5.8	6.9	30.7	96.2
Chronic bronchitis	25.0	41.2	25.1	29.3	37.7	46.4	220.9	599.4
Bronchopneumonia and pneumonia	207.9	374.8	38.1	50.5	73.9	87.7	184.2	190.8
Bronchopneumonia	390.6	680.5	34.6	17.1	21.8	24.7	78.0	143.3
Pneumonia	166.2	305.1	38.9	58.0	85.8	102.1	208.5	201.6
Pleurisy	40.8	134.7	57.4	102.0	126.8	131.6	256.3	191.2
Congestion of lungs	239.2	311.7	29.7	37.5	53.1	65.8	183.7	318.5
Gangrene of lungs	10.3	39.9	24.5	86.2	136.4	200.8	355.2	157.0
Asthma and emphysema	21.2	40.1	11.5	15.6	35.3	75.2	351.2	471.1
Hemorrhage of lungs	40.6	48.3	20.5	99.1	163.2	182.0	298.8	188.1
Other diseases of respiratory system	108.8	163.5	37.5	105.2	124.4	116.9	253.2	199.3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE X.—PROPORTION OF DEATHS IN EACH AGE GROUP IN THE REGISTRATION AREA, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, DURING THE PERIOD 1900 TO 1904—Continued.

CAUSE OF DEATH.	NUMBER OF DEATHS AT EACH AGE PERIOD PER 1,000 AT KNOWN AGE.							
	Under 1	Under 5	5 to 14	15 to 24	25 to 34	35 to 44	45 to 64	65 and over.
V.—Diseases of digestive system	422.3	545.9	33.6	41.7	52.8	60.3	136.4	129.3
Diseases of mouth	654.6	808.4	30.6	18.5	19.3	12.9	43.5	66.8
Tonsilitis	93.8	410.0	302.3	89.7	65.3	42.4	55.6	34.7
Other diseases of pharynx	134.1	268.9	85.8	52.2	69.6	73.5	215.3	234.7
Diseases of stomach	216.5	278.8	22.2	34.6	63.2	81.7	226.4	293.1
Ulcer of stomach	8.9	16.9	17.5	78.1	139.9	163.9	350.2	233.5
Gastritis	170.6	235.1	23.4	30.7	60.7	78.5	235.1	336.5
Other diseases of stomach	398.1	480.7	22.0	22.6	33.5	50.7	153.8	236.7
Dentition	595.5	993.1	2.3	0.6	.....	0.6	0.6	2.8
Diarrhea and enteritis	669.3	855.1	12.7	7.7	10.8	12.1	37.5	64.1
Diseases of intestines	142.5	186.6	39.5	54.6	84.1	105.8	268.3	261.1
Hernia	79.5	94.0	10.7	24.3	52.3	105.8	366.2	346.7
Obstruction of intestines	151.3	205.5	53.0	68.4	95.0	105.9	244.3	227.9
Other diseases of intestines	202.5	257.8	40.3	56.4	95.9	105.4	204.3	239.9
Diseases of liver	20.4	30.1	10.5	24.5	77.9	161.7	424.9	270.4
Acute yellow atrophy of liver	50.7	68.7	18.0	96.6	157.1	129.3	307.7	222.6
Hydatid tumors of liver	94.3	94.3	18.9	56.6	150.9	264.2	301.9	113.2
Cirrhosis of liver	3.6	6.1	5.1	12.6	71.8	184.8	475.7	243.9
Biliary calculi	8.0	9.9	3.4	17.0	68.7	143.0	449.1	308.9
Other diseases of liver	51.7	75.7	21.7	44.0	87.0	126.5	334.6	310.5
Diseases of spleen	28.4	78.0	52.0	80.4	141.8	160.8	335.7	151.3
Peritonitis	49.3	85.3	96.3	191.7	218.0	156.2	164.6	87.9
Appendicitis	4.3	24.4	228.2	268.4	188.6	125.7	127.3	37.4
Other diseases of digestive system	7.9	23.8	15.9	63.5	153.4	190.5	394.2	158.7
VI.—Diseases of genito-urinary system	15.1	30.9	20.9	49.6	93.2	129.0	338.0	338.4
Bright's disease and nephritis	14.6	32.4	23.7	46.0	85.2	125.7	359.0	328.0
Bright's disease	10.3	21.4	17.0	39.6	79.0	123.3	372.0	347.7
Acute nephritis	55.3	136.2	87.2	106.7	144.6	147.6	235.9	141.8
Other diseases of kidneys	59.2	79.2	17.2	50.3	97.5	117.7	288.7	349.4
Calculi of urinary tract	20.1	27.3	15.8	25.9	97.7	116.4	310.3	406.6
Diseases of bladder	16.8	20.9	5.0	12.2	22.5	35.4	184.5	719.5
Uterine tumor	.....	0.4	0.4	16.7	120.7	355.9	402.7	103.2
Other diseases of uterus	1.2	2.8	8.7	190.2	315.3	265.0	183.7	34.3
Ovarian tumor	.....	1.5	3.4	78.8	201.0	222.9	329.9	162.5
Diseases of tubes	.....	.....	0.4	256.8	426.8	256.8	56.7	2.5
Other diseases of genito-urinary system	14.7	17.4	1.6	29.2	69.5	69.3	195.3	617.7
VII.—Childbirth	.....	.....	0.8	284.4	462.1	242.4	10.0	0.3
Puerperal septicemia	.....	.....	1.0	319.8	467.2	205.5	6.4	0.1
Puerperal convulsions	.....	.....	0.9	363.8	413.1	213.9	8.3	.....
Other causes incident to childbirth	.....	.....	0.5	201.7	481.4	300.7	15.1	0.6
VIII.—Diseases of skin	128.6	166.1	22.1	27.6	40.3	55.4	202.3	486.2
Gangrene	22.9	44.5	11.7	12.0	20.4	30.1	193.9	687.4
Carbuncle	100.7	113.9	9.3	45.0	47.7	98.0	372.2	313.9
Abscess	198.9	274.0	58.1	69.6	103.2	120.2	212.8	162.1
Other diseases of skin	496.0	555.6	16.8	22.4	25.5	44.7	142.9	192.1
IX.—Diseases of locomotor system	241.0	436.2	104.6	78.5	62.9	72.4	136.9	108.5
Diseases of bones	279.6	505.6	109.8	75.0	53.9	61.4	115.4	78.9
Diseases of joints	72.6	117.3	72.6	83.8	95.0	114.5	234.7	282.1
Other diseases of locomotor system	8.9	35.5	82.8	109.5	124.3	145.0	263.3	239.6
X.—Malformations	919.2	975.7	13.7	4.2	2.0	1.0	2.2	1.2
Hydrocephalus	665.3	910.6	51.6	14.5	6.5	4.4	8.0	4.4
Congenital malformation of heart (cyanosis)	965.2	987.5	7.3	2.4	1.0	0.2	1.0	0.6
Other congenital malformations	958.9	985.7	7.1	2.4	1.7	0.8	1.5	0.8
XI.—Early infancy	1,000.0	1,000.0	.....	.....	.....	.....	.....	.....
Premature birth	1,000.0	1,000.0	.....	.....	.....	.....	.....	.....
Congenital debility	1,000.0	1,000.0	.....	.....	.....	.....	.....	.....
XII.—Old age	.....	.....	.....	.....	.....	.....	18.9	981.1
XIII.—Violence	70.4	131.6	80.9	137.8	166.6	159.6	205.8	117.7
Suicide	.....	.....	3.1	139.2	208.3	225.0	320.2	104.2
Fractures and dislocations	6.9	35.9	56.1	98.5	141.2	152.6	262.8	312.9
Burns and scalds	37.1	387.8	139.0	82.0	99.2	91.1	118.3	82.6
Heat and sunstroke	143.5	188.9	16.4	39.1	99.7	155.1	280.1	220.7
Cold and freezing	43.8	65.1	21.3	45.0	110.1	143.2	333.7	281.6
Lightning	6.0	24.1	160.6	237.0	174.7	160.6	186.8	56.2
Drowning	7.5	58.7	219.5	216.6	160.0	154.6	152.7	37.9
Inhalation of poisonous gases	18.0	51.7	103.7	156.0	192.4	170.4	227.1	98.7
Other accidental poisonings	55.2	207.4	46.2	128.7	174.9	166.8	205.7	70.3
Accidental gunshot wounds	2.6	18.0	114.9	273.7	239.4	169.3	148.7	36.0
Injuries by machinery	5.9	12.6	36.1	263.0	245.4	200.8	195.0	47.1
Injuries in mines and quarries	.....	.....	7.2	241.8	341.6	219.5	177.2	12.7
Railroad accidents and injuries	1.1	21.6	84.3	181.2	224.4	188.2	223.6	76.7
Injuries by vehicles and horses	6.3	97.1	208.4	89.0	124.5	138.6	230.0	112.4
Suffocation	599.0	652.1	35.4	50.4	48.8	68.9	103.9	40.5
Other accidental injuries	19.5	68.0	73.2	123.4	160.4	160.4	232.6	182.0
Injuries at birth	1,000.0	1,000.0	.....	.....	.....	.....	.....	.....
Homicide	31.9	43.7	31.1	232.7	306.8	223.6	143.3	18.8
XIV.—Ill-defined causes	412.8	500.5	17.9	23.4	35.9	46.5	135.1	240.7
"Dropsy"	19.1	36.4	28.3	35.7	45.0	77.5	294.7	482.4
"Heart failure"	116.7	134.3	21.7	34.8	64.6	94.7	269.0	380.9
Other ill-defined causes	516.3	632.9	14.3	16.0	25.2	29.4	87.0	195.2
Unknown causes	483.9	544.7	26.0	43.9	56.4	62.9	125.4	140.7

GENERAL TABLES

10941—06——1

TABLES FOR 1900.

Table 1.—Deaths in registration areas, by color, general nativity, parent nativity, and month.
Table 2.—Deaths in registration areas, at each age.
Table 3.—Deaths in registration areas, from certain principal diseases and classes of diseases.
Table 4.—Deaths in registration areas, at each age, by sex, color, general nativity, and parent nativity.
Table 5.—Deaths in registration areas, from each disease and class of diseases.
Table 6.—Deaths in the registration area, from each specified disease and class of diseases, by sex and age.
Table 7.—Deaths in registration states, from each specified disease and class of diseases, by age.
Table 8.—Deaths in cities of 100,000 population or over, at each specified age, from certain causes.
Table 9.—Deaths in registration areas, from certain specified causes, in each month, by certain divisions of age.

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR,

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	SUMMARIES.											
1	The registration area	539,939	157,789	81,691	28,531	27,449	7,448	1,831	58,963	130,111	9,756	36,370
2	Registration cities	398,786	83,836	67,843	19,160	19,680	3,306	1,273	54,857	107,723	7,004	34,104
3	Registration states	343,217	125,371	64,980	19,697	22,090	6,592	1,571	4,730	82,991	4,788	10,407
4	Cities in registration states	202,064	51,418	51,132	10,326	14,321	2,450	1,013	624	60,603	2,036	8,141
5	Rural part of registration states	141,153	73,953	13,848	9,371	7,769	4,142	558	4,106	22,388	2,752	2,266
6	Registration cities in other states	196,722	32,418	16,711	8,834	5,359	856	260	54,233	47,120	4,968	25,963
	REGISTRATION STATES.											
7	Connecticut	16,366	5,342	3,409	1,492	972	376	79	.....	4,055	277	364
8	District of Columbia	6,202	2,060	294	258	203	30	4	.....	629	33	2,691
9	Indiana	35,712	22,819	1,901	2,623	1,361	1,286	157	.....	3,433	877	1,255
10	Maine	11,882	7,261	1,156	639	813	342	29	.....	1,422	181	39
11	Massachusetts	51,199	15,568	12,698	2,018	4,024	1,360	363	.....	14,001	426	732
12	Michigan	33,973	12,737	5,904	1,666	3,197	694	235	.....	8,630	462	448
13	New Hampshire	7,634	3,176	1,206	825	417	370	29	.....	1,208	395	8
14	New Jersey	33,439	12,283	6,564	2,009	1,789	328	165	.....	8,243	390	1,668
15	New York	132,352	41,168	29,575	8,038	8,716	1,755	476	.....	38,130	1,550	2,944
16	Rhode Island	8,766	2,957	2,273	129	598	42	34	.....	2,428	64	241
17	Vermont	5,692	.....	.....	.....	.....	.....	.....	4,730	812	133	17
	REGISTRATION CITIES.											
18	Adams town, Mass	190	25	81	8	27	2	3	.....	44	.....	.....
19	Alameda, Cal	236	65	31	15	17	5	2	.....	92	6	3
20	Albany, N. Y	1,794	459	300	312	86	26	12	.....	544	36	19
21	Alexandria, Va	365	.....	.....	.....	.....	.....	.....	190	15	.....	160
22	Allegheny, Pa	2,375	784	544	100	197	14	20	.....	619	28	69
23	Allentown, Pa	637	440	49	45	11	3	3	.....	70	15	1
24	Altoona, Pa	689	410	39	108	30	7	.....	.....	66	18	11
25	Amesbury town, Mass	147	66	33	1	10	4	.....	.....	32	.....	1
26	Amsterdam, N. Y	310	114	79	9	15	9	4	.....	74	2	4
27	Ann Arbor, Mich	201	75	28	9	12	8	1	.....	56	2	10
28	Annapolis, Md	236	.....	.....	.....	.....	.....	.....	89	8	13	126
29	Ansonia, Conn	261	50	83	4	31	2	.....	.....	77	2	12
30	Appleton, Wis	196	54	49	5	23	3	2	.....	60	.....	.....
31	Arlington town, Mass	138	52	25	4	13	8	1	.....	35	.....	.....
32	Ashtabula, Ohio	222	57	45	31	10	4	.....	.....	64	8	3
33	Atlanta, Ga	1,985	627	26	269	14	6	1	.....	54	9	979
34	Atlantic City, N. J	481	220	36	44	17	7	.....	.....	47	4	106
35	Attleboro town, Mass	174	65	28	3	28	3	1	.....	41	1	3
36	Auburn, N. Y	530	222	65	51	37	3	12	.....	122	3	15
37	Augusta, Me	274	103	30	57	14	16	3	.....	45	6	.....
38	Aurora, Ill	384	198	48	5	13	1	.....	.....	111	.....	8
39	Baltimore, Md	10,899	.....	.....	.....	.....	.....	.....	6,359	1,854	29	2,657
40	Bangor, Me	347	153	50	23	14	8	2	.....	78	17	2
41	Barre, Vt	174	.....	.....	.....	.....	.....	.....	136	36	1	1
42	Bath, Me	180	118	20	1	11	.....	.....	.....	29	.....	1
43	Battle Creek, Mich	271	150	12	29	18	17	2	.....	30	6	7
44	Bay City, Mich	373	73	113	8	48	2	4	.....	113	9	3
45	Bayonne, N. J	555	132	217	8	40	.....	.....	.....	144	3	11
46	Bellaire, Ohio	178	74	29	7	12	2	1	.....	35	8	10
47	Belleville, Ill	267	80	36	22	18	.....	2	.....	91	10	8
48	Beloit, Wis	148	74	16	12	16	3	.....	.....	25	2	.....
49	Bennington town, Vt	123	.....	.....	.....	.....	.....	.....	94	25	2	2
50	Berlin, N. H	203	11	100	9	9	1	3	.....	60	10	.....
51	Beverly, Mass	203	104	23	4	19	9	1	.....	42	1	.....
52	Biddeford, Me	366	87	121	13	30	1	5	.....	107	1	1
53	Binghamton, N. Y	736	350	95	84	45	28	3	.....	101	21	9
54	Boston, Mass	11,450	2,413	3,208	312	895	262	127	.....	3,792	91	350
55	Bridgeport, Conn	1,257	314	377	64	73	12	5	.....	359	22	31
56	Bridgeton, N. J	224	135	5	38	3	9	.....	.....	10	3	21
57	Bristol town, Conn	152	51	35	8	13	3	2	.....	35	3	2
58	Brockton, Mass	563	235	117	30	51	17	1	.....	105	5	2
59	Brookline town, Mass	254	103	45	9	16	4	.....	.....	75	2	.....
60	Buffalo, N. Y	5,155	1,107	1,484	218	381	47	19	.....	1,835	19	45
61	Burlington, Iowa	344	.....	.....	.....	.....	.....	.....	211	100	22	11
62	Burlington, Vt	330	.....	.....	.....	.....	.....	.....	241	79	6	4
63	Cambridge, Mass	1,573	344	439	22	131	24	7	.....	491	8	107
64	Camden, N. J	1,368	684	188	65	51	5	3	.....	174	12	186
65	Canton, Ohio	360	137	47	65	28	1	1	.....	63	15	3
66	Carbondale, Pa	273	.....	.....	.....	.....	.....	.....	192	79	2	.....
67	Carlisle, Pa	204	.....	.....	.....	.....	.....	.....	149	11	13	31
68	Central Falls, R. I	359	51	118	1	27	.....	1	.....	158	1	2
69	Charleston, S. C	1,954	306	63	50	21	2	2	.....	99	11	1,400
70	Chelsea, Mass	650	185	161	40	45	21	11	.....	177	3	7
71	Chicago, Ill	26,062	.....	.....	.....	.....	.....	.....	15,630	9,456	251	725
72	Chicopee, Mass	405	69	181	5	36	4	4	.....	106	.....	.....
73	Chillicothe, Ohio	262	124	23	16	7	2	2	.....	58	8	22
74	Chippewa Falls, Wis	118	26	26	5	14	1	1	.....	40	5	.....
75	Cincinnati, Ohio	5,926	1,482	943	637	327	47	16	.....	1,746	298	430
76	Cleveland, Ohio	6,731	1,627	2,008	536	283	19	14	.....	1,999	141	104
77	Clinton town, Mass	210	34	66	6	28	6	1	.....	69	.....	.....

GENERAL NATIVITY, PARENT NATIVITY, AND MONTH: 1900.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
46,648	45,134	55,380	53,505	45,971	37,893	47,434	46,526	42,232	40,040	37,704	41,194	78	1
34,736	33,713	41,087	39,047	33,638	28,742	36,557	33,863	29,800	28,952	27,945	30,661	45	2
28,674	28,174	35,600	33,965	28,791	23,606	30,504	30,548	28,074	25,920	23,584	25,735	42	3
16,762	16,753	21,107	19,507	16,458	14,455	19,627	17,885	15,642	14,832	13,825	15,202	9	4
11,912	11,421	14,493	14,458	12,333	9,151	10,877	12,663	12,432	11,088	9,759	10,533	33	5
17,974	16,960	19,980	19,540	17,180	14,287	16,930	15,978	14,158	14,120	14,120	15,459	36	6
1,368	1,267	1,702	1,684	1,226	1,131	1,589	1,651	1,289	1,209	1,102	1,144	4	7
518	467	598	607	507	486	720	528	399	446	436	490	.....	8
3,133	3,046	3,570	3,436	2,991	2,116	2,852	3,117	2,935	3,019	2,739	2,753	5	9
957	912	1,176	1,273	1,207	810	829	1,065	1,048	937	781	882	5	10
4,208	3,868	5,731	4,934	3,976	3,443	4,574	4,996	4,308	3,812	3,530	3,815	4	11
2,781	2,864	3,300	3,279	3,050	2,254	2,487	2,913	3,264	2,765	2,403	2,609	4	12
645	559	766	880	637	524	616	622	652	616	542	575	.....	13
2,864	2,798	3,663	3,150	2,679	2,319	3,649	2,976	2,497	2,252	2,113	2,477	2	14
10,950	11,227	13,600	13,077	11,308	9,565	11,984	11,397	10,550	9,818	8,976	9,883	17	15
729	741	908	976	634	587	819	826	664	629	578	675	.....	16
521	425	586	669	576	371	385	457	468	417	384	432	1	17
8	16	22	14	6	8	21	22	25	22	15	11	.....	18
20	21	20	22	18	25	19	14	17	20	16	24	.....	19
135	144	179	203	151	116	186	135	134	142	136	133	.....	20
30	38	40	24	23	26	45	40	28	25	24	22	.....	21
272	150	223	216	199	180	226	193	178	201	191	146	.....	22
61	55	62	56	48	46	60	60	72	51	31	35	.....	23
56	61	69	56	70	41	67	62	45	52	46	64	.....	24
13	5	16	21	6	12	18	17	12	5	9	13	.....	25
27	34	29	40	28	18	26	39	16	16	20	17	.....	26
15	17	17	20	14	13	21	13	15	22	19	15	.....	27
15	15	19	17	14	27	29	20	17	25	23	15	.....	28
26	22	20	22	21	22	27	22	21	20	19	19	.....	29
11	9	17	26	12	16	13	25	19	16	13	19	.....	30
12	10	23	15	8	4	6	12	19	5	8	16	.....	31
18	18	24	28	23	10	16	20	12	18	13	20	2	32
182	158	184	179	185	165	161	171	162	138	152	140	8	33
39	32	46	45	37	38	55	75	39	26	26	23	.....	34
15	16	15	18	12	11	16	15	19	15	12	9	.....	35
53	44	43	49	53	35	48	43	41	42	30	49	.....	36
27	35	24	23	27	20	12	24	25	19	12	26	.....	37
33	23	42	40	31	25	24	32	36	32	28	38	.....	38
923	950	1,088	1,020	864	808	1,185	946	784	778	767	786	.....	39
30	28	34	35	34	31	17	35	27	27	15	34	.....	40
21	17	13	19	17	16	13	9	15	15	9	10	.....	41
12	11	11	17	16	8	21	31	18	6	17	12	.....	42
20	20	27	28	21	26	25	18	22	16	20	28	.....	43
33	35	36	31	33	25	21	33	31	29	32	34	.....	44
57	36	70	45	35	50	62	62	53	28	24	33	.....	45
9	16	25	15	23	4	18	7	6	18	16	21	.....	46
19	25	18	23	20	14	21	29	25	26	26	21	.....	47
19	15	13	20	13	8	6	11	14	13	9	7	.....	48
15	8	12	15	13	8	8	13	9	6	8	8	.....	49
15	8	16	20	9	13	24	25	27	20	18	13	.....	50
11	21	35	16	12	14	18	12	19	13	16	16	.....	51
28	26	41	37	27	15	25	48	51	28	18	22	.....	52
48	61	96	82	75	54	64	48	53	63	43	49	.....	53
964	898	1,377	1,006	899	790	1,033	992	880	883	832	896	.....	54
114	87	136	142	94	88	124	117	100	82	86	87	.....	55
18	19	16	25	13	18	24	22	14	18	19	18	.....	56
7	17	11	22	17	12	6	10	12	20	13	5	.....	57
56	54	66	62	38	40	47	54	54	25	37	30	.....	58
20	22	44	29	14	15	20	19	18	15	19	19	.....	59
453	459	467	478	444	364	465	504	423	352	332	414	.....	60
38	34	38	43	27	19	18	31	25	23	24	24	.....	61
22	26	25	40	36	20	25	31	32	28	24	21	.....	62
154	128	199	132	112	90	136	135	121	129	128	108	1	63
129	106	128	108	110	106	144	129	82	109	104	122	.....	64
37	31	30	35	41	16	33	36	25	27	25	23	1	65
27	25	34	43	25	17	16	22	14	17	12	21	.....	66
21	19	25	25	14	12	12	18	13	13	18	14	.....	67
16	27	37	34	22	25	44	42	32	25	22	33	.....	68
155	157	178	158	183	145	157	194	137	172	180	138	.....	69
69	60	68	65	40	43	55	58	56	42	44	50	.....	70
2,468	2,298	2,822	2,515	2,274	1,782	2,054	2,137	1,927	1,788	1,791	2,206	.....	71
31	23	39	48	43	31	56	49	23	22	19	21	.....	72
24	23	25	27	29	15	25	26	15	25	13	15	.....	73
15	4	10	10	7	12	8	20	7	12	4	9	.....	74
566	533	612	567	523	410	512	516	388	393	386	515	5	75
545	542	708	723	580	449	605	592	486	486	458	557	.....	76
15	24	23	19	16	10	19	16	21	15	14	18	.....	77

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
78	Cohoes, N. Y	474	109	133	11	61	7	3	.....	147	3	.....
79	Columbia, Pa	246	.....	.....	.....	.....	.....	.....	166	27	42	11
80	Columbus, Ind	173	99	6	25	10	12	2	.....	7	4	8
81	Columbus, Ohio	1,989	1,011	237	84	76	30	1	.....	326	36	188
82	Concord, N. H	342	175	42	41	27	11	.....	.....	39	7	.....
83	Corning, N. Y	210	97	37	16	16	1	.....	.....	37	2	4
84	Cortland, N. Y	126	65	8	21	7	6	.....	.....	16	3	.....
85	Covington, Ky	824	306	93	84	40	8	2	.....	172	38	81
86	Danbury town, Conn	342	121	56	34	20	14	3	.....	76	6	12
87	Danvers town, Mass	189	84	20	12	11	2	1	.....	56	1	2
88	Danville, Ill	293	155	23	29	7	3	.....	.....	38	18	20
89	Davenport, Iowa	514	150	86	14	25	3	1	.....	209	21	5
90	Dayton, Ohio	1,335	611	176	63	88	20	4	.....	277	28	68
91	Decatur, Ill	351	.....	.....	.....	.....	.....	.....	274	43	20	14
92	Denver, Colo	2,539	839	310	345	159	56	13	.....	603	119	95
93	Detroit, Mich	4,657	800	1,225	402	401	51	62	.....	1,586	25	105
94	Dover, N. H	251	102	46	23	8	4	.....	.....	61	6	1
95	Dubois, Pa	206	83	56	14	13	.....	.....	.....	28	11	1
96	Duluth, Minn	802	117	251	32	72	3	1	.....	291	34	1
97	Dunkirk, N. Y	184	45	53	5	15	1	.....	.....	64	1	.....
98	Easton, Pa	440	282	33	21	16	3	.....	.....	52	27	6
99	Eau Claire, Wis	207	41	50	6	23	6	4	.....	69	8	.....
100	Elizabeth, N. J	1,007	259	270	47	92	2	1	.....	306	5	25
101	Elmira, N. Y	562	289	67	21	28	16	1	.....	119	1	20
102	Erie, Pa	822	158	178	157	44	5	1	.....	242	34	3
103	Escanaba, Mich	229	39	71	10	31	1	2	.....	69	4	2
104	Evansville, Ind	931	356	89	47	61	18	7	.....	193	10	150
105	Everett, Mass	385	129	97	8	40	2	1	.....	96	1	11
106	Fall River, Mass	2,286	251	991	18	206	35	11	.....	758	9	7
107	Findlay, Ohio	293	213	19	12	16	1	1	.....	28	.....	3
108	Fitchburg, Mass	495	139	162	8	37	3	4	.....	137	4	1
109	Flint, Mich	152	90	12	10	9	2	1	.....	21	2	5
110	Framingham town, Mass	194	82	34	14	14	.....	.....	.....	46	4	.....
111	Frederick, Md	182	.....	.....	.....	.....	.....	.....	126	9	4	43
112	Fresno, Cal	241	.....	.....	.....	.....	.....	.....	125	47	8	61
113	Gardner town, Mass	186	57	57	8	14	6	1	.....	42	.....	1
114	Geneva, N. Y	165	65	23	10	8	2	.....	.....	51	1	5
115	Glens Falls, N. Y	253	130	47	6	15	1	.....	.....	53	.....	1
116	Gloucester, Mass	425	153	76	16	40	8	4	.....	126	1	1
117	Gloversville, N. Y	236	135	26	16	12	4	.....	.....	39	1	3
118	Grand Rapids, Mich	1,204	378	285	43	99	14	6	.....	361	12	6
119	Green Bay, Wis	299	92	50	9	42	3	2	.....	92	8	1
120	Greenwich town, Conn	220	80	45	13	13	5	1	.....	52	5	6
121	Hamilton, Ohio	368	188	52	11	22	2	.....	.....	88	2	3
122	Harrisburg, Pa	904	.....	.....	.....	.....	.....	.....	629	58	113	104
123	Harrison, N. J	246	57	74	17	12	2	1	.....	78	3	2
124	Hartford, Conn	1,449	141	178	607	20	15	20	.....	398	43	27
125	Haverhill, Mass	586	232	96	32	48	26	1	.....	142	3	6
126	Hazelton, Pa	227	.....	.....	.....	.....	.....	.....	167	59	1	.....
127	Helena, Mont	167	.....	.....	.....	.....	.....	.....	90	37	32	8
128	Hoboken, N. J	1,393	214	381	45	89	10	5	.....	579	69	1
129	Holyoke, Mass	990	119	375	29	96	24	11	.....	331	5	.....
130	Hudson, N. Y	206	96	18	17	14	4	.....	.....	31	4	22
131	Hyde Park town, Mass	187	56	42	5	20	2	4	.....	57	1	.....
132	Indianapolis, Ind	2,886	1,227	198	328	129	90	16	.....	411	104	383
133	Iron Mountain, Mich	137	13	67	3	13	1	2	.....	37	1	.....
134	Ironton, Ohio	185	76	13	32	3	5	.....	.....	27	10	19
135	Ironwood, Mich	157	15	73	.....	21	2	.....	.....	46	.....	.....
136	Ishpeming, Mich	175	14	79	.....	20	1	.....	.....	59	2	.....
137	Ithaca, N. Y	224	130	15	25	8	9	1	.....	29	2	5
138	Jackson, Mich	324	147	35	20	21	15	2	.....	69	4	11
139	Jacksonville, Fla	857	.....	.....	.....	.....	.....	.....	258	51	15	533
140	Jacksonville, Ill	268	.....	.....	.....	.....	.....	.....	128	56	68	16
141	Jamestown, N. Y	200	95	68	11	17	4	.....	.....	94	1	.....
142	Jeffersonville, Ind	207	85	13	7	5	1	1	.....	27	8	60
143	Jersey City, N. J	4,274	1,004	1,258	140	296	20	11	.....	1,435	27	83
144	Johnstown, N. Y	115	53	20	16	3	3	.....	.....	16	1	3
145	Johnstown, Pa	758	.....	.....	.....	.....	.....	.....	571	167	15	5
146	Kalamazoo, Mich	456	204	67	29	32	3	1	.....	97	9	14
147	Kansas City, Mo	2,674	860	225	312	112	47	8	.....	328	344	438
148	Keene, N. H	130	67	17	8	8	7	1	.....	22	.....	.....
149	Key West, Fla	418	.....	.....	.....	.....	.....	.....	174	94	3	147
150	Kingston, N. Y	483	238	67	21	19	11	.....	.....	101	5	21
151	Laconia, N. H	142	56	25	16	12	7	.....	.....	21	5	.....
152	Lafayette, Ind	333	151	33	34	11	12	4	.....	65	15	8
153	Lancaster, Pa	715	.....	.....	.....	.....	.....	.....	526	93	73	23
154	Lansing, Mich	239	125	28	8	18	3	1	.....	44	1	11
155	Lansingburg, N. Y	222	107	25	16	17	7	.....	.....	44	4	2
156	Lawrence, Kans	177	.....	.....	.....	.....	.....	.....	100	15	20	42
157	Lawrence, Mass	1,200	154	464	15	110	5	9	.....	520	8	5

NATIVITY, PARENT NATIVITY, AND MONTH: 1900—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
47	42	56	51	33	32	39	32	35	38	38	31	.....	78
23	24	30	28	23	17	20	21	14	9	13	24	.....	79
19	20	19	16	9	7	8	24	7	14	22	8	.....	80
170	181	209	206	174	136	172	186	151	131	135	138	.....	81
32	29	37	34	30	26	21	23	27	35	23	25	.....	82
20	14	26	20	26	18	13	13	12	15	16	17	.....	83
7	8	12	10	11	8	10	10	19	7	7	17	.....	84
76	83	73	73	77	60	71	64	56	57	67	67	.....	85
35	33	32	36	27	29	27	26	27	24	26	20	.....	86
5	10	20	8	16	21	17	20	29	20	9	14	.....	87
26	23	26	31	28	17	27	22	25	22	31	15	.....	88
62	42	50	54	52	30	33	42	36	39	26	48	.....	89
105	132	124	129	134	71	108	126	96	114	98	98	.....	90
26	32	38	33	31	24	28	24	23	23	42	27	.....	91
250	181	222	216	208	170	200	205	206	191	247	242	1	92
351	387	477	498	432	306	469	412	350	325	294	356	.....	93
25	21	33	32	21	9	26	21	14	21	14	14	.....	94
12	14	18	14	19	14	25	31	22	9	13	15	.....	95
64	46	60	87	85	60	68	86	74	63	53	55	1	96
14	17	18	23	16	12	8	14	14	17	18	13	.....	97
34	34	47	39	50	24	39	52	35	23	34	29	.....	98
16	19	22	16	17	12	14	11	19	18	18	25	.....	99
74	65	110	77	77	88	129	96	77	69	63	82	.....	100
49	42	59	55	62	39	35	50	40	51	32	48	.....	101
65	60	77	81	87	58	58	71	70	61	55	79	.....	102
11	23	19	21	24	16	18	34	21	13	22	7	.....	103
94	81	111	86	77	73	72	74	56	79	67	61	.....	104
30	30	49	30	36	25	30	39	30	22	33	31	.....	105
158	170	267	212	169	151	295	218	191	161	131	163	.....	106
26	17	28	39	26	19	22	22	19	29	22	24	.....	107
43	34	31	46	48	34	42	65	54	29	36	33	.....	108
17	14	11	12	15	6	4	16	13	16	14	14	.....	109
16	12	28	23	21	12	18	14	8	17	15	10	.....	110
17	16	11	22	11	8	25	21	9	13	18	11	.....	111
17	17	23	8	12	16	15	12	19	32	31	39	.....	112
18	12	17	28	7	13	8	20	17	18	17	11	.....	113
14	16	18	8	17	10	14	11	15	10	14	17	1	114
22	17	37	26	12	15	28	19	18	24	13	22	.....	115
30	35	54	36	34	30	30	38	28	46	26	38	.....	116
18	15	14	32	12	17	12	21	21	22	32	20	.....	117
131	104	121	120	101	65	86	93	89	96	100	96	.....	118
28	31	38	20	24	19	20	26	24	29	20	20	.....	119
19	25	23	18	18	15	20	22	14	16	15	15	.....	120
27	43	35	32	30	24	30	36	28	20	32	31	.....	121
90	78	116	89	88	65	63	84	55	57	67	54	.....	122
23	16	31	20	16	19	38	28	14	11	17	12	1	123
126	136	130	133	90	115	145	150	109	108	96	111	.....	124
41	41	70	72	44	36	38	53	56	45	47	43	.....	125
21	14	29	30	20	10	27	24	15	13	8	16	.....	126
14	13	20	18	8	14	5	15	16	12	12	20	.....	127
126	122	149	98	98	202	142	106	99	93	74	84	.....	128
64	58	82	98	81	64	118	100	88	86	72	79	.....	129
16	33	34	23	11	12	14	16	15	5	13	14	.....	130
11	13	33	21	15	11	17	20	11	17	9	9	.....	131
240	209	266	292	263	219	332	220	207	242	197	199	.....	132
9	9	14	5	13	10	11	15	15	15	10	11	.....	133
19	13	20	19	19	14	17	7	19	8	13	17	.....	134
5	5	10	19	12	6	17	28	19	13	9	14	.....	135
17	18	18	20	15	8	22	20	14	11	6	6	.....	136
14	17	24	29	28	11	14	14	22	18	15	18	.....	137
36	40	27	31	23	22	21	31	28	25	21	19	.....	138
61	73	74	66	65	56	62	79	70	97	73	81	.....	139
25	26	26	39	26	18	19	12	25	15	17	20	.....	140
17	17	25	30	29	27	21	23	28	23	32	18	.....	141
24	23	13	22	14	15	16	14	16	14	21	15	.....	142
339	401	474	398	344	295	403	351	330	304	297	338	.....	143
8	9	10	12	13	4	8	11	15	9	5	11	.....	144
59	53	90	84	79	51	68	82	53	44	47	48	.....	145
26	28	33	52	47	31	30	35	59	41	39	34	1	146
221	264	319	294	212	233	228	192	154	177	168	212	.....	147
12	9	12	10	12	7	16	8	14	7	11	12	.....	148
36	45	35	36	50	42	26	23	26	32	32	35	.....	149
34	30	41	52	43	33	43	48	45	34	29	51	.....	150
14	15	11	17	11	12	9	11	16	13	7	6	.....	151
19	26	27	34	39	25	28	20	25	30	28	32	.....	152
63	64	63	78	62	44	92	44	52	51	45	57	.....	153
26	19	25	27	20	13	15	14	33	13	14	20	.....	154
28	12	26	16	19	15	21	14	20	11	13	27	.....	155
16	13	21	16	16	10	21	9	5	11	18	21	.....	156
95	106	110	112	129	103	146	108	103	107	83	88	.....	157

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.		Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	REGISTRATION CITIES—Continued.										
158	Leadville, Colo	347	75	90	34	23	3	1	97	20	4
159	Leavenworth, Kans	368						213	78	10	67
160	Lebanon, Pa	303	284	1	2	1			15		
161	Leominster town, Mass	182	68	36	17	23	10	1	25	2	
162	Lima, Ohio	420						357	39	16	8
163	Lincoln, Nebr	450	144	53	100	24	7	1	79	25	17
164	Lockport, N. Y	262	111	44	19	17	3		64	2	2
165	Los Angeles, Cal	1,928	611	184	348	119	38	5	458	46	119
166	Louisville, Ky	3,872	1,219	324	309	148	35	20	659	88	1,070
167	Lowell, Mass	1,848	299	653	93	125	37	7	611	19	4
168	Lynchburg, Va	516	79	1	78	1			5	54	298
169	Lynn, Mass	1,103	409	192	55	118	47	6	260	7	9
170	McKeesport, Pa	635	206	187	17	43	3	1	145	12	21
171	Madison, Wis	202	56	36	14	23	3	1	66	3	
172	Mahanoy City, Pa	401						294	90	16	1
173	Malden, Mass	508	197	85	25	51	10	2	130	2	6
174	Manchester, N. H	1,154	204	403	53	89	20	7	365	12	1
175	Manchester town, Conn	146	28	44	9	9	1	2	45	7	1
176	Manitowoc, Wis	209	40	42	14	17	6	5	76	9	
177	Mankato, Minn	133	46	17	2	13	1		53	1	
178	Marietta, Ohio	209	132	16	11	8	4	1	28	5	4
179	Marinette, Wis	226	44	75	1	22	3	1	73	4	3
180	Marlboro, Mass	211	78	48	4	23	3	1	54		
181	Marquette, Mich	191	36	53	7	24	2	1	63	2	3
182	Massillon, Ohio	187	66	26	16	15	2		56	5	1
183	Meadville, Pa	170	84	14	18	5	2		21	21	5
184	Medford, Mass	252	126	36	2	18	5	3	58	1	3
185	Melrose, Mass	198	105	25	7	16	5		38	1	1
186	Memphis, Tenn	2,302	590	97	127	48	10	1	184	27	1,218
187	Menominee, Mich	176	27	47	7	31	3	1	59	1	
188	Meriden town, Conn	437	95	113	25	25	15	2	154	6	2
189	Michigan City, Ind	194	46	44	17	19		1	61	4	2
190	Middletown, N. Y	276	128	24	45	8	7	3	44	2	15
191	Middletown, Ohio	123	69	9	11	5	2		17	5	5
192	Middletown town, Conn	321	133	48	9	17	5	1	97	5	6
193	Milford town, Mass	190	60	46	9	13	7	1	53	1	
194	Millville, N. J	151	121	5	5	6	1		9		4
195	Milwaukee, Wis	4,324	735	1,415	87	514	56	20	1,449	29	19
196	Minneapolis, Minn	2,308	638	523	147	158	26	23	725	46	22
197	Mobile, Ala	1,045	128	25	189	13	7	2	96	21	564
198	Montclair, N. J	242	82	32	25	9	18	4	38	1	33
199	Morristown, N. J	204	84	31	5	11	1	1	42	3	26
200	Mt. Carmel, Pa	368	132	153	13	5			64		1
201	Mt. Vernon, N. Y	398	138	112	9	18	7	5	76	2	31
202	Muncie, Ind	363	259	10	14	23	17		20	2	18
203	Muscatine, Iowa	230						159	57	12	2
204	Muskegon, Mich	286	78	67	16	36	4	3	82		
205	Nashua, N. H	468	126	142	22	36	14	1	120	5	2
206	Nashville, Tenn	1,921	727	50	24	27	5		112	11	965
207	Natick town, Mass	124	51	22	4	5	3	1	37	1	
208	Naugatuck, Conn	182	34	71	5	12	3		55	2	
209	New Bedford, Mass	1,325	288	476	44	77	35	19	347	7	32
210	New Britain town, Conn	573	121	214	8	39	6	3	176	6	
211	New Brunswick, N. J	422	132	56	80	15	12	5	81	7	34
212	New Haven, Conn	1,968	525	488	114	135	22	5	584	13	82
213	New London, Conn	351	132	70	17	30	6	3	73	7	13
214	New Orleans, La	7,615	1,517	645	776	194	6		1,245	37	3,195
215	New Rochelle, N. Y	260	78	61	5	24	2	2	63	1	24
216	New York, N. Y	70,867	13,472	21,052	3,115	5,116	280	230	24,861	673	2,068
217	Bronx borough	3,750	819	1,093	106	341	13	8	1,264	30	76
218	Brooklyn borough	23,470	5,627	6,824	655	2,124	77	49	7,438	138	538
219	Manhattan borough	39,496	5,935	12,114	2,210	2,284	180	169	14,790	464	1,350
220	Queens borough	2,768	709	741	47	250	5	3	910	28	66
221	Richmond borough	1,383	382	280	97	117	5	1	450	13	38
222	Newark, N. J	4,979	1,244	1,142	447	251	51	48	1,530	42	204
223	Newark, Ohio	283						231	40	3	9
224	Newburg, N. Y	556	256	78	71	12	7		99	20	13
225	Newburyport, Mass	314	160	48	21	21		2	56	2	4
226	Newcastle, Pa	447	129	76	121	10	8	1	62	29	11
227	Newport, Ky	615						300	165	136	14
228	Newport, R. I	417	165	90	8	28	1	1	82		42
229	Newton, Mass	504	174	134	31	31	16	3	108	1	6
230	Niagara Falls, N. Y	315	62	79	15	33		1	105	4	16
231	Norfolk, Va	1,267						439	35	22	771
232	Norristown, Pa	430	168	45	85	6	1		87	18	20
233	North Adams, Mass	349	117	69	26	37	11	1	83	3	2
234	Northampton, Mass	348	137	60	6	31	16	1	91	2	4
235	Norwalk town, Conn	334	154	55	11	28	6		69	4	7
236	Norwich town, Conn	485	163	116	16	24	4	2	145		15

NATIVITY, PARENT NATIVITY, AND MONTH: 1900—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
36	41	21	32	27	22	19	24	30	43	22	30	.....	158
26	35	48	54	36	26	27	25	23	24	28	16	.....	159
23	27	41	38	27	10	19	19	24	20	25	30	.....	160
19	12	13	18	12	17	1	14	22	21	14	19	.....	161
41	34	37	35	36	30	36	32	34	33	37	35	.....	162
40	37	49	32	41	31	40	36	33	38	38	35	.....	163
24	26	18	25	18	18	16	27	29	24	21	16	.....	164
157	159	205	168	173	167	161	133	126	150	140	188	1	165
370	389	427	406	323	281	298	287	250	273	275	289	4	166
143	125	205	172	146	124	198	177	144	135	128	151	.....	167
51	48	40	47	48	55	39	38	33	34	43	40	.....	168
78	86	129	103	88	72	81	137	77	68	94	90	.....	169
46	52	54	51	45	47	60	57	60	54	57	52	.....	170
15	21	18	25	10	13	15	13	26	14	13	19	.....	171
32	37	34	29	32	37	46	38	29	24	38	25	.....	172
45	34	68	35	35	30	51	60	49	41	34	26	.....	173
84	86	93	116	92	68	116	99	97	115	77	111	.....	174
14	8	13	19	4	14	12	15	14	13	9	11	.....	175
19	17	19	17	12	15	19	20	25	22	10	14	.....	176
13	12	15	12	12	8	9	14	8	11	11	8	.....	177
11	18	22	23	21	12	20	22	14	13	14	19	.....	178
23	15	17	24	22	11	9	25	21	20	16	21	2	179
18	20	13	24	20	9	19	25	23	15	17	8	.....	180
16	15	14	12	20	13	17	22	16	17	14	15	.....	181
20	10	15	17	18	14	16	17	11	15	18	16	.....	182
22	10	24	14	10	10	19	17	8	13	7	16	.....	183
20	29	37	24	13	15	21	33	15	16	14	15	.....	184
22	16	30	24	15	9	12	10	19	19	6	16	.....	185
258	211	264	197	193	159	170	169	191	167	156	167	.....	186
17	12	13	18	11	11	13	20	22	13	12	14	.....	187
34	36	50	37	34	26	40	39	36	25	36	44	.....	188
12	13	19	22	12	14	7	19	20	16	22	18	.....	189
25	20	23	30	21	21	20	18	23	28	19	28	.....	190
5	14	17	10	14	1	17	10	5	7	8	15	.....	191
24	25	34	23	27	16	35	36	30	22	18	31	.....	192
17	18	25	28	14	7	16	16	10	16	9	14	.....	193
18	8	20	11	12	17	12	13	11	11	9	9	.....	194
398	405	373	364	433	289	329	453	377	290	299	314	.....	195
174	186	217	204	229	142	214	221	191	156	189	185	.....	196
97	75	72	88	94	80	70	90	89	110	84	96	.....	197
24	20	21	25	23	13	25	17	20	20	14	20	.....	198
22	25	11	17	17	15	24	15	15	11	12	20	.....	199
27	16	48	16	18	49	69	27	30	30	16	22	.....	200
39	29	38	59	36	32	45	30	21	17	21	31	.....	201
28	29	28	32	33	19	33	35	33	29	30	34	.....	202
31	31	31	21	11	7	21	16	17	15	12	17	.....	203
14	23	28	30	11	28	20	29	35	20	19	29	.....	204
40	36	34	47	47	31	41	43	47	37	34	31	.....	205
162	163	209	218	149	171	164	140	121	148	141	135	.....	206
8	16	12	8	11	25	5	8	6	7	12	6	.....	207
15	13	19	17	12	10	29	15	16	13	11	12	.....	208
79	93	106	145	95	65	130	151	128	108	105	110	.....	209
42	50	75	59	28	33	63	64	46	43	39	31	.....	210
43	36	54	45	31	30	47	39	18	26	20	33	.....	211
183	162	203	199	147	131	224	189	132	139	115	144	.....	212
37	11	46	30	23	26	27	41	36	25	28	21	.....	213
875	781	729	686	733	691	558	430	487	522	536	587	.....	214
32	30	24	23	19	15	29	22	19	14	14	19	.....	215
5,867	6,301	7,512	6,789	5,885	5,337	6,990	5,837	5,237	5,160	4,809	5,144	1	216
280	359	410	348	292	265	354	281	287	316	266	292	.....	217
1,905	2,005	2,489	2,224	1,865	1,904	2,425	1,946	1,809	1,651	1,594	1,653	.....	218
3,368	3,648	4,204	3,862	3,397	2,829	3,697	3,188	2,831	2,891	2,686	2,895	.....	219
211	184	254	217	226	227	352	269	207	218	190	212	1	220
103	105	155	138	103	112	162	153	103	84	73	92	.....	221
434	435	588	462	388	290	534	417	342	312	332	425	.....	222
15	26	32	22	27	19	27	29	24	19	23	19	1	223
67	52	52	50	44	26	45	59	38	50	41	32	.....	224
26	20	50	36	20	19	26	35	22	19	19	22	.....	225
41	37	36	54	40	25	42	50	34	32	20	35	1	226
44	51	50	48	47	34	58	85	47	37	55	59	.....	227
35	33	37	47	39	28	33	48	30	45	16	26	.....	228
48	34	69	45	32	38	45	45	40	33	34	41	.....	229
36	28	35	34	30	20	19	25	22	21	22	23	.....	230
115	90	89	121	128	145	134	90	84	99	98	74	.....	231
49	46	47	65	25	25	33	29	28	27	25	31	.....	232
32	28	35	32	34	24	35	35	15	24	28	27	.....	233
28	20	37	26	28	24	33	49	28	26	24	25	.....	234
31	24	33	27	24	24	32	24	32	14	30	39	.....	235
32	48	39	38	47	34	37	50	45	38	47	30	.....	236

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
237	Oakland, Cal	1,064	294	163	90	69	6	2	.....	400	7	33
238	Ogdensburg, N. Y	205	45	29	17	36	3	3	.....	63	9	.....
239	Oil City, Pa	171	.....	.....	.....	.....	.....	.....	105	25	35	6
240	Olean, N. Y	137	45	18	15	11	6	1	.....	31	8	2
241	Omaha, Nebr	1,210	381	235	81	81	12	2	.....	314	35	69
242	Orange, N. J	452	112	108	24	23	2	3	.....	119	4	57
243	Oskaloosa, Iowa	141	.....	.....	.....	.....	.....	.....	103	18	12	8
244	Ottawa, Ill	151	.....	.....	.....	.....	.....	.....	108	40	3	.....
245	Ottumwa, Iowa	263	126	16	41	7	3	1	.....	45	5	19
246	Owosso, Mich	111	52	14	2	5	4	2	.....	29	2	1
247	Paducah, Ky	547	259	14	18	5	3	.....	.....	14	10	224
248	Passaic, N. J	660	79	297	31	39	2	7	.....	173	14	18
249	Paterson, N. J	1,898	362	452	204	127	17	21	.....	650	20	45
250	Pawtucket, R. I	778	222	198	8	82	1	4	.....	260	3	.....
251	Peabody town, Mass	212	93	40	7	13	6	2	.....	49	.....	2
252	Peekskill, N. Y	203	103	20	18	13	4	3	.....	36	5	1
253	Perth Amboy, N. J	295	49	129	9	17	3	1	.....	83	.....	4
254	Peru, Ind	140	71	25	8	10	7	1	.....	18	.....	.....
255	Petersburg, Va	658	197	5	43	3	6	.....	.....	10	15	379
256	Philadelphia, Pa	26,975	.....	.....	.....	.....	.....	.....	18,057	6,388	610	1,920
257	Phillipsburg, N. J	169	114	13	8	7	1	.....	.....	21	.....	5
258	Phoenixville, Pa	207	94	50	1	4	.....	.....	.....	52	.....	6
259	Pittsburg, Pa	6,441	1,682	1,826	131	441	28	8	.....	1,775	113	457
260	Pittsfield, Mass	366	129	58	17	35	11	4	.....	89	11	12
261	Plainfield, N. J	290	136	31	12	14	2	2	.....	48	4	41
262	Plymouth, Pa	274	64	99	16	11	2	2	.....	71	9	.....
263	Plymouth town, Mass	154	75	23	9	11	8	.....	.....	27	1	.....
264	Pontiac, Mich	158	57	12	10	17	3	.....	.....	51	4	4
265	Port Huron, Mich	274	60	52	6	33	.....	3	.....	113	6	1
266	Port Jervis, N. Y	153	81	10	12	4	1	.....	.....	38	3	4
267	Portland, Me	1,041	403	175	50	83	23	2	.....	191	18	6
268	Portland, Oreg	921	207	76	285	36	.....	.....	.....	236	6	75
269	Portsmouth, N. H	206	105	17	16	15	9	.....	.....	36	7	1
270	Portsmouth, Ohio	323	185	30	28	17	3	.....	.....	38	1	21
271	Pottstown, Pa	237	196	17	4	3	.....	.....	.....	11	3	3
272	Pottsville, Pa	262	.....	.....	.....	.....	.....	.....	202	54	5	1
273	Poughkeepsie, N. Y	544	215	80	23	24	15	2	.....	155	8	22
274	Providence, R. I	3,656	1,076	1,003	39	242	28	20	.....	1,091	14	143
275	Pueblo, Colo	648	277	89	51	21	4	.....	.....	120	41	45
276	Quincy, Ill	568	252	57	30	3	.....	.....	.....	172	18	36
277	Quincy, Mass	354	92	115	10	32	6	3	.....	96	.....	.....
278	Raleigh, N. C	410	129	1	31	3	2	.....	.....	.....	17	227
279	Reading, Pa	1,526	1,094	135	59	56	7	.....	.....	140	15	20
280	Revere town, Mass	152	46	28	6	21	6	1	.....	41	1	2
281	Richmond, Ind	309	178	23	14	24	7	.....	.....	39	4	20
282	Richmond, Va	2,465	772	64	190	34	7	2	.....	130	52	1,214
283	Rochester, N. H	188	101	35	7	9	13	.....	.....	20	3	.....
284	Rochester, N. Y	2,337	623	475	142	178	20	8	.....	842	29	20
285	Rockland, Me	167	135	7	3	6	3	.....	.....	13	.....	.....
286	Rome, N. Y	265	117	38	15	14	4	2	.....	73	.....	2
287	Rutland, Vt	195	.....	.....	.....	.....	.....	.....	153	41	1	.....
288	Sacramento, Cal	632	.....	.....	.....	.....	.....	.....	361	183	16	72
289	Saginaw, Mich	615	153	116	21	74	18	10	.....	213	7	3
290	St. Joseph, Mo	769	.....	.....	.....	.....	.....	.....	549	120	32	68
291	St. Louis, Mo	10,322	2,619	1,644	1,078	618	111	21	.....	2,973	159	1,099
292	St. Paul, Minn	1,632	409	453	96	24	1	1	.....	594	23	31
293	Salem, Mass	730	226	228	7	63	22	.....	.....	179	.....	5
294	Salt Lake City, Utah	867	232	127	88	68	12	6	.....	304	10	20
295	San Antonio, Tex	1,214	306	169	117	80	22	4	.....	302	38	176
296	San Diego, Cal	345	135	32	39	22	7	2	.....	93	2	13
297	San Francisco, Cal	7,053	.....	.....	.....	.....	.....	.....	3,560	2,840	100	553
298	San Jose, Cal	317	119	56	14	24	.....	.....	.....	82	2	20
299	Saratoga Springs, N. Y	267	112	29	25	15	16	1	.....	46	4	19
300	Sault Ste. Marie, Mich	219	29	60	7	16	.....	6	.....	90	11	.....
301	Savannah, Ga	1,682	.....	.....	.....	.....	.....	.....	472	129	11	1,070
302	Schenectady, N. Y	561	197	120	31	49	5	3	.....	137	16	3
303	Scranton, Pa	2,082	.....	.....	.....	.....	.....	.....	1,249	487	344	2
304	Seattle, Wash	899	268	113	75	57	6	.....	.....	258	86	36
305	Sioux City, Iowa	429	.....	.....	.....	.....	.....	.....	275	93	47	5
306	Somerville, Mass	1,001	324	244	27	91	20	5	.....	284	6	.....
307	South Bethlehem, Pa	252	117	61	1	6	.....	.....	.....	63	.....	4
308	Southbridge town, Mass	230	55	79	1	35	2	.....	.....	56	2	.....
309	Springfield, Ill	605	258	77	38	27	9	.....	.....	122	17	57
310	Springfield, Mass	1,143	367	253	68	96	55	5	.....	270	15	14
311	Stamford town, Conn	339	119	61	17	20	6	1	.....	105	6	4
312	Steelton, Pa	188	88	26	5	4	.....	.....	.....	37	2	26
313	Stonington town, Conn	145	59	18	11	11	4	1	.....	32	2	7
314	Superior, Wis	435	41	97	71	26	6	4	.....	113	74	3
315	Syracuse, N. Y	1,642	618	341	82	85	19	9	.....	443	23	22
316	Tacoma, Wash	500	156	77	25	46	6	2	.....	151	15	22

NATIVITY, PARENT NATIVITY, AND MONTH: 1900—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
98	99	110	95	90	67	76	62	94	89	86	96	2	237
13	13	17	22	11	17	20	21	21	15	11	24	.....	238
21	15	20	18	15	14	12	10	12	11	13	10	.....	239
10	8	17	21	9	10	6	17	9	11	7	12	.....	240
127	112	147	115	108	82	93	104	74	82	84	78	4	241
32	33	53	49	29	47	45	35	41	27	23	38	.....	242
14	14	11	13	13	7	14	8	12	14	9	12	.....	243
18	12	17	16	7	12	18	9	8	18	6	10	.....	244
29	35	33	22	17	10	14	19	29	15	17	23	.....	245
10	9	11	17	7	5	8	8	11	7	5	13	.....	246
45	41	34	64	28	43	59	46	53	50	40	43	1	247
46	43	67	51	52	67	93	59	45	46	45	46	.....	248
173	147	204	153	163	126	212	175	147	135	120	143	.....	249
59	68	76	92	58	41	83	74	55	54	60	58	.....	250
14	16	21	17	21	15	13	28	19	13	15	20	.....	251
19	14	30	32	16	10	10	11	16	20	11	14	.....	252
18	15	21	28	19	25	67	21	21	21	15	24	.....	253
11	10	9	19	6	10	15	16	10	7	17	10	.....	254
64	42	75	57	51	60	61	62	49	52	34	51	.....	255
2,497	2,309	2,979	3,139	2,352	1,919	2,475	1,999	1,695	1,710	1,903	1,998	.....	256
18	16	14	16	17	9	26	13	12	8	9	11	.....	257
24	19	22	20	20	9	19	21	11	15	9	18	.....	258
635	518	614	671	534	501	637	544	507	412	398	470	.....	259
28	18	33	35	28	30	30	44	38	28	25	29	.....	260
18	22	38	25	25	21	27	20	32	22	17	23	.....	261
18	21	30	28	30	18	20	32	30	21	15	11	.....	262
18	11	15	16	11	16	15	10	13	7	10	12	.....	263
14	16	10	13	9	14	11	22	18	13	6	12	.....	264
14	24	30	32	12	19	26	22	34	23	20	18	.....	265
11	11	13	19	14	7	23	12	9	12	11	11	.....	266
82	92	115	115	96	60	98	86	70	75	73	79	.....	267
63	63	87	84	84	68	76	64	88	68	87	89	.....	268
18	16	30	17	10	13	19	13	13	19	20	18	.....	269
22	31	42	51	34	28	23	22	13	16	17	24	.....	270
21	22	25	23	36	14	10	19	22	20	13	12	.....	271
21	30	25	24	15	23	29	31	20	8	20	16	.....	272
52	58	65	66	39	37	50	39	36	31	36	35	.....	273
347	310	407	412	290	261	325	285	244	250	237	288	.....	274
34	51	68	57	54	67	46	37	48	59	48	79	.....	275
51	28	56	53	46	41	54	59	32	64	43	41	.....	276
28	23	46	27	30	19	29	46	29	24	30	23	.....	277
31	25	31	31	35	39	53	45	34	39	22	25	.....	278
121	121	133	135	145	120	154	135	108	103	115	136	.....	279
11	8	20	11	12	8	13	21	14	12	8	14	.....	280
25	27	30	38	26	11	24	25	31	20	20	32	.....	281
211	186	247	265	268	216	208	182	163	164	163	192	.....	282
17	20	22	21	21	9	16	23	16	5	7	11	.....	283
185	186	235	288	218	147	204	213	173	171	147	170	.....	284
14	4	13	29	21	15	11	13	14	12	11	9	1	285
24	19	24	20	31	13	13	26	34	10	28	23	.....	286
10	10	14	30	21	13	13	23	14	20	14	13	.....	287
66	68	52	60	61	43	38	36	56	41	53	58	.....	288
47	54	60	40	48	39	51	55	53	57	50	61	.....	289
85	65	81	75	67	62	62	64	38	62	53	55	.....	290
885	885	1,058	1,143	868	761	902	805	680	790	719	826	.....	291
146	142	153	132	114	121	134	155	146	112	144	133	.....	292
59	61	86	67	62	53	62	80	50	46	54	50	.....	293
72	72	89	70	77	77	67	52	67	77	63	84	.....	294
97	104	117	83	120	121	89	100	81	97	92	113	.....	295
27	31	34	50	47	29	19	26	18	14	23	27	.....	296
710	669	634	610	595	490	502	499	516	550	617	661	.....	297
32	35	30	38	30	24	24	15	17	24	26	22	.....	298
25	19	26	21	20	19	20	29	33	17	18	20	.....	299
12	16	17	19	13	10	19	20	25	20	24	23	1	300
144	136	136	192	189	136	113	129	112	136	133	126	.....	301
44	46	66	53	31	31	55	52	40	46	52	45	.....	302
210	177	238	205	168	121	203	193	174	120	138	134	1	303
85	78	115	105	93	47	64	75	50	62	63	62	.....	304
30	31	38	35	42	35	29	43	28	43	33	33	.....	305
79	74	128	92	82	58	93	103	85	72	54	81	.....	306
16	18	22	27	20	16	31	25	24	20	18	15	.....	307
24	25	24	29	13	11	15	20	20	12	18	19	.....	308
64	62	60	51	26	40	64	50	36	55	43	54	.....	309
101	85	122	131	88	69	131	105	91	65	64	91	.....	310
25	32	28	32	23	28	33	39	29	23	21	26	.....	311
11	21	19	19	22	10	15	18	10	15	11	17	.....	312
12	8	17	18	12	9	14	16	11	16	6	6	.....	313
26	25	34	45	39	15	33	60	60	32	34	32	.....	314
132	111	129	160	172	126	165	165	148	122	97	114	1	315
57	29	41	51	37	30	72	41	32	33	38	39	.....	316

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
317	Taunton, Mass.	643	196	192	28	41	12	2	.....	164	7	1
318	Terre Haute, Ind.	597	304	49	48	29	29	2	.....	84	12	40
319	Tiffin, Ohio.	148	91	13	3	7	.....	.....	.....	33	1	.....
320	Toledo, Ohio.	2,088	677	511	72	178	12	5	.....	553	45	35
321	Torrington town, Conn.	194	57	62	7	20	.....	.....	.....	45	.....	3
322	Traverse City, Mich.	147	35	16	19	12	4	.....	.....	51	6	4
323	Trenton, N. J.	1,271	429	238	127	80	25	5	.....	305	13	49
324	Troy, N. Y.	1,553	435	354	64	129	17	14	.....	520	5	15
325	Union, N. J.	222	48	64	2	19	.....	.....	.....	89	.....	.....
326	Utica, N. Y.	1,136	391	247	62	100	11	.....	.....	312	6	7
327	Vernon town, Conn.	143	27	35	8	13	2	.....	.....	52	3	3
328	Vincennes, Ind.	211	137	9	14	14	5	.....	.....	19	5	8
329	Wakefield town, Mass.	119	52	21	9	6	5	1	.....	24	.....	1
330	Wallingford town, Conn.	128	48	26	11	10	3	.....	.....	27	2	1
331	Waltham, Mass.	362	107	84	14	50	6	3	.....	97	.....	1
332	Ware town, Mass.	174	24	81	4	13	.....	1	.....	50	1	.....
333	Warren, Ohio.	142	62	22	13	9	3	1	.....	25	1	6
334	Washington, D. C.	6,202	2,060	294	258	203	30	4	.....	629	33	2,691
335	Waterbury town, Conn.	959	223	331	29	74	7	4	.....	280	3	8
336	Watertown, N. Y.	400	162	57	28	46	10	1	.....	84	9	3
337	Watertown town, Mass.	147	50	29	5	9	2	2	.....	48	1	1
338	Watervliet, N. Y.	272	93	56	5	29	1	.....	.....	85	3	.....
339	Webster town, Mass.	150	29	52	1	16	1	2	.....	47	2	.....
340	West Bay City, Mich.	214	39	59	4	42	2	2	.....	64	2	.....
341	Westfield town, Mass.	236	96	45	30	13	11	2	.....	31	5	3
342	Weymouth town, Mass.	185	102	22	4	12	5	.....	.....	39	.....	1
343	Wheeling, W. Va.	598	184	94	120	27	10	5	.....	128	5	25
344	Wichita, Kans.	388	177	18	54	8	11	.....	.....	48	39	33
345	Williamsport, Pa.	358	169	33	45	15	4	1	.....	50	10	31
346	Wilmington, Del.	1,546	.....	.....	.....	.....	.....	.....	1,045	179	53	269
347	Wilmington, N. C.	646	188	6	30	5	6	.....	.....	16	11	384
348	Windham town, Conn.	216	80	41	14	14	3	.....	.....	57	2	5
349	Winona, Minn.	270	76	73	13	26	1	2	.....	77	2	.....
350	Woburn, Mass.	266	80	65	6	17	2	2	.....	83	2	9
351	Woonsocket, R. I.	554	97	237	3	40	.....	1	.....	174	2	.....
352	Worcester, Mass.	2,176	516	666	88	164	64	7	.....	625	9	37
353	Yonkers, N. Y.	813	190	248	19	64	8	2	.....	256	5	21
354	Youngstown, Ohio.	656	171	154	61	47	3	1	.....	197	16	6
	CONNECTICUT RURAL.											
355	Fairfield county.	744	365	68	75	35	35	4	.....	124	16	22
356	Hartford county.	1,131	479	185	59	64	37	8	.....	258	27	14
357	Litchfield county.	980	433	131	104	53	46	3	.....	163	24	23
358	Middlesex county.	413	225	59	26	14	9	.....	.....	65	7	8
359	New Haven county.	860	371	170	45	55	25	2	.....	162	10	20
360	New London county.	616	326	56	49	32	26	2	.....	90	14	21
361	Tolland county.	317	158	45	28	15	16	.....	.....	47	6	2
362	Windham county.	703	230	128	65	53	38	5	.....	153	24	7
	INDIANA RURAL.											
363	Adams county.	290	178	21	25	21	14	.....	.....	26	4	1
364	Allen county.	1,014	464	125	64	85	23	7	.....	221	23	2
365	Bartholomew county.	274	190	9	16	12	15	3	.....	24	5	.....
366	Benton county.	129	81	9	7	4	2	4	.....	17	5	.....
367	Blackford county.	209	162	10	7	8	6	1	.....	14	1	.....
368	Boone county.	347	305	6	14	1	10	2	.....	5	3	1
369	Brown county.	164	121	4	21	1	8	1	.....	5	3	.....
370	Carroll county.	273	200	5	23	10	16	2	.....	10	5	2
371	Cass county.	544	272	24	78	16	18	5	.....	51	80	.....
372	Clark county.	312	172	15	18	13	8	1	.....	31	15	39
373	Clay county.	430	315	23	17	15	10	1	.....	37	4	8
374	Clinton county.	394	338	7	28	7	8	.....	.....	5	1	.....
375	Crawford county.	200	160	3	15	4	10	.....	.....	5	3	.....
376	Daviess county.	447	355	14	18	10	14	2	.....	22	4	8
377	Dearborn county.	294	119	34	21	16	7	2	.....	73	16	6
378	Decatur county.	269	200	9	15	5	13	1	.....	18	3	5
379	Dekalb county.	293	205	17	16	20	3	.....	.....	24	7	1
380	Delaware county.	342	286	6	13	10	8	2	.....	8	5	4
381	Dubois county.	256	148	25	11	15	3	1	.....	50	3	.....
382	Elkhart county.	597	377	26	47	31	25	4	.....	60	12	15
383	Fayette county.	184	121	8	9	6	5	.....	.....	17	7	11
384	Floyd county.	473	262	37	18	22	7	1	.....	83	5	38
385	Fountain county.	269	203	7	17	4	17	.....	.....	13	6	2
386	Franklin county.	236	119	19	18	14	9	4	.....	45	8	.....
387	Fulton county.	212	154	9	14	9	7	1	.....	14	4	.....
388	Gibson county.	379	261	10	23	17	12	1	.....	23	6	26
389	Grant county.	837	507	32	124	28	36	2	.....	63	18	27
390	Greene county.	410	326	11	27	13	13	1	.....	8	9	2
391	Hamilton county.	424	334	7	23	6	21	3	.....	11	8	11
392	Hancock county.	232	180	5	14	8	12	.....	.....	9	3	1

NATIVITY, PARENT NATIVITY, AND MONTH: 1900—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
57	41	55	64	49	46	70	79	62	39	32	49	.....	317
39	55	56	60	51	28	65	49	43	59	52	40	.....	318
8	16	9	21	11	8	10	14	10	17	14	10	.....	319
181	161	192	188	165	144	167	175	203	183	160	168	1	320
18	19	26	16	8	14	20	25	20	8	10	10	.....	321
12	11	8	18	13	16	9	16	10	13	13	8	.....	322
122	112	147	118	107	98	139	101	80	83	82	82	.....	323
131	113	159	109	135	116	157	127	159	127	99	121	.....	324
11	18	34	16	20	19	20	19	11	18	21	15	.....	325
79	67	91	106	97	81	104	118	112	86	102	93	.....	326
12	13	12	15	17	10	20	11	9	11	6	7	.....	327
23	22	8	17	13	17	25	11	15	19	15	26	.....	328
15	8	21	11	10	9	9	8	7	4	5	12	.....	329
8	6	17	16	11	7	7	15	11	9	11	10	.....	330
32	22	39	31	34	25	26	32	24	34	29	34	.....	331
12	10	11	16	3	11	11	23	18	25	27	7	.....	332
18	13	15	14	8	6	13	7	9	15	11	13	.....	333
518	467	598	607	507	486	720	528	399	446	436	490	.....	334
76	61	87	94	80	75	116	98	61	74	63	76	.....	335
32	36	34	27	36	30	35	45	41	32	14	38	.....	336
19	5	17	16	10	5	16	13	6	15	9	16	.....	337
27	24	27	29	19	21	21	28	21	14	19	22	.....	338
10	13	11	13	13	11	22	15	17	10	9	6	.....	339
20	20	14	21	19	15	13	23	28	14	16	11	.....	340
13	22	26	25	17	14	31	20	22	17	15	14	.....	341
18	16	31	14	12	10	12	17	18	10	16	11	.....	342
53	55	64	57	51	48	48	50	36	49	34	53	.....	343
32	28	34	29	35	37	35	25	19	38	36	40	.....	344
32	20	41	44	29	21	27	37	27	25	25	30	.....	345
145	128	138	164	124	152	184	141	115	117	103	35	.....	346
41	42	51	38	61	45	64	53	75	66	57	53	.....	347
9	19	23	13	16	18	26	24	21	17	11	19	.....	348
17	32	27	32	21	15	8	18	29	27	17	27	.....	349
16	18	28	26	16	23	20	22	27	25	26	19	.....	350
35	36	45	53	28	40	75	69	50	45	39	39	.....	351
164	165	160	202	159	155	205	247	193	187	163	175	1	352
75	72	61	72	43	68	76	73	67	61	59	86	.....	353
50	60	82	58	65	41	71	55	40	41	45	48	.....	354
53	58	106	79	63	46	63	65	55	54	56	46	.....	355
96	81	130	123	79	64	109	122	91	82	83	69	2	356
84	77	112	115	84	70	79	93	76	65	59	66	.....	357
38	26	40	52	29	14	37	53	27	32	23	40	2	358
55	67	77	78	61	62	93	101	73	84	54	55	.....	359
41	42	54	80	50	50	50	58	52	59	48	32	.....	360
28	21	36	39	22	29	25	31	25	26	15	20	.....	361
74	40	73	92	58	40	49	82	58	47	48	42	.....	362
32	19	20	34	20	36	13	23	32	23	21	16	1	363
97	83	95	88	80	68	95	69	94	74	80	91	.....	364
29	25	22	27	30	13	19	27	20	23	21	18	.....	365
13	14	10	9	7	12	9	10	6	16	16	7	.....	366
16	23	14	16	23	10	18	12	19	17	26	15	.....	367
29	28	35	28	31	14	31	43	34	21	31	22	.....	368
23	15	5	19	15	7	7	18	11	16	14	14	.....	369
23	16	28	20	23	19	24	26	27	24	21	22	.....	370
37	62	47	45	53	33	45	43	62	46	38	33	.....	371
26	36	38	26	28	12	25	20	20	30	28	22	1	372
44	39	42	40	39	21	29	39	32	46	35	24	.....	373
41	43	45	46	29	19	30	36	29	25	30	31	.....	374
15	19	24	17	17	10	14	12	21	21	21	9	.....	375
34	28	49	39	36	21	30	54	33	54	33	36	.....	376
21	23	34	27	26	16	21	20	21	30	23	30	.....	377
21	29	21	30	22	15	12	26	18	28	23	24	.....	378
25	37	27	34	30	14	13	23	24	26	21	19	.....	379
28	33	43	34	39	19	34	20	29	20	25	18	.....	380
33	18	14	29	19	13	23	16	23	22	22	24	.....	381
35	52	52	64	68	47	30	47	60	45	47	50	.....	382
15	17	16	13	25	16	15	12	17	14	12	12	.....	383
28	45	61	43	45	37	40	35	28	25	43	43	.....	384
24	15	38	31	27	20	7	14	22	20	25	26	.....	385
19	14	28	20	20	14	20	32	17	20	16	16	.....	386
16	13	25	20	23	14	11	13	24	14	16	23	.....	387
42	43	32	34	34	18	33	20	29	30	25	30	.....	388
80	87	63	78	70	46	72	84	62	70	64	61	.....	389
30	40	38	30	24	24	37	39	45	38	40	25	.....	390
40	40	46	40	35	24	42	50	25	30	25	27	.....	391
24	16	32	15	26	15	18	24	17	20	13	12	.....	392

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.								
			Both parents.			Mixed parentage.			Parentage not stated.	Foreign.	Unknown.	
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	INDIANA RURAL—Continued.											
393	Harrison county	296	212	8	17	6	10			26	11	6
394	Hendricks county	252	204	3	14	5	10	1		7	4	4
395	Henry county	387	318	6	22	9	12	2		9	2	7
396	Howard county	408	298	8	24	10	29	1		17	8	13
397	Huntington county	323	219	20	19	19	11	1		27	6	1
398	Jackson county	422	312	19	32	10	20	2		16	7	4
399	Jasper county	176	128	8	6	5	7	1		21		
400	Jay county	352	283	16	11	11	12	1		15	2	1
401	Jefferson county	390	224	19	31	16	14	1		60	8	17
402	Jennings county	228	167	16	15	5	8	1		10	1	5
403	Johnson county	260	210	4	11	8	11			8		8
404	Knox county	401	299	13	27	8	18	1		19	9	7
405	Kosciusko county	310	225	9	28	6	20	1		11	9	1
406	Lagrange county	167	127	2	15	4	5	2		7	5	
407	Lake county	444	138	90	29	37	6	6		120	18	
408	Laporte county	293	112	23	21	21	9	1		97	8	1
409	Lawrence county	403	320	6	22	6	15			6	14	14
410	Madison county	1,043	788	52	31	34	32	4		61	17	24
411	Marion county	317	178	8	49	5	3	1		41	12	20
412	Marshall county	332	229	18	17	13	17	1		24	11	2
413	Martin county	234	184	3	24	2	9			7	4	1
414	Miami county	243	183	7	20	1	14	1		14	2	1
415	Monroe county	318	217	2	36	7	22			4	22	8
416	Montgomery county	416	333	4	26	12	21	2		6	4	8
417	Morgan county	312	235	4	33	6	20	1		2	10	1
418	Newton county	120	72	10	11	3	4			16	2	2
419	Noble county	294	187	13	29	15	10	3		30	6	1
420	Ohio county	75	51	1	7	1	6			4	1	4
421	Orange county	249	210		18	4	5	1		4	6	1
422	Owen county	207	162	2	16	6	9	1		8	2	1
423	Parke county	261	207	4	19	8	4	1		13	4	1
424	Perry county	271	169	20	6	10	9	1		46	4	6
425	Pike county	325	269	4	17	6	14	1		8	2	4
426	Porter county	251	108	33	19	16	11			60	3	1
427	Posey county	388	241	8	23	11	4	1		46	12	42
428	Pulaski county	156	77	18	13	8	4	1		12	23	
429	Putnam county	277	233	7	18	1	5			6	4	3
430	Randolph county	354	282	6	24	7	17			9	4	5
431	Ripley county	295	164	23	11	21	8			63	5	
432	Rush county	287	223	7	14	6	7	1		11	6	12
433	St. Joseph county	862	347	176	41	51	22	3		186	23	13
434	Scott county	155	121	1	6	2	12	2		5	6	
435	Shelby county	336	257	6	19	13	14	1		11	9	6
436	Spencer county	371	240	11	32	5	8			45	9	21
437	Starke county	124	71	8	12	7	7	1		16	2	
438	Steuben county	174	124	5	18	8	9			7	3	
439	Sullivan county	360	260	7	31	9	32			5	13	3
440	Switzerland county	175	123	7	15	6	9	1		7	4	3
441	Tippecanoe county	245	155	6	31	8	8			25	10	2
442	Tipton county	273	217	4	25	5	12			4	4	2
443	Union county	93	64	2	10	3	3	1		8		2
444	Vanderburg county	217	65	24	25	11	9	1		55	14	13
445	Vermilion county	188	134	13	13	9	8	1		6	1	3
446	Vigo county	314	206	8	22	6	17	5		22	18	10
447	Wabash county	324	237	17	18	11	19	1		16	2	3
448	Warren county	129	96	1	14	5	6			3	4	
449	Warrick county	430	299	10	32	13	6	1		37	9	23
450	Washington county	300	264	3	14	3	7			6	3	
451	Wayne county	331	236	6	34	7	11	3		19	9	6
452	Wells county	283	204	12	21	8	13	7		16	2	
453	White county	204	135	7	24	7	12			11	8	
454	Whitley county	209	138	7	24	9	12			16	2	1
	MAINE RURAL.											
455	Androscoggin county	1,016	434	229	46	58	33	5		196	13	2
456	Aroostook county	762	318	98	26	140	12	2		164	2	
457	Cumberland county	871	612	87	26	53	27	2		52	10	2
458	Franklin county	321	218	18	30	16	18			14	6	1
459	Hancock county	535	426	3	23	28	21	1		20	12	1
460	Kennebec county	874	585	62	45	39	14			111	14	4
461	Knox county	374	299	10	16	14	6			23	5	1
462	Lincoln county	303	248	1	16	11	12	1		6	7	1
463	Oxford county	554	411	27	40	21	23	1		26	4	1
464	Penobscot county	849	540	48	56	58	26	2		77	27	15
465	Piscataquis county	253	184	10	19	14	4			17	5	
466	Sagadahoc county	172	130	8	6	4	7			14	3	
467	Somerset county	508	366	21	34	31	19	1		30	5	1
468	Waldo county	438	359	8	31	14	12			11	3	
469	Washington county	739	364	58	36	109	24	2		135	11	
470	York county	938	678	65	42	45	33			63	12	

NATIVITY, PARENT NATIVITY, AND MONTH: 1900—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
29	26	30	24	20	13	28	31	28	21	13	33	.....	393
18	21	26	19	20	19	23	25	25	22	17	17	.....	394
40	43	32	32	30	23	22	32	38	22	24	29	.....	395
40	33	35	41	35	28	30	43	27	33	25	38	.....	396
25	36	38	24	24	18	23	34	28	26	15	32	.....	397
41	32	40	26	34	27	38	35	42	37	34	36	.....	398
22	14	23	16	12	7	15	15	18	11	14	9	.....	399
30	19	34	41	29	11	30	40	33	37	25	23	.....	400
26	38	42	54	31	25	18	40	29	38	30	19	.....	401
24	22	30	21	17	12	19	16	22	17	18	10	.....	402
18	20	28	24	30	11	28	28	16	24	11	22	.....	403
30	41	29	35	27	19	27	42	30	42	39	40	.....	404
19	25	35	27	29	19	17	24	23	34	30	28	.....	405
10	15	28	26	15	11	7	17	9	14	6	9	.....	406
53	43	44	38	34	29	25	29	25	45	32	46	.....	407
29	21	28	23	24	18	18	26	26	32	23	25	.....	408
42	25	51	42	24	21	33	31	30	40	30	34	.....	409
97	82	95	112	98	55	100	94	75	91	73	71	.....	410
40	22	46	36	36	18	31	14	16	17	23	17	1	411
30	29	27	37	39	13	20	25	35	23	25	29	.....	412
18	18	25	18	19	13	19	18	20	14	23	29	.....	413
26	20	30	24	16	14	23	23	17	20	18	12	.....	414
36	21	39	31	17	14	31	34	25	26	16	28	.....	415
43	39	44	41	30	18	36	27	33	31	39	35	.....	416
31	31	29	26	21	23	20	36	26	27	27	15	.....	417
9	8	15	14	13	10	8	4	11	12	9	7	.....	418
23	22	24	27	25	19	24	29	24	29	25	23	.....	419
6	6	7	9	9	3	5	10	4	6	5	5	.....	420
14	17	38	32	18	9	22	23	18	23	18	17	.....	421
22	12	16	20	17	10	15	21	27	16	12	19	.....	422
25	26	19	28	23	10	18	30	21	22	20	19	.....	423
27	25	29	29	24	11	18	24	17	21	15	31	.....	424
31	27	43	32	21	17	22	39	23	29	14	27	.....	425
22	21	33	30	25	15	14	20	13	21	15	22	.....	426
43	32	35	43	23	25	27	30	39	25	31	35	.....	427
14	19	15	16	13	5	7	9	20	15	9	14	.....	428
18	17	33	32	18	16	21	21	31	27	12	31	.....	429
25	28	38	29	28	18	41	31	31	38	27	20	.....	430
40	28	28	24	27	15	15	27	31	21	18	21	.....	431
27	25	26	24	21	22	23	30	28	20	18	23	.....	432
70	65	75	80	60	61	59	85	91	65	69	82	.....	433
10	18	15	11	7	5	13	16	19	17	13	11	.....	434
38	34	34	37	26	29	37	33	23	24	11	10	.....	435
33	23	35	33	25	29	39	25	30	32	38	29	.....	436
9	12	19	5	7	8	2	15	20	7	9	10	1	437
8	18	13	22	13	10	14	19	19	12	11	15	.....	438
22	23	30	33	29	15	32	44	29	41	43	19	.....	439
8	10	24	14	21	10	10	14	20	14	17	13	.....	440
22	20	26	21	12	10	19	25	18	26	22	24	.....	441
17	22	23	22	22	18	22	29	29	23	21	25	.....	442
11	6	8	11	9	6	8	6	9	7	5	7	.....	443
16	9	21	15	12	7	21	27	17	28	28	15	1	444
15	13	19	17	16	8	17	23	8	16	17	19	.....	445
23	35	29	36	24	22	20	33	15	31	18	28	.....	446
17	31	35	36	31	14	17	30	28	34	23	28	.....	447
8	12	15	14	12	6	7	12	10	8	17	8	.....	448
36	36	47	41	38	34	26	37	39	33	38	25	.....	449
27	31	25	37	24	9	21	28	13	26	30	29	.....	450
34	26	46	30	27	24	17	27	29	22	27	22	.....	451
19	30	29	24	18	10	21	23	27	30	25	27	.....	452
26	19	21	19	16	4	14	16	14	18	19	18	.....	453
27	15	24	17	19	8	23	9	29	10	14	14	.....	454
87	80	82	89	97	77	66	120	81	81	62	94	.....	455
59	57	88	60	94	50	57	73	70	58	46	50	.....	456
63	57	83	86	94	69	74	76	90	53	58	68	.....	457
29	19	32	39	34	24	26	26	20	29	22	21	.....	458
51	35	42	55	61	32	33	45	56	45	42	38	.....	459
68	68	84	121	104	62	51	46	85	71	58	55	1	460
24	31	39	48	49	23	26	33	23	28	27	23	.....	461
29	27	25	44	28	21	16	20	32	21	20	20	.....	462
41	46	39	56	45	44	43	48	50	47	52	40	3	463
66	65	97	87	87	47	50	79	70	73	56	72	.....	464
27	21	20	27	27	19	11	21	21	19	22	18	.....	465
14	9	23	17	21	13	9	15	15	9	12	15	.....	466
33	38	40	52	58	42	43	35	45	44	29	49	.....	467
40	43	56	51	49	25	30	28	23	35	34	24	.....	468
62	57	87	65	63	58	54	68	86	77	29	43	.....	469
71	63	101	130	75	55	56	95	76	80	66	70	.....	470

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	MASSACHUSETTS RURAL.											
471	Barnstable county	586	388	46	22	29	18	3	.....	66	6	8
472	Berkshire county	606	273	51	82	26	25	2	.....	122	10	15
473	Bristol county	731	397	108	41	41	23	8	.....	109	2	2
474	Dukes county	83	48	9	3	3	4	3	.....	9	2	2
475	Essex county	1,097	574	146	61	59	35	5	.....	195	18	4
476	Franklin county	642	337	68	65	30	35	4	.....	92	9	2
477	Hampden county	734	265	170	59	63	25	3	.....	127	21	1
478	Hampshire county	564	266	79	39	25	24	3	.....	111	14	3
479	Middlesex county	1,867	721	271	74	119	56	8	.....	579	26	13
480	Nantucket county	61	42	4	3	5	3	.....	.....	4	.....	.....
481	Norfolk county	1,345	594	204	66	88	42	12	.....	321	12	6
482	Plymouth county	1,094	598	105	79	63	38	1	.....	182	20	8
483	Suffolk county	45	20	3	3	4	4	.....	.....	10	.....	1
484	Worcester county	2,319	966	358	127	207	111	17	.....	504	26	3
	MICHIGAN RURAL.											
485	Alcona county	53	10	11	2	5	.....	1	.....	23	1	.....
486	Alger county	42	8	17	1	6	.....	.....	.....	9	1	.....
487	Allegan county	452	235	42	27	22	12	2	.....	95	10	7
488	Alpena county	286	45	102	5	48	4	.....	.....	81	1	.....
489	Antrim county	277	138	34	14	30	11	2	.....	44	2	2
490	Arenac county	121	49	21	2	21	4	1	.....	15	3	5
491	Baraga county	38	5	11	.....	4	.....	.....	.....	11	1	6
492	Barry county	278	184	7	20	12	8	2	.....	37	7	1
493	Bay county	267	69	56	4	44	2	.....	.....	86	2	4
494	Benzie county	125	58	19	13	11	2	.....	.....	16	5	1
495	Berrien county	605	319	62	31	34	26	3	.....	114	15	1
496	Branch county	410	280	23	34	13	13	2	.....	36	9	.....
497	Calhoun county	406	268	29	9	19	11	.....	.....	51	10	9
498	Cass county	300	201	7	22	11	15	1	.....	18	10	15
499	Charlevoix county	202	82	24	6	28	5	1	.....	35	6	15
500	Cheboygan county	227	67	54	6	36	4	1	.....	49	6	4
501	Chippewa county	93	7	22	1	8	.....	1	.....	48	.....	6
502	Clare county	100	43	10	5	13	1	.....	.....	24	2	2
503	Clinton county	328	135	25	11	32	10	.....	.....	52	2	1
504	Crawford county	25	11	4	2	2	.....	.....	.....	5	1	.....
505	Delta county	172	33	66	2	25	2	1	.....	37	6	.....
506	Dickinson county	112	11	55	1	8	.....	.....	.....	35	1	1
507	Eaton county	407	269	14	39	20	24	1	.....	28	11	1
508	Emmet county	230	116	23	11	24	1	1	.....	30	5	19
509	Genesee county	404	224	18	26	34	13	2	.....	77	8	2
510	Gladwin county	74	31	6	3	14	1	.....	.....	18	1	.....
511	Gogebic county	94	7	44	1	2	.....	.....	.....	39	1	.....
512	Grand Traverse county	155	80	10	9	20	11	1	.....	20	2	2
513	Gratiot county	405	253	15	28	37	19	6	.....	44	2	1
514	Hillsdale county	411	292	13	31	18	17	1	.....	34	4	1
515	Houghton county	965	92	404	6	99	1	1	.....	353	9	.....
516	Huron county	365	56	90	2	51	4	2	.....	160	.....	.....
517	Ingham county	339	216	19	12	29	9	5	.....	37	11	1
518	Ionia county	507	320	25	23	42	13	3	.....	72	6	3
519	Iosco county	119	32	31	3	14	2	1	.....	33	2	1
520	Iron county	79	6	29	2	12	.....	1	.....	26	3	.....
521	Isabella county	304	141	27	18	34	7	.....	.....	45	11	21
522	Jackson county	274	163	18	15	18	13	1	.....	41	5	.....
523	Kalamazoo county	281	151	28	17	23	9	.....	.....	43	8	2
524	Kalkaska county	107	64	8	7	12	6	.....	.....	7	2	1
525	Kent county	644	284	69	69	39	12	4	.....	156	9	2
526	Keweenaw county	48	2	24	1	6	.....	2	.....	13	.....	.....
527	Lake county	62	30	1	4	7	4	.....	.....	12	2	2
528	Lapeer county	363	157	30	16	41	11	1	.....	103	3	1
529	Leelanau county	158	49	26	2	17	2	2	.....	37	1	22
530	Lenawee county	698	426	54	24	54	22	5	.....	104	4	5
531	Livingston county	255	150	11	20	20	8	1	.....	38	7	.....
532	Luce county	37	1	9	1	5	2	.....	.....	16	3	.....
533	Mackinac county	87	27	15	3	10	1	1	.....	19	2	9
534	Macomb county	519	224	64	9	49	8	4	.....	157	4	.....
535	Manistee county	382	86	124	12	42	4	4	.....	103	6	1
536	Marquette county	255	25	96	2	31	1	.....	.....	98	1	1
537	Mason county	266	93	62	7	25	4	1	.....	58	2	14
538	Mecosta county	270	121	37	16	24	6	1	.....	52	7	6
539	Menominee county	138	37	43	3	14	.....	.....	.....	39	1	1
540	Midland county	201	91	31	11	29	3	.....	.....	33	1	.....
541	Missaukee county	102	36	23	2	17	2	.....	.....	21	1	.....
542	Monroe county	466	236	48	25	43	7	.....	.....	101	4	2
543	Montcalm county	456	238	41	39	37	16	4	.....	70	10	1
544	Montmorency county	28	5	2	.....	10	1	.....	.....	10	.....	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1900—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
39	43	91	59	49	43	31	37	71	49	36	38	.....	471
61	37	57	64	53	42	49	53	54	58	32	46	.....	472
73	55	98	100	46	44	47	48	58	58	49	55	.....	473
4	3	3	9	4	9	8	12	8	13	4	6	.....	474
98	88	118	110	85	73	92	116	87	67	64	99	.....	475
55	45	68	70	60	43	39	67	56	56	42	40	1	476
58	46	68	78	72	37	71	73	84	47	59	40	1	477
43	43	60	73	42	51	35	58	36	39	31	53	.....	478
132	145	226	170	136	139	146	173	151	156	147	126	.....	479
7	6	6	3	6	5	1	8	6	7	2	4	.....	480
137	96	169	139	125	84	102	142	125	74	73	79	.....	481
91	95	135	111	72	70	72	97	118	76	73	84	.....	482
3	3	6	5	2	6	2	5	6	3	3	1	.....	483
207	173	215	249	185	163	179	273	215	157	137	166	.....	484
3	3	3	8	8	4	4	4	6	3	2	5	.....	485
3	8	4	3	4	3	3	5	7	1	1	.....	.....	486
46	36	41	49	39	19	41	35	46	30	36	34	.....	487
24	24	26	16	34	25	26	41	23	15	19	13	.....	488
25	16	29	21	17	26	21	33	26	26	16	21	.....	489
9	7	6	14	15	6	9	12	11	13	7	12	.....	490
4	3	3	6	2	2	2	2	8	1	1	4	.....	491
27	30	23	26	29	30	13	22	26	29	17	16	.....	492
21	28	19	28	23	16	14	24	39	27	13	15	.....	493
5	11	15	11	12	5	7	10	23	13	2	11	.....	494
55	43	60	63	49	41	44	53	46	53	42	56	.....	495
34	27	37	60	33	26	33	30	43	37	28	22	.....	496
32	46	54	34	33	33	30	22	28	34	28	32	.....	497
26	18	37	35	31	17	14	30	25	20	28	19	.....	498
14	12	14	31	13	19	13	24	23	16	12	11	.....	499
22	12	25	19	24	13	11	25	26	18	13	18	1	500
8	10	6	11	1	11	5	8	6	10	8	9	.....	501
6	8	6	9	14	8	8	11	9	10	5	6	.....	502
32	28	33	24	25	24	18	26	38	34	23	23	.....	503
.....	.....	1	5	4	1	.....	2	3	2	6	1	.....	504
15	12	13	18	12	8	4	21	33	19	11	6	.....	505
14	9	13	9	14	11	8	7	7	7	6	7	.....	506
26	39	37	33	29	30	29	30	46	35	33	40	.....	507
9	19	26	14	16	14	23	27	25	25	16	16	.....	508
22	26	38	35	39	25	35	25	38	38	41	42	.....	509
7	9	4	10	9	5	5	10	6	5	1	3	.....	510
8	9	7	2	12	5	9	9	13	4	7	9	.....	511
15	9	16	13	9	16	6	14	21	11	9	16	.....	512
27	37	29	37	42	29	22	28	40	44	39	31	.....	513
39	33	43	38	27	29	28	30	38	38	36	32	.....	514
72	80	76	84	101	71	56	124	115	61	53	72	.....	515
28	39	38	30	38	21	22	30	33	39	24	23	.....	516
31	19	44	30	32	24	22	27	38	29	15	28	.....	517
42	43	55	43	50	32	24	46	53	49	36	34	.....	518
11	18	3	15	5	10	5	11	13	9	5	14	.....	519
3	10	6	8	8	1	6	7	7	4	11	7	1	520
21	33	31	25	26	14	13	23	43	30	22	23	.....	521
26	28	26	25	18	20	19	21	21	26	24	20	.....	522
19	22	23	46	30	11	23	16	32	21	17	21	.....	523
9	6	9	7	14	9	.....	11	16	9	4	4	.....	524
60	45	62	67	51	47	50	37	57	48	60	51	.....	525
3	5	3	7	3	.....	3	5	4	7	4	4	.....	526
6	5	8	4	5	3	5	5	7	1	7	6	.....	527
27	25	35	34	32	17	20	36	42	34	25	36	.....	528
11	19	12	19	23	11	10	11	15	11	5	11	.....	529
70	55	66	53	69	46	49	39	71	67	57	56	.....	530
25	29	31	27	28	19	11	15	13	22	18	17	.....	531
.....	3	2	8	3	4	3	4	3	3	.....	4	.....	532
2	10	4	4	18	5	6	14	10	5	6	3	.....	533
34	50	56	47	45	38	48	37	50	42	37	35	.....	534
34	36	47	31	35	23	25	34	34	32	24	27	.....	535
18	17	27	24	27	25	16	21	29	14	17	20	.....	536
15	24	30	26	19	19	19	21	30	28	16	19	.....	537
16	24	26	26	29	17	14	24	26	29	20	19	.....	538
9	13	19	11	11	9	8	8	18	7	11	14	.....	539
17	12	30	13	21	17	7	15	19	17	10	23	.....	540
8	15	10	6	10	13	6	8	6	6	5	9	.....	541
44	37	44	32	46	32	33	43	53	37	20	35	.....	542
47	52	37	35	33	28	30	44	43	44	30	33	.....	543
3	1	3	2	6	3	1	2	1	3	.....	3	.....	544

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	MICHIGAN RURAL—Continued.											
545	Muskegon county	209	81	35	10	17	5	3		56	1	1
546	Newaygo county	223	114	18	11	24	3	2		46	5	
547	Oakland county	498	283	29	31	28	11	1		106	8	1
548	Oceana county	216	97	25	13	18	8			44	4	7
549	Ogemaw county	101	36	18	7	13	4	1		19	2	1
550	Ontonagon county	58	11	17	1	6	1	1		18	3	
551	Osceola county	257	103	31	20	28	9	1		62	3	
552	Oscoda county	13	7		1	2				2	1	
553	Otsego county	83	32	18	2	14	1	1		11	3	1
554	Ottawa county	532	148	103	19	48	3	1		206	4	
555	Presque Isle county	72	16	20	1	11				22	2	
556	Roscommon county	16	8	1						7		
557	Saginaw county	460	147	70	16	50	11	4		157	3	2
558	St. Clair county	481	154	67	5	64	2			181	7	1
559	St. Joseph county	334	199	19	8	32	11	1		57	4	3
560	Sanilac county	426	73	80	4	50	5	2		210	2	
561	Schoolcraft county	106	18	37	3	9	2	1		35	1	
562	Shiawassee county	347	193	36	14	30	9	1		57	6	1
563	Tuscola county	485	213	54	16	62	15	2		119	3	1
564	Van Buren county	461	206	29	23	34	10	8		46	9	6
565	Washtenaw county	439	216	47	8	29	11	2		116	1	9
566	Wayne county	1,045	316	187	35	105	12	15		344	9	22
567	Wexford county	271	138	39	11	35	7	2		36	3	
	NEW HAMPSHIRE RURAL.											
568	Belknap county	227	111	7	39	7	19			15	29	
569	Carroll county	306	179	6	50	11	24	1		11	24	
570	Cheshire county	366	178	38	45	13	18	1		52	21	
571	Coos county	231	95	17	28	13	9	2		34	33	
572	Grafton county	718	331	31	121	41	53	5		70	65	1
573	Hillsboro county	569	260	52	71	30	39			60	56	1
574	Merrimack county	704	335	85	86	42	40	4		84	28	
575	Rockingham county	758	434	50	92	22	45			61	53	1
576	Strafford county	345	151	76	34	11	16	1		46	10	
577	Sullivan county	326	155	17	64	14	21	3		31	21	
	NEW JERSEY RURAL.											
578	Atlantic county	281	138	42	18	8	5	1		53	4	12
579	Bergen county	1,265	484	247	43	77	10	11		310	21	62
580	Burlington county	1,021	659	57	46	28	4	3		124	18	82
581	Camden county	500	243	47	26	22	3	2		86	7	64
582	Cape May county	192	134	10	6	4	2			13	1	22
583	Cumberland county	375	251	23	23	6	7			31	3	31
584	Essex county	992	409	167	62	70	5	5		223	2	49
585	Gloucester county	472	298	36	24	16	6	1		56	7	28
586	Hudson county	1,233	228	310	84	103	4	5		475	11	13
587	Hunterdon county	522	409	14	15	15	10	1		37	8	13
588	Mercer county	314	177	17	35	6	7			40	1	30
589	Middlesex county	646	237	142	17	46	12	2		165	10	15
590	Monmouth county	1,340	777	102	46	38	18	9		167	21	162
591	Morris county	812	450	90	48	41	7	2		154	9	11
592	Ocean county	267	204	13	12	15	1			14	3	5
593	Passaic county	308	135	62	12	11	3	1		76	2	6
594	Salem county	374	265	8	15	6	3			20	11	46
595	Somerset county	464	249	54	8	23	10	2		88	6	24
596	Sussex county	375	329	10	12	3	2			17		2
597	Union county	493	209	63	58	27	7			101	3	25
598	Warren county	410	301	23	15	6	12	2		32	8	11
	NEW YORK RURAL.											
599	Albany county	557	333	65	32	30	2			88	6	1
600	Allegany county	567	352	34	74	15	16	1		60	11	4
601	Broome county	481	298	14	87	12	28	1		31	7	3
602	Cattaraugus county	752	368	75	86	49	34	6		113	11	10
603	Cayuga county	558	328	35	58	23	25			79	6	4
604	Chautauqua county	732	431	56	94	30	16	4		107	12	2
605	Chemung county	266	167	15	26	9	8	3		34	4	
606	Chenango county	674	485	27	61	21	20			49	8	3
607	Clinton county	648	328	69	41	52	14	2		136	6	
608	Columbia county	597	338	32	75	26	23			73	17	13
609	Cortland county	290	189	18	37	5	10			27	2	2
610	Delaware county	681	463	35	61	27	33	2		47	7	6
611	Dutchess county	1,019	579	107	63	27	23	4		165	16	35
612	Erie county	1,130	420	181	68	82	18	9		314	11	27
613	Essex county	445	257	35	39	22	14	2		68	7	1
614	Franklin county	623	314	75	29	39	9	3		111	8	15
615	Fulton county	222	147	9	25	6	13			19	3	
616	Genesee county	571	265	68	38	33	13	3		140	6	5
617	Greene county	589	376	39	60	19	20	2		54	8	11
618	Hamilton county	67	41	6	5	1	3			8	2	1

NATIVITY, PARENT NATIVITY, AND MONTH: 1900—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
15	18	26	22	16	18	15	18	21	15	14	11	.....	545
16	20	26	18	16	16	21	17	24	19	16	14	.....	546
45	46	36	55	55	46	36	28	40	36	38	37	.....	547
16	11	18	23	21	12	17	15	25	21	17	20	.....	548
4	6	15	8	13	6	5	8	8	10	12	6	.....	549
6	9	12	6	7	1	3	6	4	2	.....	2	.....	550
19	25	27	18	29	15	13	19	33	21	18	20	.....	551
1	.....	5	3	3	.....	.....	.....	1	.....	.....	.....	.....	552
5	5	8	10	11	3	3	3	10	9	6	10	.....	553
61	42	58	54	55	30	38	42	48	33	28	43	.....	554
6	6	7	10	12	3	3	7	4	4	5	5	.....	555
1	1	1	.....	3	1	2	1	.....	2	2	2	.....	556
43	31	42	39	36	32	28	42	45	47	39	36	.....	557
55	43	55	43	32	24	39	43	40	30	42	35	.....	558
28	23	30	35	28	29	17	26	34	27	27	30	.....	559
34	45	46	40	36	27	25	33	46	36	29	29	.....	560
11	7	7	7	13	4	8	10	16	3	11	9	.....	561
30	25	31	28	28	26	25	21	34	30	40	29	.....	562
34	46	56	50	35	29	31	36	47	53	29	39	.....	563
36	36	47	63	40	28	35	40	32	41	33	30	.....	564
31	49	50	41	57	25	27	23	42	32	28	34	.....	565
98	87	104	98	96	70	83	87	82	81	68	91	.....	566
15	17	22	33	20	12	18	28	36	29	23	18	.....	567
16	18	23	42	23	15	15	15	17	13	14	16	.....	568
23	22	35	39	33	22	16	31	30	19	12	24	.....	569
25	29	50	46	29	29	21	30	31	35	19	22	.....	570
17	13	18	28	22	24	15	11	20	18	27	18	.....	571
68	49	57	82	66	48	47	46	64	57	71	63	.....	572
48	44	57	71	38	46	45	40	44	43	47	46	.....	573
57	51	78	98	44	53	50	53	62	59	47	52	.....	574
65	51	93	80	67	56	72	72	55	49	53	45	.....	575
36	29	42	50	28	22	27	23	30	22	20	25	.....	576
33	27	25	30	34	21	20	35	28	29	21	23	.....	577
19	16	23	36	23	18	28	26	20	24	20	28	.....	578
113	113	121	116	130	70	149	119	105	74	74	81	.....	579
80	81	120	143	74	58	102	78	81	72	65	67	.....	580
44	42	47	51	33	35	71	35	33	30	47	32	.....	581
14	18	14	20	15	7	28	26	18	13	6	13	.....	582
25	46	35	38	31	25	36	27	31	30	28	23	.....	583
92	82	109	86	83	67	101	102	68	80	56	66	.....	584
47	37	55	30	37	28	57	38	38	40	34	31	.....	585
94	96	130	123	99	100	155	104	77	90	68	97	.....	586
46	56	61	80	41	20	34	39	43	29	28	45	.....	587
45	31	46	33	25	12	32	17	24	13	18	18	.....	588
58	45	65	64	58	34	76	55	45	39	39	68	.....	589
104	92	121	125	101	77	165	181	125	90	82	76	1	590
76	66	105	92	78	35	79	77	64	53	45	42	.....	591
24	31	29	28	17	8	18	29	31	16	13	23	.....	592
26	28	38	27	31	18	28	29	27	18	17	21	.....	593
26	37	37	49	31	7	47	32	34	24	26	24	.....	594
44	36	53	45	44	34	52	38	27	30	30	31	.....	595
25	43	59	52	28	14	27	33	30	28	17	19	.....	596
49	37	56	40	37	38	64	31	38	33	32	38	.....	597
38	38	43	40	30	21	32	47	35	28	25	33	.....	598
53	43	70	67	38	35	45	61	38	37	33	37	.....	599
61	42	60	51	64	23	30	56	59	51	32	38	.....	600
45	35	43	63	54	31	27	37	36	32	34	44	.....	601
59	68	66	84	69	51	54	59	63	60	57	62	.....	602
46	47	59	55	51	39	40	56	50	44	31	40	.....	603
69	54	75	86	71	50	49	64	67	59	54	54	.....	604
26	23	29	22	25	17	18	27	25	18	24	12	.....	605
63	45	79	66	58	51	54	51	52	40	52	63	.....	606
72	60	62	95	63	31	35	55	69	46	33	26	1	607
51	43	76	71	46	39	45	54	51	37	46	37	1	608
18	15	25	27	27	19	21	24	32	23	24	33	2	609
51	45	86	71	69	51	49	57	48	58	53	43	.....	610
92	85	99	94	85	72	72	89	105	77	74	75	.....	611
69	103	116	119	94	79	98	123	105	68	67	88	1	612
31	25	38	57	47	36	38	37	40	35	26	35	.....	613
37	49	61	41	55	41	40	70	58	52	57	62	.....	614
15	18	22	25	21	12	14	22	22	18	14	19	.....	615
42	50	53	57	60	42	41	50	49	35	48	44	.....	616
46	38	52	65	57	35	48	73	49	45	44	36	1	617
3	6	11	8	8	4	2	8	8	3	4	2	.....	618

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	NEW YORK RURAL—Continued.											
619	Herkimer county	750	381	80	67	43	35	6	.....	123	11	4
620	Jefferson county	853	502	64	70	63	19	5	.....	112	15	3
621	Lewis county	397	194	33	24	29	18	1	.....	92	6	.....
622	Livingston county	491	250	52	48	18	9	.....	.....	110	4	.....
623	Madison county	595	332	39	93	19	27	.....	.....	66	14	5
624	Monroe county	787	326	101	48	55	15	4	.....	224	9	5
625	Montgomery county	343	191	29	31	14	17	2	.....	47	11	1
626	Nassau county	770	350	92	54	50	15	3	.....	138	16	52
627	Niagara county	551	253	59	29	50	11	4	.....	132	5	8
628	Oneida county	957	480	97	69	62	30	4	.....	204	10	1
629	Onondaga county	917	493	95	68	30	16	2	.....	184	17	12
630	Ontario county	562	290	52	32	43	15	2	.....	112	12	4
631	Orange county	863	484	72	81	38	23	4	.....	113	16	32
632	Orleans county	451	200	63	48	28	16	4	.....	84	3	5
633	Oswego county	1,342	701	120	147	76	36	6	.....	238	17	1
634	Otsego county	762	503	21	99	21	44	1	.....	48	21	4
635	Putnam county	245	132	17	22	16	9	3	.....	35	10	1
636	Rensselaer county	794	355	89	76	50	33	2	.....	175	12	2
637	Rockland county	584	260	88	43	33	20	1	.....	104	15	20
638	St. Lawrence county	1,271	612	156	76	106	31	5	.....	260	18	7
639	Saratoga county	779	349	73	109	53	32	2	.....	135	26	.....
640	Schenectady county	214	104	44	16	10	8	.....	.....	29	3	.....
641	Schoharie county	451	358	3	30	8	11	1	.....	30	5	5
642	Schuyler county	257	169	13	20	13	10	.....	.....	27	2	3
643	Seneca county	482	256	43	51	14	17	1	.....	93	5	2
644	Steuben county	1,045	569	56	160	32	35	1	.....	161	26	5
645	Suffolk county	1,279	553	115	128	57	34	3	.....	303	35	51
646	Sullivan county	574	271	64	43	31	16	6	.....	124	17	2
647	Tioga county	479	312	19	58	10	25	1	.....	34	9	11
648	Tompkins county	317	223	11	38	6	18	2	.....	16	3	.....
649	Ulster county	1,015	652	69	76	38	23	2	.....	130	10	15
650	Warren county	272	180	8	32	12	10	.....	.....	18	12	.....
651	Washington county	750	401	55	79	39	35	2	.....	125	12	2
652	Wayne county	753	388	71	56	43	24	3	.....	147	16	5
653	Westchester county	1,508	603	272	75	101	25	3	.....	372	14	43
654	Wyoming county	413	241	32	26	17	10	2	.....	82	2	1
655	Yates county	293	193	11	34	11	6	1	.....	30	6	1
	RHODE ISLAND RURAL.											
656	Bristol county	297	112	73	13	25	1	.....	.....	70	3	.....
657	Kent county	709	290	195	9	50	.....	2	.....	144	10	9
658	Newport county	183	129	22	4	2	2	.....	.....	21	1	2
659	Providence county	1,383	531	294	34	83	6	5	.....	384	21	25
660	Washington county	430	284	43	10	19	3	.....	.....	44	9	18
	VERMONT RURAL.											
661	Addison county	342	.....	.....	.....	.....	.....	.....	295	36	6	5
662	Bennington county	238	.....	.....	.....	.....	.....	.....	210	25	3	.....
663	Caledonia county	413	.....	.....	.....	.....	.....	.....	351	53	9	.....
664	Chittenden county	347	.....	.....	.....	.....	.....	.....	277	65	5	.....
665	Essex county	120	.....	.....	.....	.....	.....	.....	91	24	5	.....
666	Franklin county	463	.....	.....	.....	.....	.....	.....	365	83	15	.....
667	Grand Isle county	63	.....	.....	.....	.....	.....	.....	50	11	2	.....
668	Lamoille county	178	.....	.....	.....	.....	.....	.....	157	15	6	.....
669	Orange county	295	.....	.....	.....	.....	.....	.....	274	14	7	.....
670	Orleans county	321	.....	.....	.....	.....	.....	.....	243	70	8	.....
671	Rutland county	525	.....	.....	.....	.....	.....	.....	410	91	21	3
672	Washington county	500	.....	.....	.....	.....	.....	.....	425	63	12	.....
673	Windham county	507	.....	.....	.....	.....	.....	.....	453	39	14	1
674	Windsor county	558	.....	.....	.....	.....	.....	.....	505	42	10	1

NATIVITY, PARENT NATIVITY, AND MONTH: 1900—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
59	47	66	97	64	51	56	77	68	70	51	44	.....	619
69	71	91	107	74	46	55	79	75	77	54	55	.....	620
39	28	39	32	35	34	31	40	32	41	25	21	.....	621
48	47	63	51	48	25	22	28	52	42	25	40	.....	622
49	56	54	61	51	43	50	50	51	40	40	50	.....	623
68	63	73	78	75	57	73	86	46	48	54	66	.....	624
13	30	34	27	33	31	31	25	44	25	22	28	.....	625
44	48	78	69	61	65	86	91	58	58	60	51	1	626
48	42	50	61	59	35	51	53	43	41	34	34	.....	627
85	84	79	88	73	77	73	89	94	69	68	78	.....	628
65	83	88	95	77	62	74	98	77	76	52	70	.....	629
45	53	61	59	49	42	33	47	60	41	27	44	1	630
82	84	101	79	71	62	56	76	81	61	53	57	.....	631
34	35	48	39	34	28	40	44	54	35	24	36	.....	632
94	113	140	136	134	104	96	117	107	103	89	109	.....	633
59	58	54	82	66	64	51	54	80	67	60	67	.....	634
18	24	21	25	20	23	24	21	26	23	11	9	.....	635
62	65	92	68	68	58	70	54	53	62	66	76	.....	636
49	30	63	63	41	31	51	62	60	51	34	49	.....	637
108	98	131	136	124	85	82	115	95	99	92	106	.....	638
68	63	85	73	60	55	60	54	65	75	56	65	.....	639
20	16	19	23	13	6	19	25	21	20	12	20	.....	640
44	28	33	42	51	26	33	27	46	45	38	38	.....	641
21	18	24	34	18	14	22	19	25	18	22	22	.....	642
35	49	44	48	54	29	35	45	48	33	27	35	.....	643
85	78	110	136	96	79	57	91	89	78	61	85	.....	644
102	104	152	118	104	92	124	121	110	92	76	82	2	645
35	52	55	57	46	43	48	55	53	44	38	48	.....	646
47	38	48	66	51	28	35	40	43	27	20	36	.....	647
21	34	31	35	29	26	16	22	27	25	28	23	.....	648
66	64	92	129	89	77	85	115	91	79	62	66	.....	649
24	28	33	25	33	14	22	20	15	20	20	17	1	650
60	53	83	65	57	41	56	62	77	55	72	67	2	651
77	58	71	67	73	55	53	56	83	63	53	43	1	652
125	116	134	123	126	106	163	146	116	134	96	123	.....	653
33	39	45	35	29	26	22	41	40	28	39	36	.....	654
27	22	23	30	35	25	17	20	25	27	12	30	.....	655
25	22	27	23	20	18	28	37	25	24	26	22	.....	656
45	67	66	110	47	46	57	81	56	44	45	45	.....	657
13	6	18	27	11	15	19	19	17	9	15	14	.....	658
111	125	152	139	92	81	132	137	108	98	81	127	.....	659
43	47	43	39	27	32	23	34	47	35	37	23	.....	660
30	31	33	33	37	29	12	25	31	24	29	28	.....	661
33	12	27	35	23	13	16	17	19	9	13	21	.....	662
28	36	48	45	38	26	32	37	43	29	21	30	.....	663
33	22	33	36	48	28	20	36	23	26	20	22	.....	664
16	9	14	9	13	6	8	7	8	15	7	8	.....	665
42	34	63	48	36	26	28	46	35	35	31	38	1	666
3	2	5	6	8	7	4	11	5	4	.....	8	.....	667
15	12	26	19	19	8	16	9	16	10	14	14	.....	668
37	17	35	40	28	19	12	27	20	19	14	27	.....	669
35	33	33	36	28	21	17	23	26	19	25	25	.....	670
46	43	52	60	51	30	40	35	47	44	36	41	.....	671
36	44	39	55	50	35	42	39	39	36	42	43	.....	672
50	38	66	86	45	25	33	34	38	25	34	33	.....	673
49	31	48	57	65	41	46	35	48	53	43	42	.....	674

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	SUMMARIES.											
1	The registration area	539,939	111,687	26,722	12,129	7,812	5,787	164,137	15,678	9,144	14,498	22,260
2	Registration cities	398,786	87,334	21,375	9,778	6,316	4,649	129,452	12,160	6,631	10,496	17,117
3	Registration states	343,217	71,117	16,866	7,439	4,691	3,416	103,529	9,242	5,423	8,746	13,013
4	Cities in registration states	202,064	46,764	11,519	5,088	3,195	2,278	68,844	5,724	2,910	4,744	7,870
5	Rural part of registration states	141,153	24,353	5,347	2,351	1,496	1,138	34,685	3,518	2,513	4,002	5,143
6	Registration cities in other states	196,722	40,570	9,856	4,690	3,121	2,371	60,608	6,436	3,721	5,752	9,247
	REGISTRATION STATES.											
7	Connecticut	16,366	3,520	663	302	174	153	4,812	388	221	377	555
8	District of Columbia	6,202	1,356	266	119	81	48	1,870	154	119	201	315
9	Indiana	35,712	6,616	1,815	858	496	375	10,160	1,143	798	1,390	1,691
10	Maine	11,882	2,087	411	187	120	80	2,885	256	175	349	431
11	Massachusetts	51,199	11,484	2,397	1,068	776	551	16,276	1,334	682	1,152	1,822
12	Michigan	33,973	7,217	1,469	610	375	290	9,961	969	689	1,074	1,386
13	New Hampshire	7,634	1,417	301	126	84	55	1,983	162	118	161	256
14	New Jersey	33,439	7,785	1,818	817	475	384	11,279	952	538	763	1,164
15	New York	132,352	26,755	7,059	3,050	1,928	1,345	40,137	3,552	1,892	2,910	4,888
16	Rhode Island	8,766	2,025	508	213	142	100	2,988	231	113	214	328
17	Vermont	5,692	855	159	89	40	35	1,178	101	78	155	177
	REGISTRATION CITIES.											
18	Adams town, Mass	190	76	13	6	3	3	101	1	2	5	10
19	Alameda, Cal	236	18	5	3	3	2	31	3	8	3	11
20	Albany, N. Y	1,794	281	48	39	22	19	409	54	32	48	81
21	Alexandria, Va	365	84	19	9	7	2	121	13	12	10	14
22	Allegheny, Pa	2,375	580	164	61	37	28	870	80	41	76	125
23	Allentown, Pa	637	136	30	20	10	10	206	25	10	18	37
24	Altoona, Pa	689	182	30	18	14	14	258	39	18	24	30
25	Amesbury town, Mass	147	22	7	3	1	1	34	7	1	4	4
26	Amsterdam, N. Y	310	64	9	8	3	5	89	9	9	9	15
27	Ann Arbor, Mich	201	19	2	2	2	.....	25	1	3	9	11
28	Annapolis, Md	236	78	15	12	2	2	109	6	3	10	7
29	Ansonia, Conn	261	81	19	5	5	1	111	6	5	8	12
30	Appleton, Wis	196	52	9	4	1	2	68	9	4	12	10
31	Arlington town, Mass	138	23	8	6	2	3	42	4	4	4	3
32	Ashtabula, Ohio	222	58	11	2	2	2	75	3	5	2	10
33	Atlanta, Ga	1,985	471	126	44	34	17	692	40	32	94	142
34	Atlantic City, N. J	481	122	28	11	7	6	174	14	4	13	16
35	Attleboro town, Mass	173	43	7	5	3	1	59	6	5	5	9
36	Auburn, N. Y	530	105	24	13	2	3	147	18	4	11	21
37	Augusta, Me	274	46	1	4	1	.....	52	1	2	6	11
38	Aurora, Ill	384	69	10	3	8	.....	90	11	11	10	25
39	Baltimore, Md	10,899	2,678	549	283	183	109	3,782	338	175	321	434
40	Bangor, Me	347	46	13	4	4	3	70	3	4	9	18
41	Barre, Vt	174	53	11	9	5	3	81	12	1	2	2
42	Bath, Me	180	43	8	5	3	1	60	4	.....	3	9
43	Battle Creek, Mich	271	29	9	6	3	.....	47	9	3	4	12
44	Bay City, Mich	373	93	18	16	7	4	138	15	13	15	23
45	Bayonne, N. J	555	189	58	15	7	7	276	22	4	9	17
46	Bellaire, Ohio	178	36	13	7	4	1	61	2	6	6	7
47	Belleville, Ill	267	47	9	2	4	3	65	18	4	9	6
48	Beloit, Wis	148	37	5	5	.....	.....	47	.....	6	2	3
49	Bennington town, Vt	123	22	1	3	.....	.....	26	1	1	2	7
50	Berlin, N. H	203	86	22	3	10	.....	121	7	2	3	11
51	Beverly, Mass	203	35	3	3	2	1	44	3	1	6	10
52	Biddeford, Me	366	121	21	10	2	5	159	10	2	17	14
53	Binghamton, N. Y	736	109	22	6	12	10	159	43	20	27	33
54	Boston, Mass	11,450	2,387	596	329	239	161	3,712	333	135	243	440
55	Bridgeport, Conn	1,257	308	77	36	18	14	453	36	15	31	57
56	Bridgeton, N. J	224	55	11	3	2	.....	71	3	7	9	3
57	Bristol town, Conn	152	27	13	8	1	2	51	3	2	2	8
58	Brockton, Mass	563	112	27	8	7	6	160	16	9	21	19
59	Brookline town, Mass	254	31	6	6	4	1	48	6	1	7	4
60	Buffalo, N. Y	5,155	1,379	301	108	58	45	1,891	140	82	109	153
61	Burlington, Iowa	344	45	2	6	2	2	57	7	11	12	22
62	Burlington, Vt	330	87	9	4	4	2	106	8	6	12	8
63	Cambridge, Mass	1,573	369	73	24	32	20	518	52	27	37	75
64	Camden, N. J	1,368	352	94	55	36	18	555	88	37	36	39
65	Canton, Ohio	360	92	12	6	1	4	115	14	7	8	9
66	Carbondale, Pa	273	66	14	8	7	5	100	8	7	5	10
67	Carlisle, Pa	204	35	4	2	3	3	47	8	2	7	6
68	Central Falls, R. I	359	107	28	11	8	2	156	18	6	5	11
69	Charleston, S. C	1,954	446	89	52	31	12	630	46	43	82	125
70	Chelsea, Mass	650	139	38	11	12	14	214	15	9	20	19
71	Chicago, Ill	26,062	5,442	1,525	721	462	378	8,528	1,042	510	661	1,052
72	Chicopee, Mass	405	159	36	7	8	4	214	6	5	3	20
73	Chillicothe, Ohio	262	30	15	5	2	1	53	5	6	10	16
74	Chippewa Falls, Wis	118	33	1	.....	.....	1	35	2	4	7	4
75	Cincinnati, Ohio	5,926	964	265	111	73	61	1,474	127	101	147	272
76	Cleveland, Ohio	6,731	1,737	350	153	110	95	2,445	225	120	177	275
77	Clinton town, Mass	210	61	16	3	.....	3	83	7	4	7	10
78	Cohoes, N. Y	474	135	28	8	7	4	182	17	6	9	19
79	Columbia, Pa	246	59	13	1	4	2	79	15	10	9	10
80	Columbus, Ind	173	33	9	6	3	3	54	1	3	13	7
81	Columbus, Ohio	1,989	265	76	25	23	19	408	70	40	80	131
82	Concord, N. H	342	52	9	10	5	1	77	11	3	7	12

AREAS, AT EACH AGE: 1900.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,573	23,727	24,606	23,364	22,521	24,283	25,024	27,633	29,123	29,025	25,447	18,843	9,646	3,367	1,113	1,927	1
19,519	19,088	20,029	18,717	17,760	18,926	18,488	19,774	19,448	18,246	14,527	10,118	4,896	1,672	610	1,112	2
14,533	13,991	14,331	13,736	13,416	14,886	16,101	17,988	19,568	20,154	18,477	14,053	7,418	2,622	802	1,188	3
9,479	9,352	9,754	9,089	8,655	9,529	9,505	10,129	9,893	9,375	7,557	5,328	2,668	927	299	373	4
5,054	4,639	4,577	4,647	4,761	5,357	6,536	7,859	9,675	10,779	10,920	8,725	4,750	1,695	503	815	5
10,040	9,736	10,275	9,628	9,105	9,397	8,923	9,645	9,535	8,871	6,970	4,790	2,228	745	311	739	6
623	621	618	590	611	724	780	937	963	1,024	912	823	441	178	44	124	7
331	245	259	247	260	305	321	373	362	292	238	182	78	29	18	3	8
1,536	1,363	1,339	1,243	1,274	1,326	1,539	1,741	2,111	2,222	2,010	1,494	734	245	82	271	9
395	339	361	382	377	401	548	687	823	950	938	814	486	170	45	70	10
2,081	2,000	2,031	1,998	1,924	2,256	2,446	2,709	2,983	2,933	2,671	2,124	1,161	422	124	70	11
1,424	1,215	1,190	1,186	1,170	1,299	1,501	1,689	2,013	2,206	2,119	1,557	852	275	101	97	12
255	223	230	237	242	289	363	412	531	606	554	495	298	116	35	68	13
1,433	1,421	1,501	1,358	1,303	1,421	1,588	1,723	1,763	1,745	1,487	1,030	556	191	58	145	14
5,906	6,097	6,286	5,948	5,746	6,218	6,311	6,924	7,143	7,259	6,580	4,742	2,445	850	245	273	15
358	298	333	340	335	432	428	441	489	454	423	316	156	46	18	27	16
193	169	183	207	174	215	276	352	387	463	545	456	211	100	32	40	17
11	3	3	7	2	6	5	12	7	2	8	3	.....	.....	1	1	18
14	12	14	14	13	16	14	15	19	14	20	9	2	2	.....	2	19
84	97	83	115	96	96	93	130	95	97	78	63	29	4	2	8	20
17	14	9	9	13	18	24	17	14	24	15	12	4	3	1	1	21
126	111	102	109	93	99	95	95	104	84	83	52	21	3	4	2	22
19	25	15	21	24	29	24	25	36	40	32	26	10	2	1	12	23
27	27	25	28	20	22	20	27	31	34	32	15	4	7	1	.....	24
5	5	3	8	7	6	8	8	10	12	9	9	5	2	.....	.....	25
10	15	13	9	10	11	15	20	10	22	15	12	13	1	.....	3	26
18	12	7	7	10	16	12	8	15	12	19	6	7	2	1	.....	27
12	3	1	5	3	6	10	11	7	6	18	5	5	2	1	6	28
11	9	6	5	6	10	15	14	11	12	10	5	4	1	.....	.....	29
8	6	3	3	10	5	8	8	12	8	8	10	1	1	.....	2	30
4	6	3	8	2	1	7	6	8	10	11	8	6	1	.....	.....	31
12	5	14	9	13	16	10	8	14	7	2	7	6	3	.....	1	32
108	90	112	77	76	91	79	98	79	59	54	32	14	5	8	3	33
26	18	19	30	18	23	21	20	28	24	14	12	5	1	.....	1	34
2	6	9	8	7	3	6	9	9	10	7	5	6	1	.....	1	35
25	24	24	11	26	16	25	36	30	36	29	25	15	5	2	.....	36
9	19	15	14	17	17	6	19	22	20	17	19	3	1	1	3	37
19	12	16	9	19	18	20	24	20	21	25	17	12	5	.....	.....	38
490	467	502	498	459	507	464	571	538	500	373	290	122	47	19	2	39
12	12	10	11	15	13	22	20	29	25	29	18	14	6	1	6	40
6	6	10	12	7	3	7	5	4	3	4	3	5	.....	1	.....	41
4	2	5	11	10	6	10	6	7	13	13	9	5	3	.....	.....	42
11	18	20	16	10	11	16	12	11	24	16	18	7	4	2	.....	43
11	12	10	21	12	23	15	15	15	12	13	3	6	1	.....	.....	44
23	27	30	22	15	22	18	24	23	9	8	4	1	1	.....	.....	45
6	9	10	5	8	6	7	12	8	9	7	3	1	1	1	3	46
17	15	7	7	5	12	10	18	12	15	26	9	5	3	1	3	47
7	7	4	5	8	6	9	3	8	13	13	2	2	3	.....	.....	48
6	2	6	8	5	5	5	9	11	5	12	9	2	.....	.....	1	49
14	4	2	1	3	2	3	2	4	3	1	5	1	.....	.....	14	50
8	3	9	9	11	8	9	9	15	18	19	13	6	2	.....	.....	51
5	10	12	11	13	14	16	18	15	20	13	7	5	3	1	1	52
32	31	36	28	33	39	35	40	41	52	34	30	16	5	.....	.....	53
629	573	603	527	499	568	568	566	606	513	398	313	152	57	15	.....	54
55	50	62	54	52	64	62	79	46	49	30	32	14	6	1	9	55
7	7	8	2	9	9	11	12	11	11	17	17	8	1	1	.....	56
2	7	4	4	12	6	11	10	7	7	3	5	5	2	.....	1	57
24	31	30	24	29	14	28	26	42	30	25	19	12	.....	1	3	58
12	8	10	10	11	12	18	15	20	25	20	15	9	1	1	1	59
178	203	243	240	227	211	231	244	259	263	210	165	69	23	9	5	60
19	10	15	13	18	17	14	21	34	23	19	25	3	4	.....	.....	61
14	6	14	18	7	12	15	25	15	20	17	14	4	7	2	.....	62
70	64	52	70	63	87	67	80	76	75	65	46	26	13	4	6	63
40	48	62	43	51	61	44	69	49	48	50	27	11	5	3	2	64
12	15	18	13	9	24	17	25	16	15	17	16	4	3	.....	3	65
11	11	13	13	7	10	15	13	16	11	8	8	6	.....	1	.....	66
11	4	8	4	10	6	17	15	10	12	13	10	8	3	1	2	67
10	14	16	6	17	26	19	11	12	14	10	5	1	1	.....	1	68
106	93	107	111	92	94	79	91	81	65	54	25	17	4	9	.....	69
25	15	25	21	27	31	23	48	39	43	38	24	8	3	2	1	70
1,248	1,367	1,424	1,403	1,293	1,305	1,196	1,193	1,210	982	777	526	226	78	32	9	71
20	14	14	10	11	8	13	16	14	8	13	11	3	2	.....	.....	72
9	13	6	7	11	13	8	21	15	25	19	13	8	2	1	1	73
8	3	1	5	5	3	7	7	5	4	7	2	5	3	.....	1	74
330	326	355	332	266	308	308	315	319	343	299	192	77	17	9	9	75
326	323	343	293	309	277	293	288	286	258	199	154	91	23	11	15	76
10	10	4	8	11	8	8	6	10	10	6	4	3	1	.....	.....	77
24	24	21	24	16	20	20	20	21	18	11	8	5	.....	.....	9	78
12	7	8	6	8	10	9	13	11	8	11	17	3	.....	.....	.....	79
10	5	6	7	2	5	11	13	9	8	5	4	4	1	2	3	80
125	193	124	114	91	98	109	100	108	93	75	57	26	8	.....	29	81
14	12	16	11	12	12	12	19	26	28	28	22	11	7	1	1	82

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
83	Corning, N. Y.	210	28	8	8	5	6	55	12	5	7	9
84	Cortland, N. Y.	126	19	6	1	2	.....	28	3	1	1	2
85	Covington, Ky.	824	138	46	16	10	11	221	22	10	23	41
86	Danbury town, Conn.	342	52	10	7	5	5	79	10	11	7	12
87	Danvers town, Mass.	189	19	1	3	.....	.....	23	2	2	5	7
88	Danville, Ill.	293	49	10	3	3	3	68	10	2	11	16
89	Davenport, Iowa.	514	80	14	6	3	2	105	7	6	15	22
90	Dayton, Ohio.	1,335	255	42	12	13	11	333	52	22	45	56
91	Decatur, Ill.	351	61	13	9	12	4	99	7	6	10	19
92	Denver, Colo.	2,539	379	69	41	35	17	541	62	53	78	164
93	Detroit, Mich.	4,657	1,321	214	85	57	44	1,721	123	80	133	175
94	Dover, N. H.	251	39	9	3	4	1	56	1	3	4	9
95	Dubois, Pa.	206	79	24	6	3	2	114	4	2	8	4
96	Duluth, Minn.	802	206	32	18	12	10	278	32	23	24	50
97	Dunkirk, N. Y.	184	45	11	4	1	3	64	5	4	8	3
98	Easton, Pa.	440	112	14	5	6	7	144	13	7	10	19
99	Eau Claire, Wis.	207	45	11	2	3	.....	61	7	8	10	11
100	Elizabeth, N. J.	1,007	295	60	31	20	12	418	35	13	22	30
101	Elmira, N. Y.	562	74	19	4	2	2	101	10	12	19	32
102	Erie, Pa.	822	190	31	22	12	16	271	16	18	15	37
103	Escanaba, Mich.	229	75	18	2	1	2	98	4	6	10	12
104	Evansville, Ind.	931	185	48	21	8	5	267	33	18	32	41
105	Everett, Mass.	385	102	14	12	8	7	143	12	4	7	20
106	Fall River, Mass.	2,286	885	166	58	37	19	1,165	49	31	43	72
107	Findlay, Ohio.	203	54	13	4	6	3	80	10	6	6	27
108	Fitchburg, Mass.	495	156	27	8	6	6	203	11	8	13	17
109	Flint, Mich.	152	19	3	2	.....	1	25	1	5	2	2
110	Framingham town, Mass.	194	29	4	1	.....	1	35	3	5	9	11
111	Frederick, Md.	182	41	8	3	2	2	56	4	4	3	7
112	Fresno, Cal.	241	33	13	6	1	3	56	3	6	13	17
113	Gardner town, Mass.	186	48	12	4	6	3	73	4	5	6	4
114	Geneva, N. Y.	165	25	4	3	2	2	36	2	3	5	5
115	Glens Falls, N. Y.	253	42	4	7	4	4	61	2	6	7	10
116	Gloucester, Mass.	425	77	11	10	6	3	107	10	5	10	18
117	Gloversville, N. Y.	236	39	6	4	1	.....	50	6	.....	3	10
118	Grand Rapids, Mich.	1,204	237	62	26	22	12	359	39	27	33	58
119	Green Bay, Wis.	209	78	11	8	3	2	102	13	10	8	15
120	Greenwich town, Conn.	220	46	9	12	6	4	77	4	2	6	3
121	Hamilton, Ohio.	368	85	10	8	4	3	110	7	2	12	17
122	Harrisburg, Pa.	904	174	45	29	14	14	276	28	18	27	45
123	Harrison, N. J.	246	74	17	4	2	4	101	4	8	6	4
124	Hartford, Conn.	1,449	293	66	27	19	15	420	31	18	35	57
125	Haverhill, Mass.	586	107	17	6	3	8	141	17	8	11	16
126	Hazelton, Pa.	227	68	16	9	3	6	102	6	2	8	2
127	Helena, Mont.	167	17	6	1	2	.....	26	6	5	5	10
128	Hoboken, N. J.	1,303	295	90	43	22	20	470	26	12	37	42
129	Holyoke, Mass.	990	296	83	42	27	19	467	39	14	21	38
130	Hudson, N. Y.	206	31	8	3	1	1	44	4	5	5	14
131	Hyde Park town, Mass.	187	42	12	1	.....	.....	55	4	.....	7	3
132	Indianapolis, Ind.	2,886	544	105	66	40	21	776	79	43	91	143
133	Iron Mountain, Mich.	137	57	7	9	2	3	78	8	2	2	4
134	Ironton, Ohio.	185	34	18	5	5	3	65	8	1	2	10
135	Ironwood, Mich.	157	65	13	3	4	3	88	8	2	4	8
136	Ishpeming, Mich.	175	57	16	7	5	4	89	15	1	6	9
137	Ithaca, N. Y.	224	27	3	1	.....	2	33	9	8	6	8
138	Jackson, Mich.	324	37	5	5	.....	1	48	4	4	16	17
139	Jacksonville, Fla.	857	173	41	14	9	15	252	31	17	31	60
140	Jacksonville, Ill.	268	37	2	2	1	.....	42	4	10	11	8
141	Jamestown, N. Y.	290	53	14	9	2	3	81	5	5	8	15
142	Jeffersonville, Ind.	207	38	11	4	1	1	55	7	6	12	18
143	Jersey City, N. J.	4,274	961	259	122	78	69	1,489	117	73	103	171
144	Johnstown, N. Y.	115	21	4	1	1	1	28	1	1	4	3
145	Johnstown, Pa.	758	205	73	30	15	8	331	30	15	21	41
146	Kalamazoo, Mich.	456	69	15	7	3	2	96	12	4	11	19
147	Kansas City, Mo.	2,674	493	143	46	49	29	760	87	60	100	145
148	Keene, N. H.	130	21	1	2	1	.....	25	4	1	4	8
149	Key West, Fla.	418	162	28	13	3	.....	206	7	2	12	16
150	Kingston, N. Y.	483	90	21	13	6	6	136	16	12	10	16
151	Laconia, N. H.	142	29	7	1	2	3	42	3	2	1	9
152	Lafayette, Ind.	333	47	15	4	5	2	73	10	7	8	19
153	Lancaster, Pa.	715	154	29	19	11	8	221	25	12	21	22
154	Lansing, Mich.	239	34	7	6	3	1	51	10	6	9	7
155	Lansingburg, N. Y.	222	27	11	4	1	5	48	6	5	10	9
156	Lawrence, Kans.	177	17	8	3	4	1	33	15	5	4	8
157	Lawrence, Mass.	1,290	400	82	26	17	13	538	34	20	33	42
158	Leadville, Colo.	347	80	20	7	8	8	123	15	2	8	17
159	Leavenworth, Kans.	368	73	16	7	1	1	98	9	4	9	14
160	Lebanon, Pa.	303	66	17	7	4	10	104	15	9	7	9
161	Leominster town, Mass.	182	50	7	3	4	1	65	10	4	4	4
162	Lima, Ohio.	420	101	14	9	5	3	132	10	12	17	17
163	Lincoln, Nebr.	450	73	24	17	6	8	128	20	7	16	14
164	Lockport, N. Y.	262	34	11	1	2	2	50	5	3	14	13
165	Los Angeles, Cal.	1,928	261	39	24	21	16	361	53	34	50	99
166	Louisville, Ky.	3,872	636	174	79	55	44	988	99	79	144	210
167	Lowell, Mass.	1,848	525	97	34	26	9	691	47	17	41	72

AREAS, AT EACH AGE: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
8	8	12	13	8	7	9	12	8	13	12	8	2	1	1	.....	83
8	3	4	3	6	6	7	9	6	11	9	9	6	2	.....	2	84
43	36	44	40	34	30	32	37	56	54	51	27	14	1	1	7	85
17	17	11	7	9	21	26	20	20	23	17	20	8	2	2	3	86
4	10	10	7	5	14	7	12	13	20	22	16	8	2	.....	.....	87
13	12	22	14	15	17	9	15	19	13	17	5	8	.....	1	6	88
30	17	20	20	23	18	31	17	44	35	40	39	19	4	1	1	89
63	63	61	51	55	54	58	74	77	92	77	65	28	7	.....	2	90
17	10	14	21	14	16	17	17	17	19	17	25	2	1	.....	3	91
213	212	208	157	131	155	108	94	121	92	59	39	16	5	1	20	92
228	183	204	184	173	190	184	231	208	240	188	119	61	16	10	6	93
10	12	10	9	13	10	15	14	19	21	19	15	5	1	1	4	94
8	8	8	7	1	8	3	3	6	7	6	2	.....	.....	.....	7	95
48	58	60	47	34	33	21	23	19	10	17	11	5	1	1	7	96
6	4	9	5	5	5	14	7	6	18	8	7	3	3	.....	.....	97
18	18	19	6	18	17	17	20	21	23	22	16	7	2	2	21	98
10	12	8	8	6	10	7	10	10	12	8	3	2	.....	.....	4	99
38	39	53	36	52	30	41	39	46	47	39	12	10	4	2	1	100
25	28	27	25	23	30	29	42	35	40	29	31	14	5	4	1	101
34	21	37	41	34	30	29	50	51	40	41	35	15	6	.....	1	102
17	11	18	7	8	7	9	5	3	4	4	3	.....	.....	.....	3	103
51	43	51	42	36	54	39	54	38	54	48	23	4	1	2	.....	104
24	13	20	13	15	15	18	20	22	10	17	5	4	3	.....	.....	105
76	64	75	65	72	85	104	89	96	79	61	34	21	5	.....	.....	106
15	15	11	11	13	11	14	13	13	19	11	11	3	2	.....	2	107
10	20	19	23	20	16	22	19	26	20	12	21	7	6	1	1	108
8	7	4	12	2	7	12	7	14	10	11	11	8	2	2	.....	109
9	13	8	6	6	11	4	14	12	11	14	14	5	2	.....	2	110
7	5	1	7	7	8	9	13	10	10	15	9	3	2	1	1	111
14	13	20	12	21	13	16	12	7	10	3	1	1	.....	.....	3	112
8	6	6	3	7	7	8	9	6	9	11	4	5	3	.....	2	113
6	4	9	4	5	5	10	8	19	12	14	6	5	4	1	2	114
12	13	15	14	7	13	14	18	23	11	13	10	3	1	.....	.....	115
12	15	21	17	23	18	19	17	33	24	27	22	18	4	.....	5	116
10	7	14	12	16	5	10	16	24	19	13	12	7	2	.....	.....	117
45	46	48	58	56	44	59	60	74	56	58	45	22	13	3	1	118
10	7	12	7	14	10	15	17	13	17	11	8	5	2	1	2	119
7	12	5	3	10	10	6	17	10	13	16	13	3	2	.....	1	120
25	22	20	8	13	16	19	15	20	23	18	13	5	1	1	1	121
33	25	35	34	39	47	49	56	46	67	29	27	7	4	.....	12	122
17	11	14	14	15	10	10	11	10	3	4	3	.....	.....	.....	1	123
72	68	78	80	65	69	65	68	74	79	68	41	24	14	2	21	124
33	32	22	28	32	22	38	42	34	38	27	28	13	3	1	.....	125
8	11	12	7	4	9	11	8	12	17	4	3	.....	1	.....	.....	126
12	12	16	10	13	10	11	5	7	8	3	3	.....	.....	.....	5	127
78	59	101	71	72	71	65	48	63	40	38	23	10	.....	.....	67	128
34	27	33	25	38	41	43	50	38	35	24	14	4	1	2	2	129
9	10	6	8	8	6	8	10	13	16	14	14	8	2	.....	2	130
8	7	4	6	5	7	13	15	12	14	13	7	4	1	1	1	131
142	158	143	135	142	149	154	178	148	158	101	86	38	15	3	4	132
6	3	4	5	6	4	3	2	2	3	1	2	2	.....	.....	.....	133
10	11	6	7	7	11	6	2	4	8	15	8	.....	.....	.....	4	134
8	10	7	1	7	3	1	1	1	1	6	.....	.....	.....	.....	1	135
8	7	2	2	5	3	4	6	6	5	1	5	.....	.....	.....	1	136
4	7	6	9	13	7	7	10	19	27	19	16	10	6	.....	.....	137
15	19	10	17	9	18	26	22	18	21	30	15	12	3	.....	.....	138
51	57	46	36	46	39	40	32	52	20	20	10	6	4	5	2	139
15	15	6	8	11	10	9	16	24	19	26	12	11	3	5	3	140
13	16	12	11	13	17	13	18	11	17	20	10	4	.....	1	.....	141
14	8	3	1	8	12	5	16	17	9	6	5	3	1	1	.....	142
231	246	230	211	190	213	222	195	197	158	112	73	25	10	2	6	143
4	4	2	6	6	8	7	6	10	6	8	8	1	2	.....	.....	144
55	32	39	25	35	15	18	24	20	28	10	12	3	3	.....	1	145
11	20	22	24	24	26	16	36	27	39	19	28	14	6	.....	2	146
168	156	180	150	123	125	121	117	119	103	64	46	21	7	6	16	147
3	5	2	6	5	6	6	7	15	9	10	8	5	.....	1	.....	148
14	14	16	23	11	20	18	13	15	12	8	4	4	1	1	1	149
19	26	11	18	18	21	26	20	51	31	23	16	8	5	.....	.....	150
5	4	2	4	2	4	7	10	10	9	10	8	9	.....	1	.....	151
15	13	17	19	17	12	16	14	22	25	21	11	6	3	2	3	152
25	26	25	29	25	18	35	44	53	53	35	27	10	4	3	2	153
10	15	6	11	11	8	9	16	15	17	14	14	7	2	.....	1	154
14	9	9	9	13	16	12	9	13	16	9	8	3	3	1	.....	155
7	9	8	6	2	12	10	11	10	6	10	9	4	2	1	5	156
48	47	58	60	51	57	64	62	58	37	41	28	5	5	.....	2	157
21	23	16	23	27	24	12	13	6	7	6	1	1	.....	.....	2	158
15	19	14	17	14	14	15	29	23	26	19	13	8	5	.....	3	159
9	6	11	18	9	8	11	14	17	17	19	12	6	1	1	.....	160
6	6	6	4	5	2	11	6	14	12	10	7	6	.....	.....	.....	161
19	13	28	26	12	10	13	27	17	14	11	18	8	4	.....	12	162
24	20	25	25	19	30	21	21	26	18	15	12	5	1	.....	3	163
8	9	10	12	7	15	11	14	21	21	18	20	7	3	1	.....	164
132	113	133	126	111	126	102	116	104	107	79	48	17	4	1	12	165
227	193	217	184	170	212	170	212	211	189	130	96	46	15	12	68	166
81	81	89	82	78	96	80	80	97	76	62	54	17	8	4	1	167

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
168	Lynchburg, Va	516	115	34	18	10	5	182	20	12	21	32
169	Lynn, Mass	1,103	233	28	25	20	5	311	28	17	31	54
170	McKeesport, Pa	635	211	60	21	9	14	315	20	7	14	32
171	Madison, Wis	202	27	7	6	4	1	45	9	4	4	6
172	Mahanoy City, Pa	401	150	34	19	8	4	215	6	12	10	10
173	Malden, Mass	508	119	25	8	7	6	165	12	3	14	18
174	Manchester, N. H	1,154	360	71	34	16	12	493	25	21	30	45
175	Manchester town, Conn	146	37	5	2	2	1	47	3	3	7	9
176	Manitowoc, Wis	209	54	5	2	1	3	65	8	6	5	14
177	Mankato, Minn	133	20	4	3	1	.....	28	2	4	4	3
178	Marietta, Ohio	209	44	8	3	2	.....	57	6	2	11	8
179	Marinette, Wis	226	72	17	6	3	3	101	7	3	5	10
180	Marlboro, Mass	211	59	17	4	3	1	84	7	1	8	8
181	Marquette, Mich	191	51	11	3	5	3	73	7	4	6	11
182	Massillon, Ohio	187	26	2	2	1	1	32	3	4	3	4
183	Meadville, Pa	170	14	6	1	1	.....	22	6	3	2	7
184	Medford, Mass	252	59	6	4	4	2	75	5	4	3	6
185	Melrose, Mass	108	40	6	2	2	1	51	1	3	6	9
186	Memphis, Tenn	2,302	304	123	54	47	25	553	89	56	113	178
187	Menominee, Mich	176	62	10	2	5	1	80	6	4	7	8
188	Meriden town, Conn	437	80	13	4	4	4	105	5	6	10	12
189	Michigan City, Ind	194	50	4	2	.....	1	57	10	6	4	6
190	Middletown, N. Y	276	38	9	3	3	6	59	5	3	8	8
191	Middletown, Ohio	123	26	2	3	1	2	34	3	1	1	4
192	Middletown town, Conn	321	53	17	8	2	3	83	3	1	6	5
193	Milford town, Mass	190	30	7	2	5	1	45	5	3	2	13
194	Millville, N. J	151	25	5	3	3	1	37	8	6	4	8
195	Milwaukee, Wis	4,324	1,363	250	98	78	68	1,857	155	75	115	145
196	Minneapolis, Minn	2,308	451	78	47	36	41	653	110	67	77	140
197	Mobile, Ala	1,045	222	37	22	15	7	303	37	20	25	56
198	Montclair, N. J	242	79	13	7	1	4	104	4	3	4	8
199	Morristown, N. J	204	29	5	1	1	2	38	4	7	5	17
200	Mt. Carmel, Pa	368	133	56	24	15	12	240	20	7	12	7
201	Mt. Vernon, N. Y	398	135	40	10	6	6	197	11	9	8	13
202	Muncie, Ind	363	96	20	13	10	7	146	11	12	22	19
203	Muscatine, Iowa	230	32	8	3	1	.....	44	3	5	5	12
204	Muskegon, Mich	286	78	21	6	2	1	108	10	5	15	15
205	Nashua, N. H	468	132	29	18	9	4	192	14	9	9	14
206	Nashville, Tenn	1,921	360	141	46	24	18	589	52	52	98	126
207	Natick town, Mass	124	11	1	2	2	.....	16	2	2	1	3
208	Naugatuck, Conn	182	61	9	2	.....	2	74	6	4	4	2
209	New Bedford, Mass	1,325	435	77	31	16	14	573	28	22	38	43
210	New Britain town, Conn	573	183	32	21	12	8	256	15	3	7	25
211	New Brunswick, N. J	422	89	15	8	5	2	119	11	7	15	9
212	New Haven, Conn	1,968	452	70	42	18	17	599	39	26	42	75
213	New London, Conn	351	79	8	8	4	3	102	11	5	9	13
214	New Orleans, La	7,615	1,301	324	190	110	77	2,002	204	165	277	467
215	New Rochelle, N. Y	260	61	12	11	6	5	95	12	6	4	12
216	New York, N. Y	70,867	16,627	4,924	2,106	1,297	848	25,802	2,091	864	1,401	2,749
217	Bronx borough	3,750	821	245	104	71	50	1,291	148	58	73	150
218	Brooklyn borough	23,470	5,657	1,602	743	430	306	8,738	780	314	476	913
219	Manhattan borough	39,496	9,204	2,851	1,152	710	441	14,358	1,015	430	768	1,542
220	Queens borough	2,768	648	151	75	69	36	979	99	44	55	91
221	Richmond borough	1,383	297	75	32	17	15	436	49	18	29	53
222	Newark, N. J	4,959	1,133	309	155	82	86	1,765	135	67	110	176
223	Newark, Ohio	283	63	16	2	3	2	86	12	1	15	7
224	Newburg, N. Y	556	100	23	10	9	6	148	18	11	17	26
225	Newburyport, Mass	314	39	10	4	4	4	61	4	6	10	12
226	Newcastle, Pa	447	101	32	6	5	3	147	15	8	16	21
227	Newport, Ky	615	110	25	17	2	5	159	19	21	16	27
228	Newport, R. I	417	93	16	9	3	5	126	9	7	13	18
229	Newton, Mass	504	112	23	11	6	7	159	19	9	9	17
230	Niagara Falls, N. Y	315	78	15	5	2	6	106	9	10	14	13
231	Norfolk, Va	1,267	349	63	38	28	15	493	25	18	36	85
232	Norristown, Pa	430	56	6	7	5	3	77	10	4	12	20
233	North Adams, Mass	349	97	16	9	4	3	129	11	3	11	15
234	Northampton, Mass	348	74	12	4	4	5	99	6	3	10	9
235	Norwalk town, Conn	334	55	7	3	5	2	72	11	7	9	9
236	Norwich town, Conn	485	91	15	6	3	6	121	22	10	10	15
237	Oakland, Cal	1,064	113	28	11	9	9	170	22	16	32	50
238	Ogdensburg, N. Y	205	49	6	4	4	3	66	9	6	7	8
239	Oil City, Pa	171	39	8	2	2	2	53	1	4	7	3
240	Olean, N. Y	137	19	4	3	1	2	29	5	3	4	3
241	Omaha, Nebr	1,210	274	59	17	16	9	375	41	25	41	60
242	Orange, N. J	452	98	26	10	6	3	143	17	4	11	28
243	Oskaloosa, Iowa	141	23	4	4	2	.....	33	1	4	5	6
244	Ottawa, Ill	151	21	5	1	2	2	31	2	.....	2	7
245	Ottumwa, Iowa	263	41	13	3	3	.....	60	10	9	10	13
246	Owosso, Mich	111	19	2	2	1	.....	24	3	4	5	2
247	Paducah, Ky	547	105	43	23	9	6	186	23	14	26	44
248	Passaic, N. J	660	277	67	21	8	5	378	11	15	10	31
249	Paterson, N. J	1,808	461	111	41	30	17	660	59	24	56	74
250	Pawtucket, R. I	778	188	45	18	16	7	274	25	10	13	30
251	Peabody town, Mass	212	45	5	.....	.....	1	51	3	1	7	6

AREAS, AT EACH AGE: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23	21	20	25	14	19	13	38	21	18	14	7	6	3	1	6	168
42	44	42	50	47	53	48	65	80	64	52	38	26	7	2	2	169
38	27	30	24	30	18	18	12	13	11	14	8	3	.....	.....	1	170
11	13	7	11	8	5	13	8	12	12	13	12	5	2	2	.....	171
12	13	17	10	16	9	18	15	16	8	7	2	.....	.....	.....	5	172
23	18	20	21	14	28	17	25	42	25	21	21	16	5	.....	.....	173
54	43	39	40	30	44	45	51	47	52	37	23	17	7	.....	2	174
7	4	6	3	6	4	9	4	10	10	6	4	.....	1	.....	3	175
11	9	10	4	5	7	5	8	6	11	11	12	2	7	1	2	176
6	6	2	11	9	3	6	13	10	9	7	4	6	.....	.....	.....	177
11	7	11	7	3	8	9	8	9	12	13	15	10	1	.....	1	178
11	10	18	14	4	8	5	5	7	3	5	3	4	2	.....	1	179
7	11	4	7	4	3	12	9	15	11	9	7	3	1	.....	.....	180
12	8	17	2	6	4	11	8	4	7	7	3	.....	1	.....	.....	181
12	9	10	15	16	11	10	16	8	10	12	8	3	1	.....	.....	182
9	6	8	7	7	9	11	12	17	15	13	10	5	1	.....	.....	183
5	10	4	8	12	13	8	14	14	17	26	19	8	.....	1	.....	184
7	6	6	9	3	7	11	21	10	15	15	14	3	1	.....	.....	185
164	154	179	139	123	142	94	100	86	54	36	22	11	4	3	2	186
5	10	7	6	4	7	10	3	3	4	6	3	2	.....	1	.....	187
24	12	16	23	21	30	27	27	30	37	23	14	11	2	.....	2	188
8	4	6	5	9	7	10	10	11	13	15	4	5	.....	.....	4	189
9	12	17	11	13	17	16	17	18	26	16	15	4	.....	1	1	190
6	2	8	5	5	6	5	14	7	13	4	3	1	.....	.....	1	191
10	11	9	13	10	14	24	15	18	29	28	15	12	2	3	10	192
8	9	4	3	4	9	19	10	16	19	10	7	3	.....	1	.....	193
8	6	7	2	1	7	7	15	7	10	6	7	2	1	1	1	194
150	156	154	181	156	112	157	150	176	205	188	112	54	17	7	2	195
125	122	120	119	109	100	78	97	104	104	72	61	31	14	4	1	196
71	55	64	53	58	54	43	53	56	39	27	17	9	3	1	1	197
13	10	9	8	6	11	9	11	7	12	7	9	3	2	2	.....	198
10	5	11	13	10	7	11	12	12	13	9	9	5	4	.....	2	199
5	8	8	13	9	1	8	8	6	8	2	4	.....	1	.....	1	200
5	9	12	13	11	8	7	20	21	16	19	10	9	.....	.....	.....	201
19	16	14	15	11	5	9	5	20	9	14	11	.....	3	2	.....	202
4	11	7	12	4	10	17	13	13	22	19	14	6	2	.....	7	203
13	6	7	6	11	10	11	17	17	15	10	9	.....	.....	1	.....	204
16	14	23	16	6	12	23	15	35	25	15	13	9	4	1	3	205
117	102	65	81	78	96	99	84	93	77	49	34	18	5	5	1	206
3	9	3	6	10	10	9	8	8	12	12	8	1	.....	1	.....	207
12	6	7	10	6	6	9	9	9	6	3	5	4	.....	.....	.....	208
41	35	38	49	44	42	47	70	51	52	63	40	28	17	1	3	209
14	22	14	16	20	31	18	32	35	24	17	9	6	7	.....	2	210
26	16	21	20	19	15	18	21	23	24	28	13	7	6	2	2	211
89	82	91	79	102	112	116	118	101	100	79	66	35	12	5	.....	212
9	27	19	16	6	12	13	17	24	18	21	13	8	2	1	5	213
491	451	418	435	418	382	367	376	342	299	231	152	75	28	28	7	214
8	17	9	5	8	11	9	17	15	12	8	2	6	3	1	.....	215
3,611	3,791	3,983	3,620	3,347	3,554	3,279	3,310	2,925	2,650	1,946	1,132	568	177	64	3	216
194	205	209	193	164	169	176	169	175	146	115	68	35	10	1	1	217
1,116	1,161	1,218	1,095	1,049	1,138	1,084	1,043	1,003	913	693	424	219	71	22	.....	218
2,116	2,238	2,348	2,143	1,938	2,054	1,832	1,878	1,550	1,395	967	529	254	83	36	2	219
123	125	150	140	121	123	131	144	127	118	102	59	30	5	2	.....	220
62	62	58	49	55	70	56	76	70	78	69	52	30	8	3	.....	221
228	258	258	235	224	238	261	247	218	209	173	85	48	13	7	4	222
16	9	15	11	13	11	11	16	20	9	12	10	8	.....	1	.....	223
33	23	21	33	15	27	32	32	29	30	28	17	13	2	1	.....	224
12	8	14	10	11	7	16	14	25	32	33	19	14	4	.....	2	225
27	21	26	18	9	17	14	23	18	18	19	10	3	5	.....	12	226
24	30	31	29	26	22	36	27	35	31	39	26	10	3	.....	4	227
19	11	12	11	15	19	18	31	27	26	23	15	11	2	1	3	228
18	17	17	16	12	16	27	28	31	31	28	28	15	5	2	.....	229
18	11	16	13	11	17	11	16	10	17	14	7	1	1	.....	.....	230
66	61	65	58	66	51	50	66	45	31	20	15	6	1	4	5	231
17	16	19	33	19	22	29	25	23	31	36	15	16	1	.....	5	232
14	13	12	12	8	17	15	19	18	17	15	11	4	2	2	1	233
16	7	12	10	15	17	19	15	15	25	32	22	9	3	4	.....	234
8	17	9	15	14	19	14	20	25	24	23	19	12	3	3	.....	235
18	18	21	18	16	23	25	28	30	28	31	27	15	7	2	.....	236
45	58	50	65	62	65	69	72	62	83	71	45	18	5	1	3	237
9	4	7	9	2	1	4	10	14	16	12	19	1	.....	1	.....	238
16	5	9	8	5	7	11	8	15	9	4	2	2	1	.....	1	239
6	5	7	6	6	11	13	10	6	5	8	6	2	1	1	.....	240
66	55	77	68	50	64	50	52	37	58	45	25	14	4	1	2	241
26	27	22	21	21	19	16	31	23	16	7	10	5	1	2	2	242
4	7	7	6	4	8	5	5	10	8	13	8	6	.....	.....	1	243
3	5	14	10	.....	10	3	7	14	18	11	9	3	1	1	.....	244
12	10	11	14	9	13	11	16	18	17	10	14	2	2	1	1	245
5	1	3	5	3	3	8	9	9	10	10	3	2	2	.....	.....	246
37	17	22	15	23	32	24	16	21	20	9	7	2	2	.....	7	247
18	28	26	23	21	22	14	15	16	9	10	5	5	.....	.....	3	248
79	85	104	83	81	89	89	116	74	85	69	44	20	7	.....	.....	249
28	25	23	24	27	42	37	49	43	46	34	28	6	6	1	7	250
8	9	9	8	4	12	12	17	15	17	10	14	6	2	1	.....	251

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
252	Peekskill, N. Y	203	32	18	5	8	3	66	9	2	7	3
253	Perth Amboy, N. J	295	111	26	6	5	2	150	7	7	3	14
254	Peru, Ind	140	30	3	3	4	2	42	5	6	6	2
255	Petersburg, Va	658	155	37	16	2	2	212	19	13	28	30
256	Philadelphia, Pa	26,975	5,825	1,503	778	476	397	8,979	908	407	558	944
257	Phillipsburg, N. J	169	39	11	3	2	4	59	4	1	4	4
258	Phoenixville, Pa	207	52	10	9	2	3	76	3	3	2	4
259	Pittsburg, Pa	6,441	1,562	493	232	117	77	2,481	214	112	235	407
260	Pittsfield, Mass	366	79	8	8	5	5	105	12	5	10	17
261	Plainfield, N. J	290	66	14	5	2	1	88	1	8	4	8
262	Plymouth, Pa	274	89	23	10	13	6	141	16	4	6	3
263	Plymouth town, Mass	154	24	4	1	1	.....	30	5	3	3	4
264	Pontiac, Mich	158	19	2	.....	1	1	23	2	5	2	7
265	Port Huron, Mich	274	52	7	2	2	2	65	10	8	13	14
266	Port Jervis, N. Y	153	21	8	2	2	1	34	.....	4	3	4
267	Portland, Me	1,041	213	46	12	12	4	287	22	13	23	48
268	Portland, Oreg	921	109	25	18	7	13	172	33	37	31	51
269	Portsmouth, N. H	206	20	6	1	2	3	32	3	2	4	11
270	Portsmouth, Ohio	323	76	14	7	8	6	111	8	9	14	21
271	Pottstown, Pa	237	47	16	6	5	2	76	11	2	11	12
272	Pottsville, Pa	262	47	8	5	3	3	66	12	3	9	16
273	Poughkeepsie, N. Y	544	97	18	5	5	2	127	5	5	17	21
274	Providence, R. I	3,656	799	226	94	63	45	1,227	88	34	96	153
275	Pueblo, Colo	648	116	30	10	15	12	183	26	8	19	44
276	Quincy, Ill	568	89	21	11	4	3	128	12	19	11	33
277	Quincy, Mass	354	82	18	9	9	8	126	21	10	9	8
278	Raleigh, N. C	410	74	53	16	7	1	151	10	3	13	24
279	Reading, Pa	1,526	400	90	31	28	21	570	65	25	27	51
280	Revere town, Mass	152	32	8	9	6	3	58	6	3	4	4
281	Richmond, Ind	309	39	6	6	5	1	57	17	4	12	11
282	Richmond, Va	2,465	562	125	46	22	14	769	51	50	81	160
283	Rochester, N. H	188	28	12	9	3	3	55	4	3	3	4
284	Rochester, N. Y	2,337	350	83	40	23	26	522	52	38	65	93
285	Rockland, Me	167	21	2	.....	.....	.....	23	3	1	4	6
286	Rome, N. Y	265	32	10	5	.....	3	50	5	3	6	15
287	Rutland, Vt	195	37	9	5	.....	1	52	1	5	7	10
288	Sacramento, Cal	632	64	20	5	8	4	101	8	9	19	26
289	Saginaw, Mich	615	118	21	5	4	6	154	23	14	18	28
290	St. Joseph, Mo	769	112	19	11	8	7	157	29	20	34	45
291	St. Louis, Mo	10,322	1,817	401	220	181	118	2,737	368	201	285	447
292	St. Paul, Minn	1,632	373	69	21	20	16	499	61	35	60	63
293	Salem, Mass	730	189	39	15	15	12	270	20	5	14	22
294	Salt Lake City, Utah	867	197	39	14	9	6	265	25	18	22	34
295	San Antonio, Tex	1,214	230	68	27	22	15	362	32	27	39	71
296	San Diego, Cal	345	35	10	3	5	2	55	6	5	10	21
297	San Francisco, Cal	7,053	906	155	86	64	53	1,264	144	76	165	353
298	San Jose, Cal	317	28	6	3	4	3	44	9	11	9	18
299	Saratoga Springs, N. Y	267	43	8	3	1	1	56	5	6	8	8
300	Sault Ste. Marie, Mich	219	59	12	3	4	5	83	10	2	5	7
301	Savannah, Ga	1,682	332	80	45	22	16	495	51	35	77	109
302	Schenectady, N. Y	561	135	41	16	4	16	212	17	4	15	21
303	Scranton, Pa	2,082	488	140	99	83	56	866	125	57	56	70
304	Seattle, Wash	899	125	13	10	3	7	158	29	9	32	56
305	Sioux City, Iowa	420	92	10	7	7	3	119	14	12	12	28
306	Somerville, Mass	1,001	232	44	21	14	16	327	35	22	20	32
307	South Bethlehem, Pa	252	74	13	9	4	4	104	11	7	5	14
308	Southbridge town, Mass	230	75	13	8	5	7	108	7	2	6	6
309	Springfield, Ill	605	104	26	12	10	5	157	15	21	16	28
310	Springfield, Mass	1,143	251	57	24	14	13	359	30	19	21	37
311	Stamford town, Conn	339	53	9	6	1	2	71	4	4	5	12
312	Steelton, Pa	188	51	20	5	4	6	86	8	4	2	8
313	Stonington town, Conn	145	15	8	1	.....	1	25	2	4	7	6
314	Superior, Wis	435	121	31	6	8	2	168	4	9	13	22
315	Syracuse, N. Y	1,642	276	63	30	16	13	398	48	38	38	71
316	Tacoma, Wash	500	79	9	5	5	7	105	22	12	30	32
317	Taunton, Mass	643	162	27	6	9	4	208	13	9	13	22
318	Terre Haute, Ind	597	128	31	15	11	3	188	23	8	24	32
319	Tiffin, Ohio	148	26	1	3	3	4	37	5	2	3	8
320	Toledo, Ohio	2,088	477	106	56	50	42	731	82	45	62	77
321	Torrington town, Conn	194	79	13	6	2	2	102	1	1	7	7
322	Traverse City, Mich	147	18	3	2	2	3	28	4	2	.....	7
323	Trenton, N. J	1,271	300	72	28	13	13	426	25	29	25	36
324	Troy, N. Y	1,553	277	63	26	19	8	393	38	29	43	69
325	Union, N. J	222	56	15	6	8	5	90	11	4	2	3
326	Utica, N. Y	1,136	230	54	29	14	15	342	42	13	19	38
327	Vernon town, Conn	143	35	.....	2	1	1	39	3	2	6	5
328	Vincennes, Ind	211	38	12	12	6	5	73	6	5	6	11
329	Wakefield town, Mass	119	5	4	1	.....	1	11	6	5	3	3
330	Wallingford town, Conn	128	30	3	.....	.....	.....	33	3	1	4	6
331	Waltham, Mass	362	64	16	4	5	6	95	19	9	9	12
332	Ware town, Mass	174	60	18	9	4	.....	91	3	.....	1	4
333	Warren, Ohio	142	16	4	6	.....	3	29	8	1	3	10
334	Washington, D. C	6,202	1,356	266	119	81	48	1,870	154	119	201	315
335	Waterbury town, Conn	959	297	63	24	13	15	412	27	16	25	37
336	Watertown, N. Y	400	91	20	9	2	2	124	7	5	7	19

AREAS, AT EACH AGE: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7	6	3	13	8	11	6	12	16	10	8	11	4	1	.....	.....	252
10	10	10	8	10	7	12	11	9	9	5	5	6	2	.....	.....	253
12	7	6	7	5	6	7	8	6	6	3	3	1	2	.....	.....	254
35	30	26	28	29	37	32	41	34	21	17	14	2	2	2	6	255
1,144	1,198	1,333	1,209	1,259	1,279	1,259	1,395	1,382	1,352	1,039	748	378	122	37	45	256
3	11	3	4	7	4	10	10	11	13	7	8	2	2	.....	2	257
7	7	6	10	5	13	14	18	9	17	7	3	1	1	1	.....	258
356	318	338	261	260	254	219	249	220	196	147	102	42	18	6	6	259
15	20	16	15	18	15	9	17	22	26	17	18	3	3	1	2	260
21	14	16	9	11	13	14	17	13	20	13	10	4	4	.....	2	261
12	10	4	9	7	14	11	9	11	6	6	3	1	.....	.....	1	262
7	7	6	5	3	4	11	10	7	14	13	7	7	5	2	1	263
6	5	11	7	9	11	5	13	12	11	9	14	2	3	.....	1	264
12	10	11	13	13	10	19	16	6	25	8	14	5	1	1	.....	265
2	7	9	4	4	5	7	12	18	16	6	9	6	1	1	1	266
40	52	48	25	40	41	58	53	72	76	52	54	25	6	2	4	267
47	49	59	49	52	62	46	45	62	53	37	18	9	4	2	3	268
6	6	7	6	8	8	12	15	24	15	20	15	6	3	3	.....	269
15	10	13	8	12	10	11	11	11	24	17	10	4	2	1	1	270
11	10	8	11	11	6	13	6	12	17	9	6	4	.....	1	.....	271
9	13	10	13	4	13	6	19	21	16	14	10	7	.....	.....	1	272
25	14	19	15	15	28	33	34	48	38	32	36	21	10	1	.....	273
183	148	169	174	147	190	190	167	199	164	153	95	58	16	5	.....	274
47	44	47	53	35	27	31	24	19	15	8	9	3	.....	.....	6	275
35	26	26	21	25	24	24	30	41	31	42	21	8	8	1	2	276
9	7	11	10	9	11	11	21	20	22	23	15	9	1	.....	1	277
15	17	9	16	14	14	12	23	23	18	14	14	2	3	3	12	278
55	52	48	57	59	63	61	74	57	99	74	55	22	5	1	6	279
9	6	8	9	4	7	6	8	5	7	4	.....	3	1	.....	.....	280
9	11	13	13	15	18	13	10	20	28	18	28	10	2	.....	.....	281
127	123	115	126	107	150	122	118	106	101	66	44	19	7	5	18	282
6	4	6	10	7	9	8	13	9	21	9	12	3	1	.....	1	283
111	116	101	115	119	114	113	134	142	193	137	96	46	20	7	3	284
7	5	5	11	6	6	9	14	18	13	17	13	4	2	.....	.....	285
10	7	9	11	8	10	15	19	26	20	29	16	4	2	.....	.....	286
7	3	8	5	7	8	12	14	13	11	14	6	5	5	2	.....	287
38	55	35	35	34	43	34	42	44	40	28	22	11	1	.....	7	288
37	30	27	26	25	29	30	18	35	42	25	31	21	2	.....	.....	289
42	36	48	35	38	33	43	33	58	32	31	21	11	3	.....	20	290
588	577	588	516	548	562	546	584	555	483	339	227	101	33	10	27	291
71	82	98	95	73	73	63	57	76	86	70	44	19	5	2	.....	292
17	23	30	19	28	42	37	33	37	43	31	31	21	6	1	.....	293
38	41	30	42	42	33	46	44	50	51	38	29	15	4	.....	.....	294
91	76	78	77	65	46	42	47	38	35	35	20	9	5	4	15	295
16	16	13	17	19	17	11	34	26	34	19	13	8	1	3	1	296
402	406	460	480	443	467	421	521	449	435	288	153	74	25	7	20	297
11	14	16	13	21	16	19	31	15	20	22	11	9	3	4	1	298
12	12	10	12	11	15	11	13	23	25	12	11	10	4	.....	3	299
26	9	11	8	7	5	10	7	10	6	7	1	.....	2	1	2	300
113	102	117	73	82	90	60	59	68	46	38	21	11	10	5	20	301
19	21	16	17	27	20	34	21	26	31	22	11	8	3	2	14	302
101	80	89	67	68	76	81	91	71	60	50	25	15	1	.....	33	303
58	81	75	82	69	52	56	43	36	29	12	11	3	1	.....	7	304
21	23	29	24	12	20	16	21	13	27	14	7	3	.....	.....	5	305
45	34	32	30	34	50	43	59	56	52	51	34	30	14	1	.....	306
6	9	11	6	6	11	10	11	11	11	11	6	1	1	.....	.....	307
9	6	3	6	5	6	9	10	8	7	16	8	4	1	2	1	308
41	31	29	29	24	26	26	33	37	30	30	16	9	5	.....	2	309
42	52	33	51	38	54	63	70	69	74	52	45	24	8	1	1	310
16	14	12	15	18	23	23	19	19	20	26	21	7	8	.....	2	311
9	6	9	7	7	4	7	6	6	6	2	7	.....	2	.....	2	312
1	5	4	4	6	10	8	9	10	10	12	15	5	1	.....	1	313
36	36	37	19	15	9	11	12	11	6	8	9	3	.....	.....	7	314
71	86	88	78	84	93	89	103	100	90	72	53	30	9	3	.....	315
26	35	36	24	28	31	23	22	23	20	11	10	3	3	.....	4	316
26	26	25	23	20	29	24	36	44	39	36	24	17	6	1	2	317
33	27	27	22	20	26	24	32	21	30	25	22	6	3	1	3	318
4	3	6	8	2	10	6	8	14	12	10	6	3	.....	.....	1	319
86	77	72	91	106	90	92	101	106	109	65	52	31	6	5	2	320
4	7	7	5	2	6	8	8	5	5	14	2	3	.....	.....	.....	321
10	2	7	4	13	11	14	5	7	13	12	5	3	.....	.....	.....	322
62	54	53	54	49	63	64	68	64	69	51	37	22	7	4	9	323
83	94	96	79	78	97	85	87	83	76	62	37	12	6	2	4	324
6	6	9	11	7	10	19	11	14	9	5	4	.....	1	.....	.....	325
37	47	37	54	46	47	59	60	63	64	79	55	21	10	2	1	326
5	7	6	7	3	4	11	9	7	11	9	4	5	.....	.....	.....	327
10	3	16	6	5	12	10	5	9	12	7	8	2	1	1	3	328
5	5	4	6	5	4	6	9	10	9	8	14	3	2	1	.....	329
9	5	4	4	4	4	5	11	9	6	10	8	2	.....	.....	.....	330
14	11	12	19	12	17	21	17	23	21	22	14	11	4	.....	.....	331
6	6	5	3	5	8	7	7	9	5	4	6	4	.....	.....	.....	332
6	4	7	3	7	11	5	5	10	9	10	9	4	1	.....	.....	333
331	245	259	247	260	305	321	373	362	292	238	182	78	29	18	3	334
49	36	38	37	30	24	37	48	47	28	21	31	12	3	1	.....	335
14	19	14	16	12	15	18	30	25	25	21	16	11	.....	.....	2	336

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
337	Watertown town, Mass	147	32	6	3	2	2	45	2	.....	2	11
338	Watervliet, N. Y	272	53	13	5	4	.....	75	2	6	6	8
339	Webster town, Mass	150	52	8	3	1	.....	64	4	3	4	10
340	West Bay City, Mich	214	54	20	4	3	1	82	18	5	8	6
341	Westfield town, Mass	236	65	8	7	5	.....	85	7	.....	10	7
342	Weymouth town, Mass	185	24	4	1	2	2	33	2	1	4	6
343	Wheeling, W. Va	598	116	38	22	10	6	192	11	12	19	31
344	Wichita, Kans	388	62	14	9	3	4	92	14	10	12	18
345	Williamsport, Pa	358	57	7	4	4	2	74	10	6	15	16
346	Wilmington, Del	1,546	352	75	44	28	26	525	59	45	40	80
347	Wilmington, N. C	646	155	60	16	11	4	246	20	9	20	49
348	Windham town, Conn	216	51	10	3	1	.....	65	4	2	7	13
349	Winona, Minn	270	68	5	4	1	4	82	13	8	7	12
350	Woburn, Mass	266	53	10	9	2	3	77	7	5	3	9
351	Woonsocket, R. I	554	210	35	14	12	12	283	17	10	14	26
352	Worcester, Mass	2,176	508	137	62	33	31	771	69	24	51	81
353	Yonkers, N. Y	813	214	53	21	14	8	310	23	12	21	24
354	Youngstown, Ohio	656	141	36	11	11	4	203	31	16	34	35
	CONNECTICUT RURAL.											
355	Fairfield county	744	114	20	8	4	8	154	15	8	8	18
356	Hartford county	1,131	213	39	16	13	11	292	32	12	30	29
357	Litchfield county	980	165	25	15	12	12	229	27	13	21	25
358	Middlesex county	413	51	15	6	5	4	81	14	7	8	9
359	New Haven county	860	185	31	8	4	4	232	16	14	20	29
360	New London county	616	106	20	7	7	2	142	16	9	15	15
361	Tolland county	317	59	11	2	1	1	74	6	4	4	10
362	Windham county	703	169	26	7	6	3	211	13	6	17	20
	INDIANA RURAL.											
363	Adams county	290	69	18	13	6	4	110	7	6	13	17
364	Allen county	1,014	185	43	19	17	9	273	48	35	40	53
365	Bartholomew county	274	61	12	12	5	1	91	3	5	10	14
366	Benton county	129	19	6	3	1	2	31	5	3	12	7
367	Blackford county	209	49	10	3	5	2	69	4	6	17	11
368	Boone county	347	58	29	10	5	8	110	12	10	12	11
369	Brown county	164	31	8	4	1	1	45	8	3	9	6
370	Carroll county	273	54	10	8	3	1	76	8	7	11	11
371	Cass county	544	75	21	10	8	3	117	10	16	16	23
372	Clark county	312	51	9	8	5	4	77	4	4	18	17
373	Clay county	430	104	33	9	7	11	164	10	15	19	20
374	Clinton county	394	60	28	13	8	7	116	18	12	21	16
375	Crawford county	200	37	11	9	4	3	64	6	3	9	9
376	Daviess county	447	94	33	18	6	3	154	20	13	21	26
377	Dearborn county	294	31	7	5	3	.....	46	10	8	8	16
378	Decatur county	269	33	14	2	4	2	55	5	8	10	12
379	Dekalb county	293	51	8	4	5	4	72	4	2	18	15
380	Delaware county	342	86	22	9	5	4	126	11	6	15	8
381	Dubois county	256	51	18	7	4	6	86	11	8	12	9
382	Elkhart county	597	93	21	17	6	4	141	16	11	15	29
383	Fayette county	184	23	10	5	5	1	44	5	6	9	3
384	Floyd county	473	74	16	9	3	11	113	13	11	19	24
385	Fountain county	269	40	6	4	3	1	54	10	5	10	11
386	Franklin county	236	36	8	3	1	6	54	3	3	11	12
387	Fulton county	212	43	11	7	2	2	65	1	4	10	10
388	Gibson county	379	92	23	8	5	4	132	14	7	15	18
389	Grant county	837	181	40	23	5	9	258	29	18	30	38
390	Greene county	410	91	27	7	10	5	140	10	6	21	26
391	Hamilton county	424	77	26	6	8	8	125	17	8	20	24
392	Hancock county	232	46	13	1	5	1	66	4	4	14	14
393	Harrison county	296	47	16	6	8	2	79	4	8	8	15
394	Hendricks county	252	39	18	3	3	2	65	10	7	9	15
395	Henry county	387	60	16	8	5	9	98	20	7	18	16
396	Howard county	408	46	24	13	7	3	93	9	8	12	26
397	Huntington county	323	58	17	3	2	2	82	10	11	14	13
398	Jackson county	422	92	31	17	6	2	148	17	6	19	17
399	Jasper county	176	46	12	5	4	.....	67	3	3	5	5
400	Jay county	352	86	17	14	5	3	125	15	9	17	26
401	Jefferson county	390	46	13	4	5	3	71	12	7	25	20
402	Jennings county	228	28	9	3	1	2	43	7	10	13	12
403	Johnson county	260	35	20	10	.....	2	67	5	6	8	9
404	Knox county	401	91	35	15	2	5	148	22	10	13	18
405	Kosciusko county	310	50	11	5	1	5	72	7	11	12	7
406	Lagrange county	167	27	10	3	2	2	44	5	4	3	4
407	Lake county	444	128	27	12	9	2	178	19	13	6	13
408	Laporte county	293	43	6	2	2	2	55	7	4	11	7
409	Lawrence county	403	87	27	14	7	8	143	6	7	15	25
410	Madison county	1,043	250	86	37	21	9	403	39	20	43	44
411	Marion county	317	30	11	11	6	3	61	15	9	5	14
412	Marshall county	332	47	21	4	4	2	78	8	9	14	23
413	Martin county	234	47	16	6	7	4	80	10	9	5	9
414	Miami county	243	38	11	6	2	3	60	7	6	7	8
415	Monroe county	318	50	15	10	2	3	80	9	4	17	22
416	Montgomery county	416	54	13	10	4	2	83	11	5	21	22
417	Morgan county	312	67	15	8	2	.....	92	7	6	9	19

AREAS, AT EACH AGE: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4	4	7	8	7	9	5	7	9	10	9	5	3	.....	.....	.....	337
13	8	13	22	13	13	15	19	16	12	12	10	6	.....	1	2	338
6	9	2	6	1	4	7	6	5	9	1	4	3	1	1	.....	339
10	11	12	8	3	7	5	9	5	10	7	5	3	.....	.....	.....	340
2	8	14	8	2	15	17	14	3	11	11	12	6	2	1	1	341
9	8	8	2	8	16	13	9	19	14	15	11	4	1	2	.....	342
39	25	25	27	26	24	26	19	30	27	32	21	10	2	.....	.....	343
18	17	22	21	16	14	17	16	25	20	24	14	7	2	1	8	344
11	20	9	15	18	17	21	23	24	25	25	12	12	3	.....	2	345
58	62	56	68	57	60	68	80	78	69	55	44	24	10	1	7	346
26	30	27	24	25	30	28	23	18	17	17	12	8	3	2	12	347
7	6	8	8	8	11	13	11	14	11	8	12	6	2	.....	.....	348
11	11	11	12	9	11	12	11	19	12	12	8	6	2	.....	1	349
10	13	14	9	10	12	21	17	17	11	11	12	5	3	.....	.....	350
22	11	21	11	14	15	23	15	21	16	14	12	7	2	.....	.....	351
116	83	95	85	86	95	103	93	115	96	88	68	43	12	1	1	352
47	46	35	25	25	43	42	28	42	35	30	11	6	4	1	3	353
36	36	44	22	14	31	40	19	33	23	19	13	4	.....	.....	3	354
19	21	25	26	31	31	20	57	69	65	62	69	25	17	.....	4	355
39	32	38	25	38	51	50	74	73	82	61	93	45	13	6	16	356
28	30	35	28	31	32	53	47	58	94	91	73	37	15	3	10	357
6	13	12	13	13	10	21	30	33	37	33	30	23	12	2	6	358
27	38	36	26	20	30	28	43	57	60	57	61	40	13	4	9	359
22	20	14	13	20	25	21	37	38	55	50	48	32	11	6	7	360
4	9	8	14	10	14	23	14	20	29	23	24	16	8	.....	3	361
32	16	13	19	22	18	19	42	53	52	60	44	22	12	3	9	362
11	14	12	8	9	5	8	10	12	15	11	11	6	1	1	3	363
43	33	39	33	30	33	48	64	63	63	53	37	14	8	1	3	364
12	13	5	7	11	5	9	11	13	21	17	14	8	1	1	3	365
6	4	7	1	4	8	3	8	5	5	7	5	3	1	.....	4	366
5	12	8	2	10	7	11	5	12	9	11	4	2	3	1	.....	367
11	9	12	9	12	7	16	25	18	25	22	12	8	2	2	2	368
13	6	6	6	3	3	4	6	12	14	6	9	2	1	.....	2	369
10	6	6	12	5	10	19	12	8	23	20	18	7	2	.....	2	370
26	18	30	27	27	24	25	30	47	31	38	21	7	2	.....	9	371
18	9	9	10	8	10	16	28	23	17	20	14	5	.....	1	4	372
10	13	13	11	17	10	20	11	25	25	23	10	6	3	.....	5	373
20	11	13	11	11	13	21	13	28	23	25	13	3	2	2	2	374
16	8	11	4	3	5	13	8	10	7	10	9	1	3	.....	1	375
19	16	18	14	11	14	16	13	18	17	20	23	7	4	1	2	376
10	10	3	13	6	8	13	24	28	24	31	16	10	2	2	6	377
16	9	6	9	8	12	13	14	20	18	21	22	5	2	2	2	378
8	17	13	9	9	15	14	15	25	8	17	19	11	2	.....	.....	379
17	16	6	15	9	15	12	15	14	19	13	11	7	4	.....	3	380
13	9	9	12	9	7	7	6	15	19	11	7	2	1	.....	3	381
28	26	18	18	20	21	38	27	49	43	43	31	14	6	1	2	382
5	5	7	2	9	9	9	18	12	12	11	12	.....	3	1	2	383
23	15	21	21	15	14	13	24	38	41	30	17	16	3	1	1	384
16	9	8	13	13	9	18	17	13	21	20	12	6	4	.....	.....	385
9	10	8	4	6	7	9	9	19	20	21	16	11	1	.....	3	386
7	7	5	4	8	11	9	10	17	18	14	7	2	2	1	.....	387
17	17	13	19	11	14	15	14	17	19	21	11	2	1	.....	2	388
24	30	21	25	30	38	54	47	44	51	38	29	21	5	2	5	389
23	12	13	10	12	17	8	19	20	26	16	14	6	2	2	7	390
19	18	9	11	14	8	17	11	29	28	19	26	12	4	.....	5	391
6	11	5	5	6	12	7	13	16	18	9	9	9	3	.....	1	392
12	7	17	10	11	9	12	21	21	18	16	14	4	2	2	6	393
8	10	8	10	8	7	11	8	15	22	15	13	7	.....	2	2	394
12	13	15	13	11	10	17	18	24	23	30	14	18	4	4	2	395
21	13	19	12	20	19	22	27	31	23	26	15	5	3	2	2	396
13	15	5	9	10	13	11	12	23	29	19	19	8	2	1	4	397
13	14	17	19	15	12	23	12	19	17	26	19	7	2	.....	.....	398
7	4	7	2	7	3	7	3	11	11	10	11	7	2	.....	1	399
14	12	11	15	11	14	8	11	13	10	22	11	5	3	.....	.....	400
14	19	14	8	14	13	13	24	22	45	26	26	11	2	2	2	401
9	8	9	15	7	11	8	13	9	13	15	19	3	1	.....	3	402
11	9	9	13	8	9	12	18	18	17	16	11	11	2	1	.....	403
14	18	16	8	12	15	15	15	19	20	11	14	4	1	.....	8	404
8	6	7	10	12	11	13	11	25	27	21	18	25	4	1	2	405
3	3	6	7	2	6	5	5	12	11	23	10	7	3	1	3	406
16	15	23	14	19	16	9	16	22	18	20	12	6	2	.....	7	407
9	10	11	10	8	10	17	14	16	30	27	20	14	5	1	7	408
24	20	10	13	8	15	16	21	17	16	20	10	5	2	.....	10	409
52	41	49	31	43	39	40	39	42	44	26	26	11	4	.....	7	410
11	10	10	18	14	12	11	15	30	26	26	13	8	2	3	4	411
11	14	11	9	14	10	17	22	26	17	25	14	8	2	.....	.....	412
7	7	10	5	11	7	9	7	7	12	22	10	6	.....	.....	1	413
6	13	9	11	14	9	9	9	16	16	19	14	8	.....	.....	2	414
12	8	9	14	14	8	14	20	20	19	17	16	8	.....	1	6	415
24	13	16	13	18	25	21	21	25	29	30	16	14	4	1	4	416
11	14	9	7	11	15	11	20	19	21	15	12	6	2	1	5	417

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA RURAL—Continued.											
418	Newton county	120	26	4	2	2	2	36	3	2	1	7
419	Noble county	294	37	11	4	4	1	57	8	8	10	8
420	Ohio county	75	12	3	1	.....	.....	16	1	1	2	6
421	Orange county	249	42	14	8	3	1	68	6	6	14	17
422	Owen county	207	31	12	7	3	2	55	4	4	9	13
423	Parke county	261	48	12	9	1	2	72	7	10	10	13
424	Perry county	271	51	22	6	.....	8	87	6	11	19	12
425	Pike county	325	81	23	7	4	2	117	9	6	8	15
426	Porter county	251	45	7	3	4	1	60	8	5	14	10
427	Posey county	388	80	27	7	2	7	123	13	7	14	17
428	Pulaski county	156	35	12	5	2	2	56	4	3	7	9
429	Putnam county	277	63	17	7	3	2	92	11	3	7	11
430	Randolph county	354	71	20	8	4	6	109	12	7	9	18
431	Ripley county	295	46	8	4	4	2	64	8	7	16	15
432	Rush county	287	43	10	3	5	2	63	9	6	14	18
433	St. Joseph county	862	177	49	24	16	12	278	50	30	27	31
434	Scott county	155	17	16	.....	3	2	38	12	4	6	5
435	Shelby county	336	60	11	12	5	5	93	4	4	9	18
436	Spencer county	371	48	22	8	8	5	91	11	10	18	21
437	Starke county	124	21	9	3	1	3	37	8	3	4	9
438	Steuben county	174	33	7	3	1	2	46	5	1	3	9
439	Sullivan county	360	78	23	8	4	6	119	22	11	13	17
440	Switzerland county	175	30	4	3	1	2	40	.....	1	10	12
441	Tippecanoe county	245	40	7	8	4	1	60	5	1	7	5
442	Tipton county	273	51	18	3	7	3	82	9	9	14	15
443	Union county	93	7	2	3	2	.....	14	1	5	3	2
444	Vanderburg county	217	29	3	4	.....	4	40	6	4	4	8
445	Vermilion county	188	40	8	1	6	2	57	5	3	4	14
446	Vigo county	314	88	21	6	4	3	122	6	8	11	14
447	Wabash county	324	57	15	5	4	.....	81	11	3	10	13
448	Warren county	129	18	10	3	1	3	35	2	2	6	6
449	Warrick county	430	82	32	19	7	5	145	21	14	19	18
450	Washington county	300	59	17	8	2	3	89	6	3	10	18
451	Wayne county	331	32	6	3	1	4	46	13	4	15	13
452	Wells county	283	49	9	7	4	4	73	14	9	10	14
453	White county	204	49	17	4	5	4	79	8	5	5	7
454	Whitley county	209	25	5	5	4	4	43	3	8	4	5
	MAINE RURAL.											
455	Androscoggin county	1,016	215	52	28	18	13	326	29	18	31	37
456	Aroostook county	762	239	39	24	17	8	327	24	15	29	34
457	Cumberland county	871	155	27	17	16	8	223	18	13	22	27
458	Franklin county	321	47	19	3	3	2	74	9	4	10	8
459	Hancock county	535	78	13	5	4	2	102	13	10	21	24
460	Kennebec county	874	97	17	15	7	5	141	23	15	19	29
461	Knox county	374	34	6	5	.....	1	46	3	4	11	12
462	Lincoln county	303	35	9	.....	3	2	49	7	4	11	7
463	Oxford county	554	74	18	8	4	5	109	10	6	13	15
464	Penobscot county	849	140	30	8	7	4	189	10	20	26	29
465	Piscataquis county	253	36	8	2	2	3	51	8	8	14	10
466	Sagadahoc county	172	19	2	3	1	1	26	2	1	5	1
467	Somerset county	508	57	15	5	3	2	82	17	7	15	23
468	Waldo county	438	33	8	4	2	.....	47	5	4	13	14
469	Washington county	739	180	32	18	4	6	240	15	14	20	30
470	York county	938	158	25	7	7	5	202	30	10	27	25
	MASSACHUSETTS RURAL.											
471	Barnstable county	586	72	17	6	10	5	110	9	10	8	15
472	Berkshire county	606	84	10	3	4	2	103	12	13	12	20
473	Bristol county	731	119	26	13	12	5	175	12	9	13	21
474	Dukes county	83	17	3	1	.....	1	22	3	.....	.....	1
475	Essex county	1,097	165	31	18	12	6	232	30	9	20	30
476	Franklin county	642	96	14	10	11	5	136	7	6	13	22
477	Hampden county	734	184	47	14	9	7	261	26	11	16	27
478	Hampshire county	564	84	15	15	3	5	122	15	12	12	18
479	Middlesex county	1,867	262	47	9	11	7	336	31	15	52	64
480	Nantucket county	61	6	1	.....	.....	.....	7	1	.....	.....	2
481	Norfolk county	1,345	217	40	16	13	12	298	36	17	25	40
482	Plymouth county	1,094	139	23	7	6	4	179	20	12	24	30
483	Suffolk county	45	10	.....	.....	1	1	12	.....	.....	1	1
484	Worcester county	2,319	494	98	31	22	21	666	35	40	47	76
	MICHIGAN RURAL.											
485	Alcona county	53	7	2	4	.....	1	14	.....	2	5	1
486	Alger county	42	19	2	1	1	.....	23	1	2	1	1
487	Allegan county	452	62	17	2	2	4	87	9	9	12	14
488	Alpena county	286	102	20	5	2	4	133	14	7	12	15
489	Antrim county	277	85	23	9	4	3	124	9	5	11	8
490	Arenac county	121	40	8	2	1	2	53	4	6	5	8
491	Baraga county	38	12	3	1	1	.....	17	1	1	1	1
492	Barry county	278	37	9	2	3	1	52	2	4	7	7
493	Bay county	267	85	19	8	3	5	120	14	10	13	8
494	Benzie county	125	37	10	1	.....	1	49	1	4	5	8

AREAS, AT EACH AGE: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4	5	1	2	3	2	8	5	4	11	15	8	2	.....	.....	1	418
11	13	10	9	10	8	14	17	29	29	17	14	15	2	3	2	419
2	.....	1	7	3	2	3	2	4	6	4	8	7	.....	.....	.....	420
14	12	8	5	12	8	6	12	14	18	7	9	5	5	.....	3	421
7	9	8	13	7	5	7	8	13	16	11	10	5	2	1	.....	422
10	8	12	13	7	12	9	18	16	19	14	7	1	1	.....	2	423
6	9	9	4	8	11	7	16	16	22	13	4	5	3	.....	3	424
14	13	7	12	12	12	13	20	23	14	14	10	1	2	.....	3	425
4	1	13	8	10	10	11	15	20	19	17	11	10	3	.....	2	426
14	26	20	8	13	14	11	12	24	28	16	14	8	1	1	4	427
4	5	5	3	5	3	2	7	13	9	7	1	4	1	1	7	428
9	11	5	10	5	8	9	15	13	22	19	11	5	5	2	4	429
13	12	10	7	6	8	14	20	25	26	12	22	14	7	1	2	430
11	10	9	10	7	11	8	9	25	21	27	23	6	3	1	4	431
15	10	13	12	11	9	6	10	17	21	20	22	3	2	1	5	432
41	38	29	33	34	27	33	41	39	43	48	28	8	2	2	.....	433
8	3	3	6	7	7	6	11	8	7	12	8	2	2	.....	.....	434
22	13	9	11	15	17	16	15	17	20	21	17	8	4	.....	3	435
17	17	12	16	13	12	19	13	30	27	18	12	9	2	.....	3	436
4	3	4	2	7	6	6	7	6	2	7	5	2	.....	.....	2	437
7	6	3	6	3	8	9	12	9	16	14	13	4	.....	.....	.....	438
15	10	18	7	10	11	18	12	21	14	18	11	5	.....	1	7	439
14	7	8	5	6	8	5	8	6	11	14	10	10	.....	.....	.....	440
4	7	6	7	9	14	8	17	21	25	20	17	5	4	1	2	441
14	11	14	9	8	7	7	7	21	9	12	10	8	3	1	3	442
5	3	2	3	1	3	2	6	9	12	7	6	5	1	1	2	443
15	10	14	14	6	9	17	15	12	12	13	11	6	1	.....	.....	444
9	6	14	5	14	6	10	9	8	6	6	5	3	3	.....	1	445
15	11	8	14	10	5	13	8	15	17	11	8	6	4	.....	8	446
12	12	14	6	10	15	18	14	27	21	26	16	12	2	.....	1	447
4	5	4	5	1	3	4	6	9	10	9	13	4	1	.....	.....	448
18	11	19	13	12	12	16	15	23	23	27	12	7	2	1	2	449
11	11	7	9	12	8	14	13	18	14	26	21	5	3	2	.....	450
14	10	14	14	14	11	15	22	28	34	24	23	9	4	2	2	451
6	9	13	9	9	11	13	12	11	18	27	17	5	3	.....	.....	452
7	7	5	5	7	3	10	9	11	12	11	10	1	1	.....	1	453
10	5	5	8	9	5	18	9	13	22	22	6	11	2	1	.....	454
41	25	39	28	38	32	46	50	50	66	55	54	28	13	3	7	455
18	28	21	21	15	17	26	29	40	39	34	24	15	3	2	1	456
23	15	29	17	23	29	33	57	49	73	68	79	51	19	2	1	457
7	3	7	16	4	11	21	14	20	28	29	27	18	7	2	2	458
15	13	9	20	15	18	20	29	55	45	49	27	30	15	1	4	459
28	25	21	29	24	24	40	75	77	86	76	73	43	13	3	10	460
13	12	10	15	12	13	16	28	30	33	50	38	16	9	1	2	461
8	5	3	7	10	2	14	21	23	35	36	26	26	6	1	2	462
28	16	14	15	17	9	25	38	40	37	55	53	35	11	5	3	463
33	27	22	33	22	38	37	55	67	67	65	60	28	12	5	4	464
10	11	5	10	7	7	10	10	17	21	19	18	9	4	.....	4	465
9	4	8	7	9	4	12	7	9	16	25	17	7	2	1	.....	466
16	16	9	21	17	23	21	37	35	52	45	36	19	6	6	5	467
15	8	11	14	16	18	17	34	35	49	48	42	31	12	2	3	468
31	12	26	22	20	22	42	28	39	44	52	41	30	8	2	1	469
23	19	32	24	27	37	47	45	74	92	91	79	44	9	4	7	470
15	14	20	17	20	27	30	51	30	63	57	41	29	15	4	1	471
16	21	17	25	20	23	32	45	47	59	52	39	33	9	8	.....	472
22	26	20	16	23	37	31	46	64	63	58	50	28	13	3	1	473
1	3	5	2	2	.....	5	6	1	9	9	6	4	3	1	.....	474
23	34	29	38	39	37	51	86	97	92	91	70	62	17	7	3	475
20	23	17	19	13	30	33	44	41	57	69	48	28	12	2	2	476
23	24	24	21	22	29	29	32	40	56	40	29	11	11	1	1	477
13	15	13	18	15	22	31	33	50	47	48	49	20	4	6	1	478
75	70	75	98	71	101	115	122	138	150	132	116	71	24	9	2	479
3	1	1	2	2	1	2	1	9	5	12	4	3	5	.....	.....	480
43	54	53	47	54	60	66	74	93	107	97	110	49	19	2	1	481
30	37	37	41	50	41	55	62	88	118	100	86	65	11	6	2	482
2	2	1	.....	1	1	3	2	2	2	7	6	1	1	.....	.....	483
67	73	73	82	72	78	99	111	148	157	201	170	68	35	12	9	484
3	1	4	3	1	3	4	2	.....	2	5	1	1	.....	.....	1	485
1	2	2	3	2	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	486
20	11	10	15	18	15	22	25	39	44	42	40	17	1	1	1	487
10	10	8	5	9	3	15	8	12	9	5	6	2	2	1	.....	488
9	9	14	9	6	9	9	12	16	12	5	4	3	.....	1	2	489
5	1	3	2	3	2	5	6	7	4	4	.....	1	1	1	.....	490
2	.....	.....	2	2	.....	1	1	4	3	.....	.....	.....	.....	.....	2	491
8	5	11	10	6	9	12	16	21	30	32	27	17	1	1	.....	492
7	1	8	8	8	4	6	10	6	8	14	8	9	3	2	.....	493
5	5	6	6	1	3	7	9	4	.....	6	2	2	.....	1	1	494

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MICHIGAN RURAL—Continued.											
495	Berrien county	605	89	13	17	4	3	126	20	14	13	23
496	Branch county	410	54	10	7	3	3	77	5	5	7	8
497	Calhoun county	406	45	6	6	1	1	59	7	5	18	16
498	Cass county	300	44	10	5	2	2	63	6	6	6	9
499	Charlevoix county	202	52	13	4	3	1	73	8	5	6	13
500	Cheboygan county	227	84	14	6	2	3	109	8	3	8	7
501	Chippewa county	93	20	7	4	1	3	35	3	1	6	4
502	Clare county	100	20	4	2	.....	.....	26	6	1	6	2
503	Clinton county	328	48	13	3	2	2	68	4	7	4	8
504	Crawford county	25	8	1	.....	1	2	12	.....	1	2	2
505	Delta county	172	64	13	4	6	4	91	10	5	7	3
506	Dickinson county	112	42	12	1	3	1	59	6	1	4	8
507	Eaton county	407	52	4	5	1	3	65	4	5	13	18
508	Emmet county	230	61	13	9	3	.....	86	4	6	6	14
509	Genesee county	404	57	11	4	3	.....	75	7	6	9	16
510	Gladwin county	74	24	3	2	.....	.....	29	3	2	4	7
511	Gogebic county	94	37	5	2	1	.....	45	4	4	1	8
512	Grand Traverse county	155	42	8	1	4	3	58	6	3	8	6
513	Gratiot county	405	77	24	6	2	3	112	11	5	14	22
514	Hillsdale county	411	33	5	3	3	1	45	8	5	8	6
515	Houghton county	965	329	70	21	21	13	454	39	19	30	53
516	Huron county	365	104	17	2	8	2	133	9	12	15	22
517	Ingham county	339	49	11	4	1	1	66	8	7	14	13
518	Ionia county	507	81	7	5	1	3	97	13	4	15	25
519	Iosco county	119	40	7	2	2	.....	51	5	3	5	6
520	Iron county	79	21	6	3	3	.....	33	6	5	.....	1
521	Isabella county	304	61	18	7	4	1	91	10	10	15	15
522	Jackson county	274	33	4	.....	2	.....	39	1	5	9	9
523	Kalamazoo county	281	27	6	3	.....	1	37	5	4	9	10
524	Kalkaska county	107	27	9	1	2	.....	39	2	2	6	4
525	Kent county	644	82	16	6	5	5	114	9	7	17	25
526	Keweenaw county	48	21	2	1	3	1	28	2	2	2	1
527	Lake county	62	10	1	1	.....	.....	12	2	1	5	4
528	Lapeer county	363	61	14	4	5	2	86	13	6	16	8
529	Leelanau county	158	44	9	2	3	1	59	8	6	7	10
530	Lenawee county	698	80	14	12	7	4	117	12	15	25	21
531	Livingston county	255	24	7	1	3	1	36	2	3	5	9
532	Luce county	37	9	3	.....	.....	.....	12	1	1	1	.....
533	Mackinac county	87	22	3	4	1	2	32	2	4	3	8
534	Macomb county	519	82	28	12	2	3	127	12	9	14	16
535	Manistee county	382	124	24	12	5	4	169	10	11	12	19
536	Marquette county	255	84	16	9	2	4	115	11	4	6	20
537	Mason county	266	73	8	9	3	3	96	9	9	9	12
538	Mecosta county	270	37	16	9	2	1	65	10	6	10	14
539	Menominee county	138	54	11	2	3	.....	70	4	4	5	5
540	Midland county	201	45	18	3	2	4	72	10	4	6	3
541	Missaukee county	102	29	11	1	4	.....	45	6	2	5	4
542	Monroe county	466	78	22	11	5	3	119	17	8	9	15
543	Montcalm county	456	91	17	6	6	.....	120	7	8	14	19
544	Montmorency county	28	6	1	1	2	1	11	1	.....	2	1
545	Muskegon county	209	39	12	2	2	4	59	5	9	7	12
546	Newaygo county	223	34	12	2	.....	2	50	5	7	9	14
547	Oakland county	498	50	7	2	2	4	65	9	5	13	17
548	Oceana county	216	49	7	4	2	.....	62	1	3	8	13
549	Ogemaw county	101	30	1	2	2	3	38	1	5	3	4
550	Ontonagon county	58	20	5	2	2	.....	29	2	1	1	4
551	Osceola county	257	48	12	7	3	4	74	6	7	8	8
552	Oscoda county	13	1	1	1	.....	.....	3	.....	.....	.....	.....
553	Otsego county	83	24	8	1	2	1	36	6	4	7	2
554	Ottawa county	532	83	21	9	1	6	120	8	18	26	18
555	Presque Isle county	72	25	4	2	.....	1	32	3	3	3	3
556	Roscommon county	16	2	1	.....	.....	.....	3	.....	.....	.....	2
557	Saginaw county	460	93	18	7	6	5	129	11	12	13	19
558	St. Clair county	481	96	10	8	3	4	121	20	11	9	19
559	St. Joseph county	334	39	5	4	1	3	52	2	1	11	11
560	Sanilac county	426	80	8	9	7	4	108	12	8	20	14
561	Schoolcraft county	106	30	5	5	1	3	44	3	8	4	4
562	Shiawassee county	347	63	16	7	5	5	96	10	4	7	13
563	Tuscola county	485	99	15	15	8	9	146	18	11	20	14
564	Van Buren county	461	56	12	5	1	5	79	8	3	23	6
565	Washtenaw county	439	57	7	5	5	2	76	6	8	9	21
566	Wayne county	1,045	214	57	21	12	6	310	26	21	17	54
567	Wexford county	271	76	29	5	3	3	116	14	10	10	9
	NEW HAMPSHIRE RURAL.											
568	Belknap county	227	32	5	2	1	.....	40	3	5	5	6
569	Carroll county	306	34	6	1	.....	1	42	6	3	6	9
570	Cheshire county	366	60	11	3	4	3	81	3	6	11	8
571	Coos county	231	37	12	3	2	1	55	3	3	3	10
572	Grafton county	718	88	14	9	2	4	117	17	15	20	25
573	Hillsboro county	569	66	9	3	6	5	89	16	11	11	15
574	Merrimack county	704	126	34	9	4	6	179	11	13	17	19
575	Rockingham county	758	79	23	5	7	5	119	14	9	14	22
576	Strafford county	345	86	16	8	4	2	116	7	3	3	11
577	Sullivan county	326	42	5	2	2	1	52	10	4	6	8

AREAS, AT EACH AGE: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
28	16	17	30	20	19	23	32	49	55	52	41	17	7	2	1	495
18	17	5	16	15	11	22	24	29	48	49	31	16	6	1	.....	496
13	9	10	26	9	22	14	29	34	45	37	28	14	10	1	.....	497
8	17	8	7	9	13	18	17	17	30	29	27	8	.....	.....	2	498
8	2	10	5	8	12	11	4	9	8	7	7	5	.....	.....	1	499
10	4	6	6	8	8	6	6	10	14	6	3	4	.....	.....	1	500
6	3	7	2	3	4	1	3	6	4	2	3	.....	.....	.....	.....	501
7	3	3	6	3	5	8	4	6	8	5	1	.....	.....	.....	.....	502
13	6	11	14	14	7	15	21	24	35	34	28	11	2	1	1	503
.....	1	.....	1	.....	.....	.....	2	.....	.....	4	.....	.....	.....	.....	.....	504
3	13	5	2	5	4	2	2	9	1	3	1	1	.....	.....	5	505
5	6	2	6	3	4	1	2	1	2	1	1	.....	.....	.....	.....	506
14	12	10	13	22	19	15	23	31	38	40	32	25	4	2	2	507
7	9	4	14	6	5	11	18	10	7	9	6	8	.....	.....	.....	508
9	10	4	10	13	19	17	21	34	46	47	33	13	11	3	1	509
2	2	2	5	1	1	5	4	1	4	.....	.....	2	.....	.....	.....	510
5	7	4	3	4	1	2	.....	2	2	2	.....	.....	.....	.....	.....	511
8	5	6	5	2	7	10	4	6	5	8	6	1	.....	.....	1	512
17	23	11	7	16	18	21	22	25	30	19	15	12	4	1	.....	513
12	12	16	16	21	19	24	27	37	36	42	43	25	6	2	1	514
55	30	39	34	25	17	30	19	34	22	20	6	10	2	1	6	515
15	11	11	6	8	6	10	8	19	20	28	16	9	5	2	.....	516
10	15	8	9	10	9	16	23	27	36	22	27	16	2	.....	1	517
30	19	12	14	17	22	25	29	43	47	35	27	21	9	3	.....	518
6	1	5	5	4	3	3	3	2	7	3	3	4	.....	.....	.....	519
2	3	1	2	6	1	4	1	2	1	1	2	2	.....	.....	6	520
8	12	9	6	11	11	17	18	21	14	14	10	7	1	3	1	521
8	4	9	9	9	14	19	15	35	22	29	19	12	5	1	1	522
7	8	10	7	6	12	20	20	21	34	34	21	14	2	.....	.....	523
5	.....	5	.....	5	7	3	6	1	8	6	5	2	1	.....	.....	524
21	21	19	19	24	31	40	45	55	61	65	40	18	9	2	2	525
1	3	1	1	.....	.....	.....	.....	2	.....	3	.....	2	.....	.....	.....	526
2	3	2	5	1	5	3	2	6	2	2	2	2	.....	.....	1	527
12	11	7	6	16	21	16	23	24	27	37	18	11	2	3	.....	528
5	9	4	4	4	2	3	4	7	8	5	5	2	5	1	.....	529
16	26	20	26	23	20	34	51	56	75	70	42	31	12	5	1	530
10	7	10	9	12	6	12	13	20	25	24	30	14	6	1	1	531
5	2	5	.....	3	.....	1	1	3	1	.....	.....	.....	.....	.....	1	532
7	1	2	5	1	5	1	3	3	4	3	.....	2	.....	1	.....	533
33	17	16	12	21	23	21	35	37	38	35	30	15	6	2	.....	534
15	10	14	7	11	17	12	11	16	11	15	9	5	3	2	3	535
16	12	12	10	6	4	6	6	7	4	6	2	2	4	.....	2	536
6	16	13	10	6	10	9	6	12	13	12	12	5	1	.....	.....	537
18	17	8	14	10	8	9	11	21	13	18	14	4	.....	.....	.....	538
7	4	2	5	2	4	4	4	3	5	2	4	2	.....	.....	2	539
12	5	5	6	4	12	11	8	12	10	10	3	6	1	1	.....	540
7	5	.....	6	2	.....	1	6	.....	2	3	4	4	.....	.....	.....	541
19	13	14	14	14	15	22	26	34	29	39	29	19	6	3	2	542
20	9	10	20	17	20	29	30	29	33	37	17	13	2	1	1	543
2	.....	3	1	.....	1	2	1	.....	2	.....	.....	1	.....	.....	.....	544
7	11	11	7	8	4	7	13	12	8	13	13	1	.....	1	1	545
9	4	6	9	10	16	11	9	16	15	18	5	6	2	1	1	546
14	24	15	12	26	12	25	27	44	48	58	46	26	9	.....	3	547
6	9	7	6	5	9	9	7	17	16	22	9	5	2	.....	.....	548
2	4	4	3	6	4	4	.....	4	6	5	2	2	1	1	2	549
.....	3	1	2	1	.....	1	1	1	3	2	1	1	2	.....	2	550
12	7	9	10	5	13	18	14	17	16	13	9	7	3	.....	1	551
1	.....	.....	.....	.....	1	.....	2	3	.....	2	.....	.....	.....	.....	1	552
.....	2	2	2	2	4	4	5	1	2	2	.....	1	.....	1	.....	553
27	17	25	12	14	22	23	31	31	38	44	35	16	3	3	1	554
3	.....	3	2	1	1	1	1	1	1	6	5	2	1	.....	.....	555
.....	1	.....	1	.....	1	.....	2	2	3	1	.....	.....	.....	.....	.....	556
14	11	11	21	8	24	15	20	34	36	31	29	14	4	3	1	557
14	14	13	13	17	15	30	24	32	45	32	29	16	4	2	1	558
12	12	8	7	9	14	21	23	33	34	36	27	13	6	2	.....	559
20	20	14	11	14	13	12	20	37	32	34	21	9	6	1	.....	560
5	5	4	3	9	4	4	3	1	2	1	.....	.....	1	.....	1	561
16	12	11	8	14	7	15	18	27	33	30	16	6	2	1	1	562
15	16	15	10	8	26	22	26	31	34	32	26	8	5	2	.....	563
15	17	14	13	15	21	17	33	46	25	52	48	16	6	3	1	564
12	10	13	14	14	17	28	37	26	44	40	29	25	8	2	.....	565
35	36	40	35	34	49	46	51	67	67	68	52	23	5	3	6	566
10	9	6	6	7	13	9	11	12	7	8	7	2	3	.....	2	567
5	3	7	5	7	14	15	12	8	25	24	20	16	5	1	1	568
10	4	15	12	9	13	13	19	26	33	26	29	15	8	3	5	569
10	10	5	14	8	17	22	16	24	41	31	26	19	8	4	2	570
7	12	6	7	18	8	8	17	16	14	16	11	6	4	2	5	571
22	21	27	24	16	26	32	51	65	59	73	48	36	12	3	9	572
14	21	15	16	15	21	27	34	52	64	57	44	25	15	2	5	573
20	13	11	14	20	29	45	41	46	51	62	58	37	11	3	4	574
22	17	25	18	28	33	34	33	67	80	72	84	46	16	1	4	575
11	12	8	12	14	15	14	22	15	24	17	18	13	5	4	1	576
6	6	4	12	12	6	22	21	23	32	27	36	19	9	4	7	577

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW JERSEY RURAL.											
578	Atlantic county	281	57	12	9	2	3	83	12	2	6	5
579	Bergen county	1,265	304	61	26	12	10	413	38	19	20	33
580	Burlington county	1,021	171	38	20	11	5	245	31	18	28	30
581	Camden county	500	112	17	8	7	7	151	8	8	10	21
582	Cape May county	192	30	7	2	2	1	42	2	5	5	11
583	Cumberland county	375	61	11	6	4	2	84	6	10	16	13
584	Essex county	992	217	56	24	13	12	322	41	18	20	39
585	Gloucester county	472	94	12	9	9	3	127	24	7	8	13
586	Hudson county	1,233	320	62	42	20	14	458	48	18	17	45
587	Hunterdon county	522	97	12	5	4	4	122	7	7	5	15
588	Mercer county	314	48	9	1	2	2	62	4	8	4	9
589	Middlesex county	646	158	30	6	3	2	199	19	7	16	23
590	Monmouth county	1,340	310	57	25	11	11	414	31	30	35	54
591	Morris county	812	155	32	10	9	5	211	22	6	19	32
592	Ocean county	267	61	12	6	2	5	86	1	5	6	3
593	Passaic county	308	67	12	8	5	4	96	9	6	14	12
594	Salem county	374	86	12	6	6	2	112	3	8	7	15
595	Somerset county	464	94	19	9	2	5	129	12	4	7	13
596	Sussex county	375	55	11	2	3	2	73	6	3	14	12
597	Union county	493	113	18	11	2	1	145	12	5	11	16
598	Warren county	410	69	12	4	6	3	94	10	4	7	12
	NEW YORK RURAL.											
599	Albany county	557	90	14	7	9	10	130	9	9	19	15
600	Allegany county	567	50	11	9	1	5	76	7	8	8	14
601	Broome county	481	42	12	6	2	5	67	15	8	14	22
602	Cattaraugus county	752	120	18	8	3	4	153	21	16	18	29
603	Cayuga county	558	60	14	4	4	4	86	10	9	16	10
604	Chautauqua county	752	102	18	3	.....	1	124	11	9	15	29
605	Chemung county	266	29	5	1	.....	2	37	5	3	5	6
606	Chenango county	674	71	18	7	4	3	103	3	11	15	11
607	Clinton county	648	139	40	13	12	5	209	21	15	18	22
608	Columbia county	597	79	8	6	12	5	110	12	6	12	16
609	Cortland county	290	31	2	.....	4	3	40	6	4	6	10
610	Delaware county	681	97	18	7	7	6	135	13	12	19	25
611	Dutchess county	1,019	167	41	9	9	9	235	29	8	23	39
612	Erie county	1,130	196	33	15	13	8	265	27	23	36	43
613	Essex county	445	67	15	4	2	3	91	14	5	11	13
614	Franklin county	623	120	30	12	11	2	175	19	9	21	40
615	Fulton county	222	26	10	4	1	1	42	2	2	5	7
616	Genesee county	371	57	10	6	7	4	84	15	14	14	17
617	Greene county	589	76	29	3	4	3	115	8	6	19	14
618	Hamilton county	67	11	.....	3	1	.....	15	3	2	.....	4
619	Herkimer county	750	108	21	12	12	6	159	13	14	16	26
620	Jefferson county	853	113	24	14	5	3	159	15	15	22	32
621	Lewis county	397	60	9	5	1	1	76	10	12	12	15
622	Livingston county	491	29	5	6	.....	2	42	6	9	12	18
623	Madison county	595	79	8	1	7	2	97	8	7	16	16
624	Monroe county	787	120	15	10	4	4	153	19	15	14	24
625	Montgomery county	343	50	7	2	2	1	62	11	7	4	13
626	Nassau county	770	164	45	12	12	4	237	22	12	13	28
627	Niagara county	551	105	20	11	9	4	149	10	12	16	19
628	Oneida county	957	112	21	11	7	4	155	18	14	25	36
629	Onondaga county	917	108	22	9	14	4	157	17	13	12	25
630	Ontario county	562	62	8	3	1	2	76	11	6	13	18
631	Orange county	863	150	28	14	6	9	207	26	19	24	31
632	Orleans county	451	86	11	5	7	3	112	6	3	7	11
633	Oswego county	1,342	166	36	29	15	11	257	30	26	32	40
634	Otsego county	762	71	20	1	.....	3	95	13	11	18	25
635	Putnam county	245	47	7	4	2	1	61	4	4	5	6
636	Rensselaer county	794	94	21	7	7	7	136	14	15	20	25
637	Rockland county	584	135	29	9	10	5	188	31	14	8	19
638	St. Lawrence county	1,271	151	29	16	11	11	218	29	19	38	40
639	Saratoga county	779	137	23	11	9	4	184	25	8	25	21
640	Schenectady county	214	46	12	5	2	1	66	10	5	5	7
641	Schoharie county	451	41	6	5	5	2	59	8	6	9	20
642	Schuyler county	257	20	4	3	1	.....	28	1	4	1	9
643	Seneca county	482	40	5	5	5	2	57	7	6	10	16
644	Steuben county	1,045	121	24	9	10	6	170	13	15	28	32
645	Suffolk county	1,279	194	30	14	6	12	256	33	23	26	44
646	Sullivan county	574	68	11	6	5	5	95	9	9	23	13
647	Tioga county	479	40	7	4	2	3	56	7	9	11	21
648	Tompkins county	317	35	5	.....	4	1	45	2	2	3	4
649	Ulster county	1,015	187	41	18	14	4	264	26	21	28	29
650	Warren county	272	40	6	3	4	4	57	3	3	7	11
651	Washington county	750	91	23	14	6	6	140	11	3	15	22
652	Wayne county	753	94	15	10	8	5	132	5	9	10	28
653	Westchester county	1,508	293	56	54	32	13	428	33	29	34	43
654	Wyoming county	413	54	8	3	1	3	69	8	11	8	11
655	Yates county	293	28	4	5	2	1	40	8	3	8	7

AREAS, AT EACH AGE: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	7	5	4	9	16	11	11	18	28	24	17	6	7	.....	.....	578
61	53	43	43	52	46	57	72	80	80	59	51	30	11	1	3	579
31	33	33	42	28	43	46	71	75	73	77	67	40	7	1	2	580
24	13	15	13	16	16	27	31	36	38	34	23	7	4	3	2	581
8	1	4	4	6	8	15	14	12	19	18	8	7	1	.....	2	582
7	2	8	12	11	12	16	33	32	38	25	26	15	5	2	2	583
30	39	37	40	35	43	37	50	49	65	45	43	30	8	1	.....	584
19	14	18	16	17	14	22	28	31	35	32	26	15	2	2	2	585
44	50	64	40	54	57	70	62	68	63	41	21	5	7	1	.....	586
11	15	11	19	14	21	20	40	45	45	49	41	24	9	2	.....	587
12	9	15	13	7	9	21	23	24	25	26	26	14	2	.....	1	588
31	35	25	35	20	21	33	25	35	36	33	29	11	8	2	3	589
45	47	40	53	41	43	62	64	73	97	80	59	43	12	3	14	590
29	30	28	21	31	40	40	51	63	52	60	46	20	8	1	2	591
11	11	7	4	5	5	15	12	28	20	21	15	8	2	1	1	592
17	8	10	15	5	8	14	15	22	11	21	14	7	2	2	.....	593
7	16	12	5	10	18	19	16	28	33	25	23	11	2	1	3	594
18	15	14	13	17	17	21	22	28	35	47	22	17	9	3	1	595
10	8	18	15	12	20	25	33	28	33	26	20	12	6	.....	1	596
27	22	15	23	14	11	13	21	32	37	40	23	18	3	4	1	597
11	8	13	8	10	9	28	26	38	44	32	33	17	4	2	.....	598
14	11	11	20	26	20	27	35	42	47	55	34	24	7	.....	2	599
28	11	18	22	25	22	29	33	44	63	70	47	32	8	2	.....	600
12	14	9	13	14	25	30	22	40	49	53	41	22	9	2	.....	601
18	22	19	23	22	38	38	43	47	63	83	50	34	9	4	2	602
23	11	15	7	19	20	28	38	50	60	65	48	25	15	1	2	603
17	14	20	21	33	27	38	39	65	89	62	81	36	16	4	2	604
6	11	9	8	14	14	15	17	23	34	21	20	11	6	.....	1	605
21	15	18	28	34	27	41	48	53	57	77	63	28	14	5	2	606
32	22	20	17	13	21	21	27	36	43	44	34	22	6	2	3	607
14	11	21	16	18	27	31	42	41	61	67	40	38	9	3	2	608
6	12	9	8	9	11	16	18	24	33	30	25	13	6	4	.....	609
26	21	27	23	25	35	31	41	60	44	55	51	24	5	5	4	610
27	33	35	28	38	47	54	66	66	89	81	72	27	9	4	9	611
40	47	28	37	35	42	49	54	76	97	107	72	35	9	3	5	612
23	18	17	14	17	17	24	32	29	23	34	42	10	7	2	2	613
35	24	21	17	18	20	24	27	36	37	40	23	23	7	3	4	614
9	8	5	10	6	8	13	6	27	17	19	14	13	5	3	1	615
29	13	19	19	19	26	31	31	37	55	55	54	26	7	3	3	616
23	19	15	28	27	23	33	23	47	43	66	52	21	5	.....	2	617
1	7	3	4	2	4	2	6	4	1	5	2	1	1	.....	.....	618
23	40	33	22	25	30	35	35	53	70	61	49	22	16	2	6	619
29	19	22	27	29	41	40	50	62	85	90	55	37	16	5	3	620
12	12	13	11	8	16	20	18	30	32	30	36	19	8	3	4	621
14	19	25	21	25	20	26	32	42	44	48	46	31	7	.....	4	622
12	20	14	16	24	28	30	40	55	57	70	51	23	9	1	1	623
33	36	29	17	22	28	35	45	59	76	66	64	32	11	3	6	624
9	12	10	7	17	7	18	22	20	38	42	17	19	4	1	3	625
23	26	29	24	21	28	36	52	39	47	53	43	24	5	4	4	626
15	22	21	20	18	18	26	29	34	34	37	39	19	9	2	2	627
37	24	24	32	30	47	35	54	74	89	110	83	38	26	3	3	628
33	26	36	35	29	35	40	75	63	89	83	81	50	11	1	6	629
17	24	11	16	22	33	21	35	46	69	55	52	27	5	4	1	630
36	28	23	27	25	37	50	43	52	64	71	60	21	8	4	7	631
14	15	15	12	14	12	17	31	31	41	50	28	23	8	.....	1	632
37	45	42	55	45	58	80	97	94	115	125	82	56	17	3	6	633
19	26	17	21	35	27	43	53	75	62	97	65	42	11	2	5	634
9	9	7	7	8	11	13	15	15	20	18	19	7	2	2	3	635
32	33	27	27	33	39	42	57	64	67	72	48	23	8	4	8	636
16	19	13	19	23	20	22	31	34	34	41	27	16	4	1	4	637
43	54	57	55	61	56	64	76	93	93	107	91	41	22	2	12	638
26	27	27	17	23	24	45	51	45	41	81	61	24	15	3	6	639
12	4	11	7	4	4	3	13	14	18	18	7	5	1	.....	.....	640
16	12	15	12	25	27	19	20	42	47	38	46	22	6	1	1	641
7	5	8	8	13	14	6	21	27	23	29	27	19	4	.....	3	642
14	13	14	18	18	35	31	37	33	45	58	45	18	6	1	.....	643
30	33	33	39	29	38	59	79	101	110	107	73	30	17	5	4	644
46	52	60	51	52	51	67	75	88	95	108	83	39	16	4	10	645
37	34	36	21	24	12	27	30	26	44	54	47	18	8	2	5	646
9	10	15	17	23	22	19	42	55	41	62	33	19	6	1	1	647
6	6	10	14	9	10	16	25	38	30	45	29	16	6	.....	1	648
33	28	35	27	40	38	54	54	81	71	79	55	34	11	.....	7	649
7	8	5	9	11	8	16	15	28	23	21	20	12	3	1	4	650
28	19	24	21	27	42	38	51	75	70	56	51	31	12	8	6	651
27	21	19	25	15	31	37	52	69	63	84	66	35	17	3	5	652
77	60	58	66	62	58	68	80	83	86	101	73	45	10	3	11	653
8	10	10	10	12	16	25	25	44	42	38	36	17	9	3	1	654
7	5	11	5	10	12	19	23	31	26	27	31	9	5	2	4	655

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	RHODE ISLAND RURAL.											
656	Bristol county	297	71	13	11	8	3	106	10	3	4	8
657	Kent county	709	192	49	18	12	7	278	26	16	18	13
658	Newport county	183	36	8	3	4	.....	51	1	3	3	3
659	Providence county	1,383	259	72	29	12	17	389	33	18	34	52
660	Washington county	430	70	16	6	4	2	98	4	6	14	14
	VERMONT RURAL.											
661	Addison county	342	37	9	3	3	.....	52	5	3	12	10
662	Bennington county	238	45	8	2	.....	3	58	1	4	6	13
663	Caledonia county	413	57	14	7	7	6	91	8	9	9	9
664	Chittenden county	347	59	8	10	2	2	81	10	3	13	11
665	Essex county	120	14	4	2	.....	.....	20	5	1	3	3
666	Franklin county	463	102	16	12	1	3	134	6	3	14	15
667	Grand Isle county	63	7	5	.....	1	2	15	1	1	.....	3
668	Lamoille county	178	21	3	2	1	.....	27	3	.....	5	6
669	Orange county	295	27	3	1	1	3	35	1	.....	12	19
670	Orleans county	321	43	10	6	4	2	65	8	5	6	4
671	Rutland county	525	70	18	7	5	1	101	10	15	11	15
672	Washington county	500	67	14	4	2	1	88	8	10	14	15
673	Windham county	507	44	6	4	2	2	58	6	4	10	12
674	Windsor county	558	63	11	8	2	4	88	7	7	17	15

AREAS, AT EACH AGE: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
11	5	7	7	8	13	10	23	16	19	15	19	10	1	1	1	656
23	22	20	18	26	26	30	23	38	43	32	31	15	4	3	4	657
3	6	4	7	5	14	7	8	8	7	30	14	5	1	2	1	658
41	46	52	66	60	67	64	90	103	78	83	62	25	11	2	7	659
16	10	9	16	16	20	30	24	22	41	29	35	18	2	3	3	670
16	7	8	15	11	13	14	21	23	28	47	23	19	8	2	5	661
6	7	4	10	4	3	15	9	19	18	23	21	12	4	1	.....	662
9	12	13	11	13	18	16	23	33	36	40	34	14	8	3	4	663
10	8	12	17	13	11	13	19	27	33	26	24	8	6	1	1	664
5	8	4	4	3	6	5	4	11	15	10	11	2	.....	.....	.....	665
26	14	16	13	14	20	19	16	26	29	49	30	11	3	2	3	666
2	1	.....	3	1	1	2	2	6	9	6	6	2	1	.....	1	667
5	7	4	8	4	5	7	8	10	20	24	21	6	4	4	.....	668
9	14	5	9	12	13	13	23	16	27	36	24	17	8	1	1	669
10	9	8	8	7	19	17	26	18	25	39	24	12	5	4	2	670
16	19	21	17	16	23	25	39	27	33	51	46	23	7	2	8	671
19	18	14	15	13	21	24	31	36	49	41	46	21	9	1	7	672
14	11	18	16	16	15	33	47	52	41	46	65	22	13	4	4	673
13	17	18	18	21	19	34	31	40	61	60	49	26	12	2	3	674

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	SUMMARIES.													
1	The registration area	539,939	11,044	2,434	611	3,865	3,135	3,719	13,314	7,031	106	55,504	6,384	19,381
2	Registration cities	398,786	7,843	1,761	581	2,955	2,500	2,812	10,849	4,283	84	42,691	4,942	13,672
3	Registration states	343,217	6,244	1,244	63	2,665	1,908	2,444	8,056	5,332	46	34,593	4,227	12,769
4	Cities in registration states	202,064	3,043	571	33	1,755	1,273	1,537	5,591	2,584	24	21,780	2,785	7,060
5	Rural part of registration states	141,153	3,201	673	30	910	635	907	2,465	2,748	22	12,813	1,442	5,709
6	Registration cities in other states	196,722	4,800	1,190	548	1,200	1,227	1,275	5,258	1,699	60	20,911	2,157	6,612
	REGISTRATION STATES.													
7	Connecticut	16,366	291	105	.....	172	69	131	326	639	5	1,572	153	624
8	District of Columbia	6,202	222	53	4	45	15	88	121	121	.....	817	92	213
9	Indiana	35,712	1,287	365	22	119	139	311	882	467	7	4,358	369	1,077
10	Maine	11,882	196	12	3	61	36	74	157	236	3	1,093	174	518
11	Massachusetts	51,199	617	80	3	325	398	396	1,472	1,041	9	5,275	682	2,092
12	Michigan	33,973	883	158	9	319	270	190	535	374	6	2,183	402	1,482
13	New Hampshire	7,634	91	9	1	24	25	40	99	184	.....	622	79	296
14	New Jersey	33,439	415	96	5	217	187	294	918	408	2	3,466	397	1,016
15	New York	132,352	2,003	330	15	1,172	720	828	3,297	1,434	13	13,888	1,677	4,847
16	Rhode Island	8,766	123	30	1	184	33	71	197	301	.....	844	146	302
17	Vermont	5,692	116	6	.....	27	16	21	52	127	1	475	56	302
	REGISTRATION CITIES.													
18	Adams town, Mass	190	8	.....	.....	3	.....	.....	11	3	.....	16	1	6
19	Alameda, Cal	236	4	.....	.....	.....	2	.....	6	1	.....	29	5	15
20	Albany, N. Y	1,794	39	1	.....	17	3	2	54	23	.....	220	13	80
21	Alexandria, Va	365	11	7	.....	1	.....	1	17	11	.....	38	1	11
22	Allegheny, Pa	2,375	122	2	1	12	17	19	35	20	.....	202	36	51
23	Allentown, Pa	637	10	1	.....	3	5	3	25	4	.....	58	2	26
24	Altoona, Pa	689	17	.....	.....	3	9	6	59	2	.....	52	3	15
25	Amesbury town, Mass	147	5	.....	.....	1	.....	1	2	.....	.....	22	1	11
26	Amsterdam, N. Y	310	3	1	.....	.....	1	1	11	6	.....	32	4	13
27	Ann Arbor, Mich	201	4	.....	.....	.....	.....	.....	1	.....	.....	22	7	22
28	Annapolis, Md	236	3	.....	.....	2	.....	1	3	8	.....	35	.....	3
29	Ansonia, Conn	261	3	.....	.....	7	2	7	3	7	.....	25	5	4
30	Appleton, Wis	196	3	.....	.....	.....	2	1	3	2	.....	19	3	5
31	Arlington town, Mass	138	.....	1	.....	.....	2	2	3	.....	.....	13	2	9
32	Ashtabula, Ohio	222	1	.....	.....	1	1	1	3	2	.....	22	1	5
33	Atlanta, Ga	1,985	67	15	1	2	13	13	31	31	.....	238	24	43
34	Atlantic City, N. J	481	7	.....	.....	3	2	1	12	11	.....	37	10	10
35	Attleboro town, Mass	173	1	.....	.....	2	.....	1	4	2	.....	16	1	11
36	Auburn, N. Y	530	14	1	.....	10	.....	10	12	3	.....	48	11	19
37	Augusta, Me	274	5	3	.....	.....	.....	2	.....	2	.....	22	5	8
38	Aurora, Ill	384	17	1	.....	.....	1	.....	6	6	.....	26	6	22
39	Baltimore, Md	10,899	198	52	.....	33	20	57	292	91	1	1,199	97	314
40	Bangor, Me	347	5	1	.....	.....	1	.....	2	3	.....	31	6	18
41	Barre, Vt	174	4	.....	.....	5	1	1	9	1	.....	13	2	9
42	Bath, Me	180	1	.....	.....	.....	.....	5	2	3	.....	20	2	5
43	Battle Creek, Mich	271	10	1	.....	.....	2	2	1	4	.....	18	8	20
44	Bay City, Mich	373	12	1	.....	2	11	1	19	2	.....	21	3	20
45	Bayonne, N. J	555	8	.....	.....	4	.....	28	17	6	.....	43	6	17
46	Bellaire, Ohio	178	6	.....	.....	.....	4	5	2	1	.....	19	.....	3
47	Belleville, Ill	267	12	4	.....	.....	1	1	10	1	.....	24	3	11
48	Beloit, Wis	148	1	.....	.....	.....	1	.....	1	6	.....	14	1	7
49	Bennington town, Vt	123	1	.....	.....	2	.....	2	.....	.....	.....	11	.....	4
50	Berlin, N. H	203	11	.....	.....	2	.....	.....	7	2	.....	10	2	4
51	Beverly, Mass	203	3	.....	.....	.....	2	.....	1	6	.....	27	3	11
52	Biddeford, Me	366	15	.....	.....	.....	1	2	10	5	.....	27	3	10
53	Binghamton, N. Y	736	16	3	.....	1	9	1	55	7	.....	56	4	31
54	Boston, Mass	11,450	135	9	.....	99	196	105	518	202	4	1,400	216	466
55	Bridgeport, Conn	1,257	14	7	.....	23	9	4	23	43	.....	133	15	42
56	Bridgeton, N. J	224	5	.....	.....	3	.....	1	3	.....	.....	17	1	9
57	Bristol town, Conn	152	13	.....	.....	.....	.....	6	6	9	.....	11	.....	3
58	Brockton, Mass	563	20	.....	.....	2	2	4	22	18	.....	76	10	28
59	Brookline town, Mass	254	1	1	.....	3	.....	2	10	7	.....	21	3	19
60	Buffalo, N. Y	5,155	83	4	.....	50	27	25	67	42	.....	399	75	199
61	Burlington, Iowa	344	13	1	.....	.....	.....	3	8	.....	.....	26	1	14
62	Burlington, Vt	330	7	1	.....	1	1	.....	2	5	.....	29	5	14
63	Cambridge, Mass	1,573	16	1	.....	1	9	11	73	18	.....	228	19	87
64	Camden, N. J	1,368	10	2	.....	8	3	2	131	13	.....	108	12	34
65	Canton, Ohio	360	9	.....	.....	1	.....	5	14	3	.....	29	3	14
66	Carbondale, Pa	273	5	.....	.....	.....	4	5	20	8	.....	5	4	10
67	Carlisle, Pa	204	1	.....	.....	.....	.....	1	13	3	.....	19	4	7
68	Central Falls, R. I	359	5	1	1	5	2	3	6	6	.....	24	1	9
69	Charleston, S. C	1,954	74	39	.....	1	2	5	11	62	.....	246	4	39
70	Chelsea, Mass	650	7	2	.....	1	.....	5	28	15	.....	64	4	29
71	Chicago, Ill	26,062	359	32	4	216	240	287	843	177	4	2,816	320	1,026
72	Chicopee, Mass	405	6	.....	1	2	.....	1	4	7	.....	41	6	5
73	Chillicothe, Ohio	262	9	3	.....	.....	.....	3	2	5	.....	42	.....	8
74	Chippewa Falls, Wis	118	2	.....	.....	.....	1	1	.....	.....	.....	15	1	5
75	Cincinnati, Ohio	5,926	127	4	8	4	27	18	91	49	1	659	71	230
76	Cleveland, Ohio	6,731	217	7	19	9	37	21	217	27	1	486	21	203
77	Clinton town, Mass	210	1	.....	.....	1	.....	9	4	.....	.....	19	1	3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
581	2,996	12,578	51,654	45,279	48,780	30,032	33,479	7,506	28,622	27,377	4,106	23,654	3,534	25,995	19,685	44,509	3,024	1
350	1,991	9,645	35,526	31,660	38,201	23,388	25,858	5,224	20,624	21,444	3,019	18,867	2,739	19,654	13,952	29,909	1,742	2
394	2,187	8,103	32,989	30,222	30,477	19,060	23,137	4,792	17,883	17,699	2,682	14,433	2,036	15,439	11,345	28,977	1,771	3
163	1,182	5,170	16,861	16,603	19,898	12,396	15,516	2,510	9,885	11,766	1,595	9,646	1,261	9,098	5,612	14,377	489	4
231	1,005	2,933	16,128	13,619	10,579	6,664	7,621	2,282	7,998	5,933	1,087	4,787	775	6,341	5,733	14,600	1,282	5
187	809	4,475	18,665	15,057	18,303	10,992	10,342	2,714	10,739	9,678	1,424	9,221	1,498	10,556	8,340	15,532	1,253	6
21	131	381	1,530	1,516	1,259	833	1,291	215	887	871	118	714	114	781	219	1,366	32	7
3	21	104	649	601	440	303	411	95	271	317	43	307	27	220	122	474	3	8
49	199	880	3,739	2,269	2,770	1,495	1,812	639	2,161	1,238	263	1,530	166	1,543	1,904	3,379	273	9
20	71	311	1,393	1,213	997	588	644	134	603	525	65	426	61	414	464	1,205	185	10
53	358	1,310	4,582	5,157	3,997	2,833	3,942	593	2,261	2,096	312	2,796	260	2,021	1,591	4,396	251	11
61	252	610	3,677	3,146	2,246	1,913	2,357	581	2,255	1,182	449	1,347	218	1,734	1,079	3,522	533	12
8	72	224	894	771	750	429	474	75	316	286	33	315	36	252	381	772	76	13
31	157	1,029	3,672	2,871	2,736	2,152	2,268	452	1,644	1,813	241	1,424	216	1,852	1,314	2,047	99	14
132	827	2,921	11,545	11,339	14,046	7,652	8,969	1,802	6,805	8,628	1,023	5,039	858	6,051	3,912	10,362	197	15
7	56	209	665	727	677	610	766	130	382	497	89	315	50	370	124	811	49	16
9	43	124	643	592	559	252	203	76	298	246	46	220	30	201	235	643	73	17
.....	.....	3	18	18	9	8	36	2	6	5	1	17	1	1	12	5	.....	18
.....	1	4	12	30	15	9	4	4	21	23	1	5	.....	22	3	18	2	19
2	10	50	195	160	149	99	48	18	117	134	12	39	2	78	76	153	.....	20
1	1	7	29	21	34	11	20	5	5	26	2	11	.....	9	23	26	36	21
3	8	69	202	111	300	165	187	36	133	53	25	133	20	130	100	176	7	22
.....	4	11	81	60	64	14	29	8	34	19	3	35	9	36	53	36	4	23
1	2	8	93	39	69	20	34	1	33	13	5	43	1	56	44	53	8	24
.....	.....	6	17	16	7	8	10	1	4	8	.....	6	.....	5	6	10	.....	25
.....	2	14	35	19	24	13	21	3	14	9	4	11	.....	24	21	20	4	26
1	3	3	18	17	10	12	4	3	13	11	2	5	2	13	6	22	.....	27
1	.....	3	38	10	6	10	21	2	14	3	1	14	1	12	12	31	2	28
1	1	17	17	15	24	17	40	1	11	10	3	5	.....	15	5	16	.....	29
1	3	7	12	13	12	7	20	.....	7	10	1	9	2	9	16	25	4	30
.....	1	3	17	18	10	6	8	3	4	5	.....	4	.....	5	4	16	2	31
.....	.....	2	24	11	17	7	14	2	15	2	.....	11	2	33	19	23	3	32
4	11	23	187	121	159	74	127	36	129	79	21	122	4	121	93	166	30	33
.....	2	12	53	33	26	42	25	10	32	30	1	22	.....	34	30	34	2	34
.....	1	7	18	16	12	9	18	2	13	6	2	12	3	2	4	10	.....	35
.....	2	15	64	48	50	20	31	9	29	19	6	14	5	13	16	60	1	36
1	.....	5	93	22	17	9	20	1	7	9	1	1	1	4	14	16	6	37
2	4	13	47	29	39	16	19	5	17	21	.....	9	4	27	14	29	4	38
6	42	215	970	723	1,178	537	795	153	516	663	64	639	60	520	437	1,021	6	39
.....	2	14	46	34	22	16	12	4	24	12	1	10	1	19	17	43	3	40
.....	1	9	8	10	23	12	11	3	3	4	1	11	.....	3	14	16	.....	41
.....	1	5	11	19	14	7	19	3	7	13	.....	16	3	9	3	12	.....	42
.....	3	2	30	29	19	8	13	7	11	16	4	4	2	18	12	27	.....	43
1	2	8	38	43	15	24	27	3	33	15	3	15	1	21	11	21	.....	44
.....	1	24	57	24	39	56	55	3	19	29	4	27	3	37	19	29	.....	45
.....	1	4	11	11	18	7	11	2	15	7	1	7	1	18	6	17	1	46
.....	2	7	22	16	17	13	11	4	16	6	2	8	3	18	11	42	2	47
.....	.....	9	16	8	8	7	4	2	13	3	.....	11	1	9	9	16	1	48
1	.....	3	14	13	17	5	4	1	5	13	1	7	1	8	.....	9	1	49
.....	1	13	10	6	19	9	57	3	3	3	1	9	.....	7	10	8	6	50
.....	3	5	19	32	10	16	7	1	8	11	.....	6	1	9	4	18	.....	51
.....	1	17	30	27	36	18	42	2	16	15	2	37	1	6	18	21	4	52
.....	6	18	81	60	63	47	18	12	39	41	6	32	4	27	21	78	.....	53
9	85	254	767	1,195	980	607	754	108	565	456	104	515	77	514	226	827	57	54
1	9	30	99	81	135	63	112	11	64	90	10	70	14	63	12	78	2	55
.....	1	3	35	29	11	11	18	7	10	16	1	12	.....	6	9	16	.....	56
.....	2	6	13	12	13	6	8	1	8	8	1	8	1	4	2	11	.....	57
.....	7	16	52	51	38	28	28	5	16	26	6	30	2	20	18	35	3	58
.....	2	3	20	43	16	12	8	1	8	13	4	12	.....	7	5	26	7	59
4	45	161	451	457	295	512	440	70	304	290	32	285	32	252	168	379	7	60
1	2	10	37	24	30	10	5	3	26	20	4	10	5	21	20	50	.....	61
1	2	9	34	23	31	18	26	8	15	10	1	27	2	9	13	34	2	62
3	8	28	124	132	116	99	128	17	60	62	10	95	6	63	61	89	9	63
1	3	55	150	115	110	54	76	13	69	89	12	85	1	64	76	67	5	64
.....	3	7	65	17	29	12	15	4	20	16	.....	13	3	17	16	37	8	65
.....	2	8	29	16	23	19	10	3	18	7	1	11	.....	30	14	20	1	66
.....	.....	8	27	21	15	5	4	3	14	11	.....	9	.....	4	9	23	3	67
.....	5	10	29	25	36	39	51	7	12	20	3	12	1	12	7	27	.....	68
6	4	17	227	125	98	67	134	54	85	228	19	116	3	69	71	144	4	69
1	8	19	83	59	45	33	40	4	22	21	2	46	6	26	29	51	.....	70
17	113	669	2,098	2,168	3,554	1,518	1,783	380	1,209	1,260	256	864	363	1,406	278	1,711	31	71
.....	.....	24	35	18	40	34	66	5	13	12	.....	31	1	12	16	25	.....	72
2	4	11	23	16	16	11	14	2	12	6	.....	6	1	12	21	33	.....	73
1	.....	1	12	10	3	2	9	1	9	2	.....	9	.....	7	12	15	.....	74
5	29	230	560	470	428	454	226	116	363	354	50	225	42	296	289	489	11	75
7	17	188	818	486	623	360	400	53	348	213	45	421	58	318	655	438	18	76
1	1	5	11	14	13	13	18	3	15	5	2	24	1	12	10	18	6	77

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.											
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
78	Cohoes, N. Y.	474	28	.....	.....	1	3	4	4	3	.....	49	7	14
79	Columbia, Pa.	246	10	.....	.....	.....	.....	.....	17	1	.....	18	3	11
80	Columbus, Ind.	173	10	1	.....	.....	1	.....	1	4	.....	27	1	5
81	Columbus, Ohio.	1,989	67	6	.....	9	11	17	28	28	.....	263	25	85
82	Concord, N. H.	342	1	.....	.....	1	.....	5	5	6	.....	19	.....	14
83	Corning, N. Y.	210	7	2	.....	.....	5	.....	15	2	.....	15	2	9
84	Cortland, N. Y.	126	4	.....	.....	.....	2	.....	1	2	.....	9	1	9
85	Covington, Ky.	824	19	.....	2	.....	3	6	15	3	.....	89	5	24
86	Danbury town, Conn.	342	5	1	.....	2	2	.....	12	14	.....	43	5	14
87	Danvers town, Mass.	189	1	.....	.....	.....	.....	.....	4	1	.....	22	2	7
88	Danville, Ill.	293	10	3	.....	1	1	.....	7	.....	.....	40	2	15
89	Davenport, Iowa.	514	19	1	.....	.....	1	.....	5	4	.....	48	4	32
90	Dayton, Ohio.	1,335	30	3	.....	1	6	3	32	11	.....	146	21	64
91	Decatur, Ill.	351	10	.....	.....	4	2	.....	9	5	.....	34	6	18
92	Denver, Colo.	2,539	54	2	.....	11	28	11	27	15	1	502	30	74
93	Detroit, Mich.	4,657	81	9	1	54	18	21	83	18	2	323	51	212
94	Dover, N. H.	251	3	.....	.....	.....	.....	1	3	7	.....	24	3	11
95	Dubois, Pa.	206	5	2	.....	7	5	2	4	2	.....	12	1	.....
96	Duluth, Minn.	802	58	.....	1	10	3	6	16	1	1	53	22	30
97	Dunkirk, N. Y.	184	4	1	.....	.....	2	4	1	4	.....	13	1	5
98	Easton, Pa.	440	5	.....	.....	.....	.....	2	10	3	.....	38	5	18
99	Eau Claire, Wis.	207	4	.....	.....	.....	.....	5	1	1	.....	18	3	15
100	Elizabeth, N. J.	1,007	6	1	.....	4	12	16	43	5	.....	99	19	29
101	Elmira, N. Y.	562	16	1	.....	2	1	1	1	12	.....	46	4	28
102	Erie, Pa.	822	30	.....	1	1	1	2	32	4	.....	58	7	27
103	Escanaba, Mich.	229	12	.....	.....	1	2	1	2	.....	.....	13	.....	4
104	Evansville, Ind.	931	29	18	.....	8	1	8	7	5	.....	134	8	26
105	Everett, Mass.	385	5	1	.....	1	5	5	19	12	.....	37	3	12
106	Fall River, Mass.	2,286	29	3	1	17	2	13	25	32	1	193	23	55
107	Findlay, Ohio.	293	20	.....	.....	.....	1	1	12	3	.....	39	3	8
108	Fitchburg, Mass.	495	10	.....	.....	2	3	5	14	2	.....	31	3	19
109	Flint, Mich.	152	3	1	.....	.....	.....	2	2	3	.....	9	1	5
110	Framingham town, Mass.	194	2	1	.....	.....	.....	.....	1	8	.....	15	9	6
111	Frederick, Md.	182	3	2	.....	2	.....	.....	3	1	.....	13	3	9
112	Fresno, Cal.	241	30	3	.....	1	1	.....	4	1	1	23	3	14
113	Gardner town, Mass.	186	1	.....	.....	2	2	2	7	8	.....	16	2	4
114	Geneva, N. Y.	165	1	.....	.....	.....	2	4	1	.....	.....	12	.....	5
115	Glens Falls, N. Y.	253	8	.....	.....	.....	8	6	4	5	.....	29	2	8
116	Gloucester, Mass.	425	1	.....	.....	.....	2	.....	10	16	.....	41	4	18
117	Gloversville, N. Y.	236	9	.....	1	1	1	.....	2	2	.....	14	1	10
118	Grand Rapids, Mich.	1,204	27	3	2	15	8	9	24	15	.....	82	14	68
119	Green Bay, Wis.	299	7	.....	.....	1	2	.....	4	2	.....	18	2	10
120	Greenwich town, Conn.	220	3	.....	.....	1	.....	.....	18	8	.....	16	.....	9
121	Hamilton, Ohio.	368	6	1	.....	.....	3	2	4	5	1	42	7	11
122	Harrisburg, Pa.	904	25	9	.....	4	1	8	32	15	.....	68	3	32
123	Harrison, N. J.	246	5	4	.....	1	2	3	3	7	.....	16	8	5
124	Hartford, Conn.	1,449	42	4	.....	1	2	8	49	30	1	155	11	54
125	Haverhill, Mass.	586	6	3	.....	.....	1	2	11	14	1	68	12	27
126	Hazelton, Pa.	227	4	.....	.....	4	4	1	5	.....	.....	7	.....	12
127	Helena, Mont.	167	5	.....	.....	.....	3	.....	2	.....	.....	18	2	13
128	Hoboken, N. J.	1,393	10	1	.....	14	3	8	31	7	.....	148	20	32
129	Holyoke, Mass.	990	14	1	.....	23	7	2	79	13	1	91	10	24
130	Hudson, N. Y.	206	6	1	.....	.....	.....	.....	4	5	.....	23	2	7
131	Hyde Park town, Mass.	187	1	.....	.....	.....	1	1	5	9	.....	17	3	13
132	Indianapolis, Ind.	2,886	70	17	.....	2	18	16	53	48	2	374	20	103
133	Iron Mountain, Mich.	137	.....	.....	.....	.....	4	.....	5	2	.....	3	7	7
134	Ironton, Ohio.	185	11	.....	.....	4	.....	2	1	1	.....	20	5	5
135	Ironwood, Mich.	157	8	.....	.....	.....	4	4	5	1	.....	5	4	2
136	Ishpeming, Mich.	175	11	.....	.....	6	4	4	7	.....	.....	6	5	5
137	Ithaca, N. Y.	224	6	.....	.....	3	1	.....	6	8	.....	17	2	7
138	Jackson, Mich.	324	17	2	.....	.....	.....	.....	2	3	.....	23	3	19
139	Jacksonville, Fla.	857	10	68	.....	.....	.....	5	3	14	.....	118	5	9
140	Jacksonville, Ill.	268	4	1	.....	.....	1	.....	.....	7	.....	27	5	8
141	Jamestown, N. Y.	290	12	.....	.....	.....	.....	5	1	2	.....	34	8	13
142	Jeffersonville, Ind.	207	6	2	.....	2	.....	2	.....	.....	.....	33	13	4
143	Jersey City, N. J.	4,274	47	10	.....	17	31	21	133	25	.....	519	66	99
144	Johnstown, N. Y.	115	2	.....	.....	1	.....	.....	.....	2	.....	11	1	5
145	Johnstown, Pa.	758	47	.....	.....	9	6	14	27	5	.....	41	6	16
146	Kalamazoo, Mich.	456	9	3	.....	3	.....	5	2	3	.....	25	6	20
147	Kansas City, Mo.	2,674	58	10	9	11	11	7	78	15	.....	322	14	65
148	Keene, N. H.	130	.....	.....	.....	.....	1	1	1	3	.....	13	2	8
149	Key West, Fla.	418	9	7	.....	.....	.....	4	8	4	.....	61	4	6
150	Kingston, N. Y.	483	3	4	.....	12	10	7	8	10	.....	45	2	16
151	Laconia, N. H.	142	2	.....	.....	.....	1	.....	.....	2	.....	18	2	2
152	Lafayette, Ind.	333	3	5	.....	1	.....	1	12	6	.....	41	3	6
153	Lancaster, Pa.	715	18	1	.....	2	4	11	29	17	.....	53	14	25
154	Lansing, Mich.	239	12	1	.....	2	2	1	12	2	.....	14	1	11
155	Lansingburg, N. Y.	222	16	.....	.....	.....	.....	.....	8	5	.....	22	4	7
156	Lawrence, Kans.	177	4	1	.....	.....	1	7	15	.....	.....	20	1	8
157	Lawrence, Mass.	1,290	12	1	.....	21	9	7	36	26	.....	117	9	32

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	1	19	50	21	47	17	44	3	30	17	1	30	1	35	14	30	.....	78
.....	.....	7	31	16	21	7	6	.....	12	6	.....	11	.....	25	20	23	1	79
.....	.....	7	13	6	22	12	7	1	12	9	2	8	1	10	4	7	2	80
3	8	60	209	164	166	79	58	32	121	85	13	71	17	100	52	195	17	81
.....	3	12	53	34	21	31	9	7	12	17	2	13	2	12	18	42	3	82
.....	2	6	23	19	27	13	11	2	7	7	2	6	.....	9	5	13	1	83
.....	1	1	20	12	4	10	7	.....	11	3	1	5	.....	5	1	17	.....	84
6	3	40	87	71	55	34	25	6	37	69	4	38	5	47	79	48	4	85
.....	3	12	36	48	27	7	12	2	20	16	1	15	2	13	1	28	1	86
.....	5	5	33	27	13	8	3	5	1	9	4	3	4	2	3	26	1	87
.....	1	6	29	18	10	12	11	4	17	14	.....	12	1	31	18	27	3	88
.....	.....	10	66	42	36	39	18	3	29	14	2	25	6	29	13	68	.....	89
3	7	41	125	146	61	56	75	14	72	66	10	73	2	73	49	144	1	90
.....	3	14	37	26	28	10	9	6	18	20	1	15	1	29	11	31	4	91
5	17	63	179	192	254	138	68	20	175	120	13	111	15	130	86	194	4	92
3	27	112	465	334	324	354	424	50	285	175	71	320	33	191	131	457	28	93
1	1	4	31	29	31	13	11	.....	8	16	.....	11	2	6	14	18	3	94
.....	.....	5	12	13	9	10	36	3	10	2	2	10	1	12	17	18	6	95
1	3	20	37	43	79	34	85	10	50	53	4	41	3	65	13	56	4	96
.....	.....	3	16	13	9	20	7	1	16	20	1	5	.....	14	5	19	.....	97
.....	1	7	73	40	43	10	24	4	12	15	1	20	4	30	41	34	.....	98
.....	1	1	6	11	19	7	8	2	16	6	2	3	1	16	10	11	40	99
.....	3	19	103	78	106	63	98	14	38	42	7	48	7	55	32	55	5	100
1	5	17	60	48	41	47	18	7	23	48	3	25	2	26	17	62	.....	101
.....	.....	14	97	93	67	41	61	5	43	47	10	39	4	35	29	82	2	102
.....	.....	5	15	8	12	17	26	1	12	2	7	13	2	33	14	17	10	103
1	3	19	98	55	79	56	55	26	53	38	3	56	5	39	41	59	1	104
.....	2	13	26	36	44	16	18	4	17	13	3	35	.....	14	19	23	2	105
1	8	68	199	158	163	195	335	27	97	75	7	233	6	58	114	148	.....	106
.....	.....	9	31	22	23	17	12	4	23	7	2	7	2	13	11	19	4	107
2	2	10	25	50	25	27	53	8	24	12	3	55	1	23	24	62	.....	108
.....	.....	3	20	13	9	7	5	4	12	6	1	5	1	9	2	26	3	109
.....	4	4	19	18	26	8	6	2	9	8	1	9	.....	7	9	22	.....	110
.....	3	2	23	34	5	6	10	1	5	19	1	9	.....	4	7	15	2	111
.....	.....	10	15	7	12	12	5	3	11	3	1	4	6	12	4	20	35	112
.....	1	21	15	14	9	9	17	1	2	6	1	10	1	6	7	21	1	113
1	1	1	22	27	10	6	13	5	9	10	2	3	1	9	5	15	.....	114
1	2	7	27	25	24	14	15	5	11	12	5	5	.....	9	4	17	.....	115
1	1	13	42	47	13	14	18	1	23	21	4	20	1	49	18	46	1	116
.....	3	9	28	24	14	11	4	4	13	17	3	14	3	11	5	32	.....	117
1	9	24	126	113	88	86	52	15	91	49	9	69	13	46	29	116	1	118
.....	.....	12	29	21	20	7	16	5	20	5	.....	25	2	22	18	43	8	119
.....	1	3	30	9	22	13	11	2	11	14	5	14	1	9	2	18	.....	120
.....	1	11	32	32	20	13	14	6	21	16	3	32	2	19	30	34	.....	121
.....	4	27	141	62	60	43	30	18	36	32	4	32	4	66	57	64	27	122
.....	.....	17	25	16	16	13	16	3	7	10	2	15	1	13	13	23	2	123
2	6	49	127	101	110	73	90	17	88	97	7	69	4	73	41	136	2	124
1	9	20	53	69	43	37	29	4	30	24	5	26	5	22	13	49	2	125
.....	1	2	32	12	16	26	21	3	12	8	.....	13	1	10	20	13	.....	126
.....	2	5	11	12	17	4	6	.....	12	11	3	3	2	11	9	15	1	127
.....	5	39	107	108	107	135	75	12	66	55	6	50	17	199	30	88	.....	128
.....	7	49	64	60	75	58	132	10	53	25	5	46	4	34	35	63	5	129
.....	3	3	32	21	24	8	8	5	13	7	2	6	1	6	7	12	.....	130
.....	3	4	15	14	21	8	15	.....	7	10	1	9	.....	6	9	15	.....	131
3	20	85	320	169	240	115	128	50	156	121	12	156	17	117	185	266	3	132
.....	.....	2	11	8	12	5	13	1	4	3	.....	15	.....	17	2	10	6	133
.....	1	1	16	6	10	19	16	5	11	3	1	3	.....	14	3	16	11	134
.....	1	.....	6	4	10	10	22	2	6	4	2	8	.....	17	7	3	22	135
.....	.....	3	11	9	4	24	15	5	6	2	6	13	1	10	2	6	10	136
1	.....	4	24	33	18	8	5	2	9	15	.....	3	3	19	5	23	2	137
1	2	6	40	44	18	14	15	5	24	12	2	7	5	22	9	28	1	138
.....	2	16	94	46	40	39	23	16	59	39	3	49	1	43	84	66	5	139
.....	1	7	41	30	14	10	7	1	15	13	.....	8	1	11	9	44	3	140
.....	2	3	29	29	23	21	13	1	15	14	.....	9	1	15	13	25	2	141
.....	2	5	25	13	19	12	7	4	9	12	.....	10	1	5	5	16	.....	142
6	13	171	415	364	391	321	255	63	247	239	33	158	37	229	128	220	16	143
.....	2	3	14	8	3	2	8	3	9	3	1	4	.....	4	7	18	4	144
.....	2	46	58	42	112	17	50	8	38	16	5	23	.....	63	46	33	28	145
.....	2	6	99	45	20	28	20	11	32	13	2	16	5	17	8	52	4	146
3	7	73	220	214	286	125	112	34	149	117	20	147	18	181	174	185	9	147
1	1	5	9	15	12	6	2	.....	10	3	3	3	1	7	10	13	.....	148
.....	.....	17	67	21	14	18	37	13	21	7	7	28	1	11	24	28	1	149
3	.....	16	46	57	22	31	19	6	32	23	.....	20	.....	31	14	45	1	150
.....	2	7	15	9	13	6	10	2	6	1	.....	9	.....	12	7	15	1	151
2	.....	11	29	32	25	13	15	4	27	7	1	11	1	24	20	27	6	152
3	1	8	85	81	46	30	42	13	46	39	5	20	6	28	42	45	1	153
1	.....	8	27	32	11	10	17	3	15	11	2	7	2	10	4	18	3	154
.....	.....	4	28	14	25	10	8	4	9	18	1	5	.....	6	13	15	.....	155
1	2	.....	15	14	13	4	1	1	15	5	1	2	1	8	4	17	16	156
2	8	31	83	116	92	80	187	10	76	41	12	74	7	51	32	95	14	157

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
158	Leadville, Colo	347	13	.....	.....	.....	6	12	3	1	.....	7	.....	9
159	Leavenworth, Kans	368	6	5	.....	.....	1	6	4	2	.....	37	1	11
160	Lebanon, Pa	303	6	1	.....	4	.....	.....	25	6	.....	18	1	3
161	Leominster town, Mass	182	2	.....	.....	.....	2	.....	7	.....	.....	16	1	9
162	Lima, Ohio	420	16	2	.....	2	2	2	5	5	1	36	3	10
163	Lincoln, Nebr	450	4	2	.....	1	2	2	33	6	1	33	5	19
164	Lockport, N. Y	262	4	.....	.....	.....	.....	3	6	3	.....	25	2	16
165	Los Angeles, Cal	1,928	39	3	.....	5	7	21	33	19	1	372	29	92
166	Louisville, Ky	3,872	131	9	1	16	4	44	44	22	1	424	42	131
167	Lowell, Mass	1,848	17	.....	1	1	.....	1	27	32	.....	183	18	49
168	Lynchburg, Va	516	23	.....	.....	.....	1	.....	13	5	.....	69	6	9
169	Lynn, Mass	1,103	13	2	.....	2	2	14	37	27	.....	132	18	44
170	McKeesport, Pa	635	24	2	1	5	9	7	19	3	.....	34	3	19
171	Madison, Wis	202	1	.....	.....	.....	6	.....	5	.....	.....	19	1	7
172	Mahanoy City, Pa	401	.....	.....	.....	8	1	.....	22	4	.....	15	.....	9
173	Malden, Mass	508	7	.....	.....	.....	5	3	18	13	.....	59	2	31
174	Manchester, N. H	1,154	9	1	1	.....	6	3	12	6	.....	113	18	23
175	Manchester town, Conn	146	8	.....	.....	.....	.....	4	4	4	.....	23	1	5
176	Manitowoc, Wis	209	1	.....	.....	.....	4	.....	8	.....	.....	27	4	10
177	Mankato, Minn	133	3	.....	.....	.....	.....	.....	.....	.....	.....	8	2	12
178	Marietta, Ohio	209	9	2	.....	1	6	2	5	4	.....	21	.....	9
179	Marinette, Wis	226	4	.....	.....	2	2	.....	3	.....	.....	20	4	2
180	Marlboro, Mass	211	.....	.....	.....	.....	.....	4	3	1	.....	21	1	9
181	Marquette, Mich	191	8	.....	1	1	5	.....	1	.....	.....	19	1	8
182	Massillon, Ohio	187	12	.....	.....	.....	.....	.....	2	3	.....	14	3	5
183	Meadville, Pa	170	7	1	.....	.....	.....	1	3	5	.....	16	.....	7
184	Medford, Mass	252	5	.....	.....	2	.....	5	11	12	.....	23	2	12
185	Melrose, Mass	198	2	1	.....	2	4	2	4	7	.....	18	3	10
186	Memphis, Tenn	2,302	49	209	3	44	6	36	8	34	1	248	14	47
187	Menominee, Mich	176	7	.....	.....	.....	1	.....	1	.....	.....	10	2	3
188	Meriden town, Conn	437	7	11	.....	.....	3	3	3	27	.....	55	3	21
189	Michigan City, Ind	194	5	1	.....	1	3	.....	3	.....	.....	13	.....	8
190	Middletown, N. Y	276	1	2	.....	3	.....	5	5	1	1	37	3	13
191	Middletown, Ohio	123	1	.....	.....	.....	.....	.....	3	.....	.....	14	4	4
192	Middletown town, Conn	321	3	4	.....	1	1	9	5	9	.....	26	1	11
193	Milford town, Mass	190	2	2	.....	.....	1	1	5	6	.....	22	1	7
194	Millville, N. J	151	3	.....	.....	1	.....	.....	11	.....	.....	19	.....	8
195	Milwaukee, Wis	4,324	55	1	.....	18	70	22	122	5	.....	395	36	185
196	Minneapolis, Minn	2,308	84	2	9	3	16	8	124	13	.....	260	59	114
197	Mobile, Ala	1,045	32	29	1	1	12	16	2	4	2	166	9	34
198	Montclair, N. J	242	4	1	.....	.....	1	.....	4	2	.....	18	7	8
199	Morristown, N. J	204	4	.....	1	.....	.....	3	1	3	.....	29	1	11
200	Mt. Carmel, Pa	368	2	.....	.....	3	7	.....	11	1	.....	11	.....	4
201	Mt. Vernon, N. Y	398	1	1	.....	6	2	2	6	1	.....	34	4	11
202	Muncie, Ind	363	16	.....	.....	9	.....	4	17	1	.....	43	5	5
203	Muscatine, Iowa	230	17	2	.....	1	.....	1	1	4	.....	12	.....	8
204	Muskegon, Mich	286	3	.....	.....	.....	.....	.....	3	3	.....	22	5	7
205	Nashua, N. H	468	1	3	.....	7	.....	2	15	10	.....	42	5	15
206	Nashville, Tenn	1,921	40	22	.....	8	3	16	28	45	1	280	33	27
207	Natick town, Mass	124	3	1	.....	.....	.....	3	3	3	.....	10	2	6
208	Naugatuck, Conn	182	3	1	.....	.....	.....	1	1	6	.....	13	3	7
209	New Bedford, Mass	1,325	25	.....	.....	14	14	14	5	12	.....	106	12	51
210	New Britain town, Conn	573	4	2	.....	2	6	15	18	25	.....	48	5	6
211	New Brunswick, N. J	422	4	.....	.....	3	1	4	5	4	.....	48	3	6
212	New Haven, Conn	1,968	27	16	.....	8	7	23	19	48	.....	203	27	75
213	New London, Conn	351	3	.....	.....	2	3	.....	12	1	.....	34	.....	12
214	New Orleans, La	7,615	151	161	454	61	19	8	40	43	4	984	76	181
215	New Rochelle, N. Y	260	1	5	.....	12	4	1	8	1	.....	17	3	9
216	New York, N. Y	70,867	702	196	12	715	483	492	2,258	520	5	8,316	1,078	2,250
217	Bronx borough	3,750	28	38	6	62	28	31	138	13	.....	527	43	121
218	Brooklyn borough	23,470	292	59	.....	291	138	235	842	199	3	2,560	365	690
219	Manhattan borough	39,496	332	52	6	329	295	198	1,136	278	2	4,802	616	1,313
220	Queens borough	2,768	37	43	.....	18	22	19	82	20	.....	287	36	74
221	Richmond borough	1,383	13	4	.....	15	.....	9	60	10	.....	140	18	52
222	Newark, N. J	4,959	52	11	1	57	55	44	141	58	.....	617	72	150
223	Newark, Ohio	283	11	2	.....	2	3	2	2	2	.....	29	5	11
224	Newburg, N. Y	556	11	2	.....	1	.....	2	6	1	.....	80	3	14
225	Newburyport, Mass	314	6	1	.....	1	.....	2	1	11	.....	29	5	14
226	Newcastle, Pa	447	39	.....	.....	9	2	.....	5	8	.....	19	2	13
227	Newport, Ky	615	17	1	.....	2	7	1	10	3	.....	53	9	20
228	Newport, R. I	417	20	1	.....	.....	3	.....	14	11	.....	42	4	10
229	Newton, Mass	504	9	.....	.....	.....	2	1	26	12	.....	35	7	24
230	Niagara Falls, N. Y	315	21	.....	.....	4	2	3	7	3	.....	27	.....	9
231	Norfolk, Va	1,267	37	20	6	3	.....	48	2	24	.....	147	14	24
232	Norristown, Pa	430	10	.....	.....	2	1	2	13	9	.....	46	5	18
233	North Adams, Mass	349	7	.....	.....	1	2	4	3	3	.....	30	6	14
234	Northampton, Mass	348	8	4	.....	1	4	3	6	7	.....	33	3	16
235	Norwalk town, Conn	334	9	4	.....	2	2	.....	7	29	.....	33	2	24
236	Norwich town, Conn	485	7	.....	.....	.....	2	.....	19	6	.....	52	1	18

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	.....	4	13	18	89	21	6	.....	19	10	1	17	6	36	12	38	6	158
.....	.....	8	31	17	67	22	9	1	23	6	2	19	3	27	17	38	5	159
.....	1	2	54	16	28	15	9	3	10	8	.....	13	2	17	38	20	3	160
.....	2	4	18	12	9	16	15	1	7	7	3	12	.....	4	11	22	2	161
.....	2	8	41	18	33	14	23	5	23	8	.....	28	3	27	46	26	31	162
3	4	9	39	22	34	23	20	7	37	16	7	18	4	24	33	34	8	163
1	2	4	28	21	12	21	7	3	16	16	2	4	1	12	21	29	3	164
1	12	43	165	171	118	95	44	25	123	98	4	80	17	96	51	159	5	165
10	12	102	402	343	343	253	96	66	203	172	15	158	15	181	233	393	6	166
4	9	63	185	195	162	153	192	31	79	66	5	124	9	51	66	124	1	167
1	1	17	49	41	34	20	15	3	23	14	5	16	1	11	21	27	91	168
3	6	23	92	124	68	41	75	10	52	55	6	67	4	47	16	117	6	169
.....	3	15	72	26	86	29	66	6	32	13	4	37	1	48	33	36	2	170
1	.....	6	19	23	10	6	10	2	11	12	.....	8	.....	5	24	21	5	171
.....	.....	8	49	21	32	25	29	5	22	8	4	33	1	39	41	18	7	172
.....	4	10	52	56	29	21	45	3	22	24	3	27	3	17	14	37	3	173
.....	3	49	120	99	95	87	151	13	65	36	5	88	3	27	43	66	12	174
.....	1	6	13	9	9	6	5	2	11	7	1	5	2	8	4	8	.....	175
.....	.....	4	18	17	13	14	13	.....	6	6	2	9	.....	15	10	22	6	176
.....	1	4	16	13	8	7	9	1	11	4	2	3	3	6	8	10	2	177
1	2	4	30	15	13	9	5	1	8	7	2	8	4	5	7	27	2	178
.....	.....	2	15	10	19	17	25	3	16	9	4	24	3	14	12	14	2	179
.....	.....	13	10	23	20	13	23	3	12	8	1	11	1	2	2	28	2	180
.....	2	4	9	11	6	20	12	3	8	10	1	19	.....	15	6	20	1	181
1	1	1	38	16	10	7	11	1	9	7	2	3	3	9	15	14	.....	182
2	3	2	24	9	8	5	3	4	12	10	1	4	.....	18	4	21	.....	183
1	2	2	14	24	17	11	22	4	12	8	2	13	.....	9	2	35	2	184
.....	.....	.....	18	33	12	9	6	1	13	9	2	9	.....	7	12	14	.....	185
3	6	38	140	103	302	94	61	33	135	107	18	45	2	156	83	200	77	186
1	1	9	22	6	11	15	25	.....	19	4	2	5	3	8	4	16	1	187
.....	4	5	53	30	46	16	28	1	25	17	3	20	5	15	1	35	.....	188
.....	1	4	28	19	11	10	14	1	16	10	1	9	2	7	11	16	.....	189
1	.....	5	51	26	24	6	7	5	12	16	1	15	.....	10	8	18	.....	190
2	.....	3	18	14	11	4	3	1	12	6	.....	6	.....	8	1	8	.....	191
.....	6	4	22	45	25	18	23	11	22	13	.....	9	1	9	7	35	1	192
.....	2	3	18	19	28	6	13	1	5	8	2	8	.....	10	2	16	2	193
.....	1	3	18	13	9	4	4	1	9	9	2	11	.....	3	7	15	.....	194
3	20	88	418	299	390	309	336	36	250	116	35	355	61	183	190	312	14	195
4	13	72	205	154	160	103	112	24	128	119	25	101	19	89	75	208	5	196
2	2	12	142	85	54	30	36	6	33	82	10	60	2	47	41	87	6	197
.....	.....	3	23	16	23	21	29	4	19	11	4	18	.....	7	7	12	.....	198
1	1	4	24	21	9	4	9	2	18	17	.....	6	1	8	1	23	2	199
1	.....	7	69	19	63	17	43	7	9	3	.....	18	.....	32	28	9	4	200
.....	1	6	36	22	40	58	39	3	16	30	4	14	.....	13	28	20	.....	201
1	.....	13	27	20	31	11	24	6	24	15	4	23	5	13	16	29	1	202
1	4	6	14	16	31	7	6	4	15	12	1	7	3	7	12	38	.....	203
1	3	3	40	22	27	17	30	3	13	11	.....	18	.....	15	9	26	5	204
.....	6	14	42	40	46	30	48	4	14	11	.....	42	2	17	21	28	3	205
1	2	29	188	147	168	105	89	29	110	58	10	75	10	71	107	186	33	206
.....	2	.....	13	24	14	4	2	1	8	3	1	2	.....	7	.....	12	.....	207
.....	2	8	6	12	22	4	28	3	14	7	3	9	.....	7	3	19	.....	208
1	6	55	137	117	95	73	179	14	37	60	9	124	.....	33	40	82	10	209
.....	7	12	54	33	39	38	80	3	30	28	4	35	4	25	6	38	6	210
1	1	13	58	57	32	12	30	1	16	19	3	17	4	21	27	29	3	211
2	19	33	179	186	176	132	129	24	107	96	17	112	20	100	27	156	.....	212
3	3	6	34	42	23	19	36	3	18	19	2	11	6	15	7	35	2	213
3	10	152	677	587	538	414	368	160	343	550	70	264	41	335	347	564	10	214
.....	2	8	22	30	26	21	19	3	12	9	.....	7	.....	21	7	12	.....	215
29	392	1,498	4,492	5,075	9,528	4,310	5,833	862	3,247	5,466	666	2,966	545	3,222	1,537	4,168	4	216
.....	20	76	255	277	496	152	253	39	154	257	37	162	29	191	99	218	.....	217
12	113	526	1,606	1,846	3,031	1,325	2,179	343	1,150	1,744	242	813	37	936	505	1,386	2	218
17	241	820	2,304	2,670	5,505	2,634	3,019	422	1,754	3,182	361	1,805	431	1,863	703	2,314	2	219
.....	9	47	227	178	325	144	263	40	126	180	22	124	43	168	62	172	.....	220
.....	9	29	100	104	171	55	119	18	63	103	4	62	5	64	78	78	.....	221
3	33	182	455	376	442	375	300	62	213	331	31	222	47	223	158	248	.....	222
.....	2	5	27	24	9	7	22	2	28	10	2	17	1	17	13	26	2	223
.....	.....	24	55	59	73	21	32	6	25	36	2	20	.....	32	24	27	.....	224
.....	2	5	31	23	43	18	17	4	6	7	.....	11	.....	13	14	39	11	225
.....	3	12	31	19	25	23	41	4	30	12	4	13	4	41	19	52	17	226
.....	9	18	74	41	50	35	27	11	23	27	2	29	5	24	44	50	23	227
.....	2	20	40	47	21	22	35	6	13	16	2	21	4	7	7	46	3	228
.....	1	16	44	63	39	31	33	4	24	21	5	24	1	23	13	45	1	229
.....	.....	6	31	16	26	11	21	1	17	16	1	18	3	29	17	21	5	230
.....	2	12	145	87	75	60	101	26	84	49	6	54	2	70	64	101	1	231
1	2	9	56	51	17	21	13	3	20	20	3	14	.....	29	18	44	3	232
.....	1	12	41	37	29	19	30	4	21	18	.....	20	2	13	13	18	1	233
.....	5	10	51	32	18	16	20	2	12	6	.....	22	.....	19	5	41	4	234
1	4	5	44	22	17	9	18	7	19	24	1	8	2	19	3	18	1	235
3	6	5	53	59	28	29	35	11	22	24	1	17	3	22	5	57	.....	236

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
237	Oakland, Cal	1,064	16	1	.....	2	5	2	11	10	.....	130	22	66
238	Ogdensburg, N. Y	205	7	.....	.....	.....	5	.....	4	1	.....	21	5	6
239	Oil City, Pa	171	7	.....	.....	.....	.....	1	.....	1	.....	22	1	7
240	Olean, N. Y	137	2	.....	.....	.....	.....	.....	.....	6	.....	8	.....	5
241	Omaha, Nebr	1,210	24	3	.....	1	7	6	26	12	.....	100	23	45
242	Orange, N. J	452	8	2	.....	6	4	.....	7	2	1	70	8	15
243	Oskaloosa, Iowa	141	2	2	.....	1	.....	2	2	1	.....	9	1	4
244	Ottawa, Ill	151	3	.....	.....	.....	.....	.....	3	.....	.....	17	1	11
245	Ottumwa, Iowa	263	12	.....	.....	1	.....	8	1	1	.....	35	4	13
246	Owosso, Mich	111	3	.....	.....	.....	.....	.....	5	5	.....	9	.....	6
247	Paducah, Ky	547	27	50	2	12	1	18	6	4	.....	53	6	6
248	Passaic, N. J	660	11	4	.....	17	2	13	7	7	.....	51	9	13
249	Paterson, N. J	1,898	28	5	1	2	11	12	47	10	.....	217	16	64
250	Pawtucket, R. I	778	9	2	.....	13	4	4	21	71	.....	62	14	20
251	Peabody town, Mass	212	2	1	.....	.....	1	.....	2	11	.....	32	2	14
252	Peekskill, N. Y	203	1	.....	.....	7	.....	2	9	4	.....	13	4	11
253	Perth Amboy, N. J	295	.....	.....	.....	2	1	.....	5	1	.....	18	9	5
254	Peru, Ind	140	11	1	.....	.....	1	4	2	2	.....	15	.....	3
255	Petersburg, Va	658	18	8	.....	1	1	4	2	10	.....	65	6	12
256	Philadelphia, Pa	26,975	481	11	.....	346	164	111	1,101	251	5	2,824	276	893
257	Phillipsburg, N. J	169	4	1	.....	.....	2	3	3	2	.....	9	.....	5
258	Phoenixville, Pa	207	4	.....	.....	3	1	.....	9	5	.....	9	1	4
259	Pittsburg, Pa	6,441	464	8	.....	92	51	78	146	54	3	403	50	167
260	Pittsfield, Mass	366	5	1	.....	3	2	3	11	2	.....	28	3	20
261	Plainfield, N. J	290	3	.....	.....	2	2	4	1	4	.....	26	2	13
262	Plymouth, Pa	274	7	.....	.....	13	3	.....	16	6	1	9	3	2
263	Plymouth town, Mass	154	.....	1	.....	.....	1	2	1	2	.....	15	2	9
264	Pontiac, Mich	158	2	2	.....	.....	.....	.....	4	1	.....	7	2	3
265	Port Huron, Mich	274	9	3	.....	1	.....	1	4	1	.....	22	6	12
266	Port Jervis, N. Y	153	3	.....	.....	.....	.....	3	2	3	.....	11	.....	3
267	Portland, Me	1,041	21	.....	2	.....	.....	8	17	10	1	99	25	35
268	Portland, Oreg	921	32	2	.....	1	8	6	16	5	.....	104	16	58
269	Portsmouth, N. H	206	3	1	.....	.....	3	.....	3	1	.....	20	2	19
270	Portsmouth, Ohio	323	12	.....	.....	13	.....	5	2	2	.....	42	5	7
271	Pottstown, Pa	237	8	2	.....	9	3	4	5	3	.....	21	3	7
272	Pottsville, Pa	262	7	.....	.....	1	1	.....	7	2	.....	16	.....	14
273	Poughkeepsie, N. Y	544	11	6	.....	4	1	.....	3	3	.....	51	1	20
274	Providence, R. I	3,656	42	14	.....	99	9	40	55	116	.....	415	75	135
275	Pueblo, Colo	648	22	.....	.....	5	13	13	11	.....	.....	98	4	11
276	Quincy, Ill	568	11	3	1	1	.....	1	10	1	.....	65	3	14
277	Quincy, Mass	354	4	.....	.....	1	.....	2	19	6	.....	43	6	9
278	Raleigh, N. C	410	13	5	.....	2	.....	4	2	7	.....	37	.....	7
279	Reading, Pa	1,526	38	.....	.....	28	20	5	81	17	.....	120	15	46
280	Revere town, Mass	152	1	.....	.....	2	1	2	8	3	1	12	7	6
281	Richmond, Ind	309	6	.....	.....	.....	1	1	8	3	.....	42	2	14
282	Richmond, Va	2,465	89	24	1	3	3	31	10	37	.....	262	24	56
283	Rochester, N. H	188	1	.....	.....	1	.....	3	3	7	.....	18	5	9
284	Rochester, N. Y	2,337	28	1	.....	10	11	15	47	11	.....	234	28	100
285	Rockland, Me	167	.....	.....	1	1	.....	.....	.....	2	.....	16	2	7
286	Rome, N. Y	265	3	1	.....	1	1	.....	1	1	.....	17	3	14
287	Rutland, Vt	195	3	.....	.....	1	.....	2	4	4	.....	14	3	13
288	Sacramento, Cal	632	22	1	.....	1	1	.....	4	6	.....	92	7	27
289	Saginaw, Mich	615	12	5	.....	3	1	1	15	4	.....	41	7	30
290	St. Joseph, Mo	709	23	7	1	.....	.....	1	19	5	.....	85	10	27
291	St. Louis, Mo	10,322	187	60	3	24	61	7	384	54	2	1,078	105	329
292	St. Paul, Minn	1,632	35	.....	1	2	8	12	61	6	.....	197	48	99
293	Salem, Mass	730	8	.....	.....	.....	5	17	25	20	.....	62	13	35
294	Salt Lake City, Utah	867	21	1	1	1	4	12	14	12	.....	48	8	35
295	San Antonio, Tex	1,214	25	44	1	11	12	8	19	15	.....	273	24	31
296	San Diego, Cal	345	2	.....	.....	3	.....	3	1	4	.....	45	16	15
297	San Francisco, Cal	7,053	104	15	5	13	11	30	82	33	24	974	158	401
298	San Jose, Cal	317	2	1	.....	1	.....	1	7	7	.....	59	4	15
299	Saratoga Springs, N. Y	267	5	.....	.....	.....	.....	.....	1	3	.....	34	1	9
300	Sault Ste. Marie, Mich	219	14	.....	.....	.....	.....	1	13	.....	.....	14	1	6
301	Savannah, Ga	1,682	22	92	1	.....	2	15	5	30	.....	215	10	22
302	Schenectady, N. Y	561	13	.....	1	27	2	6	9	2	.....	44	8	15
303	Scranton, Pa	2,082	35	5	.....	5	98	2	139	10	.....	101	8	37
304	Seattle, Wash	899	28	1	.....	2	9	6	4	6	1	99	15	37
305	Sioux City, Iowa	420	13	1	.....	1	1	.....	12	2	.....	24	5	15
306	Somerville, Mass	1,001	10	.....	.....	1	8	17	48	26	.....	104	16	38
307	South Bethlehem, Pa	252	6	.....	.....	.....	2	.....	16	1	.....	16	1	4
308	Southbridge town, Mass	230	.....	.....	.....	7	.....	2	6	.....	.....	10	1	7
309	Springfield, Ill	605	12	.....	.....	.....	4	6	20	9	.....	74	6	19
310	Springfield, Mass	1,143	17	4	.....	11	1	9	26	32	.....	99	22	48
311	Stamford town, Conn	339	5	.....	.....	6	.....	.....	7	11	.....	32	1	15
312	Steelton, Pa	188	4	1	.....	4	4	.....	3	3	.....	14	.....	2
313	Stonington town, Conn	145	3	2	.....	.....	.....	.....	.....	9	.....	20	.....	12
314	Superior, Wis	435	36	.....	1	.....	.....	3	6	6	.....	34	5	14
315	Syracuse, N. Y	1,642	32	4	.....	12	1	12	21	11	.....	171	29	87
316	Tacoma, Wash	500	11	1	2	.....	2	1	3	8	.....	61	10	15

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	11	35	106	159	91	69	11	12	60	57	6	26	6	64	17	65	3	237
.....	.....	8	12	20	13	12	17	2	12	15	.....	15	.....	11	2	17	.....	238
.....	1	4	25	16	12	5	8	3	7	4	1	5	1	10	15	12	3	239
1	2	9	15	10	9	7	2	8	7	2	1	8	1	11	2	21	.....	240
.....	5	29	113	80	129	62	54	11	88	34	9	72	16	83	42	129	7	241
1	4	15	31	36	46	26	28	6	21	26	5	17	3	20	11	31	2	242
1	.....	2	16	12	12	4	5	2	6	6	1	6	.....	10	12	18	4	243
.....	.....	4	23	10	16	3	3	1	11	10	.....	6	1	7	6	13	2	244
.....	2	11	23	14	31	16	7	.....	15	6	1	3	2	23	7	25	2	245
.....	1	3	7	17	6	7	6	8	6	6	.....	2	2	4	3	5	.....	246
1	1	13	32	20	47	21	28	11	25	19	3	32	2	30	36	38	3	247
.....	1	15	55	35	64	57	92	6	39	9	5	64	6	28	20	29	1	248
1	7	77	188	144	150	120	156	19	98	113	13	100	10	99	62	125	3	249
1	5	24	53	68	49	56	68	11	42	38	9	27	11	23	9	59	5	250
.....	.....	3	24	26	12	11	13	.....	3	7	2	16	1	4	6	19	.....	251
1	2	5	19	21	15	21	7	3	10	8	1	14	.....	9	3	13	.....	252
.....	.....	12	29	15	25	20	43	.....	12	12	5	18	3	20	16	24	.....	253
.....	1	4	8	10	6	10	13	3	7	4	1	3	.....	9	6	14	2	254
1	.....	10	99	51	61	31	30	18	40	27	9	32	2	18	60	39	3	255
19	109	468	2,666	2,236	2,471	1,099	1,203	280	1,413	1,762	159	1,528	160	1,123	1,223	1,971	22	256
.....	1	5	26	12	16	7	18	1	11	7	1	5	1	6	11	12	.....	257
.....	3	3	19	13	20	17	15	1	20	6	.....	9	1	14	17	13	.....	258
5	15	166	509	326	651	434	550	140	354	171	59	295	36	576	208	399	31	259
2	3	10	35	34	23	23	24	4	18	18	1	18	1	21	20	33	.....	260
.....	2	11	31	26	27	18	14	1	15	13	5	19	.....	19	11	21	.....	261
.....	.....	7	35	7	37	20	29	7	13	4	2	19	.....	13	7	14	.....	262
.....	.....	3	15	20	16	5	1	.....	7	9	1	6	2	6	7	23	.....	263
1	1	3	27	13	16	3	6	5	9	3	1	6	5	2	7	27	2	264
1	1	6	27	26	21	9	19	4	21	12	2	8	.....	18	10	28	2	265
.....	2	5	15	16	7	6	8	3	13	7	1	5	1	6	13	20	.....	266
1	6	40	123	94	85	49	69	8	47	64	2	51	7	56	38	79	4	267
3	8	36	94	100	39	33	26	7	83	37	2	16	14	69	25	78	3	268
1	1	6	31	24	14	3	4	1	10	14	.....	5	.....	8	5	26	1	269
.....	2	6	31	26	23	20	5	6	17	11	6	31	1	16	8	26	.....	270
.....	.....	2	34	25	15	5	9	1	10	13	2	8	.....	11	13	23	1	271
.....	3	10	39	15	24	10	10	.....	19	8	1	11	3	17	17	27	.....	272
.....	1	9	84	48	47	28	25	14	19	16	9	28	2	20	25	69	.....	273
4	23	65	230	304	294	294	243	46	174	217	40	130	15	180	66	314	17	274
.....	3	22	60	33	92	18	28	4	25	15	4	35	6	44	26	51	5	275
.....	1	17	69	46	45	36	10	10	35	33	2	27	5	38	20	60	4	276
.....	2	14	26	51	23	20	29	3	15	7	.....	20	.....	14	9	28	3	277
.....	.....	15	20	17	22	20	26	12	39	11	6	4	.....	13	50	27	51	278
1	12	40	229	132	104	43	93	14	69	50	7	127	7	55	69	102	2	279
.....	2	2	13	11	12	9	9	3	5	4	.....	7	.....	9	12	11	.....	280
.....	1	10	26	27	26	4	5	2	18	26	3	10	3	9	21	41	.....	281
3	5	64	298	162	182	198	131	44	131	80	20	109	6	110	178	149	55	282
.....	1	11	12	11	32	6	8	2	9	8	3	9	2	7	8	12	.....	283
4	22	82	264	243	177	164	112	23	147	148	13	43	32	73	79	223	3	284
.....	.....	1	21	37	9	6	7	.....	8	6	3	5	2	4	7	22	.....	285
1	.....	9	34	42	17	21	13	9	16	6	1	4	1	14	12	22	1	286
.....	1	1	18	16	24	15	13	1	12	11	1	10	1	7	2	18	.....	287
.....	3	17	65	61	44	24	6	7	48	24	1	19	4	52	13	70	13	288
2	4	10	69	56	55	38	24	12	42	19	4	32	1	33	23	66	6	289
1	6	11	74	77	54	36	31	11	71	34	3	22	13	51	29	66	1	290
10	33	166	893	693	1,058	640	375	170	637	685	55	527	129	523	415	1,002	17	291
3	15	52	162	125	121	70	102	7	102	105	13	65	3	21	48	146	3	292
.....	5	16	75	75	41	47	54	10	21	27	3	62	1	22	27	59	.....	293
.....	6	18	73	64	77	55	45	7	59	47	11	56	4	55	47	83	3	294
1	2	17	86	65	37	47	85	29	49	49	9	38	11	67	41	93	25	295
1	6	5	48	37	21	18	6	6	16	17	2	11	1	21	6	27	7	296
2	49	145	439	936	416	629	186	90	439	363	33	229	79	402	145	618	3	297
.....	1	10	37	41	13	17	3	3	21	16	1	11	4	9	7	26	.....	298
.....	.....	5	24	34	21	19	10	1	16	25	.....	12	1	11	13	22	.....	299
.....	1	3	15	12	17	20	21	1	15	6	2	7	.....	19	11	11	9	300
1	3	10	180	84	116	90	67	32	71	63	14	100	5	107	113	132	80	301
2	3	23	54	37	34	31	37	7	33	20	.....	31	1	47	32	42	.....	302
1	11	47	242	118	204	156	148	36	106	95	10	96	9	159	81	121	2	303
1	7	17	60	80	111	33	23	7	65	28	10	27	19	103	36	68	5	304
.....	2	11	46	24	29	19	18	11	35	14	8	20	2	33	27	44	3	305
.....	5	24	83	96	71	47	78	8	42	43	8	37	1	43	36	90	1	306
.....	1	7	37	23	24	5	24	5	10	10	2	12	.....	18	15	13	.....	307
.....	2	8	16	8	29	17	18	7	14	15	.....	26	.....	7	9	20	1	308
.....	2	18	50	48	34	19	24	5	46	34	1	23	3	49	31	56	3	309
.....	9	36	87	100	83	62	86	10	52	98	8	69	6	43	28	97	.....	310
.....	5	7	57	32	30	6	10	6	11	37	.....	14	.....	14	8	25	.....	311
.....	.....	6	19	9	21	14	16	3	10	8	.....	10	.....	11	13	8	5	312
.....	1	4	13	12	5	8	12	2	9	7	1	1	1	6	4	13	.....	313
.....	2	13	24	17	50	15	46	5	21	9	8	24	.....	43	21	23	9	314
3	11	53	165	158	102	98	87	29	97	119	7	84	3	72	38	136	.....	315
.....	4	10	27	43	29	15	11	7	37	18	6	25	10	74	16	50	4	316

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
317	Taunton, Mass.	643	8	3	.....	10	.....	2	5	9	.....	68	4	18
318	Terre Haute, Ind.	597	24	4	.....	2	1	7	12	7	.....	66	5	21
319	Tiffin, Ohio.	148	3	.....	.....	.....	3	1	8	1	.....	17	1	7
320	Toledo, Ohio.	2,088	54	12	.....	7	25	10	114	35	1	168	28	68
321	Torrington town, Conn.	194	1	.....	.....	11	.....	6	1	5	2	22	2	7
322	Traverse City, Mich.	147	3	.....	.....	1	.....	.....	2	1	.....	14	2	4
323	Trenton, N. J.	1,271	24	2	.....	8	5	21	22	28	.....	135	11	43
324	Troy, N. Y.	1,553	80	.....	.....	1	2	9	30	10	.....	209	14	43
325	Union, N. J.	222	1	.....	.....	2	1	.....	13	.....	.....	22	.....	8
326	Utica, N. Y.	1,136	9	.....	.....	14	3	20	39	14	.....	111	7	57
327	Vernon town, Conn.	143	1	.....	.....	1	.....	.....	.....	11	.....	13	.....	4
328	Vincennes, Ind.	211	5	7	.....	.....	3	.....	4	1	.....	28	2	5
329	Wakefield town, Mass.	119	3	.....	.....	.....	4	1	5	2	.....	11	.....	7
330	Wallingford town, Conn.	128	6	1	.....	.....	.....	.....	.....	6	.....	16	.....	4
331	Waltham, Mass.	362	5	1	.....	.....	.....	2	25	5	.....	36	13	22
332	Ware town, Mass.	174	.....	1	.....	10	.....	9	.....	4	.....	15	2	6
333	Warren, Ohio.	142	8	2	.....	.....	.....	.....	7	1	.....	11	.....	4
334	Washington, D. C.	6,202	222	53	4	45	15	88	121	121	.....	817	92	213
335	Waterbury town, Conn.	959	25	6	.....	23	7	3	15	16	.....	106	16	23
336	Watertown, N. Y.	400	23	1	.....	7	1	1	1	5	.....	35	4	23
337	Watertown town, Mass.	147	4	1	.....	.....	1	1	4	4	.....	13	1	5
338	Watervliet, N. Y.	272	10	.....	.....	1	.....	1	3	9	.....	22	1	6
339	Webster town, Mass.	150	1	1	.....	.....	1	.....	1	4	1	15	1	3
340	West Bay City, Mich.	214	5	.....	.....	4	8	.....	6	2	.....	14	4	9
341	Westfield town, Mass.	236	1	.....	.....	.....	1	3	9	2	.....	22	3	7
342	Weymouth town, Mass.	185	4	.....	.....	.....	.....	.....	3	4	.....	27	1	6
343	Wheeling, W. Va.	598	23	.....	.....	13	5	15	10	4	.....	49	5	25
344	Wichita, Kans.	388	10	3	5	.....	.....	1	17	2	.....	38	1	18
345	Williamsport, Pa.	358	8	.....	.....	.....	1	4	4	7	.....	38	4	11
346	Wilmington, Del.	1,546	40	4	1	4	2	5	75	14	.....	182	2	46
347	Wilmington, N. C.	646	21	55	.....	1	1	.....	3	17	.....	47	12	8
348	Windham town, Conn.	216	5	3	.....	.....	1	4	2	14	.....	26	.....	6
349	Winona, Minn.	270	7	1	1	.....	6	.....	8	2	.....	22	6	14
350	Woburn, Mass.	266	4	2	.....	.....	2	1	9	4	.....	27	4	11
351	Woonsocket, R. I.	554	8	1	.....	1	3	5	36	5	.....	53	11	10
352	Worcester, Mass.	2,176	30	5	.....	31	37	29	56	26	.....	244	29	74
353	Yonkers, N. Y.	813	3	2	.....	5	1	3	10	8	.....	83	19	23
354	Youngstown, Ohio.	656	37	.....	.....	1	1	3	6	2	.....	57	2	12
	CONNECTICUT RURAL.													
355	Fairfield county.	744	12	3	.....	9	1	2	12	45	.....	59	6	30
356	Hartford county.	1,131	23	5	.....	16	6	4	36	59	.....	91	7	50
357	Litchfield county.	980	14	5	.....	18	5	14	18	35	.....	77	15	55
358	Middlesex county.	413	7	5	.....	7	2	4	15	31	.....	23	5	14
359	New Haven county.	860	13	19	.....	9	5	2	4	42	.....	82	6	27
360	New London county.	616	7	3	.....	10	3	1	12	29	.....	45	8	30
361	Tolland county.	317	3	.....	.....	4	.....	4	3	17	.....	28	1	13
362	Windham county.	703	15	3	.....	9	.....	7	2	43	2	62	7	29
	INDIANA RURAL.													
363	Adams county.	290	14	1	.....	.....	2	4	3	3	.....	38	2	8
364	Allen county.	1,014	27	6	1	4	5	4	26	2	.....	104	15	41
365	Bartholomew county.	274	18	5	.....	1	2	4	10	6	.....	34	1	7
366	Benton county.	129	.....	1	.....	.....	1	.....	3	1	.....	17	1	4
367	Blackford county.	209	5	6	.....	.....	1	.....	5	1	.....	29	1	8
368	Boone county.	347	10	.....	.....	.....	2	.....	18	3	.....	53	2	20
369	Brown county.	164	14	9	.....	1	.....	2	6	2	.....	21	.....	3
370	Carroll county.	273	9	1	.....	.....	1	1	8	1	.....	28	6	11
371	Cass county.	544	13	3	1	1	2	3	12	9	.....	73	10	17
372	Clark county.	312	16	5	.....	1	3	1	8	1	.....	39	11	7
373	Clay county.	430	21	6	5	1	.....	5	7	5	.....	46	4	9
374	Clinton county.	394	14	2	.....	.....	1	2	26	5	.....	42	8	11
375	Crawford county.	200	3	3	.....	1	1	1	2	4	1	29	1	4
376	Daviess county.	447	22	11	.....	.....	2	13	24	10	.....	61	8	6
377	Dearborn county.	294	10	1	.....	1	2	.....	5	1	.....	29	3	12
378	Decatur county.	269	14	1	.....	1	.....	4	1	3	.....	33	4	11
379	Dekalb county.	293	12	3	.....	1	1	2	2	3	.....	34	.....	11
380	Delaware county.	342	17	3	.....	5	2	4	6	8	.....	32	3	2
381	Dubois county.	256	11	3	.....	.....	.....	.....	8	2	.....	31	4	4
382	Elkhart county.	597	26	3	.....	12	1	.....	9	6	.....	54	7	25
383	Fayette county.	184	2	.....	.....	.....	.....	2	13	1	.....	16	5	11
384	Floyd county.	473	26	3	.....	1	.....	2	14	8	.....	61	1	19
385	Fountain county.	269	5	3	.....	.....	2	.....	3	7	.....	41	3	8
386	Franklin county.	236	4	3	.....	.....	.....	5	7	10	.....	32	.....	7
387	Fulton county.	212	4	.....	.....	.....	1	3	9	2	.....	23	2	8
388	Gibson county.	379	12	14	.....	.....	1	2	1	5	.....	53	2	7
389	Grant county.	837	26	6	.....	3	3	5	22	12	.....	104	6	19
390	Greene county.	410	17	16	.....	3	1	6	6	8	.....	50	4	12
391	Hamilton county.	424	11	1	.....	2	6	7	10	7	.....	51	3	10
392	Hancock county.	232	13	1	.....	.....	2	.....	1	2	.....	31	4	4

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
3	4	15	79	54	50	40	79	9	20	24	2	25	3	14	25	63	1	317
1	2	15	49	37	55	38	31	9	42	23	4	39	2	19	26	56	.....	318
.....	1	2	16	17	18	4	4	.....	6	4	.....	8	.....	5	8	13	1	319
3	14	45	230	131	131	97	144	25	123	59	29	129	7	123	68	203	5	320
.....	.....	3	17	8	16	9	20	.....	13	10	1	15	.....	12	3	9	1	321
.....	1	2	39	16	10	4	4	4	11	5	1	6	.....	4	2	10	1	322
1	7	34	189	86	105	83	65	15	65	74	13	44	.....	55	63	69	4	323
1	10	39	124	153	149	83	119	26	76	89	6	56	1	42	62	119	.....	324
.....	1	8	28	17	28	10	18	5	11	9	2	9	3	6	8	11	1	325
.....	8	34	105	86	106	63	66	23	69	61	5	49	2	42	41	101	1	326
.....	.....	1	12	15	15	3	20	3	5	8	1	3	1	11	3	11	1	327
.....	.....	5	18	7	26	13	12	5	14	6	2	14	.....	11	9	14	.....	328
.....	.....	3	17	13	13	5	1	2	1	12	.....	.....	1	5	.....	13	.....	329
.....	.....	5	9	8	7	5	11	3	5	5	3	6	3	11	1	13	.....	330
1	1	14	24	44	29	17	10	3	13	17	3	15	1	20	7	29	5	331
.....	1	1	14	7	20	7	23	2	2	9	1	11	.....	6	4	17	2	332
.....	.....	3	16	12	16	9	5	1	8	3	1	2	1	7	9	15	1	333
3	21	104	649	601	440	303	411	95	271	317	43	307	27	220	122	474	3	334
.....	3	23	65	57	88	65	125	8	48	40	10	54	4	53	11	65	.....	335
1	1	11	27	48	32	13	34	4	24	11	2	20	2	17	12	39	1	336
.....	1	8	10	15	17	6	14	.....	6	7	1	4	.....	7	2	11	4	337
.....	.....	12	17	29	31	18	19	4	21	19	1	7	.....	12	4	25	.....	338
.....	.....	.....	14	4	14	4	28	2	12	6	.....	11	.....	5	13	8	1	339
.....	.....	6	20	10	13	18	23	2	13	7	3	12	2	14	6	13	.....	340
.....	3	7	22	31	15	6	22	6	10	7	2	10	3	15	9	20	.....	341
.....	2	4	22	33	13	9	8	3	5	8	.....	8	.....	4	4	16	1	342
.....	3	17	43	48	52	36	38	12	35	21	18	24	4	32	5	58	3	343
.....	.....	2	35	16	25	15	16	2	28	15	3	11	2	33	39	40	11	344
.....	4	14	40	35	25	20	16	2	21	18	2	12	2	13	12	45	.....	345
3	5	57	190	123	153	46	85	17	48	57	7	81	7	86	89	100	17	346
.....	1	8	82	33	43	29	55	20	31	15	9	27	.....	19	67	27	15	347
.....	4	8	20	11	6	11	24	4	12	10	1	3	3	13	7	18	.....	348
.....	4	5	29	20	16	6	6	3	18	6	3	25	1	20	10	24	7	349
.....	3	12	21	24	23	7	14	4	13	7	.....	17	2	12	13	30	.....	350
.....	1	19	33	36	37	27	120	14	16	19	8	25	1	24	3	36	2	351
2	18	56	153	195	186	143	170	43	75	71	13	176	11	88	38	176	3	352
1	9	28	63	78	67	57	91	7	51	41	6	48	2	49	18	40	.....	353
1	2	11	56	48	92	31	43	9	52	16	5	35	3	51	21	52	7	354
1	5	13	87	111	44	35	36	6	50	35	3 8	28	6	24	8	71	2	355
5	18	18	109	128	71	62	73	14	47	56	7	46	10	59	12	94	4	356
1	5	27	91	112	63	44	58	19	62	51	2	36	6	54	9	77	2	357
.....	2	7	37	48	27	17	21	15	29	20	.....	12	2	13	8	38	2	358
1	2	22	91	75	64	39	81	6	49	45	7 5	31	6	48	8	74	2	359
.....	8	12	55	84	31	24	48	11	37	37	6	19	1	28	1	66	1	360
.....	.....	7	31	35	30	24	26	5	10	10	4	11	2	12	3	32	.....	361
.....	4	23	56	76	46	31	71	14	30	30	.....	28	4	26	7	72	2	362
.....	.....	8	33	10	25	12	20	2	22	12	1	12	.....	15	18	22	3	363
2	5	31	137	62	67	56	48	20	62	41	10	45	9	36	50	92	6	364
1	2	8	22	14	25	8	18	3	20	11	1	10	1	6	12	20	4	365
1	.....	2	12	9	3	7	4	2	13	7	2	5	1	7	9	15	2	366
.....	2	8	9	15	11	14	7	2	17	9	.....	10	1	11	13	22	2	367
1	2	5	44	20	23	10	19	7	23	5	1	12	1	9	11	44	2	368
.....	1	8	17	2	9	3	9	2	12	7	6	4	.....	2	11	11	2	369
.....	2	8	38	23	9	20	8	5	15	18	2	11	1	10	11	25	1	370
.....	3	8	80	42	26	19	21	13	33	25	.....	17	4	25	25	55	4	371
.....	2	7	27	25	28	11	15	9	21	13	1	5	1	17	16	19	3	372
.....	2	20	32	30	30	27	9	7	24	10	3	32	.....	21	34	35	5	373
1	.....	9	39	20	46	19	13	7	25	17	1	10	2	17	24	29	4	374
.....	.....	5	25	8	28	3	13	5	7	4	3	7	.....	6	18	15	3	375
.....	.....	15	29	23	31	17	22	3	26	10	2	18	2	20	36	33	3	376
.....	1	6	43	23	29	9	11	1	19	6	2	3	2	18	13	41	3	377
.....	2	2	22	18	17	7	16	6	15	12	2	4	3	13	21	35	2	378
1	3	7	32	22	18	14	14	10	16	6	2	6	3	18	17	28	7	379
.....	5	11	33	23	23	18	18	2	18	12	2	32	5	15	16	26	1	380
1	1	3	22	3	29	15	13	5	19	10	2	12	2	12	16	27	1	381
.....	3	11	88	61	31	22	23	12	37	17	6	12	3	22	25	72	9	382
.....	1	3	14	15	21	6	7	3	14	7	1	7	.....	9	12	13	1	383
.....	.....	4	64	51	15	28	18	6	24	9	6	18	1	14	25	55	.....	384
1	2	3	29	24	27	12	6	3	18	12	3	11	1	13	9	19	4	385
.....	2	5	23	23	14	12	7	2	23	9	.....	9	2	11	8	17	1	386
1	1	6	24	20	18	6	18	2	12	9	2	5	.....	5	8	23	.....	387
.....	2	22	35	13	33	8	25	9	22	5	4	28	.....	16	25	32	3	388
2	2	19	104	59	67	28	50	12	47	18	5	38	2	27	59	85	7	389
.....	1	11	38	22	28	9	19	3	21	8	3	26	.....	18	26	38	7	390
1	2	6	47	19	28	18	21	6	25	9	3	23	.....	17	20	67	4	391
.....	2	4	24	14	18	6	19	2	14	11	.....	15	1	8	8	26	2	392

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	INDIANA RURAL—Continued.													
393	Harrison county	296	24	5	.....	5	.....	1	3	4	.....	48	1	9
394	Hendricks county	252	2	2	1	.....	2	4	4	4	.....	31	3	10
395	Henry county	387	11	3	.....	4	8	6	8	11	.....	33	3	12
396	Howard county	408	14	2	.....	.....	.....	11	18	7	.....	57	4	23
397	Huntington county	323	16	.....	.....	.....	.....	3	12	5	.....	37	1	12
398	Jackson county	422	24	2	.....	.....	.....	10	17	6	.....	62	3	14
399	Jasper county	176	3	3	1	.....	1	5	5	2	.....	18	4	3
400	Jay county	352	18	7	.....	.....	1	2	11	6	.....	44	5	7
401	Jefferson county	390	12	.....	1	2	.....	1	4	3	.....	52	4	16
402	Jennings county	228	15	1	.....	1	1	.....	6	1	.....	33	2	9
403	Johnson county	260	13	3	.....	.....	1	1	2	6	.....	39	4	11
404	Knox county	401	15	13	.....	2	.....	5	16	3	.....	47	3	9
405	Kosciusko county	310	8	2	.....	.....	1	.....	4	2	.....	38	3	5
406	Lagrange county	167	4	2	.....	.....	.....	1	6	.....	.....	19	2	7
407	Lake county	444	8	2	.....	.....	2	8	23	3	.....	31	2	16
408	Laporte county	293	8	1	.....	.....	3	.....	7	6	.....	27	.....	14
409	Lawrence county	403	18	5	2	7	.....	5	13	9	.....	52	5	6
410	Madison county	1,043	39	11	2	7	7	14	29	8	.....	125	13	31
411	Marion county	317	8	.....	.....	.....	3	4	14	7	.....	44	2	6
412	Marshall county	332	10	4	.....	.....	1	2	8	4	1	32	4	15
413	Martin county	234	18	3	.....	.....	.....	8	3	10	.....	25	4	5
414	Miami county	243	4	1	.....	1	.....	4	5	7	.....	20	1	6
415	Monroe county	318	10	4	.....	1	.....	7	8	3	.....	46	3	11
416	Montgomery county	416	13	1	.....	.....	1	.....	9	7	.....	72	4	19
417	Morgan county	312	14	4	.....	.....	1	12	.....	4	.....	39	5	14
418	Newton county	120	2	1	.....	.....	.....	2	2	4	.....	10	3	4
419	Noble county	294	11	3	.....	3	.....	.....	6	3	.....	24	3	11
420	Ohio county	75	3	1	.....	1	.....	.....	.....	1	.....	9	.....	3
421	Orange county	249	9	4	.....	1	1	.....	6	5	.....	41	2	5
422	Owen county	207	12	2	.....	1	.....	1	1	1	.....	29	1	2
423	Parke county	261	14	4	.....	.....	.....	4	3	2	.....	41	1	7
424	Perry county	271	13	3	.....	.....	1	6	4	1	2	32	.....	5
425	Pike county	325	13	5	.....	.....	.....	.....	5	4	.....	45	5	6
426	Porter county	251	4	2	1	.....	3	4	3	9	.....	21	1	7
427	Posey county	388	17	6	4	1	1	2	3	3	.....	50	6	5
428	Pulaski county	156	4	2	.....	.....	3	.....	4	2	.....	11	1	1
429	Putnam county	277	7	3	.....	1	.....	1	9	4	.....	42	4	6
430	Randolph county	354	5	2	.....	.....	1	5	10	3	.....	44	8	8
431	Ripley county	295	10	2	.....	.....	1	.....	1	7	.....	52	3	6
432	Rush county	287	15	3	.....	.....	.....	2	6	7	.....	44	7	13
433	St. Joseph county	862	25	4	.....	3	1	5	76	8	.....	88	4	20
434	Scott county	155	5	.....	.....	.....	.....	2	3	3	.....	27	1	6
435	Shelby county	336	10	2	.....	.....	2	5	3	5	.....	52	3	12
436	Spencer county	371	26	4	.....	.....	.....	2	7	2	.....	41	3	11
437	Starke county	124	6	4	.....	1	1	.....	4	1	.....	9	1	2
438	Steuben county	174	8	1	.....	1	1	.....	.....	2	.....	16	1	7
439	Sullivan county	360	17	6	.....	1	.....	3	12	3	.....	45	2	11
440	Switzerland county	175	6	.....	.....	1	.....	.....	.....	1	.....	35	2	4
441	Tippecanoe county	245	9	.....	.....	.....	.....	.....	9	4	.....	22	2	6
442	Tipton county	273	14	1	.....	.....	1	1	5	1	.....	33	6	8
443	Union county	93	2	1	.....	.....	.....	.....	3	2	.....	10	2	.....
444	Vanderburg county	217	5	3	1	.....	.....	.....	2	1	.....	26	6	6
445	Vermilion county	188	9	3	.....	.....	1	1	4	5	.....	17	5	6
446	Vigo county	314	15	6	.....	.....	2	2	7	6	.....	29	1	6
447	Wabash county	324	14	1	.....	4	.....	2	5	5	.....	22	2	11
448	Warren county	129	.....	1	.....	.....	.....	.....	5	1	.....	13	3	1
449	Warrick county	430	19	21	.....	1	.....	16	14	7	.....	35	6	11
450	Washington county	300	14	2	2	1	2	1	1	2	.....	36	2	8
451	Wayne county	331	7	1	.....	1	3	.....	3	4	.....	49	2	12
452	Wells county	283	12	1	.....	1	3	2	15	2	.....	37	2	11
453	White county	204	9	2	.....	.....	4	.....	10	3	1	13	1	7
454	Whitley county	209	6	1	.....	2	.....	3	2	.....	.....	23	2	6
	MAINE RURAL.													
455	Androscoggin county	1,016	24	1	.....	3	6	5	32	18	.....	87	8	36
456	Aroostook county	762	16	.....	.....	15	10	25	16	24	1	64	7	23
457	Cumberland county	871	7	.....	.....	3	1	5	23	25	.....	59	12	50
458	Franklin county	321	5	.....	.....	3	.....	2	4	8	.....	24	5	18
459	Hancock county	535	10	.....	.....	3	.....	.....	6	8	.....	68	9	30
460	Kennebec county	874	10	1	.....	5	1	9	14	12	.....	91	16	33
461	Knox county	374	4	.....	.....	.....	1	.....	4	12	.....	42	4	19
462	Lincoln county	303	2	.....	.....	.....	.....	2	.....	6	.....	24	6	16
463	Oxford county	554	13	2	.....	2	1	1	5	15	.....	42	8	20
464	Penobscot county	849	20	2	.....	5	2	.....	3	11	.....	89	23	45
465	Piscataquis county	253	4	.....	.....	4	4	.....	1	8	.....	21	3	7
466	Sagadahoc county	172	4	.....	.....	2	2	3	1	2	.....	14	3	12
467	Somerset county	508	4	.....	.....	13	.....	1	1	9	.....	57	2	34
468	Waldo county	438	4	1	.....	1	1	1	.....	13	1	44	5	26
469	Washington county	739	11	.....	.....	.....	2	1	4	6	.....	77	8	31
470	York county	938	11	1	.....	1	3	2	12	34	.....	75	12	35

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	1	7	39	21	22	9	9	4	13	6	2	11	.....	11	13	27	1	393
3	3	9	27	12	17	7	14	4	22	9	.....	9	1	5	14	32	1	394
2	3	9	36	21	25	16	16	9	39	14	3	14	1	17	17	43	3	395
1	5	7	39	28	31	9	17	9	23	17	5	8	1	19	14	38	1	396
.....	2	5	35	24	17	8	18	.....	31	9	1	10	1	14	24	37	1	397
.....	.....	11	35	21	37	13	30	12	27	6	5	19	1	17	14	29	7	398
.....	1	4	20	7	15	11	9	3	12	9	.....	8	.....	4	7	19	2	399
.....	3	9	24	16	29	7	24	8	23	12	7	21	1	13	22	26	6	400
.....	5	4	37	31	35	12	12	9	29	17	6	8	1	26	18	41	4	401
1	1	3	22	11	17	9	8	6	12	13	.....	7	1	11	10	23	4	402
.....	2	8	26	19	14	17	18	3	16	8	1	3	.....	6	5	33	1	403
.....	3	8	38	13	31	18	26	7	22	10	4	25	.....	21	25	29	8	404
.....	1	10	45	22	24	8	20	6	33	6	1	4	2	13	18	32	2	405
.....	1	2	20	17	10	6	7	6	7	7	.....	6	.....	7	11	17	2	406
.....	1	6	45	22	39	37	20	4	30	17	2	22	4	39	20	38	3	407
1	2	10	33	27	15	20	13	7	14	12	2	11	5	10	9	34	2	408
1	1	7	28	14	42	26	33	8	18	6	3	16	.....	27	21	29	1	409
1	4	38	87	53	79	59	79	15	53	29	4	47	4	46	52	103	4	410
.....	2	11	49	17	26	6	5	5	15	7	2	10	.....	9	17	47	1	411
.....	2	5	37	40	18	9	20	5	18	12	2	13	.....	13	28	27	2	412
.....	1	10	25	13	11	8	11	2	17	6	2	6	.....	12	17	15	2	413
.....	2	4	26	24	15	16	14	5	17	10	4	9	1	3	13	28	3	414
2	2	8	39	17	31	13	18	14	16	9	6	9	4	5	9	23	.....	415
.....	3	12	48	26	20	15	16	4	26	15	1	15	5	18	21	43	2	416
.....	1	8	28	20	32	13	14	7	11	14	4	20	2	5	14	22	4	417
.....	3	2	19	5	8	7	5	1	9	8	.....	7	1	2	2	13	.....	418
2	.....	5	29	30	14	12	8	10	20	9	1	9	.....	15	16	48	2	419
.....	.....	3	5	6	7	1	6	4	1	4	.....	2	.....	2	4	12	.....	420
.....	1	6	21	13	30	10	14	5	15	3	.....	10	.....	5	9	26	7	421
.....	2	3	16	18	26	3	18	6	11	8	.....	8	.....	7	11	20	.....	422
.....	1	8	27	14	22	5	23	4	16	3	2	7	.....	11	22	19	1	423
.....	.....	3	22	17	35	11	15	3	13	11	2	9	1	18	16	27	1	424
.....	4	8	19	10	42	11	28	5	14	12	3	21	1	11	22	27	4	425
.....	.....	3	27	20	19	24	15	5	18	12	3	12	2	13	9	14	.....	426
1	1	18	26	19	36	21	28	9	20	15	2	23	3	16	15	32	5	427
.....	.....	2	10	7	16	10	8	1	10	6	2	5	.....	12	12	16	11	428
.....	3	9	30	14	15	15	12	5	18	12	2	25	.....	9	9	19	3	429
.....	9	8	43	22	20	16	16	3	12	10	2	17	.....	18	19	45	8	430
1	2	7	34	15	19	11	6	6	22	5	2	12	2	18	15	35	1	431
.....	4	7	28	24	11	9	10	1	24	11	1	9	2	6	12	29	2	432
3	7	20	94	57	57	28	54	7	43	26	10	29	5	55	60	69	4	433
.....	.....	5	11	7	15	6	11	4	10	2	1	3	1	8	9	14	1	434
1	3	8	34	23	22	12	14	11	14	16	2	16	1	13	19	30	3	435
.....	.....	9	35	20	27	9	23	18	21	9	3	5	.....	19	25	47	5	436
.....	1	.....	10	5	8	4	10	6	11	2	2	5	.....	8	9	12	2	437
.....	2	3	23	18	6	2	9	10	18	3	3	5	.....	6	10	16	3	438
2	3	8	34	24	19	13	22	8	12	8	5	24	2	29	16	29	2	439
.....	.....	4	14	17	14	11	8	2	8	6	4	3	2	8	3	22	.....	440
1	1	5	29	22	22	10	8	5	14	9	.....	11	1	13	9	31	2	441
1	.....	7	18	21	14	15	17	4	13	7	6	11	4	14	18	29	4	442
.....	1	1	11	11	8	7	1	2	7	2	.....	2	1	4	5	10	.....	443
.....	.....	6	51	19	14	10	9	5	10	4	.....	5	1	5	8	18	2	444
.....	.....	1	15	7	19	8	6	4	12	7	4	5	.....	12	11	24	2	445
.....	2	7	31	12	27	8	23	3	23	8	4	22	3	22	20	20	5	446
.....	3	8	43	26	30	15	18	3	28	12	3	6	2	9	17	29	6	447
.....	.....	2	15	6	14	5	2	5	7	3	1	4	.....	9	9	16	.....	448
.....	4	13	42	15	48	12	17	9	29	12	2	19	2	19	17	37	3	449
1	2	3	35	13	42	10	13	3	17	11	4	18	2	6	22	26	1	450
.....	2	8	39	30	23	15	5	4	15	37	1	11	1	17	9	32	.....	451
.....	1	3	36	21	13	9	9	3	13	13	4	14	2	9	19	27	1	452
3	1	5	18	6	28	7	18	4	15	5	3	13	1	8	5	11	3	453
.....	3	4	30	11	11	3	3	7	12	7	3	6	3	15	18	27	1	454
4	6	47	110	93	96	67	67	13	46	36	5	29	3	32	37	93	12	455
1	5	10	44	49	53	33	65	7	46	15	13	35	5	26	25	71	58	456
1	9	17	108	100	54	48	50	11	28	48	4	39	4	24	29	105	7	457
.....	1	5	38	35	22	22	10	1	22	22	1	6	.....	11	9	42	5	458
1	3	12	62	56	33	23	17	6	41	24	5	17	2	15	15	63	6	459
2	2	25	102	99	100	54	20	10	40	40	4	17	3	28	31	93	12	460
.....	2	7	39	55	33	18	9	1	19	15	1	6	4	15	12	45	7	461
.....	2	4	36	43	19	9	8	4	21	18	.....	13	2	11	11	41	5	462
.....	4	12	82	51	38	26	25	7	39	19	4	15	5	16	21	73	8	463
1	2	17	85	84	72	43	45	7	45	29	5	28	4	36	49	86	11	464
1	3	7	25	20	30	6	11	2	9	11	.....	8	2	12	17	34	3	465
.....	2	2	13	16	23	5	8	4	6	6	1	4	1	7	10	17	4	466
1	4	10	65	57	31	29	15	11	26	20	1	13	3	23	21	51	6	467
.....	3	3	58	65	54	17	12	4	20	20	4	8	3	12	13	41	4	468
2	5	28	65	84	60	40	63	12	36	30	6	36	2	24	23	73	10	469
4	8	23	137	73	96	43	50	16	50	53	2	32	3	24	44	84	10	470

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MASSACHUSETTS RURAL.													
471	Barnstable county	586	2	1	.....	.....	.....	5	8	15	.....	37	5	25
472	Berkshire county	606	6	1	.....	.....	4	4	5	10	.....	49	5	27
473	Bristol county	731	7	.....	.....	7	4	5	7	25	.....	76	9	38
474	Dukes county	83	2	.....	.....	.....	.....	.....	.....	2	.....	7	1	3
475	Essex county	1,097	8	3	.....	1	3	4	24	34	.....	79	16	57
476	Franklin county	642	10	1	.....	1	3	1	8	8	.....	50	7	36
477	Hampden county	734	12	1	.....	6	8	5	26	26	.....	66	9	29
478	Hampshire county	564	7	2	.....	7	3	1	12	17	.....	42	2	19
479	Middlesex county	1,867	16	1	.....	1	9	9	18	39	.....	258	26	86
480	Nantucket county	61	.....	.....	.....	.....	.....	.....	.....	4	.....	1	.....	3
481	Norfolk county	1,345	12	4	.....	2	8	3	15	37	.....	138	15	78
482	Plymouth county	1,094	9	.....	.....	1	.....	4	12	35	.....	106	9	49
483	Suffolk county	45	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	5
484	Worcester county	2,319	28	10	.....	18	12	18	26	55	.....	174	20	94
	MICHIGAN RURAL.													
485	Alcona county	53	1	.....	.....	3	.....	.....	.....	2	.....	4	1	1
486	Alger county	42	.....	.....	.....	.....	.....	.....	1	.....	.....	4	1	.....
487	Allegan county	452	5	4	.....	.....	.....	4	4	7	.....	43	7	21
488	Alpena county	286	9	1	.....	3	1	1	11	2	.....	16	1	7
489	Antrim county	277	10	1	.....	7	7	4	1	4	.....	14	4	8
490	Arenac county	121	1	.....	.....	3	1	.....	2	.....	.....	5	.....	2
491	Baraga county	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
492	Barry county	278	4	1	.....	1	.....	1	1	4	.....	15	3	17
493	Bay county	267	8	.....	.....	4	7	5	9	.....	.....	14	3	11
494	Benzie county	125	2	.....	.....	2	.....	.....	.....	.....	.....	6	4	3
495	Berrien county	605	15	5	.....	6	8	6	12	10	.....	28	13	29
496	Branch county	410	7	1	.....	3	3	1	1	10	.....	25	7	26
497	Calhoun county	496	6	2	.....	3	.....	2	11	3	.....	25	3	28
498	Cass county	300	7	1	.....	10	.....	2	5	2	.....	16	4	18
499	Charlevoix county	202	9	3	.....	1	1	2	.....	4	.....	11	1	7
500	Cheboygan county	227	5	3	.....	3	2	.....	5	1	.....	7	3	5
501	Chippewa county	93	2	.....	.....	.....	.....	1	2	1	.....	6	1	.....
502	Clare county	100	4	2	.....	1	1	.....	1	2	.....	7	.....	5
503	Clinton county	328	11	2	.....	1	.....	1	3	2	.....	26	.....	15
504	Crawford county	25	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
505	Delta county	172	3	.....	.....	2	4	.....	10	3	.....	10	1	2
506	Dickinson county	112	.....	.....	.....	.....	4	2	.....	1	.....	10	3	4
507	Eaton county	407	10	9	.....	3	2	.....	2	4	1	25	2	29
508	Emmet county	230	5	2	1	1	.....	.....	.....	5	.....	12	2	6
509	Genesee county	404	5	.....	.....	.....	.....	2	4	4	.....	16	3	18
510	Gladwin county	74	1	1	.....	1	1	.....	.....	.....	.....	5	.....	1
511	Gogebic county	94	3	.....	.....	.....	1	.....	.....	.....	.....	3	.....	.....
512	Grand Traverse county	155	6	.....	.....	4	.....	3	.....	.....	.....	13	.....	7
513	Gratiot county	405	14	1	1	5	1	5	2	5	.....	25	4	16
514	Hillsdale county	411	9	2	.....	3	.....	.....	.....	12	.....	29	2	25
515	Houghton county	965	22	.....	1	1	47	8	6	2	1	60	20	32
516	Huron county	365	14	3	.....	3	5	1	6	4	.....	18	3	9
517	Ingham county	339	19	3	.....	.....	3	1	4	10	.....	20	6	17
518	Ionia county	507	16	5	.....	7	.....	5	2	6	.....	39	10	17
519	Iosco county	119	3	1	.....	.....	.....	.....	3	5	.....	8	1	.....
520	Iron county	79	1	.....	.....	3	1	6	2	2	.....	2	1	3
521	Isabella county	304	9	.....	.....	2	1	2	5	2	.....	25	3	12
522	Jackson county	274	12	.....	.....	2	.....	.....	2	3	.....	13	3	12
523	Kalamazoo county	281	7	2	.....	.....	2	3	3	5	.....	14	2	15
524	Kalkaska county	107	7	.....	.....	6	.....	.....	.....	1	.....	3	.....	2
525	Kent county	644	13	.....	.....	5	6	2	11	7	.....	42	9	51
526	Keweenaw county	48	.....	.....	.....	.....	5	.....	.....	.....	.....	4	.....	2
527	Lake county	62	5	1	.....	.....	.....	.....	.....	.....	.....	4	1	3
528	Lapeer county	363	8	3	.....	4	4	1	8	5	.....	23	6	13
529	Leelanau county	158	1	.....	.....	.....	2	2	1	5	.....	9	2	7
530	Lenawee county	698	17	4	.....	3	5	.....	4	19	.....	47	10	40
531	Livingston county	255	2	2	.....	.....	.....	2	.....	2	.....	22	2	11
532	Luce county	37	4	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....
533	Mackinac county	87	.....	.....	.....	.....	1	.....	.....	.....	.....	11	4	.....
534	Macomb county	519	29	3	.....	8	1	1	12	6	.....	37	5	20
535	Manistee county	382	13	1	.....	6	6	2	6	2	.....	26	3	11
536	Marquette county	255	3	.....	.....	3	4	2	5	2	.....	19	5	4
537	Mason county	266	15	.....	1	4	.....	2	3	2	.....	21	6	8
538	Mecosta county	270	10	3	.....	1	.....	1	2	3	.....	16	4	9
539	Menominee county	138	3	.....	.....	.....	.....	5	2	2	.....	10	.....	5
540	Midland county	201	7	4	.....	1	4	3	2	.....	.....	14	1	5
541	Missaukee county	102	9	1	.....	1	4	1	7	3	.....	2	.....	1
542	Monroe county	466	14	4	.....	7	5	4	11	6	.....	30	6	16
543	Montcalm county	456	11	5	.....	6	.....	7	2	6	.....	30	3	21
544	Montmorency county	28	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
545	Muskegon county	209	8	.....	.....	3	1	1	4	2	.....	10	3	4
546	Newaygo county	223	9	2	.....	3	.....	2	2	6	.....	11	2	15
547	Oakland county	498	9	2	.....	5	1	.....	4	10	.....	42	2	30
548	Oceana county	216	6	1	.....	.....	2	.....	.....	4	.....	17	2	12
549	Ogemaw county	101	2	.....	.....	5	1	.....	2	1	.....	10	1	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	2	17	76	66	52	43	18	.....	22	20	1	9	3	37	34	80	7	471
3	7	8	69	66	45	42	26	6	29	34	2	26	3	32	24	72	1	472
.....	7	15	77	84	71	38	40	14	33	32	1	25	1	16	17	76	5	473
.....	.....	.....	12	9	3	4	9	2	3	3	.....	4	.....	6	1	11	1	474
1	10	26	142	141	61	61	53	10	41	43	4	34	11	39	45	135	11	475
1	4	15	69	60	49	34	26	9	33	28	3	32	5	36	27	85	1	476
.....	4	17	77	57	48	28	64	9	49	41	4	33	3	22	31	54	2	477
.....	5	16	83	62	43	36	24	5	25	21	5	16	5	21	28	51	6	478
4	15	32	219	238	139	75	68	38	91	75	4	68	11	64	57	199	7	479
.....	.....	.....	10	7	4	1	2	1	3	2	.....	2	.....	8	4	9	.....	480
3	17	34	137	164	105	62	69	18	57	56	6	46	13	41	46	149	10	481
2	8	21	135	137	90	45	57	14	49	58	3	38	3	41	39	114	10	482
.....	.....	.....	5	6	5	2	3	1	2	3	.....	2	.....	.....	2	4	1	483
.....	10	46	242	218	189	104	196	40	101	110	18	111	17	107	79	264	12	484
.....	.....	.....	7	4	8	.....	4	1	2	2	.....	1	.....	7	3	1	1	485
.....	.....	3	3	1	3	.....	6	.....	3	.....	1	2	.....	4	.....	1	9	486
.....	1	5	56	53	18	25	14	6	36	12	4	8	6	25	22	58	8	487
.....	2	6	22	21	11	27	36	9	14	3	5	14	.....	20	7	23	14	488
.....	1	10	20	14	19	28	27	12	12	5	5	9	1	18	5	24	7	489
.....	.....	1	11	8	21	7	19	3	10	1	1	3	.....	8	1	9	4	490
.....	.....	1	5	2	1	4	9	.....	1	1	1	1	.....	5	2	1	1	491
.....	13	2	43	45	14	4	9	7	26	11	1	5	2	4	9	36	.....	492
.....	.....	4	18	13	15	10	44	3	10	14	4	14	.....	20	6	29	2	493
.....	.....	.....	10	13	8	4	24	4	5	5	4	1	1	8	3	13	5	494
.....	6	6	75	76	27	25	20	12	52	25	12	20	5	34	16	57	5	495
2	4	2	39	40	18	18	20	9	20	10	10	11	3	19	15	62	4	496
2	8	3	58	50	23	14	8	3	41	15	8	11	6	10	21	42	.....	497
1	6	3	44	39	11	12	8	6	18	12	3	10	1	11	7	38	5	498
.....	.....	8	13	7	17	17	20	6	13	4	5	4	1	13	3	26	6	499
.....	1	11	22	19	8	13	26	4	8	11	3	21	1	11	10	19	5	500
.....	.....	3	7	9	14	6	4	2	4	3	3	4	.....	9	4	4	4	501
.....	1	1	10	7	5	4	12	2	3	6	2	4	.....	7	3	8	2	502
.....	2	7	39	46	19	14	25	5	21	12	2	9	1	13	9	40	3	503
.....	.....	.....	3	1	3	1	1	.....	1	.....	.....	2	.....	4	3	4	.....	504
.....	3	3	8	4	9	7	31	4	9	1	1	7	.....	10	5	15	20	505
.....	.....	3	6	2	4	12	14	.....	5	3	.....	7	.....	17	1	11	3	506
1	6	2	48	59	20	9	17	13	27	10	4	5	.....	12	12	71	4	507
1	.....	6	28	13	20	6	27	7	15	3	3	6	.....	24	8	24	5	508
2	7	8	50	56	17	24	19	8	37	16	5	15	2	19	15	48	3	509
.....	.....	2	5	6	8	3	2	2	7	1	2	6	.....	5	2	9	4	510
.....	.....	2	9	2	8	6	16	1	3	2	2	5	1	14	5	7	4	511
.....	1	2	21	14	8	6	14	4	12	7	3	7	.....	7	.....	15	1	512
.....	4	6	47	41	31	20	40	8	19	20	9	16	2	15	13	32	3	513
1	8	6	62	58	29	12	10	13	27	18	1	4	1	20	10	49	.....	514
.....	8	22	63	51	65	59	124	9	60	33	10	60	3	82	22	64	26	515
.....	3	8	24	36	25	13	32	6	27	15	12	14	.....	16	10	38	20	516
.....	5	9	38	34	17	15	14	9	27	13	3	6	1	14	14	32	5	517
.....	5	12	76	62	27	22	25	10	29	17	8	13	5	16	22	50	1	518
1	1	.....	7	8	9	3	16	2	10	2	1	10	.....	7	6	12	3	519
.....	.....	1	1	3	6	6	5	1	3	1	1	4	1	13	3	5	4	520
1	1	6	30	20	19	12	25	5	25	9	3	9	.....	18	12	37	11	521
3	3	2	33	36	15	15	6	5	17	19	3	7	4	6	15	37	1	522
.....	.....	2	45	39	24	8	9	2	30	8	5	5	3	9	9	29	1	523
1	.....	3	11	10	4	4	9	1	9	2	2	6	.....	8	6	12	.....	524
.....	3	11	67	86	37	34	21	10	39	35	8	17	4	26	23	71	6	525
.....	.....	1	5	2	4	5	3	1	5	.....	.....	4	.....	3	.....	4	.....	526
.....	.....	.....	6	3	5	4	3	2	6	1	1	1	1	5	1	8	.....	527
.....	1	2	40	37	25	14	34	5	25	15	6	9	1	15	13	46	.....	528
.....	.....	3	17	19	7	9	14	2	7	4	4	4	.....	7	6	23	3	529
4	5	12	80	87	52	29	19	20	47	20	9	16	10	28	20	85	6	530
1	4	1	42	29	23	15	4	7	15	8	5	1	3	7	7	37	3	531
.....	.....	.....	5	1	2	5	2	.....	3	1	1	1	.....	2	3	3	.....	532
.....	.....	2	5	7	7	9	7	.....	5	2	1	2	1	3	5	13	2	533
.....	3	6	49	47	41	26	31	12	44	27	6	16	5	19	14	45	6	534
2	.....	4	45	15	42	15	29	4	23	7	9	15	2	23	10	42	19	535
.....	1	4	25	16	13	36	27	1	10	9	4	15	.....	31	5	13	3	536
1	1	3	24	24	13	18	19	6	15	7	4	14	3	13	7	24	8	537
2	1	7	17	30	19	15	20	9	22	6	7	11	.....	19	12	20	4	538
.....	1	1	7	8	14	6	18	3	11	4	.....	5	.....	8	5	11	9	539
.....	2	3	15	21	15	7	19	5	17	12	1	5	1	13	4	13	7	540
.....	.....	2	9	3	12	5	4	3	8	2	3	2	1	7	2	9	1	541
1	6	6	60	53	28	11	25	8	31	17	5	16	.....	11	19	55	11	542
.....	5	9	61	37	29	19	23	3	39	16	5	18	3	30	15	50	5	543
.....	.....	1	.....	4	3	1	4	.....	3	.....	3	1	.....	2	1	3	.....	544
1	1	3	24	17	22	6	14	6	8	10	2	6	2	13	11	24	3	545
.....	4	5	24	16	15	17	8	4	17	6	.....	3	1	14	3	31	5	546
2	2	4	56	65	38	23	12	11	40	17	6	8	2	25	19	59	4	547
1	2	4	13	25	15	11	11	2	13	5	4	7	2	9	10	31	7	548
.....	.....	.....	10	9	4	7	10	.....	10	3	2	3	1	4	2	10	2	549

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.											
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MICHIGAN RURAL—Continued.													
550	Ontonagon county	58				1			1	2		2	1	1
551	Osceola county	257	7	2		2	1	2	3	2	1	14	2	12
552	Oscoda county	13					2							1
553	Otsego county	83	7			4	3		1			5	1	1
554	Ottawa county	532	10	3		1	3	1	5	14		35	5	24
555	Presque Isle county	72				2			5			5	1	
556	Roscommon county	16				1						2		
557	Saginaw county	460	15	5		4	2	3	15	6		33	5	16
558	St. Clair county	481	4	1		1	2		9	6		25	5	22
559	St. Joseph county	334	3	3		3		1		7		19	4	14
560	Sanilac county	426	18	5		6	1	4	19	10		29	5	18
561	Schoolcraft county	106	4				5		4	1		12	1	2
562	Shiawassee county	347	7	1			3	8	13	4		27	3	23
563	Tuscola county	485	9			5	7	1	8	4		28	5	25
564	Van Buren county	461	6	6		5	3	4	6	13		28	6	29
565	Washtenaw county	439	6	1		9	1		2			22	5	27
566	Wayne county	1,045	38	4	1	15	7	6	15	11	1	62	11	38
567	Wexford county	271	7	3		7	4	1	1	2		14	3	5
	NEW HAMPSHIRE RURAL.													
568	Belknap county	227	1					1	2	8		21		6
569	Carroll county	306	4			2		4	2	9		23	6	13
570	Cheshire county	366	2	1				3	4	17		30	5	17
571	Coos county	231	6					1	1	7		14	1	12
572	Grafton county	718	17	2		1	3	4	6	22		59	3	31
573	Hillsboro county	569	2				9	3	5	13		45	5	17
574	Merrimack county	704	6			3		7	14	17		42	6	27
575	Rockingham county	758	13			1	2		7	27		58	10	41
576	Strafford county	345	4			5		1	7	11		28	3	13
577	Sullivan county	326	5	1		1		1	2	9		25	1	14
	NEW JERSEY RURAL.													
578	Atlantic county	281	5				1		17	6		27		6
579	Bergen county	1,265	18	7		4	3	13	29	21		107	10	37
580	Burlington county	1,021	23	1			6	9	16	18		88	11	41
581	Camden county	500	12			2	1	1	11	10		54	3	14
582	Cape May county	192	3	1			2			3		16	1	4
583	Cumberland county	375	7	1		3			2	2		34	2	18
584	Essex county	902	7	2		3	7	7	29	12		109	12	27
585	Gloucester county	472	9	3		6	3	1	21	4		56	6	15
586	Hudson county	1,233	9	8	1	6	9	18	46	9		138	13	35
587	Hunterdon county	522	2	1		2		11	6	21		43	5	18
588	Mercer county	314	6	2		1	1	1	3	5		39	2	10
589	Middlesex county	646	11	8		7	2	5	11	13	1	61	7	19
590	Monmouth county	1,340	26	3		8	3	4	31	15		126	19	51
591	Morris county	812	5	6	1	5	5	7	14	17		78	6	35
592	Ocean county	267	2			2			6	6		17	2	10
593	Passaic county	308	4	1				3	9			32		12
594	Salem county	374	2	2		2	3	7	2	11		40	1	10
595	Somerset county	464	5	2		9	1	11	8	6		36	2	18
596	Sussex county	375	3	2				1	2	13		25	3	13
597	Union county	493	7	1		3	2	6	6	11		47	9	20
598	Warren county	410	5	1				5	9	10		27	3	19
	NEW YORK RURAL.													
599	Albany county	557	13			2	5	2	18	14		45	5	26
600	Allegany county	567	14	1		4	1	1	3	14		31	5	29
601	Broome county	481	7	1		2	2		17	8		46	3	24
602	Cattaraugus county	752	23	1		5	1	4	4	27		44	5	44
603	Cayuga county	558	10	1		4	4	1	13	19	2	45	9	27
604	Chautauqua county	752	17	1		2	2	7	5	28		47	7	38
605	Chemung county	266	8			5	1		1	4		19	1	7
606	Chenango county	674	9	2		9	1	2	3	15		44	6	32
607	Clinton county	648	14	2		1	1	9	14	12		64	7	20
608	Columbia county	597	19			6	2	1	8	8		43	2	22
609	Cortland county	290	9				1		2	4		25	2	22
610	Delaware county	681	20			3	7	2	8	14		44	2	27
611	Dutchess county	1,019	16	7		7	5	8	17	20		110	6	28
612	Erie county	1,130	24	3		18	8	5	23	22		90	15	54
613	Essex county	445	11				2	3	4	3		44		27
614	Franklin county	623	10			1	1	1	23	7	1	100	8	10
615	Fulton county	222				4			2	2		27		7
616	Genesee county	571	11			1		1	29	18		50	7	24
617	Greene county	589	12			3		4	7	10		51	7	35
618	Hamilton county	67	1				2					4	1	4
619	Herkimer county	750	28	1		4	2	4	14	8		66	11	40
620	Jefferson county	853	18	4		18		2	3	17		73	8	31
621	Lewis county	397	9	2		8	1	2	3	3		27	7	10
622	Livingston county	491	13	1		1			5	10		41	10	23
623	Madison county	595	9			7	2	3	3	9		47	6	40

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	.....	.....	2	1	8	6	9	.....	3	3	.....	1	2	4	1	7	3	550
.....	1	3	28	15	24	14	19	4	16	9	4	12	2	10	9	32	7	551
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	3	1	1	552
.....	1	4	12	6	4	2	11	.....	4	1	.....	1	.....	2	2	5	6	553
4	5	14	65	47	24	37	16	6	43	19	8	16	5	25	26	68	3	554
.....	.....	1	6	2	9	1	1	1	6	1	1	.....	.....	1	4	8	17	555
.....	.....	.....	1	3	2	.....	1	2	1	.....	.....	.....	1	.....	1	1	.....	556
2	.....	8	38	44	34	20	38	6	33	27	3	10	6	21	14	47	5	557
3	.....	5	54	56	30	24	34	7	46	19	3	16	.....	35	18	54	2	558
.....	5	7	48	44	20	22	14	5	24	13	2	5	6	18	16	29	2	559
1	7	7	40	33	32	16	29	7	19	14	11	9	1	17	7	43	18	560
1	.....	3	12	4	11	6	12	3	1	3	1	4	.....	4	6	3	3	561
1	3	5	40	34	17	17	26	7	26	8	1	6	1	13	18	34	1	562
.....	5	12	55	47	37	32	27	15	28	17	8	15	4	10	17	60	2	563
1	7	8	52	71	26	16	14	11	25	9	4	13	7	13	17	55	6	564
1	4	8	54	62	15	21	15	7	28	17	8	11	2	20	10	79	4	565
1	7	13	132	77	86	70	65	13	73	28	15	36	5	48	31	118	18	566
1	1	6	17	29	16	17	30	7	17	3	5	15	2	18	5	31	4	567
.....	3	2	38	28	28	8	6	1	9	5	1	5	2	8	8	34	2	568
.....	5	5	34	47	31	8	8	7	17	9	1	7	1	10	13	32	8	569
.....	7	10	47	31	38	17	16	5	14	8	1	17	1	12	20	43	.....	570
.....	2	11	31	27	17	10	9	2	11	7	1	10	.....	9	10	28	4	571
.....	9	13	74	87	64	42	18	8	28	36	4	9	2	29	51	89	7	572
1	4	14	93	56	43	35	14	5	19	33	2	18	5	23	28	73	4	573
2	4	19	82	90	96	38	29	7	30	19	2	21	4	15	36	81	7	574
1	9	20	105	74	78	34	30	2	33	28	4	14	2	22	49	85	9	575
.....	7	5	30	24	38	32	3¹	1	11	16	2	16	2	10	13	33	2	576
1	3	4	37	40	34	14	13	5	7	16	1	9	5	11	17	46	4	577
.....	1	6	34	30	23	11	13	9	14	16	2	12	.....	8	11	29	.....	578
.....	6	41	147	115	106	66	112	16	55	56	7	52	11	83	61	78	4	579
1	7	18	141	108	93	59	47	13	43	67	5	37	6	45	60	58	.....	580
.....	4	4	73	53	35	22	31	8	14	22	4	21	2	29	34	35	1	581
.....	1	4	32	17	18	4	14	5	13	7	.....	5	.....	17	14	11	.....	582
.....	1	12	53	40	31	11	19	4	17	22	.....	5	1	18	29	38	5	583
1	5	27	103	109	76	61	70	20	52	62	4	40	3	45	27	66	6	584
.....	3	10	59	51	26	14	29	6	24	24	6	20	3	25	9	34	5	585
.....	3	23	138	77	116	113	117	12	53	64	13	32	15	30	47	57	2	586
1	6	11	70	69	27	39	19	8	29	27	1	17	5	19	14	49	2	587
1	2	7	45	30	22	17	12	3	10	17	1	11	2	23	10	30	1	588
1	2	11	70	52	42	29	56	8	27	22	3	31	2	64	39	36	6	589
2	5	35	166	122	76	47	106	26	86	69	11	56	3	73	82	86	3	590
4	7	19	106	78	60	60	39	14	36	41	8	33	2	43	26	52	5	591
.....	.....	6	46	24	10	22	18	2	22	11	4	7	1	8	13	24	4	592
1	1	14	31	30	25	17	18	5	18	15	2	9	2	27	11	20	1	593
1	4	8	51	33	23	22	26	6	14	21	3	13	3	17	23	25	1	594
1	4	8	51	67	30	27	28	14	14	21	4	14	7	22	22	30	2	595
1	2	4	40	51	56	24	21	5	16	19	2	9	1	14	12	33	3	596
.....	.....	8	50	43	42	21	32	7	26	32	2	19	.....	33	21	43	2	597
1	6	11	66	51	17	14	17	13	26	18	4	14	3	28	10	32	.....	598
1	3	13	69	69	44	20	20	9	16	38	1	17	.....	24	25	58	.....	599
2	13	6	68	70	52	21	15	13	36	28	4	9	6	32	15	72	2	600
1	6	6	62	42	36	23	12	7	38	23	3	10	2	26	9	64	1	601
.....	8	10	77	83	46	44	38	13	51	30	7	25	3	31	35	83	10	602
2	2	7	85	62	42	12	18	12	31	27	2	13	8	17	18	62	3	603
1	12	9	107	97	28	30	26	8	47	33	3	20	6	42	20	104	5	604
1	3	3	36	35	12	12	14	5	13	11	1	8	1	12	8	45	.....	605
2	3	12	83	71	49	39	21	16	49	34	1	16	5	32	30	88	.....	606
2	5	25	61	52	44	26	41	11	33	18	8	24	3	28	28	84	11	607
1	2	11	69	55	46	40	16	12	29	46	2	15	4	24	36	76	2	608
2	3	3	32	29	19	8	10	5	17	9	.....	9	5	8	12	53	1	609
.....	4	13	90	74	63	23	35	20	48	29	6	20	3	16	15	90	5	610
1	4	25	139	106	103	46	36	14	61	26	5	42	3	34	67	83	.....	611
.....	13	17	191	135	64	50	78	19	68	47	12	30	6	78	23	118	9	612
1	3	9	43	58	31	17	25	6	19	20	4	14	.....	24	30	45	2	613
.....	4	21	51	33	52	40	39	6	29	24	4	19	1	23	31	70	14	614
.....	1	4	38	21	18	6	9	3	19	12	1	3	.....	5	9	30	1	615
1	3	12	71	55	31	15	15	4	34	22	1	12	11	34	24	82	3	616
2	1	14	100	54	46	31	26	12	29	21	3	10	2	30	20	58	1	617
.....	1	2	8	4	4	3	2	3	2	1	1	1	1	8	3	11	.....	618
3	4	21	78	64	61	38	34	19	44	35	3	23	3	40	23	65	14	619
1	12	8	118	114	55	25	40	18	47	20	5	27	8	43	35	101	2	620
1	3	13	38	41	21	20	22	6	24	10	3	9	3	27	20	60	4	621
3	4	7	67	90	23	8	10	8	30	27	5	5	3	26	17	53	1	622
1	7	14	76	70	27	23	22	8	37	26	4	16	4	27	24	83	.....	623

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	NEW YORK RURAL—Continued.													
624	Monroe county	787	7	.....	.....	2	8	9	8	10	.....	58	6	35
625	Montgomery county	343	6	.....	.....	.....	2	.....	6	4	.....	29	.....	19
626	Nassau county	770	8	7	.....	4	1	3	24	13	.....	69	11	29
627	Niagara county	351	8	.....	.....	3	1	3	2	7	.....	52	3	20
628	Oneida county	957	30	1	.....	4	1	2	13	11	.....	79	6	49
629	Onondaga county	917	13	1	.....	4	3	9	8	9	.....	77	12	38
630	Ontario county	562	15	.....	.....	1	6	3	1	11	.....	43	3	35
631	Orange county	863	18	4	.....	10	2	8	18	24	.....	87	8	29
632	Orleans county	451	8	2	.....	1	4	.....	5	5	.....	38	2	19
633	Oswego county	1,342	24	3	.....	17	.....	9	29	33	.....	114	14	58
634	Otsego county	762	13	.....	.....	4	.....	.....	6	5	.....	52	10	48
635	Putnam county	245	3	2	.....	.....	.....	1	6	3	.....	25	1	9
636	Rensselaer county	794	33	1	.....	6	1	2	10	22	.....	89	5	43
637	Rockland county	584	4	3	.....	3	1	4	25	8	.....	54	3	13
638	St. Lawrence county	1,271	47	1	.....	19	4	.....	14	31	1	112	11	44
639	Saratoga county	779	13	.....	.....	.....	3	7	16	14	.....	67	6	31
640	Schenectady county	214	5	.....	.....	4	3	1	10	3	.....	19	3	11
641	Schoharie county	451	17	.....	.....	1	.....	1	3	3	.....	49	.....	18
642	Schuyler county	257	3	1	.....	3	1	4	.....	3	.....	15	.....	18
643	Seneca county	482	6	2	.....	.....	2	1	4	7	.....	46	1	24
644	Steuben county	1,045	17	2	.....	1	1	2	17	9	1	76	12	51
645	Suffolk county	1,279	18	5	.....	.....	1	10	20	21	1	131	11	37
646	Sullivan county	574	12	3	.....	1	2	2	3	10	.....	83	6	25
647	Tioga county	479	12	.....	.....	2	2	7	3	17	.....	36	.....	27
648	Tompkins county	317	6	.....	.....	.....	2	.....	1	5	.....	19	4	17
649	Ulster county	1,015	25	5	.....	21	9	15	20	14	.....	91	8	44
650	Warren county	272	6	.....	.....	.....	4	.....	3	4	.....	25	1	15
651	Washington county	750	14	4	.....	2	1	2	14	9	1	64	4	41
652	Wayne county	753	5	1	1	2	4	.....	4	15	.....	78	4	42
653	Westchester county	1,508	16	13	.....	7	5	10	41	32	.....	147	17	49
654	Wyoming county	413	8	2	.....	6	1	1	3	8	.....	27	1	15
655	Yates county	293	10	.....	.....	1	.....	.....	.....	4	.....	16	3	14
	RHODE ISLAND RURAL.													
656	Bristol county	297	4	4	.....	3	.....	3	6	7	.....	25	4	19
657	Kent county	709	4	1	.....	25	1	5	22	15	.....	40	7	21
658	Newport county	183	3	1	.....	.....	3	2	1	10	.....	8	3	7
659	Providence county	1,383	18	5	.....	29	8	7	23	52	.....	142	22	49
660	Washington county	430	10	.....	.....	9	.....	2	13	8	.....	33	5	22
	VERMONT RURAL.													
661	Addison county	342	12	.....	.....	.....	1	1	3	9	.....	25	4	27
662	Bennington county	238	3	.....	.....	.....	.....	.....	1	6	.....	19	.....	8
663	Caledonia county	413	15	1	.....	2	1	.....	5	9	.....	32	5	19
664	Chittenden county	347	4	1	.....	.....	.....	.....	1	7	.....	34	5	15
665	Essex county	120	5	.....	.....	1	.....	.....	.....	4	.....	12	1	6
666	Franklin county	463	8	.....	.....	3	.....	3	4	6	1	57	5	21
667	Grand Isle county	63	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3
668	Lamoille county	178	1	.....	.....	1	.....	2	1	9	.....	15	.....	9
669	Orange county	295	5	1	.....	4	2	1	.....	4	.....	25	4	10
670	Orleans county	321	5	.....	.....	1	1	3	9	3	.....	22	1	17
671	Rutland county	525	13	1	.....	.....	2	3	4	7	.....	49	2	21
672	Washington county	500	9	1	.....	3	6	2	4	6	.....	43	7	30
673	Windham county	507	7	.....	.....	.....	1	1	.....	25	.....	37	6	37
674	Windsor county	558	12	.....	.....	3	.....	.....	5	22	.....	33	5	39

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1900—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	6	16	114	72	66	40	37	6	44	36	4	23	7	50	26	95	1	624
1	1	5	42	32	14	15	21	4	28	19	2	14	4	23	15	34	3	625
1	1	8	86	79	64	38	61	3	46	44	10	38	3	41	10	67	1	626
1	6	11	56	66	46	23	30	10	39	19	1	18	3	31	27	62	3	627
1	6	18	123	114	82	43	33	17	43	41	6	28	5	44	37	111	9	628
3	5	22	115	75	67	46	27	21	56	41	7	23	4	45	53	133	.....	629
.....	4	7	74	72	33	29	17	14	37	22	3	14	4	33	23	56	2	630
1	7	21	110	88	48	50	52	10	45	44	7	22	3	46	34	66	1	631
.....	.....	7	51	55	24	13	26	7	28	18	1	23	3	15	29	63	4	632
6	14	26	161	126	100	58	58	24	94	84	5	30	8	40	38	139	.....	633
.....	9	12	95	80	77	26	24	14	57	50	3	14	5	26	23	108	1	634
.....	2	3	24	24	12	23	11	2	8	13	1	13	.....	17	25	17	.....	635
.....	5	13	85	80	61	36	24	8	42	51	2	19	6	35	30	84	1	636
2	2	28	69	60	35	29	51	9	18	35	.....	28	3	23	30	39	5	637
3	13	26	137	144	115	50	44	20	73	63	13	34	9	51	36	152	4	638
.....	5	14	91	68	58	50	36	5	43	33	6	36	1	39	44	92	1	639
.....	2	3	32	16	9	15	16	4	14	7	.....	6	.....	11	6	14	.....	640
.....	4	6	51	47	29	20	8	4	38	24	2	14	2	10	32	64	4	641
2	.....	1	30	24	25	9	10	8	18	14	3	4	2	13	11	35	.....	642
4	4	5	73	72	38	13	18	8	28	30	1	11	5	20	14	45	.....	643
2	7	27	141	144	73	48	49	17	58	47	12	18	3	43	30	132	5	644
.....	5	17	200	146	66	49	48	28	57	86	4	37	9	47	87	136	2	645
.....	1	11	79	70	47	25	28	10	26	14	1	9	.....	24	30	50	2	646
2	2	6	71	51	41	22	13	10	27	30	5	8	3	19	14	49	.....	647
1	3	3	61	41	17	12	14	.....	17	14	1	7	2	16	17	34	3	648
.....	9	12	139	111	84	68	58	20	48	36	5	23	2	34	34	79	1	649
1	1	3	35	29	21	9	6	2	21	21	1	11	.....	7	11	29	6	650
1	3	10	88	78	69	32	26	11	29	52	3	24	1	34	43	88	2	651
6	7	16	113	80	42	33	27	11	54	26	1	23	6	37	17	94	4	652
.....	9	31	147	146	112	78	104	19	90	87	12	66	6	95	45	124	.....	653
3	5	6	55	55	15	20	15	7	40	20	1	10	3	12	14	60	.....	654
1	.....	5	48	33	11	12	10	6	22	7	.....	5	2	11	35	36	1	655
.....	1	2	23	22	21	14	32	8	9	14	2	12	1	16	8	36	1	656
.....	4	19	50	51	77	49	72	12	35	20	9	31	2	35	12	83	7	657
1	.....	3	25	15	12	9	18	2	7	8	2	6	3	6	1	25	2	658
1	11	42	138	117	110	76	97	17	49	110	11	41	10	48	8	134	8	659
.....	4	5	44	42	20	24	30	7	25	35	3	10	2	19	3	51	4	660
1	3	7	34	46	28	12	6	8	11	13	2	11	3	12	16	43	4	661
.....	.....	7	20	30	32	8	12	3	19	16	3	5	1	11	7	24	3	662
.....	4	9	38	53	30	18	15	6	19	14	.....	14	4	17	22	51	10	663
.....	6	14	31	41	36	12	12	5	20	12	7	16	1	6	16	40	5	664
.....	.....	2	16	14	8	2	2	.....	5	6	.....	3	1	8	7	12	5	665
2	2	13	52	31	52	19	25	6	22	16	5	21	.....	13	18	47	11	666
.....	.....	7	5	8	10	3	1	.....	3	4	1	3	.....	4	.....	6	1	667
.....	.....	2	24	21	12	9	4	1	14	10	3	6	.....	5	5	22	2	668
1	2	3	49	34	24	11	7	2	17	8	5	3	2	12	13	41	1	669
1	1	2	44	30	29	23	8	8	21	9	.....	12	4	7	17	38	5	670
.....	5	11	53	61	61	17	18	5	30	24	8	19	.....	22	20	58	11	671
1	3	9	46	44	70	16	12	8	23	31	3	17	1	14	28	57	6	672
1	8	8	65	59	34	26	9	3	22	22	1	14	1	22	22	72	4	673
.....	5	8	92	58	38	26	18	8	37	23	4	21	8	21	15	55	2	674

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	THE REGISTRATION AREA.											
1	Total	539,939	111,687	26,722	12,129	7,812	5,787	164,137	15,678	9,144	14,498	22,260
2	Males	285,999	62,244	14,163	6,309	4,060	2,904	89,680	8,027	4,619	7,123	11,159
3	Females	253,940	49,443	12,559	5,820	3,752	2,883	74,457	7,651	4,525	7,375	11,101
4	White	503,569	103,662	24,616	11,166	7,249	5,435	152,128	14,587	8,218	12,851	19,710
5	Males	267,105	57,940	13,074	5,840	3,776	2,720	83,359	7,507	4,233	6,392	9,866
6	Females	236,464	45,722	11,542	5,326	3,473	2,706	68,769	7,080	3,985	6,459	9,844
7	Native	363,702	102,722	24,065	10,856	7,002	5,256	149,901	13,877	7,469	10,860	15,160
8	Males	191,541	57,418	12,779	5,696	3,633	2,646	82,172	7,123	3,821	5,409	7,522
9	Females	172,161	45,304	11,286	5,160	3,369	2,610	67,729	6,754	3,648	5,451	7,638
10	Both parents native	M.. 80,936	21,465	4,645	2,050	1,334	993	30,487	2,849	1,626	2,308	2,942
		F.. 76,853	16,842	3,978	1,937	1,232	974	24,963	2,680	1,662	2,549	3,163
11	One or both parents foreign	M.. 59,631	23,416	5,557	2,344	1,487	1,036	33,840	2,652	1,272	1,823	2,666
		F.. 51,340	18,553	4,999	2,103	1,381	1,034	28,070	2,520	1,259	1,766	2,647
12	Parentage unknown	M.. 19,586	2,883	354	187	129	83	3,636	244	212	370	655
		F.. 16,393	2,373	357	147	91	71	3,039	201	144	314	605
13	Parentage not stated	M.. 31,388	9,654	2,223	1,115	683	534	14,209	1,378	711	908	1,259
		F.. 27,575	7,536	1,952	973	665	531	11,657	1,353	583	822	1,223
14	Foreign	130,111	495	438	236	199	145	1,513	590	647	1,829	4,170
15	Males	69,328	279	228	112	119	70	808	321	347	895	2,114
16	Females	60,783	216	210	124	80	75	705	269	300	934	2,056
17	Unknown	9,756	445	113	74	48	34	714	120	102	162	380
18	Males	6,236	243	67	32	24	13	379	63	65	88	230
19	Females	3,520	202	46	42	24	21	335	57	37	74	150
20	Colored	36,370	8,025	2,106	963	563	352	12,009	1,091	926	1,647	2,550
21	Males	18,894	4,304	1,089	469	284	175	6,321	520	386	731	1,293
22	Females	17,476	3,721	1,017	494	279	177	5,688	571	540	916	1,257
23	Black	M.. 17,772	4,243	1,078	464	279	170	6,234	505	373	707	1,226
		F.. 17,223	3,671	1,004	486	276	169	5,606	557	536	901	1,235
24	Indian	M.. 162	31	3	2	2	3	41	10	7	11	16
		F.. 149	28	9	5	3	4	49	8	4	8	11
25	Chinese and Japanese	M.. 960	30	8	3	3	2	46	5	6	13	51
		F.. 104	22	4	3	.....	4	33	6	.....	7	11
	REGISTRATION CITIES.											
26	Total	398,786	87,334	21,375	9,778	6,316	4,649	129,452	12,160	6,631	10,496	17,117
27	Males	212,616	48,717	11,331	5,117	3,276	2,340	70,781	6,249	3,411	5,209	8,675
28	Females	186,170	38,617	10,044	4,661	3,040	2,309	58,671	5,911	3,220	5,287	8,442
29	White	364,682	79,795	19,395	8,868	5,782	4,316	118,156	11,141	5,785	8,959	14,701
30	Males	194,854	44,693	10,302	4,668	3,006	2,172	64,841	5,765	3,057	4,527	7,443
31	Females	169,828	35,102	9,093	4,200	2,776	2,144	53,315	5,376	2,728	4,432	7,258
32	Native	249,955	79,029	18,957	8,609	5,579	4,164	116,338	10,563	5,177	7,301	10,842
33	Males	133,225	44,276	10,073	4,547	2,886	2,101	63,883	5,454	2,718	3,718	5,465
34	Females	116,730	34,753	8,884	4,062	2,693	2,063	52,455	5,109	2,459	3,583	5,377
35	Both parents native	M.. 43,461	13,404	2,855	1,314	857	643	19,073	1,767	884	1,192	1,600
		F.. 40,375	10,334	2,436	1,202	794	612	15,378	1,621	838	1,270	1,692
36	One or both parents foreign	M.. 47,958	19,149	4,763	1,997	1,255	871	28,035	2,149	985	1,391	2,141
		F.. 40,838	15,141	4,255	1,792	1,167	877	23,232	2,011	969	1,337	2,091
37	Parentage unknown	M.. 12,515	2,468	298	162	108	65	3,101	199	165	282	524
		F.. 9,951	1,997	300	118	80	59	2,554	161	101	217	442
38	Parentage not stated	M.. 29,291	9,255	2,157	1,074	666	522	13,674	1,339	684	853	1,200
		F.. 25,566	7,281	1,893	950	652	515	11,291	1,316	551	759	1,152
39	Foreign	107,723	393	346	197	162	120	1,218	486	540	1,534	3,564
40	Males	57,065	217	178	93	99	59	646	263	294	746	1,806
41	Females	50,658	176	168	104	63	61	572	223	246	788	1,758
42	Unknown	7,004	373	92	62	41	32	600	92	68	124	295
43	Males	4,564	200	51	28	21	12	312	48	45	63	172
44	Females	2,440	173	41	34	20	20	288	44	23	61	123
45	Colored	34,104	7,539	1,980	910	534	333	11,296	1,019	846	1,537	2,416
46	Males	17,762	4,024	1,029	449	270	168	5,940	484	354	682	1,232
47	Females	16,342	3,515	951	461	264	165	5,356	535	492	855	1,184
48	Black	M.. 16,770	3,992	1,021	446	267	165	5,891	476	347	667	1,175
		F.. 16,212	3,489	946	457	264	161	5,317	526	491	848	1,172
49	Indian	M.. 37	2	.....	.....	.....	1	3	3	1	2	7
		F.. 26	4	1	1	.....	.....	6	3	1	.....	1
50	Chinese and Japanese	M.. 955	30	8	3	3	2	46	5	6	13	50
		F.. 104	22	4	3	.....	4	33	6	.....	7	11

SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1900.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,573	23,727	24,606	23,364	22,521	24,283	25,024	27,633	29,123	29,025	25,447	18,843	9,646	3,367	1,113	1,927	1
12,501	12,734	13,631	13,214	12,756	13,539	13,527	14,610	15,149	14,758	12,799	8,967	4,296	1,298	383	1,229	2
12,072	10,993	10,975	10,150	9,765	10,744	11,497	13,023	13,974	14,267	12,648	9,876	5,350	2,069	730	698	3
22,237	21,780	22,567	21,448	20,758	22,501	23,662	26,343	28,041	28,190	24,857	18,380	9,385	3,216	940	1,770	4
11,254	11,639	12,516	12,158	11,787	12,530	12,781	13,962	14,597	14,366	12,517	8,764	4,191	1,242	319	1,125	5
10,983	10,141	10,051	9,290	8,971	9,971	10,881	12,381	13,444	13,824	12,340	9,616	5,194	1,974	621	645	6
15,970	14,432	13,558	12,914	11,516	10,998	11,426	12,374	13,796	14,535	14,049	11,326	6,130	2,143	511	757	7
7,941	7,546	7,238	6,990	6,178	5,855	5,949	6,538	7,323	7,539	7,075	5,325	2,671	790	149	387	8
8,029	6,886	6,320	5,924	5,338	5,143	5,477	5,836	6,473	6,996	6,974	6,001	3,459	1,353	362	370	9
2,504	2,301	2,227	2,420	2,542	2,853	3,210	3,722	4,392	4,590	4,370	3,259	1,611	485	85	153	10
3,082	2,523	2,347	2,316	2,479	2,702	3,100	3,503	4,003	4,392	4,407	3,696	2,117	820	197	152	
3,291	3,027	2,718	2,329	1,572	1,014	792	661	565	438	408	291	148	46	12	66	11
2,925	2,504	2,132	1,851	1,323	928	771	611	488	454	370	336	210	85	28	62	
798	884	953	984	950	1,019	1,009	1,222	1,385	1,546	1,522	1,198	680	194	27	98	12
740	664	720	745	671	717	785	887	1,096	1,277	1,333	1,243	730	281	96	105	
1,348	1,334	1,340	1,257	1,114	969	938	933	981	965	775	577	232	65	25	70	13
1,282	1,195	1,121	1,012	865	796	821	835	886	873	864	726	402	167	41	51	
5,765	6,767	8,233	7,824	8,600	10,858	11,697	13,307	13,632	13,038	10,281	6,628	3,024	977	395	336	14
2,988	3,695	4,708	4,645	5,147	6,223	6,481	7,014	6,909	6,460	5,158	3,243	1,409	412	159	192	15
2,777	3,072	3,525	3,179	3,453	4,635	5,216	6,293	6,723	6,578	5,123	3,385	1,615	565	236	144	16
502	581	776	710	642	645	539	662	613	617	527	426	231	96	34	677	17
325	398	570	523	462	452	351	410	365	367	284	196	111	40	11	546	18
177	183	206	187	180	193	188	252	248	250	243	230	120	56	23	131	19
2,336	1,947	2,039	1,916	1,763	1,782	1,362	1,290	1,082	835	590	463	261	151	173	157	20
1,247	1,095	1,115	1,056	969	1,009	746	648	552	392	282	203	105	56	64	104	21
1,089	852	924	860	794	773	616	642	530	443	308	260	156	95	109	53	22
1,151	990	975	917	840	887	681	601	512	382	276	203	99	53	64	96	23
1,070	836	916	847	786	766	608	636	525	438	303	256	152	95	103	51	
2	8	6	6	3	7	8	7	13	3	4	.....	5	3	.....	2	
8	4	3	7	4	3	7	6	4	5	5	2	3	.....	6	2	24
94	97	134	133	126	115	57	40	27	7	2	.....	1	.....	.....	6	
11	12	5	6	4	4	1	.....	1	.....	.....	2	1	.....	.....	.....	25
19,519	19,088	20,029	18,717	17,760	18,926	18,488	19,774	19,448	18,246	14,527	10,118	4,896	1,672	610	1,112	26
10,173	10,523	11,343	10,833	10,279	10,796	10,162	10,442	9,916	8,988	6,915	4,438	1,991	563	198	731	27
9,346	8,565	8,686	7,884	7,481	8,130	8,326	9,332	9,532	9,258	7,612	5,680	2,905	1,109	412	381	28
17,290	17,227	18,058	16,895	16,080	17,223	17,228	18,577	18,458	17,496	14,017	9,735	4,681	1,536	460	979	29
8,970	9,474	10,257	9,822	9,348	9,827	9,472	9,832	9,420	8,636	6,675	4,280	1,908	516	143	641	30
8,320	7,753	7,801	7,073	6,732	7,396	7,756	8,745	9,038	8,860	7,342	5,455	2,773	1,020	317	338	31
11,820	10,810	10,179	9,377	7,971	7,235	6,820	6,843	7,050	6,901	6,051	4,788	2,500	834	187	368	32
6,077	5,878	5,631	5,250	4,404	4,016	3,673	3,641	3,701	3,468	2,810	2,002	957	248	40	191	33
5,743	4,932	4,548	4,127	3,567	3,219	3,147	3,202	3,349	3,433	3,241	2,786	1,543	586	147	177	34
1,466	1,353	1,376	1,366	1,366	1,617	1,667	1,711	1,886	1,822	1,502	1,076	536	138	20	43	35
1,671	1,333	1,286	1,227	1,297	1,356	1,458	1,610	1,772	1,902	1,839	1,571	817	320	75	42	
2,661	2,509	2,209	1,915	1,257	775	562	430	324	210	190	111	50	14	1	39	36
2,341	1,988	1,673	1,430	1,023	686	541	393	286	264	187	183	108	42	10	39	
650	727	762	776	732	713	608	676	650	674	552	411	204	55	5	49	37
536	491	535	533	443	457	422	478	538	539	544	468	302	105	30	55	
1,300	1,289	1,284	1,193	1,049	911	836	824	841	762	566	404	167	41	14	60	38
1,195	1,120	1,054	937	804	720	726	721	753	724	671	564	316	119	32	41	
5,062	5,941	7,243	6,929	7,583	9,486	10,018	11,257	10,996	10,225	7,703	4,735	2,087	654	264	198	39
2,622	3,269	4,157	4,130	4,557	5,452	5,539	5,883	5,465	4,941	3,725	2,189	916	251	100	114	40
2,440	2,672	3,086	2,799	3,026	4,034	4,479	5,374	5,531	5,284	3,978	2,546	1,171	403	164	84	41
408	476	636	589	526	502	390	477	412	370	263	212	94	48	9	413	42
271	327	469	442	387	359	260	308	254	227	140	89	35	17	3	336	43
137	149	167	147	139	143	130	169	158	143	123	123	59	31	6	77	44
2,229	1,861	1,971	1,822	1,680	1,703	1,260	1,197	990	750	510	383	215	136	150	133	45
1,203	1,049	1,086	1,011	931	969	690	610	496	352	240	158	83	47	55	90	46
1,026	812	885	811	749	734	570	587	494	398	270	225	132	89	95	43	47
1,109	950	951	876	804	852	631	567	467	345	238	158	81	47	55	83	48
1,015	799	877	802	741	730	568	587	492	398	270	223	131	89	94	42	
1	2	1	2	2	2	4	3	2	.....	.....	.....	1	.....	.....	1	49
.....	1	3	3	4	.....	1	.....	1	.....	.....	.....	.....	.....	1	1	
93	97	134	133	125	115	55	40	27	7	2	.....	1	.....	.....	6	50
11	12	5	6	4	4	1	.....	1	.....	.....	2	1	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION STATES.											
51	Total	343,217	71,117	16,866	7,439	4,691	3,416	103,529	9,242	5,423	8,746	13,013
52	Males	179,016	39,608	8,916	3,861	2,436	1,686	56,507	4,688	2,646	4,286	6,412
53	Females	164,201	31,509	7,950	3,578	2,255	1,730	47,022	4,554	2,777	4,460	6,601
54	White	332,810	68,581	16,200	7,161	4,550	3,310	99,802	8,946	5,132	8,302	12,387
55	Males	173,731	38,224	8,572	3,739	2,370	1,637	54,542	4,543	2,545	4,087	6,110
56	Females	159,079	30,357	7,628	3,422	2,180	1,673	45,260	4,403	2,587	4,215	6,277
57	Native	245,031	68,001	15,788	6,946	4,364	3,182	98,281	8,439	4,627	6,[illegible]	9,424
58	Males	127,846	37,896	8,363	3,636	2,264	1,576	53,735	4,268	2,286	3,428	[illegible]
59	Females	117,185	30,105	7,425	3,310	2,100	1,606	44,546	4,171	2,341	3,543	4,785
60	Both parents native	M.. 63,891	16,265	3,476	1,534	965	716	22,956	2,050	1,201	1,776	2,182
		F.. 61,480	12,871	3,017	1,458	902	716	18,964	2,011	1,273	1,952	2,348
61	One or both parents foreign	M.. 47,518	19,295	4,570	1,929	1,191	794	27,779	2,034	933	1,360	2,026
		F.. 41,123	15,428	4,077	1,720	1,122	829	23,176	2,005	949	1,314	1,987
62	Parentage unknown	M.. 14,034	1,830	237	123	88	53	2,331	139	118	226	360
		F.. 12,255	1,465	258	97	57	40	1,917	106	84	209	366
63	Parentage not stated	M.. 2,403	506	80	50	20	13	669	45	34	66	73
		F.. 2,327	341	73	35	19	21	489	49	35	68	82
64	Foreign	82,991	389	364	187	173	116	1,229	456	452	1,265	2,804
65	Males	42,837	221	182	95	102	56	656	246	230	622	1,367
66	Females	40,154	168	182	92	71	60	573	210	222	643	1,437
67	Unknown	4,788	191	48	28	13	12	292	51	53	66	150
68	Males	3,048	107	27	8	4	5	151	29	29	37	102
69	Females	1,740	84	21	20	9	7	141	22	24	29	57
70	Colored	10,407	2,536	666	278	141	106	3,727	296	291	444	626
71	Males	5,285	1,384	344	122	66	49	1,965	145	101	199	302
72	Females	5,122	1,152	322	156	75	57	1,762	151	190	245	324
73	Black	M.. 4,972	1,354	340	120	63	47	1,924	138	94	187	278
		F.. 4,982	1,125	313	151	72	52	1,713	144	186	237	312
74	Indian	M.. 140	29	3	2	2	2	38	7	6	11	13
		F.. 132	25	8	5	3	4	45	6	4	8	11
75	Chinese and Japanese	M.. 173	1	1	.....	1	.....	3	.....	1	1	11
		F.. 8	2	1	.....	.....	1	4	1	.....	.....	1
	CITIES IN REGISTRATION STATES.											
76	Total	202,064	46,764	11,519	5,088	3,195	2,278	68,844	5,724	2,910	4,744	7,870
77	Males	105,633	26,081	6,084	2,669	1,652	1,122	37,608	2,910	1,438	2,372	3,928
78	Females	96,431	20,683	5,435	2,419	1,543	1,156	31,236	2,814	1,472	2,372	3,942
79	White	193,923	44,714	10,979	4,863	3,083	2,191	65,830	5,500	2,699	4,410	7,378
80	Males	101,480	24,977	5,800	2,567	1,600	1,080	36,024	2,801	1,369	2,222	3,687
81	Females	92,443	19,737	5,179	2,296	1,483	1,111	29,806	2,699	1,330	2,188	3,691
82	Native	131,284	44,308	10,680	4,609	2,941	2,090	64,718	5,125	2,335	3,412	5,106
83	Males	69,530	24,754	5,657	2,487	1,517	1,031	35,446	2,599	1,183	1,737	2,584
84	Females	61,754	19,554	5,023	2,212	1,424	1,059	29,272	2,526	1,152	1,675	2,522
85	Both parents native	M.. 26,416	8,204	1,686	798	488	366	11,542	968	459	660	840
		F.. 25,002	6,363	1,475	723	464	354	9,379	952	449	673	877
86	One or both parents foreign	M.. 35,845	15,028	3,776	1,582	959	629	21,974	1,531	646	928	1,501
		F.. 30,621	12,016	3,333	1,409	908	672	18,338	1,496	659	883	1,431
87	Parentage unknown	M.. 6,963	1,415	181	98	67	35	1,796	94	71	138	229
		F.. 5,813	1,089	201	68	46	28	1,432	66	41	112	203
88	Parentage not stated	M.. 306	107	14	9	3	1	134	6	7	11	14
		F.. 318	86	14	12	6	5	123	12	3	5	11
89	Foreign	60,603	287	272	148	136	91	934	352	345	970	2,198
90	Males	30,574	159	132	76	82	45	494	188	177	473	1,059
91	Females	30,029	128	140	72	54	46	440	164	168	497	1,139
92	Unknown	2,036	119	27	16	6	10	178	23	19	28	74
93	Males	1,376	64	11	4	1	4	84	14	9	12	44
94	Females	660	55	16	12	5	6	94	9	10	16	30
95	Colored	8,141	2,050	540	225	112	87	3,014	224	211	334	492
96	Males	4,153	1,104	284	102	52	42	1,584	109	69	150	241
97	Females	3,988	946	256	123	60	45	1,430	115	142	184	251
98	Black	M.. 3,970	1,103	283	102	51	42	1,581	109	68	147	227
		F.. 3,971	943	255	122	60	44	1,424	113	141	184	249
99	Indian	M.. 15	.....	.....	.....	.....	.....	.....	.....	.....	2	4
		F.. 9	1	.....	1	.....	.....	2	1	1	.....	1
100	Chinese and Japanese	M.. 168	1	1	.....	1	.....	3	.....	1	1	10
		F.. 8	2	1	.....	.....	1	4	1	.....	.....	1

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14,533	13,991	14,331	13,736	13,416	14,886	16,101	17,988	19,568	20,154	18,477	14,053	7,418	2,622	802	1,188	51
7,171	7,258	7,671	7,482	7,230	7,934	8,475	9,353	10,125	10,221	9,348	6,791	3,378	1,037	274	749	52
7,362	6,733	6,660	6,254	6,186	6,952	7,626	8,635	9,443	9,933	9,129	7,262	4,040	1,585	528	439	53
13,945	13,519	13,877	13,262	12,939	14,408	15,686	17,587	19,239	19,867	18,275	13,855	7,311	2,574	747	1,150	54
6,859	7,010	7,441	7,240	6,979	7,678	8,246	9,135	9,951	10,086	9,255	6,699	3,329	1,018	254	724	55
7,086	6,509	6,436	6,022	5,960	6,730	7,440	8,452	9,288	9,781	9,020	7,156	3,982	1,556	493	426	56
9,915	8,916	8,295	8,070	7,399	7,279	8,023	9,009	10,358	11,317	11,428	9,348	5,167	1,842	434	489	57
4,839	4,568	4,320	4,255	3,823	3,759	4,120	4,718	5,497	5,896	5,838	4,478	2,302	701	132	242	58
5,076	4,348	3,975	3,815	3,576	3,520	3,903	4,291	4,861	5,421	5,590	4,870	2,865	1,141	302	247	59
1,795	1,689	1,596	1,845	1,968	2,234	2,645	3,126	3,758	4,010	3,951	2,975	1,470	455	82	127	60
2,287	1,905	1,774	1,801	2,003	2,190	2,599	2,960	3,413	3,793	3,897	3,314	1,950	761	179	126	
2,539	2,328	2,079	1,738	1,175	771	607	520	446	370	336	251	132	39	11	44	61
2,225	1,934	1,651	1,433	1,016	725	587	486	396	357	307	257	179	72	22	45	
449	499	575	596	606	688	754	952	1,136	1,301	1,331	1,073	631	182	26	61	62
456	429	468	487	485	523	609	717	909	1,114	1,174	1,125	662	258	91	66	
56	52	70	76	74	66	114	120	157	215	220	179	69	25	13	10	63
108	80	82	94	72	82	108	128	143	157	212	174	94	50	10	10	
3,825	4,373	5,241	4,876	5,265	6,831	7,418	8,262	8,580	8,208	6,512	4,238	1,973	668	284	231	64
1,880	2,283	2,860	2,753	2,963	3,705	3,971	4,228	4,283	3,994	3,240	2,090	937	288	114	127	65
1,945	2,090	2,381	2,123	2,302	3,126	3,447	4,034	4,297	4,214	3,272	2,148	1,036	380	170	104	66
205	230	341	316	275	298	245	316	301	342	335	269	171	64	29	430	67
140	159	261	232	193	214	155	189	171	196	177	131	90	29	8	355	68
65	71	80	84	82	84	90	127	130	146	158	138	81	35	21	75	69
588	472	454	474	477	478	415	401	329	287	202	198	107	48	55	38	70
312	248	230	242	251	256	229	198	174	135	93	92	49	19	20	25	71
276	224	224	232	226	222	186	203	155	152	109	106	58	29	35	13	72
286	212	199	215	222	239	213	192	159	130	89	92	44	16	20	23	73
268	220	224	225	225	219	179	197	152	147	104	104	55	29	30	12	
1	6	5	5	1	5	7	5	13	3	4	.....	5	3	.....	2	74
8	4	.....	5	1	3	7	6	3	5	5	2	3	.....	5	1	
25	30	26	22	28	12	9	1	2	2	.....	.....	.....	.....	.....	.....	75
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9,479	9,352	9,754	9,089	8,655	9,529	9,565	10,129	9,893	9,375	7,557	5,328	2,668	927	299	373	76
4,843	5,047	5,383	5,101	4,753	5,191	5,110	5,165	4,892	4,451	3,464	2,262	1,073	302	89	251	77
4,636	4,305	4,371	3,988	3,902	4,338	4,455	4,964	5,001	4,924	4,093	3,066	1,595	625	210	122	78
8,998	8,966	9,368	8,709	8,261	9,130	9,252	9,821	9,656	9,173	7,435	5,210	2,607	894	267	359	79
4,575	4,845	5,182	4,904	4,540	4,975	4,937	5,005	4,774	4,356	3,413	2,215	1,046	292	78	240	80
4,423	4,121	4,186	3,805	3,721	4,155	4,315	4,816	4,882	4,817	4,022	2,995	1,561	602	189	119	81
5,765	5,294	4,916	4,533	3,854	3,516	3,417	3,478	3,612	3,683	3,430	2,810	1,537	533	110	100	82
2,975	2,900	2,713	2,515	2,049	1,920	1,844	1,821	1,875	1,825	1,573	1,155	588	159	23	46	83
2,790	2,394	2,203	2,018	1,805	1,596	1,573	1,657	1,737	1,858	1,857	1,655	949	374	87	54	84
757	741	745	791	792	998	1,102	1,115	1,252	1,242	1,083	792	395	108	17	17	85
876	715	713	712	821	844	957	1,067	1,182	1,303	1,329	1,189	630	261	57	16	
1,909	1,810	1,570	1,324	860	532	377	289	205	142	118	71	34	7	.....	17	86
1,641	1,418	1,192	1,012	716	483	357	268	194	171	124	104	77	29	4	22	
301	342	384	388	388	382	353	406	401	429	361	286	155	43	4	12	87
252	256	283	275	257	263	246	308	351	376	385	350	234	82	25	16	
8	7	14	12	9	8	12	11	17	12	11	6	4	1	2	.....	88
21	5	15	19	11	6	13	14	10	8	19	12	8	2	1	.....	
3,122	3,547	4,251	3,981	4,248	5,459	5,739	6,212	5,944	5,395	3,934	2,345	1,036	345	153	93	89
1,514	1,857	2,309	2,238	2,373	2,934	3,029	3,097	2,839	2,475	1,807	1,036	444	127	55	49	90
1,608	1,690	1,942	1,743	1,875	2,525	2,710	3,115	3,105	2,920	2,127	1,309	592	218	98	44	91
111	125	201	195	159	155	96	131	100	95	71	55	34	16	4	166	92
86	88	160	151	118	121	64	87	60	56	33	24	14	6	.....	145	93
25	37	41	44	41	34	32	44	40	39	38	31	20	10	4	21	94
481	386	386	380	394	399	313	308	237	202	122	118	61	33	32	14	95
268	202	201	197	213	216	173	160	118	95	51	47	27	10	11	11	96
213	184	185	183	181	183	140	148	119	107	71	71	34	23	21	3	97
244	172	175	174	186	204	163	158	114	93	51	47	26	10	11	10	98
213	183	185	180	180	183	139	148	119	107	71	71	34	23	21	3	
.....	.....	.....	1	.....	.....	3	1	2	.....	.....	.....	1	.....	.....	1	99
.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
24	30	26	22	27	12	7	1	2	2	.....	.....	.....	.....	.....	.....	100
.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	RURAL PART OF REGISTRATION STATES.											
101	Total	141,153	24,353	5,347	2,351	1,496	1,138	34,685	3,518	2,513	4,002	5,143
102	Males	73,383	13,527	2,832	1,192	784	564	18,899	1,778	1,208	1,914	2,484
103	Females	67,770	10,826	2,515	1,159	712	574	15,786	1,740	1,305	2,088	2,659
104	White	138,887	23,867	5,221	2,298	1,467	1,119	33,972	3,446	2,433	3,892	5,009
105	Males	72,251	13,247	2,772	1,172	770	557	18,518	1,742	1,176	1,865	2,423
106	Females	66,636	10,620	2,449	1,126	697	562	15,454	1,704	1,257	2,027	2,586
107	Native	113,747	23,693	5,108	2,247	1,423	1,092	33,563	3,314	2,292	3,559	4,318
108	Males	58,316	13,142	2,706	1,149	747	545	18,289	1,669	1,103	1,691	2,057
109	Females	55,431	10,551	2,402	1,098	676	547	15,274	1,645	1,189	1,868	2,261
110	Both parents native {M	37,475	8,061	1,790	736	477	330	11,414	1,082	742	1,116	1,342
	{F	36,478	6,508	1,542	735	438	362	9,585	1,059	824	1,279	1,471
111	One or both parents foreign {M	11,673	4,267	794	347	232	165	5,805	503	287	432	525
	{F	10,502	3,412	744	311	214	157	4,838	509	290	429	556
112	Parentage unknown {M	7,071	415	56	25	21	18	535	45	47	88	131
	{F	6,442	376	57	29	11	12	485	40	43	97	163
113	Parentage not stated {M	2,097	399	66	41	17	12	535	39	27	55	59
	{F	2,009	255	59	23	13	16	366	37	32	63	71
114	Foreign	22,388	102	92	39	37	25	295	104	107	295	606
115	Males	12,263	62	50	19	20	11	162	58	53	149	308
116	Females	10,125	40	42	20	17	14	133	46	54	146	298
117	Unknown	2,752	72	21	12	7	2	114	28	34	38	85
118	Males	1,672	43	16	4	3	1	67	15	20	25	58
119	Females	1,080	29	5	8	4	1	47	13	14	13	27
120	Colored	2,266	486	126	53	29	19	713	72	80	110	134
121	Males	1,132	280	60	20	14	7	381	36	32	49	61
122	Females	1,134	206	66	33	15	12	332	36	48	61	73
123	Black {M	1,002	251	57	18	12	5	343	29	26	40	51
	{F	1,011	182	58	29	12	8	289	31	45	53	63
124	Indian {M	125	29	3	2	2	2	38	7	6	9	9
	{F	123	24	8	4	3	4	43	5	3	8	10
125	Chinese and Japanese {M	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	REGISTRATION CITIES IN OTHER STATES.											
126	Total	196,722	40,570	9,856	4,690	3,121	2,371	60,608	6,436	3,721	5,752	9,247
127	Males	106,983	22,636	5,247	2,448	1,624	1,218	33,173	3,339	1,973	2,837	4,747
128	Females	89,739	17,934	4,609	2,242	1,497	1,153	27,435	3,097	1,748	2,915	4,500
129	White	170,759	35,081	8,416	4,005	2,690	2,125	52,326	5,641	3,086	4,549	7,323
130	Males	93,374	19,716	4,502	2,101	1,406	1,092	28,817	2,964	1,688	2,305	3,756
131	Females	77,385	15,365	3,914	1,904	1,293	1,033	23,509	2,677	1,398	2,244	3,567
132	Native	118,671	34,721	8,277	3,910	2,638	2,074	51,620	5,438	2,842	3,889	5,736
133	Males	63,695	19,522	4,416	2,060	1,369	1,070	28,437	2,855	1,535	1,981	2,881
134	Females	54,976	15,199	3,861	1,850	1,269	1,004	23,183	2,583	1,307	1,908	2,855
135	Both parents native {M	17,045	5,200	1,169	516	369	277	7,531	799	425	532	760
	{F	15,373	3,971	961	479	330	258	5,999	669	389	597	815
136	One or both parents foreign {M	12,113	4,121	987	415	296	242	6,061	618	339	463	640
	{F	10,217	3,125	922	383	259	205	4,894	515	310	452	660
137	Parentage unknown {M	5,552	1,053	117	64	41	30	1,305	105	94	144	295
	{F	4,138	908	99	50	34	31	1,122	95	60	105	239
138	Parentage not stated {M	28,985	9,148	2,143	1,065	663	521	13,540	1,333	677	842	1,186
	{F	25,248	7,195	1,879	938	646	510	11,168	1,304	548	754	1,141
139	Foreign	47,120	106	74	49	26	29	284	134	195	564	1,366
140	Males	26,491	58	46	17	17	14	152	75	117	273	747
141	Females	20,629	48	28	32	9	15	132	59	78	291	619
142	Unknown	4,968	254	65	46	35	22	422	69	40	96	221
143	Males	3,188	136	40	24	20	8	228	34	36	51	128
144	Females	1,780	118	25	22	15	14	194	35	13	45	93
145	Colored	25,963	5,489	1,440	685	422	246	8,282	795	635	1,203	1,924
146	Males	13,609	2,920	745	347	218	126	4,356	375	285	532	991
147	Females	12,354	2,569	695	338	204	120	3,926	420	350	671	933
148	Black {M	12,800	2,889	738	344	216	123	4,310	367	279	520	948
	{F	12,241	2,546	691	335	204	117	3,893	413	350	664	923
149	Indian {M	22	2	.....	.....	.....	1	3	3	1	.....	3
	{F	17	3	1	.....	.....	.....	4	2	.....	.....	.....
150	Chinese and Japanese {M	787	29	7	3	2	2	43	5	5	12	40
	{F	96	20	3	3	.....	3	29	5	.....	7	10

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5,054	4,639	4,577	4,647	4,761	5,357	6,536	7,859	9,675	10,779	10,920	8,725	4,750	1,695	503	815	101
2,328	2,211	2,288	2,381	2,477	2,743	3,365	4,168	5,233	5,770	5,884	4,529	2,305	735	185	498	102
2,726	2,428	2,289	2,266	2,284	2,614	3,171	3,691	4,442	5,009	5,036	4,196	2,445	960	318	317	103
4,947	4,553	4,509	4,553	4,678	5,278	6,434	7,766	9,583	10,694	10,840	8,645	4,704	1,680	480	791	104
2,284	2,165	2,259	2,336	2,439	2,703	3,309	4,130	5,177	5,730	5,842	4,484	2,283	726	176	484	105
2,663	2,388	2,250	2,217	2,239	2,575	3,125	3,636	4,406	4,964	4,998	4,161	2,421	954	304	307	106
4,150	3,622	3,379	3,537	3,545	3,763	4,606	5,531	6,746	7,634	7,998	6,538	3,630	1,309	324	389	107
1,864	1,668	1,607	1,740	1,774	1,839	2,276	2,897	3,622	4,071	4,265	3,323	1,714	542	109	196	108
2,286	1,954	1,772	1,797	1,771	1,924	2,330	2,634	3,124	3,563	3,733	3,215	1,916	767	215	193	109
1,038	948	851	1,054	1,176	1,236	1,543	2,011	2,506	2,768	2,868	2,183	1,075	347	65	110	110
1,411	1,190	1,061	1,089	1,182	1,346	1,642	1,893	2,231	2,490	2,568	2,125	1,300	500	122	110	
630	518	509	414	315	239	230	231	241	228	218	180	98	32	11	27	111
584	516	459	421	390	242	230	218	202	186	183	153	102	43	18	23	
148	157	191	208	218	306	401	546	735	872	970	787	476	139	22	49	112
204	173	185	212	228	260	363	409	558	738	789	775	428	176	66	50	
48	45	56	64	65	58	102	109	140	203	209	173	65	24	11	10	113
87	75	67	75	61	76	95	114	133	149	193	162	86	48	9	10	
703	826	990	895	1,017	1,372	1,679	2,050	2,636	2,813	2,578	1,893	937	323	131	138	114
366	426	551	515	590	771	942	1,131	1,444	1,519	1,433	1,054	493	161	59	78	115
337	400	439	380	427	601	737	919	1,192	1,294	1,145	839	444	162	72	60	116
94	105	140	121	116	143	149	185	201	247	264	214	137	48	25	264	117
54	71	101	81	75	93	91	102	111	140	144	107	76	23	8	210	118
40	34	39	40	41	50	58	83	90	107	120	107	61	25	17	54	119
107	86	68	94	83	79	102	93	92	85	80	80	46	15	23	24	120
44	46	29	45	38	40	56	38	56	40	42	45	22	9	9	14	121
63	40	39	49	45	39	46	55	36	45	38	35	24	6	14	10	122
42	40	24	41	36	35	50	34	45	37	38	45	18	6	9	13	123
55	37	39	45	45	36	40	49	33	40	33	33	21	6	9	9	
1	6	5	4	1	5	4	4	11	3	4	.....	4	3	.....	1	124
8	3	.....	4	.....	3	6	6	3	5	5	2	3	.....	5	1	
1	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	125
10,040	9,736	10,275	9,628	9,105	9,397	8,923	9,645	9,555	8,871	6,970	4,790	2,228	745	311	739	126
5,330	5,476	5,960	5,732	5,526	5,605	5,052	5,277	5,024	4,537	3,451	2,176	918	261	109	480	127
4,710	4,260	4,315	3,896	3,579	3,792	3,871	4,368	4,531	4,334	3,519	2,614	1,310	484	202	259	128
8,292	8,261	8,690	8,186	7,819	8,093	7,976	8,756	8,802	8,323	6,582	4,525	2,074	642	193	620	129
4,395	4,629	5,075	4,918	4,808	4,852	4,535	4,827	4,646	4,280	3,202	2,065	862	224	65	401	130
3,897	3,632	3,615	3,268	3,011	3,241	3,441	3,929	4,156	4,043	3,320	2,460	1,212	418	128	219	131
6,055	5,516	5,263	4,844	4,117	3,719	3,403	3,365	3,438	3,218	2,621	1,978	963	301	77	268	132
3,102	2,978	2,918	2,735	2,355	2,096	1,829	1,820	1,826	1,643	1,237	847	369	89	17	145	133
2,953	2,538	2,345	2,109	1,762	1,623	1,574	1,545	1,612	1,575	1,384	1,131	594	212	60	123	134
709	612	631	575	574	619	565	596	634	580	419	284	141	30	3	26	135
795	618	573	515	476	512	501	543	590	599	510	382	187	59	18	26	
752	699	639	591	397	243	185	141	119	68	72	40	16	7	1	22	136
700	570	481	418	307	203	184	125	92	97	63	79	31	13	6	17	
349	385	378	388	344	331	255	270	249	245	191	125	49	12	1	37	137
284	235	252	258	186	194	176	170	187	163	159	118	68	23	5	39	
1,292	1,282	1,270	1,181	1,040	903	824	813	824	750	555	398	163	40	12	60	138
1,174	1,115	1,039	918	793	714	713	707	743	716	652	552	308	117	31	41	
1,940	2,394	2,992	2,948	3,335	4,027	4,279	5,045	5,052	4,830	3,769	2,390	1,051	309	111	105	139
1,108	1,412	1,848	1,892	2,184	2,518	2,510	2,786	2,626	2,466	1,918	1,153	472	124	45	65	140
832	982	1,144	1,056	1,151	1,509	1,769	2,259	2,426	2,364	1,851	1,237	579	185	66	40	141
297	351	435	394	367	347	294	346	312	275	192	157	60	32	5	247	142
185	239	309	291	269	238	196	221	194	171	107	65	21	11	3	191	143
112	112	126	103	98	109	98	125	118	104	85	92	39	21	2	56	144
1,748	1,475	1,585	1,442	1,286	1,304	947	889	753	548	388	265	154	103	118	119	145
935	847	885	814	718	753	517	450	378	257	189	111	56	37	44	79	146
813	628	700	628	568	551	430	439	375	291	199	154	98	66	74	40	147
865	778	776	702	618	648	468	409	353	252	187	111	55	37	44	73	148
802	616	692	622	561	547	429	439	373	291	199	152	97	66	73	39	
1	2	1	1	2	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	149
.....	.....	3	2	3	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	
69	67	108	111	98	103	48	39	25	5	2	.....	1	.....	.....	6	150
11	12	5	4	4	4	1	.....	1	.....	.....	2	1	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	CONNECTICUT.											
151	Total	16,366	3,520	663	302	174	153	4,812	388	221	377	555
152	Males	8,446	1,956	345	152	90	85	2,628	184	104	177	278
153	Females	7,920	1,564	318	150	84	68	2,184	204	117	200	277
154	White	16,002	3,427	644	292	172	150	4,685	378	214	360	540
155	Males	8,268	1,899	337	152	88	83	2,559	180	103	172	273
156	Females	7,734	1,528	307	140	84	67	2,126	198	111	188	267
157	Native	11,670	3,399	631	282	164	140	4,616	348	189	289	386
158	Males	6,029	1,878	327	148	85	78	2,516	169	90	142	187
159	Females	5,641	1,521	304	134	79	62	2,100	179	99	147	179
160	Both parents native	M 2,674	618	94	42	29	31	814	60	43	51	53
		F 2,668	492	94	35	29	19	669	56	44	48	67
161	One or both parents foreign	M 2,408	1,133	218	88	50	42	1,531	93	40	73	109
		F 2,052	901	182	92	43	35	1,253	114	46	81	92
162	Parentage unknown	M 947	127	15	18	6	5	171	16	7	18	25
		F 921	128	28	7	7	8	178	9	9	18	20
163	Foreign	4,055	22	12	9	8	9	60	27	21	68	166
164	Males	2,061	16	9	4	3	4	36	10	12	28	81
165	Females	1,994	6	3	5	5	5	24	17	9	40	85
166	Unknown	277	6	1	1	.....	1	9	3	4	3	8
167	Males	178	5	1	.....	.....	1	7	1	1	2	5
168	Females	99	1	.....	1	.....	.....	2	2	3	1	3
169	Colored	364	93	19	10	2	3	127	10	7	17	15
170	Males	178	57	8	.....	2	2	69	4	1	5	5
171	Females	186	36	11	10	.....	1	58	6	6	12	10
172	Black	M 168	55	8	.....	2	2	67	4	1	5	4
		F 184	35	11	10	.....	1	57	6	6	12	10
173	Indian	M 6	2	.....	.....	.....	.....	2	.....	.....	.....	1
		F 2	1	.....	.....	.....	.....	1	.....	.....	.....	.....
174	Chinese and Japanese	M 4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	DISTRICT OF COLUMBIA.											
175	Total	6,202	1,356	266	119	81	48	1,870	154	119	201	315
176	Males	3,251	753	139	55	37	23	1,007	68	46	94	156
177	Females	2,951	603	127	64	44	25	863	86	73	107	159
178	White	3,511	616	106	52	38	19	831	76	48	74	146
179	Males	1,969	366	57	24	22	9	478	31	22	41	86
180	Females	1,542	250	49	28	16	10	353	45	26	33	60
181	Native	2,849	616	106	52	38	19	831	76	48	73	137
182	Males	1,561	366	57	24	22	9	478	31	22	40	78
183	Females	1,288	250	49	28	16	10	353	45	26	33	59
184	Both parents native	M 1,114	290	48	17	16	9	380	24	18	32	57
		F 946	184	37	17	12	5	255	32	22	23	44
185	One or both parents foreign	M 252	46	7	7	3	.....	63	5	3	7	17
		F 249	50	10	8	4	5	77	11	4	8	12
186	Parentage unknown	M 195	30	2	.....	3	.....	35	2	1	1	4
		F 93	16	2	3	.....	.....	21	2	.....	2	3
187	Foreign	629	.....	.....	.....	.....	.....	.....	.....	.....	1	7
188	Males	383	.....	.....	.....	.....	.....	.....	.....	.....	1	6
189	Females	246	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
190	Unknown	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
191	Males	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
192	Females	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
193	Colored	2,691	740	160	67	43	29	1,039	78	71	127	169
194	Males	1,282	387	82	31	15	14	529	37	24	53	70
195	Females	1,409	353	78	36	28	15	510	41	47	74	99
196	Black	M 1,276	387	82	31	15	14	529	37	24	53	70
		F 1,409	353	78	36	28	15	510	41	47	74	99
197	Indian	M 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
198	Chinese and Japanese	M 5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1900—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
623	621	618	590	611	724	780	937	963	1,024	912	823	441	178	44	124	151
326	335	342	329	346	367	407	478	466	498	458	383	185	59	15	81	152
297	286	276	261	265	357	373	459	497	526	454	440	256	119	29	43	153
606	610	611	579	594	705	766	916	954	1,005	898	812	433	175	44	117	154
319	333	338	322	338	358	398	467	463	489	451	375	181	57	15	77	155
287	277	273	257	256	347	368	449	491	516	447	437	252	118	29	40	156
404	393	370	339	339	317	338	449	510	613	620	606	354	147	35	28	157
209	216	198	187	192	158	172	226	262	302	311	276	143	47	11	15	158
195	177	172	152	147	159	166	223	248	311	309	330	211	100	24	13	159
50	73	71	75	94	101	119	159	171	204	213	183	95	33	8	4	160
64	65	60	65	85	89	124	164	171	221	218	227	143	70	15	3	
133	112	98	70	64	24	14	9	10	10	11	1	1	1	1	3	161
102	92	74	54	33	29	18	12	8	10	8	11	8	4	1	2	
26	31	29	42	34	33	39	58	81	88	87	92	47	13	2	8	162
29	20	38	33	29	41	24	47	69	80	83	92	60	26	8	8	
192	203	230	227	241	370	419	454	430	371	257	182	66	21	8	42	163
103	107	133	126	136	190	219	230	191	175	130	87	33	7	4	23	164
89	96	97	101	105	180	200	224	239	196	127	95	33	14	4	19	165
10	14	11	13	14	18	9	13	14	21	21	24	13	7	1	47	166
7	10	7	9	10	10	7	11	10	12	10	12	5	3	.....	39	167
3	4	4	4	4	8	2	2	4	9	11	12	8	4	1	8	168
17	11	7	11	17	19	14	21	9	19	14	11	8	3	.....	7	169
7	2	4	7	8	9	9	11	3	9	7	8	4	2	.....	4	170
10	9	3	4	9	10	5	10	6	10	7	3	4	1	.....	3	171
6	2	4	7	7	9	7	11	1	9	7	8	3	2	.....	4	172
10	9	3	4	9	10	5	10	6	10	7	3	3	1	.....	3	
.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	173
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	
1	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	174
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
331	245	259	247	260	305	321	373	362	292	238	182	78	29	18	3	175
175	121	136	129	136	178	192	206	198	162	114	79	39	8	5	2	176
156	124	123	118	124	127	129	167	164	130	124	103	39	21	13	1	177
181	159	147	137	143	178	222	261	271	233	194	134	54	14	5	3	178
96	83	82	79	84	111	146	149	155	135	97	62	26	3	1	2	179
85	76	65	58	59	67	76	112	116	98	97	72	28	11	4	1	180
162	137	124	110	123	135	149	157	171	145	132	87	40	12	1	1	181
85	69	69	58	73	85	95	83	96	82	59	36	20	2	.....	.....	182
77	68	55	52	50	48	54	74	75	63	73	51	20	10	1	1	183
56	45	36	39	44	60	58	51	70	55	41	31	15	2	.....	.....	184
49	36	35	36	38	34	48	60	64	48	59	39	15	7	1	1	
23	15	24	11	15	12	12	14	12	10	6	2	1	.....	.....	.....	185
21	19	16	14	8	10	2	8	8	13	6	8	2	2	.....	.....	
6	9	9	8	14	13	25	18	14	17	12	3	4	.....	.....	.....	186
7	13	4	2	4	4	4	6	3	2	8	4	3	1	.....	.....	
15	19	20	23	19	40	73	102	97	87	61	47	13	1	4	.....	187
8	13	11	17	10	21	51	65	57	53	37	26	5	1	1	.....	188
7	6	9	6	9	19	22	37	40	34	24	21	8	.....	3	.....	189
4	3	3	4	1	5	.....	2	3	1	1	.....	1	1	.....	2	190
3	1	2	4	1	5	.....	1	2	.....	1	.....	1	.....	.....	2	191
1	2	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	192
150	86	112	110	117	127	99	112	91	59	44	48	24	15	13	.....	193
79	38	54	50	52	67	46	57	43	27	17	17	13	5	4	.....	194
71	48	58	60	65	60	53	55	48	32	27	31	11	10	9	.....	195
79	36	53	48	51	67	46	57	43	27	17	17	13	5	4	.....	196
71	48	58	60	65	60	53	55	48	32	27	31	11	10	9	.....	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	197
.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	198

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA.											
199	Total	35,712	6,616	1,815	858	496	375	10,160	1,143	798	1,390	1,691
200	Males	18,428	3,687	954	429	259	186	5,515	577	382	600	773
201	Females	17,284	2,929	861	429	237	189	4,645	566	416	790	918
202	White	34,457	6,395	1,744	827	479	367	9,812	1,108	755	1,311	1,595
203	Males	17,784	3,563	920	417	251	180	5,331	555	363	561	729
204	Females	16,673	2,832	824	410	228	187	4,481	553	392	750	866
205	Native	30,147	6,359	1,729	819	478	365	9,750	1,093	733	1,270	1,510
206	Males	15,324	3,544	908	414	250	180	5,296	549	349	538	682
207	Females	14,823	2,815	821	405	228	185	4,454	544	384	732	828
208	Both parents native {M	11,549	3,018	818	367	214	154	4,571	477	284	447	532
	{F	11,270	2,394	717	361	200	169	3,841	461	321	606	631
209	One or both parents foreign {M	1,738	364	71	35	24	24	518	55	47	57	102
	{F	1,681	294	72	37	20	13	436	71	44	72	125
210	Parentage unknown {M	2,037	162	19	12	12	2	207	17	18	34	48
	{F	1,872	127	32	7	8	3	177	12	19	54	72
211	Foreign	3,433	3	5	3	1	1	13	4	11	26	46
212	Males	1,925	2	5	1	1	.....	9	1	6	13	22
213	Females	1,508	1	.....	2	.....	1	4	3	5	13	24
214	Unknown	877	33	10	5	.....	1	49	11	11	15	39
215	Males	535	17	7	2	.....	.....	26	5	8	10	25
216	Females	342	16	3	3	.....	1	23	6	3	5	14
217	Colored	1,255	221	71	31	17	8	348	35	43	79	96
218	Males	644	124	34	12	8	6	184	22	19	39	44
219	Females	611	97	37	19	9	2	164	13	24	40	52
220	Black {M	640	123	34	12	8	6	183	22	19	38	44
	{F	610	97	37	19	9	2	164	13	24	40	52
221	Indian {M	3	1	.....	.....	.....	.....	1	.....	.....	1	.....
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
222	Chinese and Japanese {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MAINE.											
223	Total	11,882	2,087	411	187	120	80	2,885	256	175	349	431
224	Males	6,004	1,154	198	99	62	39	1,552	128	75	168	198
225	Females	5,878	933	213	88	58	41	1,333	128	100	181	233
226	White	11,843	2,077	409	187	119	80	2,872	256	174	347	429
227	Males	5,982	1,148	197	99	61	39	1,544	128	74	167	198
228	Females	5,861	929	212	88	58	41	1,328	128	100	180	231
229	Native	10,240	2,044	380	177	111	74	2,786	245	156	307	355
230	Males	5,151	1,125	181	93	57	38	1,494	123	64	147	165
231	Females	5,089	919	199	84	54	36	1,292	122	92	160	190
232	Both parents native {M	3,604	595	97	48	31	19	790	73	47	107	131
	{F	3,657	468	102	49	29	22	670	75	73	118	142
233	One or both parents foreign {M	1,031	501	80	43	26	15	665	48	15	32	28
	{F	967	434	95	32	24	14	599	44	18	36	42
234	Parentage unknown {M	516	29	4	2	.....	4	39	2	2	8	6
	{F	465	17	2	3	1	.....	23	3	1	6	6
235	Foreign	1,422	28	27	10	8	6	79	11	17	35	71
236	Males	731	19	14	6	4	1	44	5	10	19	32
237	Females	691	9	13	4	4	5	35	6	7	16	39
238	Unknown	181	5	2	.....	.....	.....	7	.....	1	5	3
239	Males	100	4	2	.....	.....	.....	6	.....	.....	1	1
240	Females	81	1	.....	.....	.....	.....	1	.....	1	4	2
241	Colored	39	10	2	.....	1	.....	13	.....	1	2	2
242	Males	22	6	1	.....	1	.....	8	.....	1	1	.....
243	Females	17	4	1	.....	.....	.....	5	.....	.....	1	2
244	Black {M	12	1	1	.....	.....	.....	2	.....	1	.....	.....
	{F	12	3	1	.....	.....	.....	4	.....	.....	.....	1
245	Indian {M	10	5	.....	.....	1	.....	6	.....	.....	1	.....
	{F	5	1	.....	.....	.....	.....	1	.....	.....	1	1

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,536	1,363	1,339	1,243	1,274	1,326	1,539	1,741	2,111	2,222	2,010	1,494	734	245	82	271	199
661	633	629	616	667	723	822	944	1,178	1,197	1,075	778	354	117	37	150	200
875	730	710	627	607	603	717	797	933	1,025	935	716	380	128	45	121	201
1,456	1,300	1,285	1,205	1,213	1,259	1,483	1,693	2,063	2,176	1,986	1,464	718	240	73	262	202
627	605	605	597	637	687	784	918	1,150	1,171	1,059	763	348	116	34	144	203
829	695	680	608	576	572	699	775	913	1,005	927	701	370	124	39	118	204
1,370	1,179	1,120	1,065	1,017	1,015	1,183	1,258	1,529	1,555	1,445	1,105	545	181	44	180	205
574	537	511	515	510	538	603	661	853	840	758	563	259	84	21	83	206
796	642	609	550	507	477	580	597	676	715	687	542	286	97	23	97	207
405	361	329	331	347	360	399	464	577	562	484	363	142	45	14	55	208
573	463	411	364	342	336	408	431	473	501	484	325	171	56	7	65	
108	111	115	113	71	53	56	50	66	63	54	53	30	5	3	8	209
127	113	124	91	86	50	62	60	37	52	49	40	25	8	5	4	
61	65	67	71	92	125	148	147	210	215	220	147	87	34	4	20	210
96	66	74	95	79	91	110	106	166	162	154	177	90	33	11	28	
53	73	107	96	152	193	240	364	466	560	480	305	153	52	21	18	211
31	39	58	51	102	114	137	222	260	297	270	170	75	26	10	12	212
22	34	49	45	50	79	103	142	206	263	210	135	78	26	11	6	213
33	48	58	44	44	51	60	71	68	61	61	54	20	7	8	64	214
22	29	36	31	25	35	44	35	37	34	31	30	14	6	3	49	215
11	19	22	13	19	16	16	36	31	27	30	24	6	1	5	15	216
80	63	54	38	61	67	56	48	48	46	24	30	16	5	9	9	217
34	28	24	19	30	36	38	26	28	26	16	15	6	1	3	6	218
46	35	30	19	31	31	18	22	20	20	8	15	10	4	6	3	219
34	28	24	18	30	36	38	26	27	26	16	15	6	1	3	6	220
46	35	30	19	31	31	18	22	20	19	8	15	10	4	6	3	
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	221
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	222
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
395	339	361	382	377	401	548	687	823	950	938	814	486	170	45	70	223
178	153	161	178	165	207	276	360	442	503	488	410	245	68	10	39	224
217	186	200	204	212	194	272	327	381	447	450	404	241	102	35	31	225
393	337	359	379	377	401	547	686	822	949	938	810	485	169	45	68	226
176	151	161	177	165	207	275	359	441	503	488	409	245	67	10	37	227
217	186	198	202	212	194	272	327	381	446	450	401	240	102	35	31	228
318	265	266	307	302	315	425	567	682	797	791	700	422	155	36	43	229
135	120	115	146	126	164	206	284	367	428	407	358	210	61	10	21	230
183	145	151	161	176	151	219	283	315	369	384	342	212	94	26	22	231
94	76	81	118	92	126	166	233	298	326	330	282	164	47	9	14	232
134	104	117	132	139	122	176	248	251	293	310	274	176	71	20	12	
30	33	24	16	17	17	13	13	15	25	12	14	6	4	.....	4	233
37	30	24	16	18	6	12	9	21	15	10	8	6	8	1	7	
11	11	10	12	17	21	27	38	54	77	65	62	40	10	1	3	234
12	11	10	13	19	23	31	26	43	61	64	60	30	15	5	3	
64	69	81	66	67	84	108	107	130	134	128	89	55	10	8	9	235
34	29	37	29	34	41	59	67	71	65	74	40	31	5	.....	5	236
30	40	44	37	33	43	49	40	59	69	54	49	24	5	8	4	237
11	3	12	6	8	2	14	12	10	18	19	21	8	4	1	16	238
7	2	9	2	5	2	10	8	3	10	7	11	4	1	.....	11	239
4	1	3	4	3	.....	4	4	7	8	12	10	4	3	1	5	240
2	2	2	3	.....	.....	1	1	1	1	.....	4	1	1	.....	2	241
2	2	.....	1	.....	.....	1	1	1	.....	.....	1	.....	1	.....	2	242
.....	.....	2	2	.....	.....	.....	.....	.....	1	.....	3	1	.....	.....	.....	243
2	1	.....	1	.....	.....	1	.....	1	.....	.....	1	.....	1	.....	1	244
.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	245
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MASSACHUSETTS.											
246	Total	51,199	11,484	2,397	1,068	776	551	16,276	1,334	682	1,152	1,822
247	Males	26,050	6,475	1,292	528	418	271	8,984	677	326	601	919
248	Females	25,149	5,009	1,105	540	358	280	7,292	657	356	551	903
249	White	50,467	11,333	2,356	1,047	765	543	16,044	1,315	666	1,128	1,779
250	Males	25,660	6,398	1,267	519	414	269	8,867	670	319	591	896
251	Females	24,807	4,935	1,089	528	351	274	7,177	645	347	537	883
252	Native	36,040	11,213	2,269	1,011	728	525	15,746	1,199	572	846	1,177
253	Males	18,745	6,333	1,221	500	396	257	8,707	601	272	451	621
254	Females	17,295	4,880	1,048	511	332	268	7,039	598	300	395	556
255	Both parents native (M.)	7,802	1,655	325	124	107	86	2,297	183	118	179	229
	Both parents native (F.)	7,766	1,321	263	140	93	72	1,889	198	112	139	203
256	One or both parents foreign (M.)	9,287	4,459	876	370	286	168	6,159	412	148	257	366
	One or both parents foreign (F.)	7,708	3,400	708	363	236	193	4,960	395	183	240	328
257	Parentage unknown (M.)	1,656	219	20	6	3	3	251	6	6	15	26
	Parentage unknown (F.)	1,731	159	17	8	3	3	190	5	5	16	25
258	Foreign	14,001	94	81	34	34	16	259	109	89	276	591
259	Males	6,671	50	41	19	17	10	137	65	42	138	268
260	Females	7,330	44	40	15	17	6	122	44	47	138	323
261	Unknown	426	26	6	2	3	2	39	7	5	6	11
262	Males	244	15	5	.....	1	2	23	4	5	2	7
263	Females	182	11	1	2	2	.....	16	3	.....	4	4
264	Colored	732	151	41	21	11	8	232	19	16	24	43
265	Males	390	77	25	9	4	2	117	7	7	10	23
266	Females	342	74	16	12	7	6	115	12	9	14	20
267	Black (M.)	344	76	25	9	4	2	116	7	6	10	20
	Black (F.)	337	73	16	12	7	6	114	12	9	14	20
268	Indian (M.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
269	Chinese and Japanese (M.)	43	1	.....	.....	.....	.....	1	.....	1	.....	3
	Chinese and Japanese (F.)	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....
	MICHIGAN.											
270	Total	33,973	7,217	1,469	610	375	290	9,961	969	689	1,074	1,386
271	Males	18,130	4,051	775	320	187	159	5,492	506	353	546	675
272	Females	15,843	3,166	694	290	188	131	4,469	463	336	528	711
273	White	33,525	7,159	1,445	602	369	283	9,858	954	672	1,050	1,354
274	Males	17,909	4,024	768	318	184	155	5,449	498	348	534	660
275	Females	15,616	3,135	677	284	185	128	4,409	456	324	516	694
276	Native	24,433	7,127	1,415	590	360	275	9,767	903	626	890	1,022
277	Males	12,823	4,005	755	313	180	152	5,405	469	328	458	486
278	Females	11,610	3,122	660	277	180	123	4,362	434	298	432	536
279	Both parents native (M.)	6,597	1,748	346	130	73	54	2,351	214	158	198	220
	Both parents native (F.)	6,140	1,341	276	121	65	49	1,852	175	139	214	257
280	One or both parents foreign (M.)	4,953	2,037	395	180	103	96	2,811	245	159	244	244
	One or both parents foreign (F.)	4,383	1,565	368	152	113	74	2,272	253	158	205	244
281	Parentage unknown (M.)	1,273	220	14	3	4	2	243	10	11	16	22
	Parentage unknown (F.)	1,087	216	16	4	2	.....	238	6	1	13	35
282	Foreign	8,630	28	28	11	9	8	84	48	45	150	313
283	Males	4,759	16	13	5	4	3	41	27	20	69	163
284	Females	3,871	12	15	6	5	5	43	21	25	81	150
285	Unknown	462	4	2	1	.....	.....	7	3	1	10	19
286	Males	327	3	.....	.....	.....	.....	3	2	.....	7	11
287	Females	135	1	2	1	.....	.....	4	1	1	3	8
288	Colored	448	58	24	8	6	7	103	15	17	24	32
289	Males	221	27	7	2	3	4	43	8	5	12	15
290	Females	227	31	17	6	3	3	60	7	12	12	17
291	Black (M.)	150	15	5	1	3	2	26	3	2	7	7
	Black (F.)	140	13	10	3	1	.....	27	2	9	7	8
292	Indian (M.)	71	12	2	1	.....	2	17	5	3	5	8
	Indian (F.)	87	18	7	3	2	3	33	5	3	5	9

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,081	2,000	2,031	1,998	1,924	2,256	2,446	2,709	2,983	2,933	2,671	2,124	1,161	422	124	70	246
1,007	1,013	1,062	1,007	993	1,158	1,244	1,326	1,469	1,367	1,250	947	476	144	32	48	247
1,074	987	969	991	931	1,098	1,202	1,383	1,514	1,566	1,421	1,177	685	278	92	22	248
2,037	1,956	1,994	1,947	1,888	2,220	2,412	2,678	2,959	2,915	2,658	2,113	1,153	416	123	66	249
980	988	1,039	982	971	1,137	1,222	1,307	1,453	1,362	1,245	940	473	142	31	45	250
1,057	968	955	965	917	1,083	1,190	1,371	1,506	1,553	1,413	1,173	680	274	92	21	251
1,236	1,081	1,018	1,068	1,022	1,057	1,109	1,275	1,471	1,649	1,720	1,490	880	304	76	35	252
634	559	559	534	510	544	556	650	766	807	828	662	351	99	13	21	253
602	522	459	534	512	513	553	625	705	842	901	828	529	205	63	14	254
177	180	178	228	280	336	400	452	579	587	597	467	243	70	10	12	255
216	203	169	224	303	327	381	442	516	609	667	587	380	154	39	8	
428	343	327	268	169	116	83	63	48	32	30	22	7	3	.....	6	256
354	283	250	249	154	110	66	65	38	35	30	24	22	6	1	5	
29	36	54	38	61	92	73	135	139	188	201	173	101	26	3	3	257
32	36	40	61	55	76	106	118	151	198	204	217	127	45	23	1	
785	860	950	847	830	1,143	1,285	1,372	1,457	1,229	901	601	257	101	47	12	258
334	420	457	431	434	580	657	644	671	538	404	270	116	38	18	9	259
451	440	493	416	396	563	628	728	786	691	497	331	141	63	29	3	260
16	15	26	32	36	20	18	31	31	37	28	22	16	11	.....	19	261
12	9	23	17	27	13	9	13	16	17	13	8	6	5	.....	15	262
4	6	3	15	9	7	9	18	15	20	15	14	10	6	.....	4	263
44	44	37	51	36	36	34	31	24	18	13	11	8	6	1	4	264
27	25	23	25	22	21	22	19	16	5	5	7	3	2	1	3	265
17	19	14	26	14	15	12	12	8	13	8	4	5	4	.....	1	266
19	20	17	19	15	20	18	18	15	4	5	7	2	2	1	3	267
17	19	14	24	13	15	12	12	7	13	8	4	5	4	.....	1	
.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	268
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
8	5	6	6	7	1	4	.....	.....	1	.....	.....	.....	.....	.....	.....	269
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,424	1,215	1,190	1,186	1,170	1,299	1,501	1,689	2,013	2,206	2,119	1,557	852	275	101	97	270
648	559	577	618	618	704	842	928	1,093	1,240	1,187	816	483	132	39	74	271
776	656	613	568	552	595	659	761	920	966	932	741	369	143	62	23	272
1,399	1,200	1,171	1,160	1,132	1,274	1,476	1,670	1,995	2,193	2,104	1,543	842	273	91	94	273
634	551	567	604	609	693	828	917	1,081	1,233	1,182	807	477	130	35	72	274
765	649	604	556	543	581	648	753	914	960	922	736	365	143	56	22	275
1,005	806	686	727	656	711	813	906	1,057	1,150	1,150	863	470	156	47	22	276
433	353	301	351	310	360	434	478	569	646	640	450	260	64	16	12	277
572	453	385	376	346	351	379	428	488	504	510	413	210	92	31	10	278
173	166	138	190	189	214	293	307	391	458	416	307	157	44	8	5	279
277	243	186	187	216	237	275	311	350	355	368	277	144	59	13	5	
233	146	131	132	81	89	74	76	62	70	63	54	27	5	3	4	280
255	183	164	147	81	69	57	65	65	48	41	40	19	11	4	2	
27	41	32	29	40	57	67	95	116	118	161	89	76	15	5	3	281
40	27	35	42	49	45	47	52	73	101	101	96	47	22	14	3	
373	372	451	405	477	536	639	733	911	996	919	657	348	111	41	21	282
188	181	242	234	281	311	377	418	494	555	516	347	199	65	17	14	283
185	191	209	171	196	225	262	315	417	441	403	310	149	46	24	7	284
21	22	34	28	19	27	24	31	27	47	35	23	24	6	3	51	285
13	17	24	19	18	22	17	21	18	32	26	10	18	1	2	46	286
8	5	10	9	1	5	7	10	9	15	9	13	6	5	1	5	287
25	15	19	26	18	25	25	19	18	13	15	14	10	2	10	3	288
14	8	10	14	9	11	14	11	12	7	5	9	6	2	4	2	289
11	7	9	12	9	14	11	8	6	6	10	5	4	.....	6	1	290
13	5	6	11	8	9	9	9	6	7	4	9	4	.....	4	1	291
7	6	9	9	9	11	8	6	5	4	5	3	4	.....	1	.....	
1	3	4	3	1	2	5	2	6	.....	1	.....	2	2	.....	1	292
4	1	.....	3	.....	3	3	2	1	2	5	2	.....	.....	5	1	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE.											
293	Total	7,634	1,417	301	126	84	55	1,983	162	118	161	256
294	Males	3,781	789	158	65	42	32	1,086	82	58	60	128
295	Females	3,853	628	143	61	42	23	897	80	60	101	128
296	White	7,626	1,415	300	126	84	55	1,980	162	118	160	256
297	Males	3,777	788	157	65	42	32	1,084	82	58	60	128
298	Females	3,849	627	143	61	42	23	896	80	60	100	128
299	Native	6,023	1,362	269	114	73	45	1,863	142	81	118	180
300	Males	2,977	754	139	58	34	26	1,011	65	42	44	88
301	Females	3,046	608	130	56	39	19	852	77	39	74	92
302	Both parents native {M	1,531	243	39	17	12	10	321	31	24	23	60
	{F	1,645	203	43	19	13	10	288	34	23	45	46
303	One or both parents foreign {M	864	484	94	39	20	15	652	33	16	15	23
	{F	788	385	83	33	26	9	536	40	16	17	27
304	Parentage unknown {M	582	27	6	2	2	1	38	1	2	6	5
	{F	613	20	4	4	.....	.....	28	3	.....	12	19
305	Foreign	1,208	35	25	10	9	10	89	19	28	39	65
306	Males	598	22	12	6	7	6	53	16	14	14	30
307	Females	610	13	13	4	2	4	36	3	14	25	35
308	Unknown	395	18	6	2	2	.....	28	1	9	3	11
309	Males	202	12	6	1	1	.....	20	1	2	2	10
310	Females	193	6	.....	1	1	.....	8	.....	7	1	1
311	Colored	8	2	1	.....	.....	.....	3	.....	.....	1	.....
312	Males	4	1	1	.....	.....	.....	2	.....	.....	.....	.....
313	Females	4	1	.....	.....	.....	.....	1	.....	.....	1	.....
314	Black {M	4	1	1	.....	.....	.....	2	.....	.....	.....	.....
	{F	4	1	.....	.....	.....	.....	1	.....	.....	1	.....
	NEW JERSEY.											
315	Total	33,439	7,785	1,818	817	475	384	11,279	952	538	763	1,164
316	Males	17,904	4,393	925	446	226	194	6,184	490	265	412	616
317	Females	15,535	3,392	893	371	249	190	5,095	462	273	351	548
318	White	31,771	7,315	1,693	761	453	365	10,587	898	481	702	1,078
319	Males	17,074	4,111	858	420	213	186	5,788	467	251	385	574
320	Females	14,697	3,204	835	341	240	179	4,799	431	230	317	504
321	Native	23,138	7,280	1,671	749	438	355	10,493	860	443	599	824
322	Males	12,305	4,087	845	419	204	184	5,739	448	229	325	426
323	Females	10,833	3,193	826	330	234	171	4,754	412	214	274	398
324	Both parents native {M	6,386	1,933	350	188	95	74	2,640	227	114	171	198
	{F	5,897	1,479	345	152	103	73	2,152	217	105	140	189
325	One or both parents foreign {M	4,609	1,995	478	214	103	103	2,893	206	96	126	183
	{F	3,909	1,573	463	167	122	92	2,417	179	99	110	169
326	Parentage unknown {M	1,310	159	17	17	6	7	206	15	19	28	45
	{F	1,027	141	18	11	9	6	185	16	10	15	40
327	Foreign	8,243	23	22	10	14	9	78	35	33	102	246
328	Males	4,475	15	13	1	9	1	39	16	19	60	143
329	Females	3,768	8	9	9	5	8	39	19	14	42	103
330	Unknown	390	12	.....	2	1	1	16	3	5	1	8
331	Males	294	9	.....	.....	.....	1	10	3	3	.....	5
332	Females	96	3	.....	2	1	.....	6	.....	2	1	3
333	Colored	1,668	470	125	56	22	19	692	54	57	61	86
334	Males	830	282	67	26	13	8	396	23	14	27	42
335	Females	838	188	58	30	9	11	296	31	43	34	44
336	Black {M	828	282	67	26	13	8	396	23	14	27	42
	{F	838	188	58	30	9	11	296	31	43	34	44
337	Chinese and Japanese {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
255	223	230	237	242	289	363	412	531	606	554	495	298	116	35	68	293
110	106	103	109	120	136	174	214	277	311	272	220	129	41	11	34	294
145	117	127	128	122	153	189	198	254	295	282	275	169	75	24	34	295
255	223	230	237	241	288	363	412	531	604	554	495	298	116	35	68	296
110	106	103	109	119	136	174	214	277	310	272	220	129	41	11	34	297
145	117	127	128	122	152	189	198	254	294	282	275	169	75	24	34	298
158	142	147	166	168	193	257	305	389	465	439	414	238	102	23	33	299
69	65	67	74	81	94	120	163	205	239	211	181	103	36	5	14	300
89	77	80	92	87	99	137	142	184	226	228	233	135	66	18	19	301
33	37	31	43	53	66	75	107	139	151	142	108	54	25	3	5	302
49	41	44	58	57	67	98	93	130	148	137	147	82	42	10	6	
28	21	19	14	6	7	9	5	4	3	1	1	2	.....	.....	5	303
24	24	16	16	8	11	10	9	7	3	4	5	1	3	.....	11	
8	7	17	17	22	21	36	51	62	85	68	72	47	11	2	4	304
16	12	20	18	22	21	29	40	47	75	87	81	52	21	8	2	
87	71	69	56	57	73	91	84	115	98	68	47	24	8	8	12	305
36	36	26	29	30	34	49	41	56	47	38	25	10	3	6	5	306
51	35	43	27	27	39	42	43	59	51	30	22	14	5	2	7	307
10	10	14	15	16	22	15	23	27	41	47	34	36	6	4	23	308
5	5	10	6	8	8	5	10	16	24	23	14	16	2	.....	15	309
5	5	4	9	8	14	10	13	11	17	24	20	20	4	4	8	310
.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	311
.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	312
.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	313
.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	314
.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
1,433	1,421	1,501	1,358	1,303	1,421	1,588	1,723	1,763	1,745	1,487	1,050	556	191	58	145	315
755	750	846	775	752	770	852	962	925	863	747	516	223	64	21	116	316
678	671	655	583	551	651	736	761	838	882	740	534	333	127	37	29	317
1,352	1,342	1,441	1,292	1,228	1,370	1,528	1,660	1,721	1,700	1,458	1,024	539	186	47	137	318
716	711	822	745	720	752	822	936	904	842	734	500	215	62	16	112	319
636	631	619	547	508	618	706	724	817	858	724	524	324	124	31	25	320
967	848	803	705	620	592	699	772	850	905	863	702	394	138	31	30	321
508	438	432	388	352	305	353	430	450	459	454	345	150	48	9	17	322
459	410	371	317	268	287	346	342	400	446	409	357	244	90	22	13	323
175	144	153	172	178	181	237	307	337	335	356	274	110	39	8	10	324
211	167	172	159	153	193	244	266	314	340	303	288	180	72	17	6	
249	212	197	119	94	51	43	45	30	23	14	12	8	4	1	3	325
191	178	141	104	66	48	49	32	24	27	33	18	17	1	1	5	
84	82	82	97	80	73	73	78	83	81	84	59	32	5	.....	4	326
57	65	58	54	49	46	53	44	62	79	73	51	47	17	4	2	
369	468	604	560	583	745	814	864	853	776	582	312	140	47	15	17	327
195	254	361	337	349	421	460	491	442	374	274	147	63	14	7	9	328
174	214	243	223	234	324	354	373	411	402	308	165	77	33	8	8	329
16	26	34	27	25	33	15	24	18	19	13	10	5	1	1	90	330
13	19	29	20	19	26	9	15	12	9	6	8	2	.....	.....	86	331
3	7	5	7	6	7	6	9	6	10	7	2	3	1	1	4	332
81	79	60	66	75	51	60	63	42	45	29	26	17	5	11	8	333
39	39	24	30	32	18	30	26	21	21	13	16	8	2	5	4	334
42	40	36	36	43	33	30	37	21	24	16	10	9	3	6	4	335
38	39	24	30	32	18	29	26	21	21	13	16	8	2	5	4	336
42	40	36	36	43	33	30	37	21	24	16	10	9	3	6	4	
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	337

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW YORK.											
338	Total	132,352	26,755	7,059	3,050	1,928	1,345	40,137	3,552	1,892	2,910	4,888
339	Males	69,687	14,721	3,780	1,592	1,017	631	21,741	1,809	935	1,447	2,442
340	Females	62,665	12,034	3,279	1,458	911	714	18,396	1,743	957	1,463	2,446
341	White	129,408	26,013	6,853	2,968	1,895	1,318	39,047	3,473	1,819	2,816	4,713
342	Males	68,108	14,329	3,672	1,552	1,000	619	21,172	1,769	908	1,402	2,343
343	Females	61,300	11,684	3,181	1,416	895	699	17,875	1,704	911	1,414	2,370
344	Native	89,728	25,809	6,700	2,867	1,811	1,262	38,449	3,282	1,628	2,294	3,479
345	Males	47,388	14,226	3,604	1,501	951	594	20,876	1,669	813	1,130	1,731
346	Females	42,340	11,583	3,096	1,366	860	668	17,573	1,613	815	1,164	1,748
347	Both parents native (M.)	21,176	5,840	1,279	572	371	259	8,321	735	385	528	663
	Both parents native (F.)	19,992	4,720	1,075	534	343	283	6,955	728	418	582	719
348	One or both parents foreign (M.)	20,792	7,549	2,191	866	528	306	11,440	866	378	505	892
	One or both parents foreign (F.)	17,975	6,243	1,883	783	491	366	9,766	836	360	511	887
349	Parentage unknown (M.)	5,420	837	134	63	52	29	1,115	68	50	97	176
	Parentage unknown (F.)	4,373	620	138	49	26	19	852	49	37	71	142
350	Foreign	38,130	120	133	86	78	49	466	171	174	505	1,182
351	Males	19,677	63	62	46	47	24	242	88	85	260	578
352	Females	18,453	57	71	40	31	25	224	83	89	245	604
353	Unknown	1,550	84	20	15	6	7	132	20	17	17	52
354	Males	1,043	40	6	5	2	1	54	12	10	12	34
355	Females	507	44	14	10	4	6	78	8	7	5	18
356	Colored	2,944	742	206	82	33	27	1,090	79	73	94	175
357	Males	1,579	392	108	40	17	12	569	40	27	45	99
358	Females	1,365	350	98	42	16	15	521	39	46	49	76
359	Black (M.)	1,418	383	106	39	15	12	555	38	24	40	87
	Black (F.)	1,325	344	96	40	15	13	508	37	45	47	74
360	Indian (M.)	46	9	1	1	1	.....	12	2	3	4	4
	Indian (F.)	34	5	1	2	1	1	10	1	1	2	1
361	Chinese and Japanese (M.)	115	.....	1	.....	1	.....	2	.....	.....	1	8
	Chinese and Japanese (F.)	6	1	1	.....	.....	1	3	1	.....	.....	1
	RHODE ISLAND.											
362	Total	8,766	2,025	508	213	142	100	2,988	231	113	214	328
363	Males	4,434	1,118	266	124	78	53	1,639	118	61	109	147
364	Females	4,332	907	242	89	64	47	1,349	113	52	105	181
365	White	8,525	1,976	493	210	136	96	2,911	225	108	201	320
366	Males	4,309	1,087	256	122	75	52	1,592	114	58	104	143
367	Females	4,216	889	237	88	61	44	1,319	111	50	97	177
368	Native	6,033	1,945	465	200	124	88	2,822	197	82	151	219
369	Males	3,140	1,072	246	116	65	45	1,544	99	43	87	104
370	Females	2,893	873	219	84	59	43	1,278	98	39	64	115
371	Both parents native (M.)	1,458	325	80	29	17	20	471	26	10	40	39
	Both parents native (F.)	1,499	269	65	30	15	14	393	35	16	28	50
372	One or both parents foreign (M.)	1,584	727	160	87	48	25	1,047	71	31	44	62
	One or both parents foreign (F.)	1,321	583	153	53	43	28	860	62	21	34	61
373	Parentage unknown (M.)	98	20	6	.....	.....	.....	26	2	2	3	3
	Parentage unknown (F.)	73	21	1	1	1	1	25	1	2	2	4
374	Foreign	2,428	29	27	10	12	8	86	27	26	49	97
375	Males	1,137	14	10	6	10	7	47	15	15	17	37
376	Females	1,291	15	17	4	2	1	39	12	11	32	60
377	Unknown	64	2	1	.....	.....	.....	3	1	.....	1	4
378	Males	32	1	.....	.....	.....	.....	1	.....	.....	.....	2
379	Females	32	1	1	.....	.....	.....	2	1	.....	1	2
380	Colored	241	49	15	3	6	4	77	6	5	13	8
381	Males	125	31	10	2	3	1	47	4	3	5	4
382	Females	116	18	5	1	3	3	30	2	2	8	4
383	Black (M.)	122	31	10	2	3	1	47	4	3	5	4
	Black (F.)	116	18	5	1	3	3	30	2	2	8	4
384	Chinese and Japanese (M.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese and Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5,906	6,097	6,286	5,948	5,746	6,218	6,311	6,924	7,143	7,259	6,580	4,742	2,445	850	245	273	338
3,080	3,354	3,564	3,434	3,175	3,374	3,301	3,520	3,639	3,602	3,295	2,278	1,094	353	80	170	339
2,826	2,743	2,722	2,514	2,571	2,844	3,010	3,404	3,504	3,657	3,285	2,464	1,351	497	165	103	340
5,727	5,933	6,129	5,795	5,601	6,085	6,195	6,832	7,059	7,186	6,522	4,701	2,428	842	235	270	341
2,974	3,252	3,476	3,348	3,080	3,294	3,236	3,480	3,595	3,568	3,268	2,263	1,087	349	77	167	342
2,753	2,681	2,653	2,447	2,521	2,791	2,959	3,352	3,464	3,618	3,254	2,438	1,341	493	158	103	343
3,916	3,755	3,455	3,224	2,843	2,621	2,650	2,891	3,175	3,419	3,563	2,803	1,543	542	106	90	344
2,038	2,067	1,919	1,818	1,514	1,355	1,367	1,517	1,665	1,754	1,824	1,335	693	224	31	48	345
1,878	1,688	1,536	1,406	1,329	1,266	1,283	1,374	1,510	1,665	1,739	1,468	850	318	75	42	346
602	568	555	602	645	726	821	954	1,104	1,202	1,262	873	449	140	19	22	347
662	558	545	536	612	727	780	876	1,037	1,163	1,221	1,022	571	214	49	17	
1,240	1,283	1,091	941	632	379	289	233	193	126	139	89	47	16	3	10	348
1,051	954	804	704	538	366	302	221	182	148	122	101	78	27	8	9	
196	216	273	275	237	250	257	330	368	426	423	373	197	68	9	16	349
165	176	187	166	179	173	201	277	291	354	396	345	201	77	18	16	
1,740	2,097	2,535	2,427	2,652	3,353	3,470	3,851	3,796	3,685	2,865	1,832	845	284	120	80	350
885	1,123	1,441	1,409	1,487	1,853	1,821	1,897	1,882	1,764	1,393	897	374	115	44	39	351
855	974	1,094	1,018	1,165	1,500	1,649	1,954	1,914	1,921	1,472	935	471	169	76	41	352
71	81	139	144	106	111	75	90	88	82	94	66	40	16	9	100	353
51	62	116	121	79	86	48	66	48	50	51	31	20	10	2	80	354
20	19	23	23	27	25	27	24	40	32	43	35	20	6	7	20	355
179	164	157	153	145	133	116	92	84	73	58	41	17	8	10	3	356
106	102	88	86	95	80	65	40	44	34	27	15	7	4	3	3	357
73	62	69	67	50	53	51	52	40	39	31	26	10	4	7	.....	358
91	77	68	72	76	68	61	38	39	30	24	15	6	3	3	3	359
69	59	69	65	50	53	47	48	39	38	31	26	9	4	7	.....	
.....	2	1	1	.....	3	1	1	4	3	3	.....	1	1	.....	.....	360
4	3	.....	1	.....	.....	4	4	1	1	.....	.....	1	.....	.....	.....	
15	23	19	13	19	9	3	1	1	1	.....	.....	.....	.....	.....	.....	361
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
356	298	333	340	335	432	428	441	489	454	423	316	156	46	18	27	362
165	160	166	191	170	216	223	221	234	209	185	127	57	15	6	15	363
191	138	167	149	165	216	205	220	255	245	238	189	99	31	12	12	364
346	290	327	325	328	413	419	431	478	444	418	304	150	43	17	27	365
161	156	163	182	168	202	219	216	229	205	182	124	55	15	6	15	366
185	134	164	143	160	211	200	215	249	239	236	180	95	28	11	12	367
215	178	154	189	163	177	178	181	224	247	264	225	118	30	12	7	368
98	92	79	108	81	90	100	106	107	124	126	93	44	11	3	1	369
117	86	75	81	82	87	78	75	117	123	138	132	74	19	9	6	370
30	39	24	47	46	64	77	92	92	110	110	87	41	10	3	.....	371
52	25	35	40	58	58	65	69	107	115	130	128	68	16	8	3	
67	32	53	54	26	23	14	12	6	8	6	3	3	1	.....	1	372
63	38	38	38	24	26	9	5	6	6	4	2	1	2	1	.....	
1	1	2	7	9	3	9	2	9	6	10	3	.....	.....	.....	.....	373
2	3	2	3	.....	3	4	1	4	2	4	2	5	1	.....	3	
125	108	170	135	161	234	235	247	248	191	151	74	32	12	5	15	374
59	60	83	73	86	110	117	108	119	80	54	30	11	4	3	9	375
66	48	87	62	75	124	118	139	129	111	97	44	21	8	2	6	376
6	4	3	1	4	2	6	3	6	6	3	5	.....	1	.....	5	377
4	4	1	1	1	2	2	2	3	1	2	1	.....	.....	.....	5	378
2	.....	2	.....	3	.....	4	1	3	5	1	4	.....	1	.....	.....	379
10	8	6	15	7	19	9	10	11	10	5	12	6	3	1	.....	380
4	4	3	9	2	14	4	5	5	4	3	3	2	.....	.....	.....	381
6	4	3	6	5	5	5	5	6	6	2	9	4	3	1	.....	382
4	4	3	8	2	12	4	5	5	4	3	3	2	.....	.....	.....	383
6	4	3	6	5	5	5	5	6	6	2	9	4	3	1	.....	
.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	384

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	VERMONT.											
385	Total	5,692	855	159	89	40	35	1,178	101	78	155	177
386	Males	2,901	511	84	51	20	13	679	49	41	72	80
387	Females	2,791	344	75	38	20	22	499	52	37	83	97
388	White	5,675	855	157	89	40	34	1,175	101	77	153	177
389	Males	2,891	511	83	51	20	13	678	49	41	70	80
390	Females	2,784	344	74	38	20	21	497	52	36	83	97
391	Native	4,730	847	153	85	39	34	1,158	94	69	134	155
392	Males	2,403	506	80	50	20	13	669	45	34	66	73
393	Females	2,327	341	73	35	19	21	489	49	35	68	82
394	Parentage not stated {M	2,403	506	80	50	20	13	669	45	34	66	73
	{F	2,327	341	73	35	19	21	489	49	35	68	82
395	Foreign	812	7	4	4	.....	.....	15	5	8	14	20
396	Males	420	4	3	1	.....	.....	8	3	7	3	7
397	Females	392	3	1	3	.....	.....	7	2	1	11	13
398	Unknown	133	1	.....	.....	1	.....	2	2	.....	5	2
399	Males	68	1	.....	.....	.....	.....	1	1	.....	1	.....
400	Females	65	.....	.....	.....	1	.....	1	1	.....	4	2
401	Colored	17	.....	2	.....	.....	1	3	.....	1	2	.....
402	Males	10	.....	1	.....	.....	.....	1	.....	.....	2	.....
403	Females	7	.....	1	.....	.....	1	2	.....	1	.....	.....
404	Black {M	10	.....	1	.....	.....	.....	1	.....	.....	2	.....
	{F	7	.....	1	.....	.....	1	2	.....	1	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1900—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
193	169	183	207	174	215	276	352	387	463	545	456	211	100	32	40	385
66	74	85	96	88	101	142	174	204	269	277	237	93	36	18	20	386
127	95	98	111	86	114	134	178	183	194	268	219	118	64	14	20	387
193	169	183	206	174	215	275	348	386	462	545	455	211	100	32	38	388
66	74	85	95	88	101	142	172	203	268	277	236	93	36	18	19	389
127	95	98	111	86	114	133	176	183	194	268	219	118	64	14	19	390
164	132	152	170	146	148	222	248	300	372	432	353	163	75	23	20	391
56	52	70	76	74	66	114	120	157	215	220	179	69	25	13	10	392
108	80	82	94	72	82	108	128	143	157	212	174	94	50	10	10	393
56	52	70	76	74	66	114	120	157	215	220	179	69	25	13	10	394
108	80	82	94	72	82	108	128	143	157	212	174	94	50	10	10	
22	33	24	34	26	60	44	84	77	81	100	92	40	21	7	5	395
7	21	11	17	14	30	24	45	40	46	50	51	20	10	4	2	396
15	12	13	17	12	30	20	39	37	35	50	41	20	11	3	3	397
7	4	7	2	2	7	9	16	9	9	13	10	8	4	2	13	398
3	1	4	2	.....	5	4	7	6	7	7	6	4	1	1	7	399
4	3	3	.....	2	2	5	9	3	2	6	4	4	3	1	6	400
.....	.....	.....	1	.....	.....	1	4	1	1	.....	1	.....	.....	.....	2	401
.....	.....	.....	1	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	1	402
.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	1	403
.....	.....	.....	1	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	1	404
.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	1	

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
1	All causes	539,939	398,786	343,217	202,064	141,153	196,722	10,602	5,764	6,202	6,344	29,368
2	I.—General diseases	147,236	109,298	93,148	55,210	37,938	54,088	3,102	1,723	1,993	1,861	9,235
3	Typhoid fever	11,044	7,843	6,244	3,043	3,201	4,800	197	94	222	185	1,102
4	Exanthematic typhus	5	2	3		3	2					
5	Recurrent fever	2	2	2	2							
6	Malarial fever	2,434	1,761	1,244	571	673	1,190	62	43	53	56	309
7	Smallpox	611	581	63	33	30	548			4		22
8	Measles	3,865	2,955	2,665	1,755	910	1,200	90	82	45	25	94
9	Scarlet fever	3,135	2,500	1,908	1,273	635	1,227	47	22	15	29	110
10	Whooping cough	3,719	2,812	2,444	1,537	907	1,275	93	38	88	43	268
11	Diphtheria	10,504	8,815	6,286	4,597	1,689	4,218	168	78	109	77	500
12	Croup	2,810	2,034	1,770	994	776	1,040	56	24	12	42	263
13	Influenza	7,031	4,283	5,332	2,584	2,748	1,699	338	301	121	77	390
14	Miliary fever											
15	Asiatic cholera											
16	Cholera nostras	800	509	562	271	291	238	23	16	5	5	28
17	Dysentery	3,487	2,086	2,402	1,001	1,401	1,085	88	68	36	57	457
18	Plague	22	22				22					
19	Yellow fever	1		1		1						1
20	Leprosy	4	4				4					
21	Erysipelas	1,574	1,214	1,080	720	360	494	41	19	14	25	66
22	Other epidemic diseases	72	54	40	22	18	32	3	2		2	4
23	Septicemia	2,581	1,830	1,436	685	751	1,145	28	14	13	48	202
24	Glanders and farcy	3	3	3	3							
25	Malignant pustule and charoon	31	26	19	14	5	12	2			1	1
26	Rabies	33	29	13	9	4	20					1
27	Actinomycosis, trichinosis, etc	10	9	3	2	1	7					
28	Pellagra	2		2		2						
29	Tuberculosis of lungs	55,504	42,691	34,593	21,780	12,813	20,911	1,105	467	817	816	3,542
30	Tuberculosis of larynx	406	323	245	162	83	161	7	2	7	4	15
31	Tuberculous meningitis	2,673	2,208	1,882	1,417	465	791	53	22	30	15	89
32	Abdominal tuberculosis	1,635	1,193	980	538	442	655	25	22	23	21	93
33	Pott's disease	416	272	302	158	144	114	2	6	6	4	38
34	Tuberculous abscess	40	31	23	14	9	17	1				1
35	White swelling	207	161	129	83	46	78	3	2	1	3	13
36	Tuberculosis of other organs	339	242	205	108	97	134	6	1		2	21
37	General tuberculosis	668	512	461	305	156	207	1		25	10	40
38	Scrofula	208	109	141	42	99	67	2	5	3	2	33
39	Syphilis	1,029	900	534	405	129	495	19	7	23	12	49
40	Gonorrhea of the adult	9	8	5	4	1	4					
41	Gonorrheal infections of children	7	7	4	4		3	1				
42	Cancer of mouth	495	367	318	190	128	177	8	9	5	6	16
43	Cancer of stomach and liver	6,918	4,925	4,474	2,481	1,993	2,444	114	88	66	62	283
44	Cancer of intestines	1,760	1,313	1,185	738	447	575	40	20	26	9	52
45	Cancer of female genital organs	2,696	2,079	1,638	1,021	617	1,058	63	31	45	17	78
46	Cancer of breast	1,433	991	1,015	573	442	418	37	27	24	10	50
47	Cancer of skin	602	356	425	179	246	177	21	9	6	4	40
48	Cancer of other or unspecified organs	5,477	3,641	3,714	1,878	1,836	1,763	93	64	41	92	358
49	Tumor	581	350	394	163	231	187	13	8	3	8	41
50	Acute articular rheumatism	1,426	1,008	1,056	638	418	370	61	23	19	8	64
51	Chronic rheumatism and gout	1,505	997	953	445	508	552	26	28	18	24	138
52	Diabetes	2,996	1,991	2,187	1,182	1,005	809	87	44	21	30	169
53	Exophthalmic goiter	127	83	90	46	44	37	3	1	2	2	7
54	Addison's disease	138	95	100	57	43	38	4			1	3
55	Leukemia	307	218	191	102	89	116	5	2	1	3	21
56	Anemia, chlorosis	1,632	1,016	1,159	543	616	473	26	11	20	12	93
57	Alcoholism	1,962	1,657	1,063	758	305	899	35	23	23	11	59
58	Lead poisoning	61	52	36	27	9	25	2				
59	Other occupational poisonings	4	4	3	3		1					
60	Other chronic poisonings	96	60	52	16	36	44	1		1		5
61	Scurvy	41	34	30	23	7	11	1				1
62	Other general diseases	58	30	39	11	28	19	1			1	5
63	II.—Diseases of nervous system	64,232	45,171	41,092	22,031	19,061	23,140	1,225	686	753	819	3,800
64	Encephalitis	1,030	691	646	217	429	384	3	9	9	21	185
65	Meningitis	10,793	8,433	6,742	4,382	2,360	4,051	213	109	90	161	570
66	Epidemic cerebro-spinal meningitis	1,785	1,212	1,361	788	573	424	39	20	14	17	132
67	Locomotor ataxia	593	411	393	211	182	200	15	9	7	7	32
68	Other diseases of spinal cord	1,329	856	951	478	473	378	27	20	21	19	77
69	Apoplexy	20,772	14,269	14,465	7,962	6,503	6,307	466	298	301	229	809
70	Softening of brain	1,246	711	808	273	535	438	18	28	17	16	104
71	Paralysis	7,950	4,455	5,238	1,743	3,495	2,712	95	71	42	125	942
72	General paralysis of insane	1,955	1,256	1,476	777	699	479	43	22	24	22	79
73	Other forms of mental disease	1,325	978	809	462	347	516	19	8	14	20	60
74	Other diseases of brain	1,607	1,074	1,092	559	533	515	38	13	42	18	97
75	Epilepsy	1,337	777	983	423	560	354	17	25	25	23	140
76	Convulsions (nonpuerperal)	585	429	314	158	156	271	7	3	7	15	39
77	Convulsions of children	9,426	7,797	4,562	2,933	1,629	4,864	174	34	104	55	372
78	Tetanus	1,354	1,166	476	288	188	878	26	8	23	16	47
79	Chorea	82	51	53	22	31	29	3	2		1	6
80	Other diseases of nervous system	847	514	561	228	333	286	17	5	10	14	96
81	Diseases of eye and its adnexa	20	13	12	5	7	8	1				3
82	Diseases of ear	196	168	150	122	28	46	4	2	3		10

EACH DISEASE AND CLASS OF DISEASES: 1900.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
2,375	9,507	39,425	11,774	10,966	23,007	3,084	4,550	20,783	12,656	95,697	36,655	5,764	3,002	822	4,870	1
547	2,414	11,373	3,039	2,684	5,748	685	1,091	5,316	3,110	25,656	9,495	1,785	863	208	1,220	2
47	149	498	119	272	611	31	60	244	171	1,248	755	84	39	15	101	3
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	4
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
4	8	56	24	31	127	5	4	44	52	240	90	19	11	1	5	6
3	.....	3	.....	4	5	1	.....	3	2	14	1	1	.....	.....	.....	7
1	60	281	44	93	226	11	13	154	63	928	244	118	66	9	18	8
2	34	344	54	70	200	11	14	138	49	594	126	21	12	2	14	9
17	57	337	59	53	137	15	25	184	110	650	178	52	19	5	16	10
22	74	1,159	123	177	223	30	33	480	201	2,282	399	80	32	13	26	11
9	52	151	39	42	93	19	17	160	77	449	167	52	33	2	11	12
25	211	731	310	70	304	44	140	195	213	764	670	209	92	10	117	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
2	18	70	20	16	54	3	8	30	21	105	94	11	15	1	17	16
7	51	189	72	67	197	13	23	66	84	420	376	49	42	9	31	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
3	20	144	25	41	70	1	8	71	38	358	92	20	7	2	15	21
.....	2	8	.....	2	3	.....	.....	1	1	6	5	.....	.....	.....	1	22
15	51	171	66	49	128	26	36	83	54	238	172	11	6	3	22	23
.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
1	.....	2	3	2	1	.....	.....	1	.....	5	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	2	1	.....	.....	2	2	5	.....	.....	.....	.....	.....	26
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	28
215	878	4,191	1,084	736	1,447	277	345	2,266	1,200	10,694	3,194	596	248	67	408	29
3	6	25	5	7	11	2	6	31	14	69	20	7	1	.....	3	30
13	43	280	45	50	70	13	19	127	42	769	111	61	13	6	11	31
11	40	101	28	43	100	11	8	52	27	238	98	12	11	1	15	32
7	12	35	10	10	24	3	3	13	13	73	27	4	3	1	8	33
.....	1	4	1	4	2	.....	.....	1	.....	4	4	.....	.....	.....	.....	34
.....	2	9	3	8	11	.....	.....	11	2	45	10	3	2	.....	1	35
1	11	22	6	6	25	3	2	18	3	46	22	3	3	1	3	36
8	16	82	26	12	19	7	2	27	16	117	24	15	8	1	5	37
.....	10	10	5	7	15	.....	3	4	1	10	22	2	2	2	3	38
1	4	62	16	40	20	2	2	17	3	210	22	18	4	1	2	39
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	40
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	41
1	14	37	5	10	39	4	3	16	12	94	23	9	2	.....	5	42
30	170	454	159	195	382	38	56	242	147	1,192	586	73	45	15	77	43
14	49	167	43	54	88	10	15	58	31	334	117	23	9	3	23	44
9	58	186	40	85	131	9	5	89	49	490	182	26	23	2	20	45
3	35	123	29	41	93	9	8	33	41	265	131	24	14	4	14	46
2	18	33	16	18	46	1	4	15	18	72	78	6	8	1	9	47
24	91	543	257	100	200	34	100	131	134	782	501	23	17	15	114	48
2	18	38	15	14	47	3	5	15	16	60	72	5	2	2	7	49
3	13	134	42	49	93	4	6	55	36	281	123	23	10	1	8	50
.....	26	65	27	17	81	4	10	21	27	246	142	22	12	2	17	51
10	61	269	89	64	188	19	53	87	70	555	272	36	20	4	39	52
.....	2	14	4	6	11	.....	1	3	1	13	17	2	.....	1	.....	53
4	2	9	7	6	11	.....	1	9	1	22	15	2	.....	.....	3	54
2	2	22	9	12	24	.....	3	1	7	54	18	2	1	.....	2	55
21	33	156	69	54	128	19	42	43	31	168	175	22	11	2	23	56
4	10	135	35	36	40	2	5	66	26	406	84	36	17	4	6	57
.....	.....	8	1	1	.....	1	1	2	3	12	3	1	1	.....	.....	58
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	59
.....	.....	2	2	3	12	.....	.....	2	.....	7	16	.....	1	.....	.....	60
.....	.....	5	1	2	2	.....	1	3	.....	11	1	1	1	.....	.....	61
.....	2	1	1	2	7	.....	.....	2	1	3	12	1	.....	.....	.....	62
406	1,298	4,292	1,600	1,412	2,875	444	674	2,842	1,859	9,219	5,247	523	351	96	671	63
2	23	46	17	38	77	14	10	24	27	54	67	5	7	1	7	64
75	193	909	213	144	222	107	82	663	247	1,884	579	117	57	19	88	65
7	36	154	34	87	157	14	21	79	40	353	105	21	14	3	14	66
4	12	42	15	10	32	5	7	19	18	97	45	5	4	.....	8	67
11	37	89	33	27	89	8	13	59	47	200	134	16	5	1	18	68
105	481	1,491	620	388	836	126	260	930	620	3,669	2,162	222	134	35	283	69
8	43	61	36	18	70	4	20	22	56	95	141	14	13	.....	24	70
57	227	417	253	200	630	47	112	181	293	535	857	34	27	10	83	71
18	36	140	85	77	75	14	23	54	71	369	269	13	26	3	13	72
67	23	78	22	24	53	5	23	36	32	189	97	7	20	3	9	73
7	47	154	50	48	97	26	28	46	38	167	124	12	12	1	27	74
10	23	72	47	39	109	8	17	31	48	192	127	4	12	2	12	75
.....	6	44	14	8	27	8	4	36	15	30	39	1	1	2	8	76
27	86	484	121	264	306	51	36	588	245	1,102	366	32	8	12	55	77
.....	5	35	14	12	21	1	4	45	36	127	41	2	6	1	6	78
1	2	5	2	3	7	.....	.....	2	1	6	10	1	.....	.....	1	79
6	17	43	21	20	62	6	12	23	22	78	78	9	5	2	15	80
.....	.....	2	2	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	81
1	1	26	1	5	5	.....	2	3	3	72	4	7	.....	1	.....	82

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
83	III.—Diseases of circulatory system	45,279	31,660	30,222	16,603	13,619	15,057	847	669	601	395	1,874
84	Pericarditis	809	582	480	253	227	329	10	6	5	15	62
85	Endocarditis	3,654	3,162	2,415	1,923	492	1,239	88	38	33	26	64
86	Heart disease	34,210	23,255	23,162	12,207	10,955	11,048	638	532	490	302	1,452
87	Angina pectoris	1,958	1,205	1,370	617	753	588	43	30	20	12	109
88	Diseases of arteries	1,876	1,513	1,028	665	363	848	28	19	20	13	39
89	Embolism and thrombosis	1,219	841	842	464	378	377	17	24	18	4	35
90	Diseases of veins	153	119	102	68	34	51	5	3	.....	1	5
91	Diseases of lymphatics	76	55	48	27	21	28	1	1	3	.....	3
92	Hemorrhages	1,300	920	754	374	380	546	17	16	12	21	102
93	Other diseases of circulatory system	24	8	21	5	16	3	.....	.....	.....	1	3
94	IV.—Diseases of respiratory system	78,832	61,589	49,537	32,294	17,243	29,295	1,440	652	743	834	3,431
95	Diseases of nasal fossa	31	16	23	8	15	8	.....	.....	.....	1	7
96	Laryngitis	519	378	338	197	141	181	12	5	6	2	34
97	Other diseases of larynx	406	321	237	152	85	169	4	4	7	7	22
98	Diseases of thyroid body	67	38	43	14	29	24	.....	1	.....	.....	10
99	Acute bronchitis	8,135	6,583	5,245	3,693	1,552	2,890	156	69	74	63	245
100	Chronic bronchitis	5,924	4,544	3,786	2,406	1,380	2,138	149	94	41	60	228
101	Bronchopneumonia	6,733	5,318	4,553	3,138	1,415	2,180	97	39	58	38	205
102	Pneumonia	48,780	38,201	30,477	19,898	10,579	18,303	883	376	440	540	2,230
103	Pleurisy	1,448	1,189	916	657	259	532	30	20	13	10	38
104	Congestion of lungs	3,504	2,493	2,156	1,145	1,011	1,348	63	26	67	47	194
105	Gangrene of lungs	125	101	76	52	24	49	4	.....	3	3	7
106	Asthma	1,359	1,089	625	355	270	734	24	6	13	30	85
107	Emphysema	255	205	158	108	50	97	5	.....	4	2	8
108	Hemorrhage of lungs	871	662	475	266	209	396	7	7	12	16	41
109	Other diseases of respiratory system	675	451	429	205	224	246	4	5	5	15	77
110	V.—Diseases of digestive system	69,607	51,706	45,812	27,911	17,901	23,795	1,575	818	777	800	3,812
111	Diseases of mouth	270	180	169	79	90	101	4	5	1	4	33
112	Tonsilitis	351	216	223	88	135	128	7	6	2	6	63
113	Diseases of pharynx	194	129	119	54	65	75	5	3	.....	1	14
114	Diseases of esophagus	119	90	67	38	29	52	1	1	.....	1	3
115	Ulcer of stomach	804	569	534	299	235	270	19	5	5	7	52
116	Gastritis	4,308	2,968	2,709	1,369	1,340	1,599	102	65	62	66	317
117	Other diseases of stomach	2,093	1,236	1,520	663	857	573	41	40	24	39	240
118	Dentition	699	639	332	272	60	367	20	4	17	.....	8
119	Diarrhea and enteritis, under 2 years	33,479	25,858	23,137	15,516	7,621	10,342	877	414	411	311	1,501
120	Diarrhea and enteritis, 2 years and over	7,506	5,224	4,792	2,510	2,282	2,714	125	90	95	111	528
121	Intestinal parasites	32	17	22	7	15	10	.....	1	1	.....	5
122	Hernia	1,160	896	735	471	264	425	25	7	16	10	35
123	Obstruction of intestines	2,586	1,851	1,637	902	735	949	66	33	29	26	142
124	Other diseases of intestines	975	622	614	261	353	361	9	8	7	26	115
125	Acute yellow atrophy of liver	104	69	79	44	35	25	2	.....	1	1	8
126	Hydatid tumors of liver	10	8	8	6	2	2	.....	1	.....	.....	1
127	Cirrhosis of liver	3,970	3,159	2,503	1,692	811	1,467	85	37	25	27	106
128	Biliary calculi	459	319	277	137	140	182	5	4	4	6	42
129	Other diseases of liver	2,730	1,794	1,714	778	936	1,016	54	37	29	37	206
130	Diseases of spleen	89	51	62	24	38	27	5	1	1	1	14
131	Peritonitis	4,639	3,395	2,765	1,521	1,244	1,874	61	30	28	90	266
132	Appendicitis	2,987	2,382	1,763	1,158	605	1,224	62	26	19	29	112
133	Other diseases of digestive system	43	34	31	22	9	12	.....	.....	.....	1	1
134	VI.—Diseases of genito-urinary system	32,567	24,996	21,189	13,618	7,571	11,378	695	362	399	332	1,262
135	Acute nephritis	2,312	1,929	1,536	1,153	383	776	58	17	41	20	39
136	Bright's disease	25,065	19,515	16,163	10,613	5,550	8,902	529	267	276	251	928
137	Other diseases of kidneys	990	637	672	319	353	318	19	14	15	12	74
138	Calculi of urinary tract	116	86	72	42	30	44	2	.....	5	1	1
139	Diseases of bladder	1,644	947	1,210	513	697	434	43	31	19	21	103
140	Diseases of urethra, urinary abscess, etc	121	108	61	48	13	60	1	.....	3	.....	3
141	Diseases of prostate	423	248	330	155	175	93	9	14	6	1	28
142	Nonvenereal diseases of male genital organs	21	13	15	7	8	6	1	.....	.....	.....	2
143	Metritis	78	61	58	41	17	20	3	.....	1	.....	9
144	Uterine hemorrhage (nonpuerperal)	104	76	61	33	28	43	1	.....	.....	1	6
145	Uterine tumor	403	323	253	173	80	150	7	9	4	7	11
146	Other diseases of uterus	452	356	234	138	96	218	5	1	9	9	29
147	Ovarian tumor	349	253	234	138	96	115	9	8	2	2	17
148	Diseases of tubes	351	331	201	181	20	150	4	.....	16	2	4
149	Other diseases of female genital organs	122	98	76	52	24	46	3	1	2	5	8
150	Nonpuerperal diseases of breast (cancer excepted)	16	15	13	12	1	3	1	.....	.....	.....	.....
151	VII.—Childbirth	4,106	3,019	2,682	1,595	1,087	1,424	76	42	43	33	230
152	Accidents of pregnancy	526	413	312	199	113	214	8	2	9	3	32
153	Puerperal hemorrhage	210	169	147	106	41	63	3	2	7	3	8
154	Other accidents of labor	236	187	165	116	49	71	6	2	2	.....	8
155	Puerperal septicemia	1,769	1,327	1,155	713	442	614	36	16	15	17	105
156	Puerperal convulsions	671	488	442	259	183	229	12	15	6	5	35
157	Puerperal phlegmasia alba dolens	5	3	3	1	2	2	1	.....	.....	.....	.....
158	Other puerperal accidents	689	432	458	201	257	231	10	5	4	5	42
159	Puerperal diseases of breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH DISEASE AND CLASS OF DISEASES: 1900—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
233	980	3,842	1,315	888	2,258	267	504	1,621	1,250	7,397	3,992	480	247	62	530	83
1	13	45	9	12	45	10	7	30	16	117	59	7	1	1	9	84
5	18	287	51	44	63	9	11	161	85	1,224	133	42	10	4	19	85
193	833	2,944	1,090	706	1,852	209	410	1,211	972	5,094	3,206	373	195	47	413	86
11	64	118	57	47	122	16	30	80	68	252	218	15	17	3	38	87
5	15	229	51	32	69	4	8	59	30	260	109	13	10	2	13	88
8	23	121	32	22	49	8	21	39	45	207	117	19	8	1	24	89
.....	1	11	2	2	11	2	.....	6	2	37	9	3	1	1	.....	90
.....	1	7	.....	2	6	1	.....	1	1	9	8	3	.....	.....	1	91
10	12	80	23	19	35	8	16	34	29	165	131	5	4	3	12	92
.....	.....	.....	.....	2	6	.....	1	.....	2	2	2	.....	1	.....	1	93
288	1,297	5,351	1,479	1,484	2,675	474	705	3,234	1,654	17,426	4,272	875	412	145	666	94
.....	.....	.....	.....	.....	3	1	1	.....	.....	6	4	.....	.....	.....	.....	95
3	13	39	11	6	20	3	5	29	18	87	32	10	1	.....	2	96
2	5	24	7	11	16	6	2	16	10	69	16	5	2	1	1	97
1	2	2	3	1	3	.....	1	1	1	8	7	1	.....	.....	1	98
29	133	590	130	198	298	52	59	368	167	1,997	330	143	52	23	69	99
8	89	500	149	124	204	32	51	200	125	1,212	367	72	26	8	47	100
31	112	671	119	208	241	58	67	516	190	1,307	343	150	59	4	40	101
183	814	3,093	904	734	1,512	283	467	1,782	954	11,428	2,618	437	240	95	464	102
8	15	106	28	31	42	5	8	63	19	374	78	16	6	1	5	103
18	66	185	80	68	175	17	23	149	102	504	304	18	16	9	25	104
1	1	7	2	3	3	1	2	2	3	27	5	1	1	.....	.....	105
.....	12	51	15	50	62	8	6	24	18	139	62	16	.....	.....	4	106
.....	6	6	3	6	15	1	1	9	8	75	9	.....	.....	.....	.....	107
3	13	50	18	19	29	4	6	43	22	102	62	5	6	3	5	108
1	16	27	10	25	52	3	6	32	17	91	35	1	3	1	3	109
296	1,085	5,436	1,360	1,676	3,517	469	396	2,707	1,657	13,215	4,361	858	420	102	475	110
.....	4	8	1	10	20	.....	1	8	7	43	18	1	1	.....	.....	111
2	3	23	8	8	19	1	3	6	9	30	23	3	.....	.....	1	112
1	3	13	6	2	15	.....	2	6	8	25	13	1	1	.....	.....	113
.....	1	7	3	3	7	1	.....	4	5	21	9	.....	.....	.....	.....	114
4	19	55	18	18	46	2	4	24	15	154	60	10	3	1	13	115
12	81	204	80	94	227	21	38	160	118	619	348	24	22	5	44	116
12	56	102	42	74	173	11	15	60	55	236	193	62	19	2	24	117
.....	.....	40	9	10	11	9	3	14	9	159	14	3	2	.....	.....	118
169	475	3,287	655	823	1,534	300	174	1,424	844	7,343	1,626	517	249	54	149	119
18	116	426	167	152	429	32	43	248	204	1,206	596	84	46	13	63	120
.....	2	2	.....	1	3	.....	1	1	.....	2	1	.....	1	.....	1	121
5	16	81	23	25	47	5	8	47	25	242	88	15	5	.....	10	122
14	54	186	54	49	124	14	22	91	50	409	222	15	9	3	25	123
3	16	47	16	17	70	6	4	27	19	108	93	7	7	4	5	124
1	1	9	1	1	14	3	2	7	2	17	6	2	1	.....	.....	125
.....	.....	.....	.....	1	.....	.....	.....	1	.....	4	.....	.....	.....	.....	.....	126
5	51	219	64	71	154	12	15	204	102	1,003	239	37	14	4	29	127
.....	8	37	6	11	36	2	1	7	4	60	33	4	2	1	4	128
13	63	143	65	67	201	11	20	69	42	330	259	23	14	2	29	129
.....	1	5	1	1	10	.....	.....	2	1	8	9	1	.....	.....	1	130
25	86	301	95	148	235	36	26	211	104	591	343	24	12	6	47	131
12	29	235	44	90	139	3	14	86	33	590	167	25	11	7	30	132
.....	.....	6	2	.....	3	.....	.....	.....	1	15	1	.....	1	.....	.....	133
137	512	1,974	659	562	1,114	133	228	1,309	753	7,641	2,204	388	220	48	257	134
10	.....	163	18	46	64	14	30	168	71	577	120	52	15	4	9	135
109	406	1,407	508	356	716	95	147	992	582	6,306	1,625	258	172	34	199	136
4	21	81	23	25	76	4	7	30	19	116	104	12	8	1	7	137
.....	3	6	2	3	12	.....	1	4	1	19	8	2	2	.....	.....	138
10	51	110	64	46	107	12	32	53	53	181	213	14	12	4	31	139
.....	.....	10	3	2	2	.....	.....	3	2	27	2	2	.....	.....	1	140
1	8	56	15	9	38	2	4	11	11	51	50	8	3	1	4	141
.....	.....	.....	1	1	4	.....	.....	3	1	2	.....	.....	.....	.....	.....	142
.....	1	4	1	3	3	1	.....	3	1	25	2	1	.....	.....	.....	143
1	1	6	2	2	9	2	.....	7	5	12	5	1	.....	.....	.....	144
1	4	36	5	19	18	2	2	12	1	70	24	15	4	.....	2	145
1	8	20	5	23	26	.....	2	6	1	56	20	7	4	2	.....	146
.....	7	25	8	15	25	1	2	6	4	72	21	5	.....	1	4	147
.....	1	42	3	11	7	.....	.....	9	1	90	4	7	.....	.....	.....	148
.....	1	6	1	1	7	.....	1	.....	.....	31	5	3	.....	1	.....	149
.....	.....	2	.....	.....	.....	.....	.....	2	.....	6	1	1	.....	.....	.....	150
9	56	261	51	127	322	14	19	155	86	811	212	62	27	4	42	151
2	5	43	5	11	30	.....	1	18	10	101	19	4	2	.....	7	152
.....	1	21	4	6	8	1	.....	10	7	50	7	5	2	.....	2	153
.....	.....	16	3	6	8	1	.....	13	12	65	14	6	1	1	1	154
3	18	85	20	66	148	3	7	68	25	391	79	27	9	2	15	155
1	5	56	6	19	44	6	5	30	12	109	49	14	6	1	6	156
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	157
3	27	40	13	19	83	3	6	16	20	95	43	6	7	.....	11	158
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
160	VIII.—Diseases of skin	2,461	1,642	1,664	845	819	797	58	32	24	25	138
161	Gangrene	1,345	806	977	438	539	368	34	21	11	11	75
162	Carbuncle	153	119	86	52	34	67	1	2	3	1	9
163	Abscess	599	448	375	224	151	224	12	5	6	9	34
164	Other diseases of skin	364	269	226	131	95	138	11	[illegible]	4	4	20
165	IX.—Diseases of locomotor system	677	534	438	295	143	239	10	[illegible]	10	5	30
166	Diseases of bones	558	441	352	235	117	206	8	6	9	4	24
167	Diseases of joints	47	38	33	24	9	14	.....	.....	1	.....	2
168	Amputation	63	50	45	32	13	18	2	1	.....	.....	3
169	Other diseases of organs of locomotion	9	5	8	4	4	1	.....	1	.....	[illegible]	1
170	X.—Malformations	3,540	2,531	2,394	1,385	1,009	1,146	74	35	24	[illegible]	392
171	Hydrocephalus	635	456	431	252	179	204	15	11	4	4	37
172	Congenital malformation of heart (cyanosis)	1,871	1,416	1,202	747	455	669	36	14	13	15	88
173	Other congenital malformations	1,034	659	761	386	375	273	23	10	7	6	79
174	XI.—Early infancy	23,654	18,867	14,433	9,646	4,787	9,221	503	211	307	339	1,191
175	Premature birth	10,170	7,920	6,462	4,212	2,250	3,708	284	120	154	143	569
176	Congenital debility	7,543	6,318	4,612	3,387	1,225	2,931	115	54	97	46	178
177	Other diseases of early infancy	915	659	653	397	256	262	49	5	11	10	48
178	Lack of care	5,026	3,970	2,706	1,650	1,056	2,320	55	23	45	140	396
179	XII.—Old age	15,510	9,666	10,015	4,171	5,844	5,495	223	154	156	217	936
180	XIII.—Violence	29,529	22,413	17,475	10,359	7,116	12,054	594	301	247	300	1,409
181	Suicide by poison	1,023	881	619	477	142	404	30	6	12	17	20
182	Suicide by asphyxia	180	176	107	103	4	73	.....	.....	1	.....	1
183	Suicide by hanging or strangulation	607	396	409	198	211	198	18	12	2	1	19
184	Suicide by drowning	180	109	119	48	71	61	2	6	2	.....	6
185	Suicide by firearms	835	670	449	284	165	386	13	5	6	12	36
186	Suicide by cutting instruments	171	127	112	68	44	59	6	2	1	.....	8
187	Suicide by jumping from high places	31	30	13	12	1	18	.....	.....	.....	.....	.....
188	Suicide by crushing	11	8	3	.....	3	8	.....	.....	.....	.....	.....
189	Other suicides	496	362	205	71	134	291	8	6	3	7	39
190	Fractures	2,673	2,084	1,827	1,238	589	846	90	25	27	20	80
191	Dislocations	52	35	32	15	17	20	.....	2	.....	1	1
192	Burns and scalds	2,573	2,046	1,505	978	527	1,068	58	23	31	29	142
193	Heat and sunstroke	1,266	1,139	710	583	127	556	24	6	34	7	20
194	Cold and freezing	138	66	98	26	72	40	4	4	.....	2	9
195	Lightning	95	29	77	11	66	18	1	3	1	.....	12
196	Drowning	3,525	2,457	2,413	1,345	1,068	1,112	68	53	22	23	108
197	Inhalation of poisonous gases	592	545	394	347	47	198	14	2	7	2	3
198	Other accidental poisonings	1,351	987	846	482	364	505	36	16	4	26	95
199	Accidental gunshot wounds	1,139	824	543	228	315	596	8	9	7	14	113
200	Injuries by machinery	123	79	70	26	44	53	2	.....	.....	.....	2
201	Injuries in mines and quarries	162	92	85	15	70	77	.....	.....	.....	.....	14
202	Railroad accidents and injuries	3,644	2,689	1,928	973	955	1,716	83	34	19	61	190
203	Injuries by vehicles and horses	409	300	280	171	109	129	2	2	3	7	26
204	Suffocation	538	354	338	154	184	200	6	4	2	8	61
205	Injuries at birth	1,050	800	780	530	250	270	35	10	11	4	34
206	Other accidental traumatisms	3,322	2,522	2,102	1,302	800	1,220	54	38	34	24	144
207	Burning by corrosive substances	2	2	1	1	.....	1	.....	.....	.....	.....	.....
208	Other external violence	2,654	2,005	1,159	510	649	1,495	32	32	8	31	189
209	Starvation, privation, etc	29	15	21	7	14	8	.....	1	.....	.....	4
210	Homicide	658	584	230	156	74	428	.....	.....	10	4	33
211	XIV.—Ill-defined causes	22,709	15,694	13,116	6,101	7,015	9,593	180	71	125	359	1,818
212	"Dropsy"	2,204	1,220	1,278	294	984	926	5	6	10	38	337
213	"Heart failure"	3,146	1,654	2,007	515	1,492	1,139	.....	2	5	71	443
214	Sudden death	77	43	45	11	34	32	1	.....	.....	.....	1
215	Unspecified or ill-defined causes of death	1,762	1,235	975	448	527	787	17	8	13	26	132
216	Inanition, over 3 months	2,415	1,862	1,222	669	553	1,193	32	7	20	81	188
217	Debility, over 3 months	3,712	2,450	2,104	842	1,262	1,608	43	10	12	77	287
218	Marasmus, over 3 months	5,934	5,228	3,471	2,765	706	2,463	62	19	61	43	84
219	Fever	435	260	243	68	175	192	3	4	1	8	88
220	Unknown causes	3,024	1,742	1,771	489	1,282	1,253	17	15	3	15	258

EACH DISEASE AND CLASS OF DISEASES: 1900—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
15	57	186	70	56	146	17	34	88	51	354	237	21	15	1	39	160
10	44	94	45	30	85	9	26	49	29	181	175	8	10	1	29	161
2	1	9	5	1	6	2	1	5	3	25	6	3	.....	.....	1	162
1	8	48	14	15	32	2	5	21	12	102	33	8	3	.....	5	163
2	4	35	6	10	23	4	2	13	7	46	23	2	2	.....	4	164
4	6	60	8	5	36	5	5	33	12	156	29	5	4	2	5	165
4	6	48	6	4	31	4	5	22	9	125	22	5	4	2	4	166
.....	.....	6	2	.....	.....	1	.....	2	.....	14	4	.....	.....	.....	1	167
.....	.....	5	.....	1	3	.....	.....	8	3	16	3	.....	.....	.....	.....	168
.....	.....	1	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	169
7	69	277	76	79	217	17	20	175	111	661	227	42	24	4	28	170
4	25	50	18	9	35	4	1	26	11	122	30	12	6	2	5	171
2	25	137	33	37	75	7	10	82	75	397	113	19	11	2	13	172
1	19	90	25	33	107	6	9	67	25	142	84	11	7	.....	10	173
120	306	2,350	446	612	735	189	126	967	457	3,989	1,050	215	100	55	165	174
49	158	1,009	170	292	359	73	42	358	189	1,719	496	99	44	32	94	175
44	94	855	156	194	177	64	50	402	168	1,475	274	81	39	14	35	176
7	21	91	15	36	52	11	7	41	23	126	76	13	4	2	5	177
20	33	395	105	90	147	41	27	166	77	669	204	22	13	7	31	178
86	530	961	610	312	869	90	283	255	256	1,726	1,787	113	123	32	296	179
113	362	1,728	553	636	1,316	115	173	1,296	772	5,021	1,888	278	142	31	200	180
1	6	41	9	24	31	1	2	74	16	267	45	10	4	.....	3	181
.....	.....	12	.....	2	1	.....	.....	4	1	82	.....	2	.....	.....	1	182
4	11	25	19	16	42	1	6	17	22	109	67	5	7	.....	6	183
2	7	10	13	3	13	2	2	9	9	13	11	5	3	.....	1	184
8	10	55	22	24	30	3	6	26	18	130	30	5	4	2	4	185
.....	5	18	5	3	6	1	1	8	.....	26	15	4	.....	1	2	186
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	11	1	.....	.....	.....	.....	187
.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	188
.....	7	19	11	8	13	4	7	5	6	15	36	1	.....	1	9	189
9	36	240	60	49	115	18	13	95	50	683	186	3	2	4	22	190
.....	.....	3	2	.....	6	.....	1	5	1	6	3	.....	.....	.....	1	191
10	36	184	33	43	87	10	14	133	54	455	119	23	10	2	9	192
2	3	77	12	15	17	3	1	84	35	329	32	7	1	1	.....	193
.....	3	5	6	1	13	.....	5	4	7	8	23	2	1	.....	1	194
.....	1	.....	3	1	22	2	.....	.....	5	6	17	.....	2	.....	1	195
20	75	223	131	93	171	20	30	247	141	600	304	27	34	2	21	196
.....	.....	38	6	10	5	.....	.....	44	8	224	21	8	2	.....	.....	197
6	15	48	18	28	59	2	13	48	39	269	87	13	1	2	21	198
4	14	25	13	11	52	4	6	15	25	138	72	1	1	1	10	199
.....	6	5	3	5	14	.....	1	5	4	5	11	4	2	.....	1	200
.....	.....	.....	.....	15	49	.....	.....	.....	5	.....	2	.....	.....	.....	.....	201
16	16	149	71	109	153	15	12	199	146	291	306	27	18	4	9	202
2	6	10	5	9	35	.....	2	6	3	119	23	13	6	.....	1	203
2	4	51	10	5	28	4	4	19	14	50	47	6	6	1	6	204
7	16	130	14	27	54	1	3	61	33	220	74	33	10	1	2	205
11	43	199	53	74	171	8	12	105	86	723	203	68	20	2	30	206
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	207
8	31	144	22	55	111	16	31	64	43	141	147	4	4	7	39	208
1	1	2	3	1	4	.....	.....	.....	.....	3	1	.....	.....	.....	.....	209
.....	10	15	8	5	12	.....	1	18	1	97	5	7	4	.....	.....	210
114	535	1,334	508	433	1,179	165	292	785	628	2,455	1,654	119	54	32	276	211
6	57	38	30	53	196	7	26	29	41	104	276	2	2	2	13	212
9	113	138	117	46	166	18	90	78	137	136	333	3	5	11	86	213
1	4	1	6	.....	3	.....	2	1	.....	6	17	.....	.....	1	1	214
23	49	103	34	32	58	20	28	41	39	158	145	11	4	4	30	215
11	36	114	44	38	68	20	12	78	42	228	131	44	13	3	12	216
28	76	253	106	57	190	49	73	66	109	249	366	7	2	1	43	217
16	24	500	89	84	60	19	13	434	202	1,515	200	25	5	6	10	218
3	8	10	8	8	20	3	1	12	5	19	29	.....	1	1	11	219
17	168	177	74	115	418	29	47	46	53	40	157	27	22	3	70	220

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

	CAUSE OF DEATH.		AGE									
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
1	All causes		539,939	111,687	26,722	12,129	7,812	5,787	164,137	15,678	9,144	14,498	22,260
2	Males		285,999	62,244	14,163	6,309	4,060	2,904	89,680	8,027	4,619	7,123	11,159
3	Females		253,940	49,443	12,559	5,820	3,752	2,883	74,457	7,651	4,525	7,375	11,101
4	I.—General diseases		147,236	9,137	6,423	4,660	3,698	2,872	26,790	7,682	3,681	7,192	11,485
5	Males		73,919	4,863	3,341	2,394	1,932	1,407	13,937	3,726	1,505	3,111	5,591
6	Females		73,317	4,274	3,082	2,266	1,766	1,465	12,853	3,956	2,176	4,081	5,894
7	Typhoid fever	M.	6,376	44	44	51	71	60	270	326	319	752	1,080
		F.	4,668	39	57	53	55	53	257	334	463	764	722
8	Malarial fever	M.	1,206	124	60	41	41	28	294	65	39	61	83
		F.	1,228	108	65	51	49	19	292	79	52	75	77
9	Smallpox	M.	381	21	6	7	3	4	41	13	14	32	63
		F.	230	19	12	6	5	4	46	17	13	18	47
10	Measles	M.	1,894	507	606	275	114	78	1,580	144	43	27	32
		F.	1,971	431	604	276	128	88	1,527	186	48	43	29
11	Scarlet fever	M.	1,612	117	197	258	280	177	1,029	429	76	31	14
		F.	1,523	72	155	250	222	195	894	437	91	34	30
12	Whooping cough	M.	1,691	942	417	153	86	32	1,630	49	2	3	.....
		F.	2,028	1,031	472	217	135	60	1,915	82	10	2	1
13	Diphtheria	M.	5,242	317	714	791	735	601	3,158	1,503	323	104	31
		F.	5,262	244	612	726	645	622	2,849	1,701	393	122	57
14	Croup	M.	1,507	168	310	288	246	174	1,186	302	14	2	.....
		F.	1,303	151	266	228	178	165	988	279	23	3	3
15	Influenza	M.	3,001	277	55	19	23	12	386	35	24	45	72
		F.	4,030	232	51	43	24	21	371	40	36	48	65
16	Cholera nostras	M.	407	65	13	5	7	5	95	8	10	8	5
		F.	393	53	14	6	6	1	80	13	6	12	3
17	Dysentery	M.	1,774	337	199	71	32	30	669	77	12	20	73
		F.	1,713	261	152	75	37	24	549	30	9	13	26
18	Erysipelas	M.	887	216	17	6	3	6	248	5	9	12	15
		F.	687	218	14	10	5	2	249	4	4	10	20
19	Other epidemic diseases[1]	M.	74	18	6	5	3	1	33	3	1	2	2
		F.	32	10	2	5	1	3	21	3	1	3	.....
20	Septicemia	M.	1,165	110	17	25	16	14	182	44	41	42	55
		F.	1,416	104	22	13	13	14	166	28	24	79	170
21	Tuberculosis of lungs	M.	29,372	476	265	151	102	66	1,060	232	248	1,591	3,581
		F.	26,132	391	212	120	103	60	886	326	651	2,441	4,116
22	Tuberculosis of larynx	M.	265	1	.....	1	.....	.....	2	1	.....	6	18
		F.	141	2	1	.....	1	.....	4	1	1	5	21
23	Tuberculous meningitis	M.	1,476	430	271	150	90	56	997	169	60	36	39
		F.	1,197	348	229	115	91	69	852	148	40	38	26
24	Abdominal tuberculosis	M.	761	113	49	21	15	6	204	34	21	45	64
		F.	874	86	35	15	11	12	159	31	31	74	78
25	Pott's disease	M.	233	14	4	8	10	7	43	26	21	18	21
		F.	183	17	4	5	5	3	34	15	20	12	19
26	Tuberculous abscess	M.	19	4	1	.....	.....	.....	5	.....	.....	1	1
		F.	21	3	.....	.....	1	.....	4	1	2	3	2
27	White swelling	M.	127	3	2	2	2	2	11	19	12	12	13
		F.	80	.....	4	2	.....	1	7	14	10	11	6
28	Tuberculosis of other organs	M.	194	7	.....	2	1	.....	10	8	7	14	18
		F.	145	7	6	.....	2	3	18	4	2	8	10
29	General tuberculosis	M.	375	31	18	9	6	8	72	16	13	21	47
		F.	293	26	12	3	7	3	51	3	22	17	39
30	Scrofula	M.	108	39	12	8	1	1	61	10	6	2	3
		F.	100	29	6	7	6	4	52	10	4	6	3
31	Venereal diseases	M.	589	317	16	8	7	1	349	2	1	5	15
		F.	456	253	15	6	2	2	278	2	3	10	14
32	Cancer of mouth	M.	377	2	.....	.....	.....	1	3	2	1	3	2
		F.	118	2	.....	1	.....	1	4	.....	2	.....	.....
33	Cancer of stomach and liver	M.	3,418	3	.....	1	.....	1	5	2	4	3	12
		F.	3,500	3	1	1	1	.....	6	2	5	5	9
34	Cancer of intestines	M.	792	2	2	1	2	.....	7	3	3	2	11
		F.	968	.....	1	.....	1	.....	2	.....	1	3	5
35	Cancer of female genital organs	F.	2,696	1	.....	.....	.....	1	2	1	4	2	21
36	Cancer of breast	M.	33	.....	.....	.....	.....	.....	.....	1	.....	.....	1
		F.	1,400	.....	.....	.....	.....	.....	.....	.....	.....	1	3
37	Cancer of skin	M.	392	.....	1	.....	1	.....	2	1	1	.....	.....
		F.	210	1	.....	1	1	.....	3	.....	1	.....	1
38	Cancer of other or unspecified organs	M.	2,282	4	10	10	8	6	38	17	20	28	37
		F.	3,195	7	5	6	10	2	30	13	20	19	39
39	Tumor	M.	157	9	2	2	1	.....	14	5	4	2	4
		F.	424	5	1	1	.....	.....	7	2	2	4	14
40	Rheumatism	M.	1,430	24	4	7	9	8	52	95	85	79	51
		F.	1,501	11	8	7	9	20	55	84	96	79	65
41	Diabetes	M.	1,532	7	5	5	5	8	30	30	49	67	49
		F.	1,464	7	6	4	4	2	23	34	51	39	58
42	Anemia, leukemia	M.	798	96	13	11	8	9	137	37	16	24	29
		F.	1,141	91	31	6	6	8	142	30	30	66	75
43	Alcoholism	M.	1,665	.....	.....	.....	1	.....	1	3	.....	.....	35
		F.	297	.....	.....	1	.....	.....	1	.....	.....	.....	5
44	Chronic poisonings	M.	108	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
		F.	53	.....	.....	2	.....	.....	2	.....	.....	2	4
45	Other general diseases	M.	199	18	5	2	3	5	33	10	6	11	11
		F.	244	11	7	4	2	3	27	2	5	10	11

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1900.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,573	23,727	24,606	23,364	22,521	24,283	25,024	27,633	29,123	29,025	25,447	18,843	9,646	3,367	1,113	1,927	1
12,501	12,734	13,631	13,214	12,756	13,539	13,527	14,610	15,149	14,758	12,799	8,967	4,296	1,298	383	1,229	2
12,072	10,993	10,975	10,150	9,765	10,744	11,497	13,023	13,974	14,267	12,648	9,876	5,350	2,069	730	698	3
12,173	10,938	10,200	8,720	7,707	7,541	6,985	6,739	6,265	5,172	3,892	2,333	999	279	70	393	4
6,129	5,886	5,608	4,650	4,119	3,937	3,428	3,272	2,998	2,445	1,765	1,036	427	101	28	220	5
6,044	5,052	4,592	4,070	3,588	3,604	3,557	3,467	3,267	2,727	2,127	1,297	572	178	42	173	6
943	716	571	424	322	200	145	106	76	50	27	13	5	1	.....	30	7
487	365	293	240	178	153	119	107	77	54	25	10	5	1	1	13	
77	58	63	55	55	57	60	57	45	61	40	18	11	1	1	5	8
68	67	56	44	42	53	54	50	72	65	42	22	12	1	2	3	
66	36	37	17	21	14	10	4	8	2	3	.....	.....	.....	.....	.....	9
25	15	13	14	5	4	7	3	2	.....	1	.....	.....	.....	.....	.....	
17	13	9	6	3	5	2	3	4	1	1	1	1	.....	.....	2	10
24	30	19	19	10	6	7	5	3	2	4	3	2	.....	.....	4	
9	11	5	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	11
18	6	3	5	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
1	.....	1	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	2	12
1	2	1	3	.....	1	1	.....	.....	.....	1	1	1	.....	.....	6	
31	35	14	5	8	5	7	4	3	2	1	2	.....	.....	.....	6	13
34	28	23	11	10	8	3	8	2	1	1	2	.....	2	.....	7	
.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14
1	.....	2	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	1	
59	90	89	121	115	128	137	223	296	324	331	305	156	43	11	11	15
90	96	107	125	128	183	213	324	411	473	499	461	232	92	23	13	
7	13	14	9	20	20	26	30	31	34	39	21	14	2	.....	1	16
12	4	7	8	15	14	30	26	40	43	30	25	14	7	3	1	
50	36	54	49	53	64	68	90	88	115	92	102	44	7	3	8	17
36	36	42	39	49	60	78	109	129	153	144	125	54	21	4	7	
23	45	46	58	46	58	66	50	62	50	55	25	7	4	2	1	18
25	17	34	29	18	35	36	48	39	40	45	22	7	3	.....	2	
7	2	6	8	3	2	1	2	.....	.....	2	.....	.....	.....	.....	.....	19
.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	
71	77	74	82	70	85	85	63	70	48	29	30	9	2	.....	6	20
213	178	147	89	52	39	64	56	31	30	24	14	3	2	.....	7	
4,160	3,922	3,615	2,697	2,200	1,807	1,345	1,075	807	494	303	118	41	7	1	68	21
4,332	3,342	2,669	1,906	1,294	1,006	826	713	625	447	310	121	38	6	2	55	
31	35	40	38	21	20	11	18	13	6	2	3	.....	.....	.....	.....	22
24	30	12	15	9	4	1	1	4	2	4	2	1	.....	.....	.....	
36	43	30	25	12	6	5	8	3	.....	1	2	1	.....	.....	3	23
22	15	21	10	7	6	3	3	2	1	2	.....	.....	.....	.....	1	
43	51	50	46	45	32	21	34	37	12	12	5	.....	.....	1	4	24
82	89	66	45	38	50	39	23	29	18	12	6	.....	.....	.....	4	
16	15	12	6	11	13	7	10	6	3	5	.....	.....	.....	.....	.....	25
9	7	11	8	3	15	8	8	5	4	2	3	.....	.....	.....	.....	
1	1	1	.....	1	2	.....	1	4	1	.....	.....	.....	.....	.....	.....	26
.....	2	1	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	
1	11	9	12	11	4	3	4	3	1	.....	.....	.....	.....	.....	1	27
8	4	4	1	3	2	1	1	2	1	3	2	.....	.....	.....	.....	
16	18	14	14	9	14	14	6	10	7	9	2	2	1	.....	1	28
13	19	13	11	12	1	4	4	13	3	7	1	1	.....	.....	1	
40	40	37	14	23	16	14	8	8	3	1	2	.....	.....	.....	.....	29
29	28	24	16	17	11	6	11	8	6	5	.....	.....	.....	.....	.....	
3	2	5	1	.....	3	3	1	1	3	1	.....	1	1	.....	1	30
2	2	*3	1	1	5	.....	3	4	2	.....	1	.....	1	.....	.....	
25	30	34	35	22	25	13	11	8	5	1	.....	.....	.....	.....	8	31
29	31	20	17	19	13	5	3	6	3	.....	.....	.....	.....	.....	3	
2	5	14	13	23	47	60	55	43	48	30	17	7	2	.....	.....	32
2	1	5	5	13	6	18	14	17	14	10	5	.....	2	.....	.....	
23	77	118	191	281	407	485	520	495	411	253	92	23	3	1	12	33
38	63	155	224	309	406	477	554	472	366	252	111	36	6	1	3	
25	39	37	55	61	84	105	110	91	88	43	16	5	1	1	5	34
21	26	51	71	76	129	131	117	123	93	63	37	12	.....	1	6	
59	118	226	342	433	423	346	260	196	148	72	31	9	1	1	1	35
.....	1	1	1	3	2	3	6	2	5	5	.....	2	.....	.....	.....	36
16	34	76	126	158	163	200	180	139	105	99	61	31	3	.....	5	
4	8	11	18	16	30	29	40	58	50	54	42	22	2	2	2	37
1	6	7	9	7	9	11	19	33	32	30	20	15	4	.....	2	
39	48	87	137	188	240	236	259	286	277	190	96	41	12	1	5	38
58	93	163	278	334	389	413	383	347	258	173	105	53	15	3	9	
4	4	5	13	14	10	12	16	17	18	7	8	.....	.....	.....	.....	39
17	25	34	47	41	37	33	42	40	32	29	10	4	2	.....	2	
64	78	73	75	77	100	113	101	127	101	81	49	14	6	3	6	40
53	58	73	87	85	84	115	122	125	119	112	57	24	5	1	2	
62	73	67	85	94	135	125	183	173	150	98	38	14	3	1	6	41
48	57	53	61	72	150	193	185	185	135	82	26	7	2	.....	3	
26	30	48	47	55	65	64	69	53	43	27	21	5	2	.....	.....	42
68	71	82	80	80	98	75	60	61	59	34	12	9	2	.....	7	
127	197	289	261	208	207	136	81	56	21	17	5	.....	.....	.....	21	43
36	51	55	45	40	19	11	11	11	5	3	1	.....	.....	.....	3	
11	14	15	9	11	14	4	11	7	5	1	2	.....	.....	.....	.....	44
5	8	2	7	2	2	4	2	8	3	2	.....	.....	.....	.....	.....	
9	12	13	20	15	14	12	13	7	6	3	1	1	1	.....	1	45
18	27	19	31	23	16	22	11	6	10	5	.....	1	.....	.....	.....	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
46	II.—Diseases of nervous system	64,232	14,176	3,658	1,621	937	719	21,111	1,752	993	1,001	983
47	Males	34,412	8,069	1,952	845	477	369	11,712	970	543	528	499
48	Females	29,820	6,107	1,706	776	460	350	9,399	782	450	473	484
49	Encephalitis M	562	168	63	32	17	17	297	46	23	13	14
	Encephalitis F	468	128	67	34	17	13	259	30	14	20	23
50	Meningitis M	6,866	2,392	1,107	496	285	209	4,489	582	258	220	151
	Meningitis F	5,712	1,879	936	451	279	230	3,775	524	269	183	143
51	Locomotor ataxia M	434	1					1	1	1		5
	Locomotor ataxia F	159	3					3	1		3	2
52	Other diseases of spinal cord M	736	35	10	12	9	6	72	12	3	21	16
	Other diseases of spinal cord F	593	23	15	9	8	5	60	7	12	12	8
53	Apoplexy M	10,671	455	121	61	39	29	705	70	39	53	86
	Apoplexy F	10,101	324	101	52	27	23	527	52	46	61	84
54	Softening of brain M	688	1				1	2	1	2		2
	Softening of brain F	558		1				1	1			4
55	Paralysis M	3,847	34	12	16	7	7	76	23	11	22	24
	Paralysis F	4,103	33	13	11	7	3	67	16	8	29	32
56	General paralysis of insane M	1,334	2					2	1	2	1	7
	General paralysis of insane F	621	1					1		2	2	3
57	Other forms of mental disease M	652									6	27
	Other forms of mental disease F	673								3	10	22
58	Other diseases of brain M	936	123	42	12	12	16	205	30	26	32	44
	Other diseases of brain F	671	98	26	12	5	8	149	26	15	27	34
59	Epilepsy M	798	33	5	5	5	6	54	29	31	70	71
	Epilepsy F	539	15	5	8	5	1	34	17	30	48	38
60	Convulsions M	5,484	4,336	571	204	92	63	5,266	88	14	12	11
	Convulsions F	4,527	3,276	530	192	100	62	4,160	74	19	33	53
61	Tetanus M	909	454	7	2	7	8	478	67	114	61	23
	Tetanus F	445	297	2	4	4	3	310	15	13	10	12
62	Other diseases of nervous system M	495	35	14	5	4	7	65	20	19	17	18
	Other diseases of nervous system F	650	30	10	3	8	2	53	19	19	35	26
63	III.—Diseases of circulatory system	45,279	1,329	147	115	105	125	1,821	729	856	907	1,112
64	Males	23,746	750	83	62	58	71	1,024	338	369	437	518
65	Females	21,533	579	64	53	47	54	797	391	487	470	594
66	Pericarditis M	426	7	4	2	5	5	23	15	22	18	20
	Pericarditis F	383	11	1	1	4	5	22	23	19	26	13
67	Endocarditis M	1,843	32	9	11	15	14	81	81	80	72	70
	Endocarditis F	1,811	37	4	9	8	15	73	110	103	82	93
68	Heart disease M	17,764	484	46	34	30	38	632	209	243	310	353
	Heart disease F	16,446	363	39	31	29	28	490	236	343	314	382
69	Angina pectoris M	1,118	1	4			2	7		3	5	9
	Angina pectoris F	840	3	3			1	7	3	4	11	22
70	Diseases of arteries M	1,195	1				1	2		1		5
	Diseases of arteries F	681	6	1	1			8	1	2	3	2
71	Embolism and thrombosis M	544	16	4	2		2	24	8	3	9	14
	Embolism and thrombosis F	675	8	2	2		2	14	4	6	16	43
72	Diseases of veins M	55	4				1	5			2	1
	Diseases of veins F	98	3					3			6	2
73	Diseases of lymphatics M	40	7	5	1	2	1	16	1	2	1	3
	Diseases of lymphatics F	36	18	5	2	1		26	1			
74	Other diseases of circulatory system M	761	198	11	12	6	7	234	24	15	20	43
	Other diseases of circulatory system F	563	130	9	7	5	3	154	13	10	12	37
75	IV.—Diseases of respiratory system	78,832	17,553	7,442	3,228	1,598	980	30,801	2,104	869	1,436	2,136
76	Males	41,682	9,856	3,978	1,636	800	475	16,745	1,026	390	793	1,253
77	Females	37,150	7,697	3,464	1,592	798	505	14,056	1,078	479	643	883
78	Laryngitis M	283	39	45	33	24	18	159	40	10	1	3
	Laryngitis F	236	35	30	34	27	18	144	36	3	8	3
79	Other diseases of larynx M	241	51	36	26	15	18	146	28	4	3	5
	Other diseases of larynx F	165	46	24	23	16	6	115	19	4		2
80	Diseases of thyroid body M	11	1					1			3	1
	Diseases of thyroid body F	56		1				1		4	1	4
81	Acute bronchitis M	4,292	2,799	724	263	90	60	3,936	28	7	8	8
	Acute bronchitis F	3,843	2,250	649	257	108	71	3,335	31	9	8	14
82	Chronic bronchitis M	2,516	81	20	8	6	2	117	70	21	30	42
	Chronic bronchitis F	3,408	54	25	9	6	2	96	83	24	41	65
83	Bronchopneumonia M	3,433	1,424	652	254	122	60	2,512	98	19	26	25
	Bronchopneumonia F	3,300	1,073	536	247	122	72	2,050	115	21	23	37
84	Pneumonia M	26,370	4,875	2,360	972	496	279	8,982	684	278	609	980
	Pneumonia F	22,410	3,800	2,075	953	486	310	7,624	710	351	477	613
85	Pleurisy M	824	29	40	21	20	15	125	27	13	37	60
	Pleurisy F	624	25	27	16	7	9	84	29	14	24	52
86	Congestion of lungs M	1,831	476	79	47	20	18	640	37	20	33	37
	Congestion of lungs F	1,673	347	75	40	21	10	493	32	33	33	37
87	Gangrene of lungs M	88	1	1		1		3	2		3	5
	Gangrene of lungs F	37	1		1		1	3	1			4
88	Asthma and emphysema M	837	20	11	6	2	2	41	8	5	7	10
	Asthma and emphysema F	777	15	6	3	3	1	28	4	4	4	8
89	Hemorrhage of lungs M	546	19	2	1	2		24	1	8	16	49
	Hemorrhage of lungs F	325	12	1	1	2	2	18	8	5	11	24
90	Other diseases of respiratory system M	410	41	8	5	2	3	59	3	5	17	28
	Other diseases of respiratory system F	296	39	15	8		3	65	10	7	13	20

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,204	1,389	1,747	2,078	2,421	2,928	3,402	4,225	4,718	4,973	4,452	2,968	1,241	360	99	187	46
648	790	1,021	1,243	1,310	1,530	1,834	2,241	2,470	2,565	2,252	1,435	538	134	35	114	47
556	599	726	835	1,111	1,398	1,568	1,984	2,248	2,408	2,200	1,533	703	226	64	73	48
12	20	16	18	18	11	12	18	14	18	10	2	.....	.....	.....	.....	49
12	15	12	11	11	10	13	9	9	5	9	2	1	1	.....	2	
196	169	140	136	100	96	68	61	79	46	29	18	8	5	.....	15	50
139	118	100	79	77	57	58	44	47	36	24	19	5	3	3	9	
6	13	19	39	44	63	64	67	44	36	23	6	1	1	.....	.....	51
.....	5	9	10	17	22	19	24	20	8	12	3	.....	1	.....	.....	
21	25	35	49	52	55	73	71	88	68	41	26	2	.....	1	5	52
24	28	34	30	33	42	54	66	59	50	41	19	.....	2	.....	2	
134	205	322	431	553	723	955	1,214	1,350	1,376	1,239	772	307	74	18	45	53
101	145	222	345	571	764	908	1,104	1,274	1,344	1,195	798	386	122	29	23	
4	11	13	25	26	37	54	78	84	124	108	78	29	5	1	4	54
5	12	6	11	20	40	35	57	82	90	86	69	27	8	2	2	
44	58	88	111	143	206	272	441	531	603	576	415	144	40	11	8	55
38	47	64	90	150	227	282	431	538	645	628	481	230	70	20	10	
21	62	139	183	161	141	131	93	102	125	90	48	15	4	1	5	56
10	27	33	46	37	56	38	51	54	80	75	57	30	10	3	6	
31	48	65	67	53	58	56	54	66	44	35	24	12	.....	.....	6	57
42	44	63	64	67	51	48	70	57	37	51	24	11	4	4	1	
43	66	56	63	54	45	56	56	46	36	38	21	10	3	3	3	58
27	32	55	40	37	41	33	34	29	35	29	21	4	1	2	.....	
80	61	74	64	47	37	44	40	23	33	15	10	4	1	.....	10	59
53	49	47	35	38	29	24	30	22	22	11	10	1	1	.....	.....	
10	8	4	12	10	11	4	10	2	3	5	2	1	.....	.....	11	60
51	28	27	19	13	7	6	5	6	5	1	5	.....	.....	.....	15	
28	23	19	22	21	16	15	7	5	4	4	.....	1	.....	.....	1	61
15	13	11	11	9	7	6	6	2	1	2	2	.....	.....	.....	.....	
18	21	31	23	28	31	30	31	36	49	39	13	4	1	.....	1	62
39	36	43	44	31	45	44	53	49	40	36	23	8	3	1	3	
1,378	1,614	2,015	2,303	2,658	3,263	3,870	4,568	5,174	5,063	4,087	2,426	1,013	224	48	150	63
631	811	996	1,196	1,431	1,811	2,070	2,481	2,846	2,720	2,175	1,224	491	75	17	85	64
747	803	1,019	1,107	1,227	1,452	1,800	2,087	2,328	2,343	1,912	1,202	522	149	31	65	65
24	25	27	28	31	31	38	26	38	24	21	10	5	.....	.....	.....	66
15	26	22	32	29	19	23	27	38	18	16	9	3	1	.....	2	
91	82	94	106	129	152	164	138	171	153	106	48	21	2	.....	2	67
82	86	102	89	98	118	124	162	151	140	99	70	17	7	3	2	
420	569	704	875	1,044	1,318	1,569	1,918	2,197	2,133	1,735	996	400	60	10	69	68
504	551	742	832	974	1,144	1,432	1,645	1,851	1,899	1,543	958	419	113	20	54	
17	24	47	54	61	116	118	170	180	139	102	44	18	2	.....	2	69
30	29	38	35	49	65	92	101	113	106	64	51	15	4	.....	1	
21	32	53	71	82	102	106	135	159	158	135	80	34	8	7	4	70
7	9	12	23	22	29	54	66	87	112	99	75	39	22	8	1	
15	28	28	21	35	41	33	51	60	81	52	30	9	1	.....	1	71
59	44	49	52	29	44	45	51	55	47	64	30	20	2	.....	1	
3	4	2	1	5	3	8	5	8	1	5	1	1	.....	.....	.....	72
6	10	8	9	7	10	6	13	6	4	4	1	3	.....	.....	.....	
3	2	.....	1	1	.....	3	2	2	1	.....	1	1	.....	.....	.....	73
1	1	.....	.....	2	1	1	.....	1	1	1	.....	.....	.....	.....	.....	
37	45	41	39	43	48	31	36	31	30	19	14	2	2	.....	7	74
43	47	46	35	17	22	23	22	26	16	22	8	6	.....	.....	4	
2,494	2,575	2,929	2,832	2,935	3,297	3,543	4,033	4,329	4,244	3,701	2,626	1,303	379	96	170	75
1,468	1,566	1,751	1,756	1,799	1,897	1,901	1,955	1,989	1,894	1,615	1,108	521	135	28	92	76
1,026	1,009	1,178	1,076	1,136	1,400	1,642	2,078	2,340	2,350	2,086	1,518	782	244	68	78	77
2	11	3	9	9	7	7	5	5	4	4	2	2	.....	.....	.....	78
2	7	1	6	2	1	5	3	2	4	5	2	1	.....	1	.....	
3	3	3	6	5	8	8	6	4	6	2	1	.....	.....	.....	.....	79
5	2	2	2	1	3	.....	1	4	1	1	1	1	.....	.....	1	
1	.....	.....	.....	2	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	80
2	2	1	5	6	7	8	5	3	3	4	.....	.....	.....	.....	.....	
9	9	5	8	14	15	29	27	25	55	34	42	23	7	.....	3	81
11	4	14	10	15	13	29	33	53	64	74	69	36	13	4	4	
59	50	65	65	82	124	185	213	256	332	349	246	150	42	14	4	82
70	62	68	77	80	136	187	324	421	496	465	384	222	79	22	6	
31	29	51	39	49	61	61	82	79	96	84	60	23	4	.....	4	83
37	33	36	46	46	69	66	120	123	151	136	108	51	25	1	6	
1,180	1,249	1,381	1,383	1,377	1,379	1,287	1,315	1,283	1,116	917	589	241	59	10	71	84
738	771	877	793	834	970	1,133	1,316	1,419	1,341	1,124	760	372	109	32	46	
42	75	64	52	57	53	50	54	42	29	23	13	5	1	1	1	85
52	32	45	33	40	36	18	43	43	34	20	15	10	.....	.....	.....	
43	52	55	69	82	96	103	82	125	104	105	86	43	17	.....	2	86
50	36	59	46	48	80	80	85	109	126	136	110	55	12	6	7	
4	5	6	9	6	11	9	4	9	6	4	2	.....	.....	.....	.....	87
7	4	7	3	.....	1	1	.....	3	.....	.....	1	1	.....	.....	1	
13	17	25	40	42	69	89	107	110	96	71	49	28	5	3	2	88
16	17	25	27	37	56	73	108	117	89	86	47	23	5	1	2	
52	38	62	50	50	48	36	32	27	26	9	11	4	.....	.....	3	89
23	21	23	16	11	20	30	21	30	22	21	14	3	1	1	2	
29	28	31	26	24	25	37	27	24	24	12	7	2	.....	.....	2	90
13	18	20	12	16	8	12	19	13	19	14	7	7	.....	.....	3	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.		AGE.										
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
91	V.—Diseases of digestive system		69,607	31,130	6,658	1,401	615	401	40,205	1,216	999	1,183	1,589
92	Males		36,159	16,937	3,498	761	317	193	21,706	642	548	593	698
93	Females		33,448	14,193	3,160	640	298	208	18,499	574	451	590	891
94	Diseases of mouth	M.	133	96	13	4	3	1	117	1	1	1	
		F.	137	87	14	6	3	3	113	3		2	1
95	Tonsilitis	M.	188	16	23	16	17	13	85	38	15	3	9
		F.	163	13	17	12	8	10	60	34	20	5	8
96	Other diseases of pharynx	M.	189	24	10	3	3	5	45	14	2	3	6
		F.	124	21	12	6	4	4	47	7	3	2	4
97	Ulcer of stomach	M.	419	6	4	1		1	12	2	2	5	12
		F.	385	5			1		6	2	1	9	31
98	Gastritis	M.	2,011	417	71	21	20	14	543	30	11	20	32
		F.	2,297	325	87	31	20	19	482	30	14	35	66
99	Other diseases of stomach	M.	1,074	459	49	16	11	8	543	18	5	5	19
		F.	1,019	411	60	23	10	8	512	22	7	10	16
100	Dentition	M.	382	224	139	16	2		381				
		F.	317	195	110	11			316				
101	Diarrhea and enteritis	M.	21,631	14,956	3,084	596	203	105	18,944	193	61	69	100
		F.	19,354	12,671	2,768	495	202	108	16,244	173	70	74	94
102	Hernia	M.	610	79	7	3			89	8	6	8	16
		F.	550	20	5	1			26	4	1	2	2
103	Obstruction of intestines	M.	1,261	274	31	26	12	10	353	52	30	38	53
		F.	1,325	147	31	16	18	12	224	37	20	35	48
104	Other diseases of intestines	M.	548	131	11	7	8	2	159	11	12	14	19
		F.	459	182	11	6	7	7	133	10	10	14	16
105	Acute yellow atrophy of liver	M.	45	4					4	1		1	3
		F.	59	5		1			6	1		2	6
106	Hydatid tumors of liver	M.	8								1		
		F.	2									1	
107	Cirrhosis of liver	M.	2,555	8	1		1	1	11	8	7	3	23
		F.	1,415	11	2				13	3	5	5	17
108	Biliary calculi	M.	149	3					3			1	1
		F.	310			1			1	1	1		3
109	Other diseases of liver	M.	1,348	101	19	14	6	3	143	26	13	20	41
		F.	1,382	68	16	9	7	5	105	16	14	19	37
110	Diseases of spleen	M.	45	3					3	1		4	3
		F.	44	3					3	2	1		5
111	Peritonitis	M.	1,666	126	33	30	24	17	230	110	136	137	115
		F.	2,973	106	22	19	13	20	180	105	109	225	416
112	Appendicitis	M.	1,875	10	3	8	7	13	41	129	245	260	245
		F.	1,112	3	5	3	4	12	27	123	175	150	120
113	Other diseases of digestive system	M.	22								1	1	1
		F.	21				1		1	1			1
114	VI.—Diseases of genito-urinary system		32,567	547	149	142	130	140	1,108	483	338	555	1,137
115	Males		17,834	332	79	68	79	66	624	238	163	213	401
116	Females		14,733	215	70	74	51	74	484	245	175	342	736
117	Acute nephritis	M.	1,148	70	20	25	23	22	160	70	32	33	68
		F.	1,164	70	28	21	22	38	179	75	34	56	99
118	Bright's disease	M.	13,986	186	49	39	53	40	367	157	121	165	301
		F.	11,079	110	34	48	27	32	251	165	132	197	427
119	Other diseases of kidneys	M.	620	45	6	3	3	2	59	7	5	9	18
		F.	370	18	5	3	1	4	31	4	4	11	16
120	Calculi of urinary tract	M.	82	1					1		1	1	1
		F.	34	2					2		1		2
121	Diseases of bladder	M.	1,443	22		1		2	25	3	4	5	10
		F.	201	8	3	1			12				2
122	Uterine tumor	F.	403										6
123	Other diseases of uterus	F.	634	2					2	1	3	41	79
124	Ovarian tumor	F.	349								1	6	21
125	Diseases of tubes	F.	351									23	61
126	Other diseases of genito-urinary system	M.	555	8	4				12	1			3
		F.	148	5		1	1		7			8	23
127	VII.—Childbirth		4,106								6	299	893
128	Puerperal septicemia	F.	1,769								5	132	433
129	Puerperal convulsions	F.	671								1	85	168
130	Other causes incident to childbirth	F.	1,666									82	292
131	VIII.—Diseases of skin		2,461	347	49	24	22	19	461	38	23	18	40
132	Males		1,356	197	30	9	11	10	257	26	11	10	26
133	Females		1,105	150	19	15	11	9	204	12	12	8	14
134	Gangrene	M.	744	25	5	4	5	2	41	7	4	4	9
		F.	601	18	6	6	3	2	35	3	2	1	3
135	Carbuncle	M.	84	9				1	10	1			
		F.	69	8		1			9			1	2
136	Abscess	M.	347	65	14	4	5	7	95	17	4	5	13
		F.	252	55	6	3	7	3	74	7	9	5	6
137	Other diseases of skin	M.	181	98	11	1	1		111	1	3	1	4
		F.	183	69	7	5	1	4	86	2	1	1	3
138	IX.—Diseases of locomotor system		677	192	79	23	15	13	322	30	21	24	16
139	Males		396	106	40	15	7	9	177	21	14	18	11
140	Females		281	86	39	8	8	4	145	9	7	6	5
141	Diseases of bones	M.	319	105	40	15	7	8	175	19	11	11	7
		F.	239	83	39	8	8	4	142	7	7	6	5
142	Diseases of joints	M.	19	1				1	2			4	1
		F.	28	3					3	1			
143	Other diseases of locomotor system	M.	58							2	3	3	3
		F.	14							1			

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1900—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,852	1,769	1,929	1,931	1,957	2,146	2,177	2,281	2,438	2,234	1,759	1,106	498	134	54	150	91
788	769	896	1,005	1,037	1,134	1,175	1,187	1,231	1,045	849	498	214	47	17	80	92
1,064	1,000	1,033	926	920	1,012	1,002	1,094	1,207	1,189	910	608	284	87	37	70	93
.....	.....	1	.....	1	3	1	2	.....	.....	2	1	1	.....	.....	1	94
2	.....	.....	.....	.....	2	.....	2	5	3	2	2	.....	.....	.....	.....	
6	8	5	2	.....	3	5	2	1	2	1	1	.....	.....	1	1	95
8	3	2	6	5	3	1	2	3	.....	2	.....	1	.....	.....	.....	
9	8	5	7	5	16	15	9	23	7	9	5	1	.....	.....	.....	96
2	5	2	3	10	6	3	8	7	9	3	3	.....	.....	.....	.....	
16	34	31	28	38	35	42	38	47	34	26	11	3	.....	.....	3	97
47	35	33	29	27	34	23	31	28	28	11	5	3	1	.....	1	
49	63	68	85	92	111	136	152	181	165	136	85	32	8	3	9	98
86	80	105	103	97	142	120	154	188	194	176	142	55	19	5	4	
13	22	27	43	44	47	42	32	54	57	43	35	17	3	1	4	99
23	18	27	23	25	37	32	33	54	68	44	35	27	4	1	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	100
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
93	98	118	131	137	160	187	245	257	247	239	203	91	17	9	32	101
139	140	128	121	137	154	218	238	321	352	304	227	119	44	26	31	
18	23	28	31	34	40	49	56	52	55	55	23	11	6	.....	2	102
9	11	23	46	43	61	57	78	68	47	41	20	9	1	.....	1	
52	46	51	49	63	74	93	58	79	64	61	24	11	4	2	4	103
71	63	63	86	80	75	86	82	93	103	78	46	21	4	1	9	
28	29	20	27	20	20	34	26	44	30	31	10	6	1	.....	6	104
25	23	33	16	22	17	19	25	22	24	27	15	6	.....	.....	2	
2	3	2	3	5	8	1	3	2	3	3	1	.....	.....	.....	.....	105
3	4	6	4	5	3	5	3	5	5	1	.....	.....	.....	.....	.....	
.....	.....	1	1	.....	1	1	1	.....	1	1	.....	.....	.....	.....	.....	106
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
71	131	202	273	297	320	315	309	253	170	106	34	12	3	.....	7	107
43	60	117	149	138	166	160	157	141	123	74	28	9	1	1	5	
3	6	4	10	16	18	19	17	21	10	8	5	4	.....	.....	3	108
14	11	18	30	37	38	27	39	38	30	14	4	2	1	.....	1	
56	58	82	92	93	123	99	139	119	114	75	36	15	3	.....	1	109
48	59	86	76	83	129	136	130	130	132	84	61	17	9	2	9	
4	1	3	4	5	4	6	2	1	1	2	1	.....	.....	.....	.....	110
2	4	4	1	5	1	5	3	2	3	2	.....	1	.....	.....	.....	
126	91	116	95	98	71	79	63	65	62	38	18	10	2	.....	4	111
426	401	305	188	150	97	73	87	87	59	33	14	11	3	.....	4	
241	147	132	120	86	78	51	32	27	21	13	5	.....	.....	.....	2	112
113	79	80	44	55	43	35	22	14	9	13	5	3	.....	1	1	
1	1	.....	4	3	2	.....	1	5	2	.....	.....	.....	.....	.....	.....	113
3	4	1	1	1	4	1	.....	1	.....	1	1	.....	.....	.....	.....	
1,454	1,089	1,988	2,273	2,286	2,661	2,786	3,179	3,111	2,994	2,371	1,375	572	102	27	78	114
541	681	886	1,087	1,186	1,472	1,593	1,866	1,907	1,925	1,596	939	384	65	16	51	115
913	1,008	1,102	1,186	1,100	1,189	1,193	1,313	1,204	1,069	775	436	188	37	11	27	116
79	82	79	79	82	72	60	68	63	51	37	22	5	2	.....	4	117
90	93	89	86	63	64	61	44	45	34	28	13	6	4	1	.....	
434	548	750	941	1,021	1,286	1,398	1,586	1,494	1,415	1,102	597	213	43	10	37	118
538	579	732	843	817	984	991	1,154	1,062	944	667	379	159	31	8	19	
16	22	30	29	29	34	32	57	62	68	66	46	28	2	.....	1	119
18	29	25	20	22	24	35	24	28	30	25	13	7	1	.....	3	
1	.....	4	7	5	6	6	7	15	14	6	5	2	.....	.....	.....	120
1	3	4	2	2	1	1	3	3	2	4	3	.....	.....	.....	.....	
5	17	9	19	22	50	62	107	216	272	290	198	102	16	4	7	121
5	9	4	4	7	10	23	19	22	29	28	13	10	1	2	1	
18	34	58	80	65	42	30	31	10	11	14	3	1	.....	.....	.....	122
101	117	91	67	63	25	16	8	9	4	2	3	3	.....	.....	1	123
33	37	34	36	30	38	32	28	21	14	7	6	2	.....	.....	3	124
85	79	42	37	21	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	125
6	12	14	12	27	24	35	41	57	105	95	71	34	2	2	2	126
24	28	23	11	10	2	4	2	3	1	.....	2	.....	.....	.....	.....	
1,035	843	653	320	30	4	3	.....	1	1	2	.....	.....	.....	.....	16	127
467	353	253	111	7	1	1	.....	.....	1	.....	.....	.....	.....	.....	5	128
153	115	89	55	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	129
415	375	311	154	20	3	2	.....	1	.....	2	.....	.....	.....	.....	9	130
51	65	63	76	88	120	137	171	222	274	237	205	111	43	12	6	131
29	40	39	38	48	61	83	83	115	146	136	113	73	16	2	4	132
22	25	24	38	40	59	54	88	107	128	101	92	38	27	10	2	133
5	10	8	16	22	19	44	47	81	123	111	103	71	16	1	2	134
6	1	6	7	14	31	30	56	79	92	80	91	32	21	10	1	
1	8	3	5	6	7	9	10	10	4	6	2	2	.....	.....	.....	135
1	1	1	6	5	4	10	9	6	9	3	.....	1	.....	.....	1	
21	20	26	12	16	27	22	21	16	14	11	4	.....	.....	1	2	136
12	16	11	20	14	16	8	9	9	17	12	1	2	4	.....	.....	
2	2	2	5	4	8	8	5	8	5	8	4	.....	.....	.....	.....	137
3	7	6	5	7	8	6	14	13	10	6	.....	3	2	.....	.....	
18	25	25	29	27	22	27	16	30	20	8	10	5	.....	1	1	138
13	12	19	20	13	13	16	9	18	8	4	5	3	.....	1	1	139
5	13	6	9	14	9	11	7	12	12	4	5	2	.....	.....	.....	140
7	7	12	15	13	12	10	6	12	6	3	2	1	.....	.....	.....	141
3	10	3	6	12	7	6	4	5	7	3	5	1	.....	.....	.....	
1	1	3	1	3	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	142
2	1	2	1	2	.....	4	1	5	5	.....	.....	1	.....	.....	.....	
5	4	4	4	7	1	6	3	6	1	.....	3	1	.....	1	1	143
.....	2	1	2	.....	2	1	2	2	.....	1	.....	.....	.....	.....	.....	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
144	X.—Malformations	3,540	3,227	151	45	24	12	3,459	30	14	2	5
145	Males	2,001	1,835	81	22	14	4	1,956	14	9	2	1
146	Females	1,539	1,392	70	23	10	8	1,503	16	5	.....	4
147	Hydrocephalus (M)	351	230	64	14	11	4	323	10	5	1	1
	(F)	284	182	51	17	9	5	264	10	3	.....	3
148	Congenital malformation of heart (cyanosis). (M)	1,102	1,070	11	7	3	.....	1,091	2	3	1	.....
	(F)	769	742	9	4	1	2	758	4	2	.....	1
149	Other congenital malformations (M)	548	535	6	1	.....	.....	542	2	1	.....	.....
	(F)	486	468	10	2	.....	1	481	2	.....	.....	.....
150	XI.—Early infancy	23,654	23,654	.....	.....	.....	.....	23,654	.....	.....	.....	.....
151	Males	13,557	13,557	.....	.....	.....	.....	13,557	.....	.....	.....	.....
152	Females	10,097	10,097	.....	.....	.....	.....	10,097	.....	.....	.....	.....
153	Premature birth (M)	5,815	5,815	.....	.....	.....	.....	5,815	.....	.....	.....	.....
	(F)	4,355	4,355	.....	.....	.....	.....	4,355	.....	.....	.....	.....
154	Congenital debility (M)	7,742	7,742	.....	.....	.....	.....	7,742	.....	.....	.....	.....
	(F)	5,742	5,742	.....	.....	.....	.....	5,742	.....	.....	.....	.....
155	XII.—Old age	15,510	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
156	Males	6,634	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
157	Females	8,876	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	XIII.—Violence	29,529	1,935	532	527	505	390	3,889	1,314	1,169	1,631	2,516
159	Males	22,691	1,116	316	316	283	242	2,273	871	980	1,305	2,008
160	Females	6,838	819	216	211	222	148	1,616	443	189	326	508
161	Suicide (M)	2,724	.....	.....	.....	.....	.....	.....	.....	5	53	173
	(F)	810	.....	.....	.....	.....	.....	.....	.....	4	74	146
162	Fractures and dislocations (M)	2,067	13	5	18	14	18	68	71	70	90	164
	(F)	658	11	7	11	9	5	43	31	15	7	11
163	Burns and scalds (M)	1,066	39	136	152	124	82	533	72	19	21	43
	(F)	1,507	62	86	107	136	92	483	224	58	56	69
164	Heat and sunstroke (M)	866	100	19	5	4	2	130	10	10	10	40
	(F)	400	85	14	6	5	2	112	7	5	10	19
165	Cold and freezing (M)	110	3	.....	.....	1	1	5	2	1	1	4
	(F)	28	2	1	1	.....	1	5	.....	.....	.....	1
166	Lightning (M)	83	1	.....	.....	1	.....	2	2	5	12	9
	(F)	12	.....	.....	.....	.....	.....	.....	3	1	1	.....
167	Drowning (M)	3,229	15	30	29	29	48	151	302	414	343	358
	(F)	296	8	21	5	11	3	48	24	35	39	36
168	Inhalation of poisonous gases (M)	405	5	1	5	2	1	14	6	8	17	39
	(F)	187	3	1	2	3	1	10	12	2	12	25
169	Other accidental poisonings (M)	801	28	52	38	20	17	155	17	10	29	42
	(F)	550	26	27	27	10	5	95	15	9	52	78
170	Accidental gunshot wounds (M)	1,019	2	3	1	2	1	9	19	69	110	157
	(F)	120	2	.....	2	1	.....	5	7	9	17	25
171	Injuries by machinery (M)	118	.....	.....	.....	.....	.....	.....	1	3	18	16
	(F)	5	1	.....	1	.....	.....	2	.....	1	.....	.....
172	Injuries in mines and quarries (M)	161	.....	.....	.....	.....	.....	.....	.....	1	11	30
	(F)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
173	Railroad accidents and injuries (M)	3,305	6	6	8	12	19	51	121	152	215	417
	(F)	339	2	3	10	10	11	36	37	14	19	26
174	Injuries by vehicles and horses (M)	341	2	1	2	14	10	29	56	22	16	24
	(F)	68	2	.....	6	5	4	17	9	3	1	5
175	Suffocation (M)	327	166	13	5	3	.....	187	3	7	13	9
	(F)	211	144	12	2	1	1	160	4	.....	4	5
176	Other accidental injuries (M)	4,935	86	49	52	56	41	284	184	178	309	416
	(F)	1,072	39	43	29	30	21	162	65	27	20	35
177	Injuries at birth (M)	634	634	.....	.....	.....	.....	634	.....	.....	.....	.....
	(F)	416	416	.....	.....	.....	.....	416	.....	.....	.....	.....
178	Homicide (M)	500	16	1	1	1	2	21	5	6	37	67
	(F)	158	16	1	2	1	2	22	5	6	13	27
179	XIV.—Ill-defined causes	22,709	8,460	1,434	343	163	116	10,516	300	175	250	348
180	Males	11,612	4,626	765	181	82	58	5,712	155	87	113	153
181	Females	11,097	3,834	669	162	81	58	4,804	145	88	137	195
182	"Dropsy" (M)	1,046	24	9	11	4	1	49	17	24	14	28
	(F)	1,158	15	5	.....	4	2	26	26	25	20	20
183	"Heart failure" (M)	1,645	187	13	9	5	10	224	19	13	25	23
	(F)	1,501	147	11	8	9	4	179	23	12	33	42
184	Other ill-defined causes (M)	7,218	3,669	666	146	62	40	4,583	94	35	40	74
	(F)	7,117	3,028	618	135	58	44	3,883	77	37	54	97
185	Unknown causes (M)	1,703	746	77	15	11	7	856	25	15	34	28
	(F)	1,321	644	35	19	10	8	716	19	14	30	36

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1900—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6	2	2	1	2	1	1	3	3	1	1	.....	.....	.....	.....	7	144
3	2	1	1	2	1	.....	3	2	.....	1	.....	.....	.....	.....	3	145
3	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	4	146
2	2	.....	1	2	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	147
1	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	2	148
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	
.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	149
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	151
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	152
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	154
.....	.....	.....	.....	.....	.....	.....	285	703	1,947	2,971	4,279	3,096	1,565	604	60	155
.....	.....	.....	.....	.....	.....	.....	109	284	853	1,353	1,892	1,293	616	210	24	156
.....	.....	.....	.....	.....	.....	.....	176	419	1,094	1,618	2,387	1,803	949	394	36	157
2,484	2,360	2,508	2,237	1,789	1,625	1,258	1,130	951	770	615	482	258	81	33	429	158
2,074	1,991	2,164	1,954	1,513	1,346	1,002	893	684	510	357	227	98	28	8	405	159
410	369	344	283	276	279	256	237	267	260	258	255	160	53	25	24	160
242	257	301	343	297	288	214	181	131	100	64	34	9	2	1	29	161
131	99	86	64	55	36	42	21	22	19	2	5	3	.....	.....	1	
189	197	214	213	172	146	95	92	87	47	52	43	21	10	3	23	162
12	14	15	18	16	26	26	29	46	58	84	105	63	26	12	1	
48	50	65	48	29	19	18	27	22	27	9	5	2	.....	.....	9	163
75	68	69	69	49	51	41	31	36	44	37	27	12	4	.....	4	
52	67	99	96	71	69	54	43	31	32	24	14	8	1	1	4	164
13	7	13	15	18	19	24	30	23	21	22	17	18	2	4	1	
5	8	8	10	11	8	6	11	7	8	6	3	2	.....	1	3	165
.....	1	3	1	1	3	2	1	1	2	3	2	2	.....	.....	.....	
12	8	7	9	4	4	3	3	1	1	.....	1	.....	.....	.....	.....	166
1	.....	1	1	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	
297	204	260	219	147	129	84	71	39	29	22	6	4	.....	.....	150	167
18	21	9	12	8	16	6	6	5	3	2	2	2	.....	.....	4	
40	34	47	46	37	28	25	26	18	9	9	1	.....	.....	.....	1	168
19	15	15	6	9	15	11	12	7	4	5	6	1	.....	.....	1	
45	73	68	97	62	48	41	44	22	17	14	6	1	.....	.....	10	169
57	56	44	21	25	19	25	18	12	6	7	5	2	1	.....	3	
148	102	99	76	52	39	45	23	23	15	6	3	1	1	.....	22	170
17	9	12	7	5	2	1	2	1	.....	1	.....	.....	.....	.....	.....	
7	15	11	9	14	13	3	4	3	.....	.....	.....	.....	.....	.....	1	171
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	
23	26	26	18	10	6	2	3	1	1	1	.....	.....	.....	.....	2	172
373	348	356	275	223	197	137	127	88	61	35	15	12	1	.....	101	173
13	20	15	16	27	29	19	16	18	15	10	6	.....	1	.....	2	
19	18	25	18	24	17	19	20	16	9	6	1	2	.....	.....	.....	174
1	1	5	1	2	2	6	6	5	2	1	1	.....	.....	.....	.....	
5	11	13	12	11	12	7	8	8	7	4	.....	2	.....	.....	8	175
8	2	5	2	2	6	2	4	2	1	1	.....	.....	.....	.....	3	
479	491	507	416	320	307	234	200	179	146	105	91	34	13	2	40	176
29	37	36	42	49	44	48	58	89	85	80	79	56	18	9	4	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	177
90	82	58	49	29	16	15	10	8	1	.....	4	.....	.....	.....	2	178
16	19	16	8	10	10	1	3	.....	.....	2	.....	.....	.....	.....	.....	
424	458	547	564	621	675	835	1,003	1,178	1,332	1,351	1,033	550	200	69	280	179
177	186	250	264	298	337	425	511	605	647	696	490	254	81	21	150	180
247	272	297	300	323	338	410	492	573	685	655	543	296	119	48	130	181
26	24	28	46	53	61	77	114	124	130	109	78	30	7	2	5	182
28	31	45	65	70	65	100	116	126	127	120	88	31	17	5	7	
36	43	71	66	73	94	115	142	190	166	148	106	54	13	7	17	183
64	57	64	67	85	79	82	120	130	151	122	98	49	27	8	9	
66	66	98	94	121	113	171	194	245	300	372	270	154	53	10	65	184
121	157	142	141	140	169	193	214	270	367	370	314	204	69	31	67	
49	53	53	58	51	69	62	61	46	51	67	36	16	8	2	63	185
34	27	46	27	28	25	35	42	47	40	43	43	12	6	4	47	

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900

CONNECTICUT.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	16,366	3,520	663	302	174	153	388	598	1,178	1,239	1,201	1,504	1,900	1,936	1,264	222	124
I.—General diseases	4,825	320	199	129	100	70	193	299	612	655	481	501	513	451	240	36	26
Typhoid fever	291	1	1	2	3	2	10	42	67	82	36	20	13	5	4	.....	3
Malarial fever	105	10	3	2	3	3	3	8	4	11	12	12	11	14	8	.....	1
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	172	40	42	21	9	8	21	7	8	8	3	3	1	.....	.....	.....	1
Scarlet fever	69	3	5	13	13	8	20	5	.....	1	.....	1	.....	.....	.....	.....	.....
Whooping cough	131	60	33	10	9	5	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Diphtheria	246	9	29	34	32	23	79	30	5	2	1	.....	.....	.....	.....	.....	2
Croup	80	9	23	16	10	8	13	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	639	38	11	4	1	3	4	13	26	35	35	71	109	158	106	24	1
Cholera nostras	39	11	.....	.....	.....	.....	.....	3	2	1	1	3	4	5	7	1	1
Dysentery	156	19	6	7	2	5	3	2	8	5	6	15	23	23	28	3	1
Erysipelas	60	13	2	.....	1	.....	.....	1	2	4	3	9	11	10	2	1	1
Other epidemic diseases [1]	5	2	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	42	4	.....	.....	.....	.....	2	1	13	9	.....	4	2	4	3	.....	.....
Tuberculosis of lungs	1,572	32	17	6	7	4	13	151	422	387	218	140	93	58	15	1	8
Tuberculosis of larynx	9	.....	.....	.....	.....	.....	.....	.....	1	2	5	1	.....	.....	.....	.....	.....
Tuberculous meningitis	75	25	19	9	1	.....	5	7	5	2	2	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	47	8	2	4	2	.....	.....	4	5	6	7	1	3	2	2	.....	1
Pott's disease	8	.....	.....	.....	2	.....	.....	2	.....	.....	.....	3	1	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
White swelling	5	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	7	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	1	2	.....	.....	.....
General tuberculosis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	7	2	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....
Venereal diseases	27	17	1	.....	.....	.....	.....	1	1	1	1	1	1	3	.....	.....	.....
Cancer of mouth	17	.....	.....	.....	.....	.....	.....	.....	.....	1	4	2	5	5	.....	.....	.....
Cancer of stomach and liver	202	.....	.....	.....	.....	.....	.....	.....	3	13	27	67	53	29	9	1	.....
Cancer of intestines	60	.....	.....	.....	.....	.....	.....	.....	1	4	10	13	16	11	4	.....	1
Cancer of female genital organs	94	.....	.....	.....	.....	.....	.....	.....	1	12	19	23	22	13	4	.....	.....
Cancer of breast	64	.....	.....	.....	.....	.....	.....	.....	.....	2	8	10	21	16	7	.....	.....
Cancer of skin	30	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	3	7	9	7	.....	1
Cancer of other or unspecified organs	157	.....	.....	.....	1	.....	.....	.....	4	9	31	27	41	33	11	.....	.....
Tumor	21	.....	.....	.....	.....	.....	1	1	1	3	1	2	5	6	1	.....	.....
Rheumatism	138	.....	.....	1	1	.....	8	9	9	16	11	24	26	16	14	3	.....
Diabetes	131	2	.....	.....	2	.....	4	5	4	9	12	30	32	22	6	1	2
Anemia, leukemia	44	5	1	.....	.....	1	2	4	6	6	3	6	5	4	1	.....	.....
Alcoholism	58	.....	.....	.....	.....	.....	1	.....	5	16	19	9	4	1	1	.....	2
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....
Other general diseases	12	1	.....	.....	.....	.....	.....	.....	3	2	3	1	2	.....	.....	.....	.....
II.—Diseases of nervous system	1,911	368	83	41	15	24	52	45	71	61	120	194	258	326	213	33	7
Encephalitis	12	3	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	3	2	.....	.....
Meningitis	381	137	60	32	10	17	39	18	24	13	7	7	6	7	2	1	1
Locomotor ataxia	24	.....	.....	.....	.....	.....	.....	.....	.....	4	4	5	6	4	.....	1	.....
Other diseases of spinal cord	47	2	.....	2	.....	.....	.....	1	2	2	4	7	11	13	3	.....	.....
Apoplexy	764	17	3	.....	1	3	4	4	14	15	51	118	175	207	127	21	4
Softening of brain	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	6	16	17	2	.....
Paralysis	166	.....	2	.....	.....	1	2	1	1	1	8	23	31	48	42	6	.....
General paralysis of insane	65	1	.....	.....	.....	.....	.....	.....	1	8	14	12	4	13	11	1	.....
Other forms of mental disease	27	.....	.....	.....	.....	.....	.....	.....	1	3	6	5	6	3	3	.....	.....
Other diseases of brain	51	7	1	.....	.....	.....	2	4	7	4	9	4	4	6	2	1	.....
Epilepsy	42	1	.....	1	1	1	.....	10	8	3	4	5	2	2	3	.....	1
Convulsions	218	184	15	6	2	1	.....	.....	6	2	1	.....	.....	.....	1	.....	.....
Tetanus	34	16	.....	.....	.....	1	2	4	3	2	4	.....	1	1	.....	.....	.....
Other diseases of nervous system	34	.....	1	.....	.....	.....	2	2	4	4	6	5	3	4	2	.....	1
III.—Diseases of circulatory system	1,516	45	1	.....	.....	1	18	38	65	94	109	218	348	353	192	21	13
Pericarditis	16	1	.....	.....	.....	.....	1	1	3	3	1	3	.....	1	2	.....	.....
Endocarditis	126	4	.....	.....	.....	.....	5	7	10	9	5	19	25	30	11	.....	1
Heart disease	1,170	21	1	.....	.....	1	10	28	45	70	87	168	276	270	164	20	9
Angina pectoris	73	1	.....	.....	.....	.....	.....	.....	2	7	5	13	23	15	7	.....	.....
Diseases of arteries	47	.....	.....	.....	.....	.....	.....	.....	.....	2	5	4	10	16	6	1	3
Embolism and thrombosis	41	1	.....	.....	.....	.....	.....	1	2	2	3	9	7	15	1	.....	.....
Diseases of veins	8	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	4	.....	.....	.....	.....
Diseases of lymphatics	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Other diseases of circulatory system	33	16	.....	.....	.....	.....	2	1	2	.....	2	1	2	6	1	.....	.....
IV.—Diseases of respiratory system	2,092	483	140	66	26	27	36	59	88	111	143	198	261	238	187	20	9
Laryngitis	17	2	3	1	.....	.....	2	2	.....	.....	1	2	2	2	.....	.....	.....
Other diseases of larynx	8	4	1	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of thyroid body	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	225	162	21	12	6	2	1	.....	1	.....	.....	2	3	10	5	.....	.....
Chronic bronchitis	243	2	1	.....	.....	1	6	2	10	4	9	23	32	54	69	10	.....
Bronchopneumonia	136	51	16	13	4	3	3	3	1	2	4	9	7	13	6	1	.....
Pneumonia	1,259	228	94	35	15	19	22	41	65	93	115	132	165	138	81	9	7
Pleurisy	50	3	2	1	1	1	.....	6	3	9	3	6	7	4	4	.....	.....
Congestion of lungs	89	29	2	3	.....	.....	1	1	3	1	5	12	7	9	16	.....	.....
Gangrene of lungs	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....
Asthma and emphysema	35	.....	.....	1	.....	.....	.....	1	1	1	4	6	9	7	3	.....	2
Hemorrhage of lungs	16	2	.....	.....	.....	.....	1	1	1	.....	.....	1	9	.....	1	.....	.....
Other diseases of respiratory system	9	.....	.....	.....	.....	.....	.....	1	1	1	1	2	.....	1	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown
V.—Diseases of digestive system	2,393	1,257	196	32	14	9	35	60	76	80	86	122	147	165	88	14	12
Diseases of mouth	9	7	1			1											
Tonsilitis	13	2	5				1	1		1		2			1		
Other diseases of pharynx	10	2	2					1			2	1	1	1			
Ulcer of stomach	24	2						1	1	4	2	5	6	3			
Gastritis	167	29	5	1	1	1	2	5	6	13	6	13	23	32	24	3	3
Other diseases of stomach	81	38	2		1			2	1	3	4	6	6	10	8		
Dentition	24	16	8														
Diarrhea and enteritis	1,506	1,123	168	25	11	4	5	7	5	5	10	15	27	52	36	8	5
Hernia	32	3					1		1	2	1	6	11	6	1		
Obstruction of intestines	99	14		2	1	1	5	4	7	9	12	11	12	14	5	1	1
Other diseases of intestines	18	4		1					1	3	1	1	2	3	1	1	
Acute yellow atrophy of liver	2						1			1							
Hydatid tumors of liver	1													1			
Cirrhosis of liver	122								4	12	25	32	28	15	5		1
Biliary calculi	9								1		1	2		4	1		
Other diseases of liver	91	6	1				3	2	5	7	10	15	21	15	4	1	1
Diseases of spleen	6	1								1	1	2		1			
Peritonitis	91	10	2	2			5	9	26	13	5	3	7	7	1		1
Appendicitis	88		2	1		2	12	28	18	6	6	8	3	1	1		
Other diseases of digestive system																	
VI.—Diseases of genito-urinary system	1,057	18	4	6	2	6	14	24	77	71	138	178	215	196	94	6	8
Acute nephritis	75	4	1	1	1	4	7	5	9	6	11	11	5	6	4		
Bright's disease	796	10	2	5	1	2	7	17	53	54	106	149	175	148	57	3	7
Other diseases of kidneys	33	2	1						4	2	4	3	6	6	4	1	
Calculi of urinary tract	2										1			1			
Diseases of bladder	74	1							1	1	5	6	16	21	21	2	
Uterine tumor	16								2	1	4	3	3	3			
Other diseases of uterus	10							1	4		3	1	1				
Ovarian tumor	17								1	2	3	5	4	1			1
Diseases of tubes	4								1	2	1						
Other diseases of genito-urinary system	30	1						1	2	3			5	10	8		
VII.—Childbirth	118							9	58	42	7	1					1
Puerperal septicemia	52							5	30	14	1	1					1
Puerperal convulsions	27							4	12	10	1						
Other causes incident to childbirth	39								16	18	5						
VIII.—Diseases of skin	90	13	2	1		1	1	2	3	3	3	6	12	24	14	4	1
Gangrene	55	2						1	2		1	2	10	20	13	4	
Carbuncle	3										1	1		1			
Abscess	17	4	1			1	1	1	1	2	1	2	1	1			1
Other diseases of skin	15	7	1	1						1		1	1	2	1		
IX.—Diseases of locomotor system	18	7	2		2				1		1	1	2	1		1	
Diseases of bones	14	7	2		2				1				2				
Diseases of joints																	
Other diseases of locomotor system	4										1	1		1		1	
X.—Malformations	109	103	3	1		2											
Hydrocephalus	26	20	3	1		2											
Congenital malformation of heart (cyanosis)	50	50															
Other congenital malformations	33	33															
XI.—Early infancy	714	714															
Premature birth	413	413															
Congenital debility	301	301															
XII.—Old age	377												27	96	173	77	4
XIII.—Violence	895	70	20	22	14	13	38	61	124	115	106	75	91	58	45	5	38
Suicide	114							6	18	16	23	16	17	9	4		5
Fractures and dislocations	117	3	1	2		1	3	8	8	17	15	12	14	11	15	3	4
Burns and scalds	81	4	9	9	8	7	11	1	4	4	4	3	6	7	4		
Heat and sunstroke	30	7	1					1	3	3	4	5	4	2			
Cold and freezing	8								1	2	4		1				
Lightning	4							1				2		1			
Drowning	121			3	1	3	16	28	26	13	15	3	4	3			6
Inhalation of poisonous gases	16				1			1		6	3	2		2	1		
Other accidental poisonings	52	3	6	2	2	1		1	6	4	11	4	7	2	1		2
Accidental gunshot wounds	17				1		2	1	5	3	2		1				2
Injuries by machinery	2										1	1					
Injuries in mines and quarries																	
Railroad accidents and injuries	117			1			2	7	31	26	11	10	11	1	1		16
Injuries by vehicles and horses	4								2				1		1		
Suffocation	10	6	1	1			1						1				
Other accidental injuries	157	2	2	4	1	1	3	6	20	21	13	17	24	21	17	2	3
Injuries at birth	45	45															
Homicide																	
XIV.—Ill-defined causes	251	122	13	4	1		1	1	3	7	7	10	26	28	18	5	5
"Dropsy"	11	2	1										3	4		1	
"Heart failure"	2													2			
Other ill-defined causes	206	106	12	4	1		1	1	1	7	6	8	18	19	18	3	1
Unknown causes	32	14									1	2	5	3		1	4

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

DISTRICT OF COLUMBIA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown
All causes	6,202	1,356	266	119	81	48	154	320	646	504	507	626	735	530	260	47	3
I.—General diseases	1,993	150	82	56	53	36	100	189	402	245	201	188	168	91	29	3	.....
Typhoid fever	222	2	1	2	5	.....	17	50	78	29	15	11	11	1	.....	.....	.....
Malarial fever	53	8	4	3	1	1	3	1	10	1	4	4	5	6	2	.....	.....
Smallpox	4	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
Measles	45	8	13	7	6	2	5	2	.....	2	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	15	1	.....	3	2	1	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	88	46	23	12	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	109	2	15	12	18	16	35	9	.....	1	.....	.....	.....	.....	1	.....	.....
Croup	12	1	2	.....	5	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	121	7	2	1	1	2	1	6	5	6	11	28	21	18	12	.....	.....
Cholera nostras	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....
Dysentery	36	6	1	1	1	1	.....	2	3	2	4	3	3	4	4	1	.....
Erysipelas	14	2	.....	.....	.....	.....	.....	.....	1	1	1	4	4	1	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	13	1	.....	.....	.....	.....	1	.....	3	3	.....	1	1	3	.....	.....	.....
Tuberculosis of lungs	817	32	15	13	7	6	19	90	261	156	94	56	45	17	4	2	.....
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	2	.....	.....	.....	.....
Tuberculous meningitis	30	8	4	2	.....	3	3	6	1	2	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	23	2	.....	.....	1	.....	1	2	6	3	4	3	1	.....	.....	.....	.....
Pott's disease	6	.....	.....	.....	.....	.....	1	.....	1	.....	1	2	.....	1	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	25	1	1	.....	1	.....	.....	4	8	4	3	2	1	.....	.....	.....	.....
Scrofula	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Venereal diseases	23	21	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Cancer of mouth	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....
Cancer of stomach and liver	66	.....	.....	.....	.....	.....	.....	.....	1	5	11	16	19	12	2	.....	.....
Cancer of intestines	26	.....	.....	.....	.....	.....	.....	.....	.....	2	6	7	10	.....	1	.....	.....
Cancer of female genital organs	45	.....	.....	.....	.....	.....	.....	.....	2	4	18	11	6	4	.....	.....	.....
Cancer of breast	24	.....	.....	.....	.....	.....	.....	.....	.....	4	6	7	2	3	2	.....	.....
Cancer of skin	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....
Cancer of other or unspecified organs	41	.....	.....	.....	.....	.....	.....	2	1	4	8	6	12	7	1	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
Rheumatism	37	.....	.....	.....	.....	.....	2	7	3	2	2	6	9	6	.....	.....	.....
Diabetes	21	.....	.....	.....	.....	.....	.....	1	3	2	.....	6	7	2	.....	.....	.....
Anemia, leukemia	21	1	.....	.....	1	1	1	5	2	1	4	2	1	2	.....	.....	.....
Alcoholism	23	.....	.....	.....	.....	.....	.....	.....	4	9	5	5	.....	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
II.—Diseases of nervous system	753	160	24	12	5	3	10	24	31	37	56	111	136	98	41	5	.....
Encephalitis	9	2	2	.....	.....	.....	.....	.....	1	2	.....	1	.....	1	.....	.....	.....
Meningitis	104	34	11	5	2	3	6	10	4	7	5	7	4	4	1	1	.....
Locomotor ataxia	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	.....	.....	.....	.....
Other diseases of spinal cord	21	.....	.....	.....	.....	.....	.....	1	1	1	3	7	4	2	2	.....	.....
Apoplexy	301	9	3	3	1	.....	3	5	11	8	28	59	84	60	23	4	.....
Softening of brain	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	7	4	.....	.....
Paralysis	42	.....	.....	1	.....	.....	.....	.....	2	2	3	7	7	11	9	.....	.....
General paralysis of insane	24	.....	.....	.....	.....	.....	.....	.....	1	6	3	7	5	2	.....	.....	.....
Other forms of mental disease	14	.....	.....	.....	.....	.....	.....	1	2	.....	2	5	4	.....	.....	.....	.....
Other diseases of brain	42	1	2	.....	.....	.....	.....	2	1	3	2	6	15	8	2	.....	.....
Epilepsy	25	.....	.....	.....	.....	.....	.....	3	4	5	1	4	6	2	.....	.....	.....
Convulsions	111	93	6	3	2	.....	.....	.....	1	.....	4	2	.....	.....	.....	.....	.....
Tetanus	23	20	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	13	1	.....	.....	.....	.....	1	.....	2	3	2	2	1	1	.....	.....	.....
III.—Diseases of circulatory system	601	10	2	2	1	.....	4	16	16	48	73	106	168	116	36	3	.....
Pericarditis	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....
Endocarditis	33	1	1	.....	1	.....	1	4	.....	2	6	4	10	3	.....	.....	.....
Heart disease	490	7	1	1	.....	.....	2	11	14	34	57	93	135	99	34	2	.....
Angina pectoris	20	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	8	5	1	.....	.....
Diseases of arteries	20	.....	.....	.....	.....	.....	.....	.....	.....	2	4	3	4	6	.....	1	.....
Embolism and thrombosis	18	.....	.....	.....	.....	.....	1	.....	1	6	3	2	3	1	1	.....	.....
Diseases of veins	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of lymphatics	3	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	12	1	.....	1	.....	.....	.....	.....	.....	1	1	1	6	1	.....	.....	.....
IV.—Diseases of respiratory system	743	201	63	28	12	4	22	30	61	35	47	59	85	56	35	4	1
Laryngitis	6	.....	.....	2	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other diseases of larynx	7	2	.....	1	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	74	47	12	6	2	.....	1	.....	.....	.....	.....	.....	4	1	1	.....	.....
Chronic bronchitis	41	.....	1	.....	.....	.....	.....	1	2	2	3	4	10	8	8	2	.....
Bronchopneumonia	58	24	11	2	.....	.....	3	3	5	1	1	4	2	1	1	.....	.....
Pneumonia	440	112	33	16	10	2	13	19	44	24	32	41	44	31	17	1	1
Pleurisy	13	.....	.....	.....	.....	.....	1	1	2	2	1	2	3	.....	1	.....	.....
Congestion of lungs	67	16	4	1	.....	1	1	3	3	3	2	3	13	12	4	1	.....
Gangrene of lungs	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Asthma and emphysema	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	7	2	3	.....	.....
Hemorrhage of lungs	12	.....	.....	.....	.....	.....	.....	1	5	1	2	2	.....	1	.....	.....	.....
Other diseases of respiratory system	5	.....	2	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown
V.—Diseases of digestive system	777	396	74	12	2	4	6	16	29	31	37	57	59	36	14	4	
Diseases of mouth	1	1															
Tonsilitis	2						1						1				
Other diseases of pharynx																	
Ulcer of stomach	5										3	2					
Gastritis	62	10	3			2	1	1	6	6	6	12	10	3	1	1	
Other diseases of stomach	24	9	1						1	1	2	4	2	3	1		
Dentition	17	9	7	1													
Diarrhœa and enteritis	506	348	63	7	1	1	1	2	6	5	6	8	26	22	7	3	
Hernia	16	3							1	2	1	5	1	2	1		
Obstruction of intestines	29	7			1	1	1	2	2	2	3	5	3	1	1		
Other diseases of intestines	8	3		1									3		1		
Acute yellow atrophy of liver	1								1								
Hydatid tumors of liver																	
Cirrhosis of liver	25						1		3		8	7	3	2	1		
Biliary calculi	4									1			2	1			
Other diseases of liver	29	5		2				1	1	2	4	9	3	1	1		
Diseases of spleen	1											1					
Peritonitis	28			1				4	6	8	2	3	3	1			
Appendicitis	19	1					1	6	2	4	2	1	2				
Other diseases of digestive system																	
VI.—Diseases of genito-urinary system	399	9	2		2		4	18	39	44	58	66	83	55	18	1	
Acute nephritis	41	3	1		1		1	3	4	8	5	5	5	4	1		
Bright's disease	276	3			1		3	10	21	21	45	53	64	38	16	1	
Other diseases of kidneys	15	2	1					1		2	1	2	4	2			
Calculi of urinary tract	5							1				3	1				
Diseases of bladder	19	1							1		3		7	7			
Uterine tumor	4									2	2						
Other diseases of uterus	10							1	6	1	2						
Ovarian tumor	2											1	1				
Diseases of tubes	16							1	6	9							
Other diseases of genito-urinary system	11							1	1	1		2	1	4	1		
VII.—Childbirth	43							5	22	15	1						
Puerperal septicemia	15							2	7	5	1						
Puerperal convulsions	6							1	4	1							
Other causes incident to childbirth	22							2	11	9							
VIII.—Diseases of skin	24	2	1	2						1	5	4	4	4	1		
Gangrene	11	1									2	1	3	3	1		
Carbuncle	3										1	1		1			
Abscess	6	1	1	1						1	1	1					
Other diseases of skin	4			1							1	1	1				
IX.—Diseases of locomotor system	10	1	1	1					2		1	2	1	1			
Diseases of bones	9	1	1	1					2		1	2		1			
Diseases of joints	1												1				
Other diseases of locomotor system																	
X.—Malformations	24	22	1	1													
Hydrocephalus	4	2	1	1													
Congenital malformation of heart (cyanosis)	13	13															
Other congenital malformations	7	7															
XI.—Early infancy	307	307															
Premature birth	154	154															
Congenital debility	153	153															
XII.—Old age	156												10	50	69	26	1
XIII.—Violence	247	20	6	4	5	1	7	21	43	41	27	24	18	18	11		1
Suicide	27							2	8	6	7	1	2	1			
Fractures and dislocations	27							3	6	5	1	2	3	4	3		
Burns and scalds	31		5	2	3	1	4	5	2	1	2	2	1	2	1		
Heat and sunstroke	34	3	1					1	4	6	3	5	4	4	3		
Cold and freezing																	
Lightning	1						1										
Drowning	22						2	7	6	2	2	2		1			
Inhalation of poisonous gases	7	1							1	1	2	1	1				
Other accidental poisonings	4	1		1						2							
Accidental gunshot wounds	7								1	1		2	1	1			1
Injuries by machinery																	
Injuries in mines and quarries																	
Railroad accidents and injuries	19				1			1	2	5	2	3	4		1		
Injuries by vehicles and horses	3								1			1	1				
Suffocation	2	2															
Other accidental injuries	42	1		1				2	10	10	5	4	1	6	2		
Injuries at birth	11	11															
Homicide	10	1			1				2	2	3	1					
XIV.—Ill-defined causes	125	78	10	1	1		1	1	1	5	1	9	3	5	6	1	
"Dropsy"	10							1		1		2	1	1	3	1	
"Heart failure"	5									1		2		1	1		
Other ill-defined causes	107	77	10	1	1		1			4	1	5	2	3	2		
Unknown causes	3	1							1	1							

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

INDIANA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	35,712	6,616	1,815	858	496	375	1,143	2,188	3,227	2,702	2,517	2,865	3,852	4,232	2,228	327	271
I.—General diseases	11,096	708	427	328	211	175	592	1,121	1,889	1,332	1,058	969	1,035	853	293	19	86
Typhoid fever	1,287	19	13	20	22	22	91	321	293	182	117	85	49	39	4	1	9
Malarial fever	365	39	18	20	11	8	25	30	35	29	23	22	29	58	13	2	3
Smallpox	22	5	.....	.....	.....	1	1	2	2	4	2	3	2	.....	.....	.....	.....
Measles	119	24	25	14	8	1	13	5	11	7	4	3	.....	.....	1	.....	3
Scarlet fever	139	11	15	25	13	17	41	11	5	.....	.....	.....	.....	.....	.....	.....	1
Whooping cough	311	183	63	28	14	4	14	4	.....	.....	.....	.....	.....	.....	.....	.....	1
Diphtheria	577	28	51	62	53	56	210	98	5	5	1	2	.....	.....	.....	.....	6
Croup	305	37	49	59	45	33	76	4	.....	.....	.....	.....	.....	.....	.....	.....	2
Influenza	467	42	10	3	2	2	6	8	17	22	40	29	72	119	82	9	4
Cholera nostras	33	2	1	1	.....	.....	1	2	.....	.....	.....	1	9	10	6	.....	.....
Dysentery	514	73	99	41	16	10	15	4	15	15	20	31	56	75	40	1	3
Erysipelas	91	26	2	1	.....	1	1	3	6	6	9	5	12	14	4	.....	1
Other epidemic diseases [1]	7	4	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Septicemia	250	19	3	6	2	4	10	21	53	42	18	28	17	18	5	1	3
Tuberculosis of lungs	4,358	86	36	19	9	6	39	486	1,321	808	575	377	327	188	53	.....	28
Tuberculosis of larynx	19	.....	.....	.....	.....	.....	.....	.....	2	9	2	2	4	.....	.....	.....	.....
Tuberculous meningitis	104	31	16	13	8	2	14	8	2	5	3	1	.....	.....	.....	.....	1
Abdominal tuberculosis	114	6	9	2	.....	1	4	9	18	19	7	13	12	12	.....	.....	2
Pott s disease	42	12	1	4	2	1	.....	6	5	3	1	2	2	2	1	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
White swelling	16	.....	.....	.....	.....	.....	1	5	4	1	1	.....	2	2	.....	.....	.....
Tuberculosis of other organs	23	.....	2	.....	.....	.....	1	2	3	5	2	3	1	3	1	.....	.....
General tuberculosis	50	2	1	1	1	.....	.....	12	11	9	4	4	1	4	.....	.....	.....
Scrofula	35	10	6	3	1	.....	3	5	.....	3	.....	3	.....	.....	.....	1	.....
Venereal diseases	61	22	3	1	1	1	.....	.....	6	7	7	9	3	.....	.....	.....	1
Cancer of mouth	22	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	7	4	3	.....	.....
Cancer of stomach and liver	345	.....	.....	.....	.....	.....	.....	1	3	23	36	75	119	73	14	.....	1
Cancer of intestines	61	.....	.....	.....	.....	.....	.....	.....	1	5	5	18	19	6	4	.....	3
Cancer of female genital organs	95	.....	.....	.....	.....	.....	.....	.....	6	11	21	27	18	11	1	.....	.....
Cancer of breast	60	.....	.....	.....	.....	.....	.....	.....	3	4	7	15	15	14	2	.....	.....
Cancer of skin	44	.....	.....	.....	.....	.....	.....	.....	1	1	1	6	11	9	10	3	2
Cancer of other or unspecified organs	450	.....	.....	1	2	.....	2	6	9	36	64	102	117	85	21	1	4
Tumor	49	5	.....	1	.....	.....	1	2	4	2	7	6	8	11	1	.....	1
Rheumatism	234	2	.....	1	1	1	13	30	17	16	14	33	46	43	16	.....	1
Diabetes	199	1	1	2	.....	1	3	20	12	16	27	21	54	33	7	.....	1
Anemia, leukemia	129	17	1	.....	.....	2	5	15	13	16	13	16	11	13	3	.....	4
Alcoholism	70	.....	.....	.....	.....	.....	.....	.....	3	16	19	18	7	5	1	.....	1
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....
Other general diseases	23	2	1	.....	.....	.....	2	1	3	2	4	3	4	1	.....	.....	.....
II.—Diseases of nervous system	4,619	879	263	146	80	64	161	205	171	216	315	384	623	744	306	30	32
Encephalitis	206	71	34	17	6	7	20	10	6	8	7	7	8	3	1	1	.....
Meningitis	880	289	130	60	42	40	78	88	46	37	27	16	13	6	1	.....	7
Locomotor ataxia	39	.....	.....	.....	.....	.....	2	2	1	2	7	8	13	4	.....	.....	.....
Other diseases of spinal cord	96	8	3	6	4	1	5	.....	1	8	11	15	19	10	2	.....	3
Apoplexy	1,038	84	28	25	12	7	15	24	30	52	76	127	206	247	88	12	5
Softening of brain	120	.....	.....	.....	.....	.....	.....	.....	.....	9	8	22	21	38	17	3	2
Paralysis	1,067	7	3	6	2	1	8	11	15	27	64	112	272	356	167	11	5
General paralysis of insane	101	.....	.....	.....	.....	.....	.....	3	1	12	22	15	13	24	8	1	2
Other forms of mental disease	80	.....	.....	.....	.....	.....	.....	2	8	9	19	14	10	13	4	1	.....
Other diseases of brain	115	21	10	1	.....	2	5	8	9	14	12	10	10	8	3	1	1
Epilepsy	163	3	1	2	1	1	9	24	29	24	30	13	14	7	1	.....	4
Convulsions	521	371	53	28	11	4	7	9	13	5	10	5	.....	.....	2	.....	3
Tetanus	63	18	.....	.....	1	1	12	11	5	4	6	2	1	1	1	.....	.....
Other diseases of nervous system	130	7	1	1	1	.....	.....	13	7	5	16	18	23	27	11	.....	.....
III.—Diseases of circulatory system	2,269	100	7	2	3	4	20	86	104	131	198	331	513	541	196	14	19
Pericarditis	77	5	.....	.....	.....	.....	2	9	9	4	3	11	14	15	4	.....	1
Endocarditis	90	2	.....	1	.....	.....	3	10	7	8	10	6	16	20	6	1	.....
Heart disease	1,754	55	4	.....	2	1	10	60	58	90	153	262	422	441	171	11	14
Angina pectoris	121	.....	.....	.....	.....	.....	1	2	6	5	13	18	34	34	7	1	.....
Diseases of arteries	52	2	.....	.....	.....	.....	.....	.....	.....	.....	3	10	9	19	7	1	1
Embolism and thrombosis	39	1	.....	.....	.....	1	2	1	6	3	5	9	7	3	.....	.....	1
Diseases of veins	6	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	2	.....	.....	.....	.....
Diseases of lymphatics	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Other diseases of circulatory system	127	34	3	1	1	2	2	4	16	20	11	13	9	9	.....	.....	2
IV.—Diseases of respiratory system	4,265	905	325	159	73	50	126	185	240	265	278	336	489	506	278	26	24
Laryngitis	36	5	3	3	2	1	6	4	1	1	2	2	2	2	2	.....	.....
Other diseases of larynx	29	7	6	5	.....	3	2	.....	2	.....	1	1	1	1	.....	.....	.....
Diseases of thyroid body	10	1	1	.....	.....	.....	.....	2	1	.....	1	4	.....	.....	.....	.....	.....
Acute bronchitis	308	178	54	22	5	2	8	1	2	2	2	3	4	14	7	2	2
Chronic bronchitis	288	9	4	.....	1	.....	8	4	9	15	5	20	58	85	63	7	.....
Bronchopneumonia	243	97	35	17	12	4	8	1	4	5	7	4	15	18	14	1	1
Pneumonia	2,770	505	201	98	51	34	81	144	173	208	216	250	330	295	154	13	17
Pleurisy	48	2	.....	1	.....	.....	.....	5	9	5	7	2	5	8	3	.....	1
Congestion of lungs	241	77	16	10	2	6	8	13	10	10	12	16	18	27	12	2	2
Gangrene of lungs	10	.....	.....	.....	.....	.....	.....	1	2	.....	1	2	3	1	.....	.....	.....
Asthma and emphysema	125	2	1	1	.....	.....	1	3	2	5	8	11	36	36	18	1	.....
Hemorrhage of lungs	57	3	1	.....	.....	.....	2	2	12	7	9	10	3	6	1	.....	1
Other diseases of respiratory system	100	19	3	2	.....	.....	2	5	13	7	7	11	14	13	4	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,612	1,547	629	145	64	38	107	179	223	219	198	298	403	379	145	11	27
Diseases of mouth	37	23	10	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....
Tonsilitis	69	7	6	5	7	8	13	13	1	4	2	2	.....	.....	.....	.....	1
Other diseases of pharynx	19	1	1	1	2	.....	5	1	2	1	.....	.....	1	2	2	.....	.....
Ulcer of stomach	59	.....	.....	.....	.....	.....	.....	3	7	9	3	10	13	9	5	.....	.....
Gastritis	383	45	19	4	3	4	12	9	21	24	22	35	81	73	26	.....	5
Other diseases of stomach	279	89	21	4	3	.....	7	9	12	18	16	16	27	35	20	1	1
Dentition	8	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
Diarrhea and enteritis	2,451	1,268	544	119	35	18	25	23	21	28	32	69	98	106	48	6	11
Hernia	45	2	.....	.....	.....	.....	1	1	3	3	3	5	10	13	3	1	.....
Obstruction of intestines	168	24	5	2	4	3	10	13	12	10	10	23	25	20	6	.....	1
Other diseases of intestines	146	50	9	2	3	1	1	8	3	10	5	10	7	26	8	1	2
Acute yellow atrophy of liver	9	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	4	1	.....	.....
Hydatid tumors of liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Cirrhosis of liver	133	.....	.....	.....	.....	.....	1	.....	5	10	19	28	36	25	7	1	1
Biliary calculi	48	.....	.....	.....	.....	.....	.....	.....	1	4	4	11	19	7	2	.....	.....
Other diseases of liver	243	20	4	.....	1	.....	6	3	14	20	24	49	56	32	11	1	2
Diseases of spleen	15	.....	.....	.....	.....	.....	.....	1	3	3	1	3	2	1	1	.....	.....
Peritonitis	356	15	7	5	5	3	14	52	78	61	44	27	21	19	4	.....	1
Appendicitis	141	1	.....	2	.....	1	12	43	39	12	10	9	7	5	.....	.....	.....
Other diseases of digestive system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
VI.—Diseases of genito-urinary system.	1,594	49	10	11	7	7	20	68	120	138	146	191	316	350	142	12	7
Acute nephritis	59	4	3	2	1	3	2	11	7	6	5	2	8	4	1	.....	.....
Bright's disease	1,179	29	6	9	6	4	15	42	74	93	116	160	254	267	91	8	5
Other diseases of kidneys	86	10	.....	.....	.....	.....	3	4	5	6	3	6	20	19	8	1	1
Calculi of urinary tract	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diseases of bladder	124	4	.....	.....	.....	.....	.....	.....	3	3	5	10	24	40	32	3	.....
Uterine tumor	18	.....	.....	.....	.....	.....	.....	.....	.....	7	4	3	3	1	.....	.....	.....
Other diseases of uterus	54	1	.....	.....	.....	.....	.....	10	17	14	9	1	.....	1	1	.....	.....
Ovarian tumor	19	.....	.....	.....	.....	.....	.....	.....	5	1	3	4	2	3	.....	.....	1
Diseases of tubes	6	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	47	.....	1	.....	.....	.....	.....	1	6	5	1	5	5	14	9	.....	.....
VII.—Childbirth	263	.....	.....	.....	.....	.....	.....	40	124	68	25	2	.....	.....	.....	.....	4
Puerperal septicemia	122	.....	.....	.....	.....	.....	.....	19	65	29	6	1	.....	.....	.....	.....	2
Puerperal convulsions	40	.....	.....	.....	.....	.....	.....	11	21	2	6	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	101	.....	.....	.....	.....	.....	.....	10	38	37	13	1	.....	.....	.....	.....	2
VIII.—Diseases of skin	163	25	.....	.....	4	1	3	2	5	10	13	16	26	33	23	2	.....
Gangrene	86	5	.....	.....	1	1	.....	1	.....	1	6	7	16	24	22	2	.....
Carbuncle	10	1	.....	.....	.....	.....	.....	.....	.....	2	.....	2	3	1	1	.....	.....
Abscess	43	6	.....	.....	2	.....	3	.....	5	4	5	7	5	6	.....	.....	.....
Other diseases of skin	24	13	.....	.....	1	.....	.....	1	.....	3	2	.....	2	2	.....	.....	.....
IX.—Diseaser of locomotor system	35	12	4	1	.....	.....	.....	4	2	.....	4	.....	4	2	2	.....	.....
Diseases of bones	28	12	4	1	.....	.....	.....	3	1	.....	2	.....	2	2	1	.....	.....
Diseases of joints	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Other diseases of locomotor system	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	1	.....	.....
X.—Malformations	227	210	8	3	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	41	30	6	2	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	101	97	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	85	83	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Early infancy	1,530	1,530	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	712	712	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	818	818	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	1,153	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38	345	588	176	6
XIII.—Violence	1,709	125	32	33	38	20	71	241	268	236	174	160	123	97	55	5	31
Suicide	166	.....	.....	.....	.....	.....	.....	12	33	29	30	30	13	15	1	.....	3
Fractures and dislocations	102	2	.....	.....	.....	1	1	10	9	12	10	5	19	10	21	1	1
Burns and scalds	171	10	14	14	24	13	20	13	8	20	10	3	4	10	8	.....	.....
Heat and sunstroke	27	3	.....	.....	1	.....	.....	2	.....	3	4	7	2	3	1	.....	1
Cold and freezing	11	1	1	.....	.....	1	.....	.....	.....	2	.....	1	2	2	1	.....	.....
Lightning	12	.....	.....	.....	.....	.....	.....	4	2	1	2	2	.....	.....	1	.....	.....
Drowning	131	.....	5	3	.....	2	13	52	32	7	4	7	4	1	.....	.....	1
Inhalation of poisonous gases	5	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....
Other accidental poisonings	121	6	5	5	2	.....	5	18	21	12	13	16	9	5	2	.....	2
Accidental gunshot wounds	127	.....	1	1	.....	.....	4	27	32	26	15	8	6	3	1	.....	3
Injuries by machinery	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Injuries in mines and quarries	14	.....	.....	.....	.....	.....	.....	1	3	4	1	2	.....	1	.....	.....	2
Railroad accidents and injuries	251	1	.....	1	.....	1	6	31	60	50	31	27	21	13	.....	.....	9
Injuries by vehicles and horses	33	1	.....	1	2	2	6	5	3	2	.....	4	6	1	.....	.....	.....
Suffocation	69	43	2	2	2	.....	1	3	2	2	1	3	4	2	.....	.....	2
Other accidental injuries	392	18	4	6	7	.....	15	58	54	56	46	39	32	29	18	4	6
Injuries at birth	38	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	37	1	.....	.....	.....	.....	.....	5	8	8	6	5	1	1	1	.....	1
XIV.—Ill-defined causes	2,177	526	110	30	16	14	41	55	81	87	108	178	282	382	200	32	35
"Dropsy"	375	5	.....	1	2	.....	9	12	21	15	26	52	83	97	42	6	4
"Heart failure"	514	45	7	3	3	4	10	17	21	31	45	63	104	99	46	11	5
Other ill-defined causes	1,015	305	97	26	9	8	18	18	34	34	33	49	81	169	102	15	17
Unknown causes	273	171	6	.....	2	2	4	8	5	7	4	14	14	17	10	.....	9

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

MAINE.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	11,882	2,087	411	187	120	80	256	524	826	700	759	949	1,510	1,888	1,300	215	70
I.—General diseases	2,961	196	103	54	52	33	104	262	451	319	266	282	336	293	178	18	14
Typhoid fever	196	.....	1	1	3	3	10	54	50	28	26	8	7	3	1	.....	1
Malarial fever	12	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	6	1	1	.....	.....
Smallpox	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
Measles	61	14	13	2	2	3	7	6	3	1	4	.....	3	1	2	.....	.....
Scarlet fever	36	4	3	3	6	4	10	3	1	1	.....	.....	.....	.....	1	.....	.....
Whooping cough	74	48	11	9	3	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Diphtheria	96	9	12	9	11	6	22	20	2	1	1	2	1	.....	.....	.....	.....
Croup	61	10	15	9	9	7	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	236	28	3	1	3	1	3	5	5	8	4	11	31	53	63	16	1
Cholera nostras	20	6	1	1	.....	.....	.....	2	.....	.....	1	.....	2	5	1	.....	1
Dysentery	58	18	6	6	3	1	2	.....	.....	1	2	1	3	9	6	.....	.....
Erysipelas	23	4	.....	1	2	.....	.....	1	1	.....	.....	2	5	3	4	.....	.....
Other epidemic diseases[1]	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Septicemia	66	.....	.....	.....	.....	1	1	2	15	12	4	9	10	7	5	.....	.....
Tuberculosis of lungs	1,003	22	15	4	6	2	17	131	310	205	137	94	70	52	21	1	6
Tuberculosis of larynx	9	1	.....	.....	.....	.....	.....	1	1	1	1	2	1	.....	1	.....	.....
Tuberculous meningitis	56	10	15	3	2	4	12	2	3	3	.....	.....	1	.....	1	.....	.....
Abdominal tuberculosis	51	4	3	.....	.....	.....	2	6	10	7	2	8	6	2	.....	.....	1
Pott's disease	19	1	1	2	.....	.....	1	1	5	.....	1	2	4	1	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	12	.....	.....	.....	.....	.....	.....	1	3	1	1	1	1	4	.....	.....	.....
General tuberculosis	24	.....	.....	.....	.....	.....	.....	4	7	2	4	1	3	2	1	.....	.....
Scrofula	10	7	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
Venereal diseases	5	.....	.....	.....	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	1
Cancer of mouth	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	6	5	3	.....	.....
Cancer of stomach and liver	200	.....	.....	.....	.....	.....	.....	.....	6	9	25	37	53	49	20	.....	1
Cancer of intestines	63	.....	.....	.....	.....	.....	.....	.....	1	1	3	17	22	15	3	.....	1
Cancer of female genital organs	67	.....	.....	.....	.....	.....	.....	.....	.....	8	11	21	17	9	1	.....	.....
Cancer of breast	38	.....	.....	.....	.....	.....	.....	.....	1	1	6	9	10	6	5	.....	.....
Cancer of skin	20	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	2	5	8	.....	.....
Cancer of other or unspecified organs	115	.....	.....	1	1	.....	2	1	4	3	6	18	28	33	17	1	.....
Tumor	20	1	.....	1	.....	.....	.....	.....	2	.....	4	8	.....	3	1	.....	.....
Rheumatism	42	.....	.....	.....	.....	.....	.....	1	1	4	3	6	14	8	5	.....	.....
Diabetes	71	.....	.....	.....	.....	.....	1	10	8	7	8	11	18	8	.....	.....	.....
Anemia, leukemia	58	9	3	.....	.....	.....	.....	7	5	6	3	4	10	7	4	.....	.....
Alcoholism	14	.....	.....	.....	.....	.....	.....	.....	2	3	4	4	1	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	11	.....	.....	.....	.....	.....	1	.....	3	1	2	1	1	2	.....	.....	.....
II.—Diseases of nervous system	1,704	225	77	38	15	11	38	43	48	70	93	151	285	383	197	22	8
Encephalitis	25	8	2	1	.....	1	3	3	.....	2	2	.....	2	1	.....	.....	.....
Meningitis	311	113	39	26	10	6	23	21	17	7	12	10	9	10	4	1	3
Locomotor ataxia	16	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	4	8	.....	1	.....
Other diseases of spinal cord	48	1	.....	.....	.....	.....	.....	2	1	5	8	10	13	5	3	.....	.....
Apoplexy	586	10	6	1	1	.....	2	6	8	15	26	69	129	206	95	9	3
Softening of brain	51	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	13	19	12	.....	1
Paralysis	284	2	.....	.....	.....	.....	2	2	2	5	12	27	72	89	62	9	.....
General paralysis of insane	54	.....	.....	.....	.....	.....	.....	.....	.....	5	7	7	9	15	10	1	.....
Other forms of mental disease	90	.....	.....	.....	.....	.....	.....	1	8	20	12	11	19	14	4	.....	1
Other diseases of brain	54	10	4	4	.....	.....	1	4	1	1	3	8	7	6	4	1	.....
Epilepsy	33	2	1	.....	.....	.....	3	2	6	5	4	3	4	3	.....	.....	.....
Convulsions	119	77	25	6	3	2	1	1	2	.....	.....	.....	1	1	.....	.....	.....
Tetanus	5	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Other diseases of nervous system	28	2	.....	.....	.....	1	2	1	3	4	2	2	3	5	3	.....	.....
III.—Diseases of circulatory system	1,213	21	1	2	.....	1	9	31	30	56	73	142	317	347	163	11	9
Pericarditis	14	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	2	1	4	.....	.....
Endocarditis	23	.....	.....	.....	.....	.....	2	2	.....	.....	1	3	11	2	2	.....	.....
Heart disease	1,026	18	1	1	.....	1	6	24	18	40	66	120	262	313	139	9	8
Angina pectoris	75	.....	.....	.....	.....	.....	.....	2	4	5	3	8	29	12	12	.....	.....
Diseases of arteries	20	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	3	8	4	1	.....
Embolism and thrombosis	31	.....	.....	.....	.....	.....	.....	.....	3	6	.....	3	7	9	2	1	.....
Diseases of veins	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	22	3	.....	1	.....	.....	1	2	4	2	1	3	3	1	.....	.....	1
IV.—Diseases of respiratory system	1,585	308	103	41	27	15	28	57	73	79	97	122	187	263	158	22	5
Laryngitis	16	3	3	4	1	1	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....
Other diseases of larynx	7	.....	2	2	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Diseases of thyroid body	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Acute bronchitis	162	90	22	12	2	3	.....	2	1	.....	1	2	1	14	10	1	1
Chronic bronchitis	97	1	.....	.....	.....	1	1	1	.....	3	3	6	14	33	27	6	1
Bronchopneumonia	143	45	17	4	5	2	2	3	2	1	1	5	14	27	12	3	.....
Pneumonia	907	151	52	18	18	7	20	46	56	60	77	94	129	163	95	9	2
Pleurisy	23	1	.....	.....	.....	.....	3	2	3	2	2	3	3	3	1	.....	.....
Congestion of lungs	84	14	5	1	1	.....	2	2	3	4	2	6	13	16	12	3	.....
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
Asthma and emphysema	18	2	1	.....	.....	.....	.....	.....	1	1	3	1	5	4	.....	.....	.....
Hemorrhage of lungs	16	.....	.....	.....	.....	.....	.....	1	4	2	2	2	4	.....	.....	.....	1
Other diseases of respiratory system	17	1	1	.....	.....	.....	.....	.....	3	3	2	1	3	1	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

MAINE—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,381	626	93	29	7	9	35	36	54	36	64	65	117	140	59	5	6
Diseases of mouth	4	2							1			1					
Tonsilitis	5		1		1		2						1				
Other diseases of pharynx	5		1					1				1	1	1			
Ulcer of stomach	23	1					1		3		2	3	6	6	1		
Gastritis	93	15	1	1			1	1	4	3	6	7	15	25	13	1	
Other diseases of stomach	68	29		4		1			1	3		7	7	8	7	1	
Dentition																	
Diarrhea and enteritis	778	557	87	22	5	3	15	3	6	3	4	7	18	26	19	1	2
Hernia	21						2			1	4	3	6	2	2		1
Obstruction of intestines	68	4	1				2	1	5	4	7	5	15	18	4	1	1
Other diseases of intestines	21	5		1		1		1		1	4	3	4	1			
Acute yellow atrophy of liver	2	1							1								
Hydatid tumors of liver																	
Cirrhosis of liver	56									3	5	12	14	19	3		
Biliary calculi	8												2	4	2		
Other diseases of liver	76	2	1	1			2	2	4	1	11	10	15	20	5	1	1
Diseases of spleen	1													1			
Peritonitis	111	10	1		1	1	4	19	23	12	13	6	12	6	2		1
Appendicitis	41					3	6	8	6	5	8		1	3	1		
Other diseases of digestive system																	
VI.—Diseases of genito-urinary system	649	13	3	4	1		10	16	37	43	65	83	137	163	67	5	2
Acute nephritis	10							1	2	2	2		1	2			
Bright's disease	515	10	3	4	1		10	10	25	35	55	76	114	127	41	3	1
Other diseases of kidneys	25							3	1	1	1	2	1	12	4		
Calculi of urinary tract	3								1		1		1				
Diseases of bladder	61	3						1	1			2	16	18	18	1	1
Uterine tumor	5								1	1		1	2				
Other diseases of uterus	12							1	3	1	4	2	1				
Ovarian tumor	7								2	3	1		1				
Diseases of tubes	1										1						
Other diseases of genito-urinary system	10								1					4	4	1	
VII.—Childbirth	65							6	30	16	12						1
Puerperal septicemia	21							3	7	8	2						1
Puerperal convulsions	6								4		2						
Other causes incident to childbirth	38							3	19	8	8						
VIII.—Diseases of skin	72	8				1	1	2	2	3	1	4	13	20	17		
Gangrene	54	5					1				1	2	11	18	16		
Carbuncle	3									1		1	1				
Abscess	9					1		2	2	1		1		2			
Other diseases of skin	6	3								1			1		1		
IX.—Diseases of locomotor system	10	5	2					1			1	1					
Diseases of bones	10	5	2					1			1	1					
Diseases of joints																	
Other diseases of locomotor system																	
X.—Malformations	76	69	4			1		1			1						
Hydrocephalus	29	23	4			1					1						
Congenital malformation of heart (cyanosis)	27	26						1									
Other congenital malformations	20	20															
XI.—Early infancy	426	426															
Premature birth	207	207															
Congenital debility	219	219															
XII.—Old age	616												11	125	361	116	3
XIII.—Violence	475	32	8	14	15	7	24	49	83	49	45	36	38	32	32	6	5
Suicide	61							1	11	9	14	10	7	3	6		
Fractures and dislocations	45			1			1	5	6	4	4	3	5	6	5	4	1
Burns and scalds	46		2	5	7	1	7	2	6	1	1	1	5	2	6		
Heat and sunstroke	5	1		1						1	1	1					
Cold and freezing	3	1												2			
Lightning	1											1					
Drowning	95	1	2	2	2	3	10	25	26	10	6	5		1	1		1
Inhalation of poisonous gases																	
Other accidental poisonings	21		2	5	2		2	2		2	1		1	2	1		1
Accidental gunshot wounds	18						2	4	5	5	1	1					
Injuries by machinery	6							1	2		1	1	1				
Injuries in mines and quarries																	
Railroad accidents and injuries	32							6	8	3	3	3	6	1	1		1
Injuries by vehicles and horses	8				2				1		2	2	1				
Suffocation	6	4							1								1
Other accidental injuries	95	2	2		2	2	1	2	15	12	10	8	11	14	12	2	
Injuries at birth	23	23															
Homicide	10					1	1	1	2	2	1		1	1			
XIV.—Ill-defined causes	649	158	17	5	3	2	7	20	18	29	41	63	69	122	68	16	17
"Dropsy"	63	2					1	2		1	11	10	14	12	9		1
"Heart failure"	122	16	1				1	4	4	9	7	13	19	29	16	2	1
Other ill-defined causes	279	59	12	2	1		2	8	7	8	16	28	28	61	34	5	8
Unknown causes	185	81	4	3	2	2	3	6	7	11	7	12	8	20	9	3	7

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

MASSACHUSETTS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	51,199	11,484	2,397	1,068	776	551	1,334	1,834	3,903	4,031	3,922	4,702	5,692	5,604	3,285	546	70
I.—General diseases	14,412	918	680	500	433	304	711	953	2,134	1,890	1,513	1,415	1,392	1,051	446	65	7
Typhoid fever	617	1	4	5	5	3	24	119	201	115	76	41	19	4	.....	.....	.....
Malarial fever	80	11	4	2	.....	.....	2	5	7	5	4	10	10	15	5	.....	.....
Smallpox	3	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	325	88	112	46	23	16	16	13	4	3	1	1	.....	2	.....	.....	.....
Scarlet fever	398	23	49	66	68	49	111	17	10	4	1	.....	.....	.....	.....	.....	.....
Whooping cough	396	219	93	33	25	12	10	2	.....	.....	.....	1	.....	.....	.....	.....	1
Diphtheria	1,282	71	187	202	180	154	342	97	26	13	3	3	2	1	1	.....	.....
Croup	190	17	44	31	35	22	34	4	1	.....	.....	2	.....	.....	.....	.....	.....
Influenza	1,041	61	13	7	7	3	6	15	32	46	68	70	212	266	191	43	1
Cholera nostras	90	5	1	2	.....	2	4	3	5	5	7	13	9	24	7	3	.....
Dysentery	261	39	9	8	6	3	8	3	10	13	18	24	44	41	30	5	.....
Erysipelas	169	45	2	.....	1	.....	2	4	9	20	15	17	24	24	6	.....	.....
Other epidemic diseases [1]	9	3	.....	3	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	237	18	3	7	2	1	4	12	45	47	28	20	24	13	6	.....	1
Tuberculosis of lungs	5,275	95	58	36	25	16	54	520	1,565	1,243	721	466	283	154	36	2	1
Tuberculosis of larynx	30	1	.....	.....	.....	.....	.....	.....	9	7	5	1	4	2	1	.....	.....
Tuberculous meningitis	325	98	67	36	33	12	37	12	18	7	3	.....	1	1	.....	.....	.....
Abdominal tuberculosis	129	14	9	2	5	1	4	10	26	19	18	4	10	5	2	.....	.....
Pott's disease	45	1	.....	1	2	.....	10	10	5	3	4	5	3	1	.....	.....	.....
Tuberculous abscess	5	.....	1	.....	1	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
White swelling	12	.....	.....	.....	.....	.....	2	1	3	.....	4	1	1	.....	.....	.....	.....
Tuberculosis of other organs	28	2	.....	.....	.....	.....	3	1	3	7	3	4	1	3	1	.....	.....
General tuberculosis	108	8	7	4	2	1	2	13	23	25	11	8	3	1	.....	.....	.....
Scrofula	15	3	1	1	1	.....	1	.....	2	.....	1	1	.....	3	1	.....	.....
Venereal diseases	81	51	3	1	1	.....	1	2	2	6	7	5	2	.....	.....	.....	.....
Cancer of mouth	42	.....	.....	.....	.....	.....	.....	.....	2	3	4	15	13	3	2	.....	.....
Cancer of stomach and liver	613	.....	.....	.....	.....	.....	.....	2	8	31	92	138	176	132	34	.....	.....
Cancer of intestines	210	.....	.....	.....	.....	.....	.....	1	3	20	29	47	51	39	19	1	.....
Cancer of female genital organs	226	.....	.....	.....	.....	.....	.....	.....	2	23	66	70	41	23	1	.....	.....
Cancer of breast	152	.....	.....	.....	.....	.....	.....	.....	2	11	27	41	38	21	12	.....	.....
Cancer of skin	49	.....	.....	.....	.....	.....	1	.....	.....	1	4	3	15	19	6	.....	.....
Cancer of other or unspecified organs	800	2	1	2	3	1	3	13	16	52	128	186	203	127	53	8	2
Tumor	53	1	.....	.....	.....	.....	1	.....	1	2	10	14	15	7	2	.....	.....
Rheumatism	268	2	.....	2	2	4	18	29	20	20	39	43	42	34	10	3	.....
Diabetes	358	2	2	1	2	1	5	23	24	35	30	69	98	54	12	.....	.....
Anemia, leukemia	256	34	8	2	3	2	3	14	22	26	38	43	29	25	7	.....	.....
Alcoholism	170	.....	.....	.....	.....	.....	.....	.....	22	68	30	32	12	4	1	.....	1
Chronic poisonings	13	.....	.....	.....	.....	.....	.....	.....	2	2	4	2	2	1	.....	.....	.....
Other general diseases	51	3	1	.....	1	1	.....	6	3	8	13	9	4	2	.....	.....	.....
II.—Diseases of nervous system	5,892	1,115	351	135	83	82	164	151	182	240	348	604	886	978	516	53	4
Encephalitis	63	28	4	2	3	1	3	6	1	4	2	2	2	4	1	.....	.....
Meningitis	1,310	532	229	88	53	54	116	66	49	43	31	19	17	10	3	.....	.....
Locomotor ataxia	57	.....	.....	.....	.....	.....	.....	.....	.....	3	12	11	18	12	1	.....	.....
Other diseases of spinal cord	122	4	.....	.....	3	1	.....	3	6	10	12	21	30	27	3	1	1
Apoplexy	2,111	32	15	6	4	5	13	14	32	67	149	327	511	568	311	36	1
Softening of brain	97	.....	.....	.....	.....	.....	.....	.....	1	4	2	12	16	37	25	.....	.....
Paralysis	670	4	1	2	.....	1	1	5	5	13	21	80	174	215	123	15	1
General paralysis of insane	225	1	.....	.....	.....	.....	.....	.....	6	29	44	45	42	42	16	.....	.....
Other forms of mental disease	100	.....	.....	.....	.....	.....	.....	3	10	8	12	10	25	21	11	.....	.....
Other diseases of brain	204	26	3	2	2	3	6	12	16	20	25	31	21	22	15	.....	.....
Epilepsy	119	4	1	.....	.....	.....	3	15	27	18	15	14	11	7	4	.....	.....
Convulsions	663	444	98	35	14	14	14	3	17	10	5	4	2	2	.....	.....	1
Tetanus	49	7	.....	.....	1	2	2	16	4	4	3	7	2	1	.....	.....	.....
Other diseases of nervous system	102	13	.....	.....	3	1	6	8	8	7	15	12	15	10	3	1	.....
III.—Diseases of circulatory system	5,157	136	14	14	18	12	76	155	241	365	512	824	1,123	1,146	479	32	10
Pericarditis	54	2	.....	.....	2	1	3	8	2	6	8	7	7	7	1	.....	.....
Endocarditis	338	2	2	1	5	3	14	29	29	32	33	64	59	46	16	2	1
Heart disease	4,034	93	9	10	9	7	54	111	176	270	400	654	910	917	389	17	8
Angina pectoris	175	1	.....	.....	.....	.....	.....	2	4	5	29	37	47	37	11	2	.....
Diseases of arteries	280	1	.....	.....	.....	.....	.....	1	1	10	12	40	67	97	39	11	1
Embolism and thrombosis	153	4	.....	.....	.....	1	1	2	16	23	14	13	25	38	16	.....	.....
Diseases of veins	13	1	.....	.....	.....	.....	.....	.....	1	1	5	2	3	.....	.....	.....	.....
Diseases of lymphatics	7	2	2	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	103	30	1	3	1	.....	4	2	12	18	10	7	4	4	7	.....	.....
IV.—Diseases of respiratory system	6,830	1,383	595	231	125	63	133	129	334	465	484	683	866	824	444	60	11
Laryngitis	50	7	10	9	8	2	7	.....	.....	.....	2	1	.....	1	2	1	.....
Other diseases of larynx	31	7	8	4	1	1	3	.....	1	1	.....	1	.....	4	.....	.....	.....
Diseases of thyroid body	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....
Acute bronchitis	720	441	112	60	22	9	4	2	2	2	5	9	14	19	17	1	1
Chronic bronchitis	649	10	2	1	1	.....	11	8	20	25	36	73	139	180	121	20	2
Bronchopneumonia	790	263	146	32	25	11	25	9	16	21	20	44	62	69	40	6	1
Pneumonia	3,997	575	304	114	64	36	76	90	245	365	362	481	566	471	216	27	5
Pleurisy	134	3	4	4	3	3	3	11	18	16	24	15	19	10	1	.....	.....
Congestion of lungs	265	68	9	7	1	1	1	3	7	13	14	27	35	45	31	3	.....
Gangrene of lungs	9	.....	.....	.....	.....	.....	1	.....	1	3	2	.....	.....	2	.....	.....	.....
Asthma and emphysema	75	3	.....	.....	.....	.....	1	.....	2	3	2	20	22	10	12	.....	.....
Hemorrhage of lungs	68	2	.....	.....	.....	.....	.....	4	16	9	9	7	9	7	3	2	.....
Other diseases of respiratory system	37	4	.....	.....	.....	.....	1	2	6	7	5	4	.....	5	1	.....	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	6,796	3,719	556	103	48	36	92	140	276	273	289	354	412	350	144	18	6
Diseases of mouth	9	5	1	1	1										1		
Tonsilitis	31	2	6	3	2	1	4	2	3	1	3	3		1			
Other diseases of pharynx	29	6			1			1	2	1	3	2	10	3			
Ulcer of stomach	73	2		1				1	14	14	12	7	8	9	4		1
Gastritis	284	46	6	4	1	2	2	3	11	15	30	39	52	53	18	2	
Other diseases of stomach	144	54	11	3		1		2	5	4	6	14	19	19	5	1	
Dentition	49	31	16	2													
Diarrhea and enteritis	4,535	3,444	498	80	36	20	22	10	25	30	49	61	92	90	64	12	2
Hernia	104	9		1			1		1	8	12	22	27	12	11		
Obstruction of intestines	240	53	7	3	2	1	7	8	15	15	14	26	40	34	10		1
Other diseases of intestines	65	20			1		2	2	5	7	4	7	8	6	2		1
Acute yellow atrophy of liver	10	5								1	1	2		1			
Hydatid tumors of liver																	
Cirrhosis of liver	283	5	1				2	4	15	33	47	76	68	27	5		
Biliary calculi	43			1					3	3	8	7	12	8	1		
Other diseases of liver	208	9	1	1		2	2	2	8	22	24	37	37	45	16	2	
Diseases of spleen	6							1	1	2	1			1			
Peritonitis	396	27	9	2	3	8	22	35	98	70	42	29	30	15	4	1	1
Appendicitis	279	1		1	1	1	28	69	68	42	32	21	6	6	3		
Other diseases of digestive system	8								2	1	1	1	3				
VI.—Diseases of genito-urinary system	2,633	38	7	14	8	10	36	66	236	251	349	426	537	450	191	12	2
Acute nephritis	181	12	4	3	4	5	17	9	31	26	21	22	17	7	3		
Bright's disease	1,915	18	2	8	3	4	15	49	159	170	258	348	428	322	123	6	2
Other diseases of kidneys	104	8	1	2	1		2	2	7	15	13	12	13	18	10		
Calculi of urinary tract	8									1	2	2	1	2			
Diseases of bladder	174			1		1	1	2	2	5		17	45	39	36	5	
Uterine tumor	41									5	16	6	7	7			
Other diseases of uterus	38							1	1	8	12	14		2			
Ovarian tumor	33									4	5	9	6	5	2	2	
Diseases of tubes	45							3	23	7	12						
Other diseases of genito-urinary system	94								2	5	4	13	19	33	17	1	
VII.—Childbirth	312							14	149	119	29	1					
Puerperal septicemia	105							4	53	41	7						
Puerperal convulsions	62							3	28	23	8						
Other causes incident to childbirth	145							7	68	55	14	1					
VIII.—Diseases of skin	256	41	5	1			3	6	7	11	17	27	41	45	45	7	
Gangrene	139	9	1	1			1	2	2	1	4	10	27	33	43	5	
Carbuncle	14	2							1		4	4	2	1			
Abscess	62	16	3				2	2	2	9	5	10	5	6	2		
Other diseases of skin	41	14	1					2	2	1	4	3	7	5		2	
IX.—Diseases of locomotor system	68	18	9	1	2		3	5	2	6	4	5	6	1	6		
Diseases of bones	54	16	9	1	2		3	5	2	3	1	4	5		3		
Diseases of joints	8	2								2			1	1	2		
Other diseases of locomotor system	6									1	3	1			1		
X.—Malformations	353	319	18	6	2		5	1	1								1
Hydrocephalus	68	41	15	4	1		5	1	1								
Congenital malformation of heart (cyanosis)	170	165	2	1	1												1
Other congenital malformations	115	113	1	1													
XI.—Early infancy	2,796	2,796															
Premature birth	1,179	1,179															
Congenital debility	1,617	1,617															
XII.—Old age	1,571												95	423	801	251	1
XIII.—Violence	2,281	217	48	43	50	39	99	193	296	338	307	253	168	120	81	16	13
Suicide	260							12	37	51	69	49	26	12	3		1
Fractures and dislocations	305	1	2	4	3	2	13	20	34	31	50	41	23	36	35	9	1
Burns and scalds	217	4	20	23	20	14	24	9	13	25	20	14	15	12	3		1
Heat and sunstroke	89	10	3		1		3	4	11	18	8	12	6	5	7	1	
Cold and freezing	11								2	1	4	1	1	2			
Lightning	3									1		1		1			
Drowning	354	2	2	4	10	10	26	89	63	60	35	29	9	5	3		7
Inhalation of poisonous gases	44	1							8	6	9	9	6	3	2		
Other accidental poisonings	66	6	10	4	2	3	4	1	7	7	8	8	3	3			
Accidental gunshot wounds	38						1	11	7	7	4	3	4	1			
Injuries by machinery	8								1	3	2	1	1				
Injuries in mines and quarries																	
Railroad accidents and injuries	220			1		2	16	15	54	43	35	25	20	4	2		3
Injuries by vehicles and horses	15						1	3	1		3	4	3				
Suffocation	61	38	4	1		1	1	4	2	2	2	4		2			
Other accidental injuries	423	7	7	6	14	6	9	25	52	77	56	49	51	33	25	6	
Injuries at birth	144	144															
Homicide	23	4				1	1		4	6	2	3		1	1		
XIV.—Ill-defined causes	1,842	784	114	30	7	5	12	21	45	73	70	110	166	236	132	32	15
"Dropsy"	68	5						1		6	3	9	15	21	8		
"Heart failure"	255	33	2				1	5	12	19	14	20	45	63	34	7	
Other ill-defined causes	1,268	663	107	19	6	5	7	7	21	23	32	55	80	130	81	24	8
Unknown causes	251	83	5	1	1		4	8	12	25	21	26	26	22	9	1	7

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

MICHIGAN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	33,973	7,217	1,469	610	375	290	969	1,763	2,810	2,405	2,356	2,800	3,702	4,325	2,409	376	97
I.—General diseases	8,432	615	310	218	159	134	442	774	1,278	936	849	846	847	723	269	18	14
Typhoid fever	883	7	12	9	6	5	48	208	276	143	85	42	22	15	4	.....	1
Malarial fever	158	5	4	5	1	2	4	22	31	20	13	9	14	20	8	.....	.....
Smallpox	9	2	.....	.....	.....	.....	.....	2	3	1	.....	1	.....	.....	.....	.....	.....
Measles	319	81	68	35	16	13	34	28	23	12	6	2	1	.....	.....	.....	.....
Scarlet fever	270	22	31	38	39	29	84	18	3	3	2	.....	.....	.....	.....	.....	1
Whooping cough	190	121	34	14	6	6	8	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diphtheria	400	26	30	45	40	37	129	75	8	3	4	2	.....	.....	.....	1	.....
Croup	135	22	30	21	17	11	30	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	374	29	6	4	4	1	3	6	5	20	26	29	57	103	73	7	1
Cholera nostras	70	22	4	2	4	1	1	1	1	2	2	3	10	10	6	1	.....
Dysentery	264	62	27	14	5	2	7	2	4	7	7	11	25	50	36	3	2
Erysipelas	111	33	2	2	.....	1	.....	3	8	13	15	8	10	14	2	.....	.....
Other epidemic diseases[1]	6	3	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	177	19	4	1	4	.....	3	13	30	37	12	18	16	14	5	.....	1
Tuberculosis of lungs	2,183	36	15	7	5	8	16	253	699	456	281	180	144	70	11	1	1
Tuberculosis of larynx	18	.....	.....	.....	1	.....	.....	.....	6	5	4	.....	.....	1	1	.....	.....
Tuberculous meningitis	120	24	20	11	3	6	22	10	11	7	4	1	1	.....	.....	.....	.....
Abdominal tuberculosis	143	12	4	1	.....	.....	6	22	27	20	10	17	17	3	3	1	.....
Pott's disease	34	4	.....	.....	1	.....	2	7	2	7	3	2	4	1	1	.....	.....
Tuberculous abscess	6	1	.....	.....	.....	.....	.....	1	2	.....	.....	2	.....	.....	.....	.....	.....
White swelling	19	.....	.....	.....	.....	.....	2	6	1	2	4	4	.....	.....	.....	.....	.....
Tuberculosis of other organs	31	2	.....	.....	.....	.....	1	4	6	2	8	2	5	.....	1	.....	.....
General tuberculosis	31	.....	.....	.....	.....	.....	4	3	11	4	1	3	2	2	1	.....	.....
Scrofula	22	11	.....	2	1	.....	2	.....	1	2	.....	2	1	.....	.....	.....	.....
Venereal diseases	60	37	1	.....	.....	.....	.....	.....	7	6	3	4	1	.....	.....	.....	1
Cancer of mouth	49	1	.....	.....	.....	.....	.....	.....	1	1	5	8	9	19	5	.....	.....
Cancer of stomach and liver	577	1	.....	2	.....	.....	.....	2	2	27	71	139	169	133	29	.....	2
Cancer of intestines	142	.....	2	.....	.....	.....	.....	2	6	8	22	45	27	23	6	1	.....
Cancer of female genital organs	216	.....	.....	.....	.....	.....	.....	2	8	22	77	45	43	18	1	.....	.....
Cancer of breast	134	.....	.....	.....	.....	.....	.....	1	2	6	24	46	29	20	5	1	.....
Cancer of skin	64	.....	.....	.....	.....	.....	.....	.....	1	2	4	8	18	17	13	.....	1
Cancer of other or unspecified organs	300	.....	3	.....	3	4	3	8	9	21	42	74	58	53	22	.....	.....
Tumor	61	.....	1	.....	.....	.....	.....	.....	7	6	9	7	18	10	3	.....	.....
Rheumatism	240	3	.....	1	.....	2	13	30	18	10	18	28	45	55	17	.....	.....
Diabetes	252	1	.....	.....	.....	4	10	28	23	16	25	37	54	43	9	2	.....
Anemia, leukemia	218	24	8	2	1	1	8	8	28	20	28	33	30	20	6	.....	1
Alcoholism	76	.....	.....	.....	.....	.....	1	.....	3	16	22	21	9	2	.....	.....	2
Chronic poisonings	17	.....	.....	.....	.....	.....	.....	.....	3	.....	3	5	4	2	.....	.....	.....
Other general diseases	53	4	2	2	2	1	1	4	2	9	9	8	4	4	1	.....	.....
II.—Diseases of nervous system	4,287	830	189	64	57	40	124	154	156	199	285	374	653	763	354	45	10
Encephalitis	115	37	17	4	5	3	12	8	8	5	4	2	5	5	.....	.....	.....
Meningitis	610	166	91	37	30	27	71	69	44	23	25	10	10	5	1	.....	1
Locomotor ataxia	42	3	.....	.....	.....	.....	.....	.....	1	3	5	13	9	6	2	.....	.....
Other diseases of spinal cord	116	15	3	1	1	1	1	2	4	8	14	12	23	23	6	1	1
Apoplexy	1,224	51	11	4	4	3	11	15	27	53	105	166	269	340	151	12	2
Softening of brain	88	.....	.....	.....	.....	.....	.....	.....	2	1	5	7	25	27	20	1	.....
Paralysis	830	7	2	4	.....	.....	.....	6	9	22	42	81	215	268	145	28	1
General paralysis of insane	152	.....	.....	.....	.....	.....	.....	1	3	13	24	27	28	41	11	2	2
Other forms of mental disease	77	.....	.....	.....	.....	.....	.....	.....	5	15	17	11	15	9	4	1	.....
Other diseases of brain	145	26	6	1	3	.....	4	10	13	18	18	19	13	11	3	.....	.....
Epilepsy	148	7	3	1	2	.....	12	24	21	27	15	11	12	9	3	.....	1
Convulsions	605	490	52	11	11	6	9	1	11	4	3	.....	2	2	1	.....	2
Tetanus	33	11	.....	.....	1	.....	2	10	1	2	2	2	.....	1	1	.....	.....
Other diseases of nervous system	102	7	4	1	.....	.....	2	8	7	5	6	13	27	16	6	.....	.....
III.—Diseases of circulatory system	3,146	93	13	5	3	6	30	99	128	154	251	445	731	822	334	27	5
Pericarditis	57	.....	1	.....	.....	.....	1	5	2	3	7	8	14	10	6	.....	.....
Endocarditis	107	3	.....	1	1	1	5	13	13	5	16	13	16	11	9	.....	.....
Heart disease	2,558	72	7	3	.....	3	23	76	86	121	194	372	593	695	285	25	3
Angina pectoris	169	.....	1	.....	.....	.....	.....	1	5	4	13	27	58	50	9	.....	1
Diseases of arteries	101	.....	.....	.....	.....	.....	.....	1	3	2	4	9	28	34	18	2	.....
Embolism and thrombosis	71	3	.....	.....	.....	1	1	2	8	10	6	6	15	15	4	.....	.....
Diseases of veins	13	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	3	2	1	.....	.....
Diseases of lymphatics	8	2	3	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	62	13	1	1	1	.....	.....	1	10	8	10	5	4	5	2	.....	1
IV.—Diseases of respiratory system	4,159	984	347	157	68	40	133	173	253	242	244	316	405	499	267	26	5
Laryngitis	26	4	5	3	2	1	5	2	1	1	.....	.....	.....	1	1	.....	.....
Other diseases of larynx	27	7	2	4	1	.....	7	1	1	2	.....	1	1	.....	.....	.....	.....
Diseases of thyroid body	4	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	496	298	82	31	9	5	4	6	4	2	.....	2	11	20	21	1	.....
Chronic bronchitis	328	2	3	2	.....	.....	10	9	15	12	16	29	58	96	70	6	.....
Bronchopneumonia	449	167	72	31	14	12	16	11	7	11	10	18	25	37	18	.....	.....
Pneumonia	2,246	409	166	82	38	20	83	117	183	170	176	200	229	252	102	14	5
Pleurisy	73	1	1	1	.....	1	2	7	9	13	7	7	14	5	5	.....	.....
Congestion of lungs	243	82	11	2	2	1	4	9	7	6	15	16	20	40	26	2	.....
Gangrene of lungs	6	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	2	.....	.....	1	.....	.....
Asthma and emphysema	133	4	3	.....	1	.....	1	1	2	8	9	22	29	32	18	3	.....
Hemorrhage of lungs	48	1	.....	.....	.....	.....	.....	1	9	8	5	8	7	6	3	.....	.....
Other diseases of respiratory system	80	9	2	1	1	.....	1	7	11	8	6	11	11	10	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	5,193	2,276	481	119	49	31	107	203	257	221	232	277	387	360	162	19	12
Diseases of mouth	30	22	3					1	1					1	1		1
Tonsilitis	27	2	5	2	3		5	2	4	2	1		1				
Other diseases of pharynx	27	7	2				3		1	1	1	6	3	1	2		
Ulcer of stomach	64	2						2	5	8	5	5	17	13	5		2
Gastritis	321	59	13	3	3	3	4	3	9	15	28	37	54	56	29	5	
Other diseases of stomach	247	127	12	2			2	3	5	4	9	20	24	24	13	2	
Dentition	21	15	5	1													
Diarrhea and enteritis	2,938	1,945	412	103	25	19	36	31	35	33	29	41	57	96	62	8	6
Hernia	72	8	1						5	3	8	7	15	22	3		
Obstruction of intestines	173	34	10	1	4	2	6	8	16	8	17	24	22	16	4	1	
Other diseases of intestines	91	25	1	1	3	1	2	6	11	4	3	6	14	11	3		
Acute yellow atrophy of liver	15	1						1	3	1	2	1	3	3			
Hydatid tumors of liver	1											1					
Cirrhosis of liver	225	2			1		2	2	6	13	36	48	70	37	7	1	
Biliary calculi	47						1	1		1	10	5	16	12	1		
Other diseases of liver	268	10	4	2	1		6	11	18	18	27	46	52	49	21	2	1
Diseases of spleen	11						1	1	2	1	3	1	2				
Peritonitis	383	17	11	3	6	2	20	61	91	64	33	18	31	13	11		2
Appendicitis	229		2	1	3	4	19	70	44	45	19	11	6	5			
Other diseases of digestive system	3								1		1			1			
VI.—Diseases of genito-urinary system	1,676	37	10	4	4	8	38	45	118	167	172	247	290	366	156	11	3
Acute nephritis	110	7	5	3	1	3	9	10	13	14	9	9	10	9	7	1	
Bright's disease	1,072	18	2	1	3	4	27	27	64	85	113	194	214	235	76	7	2
Other diseases of kidneys	101	5	1			1	2	1	2	10	5	15	14	23	22		
Calculi of urinary tract	15									3			2	8	2		
Diseases of bladder	153	5	1						3	3	4	7	30	68	30	2	
Uterine tumor	37								3	6	13	8	5	2			
Other diseases of uterus	66							3	18	26	13	5		1			
Ovarian tumor	40							2	7	6	10	5	8	1	1		
Diseases of tubes	18							1	6	9	2						
Other diseases of genito-urinary system	64	2	1					1	2	5	3	4	7	19	18	1	1
VII.—Childbirth	449							36	216	159	36	1					1
Puerperal septicemia	214							16	106	76	16						
Puerperal convulsions	63							13	31	18	1						
Other causes incident to childbirth	172							7	79	65	19	1					1
VIII.—Diseases of skin	202	23	6	2	2			4	7	7	12	24	31	50	29	5	
Gangrene	115	3	1					1	3		5	14	24	34	26	4	
Carbuncle	7	2									1		2	2			
Abscess	47	6	1	2	2			3	3	5	6	6	2	8	2	1	
Other diseases of skin	33	12	4						1	2		4	3	6	1		
IX.—Diseases of locomotor system	41	13	2	1			1	2	2	3	4	5	7		1		
Diseases of bones	35	13	2	1			1	2	2	1	4	4	5				
Diseases of joints																	
Other diseases of locomotor system	6									2		1	2		1		
X.—Malformations	296	270	16	2	1	1	2	1		1		2					
Hydrocephalus	44	24	12	2	1	1	1	1		1		1					
Congenital malformation of heart (cyanosis)	112	111										1					
Other congenital malformations	140	135	4				1										
XI.—Early infancy	1,347	1,347															
Premature birth	651	651															
Congenital debility	696	696															
XII.—Old age	1,181												60	354	577	187	3
XIII.—Violence	1,952	149	45	31	28	21	77	247	343	260	214	168	125	115	80	16	33
Suicide	218							12	39	29	35	41	29	23	7	1	2
Fractures and dislocations	170		1			1	6	12	22	21	16	9	12	24	35	10	1
Burns and scalds	130	10	23	14	14	6	17	4	8	9	7	5	5	7	1		
Heat and sunstroke	32							4	1	4	5	4	2	6	6		
Cold and freezing	14					1		1	1	2	1	3	1	2	2		
Lightning	23	1					1	2	7	3	5	2	2				
Drowning	264	2	6	3	4	3	26	90	63	22	17	8	6	3			11
Inhalation of poisonous gases	15	1			1			1	6	3		1	1		1		
Other accidental poisonings	87	10	9	3	2	3	1	6	13	7	11	10	7	4	1		
Accidental gunshot wounds	63	1		2			2	17	16	6	8	4	4	2		1	
Injuries by machinery	19							7	4	6	1		1				
Injuries in mines and quarries	64							4	29	18	10	2	1				
Railroad accidents and injuries	262			3		2	6	37	45	55	43	22	18	12	6	1	12
Injuries by vehicles and horses	44	1				1	2	8	7	6	3	8	7	1			
Suffocation	33	26	2										3				2
Other accidental injuries	416	15	4	5	7	3	16	40	77	66	50	45	28	31	21	3	5
Injuries at birth	81	81															
Homicide	17	1		1		1		2	5	3	2	1	1				
XIV.—Ill-defined causes	1,612	590	50	7	4	9	15	25	52	56	57	95	166	273	180	22	11
"Dropsy"	249	6	2	1			6	4	10	9	15	27	55	72	36	6	
"Heart failure"	212	43						1	6	13	13	25	37	45	24	4	1
Other ill-defined causes	618	206	32	4	2	5	3	7	18	21	15	27	52	124	93	7	2
Unknown causes	533	335	16	2	2	4	6	13	18	13	14	16	22	32	27	5	8

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

NEW HAMPSHIRE.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,634	1,417	301	126	84	55	162	279	511	453	479	652	943	1,160	793	151	68
I.—General diseases	1,776	104	63	37	36	24	46	124	277	179	135	168	239	216	102	12	14
Typhoid fever	91	.....	1	.....	.....	2	1	17	36	13	10	4	3	1	1	.....	2
Malarial fever	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	3	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	24	6	8	4	.....	.....	2	1	.....	1	.....	.....	.....	1	.....	.....	1
Scarlet fever	25	2	2	2	5	4	5	3	1	.....	.....	.....	.....	.....	.....	.....	1
Whooping cough	40	21	13	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
Diphtheria	63	3	7	13	10	4	14	8	1	.....	.....	1	1	.....	.....	.....	1
Croup	36	6	8	3	11	4	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Influenza	184	10	2	1	2	.....	1	3	4	3	4	10	29	53	51	9	2
Cholera nostras	11	2	2	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	1	1	.....
Dysentery	36	9	3	2	.....	1	.....	1	.....	.....	2	.....	4	9	4	1	.....
Erysipelas	9	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	2	2	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	62	3	.....	1	.....	2	4	6	10	10	6	7	6	4	3	.....	.....
Tuberculosis of lungs	622	14	8	5	1	3	7	67	192	111	67	45	56	42	2	.....	2
Tuberculosis of larynx	8	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	2	.....	.....	.....	.....
Tuberculous meningitis	32	13	4	.....	3	2	5	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	19	2	2	1	2	1	.....	1	4	4	1	.....	1	.....	.....	.....	.....
Pott's disease	6	1	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	1	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	1	.....	.....	.....	.....
General tuberculosis	9	.....	.....	.....	.....	1	.....	1	.....	4	2	.....	1	.....	.....	.....	.....
Scrofula	3	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	4	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Cancer of mouth	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	2	.....	1	.....
Cancer of stomach and liver	94	.....	.....	.....	.....	.....	.....	1	1	2	6	20	31	24	9	.....	.....
Cancer of intestines	25	.....	.....	1	.....	.....	.....	.....	.....	1	2	5	6	6	3	.....	1
Cancer of female genital organs	14	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	3	2	1	.....	.....
Cancer of breast	17	.....	.....	.....	.....	.....	.....	.....	.....	2	1	4	4	5	1	.....	.....
Cancer of skin	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....
Cancer of other or unspecified organs	134	.....	.....	.....	.....	.....	.....	2	3	7	14	29	39	27	12	.....	1
Tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	4	.....	.....
Rheumatism	24	.....	.....	.....	.....	.....	1	1	2	.....	2	3	6	7	2	.....	.....
Diabetes	72	1	1	.....	.....	.....	2	6	7	4	3	15	18	13	2	.....	.....
Anemia, leukemia	64	7	1	2	.....	.....	.....	3	4	4	4	12	14	9	3	.....	1
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Other general diseases	4	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
II.—Diseases of nervous system	1,118	160	57	35	16	15	32	32	32	42	63	114	170	214	111	14	11
Encephalitis	24	4	3	3	.....	2	.....	2	1	2	1	2	2	2	.....	.....	.....
Meningitis	224	81	24	21	10	10	24	17	9	8	5	3	8	3	.....	.....	1
Locomotor ataxia	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	6	3	1	.....	.....	.....
Other diseases of spinal cord	21	.....	.....	1	.....	1	.....	2	1	3	1	2	5	5	.....	.....	.....
Apoplexy	386	5	6	2	2	.....	2	1	7	9	21	56	89	108	64	8	6
Softening of brain	24	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	4	8	8	1	.....
Paralysis	159	2	.....	.....	.....	.....	.....	2	2	3	9	15	31	57	33	4	1
General paralysis of insane	37	.....	.....	.....	.....	.....	.....	.....	.....	4	7	7	7	9	2	1	.....
Other forms of mental disease	28	.....	.....	.....	.....	.....	.....	.....	1	1	8	7	6	4	1	.....	.....
Other diseases of brain	54	6	2	.....	.....	1	1	1	2	2	4	7	9	15	3	.....	1
Epilepsy	25	2	.....	2	1	.....	.....	4	4	6	1	4	.....	1	.....	.....	.....
Convulsions	99	56	22	5	3	1	3	2	3	1	1	.....	1	.....	.....	.....	1
Tetanus	5	1	.....	1	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	20	3	.....	.....	.....	.....	2	.....	.....	2	2	4	5	1	.....	.....	1
III.—Diseases of circulatory system	771	27	2	3	1	2	11	16	34	39	60	101	164	211	89	7	4
Pericarditis	17	.....	.....	.....	.....	.....	.....	.....	2	.....	4	1	7	2	1	.....	.....
Endocarditis	20	1	.....	1	.....	1	1	3	.....	3	2	3	1	3	1	.....	.....
Heart disease	619	19	2	2	1	1	8	10	20	28	44	84	134	184	71	7	4
Angina pectoris	46	.....	.....	.....	.....	.....	.....	2	1	2	5	7	11	10	8	.....	.....
Diseases of arteries	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	3	.....	.....
Embolism and thrombosis	29	.....	.....	.....	.....	.....	.....	.....	7	3	3	3	4	6	3	.....	.....
Diseases of veins	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Diseases of lymphatics	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	25	6	.....	.....	.....	.....	2	1	4	3	1	3	2	1	2	.....	.....
IV.—Diseases of respiratory system	1,179	208	90	31	16	7	21	32	57	77	86	114	134	176	105	13	12
Laryngitis	8	1	.....	1	.....	1	2	1	.....	.....	.....	1	.....	.....	1	.....	.....
Other diseases of larynx	8	3	3	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Acute bronchitis	111	60	14	2	1	1	3	.....	.....	3	3	3	3	7	9	1	1
Chronic bronchitis	83	1	1	.....	.....	.....	.....	1	2	3	1	9	13	28	17	5	2
Bronchopneumonia	125	38	25	9	4	1	1	1	2	6	3	6	5	12	10	1	1
Pneumonia	750	98	43	17	9	4	13	27	45	55	67	83	95	116	64	6	8
Pleurisy	13	.....	.....	.....	.....	.....	1	.....	5	2	1	2	1	.....	1	.....	.....
Congestion of lungs	40	6	3	1	1	.....	1	1	.....	3	4	5	6	8	1	.....	.....
Gangrene of lungs	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Asthma and emphysema	16	.....	.....	1	.....	.....	.....	.....	.....	1	2	3	6	1	2	.....	.....
Hemorrhage of lungs	10	1	.....	.....	.....	.....	.....	.....	2	2	4	1	.....	.....	.....	.....	.....
Other diseases of respiratory system	11	.....	1	.....	.....	.....	.....	1	.....	1	1	1	4	2	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	865	459	59	11	3	3	15	28	26	30	31	38	63	57	34	5	3
Diseases of mouth	1	1															
Tonsilitis	4	1		1	1			1									
Other diseases of pharynx	3	1	1				1										
Ulcer of stomach	6								1	1	1	2	1				
Gastritis	59	6							1	5	2	8	13	13	9	2	
Other diseases of stomach	26	9			1	1	1		1	2			2	7	2		
Dentition	12	9	3														
Diarrhea and enteritis	549	420	54	8	1		6	4	4	3	3	6	10	14	12	3	1
Hernia	13	2									1	2	3	2	3		
Obstruction of intestines	36	6	1			1	1	1	1	5	5	3	5	4	2		1
Other diseases of intestines	11							3	3	1	1		1	2			
Acute yellow atrophy of liver	5									1		1	3				
Hydatid tumors of liver																	
Cirrhosis of liver	27									1	10	3	6	6	1		
Biliary calculi	3										1			2			
Other diseases of liver	31	1						2		3	4	8	7	2	4		
Diseases of spleen																	
Peritonitis	62	3		2		1	5	13	11	6	3	4	7	5	1		1
Appendicitis	17						1	4	4	2		1	5				
Other diseases of digestive system																	
VI.—Diseases of genito-urinary system	361	4	1	1	1	1	8	8	25	17	42	52	69	86	40	3	3
Acute nephritis	44	1			1	1	3	5	4	5	8	3	6	3	2		2
Bright's disease	242	2		1			5	2	17	11	32	39	51	59	20	2	1
Other diseases of kidneys	11							1	1			3	2	4			
Calculi of urinary tract	1													1			
Diseases of bladder	44	1	1								1	5	6	15	14	1	
Uterine tumor	4									1		1	1	1			
Other diseases of uterus	5								2				2	1			
Ovarian tumor	3								1				1		1		
Diseases of tubes																	
Other diseases of genito-urinary system	7										1	1		2	3		
VII.—Childbirth	33							6	16	9	2						
Puerperal septicemia	10							2	7	1							
Puerperal convulsions	11							2	4	3	2						
Other causes incident to childbirth	12							2	5	5							
VIII.—Diseases of skin	51	4					1	1	1	1		3	9	17	11	2	1
Gangrene	35	1							1			1	7	13	10	2	
Carbuncle	3											1		1			1
Abscess	7						1	1		1		1	1	2			
Other diseases of skin	6	3											1	1	1		
IX.—Diseases of locomotor system	10	1	1	1	1	1		1		3			1				
Diseases of bones	9	1	1	1	1	1		1		2			1				
Diseases of joints	1									1							
Other diseases of locomotor system																	
X.—Malformations	37	33		1	1												2
Hydrocephalus	5	4			1												
Congenital malformation of heart (cyanosis)	17	15		1													1
Other congenital malformations	15	14															1
XI.—Early infancy	315	315															
Premature birth	115	115															
Congenital debility	200	200															
XII.—Old age	373												10	79	203	79	2
XIII.—Violence	288	12	6	4	7	1	23	28	36	34	35	30	22	17	24	2	7
Suicide	36							1	4	3	10	6	4	7	1		
Fractures and dislocations	32						1	1	3	5	5	4		2	9	2	
Burns and scalds	24	1	2	2	1	1	3	1	2	2	1	4	1	1	2		
Heat and sunstroke	4	1							1	1			1				
Cold and freezing	5									1	1	1	1		1		
Lightning	2						1	1									
Drowning	50			1	2		13	15	10	5	1		2				1
Inhalation of poisonous gases																	
Other accidental poisonings	15		1		1		1			2	4	1	2		2		1
Accidental gunshot wounds	10				1			1	5	1	1						1
Injuries by machinery	1						1										
Injuries in mines and quarries																	
Railroad accidents and injuries	27							3	3	8	4	5	2		1		1
Injuries by vehicles and horses	2						1						1				
Suffocation	8	3	1		2					1				1			
Other accidental injuries	67	3	2	1			2	5	8	5	8	9	7	6	8		3
Injuries at birth	4	4															
Homicide	1												1				
XIV.—Ill-defined causes	457	90	22	2	2	1	5	3	7	22	25	32	62	87	74	14	9
"Dropsy"	33	1								1	2	1	8	11	7	2	
"Heart failure"	108	4	1				1	1	2	3	6	11	22	30	25	2	
Other ill-defined causes	240	57	19	2	2	1	1	1	4	14	11	17	26	39	35	7	4
Unknown causes	76	28	2				3	1	1	4	6	3	6	7	7	3	5

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

NEW JERSEY.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	33,439	7,785	1,818	817	475	384	952	1,301	2,597	2,922	2,661	3,009	3,486	3,232	1,606	249	145
I.—General diseases	8,426	576	408	316	213	192	466	554	1,228	1,299	839	844	765	525	174	16	11
Typhoid fever	415	1	.....	3	3	4	22	87	120	87	37	22	18	10	1	.....	.....
Malarial fever	96	7	6	6	3	3	5	7	10	6	3	7	14	15	3	.....	1
Smallpox	5	.....	1	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
Measles	217	50	74	33	13	10	21	5	3	4	2	.....	2	.....	.....	.....	.....
Scarlet fever	187	9	17	25	29	23	62	15	4	.....	2	.....	.....	.....	.....	.....	1
Whooping cough	294	152	74	36	14	4	10	2	.....	1	.....	1	.....	.....	.....	.....	.....
Diphtheria	681	33	81	110	84	83	209	61	10	4	2	1	2	1	.....	.....	.....
Croup	237	19	52	53	29	30	50	3	.....	.....	.....	1	.....	.....	.....	.....	.....
Influenza	408	20	6	2	2	1	9	7	18	20	31	51	82	94	56	8	1
Cholera nostras	51	7	.....	.....	2	.....	1	1	1	5	1	4	16	6	5	2	.....
Dysentery	150	29	14	9	2	3	6	1	2	8	6	12	21	16	21	.....	.....
Erysipelas	109	42	5	.....	.....	1	.....	2	3	9	10	12	9	11	4	1	.....
Other epidemic diseases[1]	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	137	14	4	1	2	2	3	13	19	30	14	11	9	11	4	.....	.....
Tuberculosis of lungs	3,466	75	24	13	15	10	28	279	931	929	473	337	233	100	17	.....	2
Tuberculosis of larynx	45	.....	.....	.....	.....	.....	.....	1	8	12	11	7	1	4	1	.....	.....
Tuberculous meningitis	169	59	27	20	9	9	17	9	7	9	1	.....	1	1	.....	.....	.....
Abdominal tuberculosis	79	13	10	2	.....	2	5	4	11	12	4	6	4	5	.....	.....	1
Pott's disease	26	1	.....	1	1	2	2	9	3	1	1	4	1	.....	.....	.....	.....
Tuberculous abscess	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	13	.....	1	.....	.....	.....	3	2	1	5	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	21	3	.....	.....	.....	.....	.....	4	3	3	3	.....	1	3	1	.....	.....
General tuberculosis	43	11	4	.....	2	.....	1	3	7	6	1	5	2	1	.....	.....	.....
Scrofula	5	1	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	20	14	.....	.....	.....	.....	.....	.....	2	2	1	.....	1	.....	.....	.....	.....
Cancer of mouth	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	9	8	7	.....	.....	.....
Cancer of stomach and liver	389	.....	.....	.....	.....	1	.....	1	5	21	44	110	124	71	10	.....	2
Cancer of intestines	89	.....	.....	.....	.....	.....	.....	.....	1	12	17	25	18	14	2	.....	.....
Cancer of female genital organs	138	.....	.....	.....	.....	.....	.....	1	4	15	36	46	22	12	2	.....	.....
Cancer of breast	74	.....	.....	.....	.....	.....	.....	.....	.....	4	14	19	17	11	7	1	1
Cancer of skin	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	2	10	9	8	.....	.....
Cancer of other or unspecified organs	265	.....	2	1	1	.....	.....	2	11	13	37	63	67	50	16	2	.....
Tumor	31	.....	.....	.....	.....	.....	1	.....	2	3	7	2	7	6	2	.....	1
Rheumatism	139	3	.....	.....	.....	1	6	15	9	17	17	19	21	25	5	1	.....
Diabetes	157	.....	1	1	1	.....	3	8	7	10	14	36	37	31	7	1	.....
Anemia, leukemia	82	9	2	.....	1	1	2	7	11	13	4	12	9	9	2	.....	.....
Alcoholism	92	.....	.....	.....	.....	.....	.....	.....	6	30	31	16	7	1	.....	.....	1
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	.....	2	4	1	.....	.....	.....	.....	.....
Other general diseases	25	2	2	.....	.....	.....	.....	2	6	6	2	3	1	1	.....	.....	.....
II.—Diseases of nervous system	4,701	1,177	325	162	78	55	125	95	127	192	275	454	625	688	275	41	7
Encephalitis	51	11	9	1	1	2	6	2	2	3	2	6	1	5	.....	.....	.....
Meningitis	1,029	367	173	101	52	31	77	44	36	47	31	26	24	12	5	2	1
Locomotor ataxia	37	1	.....	.....	.....	.....	.....	.....	1	3	9	5	14	3	1	.....	.....
Other diseases of spinal cord	106	7	3	.....	.....	2	3	4	4	8	10	11	28	21	5	.....	.....
Apoplexy	1,550	72	21	8	2	2	6	10	24	54	134	291	368	396	136	23	3
Softening of brain	78	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	11	19	29	13	4	.....
Paralysis	474	4	1	1	3	2	1	3	7	8	25	46	117	161	86	7	2
General paralysis of insane	125	1	.....	.....	.....	.....	.....	.....	3	13	16	22	17	28	19	5	1
Other forms of mental disease	68	.....	.....	.....	.....	.....	.....	1	3	14	13	11	13	8	5	.....	.....
Other diseases of brain	84	15	7	2	1	2	6	6	7	6	7	6	8	10	1	.....	.....
Epilepsy	79	1	1	1	1	.....	1	10	16	11	14	9	9	4	1	.....	.....
Convulsions	884	651	109	47	14	12	18	4	12	9	4	3	.....	.....	1	.....	.....
Tetanus	81	43	1	1	2	1	5	9	4	5	3	4	3	.....	.....	.....	.....
Other diseases of nervous system	55	4	.....	.....	2	1	2	2	8	9	7	3	4	11	2	.....	.....
III.—Diseases of circulatory system	2,871	119	20	11	8	10	61	125	148	207	305	417	607	551	247	26	9
Pericarditis	46	.....	.....	.....	1	.....	6	8	4	6	6	5	3	7	.....	.....	.....
Endocarditis	246	8	4	3	.....	3	18	20	21	18	25	37	45	31	11	1	1
Heart disease	2,183	91	13	8	5	5	34	89	99	152	240	307	458	444	213	18	7
Angina pectoris	148	.....	.....	.....	.....	.....	.....	1	8	8	12	33	48	29	9	.....	.....
Diseases of arteries	89	.....	.....	.....	.....	1	.....	.....	.....	4	12	17	25	19	6	5	.....
Embolism and thrombosis	84	1	.....	.....	.....	.....	1	4	7	12	4	10	18	18	7	2	.....
Diseases of veins	8	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	2	.....	.....	.....
Diseases of lymphatics	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	65	19	2	.....	2	1	2	3	9	6	5	5	8	1	1	.....	1
IV.—Diseases of respiratory system	4,888	1,167	509	178	100	63	118	124	239	360	333	421	506	489	239	34	8
Laryngitis	47	10	5	6	4	.....	11	1	.....	.....	1	2	5	2	.....	.....	.....
Other diseases of larynx	26	6	2	4	.....	2	1	1	1	2	1	3	2	1	.....	.....	.....
Diseases of thyroid body	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Acute bronchitis	535	341	89	21	13	10	2	3	4	3	2	9	7	17	13	1	.....
Chronic bronchitis	325	13	7	2	1	.....	3	4	8	8	19	28	77	98	43	14	.....
Bronchopneumonia	706	301	142	49	28	13	19	5	5	10	10	31	31	39	18	4	1
Pneumonia	2,736	423	247	86	51	30	74	86	180	290	248	281	325	270	126	12	7
Pleurisy	82	6	5	3	1	4	3	7	16	9	11	7	5	5	.....	.....	.....
Congestion of lungs	251	59	10	6	2	2	5	7	10	14	17	28	26	31	31	3	.....
Gangrene of lungs	5	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....
Asthma and emphysema	59	.....	1	.....	.....	1	.....	1	.....	1	7	12	17	12	7	.....	.....
Hemorrhage of lungs	65	3	.....	.....	.....	.....	.....	6	8	14	10	10	3	10	1	.....	.....
Other diseases of respiratory system	49	4	1	1	.....	1	.....	3	7	8	6	8	6	4	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,364	2,109	387	72	31	24	57	127	168	210	242	264	267	263	126	12	5
Diseases of mouth	15	11	.....	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....
Tonsilitis	15	1	1	1	.....	.....	4	3	.....	2	1	1	.....	.....	1	.....	.....
Other diseases of pharynx	23	4	.....	1	1	.....	.....	2	3	.....	2	2	5	3	.....	.....	.....
Ulcer of stomach	39	.....	.....	.....	.....	.....	.....	1	6	5	6	5	9	7	.....	.....	.....
Gastritis	278	51	9	2	1	5	1	8	14	17	28	32	35	45	27	3	.....
Other diseases of stomach	115	29	4	2	1	1	2	1	5	7	17	8	13	14	11	.....	.....
Dentition	23	10	11	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	2,720	1,910	358	58	21	14	27	11	13	25	26	35	70	87	56	6	3
Hernia	72	7	.....	.....	.....	.....	.....	3	5	6	9	13	16	10	3	.....	.....
Obstruction of intestines	141	37	2	1	1	1	2	4	8	9	17	17	17	16	8	.....	1
Other diseases of intestines	47	17	.....	.....	1	.....	1	4	2	2	4	4	4	7	1	.....	.....
Acute yellow atrophy of liver	9	1	.....	.....	.....	.....	.....	.....	1	3	2	.....	1	1	.....	.....	.....
Hydatid tumors of liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Cirrhosis of liver	306	3	1	.....	.....	1	.....	2	13	42	70	80	55	31	7	1	.....
Biliary calculi	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	2	2	.....	.....	.....
Other diseases of liver	111	12	1	1	1	.....	2	6	4	8	10	17	17	22	8	1	1
Diseases of spleen	3	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Peritonitis	315	13	.....	3	4	2	9	30	60	66	41	32	17	15	2	1	.....
Appendicitis	119	1	.....	.....	.....	.....	9	30	34	17	5	14	5	3	1	.....	.....
Other diseases of digestive system	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	2,062	36	13	8	7	10	32	64	162	218	286	325	426	329	136	6	4
Acute nephritis	239	15	4	4	2	6	10	16	43	32	29	33	23	14	7	1	.....
Bright's disease	1,574	16	7	4	5	3	22	45	103	160	232	264	360	257	87	5	4
Other diseases of kidneys	49	3	1	.....	.....	1	.....	2	2	6	7	5	8	8	6	.....	.....
Calculi of urinary tract	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	1	.....	.....
Diseases of bladder	106	1	.....	.....	.....	.....	.....	1	1	1	3	13	24	37	25	.....	.....
Uterine tumor	13	.....	.....	.....	.....	.....	.....	.....	.....	1	7	3	1	.....	1	.....	.....
Other diseases of uterus	23	.....	.....	.....	.....	.....	.....	.....	4	11	6	1	.....	1	.....	.....	.....
Ovarian tumor	10	.....	.....	.....	.....	.....	.....	.....	2	.....	1	3	3	.....	1	.....	.....
Diseases of tubes	10	.....	.....	.....	.....	.....	.....	.....	5	5	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	33	1	1	.....	.....	.....	.....	.....	1	2	1	3	5	11	8	.....	.....
VII.—Childbirth	241	.....	.....	.....	.....	.....	.....	11	124	75	27	1	.....	2	.....	.....	1
Puerperal septicemia	93	.....	.....	.....	.....	.....	.....	6	58	20	9	.....	.....	.....	.....	.....	.....
Puerperal convulsions	42	.....	.....	.....	.....	.....	.....	3	19	15	5	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	106	.....	.....	.....	.....	.....	.....	2	47	40	13	1	.....	2	.....	.....	1
VIII.—Diseases of skin	139	18	2	3	.....	1	2	1	2	8	9	22	27	24	16	4	.....
Gangrene	78	1	.....	1	.....	.....	.....	.....	.....	2	4	14	19	20	14	3	.....
Carbuncle	8	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	1	1	.....	.....
Abscess	33	5	.....	1	.....	.....	2	1	1	5	5	5	5	2	.....	1	.....
Other diseases of skin	20	11	2	1	.....	1	.....	.....	.....	.....	.....	2	1	1	1	.....	.....
IX.—Diseases of locomotor system	45	11	6	1	.....	1	1	2	5	3	7	3	.....	4	1	.....	.....
Diseases of bones	31	11	6	1	.....	1	1	1	2	1	1	1	.....	4	1	.....	.....
Diseases of joints	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of locomotor system	12	.....	.....	.....	.....	.....	.....	1	2	2	5	2	.....	.....	.....	.....	.....
X.—Malformations	286	277	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	37	30	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	157	155	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	92	92	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Early infancy	1,424	1,424	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	547	547	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	877	877	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	511	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40	140	248	82	1
XIII.—Violence	2,068	159	40	46	30	20	80	187	365	309	288	198	127	89	41	3	86
Suicide	216	.....	.....	.....	.....	.....	.....	5	56	38	44	36	23	8	3	.....	3
Fractures and dislocations	151	1	.....	1	.....	1	5	8	23	22	28	20	18	11	13	.....	.....
Burns and scalds	187	10	22	27	21	16	18	9	14	9	5	9	13	9	1	.....	4
Heat and sunstroke	119	18	4	.....	.....	.....	1	3	13	24	17	12	7	12	6	1	1
Cold and freezing	11	.....	.....	.....	.....	.....	.....	.....	2	1	4	3	.....	1	.....	.....	.....
Lightning	5	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Drowning	388	1	5	3	.....	1	25	67	80	50	50	20	11	5	1	.....	69
Inhalation of poisonous gases	52	1	1	2	1	.....	6	5	9	8	8	7	4	.....	.....	.....	.....
Other accidental poisonings	87	4	2	6	4	.....	2	7	15	12	14	12	8	1	.....	.....	.....
Accidental gunshot wounds	40	.....	.....	.....	.....	.....	.....	6	14	6	5	5	3	.....	.....	.....	1
Injuries by machinery	9	.....	.....	1	.....	.....	.....	.....	2	.....	3	1	1	.....	.....	1	.....
Injuries in mines and quarries	5	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	345	2	.....	2	2	1	13	35	77	76	62	46	14	8	2	.....	5
Injuries by vehicles and horses	9	.....	.....	1	.....	1	1	1	3	.....	.....	.....	1	1	.....	.....	.....
Suffocation	33	23	1	.....	.....	.....	.....	.....	1	2	1	1	1	1	.....	.....	2
Other accidental injuries	298	3	5	3	2	.....	8	35	50	52	44	25	23	32	14	1	1
Injuries at birth	94	94	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	19	2	.....	.....	.....	.....	.....	2	5	6	2	1	.....	.....	1	.....	.....
XIV.—Ill-defined causes	1,413	712	100	20	7	8	10	11	29	41	50	60	96	128	103	25	13
"Dropsy"	70	1	1	.....	.....	.....	1	4	1	5	8	13	12	16	8	.....	.....
"Heart failure"	215	27	.....	.....	2	2	.....	1	11	12	15	25	40	44	28	6	2
Other ill-defined causes	1,029	622	97	19	5	6	8	5	13	22	24	18	41	66	62	19	2
Unknown causes	99	62	2	1	.....	.....	1	1	4	2	3	4	3	2	5	.....	9

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

NEW YORK.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	132,352	26,755	7,059	3,050	1,928	1,345	3,552	4,802	10,794	12,383	11,694	12,529	14,067	13,839	7,187	1,095	273
I.—General diseases	35,151	2,253	1,709	1,156	927	658	1,680	2,111	5,232	5,388	4,123	3,565	3,164	2,247	806	78	54
Typhoid fever	2,003	9	14	15	19	17	107	367	552	401	263	131	69	23	9	.....	7
Malarial fever	330	29	20	10	15	7	20	21	45	30	29	37	33	23	9	1	1
Smallpox	15	2	1	.....	.....	.....	1	1	3	2	3	1	1	.....	.....	.....	.....
Measles	1,172	307	400	148	66	42	93	45	22	18	13	7	5	3	3	.....	.....
Scarlet fever	720	44	87	132	122	81	168	57	19	8	2	.....	.....	.....	.....	.....	.....
Whooping cough	828	449	185	79	63	19	24	3	2	1	2	.....	.....	1	.....	.....	.....
Diphtheria	2,681	182	381	416	377	298	753	179	41	32	8	6	5	2	1	.....	.....
Croup	616	66	137	117	92	74	118	9	1	1	.....	1	.....	.....	.....	.....	.....
Influenza	1,434	99	23	12	9	3	15	32	56	83	108	135	237	333	261	24	4
Cholera nostras	199	28	9	4	3	1	8	8	4	5	11	23	30	39	23	3	.....
Dysentery	706	123	85	27	17	18	34	15	20	33	30	54	100	129	95	14	2
Erysipelas	450	132	9	5	3	2	.....	11	20	37	39	63	54	53	20	1	1
Other epidemic diseases[1]	13	4	2	.....	1	.....	.....	2	1	1	2	.....	.....	.....	.....	.....	.....
Septicemia	410	37	7	4	3	2	7	27	61	57	55	61	50	26	11	.....	2
Tuberculosis of lungs	13,888	157	98	55	35	23	113	978	3,866	3,742	2,141	1,306	831	445	77	7	14
Tuberculosis of larynx	89	1	.....	1	.....	.....	.....	2	20	24	25	5	9	1	1	.....	.....
Tuberculous meningitis	880	202	183	95	69	43	82	58	28	29	17	6	7	1	.....	.....	.....
Abdominal tuberculosis	336	72	25	9	8	4	6	29	49	37	33	27	24	12	1	.....	.....
Pott's disease	100	5	4	1	4	3	9	21	14	13	4	14	4	4	.....	.....	.....
Tuberculous abscess	8	1	.....	.....	.....	.....	.....	2	.....	1	1	1	1	.....	.....	.....	1
White swelling	55	3	3	2	1	.....	12	9	3	6	6	3	4	1	1	.....	1
Tuberculosis of other organs	68	1	1	1	1	.....	2	8	11	12	13	7	5	4	1	.....	1
General tuberculosis	141	16	5	2	2	2	4	12	33	31	20	7	6	1	.....	.....	.....
Scrofula	32	9	3	1	1	1	3	1	3	2	.....	3	4	1	.....	.....	.....
Venereal diseases	237	150	6	4	3	.....	1	5	16	19	20	7	5	1	.....	.....	.....
Cancer of mouth	117	.....	.....	1	.....	1	1	1	1	3	13	35	31	23	6	1	.....
Cancer of stomach and liver	1,778	4	.....	.....	.....	.....	2	2	14	106	266	446	530	344	59	2	3
Cancer of intestines	451	.....	1	.....	.....	.....	1	3	21	38	71	106	114	79	15	.....	2
Cancer of female genital organs	672	.....	.....	.....	.....	1	.....	.....	23	96	184	185	117	52	13	1	.....
Cancer of breast	396	.....	.....	.....	.....	.....	1	.....	8	27	81	85	93	67	32	.....	2
Cancer of skin	150	.....	.....	.....	1	.....	.....	.....	2	8	12	26	38	38	21	4	.....
Cancer of other or unspecified organs	1,283	5	1	5	.....	.....	8	26	43	69	235	306	298	212	64	10	1
Tumor	132	4	.....	.....	.....	.....	.....	2	7	22	24	19	22	27	5	.....	.....
Rheumatism	792	12	2	2	4	6	55	82	56	83	85	105	131	118	40	7	4
Diabetes	827	3	5	3	2	1	14	52	61	66	98	178	188	128	23	1	4
Anemia, leukemia	415	29	9	3	5	6	16	33	35	48	61	69	51	37	11	1	1
Alcoholism	490	.....	.....	1	.....	.....	.....	.....	62	166	121	78	46	10	3	.....	3
Chronic poisonings	40	.....	.....	1	.....	.....	.....	.....	5	11	8	4	8	2	1	.....	.....
Other general diseases	107	8	3	.....	1	3	2	8	4	20	19	18	13	7	.....	1	.....
II.—Diseases of nervous system	14,466	2,560	755	357	181	135	302	372	447	701	1,102	1,573	2,212	2,473	1,155	113	28
Encephalitis	121	31	6	10	3	6	4	7	9	12	8	7	10	7	1	.....	.....
Meningitis	2,921	999	533	251	131	83	218	190	125	109	83	82	62	36	12	3	4
Locomotor ataxia	142	.....	.....	.....	.....	.....	.....	.....	4	12	33	33	38	19	3	.....	.....
Other diseases of spinal cord	334	7	8	5	5	1	4	15	25	32	33	63	64	55	17	.....	.....
Apoplexy	5,831	142	27	19	8	13	16	36	97	224	560	945	1,425	1,528	704	71	16
Softening of brain	236	.....	1	.....	.....	.....	.....	1	2	3	10	28	67	80	41	2	1
Paralysis	1,392	9	2	3	1	.....	5	10	25	28	73	139	296	495	277	27	2
General paralysis of insane	638	.....	.....	.....	.....	.....	.....	3	11	100	141	125	86	117	50	3	2
Other forms of mental disease	286	.....	.....	.....	.....	.....	.....	5	26	37	46	49	64	40	17	2	.....
Other diseases of brain	291	42	11	6	3	7	11	15	24	37	31	24	38	25	14	3	.....
Epilepsy	319	17	2	4	2	2	9	31	52	55	45	37	25	27	9	.....	2
Convulsions	1,537	1,219	153	54	22	20	13	12	13	11	6	4	6	3	.....	.....	1
Tetanus	168	83	1	1	1	.....	11	23	14	10	11	4	5	4	.....	.....	.....
Other diseases of nervous system	250	11	11	4	5	3	11	24	20	31	22	33	26	37	10	2	.....
III.—Diseases of circulatory system	11,359	311	37	27	25	35	189	438	646	921	1,187	1,811	2,392	2,365	875	76	24
Pericarditis	176	6	3	2	1	8	5	12	14	21	21	30	33	12	6	1	1
Endocarditis	1,357	27	4	7	9	9	59	107	127	155	147	223	228	188	60	7	.....
Heart disease	8,300	182	20	12	13	17	115	290	428	604	850	1,322	1,803	1,880	689	57	18
Angina pectoris	470	.....	2	.....	.....	1	1	3	13	41	42	94	135	107	28	1	2
Diseases of arteries	369	1	.....	.....	.....	.....	.....	.....	3	17	48	63	91	81	55	10	.....
Embolism and thrombosis	324	5	4	.....	.....	.....	3	12	28	33	38	44	61	67	29	.....	.....
Diseases of veins	46	1	.....	.....	.....	.....	.....	4	5	10	8	4	7	6	1	.....	.....
Diseases of lymphatics	17	8	.....	1	.....	.....	.....	.....	2	2	3	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	300	81	4	5	2	.....	6	10	26	38	30	31	34	23	7	.....	3
IV.—Diseases of respiratory system	21,698	4,958	2,360	973	439	251	563	542	1,235	1,538	1,583	1,817	2,156	2,105	1,030	128	20
Laryngitis	119	9	24	13	13	13	15	5	3	7	7	3	5	2	.....	.....	.....
Other diseases of larynx	85	25	10	6	7	5	10	1	1	2	4	5	6	1	2	.....	.....
Diseases of thyroid body	15	.....	.....	.....	.....	.....	.....	.....	2	1	1	5	3	3	.....	.....	.....
Acute bronchitis	2,327	1,437	385	149	46	36	16	7	16	12	20	25	52	68	50	8	.....
Chronic bronchitis	1,579	31	11	3	1	1	32	21	51	60	75	186	325	446	293	43	.....
Bronchopneumonia	1,650	654	301	144	60	22	53	16	30	32	41	38	85	112	53	7	2
Pneumonia	14,046	2,609	1,569	625	285	157	393	430	988	1,252	1,243	1,324	1,388	1,220	494	57	12
Pleurisy	452	24	33	15	14	8	21	14	52	67	51	49	56	34	14	.....	.....
Congestion of lungs	808	135	21	14	10	5	16	30	40	51	58	88	118	123	87	10	2
Gangrene of lungs	32	1	1	1	.....	1	.....	.....	4	5	4	5	5	4	1	.....	.....
Asthma and emphysema	285	7	2	1	1	2	1	6	10	10	28	50	74	61	28	3	1
Hemorrhage of lungs	164	5	1	.....	2	.....	2	4	22	24	30	29	23	17	3	.....	2
Other diseases of respiratory system	136	21	2	2	.....	1	4	8	16	15	21	10	16	14	5	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	17,576	8,253	1,668	292	146	105	275	489	785	843	969	1,080	1,127	1,022	446	55	21
Diseases of mouth	61	41	3	2	2	.....	3	1	.....	.....	.....	1	4	4	.....	.....	.....
Tonsilitis	53	2	5	5	3	7	13	5	7	2	.....	1	1	2	.....	.....	.....
Other diseases of pharynx	68	11	4	1	1	2	1	2	6	4	5	13	9	7	2	.....	.....
Ulcer of stomach	214	2	1	.....	1	1	2	2	32	37	33	43	32	24	3	1	.....
Gastritis	967	180	31	10	11	8	8	12	54	67	77	100	153	163	84	6	3
Other diseases of stomach	429	195	22	8	5	7	10	3	17	10	24	24	26	45	27	4	1
Dentition	173	110	59	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	10,771	7,452	1,517	230	103	54	82	66	102	113	118	164	248	294	187	29	12
Hernia	330	28	1	1	.....	.....	3	4	12	21	49	67	71	50	19	3	1
Obstruction of intestines	631	107	8	15	5	7	17	28	56	50	62	79	68	91	32	6	.....
Other diseases of intestines	204	39	5	3	2	.....	3	9	11	21	20	20	32	23	15	.....	1
Acute yellow atrophy of liver	23	1	.....	.....	.....	.....	1	.....	4	2	5	4	3	3	.....	.....	.....
Hydatid tumors of liver	4	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....
Cirrhosis of liver	1,242	5	.....	.....	.....	.....	3	3	50	191	279	280	252	153	24	1	1
Biliary calculi	93	2	.....	.....	.....	.....	.....	.....	6	10	20	21	22	5	5	1	1
Other diseases of liver	589	31	5	3	1	1	9	13	35	61	79	112	107	95	33	3	1
Diseases of spleen	17	1	.....	.....	.....	.....	2	.....	3	2	3	3	1	1	1	.....	.....
Peritonitis	934	43	6	8	9	10	51	119	211	162	109	78	68	48	11	1	.....
Appendicitis	757	2	1	3	1	8	66	219	177	88	83	65	28	14	2	.....	.....
Other diseases of digestive system	16	.....	.....	.....	1	.....	1	1	2	1	3	4	2	.....	1	.....	.....
VI.—Diseases of genito-urinary system	9,845	136	44	38	43	40	113	215	766	1,224	1,454	1,730	1,852	1,569	557	47	17
Acute nephritis	697	41	14	18	17	13	30	30	97	116	104	84	66	54	10	3	.....
Bright's disease	7,931	82	26	19	25	27	82	163	535	947	1,204	1,506	1,596	1,266	410	33	10
Other diseases of kidneys	220	4	4	.....	1	.....	.....	3	21	21	21	32	46	41	23	1	2
Calculi of urinary tract	27	.....	.....	.....	.....	.....	.....	1	.....	4	2	5	10	2	3	.....	.....
Diseases of bladder	394	2	.....	.....	.....	.....	.....	3	3	12	11	29	82	161	79	9	3
Uterine tumor	94	.....	.....	.....	.....	.....	.....	.....	5	22	32	23	8	2	2	.....	.....
Other diseases of uterus	120	.....	.....	.....	.....	.....	.....	6	37	38	24	8	4	.....	3	.....	.....
Ovarian tumor	93	.....	.....	.....	.....	.....	.....	1	10	17	19	26	14	3	2	.....	1
Diseases of tubes	94	.....	.....	.....	.....	.....	.....	7	39	26	20	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	175	7	.....	1	.....	.....	1	1	19	21	17	16	25	40	25	1	1
VII.—Childbirth	1,023	.....	.....	.....	.....	.....	.....	42	489	412	80	.....	.....	.....	.....	.....	.....
Puerperal septicemia	470	.....	.....	.....	.....	.....	.....	28	242	172	28	.....	.....	.....	.....	.....	.....
Puerperal convulsions	158	.....	.....	.....	.....	.....	.....	7	82	59	10	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	395	.....	.....	.....	.....	.....	.....	7	165	181	42	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	591	72	12	1	3	3	14	7	26	32	33	50	89	154	72	22	1
Gangrene	356	8	5	1	1	.....	5	1	9	7	12	30	55	129	71	22	.....
Carbuncle	31	4	.....	.....	.....	1	.....	.....	1	6	6	4	9	.....	.....	.....	.....
Abscess	135	30	5	.....	2	2	8	6	13	16	12	12	13	15	.....	.....	1
Other diseases of skin	69	30	2	.....	.....	.....	1	.....	3	3	3	4	12	10	1	.....	.....
IX.—Diseases of locomotor system	185	49	21	5	3	5	10	16	8	19	18	9	13	8	.....	.....	1
Diseases of bones	147	48	21	5	3	4	7	11	5	13	14	6	5	5	.....	.....	.....
Diseases of joints	18	1	.....	.....	.....	1	1	2	1	3	1	2	3	3	.....	.....	.....
Other diseases of locomotor system	20	.....	.....	.....	.....	.....	2	3	2	3	3	1	5	.....	.....	.....	1
X.—Malformations	888	816	35	15	5	2	8	4	3	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	152	105	24	10	5	1	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	510	493	6	4	.....	1	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	226	218	5	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Early infancy	5,039	5,039	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	2,215	2,215	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	2,824	2,824	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	3,513	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	181	1,055	1,765	497	15
XIII.—Violence	6,909	503	119	138	130	94	346	509	1,064	1,190	985	687	525	344	165	37	73
Suicide	858	.....	.....	.....	.....	.....	.....	30	155	197	183	138	97	45	11	1	1
Fractures and dislocations	878	8	4	11	14	13	50	47	112	162	146	88	76	66	58	14	9
Burns and scalds	574	21	53	62	53	33	63	31	47	48	58	35	24	31	10	2	3
Heat and sunstroke	361	62	12	8	6	.....	7	9	42	57	57	34	31	20	12	4	.....
Cold and freezing	31	2	.....	.....	.....	.....	.....	.....	2	5	4	4	5	5	3	.....	1
Lightning	23	.....	.....	.....	.....	.....	.....	2	8	7	4	1	1	.....	.....	.....	.....
Drowning	904	7	9	4	12	12	81	149	181	164	140	68	33	18	5	.....	21
Inhalation of poisonous gases	245	1	1	4	1	2	6	17	52	48	36	32	33	9	2	.....	1
Other accidental poisonings	356	8	10	16	6	6	7	21	69	73	50	42	27	17	2	1	1
Accidental gunshot wounds	210	.....	1	.....	.....	.....	4	37	56	35	29	26	13	6	1	.....	2
Injuries by machinery	16	1	.....	.....	.....	.....	.....	1	3	3	2	4	1	.....	.....	.....	1
Injuries in mines and quarries	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	597	1	1	3	7	1	18	55	121	136	81	67	48	23	10	.....	25
Injuries by vehicles and horses	142	2	1	4	6	3	24	11	16	19	15	13	18	10	.....	.....	.....
Suffocation	97	61	1	1	.....	.....	1	8	3	5	8	3	2	2	.....	.....	2
Other accidental injuries	1,219	32	25	23	25	24	81	85	164	201	160	123	112	92	51	15	6
Injuries at birth	294	294	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	102	3	1	2	.....	.....	4	6	32	29	12	9	4	.....	.....	.....	.....
XIV.—Ill-defined causes	4,109	1,805	299	48	26	17	52	57	93	115	160	207	356	497	316	62	19
"Dropsy"	380	7	4	2	1	1	5	8	10	12	35	43	86	94	63	8	1
"Heart failure"	469	48	3	2	5	.....	7	10	18	24	48	50	95	92	57	8	2
Other ill-defined causes	3,063	1,663	289	43	20	15	36	30	57	72	64	103	161	285	188	24	13
Unknown causes	197	87	3	1	.....	1	4	9	8	7	13	11	14	20	8	2	3

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

RHODE ISLAND.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	8,766	2,025	508	213	142	100	231	327	684	631	675	860	930	877	472	64	27
I.—General diseases	2,648	244	170	102	70	51	117	160	375	286	270	267	228	194	92	10	12
Typhoid fever	123	3	1	2	1	.....	8	24	44	22	10	5	1	1	1	.....	.....
Malarial fever	30	4	2	.....	2	.....	2	1	1	4	5	4	3	2	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	184	35	64	31	14	12	9	9	6	3	.....	.....	.....	.....	1	.....	.....
Scarlet fever	33	4	5	3	3	2	7	7	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	71	31	19	8	4	4	2	.....	.....	.....	1	.....	.....	.....	1	.....	1
Diphtheria	112	9	15	14	19	11	33	7	2	1	1	.....	.....	.....	.....	.....	.....
Croup	85	10	20	16	11	12	14	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	301	15	2	3	2	.....	1	2	19	9	22	34	61	70	50	6	5
Cholera nostras	26	7	2	.....	.....	.....	2	2	.....	1	2	2	2	2	4	.....	.....
Dysentery	91	25	8	4	2	1	5	2	4	3	3	8	6	13	5	1	1
Erysipelas	27	11	.....	1	.....	.....	.....	.....	2	2	1	3	2	2	2	1	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	17	.....	.....	1	.....	2	.....	2	3	1	2	2	2	1	1	.....	.....
Tuberculosis of lungs	844	32	9	4	5	1	6	85	248	180	130	81	44	13	3	.....	3
Tuberculosis of larynx	8	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	1	1	.....	.....	.....
Tuberculous meningitis	74	21	15	11	3	4	11	2	4	2	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	23	4	1	1	.....	.....	4	2	2	1	2	2	3	1	.....	.....	.....
Pott's disease	7	.....	.....	.....	1	1	2	1	.....	.....	1	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	5	.....	.....	.....	.....	.....	2	1	.....	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	2	.....	.....	.....	.....
General tuberculosis	23	3	2	2	2	.....	2	2	3	3	2	.....	2	.....	.....	.....	.....
Scrofula	4	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	22	16	1	1	.....	.....	.....	.....	2	.....	1	.....	.....	1	.....	.....	.....
Cancer of mouth	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	2	2	1	1	.....
Cancer of stomach and liver	118	.....	.....	.....	1	.....	1	.....	3	4	12	33	28	29	6	.....	1
Cancer of intestines	32	1	.....	.....	.....	.....	.....	.....	1	2	3	9	10	4	1	1	.....
Cancer of female genital organs	49	.....	.....	.....	.....	.....	.....	.....	2	5	17	14	5	6	.....	.....	.....
Cancer of breast	38	.....	.....	.....	.....	.....	.....	.....	.....	3	6	12	7	4	6	.....	.....
Cancer of skin	14	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	2	4	5	.....	.....
Cancer of other or unspecified organs	40	.....	1	.....	.....	.....	.....	.....	.....	2	7	11	12	7	.....	.....	.....
Tumor	7	1	.....	.....	.....	.....	.....	.....	2	1	1	.....	2	.....	.....	.....	.....
Rheumatism	67	2	.....	.....	.....	.....	2	7	6	14	9	7	6	11	3	.....	.....
Diabetes	56	.....	.....	.....	.....	.....	.....	1	6	3	2	14	18	12	.....	.....	.....
Anemia, leukemia	36	7	1	.....	.....	1	2	1	7	1	5	5	2	4	.....	.....	.....
Alcoholism	53	.....	.....	.....	.....	.....	.....	.....	3	16	18	10	3	2	.....	.....	1
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....
Other general diseases	7	.....	1	.....	.....	.....	.....	.....	1	.....	2	.....	.....	2	1	.....	.....
II.—Diseases of nervous system	874	132	61	22	14	15	23	29	23	30	66	107	139	138	68	7	.....
Encephalitis	12	4	3	.....	.....	.....	1	1	2	.....	.....	1	.....	.....	.....	.....	.....
Meningitis	209	74	42	20	11	11	18	14	8	1	3	4	2	.....	1	.....	.....
Locomotor ataxia	9	.....	.....	.....	.....	.....	.....	1	1	.....	1	4	2	.....	.....	.....	.....
Other diseases of spinal cord	21	1	1	.....	.....	.....	.....	.....	.....	.....	2	7	6	4	.....	.....	.....
Apoplexy	356	14	4	1	2	.....	.....	3	4	8	31	58	93	87	46	5	.....
Softening of brain	27	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	8	10	3	.....	.....
Paralysis	61	1	.....	1	.....	.....	.....	.....	.....	1	2	8	13	23	12	.....	.....
General paralysis of insane	39	.....	.....	.....	.....	.....	.....	.....	1	7	11	10	7	2	1	.....	.....
Other forms of mental disease	27	.....	.....	.....	.....	.....	.....	.....	1	6	6	4	5	2	3	.....	.....
Other diseases of brain	24	4	1	.....	.....	1	1	1	1	4	2	4	1	2	.....	2	.....
Epilepsy	16	1	.....	.....	.....	1	.....	3	2	2	3	2	.....	1	1	.....	.....
Convulsions	42	29	9	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	8	3	.....	.....	.....	.....	.....	3	1	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	23	1	1	.....	.....	1	1	3	1	1	3	1	2	7	1	.....	.....
III.—Diseases of circulatory system	727	23	.....	.....	1	1	6	24	38	51	59	134	159	174	51	3	3
Pericarditis	8	.....	.....	.....	.....	.....	.....	1	2	.....	3	.....	1	.....	1	.....	.....
Endocarditis	52	.....	.....	.....	.....	.....	.....	2	3	4	4	6	13	14	6	.....	.....
Heart disease	568	18	.....	.....	1	1	6	19	29	42	43	108	129	132	35	2	3
Angina pectoris	32	.....	.....	.....	.....	.....	.....	.....	1	2	3	10	4	10	2	.....	.....
Diseases of arteries	23	.....	.....	.....	.....	.....	.....	.....	1	3	3	1	5	6	3	1	.....
Embolism and thrombosis	27	1	.....	.....	.....	.....	.....	.....	1	.....	2	8	5	9	1	.....	.....
Diseases of veins	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....
Diseases of lymphatics	3	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	10	3	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	2	1	.....	.....
IV.—Diseases of respiratory system	1,287	319	123	53	28	16	37	29	57	82	89	126	132	111	67	15	3
Laryngitis	11	3	2	4	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	7	3	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	195	130	33	13	5	1	.....	2	.....	.....	.....	.....	2	3	4	2	.....
Chronic bronchitis	98	1	1	1	.....	.....	6	.....	2	3	5	16	18	25	13	7	.....
Bronchopneumonia	209	85	32	15	6	3	8	1	4	5	7	12	17	7	7	.....	.....
Pneumonia	677	85	49	17	15	11	19	23	48	68	66	84	83	67	36	3	3
Pleurisy	22	2	.....	2	1	1	2	2	1	.....	2	3	3	1	1	1	.....
Congestion of lungs	34	8	1	1	.....	.....	.....	1	.....	3	3	4	2	4	5	2	.....
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Asthma and emphysema	16	.....	.....	.....	.....	.....	.....	.....	.....	1	3	4	4	3	1	.....	.....
Hemorrhage of lungs	11	1	.....	.....	1	.....	.....	.....	1	1	2	2	2	1	.....	.....	.....
Other diseases of respiratory system	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,278	746	122	25	15	7	20	21	33	35	41	75	59	48	27	2	2
Diseases of mouth	2	1	1														
Tonsilitis	3	1	1		1												
Other diseases of pharynx	2								1					1			
Ulcer of stomach	13								2	3	1	5	2				
Gastritis	46	9	2	1					2	2	4	6	8	6	5	1	
Other diseases of stomach	81	54	6	4	1	1	4		1			3	1	2	4		
Dentition	5	4	1														
Diarrhea and enteritis	896	658	108	16	11	5	7	6	4	4	8	12	22	23	10	1	1
Hernia	20	1					1			1	2	6	6	3			
Obstruction of intestines	24	4	2	2	1		1	2	2	1	3	2	2	2			
Other diseases of intestines	15	6	1		1		1				1	2	1	1	1		
Acute yellow atrophy of liver	3							1				2					
Hydatid tumors of liver																	
Cirrhosis of liver	51								3	8	8	16	11	2	2		1
Biliary calculi	6	1									1	1		3			
Other diseases of liver	37	5				1			2	5	3	8	5	4	4		
Diseases of spleen	1											1					
Peritonitis	36	2		2			4	3	6	8	3	5	1	1	1		
Appendicitis	36						2	9	10	3	7	5					
Other diseases of digestive system	1											1					
VI.—Diseases of genito-urinary system	608	7	2	1	1		6	19	56	54	72	110	136	99	41	2	2
Acute nephritis	67	2					4	6	16	10	11	6	7	2	1	1	1
Bright's disease	430	3	2	1	1		2	11	26	32	48	88	111	75	28	1	1
Other diseases of kidneys	20	2							3	1	3	4	4	2	1		
Calculi of urinary tract	4										1		1	1	1		
Diseases of bladder	26											2	7	12	5		
Uterine tumor	19									2	6	7	2	2			
Other diseases of uterus	13							1	5	4	1	1			1		
Ovarian tumor	5								1	2		1	1				
Diseases of tubes	7								3	3	1						
Other diseases of genito-urinary system	17							1	2		1	1	3	5	4		
VII.—Childbirth	89							4	41	38	6						
Puerperal septicemia	36							1	20	14	1						
Puerperal convulsions	20							1	10	6	3						
Other causes incident to childbirth	33							2	11	18	2						
VIII.—Diseases of skin	36	6	2	1	1			2	1	1	1	7	8	3	3		
Gangrene	18			1				1			1	3	6	3	3		
Carbuncle	3											2	1				
Abscess	11	4	1		1			1	1	1		2					
Other diseases of skin	4	2	1										1				
IX.—Diseases of locomotor system	9	4	2				1		2								
Diseases of bones	9	4	2				1		2								
Diseases of joints																	
Other diseases of locomotor system																	
X.—Malformations	66	61	3		1		1										
Hydrocephalus	18	14	3				1										
Congenital malformation of heart (cyanosis)	30	29			1												
Other congenital malformations	18	18															
XI.—Early infancy	315	315															
Premature birth	143	143															
Congenital debility	172	172															
XII.—Old age	236												19	89	103	24	1
XIII.—Violence	420	58	9	8	9	8	19	36	55	50	62	31	37	19	15	1	3
Suicide	50							1	7	9	14	7	7	3	1	1	
Fractures and dislocations	5										1	2	1	1			
Burns and scalds	33	2	3	2	4	1	4	3	3	1	3	1	1	4			1
Heat and sunstroke	8		1								3	1	2	1			
Cold and freezing	3												2	1			
Lightning	2									2							
Drowning	61			2	2	3	8	10	15	3	6	5	4	1			2
Inhalation of poisonous gases	10							1	4	1	1	1	1	1			
Other accidental poisonings	14		1	2	2					4	4	1					
Accidental gunshot wounds	2							2									
Injuries by machinery	6							3	1	2							
Injuries in mines and quarries																	
Railroad accidents and injuries	45		1			1	3	5	10	6	10	4	3		2		
Injuries by vehicles and horses	19					1	2		2	2	6	4			2		
Suffocation	12	10	1								1						
Other accidental injuries	96		2	2	1	2	2	8	11	19	12	5	15	7	10		
Injuries at birth	43	43															
Homicide	11	3						3	2	1	1		1				
XIV.—Ill-defined causes	173	110	14	1	2	2	1	3	3	4	9	3	13	2	5		1
"Dropsy"	4	2											1	1			
"Heart failure"	8	4								1	1		2				
Other ill-defined causes	112	77	13	1	2	2	1	1	2	1	2	2	4	1	3		
Unknown causes	49	27	1					2	1	2	6	1	6		2		1

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

VERMONT.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,692	855	159	89	40	35	101	233	370	352	381	491	739	1,008	667	132	40
I.—General diseases	1,428	66	24	25	9	11	53	116	186	143	144	168	186	180	95	15	7
Typhoid fever	116	.....	4	1	.....	.....	9	26	27	14	19	6	7	2	.....	.....	1
Malarial fever	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	27	5	3	4	.....	1	2	3	3	.....	2	3	1	.....	.....	.....	.....
Scarlet fever	16	3	1	1	2	1	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	21	17	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	39	4	1	5	1	6	17	1	1	1	1	1	.....	.....	.....	.....	.....
Croup	13	4	.....	3	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	127	3	.....	1	.....	.....	1	4	2	3	3	7	21	34	42	6	.....
Cholera nostras	18	3	.....	.....	1	.....	1	.....	1	.....	2	2	3	2	2	1	.....
Dysentery	40	6	2	2	.....	.....	1	.....	.....	.....	.....	4	2	16	6	1	.....
Erysipelas	17	1	.....	1	.....	.....	.....	1	.....	1	1	3	1	5	2	1	.....
Other epidemic diseases[1]	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	25	3	.....	.....	.....	.....	.....	2	9	3	1	1	4	2	.....	.....	.....
Tuberculosis of lungs	475	8	7	2	2	.....	4	53	120	94	55	53	43	23	8	.....	3
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	17	3	3	1	.....	.....	3	6	.....	.....	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	16	.....	1	.....	.....	1	.....	2	1	3	2	.....	4	1	1	.....	.....
Pott's disease	9	1	.....	.....	.....	.....	.....	2	4	.....	1	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	1	.....	.....
General tuberculosis	6	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	1	.....	.....	.....
Scrofula	5	1	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Venereal diseases	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1
Cancer of mouth	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....
Cancer of stomach and liver	92	.....	.....	.....	.....	.....	.....	1	.....	3	6	19	27	27	8	1	.....
Cancer of intestines	26	.....	.....	.....	1	.....	.....	1	1	1	1	7	7	4	3	.....	.....
Cancer of female genital organs	22	.....	.....	.....	.....	.....	.....	.....	1	2	6	6	2	5	.....	.....	.....
Cancer of breast	18	.....	.....	.....	.....	.....	.....	.....	.....	2	4	5	1	3	2	1	.....
Cancer of skin	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	5	1	.....	.....
Cancer of other or unspecified organs	129	.....	.....	.....	.....	.....	1	1	3	6	14	29	28	31	12	3	1
Tumor	9	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	4	.....	1	.....	.....
Rheumatism	28	1	.....	.....	.....	.....	.....	2	.....	.....	4	5	6	8	2	.....	.....
Diabetes	43	.....	.....	1	.....	1	5	4	3	2	8	1	12	5	1	.....	.....
Anemia, leukemia	27	2	.....	.....	.....	.....	.....	3	5	1	5	4	4	2	.....	1	.....
Alcoholism	10	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	2	1	.....	.....	1
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....
II.—Diseases of nervous system	767	98	33	10	10	9	13	22	22	28	56	64	132	178	80	10	2
Encephalitis	8	3	.....	1	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Meningitis	124	35	16	8	5	7	10	9	9	7	10	2	4	2	.....	.....	.....
Locomotor ataxia	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	2	.....	.....	.....
Other diseases of spinal cord	19	.....	1	.....	.....	.....	.....	.....	1	2	4	4	3	4	.....	.....	.....
Apoplexy	318	5	1	.....	1	.....	.....	3	4	6	16	39	80	110	46	6	1
Softening of brain	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	7	6	6	1	.....
Paralysis	93	.....	.....	1	.....	.....	1	.....	1	2	8	6	21	32	18	2	1
General paralysis of insane	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	4	8	2	.....	.....
Other forms of mental disease	12	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	2	1	.....	.....
Other diseases of brain	28	4	.....	.....	1	.....	1	2	1	1	3	1	4	7	3	.....	.....
Epilepsy	14	.....	.....	.....	.....	.....	1	3	.....	4	2	.....	2	1	1	.....	.....
Convulsions	77	50	14	.....	2	1	.....	4	2	1	1	1	.....	.....	1	.....	.....
Tetanus	7	.....	1	.....	.....	1	.....	.....	1	1	1	.....	1	.....	1	.....	.....
Other diseases of nervous system	19	1	.....	.....	.....	.....	.....	.....	2	3	6	2	1	4	.....	.....	.....
III.—Diseases of circulatory system	592	13	1	2	.....	.....	2	8	22	20	38	63	139	185	88	6	5
Pericarditis	10	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	2	3	2	.....	.....
Endocarditis	23	1	.....	.....	.....	.....	.....	1	.....	.....	1	3	9	7	1	.....	.....
Heart disease	460	6	.....	1	.....	.....	1	6	17	14	29	44	108	150	74	6	4
Angina pectoris	41	.....	.....	.....	.....	.....	.....	.....	.....	1	3	9	13	10	5	.....	.....
Diseases of arteries	15	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	8	1	.....	.....
Embolism and thrombosis	25	.....	.....	.....	.....	.....	.....	1	4	1	3	5	2	5	4	.....	.....
Diseases of veins	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diseases of lymphatics	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	16	6	1	.....	.....	.....	.....	.....	.....	3	.....	1	1	2	1	.....	1
IV.—Diseases of respiratory system	811	153	55	30	12	6	16	31	33	23	42	59	88	146	100	14	3
Laryngitis	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of larynx	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Acute bronchitis	92	44	12	10	5	2	1	1	.....	.....	2	.....	1	5	9	.....	.....
Chronic bronchitis	55	1	.....	1	1	.....	1	.....	.....	2	1	2	11	17	13	5	.....
Bronchopneumonia	44	18	5	2	.....	.....	1	2	.....	.....	1	3	2	6	3	1	.....
Pneumonia	559	74	36	15	5	4	10	24	32	19	36	47	69	108	70	7	3
Pleurisy	6	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	1	.....	.....	.....
Congestion of lungs	34	13	2	1	.....	.....	.....	2	1	.....	1	2	2	7	2	1	.....
Gangrene of lungs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Asthma and emphysema	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	.....	.....	.....
Hemorrhage of lungs	8	2	.....	.....	.....	.....	1	.....	.....	.....	.....	3	1	.....	1	.....	.....
Other diseases of respiratory system	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1900—Continued.

VERMONT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	577	194	34	10	5	6	7	23	36	33	33	46	50	64	28	5	3
Diseases of mouth																	
Tonsilitis	1									1							
Other diseases of pharynx																	
Ulcer of stomach	14									4	1	3	2	3	1		
Gastritis	49	4	2	1					5	4	1	6	10	11	3	2	
Other diseases of stomach	26	9			1		1		4	2	1		1	4	3		
Dentition																	
Diarrhea and enteritis	279	175	28	9	3	3		4	3	3	6	7	6	15	11	3	3
Hernia	10		1									2	2	2	3		
Obstruction of intestines	28	3	1			2		2	2	2	3	4	2	5	2		
Other diseases of intestines	10	1	1								2	2		4			
Acute yellow atrophy of liver																	
Hydatid tumors of liver																	
Cirrhosis of liver	33								2	1	6	7	15	2			
Biliary calculi	5								1		1	2			1		
Other diseases of liver	31	1					1	2		1		8	7	8	3		
Diseases of spleen	1									1							
Peritonitis	53		1		1	1	4	8	13	6	8	1	3	7			
Appendicitis	37	1					1	7	6	8	4	4	2	3	1		
Other diseases of digestive system																	
VI.—Diseases of genito-urinary system	305	3	1	1			1	6	14	35	25	44	56	81	34	2	2
Acute nephritis	13							1	2	3	2	1	1	3			
Bright's disease	233	1	1				1	4	11	29	19	37	47	57	22	2	2
Other diseases of kidneys	8									1			1	4	2		
Calculi of urinary tract																	
Diseases of bladder	35	2		1						1	2	4	2	15	8		
Uterine tumor	2									1		1					
Other diseases of uterus	2							1	1								
Ovarian tumor	5										1	1	2	1			
Diseases of tubes																	
Other diseases of genito-urinary system	7										1		3	1	2		
VII.—Childbirth	46							4	20	18	3						1
Puerperal septicemia	17							3	9	5							
Puerperal convulsions	7							1	4	2							
Other causes incident to childbirth	22								7	11	3						1
VIII.—Diseases of skin	40	2		1		1			1			1	7	10	14	2	1
Gangrene	30												5	9	14	1	1
Carbuncle	1												1				
Abscess	5			1		1			1					1		1	
Other diseases of skin	4	2										1	1				
IX.—Diseases of locomotor system	7	1	1									1	1	1	2		
Diseases of bones	6	1	1									1		1	2		
Diseases of joints	1												1				
Other diseases of locomotor system																	
X.—Malformations	32	30	1														1
Hydrocephalus	7	6	1														
Congenital malformation of heart (cyanosis)	15	15															
Other congenital malformations	10	9															1
XI.—Early infancy	220	220															
Premature birth	126	126															
Congenital debility	94	94															
XII.—Old age	328												12	82	165	65	4
XIII.—Violence	231	14	3	8	1	1	7	20	25	37	26	13	24	28	18	4	2
Suicide	30							2	1	7	10	3	5	2			
Fractures and dislocations	27			1				2	2	3	2	1	2	9	4	1	
Burns and scalds	11	1	1	2						1			4	2			
Heat and sunstroke	1												1				
Cold and freezing	1														1		
Lightning	1									1							
Drowning	23			2		1	1	3	11	2		2	1				
Inhalation of poisonous gases																	
Other accidental poisonings	23	2	2	1	1				1	5	4	2	1	3	1		
Accidental gunshot wounds	11	1					1	3	1	2	1		1	1			
Injuries by machinery	1									1							
Injuries in mines and quarries																	
Railroad accidents and injuries	13							2	4	4			1		2		
Injuries by vehicles and horses	1						1										
Suffocation	7	6		1													
Other accidental injuries	78	1		1			4	8	5	11	9	5	8	11	10	3	2
Injuries at birth	3	3															
Homicide																	
XIV.—Ill-defined causes	308	61	6	2	3	1	2	3	11	15	14	32	44	53	43	9	8
"Dropsy"	15							1		1	1	1	5	3	3		
"Heart failure"	97	8							4	4	10	14	17	19	13	4	4
Other ill-defined causes	123	24	3	2	2	1	2	1	2	5	3	12	14	25	21	5	1
Unknown causes	73	29	3		1			1	5	5		5	8	6	6		4

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900.

ALLEGHENY, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,375	580	164	61	37	28	80	117	251	213	202	194	199	167	73	7	2
Typhoid fever	122	.....	2	.....	2	2	12	18	45	17	13	7	4	.....	.....	.....	.....
Malarial fever	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Measles	12	3	5	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	17	1	1	1	3	3	7	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	19	5	6	5	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	35	1	6	5	7	4	10	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	20	2	.....	.....	1	.....	1	.....	1	2	5	3	4	.....	1	.....	.....
Cholera nostras	9	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	2	1	.....	.....
Dysentery	12	1	1	.....	.....	.....	.....	.....	2	.....	.....	1	3	2	2	.....	.....
Erysipelas	6	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	7	.....	.....	.....	.....	.....	1	.....	2	2	.....	.....	1	1	.....	.....	.....
Tuberculosis—total	238	17	6	1	2	1	6	28	71	49	30	19	4	4	.....	.....	.....
Tuberculosis of lungs	202	4	3	.....	1	1	3	24	66	46	28	18	4	4	.....	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	20	8	2	1	1	.....	2	3	1	1	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	8	3	1	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	4	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	51	.....	.....	.....	.....	.....	.....	.....	1	4	11	16	15	2	2	.....	.....
Tumor	3	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Rheumatism	28	1	.....	.....	.....	.....	2	3	6	3	3	4	4	1	1	.....	.....
Diabetes	8	2	.....	.....	.....	.....	.....	1	1	3	.....	1	.....	.....	.....	.....	.....
Anemia, leukemia	6	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	1	.....	.....	.....	.....
Alcoholism	13	.....	.....	.....	.....	.....	.....	.....	1	5	1	3	3	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Encephalitis	5	1	1	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Meningitis	69	21	14	4	7	2	5	5	4	2	2	.....	3	.....	.....	.....	.....
Apoplexy	71	5	.....	1	1	2	.....	2	1	3	8	13	14	17	4	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Paralysis	20	.....	.....	.....	.....	.....	.....	.....	.....	2	3	6	1	5	3	.....	.....
Epilepsy	4	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
Convulsions	69	51	6	3	.....	.....	5	.....	1	2	.....	.....	1	.....	.....	.....	.....
Tetanus	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	29	.....	1	.....	.....	.....	.....	1	2	4	5	7	4	4	1	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	4	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
Heart disease	91	4	1	.....	.....	.....	2	4	7	8	19	14	19	10	3	.....	.....
Angina pectoris	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....
Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
Other diseases of circulatory system	8	.....	.....	1	.....	.....	.....	3	1	.....	2	.....	1	.....	.....	.....	.....
Laryngitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Acute bronchitis	31	19	5	1	.....	.....	1	.....	.....	.....	.....	.....	2	1	.....	2	.....
Chronic bronchitis	45	2	.....	.....	1	.....	1	.....	1	1	2	2	13	17	5	.....	.....
Bronchopneumonia	37	15	7	2	.....	.....	2	.....	1	.....	1	1	3	4	1	.....	.....
Pneumonia	300	52	32	17	9	9	5	11	22	23	29	29	29	26	6	1	.....
Pleurisy	6	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	1	.....	.....	.....	.....
Congestion of lungs	21	2	2	2	.....	.....	1	.....	3	1	.....	4	1	3	2	.....	.....
Other diseases of respiratory system	23	1	.....	.....	.....	.....	.....	.....	.....	1	2	10	6	2	1	.....	.....
Tonsilitis	3	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	41	19	3	.....	1	.....	.....	1	1	3	2	1	4	5	1	.....	.....
Diarrhea and enteritis	223	139	48	7	.....	2	2	.....	3	7	2	.....	4	3	3	2	1
Hernia and intestinal obstructions	10	.....	1	1	.....	.....	.....	.....	1	2	3	1	1	.....	.....	.....	.....
Cirrhosis of liver	19	.....	.....	.....	.....	.....	.....	1	.....	4	6	4	2	2	.....	.....	.....
Other diseases of liver	23	1	1	.....	.....	.....	.....	.....	1	4	4	4	5	3	.....	.....	.....
Peritonitis	21	3	.....	.....	.....	.....	1	2	6	6	.....	2	1	.....	.....	.....	.....
Appendicitis	6	.....	.....	.....	.....	.....	.....	4	.....	1	.....	.....	1	.....	.....	.....	.....
Other diseases of digestive system	10	3	3	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Acute nephritis	11	2	2	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	.....	.....	.....
Bright's disease	42	2	.....	.....	.....	.....	1	1	5	4	7	5	5	9	3	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	21	2	.....	.....	.....	.....	.....	1	3	5	1	3	2	2	2	.....	.....
Puerperal septicemia	7	.....	.....	.....	.....	.....	.....	1	3	3	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	18	.....	.....	.....	.....	.....	.....	.....	6	9	3	.....	.....	.....	.....	.....	.....
Diseases of skin	8	1	.....	.....	.....	.....	1	.....	.....	.....	2	1	2	1	.....	.....	.....
Diseases of locomotor system	3	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Malformations	17	14	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	71	71	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	62	62	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	17	15	2	.....
Suicide	20	.....	.....	.....	.....	.....	.....	.....	9	1	4	2	2	2	.....	.....	.....
Other violence	130	9	1	2	1	1	6	20	27	15	16	14	13	3	1	1	.....
Ill-defined causes	107	41	4	5	.....	1	2	2	5	6	4	7	4	12	12	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

BALTIMORE, MD.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,809	2,678	549	263	183	109	338	496	924	960	957	971	1,109	873	412	66	2
Typhoid fever	198	2	.....	1	1	1	7	41	60	37	24	17	6	1	.....	.....	.....
Malarial fever	52	7	5	1	.....	2	.....	1	5	9	7	7	5	2	1	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	33	11	10	7	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	20	.....	5	3	4	2	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	57	30	10	5	8	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	292	16	50	33	49	37	85	18	1	2	.....	1	.....	.....	.....	.....	.....
Influenza	91	2	2	.....	.....	.....	1	2	5	9	12	14	17	17	9	1	.....
Cholera nostras	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	.....	.....	.....
Dysentery	73	14	7	2	.....	.....	1	1	4	2	12	6	13	8	3	.....	.....
Erysipelas	25	4	.....	.....	.....	.....	.....	.....	3	4	1	5	5	1	2	.....	.....
Other epidemic diseases [1]	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	63	7	.....	.....	.....	.....	3	4	12	11	5	10	8	3	.....	.....	.....
Tuberculosis—total	1,296	45	21	14	17	4	44	126	348	293	179	107	68	26	4	.....	.....
Tuberculosis of lungs	1,199	32	11	11	12	2	31	117	334	280	174	103	63	25	4	.....	.....
Tuberculosis of larynx	16	.....	.....	.....	.....	.....	1	1	7	4	1	1	1	.....	.....	.....	.....
Tuberculous meningitis	38	10	10	2	5	1	8	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	19	2	.....	.....	.....	.....	1	4	3	4	2	1	1	1	.....	.....	.....
Pott's disease	8	.....	.....	1	.....	.....	2	2	1	2	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	10	.....	.....	.....	.....	1	.....	1	1	3	1	.....	3	.....	.....	.....	.....
General tuberculosis	4	1	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Scrofula	8	5	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	33	20	3	.....	1	1	.....	.....	3	2	1	1	1	.....	.....	.....	.....
Cancer	314	1	.....	.....	.....	.....	.....	3	9	28	63	75	81	45	9	.....	.....
Tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	2	.....	.....	.....
Rheumatism	67	.....	1	.....	2	1	3	9	5	12	9	11	5	8	1	.....	.....
Diabetes	42	.....	.....	.....	1	.....	.....	4	3	7	6	8	9	4	.....	.....	.....
Anemia, leukemia	27	4	.....	2	.....	.....	3	.....	2	4	5	3	4	.....	.....	.....	.....
Alcoholism	44	.....	.....	.....	.....	.....	.....	.....	5	14	11	9	3	2	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Encephalitis	4	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Meningitis	215	66	35	21	8	10	15	22	16	9	5	4	4	.....	.....	.....	.....
Apoplexy	358	4	1	1	.....	.....	2	2	4	19	46	72	102	78	26	1	.....
Softening of brain	11	.....	.....	.....	.....	.....	.....	.....	1	.....	3	3	2	1	.....	1	.....
Paralysis	191	2	.....	.....	.....	.....	.....	2	5	8	13	35	59	48	16	3	.....
Epilepsy	14	.....	.....	.....	.....	.....	.....	3	3	1	3	2	2	.....	.....	.....	.....
Convulsions	274	230	17	7	5	1	3	3	3	3	1	.....	1	.....	.....	.....	.....
Tetanus	37	27	1	.....	.....	.....	1	1	4	1	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	81	2	.....	.....	.....	1	2	6	8	13	10	19	12	6	2	.....	.....
Pericarditis	8	.....	.....	.....	.....	.....	.....	3	.....	.....	2	.....	2	1	.....	.....	.....
Endocarditis	42	.....	.....	.....	.....	.....	3	10	4	5	8	7	3	2	.....	.....	.....
Heart disease	530	16	.....	1	.....	.....	9	27	23	65	68	96	123	79	22	1	.....
Angina pectoris	24	.....	1	.....	.....	.....	.....	.....	1	1	1	4	8	6	2	.....	.....
Embolism and thrombosis	19	.....	.....	.....	.....	.....	.....	1	1	1	3	3	7	2	1	.....	.....
Other diseases of circulatory system	100	8	1	1	1	.....	1	1	6	11	8	18	24	12	7	1	.....
Laryngitis	3	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	173	113	27	15	6	4	1	1	.....	.....	1	1	.....	2	2	.....	.....
Chronic bronchitis	123	.....	.....	.....	.....	.....	9	5	15	6	10	15	20	30	12	1	.....
Bronchopneumonia	80	33	13	9	7	2	3	.....	2	1	.....	5	2	2	1	.....	.....
Pneumonia	1,178	233	135	75	36	17	54	53	103	87	105	86	112	66	16	.....	.....
Pleurisy	32	.....	1	1	.....	.....	2	2	4	5	2	7	4	3	1	.....	.....
Congestion of lungs	67	12	3	3	1	.....	3	3	4	3	7	6	12	6	3	1	.....
Other diseases of respiratory system	59	2	.....	.....	1	.....	.....	4	9	5	8	6	14	9	1	.....	.....
Tonsilitis	4	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....
Diseases of stomach	153	28	9	3	5	1	4	5	8	14	24	17	16	13	6	.....	.....
Diarrhea and enteritis	948	671	124	27	9	3	5	6	6	6	16	24	21	21	8	1	.....
Hernia and intestinal obstructions	68	9	1	.....	1	1	4	2	8	4	5	6	14	8	4	1	.....
Cirrhosis of liver	58	.....	.....	.....	.....	.....	.....	.....	4	6	14	13	14	7	.....	.....	.....
Other diseases of liver	61	3	.....	.....	1	.....	.....	2	5	11	11	11	12	5	.....	.....	.....
Peritonitis	64	1	2	.....	.....	.....	1	11	18	9	9	4	6	1	2	.....	.....
Appendicitis	63	.....	.....	.....	.....	.....	2	21	17	8	9	5	.....	1	.....	.....	.....
Other diseases of digestive system	45	22	8	1	.....	.....	3	.....	3	1	2	2	3	.....	.....	.....	.....
Acute nephritis	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....
Bright's disease	659	3	3	.....	3	3	7	22	42	73	111	116	139	93	23	1	.....
Calculi of urinary tract	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	1	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	.....	1	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	55	.....	.....	1	.....	.....	.....	1	9	11	4	6	12	9	2	.....	.....
Puerperal septicemia	12	.....	.....	.....	.....	.....	.....	1	4	6	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	52	.....	.....	.....	.....	.....	.....	8	16	23	5	.....	.....	.....	.....	.....	.....
Diseases of skin	52	15	1	2	1	.....	2	2	3	2	3	4	7	5	4	1	.....
Diseases of locomotor system	20	5	1	4	2	1	.....	2	.....	.....	1	1	2	1	.....	.....	.....
Malformations	52	48	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	247	247	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	392	392	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	477	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36	181	210	50	.....
Suicide	60	.....	.....	.....	.....	.....	.....	2	10	17	10	11	9	1	.....	.....	.....
Other violence	520	63	18	7	7	13	34	40	75	80	56	54	34	31	7	.....	1
Ill-defined causes	443	253	32	14	6	.....	7	7	11	12	24	26	22	23	4	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

BOSTON, MASS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	11,450	2,387	596	329	239	161	333	378	1,069	1,176	1,026	1,136	1,172	911	465	72	.....
Typhoid fever	135	1	.....	1	2	.....	4	17	43	39	19	8	1	.....	.....	.....	.....
Malarial fever	9	4	.....	.....	.....	.....	1	.....	1	.....	2	.....	1	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	99	27	37	22	8	1	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	196	10	32	35	38	33	41	3	3	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	105	53	26	7	7	9	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	518	40	97	86	64	65	116	31	10	7	1	1	.....	.....	.....	.....	.....
Influenza	202	5	3	4	3	2	1	1	7	13	20	13	38	54	31	7	.....
Cholera nostras	15	.....	.....	.....	.....	1	1	.....	1	.....	1	2	3	5	.....	1	.....
Dysentery	37	3	1	2	1	1	2	.....	1	4	2	3	7	5	5	.....	.....
Erysipelas	51	14	.....	.....	1	.....	.....	.....	2	10	3	4	8	7	2	.....	.....
Other epidemic diseases [1]	4	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	36	4	2	1	1	.....	1	1	7	7	5	3	3	1	.....	.....	.....
Tuberculosis—total	1,616	74	46	31	20	8	33	126	463	357	219	131	62	37	7	2	.....
Tuberculosis of lungs	1,400	27	12	12	6	2	13	111	439	342	209	121	62	35	7	2	.....
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
Tuberculous meningitis	124	39	26	14	12	5	12	6	7	2	.....	.....	.....	1	.....	.....	.....
Abdominal tuberculosis	26	3	3	1	1	.....	1	3	6	3	2	3	.....	.....	.....	.....	.....
Pott's disease	12	.....	.....	1	1	.....	3	3	3	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous abscess	3	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	11	1	.....	.....	.....	.....	3	.....	1	1	2	3	.....	.....	.....	.....	.....
General tuberculosis	35	4	4	3	.....	1	1	2	5	8	4	3	.....	.....	.....	.....	.....
Scrofula	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Venereal diseases	34	20	2	1	.....	.....	.....	.....	1	4	3	3	.....	.....	.....	.....	.....
Cancer	466	1	.....	1	2	.....	.....	4	11	38	87	125	115	70	12	.....	.....
Tumor	9	.....	.....	.....	.....	.....	.....	.....	1	1	2	4	1	.....	.....	.....	.....
Rheumatism	68	.....	.....	.....	1	1	3	10	7	5	14	11	9	5	2	.....	.....
Diabetes	85	1	1	.....	.....	1	1	2	4	12	4	13	38	5	3	.....	.....
Anemia, leukemia	38	6	1	1	2	.....	1	2	2	4	5	7	5	2	.....	.....	.....
Alcoholism	58	.....	.....	.....	.....	.....	.....	.....	14	30	7	5	2	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
Other general diseases	12	2	.....	.....	.....	.....	.....	3	1	1	2	2	1	.....	.....	.....	.....
Encephalitis	10	6	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Meningitis	254	95	43	26	15	5	20	8	15	11	7	3	6	.....	.....	.....	.....
Apoplexy	436	12	3	3	.....	2	2	1	8	16	31	86	113	106	47	6	.....
Softening of brain	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	2	.....	.....	.....
Paralysis	68	.....	.....	.....	.....	.....	.....	1	1	4	4	11	17	16	13	1	.....
Epilepsy	17	1	.....	.....	.....	.....	.....	2	3	4	1	1	.....	3	2	.....	.....
Convulsions	71	53	2	3	1	1	3	.....	5	1	1	1	.....	.....	.....	.....	.....
Tetanus	12	1	.....	.....	.....	.....	2	6	1	2	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	146	9	.....	1	3	1	3	2	12	25	29	17	24	14	6	.....	.....
Pericarditis	12	2	.....	.....	2	.....	1	.....	1	3	2	.....	1	.....	.....	.....	.....
Endocarditis	121	2	1	.....	3	2	3	13	11	11	11	23	21	16	4	.....	.....
Heart disease	826	13	.....	2	.....	3	18	19	65	86	103	146	174	138	56	4	.....
Angina pectoris	44	.....	.....	.....	.....	.....	.....	1	.....	2	9	15	11	4	2	.....	.....
Embolism and thrombosis	33	1	.....	.....	.....	.....	.....	1	2	7	5	1	7	6	3	.....	.....
Other diseases of circulatory system	159	9	2	2	1	.....	.....	.....	2	14	10	25	36	41	13	4	.....
Laryngitis	7	2	1	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	120	78	13	12	4	.....	.....	1	1	.....	1	2	3	2	3	.....	.....
Chronic bronchitis	162	4	1	.....	.....	.....	1	1	4	7	12	29	41	40	17	5	.....
Bronchopneumonia	212	79	47	9	8	2	4	3	3	4	5	7	21	12	6	2	.....
Pneumonia	980	144	77	38	11	4	15	24	74	118	98	122	121	89	43	2	.....
Pleurisy	37	2	1	2	1	1	2	1	4	3	7	7	4	2	.....	.....	.....
Congestion of lungs	34	10	1	.....	.....	.....	.....	.....	.....	1	5	5	5	4	3	.....	.....
Other diseases of respiratory system	35	2	1	.....	.....	.....	.....	.....	5	4	5	7	3	5	2	1	.....
Tonsilitis	3	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	106	30	3	1	.....	.....	.....	2	6	10	12	15	11	7	8	1	.....
Diarrhea and enteritis	862	655	99	21	5	5	4	1	4	11	7	9	12	16	13	.....	.....
Hernia and intestinal obstructions	106	25	4	.....	.....	.....	3	4	5	9	10	16	15	10	5	.....	.....
Cirrhosis of liver	76	1	.....	.....	.....	.....	.....	2	8	14	14	21	13	3	.....	.....	.....
Other diseases of liver	47	5	.....	.....	.....	.....	1	.....	4	4	12	5	9	4	3	.....	.....
Peritonitis	85	6	.....	.....	1	3	3	6	26	16	12	4	7	1	.....	.....	.....
Appendicitis	95	1	.....	.....	1	1	8	22	27	16	7	8	2	1	1	.....	.....
Other diseases of digestive system	47	20	7	2	.....	.....	1	.....	2	6	2	5	1	1	.....	.....	.....
Acute nephritis	46	3	.....	.....	3	.....	4	2	8	5	5	8	7	1	.....	.....	.....
Bright's disease	410	1	.....	.....	.....	.....	2	8	33	42	69	93	91	53	18	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	3	1	.....	.....	.....
Ovarian tumor	12	.....	.....	.....	.....	.....	.....	.....	1	4	4	2	1	.....	.....	.....	.....
Other diseases of genito-urinary system	99	2	1	1	.....	.....	2	2	15	14	18	7	13	14	7	3	.....
Puerperal septicemia	36	.....	.....	.....	.....	.....	.....	1	20	12	3	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	68	.....	.....	.....	.....	.....	.....	3	33	27	5	.....	.....	.....	.....	.....	.....
Diseases of skin	49	12	4	.....	.....	.....	.....	2	1	4	2	6	5	9	3	1	.....
Diseases of locomotor system	18	6	3	.....	.....	.....	1	2	2	3	.....	.....	.....	.....	1	.....	.....
Malformations	83	77	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	234	234	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	281	281	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	304	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24	62	94	24	.....
Suicide	77	.....	.....	.....	.....	.....	.....	3	14	20	18	16	4	2	.....	.....	.....
Other violence	514	76	11	6	23	7	20	29	54	86	61	57	40	24	18	2	.....
Ill-defined causes	283	161	17	6	1	1	1	3	6	17	16	17	9	11	11	6	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

BUFFALO, N. Y.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,155	1,379	301	108	58	45	140	191	331	446	467	442	503	473	234	32	5
Typhoid fever	83	1	1	2	2	1	4	15	25	13	13	2	2	2	.....	.....	.....
Malarial fever	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	50	18	14	7	3	4	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	27	2	3	8	7	2	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	25	16	6	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	67	8	7	11	6	3	25	5	1	.....	.....	1	.....	.....	.....	.....	.....
Influenza	42	5	.....	.....	.....	1	.....	.....	2	3	4	4	9	8	4	2	.....
Cholera nostras	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	30	6	5	.....	.....	.....	.....	.....	.....	3	3	.....	4	5	3	1	.....
Erysipelas	6	.....	2	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	1	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	18	3	1	.....	.....	.....	.....	1	4	3	3	1	2	.....	.....	.....	.....
Tuberculosis—total	474	17	6	8	5	5	7	44	119	119	73	42	24	4	1	.....	.....
Tuberculosis of lungs	399	8	3	2	1	2	3	35	111	107	64	38	22	3	.....	.....	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....
Tuberculous meningitis	30	6	2	2	4	2	4	5	2	1	2	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	19	2	1	3	.....	.....	.....	3	2	5	1	1	.....	1	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	1	.....	.....
General tuberculosis	12	1	.....	1	.....	1	.....	.....	3	3	2	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	13	8	1	.....	1	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
Cancer	199	.....	.....	.....	.....	.....	2	1	3	15	39	42	56	35	6	.....	.....
Tumor	4	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Rheumatism	17	.....	.....	.....	.....	.....	2	3	1	1	1	1	5	2	1	.....	.....
Diabetes	45	.....	1	.....	.....	.....	1	4	4	5	6	8	10	6	.....	.....	.....
Anemia, leukemia	15	3	1	.....	.....	1	1	.....	.....	2	1	3	2	1	.....	.....	.....
Alcoholism	26	.....	.....	.....	.....	.....	.....	.....	1	10	7	7	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
Encephalitis	7	3	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	161	58	31	8	1	3	16	16	5	6	3	4	6	2	1	1	.....
Apoplexy	195	7	2	.....	.....	.....	.....	3	3	11	24	28	46	48	23	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
Paralysis	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	6	17	4	.....	.....
Epilepsy	23	3	1	.....	.....	.....	1	2	3	2	2	3	2	2	2	.....	.....
Convulsions	106	86	13	3	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....
Tetanus	7	3	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	74	3	1	1	1	.....	.....	4	5	9	16	14	11	7	2	.....	.....
Pericarditis	9	.....	1	.....	.....	.....	.....	.....	2	.....	.....	2	3	.....	1	.....	.....
Endocarditis	41	.....	.....	.....	.....	.....	4	3	6	3	6	4	8	6	1	.....	.....
Heart disease	331	8	1	.....	1	1	6	13	7	27	51	60	66	58	29	3	.....
Angina pectoris	27	.....	.....	.....	.....	.....	.....	.....	.....	5	4	4	5	8	1	.....	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	1	3	.....	.....	.....
Other diseases of circulatory system	39	6	.....	.....	.....	.....	1	1	.....	2	2	3	10	11	3	.....	.....
Laryngitis	8	1	4	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	155	93	25	12	2	.....	1	.....	1	1	1	.....	7	8	4	.....	.....
Chronic bronchitis	74	2	1	.....	.....	.....	2	1	1	3	1	5	10	30	17	1	.....
Bronchopneumonia	177	86	42	8	8	3	4	.....	1	3	5	1	5	10	1	.....	.....
Pneumonia	295	53	16	10	3	4	8	4	18	26	43	35	24	33	17	1	.....
Pleurisy	10	1	.....	.....	1	.....	1	.....	.....	1	2	1	2	.....	1	.....	.....
Congestion of lungs	47	5	2	1	1	1	1	1	2	3	2	11	6	4	5	2	.....
Other diseases of respiratory system	41	7	.....	1	.....	3	1	2	1	2	3	7	7	2	2	1	2
Tonsilitis	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	66	21	4	.....	1	.....	1	.....	4	5	6	5	11	6	1	1	.....
Diarrhea and enteritis	510	360	80	15	2	3	5	2	4	6	8	5	7	7	6	.....	.....
Hernia and intestinal obstructions	49	8	1	2	.....	.....	.....	1	2	8	2	6	8	8	2	1	.....
Cirrhosis of liver	48	.....	.....	.....	.....	.....	.....	1	2	7	7	13	13	5	.....	.....	.....
Other diseases of liver	27	2	.....	.....	.....	.....	.....	.....	.....	1	5	5	7	4	3	.....	.....
Peritonitis	60	4	.....	.....	1	1	5	6	14	6	11	3	5	3	1	.....	.....
Appendicitis	19	.....	.....	.....	.....	.....	2	7	5	2	2	1	.....	.....	.....	.....	.....
Other diseases of digestive system	33	17	3	1	.....	1	1	1	1	1	2	1	2	2	.....	.....	.....
Acute nephritis	41	2	1	.....	1	.....	2	2	4	6	7	8	2	4	1	1	.....
Bright's disease	249	9	.....	.....	2	.....	7	5	11	28	36	48	58	38	6	1	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	37	1	.....	.....	.....	.....	.....	.....	10	2	8	2	4	8	2	.....	.....
Puerperal septicemia	17	.....	.....	.....	.....	.....	.....	.....	8	9	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	15	.....	.....	.....	.....	.....	.....	.....	8	5	2	.....	.....	.....	.....	.....	.....
Diseases of skin	24	3	3	.....	.....	1	1	.....	.....	3	2	2	4	4	1	.....	.....
Diseases of locomotor system	7	1	2	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1
Malformations	45	43	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	121	121	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	164	164	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	131	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	41	66	14	.....
Suicide	32	.....	.....	.....	.....	.....	.....	2	6	8	6	6	3	1	.....	.....	.....
Other violence	252	37	3	5	4	3	17	28	26	48	29	24	9	13	5	.....	1
Ill-defined causes	175	72	12	4	2	.....	2	6	4	11	8	10	15	16	10	2	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

CHICAGO, ILL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	26,062	5,442	1,525	721	462	378	1,042	1,171	2,300	2,791	2,696	2,501	2,403	1,759	752	110	9
Typhoid fever	359	6	11	4	5	6	26	61	93	72	37	17	16	5	.....	.....	.....
Malarial fever	32	.....	2	.....	2	.....	5	4	1	4	6	5	1	2	.....	.....	.....
Smallpox	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....
Measles	216	52	71	44	17	8	18	2	3	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	240	18	34	44	48	25	60	9	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	287	130	95	31	11	7	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	843	42	102	126	112	110	274	61	6	5	3	2	.....	.....	.....	.....	.....
Influenza	177	14	4	1	.....	4	2	7	10	9	10	17	33	37	25	4	.....
Cholera nostras	29	.....	2	.....	1	.....	.....	1	2	1	1	4	9	7	1	.....	.....
Dysentery	64	19	2	1	.....	1	1	.....	5	5	4	5	7	10	4	.....	.....
Erysipelas	54	12	2	.....	1	1	.....	.....	1	9	9	10	3	4	.....	2	.....
Other epidemic diseases [1]	4	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	56	8	3	1	.....	1	3	.....	10	9	8	8	2	1	1	1	.....
Tuberculosis—total	3,136	89	55	37	24	19	62	247	845	789	483	276	152	46	12	.....	.....
Tuberculosis of lungs	2,816	36	21	20	14	4	32	216	815	737	462	262	143	42	12	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	133	34	28	13	6	12	14	10	2	8	3	2	1	.....	.....	.....	.....
Abdominal tuberculosis	103	13	4	3	2	.....	6	15	12	21	14	8	4	1	.....	.....	.....
Pott's disease	11	.....	1	.....	.....	.....	4	1	4	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	4	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	11	.....	1	.....	.....	.....	2	2	2	2	1	.....	1	.....	.....	.....	.....
Tuberculosis of other organs	25	.....	.....	1	1	.....	2	2	2	10	1	3	1	2	.....	.....	.....
General tuberculosis	31	4	.....	.....	1	3	1	1	7	8	2	1	2	1	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	99	66	2	.....	1	.....	1	2	3	8	7	8	1	.....	.....	.....	.....
Cancer	1,026	2	2	.....	3	1	6	10	23	115	217	271	232	108	35	1	.....
Tumor	17	.....	1	.....	.....	.....	1	1	.....	6	3	1	3	1	.....	.....	.....
Rheumatism	111	3	1	2	2	1	7	13	9	9	15	20	21	6	2	.....	.....
Diabetes	113	1	.....	1	.....	1	1	5	10	10	12	30	28	12	2	.....	.....
Anemia, leukemia	81	1	.....	1	1	.....	3	7	7	9	16	18	11	3	4	.....	.....
Alcoholism	157	.....	.....	.....	.....	.....	.....	.....	17	44	59	25	10	2	.....	.....	.....
Chronic poisonings	5	.....	.....	1	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	.....
Other general diseases	18	.....	1	1	.....	1	2	1	4	3	4	.....	.....	1	.....	.....	.....
Encephalitis	20	3	6	2	1	.....	2	2	1	1	.....	1	.....	1	.....	.....	.....
Meningitis	669	221	102	48	28	28	81	46	25	31	27	8	13	5	6	.....	.....
Apoplexy	589	28	5	3	1	2	5	2	18	37	62	109	133	135	46	3	.....
Softening of brain	40	.....	.....	.....	.....	.....	1	.....	2	7	6	3	8	9	4	.....	.....
Paralysis	280	2	2	2	1	1	2	5	8	28	25	49	59	68	26	2	.....
Epilepsy	55	1	.....	.....	1	1	2	7	8	12	9	6	5	2	1	.....	.....
Convulsions	684	595	54	17	3	3	5	4	.....	.....	2	.....	1	.....	.....	.....	.....
Tetanus	77	29	.....	1	.....	.....	5	27	3	.....	8	3	.....	1	.....	.....	.....
Other diseases of nervous system	353	10	4	3	1	1	5	18	31	63	60	58	46	41	9	3	.....
Pericarditis	60	1	.....	.....	1	.....	6	8	7	4	14	8	8	3	.....	.....	.....
Endocarditis	295	3	1	1	2	3	25	37	33	26	39	44	40	31	10	.....	.....
Heart disease	1,479	5	1	2	3	7	39	85	93	159	251	286	296	198	51	3	.....
Angina pectoris	93	.....	.....	.....	.....	1	.....	2	7	7	15	14	30	13	4	.....	.....
Embolism and thrombosis	24	1	.....	1	.....	.....	.....	.....	6	3	4	4	.....	2	3	.....	.....
Other diseases of circulatory system	217	13	1	.....	.....	1	5	5	5	29	27	31	44	33	19	4	.....
Laryngitis	20	5	4	3	2	1	6	.....	1	2	.....	.....	.....	2	.....	.....	.....
Acute bronchitis	691	473	134	44	18	19	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
Chronic bronchitis	434	1	.....	.....	.....	.....	23	19	22	20	29	54	98	109	52	7	.....
Bronchopneumonia	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pneumonia	3,554	641	323	163	82	50	105	111	236	337	341	383	390	268	110	13	1
Pleurisy	78	2	1	4	1	1	2	3	12	20	13	6	6	6	1	.....	.....
Congestion of lungs	80	24	4	1	.....	.....	3	3	5	8	7	12	7	2	4	.....	.....
Other diseases of respiratory system	207	10	10	10	11	7	16	6	11	20	20	20	25	28	11	2	.....
Tonsilitis	15	1	3	1	1	1	4	1	2	1	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	202	54	9	2	3	.....	5	6	16	23	42	38	30	22	10	2	.....
Diarrhea and enteritis	2,163	1,419	364	65	28	12	32	15	17	33	22	28	62	44	17	4	1
Hernia and intestinal obstructions	202	28	7	2	1	.....	8	4	16	23	38	22	24	16	10	3	.....
Cirrhosis of liver	217	1	.....	.....	.....	.....	.....	2	4	31	58	59	39	20	2	.....	1
Other diseases of liver	164	9	3	3	1	2	1	6	15	22	28	34	24	14	2	.....	.....
Peritonitis	95	9	.....	2	1	1	5	8	21	14	10	10	9	4	1	.....	.....
Appendicitis	241	.....	3	.....	1	1	24	66	55	43	26	11	4	6	1	.....	.....
Other diseases of digestive system	73	22	5	3	.....	1	2	2	6	7	9	10	3	2	1	.....	.....
Acute nephritis	225	26	6	4	2	11	24	9	22	28	36	20	20	14	2	1	.....
Bright's disease	1,035	15	.....	4	4	1	13	30	68	91	176	208	239	138	46	2	.....
Calculi of urinary tract	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	2	.....	.....	.....
Uterine tumor	34	.....	.....	.....	.....	.....	.....	.....	4	11	15	1	.....	2	1	.....	.....
Ovarian tumor	25	.....	.....	.....	.....	.....	.....	.....	9	8	2	5	.....	1	.....	.....	.....
Other diseases of genito-urinary system	220	3	.....	.....	.....	1	3	10	41	61	33	21	16	29	2	.....	.....
Puerperal septicemia	136	.....	.....	.....	.....	.....	.....	3	71	55	7	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	120	.....	.....	.....	.....	.....	.....	4	57	47	12	.....	.....	.....	.....	.....	.....
Diseases of skin	86	22	3	2	1	2	1	1	2	6	12	7	13	8	6	.....	.....
Diseases of locomotor system	41	16	7	3	1	.....	3	3	1	2	2	1	.....	1	1	.....	.....
Malformations	175	153	11	3	2	1	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Premature birth	298	298	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	566	566	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	447	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36	176	184	51	.....
Suicide	393	.....	.....	.....	.....	.....	.....	21	61	91	83	65	39	9	1	.....	2
Other violence	1,406	79	34	23	28	31	86	156	217	255	212	126	99	38	18	1	3
Ill-defined causes	309	187	27	3	4	1	3	2	9	13	18	14	11	11	4	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

CINCINNATI, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,926	964	265	111	73	61	127	248	602	681	598	616	634	642	269	26	9
Typhoid fever	127	.....	1	2	1	2	7	38	35	22	10	4	5	.....	.....	.....	.....
Malarial fever	4	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	1	.....	.....
Smallpox	8	1	2	.....	.....	.....	1	.....	1	2	.....	1	.....	.....	.....	.....	.....
Measles	4	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	27	.....	2	3	5	4	8	4	.....	.....	.....	1	.....	.....	.....	.....	.....
Whooping cough	18	9	4	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	91	3	15	26	11	15	14	3	1	2	.....	.....	1	.....	.....	.....	.....
Influenza	49	2	.....	1	.....	.....	1	.....	3	10	3	7	7	13	2	.....	.....
Cholera nostras	6	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	.....	1	.....	.....
Dysentery	26	.....	4	.....	.....	1	.....	1	2	2	2	3	3	7	1	.....	.....
Erysipelas	22	2	.....	.....	.....	.....	1	.....	1	3	4	4	4	2	1	.....	.....
Other epidemic diseases[1]	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	28	4	2	1	.....	.....	2	.....	5	3	5	1	3	2	.....	.....	.....
Tuberculosis—total	730	12	10	6	4	2	8	54	227	198	110	52	32	12	2	.....	1
Tuberculosis of lungs	659	6	4	3	1	2	4	50	217	181	99	50	28	11	2	.....	1
Tuberculosis of larynx	15	.....	.....	.....	.....	.....	.....	1	1	6	6	.....	1	.....	.....	.....	.....
Tuberculous meningitis	24	5	6	2	2	.....	3	2	2	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	18	1	.....	.....	1	.....	.....	1	3	5	2	2	3	.....	.....	.....	.....
Pott's disease	4	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	15	8	.....	1	.....	.....	.....	1	.....	3	2	.....	.....	.....	.....	.....	.....
Cancer	230	.....	.....	.....	.....	.....	3	2	6	19	52	64	45	33	6	.....	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....
Rheumatism	34	.....	.....	.....	.....	.....	2	6	1	6	5	5	6	3	.....	.....	.....
Diabetes	29	.....	.....	.....	.....	.....	1	1	1	5	3	10	4	4	.....	.....	.....
Anemia, leukemia	21	1	.....	.....	.....	.....	3	.....	2	5	4	2	4	.....	.....	.....	.....
Alcoholism	30	.....	.....	.....	.....	.....	.....	.....	5	10	7	5	2	1	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Encephalitis	9	1	3	.....	1	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....
Meningitis	230	86	38	18	20	9	15	9	11	9	6	5	2	2	.....	.....	.....
Apoplexy	228	4	6	.....	.....	.....	2	4	7	8	22	50	51	54	17	3	.....
Softening of brain	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	1	.....	.....
Paralysis	78	1	.....	.....	.....	.....	.....	2	2	3	9	15	16	23	7	.....	.....
Epilepsy	17	.....	.....	.....	.....	.....	.....	.....	8	4	2	.....	2	1	.....	.....	.....
Convulsions	137	108	19	2	1	2	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Tetanus	13	5	.....	.....	.....	.....	1	2	2	1	1	1	.....	.....	.....	.....	.....
Other diseases of nervous system	67	1	.....	1	.....	.....	.....	3	9	12	14	7	12	6	2	.....	.....
Pericarditis	8	.....	.....	.....	.....	.....	1	2	1	.....	.....	3	1	.....	.....	.....	.....
Endocarditis	47	1	.....	.....	.....	1	2	3	2	4	7	11	3	11	2	.....	.....
Heart disease	330	4	1	.....	.....	.....	1	11	25	28	29	60	72	77	19	3	.....
Angina pectoris	21	.....	.....	.....	.....	.....	.....	.....	3	2	2	4	7	2	1	.....	.....
Embolism and thrombosis	15	.....	.....	1	.....	.....	.....	.....	1	2	1	3	3	3	1	.....	.....
Other diseases of circulatory system	49	2	.....	.....	.....	.....	.....	2	7	4	6	3	6	16	3	.....	.....
Laryngitis	11	3	2	.....	1	1	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....
Acute bronchitis	97	62	20	6	3	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....
Chronic bronchitis	150	4	2	1	.....	.....	4	2	11	2	8	27	32	37	19	1	.....
Bronchopneumonia	88	17	20	6	3	2	4	1	4	4	6	7	8	3	2	1	.....
Pneumonia	428	63	30	14	13	5	11	17	26	45	41	39	63	35	24	2	.....
Pleurisy	12	.....	.....	.....	.....	.....	.....	1	4	4	1	2	.....	.....	.....	.....	.....
Congestion of lungs	28	2	.....	.....	1	1	.....	1	.....	6	2	4	3	7	1	.....	.....
Other diseases of respiratory system	68	9	2	1	1	1	.....	.....	4	8	7	10	9	12	4	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Diseases of stomach	81	6	4	1	1	.....	1	3	6	10	7	10	13	12	5	1	1
Diarrhea and enteritis	342	174	52	9	.....	1	1	4	11	10	17	11	22	21	9	.....	.....
Hernia and intestinal obstructions	38	2	1	1	.....	.....	1	.....	.....	6	4	4	6	10	2	.....	1
Cirrhosis of liver	66	.....	.....	.....	.....	.....	.....	.....	1	8	24	12	10	10	1	.....	.....
Other diseases of liver	46	3	.....	.....	.....	.....	.....	.....	3	6	4	10	13	5	2	.....	.....
Peritonitis	78	4	.....	.....	.....	.....	1	8	18	23	8	6	5	4	1	.....	.....
Appendicitis	28	.....	.....	.....	.....	.....	2	2	10	7	4	1	1	.....	1	.....	.....
Other diseases of digestive system	24	8	3	1	.....	.....	1	1	4	.....	1	3	.....	1	1	.....	.....
Acute nephritis	22	1	.....	.....	.....	1	1	2	3	6	2	3	3	.....	.....	.....	.....
Bright's disease	332	6	.....	.....	.....	.....	4	4	29	43	65	63	51	50	15	2	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	48	1	.....	.....	1	.....	.....	1	4	8	3	7	8	14	1	.....	.....
Puerperal septicemia	21	.....	.....	.....	.....	.....	.....	3	12	4	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	29	.....	.....	.....	.....	.....	.....	4	10	15	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	20	1	.....	.....	.....	.....	.....	.....	3	1	4	1	3	4	3	.....	.....
Diseases of locomotor system	6	.....	.....	.....	1	1	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....
Malformations	19	18	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	112	112	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	113	113	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	200	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19	78	93	10	.....
Suicide	42	.....	.....	.....	.....	.....	.....	.....	9	12	7	5	3	3	2	.....	1
Other violence	296	24	4	2	5	8	13	36	43	46	37	31	28	11	5	1	2
Ill-defined causes	300	72	18	4	.....	1	3	4	14	33	29	28	33	46	11	1	3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

CLEVELAND, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,731	1,737	350	153	110	95	225	297	601	666	602	570	574	457	245	34	15
Typhoid fever	217	1	2	.....	2	1	12	49	64	49	20	8	6	3	.....	.....	.....
Malarial fever	7	1	.....	.....	1	.....	.....	1	3	.....	1	.....	.....	.....	.....	.....	.....
Smallpox	19	6	.....	.....	.....	.....	1	5	4	2	.....	1	.....	.....	.....	.....	.....
Measles	9	2	4	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	37	1	5	5	3	4	16	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	21	12	6	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	217	13	29	30	26	27	64	20	4	3	1	.....	.....	.....	.....	.....	.....
Influenza	27	2	.....	1	.....	.....	.....	1	1	2	2	2	8	4	4	.....	.....
Cholera nostras	9	5	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....
Dysentery	23	5	5	1	.....	.....	.....	.....	3	.....	2	2	1	4	.....	.....	.....
Erysipelas	9	3	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	1	.....	1	.....
Other epidemic diseases[1]	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	55	2	.....	.....	4	1	1	4	12	12	9	6	2	2	.....	.....	.....
Tuberculosis—total	507	12	8	2	1	2	3	36	153	118	87	52	22	10	1	.....	.....
Tuberculosis of lungs	486	10	8	2	1	1	1	32	151	117	82	51	19	10	1	.....	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	4	1	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	9	1	.....	.....	.....	.....	1	3	.....	.....	2	1	1	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	8	4	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Cancer	203	1	.....	.....	.....	.....	.....	1	5	25	51	51	45	18	4	2	.....
Tumor	7	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....	.....	.....
Rheumatism	22	.....	.....	.....	.....	1	2	6	1	5	2	2	2	1	.....	.....	.....
Diabetes	17	1	.....	.....	.....	.....	2	2	3	1	.....	5	2	1	.....	.....	.....
Anemia, leukemia	14	2	1	1	.....	.....	.....	1	.....	2	2	4	1	.....	.....	.....	.....
Alcoholism	14	.....	.....	.....	.....	.....	.....	.....	1	7	4	2	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Other general diseases	6	.....	.....	1	.....	.....	.....	1	1	.....	1	2	.....	.....	.....	.....	.....
Encephalitis	16	3	1	3	.....	.....	1	3	2	1	.....	1	1	.....	.....	.....	.....
Meningitis	188	63	24	9	7	8	13	22	19	8	6	6	2	1	.....	.....	.....
Apoplexy	209	12	.....	1	3	1	.....	2	7	20	26	43	58	22	13	1	.....
Softening of brain	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	.....	.....	.....
Paralysis	89	3	.....	2	2	1	1	.....	2	3	11	9	24	20	11	.....	.....
Epilepsy	9	.....	.....	.....	.....	.....	.....	2	2	1	2	1	.....	1	.....	.....	.....
Convulsions	401	325	30	12	12	6	6	3	4	1	.....	.....	.....	.....	.....	.....	2
Tetanus	13	3	1	.....	.....	.....	2	5	.....	2	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	74	3	1	.....	.....	.....	.....	2	7	15	11	15	14	6	.....	.....	.....
Pericarditis	13	.....	.....	.....	1	.....	1	2	1	2	1	1	2	2	.....	.....	.....
Endocarditis	65	3	.....	1	.....	1	2	2	3	11	12	9	10	9	2	.....	.....
Heart disease	312	9	1	1	.....	1	7	9	20	36	46	58	63	44	16	.....	1
Angina pectoris	20	.....	.....	.....	.....	.....	.....	.....	1	4	2	6	3	4	.....	.....	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	3	2	.....	.....
Other diseases of circulatory system	66	8	.....	.....	.....	1	1	1	4	17	3	5	11	7	7	1	.....
Laryngitis	10	1	1	1	1	1	1	.....	.....	2	2	.....	.....	.....	.....	.....	.....
Acute bronchitis	101	63	17	9	3	1	1	.....	1	.....	.....	2	3	.....	.....	1	.....
Chronic bronchitis	53	2	.....	.....	.....	1	1	2	4	5	3	5	8	12	9	1	.....
Bronchopneumonia	70	27	10	7	1	3	2	2	1	2	6	2	5	1	.....	1	.....
Pneumonia	623	154	59	27	15	10	24	20	50	58	35	47	56	47	16	5	.....
Pleurisy	24	.....	4	.....	1	.....	.....	1	4	6	4	3	1	.....	.....	.....	.....
Congestion of lungs	34	10	1	1	.....	.....	1	3	2	2	4	6	1	3	.....	.....	.....
Other diseases of respiratory system	68	7	2	1	.....	.....	.....	3	5	7	7	13	12	5	6	.....	.....
Tonsilitis	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	79	27	3	3	.....	.....	1	1	1	9	5	11	11	5	2	.....	.....
Diarrhea and enteritis	453	320	80	7	8	2	3	1	6	5	3	5	4	5	3	1	.....
Hernia and intestinal obstructions	44	4	.....	2	.....	.....	3	1	5	4	8	3	8	6	.....	.....	.....
Cirrhosis of liver	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	9	5	1	1	.....	.....
Other diseases of liver	44	6	.....	.....	1	.....	.....	.....	1	3	13	5	2	6	.....	.....	.....
Peritonitis	89	4	3	2	.....	2	4	10	23	18	7	2	6	7	1	.....	.....
Appendicitis	48	1	.....	.....	.....	.....	6	10	17	6	5	1	1	1	.....	.....	.....
Other diseases of digestive system	21	6	2	1	.....	1	.....	1	1	3	2	2	.....	2	.....	.....	.....
Acute nephritis	7	1	1	.....	.....	1	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....
Bright's disease	206	3	1	.....	2	3	5	7	19	34	27	39	29	26	11	.....	.....
Calculi of urinary tract	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	23	.....	.....	.....	.....	.....	.....	1	4	4	4	1	2	6	1	.....	.....
Puerperal septicemia	21	.....	.....	.....	.....	.....	.....	1	13	7	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	24	.....	.....	.....	.....	.....	.....	1	9	11	3	.....	.....	.....	.....	.....	.....
Diseases of skin	20	3	.....	.....	.....	.....	1	.....	1	3	2	2	4	4	.....	.....	.....
Diseases of locomotor system	4	.....	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Malformations	16	11	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	70	70	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	351	351	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	207	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20	70	102	15	.....
Suicide	58	.....	.....	.....	.....	.....	.....	.....	11	7	17	12	7	3	1	.....	.....
Other violence	318	12	7	5	7	4	18	31	53	62	54	28	16	14	3	1	3
Ill-defined causes	673	148	36	13	7	11	17	17	40	49	72	74	83	64	29	4	9

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

COLUMBUS, OHIO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,989	265	76	25	23	19	70	120	256	227	205	207	208	168	83	8	29
Typhoid fever	67				1		4	20	20	9	8	4	1				
Malarial fever	6							1	2	1		1		1			
Smallpox																	
Measles	9	3	3				2			1							
Scarlet fever	11		2	1	1		3	2	1	1							
Whooping cough	17	5	9	1		1	1										
Diphtheria and croup	28	4	2	3	4	3	7	2	1	1			1				
Influenza	28			2		1		1	1	7	2	6	3	3	1	1	
Cholera nostras	3	1	1								1						
Dysentery	16	2	1				1		1	1	1	1	2	5			1
Erysipelas	6	2						2				1		1			
Other epidemic diseases[1]																	
Septicemia	13							1	3	3	2	1	2		1		
Tuberculosis—total	288	5	2	2	1		5	24	94	66	36	23	18	6	2		4
Tuberculosis of lungs	263	4	2	2			5	21	83	63	33	23	17	5	2		3
Tuberculosis of larynx	2								2								
Tuberculous meningitis	4	1			1			1	1								
Abdominal tuberculosis	11							1	3	2	2		1	1			1
Pott's disease	1								1								
Tuberculous abscess																	
White swelling	2							1	1								
Tuberculosis of other organs	1										1						
General tuberculosis	4								3	1							
Scrofula	1		1														
Venereal diseases	1									1							
Cancer	85							1	3	8	15	30	14	10	1	1	2
Tumor	3							1	1					1			
Rheumatism	16					1	1	4	2	2	1	1	1	2	1		
Diabetes	8								2	1		2	2	1			
Anemia, leukemia	7								1	1	1	3			1		
Alcoholism	4									2	2						
Chronic poisonings	2								1	1							
Other general diseases	3					1	1			1							
Encephalitis	3	2									1						
Meningitis	60	19	3	4	2	1	8	11	5	4	1		2				
Apoplexy	75	5	2					1		6	11	8	20	15	4		3
Softening of brain	5											1	1	2	1		
Paralysis	29		1						1	1	1	4	7	11	3		
Epilepsy	9							1	1	4	2	1					
Convulsions	22	20	1	1													
Tetanus	4						2	2									
Other diseases of nervous system	62	1	1		1			2	9	10	13	9	10	5	1		
Pericarditis	4							1		1	1	1					
Endocarditis	4										1	1		1	1		
Heart disease	143	3				1	2	4	6	9	23	29	36	19	7		4
Angina pectoris	3									2					1		
Embolism and thrombosis	2												1	1			
Other diseases of circulatory system	8	1								1	1	3	1		1		
Laryngitis	2				1						1						
Acute bronchitis	9	5	1		1				1								1
Chronic bronchitis	17	1							1	2		1	3	7	2		
Bronchopneumonia	20	7	4		1		2	2				1	1	1			1
Pneumonia	166	22	12	4	1	2	11	7	13	21	20	13	19	13	7		1
Pleurisy	3						1		1			1					
Congestion of lungs	9	3						1				1	2	1	1		
Other diseases of respiratory system	19		2						2	3	1	5	2	3	1		
Tonsilitis	1													1			
Diseases of stomach	27	7	1				1	1	4	4	2	3	3	1			
Diarrhea and enteritis	90	45	13	2	1	2	5		2	2	5	7	3	3			
Hernia and intestinal obstructions	13		1					1	6		2	1	1				1
Cirrhosis of liver	9		1								2	3	3				
Other diseases of liver	17		1		1			1	1	2	3	6	1		1		
Peritonitis	31			1			1	2	9	11	4	1	2				
Appendicitis	16							8	2	1	3	2					
Other diseases of digestive system	7		1					1	2	1			1		1		
Acute nephritis	10				1				1	4	2	1	1				
Bright's disease	75	1					2	2	7	2	12	13	22	7	6		1
Calculi of urinary tract	1														1		
Uterine tumor	3									1	1	1					
Ovarian tumor	4								2	1	1						
Other diseases of genito-urinary system	19							1	6	4	2	1		5			
Puerperal septicemia	4							1	1	2							
Other causes incident to childbirth	9								5	3			1				
Diseases of skin	5	1										1	1	1	1		
Diseases of locomotor system	2						1					1					
Malformations	11	8	1		1												1
Premature birth	25	25															
Congenital debility	46	46															
Old age	78												6	30	34	6	2
Suicide	17							1	6	2	2	1	2	1			2
Other violence	100	5	1	1	5	5	7	8	25	12	15	7	3	3	1		2
Ill-defined causes	69	16	8	3		1	2	2	4	4	3	6	9	7	1		3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

DENVER, COLO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,539	379	69	41	35	17	62	131	377	420	288	263	215	161	55	6	20
Typhoid fever	54	1	.....	.....	1	.....	1	7	24	8	7	1	2	1	.....	.....	1
Malarial fever	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	11	6	1	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1
Scarlet fever	28	.....	1	7	4	5	9	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	11	5	2	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	27	2	3	5	5	2	2	5	1	2	.....	.....	.....	.....	.....	.....	.....
Influenza	15	1	.....	.....	.....	1	.....	.....	2	1	.....	4	.....	6	.....	.....	.....
Cholera nostras	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
Dysentery	5	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
Erysipelas	10	3	.....	.....	.....	.....	.....	1	.....	.....	3	.....	1	2	.....	.....	.....
Other epidemic diseases [1]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Septicemia	31	1	.....	.....	1	.....	.....	4	4	5	7	7	1	1	.....	.....	.....
Tuberculosis—total	532	12	6	2	2	1	3	23	187	181	68	31	9	4	1	.....	2
Tuberculosis of lungs	502	3	2	1	1	.....	.....	22	184	175	68	30	9	4	1	.....	2
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	22	8	4	1	1	.....	2	1	1	4	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	3	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
General tuberculosis	2	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	8	2	.....	.....	.....	.....	.....	.....	1	2	.....	2	1	.....	.....	.....	.....
Cancer	74	1	.....	.....	.....	.....	.....	2	2	8	16	23	15	6	.....	.....	1
Tumor	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	2	.....	.....	.....	.....
Rheumatism	10	.....	.....	.....	.....	.....	.....	2	1	4	1	.....	1	1	.....	.....	.....
Diabetes	17	.....	.....	.....	.....	.....	.....	1	1	4	2	4	4	1	.....	.....	.....
Anemia, leukemia	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Alcoholism	32	.....	.....	.....	.....	.....	.....	.....	5	3	9	9	5	.....	.....	.....	1
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Encephalitis	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Meningitis	63	21	6	3	1	.....	8	5	3	12	2	1	.....	.....	.....	.....	1
Apoplexy	64	2	.....	.....	.....	.....	.....	.....	2	1	7	15	23	11	3	.....	.....
Softening of brain	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	2	.....	.....
Paralysis	20	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	7	8	2	.....	.....
Epilepsy	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....
Convulsions	41	31	4	1	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	1
Tetanus	5	2	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	37	3	1	.....	.....	.....	2	1	2	7	8	5	5	2	1	.....	.....
Pericarditis	10	.....	.....	.....	.....	.....	.....	3	.....	2	3	1	1	.....	.....	.....	.....
Endocarditis	25	1	.....	1	.....	.....	1	8	1	1	4	4	2	1	1	.....	.....
Heart disease	105	3	.....	.....	2	.....	4	10	11	16	15	15	16	6	6	.....	1
Angina pectoris	15	.....	.....	.....	.....	.....	.....	1	2	3	1	6	2	.....	.....	.....	.....
Embolism and thrombosis	18	.....	.....	.....	.....	.....	.....	1	1	4	3	1	4	4	.....	.....	.....
Other diseases of circulatory system	19	.....	.....	.....	.....	.....	.....	.....	2	4	1	2	6	3	1	.....	.....
Laryngitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	16	9	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	16	.....	.....	.....	1	.....	1	.....	1	.....	3	.....	3	5	1	.....	1
Bronchopneumonia	33	9	2	3	4	.....	3	1	.....	1	2	.....	4	2	2	.....	.....
Pneumonia	254	23	13	6	3	.....	6	7	17	38	39	37	31	28	3	.....	3
Pleurisy	12	.....	.....	.....	1	.....	.....	.....	3	3	1	2	2	.....	.....	.....	.....
Congestion of lungs	18	7	2	.....	1	1	.....	.....	3	1	1	1	1	.....	.....	.....	.....
Other diseases of respiratory system	42	.....	1	1	.....	1	1	.....	7	8	6	9	4	2	2	.....	.....
Tonsilitis	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	33	6	.....	.....	.....	.....	.....	.....	3	9	2	4	3	5	1	.....	.....
Diarrhea and enteritis	88	58	10	2	2	.....	.....	1	2	2	1	3	1	3	2	.....	1
Hernia and intestinal obstructions	29	8	.....	.....	.....	.....	.....	2	3	4	4	3	3	2	.....	.....	.....
Cirrhosis of liver	14	.....	.....	.....	.....	.....	.....	.....	1	.....	5	1	5	2	.....	.....	.....
Other diseases of liver	17	.....	.....	.....	.....	.....	.....	.....	5	4	3	4	.....	1	.....	.....	.....
Peritonitis	42	2	.....	.....	.....	.....	1	4	11	10	5	4	2	2	1	.....	.....
Appendicitis	28	.....	.....	.....	.....	.....	1	8	6	3	4	5	.....	.....	.....	.....	1
Other diseases of digestive system	11	1	1	2	.....	.....	.....	1	1	2	1	1	.....	1	.....	.....	.....
Acute nephritis	13	.....	.....	.....	.....	.....	2	1	5	2	1	1	.....	1	.....	.....	.....
Bright's disease	107	.....	1	.....	1	.....	1	3	14	13	14	27	19	11	3	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	22	.....	.....	.....	.....	.....	.....	1	2	5	1	3	4	5	1	.....	.....
Puerperal septicemia	7	.....	.....	.....	.....	.....	.....	1	2	2	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	6	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	.....	.....	.....	.....	.....
Diseases of skin	9	2	.....	.....	.....	.....	1	.....	.....	2	2	.....	2	.....	.....	.....	.....
Diseases of locomotor system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Malformations	12	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Premature birth	52	52	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	59	59	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	43	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	18	16	6	.....
Suicide	15	.....	.....	.....	.....	.....	.....	.....	2	2	6	3	1	.....	.....	.....	1
Other violence	130	2	6	1	1	4	10	17	27	26	17	6	3	5	2	.....	3
Ill-defined causes	90	30	3	1	2	.....	2	1	5	6	4	13	12	6	4	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

DETROIT, MICH.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,657	1,321	214	85	57	44	123	213	403	387	357	374	439	428	180	26	6
Typhoid fever	81	1	1	2	.....	.....	2	19	27	19	5	4	.....	1	.....	.....	.....
Malarial fever	9	.....	.....	.....	1	.....	.....	3	1	1	1	.....	.....	1	1	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	54	20	16	5	5	2	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	18	1	2	4	1	1	8	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	21	8	6	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	83	8	13	15	14	8	21	3	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	18	1	1	.....	.....	.....	.....	.....	.....	5	.....	3	3	3	1	1	.....
Cholera nostras	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	15	2	.....	.....	.....	.....	.....	.....	3	2	.....	3	2	3	.....	.....	.....
Erysipelas	22	2	.....	.....	.....	1	.....	2	3	6	3	.....	2	3	.....	.....	.....
Other epidemic diseases[1]	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	19	3	1	.....	.....	.....	1	.....	2	7	1	1	2	.....	.....	.....	1
Tuberculosis—total	374	12	6	4	2	3	9	41	122	74	51	27	16	4	3	.....	.....
Tuberculosis of lungs	323	6	4	1	1	3	3	33	113	70	44	26	14	4	1	.....	.....
Tuberculosis of larynx	3	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....
Tuberculous meningitis	16	4	1	3	.....	.....	3	1	1	.....	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	15	1	1	.....	.....	.....	.....	2	3	3	3	1	1	.....	.....	.....	.....
Pott's disease	6	1	.....	.....	.....	.....	.....	1	.....	1	2	.....	1	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	4	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	5	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	1	.....	.....
Scrofula	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	34	25	1	.....	.....	.....	.....	.....	3	2	1	2	.....	.....	.....	.....	.....
Cancer	212	.....	.....	.....	.....	1	1	.....	6	22	39	60	48	29	6	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Rheumatism	31	1	.....	1	.....	1	4	1	3	1	4	5	4	6	.....	.....	.....
Diabetes	27	.....	.....	.....	.....	2	1	1	1	.....	2	4	8	8	.....	.....	.....
Anemia, leukemia	21	2	.....	.....	.....	.....	.....	.....	5	5	4	4	.....	1	.....	.....	.....
Alcoholism	14	.....	.....	.....	.....	.....	1	.....	.....	4	3	5	1	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....
Other general diseases	9	.....	1	.....	1	.....	.....	2	.....	1	1	2	.....	1	.....	.....	.....
Encephalitis	7	4	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Meningitis	112	32	19	6	6	7	14	12	6	4	2	2	2	.....	.....	.....	.....
Apoplexy	141	2	2	.....	.....	.....	1	3	2	7	13	29	34	32	16	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....
Paralysis	77	1	.....	1	.....	.....	.....	.....	2	4	4	10	21	25	9	.....	.....
Epilepsy	13	.....	.....	.....	.....	.....	1	3	2	2	2	.....	2	1	.....	.....	.....
Convulsions	154	135	9	2	5	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....
Tetanus	5	2	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	64	.....	1	.....	.....	.....	1	4	7	8	14	6	12	10	1	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
Endocarditis	24	.....	.....	.....	1	.....	2	2	5	1	3	1	3	4	2	.....	.....
Heart disease	249	4	.....	.....	.....	.....	6	11	11	20	25	47	52	50	22	1	.....
Angina pectoris	25	.....	.....	.....	.....	.....	.....	.....	3	.....	4	6	6	5	1	.....	.....
Embolism and thrombosis	10	1	.....	.....	.....	.....	.....	.....	1	1	1	1	2	3	.....	.....	.....
Other diseases of circulatory system	22	2	1	.....	1	.....	.....	1	.....	3	2	3	5	3	1	.....	.....
Laryngitis	3	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	97	59	19	5	3	.....	2	2	1	.....	.....	.....	2	3	1	.....	.....
Chronic bronchitis	63	.....	.....	1	.....	.....	3	1	1	1	3	5	11	25	11	1	.....
Bronchopneumonia	106	57	17	5	3	2	3	2	1	1	2	2	3	4	4	.....	.....
Pneumonia	324	54	25	9	4	2	11	20	30	35	25	30	38	31	6	3	1
Pleurisy	19	.....	1	.....	.....	.....	.....	3	3	4	2	3	2	.....	1	.....	.....
Congestion of lungs	12	3	.....	.....	.....	1	.....	1	1	1	.....	1	2	2	.....	.....	.....
Other diseases of respiratory system	54	.....	.....	2	.....	.....	.....	1	6	5	4	8	14	10	4	.....	.....
Tonsilitis	3	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	71	15	6	2	2	2	2	1	4	4	7	4	10	9	3	.....	.....
Diarrhea and enteritis	474	381	43	9	1	2	.....	.....	3	7	4	6	7	8	1	2	.....
Hernia and intestinal obstructions	32	6	.....	.....	.....	.....	1	2	4	1	5	6	5	2	.....	.....	.....
Cirrhosis of liver	36	1	.....	.....	.....	.....	1	.....	.....	3	8	11	7	3	.....	.....	.....
Other diseases of liver	32	1	.....	.....	.....	.....	.....	1	.....	6	5	5	7	6	1	.....	.....
Peritonitis	56	5	.....	1	1	.....	5	5	10	15	9	2	3	.....	.....	.....	.....
Appendicitis	40	.....	.....	.....	.....	.....	1	13	12	8	2	3	1	.....	.....	.....	.....
Other diseases of digestive system	15	5	3	1	.....	.....	.....	.....	2	2	1	.....	1	.....	.....	.....	.....
Acute nephritis	24	1	1	.....	.....	1	3	1	1	5	4	2	2	.....	2	1	.....
Bright's disease	151	5	.....	.....	.....	.....	2	5	14	15	31	21	33	21	3	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Uterine tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	49	1	1	.....	.....	.....	.....	2	7	8	3	7	4	12	4	.....	.....
Puerperal septicemia	39	.....	.....	.....	.....	.....	.....	4	18	12	5	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	32	.....	.....	.....	.....	.....	.....	3	15	10	4	.....	.....	.....	.....	.....	.....
Diseases of skin	24	5	1	.....	.....	.....	.....	.....	.....	.....	3	2	6	6	1	.....	.....
Diseases of locomotor system	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
Malformations	44	42	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	138	138	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	182	182	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	153	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18	60	62	13	.....
Suicide	33	.....	.....	.....	.....	.....	.....	.....	7	4	7	5	8	2	.....	.....	.....
Other violence	191	17	5	4	4	2	6	29	27	31	15	15	14	9	7	2	4
Ill-defined causes	159	71	9	.....	.....	1	1	4	12	5	12	9	13	16	5	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

FALL RIVER, MASS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,286	885	166	58	37	19	49	74	148	139	137	189	185	140	55	5	
Typhoid fever	29						3	8	9	8			1				
Malarial fever	3	2	1														
Smallpox	1		1														
Measles	17	6	6	2	2			1									
Scarlet fever	2	1						1									
Whooping cough	13	8	4	1													
Diphtheria and croup	25	3	4	5	3	1	6	1	1			1					
Influenza	32	6			1		1		2	3		2	6	9		2	
Cholera nostras	2							1				1					
Dysentery	14	5	1						2		1	1	2	2			
Erysipelas	1										1						
Other epidemic diseases[1]	1	1															
Septicemia	13	6		1					1	1		2	1	1			
Tuberculosis—total	216	9	4	3	4	4	9	18	60	52	29	12	10	2			
Tuberculosis of lungs	193	6	3	3	2	2	3	18	57	49	27	12	9	2			
Tuberculosis of larynx	5								2	2	1						
Tuberculous meningitis	9	2	1		2	1	2		1								
Abdominal tuberculosis	5	1				1	1				1		1				
Pott's disease	3						3										
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	1									1							
General tuberculosis																	
Scrofula	1			1													
Venereal diseases	2	1									1						
Cancer	55	1						3		4	12	16	13	4	2		
Tumor	1														1		
Rheumatism	8							1	2		1	2	2				
Diabetes	8							3			1	1	2	1			
Anemia, leukemia	5	1							1		1	1		1			
Alcoholism	7									3	1	3					
Chronic poisonings	1												1				
Other general diseases	1										1						
Encephalitis	3		1				1	1									
Meningitis	68	27	14	9	2	3	4	3	4		1				1		
Apoplexy	52	5		1					2	2	3	12	12	11	2	2	
Softening of brain	2									2							
Paralysis	38	1								1	1	13	8	8	6		
Epilepsy	1							1									
Convulsions	73	48	10	8	4		1	1			1						
Tetanus																	
Other diseases of nervous system	30	1						1	1	2	2	11	6	6			
Pericarditis	6							1			1	2	1	1			
Endocarditis	16								2	3	1	3	5	1	1		
Heart disease	119	3	1	1	1		2	6	7	7	15	29	20	25	2		
Angina pectoris	6								1		1	1	3				
Embolism and thrombosis	2													2			
Other diseases of circulatory system	9	1						2	1	1	2		1	1			
Laryngitis	5	1	2	1	1												
Acute bronchitis	75	53	12	4	1	2		1			1		1				
Chronic bronchitis	39	1		1	1			1	5	3	5	5	6	6	5		
Bronchopneumonia	47	19	15	3	2	1				1		4	2				
Pneumonia	163	38	23	4	8	3	7	3	7	10	12	15	19	11	2	1	
Pleurisy	5							2	2			1					
Congestion of lungs	10	4		1					2			2	1				
Other diseases of respiratory system	14	5				1	1		1	1		2	1	2			
Tonsilitis	5	1	1				2					1					
Diseases of stomach	11	4								2	1	1	1	2			
Diarrhea and enteritis	362	295	40	4	2			2	1	2	2	3	7	4			
Hernia and intestinal obstructions	12	3								2	2	1	4				
Cirrhosis of liver	19	1							2	1	2	5	5	3			
Other diseases of liver	17					1	1			5	1	4	4		1		
Peritonitis	19	3					1	3	4	4	2	1	1				
Appendicitis	4								2		1		1				
Other diseases of digestive system	10	4	2		2				1		1						
Acute nephritis	8	1	1			1			2	1		1	1				
Bright's disease	67	1		1	1		1	1	7	6	15	14	14	3	3		
Calculi of urinary tract																	
Uterine tumor	1										1						
Ovarian tumor																	
Other diseases of genito-urinary system	18							1	2	2	1	3	5	3	1		
Puerperal septicemia	5							1	2	2							
Other causes incident to childbirth	2								1	1							
Diseases of skin	17	1	1								2	3	2	5	3		
Diseases of locomotor system	4	1	1					1					1				
Malformations	11	11															
Premature birth	104	104															
Congenital debility	129	129															
Old age	42												6	16	20		
Suicide	6										3	2	1				
Other violence	58	9	3	4	2	2	8	4	6	4	5	4	2	3	2		
Ill-defined causes	114	60	18	3			1	1	5	3	3	4	6	7	3		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

INDIANAPOLIS, IND.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,886	544	105	66	40	21	79	134	285	301	277	303	326	259	124	18	4
Typhoid fever	70	.....	.....	1	.....	.....	1	18	20	10	8	6	4	2	.....	.....	.....
Malarial fever	17	1	.....	1	1	.....	1	1	3	3	.....	1	3	2	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	18	.....	1	5	1	4	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	16	10	2	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	53	4	6	5	10	6	19	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	48	5	1	1	1	1	1	1	2	4	4	3	8	10	6	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	28	4	4	1	.....	.....	.....	.....	2	.....	.....	4	5	7	1	.....	.....
Erysipelas	11	1	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	5	.....	.....	.....
Other epidemic diseases[1]	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Septicemia	30	2	.....	1	.....	.....	.....	2	4	9	5	4	3	.....	.....	.....	.....
Tuberculosis—total	394	11	1	1	2	.....	9	37	112	92	55	39	27	7	.....	.....	1
Tuberculosis of lungs	374	4	1	1	1	.....	6	35	109	91	53	39	26	7	.....	.....	1
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Tuberculous meningitis	9	6	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	6	1	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	6	4	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Cancer	103	.....	.....	.....	.....	.....	.....	.....	4	15	22	29	18	11	4	.....	.....
Tumor	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Rheumatism	9	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	4	1	.....	.....	.....
Diabetes	20	.....	.....	.....	.....	.....	.....	1	2	5	5	2	5	.....	.....	.....	.....
Anemia, leukemia	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....
Alcoholism	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Encephalitis	8	3	.....	.....	.....	.....	1	1	.....	1	2	.....	.....	.....	.....	.....	.....
Meningitis	85	27	10	9	4	1	9	3	4	7	7	1	3	.....	.....	.....	.....
Apoplexy	107	8	6	2	.....	1	1	2	6	6	8	21	24	14	5	3	.....
Softening of brain	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	4	.....	1	.....
Paralysis	71	.....	.....	.....	.....	.....	.....	2	1	2	11	14	22	14	5	.....	.....
Epilepsy	19	.....	.....	.....	.....	.....	.....	3	2	2	3	5	2	2	.....	.....	.....
Convulsions	50	30	6	4	1	.....	.....	1	2	1	5	.....	.....	.....	.....	.....	.....
Tetanus	8	1	.....	.....	.....	.....	2	1	1	1	1	.....	1	.....	.....	.....	.....
Other diseases of nervous system	51	1	.....	.....	1	.....	.....	3	3	6	15	8	10	3	1	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Endocarditis	12	.....	.....	.....	.....	.....	.....	1	2	2	1	1	3	1	1	.....	.....
Heart disease	127	2	.....	.....	.....	.....	2	5	5	8	17	29	36	17	5	.....	1
Angina pectoris	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
Other diseases of circulatory system	22	3	1	.....	.....	.....	.....	.....	3	5	3	3	1	3	.....	.....	.....
Laryngitis	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	22	11	5	3	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Chronic bronchitis	25	.....	.....	.....	.....	.....	.....	1	.....	3	1	2	4	6	7	1	.....
Bronchopneumonia	19	11	2	2	1	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....
Pneumonia	240	59	12	9	5	3	7	9	24	24	14	22	24	19	7	2	.....
Pleurisy	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Congestion of lungs	19	6	2	.....	1	.....	1	1	1	1	.....	2	1	3	.....	.....	.....
Other diseases of respiratory system	25	1	.....	.....	.....	.....	.....	1	8	4	3	3	2	2	1	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diseases of stomach	43	5	1	.....	.....	1	.....	2	3	4	3	6	9	8	1	.....	.....
Diarrhea and enteritis	178	100	28	10	5	1	1	1	1	3	3	12	7	4	2	.....	.....
Hernia and intestinal obstructions	12	.....	.....	.....	.....	.....	.....	.....	4	4	.....	1	3	.....	.....	.....	.....
Cirrhosis of liver	11	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	5	2	.....	.....	.....
Other diseases of liver	20	.....	.....	.....	.....	.....	1	.....	1	.....	3	5	5	3	2	.....	.....
Peritonitis	41	1	2	1	.....	.....	3	3	13	9	3	3	1	2	.....	.....	.....
Appendicitis	12	1	.....	.....	.....	.....	1	6	2	.....	.....	.....	2	.....	.....	.....	.....
Other diseases of digestive system	15	3	.....	.....	.....	.....	.....	1	1	3	1	2	1	3	.....	.....	.....
Acute nephritis	6	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	1	.....	.....	.....
Bright's disease	115	8	.....	.....	.....	.....	1	.....	7	13	17	22	30	11	6	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	20	1	.....	.....	.....	.....	1	2	4	3	2	1	.....	5	1	.....	.....
Puerperal septicemia	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	8	.....	.....	.....	.....	.....	.....	2	3	1	2	.....	.....	.....	.....	.....	.....
Diseases of skin	14	1	.....	.....	1	.....	1	.....	1	1	1	1	2	3	2	.....	.....
Diseases of locomotor system	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	57	57	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	99	99	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	121	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	46	54	11	.....
Suicide	17	.....	.....	.....	.....	.....	.....	1	3	3	2	3	2	3	.....	.....	.....
Other violence	117	3	2	3	5	2	5	11	13	20	11	16	15	8	3	.....	.....
Ill-defined causes	188	47	11	4	1	1	1	3	11	14	20	20	18	25	10	.....	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

JERSEY CITY, N. J.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,274	961	259	122	78	69	117	176	402	476	401	435	392	270	98	12	6
Typhoid fever	47						1	6	10	21	8	1					
Malarial fever	10		2	2	1		1	1	1			1		1			
Smallpox																	
Measles	17	4	6	1	1	1	3	1									
Scarlet fever	31	2	2	4	8	3	10	1	1								
Whooping cough	21	9	7	4		1											
Diphtheria and croup	133	6	25	29	12	24	30	6	1								
Influenza	25					1			1		2	8	5	4	4		
Cholera nostras	2				1					1							
Dysentery	11	3	1	1						1		2	1	2			
Erysipelas	14	4	1							1	2		4	2			
Other epidemic diseases [1]																	
Septicemia	17	1	1		1				3	7	3			1			
Tuberculosis—total	585	25	8	9	3	4	8	47	167	159	78	46	20	9	2		
Tuberculosis of lungs	519	3	2	3		1	4	45	162	152	76	42	19	8	2		
Tuberculosis of larynx	6								1	1		2	1	1			
Tuberculous meningitis	33	15	5	6	2	2	3										
Abdominal tuberculosis	7	1				1	1	1		2		1					
Pott's disease	4				1			1		1	1						
Tuberculous abscess																	
White swelling	2									2							
Tuberculosis of other organs	5	3							1		1						
General tuberculosis	9	3	1						3	1		1					
Scrofula																	
Venereal diseases	1												1				
Cancer	99							1	4	6	25	32	17	13	1		
Tumor	6								1				3	2			
Rheumatism	15							1		3	4	5		2			
Diabetes	13				1			1	1	1	1	1	4	2	1		
Anemia, leukemia	4							1				1	1	1			
Alcoholism	15								1	7	2	5					
Chronic poisonings	2									1	1						
Other general diseases	5	1	2						1	1							
Encephalitis	3										1	1		1			
Meningitis	171	71	27	15	13	7	12	3	5	9	2	3	3		1		
Apoplexy	189	10	2	2	1	1	1	3	2	10	26	34	44	43	9	1	
Softening of brain	4									1		1	1	1			
Paralysis	16							1		1	3	3	4	2	2		
Epilepsy	11						1	1		1	3	3	1	1			
Convulsions	135	104	13	5	3	3	3	1	1	2							
Tetanus	10	8								2							
Other diseases of nervous system	47	3	2			1	2	2	1	5	6	9	7	7	2		
Pericarditis	13						3	3	1	1	2	2		1			
Endocarditis	40	2	1			1	5	3	5	4	6	5	5	2		1	
Heart disease	255	8	3	1	1	1	5	18	16	20	41	46	47	39	9		
Angina pectoris	22								1	1	1	10	5	3	1		
Embolism and thrombosis	4								1	3							
Other diseases of circulatory system	30	4	1						2	1	3	4	10	3	1	1	
Laryngitis	2	1			1												
Acute bronchitis	81	47	18	1	3	4		1				2	2	1	2		
Chronic bronchitis	58	1		1					2	2	5	7	14	17	8	1	
Bronchopneumonia	111	43	24	9	6	5	1		1	4	3	5	6	2	1		1
Pneumonia	391	44	38	9	10	3	8	10	26	56	37	46	55	33	14	2	
Pleurisy	9		1			1			4	1	1		1				
Congestion of lungs	33	10	2	2			1	1		1		6	6	2	2		
Other diseases of respiratory system	27	1	1	2				1	2	6	2	6	3	3			
Tonsilitis																	
Diseases of stomach	61	10	2	2		2		3	5	6	11	10	6	4			
Diarrhea and enteritis	318	207	48	10	2		2	2	2	7	8	6	10	8	6		
Hernia and intestinal obstructions	31	8							1	3	2	7	6	4			
Cirrhosis of liver	44		1					1	1	10	11	11	6	2	1		
Other diseases of liver	16	1						1	1	2	1	3	4		3		
Peritonitis	56	2				1	2	10	9	12	9	7	3	1			
Appendicitis	23						1	6	9	2		4	1				
Other diseases of digestive system	16	6	1					2	1			3	1	1	1		
Acute nephritis	52	2	1	1	2	3	1	3	11	5	10	5	4	4			
Bright's disease	187	1	2		1		4	8	20	22	36	35	37	15	5	1	
Calculi of urinary tract																	
Uterine tumor	2										2						
Ovarian tumor																	
Other diseases of genito-urinary system	28								4	5	4	5	5	4	1		
Puerperal septicemia	15							2	9	4							
Other causes incident to childbirth	18								9	8				1			
Diseases of skin	13	1					1		1	2	1	3	2	1	1		
Diseases of locomotor system	7	3						1	2					1			
Malformations	41	41															
Premature birth	64	64															
Congenital debility	94	94															
Old age	43												8	15	16	4	
Suicide	37							2	15	7	5	4	2	1	1		
Other violence	229	22		10	6	2	10	18	37	38	29	28	21	5	1		2
Ill-defined causes	144	87	16	2	1		1	3	3	3	4	9	6	3	2	1	3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

KANSAS CITY, MO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,674	493	143	46	49	29	87	160	313	336	273	246	236	167	67	13	16
Typhoid fever	58	1	2	1	1	.....	7	12	13	14	2	.....	3	1	1	.....	.....
Malarial fever	10	.....	3	.....	1	.....	.....	2	1	1	.....	1	.....	1	.....	.....	.....
Smallpox	9	.....	.....	.....	.....	.....	.....	1	1	4	.....	2	1	.....	.....	.....	.....
Measles	11	2	2	1	.....	.....	3	1	.....	1	1	.....	.....	.....	.....	.....	.....
Scarlet fever	11	.....	.....	3	3	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	7	3	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	78	6	12	10	11	9	23	7	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	15	4	.....	.....	1	.....	.....	1	.....	.....	.....	2	2	2	3	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Dysentery	5	2	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Erysipelas	10	1	.....	.....	.....	.....	.....	.....	2	2	1	3	1	.....	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	36	2	.....	.....	.....	1	1	3	12	6	4	2	4	.....	1	.....	.....
Tuberculosis—total	336	6	7	3	1	1	5	38	96	84	42	24	14	10	3	.....	2
Tuberculosis of lungs	322	4	7	3	.....	.....	4	38	95	83	40	21	14	9	3	.....	1
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	4	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	9	.....	.....	.....	.....	1	1	.....	.....	1	2	3	.....	1	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Cancer	65	.....	.....	.....	.....	.....	.....	.....	3	13	10	14	15	10	.....	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
Rheumatism	13	2	.....	1	.....	.....	.....	1	3	4	.....	1	1	.....	.....	.....	.....
Diabetes	7	.....	.....	.....	.....	.....	.....	1	.....	3	.....	2	.....	1	.....	.....	.....
Anemia, leukemia	8	2	.....	.....	.....	.....	1	2	.....	1	1	.....	1	.....	.....	.....	.....
Alcoholism	13	.....	.....	.....	.....	.....	.....	.....	1	3	2	6	1	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Encephalitis	6	1	1	1	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
Meningitis	73	21	20	1	4	.....	5	6	5	3	4	3	1	.....	.....	.....	.....
Apoplexy	69	14	1	.....	.....	2	1	1	2	4	9	16	12	10	2	.....	1
Softening of brain	9	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	3	.....	.....	.....
Paralysis	54	.....	1	.....	.....	.....	.....	.....	1	6	7	11	21	3	4	.....	.....
Epilepsy	4	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
Convulsions	39	22	4	1	1	.....	.....	3	3	3	1	.....	1	.....	.....	.....	.....
Tetanus	6	2	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	33	2	.....	.....	.....	1	.....	1	4	6	7	6	5	.....	.....	.....	1
Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....
Endocarditis	19	.....	.....	.....	.....	1	1	6	1	2	2	3	1	2	.....	.....	.....
Heart disease	152	4	.....	.....	.....	1	1	7	11	22	28	31	22	20	4	1	.....
Angina pectoris	10	.....	.....	.....	.....	.....	.....	1	.....	2	2	1	3	1	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	1	.....	.....	.....
Other diseases of circulatory system	24	3	1	.....	1	.....	1	2	1	4	2	4	2	2	.....	1	.....
Laryngitis	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	37	19	10	4	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Chronic bronchitis	16	2	1	.....	1	.....	1	1	2	2	.....	.....	.....	4	2	.....	.....
Bronchopneumonia	13	3	5	.....	.....	1	1	.....	.....	.....	1	1	.....	1	.....	.....	.....
Pneumonia	286	51	33	11	10	3	14	10	28	19	31	22	26	18	8	2	.....
Pleurisy	9	.....	.....	.....	.....	.....	1	.....	2	3	1	2	.....	.....	.....	.....	.....
Congestion of lungs	24	5	.....	1	.....	.....	1	.....	2	3	2	3	2	5	.....	.....	.....
Other diseases of respiratory system	23	1	.....	.....	.....	.....	.....	1	4	7	4	2	2	2	.....	.....	.....
Tonsilitis	4	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	38	5	1	.....	.....	.....	.....	1	.....	4	7	9	4	4	2	.....	1
Diarrhea and enteritis	146	92	20	3	3	2	3	2	1	5	3	5	3	3	.....	.....	1
Hernia and intestinal obstructions	19	2	2	.....	.....	.....	.....	.....	2	4	.....	3	3	2	1	.....	.....
Cirrhosis of liver	9	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	2	2	.....	.....	.....
Other diseases of liver	12	.....	.....	.....	1	.....	.....	.....	3	2	2	.....	2	2	.....	.....	.....
Peritonitis	43	2	.....	.....	1	.....	1	5	13	8	8	3	2	.....	.....	.....	.....
Appendicitis	12	.....	.....	.....	.....	.....	1	5	3	2	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	12	2	.....	.....	1	1	.....	.....	2	2	2	.....	1	1	.....	.....	.....
Acute nephritis	7	.....	.....	.....	.....	.....	.....	2	2	2	1	.....	.....	.....	.....	.....	.....
Bright's disease	110	1	1	.....	.....	.....	.....	4	7	7	16	24	26	15	6	1	2
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	20	1	.....	.....	.....	.....	.....	1	2	1	3	1	7	2	2	.....	.....
Puerperal septicemia	8	.....	.....	.....	.....	.....	.....	.....	5	2	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	12	.....	.....	.....	.....	.....	.....	3	6	3	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	6	.....	.....	.....	.....	1	.....	.....	.....	2	1	.....	1	1	.....	.....	.....
Diseases of locomotor system	4	1	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Malformations	11	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	38	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	109	109	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19	20	6	.....
Suicide	18	.....	.....	.....	.....	.....	.....	1	4	6	3	2	1	.....	.....	.....	1
Other violence	181	11	2	1	2	2	5	18	38	37	31	11	15	5	.....	.....	3
Ill-defined causes	183	36	8	.....	3	.....	2	5	25	13	20	24	19	14	8	2	4

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE S.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

LOS ANGELES, CAL.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,928	261	39	24	21	16	53	84	231	246	237	228	230	186	65	5	12
Typhoid fever	39	1	.....	1	.....	.....	3	7	12	5	5	2	1	2	.....	.....	.....
Malarial fever	3	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	5	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	7	.....	.....	1	.....	.....	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	21	17	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	33	1	2	4	5	4	14	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	19	1	.....	.....	.....	.....	.....	.....	2	1	1	3	4	6	1	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	5	1	1	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Erysipelas	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	4	1	.....	.....
Other epidemic diseases [1]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Septicemia	22	.....	.....	1	.....	.....	1	1	9	5	2	2	1	.....	.....	.....	.....
Tuberculosis—total	401	6	1	1	1	3	5	29	115	101	70	44	16	6	2	.....	1
Tuberculosis of lungs	372	4	.....	.....	1	1	3	24	109	100	65	41	15	6	2	.....	1
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	14	2	.....	.....	.....	2	2	2	3	.....	1	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	9	.....	1	.....	.....	.....	.....	2	2	.....	3	1	.....	.....	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Cancer	92	.....	.....	.....	.....	.....	1	1	2	6	17	24	28	10	2	1	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Rheumatism	11	.....	1	.....	1	1	.....	1	1	.....	1	1	1	3	.....	.....	.....
Diabetes	12	.....	.....	.....	.....	.....	.....	2	.....	1	.....	6	2	1	.....	.....	.....
Anemia, leukemia	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
Alcoholism	17	.....	.....	.....	.....	.....	.....	.....	.....	3	8	4	.....	2	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
Encephalitis	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1
Meningitis	43	14	4	.....	1	1	6	7	2	4	2	.....	.....	1	1	.....	.....
Apoplexy	68	1	1	.....	1	.....	.....	.....	2	6	6	15	16	16	2	2	.....
Softening of brain	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	.....	.....	.....
Paralysis	31	1	.....	.....	.....	.....	.....	1	1	.....	2	6	10	7	3	.....	.....
Epilepsy	3	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Convulsions	14	7	3	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	37	2	1	.....	.....	.....	.....	1	2	6	7	7	9	1	1	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....
Endocarditis	10	.....	.....	.....	.....	.....	1	1	1	2	.....	1	3	1	.....	.....	.....
Heart disease	122	4	.....	.....	.....	1	.....	2	3	12	21	20	34	17	6	.....	2
Angina pectoris	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	2	.....	.....	.....
Embolism and thrombosis	7	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	2	.....	.....	.....
Other diseases of circulatory system	21	2	.....	.....	.....	.....	.....	.....	1	.....	6	7	3	2	.....	.....	.....
Laryngitis	3	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	15	14	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Chronic bronchitis	10	.....	.....	.....	.....	.....	.....	.....	2	2	.....	1	1	4	.....	.....	.....
Bronchopneumonia	26	8	5	1	2	1	.....	.....	.....	1	2	.....	2	3	1	.....	.....
Pneumonia	118	21	1	4	4	1	6	7	8	7	16	12	11	14	6	.....	.....
Pleurisy	9	.....	1	.....	.....	.....	.....	1	2	2	.....	1	1	1	.....	.....	.....
Congestion of lungs	13	1	.....	.....	.....	.....	.....	1	.....	.....	4	4	.....	.....	3	.....	.....
Other diseases of respiratory system	19	.....	.....	.....	.....	.....	.....	.....	2	2	3	.....	4	5	2	.....	1
Tonsilitis	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	28	2	1	.....	.....	.....	1	1	3	5	.....	2	5	4	4	.....	.....
Diarrhea and enteritis	69	38	6	3	1	1	1	.....	5	2	2	2	3	3	1	.....	1
Hernia and intestinal obstructions	11	2	.....	.....	.....	.....	.....	.....	1	3	1	2	1	1	.....	.....	.....
Cirrhosis of liver	15	.....	.....	.....	.....	.....	.....	.....	1	3	1	4	5	1	.....	.....	.....
Other diseases of liver	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....
Peritonitis	42	.....	.....	1	.....	.....	1	4	7	14	7	5	1	2	.....	.....	.....
Appendicitis	14	.....	.....	.....	.....	.....	.....	2	6	2	1	2	1	.....	.....	.....	.....
Other diseases of digestive system	6	2	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....
Acute nephritis	5	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	1	1	.....	.....
Bright's disease	93	1	.....	.....	1	.....	.....	2	6	5	14	14	25	22	3	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	16	.....	.....	.....	.....	.....	.....	.....	3	1	.....	2	2	6	2	.....	.....
Puerperal septicemia	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1
Diseases of skin	10	1	1	1	1	.....	.....	.....	.....	1	1	2	.....	2	.....	.....	.....
Diseases of locomotor system	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Malformations	14	12	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	41	41	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	39	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	43	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	19	20	2	.....
Suicide	17	.....	.....	.....	.....	.....	.....	.....	2	5	3	5	1	.....	.....	.....	1
Other violence	96	6	2	.....	.....	.....	5	6	11	24	16	12	9	4	.....	.....	1
Ill-defined causes	56	12	3	1	.....	1	.....	1	6	8	6	3	5	5	2	.....	3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

LOUISVILLE, KY.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,872	636	174	79	55	44	99	223	437	410	354	382	423	319	142	27	68
Typhoid fever	131	.....	1	2	4	2	8	31	39	23	9	1	7	2	.....	.....	2
Malarial fever	9	1	.....	.....	.....	.....	2	1	2	.....	1	.....	.....	1	1	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	16	3	4	2	2	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	4	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	44	16	11	5	7	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1
Diphtheria and croup	44	7	6	5	5	5	14	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	22	1	1	.....	1	.....	.....	1	1	2	2	5	4	2	2	.....	.....
Cholera nostras	8	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	.....	1	1	.....	.....
Dysentery	38	4	2	.....	1	.....	2	.....	2	1	5	8	7	4	1	.....	1
Erysipelas	6	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	2	.....	.....	.....
Other epidemic diseases[1]	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	37	1	1	.....	.....	1	.....	3	16	7	4	.....	2	2	.....	.....	.....
Tuberculosis—total	466	10	7	3	4	2	9	56	148	103	52	43	17	8	1	.....	3
Tuberculosis of lungs	424	5	5	1	2	.....	5	51	145	94	48	42	16	7	.....	.....	3
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	18	4	2	2	2	2	3	1	1	.....	.....	.....	.....	1	.....	.....	.....
Abdominal tuberculosis	13	1	.....	.....	.....	.....	.....	1	1	6	2	1	.....	.....	1	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Venereal diseases	19	3	2	.....	.....	.....	.....	2	1	4	2	2	.....	.....	.....	.....	3
Cancer	131	.....	1	.....	.....	.....	.....	1	6	18	29	34	27	9	6	.....	.....
Tumor	10	.....	.....	.....	.....	.....	.....	1	.....	2	1	3	3	.....	.....	.....	.....
Rheumatism	17	.....	.....	.....	.....	.....	1	2	3	2	4	2	2	.....	.....	.....	1
Diabetes	12	.....	.....	.....	.....	.....	.....	.....	1	2	3	3	2	1	.....	.....	.....
Anemia, leukemia	7	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	1	.....	.....	.....	.....
Alcoholism	10	.....	.....	.....	.....	.....	.....	.....	1	2	5	2	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....
Encephalitis	18	5	1	1	.....	.....	2	.....	1	2	3	.....	2	.....	.....	.....	1
Meningitis	102	29	18	7	4	6	7	12	4	8	2	2	1	1	.....	.....	1
Apoplexy	113	7	2	2	1	1	2	1	3	8	21	16	28	16	5	.....	.....
Softening of brain	13	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	4	5	1	.....	.....
Paralysis	86	.....	.....	.....	.....	.....	1	.....	1	8	5	12	27	15	14	3	.....
Epilepsy	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Convulsions	107	81	13	5	1	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	4
Tetanus	15	10	.....	.....	.....	.....	1	2	1	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	48	2	2	.....	1	.....	1	2	2	10	7	4	12	2	2	.....	1
Pericarditis	6	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	1	.....	.....	.....
Endocarditis	19	1	.....	.....	.....	.....	.....	2	2	3	4	3	4	.....	.....	.....	.....
Heart disease	268	1	.....	2	.....	.....	3	10	15	35	42	46	65	42	5	.....	2
Angina pectoris	22	.....	.....	.....	.....	.....	.....	1	4	4	2	6	4	1	.....	.....	.....
Embolism and thrombosis	6	1	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	1
Other diseases of circulatory system	22	1	.....	.....	.....	1	.....	.....	4	2	6	4	2	2	.....	.....	.....
Laryngitis	5	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	1	.....	.....	.....
Acute bronchitis	52	31	11	1	2	2	1	2	.....	.....	.....	1	1	.....	.....	.....	.....
Chronic bronchitis	67	.....	.....	.....	1	.....	4	5	5	7	2	9	13	17	3	1	.....
Bronchopneumonia	31	6	5	3	1	2	3	1	.....	1	1	.....	4	.....	4	.....	.....
Pneumonia	343	65	41	22	9	7	14	17	27	21	22	26	29	30	6	1	6
Pleurisy	11	.....	.....	.....	.....	.....	.....	2	4	2	.....	1	.....	2	.....	.....	.....
Congestion of lungs	21	5	.....	.....	.....	1	.....	.....	2	3	3	.....	3	3	.....	.....	1
Other diseases of respiratory system	66	.....	.....	1	.....	.....	1	4	4	7	8	13	16	10	2	.....	.....
Tonsilitis	4	.....	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	37	2	1	.....	.....	1	.....	.....	3	5	12	2	4	4	1	1	1
Diarrhea and enteritis	162	78	18	7	3	.....	.....	2	6	3	5	16	10	9	5	.....	.....
Hernia and intestinal obstructions	36	3	1	.....	1	.....	2	1	6	2	5	9	4	.....	1	.....	1
Cirrhosis of liver	23	.....	.....	.....	.....	.....	.....	1	.....	5	7	5	5	.....	.....	.....	.....
Other diseases of liver	22	2	.....	.....	.....	.....	.....	.....	.....	3	3	7	2	5	.....	.....	.....
Peritonitis	41	1	1	.....	.....	.....	.....	6	11	10	4	4	4	.....	.....	.....	.....
Appendicitis	26	.....	.....	.....	.....	.....	2	12	7	1	.....	3	1	.....	.....	.....	.....
Other diseases of digestive system	14	4	1	.....	.....	.....	1	1	2	3	.....	2	.....	.....	.....	.....	.....
Acute nephritis	9	.....	.....	1	.....	.....	1	.....	3	2	.....	1	1	.....	.....	.....	.....
Bright's disease	163	2	.....	1	.....	1	1	3	5	17	21	43	41	24	2	1	1
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	32	.....	.....	1	.....	1	.....	.....	6	7	5	4	3	5	.....	.....	.....
Puerperal septicemia	7	.....	.....	.....	.....	.....	.....	.....	5	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	8	.....	.....	.....	.....	.....	.....	2	4	2	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	3	.....	.....	.....
Diseases of locomotor system	3	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	14	12	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	40	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	118	118	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	187	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30	67	66	18	6
Suicide	15	.....	.....	.....	.....	.....	.....	1	5	3	3	.....	2	1	.....	.....	.....
Other violence	181	5	1	1	2	2	9	25	42	34	22	13	11	7	5	1	1
Ill-defined causes	239	77	20	5	2	3	2	6	17	11	15	14	14	14	8	1	30

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

MEMPHIS, TENN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,302	304	123	54	47	25	89	169	342	333	262	236	186	90	33	7	2
Typhoid fever	49	1	.....	.....	2	1	10	10	9	7	7	.....	1	.....	1	.....	.....
Malarial fever	209	24	18	6	9	5	14	23	24	22	19	21	17	5	1	1	.....
Smallpox	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
Measles	44	8	10	5	5	4	3	1	6	1	1	.....	.....	.....	.....	.....	.....
Scarlet fever	6	.....	.....	2	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	36	15	9	5	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	8	2	.....	2	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	34	2	3	1	1	.....	1	.....	5	3	5	5	4	4	.....	.....	.....
Cholera nostras	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Dysentery	48	4	1	1	.....	.....	2	.....	6	10	7	7	5	5	.....	.....	.....
Erysipelas	7	2	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	1	.....	.....
Other epidemic diseases[1]	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	15	.....	.....	2	1	.....	.....	.....	3	3	4	1	.....	.....	1	.....	.....
Tuberculosis—total	262	4	2	1	.....	3	4	32	95	57	37	18	6	3	.....	.....	.....
Tuberculosis of lungs	248	3	1	1	.....	3	4	31	92	52	35	17	6	3	.....	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	8	1	1	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Scrofula	5	1	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	7	3	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....
Cancer	47	.....	.....	1	.....	.....	.....	.....	1	4	10	19	10	2	.....	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Rheumatism	20	.....	.....	.....	.....	.....	1	1	3	4	7	1	2	.....	1	.....	.....
Diabetes	6	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	2	.....	.....	.....	.....
Anemia, leukemia	9	.....	.....	.....	.....	.....	.....	2	2	4	.....	.....	1	.....	.....	.....	.....
Alcoholism	8	.....	.....	.....	.....	.....	.....	.....	2	.....	3	1	2	.....	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....
Other general diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	6	1	.....	.....	.....	.....	.....	1	2	1	.....	.....	1	.....	.....	.....	.....
Meningitis	38	4	7	.....	1	2	7	3	7	3	1	2	.....	.....	.....	1	.....
Apoplexy	56	3	.....	1	.....	.....	1	4	3	8	9	13	11	1	1	.....	1
Softening of brain	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Paralysis	18	.....	.....	.....	.....	.....	1	.....	.....	1	1	3	5	3	4	.....	.....
Epilepsy	5	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	1	.....	.....	.....
Convulsions	32	23	1	2	1	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	11	8	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Other diseases of nervous system	12	3	.....	.....	.....	.....	.....	.....	.....	4	1	2	1	1	.....	.....	.....
Pericarditis	8	.....	.....	.....	.....	.....	.....	.....	1	3	3	.....	1	.....	.....	.....	.....
Endocarditis	7	.....	.....	.....	.....	.....	1	.....	.....	3	1	1	1	.....	.....	.....	.....
Heart disease	70	2	.....	.....	.....	.....	1	.....	6	16	11	13	12	7	2	.....	.....
Angina pectoris	7	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	2	.....	.....	.....	.....
Embolism and thrombosis	4	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	7	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	2	.....	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	24	12	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Chronic bronchitis	18	.....	.....	.....	1	.....	2	1	3	3	.....	2	1	5	.....	.....	.....
Bronchopneumonia	20	8	1	1	1	1	1	2	1	.....	.....	1	2	1	.....	.....	.....
Pneumonia	302	32	20	7	8	3	12	23	51	39	40	36	19	10	1	1	.....
Pleurisy	7	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	3	.....	.....	.....	.....
Congestion of lungs	6	1	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....
Other diseases of respiratory system	19	.....	.....	.....	.....	.....	.....	.....	1	3	5	4	3	3	.....	.....	.....
Tonsilitis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	17	3	.....	1	.....	.....	1	.....	1	4	4	2	1	.....	.....	.....	.....
Diarrhea and enteritis	94	40	21	9	3	.....	1	3	4	1	2	3	5	1	1	.....	.....
Hernia and intestinal obstructions	14	1	.....	.....	.....	.....	1	1	.....	4	1	3	2	1	.....	.....	.....
Cirrhosis of liver	14	.....	.....	.....	.....	.....	.....	.....	.....	3	1	5	3	2	.....	.....	.....
Other diseases of liver	17	.....	.....	.....	.....	.....	2	2	1	1	3	4	3	1	.....	.....	.....
Peritonitis	40	.....	.....	.....	.....	.....	2	7	11	12	3	2	2	1	.....	.....	.....
Appendicitis	20	.....	.....	.....	1	.....	1	2	5	5	4	2	.....	.....	.....	.....	.....
Other diseases of digestive system	12	3	3	.....	.....	1	1	.....	.....	1	3	.....	.....	.....	.....	.....	.....
Acute nephritis	20	.....	.....	.....	.....	.....	1	1	3	4	2	7	2	.....	.....	.....	.....
Bright's disease	87	.....	.....	.....	.....	.....	1	1	7	15	17	17	23	4	2	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	16	.....	.....	.....	.....	.....	.....	3	3	5	3	.....	.....	2	.....	.....	.....
Puerperal septicemia	8	.....	.....	.....	.....	.....	.....	1	2	3	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	10	.....	.....	.....	.....	.....	.....	3	5	2	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	11	1	.....	.....	.....	1	.....	1	.....	4	1	2	.....	1	.....	.....	.....
Diseases of locomotor system	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Malformations	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	27	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	18	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	12	14	4	.....
Suicide	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Other violence	156	7	2	3	1	2	7	20	41	37	12	14	6	2	1	.....	1
Ill-defined causes	160	35	14	3	5	.....	4	8	15	13	19	17	17	8	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

MILWAUKEE, WIS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,324	1,363	250	98	78	68	155	190	295	310	337	269	326	393	166	24	2
Typhoid fever	55	1	1				1	19	13	7	4	4	4	1			
Malarial fever	1									1							
Smallpox																	
Measles	18	5	6	3	2	2											
Scarlet fever	70	4	10	13	13	8	17	4		1							
Whooping cough	22	13	5	2	1	1											
Diphtheria and croup	122	5	16	13	12	21	39	12	3	1							
Influenza	5	2											2		1		
Cholera nostras	6	1										1	3	1			
Dysentery	10	5	2	1						1					1		
Erysipelas	7	2										3	2				
Other epidemic diseases [1]																	
Septicemia	27	4	1			1		2	4	7	2	3	1		2		
Tuberculosis—total	431	18	9	4	3	4	7	46	128	92	60	25	18	17			
Tuberculosis of lungs	395	11	5	2	1	1	5	44	127	89	55	23	16	16			
Tuberculosis of larynx	2									1	1						
Tuberculous meningitis	15	3	4	2	1	1	1	1		1	1						
Abdominal tuberculosis	11	4			1				1	1	2		2				
Pott's disease	3					1	1					1					
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	2							1						1			
General tuberculosis	3					1					1	1					
Scrofula	1	1															
Venereal diseases	10	6						1			3						
Cancer	185			1				2		13	39	52	38	31	8	1	
Tumor	3												1	2			
Rheumatism	22					1	1	5	2	2	1		4	4	2		
Diabetes	20						3	2		1	3	2	3	4	2		
Anemia, leukemia	14	3						1			3	4	1	2			
Alcoholism	16								1	2	8	2	2	1			
Chronic poisonings																	
Other general diseases	1									1							
Encephalitis	5	2								1	1			1			
Meningitis	88	24	13	4	9	6	7	4	7	1	4	1	4	3	1		
Apoplexy	114	2	2							8	11	6	20	46	18	1	
Softening of brain	3											1	1	1			
Paralysis	33		1	1			1	2	4	2	2	4	4	8	2	2	
Epilepsy	4								2	1		1					
Convulsions	211	166	28	4	3	5	1		2	1	1						
Tetanus	7	3						2			1	1					
Other diseases of nervous system	41	2		3	1		1	1	4	5	7	4	3	9		1	
Pericarditis	6						1			3	1		1				
Endocarditis	25			1				1	3		5	5	4	4	2		
Heart disease	183	10		1	1	1	6	12	5	10	17	26	38	42	12	1	1
Angina pectoris	10							1				3	3	2	1		
Embolism and thrombosis	9									2	2		3	2			
Other diseases of circulatory system	66	5	1		1	2	1		6	5	5	8	13	13	5	1	
Laryngitis	6	2	1		1		2										
Acute bronchitis	134	101	17	1	2	4	2		1	1	1	1		3			
Chronic bronchitis	49						1	1	1	1	4		9	20	11	1	
Bronchopneumonia	41	18	9	2	2		3					3		2	2		
Pneumonia	390	111	40	25	13	7	16	8	20	21	35	16	30	32	15	1	
Pleurisy	21	1	3		1		2	1	1	1	3	1	4	2	1		
Congestion of lungs	18	6	1								1	1	4	4	1		
Other diseases of respiratory system	40	1	2					3	2	2	2	7	7	11	2		1
Tonsilitis	1							1									
Diseases of stomach	80	41	4	2	1			2	1	2		6	10	7	4		
Diarrhea and enteritis	372	290	46	7	2		2	3	2	2		1	4	9	4		
Hernia and intestinal obstructions	30	2	2				1	1	1	2	4	5	5	6	1		
Cirrhosis of liver	13									1	5	3	2	2			
Other diseases of liver	24	2	2		1		1		3	1	1	5	7	1			
Peritonitis	53	4		1	1	1	9	5	10	11	5	2	4				
Appendicitis	34						3	10	7	6	5	1	2				
Other diseases of digestive system	15	8	3	1			1		1					1			
Acute nephritis	19	2		2	2	2	4	2		3				2			
Bright's disease	97	4		1	3	1	4	3	8	11	15	16	14	14	3		
Calculi of urinary tract	1												1				
Uterine tumor	2									1	1						
Ovarian tumor	2								1			1					
Other diseases of genito-urinary system	27	2					1		2	4	1	2	5	6	4		
Puerperal septicemia	19								8	9	2						
Other causes incident to childbirth	16							1	8	4	3						
Diseases of skin	32	12	3				1			1		1	4	4	5	1	
Diseases of locomotor system	11	6	3								1	1					
Malformations	24	19	1				2			1			1				
Premature birth	173	173															
Congenital debility	182	182															
Old age	99												5	41	42	11	
Suicide	61								11	13	19	7	8	2	1		
Other violence	183	28	7	2	3		11	26	18	28	30	14	10	6			
Ill-defined causes	204	64	11	3		1	3	6	5	16	19	19	17	24	13	3	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

MINNEAPOLIS, MINN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,308	451	78	47	36	41	110	144	265	242	228	178	201	176	92	18	1
Typhoid fever	84	3	2	1	1	2	3	11	35	12	9	1	2	1	1		
Malarial fever	2							1		1							
Smallpox	9	1		1			1	1	3		1	1					
Measles	3	1					1		1								
Scarlet fever	16	1	2	1	3	2	5	1		1							
Whooping cough	8	5		1			1			1							
Diphtheria and croup	124	2	12	13	10	15	41	22	5	2	1		1				
Influenza	13							1	2	2	1	1	2	1	3		
Cholera nostras	4		1								2		1				
Dysentery	1											1					
Erysipelas	10	2					1			2	2		2	1			
Other epidemic diseases [1]																	
Septicemia	13	1	1					2		5	2		2				
Tuberculosis—total	319	14	9		1	3	5	33	85	70	50	30	16	2			1
Tuberculosis of lungs	260	6	3					29	74	65	40	27	13	2			1
Tuberculosis of larynx	3							1			1	1					
Tuberculous meningitis	20	8	4			3	3		2								
Abdominal tuberculosis	12							1	4	2	3	2					
Pott's disease	5				1		2				1		1				
Tuberculous abscess	1									1							
White swelling	3							1		1	1						
Tuberculosis of other organs	1		1														
General tuberculosis	14		1					1	5	1	4		2				
Scrofula	1	1															
Venereal diseases	10	7	1						1		1						
Cancer	114					1			3	14	19	29	31	15	2		
Tumor	4										1	3					
Rheumatism	14		1		2		4	1		1		2	1	1	1		
Diabetes	13							2	2	2	1	1	4	1			
Anemia, leukemia	10							1	1	1	1	3	2	1			
Alcoholism	13									6	4	1	2				
Chronic poisonings																	
Other general diseases	2										2						
Encephalitis	8	4					1	1					1	1			
Meningitis	72	22	10	3	6	4	8	9	5	1	2	1	1				
Apoplexy	69	5							4	6	7	13	18	12	3	1	
Softening of brain	6										1		1	2	2		
Paralysis	18						1		1		2	2	4	5	3		
Epilepsy	5	1						1	2							1	
Convulsions	65	46	6	6		2	4	1									
Tetanus	5	2					1	1			1						
Other diseases of nervous system	29							2	2	5	6	3	5	5	1		
Pericarditis	5						1	1	1	1	1						
Endocarditis	19					2	2	4	3	1	2	2		1	2		
Heart disease	100	2		1		2	2	8	7	11	16	12	17	19	3		
Angina pectoris	5												3	1	1		
Embolism and thrombosis	4										2			2			
Other diseases of circulatory system	21	3						1	2	1	1	4	5	2	2		
Laryngitis	3	1	1				1										
Acute bronchitis	23	19	2	1	1												
Chronic bronchitis	18							1					4	7	4	2	
Bronchopneumonia	27	11	3	1				1	4	1		1	1	3	1		
Pneumonia	160	29	2	6	3	2	5	4	11	14	17	15	19	20	11	2	
Pleurisy	6							1	1		2	1	1				
Congestion of lungs	20	7					1		1	1	3		1	5	1		
Other diseases of respiratory system	6									2		3	1				
Tonsilitis	3	1								1	1						
Diseases of stomach	20	1				1				4	1	4	3	6			
Diarrhea and enteritis	136	96	16	4	3		4		1	5	1	2	3	1			
Hernia and intestinal obstructions	12	2					2		3	3	1	1					
Cirrhosis of liver	15	1								2	2	5	2	3			
Other diseases of liver	14								1		5	2	5	1			
Peritonitis	38	1	1	1			1	4	13	10	5			2			
Appendicitis	20							8	5	2	3	2					
Other diseases of digestive system	6	2								1		1		2			
Acute nephritis	5			1			2			1	1						
Bright's disease	114	3		2			2	4	12	9	19	19	25	13	5	1	
Calculi of urinary tract																	
Uterine tumor	4									1	3						
Ovarian tumor	1											1					
Other diseases of genito-urinary system	27	1						1	4	8	4		4	3	2		
Puerperal septicemia	17							1	11	3	2						
Other causes incident to childbirth	8							1	1	5	1						
Diseases of skin	10	2				1				1	1	1	1	2	1		
Diseases of locomotor system	3	2							1								
Malformations	16	10	2		1		3										
Premature birth																	
Congenital debility	101	101															
Old age	69													22	38	9	
Suicide	19							1	6	4	6	1		1			
Other violence	89	5	1	2	3	3	5	7	19	15	10	7	5	5	2		
Ill-defined causes	80	33	5	2	2	1	2	5	6	3	2	2	5	7	3	2	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

NEW HAVEN, CONN.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,968	452	70	42	18	17	39	68	164	173	181	228	219	179	101	17	.....
Typhoid fever	27	.....	.....	.....	.....	.....	.....	1	6	14	2	2	2	.....	.....	.....	.....
Malarial fever	16	1	.....	.....	.....	.....	1	2	1	.....	4	2	4	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	8	.....	3	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	7	.....	.....	3	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	23	8	5	3	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	19	3	5	3	2	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	48	7	.....	.....	.....	1	.....	.....	4	2	3	5	10	10	5	1	.....
Cholera nostras	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	28	1	1	3	.....	2	2	1	.....	1	1	4	4	3	5	.....	.....
Erysipelas	12	5	1	.....	.....	.....	.....	.....	.....	1	1	1	2	1	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	230	8	5	6	3	.....	.....	25	56	66	29	17	9	3	3	.....	.....
Tuberculosis of lungs	203	6	1	1	2	.....	.....	21	54	62	26	17	9	2	2	.....	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	13	1	3	4	1	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	8	1	1	1	.....	.....	.....	2	1	1	.....	.....	.....	.....	1	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	4	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Cancer	75	.....	.....	.....	1	.....	.....	.....	2	2	10	25	21	11	3	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Rheumatism	19	.....	.....	.....	.....	.....	2	2	3	1	1	5	2	3	.....	.....	.....
Diabetes	19	1	.....	.....	.....	.....	1	1	.....	1	2	5	7	1	.....	.....	.....
Anemia, leukemia	6	.....	.....	.....	.....	.....	.....	.....	2	3	.....	1	.....	.....	.....	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	33	6	5	4	.....	.....	8	1	4	1	.....	2	.....	2	.....	.....	.....
Apoplexy	63	3	.....	.....	.....	.....	.....	.....	.....	.....	9	13	15	15	6	2	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....
Paralysis	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	5	3	2	.....
Epilepsy	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	1	.....	.....
Convulsions	45	40	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	8	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
Other diseases of nervous system	39	1	.....	.....	.....	.....	.....	1	1	4	12	5	6	5	3	1	.....
Pericarditis	5	.....	.....	.....	.....	.....	1	.....	2	.....	.....	2	.....	.....	.....	.....	.....
Endocarditis	15	.....	.....	.....	.....	.....	.....	2	3	1	.....	3	3	2	1	.....	.....
Heart disease	142	1	.....	.....	.....	.....	1	8	7	9	18	27	28	34	8	1	.....
Angina pectoris	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	1	.....	.....	.....
Embolism and thrombosis	7	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	1	.....	.....	.....	.....
Other diseases of circulatory system	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	2	1	.....	.....
Laryngitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	35	25	6	1	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Chronic bronchitis	45	1	.....	.....	.....	.....	2	1	4	.....	3	6	10	9	9	.....	.....
Bronchopneumonia	19	6	2	4	.....	1	.....	1	.....	.....	.....	2	.....	1	1	1	.....
Pneumonia	176	43	15	6	1	1	2	3	9	19	17	25	15	11	8	1	.....
Pleurisy	12	.....	1	1	.....	1	.....	.....	2	4	1	.....	1	1	.....	.....	.....
Congestion of lungs	7	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	1	.....	.....
Other diseases of respiratory system	13	.....	.....	.....	.....	.....	.....	1	1	.....	1	5	2	1	2	.....	.....
Tonsilitis	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	31	3	.....	.....	.....	.....	.....	1	1	1	1	5	6	6	4	1	.....
Diarrhea and enteritis	153	116	13	4	1	1	1	.....	1	.....	1	5	2	6	1	1	.....
Hernia and intestinal obstructions	19	2	.....	.....	.....	.....	2	.....	2	3	4	1	2	2	1	.....	.....
Cirrhosis of liver	19	.....	.....	.....	.....	.....	.....	.....	1	1	4	4	7	2	.....	.....	.....
Other diseases of liver	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	1	.....	.....
Peritonitis	9	.....	.....	.....	.....	.....	.....	.....	4	2	2	.....	1	.....	.....	.....	.....
Appendicitis	11	.....	.....	.....	.....	.....	2	6	1	.....	.....	1	1	.....	.....	.....	.....
Other diseases of digestive system	9	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....
Acute nephritis	6	.....	.....	.....	.....	.....	1	.....	1	.....	1	2	.....	1	.....	.....	.....
Bright's disease	90	2	.....	1	.....	.....	1	.....	10	4	15	16	22	12	6	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	13	.....	.....	.....	.....	.....	.....	1	3	2	1	1	2	2	1	.....	.....
Puerperal septicemia	7	.....	.....	.....	.....	.....	.....	.....	4	2	.....	1	.....	.....	.....	.....	.....
Other causes incident to childbirth	10	.....	.....	.....	.....	.....	.....	.....	3	6	1	.....	.....	.....	.....	.....	.....
Diseases of skin	8	2	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....
Diseases of locomotor system	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Malformations	15	14	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	55	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	57	57	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	9	14	4	.....
Suicide	20	.....	.....	.....	.....	.....	.....	1	5	1	6	3	3	1	.....	.....	.....
Other violence	100	6	1	.....	3	1	5	7	12	16	16	11	10	4	7	1	.....
Ill-defined causes	27	13	2	1	.....	.....	.....	.....	.....	.....	.....	1	4	3	3	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

NEW ORLEANS, LA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,615	1,301	324	190	110	77	204	442	958	869	853	749	718	530	227	56	7
Typhoid fever	151	3	2	3	3	4	10	37	48	17	13	6	4	.....	.....	.....	1
Malarial fever	161	7	4	5	7	2	6	20	24	25	23	20	13	5	.....	.....	.....
Smallpox	454	17	13	10	6	7	20	59	168	79	42	17	12	4	.....	.....	.....
Measles	61	15	20	13	3	1	5	1	.....	1	1	1	.....	.....	.....	.....	.....
Scarlet fever	19	.....	1	1	3	2	9	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	8	5	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	40	2	2	8	10	7	10	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	43	1	1	1	.....	1	.....	2	2	2	1	7	12	7	5	1	.....
Cholera nostras	21	2	1	.....	1	2	1	3	.....	1	1	3	1	4	1	.....	.....
Dysentery	67	3	1	1	.....	.....	1	5	10	9	15	10	7	4	1	.....	.....
Erysipelas	12	5	.....	.....	.....	.....	.....	.....	1	1	.....	3	1	1	.....	.....	.....
Other epidemic diseases [1]	4	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Septicemia	35	5	1	.....	.....	.....	.....	4	9	4	5	2	2	1	1	1	.....
Tuberculosis—total	1,060	10	12	4	8	.....	17	90	293	284	197	88	47	10	.....	.....	.....
Tuberculosis of lungs	984	3	8	3	5	.....	13	84	277	269	191	80	41	10	.....	.....	.....
Tuberculosis of larynx	8	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	3	.....	.....	.....	.....
Tuberculous meningitis	16	5	3	.....	1	.....	3	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	22	1	.....	1	1	.....	1	.....	5	6	2	3	2	.....	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	6	.....	.....	.....	1	.....	.....	3	.....	1	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....	.....
General tuberculosis	16	.....	1	.....	.....	.....	.....	3	6	2	2	2	.....	.....	.....	.....	.....
Scrofula	5	2	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	16	8	.....	2	.....	.....	.....	.....	3	1	2	.....	.....	.....	.....	.....	.....
Cancer	181	.....	.....	1	.....	.....	.....	3	4	22	38	45	43	19	5	1	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
Rheumatism	17	.....	.....	.....	.....	.....	.....	3	2	2	1	4	4	1	.....	.....	.....
Diabetes	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	.....	.....	.....	.....
Anemia, leukemia	6	2	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....
Alcoholism	20	.....	.....	.....	.....	.....	.....	.....	1	6	9	4	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	5	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....	.....	.....	.....
Encephalitis	10	1	.....	.....	.....	.....	.....	2	1	2	.....	1	1	2	.....	.....	.....
Meningitis	152	48	29	16	3	5	11	11	10	8	4	4	2	1	.....	.....	.....
Apoplexy	237	11	3	7	.....	2	4	6	3	14	31	44	49	45	16	2	.....
Softening of brain	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	6	2	2	.....	.....
Paralysis	53	.....	.....	.....	.....	.....	.....	2	1	6	6	10	7	16	4	1	.....
Epilepsy	13	.....	.....	.....	.....	.....	1	1	2	3	4	.....	2	.....	.....	.....	.....
Convulsions	71	46	8	4	7	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	190	134	2	1	.....	2	13	18	6	6	5	3	.....	.....	.....	.....	.....
Other diseases of nervous system	88	1	1	1	2	1	3	1	12	12	27	11	10	3	3	.....	.....
Pericarditis	14	.....	.....	.....	.....	.....	1	.....	3	2	4	3	1	.....	.....	.....	.....
Endocarditis	68	.....	.....	1	.....	1	1	4	4	7	10	9	19	11	1	.....	.....
Heart disease	416	5	1	1	2	1	3	14	27	32	67	76	98	69	16	4	.....
Angina pectoris	13	1	.....	.....	.....	.....	.....	.....	.....	2	2	4	3	1	.....	.....	.....
Embolism and thrombosis	11	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	2	1	.....	.....	.....
Other diseases of circulatory system	65	1	2	.....	.....	.....	.....	.....	7	4	6	15	13	13	4	.....	.....
Laryngitis	3	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	144	78	29	10	4	3	.....	.....	.....	2	2	2	3	5	4	2	.....
Chronic bronchitis	63	1	.....	.....	.....	.....	3	2	8	5	1	8	11	14	7	3	.....
Bronchopneumonia	108	42	16	15	5	1	5	3	1	2	5	4	1	5	2	1	.....
Pneumonia	538	91	54	36	20	10	19	28	50	44	56	50	50	21	8	1	.....
Pleurisy	20	1	.....	.....	.....	.....	.....	1	4	5	4	2	2	.....	1	.....	.....
Congestion of lungs	21	7	2	.....	1	.....	1	1	1	.....	3	3	.....	2	.....	.....	.....
Other diseases of respiratory system	55	.....	2	.....	.....	1	5	3	6	8	6	8	6	9	1	.....	.....
Tonsilitis	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	52	3	4	2	2	.....	.....	.....	5	2	10	12	5	6	1	.....	.....
Diarrhea and enteritis	528	303	65	14	6	5	8	9	14	16	15	17	28	18	10	.....	.....
Hernia and intestinal obstructions	47	3	.....	1	.....	1	1	5	5	3	6	9	5	5	3	.....	.....
Cirrhosis of liver	84	.....	.....	.....	.....	.....	1	.....	8	14	21	19	16	5	.....	.....	.....
Other diseases of liver	57	.....	.....	.....	.....	.....	1	1	12	5	10	11	11	5	.....	1	.....
Peritonitis	26	1	.....	.....	.....	.....	1	2	5	9	4	.....	3	1	.....	.....	.....
Appendicitis	22	.....	.....	.....	.....	.....	1	7	6	.....	2	3	2	1	.....	.....	.....
Other diseases of digestive system	53	19	13	3	1	3	2	1	1	4	2	1	3	.....	.....	.....	.....
Acute nephritis	56	1	.....	.....	1	.....	5	9	9	9	13	6	2	.....	.....	.....	1
Bright's disease	494	1	1	.....	.....	.....	1	10	47	67	91	106	96	64	8	1	1
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	2	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of genito-urinary system	40	.....	1	.....	.....	1	.....	1	8	2	5	5	7	6	4	.....	.....
Puerperal septicemia	40	.....	.....	.....	.....	.....	.....	5	15	19	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	30	.....	.....	.....	.....	.....	.....	5	17	7	1	.....	.....	.....	.....	.....	.....
Diseases of skin	38	2	.....	2	3	.....	.....	.....	3	3	2	6	9	6	2	.....	.....
Diseases of locomotor system	7	1	.....	3	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Malformations	29	28	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	95	95	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	169	169	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	234	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28	83	93	30	.....
Suicide	41	.....	.....	.....	.....	.....	.....	1	9	14	4	8	2	3	.....	.....	.....
Other violence	335	3	5	8	5	5	22	53	66	56	38	31	16	14	8	2	3
Ill-defined causes	357	117	25	11	6	6	6	3	9	15	21	37	44	35	16	5	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

NEW YORK, N. Y. (AGGREGATE).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	70,867	16,627	4,924	2,106	1,297	848	2,091	2,265	6,360	7,774	6,967	6,833	6,235	4,596	1,700	241	3
Typhoid fever	702	4	7	4	8	7	41	105	208	169	90	42	13	2	2	.....	.....
Malarial fever	196	20	16	8	12	6	15	13	25	18	17	21	12	10	3	.....	.....
Smallpox	12	2	1	.....	.....	.....	1	1	2	2	2	.....	1	.....	.....	.....	.....
Measles	715	194	293	101	43	24	47	7	1	1	3	.....	.....	.....	1	.....	.....
Scarlet fever	483	33	72	92	80	56	109	25	12	4	.....	.....	.....	.....	.....	.....	.....
Whooping cough	492	251	119	55	38	13	13	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Diphtheria and croup	2,258	190	409	406	348	263	530	64	21	16	4	4	2	1	.....	.....	.....
Influenza	520	29	11	4	7	1	7	9	34	51	60	70	94	81	57	5	.....
Cholera nostras	59	15	2	3	1	.....	2	3	1	2	4	11	7	5	3	.....	.....
Dysentery	284	60	39	11	5	9	14	9	10	20	16	23	30	21	13	4	.....
Erysipelas	292	109	6	4	2	1	.....	9	17	26	25	40	30	19	4	.....	.....
Other epidemic diseases [1]	5	2	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Septicemia	91	18	1	1	1	1	.....	3	12	14	15	13	11	1	.....	.....	.....
Tuberculosis—total	9,394	352	225	125	78	47	158	590	2,434	2,579	1,439	796	393	161	17	.....	.....
Tuberculosis of lungs	8,316	80	53	37	19	13	65	505	2,361	2,493	1,378	767	373	156	16	.....	.....
Tuberculosis of larynx	41	1	.....	.....	.....	.....	.....	.....	9	12	13	3	3	.....	.....	.....	.....
Tuberculous meningitis	664	203	142	81	48	29	65	40	20	21	12	.....	3	.....	.....	.....	.....
Abdominal tuberculosis	160	51	19	3	4	2	4	15	14	14	15	10	5	3	1	.....	.....
Pott's disease	58	2	3	1	4	2	8	14	6	7	1	8	2	.....	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	38	3	2	1	1	.....	11	4	2	6	3	1	3	1	.....	.....	.....
Tuberculosis of other organs	31	1	1	1	.....	.....	1	3	6	6	7	3	1	1	.....	.....	.....
General tuberculosis	84	11	5	1	2	1	4	8	16	19	10	4	3	.....	.....	.....	.....
Scrofula	7	3	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Venereal diseases	173	122	5	3	2	.....	.....	3	9	15	12	2	.....	.....	.....	.....	.....
Cancer	2,250	5	1	4	.....	1	4	18	77	219	487	623	490	264	53	4	.....
Tumor	29	2	.....	.....	.....	.....	.....	1	3	6	6	3	7	1	.....	.....	.....
Rheumatism	377	11	1	1	4	5	32	47	32	40	47	50	43	41	11	3	.....
Diabetes	392	2	.....	1	.....	.....	4	8	22	25	55	108	104	55	8	.....	.....
Anemia, leukemia	131	12	3	2	3	4	8	12	13	18	25	20	5	5	1	.....	.....
Alcoholism	324	.....	.....	1	.....	.....	.....	.....	51	121	83	43	17	7	1	.....	.....
Chronic poisonings	18	.....	.....	.....	.....	.....	.....	.....	3	8	5	2	.....	.....	.....	.....	.....
Other general diseases	35	5	1	.....	1	.....	1	2	3	9	4	4	4	1	.....	.....	.....
Encephalitis	24	4	1	2	.....	2	.....	.....	1	6	3	2	1	2	.....	.....	.....
Meningitis	1,498	548	303	142	73	41	110	66	51	57	45	29	25	6	1	1	.....
Apoplexy	2,460	75	9	10	2	5	8	16	49	138	324	515	600	534	153	22	.....
Softening of brain	62	.....	1	.....	.....	.....	.....	1	1	1	2	11	24	16	5	.....	.....
Paralysis	244	3	1	1	.....	.....	2	3	6	10	20	41	62	67	25	3	.....
Epilepsy	124	6	1	2	1	2	5	12	26	23	22	13	5	3	3	.....	.....
Convulsions	696	605	60	14	5	4	3	.....	4	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	100	59	.....	1	.....	.....	5	11	7	6	8	2	.....	1	.....	.....	.....
Other diseases of nervous system	782	26	16	8	9	7	16	37	55	144	139	125	114	68	15	2	1
Pericarditis	76	4	2	2	1	5	4	4	5	10	14	8	12	4	1	.....	.....
Endocarditis	1,022	25	3	4	8	8	43	83	99	126	123	172	164	126	34	4	.....
Heart disease	3,410	62	9	5	9	9	83	169	260	356	480	635	709	499	117	8	.....
Angina pectoris	140	.....	.....	.....	.....	.....	1	.....	6	17	16	36	36	23	5	.....	.....
Embolism and thrombosis	140	1	1	.....	.....	.....	3	7	11	17	16	23	28	22	11	.....	.....
Other diseases of circulatory system	287	29	1	1	1	.....	2	3	10	35	46	46	51	37	19	6	.....
Laryngitis	52	4	8	10	6	5	8	1	1	1	4	1	3	.....	.....	.....	.....
Acute bronchitis	1,595	1,014	287	112	34	27	10	3	8	6	10	15	23	27	16	3	.....
Chronic bronchitis	803	22	10	3	1	1	25	15	36	46	51	129	190	225	128	16	.....
Bronchopneumonia	876	361	188	96	32	14	30	8	19	19	20	17	25	33	11	3	.....
Pneumonia	9,528	2,015	1,317	519	238	114	285	261	726	854	823	863	771	532	190	20	.....
Pleurisy	313	22	31	13	13	7	13	8	39	47	35	30	31	15	9	.....	.....
Congestion of lungs	238	38	4	3	.....	2	2	10	10	20	21	34	35	35	23	1	.....
Other diseases of respiratory system	343	31	12	6	7	3	9	7	31	35	43	50	59	35	14	1	.....
Tonsilitis	21	.....	2	2	2	4	6	1	2	1	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	689	202	34	10	8	10	11	5	51	59	63	75	78	61	21	1	.....
Diarrhea and enteritis	6,695	4,842	991	135	64	30	39	32	67	62	63	88	113	109	52	8	.....
Hernia and intestinal obstructions	441	70	4	8	5	2	9	15	34	33	62	84	65	38	11	1	.....
Cirrhosis of liver	812	4	.....	.....	.....	.....	2	.....	37	146	207	190	145	68	13	.....	.....
Other diseases of liver	260	20	2	1	.....	.....	3	10	20	42	51	48	38	17	7	1	.....
Peritonitis	299	13	4	1	3	3	10	25	72	72	39	26	24	7	.....	.....	.....
Appendicitis	458	1	.....	2	1	6	42	116	112	56	57	42	17	6	.....	.....	.....
Other diseases of digestive system	267	132	49	8	7	.....	7	3	9	10	12	11	11	5	3	.....	.....
Acute nephritis	401	29	8	12	12	5	17	13	63	73	69	44	26	25	4	1	.....
Bright's disease	5,065	43	20	14	21	20	45	106	369	730	884	1,042	959	635	164	13	.....
Calculi of urinary tract	15	.....	.....	.....	.....	.....	.....	1	.....	3	1	3	6	1	.....	.....	.....
Uterine tumor	48	.....	.....	.....	.....	.....	.....	.....	3	13	18	12	1	.....	1	.....	.....
Ovarian tumor	53	.....	.....	.....	.....	.....	.....	1	8	13	13	11	4	2	1	.....	.....
Other diseases of genito-urinary system	407	7	2	4	.....	.....	.....	12	85	77	49	37	60	56	19	2	.....
Puerperal septicemia	333	.....	.....	.....	.....	.....	.....	18	174	118	23	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	333	.....	.....	.....	.....	.....	.....	8	149	145	31	.....	.....	.....	.....	.....	.....
Diseases of skin	230	38	6	1	2	2	6	1	17	21	17	25	37	43	8	6	.....
Diseases of locomotor system	122	39	10	4	3	3	8	10	4	14	9	6	6	6	.....	.....	.....
Malformations	514	464	24	11	5	1	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	1,286	1,286	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,680	1,680	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	988	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	104	398	395	91	.....
Suicide	545	.....	.....	.....	.....	.....	.....	19	118	134	121	88	49	13	3	.....	.....
Other violence	3,222	242	80	89	79	61	210	204	507	595	497	305	230	87	26	8	2
Ill-defined causes	1,541	1,120	207	26	12	7	18	6	7	10	15	22	31	34	23	3	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

NEW YORK, N. Y. (BRONX BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,750	821	245	104	71	50	148	131	344	414	357	345	344	261	103	11	1
Typhoid fever	28						4	3	9	9	1	2					
Malarial fever	38	6	2	3	3		6	1		3	5	3	4	1	1		
Smallpox	6	1						1	2	1	1						
Measles	62	14	21	6	6	5	8	1			1						
Scarlet fever	28	5	1	6	5	1	10										
Whooping cough	31	16	9	4	1		1										
Diphtheria and croup	138	12	19	13	19	17	40	8	3	3	2		1	1			
Influenza	13									2	2	1	5	1	2		
Cholera nostras	3							1		1		1					
Dysentery	7	2	2									2		1			
Erysipelas	13	7								1	2	2	1				
Other epidemic diseases[1]																	
Septicemia	10					1			1	1	3	1	3				
Tuberculosis—total	570	19	6	5	2		5	42	160	165	98	39	23	4	2		
Tuberculosis of lungs	527	9		2	1		4	40	156	159	94	35	21	4	2		
Tuberculosis of larynx	3								1	1		1					
Tuberculous meningitis	23	7	5	3	1		1		1	3	1		1				
Abdominal tuberculosis	4							1	1		2						
Pott's disease	3								1			2					
Tuberculous abscess																	
White swelling	3	1	1							1							
Tuberculosis of other organs	3									1	1		1				
General tuberculosis	4	2						1				1					
Scrofula	1											1					
Venereal diseases	11	6	2	1							2						
Cancer	121						1			16	19	35	27	20	2	1	
Tumor																	
Rheumatism	26						3	5	1	3		2	2	7	2	1	
Diabetes	20						1		1		1	5	7	5			
Anemia, leukemia	8	1				1	1		1		2	1		1			
Alcoholism	18								4	8	3	2	1				
Chronic poisonings	1									1							
Other general diseases	3	1								1	1						
Encephalitis	2					1			1								
Meningitis	76	28	19	6	4	1	4	3	2	5	1	3					
Apoplexy	151	2					2		1	5	18	22	41	49	10	1	
Softening of brain	4							1			1	1		1			
Paralysis	19			1						1		3	5	7	2		
Epilepsy	3	1							1			1					
Convulsions	36	27	1	3		2	1		2								
Tetanus	1										1						
Other diseases of nervous system	39						1	5	2	7	3	11	4	3	3		
Pericarditis	1				1												
Endocarditis	42					3	4	5	3	5	7	4	7	4			
Heart disease	210	4		1		1	7	11	13	20	28	42	43	31	9		
Angina pectoris	6										1	2	2	1			
Embolism and thrombosis	7								1	1	1		2	2			
Other diseases of circulatory system	11								1	2	2	1	2		3		
Laryngitis	4		2	1				1									
Acute bronchitis	48	30	10	4									2	2			
Chronic bronchitis	38	1		1			3	2	1	4	2	2	8	11	3		
Bronchopneumonia	22	14	4	3	1												
Pneumonia	496	114	77	31	15	8	15	9	33	29	42	43	39	28	13		
Pleurisy	14		2				1	1	1	3	3	1	1	1			
Congestion of lungs	13	1		1				1			1	2	2	4	1		
Other diseases of respiratory system	13	1						1		1	1	2	4	2	1		
Tonsilitis	4				1	1	2										
Diseases of stomach	24	3	1	1	1		1		1	5	2	2	3		3	1	
Diarrhea and enteritis	292	213	40	4	3	2	1	2	3	1	2	4	11	2	4		
Hernia and intestinal obstructions	24	4					1	1	4	1	3	3	3	2	2		
Cirrhosis of liver	44									9	14	10	9	2			
Other diseases of liver	10	1					1		2		1	2	1	1	1		
Peritonitis	14	1					1	1	2	6	1	2					
Appendicitis	24						3	5	7	4	2	2	1				
Other diseases of digestive system	10	5	1		1							2	1				
Acute nephritis	32	2		4	1		2	1	6	9	3	2		2			
Bright's disease	225			1			2	4	16	25	37	51	47	32	10		
Calculi of urinary tract	1													1			
Uterine tumor																	
Ovarian tumor	1								1								
Other diseases of genito-urinary system	6	1						1	1	2		1					
Puerperal septicemia	12							1	5	6							
Other causes incident to childbirth	25								12	12	1						
Diseases of skin	11								2			2	3	3		1	
Diseases of locomotor system	9	4	1				1					1	1	1			
Malformations	24	20	1	1	1			1									
Premature birth	64	64															
Congenital debility	98	98															
Old age	65												10	22	27	6	
Suicide	29								4	9	8	3	5				
Other violence	191	15	9	2	5	6	12	12	34	27	27	21	13	5	2		1
Ill-defined causes	99	77	15	1	1		3				1			1			

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

NEW YORK, N. Y. (BROOKLYN BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	23,470	5,657	1,602	743	430	306	780	790	2,029	2,379	2,144	2,222	2,046	1,606	643	93	.....
Typhoid fever	292	.....	3	1	4	1	21	55	85	53	39	21	6	2	1	.....	.....
Malarial fever	59	4	2	2	6	4	3	4	13	6	4	4	3	4	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	291	81	122	47	12	5	18	4	.....	1	.....	.....	.....	.....	1	.....	.....
Scarlet fever	138	7	16	23	24	22	38	5	2	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	235	122	56	24	23	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	842	52	135	158	130	97	237	25	3	4	1	.....	.....	.....	.....	.....	.....
Influenza	199	11	5	2	4	.....	4	4	16	17	27	22	32	25	26	4	.....
Cholera nostras	27	9	1	2	.....	.....	1	1	.....	1	2	2	3	4	1	.....	.....
Dysentery	130	20	19	8	1	3	11	7	2	7	7	9	14	11	8	3	.....
Erysipelas	83	33	.....	3	.....	1	.....	1	4	9	7	9	6	9	1	.....	.....
Other epidemic diseases [1]	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Septicemia	20	4	.....	1	.....	.....	.....	3	2	3	4	3	.....	.....	.....	.....	.....
Tuberculosis—total	2,925	123	75	45	25	17	43	190	772	816	445	225	110	34	5	.....	.....
Tuberculosis of lungs	2,560	31	25	15	8	4	22	159	739	784	422	217	99	31	4	.....	.....
Tuberculosis of larynx	24	1	.....	.....	.....	.....	.....	.....	5	7	8	1	2	.....	.....	.....	.....
Tuberculous meningitis	190	59	37	27	12	12	13	13	9	3	4	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	82	28	9	1	4	1	3	8	6	6	5	5	4	1	1	.....	.....
Pott's disease	14	1	2	1	1	.....	.....	4	2	2	.....	1	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	11	.....	1	1	.....	.....	3	1	1	2	.....	.....	1	1	.....	.....	.....
Tuberculosis of other organs	9	1	.....	.....	.....	.....	1	.....	2	2	1	1	.....	1	.....	.....	.....
General tuberculosis	34	2	1	.....	.....	.....	1	4	8	10	5	.....	3	.....	.....	.....	.....
Scrofula	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	28	21	1	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....
Cancer	690	2	.....	1	.....	.....	.....	7	18	66	151	179	165	73	27	1	.....
Tumor	12	1	.....	.....	.....	.....	.....	1	1	3	3	1	2	.....	.....	.....	.....
Rheumatism	148	6	1	.....	2	3	16	22	15	16	10	19	18	15	4	1	.....
Diabetes	113	1	.....	1	.....	.....	2	3	3	12	12	26	33	17	3	.....	.....
Anemia, leukemia	31	4	.....	.....	.....	.....	4	3	2	3	7	7	.....	1	.....	.....	.....
Alcoholism	69	.....	.....	.....	.....	.....	.....	.....	11	18	25	10	5	.....	.....	.....	.....
Chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	.....	.....	.....	.....	.....
Other general diseases	8	2	1	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....
Encephalitis	10	2	1	2	.....	.....	.....	.....	.....	2	.....	2	.....	1	.....	.....	.....
Meningitis	526	209	99	54	30	16	39	22	17	19	12	8	8	2	.....	1	.....
Apoplexy	951	27	6	6	.....	2	2	7	17	44	124	195	230	221	64	6	.....
Softening of brain	32	.....	1	.....	.....	.....	.....	.....	.....	1	.....	9	10	8	3	.....	.....
Paralysis	85	2	.....	.....	.....	.....	1	2	2	2	4	14	17	29	11	1	.....
Epilepsy	35	1	.....	1	.....	1	2	5	9	6	3	4	.....	2	1	.....	.....
Convulsions	184	168	11	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	45	27	.....	1	.....	.....	2	7	2	2	2	1	.....	1	.....	.....	.....
Other diseases of nervous system	264	9	3	3	5	4	5	16	13	37	43	52	39	26	7	2	.....
Pericarditis	27	3	.....	.....	.....	3	3	.....	2	2	4	4	5	1	.....	.....	.....
Endocarditis	261	15	1	2	.....	.....	11	25	20	24	24	45	43	33	15	3	.....
Heart disease	1,422	29	2	.....	2	3	34	76	121	132	188	263	294	220	55	3	.....
Angina pectoris	35	.....	.....	.....	.....	.....	1	.....	2	2	4	10	10	5	1	.....	.....
Embolism and thrombosis	44	1	.....	.....	.....	.....	.....	3	2	4	7	9	5	9	4	.....	.....
Other diseases of circulatory system	57	10	.....	.....	.....	.....	.....	3	2	9	9	11	6	4	2	1	.....
Laryngitis	25	3	3	4	4	2	3	.....	1	1	2	1	1	.....	.....	.....	.....
Acute bronchitis	566	384	91	45	9	11	7	1	2	1	1	3	3	4	2	2	.....
Chronic bronchitis	320	8	.....	.....	.....	1	10	4	12	13	19	47	66	80	49	11	.....
Bronchopneumonia	75	22	13	12	2	3	2	2	4	1	2	.....	6	5	1	.....	.....
Pneumonia	3,031	627	378	158	83	37	121	96	254	280	244	278	239	163	67	6	.....
Pleurisy	89	3	7	5	3	2	5	3	11	15	10	11	8	4	2	.....	.....
Congestion of lungs	107	18	3	1	.....	1	.....	7	6	13	6	15	9	15	13	.....	.....
Other diseases of respiratory system	143	13	6	4	2	3	6	1	15	16	11	23	23	14	5	1	.....
Tonsilitis	7	.....	1	.....	.....	2	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	302	105	11	4	2	8	6	3	22	19	22	29	30	31	10	.....	.....
Diarrhea and enteritis	2,522	1,788	391	60	25	15	15	9	24	23	25	40	45	39	18	5	.....
Hernia and intestinal obstructions	157	29	.....	3	1	1	2	7	10	8	21	35	22	16	2	.....	.....
Cirrhosis of liver	275	2	.....	.....	.....	.....	.....	.....	13	41	66	65	53	29	6	.....	.....
Other diseases of liver	95	6	.....	1	.....	.....	1	2	5	14	18	17	19	8	4	.....	.....
Peritonitis	72	1	.....	.....	1	.....	2	6	20	18	10	7	6	1	.....	.....	.....
Appendicitis	117	.....	.....	1	.....	2	2	32	35	14	16	10	4	1	.....	.....	.....
Other diseases of digestive system	125	70	24	4	4	.....	5	.....	2	5	.....	1	5	3	2	.....	.....
Acute nephritis	88	1	2	1	2	1	5	3	17	20	13	11	3	7	1	1	.....
Bright's disease	1,656	19	6	6	6	8	22	38	125	240	271	327	300	223	59	6	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....
Uterine tumor	15	.....	.....	.....	.....	.....	.....	.....	.....	4	4	6	.....	.....	1	.....	.....
Ovarian tumor	18	.....	.....	.....	.....	.....	.....	.....	4	5	2	4	2	1	.....	.....	.....
Other diseases of genito-urinary system	120	1	.....	.....	.....	.....	.....	6	21	19	9	7	17	31	8	1	.....
Puerperal septicemia	134	.....	.....	.....	.....	.....	.....	9	67	48	10	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	108	.....	.....	.....	.....	.....	.....	.....	44	55	9	.....	.....	.....	.....	.....	.....
Diseases of skin	73	13	2	.....	.....	.....	2	1	4	6	5	10	10	13	6	1	.....
Diseases of locomotor system	33	11	3	.....	1	1	3	2	1	1	5	2	2	1	.....	.....	.....
Malformations	260	250	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	320	320	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	493	493	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	310	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26	120	135	29	.....
Suicide	37	.....	.....	.....	.....	.....	.....	1	3	8	9	10	4	2	.....	.....	.....
Other violence	936	74	20	31	22	18	33	52	146	160	160	91	69	28	9	3	.....
Ill-defined causes	507	387	73	10	2	3	4	2	1	1	1	4	6	9	3	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

NEW YORK, N. Y. (MANHATTAN BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	39,496	9,204	2,851	1,152	710	441	1,015	1,198	3,658	4,586	4,101	3,886	3,428	2,362	783	119	2
Typhoid fever	332	3	3	3	4	5	14	42	99	94	44	16	5				
Malarial fever	52	4	1	2	1	1	3	5	8	7	6	9	2	3			
Smallpox	6	1	1				1			1	1		1				
Measles	329	93	139	43	21	13	15	2	1		2						
Scarlet fever	295	21	54	61	47	32	50	17	10	3							
Whooping cough	198	97	49	23	12	7	8	1			1						
Diphtheria and croup	1,136	115	243	217	176	126	206	23	15	9	1	4	1				
Influenza	278	16	6	1	3	1	3	5	17	31	30	45	52	47	20	1	
Cholera nostras	25	6	1	1	1		1	1	1		2	7	2	1	1		
Dysentery	113	31	12	3	1	5	3	2	6	12	6	7	12	9	4		
Erysipelas	182	65	5	1	2			8	12	15	14	28	22	8	2		
Other epidemic diseases[1]	2	1	1														
Septicemia	51	14			1				8	9	6	6	6	1			
Tuberculosis—total	5,418	191	140	68	49	29	105	323	1,375	1,467	828	488	236	110	9		
Tuberculosis of lungs	4,802	38	27	19	10	9	38	274	1,344	1,425	796	474	230	109	9		
Tuberculosis of larynx	11								2	2	5	1	1				
Tuberculous meningitis	417	123	98	46	33	16	47	25	7	14	7		1				
Abdominal tuberculosis	65	20	10	1		1	1	5	7	7	7	5		1			
Pott's disease	38	1	1		3	2	8	10	3	5		3	2				
Tuberculous abscess	1									1							
White swelling	23	2			1		8	3	1	2	3	1	2				
Tuberculosis of other organs	19		1	1				3	4	3	5	2					
General tuberculosis	42	7	3	1	2	1	3	3	7	8	5	2					
Scrofula	2	1	1														
Venereal diseases	128	92	2	2	2			2	6	11	9	2					
Cancer	1,313	3	1	3		1	3	11	55	127	296	376	272	146	19		
Tumor	17	1							2	3	3	2	5	1			
Rheumatism	181	5		1	2	2	12	19	15	29	32	26	20	13	4	1	
Diabetes	241	1					1	5	15	12	41	74	61	27	4		
Anemia, leukemia	83	6	2	2	2	2	3	8	10	13	16	12	4	3			
Alcoholism	228			1					34	93	51	31	10	7	1		
Chronic poisonings	7								3	3	1						
Other general diseases	23	2					1	2	3	7	2	3	3				
Encephalitis	9	1								4	3			1			
Meningitis	820	286	172	73	44	24	61	38	28	33	26	17	13	4	1		
Apoplexy	1,185	42	2	3	1	2	3	7	26	84	159	259	290	227	66	14	
Softening of brain	19										1	1	9	6	2		
Paralysis	119	1	1				1	1	3	5	15	20	33	28	9	2	
Epilepsy	82	4	1	1	1	1	3	7	15	17	19	8	3	1	1		
Convulsions	419	367	39	7	2	1	1		1	1							
Tetanus	40	22					2	4	3	4	4	1					
Other diseases of nervous system	431	17	9	5	3	3	9	15	38	95	84	55	62	31	4		1
Pericarditis	39	1	2	2		2	1	3	2	7	6	3	6	3	1		
Endocarditis	677	9	2	2	7	5	24	50	75	95	90	121	100	79	18		
Heart disease	1,575	25	7	3	7	5	39	72	118	190	238	296	319	211	41	4	
Angina pectoris	91								4	15	11	22	21	15	3		
Embolism and thrombosis	81		1				3	3	7	10	7	13	21	11	5		
Other diseases of circulatory system	207	17	1	1	1		2		5	19	33	33	43	33	14	5	
Laryngitis	19	1	3	4	2	3	4				2						
Acute bronchitis	912	551	176	57	23	15	3	2	6	5	9	12	18	20	14	1	
Chronic bronchitis	482	13	9	2	1		11	9	20	27	29	73	107	115	61	5	
Bronchopneumonia	750	314	167	79	26	10	27	6	14	17	17	17	19	25	9	3	
Pneumonia	5,505	1,201	820	302	126	59	136	143	410	491	502	492	439	284	88	12	
Pleurisy	198	17	22	8	10	4	6	4	27	28	22	17	17	9	7		
Congestion of lungs	101	17	1			1	2	2	3	6	11	14	21	14	8	1	
Other diseases of respiratory system	172	17	5	2	5		3	5	15	17	28	23	30	15	7		
Tonsilitis	8		1	1	1	1	1	1	2								
Diseases of stomach	327	87	22	5	3	2	4	2	27	30	37	38	39	24	7		
Diarrhea and enteritis	3,441	2,515	504	62	30	13	19	17	37	34	30	41	53	58	26	2	
Hernia and intestinal obstructions	236	35	4	5	4	1	4	6	17	23	36	39	37	17	7	1	
Cirrhosis of liver	429	2					1		18	83	113	104	70	33	5		
Other diseases of liver	142	13	2				1	8	12	24	31	25	16	7	2	1	
Peritonitis	196	10	3	1	2	3	7	16	48	44	27	15	15	5			
Appendicitis	291	1		1	1	3	33	69	65	36	37	29	11	5			
Other diseases of digestive system	125	53	22	4	2		2	3	6	5	12	8	5	2	1		
Acute nephritis	277	23	6	7	9	4	10	9	39	44	53	31	23	16	3		
Bright's disease	2,905	19	13	6	13	12	20	52	208	436	543	611	559	334	73	6	
Calculi of urinary tract	11							1		3	1	3	3				
Uterine tumor	33								3	9	14	6	1				
Ovarian tumor	34							1	3	8	11	7	2	1	1		
Other diseases of genito-urinary system	260	5	2	1				5	60	54	39	28	39	18	8	1	
Puerperal septicemia	173							7	98	57	11						
Other causes incident to childbirth	188							8	90	70	20						
Diseases of skin	140	23	4	1	2	2	3		11	15	10	13	23	27	2	4	
Diseases of locomotor system	76	22	5	4	2	2	4	8	3	12	4	3	3	4			
Malformations	214	181	15	7	3	1	5	1	1								
Premature birth	817	817															
Congenital debility	988	988															
Old age	523													59	224	192	48
Suicide	431							17	104	110	88	64	35	10	3		
Other violence	1,863	137	49	51	46	35	126	119	288	366	269	173	132	51	15	5	1
Ill-defined causes	795	581	98	13	9	3	5	1	3	7	7	15	18	18	15	2	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

NEW YORK, N. Y. (QUEENS BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,768	648	151	75	69	36	99	99	214	275	261	254	271	220	89	7	.....
Typhoid fever	37	.....	1	.....	.....	1	2	4	10	9	5	2	2	.....	1	.....	.....
Malarial fever	43	6	10	1	2	1	3	3	3	2	.....	5	3	2	2	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	18	3	5	3	2	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	22	.....	1	2	4	1	11	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	19	11	4	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	82	6	7	10	16	15	24	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	20	1	.....	1	.....	.....	.....	.....	1	1	1	2	5	3	5	.....	.....
Cholera nostras	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....
Dysentery	31	7	6	.....	3	1	.....	.....	1	1	3	5	3	.....	1	.....	.....
Erysipelas	12	4	1	.....	.....	.....	.....	.....	1	1	2	.....	1	2	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	6	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	1	.....	.....	.....	.....
Tuberculosis—total	323	13	3	5	2	.....	4	23	83	92	48	26	16	7	1	.....	.....
Tuberculosis of lungs	287	1	.....	1	.....	.....	1	22	80	90	47	23	15	6	1	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	23	10	2	4	2	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	5	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	4	.....	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Scrofula	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	4	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Cancer	74	.....	.....	.....	.....	.....	.....	.....	3	6	16	20	12	15	2	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	16	.....	.....	.....	.....	.....	1	1	1	1	5	.....	2	4	1	.....	.....
Diabetes	9	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	2	1	1	.....	.....
Anemia, leukemia	6	.....	.....	.....	1	1	.....	1	.....	2	.....	.....	.....	.....	1	.....	.....
Alcoholism	6	.....	.....	.....	.....	.....	.....	.....	2	.....	4	.....	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Meningitis	47	18	5	6	5	.....	6	1	2	.....	1	1	2	.....	.....	.....	.....
Apoplexy	119	3	1	1	1	1	.....	2	4	4	14	25	27	27	9	.....	.....
Softening of brain	6	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	5	.....	.....	.....	.....
Paralysis	14	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	3	3	2	.....	.....
Epilepsy	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....
Convulsions	42	33	7	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	7	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	32	.....	2	.....	1	.....	1	1	1	5	8	5	3	4	1	.....	.....
Pericarditis	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....
Endocarditis	19	1	.....	.....	.....	.....	2	2	1	1	2	1	7	2	.....	.....	.....
Heart disease	141	3	.....	1	.....	.....	3	8	3	11	20	22	35	27	8	.....	.....
Angina pectoris	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....
Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	6	1	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....
Laryngitis	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Acute bronchitis	54	38	8	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	35	.....	1	.....	.....	.....	.....	.....	2	2	1	6	7	11	5	.....	.....
Bronchopneumonia	28	11	4	2	3	1	1	.....	1	1	1	.....	.....	2	1	.....	.....
Pneumonia	325	45	28	19	12	8	6	10	23	39	22	34	33	38	6	.....	.....
Pleurisy	6	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	2	1	.....	.....	.....
Congestion of lungs	6	1	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....
Other diseases of respiratory system	12	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	4	1	.....	.....
Tonsilitis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	22	5	.....	.....	1	.....	.....	.....	.....	3	1	3	4	5	.....	.....	.....
Diarrhea and enteritis	303	225	38	6	6	.....	3	4	3	1	4	3	3	4	2	1	.....
Hernia and intestinal obstructions	14	.....	.....	.....	.....	.....	1	.....	3	1	2	4	2	1	.....	.....	.....
Cirrhosis of liver	50	.....	.....	.....	.....	.....	1	.....	3	10	12	11	9	3	1	.....	.....
Other diseases of liver	11	.....	.....	.....	.....	.....	.....	.....	.....	3	1	4	2	1	.....	.....	.....
Peritonitis	11	1	1	.....	.....	.....	.....	1	2	1	1	1	3	.....	.....	.....	.....
Appendicitis	13	.....	.....	.....	.....	.....	3	5	2	1	1	.....	1	.....	.....	.....	.....
Other diseases of digestive system	4	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute nephritis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bright's disease	180	3	.....	1	1	.....	1	9	13	16	24	34	41	26	10	1	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	3	4	.....	.....	.....
Puerperal septicemia	12	.....	.....	.....	.....	.....	.....	1	3	6	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	10	.....	.....	.....	.....	.....	.....	.....	2	7	1	.....	.....	.....	.....	.....	.....
Diseases of skin	5	2	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Diseases of locomotor system	3	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Malformations	14	12	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	59	59	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	65	65	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	52	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	19	24	5	.....
Suicide	43	.....	.....	.....	.....	.....	.....	1	7	6	14	10	4	1	.....	.....	.....
Other violence	168	13	1	5	5	2	16	14	26	31	28	13	13	1	.....	.....	.....
Ill-defined causes	62	44	14	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

NEW YORK, N. Y. (RICHMOND BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,383	297	75	32	17	15	49	47	115	120	104	126	146	147	82	11	.....
Typhoid fever	13	1	.....	.....	.....	.....	.....	1	5	4	1	1	.....	.....	.....	.....	.....
Malarial fever	4	.....	1	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	15	3	6	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	9	5	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	60	5	5	8	7	8	23	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	10	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Dysentery	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....
Erysipelas	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	4	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
Tuberculosis—total	158	6	1	2	.....	1	1	12	44	39	20	18	8	6	.....	.....	.....
Tuberculosis of lungs	140	1	1	.....	.....	.....	.....	10	42	35	19	18	8	6	.....	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	11	4	.....	1	.....	1	1	1	2	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	4	1	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Cancer	52	.....	.....	.....	.....	.....	.....	.....	1	4	5	13	14	10	3	2	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	.....	.....	.....
Diabetes	9	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	5	.....	.....	.....
Anemia, leukemia	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Alcoholism	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	29	7	8	3	.....	.....	.....	2	2	.....	5	.....	2	.....	.....	.....	.....
Apoplexy	54	1	.....	.....	.....	.....	1	.....	1	1	9	14	12	10	4	1	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Paralysis	7	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	4	.....	1	.....	.....
Epilepsy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Convulsions	15	10	2	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	7	4	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	16	.....	2	.....	.....	.....	.....	.....	1	.....	1	2	6	4	.....	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
Endocarditis	23	.....	.....	.....	1	.....	2	1	.....	1	.....	1	7	8	1	1	.....
Heart disease	62	1	.....	.....	.....	.....	.....	2	5	3	6	12	18	10	4	1	.....
Angina pectoris	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	2	.....	.....
Other diseases of circulatory system	6	1	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....
Laryngitis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	15	11	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Chronic bronchitis	18	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	2	8	5	.....	.....
Bronchopneumonia	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Pneumonia	171	28	14	9	2	2	7	3	6	15	13	16	21	19	14	2	.....
Pleurisy	6	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....
Congestion of lungs	11	1	.....	1	.....	.....	.....	.....	1	.....	2	1	3	1	1	.....	.....
Other diseases of respiratory system	3	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Tonsilitis	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	14	2	.....	.....	1	.....	.....	.....	1	2	1	3	2	1	1	.....	.....
Diarrhea and enteritis	137	101	18	3	.....	.....	1	.....	.....	3	2	.....	1	6	2	.....	.....
Hernia and intestinal obstructions	10	2	.....	.....	.....	.....	1	1	.....	.....	.....	3	1	2	.....	.....	.....
Cirrhosis of liver	14	.....	.....	.....	.....	.....	.....	.....	3	3	2	.....	4	1	1	.....	.....
Other diseases of liver	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Peritonitis	6	.....	.....	.....	.....	.....	.....	1	.....	3	.....	1	.....	1	.....	.....	.....
Appendicitis	13	.....	.....	.....	.....	1	1	5	3	1	1	1	.....	.....	.....	.....	.....
Other diseases of digestive system	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute nephritis	4	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Bright's disease	99	2	1	.....	1	.....	.....	3	7	13	9	19	12	20	12	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	12	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	1	3	3	.....	.....
Puerperal septicemia	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of locomotor system	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	26	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	36	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	13	17	3	.....
Suicide	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....
Other violence	64	3	1	.....	1	.....	3	7	13	11	13	7	3	2	.....	.....	.....
Ill-defined causes	78	31	7	.....	.....	1	5	3	3	2	6	2	7	6	5	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

NEWARK, N. J.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,939	1,133	309	155	82	86	135	177	404	516	459	499	465	382	133	20	4
Typhoid fever	52	.....	.....	.....	.....	2	5	4	19	9	4	5	2	2	.....	.....	.....
Malarial fever	11	.....	.....	.....	1	2	.....	1	1	1	.....	.....	2	3	.....	.....	.....
Smallpox	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	57	16	22	7	4	4	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	55	3	5	10	7	7	17	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	44	18	16	4	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	141	5	22	33	17	25	27	7	1	1	2	.....	1	.....	.....	.....	.....
Influenza	58	.....	.....	1	.....	.....	2	3	1	4	5	5	13	15	7	1	1
Cholera nostras	12	3	.....	.....	.....	.....	.....	.....	.....	2	1	1	4	1	.....	.....	.....
Dysentery	9	.....	1	2	1	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....
Erysipelas	23	15	1	.....	.....	.....	.....	.....	.....	1	1	2	1	2	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	17	2	.....	.....	1	1	.....	1	1	3	3	2	1	1	1	.....	.....
Tuberculosis—total	689	23	11	11	4	5	11	54	164	199	89	71	33	10	4	.....	.....
Tuberculosis of lungs	617	9	4	3	3	2	5	49	161	187	85	67	31	7	4	.....	.....
Tuberculosis of larynx	9	.....	.....	.....	.....	.....	.....	.....	.....	5	1	1	.....	2	.....	.....	.....
Tuberculous meningitis	30	12	6	6	.....	2	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	16	1	1	1	.....	.....	1	.....	1	4	1	3	2	1	.....	.....	.....
Pott's disease	5	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	6	.....	.....	.....	.....	.....	2	2	.....	1	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
General tuberculosis	3	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	8	5	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
Cancer	150	.....	.....	.....	.....	.....	.....	1	2	16	29	37	41	24	.....	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....
Rheumatism	13	1	.....	.....	.....	.....	.....	2	.....	3	2	1	1	3	.....	.....	.....
Diabetes	33	.....	1	.....	.....	.....	1	1	1	3	3	11	7	4	1	.....	.....
Anemia, leukemia	11	2	.....	.....	.....	.....	.....	2	.....	2	2	1	2	.....	.....	.....	.....
Alcoholism	10	.....	.....	.....	.....	.....	.....	.....	.....	4	4	1	1	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	7	.....	.....	.....	.....	.....	.....	1	2	2	.....	2	.....	.....	.....	.....	.....
Encephalitis	4	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Meningitis	182	68	26	22	10	6	14	3	11	10	4	2	4	2	.....	.....	.....
Apoplexy	217	7	3	1	.....	.....	.....	1	3	8	20	49	52	53	20	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....
Paralysis	38	1	.....	.....	.....	.....	.....	.....	.....	2	4	6	6	16	3	.....	.....
Epilepsy	6	.....	.....	.....	1	.....	.....	1	2	.....	1	.....	.....	1	.....	.....	.....
Convulsions	120	87	21	9	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	10	6	.....	.....	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	56	4	.....	1	.....	1	3	.....	3	8	8	6	10	10	2	.....	.....
Pericarditis	6	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	1	.....	.....	.....
Endocarditis	38	.....	1	.....	.....	.....	.....	2	3	6	4	7	9	6	.....	.....	.....
Heart disease	278	3	.....	.....	1	.....	7	8	19	23	39	58	62	40	15	3	.....
Angina pectoris	22	.....	.....	.....	.....	.....	.....	.....	3	2	3	5	4	4	1	.....	.....
Embolism and thrombosis	16	.....	.....	.....	.....	.....	.....	2	.....	1	2	2	3	2	2	2	.....
Other diseases of circulatory system	16	.....	.....	.....	.....	.....	1	.....	1	1	3	6	1	2	.....	1	.....
Laryngitis	7	3	.....	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	107	72	15	6	2	2	1	1	2	.....	.....	1	.....	4	1	.....	.....
Chronic bronchitis	51	4	1	.....	1	.....	1	.....	1	2	6	2	15	12	4	2	.....
Bronchopneumonia	129	56	33	12	3	4	2	.....	1	.....	.....	5	2	7	4	.....	.....
Pneumonia	442	61	44	15	10	7	14	13	40	48	47	51	48	29	15	.....	.....
Pleurisy	25	2	2	2	1	2	.....	3	3	3	1	4	.....	2	.....	.....	.....
Congestion of lungs	24	3	.....	.....	.....	.....	.....	.....	2	2	1	3	4	6	2	1	.....
Other diseases of respiratory system	32	5	.....	1	.....	1	1	2	2	3	3	3	9	1	1	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	47	6	1	.....	1	2	1	1	1	4	9	6	5	6	3	1	.....
Diarrhea and enteritis	362	254	46	4	1	2	2	2	2	2	2	10	8	21	5	1	.....
Hernia and intestinal obstructions	37	11	.....	.....	.....	.....	.....	1	4	2	5	7	5	1	1	.....	.....
Cirrhosis of liver	54	.....	.....	.....	.....	.....	.....	1	2	9	14	14	9	5	.....	.....	.....
Other diseases of liver	18	1	.....	.....	.....	.....	.....	1	1	2	4	3	3	2	1	.....	.....
Peritonitis	32	3	.....	1	1	.....	.....	5	6	6	5	1	1	3	.....	.....	.....
Appendicitis	18	.....	.....	.....	.....	.....	2	4	5	2	2	2	1	.....	.....	.....	.....
Other diseases of digestive system	7	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....
Acute nephritis	38	1	1	1	.....	.....	2	3	7	10	4	5	1	3	.....	.....	.....
Bright's disease	293	1	2	1	3	1	2	8	19	39	67	50	51	39	7	1	2
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Uterine tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	1	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	25	2	.....	.....	.....	.....	.....	1	2	4	1	2	5	5	3	.....	.....
Puerperal septicemia	18	.....	.....	.....	.....	.....	.....	1	10	5	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	13	.....	.....	.....	.....	.....	.....	2	7	4	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	26	5	.....	1	.....	.....	.....	.....	1	1	2	5	4	4	2	1	.....
Diseases of locomotor system	12	2	2	1	.....	1	.....	1	1	1	1	2	.....	.....	.....	.....	.....
Malformations	27	23	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	62	62	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	160	160	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	8	19	5	.....
Suicide	47	.....	.....	.....	.....	.....	.....	1	14	10	11	6	3	1	.....	.....	1
Other violence	223	20	11	6	7	7	10	22	27	37	28	24	12	7	5	.....	.....
Ill-defined causes	158	102	15	1	.....	1	1	2	1	4	6	3	12	8	1	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

OMAHA, NEBR.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,210	274	59	17	16	9	41	66	126	132	118	114	89	103	39	5	2
Typhoid fever	24					1	3	6	3	4	3	2	1	1			
Malarial fever	3									2			1				
Smallpox																	
Measles	1	1															
Scarlet fever	7	1		1		1	1	2	1								
Whooping cough	6	3	2		1												
Diphtheria and croup	26	1	6	1	5	1	8	3	1								
Influenza	12							2	1	1	1			6	1		
Cholera nostras	2							1			1						
Dysentery	8	4	1											2	1		
Erysipelas	5	2		1				1			1						
Other epidemic diseases[1]																	
Septicemia	11	2					1		4	1	2				1		
Tuberculosis—total	123	5	1			1	2	10	27	36	19	13	6	2			1
Tuberculosis of lungs	100	2	1					8	25	36	17	5	4	2			
Tuberculosis of larynx																	
Tuberculous meningitis	8	3				1	2		1		1						
Abdominal tuberculosis	11							1			1	7	1				1
Pott's disease																	
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis	4							1	1			1	1				
Scrofula	1								1								
Venereal diseases	6	1							1	1	2	1					
Cancer	45								1	4	8	16	10	4	2		
Tumor																	
Rheumatism	4											3		1			
Diabetes	5						1				2	1		1			
Anemia, leukemia	3											2	1				
Alcoholism	9									5	2	2					
Chronic poisonings																	
Other general diseases	2								1					1			
Encephalitis	1								1								
Meningitis	29	9	3	2	2		1	4	1	4		1	1		1		
Apoplexy	37	3						1		3	3	13	5	6	3		
Softening of brain	3											1		2			
Paralysis	18									2	2	1	4	7	2		
Epilepsy	1							1									
Convulsions	31	25	5		1												
Tetanus	5	3					1		1								
Other diseases of nervous system	17							2	3	3	3	2	3	1			
Pericarditis																	
Endocarditis	2						1	1									
Heart disease	63	3					1	3	7	7	15	6	11	9	1		
Angina pectoris	2													2			
Embolism and thrombosis	2									1		1					
Other diseases of circulatory system	11	1							1	2	2	2		3			
Laryngitis																	
Acute bronchitis	14	10		3										1			
Chronic bronchitis	4						1						1	1	1		
Bronchopneumonia	24	9	6	2	1			1			1		3	1			
Pneumonia	129	29	15	2	2	3	3	4	14	10	13	11	13	7	2		1
Pleurisy	2									1		1					
Congestion of lungs	11	2	1					3	1			1		3			
Other diseases of respiratory system	7		1					1		1		2	1	1			
Tonsilitis																	
Diseases of stomach	15	3	1			1			1	1	2	2	2	2			
Diarrhea and enteritis	65	42	12	1	1		1		1	1	1	2	2	1			
Hernia and intestinal obstructions	10	1						1	1	1	2	1	1	2			
Cirrhosis of liver	9										5	2	2				
Other diseases of liver	9									1	1	1	2	4			
Peritonitis	28	1						3	13	6		2	2		1		
Appendicitis	12				1		1	3	1	4	1	1					
Other diseases of digestive system	5						1			1	1	2					
Acute nephritis	2			2													
Bright's disease	32								2	7	6	5	5	6	1		
Calculi of urinary tract	1												1				
Uterine tumor	1													1			
Ovarian tumor																	
Other diseases of genito-urinary system	13						1		2	1	1	1	3	3	1		
Puerperal septicemia	6								5		1						
Other causes incident to childbirth	3							1	1	1							
Diseases of skin	4	1	2					1									
Diseases of locomotor system	2						1	1									
Malformations	14	13			1												
Premature birth	30	30															
Congenital debility	42	42															
Old age	43												3	15	20	5	
Suicide	16								6	4	3	2		1			
Other violence	83	5	1	2	1	1	12	8	18	14	10	6	3	2			
Ill-defined causes	49	22	2					2	5	2	4	5	2	4	1		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

PATERSON, N. J.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,898	461	111	41	30	17	59	80	153	189	164	178	190	154	64	7	
Typhoid fever	28						2	6	6	8	3	2	1				
Malarial fever	5	2	1							1			1				
Smallpox	1							1									
Measles	2	1		1													
Scarlet fever	11			1	5	1	4										
Whooping cough	12	7	4				1										
Diphtheria and croup	47	2	9	11	9	2	11	1	1					1			
Influenza	10								1		2	2	1	3	1		
Cholera nostras	1												1				
Dysentery	7	1	1				2			2	1						
Erysipelas	8	4	1								1	2					
Other epidemic diseases [1]																	
Septicemia	7	1						1	1	2		1	1				
Tuberculosis—total	233	6	3			1		27	60	65	31	23	11	5	1		
Tuberculosis of lungs	217	2	1			1		24	58	63	30	22	10	5	1		
Tuberculosis of larynx	2							1			1						
Tuberculous meningitis	7	2	2						1	1			1				
Abdominal tuberculosis	3	2							1								
Pott's disease	1							1									
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	2							1		1							
General tuberculosis	1											1					
Scrofula																	
Venereal diseases	1									1							
Cancer	64				1				4	2	11	14	16	11	5		
Tumor	1									1							
Rheumatism	5							1	1	1		2					
Diabetes	7						1				1	4		1			
Anemia, leukemia	4								1	2			1				
Alcoholism	8								2	4	2						
Chronic poisonings																	
Other general diseases	2								1		1						
Encephalitis	2					1								1			
Meningitis	77	21	17	6	4	1	5	3	2	4	5	4		3	1	1	
Apoplexy	84	3	1					1	2	3	9	20	21	16	7	1	
Softening of brain	1												1				
Paralysis	17									2		3	3	7	2		
Epilepsy	3	1						1	1								
Convulsions	55	42	6	4		2			1								
Tetanus																	
Other diseases of nervous system	26		1		1	1	1	4	2	2	5	2	4	1	2		
Pericarditis	4				1			1			1	1					
Endocarditis	16						3	1	1		1	2	5	2	1		
Heart disease	107	5				1	2	2	7	13	13	18	23	16	6	1	
Angina pectoris	3								1	1			1				
Embolism and thrombosis	7								1			1	1	2	2		
Other diseases of circulatory system	7	1				1			1		2		1	1			
Laryngitis	4	1	2				1										
Acute bronchitis	28	16	7	1		1				1				2			
Chronic bronchitis	18										1	1	8	7	1		
Bronchopneumonia	51	17	8	2	2		4			2	2	3	4	5	1	1	
Pneumonia	150	15	10	9	1	3	5	3	17	16	14	16	25	13	3		
Pleurisy	5	1					1		1	1	1						
Congestion of lungs	8	2	1					2				1		2			
Other diseases of respiratory system	6									1	1	1	3				
Tonsilitis																	
Diseases of stomach	23	3	1					1		3	1	2	5	5	2		
Diarrhea and enteritis	175	140	16	2		1	2			1		4	2	5	2		
Hernia and intestinal obstructions	14	1			1					2	3	2	3	2			
Cirrhosis of liver	15								2	1	5	3	3	1			
Other diseases of liver	7										2	4	1				
Peritonitis	24	2		1	1		2	5	4	3	2	1	1	2			
Appendicitis	9						1	1	3	4							
Other diseases of digestive system	6	4	1								1						
Acute nephritis	14	1						3	1			6	2	1			
Bright's disease	99	1					3	5	6	16	17	17	23	10	1		
Calculi of urinary tract																	
Uterine tumor	1									1							
Ovarian tumor																	
Other diseases of genito-urinary system	15		2						1	1	1	1	3	2	4		
Puerperal septicemia	5								4	1							
Other causes incident to childbirth	8							1	4	2	1						
Diseases of skin	14	1								1	1	2	3	4	1	1	
Diseases of locomotor system	2						1							1			
Malformations	11	10	1														
Premature birth	49	49															
Congenital debility	51	51															
Old age	39												2	15	20	2	
Suicide	10							1	1	2	3	2	1				
Other violence	99	15	4	2	4	1	7	6	12	14	17	9	4	4			
Ill-defined causes	65	34	14	1				2		2	2	2	4	3	1		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

PHILADELPHIA, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	26,975	5,825	1,503	778	476	397	908	965	2,088	2,531	2,468	2,538	2,777	2,391	1,126	159	45
Typhoid fever	481	2	3	5	1	4	35	87	140	103	47	29	13	11	1	.....	.....
Malarial fever	11	.....	.....	.....	1	.....	1	1	.....	2	2	2	1	.....	1	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	346	66	118	75	24	20	32	5	3	3	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	164	12	16	22	29	15	48	14	7	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	111	64	25	8	7	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	1,101	55	188	188	173	135	306	41	8	2	3	1	.....	.....	1	.....	.....
Influenza	251	18	3	2	1	3	4	4	11	18	23	19	49	56	34	3	3
Cholera nostras	18	3	.....	1	.....	.....	1	1	1	3	2	3	2	1	.....	.....	.....
Dysentery	63	9	2	.....	1	1	3	.....	3	6	4	8	12	8	5	.....	1
Erysipelas	84	22	2	.....	.....	.....	1	1	5	7	9	11	15	9	2	.....	.....
Other epidemic diseases [1]	5	2	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	136	17	1	1	2	1	5	8	26	30	18	9	11	4	1	.....	2
Tuberculosis—total	3,100	69	41	30	12	19	44	231	818	804	488	298	172	57	12	1	4
Tuberculosis of lungs	2,824	24	14	11	6	9	21	200	787	764	472	287	162	51	11	1	4
Tuberculosis of larynx	15	.....	.....	.....	.....	.....	1	1	3	6	1	1	.....	2	.....	.....	.....
Tuberculous meningitis	118	32	23	13	5	4	13	11	6	6	4	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	73	9	.....	3	.....	1	4	6	10	19	8	7	6	.....	.....	.....	.....
Pott's disease	14	1	.....	.....	1	1	2	4	3	1	.....	.....	.....	1	.....	.....	.....
Tuberculous abscess	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
White swelling	15	.....	.....	1	.....	1	3	4	1	2	2	.....	.....	.....	1	.....	.....
Tuberculosis of other organs	22	2	1	.....	.....	1	.....	3	6	4	.....	2	1	2	.....	.....	.....
General tuberculosis	17	.....	3	2	.....	2	.....	2	2	2	1	1	1	1	.....	.....	.....
Scrofula	4	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	40	19	2	1	.....	.....	.....	1	1	8	3	2	3	.....	.....	.....	.....
Cancer	893	1	1	.....	2	2	2	5	16	76	178	222	223	131	32	1	1
Tumor	19	.....	.....	.....	.....	.....	.....	.....	2	3	6	3	4	.....	.....	1	.....
Rheumatism	81	.....	4	.....	1	2	12	9	3	7	14	5	14	6	4	.....	.....
Diabetes	109	.....	.....	.....	.....	.....	1	1	5	6	8	9	28	24	24	2	1
Anemia, leukemia	80	2	1	1	.....	1	2	4	8	10	12	17	15	7	.....	.....	.....
Alcoholism	120	.....	.....	.....	.....	.....	.....	.....	8	34	45	22	8	3	.....	.....	.....
Chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	2	.....	.....	.....	.....
Other general diseases	17	1	.....	1	1	.....	.....	1	2	2	6	3	.....	.....	.....	.....	.....
Encephalitis	50	14	5	5	2	.....	5	4	2	1	4	3	2	3	.....	.....	.....
Meningitis	468	135	77	44	24	19	41	35	25	24	20	8	6	7	2	.....	1
Apoplexy	1,022	53	27	5	3	4	9	13	14	49	99	157	256	219	106	7	1
Softening of brain	86	.....	.....	.....	.....	.....	.....	.....	1	2	11	17	23	25	7	.....	.....
Paralysis	336	1	3	.....	1	1	1	1	6	8	26	30	89	93	50	6	.....
Epilepsy	47	1	.....	.....	.....	.....	.....	7	9	8	9	7	4	1	.....	.....	1
Convulsions	771	568	105	42	14	12	15	4	5	.....	2	.....	1	2	.....	.....	1
Tetanus	36	7	.....	.....	.....	1	2	6	5	5	6	4	.....	.....	.....	.....	.....
Other diseases of nervous system	318	9	3	3	1	4	6	10	20	49	63	69	36	37	7	1	.....
Pericarditis	32	.....	.....	.....	.....	1	1	6	5	9	3	4	1	2	.....	.....	.....
Endocarditis	192	2	.....	1	1	.....	15	17	17	16	25	26	38	27	6	1	.....
Heart disease	1,703	60	3	4	7	3	29	72	78	155	222	318	357	298	92	3	2
Angina pectoris	89	1	.....	.....	.....	1	.....	1	4	6	7	27	24	13	5	.....	.....
Embolism and thrombosis	54	2	1	1	.....	1	.....	.....	6	3	9	5	12	10	4	.....	.....
Other diseases of circulatory system	166	24	2	.....	.....	.....	1	2	6	16	15	20	28	38	13	1	.....
Laryngitis	15	1	.....	4	1	2	2	.....	1	2	.....	.....	.....	1	1	.....	.....
Acute bronchitis	277	145	66	14	7	3	3	2	3	2	.....	6	6	13	6	1	.....
Chronic bronchitis	202	19	6	4	1	.....	6	5	10	13	12	19	42	36	25	4	.....
Bronchopneumonia	618	199	126	67	20	20	13	8	17	17	18	20	41	31	19	2	.....
Pneumonia	2,471	439	266	120	64	54	84	71	157	218	227	232	267	196	67	4	5
Pleurisy	86	3	4	2	1	3	4	6	11	13	14	5	13	4	3	.....	.....
Congestion of lungs	297	70	24	10	6	4	7	8	16	12	20	28	30	36	25	1	.....
Other diseases of respiratory system	204	8	3	6	.....	1	4	4	22	17	31	32	38	24	9	2	3
Tonsilitis	17	2	1	1	.....	.....	4	2	3	1	1	.....	2	.....	.....	.....	.....
Diseases of stomach	340	54	7	3	3	2	3	12	27	35	32	54	49	44	13	1	1
Diarrhea and enteritis	1,483	1,009	194	32	11	11	14	8	18	19	22	34	52	46	12	1	.....
Hernia and intestinal obstructions	168	18	3	1	.....	1	2	8	14	14	26	30	31	17	3	.....	.....
Cirrhosis of liver	225	1	.....	.....	.....	.....	.....	3	6	32	55	58	45	21	4	.....	.....
Other diseases of liver	119	9	1	3	.....	1	1	.....	5	16	22	18	21	19	3	.....	.....
Peritonitis	261	5	2	2	3	1	9	36	65	64	42	11	14	7	.....	.....	.....
Appendicitis	137	1	.....	1	.....	3	14	32	33	22	16	9	6	.....	.....	.....	.....
Other diseases of digestive system	146	73	14	2	2	1	3	1	5	11	7	7	9	10	1	.....	.....
Acute nephritis	91	6	3	1	4	1	8	8	15	8	9	10	12	5	1	.....	.....
Bright's disease	1,671	16	6	5	1	3	24	33	94	176	256	326	364	278	81	4	4
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	1	.....	.....	.....
Ovarian tumor	13	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	4	1	.....	.....	.....
Other diseases of genito-urinary system	147	10	1	.....	.....	.....	.....	5	8	28	20	16	19	30	10	.....	.....
Puerperal septicemia	65	.....	.....	.....	.....	.....	.....	3	39	19	4	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	94	.....	.....	.....	.....	.....	.....	5	41	39	7	1	.....	.....	.....	.....	1
Diseases of skin	104	11	5	3	5	4	1	.....	1	7	5	8	18	23	11	1	1
Diseases of locomotor system	26	8	5	.....	1	1	2	2	.....	1	2	2	2	.....	.....	.....	.....
Malformations	218	199	9	3	2	1	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	768	768	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	760	760	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	802	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52	291	358	101	.....
Suicide	160	.....	.....	.....	.....	.....	.....	7	22	32	36	35	18	8	2	.....	.....
Other violence	1,123	61	17	25	25	18	60	91	155	197	149	139	91	57	33	3	2
Ill-defined causes	1,245	690	107	28	9	9	11	8	21	32	39	36	85	99	52	8	11

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

PITTSBURG, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,441	1,562	493	232	117	77	214	347	763	656	521	473	469	343	144	24	6
Typhoid fever	464	.....	3	5	5	6	22	97	199	76	27	14	7	3	.....	.....	.....
Malarial fever	8	.....	.....	.....	.....	.....	1	1	.....	4	.....	.....	1	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	92	21	35	16	7	5	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	51	1	6	12	3	10	11	6	1	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	78	25	32	13	1	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	146	11	20	20	23	18	47	2	3	1	.....	.....	.....	1	.....	.....	.....
Influenza	54	2	.....	3	.....	.....	4	4	6	5	5	9	4	10	2	.....	.....
Cholera nostras	7	1	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	2	.....	.....	.....
Dysentery	13	2	.....	2	.....	.....	2	.....	.....	.....	.....	3	1	.....	2	1	.....
Erysipelas	18	8	1	.....	.....	2	1	.....	1	.....	2	.....	2	1	.....	.....	.....
Other epidemic diseases[1]	3	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Septicemia	17	1	2	1	.....	.....	.....	.....	3	3	2	2	3	.....	.....	.....	.....
Tuberculosis—total	453	16	12	6	2	3	16	53	133	97	55	32	24	3	1	.....	.....
Tuberculosis of lungs	403	10	6	2	2	2	11	46	132	87	47	31	23	3	1	.....	.....
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	14	3	3	2	.....	.....	3	1	.....	1	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	26	3	2	1	.....	1	1	4	.....	8	5	1	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Venereal diseases	7	5	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Cancer	167	.....	1	.....	.....	.....	.....	.....	4	16	34	46	41	20	5	.....	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....
Rheumatism	48	.....	1	1	.....	.....	5	7	6	6	7	7	5	2	1	.....	.....
Diabetes	15	.....	.....	.....	.....	.....	1	1	2	2	1	3	2	3	.....	.....	.....
Anemia, leukemia	15	.....	.....	.....	.....	.....	1	2	2	3	3	1	1	2	.....	.....	.....
Alcoholism	46	.....	.....	.....	.....	.....	.....	.....	6	14	17	7	2	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	7	.....	1	.....	.....	.....	1	.....	2	2	.....	.....	1	.....	.....	.....	.....
Encephalitis	10	2	1	2	.....	.....	2	1	.....	.....	1	.....	.....	1	.....	.....	.....
Meningitis	166	50	28	14	10	8	20	10	10	8	1	3	1	.....	2	1	.....
Apoplexy	140	4	2	2	1	1	1	1	5	13	17	19	40	23	11	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....
Paralysis	62	2	1	.....	.....	.....	.....	1	2	2	8	7	10	19	9	1	.....
Epilepsy	8	.....	.....	1	1	.....	.....	.....	3	1	.....	2	.....	.....	.....	.....	.....
Convulsions	184	137	26	8	3	1	3	.....	1	3	2	.....	.....	.....	.....	.....	.....
Tetanus	14	10	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	87	2	.....	1	.....	.....	1	4	4	22	11	11	22	7	2	.....	.....
Pericarditis	9	.....	.....	.....	.....	.....	.....	3	1	1	2	1	.....	1	.....	.....	.....
Endocarditis	25	.....	.....	.....	.....	.....	.....	8	3	2	5	2	4	1	.....	.....	.....
Heart disease	236	17	.....	.....	2	2	1	14	21	31	34	35	42	28	8	1	.....
Angina pectoris	15	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	4	3	1	1	.....
Embolism and thrombosis	11	1	.....	.....	.....	.....	.....	.....	1	1	3	.....	1	2	2	.....	.....
Other diseases of circulatory system	30	4	1	.....	1	.....	2	1	3	4	.....	6	2	5	1	.....	.....
Laryngitis	10	.....	.....	.....	4	2	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....
Acute bronchitis	114	78	15	7	1	1	1	.....	1	.....	.....	3	2	3	2	.....	.....
Chronic bronchitis	80	2	2	.....	1	.....	.....	1	1	4	6	10	16	22	15	.....	.....
Bronchopneumonia	87	31	22	8	4	2	3	.....	1	2	3	3	4	2	2	.....	.....
Pneumonia	651	130	74	39	19	12	10	23	63	61	51	60	63	39	13	3	1
Pleurisy	28	1	3	.....	.....	.....	2	3	5	1	3	3	3	3	1	.....	.....
Congestion of lungs	51	14	1	4	1	.....	1	.....	4	3	2	6	6	6	2	1	.....
Other diseases of respiratory system	64	5	.....	1	1	.....	.....	2	4	2	9	13	18	7	2	.....	.....
Tonsilitis	4	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	114	37	11	1	1	.....	4	2	7	7	12	8	12	8	4	.....	.....
Diarrhea and enteritis	690	420	130	38	7	4	3	5	5	12	19	11	14	20	2	.....	.....
Hernia and intestinal obstructions	32	5	.....	2	2	.....	.....	1	3	5	3	3	4	3	1	.....	.....
Cirrhosis of liver	45	.....	.....	.....	.....	.....	.....	.....	1	4	12	10	11	6	1	.....	.....
Other diseases of liver	50	2	2	2	1	.....	.....	5	9	8	8	11	1	1	.....	.....	.....
Peritonitis	40	3	1	1	.....	.....	1	4	9	12	7	.....	1	.....	1	.....	.....
Appendicitis	28	1	.....	.....	.....	.....	1	6	11	5	3	.....	.....	1	.....	.....	.....
Other diseases of digestive system	41	18	10	4	1	.....	.....	1	2	2	2	.....	1	.....	.....	.....	.....
Acute nephritis	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	.....	.....	.....	.....	.....
Bright's disease	166	6	3	.....	.....	.....	3	11	12	22	22	37	25	14	10	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Uterine tumor	8	.....	.....	.....	.....	.....	.....	.....	2	1	3	1	1	.....	.....	.....	.....
Ovarian tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	4	3	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	36	.....	1	.....	1	1	.....	1	8	8	2	5	2	7	.....	.....	.....
Puerperal septicemia	15	.....	.....	.....	.....	.....	.....	.....	7	6	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	44	.....	.....	.....	.....	.....	.....	1	18	22	2	.....	.....	.....	.....	.....	1
Diseases of skin	30	12	.....	.....	.....	1	1	.....	1	2	2	5	2	3	1	.....	.....
Diseases of locomotor system	6	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Malformations	43	43	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	146	146	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	149	149	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	84	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14	34	25	11	.....
Suicide	36	.....	.....	.....	.....	.....	.....	1	13	9	8	4	1	.....	.....	.....	.....
Other violence	576	30	8	8	11	5	25	60	144	116	74	51	25	12	5	1	1
Ill-defined causes	239	101	37	9	3	.....	5	5	8	12	15	9	10	11	9	2	3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

PROVIDENCE, R. I.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,656	709	226	94	63	45	88	130	336	317	321	380	366	317	153	21	.....
Typhoid fever	42	.....	1	1	.....	.....	3	7	17	6	4	2	1	.....	.....	.....	.....
Malarial fever	14	3	.....	.....	.....	.....	1	.....	.....	2	4	3	.....	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	99	19	36	20	7	7	4	3	3	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	9	2	1	1	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	40	16	13	5	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	55	6	10	6	14	5	12	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	116	3	2	2	1	.....	.....	1	11	4	11	15	20	20	23	3	.....
Cholera nostras	6	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	3	.....	.....
Dysentery	27	7	5	1	.....	.....	4	1	2	.....	1	3	2	1	.....	.....	.....
Erysipelas	11	5	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	2	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	9	.....	.....	.....	.....	2	.....	1	1	1	2	.....	1	.....	1	.....	.....
Tuberculosis—total	490	22	13	11	6	5	13	45	130	102	64	47	22	8	2	.....	.....
Tuberculosis of lungs	415	12	3	2	2	1	3	41	126	95	60	43	18	7	2	.....	.....
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....
Tuberculous meningitis	41	7	9	7	2	3	7	.....	3	2	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	7	2	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	.....	.....
Pott's disease	4	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
General tuberculosis	13	1	1	2	2	.....	1	2	.....	1	2	.....	1	.....	.....	.....	.....
Scrofula	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	11	8	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	135	.....	.....	.....	1	.....	1	.....	4	9	26	30	30	30	2	2	.....
Tumor	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....
Rheumatism	33	.....	.....	.....	.....	.....	1	5	3	7	4	5	3	4	1	.....	.....
Diabetes	23	.....	.....	.....	.....	.....	.....	1	2	2	1	7	9	1	.....	.....	.....
Anemia, leukemia	18	1	1	.....	.....	1	.....	1	5	1	1	3	1	3	.....	.....	.....
Alcoholism	31	.....	.....	.....	.....	.....	.....	.....	2	10	10	6	2	1	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	65	21	16	6	6	4	7	3	1	1	.....	.....	.....	.....	.....	.....	.....
Apoplexy	141	4	1	.....	.....	.....	.....	1	1	5	17	25	35	31	19	2	.....
Softening of brain	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....
Paralysis	12	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	4	3	.....	.....
Epilepsy	3	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....
Convulsions	17	12	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	51	3	1	.....	.....	1	1	3	3	7	6	13	7	4	2	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....
Endocarditis	29	.....	.....	.....	.....	.....	.....	1	2	3	4	6	6	3	4	.....	.....
Heart disease	232	8	.....	.....	.....	.....	.....	2	14	22	15	51	57	49	13	1	.....
Angina pectoris	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	1	1	1	.....	.....
Embolism and thrombosis	14	1	.....	.....	.....	.....	.....	.....	.....	.....	2	4	1	5	1	.....	.....
Other diseases of circulatory system	17	1	.....	.....	.....	.....	.....	.....	.....	3	1	1	4	4	3	.....	.....
Laryngitis	8	2	1	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	82	60	14	4	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Chronic bronchitis	37	1	.....	.....	.....	.....	3	.....	.....	2	2	7	8	11	1	2	.....
Bronchopneumonia	123	51	18	10	4	2	2	1	4	3	5	6	10	6	1	.....	.....
Pneumonia	294	34	29	5	9	5	6	10	29	31	33	33	30	26	13	1	.....
Pleurisy	13	1	.....	.....	1	.....	1	2	.....	.....	1	2	3	.....	1	1	.....
Congestion of lungs	15	3	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	2	4	.....	.....
Other diseases of respiratory system	16	2	3	.....	.....	.....	.....	.....	1	1	4	1	2	1	1	.....	.....
Tonsilitis	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	62	31	4	1	.....	1	2	.....	3	2	2	5	6	1	3	1	.....
Diarrhea and enteritis	289	208	35	7	6	3	4	.....	1	3	2	5	6	4	5	.....	.....
Hernia and intestinal obstructions	20	1	1	1	.....	.....	1	1	1	2	3	3	4	2	.....	.....	.....
Cirrhosis of liver	25	.....	.....	.....	.....	.....	.....	.....	2	7	2	7	6	.....	1	.....	.....
Other diseases of liver	20	2	.....	.....	.....	1	.....	1	.....	1	3	5	2	4	1	.....	.....
Peritonitis	9	1	.....	1	.....	.....	2	.....	.....	2	1	1	.....	.....	1	.....	.....
Appendicitis	24	.....	.....	.....	.....	.....	1	3	10	1	5	4	.....	.....	.....	.....	.....
Other diseases of digestive system	11	5	3	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Acute nephritis	31	2	.....	.....	.....	.....	.....	3	8	5	8	.....	3	1	.....	1	.....
Bright's disease	186	2	1	1	.....	.....	.....	7	15	17	25	35	40	35	8	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Uterine tumor	11	.....	.....	.....	.....	.....	.....	.....	.....	1	3	5	1	1	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	44	2	.....	.....	.....	.....	.....	2	7	6	5	5	4	8	5	.....	.....
Puerperal septicemia	18	.....	.....	.....	.....	.....	.....	1	6	10	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	22	.....	.....	.....	.....	.....	.....	3	10	7	2	.....	.....	.....	.....	.....	.....
Diseases of skin	16	4	1	1	.....	.....	.....	.....	.....	1	.....	5	3	.....	1	.....	.....
Diseases of locomotor system	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	25	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	75	75	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	55	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	30	17	7	.....
Suicide	15	.....	.....	.....	.....	.....	.....	.....	2	2	5	1	3	1	1	.....	.....
Other violence	180	26	2	5	3	3	12	14	24	22	25	14	16	7	7	.....	.....
Ill-defined causes	83	59	8	1	.....	1	.....	.....	3	1	4	.....	5	1	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

ROCHESTER, N. Y.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,337	350	83	40	23	26	52	103	204	217	234	227	276	330	142	27	3
Typhoid fever	28					1	2	4	8	7	5	1					
Malarial fever	1														1		
Smallpox																	
Measles	10	1	2	2	2	1	2										
Scarlet fever	11			1	1	2	5	1	1								
Whooping cough	15	7	6	1	1												
Diphtheria and croup	47	5	6	7	8	5	8	5	1	1			1				
Influenza	11	2								1		1	1	4	2		
Cholera nostras	1	1															
Dysentery	31	4	2	1	1	1	1		2			2	1	12	3	1	
Erysipelas	7	4							1	1	1						
Other epidemic diseases [1]																	
Septicemia	20	1	1				3		4	5	1	4		1			
Tuberculosis—total	262	3	6	1	2		2	25	77	58	47	22	6	10	3		
Tuberculosis of lungs	234	1	3				2	23	72	50	43	21	6	10	3		
Tuberculosis of larynx	3									3							
Tuberculous meningitis	11	2	2	1	1			1	2	1		1					
Abdominal tuberculosis	6		1		1			1		2	1						
Pott's disease																	
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	1										1						
General tuberculosis	7								3	2	2						
Scrofula	1							1									
Venereal diseases	4	2								1			1				
Cancer	100	1	1			1	2	3	3	4	19	18	32	13	3		
Tumor	4										2			2			
Rheumatism	13							4		1	3		2	3			
Diabetes	22						2	2	2	1	2	4	4	5			
Anemia, leukemia	11		1					1	1	1	2	2	2	1			
Alcoholism	3										1		1				1
Chronic poisonings																	
Other general diseases	2												1	1			
Encephalitis	1														1		
Meningitis	82	30	6	5	1	5	4	8	4	6	5	1	2	4	1		
Apoplexy	142		2	1				1	1	2	11	26	33	50	13	1	1
Softening of brain	4										1		2	1			
Paralysis	28								2	1	3	3	4	8	5	2	
Epilepsy	8							1	4	1			1	1			
Convulsions	37	31	3			1	1						1				
Tetanus	1								1								
Other diseases of nervous system	43								7	4	12	6	6	5	2	1	
Pericarditis	4									1		2	1				
Endocarditis	37						1	1	2	4	1	4	7	12	4	1	
Heart disease	162	3		1				13	6	17	9	28	33	43	9		
Angina pectoris	9									1		3	2	3			
Embolism and thrombosis	7										2	1	2	1	1		
Other diseases of circulatory system	24	6							1	3	2	4	5	3			
Laryngitis	3		1				1				1						
Acute bronchitis	43	26	5	2			1					1	3	3	2		
Chronic bronchitis	31	1										2	8	6	11	3	
Bronchopneumonia	26	11	6	1	2	2			1					3			
Pneumonia	177	20	8	5	2	3	5	8	9	20	23	14	25	25	8	2	
Pleurisy	6		1	1									4				
Congestion of lungs	36	3					1		3	4	4	2	4	9	5	1	
Other diseases of respiratory system	19									2	2	5	5	3	2		
Tonsilitis																	
Diseases of stomach	28	3						1	6	3	2	3	3	4	3		
Diarrhea and enteritis	135	93	19	4						1	3	2	5	5	1	1	1
Hernia and intestinal obstructions	18	3				1			2	2	2	1	1	4	1	1	
Cirrhosis of liver	20									3	3	6	3	4	1		
Other diseases of liver	19		1						1	2	3	9	2	1			
Peritonitis	44			1	1	1	3	4	16	6	3	4	4	1			
Appendicitis	10					1	1	3	2		1	1		1			
Other diseases of digestive system	8	3									1	3		1			
Acute nephritis	13	1		2					4	3	2			1			
Bright's disease	135	1					1	4	10	15	21	18	39	22	3	1	
Calculi of urinary tract																	
Uterine tumor	2								1		1						
Ovarian tumor	1										1						
Other diseases of genito-urinary system	11						1	1		2	2	1	2	1	1		
Puerperal septicemia	1									1							
Other causes incident to childbirth	12								4	5	3						
Diseases of skin	8								1	1	2	1		1	2		
Diseases of locomotor system	3	1	1						1								
Malformations	10	10															
Premature birth	3	3															
Congenital debility	40	40															
Old age	95												5	30	49	11	
Suicide	32								4	9	8	4	4	3			
Other violence	73	3	1	2	2	1	4	9	7	11	8	9	6	10			
Ill-defined causes	82	27	4	2			1	3	4	6	9	9	2	9	5	1	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

ST. JOSEPH, MO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	769	112	16	11	8	7	29	54	87	84	73	76	91	63	32	3	20
Typhoid fever	23				1		4	4	4	1	4	3	2				
Malarial fever	7	1							3	1			1		1		
Smallpox	1													1			
Measles																	
Scarlet fever																	
Whooping cough	1	1															
Diphtheria and croup	19	1	2	4	1	1	9	1									
Influenza	5							1	1				2	1			
Cholera nostras																	
Dysentery	2	1													1		
Erysipelas	2								1				1				
Other epidemic diseases [1]																	
Septicemia	7					1		1	4								1
Tuberculosis—total	95	4			3		3	11	28	21	8	5	7	2	1		2
Tuberculosis of lungs	85	2			3		3	10	25	20	7	5	5	2	1		2
Tuberculosis of larynx																	
Tuberculous meningitis	2	2															
Abdominal tuberculosis	4								3		1						
Pott's disease	2							1		1							
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	1												1				
General tuberculosis	1												1				
Scrofula	2					1	1										
Venereal diseases	2							1									1
Cancer	27				1					3	3	11	5	3	1		
Tumor	1						1										
Rheumatism	7	1						1	1	1	1	2					
Diabetes	6									1		2	2		1		
Anemia, leukemia	3									2	1						
Alcoholism	2									1	1						
Chronic poisonings	1									1							
Other general diseases																	
Encephalitis	7	1	3	1			1	1									
Meningitis	11	3	3	1			1	2				1					
Apoplexy	30	1			2						5	2	7	7	3		3
Softening of brain	5											1	1	1			2
Paralysis	7							1			2		1	3			
Epilepsy	1								1								
Convulsions	1	1															
Tetanus	1								1								
Other diseases of nervous system	22	1						1		5	3	5	1		1	1	4
Pericarditis	3									1			1	1			
Endocarditis	2								1			1					
Heart disease	59						2	1	4	4	8	10	18	9	3		
Angina pectoris	5						1				1	2	1				
Embolism and thrombosis	2											2					
Other diseases of circulatory system	6	1							1	1		2				1	
Laryngitis																	
Acute bronchitis	8	8															
Chronic bronchitis	7							1					1	1	4		
Bronchopneumonia	4						1		2		1						
Pneumonia	54	7	2	1		1	1	1	4	8	7	4	5	8	3		2
Pleurisy	1														1		
Congestion of lungs	9	1	1	1						1	2	1	1				1
Other diseases of respiratory system	7	1	1					1					1	1	2		
Tonsilitis	1	1															
Diseases of stomach	14	4		1							1	2	6				
Diarrhea and enteritis	42	25	6	1		2		1			2		2	2			1
Hernia and intestinal obstructions	8	1	1						1	1	1		1	1	1		
Cirrhosis of liver	5									2		1	1	1			
Other diseases of liver	12	2							1	2		2	3	1			1
Peritonitis	8	2						1	2	1	1	1					
Appendicitis	14							6	4	1	2	1					
Other diseases of digestive system	9	3						1	2	1			1	1			
Acute nephritis	1									1							
Bright's disease	33						1	2	1	1	4	8	9	5	2		
Calculi of urinary tract																	
Uterine tumor	3									2	1						
Ovarian tumor	1							1									
Other diseases of genito-urinary system	10	1						3	1	2	2				1		
Puerperal septicemia																	
Other causes incident to childbirth	3									3							
Diseases of skin	2								1				1				
Diseases of locomotor system																	
Malformations	7	7															
Premature birth	4	4															
Congenital debility	18	18															
Old age	15												4	5	5	1	
Suicide	13							2	5	2	3			1			
Other violence	51	2		1		1	2	8	11	11	4	4	1	3	1		2
Ill-defined causes	30	8					1		2	2	5	3	4	5			

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

ST. LOUIS, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,322	1,817	401	220	181	118	368	486	1,035	1,165	1,064	1,108	1,139	822	328	43	27
Typhoid fever	187	3	3	4	3	.....	14	41	50	39	18	11	6	2	1	1	.....
Malarial fever	60	9	1	.....	4	1	3	5	12	5	3	4	8	5	.....	.....	.....
Smallpox	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
Measles	24	9	8	.....	3	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	61	2	7	10	8	11	18	2	3	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	7	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	384	17	40	62	48	47	123	43	3	1	.....	.....	.....	.....	.....	.....	.....
Influenza	54	7	1	1	2	1	2	.....	1	2	6	9	10	10	1	1	.....
Cholera nostras	10	2	.....	.....	.....	.....	.....	.....	1	1	2	3	.....	1	.....	.....	.....
Dysentery	33	2	3	.....	1	.....	.....	.....	1	4	1	4	9	6	2	.....	.....
Erysipelas	36	18	.....	.....	.....	.....	.....	.....	2	2	4	2	3	5	.....	.....	.....
Other epidemic diseases [1]	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	76	3	.....	2	1	2	7	1	14	17	11	9	6	3	.....	.....	.....
Tuberculosis—total	1,183	25	11	4	4	4	11	95	314	310	195	127	61	18	2	.....	2
Tuberculosis of lungs	1,078	7	7	2	2	2	5	89	298	289	180	120	56	18	2	.....	1
Tuberculosis of larynx	22	.....	.....	.....	.....	.....	.....	1	3	9	4	2	3	.....	.....	.....	.....
Tuberculous meningitis	34	16	4	1	2	1	5	1	.....	2	1	.....	.....	.....	.....	.....	1
Abdominal tuberculosis	32	2	.....	1	.....	1	.....	2	9	7	7	2	1	.....	.....	.....	.....
Pott's disease	8	.....	.....	.....	.....	.....	.....	1	3	1	2	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	1	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	5	.....	1	.....	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Venereal diseases	24	11	.....	.....	.....	.....	.....	.....	1	7	2	2	.....	.....	.....	.....	1
Cancer	329	.....	.....	.....	1	.....	.....	.....	11	43	55	92	73	44	9	.....	1
Tumor	10	.....	.....	1	.....	.....	.....	.....	1	3	2	2	.....	1	.....	.....	.....
Rheumatism	38	.....	1	.....	.....	2	2	6	3	2	2	9	5	4	2	.....	.....
Diabetes	33	.....	.....	.....	.....	.....	.....	3	1	5	3	7	8	5	1	.....	.....
Anemia, leukemia	37	4	1	.....	.....	1	6	3	9	8	4	12	7	1	1	.....	.....
Alcoholism	32	.....	.....	.....	.....	.....	.....	.....	7	9	5	6	4	1	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	7	2	.....	.....	.....	.....	.....	2	.....	3	.....	.....	.....	.....	.....	.....	.....
Encephalitis	34	6	1	3	1	3	.....	2	2	7	5	1	1	1	1	.....	.....
Meningitis	166	48	24	9	8	5	20	17	11	10	4	3	7	.....	.....	.....	.....
Apoplexy	322	25	9	4	6	.....	3	6	8	22	41	64	70	50	13	1	.....
Softening of brain	34	.....	.....	.....	.....	.....	.....	.....	1	1	2	7	9	12	2	.....	.....
Paralysis	103	3	1	1	.....	.....	1	.....	6	5	9	18	33	20	5	1	.....
Epilepsy	21	.....	.....	.....	.....	1	.....	2	6	8	1	1	2	.....	.....	.....	.....
Convulsions	192	138	34	9	5	2	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	69	52	.....	.....	.....	.....	4	5	2	5	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	118	2	1	.....	1	.....	2	3	10	26	32	23	16	1	.....	.....	1
Pericarditis	17	.....	.....	1	1	.....	.....	1	3	3	4	.....	3	1	.....	.....	.....
Endocarditis	54	.....	.....	.....	1	2	9	3	8	6	6	8	5	4	2	.....	.....
Heart disease	505	1	1	.....	2	2	12	29	47	38	78	95	105	60	13	.....	2
Angina pectoris	22	.....	.....	.....	.....	.....	.....	.....	1	3	3	2	10	2	1	.....	.....
Embolism and thrombosis	24	.....	1	.....	.....	.....	1	.....	6	4	4	3	2	1	2	.....	.....
Other diseases of circulatory system	71	5	1	3	1	.....	1	3	5	8	14	10	9	7	4	.....	.....
Laryngitis	16	2	4	1	3	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	162	99	32	16	7	3	.....	1	1	.....	1	.....	1	.....	1	.....	.....
Chronic bronchitis	170	2	.....	.....	.....	.....	8	5	11	11	9	23	41	45	14	1	.....
Bronchopneumonia	61	17	11	4	5	1	5	2	2	.....	2	3	7	1	1	.....	.....
Pneumonia	1,058	135	68	34	22	4	26	30	107	111	143	123	148	70	34	.....	3
Pleurisy	30	2	1	1	.....	.....	.....	.....	5	9	3	3	5	1	.....	.....	.....
Congestion of lungs	71	16	4	2	1	.....	2	4	7	6	7	11	4	6	.....	.....	1
Other diseases of respiratory system	130	5	1	5	4	.....	.....	7	10	11	4	21	38	18	4	1	1
Tonsilitis	11	.....	2	4	.....	.....	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	126	7	3	.....	1	.....	1	3	13	22	20	23	19	10	4	.....	.....
Diarrhea and enteritis	545	308	67	8	7	1	10	8	15	25	15	25	34	14	6	2	.....
Hernia and intestinal obstructions	75	7	2	1	2	.....	3	3	3	9	8	15	8	10	2	1	1
Cirrhosis of liver	135	.....	.....	.....	.....	.....	.....	.....	2	21	32	42	24	11	3	.....	.....
Other diseases of liver	68	6	1	1	.....	.....	.....	3	3	12	10	7	19	5	.....	.....	1
Peritonitis	112	9	.....	.....	.....	.....	5	16	18	34	17	9	2	2	.....	.....	.....
Appendicitis	51	.....	.....	.....	1	.....	5	17	12	4	8	2	2	.....	.....	.....	.....
Other diseases of digestive system	59	23	12	3	.....	1	2	2	4	1	2	3	6	.....	.....	.....	.....
Acute nephritis	14	2	.....	.....	1	1	.....	.....	1	2	2	2	1	2	.....	.....	.....
Bright's disease	671	5	2	5	4	5	13	15	42	86	116	143	139	70	22	1	3
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	2	.....	.....	.....	.....	.....
Ovarian tumor	9	.....	.....	.....	.....	.....	.....	1	1	4	1	1	.....	1	.....	.....	.....
Other diseases of genito-urinary system	79	1	.....	.....	.....	.....	.....	.....	13	17	9	11	10	15	3	.....	.....
Puerperal septicemia	25	.....	.....	.....	.....	.....	.....	2	10	10	2	.....	.....	1	.....	.....	.....
Other causes incident to childbirth	30	.....	.....	.....	.....	.....	.....	1	14	10	5	.....	.....	.....	.....	.....	.....
Diseases of skin	38	6	.....	.....	.....	.....	1	1	.....	.....	4	4	6	13	3	.....	.....
Diseases of locomotor system	12	.....	1	2	.....	3	.....	.....	1	.....	4	.....	1	.....	.....	.....	.....
Malformations	62	57	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	93	93	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	434	434	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	475	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	78	215	150	32	.....
Suicide	129	.....	.....	.....	.....	.....	.....	7	32	28	20	27	13	2	.....	.....	.....
Other violence	523	7	6	13	9	9	23	66	136	86	77	37	26	17	5	.....	6
Ill-defined causes	432	175	31	5	8	3	13	18	17	22	25	35	35	26	14	1	4

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

ST. PAUL, MINN.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,632	373	69	21	20	16	61	95	134	180	168	136	133	156	63	7	.....
Typhoid fever	35	.....	.....	1	1	.....	2	8	8	6	5	4	.....	.....	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	8	1	.....	1	2	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	12	10	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	61	3	1	6	7	8	23	13	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	.....
Cholera nostras	3	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
Dysentery	9	5	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Erysipelas	5	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	9	1	.....	.....	.....	.....	.....	2	1	1	2	1	1	.....	.....	.....	.....
Tuberculosis—total	245	15	6	3	.....	3	7	27	61	62	34	17	2	8	.....	.....	.....
Tuberculosis of lungs	197	6	3	1	.....	2	3	16	53	58	31	14	2	8	.....	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	23	8	3	2	.....	1	2	4	3	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	13	.....	.....	.....	.....	.....	.....	7	1	2	1	2	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
General tuberculosis	6	1	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	5	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Cancer	99	.....	.....	.....	.....	.....	.....	1	8	9	19	23	22	14	3	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Rheumatism	8	.....	.....	.....	.....	.....	4	.....	.....	1	.....	.....	1	1	1	.....	.....
Diabetes	15	.....	.....	.....	.....	.....	1	.....	3	4	1	1	3	2	.....	.....	.....
Anemia, leukemia	14	1	.....	.....	.....	.....	.....	1	1	5	3	2	1	.....	.....	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
Encephalitis	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	52	20	10	2	1	.....	7	3	1	2	5	.....	.....	1	.....	.....	.....
Apoplexy	58	.....	.....	.....	.....	.....	1	.....	.....	2	6	16	16	13	3	1	.....
Softening of brain	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....
Paralysis	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	2	2	.....	.....
Epilepsy	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Convulsions	61	50	7	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	21	2	1	.....	.....	.....	1	.....	.....	5	5	3	1	3	.....	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Heart disease	95	2	.....	.....	.....	.....	.....	5	5	5	19	13	18	21	5	2	.....
Angina pectoris	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	1	.....	.....	.....
Embolism and thrombosis	7	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	1	.....	.....	.....	.....
Other diseases of circulatory system	13	2	.....	.....	.....	.....	.....	2	1	.....	.....	3	.....	4	1	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	20	14	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Chronic bronchitis	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	5	.....	.....
Bronchopneumonia	18	4	5	2	.....	.....	.....	.....	1	1	.....	2	1	2	.....	.....	.....
Pneumonia	121	27	9	2	1	1	5	4	7	13	18	9	10	13	2	.....	.....
Pleurisy	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Congestion of lungs	5	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....
Other diseases of respiratory system	11	2	1	.....	.....	.....	.....	.....	1	2	1	1	3	.....	.....	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	21	8	2	.....	.....	.....	.....	.....	.....	2	.....	2	2	3	1	1	.....
Diarrhea and enteritis	109	85	17	1	.....	.....	1	.....	1	1	1	.....	1	.....	1	.....	.....
Hernia and intestinal obstructions	15	3	.....	.....	.....	.....	.....	2	1	3	1	3	.....	1	1	.....	.....
Cirrhosis of liver	13	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	1	4	1	.....	.....
Other diseases of liver	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Peritonitis	24	1	.....	.....	.....	.....	1	3	6	8	3	.....	2	.....	.....	.....	.....
Appendicitis	21	1	.....	.....	.....	1	1	9	4	3	1	.....	.....	.....	1	.....	.....
Other diseases of digestive system	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	.....	.....	.....	.....
Acute nephritis	13	1	.....	.....	2	.....	.....	2	2	3	1	1	1	.....	.....	.....	.....
Bright's disease	92	3	.....	.....	.....	.....	.....	3	8	12	19	15	14	15	3	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of genito-urinary system	14	.....	.....	.....	.....	.....	.....	.....	.....	3	2	1	2	5	1	.....	.....
Puerperal septicemia	6	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	7	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....	.....	.....	.....	.....
Diseases of skin	5	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	2	.....	.....
Diseases of locomotor system	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	9	7	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Premature birth	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	65	65	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	48	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	17	21	3	.....
Suicide	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Other violence	21	2	1	1	.....	.....	2	1	.....	4	3	1	2	2	2	.....	.....
Ill-defined causes	51	24	3	1	.....	.....	1	.....	3	.....	.....	1	4	10	4	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

SAN FRANCISCO, CAL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,053	906	155	86	64	53	144	241	755	866	923	888	970	723	227	32	20
Typhoid fever	104	.....	.....	.....	1	2	12	12	27	25	16	5	3	.....	1	.....	.....
Malarial fever	15	.....	.....	.....	.....	.....	1	1	6	2	1	2	1	1	.....	.....	.....
Smallpox	5	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	1	.....	.....	.....
Measles	13	3	5	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	11	1	1	3	3	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	30	16	7	2	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	82	5	5	7	14	11	30	8	.....	.....	1	.....	.....	.....	.....	1	.....
Influenza	33	8	1	.....	.....	.....	.....	.....	1	2	2	7	2	7	3	.....	.....
Cholera nostras	4	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
Dysentery	84	.....	.....	.....	.....	.....	1	4	53	15	4	3	2	2	.....	.....	.....
Erysipelas	15	1	1	.....	.....	.....	.....	.....	.....	.....	3	4	5	1	.....	.....	.....
Other epidemic diseases [1]	24	.....	.....	.....	.....	.....	1	2	3	7	7	3	1	.....	.....	.....	.....
Septicemia	51	3	.....	2	1	.....	1	4	7	9	6	13	2	2	1	.....	.....
Tuberculosis—total	1,132	35	20	8	11	7	18	62	281	272	192	119	77	28	1	.....	1
Tuberculosis of lungs	974	14	3	1	2	1	5	52	256	253	179	109	71	26	1	.....	1
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1	1	.....	.....	.....	.....
Tuberculous meningitis	75	15	11	7	8	4	11	2	7	4	4	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	36	1	4	.....	.....	1	1	6	7	7	6	2	.....	1	.....	.....	.....
Pott's disease	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	1	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
White swelling	4	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	14	1	1	.....	.....	1	.....	1	3	3	.....	2	2	.....	.....	.....	.....
General tuberculosis	17	4	1	.....	1	.....	.....	1	3	2	2	1	2	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	26	10	.....	.....	.....	.....	.....	2	1	2	7	3	.....	1	.....	.....	.....
Cancer	401	3	.....	.....	1	.....	.....	1	9	30	77	90	122	63	4	.....	1
Tumor	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Rheumatism	23	.....	.....	.....	.....	.....	.....	5	1	2	5	4	2	4	.....	.....	.....
Diabetes	49	.....	.....	.....	1	.....	1	1	2	1	4	13	18	7	1	.....	.....
Anemia, leukemia	21	1	.....	.....	.....	.....	2	.....	5	3	3	3	2	2	.....	.....	.....
Alcoholism	74	.....	.....	.....	.....	.....	1	.....	9	19	16	14	9	4	.....	.....	2
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	1	.....	.....	.....
Other general diseases	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....
Encephalitis	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	145	53	23	16	2	3	11	6	10	5	6	2	3	5	.....	.....	.....
Apoplexy	242	4	1	1	1	.....	.....	1	5	15	18	40	76	58	19	2	1
Softening of brain	34	.....	.....	.....	.....	.....	.....	.....	.....	1	5	5	8	11	4	.....	.....
Paralysis	17	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	3	7	4	2	.....	.....
Epilepsy	10	.....	.....	.....	.....	.....	1	3	3	1	1	1	.....	.....	.....	.....	.....
Convulsions	55	35	4	5	3	1	2	.....	2	1	.....	1	.....	1	.....	.....	.....
Tetanus	6	1	.....	.....	.....	.....	.....	3	.....	1	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	73	1	1	.....	1	.....	2	1	7	12	10	13	15	7	3	.....	.....
Pericarditis	25	2	.....	.....	.....	.....	2	1	2	1	3	8	4	2	.....	.....	.....
Endocarditis	88	5	.....	.....	.....	.....	3	5	7	15	12	13	17	8	2	.....	1
Heart disease	619	5	.....	.....	.....	.....	4	21	33	57	74	110	157	124	31	1	2
Angina pectoris	24	.....	.....	.....	.....	.....	.....	1	.....	3	2	6	4	8	.....	.....	.....
Embolism and thrombosis	36	.....	.....	.....	.....	.....	.....	1	1	4	7	5	11	6	1	.....	.....
Other diseases of circulatory system	144	1	.....	1	.....	1	.....	1	3	4	22	25	39	34	11	1	1
Laryngitis	7	1	.....	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	100	50	12	5	1	2	2	1	.....	2	3	5	8	7	1	1	.....
Chronic bronchitis	120	4	1	.....	.....	.....	2	1	3	2	11	18	22	39	15	2	.....
Bronchopneumonia	230	75	28	11	6	6	7	3	7	10	18	12	22	20	4	.....	1
Pneumonia	416	27	6	2	1	2	7	12	36	63	81	80	57	28	14	.....	.....
Pleurisy	26	.....	1	1	.....	.....	.....	.....	3	2	7	4	5	2	1	.....	.....
Congestion of lungs	100	10	2	1	.....	1	.....	1	5	14	11	12	16	18	7	2	.....
Other diseases of respiratory system	46	1	.....	2	1	.....	1	.....	2	4	8	10	5	8	4	.....	.....
Tonsilitis	6	.....	.....	.....	1	2	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
Diseases of stomach	68	8	1	1	.....	1	1	2	6	9	12	9	10	4	4	.....	.....
Diarrhea and enteritis	276	173	13	5	5	3	5	6	19	15	9	6	8	6	3	.....	.....
Hernia and intestinal obstructions	43	8	2	1	.....	.....	1	1	2	5	7	4	6	5	1	.....	.....
Cirrhosis of liver	155	.....	.....	.....	.....	.....	1	.....	6	21	34	42	30	18	2	1	.....
Other diseases of liver	32	.....	.....	.....	.....	.....	.....	1	4	5	6	4	9	3	.....	.....	.....
Peritonitis	57	3	1	.....	.....	.....	2	7	12	14	5	5	5	1	1	1	.....
Appendicitis	48	1	.....	.....	1	.....	4	7	15	10	2	4	3	1	.....	.....	.....
Other diseases of digestive system	30	6	2	1	.....	.....	2	.....	4	3	4	1	5	2	.....	.....	.....
Acute nephritis	54	4	.....	.....	.....	1	1	1	9	10	9	6	9	4	.....	.....	.....
Bright's disease	309	2	.....	.....	.....	1	1	6	20	23	57	70	76	47	6	.....	.....
Calculi of urinary tract	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	72	4	.....	.....	.....	.....	.....	.....	9	13	10	4	13	13	6	.....	.....
Puerperal septicemia	22	.....	.....	.....	.....	.....	.....	1	11	9	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	11	.....	.....	.....	.....	.....	.....	.....	6	4	1	.....	.....	.....	.....	.....	.....
Diseases of skin	24	3	1	.....	.....	.....	.....	.....	2	.....	2	5	3	4	3	1	.....
Diseases of locomotor system	16	5	.....	.....	.....	.....	.....	.....	.....	1	3	4	2	.....	1	.....	.....
Malformations	44	36	4	1	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Premature birth	26	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	203	203	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	142	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	60	55	17	.....
Suicide	79	.....	.....	.....	.....	.....	.....	1	19	18	20	8	5	5	.....	.....	3
Other violence	402	12	4	1	5	4	9	36	68	80	79	42	37	16	2	.....	7
Ill-defined causes	148	49	8	2	.....	1	1	2	3	11	11	11	17	17	13	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

SCRANTON, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,082	488	140	99	83	56	125	113	171	169	135	157	162	110	40	1	33
Typhoid fever	35				1		3	7	12	4	4	1	3				
Malarial fever	5	1			1					2		1					
Smallpox																	
Measles	5	1	2			1	1										
Scarlet fever	98	4	12	16	20	10	23	12		1							
Whooping cough	2	2															
Diphtheria and croup	139	5	25	22	21	17	40	6	1	1							1
Influenza	10									1	1	1	5	1	1		
Cholera nostras	6											1	3	2			
Dysentery	16	4	3			1			2	1		1	2	2			
Erysipelas	7	2	1							1	1		1		1		
Other epidemic diseases[1]																	
Septicemia	14	3					1	1	2	1	3	1					2
Tuberculosis—total	109		3	3	1	2	1	8	35	21	16	9	5	2			3
Tuberculosis of lungs	101		3	2	1	1	1	6	34	20	16	7	5	2			3
Tuberculosis of larynx																	
Tuberculous meningitis	3			1		1		1									
Abdominal tuberculosis	4							1	1			2					
Pott's disease																	
Tuberculous abscess																	
White swelling	1									1							
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula																	
Venereal diseases	2									1	1						
Cancer	37						1	1	1	3	5	10	7	8			1
Tumor	1							1									
Rheumatism	11			1				3	1	1	2	1	1	1			
Diabetes	11							1	1		1	4	3		1		
Anemia, leukemia	8	2	1						1	1		1	2				
Alcoholism	2									1				1			
Chronic poisonings																	
Other general diseases	1								1								
Encephalitis	4	2			1								1				
Meningitis	47	10	7	5	2	3	5	1	3	5	1	3	1				1
Apoplexy	56	3	1			1			2	1	8	11	14	8	4		3
Softening of brain																	
Paralysis	21									1	3	4	9	4			
Epilepsy	3							1		1							1
Convulsions	131	92	15	7	5	3	4		1	1	1						2
Tetanus	6	1					2	2	1								
Other diseases of nervous system	21	1	1				1			2	6	2	4	3			1
Pericarditis	2							1					1				
Endocarditis	13						1	2	1		2	2	3	2			
Heart disease	70		1		1		4	4	6	2	16	13	10	6	2		5
Angina pectoris	10							2		1		4	2		1		
Embolism and thrombosis	5	1							2			1	1				
Other diseases of circulatory system	18	5					1	2	3	3	1	1	1	1			
Laryngitis	1						1										
Acute bronchitis	52	30	8	3	5					1	1	1	1	1	1		
Chronic bronchitis	14	1					1			3		2	4	1	2		
Bronchopneumonia	44	16	7	7		2	2	1		1	2	2	3		1		
Pneumonia	204	29	11	10	6	6	6	13	24	22	22	18	24	10	1		2
Pleurisy	17		1	1	1	2		2	1	4		1	4				
Congestion of lungs	15	3		2	1		1			2		3	1	2			
Other diseases of respiratory system	13		1	1			1	2		2		2	4				
Tonsilitis	1						1										
Diseases of stomach	23	3	1						3	1	2	5	3	3	1		1
Diarrhea and enteritis	184	122	26	4	6		1	1		5		8	5	4	2		
Hernia and intestinal obstructions	17	1	1		1					1	3	1	4	4			1
Cirrhosis of liver	19								2	1	1	4	6	3	1		1
Other diseases of liver	5								1		1		2	1			
Peritonitis	30	2	1		1			7	6	11	2						
Appendicitis	6							1	2	1			1				1
Other diseases of digestive system	5				1				1	1	1		1				
Acute nephritis	20	1			1	3	3	1	3	3	1	3	1				
Bright's disease	75	3	1	3	2	3	7	7	3	13	6	11	7	7	1		1
Calculi of urinary tract																	
Uterine tumor																	
Ovarian tumor																	
Other diseases of genito-urinary system	10								1	3	1		3				2
Puerperal septicemia	3							2		1							
Other causes incident to childbirth	7							1	4	2							
Diseases of skin	7		1					1	1			2	1	1			
Diseases of locomotor system	2						1				1						
Malformations	6	5	1														
Premature birth	38	38															
Congenital debility	58	58															
Old age	29													17	12		
Suicide	9								2	1	2	2		1			1
Other violence	159	5	1	9	4	1	9	18	41	32	12	13	4	6	1		3
Ill-defined causes	83	32	7	5	1	1	3	1		1	5	7	4	8	7	1	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

SYRACUSE, N. Y.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,642	276	63	30	16	13	48	76	142	174	162	182	203	162	83	12	.....
Typhoid fever	32	.....	.....	.....	1	.....	3	4	12	6	2	2	2	.....	.....	.....	.....
Malarial fever	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	12	4	4	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	12	4	2	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	21	.....	1	5	3	2	7	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	11	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	7	.....	.....	.....	.....
Cholera nostras	5	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	2	.....	.....	1	.....
Dysentery	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Erysipelas	6	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....
Tuberculosis—total	200	4	4	1	.....	1	5	17	60	44	28	21	12	2	.....	1	.....
Tuberculosis of lungs	171	2	2	.....	.....	.....	4	14	54	40	26	19	9	.....	.....	1	.....
Tuberculosis of larynx	3	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Tuberculous meningitis	7	1	2	.....	.....	1	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Abdominal tuberculosis	12	1	.....	.....	.....	.....	.....	2	3	2	.....	1	2	1	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	87	.....	.....	.....	.....	.....	.....	.....	3	7	20	21	22	11	3	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....
Rheumatism	10	.....	.....	.....	.....	.....	2	1	.....	2	1	1	1	2	.....	.....	.....
Diabetes	11	.....	.....	.....	.....	.....	.....	2	1	.....	1	3	1	3	.....	.....	.....
Anemia, leukemia	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	1	.....	.....	.....
Alcoholism	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	53	14	11	1	4	.....	2	8	4	1	2	3	2	1	.....	.....	.....
Apoplexy	82	5	.....	.....	.....	.....	.....	.....	.....	1	8	9	25	30	4	.....	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Paralysis	21	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	7	4	7	.....	.....
Epilepsy	3	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Convulsions	31	21	4	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	25	1	.....	.....	.....	.....	.....	.....	3	3	6	6	2	3	1	.....	.....
Pericarditis	6	.....	.....	.....	.....	.....	1	2	.....	2	.....	1	.....	.....	.....	.....	.....
Endocarditis	26	.....	.....	.....	.....	.....	2	1	1	5	1	7	5	3	.....	1	.....
Heart disease	100	2	.....	.....	.....	.....	.....	7	2	12	14	20	17	18	7	1	.....
Angina pectoris	9	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	3	1	.....	.....	.....
Embolism and thrombosis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	16	2	1	.....	.....	.....	.....	2	1	.....	5	3	2	.....	.....	.....	.....
Laryngitis	3	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	21	12	2	1	.....	.....	2	.....	.....	.....	.....	1	1	1	1	.....	.....
Chronic bronchitis	25	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	8	8	4	.....	.....
Bronchopneumonia	27	7	7	5	1	.....	.....	.....	.....	.....	.....	2	1	2	2	.....	.....
Pneumonia	102	6	8	6	.....	2	4	3	6	18	11	7	14	14	2	1	.....
Pleurisy	6	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	1	.....	.....	.....
Congestion of lungs	11	3	.....	.....	.....	.....	.....	.....	1	2	.....	.....	3	.....	2	.....	.....
Other diseases of respiratory system	5	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	1	.....	.....
Tonsilitis	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	24	3	.....	.....	.....	.....	1	.....	1	2	1	4	3	7	2	.....	.....
Diarrhea and enteritis	116	74	13	4	.....	2	.....	.....	1	5	3	5	7	2	.....	.....	.....
Hernia and intestinal obstructions	22	1	.....	.....	.....	.....	.....	.....	1	2	5	6	3	1	2	1	.....
Cirrhosis of liver	8	.....	.....	.....	.....	.....	.....	.....	2	3	.....	1	2	.....	.....	.....	.....
Other diseases of liver	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....
Peritonitis	15	2	.....	.....	.....	.....	.....	3	2	2	3	3	.....	.....	.....	.....	.....
Appendicitis	12	.....	.....	.....	.....	.....	.....	4	4	3	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	11	2	.....	.....	.....	.....	.....	1	1	1	3	.....	2	.....	1	.....	.....
Acute nephritis	15	1	.....	.....	.....	.....	.....	1	3	3	3	1	2	1	.....	.....	.....
Bright's disease	104	2	.....	.....	.....	.....	1	.....	7	10	18	21	21	17	7	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	17	.....	.....	.....	.....	.....	.....	.....	4	4	2	4	2	1	.....	.....	.....
Puerperal septicemia	6	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....
Diseases of locomotor system	6	1	.....	.....	.....	.....	.....	1	.....	1	2	.....	1	.....	.....	.....	.....
Malformations	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	39	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	45	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	57	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	16	32	6	.....
Suicide	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
Other violence	72	1	.....	.....	2	3	8	11	10	12	7	9	5	4	.....	.....	.....
Ill-defined causes	38	12	2	1	.....	2	1	2	2	3	3	2	3	2	3	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

TOLEDO, OHIO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,088	477	106	56	50	42	82	107	163	149	197	182	207	174	83	11	2
Typhoid fever	54	.....	1	1	.....	2	5	12	12	8	5	8	.....	.....	.....	.....	.....
Malarial fever	12	3	.....	.....	1	.....	2	2	.....	.....	1	2	.....	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	7	3	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	25	.....	1	4	4	6	8	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	10	4	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	114	3	21	20	16	13	32	5	1	2	1	.....	.....	.....	.....	.....	.....
Influenza	35	5	.....	1	.....	.....	.....	1	3	3	2	5	9	6	.....	.....	.....
Cholera nostras	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Dysentery	8	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	2	.....	.....
Erysipelas	9	1	.....	1	.....	.....	.....	1	.....	.....	.....	2	1	2	1	.....	.....
Other epidemic diseases [1]	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	16	1	.....	.....	.....	1	.....	1	4	2	2	1	3	1	.....	.....	.....
Tuberculosis—total	196	6	4	1	2	.....	3	19	65	36	33	11	10	6	.....	.....	.....
Tuberculosis of lungs	168	4	1	1	1	.....	1	16	63	30	26	11	8	6	.....	.....	.....
Tuberculosis of larynx	3	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Tuberculous meningitis	6	2	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	8	.....	1	.....	.....	.....	1	3	1	1	1	.....	.....	.....	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....
General tuberculosis	7	.....	.....	.....	.....	.....	.....	.....	.....	3	3	.....	1	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	5	2	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Cancer	68	.....	.....	1	.....	.....	.....	.....	1	2	16	26	18	4	.....	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....
Rheumatism	12	.....	.....	.....	.....	.....	.....	.....	1	.....	5	2	3	.....	1	.....	.....
Diabetes	14	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	5	3	4	.....	.....	.....
Anemia, leukemia	8	.....	.....	1	1	.....	.....	.....	.....	1	1	2	.....	2	.....	.....	.....
Alcoholism	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Encephalitis	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	45	15	5	3	1	1	4	8	2	1	1	2	2	.....	.....	.....	.....
Apoplexy	69	5	1	.....	.....	.....	1	.....	1	7	6	7	20	16	4	1	.....
Softening of brain	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Paralysis	27	.....	.....	.....	.....	.....	1	1	.....	2	.....	5	8	5	5	.....	.....
Epilepsy	11	.....	.....	.....	.....	.....	.....	.....	5	1	1	.....	2	2	.....	.....	.....
Convulsions	56	53	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	59	.....	2	1	.....	.....	1	.....	3	6	13	14	13	4	1	1	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....
Endocarditis	11	.....	.....	.....	.....	.....	1	.....	2	2	3	3	.....	.....	.....	.....	.....
Heart disease	92	2	.....	.....	.....	.....	2	6	2	6	14	16	23	19	2	.....	.....
Angina pectoris	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....
Embolism and thrombosis	4	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	14	5	.....	.....	.....	.....	.....	1	.....	1	1	3	2	1	.....	.....	.....
Laryngitis	4	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	23	11	6	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Chronic bronchitis	19	1	.....	.....	.....	.....	2	.....	.....	.....	1	1	3	6	5	.....	.....
Bronchopneumonia	27	9	3	1	1	1	1	1	.....	.....	.....	.....	2	3	4	.....	1
Pneumonia	131	25	7	9	6	2	4	6	8	10	18	9	12	9	6	.....	.....
Pleurisy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Congestion of lungs	12	3	1	.....	2	.....	.....	1	.....	.....	3	.....	1	1	.....	.....	.....
Other diseases of respiratory system	11	.....	.....	.....	2	1	.....	.....	.....	.....	2	1	2	3	.....	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	25	10	.....	.....	.....	1	1	.....	.....	1	2	2	5	2	1	.....	.....
Diarrhea and enteritis	169	112	32	4	2	4	.....	2	1	2	2	2	3	2	.....	1	.....
Hernia and intestinal obstructions	12	.....	1	.....	.....	.....	.....	.....	.....	.....	3	2	4	2	.....	.....	.....
Cirrhosis of liver	22	.....	.....	.....	.....	.....	.....	1	1	3	4	5	6	2	.....	.....	.....
Other diseases of liver	19	2	1	.....	.....	1	.....	1	2	3	3	2	2	1	1	.....	.....
Peritonitis	16	.....	.....	.....	.....	.....	1	3	4	3	4	.....	.....	1	.....	.....	.....
Appendicitis	13	.....	.....	.....	.....	.....	1	1	2	4	3	1	1	.....	.....	.....	.....
Other diseases of digestive system	14	4	3	.....	.....	.....	.....	1	.....	.....	2	1	1	1	1	.....	.....
Acute nephritis	6	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....
Bright's disease	53	.....	.....	.....	1	.....	2	2	2	4	8	8	8	13	5	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	20	.....	.....	.....	.....	.....	.....	1	1	2	3	2	2	6	3	.....	.....
Puerperal septicemia	17	.....	.....	.....	.....	.....	.....	3	9	3	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	12	.....	.....	.....	.....	.....	.....	1	6	5	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	13	3	1	.....	1	.....	.....	1	.....	1	1	.....	3	1	1	.....	.....
Diseases of locomotor system	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Malformations	25	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	51	51	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	78	78	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	70	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	27	32	5	.....
Suicide	7	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	1	.....	.....	.....
Other violence	123	5	3	1	5	2	6	16	14	17	13	19	8	7	5	2	.....
Ill-defined causes	73	25	6	2	1	2	.....	2	1	2	7	4	12	6	2	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1900—Continued.

[For city of Washington see table for District of Columbia (page 92), with which it is coextensive for census purposes.]

WORCESTER, MASS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,176	508	137	62	33	31	69	75	197	178	171	198	208	184	111	13	1
Typhoid fever	30						1	5	11	3	8	2					
Malarial fever	5								1	1	1		1	1			
Smallpox																	
Measles	31	11	11	3	1	4	1										
Scarlet fever	37	2	8	8	6	2	11										
Whooping cough	29	18	7	2			2										
Diphtheria and croup	56	2	6	17	7	7	14	2						1			
Influenza	26								1	1	3	2	8	6	4	1	
Cholera nostras	2											1	1				
Dysentery	17	3			1	1				1	1	2	4	2	2		
Erysipelas	9	6								1	1				1		
Other epidemic diseases[1]																	
Septicemia	7	1						1	1	1		1	1		1		
Tuberculosis—total	273	9	13	8	3	3	5	21	74	70	33	20	11	3			
Tuberculosis of lungs	244	6	6	3	1	3	3	19	69	69	33	20	10	2			
Tuberculosis of larynx	1								1								
Tuberculous meningitis	19	3	7	4	2		1		2								
Abdominal tuberculosis	6			1				1	2				1	1			
Pott's disease	2							1		1							
Tuberculous abscess																	
White swelling	1						1										
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula	1				1												
Venereal diseases																	
Cancer	74		1					1	1	2	10	23	25	10	1		
Tumor	2											1		1			
Rheumatism	13					1	2		2	2	1	1	2	2			
Diabetes	18							1	1	5	2	3	3	3			
Anemia, leukemia	10		1			1			3	1		4					
Alcoholism	5								1	3			1				
Chronic poisonings																	
Other general diseases	4							1	1		2						
Encephalitis	4	1	1						1				1				
Meningitis	56	14	13	2	1	5	7	3	3	2	2	1	3				
Apoplexy	70								2	3	11	12	21	12	8	1	
Softening of brain	2											1			1		
Paralysis	17		1							2	1	3	3	3	4		
Epilepsy	8								4	2	1	1					
Convulsions	28	15	6	2	1		2		1			1					
Tetanus	1	1															
Other diseases of nervous system	23	1			1			2	1	5	3	1	5	3	1		
Pericarditis	1												1				
Endocarditis	21						1	2	2	1	5	4	2	2	2		
Heart disease	148	3			1		5	8	9	9	15	29	22	31	15	1	
Angina pectoris	4										2		1	1			
Embolism and thrombosis	7	1							1	1	1			2	1		
Other diseases of circulatory system	12	1							2	2		1	4	1	1		
Laryngitis	1		1														
Acute bronchitis	28	18	6	2		1							1				
Chronic bronchitis	26								1		2	3	5	12	3		
Bronchopneumonia	62	14	7	4	2		3		1	4	1	5	7	11	3		
Pneumonia	186	21	20	10	4	4	3	6	15	20	17	25	18	14	9		
Pleurisy	4							1			2		1				
Congestion of lungs	9	2		1					1				1	4			
Other diseases of respiratory system	13								1	1	2	4	2		3		
Tonsilitis																	
Diseases of stomach	21	3	3	1			1		5	1	1	2		4			
Diarrhea and enteritis	213	145	25	2	4	1	1		2	1	5	5	8	8	4	2	
Hernia and intestinal obstructions	9	2										5	1	1			
Cirrhosis of liver	14									2	1	6	4	1			
Other diseases of liver	8									2	1	1	2	1	1		
Peritonitis	9							2	2	3	1	1					
Appendicitis	10							2	1	2	4		1				
Other diseases of digestive system	4	2										1		1			
Acute nephritis	9						2	1	2		1	2		1			
Bright's disease	62						1	1	9	5	12	10	9	11	4		
Calculi of urinary tract	1											1					
Uterine tumor	7									2	3	1	1				
Ovarian tumor	3								1		1			1			
Other diseases of genito-urinary system	19								2	2		2	4	5	4		
Puerperal septicemia	5								4	1							
Other causes incident to childbirth	8								6	1	1						
Diseases of skin	9						2	1		1	1	1	1	1	1		
Diseases of locomotor system	2						1				1						
Malformations	10	10															
Premature birth	84	84															
Congenital debility	92	92															
Old age	57												4	14	32	7	
Suicide	11							1	1	2	3	1	2	1			
Other violence	88	14	1			1	4	13	17	10	8	5	9	4	1		1
Ill-defined causes	41	12	6						3			3	7	5	4	1	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1900.

THE REGISTRATION AREA.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	539,939	46,648	45,134	55,580	53,505	45,971	37,893	47,434	46,526	42,232	40,040	37,704	41,194	78
Under 5	164,137	12,537	12,834	14,849	13,981	12,514	11,545	19,377	18,362	15,806	12,302	9,847	10,170	13
5 to 14	24,822	2,144	2,077	2,314	2,196	2,258	1,888	2,101	1,935	1,807	2,024	2,037	2,041	.....
15 to 44	133,028	11,838	11,307	13,504	13,382	11,970	9,829	10,334	10,288	9,786	10,152	9,888	10,730	20
45 to 64	99,461	9,157	8,481	10,926	10,453	8,802	6,837	7,431	7,285	6,804	7,328	7,427	8,520	10
65 and over	116,564	10,814	10,294	13,798	13,332	10,269	7,592	8,052	8,485	7,875	8,075	8,366	9,603	9
Typhoid fever	11,044	834	637	721	632	599	520	669	1,133	1,399	1,492	1,255	1,153	.....
Under 15	1,969	133	112	139	131	123	116	104	175	257	256	210	213	.....
15 to 44	7,357	546	434	483	408	373	327	459	769	940	1,010	840	768	.....
45 to 64	1,330	109	69	77	71	82	57	85	135	160	175	166	144	.....
65 and over	345	43	22	19	21	18	19	21	50	37	41	31	23	.....
Malarial fever	2,434	89	117	130	125	165	167	209	311	390	372	219	140	.....
Under 5	586	8	21	25	33	49	51	53	83	103	91	46	23	.....
5 to 14	235	9	13	10	10	13	13	19	35	30	37	27	19	.....
15 to 44	784	36	38	42	46	49	54	64	97	114	122	73	49	.....
45 to 64	428	21	25	27	15	29	25	35	53	71	58	42	27	.....
65 and over	393	15	20	26	21	25	24	37	39	70	63	31	22	.....
Measles	3,865	422	501	669	587	575	406	281	130	50	63	98	143	.....
Under 5	3,107	351	404	493	472	462	331	232	104	42	49	70	97	.....
5 and over	752	69	97	116	115	112	74	49	25	8	14	27	46	.....
Scarlet fever	3,135	398	403	380	336	331	233	169	134	103	164	218	266	.....
Under 5	1,923	260	248	254	205	204	137	84	78	64	96	130	163	.....
5 and over	1,208	138	155	126	131	125	96	85	56	37	68	88	103	.....
Whooping cough	3,719	269	283	381	407	378	355	392	380	264	199	175	236	.....
Under 5	3,545	258	273	360	380	361	336	381	363	257	191	165	220	.....
5 and over	166	9	10	18	27	17	19	11	16	7	8	9	15	.....
Diphtheria and croup	13,314	1,535	1,316	1,191	1,004	932	767	646	626	835	1,337	1,597	1,527	1
Under 5	8,181	1,006	871	814	670	629	452	351	380	449	724	891	943	1
5 to 14	4,538	464	390	316	283	257	289	262	226	342	556	644	509	.....
15 and over	580	63	55	60	51	46	26	32	19	43	54	58	73	.....
Influenza	7,031	519	715	1,854	2,291	750	214	94	61	51	62	120	298	2
Under 5	757	82	107	193	203	63	20	9	6	3	10	24	37	.....
5 to 14	135	17	19	30	29	19	4	4	.....	2	1	3	7	.....
15 to 44	1,007	87	119	247	293	106	36	17	15	9	12	20	46	.....
45 to 64	1,451	103	141	394	476	146	48	20	12	12	16	21	64	1
65 and over	3,657	228	327	983	1,283	418	104	43	28	24	23	52	143	1
All other epidemic diseases [1]	6,578	362	397	445	484	443	396	831	1,127	944	584	296	268	1
Under 5	2,031	106	112	127	129	128	140	274	362	301	182	96	73	1
5 to 14	252	6	9	12	19	18	30	36	42	35	27	11	7	.....
15 to 44	1,324	112	142	153	154	120	82	111	129	104	84	58	75	.....
45 to 64	1,187	77	67	67	83	104	64	161	204	150	93	64	53	.....
65 and over	1,764	60	66	85	97	73	79	247	387	350	194	67	59	.....
Tuberculosis of lungs	55,504	4,886	4,707	5,667	5,477	5,202	4,219	4,372	4,307	3,976	4,149	4,129	4,406	7
Under 5	1,946	144	164	200	206	206	172	160	170	150	152	108	105	.....
5 to 14	1,457	99	109	170	159	168	109	124	129	94	88	107	101	.....
15 to 44	38,392	3,393	3,271	3,799	3,718	3,543	2,932	3,082	3,014	2,762	2,912	2,897	3,064	5
45 to 64	10,266	938	863	1,094	1,001	944	754	778	754	734	770	772	863	1
65 and over	3,320	304	287	392	382	331	240	217	229	218	218	240	262	.....
Other forms of tuberculosis	6,384	514	527	643	630	570	547	557	530	490	492	450	434	.....
Under 5	2,473	191	203	256	268	219	226	215	216	223	179	142	135	.....
5 to 14	752	63	58	75	72	83	70	70	59	50	57	48	47	.....
15 to 44	2,129	173	184	225	196	183	177	187	171	130	165	173	165	.....
45 to 64	699	54	55	59	60	58	60	59	61	57	62	52	62	.....
65 and over	315	33	23	27	32	26	14	23	21	28	29	35	24	.....
Cancer	19,381	1,581	1,452	1,778	1,722	1,632	1,545	1,649	1,680	1,595	1,554	1,597	1,595	1
Under 15	206	11	19	14	25	15	18	19	22	11	11	12	29	.....
15 to 44	3,435	262	266	317	300	299	283	284	277	295	284	283	285	.....
45 to 64	9,268	764	682	836	815	754	716	787	812	757	757	779	809	.....
65 and over	6,422	539	483	610	580	558	523	554	568	524	499	517	467	.....
Meningitis	12,578	996	1,032	1,269	1,301	1,245	1,002	1,253	1,142	1,002	872	714	750	.....
Under 5	8,264	620	678	773	813	781	629	904	817	708	590	459	492	.....
5 to 14	1,633	135	125	182	184	183	121	144	129	124	112	98	96	.....
15 to 44	1,774	164	157	196	218	191	167	135	126	112	100	103	105	.....
45 to 64	561	47	40	71	59	62	59	45	37	33	42	29	37	.....
65 and over	322	29	31	41	25	27	24	24	31	24	25	22	19	.....
Apoplexy and paralysis	28,722	2,717	2,535	2,986	2,709	2,518	2,124	2,204	2,220	2,025	2,081	2,175	2,426	2
Under 15	1,640	145	131	143	137	143	107	170	163	147	146	109	99	.....
15 to 44	2,836	245	247	279	273	277	227	226	228	182	213	203	236	.....
45 to 64	8,944	842	781	947	794	777	657	696	664	619	655	733	778	1
65 and over	15,216	1,480	1,371	1,606	1,501	1,308	1,129	1,107	1,157	1,071	1,055	1,122	1,308	1
Other diseases of nervous system	22,932	2,029	1,861	2,182	2,252	2,061	1,736	2,177	1,944	1,772	1,668	1,543	1,707	.....
Under 5	11,472	992	952	1,140	1,158	1,015	875	1,142	926	886	816	753	817	.....
5 to 14	847	83	77	64	62	84	68	121	80	76	40	48	44	.....
15 to 44	3,792	319	318	345	365	348	295	336	338	271	283	251	323	.....
45 to 64	3,471	304	264	313	329	319	242	317	302	285	295	244	257	.....
65 and over	3,273	323	243	314	328	288	248	260	291	248	230	237	263	.....

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1900—Continued.

THE REGISTRATION AREA—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	34,210	3,139	3,017	3,496	3,354	3,031	2,510	2,571	2,409	2,350	2,640	2,689	3,001	3
Under 5	1,122	119	105	114	105	106	70	101	83	80	82	78	79	.....
5 to 14	1,031	79	100	98	100	105	81	97	80	74	74	60	83	.....
15 to 44	6,556	577	549	616	615	599	509	490	473	480	568	514	566	.....
45 to 64	11,044	1,049	966	1,104	1,063	971	804	846	741	758	850	870	1,021	1
65 and over	14,334	1,312	1,286	1,555	1,461	1,242	1,034	1,026	1,021	945	1,052	1,153	1,245	2
Other diseases of circulatory system	11,069	1,045	985	1,204	1,164	1,008	836	766	769	710	812	797	973	.....
Under 5	699	57	59	89	101	67	59	58	51	46	42	32	38	.....
5 to 14	554	47	40	60	65	50	58	44	32	33	32	47	46	.....
15 to 44	2,773	298	266	246	293	243	223	183	191	213	190	199	228	.....
45 to 64	3,315	314	286	368	348	293	233	234	226	213	252	241	307	.....
65 and over	3,701	325	333	441	357	351	262	245	267	199	292	277	352	.....
Bronchitis, acute and chronic	14,059	1,588	1,737	2,157	1,946	1,210	735	525	469	554	775	994	1,368	1
Under 5	7,484	922	1,065	1,139	1,033	662	378	243	228	254	367	484	708	1
5 to 14	273	30	31	37	29	25	10	11	3	19	21	29	28	.....
15 to 44	802	86	68	89	72	71	67	57	39	51	53	70	79	.....
45 to 64	1,506	145	167	228	200	103	83	66	55	70	102	131	156	.....
65 and over	3,977	405	404	662	606	349	195	147	142	160	232	280	395	.....
Bronchopneumonia	6,733	716	765	1,157	1,097	589	325	265	217	265	289	395	653	.....
Under 5	4,562	485	549	757	731	386	235	206	165	173	196	259	420	.....
5 to 14	253	20	26	33	28	25	16	5	13	12	13	12	30	.....
15 to 44	413	47	36	64	61	40	21	14	13	27	20	26	44	.....
45 to 64	554	54	59	89	108	46	23	16	12	23	29	34	61	.....
65 and over	941	109	93	193	167	92	30	24	14	28	31	63	97	.....
Pneumonia	48,780	6,058	6,341	8,594	7,956	4,710	2,232	1,427	1,101	1,185	2,047	2,848	4,277	4
Under 5	16,606	2,114	2,377	2,630	2,274	1,686	939	600	440	424	735	1,007	1,360	.....
5 to 14	2,023	249	244	316	258	236	110	82	47	55	118	124	184	.....
15 to 44	11,051	1,308	1,336	1,959	1,910	1,040	512	330	267	315	451	658	965	.....
45 to 64	9,611	1,205	1,210	1,783	1,727	928	357	214	183	193	364	560	886	1
65 and over	9,372	1,169	1,161	1,867	1,760	813	311	201	159	196	371	491	872	1
Other diseases of respiratory system	9,260	958	984	1,170	1,008	861	592	548	462	535	626	665	851	.....
Under 5	2,149	216	260	283	241	195	124	117	104	114	142	152	201	.....
5 to 14	424	45	52	55	42	38	29	25	15	27	29	31	36	.....
15 to 44	2,136	212	197	235	218	230	161	142	117	154	144	156	170	.....
45 to 64	2,137	219	222	262	222	184	138	134	125	119	155	151	206	.....
65 and over	2,388	264	252	329	282	211	137	129	101	120	154	174	235	.....
Diarrhea and enteritis	40,985	1,008	922	1,025	1,112	1,393	2,937	9,978	9,453	7,194	3,456	1,482	1,025	.....
Under 2	33,479	602	520	629	719	968	2,419	8,931	8,179	6,077	2,749	1,052	634	.....
2 to 4	1,709	47	58	58	74	76	115	327	384	325	136	57	52	.....
5 to 14	497	30	33	23	17	24	50	72	94	55	43	27	29	.....
15 to 44	1,305	101	105	99	93	105	100	134	148	140	100	90	90	.....
45 to 64	1,476	90	70	99	90	97	111	184	213	170	148	105	99	.....
65 and over	2,456	134	135	115	118	122	136	318	420	415	273	151	119	.....
Other diseases of digestive system	28,622	2,328	2,158	2,533	2,573	2,585	2,131	2,444	2,541	2,427	2,481	2,146	2,268	7
Under 5	5,017	367	389	440	422	415	355	448	492	525	453	368	341	2
5 to 14	1,718	147	133	125	155	154	109	179	182	155	143	111	125	.....
15 to 44	8,948	775	663	783	831	843	723	742	766	717	742	653	708	2
45 to 64	7,085	560	525	676	647	649	523	606	588	546	632	543	590	.....
65 and over	5,767	474	442	503	516	519	414	458	500	479	502	464	494	2
Bright's disease and nephritis	27,377	2,472	2,320	2,750	2,663	2,366	2,053	2,063	2,027	1,998	2,097	2,165	2,403	.....
Under 5	957	103	87	97	72	67	76	95	64	86	94	80	75	.....
5 to 14	786	79	65	79	78	89	52	53	60	42	64	69	56	.....
15 to 44	7,388	672	667	716	707	604	568	562	501	565	598	589	639	.....
45 to 64	9,751	901	787	997	961	848	698	734	738	692	744	763	888	.....
65 and over	8,435	714	709	854	839	754	656	654	660	608	589	659	739	.....
Childbirth	4,106	367	351	491	454	420	319	308	335	257	266	255	283	.....
Under 15	6	.....	.....	.....	1	1	1	1	.....	.....	2	.....	.....	.....
15 to 44	4,043	365	342	485	450	418	312	303	327	253	259	249	280	.....
45 and over	41	1	8	1	2	1	5	4	6	4	4	3	2	.....
Suicide	3,534	282	233	283	355	360	285	348	305	296	268	253	265	1
Under 15	9	1	2	.....	2	1	1	2	.....	.....	.....	.....	.....	.....
15 to 44	1,969	166	127	164	201	183	162	194	167	153	160	145	147	.....
45 to 64	1,134	83	78	90	118	125	87	111	103	103	72	74	90	.....
65 and over	392	29	24	28	32	49	31	37	32	38	36	32	24	.....
Other violence	25,995	1,984	1,764	1,912	1,907	2,181	2,398	3,092	2,980	2,114	1,918	1,805	1,912	28
Under 5	3,889	341	293	331	343	312	326	406	402	297	286	267	285	.....
5 to 14	2,474	123	130	120	143	241	292	413	344	211	153	138	166	.....
15 to 44	11,767	867	811	844	858	1,022	1,094	1,396	1,334	1,009	878	793	852	9
45 to 64	4,668	385	306	361	322	378	382	549	517	375	359	354	375	5
65 and over	2,798	239	210	237	216	202	202	298	341	190	213	237	213	.....
All other causes	88,588	7,552	7,074	8,572	7,959	7,856	6,309	7,596	7,733	7,451	7,276	6,624	6,566	20
Under 5	40,175	2,978	2,886	3,470	3,166	3,296	2,948	3,884	4,061	4,015	3,754	2,985	2,726	8
5 to 14	1,517	138	124	158	133	140	120	122	132	112	115	116	107	.....
15 to 44	10,089	924	850	1,008	986	982	739	832	750	742	742	774	756	4
45 to 64	9,430	880	798	970	932	898	705	745	743	655	687	686	731	.....
65 and over	26,929	2,581	2,369	2,906	2,707	2,487	1,775	1,981	2,020	1,902	1,950	2,028	2,221	2

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1900—Continued.

REGISTRATION CITIES.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	398,786	34,736	33,713	41,087	39,047	33,638	28,742	36,557	33,863	29,800	28,952	27,945	30,661	45
Under 5	129,452	10,059	10,316	11,889	11,203	10,018	9,686	16,114	13,865	11,244	9,248	7,717	8,084	9
5 to 14	18,791	1,633	1,577	1,721	1,694	1,731	1,488	1,625	1,450	1,334	1,467	1,526	1,545	.....
15 to 44	104,966	9,388	8,926	10,656	10,429	9,306	7,833	8,190	8,089	7,634	8,038	7,892	8,574	11
45 to 64	74,948	6,988	6,454	8,277	7,780	6,505	5,128	5,658	5,459	5,058	5,497	5,689	6,449	6
65 and over	69,517	6,571	6,341	8,422	7,848	5,981	4,469	4,897	4,918	4,449	4,632	5,060	5,926	3
Typhoid fever	7,843	601	473	565	508	448	431	532	836	938	936	809	766	.....
Under 15	1,365	94	83	106	102	98	92	79	141	164	138	136	132	.....
15 to 44	5,397	412	328	387	339	285	279	376	572	644	672	570	533	.....
45 to 64	866	72	50	59	53	53	47	64	95	105	101	81	86	.....
65 and over	186	20	12	10	13	10	12	13	25	22	19	18	12	.....
Malarial fever	1,761	62	83	89	87	119	139	159	220	280	271	157	95	.....
Under 5	452	5	16	18	29	37	45	38	61	81	67	36	19	.....
5 to 14	180	9	10	5	5	12	9	14	29	21	30	21	15	.....
15 to 44	588	26	26	36	32	39	45	54	76	81	90	51	32	.....
45 to 64	317	15	23	14	11	17	21	28	36	54	47	33	18	.....
65 and over	219	7	8	16	10	14	19	24	17	41	36	16	11	.....
Measles	2,955	357	389	477	448	422	323	216	97	38	34	60	94	.....
Under 5	2,570	312	342	413	391	370	279	191	84	35	33	47	73	.....
5 and over	383	43	47	64	57	52	44	25	13	3	1	13	21	.....
Scarlet fever	2,500	328	322	301	270	274	190	139	110	82	132	153	199	.....
Under 5	1,591	220	207	207	171	181	110	74	69	51	77	100	124	.....
5 and over	909	108	115	94	99	93	80	65	41	31	55	53	75	.....
Whooping cough	2,812	201	214	299	336	276	263	285	288	197	152	121	180	.....
Under 5	2,691	191	205	286	318	264	249	279	278	191	147	115	168	.....
5 and over	117	9	9	12	18	12	14	6	9	6	5	6	11	.....
Diphtheria and croup	10,849	1,263	1,086	1,000	855	812	661	533	495	676	1,053	1,219	1,195	1
Under 5	6,893	831	732	714	597	569	404	297	318	385	598	699	748	1
5 to 14	3,550	382	316	246	222	208	242	213	165	263	420	482	391	.....
15 and over	400	49	38	40	36	35	15	22	12	28	34	37	54	.....
Influenza	4,283	304	451	1,213	1,389	407	112	45	31	27	34	69	201	.....
Under 5	496	57	65	129	144	38	9	6	2	2	3	15	26	.....
5 to 14	83	9	9	22	20	10	2	2	.....	.....	1	2	6	.....
15 to 44	753	62	95	191	217	77	27	9	11	7	9	14	34	.....
45 to 64	1,026	70	102	285	332	100	34	10	6	8	11	15	53	.....
65 and over	1,915	105	179	583	673	181	39	18	12	10	10	23	82	.....
All other epidemic diseases[1]	4,474	279	323	359	397	377	330	590	673	422	321	196	206	1
Under 5	1,309	74	89	99	102	106	119	186	191	137	97	59	49	1
5 to 14	189	4	7	12	17	18	27	26	33	17	14	8	6	.....
15 to 44	1,113	97	121	135	140	109	69	93	102	65	71	49	62	.....
45 to 64	902	63	53	52	73	89	54	131	146	87	60	49	45	.....
65 and over	962	41	52	60	65	55	60	152	200	116	77	31	43	.....
Tuberculosis of lungs	42,691	3,757	3,598	4,377	4,157	3,932	3,212	3,344	3,303	3,079	3,245	3,244	3,439	4
Under 5	1,466	111	127	142	164	157	135	117	131	113	115	74	80	.....
5 to 14	1,114	74	86	140	122	121	81	92	91	67	64	88	88	.....
15 to 44	30,380	2,672	2,600	3,095	2,904	2,773	2,315	2,399	2,385	2,199	2,337	2,318	2,471	2
45 to 64	7,756	719	614	851	750	692	548	604	562	564	597	607	647	1
65 and over	1,905	175	165	231	210	183	127	125	128	131	129	156	145	.....
Other forms of tuberculosis	4,942	407	418	506	495	440	437	432	421	359	368	338	321	.....
Under 5	2,040	164	172	217	228	177	199	171	177	169	139	124	103	.....
5 to 14	609	51	42	62	57	73	55	52	49	42	48	38	40	.....
15 to 44	1,625	145	142	165	144	133	136	148	135	102	124	129	122	.....
45 to 64	484	33	45	44	42	40	39	43	48	33	42	34	41	.....
65 and over	175	14	15	17	23	16	8	16	12	12	15	13	14	.....
Cancer	13,672	1,097	1,045	1,272	1,183	1,144	1,089	1,164	1,199	1,114	1,086	1,146	1,132	1
Under 15	154	8	14	12	19	12	15	13	16	7	5	9	24	.....
15 to 44	2,788	215	209	271	229	235	228	237	226	241	226	239	232	.....
45 to 64	6,881	576	515	621	594	560	522	562	613	557	574	584	603	.....
65 and over	3,825	296	306	367	340	332	322	351	343	305	281	312	270	.....
Meningitis	9,645	746	795	975	1,033	960	807	992	840	732	629	548	588	.....
Under 5	6,429	485	539	600	668	614	527	737	598	516	428	340	377	.....
5 to 14	1,247	98	92	128	137	137	100	110	102	95	82	83	83	.....
15 to 44	1,340	111	112	158	169	144	124	100	92	82	76	85	87	.....
45 to 64	404	35	28	59	42	45	41	27	28	23	28	23	25	.....
65 and over	213	17	23	27	16	19	15	18	19	15	13	16	15	.....
Apoplexy and paralysis	18,724	1,790	1,696	1,948	1,742	1,642	1,366	1,461	1,451	1,282	1,327	1,448	1,571	.....
Under 15	1,191	95	97	111	102	95	87	138	115	99	103	77	72	.....
15 to 44	2,186	198	195	212	212	214	168	178	177	132	155	160	185	.....
45 to 64	6,566	636	600	691	569	558	488	506	489	456	462	557	554	.....
65 and over	8,735	859	800	925	856	770	622	638	666	590	600	652	757	.....
Other diseases of nervous system	16,802	1,505	1,385	1,589	1,640	1,505	1,292	1,676	1,373	1,255	1,198	1,123	1,261	.....
Under 5	9,237	818	778	915	920	810	725	943	721	690	656	599	662	.....
5 to 14	602	53	54	42	42	54	51	96	61	55	25	38	31	.....
15 to 44	2,795	238	227	252	256	259	222	258	241	195	204	194	249	.....
45 to 64	2,402	219	184	221	239	221	163	228	211	188	189	169	170	.....
65 and over	1,719	170	138	156	174	155	124	150	138	123	123	120	148	.....

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1900—Continued.

REGISTRATION CITIES—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	23,255	2,181	2,149	2,385	2,285	2,011	1,664	1,712	1,581	1,583	1,809	1,815	2,079	1
Under 5	779	78	71	84	72	64	47	77	58	56	58	56	58	.....
5 to 14	856	69	80	78	90	88	66	78	64	61	60	51	71	.....
15 to 44	5,373	474	455	503	516	480	415	390	381	390	485	424	460	.....
45 to 64	8,166	811	754	801	804	683	558	620	547	582	619	637	750	.....
65 and over	8,024	748	781	913	798	692	573	543	527	488	581	643	736	1
Other diseases of circulatory system	8,405	808	718	893	876	783	629	581	577	538	636	627	739	.....
Under 5	523	42	45	70	76	57	43	41	38	30	30	22	29	.....
5 to 14	484	42	36	49	57	46	50	38	29	31	26	39	41	.....
15 to 44	2,304	242	213	202	240	207	191	153	160	169	165	169	193	.....
45 to 64	2,619	251	222	298	274	240	175	185	172	167	200	197	238	.....
65 and over	2,464	231	202	274	229	231	170	163	178	138	212	199	237	.....
Bronchitis, acute and chronic	11,127	1,296	1,406	1,701	1,500	914	583	406	377	432	617	806	1,089	.....
Under 5	6,194	779	896	942	833	531	313	200	191	202	317	401	589	.....
5 to 14	224	26	25	32	24	20	8	10	3	18	15	21	22	.....
15 to 44	679	77	51	74	61	58	58	49	35	46	43	58	69	.....
45 to 64	1,242	114	140	192	159	87	71	52	44	54	88	114	127	.....
65 and over	2,780	300	294	461	421	218	131	95	102	112	154	212	280	.....
Bronchopneumonia	5,318	546	597	903	863	444	261	221	180	236	233	305	529	.....
Under 5	3,755	390	444	613	612	321	195	168	135	156	167	207	347	.....
5 to 14	197	15	21	42	17	17	12	5	12	11	10	12	23	.....
15 to 44	336	35	30	46	53	31	17	13	12	26	14	20	39	.....
45 to 64	434	37	44	75	86	33	17	16	10	18	24	24	50	.....
65 and over	596	68	57	126	95	42	20	19	11	23	18	42	69	.....
Pneumonia	38,391	4,773	4,977	6,610	5,913	3,621	1,824	1,181	922	964	1,653	2,364	3,396	3
Under 5	13,974	1,795	1,996	2,214	1,877	1,431	805	520	383	355	622	870	1,106	.....
5 to 14	1,568	196	195	230	191	178	89	73	37	44	89	99	147	.....
15 to 44	8,994	1,073	1,075	1,574	1,471	811	423	285	229	273	398	558	824	.....
45 to 64	7,510	936	951	1,353	1,278	704	303	173	159	165	302	466	719	1
65 and over	6,088	766	750	1,228	1,081	492	202	130	110	126	238	368	596	1
Other diseases of respiratory system	6,943	718	749	870	758	628	440	420	350	402	475	493	640	.....
Under 5	1,584	163	191	212	181	132	91	90	78	79	107	112	148	.....
5 to 14	309	30	41	32	34	28	23	16	11	23	21	25	25	.....
15 to 44	1,730	170	165	193	173	177	123	118	94	121	122	129	145	.....
45 to 64	1,688	171	174	210	170	142	113	108	98	96	120	121	165	.....
65 and over	1,613	182	177	219	198	146	89	88	69	82	104	105	154	.....
Diarrhea and enteritis	31,082	804	722	794	876	1,124	2,618	8,490	6,834	4,610	2,293	1,106	811	.....
Under 2	25,858	501	438	511	589	808	2,217	7,661	6,000	3,954	1,843	801	535	.....
2 to 4	1,218	38	45	52	55	64	95	290	250	184	91	44	40	.....
5 to 14	335	24	17	17	12	21	36	58	64	29	25	14	18	.....
15 to 44	1,046	82	83	70	78	79	81	111	112	116	83	78	73	.....
45 to 64	1,109	67	54	72	69	73	89	148	159	112	113	78	75	.....
65 and over	1,492	89	85	70	73	78	97	246	246	211	137	91	69	.....
Other diseases of digestive system	20,624	1,670	1,570	1,858	1,846	1,872	1,602	1,810	1,759	1,655	1,798	1,566	1,613	5
Under 5	3,665	264	291	334	314	328	283	360	353	322	320	247	247	2
5 to 14	1,229	93	92	90	118	116	90	136	120	106	100	79	89	.....
15 to 44	7,123	609	528	632	623	659	591	606	592	562	613	550	553	1
45 to 64	5,249	407	397	498	480	472	393	451	421	389	480	413	448	.....
65 and over	3,306	294	257	300	306	293	240	253	266	274	279	273	270	1
Bright's disease and nephritis	21,444	1,969	1,814	2,159	2,067	1,806	1,614	1,631	1,538	1,571	1,669	1,708	1,898	.....
Under 5	767	87	70	71	62	58	61	44	49	68	72	62	63	.....
5 to 14	635	61	56	63	66	67	45	45	44	38	48	56	46	.....
15 to 44	6,272	571	555	604	589	503	482	472	418	495	533	505	545	.....
45 to 64	8,000	746	646	824	792	686	575	610	585	570	621	630	715	.....
65 and over	5,720	502	482	591	553	489	449	457	440	398	392	452	524	.....
Childbirth	3,019	285	264	353	326	284	247	226	247	197	193	188	209	.....
Under 15	5	.....	.....	.....	1	.....	1	1	.....	.....	2	.....	.....	.....
15 to 44	2,981	283	260	349	324	283	240	223	242	195	189	186	207	.....
45 and over	25	1	4	1	1	1	5	2	3	2	2	1	2	.....
Suicide	2,759	218	178	220	276	268	226	278	239	233	204	200	218	1
Under 15	5	1	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....
15 to 44	1,649	127	97	140	172	160	138	165	140	128	136	120	126	.....
45 to 64	861	70	66	61	87	88	66	87	77	77	52	58	72	.....
65 and over	222	17	13	19	13	20	19	21	20	26	16	21	17	.....
Other violence	19,654	1,524	1,315	1,382	1,404	1,652	1,813	2,378	2,317	1,588	1,421	1,397	1,447	16
Under 5	2,912	264	216	226	251	238	235	318	308	220	212	214	210	.....
5 to 14	1,879	93	89	89	119	189	215	316	262	166	118	110	113	.....
15 to 44	9,168	684	629	643	663	790	840	1,088	1,062	771	681	634	678	5
45 to 64	3,688	313	240	271	241	294	296	451	431	293	272	280	302	4
65 and over	1,753	153	131	142	117	125	140	187	234	118	123	151	132	.....
All other causes	63,002	5,247	4,976	5,989	5,517	5,473	4,569	5,655	5,605	5,310	5,165	4,739	4,745	12
Under 5	31,602	2,282	2,227	2,698	2,424	2,548	2,391	3,182	3,245	3,112	2,938	2,370	2,180	5
5 to 14	1,051	88	91	97	95	108	84	83	96	77	78	79	75	.....
15 to 44	7,784	709	663	751	762	746	588	633	577	565	578	612	597	3
45 to 64	6,703	621	544	719	630	620	508	550	519	456	489	512	535	.....
65 and over	15,592	1,515	1,414	1,683	1,584	1,419	989	1,190	1,151	1,087	1,074	1,145	1,341	.....

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1900—Continued.

RURAL PART OF REGISTRATION STATES.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	141,153	11,912	11,421	14,493	14,458	12,333	9,151	10,877	12,663	12,432	11,088	9,759	10,533	33
Under 5	34,685	2,478	2,518	2,900	2,778	2,496	1,839	3,263	4,497	4,562	3,054	2,130	2,086	4
5 to 14	6,031	511	500	593	502	527	400	476	485	473	557	511	496	.....
15 to 44	28,062	2,450	2,381	2,848	2,953	2,664	1,996	2,144	2,199	2,152	2,114	1,996	2,156	9
45 to 64	24,513	2,169	2,027	2,649	2,673	2,297	1,709	1,773	1,826	1,746	1,831	1,738	2,071	4
65 and over	47,047	4,243	3,953	5,376	5,484	4,288	3,123	3,155	3,567	3,426	3,443	3,306	3,677	6
Typhoid fever	3,201	233	164	156	124	151	89	137	297	461	556	446	387	.....
Under 15	604	39	29	33	29	25	24	25	34	93	118	74	81	.....
15 to 44	1,960	134	106	96	69	88	48	83	197	296	338	270	235	.....
45 to 64	464	37	19	18	18	29	10	21	40	55	74	85	58	.....
65 and over	159	23	10	9	8	8	7	8	25	15	22	13	11	.....
Malarial fever	673	27	34	41	38	46	28	50	91	110	101	62	45	.....
Under 5	134	3	5	7	4	12	6	15	22	22	24	10	4	.....
5 to 14	55	.....	3	5	5	1	4	5	6	9	7	6	4	.....
15 to 44	196	10	12	6	14	10	9	10	21	33	32	22	17	.....
45 to 64	111	6	2	13	4	12	4	7	17	17	11	9	9	.....
65 and over	174	8	12	10	11	11	5	13	22	29	27	15	11	.....
Measles	910	65	112	132	139	153	83	65	33	12	29	38	49	.....
Under 5	537	39	62	80	81	92	52	41	20	7	16	23	24	.....
5 and over	369	26	50	52	58	60	30	24	12	5	13	14	25	.....
Scarlet fever	635	70	81	79	66	57	43	30	24	21	32	65	67	.....
Under 5	332	40	41	47	34	23	27	10	9	13	19	30	39	.....
5 and over	299	30	40	32	32	32	16	20	15	6	13	35	28	.....
Whooping cough	907	68	69	82	71	102	92	107	92	67	47	54	56	.....
Under 5	854	67	68	74	62	97	87	102	85	66	44	50	52	.....
5 and over	49	.....	1	6	9	5	5	5	7	1	3	3	4	.....
Diphtheria and croup	2,465	272	230	191	149	120	106	113	131	139	284	378	332	.....
Under 5	1,288	175	139	100	73	60	48	54	62	64	126	192	195	.....
5 to 14	988	82	74	70	61	49	47	49	61	79	136	162	118	.....
15 and over	180	14	17	20	15	11	11	10	7	15	20	21	19	.....
Influenza	2,748	215	264	641	902	343	102	49	30	24	28	51	97	2
Under 5	261	25	42	64	59	25	11	3	4	1	7	9	11	.....
5 to 14	52	8	10	8	9	9	2	2	.....	2	.....	1	1	.....
15 to 44	254	25	24	56	76	29	9	8	4	2	3	6	12	.....
45 to 64	425	33	39	109	144	43	14	10	6	4	5	6	11	1
65 and over	1,742	123	148	400	610	237	65	25	16	14	13	29	61	1
All other epidemic diseases [1]	2,104	83	74	86	87	66	66	241	454	522	263	100	62	.....
Under 5	722	32	23	28	27	22	21	88	171	164	85	37	24	.....
5 to 14	63	2	2	.....	2	.....	3	10	9	18	13	3	1	.....
15 to 44	211	15	21	18	14	11	13	18	27	39	13	9	13	.....
45 to 64	285	14	14	15	10	15	10	30	58	63	33	15	8	.....
65 and over	812	19	14	25	32	18	19	95	187	234	117	36	16	.....
Tuberculosis of lungs	12,813	1,129	1,109	1,290	1,320	1,270	1,007	1,028	1,004	897	904	885	967	3
Under 5	480	33	37	58	42	49	37	43	39	46	37	34	25	.....
5 to 14	343	25	23	30	37	47	28	32	38	27	24	19	13	.....
15 to 44	8,012	721	671	794	814	770	617	683	629	563	575	579	593	3
45 to 64	2,510	219	249	243	251	252	206	174	192	170	173	165	216	.....
65 and over	1,415	129	122	161	172	148	113	92	101	87	89	84	117	.....
Other forms of tuberculosis	1,442	107	109	137	135	130	110	125	109	131	124	112	113	.....
Under 5	433	27	31	39	40	42	27	44	39	54	40	18	32	.....
5 to 14	143	12	16	13	15	10	15	18	10	8	9	10	7	.....
15 to 44	504	28	42	60	52	50	41	39	36	28	41	44	43	.....
45 to 64	215	21	10	15	18	18	21	16	13	24	20	18	21	.....
65 and over	140	19	8	10	9	10	6	7	9	16	14	22	10	.....
Cancer	5,709	484	407	506	539	488	456	485	481	481	468	451	463	.....
Under 15	52	3	5	2	6	3	3	6	6	4	6	3	5	.....
15 to 44	647	47	57	46	71	64	55	47	51	54	58	44	53	.....
45 to 64	2,387	188	167	215	221	194	194	225	199	200	183	195	206	.....
65 and over	2,597	243	177	243	240	226	201	203	225	219	218	205	197	.....
Meningitis	2,933	250	237	294	268	285	195	261	302	270	243	166	162	.....
Under 5	1,835	135	139	173	145	167	102	167	219	192	162	119	115	.....
5 to 14	386	37	33	54	47	46	21	34	27	29	30	15	13	.....
15 to 44	434	53	45	38	49	47	43	35	34	30	24	18	18	.....
45 to 64	157	12	12	12	17	17	18	18	9	10	14	6	12	.....
65 and over	109	12	8	14	9	8	9	6	12	9	12	6	4	.....
Apoplexy and paralysis	9,998	927	839	1,038	967	876	758	743	769	743	754	727	855	2
Under 15	449	50	34	32	35	48	20	32	48	48	43	32	27	.....
15 to 44	650	47	52	67	61	63	59	48	51	50	58	43	51	.....
45 to 64	2,378	206	181	256	225	219	169	190	175	163	193	176	224	1
65 and over	6,481	621	571	681	645	538	507	469	491	481	455	470	551	1
Other diseases of nervous system	6,130	524	476	593	612	556	444	501	571	517	470	420	446	.....
Under 5	2,235	174	174	225	238	205	150	199	205	196	160	154	155	.....
5 to 14	245	30	23	22	20	30	17	25	19	21	15	10	13	.....
15 to 44	997	81	91	93	109	89	73	78	97	76	79	57	74	.....
45 to 64	1,069	85	80	92	90	98	79	89	91	97	106	75	87	.....
65 and over	1,554	153	105	158	154	133	124	110	153	125	107	117	115	.....

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	10,955	958	868	1,111	1,069	1,020	846	859	828	767	831	874	922	2
Under 5	343	41	34	30	33	42	23	24	25	24	24	22	21	.....
5 to 14	175	10	20	20	10	17	15	19	16	13	14	9	12	.....
15 to 44	1,183	103	94	113	99	119	94	100	92	90	83	90	106	.....
45 to 64	2,878	238	212	303	259	288	246	226	194	176	231	233	271	1
65 and over	6,310	564	505	642	663	550	461	483	494	457	471	510	509	1
Other diseases of circulatory system	2,664	237	267	311	288	225	207	185	192	172	176	170	234	.....
Under 5	176	15	14	19	25	10	16	17	13	16	12	10	9	.....
5 to 14	70	5	4	11	8	4	8	6	3	2	6	8	5	.....
15 to 44	469	56	53	44	53	36	32	30	31	44	25	30	35	.....
45 to 64	696	63	64	70	74	53	58	49	54	46	52	44	69	.....
65 and over	1,237	94	131	167	128	120	92	82	89	61	80	78	115	.....
Bronchitis, acute and chronic	2,932	292	331	456	446	296	152	119	92	122	158	188	279	1
Under 5	1,290	143	169	197	200	131	65	43	37	52	50	83	119	1
5 to 14	49	4	6	5	5	5	2	1	.....	1	6	8	6	.....
15 to 44	123	9	17	15	11	13	9	8	4	5	10	12	10	.....
45 to 64	264	31	27	36	41	16	12	14	11	16	14	17	29	.....
65 and over	1,197	105	110	201	185	131	64	52	40	48	78	68	115	.....
Bronchopneumonia	1,415	170	168	254	234	145	64	44	37	29	36	90	124	.....
Under 5	807	95	105	144	119	65	40	38	30	17	29	52	73	.....
5 to 14	56	5	5	11	11	8	4	.....	1	1	3	.....	7	.....
15 to 44	77	12	6	18	8	9	4	1	1	1	6	6	5	.....
45 to 64	120	17	15	14	22	13	6	.....	2	5	5	10	11	.....
65 and over	351	41	36	67	72	50	10	5	3	5	13	21	28	.....
Pneumonia	10,579	1,285	1,394	1,984	2,043	1,089	408	246	179	221	394	484	881	1
Under 5	2,632	319	381	436	397	255	134	80	57	69	113	137	254	.....
5 to 14	455	53	49	86	67	58	21	9	10	11	29	25	37	.....
15 to 44	2,057	235	261	385	439	229	89	45	38	42	53	100	141	.....
45 to 64	2,101	269	259	430	449	224	54	41	24	28	62	94	167	.....
65 and over	3,284	403	411	639	679	321	109	71	49	70	133	123	276	.....
Other diseases of respiratory system	2,317	240	235	300	250	233	152	128	112	133	151	172	211	.....
Under 5	555	53	69	71	60	63	33	27	26	35	35	49	53	.....
5 to 14	115	15	11	23	8	10	6	9	4	4	8	6	11	.....
15 to 44	406	42	32	42	45	53	38	24	23	33	22	27	25	.....
45 to 64	449	48	48	52	52	42	25	26	27	23	35	30	41	.....
65 and over	775	82	75	110	84	65	48	41	32	38	50	60	81	.....
Diarrhea and enteritis	9,903	204	200	231	236	269	319	1,488	2,619	2,584	1,163	376	214	.....
Under 2	7,621	101	82	118	130	160	202	1,270	2,179	2,123	906	251	99	.....
2 to 4	491	9	13	6	19	12	20	67	134	141	45	13	12	.....
5 to 14	162	6	16	6	5	3	14	14	30	26	18	13	11	.....
15 to 44	259	19	22	29	15	26	19	23	36	24	17	12	17	.....
45 to 64	367	23	16	27	21	24	22	36	54	58	35	27	24	.....
65 and over	964	45	50	45	45	44	39	72	174	204	136	60	50	.....
Other diseases of digestive system	7,998	658	588	675	727	713	529	634	782	772	683	580	655	2
Under 5	1,352	103	98	106	108	87	72	88	139	203	133	121	94	.....
5 to 14	489	54	41	35	37	38	19	43	62	49	43	32	26	.....
15 to 44	1,825	166	135	151	204	184	132	136	174	155	129	103	155	1
45 to 64	1,836	153	128	178	167	177	130	155	167	157	152	130	142	.....
65 and over	2,461	180	185	203	210	226	174	205	234	205	223	191	224	1
Bright's disease and nephritis	5,933	503	506	591	596	560	439	432	489	427	428	457	505	.....
Under 5	190	16	17	26	10	9	15	12	15	18	22	18	12	.....
5 to 14	151	18	9	16	12	22	7	8	16	4	16	13	10	.....
15 to 44	1,116	101	112	112	118	101	86	90	83	70	65	84	94	.....
45 to 64	1,751	155	141	173	169	162	123	124	153	122	123	133	173	.....
65 and over	2,706	212	227	263	286	265	207	197	220	210	197	207	215	.....
Childbirth	1,087	82	87	138	128	136	72	82	88	60	73	67	74	.....
Under 15	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
15 to 44	1,062	82	82	136	126	135	72	80	85	58	70	63	73	.....
45 and over	16	.....	4	.....	1	.....	.....	2	3	2	2	2	.....	.....
Suicide	775	64	55	63	79	92	59	70	66	63	64	53	47	.....
Under 15	4	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
15 to 44	320	39	30	24	29	23	24	29	27	25	24	25	21	.....
45 to 64	273	13	12	29	31	37	21	24	26	26	20	16	18	.....
65 and over	170	12	11	9	19	29	12	16	12	12	20	11	7	.....
Other violence	6,341	460	440	530	503	529	585	714	663	526	497	408	465	12
Under 5	977	77	77	105	92	74	91	88	94	77	74	53	75	.....
5 to 14	595	30	41	31	24	52	77	97	82	45	35	28	53	.....
15 to 44	2,599	183	182	201	195	232	254	308	272	238	197	159	174	4
45 to 64	980	72	66	90	81	84	86	98	86	82	87	74	73	1
65 and over	1,045	86	79	95	99	77	62	111	107	72	90	86	81	.....
All other causes	25,586	2,305	2,098	2,583	2,442	2,383	1,740	1,941	2,128	2,141	2,111	1,885	1,821	8
Under 5	8,573	696	639	772	742	748	557	702	816	901	816	615	546	3
5 to 14	496	50	33	61	38	32	36	39	36	35	37	37	32	.....
15 to 44	2,305	215	187	257	224	236	151	199	173	177	164	162	159	1
45 to 64	2,727	259	254	251	302	278	197	195	224	199	198	174	196	.....
65 and over	11,337	1,096	955	1,223	1,123	1,068	786	791	899	815	876	883	880	2

TABLES FOR 1901.

Table 1.—Deaths in registration areas, by color, general nativity, parent nativity, and month.
Table 2.—Deaths in registration areas, at each age.
Table 3.—Deaths in registration areas, from certain principal diseases and classes of diseases.
Table 4.—Deaths in registration areas, at each age, by sex, color, general nativity, and parent nativity.
Table 5.—Deaths in registration areas, from each disease and class of diseases.
Table 6.—Deaths in the registration area, from each specified disease and class of diseases, by sex and age.
Table 7.—Deaths in registration states, from each specified disease and class of diseases, by age.
Table 8.—Deaths in cities of 100,000 population or over, at each specified age, from certain causes.
Table 9.—Deaths in registration areas, from certain specified causes, in each month, by certain divisions of age.

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR.

	REGISTRATION AREA.	Total	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.					
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.	Parentage not stated.		
	SUMMARIES.										
1	The registration area	518,207	147,366	77,427	35,932	25,210	8,308	2,083	44,721	131,780	10,815	34,365
2	Registration cities	385,396	81,254	65,550	24,875	18,384	3,636	1,458	40,637	109,536	7,861	32,204
3	Registration states	332,203	116,100	60,393	21,472	20,003	7,710	1,787	4,674	84,311	5,493	10,255
4	Cities in registration states	199,391	49,988	48,516	10,415	13,177	2,838	1,162	590	62,067	2,544	8,094
5	Rural part of registration states	132,812	66,112	11,877	11,057	6,826	4,872	625	4,084	22,244	2,954	2,161
6	Registration cities in other states	186,004	31,266	17,034	14,460	5,207	798	296	40,047	47,469	5,317	24,110
	REGISTRATION STATES.											
7	Connecticut	14,866	4,885	3,043	919	909	478	72	.....	3,913	293	354
8	District of Columbia	6,055	1,897	278	306	181	43	3	.....	616	33	2,698
9	Indiana	35,130	20,908	1,822	3,308	1,260	1,752	178	.....	3,601	1,017	1,194
10	Maine	11,215	6,416	943	1,064	680	464	37	.....	1,428	166	17
11	Massachusetts	48,205	14,631	11,261	1,970	3,566	1,373	376	.....	13,851	396	781
12	Michigan	32,852	11,657	5,071	1,992	2,856	945	304	.....	9,030	589	408
13	New Hampshire	6,956	2,929	949	828	372	373	31	.....	1,177	290	7
14	New Jersey	31,791	11,555	5,848	2,022	1,663	361	161	.....	8,166	357	1,658
15	New York	131,461	38,531	29,159	8,953	8,012	1,853	592	.....	39,420	2,089	2,852
16	Rhode Island	7,955	2,601	2,019	110	504	68	33	.....	2,302	50	268
17	Vermont	5,717	.....	.....	.....	.....	.....	.....	4,674	897	218	18
	REGISTRATION CITIES.											
18	Adams town, Mass	177	23	61	8	22	2	1	.....	60	.....	.....
19	Alameda, Cal	297	81	49	33	15	11	2	.....	100	3	3
20	Albany, N. Y	1,779	436	271	330	77	35	11	.....	538	58	23
21	Alexandria, Va	347	.....	.....	.....	.....	.....	.....	172	23	7	145
22	Allegheny, Pa	2,295	658	566	119	171	8	8	.....	650	25	90
23	Allentown, Pa	520	.....	.....	.....	.....	.....	.....	449	49	22	.....
24	Altoona, Pa	618	328	23	119	25	16	2	.....	79	24	2
25	Amesbury town, Mass	163	69	25	6	15	5	.....	.....	43	.....	.....
26	Amsterdam, N. Y	320	116	78	9	13	6	1	.....	91	2	4
27	Anderson, Ind	346	249	24	5	14	10	.....	.....	24	9	11
28	Ann Arbor, Mich	219	84	25	14	14	9	6	.....	59	4	4
29	Annapolis, Md	175	.....	.....	.....	.....	.....	.....	64	10	2	99
30	Ansonia, Conn	184	29	63	1	16	4	1	.....	61	2	7
31	Appleton, Wis	144	33	32	2	16	3	1	.....	56	1	.....
32	Arlington town, Mass	113	34	27	1	23	3	.....	.....	24	1	.....
33	Ashtabula, Ohio	214	24	54	70	1	4	.....	.....	50	10	1
34	Atlanta, Ga	2,014	.....	.....	.....	.....	.....	.....	818	53	17	1,126
35	Atlantic City, N. J	550	227	39	50	17	11	3	.....	78	6	119
36	Attleboro town, Mass	133	53	27	2	16	.....	.....	.....	34	1	.....
37	Auburn, N. Y	417	164	46	46	30	15	11	.....	89	4	12
38	Augusta, Me	269	96	22	60	11	19	1	.....	44	15	1
39	Aurora, Ill	370	116	72	45	26	.....	3	.....	101	4	3
40	Baltimore, Md	10,482	2,302	939	2,466	204	1	4	.....	1,901	40	2,605
41	Bangor, Me	397	126	58	58	26	9	3	.....	91	22	4
42	Barre, Vt	120	.....	.....	.....	.....	.....	.....	93	23	4	.....
43	Bath, Me	149	75	12	9	13	12	.....	.....	27	1	.....
44	Battle Creek, Mich	309	176	21	37	17	15	2	.....	29	6	6
45	Bay City, Mich	352	80	72	16	36	11	1	.....	127	7	2
46	Bayonne, N. J	581	106	225	10	38	2	3	.....	184	3	10
47	Bellaire, Ohio	194	93	21	9	15	3	.....	.....	29	10	14
48	Belleville, Ill	270	83	48	15	18	.....	.....	.....	89	9	8
49	Beloit, Wis	147	57	21	8	8	5	2	.....	43	2	1
50	Bennington town, Vt	137	.....	.....	.....	.....	.....	.....	99	25	10	3
51	Berlin, N. H	123	10	56	4	7	1	.....	.....	39	6	.....
52	Beverly, Mass	186	116	23	5	10	5	.....	.....	23	1	3
53	Biddeford, Me	327	81	117	17	21	4	1	.....	85	1	.....
54	Binghamton, N. Y	663	363	75	50	27	26	4	.....	93	13	12
55	Boston, Mass	11,297	2,459	3,025	323	860	256	163	.....	3,765	90	356
56	Bridgeport, Conn	1,231	334	344	50	63	20	10	.....	362	20	28
57	Bridgeton, N. J	181	112	2	37	2	9	.....	.....	7	2	10
58	Bristol town, Conn	121	43	22	12	6	5	.....	.....	31	2	.....
59	Brockton, Mass	538	195	109	38	49	25	3	.....	113	3	3
60	Brookline town, Mass	228	88	47	7	18	7	1	.....	57	.....	3
61	Buffalo, N. Y	5,518	1,173	1,548	226	454	61	48	.....	1,903	53	52
62	Burlington, Iowa	349	.....	.....	.....	.....	.....	.....	190	128	21	10
63	Burlington, Vt	331	.....	.....	.....	.....	.....	.....	250	73	7	1
64	Cambridge, Mass	1,535	358	391	18	124	30	6	.....	501	4	103
65	Camden, N. J	1,398	657	160	89	60	9	3	.....	222	20	178
66	Canton, Ohio	357	137	28	85	17	2	1	.....	81	6	.....
67	Carbondale, Pa	226	73	52	19	15	1	.....	.....	65	1	.....
68	Carlisle, Pa	182	132	1	2	.....	.....	.....	.....	9	8	30
69	Central Falls, R. I	301	48	115	1	24	.....	.....	.....	112	.....	1
70	Charleston, S. C	1,761	242	57	63	23	3	.....	.....	106	12	1,255
71	Chelsea, Mass	583	164	104	43	46	23	8	.....	181	5	9
72	Chicago, Ill	24,478	.....	.....	.....	.....	.....	.....	14,203	9,134	423	718
73	Chicopee, Mass	340	48	141	2	35	2	4	.....	108	.....	.....
74	Chillicothe, Ohio	244	119	14	22	11	13	.....	.....	40	3	22
75	Chippewa Falls, Wis	93	16	13	4	9	2	.....	.....	44	5	.....
76	Cincinnati, Ohio	6,401	1,682	1,045	761	325	42	6	.....	1,958	98	484
77	Cleveland, Ohio	5,963	1,330	1,615	462	228	11	27	.....	2,026	136	133

GENERAL NATIVITY, PARENT NATIVITY, AND MONTH: 1901.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
49,141	45,248	48,263	43,483	40,584	38,398	47,964	44,112	41,296	39,262	38,314	42,056	86	1
36,438	32,139	34,922	32,007	30,041	29,111	37,627	33,119	30,162	29,361	28,780	31,653	35	2
31,646	29,801	31,480	28,014	25,770	23,861	29,783	28,728	27,409	25,053	24,211	26,381	66	3
18,943	16,692	18,139	16,538	15,227	14,574	19,446	17,735	16,275	15,152	14,677	15,978	15	4
12,703	13,109	13,341	11,476	10,543	9,287	10,337	10,993	11,134	9,901	9,534	10,403	51	5
17,495	15,447	16,783	15,469	14,814	14,537	18,181	15,384	13,887	14,209	14,103	15,675	20	6
1,457	1,386	1,446	1,264	1,068	1,031	1,306	1,318	1,240	1,066	1,122	1,149	13	7
608	547	555	462	415	457	727	472	452	475	429	456	.....	8
3,494	3,426	3,302	2,995	2,516	2,315	3,272	2,997	2,844	2,698	2,509	2,754	8	9
958	1,097	1,132	965	946	812	839	842	903	889	829	904	9	10
4,388	4,288	4,613	4,009	3,720	3,402	3,709	4,344	4,230	3,803	3,733	3,904	2	11
3,123	3,086	3,393	2,894	2,733	2,346	2,396	2,562	2,838	2,460	2,349	2,658	14	12
565	679	690	584	576	520	532	559	616	553	533	549	.....	13
2,904	2,721	2,792	2,415	2,366	2,255	3,447	3,181	2,618	2,328	2,257	2,504	3	14
12,893	11,246	12,257	11,279	10,353	9,769	12,345	11,302	10,417	9,703	9,457	10,426	14	15
742	677	760	637	594	521	736	738	693	643	580	634	.....	16
514	648	540	510	483	433	414	413	468	435	413	443	3	17
12	9	19	16	17	8	16	33	15	14	5	13	.....	18
15	28	16	13	20	13	24	25	27	47	39	30	.....	19
189	162	164	163	139	155	141	135	140	127	125	139	.....	20
27	32	38	29	20	26	32	26	28	33	26	30	.....	21
185	179	219	172	166	183	255	191	153	162	178	252	.....	22
50	49	49	46	41	34	52	44	42	36	26	51	.....	23
78	64	61	48	43	32	57	58	35	38	53	51	.....	24
14	18	13	7	14	18	18	6	20	11	12	12	.....	25
39	26	39	24	25	19	30	20	19	34	27	18	.....	26
35	36	37	37	34	19	32	23	16	30	25	22	.....	27
19	21	23	22	20	17	21	18	13	13	18	14	.....	28
21	18	13	13	8	11	20	14	11	22	14	10	.....	29
18	15	15	13	14	16	18	22	17	12	10	14	.....	30
12	18	16	19	15	13	6	7	5	6	10	17	.....	31
4	15	12	4	13	8	8	7	6	13	7	16	.....	32
18	13	22	30	21	14	19	21	11	12	14	18	1	33
163	174	160	170	164	200	195	188	154	135	141	170	.....	34
41	41	45	21	49	37	70	86	57	32	47	23	1	35
11	16	12	12	8	9	13	9	7	14	12	10	.....	36
34	41	39	38	29	31	34	40	35	30	36	30	.....	37
27	27	28	20	22	22	18	16	23	22	31	13	.....	38
34	25	36	27	22	29	32	39	33	30	29	34	.....	39
1,013	968	935	776	743	786	1,231	896	778	764	758	813	1	40
37	49	37	33	37	30	33	26	37	22	27	29	.....	41
8	10	6	9	11	13	7	10	15	14	8	9	.....	42
10	19	17	16	10	12	13	5	15	11	7	14	.....	43
27	40	33	24	32	24	17	22	26	21	20	23	.....	44
33	33	33	35	29	25	18	39	32	29	19	26	1	45
51	45	41	42	31	39	64	70	38	60	58	42	.....	46
25	29	27	12	8	17	9	13	15	17	9	13	.....	47
18	20	19	21	19	21	32	28	29	19	19	24	1	48
14	9	16	15	12	17	16	9	6	10	5	18	.....	49
13	14	11	13	7	15	10	11	16	8	7	12	.....	50
12	7	13	6	13	8	9	16	12	9	8	10	.....	51
13	13	20	12	13	10	17	15	20	21	10	22	.....	52
30	27	29	18	27	32	36	38	27	27	12	24	.....	53
67	51	53	59	63	76	48	39	44	51	44	68	.....	54
1,064	932	1,024	1,007	930	816	889	991	924	888	919	913	.....	55
112	112	112	113	87	79	115	122	117	75	101	85	1	56
21	12	18	12	18	14	18	16	10	9	16	17	.....	57
10	13	20	8	8	5	11	7	11	8	12	8	.....	58
46	54	48	42	34	35	32	41	66	52	38	50	.....	59
20	21	25	24	17	17	12	18	16	20	14	24	.....	60
561	427	449	453	444	378	481	471	434	446	416	458	.....	61
32	26	42	27	26	25	46	31	24	21	21	28	.....	62
28	32	34	30	22	28	25	36	26	21	21	28	.....	63
149	140	132	121	128	114	111	145	122	121	129	123	.....	64
138	137	130	87	95	115	160	128	100	107	105	106	.....	65
34	34	31	35	26	22	24	37	22	32	28	32	.....	66
22	19	17	16	22	19	11	26	18	18	17	21	.....	67
26	15	19	22	11	17	10	16	17	11	8	10	.....	68
31	27	27	27	15	11	29	23	26	30	25	30	.....	69
131	110	156	122	158	155	194	143	143	141	155	153	.....	70
50	41	54	61	39	43	54	49	51	54	44	43	.....	71
2,275	1,936	2,005	2,134	2,016	1,814	2,245	2,224	2,034	1,806	1,901	2,086	2	72
32	23	43	37	25	28	38	27	22	24	22	19	.....	73
17	20	29	16	13	18	25	25	22	21	17	21	.....	74
15	16	11	14	7	8	9	2	3	4	3	1	.....	75
592	536	634	577	500	489	646	471	369	465	536	586	.....	76
555	467	554	493	532	474	595	495	458	457	443	445	.....	77

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.					
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.	Parentage not stated.		
	REGISTRATION CITIES—Continued.										
78	Clinton town, Mass	223	36	66	8	13	3	1	.....	92	3	1
79	Cohoes, N. Y	470	89	104	16	59	6	5	.....	185	6	.....
80	Columbia, Pa	217	.....	.....	.....	.....	.....	.....	99	10	95	13
81	Columbus, Ind	140	85	2	16	4	10	.....	.....	14	6	3
82	Columbus, Ohio	1,849	882	236	58	65	22	4	.....	327	75	180
83	Concord, N. H	278	129	26	37	19	9	2	.....	49	6	1
84	Corning, N. Y	179	70	22	20	12	5	1	.....	44	5	.....
85	Cortland, N. Y	137	71	8	31	5	7	1	.....	12	2	.....
86	Covington, Ky	955	285	90	163	51	4	2	.....	225	55	80
87	Danbury town, Conn	299	118	54	15	23	10	.....	.....	67	2	10
88	Danvers town, Mass	223	88	27	24	9	9	.....	.....	64	1	1
89	Davenport, Iowa	564	186	96	19	19	.....	.....	.....	225	19	.....
90	Dayton, Ohio	1,415	615	193	98	68	16	4	.....	297	57	67
91	Decatur, Ill	303	.....	.....	.....	.....	.....	.....	239	28	20	16
92	Denver, Colo	2,714	.....	.....	.....	.....	.....	.....	1,869	611	151	83
93	Detroit, Mich	4,492	759	1,076	386	344	84	110	.....	1,631	35	67
94	Dover, N. H	233	90	41	18	15	3	1	.....	57	8	.....
95	Dubois, Pa	158	61	30	22	7	.....	1	.....	32	5	.....
96	Duluth, Minn	734	108	196	48	80	.....	4	.....	251	44	3
97	Dunkirk, N. Y	155	31	35	8	15	2	.....	.....	64	.....	.....
98	Eau Claire, Wis	225	53	47	16	26	1	1	.....	74	5	2
99	Elizabeth, N. J	965	253	246	54	45	3	5	.....	322	3	34
100	Elkhart, Ind	190	74	8	65	7	4	.....	.....	23	9	.....
101	Elmira, N. Y	562	270	90	24	31	13	3	.....	112	10	9
102	Elwood, Ind	178	122	15	11	7	6	.....	.....	16	1	.....
103	Erie, Pa	836	.....	.....	.....	.....	.....	.....	557	236	41	2
104	Escanaba, Mich	161	30	53	1	15	1	.....	.....	59	2	.....
105	Evansville, Ind	776	260	91	41	53	24	6	.....	156	8	137
106	Everett, Mass	385	121	96	13	39	7	4	.....	86	3	16
107	Fall River, Mass	1,979	258	830	8	158	14	6	.....	690	11	4
108	Findlay, Ohio	211	139	13	11	15	2	.....	.....	25	.....	6
109	Fitchburg, Mass	476	122	131	21	51	7	2	.....	140	.....	2
110	Flint, Mich	194	92	14	12	21	8	1	.....	40	5	1
111	Fort Wayne, Ind	665	265	74	72	35	20	9	.....	173	7	10
112	Framingham town, Mass	165	64	33	14	10	5	2	.....	31	6	.....
113	Frederick, Md	209	.....	.....	.....	.....	.....	.....	126	11	7	65
114	Fresno, Cal	257	.....	.....	.....	.....	.....	.....	131	47	11	68
115	Gardner town, Mass	160	49	44	9	15	8	1	.....	33	1	.....
116	Geneva, N. Y	150	46	39	8	11	5	3	.....	34	1	3
117	Glens Falls, N. Y	278	144	37	4	19	3	.....	.....	67	4	.....
118	Gloucester, Mass	427	118	79	13	36	9	2	.....	165	5	.....
119	Gloversville, N. Y	272	150	25	23	11	7	2	.....	47	4	3
120	Grand Rapids, Mich	1,152	357	236	53	93	19	5	.....	367	13	9
121	Green Bay, Wis	269	65	51	12	29	11	3	.....	84	11	3
122	Greenwich town, Conn	172	60	37	10	12	6	.....	.....	37	6	4
123	Hamilton, Ohio	357	165	54	11	34	2	.....	.....	70	10	11
124	Hammond, Ind	192	55	43	6	19	5	2	.....	59	2	1
125	Harrisburg, Pa	921	369	21	203	24	11	5	.....	64	120	104
126	Harrison, N. J	230	62	57	11	13	.....	2	.....	78	3	4
127	Hartford, Conn	1,371	285	315	148	79	27	12	.....	420	30	55
128	Haverhill, Mass	556	231	91	33	41	28	2	.....	121	4	5
129	Hazelton, Pa	189	.....	.....	.....	.....	.....	.....	117	70	2	.....
130	Hoboken, N. J	1,136	184	344	13	73	5	5	.....	503	6	3
131	Holyoke, Mass	873	96	314	33	81	24	8	.....	310	7	.....
132	Hudson, N. Y	187	91	25	11	5	8	2	.....	26	2	17
133	Huntington, Ind	128	76	5	15	8	7	.....	.....	14	3	.....
134	Hyde Park town, Mass	179	50	39	5	25	5	.....	.....	54	1	.....
135	Indianapolis, Ind	2,697	1,073	184	393	100	97	17	.....	381	110	342
136	Iron Mountain, Mich	132	7	58	.....	13	.....	.....	.....	52	2	.....
137	Ironton, Ohio	231	110	16	27	3	5	.....	.....	42	7	21
138	Ironwood, Mich	145	8	86	.....	5	.....	1	.....	44	1	.....
139	Ishpeming, Mich	154	9	62	1	12	.....	.....	.....	70	.....	.....
140	Ithaca, N. Y	195	95	19	27	6	11	1	.....	19	6	11
141	Jackson, Mich	345	149	34	18	23	20	.....	.....	80	8	13
142	Jacksonville, Fla	795	.....	.....	.....	.....	.....	.....	234	43	32	486
143	Jacksonville, Ill	350	.....	.....	.....	.....	.....	.....	180	67	77	26
144	Jamestown, N. Y	295	94	51	21	13	7	2	.....	103	2	2
145	Jeffersonville, Ind	248	108	5	10	5	11	2	.....	28	16	63
146	Jersey City, N. J	4,064	1,006	1,100	163	310	20	16	.....	1,315	42	92
147	Johnstown, N. Y	114	32	6	20	9	3	3	.....	20	.....	1
148	Johnstown, Pa	646	221	93	97	6	2	1	.....	173	42	11
149	Kalamazoo, Mich	466	187	59	33	26	11	2	.....	126	13	9
150	Kansas City, Mo	2,688	714	183	539	71	35	8	.....	356	362	420
151	Keene, N. H	169	79	16	23	8	11	.....	.....	29	3	.....
152	Key West, Fla	411	.....	.....	.....	.....	.....	.....	163	101	2	145
153	Kingston, N. Y	469	219	69	14	20	10	4	.....	113	7	13
154	Kokomo, Ind	161	102	6	16	4	12	1	.....	9	5	6
155	Laconia, N. H	149	60	15	18	11	8	.....	.....	29	7	1
156	Lafayette, Ind	300	130	30	26	7	13	4	.....	76	7	7
157	Lancaster, Pa	688	.....	.....	.....	.....	.....	.....	570	95	9	14

NATIVITY, PARENT NATIVITY, AND MONTH: 1901—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
18	14	25	21	11	17	15	19	23	23	23	14	.....	78
49	41	41	43	27	45	30	30	39	39	44	42	.....	79
20	19	21	21	24	11	19	9	24	15	15	19	.....	80
11	14	8	16	15	5	12	13	14	14	10	8	.....	81
162	121	182	169	152	132	181	167	136	159	138	150	.....	82
19	25	31	29	26	27	9	20	22	28	21	21	.....	83
17	17	19	14	15	14	14	14	17	13	12	12	1	84
18	14	13	12	10	9	7	6	10	12	13	13	.....	85
87	75	69	74	69	65	81	73	68	72	102	120	.....	86
38	23	25	28	25	23	18	20	29	25	19	26	.....	87
20	16	17	8	25	12	18	21	24	18	21	23	.....	88
56	41	45	55	48	43	64	51	38	28	35	58	2	89
138	105	122	119	115	97	134	111	99	129	120	125	1	90
20	27	28	23	15	31	34	31	21	38	18	16	1	91
318	246	251	195	212	217	217	193	209	226	196	234	.....	92
409	373	413	377	333	336	456	347	323	311	410	404	.....	93
12	24	16	24	14	28	24	16	23	13	15	24	.....	94
10	12	21	11	15	9	13	16	16	10	12	12	1	95
52	75	59	52	69	52	56	73	64	81	54	47	.....	96
14	15	9	15	17	9	16	17	13	7	10	13	.....	97
18	24	28	18	22	11	18	22	13	20	19	12	.....	98
84	67	87	83	79	60	98	107	105	72	63	60	.....	99
15	14	17	13	16	22	17	16	18	8	16	18	.....	100
84	44	58	42	42	30	47	44	44	43	44	40	.....	101
10	13	13	15	17	15	18	18	22	11	16	10	.....	102
69	63	100	107	72	87	58	75	67	36	46	56	.....	103
12	14	13	22	20	9	8	20	11	11	10	11	.....	104
75	78	65	64	41	67	91	71	63	45	53	63	.....	105
40	27	43	34	24	25	31	36	40	34	22	29	.....	106
164	152	156	137	147	119	212	249	192	180	147	124	.....	107
17	20	28	22	16	14	13	14	16	21	17	13	.....	108
49	43	54	39	42	36	32	46	34	29	34	38	.....	109
26	17	17	17	13	16	15	12	16	17	11	17	.....	110
80	57	54	69	65	50	42	43	47	53	48	57	.....	111
14	16	26	19	17	13	8	10	6	15	12	9	.....	112
22	23	19	12	12	18	20	17	19	12	19	16	.....	113
40	21	18	15	11	16	21	20	14	23	24	34	.....	114
16	15	16	13	14	9	7	19	13	15	13	10	.....	115
15	14	12	12	10	10	10	19	18	13	8	9	.....	116
29	24	35	23	32	20	10	21	18	21	24	21	.....	117
29	50	39	36	29	27	28	32	38	45	46	34	.....	118
22	25	35	21	26	15	18	15	26	16	27	26	.....	119
117	107	150	78	97	77	84	76	85	96	77	108	.....	120
31	30	29	29	19	13	17	27	16	24	12	22	.....	121
16	17	18	11	16	10	10	27	14	8	15	10	.....	122
41	30	20	33	36	28	40	25	24	28	27	25	.....	123
8	17	15	18	18	12	14	12	15	21	20	22	.....	124
81	83	92	79	80	60	88	83	76	56	68	75	.....	125
29	23	12	15	16	13	25	25	18	16	19	18	1	126
138	114	115	128	115	122	118	97	101	109	104	109	1	127
45	63	61	50	47	31	38	39	46	41	48	47	.....	128
12	17	25	18	17	10	13	19	12	13	17	16	.....	129
116	106	89	95	69	95	146	88	82	82	80	88	.....	130
82	75	77	67	58	64	101	76	73	65	74	61	.....	131
23	13	22	18	15	10	15	14	14	18	10	15	.....	132
17	8	9	16	7	11	12	9	6	11	14	8	.....	133
14	10	23	13	15	12	11	18	18	15	15	15	.....	134
295	224	233	225	205	180	304	218	198	210	188	217	.....	135
12	13	14	11	13	14	4	15	8	14	12	2	.....	136
23	16	27	24	23	22	23	17	11	10	21	14	.....	137
13	13	8	9	18	19	13	13	7	13	9	10	.....	138
13	17	8	7	13	15	7	13	25	15	5	16	.....	139
18	22	19	12	25	13	14	9	13	20	12	18	.....	140
45	31	39	30	19	26	20	31	29	35	12	28	.....	141
56	49	62	59	49	57	80	75	76	81	64	87	.....	142
27	28	41	38	32	23	34	23	27	24	29	24	.....	143
36	24	29	31	18	23	20	20	24	25	25	20	.....	144
23	20	23	22	22	26	23	19	19	19	15	17	.....	145
372	366	319	314	302	295	505	366	338	282	298	307	.....	146
9	10	9	10	9	16	8	8	11	9	9	6	.....	147
60	49	63	51	31	56	59	68	52	61	48	48	.....	148
30	41	57	51	40	25	30	47	59	26	21	38	1	149
232	210	222	215	196	209	307	192	189	230	223	243	.....	150
11	27	24	7	13	4	12	4	13	20	14	20	.....	151
31	48	51	50	40	54	23	26	14	21	28	25	.....	152
52	41	52	39	39	28	45	35	38	34	28	36	2	153
11	19	6	17	10	16	12	12	11	16	15	16	.....	154
13	12	13	14	13	15	9	16	11	13	9	11	.....	155
34	19	32	17	19	17	26	23	30	23	36	24	.....	156
45	69	88	68	59	41	51	66	56	59	38	48	.....	157

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.		Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	REGISTRATION CITIES—Continued.										
158	Lansing, Mich	226	128	20	13	15	3		39	4	4
159	Lawrence, Mass	1,130	158	398	11	97	11	5	445	5	
160	Leadville, Colo	262	48	66	16	23	5	3	91	4	6
161	Leavenworth, Kans	299						143	83	12	61
162	Leominster town, Mass	157	58	28	16	19	17		19		
163	Lima, Ohio	414						352	36	11	15
164	Lincoln, Nebr	516	149	67	135	17	5	5	90	29	19
165	Lockport, N. Y	286	121	50	12	24	5		68	3	3
166	Logansport, Ind	295	94	20	44	10	12	1	43	69	2
167	Los Angeles, Cal	2,023						1,337	509	61	116
168	Louisville, Ky	3,833	1,167	331	364	89	38	49	700	89	1,006
169	Lowell, Mass	2,041	295	773	63	129	24	16	722	17	2
170	Lynchburg, Va	392	11		30	1	1	1	1	128	219
171	Lynn, Mass	1,020	370	189	67	82	37	4	250	4	17
172	McKeesport, Pa	647	169	194	30	45	9	3	154	13	30
173	Madison, Wis	238	59	33	22	16	8	7	86	5	2
174	Mahanoy City, Pa	341	100	111	4	5			114	7	
175	Malden, Mass	486	172	93	24	48	18	1	116	3	11
176	Manchester, N. H	1,077	199	362	56	83	19	7	345	6	
177	Manchester town, Conn	137	29	28	7	8	5	3	57		
178	Manitowoc, Wis	171	38	29	15	8		1	77	3	
179	Mankato, Minn	146	39	29	5	21			50	2	
180	Marietta, Ohio	251	162	17	21	9	6	1	29	6	
181	Marinette, Wis	173	34	47	2	25	1		55	8	1
182	Marion, Ind	257	162	9	26	5	15	2	13	2	23
183	Marlboro, Mass	215	67	48	5	21	3		69	1	1
184	Marquette, Mich	128	27	24	3	17			54	1	2
185	Massillon, Ohio	190	70	21	26	12			40	16	5
186	Meadville, Pa	175						121	25	21	8
187	Medford, Mass	250	99	46	9	29	8	1	55	1	2
188	Melrose, Mass	165	65	21	10	20	7	2	37		3
189	Memphis, Tenn	1,955	86	7	636	6			134	32	1,054
190	Menominee, Mich	157	28	43	3	27		1	50	3	2
191	Meriden town, Conn	414	93	105	18	44	14	1	130	5	4
192	Michigan City, Ind	196	49	34	15	17	7	1	59	10	4
193	Middletown, N. Y	287	140	30	35	8	4		59	2	9
194	Middletown, Ohio	116	64	8	10	2	2		22	1	7
195	Middletown town, Conn	371	116	55	17	17	11	3	136	13	3
196	Milford town, Mass	179	57	47	2	5	8		58	1	1
197	Millville, N. J	157	122	11		7	1		13	1	2
198	Milwaukee, Wis	3,861	616	1,144	71	370	51	12	1,563	29	5
199	Minneapolis, Minn	2,516	709	570	191	163	18	11	765	81	8
200	Mobile, Ala	935						286	91	27	531
201	Montclair, N. J	243	78	31	30	12	12	8	38	1	33
202	Morristown, N. J	208	93	28	4	10	4		55		14
203	Mt. Carmel, Pa	295	103	113		22			55		2
204	Mt. Vernon, N. Y	392	119	89	13	37		3	96	1	34
205	Muncie, Ind	302	194	21	16	10	14	2	33	3	9
206	Muscatine, Iowa	194						91	55	47	1
207	Muskegon, Mich	253	47	64	6	17	3	2	112	2	
208	Nashua, N. H	422	112	100	31	32	19	2	121	5	
209	Nashville, Tenn	1,644	641	47	11	25	4		97	6	813
210	Natick town, Mass	150	61	19	5	13	4		48		
211	Naugatuck, Conn	136	27	53	13	10	4		27	2	
212	New Albany, Ind	374	207	19	14	18	6	1	51	4	54
213	New Bedford, Mass	1,249	248	402	41	89	37	15	356	6	55
214	New Britain town, Conn	410	93	140	17	27	6	2	121	2	2
215	New Brunswick, N. J	369	104	40	56	17	6	4	103	14	25
216	New Haven, Conn	1,977	511	459	103	121	49	8	615	24	87
217	New London, Conn	329	126	62	13	23	8		66	13	18
218	New Orleans, La	6,501	1,446	795	265	305	1		1,210	22	2,457
219	New Rochelle, N. Y	272	69	62	10	24	5	1	76	4	21
220	New York, N. Y	70,608	12,765	21,048	3,099	4,620	248	239	25,669	886	2,034
221	Bronx borough	4,725	897	1,362	141	393	14	9	1,707	16	186
222	Brooklyn borough	23,270	5,443	6,647	789	1,860	81	61	7,698	155	536
223	Manhattan borough	38,465	5,394	11,996	2,028	2,059	133	154	14,815	671	1,215
224	Queens borough	2,800	694	726	43	231	15	11	977	34	69
225	Richmond borough	1,348	337	317	98	77	5	4	472	10	28
226	Newark, N. J	4,842	1,235	1,091	379	216	41	36	1,609	30	205
227	Newark, Ohio	242	133	15	26	17	2		38	8	3
228	Newburg, N. Y	439	194	46	65	10	10	4	91	11	8
229	Newburyport, Mass	277	151	34	22	12	1		54		3
230	Newcastle, Pa	383	87	45	126	4	4		73	41	3
231	Newport, Ky	495	201	92	2	13			152	22	13
232	Newport, R. I	386	139	69	12	23	1		101	5	36
233	Newton, Mass	438	161	84	11	29	14	1	126	4	8
234	Niagara Falls, N. Y	335	61	80	17	28	4	1	121	9	14
235	Norfolk, Va	1,057						368	32	59	598

NATIVITY, PARENT NATIVITY, AND MONTH: 1901—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
18	22	24	16	31	15	17	13	21	13	12	24	.....	158
106	103	104	71	87	69	100	110	114	92	86	88	.....	159
41	30	24	28	18	17	16	15	14	24	16	19	.....	160
35	34	24	29	20	20	37	18	24	19	13	26	.....	161
16	16	14	15	9	11	11	9	15	13	16	12	.....	162
40	25	35	42	38	26	31	48	31	31	25	42	.....	163
49	45	59	40	32	43	44	53	38	43	29	40	1	164
24	29	30	21	23	22	31	28	15	19	22	22	.....	165
34	26	23	37	28	21	19	16	17	37	14	23	.....	166
249	160	174	177	161	145	158	134	152	155	161	197	.....	167
333	295	371	284	305	299	384	315	282	324	323	318	.....	168
140	163	153	164	168	145	170	186	205	181	169	197	.....	169
27	28	31	21	33	40	49	37	33	38	18	35	2	170
107	100	88	87	68	82	54	100	80	87	79	88	.....	171
67	65	47	44	39	56	77	62	55	43	46	46	.....	172
29	15	31	15	16	15	18	18	17	23	17	24	.....	173
28	35	27	27	17	18	47	34	23	32	23	30	.....	174
41	34	63	35	35	33	27	56	37	35	38	52	.....	175
112	80	83	88	84	89	105	97	116	87	63	73	.....	176
12	10	18	12	13	13	10	15	9	6	10	9	.....	177
17	15	19	17	18	10	11	18	21	5	7	13	.....	178
16	18	10	9	6	15	13	10	17	8	17	7	.....	179
28	28	13	17	16	12	25	27	22	34	16	13	.....	180
10	21	20	11	8	20	10	14	10	23	12	14	.....	181
32	22	16	26	22	17	27	28	12	22	11	22	.....	182
14	19	15	24	15	17	12	14	21	30	16	18	.....	183
10	9	9	15	12	12	8	10	14	9	5	15	.....	184
18	10	26	16	14	12	15	17	19	18	14	11	.....	185
21	21	16	19	18	12	14	8	10	10	16	10	.....	186
28	18	22	18	27	26	19	15	19	12	22	24	.....	187
18	13	11	18	13	5	9	17	9	19	16	17	.....	188
173	135	177	169	167	190	148	146	146	168	147	189	.....	189
10	14	7	16	15	13	10	18	14	11	11	18	.....	190
51	33	42	39	30	31	33	42	37	27	21	28	.....	191
21	12	20	14	19	10	22	18	12	14	17	17	.....	192
44	21	34	22	26	16	21	26	23	16	23	15	.....	193
12	7	10	10	4	14	10	13	5	10	8	13	.....	194
38	33	36	32	28	23	27	33	31	21	35	34	.....	195
22	14	20	13	17	12	7	8	22	12	18	14	.....	196
17	19	13	10	8	11	17	15	10	9	12	16	.....	197
392	311	350	323	297	271	315	394	314	280	319	294	1	198
252	197	275	208	185	193	241	227	195	179	164	200	.....	199
75	78	64	83	78	94	87	67	80	78	81	70	.....	200
20	25	17	17	21	27	19	22	18	17	12	28	.....	201
24	23	19	15	15	14	16	20	11	21	16	14	.....	202
24	40	33	25	22	16	21	23	22	27	21	21	.....	203
28	28	42	37	31	24	33	46	45	32	20	26	.....	204
23	25	24	29	20	12	26	30	30	31	24	28	.....	205
27	13	22	16	9	16	9	14	15	18	19	16	.....	206
14	15	29	25	24	15	16	19	23	26	26	21	.....	207
31	35	44	39	26	32	34	37	34	38	35	37	.....	208
131	155	145	122	123	190	149	115	122	138	123	130	1	209
18	13	16	13	15	9	6	13	11	6	15	15	.....	210
9	12	6	9	11	6	10	21	19	8	11	14	.....	211
35	32	35	19	25	23	41	29	31	29	32	43	.....	212
133	121	121	86	80	86	106	165	100	84	79	88	.....	213
31	42	44	33	37	25	39	37	34	28	27	33	.....	214
40	36	32	20	26	30	42	35	34	33	21	20	.....	215
181	178	175	192	148	134	207	178	156	134	148	146	.....	216
26	45	28	13	21	23	27	36	28	31	23	27	1	217
662	526	539	509	583	608	578	459	425	503	542	567	.....	218
34	12	31	19	18	16	26	31	21	22	20	22	.....	219
6,696	5,476	6,396	5,930	5,378	5,285	7,717	6,259	5,665	5,168	5,035	5,601	2	220
432	371	437	393	364	375	481	412	389	368	305	418	.....	221
2,149	1,874	2,099	1,912	1,717	1,772	2,641	2,177	1,915	1,665	1,664	1,685	.....	222
3,732	2,913	3,525	3,317	3,011	2,845	4,095	3,204	3,024	2,804	2,775	3,220	.....	223
266	214	218	201	204	203	336	300	247	228	200	181	2	224
117	104	117	107	82	90	164	166	110	103	91	97	.....	225
434	391	404	340	381	326	617	473	373	335	353	415	.....	226
30	17	24	14	24	11	25	17	18	18	26	17	1	227
37	38	36	36	31	32	34	44	43	33	29	46	.....	228
26	26	32	21	10	23	16	26	26	21	21	29	.....	229
32	45	35	27	34	33	27	40	26	31	18	35	.....	230
40	39	54	31	33	37	55	34	39	43	34	56	.....	231
24	24	36	39	33	25	29	38	38	38	37	25	.....	232
49	38	45	35	35	30	33	31	39	31	34	38	.....	233
34	34	30	34	16	28	27	28	26	29	15	34	.....	234
91	82	83	63	96	132	120	65	79	101	86	59	.....	235

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
236	Norristown, Pa	597	165	54	139	14	11	3	.....	137	54	20
237	North Adams, Mass	378	104	76	21	49	17	4	.....	106	1	.....
238	Northampton, Mass	325	147	56	8	28	13	1	.....	69	.....	3
239	Norwalk town, Conn	294	136	52	9	16	7	2	.....	65	2	5
240	Norwich town, Conn	473	159	95	10	38	7	3	.....	126	9	26
241	Oakland, Cal	1,102	294	174	141	67	10	5	.....	365	7	39
242	Ogdensburg, N. Y	311	78	36	41	28	9	3	.....	105	11	.....
243	Olean, N. Y	113	38	6	25	5	3	2	.....	29	4	1
244	Omaha, Nebr	1,233	412	215	89	57	15	4	.....	334	51	56
245	Orange, N. J	426	102	75	28	32	5	3	.....	124	4	53
246	Ottawa, Ill	169	.....	.....	.....	.....	.....	.....	105	63	.....	1
247	Ottumwa, Iowa	212	.....	.....	.....	.....	.....	.....	156	36	8	12
248	Owosso, Mich	107	50	6	6	9	12	3	.....	20	1	.....
249	Paducah, Ky	491	248	6	10	11	4	.....	.....	23	8	181
250	Passaic, N. J	540	73	227	23	27	1	6	.....	154	8	21
251	Paterson, N. J	1,877	382	397	211	127	17	12	.....	674	16	41
252	Pawtucket, R. I	664	186	165	2	54	3	2	.....	242	4	6
253	Peabody town, Mass	195	72	43	2	22	4	1	.....	50	.....	1
254	Peekskill, N. Y	227	117	42	13	8	1	1	.....	32	4	9
255	Perth Amboy, N. J	309	55	129	10	21	2	4	.....	84	1	3
256	Peru, Ind	135	53	14	22	12	12	2	.....	17	2	1
257	Petersburg, Va	578	178	3	16	8	6	.....	.....	5	4	358
258	Philadelphia, Pa	23,806	.....	.....	.....	.....	.....	.....	15,254	6,111	* 537	1,904
259	Phillipsburg, N. J	157	90	15	14	6	4	1	.....	26	.....	1
260	Pittsburg, Pa	6,578	1,628	1,772	165	443	49	14	.....	1,891	134	482
261	Pittsfield, Mass	352	129	48	18	24	13	7	.....	95	9	9
262	Plainfield, N. J	263	116	27	19	8	1	1	.....	60	3	28
263	Plymouth, Pa	247	40	84	23	13	1	.....	.....	67	19	.....
264	Plymouth town, Mass	157	78	24	5	14	9	.....	.....	26	1	.....
265	Pontiac, Mich	166	70	17	15	7	2	2	.....	46	4	3
266	Port Huron, Mich	267	54	57	8	31	.....	1	.....	115	1	.....
267	Port Jervis, N. Y	171	78	8	27	1	4	1	.....	40	11	1
268	Portland, Me	906	342	132	74	63	48	5	.....	221	18	3
269	Portland, Oreg	1,151	357	129	141	75	13	1	.....	313	21	101
270	Portsmouth, N. H	214	89	22	17	17	11	.....	.....	49	8	1
271	Portsmouth, Ohio	276	151	21	22	11	7	.....	.....	37	7	20
272	Pottstown, Pa	205	174	1	4	.....	.....	.....	.....	21	2	3
273	Pottsville, Pa	287	130	25	39	8	2	.....	.....	68	11	4
274	Poughkeepsie, N. Y	425	205	55	30	14	3	.....	.....	97	6	15
275	Providence, R. I	3,444	1,002	901	34	244	43	23	.....	1,032	13	152
276	Pueblo, Colo	637	228	85	70	28	9	5	.....	112	44	56
277	Quincy, Ill	542	.....	.....	.....	.....	.....	.....	291	167	33	51
278	Quincy, Mass	324	89	88	11	20	4	1	.....	109	2	.....
279	Raleigh, N. C	399	105	2	52	3	.....	.....	.....	3	23	211
280	Reading, Pa	1,407	1,021	118	60	37	11	.....	.....	133	10	17
281	Revere town, Mass	138	52	35	5	10	4	4	.....	26	1	1
282	Richmond, Ind	306	168	25	12	11	15	.....	.....	48	7	20
283	Richmond, Va	2,098	705	48	82	24	3	.....	.....	95	54	1,087
284	Rochester, N. H	119	70	15	7	4	8	.....	.....	13	2	.....
285	Rochester, N. Y	2,397	610	465	187	177	24	9	.....	861	48	16
286	Rockland, Me	160	129	4	7	7	4	1	.....	16	1	.....
287	Rome, N. Y	292	87	37	39	16	9	6	.....	90	5	3
288	Rutland, Vt	205	.....	.....	.....	.....	.....	.....	148	50	2	5
289	Sacramento, Cal	610	166	36	134	7	3	.....	.....	172	18	74
290	Saginaw, Mich	603	146	97	18	69	18	7	.....	228	12	8
291	St. Joseph, Mo	803	295	26	229	10	7	1	.....	140	59	36
292	St. Louis, Mo	10,603	2,554	1,522	1,309	550	88	22	.....	3,172	239	1,127
293	St. Paul, Minn	1,758	296	314	396	52	.....	.....	.....	583	103	14
294	Salem, Mass	634	223	178	15	36	14	1	.....	164	1	2
295	Salt Lake City, Utah	864	214	116	104	68	19	6	.....	292	24	21
296	San Antonio, Tex	1,353	376	175	170	87	13	8	.....	324	36	164
297	San Diego, Cal	380	113	28	95	17	4	.....	.....	111	3	9
298	San Francisco, Cal	7,152	822	882	1,628	280	40	15	.....	2,871	111	503
299	San Jose, Cal	346	116	42	26	28	4	.....	.....	98	.....	32
300	Saratoga Springs, N. Y	303	103	39	49	17	12	2	.....	54	8	19
301	Sault Ste. Marie, Mich	201	18	44	9	25	5	3	.....	75	20	2
302	Savannah, Ga	1,640	.....	.....	.....	.....	.....	.....	485	121	11	1,023
303	Schenectady, N. Y	636	234	142	29	37	8	2	.....	153	26	5
304	Scranton, Pa	1,704	56	90	744	23	5	6	.....	498	276	6
305	Seattle, Wash	911	367	118	46	59	7	1	.....	237	35	41
306	Sioux City, Iowa	400	119	68	44	26	10	2	.....	104	24	3
307	Somerville, Mass	835	274	173	29	65	16	3	.....	269	4	2
308	South Bend, Ind	499	159	135	33	31	10	.....	.....	120	7	4
309	South Bethlehem, Pa	259	74	46	48	5	1	1	.....	57	24	3
310	Southbridge town, Mass	159	32	46	3	17	3	1	.....	56	1	.....
311	Spokane, Wash	475	173	53	43	36	17	3	.....	132	12	6
312	Springfield, Ill	674	302	86	27	36	8	1	.....	134	9	71
313	Springfield, Mass	940	293	185	56	78	39	13	.....	246	8	22
314	Stamford town, Conn	364	144	78	18	17	11	1	.....	83	6	6
315	Steelton, Pa	159	72	25	1	.....	1	.....	.....	27	5	28

NATIVITY, PARENT NATIVITY, AND MONTH: 1901—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
74	60	42	56	36	52	51	40	40	40	45	61	.....	236
24	34	29	36	30	22	26	47	30	34	39	27	.....	237
32	40	28	20	23	24	26	39	25	26	18	24	.....	238
31	18	23	26	27	20	23	23	33	19	22	29	.....	239
53	47	40	35	32	34	37	50	32	41	42	29	1	240
96	105	114	88	93	98	73	92	77	89	79	98	.....	241
14	16	26	31	30	23	26	29	31	34	27	24	.....	242
10	9	11	11	9	12	8	5	11	7	10	10	.....	243
107	124	141	128	78	94	122	83	85	96	81	94	.....	244
39	31	27	40	35	38	46	45	36	23	37	29	.....	245
20	20	12	12	6	16	14	10	7	12	24	16	.....	246
20	12	19	14	13	19	32	19	16	20	16	12	.....	247
15	11	9	11	9	10	8	7	4	6	10	7	.....	248
41	28	40	37	34	53	35	64	45	44	35	35	.....	249
42	45	45	48	34	37	71	57	38	44	33	46	.....	250
165	155	174	141	118	145	200	184	159	147	135	153	1	251
53	54	74	47	38	41	55	72	63	59	52	56	.....	252
20	16	14	18	9	14	8	21	23	20	12	20	.....	253
22	13	22	26	20	17	23	13	18	17	20	16	.....	254
28	23	19	20	21	28	27	45	27	29	21	21	.....	255
9	10	14	20	8	10	9	12	5	16	10	12	.....	256
56	66	57	38	48	58	60	51	37	34	37	36	.....	257
2,165	2,065	2,208	2,034	1,865	1,810	2,535	2,041	1,654	1,714	1,715	2,000	.....	258
17	13	11	19	8	8	16	9	13	15	9	19	.....	259
583	496	534	537	545	517	738	558	481	503	517	569	.....	260
30	43	39	33	21	24	25	34	30	27	27	19	.....	261
36	18	31	24	22	18	18	20	18	21	24	13	.....	262
26	26	22	15	13	15	14	26	23	23	17	27	.....	263
14	14	19	12	10	8	9	12	20	14	14	11	.....	264
21	17	23	12	15	6	12	8	13	11	12	16	.....	265
19	22	20	29	26	18	23	31	14	23	20	22	.....	266
21	12	17	17	14	14	18	8	14	9	12	15	.....	267
80	88	77	74	81	59	63	69	72	78	70	94	1	268
104	109	131	92	91	80	84	100	93	101	81	85	.....	269
18	21	23	23	19	11	11	13	19	19	18	19	.....	270
32	28	31	23	17	15	29	24	16	32	13	16	.....	271
17	28	25	17	16	15	18	10	14	12	20	13	.....	272
18	23	34	30	17	23	35	22	24	23	16	22	.....	273
39	45	54	28	38	22	39	33	25	28	27	47	.....	274
341	278	334	277	262	230	328	308	303	289	227	267	.....	275
80	62	53	62	46	38	53	46	50	45	38	64	.....	276
59	45	63	39	43	40	41	34	46	46	44	42	.....	277
25	32	28	25	21	30	25	34	26	26	25	27	.....	278
32	39	36	17	41	49	33	25	28	36	32	31	.....	279
139	111	125	100	105	101	158	117	110	122	109	110	.....	280
15	14	13	10	4	11	11	18	16	12	7	7	.....	281
22	38	35	20	20	22	15	26	30	29	22	27	.....	282
195	188	225	171	166	215	190	164	139	145	143	156	1	283
12	11	11	4	12	7	11	9	14	11	10	7	.....	284
265	225	220	214	189	156	187	175	178	189	192	207	.....	285
17	18	17	12	8	9	14	14	21	8	6	16	.....	286
26	26	25	19	21	26	12	34	18	22	34	29	.....	287
22	16	21	23	20	17	15	17	15	13	5	21	.....	288
74	45	40	56	46	58	54	52	52	43	47	43	.....	289
70	57	52	53	49	38	45	58	52	50	36	43	.....	290
71	69	79	79	66	61	87	65	60	39	61	66	.....	291
932	778	939	868	851	915	1,266	788	702	779	827	958	.....	292
187	135	166	129	136	139	217	134	122	119	121	153	.....	293
71	70	52	53	44	45	40	60	63	47	41	48	.....	294
77	64	75	67	55	58	72	81	89	74	74	78	.....	295
137	102	98	104	130	121	115	110	95	96	107	138	.....	296
37	42	31	31	40	18	29	35	34	27	22	34	.....	297
796	640	605	666	620	520	550	486	531	572	574	592	.....	298
37	36	32	38	26	32	23	21	26	27	21	27	.....	299
27	17	20	33	28	26	16	38	30	25	24	19	.....	300
9	18	8	17	10	18	15	26	35	11	13	21	.....	301
121	142	137	122	135	144	140	133	155	144	138	128	1	302
40	54	51	49	44	54	55	74	49	46	55	65	.....	303
188	139	178	152	136	101	164	139	129	116	127	135	.....	304
81	74	79	74	76	60	70	61	82	76	70	108	.....	305
36	39	35	32	29	25	39	25	31	36	22	31	.....	306
85	84	82	76	69	40	64	56	62	68	77	72	.....	307
34	54	42	38	35	36	56	42	38	45	40	39	.....	308
26	24	33	22	15	16	18	35	23	11	21	14	1	309
10	19	13	15	5	8	8	16	21	8	11	25	.....	310
45	43	36	36	31	34	31	46	52	42	37	42	.....	311
69	46	61	52	58	41	70	54	55	61	51	56	.....	312
87	92	102	83	69	62	78	76	61	63	72	95	.....	313
33	27	34	26	13	22	34	42	33	33	32	35	.....	314
19	15	12	20	14	8	12	12	9	17	9	12	.....	315

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.					
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.	Parentage not stated.		
	REGISTRATION CITIES—Continued.										
316	Stonington town, Conn	136	52	26	7	8	3	1	.....	32	2	5
317	Superior, Wis	373	46	72	31	21	4	5	.....	105	83	6
318	Syracuse, N. Y	1,554	504	293	104	79	38	15	.....	466	50	5
319	Tacoma, Wash	504	148	86	32	45	6	.....	.....	152	21	14
320	Taunton, Mass	565	172	123	39	35	11	6	.....	175	3	1
321	Terre Haute, Ind	689	355	56	55	33	26	6	.....	105	21	32
322	Tiffin, Ohio	144	90	6	3	2	.....	.....	.....	41	2	.....
323	Toledo, Ohio	1,916	610	379	132	123	11	5	.....	485	113	58
324	Torrington town, Conn	172	49	53	6	12	3	.....	.....	47	.....	2
325	Traverse City, Mich	186	56	12	41	13	6	.....	.....	50	6	2
326	Trenton, N. J	1,174	440	184	96	62	23	7	.....	281	17	64
327	Troy, N. Y	1,601	447	392	76	123	26	7	.....	502	11	17
328	Union, N. J	260	52	58	5	24	2	1	.....	117	1	.....
329	Utica, N. Y	918	283	212	33	66	2	4	.....	296	13	9
330	Vernon town, Conn	102	20	17	6	4	1	.....	.....	52	2	.....
331	Vincennes, Ind	193	102	13	12	9	8	1	.....	29	8	11
332	Wabash, Ind	109	74	3	13	2	3	1	.....	9	3	1
333	Wakefield town, Mass	130	50	19	1	10	5	1	.....	44	.....	.....
334	Wallingford town, Conn	116	35	20	11	7	7	2	.....	33	.....	1
335	Waltham, Mass	349	107	76	23	24	11	1	.....	102	5	.....
336	Ware town, Mass	142	39	41	3	17	.....	2	.....	40	.....	.....
337	Washington, D. C	6,055	1,897	278	306	181	43	3	.....	616	33	2,698
338	Washington, Ind	144	89	4	7	15	4	2	.....	14	3	6
339	Waterbury town, Conn	895	203	294	13	80	7	3	.....	278	4	13
340	Watertown, N. Y	345	144	45	28	29	5	1	.....	86	7	.....
341	Watertown town, Mass	123	35	32	1	7	4	.....	.....	42	1	1
342	Watervliet, N. Y	247	87	63	5	20	6	1	.....	63	1	1
343	Webster town, Mass	130	25	51	4	7	4	2	.....	37	.....	.....
344	West Bay City, Mich	166	41	23	4	24	2	1	.....	71	.....	.....
345	Westfield town, Mass	225	61	42	39	17	12	4	.....	45	4	1
346	Weymouth town, Mass	162	87	21	2	7	4	1	.....	39	1	.....
347	Wheeling, W. Va	685	125	62	235	7	4	5	.....	180	34	33
348	Wichita, Kans	410	213	19	75	14	7	.....	.....	30	25	27
349	Williamsport, Pa	345	148	29	61	6	4	1	.....	60	11	25
350	Wilmington, Del	1,343	.....	.....	.....	.....	.....	.....	877	205	7	254
351	Wilmington, N. C	569	131	5	41	3	2	.....	.....	13	16	358
352	Windham town, Conn	168	53	34	9	14	4	2	.....	48	3	1
353	Winona, Minn	253	59	73	11	23	1	.....	.....	81	5	.....
354	Woburn, Mass	213	62	55	8	16	8	.....	.....	59	.....	5
355	Woonsocket, R. I	479	86	186	5	31	2	2	.....	167	.....	.....
356	Worcester, Mass	2,055	505	534	100	141	59	6	.....	674	19	17
357	Yonkers, N. Y	828	184	223	24	81	8	5	.....	275	5	23
358	Youngstown, Ohio	733	134	169	106	57	.....	.....	.....	248	26	13
	CONNECTICUT RURAL.											
359	Fairfield county	668	308	67	85	27	33	2	.....	118	18	10
360	Hartford county	1,052	392	164	75	76	37	.....	.....	260	31	17
361	Litchfield county	825	362	87	79	34	51	5	.....	163	32	12
362	Middlesex county	382	193	37	33	11	19	2	.....	71	12	4
363	New Haven county	736	320	113	30	34	36	4	.....	172	13	14
364	New London county	495	251	41	37	33	29	2	.....	81	15	6
365	Tolland county	271	121	33	25	13	19	.....	.....	45	9	6
366	Windham county	565	223	95	42	36	35	3	.....	109	14	8
	INDIANA RURAL.											
367	Adams county	297	175	14	20	21	11	4	.....	48	4	.....
368	Allen county	316	164	27	24	15	13	2	.....	63	7	1
369	Bartholomew county	226	147	7	26	9	14	.....	.....	18	3	2
370	Benton county	150	90	8	12	7	6	2	.....	18	5	2
371	Blackford county	237	184	14	14	5	6	1	.....	11	2	.....
372	Boone county	320	256	6	24	5	17	.....	.....	7	2	3
373	Brown county	132	82	2	34	2	4	.....	.....	.....	8	.....
374	Carroll county	191	124	3	16	11	20	.....	.....	10	6	1
375	Cass county	162	94	2	23	7	10	2	.....	6	17	1
376	Clark county	266	143	10	22	4	18	4	.....	29	14	22
377	Clay county	419	262	25	17	31	25	2	.....	39	15	3
378	Clinton county	363	275	4	31	10	30	.....	.....	7	5	1
379	Crawford county	215	145	2	31	.....	18	1	.....	8	10	.....
380	Daviess county	287	229	5	13	6	18	1	.....	11	3	1
381	Dearborn county	346	161	32	26	18	13	1	.....	81	11	3
382	Decatur county	330	208	16	35	13	21	1	.....	23	8	5
383	Dekalb county	328	207	22	28	19	14	4	.....	28	6	.....
384	Delaware county	372	291	7	20	6	23	.....	.....	17	3	5
385	Dubois county	289	178	20	9	14	6	.....	.....	58	3	1
386	Elkhart county	335	199	14	52	13	31	5	.....	16	4	1
387	Fayette county	219	139	10	20	9	16	1	.....	13	5	6
388	Floyd county	126	72	6	6	9	2	1	.....	26	2	2
389	Fountain county	311	229	7	20	9	21	1	.....	14	8	2
390	Franklin county	243	123	21	17	16	11	1	.....	47	7	.....
391	Fulton county	201	129	6	26	8	18	1	.....	12	1	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1901—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
8	8	13	13	7	9	10	15	17	11	10	15	.....	316
17	42	39	34	31	27	22	42	40	25	26	28	.....	317
147	144	148	145	128	118	146	131	113	112	112	110	.....	318
34	34	43	70	48	25	51	48	45	38	26	42	.....	319
45	49	49	46	47	39	40	54	66	39	40	51	.....	320
68	61	60	58	43	43	76	54	61	58	47	60	.....	321
17	15	12	9	10	15	9	15	12	9	13	8	.....	322
186	157	189	168	137	135	183	149	167	158	123	164	.....	323
14	14	23	19	12	14	8	18	14	18	8	10	.....	324
24	15	16	27	11	17	11	9	17	9	12	18	.....	325
88	101	103	106	89	90	131	109	92	96	70	99	.....	326
164	144	178	155	125	137	140	128	95	97	124	114	.....	327
18	14	27	.....	24	21	31	32	21	18	30	24	.....	328
124	83	75	68	63	80	85	78	74	64	58	66	.....	329
6	13	13	8	8	4	12	5	11	6	6	10	.....	330
14	17	23	13	17	15	29	19	13	12	8	13	.....	331
12	5	6	9	5	7	11	13	13	13	7	8	.....	332
14	12	10	7	13	11	11	6	11	12	13	10	.....	333
12	8	8	15	14	3	7	13	8	7	16	5	.....	334
29	30	40	23	33	25	26	28	38	26	30	21	.....	335
18	11	7	10	10	12	6	13	20	11	14	10	.....	336
608	547	555	462	415	457	727	472	452	475	429	456	.....	337
10	14	15	13	8	7	16	8	14	12	15	12	.....	338
82	85	74	68	58	64	116	78	71	72	61	66	.....	339
48	35	41	24	22	27	19	33	32	31	15	18	.....	340
15	19	12	8	8	8	8	7	8	11	7	12	.....	341
21	26	35	17	17	19	25	17	15	15	20	20	.....	342
15	15	16	11	7	6	9	13	16	8	5	9	.....	343
16	20	16	17	13	7	11	20	7	12	11	16	.....	344
35	27	21	19	19	12	18	15	10	23	10	16	.....	345
13	9	22	11	11	7	15	19	17	16	11	11	.....	346
86	68	72	49	77	42	57	44	36	43	50	60	1	347
42	24	25	31	35	35	38	41	32	38	27	42	.....	348
39	27	43	28	28	23	27	33	23	22	26	26	.....	349
146	108	104	119	111	94	159	108	102	111	95	86	.....	350
38	42	42	20	50	41	63	47	63	57	62	44	.....	351
17	8	21	17	13	14	12	11	19	9	18	9	.....	352
22	20	19	23	22	24	19	18	17	22	19	28	.....	353
18	13	12	29	18	16	16	21	16	19	14	21	.....	354
44	38	30	24	45	38	59	46	36	35	35	49	.....	355
195	182	191	161	134	160	201	193	183	146	147	162	.....	356
89	77	85	62	68	66	78	45	70	63	62	63	.....	357
62	46	53	60	67	39	78	72	70	62	64	80	.....	358
80	57	75	55	42	43	57	61	45	48	50	53	2	359
115	99	139	79	69	60	100	93	65	69	80	83	1	360
93	92	84	74	47	63	59	52	84	58	56	62	1	361
41	43	38	31	32	25	29	27	22	32	28	33	1	362
72	78	66	65	52	57	62	57	63	49	55	59	1	363
45	48	55	36	41	32	35	41	44	41	39	35	3	364
22	28	25	16	17	21	21	22	29	19	22	29	.....	365
53	66	61	50	31	36	41	53	47	42	41	44	.....	366
29	20	44	27	26	20	19	33	20	28	13	18	.....	367
24	32	27	21	25	24	17	23	31	27	33	30	2	368
18	26	22	12	17	18	19	23	18	22	11	20	.....	369
12	13	18	10	9	10	16	10	17	11	10	14	.....	370
19	24	24	20	13	11	28	23	20	15	22	18	.....	371
30	34	30	30	18	24	25	24	20	30	30	25	.....	372
11	21	13	10	12	8	9	14	12	10	11	1	.....	373
21	23	17	15	17	9	15	14	15	12	15	18	.....	374
13	14	23	15	9	21	16	10	9	16	8	8	.....	375
32	42	20	25	14	12	29	15	18	20	18	21	.....	376
52	37	34	34	28	31	28	37	36	39	28	35	.....	377
32	43	35	27	26	20	41	38	30	27	18	26	.....	378
19	27	22	21	18	10	20	16	13	14	14	21	.....	379
27	38	34	28	14	10	31	28	29	15	16	17	.....	380
32	37	37	25	24	19	37	29	25	23	22	36	.....	381
32	32	24	22	25	17	34	26	30	32	24	32	.....	382
27	38	34	22	36	28	17	37	24	26	18	21	.....	383
46	44	27	28	21	27	33	32	36	23	29	26	.....	384
23	26	32	27	11	16	35	25	25	20	27	22	.....	385
38	34	36	28	24	30	18	27	35	20	25	20	.....	386
21	22	23	30	21	8	17	17	10	18	17	15	.....	387
8	12	13	12	9	3	11	10	5	18	15	10	.....	388
42	34	37	19	14	16	28	26	30	18	22	25	.....	389
29	25	20	23	20	14	17	20	18	19	16	22	.....	390
24	29	22	14	9	12	17	11	16	13	17	17	.....	391

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	INDIANA RURAL—Continued.											
392	Gibson county	439	310	12	24	13	21	2	.....	25	12	20
393	Grant county	530	290	15	108	10	23	2	.....	46	22	14
394	Greene county	392	325	6	18	11	14	.....	.....	8	9	1
395	Hamilton county	403	304	5	34	6	28	2	.....	13	4	7
396	Hancock county	230	172	9	18	4	16	.....	.....	6	4	1
397	Harrison county	297	228	9	16	6	15	1	.....	16	3	3
398	Hendricks county	280	207	1	27	4	16	1	.....	7	9	8
399	Henry county	411	314	5	32	8	31	1	.....	11	2	7
400	Howard county	208	153	2	16	6	14	2	.....	9	1	5
401	Huntington county	201	141	7	21	7	8	.....	.....	15	2	.....
402	Jackson county	436	280	16	39	20	22	5	.....	40	8	6
403	Jasper county	157	104	8	10	7	4	.....	.....	19	5	.....
404	Jay county	349	274	5	21	3	18	3	.....	19	6	.....
405	Jefferson county	387	243	19	23	9	15	.....	.....	45	4	29
406	Jennings county	236	140	13	17	7	19	.....	.....	29	5	6
407	Johnson county	284	211	5	29	6	14	.....	.....	7	4	8
408	Knox county	301	223	10	20	9	21	2	.....	8	6	2
409	Kosciusko county	335	231	10	33	15	19	.....	.....	19	8	.....
410	Lagrange county	210	140	8	19	11	13	.....	.....	18	1	.....
411	Lake county	336	91	86	18	15	2	5	.....	111	8	.....
412	Laporte county	291	106	34	30	14	6	1	.....	88	11	1
413	Lawrence county	329	258	4	27	5	17	2	.....	4	8	4
414	Madison county	471	342	10	22	16	30	.....	.....	15	18	18
415	Marion county	518	229	14	80	10	22	2	.....	49	65	47
416	Marshall county	288	169	4	45	10	19	2	.....	32	7	.....
417	Martin county	231	170	1	24	2	23	2	.....	7	2	.....
418	Miami county	247	169	8	31	9	10	1	.....	11	4	4
419	Monroe county	287	169	2	70	4	17	.....	.....	9	7	9
420	Montgomery county	388	299	7	31	7	18	.....	.....	16	5	5
421	Morgan county	267	180	6	48	6	18	.....	.....	3	4	2
422	Newton county	130	89	5	11	5	6	.....	.....	11	3	.....
423	Noble county	290	173	9	35	14	22	2	.....	29	6	.....
424	Ohio county	54	30	3	1	2	1	.....	.....	11	2	4
425	Orange county	246	184	3	25	4	21	1	.....	.....	8	.....
426	Owen county	218	146	6	26	5	13	.....	.....	8	13	1
427	Parke county	277	210	6	23	10	12	2	.....	8	3	3
428	Perry county	269	144	7	18	12	17	2	.....	54	9	6
429	Pike county	357	278	3	26	9	26	.....	.....	10	4	1
430	Porter county	238	94	23	15	31	13	2	.....	58	2	.....
431	Posey county	429	245	22	31	19	22	1	.....	44	13	32
432	Pulaski county	147	68	10	17	8	4	1	.....	16	23	.....
433	Putnam county	280	238	2	14	3	8	1	.....	9	1	4
434	Randolph county	390	285	14	29	10	24	3	.....	12	7	6
435	Ripley county	266	145	20	15	5	8	1	.....	60	9	3
436	Rush county	271	206	9	22	8	11	.....	.....	6	3	6
437	St. Joseph county	271	121	25	26	15	18	1	.....	54	11	.....
438	Scott county	120	80	1	14	3	12	1	.....	4	5	.....
439	Shelby county	349	263	14	17	7	18	1	.....	20	2	7
440	Spencer county	303	180	14	24	6	21	1	.....	28	5	24
441	Starke county	147	76	18	9	5	3	4	.....	31	1	.....
442	Steuben county	170	108	2	28	2	14	1	.....	7	8	.....
443	Sullivan county	414	287	8	40	11	30	1	.....	12	19	6
444	Switzerland county	152	102	6	17	7	9	.....	.....	6	2	3
445	Tippecanoe county	246	141	12	32	11	8	1	.....	27	12	2
446	Tipton county	248	183	5	30	3	20	.....	.....	4	3	.....
447	Union county	77	42	6	6	2	11	1	.....	5	4	.....
448	Vanderburg county	233	63	19	30	9	5	3	.....	30	30	24
449	Vermilion county	234	164	10	22	7	5	1	.....	17	7	1
450	Vigo county	317	175	11	50	14	16	1	.....	24	14	12
451	Wabash county	244	182	4	20	5	8	2	.....	17	6	.....
452	Warren county	108	75	1	11	1	7	.....	.....	8	5	.....
453	Warrick county	318	191	10	25	6	15	2	.....	42	7	20
454	Washington county	298	240	2	21	6	17	1	.....	6	5	.....
455	Wayne county	383	222	17	52	10	21	4	.....	28	16	13
456	Wells county	279	210	7	20	15	8	2	.....	16	1	.....
457	White county	206	133	8	22	4	12	3	.....	17	7	.....
458	Whitley county	211	142	9	22	3	16	.....	.....	13	6	.....
	MAINE RURAL.											
459	Androscoggin county	850	387	134	68	51	25	3	.....	173	7	2
460	Aroostook county	819	328	121	48	143	13	4	.....	153	9	.....
461	Cumberland county	852	588	49	44	41	36	2	.....	75	16	1
462	Franklin county	275	182	13	46	7	12	.....	.....	8	7	.....
463	Hancock county	513	400	11	47	11	18	.....	.....	24	2	.....
464	Kennebec county	815	553	44	56	38	30	3	.....	81	10	.....
465	Knox county	338	252	8	21	11	19	1	.....	23	3	.....
466	Lincoln county	326	242	4	45	4	14	.....	.....	14	3	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1901—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
33	42	37	30	30	31	45	43	40	42	26	40	.....	392
55	50	46	49	31	34	49	70	48	33	38	26	1	393
29	20	31	39	29	18	44	33	37	44	45	23	.....	394
50	31	44	36	28	27	40	38	33	24	23	29	.....	395
19	21	29	26	15	7	19	27	20	12	21	14	.....	396
43	31	28	21	22	20	38	17	14	20	18	25	.....	397
30	18	26	27	22	23	22	25	24	24	19	20	.....	398
46	42	38	36	27	13	40	32	43	33	25	36	.....	399
23	22	18	21	12	14	16	21	21	15	11	14	.....	400
17	15	17	19	15	16	24	20	15	17	12	14	.....	401
45	38	39	49	34	26	40	36	34	29	27	39	.....	402
16	17	14	14	12	14	8	16	15	8	7	16	.....	403
31	35	41	37	30	19	19	25	30	27	26	29	.....	404
38	42	36	25	31	33	47	29	28	24	27	27	.....	405
21	16	15	21	17	23	27	21	19	15	20	21	.....	406
28	36	25	26	14	22	25	25	30	23	14	16	.....	407
38	42	30	18	23	15	22	24	26	24	19	20	.....	408
30	29	40	34	24	31	25	28	30	20	23	20	1	409
28	20	26	19	11	11	15	11	18	15	18	18	.....	410
27	32	31	24	14	25	37	43	30	21	29	23	.....	411
40	21	25	23	24	13	30	17	28	26	16	28	.....	412
36	32	22	26	29	17	36	26	25	35	22	23	.....	413
54	31	41	34	34	34	53	59	42	23	25	41	.....	414
61	51	41	43	20	33	73	46	36	44	35	35	.....	415
31	30	26	21	31	14	18	18	28	23	23	25	.....	416
28	26	23	12	13	14	23	20	21	18	14	19	.....	417
24	25	22	16	18	19	20	21	27	15	19	20	1	418
26	27	23	24	21	20	32	23	26	22	21	22	.....	419
38	46	47	33	29	18	26	43	27	26	28	27	.....	420
25	34	24	20	20	23	22	25	19	17	20	18	.....	421
15	9	18	11	9	11	15	7	10	10	9	6	.....	422
31	23	34	28	22	14	19	31	17	22	20	29	.....	423
11	5	4	6	3	.....	7	7	3	3	2	3	.....	424
20	32	15	20	18	21	29	27	13	21	9	21	.....	425
16	32	26	18	16	11	17	17	14	13	21	17	.....	426
27	27	27	21	14	16	27	18	25	25	22	28	.....	427
21	32	30	24	17	22	25	20	22	18	15	23	.....	428
35	32	25	30	18	18	40	22	23	28	35	31	.....	429
26	20	19	25	22	6	20	18	17	18	21	25	1	430
44	51	50	32	22	26	42	35	25	32	35	35	.....	431
12	6	19	15	7	10	9	12	16	12	16	13	.....	432
23	40	27	22	22	27	33	17	18	18	17	16	.....	433
29	45	34	28	41	24	30	36	38	36	25	24	.....	434
31	33	32	28	16	16	19	19	23	17	17	15	.....	435
24	32	34	24	28	13	16	19	19	19	20	23	19	436
32	26	22	21	27	13	20	21	21	27	15	25	1	437
11	9	11	11	8	11	12	12	13	9	5	8	.....	438
30	33	34	34	16	23	30	33	36	30	26	24	.....	439
27	27	28	24	29	28	25	16	22	26	24	27	.....	440
15	14	8	8	14	10	13	17	16	9	15	8	.....	441
25	20	17	23	15	7	10	11	10	12	8	11	1	442
28	40	44	33	28	27	37	43	35	36	31	32	.....	443
13	24	14	11	13	8	14	12	14	12	9	8	.....	444
28	25	29	20	23	20	20	15	21	14	12	19	.....	445
29	17	23	23	12	15	22	32	23	21	15	16	.....	446
11	13	7	7	5	2	5	6	8	5	5	3	.....	447
26	21	16	22	13	21	31	16	12	21	13	21	.....	448
30	23	26	26	23	5	11	22	13	16	18	21	.....	449
50	18	23	25	21	31	23	30	40	13	23	20	.....	450
16	22	29	18	13	26	17	24	18	21	20	20	.....	451
15	8	17	9	3	8	7	13	7	5	8	8	.....	452
35	23	27	22	15	25	50	25	31	22	21	22	.....	453
18	29	29	27	22	19	36	23	23	16	26	30	.....	454
32	42	41	35	29	25	29	30	30	32	28	30	.....	455
17	30	30	30	22	15	26	27	24	13	20	25	.....	456
23	18	16	17	17	16	12	19	15	17	16	20	.....	457
19	21	19	24	14	17	12	23	18	14	11	19	.....	458
67	94	79	79	76	58	76	64	75	58	66	58	.....	459
51	68	70	58	60	70	83	95	106	74	40	43	1	460
86	90	91	62	69	69	64	70	55	65	70	50	2	461
20	19	46	21	21	15	30	17	24	19	24	27	2	462
43	39	44	38	50	53	33	47	40	43	43	40	.....	463
66	84	99	90	80	58	46	52	56	68	64	70	2	464
45	38	37	30	30	16	24	22	25	25	24	32	.....	465
29	42	41	17	28	25	17	23	29	25	22	28	.....	466

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	MAINE RURAL—Continued.											
467	Oxford county	542	370	22	60	19	26	.....	.....	34	11	.....
468	Penobscot county	865	476	59	100	68	38	3	.....	101	16	4
469	Piscataquis county	254	160	7	35	11	13	2	.....	24	2	.....
470	Sagadahoc county	144	104	10	13	2	4	.....	.....	8	3	.....
471	Somerset county	496	335	19	61	22	22	1	.....	34	2	.....
472	Waldo county	398	296	5	49	11	22	1	.....	10	4	.....
473	Washington county	653	328	56	56	76	20	1	.....	112	4	.....
474	York county	867	575	36	90	24	56	5	.....	70	9	2
	MASSACHUSETTS RURAL.											
475	Barnstable county	479	346	31	22	17	12	1	.....	40	3	7
476	Berkshire county	558	243	57	69	29	30	1	.....	106	9	14
477	Bristol county	655	363	86	31	28	35	1	.....	106	4	1
478	Dukes county	85	59	6	2	3	3	1	.....	7	1	3
479	Essex county	1,073	589	114	53	80	39	9	.....	172	11	6
480	Franklin county	650	344	63	51	41	45	5	.....	85	16	.....
481	Hampden county	585	224	124	40	33	23	.....	.....	132	7	2
482	Hampshire county	494	219	61	45	22	21	4	.....	109	6	7
483	Middlesex county	1,774	670	263	79	82	59	11	.....	528	36	46
484	Nantucket county	55	39	2	1	7	1	1	.....	4	.....	.....
485	Norfolk county	1,298	555	171	74	84	41	6	.....	351	14	2
486	Plymouth county	1,067	596	81	64	47	47	4	.....	190	25	13
487	Suffolk county	66	33	7	5	4	4	.....	.....	13	.....	.....
488	Worcester county	2,139	913	337	121	156	93	14	.....	485	14	6
	MICHIGAN RURAL.											
489	Alcona county	63	8	19	3	12	.....	.....	.....	21	.....	.....
490	Alger county	48	10	9	4	7	1	.....	.....	12	2	3
491	Allegan county	498	240	40	41	47	21	1	.....	93	10	5
492	Alpena county	210	26	61	1	30	2	.....	.....	87	2	1
493	Antrim county	209	91	24	10	20	3	3	.....	45	6	7
494	Arenac county	120	38	18	4	22	1	2	.....	26	2	7
495	Baraga county	60	8	15	.....	6	.....	.....	.....	18	1	12
496	Barry county	268	142	14	18	16	14	1	.....	55	8	.....
497	Bay county	266	53	50	10	34	2	3	.....	107	.....	7
498	Benzie county	137	67	11	10	14	6	3	.....	19	2	5
499	Berrien county	669	332	51	32	48	23	4	.....	146	23	10
500	Branch county	383	258	11	38	13	19	2	.....	36	6	.....
501	Calhoun county	428	226	31	42	28	21	.....	.....	70	10	.....
502	Cass county	271	152	5	20	10	15	2	.....	32	4	31
503	Charlevoix county	177	69	22	3	16	7	1	.....	39	5	15
504	Cheboygan county	201	54	33	9	27	6	2	.....	63	3	4
505	Chippewa county	114	11	21	.....	13	1	1	.....	58	.....	9
506	Clare county	90	33	2	8	15	5	1	.....	22	3	1
507	Clinton county	337	184	33	26	20	12	2	.....	54	6	.....
508	Crawford county	27	7	8	.....	2	.....	.....	.....	7	3	.....
509	Delta county	133	16	51	2	16	3	1	.....	42	1	1
510	Dickinson county	122	4	51	4	4	.....	1	.....	55	3	.....
511	Eaton county	404	234	16	50	20	25	2	.....	47	8	2
512	Emmet county	212	96	21	13	17	7	.....	.....	30	5	23
513	Genesee county	379	225	20	28	22	13	2	.....	57	10	2
514	Gladwin county	64	17	10	4	16	1	1	.....	13	2	.....
515	Gogebic county	113	8	59	1	8	.....	.....	.....	35	2	.....
516	Grand Traverse county	156	76	10	11	15	6	2	.....	30	5	1
517	Gratiot county	361	226	10	28	24	19	2	.....	45	6	1
518	Hillsdale county	423	263	14	43	19	25	2	.....	46	9	2
519	Houghton county	893	78	366	5	93	6	1	.....	323	20	1
520	Huron county	376	67	69	9	60	2	1	.....	161	7	.....
521	Ingham county	312	173	15	18	24	27	4	.....	45	6	.....
522	Ionia county	464	270	36	27	23	22	5	.....	70	7	4
523	Iosco county	135	27	31	2	20	6	.....	.....	41	8	.....
524	Iron county	105	22	36	2	5	.....	.....	.....	37	3	.....
525	Isabella county	242	100	23	22	26	5	3	.....	44	3	16
526	Jackson county	270	160	14	20	15	15	2	.....	38	4	2
527	Kalamazoo county	267	160	10	16	13	10	1	.....	42	14	1
528	Kalkaska county	88	45	5	4	11	5	3	.....	11	2	2
529	Kent county	617	263	59	65	41	31	8	.....	139	7	4
530	Keweenaw county	41	4	16	1	2	.....	.....	.....	16	2	.....
531	Lake county	58	25	5	6	2	2	.....	.....	16	2	.....
532	Lapeer county	416	185	23	27	39	26	7	.....	106	3	.....
533	Leelanau county	122	36	19	7	12	.....	3	.....	34	.....	11
534	Lenawee county	707	390	46	55	43	21	3	.....	120	22	7
535	Livingston county	253	110	15	22	21	19	3	.....	57	6	.....
536	Luce county	43	5	9	2	5	1	.....	.....	19	2	.....
537	Mackinac county	82	19	8	.....	10	3	2	.....	31	2	7
538	Macomb county	484	214	46	10	48	12	3	.....	143	6	2
539	Manistee county	309	64	85	7	29	2	2	.....	112	8	.....
540	Marquette county	223	20	93	4	19	2	.....	.....	80	4	1
541	Mason county	256	61	43	11	32	11	4	.....	78	4	12
542	Mecosta county	275	127	30	24	25	11	1	.....	50	4	3
543	Menominee county	137	34	23	2	19	2	3	.....	53	1	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1901—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
37	53	55	55	62	39	30	26	55	44	44	42	.....	467
81	79	82	75	63	58	56	61	76	86	63	84	1	468
18	25	26	28	33	12	13	17	13	24	21	24	.....	469
14	8	18	21	12	12	10	7	16	9	10	7	.....	470
36	43	57	32	37	30	35	35	47	52	51	41	.....	471
38	34	45	30	37	22	36	27	33	33	32	31	.....	472
51	69	61	68	68	46	54	48	71	42	34	41	.....	473
75	84	76	88	65	65	65	63	77	54	68	87	.....	474
27	50	47	36	35	38	45	49	48	33	37	34	.....	475
66	57	52	63	46	34	41	51	44	34	43	27	.....	476
66	65	71	51	42	35	60	55	59	60	45	46	.....	477
2	10	3	9	6	5	9	8	8	11	4	10	.....	478
87	92	96	75	94	81	77	108	110	77	84	92	.....	479
53	68	78	53	45	49	52	44	47	42	60	59	.....	480
45	55	55	53	35	39	50	43	62	39	51	58	.....	481
42	38	53	44	47	48	33	43	35	38	41	32	.....	482
146	153	165	146	150	135	154	150	109	134	117	155	.....	483
1	5	8	6	2	3	4	6	7	2	6	5	.....	484
128	121	161	109	111	99	77	94	123	89	89	97	.....	485
83	102	107	117	82	82	67	87	93	84	70	93	.....	486
6	2	7	6	7	3	8	7	5	5	5	5	.....	487
202	204	268	161	167	148	143	161	184	164	171	164	2	488
5	8	8	6	6	8	1	.....	5	2	7	7	.....	489
4	1	6	5	3	4	4	3	5	3	5	5	.....	490
44	46	50	47	41	40	35	37	38	38	50	32	.....	491
29	18	17	20	14	15	13	18	18	15	8	25	.....	492
18	25	29	9	20	10	12	19	29	18	12	8	.....	493
10	17	19	14	6	8	8	9	6	12	1	10	.....	494
1	8	5	2	4	6	8	6	5	5	5	5	.....	495
18	38	21	27	29	20	16	21	17	19	18	24	.....	496
23	40	23	19	33	20	11	12	31	20	13	21	.....	497
7	13	17	15	10	13	5	15	16	10	8	8	.....	498
66	49	70	66	68	64	39	50	56	45	42	53	1	499
44	46	47	25	37	26	35	18	35	23	29	18	.....	500
38	57	55	29	28	24	35	28	37	28	28	41	.....	501
35	21	22	26	23	22	24	18	21	18	17	24	.....	502
19	16	15	13	14	7	13	22	22	10	10	16	.....	503
23	29	9	14	21	12	16	15	20	10	15	17	.....	504
7	13	8	8	3	13	8	12	14	5	10	13	.....	505
9	6	8	14	10	6	8	5	7	4	2	11	.....	506
34	30	38	37	31	37	21	18	21	24	23	23	.....	507
2	1	3	4	.....	2	1	2	7	1	3	1	.....	508
9	14	17	6	15	6	13	10	15	6	12	10	.....	509
11	6	5	10	10	11	17	14	14	11	7	6	.....	510
36	39	45	33	31	33	32	35	25	29	28	38	.....	511
22	23	12	17	12	13	17	22	22	19	19	14	.....	512
36	36	54	32	30	31	23	25	26	25	25	36	.....	513
3	8	4	3	4	7	3	6	11	4	3	8	.....	514
16	7	6	9	7	9	11	11	10	5	11	11	.....	515
13	15	21	17	12	11	13	8	17	12	7	10	.....	516
39	31	37	35	29	22	25	26	31	28	25	33	.....	517
33	41	42	40	45	38	30	28	33	39	25	29	.....	518
77	78	90	68	76	59	59	99	97	75	66	48	1	519
43	39	49	23	26	23	25	34	34	19	31	30	.....	520
34	34	46	36	26	13	16	22	33	16	12	24	.....	521
43	36	47	38	33	29	36	30	43	45	36	48	.....	522
6	6	19	14	28	10	12	8	11	13	2	5	1	523
9	6	1	7	5	7	7	18	12	11	12	10	.....	524
25	20	20	23	25	20	14	17	31	15	11	21	.....	525
32	22	37	20	24	17	27	18	14	21	21	17	.....	526
28	30	33	13	17	16	15	23	26	23	22	21	.....	527
6	7	12	6	12	10	4	4	9	4	11	3	.....	528
63	49	83	65	46	50	32	36	51	59	37	46	.....	529
4	4	7	2	3	3	1	3	2	4	3	5	.....	530
4	5	9	7	7	3	.....	3	10	3	4	3	.....	531
42	46	43	30	24	27	22	36	39	41	22	44	.....	532
10	7	22	9	11	7	15	9	12	4	12	4	.....	533
67	70	67	63	46	47	50	43	68	59	67	60	.....	534
28	26	29	18	19	17	19	18	18	16	19	26	.....	535
3	3	1	4	2	2	8	10	2	2	3	3	.....	536
5	10	2	4	6	6	1	10	14	14	8	2	.....	537
39	51	47	47	35	31	39	44	40	32	34	44	1	538
33	19	32	24	32	26	30	23	16	24	35	15	.....	539
23	13	16	19	17	15	11	30	24	26	19	10	.....	540
24	18	31	30	25	16	14	25	18	9	24	22	.....	541
20	22	43	23	24	27	20	25	21	22	9	19	.....	542
11	14	14	15	7	6	8	5	21	15	7	13	1	543

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	MICHIGAN RURAL—Continued.											
544	Midland county	193	88	23	9	25	4	1	.....	42	.....	1
545	Missaukee county	87	37	9	1	16	2	.....	.....	22	.....	.....
546	Monroe county	422	190	41	14	45	4	3	.....	115	7	3
547	Montcalm county	418	205	25	33	37	21	3	.....	85	9	.....
548	Montmorency county	32	7	9	3	3	1	.....	.....	9	.....	.....
549	Muskegon county	192	72	35	12	14	8	3	.....	46	2	.....
550	Newaygo county	208	87	20	26	25	8	1	.....	32	9	.....
551	Oakland county	500	283	42	16	38	16	1	.....	93	8	3
552	Oceana county	211	96	19	18	20	8	3	.....	36	1	10
553	Ogemaw county	99	33	12	5	19	5	.....	.....	19	5	1
554	Ontonagon county	84	13	20	2	14	.....	1	.....	25	7	2
555	Osceola county	184	66	23	12	14	15	1	.....	43	9	1
556	Oscoda county	6	1	1	2	.....	.....	.....	.....	.....	2	.....
557	Otsego county	83	39	12	6	6	1	.....	.....	14	5	.....
558	Ottawa county	487	141	76	17	49	8	4	.....	189	3	.....
559	Presque Isle county	107	21	24	3	16	5	4	.....	32	2	.....
560	Roscommon county	27	6	6	2	4	1	.....	.....	6	2	.....
561	Saginaw county	484	162	81	17	42	11	2	.....	166	3	.....
562	St. Clair county	506	136	59	17	66	2	3	.....	216	7	.....
563	St. Joseph county	355	209	22	25	21	15	.....	.....	52	10	1
564	Sanilac county	347	46	57	2	54	5	2	.....	178	3	.....
565	Schoolcraft county	114	16	39	2	17	.....	2	.....	33	3	2
566	Shiawassee county	347	201	15	24	24	15	5	.....	60	3	.....
567	Tuscola county	509	187	60	32	59	14	3	.....	150	4	.....
568	Van Buren county	499	296	25	56	26	14	1	.....	52	20	9
569	Washtenaw county	436	205	49	19	39	6	3	.....	101	6	8
570	Wayne county	1,000	279	165	81	78	19	7	.....	348	12	11
571	Wexford county	216	99	34	8	14	9	3	.....	46	3	.....
	NEW HAMPSHIRE RURAL.											
572	Belknap county	195	107	2	42	5	17	.....	.....	6	14	2
573	Carroll county	212	122	1	30	7	23	1	.....	15	13	.....
574	Cheshire county	368	173	30	59	23	20	.....	.....	46	17	.....
575	Coos county	256	92	24	41	20	15	3	.....	36	24	1
576	Grafton county	680	338	36	106	24	55	2	.....	70	49	.....
577	Hillsboro county	610	310	40	83	28	45	6	.....	59	38	1
578	Merrimack county	535	285	39	89	17	35	1	.....	55	14	.....
579	Rockingham county	692	379	55	73	34	35	1	.....	71	44	.....
580	Strafford county	300	136	48	28	13	9	1	.....	50	15	.....
581	Sullivan county	324	149	21	66	5	30	4	.....	38	11	.....
	NEW JERSEY RURAL.											
582	Atlantic county	276	133	52	16	12	4	.....	.....	51	2	6
583	Bergen county	1,264	458	215	64	74	18	9	.....	326	30	70
584	Burlington county	949	618	46	46	29	12	2	.....	100	16	80
585	Camden county	531	248	36	42	29	3	.....	.....	97	5	71
586	Cape May county	214	140	6	13	3	3	.....	.....	18	3	28
587	Cumberland county	303	178	18	26	7	6	1	.....	30	5	32
588	Essex county	917	409	135	58	52	5	2	.....	218	9	29
589	Gloucester county	399	224	25	41	14	6	1	.....	38	6	44
590	Hudson county	1,179	228	284	80	95	5	6	.....	453	16	12
591	Hunterdon county	513	392	14	21	11	25	1	.....	33	6	10
592	Mercer county	291	180	8	20	9	4	.....	.....	31	5	34
593	Middlesex county	560	223	125	24	28	14	3	.....	116	11	16
594	Monmouth county	1,314	707	107	72	76	26	7	.....	151	30	138
595	Morris county	749	397	89	57	30	9	4	.....	145	5	13
596	Ocean county	341	274	8	7	10	6	.....	.....	32	1	3
597	Passaic county	234	98	49	13	16	5	1	.....	50	1	1
598	Salem county	332	209	8	27	1	8	.....	.....	18	4	57
599	Somerset county	420	222	51	19	11	6	2	.....	68	9	32
600	Sussex county	264	216	6	14	5	5	.....	.....	16	2	.....
601	Union county	440	184	63	40	21	2	1	.....	95	3	31
602	Warren county	371	268	17	20	3	11	1	.....	33	7	11
	NEW YORK RURAL.											
603	Albany county	518	290	54	47	26	9	1	.....	81	7	3
604	Allegany county	548	283	29	88	27	31	2	.....	68	19	1
605	Broome county	489	282	18	73	12	39	2	.....	44	14	5
606	Cattaraugus county	693	332	52	108	32	17	6	.....	126	14	6
607	Cayuga county	555	328	28	73	18	10	2	.....	78	16	2
608	Chautauqua county	686	314	57	116	30	36	1	.....	116	16	.....
609	Chemung county	302	185	17	36	10	15	5	.....	19	12	3
610	Chenango county	651	463	23	77	12	22	.....	.....	40	10	4
611	Clinton county	539	246	59	47	45	9	6	.....	111	10	6
612	Columbia county	555	313	34	87	14	24	1	.....	58	8	16
613	Cortland county	295	195	9	52	7	4	.....	.....	18	7	3
614	Delaware county	620	345	37	96	23	42	5	.....	56	16	.....
615	Dutchess county	1,127	567	97	100	43	20	6	.....	235	26	33
616	Erie county	1,181	412	187	81	72	20	6	.....	352	46	5
617	Essex county	469	259	35	40	25	13	3	.....	78	13	3

NATIVITY, PARENT NATIVITY, AND MONTH: 1901—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
15	23	17	16	15	10	14	18	23	19	12	11	.....	544
10	6	11	6	15	4	10	4	6	6	4	5	.....	545
52	41	51	36	35	28	25	24	36	36	26	32	.....	546
30	55	55	40	31	25	26	20	43	30	35	28	.....	547
3	3	2	6	4	.....	3	4	.....	3	2	2	.....	548
16	22	13	20	27	8	14	9	22	11	10	20	.....	549
12	24	28	21	13	15	12	12	20	15	21	15	.....	550
59	61	54	50	42	28	34	33	36	32	31	40	.....	551
17	14	15	17	17	20	15	13	26	28	16	13	.....	552
20	6	13	10	3	8	5	2	6	4	12	10	.....	553
6	9	6	3	10	3	5	8	10	8	8	8	.....	554
18	19	17	15	16	11	13	16	9	23	12	15	.....	555
1	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	1	556
3	8	6	8	7	8	3	10	11	4	4	11	.....	557
41	42	54	37	33	38	39	39	43	40	40	41	.....	558
4	9	11	5	9	11	6	7	7	9	10	18	1	559
4	1	3	3	5	1	3	.....	2	2	2	1	.....	560
53	48	62	39	36	32	26	46	43	30	37	32	.....	561
53	55	36	49	51	36	36	36	48	35	27	44	.....	562
30	40	41	43	35	28	17	18	25	25	22	31	.....	563
25	40	36	38	36	18	31	21	25	23	27	27	.....	564
13	2	14	8	10	10	5	9	14	8	12	9	.....	565
39	23	32	27	31	26	17	32	31	26	34	29	.....	566
55	53	62	47	48	33	44	45	37	32	24	29	.....	567
47	46	53	50	33	34	37	32	50	51	27	38	1	568
36	40	43	49	39	35	29	25	44	38	29	29	.....	569
119	96	95	105	74	64	67	83	76	64	64	90	3	570
27	22	28	15	24	15	8	17	17	16	14	12	1	571
17	19	14	18	19	11	21	12	13	16	15	20	.....	572
15	22	19	25	18	23	10	14	20	13	18	15	.....	573
33	36	45	33	34	15	28	31	27	33	30	23	.....	574
16	24	23	22	16	24	17	22	30	25	20	17	.....	575
57	84	71	57	50	45	44	49	58	41	54	70	.....	576
50	59	65	56	51	45	42	50	53	37	53	49	.....	577
50	58	47	39	47	40	31	40	46	46	43	48	.....	578
53	67	77	56	57	56	53	58	49	49	54	63	.....	579
16	36	30	14	29	21	33	29	31	27	23	11	.....	580
18	32	41	30	35	19	29	26	25	28	30	11	.....	581
25	20	32	19	20	21	24	24	24	13	24	30	.....	582
110	96	115	105	108	78	121	126	107	104	111	83	.....	583
85	96	94	81	67	66	85	111	73	64	60	67	.....	584
44	36	42	47	64	37	59	52	43	39	31	37	.....	585
12	10	23	16	11	16	28	35	25	11	10	17	.....	586
27	33	30	20	34	22	24	31	18	18	21	25	.....	587
112	67	86	56	53	70	96	93	69	83	61	71	.....	588
50	44	37	26	8	5	50	42	30	39	29	39	.....	589
100	86	108	92	91	88	153	102	94	84	71	110	.....	590
39	52	49	60	43	39	38	44	48	31	38	32	.....	591
32	41	36	20	25	24	21	11	28	25	17	11	.....	592
47	59	49	30	45	44	49	57	41	45	31	63	.....	593
99	98	98	95	96	91	129	206	149	84	72	97	.....	594
63	72	92	57	62	48	55	69	64	45	32	70	.....	595
42	40	47	39	19	18	17	28	22	27	23	19	.....	596
16	22	18	16	7	3	34	23	27	18	26	24	.....	597
32	38	36	24	34	24	26	27	27	16	18	30	.....	598
37	34	42	34	36	31	37	53	23	27	34	32	.....	599
35	21	31	23	25	20	9	17	26	22	19	16	.....	600
43	26	32	43	29	36	35	51	48	40	31	36	.....	601
34	39	42	43	28	23	20	27	34	25	19	37	.....	602
43	54	45	50	41	51	44	42	47	31	27	43	.....	603
57	54	56	47	48	41	40	40	37	44	36	48	.....	604
33	66	54	48	37	39	33	46	31	34	29	39	.....	605
64	66	80	67	52	53	39	43	60	60	54	55	.....	606
52	68	44	55	49	48	35	44	41	37	38	44	.....	607
71	77	58	58	49	53	46	50	57	44	63	60	.....	608
36	32	29	33	27	21	13	24	15	27	21	24	.....	609
62	79	95	61	47	60	44	54	34	39	30	46	.....	610
41	42	49	52	51	45	41	43	47	47	40	41	.....	611
61	60	59	42	31	47	42	42	48	40	41	42	.....	612
28	32	39	20	30	15	14	21	16	27	22	31	.....	613
59	69	62	59	50	49	40	41	60	42	45	53	.....	614
110	109	123	82	92	74	98	81	95	83	79	101	.....	615
118	98	91	102	115	89	90	101	94	78	115	90	.....	616
45	47	43	31	42	30	39	39	35	45	31	42	.....	617

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.								
			Both parents.			Mixed parentage.			Parentage not stated.	Foreign.	Unknown.	
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	NEW YORK RURAL—Continued.											
618	Franklin county	686	284	86	53	85	12	4	.....	126	7	29
619	Fulton county	239	152	16	26	11	7	1	.....	25	1	.....
620	Genesee county	534	244	72	45	22	9	3	.....	124	11	4
621	Greene county	535	208	32	57	23	26	2	.....	67	8	22
622	Hamilton county	54	33	4	5	3	1	.....	.....	7	1	.....
623	Herkimer county	711	343	65	108	38	20	8	.....	116	11	2
624	Jefferson county	804	394	52	102	51	38	10	.....	137	17	3
625	Lewis county	386	168	30	49	26	16	1	.....	88	7	1
626	Livingston county	522	223	48	74	21	23	3	.....	112	14	4
627	Madison county	652	346	28	109	24	41	3	.....	77	19	5
628	Monroe county	786	348	108	52	43	11	3	.....	195	24	2
629	Montgomery county	335	153	18	69	12	13	.....	.....	66	3	1
630	Nassau county	863	425	112	70	34	10	2	.....	169	12	29
631	Niagara county	506	196	66	26	35	8	1	.....	141	23	10
632	Oneida county	896	363	93	82	67	41	6	.....	231	13	.....
633	Onondaga county	894	408	78	122	31	38	7	.....	201	4	5
634	Ontario county	552	322	42	54	24	5	3	.....	90	8	4
635	Orange county	836	424	72	79	46	30	5	.....	132	21	27
636	Orleans county	456	190	51	47	25	18	5	.....	111	6	3
637	Oswego county	1,131	496	96	194	67	52	8	.....	195	21	2
638	Otsego county	843	606	22	87	19	39	2	.....	63	4	1
639	Putnam county	220	120	24	24	7	9	.....	.....	32	2	2
640	Rensselaer county	793	410	83	69	36	39	3	.....	139	11	3
641	Rockland county	576	246	71	40	39	15	5	.....	118	9	33
642	St. Lawrence county	1,092	476	127	92	113	31	8	.....	223	19	3
643	Saratoga county	903	426	88	128	48	16	1	.....	167	21	8
644	Schenectady county	240	114	37	20	12	8	1	.....	44	3	1
645	Schoharie county	434	302	8	59	8	27	.....	.....	16	10	4
646	Schuyler county	257	156	11	41	6	24	1	.....	12	4	2
647	Seneca county	577	232	55	85	24	18	3	.....	144	14	2
648	Steuben county	1,039	498	51	201	34	38	7	.....	168	33	9
649	Suffolk county	1,306	570	118	113	51	15	6	.....	332	36	65
650	Sullivan county	525	210	55	58	26	21	2	.....	132	17	4
651	Tioga county	465	254	16	75	11	37	1	.....	39	17	15
652	Tompkins county	312	227	9	34	3	10	.....	.....	21	6	2
653	Ulster county	1,059	699	78	59	30	21	2	.....	147	15	8
654	Warren county	265	166	16	35	7	8	1	.....	25	6	1
655	Washington county	731	434	54	54	35	15	3	.....	120	13	3
656	Wayne county	710	343	54	93	33	10	3	.....	145	24	5
657	Westchester county	1,601	656	229	106	85	24	7	.....	433	35	26
658	Wyoming county	471	252	29	44	26	18	1	.....	88	10	3
659	Yates county	289	168	8	43	6	16	5	.....	33	10	.....
	RHODE ISLAND RURAL.											
660	Bristol county	240	99	50	1	7	3	2	.....	71	1	6
661	Kent county	590	226	161	11	38	2	.....	.....	140	4	8
662	Newport county	162	86	33	1	4	2	.....	.....	26	7	3
663	Providence county	1,296	467	315	38	69	9	3	.....	354	15	26
664	Washington county	393	262	24	5	10	3	1	.....	57	1	30
	VERMONT RURAL.											
665	Addison county	347	.....	.....	.....	.....	.....	.....	300	37	10	.....
666	Bennington county	253	.....	.....	.....	.....	.....	.....	225	22	3	3
667	Caledonia county	410	.....	.....	.....	.....	.....	.....	331	61	18	.....
668	Chittenden county	308	.....	.....	.....	.....	.....	.....	236	61	9	2
669	Essex county	120	.....	.....	.....	.....	.....	.....	91	23	6	.....
670	Franklin county	444	.....	.....	.....	.....	.....	.....	339	87	18	.....
671	Grand Isle county	58	.....	.....	.....	.....	.....	.....	47	6	5	.....
672	Lamoille county	188	.....	.....	.....	.....	.....	.....	165	18	5	.....
673	Orange county	334	.....	.....	.....	.....	.....	.....	297	16	21	.....
674	Orleans county	347	.....	.....	.....	.....	.....	.....	279	55	13	.....
675	Rutland county	506	.....	.....	.....	.....	.....	.....	396	93	16	1
676	Washington county	507	.....	.....	.....	.....	.....	.....	414	74	19	.....
677	Windham county	479	.....	.....	.....	.....	.....	.....	406	38	32	3
678	Windsor county	623	.....	.....	.....	.....	.....	.....	558	45	20	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1901—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
63	68	57	50	62	51	56	62	56	51	57	52	1	618
28	19	24	18	27	12	15	20	14	26	15	21	.....	619
56	48	47	46	40	38	39	41	47	42	50	40	.....	620
56	55	39	48	51	42	53	32	47	39	30	42	1	621
5	5	8	6	3	6	8	3	3	2	4	1	.....	622
71	69	57	61	66	61	40	70	58	62	54	42	.....	623
83	91	92	88	57	63	50	44	59	60	41	76	.....	624
41	58	43	47	31	28	17	17	28	30	23	23	.....	625
50	60	51	53	49	36	39	23	39	32	40	50	.....	626
64	70	45	60	64	49	45	66	49	39	51	50	.....	627
83	80	79	64	74	52	50	67	53	45	64	75	.....	628
30	18	44	36	21	26	23	19	27	37	24	30	.....	629
82	75	55	66	71	58	63	109	80	63	80	61	.....	630
54	36	41	50	41	34	33	55	44	48	28	42	.....	631
98	86	94	87	86	53	60	62	59	61	71	76	3	632
95	96	103	93	61	66	63	58	60	67	70	62	.....	633
53	65	47	58	48	54	27	39	42	40	31	48	.....	634
81	81	91	78	55	58	64	79	78	49	62	58	2	635
56	57	40	45	36	24	32	32	34	36	23	41	.....	636
122	128	113	109	80	84	77	69	104	87	78	80	.....	637
84	94	92	84	68	74	57	63	56	65	60	46	.....	638
16	19	23	18	14	15	23	18	15	18	20	21	.....	639
83	77	87	82	73	36	62	69	56	57	42	60	.....	640
56	66	45	47	45	38	46	59	48	36	43	46	1	641
123	148	130	103	93	67	58	75	80	86	65	64	.....	642
95	75	115	82	87	55	68	67	67	52	70	70	.....	643
20	18	17	21	23	16	14	26	29	24	14	18	.....	644
29	49	58	39	34	31	34	23	34	40	34	29	.....	645
38	39	20	25	26	22	12	18	12	18	12	15	.....	646
61	54	48	60	41	44	44	48	46	39	47	45	.....	647
106	104	118	86	80	66	76	72	83	74	83	91	.....	648
110	118	89	103	111	79	104	161	115	96	117	102	1	649
51	46	41	34	41	45	48	58	45	40	38	38	.....	650
61	50	37	39	33	32	34	31	38	33	40	37	.....	651
33	42	23	29	19	20	23	27	36	24	14	22	.....	652
119	96	116	92	85	88	79	73	70	93	60	88	.....	653
22	23	29	24	26	19	26	19	16	16	23	22	.....	654
69	55	91	66	69	72	42	64	47	60	35	61	.....	655
89	68	63	51	68	66	46	47	58	52	46	56	.....	656
166	122	147	136	138	103	136	179	136	94	108	136	.....	657
48	63	42	39	50	38	31	35	35	32	30	28	.....	658
33	27	25	22	21	21	16	32	29	24	19	20	.....	659
17	20	17	15	22	16	20	27	17	22	28	19	.....	660
57	61	61	39	42	34	45	63	62	39	46	41	.....	661
15	6	15	9	8	13	24	16	18	9	14	15	.....	662
126	118	120	120	99	93	121	111	108	88	91	101	.....	663
34	51	46	40	30	20	26	34	22	34	25	31	.....	664
39	53	30	32	25	29	30	17	27	23	18	23	1	665
23	35	26	22	21	22	15	9	22	23	16	19	.....	666
33	48	46	29	40	25	38	28	34	30	25	34	.....	667
30	29	24	32	24	17	15	29	38	22	19	29	.....	668
11	13	8	12	13	6	9	19	3	6	10	9	1	669
40	56	44	31	34	41	33	35	29	31	35	35	.....	670
1	9	3	7	1	6	2	4	9	6	5	4	1	671
21	20	23	13	17	16	10	13	9	14	28	4	.....	672
33	34	29	30	29	26	23	30	27	27	19	27	.....	673
17	46	21	25	24	28	25	29	26	29	45	32	.....	674
44	62	42	53	46	32	49	32	44	30	35	37	.....	675
51	48	44	47	50	33	24	22	56	49	49	34	.....	676
52	51	45	49	39	35	43	29	24	41	27	44	.....	677
48	72	83	53	60	44	41	43	48	48	41	42	.....	678

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	SUMMARIES.											
1	The registration area	518,207	97,477	22,461	10,031	6,605	5,104	141,678	13,932	8,416	13,969	21,809
2	Registration cities	385,395	77,008	18,186	8,101	5,349	4,134	112,778	10,996	6,220	10,400	17,061
3	Registration states	332,203	62,759	14,389	6,333	4,136	3,159	90,776	8,535	5,028	8,326	12,610
4	Cities in registration states	199,391	42,290	10,114	4,403	2,880	2,189	61,876	5,599	2,832	4,737	7,862
5	Rural part of registration states	132,812	20,469	4,275	1,930	1,256	970	28,900	2,936	2,196	3,589	4,748
6	Registration cities in other states	186,004	34,718	8,072	3,698	2,469	1,945	50,902	5,397	3,388	5,643	9,199
	REGISTRATION STATES.											
7	Connecticut	14,866	2,812	545	233	165	119	3,874	365	222	346	511
8	District of Columbia	6,055	1,256	200	112	53	54	1,675	138	89	157	321
9	Indiana	35,130	6,481	1,586	683	422	280	9,452	944	698	1,271	1,717
10	Maine	11,215	1,629	311	120	86	76	2,222	241	169	325	419
11	Massachusetts	48,205	9,853	1,936	928	638	476	13,831	1,176	658	1,020	1,703
12	Michigan	32,852	6,303	1,137	540	335	247	8,562	766	663	1,057	1,324
13	New Hampshire	6,956	1,068	232	93	65	62	1,520	124	75	136	227
14	New Jersey	31,791	6,882	1,434	650	421	296	9,683	898	480	758	1,173
15	New York	131,461	23,982	6,478	2,747	1,796	1,437	36,440	3,590	1,789	2,935	4,724
16	Rhode Island	7,955	1,662	389	147	112	79	2,389	189	105	196	320
17	Vermont	5,717	831	141	80	43	33	1,128	104	80	125	171
	REGISTRATION CITIES.											
18	Adams town, Mass	177	51	9	6	6	3	75	3	4	7	4
19	Alameda, Cal	297	26	9	6	2	1	44	4	15	12	12
20	Albany, N. Y	1,779	218	53	25	10	16	322	52	26	50	70
21	Alexandria, Va	347	71	8	6	5	1	91	11	9	18	14
22	Allegheny, Pa	2,295	501	175	81	49	35	841	84	45	62	121
23	Allentown, Pa	520	98	23	4	8	6	139	16	18	17	21
24	Altoona, Pa	618	145	20	19	8	15	207	17	12	14	24
25	Amesbury town, Mass	163	27	3	3	.....	.....	33	11	4	3	6
26	Amsterdam, N. Y	320	58	20	7	3	2	90	5	2	5	12
27	Anderson, Ind	346	66	14	9	4	6	99	17	4	6	24
28	Ann Arbor, Mich	219	20	2	1	2	.....	25	5	1	7	15
29	Annapolis, Md	175	36	6	4	2	2	50	4	6	2	6
30	Ansonia, Conn	184	50	11	3	4	2	70	6	3	7	6
31	Appleton, Wis	144	28	3	2	1	4	38	3	1	9	8
32	Arlington town, Mass	113	26	5	1	.....	1	33	3	4	2	4
33	Ashtabula, Ohio	214	46	10	7	6	1	70	4	6	6	7
34	Atlanta, Ga	2,014	407	135	54	37	19	652	43	50	92	145
35	Atlantic City, N. J	550	106	22	14	6	1	149	17	7	14	24
36	Attleboro town, Mass	133	24	7	1	1	2	35	2	6	3	6
37	Auburn, N. Y	417	68	3	4	6	3	84	15	5	10	26
38	Augusta, Me	269	43	5	.....	1	1	50	2	3	6	6
39	Aurora, Ill	370	69	24	9	3	3	108	11	2	5	19
40	Baltimore, Md	10,482	2,533	455	194	121	88	3,391	206	136	276	446
41	Bangor, Me	397	35	10	5	1	1	52	4	6	11	15
42	Barre, Vt	120	36	8	4	5	.....	53	7	4	3	6
43	Bath, Me	149	22	5	1	1	2	31	4	4	3	5
44	Battle Creek, Mich	309	32	4	5	1	3	45	3	4	12	8
45	Bay City, Mich	352	74	14	7	7	3	105	14	5	11	13
46	Bayonne, N. J	581	155	68	21	9	7	260	20	11	11	20
47	Bellaire, Ohio	194	53	14	4	6	4	81	3	3	6	6
48	Belleville, Ill	270	59	10	3	1	1	74	9	10	10	13
49	Beloit, Wis	147	18	2	2	4	1	27	5	3	1	9
50	Bennington town, Vt	137	23	4	3	4	2	36	3	.....	4	6
51	Berlin, N. H	123	48	12	3	2	1	66	7	1	3	7
52	Beverly, Mass	186	24	5	1	1	.....	31	4	2	2	3
53	Biddeford, Me	327	116	11	3	5	1	136	4	7	17	15
54	Binghamton, N. Y	663	93	12	7	10	11	133	21	7	18	29
55	Boston, Mass	11,297	2,286	576	285	191	141	3,479	324	147	238	449
56	Bridgeport, Conn	1,231	291	75	20	17	15	418	27	22	38	63
57	Bridgeton, N. J	181	27	2	2	.....	2	33	7	2	5	7
58	Bristol town, Conn	121	17	2	5	.....	1	25	.....	1	4	4
59	Brockton, Mass	538	102	18	16	4	6	146	24	5	19	22
60	Brookline town, Mass	228	37	7	6	2	6	58	7	1	1	4
61	Buffalo, N. Y	5,518	1,278	294	138	68	81	1,859	176	77	113	205
62	Burlington, Iowa	349	44	5	4	1	2	56	11	4	11	22
63	Burlington, Vt	331	105	10	4	2	1	122	6	6	9	15
64	Cambridge, Mass	1,535	340	95	29	23	17	504	36	25	31	51
65	Camden, N. J	1,398	323	53	34	12	21	443	53	34	35	44
66	Canton, Ohio	357	56	8	6	3	1	74	12	9	16	9
67	Carbondale, Pa	226	44	10	5	2	5	66	13	8	2	5
68	Carlisle, Pa	182	26	6	1	1	1	35	6	5	4	8
69	Central Falls, R. I	301	96	15	10	10	2	133	14	4	8	21
70	Charleston, S. C	1,761	366	94	40	25	17	542	45	31	84	118
71	Chelsea, Mass	583	106	22	7	8	5	148	9	7	6	24
72	Chicago, Ill	24,478	5,033	1,316	522	333	295	7,499	727	402	768	1,049
73	Chicopee, Mass	340	120	24	10	5	5	164	12	4	9	10
74	Chillicothe, Ohio	244	35	10	2	5	.....	52	7	7	6	20
75	Chippewa Falls, Wis	93	16	1	1	.....	1	19	5	.....	3	8
76	Cincinnati, Ohio	6,401	985	282	136	93	57	1,553	155	95	193	278
77	Cleveland, Ohio	5,968	1,530	262	105	71	76	2,944	155	98	156	231
78	Clinton town, Mass	223	50	6	7	3	1	67	4	3	10	10
79	Cohoes, N. Y	470	103	32	8	3	3	149	11	6	18	23
80	Columbia, Pa	217	56	4	4	3	5	72	9	4	5	11
81	Columbus, Ind	140	18	12	1	2	.....	33	8	2	6	8
82	Columbus, Ohio	1,849	201	60	28	21	17	327	55	42	66	113

AREAS, AT EACH AGE: 1901.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,239	23,665	24,456	24,317	22,802	24,804	25,308	28,491	29,422	29,161	25,732	19,494	9,669	3,483	1,108	2,252	1
19,531	19,298	20,116	19,717	18,207	19,449	18,897	20,597	19,731	18,396	14,878	10,466	4,942	1,751	622	1,342	2
14,243	14,105	14,273	14,399	13,643	15,344	16,393	18,776	19,979	20,258	18,700	14,560	7,441	2,701	789	1,324	3
9,535	9,738	9,933	9,799	9,048	9,989	9,982	10,882	10,288	9,493	7,846	5,532	2,714	969	303	414	4
4,708	4,367	4,340	4,600	4,595	5,355	6,411	7,894	9,091	10,765	10,854	9,028	4,727	1,732	486	910	5
9,996	9,560	10,183	9,918	9,159	9,460	8,915	9,715	9,443	8,903	7,032	4,934	2,228	782	319	928	6
632	570	590	604	592	713	736	879	884	916	931	741	404	156	45	155	7
306	268	293	283	296	355	347	373	323	301	220	177	70	33	29	1	8
1,539	1,400	1,274	1,324	1,290	1,361	1,640	1,801	2,109	2,239	2,107	1,614	789	247	82	232	9
395	385	370	393	383	425	559	690	823	913	944	818	430	170	52	89	10
2,054	1,982	2,055	2,046	1,965	2,236	2,336	2,758	2,908	2,958	2,656	2,091	1,103	455	96	118	11
1,253	1,166	1,168	1,215	1,182	1,389	1,555	1,767	2,220	2,235	2,229	1,720	872	288	90	131	12
248	242	214	261	257	314	336	422	486	560	585	482	259	106	31	71	13
1,334	1,429	1,403	1,432	1,357	1,496	1,578	1,787	1,787	1,723	1,458	1,092	540	207	53	123	14
5,958	6,204	6,401	6,293	5,759	6,433	6,614	7,490	7,557	7,518	6,674	5,085	2,543	865	251	338	15
323	287	330	362	355	394	423	467	471	433	388	271	170	51	23	8	16
201	172	175	186	207	228	269	342	411	462	508	469	261	123	37	58	17
9	7	5	7	6	8	9	5	7	7	9	3	1	.....	1	.....	18
7	17	15	12	13	19	16	20	24	22	20	10	8	1	3	3	19
88	107	85	107	116	108	110	108	115	126	80	63	27	13	.....	6	20
15	13	11	11	13	17	16	25	24	19	17	10	8	4	1	.....	21
121	117	105	93	85	83	84	88	106	99	72	56	22	9	2	.....	22
27	15	16	26	19	21	35	24	28	26	25	21	16	.....	2	8	23
33	25	14	33	28	24	33	31	38	24	31	17	7	1	1	4	24
2	10	2	9	10	6	10	11	11	7	11	9	6	1	1	.....	25
13	16	14	17	16	17	12	25	19	23	13	12	5	3	.....	1	26
24	17	14	19	14	17	10	14	23	17	13	3	5	1	1	4	27
7	18	13	12	10	16	8	14	18	14	12	13	4	4	1	2	28
9	10	6	14	5	5	4	9	10	7	15	5	6	1	.....	1	29
8	8	9	6	4	11	6	7	8	8	7	4	2	1	.....	3	30
6	3	7	12	3	6	6	4	5	8	9	9	5	2	.....	.....	31
9	4	3	8	5	3	1	3	7	5	5	9	3	1	.....	1	32
8	10	9	16	6	9	4	14	12	15	6	7	3	.....	2	.....	33
126	108	108	97	83	93	70	82	76	69	42	32	16	12	6	12	34
18	28	24	36	41	29	35	35	28	21	19	13	7	3	.....	2	35
7	6	6	4	7	8	7	7	10	5	7	4	1	2	.....	.....	36
21	21	18	12	17	31	21	15	30	34	27	14	14	2	.....	.....	37
9	11	13	18	10	27	18	17	21	23	12	15	6	.....	1	1	38
11	11	12	21	15	15	22	21	23	22	24	19	7	2	.....	.....	39
490	476	520	518	512	520	475	544	558	511	430	265	143	40	22	3	40
25	19	27	35	12	23	22	24	27	19	34	23	8	4	1	6	41
5	9	5	10	3	4	1	3	.....	.....	3	1	3	.....	.....	.....	42
2	6	10	5	7	4	5	7	14	12	15	9	4	2	.....	.....	43
15	12	20	10	17	13	16	23	22	30	26	15	10	6	2	.....	44
11	9	10	11	13	2	22	20	24	22	19	9	6	2	1	1	45
23	24	34	24	25	21	21	27	21	21	9	5	3	1	.....	.....	46
14	8	7	7	4	10	10	11	12	6	3	1	.....	.....	.....	2	47
11	11	6	11	11	9	13	17	18	14	19	9	1	1	.....	3	48
6	5	5	3	7	7	5	9	13	10	13	14	4	1	.....	.....	49
3	4	3	1	6	3	9	14	9	9	13	7	4	1	1	1	50
3	8	7	2	4	1	1	1	4	2	2	.....	1	.....	.....	3	51
10	12	5	8	6	9	7	16	15	14	13	19	8	2	.....	.....	52
12	8	9	9	8	9	14	16	17	11	14	10	6	3	2	.....	53
39	34	40	29	25	35	42	50	34	37	35	29	13	9	.....	4	54
631	615	645	557	508	580	565	589	581	511	398	267	144	54	13	2	55
54	54	63	57	64	62	70	47	55	41	36	28	19	5	1	7	56
4	6	5	2	8	12	11	18	12	21	12	6	7	2	1	.....	57
5	8	5	5	5	6	5	9	6	6	8	8	8	2	1	.....	58
28	26	28	24	21	22	26	27	29	31	22	21	8	8	1	.....	59
10	2	7	10	9	15	11	15	16	15	18	17	6	4	2	.....	60
248	251	252	272	244	271	235	293	268	251	226	169	72	27	8	1	61
18	18	17	14	18	14	26	18	22	29	23	19	5	3	.....	1	62
6	7	11	9	19	17	12	11	20	17	14	15	7	5	1	2	63
59	54	59	68	56	75	73	97	75	95	65	49	37	14	7	5	64
52	53	78	68	62	66	81	68	80	70	52	28	17	6	3	5	65
20	18	15	13	21	20	12	19	23	29	23	13	7	3	.....	1	66
9	12	16	10	8	18	10	15	10	7	7	5	2	3	.....	.....	67
11	8	5	3	7	9	6	10	5	21	14	17	2	2	1	3	68
10	6	3	12	13	6	17	17	13	9	7	4	4	.....	.....	.....	69
96	69	95	89	98	87	87	92	75	64	36	27	16	5	5	.....	70
24	20	22	22	23	23	34	61	37	41	34	29	9	8	1	1	71
1,278	1,283	1,473	1,378	1,221	1,304	1,195	1,154	1,134	1,024	731	516	229	74	31	8	72
11	15	5	8	3	12	14	12	14	15	15	8	6	2	1	.....	73
7	6	7	6	10	14	11	9	18	17	13	15	8	2	.....	9	74
2	4	.....	6	1	7	4	6	9	4	5	4	3	2	1	.....	75
306	335	359	370	320	353	344	361	404	352	299	219	68	30	2	5	76
269	244	276	271	275	280	291	290	310	266	220	174	73	26	8	11	77
14	10	5	10	9	11	9	18	8	8	16	5	4	2	.....	.....	78
18	17	17	19	15	22	22	19	38	24	18	7	4	2	1	20	79
8	8	9	5	7	8	10	12	16	9	9	9	3	2	1	.....	80
4	4	8	3	4	3	6	13	7	8	12	8	1	1	1	.....	81
118	101	116	107	118	105	84	99	108	90	75	62	29	11	3	20	82

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
83	Concord, N. H	278	34	11	5	.....	1	51	5	3	4	14
84	Corning, N. Y	179	25	4	2	1	1	33	4	3	11	9
85	Cortland, N. Y	137	26	3	4	1	.....	34	4	.....	5	2
86	Covington, Ky	955	137	39	28	16	20	240	28	25	34	38
87	Danbury town, Conn	299	50	17	4	1	6	78	9	4	13	6
88	Danvers town, Mass	223	21	3	.....	1	1	26	1	2	4	6
89	Davenport, Iowa	564	75	19	11	4	5	114	10	5	9	13
90	Dayton, Ohio	1,415	206	38	16	8	7	275	31	24	45	68
91	Decatur, Ill	303	52	9	3	3	1	68	10	7	10	15
92	Denver, Colo	2,714	342	80	41	31	18	512	110	55	88	175
93	Detroit, Mich	4,492	1,188	187	79	39	29	1,522	111	80	153	196
94	Dover, N. H	233	38	7	7	3	4	59	3	.....	5	4
95	Dubois, Pa	158	57	6	2	4	1	70	1	3	3	7
96	Duluth, Minn	734	156	34	15	11	9	225	39	29	21	49
97	Dunkirk, N. Y	155	33	7	4	.....	2	46	2	.....	5	5
98	Eau Claire, Wis	225	44	11	6	3	2	66	8	2	11	12
99	Elizabeth, N. J	965	244	41	17	15	4	321	18	10	35	36
100	Elkhart, Ind	190	26	8	1	2	.....	37	3	.....	6	5
101	Elmira, N. Y	562	83	14	5	5	9	116	19	11	18	23
102	Elwood, Ind	178	47	13	9	5	4	78	6	4	5	9
103	Erie, Pa	836	171	58	25	12	7	273	29	8	16	24
104	Escanaba, Mich	161	47	5	5	1	2	60	4	5	11	12
105	Evansville, Ind	776	125	33	10	9	4	181	15	13	25	53
106	Everett, Mass	385	99	17	13	6	2	137	13	7	13	12
107	Fall River, Mass	1,979	728	117	39	22	13	919	31	19	39	84
108	Findlay, Ohio	211	25	8	5	1	2	41	7	5	11	10
109	Fitchburg, Mass	476	119	21	8	11	5	164	11	3	12	20
110	Flint, Mich	194	30	6	2	.....	1	39	4	4	9	11
111	Fort Wayne, Ind	665	109	15	11	12	1	148	21	16	30	45
112	Framingham town, Mass	165	25	5	6	3	.....	39	2	.....	2	5
113	Frederick, Md	209	36	9	8	2	1	56	4	2	2	6
114	Fresno, Cal	257	27	10	3	5	3	48	4	3	9	13
115	Gardner town, Mass	160	39	7	3	2	.....	51	3	7	7	4
116	Geneva, N. Y	150	26	3	2	2	.....	33	6	2	4	2
117	Glens Falls, N. Y	278	46	8	4	5	3	66	11	5	9	10
118	Gloucester, Mass	427	78	12	5	2	7	104	10	6	7	22
119	Gloversville, N. Y	272	37	4	3	2	1	47	8	3	10	9
120	Grand Rapids, Mich	1,152	229	27	22	15	10	303	28	17	43	45
121	Green Bay, Wis	269	66	11	4	1	2	84	13	10	10	10
122	Greenwich town, Conn	172	39	4	5	.....	.....	48	5	2	2	3
123	Hamilton, Ohio	357	66	12	5	3	9	95	9	12	14	30
124	Hammond, Ind	192	53	9	5	2	1	70	13	2	7	7
125	Harrisburg, Pa	921	180	31	8	18	5	242	17	13	21	37
126	Harrison, N. J	230	55	10	5	3	5	78	14	6	7	7
127	Hartford, Conn	1,371	223	54	29	23	9	338	43	24	33	52
128	Haverhill, Mass	556	86	24	5	9	4	128	6	9	5	19
129	Hazelton, Pa	189	40	9	5	1	.....	55	4	3	7	9
130	Hoboken, N. J	1,136	234	77	33	9	13	366	29	13	27	53
131	Holyoke, Mass	873	286	56	25	11	8	386	19	8	19	30
132	Hudson, N. Y	187	27	5	2	2	1	37	.....	2	6	7
133	Huntington, Ind	128	13	6	2	.....	.....	21	5	6	4	5
134	Hyde Park town, Mass	179	37	6	2	3	3	51	6	1	2	12
135	Indianapolis, Ind	2,697	511	79	43	33	22	688	55	51	92	145
136	Iron Mountain, Mich	132	45	9	4	.....	1	59	4	2	6	6
137	Ironton, Ohio	231	23	13	6	1	2	45	6	6	8	14
138	Ironwood, Mich	145	49	15	8	3	7	82	6	3	3	9
139	Ishpeming, Mich	154	47	5	8	3	1	64	8	5	5	7
140	Ithaca, N. Y	195	16	4	4	.....	.....	24	3	1	5	7
141	Jackson, Mich	345	42	8	6	5	.....	61	5	4	6	18
142	Jacksonville, Fla	795	135	35	15	13	11	209	27	18	29	56
143	Jacksonville, Ill	350	29	3	2	1	.....	35	10	4	12	16
144	Jamestown, N. Y	295	43	7	4	.....	1	55	9	4	14	10
145	Jeffersonville, Ind	248	45	9	4	2	1	61	10	5	18	8
146	Jersey City, N. J	4,064	948	254	104	78	50	1,434	128	48	83	157
147	Johnstown, N. Y	114	20	4	2	.....	.....	26	1	.....	3	1
148	Johnstown, Pa	646	174	31	17	7	4	233	24	12	22	40
149	Kalamazoo, Mich	466	64	10	1	1	.....	76	8	9	17	8
150	Kansas City, Mo	2,688	486	79	38	32	24	659	70	61	89	161
151	Keene, N. H	169	10	8	1	7	5	31	11	2	4	3
152	Key West, Fla	411	136	38	7	6	4	191	14	5	14	20
153	Kingston, N. Y	469	61	12	7	7	4	91	24	22	16	25
154	Kokomo, Ind	161	24	9	1	.....	1	35	2	5	6	9
155	Laconia, N. H	149	18	7	2	.....	.....	27	.....	3	4	6
156	Lafayette, Ind	300	30	17	5	1	1	54	9	5	7	14
157	Lancaster, Pa	688	129	22	8	4	9	172	27	12	20	20
158	Lansing, Mich	226	31	5	3	1	.....	40	9	3	14	12
159	Lawrence, Mass	1,130	346	58	20	8	9	441	28	12	15	45
160	Leadville, Colo	262	59	9	6	.....	1	75	11	3	8	13
161	Leavenworth, Kans	299	46	6	2	1	.....	55	6	6	6	10
162	Leominster town, Mass	157	34	5	3	5	4	51	3	5	4	6
163	Lima, Ohio	414	73	7	3	6	6	95	22	8	6	27
164	Lincoln, Nebr	516	101	16	9	8	5	139	23	6	24	27
165	Lockport, N. Y	286	62	3	1	3	1	70	8	5	7	9
166	Logansport, Ind	295	33	7	6	2	1	49	7	5	7	12
167	Los Angeles, Cal	2,023	148	27	26	19	15	235	26	42	54	114

AREAS, AT EACH AGE: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	14	5	13	12	12	17	25	15	23	21	18	9	7	.....	.....	83
12	6	7	10	9	9	8	16	12	9	8	8	3	2	.....	.....	84
6	2	7	3	7	4	6	11	11	7	9	11	2	3	2	1	85
47	53	35	45	42	41	34	69	50	65	50	39	10	1	4	5	86
12	16	17	14	11	15	13	25	16	18	19	9	4	.....	.....	.....	87
7	3	14	22	13	18	18	12	15	18	17	20	6	1	.....	.....	88
35	29	32	20	30	20	27	27	43	48	38	32	19	7	3	3	89
87	66	60	81	69	63	87	77	102	94	83	58	34	8	1	2	90
13	18	13	4	14	6	18	19	20	23	11	19	5	4	.....	6	91
223	251	208	187	161	162	113	114	95	100	67	63	21	5	2	2	92
190	193	184	199	183	192	189	216	255	193	191	135	73	24	12	1	93
12	12	10	11	11	17	11	15	17	12	9	17	3	1	.....	4	94
8	8	16	.....	5	5	3	7	6	6	6	2	1	.....	.....	1	95
63	46	39	49	36	31	14	17	18	18	14	13	1	3	2	7	96
7	10	2	6	7	3	10	10	11	12	12	5	2	.....	.....	.....	97
5	12	13	8	9	10	17	11	10	6	8	9	7	1	.....	.....	98
54	50	34	44	49	52	54	43	49	38	34	23	10	6	3	2	99
6	14	9	6	7	16	16	13	8	15	14	13	1	1	.....	.....	100
24	22	25	21	18	32	34	29	45	38	41	30	8	4	4	.....	101
11	7	7	11	4	4	7	4	7	7	3	2	2	.....	.....	.....	102
25	30	27	31	36	37	51	61	46	45	42	33	15	2	2	3	103
10	5	10	4	5	6	5	7	6	1	2	2	3	.....	.....	3	104
57	42	46	39	45	27	42	52	35	37	29	24	10	1	1	2	105
17	14	12	15	14	15	13	21	17	20	17	16	7	3	.....	2	106
63	57	86	66	81	90	95	98	80	67	42	25	13	8	1	15	107
8	16	12	8	7	5	11	15	13	14	12	8	6	2	.....	.....	108
16	13	12	8	18	18	28	20	31	27	31	16	11	10	2	5	109
7	7	6	3	8	7	11	17	15	14	13	11	5	1	2	.....	110
31	34	28	23	32	29	30	29	38	45	47	21	14	2	1	1	111
5	7	8	7	7	10	5	10	10	11	16	7	6	6	.....	2	112
6	8	3	7	8	11	12	10	16	17	20	12	5	3	.....	1	113
20	16	18	18	20	17	15	16	11	14	10	5	.....	.....	.....	.....	114
8	6	7	3	8	9	2	8	12	5	11	4	3	1	.....	1	115
6	6	6	7	9	7	7	10	11	4	16	6	5	.....	2	1	116
18	13	5	9	13	16	17	17	19	17	14	14	3	1	1	.....	117
27	15	32	19	20	23	18	24	16	30	17	23	9	.....	1	4	118
14	11	11	18	15	14	18	25	22	13	13	7	12	.....	.....	2	119
56	44	42	52	47	52	67	68	65	69	65	48	31	10	.....	.....	120
13	14	10	6	4	14	10	12	21	11	7	9	6	4	.....	1	121
7	6	3	6	7	9	14	9	11	11	11	8	2	3	1	4	122
22	17	8	11	15	18	19	16	25	19	12	11	9	2	1	2	123
16	10	7	9	10	5	6	6	4	2	7	7	4	.....	.....	.....	124
48	38	43	52	42	33	49	53	62	46	48	29	10	2	3	33	125
6	16	7	11	13	15	8	20	5	7	1	5	4	.....	.....	.....	126
84	77	76	67	59	83	70	71	75	82	60	36	27	6	2	6	127
26	26	28	29	31	30	32	44	26	39	36	20	13	6	3	.....	128
10	8	6	15	6	10	5	9	8	14	14	4	1	1	.....	.....	129
64	76	64	68	55	58	60	60	56	36	28	16	5	2	.....	.....	130
44	39	32	41	36	36	47	33	21	32	22	13	5	2	1	7	131
9	9	10	8	7	7	10	14	8	20	14	10	7	.....	.....	2	132
10	5	4	4	5	9	5	8	10	9	9	6	.....	1	1	1	133
9	5	7	9	6	10	10	10	10	10	7	8	2	4	.....	.....	134
145	145	115	136	144	145	167	150	147	120	106	80	41	12	7	6	135
8	10	6	4	5	6	3	3	3	1	3	1	.....	1	.....	1	136
15	8	11	13	8	7	9	18	13	12	9	6	7	1	1	14	137
3	9	7	2	4	5	2	2	4	2	.....	2	.....	.....	.....	.....	138
7	8	12	4	6	5	2	6	5	6	2	.....	1	1	.....	.....	139
11	5	16	3	12	14	11	12	14	14	16	18	5	2	.....	2	140
14	14	9	16	24	13	24	20	35	27	32	12	9	2	.....	.....	141
58	49	41	61	42	44	30	39	28	19	19	11	6	3	2	4	142
13	21	17	27	26	17	21	24	24	19	27	15	11	3	2	6	143
13	9	16	10	11	11	24	18	23	19	30	9	8	2	.....	.....	144
18	10	10	4	6	12	15	18	18	12	11	5	5	1	1	.....	145
216	238	197	203	205	187	208	204	177	162	96	72	35	9	2	3	146
4	4	3	6	3	7	5	8	9	7	11	10	5	1	.....	.....	147
38	31	47	31	26	19	16	21	20	31	13	14	3	3	.....	2	148
18	24	27	29	20	28	25	26	41	36	31	20	14	2	4	3	149
182	161	160	155	143	137	119	115	126	118	86	61	19	8	1	57	150
4	5	5	7	6	4	7	17	10	18	19	7	3	5	.....	1	151
16	17	19	7	14	24	14	15	15	13	4	4	2	1	1	1	152
15	22	17	13	17	27	25	30	38	26	28	22	7	2	2	.....	153
6	11	8	7	10	10	8	5	15	12	2	5	3	2	.....	.....	154
2	6	8	9	12	10	6	7	13	10	10	6	4	3	1	2	155
11	12	10	13	18	16	24	21	25	32	13	13	1	1	.....	1	156
24	20	21	35	28	26	33	45	45	50	53	32	15	9	1	.....	157
5	9	8	7	7	8	11	11	22	13	20	14	8	4	.....	1	158
46	40	36	57	47	64	58	62	54	49	35	21	12	3	.....	5	159
17	14	21	26	25	15	7	10	6	6	4	1	.....	.....	.....	.....	160
14	14	18	24	14	11	16	17	29	20	16	11	5	3	.....	4	161
5	4	2	9	5	7	6	4	10	7	12	12	4	.....	.....	1	162
20	27	17	24	24	20	20	15	25	14	19	11	6	3	1	10	163
27	24	20	29	28	24	24	21	30	21	20	10	4	5	2	8	164
12	8	8	10	14	17	18	17	16	20	23	13	5	3	1	2	165
19	13	11	22	18	18	13	14	23	23	18	18	1	2	.....	2	166
151	153	145	143	135	141	111	121	123	126	92	57	35	9	5	5	167

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
168	Louisville, Ky	3,833	557	127	85	49	37	855	116	78	129	222
169	Lowell, Mass	2,041	544	117	70	41	33	805	69	37	52	56
170	Lynchburg, Va	392	71	33	8	7	5	124	8	6	9	9
171	Lynn, Mass	1,020	197	29	21	13	11	271	24	11	20	37
172	McKeesport, Pa	647	170	45	23	17	11	266	25	13	26	38
173	Madison, Wis	238	23	8	7	6	2	46	14	8	8	11
174	Mahanoy City, Pa	341	108	23	11	4	8	154	6	.....	9	13
175	Malden, Mass	486	114	17	7	9	6	153	17	9	11	8
176	Manchester, N. H	1,077	331	52	18	14	16	431	19	17	21	40
177	Manchester town, Conn	137	31	6	5	.....	3	45	5	3	2	5
178	Manitowoc, Wis	171	32	5	4	4	6	51	5	.....	1	10
179	Mankato, Minn	146	28	4	3	3	2	40	6	1	6	7
180	Marietta, Ohio	251	38	12	6	4	6	66	9	5	4	14
181	Marinette, Wis	173	30	8	6	3	1	68	12	3	5	7
182	Marion, Ind	257	43	12	7	4	.....	66	8	5	4	18
183	Marlboro, Mass	215	26	9	4	3	2	44	14	7	6	12
184	Marquette, Mich	128	28	8	1	1	1	39	2	5	6	7
185	Massillon, Ohio	190	22	5	2	1	.....	30	2	5	2	5
186	Meadville, Pa	175	21	7	2	.....	.....	30	4	1	10	11
187	Medford, Mass	250	44	7	8	6	.....	65	16	6	5	7
188	Melrose, Mass	165	31	4	1	3	.....	39	2	2	2	3
189	Memphis, Tenn	1,955	300	79	39	23	19	460	40	33	92	180
190	Menominee, Mich	157	53	2	8	2	.....	65	5	5	8	8
191	Meriden town, Conn	414	90	16	7	4	8	125	6	7	11	20
192	Michigan City, Ind	196	52	11	2	1	3	69	2	4	5	7
193	Middletown, N. Y	287	32	8	4	1	.....	45	1	4	4	6
194	Middletown, Ohio	116	16	1	3	.....	1	21	4	2	6	4
195	Middletown town, Conn	371	37	5	2	4	2	50	3	1	6	12
196	Milford town, Mass	179	23	4	5	6	2	40	2	2	6	9
197	Millville, N. J	157	30	4	3	1	2	40	3	6	2	10
198	Milwaukee, Wis	3,861	981	161	67	38	44	1,291	119	64	130	148
199	Minneapolis, Minn	2,516	405	103	43	47	41	639	149	78	92	144
200	Mobile, Ala	935	162	26	10	9	12	219	29	17	27	75
201	Montclair, N. J	243	88	9	2	1	.....	100	5	6	6	7
202	Morristown, N. J	208	22	7	5	2	2	38	4	4	3	8
203	Mt. Carmel, Pa	295	108	22	16	9	12	167	9	3	10	11
204	Mt. Vernon, N. Y	392	112	40	15	6	3	176	10	8	5	6
205	Muncie, Ind	302	70	8	11	5	4	98	7	4	20	21
206	Muscatine, Iowa	194	35	7	1	.....	1	44	7	2	5	4
207	Muskegon, Mich	253	52	10	3	.....	.....	65	8	10	13	14
208	Nashua, N. H	422	99	16	8	10	9	142	15	3	12	14
209	Nashville, Tenn	1,644	329	108	39	21	11	508	54	44	55	119
210	Natick town, Mass	150	17	3	1	2	1	24	3	2	1	7
211	Naugatuck, Conn	136	47	3	7	3	1	61	7	2	4	6
212	New Albany, Ind	374	67	10	6	6	3	92	20	8	14	23
213	New Bedford, Mass	1,249	362	65	30	19	17	493	33	14	24	49
214	New Britain town, Conn	410	115	16	7	10	5	153	17	7	7	10
215	New Brunswick, N. J	369	65	10	7	4	1	87	7	3	13	11
216	New Haven, Conn	1,977	386	80	25	18	14	523	52	28	53	87
217	New London, Conn	329	58	12	3	4	4	81	11	7	5	12
218	New Orleans, La	6,501	1,034	198	111	61	58	1,462	153	124	219	369
219	New Rochelle, N. Y	272	61	13	6	2	2	84	9	3	4	7
220	New York, N. Y	70,608	15,402	4,691	1,876	1,246	958	24,173	2,142	904	1,448	2,642
221	Bronx borough	4,725	810	225	128	88	70	1,321	152	73	126	241
222	Brooklyn borough	23,270	5,161	1,544	615	438	344	8,102	868	314	490	849
223	Manhattan borough	38,465	8,515	2,707	1,045	665	502	13,434	999	457	745	1,421
224	Queens borough	2,800	643	150	59	35	26	913	84	42	65	96
225	Richmond borough	1,348	273	65	29	20	16	403	39	18	22	35
226	Newark, N. J	4,842	1,026	250	112	76	45	1,509	135	60	103	175
227	Newark, Ohio	242	40	4	5	3	1	53	7	6	6	10
228	Newburg, N. Y	439	67	17	13	10	4	111	19	4	8	20
229	Newburyport, Mass	277	38	11	4	6	1	60	6	6	4	6
230	Newcastle, Pa	383	75	15	6	3	3	102	11	5	16	23
231	Newport, Ky	495	91	17	11	11	3	133	10	5	16	21
232	Newport, R. I	386	66	11	7	4	1	89	7	6	21	15
233	Newton, Mass	438	85	8	5	3	4	105	13	6	10	16
234	Niagara Falls, N. Y	335	74	11	8	5	3	101	8	5	11	23
235	Norfolk, Va	1,057	259	51	20	11	2	343	28	18	29	57
236	Norristown, Pa	597	46	12	10	3	.....	71	12	13	21	28
237	North Adams, Mass	378	94	23	14	3	7	141	8	3	21	17
238	Northampton, Mass	325	50	7	4	2	2	65	3	5	4	14
239	Norwalk town, Conn	294	41	8	5	1	2	57	10	6	3	10
240	Norwich town, Conn	473	89	16	7	9	2	123	10	6	8	15
241	Oakland, Cal	1,102	105	18	18	8	10	159	30	27	38	48
242	Ogdensburg, N. Y	311	49	7	4	6	3	69	11	.....	7	5
243	Olean, N. Y	113	17	2	2	1	.....	22	4	.....	7	6
244	Omaha, Nebr	1,233	237	39	20	10	6	312	35	31	39	58
245	Orange, N. J	426	102	20	4	3	7	136	6	5	11	19
246	Ottawa, Ill	169	17	4	2	2	5	30	5	4	4	8
247	Ottumwa, Iowa	212	29	7	1	3	1	41	8	3	3	21
248	Owosso, Mich	107	15	2	1	.....	.....	18	4	2	1	2
249	Paducah, Ky	491	86	25	11	3	8	133	18	12	23	40
250	Passaic, N. J	540	209	45	18	18	4	294	11	6	17	15

AREAS, AT EACH AGE: 1901—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
208	216	221	191	191	204	201	242	202	220	154	102	41	15	5	20	168
94	81	84	71	79	96	84	103	99	84	56	50	28	8	4	1	169
22	22	10	26	20	13	20	23	18	13	12	8	3	4	1	21	170
44	44	43	57	43	50	44	63	72	84	43	49	14	5	2	.....	171
44	40	34	39	18	16	23	21	7	14	14	7	2	.....	.....	.....	172
7	12	9	10	12	7	10	10	17	14	10	18	10	1	2	2	173
12	11	13	17	9	20	16	16	13	7	9	5	2	.....	.....	9	174
17	17	19	19	22	24	26	28	27	24	28	22	9	5	.....	1	175
53	37	44	42	45	36	43	54	51	44	44	32	11	6	.....	7	176
7	2	5	3	5	5	6	6	4	13	5	10	2	1	1	2	177
10	5	11	4	2	1	5	9	9	12	15	7	6	4	.....	4	178
5	6	9	5	8	2	4	10	9	6	8	5	4	1	.....	4	179
21	13	9	8	9	13	8	9	7	16	16	13	5	4	1	1	180
7	7	9	8	8	6	8	9	2	3	6	3	.....	1	1	.....	181
20	13	13	10	12	9	15	13	10	13	13	12	1	2	.....	.....	182
9	9	9	12	4	6	12	12	16	16	12	8	3	2	.....	2	183
5	9	6	7	4	4	8	8	4	6	5	2	.....	1	.....	.....	184
15	8	13	7	13	17	11	9	19	11	9	11	2	.....	1	.....	185
5	7	6	5	8	7	8	12	15	11	15	10	2	4	.....	4	186
11	6	8	4	11	10	9	22	9	19	13	13	11	4	.....	1	187
4	8	6	8	6	4	8	13	12	12	10	16	6	4	.....	.....	188
192	143	153	108	94	128	74	71	61	42	33	15	21	5	3	7	189
4	8	3	10	5	4	5	7	4	5	5	3	2	1	.....	.....	190
14	15	12	17	12	17	16	33	22	27	23	17	9	2	.....	9	191
1	14	6	5	10	9	10	11	9	8	10	10	3	1	.....	2	192
12	16	13	17	19	12	32	16	17	24	21	21	4	1	1	1	193
6	5	3	6	5	4	5	6	7	16	10	4	2	.....	.....	.....	194
17	23	30	16	25	14	21	20	27	23	34	19	10	2	1	17	195
5	2	16	11	8	5	5	8	17	15	9	14	4	1	.....	.....	196
6	6	3	6	6	8	6	12	3	14	8	11	3	4	.....	.....	197
139	139	175	186	147	172	161	173	179	209	213	139	54	18	4	1	198
133	128	136	128	118	97	86	109	106	108	86	65	36	8	3	67	199
62	71	45	54	50	50	47	55	37	28	36	17	5	3	6	2	200
11	6	6	7	8	8	12	14	7	8	12	14	3	2	1	.....	201
14	14	11	9	14	14	10	11	12	11	16	8	4	2	.....	1	202
4	10	16	8	6	6	9	8	5	9	3	4	1	1	1	4	203
5	12	17	10	13	18	19	21	16	16	18	11	10	.....	.....	1	204
12	14	9	12	12	8	16	16	17	10	15	7	4	.....	.....	.....	205
12	12	7	9	4	8	5	6	16	9	19	14	4	1	1	5	206
8	9	16	8	6	13	18	10	20	14	12	6	1	2	.....	.....	207
19	20	17	16	6	24	13	21	20	21	23	13	11	2	1	6	208
95	99	89	68	74	70	56	66	65	65	53	27	19	9	8	1	209
4	5	7	7	7	9	8	15	18	13	9	6	.....	3	.....	2	210
3	7	6	4	6	6	5	2	3	7	4	1	1	.....	1	.....	211
23	15	18	8	17	12	22	20	23	21	14	10	8	1	3	2	212
48	51	36	42	48	45	53	48	73	52	61	46	24	2	2	5	213
21	14	21	20	12	15	21	18	23	18	17	8	4	1	1	2	214
10	13	20	18	9	19	22	24	31	28	14	19	13	6	1	1	215
105	103	78	92	88	100	108	127	113	108	80	76	31	12	4	9	216
22	13	13	11	17	16	15	18	17	18	22	8	13	3	1	6	217
433	363	433	372	359	376	336	367	355	261	224	160	75	30	22	8	218
12	12	17	10	14	9	15	12	17	19	12	8	6	1	.....	1	219
3,550	3,928	4,066	3,864	3,300	3,616	3,453	3,687	3,131	2,667	1,978	1,243	566	177	53	20	220
320	331	328	286	218	235	222	224	199	169	142	84	38	11	4	1	221
1,084	1,176	1,180	1,207	986	1,076	1,117	1,277	1,115	919	749	462	222	61	16	.....	222
1,978	2,225	2,365	2,171	1,892	2,117	1,894	1,960	1,578	1,350	921	589	246	85	29	9	223
126	138	126	141	149	128	149	140	151	131	96	62	38	13	2	10	224
42	58	67	59	55	60	71	86	88	98	70	46	22	7	2	.....	225
248	253	262	287	246	255	239	276	232	216	165	109	51	15	2	4	226
10	8	12	17	10	13	13	22	11	10	13	12	6	1	.....	2	227
12	15	12	19	18	27	23	29	26	31	28	28	6	3	.....	.....	228
10	11	12	10	9	15	19	14	19	22	22	14	13	2	2	1	229
28	18	19	14	14	14	13	19	18	22	10	14	6	4	.....	13	230
25	19	29	23	28	21	26	27	28	30	26	17	5	3	.....	3	231
18	10	15	18	16	20	19	26	22	31	15	22	12	2	2	.....	232
14	21	13	14	17	22	19	22	32	31	32	25	12	8	.....	6	233
25	18	26	10	19	9	18	13	10	19	7	10	.....	1	.....	2	234
73	51	62	63	53	62	42	33	38	41	26	16	8	2	3	9	235
18	28	36	34	33	27	40	44	37	42	49	24	17	5	3	15	236
16	15	12	15	12	21	15	19	21	14	12	12	2	1	1	.....	237
12	19	14	17	12	19	22	20	20	27	24	19	9	.....	.....	.....	238
9	14	4	12	14	15	25	20	17	23	22	17	10	2	3	1	239
22	15	12	19	19	30	29	30	25	27	24	39	15	2	3	.....	240
54	59	55	63	51	59	73	75	95	95	52	41	19	5	3	1	241
10	12	18	10	14	12	21	23	29	18	17	21	5	7	.....	2	242
2	3	8	2	3	6	5	7	9	7	7	8	6	1	.....	.....	243
62	87	82	72	64	63	73	56	60	44	41	33	12	5	2	2	244
18	20	20	28	27	31	19	22	20	15	16	6	6	1	.....	.....	245
9	5	7	9	8	6	6	13	10	18	9	11	4	.....	.....	3	246
13	12	9	14	6	8	8	12	9	15	11	7	8	.....	.....	4	247
3	7	8	3	4	6	4	7	16	6	9	4	2	.....	1	.....	248
42	27	26	27	29	22	17	16	14	24	3	8	5	.....	.....	5	249
18	24	28	18	15	15	16	15	9	7	13	11	2	1	.....	5	250

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
251	Paterson, N. J	1,877	481	71	28	26	17	623	57	21	52	75
252	Pawtucket, R. I	664	147	17	10	10	8	192	23	4	12	25
253	Peabody town, Mass	195	39	5	2	3	6	55	10	5	4	4
254	Peekskill, N. Y	227	50	11	4	2	1	68	10	3	5	7
255	Perth Amboy, N. J	309	102	31	7	9	2	151	13	6	2	10
256	Peru, Ind	135	21	3	.....	1	3	28	10	2	5	10
257	Petersburg, Va	578	154	28	19	17	3	221	12	10	20	26
258	Philadelphia, Pa	23,806	4,161	1,160	471	356	270	6,418	688	362	603	1,017
259	Phillipsburg, N. J	157	20	4	5	1	3	33	4	5	4	11
260	Pittsburg, Pa	6,578	1,580	441	211	126	87	2,445	245	130	208	405
261	Pittsfield, Mass	352	59	7	3	5	.....	74	16	5	6	12
262	Plainfield, N. J	263	42	4	5	2	2	55	3	4	8	17
263	Plymouth, Pa	247	89	14	8	5	6	122	5	7	7	4
264	Plymouth town, Mass	157	26	5	2	.....	.....	33	4	2	1	1
265	Pontiac, Mich	166	14	6	1	2	1	24	1	3	6	5
266	Port Huron, Mich	267	40	9	5	2	2	58	11	6	7	7
267	Port Jervis, N. Y	171	11	2	2	2	2	19	6	3	6	4
268	Portland, Me	906	105	30	7	15	5	162	31	15	28	40
269	Portland, Oreg	1,151	116	26	14	9	12	177	40	30	50	58
270	Portsmouth, N. H	214	26	6	2	2	1	37	3	.....	2	5
271	Portsmouth, Ohio	276	49	9	8	3	2	71	9	7	18	13
272	Pottstown, Pa	205	31	5	3	1	2	42	3	5	9	8
273	Pottsville, Pa	287	48	11	9	6	3	77	15	3	8	11
274	Poughkeepsie, N. Y	425	54	13	9	1	4	81	21	7	11	15
275	Providence, R. I	3,444	716	200	57	42	33	1,048	76	42	83	152
276	Pueblo, Colo	637	99	28	12	8	6	153	20	12	18	48
277	Quincy, Ill	542	45	15	8	4	2	74	11	10	19	30
278	Quincy, Mass	324	65	12	5	5	1	88	3	9	4	11
279	Raleigh, N. C	399	88	31	13	5	5	142	15	5	8	18
280	Reading, Pa	1,407	346	55	24	35	24	484	63	29	44	60
281	Revere town, Mass	138	37	5	3	1	3	49	4	2	2	4
282	Richmond, Ind	306	51	7	5	2	.....	65	5	5	9	22
283	Richmond, Va	2,098	427	73	27	19	12	558	44	39	75	134
284	Rochester, N. H	119	24	2	.....	1	.....	27	1	1	4	4
285	Rochester, N. Y	2,397	288	75	34	26	23	446	62	30	58	94
286	Rockland, Me	160	19	3	.....	.....	4	26	2	2	2	9
287	Rome, N. Y	292	23	3	4	1	2	33	6	5	5	7
288	Rutland, Vt	205	25	4	3	1	2	35	2	4	6	6
289	Sacramento, Cal	610	65	11	7	5	2	90	10	7	18	36
290	Saginaw, Mich	603	93	13	8	13	7	134	9	18	31	27
291	St. Joseph, Mo	803	123	17	20	13	3	176	17	13	24	47
292	St. Louis, Mo	10,603	1,821	429	220	141	122	2,733	309	198	298	486
293	St. Paul, Minn	1,758	398	74	33	21	17	543	67	30	48	81
294	Salem, Mass	634	147	18	15	7	8	195	17	3	10	13
295	Salt Lake City, Utah	864	113	32	7	16	19	187	47	38	31	43
296	San Antonio, Tex	1,333	257	58	23	18	10	366	36	33	39	93
297	San Diego, Cal	380	33	3	2	2	2	42	8	11	10	12
298	San Francisco, Cal	7,152	855	163	111	71	59	1,259	157	85	151	379
299	San Jose, Cal	346	33	7	4	5	2	51	4	3	15	15
300	Saratoga Springs, N. Y	303	22	10	5	2	1	40	8	3	4	8
301	Sault Ste. Marie, Mich	201	58	12	5	2	1	78	12	5	5	11
302	Savannah, Ga	1,640	406	70	23	10	15	524	43	28	56	114
303	Schenectady, N. Y	636	133	28	8	12	7	188	21	10	25	34
304	Scranton, Pa	1,704	373	103	42	30	18	566	57	38	49	72
305	Seattle, Wash	911	138	25	14	8	10	195	22	29	36	45
306	Sioux City, Iowa	400	93	15	7	8	2	125	10	5	16	20
307	Somerville, Mass	835	161	23	15	12	12	223	23	14	19	20
308	South Bend, Ind	490	160	16	9	9	2	196	5	5	16	21
309	South Bethlehem, Pa	250	77	11	6	4	4	102	6	4	5	9
310	Southbridge town, Mass	159	39	3	5	1	4	52	5	2	3	6
311	Spokane, Wash	475	72	15	8	7	4	106	12	13	18	32
312	Springfield, Ill	674	92	13	16	16	10	147	24	19	18	39
313	Springfield, Mass	940	165	26	17	19	2	229	21	15	23	41
314	Stamford town, Conn	364	78	14	3	1	3	99	4	5	7	10
315	Steelton, Pa	159	50	9	2	1	2	64	4	3	6	9
316	Stonington town, Conn	136	22	2	3	.....	.....	27	2	2	.....	7
317	Superior, Wis	373	87	16	11	2	3	119	15	6	13	18
318	Syracuse, N. Y	1,554	243	41	28	13	12	337	42	34	51	43
319	Tacoma, Wash	504	55	12	10	6	4	87	25	15	15	38
320	Taunton, Mass	565	101	11	2	2	4	120	7	8	11	13
321	Terre Haute, Ind	689	133	37	18	5	7	200	24	8	26	46
322	Tiffin, Ohio	144	9	4	3	4	.....	20	1	.....	3	3
323	Toledo, Ohio	1,916	323	79	35	28	16	481	72	48	49	84
324	Torrington town, Conn	172	61	5	3	2	1	72	1	5	5	7
325	Traverse City, Mich	186	28	5	1	1	.....	35	1	.....	7	11
326	Trenton, N. J	1,174	263	40	17	11	6	337	27	16	25	60
327	Troy, N. Y	1,601	252	53	27	14	9	355	42	24	43	81
328	Union, N. J	260	55	13	10	8	5	91	9	6	.....	3
329	Utica, N. Y	918	155	21	24	9	8	217	33	17	30	34
330	Vernon town, Conn	102	13	3	3	1	1	21	4	2	.....	3
331	Vincennes, Ind	193	34	9	5	1	2	51	7	3	10	12
332	Wabash, Ind	109	28	2	3	.....	1	34	2	1	7	2
333	Wakefield town, Mass	130	21	.....	3	2	2	28	3	1	1	5
334	Wallingford town, Conn	116	21	7	1	1	1	31	1	2	3	4
335	Waltham, Mass	349	56	7	7	4	2	76	10	8	15	18

AREAS, AT EACH AGE: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	83	92	88	74	87	100	131	106	67	76	39	24	7	3	.....	251
30	23	20	24	31	34	35	47	60	33	35	20	12	2	2	.....	252
4	9	6	9	10	9	10	10	9	10	13	6	8	2	1	1	253
6	13	8	12	9	7	12	12	9	16	11	9	6	3	1	.....	254
18	12	10	6	7	8	11	9	15	11	8	5	3	1	1	2	255
6	5	9	8	4	5	8	3	8	10	7	5	1	.....	1	.....	256
30	24	11	20	19	25	33	37	33	11	13	9	9	2	2	11	257
1,166	1,157	1,275	1,269	1,145	1,236	1,226	1,411	1,296	1,261	1,030	734	339	123	40	10	258
9	7	8	9	4	10	12	10	8	4	5	9	2	1	.....	2	259
367	326	347	306	274	233	252	261	240	200	179	89	39	22	2	8	260
15	16	15	9	9	18	26	19	29	32	24	16	7	4	.....	.....	261
12	13	7	18	8	9	22	23	12	18	15	12	5	2	.....	.....	262
5	16	11	11	5	12	12	7	9	4	4	3	1	.....	.....	2	263
6	4	3	5	3	5	10	8	15	18	13	16	8	2	.....	.....	264
10	11	8	16	9	6	10	7	8	13	15	7	3	4	.....	.....	265
6	11	15	8	22	17	15	12	12	19	11	11	10	4	2	3	266
7	10	6	6	4	10	16	15	13	15	21	6	1	.....	.....	3	267
44	33	41	47	41	45	48	67	53	76	57	44	17	10	2	5	268
57	62	78	67	90	76	58	78	67	65	44	27	13	3	1	10	269
8	13	12	10	5	7	13	8	21	22	16	12	11	4	3	2	270
13	12	9	18	12	12	8	11	19	22	6	10	5	1	.....	.....	271
6	14	9	4	9	7	6	9	17	19	15	12	4	2	.....	5	272
14	8	8	15	16	11	8	17	11	17	25	12	8	2	.....	1	273
19	12	13	18	19	28	17	27	34	28	28	23	19	4	.....	1	274
163	135	176	160	172	205	187	199	181	148	138	100	54	18	6	1	275
62	53	47	43	46	35	21	23	17	18	10	7	3	.....	.....	1	276
30	24	26	23	23	22	38	32	44	41	36	37	14	3	2	3	277
10	11	15	14	18	12	13	18	20	22	21	17	14	4	.....	.....	278
17	17	19	11	7	20	13	22	18	20	4	11	5	2	2	23	279
55	40	45	54	40	67	54	64	64	79	72	54	22	11	.....	6	280
7	3	5	6	5	11	5	4	5	11	10	2	3	.....	.....	.....	281
16	14	10	9	11	16	18	13	15	22	20	18	14	3	1	.....	282
129	103	95	96	104	133	105	135	90	86	62	46	14	7	3	40	283
3	4	2	8	7	7	5	5	8	13	4	8	6	1	1	.....	284
113	119	127	122	150	127	149	161	159	159	123	119	53	20	3	3	285
9	7	9	7	12	4	8	6	11	17	16	9	2	1	.....	1	286
11	10	17	15	11	18	23	21	22	17	30	23	14	2	.....	2	287
11	8	12	15	7	11	8	19	9	10	19	13	7	1	1	1	288
40	28	47	47	45	33	30	37	35	42	30	16	13	.....	1	5	289
27	22	30	30	19	28	25	29	48	39	44	19	15	8	.....	1	290
42	39	46	49	38	55	34	40	50	48	28	25	16	3	2	11	291
555	581	656	641	573	556	589	591	554	460	395	233	101	45	16	33	292
66	83	83	87	66	80	61	86	81	85	73	59	27	7	2	43	293
15	20	29	24	23	30	32	38	40	42	43	32	17	7	2	2	294
58	42	51	44	38	36	43	43	43	44	31	35	7	3	.....	.....	295
91	99	105	78	76	56	61	53	51	34	34	19	11	4	6	8	296
18	12	23	22	24	22	18	38	32	35	31	13	6	1	1	1	297
426	397	478	463	418	507	424	492	454	485	272	184	64	16	11	30	298
20	18	13	18	19	14	27	28	29	30	20	10	9	2	1	.....	299
13	8	14	24	13	17	24	25	21	27	22	19	8	1	.....	4	300
10	2	10	7	7	14	9	4	9	5	3	3	3	.....	.....	4	301
103	84	74	88	93	80	64	66	64	58	37	21	19	6	7	11	302
28	24	23	27	21	32	17	22	29	41	35	17	10	4	1	27	303
74	74	72	70	72	81	95	91	70	60	37	31	9	3	.....	83	304
66	60	61	65	76	59	43	39	34	31	22	11	10	2	.....	5	305
30	21	21	16	22	13	17	14	20	13	13	10	3	1	.....	10	306
34	24	33	37	31	37	30	60	68	65	49	38	16	12	2	.....	307
21	17	23	26	17	14	21	17	24	27	19	18	6	3	2	1	308
12	11	12	9	10	10	7	14	14	16	9	1	1	1	.....	6	309
6	9	5	4	9	9	9	3	13	7	7	5	5	.....	.....	.....	310
36	34	24	27	33	30	17	23	24	17	9	11	6	2	1	.....	311
37	40	36	23	25	44	33	38	40	45	18	29	9	3	6	1	312
51	59	35	34	55	39	48	49	54	60	54	40	23	7	1	2	313
10	16	16	19	17	11	17	28	27	20	26	14	11	3	2	2	314
9	2	12	5	7	4	3	6	8	6	4	3	.....	1	.....	3	315
5	5	7	8	3	8	6	6	6	9	11	10	9	5	.....	.....	316
23	30	32	21	22	9	12	7	9	7	8	3	1	1	.....	17	317
70	69	86	84	73	89	77	102	111	98	71	62	33	13	5	2	318
25	30	37	39	31	33	24	19	19	19	19	13	3	.....	.....	13	319
34	27	2	31	28	29	28	37	38	49	35	21	13	9	3	2	320
40	44	24	30	26	23	27	31	41	38	28	14	9	3	2	5	321
3	5	13	7	7	6	13	8	10	18	17	5	4	1	.....	.....	322
99	76	95	108	113	97	92	104	83	126	80	53	31	17	2	6	323
5	7	8	3	5	6	6	9	8	5	12	3	2	2	.....	1	324
5	5	11	10	12	17	16	8	22	7	9	7	3	.....	.....	.....	325
57	47	54	59	47	73	53	85	57	56	57	25	10	10	4	15	326
94	88	83	86	87	100	99	115	80	80	63	47	24	5	5	.....	327
8	17	13	13	10	13	17	14	9	16	9	9	2	.....	1	.....	328
31	40	34	56	42	45	38	48	64	54	75	31	20	7	2	.....	329
7	2	4	6	4	4	5	5	4	10	11	4	4	1	.....	1	330
9	7	6	13	7	8	10	10	12	8	11	3	4	.....	.....	2	331
3	5	4	5	4	5	2	4	8	7	12	3	1	.....	.....	.....	332
2	2	8	3	7	6	8	3	11	18	13	5	4	1	.....	1	333
10	3	2	5	3	6	3	4	5	10	11	8	2	2	.....	1	334
18	12	17	11	14	10	13	20	28	20	26	24	8	1	.....	.....	335

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
336	Ware town, Mass	142	39	6	2	5	4	56	4	4	3	6
337	Washington, D. C	6,055	1,256	200	112	53	54	1,675	138	89	157	321
338	Washington, Ind	144	32	10	2	2	1	47	5	1	6	10
339	Waterbury town, Conn	895	271	50	22	12	8	363	32	14	23	32
340	Watertown, N. Y	345	65	9	3	5	4	86	9	6	11	17
341	Watertown town, Mass	123	29	4	2	1	1	37	2	.....	1	4
342	Watervliet, N. Y	247	48	4	4	2	4	62	2	5	11	11
343	Webster town, Mass	130	43	11	2	4	2	62	3	2	2	3
344	West Bay City, Mich	166	26	6	7	1	.....	40	2	7	5	5
345	Westfield town, Mass	225	39	10	3	6	4	62	9	9	2	11
346	Weymouth town, Mass	162	21	3	1	1	.....	26	4	6	5	4
347	Wheeling, W. Va	685	92	39	19	12	7	169	17	12	25	32
348	Wichita, Kans	410	71	17	9	7	2	106	11	10	16	33
349	Williamsport, Pa	345	41	10	6	3	2	62	8	7	15	20
350	Wilmington, Del	1,343	287	58	32	21	10	408	37	27	38	57
351	Wilmington, N. C	569	145	44	13	9	6	217	22	11	17	28
352	Windham town, Conn	168	41	4	3	1	.....	49	4	3	5	8
353	Winona, Minn	253	58	10	6	3	2	79	7	6	8	10
354	Woburn, Mass	213	41	9	5	2	2	59	1	2	7	10
355	Woonsocket, R. I	479	160	36	10	14	6	226	13	8	10	14
356	Worcester, Mass	2,055	416	83	35	19	14	567	40	31	45	73
357	Yonkers, N. Y	828	187	42	13	15	16	273	27	11	18	38
358	Youngstown, Ohio	753	142	36	19	9	11	217	34	19	32	50
	CONNECTICUT RURAL.											
359	Fairfield county	668	81	14	3	3	3	104	9	10	14	12
360	Hartford county	1,052	168	32	16	14	9	239	36	15	21	28
361	Litchfield county	825	106	22	11	7	5	151	13	12	21	30
362	Middlesex county	382	37	11	1	3	2	54	6	5	2	6
363	New Haven county	736	135	19	6	9	4	173	14	10	17	18
364	New London county	495	71	14	8	3	2	98	12	3	13	9
365	Tolland county	271	30	4	5	2	4	45	6	5	10	7
366	Windham county	565	113	19	11	8	2	153	10	6	9	19
	INDIANA RURAL.											
367	Adams county	297	70	12	6	2	4	94	10	5	7	17
368	Allen county	316	42	11	5	3	3	64	7	11	12	13
369	Bartholomew county	226	40	10	6	5	.....	61	8	4	7	9
370	Benton county	150	35	6	3	2	2	48	5	4	3	6
371	Blackford county	237	59	12	6	5	1	83	7	5	15	8
372	Boone county	320	55	14	8	3	5	85	6	5	11	14
373	Brown county	132	26	12	2	2	2	44	5	2	7	6
374	Carroll county	191	30	10	1	1	3	45	9	5	4	11
375	Cass county	162	29	8	6	1	3	47	5	6	5	11
376	Clark county	266	41	8	4	1	2	56	12	5	10	6
377	Clay county	419	90	25	12	7	2	136	15	9	17	21
378	Clinton county	393	72	18	9	2	9	110	5	7	10	16
379	Crawford county	215	44	8	7	6	2	67	3	5	9	8
380	Daviess county	287	60	18	7	5	4	94	15	7	13	13
381	Dearborn county	346	54	12	3	4	2	75	2	6	8	21
382	Decatur county	330	53	14	10	2	1	80	5	7	12	8
383	Dekalb county	328	61	15	4	5	5	90	4	9	13	14
384	Delaware county	372	99	17	9	7	6	138	9	9	13	16
385	Dubois county	289	69	20	11	6	1	107	13	9	14	4
386	Elkhart county	335	39	13	1	5	2	60	7	6	7	10
387	Fayette county	219	40	11	6	5	2	64	7	3	3	9
388	Floyd county	126	15	1	2	2	1	21	11	3	5	6
389	Fountain county	311	64	17	7	3	2	93	15	9	11	13
390	Franklin county	243	36	11	3	.....	4	54	5	5	4	15
391	Fulton county	201	33	9	1	1	1	45	3	5	3	14
392	Gibson county	439	86	32	4	7	5	134	9	7	20	21
393	Grant county	530	105	24	6	4	1	140	8	13	16	23
394	Greene county	392	89	26	18	13	5	151	13	11	22	25
395	Hamilton county	403	79	15	6	3	2	105	8	4	15	14
396	Hancock county	230	43	9	6	2	3	63	11	4	6	8
397	Harrison county	297	57	13	7	2	3	82	10	7	14	17
398	Hendricks county	280	42	13	6	3	2	66	7	5	18	8
399	Henry county	411	73	13	3	8	2	99	8	10	17	18
400	Howard county	208	36	10	6	1	3	56	5	6	9	11
401	Huntington county	201	30	8	5	4	.....	47	6	3	3	9
402	Jackson county	436	76	35	13	8	8	140	15	7	23	23
403	Jasper county	157	25	5	5	2	1	38	5	3	10	4
404	Jay county	349	69	21	12	3	3	108	10	8	12	13
405	Jefferson county	387	61	11	7	4	2	85	5	4	13	32
406	Jennings county	236	35	11	6	4	1	57	4	3	3	3
407	Johnson county	284	36	7	6	1	.....	50	6	3	10	16
408	Knox county	301	82	16	6	6	6	116	15	11	17	14
409	Kosciusko county	335	62	18	9	.....	2	91	8	7	9	14
410	Lagrange county	210	29	10	6	2	.....	47	7	3	5	6
411	Lake county	336	82	24	6	7	5	124	11	11	8	11
412	Laporte county	291	30	6	6	3	3	48	9	5	7	9
413	Lawrence county	329	60	34	13	4	4	115	8	11	14	25
414	Madison county	471	97	40	11	6	4	158	21	7	14	30
415	Marion county	518	60	7	2	6	1	76	10	9	19	20
416	Marshall county	288	51	14	4	4	1	74	12	5	7	15

AREAS, AT EACH AGE: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4	6	3	5	3	5	4	4	8	10	9	4	4	.....	.....	.....	336
306	268	293	283	296	355	347	373	323	301	220	177	70	33	29	1	337
4	4	4	7	9	6	8	7	3	8	6	6	3	.....	.....	.....	338
46	32	45	37	34	39	32	40	30	29	25	20	14	1	.....	7	339
11	15	12	18	9	12	18	16	17	18	39	15	7	5	2	2	340
5	7	7	7	1	2	5	11	12	11	2	5	2	1	.....	1	341
11	23	3	12	16	11	13	14	14	9	12	12	3	.....	.....	3	342
3	1	2	3	2	2	6	6	9	6	4	8	4	1	.....	1	343
10	6	7	13	6	8	16	8	8	5	9	7	2	1	1	.....	344
9	2	6	5	8	11	8	11	7	22	16	11	6	8	2	.....	345
6	4	3	8	7	7	5	8	16	13	12	17	8	3	.....	.....	346
32	38	29	33	24	30	34	44	29	44	41	33	8	2	1	8	347
23	16	19	25	18	19	13	19	19	19	17	15	4	2	2	4	348
12	13	13	15	9	20	22	27	21	28	24	11	5	4	1	8	349
65	67	52	59	63	68	52	78	76	58	55	44	21	9	8	1	350
26	22	14	16	18	22	23	31	24	25	15	17	10	2	4	5	351
9	3	3	3	10	12	7	18	8	7	9	7	3	.....	.....	.....	352
10	17	4	3	9	8	9	13	17	15	9	16	8	1	.....	4	353
13	5	11	5	11	12	10	7	15	11	12	14	5	2	.....	1	354
18	24	13	18	14	13	15	11	21	23	19	5	11	3	.....	.....	355
84	88	104	102	94	108	108	115	119	145	100	72	35	15	6	4	356
37	36	38	33	31	46	43	36	39	43	26	22	6	5	.....	.....	357
44	30	34	45	44	42	39	33	28	24	14	11	8	1	.....	4	358
19	11	26	26	26	35	35	51	61	60	62	52	32	14	5	4	359
34	30	27	30	27	55	66	61	92	71	80	79	32	18	2	9	360
26	18	23	40	27	38	24	59	53	64	81	69	35	18	6	17	361
14	14	11	17	13	24	17	31	24	32	37	36	22	5	3	9	362
26	21	26	23	24	31	28	54	58	55	57	48	22	10	.....	21	363
11	11	14	16	12	12	25	28	42	43	47	47	28	14	3	7	364
5	4	8	6	17	6	13	12	11	24	36	31	12	11	1	1	365
15	18	16	16	22	22	28	31	33	47	54	25	19	10	3	9	366
11	13	8	12	18	5	13	14	24	10	15	17	3	.....	1	.....	367
17	6	7	11	11	8	17	12	14	33	27	17	17	7	3	2	368
3	7	6	6	9	6	9	12	12	23	17	19	5	1	2	.....	369
9	5	5	3	8	6	6	11	7	9	4	5	2	1	.....	3	370
9	7	7	11	9	11	5	9	10	9	14	10	7	1	.....	.....	371
18	15	9	12	12	10	13	15	17	26	24	10	10	7	.....	1	372
3	3	3	2	5	4	5	10	8	9	7	3	4	.....	.....	2	373
12	7	5	2	5	3	15	7	13	13	14	11	9	.....	.....	1	374
6	7	7	3	7	9	7	8	5	10	8	4	4	1	1	1	375
7	7	14	12	11	12	12	16	18	19	24	14	6	3	.....	2	376
20	19	24	9	8	30	19	11	25	16	16	13	4	2	1	4	377
15	14	14	9	16	18	14	24	18	26	21	16	6	2	.....	2	378
10	9	5	12	5	5	7	11	16	12	11	10	5	.....	.....	5	379
13	13	9	13	4	8	15	13	13	11	14	10	8	1	.....	.....	380
10	12	10	15	10	11	18	12	23	29	29	28	16	4	.....	7	381
14	4	10	6	12	12	15	21	17	26	33	24	13	9	1	1	382
8	18	6	10	8	11	23	17	26	25	23	16	2	3	1	1	383
14	17	15	11	7	10	8	22	20	17	21	15	6	2	.....	2	384
9	13	11	11	9	4	10	8	13	17	18	11	6	.....	.....	2	385
14	12	12	15	11	30	20	26	24	22	27	21	9	.....	.....	2	386
16	8	4	4	10	12	12	9	10	13	14	12	6	2	.....	1	387
4	9	4	2	2	3	6	6	10	13	13	4	2	1	1	.....	388
7	16	10	8	8	8	13	16	17	17	17	19	6	2	1	5	389
17	11	8	4	3	11	7	10	14	19	22	20	9	3	.....	2	390
4	6	6	10	9	8	3	14	16	19	17	12	5	.....	.....	2	391
18	18	18	17	15	17	26	22	20	30	12	18	7	2	2	6	392
23	16	18	16	11	15	37	33	41	38	32	25	13	3	2	7	393
11	13	13	13	11	13	23	16	8	14	16	8	2	2	.....	7	394
20	18	12	12	13	12	26	20	26	27	28	21	14	4	1	3	395
5	12	5	17	13	6	8	12	7	19	11	9	7	6	.....	1	396
19	16	12	11	10	6	9	7	16	13	17	19	9	.....	.....	3	397
11	7	6	8	5	10	14	18	16	25	24	19	8	3	1	1	398
16	14	15	13	11	16	19	17	24	23	35	33	13	5	4	1	399
3	5	7	6	10	5	9	14	10	21	18	4	7	.....	1	1	400
8	5	6	13	7	5	8	13	11	9	15	18	10	3	1	1	401
22	17	11	11	10	16	14	18	29	19	21	23	10	4	1	2	402
10	5	8	12	7	4	1	4	10	13	11	9	2	.....	.....	1	403
12	14	11	5	10	9	19	16	17	29	28	13	8	3	2	2	404
21	11	15	7	12	19	13	17	24	24	32	23	19	4	5	2	405
11	11	10	7	7	10	10	18	23	17	19	15	5	1	.....	2	406
13	15	12	15	14	11	7	19	16	30	20	9	9	7	1	1	407
12	8	14	13	8	10	12	10	8	14	3	7	5	2	.....	2	408
6	14	12	13	12	9	16	17	25	35	19	12	9	3	1	3	409
5	.....	6	5	10	3	11	21	18	23	11	24	2	2	.....	1	410
13	12	10	13	8	13	18	9	14	21	14	17	6	1	1	1	411
11	6	6	11	7	10	14	23	20	39	29	19	13	3	.....	2	412
16	7	9	16	11	6	9	9	17	16	15	12	4	4	.....	5	413
21	21	20	21	20	21	15	22	16	15	19	16	8	2	.....	4	414
25	27	25	34	21	29	38	28	41	36	34	34	8	2	.....	2	415
8	3	5	8	2	16	14	14	21	24	25	18	10	6	.....	1	416

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA RURAL—Continued.											
417	Martin county	231	49	17	9	1	2	78	15	2	7	13
418	Miami county	247	39	12	4	.....	2	57	7	8	6	10
419	Monroe county	287	57	20	9	3	2	91	5	11	8	16
420	Montgomery county	388	54	14	13	6	2	89	3	2	11	22
421	Morgan county	267	45	13	3	2	.....	63	4	4	7	11
422	Newton county	130	34	6	3	3	1	47	4	5	6	3
423	Noble county	290	42	11	1	1	2	57	9	3	10	14
424	Ohio county	54	5	2	.....	.....	1	8	.....	1	3	2
425	Orange county	246	36	8	8	4	5	61	11	4	17	13
426	Owen county	218	41	6	3	1	3	54	3	3	10	9
427	Parke county	277	45	14	4	2	1	66	9	3	14	17
428	Perry county	269	58	17	6	2	5	88	8	9	7	8
429	Pike county	357	90	19	7	6	2	124	12	7	17	17
430	Porter county	238	42	8	4	3	2	59	3	5	9	10
431	Posey county	429	80	31	11	6	5	133	14	10	22	23
432	Pulaski county	147	32	5	1	7	2	47	6	3	8	5
433	Putnam county	280	43	14	3	3	1	64	4	3	14	18
434	Randolph county	390	72	20	5	5	4	106	9	10	13	11
435	Ripley county	266	48	10	4	1	.....	63	5	5	6	15
436	Rush county	271	42	13	4	5	2	66	.....	3	13	15
437	St. Joseph county	271	46	9	2	3	2	62	8	4	6	11
438	Scott county	120	13	15	2	1	2	33	3	5	3	10
439	Shelby county	349	61	16	3	2	3	85	9	6	14	20
440	Spencer county	303	62	15	11	3	3	94	9	5	12	17
441	Starke county	147	39	5	2	.....	.....	46	6	8	5	6
442	Steuben county	170	21	1	1	1	.....	24	3	6	4	5
443	Sullivan county	414	88	29	10	12	4	143	11	11	15	26
444	Switzerland county	152	23	6	.....	2	.....	31	2	1	2	6
445	Tippecanoe county	246	37	3	9	1	.....	50	7	2	10	5
446	Tipton county	248	53	18	7	4	2	84	7	2	11	11
447	Union county	77	9	1	.....	.....	.....	10	1	.....	2	2
448	Vanderburg county	233	37	7	2	1	1	48	2	7	9	5
449	Vermilion county	234	56	9	6	1	1	73	4	4	13	9
450	Vigo county	317	66	19	6	8	3	102	6	9	12	13
451	Wabash county	244	44	8	4	3	.....	59	5	7	5	9
452	Warren county	108	18	6	.....	2	1	27	.....	4	5	3
453	Warrick county	318	57	24	7	4	5	97	11	11	14	21
454	Washington county	298	52	12	2	2	1	69	5	8	15	19
455	Wayne county	383	48	6	2	5	.....	61	6	6	10	18
456	Wells county	279	80	10	.....	2	3	95	6	2	7	14
457	White county	206	42	8	6	1	1	58	7	4	7	14
458	Whitley county	211	33	9	6	1	.....	49	5	3	7	7
	MAINE RURAL.											
459	Androscoggin county	850	147	26	12	8	9	202	24	16	25	36
460	Aroostook county	819	277	49	17	12	7	362	32	12	25	24
461	Cumberland county	852	110	17	7	6	7	147	18	12	15	28
462	Franklin county	275	33	9	.....	.....	2	44	6	4	2	5
463	Hancock county	513	43	11	6	3	3	66	12	7	17	37
464	Kennebec county	815	112	17	8	4	5	146	19	19	19	24
465	Knox county	338	30	8	2	1	1	42	3	3	11	14
466	Lincoln county	326	20	3	2	.....	1	26	4	8	4	6
467	Oxford county	542	66	19	10	4	2	101	9	8	12	22
468	Penobscot county	865	130	35	4	7	6	182	21	8	31	39
469	Piscataquis county	254	24	4	2	3	.....	33	6	6	14	10
470	Sagadahoc county	144	20	3	.....	1	1	25	2	2	4	1
471	Somerset county	496	52	5	5	3	3	68	12	6	18	20
472	Waldo county	398	19	2	6	1	1	29	4	3	12	10
473	Washington county	653	126	20	15	3	8	172	12	8	30	26
474	York county	867	80	19	8	7	6	120	10	10	19	27
	MASSACHUSETTS RURAL.											
475	Barnstable county	479	52	7	1	3	4	67	8	4	8	23
476	Berkshire county	558	75	15	6	6	3	105	17	5	10	13
477	Bristol county	655	86	10	6	7	3	112	9	14	23	21
478	Dukes county	85	14	2	.....	2	.....	18	.....	1	.....	1
479	Essex county	1,073	176	32	8	8	8	232	20	5	16	25
480	Franklin county	650	90	16	10	8	2	126	17	12	17	19
481	Hampden county	585	120	21	10	8	4	163	7	12	17	28
482	Hampshire county	494	76	8	5	5	3	97	10	7	11	11
483	Middlesex county	1,774	218	41	26	7	11	303	29	18	46	58
484	Nantucket county	55	1	2	.....	.....	.....	3	1	.....	.....	4
485	Norfolk county	1,208	188	21	12	9	10	240	32	13	22	36
486	Plymouth county	1,067	136	26	9	6	6	183	14	10	16	27
487	Suffolk county	66	7	3	1	2	.....	13	1	2	1	3
488	Worcester county	2,139	354	72	30	25	22	503	43	26	43	76
	MICHIGAN RURAL.											
489	Alcona county	63	12	3	1	1	.....	17	2	1	4	5
490	Alger county	48	21	4	1	.....	.....	26	1	1	3	.....
491	Allegan county	498	65	19	7	2	4	97	7	8	17	16
492	Alpena county	210	61	5	3	2	.....	71	6	4	9	8
493	Antrim county	209	44	15	3	6	5	73	7	6	5	3

AREAS, AT EACH AGE: 1901—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	9	9	7	6	3	7	10	12	7	13	18	1	1	1	2	417
9	13	8	9	7	10	13	12	17	14	19	16	5	2	.....	5	418
12	7	6	14	10	7	9	12	21	15	14	12	9	3	.....	5	419
13	12	10	16	11	14	20	27	24	37	31	26	12	4	2	2	420
10	10	11	7	8	10	9	14	21	29	25	14	3	2	1	4	421
3	5	5	3	3	5	4	6	9	4	6	9	1	.....	1	1	422
9	6	12	10	9	12	11	21	22	23	28	18	9	5	2	.....	423
3	2	2	.....	2	.....	1	2	5	8	7	7	1	.....	.....	.....	424
10	15	7	6	5	8	5	20	18	11	11	15	2	3	.....	4	425
7	11	7	11	6	7	14	15	12	13	18	9	6	1	1	1	426
6	12	11	13	9	11	10	19	12	20	24	11	5	3	2	.....	427
10	6	9	2	5	8	10	10	22	23	18	14	8	1	2	1	428
16	13	14	16	9	14	10	16	18	16	20	10	3	4	.....	1	429
11	7	8	5	5	10	3	11	24	28	20	10	8	2	.....	.....	430
14	14	20	14	10	22	16	18	32	19	22	17	3	2	.....	4	431
6	4	4	4	1	6	7	8	12	8	4	9	3	.....	.....	2	432
13	5	8	8	7	10	14	18	20	20	11	25	12	1	1	4	433
15	13	11	12	17	13	22	20	24	25	30	18	14	4	2	1	434
12	7	7	5	7	10	5	17	19	21	28	11	16	3	.....	4	435
9	13	8	16	18	8	15	6	18	19	23	15	5	.....	.....	1	436
11	11	12	9	14	12	9	17	18	25	25	11	4	1	.....	1	437
3	5	2	4	3	3	8	6	7	8	7	6	2	.....	.....	2	438
15	15	11	12	16	16	14	18	32	26	14	16	6	4	.....	.....	439
22	13	14	13	6	9	15	15	17	12	12	8	6	1	.....	3	440
2	3	4	3	5	5	7	3	16	8	11	4	5	.....	.....	.....	441
5	7	6	5	7	7	9	11	12	20	11	11	12	3	.....	2	442
18	14	17	12	19	17	19	20	13	21	16	11	5	1	.....	5	443
6	8	3	6	6	8	4	9	8	9	14	19	6	1	.....	3	444
8	9	6	5	14	10	14	10	28	21	19	15	6	3	1	3	445
16	7	12	4	5	11	16	13	15	9	7	6	6	.....	1	5	446
3	1	3	2	2	2	5	6	7	10	4	7	7	2	.....	1	447
12	12	14	18	19	6	11	10	8	15	9	15	9	1	2	1	448
11	11	6	6	8	13	8	13	16	11	14	5	5	1	1	2	449
18	10	14	7	11	6	9	22	19	14	18	12	5	4	.....	6	450
10	7	10	13	9	7	9	11	18	20	25	11	6	1	2	.....	451
5	1	7	5	4	1	9	6	6	8	5	6	3	.....	.....	3	452
14	9	10	8	5	15	10	19	16	20	18	11	6	1	.....	2	453
10	9	6	12	10	12	10	18	18	19	25	21	6	2	.....	4	454
8	15	18	22	18	22	30	22	27	25	33	20	10	10	2	.....	455
16	8	4	9	11	6	12	13	8	12	22	20	11	2	.....	1	456
1	4	2	9	8	4	8	6	18	22	17	5	3	5	1	3	457
4	8	8	3	7	9	11	8	22	16	12	13	14	1	.....	4	458
29	36	36	25	27	31	36	49	58	54	60	50	25	14	4	13	459
34	25	21	18	22	16	19	40	39	35	35	34	14	4	2	6	460
20	29	22	20	26	34	50	55	63	87	78	75	42	15	9	7	461
7	14	12	9	9	12	14	20	21	20	30	26	13	2	.....	5	462
13	21	12	13	13	17	37	30	47	49	45	43	18	12	2	2	463
41	18	18	28	35	33	55	45	62	63	83	50	31	11	4	11	464
7	12	10	10	15	13	15	25	33	33	41	31	13	4	1	2	465
8	8	9	11	15	15	14	26	36	39	37	28	20	9	3	.....	466
24	15	17	18	18	18	20	37	41	47	51	47	24	6	2	5	467
26	31	21	22	24	22	43	52	55	77	72	65	40	13	1	11	468
11	13	9	12	8	9	17	14	19	15	19	20	9	5	3	2	469
3	4	7	6	7	6	8	5	7	15	16	18	5	1	2	.....	470
15	14	13	16	11	16	20	30	46	54	49	46	25	13	3	1	471
9	15	6	15	12	19	22	27	35	42	35	42	38	17	2	4	472
17	22	18	14	25	18	20	36	41	40	61	55	22	10	2	4	473
30	24	30	35	26	34	54	62	77	85	84	78	39	14	6	3	474
15	10	16	11	16	24	18	33	44	39	58	49	22	11	2	1	475
11	17	22	24	16	20	28	40	53	44	58	41	18	11	2	3	476
16	23	23	18	22	22	38	47	47	63	51	54	36	12	4	.....	477
.....	2	2	1	3	5	3	11	11	7	8	8	2	2	.....	.....	478
27	30	24	42	45	34	68	75	74	88	113	74	51	25	2	3	479
23	21	25	20	19	18	29	50	39	53	67	45	26	14	3	7	480
29	24	15	20	16	20	22	34	39	36	40	40	13	3	3	4	481
17	11	11	13	17	14	32	28	43	43	56	43	21	7	2	.....	482
75	83	75	83	81	89	92	142	138	121	136	109	70	23	2	1	483
1	2	.....	2	4	2	2	3	3	8	8	7	4	1	.....	.....	484
46	43	60	58	44	59	71	83	101	110	120	105	34	15	4	2	485
30	33	30	37	42	56	45	72	99	119	91	73	57	19	2	12	486
2	2	4	4	3	5	4	6	2	4	4	2	4	.....	.....	.....	487
61	73	72	84	72	78	84	109	152	169	176	109	96	46	7	.....	488
5	2	1	.....	3	2	4	7	3	3	2	1	.....	.....	1	.....	489
.....	1	4	2	2	2	.....	1	1	2	1	.....	1	.....	.....	.....	490
17	15	14	13	21	22	16	33	45	50	47	35	16	5	2	2	491
9	8	3	11	12	10	10	11	8	9	9	7	3	1	1	.....	492
12	14	11	5	12	9	8	10	10	9	5	3	2	1	2	2	493

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MICHIGAN RURAL—Continued.											
494	Arenac county	120	29	10	5	1	4	49	6	6	6	2
495	Baraga county	60	16	5	3	.....	3	27	1	2	3	3
496	Barry county	268	27	2	3	3	3	38	3	5	3	11
497	Bay county	266	71	9	5	5	4	94	7	6	12	12
498	Benzie county	137	37	7	5	2	1	52	4	2	6	5
499	Berrien county	609	102	12	9	4	6	133	9	14	15	25
500	Branch county	383	39	9	8	4	2	62	7	7	9	12
501	Calhoun county	428	56	5	1	4	1	67	2	10	3	12
502	Cass county	271	25	3	3	.....	1	32	5	5	6	10
503	Charlevoix county	177	43	11	3	2	.....	59	7	2	8	10
504	Cheboygan county	201	55	9	5	1	1	71	4	4	7	9
505	Chippewa county	114	25	6	7	2	4	44	1	1	7	3
506	Clare county	90	16	3	.....	4	.....	23	1	1	7	4
507	Clinton county	337	45	8	5	5	3	66	8	5	9	11
508	Crawford county	27	7	2	2	1	.....	12	.....	2	.....	3
509	Delta county	133	39	7	4	3	2	55	6	4	4	7
510	Dickinson county	122	44	2	3	.....	.....	49	4	5	5	9
511	Eaton county	404	29	9	2	5	1	46	8	7	12	19
512	Emmet county	212	48	9	4	4	.....	65	4	5	7	6
513	Genesee county	379	48	13	4	2	3	70	9	6	8	17
514	Gladwin county	64	20	4	4	1	.....	29	3	2	2	5
515	Gogebic county	113	44	9	5	4	4	66	6	1	3	3
516	Grand Traverse county	156	42	4	4	2	1	53	7	5	5	10
517	Gratiot county	361	53	10	7	4	2	76	12	4	15	12
518	Hillsdale county	423	36	8	2	1	2	49	2	5	13	9
519	Houghton county	893	294	58	25	14	9	400	36	23	28	44
520	Huron county	376	95	16	6	4	6	127	11	8	7	19
521	Ingham county	312	22	7	2	2	1	34	3	2	11	12
522	Ionia county	464	62	9	4	2	1	78	7	7	13	19
523	Iosco county	135	24	4	4	4	3	39	13	6	7	5
524	Iron county	105	27	4	3	3	2	39	7	5	2	8
525	Isabella county	242	59	12	3	2	1	77	7	8	9	6
526	Jackson county	270	28	5	1	2	.....	36	3	3	8	13
527	Kalamazoo county	267	25	7	4	3	1	40	2	3	2	8
528	Kalkaska county	88	20	8	2	1	1	32	6	.....	7	2
529	Kent county	617	70	14	6	4	2	96	8	10	14	22
530	Keweenaw county	41	10	3	3	1	.....	17	2	1	1	2
531	Lake county	58	6	6	2	.....	1	15	.....	1	1	3
532	Lapeer county	416	55	7	8	3	3	76	11	22	20	20
533	Leelanau county	122	36	1	2	2	1	42	.....	4	2	5
534	Lenawee county	707	74	18	9	1	1	103	11	9	13	30
535	Livingston county	233	18	2	2	.....	2	24	4	3	12	6
536	Luce county	43	12	1	.....	.....	.....	13	1	2	.....	1
537	Mackinac county	82	15	3	.....	2	3	23	1	3	3	9
538	Macomb county	484	79	12	7	9	5	112	7	11	11	17
539	Manistee county	309	78	16	5	6	3	108	12	15	10	13
540	Marquette county	223	70	14	4	6	5	99	11	7	7	8
541	Mason county	256	64	8	3	4	2	81	6	4	11	17
542	Mecosta county	275	48	15	6	2	1	72	5	4	17	16
543	Menominee county	137	43	5	2	2	3	55	4	3	4	11
544	Midland county	193	52	6	6	4	.....	68	8	2	4	11
545	Missaukee county	87	30	6	1	2	4	43	1	1	2	6
546	Monroe county	422	61	9	5	3	2	80	9	9	12	17
547	Montcalm county	418	63	20	6	4	3	96	5	5	12	17
548	Montmorency county	32	10	1	1	.....	.....	12	1	1	1	1
549	Muskegon county	192	31	7	1	3	3	45	5	5	5	9
550	Newaygo county	208	42	11	6	2	2	63	6	4	8	5
551	Oakland county	500	61	13	4	3	1	82	6	6	10	15
552	Oceana county	211	51	12	4	5	.....	72	6	6	6	5
553	Ogemaw county	99	27	4	.....	1	1	33	4	5	6	6
554	Ontonagon county	84	22	3	4	5	.....	34	2	4	3	1
555	Osceola county	184	38	9	5	.....	.....	52	6	4	12	2
556	Oscoda county	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
557	Otsego county	83	20	10	.....	.....	1	31	2	3	2	1
558	Ottawa county	487	95	17	8	6	6	132	9	7	12	18
559	Presque Isle county	107	30	4	1	2	2	39	6	1	7	7
560	Roscommon county	27	3	.....	.....	.....	1	4	.....	.....	1	2
561	Saginaw county	484	89	18	8	9	3	127	13	7	16	18
562	St. Clair county	506	86	19	5	6	5	121	11	13	24	16
563	St. Joseph county	355	26	4	.....	.....	1	31	4	3	13	5
564	Sanilac county	347	71	10	1	2	5	89	3	6	13	18
565	Schoolcraft county	114	32	10	5	3	3	53	7	4	1	4
566	Shiawassee county	347	54	6	7	3	.....	70	2	6	5	12
567	Tuscola county	509	94	21	11	4	4	134	18	8	14	22
568	Van Buren county	499	68	10	8	2	3	91	6	9	11	13
569	Washtenaw county	436	47	8	2	2	5	64	11	14	14	12
570	Wayne county	1,000	208	41	14	7	8	278	14	16	18	32
571	Wexford county	216	54	11	5	1	1	72	10	11	5	15
	NEW HAMPSHIRE RURAL.											
572	Belknap county	195	9	4	1	.....	1	15	3	2	.....	8
573	Carroll county	212	16	4	1	1	.....	22	2	2	4	6
574	Cheshire county	368	36	13	8	4	3	64	4	7	7	15
575	Coos county	256	25	5	2	3	1	36	10	2	4	11
576	Grafton county	680	64	13	7	4	3	91	12	7	13	18

AREAS, AT EACH AGE: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	.....	1	4	3	3	2	3	5	8	8	7	4	.....	1	.....	494
3	4	3	3	.....	2	2	.....	3	4	.....	.....	.....	.....	.....	.....	495
12	5	5	10	11	11	16	16	22	26	34	26	8	4	2	.....	496
9	8	5	12	8	6	8	8	13	19	16	10	8	2	2	1	497
4	5	6	2	4	9	4	1	8	11	5	5	3	.....	1	.....	498
30	26	25	20	25	33	31	49	54	57	53	37	24	7	.....	2	499
13	16	7	10	7	17	16	21	32	44	42	40	15	6	.....	.....	500
12	12	18	18	12	7	34	36	48	39	39	36	16	5	1	1	501
10	14	5	11	9	9	23	12	27	26	27	20	14	5	1	.....	502
5	11	7	5	7	10	3	10	9	6	9	6	1	.....	.....	2	503
12	9	9	8	4	8	7	9	9	11	7	4	5	2	.....	2	504
9	4	7	3	1	3	2	6	8	6	3	2	3	.....	.....	1	505
3	6	1	6	2	3	2	4	9	7	7	2	.....	2	.....	.....	506
8	11	8	5	14	11	23	19	29	35	36	23	14	.....	1	1	507
1	.....	1	.....	2	1	3	.....	.....	.....	2	.....	.....	.....	.....	.....	508
5	8	5	4	5	6	3	3	4	3	4	5	1	1	.....	.....	509
7	3	4	9	7	4	2	5	4	.....	4	1	.....	.....	.....	.....	510
14	9	16	8	14	25	25	25	43	36	41	26	21	8	1	.....	511
9	14	7	6	12	11	3	13	13	11	11	9	2	2	1	1	512
8	5	13	10	11	18	20	25	28	35	34	33	20	7	.....	2	513
2	.....	3	1	2	1	3	1	.....	5	3	1	1	.....	.....	.....	514
6	5	7	4	3	2	2	2	1	1	.....	.....	.....	.....	.....	1	515
5	4	2	1	3	8	6	6	12	10	9	4	5	.....	.....	1	516
15	16	16	15	11	10	24	16	41	21	25	16	10	3	2	1	517
15	5	10	17	16	19	17	29	44	33	54	48	26	10	2	.....	518
58	34	42	29	20	29	32	19	26	30	12	13	4	2	.....	12	519
13	8	3	16	15	10	13	18	20	19	31	23	9	3	.....	3	520
12	9	13	17	14	11	21	22	29	23	37	27	12	3	.....	.....	521
18	15	15	15	13	24	29	30	33	47	42	37	18	3	.....	1	522
6	7	2	10	5	6	5	4	3	8	5	2	2	.....	.....	.....	523
9	9	5	2	7	2	2	1	2	.....	3	2	.....	.....	.....	.....	524
9	4	9	10	8	8	13	11	10	17	12	17	4	3	.....	.....	525
7	3	12	13	6	13	11	18	17	22	34	29	16	6	.....	.....	526
9	7	5	9	7	15	19	22	18	25	30	24	11	7	2	2	527
4	3	2	3	5	3	5	4	1	2	3	2	2	.....	1	1	528
17	8	15	14	21	25	34	47	65	69	58	59	23	7	3	2	529
3	1	.....	1	3	1	1	.....	2	3	.....	.....	.....	.....	1	2	530
4	2	.....	4	4	3	5	2	2	5	1	3	1	1	.....	1	531
10	10	4	17	13	17	18	29	29	27	36	35	11	8	2	1	532
5	5	2	5	4	6	2	5	7	6	12	7	3	.....	.....	.....	533
25	23	20	18	20	38	47	42	44	70	73	61	34	10	2	14	534
9	11	8	9	6	10	14	20	20	34	30	21	9	2	1	.....	535
2	1	4	4	.....	1	3	1	2	.....	3	2	.....	.....	.....	3	536
6	4	9	4	1	1	1	3	5	4	.....	1	1	1	1	1	537
16	10	15	15	17	17	22	35	42	42	42	28	21	4	.....	.....	538
11	7	10	11	12	15	15	13	15	9	14	13	4	1	.....	1	539
14	4	18	9	4	5	3	9	6	7	2	7	2	.....	.....	1	540
7	9	5	5	5	9	21	12	16	21	12	11	2	.....	2	.....	541
5	12	6	13	13	8	10	19	15	19	15	18	5	1	.....	2	542
3	6	2	7	5	9	4	7	1	6	4	5	.....	.....	.....	1	543
8	3	6	11	15	6	9	9	12	8	5	3	4	.....	1	.....	544
3	2	4	3	4	3	2	1	4	3	2	1	2	.....	.....	.....	545
18	17	10	14	6	16	20	19	28	40	56	30	14	6	.....	1	546
11	15	9	16	13	19	18	24	40	40	36	24	11	4	1	2	547
3	1	3	.....	2	.....	2	.....	1	.....	2	.....	1	.....	1	.....	548
7	5	3	4	5	9	8	6	19	20	19	10	6	.....	1	1	549
6	9	6	5	7	8	7	14	17	11	13	10	6	1	1	1	550
12	16	16	19	15	25	31	37	35	46	54	48	15	6	4	2	551
6	5	8	7	3	5	7	13	17	13	11	7	11	2	1	.....	552
3	.....	5	4	3	3	4	6	4	5	3	4	.....	.....	.....	1	553
4	3	2	6	3	.....	3	5	3	2	4	1	1	2	.....	1	554
8	8	7	5	6	11	8	9	8	9	6	12	7	1	2	1	555
1	1	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	556
5	3	4	4	5	3	2	1	6	3	1	3	2	.....	.....	2	557
22	20	15	9	13	14	25	31	27	37	36	39	17	4	.....	.....	558
5	6	1	5	2	3	2	8	3	3	1	4	.....	.....	1	3	559
2	.....	1	1	1	4	1	1	2	3	.....	1	1	1	1	.....	560
18	21	13	11	17	18	28	22	26	34	40	35	15	4	1	.....	561
13	12	9	12	11	24	18	28	30	44	53	34	22	5	2	4	562
6	6	16	13	12	9	20	31	40	46	42	32	13	11	1	1	563
12	9	7	10	9	20	21	21	23	30	25	18	6	3	2	2	564
6	6	4	6	2	4	4	4	4	3	.....	1	.....	.....	.....	1	565
6	12	16	11	19	13	11	24	32	32	30	17	19	5	2	3	566
13	21	14	14	21	23	20	17	47	39	33	31	16	2	1	1	567
14	15	15	13	14	30	23	32	47	54	39	43	17	7	2	4	568
10	16	12	18	12	20	26	24	42	32	44	38	13	7	3	4	569
38	23	37	43	40	31	48	60	65	76	81	60	26	6	.....	8	570
10	7	7	3	7	8	7	13	7	13	7	9	5	.....	.....	.....	571
9	4	5	5	3	8	9	15	16	17	24	29	16	3	2	2	572
7	10	5	4	9	16	14	12	19	21	25	14	14	6	.....	.....	573
10	8	8	13	11	11	22	20	22	41	45	38	14	5	2	1	574
12	14	9	14	14	16	11	14	22	15	17	16	8	2	5	4	575
28	19	26	19	24	35	41	36	53	66	71	57	31	14	3	15	576

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE RURAL—Continued.											
577	Hillsboro county	610	55	18	4	4	7	88	9	8	11	22
578	Merrimack county	535	64	16	3	2	4	89	8	5	10	13
579	Rockingham county	692	83	19	10	4	2	118	6	5	14	17
580	Strafford county	300	57	14	8	4	4	87	2	1	8	13
581	Sullivan county	324	31	5	3	.....	.....	39	4	6	6	7
	NEW JERSEY RURAL.											
582	Atlantic county	276	65	13	11	5	8	102	9	4	7	7
583	Bergen county	1,264	261	40	24	16	16	357	26	21	26	42
584	Burlington county	949	168	26	15	8	3	220	26	15	24	23
585	Camden county	531	111	18	4	6	2	141	15	9	9	13
586	Cape May county	214	29	6	4	2	.....	41	4	9	6	8
587	Cumberland county	303	42	6	4	.....	2	54	10	2	12	10
588	Essex county	917	168	28	14	12	15	237	39	21	21	29
589	Gloucester county	399	66	20	7	2	2	97	9	8	7	18
590	Hudson county	1,179	268	65	28	13	13	387	38	24	26	46
591	Hunterdon county	513	56	13	5	2	2	78	13	4	17	12
592	Mercer county	291	43	8	2	.....	1	54	4	6	10	14
593	Middlesex county	560	133	20	7	6	4	170	12	10	17	25
594	Monmouth county	1,314	281	52	21	15	10	379	42	22	27	45
595	Morris county	749	141	15	10	12	4	182	16	14	23	26
596	Ocean county	341	75	12	8	7	1	103	10	1	8	13
597	Passaic county	234	65	8	8	4	5	90	7	6	5	11
598	Salem county	332	55	9	9	4	1	78	6	6	6	13
599	Somerset county	420	68	11	4	2	3	88	14	6	10	11
600	Sussex county	264	47	5	5	4	.....	61	6	1	5	12
601	Union county	440	88	16	4	5	4	117	16	7	14	10
602	Warren county	371	55	8	3	2	1	69	6	5	15	16
	NEW YORK RURAL.											
603	Albany county	518	85	13	2	6	2	108	10	9	18	15
604	Allegany county	548	46	10	4	4	1	65	9	3	12	16
605	Broome county	489	35	12	6	4	2	59	9	2	8	18
606	Cattaraugus county	693	79	13	7	9	9	117	10	6	17	24
607	Cayuga county	555	57	12	6	.....	2	77	4	6	9	13
608	Chautauqua county	686	70	17	12	3	2	104	13	11	7	22
609	Chemung county	302	37	6	2	.....	2	47	7	7	7	7
610	Chenango county	651	50	16	4	5	5	80	6	4	15	18
611	Clinton county	539	89	26	13	8	6	142	18	11	26	23
612	Columbia county	555	71	12	6	6	3	98	6	10	14	19
613	Cortland county	295	25	4	1	2	1	33	3	3	8	8
614	Delaware county	620	55	6	7	1	4	73	8	4	24	17
615	Dutchess county	1,127	123	23	8	5	2	161	22	14	22	29
616	Erie county	1,181	183	29	17	10	8	247	30	21	19	26
617	Essex county	469	66	10	6	3	3	88	7	8	17	15
618	Franklin county	686	135	35	10	7	13	200	19	19	20	27
619	Fulton county	239	28	8	4	1	.....	41	4	5	3	9
620	Genesee county	534	57	10	5	3	4	79	10	9	15	14
621	Greene county	535	54	11	9	6	6	86	10	5	12	18
622	Hamilton county	54	5	4	.....	1	1	11	.....	.....	4	.....
623	Herkimer county	711	78	16	13	7	6	120	22	12	14	31
624	Jefferson county	804	93	13	5	7	4	122	11	7	18	21
625	Lewis county	386	46	10	1	3	3	63	6	7	11	17
626	Livingston county	522	51	8	2	2	2	65	10	7	13	18
627	Madison county	652	49	10	4	1	1	65	9	13	8	15
628	Monroe county	786	110	29	8	5	7	159	18	16	16	24
629	Montgomery county	335	26	3	.....	1	2	32	6	2	2	13
630	Nassau county	863	168	33	14	6	11	232	24	19	14	23
631	Niagara county	506	84	11	4	7	1	107	16	8	10	19
632	Oneida county	896	83	12	11	8	9	123	13	10	14	30
633	Onondaga county	894	91	23	10	6	3	133	16	17	18	23
634	Ontario county	552	54	5	1	2	2	64	6	12	17	18
635	Orange county	836	113	26	15	9	10	173	21	9	30	24
636	Orleans county	456	38	14	3	.....	2	57	11	4	14	20
637	Oswego county	1,131	138	28	18	6	5	195	28	19	32	28
638	Otsego county	843	86	19	16	9	3	133	8	15	15	24
639	Putnam county	220	30	7	1	.....	.....	38	3	3	4	4
640	Rensselaer county	793	92	17	13	14	3	139	28	18	17	27
641	Rockland county	576	112	15	9	3	2	141	17	7	12	21
642	St. Lawrence county	1,092	137	30	12	10	10	199	33	28	34	36
643	Saratoga county	903	114	29	13	7	6	169	15	14	22	29
644	Schenectady county	240	50	9	3	8	1	71	8	3	7	11
645	Schoharie county	434	38	9	4	1	2	54	2	3	18	16
646	Schuyler county	257	29	.....	3	2	2	36	2	1	8	7
647	Seneca county	577	40	7	2	2	1	52	10	2	10	21
648	Steuben county	1,039	116	18	8	7	2	151	17	10	19	22
649	Suffolk county	1,306	171	32	12	7	6	228	23	13	15	41
650	Sullivan county	525	37	7	4	5	2	55	4	6	17	25
651	Tioga county	465	30	12	3	5	2	52	4	4	11	16
652	Tompkins county	312	27	7	6	1	1	42	3	3	9	10
653	Ulster county	1,059	127	38	14	12	11	202	40	21	29	39
654	Warren county	265	26	8	5	2	1	42	1	3	6	9
655	Washington county	731	87	24	12	12	8	143	17	6	12	25

AREAS, AT EACH AGE: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19	14	13	20	24	23	36	55	53	50	61	52	21	18	3	10	577
12	15	8	17	22	24	22	37	36	58	58	49	35	12	4	1	578
21	15	15	29	19	38	35	36	55	70	80	66	33	7	6	7	579
9	10	6	8	13	13	15	16	24	24	15	19	9	6	.....	2	580
7	14	9	14	10	12	15	28	27	30	41	29	19	4	.....	3	581
6	4	5	5	5	10	5	16	24	21	19	13	9	3	1	1	582
40	60	52	46	44	53	62	69	84	81	83	66	32	8	4	8	583
30	22	30	39	34	30	46	52	73	82	71	75	27	19	2	9	584
22	24	22	15	26	22	35	34	34	41	28	20	11	4	2	4	585
8	7	7	7	4	11	8	13	14	19	17	20	4	4	.....	3	586
10	14	9	9	9	10	20	12	28	37	25	17	8	3	2	2	587
21	26	30	33	36	51	45	58	69	58	49	55	24	10	4	1	588
12	16	8	11	16	21	12	26	28	32	40	23	10	1	.....	4	589
50	50	53	57	51	61	63	68	70	68	39	14	7	5	1	1	590
17	14	21	13	17	26	22	28	34	53	55	48	30	6	1	4	591
6	14	11	2	11	13	11	15	25	26	27	21	8	5	.....	8	592
23	28	17	22	25	17	33	31	26	31	27	26	11	2	3	4	593
34	49	53	50	44	54	70	72	83	92	73	58	36	13	3	15	594
33	25	30	25	25	37	36	38	59	55	55	35	18	9	3	5	595
11	7	19	11	8	20	12	15	27	22	21	21	8	4	.....	.....	596
7	11	5	6	7	2	7	15	12	10	10	11	9	1	.....	2	597
12	6	8	11	11	7	13	25	26	30	31	20	13	6	1	3	598
18	10	15	13	10	21	13	22	33	31	39	36	22	5	1	2	599
10	9	7	14	12	10	11	15	21	18	23	15	10	3	.....	1	600
18	16	15	10	18	17	19	17	36	34	29	23	15	5	2	2	601
8	11	9	11	11	13	18	25	32	35	32	30	12	10	1	2	602
18	16	13	21	21	19	21	32	34	38	42	54	17	6	4	2	603
19	18	18	16	9	27	25	37	51	66	61	54	26	8	4	4	604
12	21	14	13	20	24	22	34	43	45	61	40	22	15	3	4	605
18	22	24	21	29	37	28	46	54	74	57	60	30	10	5	4	606
11	13	6	16	16	30	25	41	54	62	72	59	36	9	1	5	607
18	24	17	11	27	25	50	42	48	69	83	66	38	8	2	1	608
8	8	13	10	6	11	19	21	30	32	27	26	9	4	2	1	609
35	21	28	20	20	31	33	44	47	69	69	63	28	15	2	3	610
22	15	19	17	12	18	25	18	40	34	39	23	26	6	2	3	611
11	18	17	14	20	23	23	39	44	55	49	42	34	12	5	2	612
12	5	7	5	11	16	26	29	19	30	30	23	19	4	4	.....	613
13	23	22	22	24	19	26	43	60	80	60	62	26	7	3	4	614
52	39	43	45	46	50	69	78	100	84	110	89	42	12	7	13	615
37	31	57	38	47	42	49	63	94	122	100	91	48	8	6	5	616
15	15	10	19	10	29	21	23	36	42	38	48	14	11	3	.....	617
39	32	24	22	22	19	29	26	45	38	42	22	26	7	5	3	618
7	7	10	11	6	13	12	19	22	25	19	17	5	3	1	.....	619
14	15	13	19	18	23	28	26	49	56	58	50	24	10	1	3	620
23	16	20	20	20	26	27	29	52	52	48	36	24	4	1	6	621
4	2	6	6	2	2	1	.....	4	6	2	3	1	.....	.....	.....	622
26	21	27	14	26	30	42	48	46	58	54	56	39	12	2	11	623
27	24	26	35	25	29	30	47	63	92	90	69	36	22	5	5	624
16	13	13	9	14	12	13	21	33	45	38	21	26	4	3	1	625
23	15	10	10	24	23	34	26	39	58	60	49	26	7	1	4	626
21	13	11	21	30	28	52	34	60	79	71	68	33	11	5	5	627
25	25	27	23	23	35	37	45	59	71	56	74	38	12	2	1	628
17	11	14	15	15	16	18	21	25	28	33	40	14	5	4	4	629
36	35	23	36	23	44	62	44	54	59	54	47	24	6	1	3	630
23	13	11	19	19	14	23	33	40	46	42	26	20	10	2	5	631
27	16	24	31	33	26	45	48	87	95	116	86	49	13	5	5	632
27	22	23	34	28	32	41	63	74	96	95	81	47	15	5	4	633
19	14	20	10	19	22	26	39	46	59	57	56	30	14	3	1	634
39	15	27	29	26	35	42	46	58	65	82	72	25	9	1	8	635
9	17	13	13	17	18	32	36	38	41	43	42	18	8	1	4	636
32	34	39	43	37	48	46	78	103	113	113	86	43	9	3	2	637
22	16	18	20	34	39	37	57	93	80	96	70	43	19	3	1	638
10	10	13	9	10	15	15	16	16	18	13	13	6	4	.....	.....	639
27	27	24	38	24	35	40	46	57	67	74	50	37	10	3	5	640
29	14	12	14	23	23	37	32	42	53	45	31	15	4	1	3	641
36	33	40	47	27	39	53	60	79	84	97	89	42	17	6	13	642
25	33	30	38	23	47	48	60	69	83	69	70	34	13	5	7	643
3	12	8	6	6	8	7	15	11	17	24	15	4	3	.....	1	644
17	14	10	11	24	17	29	31	37	51	39	40	19	6	1	4	645
6	2	11	8	10	15	12	10	24	27	31	30	6	7	1	3	646
27	14	23	27	23	33	38	47	61	61	48	38	26	11	2	3	647
31	19	29	25	47	43	63	13	93	116	102	75	39	16	5	3	648
55	63	64	69	67	57	68	99	95	94	92	74	52	17	6	14	649
33	36	21	36	20	19	23	30	31	43	53	40	19	6	2	6	650
15	12	15	14	19	16	20	46	42	45	61	46	20	3	3	1	651
8	3	6	7	13	8	12	25	29	25	47	38	16	6	1	1	652
30	35	34	40	32	47	50	70	99	89	79	71	34	12	3	3	653
12	10	10	10	10	14	6	17	27	25	21	21	11	7	1	2	654
17	22	25	22	24	31	41	50	71	71	55	49	32	13	3	2	655

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW YORK RURAL—Continued.											
656	Wayne county	710	77	10	8	7	5	107	10	10	14	20
657	Westchester county	1,601	252	57	28	16	17	370	41	24	29	52
658	Wyoming county	471	42	9	5	2	3	61	2	6	14	10
659	Yates county	289	22	3	2	1	.....	28	8	3	6	5
	RHODE ISLAND RURAL.											
660	Bristol county	240	44	7	3	4	1	59	4	3	3	8
661	Kent county	590	140	30	18	7	9	204	13	8	15	17
662	Newport county	162	34	8	5	4	2	53	2	2	2	11
663	Providence county	1,296	212	54	22	17	15	320	28	23	35	50
664	Washington county	393	47	11	5	.....	2	65	9	5	7	7
	VERMONT RURAL.											
665	Addison county	347	48	8	6	1	1	64	2	3	8	15
666	Bennington county	253	35	1	2	2	.....	40	6	3	5	5
667	Caledonia county	410	53	14	10	1	4	82	15	9	10	12
668	Chittenden county	308	59	8	3	2	2	74	5	5	7	8
669	Essex county	120	17	2	.....	2	.....	21	3	1	5	5
670	Franklin county	444	77	15	9	3	5	109	11	8	13	15
671	Grand Isle county	58	12	4	1	1	1	19	.....	2	2	2
672	Lamoille county	188	25	3	2	2	1	33	1	2	4	10
673	Orange county	334	34	5	3	4	.....	46	3	5	5	3
674	Orleans county	347	53	10	6	6	1	76	8	4	7	16
675	Rutland county	506	68	10	10	4	1	93	11	10	8	8
676	Washington county	507	62	13	6	2	5	88	9	7	8	10
677	Windham county	479	29	10	4	1	3	47	5	5	10	15
678	Windsor county	623	70	12	4	.....	4	90	7	2	11	14

AREAS, AT EACH AGE: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24	14	25	17	26	25	33	55	66	68	95	50	36	8	2	5	656
73	84	75	71	73	76	84	95	89	112	92	91	37	18	3	12	657
17	19	7	15	10	19	25	25	36	66	58	48	19	9	1	4	658
9	7	12	5	7	18	13	23	29	32	34	23	19	4	1	3	659
9	6	6	7	6	7	12	23	19	20	14	15	12	2	4	1	660
11	18	19	26	23	32	31	25	33	31	37	25	17	3	1	1	661
6	5	4	4	7	8	6	9	4	12	11	5	6	1	2	2	662
48	48	62	74	57	50	77	81	82	92	85	45	23	11	2	3	663
10	12	12	19	16	19	24	29	36	34	27	30	19	9	4	.....	664
9	14	9	9	11	13	18	17	28	32	28	32	16	8	6	5	665
16	7	8	11	8	15	13	15	27	20	22	17	7	6	.....	2	666
16	13	16	8	23	18	22	20	17	25	38	30	19	13	1	3	667
10	10	5	7	11	7	11	18	23	26	27	34	9	4	2	5	668
5	3	4	1	7	6	6	7	9	9	13	7	2	3	1	2	669
16	11	13	13	8	20	21	24	27	32	35	28	16	13	3	8	670
3	1	2	2	3	3	2	1	2	4	3	5	1	1	.....	.....	671
5	2	4	9	4	5	9	14	13	18	15	24	6	8	2	.....	672
13	4	14	6	10	10	19	25	28	37	33	39	26	5	2	1	673
16	7	4	9	10	18	12	19	23	29	32	27	18	7	2	3	674
17	18	12	16	17	17	21	24	53	47	61	28	23	15	2	5	675
14	20	19	17	21	15	24	31	41	56	42	40	26	11	4	4	676
14	13	14	23	15	19	29	40	37	44	41	53	32	9	1	13	677
22	21	20	20	24	27	32	40	45	47	69	69	39	13	8	3	678

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	SUMMARIES.													
1	The registration area	518,207	10,127	1,980	1,085	2,287	4,113	3,051	10,667	10,093	85	54,735	6,864	20,171
2	Registration cities	385,395	7,501	1,520	967	1,657	3,433	2,329	8,701	5,718	68	42,546	5,403	14,450
3	Registration states	332,203	5,585	1,012	734	1,494	2,744	1,759	6,782	7,378	30	33,969	4,465	13,438
4	Cities in registration states	199,391	2,959	552	616	864	2,064	1,037	4,816	3,003	13	21,780	3,004	7,717
5	Rural part of registration states	132,812	2,626	460	118	630	680	722	1,966	4,375	17	12,189	1,461	5,721
6	Registration cities in other states	186,004	4,542	968	351	793	1,369	1,292	3,885	2,715	55	20,766	2,399	6,733
	REGISTRATION STATES.													
7	Connecticut	14,866	278	104	4	73	85	106	309	558	2	1,510	171	650
8	District of Columbia	6,055	174	43	.....	11	11	63	104	166	.....	840	96	199
9	Indiana	35,130	1,191	238	21	205	155	247	529	1,000	2	4,163	495	1,125
10	Maine	11,215	225	11	.....	29	20	30	127	298	.....	1,085	184	575
11	Massachusetts	48,205	566	92	98	229	396	239	1,170	789	2	5,093	677	2,183
12	Michigan	32,852	644	112	26	77	305	161	509	1,062	13	2,165	369	1,468
13	New Hampshire	6,956	78	7	5	6	53	28	86	143	.....	608	78	364
14	New Jersey	31,791	377	85	139	70	190	177	706	392	3	3,323	401	1,126
15	New York	131,461	1,850	280	495	746	1,469	633	2,997	2,643	7	13,877	1,801	5,186
16	Rhode Island	7,955	103	35	5	16	21	17	194	175	.....	843	132	319
17	Vermont	5,717	99	5	.....	32	39	38	51	152	1	462	61	243
	REGISTRATION CITIES.													
18	Adams town, Mass	177	4	.....	.....	.....	4	.....	6	3	.....	19	.....	7
19	Alameda, Cal	297	3	1	.....	.....	1	2	8	.....	.....	29	2	12
20	Albany, N. Y	1,779	20	1	.....	1	4	3	41	36	.....	223	37	87
21	Alexandria, Va	347	4	2	.....	.....	.....	1	10	12	.....	50	1	10
22	Allegheny, Pa	2,295	100	2	1	36	40	54	50	29	.....	175	35	64
23	Allentown, Pa	520	17	1	.....	.....	.....	.....	12	6	.....	55	3	15
24	Altoona, Pa	618	13	.....	.....	3	9	2	20	5	.....	43	4	21
25	Amesbury town, Mass	163	1	.....	.....	.....	2	2	3	6	.....	17	.....	6
26	Amsterdam, N. Y	320	5	.....	.....	2	.....	.....	4	7	.....	35	2	18
27	Anderson, Ind	346	15	.....	.....	1	3	3	10	10	.....	48	8	13
28	Ann Arbor, Mich	219	1	.....	.....	.....	.....	1	3	5	.....	16	7	18
29	Annapolis, Md	175	2	1	.....	.....	.....	.....	8	11	.....	35	5	3
30	Ansonia, Conn	184	2	1	.....	1	.....	2	5	4	.....	20	4	5
31	Appleton, Wis	144	3	.....	.....	1	.....	.....	3	2	.....	24	1	6
32	Arlington town, Mass	113	3	.....	.....	1	.....	.....	3	1	.....	12	2	5
33	Ashtabula, Ohio	214	6	.....	.....	8	.....	1	2	2	.....	14	1	6
34	Atlanta, Ga	2,014	71	11	.....	31	22	18	26	43	.....	232	14	36
35	Atlantic City, N. J	550	7	1	.....	.....	1	10	8	7	.....	45	10	15
36	Attleboro town, Mass	133	1	.....	.....	.....	.....	.....	3	3	.....	17	1	7
37	Auburn, N. Y	417	7	.....	.....	1	2	2	3	8	.....	41	8	14
38	Augusta, Me	269	10	1	.....	.....	.....	.....	1	2	.....	22	1	7
39	Aurora, Ill	370	12	1	.....	3	6	5	5	5	.....	38	4	22
40	Baltimore, Md	10,482	148	40	.....	7	12	65	171	261	2	1,227	172	395
41	Bangor, Me	397	23	.....	.....	.....	1	.....	2	9	.....	40	11	16
42	Barre, Vt	120	2	.....	.....	1	9	.....	3	.....	.....	13	2	4
43	Bath, Me	149	1	.....	.....	.....	.....	.....	5	2	.....	28	1	6
44	Battle Creek, Mich	309	11	2	.....	1	.....	.....	2	7	.....	20	4	23
45	Bay City, Mich	352	7	1	.....	.....	4	9	7	22	.....	24	11	11
46	Bayonne, N. J	581	4	.....	2	11	4	1	11	9	.....	60	8	17
47	Bellaire, Ohio	194	2	.....	.....	.....	1	1	2	4	.....	21	2	5
48	Belleville, Ill	270	10	1	.....	1	2	.....	8	2	.....	20	4	11
49	Beloit, Wis	147	1	1	.....	.....	2	3	.....	7	.....	20	1	6
50	Bennington town, Vt	137	3	.....	.....	5	.....	2	2	1	.....	8	1	5
51	Berlin, N. H	123	6	.....	2	.....	1	.....	.....	.....	.....	14	1	4
52	Beverly, Mass	186	1	.....	.....	.....	6	.....	3	4	.....	25	3	16
53	Biddeford, Me	327	19	1	.....	.....	.....	1	3	5	.....	35	4	13
54	Binghamton, N. Y	663	21	1	.....	2	3	5	17	23	.....	53	4	33
55	Boston, Mass	11,297	135	9	75	122	222	68	342	140	.....	1,331	213	501
56	Bridgeport, Conn	1,231	19	6	.....	2	17	14	18	31	.....	168	13	52
57	Bridgeton, N. J	181	3	1	.....	.....	2	1	1	5	.....	18	1	10
58	Bristol town, Conn	121	4	.....	1	.....	.....	1	2	8	.....	17	.....	6
59	Brockton, Mass	538	6	1	.....	1	11	1	13	11	.....	66	10	25
60	Brookline town, Mass	228	.....	.....	.....	2	2	.....	8	1	.....	17	1	19
61	Buffalo, N. Y	5,518	97	3	2	22	44	63	142	66	1	453	77	262
62	Burlington, Iowa	349	13	1	1	.....	.....	.....	3	3	.....	41	2	21
63	Burlington, Vt	331	4	2	.....	.....	.....	1	1	1	.....	32	8	13
64	Cambridge, Mass	1,535	8	2	3	11	6	11	39	23	.....	207	24	102
65	Camden, N. J	1,398	12	.....	2	.....	4	11	63	30	.....	146	18	49
66	Canton, Ohio	357	5	.....	.....	.....	.....	2	6	5	.....	40	3	15
67	Carbondale, Pa	226	2	.....	.....	1	1	.....	8	4	.....	9	1	9
68	Carlisle, Pa	182	2	1	.....	.....	.....	2	6	6	.....	23	2	4
69	Central Falls, R. I	301	3	3	2	4	1	.....	8	7	.....	39	5	7
70	Charleston, S. C	1,761	48	48	.....	.....	6	.....	10	42	1	209	15	33
71	Chelsea, Mass	383	10	.....	.....	.....	2	1	16	8	.....	60	4	24
72	Chicago, Ill	24,478	524	21	4	180	195	222	501	279	5	2,392	361	1,119
73	Chicopee, Mass	340	5	.....	.....	.....	.....	9	10	6	.....	27	5	9
74	Chillicothe, Ohio	244	10	.....	.....	2	.....	.....	2	9	.....	32	1	13
75	Chippewa Falls, Wis	93	1	1	.....	.....	2	.....	2	4	.....	10	2	3
76	Cincinnati, Ohio	6,401	180	15	1	60	26	19	71	136	2	775	97	235
77	Cleveland, Ohio	5,968	137	7	20	16	40	11	172	62	.....	424	55	233

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1901.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
505	3,212	10,430	50,001	46,250	41,715	30,365	28,523	7,073	27,354	28,005	4,294	20,722	3,824	29,506	15,656	43,473	2,041	1
336	2,230	8,079	34,278	32,596	31,800	23,741	23,138	5,126	20,220	22,001	3,197	16,250	3,028	22,614	11,400	29,843	1,225	2
332	2,339	6,670	32,880	31,103	26,296	19,828	19,153	4,466	16,907	18,195	2,704	13,423	2,105	18,039	9,245	27,988	1,120	3
163	1,357	4,319	17,157	17,449	16,381	13,204	13,768	2,519	9,773	12,191	1,607	8,951	1,309	11,167	4,989	14,358	304	4
169	982	2,351	15,723	13,654	9,915	6,624	5,385	1,947	7,134	6,004	1,097	4,472	796	6,892	4,256	13,630	816	5
173	873	3,760	17,121	15,147	15,419	10,537	9,370	2,607	10,447	9,810	1,590	7,299	1,719	11,447	6,411	15,485	921	6
21	118	308	1,540	1,505	995	828	836	154	752	784	111	685	100	823	152	1,234	70	7
1	29	67	588	637	338	357	380	89	275	356	67	299	29	286	112	437	1	8
34	205	742	3,568	2,481	2,617	1,731	1,586	649	2,066	1,265	259	1,841	189	1,628	1,424	3,350	124	9
13	88	288	1,322	1,221	864	495	539	132	541	561	77	238	79	439	386	1,134	214	10
67	334	1,132	4,718	5,276	3,624	2,566	2,865	483	2,204	2,182	267	2,602	305	2,305	1,505	4,090	126	11
36	256	442	3,599	3,276	2,425	1,979	1,734	507	2,120	1,141	465	1,112	220	2,031	876	3,405	317	12
9	48	167	865	777	547	388	389	63	311	309	29	150	49	264	305	750	80	13
25	170	849	3,661	2,745	2,430	1,896	1,960	430	1,578	1,818	192	1,395	239	2,138	1,152	2,079	45	14
109	950	2,328	11,654	11,871	11,400	8,850	8,053	1,741	6,376	9,005	1,121	4,531	806	7,557	3,030	10,109	45	15
6	83	207	676	710	567	441	650	145	414	519	83	358	54	377	108	659	38	16
11	58	140	689	604	489	297	161	73	270	255	33	212	35	211	195	741	60	17
1	1	7	17	19	11	5	17	1	3	10	1	18	1	6	5	11	.....	18
.....	5	14	27	41	23	11	6	3	24	24	3	9	1	18	8	20	2	19
2	2	35	209	234	98	124	44	19	112	148	11	29	4	80	55	119	1	20
1	1	5	36	28	38	16	15	.....	7	25	1	10	1	13	24	18	18	21
1	3	56	186	139	294	182	133	35	138	61	21	88	23	171	46	131	1	22
1	7	11	87	55	51	18	12	4	26	23	1	19	3	22	44	27	.....	23
2	6	13	76	30	69	28	27	8	36	22	5	31	4	47	48	45	1	24
.....	1	7	11	25	29	5	5	2	1	12	.....	7	.....	9	3	9	.....	25
.....	2	5	47	21	36	24	10	5	11	12	5	12	5	20	9	23	.....	26
1	1	14	33	14	24	16	23	5	17	12	2	15	7	17	14	20	.....	27
1	3	2	19	20	21	11	4	6	22	5	2	4	1	11	4	31	1	28
.....	1	.....	18	9	7	9	8	1	11	5	1	7	.....	12	5	13	3	29
.....	2	12	15	11	14	7	23	1	6	12	2	9	2	6	2	13	3	30
.....	4	4	19	8	8	5	5	3	7	1	.....	9	1	5	5	18	2	31
.....	.....	2	6	14	11	6	7	1	4	3	.....	6	.....	8	5	12	1	32
1	1	2	17	19	24	2	14	1	17	6	4	11	2	26	5	21	1	33
.....	5	27	217	115	222	82	104	26	113	97	18	72	5	85	150	162	10	34
3	6	12	55	66	32	36	23	5	39	46	1	27	.....	35	25	34	1	35
.....	2	3	10	11	10	10	6	.....	5	8	1	10	1	8	3	13	.....	36
2	7	6	45	47	40	20	19	8	26	23	2	16	1	29	7	33	.....	37
.....	1	5	86	22	7	20	18	5	5	11	.....	5	.....	7	10	22	1	38
2	3	10	45	21	36	15	25	2	26	13	.....	7	7	15	8	34	.....	39
4	52	146	974	717	773	692	733	134	481	637	92	629	53	633	344	880	8	40
.....	3	6	48	56	29	17	6	2	33	19	2	3	2	13	16	34	6	41
.....	.....	10	8	5	5	6	5	2	9	4	2	10	1	4	2	12	1	42
1	2	4	18	16	8	12	3	.....	4	12	.....	4	1	3	3	14	1	43
2	2	1	42	33	13	11	5	5	23	15	5	5	6	17	12	41	1	44
.....	.....	5	25	31	37	20	21	6	33	18	4	8	.....	12	4	32	.....	45
.....	1	15	43	30	47	68	55	8	35	28	3	20	4	45	27	25	.....	46
.....	.....	7	18	8	37	8	9	1	14	2	.....	7	.....	13	18	13	1	47
1	1	10	23	17	12	13	17	.....	20	9	3	16	5	21	25	18	.....	48
.....	2	5	13	9	7	6	3	5	9	9	.....	5	1	5	3	23	1	49
.....	.....	3	23	17	15	11	4	3	2	5	.....	8	.....	7	3	9	.....	50
.....	.....	9	4	4	13	5	27	.....	3	5	.....	9	.....	3	8	2	3	51
.....	1	2	22	23	15	7	8	1	9	9	1	6	1	7	2	14	.....	52
.....	3	13	25	16	17	23	47	3	10	12	2	18	2	12	15	23	5	53
.....	7	8	61	45	62	37	12	13	46	35	4	37	4	32	22	76	.....	54
12	81	221	832	1,225	831	679	663	100	583	469	77	545	82	654	226	818	41	55
1	9	28	95	115	99	81	116	19	52	67	7	47	6	55	17	76	1	56
.....	2	.....	34	17	11	4	6	2	15	18	2	10	.....	3	8	7	.....	57
1	3	1	9	12	7	3	3	2	6	8	1	3	1	7	3	12	.....	58
1	4	20	38	62	50	25	27	5	20	15	2	36	8	21	17	42	.....	59
1	2	2	25	33	16	12	6	3	11	14	.....	13	1	12	6	20	1	60
8	40	119	440	529	324	458	419	76	296	287	55	273	51	362	63	486	.....	61
1	2	6	31	33	24	14	12	3	20	17	2	9	6	26	14	43	1	62
.....	3	15	38	27	15	21	30	4	9	16	.....	18	1	20	15	37	.....	63
1	9	37	133	167	126	91	80	12	50	49	10	86	7	66	59	95	1	64
3	5	47	164	132	110	61	64	11	70	94	3	63	4	95	68	79	.....	65
1	2	6	54	29	37	11	10	3	25	10	1	5	1	27	26	32	1	66
.....	1	7	25	20	22	19	12	2	15	11	1	8	1	20	12	14	1	67
1	1	4	20	16	10	11	5	6	12	5	2	9	.....	5	8	20	1	68
.....	2	15	22	16	17	35	30	6	17	10	5	16	3	7	2	18	1	69
2	.....	15	212	102	97	52	130	50	82	209	18	97	1	49	86	147	.....	70
2	3	20	75	82	30	28	33	7	26	31	3	28	2	22	15	50	1	71
14	144	553	1,934	2,142	2,445	1,499	1,841	356	1,345	1,258	290	775	396	1,452	257	1,709	5	72
.....	1	20	34	31	25	16	26	3	9	18	2	40	.....	15	8	21	.....	73
1	.....	5	23	21	14	10	12	3	10	5	1	3	2	16	15	34	.....	74
1	.....	1	11	5	5	6	1	.....	5	3	2	3	.....	8	2	14	1	75
3	32	190	546	553	431	499	248	101	374	400	46	249	80	384	104	521	3	76
7	23	154	643	504	506	330	340	58	365	263	46	434	54	328	250	483	3	77

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
78	Clinton town, Mass	223	4	1	.....	1	.....	.....	3	2	.....	18	.....	5
79	Cohoes, N. Y	470	16	.....	.....	1	1	1	8	5	.....	66	3	11
80	Columbia, Pa	217	10	.....	.....	.....	.....	.....	7	1	.....	16	3	7
81	Columbus, Ind	140	3	.....	.....	9	.....	.....	2	3	.....	17	3	2
82	Columbus, Ohio	1,849	62	7	.....	.....	19	5	9	31	.....	266	25	66
83	Concord, N. H	278	2	.....	1	.....	.....	1	7	7	.....	28	5	9
84	Corning, N. Y	179	4	.....	.....	2	1	.....	1	7	.....	24	3	6
85	Cortland, N. Y	137	11	.....	.....	8	.....	.....	.....	5	.....	3	4	6
86	Covington, Ky	955	12	4	.....	37	7	11	27	20	.....	116	10	22
87	Danbury town, Conn	299	5	1	.....	2	2	.....	12	12	.....	48	3	7
88	Danvers town, Mass	223	.....	4	.....	2	.....	.....	1	3	.....	24	1	8
89	Davenport, Iowa	564	12	.....	1	5	1	1	5	16	.....	61	3	29
90	Dayton, Ohio	1,415	30	2	.....	4	4	5	25	28	.....	168	33	64
91	Decatur, Ill	303	9	2	.....	.....	5	7	1	8	.....	32	1	6
92	Denver, Colo	2,714	66	1	2	6	64	3	47	26	.....	537	47	96
93	Detroit, Mich	4,492	59	10	1	13	53	30	53	85	5	324	51	186
94	Dover, N. H	233	5	2	.....	3	.....	.....	5	9	.....	23	.....	13
95	Dubois, Pa	158	2	.....	.....	.....	1	3	2	.....	.....	8	1	1
96	Duluth, Minn	734	41	.....	1	3	2	2	31	7	.....	60	23	28
97	Dunkirk, N. Y	155	3	.....	.....	2	.....	1	.....	8	.....	4	3	8
98	Eau Claire, Wis	225	1	.....	1	6	.....	6	3	4	1	21	1	6
99	Elizabeth, N. J	965	15	1	.....	1	4	1	21	6	.....	109	23	22
100	Elkhart, Ind	190	5	.....	.....	.....	1	.....	.....	5	.....	21	1	12
101	Elmira, N. Y	562	10	.....	.....	1	1	13	19	20	.....	43	8	26
102	Elwood, Ind	178	8	5	.....	1	6	1	6	1	.....	18	4	6
103	Erie, Pa	836	9	1	.....	34	3	22	10	1	.....	61	10	29
104	Escanaba, Mich	161	5	.....	.....	1	1	.....	1	.....	.....	14	4	5
105	Evansville, Ind	776	16	7	.....	.....	.....	3	8	12	.....	116	12	38
106	Everett, Mass	385	2	1	.....	3	1	2	13	10	.....	49	2	19
107	Fall River, Mass	1,979	27	2	1	2	2	.....	25	10	.....	162	11	73
108	Findlay, Ohio	211	6	2	2	5	.....	1	7	1	.....	25	4	7
109	Fitchburg, Mass	476	7	1	2	.....	.....	3	13	4	.....	39	2	27
110	Flint, Mich	194	5	1	1	.....	1	1	3	6	.....	15	.....	5
111	Fort Wayne, Ind	665	17	.....	1	2	7	2	10	8	.....	74	7	29
112	Framingham town, Mass	165	.....	.....	.....	.....	.....	.....	1	4	.....	15	2	9
113	Frederick, Md	209	3	1	.....	.....	.....	2	3	4	.....	20	5	9
114	Fresno, Cal	257	23	2	.....	2	.....	.....	6	2	.....	41	3	6
115	Gardner town, Mass	160	6	.....	.....	.....	.....	.....	1	9	.....	15	3	6
116	Geneva, N. Y	150	6	.....	.....	4	.....	3	.....	4	.....	6	5	8
117	Glens Falls, N. Y	278	11	.....	.....	3	8	2	2	8	.....	22	1	9
118	Gloucester, Mass	427	5	1	.....	.....	2	3	7	6	.....	25	5	21
119	Gloversville, N. Y	272	1	.....	3	1	.....	5	.....	7	.....	32	.....	9
120	Grand Rapids, Mich	1,152	30	5	.....	1	10	4	23	36	.....	86	20	71
121	Green Bay, Wis	269	8	.....	1	1	3	.....	6	6	.....	21	3	18
122	Greenwich town, Conn	172	1	3	.....	.....	.....	1	4	2	.....	16	.....	6
123	Hamilton, Ohio	357	6	.....	.....	4	7	2	4	7	.....	43	6	12
124	Hammond, Ind	192	12	.....	.....	.....	.....	1	8	2	.....	13	1	3
125	Harrisburg, Pa	921	34	3	.....	3	2	4	16	18	.....	90	9	35
126	Harrison, N. J	230	1	4	2	.....	1	.....	15	4	.....	18	4	7
127	Hartford, Conn	1,371	36	5	.....	7	10	1	46	30	.....	149	17	77
128	Haverhill, Mass	556	9	2	.....	.....	2	1	14	15	.....	89	8	29
129	Hazelton, Pa	189	4	.....	.....	.....	2	4	2	.....	.....	16	2	5
130	Hoboken, N. J	1,136	16	1	2	4	9	.....	26	3	.....	149	11	31
131	Holyoke, Mass	873	7	2	.....	.....	4	19	40	17	.....	84	8	29
132	Hudson, N. Y	187	6	.....	.....	1	1	2	1	4	.....	27	1	7
133	Huntington, Ind	128	8	2	.....	.....	.....	.....	1	1	.....	23	.....	5
134	Hyde Park town, Mass	179	3	.....	1	.....	1	.....	6	2	.....	24	4	6
135	Indianapolis, Ind	2,697	58	5	2	5	10	5	36	62	.....	315	43	89
136	Iron Mountain, Mich	132	.....	.....	.....	3	1	.....	1	.....	.....	10	6	1
137	Ironton, Ohio	231	7	.....	.....	1	.....	6	2	2	.....	35	1	9
138	Ironwood, Mich	145	3	.....	.....	3	9	2	5	.....	.....	6	3	4
139	Ishpeming, Mich	154	3	.....	.....	3	6	.....	1	.....	.....	13	2	7
140	Ithaca, N. Y	195	6	.....	.....	.....	.....	2	1	11	.....	17	.....	7
141	Jackson, Mich	345	14	2	.....	.....	.....	.....	1	20	1	21	5	16
142	Jacksonville, Fla	795	16	83	.....	1	8	.....	6	5	.....	98	3	11
143	Jacksonville, Ill	350	5	.....	1	.....	.....	3	2	5	.....	31	4	5
144	Jamestown, N. Y	295	5	.....	.....	.....	1	3	5	4	.....	31	6	17
145	Jeffersonville, Ind	248	12	3	.....	.....	.....	.....	2	7	.....	32	9	8
146	Jersey City, N. J	4,064	34	10	3	16	33	20	111	35	.....	461	58	110
147	Johnstown, N. Y	114	.....	.....	.....	2	.....	.....	1	5	.....	6	2	8
148	Johnstown, Pa	646	44	.....	.....	1	8	.....	15	3	.....	39	2	14
149	Kalamazoo, Mich	466	7	.....	.....	.....	3	.....	.....	9	.....	29	10	26
150	Kansas City, Mo	2,688	76	13	6	.....	28	3	40	24	.....	315	9	78
151	Keene, N. H	169	2	.....	.....	.....	23	.....	2	5	.....	18	.....	17
152	Key West, Fla	411	5	4	.....	.....	.....	3	2	2	1	60	4	6
153	Kingston, N. Y	469	3	4	.....	1	29	.....	13	6	.....	48	7	22
154	Kokomo, Ind	161	4	.....	.....	.....	.....	.....	.....	2	.....	26	1	14
155	Laconia, N. H	149	2	.....	.....	.....	1	.....	.....	.....	.....	16	2	9
156	Lafayette, Ind	300	8	7	.....	.....	.....	3	3	5	.....	34	7	9
157	Lancaster, Pa	688	9	1	.....	1	3	8	20	33	.....	53	6	20

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1901—Continued.

CAUSE OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	.....	4	15	28	13	9	12	4	16	9	.....	16	3	11	20	28	1	78
.....	4	26	38	35	52	29	29	7	25	20	.....	23	1	24	10	34	1	79
.....	3	4	33	17	19	3	6	5	8	7	.....	9	.....	13	13	33	.....	80
.....	.....	5	17	8	12	9	9	.....	5	6	1	6	1	6	3	13	.....	81
1	5	49	219	145	126	58	46	25	113	79	6	41	18	106	104	198	20	82
.....	5	6	44	35	20	15	6	.....	9	9	.....	6	3	13	12	34	1	83
.....	.....	5	18	20	14	6	6	3	12	6	2	3	2	16	1	17	.....	84
.....	2	3	15	13	7	6	4	3	6	5	1	10	.....	4	5	16	.....	85
.....	1	40	69	71	78	42	32	12	49	78	7	23	11	52	29	93	2	86
.....	4	8	30	37	14	9	23	1	9	21	5	14	2	12	.....	18	.....	87
.....	.....	8	43	25	27	13	1	7	6	10	.....	5	1	7	2	25	.....	88
.....	.....	6	86	52	27	31	21	9	24	16	2	12	9	38	19	78	.....	89
1	9	35	128	154	82	67	50	21	66	76	11	57	4	90	21	179	1	90
1	4	1	40	22	23	14	13	5	11	21	3	13	4	21	9	27	.....	91
4	15	77	187	204	302	128	70	23	157	133	17	81	30	100	60	231	.....	92
5	37	92	409	342	330	395	338	60	285	169	59	238	25	234	140	454	10	93
.....	3	4	30	25	13	6	23	3	8	11	1	1	.....	13	8	21	3	94
.....	.....	2	15	11	15	7	14	2	13	2	1	10	1	18	12	12	5	95
2	3	31	35	34	49	30	76	6	39	31	12	26	7	81	15	58	1	96
1	1	2	9	18	6	9	18	1	13	5	6	8	.....	12	2	14	1	97
1	3	1	6	7	16	9	7	2	7	1	.....	4	1	6	7	22	75	98
.....	7	18	89	102	75	62	89	13	33	54	4	48	6	75	31	54	2	99
2	1	3	21	24	9	8	6	1	14	10	4	5	2	9	7	17	2	100
2	7	12	50	50	55	23	12	9	36	39	4	30	2	40	3	47	.....	101
.....	1	5	20	9	6	6	16	3	10	3	.....	11	2	7	10	13	.....	102
.....	5	6	96	83	62	47	47	12	61	37	12	35	8	44	23	78	.....	103
.....	.....	4	18	5	5	14	11	3	7	5	7	6	.....	23	5	12	5	104
.....	1	8	73	52	60	43	37	22	56	36	11	41	8	45	18	52	1	105
.....	1	19	35	38	22	20	15	5	24	14	1	26	2	15	16	29	1	106
2	7	62	166	135	107	128	303	19	89	106	4	211	5	52	138	128	2	107
2	3	6	27	24	7	3	8	2	14	7	2	3	3	15	5	20	.....	108
2	3	10	31	62	33	21	36	4	14	10	3	54	2	25	19	49	.....	109
.....	5	21	11	23	12	3	2	20	4	1	9	2	16	4	21	2	110	
2	7	9	82	36	40	50	20	8	37	42	4	27	1	50	31	61	1	111
.....	1	2	22	16	16	10	6	2	11	11	.....	12	1	6	2	16	.....	112
.....	.....	1	26	22	14	7	7	5	7	9	2	8	1	15	21	16	1	113
1	1	3	16	11	21	11	11	4	14	4	2	2	5	15	35	15	1	114
.....	2	11	17	4	10	6	10	1	4	12	3	10	2	6	8	14	.....	115
.....	3	1	20	18	9	11	7	2	9	10	.....	5	.....	6	2	11	.....	116
1	2	9	39	33	18	6	14	1	21	15	3	8	1	12	4	25	.....	117
.....	2	15	28	46	26	17	5	1	19	19	6	22	4	92	16	34	.....	118
2	4	5	31	24	20	16	5	4	13	22	4	7	4	18	6	29	.....	119
1	14	14	116	111	51	104	52	19	82	36	10	48	15	56	19	118	.....	120
.....	.....	7	18	18	37	8	9	1	20	6	5	13	3	11	4	32	10	121
.....	.....	.....	19	13	15	16	14	4	9	16	.....	6	1	11	2	13	.....	122
.....	3	21	31	30	33	14	12	5	15	14	3	21	3	23	15	22	1	123
.....	1	4	16	12	16	9	5	1	18	4	6	18	2	5	6	29	.....	124
2	3	14	138	72	45	42	47	11	43	34	6	50	4	60	50	67	19	125
.....	2	11	22	14	19	17	9	2	8	11	1	11	1	23	8	15	.....	126
.....	6	37	119	144	102	58	47	11	80	80	7	73	8	97	19	103	2	127
1	2	14	57	60	40	20	30	4	19	27	6	21	8	29	10	37	2	128
.....	1	5	19	12	13	16	11	3	6	13	.....	4	1	15	12	22	1	129
.....	9	50	111	98	97	77	74	14	58	53	4	34	23	91	23	67	1	130
.....	9	46	51	61	56	51	90	10	43	26	8	58	6	54	32	61	1	131
1	2	4	21	20	7	13	6	1	9	11	.....	6	.....	10	4	22	.....	132
.....	.....	3	20	8	8	2	5	2	6	6	.....	2	.....	5	6	15	.....	133
.....	2	1	19	15	18	8	10	2	9	7	1	9	1	8	5	17	.....	134
2	17	71	251	247	205	143	67	55	164	99	9	220	11	128	117	259	2	135
.....	.....	2	6	13	10	11	7	1	8	1	1	12	1	22	3	12	.....	136
.....	.....	2	14	21	16	19	13	2	19	4	2	1	.....	17	5	25	8	137
.....	.....	5	7	2	7	9	21	1	8	.....	1	8	2	20	.....	8	11	138
.....	3	5	14	4	10	11	17	3	6	1	1	3	.....	20	1	9	11	139
.....	2	4	20	27	12	4	10	3	11	14	4	4	1	9	4	22	.....	140
.....	3	2	36	41	18	21	10	6	32	14	5	11	2	16	7	41	.....	141
.....	1	12	83	47	39	29	24	11	34	42	7	36	.....	62	64	51	22	142
.....	1	4	88	42	19	14	3	2	28	9	2	13	2	9	10	40	8	143
.....	3	8	32	24	18	20	6	3	22	31	.....	10	.....	13	10	23	.....	144
.....	1	4	21	13	23	19	9	3	21	10	.....	14	2	7	11	16	1	145
1	16	131	428	298	327	280	291	64	224	222	34	162	32	310	96	248	9	146
.....	2	5	14	16	8	6	4	2	8	4	3	1	.....	3	1	12	1	147
1	2	19	65	28	67	24	52	6	36	19	3	25	4	73	44	36	16	148
.....	6	1	104	46	19	22	28	9	24	15	1	8	7	23	9	57	3	149
2	11	50	215	193	260	86	78	42	159	129	8	172	17	231	200	231	12	150
1	1	5	13	19	7	4	3	2	3	9	1	2	.....	4	10	18	.....	151
.....	1	17	55	31	28	22	43	12	15	9	2	25	.....	7	27	30	.....	152
.....	1	8	55	59	24	15	13	2	31	24	8	17	.....	30	13	35	1	153
.....	1	5	18	14	6	5	4	2	15	4	.....	8	.....	9	4	19	.....	154
.....	2	4	28	9	11	8	3	1	4	8	1	3	2	13	4	18	.....	155
1	3	5	27	33	23	12	10	5	20	6	1	10	1	19	14	32	2	156
2	2	7	76	81	80	20	44	10	46	34	1	20	3	27	24	57	.....	157

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
158	Lansing, Mich	226	6	1	.....	.....	1	2	8	8	.....	12	2	8
159	Lawrence, Mass	1,130	12	1	.....	1	.....	3	18	17	.....	104	11	49
160	Leadville, Colo	262	7	.....	.....	.....	11	1	1	5	.....	4	.....	2
161	Leavenworth, Kans	299	13	2	2	.....	.....	.....	2	5	.....	40	1	10
162	Leominster town, Mass	157	2	1	.....	.....	.....	.....	8	2	.....	11	2	5
163	Lima, Ohio	414	13	.....	.....	.....	1	3	12	14	.....	49	5	16
164	Lincoln, Nebr	516	15	1	1	2	1	4	25	19	.....	31	7	25
165	Lockport, N. Y	286	14	1	1	2	.....	1	7	5	.....	31	2	12
166	Logansport, Ind	295	8	2	.....	1	.....	.....	3	7	.....	41	2	4
167	Los Angeles, Cal	2,023	39	2	.....	1	5	4	20	46	1	400	46	111
168	Louisville, Ky	3,833	96	15	2	2	5	7	108	55	.....	411	44	114
169	Lowell, Mass	2,041	19	3	.....	22	2	15	115	26	1	158	16	62
170	Lynchburg, Va	392	16	.....	.....	.....	.....	13	4	10	.....	39	2	7
171	Lynn, Mass	1,020	10	4	.....	.....	7	.....	38	15	.....	103	22	60
172	McKeesport, Pa	647	29	.....	.....	1	14	1	11	1	.....	37	1	20
173	Madison, Wis	238	1	.....	.....	4	1	3	15	11	.....	17	2	9
174	Mahanoy City, Pa	341	1	.....	.....	.....	1	4	14	1	.....	6	.....	3
175	Malden, Mass	486	10	.....	1	1	2	8	12	12	.....	44	11	24
176	Manchester, N. H	1,077	10	1	.....	.....	11	12	6	9	.....	102	12	39
177	Manchester town, Conn	137	.....	2	.....	6	1	1	10	4	.....	13	1	1
178	Manitowoc, Wis	171	3	.....	.....	.....	.....	.....	6	2	.....	28	2	5
179	Mankato, Minn	146	2	.....	.....	2	2	.....	6	4	.....	20	1	5
180	Marietta, Ohio	251	16	1	.....	.....	.....	3	6	4	.....	26	4	8
181	Marinette, Wis	173	5	1	.....	.....	5	.....	6	2	.....	11	5	6
182	Marion, Ind	257	15	1	.....	.....	1	1	2	2	.....	31	2	9
183	Marlboro, Mass	215	.....	.....	.....	.....	1	.....	13	.....	.....	30	6	3
184	Marquette, Mich	128	2	.....	.....	.....	3	.....	.....	.....	.....	16	2	7
185	Massillon, Ohio	190	4	1	.....	.....	.....	.....	.....	2	.....	15	.....	6
186	Meadville, Pa	175	9	1	.....	.....	.....	.....	1	6	.....	6	2	3
187	Medford, Mass	250	1	.....	.....	4	7	2	7	5	.....	28	2	21
188	Melrose, Mass	165	4	1	.....	1	.....	.....	3	2	.....	15	3	8
189	Memphis, Tenn	1,935	55	119	10	2	6	3	5	48	.....	232	23	30
190	Menominee, Mich	157	7	.....	.....	.....	3	5	3	1	.....	11	4	7
191	Meriden town, Conn	414	5	16	.....	.....	.....	4	7	20	.....	51	4	20
192	Michigan City, Ind	196	2	.....	2	.....	1	2	1	.....	.....	16	4	4
193	Middletown, N. Y	287	6	.....	.....	.....	.....	.....	2	8	.....	28	2	10
194	Middletown, Ohio	116	3	.....	.....	1	2	.....	1	4	.....	17	2	9
195	Middletown town, Conn	371	7	4	.....	.....	.....	1	4	7	.....	53	3	9
196	Milford town, Mass	179	1	4	.....	.....	.....	.....	12	.....	.....	23	2	3
197	Millville, N. J	157	3	.....	.....	.....	1	.....	1	2	.....	12	2	8
198	Milwaukee, Wis	3,861	65	.....	1	14	15	10	102	68	.....	393	57	197
199	Minneapolis, Minn	2,516	126	.....	1	16	15	20	191	14	.....	258	75	124
200	Mobile, Ala	935	27	22	3	.....	10	1	1	13	.....	164	5	27
201	Montclair, N. J	243	2	1	.....	.....	.....	3	3	7	.....	19	5	13
202	Morristown, N. J	208	4	.....	.....	.....	.....	2	2	3	.....	28	3	8
203	Mt. Carmel, Pa	295	.....	.....	.....	1	13	3	11	.....	.....	17	.....	4
204	Mt. Vernon, N. Y	392	3	4	2	1	.....	1	6	.....	.....	32	9	9
205	Muncie, Ind	302	19	2	.....	5	.....	2	4	4	.....	30	8	5
206	Muscatine, Iowa	194	5	1	.....	.....	.....	1	2	8	.....	12	2	10
207	Muskegon, Mich	253	4	1	.....	.....	.....	1	1	4	.....	26	6	12
208	Nashua, N. H	422	2	2	.....	.....	.....	3	21	10	.....	39	8	9
209	Nashville, Tenn	1,644	35	29	.....	.....	12	6	16	28	.....	218	31	47
210	Natick town, Mass	150	1	.....	.....	.....	.....	3	1	3	.....	18	1	11
211	Naugatuck, Conn	136	2	2	.....	.....	6	5	2	3	.....	12	1	3
212	New Albany, Ind	374	7	4	.....	.....	1	.....	22	7	.....	57	7	6
213	New Bedford, Mass	1,249	20	.....	6	4	10	1	14	6	.....	141	19	54
214	New Britain town, Conn	410	6	4	1	1	11	4	11	15	1	33	9	16
215	New Brunswick, N. J	369	6	1	.....	.....	.....	4	4	7	.....	41	3	16
216	New Haven, Conn	1,977	104	14	.....	11	5	26	26	47	.....	213	27	98
217	New London, Conn	329	2	1	.....	.....	1	.....	16	12	.....	37	3	10
218	New Orleans, La	6,501	146	111	52	1	62	24	42	70	2	883	97	204
219	New Rochelle, N. Y	272	6	2	1	.....	1	1	5	5	.....	20	2	12
220	New York, N. Y	70,608	730	177	395	361	1,182	232	1,995	707	2	8,121	1,159	2,452
221	Bronx borough	4,725	35	47	312	37	95	7	102	43	.....	1,131	65	133
222	Brooklyn borough	23,270	270	56	48	138	471	93	735	208	.....	2,483	335	748
223	Manhattan borough	38,465	378	49	33	172	582	121	1,049	402	2	4,093	703	1,441
224	Queens borough	2,800	29	19	2	3	24	7	73	40	.....	284	34	67
225	Richmond borough	1,348	18	6	.....	11	10	4	36	14	.....	130	22	63
226	Newark, N. J	4,842	60	16	71	17	23	36	103	33	1	575	67	190
227	Newark, Ohio	242	5	4	.....	.....	3	1	9	9	.....	14	2	8
228	Newburg, N. Y	439	8	1	.....	1	9	.....	12	4	.....	41	3	12
229	Newburyport, Mass	277	6	.....	.....	.....	.....	2	.....	12	.....	20	6	18
230	Newcastle, Pa	383	17	1	.....	.....	2	5	6	13	.....	30	1	14
231	Newport, Ky	495	2	.....	.....	3	4	1	5	12	.....	43	5	23
232	Newport, R. I	386	9	1	1	.....	2	1	7	1	.....	41	5	23
233	Newton, Mass	438	6	1	1	.....	1	1	11	1	.....	36	11	22
234	Niagara Falls, N. Y	335	30	.....	.....	.....	1	1	6	9	.....	37	3	13
235	Norfolk, Va	1,057	16	21	.....	2	.....	3	8	18	.....	135	14	26

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1901—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	1	2	27	40	15	5	12	3	14	10	3	4	2	17	3	20	.....	158
.....	5	48	115	95	90	83	135	15	52	42	7	64	12	41	57	53	.....	159
1	.....	3	12	22	79	16	10	.....	21	9	2	11	2	21	1	20	1	160
1	2	9	29	19	21	23	10	1	11	14	3	10	5	22	16	27	1	161
1	1	3	22	22	12	9	4	.....	5	3	2	10	.....	6	8	18	.....	162
1	1	8	27	25	31	16	17	3	28	16	7	18	3	39	16	37	8	163
3	1	12	50	28	39	20	16	7	24	18	3	22	8	43	35	53	3	164
.....	2	3	35	26	10	22	21	.....	13	10	.....	13	1	10	9	35	.....	165
.....	1	6	43	21	27	11	4	7	20	11	2	13	4	24	8	23	2	166
3	9	37	183	186	153	90	25	25	119	147	15	39	20	105	33	158	1	167
2	11	89	401	352	355	263	78	55	220	192	11	169	14	172	204	382	4	168
2	6	70	181	205	198	138	184	24	91	78	8	150	9	62	72	124	.....	169
.....	1	4	40	38	18	15	10	5	19	7	1	3	.....	24	20	22	74	170
.....	5	18	106	100	95	38	53	8	55	56	6	43	5	49	22	93	9	171
2	1	16	64	28	89	27	49	12	48	12	2	35	6	76	37	27	1	172
1	1	1	21	21	18	7	7	8	17	12	2	3	.....	16	9	28	3	173
.....	.....	5	38	36	34	17	29	2	16	7	2	19	1	39	36	29	1	174
.....	4	7	53	48	49	23	25	5	24	26	1	29	3	13	17	32	2	175
1	1	52	97	95	79	84	139	15	50	43	6	39	5	32	41	78	18	176
.....	2	6	11	17	7	8	7	2	3	3	3	8	.....	6	1	13	1	177
1	1	1	16	15	8	6	7	3	10	7	1	6	1	9	11	18	4	178
.....	.....	5	13	8	9	9	7	3	9	2	3	9	1	10	1	13	2	179
2	.....	6	20	24	22	8	9	4	14	6	3	7	3	15	9	31	.....	180
.....	.....	7	13	12	11	11	15	.....	7	7	4	13	.....	12	8	10	2	181
1	1	2	27	17	28	12	11	7	11	6	1	13	2	10	18	26	.....	182
.....	.....	8	21	30	17	13	4	.....	17	10	.....	9	2	8	2	21	.....	183
.....	3	2	7	8	10	12	10	1	9	6	.....	5	.....	16	2	7	.....	184
.....	.....	.....	37	15	14	1	.....	6	18	8	.....	6	1	14	20	22	.....	185
.....	1	2	26	12	22	7	6	2	14	11	1	3	.....	8	14	17	1	186
.....	4	4	11	37	25	11	14	1	9	9	2	11	1	8	8	18	.....	187
.....	1	8	23	21	8	9	4	6	7	4	2	10	.....	4	4	17	.....	188
1	3	33	106	88	118	82	90	46	102	120	24	46	13	175	83	168	124	189
.....	2	1	16	6	11	7	9	3	12	1	2	10	.....	18	5	11	2	190
.....	6	10	45	30	15	21	25	6	11	20	3	22	2	22	2	46	1	191
.....	.....	6	25	14	8	8	12	4	13	16	1	12	3	13	8	21	.....	192
1	1	4	78	23	12	12	11	6	10	19	.....	10	2	21	6	15	.....	193
.....	.....	1	16	8	8	7	2	2	3	5	2	2	1	8	3	9	.....	194
.....	2	4	62	64	19	22	6	4	15	21	6	11	2	11	5	28	1	195
2	2	6	16	19	24	9	8	1	4	9	1	6	.....	3	3	21	.....	196
.....	.....	3	25	17	9	9	4	4	11	11	1	6	.....	4	9	15	.....	197
5	27	87	355	240	265	314	277	36	217	144	37	225	59	178	131	332	10	198
1	22	50	168	213	166	125	122	28	156	117	31	76	17	138	25	221	.....	199
.....	2	3	133	67	42	28	33	11	43	81	13	34	4	35	34	90	9	200
.....	1	7	23	11	15	10	22	3	15	12	4	10	.....	10	23	24	.....	201
.....	4	8	31	23	18	9	4	1	9	8	.....	6	1	12	6	18	.....	202
.....	.....	7	30	14	25	28	26	5	13	7	2	29	4	20	26	9	1	203
.....	2	11	44	27	21	50	41	2	17	25	2	18	2	16	22	25	.....	204
.....	1	8	33	12	25	14	9	2	26	10	5	24	4	12	3	35	.....	205
.....	.....	3	14	12	17	12	5	5	19	5	.....	2	1	12	7	37	2	206
.....	6	1	35	18	17	15	15	3	15	9	6	6	1	13	7	28	3	207
.....	1	11	32	44	37	33	38	3	26	18	2	22	1	18	13	27	2	208
2	2	24	203	132	144	97	90	35	72	48	12	80	2	59	57	140	23	209
.....	2	3	15	24	17	4	3	.....	11	4	.....	2	.....	3	5	18	1	210
.....	.....	7	4	7	10	7	12	1	12	3	.....	7	.....	11	2	15	2	211
1	1	5	39	33	19	22	9	10	17	16	2	32	3	13	19	21	1	212
.....	12	42	98	134	69	90	133	11	40	59	4	103	5	35	50	88	1	213
1	4	14	38	27	27	20	31	4	23	14	3	34	4	13	2	33	6	214
.....	.....	6	49	38	31	16	16	5	11	24	2	18	.....	25	20	26	.....	215
3	19	40	172	186	119	105	122	17	90	104	15	83	16	102	19	176	18	216
.....	1	3	34	35	18	21	21	7	15	13	.....	13	4	32	2	27	1	217
3	24	115	640	648	429	236	285	139	306	477	57	212	35	334	224	632	1	218
.....	1	15	19	28	25	24	17	1	14	12	1	20	.....	17	5	17	1	219
22	497	1,176	4,616	5,265	7,105	5,379	5,840	921	3,026	5,755	636	2,645	499	4,164	1,455	4,087	7	220
.....	26	68	298	282	327	253	233	35	149	295	29	175	40	196	89	223	.....	221
7	127	365	1,626	1,834	2,447	1,543	2,164	438	1,002	1,873	197	798	15	1,242	499	1,445	3	222
15	317	686	2,344	2,809	3,965	3,286	3,005	409	1,639	3,265	382	1,531	401	2,459	772	2,153	2	223
.....	17	38	244	222	276	200	273	28	127	211	21	106	39	171	73	170	2	224
.....	10	19	104	118	90	97	165	11	49	111	7	35	4	96	22	96	.....	225
1	22	155	442	373	359	311	295	61	225	334	38	214	73	328	150	267	.....	226
1	3	1	28	28	16	6	6	1	8	15	2	9	6	20	8	27	2	227
1	3	22	44	50	37	16	29	8	11	34	2	22	2	27	11	29	.....	228
.....	3	2	29	31	18	13	13	7	9	16	.....	7	.....	18	8	38	1	229
1	1	9	31	16	55	9	20	7	23	9	7	13	1	44	11	40	16	230
.....	1	22	47	46	48	45	13	12	24	19	5	30	.....	22	19	39	5	231
.....	5	19	39	46	25	12	21	4	12	27	4	16	1	14	18	30	2	232
.....	6	10	43	53	30	19	29	3	20	27	3	19	1	23	18	41	2	233
.....	2	10	30	10	22	17	19	10	16	15	4	15	1	40	11	11	2	234
.....	4	10	135	57	78	59	77	21	59	72	6	60	1	46	46	83	.....	235

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
236	Norristown, Pa	597	16	.....	5	.....	.....	3	10	18	.....	89	5	10
237	North Adams, Mass	378	5	.....	.....	4	1	2	12	5	.....	45	2	10
238	Northampton, Mass	325	4	1	.....	1	.....	.....	2	11	.....	31	4	19
239	Norwalk town, Conn	294	11	2	.....	.....	2	.....	5	9	.....	28	.....	18
240	Norwich town, Conn	473	3	8	.....	4	5	.....	13	14	.....	43	10	27
241	Oakland, Cal	1,102	8	4	.....	4	3	6	20	12	.....	158	21	50
242	Ogdensburg, N. Y	311	3	.....	.....	2	.....	2	1	3	.....	38	7	12
243	Olean, N. Y	113	1	.....	.....	.....	1	1	.....	5	.....	4	2	6
244	Omaha, Nebr	1,233	26	.....	3	.....	13	12	14	25	1	96	21	60
245	Orange, N. J	426	3	1	2	1	1	.....	2	2	.....	56	12	14
246	Ottawa, Ill	169	6	1	.....	.....	.....	1	.....	2	.....	13	3	8
247	Ottumwa, Iowa	212	11	1	.....	.....	.....	.....	3	5	.....	35	3	10
248	Owosso, Mich	107	2	.....	.....	.....	.....	.....	3	8	.....	7	2	5
249	Paducah, Ky	491	15	47	.....	.....	5	.....	1	10	.....	63	4	6
250	Passaic, N. J	540	5	2	1	1	1	2	17	1	.....	41	4	15
251	Paterson, N. J	1,877	25	3	1	1	8	10	28	10	1	195	17	78
252	Pawtucket, R. I	664	5	3	.....	1	1	.....	23	21	.....	67	7	23
253	Peabody town, Mass	195	.....	.....	.....	2	7	1	6	5	.....	15	.....	6
254	Peekskill, N. Y	227	2	2	.....	.....	1	1	6	7	.....	20	2	6
255	Perth Amboy, N. J	309	3	1	.....	.....	1	3	23	2	.....	17	7	5
256	Peru, Ind	135	8	.....	.....	1	.....	.....	5	4	.....	11	1	2
257	Petersburg, Va	578	18	6	.....	.....	1	35	.....	26	.....	70	3	14
258	Philadelphia, Pa	23,806	456	16	178	46	227	247	650	166	3	2,787	287	821
259	Phillipsburg, N. J	157	3	1	.....	.....	.....	.....	5	1	.....	17	1	8
260	Pittsburg, Pa	6,578	408	7	4	57	115	96	161	107	1	441	74	147
261	Pittsfield, Mass	352	7	.....	.....	.....	.....	9	15	8	.....	27	2	14
262	Plainfield, N. J	263	7	1	.....	.....	1	.....	5	5	.....	22	2	18
263	Plymouth, Pa	247	5	2	14	.....	3	1	13	6	.....	8	.....	5
264	Plymouth town, Mass	157	.....	1	1	.....	.....	.....	3	3	.....	8	6	7
265	Pontiac, Mich	166	5	1	.....	.....	1	.....	1	7	.....	4	2	8
266	Port Huron, Mich	267	8	2	.....	1	1	1	7	8	.....	14	3	15
267	Port Jervis, N. Y	171	3	.....	1	.....	.....	.....	4	17	.....	25	.....	6
268	Portland, Me	906	15	2	.....	2	.....	8	24	7	.....	111	15	40
269	Portland, Oreg	1,151	20	1	.....	7	3	.....	22	23	1	119	26	76
270	Portsmouth, N. H	214	2	.....	.....	1	.....	1	2	.....	.....	18	1	15
271	Portsmouth, Ohio	276	11	.....	3	.....	2	.....	1	6	.....	35	.....	12
272	Pottstown, Pa	205	4	1	.....	.....	.....	.....	4	7	.....	19	3	9
273	Pottsville, Pa	287	2	.....	.....	7	7	.....	5	8	.....	18	1	8
274	Poughkeepsie, N. Y	425	11	3	.....	.....	4	1	12	9	.....	39	2	19
275	Providence, R. I	3,444	45	15	2	3	9	13	86	74	.....	392	76	148
276	Pueblo, Colo	637	29	.....	1	5	20	.....	12	11	.....	91	5	15
277	Quincy, Ill	542	15	.....	.....	.....	4	.....	1	10	.....	59	15	18
278	Quincy, Mass	324	2	.....	.....	.....	.....	5	8	5	.....	35	8	12
279	Raleigh, N. C	309	12	6	.....	.....	.....	8	3	10	.....	42	5	2
280	Reading, Pa	1,407	43	1	.....	9	27	28	58	31	.....	118	16	40
281	Revere town, Mass	138	1	.....	.....	1	5	2	3	2	.....	9	2	5
282	Richmond, Ind	306	5	.....	.....	1	.....	.....	5	13	.....	27	9	13
283	Richmond, Va	2,098	44	15	.....	.....	.....	37	11	53	.....	215	20	62
284	Rochester, N. H	119	1	.....	.....	.....	.....	.....	.....	4	.....	19	5	7
285	Rochester, N. Y	2,397	29	1	.....	15	4	7	22	41	.....	248	30	143
286	Rockland, Me	160	1	.....	.....	.....	.....	.....	1	2	.....	16	2	17
287	Rome, N. Y	292	3	.....	1	.....	2	.....	5	15	.....	25	3	3
288	Rutland, Vt	205	1	.....	.....	.....	.....	1	1	6	.....	23	3	12
289	Sacramento, Cal	610	25	4	.....	2	.....	2	8	4	3	106	2	24
290	Saginaw, Mich	603	12	4	1	.....	2	2	19	11	.....	45	8	29
291	St. Joseph, Mo	803	15	2	7	1	4	2	12	16	.....	86	6	33
292	St. Louis, Mo	10,603	196	46	8	14	62	35	278	89	.....	1,130	91	325
293	St. Paul, Minn	1,758	23	.....	1	12	17	5	52	20	.....	205	37	79
294	Salem, Mass	634	9	1	.....	.....	16	1	14	14	.....	55	11	29
295	Salt Lake City, Utah	864	43	.....	4	1	21	2	49	16	.....	56	4	27
296	San Antonio, Tex	1,353	34	36	.....	10	6	4	19	33	3	317	24	36
297	San Diego, Cal	380	7	2	.....	.....	.....	.....	.....	14	.....	71	3	21
298	San Francisco, Cal	7,152	87	5	1	49	13	48	130	56	26	1,016	145	400
299	San Jose, Cal	346	3	.....	.....	2	1	1	2	2	1	64	6	19
300	Saratoga Springs, N. Y	303	9	.....	.....	2	1	2	4	6	.....	31	.....	4
301	Sault Ste. Marie, Mich	201	10	.....	.....	.....	1	5	8	1	.....	11	3	1
302	Savannah, Ga	1,640	16	83	.....	2	12	.....	3	26	.....	206	10	18
303	Schenectady, N. Y	636	13	1	.....	3	3	2	30	4	.....	63	7	19
304	Scranton, Pa	1,704	36	1	.....	9	8	15	43	36	.....	96	11	45
305	Seattle, Wash	911	26	1	3	6	9	6	12	7	1	100	21	41
306	Sioux City, Iowa	400	5	.....	.....	1	2	1	5	6	.....	39	11	18
307	Somerville, Mass	835	12	.....	.....	5	6	16	28	13	.....	92	13	44
308	South Bend, Ind	499	11	.....	.....	.....	1	4	10	9	.....	51	2	15
309	South Bethlehem, Pa	259	4	.....	.....	.....	.....	1	7	4	.....	28	2	4
310	Southbridge town, Mass	159	2	.....	.....	.....	.....	.....	4	.....	.....	11	2	1
311	Spokane, Wash	475	20	.....	2	1	5	4	5	9	.....	52	4	30
312	Springfield, Ill	674	9	1	.....	6	3	10	26	11	.....	100	7	23
313	Springfield, Mass	940	18	4	.....	1	2	7	13	12	.....	107	16	43
314	Stamford town, Conn	364	3	3	.....	.....	.....	8	4	15	.....	38	2	12
315	Steelton, Pa	159	4	.....	.....	1	1	3	1	1	.....	16	1	5

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1901—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	.....	10	87	71	28	28	8	7	22	30	1	17	.....	35	43	53	.....	236
2	1	14	34	34	32	15	29	9	15	13	2	23	2	20	11	35	1	237
.....	6	5	41	38	16	14	18	3	18	15	.....	10	.....	24	4	38	2	238
.....	1	4	45	24	15	13	13	11	12	17	.....	11	1	23	4	25	.....	239
.....	.....	2	50	46	50	23	29	2	24	28	4	28	3	13	4	40	.....	240
.....	15	21	97	201	97	44	21	7	73	51	9	13	19	65	7	76	.....	241
.....	1	4	41	29	25	13	18	5	11	17	2	9	2	14	7	45	.....	242
.....	.....	5	14	14	3	5	1	3	6	.....	2	5	1	15	.....	19	.....	243
4	9	41	125	72	103	72	38	11	104	46	17	50	14	79	37	134	6	244
.....	1	12	38	30	45	31	31	4	20	33	5	27	5	22	10	18	.....	245
.....	3	4	13	21	25	4	4	4	12	7	1	1	1	9	9	14	3	246
.....	.....	2	17	20	16	5	6	1	12	3	3	6	3	14	11	24	1	247
.....	2	1	12	14	9	7	6	1	4	4	1	2	.....	6	3	8	.....	248
1	.....	13	39	29	37	13	28	9	25	11	3	11	3	46	27	40	5	249
1	3	16	54	28	48	45	60	2	26	20	3	51	4	32	29	27	1	250
1	13	76	167	185	158	134	112	30	103	70	4	119	5	122	69	130	2	251
.....	7	23	55	74	58	45	48	11	44	29	8	35	5	22	4	45	.....	252
.....	1	4	21	23	12	10	16	3	8	10	.....	9	1	8	9	18	.....	253
.....	.....	3	27	12	16	22	11	2	8	15	4	16	.....	12	19	13	.....	254
.....	1	7	26	18	18	28	45	6	15	15	1	11	3	26	11	15	1	255
.....	1	5	18	8	7	12	4	.....	10	5	1	6	.....	10	4	11	1	256
.....	2	13	74	48	24	24	38	13	25	35	3	23	1	22	22	34	4	257
24	120	407	2,309	2,115	2,081	1,381	1,101	278	1,238	1,817	181	709	150	1,359	994	1,654	4	258
1	1	3	27	13	8	3	7	1	9	7	2	3	2	16	8	10	.....	259
8	12	113	449	371	649	435	577	140	362	186	75	298	45	668	138	427	7	260
4	4	8	41	39	22	14	14	2	27	18	2	15	2	15	13	29	1	261
1	4	8	23	19	23	15	12	3	17	24	3	10	3	14	3	19	1	262
.....	1	2	23	8	29	13	25	1	9	11	1	24	1	24	11	7	.....	263
.....	1	2	14	26	11	7	4	2	8	8	1	8	1	8	10	17	.....	264
.....	.....	3	35	13	18	7	5	1	8	3	7	2	.....	11	4	18	2	265
1	1	5	25	20	27	8	13	7	13	16	5	8	1	15	5	37	.....	266
.....	2	1	18	22	7	5	2	2	8	5	1	3	2	18	4	15	.....	267
1	6	36	107	115	63	31	19	6	37	72	3	25	3	43	25	86	4	268
1	7	27	86	115	116	33	34	5	93	38	5	19	15	88	53	113	4	269
2	1	3	30	31	26	14	6	2	15	10	.....	5	.....	11	4	14	.....	270
2	1	4	30	26	26	13	10	4	8	6	.....	20	.....	22	20	14	.....	271
.....	.....	3	28	15	26	16	5	2	11	5	.....	5	1	14	5	20	2	272
.....	2	10	40	28	23	26	6	2	20	5	2	13	1	15	10	26	2	273
2	2	2	64	28	43	34	6	6	24	17	.....	14	1	20	16	46	.....	274
4	38	70	241	290	219	207	283	60	205	221	35	147	14	190	45	301	11	275
1	2	14	54	37	81	16	21	2	39	14	12	24	8	45	11	64	3	276
1	1	12	68	54	29	28	13	3	35	28	5	10	5	34	24	68	2	277
.....	1	6	22	44	19	18	20	5	15	11	1	19	5	16	8	39	.....	278
1	1	13	48	25	23	20	23	7	16	21	1	11	1	10	22	20	48	279
2	3	21	180	121	94	45	69	17	66	55	11	75	11	88	58	120	.....	280
.....	1	2	15	11	9	7	10	2	6	8	3	13	.....	9	4	8	.....	281
.....	4	14	30	27	22	9	6	1	18	18	2	27	5	11	4	45	.....	282
1	4	36	251	122	155	173	97	38	119	97	32	79	3	98	117	171	48	283
.....	1	2	11	11	9	6	6	1	6	4	1	3	4	1	3	14	.....	284
5	21	75	276	234	173	166	86	26	175	113	25	38	11	125	56	252	.....	285
.....	1	3	23	18	9	5	5	.....	11	9	3	3	1	5	4	19	2	286
1	.....	2	35	62	20	8	12	6	31	10	.....	3	.....	16	5	23	1	287
1	1	3	23	23	22	13	5	1	11	15	1	7	.....	8	4	20	.....	288
.....	3	10	51	60	51	33	14	7	32	25	1	7	3	45	24	63	1	289
2	4	6	60	68	51	38	22	6	58	15	6	23	5	38	15	53	.....	290
1	5	28	80	47	81	36	29	20	43	30	5	20	5	64	52	72	1	291
8	42	182	919	747	932	771	330	219	635	653	79	525	134	685	433	1,024	11	292
.....	9	36	128	132	103	109	85	18	124	89	11	89	24	98	51	199	2	293
1	3	8	71	65	33	24	55	4	29	39	1	44	1	19	30	56	1	294
.....	5	27	45	74	67	41	23	5	65	49	16	28	4	51	19	121	1	295
.....	4	22	82	69	46	35	109	22	72	51	12	58	9	78	41	119	2	296
.....	5	10	34	41	19	18	4	3	23	19	2	9	4	23	14	34	.....	297
1	63	127	459	909	417	489	209	77	494	346	62	224	158	358	71	710	2	298
.....	3	3	30	42	23	15	11	5	20	21	1	9	9	23	5	23	2	299
.....	5	6	39	21	23	22	6	6	23	46	1	3	.....	10	11	22	.....	300
.....	1	.....	9	8	11	13	18	4	14	2	2	10	4	29	8	14	14	301
2	1	7	166	85	88	94	64	16	70	91	24	131	7	82	114	141	81	302
.....	6	14	60	43	58	48	47	10	38	32	6	33	1	46	12	37	.....	303
1	9	50	209	111	206	153	74	21	101	58	5	49	4	179	52	122	.....	304
.....	5	21	66	83	87	24	35	7	72	38	8	37	13	78	29	75	.....	305
1	4	6	35	26	19	21	25	7	38	12	5	19	3	34	14	43	.....	306
.....	7	18	70	95	51	51	36	8	45	51	6	41	5	29	17	76	.....	307
.....	4	5	43	33	24	35	43	6	30	23	5	40	.....	20	38	43	4	308
.....	.....	8	31	13	20	10	21	3	10	11	3	9	.....	18	11	9	32	309
.....	2	8	10	13	16	6	14	.....	6	13	2	6	1	4	12	26	.....	310
.....	2	17	34	44	30	22	16	3	43	18	6	16	10	24	7	45	6	311
.....	6	7	47	52	41	36	22	2	47	44	1	12	5	55	21	80	.....	312
2	11	13	92	112	68	28	41	6	36	96	10	48	4	67	21	62	.....	313
1	2	9	50	27	25	19	26	5	26	20	.....	16	1	16	7	29	.....	314
.....	.....	6	17	5	18	7	9	.....	8	3	.....	8	.....	16	20	5	4	315

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
316	Stonington town, Conn	136	.....	.....	.....	.....	.....	.....	1	5	.....	16	.....	8
317	Superior, Wis	373	16	.....	.....	1	3	1	8	11	.....	34	4	12
318	Syracuse, N. Y	1,554	21	2	.....	1	5	8	28	33	.....	175	17	77
319	Tacoma, Wash	504	11	.....	.....	5	5	3	11	4	.....	50	4	18
320	Taunton, Mass	565	9	2	.....	.....	4	.....	5	7	.....	66	8	13
321	Terre Haute, Ind	689	28	4	.....	3	11	9	16	20	.....	66	12	27
322	Tiffin, Ohio	144	1	.....	.....	.....	.....	.....	4	7	.....	18	.....	8
323	Toledo, Ohio	1,916	44	4	.....	7	11	15	66	39	.....	176	16	81
324	Torrington town, Conn	172	1	.....	.....	1	.....	.....	1	3	.....	18	4	4
325	Traverse City, Mich	186	3	.....	.....	.....	2	1	1	3	.....	17	1	8
326	Trenton, N. J	1,174	14	1	1	2	.....	11	10	12	.....	119	19	37
327	Troy, N. Y	1,601	43	.....	.....	19	7	15	26	53	.....	244	19	68
328	Union, N. J	260	1	.....	.....	.....	9	1	15	.....	.....	19	2	9
329	Utica, N. Y	918	9	.....	.....	2	2	12	26	19	.....	111	10	33
330	Vernon town, Conn	102	1	.....	.....	.....	1	.....	2	2	.....	6	2	7
331	Vincennes, Ind	193	4	4	.....	.....	1	1	2	4	.....	27	2	9
332	Wabash, Ind	109	6	.....	.....	.....	.....	5	.....	4	.....	12	2	3
333	Wakefield town, Mass	130	2	.....	.....	.....	.....	.....	1	1	.....	12	3	7
334	Wallingford town, Conn	116	.....	1	.....	.....	1	1	4	5	.....	9	.....	11
335	Waltham, Mass	349	7	1	.....	1	1	2	7	7	.....	54	6	14
336	Ware town, Mass	142	1	.....	.....	5	.....	1	3	4	.....	16	6	2
337	Washington, D. C	6,055	174	43	.....	11	11	63	104	166	.....	840	96	199
338	Washington, Ind	144	11	2	.....	.....	1	.....	4	4	.....	20	.....	6
339	Waterbury town, Conn	895	17	5	.....	2	6	19	19	24	.....	86	9	19
340	Watertown, N. Y	345	11	.....	1	5	.....	1	2	5	.....	31	5	10
341	Watertown town, Mass	123	1	.....	.....	1	.....	.....	2	2	.....	13	1	3
342	Watervliet, N. Y	247	8	.....	.....	.....	.....	4	2	12	.....	25	3	2
343	Webster town, Mass	130	2	3	.....	2	1	1	3	4	.....	6	.....	1
344	West Bay City, Mich	166	2	.....	.....	.....	2	1	6	8	.....	9	2	7
345	Westfield town, Mass	225	.....	.....	.....	.....	.....	.....	18	7	.....	18	1	12
346	Weymouth town, Mass	162	3	2	.....	1	2	.....	3	1	.....	22	2	6
347	Wheeling, W. Va	685	34	2	1	4	13	6	25	19	.....	60	9	31
348	Wichita, Kans	410	28	2	1	.....	8	8	14	10	.....	34	4	11
349	Williamsport, Pa	345	5	.....	.....	2	3	.....	1	2	.....	40	3	12
350	Wilmington, Del	1,343	32	2	.....	.....	3	10	34	19	.....	136	5	20
351	Wilmington, N. C	569	19	52	.....	1	.....	1	8	16	.....	53	9	8
352	Windham town, Conn	168	2	1	.....	3	1	.....	3	9	.....	26	3	4
353	Winona, Minn	253	2	.....	1	.....	4	4	8	2	.....	25	4	11
354	Woburn, Mass	213	2	2	.....	2	.....	2	.....	1	.....	30	3	9
355	Woonsocket, R. I	479	3	1	.....	3	.....	1	12	6	.....	52	7	12
356	Worcester, Mass	2,055	26	8	4	3	13	16	18	34	.....	231	36	77
357	Yonkers, N. Y	828	10	3	9	6	1	1	15	13	.....	102	18	26
358	Youngstown, Ohio	753	63	4	.....	6	3	1	25	15	.....	39	2	21
	CONNECTICUT RURAL.													
359	Fairfield county	668	6	5	.....	1	3	2	10	32	.....	51	7	29
360	Hartford county	1,052	10	4	.....	14	3	4	29	49	1	87	5	46
361	Litchfield county	825	8	3	.....	1	1	5	6	46	.....	71	15	41
362	Middlesex county	382	2	.....	2	1	1	1	1	38	.....	35	3	19
363	New Haven county	736	11	6	.....	.....	6	3	12	30	.....	74	12	30
364	New London county	495	2	4	.....	4	2	1	15	37	.....	27	4	20
365	Tolland county	271	5	.....	.....	1	.....	.....	9	17	.....	22	2	14
366	Windham county	565	3	3	.....	11	.....	2	12	28	.....	43	8	31
	INDIANA RURAL.													
367	Adams county	297	15	1	.....	.....	1	3	3	6	.....	31	6	15
368	Allen county	316	20	3	2	.....	2	.....	8	8	.....	28	4	10
369	Bartholomew county	226	6	.....	.....	.....	2	2	4	1	.....	29	1	3
370	Benton county	150	1	.....	.....	2	.....	1	3	.....	.....	23	1	3
371	Blackford county	237	7	2	.....	4	.....	1	5	8	.....	30	3	6
372	Boone county	320	8	2	.....	.....	1	3	6	6	.....	52	7	14
373	Brown county	132	9	2	.....	.....	2	4	.....	3	.....	20	2	1
374	Carroll county	191	9	.....	.....	1	.....	.....	8	4	.....	26	2	7
375	Cass county	162	7	.....	.....	.....	.....	2	2	6	.....	20	3	4
376	Clark county	266	13	1	.....	.....	.....	2	3	7	.....	30	3	9
377	Clay county	419	14	4	.....	3	.....	1	3	11	.....	57	7	4
378	Clinton county	363	15	1	1	1	.....	3	5	14	.....	40	4	8
379	Crawford county	215	8	1	.....	4	1	.....	3	6	.....	40	1	4
380	Daviess county	287	21	6	4	3	.....	7	3	7	.....	40	3	7
381	Dearborn county	346	6	2	.....	1	2	2	2	11	.....	38	4	15
382	Decatur county	330	14	2	.....	1	2	4	2	9	.....	32	2	11
383	Dekalb county	328	10	.....	1	2	7	2	3	13	.....	36	5	13
384	Delaware county	372	14	2	.....	7	1	6	7	10	.....	49	4	8
385	Dubois county	289	19	4	1	7	.....	2	9	7	.....	30	1	1
386	Elkhart county	335	13	.....	.....	.....	.....	.....	3	13	.....	28	3	16
387	Fayette county	219	5	.....	.....	.....	3	1	1	6	.....	22	2	12
388	Floyd county	126	8	.....	.....	1	.....	1	6	5	.....	18	1	5
389	Fountain county	311	8	2	.....	.....	1	.....	6	19	.....	32	6	2
390	Franklin county	243	10	3	.....	2	.....	.....	3	8	.....	19	6	4
391	Fulton county	201	7	1	.....	1	1	1	4	8	.....	20	1	8

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1901—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	1	1	9	17	7	10	11	1	8	4	1	4	.....	9	2	20	1	316
1	1	12	21	16	31	9	36	7	16	8	3	12	2	41	21	33	11	317
2	9	35	164	210	84	97	67	19	89	76	15	61	9	81	25	144	.....	318
1	3	11	43	64	37	18	5	4	29	19	4	15	11	51	30	44	4	319
7	1	7	105	49	35	31	35	6	27	21	3	31	6	17	9	61	.....	320
1	5	16	44	69	49	24	37	10	38	22	4	47	9	39	29	50	.....	321
.....	2	6	17	20	11	10	1	.....	5	4	2	2	.....	6	6	14	.....	322
5	15	40	236	158	107	105	109	27	129	75	17	42	14	137	52	182	7	323
.....	.....	2	26	8	16	6	10	.....	12	7	2	24	1	16	1	7	2	324
.....	3	1	48	25	10	11	7	2	8	6	.....	5	3	2	3	15	1	325
2	2	26	169	105	94	57	71	21	60	56	8	58	2	78	61	76	2	326
.....	12	31	161	142	158	84	81	16	75	93	9	45	4	53	35	107	1	327
.....	2	8	26	19	17	15	21	1	10	21	3	9	4	13	11	24	.....	328
3	4	31	83	61	106	46	25	10	52	45	4	53	4	40	39	86	.....	329
.....	1	7	11	15	5	2	3	.....	6	5	1	4	4	5	1	10	1	330
.....	.....	3	20	9	21	12	4	5	10	12	1	7	.....	9	12	14	.....	331
.....	1	4	13	9	5	5	7	1	8	3	.....	2	1	2	4	12	.....	332
.....	1	3	24	16	6	9	3	2	6	9	.....	8	1	4	2	10	.....	333
.....	2	2	11	14	4	5	9	1	7	6	3	6	1	1	2	10	.....	334
.....	3	9	28	54	22	14	21	3	7	9	4	14	1	17	13	29	1	335
.....	1	1	17	8	12	8	18	1	4	4	1	5	2	4	6	10	2	336
1	29	67	588	637	338	357	380	89	275	356	67	299	29	286	112	437	1	337
.....	1	5	10	7	4	10	9	2	7	4	.....	9	.....	9	5	13	1	338
1	11	25	54	58	76	79	92	11	44	30	14	53	1	52	10	77	1	339
1	1	9	31	26	26	30	17	1	22	20	3	15	4	18	7	42	1	340
1	2	2	10	12	12	8	7	.....	3	8	.....	5	.....	8	9	13	.....	341
.....	1	4	24	17	27	20	9	2	15	17	3	7	.....	17	9	19	.....	342
.....	.....	4	14	7	9	6	11	4	8	2	.....	11	.....	5	14	11	1	343
1	1	2	23	10	16	15	10	1	11	4	5	2	1	8	2	16	1	344
.....	.....	5	23	26	20	13	7	2	11	11	1	9	1	12	5	23	.....	345
.....	1	.....	17	20	5	5	9	3	10	10	1	4	1	2	6	26	.....	346
2	3	15	47	49	51	41	26	9	54	26	6	18	4	47	20	63	.....	347
1	1	4	25	28	14	10	25	3	34	18	8	13	4	32	29	38	2	348
.....	2	5	39	38	38	19	13	5	19	16	2	7	3	8	25	37	1	349
5	2	52	158	134	117	59	61	19	68	55	5	75	2	98	74	96	2	350
.....	.....	9	60	45	31	30	33	12	18	17	3	25	.....	21	33	37	28	351
1	3	7	18	13	9	7	17	2	7	9	.....	5	2	6	1	9	.....	352
.....	2	8	26	22	14	19	10	3	19	7	2	4	2	11	6	30	7	353
.....	.....	4	23	19	20	7	10	.....	8	22	.....	11	.....	18	5	15	.....	354
.....	3	17	40	31	28	25	83	9	24	18	7	42	5	14	10	26	.....	355
2	13	42	219	198	170	133	120	24	97	90	15	139	13	110	36	168	.....	356
.....	3	34	63	98	62	63	42	11	40	39	7	39	1	55	16	50	1	357
2	2	24	62	51	73	41	40	4	44	17	3	21	8	83	39	51	9	358
3	4	8	82	79	43	41	21	7	37	49	5	24	5	37	8	66	3	359
2	10	19	127	131	81	70	36	7	53	61	3	37	4	57	11	87	4	360
2	6	11	95	93	63	52	23	7	49	47	9	33	5	48	7	70	8	361
.....	5	4	52	43	25	10	10	6	24	16	.....	10	1	27	1	40	5	362
2	5	10	99	72	32	37	27	4	37	45	9	44	12	55	8	53	1	363
1	4	9	60	61	33	28	19	2	27	24	2	20	4	26	5	51	3	364
1	3	5	40	33	18	18	8	5	14	7	1	8	5	16	1	17	1	365
1	2	13	58	73	27	30	32	4	34	27	5	28	2	31	3	50	4	366
.....	1	7	37	19	15	15	11	4	24	12	.....	24	.....	18	6	22	1	367
.....	1	4	36	14	12	25	7	4	20	26	4	9	1	17	10	40	1	368
.....	2	5	29	25	22	15	16	2	11	9	1	4	2	3	11	21	.....	369
.....	5	2	17	14	12	13	9	.....	12	5	2	10	.....	5	.....	10	.....	370
.....	.....	6	22	14	16	9	20	2	13	7	2	17	1	9	10	23	.....	371
2	2	3	38	23	20	19	10	2	14	9	.....	15	4	16	10	34	.....	372
.....	1	5	11	10	13	2	6	2	5	6	.....	9	.....	2	4	13	.....	373
.....	4	1	16	12	19	9	10	4	14	12	3	11	2	4	2	11	.....	374
.....	.....	9	23	6	5	10	5	4	7	9	1	8	1	14	3	13	.....	375
.....	2	6	34	18	35	14	8	6	12	12	4	10	.....	6	13	16	2	376
.....	2	12	28	21	46	18	21	6	19	14	2	40	1	28	20	34	3	377
1	.....	5	46	26	33	20	19	12	28	10	3	10	1	12	8	35	2	378
.....	.....	6	20	8	27	9	6	.....	7	8	1	11	3	8	12	16	5	379
.....	.....	14	14	13	29	11	17	3	13	10	3	5	.....	15	10	27	2	380
.....	.....	6	33	36	33	23	15	4	18	11	2	8	1	21	18	34	.....	381
.....	.....	6	36	25	26	14	17	7	16	9	2	12	3	15	13	49	1	382
.....	2	7	28	23	17	15	12	10	25	12	1	19	2	19	13	29	2	383
.....	3	8	49	19	24	17	20	6	17	14	3	30	1	12	13	27	1	384
.....	.....	6	21	9	43	3	14	5	14	10	3	24	1	10	8	37	.....	385
1	3	4	45	38	19	17	7	8	25	17	5	9	3	17	9	32	.....	386
.....	3	4	19	12	29	18	15	4	15	5	1	5	1	10	5	21	.....	387
1	.....	1	14	9	11	9	3	1	6	1	.....	5	1	7	5	7	.....	388
.....	1	5	26	22	30	12	16	6	23	11	6	19	1	11	10	35	1	389
.....	1	5	35	11	21	16	10	7	18	6	2	18	3	5	10	20	.....	390
.....	3	3	18	22	16	10	10	2	12	8	2	9	.....	1	8	24	1	391

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.											
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	INDIANA RURAL—Continued.													
392	Gibson county	439	21	8	.....	.....	1	4	2	13	.....	66	9	8
393	Grant county	530	24	1	.....	1	1	2	5	7	.....	66	6	12
394	Greene county	392	16	10	.....	12	.....	4	5	12	.....	57	5	11
395	Hamilton county	403	10	1	.....	.....	2	3	7	13	.....	51	8	18
396	Hancock county	230	6	.....	.....	.....	1	3	2	7	.....	19	2	4
397	Harrison county	297	12	.....	.....	10	4	.....	5	12	.....	40	5	7
398	Hendricks county	280	9	5	.....	2	1	2	3	7	.....	22	4	6
399	Henry county	411	17	1	.....	10	2	6	3	10	.....	40	5	7
400	Howard county	208	6	.....	.....	5	.....	.....	1	4	.....	23	4	11
401	Huntington county	201	10	1	.....	.....	.....	1	4	8	.....	23	5	11
402	Jackson county	436	23	4	.....	6	5	6	15	14	1	64	10	12
403	Jasper county	157	3	2	.....	.....	.....	2	7	7	.....	18	2	2
404	Jay county	349	12	.....	.....	8	1	.....	4	11	.....	40	5	14
405	Jefferson county	387	15	2	1	.....	.....	1	1	17	.....	69	8	13
406	Jennings county	236	2	.....	.....	.....	2	.....	.....	4	.....	30	1	8
407	Johnson county	284	7	1	.....	2	1	1	2	8	.....	33	3	9
408	Knox county	301	16	7	.....	2	2	10	5	11	.....	22	.....	4
409	Kosciusko county	335	14	.....	.....	.....	4	2	5	10	.....	25	4	9
410	Lagrange county	210	3	1	.....	1	.....	1	.....	9	.....	16	3	11
411	Lake county	336	4	4	.....	3	4	3	7	8	.....	21	5	10
412	Laporte county	291	3	3	.....	.....	3	.....	7	7	.....	22	4	16
413	Lawrence county	329	23	7	2	1	.....	4	4	6	.....	34	4	4
414	Madison county	471	14	3	1	1	8	4	8	7	.....	59	4	15
415	Marion county	518	7	2	.....	.....	2	5	11	18	.....	72	5	11
416	Marshall county	288	4	3	.....	1	1	1	9	10	.....	33	2	9
417	Martin county	231	12	1	.....	2	1	10	6	7	.....	34	1	4
418	Miami county	247	7	1	.....	2	2	.....	4	9	.....	25	5	7
419	Monroe county	287	11	3	.....	1	1	8	5	11	.....	35	5	9
420	Montgomery county	388	7	2	.....	4	5	1	1	21	1	44	10	14
421	Morgan county	267	12	.....	.....	.....	.....	4	1	15	.....	37	5	6
422	Newton county	130	1	1	.....	1	.....	.....	8	2	.....	6	2	4
423	Noble county	290	6	1	.....	.....	.....	2	3	14	.....	31	3	14
424	Ohio county	54	1	.....	.....	.....	.....	.....	.....	2	.....	12	.....	3
425	Orange county	246	12	4	.....	1	1	4	1	14	.....	37	3	4
426	Owen county	218	6	.....	.....	1	2	2	.....	5	.....	41	3	8
427	Parke county	277	14	2	.....	1	1	.....	4	12	.....	39	3	8
428	Perry county	269	10	2	.....	.....	2	2	7	10	.....	33	.....	8
429	Pike county	357	17	8	.....	2	.....	4	2	8	.....	51	5	9
430	Porter county	238	3	4	.....	2	1	1	9	10	.....	13	3	11
431	Posey county	429	15	11	.....	5	5	9	6	17	.....	44	6	11
432	Pulaski county	147	4	6	.....	.....	.....	1	3	3	.....	15	1	5
433	Putnam county	280	9	.....	.....	2	.....	2	1	10	.....	39	4	12
434	Randolph county	390	9	.....	.....	11	.....	.....	1	9	.....	50	11	17
435	Ripley county	266	10	2	.....	.....	.....	2	.....	12	.....	30	8	7
436	Rush county	271	5	2	.....	2	1	1	1	9	.....	33	6	11
437	St. Joseph county	271	7	1	.....	.....	2	2	2	12	.....	25	5	6
438	Scott county	120	3	.....	.....	.....	3	3	3	7	.....	17	4	5
439	Shelby county	349	15	2	.....	1	.....	.....	6	11	.....	51	4	14
440	Spencer county	303	14	4	1	5	2	7	5	7	.....	51	5	7
441	Starke county	147	4	3	.....	.....	.....	2	7	3	.....	12	1	7
442	Steuben county	170	2	.....	.....	.....	2	.....	.....	12	.....	13	1	4
443	Sullivan county	414	10	3	.....	11	.....	7	9	11	.....	58	3	12
444	Switzerland county	152	3	.....	.....	.....	.....	.....	2	3	.....	25	2	10
445	Tippecanoe county	246	5	.....	.....	3	.....	3	2	7	.....	29	5	11
446	Tipton county	248	16	.....	.....	1	3	2	6	3	.....	27	6	14
447	Union county	77	1	.....	.....	.....	.....	.....	.....	1	.....	9	.....	.....
448	Vanderburg county	233	6	.....	.....	.....	1	.....	.....	5	.....	29	1	6
449	Vermilion county	234	5	2	1	.....	.....	2	3	18	.....	37	3	6
450	Vigo county	317	11	6	.....	4	1	5	10	8	.....	29	.....	4
451	Wabash county	244	4	.....	.....	.....	.....	.....	4	7	.....	28	3	9
452	Warren county	108	5	.....	.....	.....	1	.....	1	3	.....	5	1	3
453	Warrick county	318	23	10	.....	.....	.....	.....	12	13	.....	31	8	13
454	Washington county	298	15	3	1	3	.....	4	2	8	.....	33	5	15
455	Wayne county	383	13	.....	.....	2	.....	.....	.....	11	.....	48	4	10
456	Wells county	279	9	.....	.....	.....	.....	.....	4	6	.....	34	2	12
457	White county	206	4	.....	.....	4	1	2	2	9	.....	17	3	12
458	Whitley county	211	7	1	.....	.....	2	.....	2	3	.....	25	3	10
	MAINE RURAL.													
459	Androscoggin county	850	16	.....	.....	.....	1	3	12	23	.....	71	18	45
460	Aroostook county	819	17	1	.....	.....	3	3	21	39	.....	82	13	22
461	Cumberland county	852	6	.....	.....	6	2	7	6	26	.....	77	16	50
462	Franklin county	275	2	.....	.....	.....	1	.....	1	10	.....	19	4	17
463	Hancock county	513	5	2	.....	2	.....	4	4	4	.....	58	4	32
464	Kennebec county	815	18	1	.....	2	1	.....	9	35	.....	68	13	50
465	Knox county	338	6	1	.....	2	.....	.....	1	5	.....	30	8	20
466	Lincoln county	326	5	.....	.....	.....	.....	.....	4	12	.....	26	4	20

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1901—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	.....	12	35	28	33	14	36	9	22	13	4	27	1	24	11	38	.....	392
1	.....	11	61	48	37	20	22	7	31	13	2	24	4	31	26	65	2	393
.....	.....	14	20	15	28	20	14	9	25	14	4	29	.....	13	17	37	1	394
1	.....	2	43	30	29	17	19	7	27	11	5	29	.....	14	13	43	.....	395
.....	1	6	42	14	13	6	11	5	18	11	2	13	.....	12	15	17	.....	396
1	.....	6	25	19	32	13	10	5	19	8	2	17	1	16	5	20	3	397
1	.....	3	41	19	18	25	7	3	20	14	3	13	1	13	15	23	.....	398
2	1	6	38	31	23	20	10	8	29	16	5	35	3	10	18	55	.....	399
1	.....	5	16	24	12	9	10	3	16	8	1	9	1	13	6	20	.....	400
.....	1	3	25	20	5	4	9	4	12	5	1	9	.....	5	14	20	1	401
1	3	10	32	20	38	19	28	8	26	12	1	9	4	12	20	28	5	402
.....	.....	1	12	9	8	12	8	10	9	10	4	5	.....	5	6	11	4	403
.....	1	5	39	11	26	18	13	7	39	10	1	21	3	16	15	28	1	404
.....	2	3	38	20	28	14	20	11	25	12	4	17	.....	15	10	41	.....	405
.....	2	3	29	21	17	8	11	7	11	6	.....	11	.....	10	25	28	.....	406
.....	2	6	32	31	17	14	11	6	11	12	2	10	.....	7	27	29	.....	407
1	4	7	24	19	35	10	19	6	13	5	5	24	3	11	13	19	4	408
.....	2	16	40	28	26	15	9	3	20	20	4	18	4	13	16	27	1	409
.....	2	3	24	31	13	14	3	3	13	8	1	6	1	12	13	17	1	410
.....	4	3	35	26	17	23	33	9	25	9	3	11	5	15	9	40	.....	411
.....	5	7	33	40	14	17	6	7	8	20	1	3	3	11	15	36	.....	412
.....	2	10	21	27	32	7	30	5	18	8	3	11	1	29	16	18	2	413
2	2	11	31	29	25	24	40	7	31	5	2	21	5	32	27	53	.....	414
.....	2	9	77	37	24	19	10	22	19	15	3	26	2	32	22	66	.....	415
.....	.....	4	44	22	14	16	12	5	17	8	1	15	.....	10	12	33	2	416
1	2	8	21	8	14	13	12	4	18	4	1	8	.....	5	17	15	2	417
.....	2	7	21	19	14	15	13	7	14	7	.....	7	.....	17	12	27	3	418
1	.....	5	23	10	18	16	18	5	14	5	2	12	.....	20	11	37	1	419
1	3	16	39	29	24	17	9	10	24	6	3	10	3	16	11	55	2	420
.....	3	4	22	26	24	10	13	7	17	12	1	13	.....	6	8	19	2	421
.....	2	4	8	7	11	9	18	2	7	6	1	3	.....	6	7	13	1	422
1	.....	7	26	35	13	12	3	5	16	16	1	15	2	21	6	36	1	423
.....	1	5	4	2	.....	.....	.....	2	4	2	.....	3	.....	3	2	8	.....	424
.....	1	5	31	8	19	15	7	9	9	4	2	8	2	9	12	23	1	425
.....	3	2	19	7	14	11	10	8	11	11	2	15	1	9	6	20	1	426
.....	2	6	39	13	18	14	17	5	15	4	2	8	2	20	7	20	1	427
.....	1	5	36	14	28	10	15	3	13	4	2	16	.....	6	14	24	4	428
.....	.....	7	26	10	43	17	14	6	18	8	4	29	.....	17	29	23	.....	429
.....	1	2	23	24	20	12	12	3	19	10	4	14	1	15	3	18	.....	430
.....	3	18	23	27	40	29	33	12	26	12	.....	16	3	17	12	25	4	431
.....	.....	.....	20	10	15	2	10	4	1	11	2	10	.....	3	4	15	2	432
1	3	1	31	24	18	18	10	3	16	14	1	15	2	17	4	23	.....	433
.....	3	17	38	28	24	25	25	8	19	16	6	17	2	7	11	36	.....	434
1	3	10	20	11	22	19	8	2	15	8	3	13	4	14	10	30	2	435
.....	7	5	36	14	22	14	12	2	20	9	3	13	1	6	12	23	1	436
.....	3	5	28	21	17	15	8	7	21	14	2	14	2	15	11	26	.....	437
1	.....	3	4	8	8	7	4	.....	6	5	2	.....	2	3	5	16	1	438
.....	3	6	26	25	24	15	20	5	19	15	1	23	.....	15	15	30	3	439
.....	1	5	32	7	17	14	16	9	15	10	3	11	.....	4	14	34	3	440
.....	1	1	15	9	13	7	14	2	12	1	.....	3	1	6	8	12	3	441
.....	.....	4	21	23	14	4	1	4	8	2	4	6	1	10	8	26	.....	442
.....	3	11	35	21	30	19	23	9	29	8	4	19	1	13	14	50	1	443
.....	3	4	14	14	13	8	11	2	7	4	.....	6	.....	3	4	14	.....	444
.....	2	1	41	14	14	14	4	7	15	10	.....	6	.....	9	13	31	.....	445
.....	3	4	16	16	11	8	20	2	15	11	3	13	2	9	13	24	.....	446
.....	1	1	10	9	6	4	3	.....	7	6	.....	2	.....	2	7	7	1	447
.....	.....	6	41	16	12	11	8	3	7	6	2	10	4	14	11	34	.....	448
.....	1	7	20	10	20	14	8	3	9	3	2	15	1	15	11	14	4	449
.....	2	7	37	29	28	10	19	5	12	15	3	11	2	29	11	19	.....	450
.....	3	4	30	13	21	12	7	1	14	9	3	12	1	12	11	33	3	451
.....	2	2	12	9	16	8	4	2	7	1	2	5	.....	7	2	9	1	452
.....	1	4	31	13	22	10	24	5	12	7	2	13	.....	15	10	37	2	453
.....	5	1	25	14	46	10	20	7	22	3	1	10	.....	18	7	19	1	454
.....	3	7	61	37	25	14	6	7	18	18	3	21	3	8	9	55	.....	455
.....	1	2	19	24	20	16	23	6	15	17	.....	18	.....	16	14	21	.....	456
.....	2	2	28	10	16	7	7	3	8	10	2	7	.....	12	12	24	2	457
.....	.....	4	29	14	13	9	6	4	9	11	1	5	3	14	6	23	4	458
4	5	38	96	80	66	44	61	11	41	31	8	19	11	33	26	82	5	459
1	4	19	57	40	44	14	148	14	32	23	11	28	3	22	18	80	60	460
1	4	13	97	127	64	45	35	7	28	48	7	19	6	33	19	94	9	461
.....	.....	1	25	38	24	12	10	2	13	16	2	9	5	9	10	34	11	462
1	4	8	59	69	39	18	10	11	33	27	7	6	5	20	15	60	6	463
.....	8	25	91	79	91	38	28	8	36	36	1	9	5	40	34	74	15	464
1	5	4	40	43	18	11	6	2	15	20	3	7	1	14	12	56	7	465
.....	1	1	35	47	36	21	2	3	11	22	2	5	3	11	11	37	7	466

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MAINE RURAL—Continued.													
467	Oxford county	542	9	.....	.....	1	3	.....	6	21	.....	37	6	26
468	Penobscot county	865	35	.....	.....	3	3	1	11	26	.....	83	17	47
469	Piscataquis county	254	2	.....	.....	.....	1	.....	1	11	.....	20	5	8
470	Sagadahoc county	144	2	.....	.....	.....	.....	.....	.....	2	.....	16	1	12
471	Somerset county	496	6	1	.....	2	1	1	5	14	.....	46	9	31
472	Waldo county	398	4	.....	.....	1	.....	.....	2	8	.....	44	6	18
473	Washington county	653	7	1	.....	7	2	1	3	13	.....	76	11	32
474	York county	867	16	.....	.....	1	1	1	5	22	.....	80	15	46
	MASSACHUSETTS RURAL.													
475	Barnstable county	479	4	.....	.....	.....	1	2	3	4	.....	47	4	24
476	Berkshire county	558	9	.....	.....	.....	1	1	15	29	.....	40	4	25
477	Bristol county	655	9	.....	.....	4	2	.....	10	17	.....	77	8	43
478	Dukes county	85	.....	.....	.....	.....	.....	.....	.....	1	.....	4	.....	6
479	Essex county	1,073	15	6	1	.....	2	6	8	29	.....	81	13	65
480	Franklin county	650	7	.....	.....	4	2	3	5	19	.....	50	7	26
481	Hampden county	585	10	1	.....	.....	3	3	12	21	.....	58	7	24
482	Hampshire county	494	1	1	1	.....	2	1	10	14	.....	48	5	36
483	Middlesex county	1,774	20	6	1	3	6	12	27	27	.....	265	35	92
484	Nantucket county	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	2	4
485	Norfolk county	1,298	7	6	.....	1	3	3	17	18	1	119	11	67
486	Plymouth county	1,067	13	.....	.....	1	2	1	19	16	.....	114	6	56
487	Suffolk county	66	.....	.....	.....	.....	2	.....	.....	.....	.....	8	2	5
488	Worcester county	2,139	22	6	.....	9	15	7	34	39	.....	200	20	83
	MICHIGAN RURAL.													
489	Alcona county	63	1	.....	.....	.....	.....	.....	.....	2	.....	5	1	2
490	Alger county	48	1	.....	.....	.....	.....	.....	.....	.....	.....	5	1	1
491	Allegan county	498	5	4	.....	3	.....	.....	.....	25	.....	40	6	25
492	Alpena county	210	1	.....	.....	.....	1	.....	4	1	.....	16	2	7
493	Antrim county	209	5	1	.....	.....	2	1	4	10	1	10	2	7
494	Arenac county	120	.....	1	.....	.....	6	1	6	5	.....	2	1	5
495	Baraga county	60	.....	.....	.....	10	.....	.....	1	.....	.....	7	.....	.....
496	Barry county	268	6	.....	.....	1	2	1	1	15	.....	11	.....	19
497	Bay county	266	2	.....	1	.....	8	1	6	15	.....	20	6	8
498	Benzie county	137	1	.....	.....	.....	5	.....	.....	2	.....	15	1	3
499	Berrien county	669	4	5	.....	1	5	8	7	26	.....	44	6	33
500	Branch county	383	7	.....	1	1	.....	2	4	26	.....	21	9	25
501	Calhoun county	428	11	2	.....	.....	1	1	1	18	.....	18	2	37
502	Cass county	271	6	2	.....	.....	.....	1	2	12	.....	20	2	10
503	Charlevoix county	177	9	1	.....	.....	2	3	4	5	.....	12	1	8
504	Cheboygan county	201	3	1	.....	.....	5	4	6	5	.....	13	1	7
505	Chippewa county	114	4	.....	1	1	6	3	2	1	.....	8	1	5
506	Clare county	90	.....	.....	1	.....	.....	1	2	3	.....	5	1	4
507	Clinton county	337	7	1	.....	1	4	2	9	20	1	16	5	14
508	Crawford county	27	4	.....	.....	.....	3	.....	.....	1	.....	1	.....	.....
509	Delta county	133	5	.....	2	1	.....	.....	4	2	.....	10	.....	2
510	Dickinson county	122	3	.....	.....	3	.....	.....	2	1	.....	8	1	4
511	Eaton county	404	8	2	.....	1	1	1	7	20	.....	18	5	21
512	Emmet county	212	4	1	1	.....	1	.....	3	2	.....	17	1	10
513	Genesee county	379	3	2	.....	.....	2	1	4	17	.....	17	6	18
514	Gladwin county	64	1	.....	.....	.....	1	.....	.....	2	.....	2	.....	1
515	Gogebic county	113	3	.....	.....	4	2	.....	4	.....	.....	8	1	1
516	Grand Traverse county	156	5	.....	2	.....	5	4	4	6	1	8	1	5
517	Gratiot county	361	10	1	.....	.....	4	2	2	9	.....	22	4	16
518	Hillsdale county	423	8	2	.....	2	1	1	.....	21	.....	22	5	29
519	Houghton county	893	29	1	.....	.....	17	7	12	5	.....	62	14	30
520	Huron county	376	5	.....	.....	.....	9	.....	4	16	.....	27	4	15
521	Ingham county	312	11	2	.....	.....	.....	.....	3	17	.....	21	4	12
522	Ionia county	464	8	2	.....	.....	4	.....	12	14	.....	34	4	19
523	Iosco county	135	2	.....	.....	.....	3	.....	14	2	.....	6	1	8
524	Iron county	105	2	.....	.....	.....	2	.....	8	1	.....	6	1	.....
525	Isabella county	242	6	.....	2	.....	2	2	5	8	.....	16	2	6
526	Jackson county	270	3	1	.....	.....	.....	.....	.....	12	.....	16	1	17
527	Kalamazoo county	267	4	4	.....	7	2	.....	3	9	1	16	3	11
528	Kalkaska county	88	.....	1	.....	1	1	.....	7	5	.....	8	2	1
529	Kent county	617	9	1	.....	.....	.....	3	11	26	.....	32	4	26
530	Keweenaw county	41	.....	.....	.....	.....	5	.....	.....	.....	.....	1	1	1
531	Lake county	58	2	.....	.....	.....	.....	.....	.....	2	.....	4	.....	2
532	Lapeer county	416	11	.....	.....	.....	1	1	14	19	.....	29	6	17
533	Leelanau county	122	1	.....	.....	.....	.....	2	1	3	.....	6	.....	8
534	Lenawee county	707	18	6	1	.....	3	2	5	37	.....	48	5	49
535	Livingston county	253	8	1	.....	.....	.....	.....	2	14	.....	17	3	16
536	Luce county	43	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
537	Mackinac county	82	2	.....	.....	.....	.....	.....	1	2	.....	11	.....	1
538	Macomb county	484	12	2	.....	1	9	3	7	15	1	36	1	20
539	Manistee county	309	6	2	.....	.....	7	.....	4	7	.....	16	2	18
540	Marquette county	223	3	.....	1	1	1	.....	12	1	.....	12	3	3
541	Mason county	256	6	1	.....	.....	1	.....	.....	6	.....	23	3	8
542	Mecosta county	275	5	2	.....	.....	.....	2	1	15	.....	13	4	7
543	Menominee county	137	2	.....	.....	.....	.....	2	4	4	.....	4	2	6

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1901—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	8	18	63	51	56	27	12	9	30	22	2	12	1	31	27	55	9	467
1	4	22	102	72	58	41	42	11	51	29	6	23	4	36	39	84	14	468
.....	2	5	35	20	19	13	6	4	14	14	4	2	5	19	6	28	10	469
.....	2	4	15	14	12	6	3	1	12	9	2	3	1	6	5	14	2	470
.....	9	18	57	57	33	24	13	3	34	15	6	3	4	15	23	57	9	471
.....	3	5	53	64	37	11	5	3	16	21	.....	4	8	16	13	50	6	472
.....	5	23	73	67	64	34	47	14	31	22	3	12	4	18	16	58	9	473
2	8	17	117	110	70	28	13	13	44	71	3	19	4	33	39	73	16	474
1	3	9	69	68	31	15	11	6	19	18	1	10	2	29	27	65	6	475
2	4	8	73	75	47	24	13	4	44	23	3	19	4	27	12	50	2	476
.....	5	6	73	85	42	30	15	9	25	29	4	31	7	20	16	84	4	477
.....	1	1	9	13	4	8	2	.....	7	4	.....	3	.....	7	5	10	.....	478
4	13	19	117	149	62	53	45	10	33	57	5	59	11	44	34	126	6	479
1	7	14	80	83	60	43	20	6	38	24	4	22	7	34	29	53	2	480
1	9	16	72	45	49	16	31	4	30	24	3	30	7	44	25	37	3	481
3	4	7	70	53	36	30	14	4	20	12	2	22	2	17	14	59	6	482
1	13	24	223	217	127	72	53	38	55	67	5	59	9	66	46	205	.....	483
.....	.....	2	15	8	1	1	1	.....	3	1	2	.....	.....	1	4	4	.....	484
2	8	32	192	165	99	50	40	14	62	79	6	52	9	53	44	133	5	485
.....	6	21	119	150	101	52	33	6	61	53	2	32	7	40	34	111	11	486
.....	.....	1	10	8	6	1	2	.....	2	3	.....	2	1	4	3	6	.....	487
5	16	45	265	247	185	97	82	18	92	88	12	86	16	97	77	252	4	488
.....	.....	.....	6	10	10	4	.....	1	2	3	2	3	.....	1	4	4	2	489
.....	.....	.....	1	2	2	5	5	1	3	1	.....	5	.....	2	4	6	3	490
.....	2	2	55	70	35	30	13	5	35	14	7	16	8	28	17	53	.....	491
.....	3	2	19	18	13	21	13	4	17	5	4	11	.....	12	7	20	9	492
.....	1	2	20	19	21	15	8	4	8	4	4	4	.....	23	5	25	3	493
.....	.....	.....	9	7	9	11	9	1	11	1	.....	8	2	8	1	11	5	494
.....	.....	1	3	.....	6	3	2	2	3	2	1	.....	.....	8	4	2	5	495
.....	4	1	38	45	16	11	4	7	17	10	8	6	2	10	5	27	1	496
.....	1	3	16	23	22	13	24	6	16	8	6	6	2	15	10	21	7	497
.....	.....	1	14	8	16	10	18	3	6	3	2	5	.....	5	4	14	1	498
1	8	8	99	93	29	26	27	12	47	25	17	18	4	37	18	56	5	499
.....	4	5	61	59	13	10	7	10	27	15	2	12	2	16	2	42	.....	500
.....	3	6	52	64	33	24	3	8	31	11	1	14	4	25	5	50	3	501
1	4	4	39	40	15	10	6	5	21	15	2	4	2	10	3	34	1	502
.....	1	1	11	11	5	9	9	2	8	6	2	18	1	20	5	19	4	503
.....	1	3	21	17	19	10	14	3	14	2	6	12	1	15	5	13	.....	504
.....	.....	.....	10	6	10	7	8	.....	5	4	5	4	1	6	4	10	2	505
.....	.....	3	8	8	6	6	3	1	5	6	.....	6	1	6	1	10	3	506
.....	1	3	45	51	32	11	6	1	28	13	.....	6	3	11	4	41	1	507
.....	.....	.....	3	2	2	3	2	1	.....	.....	.....	1	.....	3	.....	.....	1	508
.....	.....	1	8	11	10	8	12	.....	9	4	1	7	.....	16	4	11	5	509
.....	.....	1	9	9	8	7	22	1	2	5	1	5	2	19	.....	7	2	510
.....	3	5	61	62	34	10	7	5	30	20	4	7	2	23	4	43	.....	511
.....	3	5	15	16	21	6	17	4	15	5	7	10	1	14	4	27	4	512
1	8	2	54	45	29	25	11	5	21	18	2	3	2	20	7	53	3	513
.....	.....	2	4	.....	5	1	9	3	8	1	2	1	.....	8	1	7	5	514
.....	1	2	8	7	7	12	17	.....	1	.....	.....	10	.....	14	5	5	1	515
.....	1	2	11	15	6	5	12	4	11	9	2	3	.....	11	7	16	.....	516
1	5	8	39	44	38	20	13	7	19	10	5	7	2	20	12	41	.....	517
.....	5	8	69	65	32	14	12	4	26	21	6	3	3	13	7	44	.....	518
1	7	15	68	67	55	66	98	10	40	17	10	52	6	118	22	52	12	519
1	4	2	35	19	27	28	20	4	29	15	9	12	3	17	6	44	21	520
1	2	.....	48	55	22	11	3	3	25	14	5	2	.....	6	10	34	1	521
2	5	3	68	71	25	26	15	4	26	15	6	14	7	21	8	50	1	522
.....	3	3	12	4	11	9	3	2	9	5	1	2	1	16	2	14	2	523
.....	.....	1	3	2	5	6	11	1	8	1	2	5	2	23	5	9	1	524
.....	3	5	17	17	12	13	23	5	19	11	7	11	.....	7	3	31	9	525
2	3	4	36	36	18	14	7	3	15	17	4	5	3	13	7	32	1	526
.....	1	2	43	35	15	16	5	3	14	13	1	5	2	16	3	33	.....	527
.....	.....	.....	9	5	6	7	8	.....	8	1	1	2	1	4	4	5	1	528
.....	6	7	81	83	53	30	23	7	30	42	7	10	6	23	13	82	2	529
.....	1	1	6	2	1	2	4	.....	3	.....	2	.....	1	4	.....	5	1	530
.....	.....	1	5	7	5	4	3	.....	4	.....	1	.....	.....	3	3	9	3	531
.....	2	.....	69	42	28	24	17	10	21	12	3	13	4	16	14	42	1	532
.....	2	1	17	12	5	3	11	2	7	5	3	4	1	4	3	21	.....	533
.....	7	3	76	76	47	37	20	10	44	15	11	14	6	58	14	93	2	534
1	1	1	39	33	23	6	3	7	17	14	1	5	1	11	5	24	.....	535
.....	1	.....	7	2	3	1	6	1	3	.....	.....	1	2	5	1	4	2	536
.....	2	1	3	6	7	3	7	4	4	3	3	1	1	7	2	6	3	537
.....	2	4	59	58	28	23	26	4	36	20	6	14	5	17	16	58	1	538
.....	2	6	28	15	37	13	12	2	18	14	8	11	.....	28	12	32	9	539
.....	2	1	7	13	10	33	25	.....	11	9	3	10	2	39	4	14	3	540
1	3	5	24	20	29	5	14	2	20	6	8	12	2	11	7	37	2	541
.....	1	6	28	33	31	17	13	3	21	12	7	6	2	15	11	18	2	542
.....	.....	4	10	6	11	4	12	3	9	2	5	9	1	12	6	6	13	543

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MICHIGAN RURAL—Continued.													
544	Midland county	193	9	1	.....	.....	1	.....	6	6	.....	11	2	6
545	Missaukee county	87	3	.....	.....	.....	.....	.....	4	1	.....	1	.....	2
546	Monroe county	422	11	4	.....	.....	3	1	4	12	1	27	2	28
547	Montcalm county	418	2	.....	.....	6	3	9	.....	24	.....	35	3	25
548	Montmorency county	32	1	.....	.....	.....	.....	.....	.....	1	.....	4	1	.....
549	Muskegon county	192	4	1	.....	.....	.....	1	3	7	.....	12	3	10
550	Newaygo county	208	8	.....	.....	.....	1	1	1	6	.....	14	5	8
551	Oakland county	500	3	1	.....	.....	2	.....	3	26	.....	36	5	30
552	Oceana county	211	3	2	.....	.....	1	.....	4	12	.....	10	.....	12
553	Ogemaw county	99	4	1	.....	.....	.....	2	1	8	.....	3	2	.....
554	Ontonagon county	84	2	.....	.....	1	2	.....	3	4	.....	9	.....	3
555	Osceola county	184	4	.....	1	1	.....	1	1	3	.....	16	2	5
556	Oscoda county	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
557	Otsego county	83	4	1	.....	.....	1	.....	1	1	.....	3	1	2
558	Ottawa county	487	12	2	.....	2	1	2	11	16	.....	31	8	25
559	Presque Isle county	107	4	.....	.....	.....	.....	.....	9	1	.....	5	.....	.....
560	Roscommon county	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	2
561	Saginaw county	484	8	2	3	1	4	1	19	17	.....	28	3	20
562	St. Clair county	506	15	1	2	.....	2	.....	3	32	.....	16	5	29
563	St. Joseph county	355	4	.....	.....	.....	.....	.....	.....	11	.....	27	4	14
564	Sanilac county	347	3	3	.....	.....	3	.....	5	12	.....	20	3	11
565	Schoolcraft county	114	1	.....	.....	.....	5	.....	9	1	.....	6	1	4
566	Shiawassee county	347	2	.....	1	.....	2	1	5	13	.....	24	5	11
567	Tuscola county	509	6	7	.....	.....	22	.....	10	18	.....	41	3	20
568	Van Buren county	499	4	2	2	1	.....	6	6	11	.....	33	5	29
569	Washtenaw county	436	6	.....	.....	.....	8	.....	7	15	.....	26	.....	22
570	Wayne county	1,000	19	1	.....	.....	4	7	13	31	1	68	5	37
571	Wexford county	216	13	1	1	.....	2	2	5	11	.....	17	1	4
	NEW HAMPSHIRE RURAL.													
572	Belknap county	195	4	1	.....	.....	.....	2	1	2	.....	12	.....	13
573	Carroll county	212	3	.....	.....	.....	.....	.....	.....	2	.....	22	6	18
574	Cheshire county	368	4	.....	.....	1	4	.....	3	17	.....	29	2	29
575	Coos county	256	8	.....	.....	.....	1	.....	3	4	.....	22	.....	15
576	Grafton county	680	8	.....	2	.....	2	2	9	22	.....	39	8	40
577	Hillsboro county	610	9	.....	.....	.....	.....	1	2	8	.....	64	6	34
578	Merrimack county	535	3	.....	.....	.....	4	4	7	14	.....	37	7	32
579	Rockingham county	692	4	.....	.....	1	2	.....	10	16	.....	52	8	35
580	Strafford county	300	1	.....	.....	.....	.....	2	6	3	.....	28	5	9
581	Sullivan county	324	2	1	.....	.....	4	.....	2	11	.....	26	2	17
	NEW JERSEY RURAL.													
582	Atlantic county	276	4	.....	.....	1	3	1	13	8	.....	16	1	7
583	Bergen county	1,264	10	7	1	2	12	11	24	12	.....	105	8	42
584	Burlington county	949	18	.....	1	.....	5	1	11	25	.....	88	14	36
585	Camden county	531	14	1	11	.....	2	.....	7	9	1	63	5	13
586	Cape May county	214	3	2	.....	.....	3	.....	3	1	.....	23	5	9
587	Cumberland county	303	6	1	.....	.....	6	4	2	10	.....	38	4	12
588	Essex county	917	13	1	3	.....	12	2	27	14	.....	84	10	49
589	Gloucester county	309	8	1	1	2	3	2	11	9	.....	38	8	11
590	Hudson county	1,179	18	5	23	1	10	3	30	6	.....	125	11	38
591	Hunterdon county	513	7	5	.....	4	.....	.....	8	11	.....	38	9	25
592	Mercer county	291	3	.....	.....	.....	1	2	1	3	.....	25	7	9
593	Middlesex county	560	3	4	4	.....	1	1	8	11	.....	51	7	14
594	Monmouth county	1,314	16	3	3	3	9	15	22	21	.....	149	13	62
595	Morris county	749	5	.....	3	2	4	6	17	21	.....	79	5	34
596	Ocean county	341	2	1	.....	.....	1	8	2	9	.....	35	3	14
597	Passaic county	234	3	1	.....	.....	6	3	7	2	.....	19	2	4
598	Salem county	332	.....	.....	1	.....	2	1	1	13	.....	40	1	12
599	Somerset county	420	2	4	.....	1	5	.....	11	6	.....	40	5	13
600	Sussex county	264	4	2	.....	.....	1	.....	6	8	.....	21	.....	14
601	Union county	440	6	.....	.....	.....	1	1	18	8	.....	46	4	19
602	Warren county	371	4	1	1	.....	.....	.....	3	11	.....	33	2	9
	NEW YORK RURAL.													
603	Albany county	518	25	.....	.....	5	1	1	10	15	.....	35	2	22
604	Allegany county	548	13	1	.....	1	2	7	3	25	1	27	5	19
605	Broome county	489	10	1	1	6	3	2	9	16	.....	23	2	30
606	Cattaraugus county	693	11	.....	.....	2	2	1	4	28	.....	38	5	29
607	Cayuga county	555	7	1	.....	6	.....	3	4	42	.....	42	7	32
608	Chautauqua county	686	13	5	.....	4	3	7	6	46	.....	55	11	25
609	Chemung county	302	8	1	.....	2	1	6	4	18	.....	29	2	14
610	Chenango county	651	10	.....	1	6	8	4	3	34	.....	56	5	47
611	Clinton county	539	7	.....	1	4	10	4	16	23	.....	62	7	21
612	Columbia county	555	21	.....	.....	.....	.....	1	8	24	.....	37	1	24
613	Cortland county	295	16	1	.....	1	.....	1	1	8	.....	22	1	17
614	Delaware county	620	12	.....	.....	13	2	2	5	29	.....	40	4	29
615	Dutchess county	1,127	17	7	.....	1	5	3	17	32	.....	134	15	28
616	Erie county	1,181	15	2	.....	2	3	12	18	37	.....	85	11	54
617	Essex county	469	8	.....	.....	4	2	8	2	29	1	38	3	20

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1901—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	.....	2	13	13	24	7	21	7	22	2	2	9	2	9	2	13	2	544
.....	.....	4	4	5	17	8	5	1	8	3	1	3	1	3	1	9	3	545
.....	.....	8	59	56	29	26	14	6	26	12	6	4	1	26	7	46	3	546
.....	4	8	48	41	23	13	18	9	28	13	9	9	2	28	14	41	3	547
.....	.....	2	1	.....	4	3	2	1	1	2	.....	1	.....	2	1	5	.....	548
.....	1	5	15	26	21	8	7	1	13	6	2	5	.....	16	5	20	.....	549
.....	1	1	16	16	17	12	10	9	18	8	.....	6	.....	10	10	27	3	550
.....	3	5	53	58	44	28	12	8	35	16	7	5	2	34	21	62	1	551
1	1	1	25	24	13	5	21	7	11	5	5	10	1	10	7	19	1	552
.....	.....	1	7	8	12	8	2	1	5	9	4	8	.....	8	2	3	.....	553
.....	1	1	3	2	9	4	7	3	4	2	.....	1	.....	7	7	8	1	554
.....	.....	7	21	17	14	11	9	3	8	1	5	4	.....	12	4	32	2	555
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	556
.....	.....	1	8	6	8	5	10	.....	3	2	4	1	1	10	2	7	1	557
1	3	9	49	46	32	46	17	9	23	22	6	13	.....	22	17	59	3	558
.....	.....	3	7	9	10	4	3	.....	6	.....	2	5	.....	7	1	5	26	559
.....	.....	.....	4	1	1	1	.....	1	2	.....	2	1	.....	3	1	4	.....	560
.....	5	14	48	44	38	15	26	6	23	18	8	9	3	23	17	56	5	561
2	3	5	67	41	33	31	26	5	37	25	6	10	2	21	20	64	3	562
.....	4	3	50	54	32	16	1	8	32	8	3	9	2	21	11	39	2	563
2	1	2	40	36	32	19	12	4	20	18	12	16	2	18	15	36	2	564
.....	.....	2	9	6	10	2	12	5	6	2	4	5	.....	11	4	6	3	565
.....	1	1	45	41	20	18	15	6	31	17	3	13	.....	21	9	42	.....	566
1	4	9	51	47	41	40	24	11	31	11	9	19	3	24	13	43	1	567
2	5	4	58	85	38	22	15	17	26	17	2	11	2	25	17	50	4	568
.....	4	7	55	60	28	18	12	9	28	19	9	11	7	24	22	38	1	569
.....	2	13	102	85	78	72	75	15	53	36	5	41	6	69	34	123	5	570
.....	2	5	21	14	19	10	12	2	17	4	4	11	1	11	7	18	1	571
.....	2	2	32	27	12	6	6	1	6	9	1	.....	1	3	11	39	2	572
1	3	4	23	29	12	14	4	1	5	17	2	1	6	3	11	22	3	573
1	5	8	55	45	26	22	11	7	16	10	1	5	3	14	13	32	5	574
.....	1	8	27	21	18	15	8	2	14	19	4	1	5	11	6	35	8	575
.....	4	10	85	72	60	31	14	9	40	29	2	13	5	29	31	105	9	576
1	2	8	91	83	36	36	9	7	26	29	2	12	4	17	37	79	7	577
.....	4	7	87	59	43	27	24	1	23	19	.....	7	3	24	20	76	3	578
1	7	14	98	94	73	27	29	4	30	24	2	12	1	24	43	74	7	579
.....	3	6	34	32	20	21	25	1	13	14	.....	7	3	15	15	32	5	580
1	2	4	44	42	32	14	8	3	14	22	3	2	3	16	15	30	4	581
.....	1	5	39	29	11	17	21	2	10	15	.....	14	.....	19	16	23	.....	582
.....	10	25	182	114	114	72	65	17	57	54	6	49	9	97	44	112	3	583
.....	6	18	136	86	61	42	49	25	52	56	6	34	4	46	47	80	2	584
.....	3	9	79	50	40	20	28	5	29	27	.....	21	1	32	26	35	.....	585
.....	1	4	35	16	5	11	8	2	10	9	2	7	1	9	13	32	.....	586
1	4	7	45	29	22	12	6	1	11	20	3	9	.....	14	14	22	.....	587
3	5	21	99	92	70	54	45	20	52	54	2	51	7	53	29	45	.....	588
.....	.....	3	67	39	29	15	17	9	16	24	1	18	1	33	8	24	1	589
1	1	32	139	61	124	87	77	10	47	72	11	55	11	68	36	75	2	590
1	3	11	78	79	35	13	17	9	24	29	2	18	2	23	17	43	2	591
.....	1	7	38	38	13	16	12	4	12	8	5	12	.....	33	9	32	.....	592
1	3	12	63	64	40	23	44	5	27	32	5	17	7	51	25	37	.....	593
2	14	27	175	127	66	56	111	14	58	78	5	38	7	81	48	81	10	594
1	5	13	83	71	40	47	38	18	34	46	5	39	3	42	33	51	4	595
.....	4	9	49	27	29	17	12	8	17	12	1	14	2	21	18	26	.....	596
.....	.....	5	36	18	15	12	21	1	10	9	4	10	2	22	9	13	.....	597
.....	.....	5	54	28	29	14	12	6	16	18	3	13	2	9	16	36	.....	598
1	2	3	70	46	20	21	14	4	23	25	1	17	4	34	15	33	.....	599
.....	1	5	39	32	33	18	8	1	12	9	4	9	1	10	8	18	.....	600
.....	.....	7	54	27	41	20	27	2	20	34	.....	21	1	36	9	37	1	601
.....	4	2	55	34	32	21	17	6	28	26	.....	12	2	26	16	26	.....	602
.....	3	9	52	58	38	31	21	4	26	36	6	14	1	33	10	60	.....	603
3	2	6	72	90	35	18	5	9	31	32	3	9	4	45	14	64	2	604
3	2	5	60	39	38	21	5	3	28	30	2	7	3	30	12	92	1	605
.....	4	7	75	105	50	35	19	12	44	40	5	25	3	49	19	79	2	606
2	2	4	69	54	35	27	10	5	26	32	4	17	7	26	31	60	.....	607
.....	7	10	111	76	28	21	10	9	35	34	6	21	4	29	14	95	1	608
.....	4	4	46	33	20	13	10	2	19	9	.....	5	3	17	2	33	.....	609
2	4	13	83	82	38	39	6	9	35	28	6	15	8	34	13	62	.....	610
.....	7	18	44	56	21	29	28	7	28	19	7	21	2	23	12	61	1	611
.....	5	9	76	45	33	33	15	5	35	41	3	18	2	31	7	81	.....	612
.....	3	1	31	30	42	13	6	3	13	15	1	7	2	7	11	42	.....	613
2	7	7	97	110	45	20	14	9	30	33	6	10	1	29	10	51	3	614
2	4	14	181	152	73	53	25	33	42	41	10	31	1	67	26	105	1	615
.....	14	26	147	150	65	58	51	23	62	60	9	43	12	90	23	101	1	616
1	7	8	45	31	49	13	11	5	23	34	2	19	1	17	24	64	.....	617

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	NEW YORK RURAL—Continued.													
618	Franklin county	686	4	1	.....	1	1	4	35	22	.....	116	8	15
619	Fulton county	239	3	.....	.....	4	.....	1	4	10	.....	20	2	11
620	Genesee county	534	11	2	.....	2	3	10	8	25	.....	34	5	31
621	Greene county	535	17	.....	.....	6	5	.....	9	11	.....	57	4	16
622	Hamilton county	54	2	.....	.....	.....	.....	.....	.....	4	.....	8	2	3
623	Herkimer county	711	8	2	.....	8	7	3	26	22	.....	63	3	39
624	Jefferson county	804	14	1	1	17	2	1	3	41	.....	69	9	30
625	Lewis county	386	5	1	.....	5	.....	2	5	20	.....	35	4	15
626	Livingston county	522	5	3	1	1	.....	7	1	15	.....	52	2	29
627	Madison county	652	14	.....	.....	.....	1	2	4	31	.....	55	12	42
628	Monroe county	786	11	.....	.....	10	.....	7	11	28	.....	64	8	32
629	Montgomery county	335	8	.....	.....	.....	.....	.....	2	14	.....	24	4	13
630	Nassau county	893	8	2	2	8	7	4	11	12	.....	73	6	55
631	Niagara county	506	14	.....	.....	.....	3	4	7	25	.....	33	4	32
632	Oneida county	896	11	1	1	7	2	6	9	33	.....	65	7	55
633	Onondaga county	894	19	1	1	7	5	5	11	35	.....	78	8	43
634	Ontario county	552	8	2	.....	4	.....	2	.....	35	.....	42	4	29
635	Orange county	836	12	5	.....	1	3	4	17	32	.....	67	6	31
636	Orleans county	456	10	.....	.....	8	.....	9	2	18	.....	45	5	25
637	Oswego county	1,131	19	1	.....	1	.....	8	26	42	.....	110	8	60
638	Otsego county	843	12	1	.....	23	6	4	11	27	.....	58	6	41
639	Putnam county	220	3	1	.....	3	.....	1	3	4	.....	24	2	12
640	Rensselaer county	793	29	.....	.....	11	1	3	16	32	1	72	6	42
641	Rockland county	576	6	4	1	.....	2	8	13	17	.....	59	1	24
642	St. Lawrence county	1,092	26	1	.....	23	5	5	19	40	1	104	23	46
643	Saratoga county	903	21	1	.....	8	4	4	11	54	.....	77	5	40
644	Schenectady county	240	8	.....	.....	1	1	1	16	1	.....	21	2	7
645	Schoharie county	434	15	.....	.....	6	1	.....	.....	29	.....	37	4	30
646	Schuyler county	257	2	.....	.....	2	.....	2	3	8	.....	13	2	14
647	Seneca county	577	3	.....	.....	5	3	4	4	24	.....	62	6	26
648	Steuben county	1,039	12	1	.....	10	4	11	10	32	.....	72	4	54
649	Suffolk county	1,306	17	1	.....	1	1	12	9	27	.....	156	13	55
650	Sullivan county	525	8	.....	.....	1	.....	3	5	22	.....	113	10	17
651	Tioga county	465	9	1	.....	9	.....	3	2	20	.....	35	1	22
652	Tompkins county	312	6	.....	.....	1	.....	2	3	9	.....	19	3	17
653	Ulster county	1,059	17	9	4	1	17	2	32	33	.....	108	10	45
654	Warren county	265	3	.....	1	2	2	.....	1	12	.....	20	3	9
655	Washington county	731	12	.....	1	2	8	4	17	36	.....	64	9	36
656	Wayne county	710	13	1	.....	3	3	1	6	34	.....	55	4	35
657	Westchester county	1,601	18	11	4	12	7	20	36	44	.....	204	13	55
658	Wyoming county	471	4	.....	.....	1	.....	2	4	25	.....	28	5	19
659	Yates county	289	5	1	.....	.....	4	2	1	18	.....	21	1	11
	RHODE ISLAND RURAL.													
660	Bristol county	240	7	2	.....	.....	.....	.....	2	14	.....	20	5	6
661	Kent county	590	4	2	.....	1	2	1	21	8	.....	48	4	15
662	Newport county	162	4	.....	.....	1	.....	.....	3	2	.....	8	1	13
663	Providence county	1,296	16	6	.....	2	6	1	29	29	.....	138	16	49
664	Washington county	393	7	2	.....	1	.....	.....	3	13	.....	38	6	23
	VERMONT RURAL.													
665	Addison county	347	13	.....	.....	.....	1	.....	1	15	.....	25	3	14
666	Bennington county	253	8	.....	.....	7	1	.....	5	4	.....	20	3	7
667	Caledonia county	410	4	.....	.....	7	4	7	8	5	.....	37	7	21
668	Chittenden county	308	3	.....	.....	.....	1	1	.....	5	.....	25	2	11
669	Essex county	120	7	.....	.....	2	.....	.....	.....	3	.....	5	.....	6
670	Franklin county	444	12	.....	.....	.....	10	5	2	7	.....	32	2	26
671	Grand Isle county	58	.....	.....	.....	.....	2	2	.....	1	.....	3	1	1
672	Lamoille county	188	3	.....	.....	.....	.....	2	1	12	.....	14	4	12
673	Orange county	334	3	.....	.....	1	1	2	.....	11	.....	20	6	9
674	Orleans county	347	11	.....	.....	7	6	1	3	14	.....	19	5	19
675	Rutland county	506	8	.....	.....	1	.....	1	13	21	.....	38	4	18
676	Washington county	507	9	1	.....	.....	3	3	6	11	.....	37	3	21
677	Windham county	479	1	.....	.....	1	1	4	2	18	.....	47	3	24
678	Windsor county	623	7	2	.....	.....	.....	6	3	17	1	44	4	20

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1901—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	5	19	48	49	68	36	34	1	30	24	10	41	.....	23	27	62	1	618
.....	1	3	34	23	25	10	5	3	5	12	1	7	.....	11	16	28	.....	619
.....	4	6	66	44	54	22	10	5	18	26	2	7	6	27	45	61	.....	620
2	4	5	67	79	38	16	16	7	30	35	5	11	4	36	5	50	.....	621
.....	.....	.....	3	5	5	3	1	.....	5	2	1	1	.....	1	1	7	.....	622
.....	.....	18	71	76	51	24	23	11	35	47	9	20	.....	35	19	90	1	623
3	7	9	99	130	45	38	16	8	39	28	10	20	5	30	13	115	1	624
1	4	10	46	51	16	29	6	4	28	16	4	7	4	10	13	43	2	625
1	1	4	83	68	28	23	7	1	35	36	3	15	3	34	10	54	.....	626
2	6	5	81	109	31	36	14	5	42	29	2	11	5	36	14	63	.....	627
1	7	13	92	72	63	53	22	4	35	46	5	25	7	41	37	91	1	628
.....	3	3	49	33	21	16	6	2	25	12	4	4	3	27	16	46	.....	629
1	5	19	103	85	64	56	51	9	43	55	6	27	5	65	23	58	.....	630
.....	4	8	42	53	35	27	31	5	24	18	3	17	2	36	6	73	.....	631
.....	11	22	108	109	77	51	11	16	58	45	4	19	2	30	37	99	.....	632
3	9	14	112	105	52	64	16	19	50	42	12	16	5	41	24	97	.....	633
1	7	7	89	43	36	25	10	6	28	27	3	20	2	18	32	72	.....	634
.....	6	13	107	95	54	60	36	17	40	33	10	26	9	59	19	74	.....	635
1	5	4	58	77	24	16	12	8	23	18	4	5	1	30	10	38	.....	636
1	13	13	162	169	67	49	38	12	78	49	7	25	1	52	14	106	.....	637
.....	5	11	97	126	63	32	8	14	55	58	5	16	1	36	22	105	.....	638
.....	.....	1	38	21	19	12	8	.....	12	7	1	6	.....	18	9	15	.....	639
1	4	15	93	87	58	37	15	11	44	37	8	14	1	49	15	91	.....	640
1	3	16	72	48	41	25	32	8	27	32	9	21	2	35	17	51	1	641
.....	12	17	104	112	81	50	22	20	60	33	14	29	6	52	28	158	1	642
.....	3	14	77	77	82	49	25	12	42	48	6	25	1	53	58	106	.....	643
.....	1	4	25	21	15	21	20	3	7	12	.....	6	1	22	10	14	.....	644
.....	3	5	51	47	36	17	8	3	24	28	4	5	3	17	10	49	2	645
.....	1	1	43	33	25	13	3	6	19	13	3	9	2	10	10	20	.....	646
2	5	4	81	95	40	23	11	7	26	38	2	9	4	38	6	49	.....	647
1	6	17	126	110	106	67	11	5	52	49	6	29	4	48	33	159	.....	648
2	7	14	221	154	67	65	51	43	60	75	9	33	5	59	42	106	1	649
1	4	8	44	61	31	29	16	10	33	22	6	2	3	17	14	45	.....	650
1	7	5	76	64	17	15	11	4	23	20	.....	9	3	39	12	57	.....	651
.....	3	3	51	35	20	15	10	10	17	19	2	5	1	13	11	37	.....	652
4	5	18	142	97	76	57	32	15	75	50	11	29	2	53	26	89	.....	653
2	.....	4	37	27	22	18	2	5	19	19	1	7	1	11	3	33	1	654
.....	7	17	80	68	72	34	25	7	31	43	2	15	5	46	9	80	1	655
1	13	12	93	77	40	36	12	8	38	35	3	28	5	50	25	79	.....	656
2	11	32	138	132	122	111	72	20	68	125	14	49	8	124	37	112	.....	657
1	4	7	75	78	19	25	10	5	31	20	1	7	5	31	12	51	1	658
.....	3	5	49	34	11	11	2	4	20	12	.....	6	2	12	11	43	.....	659
1	.....	6	27	22	16	4	23	4	10	23	.....	5	3	11	2	25	2	660
.....	4	21	56	49	64	26	55	11	34	34	4	31	8	23	7	57	.....	661
.....	2	7	24	16	8	5	12	3	9	9	1	6	1	11	4	12	.....	662
1	16	26	129	123	96	58	83	31	37	127	16	47	13	67	11	102	21	663
.....	6	3	43	43	36	24	12	6	22	21	3	13	1	18	5	43	1	664
2	6	5	34	29	24	22	10	9	23	13	3	9	.....	13	12	58	3	665
.....	2	9	30	29	34	9	8	2	12	12	1	8	2	10	13	17	.....	666
2	2	9	51	47	33	26	6	2	15	13	3	11	4	11	14	57	4	667
.....	4	10	34	24	21	11	13	6	20	23	2	22	1	10	13	40	6	668
.....	1	1	13	10	9	3	4	1	4	7	4	6	1	6	5	19	3	669
.....	3	14	50	37	33	16	14	7	21	8	1	27	5	10	17	61	4	670
.....	2	2	8	6	4	1	2	1	2	1	1	.....	1	5	2	8	2	671
1	3	4	15	18	13	20	1	2	7	6	3	5	1	4	6	27	4	672
1	4	6	52	48	17	20	7	5	20	14	1	7	2	11	11	52	3	673
.....	3	12	44	41	19	4	6	6	19	13	3	16	4	12	7	50	3	674
.....	5	12	51	53	64	24	17	4	21	29	2	15	4	19	14	59	9	675
3	4	4	75	47	58	26	9	6	24	34	4	13	3	16	18	57	12	676
.....	6	12	73	61	36	26	6	5	11	21	1	11	4	21	16	67	1	677
1	9	9	67	82	67	38	14	7	40	21	1	19	1	24	23	91	5	678

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	THE REGISTRATION AREA.											
1	Total	518,207	97,477	22,461	10,031	6,605	5,104	141,678	13,932	8,416	13,969	21,809
2	Males	276,020	54,298	11,854	5,304	3,415	2,642	77,513	7,175	4,390	6,913	11,122
3	Females	242,187	43,179	10,607	4,727	3,190	2,462	64,165	6,757	4,026	7,056	10,687
4	White	483,842	90,125	20,832	9,278	6,150	4,778	131,163	13,076	7,673	12,486	19,270
5	Males	257,922	50,357	11,053	4,929	3,189	2,461	71,989	6,768	4,046	6,239	9,838
6	Females	225,920	39,768	9,779	4,349	2,961	2,317	59,174	6,308	3,627	6,247	9,432
7	Native	341,247	89,139	20,324	8,987	5,932	4,627	129,009	12,444	6,952	10,540	14,589
8	Males	180,257	49,802	10,773	4,758	3,067	2,382	70,782	6,424	3,673	5,214	7,271
9	Females	160,990	39,337	9,551	4,229	2,865	2,245	58,227	6,020	3,279	5,326	7,318
10	Both parents native	M.. 75,990	19,433	3,811	1,787	1,155	908	27,094	2,561	1,626	2,294	2,842
		F.. 71,376	15,072	3,369	1,611	1,095	836	21,983	2,459	1,406	2,390	3,029
11	One or both parents foreign	M.. 56,407	20,577	4,947	2,103	1,320	1,030	29,977	2,589	1,243	1,713	2,594
		F.. 48,313	16,432	4,363	1,842	1,227	956	24,820	2,338	1,206	1,751	2,515
12	Parentage unknown	M.. 24,234	3,302	518	248	168	127	4,363	339	282	470	836
		F.. 20,206	2,718	430	203	141	109	3,601	337	209	426	732
13	Parentage not stated	M.. 23,626	6,490	1,497	620	424	317	9,348	935	522	737	999
		F.. 21,095	5,115	1,389	573	402	344	7,823	886	458	759	1,042
14	Foreign	131,780	461	389	230	170	123	1,373	523	628	1,762	4,265
15	Males	70,692	244	213	137	97	63	754	279	313	917	2,308
16	Females	61,088	217	176	93	73	60	619	244	315	845	1,957
17	Unknown	10,815	525	119	61	48	28	781	109	93	184	416
18	Males	6,973	311	67	34	25	16	453	65	60	108	259
19	Females	3,842	214	52	27	23	12	328	44	33	76	157
20	Colored	34,365	7,352	1,629	753	455	326	10,515	856	743	1,483	2,539
21	Males	18,098	3,941	801	375	226	181	5,524	407	344	674	1,284
22	Females	16,267	3,411	828	378	229	145	4,991	449	399	809	1,255
23	Black	M.. 16,977	3,887	794	371	220	178	5,450	404	340	651	1,213
		F.. 16,058	3,361	821	372	224	139	4,917	439	391	799	1,237
24	Indian	M.. 145	27	4	3	3	1	38	2	3	6	11
		F.. 117	33	3	4	4	3	47	6	5	6	5
25	Chinese and Japanese	M.. 976	27	3	1	3	2	36	1	1	17	60
		F.. 92	17	4	2	1	3	27	4	3	4	13
	REGISTRATION CITIES.											
26	Total	385,395	77,008	18,186	8,101	5,349	4,134	112,778	10,996	6,220	10,400	17,061
27	Males	206,281	42,761	9,543	4,320	2,785	2,144	61,553	5,651	3,217	5,143	8,810
28	Females	179,114	34,247	8,643	3,781	2,564	1,990	51,225	5,345	3,003	5,257	8,251
29	White	353,191	70,086	16,605	7,394	4,924	3,826	102,865	10,200	5,537	9,037	14,655
30	Males	189,359	39,051	8,782	3,972	2,576	1,971	56,352	5,281	2,896	4,522	7,578
31	Females	163,832	31,035	7,853	3,422	2,348	1,855	46,513	4,919	2,641	4,515	7,077
32	Native	235,794	69,279	16,204	7,148	4,745	3,704	101,080	9,672	4,942	7,399	10,641
33	Males	125,572	38,593	8,551	3,825	2,478	1,906	55,353	4,992	2,579	3,665	5,370
34	Females	110,222	30,686	7,653	3,323	2,267	1,798	45,727	4,680	2,363	3,734	5,271
35	Both parents native	M.. 42,089	12,407	2,372	1,196	795	619	17,389	1,648	934	1,274	1,667
		F.. 39,165	9,683	2,138	1,019	717	568	14,125	1,607	816	1,319	1,678
36	One or both parents foreign	M.. 46,151	17,127	4,295	1,833	1,137	872	25,264	2,165	930	1,322	2,085
		F.. 39,241	13,758	3,794	1,584	1,041	805	20,982	1,955	954	1,373	2,025
37	Parentage unknown	M.. 15,846	2,908	455	207	136	111	3,817	284	220	377	671
		F.. 12,665	2,421	374	180	122	94	3,191	276	166	330	590
38	Parentage not stated	M.. 21,486	6,151	1,429	589	410	304	8,883	895	495	692	947
		F.. 19,151	4,824	1,347	540	387	331	7,429	842	427	712	978
39	Foreign	109,536	345	329	194	143	101	1,112	445	519	1,509	3,694
40	Males	58,632	184	177	118	80	52	611	239	270	783	2,011
41	Females	50,904	161	152	76	63	49	501	206	249	726	1,683
42	Unknown	7,861	462	102	52	36	21	673	83	76	129	320
43	Males	5,155	274	54	29	18	13	388	50	47	74	197
44	Females	2,706	188	48	23	18	8	285	33	29	55	123
45	Colored	32,204	6,922	1,551	707	425	308	9,913	796	683	1,363	2,406
46	Males	16,922	3,710	761	348	209	173	5,201	370	321	621	1,232
47	Females	15,282	3,212	790	359	216	135	4,712	426	362	742	1,174
48	Black	M.. 15,931	3,682	757	347	206	171	5,163	369	320	603	1,168
		F.. 15,171	3,193	785	356	214	132	4,680	422	359	738	1,160
49	Indian	M.. 30	1	1	.....	.....	.....	2	.....	.....	3	4
		F.. 20	3	1	1	1	.....	6	.....	.....	.....	1
50	Chinese and Japanese	M.. 961	27	3	1	3	2	36	1	1	15	60
		F.. 91	16	4	2	1	3	26	4	3	4	13

SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1901.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,239	23,665	24,456	24,317	22,802	24,804	25,308	28,491	29,422	29,161	25,732	19,494	9,669	3,483	1,108	2,252	1
12,652	12,746	13,700	13,882	13,182	13,794	13,973	15,148	15,428	14,807	12,743	9,453	4,277	1,325	390	1,407	2
11,587	10,919	10,756	10,435	9,620	11,010	11,335	13,343	13,994	14,354	12,989	10,041	5,392	2,158	718	845	3
21,851	21,787	22,375	22,404	20,995	22,999	23,966	27,116	28,413	28,374	25,162	19,059	9,360	3,331	936	2,046	4
11,391	11,689	12,496	12,773	12,141	12,778	13,203	14,397	14,908	14,435	12,486	9,269	4,170	1,284	334	1,288	5
10,460	10,098	9,879	9,631	8,854	10,221	10,763	12,719	13,505	13,939	12,676	9,790	5,190	2,047	602	758	6
15,502	14,541	13,305	13,331	11,819	11,412	11,617	12,776	13,839	14,465	14,041	11,497	6,032	2,161	524	851	7
7,842	7,626	7,121	7,205	6,557	6,111	6,244	6,756	7,337	7,511	6,936	5,576	2,647	807	173	444	8
7,660	6,915	6,184	6,126	5,262	5,301	5,373	6,020	6,502	6,954	7,105	5,921	3,385	1,354	351	407	9
2,478	2,327	2,122	2,315	2,531	2,821	3,194	3,678	4,183	4,393	4,072	3,206	1,512	464	89	188	10
2,802	2,477	2,155	2,318	2,195	2,716	3,014	3,439	3,881	4,201	4,293	3,483	1,980	798	180	177	
3,259	3,128	2,806	2,569	1,871	1,154	865	711	572	419	365	281	137	50	9	95	11
2,895	2,555	2,233	2,027	1,456	989	750	677	549	455	392	353	167	71	16	98	
960	1,040	1,162	1,226	1,261	1,264	1,315	1,546	1,730	1,910	1,819	1,582	740	215	56	118	12
854	877	890	916	849	894	936	1,176	1,411	1,539	1,672	1,465	877	332	108	105	
1,145	1,131	1,031	1,095	894	872	870	821	852	789	680	507	258	78	19	43	13
1,109	1,006	906	865	762	702	673	728	661	759	748	620	361	153	47	27	
5,764	6,617	8,262	8,219	8,413	10,915	11,680	13,632	13,890	13,253	10,556	7,070	3,103	1,073	386	396	14
3,163	3,647	4,786	4,970	5,014	6,183	6,519	7,196	7,158	6,541	5,262	3,431	1,422	442	152	235	15
2,601	2,970	3,476	3,249	3,399	4,732	5,161	6,436	6,732	6,712	5,294	3,639	1,681	631	234	161	16
585	629	808	854	763	672	669	708	684	656	565	492	225	97	26	799	17
386	416	589	598	570	484	440	445	413	383	288	262	101	35	9	609	18
199	213	219	256	193	188	229	263	271	273	277	230	124	62	17	190	19
2,388	1,878	2,081	1,913	1,807	1,805	1,342	1,375	1,009	787	570	435	309	152	172	206	20
1,261	1,057	1,204	1,109	1,041	1,016	770	751	520	372	257	184	107	41	56	119	21
1,127	821	877	804	766	789	572	624	489	415	313	251	202	111	116	87	22
1,170	958	1,081	947	917	879	691	682	499	359	251	181	105	39	55	105	23
1,117	810	870	796	758	784	564	617	485	411	311	246	199	110	113	84	
10	9	15	8	3	5	6	4	8	4	4	3	2	2	1	1	24
4	4	2	4	3	3	4	4	3	3	1	5	1	1	3	3	
81	90	108	154	121	132	73	65	13	9	2	.....	.....	.....	.....	13	25
6	7	5	4	5	2	4	3	1	1	1	.....	2	.....	.....	.....	
19,531	19,298	20,116	19,717	18,207	19,449	18,807	20,597	19,731	18,396	14,878	10,466	4,942	1,751	622	1,342	26
10,388	10,671	11,520	11,533	10,696	10,939	10,598	10,986	10,215	9,013	7,062	4,715	1,962	594	202	813	27
9,143	8,627	8,596	8,184	7,511	8,510	8,299	9,611	9,516	9,383	7,816	5,751	2,980	1,157	420	529	28
17,245	17,510	18,120	17,890	16,474	17,754	17,655	19,308	18,813	17,701	14,379	10,101	4,680	1,620	473	1,174	29
9,190	9,664	10,376	10,472	9,694	9,999	9,881	10,287	9,751	8,688	6,848	4,565	1,878	560	158	719	30
8,055	7,846	7,744	7,418	6,780	7,755	7,774	9,021	9,062	9,013	7,531	5,536	2,802	1,060	315	455	31
11,715	11,162	10,124	9,882	8,361	7,651	7,085	7,209	7,103	6,905	6,132	4,753	2,474	839	208	457	32
6,099	6,075	5,605	5,535	4,731	4,163	3,922	3,874	3,737	3,438	2,863	2,062	946	270	60	233	33
5,616	5,087	4,519	4,347	3,630	3,488	3,163	3,335	3,366	3,467	3,269	2,691	1,528	569	148	224	34
1,521	1,463	1,297	1,403	1,442	1,626	1,728	1,826	1,831	1,750	1,458	1,068	504	146	29	85	35
1,603	1,390	1,199	1,306	1,231	1,402	1,509	1,645	1,775	1,899	1,804	1,466	835	315	76	75	
2,704	2,650	2,357	2,129	1,516	904	625	484	348	234	169	123	51	25	3	63	36
2,331	2,086	1,810	1,574	1,149	782	540	462	359	260	207	186	79	40	12	75	
799	890	965	972	950	845	811	865	882	837	741	548	234	62	18	58	37
645	665	665	665	564	575	520	626	690	698	674	579	350	111	30	55	
1,075	1,072	986	1,031	823	788	758	699	676	617	495	323	157	37	10	27	38
1,037	946	845	802	686	639	594	602	542	610	584	460	264	103	30	19	
5,048	5,822	7,310	7,291	7,478	9,551	10,074	11,584	11,260	10,405	7,946	5,112	2,116	741	258	261	39
2,778	3,234	4,256	4,428	4,479	5,426	5,628	6,088	5,741	5,012	3,837	2,388	896	278	97	152	40
2,270	2,588	3,054	2,863	2,999	4,125	4,446	5,496	5,519	5,393	4,109	2,724	1,220	463	161	109	41
482	526	686	717	635	552	496	515	450	391	301	236	90	40	7	456	42
313	355	515	509	484	410	331	325	273	238	148	115	36	12	1	334	43
169	171	171	208	151	142	165	190	177	153	153	121	54	28	6	122	44
2,286	1,788	1,996	1,827	1,733	1,695	1,242	1,289	918	695	499	365	262	131	149	168	45
1,198	1,007	1,144	1,061	1,002	940	717	699	464	325	214	150	84	34	44	94	46
1,088	781	852	766	731	755	525	590	454	370	285	215	178	97	105	74	47
1,116	917	1,036	909	880	808	642	633	450	315	209	150	84	33	44	82	48
1,080	774	847	761	725	752	521	585	453	369	283	213	176	97	104	72	
3	3	3	.....	1	1	3	1	1	1	3	.....	.....	1	.....	.....	49
2	.....	.....	1	1	1	.....	2	.....	.....	1	2	.....	.....	1	2	
79	87	105	152	121	131	72	65	13	9	2	.....	.....	.....	.....	12	50
6	7	5	4	5	2	4	3	1	1	1	.....	2	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION STATES.											
51	Total	332,203	62,759	14,389	6,333	4,136	3,159	90,776	8,535	5,028	8,326	12,610
52	Males	174,867	35,050	7,645	3,314	2,136	1,631	49,776	4,408	2,639	4,149	6,300
53	Females	157,336	27,709	6,744	3,019	2,000	1,528	41,000	4,127	2,389	4,177	6,310
54	White	321,948	60,371	13,891	6,103	3,998	3,058	87,421	8,274	4,804	7,915	11,958
55	Males	169,530	33,781	7,397	3,193	2,067	1,582	48,020	4,278	2,540	3,974	5,983
56	Females	152,418	26,590	6,494	2,910	1,931	1,476	39,401	3,996	2,264	3,941	5,975
57	Native	232,139	59,683	13,522	5,881	3,833	2,957	85,876	7,827	4,328	6,610	8,995
58	Males	121,975	33,404	7,188	3,067	1,967	1,528	47,154	4,034	2,298	3,312	4,441
59	Females	110,164	26,279	6,334	2,814	1,866	1,429	38,722	3,793	2,030	3,298	4,554
60	Both parents native (M.)	59,529	14,562	2,831	1,268	820	648	20,129	1,855	1,189	1,743	2,048
	Both parents native (F.)	56,571	11,235	2,508	1,183	787	604	16,317	1,799	1,026	1,745	2,245
61	One or both parents foreign (M.)	44,264	16,808	4,044	1,661	1,049	809	24,461	1,963	937	1,285	1,934
	One or both parents foreign (F.)	37,919	13,461	3,574	1,512	999	759	20,305	1,789	874	1,277	1,872
62	Parentage unknown (M.)	15,754	1,507	232	100	81	56	1,976	169	140	228	396
	Parentage unknown (F.)	13,428	1,205	201	80	58	52	1,596	152	91	221	358
63	Parentage not stated (M.)	2,428	437	81	38	17	15	588	47	32	56	63
	Parentage not stated (F.)	2,246	378	51	39	22	14	504	53	39	55	79
64	Foreign	84,311	337	301	187	135	90	1,050	397	447	1,206	2,801
65	Males	44,046	173	172	107	82	48	582	213	230	603	1,441
66	Females	40,265	164	129	80	53	42	468	184	227	603	1,360
67	Unknown	5,498	351	68	35	30	11	495	50	29	99	162
68	Males	3,509	204	37	19	18	6	284	31	22	59	101
69	Females	1,989	147	31	16	12	5	211	19	7	40	61
70	Colored	10,255	2,388	498	230	138	101	3,355	261	224	411	652
71	Males	5,337	1,269	248	121	69	49	1,756	130	99	175	317
72	Females	4,918	1,119	250	109	69	52	1,599	131	125	236	335
73	Black (M.)	5,030	1,237	244	118	66	48	1,713	127	96	169	297
	Black (F.)	4,804	1,086	248	105	65	49	1,553	125	120	230	331
74	Indian (M.)	133	27	4	3	3	1	38	2	3	3	8
	Indian (F.)	109	31	2	4	4	3	44	6	5	6	4
75	Chinese and Japanese (M.)	174	5	.....	.....	.....	.....	5	1	.....	3	12
	Chinese and Japanese (F.)	5	2	.....	.....	.....	.....	2	.....	.....	.....	.....
	CITIES IN REGISTRATION STATES.											
76	Total	199,391	42,290	10,114	4,403	2,880	2,189	61,876	5,599	2,832	4,757	7,802
77	Males	105,128	23,513	5,334	2,330	1,506	1,133	33,816	2,884	1,466	2,379	3,988
78	Females	94,263	18,777	4,780	2,073	1,374	1,056	28,060	2,715	1,366	2,378	3,874
79	White	191,297	40,332	9,694	4,219	2,772	2,106	59,123	5,398	2,668	4,466	7,343
80	Males	100,967	22,475	5,126	2,236	1,454	1,092	32,383	2,791	1,390	2,257	3,723
81	Females	90,330	17,857	4,568	1,983	1,318	1,014	26,740	2,607	1,278	2,209	3,620
82	Native	126,686	39,823	9,402	4,042	2,646	2,034	57,947	5,055	2,318	3,469	5,047
83	Males	67,290	22,195	4,966	2,134	1,378	1,052	31,725	2,602	1,204	1,763	2,540
84	Females	59,396	17,628	4,436	1,908	1,268	982	26,222	2,453	1,114	1,706	2,507
85	Both parents native (M.)	25,628	7,536	1,392	677	460	359	10,424	942	497	723	873
	Both parents native (F.)	24,360	5,846	1,277	591	409	336	8,459	947	436	674	894
86	One or both parents foreign (M.)	34,008	13,448	3,392	1,391	866	651	19,748	1,539	624	894	1,425
	One or both parents foreign (F.)	28,847	10,787	3,005	1,254	813	608	16,467	1,406	622	899	1,382
87	Parentage unknown (M.)	7,366	1,113	169	59	49	40	1,430	114	78	135	231
	Parentage unknown (F.)	5,887	908	145	57	39	37	1,186	91	48	125	216
88	Parentage not stated (M.)	288	98	13	7	3	2	123	7	5	11	11
	Parentage not stated (F.)	302	87	9	6	7	1	110	9	8	8	15
89	Foreign	62,067	221	241	151	108	68	789	319	338	953	2,230
90	Males	31,986	113	136	88	65	37	439	173	177	469	1,144
91	Females	30,081	108	105	63	43	31	350	146	161	484	1,086
92	Unknown	2,544	288	51	26	18	4	387	24	12	44	66
93	Males	1,691	167	24	14	11	3	219	16	9	25	39
94	Females	853	121	27	12	7	1	168	8	3	19	27
95	Colored	8,094	1,958	420	184	108	83	2,753	201	164	291	519
96	Males	4,161	1,038	208	94	52	41	1,433	93	76	122	265
97	Females	3,933	920	212	90	56	42	1,320	108	88	169	254
98	Black (M.)	3,984	1,032	207	94	52	41	1,426	92	76	121	252
	Black (F.)	3,917	918	212	89	55	42	1,316	108	88	169	254
99	Indian (M.)	18	1	1	.....	.....	.....	2	.....	.....	.....	1
	Indian (F.)	12	1	.....	1	1	.....	3	.....	.....	.....	.....
100	Chinese and Japanese (M.)	159	5	.....	.....	.....	.....	5	1	.....	1	12
	Chinese and Japanese (F.)	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14,243	14,105	14,273	14,399	13,643	15,344	16,393	18,776	19,979	20,258	18,700	14,560	7,441	2,701	789	1,324	51
7,344	7,435	7,792	7,955	7,635	8,265	8,778	9,738	10,350	10,255	9,305	7,164	3,390	1,050	286	853	52
6,899	6,670	6,481	6,444	6,008	7,079	7,615	9,038	9,629	10,003	9,395	7,396	4,051	1,651	503	471	53
13,606	13,582	13,739	13,878	13,145	14,800	15,954	18,371	19,660	19,983	18,490	14,393	7,338	2,646	726	1,265	54
6,997	7,140	7,473	7,686	7,374	7,962	8,529	9,523	10,178	10,117	9,209	7,089	3,348	1,033	260	817	55
6,609	6,442	6,266	6,192	5,771	6,838	7,425	8,848	9,482	9,866	9,281	7,304	3,990	1,613	466	448	56
9,501	8,977	8,077	8,345	7,605	7,611	8,196	9,340	10,534	11,356	11,453	9,577	5,091	1,859	450	531	57
4,787	4,607	4,248	4,421	4,140	3,990	4,341	4,884	5,545	5,945	5,698	4,723	2,272	709	150	276	58
4,714	4,370	3,829	3,924	3,465	3,621	3,855	4,456	4,989	5,411	5,755	4,854	2,819	1,150	300	255	59
1,804	1,682	1,510	1,725	1,906	2,219	2,611	3,064	3,590	3,867	3,661	2,900	1,385	434	82	125	60
2,080	1,867	1,609	1,774	1,722	2,167	2,514	2,921	3,334	3,637	3,844	3,129	1,810	739	171	121	
2,435	2,327	2,054	1,899	1,380	840	668	544	434	330	298	243	119	40	9	64	61
2,092	1,932	1,631	1,532	1,097	754	565	515	426	372	326	286	141	58	13	62	
469	534	629	718	777	838	943	1,140	1,335	1,567	1,535	1,387	660	193	50	70	62
461	497	517	546	557	622	684	882	1,100	1,244	1,407	1,268	765	300	98	62	
79	64	55	79	77	93	119	136	186	181	204	193	108	42	9	17	63
81	74	72	72	89	78	92	138	129	158	178	171	103	53	18	10	
3,876	4,369	5,334	5,183	5,181	6,885	7,445	8,674	8,767	8,239	6,673	4,496	2,074	718	253	243	64
2,052	2,374	2,992	3,014	2,974	3,757	3,988	4,415	4,415	3,949	3,330	2,190	997	297	102	141	65
1,824	1,995	2,342	2,169	2,207	3,128	3,457	4,259	4,352	4,290	3,343	2,306	1,077	421	151	102	66
229	236	328	350	359	304	313	357	359	388	364	320	173	69	23	491	67
158	159	233	251	260	215	200	224	218	223	181	176	79	27	8	400	68
71	77	95	99	99	89	113	133	141	165	183	144	94	42	15	91	69
637	523	534	521	498	544	439	405	319	275	210	167	103	55	63	59	70
347	295	319	269	261	303	249	215	172	138	96	75	42	17	26	36	71
290	228	215	252	237	241	190	190	147	137	114	92	61	38	37	23	72
318	253	276	238	245	278	235	209	165	134	92	72	40	15	25	33	73
286	224	212	248	234	239	185	186	144	134	114	87	60	37	34	21	
8	9	14	8	2	5	5	4	7	4	4	3	2	2	1	1	74
3	4	2	4	3	2	4	4	3	3	.....	5	1	1	3	2	
21	33	29	23	14	20	9	2	.....	.....	.....	.....	.....	.....	.....	2	75
1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9,535	9,738	9,933	9,799	9,048	9,989	9,982	10,882	10,288	9,493	7,846	5,532	2,714	969	303	414	76
5,080	5,360	5,612	5,606	5,149	5,410	5,403	5,576	5,137	4,461	3,624	2,426	1,075	319	98	259	77
4,455	4,378	4,321	4,193	3,899	4,579	4,579	5,306	5,151	5,032	4,222	3,106	1,639	650	205	155	78
9,000	9,305	9,484	9,364	8,624	9,555	9,643	10,563	10,060	9,310	7,707	5,435	2,658	935	263	393	79
4,796	5,115	5,353	5,385	4,927	5,183	5,207	5,413	5,021	4,370	3,571	2,385	1,056	309	84	248	80
4,204	4,190	4,131	3,979	3,697	4,372	4,436	5,150	5,039	4,940	4,136	3,050	1,602	626	179	145	81
5,714	5,598	4,896	4,896	4,147	3,850	3,664	3,773	3,798	3,796	3,544	2,833	1,533	537	134	137	82
3,044	3,056	2,732	2,751	2,314	2,042	2,019	2,002	1,945	1,872	1,625	1,209	571	172	37	65	83
2,670	2,542	2,164	2,145	1,833	1,808	1,645	1,771	1,853	1,924	1,919	1,624	962	365	97	72	84
847	818	685	813	817	1,024	1,145	1,212	1,238	1,224	1,047	762	377	116	22	22	85
881	780	653	762	758	943	1,009	1,127	1,228	1,335	1,355	1,112	665	256	67	19	
1,880	1,849	1,605	1,459	1,025	590	428	317	210	145	102	85	33	15	3	32	86
1,528	1,463	1,208	1,079	790	547	355	300	236	177	141	119	53	27	9	39	
308	384	432	464	466	419	439	459	487	494	457	353	154	40	12	10	87
252	285	292	295	272	303	268	332	379	403	409	382	238	79	20	12	
9	5	10	15	6	9	7	14	10	9	19	9	7	1	.....	1	88
9	14	11	9	13	15	13	12	10	9	14	11	6	3	1	2	
3,160	3,574	4,382	4,255	4,246	5,521	5,839	6,626	6,137	5,391	4,063	2,538	1,087	386	125	108	89
1,667	1,961	2,462	2,472	2,439	3,000	3,097	3,307	2,998	2,420	1,905	1,147	471	133	47	58	90
1,493	1,613	1,920	1,783	1,807	2,521	2,742	3,319	3,139	2,971	2,158	1,391	616	253	78	50	91
126	133	206	213	231	184	140	164	125	123	100	64	38	12	4	148	92
85	98	159	162	174	141	91	104	78	78	41	29	14	4	.....	125	93
41	35	47	51	57	43	49	60	47	45	59	35	24	8	4	23	94
535	433	449	435	424	434	339	319	228	183	139	97	56	34	40	21	95
284	245	259	221	222	227	196	163	116	91	53	41	19	10	14	11	96
251	188	190	214	202	207	143	156	112	92	86	56	37	24	26	10	97
264	212	231	200	208	207	186	160	116	90	50	41	19	9	14	10	98
249	188	189	213	201	207	142	154	112	92	86	54	37	24	25	9	
1	3	2	.....	.....	1	2	1	.....	1	3	.....	.....	1	.....	.....	99
1	.....	.....	1	1	.....	.....	2	.....	.....	.....	2	.....	.....	1	1	
19	30	26	21	14	19	8	2	.....	.....	.....	.....	.....	.....	.....	1	100
1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	RURAL PART OF REGISTRATION STATES.											
101	Total	132,812	20,469	4,275	1,930	1,256	970	28,900	2,936	2,196	3,569	4,748
102	Males	69,739	11,537	2,311	984	630	498	15,960	1,524	1,173	1,770	2,312
103	Females	63,073	8,932	1,964	946	626	472	12,940	1,412	1,023	1,799	2,436
104	White	130,651	20,039	4,197	1,884	1,226	952	28,298	2,876	2,136	3,449	4,615
105	Males	68,563	11,306	2,271	957	613	490	15,637	1,487	1,150	1,717	2,260
106	Females	62,088	8,733	1,926	927	613	462	12,661	1,389	986	1,732	2,355
107	Native	105,453	19,860	4,120	1,839	1,187	923	27,929	2,772	2,010	3,141	3,948
108	Males	54,685	11,209	2,222	933	589	476	15,429	1,432	1,094	1,549	1,901
109	Females	50,768	8,651	1,898	906	598	447	12,500	1,340	916	1,592	2,047
110	Both parents native {M	33,901	7,026	1,439	591	360	289	9,705	913	692	1,020	1,175
	{F	32,211	5,389	1,231	592	378	268	7,858	852	590	1,071	1,351
111	One or both parents foreign {M	10,256	3,450	652	270	183	158	4,713	424	313	391	509
	{F	9,072	2,674	569	258	186	151	3,838	383	252	378	490
112	Parentage unknown {M	8,388	394	63	41	32	16	546	55	62	93	165
	{F	7,541	297	56	23	19	15	410	61	43	96	142
113	Parentage not stated {M	2,140	339	68	31	14	13	465	40	27	45	52
	{F	1,944	291	42	33	15	13	394	44	31	47	64
114	Foreign	22,244	116	60	36	27	22	261	78	109	253	571
115	Males	12,060	60	36	19	17	11	143	40	43	134	297
116	Females	10,184	56	24	17	10	11	118	38	66	119	274
117	Unknown	2,954	63	17	9	12	7	108	26	17	55	96
118	Males	1,818	37	13	5	7	3	65	15	13	34	62
119	Females	1,136	26	4	4	5	4	43	11	4	21	34
120	Colored	2,161	430	78	46	30	18	602	60	60	120	133
121	Males	1,176	231	40	27	17	8	323	37	23	53	52
122	Females	985	199	38	19	13	10	279	23	37	67	81
123	Black {M	1,046	205	37	24	14	7	287	35	20	48	45
	{F	887	168	36	16	10	7	237	17	32	61	77
124	Indian {M	115	26	3	3	3	1	36	2	3	3	7
	{F	97	30	2	3	3	3	41	6	5	6	4
125	Chinese and Japanese {M	15	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
	{F	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
	REGISTRATION CITIES IN OTHER STATES.											
126	Total	186,004	34,718	8,072	3,698	2,469	1,945	50,902	5,397	3,388	5,643	9,199
127	Males	101,153	19,248	4,209	1,990	1,279	1,011	27,737	2,767	1,751	2,764	4,822
128	Females	84,851	15,470	3,863	1,708	1,190	934	23,165	2,630	1,637	2,879	4,377
129	White	161,894	29,754	6,941	3,175	2,152	1,720	43,742	4,802	2,809	4,571	7,312
130	Males	88,392	16,576	3,656	1,736	1,122	879	23,969	2,490	1,506	2,265	3,855
131	Females	73,502	13,178	3,285	1,439	1,030	841	19,773	2,312	1,303	2,306	3,457
132	Native	109,108	29,456	6,802	3,106	2,099	1,670	43,133	4,617	2,624	3,930	5,594
133	Males	58,282	16,398	3,585	1,691	1,100	854	23,628	2,390	1,375	1,902	2,830
134	Females	50,826	13,058	3,217	1,415	999	816	19,505	2,227	1,249	2,028	2,764
135	Both parents native {M	16,461	4,871	980	519	335	260	6,965	706	437	551	794
	{F	14,805	3,837	861	428	308	232	5,666	660	380	645	784
136	One or both parents foreign {M	12,143	3,679	903	442	271	221	5,516	626	306	428	660
	{F	10,394	2,971	789	330	228	197	4,515	549	332	474	643
137	Parentage unknown {M	8,480	1,795	286	148	87	71	2,387	170	142	242	440
	{F	6,778	1,513	229	123	83	57	2,005	185	118	205	374
138	Parentage not stated {M	21,198	6,053	1,416	582	407	302	8,760	888	490	681	936
	{F	18,849	4,737	1,338	534	380	330	7,319	833	419	704	963
139	Foreign	47,469	124	88	43	35	33	323	126	181	556	1,464
140	Males	26,646	71	41	30	15	15	172	66	93	314	867
141	Females	20,823	53	47	13	20	18	151	60	88	242	597
142	Unknown	5,317	174	51	26	18	17	286	59	64	85	254
143	Males	3,464	107	30	15	7	10	169	34	38	49	158
144	Females	1,853	67	21	11	11	7	117	25	26	36	96
145	Colored	24,110	4,964	1,131	523	317	225	7,160	595	519	1,072	1,887
146	Males	12,761	2,672	553	254	157	132	3,768	277	245	499	967
147	Females	11,349	2,292	578	269	160	93	3,392	318	274	573	920
148	Black {M	11,947	2,650	550	253	154	130	3,737	277	244	482	916
	{F	11,254	2,275	573	267	159	90	3,364	314	271	569	906
149	Indian {M	12	.....	.....	.....	.....	.....	.....	.....	.....	3	3
	{F	8	2	1	.....	.....	.....	3	.....	.....	.....	1
150	Chinese and Japanese {M	802	22	3	1	3	2	31	.....	1	14	48
	{F	87	15	4	2	1	3	25	4	3	4	13

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,708	4,367	4,340	4,600	4,595	5,355	6,411	7,894	9,691	10,765	10,854	9,028	4,727	1,732	486	910	101
2,264	2,075	2,180	2,349	2,486	2,855	3,375	4,162	5,213	5,794	5,681	4,738	2,315	731	188	594	102
2,444	2,292	2,160	2,251	2,109	2,500	3,036	3,732	4,478	4,971	5,173	4,290	2,412	1,001	298	316	103
4,606	4,277	4,255	4,514	4,521	5,245	6,311	7,808	9,600	10,673	10,783	8,958	4,680	1,711	463	872	104
2,201	2,025	2,120	2,301	2,447	2,779	3,322	4,110	5,157	5,747	5,638	4,704	2,292	724	176	569	105
2,405	2,252	2,135	2,213	2,074	2,466	2,989	3,698	4,443	4,926	5,145	4,254	2,388	987	287	303	106
3,787	3,379	3,181	3,449	3,458	3,761	4,532	5,567	6,736	7,560	7,909	6,744	3,558	1,322	316	394	107
1,743	1,551	1,516	1,670	1,826	1,948	2,322	2,882	3,600	4,073	4,073	3,514	1,701	537	113	211	108
2,044	1,828	1,665	1,779	1,632	1,813	2,210	2,685	3,136	3,487	3,836	3,230	1,857	785	203	183	109
957	864	825	912	1,089	1,195	1,466	1,852	2,352	2,643	2,614	2,138	1,008	318	60	103	110
1,199	1,087	956	1,012	964	1,224	1,505	1,794	2,106	2,302	2,489	2,017	1,145	483	104	102	
555	478	449	440	355	250	240	227	224	185	196	158	86	25	6	32	111
564	469	423	453	307	207	210	215	190	195	185	167	88	31	4	23	
161	150	197	254	311	419	504	681	848	1,073	1,078	1,034	506	153	38	60	112
209	212	225	251	285	319	416	550	721	841	998	886	527	221	78	50	
70	59	45	64	71	84	112	122	176	172	185	184	101	41	9	16	113
72	60	61	63	76	63	79	126	119	149	164	160	97	50	17	8	
716	795	952	928	935	1,364	1,606	2,048	2,630	2,848	2,610	1,958	987	332	128	135	114
385	413	530	542	535	757	891	1,108	1,417	1,529	1,425	1,043	606	164	55	83	115
331	382	422	386	400	607	715	940	1,213	1,319	1,185	915	461	168	73	52	116
103	103	122	137	128	120	173	193	234	265	264	256	135	57	19	343	117
73	61	74	89	86	74	109	120	140	145	140	147	65	23	8	275	118
30	42	48	48	42	46	64	73	94	120	124	109	70	34	11	68	119
102	90	85	86	74	110	100	86	91	92	71	70	47	21	23	38	120
63	50	60	48	39	76	53	52	56	47	43	34	23	7	12	25	121
39	40	25	38	35	34	47	34	35	45	28	36	24	14	11	13	122
54	41	45	38	37	71	49	49	49	44	42	31	21	6	11	23	123
37	36	23	35	33	32	43	32	32	42	28	33	23	13	9	12	
7	6	12	8	2	4	3	3	7	3	1	3	2	1	1	1	124
2	4	2	3	2	2	4	2	3	3	.....	3	1	1	2	1	
2	3	3	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	125
9,996	9,560	10,183	9,918	9,159	9,460	8,915	9,715	9,443	8,903	7,032	4,934	2,228	782	319	928	126
5,308	5,311	5,908	5,927	5,547	5,529	5,195	5,410	5,078	4,552	3,438	2,289	887	275	104	554	127
4,688	4,249	4,275	3,991	3,612	3,931	3,720	4,305	4,365	4,351	3,594	2,645	1,341	507	215	374	128
8,245	8,205	8,636	8,526	7,850	8,199	8,012	8,745	8,753	8,391	6,672	4,666	2,022	685	210	781	129
4,394	4,549	5,023	5,087	4,767	4,816	4,674	4,874	4,730	4,318	3,277	2,180	822	251	74	471	130
3,851	3,656	3,613	3,439	3,083	3,383	3,338	3,871	4,023	4,073	3,395	2,486	1,200	434	136	310	131
6,001	5,564	5,228	4,986	4,214	3,801	3,421	3,436	3,305	3,109	2,588	1,920	941	302	74	320	132
3,055	3,019	2,873	2,784	2,417	2,121	1,903	1,872	1,792	1,566	1,238	853	375	98	23	168	133
2,946	2,545	2,355	2,202	1,797	1,680	1,518	1,564	1,513	1,543	1,350	1,067	566	204	51	152	134
674	645	612	590	625	602	583	614	593	526	411	306	127	30	7	63	135
722	610	546	544	473	549	500	518	547	564	449	354	170	59	9	56	
824	801	752	670	491	314	197	167	138	89	67	38	18	10	.....	31	136
803	623	602	495	359	235	185	162	123	83	66	67	26	13	3	36	
491	506	533	508	484	426	372	406	395	343	284	195	80	22	6	48	137
393	380	373	370	292	272	252	294	311	295	265	197	112	32	10	43	
1,066	1,067	976	1,016	817	779	731	685	666	608	476	314	150	36	10	26	138
1,028	932	834	793	673	624	581	590	532	601	570	449	258	100	29	17	
1,888	2,248	2,928	3,026	3,232	4,030	4,235	4,958	5,123	5,014	3,883	2,574	1,029	355	133	153	139
1,111	1,273	1,794	1,956	2,040	2,426	2,531	2,781	2,743	2,592	1,932	1,241	425	145	50	94	140
777	975	1,134	1,080	1,192	1,604	1,704	2,177	2,380	2,422	1,951	1,333	604	210	83	59	141
356	393	480	504	404	368	356	351	325	268	201	172	52	28	3	308	142
228	257	356	347	310	269	240	221	195	160	107	86	22	8	1	209	143
128	136	124	157	94	99	116	130	130	108	94	86	30	20	2	99	144
1,751	1,355	1,547	1,392	1,309	1,261	903	970	690	512	360	268	206	97	109	147	145
914	762	885	840	780	713	521	536	348	234	161	109	65	24	30	83	146
837	593	662	552	529	548	382	434	342	278	199	159	141	73	79	64	147
852	705	805	709	672	601	456	473	334	225	159	109	65	24	30	72	148
831	586	658	548	524	545	379	431	341	277	197	159	139	73	79	63	
2	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	149
1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	
60	57	79	131	107	112	64	63	13	9	2	.....	.....	.....	.....	11	150
5	7	4	4	5	2	3	3	1	1	1	.....	2	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	CONNECTICUT.											
151	Total	14,866	2,812	545	233	165	119	3,874	365	222	346	511
152	Males	7,840	1,597	298	116	89	63	2,163	204	124	190	258
153	Females	7,026	1,215	247	117	76	56	1,711	161	98	156	253
154	White	14,512	2,745	527	228	162	115	3,777	356	213	333	491
155	Males	7,643	1,562	287	115	87	60	2,111	199	118	184	246
156	Females	6,869	1,183	240	113	75	55	1,666	157	95	149	245
157	Native	10,306	2,725	509	217	156	112	3,719	337	178	253	343
158	Males	5,470	1,555	275	107	84	57	2,078	190	100	140	181
159	Females	4,836	1,170	234	110	72	55	1,641	147	78	113	162
160	Both parents native {M	2,500	527	90	23	26	18	684	73	50	55	63
	{F	2,385	386	77	42	22	20	547	56	33	45	63
161	One or both parents foreign {M	2,228	979	175	77	55	37	1,323	110	45	76	100
	{F	1,796	749	152	62	47	33	1,043	85	43	66	85
162	Parentage unknown {M	742	49	10	7	3	2	71	7	5	9	18
	{F	655	35	5	6	3	2	51	6	2	2	14
163	Foreign	3,913	16	18	10	5	2	51	14	29	72	143
164	Males	1,994	7	12	7	3	2	31	5	13	41	63
165	Females	1,919	9	6	3	2	.....	20	9	16	31	80
166	Unknown	293	4	.....	1	1	1	7	5	6	8	5
167	Males	179	.....	.....	1	.....	1	2	4	5	3	2
168	Females	114	4	.....	.....	1	.....	5	1	1	5	3
169	Colored	354	67	18	5	3	4	97	9	9	13	20
170	Males	197	35	11	1	2	3	52	5	6	6	12
171	Females	157	32	7	4	1	1	45	4	3	7	8
172	Black {M	187	35	11	1	2	3	52	5	6	6	11
	{F	155	32	7	4	1	1	45	4	3	7	8
173	Indian {M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Chinese and Japanese {M	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	DISTRICT OF COLUMBIA.											
175	Total	6,055	1,256	200	112	53	54	1,675	138	89	157	321
176	Males	3,158	693	93	61	26	27	900	63	50	68	163
177	Females	2,897	563	107	51	27	27	775	75	39	89	158
178	White	3,357	561	88	49	23	22	743	81	39	54	149
179	Males	1,833	324	42	30	12	9	417	37	27	28	78
180	Females	1,524	237	46	19	11	13	326	44	12	26	71
181	Native	2,708	555	88	48	23	22	736	81	39	52	141
182	Males	1,427	320	42	29	12	9	412	37	27	27	73
183	Females	1,281	235	46	19	11	13	324	44	12	25	68
184	Both parents native {M	976	233	32	22	8	5	300	26	19	22	51
	{F	921	173	33	13	10	9	238	34	12	17	39
185	One or both parents foreign {M	238	56	6	6	4	3	75	9	4	4	15
	{F	224	37	6	3	1	3	50	7	.....	6	15
186	Parentage unknown {M	213	31	4	1	.....	1	37	2	4	1	7
	{F	136	25	7	3	.....	1	36	3	.....	2	14
187	Foreign	616	.....	.....	1	.....	.....	1	.....	.....	2	7
188	Males	382	.....	.....	1	.....	.....	1	.....	.....	1	4
189	Females	234	.....	.....	.....	.....	.....	.....	.....	.....	1	3
190	Unknown	33	6	.....	.....	.....	.....	6	.....	.....	.....	1
191	Males	24	4	.....	.....	.....	.....	4	.....	.....	.....	1
192	Females	9	2	.....	.....	.....	.....	2	.....	.....	.....	.....
193	Colored	2,698	695	112	63	30	32	932	57	50	103	172
194	Males	1,325	369	51	31	14	18	483	26	23	40	85
195	Females	1,373	326	61	32	16	14	449	31	27	63	87
196	Black {M	1,321	368	51	31	14	18	482	26	23	40	85
	{F	1,373	326	61	32	16	14	449	31	27	63	87
197	Chinese and Japanese {M	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1901—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
632	570	590	604	592	713	736	879	884	916	931	741	404	156	45	155	151
338	302	347	352	324	369	366	438	472	488	428	322	172	61	13	109	152
294	268	243	252	268	344	370	441	412	428	503	419	232	95	32	46	153
610	547	572	589	578	689	722	864	874	897	922	737	400	153	43	145	154
328	289	336	342	315	333	358	427	467	480	423	321	170	60	12	104	155
282	258	236	247	263	336	364	437	407	417	499	416	230	93	31	41	156
404	335	318	353	336	319	321	424	482	529	646	542	302	113	31	21	157
214	174	195	197	176	161	149	210	277	297	304	236	125	45	8	13	158
190	161	123	156	160	158	172	214	205	232	342	306	177	68	23	8	159
63	50	61	80	88	100	103	162	193	195	202	153	83	31	6	5	160
79	53	49	69	74	105	115	151	149	161	225	222	122	46	18	3	
129	97	115	87	59	24	13	12	12	4	5	9	4	.....	1	3	161
97	96	56	68	55	21	22	15	6	6	13	12	3	3	.....	1	
22	27	19	30	29	37	33	36	72	98	97	74	38	14	1	5	162
14	12	18	19	31	32	35	48	50	65	104	72	52	19	5	4	
192	198	237	228	227	345	383	426	380	351	262	172	88	35	11	69	163
104	105	127	138	127	177	198	211	183	178	116	77	41	14	4	41	164
88	93	110	90	100	168	185	215	197	173	146	95	47	21	7	28	165
14	14	17	8	15	25	18	14	12	17	14	23	10	5	1	55	166
10	10	14	7	12	15	11	6	7	5	3	8	4	1	.....	50	167
4	4	3	1	3	10	7	8	5	12	11	15	6	4	1	5	168
22	23	18	15	14	24	14	15	10	19	9	4	4	3	2	10	169
10	13	11	10	9	16	8	11	5	8	5	1	2	1	1	5	170
12	10	7	5	5	8	6	4	5	11	4	3	2	2	1	5	171
10	11	9	8	9	15	8	11	5	7	4	1	2	1	1	5	172
12	10	7	5	5	8	6	4	5	11	4	3	2	2	.....	4	
.....	1	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	173
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	
.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	174
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
306	268	293	283	296	355	347	373	323	301	220	177	70	33	29	1	175
159	137	149	139	147	200	193	209	177	166	113	77	29	9	10	.....	176
147	131	144	144	149	155	154	164	146	135	107	100	41	24	19	1	177
142	154	145	153	141	197	238	255	245	233	178	135	46	21	7	1	178
77	79	83	83	80	114	130	149	139	129	96	59	19	6	3	.....	179
65	75	62	70	61	83	108	106	106	104	82	76	27	15	4	1	180
125	133	117	116	114	152	167	162	158	157	110	94	35	13	6	.....	181
64	67	62	56	64	85	91	90	87	83	47	34	14	4	3	.....	182
61	66	55	60	50	67	76	72	71	74	63	60	21	9	3	.....	183
39	44	39	34	33	59	59	58	65	64	29	22	9	2	2	.....	184
37	44	26	36	37	54	62	57	55	54	56	42	13	7	1	.....	
18	20	13	11	14	13	7	13	6	6	2	3	3	1	1	.....	185
20	17	19	15	10	8	10	8	9	15	6	7	1	1	.....	.....	
7	3	10	11	17	13	25	19	16	13	16	9	2	1	.....	.....	186
4	5	10	9	3	5	4	7	7	5	1	11	7	1	2	.....	
17	20	26	35	24	44	67	89	84	74	66	40	11	8	1	.....	187
13	11	19	25	16	28	35	56	49	45	47	25	5	2	.....	.....	188
4	9	7	10	8	16	32	33	35	29	19	15	6	6	1	.....	189
.....	1	2	2	3	1	4	4	3	2	2	1	.....	.....	.....	1	190
.....	1	2	2	.....	1	4	3	3	1	2	.....	.....	.....	.....	.....	191
.....	.....	.....	.....	3	.....	.....	1	.....	1	.....	1	.....	.....	.....	1	192
164	114	148	130	155	158	109	118	78	68	42	42	24	12	22	.....	193
82	58	66	56	67	86	63	60	38	37	17	18	10	3	7	.....	194
82	56	82	74	88	72	46	58	40	31	25	24	14	9	15	.....	195
81	57	65	56	67	86	63	60	38	37	17	18	10	3	7	.....	196
82	56	82	74	88	72	46	58	40	31	25	24	14	9	15	.....	
1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	197

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA.											
198	Total	35,130	6,481	1,586	683	422	280	9,452	944	698	1,271	1,717
199	Males	18,022	3,572	839	336	224	142	5,113	470	353	556	760
200	Females	17,108	2,909	747	347	198	138	4,339	474	345	715	957
201	White	33,936	6,284	1,544	665	406	268	9,167	909	660	1,197	1,624
202	Males	17,390	3,465	817	329	212	136	4,959	452	337	532	722
203	Females	16,546	2,819	727	336	194	132	4,208	457	323	665	902
204	Native	29,318	6,250	1,533	657	402	266	9,108	887	648	1,155	1,536
205	Males	14,820	3,449	808	325	210	136	4,928	440	330	507	677
206	Females	14,498	2,801	725	332	192	130	4,180	447	318	648	859
207	Both parents native {M	10,602	2,897	712	287	181	118	4,195	373	276	398	512
	{F	10,396	2,346	629	288	170	108	3,541	379	262	519	654
208	One or both parents foreign {M	1,666	343	57	21	16	13	450	45	36	73	104
	{F	1,594	288	59	27	14	13	401	39	36	72	125
209	Parentage unknown {M	2,552	209	39	17	13	5	283	22	18	36	61
	{F	2,508	167	37	17	8	9	238	29	20	57	80
210	Foreign	3,601	13	2	3	1	.....	19	5	8	18	52
211	Males	1,967	5	1	.....	.....	.....	6	2	4	8	26
212	Females	1,634	8	1	3	1	.....	13	3	4	10	26
213	Unknown	1,017	21	9	5	3	2	40	17	4	24	36
214	Males	603	11	8	4	2	.....	25	10	3	17	19
215	Females	414	10	1	1	1	2	15	7	1	7	17
216	Colored	1,194	197	42	18	16	12	285	35	38	74	93
217	Males	632	107	22	7	12	6	154	18	16	24	38
218	Females	562	90	20	11	4	6	131	17	22	50	55
219	Black {M	628	106	22	7	12	6	153	18	16	24	37
	{F	561	90	20	11	4	6	131	17	22	50	55
220	Indian {M	4	1	.....	.....	.....	.....	1	.....	.....	.....	1
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MAINE.											
221	Total	11,215	1,629	311	120	86	76	2,222	241	169	325	419
222	Males	5,680	896	156	59	44	32	1,187	119	83	163	202
223	Females	5,535	733	155	61	42	44	1,035	122	86	162	217
224	White	11,198	1,627	309	120	86	76	2,218	241	169	325	419
225	Males	5,668	894	155	59	44	32	1,184	119	83	163	202
226	Females	5,530	733	154	61	42	44	1,034	122	86	162	217
227	Native	9,604	1,608	296	116	82	72	2,174	222	146	272	332
228	Males	4,854	889	147	59	42	30	1,167	114	73	145	157
229	Females	4,750	719	149	57	40	42	1,007	108	73	127	175
230	Both parents native {M	3,216	480	86	37	19	21	643	66	54	101	108
	{F	3,200	388	79	31	18	21	537	67	48	95	132
231	One or both parents foreign {M	837	375	57	19	19	9	479	45	16	33	33
	{F	823	311	62	26	18	19	436	33	19	26	30
232	Parentage unknown {M	801	34	4	3	4	.....	45	3	3	11	16
	{F	727	20	8	.....	4	2	34	8	6	6	13
233	Foreign	1,428	15	13	4	3	4	39	18	23	28	80
234	Males	709	3	8	.....	1	2	14	5	10	16	41
235	Females	719	12	5	4	2	2	25	13	13	32	39
236	Unknown	166	4	.....	.....	1	.....	5	1	.....	5	7
237	Males	105	2	.....	.....	1	.....	3	.....	.....	2	4
238	Females	61	2	.....	.....	.....	.....	2	1	.....	3	3
239	Colored	17	2	2	.....	.....	.....	4	.....	.....	.....	.....
240	Males	12	2	1	.....	.....	.....	3	.....	.....	.....	.....
241	Females	5	.....	1	.....	.....	.....	1	.....	.....	.....	.....
242	Black {M	6	2	.....	.....	.....	.....	2	.....	.....	.....	.....
	{F	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....
243	Indian {M	4	.....	1	.....	.....	.....	1	.....	.....	.....	.....
	{F	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
244	Chinese and Japanese {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,539	1,400	1,274	1,324	1,290	1,361	1,640	1,801	2,109	2,239	2,107	1,614	789	247	82	232	198
671	624	597	669	672	748	901	955	1,107	1,209	1,092	843	399	108	38	137	199
868	776	677	655	618	613	739	846	1,002	1,030	1,015	771	390	139	44	95	200
1,454	1,329	1,222	1,274	1,225	1,289	1,575	1,759	2,068	2,202	2,085	1,585	777	242	70	223	201
622	587	561	640	639	708	860	934	1,081	1,191	1,082	825	393	105	31	129	202
832	742	661	634	586	581	715	825	987	1,011	1,003	760	384	137	39	94	203
1,333	1,208	1,066	1,100	1,048	1,047	1,245	1,336	1,536	1,550	1,462	1,140	540	179	39	155	204
553	522	468	537	530	551	660	705	795	835	754	593	266	75	17	77	205
780	686	598	563	518	496	585	631	741	715	708	547	274	104	22	78	206
370	341	283	317	318	349	402	422	505	522	446	334	136	45	6	52	207
551	461	365	356	324	313	396	409	478	436	414	298	140	40	9	51	
119	117	102	107	85	64	61	66	66	46	58	39	21	2	2	3	208
118	123	122	100	77	62	49	48	46	48	53	39	23	7	1	5	
64	64	83	113	127	138	197	217	224	267	250	220	109	28	9	22	209
111	102	111	107	117	121	140	174	217	231	241	210	111	57	12	22	
64	78	100	109	125	191	270	348	449	563	535	385	200	49	26	7	210
32	44	59	64	80	118	161	180	241	306	290	198	106	25	13	4	211
32	34	41	45	45	73	109	168	208	257	245	187	94	24	13	3	212
57	43	56	65	52	51	60	75	83	89	88	60	37	14	5	61	213
37	21	34	39	29	39	39	49	45	50	38	34	21	5	1	48	214
20	22	22	26	23	12	21	26	38	39	50	26	16	9	4	13	215
85	71	52	50	65	72	65	42	41	37	22	29	12	5	12	9	216
49	37	36	29	33	40	41	21	26	18	10	18	6	3	7	8	217
36	34	16	21	32	32	24	21	15	19	12	11	6	2	5	1	218
49	37	35	29	33	39	41	21	26	18	10	18	6	3	7	8	219
36	33	16	21	32	32	24	21	15	19	12	11	6	2	5	1	
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	220
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
395	385	370	393	383	425	559	690	823	913	944	818	430	170	52	89	221
170	178	171	186	199	208	290	365	430	496	496	405	196	72	16	48	222
225	207	199	207	184	217	269	325	393	417	448	413	234	98	36	41	223
395	385	369	392	382	425	557	686	821	913	944	818	430	170	52	87	224
170	178	170	185	198	208	288	364	428	496	496	405	196	72	16	47	225
225	207	199	207	184	217	269	322	393	417	448	413	234	98	36	40	226
309	299	280	326	310	342	446	557	682	785	794	717	379	145	44	43	227
130	132	127	153	160	166	222	295	361	429	412	355	169	58	13	16	228
179	167	153	173	150	176	224	262	321	356	382	392	210	87	31	27	229
82	93	80	94	118	118	165	203	264	318	299	225	119	51	8	7	230
123	105	107	123	110	136	171	191	232	270	274	237	150	60	18	14	
32	20	24	31	15	11	13	19	9	15	14	16	7	1	.....	4	231
40	36	30	31	18	15	15	18	17	15	14	15	6	2	2	5	
16	19	23	28	27	37	44	73	88	96	99	114	43	6	5	5	232
16	26	16	19	22	25	38	53	72	71	94	110	54	25	11	8	
80	82	80	59	64	76	101	117	128	119	137	88	45	21	6	17	233
36	43	40	29	33	39	57	62	59	59	77	41	25	11	3	9	234
44	39	40	30	31	37	44	55	69	60	60	47	20	10	3	8	235
6	4	9	7	8	7	10	12	11	9	13	13	6	4	2	27	236
4	3	3	3	5	3	9	7	8	8	7	9	2	3	.....	22	237
2	1	6	4	3	4	1	5	3	1	6	4	4	1	2	5	238
.....	.....	1	1	1	.....	2	4	2	.....	.....	.....	.....	.....	.....	2	239
.....	.....	1	1	1	.....	2	1	2	.....	.....	.....	.....	.....	.....	1	240
.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	1	241
.....	.....	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	242
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	243
.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	244

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MASSACHUSETTS.											
245	Total	48,205	9,853	1,936	928	638	476	13,831	1,176	658	1,020	1,703
246	Males	24,873	5,570	1,018	503	350	262	7,703	613	330	509	859
247	Females	23,332	4,283	918	425	288	214	6,128	563	328	511	844
248	White	47,424	9,699	1,889	906	626	465	13,585	1,158	650	993	1,650
249	Males	24,441	5,496	990	491	345	254	7,576	606	327	500	831
250	Females	22,983	4,203	899	415	281	211	6,009	552	323	493	819
251	Native	33,177	9,612	1,834	876	588	452	13,362	1,075	560	778	1,080
252	Males	17,359	5,444	963	467	319	248	7,441	552	275	400	562
253	Females	15,818	4,168	871	409	269	204	5,921	523	285	378	518
254	Both parents native (M)	7,436	1,486	230	123	98	67	2,004	173	103	157	198
	Both parents native (F)	7,195	1,125	206	97	85	49	1,562	170	105	142	193
255	One or both parents foreign (M)	8,273	3,770	712	338	213	173	5,206	365	160	232	343
	One or both parents foreign (F)	6,930	2,894	648	302	182	152	4,178	347	176	221	312
256	Parentage unknown (M)	1,650	188	21	6	8	8	231	14	12	11	21
	Parentage unknown (F)	1,693	149	17	10	2	3	181	6	4	15	13
257	Foreign	13,851	57	52	28	30	11	178	80	87	212	559
258	Males	6,850	35	27	23	21	4	110	52	51	97	264
259	Females	7,001	22	25	5	9	7	68	28	36	115	295
260	Unknown	396	30	3	2	8	2	45	3	3	3	11
261	Males	232	17	.....	1	5	2	25	2	1	3	5
262	Females	164	13	3	1	3	.....	20	1	2	.....	6
263	Colored	781	154	47	22	12	11	246	18	8	27	53
264	Males	432	74	28	12	5	8	127	7	3	9	28
265	Females	349	80	19	10	7	3	119	11	5	18	25
266	Black (M)	393	74	28	12	5	8	127	7	3	8	22
	Black (F)	348	80	19	10	7	3	119	11	5	18	25
267	Indian (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
268	Chinese and Japanese (M)	38	.....	.....	.....	.....	.....	.....	.....	.....	1	6
	Chinese and Japanese (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MICHIGAN.											
269	Total	32,852	6,303	1,137	540	335	247	8,562	766	663	1,057	1,324
270	Males	17,597	3,581	609	283	154	129	4,756	401	373	532	640
271	Females	15,255	2,722	528	257	181	118	3,806	365	290	525	684
272	White	32,444	6,217	1,125	531	330	245	8,448	757	653	1,033	1,305
273	Males	17,364	3,535	604	277	151	129	4,696	396	368	519	631
274	Females	15,080	2,682	521	254	179	116	3,752	361	285	514	674
275	Native	22,825	6,136	1,100	514	322	239	8,311	731	595	884	994
276	Males	12,005	3,487	588	266	147	126	4,614	383	338	447	465
277	Females	10,820	2,649	512	248	175	113	3,697	348	257	437	529
278	Both parents native (M)	6,025	1,569	261	113	64	50	2,057	167	137	210	216
	Both parents native (F)	5,632	1,176	231	108	76	46	1,637	157	112	208	247
279	One or both parents foreign (M)	4,336	1,705	313	149	78	72	2,317	206	191	214	217
	One or both parents foreign (F)	3,895	1,329	261	137	97	65	1,889	180	135	211	248
280	Parentage unknown (M)	1,644	213	14	4	5	4	240	10	10	23	32
	Parentage unknown (F)	1,293	144	20	3	2	2	171	11	10	18	34
281	Foreign	9,030	66	23	16	7	6	118	23	55	136	292
282	Males	4,949	38	14	10	4	3	69	11	27	67	153
283	Females	4,081	28	9	6	3	3	49	12	28	69	139
284	Unknown	589	15	2	1	1	.....	19	3	3	13	19
285	Males	410	10	2	1	.....	.....	13	2	3	5	13
286	Females	179	5	.....	.....	1	.....	6	1	.....	8	6
287	Colored	408	86	12	9	5	2	114	9	10	24	19
288	Males	233	46	5	6	3	.....	60	5	5	13	9
289	Females	175	40	7	3	2	2	54	4	5	11	10
290	Black (M)	133	22	4	4	1	.....	31	4	2	11	3
	Black (F)	106	14	5	1	.....	.....	20	1	3	5	6
291	Indian (M)	99	24	1	2	2	.....	29	1	3	2	6
	Indian (F)	69	26	2	2	2	2	34	3	2	6	4
292	Chinese and Japanese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese and Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,054	1,982	2,055	2,046	1,965	2,236	2,336	2,758	2,908	2,958	2,656	2,091	1,103	455	96	118	245
1,070	1,067	1,117	1,085	1,072	1,149	1,191	1,418	1,425	1,344	1,288	968	423	147	29	66	246
984	915	938	961	893	1,087	1,145	1,340	1,483	1,614	1,368	1,123	680	308	67	52	247
2,003	1,943	2,007	2,002	1,924	2,189	2,309	2,719	2,875	2,935	2,640	2,084	1,098	452	94	114	248
1,040	1,040	1,085	1,053	1,043	1,123	1,175	1,398	1,409	1,331	1,280	964	421	147	29	63	249
963	903	922	949	881	1,066	1,134	1,321	1,466	1,604	1,360	1,120	677	305	65	51	250
1,183	1,009	999	1,082	1,036	994	1,065	1,270	1,441	1,654	1,753	1,493	810	340	61	72	251
617	581	551	569	567	505	559	669	704	799	856	681	304	116	18	33	252
566	488	448	513	469	489	506	601	737	855	897	812	506	224	43	39	253
203	194	184	238	270	302	382	491	518	581	610	487	231	87	13	10	254
174	180	173	210	235	300	364	438	524	624	654	574	363	171	30	9	
381	358	317	270	223	139	77	53	44	33	23	18	8	.....	1	22	255
357	267	235	239	168	111	70	47	49	43	27	30	17	7	1	28	
33	29	50	61	74	64	100	125	142	185	223	176	65	29	4	1	256
35	41	40	64	66	78	72	116	164	188	216	208	126	46	12	2	
806	861	981	890	860	1,174	1,221	1,419	1,409	1,257	861	573	273	106	33	11	257
416	451	514	463	458	601	605	712	690	519	415	276	111	30	11	4	258
390	410	467	427	402	573	616	707	719	738	446	297	162	76	22	7	259
14	13	27	30	28	21	23	30	25	24	26	18	15	6	.....	31	260
7	8	20	21	18	17	11	17	15	13	9	7	6	1	.....	26	261
7	5	7	9	10	4	12	13	10	11	17	11	9	5	.....	5	262
51	39	48	44	41	47	27	39	33	23	16	7	5	3	2	4	263
30	27	32	32	29	26	16	20	16	13	8	4	2	.....	.....	3	264
21	12	16	12	12	21	11	19	17	10	8	3	3	3	2	1	265
27	22	26	25	28	19	15	20	16	13	7	4	2	.....	.....	2	266
21	12	16	12	12	21	10	19	17	10	8	3	3	3	2	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	267
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	5	6	7	1	7	1	.....	.....	.....	.....	.....	.....	.....	.....	1	268
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,253	1,166	1,168	1,215	1,182	1,380	1,555	1,767	2,220	2,235	2,229	1,720	872	288	90	131	269
582	535	584	642	638	740	863	953	1,230	1,242	1,212	944	457	134	44	95	270
671	631	584	573	544	640	692	814	990	993	1,017	776	415	154	46	36	271
1,232	1,145	1,148	1,190	1,174	1,370	1,536	1,753	2,200	2,221	2,219	1,711	856	284	84	125	272
570	520	569	627	634	729	853	944	1,219	1,234	1,208	939	448	131	40	89	273
662	625	579	563	540	641	683	809	981	987	1,011	772	408	153	44	36	274
871	801	654	688	688	734	832	917	1,157	1,136	1,177	932	489	166	40	28	275
373	340	296	325	347	384	432	477	631	619	644	523	263	72	18	14	276
498	461	358	363	341	350	400	440	526	517	533	409	226	94	22	14	277
158	147	140	152	177	226	267	284	395	392	388	307	152	40	8	5	278
226	218	172	178	197	216	267	295	352	339	345	251	143	56	10	6	
188	160	112	124	111	75	70	79	69	56	63	40	24	12	.....	8	279
234	203	139	145	88	79	60	66	57	41	54	34	19	4	2	7	
27	33	44	49	59	83	95	114	167	171	193	176	87	20	10	1	280
38	40	47	40	56	55	73	79	117	137	134	124	64	34	10	1	
341	326	469	473	448	606	663	795	989	1,030	1,000	751	347	110	37	21	281
182	165	257	281	257	324	385	443	555	578	534	397	177	54	19	14	282
159	161	212	192	191	282	278	352	434	452	466	354	170	56	18	7	283
20	18	25	29	38	30	41	41	54	55	42	28	20	8	7	76	284
15	15	16	21	30	21	36	24	33	37	30	19	8	5	3	61	285
5	3	9	8	8	9	5	17	21	18	12	9	12	3	4	15	286
21	21	20	25	8	19	19	14	20	14	10	9	16	4	6	6	287
12	15	15	15	4	11	10	9	11	8	4	5	9	3	4	6	288
9	6	5	10	4	8	9	5	9	6	6	4	7	1	2	.....	289
4	6	3	7	3	7	8	8	6	7	3	2	7	1	3	5	290
7	4	4	8	3	7	6	4	8	4	6	1	6	1	2	.....	
8	8	10	8	1	4	2	1	5	1	1	3	2	2	1	1	291
2	2	1	2	1	1	3	1	1	2	.....	3	1	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	292

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE.											
293	Total	6,956	1,068	232	93	65	62	1,520	124	75	136	227
294	Males	3,514	592	121	45	33	30	821	59	36	69	117
295	Females	3,442	476	111	48	32	32	699	65	39	67	110
296	White	6,949	1,067	232	93	65	62	1,519	124	75	135	226
297	Males	3,508	591	121	45	33	30	820	59	36	68	116
298	Females	3,441	476	111	48	32	32	699	65	39	67	110
299	Native	5,482	1,040	219	83	56	57	1,455	111	58	104	150
300	Males	2,782	572	113	37	29	27	778	55	31	55	78
301	Females	2,700	468	106	46	27	30	677	56	27	49	72
302	Both parents native M	1,467	172	33	20	7	11	243	22	12	38	46
	Both parents native F	1,462	127	36	24	8	10	205	20	18	21	47
303	One or both parents foreign M	708	382	76	15	21	14	508	28	17	13	27
	One or both parents foreign F	644	326	64	21	18	19	448	32	7	22	18
304	Parentage unknown M	607	18	4	2	1	2	27	5	2	4	5
	Parentage unknown F	594	15	6	1	1	1	24	4	2	6	7
305	Foreign	1,177	17	10	10	7	5	49	12	15	29	60
306	Males	575	12	5	8	4	3	32	4	4	13	25
307	Females	602	5	5	2	3	2	17	8	11	16	35
308	Unknown	290	10	3	.....	2	.....	15	1	2	2	16
309	Males	151	7	3	.....	.....	.....	10	.....	1	.....	13
310	Females	139	3	.....	.....	2	.....	5	1	1	2	3
311	Colored	7	1	.....	.....	.....	.....	1	.....	.....	1	1
312	Males	6	1	.....	.....	.....	.....	1	.....	.....	1	1
313	Females	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
314	Black M	6	1	.....	.....	.....	.....	1	.....	.....	1	1
	Black F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEW JERSEY.											
315	Total	31,791	6,882	1,434	650	421	296	9,683	898	480	758	1,173
316	Males	17,077	3,866	761	358	207	149	5,341	475	266	396	589
317	Females	14,714	3,016	673	292	214	147	4,342	423	214	362	584
318	White	30,133	6,446	1,351	601	396	281	9,075	852	429	697	1,091
319	Males	16,250	3,624	718	328	196	144	5,010	448	245	369	553
320	Females	13,883	2,822	633	273	200	137	4,065	404	184	328	538
321	Native	21,610	6,415	1,324	586	385	275	8,985	815	388	562	841
322	Males	11,534	3,605	703	321	191	141	4,961	427	222	294	418
323	Females	10,076	2,810	621	265	194	134	4,024	388	166	268	423
324	Both parents native M	6,027	1,760	289	147	81	65	2,342	224	119	163	179
	Both parents native F	5,528	1,338	246	128	92	67	1,871	196	88	154	186
325	One or both parents foreign M	4,145	1,706	390	162	100	70	2,428	184	89	104	190
	One or both parents foreign F	3,527	1,357	363	131	93	63	2,007	177	71	96	194
326	Parentage unknown M	1,302	139	24	12	10	6	191	19	14	27	49
	Parentage unknown F	1,021	115	12	6	9	4	146	15	7	18	43
327	Foreign	8,166	20	26	15	11	6	78	32	38	131	242
328	Males	4,451	12	15	7	5	3	42	19	20	72	129
329	Females	3,715	8	11	8	6	3	36	13	18	59	113
330	Unknown	357	11	1	.....	.....	.....	12	5	3	4	8
331	Males	265	7	.....	.....	.....	.....	7	2	3	3	6
332	Females	92	4	1	.....	.....	.....	5	3	.....	1	2
333	Colored	1,658	436	83	49	25	15	608	46	51	61	82
334	Males	827	242	43	30	11	5	331	27	21	27	36
335	Females	831	194	40	19	14	10	277	19	30	34	46
336	Black M	822	242	43	30	11	5	331	27	21	27	35
	Black F	831	194	40	19	14	10	277	19	30	34	46
337	Indian M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
338	Chinese and Japanese M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Chinese and Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1901—Continued.

AGE—continued															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
248	242	214	261	257	314	336	422	486	560	585	482	259	106	31	71	293
125	128	100	124	132	149	178	218	247	297	282	233	119	35	5	40	294
123	114	114	137	125	165	158	204	239	263	303	249	140	71	26	31	295
247	242	213	261	257	312	336	422	486	560	585	482	259	106	31	71	296
124	128	99	124	132	148	178	218	247	297	282	233	119	35	5	40	297
123	114	114	137	125	164	158	204	239	263	303	249	140	71	26	31	298
155	160	127	171	174	223	226	319	373	443	468	409	212	89	25	30	299
80	90	59	79	92	110	116	160	197	236	231	199	93	25	3	15	300
75	70	68	92	82	113	110	159	176	207	237	210	119	64	22	15	301
43	50	33	45	67	71	73	103	140	140	146	125	48	13	1	8	302
46	35	41	58	41	78	72	110	112	130	155	132	78	44	12	7	
28	24	16	12	6	5	6	2	3	4	.....	3	2	.....	1	3	303
17	22	16	14	14	4	6	4	5	7	2	2	1	.....	.....	3	
9	16	10	22	19	34	37	55	54	92	85	71	43	12	1	4	304
12	13	11	20	27	31	32	45	59	70	80	76	40	20	10	5	
81	76	78	81	67	78	93	83	90	91	87	45	29	11	6	16	305
39	34	35	37	31	32	57	48	42	48	38	19	20	7	2	8	306
42	42	43	44	36	46	36	35	48	43	49	26	9	4	4	8	307
11	6	8	9	16	11	17	20	23	26	30	28	18	6	.....	25	308
5	4	5	8	9	6	5	10	8	13	13	15	6	3	.....	17	309
6	2	3	1	7	5	12	10	15	13	17	13	12	3	.....	8	310
1	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	311
1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	312
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	313
1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	314
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,334	1,429	1,403	1,432	1,357	1,496	1,578	1,787	1,787	1,723	1,458	1,092	540	207	53	123	315
739	802	807	799	785	852	896	950	958	839	709	490	225	64	16	79	316
595	627	596	633	572	644	682	837	829	884	749	602	315	143	37	44	317
1,258	1,349	1,338	1,350	1,275	1,430	1,512	1,727	1,739	1,679	1,407	1,060	521	195	46	103	318
703	767	764	766	744	818	861	923	932	818	687	478	220	61	13	70	319
555	582	574	584	531	612	651	804	807	861	720	582	301	134	33	33	320
868	860	754	770	665	680	708	781	867	906	857	701	380	143	31	48	321
455	474	417	410	379	366	403	419	466	456	409	321	156	44	11	26	322
413	386	337	360	286	314	305	362	401	450	448	380	224	99	20	22	323
174	183	142	158	185	224	261	297	338	333	299	235	119	34	7	11	324
181	158	144	170	144	209	214	260	305	334	354	288	173	78	11	10	
220	228	187	165	105	56	50	28	36	17	26	17	8	4	.....	3	325
189	178	137	123	89	52	41	38	32	33	21	26	12	5	2	4	
61	63	88	87	89	86	92	94	92	106	84	69	29	6	4	12	326
43	50	56	67	53	53	59	64	64	83	73	66	39	16	7	8	
368	463	554	550	578	728	785	926	850	748	534	346	133	48	14	20	327
230	272	322	331	339	433	444	489	451	346	272	152	57	16	2	13	328
138	191	232	219	239	295	341	437	399	402	262	194	76	32	12	7	329
22	26	30	30	32	22	19	20	22	25	16	13	8	4	1	35	330
18	21	25	25	26	19	14	15	15	16	6	5	7	1	.....	31	331
4	5	5	5	6	3	5	5	7	9	10	8	1	3	1	4	332
76	80	65	82	82	66	66	60	48	44	51	32	19	12	7	20	333
36	35	43	33	41	34	35	27	26	21	22	12	5	3	3	9	334
40	45	22	49	41	32	31	33	22	23	29	20	14	9	4	11	335
36	35	43	32	40	34	35	26	26	21	21	12	5	3	3	9	336
40	45	22	49	41	32	31	33	22	23	29	20	14	9	4	11	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	337
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	338
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW YORK.											
339	Total	131,461	23,982	6,478	2,747	1,796	1,437	36,440	3,590	1,789	2,935	4,724
340	Males	70,070	13,333	3,466	1,426	937	741	19,903	1,854	931	1,497	2,457
341	Females	61,391	10,649	3,012	1,321	859	696	16,537	1,736	858	1,438	2,267
342	White	128,609	23,283	6,314	2,689	1,755	1,414	35,455	3,514	1,735	2,840	4,529
343	Males	68,553	12,968	3,386	1,395	916	732	19,397	1,820	908	1,451	2,357
344	Females	60,056	10,315	2,928	1,294	839	682	16,058	1,694	827	1,389	2,172
345	Native	87,100	22,932	6,131	2,578	1,682	1,359	34,682	3,303	1,561	2,308	3,229
346	Males	46,525	12,781	3,285	1,341	869	701	18,977	1,702	823	1,168	1,655
347	Females	40,575	10,151	2,846	1,237	813	658	15,705	1,601	738	1,140	1,574
348	Both parents native {M	19,967	5,192	1,050	472	322	277	7,313	699	406	571	636
	{F	18,564	3,982	930	440	293	264	5,909	694	329	529	643
349	One or both parents foreign {M	20,472	6,985	2,126	821	510	397	10,839	918	345	501	834
	{F	17,291	5,662	1,830	763	492	366	9,113	837	369	514	794
350	Parentage unknown {M	6,086	604	109	48	37	27	825	85	72	96	185
	{F	4,720	507	86	34	28	28	683	70	40	97	137
351	Foreign	39,420	109	136	85	59	50	439	196	167	500	1,250
352	Males	20,637	48	78	42	37	28	233	107	80	261	669
353	Females	18,783	61	58	43	22	22	206	89	87	239	581
354	Unknown	2,089	242	47	26	14	5	334	15	7	32	50
355	Males	1,391	139	23	12	10	3	187	11	5	22	33
356	Females	698	103	24	14	4	2	147	4	2	10	17
357	Colored	2,852	699	164	58	41	23	985	76	54	95	195
358	Males	1,517	365	80	31	21	9	506	34	23	46	100
359	Females	1,335	334	84	27	20	14	479	42	31	49	95
360	Black {M	1,382	359	78	30	20	8	495	33	23	43	95
	{F	1,298	327	84	25	19	13	468	39	28	49	95
361	Indian {M	20	2	2	1	1	1	7	1	.....	1	1
	{F	33	5	.....	2	1	1	9	3	3	.....	.....
362	Chinese and Japanese {M	115	4	.....	.....	.....	.....	4	.....	.....	2	4
	{F	4	2	.....	.....	.....	.....	2	.....	.....	.....	.....
	RHODE ISLAND.											
363	Total	7,955	1,662	389	147	112	79	2,389	189	105	196	329
364	Males	4,061	903	200	88	53	40	1,284	99	59	104	177
365	Females	3,894	759	189	59	59	39	1,105	90	46	92	143
366	White	7,687	1,612	371	142	108	79	2,312	179	101	183	305
367	Males	3,913	875	193	85	52	40	1,245	92	57	95	170
368	Females	3,774	737	178	57	56	39	1,067	87	44	88	135
369	Native	5,335	1,595	356	129	98	74	2,252	165	84	131	207
370	Males	2,771	865	183	77	47	38	1,210	87	47	73	112
371	Females	2,564	730	173	52	51	36	1,042	78	37	58	95
372	Both parents native {M	1,313	246	48	24	14	16	348	32	13	28	39
	{F	1,288	194	41	12	13	10	270	26	19	15	41
373	One or both parents foreign {M	1,361	597	132	53	33	21	836	53	34	35	71
	{F	1,195	508	129	40	37	26	740	52	18	43	51
374	Parentage unknown {M	97	22	3	.....	.....	1	26	2	.....	10	2
	{F	81	28	3	.....	1	.....	32	.....	.....	.....	3
375	Foreign	2,302	15	13	13	10	4	55	14	17	51	96
376	Males	1,109	8	9	8	5	2	32	5	10	22	56
377	Females	1,193	7	4	5	5	2	23	9	7	29	40
378	Unknown	50	2	2	.....	.....	1	5	.....	.....	1	2
379	Males	33	2	1	.....	.....	.....	3	.....	.....	.....	2
380	Females	17	.....	1	.....	.....	1	2	.....	.....	1	.....
381	Colored	268	50	18	5	4	.....	77	10	4	13	15
382	Males	148	28	7	3	1	.....	39	7	2	9	7
383	Females	120	22	11	2	3	.....	38	3	2	4	8
384	Black {M	145	28	7	3	1	.....	39	6	2	9	7
	{F	120	22	11	2	3	.....	38	3	2	4	8
385	Chinese and Japanese {M	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5,958	6,204	6,401	6,293	5,759	6,433	6,614	7,490	7,557	7,518	6,674	5,085	2,543	865	251	338	339
3,251	3,446	3,675	3,665	3,368	3,534	3,524	3,811	3,844	3,719	3,227	2,513	1,172	347	95	237	340
2 707	2,758	2,726	2,628	2,391	2,899	3,090	3,679	3,713	3,799	3,447	2,572	1,371	518	156	101	341
5,732	6,042	6,234	6,134	5,648	6,291	6,485	7,395	7,483	7,459	6,622	5,045	2,526	850	240	330	342
3,130	3,343	3,568	3,579	3,305	3,455	3,456	3,756	3,803	3,692	3,201	2,498	1,166	343	92	233	343
2,622	2,699	2,666	2,555	2,343	2,836	3,029	3,639	3,680	3,767	3,421	2,547	1,360	507	148	97	344
3,907	3,822	3,472	3,390	2,900	2,764	2,787	3,126	3,300	3,609	3,561	2,989	1 618	535	133	104	345
2,140	2,093	1,935	1,905	1,643	1,473	1,480	1,624	1,734	1,881	1,725	1,509	733	216	46	63	346
1,767	1,729	1,537	1,485	1,257	1,291	1,307	1,502	1,566	1,728	1,836	1,480	885	319	87	41	347
641	557	527	561	589	707	815	960	1,080	1,206	1,140	938	448	120	27	26	348
621	584	597	537	528	689	788	948	1,020	1,179	1,242	975	558	210	53	21	
1,270	1,260	1,108	1,030	726	425	352	260	179	142	106	96	42	19	3	17	349
959	940	828	752	550	384	281	261	201	158	132	118	58	29	5	8	
229	276	300	314	328	341	313	404	475	533	479	475	243	77	16	20	350
187	205	202	196	179	218	238	293	345	391	462	387	269	80	29	12	
1,762	2,122	2,617	2,589	2,591	3,403	3,591	4,146	4,080	3,728	2,953	1,950	864	295	101	76	351
928	1,180	1,522	1,558	1,539	1,889	1,910	2,050	1,999	1,743	1,417	930	414	119	43	46	352
834	942	1,095	1,031	1,052	1,514	1,681	2,096	2,081	1,985	1,536	1,020	450	176	58	30	353
83	98	145	155	157	124	107	123	103	122	108	106	44	20	6	150	354
62	70	111	116	123	93	66	82	70	68	59	59	19	8	3	124	355
21	28	34	39	34	31	41	41	33	54	49	47	25	12	3	26	356
206	162	167	159	111	142	129	95	74	59	52	40	17	15	11	8	357
121	103	107	86	63	79	68	55	41	27	26	15	6	4	3	4	358
85	59	60	73	48	63	61	40	33	32	26	25	11	11	8	4	359
104	78	85	74	50	68	60	51	40	25	26	15	6	4	3	4	360
83	58	58	71	46	62	60	39	31	31	26	23	11	10	6	4	
.....	.....	2	.....	1	.....	1	3	1	2	.....	.....	.....	.....	.....	.....	361
1	1	1	2	2	1	1	1	2	1	.....	2	.....	1	2	.....	
17	25	20	12	12	11	7	1	.....	.....	.....	.....	.....	.....	.....	.....	362
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
323	287	330	362	355	394	423	467	471	433	388	271	170	51	23	8	363
143	133	167	198	200	201	230	251	222	210	178	112	64	15	7	7	364
180	154	163	164	155	193	193	216	249	223	210	159	106	36	16	1	365
314	275	317	348	334	381	415	449	458	423	381	268	164	50	22	8	366
138	127	161	191	186	192	224	240	215	205	175	110	62	15	6	7	367
176	148	156	157	148	189	191	209	243	218	206	158	102	35	16	1	368
186	152	163	198	168	185	188	174	223	248	243	196	115	41	13	3	369
82	70	83	111	105	96	110	99	107	129	112	79	41	12	4	2	370
104	82	80	87	63	89	78	75	116	119	131	117	74	29	9	1	371
31	23	21	46	61	63	84	84	92	116	102	74	40	11	4	1	372
42	29	25	37	32	67	65	62	107	110	125	110	70	27	9	.....	
50	43	60	62	36	28	19	12	10	7	1	2	.....	1	.....	1	373
61	50	49	45	28	18	11	10	4	6	4	3	1	.....	.....	1	
1	4	2	3	8	5	7	3	5	6	9	3	1	.....	.....	.....	374
1	3	6	5	3	4	2	3	5	3	2	4	3	2	.....	.....	
127	120	152	144	160	194	223	268	234	174	137	70	49	8	9	.....	375
56	55	77	76	76	96	112	136	107	75	63	29	21	3	2	.....	376
71	65	75	68	84	98	111	132	127	99	74	41	28	5	7	.....	377
1	3	2	6	6	2	4	7	1	1	1	2	.....	1	.....	5	378
.....	2	1	4	5	.....	2	5	1	1	.....	2	.....	.....	.....	5	379
1	1	1	2	1	2	2	2	.....	.....	1	.....	.....	1	.....	.....	380
9	12	13	14	21	13	8	18	13	10	7	3	3	1	1	.....	381
5	6	6	7	14	9	6	11	7	5	3	2	2	.....	1	.....	382
4	6	7	7	7	4	2	7	6	5	4	1	4	1	.....	.....	383
5	6	6	7	14	8	5	11	7	5	3	2	2	.....	1	.....	384
4	6	7	7	7	4	2	7	6	5	4	1	4	1	.....	.....	
.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	385

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	VERMONT.											
386	Total	5,717	831	141	80	43	33	1,128	104	80	125	171
387	Males	2,975	447	84	39	19	16	605	51	34	65	78
388	Females	2,742	384	57	41	24	17	523	53	46	60	93
389	White	5,699	830	141	79	41	31	1,122	103	80	125	169
390	Males	2,967	447	84	39	19	16	605	50	34	65	77
391	Females	2,732	383	57	40	22	15	517	53	46	60	92
392	Native	4,674	815	132	77	39	29	1,092	100	71	111	142
393	Males	2,428	437	81	38	17	15	588	47	32	56	63
394	Females	2,246	378	51	39	22	14	504	53	39	55	79
395	Parentage not stated {M	2,428	437	81	38	17	15	588	47	32	56	63
	{F	2,246	378	51	39	22	14	504	53	39	55	79
396	Foreign	807	9	8	2	2	2	23	3	8	7	30
397	Males	423	5	3	1	2	1	12	3	1	5	11
398	Females	384	4	5	1	.....	1	11	.....	7	2	9
399	Unknown	218	6	1	.....	.....	.....	7	.....	1	7	7
400	Males	116	5	.....	.....	.....	.....	5	.....	1	4	3
401	Females	102	1	1	.....	.....	.....	2	.....	.....	3	4
402	Colored	18	1	.....	1	2	2	6	1	.....	.....	2
403	Males	8	.....	.....	.....	.....	.....	.....	1	.....	.....	1
404	Females	10	1	.....	1	2	2	6	.....	.....	.....	1
405	Black {M	7	.....	.....	.....	.....	.....	.....	1	.....	.....	1
	{F	9	1	.....	1	1	2	5	.....	.....	.....	1
406	Indian {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
407	Chinese and Japanese {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1901—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
201	172	175	186	207	228	269	342	411	462	508	469	261	123	37	58	386
96	83	78	96	98	115	146	170	238	245	280	257	134	58	13	35	387
105	89	97	90	109	113	123	172	173	217	228	212	127	65	24	23	388
199	171	174	185	207	227	269	342	411	461	507	468	261	123	37	58	389
95	82	77	96	98	114	146	170	238	244	279	257	134	58	13	35	390
104	89	97	89	109	113	123	172	173	217	228	211	127	65	24	23	391
160	138	127	151	166	171	211	274	315	339	382	364	211	95	27	27	392
79	64	55	79	77	93	119	136	186	181	204	193	108	42	9	17	393
81	74	72	72	89	78	92	138	129	158	178	171	103	53	18	10	394
79	64	55	79	77	93	119	136	186	181	204	193	108	42	9	17	395
81	74	72	72	89	78	92	138	129	158	178	171	103	53	18	10	
38	23	40	25	37	46	48	57	74	104	101	76	35	27	9	6	396
16	14	20	12	18	20	24	28	39	52	61	46	20	16	3	2	397
22	9	20	13	19	26	24	29	35	52	40	30	15	11	6	4	398
1	10	7	9	4	10	10	11	22	18	24	28	15	1	1	25	399
.....	4	2	5	3	1	3	6	13	11	14	18	6	.....	1	16	400
1	6	5	4	1	9	7	5	9	7	10	10	9	1	.....	9	401
2	1	1	1	.....	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	402
1	1	1	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	403
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	404
1	1	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	405
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	406
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	407
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
1	All causes	518,207	385,395	332,203	199,391	132,812	186,004	9,872	4,994	6,055	9,520	25,610
2	I.—General diseases	145,527	108,992	92,290	55,755	36,535	53,237	3,080	1,430	1,897	2,862	8,184
3	Typhoid fever	10,127	7,501	5,585	2,959	2,626	4,542	231	47	174	290	901
4	Exanthematic typhus											
5	Recurrent fever	4	3	3	2	1	1					
6	Malarial fever	1,980	1,520	1,012	552	460	968	79	25	43	48	190
7	Smallpox	1,085	967	734	616	118	351	2	2		5	16
8	Measles	2,287	1,657	1,494	864	630	793	40	33	11	29	176
9	Scarlet fever	4,113	3,433	2,744	2,064	680	1,369	69	16	11	44	111
10	Whooping cough	3,051	2,329	1,759	1,037	722	1,292	88	18	63	42	205
11	Diphtheria	8,434	7,058	5,301	3,925	1,376	3,133	161	66	94	124	237
12	Croup	2,233	1,643	1,481	891	590	752	54	28	10	36	132
13	Influenza	10,093	5,718	7,378	3,003	4,375	2,715	281	277	166	196	804
14	Miliary fever											
15	Asiatic cholera											
16	Cholera nostras	563	372	367	176	191	196	14	9	5	6	27
17	Dysentery	3,331	2,232	2,242	1,143	1,099	1,089	88	44	20	81	374
18	Plague	26	25	1		1	25					
19	Yellow fever	2	2	2	2							
20	Leprosy	6	6	1	1		5					
21	Erysipelas	1,450	1,090	914	554	360	536	37	14	12	25	57
22	Other epidemic diseases	47	32	23	8	15	24	1	1			2
23	Septicemia	2,290	1,694	1,192	596	596	1,098	27	10	20	82	195
24	Glanders and farcy	2	2	1	1		1					
25	Malignant pustule and charbon	32	20	25	13	12	7					2
26	Rabies	41	31	21	11	10	20					3
27	Actinomycosis, trichinosis, etc	6	5	3	2	1	3					
28	Pellagra											
29	Tuberculosis of lungs	54,735	42,546	33,969	21,780	12,189	20,766	1,100	410	840	1,126	3,037
30	Tuberculosis of larynx	527	397	321	191	130	206	5	6	6	12	25
31	Tuberculous meningitis	2,656	2,237	1,841	1,422	419	815	47	16	34	53	100
32	Abdominal tuberculosis	1,767	1,304	1,083	620	463	684	33	12	24	45	117
33	Pott's disease	442	330	286	174	112	156	5	7	5	7	30
34	Tuberculous abscess	48	36	30	18	12	18	1		3		5
35	White swelling	206	165	130	89	41	76	7	1	1	3	8
36	Tuberculosis of other organs	393	296	235	138	97	158	7	4	3	7	28
37	General tuberculosis	825	638	539	352	187	286	10	10	20	20	35
38	Scrofula	168	117	93	42	51	75	3	3		6	11
39	Syphilis	1,137	1,002	599	464	135	538	17	1	17	16	35
40	Gonorrhea of the adult	14	10	8	4	4	6					1
41	Gonorrheal infections of children	10	8	6	4	2	4			2		
42	Cancer of mouth	612	473	373	234	139	239	15	2	9	5	18
43	Cancer of stomach and liver	7,095	5,149	4,664	2,718	1,946	2,431	149	78	62	110	275
44	Cancer of intestines	2,157	1,655	1,471	969	502	686	51	36	20	28	52
45	Cancer of female genital organs	2,919	2,246	1,850	1,177	673	1,069	59	26	47	43	99
46	Cancer of breast	1,647	1,169	1,119	641	478	528	41	24	27	22	63
47	Cancer of skin	683	403	496	216	280	187	13	9	6	11	41
48	Cancer of other or unspecified organs	5,058	3,355	3,465	1,762	1,703	1,593	92	55	28	112	246
49	Tumor	505	336	332	163	169	173	9	12	1	11	23
50	Acute articular rheumatism	1,510	1,129	987	606	381	523	28	18	28	22	54
51	Chronic rheumatism and gout	1,475	1,008	962	495	467	513	36	28	19	40	114
52	Diabetes	3,212	2,230	2,339	1,357	982	873	79	39	29	54	151
53	Exophthalmic goiter	185	124	126	65	61	59	5	2		6	15
54	Addison's disease	149	97	102	50	52	47	1	2	1	4	6
55	Leukemia	324	246	206	128	78	118	11	2	4	11	15
56	Anemia, chlorosis	1,562	1,048	1,083	569	514	479	23	15	8	45	79
57	Alcoholism	1,870	1,591	1,016	737	279	854	51	16	22	26	37
58	Lead poisoning	71	58	44	31	13	27	4	2		1	1
59	Other occupational poisonings	3	3	1	1		2					
60	Other chronic poisonings	147	100	92	45	47	55	6	4	1	4	12
61	Scurvy	48	44	32	28	4	16			1	1	
62	Other general diseases	164	102	107	45	62	57				3	19
63	II.—Diseases of nervous system	60,431	42,357	39,550	21,476	18,074	20,881	1,156	692	655	1,149	3,161
64	Encephalitis	831	502	526	197	329	305	3	8	4	48	141
65	Meningitis	8,643	6,805	5,487	3,649	1,838	3,156	186	64	45	184	383
66	Epidemic cerebro-spinal meningitis	1,787	1,274	1,183	670	513	604	43	15	22	31	144
67	Locomotor ataxia	722	524	456	258	198	266	19	10	10	10	26
68	Other diseases of spinal cord	1,428	938	1,000	510	490	428	23	21	19	34	88
69	Apoplexy	21,390	14,577	15,086	8,273	6,813	6,304	480	323	302	338	831
70	Softening of brain	1,241	737	814	310	504	427	33	38	23	26	86
71	Paralysis	7,220	4,075	4,896	1,751	3,145	2,324	74	72	55	182	693
72	General paralysis of insane	2,069	1,340	1,477	748	729	592	39	13	13	34	111
73	Other forms of mental disease	1,232	914	802	484	318	430	23	7	8	13	46
74	Other diseases of brain	1,550	1,070	1,040	560	480	510	30	20	38	30	85
75	Epilepsy	1,417	852	1,017	452	565	400	30	16	18	38	99
76	Convulsions (nonpuerperal)	438	319	224	105	119	214	4	2	2	7	21
77	Convulsions of children	8,079	6,687	4,213	2,821	1,392	3,866	117	53	62	127	243
78	Tetanus	1,129	947	458	276	182	671	12	10	22	20	46
79	Chorea	96	64	60	28	32	36	2	3		2	13
80	Other diseases of nervous system	846	484	591	229	362	255	24	12	9	21	96
81	Diseases of eye and its adnexa	20	16	10	6	4	10				1	
82	Diseases of ear	293	232	210	149	61	83	14	5	3	3	9

EACH DISEASE AND CLASS OF DISEASES: 1901.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
2,208	9,007	37,227	10,978	10,581	22,271	2,784	4,172	19,930	11,861	95,147	36,314	5,274	2,681	793	4,924	1
614	2,333	10,459	2,918	2,758	5,615	728	1,006	5,041	3,001	26,611	10,087	1,506	683	199	1,278	2
69	156	449	117	206	438	32	46	228	149	1,205	645	65	38	10	89	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	5
4	7	66	26	30	82	5	2	46	39	206	74	23	12	2	3	6
.....	.....	95	3	3	23	3	2	87	52	416	20	5	.....	.....	.....	7
2	27	207	22	26	51	4	2	54	16	474	272	11	5	6	26	8
1	19	355	41	104	201	36	17	103	87	1,319	150	13	8	9	30	9
9	21	220	39	65	96	17	11	116	61	398	235	15	2	4	34	10
24	57	870	120	108	255	33	28	346	177	2,062	382	96	27	7	27	11
12	34	140	40	49	97	10	15	128	55	412	141	40	31	.....	17	12
27	271	535	254	249	813	44	99	174	218	1,214	1,429	109	66	8	144	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
5	21	32	16	12	27	3	6	23	8	67	61	7	3	2	13	16
7	45	165	61	86	129	13	27	108	104	519	253	54	23	2	39	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	18
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	20
4	9	118	27	45	76	4	8	40	25	260	124	7	3	2	17	21
.....	.....	1	1	3	6	.....	.....	1	1	2	4	.....	.....	.....	.....	22
6	20	152	43	30	91	21	29	73	46	178	130	3	2	4	30	23
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	3	1	1	5	.....	.....	.....	.....	8	3	1	1	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	4	5	7	1	.....	.....	.....	1	26
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
252	833	3,976	1,117	750	1,415	277	331	2,167	1,156	10,625	3,252	591	252	76	386	29
.....	15	23	5	14	12	3	5	34	17	87	41	6	.....	1	4	30
19	40	268	49	47	40	12	12	108	47	784	93	44	10	6	12	31
9	47	111	26	46	81	10	14	46	40	266	105	28	8	2	13	32
5	14	41	7	10	23	2	1	23	3	72	23	3	1	1	3	33
.....	.....	2	.....	1	1	.....	.....	2	1	8	4	.....	.....	1	1	34
.....	2	15	1	8	10	1	.....	10	.....	38	12	5	5	1	2	35
.....	10	18	6	15	14	3	7	19	2	64	22	2	1	.....	3	36
1	22	75	30	17	30	3	5	35	14	157	25	12	7	2	9	37
2	6	10	2	6	11	1	3	1	4	12	8	1	2	.....	1	38
3	3	62	13	55	31	3	.....	29	12	248	31	13	3	1	6	39
.....	.....	1	.....	.....	1	.....	.....	.....	.....	2	2	1	.....	.....	.....	40
.....	.....	1	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	41
4	17	52	13	11	26	5	7	15	5	111	40	5	4	2	7	42
27	181	465	136	213	384	30	70	265	160	1,311	553	74	34	12	75	43
12	53	205	41	44	82	14	14	101	41	462	145	29	12	3	26	44
19	73	196	37	78	156	19	18	101	63	568	162	44	19	3	20	45
16	39	145	31	39	90	9	9	49	38	274	151	25	19	3	14	46
5	30	43	22	15	62	.....	8	28	16	87	78	8	7	.....	7	47
16	83	521	276	80	188	45	116	130	123	699	545	28	11	11	60	48
2	11	47	20	13	23	4	5	14	11	57	52	4	2	1	10	49
5	22	94	26	40	82	3	5	45	38	308	113	31	5	2	18	50
4	16	87	32	27	84	5	7	29	28	234	133	13	4	1	21	51
16	72	245	89	92	164	15	33	102	68	666	284	55	28	4	54	52
.....	2	7	5	6	10	.....	4	6	4	35	13	.....	.....	.....	6	53
.....	2	10	3	4	13	.....	4	3	3	26	17	.....	.....	1	2	54
1	8	24	6	11	14	.....	2	8	6	52	21	6	.....	.....	4	55
14	33	169	60	58	120	30	26	39	24	167	117	11	10	5	30	56
10	9	111	36	24	36	6	6	91	27	375	87	18	15	3	10	57
.....	1	8	1	2	1	.....	.....	3	.....	13	4	.....	1	.....	2	58
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	59
.....	2	7	4	5	8	1	.....	1	.....	19	15	.....	1	1	1	60
.....	.....	7	.....	1	1	1	.....	1	1	16	1	.....	1	.....	.....	61
2	.....	5	13	6	10	1	2	11	4	17	14	.....	.....	.....	.....	62
374	1,236	4,258	1,592	1,276	2,765	385	647	2,665	1,845	8,894	5,088	541	342	123	706	63
6	17	35	17	24	54	11	10	22	20	38	44	5	6	1	12	64
60	179	809	173	122	180	90	60	575	198	1,430	453	121	59	27	89	65
7	42	118	32	40	100	6	11	44	32	332	113	23	4	4	20	66
4	20	40	16	10	33	4	7	24	22	129	53	7	7	1	4	67
9	33	103	42	32	95	16	17	51	34	204	123	17	12	2	25	68
112	476	1,546	633	375	909	105	246	940	708	3,788	2,220	244	152	43	315	69
3	33	54	44	18	86	3	23	39	49	103	115	8	6	.....	24	70
52	200	416	223	166	577	61	100	176	296	509	885	44	31	16	68	71
16	25	203	80	76	77	18	34	42	78	294	255	10	27	3	29	72
58	25	70	37	35	43	8	27	31	28	232	90	4	5	2	10	73
12	44	157	56	56	83	15	24	51	30	159	112	10	6	2	20	74
10	21	78	49	45	135	1	17	38	40	181	151	10	15	3	22	75
2	9	32	10	7	18	5	10	23	22	21	24	2	1	.....	2	76
18	69	457	132	230	282	38	35	543	230	1,193	291	24	9	12	48	77
2	3	43	10	11	18	.....	6	42	40	117	44	5	.....	2	5	78
.....	.....	8	2	5	8	.....	1	1	1	9	3	1	.....	.....	1	79
3	37	54	30	15	51	4	17	16	13	76	94	4	2	3	10	80
.....	.....	.....	2	1	1	.....	1	2	.....	2	.....	.....	.....	.....	.....	81
.....	3	35	4	8	15	.....	1	5	4	77	18	2	.....	2	2	82

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
83	III.—Diseases of circulatory system	46,250	32,596	31,103	17,449	13,654	15,147	920	585	637	729	1,752
84	Pericarditis	748	553	401	206	195	347	10	5	5	23	64
85	Endocarditis	3,299	2,888	2,112	1,701	411	1,187	65	18	20	41	54
86	Heart disease	35,586	24,378	24,413	13,205	11,208	11,173	705	485	546	530	1,355
87	Angina pectoris	1,981	1,201	1,403	623	780	578	38	31	17	35	105
88	Diseases of arteries	2,132	1,734	1,171	773	398	961	51	20	25	42	60
89	Embolism and thrombosis	1,261	931	843	513	330	418	28	19	15	8	28
90	Diseases of veins	175	127	114	66	48	61	3	2	5	7	9
91	Diseases of lymphatics	57	49	33	25	8	24	.....	.....	.....	2	1
92	Hemorrhages	959	704	570	315	255	389	18	5	4	31	64
93	Other diseases of circulatory system	52	31	43	22	21	9	2	.....	2	10	12
94	IV.—Diseases of respiratory system	72,080	55,541	46,124	29,585	16,539	25,956	1,215	608	695	1,167	3,181
95	Diseases of nasal fossa	95	56	54	15	39	41	.....	1	.....	1	10
96	Laryngitis	490	359	327	196	131	163	7	7	5	12	36
97	Other diseases of larynx	348	278	216	146	70	132	2	7	3	8	8
98	Diseases of thyroid body	90	63	54	27	27	36	2	.....	.....	3	4
99	Acute bronchitis	7,040	5,571	4,669	3,200	1,469	2,371	170	73	66	77	202
100	Chronic bronchitis	5,425	4,132	3,502	2,209	1,293	1,923	105	59	45	103	176
101	Bronchopneumonia	8,894	7,248	6,234	4,588	1,646	2,660	161	72	126	94	337
102	Pneumonia	41,715	31,800	26,296	16,381	9,915	15,419	673	322	338	671	1,946
103	Pleurisy	1,469	1,186	925	642	283	544	20	22	14	18	37
104	Congestion of lungs	3,254	2,337	2,039	1,122	917	1,215	48	25	66	79	209
105	Gangrene of lungs	172	143	106	77	29	66	3	3	4	3	2
106	Asthma	1,259	990	639	370	269	620	7	9	2	50	82
107	Emphysema	268	223	156	111	45	112	6	4	.....	7	7
108	Hemorrhage of lungs	844	665	450	271	179	394	8	1	17	13	34
109	Other diseases of respiratory system	717	490	457	230	227	260	3	3	9	28	91
110	V.—Diseases of digestive system	62,950	48,484	40,526	26,060	14,466	22,424	1,249	493	744	1,119	3,182
111	Diseases of mouth	256	185	161	90	71	95	6	7	1	10	24
112	Tonsilitis	285	174	184	73	111	101	3	3	3	5	40
113	Diseases of pharynx	184	126	120	62	58	64	4	5	.....	3	10
114	Diseases of esophagus	98	77	61	40	21	37	3	2	2	1	3
115	Ulcer of stomach	871	645	566	340	226	305	17	7	20	13	38
116	Gastritis	3,764	2,681	2,327	1,244	1,083	1,437	89	47	67	88	266
117	Other diseases of stomach	1,840	1,170	1,296	626	670	544	35	22	22	35	166
118	Dentition	342	305	158	121	37	184	5	3	1	.....	7
119	Diarrhea and enteritis, under 2 years	28,523	23,138	19,153	13,768	5,385	9,370	660	176	380	366	1,220
120	Diarrhea and enteritis, 2 years and over	7,073	5,126	4,466	2,519	1,947	2,607	112	42	89	162	487
121	Intestinal parasites	41	14	37	10	27	4	2	.....	.....	.....	5
122	Hernia	1,272	962	820	510	310	452	22	14	15	20	43
123	Obstruction of intestines	2,666	1,957	1,657	948	709	1,009	45	30	23	50	129
124	Other diseases of intestines	941	651	612	322	290	329	10	4	10	25	73
125	Acute yellow atrophy of liver	104	68	71	35	36	33	2	.....	.....	5	4
126	Hydatid tumors of liver	8	8	4	4	.....	4	.....	.....	.....	.....	.....
127	Cirrhosis of liver	4,265	3,461	2,647	1,843	804	1,618	79	48	29	70	113
128	Biliary calculi	500	377	287	164	123	213	4	5	4	9	32
129	Other diseases of liver	2,558	1,688	1,633	763	870	625	43	29	22	58	189
130	Diseases of spleen	82	50	52	20	32	30	1	2	.....	1	8
131	Peritonitis	4,091	3,019	2,391	1,319	1,072	1,700	48	27	24	151	222
132	Appendicitis	3,131	2,553	1,794	1,216	578	1,337	58	20	32	45	103
133	Other diseases of digestive system	55	49	29	23	6	26	1	.....	.....	2	.....
134	VI.—Diseases of genito-urinary system	33,489	25,976	21,650	14,137	7,513	11,839	631	336	442	473	1,106
135	Acute nephritis	2,498	2,033	1,745	1,280	465	753	55	25	46	32	59
136	Bright's disease	25,507	19,968	16,450	10,911	5,539	9,057	453	251	310	352	822
137	Other diseases of kidneys	947	658	596	307	289	351	14	4	5	13	45
138	Calculi of urinary tract	126	104	73	51	22	53	4	1	1	.....	3
139	Diseases of bladder	1,530	912	1,100	482	618	430	42	26	19	29	87
140	Diseases of urethra, urinary abscess, etc	119	108	67	56	11	52	3	2	4	1	2
141	Diseases of prostate	621	385	440	204	236	181	13	11	8	5	32
142	Nonvenereal diseases of male genital organs	27	18	16	7	9	11	3	.....	.....	.....	.....
143	Metritis	51	42	24	15	9	27	.....	.....	1	2	2
144	Uterine hemorrhage (nonpuerperal)	107	87	57	37	20	50	3	.....	1	3	5
145	Uterine tumor	529	443	294	208	86	235	12	7	7	11	8
146	Other diseases of uterus	462	391	255	184	71	207	2	1	11	9	15
147	Ovarian tumor	411	318	260	167	93	151	14	4	8	9	15
148	Diseases of tubes	407	389	198	180	18	209	12	.....	16	2	3
149	Other diseases of female genital organs	133	109	68	44	24	65	1	2	5	4	7
150	Nonpuerperal diseases of breast (cancer excepted)	14	11	7	4	3	7	.....	2	.....	1	1
151	VII.—Childbirth	4,294	3,197	2,704	1,607	1,097	1,590	77	34	67	62	197
152	Accidents of pregnancy	526	420	313	207	106	213	9	3	8	3	21
153	Puerperal hemorrhage	287	211	189	113	76	98	6	1	3	3	13
154	Other accidents of labor	306	254	195	143	52	111	6	1	5	10	9
155	Puerperal septicemia	1,882	1,419	1,124	661	463	758	27	14	30	29	97
156	Puerperal convulsions	803	583	546	326	220	257	18	10	19	13	28
157	Puerperal phlegmasia alba dolens	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
158	Other puerperal accidents	488	308	336	156	180	152	11	5	2	4	29
159	Puerperal diseases of breast	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....

EACH DISEASE AND CLASS OF DISEASES: 1901—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
243	978	3,910	1,366	889	2,387	273	504	1,638	1,107	7,681	4,190	457	253	72	532	83
1	18	28	8	10	40	5	5	21	12	93	36	7	.....	3	7	84
3	12	247	49	35	68	8	21	191	50	1,054	116	35	9	2	14	85
209	821	3,066	1,121	717	1,958	218	398	1,197	900	5,585	3,527	375	208	57	435	86
13	64	135	61	35	152	20	28	79	46	238	233	9	21	4	39	87
5	19	195	55	40	74	8	10	53	39	340	104	13	5	1	12	88
9	24	142	39	19	44	8	24	50	39	221	95	10	4	3	14	89
1	3	16	6	7	5	.....	1	5	4	22	15	2	3	.....	.....	90
.....	.....	5	.....	2	5	1	1	3	.....	11	1	1	.....	.....	.....	91
2	17	74	27	21	39	5	15	39	17	114	60	5	1	2	10	92
.....	.....	2	.....	3	2	.....	1	.....	.....	3	3	.....	2	.....	1	93
241	1,118	4,848	1,342	1,518	2,886	390	545	2,849	1,477	15,883	4,367	671	337	108	678	94
.....	1	4	.....	.....	12	.....	1	1	4	9	10	.....	.....	.....	.....	95
4	9	36	7	12	26	5	1	28	17	77	20	8	2	2	6	96
.....	5	23	3	5	19	8	.....	25	8	63	16	9	2	.....	2	97
1	3	5	2	4	10	.....	1	.....	2	11	3	1	1	.....	1	98
31	88	501	127	215	299	42	44	277	124	1,705	413	99	40	17	59	99
19	76	427	123	130	231	28	47	205	108	1,071	388	70	31	6	54	100
22	83	629	94	206	291	41	61	410	170	2,801	459	84	22	14	57	101
133	731	2,774	850	739	1,686	215	332	1,561	869	8,873	2,527	347	220	57	432	102
6	14	101	32	39	49	6	9	67	29	355	71	12	8	4	12	103
11	58	176	50	69	116	29	30	152	96	465	298	22	7	5	28	104
.....	2	14	4	3	4	.....	2	8	3	39	7	1	1	2	1	105
3	27	55	20	49	58	6	4	37	13	149	46	12	.....	.....	10	106
.....	3	11	2	2	10	1	3	18	5	65	8	1	1	.....	2	107
7	5	49	19	20	28	5	8	39	17	109	60	3	1	1	6	108
4	13	43	9	25	47	4	2	21	12	91	41	2	1	.....	8	109
214	998	4,580	972	1,513	2,848	402	361	2,585	1,383	12,712	3,458	857	352	85	419	110
.....	3	12	.....	9	23	1	2	14	4	37	7	.....	1	.....	.....	111
1	6	8	3	4	30	.....	2	9	8	38	17	1	1	1	1	112
2	6	11	6	2	15	.....	2	11	5	27	9	1	.....	1	.....	113
.....	.....	6	2	2	5	1	.....	7	1	16	5	2	.....	.....	3	114
2	16	63	19	16	60	3	7	20	20	175	51	10	3	1	5	115
11	73	186	77	90	171	23	24	165	99	478	268	42	23	5	35	116
8	44	99	47	63	123	11	17	52	50	238	172	63	13	.....	16	117
.....	1	13	4	5	10	6	.....	4	2	83	9	4	.....	.....	1	118
98	441	2,503	362	644	1,090	251	138	1,311	649	7,046	1,007	465	185	44	117	119
16	116	364	119	153	354	27	36	261	169	1,235	506	90	55	10	63	120
1	6	6	.....	1	8	.....	.....	.....	2	.....	6	.....	.....	.....	.....	121
9	23	91	27	30	71	4	7	56	26	235	85	26	7	2	7	122
9	37	170	51	81	151	8	23	93	71	446	187	20	6	3	24	123
4	16	62	20	20	58	3	7	30	16	140	88	16	2	2	6	124
.....	3	4	4	4	11	3	1	2	1	15	10	.....	1	.....	1	125
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	126
11	37	229	57	69	141	16	13	215	88	1,076	265	45	22	4	20	127
1	5	50	5	19	25	.....	3	5	7	68	35	2	3	2	3	128
9	59	144	54	81	159	18	32	67	43	299	253	20	10	2	42	129
.....	1	4	5	2	4	.....	3	.....	2	11	7	1	.....	.....	.....	130
25	72	325	71	105	188	23	31	174	94	430	309	10	14	4	44	131
7	32	218	38	111	149	3	13	86	26	614	160	38	6	4	31	132
.....	1	12	1	2	2	1	.....	2	.....	3	2	.....	.....	.....	.....	133
156	531	2,080	584	532	1,118	131	231	1,298	763	7,977	2,316	367	243	50	285	134
8	45	183	31	44	54	18	13	149	67	710	136	29	7	6	28	135
127	381	1,517	451	315	728	99	179	1,012	500	6,416	1,743	276	207	34	187	136
7	18	69	21	25	84	2	7	25	14	133	81	13	3	1	12	137
.....	.....	14	1	3	9	.....	.....	4	.....	22	5	3	2	.....	1	138
9	42	102	47	32	93	3	20	36	56	196	205	10	8	4	34	139
.....	1	14	.....	2	3	.....	.....	6	1	25	2	1	.....	.....	.....	140
2	19	38	12	14	61	2	4	11	13	102	71	8	7	1	6	141
.....	1	.....	.....	1	4	.....	.....	.....	2	3	2	.....	.....	.....	.....	142
.....	1	3	.....	2	1	.....	.....	1	1	5	1	.....	2	1	1	143
.....	1	5	3	.....	2	2	.....	7	3	15	4	1	1	.....	1	144
.....	5	41	7	25	22	2	4	11	7	89	20	9	3	1	3	145
2	4	25	3	33	17	3	.....	11	3	82	24	5	1	1	3	146
1	10	29	3	15	27	.....	4	6	4	75	18	9	2	1	6	147
.....	3	34	4	15	4	.....	.....	12	.....	87	4	2	.....	.....	.....	148
.....	.....	5	1	5	9	.....	.....	7	2	16	.....	1	.....	.....	3	149
.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	150
10	67	218	49	134	331	12	17	126	66	839	282	59	24	3	30	151
.....	6	22	2	24	34	1	3	11	4	123	26	6	4	.....	3	152
2	4	18	3	6	15	.....	1	8	12	60	25	6	1	1	1	153
1	3	26	2	10	9	.....	.....	14	4	66	17	5	5	.....	2	154
2	27	74	18	54	168	6	7	49	25	365	92	24	6	1	9	155
.....	10	53	12	20	55	4	1	32	16	151	71	15	7	1	10	156
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	157
5	17	25	12	19	50	1	5	12	5	74	51	3	1	.....	5	158
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
160	VIII.—Diseases of skin	2,419	1,611	1,603	795	808	816	68	33	20	34	104
161	Gangrene	1,460	881	1,024	445	579	436	38	21	11	17	54
162	Carbuncle	166	137	82	53	29	84	3	.....	.....	1	11
163	Abscess	464	343	296	175	121	168	17	7	6	9	24
164	Other diseases of skin	329	250	201	122	79	128	10	5	3	7	15
165	IX.—Diseases of locomotor system	807	670	504	367	137	303	15	5	16	13	26
166	Diseases of bones	642	539	405	302	103	237	13	5	13	11	23
167	Diseases of joints	79	61	50	32	18	29	1	.....	2	1	2
168	Amputation	47	43	21	17	4	26	.....	.....	.....	1	.....
169	Other diseases of organs of locomotion	39	27	28	16	12	11	1	.....	1	.....	1
170	X.—Malformations	3,453	2,440	2,426	1,413	1,013	1,027	76	40	19	61	238
171	Hydrocephalus	571	412	411	252	159	160	20	6	4	8	31
172	Congenital malformation of heart (cyanosis)	1,794	1,293	1,217	716	501	577	30	22	12	27	122
173	Other congenital malformations	1,088	735	798	445	353	290	26	12	3	26	85
174	XI.—Early infancy	20,722	16,250	13,423	8,951	4,472	7,299	481	204	299	609	1,232
175	Premature birth	8,615	6,527	6,143	4,055	2,088	2,472	286	105	155	268	540
176	Congenital debility	6,563	5,401	4,249	3,087	1,162	2,314	108	53	76	97	202
177	Other diseases of early infancy	799	554	577	332	245	222	24	13	18	19	60
178	Lack of care	4,745	3,768	2,454	1,477	977	2,291	63	33	50	225	430
179	XII.—Old age	14,758	9,014	9,771	4,027	5,744	4,987	167	126	136	284	840
180	XIII.—Violence	33,330	25,642	20,164	12,476	7,688	13,166	588	335	315	547	1,270
181	Suicide by poison	1,254	1,113	636	495	141	618	29	11	6	31	24
182	Suicide by asphyxia	245	237	117	109	8	128	4	.....	4	2	.....
183	Suicide by hanging or strangulation	608	383	411	186	225	197	9	9	2	7	23
184	Suicide by drowning	210	148	124	62	62	86	1	2	3	4	8
185	Suicide by firearms	913	744	439	270	169	474	12	5	7	10	17
186	Suicide by cutting instruments	209	156	137	84	53	72	3	3	5	1	4
187	Suicide by jumping from high places	41	39	22	20	2	19	1	.....	.....	.....	.....
188	Suicide by crushing	14	11	7	4	3	7	1	1	2	.....	.....
189	Other suicides	330	197	212	79	133	118	2	7	.....	13	45
190	Fractures	2,648	2,010	1,870	1,232	638	778	72	44	36	34	71
191	Dislocations	49	28	32	11	21	17	2	1	.....	.....	2
192	Burns and scalds	2,685	2,125	1,575	1,015	560	1,110	62	24	27	45	126
193	Heat and sunstroke	4,012	3,643	2,462	2,093	369	1,550	32	15	73	40	50
194	Cold and freezing	154	78	122	46	76	32	3	6	.....	1	14
195	Lightning	127	35	101	9	92	26	.....	4	2	1	23
196	Drowning	3,380	2,275	2,396	1,291	1,105	984	69	58	30	30	85
197	Inhalation of poisonous gases	786	719	467	400	67	319	17	2	19	13	5
198	Other accidental poisonings	1,234	912	783	461	322	451	26	11	9	32	68
199	Accidental gunshot wounds	1,082	750	558	226	332	524	10	6	9	25	80
200	Injuries by machinery	196	140	109	53	56	87	3	2	.....	5	5
201	Injuries in mines and quarries	274	185	130	41	89	144	.....	.....	.....	3	14
202	Railroad accidents and injuries	4,102	3,039	2,208	1,145	1,063	1,894	72	42	10	101	184
203	Injuries by vehicles and horses	557	411	335	189	146	222	5	7	1	3	17
204	Suffocation	551	372	373	194	179	178	16	10	3	15	57
205	Injuries at birth	1,134	873	868	607	261	266	42	14	23	8	36
206	Other accidental traumatisms	4,089	3,147	2,534	1,592	942	1,555	79	43	33	45	119
207	Burning by corrosive substances	10	7	7	4	3	3	.....	.....	.....	.....	.....
208	Other external violence	1,687	1,196	864	373	491	823	11	8	8	63	183
209	Starvation, privation, etc	40	28	32	20	12	8	3	.....	.....	.....	1
210	Homicide	709	641	233	165	68	476	2	.....	3	15	9
211	XIV.—Ill-defined causes	17,697	12,625	10,365	5,293	5,072	7,332	149	73	113	411	1,137
212	"Dropsy"	1,580	884	937	241	696	643	3	3	2	68	190
213	"Heart failure"	2,141	1,143	1,351	353	998	790	.....	.....	2	61	229
214	Sudden death	109	64	78	33	45	31	1	.....	.....	6	11
215	Unspecified or ill-defined causes of death	1,739	1,146	1,116	523	593	623	12	6	10	50	122
216	Inanition, over 3 months	2,176	1,749	1,045	618	427	1,131	20	7	23	83	154
217	Debility, over 3 months	2,510	1,690	1,442	622	820	1,068	20	11	9	64	211
218	Marasmus, over 3 months	5,113	4,558	3,106	2,551	555	2,007	51	14	66	47	55
219	Fever	288	166	170	48	122	118	1	3	.....	14	59
220	Unknown causes	2,041	1,225	1,120	304	816	921	41	29	1	18	106

EACH DISEASE AND CLASS OF DISEASES: 1901—Continued.

MAINE.		MASSACHUSETTS		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
11	60	149	67	55	130	13	41	75	58	344	257	20	16	6	42	160
5	49	98	51	29	78	8	33	42	44	184	200	8	15	5	34	161
1	3	8	1	4	7	.....	.....	5	1	30	5	1	.....	.....	1	162
3	7	23	9	15	27	2	5	15	5	79	31	6	1	.....	5	163
2	1	20	6	7	18	3	3	13	8	51	21	5	.....	1	2	164
1	5	61	9	17	35	1	2	32	14	197	34	14	3	.....	4	165
1	5	52	6	15	27	1	1	29	8	158	23	9	3	.....	2	166
.....	.....	5	2	1	3	.....	.....	2	4	18	7	2	.....	.....	.....	167
.....	.....	2	.....	.....	.....	.....	.....	.....	1	13	2	1	.....	.....	1	168
.....	.....	2	1	1	5	.....	1	1	1	8	2	2	.....	.....	1	169
9	56	264	62	87	235	14	22	164	69	654	238	54	24	11	29	170
1	13	57	10	10	42	.....	1	27	10	122	36	3	4	.....	6	171
2	28	126	28	41	100	5	13	70	44	360	125	34	10	9	9	172
6	15	81	24	36	93	9	8	67	15	172	77	17	10	2	14	173
58	180	2,175	427	437	675	90	60	917	478	3,586	945	256	102	43	169	174
2	71	946	171	166	342	.....	.....	362	213	1,725	502	116	51	29	93	175
31	77	798	162	181	177	53	32	359	164	1,336	211	43	39	5	45	176
8	9	56	20	18	46	6	3	36	24	132	53	13	5	2	12	177
17	23	375	74	72	110	31	25	160	77	393	179	84	7	7	19	178
93	511	968	606	312	855	92	291	273	293	1,571	1,812	104	93	27	317	179
92	426	2,045	565	721	1,530	123	190	1,551	826	6,178	2,185	275	156	41	205	180
1	9	48	7	33	34	3	5	84	11	253	28	6	6	1	6	181
.....	.....	11	2	.....	.....	.....	.....	19	3	65	1	4	.....	.....	2	182
3	28	30	26	13	34	4	8	19	19	94	60	5	9	.....	9	183
2	7	24	15	8	7	2	3	7	2	8	14	3	3	.....	1	184
1	16	58	16	13	33	1	5	29	20	131	40	7	7	1	10	185
1	7	15	2	6	13	2	.....	11	5	37	15	3	1	.....	3	186
.....	.....	1	.....	1	1	.....	.....	.....	1	17	.....	.....	.....	.....	.....	187
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	188
1	3	36	14	4	20	3	13	3	5	17	24	.....	.....	.....	2	189
6	23	250	49	59	92	14	28	106	57	650	244	2	4	3	26	190
.....	1	1	.....	3	1	.....	.....	.....	3	5	12	.....	.....	.....	1	191
11	36	198	37	50	113	11	6	140	61	442	130	25	10	4	17	192
1	8	156	39	23	30	10	11	364	103	1,363	102	28	6	3	5	193
1	5	11	3	3	13	2	2	4	5	18	23	3	5	.....	.....	194
.....	1	1	3	1	27	.....	1	1	13	3	18	.....	.....	.....	2	195
13	96	246	103	76	223	14	30	151	133	631	315	24	35	7	27	196
2	2	35	5	6	13	.....	.....	37	12	259	27	11	.....	1	1	197
7	13	64	20	35	51	7	10	33	32	238	101	8	3	2	13	198
2	15	22	21	24	81	2	6	14	23	114	89	2	2	2	9	199
1	3	10	2	5	23	1	.....	14	4	14	17	.....	.....	.....	.....	200
.....	1	2	2	35	68	.....	.....	.....	2	1	.....	.....	.....	.....	2	201
9	22	174	73	101	172	21	16	222	147	401	371	29	16	5	20	202
3	10	9	6	10	58	1	2	11	5	133	33	13	6	.....	2	203
3	4	54	8	15	28	5	6	14	11	64	44	5	7	.....	4	204
6	13	161	10	35	53	2	2	67	22	241	93	20	13	2	5	205
11	74	286	53	111	237	7	15	160	95	791	264	63	18	6	24	206
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	3	2	.....	1	.....	.....	207
5	20	109	40	41	76	10	20	31	29	85	99	6	3	4	13	208
.....	.....	8	.....	2	1	1	.....	.....	1	6	9	.....	.....	.....	.....	209
2	9	24	9	8	28	.....	1	10	1	93	9	8	1	.....	1	210
92	568	1,212	419	332	861	130	255	716	481	2,020	1,055	93	53	25	230	211
5	50	27	27	36	151	11	15	24	32	61	214	1	.....	3	14	212
4	106	87	102	30	123	13	60	76	98	76	223	2	1	2	56	213
.....	2	13	2	.....	13	2	3	3	2	8	9	.....	.....	.....	3	214
18	37	210	65	31	110	10	48	53	39	115	126	7	2	7	38	215
11	30	118	24	44	45	15	4	87	34	174	100	39	18	4	11	216
17	58	240	89	31	93	30	49	56	57	134	217	17	.....	4	35	217
18	26	435	60	84	59	21	19	388	185	1,423	122	13	8	4	7	218
.....	4	4	1	9	17	1	4	9	9	10	18	.....	.....	.....	7	219
19	195	77	49	67	250	27	53	20	25	19	26	14	24	1	59	220

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

	CAUSE OF DEATH.		AGE.									
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
1	All causes		518,207	97,477	22,461	10,031	6,605	5,104	141,678	13,932	8,416	13,969	21,809
2	Males		276,020	54,298	11,854	5,304	3,415	2,642	77,513	7,175	4,390	6,913	11,122
3	Females		242,187	43,179	10,607	4,727	3,190	2,462	64,165	6,757	4,026	7,056	10,687
4	I.—General diseases		145,527	8,316	5,581	3,899	3,179	2,584	23,559	6,839	3,456	6,861	11,373
5	Males		73,648	4,376	2,949	2,058	1,634	1,306	12,323	3,289	1,476	3,030	5,643
6	Females		71,879	3,940	2,632	1,841	1,545	1,278	11,236	3,550	1,980	3,831	5,730
7	Typhoid fever	M	5,937	30	48	42	50	66	236	264	302	664	980
		F	4,190	47	41	46	63	47	244	294	365	655	621
8	Malarial fever	M	1,008	110	51	32	28	20	241	61	35	48	65
		F	972	99	48	27	19	9	202	84	45	53	64
9	Smallpox	M	660	73	34	27	29	11	174	25	12	19	78
		F	425	83	39	22	18	12	174	34	6	17	37
10	Measles	M	1,212	308	360	181	84	45	978	91	24	33	16
		F	1,075	225	306	130	72	56	789	91	32	20	22
11	Scarlet fever	M	2,109	107	254	327	305	269	1,262	574	135	52	29
		F	2,004	103	229	267	284	244	1,127	600	137	46	30
12	Whooping cough	M	1,344	758	315	118	49	44	1,284	51	2	2	
		F	1,707	916	399	166	94	48	1,623	67	7	2	2
13	Diphtheria	M	4,160	252	624	597	578	429	2,480	1,151	267	82	52
		F	4,274	227	521	551	546	490	2,335	1,318	336	94	56
14	Croup	M	1,186	136	253	243	190	134	956	202	18	4	2
		F	1,047	134	195	184	153	119	785	220	24	6	4
15	Influenza	M	4,498	390	79	49	30	18	566	59	34	91	98
		F	5,595	300	89	41	27	23	480	56	41	85	119
16	Cholera nostras	M	276	53	17	7	5	1	83	9	3	3	4
		F	287	36	13	5	3	4	61	14	3	1	9
17	Dysentery	M	1,624	267	209	68	39	34	617	64	14	19	63
		F	1,707	198	142	70	28	21	459	44	9	31	31
18	Erysipelas	M	782	167	12	5	4	1	189	6	6	12	22
		F	668	184	14	6	2	1	207	4	5	16	17
19	Other epidemic diseases [1]	M	53	12	1	4	1		18	1			
		F	32	4	4	1			9	3	2	2	3
20	Septicemia	M	1,060	114	24	15	11	12	176	41	27	51	64
		F	1,230	87	19	11	12	10	139	29	20	59	159
21	Tuberculosis of lungs	M	29,569	432	235	106	79	75	927	229	248	1,581	3,629
		F	25,166	375	200	118	70	75	838	261	602	2,316	3,972
22	Tuberculosis of larynx	M	345	2	1	1	3		7		1	6	36
		F	182			1			1	1	4	6	29
23	Tuberculous meningitis	M	1,429	420	266	147	83	66	982	137	51	36	47
		F	1,227	333	239	111	81	62	826	146	61	37	30
24	Abdominal tuberculosis	M	795	117	50	22	12	11	212	40	24	44	70
		F	972	79	29	13	13	11	145	31	41	72	110
25	Pott's disease	M	261	9	8	9	7	6	39	34	17	11	31
		F	181	14	7	3	7	2	33	19	15	16	10
26	Tuberculous abscess	M	23	1					1	1			1
		F	25	2		1			3	1		4	3
27	White swelling	M	124	2	2	1	1	3	9	17	21	20	9
		F	82	1	2	2		4	9	17	9	10	4
28	Tuberculosis of other organs	M	212	9	4	3	1	2	19	10	11	14	9
		F	181	10	2	6	2	3	23	5	7	12	11
29	General tuberculosis	M	479	38	23	10	5	6	82	29	13	31	60
		F	346	29	15	7	7	4	62	16	17	31	53
30	Scrofula	M	77	42	6	2	1	1	52	6		1	2
		F	91	33	10	5	4	1	53	2	5	6	2
31	Venereal diseases	M	671	330	17	4	4	1	356	4	4	7	19
		F	490	272	23	6	1	3	305	5	3	7	23
32	Cancer of mouth	M	496	1				1	2		1		4
		F	116	1			1		2			1	3
33	Cancer of stomach and liver	M	3,594	2	3	2	1	2	10	8	2	6	22
		F	3,501	3		1			4	2	2	5	9
34	Cancer of intestines	M	935	1	1	1			3	1	2	2	9
		F	1,222		1	1	1		3	1		5	20
35	Cancer of female genital organs	F	2,919				1	2	3	1		8	17
36	Cancer of breast	M	26										
		F	1,621							1			3
37	Cancer of skin	M	456	1		1			2				
		F	227	1		1			2	2	2	1	
38	Cancer of other or unspecified organs	M	2,199	10	5	9	9	10	43	15	13	26	29
		F	2,859	7	7	9	6	5	34	9	10	12	27
39	Tumor	M	151	5	1	3	3	1	13	5	1	2	2
		F	354	10			1		11	1	3	1	8
40	Rheumatism	M	1,503	29	11	7	10	11	68	86	99	65	64
		F	1,482	10	5	6	10	9	40	90	89	84	69
41	Diabetes	M	1,593	6	9	5	7	10	37	31	59	55	49
		F	1,619	7	2	7	7	6	29	43	50	35	46
42	Anemia, leukemia	M	792	97	20	7	3	8	135	20	22	26	25
		F	1,004	84	29	11	7	7	138	26	23	55	65
43	Alcoholism	M	1,598				1	3	4	2		3	37
		F	272		1	1	1		3	2			9
44	Chronic poisonings	M	148									1	4
		F	73				1		1			1	5
45	Other general diseases	M	263	45	6	3	1	5	60	15	8	13	12
		F	364	26	1	4	3		34	10	5	19	28

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1901.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,239	23,665	24,456	24,317	22,802	24,804	25,308	28,491	29,422	29,161	25,732	19,494	9,669	3,483	1,108	2,252	1
12,652	12,746	13,700	13,882	13,182	13,794	13,973	15,148	15,428	14,807	12,743	9,453	4,277	1,325	390	1,407	2
11,587	10,919	10,756	10,435	9,620	11,010	11,335	13,343	13,994	14,354	12,989	10,041	5,392	2,158	718	845	3
12,113	11,063	10,290	9,228	7,869	7,768	7,170	7,106	6,572	5,441	4,167	2,587	1,126	366	112	461	4
6,264	5,912	5,652	5,039	4,309	4,015	3,610	3,409	3,171	2,582	1,887	1,162	458	133	42	242	5
5,849	5,151	4,638	4,189	3,560	3,753	3,560	3,697	3,401	2,859	2,280	1,425	668	233	70	219	6
941	706	534	389	294	190	134	105	89	54	23	8	4			20	
498	332	295	237	150	124	104	99	65	45	25	19	4	1	1	12	7
56	44	65	46	52	47	49	46	40	39	33	21	11	2	1	6	
51	56	46	28	47	46	41	45	40	47	35	21	10	4	1	6	8
81	62	65	47	34	14	18	11	8	6	2	1	1			2	
32	39	20	18	11	7	10	2	8		4	3				3	9
13	8	8	9	10	4	3	3	3	4	2	1				2	
16	21	21	23	11	6	7	6	2	5	2	1					10
21	15	9	2	4	1	1	2	1	1							
28	15	4	2	3		3	1		1		1				6	11
	2			2		1										
1				1				1	1						2	12
32	13	18	9	12	9	4	6	3	2	3	3				14	
38	24	14	23	6	7	6	3	2	3						9	13
				1		1			1						1	
	2	1		1	2		2									14
122	112	168	147	161	219	226	308	402	464	535	472	206	65	23	20	
134	154	142	161	190	249	309	480	539	622	720	588	330	142	35	19	15
5	5	13	11	7	19	14	18	28	18	17	11	4	2		2	
9	8	7	6	7	15	14	17	31	30	23	14	11	3	3	1	16
37	46	33	40	41	54	66	83	106	103	96	87	30	16	3	6	
38	42	49	38	45	78	80	114	138	149	129	123	69	24	6	11	17
31	40	48	50	49	46	60	47	44	48	36	30	14		1	3	
14	34	31	22	24	45	41	48	28	38	39	29	15	5	4	2	18
1	2	6	7	4	4	5	1	1	1		1				1	
2	2			1	1		3	1		2	1					19
56	60	74	69	83	66	58	59	53	57	32	18	8	2		6	
191	146	135	83	50	41	42	34	32	28	17	10	6	2	1	6	20
4,188	3,951	3,564	2,993	2,184	1,809	1,355	1,081	806	488	287	109	40	7	3	90	
4,123	3,347	2,603	1,869	1,185	999	792	710	612	420	282	103	41	6	3	82	21
34	45	58	41	26	26	25	12	11	9	7					1	
27	31	20	13	8	13	5	4	7	6	4	2	1				22
54	33	32	15	10	14	9	3	3	3							
27	22	20	22	8	9	4	5	6	2							23
53	44	52	42	43	42	38	26	32	19	6	3		2		3	
82	88	76	79	55	50	41	41	27	15	9	7	2				24
20	23	18	20	9	12	6	9	5	4		3					
5	15	16	9	6	5	11	8	5	4	2	1			1		25
1	5	2	1	2	1	2	2	2	1	1						
1	2	3	1	2	1	2	1		1							26
8	5	6	2	6	6	8	4	2		1						
10	4	1	4	2	1	3	1		1	3	1	2				27
19	20	13	20	18	10	16	13	8	4	4	3			1		
15	23	13	13	10	9	10	8	9	5	3	4				1	28
54	42	31	40	22	25	19	10	13	4	3	1					
38	31	33	22	12	5	9	4	7	1	2	1	1			1	29
3		2	1	3	1	1	2	3								
7	4	3		1	1			3	3						1	30
32	37	44	34	26	33	25	22	12	6	3	2				5	
15	30	24	22	14	19	10	5	5	1	1					1	31
3	6	19	20	41	52	63	74	73	49	48	23	7	8	3		
	5	5	6	9	11	10	15	13	13	9	7	3	1		3	32
25	57	117	229	331	423	521	527	504	431	249	84	33	2	1	12	
32	72	131	254	292	387	484	504	481	403	281	109	32	6	1	10	33
28	31	45	80	86	110	107	119	123	88	56	35	8			2	
24	42	58	88	121	152	145	170	161	105	77	40	8		1	1	34
62	123	245	376	477	484	378	280	219	109	82	32	10	1	1	11	
		5	1	5	7		2		1	2	2	1				35
10	43	101	163	154	204	217	237	162	140	91	53	25	10	2	5	36
3	7	8	18	28	36	41	47	58	74	57	44	23	5	3	2	
1	2	7	7	14	17	16	25	33	23	29	24	13	8		1	37
45	66	89	147	185	213	246	256	278	224	165	90	44	10	2	13	
47	80	161	258	288	365	323	338	309	266	165	103	41	7	5	11	38
3	3	7	11	12	13	21	18	10	18	5	6	1				
17	20	25	29	29	31	31	38	28	34	30	11	4	1		2	39
55	67	71	85	79	89	106	132	148	130	85	51	10	7	1	5	
75	70	71	66	79	75	104	119	144	117	96	56	23	9	3	3	40
74	89	75	91	116	144	150	186	175	133	77	37	9	1		5	
53	59	67	82	104	164	193	225	191	143	84	38	10	1	1	1	41
35	37	51	39	63	74	65	60	51	55	21	6	2	2		3	
64	85	89	71	72	74	79	74	70	56	24	16	6	2	1	4	42
108	198	269	249	222	168	119	93	57	27	20	5				17	
33	42	54	45	35	17	7	11	9	2	2					1	43
9	18	15	19	23	17	15	9	8	6	2	1				1	
6	6	9	7	4	6	3	7	4	8	3	2				1	44
14	13	18	15	15	17	12	13	11	10	9	4	2	2			
23	30	38	42	32	33	26	13	9	11	5	5	1				45

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
46	II.—Diseases of nervous system	60,431	12,363	2,998	1,319	760	503	17,943	1,454	796	819	990
47	Males	32,416	7,066	1,571	677	398	279	9,991	798	443	408	532
48	Females	28,015	5,297	1,427	642	362	224	7,952	656	353	411	458
49	Encephalitis	M. 442	133	48	22	15	12	230	35	17	16	13
		F. 389	104	42	25	16	9	196	18	13	15	17
50	Meningitis	M. 5,724	2,014	877	413	255	156	3,715	446	190	153	164
		F. 4,706	1,567	795	380	229	156	3,127	394	175	174	131
51	Locomotor ataxia	M. 547	3	1	.....	.....	1	5	3	1	.....	2
		F. 175	4	.....	.....	.....	.....	4	.....	.....	1	2
52	Other diseases of spinal cord	M. 800	26	12	9	10	2	59	21	6	14	23
		F. 628	26	12	11	6	2	57	15	2	12	16
53	Apoplexy	M. 11,021	443	100	43	27	20	633	54	40	36	97
		F. 10,369	290	85	35	22	12	444	51	45	49	75
54	Softening of brain	M. 704	1	2	.....	.....	.....	3	3	.....	1	4
		F. 537	3	.....	.....	.....	.....	3	.....	1	1	3
55	Paralysis	M. 3,442	42	11	11	8	6	78	24	15	24	27
		F. 3,778	29	6	13	6	4	58	12	11	6	29
56	General paralysis of insane	M. 1,423	.....	.....	.....	.....	.....	.....	1	1	4	8
		F. 646	.....	.....	.....	.....	.....	.....	1	1	3	2
57	Other forms of mental disease	M. 579	3	.....	.....	1	.....	4	1	1	6	30
		F. 653	1	.....	.....	.....	.....	1	.....	2	11	49
58	Other diseases of brain	M. 956	119	31	11	4	6	171	43	32	28	36
		F. 594	69	19	15	8	2	113	23	14	21	28
59	Epilepsy	M. 791	34	13	9	2	4	62	24	39	60	79
		F. 626	35	7	.....	5	3	50	14	31	51	58
60	Convulsions	M. 4,712	3,820	444	142	68	60	4,534	68	18	9	7
		F. 3,805	2,875	438	148	61	23	3,545	68	15	29	38
61	Tetanus	M. 721	355	5	5	6	5	376	56	71	37	25
		F. 408	263	3	2	4	7	279	32	13	7	11
62	Other diseases of nervous system	M. 554	73	27	12	2	7	121	19	12	20	17
		F. 701	31	20	13	5	6	75	28	30	31	29
63	III.—Diseases of circulatory system	46,250	1,109	122	96	92	87	1,506	618	743	895	1,087
64	Males	24,569	627	63	48	46	47	831	293	335	444	497
65	Females	21,681	482	59	48	46	40	675	325	408	451	590
66	Pericarditis	M. 426	5	5	3	1	2	16	25	19	16	17
		F. 322	8	2	3	3	6	22	11	19	12	27
67	Endocarditis	M. 1,655	43	9	11	15	10	88	65	57	71	56
		F. 1,644	30	5	6	11	10	62	79	80	72	82
68	Heart disease	M. 18,782	393	36	29	23	27	508	181	242	301	358
		F. 16,804	298	38	31	28	20	415	213	289	327	395
69	Angina pectoris	M. 1,131	3	.....	.....	.....	.....	3	.....	2	4	11
		F. 850	4	3	2	.....	.....	9	5	2	7	21
70	Diseases of arteries	M. 1,340	.....	.....	.....	.....	1	1	2	.....	4	2
		F. 792	.....	.....	.....	.....	.....	.....	1	.....	2	4
71	Embolism and thrombosis	M. 566	16	3	1	.....	2	22	2	5	14	13
		F. 695	11	1	1	.....	.....	13	6	7	16	29
72	Diseases of veins	M. 73	1	2	.....	.....	.....	3	.....	.....	2	4
		F. 102	5	.....	1	.....	.....	6	1	.....	2	2
73	Diseases of lymphatics	M. 30	7	.....	2	.....	2	11	.....	1	.....	1
		F. 27	4	1	1	.....	.....	6	1	.....	1	2
74	Other diseases of circulatory system	M. 566	159	8	2	7	3	179	18	9	32	35
		F. 445	122	9	3	4	4	142	8	11	12	28
75	IV.—Diseases of respiratory system	72,080	15,061	5,831	2,383	1,346	888	25,509	1,836	758	1,388	2,022
76	Males	38,207	8,359	3,054	1,257	689	458	13,817	936	348	768	1,180
77	Females	33,873	6,702	2,777	1,126	657	430	11,692	900	410	620	842
78	Laryngitis	M. 271	40	39	28	31	14	152	43	6	3	5
		F. 219	39	26	25	20	15	125	28	2	5	7
79	Other diseases of larynx	M. 206	45	30	15	15	16	121	23	3	2	3
		F. 142	34	15	7	19	10	85	25	2	1	4
80	Diseases of thyroid body	M. 16	4	.....	.....	.....	.....	4	3	.....	.....	1
		F. 74	1	.....	2	1	.....	4	1	3	3	5
81	Acute bronchitis	M. 3,577	2,296	531	208	77	43	3,155	46	9	3	13
		F. 3,463	1,856	523	213	83	53	2,728	41	8	8	10
82	Chronic bronchitis	M. 2,347	59	27	13	4	6	109	51	8	23	40
		F. 3,078	67	21	13	4	5	110	52	25	37	59
83	Bronchopneumonia	M. 4,419	1,780	763	275	143	90	3,051	127	21	34	37
		F. 4,475	1,438	784	253	130	87	2,692	149	30	35	44
84	Pneumonia	M. 22,878	3,601	1,546	696	372	251	6,426	556	258	606	925
		F. 18,837	2,837	1,317	570	368	234	5,326	520	286	496	576
85	Pleurisy	M. 812	36	26	21	14	7	104	32	13	29	45
		F. 657	26	17	13	7	5	68	24	17	30	37
86	Congestion of lungs	M. 1,710	420	81	29	20	23	573	35	13	24	34
		F. 1,544	323	57	23	13	12	428	38	19	30	39
87	Gangrene of lungs	M. 128	1	.....	1	3	.....	5	3	4	3	3
		F. 44	.....	2	1	.....	2	5	1	1	4	3
88	Asthma and emphysema	M. 829	19	3	6	5	5	38	5	2	6	6
		F. 698	13	6	2	5	3	29	4	3	6	7
89	Hemorrhage of lungs	M. 545	14	.....	1	.....	.....	15	4	7	21	41
		F. 299	19	1	.....	.....	1	21	8	3	11	24
90	Other diseases of respiratory system	M. 469	44	8	4	5	3	64	8	4	14	27
		F. 343	49	8	4	7	3	71	9	11	14	27

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,106	1,354	1,654	2,200	2,379	3,080	3,495	4,210	4,655	4,933	4,473	2,987	1,262	336	79	229	46
606	787	1,005	1,319	1,287	1,604	1,929	2,261	2,474	2,503	2,194	1,458	551	119	32	115	47
497	567	649	881	1,092	1,476	1,566	1,949	2,181	2,430	2,279	1,529	711	217	47	114	48
19	16	14	10	17	7	15	8	9	6	4	3	.....	.....	.....	3	49
16	12	10	15	12	18	12	6	6	2	13	4	1	1	.....	2	
146	147	131	139	95	79	73	76	51	40	33	21	7	1	2	15	50
91	90	98	81	74	65	48	37	33	29	19	14	6	2	3	15	
9	26	44	48	64	72	70	69	67	29	22	12	.....	2	.....	2	51
3	3	9	10	21	23	18	20	20	24	11	4	2	.....	.....	.....	
26	30	38	53	39	52	76	95	100	83	48	24	6	3	.....	4	52
17	26	25	36	41	58	51	72	70	52	41	25	8	1	.....	3	
126	211	294	458	587	807	1,064	1,306	1,433	1,449	1,198	779	331	54	21	43	53
113	158	225	387	536	822	939	1,124	1,237	1,438	1,317	859	370	113	27	40	
4	9	15	24	28	38	47	78	113	132	120	55	18	11	.....	1	54
4	10	8	14	19	26	29	56	79	102	94	50	29	6	2	1	
29	43	78	120	115	201	243	353	438	501	552	404	134	40	7	16	55
35	32	61	81	147	223	254	399	497	572	576	449	234	71	10	21	
23	73	139	224	152	133	125	104	91	109	92	82	30	2	2	8	56
8	36	28	54	39	47	50	57	57	79	78	65	26	9	1	5	
31	40	53	53	45	46	68	49	43	45	35	17	8	3	.....	1	57
27	53	44	70	61	62	41	58	68	48	41	18	13	6	3	7	
58	69	60	66	59	57	49	43	51	48	43	30	5	2	.....	6	58
28	31	30	33	40	44	35	38	41	26	29	7	5	4	.....	4	
87	62	57	65	36	58	43	32	33	22	16	7	3	.....	.....	6	59
72	51	55	41	41	38	27	28	23	13	13	12	2	1	.....	5	
10	12	4	11	3	7	7	3	4	4	1	2	.....	.....	.....	8	60
33	20	15	11	3	2	.....	6	1	3	2	3	1	.....	.....	10	
22	21	26	25	19	18	11	6	2	1	3	1	.....	.....	.....	1	61
10	11	12	6	7	2	4	4	4	.....	1	2	1	.....	1	1	
16	28	32	23	28	29	38	39	39	34	27	21	9	1	.....	1	62
40	34	29	42	51	46	58	44	45	42	44	17	13	3	.....	.....	
1,339	1,604	1,964	2,383	2,664	3,354	3,961	4,849	5,293	5,275	4,326	2,817	1,041	275	57	179	63
656	808	999	1,244	1,473	1,832	2,216	2,636	2,907	2,850	2,299	1,479	510	129	22	109	64
703	796	965	1,139	1,191	1,522	1,745	2,213	2,386	2,425	2,027	1,338	531	146	35	70	65
21	15	18	30	26	28	26	38	41	42	33	10	2	1	.....	2	66
18	13	16	21	18	24	14	24	17	30	17	15	2	2	.....	.....	
69	92	95	102	118	126	119	159	144	114	94	65	13	3	1	4	67
89	93	98	92	84	98	121	142	140	119	111	54	17	8	1	2	
457	588	742	920	1,099	1,408	1,741	2,064	2,311	2,275	1,825	1,172	397	93	11	89	68
477	553	706	883	943	1,231	1,424	1,806	1,946	1,930	1,625	1,042	412	109	20	58	
19	24	36	56	69	108	135	166	166	133	107	59	17	8	3	5	69
27	30	36	56	56	59	66	90	104	122	83	51	17	6	1	2	
23	34	47	73	94	87	110	131	169	187	161	116	67	22	5	5	70
9	11	14	13	23	39	44	77	96	128	120	128	52	18	12	1	
26	22	25	30	28	46	49	55	52	66	58	42	9	1	1	.....	71
49	47	55	46	35	46	47	42	59	71	59	36	24	3	1	4	
5	1	4	6	7	7	5	3	4	9	9	4	.....	.....	.....	.....	72
6	8	8	3	14	9	10	10	4	11	4	1	2	.....	.....	1	
1	1	1	.....	4	1	2	1	3	2	.....	.....	.....	.....	.....	1	73
1	2	1	1	.....	2	1	4	2	2	.....	1	.....	.....	.....	.....	
35	31	31	27	28	21	29	19	17	22	12	11	5	1	1	3	74
27	39	31	24	18	14	18	18	18	12	8	10	5	.....	.....	2	
2,397	2,515	2,874	2,899	2,809	3,123	3,297	3,919	4,165	4,123	3,697	2,637	1,341	455	103	213	75
1,426	1,499	1,770	1,772	1,703	1,843	1,783	1,999	1,959	1,861	1,609	1,098	529	151	32	124	76
971	1,016	1,104	1,127	1,106	1,280	1,514	1,920	2,206	2,262	2,088	1,539	812	304	71	89	77
6	6	7	2	8	5	7	3	5	6	1	2	2	.....	.....	2	78
6	5	5	5	5	4	1	3	6	5	3	2	1	1	.....	.....	
9	4	7	5	3	7	4	4	2	4	2	1	.....	.....	.....	2	79
3	4	2	1	1	1	3	2	2	4	.....	.....	.....	.....	1	1	
.....	.....	1	.....	.....	1	2	.....	2	2	.....	.....	.....	.....	.....	.....	80
2	5	4	6	5	6	2	8	8	5	1	3	3	.....	.....	.....	
11	12	7	9	11	17	24	36	38	47	49	36	31	14	3	6	81
12	11	15	15	12	29	37	61	67	99	104	106	63	29	4	4	
47	64	66	85	89	110	153	216	282	281	322	230	124	30	4	13	82
72	50	65	68	83	118	160	292	323	448	430	365	208	84	22	7	
61	56	59	69	73	76	84	116	133	135	138	80	46	12	5	6	83
40	58	52	68	72	91	102	155	187	216	207	148	84	32	8	5	
1,099	1,142	1,361	1,362	1,232	1,308	1,222	1,288	1,167	1,086	839	597	232	62	15	75	84
674	754	812	803	770	852	995	1,126	1,295	1,221	1,083	737	358	131	28	54	
52	54	61	50	55	67	54	53	42	36	31	18	8	4	.....	4	85
48	42	33	48	27	32	45	44	48	41	33	24	8	3	1	4	
52	42	72	55	84	82	68	107	109	98	116	76	44	19	2	5	86
43	45	56	47	46	68	74	86	113	117	118	95	55	15	6	6	
6	7	10	8	17	12	14	11	12	9	4	.....	.....	.....	.....	.....	87
7	4	.....	4	2	2	2	2	2	.....	2	1	1	.....	.....	1	
15	16	26	37	57	76	82	90	106	101	82	50	20	7	3	4	88
10	11	24	27	42	44	53	102	113	74	75	44	20	6	.....	4	
42	61	70	51	41	42	36	42	25	28	11	3	1	.....	.....	4	89
21	12	18	17	23	19	17	28	24	20	17	10	3	2	.....	1	
26	35	23	39	33	40	33	33	36	28	14	5	1	3	.....	3	90
33	15	18	18	18	14	23	11	18	12	15	4	8	1	1	2	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.		AGE.										
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
91	V.—Diseases of digestive system		62,950	26,185	5,747	1,271	475	371	34,049	1,120	992	1,223	1,448
92	Males		32,897	14,407	3,049	662	246	201	18,565	577	548	601	675
93	Females		30,053	11,778	2,698	609	229	170	15,484	543	444	622	773
94	Diseases of mouth	M.	136	96	9	7	6		118	4			
		F.	120	76	12	7	1		96	4			1
95	Tonsilitis	M.	139	18	11	18	4	13	64	23	10	8	6
		F.	146	16	14	6	14	13	63	32	11	9	5
96	Other diseases of pharynx	M.	181	28	12	5	3	3	51	8	4	6	6
		F.	101	15	11	2	5	1	34	9	5	4	3
97	Ulcer of stomach	M.	439	4		1		1	6	7	7	4	15
		F.	432	5	1	1		1	8	4	4	10	44
98	Gastritis	M.	1,728	323	69	34	16	13	455	40	13	13	20
		F.	2,036	268	56	23	15	7	369	36	18	26	45
99	Other diseases of stomach	M.	954	369	46	24	8	12	459	11	6	9	15
		F.	886	331	36	9	9	7	392	20	11	10	16
100	Dentition	M.	183	114	61	4	1		180	1			
		F.	159	87	59	8	1		155			1	
101	Diarrhea and enteritis	M.	18,860	12,829	2,739	497	151	98	16,314	168	84	44	95
		F.	16,736	10,528	2,427	502	140	104	13,701	168	74	83	87
102	Hernia	M.	626	70	10	1	6	2	89	4		8	11
		F.	646	31	2		1		34	2	2	3	4
103	Obstruction of intestines	M.	1,318	248	26	19	15	20	328	41	43	40	43
		F.	1,348	147	17	16	15	9	204	32	24	33	49
104	Other diseases of intestines	M.	471	96	8	10	2	3	119	8	8	10	17
		F.	511	107	11	6	4	5	133	10	10	8	16
105	Acute yellow atrophy of liver	M.	44	2	1				3		1	1	2
		F.	60	3					3		1	3	1
106	Hydatid tumors of liver	M.	3	1					1				
		F.	5										
107	Cirrhosis of liver	M.	2,812	11	5	1			17	8	4	9	29
		F.	1,453	7	3	1			11	5	2	8	14
108	Biliary calculi	M.	145	1		1			2	2	1		1
		F.	355	2					2		1	2	3
109	Other diseases of liver	M.	1,313	63	20	10	5	6	104	16	5	26	47
		F.	1,245	48	15	3	6	2	74	21	11	28	29
110	Diseases of spleen	M.	43	1	4	3			8	1	2	1	2
		F.	39	2		1	1		4	1	3	2	2
111	Peritonitis	M.	1,541	124	24	22	21	18	209	71	102	139	133
		F.	2,550	94	30	21	11	9	165	76	97	220	315
112	Appendicitis	M.	1,932	9	4	5	8	12	38	164	258	283	232
		F.	1,199	10	4	3	6	12	35	123	170	172	139
113	Other diseases of digestive system	M.	29										1
		F.	26	1					1				
114	VI.—Diseases of genito-urinary system		33,489	545	156	154	124	141	1,120	407	303	562	1,156
115	Males		18,353	327	93	77	70	80	647	215	144	218	424
116	Females		15,136	218	63	77	54	61	473	192	159	344	732
117	Acute nephritis	M.	1,353	94	32	24	32	37	219	90	43	40	76
		F.	1,145	55	22	30	24	32	163	68	41	59	87
118	Bright's disease	M.	14,271	171	59	50	33	39	352	109	94	169	318
		F.	11,236	127	38	43	30	26	264	111	107	205	382
119	Other diseases of kidneys	M.	579	37	1	2	4	3	47	8	2	4	13
		F.	368	21	2	3		3	29	6	4	5	13
120	Calculi of urinary tract	M.	95							2	2	2	1
		F.	31	2					2	1			
121	Diseases of bladder	M.	1,295	15			1	1	17	4	3	3	10
		F.	235	12		1			13	3	1	2	7
122	Uterine tumor	F.	529									2	11
123	Other diseases of uterus	F.	620		1				1	2	3	27	98
124	Ovarian tumor	F.	411								1	8	23
125	Diseases of tubes	F.	407								1	32	86
126	Other diseases of genito-urinary system	M.	760	10	1	1			12	2			6
		F.	154	1					1	1	1	4	25
127	VII.—Childbirth		4,294								5	317	888
128	Puerperal septicemia	F.	1,882								2	148	438
129	Puerperal convulsions	F.	803								1	97	198
130	Other causes incident to childbirth	F.	1,609								2	72	252
131	VIII.—Diseases of skin		2,419	296	46	23	13	15	393	28	25	28	44
132	Males		1,349	159	29	14	4	8	214	18	13	18	19
133	Females		1,070	137	17	9	9	7	179	10	12	10	25
134	Gangrene	M.	808	14	1	5	3	3	26	7	3	3	6
		F.	652	13	2	7	2	3	27	4	2	2	11
135	Carbuncle	M.	111	7	1				8	1		4	4
		F.	55	6					6				2
136	Abscess	M.	259	32	18	4	1	4	79	8	10	6	7
		F.	205	35	7		6	4	52	6	10	6	10
137	Other diseases of skin	M.	171	86	9	5		1	101	2		5	2
		F.	158	83	8	2	1		94			2	2
138	IX.—Diseases of locomotor system		807	180	76	20	16	18	310	47	49	33	32
139	Males		498	105	38	10	8	12	173	27	33	22	22
140	Females		309	75	38	10	8	6	137	20	16	11	10
141	Diseases of bones	M.	383	102	36	10	8	9	165	20	24	19	17
		F.	259	70	38	10	8	4	130	18	15	9	10
142	Diseases of joints	M.	54	3	2				5	3	7	2	1
		F.	25	4				1	5			2	
143	Other diseases of locomotor system	M.	61					3	3	4	2	1	4
		F.	25	1				1	2	2	1		

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1901—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,631	1,676	1,744	2,023	1,952	2,142	2,226	2,405	2,455	2,197	1,743	1,100	469	157	38	160	91
738	772	876	1,071	1,063	1,104	1,168	1,236	1,211	1,043	832	498	168	57	12	82	92
893	904	868	952	889	1,038	1,058	1,169	1,244	1,154	911	602	301	100	26	78	93
2	.....	1	.....	.....	1	2	1	.....	2	2	3	.....	.....	.....	.....	94
1	.....	.....	2	2	3	3	.....	.....	1	2	4	.....	.....	.....	1	
3	3	5	4	2	3	.....	4	.....	2	.....	1	.....	.....	1	.....	95
2	5	3	1	.....	5	1	1	3	1	1	2	.....	.....	.....	1	
2	6	1	6	11	10	12	17	12	16	8	5	.....	.....	.....	.....	96
2	3	1	3	1	5	5	3	6	5	6	2	3	.....	.....	1	
16	21	39	41	47	33	46	42	37	35	22	14	4	.....	1	2	97
25	37	33	35	31	40	33	34	29	25	27	10	1	.....	1	1	
42	63	36	83	93	92	118	125	150	136	130	80	22	8	.....	9	98
57	81	72	88	84	125	133	154	195	184	167	113	53	24	4	8	
18	14	34	27	35	27	40	44	47	50	52	40	13	7	1	5	99
14	20	19	27	25	25	36	54	52	46	49	35	25	9	.....	1	
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	100
.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	
92	83	116	123	105	144	181	222	254	280	251	165	75	27	6	31	101
119	119	106	133	121	182	214	282	301	337	293	220	120	47	12	17	
21	19	26	39	33	42	50	68	52	61	60	28	10	5	.....	.....	102
7	17	23	36	65	68	74	64	86	76	49	16	13	1	1	5	
55	58	70	60	75	71	79	90	86	73	60	32	6	3	.....	5	103
68	70	73	71	79	101	84	101	107	96	71	49	25	3	2	6	
28	17	28	24	30	26	28	26	38	19	23	13	8	.....	1	.....	104
27	27	25	22	27	22	28	25	25	40	24	19	14	5	3	1	
5	4	8	5	4	.....	3	5	1	2	3	2	.....	.....	.....	.....	105
4	9	2	1	9	8	4	5	5	2	2	.....	.....	1	.....	.....	
.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
.....	1	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
75	134	206	322	325	371	348	336	303	167	104	38	8	.....	.....	8	107
42	55	115	143	141	168	173	160	162	129	71	34	10	2	1	7	
3	9	9	12	11	20	19	13	18	11	9	5	.....	.....	.....	.....	108
10	15	27	29	35	30	51	47	39	25	18	15	5	.....	.....	1	
55	63	80	105	100	117	100	128	118	114	65	40	13	5	2	10	109
34	38	71	84	87	107	111	130	143	103	87	53	24	4	.....	6	
3	3	3	3	4	4	1	2	1	3	.....	1	.....	.....	.....	1	110
5	3	3	3	.....	3	4	1	2	2	1	.....	.....	.....	.....	.....	
113	95	88	90	78	83	76	78	58	55	33	26	6	1	.....	7	111
353	312	220	196	126	104	78	74	73	60	32	22	4	4	2	17	
203	177	127	123	103	58	60	33	36	16	9	4	3	1	.....	4	112
121	92	74	73	51	39	23	31	14	16	11	7	4	.....	.....	4	
2	2	3	4	6	1	5	2	.....	1	1	1	.....	.....	.....	.....	113
2	.....	1	3	5	2	3	2	1	4	.....	1	.....	.....	.....	1	
1,490	1,705	2,055	2,331	2,378	2,683	2,793	3,248	3,346	3,175	2,452	1,462	553	116	39	115	114
571	710	925	1,140	1,214	1,487	1,629	1,910	2,062	1,991	1,570	985	371	60	18	62	115
919	995	1,130	1,191	1,164	1,196	1,164	1,338	1,284	1,184	882	477	182	56	21	53	116
79	88	94	96	80	93	84	83	61	48	43	20	12	4	.....	.....	117
102	73	80	77	68	67	66	57	45	34	37	11	5	1	.....	4	
458	573	757	975	1,054	1,268	1,394	1,592	1,664	1,453	1,104	625	221	32	12	47	118
510	602	696	784	867	932	977	1,157	1,136	1,054	762	412	154	44	21	39	
15	21	31	22	38	46	35	52	62	56	50	48	21	4	.....	4	119
26	27	20	29	23	30	30	27	23	26	25	13	6	3	.....	3	
3	7	9	5	2	5	7	11	8	19	10	2	.....	.....	.....	.....	120
1	4	3	3	4	3	2	4	1	1	.....	2	.....	.....	.....	.....	
9	9	20	24	23	32	65	105	158	277	244	188	79	13	4	8	121
6	5	6	9	10	13	12	24	25	28	28	25	10	7	.....	1	
24	46	96	98	87	63	23	23	24	13	9	5	2	1	.....	2	122
103	76	114	80	43	20	17	11	7	8	8	1	.....	.....	.....	1	123
33	49	43	58	34	39	33	31	19	16	11	7	5	.....	.....	1	124
88	91	46	41	17	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	125
7	12	14	18	17	43	44	67	109	138	119	102	38	7	2	3	126
26	22	26	12	11	6	2	4	4	4	2	1	.....	.....	.....	2	
1,053	919	713	326	47	2	1	1	.....	.....	.....	.....	.....	.....	.....	22	127
499	384	262	122	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	128
169	171	113	44	7	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	129
385	364	338	160	25	1	1	.....	.....	.....	.....	.....	.....	.....	.....	9	130
46	45	62	62	98	126	128	166	223	248	263	233	140	38	15	8	131
19	26	34	33	62	76	64	95	120	153	159	120	76	19	4	7	132
27	19	28	29	36	50	64	71	103	95	104	113	64	19	11	1	133
6	11	14	13	29	36	36	68	84	118	139	112	70	18	3	6	134
8	5	13	10	20	26	41	40	81	81	93	101	58	18	10	1	
2	2	4	5	6	12	12	9	16	14	7	2	2	.....	1	.....	135
2	1	2	3	5	10	4	8	6	2	1	2	1	.....	.....	.....	
11	12	11	13	20	18	10	15	14	13	6	4	1	1	.....	.....	136
15	11	7	13	8	7	13	14	9	10	4	7	1	1	1	.....	
.....	1	5	2	7	10	6	3	6	8	7	2	3	.....	.....	1	137
2	2	6	3	3	7	6	9	7	2	6	3	4	.....	.....	.....	
27	28	21	42	32	30	36	31	26	27	13	10	7	1	1	4	138
21	19	10	28	22	19	22	24	17	15	10	6	3	.....	1	4	139
6	9	11	14	10	11	14	7	9	12	3	4	4	1	.....	.....	140
12	14	5	18	12	15	16	14	9	10	8	1	1	.....	.....	3	141
6	7	9	10	6	8	7	6	3	8	1	2	3	1	.....	.....	
5	1	2	2	5	.....	3	5	2	4	1	4	1	.....	1	.....	142
.....	1	.....	2	2	2	2	1	2	3	2	1	.....	.....	.....	.....	
4	4	3	8	5	4	3	5	6	1	1	1	1	.....	.....	1	143
.....	1	2	2	2	1	5	.....	4	1	.....	1	1	.....	.....	.....	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
144	X.—Malformations	3,453	3,136	123	49	14	10	3,332	35	19	9	7
145	Males	1,943	1,757	65	36	10	5	1,873	23	11	8	5
146	Females	1,510	1,379	58	13	4	5	1,459	12	8	1	2
147	Hydrocephalus M	339	218	43	27	6	3	297	19	9	4	2
	F	232	159	37	7	2	3	208	6	4	.....	1
148	Congenital malformation of heart (cyanosis) M	1,029	900	9	4	4	2	1,009	1	2	3	2
	F	765	736	11	3	1	1	752	4	4	1	1
149	Other congenital malformations M	575	549	13	5	.....	.....	567	3	.....	1	1
	F	513	484	10	3	1	1	499	2	.....	.....	.....
150	XI.—Early infancy	20,722	20,722	.....	.....	.....	.....	20,722	.....	.....	.....	.....
151	Males	11,749	11,749	.....	.....	.....	.....	11,749	.....	.....	.....	.....
152	Females	8,973	8,973	.....	.....	.....	.....	8,973	.....	.....	.....	.....
153	Premature birth M	4,926	4,926	.....	.....	.....	.....	4,926	.....	.....	.....	.....
	F	3,689	3,689	.....	.....	.....	.....	3,689	.....	.....	.....	.....
154	Congenital debility M	6,823	6,823	.....	.....	.....	.....	6,823	.....	.....	.....	.....
	F	5,284	5,284	.....	.....	.....	.....	5,284	.....	.....	.....	.....
155	XII.—Old age	14,758	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
156	Males	6,365	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
157	Females	8,393	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	XIII.—Violence	33,330	2,317	664	560	462	416	4,419	1,363	1,180	1,677	2,531
159	Males	24,938	1,396	378	323	256	209	2,562	908	994	1,329	2,023
160	Females	8,392	921	286	237	206	207	1,857	455	186	348	508
161	Suicide M	2,872	.....	.....	.....	.....	.....	.....	.....	8	69	223
	F	952	.....	.....	.....	.....	.....	.....	.....	4	99	141
162	Fractures and dislocations M	1,968	10	7	18	9	15	59	71	61	90	165
	F	729	4	7	9	12	12	44	29	6	5	15
163	Burns and scalds M	1,103	53	123	157	129	78	540	61	21	37	43
	F	1,582	35	97	130	111	121	494	222	59	66	87
164	Heat and sunstroke M	2,472	302	67	12	10	4	395	13	15	16	60
	F	1,540	210	66	9	5	10	300	16	4	12	31
165	Cold and freezing M	129	4	1	1	.....	.....	6	2	.....	3	4
	F	25	2	.....	1	.....	.....	3	.....	.....	.....	.....
166	Lightning M	105	.....	.....	1	.....	.....	1	2	13	21	9
	F	22	.....	.....	.....	.....	1	1	1	3	2	6
167	Drowning M	3,072	16	39	24	23	29	131	319	384	345	308
	F	308	5	24	14	12	10	65	31	25	34	26
168	Inhalation of poisonous gases M	557	7	4	3	3	3	20	5	6	25	45
	F	229	6	3	1	3	2	15	6	8	14	21
169	Other accidental poisonings M	759	45	55	31	20	13	164	28	13	15	37
	F	475	36	35	23	14	11	119	15	5	30	59
170	Accidental gunshot wounds M	947	1	1	2	1	3	8	30	81	103	147
	F	135	1	3	2	.....	1	7	11	5	14	29
171	Injuries by machinery M	187	1	.....	.....	.....	.....	1	.....	5	17	28
	F	9	1	.....	.....	.....	.....	1	.....	2	.....	1
172	Injuries in mines and quarries M	274	.....	.....	.....	.....	.....	.....	.....	.....	23	38
	F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173	Railroad accidents and injuries M	3,735	3	12	11	14	14	54	128	145	233	417
	F	367	3	3	6	9	7	28	32	23	22	11
174	Injuries by vehicles and horses M	490	1	7	10	8	11	37	69	43	24	23
	F	67	.....	4	5	4	4	17	12	4	1	2
175	Suffocation M	350	176	5	4	1	2	188	9	11	9	11
	F	201	138	9	3	4	3	157	10	3	2	2
176	Other accidental injuries M	4,689	66	56	47	37	36	242	162	174	267	391
	F	1,137	45	34	33	31	24	167	60	28	26	39
177	Injuries at birth M	704	704	.....	.....	.....	.....	704	.....	.....	.....	.....
	F	430	430	.....	.....	.....	.....	430	.....	.....	.....	.....
178	Homicide M	525	7	1	2	1	1	12	9	14	32	74
	F	184	5	1	1	1	1	9	10	7	21	38
179	XIV.—Ill-defined causes	17,697	7,247	1,117	257	124	71	8,816	185	90	157	231
180	Males	9,088	3,970	565	142	54	37	4,768	91	45	67	102
181	Females	8,609	3,277	552	115	70	34	4,048	94	45	90	129
182	"Dropsy" M	796	13	9	4	3	2	31	9	9	7	14
	F	784	10	2	4	2	2	20	3	3	13	20
183	"Heart failure" M	1,079	139	7	3	2	1	152	12	7	9	20
	F	1,062	130	6	3	3	5	147	14	10	18	26
184	Other ill-defined causes M	6,052	3,307	522	117	40	30	4,016	55	15	36	48
	F	5,883	2,721	503	97	55	21	3,397	68	24	36	58
185	Unknown causes M	1,161	511	27	18	9	4	569	15	14	15	20
	F	880	416	41	11	10	6	484	9	8	23	25

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1901—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6	4	5	.....	3	3	3	2	2	2	3	.....	.....	.....	.....	18	144
2	2	1	.....	2	2	.....	.....	2	.....	3	.....	.....	.....	.....	9	145
4	2	4	.....	1	1	3	2	.....	2	.....	.....	.....	.....	.....	9	146
2	1	1	.....	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	147
1	1	3	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	4	
.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	8	148
1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	149
2	.....	1	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	5	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	151
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	152
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	154
.....	.....	.....	.....	.....	.....	.....	301	680	1,722	2,844	4,173	2,973	1,454	563	48	155
.....	.....	.....	.....	.....	.....	.....	127	280	718	1,241	1,926	1,295	549	199	30	156
.....	.....	.....	.....	.....	.....	.....	174	400	1,004	1,603	2,247	1,678	905	364	18	157
2,717	2,457	2,713	2,408	2,139	1,945	1,575	1,493	1,161	994	823	679	331	127	44	554	158
2,217	2,084	2,263	2,031	1,810	1,547	1,247	1,074	813	579	484	316	125	42	12	478	159
500	373	450	377	329	398	328	419	348	415	339	363	206	85	32	76	160
244	285	305	334	283	292	242	214	151	80	81	21	6	1	.....	33	
139	87	120	96	71	60	31	39	28	23	6	2	2	.....	.....	4	161
170	175	206	181	131	117	105	92	86	68	62	69	25	9	2	24	
15	7	19	17	20	21	25	45	42	67	83	122	92	39	10	6	162
67	45	64	41	34	30	29	17	17	16	13	7	4	.....	.....	17	
85	59	75	76	55	58	42	56	36	35	33	20	11	4	5	4	163
114	159	260	226	237	184	177	147	143	101	88	60	34	8	3	32	
39	45	51	74	72	97	103	155	132	147	98	92	41	21	4	6	164
7	11	8	7	11	15	4	12	13	10	4	5	3	.....	.....	4	
1	.....	1	.....	2	3	1	3	1	4	3	2	.....	.....	.....	1	165
9	7	9	9	5	4	3	4	1	5	1	1	.....	.....	.....	1	
1	3	1	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	166
282	198	220	198	169	135	75	88	35	30	17	8	2	.....	.....	118	
25	17	11	10	11	13	8	5	9	4	3	1	.....	.....	.....	10	167
58	51	58	55	57	47	32	35	21	11	11	7	4	1	.....	8	
33	17	15	12	16	16	11	15	6	10	6	5	.....	.....	.....	3	168
50	80	58	64	69	51	33	33	18	15	13	5	3	1	.....	9	
52	37	45	17	17	24	17	10	9	7	6	.....	2	.....	.....	4	169
131	106	90	55	60	43	28	13	13	11	7	1	.....	.....	1	10	
15	17	11	7	3	7	2	1	2	.....	2	.....	.....	.....	.....	2	170
31	14	22	20	18	9	9	3	2	2	2	1	.....	.....	.....	3	
2	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	171
46	39	33	34	25	20	8	2	1	1	.....	.....	.....	.....	.....	4	
470	390	373	289	279	207	190	141	102	68	57	27	10	4	2	149	172
27	19	19	16	12	30	27	27	15	19	6	10	2	.....	1	21	
28	38	39	29	25	35	28	24	17	15	8	6	.....	.....	.....	2	173
2	4	1	.....	2	4	3	3	3	5	2	1	1	.....	.....	.....	
12	14	9	17	15	9	12	12	6	5	3	.....	1	.....	.....	7	174
2	2	2	2	4	2	1	3	1	3	2	.....	1	.....	.....	2	
412	398	416	425	360	329	255	220	183	139	114	98	33	18	4	49	175
37	37	59	41	38	56	54	57	62	91	86	108	54	21	11	5	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	176
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	177
86	74	74	47	32	20	17	17	4	2	3	.....	.....	.....	.....	8	
25	22	20	8	5	5	2	.....	1	.....	2	.....	.....	.....	1	8	178
297	295	361	415	432	548	623	760	844	1,024	928	809	426	158	57	241	179
132	127	165	205	237	265	305	377	412	512	455	405	191	66	16	145	180
165	168	196	210	195	283	318	383	432	512	473	404	235	92	41	96	181
11	12	22	31	49	54	68	81	76	116	84	80	36	2	.....	4	
18	14	21	35	31	56	63	76	110	99	84	74	24	13	4	3	182
24	22	45	58	60	61	71	105	100	125	84	73	31	8	2	10	
41	40	58	41	46	66	50	104	83	101	94	67	33	12	5	6	183
60	61	70	78	84	107	128	138	191	237	258	230	107	56	14	63	
85	92	102	100	94	137	186	178	220	286	265	241	166	58	29	61	184
37	32	28	38	44	43	38	53	45	34	29	22	17	.....	.....	68	
21	22	15	34	24	24	19	25	19	26	30	22	12	9	3	26	185

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901.

CONNECTICUT.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	14,866	2,812	545	233	165	119	365	568	1,143	1,160	1,196	1,449	1,763	1,847	1,145	201	155
I.—General diseases	4,510	276	166	101	91	65	200	284	660	565	475	510	473	379	210	27	28
Typhoid fever	278	.....	.....	2	2	.....	16	51	90	58	26	13	12	4	3	.....	1
Malarial fever	104	11	3	3	3	1	9	7	9	7	4	14	12	10	9	.....	2
Smallpox	4	.....	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Measles	73	21	23	8	3	3	4	4	5	.....	.....	.....	1	1	.....	.....	.....
Scarlet fever	85	2	8	7	18	11	23	12	4	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	106	55	31	11	4	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	227	9	21	39	31	19	76	25	5	2	3	3	2	.....	.....	.....	1
Croup	82	10	19	14	12	11	13	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	558	46	8	1	2	2	8	9	26	31	37	60	83	127	93	21	4
Cholera nostras	23	4	2	.....	1	.....	.....	.....	1	3	2	5	.....	2	3	.....	.....
Dysentery	132	12	8	7	3	2	11	3	4	4	5	19	19	19	14	1	1
Erysipelas	51	11	1	.....	.....	.....	.....	.....	3	7	6	11	5	3	4	.....	.....
Other epidemic diseases[1]	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Septicemia	37	8	.....	.....	1	.....	3	4	8	3	2	2	2	4	.....	.....	.....
Tuberculosis of lungs	1,510	37	18	6	3	6	18	124	433	334	221	149	92	44	13	.....	12
Tuberculosis of larynx	11	.....	.....	.....	.....	.....	.....	.....	4	1	2	1	.....	2	1	.....	.....
Tuberculous meningitis	63	23	15	7	3	3	5	4	1	1	.....	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	45	8	.....	1	1	.....	.....	4	8	3	5	5	7	1	2	.....	.....
Pott's disease	12	.....	1	.....	.....	1	.....	3	1	1	3	1	1	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
White swelling	8	.....	.....	.....	.....	.....	1	4	1	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	11	1	.....	1	.....	.....	.....	.....	1	2	1	3	.....	2	.....	.....	.....
General tuberculosis	20	1	1	.....	.....	.....	2	1	7	3	1	3	1	.....	.....	.....	.....
Scrofula	6	2	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....
Venereal diseases	18	6	2	.....	.....	1	.....	.....	3	.....	1	3	1	.....	.....	.....	1
Cancer of mouth	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	8	3	.....	.....	.....
Cancer of stomach and liver	227	1	1	.....	.....	.....	.....	.....	7	21	27	50	65	38	17	.....	.....
Cancer of intestines	87	.....	.....	.....	.....	.....	.....	.....	2	3	6	26	29	16	5	.....	.....
Cancer of female genital organs	85	.....	.....	.....	.....	.....	.....	.....	1	12	25	21	12	10	3	.....	1
Cancer of breast	65	.....	.....	.....	.....	.....	.....	.....	.....	4	6	19	15	11	8	1	1
Cancer of skin	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	7	6	3	.....	.....
Cancer of other or unspecified organs	147	.....	1	1	1	1	.....	4	4	8	24	35	22	32	9	4	1
Tumor	21	2	.....	.....	.....	.....	.....	.....	1	4	1	4	3	2	4	.....	.....
Rheumatism	110	.....	2	.....	.....	.....	6	6	5	4	9	17	29	19	12	.....	1
Diabetes	118	1	.....	.....	2	1	4	12	6	11	14	20	29	14	4	.....	.....
Anemia, leukemia	51	4	1	1	.....	.....	.....	2	6	8	11	5	7	5	1	.....	.....
Alcoholism	67	.....	.....	.....	.....	.....	.....	.....	8	20	26	6	3	1	1	.....	2
Chronic poisonings	16	.....	.....	.....	.....	.....	.....	.....	.....	3	5	2	4	1	1	.....	.....
Other general diseases	10	.....	.....	.....	.....	.....	.....	.....	3	5	.....	1	.....	1	.....	.....	.....
II.—Diseases of nervous system	1,848	282	77	33	18	14	36	37	56	79	121	186	295	390	186	22	16
Encephalitis	11	2	.....	.....	2	.....	1	2	.....	1	1	2	.....	.....	.....	.....	.....
Meningitis	308	113	50	22	9	9	22	12	21	14	5	13	10	3	1	2	2
Locomotor ataxia	29	.....	.....	.....	.....	.....	.....	.....	1	4	7	5	7	3	2	.....	.....
Other diseases of spinal cord	44	.....	.....	1	.....	.....	.....	2	1	3	5	7	10	10	5	.....	.....
Apoplexy	803	4	2	2	2	1	1	3	8	19	63	109	191	257	121	12	8
Softening of brain	71	1	.....	.....	.....	.....	.....	.....	.....	3	6	5	7	36	10	3	.....
Paralysis	146	2	.....	.....	.....	1	.....	1	2	2	3	15	40	44	33	2	1
General paralysis of insane	52	.....	.....	.....	.....	.....	.....	1	3	5	9	3	6	16	6	1	2
Other forms of mental disease	30	.....	.....	.....	.....	.....	.....	.....	.....	5	5	5	5	6	2	.....	2
Other diseases of brain	50	8	.....	2	.....	.....	2	3	2	3	7	7	6	3	6	1	.....
Epilepsy	46	.....	.....	1	1	1	.....	5	10	7	4	8	4	5	.....	.....	.....
Convulsions	176	139	23	4	3	1	2	1	1	1	.....	.....	.....	.....	.....	.....	1
Tetanus	22	7	1	.....	.....	.....	4	1	2	4	.....	1	2	.....	.....	.....	.....
Other diseases of nervous system	60	6	1	1	1	1	4	6	5	8	6	6	7	7	.....	1	.....
III.—Diseases of circulatory system	1,505	24	3	1	3	1	16	36	49	90	140	205	319	365	202	29	22
Pericarditis	15	.....	.....	.....	.....	1	.....	.....	2	.....	.....	5	4	2	1	.....	.....
Endocarditis	83	2	.....	1	2	.....	.....	8	2	11	11	11	14	12	7	2	.....
Heart disease	1,190	10	3	.....	1	.....	16	26	38	63	112	166	258	302	156	18	21
Angina pectoris	69	1	.....	.....	.....	.....	.....	.....	2	7	7	10	17	18	6	1	.....
Diseases of arteries	71	.....	.....	.....	.....	.....	.....	.....	1	.....	5	6	9	21	22	7	.....
Embolism and thrombosis	47	1	.....	.....	.....	.....	.....	.....	2	4	3	7	12	9	9	.....	.....
Diseases of veins	5	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	1
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	25	9	.....	.....	.....	.....	.....	2	2	5	.....	.....	4	1	1	1	.....
IV.—Diseases of respiratory system	1,823	406	126	55	21	16	43	45	78	116	125	162	198	221	159	34	18
Laryngitis	14	.....	2	1	1	2	4	.....	1	.....	1	.....	1	.....	.....	.....	1
Other diseases of larynx	9	.....	2	1	1	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	1
Diseases of thyroid body	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Acute bronchitis	243	153	26	9	3	1	8	.....	1	.....	1	7	4	11	13	5	1
Chronic bronchitis	164	4	.....	.....	.....	.....	1	2	3	5	8	18	30	43	40	9	1
Bronchopneumonia	233	87	36	14	7	1	7	2	1	5	7	10	15	20	15	4	2
Pneumonia	995	142	56	27	9	10	18	37	60	91	93	109	126	122	69	14	12
Pleurisy	42	1	1	1	.....	.....	3	2	4	5	5	3	6	6	5	.....	.....
Congestion of lungs	73	18	2	2	.....	1	1	2	.....	7	4	4	6	12	12	2	.....
Gangrene of lungs	6	.....	1	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....
Asthma and emphysema	26	.....	.....	.....	.....	.....	1	.....	2	2	2	4	5	7	3	.....	.....
Hemorrhage of lungs	9	1	.....	.....	.....	.....	.....	.....	2	1	.....	4	.....	.....	1	.....	.....
Other diseases of respiratory system	7	.....	.....	.....	.....	1	.....	.....	1	.....	2	1	2	.....	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,742	809	129	16	12	11	19	41	54	66	89	132	145	129	71	14	5
Diseases of mouth	13	10					1							1	1		
Tonsilitis	6		1	1	1		1	1					1				
Other diseases of pharynx	14	2	2			1	1					3	3	2			
Ulcer of stomach	24	2		1				1	1	3	4	5	4	3			
Gastritis	136	12	2			1		2	3	7	6	23	29	24	17	7	3
Other diseases of stomach	57	26	2						3	2	1	4	4	9	5	1	
Dentition	8	6	2														
Diarrhea and enteritis	990	721	116	9	8	7	3	7	4	2	15	16	28	27	20	6	1
Hernia	36	2	1							4	6	8	5	7	3		
Obstruction of intestines	75	15	1	2	2		2	1	5	7	6	15	5	4	10		
Other diseases of intestines	16	3		2					1	3	2	1	1	2	1		
Acute yellow atrophy of liver	2										1	1					
Hydatid tumors of liver																	
Cirrhosis of liver	127						1	1	5	13	19	31	34	22	1		
Biliary calculi	9										1	2	4	2			
Other diseases of liver	72	6	1		1		4	1	2	6	8	11	11	14	7		
Diseases of spleen	3										1		1	1			
Peritonitis	75	4	1	1			2	9	15	6	8	7	8	10	3		1
Appendicitis	78					2	4	18	15	13	11	4	7	1	3		
Other diseases of digestive system	1											1					
VI.—Diseases of genito-urinary system	967	21	1	5	2	1	9	29	56	80	120	146	203	178	87	11	18
Acute nephritis	80	7		1	2		5	6	8	8	12	12	10	2	5		2
Bright's disease	704	9	1	3			4	19	40	51	94	113	162	129	58	6	15
Other diseases of kidneys	18	2		1		1		3		1	2	1	1	6			
Calculi of urinary tract	5												2	2	1		
Diseases of bladder	68	2							3	4		4	14	19	17	5	
Uterine tumor	19								1	4	4	4	2	4			
Other diseases of uterus	6									4	1			1			
Ovarian tumor	18									2	3	6	4	3			
Diseases of tubes	12								4	6	2						
Other diseases of genito-urinary system	37	1						1			2	6	8	12	6		1
VII.—Childbirth	111							7	59	30	14	1					
Puerperal septicemia	41							2	23	11	5						
Puerperal convulsions	28							4	16	6	2						
Other causes incident to childbirth	42							1	20	13	7	1					
VIII.—Diseases of skin	101	15	1		1	2		3		6	4	7	16	29	14	3	
Gangrene	39	1			1					3	1	4	13	23	10	3	
Carbuncle	3									1			1		1		
Abscess	24	5	1			2		3		2	3	2	1	2	3		
Other diseases of skin	15	9										1	1	4			
IX.—Diseases of locomotor system	20	2	1	2	2		1	1	2	3	2		1	2	1		
Diseases of bones	18	2	1	2	2		1	1	2	2	2		1	1	1		
Diseases of joints	1									1							
Other diseases of locomotor system	1													1			
X.—Malformations	116	99	7	2			2	4				1					1
Hydrocephalus	26	11	7	2			2	3				1					
Congenital malformation of heart (cyanosis)	52	50						1									1
Other congenital malformations	38	38															
XI.—Early infancy	685	685															
Premature birth	391	391															
Congenital debility	294	294															
XII.—Old age	293												18	70	155	48	2
XIII.—Violence	923	93	21	17	15	8	37	81	123	119	99	87	76	60	41	6	40
Suicide	100							4	13	16	25	14	14	9	1		4
Fractures and dislocations	119						4	8	15	19	14	8	11	15	19	4	2
Burns and scalds	86	3	13	12	12	4	7	2	6	5	6	7	5	2			2
Heat and sunstroke	47	8	3		1	1	2		5	7	4	6	4	5		1	
Cold and freezing	9									1	2	1	1	3	1		
Lightning	4			1				1	1								1
Drowning	127		1	2	2	1	15	33	19	8	9	15	5	5	2		10
Inhalation of poisonous gases	19							2	4	3	5	2	1	1			1
Other accidental poisonings	37	4	1	1		1	2	3	6	8	3	2	3		2		1
Accidental gunshot wounds	16						1	2	4	6	2		1				
Injuries by machinery	5							1	1	1	1		1				
Injuries in mines and quarries																	
Railroad accidents and injuries	114						1	11	31	24	13	9	4	3	2		16
Injuries by vehicles and horses	12		1	1			1		1	2	2	1	2		1		
Suffocation	26	15						3	1	1	1	2		1			2
Other accidental injuries	144	7	2			1	4	11	16	16	12	20	24	16	13	1	1
Injuries at birth	56	56															
Homicide	2									2							
XIV.—Ill-defined causes	222	100	13	1		1	2		6	6	7	12	19	24	19	7	5
"Dropsy"	6											1	3		2		
"Heart failure"																	
Other ill-defined causes	146	74	13	1			1		1		2	6	10	18	13	6	1
Unknown causes	70	26				1	1		5	6	5	5	6	6	4	1	4

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

DISTRICT OF COLUMBIA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,055	1,256	200	112	53	54	138	246	627	561	579	702	696	521	247	62	1
I.—General diseases	1,897	121	56	51	31	31	86	137	348	294	221	220	171	90	32	7	1
Typhoid fever	174	1	3	2	2	2	14	28	56	23	23	15	3	2	.....	.....	.....
Malarial fever	43	3	1	2	3	1	7	3	4	7	.....	4	2	6	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	11	3	4	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	11	3	1	.....	.....	3	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	63	32	14	8	4	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	94	2	11	15	12	14	32	6	1	1	.....	.....	.....	.....	.....	.....	.....
Croup	10	2	2	2	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	166	14	2	.....	2	.....	2	8	6	15	14	23	31	27	18	4	.....
Cholera nostras	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....	.....
Dysentery	20	4	1	1	.....	.....	.....	1	1	.....	1	4	5	.....	2	.....	.....
Erysipelas	12	.....	.....	.....	.....	.....	.....	.....	1	3	.....	3	4	.....	.....	1	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	20	.....	.....	.....	.....	.....	.....	.....	6	2	3	6	2	1	.....	.....	.....
Tuberculosis of lungs	840	26	11	12	1	5	12	74	241	193	117	69	58	21	.....	.....	.....
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	34	11	5	3	2	1	5	1	2	2	1	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	24	3	.....	1	.....	.....	.....	5	5	3	3	2	1	1	.....	.....	.....
Pott's disease	5	.....	.....	.....	.....	.....	1	1	.....	.....	2	1	.....	.....	.....	.....	.....
Tuberculous abscess	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
General tuberculosis	20	1	1	1	1	.....	2	1	7	3	2	.....	1	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	19	13	.....	.....	.....	1	.....	.....	1	2	1	1	.....	.....	.....	.....	.....
Cancer of mouth	9	1	.....	.....	.....	.....	.....	.....	.....	1	.....	4	1	2	.....	.....	.....
Cancer of stomach and liver	62	.....	.....	.....	.....	.....	.....	.....	.....	3	12	19	14	10	3	1	.....
Cancer of intestines	20	.....	.....	.....	.....	.....	1	.....	.....	2	1	9	4	3	.....	.....	.....
Cancer of female genital organs	47	.....	.....	.....	.....	1	.....	.....	1	8	13	13	7	2	1	.....	1
Cancer of breast	27	.....	.....	.....	.....	.....	.....	.....	1	3	6	7	6	3	1	.....	.....
Cancer of skin	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	1	.....	.....
Cancer of other or unspecified organs	28	.....	.....	.....	.....	.....	.....	.....	.....	5	3	8	9	3	.....	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Rheumatism	47	.....	.....	.....	.....	.....	4	4	2	3	6	10	7	6	4	1	.....
Diabetes	29	1	.....	.....	.....	.....	1	1	6	1	2	8	7	.....	2	.....	.....
Anemia, leukemia	12	.....	.....	.....	.....	.....	.....	3	1	3	2	2	.....	1	.....	.....	.....
Alcoholism	22	.....	.....	1	.....	.....	.....	.....	1	5	6	4	5	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
II.—Diseases of nervous system	655	103	22	12	3	2	7	13	27	30	71	107	127	94	33	4	.....
Encephalitis	4	.....	.....	1	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Meningitis	67	23	11	5	1	2	4	3	7	4	3	2	.....	.....	2	.....	.....
Locomotor ataxia	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	2	.....	.....	.....
Other diseases of spinal cord	19	2	.....	.....	1	.....	.....	.....	2	3	1	2	6	2	.....	.....	.....
Apoplexy	302	11	2	2	.....	.....	1	6	8	16	43	61	82	51	17	2	.....
Softening of brain	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	6	11	3	.....	.....
Paralysis	55	.....	.....	1	.....	.....	1	.....	1	1	7	13	13	12	6	.....	.....
General paralysis of insane	13	.....	.....	.....	.....	.....	.....	.....	.....	1	4	4	3	.....	.....	1	.....
Other forms of mental disease	8	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	1	.....	1	1	.....
Other diseases of brain	38	2	1	.....	.....	.....	.....	.....	1	1	4	6	7	13	3	.....	.....
Epilepsy	18	.....	.....	.....	.....	.....	.....	.....	3	2	3	5	5	.....	.....	.....	.....
Convulsions	64	51	8	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
Tetanus	22	14	.....	.....	1	.....	.....	3	2	1	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	12	.....	.....	.....	.....	.....	.....	.....	2	.....	2	5	1	2	.....	.....	.....
III.—Diseases of circulatory system	637	17	1	2	.....	1	7	16	28	45	90	132	145	103	48	2	.....
Pericarditis	5	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	1	.....	.....	.....	.....
Endocarditis	20	.....	.....	.....	.....	1	.....	3	1	2	2	3	5	2	1	.....	.....
Heart disease	546	12	.....	2	.....	.....	5	7	23	41	79	118	130	87	40	2	.....
Angina pectoris	17	.....	.....	.....	.....	.....	.....	1	1	.....	3	4	3	4	1	.....	.....
Diseases of arteries	25	.....	.....	.....	.....	.....	.....	.....	.....	1	3	5	3	9	4	.....	.....
Embolism and thrombosis	15	2	.....	.....	.....	.....	1	2	2	1	1	2	1	1	2	.....	.....
Diseases of veins	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	6	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
IV.—Diseases of respiratory system	695	190	46	25	15	9	12	17	53	49	51	71	70	59	22	6	.....
Laryngitis	5	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	3	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	66	41	9	2	2	1	.....	.....	1	2	1	2	1	3	.....	1	.....
Chronic bronchitis	45	1	.....	1	.....	.....	1	.....	.....	4	1	6	7	15	8	1	.....
Bronchopneumonia	126	63	14	10	3	6	1	.....	4	2	2	6	6	7	2	.....	.....
Pneumonia	338	67	22	11	8	1	5	10	35	28	33	45	36	26	9	2	.....
Pleurisy	14	.....	.....	.....	.....	.....	2	.....	1	2	1	2	3	2	.....	1	.....
Congestion of lungs	66	16	.....	1	.....	.....	2	2	8	5	11	4	11	3	2	1	.....
Gangrene of lungs	4	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	1	.....	.....	.....
Asthma and emphysema	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Hemorrhage of lungs	17	.....	.....	.....	.....	.....	.....	1	2	3	1	3	5	2	.....	.....	.....
Other diseases of respiratory system	9	1	.....	.....	1	.....	.....	.....	1	2	1	2	.....	.....	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	744	379	48	8	1	5	6	21	36	27	42	55	47	45	22	2	.....
Diseases of mouth	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tonsilitis	3	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Other diseases of pharynx	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Ulcer of stomach	20	.....	.....	.....	.....	.....	.....	.....	2	3	4	2	4	4	1	.....	.....
Gastritis	67	19	.....	1	1	.....	.....	1	3	8	7	6	7	7	7	.....	.....
Other diseases of stomach	22	8	.....	2	.....	.....	.....	.....	2	1	2	1	1	4	1	.....	.....
Dentition	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	409	333	47	5	.....	2	1	1	8	5	10	13	19	17	6	2	.....
Hernia	15	3	1	.....	.....	.....	.....	.....	.....	.....	2	6	.....	2	1	.....	.....
Obstruction of intestines	23	6	.....	.....	.....	.....	1	1	2	3	2	2	2	3	1	.....	.....
Other diseases of intestines	10	5	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....	.....	.....
Acute yellow atrophy of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydatid tumors of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	29	.....	.....	.....	.....	.....	.....	.....	3	.....	8	7	5	5	1	.....	.....
Biliary calculi	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....
Other diseases of liver	22	.....	.....	.....	.....	.....	.....	.....	3	2	3	6	4	1	3	.....	.....
Diseases of spleen	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Peritonitis	24	3	.....	.....	.....	1	1	5	5	2	.....	5	1	.....	1	.....	.....
Appendicitis	32	.....	.....	.....	.....	.....	3	13	6	2	3	3	2	.....	.....	.....	.....
Other diseases of digestive system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	442	6	2	4	.....	1	6	10	43	50	68	78	84	61	25	4	.....
Acute nephritis	46	4	1	1	.....	.....	3	4	12	7	5	6	1	2	.....	.....	.....
Bright's disease	310	1	1	3	.....	1	3	2	13	24	48	66	72	54	19	3	.....
Other diseases of kidneys	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diseases of bladder	19	1	.....	.....	.....	.....	.....	.....	.....	1	4	1	4	4	3	1	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	.....	4	2	.....	1	.....	.....	.....	.....
Other diseases of uterus	13	.....	.....	.....	.....	.....	.....	2	4	5	1	.....	1	.....	.....	.....	.....
Ovarian tumor	8	.....	.....	.....	.....	.....	.....	.....	3	1	2	2	.....	.....	.....	.....	.....
Diseases of tubes	16	.....	.....	.....	.....	.....	.....	1	8	5	2	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	17	.....	.....	.....	.....	.....	.....	1	2	2	2	3	3	1	3	.....	.....
VII.—Childbirth	67	.....	.....	.....	.....	.....	.....	10	34	21	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia	30	.....	.....	.....	.....	.....	.....	5	14	10	1	.....	.....	.....	.....	.....	.....
Puerperal convulsions	19	.....	.....	.....	.....	.....	.....	5	11	3	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	18	.....	.....	.....	.....	.....	.....	.....	9	8	1	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	20	2	.....	1	.....	.....	.....	.....	2	.....	.....	3	3	5	3	1	.....
Gangrene	11	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	2	3	2	1	.....
Carbuncle	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abscess	6	1	.....	1	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....
Other diseases of skin	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
IX.—Diseases of locomotor system	16	3	2	.....	.....	1	.....	3	1	1	2	.....	1	1	.....	1	.....
Diseases of bones	13	3	2	.....	.....	1	.....	3	1	1	2	.....	.....	.....	.....	.....	.....
Diseases of joints	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
Other diseases of locomotor system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
X.—Malformations	19	16	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	4	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	12	11	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Early infancy	299	299	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	155	155	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	144	144	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	136	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	45	46	32	.....
XIII.—Violence	315	44	7	2	2	4	14	19	55	43	30	29	32	18	13	3	.....
Suicide	29	.....	.....	.....	.....	.....	.....	1	8	6	5	7	1	.....	1	.....	.....
Fractures and dislocations	36	1	.....	.....	.....	.....	1	.....	6	5	3	5	4	1	9	1	.....
Burns and scalds	27	2	2	1	2	4	2	1	5	3	2	1	1	.....	.....	1	.....
Heat and sunstroke	73	14	2	.....	.....	.....	.....	.....	1	10	8	10	16	8	3	1	.....
Cold and freezing	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Lightning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Drowning	30	.....	.....	.....	.....	.....	2	12	5	1	6	3	1	.....	.....	.....	.....
Inhalation of poisonous gases	19	.....	.....	.....	.....	.....	.....	1	5	5	4	1	1	2	.....	.....	.....
Other accidental poisonings	9	1	1	1	.....	.....	2	.....	1	2	.....	.....	1	.....	.....	.....	.....
Accidental gunshot wounds	9	.....	.....	.....	.....	.....	2	1	6	.....	.....	.....	.....	.....	.....	.....	.....
Injuries by machinery	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Injuries in mines and quarries	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	10	.....	.....	.....	.....	.....	1	.....	5	2	.....	.....	2	.....	.....	.....	.....
Injuries by vehicles and horses	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Suffocation	3	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other accidental injuries	41	2	1	.....	.....	.....	4	3	9	8	2	2	5	5	.....	.....	.....
Injuries at birth	23	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
XIV.—Ill-defined causes	113	76	15	5	1	.....	.....	.....	.....	1	2	7	3	.....	3	.....	.....
"Dropsy"	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
"Heart failure"	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Other ill-defined causes	108	75	15	5	1	.....	.....	.....	.....	.....	2	5	2	.....	3	.....	.....
Unknown causes	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

INDIANA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	35,130	6,481	1,586	683	422	280	944	1,969	3,256	2,674	2,614	3,001	3,910	4,346	2,403	329	232
I.—General diseases	11,046	670	394	254	196	135	442	1,008	1,885	1,374	1,102	1,010	1,104	939	421	47	65
Typhoid fever	1,191	13	17	11	18	19	91	267	320	152	116	73	57	25	8	.....	4
Malarial fever	238	32	20	5	8	5	12	20	21	14	13	24	20	27	12	2	3
Smallpox	21	3	2	.....	.....	.....	.....	1	4	5	2	2	.....	.....	2	.....	.....
Measles	205	42	32	22	12	5	21	25	13	11	15	5	1	1	.....	.....	.....
Scarlet fever	155	10	14	28	19	21	40	14	3	3	2	.....	.....	.....	.....	.....	1
Whooping cough	247	153	45	23	11	4	7	3	.....	.....	.....	.....	.....	.....	.....	.....	1
Diphtheria	361	15	27	44	49	27	119	63	8	3	1	1	.....	.....	2	.....	2
Croup	168	34	31	24	29	20	27	2	.....	.....	.....	.....	.....	.....	.....	.....	1
Influenza	1,000	64	14	10	7	4	10	21	44	44	61	86	152	282	174	23	4
Cholera nostras	33	2	.....	.....	.....	.....	.....	1	3	1	2	7	8	5	2	2	.....
Dysentery	455	54	100	35	11	7	16	5	10	17	11	21	49	57	53	8	1
Erysipelas	82	32	2	.....	.....	.....	1	1	5	6	2	6	12	6	8	1	.....
Other epidemic diseases [1]	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	277	22	7	1	3	2	9	21	52	60	27	28	15	22	7	.....	1
Tuberculosis of lungs	4,163	76	37	16	14	8	26	447	1,251	847	524	339	323	169	43	2	41
Tuberculosis of larynx	37	.....	1	.....	.....	.....	.....	1	13	9	2	4	4	3	.....	.....	.....
Tuberculous meningitis	153	46	20	18	5	7	17	14	8	7	2	5	3	1	.....	.....	.....
Abdominal tuberculosis	162	14	9	6	.....	1	7	10	26	20	18	19	18	9	4	1	.....
Pott's disease	37	5	2	.....	2	.....	3	4	5	3	4	5	2	1	1	.....	.....
Tuberculous abscess	5	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....
White swelling	11	.....	.....	.....	.....	.....	2	5	.....	1	1	1	.....	1	.....	.....	.....
Tuberculosis of other organs	35	1	.....	.....	1	1	2	4	4	6	6	4	3	3	.....	.....	.....
General tuberculosis	55	1	4	1	2	1	2	3	14	9	10	2	4	2	.....	.....	.....
Scrofula	17	8	1	.....	.....	.....	1	3	2	1	.....	.....	1	.....	.....	.....	.....
Venereal diseases	52	20	2	1	.....	.....	1	1	2	10	7	4	4	.....	.....	.....	.....
Cancer of mouth	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	8	6	2	2	.....
Cancer of stomach and liver	385	2	.....	.....	.....	.....	.....	.....	.....	3	13	51	80	119	94	21	2	.....
Cancer of intestines	80	.....	.....	.....	1	.....	.....	.....	.....	4	5	11	17	24	15	3	.....	.....
Cancer of female genital organs	142	.....	.....	.....	.....	.....	1	1	4	9	44	41	25	11	4	.....	2
Cancer of breast	85	.....	.....	.....	.....	.....	.....	.....	1	6	17	22	22	13	3	.....	1
Cancer of skin	52	.....	.....	.....	.....	.....	.....	.....	.....	2	2	6	11	19	11	.....	1
Cancer of other or unspecified organs	358	1	.....	2	1	2	1	1	9	20	54	83	87	64	31	2	.....
Tumor	34	1	.....	.....	1	.....	2	.....	1	4	5	6	6	8	.....	.....	.....
Rheumatism	230	1	1	2	1	.....	11	31	22	14	12	36	44	38	15	1	1
Diabetes	205	.....	1	1	1	1	7	20	10	18	24	33	42	38	9	.....	.....
Anemia, leukemia	150	14	5	3	.....	.....	4	11	16	22	15	20	24	11	5	.....	.....
Alcoholism	63	.....	.....	.....	.....	.....	.....	.....	3	16	16	14	7	6	.....	.....	1
Chronic poisonings	18	.....	.....	.....	.....	.....	.....	1	.....	4	6	2	3	2	.....	.....	.....
Other general diseases	59	4	.....	.....	.....	.....	1	7	4	9	15	12	5	.....	1	1	.....
II.—Diseases of nervous system	4,310	785	227	91	59	31	127	158	172	222	281	431	586	742	345	31	22
Encephalitis	189	70	27	13	4	2	6	8	12	12	8	10	6	7	.....	.....	4
Meningitis	742	229	120	50	30	21	59	59	44	43	37	18	16	9	2	1	4
Locomotor ataxia	36	3	.....	.....	.....	.....	.....	.....	1	6	7	9	3	6	1	.....	.....
Other diseases of spinal cord	122	6	2	2	1	.....	7	3	6	6	13	12	28	26	9	1	.....
Apoplexy	1,169	108	34	6	10	4	14	24	24	44	84	167	241	277	118	10	4
Softening of brain	112	.....	1	.....	.....	.....	1	1	1	4	2	13	31	42	16	.....	.....
Paralysis	875	9	1	2	4	.....	7	7	13	19	46	103	185	291	168	15	5
General paralysis of insane	145	.....	.....	.....	.....	.....	.....	.....	1	13	28	31	28	28	13	3	.....
Other forms of mental disease	59	.....	.....	.....	.....	.....	.....	.....	5	9	16	13	6	8	1	.....	1
Other diseases of brain	115	14	6	3	.....	1	5	11	6	15	11	20	9	12	1	1	.....
Epilepsy	137	4	1	.....	1	.....	5	16	40	27	12	17	8	2	1	.....	3
Convulsions	398	316	32	12	8	2	9	5	4	6	1	1	2	.....	.....	.....	.....
Tetanus	66	17	1	.....	1	1	9	13	9	7	4	2	1	1	.....	.....	.....
Other diseases of nervous system	145	9	2	3	.....	.....	5	11	6	11	12	15	22	33	15	.....	1
III.—Diseases of circulatory system	2,481	85	6	5	5	6	36	84	108	117	223	342	559	637	229	19	20
Pericarditis	87	.....	.....	1	.....	.....	4	9	7	4	6	8	14	24	9	.....	1
Endocarditis	95	6	1	.....	1	.....	5	14	1	8	7	9	19	18	4	.....	2
Heart disease	1,885	32	3	4	2	3	23	54	62	83	175	274	456	508	177	15	14
Angina pectoris	140	2	.....	.....	.....	.....	1	1	9	7	14	23	33	33	12	3	2
Diseases of arteries	102	.....	.....	.....	.....	.....	.....	.....	1	3	6	11	22	37	21	1	.....
Embolism and thrombosis	36	.....	.....	.....	.....	.....	.....	.....	5	7	2	6	4	10	2	.....	.....
Diseases of veins	16	.....	.....	.....	.....	.....	.....	.....	4	.....	2	3	5	2	.....	.....	.....
Diseases of lymphatics	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Other diseases of circulatory system	117	45	2	.....	2	2	3	6	19	5	11	6	6	5	4	.....	1
IV.—Diseases of respiratory system	4,348	877	278	122	88	51	125	105	274	243	269	361	549	568	295	28	25
Laryngitis	48	7	5	5	7	2	9	.....	3	1	2	2	2	3	.....	.....	.....
Other diseases of larynx	16	5	2	1	3	.....	1	1	.....	2	.....	.....	.....	1	.....	.....	.....
Diseases of thyroid body	7	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	.....	.....	.....
Acute bronchitis	279	109	29	15	8	2	5	2	5	2	2	3	8	14	15	.....	.....
Chronic bronchitis	279	9	1	.....	1	.....	4	5	9	5	17	14	50	94	63	5	2
Bronchopneumonia	431	150	62	22	15	8	17	13	8	10	11	16	34	33	28	1	3
Pneumonia	2,617	416	160	73	47	34	72	144	205	185	184	249	343	319	153	18	15
Pleurisy	55	.....	1	.....	.....	.....	1	3	9	5	7	9	9	6	5	.....	.....
Congestion of lungs	288	95	15	4	3	4	10	10	9	14	17	22	33	36	14	1	1
Gangrene of lungs	5	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....
Asthma and emphysema	146	6	.....	.....	2	.....	3	.....	3	4	10	19	39	42	14	2	2
Hemorrhage of lungs	47	5	.....	.....	.....	.....	.....	4	4	7	3	9	7	7	.....	.....	1
Other diseases of respiratory system	130	14	3	2	2	.....	3	11	19	8	13	17	20	13	3	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,301	1,341	540	135	36	27	99	174	219	226	277	302	411	347	134	14	19
Diseases of mouth	34	24	5	2					1					1	1		
Tonsilitis	45	5	5	5	2	5	13	6	1	2			1				
Other diseases of pharynx	17	1	3		1		1	3	1	2		1	2	1	1		
Ulcer of stomach	51	1				1		1	4	3	7	9	12	8	4		1
Gastritis	354	49	14	4	2	1	3	8	16	25	36	31	68	66	23	5	3
Other diseases of stomach	201	66	8	4	2	3	5	8	10	9	12	17	28	21	6		2
Dentition	7	7															
Diarrhea and enteritis	2,235	1,100	486	106	23	10	32	25	29	35	43	57	103	114	59	7	6
Hernia	63	6	2				1	1		3	7	12	17	12	2		
Obstruction of intestines	179	24		6	1	3	8	15	17	15	14	26	28	19	3		
Other diseases of intestines	103	17	4		1		2	2	6	6	10	14	20	13	6	2	
Acute yellow atrophy of liver	9	1						1	1	1	2	1	2				
Hydatid tumors of liver																	
Cirrhosis of liver	183	2	2	1			1	2	11	19	32	43	41	23	6		
Biliary calculi	41			1				1	1		10	8	9	8	3		
Other diseases of liver	247	15	3	2			6	6	19	16	30	46	48	39	13		4
Diseases of spleen	9	2						1	1		1		2		1		1
Peritonitis	373	20	7	3	3	4	14	63	67	71	53	24	22	16	5		1
Appendicitis	148	1	1	1	1		13	31	33	19	20	13	8	5	1		1
Other diseases of digestive system	2								1					1			
VI.—Diseases of genito-urinary system	1,579	38	10	9	8	6	19	53	109	115	158	213	312	385	124	9	11
Acute nephritis	91	7	3	3	4	3	5	8	9	11	11	7	8	7	4	1	
Bright's disease	1,174	23	7	5	3	2	11	39	75	71	122	179	261	283	78	6	9
Other diseases of kidneys	58	4			1	1	1	1	2	1	3	7	14	16	5	1	1
Calculi of urinary tract	3												2	1			
Diseases of bladder	116	4		1				1	2	1	3	7	14	54	27	1	1
Uterine tumor	19							1	1	6	6	2	3				
Other diseases of uterus	36						2	1	11	10	8	2	1	1			
Ovarian tumor	24							1	2	6	3	5	6		1		
Diseases of tubes	5							1	1	3							
Other diseases of genito-urinary system	53								6	6	2	4	3	23	9		
VII.—Childbirth	259							37	101	90	27						4
Puerperal septicemia	126							24	50	36	13						3
Puerperal convulsions	41							10	17	12	2						
Other causes incident to childbirth	92							3	34	42	12						1
VIII.—Diseases of skin	138	22	4	1		2	2	1	6	5	5	12	19	34	21	4	
Gangrene	71	1				1	2			1	1	7	9	27	18	4	
Carbuncle	12										2	1	4	3	2		
Abscess	33	7	2	1		1		1	6	4	2	2	3	3	1		
Other diseases of skin	22	14	2									2	3	1			
IX.—Diseases of locomotor system	39	4	2	1			1	8	8	3	3	5	1	1	1		1
Diseases of bones	34	4	2	1			1	5	8	3	3	4	1	1			1
Diseases of joints	3							3									
Other diseases of locomotor system	2											1			1		
X.—Malformations	299	277	6	3	1	1	2	2					1	1			5
Hydrocephalus	39	30	3	2			2	1									1
Congenital malformation of heart (cyanosis)	149	138	2	1	1	1		1					1	1			3
Other congenital malformations	111	109	1														1
XI.—Early infancy	1,841	1,841															
Premature birth	808	808															
Congenital debility	1,033	1,033															
XII.—Old age	1,124												47	328	596	147	6
XIII.—Violence	1,817	130	39	36	21	17	69	221	318	217	183	194	141	116	72	8	35
Suicide	189							15	51	29	31	33	19	8	1		2
Fractures and dislocations	107		1	1	2	2	2	6	11	9	9	13	10	16	21	3	1
Burns and scalds	171	8	12	20	13	9	20	20	17	9	11	9	6	9	5		3
Heat and sunstroke	90	10					1	2	2	10	9	10	22	14	7		3
Cold and freezing	15								1	2	1	2	4	2	1		2
Lightning	24							6	8	2	2	2	2	1	1		
Drowning	115		6		1	2	10	46	18	8	9	6	2				7
Inhalation of poisonous gases	18		1	1				1	3	5	1	1	5				
Other accidental poisonings	100	6	10	4	4	1	1	9	21	15	9	7	9	2		1	1
Accidental gunshot wounds	105			1			7	23	29	22	10	10	1			1	1
Injuries by machinery	10	1						2	3		4						
Injuries in mines and quarries	17							1	6	3	3	3	1				
Railroad accidents and injuries	285	1	1	3		1	7	35	71	45	33	35	21	19	5		8
Injuries by vehicles and horses	20						2	4	6	3	1		3	1			
Suffocation	72	52	1			1	2	2	3	4	1	1	3	2			
Other accidental injuries	411	8	7	6	1	1	17	49	61	41	44	62	32	42	31	3	6
Injuries at birth	44	44															
Homicide	24								7	10	5		1				1
XIV.—Ill-defined causes	1,548	411	80	26	8	4	22	28	56	62	86	131	180	248	165	22	19
"Dropsy"	258	3	2		2	1	4	3	10	10	14	38	58	69	36	5	3
"Heart failure"	290	46	2		2		3	9	14	15	29	41	44	57	26	1	1
Other ill-defined causes	876	287	73	24	3	2	14	15	27	33	40	46	71	118	98	16	9
Unknown causes	124	75	3	2	1	1	1	1	5	4	3	6	7	4	5		6

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

MAINE.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	11,215	1,629	311	120	86	76	241	494	814	755	776	984	1,513	1,857	1,248	222	89
I.—General diseases	2,947	137	71	33	37	35	106	242	459	376	305	275	365	319	147	20	20
Typhoid fever	225	2	.....	.....	1	2	18	50	58	43	25	11	6	6	1	.....	2
Malarial fever	11	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	5	1	3	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	29	10	4	2	.....	.....	.....	3	3	1	2	.....	1	2	1	.....	.....
Scarlet fever	20	.....	3	2	1	3	4	4	2	.....	.....	1	.....	.....	.....	.....	.....
Whooping cough	30	18	6	1	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	81	5	12	1	16	9	24	10	3	1	.....	.....	.....	.....	.....	.....	.....
Croup	46	6	10	12	3	3	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	298	25	6	2	3	2	5	7	10	9	16	11	44	78	69	10	1
Cholera nostras	26	8	2	1	.....	1	.....	.....	.....	.....	.....	3	1	7	2	.....	1
Dysentery	32	14	5	1	2	3	.....	2	3	1	.....	1	3	11	3	3	.....
Erysipelas	13	3	.....	.....	.....	.....	.....	.....	.....	1	.....	3	3	1	.....	2	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	26	2	1	.....	.....	.....	.....	2	3	6	5	2	2	2	.....	1	.....
Tuberculosis of lungs	1,085	18	8	5	5	3	13	115	321	218	129	86	90	52	14	.....	8
Tuberculosis of larynx	15	1	.....	.....	.....	.....	.....	2	3	4	3	.....	2	.....	.....	.....	.....
Tuberculous meningitis	59	9	9	5	2	7	17	4	4	1	.....	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	56	2	1	1	.....	1	3	8	13	8	8	5	3	2	1	.....	.....
Pott's disease	19	2	1	.....	.....	.....	2	2	1	6	1	.....	2	2	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	10	.....	.....	.....	.....	.....	1	2	1	2	3	.....	.....	.....	1	.....	.....
General tuberculosis	23	3	.....	.....	.....	.....	.....	4	5	4	4	.....	1	2	.....	.....	.....
Scrofula	8	4	1	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
Venereal diseases	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	1	.....	.....
Cancer of mouth	21	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	8	5	2	1	.....
Cancer of stomach and liver	208	.....	.....	.....	.....	.....	.....	1	2	7	22	43	63	56	12	.....	2
Cancer of intestines	65	.....	.....	.....	.....	.....	.....	.....	.....	3	12	11	21	14	4	.....	.....
Cancer of female genital organs	92	.....	.....	.....	.....	.....	.....	.....	2	14	19	27	20	9	1	.....	.....
Cancer of breast	55	.....	.....	.....	.....	.....	.....	.....	.....	5	14	10	18	6	2	.....	.....
Cancer of skin	35	.....	.....	.....	.....	.....	.....	.....	.....	1	3	6	4	11	8	2	.....
Cancer of other or unspecified organs	99	.....	.....	.....	.....	.....	1	.....	2	10	10	20	18	22	11	1	4
Tumor	13	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	6	1	.....	.....	.....
Rheumatism	47	.....	.....	.....	1	.....	1	5	3	2	3	4	10	13	5	.....	.....
Diabetes	88	.....	1	.....	1	1	2	13	8	6	10	12	21	8	5	.....	.....
Anemia, leukemia	56	4	1	.....	.....	.....	1	3	6	9	7	9	7	7	1	.....	1
Alcoholism	19	.....	.....	.....	.....	.....	.....	1	2	9	4	1	1	.....	.....	.....	1
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
Other general diseases	6	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	1	.....	.....	.....
II.—Diseases of nervous system	1,610	210	47	25	15	13	33	43	46	57	98	168	263	378	189	15	10
Encephalitis	23	5	1	.....	.....	1	4	2	2	1	4	1	.....	1	1	.....	.....
Meningitis	288	113	27	16	8	8	21	24	12	15	12	7	15	5	2	1	2
Locomotor ataxia	24	1	.....	.....	.....	.....	.....	.....	.....	.....	1	7	5	7	3	.....	.....
Other diseases of spinal cord	42	1	.....	.....	.....	.....	.....	1	1	2	5	5	10	11	6	.....	.....
Apoplexy	588	16	1	1	.....	.....	.....	1	11	14	37	74	125	204	94	5	5
Softening of brain	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	7	16	8	.....	.....
Paralysis	252	3	.....	.....	.....	.....	.....	3	3	3	12	29	55	82	55	6	1
General paralysis of insane	41	.....	.....	.....	.....	.....	.....	.....	.....	3	3	7	6	14	8	.....	.....
Other forms of mental disease	83	.....	.....	.....	.....	.....	.....	1	4	9	11	19	17	13	6	2	1
Other diseases of brain	56	4	.....	.....	.....	.....	2	4	3	4	6	6	11	12	2	1	1
Epilepsy	31	6	1	2	.....	1	.....	4	4	3	6	2	.....	2	.....	.....	.....
Convulsions	98	57	16	5	7	2	4	3	3	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	5	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Other diseases of nervous system	43	3	1	1	.....	.....	.....	.....	3	3	.....	6	12	11	3	.....	.....
III.—Diseases of circulatory system	1,221	22	3	.....	1	2	9	25	33	55	73	156	315	326	176	14	11
Pericarditis	19	.....	.....	.....	.....	.....	2	2	3	2	.....	1	4	4	1	.....	.....
Endocarditis	15	.....	.....	.....	.....	.....	.....	3	1	2	1	2	3	3	.....	.....	.....
Heart disease	1,030	17	2	.....	1	2	7	16	23	42	58	130	266	283	162	11	10
Angina pectoris	77	.....	.....	.....	.....	.....	.....	1	2	.....	11	12	22	19	7	2	1
Diseases of arteries	24	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	10	6	4	1	.....
Embolism and thrombosis	33	2	.....	.....	.....	.....	.....	2	2	4	2	6	7	7	1	.....	.....
Diseases of veins	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	19	3	1	.....	.....	.....	.....	1	2	3	.....	4	3	2	.....	.....	.....
IV.—Diseases of respiratory system	1,359	210	75	15	12	9	40	52	68	69	94	119	167	233	161	29	6
Laryngitis	13	2	3	1	2	.....	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other diseases of larynx	5	1	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	4	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....
Acute bronchitis	119	64	12	2	2	3	2	.....	1	.....	1	1	6	11	11	2	1
Chronic bronchitis	95	2	.....	.....	.....	.....	.....	5	1	2	1	9	15	32	24	4	.....
Bronchopneumonia	105	25	14	6	1	1	5	1	3	1	5	3	14	16	9	1	.....
Pneumonia	864	98	35	5	6	5	24	37	52	54	72	96	113	142	105	17	3
Pleurisy	20	2	.....	.....	.....	.....	3	2	3	2	2	2	1	1	2	.....	.....
Congestion of lungs	69	10	6	.....	.....	.....	2	4	2	5	4	3	5	19	4	4	1
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Asthma and emphysema	33	1	2	.....	.....	.....	.....	.....	1	2	2	2	5	11	5	1	1
Hemorrhage of lungs	12	2	.....	.....	.....	.....	.....	.....	2	2	2	1	2	.....	1	.....	.....
Other diseases of respiratory system	18	3	1	.....	.....	.....	.....	3	2	.....	4	2	3	.....	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

MAINE—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,212	534	83	28	10	5	21	39	44	40	45	73	102	101	72	4	11
Diseases of mouth	3	3															
Tonsilitis	7							2	2	1		1	1				
Other diseases of pharynx	8	2		1				2			1		1	1			
Ulcer of stomach	18						1		1	2	2	4	3		4		1
Gastritis	84	5	5				3		4	5	5	8	12	16	19	1	1
Other diseases of stomach	52	20	3	1					1	1	4	4	8	8	2		
Dentition	1	1															
Diarrhea and enteritis	671	472	67	23	9	4	8	2	3	3	3	12	16	23	19	1	6
Hernia	32	4	3						2			2	2	11	6		2
Obstruction of intestines	46	6	1				1	4	5	3	2	4	8	8	4		
Other diseases of intestines	27	4	2	2	1	1		1	2	3		1	3	4	2	1	
Acute yellow atrophy of liver	3										1			2			
Hydatid tumors of liver																	
Cirrhosis of liver	48									2	3	9	19	11	3		1
Biliary calculi	6								1			1	4				
Other diseases of liver	68	3					1	1	1	4	11	12	13	13	8	1	
Diseases of spleen	1										1						
Peritonitis	97	14	2	1			2	17	15	14	11	10	7	2	2		
Appendicitis	39						5	10	7	2	1	5	4	2	3		
Other diseases of digestive system	1												1				
VI.—Diseases of genito-urinary system	687	7	4	3	1		4	14	37	42	66	90	155	189	68	5	2
Acute nephritis	53	2	3	1	1		2	8	11	2	4	8	2	8		1	
Bright's disease	508	2		2			2	5	20	26	53	72	128	147	47	3	1
Other diseases of kidneys	25	2	1						1	3	2	3	8	2	3		
Calculi of urinary tract																	
Diseases of bladder	51	1							1	2	2		11	21	12		1
Uterine tumor	5									2	1	2					
Other diseases of uterus	8							1	3	3	1						
Ovarian tumor	11									3	1	3	2	1	1		
Diseases of tubes	3								1		2						
Other diseases of genito-urinary system	23									1		2	4	10	5	1	
VII.—Childbirth	77							5	32	31	7						2
Puerperal septicemia	29							1	13	12	1						2
Puerperal convulsions	10							1	5	3	1						
Other causes incident to childbirth	38							3	14	16	5						
VIII.—Diseases of skin	71	3	2					2		2	2	7	12	19	21	1	
Gangrene	54	1								2	1	2	9	18	20	1	
Carbuncle	4											2	2				
Abscess	10	1	2					2			1	2	1	1			
Other diseases of skin	3	1										1			1		
IX.—Diseases of locomotor system	6		1				1				1			2			1
Diseases of bones	6		1				1				1			2			1
Diseases of joints																	
Other diseases of locomotor system																	
X.—Malformations	65	60	1	1			1					1	1				
Hydrocephalus	14	11	1	1			1										
Congenital malformation of heart (cyanosis)	30	30															
Other congenital malformations	21	19										1	1				
XI.—Early infancy	238	238															
Premature birth	73	73															
Congenital debility	165	165															
XII.—Old age	604												12	143	326	117	6
XIII.—Violence	518	35	10	11	8	11	21	63	77	56	49	36	38	40	24	9	10
Suicide	79							4	5	10	14	16	14	13	2		1
Fractures and dislocations	30				1		1	3	2	1	1	3	3	5	6	4	
Burns and scalds	47	1	6	4	3	1	2	6	7	6	4	3	2	1	1		
Heat and sunstroke	9							1				1	1	4	2		
Cold and freezing	6							1	1		1	1	1	1			
Lightning	1									1							
Drowning	109		1	2		5	12	28	32	12	4	6		1			6
Inhalation of poisonous gases	4									1	2	1					
Other accidental poisonings	20	6	3		1	1		1	1	2	1	3	1				
Accidental gunshot wounds	17			1				9	2	1	3	1					
Injuries by machinery	4							1	2	1							
Injuries in mines and quarries	1											1					
Railroad accidents and injuries	31				1			2	10	6	4	1	4	1		1	1
Injuries by vehicles and horses	13						2	1		1	1	1	2	5			
Suffocation	7	4			1					1		1					
Other accidental injuries	110	4		4	1	4	2	4	15	11	13	16	9	9	13	4	1
Injuries at birth	19	19															
Homicide	11	1					2	2		2	1	1	1				1
XIV.—Ill-defined causes	600	173	14	4	2	1	5	9	18	27	36	39	83	107	64	8	10
"Dropsy"	55	2	1				1		1	3	4	6	15	15	6	1	
"Heart failure"	110	7		1				1	3	11	5	7	31	28	14	1	1
Other ill-defined causes	221	65	8	1		1	2	4	7	9	15	14	22	41	26	4	2
Unknown causes	214	99	5	2	2		2	4	7	4	12	12	15	23	18	2	7

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

MASSACHUSETTS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	48,205	9,853	1,936	928	638	476	1,176	1,678	3,757	4,037	4,011	4,572	5,666	5,614	3,194	551	118
I.—General diseases	13,377	815	585	416	323	259	614	814	2,050	1,875	1,532	1,400	1,316	951	375	47	5
Typhoid fever	566	.....	2	6	1	5	25	92	177	135	69	33	18	1	2	.....	.....
Malarial fever	92	6	2	2	1	.....	1	1	9	19	7	11	13	12	7	1	.....
Smallpox	98	5	5	2	2	.....	.....	8	19	34	16	4	2	1	.....	.....	.....
Measles	229	57	72	32	21	9	20	7	4	3	3	.....	1	.....	.....	.....	.....
Scarlet fever	396	21	62	63	56	46	100	31	9	5	2	.....	1	.....	.....	.....	.....
Whooping cough	259	142	66	20	14	12	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diphtheria	990	73	144	155	139	105	202	73	16	11	3	5	4	.....	.....	.....	.....
Croup	180	15	48	40	19	22	35	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	789	68	16	5	3	.....	10	12	31	38	54	58	116	204	144	29	1
Cholera nostras	48	9	.....	1	1	1	3	.....	1	2	2	7	9	7	3	2	.....
Dysentery	226	37	16	6	5	3	11	3	8	3	7	17	30	44	30	6	.....
Erysipelas	145	34	2	.....	1	1	2	3	4	15	19	15	11	25	13	.....	.....
Other epidemic diseases [1]	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	195	21	4	3	4	3	6	17	33	31	26	14	15	14	3	1	.....
Tuberculosis of lungs	5,093	103	41	30	19	15	48	446	1,533	1,218	739	423	305	146	25	.....	2
Tuberculosis of larynx	28	.....	.....	.....	.....	.....	.....	1	6	4	5	6	3	3	.....	.....	.....
Tuberculous meningitis	317	100	72	31	17	19	30	15	17	8	2	5	1	.....	.....	.....	.....
Abdominal tuberculosis	137	8	11	4	4	4	11	16	20	20	12	15	9	3	.....	.....	.....
Pott's disease	48	1	2	3	6	1	6	4	6	9	3	3	2	2	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
White swelling	16	.....	.....	1	.....	1	3	4	1	2	2	1	.....	.....	1	.....	.....
Tuberculosis of other organs	24	1	.....	.....	.....	.....	2	2	5	3	2	3	5	1	.....	.....	.....
General tuberculosis	105	8	3	1	3	1	5	11	25	17	12	13	5	1	.....	.....	.....
Scrofula	12	6	2	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
Venereal diseases	77	55	5	1	.....	.....	.....	.....	3	4	4	2	2	.....	1	.....	.....
Cancer of mouth	65	.....	.....	.....	.....	.....	.....	.....	1	6	10	16	20	9	2	1	.....
Cancer of stomach and liver	601	.....	.....	1	.....	1	.....	1	4	24	82	176	172	113	26	1	.....
Cancer of intestines	246	.....	.....	.....	.....	.....	.....	.....	6	18	36	61	73	35	16	1	.....
Cancer of female genital organs	233	.....	.....	.....	.....	.....	.....	1	3	30	66	69	47	15	2	.....	.....
Cancer of breast	176	.....	.....	.....	.....	.....	.....	.....	1	15	32	56	42	17	12	1	.....
Cancer of skin	65	.....	.....	.....	.....	.....	.....	.....	.....	4	11	8	12	14	14	2	.....
Cancer of other or unspecified organs	797	2	1	3	2	2	3	5	18	54	138	182	201	140	43	1	2
Tumor	67	1	.....	1	.....	.....	.....	.....	1	4	14	11	16	13	5	1	.....
Rheumatism	239	5	.....	1	2	4	15	20	21	20	31	42	39	30	9	.....	.....
Diabetes	334	1	3	2	2	3	6	26	25	25	38	65	76	51	11	.....	.....
Anemia, leukemia	259	28	5	.....	.....	1	5	10	18	34	35	44	38	36	5	.....	.....
Alcoholism	147	.....	.....	.....	.....	.....	.....	.....	16	43	38	27	22	1	.....	.....	.....
Chronic poisonings	20	.....	.....	.....	1	.....	.....	.....	1	6	4	3	.....	5	.....	.....	.....
Other general diseases	54	7	1	.....	.....	.....	.....	4	8	11	6	5	5	6	1	.....	.....
II.—Diseases of nervous system	5,850	1,053	318	148	86	49	121	127	176	244	424	657	890	1,037	463	47	10
Encephalitis	52	17	4	3	5	1	3	2	5	3	1	2	1	3	2	.....	.....
Meningitis	1,132	471	195	95	59	31	75	56	43	33	25	20	13	11	3	.....	2
Locomotor ataxia	56	.....	.....	.....	.....	.....	1	.....	.....	7	11	6	22	7	2	.....	.....
Other diseases of spinal cord	145	2	3	4	3	1	2	1	7	8	18	26	37	25	6	1	1
Apoplexy	2,179	46	9	5	4	2	4	10	33	69	179	363	508	628	290	27	2
Softening of brain	98	.....	.....	.....	.....	.....	.....	.....	1	3	8	9	22	41	12	2	.....
Paralysis	639	10	2	3	1	2	3	2	5	14	32	86	154	207	106	12	.....
General paralysis of insane	283	.....	.....	.....	.....	.....	.....	1	1	29	71	67	45	47	20	2	.....
Other forms of mental disease	107	2	.....	.....	.....	.....	.....	.....	4	10	14	15	30	19	9	3	1
Other diseases of brain	213	20	6	4	1	1	6	7	22	29	30	26	29	27	4	.....	1
Epilepsy	127	5	2	1	.....	.....	7	17	26	22	11	17	12	5	2	.....	.....
Convulsions	631	458	85	28	9	9	11	6	11	6	.....	2	.....	2	1	.....	3
Tetanus	53	11	1	1	2	2	7	15	5	2	3	1	1	2	.....	.....	.....
Other diseases of nervous system	135	11	11	4	2	.....	2	10	13	9	21	17	16	13	6	.....	.....
III.—Diseases of circulatory system	5,276	141	13	11	9	10	65	157	260	357	489	804	1,188	1,195	534	36	7
Pericarditis	36	3	2	.....	.....	.....	1	3	4	2	5	2	11	2	.....	1	.....
Endocarditis	296	2	1	.....	2	2	16	17	29	26	34	45	50	50	21	1	.....
Heart disease	4,187	97	6	10	6	6	47	130	188	284	388	657	988	948	405	22	5
Angina pectoris	196	.....	.....	.....	.....	.....	.....	1	4	9	15	31	55	50	29	2	.....
Diseases of arteries	250	.....	.....	.....	.....	.....	.....	.....	1	3	18	32	44	84	58	9	1
Embolism and thrombosis	181	1	.....	.....	.....	.....	1	4	17	18	15	27	31	47	18	1	1
Diseases of veins	22	1	1	1	.....	.....	.....	.....	3	3	3	4	1	4	1	.....	.....
Diseases of lymphatics	5	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....
Other diseases of circulatory system	103	36	3	.....	1	2	.....	2	13	11	11	6	7	9	2	.....	.....
IV.—Diseases of respiratory system	6,190	1,193	472	194	105	75	111	146	302	472	468	574	803	756	435	78	6
Laryngitis	43	6	3	5	3	3	5	1	2	4	3	2	2	3	.....	1	.....
Other diseases of larynx	26	9	4	1	1	3	1	.....	3	1	.....	2	.....	.....	1	.....	.....
Diseases of thyroid body	7	.....	.....	1	.....	.....	1	.....	.....	1	1	1	1	1	.....	.....	.....
Acute bronchitis	628	351	89	43	13	8	15	1	2	5	4	13	16	33	25	9	1
Chronic bronchitis	550	10	6	1	1	2	7	12	10	22	21	69	113	148	111	17	.....
Bronchopneumonia	723	231	136	43	29	11	13	5	12	9	20	32	63	67	44	8	.....
Pneumonia	3,624	529	218	93	53	44	59	105	225	359	350	391	505	441	216	33	3
Pleurisy	133	6	4	4	3	2	6	7	16	19	16	9	19	19	3	.....	.....
Congestion of lungs	226	40	9	1	1	1	2	7	13	23	13	21	35	25	28	6	1
Gangrene of lungs	18	.....	.....	.....	.....	.....	.....	2	1	1	6	3	3	2	.....	.....	.....
Asthma and emphysema	88	4	2	.....	.....	1	.....	1	1	3	8	17	28	15	4	4	.....
Hemorrhage of lungs	68	3	.....	.....	.....	.....	2	3	8	15	15	7	12	2	1	.....	.....
Other diseases of respiratory system	56	4	1	2	1	.....	.....	2	9	10	11	7	6	.....	2	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	5,552	2,718	376	66	38	26	104	143	212	239	309	340	393	402	160	24	2
Diseases of mouth	12	8	1						1		1	1					
Tonsilitis	11	2	2	1		2	1	1		1						1	
Other diseases of pharynx	25	5	1	1	1		1	2	2		2	2	3	4	1		
Ulcer of stomach	82			1			1	3	12	10	18	10	12	10	5		
Gastritis	263	26	6	2	2	1	9	2	7	13	20	32	49	68	21	5	
Other diseases of stomach	146	48	7	4	3	2	2	1	4	6	5	10	17	19	12	6	
Dentition	17	9	7											1			
Diarrhea and enteritis	3,348	2,525	340	49	23	14	29	11	26	15	24	48	81	101	54	6	2
Hernia	118	10	2		1		1		1	6	19	24	21	24	8	1	
Obstruction of intestines	221	34	1	1	1	1	7	8	12	17	25	26	36	36	15	1	
Other diseases of intestines	88	20	1	3		1	1	2	10	5	11	5	11	12	6		
Acute yellow atrophy of liver	8	1							1		1	2	2	1			
Hydatid tumors of liver																	
Cirrhosis of liver	286						1		5	28	59	77	67	39	9	1	
Biliary calculi	55								2	7	8	13	11	12	2		
Other diseases of liver	198	8				1	1	1	7	19	28	35	37	38	21	2	
Diseases of spleen	9		1					1	1	1	1	2		2			
Peritonitis	396	20	6	4	6	4	23	38	79	63	52	37	36	23	5		
Appendicitis	256	2	1		1		27	73	42	46	30	13	9	10	1	1	
Other diseases of digestive system	13									2	5	3	1	2			
VI.—Diseases of genito-urinary system	2,664	39	16	12	9	14	23	71	212	277	337	428	572	456	185	12	1
Acute nephritis	214	11	8	4	4	9	9	17	22	26	36	26	28	12	2		
Bright's disease	1,968	23	7	8	5	4	13	48	137	192	248	349	455	346	125	8	
Other diseases of kidneys	90	5	1			1		1	9	8	8	14	19	12	10	2	
Calculi of urinary tract	15								1	4	2	2	1	4	1		
Diseases of bladder	149							2	2	2	4	17	31	54	34	2	1
Uterine tumor	48								4	11	14	5	9	4	1		
Other diseases of uterus	39							1	15	9	10	2	1	1			
Ovarian tumor	32								2	8	5	4	8	2	3		
Diseases of tubes	38							2	18	11	6	1					
Other diseases of genito-urinary system	71						1		2	6	4	8	20	21	9		
VII.—Childbirth	267							11	122	111	22	1					
Puerpeal septicemia	92							4	47	33	8						
Puerperal convulsions	65							3	29	29	3	1					
Other causes incident to childbirth	110							4	46	49	11						
VIII.—Diseases of skin	216	19	2	3	3	1	3	1	4	6	13	18	31	56	51	5	
Gangrene	149	3		2			1		1	2	6	11	21	49	49	4	
Carbuncle	9	1							1		1	1	4	1			
Abscess	32	3	1		2	1	2	1	2	2	5	2	4	4	2	1	
Other diseases of skin	26	12	1	1	1					2	1	4	2	2			
IX.—Diseases of locomotor system	70	18	9		1	1	3	9	7	4	5	7	1	4		1	
Diseases of bones	58	17	9		1		3	8	5	2	4	4		4		1	
Diseases of joints	7	1						1	1	1	1	1	1				
Other diseases of locomotor system	5					1			1	1		2					
X.—Malformations	326	288	14	4	2		3	2	4	1	1						7
Hydrocephalus	67	40	11	3	2		2	2	3	1	1						2
Congenital malformation of heart (cyanosis)	154	150	1	1													2
Other congenital malformations	105	98	2				1		1								3
XI.—Early infancy	2,602	2,602															
Premature birth	1,117	1,117															
Congenital debility	1,485	1,485															
XII.—Old age	1,574												98	441	780	255	
XIII.—Violence	2,610	244	41	56	30	35	118	184	370	399	342	266	210	152	97	23	23
Suicide	305							8	48	68	60	54	45	13	7		2
Fractures and dislocations	300	1	1	7	2	6	9	11	37	38	33	28	31	42	43	11	
Burns and scalds	235	4	19	30	26	14	24	11	20	22	21	20	10	10	4		
Heat and sunstroke	195	17	3	4		1		2	15	38	36	23	24	20	10	2	
Cold and freezing	14						2		1	3	1	2	3	1			1
Lightning	4								2		1	1					
Drowning	349	1	4	4	3	4	39	78	80	55	40	21	10	2			8
Inhalation of poisonous gases	40	1						3	2	5	10	8	7	1	2		1
Other accidental poisonings	84	4	10	3	6	2	3	2	9	17	5	11	5	7			
Accidental gunshot wounds	43	1					2	14	9	13	1	1	1	1			
Injuries by machinery	12								5	1	5	1					
Injuries in mines and quarries	4								2	1	1						
Railroad accidents and injuries	247	1	1		2	1	8	17	44	62	51	28	12	12	1		7
Injuries by vehicles and horses	15			1			2	1	3	3	1	2		1	1		
Suffocation	62	28		2	1		6	3	2	4	9	2	2	2			1
Other accidental injuries	497	12	3	4	9	6	20	34	80	63	63	62	60	40	29	10	2
Injuries at birth	171	171															
Homicide	33	3		1	1	1	3		11	6	4	2					1
XIV.—Ill-defined causes	1,631	723	90	18	12	6	11	13	38	52	69	77	164	164	114	23	57
"Dropsy"	54	3	1				1			1	1	11	14	11	11		
"Heart failure"	189	23	3	1		2		3	8	12	17	9	42	40	23	5	1
Other ill-defined causes	1,262	654	84	15	12	3	8	9	21	31	34	47	100	107	76	18	43
Unknown causes	126	43	2	2		1	2	1	9	8	17	10	8	6	4		13

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

MICHIGAN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	32,852	6,303	1,137	540	335	247	766	1,720	2,577	2,334	2,397	2,944	3,987	4,464	2,592	378	131
I.—General diseases	8,373	537	244	196	140	110	355	724	1,132	936	837	886	995	839	371	69	11
Typhoid fever	644	3	2	3	9	5	30	134	197	121	61	33	28	13	4	.....	1
Malarial fever	112	2	2	4	3	3	3	14	22	8	8	12	9	15	4	2	1
Smallpox	26	5	.....	.....	.....	1	2	1	5	4	3	.....	3	1	1	.....	.....
Measles	77	23	17	13	1	4	7	3	2	1	4	1	.....	1	.....	.....	.....
Scarlet fever	305	30	44	57	34	27	72	22	9	7	.....	1	1	1	.....	.....	.....
Whooping cough	161	98	37	10	3	5	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	363	8	24	35	40	36	110	77	19	7	5	.....	2	.....	.....	.....	.....
Croup	146	25	20	25	25	14	28	7	1	.....	.....	1	.....	.....	.....	.....	.....
Influenza	1,062	105	21	8	1	3	8	26	41	46	53	99	178	255	181	36	1
Cholera nostras	39	7	1	1	1	1	3	.....	2	1	1	5	7	5	4	.....	.....
Dysentery	215	40	23	9	5	1	2	1	2	6	4	11	26	45	32	8	.....
Erysipelas	121	22	1	.....	.....	.....	1	5	7	11	17	17	14	15	11	.....	.....
Other epidemic diseases[1]	13	3	1	1	.....	.....	2	.....	1	.....	1	.....	1	2	1	.....	.....
Septicemia	121	11	3	3	.....	1	4	10	19	20	16	5	11	16	1	.....	1
Tuberculosis of lungs	2,165	26	12	10	4	4	19	289	627	437	292	216	142	70	14	2	1
Tuberculosis of larynx	26	.....	.....	.....	.....	.....	.....	3	5	6	5	5	1	1	.....	.....	.....
Tuberculous meningitis	87	27	17	5	6	3	12	8	4	2	2	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	127	9	4	.....	.....	.....	3	16	30	20	15	15	12	3	.....	.....	.....
Pott's disease	33	3	.....	.....	.....	.....	.....	5	5	8	3	4	3	.....	2	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	18	.....	.....	.....	.....	.....	2	5	5	1	2	2	1	.....	.....	.....	.....
Tuberculosis of other organs	29	.....	1	.....	.....	.....	2	6	4	3	4	4	3	1	1	.....	.....
General tuberculosis	47	1	2	1	1	.....	.....	7	15	8	4	6	2	.....	.....	.....	.....
Scrofula	17	6	2	.....	1	.....	2	1	.....	1	1	2	1	.....	.....	.....	.....
Venereal diseases	87	47	2	.....	.....	.....	1	4	4	15	3	5	2	4	.....	.....	.....
Cancer of mouth	37	1	.....	.....	.....	.....	.....	.....	.....	1	1	6	8	14	4	2	.....
Cancer of stomach and liver	597	.....	1	.....	1	.....	1	3	7	29	83	143	172	135	20	.....	2
Cancer of intestines	126	.....	.....	.....	.....	.....	.....	.....	5	8	24	22	38	24	5	.....	.....
Cancer of female genital organs	234	.....	.....	.....	.....	.....	.....	.....	3	38	63	66	42	17	4	.....	1
Cancer of breast	129	.....	.....	.....	.....	.....	.....	.....	1	8	24	31	26	29	8	2	.....
Cancer of skin	77	1	.....	.....	.....	.....	.....	.....	1	2	4	9	22	18	17	3	.....
Cancer of other or unspecified organs	268	1	.....	4	2	.....	4	5	12	22	26	48	78	44	21	1	.....
Tumor	36	1	.....	.....	.....	.....	.....	.....	1	4	4	10	8	6	2	.....	.....
Rheumatism	233	1	.....	1	2	.....	14	30	13	16	20	22	49	45	16	4	.....
Diabetes	256	6	1	3	.....	1	11	26	29	26	25	34	55	30	8	.....	1
Anemia, leukemia	203	25	5	3	.....	.....	3	12	24	27	27	25	30	18	4	.....	.....
Alcoholism	60	.....	.....	.....	.....	.....	.....	.....	4	11	16	14	7	4	2	.....	2
Chronic poisonings	16	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	7	3	.....	.....	.....
Other general diseases	58	.....	1	.....	1	1	2	2	6	9	13	10	5	4	4	.....	.....
II.—Diseases of nervous system	4,041	733	144	63	32	23	81	140	129	169	274	410	639	778	376	30	20
Encephalitis	78	25	8	9	4	2	4	10	4	3	4	3	.....	1	1	.....	.....
Meningitis	442	138	69	28	16	15	45	42	28	24	16	9	4	4	3	1	.....
Locomotor ataxia	43	.....	.....	.....	.....	.....	.....	.....	2	7	8	9	14	2	1	.....	.....
Other diseases of spinal cord	127	6	2	2	3	1	4	4	6	7	19	19	30	18	3	.....	3
Apoplexy	1,284	45	11	5	4	1	3	17	23	41	80	189	310	367	170	12	6
Softening of brain	104	2	.....	.....	.....	.....	.....	.....	1	1	6	4	35	39	13	3	.....
Paralysis	743	8	1	1	1	.....	.....	8	8	20	43	85	159	250	144	12	3
General paralysis of insane	153	.....	.....	.....	.....	.....	.....	.....	.....	14	31	27	24	37	17	.....	3
Other forms of mental disease	78	.....	.....	.....	.....	.....	.....	3	1	6	13	11	19	18	7	.....	.....
Other diseases of brain	139	22	6	1	.....	.....	10	9	8	11	20	19	13	13	6	.....	1
Epilepsy	180	15	2	.....	2	.....	4	23	37	24	23	18	10	16	3	.....	3
Convulsions	537	451	43	15	1	2	7	5	4	3	1	1	2	.....	1	.....	1
Tetanus	29	12	1	.....	.....	.....	1	7	3	1	2	.....	2	.....	.....	.....	.....
Other diseases of nervous system	104	9	1	2	1	2	3	12	4	7	8	16	17	13	7	2	.....
III.—Diseases of circulatory system	3,276	87	6	5	11	4	19	93	118	168	262	483	789	846	354	25	6
Pericarditis	50	1	.....	1	2	1	3	3	5	2	2	7	6	15	2	.....	.....
Endocarditis	103	2	.....	1	3	1	2	8	10	12	8	13	19	18	6	.....	.....
Heart disease	2,675	52	4	1	4	1	13	69	74	126	227	394	667	713	307	17	6
Angina pectoris	187	1	.....	1	.....	.....	.....	2	13	11	15	41	51	39	10	3	.....
Diseases of arteries	114	.....	.....	.....	.....	.....	.....	2	3	5	6	11	20	38	24	5	.....
Embolism and thrombosis	63	2	.....	.....	.....	.....	.....	4	5	6	4	7	12	19	4	.....	.....
Diseases of veins	12	2	.....	.....	.....	.....	.....	1	2	1	.....	4	2	.....	.....	.....	.....
Diseases of lymphatics	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....
Other diseases of circulatory system	65	25	1	1	2	1	1	4	6	5	.....	5	10	3	1	.....	.....
IV.—Diseases of respiratory system	4,404	1,157	268	110	53	52	97	179	231	249	286	343	473	571	287	34	14
Laryngitis	38	8	3	1	7	3	6	4	2	.....	1	1	.....	2	.....	.....	.....
Other diseases of larynx	24	8	3	2	2	2	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1
Diseases of thyroid body	14	3	.....	.....	.....	.....	.....	.....	1	.....	3	2	4	.....	1	.....	.....
Acute bronchitis	514	318	79	24	8	3	3	2	2	2	2	5	16	25	19	5	1
Chronic bronchitis	361	8	4	.....	.....	1	7	4	25	14	14	37	59	117	57	10	4
Bronchopneumonia	497	230	56	23	7	8	17	11	5	10	8	20	34	41	23	4	.....
Pneumonia	2,425	487	110	50	24	30	58	135	168	188	208	225	284	299	144	9	6
Pleurisy	88	2	1	2	.....	.....	.....	7	11	10	16	12	14	6	7	.....	.....
Congestion of lungs	185	75	11	4	2	4	1	1	5	5	6	7	20	19	20	3	2
Gangrene of lungs	7	.....	.....	.....	1	.....	.....	1	.....	2	1	1	1	.....	.....	.....	.....
Asthma and emphysema	119	2	.....	3	.....	.....	.....	4	2	4	8	13	26	42	13	2	.....
Hemorrhage of lungs	48	3	1	.....	.....	.....	.....	2	4	4	5	10	8	8	2	1	.....
Other diseases of respiratory system	84	13	.....	1	2	1	.....	8	6	10	14	10	7	11	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,361	1,718	348	99	41	19	81	213	235	183	216	276	398	365	148	14	7
Diseases of mouth	32	23	2	2						1				3	1		
Tonsilitis	34	5	2	2	3		10	6	3	1	1	1					
Other diseases of pharynx	24	1	3		2		1	1		1	2	3	6	3	1		
Ulcer of stomach	76						2	1	5	6	10	13	18	16	5		
Gastritis	261	51	8	2	2		5	10	8	11	26	27	36	46	28	1	
Other diseases of stomach	186	87	13	1	1		1	1	6	4	10	9	16	25	9	2	1
Dentition	15	6	7	1								1					
Diarrhea and enteritis	2,241	1,441	293	76	24	8	22	29	35	22	20	49	80	87	46	7	3
Hernia	101	14							2	7	8	13	23	25	8		1
Obstruction of intestines	232	28	3	6	3	2	5	15	23	13	28	26	39	33	8		
Other diseases of intestines	87	23	3	4			2	1	5	5	3	10	12	8	11		
Acute yellow atrophy of liver	15								3	1	2	2	2	3	1	1	
Hydatid tumors of liver																	
Cirrhosis of liver	210	4						1	6	13	29	42	60	46	8		1
Biliary calculi	44							2	1	5	7	11	14	4			
Other diseases of liver	240	12	4	1		2	2	6	10	18	22	42	61	44	13	3	
Diseases of spleen	6		1	1				1		1		1		1			
Peritonitis	293	20	8	3	4	3	12	48	65	35	30	17	22	19	6		1
Appendicitis	260	3	2		2	4	19	91	61	39	17	9	9	2	2		
Other diseases of digestive system	4								2		1				1		
VI.—Diseases of genito-urinary system	1,650	44	9	5	10	4	16	43	115	129	182	231	315	358	170	16	3
Acute nephritis	98	7	2	4	4	4	5	10	10	7	15	7	10	11	1	1	
Bright's disease	1,043	21	7	1	5		9	27	61	71	111	173	227	234	87	7	2
Other diseases of kidneys	109	9			1		2	1	6	5	5	11	20	25	22	2	
Calculi of urinary tract	12	1						2		4	1	1	1	2			
Diseases of bladder	125	3							2	1	4	8	31	42	30	3	1
Uterine tumor	47								2	9	19	11	4		2		
Other diseases of uterus	55							2	14	14	9	9	4	2	1		
Ovarian tumor	42								5	8	9	6	6	5	3		
Diseases of tubes	19							1	7	6	5						
Other diseases of genito-urinary system	100	3							8	4	4	5	12	37	24	3	
VII.—Childbirth	465							35	228	158	43						1
Puerperal septicemia	222							20	117	66	18						1
Puerperal convulsions	75							10	35	24	6						
Other causes incident to childbirth	168							5	76	68	19						
VIII.—Diseases of skin	185	25	3	1	1	1	2	7	3	10	8	15	29	42	38		
Gangrene	107	2				1		1	1	3	3	7	20	32	37		
Carbuncle	11										2	2	3	4			
Abscess	42	6	2		1		2	4	2	6	3	5	5	5	1		
Other diseases of skin	25	17	1	1				2		1		1	1	1			
IX.—Diseases of locomotor system	52	6	6	2	1	4	4	9		2	3	5	5	2	2		1
Diseases of bones	42	5	6	2	1	2	3	9		2	2	3	4	1	1		1
Diseases of joints	4	1				1	1							1			
Other diseases of locomotor system	6					1					1	2	1		1		
X.—Malformations	322	291	12	5	3	2	2	3	1	1	1						1
Hydrocephalus	52	37	5	1	2	1	2	1	1		1						1
Congenital malformation of heart (cyanosis)	141	136	1	1	1	1		1									
Other congenital malformations	129	118	6	3				1		1							
XI.—Early infancy	1,112	1,112															
Premature birth	508	508															
Congenital debility	604	604															
XII.—Old age	1,167												60	326	611	166	4
XIII.—Violence	2,251	155	54	45	34	27	97	255	356	290	239	229	148	157	93	15	57
Suicide	220							9	35	39	46	40	27	19	4		1
Fractures and dislocations	155		1		1	1	2	8	16	14	17	8	14	31	37	4	1
Burns and scalds	163	3	15	18	18	10	17	6	10	17	18	11	6	9	3	1	1
Heat and sunstroke	33	4	5				1	1	3	5	4	7	10	9	3		1
Cold and freezing	16	1		1					1	2	2	1	2	4	2		
Lightning	28					1	1	7	3	5	3	4	2	2			
Drowning	299	2	12	9	7	5	28	86	57	26	19	14	11	5	1		17
Inhalation of poisonous gases	19	2			1	2		2	2	5	2		2	1			
Other accidental poisonings	86	10	9	7	2	1	6	8	9	8	8	10	1	6	1		
Accidental gunshot wounds	105		1				7	30	26	13	10	10	2	3			3
Injuries by machinery	28	1						2	9	4	4	6	1	1			
Injuries in mines and quarries	103							9	36	30	20	7	1				
Railroad accidents and injuries	273	1		2	1	1	5	24	62	44	30	36	19	15	4	2	27
Injuries by vehicles and horses	68		1	1		3	10	10	1	8	5	10	10	6	2		1
Suffocation	43	31		1				2	1	3		1	3	1			
Other accidental injuries	468	12	10	6	4	3	17	44	80	58	49	58	37	43	36	8	3
Injuries at birth	88	88															
Homicide	36						3	7	5	9	2	6		2			2
XIV.—Ill-defined causes	1,193	438	43	9	9	1	12	19	29	39	46	66	136	180	142	18	6
"Dropsy"	187	2	1					4	5	6	10	15	47	61	35	1	
"Heart failure"	153	31		1			1	3	8	6	11	15	23	28	23	3	
Other ill-defined causes	536	207	28	4	6		8	6	8	17	13	19	55	74	75	14	2
Unknown causes	317	198	14	4	3	1	3	6	8	10	12	17	11	17	9		4

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

NEW HAMPSHIRE.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,956	1,068	232	93	65	62	124	211	475	456	518	650	908	1,145	741	137	71
I.—General diseases	1,734	99	48	27	29	27	58	100	245	204	165	190	211	203	95	12	21
Typhoid fever	78			2	1	1	3	11	19	18	11	8	2	1	1		
Malarial fever	7	2								1			4				
Smallpox	5	1						1			1	1					1
Measles	6	3	3														
Scarlet fever	53	2	5	4	8	5	12	9	2	3	1						2
Whooping cough	28	22	3	1	1		1										
Diphtheria	61		10	6	9	11	17		3	1		1					3
Croup	25	4	9	3	2	1	4	2									
Influenza	143	6	2	2	2	1	1	3	4	5	4	10	16	33	44	7	3
Cholera nostras	9	2		1			1							2	2		1
Dysentery	40	6	3	2		3				1		3	3	7	10	1	1
Erysipelas	12	3								2		2	2	2		1	
Other epidemic diseases[1]																	
Septicemia	50	4	1				2		11	8	1	4	8	5	5	1	
Tuberculosis of lungs	608	20	5	3	3	3	8	54	178	125	69	50	44	35	6		5
Tuberculosis of larynx	8	1							2	1	2			1			1
Tuberculous meningitis	24	5	6	2	1	1	3	3	1	1	1						
Abdominal tuberculosis	24	3			2			5	3	3	4	2	1	1			
Pott's disease	3							1			1		1				
Tuberculous abscess																	
White swelling	1							1									
Tuberculosis of other organs	10	2	1					1	1			2	3				
General tuberculosis	8							2		2	3			1			
Scrofula	4	2							1		1						
Venereal diseases	3	1											1	1			
Cancer of mouth	12										2	1	4	2	3		
Cancer of stomach and liver	100								2	6	6	22	31	29	2	1	1
Cancer of intestines	28										7	3	7	7	4		
Cancer of female genital organs	37									4	11	10	9	2			1
Cancer of breast	18								2		2	7	4	2	1		
Cancer of skin	8												3	4	1		
Cancer of other or unspecified organs	161								1	10	17	31	46	42	12	1	1
Tumor	9										2	2	1	3	1		
Rheumatism	20						3	2		2	4	2	2	4	1		
Diabetes	48			1			2	2	6	4	1	11	9	10	1		1
Anemia, leukemia	58	9						3	4	4	9	12	8	8	1		
Alcoholism	12					1			3	1	4	2	1				
Chronic poisonings	1										1						
Other general diseases	12	1					1		2	2		4	1	1			
II.—Diseases of nervous system	1,032	135	53	18	15	11	20	24	30	39	64	103	179	208	116	9	8
Encephalitis	21	2	4		1	1	3	1	2	1	1			4		1	
Meningitis	167	68	28	12	9	6	10	8	5	5	3	5	4	3	1		
Locomotor ataxia	11								2			3	3	2	1		
Other diseases of spinal cord	33	5						1		2	3	8	9	3	2		
Apoplexy	351	3	1	2	2	1		2	4	13	27	41	92	101	56	4	2
Softening of brain	26										3	3	6	12	2		
Paralysis	161	1				1	1	1	4	5	4	12	35	55	37	3	2
General paralysis of insane	52							1	1	2	7	9	11	11	8	1	1
Other forms of mental disease	35							1	1	2	5	9	9	7	1		
Other diseases of brain	39	5	1	1			1	1	3	2	6	5	7	2	3		2
Epilepsy	18	1	1					2	2	5	1		2	3			1
Convulsions	88	48	18	3	2	2	4	1	5		2	2		1			
Tetanus	6				1		1	1				2		1			
Other diseases of nervous system	24	2						4	1	2	2	4	1	3	5		
III.—Diseases of circulatory system	777	22	1		1	1	6	19	25	45	60	116	165	214	89	9	4
Pericarditis	10								2		1		4	3			
Endocarditis	29						1	3	5	1	4	2	7	5	1		
Heart disease	616	11	1		1	1	3	14	16	35	46	90	136	177	75	7	3
Angina pectoris	48						1		1	3	2	10	10	16	5		
Diseases of arteries	18									1		2	4	5	4	1	1
Embolism and thrombosis	32	2						2		2	4	8	3	6	4	1	
Diseases of veins	1													1			
Diseases of lymphatics	2									1		1					
Other diseases of circulatory system	21	9					1		1	2	3	3	1	1			
IV.—Diseases of respiratory system	935	149	61	26	10	13	14	14	50	43	75	67	114	173	100	18	8
Laryngitis	6	1	1	1		1					1				1		
Other diseases of larynx	8	4	1		1		1				1						
Diseases of thyroid body	1											1					
Acute bronchitis	86	41	13	7	1	1					3	1	1	9	7	1	1
Chronic bronchitis	75	1	1	1			1		2	2	2	7	16	21	18	3	
Bronchopneumonia	102	24	16	5	2	5	1	1	3	2	2	3	6	20	11	1	
Pneumonia	547	70	25	10	5	3	7	11	36	30	61	45	66	103	58	11	6
Pleurisy	15	1		2			1		2	2		2	3	2			
Congestion of lungs	59	7	3			3	3	1	3	3	4	6	10	11	3	2	
Gangrene of lungs	2									1			1				
Asthma and emphysema	14		1		1						1		6	4	1		
Hemorrhage of lungs	13								2	3		1	2	3	1		1
Other diseases of respiratory system	7							1	2			1	3				

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	763	375	49	13	5	2	10	15	26	29	46	39	59	60	27	4	4
Diseases of mouth	3	2			1												
Tonsilitis	2			1			1										
Other diseases of pharynx	3	1										1	1				
Ulcer of stomach	10								1		1	1	2	3	1		1
Gastritis	47	3	2	1	1			1	2	4	7	2	6	11	6	1	
Other diseases of stomach	28	12						1			1	4	2	5	3		
Dentition	6	6															
Diarrhœa and enteritis	452	344	45	11	3	2	4		2	2	4	4	10	12	7	1	1
Hernia	11										1	2	2	4	1	1	
Obstruction of intestines	31		1					1	4	4	3	3	6	6	3		
Other diseases of intestines	10	1						1	1	1	1		2	2	1		
Acute yellow atrophy of liver	4									1	2			1			
Hydatid tumors of liver																	
Cirrhosis of liver	29									2	8	9	7	1	2		
Biliary calculi	3												1	2			
Other diseases of liver	50	2	1				1	1	6	3	8	5	12	6	2	1	2
Diseases of spleen	3										2			1			
Peritonitis	54	4					3	6	7	8	6	6	8	5	1		
Appendicitis	16						1	4	3	4	2	1		1			
Other diseases of digestive system	1											1					
VI.—Diseases of genito-urinary system	362	8	1		2	2	3	7	20	31	34	59	83	77	32	1	2
Acute nephritis	31	1				2		3	6	4	4	8	2	1			
Bright's disease	278	6	1		1		3	4	13	24	25	43	73	62	22		1
Other diseases of kidneys	9				1						1	2	3		1	1	
Calculi of urinary tract																	
Diseases of bladder	23	1										2	4	10	5		1
Uterine tumor	6										2	3			1		
Other diseases of uterus	5								1	3	1						
Ovarian tumor	4										1	1	1	1			
Diseases of tubes																	
Other diseases of genito-urinary system	6													3	3		
VII.—Childbirth	29							2	17	7	3						
Puerperal septicemia	13							1	6	4	2						
Puerperal convulsions	5							1	3	1							
Other causes incident to childbirth	11								8	2	1						
VIII.—Diseases of skin	54	5		1			1	2	2		1	6	7	13	12	3	1
Gangrene	41								1		1	5	7	13	11	2	1
Carbuncle																	
Abscess	7	1					1	2	1						1	1	
Other diseases of skin	6	4		1								1					
IX.—Diseases of locomotor system	3						1							1	1		
Diseases of bones	2						1							1			
Diseases of joints																	
Other diseases of locomotor system	1													1			
X.—Malformations	36	34	2														
Hydrocephalus	1		1														
Congenital malformation of heart (cyanosis)	18	18															
Other congenital malformations	17	16	1														
XI.—Early infancy	150	150															
Premature birth																	
Congenital debility	150	150															
XII.—Old age	383												11	94	203	71	4
XIII.—Violence	313	9	6	5	1	3	7	21	46	45	47	41	27	28	15	4	8
Suicide	49								6	4	11	9	6	10	1		2
Fractures and dislocations	42						2	1	2	3	7	6	6	4	8	1	2
Burns and scalds	17		2	2		1		2	1	2	1	1		4		1	
Heat and sunstroke	21	2					1		1	3	6	4	3		1		
Cold and freezing	4							1		2	1						
Lightning	1									1							
Drowning	44			1	1	2	1	9	13	2	4	6	3	1	1		
Inhalation of poisonous gases																	
Other accidental poisonings	17		1	1			2		2	3	2	4			1		1
Accidental gunshot wounds	8							2	1	1	1	3					
Injuries by machinery	1									1							
Injuries in mines and quarries																	
Railroad accidents and injuries	37						1		11	11	7	2	4	1			
Injuries by vehicles and horses	3								1	1	1						
Suffocation	11	3							1	1	2		2	1			1
Other accidental injuries	53		3	1				6	7	9	4	6	3	7	3	2	2
Injuries at birth	4	4															
Homicide	1									1							
XIV.—Ill-defined causes	385	82	11	3	2	3	4	7	14	13	23	29	52	74	51	6	11
"Dropsy"	26								3			3	10	9	1		
"Heart failure"	73	5	1			1	1	1	2	4	7	6	9	17	14	3	2
Other ill-defined causes	206	48	9	3	2	2	3	3	8	5	8	16	27	36	30	2	4
Unknown causes	80	29	1					3	1	4	8	4	6	12	6	1	5

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

NEW JERSEY.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	31,791	6,882	1,434	650	421	296	898	1,238	2,507	2,832	2,789	3,074	3,574	3,181	1,632	260	123
I.—General diseases	8,042	478	290	219	176	147	396	507	1,266	1,256	991	856	751	491	171	23	24
Typhoid fever	377	2	6	1	6	3	18	66	102	81	39	23	16	10	2	.....	2
Malarial fever	85	7	2	.....	3	1	7	8	9	10	8	6	5	14	4	1	.....
Smallpox	139	16	6	8	6	1	11	14	35	21	13	3	4	1	.....	.....	.....
Measles	70	20	26	13	4	2	1	1	1	1	1	.....	.....	.....	.....	.....	.....
Scarlet fever	190	10	12	32	18	23	59	22	10	1	.....	.....	1	.....	1	.....	1
Whooping cough	177	109	31	20	5	5	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diphtheria	523	21	70	68	69	61	159	54	10	3	2	3	.....	.....	.....	.....	3
Croup	183	12	35	35	30	24	39	3	2	2	1	.....	.....	.....	.....	.....	.....
Influenza	392	22	9	4	3	2	3	10	11	21	27	41	78	87	59	12	3
Cholera nostras	31	4	5	.....	.....	.....	2	2	.....	5	2	2	4	3	1	1	.....
Dysentery	212	37	18	6	3	2	12	8	7	9	12	19	28	32	14	4	1
Erysipelas	65	24	1	2	.....	.....	.....	1	4	6	9	2	9	2	2	1	2
Other epidemic diseases [1]	3	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Septicemia	119	15	4	2	3	1	2	9	12	20	17	12	12	5	4	.....	1
Tuberculosis of lungs	3,323	54	20	10	7	10	30	236	950	843	518	317	215	88	20	.....	5
Tuberculosis of larynx	51	.....	.....	.....	.....	.....	.....	1	10	20	8	8	1	2	1	.....	.....
Tuberculous meningitis	155	53	29	13	7	8	11	9	11	6	2	5	.....	1	.....	.....	.....
Abdominal tuberculosis	86	15	5	4	.....	1	3	5	11	10	15	6	5	4	2	.....	.....
Pott's disease	26	.....	.....	.....	1	.....	4	8	3	4	3	1	.....	2	.....	.....	.....
Tuberculous abscess	3	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	10	.....	.....	.....	1	.....	2	2	1	.....	1	2	.....	1	.....	.....	.....
Tuberculosis of other organs	21	2	.....	.....	.....	.....	.....	3	2	4	6	3	1	.....	.....	.....	.....
General tuberculosis	49	9	3	.....	2	.....	4	2	8	8	6	2	4	.....	1	.....	.....
Scrofula	5	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Venereal diseases	43	25	1	.....	.....	.....	.....	.....	2	7	5	1	.....	.....	.....	.....	2
Cancer of mouth	20	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	5	5	4	.....	.....
Cancer of stomach and liver	425	.....	1	.....	.....	.....	.....	.....	3	32	72	112	109	86	9	.....	1
Cancer of intestines	142	.....	.....	1	.....	.....	.....	2	7	6	19	39	40	22	6	.....	.....
Cancer of female genital organs	164	.....	.....	.....	.....	.....	.....	2	2	19	51	50	26	13	1	.....	.....
Cancer of breast	78	.....	.....	.....	.....	.....	.....	.....	.....	6	19	24	18	5	5	.....	1
Cancer of skin	44	.....	.....	.....	.....	.....	.....	2	.....	.....	5	5	9	17	4	2	.....
Cancer of other or unspecified organs	253	3	.....	.....	1	1	3	3	3	17	38	63	76	30	13	1	1
Tumor	25	.....	.....	.....	.....	.....	.....	1	1	4	6	5	2	4	2	.....	.....
Rheumatism	140	2	2	.....	4	1	8	18	14	15	14	21	15	16	9	.....	1
Diabetes	170	.....	.....	.....	1	.....	3	6	9	15	22	36	43	31	4	.....	.....
Anemia, leukemia	77	5	3	.....	1	.....	4	4	7	8	14	14	10	5	2	.....	.....
Alcoholism	118	.....	.....	.....	1	.....	1	1	10	39	31	23	11	1	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....
Other general diseases	43	6	1	.....	.....	1	4	3	7	5	2	5	3	4	1	1	.....
II.—Diseases of nervous system	4,510	1,102	249	105	56	28	111	107	119	205	274	450	644	681	339	27	13
Encephalitis	42	6	2	4	.....	1	5	7	2	4	2	6	2	.....	1	.....	.....
Meningitis	849	308	143	63	40	17	61	37	37	50	32	20	18	15	7	.....	1
Locomotor ataxia	46	.....	.....	.....	.....	.....	.....	.....	1	7	13	3	16	6	.....	.....	.....
Other diseases of spinal cord	85	4	.....	1	1	.....	3	2	4	7	9	16	14	19	5	.....	.....
Apoplexy	1,648	79	20	6	.....	.....	5	6	22	60	131	294	392	422	186	17	8
Softening of brain	88	.....	.....	.....	.....	.....	1	.....	1	2	5	9	24	33	12	1	.....
Paralysis	472	2	.....	2	1	.....	3	.....	4	13	15	55	127	139	98	9	4
General paralysis of insane	120	.....	.....	.....	.....	.....	.....	.....	3	11	16	17	21	29	23	.....	.....
Other forms of mental disease	59	.....	.....	.....	.....	.....	.....	4	8	10	11	7	11	6	2	.....	.....
Other diseases of brain	81	15	3	1	.....	1	4	8	5	10	12	8	4	6	4	.....	.....
Epilepsy	78	5	.....	.....	1	.....	3	13	13	15	14	6	4	3	1	.....	.....
Convulsions	818	647	80	27	13	6	14	11	6	6	3	2	2	1	.....	.....	.....
Tetanus	82	32	1	.....	.....	1	12	18	4	5	7	1	1	.....	.....	.....	.....
Other diseases of nervous system	42	4	.....	1	.....	2	.....	1	9	5	4	6	8	2	.....	.....	.....
III.—Diseases of circulatory system	2,745	104	11	4	7	5	60	115	139	195	303	432	566	563	211	22	8
Pericarditis	33	2	1	.....	.....	.....	2	1	5	3	7	4	4	3	1	.....	.....
Endocarditis	241	5	1	.....	3	2	17	20	23	19	28	33	46	33	10	1	.....
Heart disease	2,097	79	7	3	4	3	38	87	93	149	220	344	449	439	160	14	8
Angina pectoris	125	.....	1	.....	.....	.....	2	.....	4	6	26	20	30	30	5	1	.....
Diseases of arteries	92	.....	.....	.....	.....	.....	.....	1	.....	.....	7	8	21	27	22	6	.....
Embolism and thrombosis	89	.....	.....	.....	.....	.....	.....	4	6	10	7	16	10	25	11	.....	.....
Diseases of veins	9	.....	1	.....	.....	.....	.....	.....	.....	2	1	1	1	3	.....	.....	.....
Diseases of lymphatics	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	56	16	.....	.....	.....	.....	1	2	8	6	7	6	5	3	2	.....	.....
IV.—Diseases of respiratory system	4,326	913	341	172	91	48	106	119	241	351	344	392	493	437	244	29	5
Laryngitis	45	5	7	5	5	2	3	3	.....	3	.....	4	3	4	1	.....	.....
Other diseases of larynx	33	8	5	3	3	3	2	2	2	1	.....	2	1	1	.....	.....	.....
Diseases of thyroid body	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Acute bronchitis	401	239	49	29	10	4	2	2	4	5	4	5	15	12	17	3	1
Chronic bronchitis	313	14	2	2	.....	.....	4	5	11	23	20	29	70	75	50	8	.....
Bronchopneumonia	580	230	87	48	20	11	22	8	9	12	15	30	36	34	18	.....	.....
Pneumonia	2,430	348	174	77	46	21	60	87	182	260	246	265	289	232	125	15	3
Pleurisy	96	8	3	5	2	2	3	2	10	14	14	13	10	6	2	2	.....
Congestion of lungs	248	55	12	2	5	4	6	2	12	10	18	14	38	47	21	1	1
Gangrene of lungs	11	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	4	2	.....	.....	.....
Asthma and emphysema	73	1	.....	1	.....	1	.....	1	1	3	13	12	18	15	7	.....	.....
Hemorrhage of lungs	56	.....	.....	.....	.....	.....	2	5	5	13	9	9	4	7	2	.....	.....
Other diseases of respiratory system	38	5	2	.....	.....	.....	1	1	5	7	4	6	5	2	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	3,968	1,803	366	73	37	25	67	108	174	172	202	250	318	240	102	25	6
Diseases of mouth	18	12	1	1			1						1	1	1		
Tonsilitis	17	3	1	3	2	1	4	2	1								
Other diseases of pharynx	24	5	2				1		2	1	1		2	6	4		
Ulcer of stomach	40						1		4	4	5	9	8	7	1	1	
Gastritis	264	45	13	3	1	3	6	6	9	16	17	32	47	40	22	4	
Other diseases of stomach	102	36	5	1	1	1	3	3	6	5	8	9	10	7	7		
Dentition	6	2	3							1							
Diarrhea and enteritis	2,390	1,630	330	58	20	15	25	5	19	28	19	43	66	77	36	16	3
Hernia	82	6			1			2	2	6	10	16	21	15	2		1
Obstruction of intestines	164	31	4	1	3		5	9	9	15	15	22	21	22	6	1	
Other diseases of intestines	48	16					1	3	3	6	2	4	5	4	3	1	
Acute yellow atrophy of liver	3							1					2				
Hydatid tumors of liver	1											1					
Cirrhosis of liver	303	1	1				1	3	14	29	63	61	83	37	9		1
Biliary calculi	12										4	2	1	4	1		
Other diseases of liver	110	6	2	1	3	1	5	5	11	7	11	13	27	10	6	1	1
Diseases of spleen	2			1					1								
Peritonitis	268	9	4	4	5	2	4	39	62	46	32	27	20	9	4	1	
Appendicitis	112	1			1	2	10	30	31	8	13	11	4	1			
Other diseases of digestive system	2										2						
VI.—Diseases of genito-urinary system	2,061	34	10	8	9	4	35	63	137	211	299	334	413	331	153	16	4
Acute nephritis	216	13	3	4	6	1	17	18	24	32	31	30	20	12	5		
Bright's disease	1,602	19	7	4	3	3	17	40	96	148	234	276	354	264	118	15	4
Other diseases of kidneys	39	1						1	3	5	5	6	7	7	4		
Calculi of urinary tract	4											1	1	2			
Diseases of bladder	92						1	1	1	3	5	8	20	35	18		
Uterine tumor	18									5	8	3		1		1	
Other diseases of uterus	26							2	6	7	8	1	2				
Ovarian tumor	10									3	1	3	1		2		
Diseases of tubes	12							1	4	4	3						
Other diseases of genito-urinary system	42	1							3	4	4	6	8	10	6		
VII.—Childbirth	192							14	91	67	18						2
Puerperal septicemia	74							7	36	29	2						
Puerperal convulsions	48							5	28	10	5						
Other causes incident to childbirth	70							2	27	28	11						2
VIII.—Diseases of skin	133	13	1				2	4	6	8	10	17	22	31	14	4	1
Gangrene	86	1					2		4	2	5	8	17	30	13	4	
Carbuncle	6	1						1		2		2					
Abscess	20	1	1					2	2	3	3	4	3	1			
Other diseases of skin	21	10						1		1	2	3	2		1		1
IX.—Diseases of locomotor system	46	19	3	2			1	4	4	2	2	4	3	1	1		
Diseases of bones	37	19	3	2			1	3	3	1		3	2				
Diseases of joints	6							1	1		1		1	1	1		
Other diseases of locomotor system	3									1	1	1					
X.—Malformations	233	219	5	4	1		2			1				1			
Hydrocephalus	37	28	2	3	1		1			1				1			
Congenital malformation of heart (cyanosis)	114	112	2														
Other congenital malformations	82	79	1	1			1										
XI.—Early infancy	1,395	1,395															
Premature birth	575	575															
Congenital debility	820	820															
XII.—Old age	566												52	173	247	92	2
XIII.—Violence	2,377	181	50	40	38	33	105	188	309	343	317	276	226	130	82	14	45
Suicide	239							8	33	61	49	37	31	14	1		5
Fractures and dislocations	166			2	2	1	5	8	20	27	28	18	20	11	17	5	2
Burns and scalds	201	8	17	26	12	24	19	13	19	15	13	11	17	4	2	1	
Heat and sunstroke	467	51	17		4		2	8	28	54	53	81	69	58	34	4	4
Cold and freezing	9								1	1		4	1		2		
Lightning	14							8	2	2	2						
Drowning	284	3	2	6	4	2	36	61	44	39	39	15	13	3	1		16
Inhalation of poisonous gases	49						1	3	6	7	12	9	7	3	1		
Other accidental poisonings	65	9	3	3		1	2	5	7	9	5	11	7	1	1		1
Accidental gunshot wounds	37						2	9	8	6	8	3		1			
Injuries by machinery	18							1	6	2	5	1	1	1			1
Injuries in mines and quarries	2									1	1						
Railroad accidents and injuries	369	1		1	1	1	21	34	84	75	52	43	27	13	6		10
Injuries by vehicles and horses	16		1		1			3		2	3	4	1	1			
Suffocation	25	14	3			1		1		1	1	1	1	1			1
Other accidental injuries	316	5	7	2	14	3	17	26	49	40	43	37	31	17	17	4	4
Injuries at birth	89	89															
Homicide	11	1							2	1	3	1		2			1
XIV.—Ill-defined causes	1,197	621	108	23	6	6	13	9	21	21	29	63	86	102	68	8	13
"Dropsy"	56		1	1			1	1	1	2	5	7	19	11	6	1	
"Heart failure"	174	30	3				2		6	5	7	31	27	40	21	2	
Other ill-defined causes	922	569	104	21	6	6	9	7	13	11	15	23	38	49	40	5	6
Unknown causes	45	22		1			1	1	1	3	2	2	2	2	1		7

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

NEW YORK.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	131,461	23,982	6,478	2,747	1,796	1,437	3,590	4,724	10,682	12,605	12,052	13,047	15,047	14,192	7,628	1,116	338
I.—General diseases	36,698	2,089	1,618	1,131	930	753	1,773	2,163	5,258	5,520	4,400	3,784	3,540	2,573	977	133	56
Typhoid fever	1,850	11	11	8	19	22	76	305	560	361	222	119	84	42	8	1	1
Malarial fever	280	33	13	11	2	2	23	22	23	37	26	29	32	20	6	1	.....
Smallpox	436	85	44	28	27	13	27	9	66	59	41	21	9	4	1	.....	2
Measles	746	168	219	94	40	32	64	35	13	29	22	12	10	6	1	.....	1
Scarlet fever	1,469	73	180	204	212	204	413	118	42	15	3	3	1	1	.....	.....	.....
Whooping cough	633	349	145	59	26	21	27	3	1	.....	.....	.....	1	1	.....	.....	.....
Diphtheria	2,444	186	399	366	346	267	634	157	41	16	15	7	1	6	1	.....	2
Croup	553	61	128	109	90	50	99	13	1	.....	.....	.....	2	.....	.....	.....	.....
Influenza	2,643	137	34	25	11	10	31	65	122	158	171	246	476	640	440	74	3
Cholera nostras	128	19	4	3	1	1	4	1	5	4	7	11	31	22	14	.....	1
Dysentery	772	104	89	35	24	17	33	21	34	32	25	58	112	109	69	10	.....
Erysipelas	384	98	6	3	3	.....	4	14	22	35	35	48	36	53	26	.....	1
Other epidemic diseases[1]	7	3	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....
Septicemia	308	43	11	4	3	4	9	12	53	53	24	26	32	20	11	1	2
Tuberculosis of lungs	13,877	159	89	40	31	28	92	1,033	3,726	3,747	2,237	1,304	868	418	79	8	18
Tuberculosis of larynx	128	.....	.....	2	2	.....	.....	6	27	36	23	15	8	8	1	.....	.....
Tuberculous meningitis	877	247	179	89	64	40	91	65	34	31	21	11	1	3	.....	.....	1
Abdominal tuberculosis	371	63	19	13	7	5	16	42	59	43	40	30	21	11	2	.....	.....
Pott's disease	95	5	4	4	3	4	16	11	10	16	5	8	7	1	.....	1	.....
Tuberculous abscess	12	2	.....	.....	.....	.....	.....	.....	1	2	3	3	1	.....	.....	.....	.....
White swelling	50	1	.....	1	.....	3	13	16	6	3	.....	1	3	2	1	.....	.....
Tuberculosis of other organs	86	4	2	2	1	1	3	11	11	13	13	7	9	6	2	1	.....
General tuberculosis	182	16	11	8	.....	1	16	23	40	31	17	9	7	2	1	.....	.....
Scrofula	20	11	2	.....	.....	1	.....	.....	3	.....	.....	.....	2	1	.....	.....	.....
Venereal diseases	284	140	10	5	3	1	1	4	17	37	29	21	12	3	.....	.....	1
Cancer of mouth	151	.....	.....	.....	.....	1	.....	.....	5	9	28	25	39	30	9	3	2
Cancer of stomach and liver	1,864	.....	.....	1	.....	.....	2	4	22	119	295	495	505	349	66	2	4
Cancer of intestines	607	.....	1	.....	.....	.....	.....	3	21	54	106	151	141	106	23	.....	1
Cancer of female genital organs	730	.....	.....	.....	1	.....	.....	.....	22	81	219	221	123	44	16	1	2
Cancer of breast	425	.....	.....	.....	.....	.....	.....	.....	3	45	91	98	99	62	23	4	.....
Cancer of skin	165	.....	.....	1	.....	.....	.....	.....	.....	5	13	28	46	37	28	5	2
Cancer of other or unspecified organs	1,244	3	4	3	3	6	3	15	26	81	231	283	282	217	76	8	3
Tumor	109	4	.....	1	.....	.....	1	.....	5	10	10	19	19	36	4	.....	.....
Rheumatism	788	15	3	1	5	5	38	83	62	78	84	90	154	122	35	10	3
Diabetes	950	2	1	3	2	6	20	42	56	71	128	210	251	131	25	1	1
Anemia, leukemia	357	33	8	3	2	6	6	19	34	45	35	64	62	32	5	2	1
Alcoholism	462	.....	.....	.....	.....	1	2	1	57	141	137	72	36	10	1	.....	4
Chronic poisonings	51	.....	.....	.....	.....	.....	.....	.....	7	4	17	11	5	6	1	.....	.....
Other general diseases	160	14	1	5	2	1	9	9	21	18	27	28	12	11	2	.....	.....
II.—Diseases of nervous system	13,982	2,319	665	284	150	113	297	296	430	708	1,083	1,662	2,249	2,427	1,150	115	34
Encephalitis	82	23	8	.....	2	4	6	5	7	4	7	5	8	3	.....	.....	.....
Meningitis	2,328	754	408	195	120	79	208	137	106	95	83	49	42	37	13	1	1
Locomotor ataxia	182	2	.....	.....	.....	.....	1	1	1	15	34	54	40	28	4	2	.....
Other diseases of spinal cord	327	11	4	4	2	2	8	9	23	39	35	55	67	52	13	.....	3
Apoplexy	6,008	122	24	14	3	5	15	37	92	229	554	1,091	1,511	1,530	698	63	20
Softening of brain	218	1	.....	.....	.....	.....	.....	1	2	8	8	18	56	84	37	3	.....
Paralysis	1,394	14	5	7	1	.....	5	8	11	35	59	141	299	481	289	36	3
General paralysis of insane	549	.....	.....	.....	.....	.....	1	3	8	112	128	79	72	87	53	3	3
Other forms of mental disease	322	2	.....	.....	.....	.....	1	2	33	42	55	55	55	56	15	5	1
Other diseases of brain	271	37	4	3	2	1	9	12	30	35	33	33	37	26	7	1	1
Epilepsy	332	19	7	3	.....	2	10	46	72	49	34	42	28	12	8	.....	.....
Convulsions	1,529	1,207	192	51	18	16	15	7	9	4	3	2	2	.....	1	.....	2
Tetanus	161	98	1	.....	1	1	8	15	8	10	10	7	2	.....	.....	.....	.....
Other diseases of nervous system	279	29	12	7	1	3	10	13	28	31	40	31	30	31	12	1	.....
III.—Diseases of circulatory system	11,871	240	30	32	27	30	161	387	636	920	1,242	1,842	2,626	2,524	1,046	94	34
Pericarditis	129	5	1	3	.....	3	7	12	14	15	13	18	16	19	2	1	.....
Endocarditis	1,170	33	4	10	10	9	50	78	118	141	150	173	197	145	50	2	.....
Heart disease	9,112	148	19	17	15	14	93	266	443	647	918	1,436	2,098	2,055	842	73	28
Angina pectoris	471	1	2	.....	.....	.....	.....	2	11	25	58	92	141	100	34	3	2
Diseases of arteries	444	.....	.....	.....	.....	1	.....	1	7	22	49	57	98	127	68	14	.....
Embolism and thrombosis	316	8	1	.....	.....	1	2	10	26	37	34	43	54	61	37	.....	2
Diseases of veins	37	1	.....	.....	.....	.....	1	1	2	4	7	5	5	9	2	.....	.....
Diseases of lymphatics	12	2	.....	1	.....	.....	1	1	.....	1	2	1	2	.....	1	.....	.....
Other diseases of circulatory system	180	42	3	1	2	2	7	16	15	28	11	17	15	8	10	1	2
IV.—Diseases of respiratory system	20,250	4,409	2,002	709	386	264	518	499	1,192	1,555	1,450	1,704	2,171	2,053	1,158	154	26
Laryngitis	97	18	13	16	6	5	11	3	6	3	5	4	5	.....	1	.....	1
Other diseases of larynx	79	17	5	4	7	5	14	2	4	8	4	4	1	3	.....	1	.....
Diseases of thyroid body	14	.....	.....	.....	.....	.....	.....	1	1	4	1	1	2	1	3	.....	.....
Acute bronchitis	2,118	1,274	330	106	49	37	12	9	12	9	16	23	67	82	78	14	.....
Chronic bronchitis	1,459	31	14	8	3	3	31	15	55	82	80	147	307	364	278	40	1
Bronchopneumonia	3,290	1,161	651	193	93	72	103	38	70	89	100	116	203	231	121	18	1
Pneumonia	11,400	1,705	937	355	211	128	311	359	895	1,176	1,074	1,199	1,309	1,124	533	66	18
Pleurisy	426	20	21	11	5	4	12	29	58	63	49	45	49	39	19	.....	2
Congestion of lungs	763	156	25	13	5	5	15	22	37	44	48	70	102	118	90	12	1
Gangrene of lungs	46	1	1	.....	1	.....	2	3	8	6	7	8	4	4	1	.....	.....
Asthma and emphysema	268	2	1	2	2	2	2	3	6	13	26	46	76	60	24	3	.....
Hemorrhage of lungs	169	6	.....	.....	.....	.....	1	7	28	38	24	20	29	12	3	.....	1
Other diseases of respiratory system	151	18	4	1	4	3	4	8	12	20	16	21	17	15	7	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	16,170	7,180	1,606	315	121	95	248	471	607	833	975	1,063	1,206	1,013	373	38	26
Diseases of mouth	44	27	4	3	3	.....	2	.....	1	.....	1	1	.....	.....	2	.....	.....
Tonsilitis	55	8	3	2	6	5	5	3	5	7	3	4	2	1	1	.....	.....
Other diseases of pharynx	57	15	2	2	1	.....	4	4	3	2	4	8	4	7	1	.....	.....
Ulcer of stomach	226	3	1	.....	.....	1	2	10	28	42	24	41	40	28	5	1	.....
Gastritis	746	116	23	13	8	4	15	10	21	53	81	79	113	144	60	3	3
Other diseases of stomach	410	159	15	8	4	5	8	7	10	15	23	26	48	46	30	5	1
Dentition	92	55	32	2	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Diarrhea and enteritis	9,794	6,553	1,500	259	71	56	89	75	77	98	103	170	260	303	150	21	9
Hernia	320	20	1	1	3	1	1	3	21	20	44	55	71	64	14	1	.....
Obstruction of intestines	633	101	13	8	8	7	16	24	43	69	64	81	103	72	18	2	4
Other diseases of intestines	234	47	2	3	2	2	3	8	20	28	25	31	20	29	12	2	.....
Acute yellow atrophy of liver	25	1	1	.....	.....	.....	.....	2	3	4	3	6	2	2	1	.....	.....
Hydatid tumors of liver	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	1,341	8	3	1	.....	.....	6	8	45	177	316	336	279	139	19	1	3
Biliary calculi	103	2	.....	.....	.....	.....	1	.....	3	14	14	21	24	14	9	.....	1
Other diseases of liver	552	17	2	1	3	1	5	11	24	52	74	99	132	102	25	2	2
Diseases of spleen	18	1	.....	1	.....	.....	.....	.....	2	7	3	3	1	.....	.....	.....	.....
Peritonitis	739	41	3	7	6	6	23	97	152	120	98	53	65	45	20	.....	3
Appendicitis	774	5	1	4	6	7	67	209	148	125	92	49	40	15	6	.....	.....
Other diseases of digestive system	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	1	.....	.....	.....
VI.—Diseases of genito-urinary system	10,293	134	43	59	43	56	142	228	776	1,239	1,494	1,752	1,997	1,663	613	41	13
Acute nephritis	846	37	11	21	21	24	55	53	131	121	110	113	85	47	14	2	1
Bright's disease	8,159	74	32	36	21	30	78	154	525	953	1,219	1,501	1,721	1,327	448	29	11
Other diseases of kidneys	214	14	.....	1	1	2	6	4	8	22	27	33	28	45	23	.....	.....
Calculi of urinary tract	27	.....	.....	.....	.....	.....	.....	.....	3	4	4	4	4	7	1	.....	.....
Diseases of bladder	401	7	.....	.....	.....	.....	2	2	5	12	23	26	78	148	89	8	1
Uterine tumor	109	.....	.....	.....	.....	.....	.....	1	12	28	27	24	13	3	1	.....	.....
Other diseases of uterus	131	.....	.....	.....	.....	.....	.....	5	35	37	36	8	6	4	.....	.....	.....
Ovarian tumor	93	.....	.....	.....	.....	.....	.....	1	9	20	27	19	8	8	1	.....	.....
Diseases of tubes	91	.....	.....	.....	.....	.....	.....	7	40	30	12	2	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	222	2	.....	1	.....	.....	1	1	8	12	9	22	54	74	36	2	.....
VII.—Childbirth	1,121	.....	.....	.....	.....	.....	.....	49	529	442	99	.....	.....	.....	.....	.....	2
Puerperal septicemia	457	.....	.....	.....	.....	.....	.....	17	253	155	31	.....	.....	.....	.....	.....	1
Puerperal convulsions	222	.....	.....	.....	.....	.....	.....	17	97	90	18	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	442	.....	.....	.....	.....	.....	.....	15	179	197	50	.....	.....	.....	.....	.....	1
VIII.—Diseases of skin	601	69	11	4	1	3	10	15	20	22	41	68	105	123	90	17	2
Gangrene	384	5	1	2	1	1	3	4	9	11	21	44	74	106	84	16	2
Carbuncle	35	5	.....	.....	.....	.....	.....	1	1	2	4	7	11	3	1	.....	.....
Abscess	110	25	7	1	.....	1	7	8	9	8	11	10	13	6	3	1	.....
Other diseases of skin	72	34	3	1	.....	1	.....	2	1	1	5	7	7	8	2	.....	.....
IX.—Diseases of locomotor system	231	44	27	7	4	4	19	20	13	17	26	14	21	7	8	.....	.....
Diseases of bones	181	42	25	7	4	3	14	14	10	13	18	10	12	5	4	.....	.....
Diseases of joints	25	2	2	.....	.....	.....	1	4	1	.....	4	3	3	1	4	.....	.....
Other diseases of locomotor system	25	.....	.....	.....	.....	1	4	2	2	4	4	1	6	1	.....	.....	.....
X.—Malformations	892	805	43	10	2	2	12	4	5	3	.....	2	.....	3	.....	.....	1
Hydrocephalus	158	102	27	9	1	2	8	3	2	2	.....	1	.....	1	.....	.....	.....
Congenital malformation of heart (cyanosis)	485	468	8	1	1	.....	2	1	2	.....	.....	.....	.....	1	.....	.....	1
Other congenital malformations	249	235	8	.....	.....	.....	2	.....	1	1	.....	1	.....	1	.....	.....	.....
XI.—Early infancy	4,531	4,531	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	2,227	2,227	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	2,304	2,304	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	3,383	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	172	997	1,764	441	9
XIII.—Violence	8,363	651	191	151	109	107	382	561	1,172	1,275	1,164	971	738	493	245	39	114
Suicide	806	.....	.....	.....	.....	.....	.....	37	159	168	155	142	104	30	6	1	4
Fractures and dislocations	911	8	6	13	11	14	50	58	117	137	113	105	83	89	81	17	9
Burns and scalds	572	25	55	66	44	41	75	38	50	50	37	29	31	18	10	1	2
Heat and sunstroke	1,465	173	57	9	3	5	14	8	57	177	247	232	208	153	65	10	7
Cold and freezing	41	2	.....	1	.....	.....	.....	.....	5	4	4	8	10	4	1	.....	2
Lightning	21	.....	.....	.....	.....	.....	.....	3	6	5	3	2	1	1	.....	.....	.....
Drowning	946	8	11	6	9	10	91	157	171	109	144	79	47	12	3	.....	29
Inhalation of poisonous gases	286	4	2	2	3	2	7	16	63	60	39	41	27	12	6	.....	2
Other accidental poisonings	339	14	18	11	7	7	13	13	61	60	61	43	17	12	1	.....	1
Accidental gunshot wounds	203	.....	1	.....	.....	3	10	29	47	30	30	25	14	9	1	.....	4
Injuries by machinery	31	.....	.....	.....	.....	.....	.....	3	9	7	6	3	1	1	1	.....	.....
Injuries in mines and quarries	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	772	2	6	4	7	2	31	70	154	142	107	94	67	32	7	2	45
Injuries by vehicles and horses	166	.....	3	7	5	2	27	15	15	25	22	22	15	7	1	.....	.....
Suffocation	108	54	4	1	1	1	5	5	6	5	6	8	5	3	2	.....	2
Other accidental injuries	1,259	22	27	31	19	20	54	101	170	215	178	132	105	110	60	8	7
Injuries at birth	334	334	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	102	5	1	.....	.....	.....	5	8	42	21	11	6	3	.....	.....	.....	.....
XIV.—Ill-defined causes	3,075	1,511	242	45	23	10	28	31	44	71	78	185	222	316	204	44	21
"Dropsy"	275	2	1	.....	1	1	.....	3	8	6	15	34	52	88	59	5	.....
"Heart failure"	299	37	.....	2	.....	2	5	7	12	23	16	44	59	57	29	4	2
Other ill-defined causes	2,456	1,458	240	42	22	7	23	19	22	38	46	104	103	167	115	35	15
Unknown causes	45	14	1	1	.....	.....	.....	2	2	4	1	3	8	4	1	.....	4

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

RHODE ISLAND.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,955	1,662	389	147	112	79	189	301	643	617	717	817	938	821	441	74	8
I.—General diseases	2,189	134	111	56	46	44	86	152	339	286	264	243	229	138	57	3	1
Typhoid fever	103	.....	.....	3	1	2	3	17	26	27	14	5	4	1	.....	.....	.....
Malarial fever	35	7	2	1	.....	.....	5	5	4	.....	3	2	2	2	2	.....	.....
Smallpox	5	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
Measles	16	4	5	2	2	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	21	2	5	2	2	3	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	17	9	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	123	5	21	15	21	17	31	4	5	1	.....	3	.....	.....	.....	.....	.....
Croup	71	12	10	14	5	12	15	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	175	14	3	.....	2	.....	1	2	6	10	11	26	32	40	25	3	.....
Cholera nostras	10	1	1	.....	.....	.....	1	.....	.....	.....	2	1	3	.....	1	.....	.....
Dysentery	77	14	10	3	4	2	4	1	2	1	4	7	6	12	7	.....	.....
Erysipelas	10	4	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	5	1	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....	.....
Tuberculosis of lungs	843	21	12	6	3	3	7	91	246	195	112	76	43	26	2	.....	.....
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	3	.....	.....	.....	.....
Tuberculous meningitis	54	13	20	7	3	1	5	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	36	8	7	.....	.....	1	.....	4	7	.....	4	3	1	1	.....	.....	.....
Pott's disease	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	10	.....	3	.....	.....	.....	1	3	1	.....	.....	2	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....
General tuberculosis	19	1	1	.....	.....	.....	.....	1	10	5	1	.....	.....	.....	.....	.....	.....
Scrofula	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Venereal diseases	17	8	1	.....	.....	.....	.....	1	4	1	1	.....	1	.....	.....	.....	.....
Cancer of mouth	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	1	1	.....	.....
Cancer of stomach and liver	108	.....	.....	.....	.....	.....	.....	.....	3	5	18	27	40	11	4	.....	.....
Cancer of intestines	41	.....	.....	.....	.....	.....	.....	.....	1	3	9	9	11	4	4	.....	.....
Cancer of female genital organs	63	.....	.....	.....	.....	.....	.....	.....	.....	8	20	17	15	3	.....	.....	.....
Cancer of breast	44	.....	.....	.....	.....	.....	.....	.....	.....	1	8	7	11	10	7	.....	.....
Cancer of skin	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	3	7	.....	.....	.....
Cancer of other or unspecified organs	39	.....	.....	.....	.....	.....	.....	.....	1	6	12	7	9	3	1	.....	.....
Tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....
Rheumatism	53	1	.....	1	1	1	6	5	6	2	6	4	13	6	1	.....	.....
Diabetes	83	.....	.....	.....	1	.....	2	5	5	6	15	21	16	10	2	.....	.....
Anemia, leukemia	27	7	3	.....	1	1	.....	2	1	1	4	3	3	1	.....	.....	.....
Alcoholism	33	.....	.....	.....	.....	.....	.....	.....	4	8	8	10	2	.....	.....	.....	1
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
II.—Diseases of nervous system	883	112	53	26	19	10	17	23	31	27	66	110	151	151	71	15	1
Encephalitis	11	3	.....	1	.....	2	1	1	1	.....	.....	.....	1	.....	1	.....	.....
Meningitis	207	63	42	20	15	7	12	15	10	4	7	5	4	2	.....	1	.....
Locomotor ataxia	14	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	3	4	1	.....	.....
Other diseases of spinal cord	29	.....	1	.....	.....	.....	.....	.....	2	1	4	3	9	5	3	1	.....
Apoplexy	396	12	2	2	1	.....	2	1	3	7	27	75	106	102	46	10	.....
Softening of brain	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	5	3	2	.....	.....
Paralysis	75	1	.....	1	.....	.....	.....	.....	.....	1	3	10	17	27	12	3	.....
General paralysis of insane	37	.....	.....	.....	.....	.....	.....	.....	2	6	14	5	2	5	3	.....	.....
Other forms of mental disease	9	.....	.....	.....	.....	.....	.....	.....	1	2	.....	3	2	1	.....	.....	.....
Other diseases of brain	16	4	2	.....	.....	.....	1	.....	2	1	2	2	.....	1	1	.....	.....
Epilepsy	25	.....	1	1	1	.....	.....	3	6	3	4	2	1	1	1	.....	1
Convulsions	36	26	4	1	2	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	5	3	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	9	.....	1	.....	.....	1	.....	1	2	1	.....	1	1	.....	1	.....	.....
III.—Diseases of circulatory system	710	14	3	.....	.....	1	6	15	39	52	65	128	164	149	67	6	1
Pericarditis	7	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	2	.....	.....	.....	.....
Endocarditis	44	3	.....	.....	.....	.....	2	.....	3	6	6	5	12	5	1	1	.....
Heart disease	583	7	3	.....	.....	1	4	10	31	44	54	106	139	125	55	4	.....
Angina pectoris	30	.....	.....	.....	.....	.....	.....	.....	2	2	.....	9	4	9	3	.....	1
Diseases of arteries	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	4	5	1	.....
Embolism and thrombosis	14	.....	.....	.....	.....	.....	.....	1	2	.....	1	3	2	4	1	.....	.....
Diseases of veins	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	1	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	8	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	1	.....	.....
IV.—Diseases of respiratory system	1,008	197	71	28	21	8	27	25	55	72	93	102	124	111	61	13	.....
Laryngitis	10	1	1	2	.....	1	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of larynx	11	2	1	.....	4	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Acute bronchitis	139	78	25	9	4	2	1	1	2	.....	1	2	4	6	3	1	.....
Chronic bronchitis	101	2	1	.....	.....	.....	1	.....	2	4	4	5	28	33	15	6	.....
Bronchopneumonia	106	42	12	3	3	2	4	.....	3	5	8	5	5	8	6	.....	.....
Pneumonia	567	60	29	14	7	3	15	23	42	51	74	83	71	58	32	5	.....
Pleurisy	20	1	.....	.....	1	.....	1	.....	1	5	1	3	3	2	1	1	.....
Congestion of lungs	29	9	1	.....	1	.....	.....	.....	.....	2	2	1	7	3	3	.....	.....
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Asthma and emphysema	14	.....	1	.....	1	.....	.....	.....	1	2	1	2	4	1	1	.....	.....
Hemorrhage of lungs	4	1	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of respiratory system	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,209	616	117	19	13	5	16	29	39	31	77	75	72	66	33	.....	1
Diseases of mouth	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of pharynx	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....
Ulcer of stomach	13	.....	.....	.....	.....	.....	.....	2	.....	1	4	3	2	1	.....	.....	.....
Gastritis	65	9	1	1	.....	.....	2	.....	3	2	8	12	9	11	7	.....	.....
Other diseases of stomach	76	47	3	3	1	.....	2	1	1	.....	2	2	3	5	6	.....	.....
Dentition	4	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	795	543	107	13	9	4	6	6	10	7	12	13	25	26	13	.....	1
Hernia	33	3	.....	.....	1	.....	1	1	.....	1	8	5	6	5	2	.....	.....
Obstruction of intestines	26	5	.....	.....	1	1	.....	3	3	2	3	2	4	1	1	.....	.....
Other diseases of intestines	18	3	2	.....	.....	.....	.....	.....	1	1	2	3	3	2	1	.....	.....
Acute yellow atrophy of liver	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Hydatid tumors of liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	67	.....	.....	.....	.....	.....	.....	.....	.....	8	16	22	10	10	1	.....	.....
Biliary calculi	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	1	.....	.....
Other diseases of liver	30	1	2	1	1	.....	.....	2	1	4	7	3	5	3	.....	.....	.....
Diseases of spleen	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Peritonitis	24	2	.....	1	.....	.....	1	4	8	1	1	3	* 1	1	1	.....	.....
Appendicitis	44	.....	.....	.....	.....	.....	4	7	11	3	13	4	2	.....	.....	.....	.....
Other diseases of digestive system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	610	8	3	.....	1	1	6	12	41	70	88	111	126	111	32	.....	.....
Acute nephritis	36	3	1	.....	.....	1	.....	1	8	3	1	12	4	2	.....	.....	.....
Bright's disease	483	4	2	.....	1	.....	6	11	25	53	73	86	106	87	29	.....	.....
Other diseases of kidneys	16	.....	.....	.....	.....	.....	.....	.....	2	1	2	2	5	3	1	.....	.....
Calculi of urinary tract	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....
Diseases of bladder	18	1	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	10	.....	.....	.....
Uterine tumor	12	.....	.....	.....	.....	.....	.....	.....	.....	5	5	.....	1	1	.....	.....	.....
Other diseases of uterus	10	.....	.....	.....	.....	.....	.....	.....	4	3	3	.....	.....	.....	.....	.....	.....
Ovarian tumor	11	.....	.....	.....	.....	.....	.....	.....	2	.....	2	2	2	2	1	.....	.....
Diseases of tubes	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	17	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	4	5	5	1	.....	.....
VII.—Childbirth	83	.....	.....	.....	.....	.....	.....	4	34	36	9	.....	.....	.....	.....	.....	.....
Puerperal septicemia	30	.....	.....	.....	.....	.....	.....	.....	13	13	4	.....	.....	.....	.....	.....	.....
Puerperal convulsions	22	.....	.....	.....	.....	.....	.....	3	12	7	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	31	.....	.....	.....	.....	.....	.....	1	9	16	5	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	36	6	1	1	.....	.....	.....	.....	.....	2	2	3	7	4	10	.....	.....
Gangrene	23	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	4	10	.....	.....
Carbuncle	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Abscess	7	1	1	1	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....
Other diseases of skin	5	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
IX.—Diseases of locomotor system	17	5	.....	1	.....	.....	.....	.....	1	1	1	3	2	3	.....	.....	.....
Diseases of bones	12	4	.....	1	.....	.....	.....	.....	.....	1	.....	3	1	2	.....	.....	.....
Diseases of joints	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Other diseases of locomotor system	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
X.—Malformations	78	72	3	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Hydrocephalus	7	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	44	41	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	27	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
XI.—Early infancy	358	358	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	167	167	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	191	191	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	197	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15	58	92	32	.....
XIII.—Violence	431	32	11	11	11	9	28	36	61	39	50	38	42	25	11	3	4
Suicide	54	.....	.....	.....	.....	.....	.....	2	10	6	11	10	11	4	.....	.....	.....
Fractures and dislocations	6	.....	.....	.....	1	.....	.....	1	.....	2	.....	1	1	.....	.....	.....	.....
Burns and scalds	35	.....	4	6	8	3	4	.....	5	.....	1	2	1	.....	.....	1	.....
Heat and sunstroke	34	5	1	1	1	1	2	.....	3	6	4	1	5	2	2	.....	.....
Cold and freezing	8	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	3	.....	.....	.....	.....
Lightning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Drowning	39	.....	.....	.....	1	1	11	12	13	5	6	2	5	1	.....	.....	2
Inhalation of poisonous gases	11	.....	1	.....	.....	.....	1	1	5	2	.....	1	.....	.....	.....	.....	.....
Other accidental poisonings	11	2	3	.....	.....	.....	.....	1	1	.....	3	.....	.....	.....	1	.....	.....
Accidental gunshot wounds	4	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Injuries by machinery	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Injuries in mines and quarries	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	45	.....	.....	.....	.....	.....	1	1	5	7	4	8	6	8	4	1	.....
Injuries by vehicles and horses	19	.....	.....	1	.....	.....	2	2	3	3	1	.....	3	2	2	.....	.....
Suffocation	12	9	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1
Other accidental injuries	91	3	1	1	.....	.....	1	5	9	10	9	14	10	6	12	7	2	1
Injuries at birth	33	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	9	.....	.....	1	.....	.....	1	.....	4	2	1	.....	.....	.....	.....	.....	.....
XIV.—Ill-defined causes	146	88	16	5	.....	1	2	5	3	1	2	3	6	5	7	2	.....
"Dropsy"	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
"Heart failure"	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
Other ill-defined causes	104	63	13	5	.....	1	1	1	.....	1	1	1	3	5	7	2	.....
Unknown causes	38	24	3	.....	.....	.....	1	4	3	.....	1	1	1	.....	.....	.....	.....

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

VERMONT.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,717	831	141	80	43	33	104	205	372	347	393	497	753	970	730	160	58
I.—General diseases	1,477	83	30	30	19	14	45	96	198	157	140	162	179	188	100	22	14
Typhoid fever	99	.....	3	2	.....	.....	5	10	28	23	14	8	3	3	.....	.....	.....
Malarial fever	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	3	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	32	8	2	1	3	1	2	3	6	2	1	1	.....	2	.....	.....	.....
Scarlet fever	39	3	2	5	6	3	14	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	38	22	7	4	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	34	2	1	4	2	4	7	5	3	2	3	.....	.....	.....	.....	.....	1
Croup	17	4	3	3	3	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	152	6	3	.....	.....	1	1	2	5	7	3	5	22	35	46	15	1
Cholera nostras	15	1	.....	.....	.....	.....	.....	1	1	2	.....	1	1	5	2	1	.....
Dysentery	41	5	1	3	.....	2	.....	.....	1	3	.....	3	9	7	6	.....	1
Erysipelas	19	3	.....	.....	.....	.....	.....	.....	1	1	2	3	6	2	1	.....	.....
Other epidemic diseases [1]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Septicemia	34	2	.....	1	.....	.....	.....	1	6	7	1	6	3	1	5	1	.....
Tuberculosis of lungs	462	8	3	4	.....	2	3	51	119	77	61	47	35	41	7	.....	4
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	18	7	1	2	1	.....	3	2	.....	.....	.....	.....	2	.....	.....	.....	.....
Abdominal tuberculosis	15	3	.....	.....	.....	.....	2	2	1	1	1	2	1	2	.....	.....	.....
Pott's disease	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1
General tuberculosis	11	.....	.....	.....	.....	.....	.....	2	2	1	2	2	.....	1	1	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Venereal diseases	7	3	1	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Cancer of mouth	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	1	.....	.....
Cancer of stomach and liver	87	.....	.....	.....	.....	.....	1	1	1	1	9	22	22	21	6	2	1
Cancer of intestines	29	.....	.....	.....	.....	.....	.....	.....	.....	4	2	5	9	7	2	.....	.....
Cancer of female genital organs	23	.....	.....	.....	.....	.....	.....	.....	2	2	5	3	8	3	.....	.....	.....
Cancer of breast	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	3	5	1	2	.....
Cancer of skin	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	.....
Cancer of other or unspecified organs	71	.....	.....	.....	1	.....	.....	.....	2	1	13	10	17	17	9	.....	1
Tumor	11	.....	.....	.....	.....	.....	.....	.....	3	2	.....	3	2	.....	1	.....	.....
Rheumatism	42	.....	.....	.....	.....	.....	2	2	.....	3	3	9	8	9	4	1	1
Diabetes	58	1	1	.....	.....	.....	.....	5	6	6	7	10	11	7	4	.....	.....
Anemia, leukemia	39	4	.....	1	.....	.....	.....	1	6	5	4	3	8	4	1	.....	2
Alcoholism	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	2	1	.....	.....	1
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....
Other general diseases	10	1	.....	.....	.....	.....	.....	.....	1	2	2	2	2	.....	.....	.....	.....
II.—Diseases of nervous system	829	124	29	9	9	4	19	22	25	20	45	67	140	179	114	14	9
Encephalitis	13	1	3	2	.....	.....	.....	.....	4	.....	.....	3	3	.....	.....	.....	.....
Meningitis	140	57	19	5	3	2	12	16	9	2	6	2	3	2	1	.....	1
Locomotor ataxia	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....
Other diseases of spinal cord	27	1	.....	1	.....	.....	1	.....	1	.....	2	3	12	6	.....	.....	.....
Apoplexy	358	8	1	.....	.....	.....	.....	.....	8	9	18	29	75	123	73	7	7
Softening of brain	24	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	10	8	2	.....	.....
Paralysis	84	.....	.....	.....	.....	.....	.....	.....	1	.....	5	12	14	21	24	6	1
General paralysis of insane	32	.....	.....	.....	.....	.....	1	.....	1	1	3	5	7	6	7	1	.....
Other forms of mental disease	12	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	4	2	1	.....	.....
Other diseases of brain	22	3	.....	.....	1	.....	1	.....	.....	.....	.....	1	7	7	2	.....	.....
Epilepsy	25	2	1	.....	.....	.....	1	3	3	2	4	2	3	2	2	.....	.....
Convulsions	62	48	5	1	5	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tetanus	7	1	.....	.....	.....	1	.....	3	.....	2	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	18	3	.....	.....	.....	.....	2	.....	1	1	3	3	1	2	2	.....	.....
III.—Diseases of circulatory system	604	13	.....	1	.....	.....	2	12	16	27	36	79	137	172	93	9	7
Pericarditis	10	.....	.....	.....	.....	.....	1	.....	3	.....	.....	1	1	3	1	.....	.....
Endocarditis	16	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	1	8	3	.....	.....
Heart disease	492	8	.....	1	.....	.....	1	10	12	29	32	62	116	139	77	7	7
Angina pectoris	43	.....	.....	.....	.....	.....	.....	.....	.....	2	3	9	11	12	5	1	.....
Diseases of arteries	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	4	4	.....	.....
Embolism and thrombosis	17	1	.....	.....	.....	.....	.....	.....	1	1	.....	2	4	4	3	1	.....
Diseases of veins	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	13	4	.....	.....	.....	.....	.....	.....	.....	4	.....	2	1	2	.....	.....	.....
IV.—Diseases of respiratory system	786	132	43	15	6	4	17	25	26	38	52	58	100	150	91	24	5
Laryngitis	8	3	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	76	38	13	4	.....	.....	4	.....	1	1	.....	1	1	6	4	3	.....
Chronic bronchitis	60	1	.....	1	.....	.....	.....	.....	1	.....	2	.....	7	22	20	4	2
Bronchopneumonia	71	20	4	2	2	1	.....	.....	1	1	5	1	9	14	8	2	1
Pneumonia	489	56	24	6	3	2	10	23	21	31	40	46	73	88	52	12	2
Pleurisy	16	.....	.....	.....	.....	.....	.....	2	1	2	2	2	2	2	2	1	.....
Congestion of lungs	33	8	2	1	.....	.....	.....	.....	.....	.....	.....	3	1	12	4	2	.....
Gangrene of lungs	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Asthma and emphysema	12	2	.....	.....	.....	.....	.....	.....	1	.....	1	2	3	2	1	.....	.....
Hemorrhage of lungs	7	2	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....
Other diseases of respiratory system	8	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	4	3	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1901—Continued.

VERMONT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	304	158	26	14	4	3	9	21	30	22	26	43	47	51	40	8	2
Diseases of mouth																	
Tonsilitis	2							1				1					
Other diseases of pharynx	4										1	1	1	1			
Ulcer of stomach	6								1	1	1		1	2			
Gastritis	40			1			1	2	2	1	2	6	9	8	7		1
Other diseases of stomach	16	5		2								1	1	5	2		
Dentition	1		1														
Diarrhea and enteritis	234	138	23	9	4	3	4		4		1	10	9	9	14	5	1
Hernia	9										1	2	3	2	1		
Obstruction of intestines	27	5	1					1		2	4	3	1	3	6	1	
Other diseases of intestines	8	3					1	1		1		1			1		
Acute yellow atrophy of liver	1										1						
Hydatid tumors of liver																	
Cirrhosis of liver	24								1	1	3	3	6	7	3		
Biliary calculi	5									1	1	1	1	1			
Other diseases of liver	44	1						2	3	4	4	7	10	8	4	1	
Diseases of spleen																	
Peritonitis	48	5	1	2			1	6	11	5	3	5	3	4	1	1	
Appendicitis	35	1					2	8	8	6	4	2	2	1	1		
Other diseases of digestive system																	
VI.—Diseases of genito-urinary system	335	4		2		1	1	6	22	27	36	40	71	87	36		2
Acute nephritis	34	2		1				3	3	6	5	3	5	5	1		
Bright's disease	221	2		1		1	1	2	15	15	23	39	50	56	24		1
Other diseases of kidneys	13								2	1	1	1	2	2	3		1
Calculi of urinary tract	1												1				
Diseases of bladder	38								1	1	1	1	8	20	6		
Uterine tumor	4										1	1	1	1			
Other diseases of uterus	7							1	1	2	2	1					
Ovarian tumor	7									1	3	1	2				
Diseases of tubes																	
Other diseases of genito-urinary system	10									1		2	2	3	2		
VII.—Childbirth	33							2	10	15	6						
Puerperal septicemia	10								4	4	2						
Puerperal convulsions	11								4	4	3						
Other causes incident to childbirth	12							2	2	7	1						
VIII.—Diseases of skin	48	3	1					1			2		10	15	13	3	
Gangrene	39												9	15	12	3	
Carbuncle	1	1															
Abscess	5	1	1								2				1		
Other diseases of skin	3	1						1					1				
IX.—Diseases of locomotor system	4		1									1	1	1			
Diseases of bones	2		1											1			
Diseases of joints																	
Other diseases of locomotor system	2											1	1				
X.—Malformations	40	35	1	1			1		1								1
Hydrocephalus	6	3	1	1			1										
Congenital malformation of heart (cyanosis)	18	17															1
Other congenital malformations	16	15							1								
XI.—Early infancy	212	212															
Premature birth	122	122															
Congenital debility	90	90															
XII.—Old age	344												14	67	188	72	3
XIII.—Violence	246	10	6	5	4	7	9	16	36	31	32	26	18	20	17	3	6
Suicide	35							1	3	4	9	8	4	4	1		1
Fractures and dislocations	30						1	1	3	4	2	4	2	4	7	2	
Burns and scalds	21			3	3	1	1	1		1	3	4	2	1			1
Heat and sunstroke	8	2	1						1	1	2				1		
Cold and freezing																	
Lightning	2										2						
Drowning	34		4	1	1	3	5	5	6	2	3	1	1	1			1
Inhalation of poisonous gases	2								1				1				
Other accidental poisonings	15		1			1		1		3	2	1	3	2			1
Accidental gunshot wounds	11							2	5	1	1	2					
Injuries by machinery																	
Injuries in mines and quarries	2								2								
Railroad accidents and injuries	25							2	5	8	6	1		1	2		
Injuries by vehicles and horses	2									2							
Suffocation	4	1				1				2							
Other accidental injuries	47			1		1	2	3	10	3	2	4	5	7	6	1	2
Injuries at birth	7	7															
Homicide	1											1					
XIV.—Ill-defined causes	255	57	4	3	1		1	4	8	10	18	21	36	40	38	5	9
"Dropsy"	17										1	4	4	5	3		
"Heart failure"	58	8			1			1	4	2	4	5	11	11	9	2	
Other ill-defined causes	120	24	2	2			1	2	2	7	8	11	17	16	24	1	3
Unknown causes	60	25	2	1				1	2	1	5	1	4	8	2	2	6

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901.

ALLEGHENY, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,295	501	175	81	49	35	84	107	242	222	178	167	194	171	78	11	.....
Typhoid fever	100	1	.....	.....	2	1	4	13	40	24	9	4	2	.....	.....	.....	.....
Malarial fever	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Measles	36	7	13	9	4	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	40	.....	4	5	9	3	13	3	3	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	54	23	17	6	4	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	50	1	4	9	8	6	16	1	3	.....	2	.....	.....	.....	.....	.....	.....
Influenza	29	1	.....	2	.....	1	.....	.....	2	2	4	3	5	6	3	.....	.....
Cholera nostras	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Dysentery	11	4	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	2	.....	1	.....
Erysipelas	6	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	4	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Tuberculosis—total	210	13	9	1	2	3	3	20	71	48	19	17	2	2	.....	.....	.....
Tuberculosis of lungs	175	5	3	.....	1	1	2	20	64	45	16	15	2	1	.....	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	17	7	5	.....	.....	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	9	1	.....	1	1	.....	.....	.....	2	.....	1	2	.....	1	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	4	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	64	.....	1	.....	.....	.....	.....	.....	1	7	12	16	18	5	4	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Rheumatism	15	1	.....	.....	.....	.....	.....	1	2	1	2	1	1	4	2	.....	.....
Diabetes	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
Anemia, leukemia	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Alcoholism	6	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	56	12	13	11	1	3	5	5	1	1	2	1	1	.....	.....	.....	.....
Apoplexy	74	6	2	.....	.....	1	.....	1	3	2	6	11	14	21	6	1	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....
Paralysis	14	.....	.....	.....	.....	1	.....	.....	1	.....	3	.....	4	4	1	.....	.....
Epilepsy	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Convulsions	61	52	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	29	1	2	.....	1	.....	2	.....	3	1	4	5	6	1	3	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Endocarditis	6	1	1	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....
Heart disease	116	5	.....	1	.....	.....	1	5	8	15	11	22	25	19	3	1	.....
Angina pectoris	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....
Embolism and thrombosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of circulatory system	11	.....	.....	.....	.....	.....	1	.....	1	.....	2	1	1	3	2	.....	.....
Laryngitis	3	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	44	27	11	.....	1	.....	1	1	.....	.....	.....	.....	2	1	.....	.....	.....
Chronic bronchitis	39	2	.....	3	.....	.....	.....	.....	.....	5	1	4	8	13	3	.....	.....
Bronchopneumonia	54	15	9	6	2	.....	2	.....	3	.....	2	2	5	4	2	2	.....
Pneumonia	294	56	26	15	8	4	8	10	18	32	25	21	37	24	10	.....	.....
Pleurisy	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....
Congestion of lungs	18	3	.....	.....	.....	1	.....	1	.....	.....	2	3	5	2	1	.....	.....
Other diseases of respiratory system	20	4	1	.....	1	.....	.....	.....	.....	1	3	2	3	4	1	.....	.....
Tonsilitis	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	35	14	.....	.....	.....	1	1	1	2	2	1	3	5	5	.....	.....	.....
Diarrhea and enteritis	168	99	34	4	1	1	1	2	6	4	2	4	4	4	2	.....	.....
Hernia and intestinal obstructions	18	5	.....	.....	1	.....	.....	2	1	2	1	2	2	1	1	.....	.....
Cirrhosis of liver	24	.....	.....	.....	.....	.....	.....	.....	2	4	4	7	5	1	1	.....	.....
Other diseases of liver	12	.....	2	.....	.....	.....	.....	1	.....	3	1	.....	3	2	.....	.....	.....
Peritonitis	29	2	1	1	.....	1	1	7	6	2	4	2	2	.....	.....	.....	.....
Appendicitis	7	.....	.....	.....	.....	.....	.....	4	1	1	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	12	8	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....
Acute nephritis	9	.....	.....	1	1	1	1	.....	.....	.....	2	1	.....	.....	2	.....	.....
Bright's disease	52	.....	.....	.....	.....	1	1	3	7	7	9	4	10	9	1	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	13	.....	.....	.....	.....	.....	.....	1	1	1	1	3	2	2	2	.....	.....
Puerperal septicemia	7	.....	.....	.....	.....	.....	.....	1	1	5	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	14	.....	.....	.....	.....	.....	.....	.....	3	7	4	.....	.....	.....	.....	.....	.....
Diseases of skin	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of locomotor system	7	2	.....	1	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	15	14	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	43	43	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	45	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	10	18	4	.....
Suicide	23	.....	.....	.....	.....	.....	.....	2	9	4	5	1	1	1	.....	.....	.....
Other violence	171	9	2	2	2	2	16	18	29	25	28	15	9	8	4	2	.....
Ill-defined causes	47	12	17	.....	.....	.....	.....	.....	2	1	1	3	1	7	3	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

BALTIMORE, MD.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,482	2,533	455	194	121	88	206	412	936	996	1,030	995	1,102	941	408	62	3
Typhoid fever	148	1	1				5	33	46	35	15	10	2				
Malarial fever	40	3	3				2	3	3	5	9	6	1	4	1		
Smallpox																	
Measles	7	3	2	1	1												
Scarlet fever	12		2	2	3	3	2										
Whooping cough	65	32	21	6	2		4										
Diphtheria and croup	171	8	36	26	24	20	45	9	2	1							
Influenza	261	14	5	3	4	3	3	15	13	30	30	40	46	30	22	3	
Cholera nostras	8	1	2							1		1	2	1			
Dysentery	54	5	5				3		3	2	6	9	10	9	2		
Erysipelas	45	8	1		1			1	1	7	5	10	5	4	2		
Other epidemic diseases [1]	2	1											1				
Septicemia	20	3		1			1		6	2	5	1		1			
Tuberculosis—total	1,399	55	22	12	7	12	30	128	401	306	199	114	87	25	1		
Tuberculosis of lungs	1,227	27	11	5		9	16	108	371	276	185	111	82	25	1		
Tuberculosis of larynx	20							1	4	8	4	2	1				
Tuberculous meningitis	52	16	8	5	3	1	6	6	2	3	1		1				
Abdominal tuberculosis	32	3	1		3		1	5	8	6	3		2				
Pott's disease	13		1			2	3		2	2	3						
Tuberculous abscess																	
White swelling	7						2	1	2	1	1						
Tuberculosis of other organs	9	1						2		4	1	1					
General tuberculosis	39	8	1	2	1		2	5	12	6	1		1				
Scrofula	5	5															
Venereal diseases	37	21	2				1		3	4	3	2	1				
Cancer	395	1	1				2	3	10	37	68	97	104	66	6		
Tumor	4		1									2		1			
Rheumatism	51		1	1			3	3	5	2	10	5	13	8			
Diabetes	52						3	4	3	6	8	10	11	7			
Anemia, leukemia	28	3	1					2	1	5	3	11	2				
Alcoholism	27				1				4	10	8	1	2	1			
Chronic poisonings	2								1		1						
Other general diseases	13	3	1					3	1	1	1	3					
Encephalitis	8	2					2		1	1	2						
Meningitis	146	60	19	14	10	4	11	11	5	2	4	2	4				
Apoplexy	392	13		1			2	1	3	17	55	81	101	79	35	4	
Softening of brain	18		1						1	3		4		6	3		
Paralysis	176	3	1				1	2	4	8	14	35	41	54	10	3	
Epilepsy	23	2				2		2	7	6		1		3			
Convulsions	216	172	24	8	3	3	1	1	2		2						
Tetanus	38	31	1				2				1	2	1				
Other diseases of nervous system	103	5	5	1	1		2	7	7	7	17	14	18	15	4		
Pericarditis	13				1		1		5			3	1	1	1		
Endocarditis	25	2						2	1	1	6	6	4	2	1		
Heart disease	522	12	3	1	1		8	19	32	50	82	95	104	92	23		
Angina pectoris	34								2	2	5	7	8	6	4		
Embolism and thrombosis	15		1						2		1	1	5	4	1		
Other diseases of circulatory system	108	6		1					1	6	15	16	22	28	11	2	
Laryngitis	8			1	2	1	1		1	1	1						
Acute bronchitis	163	94	29	14	5	2		1		1	1	3	2	10	1		
Chronic bronchitis	156	5		1			6	5	19	12	14	13	30	35	16		
Bronchopneumonia	188	78	28	14	8	2	5	3	5	7	7	6	11	12	1	1	
Pneumonia	773	153	71	42	18	11	14	21	64	88	78	72	79	47	13	2	
Pleurisy	38	2		1			3	3	9	3	1	9	4	3			
Congestion of lungs	65	13	3	3		1		2	2	2	8	7	6	11	6	1	
Other diseases of respiratory system	74	5	1	1				3	9	10	15	7	12	8	3		
Tonsilitis	1														1		
Diseases of stomach	136	38	4	2	3	2	3	3	4	8	13	12	21	15	4	4	
Diarrhea and enteritis	867	626	107	20	6	3	3	6	9	8	13	13	17	23	12	1	
Hernia and intestinal obstructions	95	12	3		2	3		3	5	3	15	17	13	14	3	2	
Cirrhosis of liver	62								3	12	16	11	17	3			
Other diseases of liver	36	2	1				1	1	2	7	5	9	5	3			
Peritonitis	47						1	7	13	13	5	1	5	2			
Appendicitis	59					1	5	18	10	6	12	6	1				
Other diseases of digestive system	45	20	3	2	1		1		4	4	4	3	1	2			
Acute nephritis	63	2	2	1	1	1	1	5	8	9	10	11	5	6	1		
Bright's disease	574	5	3	1	3	1	3	18	33	56	99	105	135	86	23	3	
Calculi of urinary tract	7									5	2						
Uterine tumor	17								2	4	7	3	1				
Ovarian tumor	8								2	3	1	2					
Other diseases of genito-urinary system	114			1				4	26	13	11	10	21	16	11	1	
Puerperal septicemia	49							3	20	22	4						
Other causes incident to childbirth	43							6	15	19	3						
Diseases of skin	50	9	2					1	5	4	2	7	9	8	2	1	
Diseases of locomotor system	23	5				1	2	2		2	5	3	1	1	1		
Malformations	70	63	3	1	1				1	1							
Premature birth	236	236															
Congenital debility	393	393															
Old age	301												25	116	134	25	1
Suicide	53							4	8	15	11	8	6	1			
Other violence	633	89	10	9	10	10	19	42	74	93	76	53	57	48	37	6	
Ill-defined causes	352	208	23	2	2	2	4	2	7	8	16	15	22	24	12	3	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

BOSTON, MASS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	11,297	2,286	576	285	191	141	324	385	1,080	1,260	1,065	1,145	1,170	909	411	67	2
Typhoid fever	135	.....	.....	1	1	.....	9	15	52	38	11	6	1	.....	1	.....	.....
Malarial fever	9	1	.....	1	.....	.....	.....	.....	.....	4	.....	1	1	1	.....	.....	.....
Smallpox	75	5	5	2	2	.....	.....	5	14	27	9	3	2	1	.....	.....	.....
Measles	122	26	45	19	11	6	9	1	3	1	1	.....	.....	.....	.....	.....	.....
Scarlet fever	222	11	39	33	31	27	58	13	6	2	1	.....	1	.....	.....	.....	.....
Whooping cough	68	29	23	7	4	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	342	27	62	57	50	32	81	17	5	5	.....	3	3	.....	.....	.....	.....
Influenza	140	12	3	1	.....	.....	2	3	8	11	10	17	23	35	12	3	.....
Cholera nostras	11	5	.....	.....	.....	.....	2	.....	.....	.....	1	1	1	.....	1	.....	.....
Dysentery	26	9	.....	.....	.....	.....	1	1	2	1	.....	4	4	3	1	.....	.....
Erysipelas	55	14	.....	.....	.....	.....	.....	2	3	9	9	9	6	3	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	38	9	1	.....	.....	2	1	2	3	7	5	2	3	2	1	.....	.....
Tuberculosis—total	1,544	77	45	30	13	21	32	113	443	359	209	118	65	18	1	.....	.....
Tuberculosis of lungs	1,331	31	15	12	2	7	13	104	425	338	200	107	60	16	1	.....	.....
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	.....	3	2	.....	1	.....	1	.....	.....	.....
Tuberculous meningitis	108	38	23	14	5	8	8	1	7	1	1	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	38	2	5	2	1	3	3	2	1	9	2	5	3	.....	.....	.....	.....
Pott's disease	17	.....	.....	1	3	1	2	2	2	4	2	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	8	.....	.....	1	.....	1	2	1	1	1	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	8	1	.....	.....	.....	.....	1	2	1	1	1	.....	1	.....	.....	.....	.....
General tuberculosis	26	5	2	.....	2	1	2	1	3	3	2	3	1	1	.....	.....	.....
Scrofula	4	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Venereal diseases	32	21	1	1	.....	.....	.....	.....	3	2	2	1	1	.....	.....	.....	.....
Cancer	501	.....	1	1	1	2	2	3	14	43	89	147	126	57	12	2	1
Tumor	12	.....	.....	.....	.....	.....	.....	.....	.....	1	4	3	2	2	.....	.....	.....
Rheumatism	44	2	.....	.....	1	.....	3	4	8	3	5	9	4	3	2	.....	.....
Diabetes	81	.....	.....	.....	.....	1	1	5	5	7	13	19	19	9	2	.....	.....
Anemia, leukemia	56	5	3	.....	.....	.....	1	3	3	11	9	14	4	1	2	.....	.....
Alcoholism	47	.....	.....	.....	.....	.....	.....	.....	10	14	9	7	7	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....
Other general diseases	13	1	1	.....	.....	.....	.....	.....	1	3	3	3	.....	1	.....	.....	.....
Encephalitis	7	5	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	221	80	38	23	11	4	12	15	9	12	5	5	5	1	1	.....	.....
Apoplexy	448	11	1	1	.....	1	.....	5	4	28	42	92	112	96	52	3	.....
Softening of brain	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	4	1	3	.....	.....
Paralysis	62	2	.....	1	.....	.....	.....	.....	.....	2	6	9	20	10	11	1	.....
Epilepsy	16	.....	.....	1	.....	.....	3	.....	1	4	1	2	3	1	.....	.....	.....
Convulsions	93	70	9	6	.....	1	1	2	2	1	.....	1	.....	.....	.....	.....	.....
Tetanus	11	6	1	.....	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	184	10	7	4	1	.....	.....	5	12	20	41	29	30	20	5	.....	.....
Pericarditis	6	1	1	.....	.....	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....
Endocarditis	93	.....	1	.....	1	1	5	6	9	10	17	13	16	11	3	.....	.....
Heart disease	926	9	1	5	2	2	9	41	64	101	107	160	196	169	56	4	.....
Angina pectoris	32	.....	.....	.....	.....	.....	.....	.....	2	3	3	6	9	7	2	.....	.....
Embolism and thrombosis	54	.....	.....	.....	.....	.....	.....	2	10	6	6	9	6	10	5	.....	.....
Other diseases of circulatory system	114	9	.....	1	1	1	.....	.....	3	4	15	22	20	22	13	3	.....
Laryngitis	6	3	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Acute bronchitis	144	74	22	13	2	4	3	1	2	3	1	3	5	5	4	2	.....
Chronic bronchitis	150	1	3	1	.....	.....	3	1	2	8	8	27	35	33	24	4	.....
Bronchopneumonia	231	79	55	16	8	4	5	1	5	6	6	9	19	10	6	2	.....
Pneumonia	831	146	66	19	14	9	4	18	67	94	95	90	103	67	36	3	.....
Pleurisy	30	1	1	1	.....	.....	2	2	5	8	1	3	1	4	1	.....	.....
Congestion of lungs	56	6	1	.....	.....	.....	1	1	6	7	6	7	5	8	5	3	.....
Other diseases of respiratory system	62	4	4	2	2	.....	.....	2	7	12	13	6	6	3	1	.....	.....
Tonsilitis	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Diseases of stomach	99	8	3	2	1	.....	2	3	9	12	9	15	13	13	8	1	.....
Diarrhea and enteritis	763	583	80	14	2	3	5	.....	5	3	5	11	12	23	16	1	.....
Hernia and intestinal obstructions	103	15	1	.....	1	1	5	2	5	11	15	17	15	13	2	.....	.....
Cirrhosis of liver	86	.....	.....	.....	.....	.....	.....	.....	2	18	16	24	16	8	2	.....	.....
Other diseases of liver	62	2	.....	.....	.....	.....	.....	1	2	8	14	13	10	10	2	.....	.....
Peritonitis	89	2	2	.....	2	.....	6	11	18	18	8	12	5	4	1	.....	.....
Appendicitis	101	1	1	.....	.....	.....	11	27	18	20	10	5	3	4	.....	1	.....
Other diseases of digestive system	40	6	3	1	1	.....	.....	.....	3	4	9	4	5	4	.....	.....	.....
Acute nephritis	56	1	1	1	2	3	2	3	8	9	10	6	8	2	.....	.....	.....
Bright's disease	413	8	2	.....	1	.....	2	10	28	58	57	77	93	64	12	1	.....
Calculi of urinary tract	6	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	1	.....	.....	.....
Uterine tumor	19	.....	.....	.....	.....	.....	.....	.....	3	4	6	2	2	1	1	.....	.....
Ovarian tumor	11	.....	.....	.....	.....	.....	.....	.....	1	4	1	1	3	1	.....	.....	.....
Other diseases of genito-urinary system	92	3	1	.....	.....	.....	1	1	17	12	16	11	15	12	3	.....	.....
Puerperal septicemia	30	.....	.....	.....	.....	.....	.....	2	16	10	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	47	.....	.....	.....	.....	.....	.....	1	19	22	5	.....	.....	.....	.....	.....	.....
Diseases of skin	37	6	1	2	2	.....	.....	.....	1	2	.....	4	6	8	4	1	.....
Diseases of locomotor system	26	8	5	.....	1	.....	.....	3	2	.....	3	3	.....	1	.....	.....	.....
Malformations	90	82	1	1	1	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	249	249	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	296	296	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	207	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	80	78	28	.....
Suicide	82	.....	.....	.....	.....	.....	.....	.....	13	29	11	11	15	3	.....	.....	.....
Other violence	654	80	12	15	16	10	31	29	100	122	80	57	49	33	16	3	1
Ill-defined causes	267	162	22	1	3	1	5	2	12	9	19	12	7	9	3	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

BUFFALO, N. Y.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,518	1,278	294	138	68	81	176	190	453	503	516	506	561	477	241	35	1
Typhoid fever	97	1	.....	.....	2	.....	8	17	32	20	10	5	2	.....	.....	.....	.....
Malarial fever	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
Smallpox	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	22	1	11	3	.....	2	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	44	1	9	3	4	4	17	3	2	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	63	30	10	8	3	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	142	7	17	25	20	23	40	6	4	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	66	2	3	1	1	.....	.....	1	7	5	4	3	13	16	6	4	.....
Cholera nostras	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Dysentery	38	10	5	1	2	1	1	.....	.....	.....	.....	2	7	3	6	.....	.....
Erysipelas	15	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	5	.....	.....
Other epidemic diseases [1]	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	17	2	3	1	.....	.....	1	1	1	4	1	1	2	.....	.....	.....	.....
Tuberculosis—total	530	27	10	7	1	3	9	46	147	123	90	46	15	5	1	.....	.....
Tuberculosis of lungs	453	14	4	1	.....	2	3	37	141	115	79	38	15	3	1	.....	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	1	.....	.....	.....
Tuberculous meningitis	23	7	4	3	1	.....	2	1	1	1	1	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	27	4	1	1	.....	1	1	5	3	4	4	3	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	8	1	1	1	.....	.....	.....	1	.....	.....	3	1	.....	.....	.....	.....	.....
General tuberculosis	10	1	.....	.....	.....	.....	2	1	2	.....	2	1	.....	1	.....	.....	.....
Scrofula	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Venereal diseases	29	19	.....	.....	1	.....	.....	.....	.....	2	5	.....	2	.....	.....	.....	.....
Cancer	262	.....	.....	1	1	.....	1	.....	5	20	61	71	54	40	8	.....	.....
Tumor	8	1	.....	1	.....	.....	.....	.....	.....	.....	2	2	.....	1	1	.....	.....
Rheumatism	40	1	1	.....	.....	.....	6	4	2	8	7	1	3	5	1	1	.....
Diabetes	40	.....	.....	.....	.....	1	2	1	.....	3	3	11	13	4	2	.....	.....
Anemia, leukemia	15	.....	.....	.....	.....	.....	.....	1	3	.....	3	3	4	1	.....	.....	.....
Alcoholism	17	.....	.....	.....	.....	.....	.....	.....	3	7	3	2	2	.....	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....
Other general diseases	12	2	.....	.....	1	.....	1	1	2	1	1	2	.....	1	.....	.....	.....
Encephalitis	4	1	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Meningitis	119	38	21	9	4	8	11	6	9	3	4	1	2	2	1	.....	.....
Apoplexy	184	5	.....	.....	.....	.....	.....	2	6	12	20	38	42	37	12	1	.....
Softening of brain	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....
Paralysis	33	1	.....	.....	.....	.....	.....	.....	.....	2	1	4	16	6	3	.....	.....
Epilepsy	24	5	2	3	.....	.....	.....	3	3	2	1	3	1	1	.....	.....	.....
Convulsions	88	74	9	2	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	101	9	3	.....	1	1	4	.....	8	15	18	15	12	11	3	1	.....
Pericarditis	6	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	2	.....	.....	.....	.....
Endocarditis	28	3	1	.....	.....	.....	.....	4	1	4	3	5	1	6	.....	.....	.....
Heart disease	404	4	.....	1	.....	1	2	16	21	47	56	62	104	69	19	2	.....
Angina pectoris	21	.....	.....	.....	.....	.....	.....	.....	.....	3	2	2	10	2	2	.....	.....
Embolism and thrombosis	12	.....	.....	.....	.....	.....	.....	2	2	3	.....	.....	2	3	.....	.....	.....
Other diseases of circulatory system	58	3	1	.....	.....	.....	.....	1	2	3	4	3	11	18	11	1	.....
Laryngitis	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	120	71	15	10	2	4	2	.....	.....	.....	.....	2	2	5	5	2	.....
Chronic bronchitis	66	1	.....	1	.....	1	1	1	1	2	5	12	12	15	11	3	.....
Bronchopneumonia	179	71	27	11	6	7	9	1	3	4	4	8	14	10	4	.....	.....
Pneumonia	324	70	30	14	7	6	8	5	14	31	26	26	31	30	21	5	.....
Pleurisy	17	1	2	1	1	.....	1	2	1	2	1	3	1	1	.....	.....	.....
Congestion of lungs	37	10	2	1	.....	1	.....	1	.....	1	.....	1	6	6	8	.....	.....
Other diseases of respiratory system	36	4	1	.....	.....	.....	1	.....	2	9	2	3	7	5	2	.....	.....
Tonsilitis	3	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	57	20	1	1	.....	.....	1	1	7	5	1	4	7	9	.....	.....	.....
Diarrhea and enteritis	495	325	94	14	5	3	2	1	3	4	4	8	12	10	8	2	.....
Hernia and intestinal obstructions	47	7	.....	.....	.....	.....	.....	.....	6	7	6	4	7	8	2	.....	.....
Cirrhosis of liver	53	.....	.....	.....	.....	.....	.....	.....	2	4	11	17	11	8	.....	.....	.....
Other diseases of liver	23	2	.....	.....	.....	.....	.....	.....	1	6	3	5	3	3	.....	.....	.....
Peritonitis	40	1	.....	1	.....	.....	1	6	8	6	3	5	3	5	1	.....	.....
Appendicitis	52	.....	.....	.....	1	.....	7	16	12	4	7	4	1	.....	.....	.....	.....
Other diseases of digestive system	21	6	.....	1	1	.....	.....	.....	3	1	1	5	1	.....	2	.....	.....
Acute nephritis	30	2	2	1	.....	1	4	2	5	2	2	4	3	2	.....	.....	.....
Bright's disease	257	4	2	2	.....	.....	2	3	17	23	35	54	61	40	13	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	58	4	.....	1	.....	.....	1	.....	9	8	11	2	8	10	4	.....	.....
Puerperal septicemia	21	.....	.....	.....	.....	.....	.....	.....	12	8	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	34	.....	.....	.....	.....	.....	.....	.....	11	19	4	.....	.....	.....	.....	.....	.....
Diseases of skin	28	3	.....	1	.....	.....	1	2	2	1	4	1	8	5	.....	.....	.....
Diseases of locomotor system	9	1	1	.....	.....	.....	1	2	1	1	.....	1	.....	.....	1	.....	.....
Malformations	54	53	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	174	174	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	99	99	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	130	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	48	67	9	.....
Suicide	51	.....	.....	.....	.....	.....	.....	1	8	13	11	10	7	.....	1	.....	.....
Other violence	362	47	8	7	3	6	19	26	59	51	56	35	18	19	5	2	1
Ill-defined causes	63	41	2	1	.....	.....	1	.....	.....	1	1	4	2	4	5	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

CHICAGO, ILL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	24,478	5,033	1,316	522	333	295	727	1,170	2,327	2,756	2,599	2,499	2,288	1,755	745	105	8
Typhoid fever	524	7	7	7	5	11	24	103	149	100	60	28	13	7	3	.....	.....
Malarial fever	21	1	.....	1	.....	.....	2	5	2	3	2	2	3	.....	.....	.....	.....
Smallpox	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....
Measles	180	49	64	25	12	13	10	2	2	3	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	195	6	23	30	30	23	66	14	2	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	222	117	60	19	7	7	11	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diphtheria and croup	501	27	73	81	79	69	135	27	11	3	4	.....	1	.....	.....	.....	.....
Influenza	279	15	9	4	1	2	2	6	21	15	22	35	48	59	40	.....	.....
Cholera nostras	20	3	1	.....	1	.....	1	.....	1	2	1	1	3	5	1	.....	.....
Dysentery	95	16	12	3	2	.....	1	4	6	3	6	12	14	11	5	.....	.....
Erysipelas	82	17	2	1	.....	.....	1	4	5	8	9	12	6	10	5	2	.....
Other epidemic diseases[1]	5	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Septicemia	62	10	1	.....	.....	1	1	3	8	14	4	6	8	5	1	.....	.....
Tuberculosis—total	2,953	91	55	27	23	23	56	276	836	736	436	232	121	36	5	.....	.....
Tuberculosis of lungs	2,592	35	29	12	11	10	23	238	791	680	407	209	108	34	5	.....	.....
Tuberculosis of larynx	11	.....	.....	.....	1	.....	.....	.....	1	5	1	1	2	.....	.....	.....	.....
Tuberculous meningitis	133	37	20	12	8	8	18	10	11	4	3	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	89	13	3	.....	1	2	2	9	18	18	12	7	3	1	.....	.....	.....
Pott's disease	28	.....	1	.....	1	.....	5	5	2	7	2	2	3	.....	.....	.....	.....
Tuberculous abscess	3	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	16	.....	.....	.....	.....	.....	3	6	2	3	1	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	35	1	.....	1	1	2	2	3	3	11	4	4	2	1	.....	.....	.....
General tuberculosis	46	5	2	1	.....	1	3	4	8	7	6	6	3	.....	.....	.....	.....
Scrofula	5	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	139	88	2	.....	.....	.....	2	1	7	12	8	15	4	.....	.....	.....	.....
Cancer	1,119	1	1	1	1	1	2	7	32	95	210	314	260	159	33	1	1
Tumor	14	.....	.....	.....	.....	.....	1	1	1	3	1	2	3	1	1	.....	.....
Rheumatism	152	1	2	.....	.....	2	18	25	21	18	17	12	21	8	5	2	.....
Diabetes	144	1	1	1	.....	.....	4	4	2	16	13	36	41	19	5	1	.....
Anemia, leukemia	95	7	2	1	.....	.....	4	9	11	19	15	13	9	4	1	.....	.....
Alcoholism	120	.....	.....	.....	.....	.....	.....	.....	13	34	41	19	9	2	1	.....	1
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	.....	.....	.....	.....	.....
Other general diseases	50	15	1	.....	1	1	2	4	4	7	12	2	1	.....	.....	.....	.....
Encephalitis	22	2	3	1	1	2	1	.....	2	2	5	2	1	.....	.....	.....	.....
Meningitis	553	204	93	44	27	24	42	35	22	11	23	14	10	1	3	.....	.....
Apoplexy	620	15	7	1	2	1	3	6	17	44	78	124	147	133	39	3	.....
Softening of brain	30	.....	.....	.....	.....	.....	.....	1	.....	.....	5	2	10	8	3	1	.....
Paralysis	153	3	1	.....	1	2	2	3	5	5	14	14	35	44	20	4	.....
Epilepsy	56	2	1	.....	.....	.....	1	13	2	7	14	13	2	1	.....	.....	.....
Convulsions	605	532	37	15	5	3	7	1	1	2	1	.....	1	.....	.....	.....	.....
Tetanus	40	23	.....	1	.....	.....	2	3	4	4	1	1	.....	.....	1	.....	.....
Other diseases of nervous system	408	18	7	3	1	2	6	14	31	69	72	70	61	39	14	1	.....
Pericarditis	43	1	1	.....	.....	.....	4	4	6	4	7	2	9	3	2	.....	.....
Endocarditis	217	4	3	.....	2	2	12	18	19	38	28	29	31	19	12	.....	.....
Heart disease	1,556	24	2	2	2	4	21	80	115	177	220	331	281	212	78	7	.....
Angina pectoris	82	.....	.....	.....	.....	.....	1	1	4	6	13	18	18	17	4	.....	.....
Embolism and thrombosis	72	2	.....	.....	.....	.....	1	4	10	9	13	11	14	5	2	1	.....
Other diseases of circulatory system	172	9	.....	1	2	.....	2	2	8	15	21	21	32	27	29	3	.....
Laryngitis	16	7	2	3	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	534	333	97	36	6	7	9	3	2	2	4	6	13	8	6	2	.....
Chronic bronchitis	245	4	2	.....	.....	.....	8	3	7	11	21	25	52	66	37	9	.....
Bronchopneumonia	372	148	68	21	9	4	14	5	6	8	14	16	25	17	15	2	.....
Pneumonia	2,445	358	178	73	51	32	69	89	188	275	298	291	273	202	61	6	1
Pleurisy	83	1	2	3	5	.....	5	4	11	8	10	15	11	7	.....	1	.....
Congestion of lungs	91	18	2	.....	1	2	4	5	5	9	5	12	9	10	9	.....	.....
Other diseases of respiratory system	158	6	4	1	1	4	2	5	15	13	27	21	29	25	5	.....	.....
Tonsilitis	13	2	2	.....	.....	3	2	1	1	.....	1	.....	.....	.....	1	.....	.....
Diseases of stomach	282	64	10	4	.....	2	8	4	14	34	38	26	34	32	9	3	.....
Diarrhea and enteritis	2,197	1,459	382	62	16	14	16	10	20	25	13	34	48	63	31	4	.....
Hernia and intestinal obstructions	192	28	2	1	1	2	4	10	5	25	23	29	34	22	6	.....	.....
Cirrhosis of liver	249	.....	.....	.....	.....	.....	1	2	10	41	51	74	44	19	7	.....	.....
Other diseases of liver	149	3	1	.....	1	2	3	2	9	28	30	29	24	13	4	.....	.....
Peritonitis	126	8	1	3	1	.....	4	14	29	23	20	9	8	5	.....	1	.....
Appendicitis	251	1	2	.....	1	.....	25	80	45	47	29	11	7	3	.....	.....	.....
Other diseases of digestive system	83	21	4	4	2	2	2	2	5	10	14	8	4	3	2	.....	.....
Acute nephritis	172	21	6	2	2	6	12	6	16	29	20	20	19	9	4	.....	.....
Bright's disease	1,086	22	5	2	2	1	9	21	65	128	190	210	228	160	39	4	.....
Calculi of urinary tract	6	.....	.....	.....	.....	.....	1	.....	.....	2	.....	2	.....	1	.....	.....	.....
Uterine tumor	42	.....	.....	.....	.....	.....	.....	.....	3	12	19	5	2	.....	1	.....	.....
Ovarian tumor	34	.....	.....	.....	.....	.....	.....	2	8	5	11	4	3	1	.....	.....	.....
Other diseases of genito-urinary system	246	8	1	.....	.....	.....	.....	7	60	59	26	12	30	29	14	.....	.....
Puerperal septicemia	161	.....	.....	.....	.....	.....	.....	6	70	70	15	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	129	.....	.....	.....	.....	.....	.....	7	47	66	8	1	.....	.....	.....	.....	.....
Diseases of skin	97	19	4	.....	.....	.....	.....	2	6	5	9	14	10	17	11	.....	.....
Diseases of locomotor system	54	13	8	1	3	.....	3	2	3	3	3	7	5	3	.....	.....	.....
Malformations	144	133	3	3	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	326	326	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	449	449	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	319	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30	118	133	38	.....
Suicide	396	.....	.....	.....	.....	.....	.....	25	83	89	89	61	34	13	1	.....	1
Other violence	1,452	105	40	31	24	25	76	169	212	235	222	150	82	54	19	4	4
Ill-defined causes	262	159	17	3	.....	2	1	1	2	7	7	9	13	19	17	5	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

CINCINNATI, OHIO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,401	985	282	136	93	57	155	288	584	694	690	697	765	651	287	32	5
Typhoid fever	180	.....	4	4	6	6	13	44	49	24	14	7	6	3	.....	.....	.....
Malarial fever	15	2	.....	.....	.....	.....	1	3	1	2	1	2	.....	2	1	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	60	4	28	11	4	5	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	26	1	1	6	5	4	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	19	10	4	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	71	6	13	13	11	6	18	2	1	1	.....	.....	.....	.....	.....	.....	.....
Influenza	136	10	1	.....	1	.....	2	4	12	12	10	14	29	26	15	.....	.....
Cholera nostras	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
Dysentery	53	4	3	1	.....	1	.....	2	4	9	6	6	7	7	3	.....	.....
Erysipelas	19	2	2	1	.....	.....	.....	.....	.....	2	4	.....	6	2	.....	.....	.....
Other epidemic diseases [1]	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Septicemia	17	3	.....	.....	.....	1	.....	1	3	4	3	.....	1	1	.....	.....	.....
Tuberculosis—total	872	11	8	7	9	7	16	77	248	221	130	85	36	13	4	.....	.....
Tuberculosis of lungs	775	8	2	3	4	3	9	65	232	207	119	77	31	11	4	.....	.....
Tuberculosis of larynx	10	.....	.....	.....	.....	.....	.....	.....	3	3	3	.....	1	.....	.....	.....	.....
Tuberculous meningitis	27	2	4	4	5	3	2	1	2	1	2	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	27	.....	2	.....	.....	.....	1	2	8	4	1	5	2	2	.....	.....	.....
Pott's disease	9	1	.....	.....	.....	.....	3	1	1	1	1	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	7	.....	.....	.....	.....	1	.....	3	.....	1	1	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
General tuberculosis	14	.....	.....	.....	.....	.....	1	5	1	4	1	2	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	18	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	255	.....	.....	.....	.....	.....	.....	2	7	16	60	56	69	38	7	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
Rheumatism	48	.....	.....	.....	.....	.....	1	8	4	5	12	5	8	5	.....	.....	.....
Diabetes	32	.....	1	.....	1	.....	.....	1	3	4	4	8	6	3	1	.....	.....
Anemia, leukemia	9	.....	.....	1	.....	.....	.....	.....	3	1	.....	2	.....	2	.....	.....	.....
Alcoholism	16	.....	.....	.....	.....	.....	.....	.....	1	5	7	2	1	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....
Other general diseases	5	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....
Encephalitis	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	190	60	36	21	11	4	14	9	4	9	6	8	5	3	.....	.....	.....
Apoplexy	235	5	5	.....	1	1	2	2	2	11	17	49	61	59	19	1	.....
Softening of brain	18	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	3	5	4	.....	.....
Paralysis	68	1	1	.....	.....	.....	1	2	1	3	7	11	18	17	5	1	.....
Epilepsy	13	1	.....	.....	.....	.....	.....	.....	6	2	1	2	1	.....	.....	.....	.....
Convulsions	115	99	7	8	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	10	5	1	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	85	4	1	.....	.....	.....	1	6	6	20	13	15	13	5	1	.....	.....
Pericarditis	14	.....	.....	.....	.....	.....	1	.....	.....	2	2	4	1	3	1	.....	.....
Endocarditis	69	.....	.....	.....	.....	.....	3	3	2	5	10	12	16	13	4	1	.....
Heart disease	372	2	.....	.....	.....	.....	6	10	12	31	64	66	96	66	17	2	.....
Angina pectoris	19	.....	.....	.....	.....	.....	.....	.....	1	.....	4	3	5	6	.....	.....	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	3	4	.....	.....	.....
Other diseases of circulatory system	69	4	2	.....	.....	.....	.....	.....	1	2	2	11	15	17	14	1	.....
Laryngitis	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	95	41	21	8	4	3	.....	.....	.....	3	1	2	4	6	2	.....	.....
Chronic bronchitis	153	1	1	1	.....	.....	4	.....	2	6	6	20	37	51	22	2	.....
Bronchopneumonia	149	43	16	11	8	4	5	4	.....	9	11	3	10	16	9	.....	.....
Pneumonia	431	56	41	21	13	3	16	19	32	38	46	49	46	37	12	2	.....
Pleurisy	12	.....	.....	.....	.....	.....	1	1	1	.....	1	5	2	1	.....	.....	.....
Congestion of lungs	36	5	1	2	.....	1	.....	1	1	2	3	6	4	8	2	.....	.....
Other diseases of respiratory system	52	3	.....	.....	.....	1	2	2	2	3	9	7	13	7	1	1	1
Tonsilitis	3	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diseases of stomach	97	11	2	.....	.....	.....	2	3	8	12	10	15	18	10	5	1	.....
Diarrhea and enteritis	349	190	58	8	6	.....	3	1	5	12	11	10	14	20	11	.....	.....
Hernia and intestinal obstructions	48	5	.....	.....	.....	.....	2	1	2	8	7	6	10	5	2	.....	.....
Cirrhosis of liver	78	.....	.....	.....	.....	.....	.....	1	1	12	20	19	21	4	.....	.....	.....
Other diseases of liver	36	.....	.....	1	.....	.....	.....	3	1	4	3	6	10	3	5	.....	.....
Peritonitis	58	2	1	1	.....	.....	1	10	12	12	6	6	5	1	.....	1	.....
Appendicitis	33	.....	.....	.....	.....	.....	6	11	7	4	1	3	1	.....	.....	.....	.....
Other diseases of digestive system	21	8	2	.....	1	.....	1	.....	3	.....	1	2	1	1	1	.....	.....
Acute nephritis	27	2	.....	.....	1	.....	1	2	5	3	4	5	1	2	1	.....	.....
Bright's disease	373	.....	2	.....	1	2	.....	9	24	48	69	71	83	49	14	1	.....
Calculi of urinary tract	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	1
Ovarian tumor	11	.....	.....	.....	.....	.....	.....	.....	3	3	2	2	1	.....	.....	.....	.....
Other diseases of genito-urinary system	70	.....	.....	.....	1	.....	.....	1	10	10	11	11	6	14	5	.....	1
Puerperal septicemia	32	.....	.....	.....	.....	.....	.....	2	14	14	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	14	.....	.....	.....	.....	.....	.....	1	4	8	1	.....	.....	.....	.....	.....	.....
Diseases of skin	34	5	.....	.....	.....	.....	.....	2	.....	5	1	8	7	4	2	.....	.....
Diseases of locomotor system	13	2	5	1	.....	.....	.....	1	.....	.....	1	1	1	1	.....	.....	.....
Malformations	28	27	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	116	116	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	133	133	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	165	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	64	73	16	.....
Suicide	80	.....	.....	.....	.....	.....	.....	3	16	14	19	11	11	5	1	.....	.....
Other violence	384	32	6	8	7	5	14	26	52	66	47	45	32	28	13	2	1
Ill-defined causes	107	48	8	.....	.....	.....	.....	3	3	2	7	9	6	10	10	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

CLEVELAND, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,968	1,530	262	105	71	76	155	254	500	520	546	571	600	486	247	34	11
Typhoid fever	137	.....	3	2	1	.....	4	30	37	28	15	11	3	3	.....	.....	.....
Malarial fever	7	.....	.....	.....	.....	1	.....	1	1	1	.....	2	.....	1	.....	.....	.....
Smallpox	20	7	1	.....	1	.....	.....	1	4	4	1	1	.....	.....	.....	.....	.....
Measles	16	5	7	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	40	3	7	4	6	5	13	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	11	6	1	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	172	13	22	26	19	28	40	16	2	.....	4	1	1	.....	.....	.....	.....
Influenza	62	3	.....	.....	.....	.....	.....	2	6	4	2	6	19	12	7	1	.....
Cholera nostras	9	.....	.....	1	1	1	.....	.....	.....	1	2	1	.....	2	.....	.....	.....
Dysentery	18	3	5	.....	.....	.....	.....	.....	.....	.....	2	1	4	1	2	.....	.....
Erysipelas	13	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	4	.....	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	49	3	1	2	2	.....	4	4	7	4	7	8	5	2	.....	.....	.....
Tuberculosis—total	479	12	10	3	3	6	3	45	142	109	73	46	18	7	2	.....	.....
Tuberculosis of lungs	424	6	5	.....	2	5	2	43	133	98	68	39	15	6	2	.....	.....
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....
Tuberculous meningitis	24	3	4	3	1	1	1	.....	4	4	1	1	1	.....	.....	.....	.....
Abdominal tuberculosis	16	.....	.....	.....	.....	.....	.....	1	3	4	3	3	1	1	.....	.....	.....
Pott's disease	3	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
General tuberculosis	4	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	9	6	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Cancer	233	.....	1	.....	.....	.....	1	1	4	22	45	65	62	24	7	1	.....
Tumor	7	.....	.....	.....	1	1	.....	.....	1	.....	1	1	1	1	.....	.....	.....
Rheumatism	37	.....	2	.....	.....	1	1	9	3	1	3	9	4	4	.....	.....	.....
Diabetes	23	.....	1	.....	.....	.....	1	3	2	3	1	4	5	2	1	.....	.....
Anemia, leukemia	29	2	2	1	.....	1	1	4	3	1	8	4	2	.....	.....	.....	.....
Alcoholism	19	.....	.....	.....	.....	.....	.....	.....	2	4	7	3	3	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other general diseases	9	1	.....	1	.....	.....	.....	1	3	.....	2	.....	1	.....	.....	.....	.....
Encephalitis	9	3	.....	.....	2	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....
Meningitis	154	60	23	8	5	2	10	13	12	3	8	7	3	.....	.....	.....	.....
Apoplexy	193	14	.....	.....	1	.....	2	.....	3	13	28	30	39	53	9	1	.....
Softening of brain	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....
Paralysis	62	1	.....	.....	.....	1	1	.....	1	4	6	10	16	10	11	1	.....
Epilepsy	6	.....	.....	.....	.....	.....	1	.....	.....	3	1	1	.....	.....	.....	.....	.....
Convulsions	262	244	10	1	1	2	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....
Tetanus	14	5	.....	.....	.....	1	2	3	1	.....	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	92	3	.....	1	.....	1	.....	3	13	17	19	14	11	9	1	.....	.....
Pericarditis	12	.....	.....	.....	.....	.....	1	1	2	1	3	1	1	2	.....	.....	.....
Endocarditis	78	.....	.....	1	.....	.....	2	8	6	9	7	8	16	17	2	2	.....
Heart disease	329	11	2	.....	.....	1	4	14	16	32	46	60	75	47	19	2	.....
Angina pectoris	12	.....	.....	.....	.....	.....	.....	1	2	.....	1	2	3	3	.....	.....	.....
Embolism and thrombosis	9	.....	.....	.....	.....	.....	.....	.....	1	3	1	2	1	1	.....	.....	.....
Other diseases of circulatory system	64	2	.....	.....	.....	.....	.....	1	1	10	5	11	13	17	3	.....	1
Laryngitis	6	.....	2	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	63	36	12	3	4	1	.....	.....	.....	2	.....	2	.....	3	.....	.....	.....
Chronic bronchitis	61	.....	1	.....	.....	.....	.....	.....	2	1	3	12	15	16	9	1	1
Bronchopneumonia	89	36	15	4	1	7	1	1	2	3	.....	2	6	8	3	.....	.....
Pneumonia	506	109	30	17	9	7	14	13	39	38	46	54	68	47	13	1	1
Pleurisy	24	2	.....	1	.....	.....	2	2	3	4	3	5	2	.....	.....	.....	.....
Congestion of lungs	37	14	2	1	.....	.....	2	2	1	.....	3	5	1	3	3	.....	.....
Other diseases of respiratory system	50	2	2	.....	1	.....	2	1	1	7	7	6	10	6	4	1	.....
Tonsilitis	4	1	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	85	19	6	1	1	1	.....	1	2	6	11	11	11	11	4	.....	.....
Diarrhea and enteritis	398	283	57	12	.....	1	5	2	7	1	3	8	9	5	5	.....	.....
Hernia and intestinal obstructions	50	7	.....	.....	.....	1	.....	1	4	4	7	8	8	9	1	.....	.....
Cirrhosis of liver	35	.....	.....	.....	.....	.....	.....	.....	.....	6	7	15	5	2	.....	.....	.....
Other diseases of liver	32	.....	.....	.....	.....	.....	.....	1	.....	3	8	6	9	4	1	.....	.....
Peritonitis	81	2	1	.....	.....	.....	3	6	20	17	14	11	5	1	.....	1	.....
Appendicitis	39	.....	.....	.....	.....	.....	5	7	15	4	4	1	2	1	.....	.....	.....
Other diseases of digestive system	39	14	5	2	.....	.....	4	.....	2	2	3	2	4	.....	1	.....	.....
Acute nephritis	16	1	.....	.....	.....	.....	.....	2	4	4	1	1	1	1	1	.....	.....
Bright's disease	247	2	1	1	1	1	3	7	11	21	32	48	55	41	18	4	1
Calculi of urinary tract	5	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	1	.....	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
Other diseases of genito-urinary system	36	2	.....	.....	.....	.....	.....	.....	5	5	5	2	4	9	4	.....	.....
Puerperal septicemia	26	.....	.....	.....	.....	.....	.....	4	11	11	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	20	.....	.....	.....	.....	.....	.....	1	7	10	2	.....	.....	.....	.....	.....	.....
Diseases of skin	23	6	2	.....	.....	.....	.....	1	.....	.....	1	4	2	2	5	.....	.....
Diseases of locomotor system	5	1	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	28	21	2	2	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	96	96	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	338	338	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	185	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	60	88	16	.....
Suicide	54	.....	.....	.....	.....	.....	.....	1	12	13	14	7	6	.....	1	.....	.....
Other violence	328	15	8	5	5	5	13	35	59	61	51	26	23	10	6	.....	6
Ill-defined causes	253	112	15	2	.....	.....	3	1	11	10	15	20	19	27	15	2	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

COLUMBUS, OHIO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over	Unknown.
All causes	1,849	201	60	28	21	17	55	108	231	217	225	189	207	165	91	14	20
Typhoid fever	62			1	1		7	13	16	15	4	2	2			1	
Malarial fever	7			1				1	1				3	1			
Smallpox																	
Measles																	
Scarlet fever	19	2	1	2	4	2	7	1									
Whooping cough	5	1	2	1	1												
Diphtheria and croup	9		2	1	2	1	2	1									
Influenza	31	1					1	2	4	3	1	5	6	4	2	1	1
Cholera nostras	19	11	4					1					1	2			
Dysentery	11	3	1		1				1			1	1	2	1		
Erysipelas	10	1	1					2		2		1	1	2			
Other epidemic diseases[1]																	
Septicemia	15	2					1		3	2	5		1	1			
Tuberculosis—total	291	6		2	2	1	5	33	101	61	42	23	13	1	1		
Tuberculosis of lungs	266	4		2	1	1	5	30	93	57	39	21	11	1	1		
Tuberculosis of larynx	1										1						
Tuberculous meningitis	5	2			1				2								
Abdominal tuberculosis	8								3	2		2	1				
Pott's disease	5							2	1	1			1				
Tuberculous abscess																	
White swelling	2								1		1						
Tuberculosis of other organs	2							1		1							
General tuberculosis	2								1		1						
Scrofula	3	1	1							1							
Venereal diseases	2			1							1						
Cancer	66		1				1		2	11	13	17	11	7	3		
Tumor	1								1								
Rheumatism	11					1	2		2	2	1	2		1			
Diabetes	5									1			2	1			1
Anemia, leukemia	11					1		3		3	2	1			1		
Alcoholism	10								1	4	2	2		1			
Chronic poisonings	3								2			1					
Other general diseases	2										1	1					
Encephalitis	2	1							1								
Meningitis	49	16	6	3	1	1	5	3	3	5	2	2		1			1
Apoplexy	60	3	1				1	2	1	7	10	11	8	11	5		
Softening of brain	7										1		3	3			
Paralysis	37							1	1	1	7	6	4	9	7	1	
Epilepsy	14						1	3	1	2	1	1	5				
Convulsions	35	25	3	1	2	1	2						1				
Tetanus	2	1					1										
Other diseases of nervous system	62		2					2	7	9	14	15	8	3	2		
Pericarditis	5					1		1	1		1			1			
Endocarditis	9						1		1	1	2	2	1	1			
Heart disease	114	2		1			1	4	8	9	17	21	28	19	3		1
Angina pectoris	3												1	2			
Embolism and thrombosis	6									1	1	1		1	2		
Other diseases of circulatory system	8	1								2			1	1	3		
Laryngitis	3				1					1	1						
Acute bronchitis	6	3	1				1						1				
Chronic bronchitis	7													3	4		
Bronchopneumonia	12		1		1	1				1	1	1	4	1		1	
Pneumonia	126	13	8	5	2	2	5	5	11	11	19	11	14	12	3		5
Pleurisy	3								1			1	1				
Congestion of lungs	6	2		1						1			1	1			
Other diseases of respiratory system	21					1			1	2	5	5	3	2	2		
Tonsilitis	2						1						1				
Diseases of stomach	31	3	1					1		1	5	6	8	3	2		1
Diarrhea and enteritis	71	33	13	5				1	1	3	5	2	6	1		1	
Hernia and intestinal obstructions	13	1				1			1	1		2	5	2			
Cirrhosis of liver	11								2		5	4					
Other diseases of liver	18							1	2	1	4	3	5	1	1		
Peritonitis	19								9	3	2	3					2
Appendicitis	12						1	4	1	3	2	1					
Other diseases of digestive system	7	2	1							1		1	2				
Acute nephritis	18	1					1	2	2	4	3	1	3	1			
Bright's disease	61	3	1			2	1	3	3	4	10	13	11	9	1		
Calculi of urinary tract																	
Uterine tumor	3										3						
Ovarian tumor	2								1					1			
Other diseases of genito-urinary system	9								2	2		1		2	2		
Puerperal septicemia	2									2							
Other causes incident to childbirth	4								3	1							
Diseases of skin	1												1				
Diseases of locomotor system	2					1		1									
Malformations																	
Premature birth	3	3															
Congenital debility	38	38															
Old age	84												8	31	37	7	1
Suicide	18							2	8	1	2	1	3	1			
Other violence	106	5	2	3	1		6	11	20	16	10	5	14	4	3		6
Ill-defined causes	124	17	7		2		1	4	5	16	20	13	15	16	5	2	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

DENVER, COLO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,714	342	80	41	31	18	110	143	398	459	348	275	209	167	84	7	2
Typhoid fever	66	.....	2	.....	.....	2	7	15	18	10	5	1	5	1	.....	.....	.....
Malarial fever	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Measles	6	1	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	64	1	7	9	11	1	28	5	1	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	3	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	47	2	8	4	4	3	18	5	1	1	.....	1	.....	.....	.....	.....	.....
Influenza	26	1	.....	1	.....	.....	1	1	.....	.....	1	4	2	7	8	.....	.....
Cholera nostras	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Erysipelas	16	4	1	.....	.....	.....	.....	1	.....	.....	1	3	3	2	1	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	39	1	.....	.....	.....	.....	.....	4	14	9	7	4	.....	.....	.....	.....	.....
Tuberculosis—total	584	11	4	2	1	2	4	16	195	209	83	41	8	3	4	.....	1
Tuberculosis of lungs	537	.....	3	.....	.....	1	.....	15	186	203	76	38	8	2	4	.....	1
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	2	.....	3	1	.....	.....	.....	.....	.....
Tuberculous meningitis	28	9	1	2	1	1	3	.....	5	2	4	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	4	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
General tuberculosis	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	8	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Cancer	96	.....	.....	.....	.....	.....	.....	1	1	7	26	22	22	15	2	.....	.....
Tumor	4	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
Rheumatism	16	1	.....	2	.....	.....	3	1	1	3	1	.....	3	1	.....	.....	.....
Diabetes	15	.....	.....	.....	.....	.....	2	.....	3	2	2	2	2	2	.....	.....	.....
Anemia, leukemia	8	.....	.....	.....	.....	.....	1	.....	2	1	2	.....	1	1	.....	.....	.....
Alcoholism	23	.....	.....	.....	.....	.....	.....	.....	1	7	9	3	3	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Encephalitis	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Meningitis	77	23	14	4	2	3	4	8	3	6	6	2	1	1	.....	.....	.....
Apoplexy	65	2	.....	.....	.....	.....	1	1	3	4	10	16	13	12	3	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
Paralysis	22	.....	.....	.....	.....	.....	2	.....	.....	1	1	2	2	7	7	.....	.....
Epilepsy	9	.....	.....	.....	.....	.....	.....	.....	2	.....	3	3	1	.....	.....	.....	.....
Convulsions	30	23	4	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	52	1	.....	1	1	.....	1	4	3	16	11	7	4	2	1	.....	.....
Pericarditis	5	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	1	.....	.....	.....
Endocarditis	18	1	.....	.....	.....	.....	2	4	2	2	3	1	2	1	.....	.....	.....
Heart disease	118	6	.....	1	.....	.....	5	9	10	15	23	16	16	12	4	.....	1
Angina pectoris	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	.....
Embolism and thrombosis	25	.....	.....	.....	.....	.....	.....	.....	5	4	3	5	2	4	2	.....	.....
Other diseases of circulatory system	32	.....	.....	.....	1	.....	.....	2	5	7	1	3	8	4	1	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	10	5	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
Chronic bronchitis	15	.....	.....	.....	.....	.....	1	.....	.....	.....	2	4	3	3	2	.....	.....
Bronchopneumonia	20	6	5	.....	1	.....	1	1	.....	1	1	2	.....	2	.....	.....	.....
Pneumonia	302	32	13	4	1	2	8	14	37	46	44	40	28	24	9	.....	.....
Pleurisy	9	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	2	1	.....	.....	.....
Congestion of lungs	18	3	.....	1	.....	.....	1	3	3	3	.....	.....	3	.....	1	.....	.....
Other diseases of respiratory system	56	2	.....	1	1	1	.....	2	5	9	10	13	6	4	2	.....	.....
Tonsilitis	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	25	3	.....	.....	.....	.....	.....	1	1	6	4	8	1	1	.....	.....	.....
Diarrhea and enteritis	93	60	10	2	.....	1	1	.....	.....	2	3	5	7	1	1	.....	.....
Hernia and intestinal obstructions	24	1	.....	.....	.....	.....	.....	.....	2	5	7	2	4	2	1	.....	.....
Cirrhosis of liver	17	.....	.....	.....	.....	.....	.....	.....	2	5	2	3	2	1	.....	.....	.....
Other diseases of liver	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	6	2	3	1	.....	.....
Peritonitis	39	1	1	.....	.....	.....	2	6	12	6	3	7	1	.....	.....	.....	.....
Appendicitis	26	1	.....	.....	.....	.....	1	11	9	4	.....	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	7	.....	1	.....	.....	.....	1	1	.....	1	.....	1	1	1	.....	.....	.....
Acute nephritis	16	.....	1	1	.....	1	4	2	.....	2	1	4	.....	.....	.....	.....	.....
Bright's disease	117	4	2	2	.....	.....	2	3	11	16	22	20	20	12	3	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Uterine tumor	6	.....	.....	.....	.....	.....	.....	.....	1	.....	4	.....	1	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	17	.....	.....	.....	.....	.....	1	1	2	4	3	.....	3	2	.....	1	.....
Puerperal septicemia	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	13	.....	.....	.....	.....	.....	.....	3	4	3	3	.....	.....	.....	.....	.....	.....
Diseases of skin	6	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	1	.....	.....	.....	.....
Diseases of locomotor system	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	20	18	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	35	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	46	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	18	28	6	.....
Suicide	30	.....	.....	.....	.....	.....	.....	1	6	12	6	3	1	1	.....	.....	.....
Other violence	100	7	3	2	2	1	2	9	21	20	14	9	5	5	.....	.....	.....
Ill-defined causes	60	28	1	.....	2	.....	3	1	6	2	2	2	8	4	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

DETROIT, MICH.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,492	1,188	187	79	39	29	111	233	386	377	382	381	471	384	208	36	1
Typhoid fever	59						3	6	20	14	6	7	2	1			
Malarial fever	10					1		2	4	2			1				
Smallpox	1						1										
Measles	13	2	7	3			1										
Scarlet fever	53	4	8	6	8	4	17	6									
Whooping cough	30	12	9	5		1	2	1									
Diphtheria and croup	53	5	9	6	8	5	10	6	1		2		1				
Influenza	85	4	1	1				3	4	7	8	12	26	10	6	3	
Cholera nostras	7						1		1		1	1	2		1		
Dysentery	17	2	4	2	1					2		1	1	1	3		
Erysipelas	14	3	1						3	2	2	2	1				
Other epidemic diseases [1]	5			1			1				1		1	1			
Septicemia	10	2		1			1		2	1	1		2				
Tuberculosis—total	375	12	9	1	2	2	5	51	107	91	45	31	11	6	1	1	
Tuberculosis of lungs	324	6	2	1	1	1	2	46	96	82	39	30	10	6	1	1	
Tuberculosis of larynx	3								2	1							
Tuberculous meningitis	17	6	6			1	2	1			1						
Abdominal tuberculosis	17		1					1	6	5	3		1				
Pott's disease	2							1			1						
Tuberculous abscess																	
White swelling	3						1	1				1					
Tuberculosis of other organs	1										1						
General tuberculosis	8				1			1	3	3							
Scrofula	2		1							1							
Venereal diseases	43	36	1					2	1	2	1						
Cancer	186		1	1			2	1	4	19	38	44	47	24	5		
Tumor	5									1	1	2	1				
Rheumatism	29						3	3	1	2	7	5	5	3			
Diabetes	37	1				1	1	4	3	2	6	6	10	2	1		
Anemia, leukemia	26	4					1	2	3	1	5	7	1	1	1		
Alcoholism	6									4	1	1					
Chronic poisonings	1										1						
Other general diseases	8						1			2	4	1					
Encephalitis	7	3	1				1		1		1						
Meningitis	92	32	13	5	4	2	11	10	9	3	2		1				
Apoplexy	126	2	2				1		1	4	12	22	35	26	20	1	
Softening of brain																	
Paralysis	66							1		3	8	10	16	19	7	2	
Epilepsy	15								2	4	3	3	1	2			
Convulsions	147	139	6	1						1							
Tetanus	3	1						1					1				
Other diseases of nervous system	45	9		1			1	3		6	5	2	9	7	2		
Pericarditis	4			1		1					1	1					
Endocarditis	17							2	2	2		3	4	2	2		
Heart disease	271	8					3	18	16	24	40	46	58	49	9		
Angina pectoris	20								1	2	1	3	10	3			
Embolism and thrombosis	6	1							2			1	1	1			
Other diseases of circulatory system	24	6			1			1	1	1		4	5	3	2		
Laryngitis	2		1								1						
Acute bronchitis	117	84	18	2	4	1	1		1				1	1	2	2	
Chronic bronchitis	61						2	1	11	7	4	11	6	10	8	1	
Bronchopneumonia	120	53	12	11	1	2	4	4	1	4	3	3	8	9	3	2	
Pneumonia	330	53	18	9	2	5	7	22	27	36	29	33	38	35	14	2	
Pleurisy	18	1		2					5	2	6	1		1			
Congestion of lungs	13	2								2		2	2	1	4		
Other diseases of respiratory system	64	2	1	1				6	4	5	8	8	13	12	4		
Tonsilitis	2	1							1								
Diseases of stomach	54	17	2	1			1	4	1	2	6	2	6	9	3		
Diarrhea and enteritis	398	292	45	10	2		4	4	4	7	1	6	12	5	6		
Hernia and intestinal obstructions	44	6	1				1	1	3	5	5	3	9	9	1		
Cirrhosis of liver	36	1							1	3	5	8	12	5	1		
Other diseases of liver	46			1					2	4	10	9	7	8	4	1	
Peritonitis	41	1	1				2	7	13	7	4	2	3	1			
Appendicitis	46	1					4	14	14	8	2	1	2				
Other diseases of digestive system	16	4	2					1	3		2	2	2				
Acute nephritis	24	2		1	1	1	1	4	2	2	2	2	4	1	1		
Bright's disease	145	2			1		2	3	15	11	19	24	39	20	9		
Calculi of urinary tract	1													1			
Uterine tumor	11									4	4	3					
Ovarian tumor	1										1						
Other diseases of genito-urinary system	56	1						1	9	9	11	8	2	11	3	1	
Puerperal septicemia	23								17	3	3						
Other causes incident to childbirth	36							1	12	17	6						
Diseases of skin	19	2	1	1		1	1	2					2	6	3		
Diseases of locomotor system	7	1	2		1						1	2					
Malformations	39	38	1														
Premature birth	77	77															
Congenital debility	161	161															
Old age	157												21	52	65	19	
Suicide	25							2	6	4	7	3	1	2			
Other violence	234	20	5	5	3	2	12	31	39	23	33	22	15	16	7		1
Ill-defined causes	150	78	4				2	2	6	9	6	11	13	8	10	1	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

FALL RIVER, MASS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,979	728	117	39	22	13	31	58	147	143	147	185	178	109	38	9	15
Typhoid fever	27							6	13	4	3		1				
Malarial fever	2								2								
Smallpox	1							1									
Measles	2	1	1														
Scarlet fever	2					1	1										
Whooping cough																	
Diphtheria and croup	25	2	4	7	3	4	5										
Influenza	10							1			3	2	1	3			
Cholera nostras	2											1	1				
Dysentery	14	6	4		1		1				1			1			
Erysipelas	1														1		
Other epidemic diseases[1]																	
Septicemia	12							2	2	4	1	1	2				
Tuberculosis—total	173	8	4		1	1	1	15	55	46	21	11	10				
Tuberculosis of lungs	162	8	1				1	14	54	46	19	11	8				
Tuberculosis of larynx	1												1				
Tuberculous meningitis	5		3			1		1									
Abdominal tuberculosis	3				1						1		1				
Pott's disease	1								1								
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis	1										1						
Scrofula	3	3															
Venereal diseases	3	1	1							1							
Cancer	73								1	6	20	28	16	2			
Tumor	2										2						
Rheumatism	6								1		3	1	1				
Diabetes	7										1	4	1	1			
Anemia, leukemia	8	1							1	3			2	1			
Alcoholism	4								1	1	1	1					
Chronic poisonings	1									1							
Other general diseases	1								1								
Encephalitis	2				2												
Meningitis	62	26	14	6	2	3	2	3	2	2	1						1
Apoplexy	43	1		1	1			1	4	2	5	6	14	3	4	1	
Softening of brain	4								1				1	2			
Paralysis	40			1						2	5	6	12	10	3	1	
Epilepsy	4								2		1	1					
Convulsions	47	31	8	3	1		2	1		1							
Tetanus	1	1															
Other diseases of nervous system	25	2		2					2	2	4	6	4	3			
Pericarditis	3							1		1			1				
Endocarditis	9						2		2		1	1	3				
Heart disease	107	2	1	1			2	2	7	12	12	25	29	11	3		
Angina pectoris	4											3		1			
Embolism and thrombosis	3												2	1			
Other diseases of circulatory system	9	2							1	2	1		1	1	1		
Laryngitis	11	1	1	1	1	1	1			2	2			1			
Acute bronchitis	34	19	8	3	2					1	1						
Chronic bronchitis	26	1						1	1		1	9	6	6	1		
Bronchopneumonia	24	13	5	2	1	1						2					
Pneumonia	107	25	10	2	4	2	6	3	5	5	7	15	13	10			
Pleurisy	15							1	3	3	2	1	3	2			
Congestion of lungs	5	1										2	1		1		
Other diseases of respiratory system	13	1		1				1		2	2	3		1		1	1
Tonsilitis	1			1													
Diseases of stomach	12	4	1								3		1	2	1		
Diarrhea and enteritis	322	265	38	1	2		2	2	1			3	2	3	3		
Hernia and intestinal obstructions	6	1								1	1	1	1	1			
Cirrhosis of liver	14									1	5	3	3	2			
Other diseases of liver	17	1					1		1	3	2	6	1	2			
Peritonitis	28	1					1	3	7	8	2	2	3	1			
Appendicitis	2							1			1						
Other diseases of digestive system	9	4	2						1		2						
Acute nephritis	10								3	1	3	2	1				
Bright's disease	96	1	1	2	1			3	13	10	18	20	16	11			
Calculi of urinary tract	1											1					
Uterine tumor	1										1						
Ovarian tumor	1													1			
Other diseases of genito-urinary system	14							1	5	2	1		3	2			
Puerperal septicemia																	
Other causes incident to childbirth	4								3	1							
Diseases of skin	9	1										2	2	3		1	
Diseases of locomotor system	4		1				1	1	1								
Malformations	8	7															1
Premature birth	96	96															
Congenital debility	115	115															
Old age	35												5	11	14	5	
Suicide	5									2	2	1					
Other violence	52	4	1	4			3	7	4	9	3	9	5	1	2		
Ill-defined causes	140	80	12	1				1	1	2	2	6	10	9	4		12

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

INDIANAPOLIS, IND.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,097	511	79	43	33	22	55	143	260	260	280	312	297	226	121	19	6
Typhoid fever	58	2	1	.....	4	.....	5	9	16	9	7	5	.....	.....	.....	.....	.....
Malarial fever	5	.....	.....	.....	.....	1	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....
Measles	5	2	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	10	.....	1	3	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	5	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	36	4	4	5	9	4	7	2	.....	.....	.....	.....	.....	.....	1	.....	.....
Influenza	62	4	.....	.....	.....	1	.....	2	3	4	4	11	12	14	7	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Dysentery	9	2	1	1	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....
Erysipelas	12	6	.....	.....	.....	.....	.....	.....	1	2	.....	1	2	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	24	2	.....	.....	.....	.....	1	1	6	8	3	.....	1	2	.....	.....	.....
Tuberculosis—total	358	19	3	2	3	2	6	39	108	68	50	24	22	6	3	.....	3
Tuberculosis of lungs	315	13	3	2	3	1	3	38	97	63	46	19	15	6	3	.....	3
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	12	5	.....	.....	.....	.....	2	1	2	.....	.....	1	1	.....	.....	.....	.....
Abdominal tuberculosis	14	1	.....	.....	.....	.....	.....	.....	3	2	1	3	4	.....	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	.....	.....	.....
Scrofula	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	8	6	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Cancer	89	.....	.....	.....	.....	.....	.....	.....	4	3	18	29	24	10	1	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Rheumatism	19	.....	1	.....	.....	.....	.....	1	1	1	1	6	6	1	1	.....	.....
Diabetes	17	.....	.....	.....	.....	.....	.....	.....	1	.....	1	6	5	4	.....	.....	.....
Anemia, leukemia	22	1	.....	1	.....	.....	.....	1	1	6	5	6	1	.....	.....	.....	.....
Alcoholism	6	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	1	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	.....
Encephalitis	8	2	1	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....
Meningitis	71	21	14	1	2	1	7	3	9	7	2	3	1	.....	.....	.....	.....
Apoplexy	114	12	2	1	.....	1	.....	6	2	8	9	16	28	20	8	1	.....
Softening of brain	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	1	1	.....	.....
Paralysis	30	.....	.....	.....	.....	.....	.....	1	2	.....	2	7	4	10	4	.....	.....
Epilepsy	12	2	.....	.....	.....	.....	.....	1	3	2	3	1	.....	.....	.....	.....	.....
Convulsions	30	22	3	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	6	1	.....	.....	.....	.....	.....	2	.....	2	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	46	1	.....	.....	.....	.....	4	1	5	5	4	8	12	6	.....	.....	.....
Pericarditis	6	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	1	.....	.....	.....
Endocarditis	13	1	.....	.....	.....	.....	1	3	.....	2	.....	4	1	1	.....	.....	.....
Heart disease	172	2	.....	.....	1	1	1	9	8	11	25	37	43	26	6	2	.....
Angina pectoris	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	8	1	1	.....	.....
Embolism and thrombosis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	41	2	.....	.....	.....	.....	.....	2	3	3	8	8	8	5	2	.....	.....
Laryngitis	4	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	22	12	4	1	2	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....
Chronic bronchitis	39	.....	.....	.....	.....	.....	.....	.....	1	2	3	6	5	10	2	1	.....
Bronchopneumonia	30	10	5	1	.....	1	.....	2	1	2	1	2	2	1	2	.....	.....
Pneumonia	205	30	7	9	4	3	6	12	26	18	18	27	27	11	6	1	.....
Pleurisy	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
Congestion of lungs	23	6	2	.....	.....	.....	.....	.....	.....	1	1	6	3	3	1	.....	.....
Other diseases of respiratory system	30	1	.....	.....	.....	.....	.....	3	1	2	7	7	4	3	2	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	39	3	2	.....	.....	.....	1	.....	1	5	7	5	2	3	1	.....	.....
Diarrhea and enteritis	122	54	13	6	2	1	2	3	4	5	6	3	8	8	6	1	.....
Hernia and intestinal obstructions	23	.....	.....	.....	.....	.....	.....	.....	3	2	9	4	3	2	.....	.....	.....
Cirrhosis of liver	21	.....	.....	.....	.....	.....	.....	.....	.....	3	5	7	4	2	.....	.....	.....
Other diseases of liver	19	.....	.....	1	.....	.....	2	1	3	2	4	2	3	1	.....	.....	.....
Peritonitis	42	1	1	1	.....	1	1	7	6	11	10	3	.....	.....	.....	.....	.....
Appendicitis	15	.....	.....	.....	.....	.....	.....	2	6	1	3	2	.....	1	.....	.....	.....
Other diseases of digestive system	12	3	1	.....	.....	.....	.....	1	2	1	1	2	1	.....	.....	.....	.....
Acute nephritis	11	1	.....	.....	1	.....	.....	1	1	2	1	2	1	.....	.....	1	.....
Bright's disease	88	1	.....	1	.....	1	1	4	8	9	17	14	18	12	2	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	15	.....	.....	.....	.....	.....	1	.....	.....	3	3	1	.....	5	2	.....	.....
Puerperal septicemia	4	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	5	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	9	2	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	2	.....	.....	.....
Diseases of locomotor system	6	.....	1	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....
Malformations	10	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	98	98	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	122	122	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	104	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	33	50	11	.....
Suicide	11	.....	.....	.....	.....	.....	.....	.....	4	2	2	3	.....	.....	.....	.....	.....
Other violence	128	3	3	3	1	1	2	17	25	21	18	10	10	9	3	.....	2
Ill-defined causes	119	37	6	2	1	1	.....	.....	4	9	13	17	12	9	6	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

JERSEY CITY, N. J.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,064	948	254	104	78	50	128	131	373	435	408	395	381	258	107	11	3
Typhoid fever	34	.....	2	.....	1	1	1	5	9	7	5	1	1	1	.....	.....	.....
Malarial fever	10	.....	.....	.....	.....	.....	2	3	.....	.....	1	1	1	2	.....	.....	.....
Smallpox	3	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	16	3	9	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	33	2	3	3	5	4	9	4	3	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	20	13	3	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	111	1	24	20	20	16	26	1	1	1	.....	.....	.....	.....	.....	.....	1
Influenza	35	1	1	1	.....	.....	.....	.....	3	3	5	5	5	7	3	1	.....
Cholera nostras	5	.....	2	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
Dysentery	24	3	3	.....	.....	.....	3	2	3	1	4	1	3	1	.....	.....	.....
Erysipelas	7	3	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	13	2	.....	.....	.....	1	.....	1	2	2	1	1	3	.....	.....	.....	.....
Tuberculosis—total	519	19	3	6	4	2	5	31	149	155	86	40	13	4	2	.....	.....
Tuberculosis of lungs	461	6	1	1	.....	.....	1	30	144	144	80	36	12	4	2	.....	.....
Tuberculosis of larynx	12	.....	.....	.....	.....	.....	.....	.....	2	5	3	2	.....	.....	.....	.....	.....
Tuberculous meningitis	19	9	2	3	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	9	1	.....	2	.....	.....	1	.....	.....	2	2	.....	1	.....	.....	.....	.....
Pott's disease	4	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	4	.....	.....	.....	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	9	3	.....	.....	2	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	6	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Cancer	110	.....	.....	.....	1	.....	.....	.....	3	8	23	32	28	14	1	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Rheumatism	15	.....	1	.....	1	.....	.....	1	4	3	1	2	2	.....	.....	.....	.....
Diabetes	16	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	4	3	.....	.....	.....
Anemia, leukemia	10	.....	1	.....	.....	.....	.....	1	1	.....	4	3	.....	.....	.....	.....	.....
Alcoholism	30	.....	.....	.....	.....	.....	.....	.....	2	15	7	5	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	7	1	.....	.....	.....	.....	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....
Encephalitis	4	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	131	53	25	11	8	4	11	3	2	2	2	.....	5	4	1	.....	.....
Apoplexy	199	19	4	1	.....	.....	.....	1	3	12	20	39	47	35	17	1	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Paralysis	12	.....	.....	.....	1	.....	.....	.....	1	.....	2	2	.....	4	2	.....	.....
Epilepsy	5	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Convulsions	154	128	11	7	2	1	.....	1	2	1	.....	.....	1	.....	.....	.....	.....
Tetanus	8	4	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	44	1	1	1	.....	.....	1	1	3	6	9	2	12	5	2	.....	.....
Pericarditis	5	1	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....
Endocarditis	38	3	.....	.....	.....	.....	3	.....	6	3	5	7	7	3	1	.....	.....
Heart disease	212	7	.....	.....	.....	1	4	12	12	20	30	44	43	27	11	1	.....
Angina pectoris	14	.....	.....	.....	.....	.....	.....	.....	.....	1	3	4	3	3	.....	.....	.....
Embolism and thrombosis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	1	1	.....	.....	.....
Other diseases of circulatory system	23	4	.....	1	.....	.....	.....	.....	.....	.....	2	3	5	3	4	1	.....
Laryngitis	7	1	1	.....	1	.....	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Acute bronchitis	48	27	11	2	2	1	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....
Chronic bronchitis	62	.....	1	1	.....	.....	.....	1	6	12	5	8	17	10	1	.....	.....
Bronchopneumonia	97	39	16	11	5	4	2	1	2	1	3	5	6	1	1	.....	.....
Pneumonia	327	45	30	11	7	3	10	12	27	41	26	45	32	28	8	2	.....
Pleurisy	13	2	2	3	.....	.....	.....	.....	1	1	1	2	1	.....	.....	.....	.....
Congestion of lungs	28	4	3	.....	.....	.....	2	.....	.....	1	1	3	8	3	3	.....	.....
Other diseases of respiratory system	25	.....	1	1	2	1	.....	1	1	4	4	3	2	4	1	.....	.....
Tonsilitis	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	58	11	3	1	.....	.....	1	2	4	6	7	9	6	5	3	.....	.....
Diarrhea and enteritis	355	225	66	7	7	4	7	.....	3	5	3	8	7	7	4	2	.....
Hernia and intestinal obstructions	33	5	.....	.....	.....	.....	1	.....	2	2	5	5	7	6	.....	.....	.....
Cirrhosis of liver	49	.....	.....	.....	.....	.....	.....	.....	2	4	17	12	11	2	1	.....	.....
Other diseases of liver	11	.....	.....	.....	1	.....	1	1	.....	1	1	2	3	1	.....	.....	.....
Peritonitis	41	.....	1	.....	.....	.....	.....	2	13	9	8	4	2	2	.....	.....	.....
Appendicitis	19	.....	.....	.....	.....	1	3	2	8	2	1	1	1	.....	.....	.....	.....
Other diseases of digestive system	11	5	1	.....	.....	.....	1	.....	1	.....	1	.....	2	.....	.....	.....	.....
Acute nephritis	36	.....	.....	2	2	.....	2	2	3	6	7	6	6	.....	.....	.....	.....
Bright's disease	186	3	1	1	1	1	6	5	17	21	34	32	29	26	8	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	22	1	.....	.....	.....	.....	.....	.....	1	5	4	3	4	3	1	.....	.....
Puerperal septicemia	16	.....	.....	.....	.....	.....	.....	1	8	7	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	18	.....	.....	.....	.....	.....	.....	.....	10	7	1	.....	.....	.....	.....	.....	.....
Diseases of skin	8	.....	1	.....	.....	.....	.....	.....	.....	5	.....	.....	2	.....	.....	.....	.....
Diseases of locomotor system	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Malformations	39	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	66	66	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	96	96	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	50	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	18	22	2	.....
Suicide	32	.....	.....	.....	.....	.....	.....	1	5	8	10	3	4	1	.....	.....	.....
Other violence	310	29	10	4	6	4	12	24	46	37	43	36	32	18	7	.....	2
Ill-defined causes	105	73	13	2	.....	.....	1	1	.....	2	3	2	2	5	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

KANSAS CITY, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,688	486	79	38	32	24	70	150	343	321	298	256	241	204	80	9	57
Typhoid fever	76	3	.....	.....	.....	.....	7	12	16	19	9	6	3	.....	.....	.....	1
Malarial fever	13	.....	.....	.....	.....	.....	1	2	2	1	3	.....	2	1	.....	.....	1
Smallpox	6	.....	.....	.....	.....	.....	.....	2	2	1	.....	1	.....	.....	.....	.....	.....
Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	28	.....	4	5	2	5	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	40	9	3	7	7	8	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	24	2	1	.....	.....	.....	.....	.....	2	.....	.....	6	5	5	2	.....	1
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Dysentery	7	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	1	.....	.....
Erysipelas	4	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	56	2	.....	.....	.....	.....	1	4	17	11	13	1	2	2	2	.....	1
Tuberculosis—total	324	10	3	.....	3	.....	5	31	97	74	53	18	17	9	1	.....	3
Tuberculosis of lungs	315	8	3	.....	3	.....	3	30	95	74	51	18	17	9	1	.....	3
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	3	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	4	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Scrofula	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
Venereal diseases	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	78	.....	.....	.....	.....	.....	.....	.....	3	12	14	23	13	12	1	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Rheumatism	11	.....	.....	.....	.....	.....	1	1	2	.....	.....	3	2	2	.....	.....	.....
Diabetes	11	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	3	2	.....	.....	.....
Anemia, leukemia	4	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....
Alcoholism	21	.....	.....	.....	.....	.....	.....	.....	3	7	6	2	2	1	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
Encephalitis	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	50	18	3	2	1	1	3	5	4	7	2	2	1	.....	.....	.....	1
Apoplexy	77	6	.....	1	.....	.....	1	1	5	6	10	15	11	16	3	1	1
Softening of brain	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	4	.....	.....	.....	.....
Paralysis	45	.....	1	.....	.....	.....	1	1	5	.....	8	4	10	12	3	.....	.....
Epilepsy	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Convulsions	51	34	2	1	2	1	3	3	2	.....	1	1	.....	.....	.....	.....	1
Tetanus	8	.....	.....	.....	.....	.....	2	2	1	1	1	.....	.....	1	.....	.....	.....
Other diseases of nervous system	23	1	.....	.....	.....	.....	.....	1	1	3	7	4	4	2	.....	.....	.....
Pericarditis	11	.....	.....	.....	.....	.....	.....	3	2	3	.....	.....	1	2	.....	.....	.....
Endocarditis	26	1	.....	.....	.....	.....	.....	2	2	7	3	5	3	2	.....	.....	1
Heart disease	115	4	.....	.....	.....	.....	3	4	12	15	18	23	12	16	6	1	1
Angina pectoris	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	1	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	31	4	.....	.....	.....	.....	2	.....	4	6	9	3	2	1	.....	.....	.....
Laryngitis	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	21	16	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	18	.....	1	.....	.....	.....	.....	1	.....	.....	1	2	5	8	.....	.....	.....
Bronchopneumonia	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Pneumonia	260	47	17	5	5	3	6	13	26	22	34	22	26	26	5	.....	3
Pleurisy	9	.....	.....	.....	.....	1	.....	1	1	2	1	.....	2	1	.....	.....	.....
Congestion of lungs	12	5	2	.....	1	.....	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....
Other diseases of respiratory system	22	1	.....	.....	.....	.....	.....	1	3	5	2	2	5	2	1	.....	.....
Tonsilitis	5	1	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Diseases of stomach	22	1	.....	.....	1	1	.....	.....	3	2	2	8	2	2	.....	.....	.....
Diarrhea and enteritis	120	61	17	4	4	.....	3	7	5	3	2	4	6	2	1	.....	1
Hernia and intestinal obstructions	16	1	3	.....	.....	.....	.....	.....	3	2	1	2	1	1	2	.....	.....
Cirrhosis of liver	15	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	3	7	4	.....	.....	.....
Other diseases of liver	17	.....	1	.....	.....	.....	.....	1	3	1	.....	4	6	.....	.....	.....	1
Peritonitis	66	2	2	.....	.....	.....	2	4	18	14	7	9	2	2	2	.....	2
Appendicitis	11	.....	.....	.....	.....	.....	.....	3	2	2	2	1	.....	.....	.....	.....	1
Other diseases of digestive system	7	1	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	1	.....	.....	.....
Acute nephritis	5	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	1	1	.....	.....
Bright's disease	124	3	.....	2	2	.....	3	5	14	15	16	22	26	13	2	.....	1
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	14	1	.....	1	.....	.....	1	.....	2	3	1	1	1	2	1	.....	.....
Puerperal septicemia	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	6	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	1
Diseases of skin	22	2	1	.....	.....	.....	.....	.....	2	1	2	2	4	5	3	.....	.....
Diseases of locomotor system	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Malformations	12	10	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Premature birth	40	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	132	132	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	59	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	16	33	7	.....
Suicide	17	.....	.....	.....	.....	.....	.....	2	3	4	5	.....	3	.....	.....	.....	.....
Other violence	231	9	2	3	1	.....	6	23	41	40	34	21	12	7	4	.....	28
Ill-defined causes	212	48	9	4	2	3	4	5	14	20	17	30	25	20	5	.....	6

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

LOS ANGELES, CAL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,023	148	27	26	19	15	26	96	265	298	278	252	244	218	92	14	5
Typhoid fever	39				1		1	6	13	9	4	1	4				
Malarial fever	2	1									1						
Smallpox																	
Measles	1							1									
Scarlet fever	5			1	1	1	2										
Whooping cough	4	1	1	1	1												
Diphtheria and croup	20	1	1	5	3	5	3		1	1							
Influenza	46	2	1					1	5	2	2	5	8	9	10	1	
Cholera nostras																	
Dysentery	7				1			1	2					1	2		
Erysipelas	3	1							1					1			
Other epidemic diseases [1]	1											1					
Septicemia	17							2	5	3	4	1		1	1		
Tuberculosis—total	446	4	3	4	2	4	3	24	122	138	66	42	23	6	2	1	2
Tuberculosis of lungs	400	2	1	1		2	1	20	113	128	64	37	22	4	2	1	2
Tuberculosis of larynx	5								1	2		1	1				
Tuberculous meningitis	20	1	2	3	2	2	1	2	5	1		1					
Abdominal tuberculosis	13	1							3	4	1	3		1			
Pott's disease	1									1							
Tuberculous abscess																	
White swelling	1							1									
Tuberculosis of other organs	2						1							1			
General tuberculosis	4							1		2	1						
Scrofula																	
Venereal diseases	2	1								1							
Cancer	111		1					1	2	9	27	28	31	9	2	1	
Tumor	3							1			1	1					
Rheumatism	14					1	1	3			1	2	2	4			
Diabetes	9								1			3	2		2	1	
Anemia, leukemia	11	1					1	1	2	1	1	4	1				
Alcoholism	16								1	3	7	2	1	2			
Chronic poisonings	1										1						
Other general diseases	3										2		1				
Encephalitis	3	1	1								1						
Meningitis	37	6	4	3	2	1	2	5	4		4	3	1	2			
Apoplexy	102	4	3		1		1	3	1	9	8	11	22	26	11	1	1
Softening of brain	5											1	1	3			
Paralysis	20						1			1	2	1	9	6			
Epilepsy	2									1	1						
Convulsions	6	4	1								1						
Tetanus	6	1					1	2		1	1						
Other diseases of nervous system	39							2	3	6	5	7	6	6	4		
Pericarditis	4							1					3				
Endocarditis	13						1			2	3	3	3	1			
Heart disease	127	3					1	7	8	4	15	25	28	25	10	1	
Angina pectoris	14								1	1		4	6	2			
Embolism and thrombosis	11	1						1	1	1	1		2	3			1
Other diseases of circulatory system	17								1	2	6	4	2	2			
Laryngitis	1			1													
Acute bronchitis	13	6	1	3	1							1		1			
Chronic bronchitis	11							1			2			7	1		
Bronchopneumonia	26	7	3		1		1				1	1	3	7	2		
Pneumonia	153	13	1	1				6	13	20	23	24	22	22	8		
Pleurisy	5									1	1	1		2			
Congestion of lungs	12	1		1				1	2	1	2	2	1	1			
Other diseases of respiratory system	22							1	2	2	1	4	4	5	3		
Tonsilitis																	
Diseases of stomach	25	3	1	1						5	6	2		4	2	1	
Diarrhea and enteritis	50	24	1	3	2		2		1		2	5	4	5	1		
Hernia and intestinal obstructions	13	3								2	1	3	2		2		
Cirrhosis of liver	12								1		6	2	3				
Other diseases of liver	15							1	2	2	4	4		2			
Peritonitis	31	1						3	9	6	5	6	1				
Appendicitis	15					1		2	4	1	6	1					
Other diseases of digestive system	8	1				1			1	2	1	2					
Acute nephritis	6	1							1		1	2			1		
Bright's disease	141		1		1	1	1	1	12	17	23	32	27	22	3		
Calculi of urinary tract	1												1				
Uterine tumor	3										2		1				
Ovarian tumor	1											1					
Other diseases of genito-urinary system	19								1	4	3	2	3	5	1		
Puerperal septicemia	7								4	3							
Other causes incident to childbirth	8							1	2	5							
Diseases of skin	11							1				1	4	3	1	1	
Diseases of locomotor system	1											1					
Malformations	6	6															
Premature birth	22	22															
Congenital debility	17	17															
Old age	42												3	14	19	6	
Suicide	20							1	8	4	3	1	3				
Other violence	105	2	2	1	1		3	13	25	24	16	6	2	7	2		1
Ill-defined causes	34	9	1	1	1		1	2	3	3	5		4	2	2		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

LOUISVILLE, KY.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,833	557	127	85	49	37	116	207	430	437	382	405	444	374	143	20	20
Typhoid fever	96	.....	.....	1	1	1	5	24	31	19	9	1	3	1	.....	.....	.....
Malarial fever	15	1	.....	1	1	.....	2	1	.....	4	3	.....	.....	2	.....	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Measles	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	5	1	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	7	3	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	108	4	15	16	15	10	39	7	1	.....	1	.....	.....	.....	.....	.....	.....
Influenza	55	1	.....	.....	.....	.....	.....	1	5	3	6	10	11	11	4	2	1
Cholera nostras	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Dysentery	32	3	2	.....	.....	.....	.....	2	2	2	1	6	8	3	.....	1	2
Erysipelas	5	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	50	4	1	.....	.....	1	1	6	11	13	4	5	1	2	.....	.....	1
Tuberculosis—total	455	8	10	5	4	2	5	51	142	112	52	37	23	3	.....	.....	1
Tuberculosis of lungs	411	3	3	3	3	1	3	48	139	102	45	35	22	3	.....	.....	1
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	16	4	5	2	1	1	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	15	1	2	.....	.....	.....	1	1	1	4	3	2	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....
General tuberculosis	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	8	2	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	1
Cancer	114	.....	.....	.....	.....	.....	.....	1	2	9	16	33	37	15	1	.....	.....
Tumor	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Rheumatism	15	1	.....	.....	.....	.....	.....	1	3	7	.....	2	.....	1	.....	.....	.....
Diabetes	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	.....	1	.....	.....
Anemia, leukemia	11	3	.....	.....	.....	.....	1	.....	1	.....	2	2	1	.....	.....	1	.....
Alcoholism	9	.....	.....	.....	.....	.....	.....	.....	1	3	3	2	.....	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....
Encephalitis	11	3	.....	.....	.....	1	1	1	1	2	2	.....	.....	.....	.....	.....	.....
Meningitis	89	24	16	9	2	3	10	7	6	2	6	2	1	1	.....	.....	.....
Apoplexy	115	6	4	1	.....	.....	1	5	10	8	18	12	26	20	4	.....	.....
Softening of brain	18	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	6	9	1	.....	.....
Paralysis	85	1	.....	.....	1	.....	1	2	1	1	10	14	23	22	7	.....	2
Epilepsy	6	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	1	.....	.....	.....
Convulsions	90	65	10	3	1	.....	4	4	1	1	1	.....	.....	.....	.....	.....	.....
Tetanus	16	8	.....	.....	.....	.....	2	2	1	.....	2	.....	.....	.....	1	.....	.....
Other diseases of nervous system	60	3	1	2	1	.....	.....	4	6	8	13	15	4	2	1	.....	.....
Pericarditis	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....
Endocarditis	10	1	.....	.....	.....	.....	.....	1	3	2	1	.....	2	.....	.....	.....	.....
Heart disease	290	3	.....	2	2	1	3	9	24	41	57	60	49	32	7	.....	.....
Angina pectoris	12	.....	.....	.....	.....	.....	.....	.....	2	1	2	2	4	.....	1	.....	.....
Embolism and thrombosis	8	.....	.....	.....	.....	.....	1	.....	2	.....	1	1	1	1	1	.....	.....
Other diseases of circulatory system	27	3	.....	.....	.....	.....	.....	1	7	5	1	6	1	2	1	.....	.....
Laryngitis	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....
Acute bronchitis	45	20	8	7	2	1	1	.....	1	.....	.....	1	1	3	.....	.....	.....
Chronic bronchitis	47	.....	1	.....	.....	.....	2	1	3	1	2	5	11	14	7	.....	.....
Bronchopneumonia	37	10	5	2	1	1	1	2	2	1	2	3	4	2	1	.....	.....
Pneumonia	355	43	22	15	6	3	14	20	26	52	33	43	28	36	8	.....	6
Pleurisy	18	2	.....	.....	.....	.....	.....	.....	1	3	.....	2	4	2	3	.....	1
Congestion of lungs	29	5	1	1	1	.....	.....	.....	5	4	3	3	4	1	1	.....	.....
Other diseases of respiratory system	83	1	1	1	1	2	1	1	10	8	10	13	18	10	6	.....	.....
Tonsilitis	5	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Diseases of stomach	44	2	.....	.....	.....	1	.....	2	3	2	4	11	11	6	2	.....	.....
Diarrhea and enteritis	133	67	11	9	1	1	2	1	6	8	5	4	8	8	2	.....	.....
Hernia and intestinal obstructions	35	2	1	.....	.....	.....	.....	1	2	3	6	7	4	6	3	.....	.....
Cirrhosis of liver	34	.....	.....	.....	.....	.....	.....	.....	3	5	6	7	8	5	.....	.....	.....
Other diseases of liver	17	1	.....	.....	.....	.....	.....	.....	1	2	2	3	3	4	1	.....	.....
Peritonitis	50	.....	2	.....	.....	1	1	4	22	11	3	3	2	1	.....	.....	.....
Appendicitis	17	.....	.....	.....	.....	.....	3	6	5	1	2	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	18	2	2	.....	1	.....	.....	1	1	4	1	1	2	3	.....	.....	.....
Acute nephritis	17	.....	2	.....	2	.....	3	1	.....	2	5	1	1	.....	.....	.....	.....
Bright's disease	175	2	.....	.....	.....	1	2	5	14	14	19	34	46	32	5	.....	1
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	22	1	.....	.....	.....	.....	1	.....	6	3	2	2	3	3	1	.....	.....
Puerperal septicemia	5	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	6	.....	.....	.....	.....	.....	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	10	1	1	.....	.....	.....	.....	.....	.....	1	1	.....	2	2	2	.....	.....
Diseases of locomotor system	3	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Malformations	12	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	46	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	123	123	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	183	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	31	80	60	11	1
Suicide	14	.....	.....	.....	.....	.....	.....	.....	7	2	2	2	1	.....	.....	.....	.....
Other violence	172	2	.....	2	3	.....	6	21	32	27	32	17	15	8	4	3	.....
Ill-defined causes	208	61	9	5	1	2	1	6	6	18	20	26	25	17	7	2	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

MEMPHIS, TENN.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,955	300	79	39	23	19	40	125	372	296	202	202	132	75	36	8	7
Typhoid fever	55	.....	1	.....	1	2	3	9	16	9	10	1	2	.....	1	.....	.....
Malarial fever	119	12	9	4	2	1	5	10	21	17	12	14	3	5	3	.....	1
Smallpox	10	.....	2	.....	.....	.....	1	1	2	2	2	.....	.....	.....	.....	.....	.....
Measles	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	6	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	3	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	5	1	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	48	3	.....	2	4	.....	.....	2	5	3	9	7	6	6	1	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Dysentery	37	2	2	1	1	.....	1	1	5	8	5	2	5	2	1	1	.....
Erysipelas	10	2	.....	.....	.....	.....	.....	.....	2	2	.....	2	1	1	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	18	1	.....	.....	.....	.....	1	3	2	6	1	3	1	.....	.....	.....	.....
Tuberculosis—total	255	6	1	.....	1	.....	.....	32	93	63	29	20	9	1	.....	.....	.....
Tuberculosis of lungs	232	2	1	.....	1	.....	.....	30	88	57	25	18	9	1	.....	.....	.....
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meaingitis	6	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	14	1	.....	.....	.....	.....	.....	2	1	4	4	2	.....	.....	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	5	.....	1	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	12	5	.....	.....	.....	.....	.....	1	2	2	1	1	.....	.....	.....	.....	.....
Cancer	30	.....	.....	.....	.....	.....	.....	1	3	7	8	7	4	.....	.....	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Rheumatism	8	1	.....	.....	.....	.....	.....	1	.....	3	1	.....	2	.....	.....	.....	.....
Diabetes	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Anemia, leukemia	4	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....
Alcoholism	9	.....	.....	.....	.....	.....	.....	.....	2	3	.....	4	.....	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Encephalitis	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Meningitis	33	5	5	2	2	1	4	4	4	3	.....	1	.....	1	.....	.....	1
Apoplexy	31	.....	1	.....	.....	.....	.....	1	2	6	4	7	4	6	.....	.....	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Paralysis	19	.....	.....	.....	.....	.....	.....	1	.....	2	5	7	3	.....	1	.....	.....
Epilepsy	4	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Convulsions	30	25	1	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	10	6	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
Other diseases of nervous system	8	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	2	.....	.....	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Endocarditis	5	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	2	.....	.....	.....	.....
Heart disease	64	.....	.....	.....	.....	.....	1	4	10	6	8	16	11	3	5	.....	.....
Angina pectoris	5	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....
Embolism and thrombosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	10	1	.....	.....	.....	.....	.....	.....	3	3	.....	.....	1	2	.....	.....	.....
Laryngitis	3	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	9	6	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Chronic bronchitis	16	.....	1	.....	.....	.....	.....	1	3	1	6	1	3	.....	.....	.....	.....
Bronchopneumonia	22	9	2	.....	3	.....	.....	1	2	1	1	.....	2	.....	.....	1	.....
Pneumonia	118	13	1	1	1	3	2	7	19	21	17	16	6	8	3	.....	.....
Pleurisy	7	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	.....	2	.....	.....	.....
Congestion of lungs	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....
Other diseases of respiratory system	20	1	.....	1	.....	.....	2	1	3	4	6	1	.....	1	.....	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	19	2	2	.....	.....	.....	1	.....	1	.....	1	6	2	2	2	.....	.....
Diarrhea and enteritis	136	62	28	8	2	1	1	3	2	4	4	8	8	3	1	1	.....
Hernia and intestinal obstructions	10	2	1	.....	.....	.....	1	.....	2	3	1	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	12	.....	.....	.....	.....	.....	.....	.....	2	3	4	2	1	.....	.....	.....	.....
Other diseases of liver	11	.....	.....	.....	.....	.....	1	.....	1	.....	4	3	1	.....	1	.....	.....
Peritonitis	23	1	.....	1	.....	.....	1	4	4	5	3	2	1	1	.....	.....	.....
Appendicitis	17	.....	.....	.....	.....	.....	3	3	6	2	2	1	.....	.....	.....	.....	.....
Other diseases of digestive system	8	3	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....
Acute nephritis	17	1	1	.....	.....	.....	.....	1	7	1	1	2	2	1	.....	.....	.....
Bright's disease	103	.....	.....	1	.....	.....	1	3	23	16	15	17	14	8	1	.....	4
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	6	.....	.....	.....	.....	.....	.....	.....	1	4	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	12	.....	.....	.....	.....	.....	.....	1	5	1	.....	2	1	1	1	.....	.....
Puerperal septicemia	14	.....	.....	.....	.....	.....	.....	2	11	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	10	.....	.....	.....	.....	.....	.....	1	6	3	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	6	.....	1	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	.....	.....	.....
Diseases of locomotor system	6	.....	.....	.....	.....	1	.....	1	2	1	.....	1	.....	.....	.....	.....	.....
Malformations	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	28	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	18	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10	8	3	.....
Suicide	13	.....	.....	.....	.....	.....	.....	.....	5	3	3	.....	1	1	.....	.....	.....
Other violence	175	1	1	3	2	2	6	17	58	40	16	13	7	3	4	1	1
Ill-defined causes	207	79	12	7	3	2	1	5	21	15	14	19	22	4	3	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

MILWAUKEE, WIS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,861	981	161	67	38	44	119	194	287	314	333	333	352	422	193	22	1
Typhoid fever	65	3	.....	2	.....	.....	1	11	15	13	12	5	2	1	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	14	3	4	2	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	15	2	3	2	1	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	10	4	3	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	102	5	15	13	10	15	35	7	1	1	.....	.....	.....	.....	.....	.....	.....
Influenza	68	4	.....	.....	.....	.....	1	1	4	6	4	7	9	19	13	.....	.....
Cholera nostras	9	5	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	14	4	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	3	1	.....
Erysipelas	12	4	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	1	2	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	18	1	2	.....	.....	.....	.....	1	5	4	1	1	2	1	.....	.....	.....
Tuberculosis—total	450	18	8	4	1	2	10	59	115	90	59	52	17	11	4	.....	.....
Tuberculosis of lungs	393	10	4	2	.....	1	5	54	107	83	55	45	13	10	4	.....	.....
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	2	1	.....	.....	.....
Tuberculous meningitis	21	3	3	1	1	1	4	1	.....	4	1	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	13	5	1	1	.....	.....	.....	2	1	1	.....	1	1	.....	.....	.....	.....
Pott's disease	4	.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	9	7	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Cancer	197	.....	.....	1	.....	.....	.....	3	5	13	35	42	47	39	12	.....	.....
Tumor	5	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
Rheumatism	22	.....	.....	.....	.....	.....	2	4	1	2	2	1	4	5	1	.....	.....
Diabetes	27	.....	.....	.....	.....	.....	.....	3	2	4	1	5	8	3	1	.....	.....
Anemia, leukemia	13	.....	.....	.....	.....	1	2	4	1	1	1	1	1	1	.....	.....	.....
Alcoholism	14	.....	.....	.....	.....	.....	.....	.....	1	5	2	3	1	2	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Encephalitis	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Meningitis	87	24	10	9	4	2	11	9	.....	4	6	6	2	.....	.....	.....	.....
Apoplexy	144	.....	1	.....	.....	.....	1	2	5	4	16	19	45	33	16	1	1
Softening of brain	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	.....	.....	.....	.....
Paralysis	19	.....	.....	.....	.....	.....	1	1	.....	1	1	4	1	7	3	.....	.....
Epilepsy	8	2	1	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	1	.....	.....
Convulsions	138	113	10	2	2	3	4	1	2	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	6	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	32	2	.....	.....	.....	1	1	4	2	4	4	3	4	7	.....	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
Endocarditis	18	.....	.....	.....	.....	1	1	3	2	3	1	.....	4	2	1	.....	.....
Heart disease	174	7	1	.....	.....	.....	2	3	10	13	24	28	40	33	13	.....	.....
Angina pectoris	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....
Embolism and thrombosis	9	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	2	.....	.....	.....
Other diseases of circulatory system	31	2	.....	.....	.....	.....	.....	1	2	1	1	4	6	9	4	1	.....
Laryngitis	9	1	2	.....	2	.....	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Acute bronchitis	116	85	14	2	2	.....	.....	.....	.....	.....	1	4	2	3	3	.....	.....
Chronic bronchitis	62	1	.....	1	.....	.....	1	1	1	1	4	3	11	24	13	1	.....
Bronchopneumonia	64	33	8	5	.....	1	.....	1	.....	.....	1	3	1	9	2	.....	.....
Pneumonia	265	36	17	8	5	4	10	12	22	25	23	24	29	41	9	.....	.....
Pleurisy	13	2	3	1	.....	1	.....	1	1	3	.....	.....	.....	1	.....	.....	.....
Congestion of lungs	14	1	1	.....	.....	.....	.....	.....	1	2	2	3	2	2	.....	.....	.....
Other diseases of respiratory system	36	4	.....	.....	1	1	1	2	2	3	4	1	6	8	2	1	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	52	19	2	2	1	1	.....	3	5	5	6	2	3	1	2	.....	.....
Diarrhea and enteritis	313	236	41	5	3	1	2	5	1	2	2	4	1	8	2	.....	.....
Hernia and intestinal obstructions	23	3	1	.....	.....	.....	.....	.....	.....	1	2	5	6	3	2	.....	.....
Cirrhosis of liver	27	.....	.....	.....	.....	.....	.....	.....	1	.....	8	7	7	4	.....	.....	.....
Other diseases of liver	10	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	3	2	.....	.....	.....
Peritonitis	54	3	1	.....	.....	.....	1	9	16	8	8	4	2	1	1	.....	.....
Appendicitis	36	.....	.....	1	.....	1	3	10	7	4	6	2	.....	2	.....	.....	.....
Other diseases of digestive system	15	6	.....	.....	.....	.....	1	1	.....	.....	2	2	2	1	.....	.....	.....
Acute nephritis	12	3	1	.....	.....	1	.....	2	1	.....	1	.....	1	1	1	.....	.....
Bright's disease	132	7	.....	.....	.....	.....	3	3	7	9	17	19	32	28	7	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	32	1	.....	.....	.....	.....	.....	.....	3	7	7	1	3	7	2	1	.....
Puerperal septicemia	15	.....	.....	.....	.....	.....	.....	.....	5	9	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	22	.....	.....	.....	.....	.....	.....	1	5	11	5	.....	.....	.....	.....	.....	.....
Diseases of skin	19	5	1	.....	.....	.....	1	1	.....	.....	.....	2	1	6	2	.....	.....
Diseases of locomotor system	11	7	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
Malformations	26	23	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	77	77	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	148	148	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	123	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	48	53	15	.....
Suicide	59	.....	.....	.....	.....	.....	.....	1	9	10	12	17	6	4	.....	.....	.....
Other violence	178	18	4	4	2	3	13	15	13	28	26	24	11	14	3	.....	.....
Ill-defined causes	141	43	1	.....	.....	.....	2	5	8	4	14	15	12	22	14	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

MINNEAPOLIS, MINN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,516	405	103	43	47	41	149	170	277	264	246	183	215	194	101	11	67
Typhoid fever	126	.....	.....	2	2	1	5	24	39	24	16	5	5	.....	.....	.....	3
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	16	1	3	6	1	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	15	1	1	2	3	3	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	20	8	5	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Diphtheria and croup	191	9	12	7	22	19	80	35	2	1	.....	.....	.....	.....	.....	.....	4
Influenza	14	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	5	1	1	1
Cholera nostras	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....
Dysentery	9	1	2	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....
Erysipelas	6	2	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	17	6	.....	.....	.....	.....	2	1	3	2	2	.....	.....	.....	1	.....	.....
Tuberculosis—total	333	10	6	1	3	.....	12	38	98	73	40	30	11	4	1	.....	6
Tuberculosis of lungs	258	3	1	.....	.....	.....	6	29	89	59	33	21	8	4	.....	.....	5
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	24	6	4	.....	2	.....	5	2	2	2	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	20	1	1	.....	.....	.....	.....	4	2	6	3	2	1	.....	.....	.....	.....
Pott's disease	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	9	.....	.....	.....	.....	.....	1	.....	2	2	.....	3	.....	.....	1	.....	.....
General tuberculosis	13	.....	.....	1	1	.....	.....	2	1	3	1	2	1	.....	.....	.....	1
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	10	3	.....	.....	.....	.....	1	.....	1	.....	.....	3	2	.....	.....	.....	.....
Cancer	124	.....	.....	.....	.....	1	.....	1	.....	9	30	26	32	14	5	2	4
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Rheumatism	13	.....	.....	.....	.....	1	3	1	.....	2	3	.....	1	1	1	.....	.....
Diabetes	22	.....	.....	.....	.....	1	2	3	1	5	.....	7	2	.....	.....	.....	1
Anemia, leukemia	14	1	1	.....	.....	.....	.....	1	1	2	2	2	2	2	.....	.....	.....
Alcoholism	16	.....	.....	.....	.....	.....	.....	.....	2	7	5	2	.....	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Other general diseases	6	.....	.....	.....	.....	.....	2	.....	1	2	1	.....	.....	.....	.....	.....	.....
Encephalitis	3	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	50	16	9	4	4	1	.....	5	5	1	1	2	.....	.....	.....	.....	2
Apoplexy	78	5	.....	.....	.....	.....	1	2	1	2	6	6	25	24	4	.....	2
Softening of brain	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	4	.....	.....
Paralysis	18	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	5	4	3	.....	.....
Epilepsy	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Convulsions	29	24	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Tetanus	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Other diseases of nervous system	27	2	.....	1	1	.....	.....	.....	3	2	3	7	4	1	2	.....	1
Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Endocarditis	11	.....	.....	.....	1	.....	2	1	2	1	.....	.....	1	2	.....	.....	1
Heart disease	150	4	.....	.....	.....	.....	1	3	11	13	23	15	34	32	8	.....	6
Angina pectoris	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
Embolism and thrombosis	8	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	3	.....	.....	.....	.....
Other diseases of circulatory system	41	2	.....	1	.....	.....	.....	1	5	2	4	7	4	9	3	1	2
Laryngitis	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	32	25	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1
Chronic bronchitis	23	1	.....	.....	.....	.....	1	.....	1	.....	.....	1	4	8	7	.....	.....
Bronchopneumonia	40	15	11	3	1	.....	2	.....	1	.....	1	.....	2	4	.....	.....	.....
Pneumonia	166	28	12	3	2	5	5	8	16	16	23	13	10	14	6	1	4
Pleurisy	7	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	1	.....	.....	1
Congestion of lungs	10	1	.....	.....	1	.....	.....	.....	.....	1	.....	1	4	2	.....	.....	.....
Other diseases of respiratory system	11	2	.....	.....	.....	.....	2	1	1	1	.....	1	1	1	1	.....	.....
Tonsilitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	27	3	2	1	1	.....	.....	.....	1	4	5	2	4	2	2	.....	.....
Diarrhea and enteritis	150	98	24	6	1	.....	3	3	.....	.....	2	3	3	4	.....	1	2
Hernia and intestinal obstructions	21	1	.....	1	.....	.....	1	.....	2	2	1	2	3	5	2	.....	1
Cirrhosis of liver	15	1	.....	.....	.....	.....	.....	.....	.....	1	6	.....	3	3	.....	.....	1
Other diseases of liver	19	1	.....	.....	.....	.....	.....	2	1	.....	4	5	3	1	1	.....	1
Peritonitis	21	1	1	.....	1	1	.....	2	5	3	2	2	1	.....	.....	.....	2
Appendicitis	44	.....	.....	.....	.....	.....	5	13	12	10	3	.....	.....	.....	.....	.....	1
Other diseases of digestive system	8	2	1	.....	.....	.....	.....	.....	2	.....	.....	3	.....	.....	.....	.....	.....
Acute nephritis	9	.....	.....	.....	.....	.....	1	.....	2	2	1	1	1	.....	.....	.....	.....
Bright's disease	108	2	.....	.....	.....	.....	.....	2	7	12	19	15	22	21	5	.....	3
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	30	1	.....	.....	.....	.....	.....	.....	7	6	2	1	3	3	4	.....	3
Puerperal septicemia	17	.....	.....	.....	.....	.....	.....	.....	10	5	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	14	.....	.....	.....	.....	.....	.....	1	3	10	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	19	2	1	1	1	1	.....	2	2	1	1	.....	1	2	2	2	.....
Diseases of locomotor system	5	2	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
Malformations	16	13	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1
Premature birth	9	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	67	67	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	13	29	2	.....
Suicide	17	.....	.....	.....	.....	.....	.....	.....	1	8	5	1	1	.....	.....	.....	1
Other violence	138	14	5	.....	.....	2	3	15	19	23	19	11	8	7	4	.....	8
Ill-defined causes	25	17	.....	1	.....	.....	1	.....	.....	.....	1	.....	1	1	1	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

NEW HAVEN, CONN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,977	386	80	25	18	14	52	81	192	181	180	208	240	188	107	16	9
Typhoid fever	104			1			9	21	40	17	10	3	3				
Malarial fever	14	2		1			1	2	1	1	1		2	3			
Smallpox																	
Measles	11	4	3	1		1	2										
Scarlet fever	5			1	1	2	1										
Whooping cough	26	11	7	6	1	1											
Diphtheria and croup	26	3	6	7	4	1	5										
Influenza	47	4			2				3	1	4	8	6	13	6		
Cholera nostras																	
Dysentery	37	2	4		1		2		2	1	3	8	6	4	4		
Erysipelas	9	3							1			3	2				
Other epidemic diseases[1]																	
Septicemia	2							1				1					
Tuberculosis—total	240	9	3	1	2	1	6	17	70	52	31	26	15	5	1		1
Tuberculosis of lungs	213	7	1		1	1	5	14	66	46	29	24	13	4	1		1
Tuberculosis of larynx	2								1		1						
Tuberculous meningitis	7	1	2		1			1	1	1							
Abdominal tuberculosis	9	1						1	1	3		1	2				
Pott's disease																	
Tuberculous abscess	1										1						
White swelling	3						1	1		1							
Tuberculosis of other organs	3			1								1		1			
General tuberculosis	2								1	1							
Scrofula																	
Venereal diseases	6	3									1	2					
Cancer	98	1							3	10	18	28	24	8	4	1	1
Tumor	3								1				1		1		
Rheumatism	10		1						1			4	3		1		
Diabetes	19						1			1	2	2	11	2			
Anemia, leukemia	8		1					1		3	1		2				
Alcoholism	9								1		6	1	1				
Chronic poisonings	4									1	3						
Other general diseases	1									1							
Encephalitis	1				1												
Meningitis	40	19	9		1	2	5	2		1						1	
Apoplexy	98		1					1	1	3	9	16	24	29	12	1	1
Softening of brain	3										1			2			
Paralysis	6												4	2			
Epilepsy	6							1		2	1	1		1			
Convulsions	24	22	1	1													
Tetanus	4	1					2			1							
Other diseases of nervous system	30						2	2	3	4	3	4	6	5	1		
Pericarditis	1											1					
Endocarditis	1												1				
Heart disease	161		1					5	5	13	15	32	38	26	19	6	1
Angina pectoris	5											1	2	2			
Embolism and thrombosis	5									1		1	1	1	1		
Other diseases of circulatory system	13	2								2	1	2	3		3		
Laryngitis	2										1		1				
Acute bronchitis	34	22	4			1	2						1	2	2		
Chronic bronchitis	26							1		2	2		7	9	5		
Bronchopneumonia	30	10	8		3					1	1	1	1	3	2		
Pneumonia	119	22	11	3	1	1	3	2	6	16	11	13	17	7	5		1
Pleurisy	3								1					2			
Congestion of lungs	4					1				1	1				1		
Other diseases of respiratory system	6								2			1	1	1	1		
Tonsilitis	1				1												
Diseases of stomach	30	6	1					1	2	4	3	2	3	4	4		
Diarrhea and enteritis	139	107	15			1	2	1			2	1	2	5	2	1	
Hernia and intestinal obstructions	9	1					1		1	1	1	2	1	1			
Cirrhosis of liver	17							1	1	3	2	4	4	2			
Other diseases of liver	11								1			5	2	2	1		
Peritonitis	11							3	4	1	1		1		1		
Appendicitis	4						1		2		1						
Other diseases of digestive system	7	2									1	3		1			
Acute nephritis	7	1						2	1	1	1		1				
Bright's disease	97	1						3	7	5	22	16	25	10	8		
Calculi of urinary tract	1												1				
Uterine tumor	2									1		1					
Ovarian tumor	1												1				
Other diseases of genito-urinary system	21							1	2	6	1		2	6	1	1	1
Puerperal septicemia	8								5	2	1						
Other causes incident to childbirth	7								3	3	1						
Diseases of skin	15	1				1		1		2	2	1	1	5	1		
Diseases of locomotor system	2							1						1			
Malformations	12	12															
Premature birth	51	51															
Congenital debility	32	32															
Old age	36												4	10	17	5	
Suicide	16							3	2	4	3	1	1	1	1		
Other violence	102	13	1	3		1	6	8	17	13	10	10	5	11	2		2
Ill-defined causes	37	19	3				1		3		2	3	3	2			1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

NEW ORLEANS, LA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,501	1,034	198	111	61	58	153	343	802	796	731	712	722	485	235	52	8
Typhoid fever	146	7	3	2	3	1	9	40	38	19	9	8	6	.....	1	.....	.....
Malarial fever	111	3	2	5	1	2	7	13	18	17	16	11	6	9	1	.....	.....
Smallpox	52	1	1	1	.....	2	2	2	24	10	3	1	5	.....	.....	.....	.....
Measles	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	62	4	3	7	4	9	22	12	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	24	13	6	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	42	5	8	6	7	2	9	2	3	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	70	4	.....	1	1	.....	1	1	7	6	6	5	15	16	7	.....	.....
Cholera nostras	12	.....	1	.....	.....	.....	1	.....	2	.....	.....	2	2	3	1	.....	.....
Dysentery	79	7	.....	.....	1	4	.....	3	8	14	8	12	15	3	2	1	1
Erysipelas	13	2	.....	.....	.....	.....	.....	.....	2	1	4	2	1	1	.....	.....	.....
Other epidemic diseases [1]	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Septicemia	37	5	.....	2	2	.....	2	4	7	5	5	3	1	1	.....	.....	.....
Tuberculosis—total	990	20	5	6	1	1	13	82	299	246	171	85	48	9	4	.....	.....
Tuberculosis of lungs	803	9	1	5	1	.....	9	68	275	229	159	79	46	8	4	.....	.....
Tuberculosis of larynx	17	.....	.....	.....	.....	.....	.....	.....	5	6	4	1	1	.....	.....	.....	.....
Tuberculous meningitis	13	5	1	1	.....	.....	1	1	.....	2	2	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	32	4	2	.....	.....	1	2	6	5	3	4	3	1	1	.....	.....	.....
Pott's disease	4	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	1	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....
General tuberculosis	24	2	.....	.....	.....	.....	1	4	10	4	2	1	.....	.....	.....	.....	.....
Scrofula	7	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Venereal diseases	12	6	.....	.....	1	.....	1	.....	2	1	1	.....	.....	.....	.....	.....	.....
Cancer	204	1	.....	.....	.....	1	2	4	14	15	43	54	48	16	6	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
Rheumatism	26	.....	.....	.....	.....	.....	1	3	3	1	3	2	7	6	.....	.....	.....
Diabetes	24	.....	.....	.....	1	.....	1	.....	1	1	.....	12	7	1	.....	.....	.....
Anemia, leukemia	14	1	1	.....	.....	.....	.....	3	4	3	.....	2	.....	.....	.....	.....	.....
Alcoholism	24	.....	.....	.....	.....	.....	.....	.....	3	6	5	6	4	.....	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....	.....
Other general diseases	5	1	.....	.....	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....
Encephalitis	9	2	.....	.....	.....	.....	.....	2	1	1	1	2	.....	.....	.....	.....	.....
Meningitis	115	37	21	1	3	5	10	7	11	7	2	6	3	1	.....	1	.....
Apoplexy	257	9	5	5	2	1	2	3	12	17	30	58	54	37	19	2	1
Softening of brain	21	.....	.....	.....	.....	.....	.....	.....	1	1	5	2	7	5	.....	.....	.....
Paralysis	63	.....	.....	.....	.....	.....	.....	1	2	2	6	17	21	10	4	.....	.....
Epilepsy	8	1	.....	.....	.....	.....	.....	1	3	2	.....	.....	.....	.....	1	.....	.....
Convulsions	61	45	4	4	1	2	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	142	96	.....	2	1	1	8	9	7	8	4	2	2	.....	1	1	.....
Other diseases of nervous system	79	1	1	1	.....	1	4	3	3	13	13	18	13	6	2	.....	.....
Pericarditis	9	.....	2	.....	.....	.....	.....	.....	1	.....	1	2	2	1	.....	.....	.....
Endocarditis	68	2	.....	.....	.....	.....	1	5	6	6	7	11	14	11	4	1	.....
Heart disease	485	2	.....	.....	.....	.....	2	11	25	57	69	88	129	74	24	2	2
Angina pectoris	11	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	3	1	.....	.....	.....
Embolism and thrombosis	17	1	.....	.....	.....	.....	.....	.....	1	3	1	2	5	3	1	.....	.....
Other diseases of circulatory system	58	4	.....	.....	.....	.....	.....	2	2	5	13	10	8	12	2	.....	.....
Laryngitis	3	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	75	38	8	7	4	1	1	.....	3	.....	.....	3	2	6	.....	2	.....
Chronic bronchitis	42	.....	1	1	.....	1	.....	1	2	3	5	3	14	8	2	1	.....
Bronchopneumonia	50	16	14	4	2	2	2	1	1	1	.....	4	2	1	.....	.....	.....
Pneumonia	429	57	30	11	8	8	12	28	61	57	56	31	40	22	8	.....	.....
Pleurisy	16	.....	.....	.....	.....	.....	.....	3	3	2	3	3	.....	2	.....	.....	.....
Congestion of lungs	16	5	.....	.....	1	.....	.....	.....	.....	.....	2	1	3	2	2	.....	.....
Other diseases of respiratory system	34	1	1	.....	3	1	1	.....	3	4	7	2	6	1	3	1	.....
Tonsilitis	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	34	4	1	.....	.....	.....	3	.....	2	5	2	8	7	2	.....	.....	.....
Diarrhea and enteritis	424	248	37	15	2	4	3	4	11	17	21	23	20	16	3	.....	.....
Hernia and intestinal obstructions	50	3	1	1	1	2	1	2	1	4	5	6	13	9	1	.....	.....
Cirrhosis of liver	84	1	.....	.....	.....	.....	.....	.....	5	14	20	18	19	6	1	.....	.....
Other diseases of liver	51	1	.....	.....	.....	.....	1	1	9	13	13	5	5	2	1	.....	.....
Peritonitis	30	1	1	.....	.....	.....	.....	3	13	5	.....	5	.....	2	.....	.....	.....
Appendicitis	25	1	.....	.....	.....	.....	2	8	7	2	3	2	.....	.....	.....	.....	.....
Other diseases of digestive system	39	6	5	2	.....	1	2	1	2	.....	4	1	4	1	1	.....	.....
Acute nephritis	38	.....	2	2	1	1	.....	2	7	6	6	2	5	3	1	.....	.....
Bright's disease	439	1	.....	2	.....	.....	1	9	31	64	83	109	77	50	11	1	.....
Calculi of urinary tract	4	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....	.....
Uterine tumor	10	.....	.....	.....	.....	.....	.....	.....	1	2	4	1	1	.....	1	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	.....	.....	.....	.....
Other diseases of genito-urinary system	47	.....	.....	.....	.....	.....	.....	1	3	11	8	4	9	6	4	1	.....
Puerperal septicemia	29	.....	.....	.....	.....	.....	.....	8	11	9	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	28	.....	.....	.....	.....	.....	.....	3	13	12	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	29	3	.....	1	.....	.....	.....	2	1	2	4	3	8	2	2	1	.....
Diseases of locomotor system	14	4	.....	.....	.....	.....	1	1	3	1	.....	2	2	.....	.....	.....	.....
Malformations	33	29	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	77	77	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	135	135	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	256	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22	103	96	35	.....
Suicide	35	.....	.....	.....	.....	.....	.....	2	7	12	5	7	2	.....	.....	.....	.....
Other violence	334	7	7	5	8	2	15	45	79	72	36	20	14	7	12	1	4
Ill-defined causes	225	111	24	10	1	2	3	4	7	5	10	21	12	8	6	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

NEW YORK, N. Y. (AGGREGATE).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	70,608	15,402	4,091	1,876	1,246	958	2,142	2,352	6,192	7,994	7,164	7,069	6,818	4,645	1,809	230	28
Typhoid fever	730	6	9	5	5	12	26	115	229	171	81	39	15	15	1	1	.....
Malarial fever	177	22	8	10	1	1	12	17	17	24	19	16	21	8	1	.....	.....
Smallpox	395	79	43	28	27	11	22	9	61	51	36	20	7	1	.....	.....	.....
Measles	361	77	151	65	25	19	21	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Scarlet fever	1,182	33	152	107	175	177	323	85	33	11	3	2	.....	1	.....	.....	.....
Whooping cough	232	118	64	25	14	7	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	1,995	189	425	344	310	209	428	55	15	2	5	6	2	4	1	.....	.....
Influenza	707	38	13	5	6	5	16	22	47	80	70	102	134	116	48	5	.....
Cholera nostras	41	11	3	2	.....	1	2	1	3	.....	2	5	6	4	1	.....	.....
Dysentery	374	63	51	17	10	9	21	14	26	20	14	32	46	37	13	1	.....
Erysipelas	194	72	3	.....	2	.....	1	7	14	25	18	16	17	13	6	.....	.....
Other epidemic diseases [1]	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Septicemia	64	19	5	1	1	.....	2	3	4	9	4	8	4	2	2	.....	.....
Tuberculosis—total	9,280	335	216	118	81	60	151	645	2,263	2,593	1,498	780	398	126	14	1	1
Tuberculosis of lungs	8,121	69	47	22	20	16	44	539	2,170	2,490	1,445	744	379	122	13	.....	1
Tuberculosis of larynx	61	.....	.....	2	1	.....	.....	3	15	23	8	5	2	2	.....	.....	.....
Tuberculous meningitis	678	205	144	74	54	33	61	46	17	21	13	8	.....	2	.....	.....	.....
Abdominal tuberculosis	170	44	12	9	4	2	9	22	24	18	14	6	6	.....	.....	.....	.....
Pott's disease	54	1	3	2	2	4	11	7	3	12	1	5	2	.....	.....	1	.....
Tuberculous abscess	5	1	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....
White swelling	33	1	.....	1	.....	3	12	10	4	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	38	3	1	.....	.....	1	3	6	5	6	4	5	4	.....	.....	.....	.....
General tuberculosis	120	11	9	8	.....	1	11	12	24	22	12	4	5	.....	1	.....	.....
Scrofula	5	3	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	185	98	10	5	1	1	1	3	9	26	13	12	5	1	.....	.....	.....
Cancer	2,452	2	3	2	3	5	3	17	63	256	542	680	534	278	59	5	.....
Tumor	22	1	.....	.....	.....	.....	1	.....	3	4	3	3	3	4	.....	.....	.....
Rheumatism	367	10	1	1	5	3	23	39	33	43	50	44	61	40	10	4	.....
Diabetes	497	.....	1	.....	.....	.....	3	7	32	33	88	128	145	47	11	1	1
Anemia, leukemia	128	13	3	2	1	4	4	10	14	19	13	20	18	5	2	.....	.....
Alcoholism	295	.....	.....	.....	.....	1	1	1	43	93	90	43	21	2	.....	.....	.....
Chronic poisonings	21	.....	.....	.....	.....	.....	.....	.....	2	3	7	7	1	1	.....	.....	.....
Other general diseases	70	8	1	3	.....	.....	5	6	11	8	12	10	3	3	.....	.....	.....
Encephalitis	17	3	2	.....	.....	.....	.....	2	1	2	3	1	3	.....	.....	.....	.....
Meningitis	1,176	392	248	102	66	44	111	58	47	38	25	17	17	8	2	1	.....
Apoplexy	2,560	62	11	7	1	1	4	9	49	126	318	574	661	551	172	13	1
Softening of brain	76	1	.....	.....	.....	.....	.....	1	1	5	3	7	19	29	7	3	.....
Paralysis	231	5	1	5	.....	.....	1	5	3	12	22	40	62	50	21	4	.....
Epilepsy	108	6	2	.....	.....	.....	4	12	29	22	10	13	9	1	.....	.....	.....
Convulsions	832	679	105	24	7	7	4	1	3	1	.....	1	.....	.....	.....	.....	.....
Tetanus	97	65	.....	.....	.....	1	6	7	3	6	4	4	1	.....	.....	.....	.....
Other diseases of nervous system	695	44	8	8	3	2	8	22	69	128	134	115	87	47	17	3	.....
Pericarditis	69	5	1	.....	.....	1	5	5	8	13	9	10	3	8	.....	1	.....
Endocarditis	920	24	3	9	8	8	37	55	103	119	127	143	149	103	31	1	.....
Heart disease	3,716	65	12	9	10	8	61	150	281	409	496	710	813	510	167	15	.....
Angina pectoris	118	.....	.....	.....	.....	.....	.....	.....	5	5	24	30	27	20	6	1	.....
Embolism and thrombosis	147	6	1	.....	.....	1	.....	3	11	17	19	20	28	27	14	.....	.....
Other diseases of circulatory system	295	16	1	1	1	1	6	4	12	29	38	46	52	54	29	4	1
Laryngitis	62	12	10	9	5	2	6	2	4	3	4	1	4	.....	.....	.....	.....
Acute bronchitis	1,389	879	243	74	38	25	4	5	7	3	11	11	34	30	24	1	.....
Chronic bronchitis	778	24	11	5	2	2	21	12	43	61	51	90	171	168	104	13	.....
Bronchopneumonia	2,269	842	524	146	70	49	60	25	48	73	70	86	119	104	46	7	.....
Pneumonia	7,105	1,180	742	267	154	93	225	201	628	833	719	720	698	466	157	22	.....
Pleurisy	285	12	18	9	3	3	9	19	44	42	31	28	35	26	6	.....	.....
Congestion of lungs	219	45	7	4	3	1	6	8	12	15	15	21	33	30	16	3	.....
Other diseases of respiratory system	377	21	6	5	12	6	13	11	30	52	41	56	73	40	10	1	.....
Tonsilitis	25	5	2	.....	4	2	2	.....	4	2	.....	2	1	1	.....	.....	.....
Diseases of stomach	585	146	20	16	8	8	15	16	32	64	58	59	72	48	20	3	.....
Diarrhea and enteritis	6,761	4,739	1,101	174	46	37	60	48	45	70	61	86	132	117	40	4	1
Hernia and intestinal obstructions	482	79	8	7	5	5	12	14	43	48	61	71	72	47	9	.....	1
Cirrhosis of liver	843	6	2	1	.....	.....	2	2	32	133	224	219	153	58	9	1	1
Other diseases of liver	237	3	.....	1	.....	.....	1	7	13	34	43	48	55	28	4	.....	.....
Peritonitis	195	12	1	3	3	1	5	22	42	35	24	15	19	11	2	.....	.....
Appendicitis	423	4	.....	2	2	3	34	105	83	83	51	28	23	4	1	.....	.....
Other diseases of digestive system	236	103	32	9	1	2	7	6	11	18	18	16	8	4	1	.....	.....
Acute nephritis	564	27	9	11	16	21	34	32	88	86	75	77	58	24	6	.....	.....
Bright's disease	5,191	49	26	28	17	25	54	104	381	727	894	1,007	1,042	636	187	14	.....
Calculi of urinary tract	15	.....	.....	.....	.....	.....	.....	.....	2	3	4	1	2	3	.....	.....	.....
Uterine tumor	69	.....	.....	.....	.....	.....	.....	1	9	23	13	13	7	2	1	.....	.....
Ovarian tumor	55	.....	.....	.....	.....	.....	.....	1	6	15	15	12	2	4	.....	.....	.....
Other diseases of genito-urinary system	424	11	.....	1	.....	1	4	13	61	76	55	46	65	59	32	.....	.....
Puerperal septicemia	292	.....	.....	.....	.....	.....	.....	12	161	104	15	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	344	.....	.....	.....	.....	.....	.....	12	150	150	32	.....	.....	.....	.....	.....	.....
Diseases of skin	222	41	6	3	1	1	4	7	14	15	23	34	37	25	9	2	.....
Diseases of locomotor system	156	37	20	3	4	4	14	14	8	12	18	6	12	3	1	.....	.....
Malformations	496	439	28	8	2	.....	10	1	4	2	.....	1	.....	1	.....	.....	.....
Premature birth	1,235	1,235	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,410	1,410	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	906	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	92	329	400	85	.....
Suicide	499	.....	.....	.....	.....	.....	.....	25	112	119	103	77	47	14	1	.....	1
Other violence	4,164	376	124	94	73	61	212	231	529	673	624	503	358	219	77	8	11
Ill-defined causes	1,462	1,074	194	31	14	6	12	5	7	14	10	31	22	28	11	2	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

NEW YORK, N. Y. (BRONX BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,725	810	225	128	88	70	152	199	561	639	504	457	423	311	122	15	1
Typhoid fever	35			2		1		6	9	8	4	4		1			
Malarial fever	47	5	3	2			4	3	5	6	3	6	5	4	1		
Smallpox	312	53	34	20	22	8	16	6	55	46	28	16	7	1			
Measles	37	6	14	10	2	1	3			1							
Scarlet fever	95	3	8	18	17	10	25	9	2	2	1						
Whooping cough	7	4	3														
Diphtheria and croup	102	7	21	13	14	16	23	5	1			1	1				
Influenza	43	2	1						2	8	2	3	13	8	4		
Cholera nostras	2	1					1										
Dysentery	29	2	6	1	2		2	1	3		1	3	2	3	3		
Erysipelas	6	2								1		1	1	1			
Other epidemic diseases [1]																	
Septicemia	3		1		1			1									
Tuberculosis—total	1,196	15	12	8	6	2	8	80	325	371	219	91	41	16	2		
Tuberculosis of lungs	1,131	2	3	1	2		2	70	323	367	215	89	40	15	2		
Tuberculosis of larynx	6									2	2	1		1			
Tuberculous meningitis	33	8	9	6	4	1	3	1		1							
Abdominal tuberculosis	18	5		1			1	5	2		2	1	1				
Pott's disease	3						1	1		1							
Tuberculous abscess																	
White swelling	3					1	1	1									
Tuberculosis of other organs	1							1									
General tuberculosis	1							1									
Scrofula	1	1															
Venereal diseases	7	4						1	1			1					
Cancer	133					2		1	3	11	25	29	44	12	5	1	
Tumor																	
Rheumatism	29	2					3	1	2	2	2	6	5	5	1		
Diabetes	26							1	2		4	7	9	3			
Anemia, leukemia	10	1						1	1	2	1	1	3				
Alcoholism	24							1	3	7	6	5	1	1			
Chronic poisonings																	
Other general diseases	3	1							1	1							
Encephalitis	3		1							1		1					
Meningitis	68	22	8	10	4	3	8	3	7	2		1					
Apoplexy	188	2	2	1					1	5	23	34	57	47	16		
Softening of brain	5												2	1	2		
Paralysis	18									1	2		6	8	1		
Epilepsy	3									2		1					
Convulsions	36	29	6			1											
Tetanus	3	3															
Other diseases of nervous system	42	5	2				1		3	5	7	9	4	3	3		
Pericarditis	2										1			1			
Endocarditis	19	1		1			2	1	2	3	2	2	3		2		
Heart disease	231	3			1	1	8	15	24	25	25	35	36	33	14	1	
Angina pectoris	5								1	1		1		1	1		
Embolism and thrombosis	11	1						1		2	1	2	1	2	1		
Other diseases of circulatory system	14									2		3	1	4	3	1	
Laryngitis	6	2	1		1								2				
Acute bronchitis	60	34	5	2	1	1		1				1	6	5	4		
Chronic bronchitis	37		1						1	1	2	5	5	17	5		
Bronchopneumonia	103	48	12	4	3	2	6	2	1	3	4	3	6	7		2	
Pneumonia	327	37	20	16	6	4	13	10	28	33	35	43	38	33	9	2	
Pleurisy	10							2	1	1	1	2	2	1			
Congestion of lungs	23	6		1		1	2			2		3	4	2	2		
Other diseases of respiratory system	14	3			1	1	1				2	2	3		1		
Tonsilitis	2		1				1										
Diseases of stomach	35	9			1	2	2	1	1	2	3	3	5	4	2		
Diarrhea and enteritis	268	195	38	9	1	4	4	3	2		1	3	3	4	1		
Hernia and intestinal obstructions	30	7			1		2		3	2	2	4	5	4			
Cirrhosis of liver	32								2	5	8	12	1	4			
Other diseases of liver	13									2	4	3	4				
Peritonitis	11							4	1	4		1		1			
Appendicitis	16						3	7	2	1	2	1					
Other diseases of digestive system	10	4						1		1	1	2		1			
Acute nephritis	51	3	1	3		4	3	1	5	13	1	9	6	2			
Bright's disease	244	1				1		9	16	22	38	49	60	36	11	1	
Calculi of urinary tract	2									1	1						
Uterine tumor																	
Ovarian tumor																	
Other diseases of genito-urinary system	16								1	1	1	2	5	3	3		
Puerperal septicemia	12								6	5	1						
Other causes incident to childbirth	17							1	7	8	1						
Diseases of skin	16	4					1			1		4	1	2	2	1	
Diseases of locomotor system	7	1	4									1	1				
Malformations	21	21															
Premature birth	99	99															
Congenital debility	76	76															
Old age	47												7	16	18	6	
Suicide	40							2	9	10	10	4	5				
Other violence	196	19	8	7	4	5	10	18	22	25	28	23	11	12	3		1
Ill-defined causes	89	66	12							1	1	4	1	2	2		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

NEW YORK, N. Y. (BROOKLYN BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	23,270	5,161	1,544	615	438	344	868	804	1,933	2,356	2,193	2,193	2,392	1,668	684	77	.....
Typhoid fever	270	3	3	1	2	2	12	41	93	55	35	17	3	3	.....	.....	.....
Malarial fever	56	5	2	4	1	.....	6	7	5	4	7	5	8	2	.....	.....	.....
Smallpox	48	12	5	6	2	3	5	3	2	3	4	3	.....	.....	.....	.....	.....
Measles	138	25	59	30	8	8	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	471	16	56	60	72	66	141	39	16	3	.....	1	.....	1	.....	.....	.....
Whooping cough	93	54	22	8	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	735	45	136	105	112	93	216	20	5	.....	.....	3	.....	.....	.....	.....	.....
Influenza	208	11	2	2	.....	2	5	3	13	30	17	30	36	38	17	2	.....
Cholera nostras	21	7	2	2	.....	.....	1	1	1	.....	2	1	2	2	.....	.....	.....
Dysentery	210	35	34	11	5	7	18	13	12	11	8	12	23	16	5	.....	.....
Erysipelas	52	18	.....	.....	1	.....	.....	2	3	8	4	6	2	4	4	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	12	4	1	1	.....	.....	.....	.....	.....	3	.....	1	1	1	.....	.....	.....
Tuberculosis—total	2,818	102	58	30	29	16	40	216	718	795	443	222	116	31	1	1	.....
Tuberculosis of lungs	2,483	22	11	4	6	2	13	190	694	761	426	214	109	31	.....	.....	.....
Tuberculosis of larynx	25	.....	.....	1	.....	.....	.....	2	7	7	4	2	2	.....	.....	.....	.....
Tuberculous meningitis	197	56	42	21	20	10	17	12	3	8	6	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	59	20	3	3	3	2	1	3	8	9	4	1	2	.....	.....	.....	.....
Pott's disease	13	.....	.....	1	.....	1	4	1	1	1	1	1	1	.....	.....	1	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
White swelling	11	1	.....	.....	.....	1	2	5	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	1	.....	.....	.....	.....
General tuberculosis	23	3	2	.....	.....	.....	3	2	3	6	1	1	1	.....	1	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	36	20	1	1	1	.....	.....	.....	3	1	4	3	1	1	.....	.....	.....
Cancer	748	.....	1	.....	2	.....	2	3	8	77	152	207	180	96	18	2	.....
Tumor	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	3	.....	.....	.....
Rheumatism	159	6	1	.....	4	1	10	18	16	13	24	13	33	15	3	2	.....
Diabetes	127	.....	1	.....	.....	.....	3	.....	11	12	26	29	33	10	2	.....	.....
Anemia, leukemia	35	7	.....	.....	.....	.....	2	1	5	4	2	8	4	2	.....	.....	.....
Alcoholism	53	.....	.....	.....	.....	.....	.....	.....	5	15	25	4	4	.....	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....
Other general diseases	16	2	.....	.....	.....	.....	2	1	3	3	2	2	.....	1	.....	.....	.....
Encephalitis	8	3	1	.....	.....	.....	.....	1	.....	.....	2	.....	1	.....	.....	.....	.....
Meningitis	365	131	79	31	21	11	40	14	10	8	8	4	4	3	1	.....	.....
Apoplexy	922	20	4	3	.....	1	2	3	19	38	111	211	246	200	62	2	.....
Softening of brain	24	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	5	12	1	1	.....
Paralysis	103	4	1	1	.....	.....	.....	1	1	5	5	17	32	24	10	2	.....
Epilepsy	37	.....	1	.....	.....	.....	2	6	10	9	3	1	5	.....	.....	.....	.....
Convulsions	280	233	29	9	2	4	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	38	20	.....	.....	.....	.....	4	5	1	4	3	.....	1	.....	.....	.....	.....
Other diseases of nervous system	214	9	1	3	2	.....	3	12	16	29	48	39	31	16	5	.....	.....
Pericard[i]tis	17	1	.....	.....	.....	.....	1	.....	4	4	4	3	.....	.....	.....	.....	.....
Endocarditis	206	4	.....	2	1	2	9	12	23	27	27	27	38	26	8	.....	.....
Heart disease	1,458	35	3	1	2	1	22	45	96	156	185	275	346	217	68	6	.....
Angina pectoris	47	.....	.....	.....	.....	.....	.....	.....	.....	1	10	13	11	7	4	1	.....
Embolism and thrombosis	42	1	.....	.....	.....	.....	.....	2	.....	3	4	7	11	7	7	.....	.....
Other diseases of circulatory system	64	3	1	.....	.....	1	.....	2	4	6	12	2	13	15	5	.....	.....
Laryngitis	28	7	4	5	1	1	6	.....	2	1	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	530	348	84	23	17	11	2	2	4	2	5	5	10	10	7	.....	.....
Chronic bronchitis	279	4	2	2	.....	1	9	2	9	18	24	31	66	64	38	9	.....
Bronchopneumonia	432	126	105	26	14	7	14	6	11	17	14	17	28	31	13	3	.....
Pneumonia	2,447	402	236	95	50	37	92	86	208	270	237	227	264	172	64	7	.....
Pleurisy	86	2	3	4	.....	3	2	5	14	14	8	8	11	8	4	.....	.....
Congestion of lungs	55	14	3	1	2	.....	3	1	4	3	3	4	4	9	2	2	.....
Other diseases of respiratory system	133	4	.....	2	3	2	4	7	12	15	17	14	29	18	5	1	.....
Tonsilitis	14	4	.....	.....	2	2	1	.....	1	1	.....	1	1	1	.....	.....	.....
Diseases of stomach	224	58	8	7	4	1	4	7	13	21	24	16	20	20	12	.....	.....
Diarrhea and enteritis	2,602	1,740	424	80	22	19	35	23	18	26	19	39	71	60	24	2	.....
Hernia and intestinal obstructions	158	20	3	1	1	1	5	2	14	16	19	24	28	20	4	.....	.....
Cirrhosis of liver	272	1	.....	.....	.....	.....	1	.....	11	35	78	68	57	17	4	.....	.....
Other diseases of liver	83	2	.....	.....	.....	.....	.....	3	3	8	10	16	23	17	1	.....	.....
Peritonitis	54	1	.....	.....	1	.....	2	5	12	11	13	3	2	4	.....	.....	.....
Appendicitis	137	1	.....	.....	2	1	12	35	27	29	14	5	9	2	.....	.....	.....
Other diseases of digestive system	120	62	26	5	.....	.....	3	3	4	2	5	3	4	2	1	.....	.....
Acute nephritis	229	10	4	4	7	8	15	15	40	36	33	28	16	10	3	.....	.....
Bright's disease	1,644	17	4	11	7	6	22	37	122	208	257	319	354	216	60	4	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
Uterine tumor	20	.....	.....	.....	.....	.....	.....	.....	1	7	4	4	4	.....	.....	.....	.....
Ovarian tumor	23	.....	.....	.....	.....	.....	.....	.....	3	4	8	6	1	1	.....	.....	.....
Other diseases of genito-urinary system	114	4	.....	.....	.....	.....	1	7	24	17	8	12	15	18	8	.....	.....
Puerperal septicemia	85	.....	.....	.....	.....	.....	.....	3	49	31	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	112	.....	.....	.....	.....	.....	.....	5	49	46	12	.....	.....	.....	.....	.....	.....
Diseases of skin	56	10	2	.....	.....	.....	.....	3	3	4	3	9	11	9	2	.....	.....
Diseases of locomotor system	41	7	6	.....	2	1	7	2	2	4	3	1	4	2	.....	.....	.....
Malformations	225	205	10	2	1	.....	4	.....	2	.....	.....	.....	.....	1	.....	.....	.....
Premature birth	357	357	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	441	441	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	363	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23	125	188	27	.....
Suicide	15	.....	.....	.....	.....	.....	.....	1	2	4	1	4	3	.....	.....	.....	.....
Other violence	1,242	127	33	23	24	19	64	69	162	174	190	144	122	68	21	2	.....
Ill-defined causes	502	351	83	13	6	3	4	3	1	3	2	11	10	9	2	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

NEW YORK, N. Y. (MANHATTAN BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	38,465	8,515	2,707	1,045	665	502	999	1,202	3,399	4,590	4,063	4,011	3,538	2,271	835	114	9
Typhoid fever	378	2	5	2	3	8	14	62	115	95	35	15	11	9	1	1	.....
Malarial fever	49	5	2	2	.....	.....	1	4	4	9	8	5	7	2	.....	.....	.....
Smallpox	33	13	4	2	3	.....	1	.....	4	2	3	1	.....	.....	.....	.....	.....
Measles	172	43	72	23	15	9	8	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Scarlet fever	582	31	85	86	84	98	144	34	14	4	1	1	.....	.....	.....	.....	.....
Whooping cough	121	58	34	15	9	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	1,049	132	259	207	165	87	152	25	9	2	5	1	1	3	1	.....	.....
Influenza	402	23	10	2	5	3	11	12	31	40	46	60	78	57	21	3	.....
Cholera nostras	16	3	1	.....	.....	1	.....	.....	2	.....	.....	3	3	2	1	.....	.....
Dysentery	107	22	6	4	2	.....	.....	.....	10	6	4	17	16	16	3	1	.....
Erysipelas	127	50	3	.....	1	.....	1	5	11	14	14	9	12	5	2	.....	.....
Other epidemic diseases[1]	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Septicemia	43	15	3	.....	.....	.....	2	1	2	4	4	7	2	1	2	.....	.....
Tuberculosis—total	4,796	204	135	76	44	39	100	322	1,097	1,306	753	421	218	71	9	.....	1
Tuberculosis of lungs	4,093	42	30	17	12	14	28	259	1,036	1,247	723	397	210	68	9	.....	1
Tuberculosis of larynx	25	.....	.....	1	1	.....	.....	1	7	11	1	2	.....	1	.....	.....	.....
Tuberculous meningitis	417	132	87	43	28	19	39	30	13	12	7	5	.....	2	.....	.....	.....
Abdominal tuberculosis	87	19	8	5	1	.....	7	12	13	9	7	4	2	.....	.....	.....	.....
Pott's disease	37	1	3	1	2	3	6	5	2	10	.....	4	.....	.....	.....	.....	.....
Tuberculous abscess	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....
White swelling	15	.....	.....	1	.....	1	9	2	1	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	27	2	1	.....	.....	1	3	4	4	3	4	3	2	.....	.....	.....	.....
General tuberculosis	91	7	6	8	.....	1	8	9	20	14	11	3	4	.....	.....	.....	.....
Scrofula	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	141	74	9	4	.....	1	1	2	5	25	8	8	4	.....	.....	.....	.....
Cancer	1,441	1	2	2	1	3	1	13	48	156	341	417	280	146	28	2	.....
Tumor	15	1	.....	.....	.....	.....	1	.....	3	3	2	1	3	1	.....	.....	.....
Rheumatism	159	2	.....	.....	1	1	9	16	15	24	22	24	20	18	5	2	.....
Diabetes	317	.....	.....	.....	.....	.....	.....	5	18	21	54	81	94	33	9	1	1
Anemia, leukemia	72	5	3	2	1	3	1	7	6	12	9	9	10	3	1	.....	.....
Alcoholism	205	.....	.....	.....	.....	1	.....	.....	34	68	56	29	16	1	.....	.....	.....
Chronic poisonings	12	.....	.....	.....	.....	.....	.....	.....	1	3	3	5	.....	.....	.....	.....	.....
Other general diseases	47	5	1	2	.....	.....	2	5	6	4	9	8	3	2	.....	.....	.....
Encephalitis	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....
Meningitis	686	223	149	54	30	29	57	34	29	26	17	10	13	4	1	1	.....
Apoplexy	1,246	37	5	3	.....	.....	2	6	26	77	165	284	307	250	74	9	1
Softening of brain	31	1	.....	.....	.....	.....	.....	1	1	3	2	3	8	7	4	1	.....
Paralysis	105	1	.....	4	.....	.....	1	4	2	5	15	22	23	17	9	2	.....
Epilepsy	59	6	1	.....	.....	.....	2	4	16	9	6	10	4	1	.....	.....	.....
Convulsions	468	382	61	11	5	2	3	.....	2	1	.....	1	.....	.....	.....	.....	.....
Tetanus	41	29	.....	.....	.....	1	2	2	2	2	1	2	.....	.....	.....	.....	.....
Other diseases of nervous system	390	28	5	5	1	2	4	9	46	85	70	60	45	20	8	2	.....
Pericarditis	46	3	1	.....	.....	1	4	5	4	8	4	5	3	7	.....	1	.....
Endocarditis	672	19	3	5	6	6	26	40	75	88	97	110	104	73	19	1	.....
Heart disease	1,749	26	9	8	6	6	29	76	146	209	254	348	361	202	65	4	.....
Angina pectoris	60	.....	.....	.....	.....	.....	.....	.....	4	3	13	14	13	12	1	.....	.....
Embolism and thrombosis	84	4	1	.....	.....	1	.....	.....	11	12	14	9	15	13	4	.....	.....
Other diseases of circulatory system	198	9	.....	1	1	.....	6	2	7	20	24	38	34	35	19	2	.....
Laryngitis	23	3	5	2	3	1	.....	1	2	2	3	.....	1	.....	.....	.....	.....
Acute bronchitis	730	457	147	45	19	12	2	2	3	1	4	3	13	12	9	1	.....
Chronic bronchitis	428	20	8	3	1	1	12	10	33	41	25	50	89	77	55	3	.....
Bronchopneumonia	1,615	626	384	114	49	39	39	16	36	51	48	61	74	50	26	2	.....
Pneumonia	3,965	678	456	143	89	49	106	96	370	497	405	420	347	226	71	12	.....
Pleurisy	182	10	14	4	3	.....	7	12	28	26	21	17	21	17	2	.....	.....
Congestion of lungs	106	22	3	2	1	.....	1	6	6	8	8	8	19	12	9	1	.....
Other diseases of respiratory system	202	13	6	3	5	3	7	3	17	30	21	34	36	20	4	.....	.....
Tonsilitis	8	1	.....	.....	2	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	285	70	12	8	2	3	7	7	18	36	26	33	33	21	6	3	.....
Diarrhea and enteritis	3,414	2,433	572	76	21	12	19	19	24	42	38	41	54	47	13	2	1
Hernia and intestinal obstructions	260	45	5	6	3	4	5	10	26	26	37	36	34	19	3	.....	1
Cirrhosis of liver	488	5	2	1	.....	.....	1	2	18	87	126	125	84	30	5	1	1
Other diseases of liver	129	1	.....	1	.....	.....	1	4	10	21	26	29	23	10	3	.....	.....
Peritonitis	113	11	1	3	2	1	3	10	26	18	9	10	13	5	1	.....	.....
Appendicitis	259	3	.....	2	.....	2	18	60	52	51	34	20	14	2	1	.....	.....
Other diseases of digestive system	97	35	6	4	1	2	3	2	7	14	11	9	2	1	.....	.....	.....
Acute nephritis	237	13	4	4	8	7	14	12	39	28	30	37	28	10	3	.....	.....
Bright's disease	3,028	30	22	16	10	18	29	51	227	468	551	583	567	346	103	7	.....
Calculi of urinary tract	10	.....	.....	.....	.....	.....	.....	.....	2	2	3	.....	.....	3	.....	.....	.....
Uterine tumor	47	.....	.....	.....	.....	.....	.....	1	8	16	8	9	2	2	1	.....	.....
Ovarian tumor	32	.....	.....	.....	.....	.....	.....	1	3	11	7	6	1	3	.....	.....	.....
Other diseases of genito-urinary system	271	7	.....	1	.....	1	3	6	32	57	43	29	40	36	16	.....	.....
Puerperal septicemia	185	.....	.....	.....	.....	.....	.....	9	99	65	12	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	197	.....	.....	.....	.....	.....	.....	6	88	86	17	.....	.....	.....	.....	.....	.....
Diseases of skin	129	27	3	3	1	1	2	4	9	9	18	18	20	11	2	1	.....
Diseases of locomotor system	102	27	8	2	2	3	7	12	6	8	15	4	7	1	.....	.....	.....
Malformations	222	188	16	6	1	.....	6	1	1	2	.....	1	.....	.....	.....	.....	.....
Premature birth	708	708	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	823	823	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	408	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	53	153	161	41	.....
Suicide	401	.....	.....	.....	.....	.....	.....	17	97	97	84	64	32	11	1	.....	.....
Other violence	2,459	205	79	61	43	35	116	123	297	434	365	311	212	123	47	6	2
Ill-defined causes	774	594	85	15	7	1	6	2	5	6	7	16	10	12	6	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

NEW YORK, N. Y. (QUEENS BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,800	643	150	59	35	26	84	107	222	264	290	277	291	227	100	15	10
Typhoid fever	29	1	1			1		2	8	10	4	1		1			
Malarial fever	19	7	1	2		1	1	2	2	2			1				
Smallpox	2	1									1						
Measles	3		1			1	1										
Scarlet fever	24	2	2		1	2	10	3	1	2	1						
Whooping cough	7	1	4	1			1										
Diphtheria and croup	73	5	6	15	12	7	24	3				1					
Influenza	40	1		1				6	1	2	4	7	5	8	5		
Cholera nostras	2											1	1				
Dysentery	23	4	5		1	1	1		1	2	1		5	2			
Erysipelas	6	2								2			1	1			
Other epidemic diseases[1]																	
Septicemia	5								2	2			1				
Tuberculosis—total	318	9	6	3	1		2	22	91	72	67	27	12	5	1		
Tuberculosis of lungs	284	1	1				1	17	86	70	66	26	10	5	1		
Tuberculosis of larynx	3								1	1	1						
Tuberculous meningitis	17	7	4	3	1		1	1									
Abdominal tuberculosis	4							2	1				1				
Pott's disease																	
Tuberculous abscess																	
White swelling	4							2	2								
Tuberculosis of other organs	3	1										1	1				
General tuberculosis	3		1						1	1							
Scrofula																	
Venereal diseases	1										1						
Cancer	67	1							3	5	19	13	14	9	3		
Tumor																	
Rheumatism	8			1				2		1	1	1	1		1		
Diabetes	17							1			2	5	8	1			
Anemia, leukemia	8					1	1	1	2		1	1			1		
Alcoholism	12						1		1	3	3	4					
Chronic poisonings	3										2	1					
Other general diseases	1								1								
Encephalitis	2							1					1				
Meningitis	38	8	12	2	2	1	4	5	1	2		1					
Apoplexy	149	2			1				2	4	16	35	37	40	12		
Softening of brain	7									1		1	1	3		1	
Paralysis	2									1					1		
Epilepsy	3							1	1		1						
Convulsions	36	25	8	3													
Tetanus	11	9										2					
Other diseases of nervous system	34	1						1	3	7	9	4	3	5		1	
Pericarditis	4	1								1		2					
Endocarditis	15			1	1			1	3	1		4	2	2			
Heart disease	183						1	9	14	13	23	25	48	33	13	4	
Angina pectoris	4										1	1	2				
Embolism and thrombosis	5											2	1	1	1		
Other diseases of circulatory system	11	3							1	1	1	2	1		1		1
Laryngitis	3			2				1									
Acute bronchitis	62	35	5	4	1	1					2	2	5	3	4		
Chronic bronchitis	23				1					1		1	8	6	5	1	
Bronchopneumonia	73	26	14	2	2	1	1			2	1	3	8	9	4		
Pneumonia	276	52	26	7	7	2	11	8	16	27	31	25	32	26	6		
Pleurisy	4			1					1	1			1				
Congestion of lungs	17	1						1		2	2	4	4	1	2		
Other diseases of respiratory system	18	1						1	1	6		5	2	2			
Tonsilitis	1		1														
Diseases of stomach	27	8		1		1	1	1		2	4	5	2	2			
Diarrhea and enteritis	301	233	40	7	2	2	2	3	1	2	1	1	2	4	1		
Hernia and intestinal obstructions	22	7						1			1	5	2	4	2		
Cirrhosis of liver	39								1	5	8	12	8	5			
Other diseases of liver	9									3	3		2	1			
Peritonitis	14							2	3	2	1	1	4	1			
Appendicitis	8							2	2	2		2					
Other diseases of digestive system	7	2					1				1	1	2				
Acute nephritis	40	1				2	1	4	4	8	9	3	7	1			
Bright's disease	171			1			3	4	13	18	33	40	33	17	7	2	
Calculi of urinary tract																	
Uterine tumor																	
Ovarian tumor																	
Other diseases of genito-urinary system	10								2		1	3	1	1	2		
Puerperal septicemia	6								5	1							
Other causes incident to childbirth	15								5	9	1						
Diseases of skin	15		1						1	1	2	3	4	1	2		
Diseases of locomotor system	4	2	1												1		
Malformations	20	18	1						1								
Premature birth	48	48															
Congenital debility	58	58															
Old age	52												6	20	20	6	
Suicide	39							5	3	8	6	6	7	3			1
Other violence	171	17	3	2	2	1	15	14	24	28	25	14	5	8	5		8
Ill-defined causes	75	51	12	3	1	1	2		1	2			1	1			

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

NEW YORK, N. Y. (RICHMOND BOROUGH).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,348	273	65	29	20	16	39	40	77	125	114	131	174	168	68	9	.....
Typhoid fever	18	.....	.....	.....	.....	.....	.....	4	4	3	3	2	1	1	.....	.....	.....
Malarial fever	6	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	11	3	5	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	10	1	1	3	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	4	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	36	.....	3	4	7	6	13	2	.....	.....	.....	.....	.....	1	.....	.....	.....
Influenza	14	1	.....	.....	1	.....	.....	1	.....	.....	1	2	2	5	1	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	5	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....
Erysipelas	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	152	5	5	1	1	3	1	5	32	49	16	19	11	3	1	.....	.....
Tuberculosis of lungs	130	2	2	.....	.....	.....	.....	3	31	45	15	18	10	3	1	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	14	2	2	1	1	3	1	2	1	.....	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	63	.....	.....	.....	.....	.....	.....	.....	1	7	5	14	16	15	5	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	12	.....	.....	.....	.....	1	1	2	.....	3	1	.....	2	2	.....	.....	.....
Diabetes	10	.....	.....	.....	.....	.....	.....	.....	1	.....	2	6	1	.....	.....	.....	.....
Anemia, leukemia	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
Alcoholism	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	3	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	19	8	.....	5	.....	.....	2	2	.....	.....	.....	1	.....	1	.....	.....	.....
Apoplexy	55	1	.....	.....	.....	.....	.....	.....	1	2	3	10	14	14	8	2	.....
Softening of brain	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	.....	.....	.....
Paralysis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
Epilepsy	6	.....	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	.....	.....	.....	.....
Convulsions	12	10	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	15	1	.....	.....	.....	.....	.....	.....	1	2	.....	3	4	3	1	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	8	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	2	2	.....	.....
Heart disease	95	1	.....	.....	1	.....	1	5	1	6	9	17	22	25	7	.....	.....
Angina pectoris	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....
Other diseases of circulatory system	8	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	1	1	.....
Laryngitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Acute bronchitis	7	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	4	1	.....	.....
Bronchopneumonia	46	16	9	.....	2	.....	.....	1	.....	.....	3	2	3	7	3	.....	.....
Pneumonia	90	11	4	6	2	1	3	1	6	6	11	5	17	9	7	1	.....
Pleurisy	3	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Congestion of lungs	18	2	1	.....	.....	.....	.....	.....	2	.....	2	2	2	6	1	.....	.....
Other diseases of respiratory system	10	.....	.....	.....	3	.....	1	.....	.....	1	1	1	3	.....	.....	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	14	1	.....	.....	1	1	1	.....	.....	3	1	2	3	1	.....	.....	.....
Diarrhea and enteritis	176	138	27	2	.....	.....	.....	.....	.....	.....	2	2	2	2	1	.....	.....
Hernia and intestinal obstructions	12	.....	.....	.....	.....	.....	.....	1	.....	4	2	2	3	.....	.....	.....	.....
Cirrhosis of liver	12	.....	.....	.....	.....	.....	.....	.....	.....	1	4	2	3	2	.....	.....	.....
Other diseases of liver	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....
Peritonitis	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....
Appendicitis	3	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Acute nephritis	7	.....	.....	.....	1	.....	1	.....	.....	1	2	.....	1	1	.....	.....	.....
Bright's disease	104	1	.....	.....	.....	.....	.....	3	3	11	15	16	28	21	6	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	13	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	4	1	3	.....	.....
Puerperal septicemia	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Diseases of skin	6	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	2	1	.....	.....
Diseases of locomotor system	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	8	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	23	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	12	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	15	13	5	.....
Suicide	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....
Other violence	96	8	1	1	.....	1	7	7	15	12	16	11	8	8	1	.....	.....
Ill-defined causes	22	12	2	.....	.....	1	.....	.....	.....	2	.....	.....	.....	4	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

NEWARK, N. J.

CAUSE OF DEATH.	AGE.																
	All ages	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,842	1,026	250	112	76	45	135	163	423	515	533	494	508	381	160	17	4
Typhoid fever	60	1	2	.....	2	.....	3	7	16	16	5	3	3	2	.....	.....	.....
Malarial fever	16	.....	1	.....	.....	1	2	1	.....	1	2	1	.....	7	.....	.....	.....
Smallpox	71	7	4	3	3	.....	6	5	17	10	10	3	2	1	.....	.....	.....
Measles	17	6	6	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	23	2	1	7	1	1	7	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	36	18	12	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	103	9	13	19	19	14	20	6	1	1	.....	1	.....	.....	.....	.....	.....
Influenza	33	2	.....	1	.....	.....	.....	.....	.....	2	4	8	6	7	1	2	.....
Cholera nostras	8	1	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	1	.....	.....
Dysentery	28	5	3	2	1	1	4	2	1	.....	1	.....	6	2	.....	.....	.....
Erysipelas	11	3	1	.....	.....	.....	.....	1	.....	1	3	.....	1	.....	1	.....	.....
Other epidemic diseases [1]	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Septicemia	16	5	.....	.....	2	.....	.....	2	2	1	1	2	.....	1	.....	.....	.....
Tuberculosis—total	642	17	8	4	5	.....	10	43	171	165	120	55	29	15	.....	.....	.....
Tuberculosis of lungs	575	6	1	1	1	.....	2	35	164	157	113	53	28	14	.....	.....	.....
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	25	8	5	2	3	.....	1	2	3	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	13	1	1	1	.....	.....	1	.....	3	2	4	.....	.....	.....	.....	.....	.....
Pott's disease	7	.....	.....	.....	1	.....	3	2	.....	.....	.....	.....	.....	1	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	8	2	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	.....	.....	.....	.....
General tuberculosis	6	.....	1	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	7	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	190	.....	.....	.....	.....	.....	2	2	2	9	37	57	52	25	4	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Rheumatism	15	.....	.....	.....	1	.....	.....	2	.....	4	5	1	1	1	.....	.....	.....
Diabetes	22	.....	.....	.....	.....	.....	.....	.....	1	1	4	7	5	4	.....	.....	.....
Anemia, leukemia	14	3	.....	.....	.....	.....	1	.....	1	3	1	2	2	.....	1	.....	.....
Alcoholism	20	.....	.....	.....	1	.....	1	.....	3	7	7	1	.....	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Other general diseases	4	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
Encephalitis	4	1	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Meningitis	155	53	24	16	6	2	12	2	4	10	14	7	1	3	1	.....	.....
Apoplexy	230	9	4	.....	.....	.....	.....	.....	3	12	20	43	61	52	24	2	.....
Softening of brain	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	1	.....	.....
Paralysis	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	11	9	4	.....	.....
Epilepsy	8	.....	.....	.....	.....	.....	.....	3	2	2	1	.....	.....	.....	.....	.....	.....
Convulsions	104	79	11	5	3	1	2	1	1	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	7	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Other diseases of nervous system	50	5	.....	1	.....	2	.....	1	7	5	7	6	7	5	4	.....	.....
Pericarditis	5	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....
Endocarditis	57	1	.....	.....	.....	1	4	2	8	6	5	9	11	9	1	.....	.....
Heart disease	272	2	.....	1	.....	.....	8	8	14	29	37	46	64	48	14	1	.....
Angina pectoris	14	.....	1	.....	.....	.....	.....	.....	.....	1	6	1	2	3	.....	.....	.....
Embolism and thrombosis	6	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	1	.....	.....
Other diseases of circulatory system	21	2	.....	.....	.....	.....	1	1	.....	1	3	3	1	5	4	.....	.....
Laryngitis	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	87	50	8	4	3	1	.....	1	2	1	4	1	4	5	3	.....	.....
Chronic bronchitis	46	3	.....	.....	.....	.....	1	3	.....	4	4	5	8	9	9	.....	.....
Bronchopneumonia	100	45	20	10	1	4	4	.....	.....	2	1	4	4	2	3	.....	.....
Pneumonia	359	51	31	11	7	4	5	16	34	43	40	44	32	24	15	2	.....
Pleurisy	25	2	1	1	1	.....	1	1	1	4	3	3	4	1	1	1	.....
Congestion of lungs	20	2	1	.....	1	1	.....	.....	1	1	1	1	5	3	3	.....	.....
Other diseases of respiratory system	31	2	4	2	.....	.....	.....	.....	4	2	2	8	4	3	.....	.....	.....
Tonsilitis	4	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	43	7	1	1	.....	.....	.....	.....	4	1	6	5	10	7	1	.....	.....
Diarrhea and enteritis	356	241	54	6	4	2	5	.....	1	4	.....	5	13	11	8	1	1
Hernia and intestinal obstructions	37	3	1	.....	1	.....	2	1	2	5	2	7	8	4	1	.....	.....
Cirrhosis of liver	64	.....	1	.....	.....	.....	.....	.....	5	7	16	9	19	6	1	.....	.....
Other diseases of liver	18	1	.....	1	.....	.....	1	1	2	1	2	2	6	1	.....	.....	.....
Peritonitis	22	2	1	.....	1	1	.....	4	6	5	.....	1	1	.....	.....	.....	.....
Appendicitis	24	1	.....	.....	.....	.....	1	8	6	2	3	3	.....	.....	.....	.....	.....
Other diseases of digestive system	13	4	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	3	2	.....	.....
Acute nephritis	38	1	1	1	1	.....	3	4	4	9	4	6	2	1	1	.....	.....
Bright's disease	296	1	2	.....	1	.....	1	6	20	42	61	63	45	40	14	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	1	.....	1	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	24	.....	.....	.....	.....	.....	.....	.....	6	1	5	1	7	3	1	.....	.....
Puerperal septicemia	13	.....	.....	.....	.....	.....	.....	1	4	7	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	25	.....	.....	.....	.....	.....	.....	3	11	9	2	.....	.....	.....	.....	.....	.....
Diseases of skin	23	3	.....	.....	.....	.....	1	.....	3	.....	5	2	1	3	3	2	.....
Diseases of locomotor system	11	3	2	.....	.....	.....	1	.....	3	.....	.....	1	1	.....	.....	.....	.....
Malformations	31	26	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	60	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	154	154	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	19	14	3	.....
Suicide	73	.....	.....	.....	.....	.....	.....	1	14	21	15	10	8	4	.....	.....	.....
Other violence	328	31	8	5	7	6	22	17	28	45	48	34	37	24	12	2	2
Ill-defined causes	150	91	15	1	1	.....	2	.....	3	1	5	11	8	5	6	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

OMAHA, NEBR.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,233	237	39	20	10	6	35	70	120	169	136	136	116	85	45	7	
Typhoid fever	26		1				2	9	6	4		4					
Malarial fever																	
Smallpox	3	2										1					
Measles																	
Scarlet fever	13		2		3	2	6										
Whooping cough	12	8	1	2		1											
Diphtheria and croup	14	1	1	4	1		4	1	1	1							
Influenza	25		1			1		2	1	2	4	2	6	3	2	1	
Cholera nostras	1								1								
Dysentery	10	6					1				1	1	1				
Erysipelas	3	1							1		1						
Other epidemic diseases[1]	1			1													
Septicemia	14	1	1					1	3	6	1		1				
Tuberculosis—total	117	3		2		1	2	7	30	36	16	11	5	4			
Tuberculosis of lungs	96	3					2	4	22	33	16	9	3	4			
Tuberculosis of larynx																	
Tuberculous meningitis	8			2		1		1	2	2							
Abdominal tuberculosis	4								1	1		2					
Pott's disease																	
Tuberculous abscess	2								2								
White swelling																	
Tuberculosis of other organs	6							2	2				2				
General tuberculosis	1								1								
Scrofula																	
Venereal diseases	7	3							3	1							
Cancer	60								3	6	16	19	11	5			
Tumor	4				1					1	1	1					
Rheumatism	4							2		1			1				
Diabetes	9								1	1	1	2	2	2			
Anemia, leukemia	13				1			1	2	2	5	1	1				
Alcoholism	8									1	4	2	1				
Chronic poisonings																	
Other general diseases	4	1								1			2				
Encephalitis	1									1							
Meningitis	41	16	8	1		1	3	3	3	1	1	1	2		1		
Apoplexy	46	1	1					1		4	5	10	8	6	9	1	
Softening of brain	5										1	1	1	1	1		
Paralysis	10									1		3	3	2	1		
Epilepsy	5						1	1		1			2				
Convulsions	31	25	3	1						1			1				
Tetanus	1						1										
Other diseases of nervous system	26	2	2				1	1	2	2	7	3	4		2		
Pericarditis	1									1							
Endocarditis	2							1	1								
Heart disease	57	1	1				1	2	3	6	13	8	15	7			
Angina pectoris	2												2				
Embolism and thrombosis	5							1		1	2			1			
Other diseases of circulatory system	5										1		1		3		
Laryngitis																	
Acute bronchitis	12	10										1		1			
Chronic bronchitis	10						1		1				3	4	1		
Bronchopneumonia	15	6	2	3			1		1			1		1			
Pneumonia	103	20	7	3			2	2	5	13	6	16	16	9	4		
Pleurisy	8							1	1		1	2	2	1			
Congestion of lungs	11				1					3	2	2	3				
Other diseases of respiratory system	16								3	1	3	6	2	1			
Tonsilitis	1						1										
Diseases of stomach	10	3								1	3	1		1		1	
Diarrhea and enteritis	49	34	4	1					2	2		2	2	2			
Hernia and intestinal obstructions	16	3						3		4	1	3	1	1			
Cirrhosis of liver	8									3	3	2					
Other diseases of liver	10	1							1	1	2	3	2				
Peritonitis	26	2						6	3	8	1	2	1	3			
Appendicitis	24						4	6	8	4	1		1				
Other diseases of digestive system	9	2	1				1	3	1					1			
Acute nephritis	2									1				1			
Bright's disease	44	1			1			4	6	8	6	7	1	7	1	1	1
Calculi of urinary tract	2											1	1				
Uterine tumor	2										1	1					
Ovarian tumor	1								1								
Other diseases of genito-urinary system	17								2	6	2	3	2	1	1		
Puerperal septicemia	9							1	5	3							
Other causes incident to childbirth	8								4	4							
Diseases of skin	2	1									1						
Diseases of locomotor system	4	1						2					1				
Malformations	9	9															
Premature birth	1	1															
Congenital debility	49	49															
Old age	33												2	14	16	1	
Suicide	14							2	1	6	3	2					
Other violence	79	3	2	2			3	6	12	18	15	9	3	2	2	1	1
Ill-defined causes	43	20	1		2			1	2	1	5	2	3	4	1	1	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

PATERSON, N. J.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,877	481	71	28	26	17	57	73	147	175	162	187	237	143	63	10	.....
Typhoid fever	25	.....	1	.....	1	.....	2	4	6	7	4	.....	.....	.....	.....	.....	.....
Malarial fever	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	8	.....	.....	.....	.....	.....	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	10	5	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	28	2	4	4	4	4	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	10	1	.....	.....	.....	.....	.....	1	1	1	.....	2	1	2	1	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Dysentery	17	2	1	.....	1	.....	2	.....	.....	1	.....	3	3	3	.....	1	.....
Erysipelas	4	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Other epidemic diseases[1]	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	10	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	3	.....	1	.....	.....
Tuberculosis—total	212	8	4	.....	2	1	5	20	56	52	28	21	15	.....	.....	.....	.....
Tuberculosis of lungs	195	5	2	.....	1	.....	3	18	55	51	27	19	14	.....	.....	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	7	1	2	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	78	.....	.....	.....	.....	.....	.....	1	.....	12	12	19	20	8	6	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Rheumatism	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diabetes	13	.....	.....	.....	.....	.....	.....	.....	2	.....	3	2	5	1	.....	.....	.....
Anemia, leukemia	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Alcoholism	13	.....	.....	.....	.....	.....	.....	.....	.....	3	4	5	1	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Encephalitis	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	76	36	18	1	5	.....	6	2	5	2	.....	.....	.....	.....	1	.....	.....
Apoplexy	64	2	.....	.....	.....	.....	.....	.....	1	1	4	14	21	15	6	.....	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Paralysis	13	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	4	5	2	1	.....	.....
Epilepsy	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Convulsions	53	46	5	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	32	4	.....	.....	.....	.....	1	1	4	5	5	4	6	2	.....	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
Endocarditis	24	.....	.....	.....	.....	.....	1	3	.....	5	3	3	7	2	.....	.....	.....
Heart disease	139	7	.....	.....	1	.....	5	7	6	18	17	18	34	23	3	.....	.....
Angina pectoris	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....
Embolism and thrombosis	4	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	10	1	.....	.....	.....	.....	.....	.....	2	1	.....	1	2	1	.....	2	.....
Laryngitis	5	1	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Acute bronchitis	35	23	4	2	.....	.....	.....	1	.....	.....	.....	.....	4	.....	1	.....	.....
Chronic bronchitis	19	1	.....	.....	.....	.....	.....	.....	1	.....	1	2	4	9	1	.....	.....
Bronchopneumonia	44	14	7	4	4	1	.....	2	.....	1	1	3	5	2	.....	.....	.....
Pneumonia	158	14	7	1	2	1	4	8	10	21	19	22	29	9	11	.....	.....
Pleurisy	8	1	.....	1	.....	1	.....	.....	1	.....	4	.....	.....	.....	.....	.....	.....
Congestion of lungs	12	.....	.....	.....	.....	.....	1	.....	2	1	2	.....	2	3	1	.....	.....
Other diseases of respiratory system	11	1	.....	.....	.....	.....	.....	.....	.....	2	1	2	2	2	1	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	17	7	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	3	1	.....	.....
Diarrhea and enteritis	142	100	12	4	.....	1	1	.....	2	.....	3	2	7	8	2	.....	.....
Hernia and intestinal obstructions	13	2	.....	.....	.....	.....	1	.....	1	2	2	.....	3	2	.....	.....	.....
Cirrhosis of liver	13	.....	.....	.....	.....	.....	.....	.....	.....	4	1	3	3	2	.....	.....	.....
Other diseases of liver	9	1	.....	.....	.....	.....	.....	.....	1	1	.....	4	2	.....	.....	.....	.....
Peritonitis	29	.....	.....	1	.....	.....	2	4	8	5	1	4	3	1	.....	.....	.....
Appendicitis	14	.....	.....	.....	.....	.....	3	1	4	.....	2	3	1	.....	.....	.....	.....
Other diseases of digestive system	8	2	.....	1	.....	.....	.....	.....	.....	1	.....	1	1	.....	2	.....	.....
Acute nephritis	14	3	.....	.....	.....	.....	1	.....	2	2	2	4	.....	.....	.....	.....	.....
Bright's disease	56	1	.....	.....	.....	.....	.....	2	6	8	10	8	16	5	.....	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	14	.....	.....	.....	.....	.....	.....	2	3	2	2	1	2	1	1	.....	.....
Puerperal septicemia	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Diseases of skin	10	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	1	1	.....
Diseases of locomotor system	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Malformations	14	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Premature birth	52	52	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	67	67	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	14	14	4	.....
Suicide	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....
Other violence	122	16	1	2	4	5	9	7	14	10	11	12	15	10	4	2	.....
Ill-defined causes	71	37	4	3	.....	1	1	.....	1	1	4	6	6	5	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

PHILADELPHIA, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	23,806	4,161	1,160	471	356	270	688	965	2,183	2,432	2,414	2,462	2,707	2,291	1,073	163	10
Typhoid fever	456	3	2	3	4	7	36	106	127	84	52	16	13	3	.....	.....	.....
Malarial fever	16	.....	.....	.....	1	.....	3	2	4	2	1	.....	1	2	.....	.....	.....
Smallpox	178	15	11	6	8	4	13	8	52	32	16	6	4	3	.....	.....	.....
Measles	46	11	20	6	6	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	227	8	25	27	41	26	71	24	2	3	.....	.....	.....	.....	.....	.....	.....
Whooping cough	247	138	55	23	13	6	10	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Diphtheria and croup	650	44	120	96	85	77	185	30	9	2	.....	.....	1	1	.....	.....	.....
Influenza	166	6	2	3	.....	1	1	5	13	13	11	18	25	43	24	1	.....
Cholera nostras	18	3	.....	.....	.....	.....	.....	.....	1	3	1	1	4	2	2	1	.....
Dysentery	68	5	3	3	.....	1	.....	1	.....	10	10	7	13	7	7	1	.....
Erysipelas	64	20	.....	2	.....	.....	.....	.....	2	9	5	11	5	8	2	.....	.....
Other epidemic diseases[1]	3	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	115	4	1	1	.....	3	4	9	25	25	13	18	8	3	.....	.....	1
Tuberculosis—total	3,074	66	40	20	12	11	42	211	846	812	526	262	156	62	8	.....	.....
Tuberculosis of lungs	2,787	19	15	8	4	4	25	184	807	772	494	247	142	59	7	.....	.....
Tuberculosis of larynx	36	.....	.....	.....	.....	.....	.....	1	10	9	7	6	2	1	.....	.....	.....
Tuberculous meningitis	113	33	18	9	7	5	13	7	9	8	4	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	78	6	2	.....	1	.....	1	10	11	13	13	8	11	2	.....	.....	.....
Pott's disease	22	3	1	2	.....	.....	1	2	5	2	4	.....	1	.....	1	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	9	1	1	.....	.....	1	1	3	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	11	1	.....	1	.....	.....	.....	1	1	4	2	1	.....	.....	.....	.....	.....
General tuberculosis	17	3	3	.....	.....	1	1	3	2	3	1	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	30	12	.....	.....	.....	1	.....	1	4	2	2	6	1	1	.....	.....	.....
Cancer	821	3	1	.....	2	.....	3	2	14	69	156	209	207	121	31	2	1
Tumor	24	.....	.....	.....	.....	.....	1	.....	3	4	3	1	8	3	1	.....	.....
Rheumatism	99	2	.....	.....	2	.....	7	9	7	13	16	8	22	9	4	.....	.....
Diabetes	120	.....	.....	.....	.....	.....	1	4	9	18	13	23	28	21	3	.....	.....
Anemia, leukemia	72	2	2	.....	1	2	1	7	2	20	10	15	6	3	.....	1	.....
Alcoholism	98	.....	.....	.....	.....	.....	.....	.....	7	41	25	14	7	4	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Other general diseases	16	4	1	1	.....	.....	.....	.....	3	2	2	1	1	.....	1	.....	.....
Encephalitis	44	13	6	4	1	.....	2	4	4	2	2	3	1	2	.....	.....	.....
Meningitis	407	139	52	37	21	14	36	30	24	15	14	14	5	1	5	.....	.....
Apoplexy	935	35	14	5	4	4	5	7	6	34	83	169	238	229	93	9	.....
Softening of brain	48	.....	.....	.....	.....	.....	.....	.....	1	3	9	3	11	13	6	2	.....
Paralysis	329	2	2	3	3	.....	.....	1	7	9	22	49	81	98	47	5	.....
Epilepsy	39	.....	.....	.....	.....	.....	1	5	9	7	4	3	6	2	1	1	.....
Convulsions	589	416	92	28	11	7	10	5	14	3	2	.....	.....	.....	1	.....	.....
Tetanus	30	3	.....	.....	1	.....	3	5	4	6	3	4	1	.....	.....	.....	.....
Other diseases of nervous system	295	8	6	2	2	2	8	7	24	42	42	60	45	30	16	1	.....
Pericarditis	52	.....	.....	.....	.....	1	5	4	4	3	5	10	10	10	.....	.....	.....
Endocarditis	215	2	2	1	.....	2	7	23	16	26	24	27	47	30	7	1	.....
Heart disease	1,496	20	3	1	1	.....	17	69	79	126	201	249	353	286	85	6	.....
Angina pectoris	95	.....	.....	.....	.....	.....	.....	1	2	3	15	22	28	19	4	1	.....
Embolism and thrombosis	59	.....	.....	.....	.....	.....	.....	3	5	7	7	11	8	11	6	1	.....
Other diseases of circulatory system	198	8	1	.....	.....	.....	3	6	15	21	21	21	39	41	21	1	.....
Laryngitis	20	6	4	.....	2	1	3	.....	2	1	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	199	100	32	15	8	5	6	2	2	1	.....	5	7	9	6	1	.....
Chronic bronchitis	177	5	4	1	1	2	1	2	11	12	19	22	37	42	12	5	1
Bronchopneumonia	460	154	102	32	18	7	10	9	13	17	17	21	21	26	11	2	.....
Pneumonia	2,081	306	157	62	43	29	67	77	152	199	236	235	248	185	79	5	1
Pleurisy	81	7	3	1	.....	.....	1	4	6	3	20	14	12	8	1	1	.....
Congestion of lungs	259	37	12	5	5	2	8	3	19	24	22	28	33	44	14	3	.....
Other diseases of respiratory system	185	5	5	1	4	3	7	5	23	20	24	39	34	12	3	.....	.....
Tonsilitis	4	1	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	270	53	4	4	3	1	2	4	23	25	29	48	44	25	5	.....	.....
Diarrhea and enteritis	1,379	888	213	26	4	8	9	13	11	18	34	39	51	47	18	.....	.....
Hernia and intestinal obstructions	193	14	.....	.....	.....	.....	1	8	24	18	26	33	33	23	13	.....	.....
Cirrhosis of liver	200	.....	.....	.....	.....	.....	.....	.....	3	25	36	57	53	22	4	.....	.....
Other diseases of liver	123	6	2	.....	.....	.....	.....	2	5	11	21	26	24	19	7	.....	.....
Peritonitis	217	9	1	2	1	.....	10	18	55	51	24	20	19	6	1	.....	.....
Appendicitis	157	1	.....	.....	2	.....	9	50	45	22	11	12	2	2	1	.....	.....
Other diseases of digestive system	74	32	10	1	1	1	1	.....	1	5	6	6	4	5	1	.....	.....
Acute nephritis	62	5	1	1	3	3	13	4	6	5	4	9	4	4	.....	.....	.....
Bright's disease	1,755	14	3	5	4	2	9	35	120	178	272	331	396	289	90	7	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....
Uterine tumor	21	.....	.....	.....	.....	.....	.....	.....	.....	7	6	4	3	1	.....	.....	.....
Ovarian tumor	9	.....	.....	.....	.....	.....	.....	.....	1	3	1	3	.....	1	.....	.....	.....
Other diseases of genito-urinary system	176	5	.....	1	.....	.....	1	5	26	25	23	18	21	33	16	1	1
Puerperal septicemia	59	.....	.....	.....	.....	.....	.....	6	30	20	3	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	122	.....	.....	.....	.....	.....	.....	10	61	42	9	.....	.....	.....	.....	.....	.....
Diseases of skin	118	14	1	5	4	2	3	.....	3	4	9	14	20	19	20	.....	.....
Diseases of locomotor system	32	6	3	1	1	1	.....	5	4	2	2	2	1	4	.....	.....	.....
Malformations	90	80	7	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Premature birth	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	709	709	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	621	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46	208	287	80	.....
Suicide	150	.....	.....	.....	.....	.....	.....	9	31	23	38	21	22	6	.....	.....	.....
Other violence	1,359	99	42	21	24	30	48	101	150	191	193	154	143	94	53	11	5
Ill-defined causes	998	612	93	12	9	4	2	1	9	6	12	37	45	87	56	13	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

PITTSBURG, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,578	1,580	441	211	126	87	245	338	772	673	580	485	501	379	128	24	8
Typhoid fever	408	1	2	4	4	3	19	82	184	61	35	10	2	1	.....	.....	.....
Malarial fever	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	.....	.....	.....	.....
Smallpox	4	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Measles	57	12	12	9	11	7	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	115	5	19	20	15	11	35	7	1	1	1	.....	.....	.....	.....	.....	.....
Whooping cough	96	39	29	17	4	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	161	12	23	21	26	19	48	10	1	.....	.....	1	.....	.....	.....	.....	.....
Influenza	107	9	5	.....	1	.....	3	2	8	10	8	21	21	11	8	.....	.....
Cholera nostras	8	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	.....	3	.....	.....	.....
Dysentery	30	10	4	.....	1	1	.....	.....	2	.....	1	3	3	3	2	.....	.....
Erysipelas	22	4	1	1	.....	.....	.....	1	4	1	1	2	3	3	.....	.....	1
Other epidemic diseases [1]	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	23	1	.....	.....	.....	.....	1	4	4	5	6	1	1	.....	.....	.....	.....
Tuberculosis—total	515	18	20	9	1	4	9	37	154	120	77	39	20	6	.....	.....	1
Tuberculosis of lungs	441	8	10	5	1	3	5	33	141	110	65	36	17	6	.....	.....	1
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....
Tuberculous meningitis	19	5	4	3	.....	.....	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	22	3	3	.....	.....	.....	.....	1	5	5	4	.....	1	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	7	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	2	.....	.....	.....	.....
General tuberculosis	16	1	3	1	.....	1	1	.....	4	1	3	1	.....	.....	.....	.....	.....
Scrofula	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	18	15	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	147	1	.....	1	.....	.....	.....	1	4	13	38	38	28	18	3	2	.....
Tumor	8	1	.....	.....	.....	.....	.....	1	.....	2	1	1	1	1	.....	.....	.....
Rheumatism	55	1	1	1	.....	1	3	6	7	9	3	9	7	6	1	.....	.....
Diabetes	12	.....	.....	.....	1	.....	.....	.....	.....	1	1	2	5	2	.....	.....	.....
Anemia, leukemia	10	1	1	.....	.....	.....	1	1	1	3	1	.....	1	.....	.....	.....	.....
Alcoholism	41	.....	.....	.....	.....	.....	.....	.....	1	19	14	7	.....	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....
Other general diseases	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....
Encephalitis	10	1	2	1	.....	.....	2	.....	1	1	1	.....	.....	1	.....	.....	.....
Meningitis	113	39	14	8	7	4	14	8	4	5	2	4	2	2	.....	.....	.....
Apoplexy	151	7	2	1	.....	.....	1	1	3	9	13	30	43	28	11	2	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Paralysis	38	.....	1	.....	.....	.....	1	.....	2	1	5	4	8	11	5	.....	.....
Epilepsy	10	1	.....	.....	.....	1	.....	2	2	2	1	.....	1	.....	.....	.....	.....
Convulsions	149	114	15	5	5	2	1	2	3	1	1	.....	.....	.....	.....	.....	.....
Tetanus	9	5	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	81	3	3	1	.....	.....	3	4	6	19	14	7	14	6	1	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Endocarditis	14	1	.....	1	.....	.....	3	.....	2	2	2	1	2	.....	.....	.....	.....
Heart disease	310	13	.....	1	1	1	7	18	21	33	47	48	65	41	12	2	.....
Angina pectoris	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	.....	1	3	.....	1	3	2	.....	.....	.....
Other diseases of circulatory system	32	6	.....	.....	.....	.....	1	.....	1	3	6	3	3	5	3	1	.....
Laryngitis	9	3	2	.....	.....	.....	1	.....	.....	1	.....	.....	1	1	.....	.....	.....
Acute bronchitis	99	63	13	5	1	2	.....	.....	.....	2	.....	2	4	6	1	.....	.....
Chronic bronchitis	67	2	.....	.....	.....	.....	1	.....	2	2	8	8	11	23	8	2	.....
Bronchopneumonia	161	59	26	11	3	3	4	1	3	6	7	9	9	17	2	1	.....
Pneumonia	649	136	44	28	19	10	22	32	51	59	73	62	52	51	10	.....	.....
Pleurisy	18	2	2	.....	2	.....	1	.....	2	2	2	2	.....	3	.....	.....	.....
Congestion of lungs	32	6	3	.....	.....	.....	1	.....	1	.....	4	6	8	2	1	.....	.....
Other diseases of respiratory system	49	6	1	.....	1	.....	.....	2	3	3	6	8	9	7	3	.....	.....
Tonsilitis	5	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	82	14	4	.....	1	.....	4	3	3	6	6	9	18	10	2	1	1
Diarrhea and enteritis	717	430	147	40	10	5	6	3	8	8	10	10	16	16	5	2	1
Hernia and intestinal obstructions	52	15	.....	.....	1	1	2	3	6	5	5	5	3	3	3	.....	.....
Cirrhosis of liver	59	.....	.....	.....	.....	.....	1	.....	3	8	11	20	11	4	1	.....	.....
Other diseases of liver	39	1	2	1	.....	.....	.....	.....	1	6	8	5	13	2	.....	.....	.....
Peritonitis	63	5	2	1	1	2	7	10	8	11	7	3	3	3	.....	.....	.....
Appendicitis	40	.....	.....	.....	.....	.....	2	14	15	5	1	2	.....	1	.....	.....	.....
Other diseases of digestive system	22	13	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	3	.....	.....	.....
Acute nephritis	17	2	2	.....	.....	1	1	1	4	2	.....	1	2	1	.....	.....	.....
Bright's disease	169	3	.....	.....	1	1	3	7	15	24	25	21	40	22	7	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	2	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	50	1	.....	.....	.....	.....	1	.....	8	6	7	6	8	8	5	.....	.....
Puerperal septicemia	39	.....	.....	.....	.....	.....	.....	2	19	15	3	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	36	.....	.....	.....	.....	.....	.....	2	16	12	6	.....	.....	.....	.....	.....	.....
Diseases of skin	25	3	1	2	.....	.....	.....	.....	1	.....	3	5	3	4	2	1	.....
Diseases of locomotor system	9	2	.....	.....	.....	.....	.....	3	.....	.....	1	1	1	1	.....	.....	.....
Malformations	66	65	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	152	152	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	146	146	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	51	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	20	22	7	.....
Suicide	45	.....	.....	.....	.....	.....	.....	1	13	12	9	6	3	1	.....	.....	.....
Other violence	668	54	17	15	8	3	24	64	161	133	88	50	34	7	6	2	2
Ill-defined causes	145	71	13	4	1	.....	1	1	7	10	6	6	9	10	4	.....	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

PROVIDENCE, R. I.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,444	716	200	57	42	33	75	125	315	311	332	392	380	286	154	24	1
Typhoid fever	45						1	6	15	16	5		1	1			
Malarial fever	15	2	2				1	3	4		1			1	1		
Smallpox	2									1	1						
Measles	3	1	1		1												
Scarlet fever	9		3		1	3	1	1									
Whooping cough	13	6	6	1													
Diphtheria and croup	86	6	17	13	9	13	24	2	1			1					
Influenza	74	5	1					2	1	4	8	13	11	18	10	1	
Cholera nostras	5	1	1				1				1	1					
Dysentery	43	7	6		2	2	3	1	2	1		5	4	5	4		
Erysipelas	6	3								1	1	1					
Other epidemic diseases[1]																	
Septicemia	1												1				
Tuberculosis—total	468	23	29	9	4	2	7	49	128	97	56	34	22	8			
Tuberculosis of lungs	392	9	7	3	2		3	43	120	94	54	30	19	8			
Tuberculosis of larynx	3									1			2				
Tuberculous meningitis	37	7	14	6	2	1	4	1	2								
Abdominal tuberculosis	20	7	4			1		3	2			3					
Pott's disease	2										1	1					
Tuberculous abscess																	
White swelling	4		3					1									
Tuberculosis of other organs	1												1				
General tuberculosis	9		1					1	4	2	1						
Scrofula	1											1					
Venereal diseases	13	6	1					1	3		1		1				
Cancer	148								2	11	29	43	40	17	6		
Tumor	4									2	1	1					
Rheumatism	30	1		1			2	2	5	2	3	2	8	3	1		
Diabetes	38				1		2	2	2	4	11	9	5	2			
Anemia, leukemia	12	1	1		1	1		1		1	3	1	2				
Alcoholism	13									4	5	4					
Chronic poisonings																	
Other general diseases	1							1									
Encephalitis	3	1							1						1		
Meningitis	70	23	15	3	5		5	4	3	4	4	3	1				
Apoplexy	149	7							2	4	11	30	41	34	17	3	
Softening of brain	4											1	3				
Paralysis	20			1							1	3	5	8		2	
Epilepsy	8		1					1	2	1	2				1		
Convulsions	13	11						1	1								
Tetanus	2	2															
Other diseases of nervous system	42	2	1						4	5	4	6	8	7	5		
Pericarditis	6							1	1		1	1	2				
Endocarditis	29	2							3	2	6	2	10	3	1		
Heart disease	228	3	2			1		4	11	23	17	48	54	45	20		
Angina pectoris	6								2	1		3					
Embolism and thrombosis	8							1			1	3	2	1			
Other diseases of circulatory system	13	2									3	2	2	1	2	1	
Laryngitis	6	1	1	1		1	1	1									
Acute bronchitis	57	36	11	3	1		1				1	1		1	1	1	
Chronic bronchitis	45									2	2	2	12	16	9	2	
Bronchopneumonia	59	22	8	2	3		3		3	2	5	3	1	5	2		
Pneumonia	219	27	12	5	3	3	2	7	24	21	33	40	22	10	8	2	
Pleurisy	7	1								2		1	2			1	
Congestion of lungs	15	4								2	2		2	3	2		
Other diseases of respiratory system	18				2		2		3	2	3	1	4	1			
Tonsilitis	1							1									
Diseases of stomach	67	23	2	4	1		1	1	1	2	7	8	4	8	5		
Diarrhea and enteritis	343	222	61	6	5	3	1	4	4	3	5	8	9	8	4		
Hernia and intestinal obstructions	33	5					1	2	1	3	8	4	3	4	2		
Cirrhosis of liver	32									5	8	10	6	3			
Other diseases of liver	17		1	1				1	1	2	4	3	3	1			
Peritonitis	6			1				1	2			1		1			
Appendicitis	33						2	4	9	3	10	3	2				
Other diseases of digestive system	16	4	2					1	1	1		3	2	2			
Acute nephritis	20	1	1			1		1	3	3		7	3				
Bright's disease	201	1	1				1	4	15	23	31	43	46	27	9		
Calculi of urinary tract	3									1		1		1			
Uterine tumor	9									5	4						
Ovarian tumor	7								1		2	2	1		1		
Other diseases of genito-urinary system	35								3	7	3	6	6	9	1		
Puerperal septicemia	12								7	5							
Other causes incident to childbirth	23							2	10	9	2						
Diseases of skin	14	3	1							2	2	1	2	2	1		
Diseases of locomotor system	8	2		1					1			1	1	2			
Malformations	37	35	1									1					
Premature birth	76	76															
Congenital debility	71	71															
Old age	63												2	19	32	10	
Suicide	14								2	1	3	4	4				
Other violence	190	24	5	5	2	3	14	12	30	20	20	19	18	8	8	1	1
Ill-defined causes	56	43	6						1	1	1	1	2	1			

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

ROCHESTER, N. Y.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,397	288	75	34	26	23	62	88	207	246	272	276	320	282	172	23	3
Typhoid fever	29						1	3	10	11	3	1					
Malarial fever	1										1						
Smallpox																	
Measles	15	3	5	2	1	1	2			1							
Scarlet fever	4	1			1		1		1								
Whooping cough	7	3	2	1			1										
Diphtheria and croup	22	1	2	1	5	5	4	4									
Influenza	41	1	2						4	3	3	3	8	6	9	2	
Cholera nostras	1											1					
Dysentery	11	2											3	2	3	1	
Erysipelas	7	1	1	1							1	1	1	1			
Other epidemic diseases[1]																	
Septicemia	6			1					2	3							
Tuberculosis—total	278	2	1	1	1	4	5	31	64	74	47	24	19	3	2		
Tuberculosis of lungs	248	1				4	2	25	59	71	44	21	18	3			
Tuberculosis of larynx	1										1						
Tuberculous meningitis	10			1	1		3	2	3								
Abdominal tuberculosis	10	1	1					2		1	1	3			1		
Pott's disease																	
Tuberculous abscess																	
White swelling	1												1				
Tuberculosis of other organs	4							1	1		1				1		
General tuberculosis	4							1	1	2							
Scrofula	1	1															
Venereal diseases	6	2								1		1	2				
Cancer	143								4	10	29	39	32	19	10		
Tumor	5									1			2	2			
Rheumatism	22							5	2	4	2	3	4	2			
Diabetes	21						1	1		1	5	5	4	4			
Anemia, leukemia	9							1		1	1	3	3				
Alcoholism	8								2	3	2	1					
Chronic poisonings	1										1						
Other general diseases	4							1			2	1					
Encephalitis	3									1	1	1					
Meningitis	75	22	12	8	6	2	3	5	2	3	8	4					
Apoplexy	121	1				1			1	4	9	19	39	28	17	2	
Softening of brain	1												1				
Paralysis	25	1							1	1		3	5	9	4	1	
Epilepsy	6								2	1	1		1	1			
Convulsions	46	39	4	2	1												
Tetanus	4	1						1		1	1						
Other diseases of nervous system	70	1							6	16	15	15	11	6			
Pericarditis																	
Endocarditis	16							1		3	1	3	6	1	1		
Heart disease	188						2	6	9	13	23	33	47	42	13		
Angina pectoris	9									1		3	2	2	1		
Embolism and thrombosis	4											4					
Other diseases of circulatory system	17	1			1			1		2		2	6	4			
Laryngitis	1			1													
Acute bronchitis	30	19	1	1		1					1	3			4		
Chronic bronchitis	46	2						1	1		2	6	7	16	8	3	
Bronchopneumonia	37	12	5	3	1	1	1		4				3	5	1	1	
Pneumonia	173	16	14	7	5	1	3	3	14	13	24	20	18	23	10	1	1
Pleurisy	12			1		1		1	1	1	4		1	1	1		
Congestion of lungs	27						1	2	2	4	3	5	2	5	3		
Other diseases of respiratory system	13	1					1		5	2	1		1	1	1		
Tonsilitis	1						1										
Diseases of stomach	23	3								3	4	1	2	8	2		
Diarrhea and enteritis	112	66	20	2					2	2	3	2	3	8	4		
Hernia and intestinal obstructions	23	2								4	8	2	6	1			
Cirrhosis of liver	32								1	3	8	9	6	4	1		
Other diseases of liver	20						1		1	2	3	1	9	2	1		
Peritonitis	39			1			1	3	10	11	7	3	2		1		
Appendicitis	24				1		2	5	5	2	5	1	3				
Other diseases of digestive system	13	2							1	2	1	3	1	2	1		
Acute nephritis	12	1		1	1	1			2		4		2				
Bright's disease	101	3					1	3	11	13	7	30	21	11	1		
Calculi of urinary tract																	
Uterine tumor	1										1						
Ovarian tumor	2										1			1			
Other diseases of genito-urinary system	29								3	3	4	2	8	7	2		
Puerperal septicemia	12								8	3	1						
Other causes incident to childbirth	13								8	2	3						
Diseases of skin	13	1									2	2	3	2	3		
Diseases of locomotor system	1	1															
Malformations	6	4	1						1								
Premature birth	2	2															
Congenital debility	36	36															
Old age	124												8	46	58	12	
Suicide	11								4	1	3	1	1	1			
Other violence	125	4	1		2	5	30	9	13	14	13	8	11	5	8		2
Ill-defined causes	56	30	4					1		2	3	7	6	1	2		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

ST. JOSEPH, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	803	123	17	20	13	3	17	37	89	85	87	89	90	76	41	5	11
Typhoid fever	15			1			2	2	4	2	2		1	1			
Malarial fever	2							1				1					
Smallpox	7	1		1					1	2	2						
Measles	1			1													
Scarlet fever	4			1	2		1										
Whooping cough	2			1	1												
Diphtheria and croup	12		4	2	1		5										
Influenza	16		1		1			1	1	2	2	1	3	3	1		
Cholera nostras	1												1				
Dysentery	4			1									1	2			
Erysipelas	3	1							1			1					
Other epidemic diseases [1]																	
Septicemia	15							1	3	3	3	2	2	1			
Tuberculosis—total	92	1	1				1	7	25	21	12	12	5	5			2
Tuberculosis of lungs	86	1	1				1	5	25	19	11	12	5	4			2
Tuberculosis of larynx	1													1			
Tuberculous meningitis	1							1									
Abdominal tuberculosis	4							1		2	1						
Pott's disease																	
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula																	
Venereal diseases	2							1				1					
Cancer	33									2	7	9	9	6			
Tumor	1											1					
Rheumatism	4							1					1	2			
Diabetes	5									1	3				1		
Anemia, leukemia	2									1		1					
Alcoholism	2									1	1						
Chronic poisonings	1										1						
Other general diseases	1							1									
Encephalitis																	
Meningitis	28	17		2	2		1	2		1		1		1	1		
Apoplexy	37	4							4		7	8	7	3	3	1	
Softening of brain	6											2	2		1	1	
Paralysis	11										2		2	5	2		
Epilepsy	4								2			1					1
Convulsions	4	2		1						1							
Tetanus	3	1									2						
Other diseases of nervous system	15								1	4	2	3	5				
Pericarditis	1													1			
Endocarditis	3													3			
Heart disease	33	1							1	2	7	3	10	8	1		
Angina pectoris	3									1	2						
Embolism and thrombosis	2			1							1						
Other diseases of circulatory system	5								1	2	1		1				
Laryngitis																	
Acute bronchitis	3	2		1													
Chronic bronchitis	6								2				2		1		1
Bronchopneumonia	4	2		1									1				
Pneumonia	81	19	6	3	3	1	2	3	5	6	7	4	6	6	9		1
Pleurisy	1							1									
Congestion of lungs	16	2		1				2	1	3	1	1	3		1		1
Other diseases of respiratory system	6							1	1	1		1	1			1	
Tonsilitis																	
Diseases of stomach	16	1		1	1		1			4	1	2	1	2	1	1	
Diarrhea and enteritis	49	25	4	1	2	2	1		1	3	2	3	2	2	1		
Hernia and intestinal obstructions	4							1			1			2			
Cirrhosis of liver	6								1	1		2	1	1			
Other diseases of liver	5	1										2		2			
Peritonitis	8	1						3	1	1	2						
Appendicitis	3						1	1	1								
Other diseases of digestive system	1												1				
Acute nephritis	1									1							
Bright's disease	29							1	6	1	2	8	10				1
Calculi of urinary tract																	
Uterine tumor	2									1	1						
Ovarian tumor																	
Other diseases of genito-urinary system	7						1		1	1	1		1	2			
Puerperal septicemia	4								2	2							
Other causes incident to childbirth	1									1							
Diseases of skin																	
Diseases of locomotor system																	
Malformations	10	10															
Premature birth																	
Congenital debility	20	20															
Old age	18												2	6	9	1	
Suicide	5								2	2	1						
Other violence	64	6	1				1	5	15	7	9	11	2	1	2		4
Ill-defined causes	53	6						2	6	4	2	8	7	11	7		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

ST. LOUIS, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,603	1,821	429	220	141	122	309	496	1,041	1,237	1,214	1,145	1,145	855	334	61	33
Typhoid fever	196	2	2	1	1	3	13	43	54	35	24	9	7	2	.....	.....	.....
Malarial fever	46	7	4	1	1	.....	5	5	5	1	4	5	6	1	1	.....	.....
Smallpox	8	3	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....
Measles	14	5	3	2	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	62	2	8	9	11	9	18	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	35	20	2	5	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	278	13	49	53	27	30	76	28	1	.....	.....	.....	.....	1	.....	.....	.....
Influenza	89	4	2	2	.....	.....	1	.....	9	6	6	13	18	15	9	3	1
Cholera nostras	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	42	6	5	1	.....	.....	1	1	4	.....	5	7	5	5	2	.....	.....
Erysipelas	30	8	.....	.....	.....	.....	.....	.....	2	.....	4	8	3	2	3	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	53	6	.....	.....	3	1	2	1	13	4	10	7	4	2	.....	.....	.....
Tuberculosis—total	1,221	18	17	3	5	3	12	89	353	321	209	123	44	18	4	.....	2
Tuberculosis of lungs	1,130	10	9	1	1	3	9	86	335	296	198	119	39	18	4	.....	2
Tuberculosis of larynx	19	.....	.....	.....	.....	.....	.....	.....	3	13	2	1	.....	.....	.....	.....	.....
Tuberculous meningitis	26	7	8	2	4	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	30	.....	.....	.....	.....	.....	1	2	8	6	7	3	3	.....	.....	.....	.....
Pott's disease	9	.....	.....	.....	.....	.....	1	.....	2	3	2	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
General tuberculosis	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	13	3	.....	.....	.....	.....	.....	.....	3	2	2	1	2	.....	.....	.....	.....
Cancer	325	1	.....	.....	1	.....	1	3	13	30	72	81	86	32	3	1	1
Tumor	8	.....	.....	.....	1	.....	.....	2	1	1	2	.....	1	.....	.....	.....	.....
Rheumatism	54	1	.....	1	.....	.....	2	4	2	8	7	10	15	4	.....	.....	.....
Diabetes	42	.....	.....	1	.....	.....	.....	.....	2	6	10	8	10	5	.....	.....	.....
Anemia, leukemia	38	2	1	.....	2	.....	3	4	5	5	4	5	4	3	.....	.....	.....
Alcoholism	28	.....	.....	.....	.....	.....	.....	.....	.....	14	6	6	1	1	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	32	5	5	.....	.....	.....	1	3	5	4	7	.....	2	.....	.....	.....	.....
Meningitis	182	55	32	11	12	2	13	15	13	9	12	5	2	1	.....	.....	.....
Apoplexy	344	30	7	8	3	4	7	3	12	37	45	60	65	51	11	1	.....
Softening of brain	23	.....	.....	.....	.....	.....	.....	.....	1	2	2	5	6	7	.....	.....	.....
Paralysis	113	1	.....	.....	.....	1	.....	.....	6	8	14	23	38	21	1	.....	.....
Epilepsy	26	.....	.....	.....	.....	.....	.....	5	4	6	6	2	3	.....	.....	.....	.....
Convulsions	217	172	24	8	1	2	6	1	1	.....	1	1	.....	.....	.....	.....	.....
Tetanus	62	41	.....	1	.....	1	3	6	4	4	.....	2	.....	.....	.....	.....	.....
Other diseases of nervous system	102	2	1	1	.....	.....	2	5	9	19	30	16	15	2	.....	.....	.....
Pericarditis	43	.....	.....	1	.....	1	1	6	4	3	13	4	5	3	1	1	.....
Endocarditis	60	.....	.....	1	2	.....	8	9	7	9	5	8	8	2	1	.....	.....
Heart disease	529	4	2	2	1	3	11	40	37	69	78	97	98	62	21	2	2
Angina pectoris	29	2	.....	.....	.....	.....	.....	.....	.....	3	5	5	8	3	3	.....	.....
Embolism and thrombosis	29	1	1	.....	.....	.....	.....	1	.....	6	7	5	2	5	1	.....	.....
Other diseases of circulatory system	57	1	1	.....	.....	.....	1	.....	6	12	11	6	8	6	4	1	.....
Laryngitis	16	4	3	1	3	.....	2	.....	.....	.....	2	.....	.....	.....	1	.....	.....
Acute bronchitis	179	110	33	21	7	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Chronic bronchitis	198	1	.....	.....	.....	.....	9	10	20	14	23	28	50	26	15	2	.....
Bronchopneumonia	84	22	16	6	5	3	8	2	1	3	2	5	5	4	2	.....	.....
Pneumonia	932	121	71	31	24	14	19	27	79	109	109	137	105	66	17	2	1
Pleurisy	47	1	1	.....	2	.....	3	1	7	11	8	8	4	.....	1	.....	.....
Congestion of lungs	103	27	3	.....	1	.....	3	3	4	13	14	12	9	12	1	1	.....
Other diseases of respiratory system	144	2	4	1	1	1	5	4	12	9	18	26	33	24	3	.....	1
Tonsilitis	11	.....	2	3	1	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	120	12	3	2	2	2	1	2	17	19	11	21	15	9	4	.....	.....
Diarrhea and enteritis	549	275	55	19	3	10	6	16	22	24	28	29	33	22	6	1	.....
Hernia and intestinal obstructions	84	6	.....	1	.....	.....	1	6	7	13	13	10	16	9	1	1	.....
Cirrhosis of liver	112	.....	.....	.....	.....	.....	1	1	5	12	25	30	27	9	2	.....	.....
Other diseases of liver	91	1	2	.....	1	.....	1	2	6	11	25	11	23	8	.....	.....	.....
Peritonitis	96	2	.....	1	1	.....	2	12	28	18	15	9	5	2	.....	.....	1
Appendicitis	49	.....	1	1	.....	1	8	13	9	9	4	1	2	.....	.....	.....	.....
Other diseases of digestive system	72	30	10	3	.....	.....	3	2	6	2	7	4	3	2	.....	.....	.....
Acute nephritis	7	2	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	1	.....	.....	.....
Bright's disease	646	7	2	5	2	6	10	21	41	83	98	123	126	103	17	1	1
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
Uterine tumor	11	.....	.....	.....	.....	.....	.....	.....	.....	4	2	5	.....	.....	.....	.....	.....
Ovarian tumor	11	.....	.....	.....	.....	.....	.....	1	1	4	2	3	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	84	2	.....	.....	.....	.....	.....	.....	18	14	11	12	12	13	1	1	.....
Puerperal septicemia	43	.....	.....	.....	.....	.....	.....	5	24	12	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	36	.....	.....	.....	.....	.....	.....	2	12	19	3	.....	.....	.....	.....	.....	.....
Diseases of skin	36	5	.....	1	.....	1	1	.....	3	2	8	4	7	3	1	.....	.....
Diseases of locomotor system	12	1	1	.....	.....	.....	.....	1	1	1	3	1	1	1	1	.....	.....
Malformations	63	55	3	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	102	102	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	423	423	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	536	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	95	225	175	39	2
Suicide	134	.....	.....	.....	.....	.....	.....	8	40	26	23	22	10	4	.....	.....	1
Other violence	685	16	5	8	7	6	25	64	79	148	127	73	66	32	10	3	16
Ill-defined causes	444	177	47	4	4	5	4	12	16	29	29	46	31	24	11	1	4

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

ST. PAUL, MINN.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,758	398	74	33	21	17	67	78	147	166	153	141	167	158	86	9	43
Typhoid fever	23	.....	.....	1	.....	.....	2	4	5	10	.....	1	.....	.....	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	12	4	3	1	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1
Scarlet fever	17	.....	2	2	3	2	6	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	5	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	52	1	4	7	7	6	19	7	.....	.....	.....	.....	.....	.....	.....	.....	1
Influenza	20	1	.....	.....	.....	.....	.....	1	.....	1	.....	3	5	5	2	.....	2
Cholera nostras	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Dysentery	10	1	3	1	.....	1	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....
Erysipelas	5	2	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	7	1	.....	.....	.....	.....	.....	1	1	1	3	.....	.....	.....	.....	.....	.....
Tuberculosis—total	242	12	5	.....	2	.....	3	18	71	62	29	16	13	6	2	.....	3
Tuberculosis of lungs	205	5	4	.....	1	.....	2	16	64	56	24	14	11	6	.....	.....	2
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	11	5	1	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	14	1	.....	.....	.....	.....	.....	1	1	3	4	1	2	.....	.....	.....	1
Pott's disease	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....
General tuberculosis	3	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	9	7	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Cancer	79	.....	.....	.....	.....	.....	.....	1	3	6	17	20	17	10	2	.....	3
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	13	.....	.....	.....	.....	.....	.....	4	1	2	.....	1	4	.....	1	.....	.....
Diabetes	9	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	3	1	.....	.....	.....
Anemia, leukemia	13	.....	.....	.....	.....	.....	1	1	2	1	4	1	2	.....	.....	.....	1
Alcoholism	11	.....	.....	.....	.....	.....	.....	.....	2	2	4	2	1	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Encephalitis	5	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Meningitis	36	12	6	1	1	2	3	1	2	3	2	.....	1	1	.....	.....	1
Apoplexy	45	.....	.....	.....	.....	.....	.....	.....	.....	3	3	10	12	9	6	.....	2
Softening of brain	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Paralysis	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	.....	.....	.....
Epilepsy	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Convulsions	47	38	5	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Tetanus	5	2	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	17	.....	.....	.....	.....	.....	1	2	.....	3	3	3	1	3	1	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Endocarditis	7	.....	.....	.....	.....	.....	.....	2	2	.....	1	1	.....	.....	.....	.....	1
Heart disease	88	1	2	.....	.....	.....	3	2	6	5	7	14	23	23	2	.....	.....
Angina pectoris	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....
Embolism and thrombosis	6	1	.....	.....	.....	.....	.....	.....	3	.....	.....	1	1	.....	.....	.....	.....
Other diseases of circulatory system	27	2	.....	.....	.....	.....	1	.....	.....	3	3	3	5	6	4	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	26	14	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....
Chronic bronchitis	13	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	1	5	3	.....	1
Bronchopneumonia	40	14	9	4	.....	.....	1	.....	.....	.....	3	1	3	1	4	.....	.....
Pneumonia	103	25	8	5	4	.....	2	2	7	6	8	10	10	13	2	.....	1
Pleurisy	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....
Congestion of lungs	11	5	1	.....	.....	.....	.....	.....	1	.....	.....	2	2	.....	.....	.....	.....
Other diseases of respiratory system	16	.....	.....	.....	.....	1	.....	1	.....	2	3	1	5	1	1	.....	1
Tonsilitis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	39	22	1	.....	.....	.....	1	.....	.....	2	4	3	1	3	1	.....	1
Diarrhea and enteritis	103	75	10	4	.....	1	3	3	1	.....	1	.....	1	4	.....	.....	.....
Hernia and intestinal obstructions	15	3	.....	.....	.....	.....	1	.....	.....	2	1	1	3	2	.....	1	1
Cirrhosis of liver	20	.....	.....	.....	.....	.....	.....	.....	.....	3	5	5	5	1	1	.....	.....
Other diseases of liver	7	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	3	.....	.....	.....	.....
Peritonitis	10	1	.....	.....	.....	.....	1	.....	3	4	.....	.....	.....	.....	.....	.....	1
Appendicitis	27	.....	.....	.....	.....	.....	5	7	3	2	4	4	2	.....	.....	.....	.....
Other diseases of digestive system	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	2	.....	1
Acute nephritis	9	.....	1	.....	.....	1	1	.....	1	3	.....	.....	.....	1	.....	.....	1
Bright's disease	80	2	.....	.....	.....	.....	.....	1	4	10	13	12	19	13	4	1	1
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Other diseases of genito-urinary system	18	1	.....	.....	.....	.....	.....	3	2	.....	2	3	3	3	1	.....	.....
Puerperal septicemia	6	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	1
Other causes incident to childbirth	5	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....
Diseases of skin	16	3	.....	.....	.....	1	.....	.....	.....	1	1	1	2	2	4	1	.....
Diseases of locomotor system	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Malformations	12	9	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	40	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	49	49	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	69	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	26	31	6	1
Suicide	24	.....	.....	.....	.....	.....	.....	2	4	6	5	2	1	1	.....	.....	3
Other violence	98	12	2	2	.....	1	5	9	14	12	12	6	2	7	4	.....	10
Ill-defined causes	53	31	3	2	1	.....	1	1	1	.....	.....	.....	4	5	2	.....	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

SAN FRANCISCO, CAL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,152	855	163	111	71	59	157	236	805	875	881	931	946	757	248	27	30
Typhoid fever	87	.....	.....	2	2	.....	4	13	33	19	8	3	1	1	.....	.....	1
Malarial fever	5	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	49	12	15	5	4	1	4	1	4	2	1	.....	.....	.....	.....	.....	.....
Scarlet fever	13	.....	1	2	.....	1	6	1	1	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	48	22	15	4	2	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	130	5	7	18	14	10	51	13	6	4	1	.....	.....	1	.....	.....	.....
Influenza	56	7	.....	2	.....	.....	2	1	3	6	3	4	15	9	3	1	.....
Cholera nostras	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	59	1	.....	.....	1	.....	.....	.....	34	14	2	1	3	1	2	.....	.....
Erysipelas	22	4	.....	.....	.....	.....	.....	.....	1	5	4	2	3	3	.....	.....	.....
Other epidemic diseases[1]	26	.....	.....	.....	.....	.....	.....	2	4	4	8	6	1	.....	.....	.....	1
Septicemia	19	1	.....	1	.....	.....	1	1	3	2	4	3	2	1	.....	.....	.....
Tuberculosis—total	1,161	36	20	21	17	14	13	52	283	270	208	143	59	21	1	1	2
Tuberculosis of lungs	1,016	12	5	8	3	3	3	44	264	255	202	136	57	20	1	1	2
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	79	20	14	8	12	7	5	5	3	4	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	35	4	1	2	2	2	3	1	6	6	1	4	2	1	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	2	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
General tuberculosis	17	.....	.....	.....	.....	2	1	2	6	1	4	1	.....	.....	.....	.....	.....
Scrofula	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	35	17	1	1	.....	.....	.....	.....	1	2	6	2	5	.....	.....	.....	.....
Cancer	400	.....	.....	1	.....	1	1	.....	11	36	63	115	99	62	11	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	68	.....	.....	.....	.....	1	3	10	7	7	7	9	8	12	3	1	.....
Diabetes	63	.....	.....	.....	.....	.....	.....	2	5	3	9	14	18	10	2	.....	.....
Anemia, leukemia	18	.....	1	.....	.....	1	1	.....	7	3	1	3	.....	1	.....	.....	.....
Alcoholism	91	.....	.....	.....	.....	.....	.....	.....	8	31	23	14	10	5	.....	.....	.....
Chronic poisonings	9	.....	.....	.....	.....	.....	.....	.....	3	4	1	1	.....	.....	.....	.....	.....
Other general diseases	7	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	.....	1	.....	.....	.....
Encephalitis	8	1	.....	.....	1	1	2	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Meningitis	127	38	12	9	7	5	12	7	10	10	7	5	3	2	.....	.....	.....
Apoplexy	204	5	1	1	1	.....	1	1	2	15	11	35	61	55	12	2	1
Softening of brain	58	.....	.....	.....	.....	.....	.....	.....	1	3	3	13	19	15	4	.....	.....
Paralysis	12	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	4	2	1	.....	.....
Epilepsy	19	.....	.....	.....	1	.....	.....	.....	6	2	4	3	2	1	.....	.....	.....
Convulsions	52	46	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	7	4	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	99	4	1	.....	1	.....	4	6	9	9	8	13	27	12	4	1	.....
Pericarditis	24	.....	.....	.....	.....	.....	.....	2	3	2	7	4	3	3	.....	.....	.....
Endocarditis	68	1	1	.....	.....	.....	1	6	6	7	9	11	16	8	2	.....	.....
Heart disease	653	5	1	1	.....	.....	3	15	36	56	85	123	156	128	39	4	1
Angina pectoris	33	.....	.....	.....	.....	.....	.....	.....	.....	5	4	6	7	10	1	.....	.....
Embolism and thrombosis	21	.....	.....	.....	.....	.....	.....	.....	5	4	2	1	4	4	1	.....	.....
Other diseases of circulatory system	110	.....	.....	.....	.....	.....	.....	.....	3	4	10	20	39	25	9	.....	.....
Laryngitis	9	.....	4	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	80	31	12	7	2	.....	2	.....	1	1	.....	4	8	6	6	.....	.....
Chronic bronchitis	95	2	.....	.....	.....	1	1	.....	.....	.....	5	11	28	35	12	.....	.....
Bronchopneumonia	200	63	18	9	6	1	4	1	9	10	10	16	22	27	3	1	.....
Pneumonia	417	22	12	8	3	4	5	9	47	69	60	64	66	31	15	.....	2
Pleurisy	37	.....	.....	1	.....	1	1	1	1	5	5	8	7	6	1	.....	.....
Congestion of lungs	32	4	.....	.....	.....	.....	.....	2	3	3	3	5	6	5	.....	1	.....
Other diseases of respiratory system	36	.....	.....	.....	1	.....	1	.....	3	2	2	10	9	6	2	.....	.....
Tonsilitis	6	1	1	.....	.....	1	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....
Diseases of stomach	81	13	2	2	.....	1	1	1	4	6	14	9	11	15	2	.....	.....
Diarrhea and enteritis	286	183	26	5	2	4	5	3	9	9	10	7	7	12	2	1	1
Hernia and intestinal obstructions	60	2	.....	1	.....	1	.....	3	3	7	9	12	8	13	1	.....	.....
Cirrhosis of liver	185	.....	.....	.....	.....	.....	.....	.....	10	27	47	42	33	17	4	.....	5
Other diseases of liver	47	1	1	.....	.....	.....	.....	1	5	7	15	12	3	2	.....	.....	.....
Peritonitis	19	2	1	.....	.....	1	1	.....	2	3	1	5	2	1	.....	.....	.....
Appendicitis	83	.....	.....	1	.....	.....	5	16	24	12	17	4	3	1	.....	.....	.....
Other diseases of digestive system	13	5	.....	.....	.....	.....	.....	1	2	.....	.....	1	3	1	.....	.....	.....
Acute nephritis	50	4	1	2	.....	.....	3	4	12	6	6	3	7	2	.....	.....	.....
Bright's disease	296	1	.....	.....	.....	.....	.....	6	28	23	55	53	66	48	15	1	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	15	.....	.....	.....	.....	.....	.....	.....	1	6	6	1	.....	1	.....	.....	.....
Ovarian tumor	13	.....	.....	.....	.....	.....	.....	.....	2	4	4	1	2	.....	.....	.....	.....
Other diseases of genito-urinary system	94	.....	.....	.....	.....	.....	1	4	11	16	11	12	16	15	8	.....	.....
Puerperal septicemia	18	.....	.....	.....	.....	.....	.....	1	11	5	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	44	.....	.....	.....	.....	.....	.....	3	20	20	1	.....	.....	.....	.....	.....	.....
Diseases of skin	32	.....	.....	.....	.....	.....	.....	.....	3	5	2	4	5	7	3	2	1
Diseases of locomotor system	16	1	1	.....	2	1	.....	.....	1	1	5	.....	3	1	.....	.....	.....
Malformations	45	43	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	115	115	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	109	109	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	164	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14	74	67	9	.....
Suicide	158	.....	.....	.....	.....	.....	.....	6	28	39	30	32	11	7	.....	.....	5
Other violence	358	12	2	2	3	4	12	36	63	47	59	48	36	18	6	.....	10
Ill-defined causes	73	31	1	2	.....	.....	.....	.....	1	5	2	6	5	12	6	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

SCRANTON, PA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,704	373	103	42	30	18	57	87	146	146	142	176	161	97	40	3	83
Typhoid fever	36							6	10	10	2	3	1	1			3
Malarial fever	1									1							
Smallpox																	
Measles	9	3	3	1			2										
Scarlet fever	8			1	2	1	3	1									
Whooping cough	15	9	5		1												
Diphtheria and croup	43	4	8	7	6	4	7	4	1								2
Influenza	36	3							2	4		10	9	5	1		2
Cholera nostras	2											1		1			
Dysentery	15	3	1				1		1	1		1		1	3		3
Erysipelas	3										1		1	1			
Other epidemic diseases [1]																	
Septicemia	14	2					1		5	3		2	1				
Tuberculosis—total	107	4	2				4	10	28	23	13	11	4	1			7
Tuberculosis of lungs	96	2					1	10	27	23	12	9	4	1			7
Tuberculosis of larynx	1								1								
Tuberculous meningitis	3		2				1										
Abdominal tuberculosis	4	2					1					1					
Pott's disease	1											1					
Tuberculous abscess	1						1										
White swelling																	
Tuberculosis of other organs	1										1						
General tuberculosis																	
Scrofula	2			1	1												
Venereal diseases	1	1															
Cancer	45								1	2	13	18	8				3
Tumor	1											1					
Rheumatism	6	1						2	1				1	1			
Diabetes	9								1	2	1	1	2	2			
Anemia, leukemia	6	1					1			1				2			1
Alcoholism	3										2		1				
Chronic poisonings	2									1			1				
Other general diseases	3								1	2							
Encephalitis	9	1	2	1	2		1				1				1		
Meningitis	50	10	10	3	2	1	4	4	4	4	2	3					3
Apoplexy	55	1	1				1		1	1	8	11	20	10	1		
Softening of brain	2													2			
Paralysis	22							1	1	2	2	5	4	5	1		1
Epilepsy	4								2		1	1					
Convulsions	103	78	12	4	1	2	3										3
Tetanus	3	2							1								
Other diseases of nervous system	11	1	1		1	1					2	2	2		1		
Pericarditis	5							1		1	2		1				
Endocarditis	14							2	2	2	2	4	1				1
Heart disease	74						1	8	5	6	9	15	18	7	2	1	2
Angina pectoris	5									1		1		3			
Embolism and thrombosis	5								1		2	1	1				
Other diseases of circulatory system	8	2							1	1		1	1		1		1
Laryngitis	1														1		
Acute bronchitis	62	42	10	2	1		1		1			2	1				2
Chronic bronchitis	9							2				1	4	1			1
Bronchopneumonia	22	10	3	2	1	2	1		1					2			
Pneumonia	206	30	17	8	2	1	6	11	15	16	23	26	24	14	5		8
Pleurisy	16				1		1	3	4	1	1	2	2	1			
Congestion of lungs	20	4		1		1				2	1	1	3	2	3		2
Other diseases of respiratory system	23			5					2	2	2	7	4				1
Tonsilitis	1					1											
Diseases of stomach	24	1					1		4	2	3	2	6	2	2		1
Diarrhea and enteritis	95	55	19		2	1	1				4	4	2	1	3		3
Hernia and intestinal obstructions	12	4	1				1			1	1	1	2				1
Cirrhosis of liver	13										5	4	2	1			1
Other diseases of liver	9	2								1	2	2	1				1
Peritonitis	29	3		2			2	6	5	3	3	1	1				3
Appendicitis	9						3	2	2					1			1
Other diseases of digestive system	4				1							1					2
Acute nephritis	6						1	1	2	2							
Bright's disease	52	2								7	7	10	14	10			2
Calculi of urinary tract																	
Uterine tumor	4									1	1	1					1
Ovarian tumor	1								1								
Other diseases of genito-urinary system	11							1	2			5	2	1			
Puerperal septicemia	3									2							1
Other causes incident to childbirth	2								1	1							
Diseases of skin	10	4											3	3			
Diseases of locomotor system	6	6															
Malformations	9	8									1						
Premature birth	2	2															
Congenital debility	47	47															
Old age	24												2	10	9	2	1
Suicide	4								1	2	1						
Other violence	179	4	4	1	5	3	9	22	34	33	24	11	7	5	1		16
Ill-defined causes	52	23	4	3	1		1		2	2		3	4	1	5		3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

SYRACUSE, N. Y.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,554	243	41	28	13	12	42	85	113	155	159	166	213	169	95	18	2
Typhoid fever	21				1	1		5	4	5	4	1					
Malarial fever	2	2															
Smallpox																	
Measles	1	1															
Scarlet fever	5					1	2	2									
Whooping cough	8	4	2	2													
Diphtheria and croup	28		4	6	2	2	12	1	1								
Influenza	33	1		1	1					3	1	3	4	9	9	1	
Cholera nostras																	
Dysentery	4												1	2	1		
Erysipelas	6	2						1			1	2					
Other epidemic diseases [1]																	
Septicemia	9						1	1	3	1		2	1				
Tuberculosis—total	192	5	3	3	1		1	24	49	49	24	16	13	3		1	
Tuberculosis of lungs	175	5	2	2			1	21	46	43	24	15	13	2		1	
Tuberculosis of larynx	1									1							
Tuberculous meningitis	2								1	1							
Abdominal tuberculosis	11		1	1	1			1	2	3		1		1			
Pott's disease	1									1							
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis	2							2									
Scrofula																	
Venereal diseases	3	3															
Cancer	77								1	5	16	18	31	4	2		
Tumor	2								1	1							
Rheumatism	14							2		1		3	5	3			
Diabetes	9							1			1	2	3	2			
Anemia, leukemia	9									1	2	1	3	2			
Alcoholism	5									2	2		1				
Chronic poisonings	1										1						
Other general diseases	7	2					1					2	1	1			
Encephalitis	3							1	1				1				
Meningitis	35	9	2	4	2	3	2	3	3	2	3			1	1		
Apoplexy	90	1	3					2	3	3	6	16	19	23	14		
Softening of brain	1												1				
Paralysis	22			1				1		1	1	4	5	5	3	1	
Epilepsy	3							1		1					1		
Convulsions	20	17	1		1		1										
Tetanus	2	2															
Other diseases of nervous system	23	2		1			2	1	3	2	4	5	2			1	
Pericarditis	3							2				1					
Endocarditis	21	1					2	3	2	1		3	4	5			
Heart disease	148		1	1				8	4	14	22	22	38	26	12		
Angina pectoris	18									1	3	5	6	2	1		
Embolism and thrombosis	6	1								2	1			2			
Other diseases of circulatory system	14	1						1	1	2	1	2	2	2	2		
Laryngitis	1						1										
Acute bronchitis	13	9	1				1						2				
Chronic bronchitis	24	1								1	1	1	6	7	6	1	
Bronchopneumonia	24	8	4	1		1	3						2	5			
Pneumonia	84	6	5	1		1	2	6	6	11	12	11	9	7	5	1	1
Pleurisy	5									1	2	1		1			
Congestion of lungs	13	4				1				2	1	1	3	1			
Other diseases of respiratory system	17	2	1						3	1	1	2	3		4		
Tonsilitis	2	1				1											
Diseases of stomach	26	2						1		2	7	4	5	1	4		
Diarrhea and enteritis	86	55	12	2	1		1	2	1		2	1	4	4	1		
Hernia and intestinal obstructions	21	3		1	2		1	1		3	2	2	3	2		1	
Cirrhosis of liver	9								1	2	1	2	1	2			
Other diseases of liver	11						1		1	1	2	1	1	4			
Peritonitis	14						1	1	2	2	5		3				
Appendicitis	3							3									
Other diseases of digestive system	3							1		1		1					
Acute nephritis	8			1			1			3	1	2					
Bright's disease	68			1				2	3	9	10	12	14	10	7		
Calculi of urinary tract																	
Uterine tumor	1										1						
Ovarian tumor																	
Other diseases of genito-urinary system	24	1						1	2	1	3	4	2	6	2	2	
Puerperal septicemia	5								3	2							
Other causes incident to childbirth	10								6	3	1						
Diseases of skin	10	1					1	1				2		3	1	1	
Diseases of locomotor system	2										1				1		
Malformations	8	8															
Premature birth	29	29															
Congenital debility	32	32															
Old age	41												2	17	15	7	
Suicide	9								1	1	1	2	4				
Other violence	81	10	1	1	2	1	5	6	8	10	12	7	8	6	2	1	1
Ill-defined causes	25	17	1	1						2		2		1	1		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

TOLEDO, OHIO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,916	323	79	35	28	16	72	97	183	171	221	189	187	206	84	19	6
Typhoid fever	44	1	1	.....	1	.....	2	8	10	9	7	1	3	1	.....	.....	.....
Malarial fever	4	.....	1	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	7	.....	4	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	11	1	1	3	.....	.....	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	15	9	3	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	66	2	11	7	8	4	22	11	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	39	7	3	1	.....	1	1	3	.....	1	3	5	5	7	2	.....	.....
Cholera nostras	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
Dysentery	6	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	1	2	.....	.....	.....
Erysipelas	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	17	3	.....	.....	1	.....	.....	1	3	2	5	.....	1	1	.....	.....	.....
Tuberculosis—total	192	4	3	1	.....	1	3	21	55	40	33	14	10	5	.....	.....	2
Tuberculosis of lungs	176	.....	3	1	.....	.....	2	21	53	39	32	11	8	5	.....	.....	1
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	8	3	.....	.....	.....	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	1
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	6	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	81	.....	.....	1	.....	.....	1	.....	3	5	17	24	17	8	4	1	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....
Rheumatism	12	.....	1	.....	.....	.....	.....	.....	1	1	1	1	1	5	1	.....	.....
Diabetes	15	.....	.....	.....	.....	.....	.....	.....	1	2	1	6	4	1	.....	.....	.....
Anemia, leukemia	3	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Alcoholism	10	.....	.....	.....	.....	.....	.....	.....	.....	4	2	2	1	1	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	3	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	5	1	1	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Meningitis	40	13	8	3	1	3	3	.....	2	3	1	1	2	.....	.....	.....	.....
Apoplexy	69	3	1	.....	.....	.....	1	.....	2	9	13	9	13	13	4	.....	1
Softening of brain	8	.....	.....	.....	.....	.....	1	.....	.....	1	3	.....	1	2	.....	.....	.....
Paralysis	16	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	4	4	1	.....	.....
Epilepsy	8	.....	.....	.....	.....	.....	.....	.....	1	1	4	1	1	.....	.....	.....	.....
Convulsions	44	39	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	83	1	2	.....	.....	.....	1	.....	5	13	29	12	12	7	1	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....
Heart disease	136	2	.....	.....	2	.....	1	5	8	4	22	21	37	29	4	1	.....
Angina pectoris	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....
Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Other diseases of circulatory system	11	3	.....	.....	.....	.....	.....	1	.....	.....	1	4	.....	2	.....	.....	.....
Laryngitis	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Acute bronchitis	19	10	3	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Chronic bronchitis	25	1	1	.....	.....	.....	.....	.....	.....	1	2	4	2	7	5	2	.....
Bronchopneumonia	27	9	4	2	1	.....	1	.....	.....	2	1	1	.....	1	4	1	.....
Pneumonia	107	21	5	3	3	.....	5	3	6	7	12	8	13	13	6	.....	2
Pleurisy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Congestion of lungs	14	4	1	.....	1	2	1	1	1	.....	1	.....	.....	1	1	.....	.....
Other diseases of respiratory system	17	2	.....	.....	.....	.....	1	.....	2	2	2	1	.....	5	2	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	31	1	.....	1	.....	1	.....	1	1	3	3	5	10	4	1	.....	.....
Diarrhea and enteritis	136	94	15	4	1	.....	2	4	1	3	1	4	.....	5	1	1	.....
Hernia and intestinal obstructions	13	4	.....	.....	.....	.....	.....	1	2	1	.....	1	2	2	.....	.....	.....
Cirrhosis of liver	16	.....	.....	.....	.....	.....	.....	.....	2	1	5	2	4	1	1	.....	.....
Other diseases of liver	21	.....	.....	.....	.....	.....	.....	.....	1	6	2	6	3	2	1	.....	.....
Peritonitis	22	1	.....	.....	1	.....	.....	8	7	1	1	2	.....	.....	.....	1	.....
Appendicitis	13	.....	.....	.....	.....	.....	.....	2	7	2	2	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	11	3	.....	.....	.....	.....	.....	2	.....	.....	1	3	.....	2	.....	.....	.....
Acute nephritis	9	.....	.....	2	.....	.....	.....	.....	.....	3	1	.....	.....	3	.....	.....	.....
Bright's disease	66	.....	1	.....	.....	.....	1	1	8	5	7	12	10	17	3	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	25	.....	.....	.....	.....	.....	.....	.....	8	7	.....	3	2	3	2	.....	.....
Puerperal septicemia	5	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	12	.....	.....	.....	.....	.....	.....	1	5	5	1	.....	.....	.....	.....	.....	.....
Diseases of skin	10	2	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	3	1	.....	.....
Diseases of locomotor system	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	6	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	39	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	72	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	28	24	10	.....
Suicide	14	.....	.....	.....	.....	.....	.....	1	5	.....	5	2	.....	1	.....	.....	.....
Other violence	137	7	1	1	4	3	13	16	21	15	19	18	6	7	5	.....	1
Ill-defined causes	59	18	3	.....	.....	.....	.....	.....	3	3	3	7	6	7	7	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1901—Continued.

[For city of Washington, see table for District of Columbia (page 250), with which it is coextensive for census purposes.]

WORCESTER, MASS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,055	416	83	35	19	14	40	76	157	192	196	216	234	245	107	21	4
Typhoid fever	26							2	7	11	4	1	1				
Malarial fever	8		1		1					3	1	1		1			
Smallpox	4								1	1	1	1					
Measles	3	1									2						
Scarlet fever	13	1	4	2		2	2	1	1								
Whooping cough	16	8	4	3			1										
Diphtheria and croup	18	2	2	1	4	2	4	1	1			1					
Influenza	34	1		1				2	1	3	1	2	7	7	5	4	
Cholera nostras	3	2											1				
Dysentery	14	2	2							1	1	3	4		1		
Erysipelas	8	1			1					3	1			2			
Other epidemic diseases[1]																	
Septicemia	8	1							1	2	3	1					
Tuberculosis—total	267	9	6	5	4	3	10	20	60	68	34	20	13	6			
Tuberculosis of lungs	231	4	2	2	2	1	3	17	68	62	32	20	12	6			
Tuberculosis of larynx	1							1									
Tuberculous meningitis	21	5	4	3	1	2	3	1	1		1						
Abdominal tuberculosis	3							1		2							
Pott's disease	4				1		2						1				
Tuberculous abscess																	
White swelling	1						1										
Tuberculosis of other organs																	
General tuberculosis	6						1			4	1						
Scrofula	1		1														
Venereal diseases																	
Cancer	77									5	9	23	22	17	1		
Tumor	2									1	1						
Rheumatism	13					1	1	2	2	1	1	3		1	1		
Diabetes	13							3	2			2	3	3			
Anemia, leukemia	9		1						2	1	1	1	1	2			
Alcoholism	8									4	2	2					
Chronic poisonings	1									1							
Other general diseases	1												1				
Encephalitis	1							1									
Meningitis	42	29	14	2	1	2		1					1	1			
Apoplexy	106	1								3	9	23	25	35	9	1	
Softening of brain	2											1	1				
Paralysis	19										2	3	4	6	3	1	
Epilepsy	12							4	1			3	4				
Convulsions	26	17	3	3		2	1										
Tetanus																	
Other diseases of nervous system	53			1				1	3	4	18	10	5	6	3	1	1
Pericarditis																	
Endocarditis	7							1		1	1	3		1			
Heart disease	166	2	1				1	5	9	13	14	28	39	39	15		
Angina pectoris	4										1		2	1			
Embolism and thrombosis	4	1							1				1	1			
Other diseases of circulatory system	17	1							1		2	1	3	5	3		1
Laryngitis																	
Acute bronchitis	25	20	3										2				
Chronic bronchitis	18							1	1	3		2	2	6	3		
Bronchopneumonia	61	17	6	3	3					2	5	4	7	8	4	2	
Pneumonia	170	19	7	4	1		3	3	13	17	20	19	28	28	7	1	
Pleurisy	6										3		1	2			
Congestion of lungs	15									3	1	1	2	3	4		1
Other diseases of respiratory system	8						1		1		2	1	2		1		
Tonsilitis																	
Diseases of stomach	20	3	2			1				1	3	2	4	2	1	1	
Diarrhea and enteritis	144	99	21	3			2		3		2	2	4	6	1	1	
Hernia and intestinal obstructions	20	1			1			2		2	2	4	5	2		1	
Cirrhosis of liver	11									1	3	4	2	1			
Other diseases of liver	7									2	1	1	1	1	1		
Peritonitis	16		1	1		1	1	3	2		2	2	1	1	1		
Appendicitis	20							9	2	2	5	1	1				
Other diseases of digestive system	3	1		1								1					
Acute nephritis	12							3	2	1	2	2		2			
Bright's disease	78	1		1			2	1	6	14	9	14	12	15	3		
Calculi of urinary tract	2											1	1				
Uterine tumor	1									1							
Ovarian tumor	1												1				
Other diseases of genito-urinary system	16							1	2	2		3	5	3			
Puerperal septicemia	5								3	1	1						
Other causes incident to childbirth	10							2	4	4							
Diseases of skin	12	1					1			1	2	1	1	3	2		
Diseases of locomotor system	2								1	1							
Malformations	10	9					1										
Premature birth	78	78															
Congenital debility	61	61															
Old age	58												2	16	34	6	
Suicide	13									3	1	3	2	2			
Other violence	110	19	2	2	3		8	7	12	7	20	13	6	7	3	1	
Ill-defined causes	36	17	2	2			1				1	1	6	3	1	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1901.

THE REGISTRATION AREA.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	518,207	49,141	45,248	48,263	43,483	40,384	38,398	47,964	44,112	41,296	39,262	38,314	42,056	86
Under 5	141,678	11,274	10,790	12,156	10,777	9,792	10,326	16,782	16,677	14,107	10,565	8,728	9,695	9
5 to 14	22,348	2,018	1,802	1,969	1,957	1,889	1,877	1,943	1,716	1,647	1,808	1,803	1,917	2
15 to 44	132,455	12,556	11,200	12,348	11,585	11,141	10,302	11,414	10,251	9,928	10,453	10,301	10,963	13
45 to 64	101,405	10,068	9,199	9,632	8,920	8,280	7,536	8,541	7,315	7,177	7,677	8,131	8,912	17
65 and over	118,069	13,040	12,065	11,952	10,043	9,307	8,192	9,029	7,972	8,282	8,608	9,180	10,381	18
Typhoid fever	10,127	875	589	589	616	582	533	750	1,128	1,283	1,385	964	833	.....
Under 15	1,705	154	108	97	123	108	92	125	193	176	225	169	135	.....
15 to 44	6,832	601	377	394	394	387	356	498	790	907	939	645	564	.....
45 to 64	1,200	86	79	72	74	63	64	100	113	154	172	121	102	.....
65 and over	338	32	22	24	21	22	17	23	30	42	46	29	30	.....
Malarial fever	1,980	91	60	80	105	132	169	244	261	315	258	159	106	.....
Under 5	443	24	9	13	25	31	47	55	57	74	60	34	14	.....
5 to 14	225	7	5	9	13	13	24	27	25	44	28	16	14	.....
15 to 44	622	33	22	28	38	49	45	77	74	85	77	56	38	.....
45 to 64	373	18	14	16	17	15	34	45	59	57	49	32	17	.....
65 and over	305	8	10	12	12	22	19	39	45	53	43	20	22	.....
Measles	2,287	155	212	244	289	322	307	195	86	35	56	117	269	.....
Under 5	1,767	102	145	157	208	250	260	170	79	32	45	94	225	.....
5 and over	518	53	65	87	81	72	47	25	7	3	11	23	44	.....
Scarlet fever	4,113	396	400	502	509	477	352	267	175	146	206	302	381	.....
Under 5	2,389	249	247	301	306	264	203	165	101	77	124	154	198	.....
5 and over	1,718	147	152	200	203	213	149	102	73	69	82	147	181	.....
Whooping cough	3,051	245	247	294	323	283	258	291	361	282	172	143	152	.....
Under 5	2,907	221	234	280	314	269	246	280	346	271	166	139	141	.....
5 and over	142	23	13	14	9	14	12	11	14	11	6	4	11	.....
Diphtheria and croup	10,667	1,382	949	910	796	749	705	463	542	740	1,063	1,203	1,165	.....
Under 5	6,556	891	642	621	543	463	434	268	319	416	571	715	673	.....
5 to 14	3,536	418	266	227	214	234	228	173	193	291	440	432	420	.....
15 and over	551	68	41	60	39	52	42	22	29	32	49	52	65	.....
Influenza	10,093	2,744	2,960	2,017	892	413	173	87	51	79	109	184	384	.....
Under 5	1,046	290	319	225	85	32	5	10	6	8	14	9	43	.....
5 to 14	190	49	49	43	18	12	4	5	2	1	2	.....	5	.....
15 to 44	1,533	419	428	291	150	62	36	12	11	15	16	28	65	.....
45 to 64	2,142	569	584	467	170	108	31	19	9	17	20	59	89	.....
65 and over	5,143	1,408	1,572	982	461	199	96	41	23	38	57	85	181	.....
All other epidemic diseases [1]	6,514	306	337	410	392	364	429	816	1,158	975	527	355	445	.....
Under 5	1,991	79	89	112	103	104	128	284	401	292	188	86	125	.....
5 to 14	264	5	5	12	8	15	24	50	43	45	23	15	19	.....
15 to 44	1,425	83	88	110	126	103	109	153	157	132	106	103	155	.....
45 to 64	1,158	72	74	83	85	77	81	142	186	157	74	59	68	.....
65 and over	1,645	63	80	93	68	63	84	184	366	344	134	90	76	.....
Tuberculosis of lungs	54,735	5,177	4,670	5,397	5,046	5,014	4,335	4,318	4,127	3,979	4,238	4,218	4,212	4
Under 5	1,765	136	127	200	158	191	156	162	138	142	135	112	108	.....
5 to 14	1,340	110	106	129	151	143	121	121	94	88	88	99	90	.....
15 to 44	38,136	3,623	3,239	3,674	3,495	3,453	3,017	3,032	2,964	2,798	2,939	2,937	2,963	2
45 to 64	10,115	988	888	1,050	941	906	773	759	713	716	801	790	789	1
65 and over	3,207	304	301	324	279	306	251	233	207	223	260	268	250	1
Other forms of tuberculosis	6,864	535	538	663	648	665	617	602	607	545	494	443	507	.....
Under 5	2,453	178	194	252	253	234	208	221	208	210	170	152	173	.....
5 to 14	796	52	64	87	85	80	74	70	72	52	48	60	52	.....
15 to 44	2,482	189	193	241	218	249	239	219	228	171	177	157	201	.....
45 to 64	827	84	64	62	67	75	69	70	77	81	64	55	59	.....
65 and over	298	30	23	20	25	26	27	22	22	29	34	19	21	.....
Cancer	20,171	1,684	1,454	1,584	1,596	1,770	1,732	1,824	1,715	1,683	1,733	1,653	1,742	1
Under 15	180	14	11	17	12	16	13	17	20	9	20	10	21	.....
15 to 44	3,661	299	267	284	292	325	341	329	325	295	312	287	305	.....
45 to 64	9,637	793	704	753	793	823	811	887	831	778	831	784	848	1
65 and over	6,622	575	471	528	491	599	558	582	532	595	567	565	559	.....
Meningitis	10,430	839	811	1,036	951	936	853	1,084	975	872	695	658	720	.....
Under 5	6,842	517	513	642	605	590	558	760	696	624	455	415	467	.....
5 to 14	1,205	99	109	138	120	118	114	110	91	77	70	82	77	.....
15 to 44	1,545	148	117	169	154	155	120	142	115	111	111	104	99	.....
45 to 64	547	41	42	58	43	50	41	56	46	40	45	33	52	.....
65 and over	261	30	27	27	26	22	18	15	20	20	12	21	23	.....
Apoplexy and paralysis	28,610	2,669	2,531	2,698	2,538	2,376	2,271	2,344	2,074	2,060	2,170	2,265	2,612	2
Under 15	1,465	126	106	135	121	123	154	197	115	102	95	94	97	.....
15 to 44	2,794	256	214	245	234	238	235	220	239	205	241	217	250	.....
45 to 64	9,120	832	800	845	843	766	723	711	680	637	708	750	825	.....
65 and over	15,111	1,443	1,403	1,460	1,334	1,235	1,151	1,204	1,032	1,107	1,117	1,196	1,427	2
Other diseases of nervous system	21,391	1,866	1,736	2,032	1,919	1,742	1,869	2,188	1,626	1,636	1,551	1,529	1,694	3
Under 5	9,888	853	826	1,003	885	779	882	1,050	826	712	678	640	754	.....
5 to 14	793	63	69	66	73	68	74	85	58	46	61	70	60	.....
15 to 44	3,781	320	264	338	353	325	353	385	258	312	287	290	296	.....
45 to 64	3,497	299	280	312	312	308	282	343	245	301	259	269	285	2
65 and over	3,353	326	291	304	285	258	272	318	234	263	256	253	292	1

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1901—Continued.

THE REGISTRATION AREA—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	35,586	3,496	3,285	3,336	3,159	2,905	2,768	2,531	2,535	2,546	2,760	3,005	3,256	4
Under 5	923	83	97	94	85	79	69	68	74	62	58	68	86	.....
5 to 14	925	75	88	90	100	81	90	88	78	64	47	58	66	.....
15 to 44	6,707	607	582	579	587	571	549	493	497	557	535	550	599	1
45 to 64	11,716	1,203	1,098	1,041	1,051	863	943	866	837	815	928	1,004	1,066	1
65 and over	15,168	1,513	1,413	1,524	1,319	1,293	1,104	1,007	1,039	1,037	1,184	1,313	1,420	2
Other diseases of circulatory system	10,664	922	911	995	962	940	857	782	752	812	863	872	993	3
Under 5	583	54	55	66	56	35	46	42	47	45	50	42	44	1
5 to 14	436	44	38	40	49	48	41	38	34	16	29	25	34	.....
15 to 44	2,585	188	226	249	249	227	237	194	166	202	214	199	233	1
45 to 64	3,112	252	264	290	272	304	245	222	228	234	230	258	313	.....
65 and over	3,916	380	326	345	332	324	286	285	273	312	340	347	365	1
Bronchitis, acute and chronic	12,465	1,738	1,540	1,677	1,332	981	671	427	466	578	814	1,009	1,230	2
Under 5	6,102	872	807	955	664	456	304	196	193	262	348	442	603	.....
5 to 14	240	23	24	26	28	17	13	11	8	8	17	28	36	1
15 to 44	802	89	65	76	64	82	49	37	55	63	62	85	75	.....
45 to 64	1,448	189	164	162	166	114	69	61	64	84	107	128	140	.....
65 and over	3,843	562	477	452	403	310	234	121	145	160	278	324	376	1
Bronchopneumonia	8,894	1,188	1,085	1,192	978	734	491	378	327	422	554	708	837	.....
Under 5	5,743	672	663	780	682	497	356	277	239	286	355	415	521	.....
5 to 14	327	40	34	53	40	28	20	14	17	14	15	25	27	.....
15 to 44	613	81	79	71	56	44	32	31	20	38	36	58	67	.....
45 to 64	769	134	94	87	70	76	25	21	22	27	39	78	76	.....
65 and over	1,431	261	212	197	130	89	58	34	29	55	88	132	146	.....
Pneumonia	41,715	6,382	5,788	6,171	4,570	3,344	1,973	1,075	1,035	1,264	2,134	3,318	4,656	5
Under 5	11,752	1,527	1,544	1,766	1,329	985	653	410	408	447	594	822	1,236	1
5 to 14	1,620	201	211	229	189	144	92	43	40	48	93	133	197	.....
15 to 44	10,550	1,096	1,403	1,581	1,117	907	472	286	268	339	518	858	1,104	1
45 to 64	8,793	1,406	1,266	1,284	950	670	386	175	162	189	456	744	1,104	1
65 and over	8,871	1,536	1,339	1,291	940	630	367	158	152	240	465	753	998	2
Other diseases of respiratory system	9,006	1,034	850	951	902	728	612	581	531	540	660	759	857	1
Under 5	1,912	244	223	235	189	142	125	80	102	93	125	176	178	.....
5 to 14	407	44	43	44	38	36	26	22	21	24	38	38	33	.....
15 to 44	2,130	219	160	213	205	186	166	179	144	147	160	172	179	.....
45 to 64	2,138	211	205	197	213	175	150	141	141	126	160	191	228	.....
65 and over	2,376	312	214	258	245	187	143	157	120	148	175	180	236	1
Diarrhea and enteritis	35,596	934	871	1,060	1,038	1,320	2,390	7,928	8,733	6,283	2,779	1,272	986	2
Under 2	28,523	613	546	663	700	897	1,917	6,965	7,387	5,213	2,169	856	596	1
2 to 4	1,492	43	52	54	39	59	89	280	375	292	111	48	50	.....
5 to 14	494	21	31	28	24	28	34	84	89	68	42	20	25	.....
15 to 44	1,200	65	54	98	77	86	102	137	174	142	103	82	80	.....
45 to 64	1,451	74	74	85	87	99	99	178	241	195	122	102	94	1
65 and over	2,388	117	113	131	111	147	144	272	456	365	229	162	141	.....
Other diseases of digestive system	27,354	2,319	2,061	2,352	2,307	2,280	2,227	2,413	2,458	2,302	2,253	2,131	2,248	3
Under 5	4,034	293	315	362	355	306	345	377	399	390	331	255	305	1
5 to 14	1,618	133	118	151	134	120	141	144	135	141	150	113	117	1
15 to 44	8,545	731	637	739	750	696	693	746	766	684	714	656	733	.....
45 to 64	7,274	632	563	611	593	640	593	619	629	602	577	602	613	.....
65 and over	5,771	523	414	479	468	508	450	516	502	471	477	492	470	1
Bright's disease and nephritis	28,005	2,569	2,345	2,559	2,506	2,401	2,200	2,213	2,092	2,088	2,292	2,303	2,435	2
Under 5	998	84	84	99	98	84	80	56	68	75	104	75	91	.....
5 to 14	663	63	47	48	74	62	65	56	40	48	59	47	54	.....
15 to 44	7,380	640	623	653	677	607	546	612	567	582	615	589	668	1
45 to 64	9,859	921	813	929	896	810	751	781	740	737	808	835	837	1
65 and over	9,015	856	765	820	751	830	751	704	674	642	696	750	776	.....
Childbirth	4,294	380	439	456	441	405	326	333	313	282	278	312	329	.....
Under 15	5	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	1	.....	.....
15 to 44	4,216	375	433	450	431	397	318	328	304	278	267	306	329	.....
45 and over	51	4	6	6	3	4	7	2	7	3	7	2	.....	.....
Suicide	3,824	278	242	292	338	381	359	372	358	314	310	278	299	3
Under 15	12	.....	.....	.....	1	2	1	2	2	2	1	.....	1	.....
15 to 44	2,142	152	148	169	186	215	199	203	189	178	169	155	178	1
45 to 64	1,232	97	68	91	111	122	122	119	120	96	106	92	88	.....
65 and over	401	29	23	29	37	35	34	40	45	34	33	30	31	1
Other violence	29,506	1,971	1,760	1,707	1,811	2,016	2,708	6,276	2,633	2,184	2,142	2,095	2,174	29
Under 5	4,419	333	314	291	284	286	387	931	319	288	344	299	342	1
5 to 14	2,531	153	127	123	144	196	321	452	314	245	168	139	149	.....
15 to 44	12,361	810	709	697	823	883	1,172	2,247	1,226	929	988	950	923	4
45 to 64	5,920	400	326	317	357	405	509	1,467	458	417	390	444	424	6
65 and over	3,758	250	246	249	176	208	271	1,076	264	267	224	223	303	1
All other causes	80,265	6,966	6,577	7,059	6,519	6,324	6,213	7,182	6,993	7,051	6,766	6,059	6,534	22
Under 5	35,349	2,768	2,614	2,831	2,651	2,617	2,656	3,444	3,723	3,659	3,235	2,551	2,596	4
5 to 14	1,361	106	106	130	118	126	104	128	101	105	100	108	129	.....
15 to 44	9,447	830	789	863	809	779	854	811	674	718	815	752	751	2
45 to 64	8,897	746	716	795	786	789	720	752	702	712	700	689	787	3
65 and over	24,805	2,476	2,316	2,398	2,123	1,989	1,856	1,998	1,761	1,834	1,885	1,927	2,238	4

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1901—Continued.

REGISTRATION CITIES.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	385,395	36,438	32,139	34,922	32,007	30,041	29,111	37,627	33,119	30,162	29,361	28,780	31,653	35
Under 5	112,778	8,878	8,292	9,315	8,441	7,842	8,566	14,221	13,306	10,753	8,337	6,940	7,883	4
5 to 14	17,216	1,533	1,356	1,493	1,514	1,485	1,477	1,515	1,320	1,244	1,397	1,400	1,481	1
15 to 44	106,123	10,061	8,860	9,791	9,243	8,856	8,266	9,283	8,051	7,918	8,441	8,434	8,915	4
45 to 64	77,150	7,795	6,829	7,200	6,716	6,267	5,767	6,662	5,501	5,360	5,899	6,267	6,879	8
65 and over	70,786	8,073	6,689	6,994	5,963	5,476	4,930	5,776	4,835	4,804	5,208	5,651	6,383	4
Typhoid fever	7,501	632	424	433	478	468	435	612	866	911	968	666	608	.....
Under 15	1,267	112	77	77	95	79	74	109	155	115	162	111	101	.....
15 to 44	5,244	450	290	294	319	325	298	417	614	679	668	470	420	.....
45 to 64	801	52	44	51	47	47	54	68	85	95	115	72	71	.....
65 and over	166	17	12	11	13	15	6	14	11	19	21	13	14	.....
Malarial fever	1,520	64	43	60	69	88	141	191	196	250	215	126	77	.....
Under 5	343	13	5	7	14	25	42	44	45	62	48	28	10	.....
5 to 14	183	5	4	8	9	8	18	24	17	37	26	15	12	.....
15 to 44	497	26	18	21	29	29	38	61	59	74	67	45	30	.....
45 to 64	288	12	12	12	12	10	28	35	44	44	40	25	14	.....
65 and over	200	8	4	10	5	14	15	26	30	33	33	12	10	.....
Measles	1,657	91	117	124	183	239	249	164	74	30	45	104	237	.....
Under 5	1,428	79	98	103	152	198	218	150	71	29	37	88	205	.....
5 and over	228	12	18	21	31	41	31	14	3	1	8	16	32	.....
Scarlet fever	3,433	311	322	391	431	410	309	236	151	129	171	251	321	.....
Under 5	2,000	199	196	236	258	230	176	140	87	67	107	127	177	.....
5 and over	1,430	112	126	154	173	180	133	96	63	62	64	124	143	.....
Whooping cough	2,329	190	173	208	240	212	202	236	293	226	144	102	103	.....
Under 5	2,221	175	163	201	232	201	193	227	281	216	140	98	94	.....
5 and over	107	15	10	7	8	11	9	9	11	10	4	4	9	.....
Diphtheria and croup	8,701	1,116	768	774	647	627	608	395	445	589	848	963	921	.....
Under 5	5,546	735	531	543	460	405	389	244	278	352	462	587	560	.....
5 to 14	2,776	329	206	182	160	189	192	138	149	217	357	345	312	.....
15 and over	362	49	31	47	27	33	26	13	17	19	27	29	44	.....
Influenza	5,718	1,793	1,539	1,087	466	228	94	46	20	43	61	102	239	.....
Under 5	601	180	169	126	49	17	3	4	3	5	10	3	32	.....
5 to 14	124	31	31	28	11	8	3	3	1	1	2	.....	5	.....
15 to 44	1,096	323	299	201	97	48	21	10	6	12	11	18	50	.....
45 to 64	1,444	425	380	305	109	70	22	10	3	11	13	32	64	.....
65 and over	2,431	829	657	420	194	85	45	19	7	14	25	48	88	.....
All other epidemic diseases [1]	4,729	245	271	327	312	294	346	622	793	543	349	274	353	.....
Under 5	1,457	63	71	90	87	84	111	220	273	168	123	68	99	.....
5 to 14	201	4	4	10	8	11	15	38	34	31	17	12	17	.....
15 to 44	1,209	72	77	98	108	87	95	129	132	101	86	92	132	.....
45 to 64	894	57	57	65	66	67	65	118	136	101	54	51	57	.....
65 and over	951	47	61	64	42	43	58	116	215	141	67	49	48	.....
Tuberculosis of lungs	42,546	4,063	3,633	4,178	3,905	3,815	3,339	3,359	3,128	3,113	3,349	3,340	3,321	3
Under 5	1,382	115	88	153	127	157	119	131	104	113	107	85	83	.....
5 to 14	1,033	87	81	103	119	115	91	92	68	68	64	76	69	.....
15 to 44	30,569	2,921	2,619	2,960	2,795	2,712	2,390	2,430	2,293	2,243	2,398	2,388	2,419	1
45 to 64	7,671	768	668	773	705	666	589	573	536	549	622	623	598	1
65 and over	1,782	162	170	175	144	155	140	127	121	132	149	160	146	1
Other forms of tuberculosis	5,403	418	433	539	508	533	485	475	461	427	375	342	407	.....
Under 5	2,063	147	165	221	206	203	174	184	170	179	138	123	153	.....
5 to 14	656	41	56	71	71	66	58	56	65	44	35	49	44	.....
15 to 44	1,935	151	152	194	172	197	188	176	166	127	137	119	156	.....
45 to 64	588	62	51	41	45	50	51	50	51	59	47	40	41	.....
65 and over	156	16	9	12	14	16	14	9	9	16	17	11	13	.....
Cancer	14,450	1,232	1,043	1,137	1,158	1,276	1,267	1,295	1,233	1,128	1,252	1,166	1,263	.....
Under 15	141	8	10	11	9	14	11	13	14	9	15	9	18	.....
15 to 44	2,961	240	216	223	227	264	283	264	264	232	255	238	255	.....
45 to 64	7,265	615	522	577	607	633	621	670	614	557	631	571	647	.....
65 and over	4,038	369	294	324	309	361	346	340	338	327	350	343	337	.....
Meningitis	8,079	666	628	786	732	750	684	874	747	624	529	506	553	.....
Under 5	5,362	423	404	492	476	483	457	626	544	441	336	316	364	.....
5 to 14	922	71	85	106	95	94	90	81	66	58	55	65	56	.....
15 to 44	1,187	116	93	127	109	117	91	110	86	82	91	86	79	.....
45 to 64	421	34	30	44	30	39	35	47	34	32	35	23	38	.....
65 and over	166	19	13	16	20	16	9	10	12	11	10	15	15	.....
Apoplexy and paralysis	18,652	1,745	1,595	1,722	1,633	1,533	1,514	1,588	1,369	1,330	1,406	1,475	1,741	1
Under 15	1,045	92	78	91	74	87	122	148	83	68	60	68	74	.....
15 to 44	2,204	194	168	186	185	192	186	177	189	163	192	175	197	.....
45 to 64	6,690	610	579	623	617	559	536	528	505	452	521	536	624	.....
65 and over	8,649	841	764	817	756	684	665	728	589	643	630	692	839	1
Other diseases of nervous system	15,626	1,376	1,249	1,487	1,433	1,266	1,383	1,605	1,171	1,190	1,131	1,100	1,234	1
Under 5	8,013	700	669	795	721	624	726	853	663	567	557	507	631	.....
5 to 14	564	45	45	44	57	47	55	61	33	33	44	52	48	.....
15 to 44	2,787	231	196	260	266	239	265	273	174	229	221	223	210	.....
45 to 64	2,445	212	195	222	217	220	189	244	165	214	181	189	196	1
65 and over	1,770	185	140	159	166	133	143	169	132	146	125	127	145	.....

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1901—Continued.

REGISTRATION CITIES—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	24,378	2,453	2,207	2,292	2,188	1,930	1,888	1,751	1,685	1,758	1,895	2,068	2,261	2
Under 5	662	56	74	67	64	52	51	51	56	50	41	39	61	.....
5 to 14	765	56	70	70	87	66	80	74	67	50	37	49	59	.....
15 to 44	5,602	519	475	480	491	472	461	408	401	461	456	462	515	1
45 to 64	8,717	931	818	763	788	616	693	656	585	620	677	753	816	1
65 and over	8,558	885	767	908	748	716	593	558	570	572	680	762	799	.....
Other diseases of circulatory system	8,218	704	692	766	754	718	667	599	577	607	661	674	799	.....
Under 5	440	38	41	48	42	23	39	34	36	36	38	31	34	.....
5 to 14	375	41	33	33	44	40	37	31	27	15	23	19	32	.....
15 to 44	2,192	152	191	215	208	193	197	160	143	169	187	177	200	.....
45 to 64	2,492	198	212	227	221	243	199	177	179	180	183	219	254	.....
65 and over	2,699	274	213	242	236	218	194	196	189	204	230	227	276	.....
Bronchitis, acute and chronic	9,703	1,358	1,175	1,258	991	751	515	332	398	468	650	817	988	2
Under 5	4,961	696	641	731	508	365	254	170	177	233	296	374	516	.....
5 to 14	195	17	19	21	24	17	11	8	8	6	13	24	26	1
15 to 44	693	75	52	67	55	70	41	34	50	52	57	76	64	.....
45 to 64	1,217	159	139	132	132	100	52	49	52	76	98	114	114	.....
65 and over	2,621	409	323	304	269	199	156	70	110	100	185	227	268	1
Bronchopneumonia	7,248	974	813	897	777	592	416	337	294	369	462	610	707	.....
Under 5	4,867	561	524	610	572	422	311	256	218	257	309	368	459	.....
5 to 14	251	29	21	44	25	21	17	9	15	12	12	20	26	.....
15 to 44	515	72	59	61	40	35	28	29	18	33	34	51	55	.....
45 to 64	647	118	76	68	57	59	17	19	20	25	50	73	65	.....
65 and over	962	194	131	112	83	55	43	23	23	41	57	98	102	.....
Pneumonia	31,800	4,903	3,991	4,476	3,367	2,608	1,541	898	885	1,068	1,750	2,679	3,631	3
Under 5	9,502	1,207	1,163	1,374	1,057	817	543	357	367	389	509	689	1,029	1
5 to 14	1,258	161	154	169	137	107	70	34	36	44	75	106	165	.....
15 to 44	8,571	1,402	1,045	1,232	899	748	379	251	226	294	439	753	902	1
45 to 64	6,814	1,111	902	940	706	530	312	148	147	166	376	612	863	1
65 and over	5,573	1,014	713	750	559	399	235	105	104	174	344	516	660	.....
Other diseases of respiratory system	6,790	774	599	699	655	562	473	453	408	423	496	571	677	.....
Under 5	1,365	177	145	157	132	104	93	57	78	67	87	131	137	.....
5 to 14	308	31	31	36	27	29	22	13	17	21	25	27	29	.....
15 to 44	1,759	182	134	173	162	153	143	149	120	123	136	131	153	.....
45 to 64	1,726	168	160	168	165	142	118	117	106	102	137	153	190	.....
65 and over	1,607	214	125	163	164	133	96	116	85	108	110	127	166	.....
Diarrhea and enteritis	28,264	723	688	815	809	1,082	2,081	6,908	6,802	4,527	2,045	998	786	.....
Under 2	23,138	491	455	531	564	761	1,710	6,144	5,841	3,811	1,632	700	498	.....
2 to 4	1,117	34	43	41	33	50	75	236	268	187	75	36	39	.....
5 to 14	368	17	24	21	17	20	26	69	63	45	32	14	20	.....
15 to 44	971	53	42	76	65	69	85	115	141	112	84	63	66	.....
45 to 64	1,076	59	54	59	65	75	76	138	181	144	82	74	69	.....
65 and over	1,571	68	70	86	65	104	104	200	304	226	139	111	94	.....
Other diseases of digestive system	20,220	1,725	1,494	1,747	1,708	1,629	1,709	1,833	1,819	1,665	1,633	1,594	1,663	1
Under 5	2,946	212	225	270	261	214	264	306	287	267	231	181	227	1
5 to 14	1,215	105	85	113	96	96	112	122	113	92	110	87	84	.....
15 to 44	6,973	591	502	580	608	554	586	628	620	573	578	553	600	.....
45 to 64	5,557	492	423	479	441	483	464	453	495	452	437	477	461	.....
65 and over	3,455	318	251	298	297	275	280	317	299	272	275	290	283	.....
Bright's disease and nephritis	22,001	2,016	1,872	2,037	2,006	1,839	1,726	1,724	1,606	1,593	1,845	1,809	1,928	.....
Under 5	826	72	71	85	82	73	66	41	58	58	83	64	73	.....
5 to 14	524	45	41	36	62	45	51	47	32	36	47	40	42	.....
15 to 44	6,321	542	534	567	586	505	474	515	473	503	530	508	584	.....
45 to 64	8,085	763	667	759	758	658	620	621	589	581	680	692	697	.....
65 and over	6,188	591	551	581	512	554	511	497	454	413	498	500	526	.....
Childbirth	3,197	280	325	316	326	281	260	249	230	222	218	230	260	.....
Under 15	4	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	1	.....	.....
15 to 44	3,149	277	323	313	318	276	254	246	225	221	210	226	260	.....
45 and over	31	3	2	3	3	3	5	1	4	1	5	1	.....	.....
Suicide	3,028	218	190	242	258	296	272	296	283	247	241	231	254	.....
Under 15	9	.....	.....	.....	1	1	.....	1	2	2	1	.....	1	.....
15 to 44	1,806	131	117	148	153	176	159	171	157	147	142	141	164	.....
45 to 64	943	71	54	74	82	89	91	94	91	71	81	75	70	.....
65 and over	247	16	16	19	19	25	20	24	32	25	17	15	19	.....
Other violence	22,614	1,506	1,341	1,250	1,365	1,502	2,002	5,207	1,970	1,575	1,639	1,606	1,639	12
Under 5	3,434	254	251	217	215	203	299	787	245	206	258	235	264	.....
5 to 14	1,882	121	102	85	113	154	233	331	232	183	133	90	105	.....
15 to 44	9,789	634	562	557	657	695	881	1,850	937	708	791	776	732	.....
45 to 64	4,712	325	254	242	261	304	388	1,296	353	305	304	345	332	3
65 and over	2,509	157	149	134	103	122	172	877	174	153	140	141	187	.....
All other causes	57,590	4,862	4,514	4,874	4,608	4,512	4,505	5,342	5,215	5,107	4,983	4,376	4,682	10
Under 5	27,795	2,147	1,998	2,112	2,042	2,030	2,113	2,782	3,031	2,907	2,625	1,969	2,037	2
5 to 14	983	73	72	95	84	94	72	91	80	78	74	85	85	.....
15 to 44	7,532	644	648	683	640	624	687	649	535	555	642	622	602	1
45 to 64	6,563	543	525	564	573	596	536	548	522	522	527	514	592	1
65 and over	14,469	1,438	1,253	1,388	1,242	1,151	1,085	1,235	1,027	1,033	1,101	1,167	1,348	1

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1901—Continued.

RURAL PART OF REGISTRATION STATES.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	132,812	12,703	13,109	13,341	11,476	10,543	9,287	10,337	10,993	11,134	9,901	9,534	10,403	51
Under 5	28,900	2,396	2,498	2,841	2,336	1,950	1,760	2,561	3,371	3,354	2,228	1,788	1,812	5
5 to 14	5,132	485	446	476	443	404	400	428	396	403	411	403	436	1
15 to 44	26,332	2,495	2,340	2,557	2,342	2,285	2,036	2,131	2,200	2,010	2,012	1,867	2,048	9
45 to 64	24,255	2,273	2,370	2,432	2,204	2,013	1,769	1,879	1,814	1,817	1,778	1,864	2,033	9
65 and over	47,283	4,967	5,376	4,958	4,080	3,831	3,262	3,253	3,137	3,478	3,400	3,529	3,998	14
Typhoid fever	2,626	243	165	156	138	114	98	138	262	372	417	298	225	.....
Under 15	438	42	31	20	28	29	18	16	38	61	63	58	34	.....
15 to 44	1,608	151	87	100	75	62	58	81	176	228	271	175	144	.....
45 to 64	399	34	35	21	27	16	10	32	28	59	57	49	31	.....
65 and over	172	15	10	13	8	7	11	9	19	23	25	16	16	.....
Malarial fever	460	27	17	20	36	44	28	53	65	65	43	33	29	.....
Under 5	100	11	4	6	11	6	5	11	12	12	12	6	4	.....
5 to 14	42	2	1	1	4	5	6	3	8	7	2	1	2	.....
15 to 44	125	7	4	7	9	20	7	16	15	11	10	11	8	.....
45 to 64	85	6	2	4	5	5	6	10	15	13	9	7	3	.....
65 and over	105	.....	6	2	7	8	4	13	15	20	10	8	12	.....
Measles	630	64	95	120	106	83	58	31	12	5	11	13	32	.....
Under 5	339	23	47	54	56	52	42	20	8	3	8	6	20	.....
5 and over	290	41	47	66	50	31	16	11	4	2	3	7	12	.....
Scarlet fever	680	85	78	111	78	67	43	31	24	17	35	51	60	.....
Under 5	389	50	51	65	48	34	27	25	14	10	17	27	21	.....
5 and over	288	35	26	46	30	33	16	6	10	7	18	23	38	.....
Whooping cough	722	55	74	86	83	71	56	55	68	56	28	41	49	.....
Under 5	686	46	71	79	82	68	53	53	65	55	26	41	47	.....
5 and over	35	8	3	7	1	3	3	2	3	1	2	.....	2	.....
Diphtheria and croup	1,966	266	181	136	149	122	97	68	97	151	215	240	244	.....
Under 5	1,010	156	111	78	83	58	45	24	41	64	109	128	113	.....
5 to 14	760	89	60	45	54	45	36	35	44	74	83	87	108	.....
15 and over	189	19	10	13	12	19	16	9	12	13	22	23	21	.....
Influenza	4,375	951	1,421	930	426	185	79	41	31	36	48	82	145	.....
Under 5	445	110	150	99	36	15	2	6	3	3	4	6	11	.....
5 to 14	66	18	18	15	7	4	1	2	1	.....	.....	.....	.....	.....
15 to 44	437	96	129	90	53	14	15	2	5	3	5	10	15	.....
45 to 64	698	144	204	162	61	38	9	9	6	6	7	27	25	.....
65 and over	2,712	579	915	562	267	114	51	22	16	24	32	37	93	.....
All other epidemic diseases[1]	1,785	61	66	83	80	70	83	194	365	432	178	81	92	.....
Under 5	534	16	18	22	16	20	17	64	128	124	65	18	26	.....
5 to 14	63	1	1	2	.....	4	9	12	9	14	6	3	2	.....
15 to 44	216	11	11	12	18	16	14	24	25	31	20	11	23	.....
45 to 64	264	15	17	18	19	10	16	24	50	56	20	8	11	.....
65 and over	694	16	19	29	26	20	26	68	151	203	67	41	28	.....
Tuberculosis of lungs	12,189	1,114	1,037	1,219	1,141	1,199	996	959	999	866	889	878	891	1
Under 5	383	21	39	47	31	34	37	31	34	29	28	27	25	.....
5 to 14	307	23	25	26	32	28	30	29	26	20	24	23	21	.....
15 to 44	7,567	702	620	714	700	741	627	602	671	555	541	549	544	1
45 to 64	2,444	220	220	277	236	240	184	186	177	167	179	167	191	.....
65 and over	1,425	142	131	149	135	151	111	106	86	91	111	108	104	.....
Other forms of tuberculosis	1,461	117	105	124	140	132	132	127	146	118	119	101	100	.....
Under 5	390	31	29	31	47	31	34	37	38	31	32	29	20	.....
5 to 14	140	11	8	16	14	14	16	14	7	8	13	11	8	.....
15 to 44	547	38	41	47	46	52	51	43	62	44	40	38	45	.....
45 to 64	239	22	13	21	22	25	18	20	26	22	17	15	18	.....
65 and over	142	14	14	8	11	10	13	13	13	13	17	8	8	.....
Cancer	5,721	452	411	447	438	494	465	529	482	555	481	487	479	1
Under 15	39	6	1	6	3	2	2	4	6	.....	5	1	3	.....
15 to 44	700	59	51	61	65	61	58	65	61	63	57	49	50	.....
45 to 64	2,372	178	182	176	186	190	190	217	217	221	200	213	201	1
65 and over	2,584	206	177	204	182	238	212	242	194	268	217	222	222	.....
Meningitis	2,351	173	183	250	219	186	169	210	228	248	166	152	167	.....
Under 5	1,480	94	109	150	129	107	101	134	152	183	119	99	103	.....
5 to 14	283	28	24	32	25	24	24	29	25	19	15	17	21	.....
15 to 44	358	32	24	42	45	38	29	32	29	29	20	18	20	.....
45 to 64	126	7	12	14	13	11	6	9	12	8	10	10	14	.....
65 and over	95	11	14	11	6	6	9	5	8	9	2	6	8	.....
Apoplexy and paralysis	9,958	924	936	976	905	843	757	756	705	730	764	790	871	1
Under 15	420	34	28	44	47	36	32	49	32	34	35	26	23	.....
15 to 44	590	62	46	59	49	46	49	43	50	42	49	42	53	.....
45 to 64	2,430	222	221	222	226	207	187	183	175	185	187	214	201	.....
65 and over	6,462	602	639	643	578	551	486	476	443	464	487	504	588	1
Other diseases of nervous system	5,765	490	487	545	486	476	486	583	455	446	420	429	460	2
Under 5	1,875	153	157	208	164	155	156	197	163	145	121	133	123	.....
5 to 14	229	18	24	22	16	21	19	24	25	13	17	18	12	.....
15 to 44	994	89	68	78	87	86	88	112	84	83	66	67	86	.....
45 to 64	1,052	87	85	90	95	88	93	99	80	87	78	80	89	1
65 and over	1,583	141	151	145	119	125	129	149	102	117	131	126	147	1

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1901—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	11,208	1,043	1,078	1,044	971	975	880	780	850	788	865	937	995	2
Under 5	261	27	23	27	21	27	18	17	18	12	17	29	25	.....
5 to 14	160	19	18	20	13	15	10	14	11	14	10	9	7	.....
15 to 44	1,105	88	107	99	96	99	88	85	96	96	79	88	84	.....
45 to 64	2,999	272	280	278	263	247	250	210	252	195	251	251	250	.....
65 and over	6,610	628	646	616	571	577	511	449	469	465	504	551	621	2
Other diseases of circulatory system	2,446	218	219	229	208	222	190	183	175	205	202	198	194	3
Under 5	143	16	14	18	14	12	7	8	11	9	12	11	10	1
5 to 14	61	3	5	7	5	8	4	7	7	1	6	6	2	.....
15 to 44	393	36	35	34	41	34	40	34	23	33	27	22	33	1
45 to 64	620	54	52	63	51	61	46	45	49	54	47	39	59	.....
65 and over	1,217	106	113	103	96	106	92	89	84	108	110	120	89	1
Bronchitis, acute and chronic	2,762	380	365	419	341	230	156	95	68	110	164	192	242	.....
Under 5	1,141	176	166	224	156	91	50	26	16	29	52	68	87	.....
5 to 14	45	6	5	5	4	.....	2	3	.....	2	4	4	10	.....
15 to 44	109	14	13	9	9	12	8	3	5	11	5	9	11	.....
45 to 64	231	30	25	30	34	14	17	12	12	8	9	14	26	.....
65 and over	1,222	153	154	148	134	111	78	51	35	60	93	97	108	.....
Bronchopneumonia	1,646	214	272	295	201	142	75	41	33	53	92	98	130	.....
Under 5	876	111	139	170	110	75	45	21	21	29	46	47	62	.....
5 to 14	76	11	13	9	15	7	3	5	2	2	3	5	1	.....
15 to 44	98	9	20	10	16	9	4	2	2	5	2	7	12	.....
45 to 64	122	16	18	19	13	17	8	2	2	2	9	5	11	.....
65 and over	469	67	81	85	47	34	15	11	6	14	31	34	44	.....
Pneumonia	9,915	1,479	1,797	1,695	1,203	736	432	177	150	196	384	639	1,025	2
Under 5	2,250	320	381	392	302	168	110	53	41	58	85	133	207	.....
5 to 14	362	40	57	60	52	37	22	9	4	4	18	27	32	.....
15 to 44	1,979	294	358	349	218	159	93	35	42	45	79	105	202	.....
45 to 64	1,979	295	364	344	244	140	74	27	15	23	80	132	241	.....
65 and over	3,298	522	626	541	381	231	132	53	48	66	121	237	338	2
Other diseases of respiratory system	2,216	260	251	252	247	166	139	128	123	117	164	188	180	1
Under 5	547	67	78	78	57	38	32	23	24	26	38	45	41	.....
5 to 14	99	13	12	8	11	7	4	9	4	3	13	11	4	.....
15 to 44	371	37	26	40	43	33	23	30	24	24	24	41	26	.....
45 to 64	412	43	45	29	48	33	32	24	35	24	23	38	38	.....
65 and over	769	98	89	95	81	54	47	41	35	40	65	53	70	1
Diarrhea and enteritis	7,332	211	183	245	229	238	309	1,020	1,931	1,756	734	274	200	2
Under 2	5,385	122	91	132	136	136	207	821	1,546	1,402	537	156	98	1
2 to 4	375	9	9	13	6	9	14	44	107	105	36	12	11	.....
5 to 14	126	4	7	7	7	8	8	15	26	23	10	6	5	.....
15 to 44	229	12	12	22	12	17	17	22	33	30	19	19	14	.....
45 to 64	375	15	20	26	22	24	23	40	60	51	40	28	25	1
65 and over	817	49	43	45	46	43	40	72	152	139	90	51	47	.....
Other diseases of digestive system	7,134	594	567	605	599	651	518	580	639	637	620	537	585	2
Under 5	1,088	81	90	92	94	92	81	71	112	123	100	74	78	.....
5 to 14	403	28	33	38	38	24	29	22	42	49	40	26	33	1
15 to 44	1,572	140	135	159	142	142	107	118	146	111	136	103	133	.....
45 to 64	1,717	140	140	132	152	157	129	166	134	150	140	125	152	.....
65 and over	2,316	205	163	181	171	233	170	199	203	199	202	202	187	1
Bright's disease and nephritis	6,004	553	473	522	500	562	474	489	486	495	447	494	507	2
Under 5	172	12	13	14	16	11	14	15	10	17	21	11	18	.....
5 to 14	139	18	6	12	12	17	14	9	8	12	12	7	12	.....
15 to 44	1,059	98	89	86	91	102	72	97	94	79	85	81	84	1
45 to 64	1,774	158	146	170	138	152	131	160	151	156	128	143	140	1
65 and over	2,827	265	214	239	239	276	240	207	220	229	198	250	250	.....
Childbirth	1,097	100	114	140	115	124	66	84	83	60	60	82	69	.....
Under 15	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 44	1,067	98	110	137	113	121	64	82	79	57	57	80	69	.....
45 and over	20	1	4	3	.....	1	2	1	3	2	2	1	.....	.....
Suicide	796	60	52	50	80	85	87	76	75	67	69	47	45	3
Under 15	3	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
15 to 44	336	21	31	21	33	39	40	32	32	31	27	14	14	1
45 to 64	289	26	14	17	29	33	31	25	29	25	25	17	18	.....
65 and over	154	13	7	10	18	10	14	16	13	9	16	15	12	1
Other violence	6,892	465	419	457	446	514	706	1,069	663	609	503	489	535	17
Under 5	985	79	63	74	69	83	88	144	74	82	86	64	78	1
5 to 14	649	32	25	38	31	42	88	121	82	62	35	49	44	.....
15 to 44	2,581	176	147	140	166	188	291	397	289	221	197	174	191	4
45 to 64	1,208	75	72	75	96	101	121	171	105	112	86	99	92	3
65 and over	1,249	93	97	115	73	86	99	199	90	114	84	82	116	1
All other causes	22,675	2,104	2,063	2,185	1,911	1,812	1,708	1,840	1,778	1,944	1,783	1,683	1,852	12
Under 5	7,554	621	616	719	609	587	543	662	692	752	610	582	559	2
5 to 14	378	33	34	35	34	32	32	37	21	27	26	23	44	.....
15 to 44	1,915	186	141	180	169	155	167	162	139	163	173	130	149	1
45 to 64	2,334	203	191	231	213	193	184	204	180	190	173	175	195	2
65 and over	10,336	1,038	1,063	1,010	881	838	771	763	734	801	784	769	890	3

TABLES FOR 1902.

Table 1.—Deaths in registration areas, by color, general nativity, parent nativity, and month.
Table 2.—Deaths in registration areas, at each age.
Table 3.—Deaths in registration areas, from certain principal diseases and classes of diseases.
Table 4.—Deaths in registration areas, at each age, by sex, color, general nativity, and parent nativity.
Table 5.—Deaths in registration areas, from each disease and class of diseases.
Table 6.—Deaths in the registration area, from each specified disease and class of diseases, by sex and age.
Table 7.—Deaths in registration states, from each specified disease and class of diseases, by age.
Table 8.—Deaths in cities of 100,000 population or over, at each specified age, from certain causes.
Table 9.—Deaths in registration areas, from certain specified causes, in each month, by certain divisions of age.

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR,

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.								
			Both parents.			Mixed parentage.			Parentage not stated.	Foreign.	Unknown.	
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	SUMMARIES.											
1	The registration area	508,640	145,056	79,052	34,420	24,819	8,699	2,191	41,467	126,590	11,351	34,995
2	Registration cities	385,670	84,785	67,291	24,034	18,688	3,955	1,560	37,812	105,931	8,695	32,919
3	Registration states	318,636	109,442	60,647	20,795	19,290	7,667	1,783	4,225	79,596	5,105	10,086
4	Cities in registration states	195,666	49,171	48,886	10,409	13,159	2,923	1,152	570	58,937	2,449	8,010
5	Rural part of registration states	122,970	60,271	11,761	10,386	6,131	4,744	631	3,655	20,659	2,656	2,076
6	Registration cities in other states	190,004	35,614	18,405	13,625	5,529	1,032	408	37,242	46,994	6,246	24,909
	REGISTRATION STATES.											
7	Connecticut	14,386	4,509	3,200	884	830	555	109	.....	3,753	236	310
8	District of Columbia	5,782	1,768	267	353	163	31	3	.....	582	28	2,587
9	Indiana	32,947	19,411	1,840	3,203	1,278	2,081	212	.....	3,058	665	1,199
10	Maine	10,815	6,061	914	1,072	669	442	57	.....	1,383	176	41
11	Massachusetts	47,498	13,894	11,274	1,973	3,714	1,395	363	.....	13,709	403	773
12	Michigan	31,362	10,813	4,961	2,117	2,649	915	287	.....	8,535	681	404
13	New Hampshire	6,649	2,651	1,043	834	353	319	26	.....	1,124	285	14
14	New Jersey	31,382	11,070	6,425	2,042	1,670	339	183	.....	7,549	440	1,664
15	New York	124,657	36,726	28,749	8,201	7,373	1,516	495	.....	36,822	1,945	2,830
16	Rhode Island	7,953	2,539	1,974	116	591	74	48	.....	2,301	57	253
17	Vermont	5,205	.....	.....	.....	.....	.....	.....	4,225	780	189	11
	REGISTRATION CITIES.											
18	Adams town, Mass	215	26	88	12	20	4	3	.....	61	1	.....
19	Alameda, Cal	315	95	51	18	10	8	3	.....	119	4	7
20	Albany, N. Y	1,631	362	239	297	80	39	16	.....	539	40	19
21	Alexandria, Va	305	.....	.....	.....	.....	.....	.....	171	11	2	121
22	Allegheny, Pa	2,573	680	598	175	196	13	6	.....	776	30	99
23	Allentown, Pa	696	.....	.....	.....	.....	.....	.....	588	87	21	.....
24	Altoona, Pa	603	359	31	95	13	6	3	.....	68	20	8
25	Amesbury town, Mass	143	53	25	5	14	8	1	.....	35	.....	2
26	Amsterdam, N. Y	348	129	105	10	17	1	.....	.....	79	4	3
27	Anderson, Ind	333	231	12	18	15	18	.....	.....	18	7	14
28	Ann Arbor, Mich	236	88	39	8	16	6	1	.....	57	15	6
29	Annapolis, Md	177	.....	.....	.....	.....	.....	.....	79	4	.....	94
30	Ansonia, Conn	184	34	66	3	7	5	3	.....	56	.....	10
31	Appleton, Wis	177	40	43	6	18	.....	.....	.....	68	2	.....
32	Arlington town, Mass	102	40	20	2	6	4	2	.....	28	.....	.....
33	Ashtabula, Ohio	212	26	52	63	1	2	1	.....	60	4	3
34	Atlanta, Ga	2,102	572	17	325	11	2	.....	.....	48	21	1,106
35	Atlantic City, N. J	523	226	56	37	18	5	1	.....	56	15	109
36	Attleboro town, Mass	151	46	39	8	18	.....	1	.....	36	.....	3
37	Auburn, N. Y	473	194	44	37	27	8	6	.....	139	7	11
38	Augusta, Me	279	91	31	74	20	10	2	.....	35	15	1
39	Aurora, Ill	319	108	79	25	2	1	.....	.....	99	1	4
40	Baltimore, Md	10,255	2,839	1,168	1,733	205	11	5	.....	1,764	27	2,503
41	Bangor, Me	383	133	36	65	24	19	4	.....	85	13	4
42	Barre, Vt	131	.....	.....	.....	.....	.....	.....	91	34	6	.....
43	Bath, Me	161	88	18	6	19	4	.....	.....	24	.....	2
44	Battle Creek, Mich	339	195	17	29	20	12	3	.....	49	10	4
45	Bay City, Mich	343	54	88	14	41	6	3	.....	130	7	.....
46	Bayonne, N. J	582	131	222	15	31	2	3	.....	164	5	9
47	Bellaire, Ohio	217	84	19	21	7	7	.....	.....	27	46	6
48	Belleville, Ill	284	.....	.....	.....	.....	.....	.....	184	92	2	6
49	Beloit, Wis	150	63	17	13	12	1	1	.....	40	3	.....
50	Bennington town, Vt	97	.....	.....	.....	.....	.....	.....	73	19	5	.....
51	Berlin, N. H	114	6	48	2	5	4	2	.....	42	5	.....
52	Beverly, Mass	194	113	16	7	19	9	.....	.....	30	.....	.....
53	Biddeford, Me	340	58	133	5	30	1	4	.....	108	1	.....
54	Binghamton, N. Y	714	352	97	80	29	21	7	.....	107	14	7
55	Boston, Mass	10,999	2,375	2,906	328	840	251	138	.....	3,705	91	365
56	Bridgeport, Conn	1,225	307	403	38	66	18	9	.....	344	20	20
57	Bridgeton, N. J	195	116	4	28	5	3	.....	.....	14	6	19
58	Bristol town, Conn	145	43	31	15	8	10	.....	.....	34	2	2
59	Brockton, Mass	484	177	80	36	35	18	3	.....	128	6	1
60	Brookline town, Mass	238	92	41	7	19	12	2	.....	64	.....	1
61	Buffalo, N. Y	5,323	1,187	1,476	178	374	55	28	.....	1,933	39	53
62	Burlington, Iowa	342	.....	.....	.....	.....	.....	.....	221	89	21	11
63	Burlington, Vt	317	.....	.....	.....	.....	.....	.....	248	60	7	2
64	Cambridge, Mass	1,388	302	351	21	119	19	4	.....	487	2	83
65	Camden, N. J	1,371	638	145	74	83	12	1	.....	229	19	170
66	Canton, Ohio	355	121	45	94	13	6	2	.....	67	7	.....
67	Carbondale, Pa	265	79	62	35	20	2	.....	.....	61	6	.....
68	Carlisle, Pa	133	79	3	12	2	2	1	.....	4	9	21
69	Central Falls, R. I	287	42	119	2	27	2	.....	.....	94	1	.....
70	Charleston, S. C	1,740	277	56	42	30	2	1	.....	81	8	1,243
71	Chelsea, Mass	659	195	135	37	49	26	5	.....	204	2	6
72	Chicago, Ill	26,485	.....	.....	.....	.....	.....	.....	15,417	9,606	600	862

GENERAL NATIVITY, PARENT NATIVITY, AND MONTH: 1902.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
44,487	43,196	44,789	43,924	42,330	38,694	45,410	44,254	40,013	39,174	38,645	43,508	216	1
33,398	32,534	33,598	33,237	32,094	29,840	35,398	33,530	29,758	29,528	29,570	33,082	103	2
27,818	27,135	28,307	27,545	26,472	23,657	28,226	27,893	25,554	24,759	23,910	27,195	165	3
16,729	16,473	17,116	16,858	16,236	14,803	18,214	17,169	15,299	15,113	14,835	16,769	52	4
11,089	10,662	11,191	10,687	10,236	8,854	10,012	10,724	10,255	9,646	9,075	10,426	113	5
16,669	16,061	16,482	16,379	15,858	15,037	17,184	16,361	14,459	14,415	14,735	16,373	51	6
1,190	1,129	1,254	1,194	1,096	1,039	1,407	1,349	1,106	1,137	1,089	1,303	13	7
529	445	468	534	453	506	568	458	421	488	415	497	.....	8
2,863	2,863	3,064	2,824	2,464	2,212	2,948	3,190	2,858	2,611	2,396	2,645	9	9
895	911	933	951	938	823	846	861	918	871	831	1,012	15	10
3,843	3,975	4,022	3,913	3,895	3,402	3,998	4,144	4,029	3,993	3,814	4,465	5	11
2,897	2,681	2,962	2,873	2,725	2,194	2,472	2,496	2,581	2,384	2,384	2,690	23	12
576	557	594	589	558	452	524	571	566	563	533	566	.....	13
2,761	2,630	2,703	2,683	2,560	2,524	3,372	2,857	2,190	2,263	2,320	2,515	4	14
11,112	10,824	11,123	10,880	10,642	9,566	11,027	10,818	9,719	9,430	9,129	10,306	81	15
665	643	676	650	636	546	714	768	669	621	607	757	1	16
487	477	508	454	505	373	350	381	437	398	392	439	4	17
8	17	12	15	18	18	23	26	25	25	9	19	.....	18
34	31	28	36	23	28	18	17	26	25	22	27	.....	19
144	149	121	137	166	102	135	127	118	136	157	139	.....	20
32	32	25	20	24	27	39	21	22	17	29	17	.....	21
226	238	209	208	214	200	228	192	186	204	236	232	.....	22
49	60	53	50	54	53	58	66	57	72	53	71	.....	23
46	44	48	58	42	44	56	52	58	63	51	41	.....	24
8	10	11	15	10	3	10	16	12	14	16	18	.....	25
25	12	33	23	33	14	31	28	32	24	41	52	.....	26
25	25	35	31	29	25	29	34	28	25	22	25	.....	27
24	21	20	14	18	18	15	15	23	23	16	29	.....	28
4	12	7	15	11	15	26	18	15	15	17	22	.....	29
15	16	14	16	19	12	21	19	14	9	14	15	.....	30
26	19	16	13	23	8	15	24	15	5	10	3	.....	31
10	5	11	8	9	5	14	7	8	4	10	11	.....	32
21	12	16	24	14	8	16	17	21	13	28	22	.....	33
166	190	176	178	166	222	198	175	161	176	128	166	.....	34
21	39	47	48	40	35	84	72	43	25	39	30	.....	35
11	15	10	7	14	10	14	12	14	16	11	17	.....	36
46	34	36	36	35	27	34	51	52	33	40	49	.....	37
18	26	28	19	21	20	33	15	20	26	24	29	.....	38
20	22	32	26	27	27	24	34	23	29	21	34	.....	39
914	832	828	830	793	881	1,046	943	786	740	762	900	.....	40
35	30	29	36	37	21	38	31	30	25	26	38	7	41
17	15	10	9	16	5	10	8	7	5	15	14	.....	42
13	21	12	12	16	14	15	14	11	14	8	10	1	43
30	24	27	35	32	19	23	29	33	24	30	33	.....	44
33	32	41	29	30	20	20	29	32	24	21	42	.....	45
48	46	39	45	37	36	66	61	43	43	53	65	.....	46
15	10	31	28	17	18	20	17	12	10	16	23	.....	47
25	27	23	24	22	13	28	33	30	15	24	20	.....	48
7	11	16	16	5	13	11	16	14	17	7	17	.....	49
11	5	15	7	7	4	9	9	8	12	5	5	.....	50
5	3	13	16	11	12	12	11	13	7	5	6	.....	51
20	20	10	19	15	15	12	16	18	19	18	12	.....	52
23	19	25	19	23	21	25	50	38	29	37	31	.....	53
72	63	65	62	66	52	55	61	59	52	50	55	2	54
935	912	1,017	942	916	795	861	818	875	955	922	1,051	.....	55
112	100	104	93	110	75	117	117	89	79	107	117	5	56
19	13	17	12	18	12	21	20	10	21	16	16	.....	57
7	9	10	12	13	12	16	10	15	17	11	13	.....	58
33	53	46	36	45	30	35	48	39	39	33	47	.....	59
22	20	24	18	20	20	15	16	21	25	13	24	.....	60
394	423	500	449	451	376	430	534	426	408	411	521	.....	61
32	18	27	29	27	22	40	42	35	27	19	24	.....	62
30	21	26	40	29	19	28	28	32	15	19	30	.....	63
110	130	137	111	92	85	132	116	120	128	104	123	.....	64
120	133	128	110	109	124	140	107	103	92	79	117	.....	65
24	22	24	43	31	28	27	41	30	26	36	23	.....	66
16	21	14	28	27	11	27	17	22	26	32	24	.....	67
12	13	14	7	18	9	7	16	8	12	7	10	.....	68
19	20	17	19	27	24	27	28	26	20	23	37	.....	69
126	131	155	148	159	151	177	142	128	132	132	159	.....	70
49	56	49	53	56	44	51	70	47	66	66	52	.....	71
2,228	2,243	2,343	2,274	2,181	1,878	2,311	2,384	2,046	1,964	2,039	2,364	.....	72

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
73	Chicopee, Mass.	308	67	173	7	39	5	6	.....	101	.....	.....
74	Chillicothe, Ohio.	228	112	21	14	6	1	.....	.....	46	4	24
75	Cincinnati, Ohio.	5,954	1,768	1,011	540	317	22	7	.....	1,738	48	503
76	Cleveland, Ohio.	6,380	1,530	1,702	534	224	39	64	.....	1,970	185	132
77	Clinton town, Mass.	228	46	58	10	15	5	.....	.....	90	1	3
78	Cohoes, N. Y.	433	101	105	16	44	2	3	.....	153	9	.....
79	Columbia, Pa.	193	80	8	37	7	3	1	.....	27	21	9
80	Columbus, Ind.	130	76	2	15	9	15	1	.....	6	2	4
81	Columbus, Ohio.	2,100	1,133	231	70	55	22	3	.....	314	82	190
82	Concord, N. H.	351	163	35	51	17	10	2	.....	62	10	1
83	Corning, N. Y.	141	73	14	14	8	4	.....	.....	25	2	1
84	Cortland, N. Y.	93	35	4	36	3	2	.....	.....	12	.....	1
85	Covington, Ky.	787	263	81	89	36	6	2	.....	199	41	70
86	Danbury town, Conn.	337	130	53	20	18	21	4	.....	80	5	6
87	Danvers town, Mass.	199	95	13	19	4	3	.....	.....	60	1	4
88	Davenport, Iowa.	513	157	92	12	21	1	.....	.....	213	14	3
89	Dayton, Ohio.	1,310	572	150	102	81	11	11	.....	271	24	88
90	Decatur, Ill.	331	.....	.....	.....	.....	.....	.....	265	38	13	15
91	Denver, Colo.	2,615	769	310	376	163	122	35	.....	593	144	103
92	Detroit, Mich.	4,704	776	1,181	390	454	91	70	.....	1,615	55	72
93	Dover, N. H.	200	61	37	20	12	13	4	.....	47	6	.....
94	Dubois, Pa.	161	49	42	23	7	3	.....	.....	31	4	2
95	Duluth, Minn.	754	104	196	56	60	4	2	.....	302	28	2
96	Dunkirk, N. Y.	214	53	63	4	15	.....	.....	.....	79	.....	.....
97	Eau Claire, Wis.	205	54	36	10	16	8	6	.....	68	6	1
98	Elizabeth, N. J.	842	197	243	30	57	6	13	.....	260	5	31
99	Elkhart, Ind.	183	95	11	22	18	10	2	.....	21	4	.....
100	Elmira, N. Y.	486	246	87	15	17	10	2	.....	86	1	22
101	Elwood, Ind.	174	115	18	8	7	8	.....	.....	17	1	.....
102	Erie, Pa.	830	86	117	320	18	.....	2	.....	243	37	7
103	Escanaba, Mich.	180	29	57	3	21	.....	2	.....	60	8	.....
104	Evansville, Ind.	726	243	67	65	58	30	10	.....	133	12	108
105	Everett, Mass.	384	134	75	7	46	10	1	.....	88	4	19
106	Fall River, Mass.	2,206	280	1,032	14	201	14	12	.....	640	9	4
107	Findlay, Ohio.	198	119	18	14	9	8	1	.....	26	.....	3
108	Fitchburg, Mass.	433	137	134	13	33	4	4	.....	127	.....	1
109	Flint, Mich.	194	89	20	22	17	3	.....	.....	37	5	1
110	Fort Wayne, Ind.	636	251	67	32	57	21	5	.....	175	2	6
111	Framingham town, Mass.	158	63	18	13	9	1	2	.....	48	3	1
112	Frederick, Md.	232	.....	.....	.....	.....	.....	.....	146	8	2	76
113	Fresno, Cal.	232	.....	.....	.....	.....	.....	.....	135	47	1	49
114	Gardner town, Mass.	157	45	41	15	9	8	.....	.....	38	1	.....
115	Geneva, N. Y.	153	61	22	12	11	5	.....	.....	34	8	.....
116	Glens Falls, N. Y.	191	105	24	1	13	3	.....	.....	43	2	.....
117	Gloucester, Mass.	485	146	88	15	42	13	2	.....	176	3	.....
118	Gloversville, N. Y.	234	140	18	22	8	2	1	.....	39	3	1
119	Grand Rapids, Mich.	1,123	345	223	51	78	17	6	.....	376	16	11
120	Green Bay, Wis.	235	77	40	17	24	4	.....	.....	64	8	1
121	Greenwich town, Conn.	213	70	50	10	16	9	1	.....	43	4	10
122	Hamilton, Ohio.	388	179	62	16	27	3	.....	.....	82	13	6
123	Hammond, Ind.	212	55	42	14	23	8	.....	.....	60	8	2
124	Harrisburg, Pa.	841	349	23	128	13	40	1	.....	73	104	110
125	Harrison, N. J.	214	59	50	12	10	2	5	.....	70	3	3
126	Hartford, Conn.	1,302	249	244	208	56	56	29	.....	388	25	47
127	Haverhill, Mass.	594	236	104	40	37	24	6	.....	135	5	7
128	Hazelton, Pa.	221	39	50	66	2	.....	.....	.....	63	.....	1
129	Hoboken, N. J.	1,153	197	403	21	63	5	5	.....	445	12	2
130	Holyoke, Mass.	769	85	249	51	64	18	8	.....	289	5	.....
131	Hudson, N. Y.	180	83	26	10	3	5	.....	.....	44	1	8
132	Huntington, Ind.	119	58	8	7	6	11	3	.....	25	1	.....
133	Hyde Park town, Mass.	163	50	36	5	20	1	.....	.....	49	2	.....
134	Indianapolis, Ind.	2,674	1,074	198	308	113	177	29	.....	380	49	346
135	Iron Mountain, Mich.	113	8	44	.....	8	.....	.....	.....	51	1	1
136	Ironton, Ohio.	235	120	10	13	12	3	.....	.....	24	24	29
137	Ironwood, Mich.	183	11	87	.....	10	.....	2	.....	72	1	.....
138	Ishpeming, Mich.	188	15	85	.....	14	.....	.....	.....	74	.....	.....
139	Ithaca, N. Y.	195	99	13	33	9	7	3	.....	21	3	7
140	Jackson, Mich.	357	164	31	36	21	16	3	.....	77	4	5
141	Jacksonville, Fla.	878	.....	.....	.....	.....	.....	.....	250	46	5	577
142	Jacksonville, Ill.	364	.....	.....	.....	.....	.....	.....	266	38	31	29
143	Jamestown, N. Y.	248	84	45	17	16	3	2	.....	75	5	1
144	Jeffersonville, Ind.	220	83	14	9	7	8	2	.....	13	18	66
145	Jersey City, N. J.	4,049	981	1,147	175	303	16	30	.....	1,252	41	104
146	Johnstown, N. Y.	122	63	9	13	8	.....	.....	.....	26	1	2
147	Johnstown, Pa.	680	6	50	369	.....	1	.....	.....	160	84	10
148	Kalamazoo, Mich.	400	145	44	57	26	15	3	.....	85	17	8
149	Kansas City, Mo.	2,681	758	180	464	87	38	6	.....	321	354	473
150	Keene, N. H.	120	65	13	16	5	2	.....	.....	15	4	.....
151	Key West, Fla.	412	.....	.....	.....	.....	.....	.....	166	95	.....	151
152	Kingston, N. Y.	386	170	54	15	14	2	4	.....	103	4	20

NATIVITY, PARENT NATIVITY, AND MONTH: 1902—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
25	24	28	27	39	26	43	47	37	37	36	29	.....	73
14	17	20	24	11	24	33	22	21	17	10	15	.....	74
617	601	561	526	495	484	505	444	401	421	431	468	.....	75
492	503	517	557	522	497	647	593	507	488	477	579	1	76
21	25	15	14	18	13	24	24	19	18	13	24	.....	77
39	46	38	39	34	26	32	38	33	28	25	55	.....	78
21	20	17	17	12	13	17	20	17	14	15	10	.....	79
7	7	7	8	14	8	16	16	10	18	8	11	.....	80
168	181	187	162	160	160	238	171	160	174	165	174	.....	81
29	27	39	28	34	23	24	22	36	24	33	32	.....	82
16	10	10	11	15	10	9	11	10	11	16	12	.....	83
11	8	8	5	7	6	4	10	12	7	3	12	.....	84
72	64	65	79	55	61	80	73	65	62	47	64	.....	85
24	39	39	24	33	19	33	23	18	25	34	26	.....	86
13	14	21	15	21	15	16	18	12	20	15	19	.....	87
54	36	51	36	47	40	44	47	37	49	36	35	1	88
127	108	114	117	109	86	157	118	97	90	103	84	.....	89
28	21	27	35	23	30	26	35	23	23	27	32	1	90
229	228	214	203	198	223	235	214	198	207	226	240	.....	91
402	362	458	474	420	353	434	423	336	311	324	405	2	92
17	19	21	21	15	12	10	16	12	22	14	21	.....	93
13	6	12	13	16	9	7	28	17	17	8	14	1	94
52	64	50	66	75	66	54	65	57	56	72	77	.....	95
12	17	28	17	15	14	13	31	23	12	14	18	.....	96
17	20	16	18	28	23	22	20	14	14	13	.....	.....	97
67	80	68	57	67	74	83	77	65	67	68	69	.....	98
17	8	18	15	20	10	16	16	22	9	11	21	.....	99
36	33	49	61	43	31	33	56	37	34	32	40	1	100
15	12	19	9	9	6	28	24	13	14	14	11	.....	101
65	77	67	83	76	61	64	74	72	57	67	67	.....	102
17	10	19	11	11	13	12	20	17	18	15	17	.....	103
71	60	65	90	53	60	63	62	63	53	43	43	.....	104
32	36	28	35	20	24	42	40	42	14	31	40	.....	105
117	177	168	158	152	145	262	251	187	202	174	213	.....	106
15	15	18	19	15	16	17	27	15	14	14	13	.....	107
33	37	33	37	38	27	24	47	51	36	34	56	.....	108
30	26	13	15	14	20	15	10	11	10	12	18	.....	109
49	54	64	46	53	54	42	65	38	63	53	55	.....	110
12	10	10	10	17	13	10	14	18	14	11	19	.....	111
22	17	29	14	18	18	13	16	13	20	22	30	.....	112
21	22	11	10	11	18	28	17	17	25	26	26	.....	113
14	11	11	14	14	8	13	12	14	16	10	20	.....	114
19	11	10	14	14	11	16	12	15	10	7	14	.....	115
19	17	20	19	12	13	16	19	11	10	17	18	.....	116
51	26	34	29	35	31	50	51	38	42	31	67	.....	117
27	28	30	18	27	12	19	16	17	18	13	17	.....	118
99	108	95	119	79	87	83	86	97	103	90	77	.....	119
26	21	26	26	18	27	20	10	20	23	16	2	.....	120
15	17	22	20	11	18	28	27	16	13	14	12	.....	121
35	43	38	36	25	21	34	31	25	32	36	31	.....	122
13	30	24	20	13	8	15	19	16	28	13	13	.....	123
66	68	69	69	71	59	67	61	76	88	66	81	.....	124
20	15	25	8	16	21	36	21	12	11	18	11	.....	125
109	99	114	119	104	91	126	93	104	103	103	137	.....	126
44	40	47	47	62	48	48	59	45	45	51	58	.....	127
20	22	12	20	18	17	21	25	19	13	18	16	.....	128
104	112	117	101	86	82	109	79	76	88	93	106	.....	129
66	62	72	46	59	54	85	68	63	74	73	47	.....	130
9	18	20	13	21	12	12	16	13	12	19	15	.....	131
7	14	10	8	11	8	10	14	11	10	10	6	.....	132
16	10	16	15	17	10	13	15	13	13	14	11	.....	133
212	245	219	249	170	208	265	230	195	201	223	257	.....	134
8	5	12	9	7	6	7	15	13	15	4	12	.....	135
10	26	20	31	32	22	21	13	19	9	18	14	.....	136
16	11	17	18	23	12	15	20	13	14	7	17	.....	137
12	17	22	18	12	12	15	18	23	15	12	12	.....	138
15	10	29	24	17	6	12	20	21	16	11	13	1	139
34	31	32	28	30	21	26	28	27	29	46	25	.....	140
60	77	76	61	85	91	77	89	72	64	58	68	.....	141
31	30	38	36	19	25	38	35	37	26	30	19	.....	142
20	14	16	31	16	17	23	16	31	26	16	22	.....	143
17	22	17	18	13	19	26	17	20	15	13	21	.....	144
366	346	328	358	322	356	456	307	270	306	312	322	.....	145
8	10	11	12	9	10	11	11	5	9	11	15	.....	146
48	53	62	70	57	55	68	63	60	55	50	39	.....	147
43	22	41	44	38	25	26	35	24	32	31	39	.....	148
221	215	261	276	222	227	258	196	194	195	178	238	.....	149
8	13	12	18	13	10	5	11	13	10	3	4	.....	150
29	28	35	37	41	55	34	35	30	41	22	25	.....	151
25	41	45	37	36	21	28	32	33	31	22	35	.....	152

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.		Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	REGISTRATION CITIES—Continued.										
153	Kokomo, Ind	159	113	6	20	3	7	.....	6	1	3
154	Laconia, N. H	136	65	15	20	5	3	.....	25	3	.....
155	Lafayette, Ind	344	138	30	52	12	21	3	67	15	6
156	Lancaster, Pa	575	.....	.....	.....	.....	.....	469	91	.....	15
157	Lansing, Mich	231	112	24	14	15	6	.....	49	5	6
158	Lawrence, Mass	1,168	140	449	11	96	8	8	444	6	6
159	Leadville, Colo	226	37	65	17	19	4	1	78	2	3
160	Leavenworth, Kans	333	.....	.....	.....	.....	.....	170	75	11	77
161	Leominster town, Mass	155	52	23	11	15	14	.....	38	1	1
162	Lima, Ohio	335	.....	.....	.....	.....	.....	258	37	22	18
163	Lincoln, Nebr	405	108	44	127	13	4	3	76	18	12
164	Lockport, N. Y	217	91	38	11	14	7	1	51	1	3
165	Logansport, Ind	298	93	12	73	4	25	4	43	42	2
166	Los Angeles, Cal	2,357	.....	.....	.....	.....	.....	1,600	561	74	122
167	Louisville, Ky	3,815	988	238	663	103	65	56	590	92	1,020
168	Lowell, Mass	1,943	313	649	59	162	33	14	690	19	4
169	Lynchburg, Va	424	20	1	34	1	3	1	2	129	233
170	Lynn, Mass	1,013	363	194	38	94	38	8	253	9	16
171	McKeesport, Pa	747	219	210	22	41	7	8	183	30	27
172	Madison, Wis	181	52	28	21	10	.....	1	63	5	1
173	Mahanoy City, Pa	251	82	93	1	4	.....	.....	69	2	.....
174	Malden, Mass	491	165	103	16	38	15	4	138	5	7
175	Manchester, N. H	1,057	151	424	69	78	20	4	304	6	1
176	Manchester town, Conn	114	24	32	6	9	3	1	38	.....	1
177	Manitowoc, Wis	166	25	28	12	4	2	1	84	10	.....
178	Mankato, Minn	146	40	31	4	19	1	1	49	1	.....
179	Marietta, Ohio	139	108	14	14	7	6	.....	26	4	.....
180	Marinette, Wis	202	42	64	2	25	2	.....	53	10	4
181	Marion, Ind	254	162	9	24	10	20	.....	14	5	10
182	Marlboro, Mass	196	60	40	2	26	4	.....	63	1	.....
183	Marquette, Mich	134	20	37	1	16	1	.....	52	3	4
184	Massillon, Ohio	139	60	21	5	14	1	.....	29	3	6
185	Meadville, Pa	144	65	11	30	6	2	2	22	1	5
186	Medford, Mass	219	101	38	8	22	3	.....	44	.....	3
187	Melrose, Mass	180	82	27	8	9	4	1	46	2	1
188	Memphis, Tenn	1,981	503	64	106	35	22	2	120	24	1,105
189	Menominee, Mich	141	20	40	7	28	.....	2	39	5	.....
190	Meriden town, Conn	379	80	87	27	24	17	1	136	4	3
191	Michigan City, Ind	188	54	43	6	29	4	.....	49	2	1
192	Middletown, N. Y	292	138	22	47	9	4	1	56	6	9
193	Middletown, Ohio	146	83	14	9	9	4	.....	20	3	4
194	Middletown town, Conn	359	124	70	19	12	5	1	118	6	4
195	Milford town, Mass	182	45	55	9	16	4	.....	50	3	.....
196	Millville, N. J	173	144	7	1	4	2	.....	12	1	2
197	Milwaukee, Wis	3,777	665	1,098	107	414	16	2	1,439	30	6
198	Minneapolis, Minn	2,266	640	531	123	157	11	7	694	102	1
199	Mobile, Ala	900	.....	.....	.....	.....	.....	286	74	34	506
200	Montclair, N. J	237	62	36	48	14	6	2	39	2	28
201	Morristown, N. J	194	82	32	9	7	1	1	40	3	19
202	Mt. Carmel, Pa	322	141	136	.....	.....	.....	.....	44	.....	1
203	Mt. Vernon, N. Y	335	128	80	6	23	2	5	65	4	22
204	Muncie, Ind	348	221	12	27	23	24	1	21	5	14
205	Muscatine, Iowa	167	49	16	25	9	.....	1	46	20	1
206	Muskegon, Mich	248	46	41	19	18	8	11	97	8	.....
207	Nashua, N. H	447	118	118	37	27	17	6	111	12	1
208	Nashville, Tenn	1,810	751	41	11	24	2	.....	93	4	884
209	Natick town, Mass	153	66	27	10	9	3	.....	38	.....	.....
210	Naugatuck, Conn	194	26	72	13	8	7	1	66	1	.....
211	New Albany, Ind	351	189	14	15	17	15	2	46	.....	53
212	New Bedford, Mass	1,364	270	459	34	114	36	17	387	3	44
213	New Britain town, Conn	414	77	157	9	25	9	4	130	3	.....
214	New Brunswick, N. J	402	125	60	51	18	12	11	90	8	27
215	New Haven, Conn	1,872	442	496	77	122	46	6	594	17	72
216	New London, Conn	356	133	77	16	27	9	4	76	9	5
217	New Orleans, La	6,594	1,626	789	113	331	.....	1	1,188	19	2,527
218	New Rochelle, N. Y	221	66	55	4	22	1	.....	58	.....	15
219	New York, N. Y	67,986	12,609	20,758	2,977	4,485	242	209	23,733	897	2,076
220	Bronx borough	4,935	911	1,543	125	401	14	14	1,711	22	194
221	Brooklyn borough	22,427	5,268	6,504	837	1,782	83	44	7,172	139	598
222	Manhattan borough	36,561	5,412	11,696	1,882	1,964	127	138	13,482	696	1,164
223	Queens borough	2,782	681	710	48	254	7	10	952	31	89
224	Richmond borough	1,281	337	305	85	84	11	3	416	9	31
225	Newark, N. J	4,922	1,221	1,182	455	249	39	30	1,470	23	253
226	Newark, Ohio	250	151	19	26	9	5	3	31	.....	6
227	Newburg, N. Y	475	198	44	79	21	9	1	89	17	17
228	Newburyport, Mass	290	154	33	19	26	.....	.....	51	5	2
229	Newcastle, Pa	495	155	66	131	4	3	.....	96	32	8

NATIVITY, PARENT NATIVITY, AND MONTH: 1902—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
8	11	18	15	15	11	16	15	20	14	12	4	.....	153
9	11	16	10	14	11	8	13	12	14	8	10	.....	154
26	34	39	33	31	15	39	27	24	22	27	27	.....	155
54	35	55	53	43	45	60	46	40	41	52	51	.....	156
17	17	25	25	14	13	16	23	19	21	18	23	.....	157
80	107	84	83	91	98	104	116	97	96	89	123	.....	158
16	20	13	27	17	16	20	17	25	16	15	24	.....	159
21	28	34	29	22	23	36	28	23	27	23	39	.....	160
13	16	8	20	7	6	14	18	10	14	13	16	.....	161
29	25	28	34	28	18	26	38	20	30	25	33	1	162
38	32	38	31	26	31	43	37	30	27	32	40	.....	163
18	10	16	21	15	19	20	18	24	11	20	24	1	164
24	22	26	31	20	20	30	28	28	21	20	28	.....	165
226	202	242	180	183	191	181	177	149	185	221	220	.....	166
309	320	307	342	291	338	381	322	281	313	303	308	.....	167
146	144	163	173	159	156	220	147	168	142	148	177	.....	168
31	47	29	28	26	42	47	34	40	31	27	42	.....	169
86	89	78	103	96	60	84	101	78	67	86	85	.....	170
74	52	40	74	58	71	71	62	73	48	53	71	.....	171
15	16	18	28	17	17	17	15	15	10	12	.....	1	172
26	17	19	16	13	21	35	30	30	16	16	12	.....	173
41	46	43	38	43	36	41	34	37	40	43	49	.....	174
77	71	70	88	79	64	116	105	81	103	105	98	.....	175
11	7	5	5	7	15	7	14	7	8	12	16	.....	176
18	18	8	20	22	11	20	6	12	11	15	5	.....	177
8	18	14	12	11	14	15	11	5	20	9	9	.....	178
20	12	24	16	20	6	22	16	11	17	7	8	.....	179
14	17	23	19	20	16	14	18	12	6	15	28	.....	180
20	12	24	22	25	15	27	36	22	20	17	14	.....	181
17	18	20	23	16	10	14	12	19	15	11	21	.....	182
9	3	17	9	12	14	8	12	20	10	10	10	.....	183
9	11	8	10	7	6	13	18	14	15	8	20	.....	184
15	8	10	11	8	9	10	18	9	15	18	13	.....	185
23	14	17	20	22	18	28	19	21	5	13	19	.....	186
10	13	19	18	15	19	8	9	13	19	16	21	.....	187
157	150	153	149	162	181	175	214	178	180	148	134	.....	188
14	17	9	7	13	16	11	6	13	11	14	10	.....	189
33	29	35	24	27	29	37	31	32	29	25	48	.....	190
22	13	15	16	19	11	15	22	18	9	13	15	.....	191
25	24	23	21	21	19	29	35	31	16	21	27	.....	192
9	14	9	14	11	11	10	18	16	12	9	13	.....	193
43	28	36	39	24	28	30	22	27	31	21	30	.....	194
8	16	10	24	17	11	18	26	16	12	10	14	.....	195
20	20	12	10	16	9	16	18	14	13	14	11	.....	196
337	293	338	258	314	300	312	455	346	296	302	226	.....	197
184	125	215	256	218	185	188	185	167	171	201	171	.....	198
63	69	64	60	104	102	69	83	76	76	69	65	.....	199
24	20	18	17	21	11	32	20	13	22	19	20	.....	200
14	10	13	9	15	14	25	16	21	17	22	18	.....	201
25	27	24	24	25	22	33	35	34	24	27	22	.....	202
24	41	32	26	31	23	35	31	35	19	22	15	1	203
30	19	31	24	21	35	37	35	34	25	26	31	.....	204
15	14	11	8	16	8	15	11	18	16	24	11	.....	205
21	21	29	20	27	13	25	9	26	18	15	23	1	206
39	40	47	44	28	27	40	34	40	40	38	30	.....	207
174	197	148	139	141	153	167	141	142	136	145	127	.....	208
17	16	11	8	20	14	5	12	11	17	9	13	.....	209
15	23	17	19	13	22	16	11	14	17	10	17	.....	210
35	23	35	31	26	30	39	27	28	31	18	28	.....	211
96	86	102	118	107	74	114	137	130	130	124	146	.....	212
24	30	46	28	35	33	50	40	30	33	32	33	.....	213
31	31	39	47	28	27	43	26	34	33	27	36	.....	214
147	109	154	155	135	148	239	185	172	159	120	149	.....	215
22	22	32	24	25	23	42	38	39	33	23	32	1	216
607	589	566	526	657	617	511	509	458	463	510	581	.....	217
17	20	10	13	17	18	22	17	16	23	14	34	.....	218
6,284	6,072	6,018	5,973	5,776	5,408	6,476	5,773	5,092	4,928	4,881	5,303	2	219
473	483	424	444	435	391	503	399	353	335	362	333	.....	220
2,002	1,967	1,885	1,870	1,905	1,943	2,249	1,914	1,667	1,545	1,571	1,909	.....	221
3,513	3,298	3,358	3,346	3,138	2,758	3,270	3,034	2,738	2,735	2,693	2,710	.....	222
200	221	240	208	220	232	312	264	225	218	190	250	2	223
96	103	111	105	78	84	142	162	109	95	95	101	.....	224
434	431	415	412	445	397	493	422	335	372	381	384	1	225
19	16	22	23	18	18	22	23	26	23	18	22	.....	226
40	45	47	42	38	33	38	44	40	27	35	44	2	227
22	29	21	27	20	22	22	26	25	21	25	30	.....	228
39	31	50	44	59	47	58	47	43	28	16	33	.....	229

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
230	Newport, Ky	395	154	41	50	17	2	2	.....	112	6	11
231	Newport, R. I	424	165	68	17	30	1	1	.....	102	6	34
232	Newton, Mass	439	174	89	12	40	14	3	.....	95	1	11
233	Niagara Falls, N. Y	376	84	100	13	35	.....	3	.....	128	9	4
234	Norfolk, Va	1,187	.....	.....	.....	.....	.....	.....	448	44	33	662
235	Norristown, Pa	566	156	61	139	12	6	1	.....	103	57	31
236	North Adams, Mass	349	89	82	15	43	19	2	.....	93	3	3
237	Northampton, Mass	264	103	45	12	19	11	2	.....	70	.....	2
238	Norwalk town, Conn	293	151	53	5	8	10	1	.....	55	1	9
239	Norwich town, Conn	379	122	73	19	15	13	3	.....	121	3	10
240	Oakland, Cal	1,152	374	185	103	58	8	4	.....	353	17	50
241	Ogdensburg, N. Y	329	80	48	34	19	9	3	.....	122	8	6
242	Olean, N. Y	98	37	12	15	3	.....	2	.....	22	5	2
243	Omaha, Nebr	1,308	407	215	104	55	14	6	.....	373	60	74
244	Orange, N. J	498	126	123	25	26	3	2	.....	131	4	58
245	Ottawa, Ill	141	.....	.....	.....	.....	.....	.....	103	36	2	.....
246	Ottumwa, Iowa	211	61	14	69	5	9	2	.....	39	6	6
247	Owosso, Mich	104	64	8	6	5	4	.....	.....	16	1	.....
248	Paducah, Ky	470	259	4	5	4	.....	.....	.....	17	13	168
249	Passaic, N. J	565	76	268	28	29	.....	10	.....	131	7	16
250	Paterson, N. J	1,783	340	424	189	139	23	17	.....	582	28	41
251	Pawtucket, R. I	737	207	194	4	66	1	1	.....	259	2	3
252	Peabody town, Mass	163	63	33	2	20	.....	1	.....	44	.....	.....
253	Peekskill, N. Y	259	143	32	19	17	5	2	.....	32	4	5
254	Perth Amboy, N. J	290	55	138	8	12	3	2	.....	67	2	3
255	Peru, Ind	150	75	16	17	7	11	.....	.....	16	6	2
256	Petersburg, Va	552	179	5	36	6	5	.....	.....	6	1	314
257	Philadelphia, Pa	23,578	.....	.....	.....	.....	.....	.....	15,265	5,947	396	1,970
258	Phillipsburg, N. J	156	88	9	15	6	1	1	.....	33	2	1
259	Pittsburg, Pa	7,419	1,813	2,033	186	440	42	13	.....	2,116	154	622
260	Pittsfield, Mass	348	118	41	15	25	17	1	.....	117	2	12
261	Plainfield, N. J	257	104	31	14	11	1	3	.....	48	2	43
262	Plymouth, Pa	170	69	1	1	.....	.....	.....	.....	98	1	.....
263	Plymouth town, Mass	136	73	17	3	14	3	2	.....	24	.....	.....
264	Pontiac, Mich	171	70	30	11	19	2	.....	.....	38	10	1
265	Port Huron, Mich	261	59	56	4	31	2	2	.....	104	1	2
266	Port Jervis, N. Y	155	89	12	11	6	3	.....	.....	34	.....	.....
267	Portland, Me	940	391	124	93	67	19	4	.....	214	21	7
268	Portland, Oreg	1,121	321	137	140	52	8	2	.....	329	43	89
269	Portsmouth, N. H	216	96	27	11	25	18	.....	.....	32	3	4
270	Portsmouth, Ohio	293	173	25	26	19	3	1	.....	26	8	12
271	Pottstown, Pa	201	166	4	5	2	.....	.....	.....	14	4	6
272	Pottsville, Pa	250	122	19	27	9	.....	1	.....	65	3	4
273	Poughkeepsie, N. Y	423	166	68	48	24	8	2	.....	83	15	9
274	Providence, R. I	3,394	948	883	36	273	33	20	.....	1,017	19	165
275	Pueblo Colo	998	351	134	97	45	35	4	.....	187	79	66
276	Quincy Ill	561	.....	.....	.....	.....	.....	.....	326	174	13	48
277	Quincy, Mass	408	124	106	10	33	6	1	.....	128	.....	.....
278	Raleigh, N. C	363	86	2	42	3	8	.....	.....	5	28	189
279	Reading, Pa	1,312	927	101	89	33	2	2	.....	135	7	16
280	Revere town, Mass	150	54	27	5	12	6	6	.....	37	2	1
281	Richmond, Ind	393	191	38	43	20	24	3	.....	41	4	29
282	Richmond, Va	2,188	633	43	225	31	6	1	.....	103	39	1,107
283	Rochester, N. H	125	61	15	4	10	7	.....	.....	27	1	.....
284	Rochester, N. Y	2,295	643	423	154	160	18	6	.....	836	44	11
285	Rockland, Me	129	90	5	4	10	10	.....	.....	9	.....	1
286	Rome, N. Y	256	92	28	26	13	7	1	.....	81	4	4
287	Rutland, Vt	208	.....	.....	.....	.....	.....	.....	158	45	5	.....
288	Sacramento, Cal	589	243	46	64	5	2	1	.....	155	15	58
289	Saginaw, Mich	580	140	91	22	81	20	8	.....	207	6	5
290	St. Joseph, Mo	936	273	32	333	16	2	1	.....	129	95	55
291	St. Louis, Mo	10,363	2,786	1,417	1,371	502	87	36	.....	2,912	242	1,010
292	St. Paul, Minn	1,770	271	315	405	40	2	4	.....	589	112	32
293	Salem, Mass	657	196	180	18	48	21	6	.....	177	8	3
294	Salt Lake City, Utah	1,059	270	171	110	91	21	6	.....	362	17	11
295	San Antonio, Tex	1,504	448	185	164	88	16	3	.....	372	28	200
296	San Diego, Cal	379	88	8	128	11	8	2	.....	111	9	14
297	San Francisco, Cal	7,593	1,276	1,413	701	435	52	14	.....	2,976	134	592
298	San Jose, Cal	348	129	53	19	27	6	.....	.....	96	3	15
299	Saratoga Springs, N. Y	281	114	30	41	15	9	4	.....	45	6	17
300	Sault Ste. Marie, Mich	231	19	64	7	35	3	6	.....	76	18	3
301	Savannah, Ga	1,659	.....	.....	.....	.....	.....	.....	427	112	3	1,117
302	Schenectady, N. Y	648	226	162	37	39	7	4	.....	151	17	5
303	Scranton, Pa	1,498	97	133	533	43	7	9	.....	431	244	1
304	Seattle, Wash	1,082	364	108	96	56	14	2	.....	296	90	56
305	Sioux City, Iowa	471	136	85	50	31	12	2	.....	119	33	3
306	Somerville, Mass	895	290	185	20	77	23	3	.....	281	5	11
307	South Bend, Ind	494	143	124	31	29	22	3	.....	114	13	15
308	South Bethlehem, Pa	193	61	45	23	1	.....	4	.....	40	19	.....
309	Southbridge town, Mass	166	32	53	1	16	7	1	.....	56	.....	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1902—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
36	33	35	40	25	36	46	27	21	30	27	39	.....	230
39	37	33	34	33	32	26	35	46	35	32	42	.....	231
36	34	38	31	38	33	47	45	36	33	36	32	.....	232
16	26	34	29	23	37	36	45	35	31	27	36	1	233
98	75	95	78	131	128	119	79	113	93	89	89	.....	234
54	59	50	44	43	50	47	53	37	47	36	46	.....	235
30	25	19	34	26	25	27	41	35	26	29	31	1	236
17	15	22	21	26	21	26	18	20	23	27	28	.....	237
23	30	26	21	23	18	31	33	23	23	16	26	.....	238
37	34	29	37	25	23	26	36	29	32	30	41	.....	239
124	114	88	97	74	86	83	72	107	96	103	108	.....	240
22	25	32	26	36	34	21	25	26	35	23	24	.....	241
6	10	4	9	11	5	3	13	6	12	11	8	.....	242
106	96	116	130	124	91	117	114	107	109	98	100	.....	243
40	34	37	34	34	33	54	52	35	44	47	54	.....	244
7	16	10	12	15	7	8	5	22	9	9	21	.....	245
19	25	18	13	24	16	16	24	13	22	15	6	.....	246
5	12	15	14	9	6	6	10	9	5	6	7	.....	247
27	20	35	47	38	42	39	65	36	40	41	40	.....	248
32	36	58	58	43	66	72	61	40	37	28	34	.....	249
142	124	158	162	149	136	189	155	139	130	139	160	.....	250
54	62	76	53	58	54	71	68	57	48	61	75	.....	251
16	16	17	7	13	9	16	17	11	8	14	19	.....	252
25	18	23	16	23	17	19	45	21	17	18	17	.....	253
22	20	15	18	18	14	45	45	16	28	16	23	.....	254
10	17	12	11	14	14	10	17	14	10	11	10	.....	255
36	35	43	49	44	55	49	55	46	47	36	57	.....	256
2,294	2,233	2,142	2,064	1,884	1,749	2,159	1,818	1,587	1,586	1,918	2,129	15	257
12	12	12	7	17	5	17	23	9	11	21	10	.....	258
643	592	610	641	640	590	661	693	581	565	603	600	.....	259
24	25	25	34	35	18	25	45	28	40	25	24	.....	260
22	24	15	26	24	18	19	26	19	20	26	18	.....	261
19	6	6	13	9	22	27	14	20	13	9	12	.....	262
12	7	12	11	11	15	8	12	10	14	14	10	.....	263
14	10	10	13	19	18	15	13	16	12	7	24	.....	264
20	26	38	33	17	17	24	16	24	15	17	14	.....	265
15	7	10	5	18	16	17	12	17	13	8	17	.....	266
67	80	71	80	65	82	87	70	67	85	83	103	.....	267
85	81	98	94	101	83	89	100	113	94	89	94	.....	268
13	12	13	17	21	21	22	23	22	14	23	15	.....	269
23	22	20	20	30	24	32	30	20	27	18	27	.....	270
21	21	15	15	17	11	21	22	17	12	15	14	.....	271
23	17	21	21	16	21	15	24	25	19	25	23	.....	272
30	48	45	32	41	35	26	36	27	35	36	32	.....	273
278	305	292	275	263	240	313	314	246	261	278	329	.....	274
89	99	61	61	79	95	94	77	83	82	77	101	.....	275
61	55	66	48	39	43	50	46	34	34	38	47	.....	276
39	33	37	30	23	30	30	36	36	36	35	43	.....	277
31	21	27	27	39	36	35	32	27	37	30	21	.....	278
110	113	134	139	99	85	108	124	87	105	88	120	.....	279
13	15	14	9	14	6	18	23	11	6	6	15	.....	280
49	27	48	30	35	27	32	31	24	35	31	24	.....	281
184	150	160	178	164	240	233	180	190	174	154	181	.....	282
17	13	9	10	8	4	8	15	9	12	14	6	.....	283
176	172	172	188	206	172	171	210	188	191	192	250	7	284
16	10	12	14	15	11	3	11	11	3	9	14	.....	285
25	20	21	30	25	13	22	29	16	17	15	22	1	286
14	14	17	15	17	23	12	22	27	19	13	15	.....	287
56	48	42	41	36	54	43	36	61	55	55	62	.....	288
51	50	66	51	48	37	53	34	50	38	45	57	.....	289
66	59	83	107	89	82	84	69	62	78	67	89	1	290
933	913	1,042	982	895	794	923	834	716	764	786	770	11	291
148	165	155	187	174	122	144	154	125	129	110	156	1	292
45	44	56	47	49	49	44	79	50	59	52	82	1	293
76	82	88	80	85	90	82	102	85	104	98	87	.....	294
130	151	130	124	166	144	90	119	80	110	131	128	1	295
42	29	38	28	28	24	34	28	26	30	28	43	1	296
771	627	672	622	579	562	613	612	579	619	604	733	.....	297
54	28	24	23	33	34	22	19	22	26	34	29	.....	298
29	17	31	20	23	24	26	36	31	19	12	12	1	299
9	13	13	21	21	22	20	26	26	29	15	16	.....	300
150	105	134	108	164	162	158	137	137	134	137	132	1	301
44	36	48	47	57	65	64	70	49	54	64	48	2	302
150	96	129	161	134	105	150	157	109	95	95	117	.....	303
89	98	83	87	110	68	90	109	89	83	91	85	.....	304
35	37	48	46	34	38	50	42	40	37	32	32	.....	305
86	81	80	73	59	70	75	76	55	79	73	88	.....	306
37	40	54	34	37	38	38	42	42	45	42	45	.....	307
14	21	19	23	10	14	29	16	.....	9	16	22	.....	308
13	11	11	17	15	19	8	8	15	18	10	21	.....	309

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
310	Spokane, Wash	558	260	58	20	48	11	2	.....	138	10	11
311	Springfield, Ill	640	263	78	56	16	3	2	.....	140	17	65
312	Springfield, Mass	1,014	327	215	55	75	41	6	.....	263	6	26
313	Stamford town, Conn	344	110	66	23	22	14	3	.....	96	6	4
314	Steelton, Pa	248	111	32	14	5	2	2	.....	35	19	28
315	Stonington town, Conn	133	46	29	6	11	4	1	.....	34	.....	2
316	Superior, Wis	383	58	99	35	22	14	6	.....	81	64	4
317	Syracuse, N. Y	1,487	447	304	131	70	27	21	.....	435	32	20
318	Tacoma, Wash	605	211	75	39	42	8	.....	.....	183	25	22
319	Taunton, Mass	570	174	110	42	32	18	4	.....	182	6	2
320	Terre Haute, Ind	742	382	55	67	29	42	2	.....	103	15	47
321	Tiffin, Ohio	168	105	13	.....	7	.....	.....	.....	43	.....	.....
322	Toledo, Ohio	2,020	629	407	121	128	8	6	.....	520	147	54
323	Torrington town, Conn	133	34	42	9	6	3	.....	.....	35	2	2
324	Traverse City, Mich	181	56	16	28	16	4	.....	.....	45	16	.....
325	Trenton, N. J	1,330	461	242	155	53	19	6	.....	298	40	56
326	Troy, N. Y	1,415	404	346	80	90	15	5	.....	454	8	13
327	Union, N. J	261	63	76	9	16	.....	3	.....	94	.....	.....
328	Utica, N. Y	1,051	345	223	49	63	7	5	.....	343	11	5
329	Vernon town, Conn	123	25	29	7	10	3	1	.....	44	4	.....
330	Vincennes, Ind	172	99	13	10	7	12	.....	.....	23	3	5
331	Wabash, Ind	126	92	4	9	5	3	.....	.....	9	2	2
332	Wakefield town, Mass	142	65	18	4	10	3	.....	.....	40	1	1
333	Wallingford town, Conn	102	37	25	1	10	3	.....	.....	25	.....	1
334	Waltham, Mass	327	111	69	17	24	13	2	.....	89	2	.....
335	Ware town, Mass	147	33	51	.....	19	1	.....	.....	43	.....	.....
336	Washington, D. C	5,782	1,768	267	353	163	31	3	.....	582	28	2,587
337	Washington, Ind	140	81	8	10	10	11	.....	.....	14	1	5
338	Waterbury, Conn	937	210	328	10	85	5	4	.....	273	4	18
339	Watertown, N. Y	294	128	48	22	17	1	1	.....	75	1	1
340	Watertown town, Mass	131	29	27	3	13	11	2	.....	45	1	.....
341	Watervliet, N. Y	212	89	43	4	17	2	.....	.....	55	2	.....
342	Webster town, Mass	158	29	77	4	11	1	.....	.....	34	2	.....
343	West Bay City, Mich	191	50	34	9	26	7	1	.....	63	.....	1
344	Westfield town, Mass	209	48	45	30	17	10	1	.....	50	8	.....
345	Weymouth town, Mass	158	93	25	2	5	4	1	.....	27	1	.....
346	Wheeling, W. Va	640	107	46	226	23	25	11	.....	149	20	33
347	Wichita, Kans	415	195	15	86	9	7	1	.....	34	34	34
348	Williamsport, Pa	399	150	17	92	19	11	1	.....	61	20	28
349	Wilmington, Del	1,368	.....	.....	.....	.....	.....	.....	2	61	1,026	279
350	Wilmington, N. C	602	174	4	26	2	1	.....	.....	18	9	368
351	Windham town, Conn	160	37	31	14	9	9	4	.....	53	2	1
352	Winona, Minn	206	61	42	5	21	1	.....	.....	72	4	.....
353	Woburn, Mass	229	66	67	8	14	7	1	.....	59	5	2
354	Woonsocket, R. I	546	78	193	3	53	16	20	.....	180	3	.....
355	Worcester, Mass	1,936	455	520	98	160	60	8	.....	607	9	19
356	Yonkers, N. Y	864	220	279	12	61	5	2	.....	251	5	29
357	Youngstown, Ohio	876	241	191	34	67	2	.....	.....	273	44	24
	CONNECTICUT RURAL.											
358	Fairfield county	676	296	81	64	29	40	3	.....	131	15	17
359	Hartford county	916	361	163	45	67	44	8	.....	207	10	11
360	Litchfield county	751	318	87	71	37	58	5	.....	136	24	15
361	Middlesex county	354	185	47	19	13	21	.....	.....	58	9	2
362	New Haven county	703	287	130	33	44	27	3	.....	142	18	19
363	New London county	471	240	44	32	17	30	3	.....	74	21	10
364	Tolland county	243	120	35	18	9	15	1	.....	34	7	4
365	Windham county	574	191	99	47	40	41	5	.....	132	14	5
	INDIANA RURAL.											
366	Adams county	239	130	19	24	11	15	3	.....	37	.....	.....
367	Allen county	318	168	33	27	11	19	4	.....	55	1	.....
368	Bartholomew county	195	126	5	18	12	15	4	.....	12	2	1
369	Benton county	105	57	3	6	4	9	.....	.....	25	1	.....
370	Blackford county	218	161	5	17	5	18	2	.....	7	3	.....
371	Boone county	311	231	7	31	3	29	1	.....	5	3	1
372	Brown county	125	79	3	24	.....	14	.....	.....	1	4	.....
373	Carroll county	197	125	7	29	6	16	1	.....	9	4	.....
374	Cass county	161	101	2	27	4	17	2	.....	5	3	.....
375	Clark county	244	136	14	16	11	16	2	.....	20	5	24
376	Clay county	415	263	27	23	26	19	.....	.....	41	4	12
377	Clinton county	385	289	2	44	5	31	2	.....	8	2	2
378	Crawford county	162	116	5	14	1	19	1	.....	4	2	.....
379	Daviess county	253	182	9	16	9	16	2	.....	13	3	3
380	Dearborn county	291	107	40	45	20	16	3	.....	52	6	2
381	Decatur county	273	202	9	19	5	14	3	.....	18	.....	3
382	Dekalb county	302	199	10	33	13	22	3	.....	22	.....	.....
383	Delaware county	316	229	8	28	10	27	2	.....	7	5	.....
384	Dubois county	266	150	36	7	16	4	.....	.....	48	4	1
385	Elkhart county	346	232	3	36	18	22	5	.....	26	4	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1902—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
41	43	48	50	49	36	52	52	37	61	50	39	.....	310
40	53	61	64	65	40	53	65	50	55	46	48	.....	311
82	71	84	74	105	81	89	73	91	77	87	100	.....	312
36	24	27	20	19	34	33	40	23	38	23	27	.....	313
17	15	20	23	40	14	21	28	19	17	19	15	.....	314
11	8	8	10	10	6	16	14	12	18	7	13	.....	315
36	29	27	51	34	30	26	29	41	22	24	27	7	316
130	106	124	133	133	98	107	169	124	113	118	131	1	317
37	58	43	56	46	44	51	47	67	47	62	47	.....	318
33	46	31	60	37	46	48	49	61	53	54	52	.....	319
52	55	73	68	57	59	71	68	63	59	57	60	.....	320
21	10	16	9	19	7	17	22	7	13	13	14	.....	321
170	153	168	158	148	129	202	193	195	177	150	177	.....	322
8	9	3	19	10	6	12	13	13	16	10	14	.....	323
15	17	18	15	25	14	16	16	11	15	12	7	.....	324
117	112	117	132	111	102	152	125	78	93	85	106	.....	325
103	134	129	124	129	101	127	108	108	109	120	118	5	326
27	36	21	23	17	14	27	19	21	18	23	15	.....	327
63	93	84	89	90	85	95	103	95	84	73	95	2	328
15	8	7	6	7	7	12	12	10	11	14	14	.....	329
16	20	14	17	9	13	15	1	18	17	19	13	.....	330
17	7	13	7	6	4	14	13	10	19	6	10	.....	331
12	19	11	10	11	12	7	13	11	7	11	18	.....	332
5	10	10	7	4	9	13	7	10	9	8	10	.....	333
25	28	33	28	35	11	31	26	25	24	26	35	.....	334
8	9	18	8	8	7	16	19	17	10	16	11	.....	335
529	445	468	534	453	506	568	458	421	488	415	497	.....	336
12	17	16	12	11	8	17	13	8	9	9	8	.....	337
56	75	83	80	57	94	102	100	71	68	75	75	1	338
18	35	28	25	27	18	15	19	26	32	24	26	1	339
9	9	3	14	10	10	12	13	17	8	13	13	.....	340
26	10	27	17	14	15	23	13	11	17	15	24	.....	341
13	9	13	17	16	12	9	14	20	12	9	14	.....	342
24	21	18	20	21	6	10	15	11	17	12	16	.....	343
23	11	22	18	22	15	15	19	17	22	14	11	.....	344
17	14	13	18	5	8	11	11	15	19	14	13	.....	345
44	57	54	63	73	46	46	53	43	39	45	77	.....	346
37	44	29	25	30	29	43	42	34	44	25	32	1	347
34	41	34	24	34	23	37	33	32	34	41	32	.....	348
116	133	117	151	116	89	151	128	105	97	85	80	.....	349
31	32	30	30	70	65	71	45	55	63	54	50	6	350
12	11	17	11	13	12	8	12	11	13	19	21	.....	351
15	22	12	16	15	21	11	16	16	23	13	26	.....	352
21	22	17	19	20	14	20	16	18	15	18	29	.....	353
61	36	48	54	48	30	71	58	37	30	30	43	.....	354
143	186	141	156	178	148	180	164	164	151	167	158	.....	355
72	68	79	60	60	68	89	66	87	76	75	64	.....	356
78	55	78	82	73	58	75	97	70	74	65	71	.....	357
58	65	58	64	65	42	55	68	50	33	53	65	.....	358
73	76	71	83	65	64	74	97	79	84	66	83	1	359
59	57	78	66	63	51	72	60	59	56	58	72	.....	360
27	26	44	33	28	20	31	34	33	25	21	32	.....	361
70	75	60	49	44	44	67	86	52	45	50	58	3	362
45	44	34	38	33	38	45	36	36	43	38	39	2	363
28	17	22	19	20	21	17	15	27	16	19	22	.....	364
50	32	49	53	54	45	31	56	51	51	56	46	.....	365
29	17	23	16	19	17	19	21	20	19	21	18	.....	366
23	80	29	30	21	17	18	30	16	24	13	17	.....	367
18	12	26	12	11	6	22	23	20	17	9	19	.....	368
10	5	10	8	8	5	11	8	10	8	5	17	.....	369
18	21	17	14	14	13	35	24	18	11	18	15	.....	370
26	23	32	28	29	20	26	35	21	26	21	23	1	371
10	13	16	7	8	5	10	9	12	14	8	13	.....	372
18	10	21	20	17	11	15	22	24	10	15	14	.....	373
18	9	15	14	8	15	18	21	14	10	8	11	.....	374
29	16	28	16	20	16	24	28	10	17	20	20	.....	375
47	44	33	40	34	25	31	37	36	29	22	37	.....	376
23	30	37	27	32	12	32	52	50	31	35	24	.....	377
21	15	14	11	13	10	14	18	11	15	12	8	.....	378
26	19	14	19	15	18	31	23	31	25	9	23	.....	379
12	31	30	29	13	11	30	35	14	33	29	24	.....	380
23	23	20	22	30	16	31	31	22	23	16	16	.....	381
24	33	16	23	18	20	22	34	37	22	23	30	.....	382
21	27	31	26	24	21	35	41	19	26	25	20	.....	383
15	28	23	22	21	18	32	27	17	17	23	23	.....	384
21	44	35	17	35	31	25	36	35	24	21	22	.....	385

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	INDIANA RURAL—Continued.											
386	Fayette county	183	126	6	12	10	15	2	.....	4	5	3
387	Floyd county	93	57	3	4	4	8	.....	.....	12	2	3
388	Fountain county	242	174	3	29	6	19	.....	.....	7	4	.....
389	Franklin county	256	133	20	27	10	18	1	.....	43	3	1
390	Fulton county	209	128	7	20	9	20	3	.....	20	2	.....
391	Gibson county	363	235	11	36	9	23	.....	.....	19	7	23
392	Grant county	595	311	24	123	19	42	2	.....	48	12	14
393	Greene county	386	281	11	36	8	27	1	.....	13	8	1
394	Hamilton county	364	270	7	35	6	19	3	.....	10	2	12
395	Hancock county	266	185	8	30	8	20	1	.....	11	3	.....
396	Harrison county	243	165	9	15	9	18	1	.....	15	2	9
397	Hendricks county	268	203	2	24	1	25	2	.....	5	3	3
398	Henry county	372	258	4	34	8	41	2	.....	12	3	10
399	Howard county	167	122	2	20	2	11	.....	.....	6	2	2
400	Huntington county	206	147	9	14	6	16	1	.....	8	3	2
401	Jackson county	377	248	17	30	15	24	3	.....	26	3	11
402	Jasper county	112	60	8	14	3	5	1	.....	20	1	.....
403	Jay county	332	254	5	26	10	19	2	.....	9	4	3
404	Jefferson county	345	179	26	37	12	28	2	.....	38	7	16
405	Jennings county	200	132	4	18	10	14	1	.....	18	.....	3
406	Johnson county	243	183	3	22	7	17	1	.....	1	1	8
407	Knox county	264	183	9	24	4	17	1	.....	15	4	7
408	Kosciusko county	331	236	10	31	15	23	4	.....	7	4	1
409	Lagrange county	180	127	4	17	5	11	3	.....	12	1	.....
410	Lake county	337	93	95	21	20	10	5	.....	78	15	.....
411	Laporte county	296	116	24	28	14	10	3	.....	71	19	11
412	Lawrence county	321	244	7	31	4	18	.....	.....	6	6	5
413	Madison county	462	348	14	26	15	14	1	.....	25	6	13
414	Marion county	438	183	17	85	15	26	1	.....	28	50	33
415	Marshall county	290	170	13	37	12	25	1	.....	24	8	.....
416	Martin county	172	127	4	12	4	13	.....	.....	4	6	2
417	Miami county	220	143	4	26	6	20	.....	.....	14	6	1
418	Monroe county	285	170	.....	41	.....	39	.....	.....	5	20	10
419	Montgomery county	388	312	15	16	10	14	1	.....	12	3	5
420	Morgan county	217	151	2	29	2	18	.....	.....	5	10	.....
421	Newton county	110	59	6	11	5	3	3	.....	15	8	.....
422	Noble county	248	155	14	30	13	8	1	.....	22	5	.....
423	Ohio county	62	35	.....	9	3	3	2	.....	3	.....	7
424	Orange county	183	144	2	21	.....	10	.....	.....	2	2	2
425	Owen county	189	136	4	19	.....	17	2	.....	8	3	.....
426	Parke county	279	193	8	35	6	18	.....	.....	13	1	5
427	Perry county	256	150	18	15	9	8	1	.....	43	7	5
428	Pike county	342	284	5	19	6	17	1	.....	6	2	2
429	Porter county	237	97	33	18	21	18	2	.....	44	3	1
430	Posey county	356	203	26	27	11	16	3	.....	25	2	43
431	Pulaski county	141	87	9	15	4	13	.....	.....	11	2	.....
432	Putnam county	285	228	1	27	3	11	.....	.....	8	2	5
433	Randolph county	355	252	6	33	12	27	2	.....	16	2	5
434	Ripley county	210	105	25	14	12	6	.....	.....	46	1	1
435	Rush county	250	173	8	22	10	12	.....	.....	8	1	16
436	St. Joseph county	236	112	19	34	21	15	2	.....	28	4	1
437	Scott county	118	82	3	19	1	5	2	.....	3	3	.....
438	Shelby county	365	277	7	22	12	23	2	.....	16	1	5
439	Spencer county	316	181	10	21	9	19	3	.....	30	9	34
440	Starke county	127	68	13	7	8	6	.....	.....	21	4	.....
441	Steuben county	166	98	3	26	5	21	2	.....	4	7	.....
442	Sullivan county	340	237	10	36	10	24	3	.....	9	7	4
443	Switzerland county	157	111	6	12	7	11	.....	.....	7	2	1
444	Tippecanoe county	174	99	8	25	5	4	1	.....	22	9	1
445	Tipton county	224	161	7	25	2	16	1	.....	7	5	.....
446	Union county	92	61	6	8	.....	6	1	.....	4	3	3
447	Vanderburg county	196	57	30	25	11	3	2	.....	45	10	13
448	Vermillion county	224	153	16	20	2	14	1	.....	6	10	2
449	Vigo county	222	156	8	13	3	18	2	.....	13	3	6
450	Wabash county	215	153	9	17	3	19	1	.....	9	2	2
451	Warren county	98	58	4	15	5	5	.....	.....	5	6	.....
452	Warrick county	290	181	9	24	7	23	3	.....	17	7	19
453	Washington county	259	204	2	15	5	13	.....	.....	8	5	4
454	Wayne county	288	202	8	17	5	21	3	.....	15	8	9
455	Wells county	233	168	5	20	16	10	3	.....	9	2	.....
456	White county	206	131	7	23	12	12	1	.....	16	3	1
457	Whitley county	187	109	8	28	5	14	3	.....	14	5	1
	MAINE RURAL.											
458	Androscoggin county	812	345	143	67	48	40	3	.....	146	20	.....
459	Aroostook county	745	299	76	46	112	17	3	.....	177	14	1
460	Cumberland county	770	506	64	58	46	32	2	.....	55	5	2
461	Franklin county	260	179	7	34	9	13	.....	.....	12	6	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1902—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
16	17	21	19	18	12	11	17	18	12	9	13	.....	386
3	9	7	8	5	5	12	14	11	4	8	7	.....	387
16	21	21	23	21	26	19	24	20	16	15	20	.....	388
22	27	28	24	20	28	15	21	22	17	14	18	.....	389
9	25	20	19	19	21	11	15	24	15	10	21	.....	390
38	33	36	37	17	3	36	28	41	38	21	35	.....	391
46	47	52	32	52	36	60	82	52	56	40	40	.....	392
35	28	40	33	27	32	36	25	32	28	28	42	.....	393
39	29	37	28	28	27	34	38	33	18	28	25	.....	394
25	16	27	22	15	21	33	25	20	22	21	19	.....	395
26	17	20	22	17	19	16	20	26	23	13	24	.....	396
26	28	21	21	16	24	22	24	24	22	13	27	.....	397
22	33	35	35	34	21	45	42	27	24	31	22	1	398
11	12	20	10	9	14	14	21	22	12	14	8	.....	399
16	18	20	17	8	16	9	27	22	16	9	26	2	400
45	25	32	24	36	28	22	29	35	34	31	36	.....	401
12	17	9	15	8	6	6	14	8	7	5	5	.....	402
27	33	34	32	25	20	27	34	36	19	21	24	.....	403
25	21	37	32	21	33	38	30	31	25	22	30	.....	404
20	9	15	21	21	12	19	19	26	12	11	15	.....	405
19	16	18	8	27	21	30	24	24	24	14	18	.....	406
18	32	16	24	23	23	25	16	25	30	17	15	.....	407
26	28	34	24	28	22	18	36	27	22	31	35	.....	408
18	20	22	20	8	11	9	14	16	12	13	17	.....	409
21	31	30	34	26	23	18	30	42	25	29	26	2	410
28	24	24	30	30	17	27	21	27	25	18	25	.....	411
27	29	25	21	22	24	34	29	28	30	26	26	.....	412
41	50	31	31	35	17	44	52	49	37	38	37	.....	413
42	38	36	32	35	25	40	44	43	38	31	34	.....	414
24	18	35	33	24	15	23	27	18	24	20	29	.....	415
21	19	17	13	10	10	22	16	9	13	12	10	.....	416
23	19	18	15	15	14	26	20	18	16	20	16	.....	417
23	23	24	20	21	16	26	32	28	27	27	18	.....	418
31	30	38	38	30	19	34	35	44	29	33	27	.....	419
16	18	20	20	16	17	26	25	11	13	15	20	.....	420
12	6	12	5	9	10	9	9	10	6	9	13	.....	421
25	17	17	23	25	19	16	24	29	13	13	27	.....	422
6	6	8	4	5	2	7	9	5	4	3	3	.....	423
20	22	13	8	10	11	8	23	17	20	15	16	.....	424
17	16	23	17	10	7	16	19	14	13	20	17	.....	425
32	25	33	17	17	19	34	26	14	29	16	17	.....	426
18	20	24	22	16	13	20	22	17	29	29	25	1	427
32	27	26	35	29	15	32	26	33	37	27	23	.....	428
28	23	27	29	20	17	20	17	19	16	11	10	.....	429
38	40	27	22	23	32	23	24	35	34	31	27	.....	430
11	8	15	16	11	8	11	16	17	11	7	10	.....	431
31	26	28	19	23	18	23	19	30	28	20	20	.....	432
42	29	29	39	31	19	32	31	30	20	28	25	.....	433
18	20	19	17	24	23	16	23	9	13	19	9	.....	434
22	23	28	23	19	15	21	19	23	13	23	21	.....	435
18	15	18	19	26	16	10	16	17	22	29	30	.....	436
9	13	6	7	6	5	15	11	14	12	10	10	.....	437
34	33	38	41	27	15	23	47	34	26	21	29	.....	438
26	27	29	28	21	22	19	40	31	24	23	26	.....	439
13	9	12	18	7	7	15	15	8	8	6	9	.....	440
15	12	23	21	9	14	9	9	11	13	12	18	.....	441
38	23	32	28	15	25	26	36	35	27	23	32	.....	442
14	17	16	15	13	7	10	16	12	15	13	9	.....	443
11	13	18	19	11	9	13	19	16	17	16	12	.....	444
21	21	19	15	16	13	24	36	20	13	16	10	.....	445
9	12	7	8	8	8	7	8	12	1	7	4	1	446
13	8	20	17	13	17	24	12	13	15	13	31	.....	447
17	20	26	25	13	10	17	25	19	15	14	23	.....	448
18	18	31	17	8	13	23	20	19	13	23	19	.....	449
15	17	18	21	20	8	17	29	21	21	11	17	.....	450
9	13	8	4	7	10	10	9	11	6	5	6	.....	451
33	28	19	29	22	20	21	28	21	21	22	26	.....	452
24	19	22	33	12	10	28	30	18	20	23	20	.....	453
31	31	26	20	19	19	27	24	29	24	18	20	.....	454
21	15	15	27	19	14	15	20	23	21	17	26	.....	455
22	21	18	19	15	13	18	17	20	17	13	12	1	456
20	16	28	14	17	18	11	19	10	16	9	9	.....	457
70	70	67	74	70	74	73	68	53	67	43	80	3	458
55	43	60	74	57	45	66	62	109	64	53	56	1	459
69	76	65	73	57	58	51	38	64	63	64	91	1	460
24	22	21	27	30	18	11	21	29	23	14	20	.....	461

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	MAINE RURAL—Continued.											
462	Hancock county	475	352	9	42	17	20	3	.....	24	6	2
463	Kennebec county	756	460	59	68	47	29	4	.....	76	13	.....
464	Knox county	321	248	4	20	10	22	2	.....	10	3	2
465	Lincoln county	256	175	4	41	8	10	1	.....	5	10	2
466	Oxford county	565	386	28	57	17	31	1	.....	35	9	1
467	Penobscot county	855	479	55	103	54	33	5	.....	103	14	9
468	Piscataquis county	219	152	6	24	2	11	3	.....	15	4	2
469	Sagadahoc county	155	111	3	18	6	8	.....	.....	6	1	2
470	Somerset county	540	341	20	67	24	33	4	.....	41	9	1
471	Waldo county	370	284	1	53	4	13	1	.....	10	3	1
472	Washington county	591	301	39	48	58	17	5	.....	120	2	1
473	York county	893	592	49	79	37	59	6	.....	73	7	.....
	MASSACHUSETTS RURAL.											
474	Barnstable county	520	357	37	23	21	17	3	.....	49	4	9
475	Berkshire county	527	188	57	56	33	26	3	.....	135	8	21
476	Bristol county	621	311	112	39	32	24	3	.....	92	6	2
477	Dukes county	76	48	4	5	1	6	.....	.....	6	1	5
478	Essex county	1,032	506	120	60	80	46	8	.....	195	16	1
479	Franklin county	623	308	71	53	33	54	1	.....	93	9	1
480	Hampden county	619	216	139	47	37	26	2	.....	139	11	2
481	Hampshire county	412	168	55	43	28	31	.....	.....	72	12	3
482	Middlesex county	1,757	596	258	96	111	68	7	.....	545	40	36
483	Nantucket county	65	44	1	1	8	3	2	.....	3	.....	3
484	Norfolk county	1,146	456	136	81	99	34	5	.....	319	12	4
485	Plymouth county	1,008	530	84	78	58	49	4	.....	183	17	5
486	Suffolk county	73	31	2	8	6	6	3	.....	17	.....	.....
487	Worcester county	1,902	775	297	110	155	90	17	.....	439	15	4
	MICHIGAN RURAL.											
488	Alcona county	45	6	6	1	9	.....	.....	.....	21	2	.....
489	Alger county	74	13	17	1	11	.....	.....	.....	26	3	3
490	Allegan county	473	209	42	41	24	27	4	.....	102	15	9
491	Alpena county	170	24	47	2	35	.....	3	.....	59	.....	.....
492	Antrim county	168	74	19	9	25	3	1	.....	30	4	3
493	Arenac county	79	23	11	2	9	1	.....	.....	27	5	1
494	Baraga county	40	5	13	.....	5	.....	.....	.....	10	1	6
495	Barry county	267	161	6	30	14	13	3	.....	35	4	1
496	Bay county	212	42	44	7	24	1	.....	.....	85	2	7
497	Benzie county	108	52	15	9	6	6	2	.....	12	4	2
498	Berrien county	552	272	54	32	30	31	2	.....	103	17	11
499	Branch county	379	222	13	54	17	41	1	.....	25	6	.....
500	Calhoun county	422	240	19	38	19	16	2	.....	72	12	4
501	Cass county	287	176	6	26	5	16	2	.....	23	3	30
502	Charlevoix county	162	57	15	8	16	7	.....	.....	42	6	11
503	Cheboygan county	180	44	29	9	26	4	2	.....	58	6	2
504	Chippewa county	107	14	30	2	13	4	4	.....	36	6	8
505	Clare county	83	30	10	9	6	.....	4	.....	20	4	.....
506	Clinton county	298	174	13	34	10	13	1	.....	42	8	3
507	Crawford county	47	18	8	4	4	1	.....	.....	8	4	.....
508	Delta county	142	18	39	7	18	3	2	.....	47	6	2
509	Dickinson county	113	10	60	1	8	.....	1	.....	31	1	1
510	Eaton county	400	250	16	50	26	14	1	.....	33	10	.....
511	Emmet county	231	111	13	24	17	6	5	.....	34	6	15
512	Genesee county	367	189	18	31	25	16	6	.....	69	12	1
513	Gladwin county	60	18	4	2	16	4	.....	.....	14	2	.....
514	Gogebic county	122	9	56	1	8	.....	.....	.....	45	3	.....
515	Grand Traverse county	115	57	9	16	5	3	1	.....	18	4	2
516	Gratiot county	351	202	10	42	22	29	6	.....	37	3	.....
517	Hillsdale county	375	240	18	31	15	23	2	.....	33	12	1
518	Houghton county	939	78	364	10	93	6	7	.....	365	16	.....
519	Huron county	337	43	80	4	47	3	3	.....	147	10	.....
520	Ingham county	327	191	19	25	22	23	1	.....	30	14	2
521	Ionia county	428	240	18	42	19	21	4	.....	76	8	.....
522	Iosco county	99	19	21	3	17	.....	.....	.....	35	4	.....
523	Iron county	86	11	27	1	6	.....	.....	.....	37	4	.....
524	Isabella county	262	137	11	15	21	7	4	.....	50	6	11
525	Jackson county	282	142	20	30	14	13	2	.....	47	9	5
526	Kalamazoo county	235	140	17	18	9	11	1	.....	29	9	1
527	Kalkaska county	77	45	4	4	3	2	.....	.....	18	1	.....
528	Kent county	592	262	50	69	31	15	4	.....	146	14	1
529	Keweenaw county	33	4	13	.....	4	.....	.....	.....	9	3	.....
530	Lake county	47	22	4	3	2	2	.....	.....	9	5	.....
531	Lapeer county	375	173	29	13	32	18	7	.....	95	7	1
532	Leelanau county	117	32	20	8	13	1	2	.....	27	1	13
533	Lenawee county	637	309	34	50	28	28	5	.....	106	8	9
534	Livingston county	225	103	15	30	10	11	4	.....	47	5	.....
535	Luce county	64	5	7	2	1	1	.....	.....	34	13	1
536	Mackinac county	83	25	4	5	12	1	.....	.....	23	7	6
537	Macomb county	466	181	58	14	50	5	.....	.....	153	4	1

NATIVITY, PARENT NATIVITY, AND MONTH: 1902—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
42	47	44	33	37	36	30	37	50	38	37	42	2	462
53	71	76	62	70	65	57	60	54	57	60	70	1	463
25	24	40	26	25	25	30	31	28	32	21	14	.....	464
21	27	32	13	20	21	23	16	21	14	21	27	.....	465
52	53	55	57	52	34	38	50	42	45	42	43	2	466
67	71	71	70	74	65	64	76	87	68	63	76	3	467
11	18	23	18	16	12	19	11	22	18	25	26	.....	468
17	21	14	13	16	15	13	8	6	7	12	13	.....	469
62	50	60	49	50	45	36	30	20	43	47	48	.....	470
37	26	30	32	35	24	25	33	33	31	32	32	.....	471
54	37	34	64	68	45	46	44	54	47	44	57	1	472
64	69	64	86	84	72	63	85	69	72	66	96	3	473
49	45	44	45	45	30	45	31	51	43	43	49	.....	474
49	52	56	48	36	27	35	47	57	38	32	50	.....	475
44	67	69	65	40	39	41	38	60	46	58	54	.....	476
8	9	6	4	7	9	7	7	3	5	3	8	.....	477
83	84	85	90	76	80	92	90	102	95	63	92	.....	478
67	61	65	48	64	41	50	58	33	60	36	39	1	479
57	50	56	46	36	49	53	48	63	51	50	60	.....	480
46	39	43	38	34	29	30	39	29	32	27	25	1	481
156	155	137	153	138	135	118	153	149	152	144	167	.....	482
4	5	8	7	5	2	4	5	5	6	8	6	.....	483
85	113	90	87	76	100	85	93	98	104	105	110	.....	484
85	83	94	56	93	92	84	97	84	74	70	95	1	485
4	4	3	1	13	3	6	11	6	6	7	9	.....	486
180	174	163	163	176	144	117	162	183	141	136	163	.....	487
6	6	3	6	3	2	2	3	4	4	5	1	.....	488
5	4	6	7	7	4	8	8	5	5	5	10	.....	489
50	45	43	49	34	27	38	40	30	44	35	37	1	490
17	16	13	13	10	8	18	9	10	17	20	19	.....	491
13	15	15	12	12	13	15	16	15	17	10	15	.....	492
12	5	3	5	7	4	5	9	3	7	6	12	1	493
4	3	4	4	1	2	2	8	3	2	2	5	.....	494
21	29	32	30	24	23	17	21	18	19	11	22	.....	495
15	19	22	16	14	13	18	28	19	16	18	14	.....	496
13	6	12	17	7	6	7	10	8	3	7	12	.....	497
67	40	50	47	55	42	39	47	42	36	38	47	2	498
36	32	46	39	42	19	25	35	32	21	26	26	.....	499
34	34	50	36	37	26	41	25	34	37	29	39	.....	500
39	28	30	29	20	17	25	15	21	24	20	19	.....	501
17	12	8	19	14	10	16	22	11	12	10	9	2	502
20	20	23	17	12	10	10	11	17	14	13	13	.....	503
11	7	10	10	6	5	10	6	14	6	13	9	.....	504
9	3	11	8	8	6	4	9	7	7	4	7	.....	505
26	30	26	33	23	17	19	23	33	19	23	26	.....	506
4	2	5	6	2	3	5	3	7	4	2	4	.....	507
7	14	12	14	12	15	11	5	18	11	9	12	2	508
5	9	8	6	6	7	8	18	12	8	12	14	.....	509
46	37	36	43	44	27	30	20	31	25	29	32	.....	510
22	21	20	19	19	9	12	22	22	22	23	20	.....	511
50	38	33	35	28	14	27	26	27	23	32	34	.....	512
5	4	5	4	5	1	5	7	10	6	5	3	.....	513
10	8	17	8	14	8	7	12	12	9	9	8	.....	514
6	7	6	9	12	13	10	12	13	7	7	13	.....	515
34	30	36	30	29	30	27	33	22	29	18	33	.....	516
37	37	30	24	33	26	25	28	25	41	36	33	.....	517
64	68	74	70	70	46	72	109	142	82	67	73	2	518
36	28	29	22	27	26	23	24	30	27	31	34	.....	519
24	31	46	37	29	19	24	23	16	24	26	28	.....	520
44	40	56	37	39	31	33	26	23	28	35	36	.....	521
14	8	7	10	5	6	7	6	6	10	8	12	.....	522
3	4	3	8	7	9	12	8	6	10	8	8	.....	523
22	25	25	29	23	20	22	20	19	24	14	19	.....	524
19	21	33	35	21	20	20	25	24	25	15	24	.....	525
21	24	17	15	23	21	22	18	19	15	17	23	.....	526
5	5	3	4	9	3	6	4	4	13	13	8	.....	527
67	60	46	42	49	50	41	51	41	48	44	53	.....	528
1	4	2	2	2	1	1	7	5	3	4	1	.....	529
4	5	6	4	4	7	3	1	5	5	1	2	.....	530
34	38	32	36	40	26	26	17	29	34	29	34	.....	531
17	9	11	13	7	3	7	9	10	8	15	8	.....	532
61	51	56	51	61	48	41	47	68	37	46	70	.....	533
20	23	28	13	22	18	26	16	19	15	16	9	.....	534
4	2	3	11	4	3	5	3	8	6	4	10	1	535
4	9	8	4	2	7	10	11	7	7	8	6	.....	536
48	31	49	28	50	40	33	35	33	36	34	49	.....	537

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL.

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.								
			Both parents.			Mixed parentage.			Parentage not stated.	Foreign.	Unknown.	
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	MICHIGAN RURAL—Continued.											
538	Manistee county	312	55	78	7	40	4	5	.....	117	5	1
539	Marquette county	191	13	74	.....	16	.....	2	.....	86	.....	.....
540	Mason county	183	64	31	6	17	3	3	.....	49	2	8
541	Mecosta county	223	104	20	10	24	5	3	.....	51	1	5
542	Menominee county	127	26	26	4	18	3	1	.....	46	2	1
543	Midland county	147	68	10	9	15	9	1	.....	33	2	.....
544	Missaukee county	85	30	12	4	9	3	.....	.....	24	2	1
545	Monroe county	369	193	41	22	25	4	1	.....	77	6	.....
546	Montcalm county	375	181	23	38	24	25	2	.....	72	10	.....
547	Montmorency county	44	11	6	4	3	2	1	.....	11	6	.....
548	Muskegon county	166	55	17	17	10	7	2	.....	54	4	.....
549	Newaygo county	203	86	17	27	18	9	2	.....	39	4	1
550	Oakland county	406	202	41	37	25	12	1	.....	84	3	1
551	Oceana county	161	74	11	16	13	7	.....	.....	22	3	15
552	Ogemaw county	79	34	7	2	10	2	.....	.....	21	1	2
553	Ontonagon county	93	17	23	3	9	.....	.....	.....	31	7	3
554	Osceola county	208	82	17	14	15	6	3	.....	62	5	4
555	Oscoda county	10	2	1	.....	3	.....	.....	.....	4	.....	.....
556	Otsego county	75	30	15	5	5	2	.....	.....	13	5	.....
557	Ottawa county	417	88	70	15	47	8	1	.....	186	2	.....
558	Presque Isle county	93	18	27	3	14	2	1	.....	27	1	.....
559	Roscommon county	9	4	.....	1	1	.....	.....	.....	2	1	.....
560	Saginaw county	413	124	66	16	42	13	3	.....	134	13	2
561	St. Clair county	466	137	70	14	57	8	1	.....	171	6	2
562	St. Joseph county	302	190	20	13	18	13	3	.....	42	2	1
563	Sanilac county	375	58	69	8	46	5	2	.....	179	8	.....
564	Schoolcraft county	95	23	10	4	12	.....	.....	.....	43	3	.....
565	Shiawassee county	310	180	12	27	21	13	4	.....	46	6	1
566	Tuscola county	418	156	47	30	39	14	6	.....	110	10	6
567	Van Buren county	364	209	14	36	17	22	3	.....	47	6	10
568	Washtenaw county	423	181	47	18	24	16	4	.....	105	7	21
569	Wayne county	1,039	267	198	89	83	23	9	.....	347	9	14
570	Wexford county	208	94	29	11	11	2	1	.....	51	8	1
	NEW HAMPSHIRE RURAL.											
571	Belknap county	202	85	4	61	2	18	1	.....	5	26	.....
572	Carroll county	261	137	4	56	6	31	.....	.....	10	17	.....
573	Cheshire county	315	139	29	56	12	19	1	.....	28	10	1
574	Coos county	249	76	20	44	22	13	.....	.....	56	17	1
575	Grafton county	611	300	32	87	34	41	3	.....	76	37	1
576	Hillsboro county	535	275	43	62	24	21	1	.....	75	34	.....
577	Merrimack county	505	249	57	69	21	26	1	.....	56	26	.....
578	Rockingham county	663	343	64	79	25	31	.....	.....	83	36	2
579	Strafford county	272	126	45	26	12	10	.....	.....	40	12	1
580	Sullivan county	270	115	13	64	11	15	1	.....	30	20	1
	NEW JERSEY RURAL.											
581	Atlantic county	242	118	33	12	9	4	.....	.....	50	4	12
582	Bergen county	1,163	402	245	37	84	10	3	.....	280	23	79
583	Burlington county	822	509	52	31	28	9	1	.....	98	31	63
584	Camden county	520	258	49	37	25	7	.....	.....	75	8	61
585	Cape May county	193	130	18	4	5	2	.....	.....	13	4	17
586	Cumberland county	333	205	17	22	12	2	.....	.....	37	7	31
587	Essex county	917	387	148	41	56	10	3	.....	219	11	42
588	Gloucester county	392	243	13	25	17	7	.....	.....	39	11	37
589	Hudson county	1,241	241	332	109	91	5	4	.....	425	18	16
590	Hunterdon county	456	339	18	19	5	10	.....	.....	34	5	6
591	Mercer county	229	142	12	7	8	6	.....	.....	24	2	28
592	Middlesex county	572	205	144	24	26	12	6	.....	126	15	14
593	Monmouth county	1,189	658	93	53	48	32	9	.....	145	29	122
594	Morris county	806	367	110	100	33	9	6	.....	163	5	13
595	Ocean county	272	217	14	9	9	4	.....	.....	15	1	3
596	Passaic county	259	103	58	6	13	8	1	.....	60	5	5
597	Salem county	312	213	6	12	3	7	.....	.....	16	12	43
598	Somerset county	448	220	60	10	17	10	3	.....	79	7	42
599	Sussex county	226	181	9	8	2	6	.....	.....	12	6	2
600	Union county	426	148	72	65	16	3	1	.....	83	7	31
601	Warren county	367	272	24	12	9	15	.....	.....	31	1	3
	NEW YORK RURAL.											
602	Albany county	481	288	38	38	20	7	1	.....	80	8	1
603	Allegany county	561	291	36	96	18	25	3	.....	77	12	3
604	Broome county	393	200	12	49	8	23	1	.....	29	7	4
605	Cattaraugus county	709	318	64	116	28	25	9	.....	129	17	3
606	Cayuga county	518	295	18	68	10	22	5	.....	81	14	5
607	Chautauqua county	726	345	68	89	33	32	4	.....	130	24	1
608	Chemung county	269	197	10	19	3	10	2	.....	22	3	3
609	Chenango county	525	316	27	101	6	20	1	.....	37	15	2
610	Clinton county	471	185	44	29	38	5	2	.....	129	9	.....
611	Columbia county	467	240	25	67	12	19	1	.....	74	17	12

NATIVITY, PARENT NATIVITY, AND MONTH: 1902—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
18	25	32	20	27	20	31	21	32	25	31	29	1	538
21	13	10	17	22	15	10	12	12	18	22	19	.....	539
17	13	15	16	21	13	10	18	16	13	17	14	.....	540
16	21	18	22	22	17	18	12	16	22	16	23	.....	541
8	4	11	16	13	9	7	12	11	10	14	12	.....	542
18	14	14	15	10	12	14	14	7	10	10	9	.....	543
3	8	9	11	7	8	6	6	6	9	6	6	.....	544
61	35	31	30	34	7	28	39	27	24	27	25	1	545
38	38	33	34	21	30	19	26	38	32	31	35	.....	546
.....	5	6	8	5	1	2	2	4	7	3	1	.....	547
16	17	11	16	9	14	22	15	13	9	11	12	1	548
24	21	15	23	15	11	17	14	15	14	18	16	.....	549
34	33	37	35	43	33	40	32	25	35	28	31	.....	550
21	15	12	16	13	10	18	13	8	15	12	8	.....	551
4	10	13	5	17	2	4	1	7	8	4	4	.....	552
4	4	5	8	8	7	8	5	10	5	13	16	.....	553
20	21	17	23	13	6	15	16	20	15	22	17	3	554
1	.....	1	2	4	2	.....	.....	.....	.....	.....	.....	.....	555
4	6	6	7	6	4	4	5	11	2	8	12	.....	556
41	33	41	49	45	36	38	23	33	22	28	28	.....	557
6	5	10	8	6	16	3	6	6	10	10	6	1	558
.....	2	2	.....	.....	.....	.....	1	.....	2	.....	2	.....	559
37	38	33	43	39	37	26	26	45	25	32	32	.....	560
36	40	49	56	51	35	33	24	35	32	32	43	.....	561
38	30	31	27	25	23	24	18	22	17	21	26	.....	562
38	27	33	31	34	35	23	26	24	31	39	34	.....	563
9	7	7	8	9	2	7	8	9	8	11	10	.....	564
35	30	27	26	29	22	19	30	19	19	28	26	.....	565
43	48	45	30	23	34	32	27	33	32	29	42	.....	566
28	41	39	37	29	27	31	14	29	28	31	30	.....	567
54	43	44	31	42	19	23	24	45	34	29	35	.....	568
84	95	76	85	101	77	108	90	75	76	87	83	2	569
20	16	25	30	18	17	17	17	15	14	23	16	.....	570
15	20	34	17	9	25	14	16	18	19	4	11	.....	571
24	21	29	16	25	18	22	16	36	17	15	22	.....	572
28	25	29	20	28	24	21	31	27	23	22	27	.....	573
24	25	22	23	18	21	14	17	18	21	20	26	.....	574
68	65	53	56	48	35	45	47	45	43	44	62	.....	575
41	51	49	50	50	42	35	48	35	38	41	55	.....	576
59	39	40	43	45	27	38	33	43	44	46	48	.....	577
57	52	49	58	67	42	55	63	59	52	52	57	.....	578
24	28	23	27	18	17	20	18	24	29	25	19	.....	579
22	22	26	27	27	17	15	32	23	21	21	17	.....	580
28	17	23	24	18	19	20	22	16	21	17	17	.....	581
106	90	109	98	82	94	95	121	84	82	79	122	1	582
90	54	74	80	62	50	79	79	56	49	67	72	1	583
48	46	44	46	36	40	63	51	34	34	41	37	.....	584
14	14	22	19	12	17	32	23	12	10	8	10	.....	585
40	25	31	26	29	21	26	42	18	32	23	18	.....	586
82	75	72	75	69	83	111	74	53	67	72	84	.....	587
40	27	36	44	36	18	42	35	30	27	35	22	.....	588
115	110	137	114	128	131	131	82	83	73	69	68	.....	589
39	46	32	48	45	37	37	39	31	32	36	34	.....	590
30	25	30	11	14	19	18	20	15	16	12	19	.....	591
45	62	43	46	48	48	74	56	31	38	31	50	.....	592
78	78	97	79	81	84	160	171	109	83	82	86	1	593
70	43	77	84	73	72	74	75	64	64	56	54	.....	594
27	23	16	26	26	26	27	27	17	13	20	24	.....	595
27	20	16	25	19	17	30	29	20	18	21	17	.....	596
25	31	34	19	16	22	33	38	24	17	25	28	.....	597
49	43	43	43	36	36	40	31	29	24	34	40	.....	598
32	25	18	13	28	17	22	19	16	19	8	9	.....	599
41	40	29	43	42	39	36	43	22	25	25	41	.....	600
33	32	21	26	27	37	34	28	30	28	33	38	.....	601
51	37	44	33	37	39	37	42	23	43	45	49	1	602
39	61	51	35	38	37	36	51	49	51	41	52	.....	603
36	42	39	33	23	35	24	36	23	40	31	31	.....	604
51	71	62	75	66	55	57	51	50	61	55	54	1	605
50	39	37	45	46	44	46	37	41	46	40	46	1	606
73	55	54	69	59	63	63	49	60	64	52	64	1	607
31	22	27	16	25	24	19	18	27	17	15	28	.....	608
54	39	47	48	40	35	37	41	45	43	36	60	.....	609
49	40	36	42	36	35	47	39	29	44	35	39	.....	610
46	38	58	36	36	38	37	30	34	35	45	33	1	611

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.								
			Both parents.			Mixed parentage.			Parentage not stated.	Foreign.	Unknown.	
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	NEW YORK RURAL—Continued.											
612	Cortland county	298	170	18	54	8	18	.....	.....	23	7	.....
613	Delaware county	569	362	40	65	17	22	2	.....	51	10	.....
614	Dutchess county	1,029	484	90	123	36	29	4	.....	223	18	22
615	Erie county	1,119	382	198	83	73	22	8	.....	330	18	5
616	Essex county	431	221	40	43	30	18	2	.....	68	9	.....
617	Franklin county	680	330	65	28	75	8	6	.....	145	7	16
618	Fulton county	219	130	10	33	11	6	2	.....	21	6	.....
619	Genesee county	433	185	52	43	17	15	2	.....	110	8	1
620	Greene county	508	347	44	37	12	6	2	.....	46	3	11
621	Hamilton county	44	24	3	6	1	2	2	.....	4	2	.....
622	Herkimer county	553	276	71	64	29	17	3	.....	80	9	4
623	Jefferson county	705	365	62	74	38	25	3	.....	122	14	2
624	Lewis county	327	169	20	32	12	4	3	.....	76	11	.....
625	Livingston county	497	234	55	74	22	14	.....	.....	84	9	5
626	Madison county	568	340	25	65	25	19	2	.....	80	8	4
627	Monroe county	752	294	93	59	52	10	1	.....	225	14	4
628	Montgomery county	338	194	23	42	13	18	1	.....	42	3	2
629	Nassau county	817	381	106	43	49	11	2	.....	185	12	28
630	Niagara county	490	202	69	29	33	8	2	.....	132	8	7
631	Oneida county	787	333	103	79	45	20	6	.....	180	20	1
632	Onondaga county	906	404	107	141	25	31	4	.....	165	21	8
633	Ontario county	581	331	51	44	26	13	.....	.....	106	7	3
634	Orange county	747	398	71	49	36	9	1	.....	144	14	25
635	Orleans county	403	174	38	41	20	16	5	.....	90	16	3
636	Oswego county	981	445	84	126	51	38	7	.....	203	22	5
637	Otsego county	658	497	34	43	19	11	.....	.....	46	7	1
638	Putnam county	212	116	18	17	11	5	1	.....	37	2	5
639	Rensselaer county	682	369	78	49	22	7	2	.....	144	8	3
640	Rockland county	566	260	85	36	21	16	3	.....	98	24	23
641	St. Lawrence county	866	409	90	59	74	30	3	.....	188	10	3
642	Saratoga county	745	387	83	89	24	22	3	.....	116	14	7
643	Schenectady county	183	99	25	7	9	5	.....	.....	31	5	2
644	Schoharie county	401	208	15	48	3	7	.....	.....	14	11	5
645	Schuyler county	211	140	6	28	3	9	1	.....	19	1	4
646	Seneca county	509	254	40	79	17	16	1	.....	93	6	3
647	Steuben county	994	478	48	214	13	36	1	.....	161	38	5
648	Suffolk county	1,336	533	134	123	51	27	3	.....	358	44	63
649	Sullivan county	493	233	52	46	18	21	2	.....	108	11	2
650	Tioga county	391	219	12	76	14	25	2	.....	26	12	5
651	Tompkins county	304	195	5	57	.....	15	1	.....	23	7	1
652	Ulster county	913	527	87	68	37	26	2	.....	137	16	13
653	Warren county	202	129	8	25	11	6	.....	.....	16	7	.....
654	Washington county	690	369	57	66	35	34	3	.....	112	14	.....
655	Wayne county	636	308	49	72	34	16	3	.....	134	15	5
656	Westchester county	1,535	538	304	105	80	16	11	.....	392	31	58
657	Wyoming county	429	245	30	38	18	7	2	.....	79	8	2
658	Yates county	265	139	9	47	8	15	2	.....	31	13	1
	RHODE ISLAND RURAL.											
659	Bristol county	249	95	52	3	13	5	1	.....	73	4	3
660	Kent county	545	203	159	5	38	2	2	.....	128	2	6
661	Newport county	184	90	47	4	10	3	.....	.....	25	1	4
662	Providence county	1,275	491	244	35	70	10	1	.....	383	16	25
663	Washington county	312	220	15	7	11	1	2	.....	40	3	13
	VERMONT RURAL.											
664	Addison county	309	.....	.....	.....	.....	.....	.....	268	34	6	1
665	Bennington county	179	.....	.....	.....	.....	.....	.....	150	22	7	.....
666	Caledonia county	377	.....	.....	.....	.....	.....	.....	307	61	9	.....
667	Chittenden county	304	.....	.....	.....	.....	.....	.....	244	50	10	.....
668	Essex county	113	.....	.....	.....	.....	.....	.....	88	17	8	.....
669	Franklin county	409	.....	.....	.....	.....	.....	.....	305	83	20	1
670	Grand Isle county	39	.....	.....	.....	.....	.....	.....	27	9	3	.....
671	Lamoille county	165	.....	.....	.....	.....	.....	.....	150	12	3	.....
672	Orange county	316	.....	.....	.....	.....	.....	.....	279	24	13	.....
673	Orleans county	350	.....	.....	.....	.....	.....	.....	255	78	16	1
674	Rutland county	455	.....	.....	.....	.....	.....	.....	361	82	11	1
675	Washington county	444	.....	.....	.....	.....	.....	.....	363	55	25	1
676	Windham county	442	.....	.....	.....	.....	.....	.....	371	48	22	1
677	Windsor county	550	.....	.....	.....	.....	.....	.....	487	47	13	3

NATIVITY, PARENT NATIVITY, AND MONTH: 1902—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
29	25	17	25	28	23	30	29	23	25	21	22	1	612
50	57	61	49	30	51	37	43	49	47	36	39	.....	613
95	89	115	103	91	57	71	84	63	88	73	98	2	614
100	90	97	111	101	67	91	99	89	88	82	101	3	615
34	36	40	31	36	28	44	23	38	38	36	47	.....	616
50	52	73	60	57	61	61	55	59	49	38	54	1	617
19	19	21	18	23	16	27	14	15	21	14	12	.....	618
38	39	35	33	43	32	33	38	35	36	38	33	.....	619
34	48	47	50	57	37	41	47	34	38	37	38	.....	620
4	3	3	8	2	3	2	3	7	1	3	5	.....	621
63	46	40	45	41	50	51	44	56	42	32	43	.....	622
61	59	68	72	45	53	59	55	52	55	60	63	3	623
34	29	27	24	23	25	26	29	35	24	24	27	.....	624
41	48	51	49	38	31	32	48	33	37	34	54	1	625
48	58	45	55	43	46	33	35	46	55	42	62	.....	626
71	62	57	55	68	60	59	73	59	60	52	75	1	627
32	26	23	36	24	27	33	38	14	26	28	31	.....	628
59	79	70	53	69	93	77	92	63	63	40	57	2	629
50	43	36	36	54	31	45	44	31	37	42	40	1	630
67	55	75	67	78	79	61	59	57	66	61	60	2	631
62	69	90	67	75	73	74	79	79	71	70	96	1	632
50	58	54	51	52	38	41	50	55	37	51	43	1	633
54	62	65	69	58	60	52	76	76	52	56	66	1	634
40	31	43	45	30	33	25	35	28	35	30	27	1	635
92	76	78	94	88	74	74	65	79	86	79	96	.....	636
67	53	60	53	61	53	57	51	42	64	44	52	1	637
23	16	9	16	14	15	20	24	22	22	11	19	1	638
54	53	64	67	64	41	54	58	49	54	57	67	.....	639
55	58	53	40	57	49	53	63	44	48	20	26	.....	640
88	88	72	84	51	59	58	68	73	71	78	74	2	641
67	60	72	66	79	55	57	64	50	47	63	64	1	642
23	18	16	16	29	8	8	15	5	20	12	13	.....	643
41	33	41	47	35	28	19	31	37	41	24	23	1	644
17	26	18	16	9	16	15	15	23	14	18	23	1	645
41	55	57	47	41	32	31	40	47	40	27	48	3	646
126	90	93	84	79	60	60	79	84	89	67	79	4	647
95	108	119	112	111	99	91	113	158	101	99	124	6	648
37	41	54	45	32	29	33	61	36	44	37	44	.....	649
36	31	28	38	39	30	36	30	36	28	27	32	.....	650
36	27	28	22	23	21	24	28	26	21	21	27	.....	651
54	94	91	82	91	65	88	75	74	60	74	65	.....	652
8	18	26	26	12	16	16	16	17	17	14	16	.....	653
68	73	64	64	49	49	57	63	45	48	38	70	2	654
63	55	75	54	73	47	36	47	39	54	40	53	.....	655
122	107	118	145	116	108	182	178	130	122	101	104	2	656
50	31	44	37	40	30	35	27	33	27	36	39	.....	657
19	13	29	27	26	20	21	15	30	21	18	26	.....	658
22	11	21	15	23	19	23	27	16	23	16	33	.....	659
37	34	40	44	42	31	45	63	39	55	41	54	.....	660
17	16	13	14	9	11	15	23	28	13	10	15	.....	661
103	90	108	114	106	85	103	121	125	117	96	107	.....	662
35	32	28	28	27	20	20	31	29	19	20	22	1	663
33	30	37	25	36	18	17	19	14	27	30	23	.....	664
16	22	18	11	9	6	21	9	24	17	9	16	1	665
38	38	36	38	33	20	21	32	37	23	24	37	.....	666
23	24	27	22	25	30	26	21	33	25	28	20	.....	667
10	14	9	10	9	14	6	8	11	8	6	8	.....	668
43	35	42	41	30	25	32	31	33	33	28	36	.....	669
4	1	4	2	4	2	1	3	10	.....	6	1	1	670
9	16	18	12	15	13	13	16	8	13	14	18	.....	671
33	24	25	38	39	31	16	15	17	22	29	27	.....	672
21	22	47	29	36	33	20	22	33	28	30	29	.....	673
50	63	38	27	40	25	31	34	35	36	35	40	1	674
42	40	35	30	58	33	29	35	37	33	35	36	1	675
41	33	44	43	42	40	27	38	41	34	23	36	.....	676
52	60	60	55	60	32	31	31	30	48	43	48	.....	677

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.									
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	SUMMARIES.											
1	The registration area	508,640	98,575	22,978	10,525	6,475	4,962	143,515	13,790	8,163	13,709	21,390
2	Registration cities	385,670	78,997	19,083	8,722	5,363	4,136	116,301	11,200	6,227	10,440	17,051
3	Registration states	318,636	62,634	14,367	6,523	3,912	2,954	90,390	8,121	4,701	7,869	11,921
4	Cities in registration states	195,666	43,056	10,472	4,720	2,800	2,128	63,176	5,531	2,765	4,600	7,582
5	Rural part of registration states	122,970	19,578	3,895	1,803	1,112	826	27,214	2,590	1,936	3,269	4,339
6	Registration cities in other states	190,004	35,941	8,611	4,002	2,563	2,008	53,125	5,669	3,462	5,840	9,469
	REGISTRATION STATES.											
7	Connecticut	14,386	2,874	523	287	195	120	3,999	356	206	301	459
8	District of Columbia	5,782	1,240	221	87	50	37	1,635	132	91	179	304
9	Indiana	32,947	6,428	1,406	624	325	272	9,055	826	689	1,180	1,595
10	Maine	10,815	1,580	292	143	77	71	2,163	206	152	303	405
11	Massachusetts	47,498	10,021	2,176	977	595	425	14,194	1,124	603	985	1,658
12	Michigan	31,362	5,904	1,088	510	341	256	8,099	883	604	1,001	1,273
13	New Hampshire	6,649	1,067	225	93	90	56	1,531	133	88	145	207
14	New Jersey	31,382	7,036	1,634	746	431	336	10,183	943	425	711	1,108
15	New York	124,657	23,806	6,321	2,833	1,672	1,289	35,921	3,249	1,643	2,762	4,478
16	Rhode Island	7,953	1,856	355	157	106	62	2,536	180	122	184	280
17	Vermont	5,205	822	126	66	30	30	1,074	89	78	118	154
	REGISTRATION CITIES.											
18	Adams town, Mass	215	86	13	3	5	1	108	7	2	5	7
19	Alameda, Cal	315	43	6	1	3	3	56	6	6	6	8
20	Albany, N. Y	1,631	179	35	28	12	11	265	29	24	50	74
21	Alexandria, Va	305	68	16	7	2	7	100	8	6	8	11
22	Allegheny, Pa	2,573	563	171	81	55	25	895	95	44	86	150
23	Allentown, Pa	696	161	28	10	9	6	214	28	13	22	28
24	Altoona, Pa	603	156	23	13	4	7	203	10	10	24	33
25	Amesbury town, Mass	143	20	6	3	5	3	37	3	3	4	6
26	Amsterdam, N. Y	348	72	19	9	8	5	113	26	9	9	13
27	Anderson, Ind	333	90	8	11	4	11	124	16	9	9	19
28	Ann Arbor, Mich	236	17	5	2	2	.....	26	2	4	14	15
29	Annapolis, Md	177	55	12	3	2	.....	72	2	2	4	4
30	Ansonia, Conn	184	54	9	3	6	3	75	6	1	1	6
31	Appleton, Wis	177	41	7	2	2	1	53	2	2	5	5
32	Arlington town, Mass	102	10	4	1	3	2	20	2	1	1	3
33	Ashtabula, Ohio	212	54	7	4	5	1	71	4	1	5	6
34	Atlanta, Ga	2,102	382	149	55	34	11	631	49	31	78	199
35	Atlantic City, N. J	523	133	22	4	1	4	164	16	10	16	11
36	Attleboro town, Mass	151	32	10	1	1	1	45	6	4	3	9
37	Auburn, N. Y	473	77	14	2	1	3	97	13	2	11	13
38	Augusta, Me	279	46	5	5	2	3	61	7	.....	6	14
39	Aurora, Ill	319	54	9	5	2	.....	70	9	7	10	8
40	Baltimore, Md	10,255	2,435	476	205	121	88	3,325	228	167	286	450
41	Bangor, Me	383	21	5	3	3	3	35	6	9	11	19
42	Barre, Vt	131	25	8	7	1	2	43	6	4	4	9
43	Bath, Me	161	22	3	5	1	2	33	2	2	3	12
44	Battle Creek, Mich	339	54	5	4	2	6	71	17	9	9	16
45	Bay City, Mich	343	75	5	3	5	4	92	10	4	11	17
46	Bayonne, N. J	582	156	53	18	9	11	247	29	7	18	19
47	Bellaire, Ohio	217	52	14	8	3	2	79	6	3	8	11
48	Belleville, Ill	284	60	8	3	3	5	79	6	4	6	20
49	Beloit, Wis	150	21	4	2	3	.....	30	1	3	3	8
50	Bennington town, Vt	97	20	1	.....	.....	.....	21	2	1	.....	1
51	Berlin, N. H	114	36	14	4	2	1	57	4	.....	5	5
52	Beverly, Mass	194	27	3	5	.....	.....	35	3	4	6	4
53	Biddeford, Me	340	115	27	13	6	5	166	14	5	13	8
54	Binghamton, N. Y	714	82	15	12	10	11	130	27	7	24	34
55	Boston, Mass	10,999	2,264	608	259	135	108	3,374	251	150	225	452
56	Bridgeport, Conn	1,225	320	55	28	18	11	432	35	16	18	42
57	Bridgeton, N. J	195	37	6	1	1	1	46	4	1	3	6
58	Bristol town, Conn	145	32	8	3	1	.....	44	2	2	4	4
59	Brockton, Mass	484	77	11	12	3	3	106	13	5	11	27
60	Brookline town, Mass	238	31	5	5	1	1	43	4	2	4	10
61	Buffalo, N. Y	5,323	1,189	298	110	65	57	1,719	130	66	142	202
62	Burlington, Iowa	342	46	9	11	3	6	75	15	9	11	18
63	Burlington, Vt	317	100	10	3	1	2	116	6	5	8	4
64	Cambridge, Mass	1,388	308	70	22	20	17	437	31	15	35	55
65	Camden, N. J	1,371	318	64	33	19	10	444	46	24	41	38
66	Canton, Ohio	355	58	16	3	2	1	80	11	10	5	18
67	Carbondale, Pa	265	62	22	7	8	2	101	5	4	6	8
68	Carlisle, Pa	133	19	1	2	2	1	25	3	.....	5	3
69	Central Falls, R. I	287	106	17	15	1	2	141	11	8	7	11
70	Charleston, S. C	1,740	374	118	47	21	9	569	60	26	63	108
71	Chelsea, Mass	659	142	33	17	8	6	206	16	8	10	21
72	Chicago, Ill	26,485	5,148	1,471	628	435	339	8,021	1,016	532	785	1,183
73	Chicopee, Mass	398	143	36	15	7	8	209	19	3	6	6
74	Chillicothe, Ohio	228	23	12	8	1	2	46	5	2	7	8
75	Cincinnati, Ohio	5,954	919	259	139	71	51	1,439	165	86	158	284
76	Cleveland, Ohio	6,380	1,555	290	160	102	82	2,189	220	123	178	272
77	Clinton town, Mass	228	59	5	.....	4	2	70	3	3	6	6
78	Cohoes, N. Y	433	110	19	7	2	4	142	11	6	11	23
79	Columbia, Pa	193	51	6	8	3	.....	68	2	2	5	8
80	Columbus, Ind	130	27	4	4	2	1	38	1	1	5	8
81	Columbus, Ohio	2,100	274	67	29	20	10	400	58	49	87	125
82	Concord, N. H	351	45	7	1	.....	.....	53	7	3	8	16

AREAS, AT EACH AGE: 1902.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23,542	23,382	24,146	23,797	22,419	24,340	24,654	27,359	28,427	28,196	24,474	18,147	8,946	3,263	1,072	1,909	1
19,342	19,423	20,184	19,626	18,072	19,275	18,738	20,015	19,416	17,965	14,398	9,921	4,672	1,676	604	1,124	2
13,277	13,432	13,643	13,676	13,031	14,655	15,581	17,723	19,066	19,496	17,534	13,373	6,774	2,508	739	1,126	3
9,077	9,473	9,681	9,505	8,684	9,590	9,665	10,379	10,055	9,265	7,458	5,147	2,500	921	271	341	4
4,200	3,959	3,962	4,171	4,347	5,065	5,916	7,344	9,011	10,231	10,076	8,226	4,274	1,587	468	785	5
10,265	9,950	10,503	10,121	9,388	9,685	9,073	9,636	9,361	8,700	6,940	4,774	2,172	755	333	783	6
571	578	577	584	564	606	754	826	895	882	817	673	353	136	49	110	7
305	279	249	262	275	277	322	335	297	321	242	163	72	27	15	.....	8
1,438	1,294	1,193	1,273	1,177	1,304	1,428	1,700	2,018	2,152	2,034	1,389	667	235	87	213	9
398	347	332	324	391	448	505	646	840	954	902	743	456	183	53	64	10
1,976	1,912	1,912	2,010	4,886	2,180	2,433	2,770	2,805	2,839	2,553	1,957	1,085	411	114	91	11
1,197	1,038	1,155	1,207	1,171	1,284	1,420	1,728	2,127	2,187	2,102	1,632	793	264	83	114	12
201	217	206	221	249	305	314	400	490	506	547	457	239	101	25	67	13
1,383	1,394	1,501	1,380	1,374	1,487	1,474	1,633	1,674	1,611	1,370	974	432	177	39	109	14
5,337	5,889	6,064	5,936	5,484	6,103	6,253	6,908	7,129	7,118	6,124	4,669	2,262	814	223	291	15
321	325	296	321	308	370	436	474	438	453	380	289	161	55	13	11	16
150	159	158	158	152	201	242	303	353	473	463	427	254	105	38	56	17
4	6	6	3	10	4	14	5	6	9	8	6	2	.....	1	2	18
12	12	13	12	20	11	15	20	26	32	26	18	9	2	2	3	19
84	82	82	102	90	123	106	129	113	100	85	51	27	10	3	2	20
19	18	13	13	11	17	10	12	16	13	22	2	3	2	.....	1	21
136	111	113	102	108	94	141	108	105	120	94	51	14	4	1	1	22
34	41	27	28	25	27	32	30	39	32	34	15	16	1	.....	10	23
38	36	35	21	22	16	23	28	31	28	23	9	9	.....	.....	4	24
6	1	3	6	6	6	8	11	7	13	10	5	3	3	2	.....	25
14	10	10	13	8	14	15	17	16	25	18	9	5	4	.....	.....	26
17	14	16	12	12	11	12	11	18	7	12	7	1	.....	.....	6	27
7	10	15	15	15	12	11	18	17	16	19	11	5	2	1	1	28
5	6	4	7	9	11	8	6	10	9	4	8	1	3	1	1	29
8	14	5	5	14	7	9	8	7	7	2	4	1	.....	3	1	30
8	11	5	4	6	5	9	9	9	11	11	13	8	1	.....	.....	31
6	3	4	4	7	2	4	9	8	6	8	7	5	.....	.....	2	32
16	10	13	11	10	11	3	13	16	10	4	3	4	.....	1	.....	33
131	104	114	113	113	95	89	108	67	55	40	35	19	5	6	20	34
30	24	25	29	29	29	31	19	26	19	20	14	6	2	2	1	35
8	5	8	7	5	7	6	5	4	8	8	9	3	1	.....	.....	36
23	14	25	17	15	32	24	32	44	47	35	17	6	5	1	.....	37
15	8	11	19	11	10	21	11	26	21	12	10	10	1	1	4	38
11	10	14	12	15	17	27	11	25	21	22	16	10	3	1	.....	39
479	428	460	503	481	545	465	566	559	494	381	251	126	44	16	1	40
24	23	19	8	15	22	23	22	34	30	30	20	19	6	3	5	41
4	5	6	6	3	5	8	4	5	7	3	4	1	1	.....	3	42
8	2	2	7	6	10	6	8	9	18	13	14	3	3	.....	.....	43
9	16	10	18	14	13	18	23	13	32	23	17	9	2	.....	.....	44
13	14	12	21	14	15	23	18	13	29	18	12	7	.....	.....	.....	45
24	21	22	29	32	28	24	24	16	18	11	6	6	.....	.....	1	46
9	9	12	4	4	10	8	15	8	7	7	9	1	1	.....	6	47
8	10	13	12	12	11	21	11	15	16	16	11	8	3	.....	2	48
7	4	5	6	7	4	8	8	12	10	14	14	5	1	.....	.....	49
2	5	4	3	6	3	10	6	8	6	8	6	3	2	.....	.....	50
.....	6	6	3	3	5	1	2	6	4	1	.....	2	3	.....	1	51
7	12	4	6	8	12	5	8	19	18	16	17	5	3	1	1	52
12	11	12	8	10	12	10	14	10	16	10	7	.....	.....	2	.....	53
28	34	25	41	33	34	42	56	47	51	38	29	20	9	2	3	54
578	604	569	596	504	558	557	640	571	482	403	268	154	48	14	1	55
52	68	57	48	49	74	60	66	59	42	37	41	16	7	1	5	56
6	10	8	4	13	4	10	14	19	12	13	13	7	2	.....	.....	57
3	2	4	10	6	8	8	4	6	11	10	4	4	3	1	5	58
29	26	21	21	22	21	30	29	35	26	24	19	10	5	2	2	59
10	8	9	15	9	15	13	12	15	21	18	15	9	6	.....	.....	60
224	243	294	255	260	220	249	273	294	262	224	172	70	20	4	.....	61
14	20	12	15	15	11	15	22	21	22	16	17	9	1	.....	4	62
9	11	14	13	6	14	12	20	13	19	16	12	14	3	2	.....	63
70	50	60	62	62	65	79	86	85	68	56	40	25	6	1	.....	64
50	53	70	59	73	76	63	79	82	49	56	43	18	6	1	.....	65
12	16	13	14	24	23	24	23	20	28	14	13	3	4	.....	.....	66
13	12	7	15	10	10	20	11	13	9	8	4	3	2	.....	4	67
4	6	3	3	4	9	7	6	9	16	8	11	9	.....	1	1	68
12	13	5	9	5	9	14	9	10	10	6	3	4	.....	.....	.....	69
104	96	100	99	67	79	67	74	70	59	44	25	13	11	6	.....	70
26	17	26	15	16	30	43	54	48	46	38	21	12	3	1	2	71
1,286	1,483	1,563	1,608	1,393	1,449	1,233	1,150	1,142	1,010	750	519	237	80	33	12	72
11	15	11	8	9	14	14	17	18	10	8	12	4	2	2	.....	73
9	10	7	16	14	15	8	14	13	12	19	14	4	3	.....	2	74
307	324	326	353	323	341	315	338	325	337	261	168	68	30	5	1	75
304	291	296	289	312	293	249	283	286	283	209	172	78	32	8	13	76
11	9	9	14	6	6	15	20	9	19	7	4	9	.....	1	1	77
19	16	22	14	16	27	26	21	26	20	8	5	3	1	.....	16	78
8	7	6	6	4	9	9	8	17	8	10	11	5	.....	.....	.....	79
7	2	4	8	5	5	8	10	5	8	5	5	2	1	.....	2	80
130	114	119	146	113	102	111	108	111	108	89	72	24	7	4	23	81
10	15	14	20	14	11	22	26	27	31	29	26	10	4	1	4	82

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
83	Corning, N. Y.	141	16	4	4	2	3	29	4	3	1	8
84	Cortland, N. Y.	93	6	3	.....	1	.....	10	.....	1	.....	2
85	Covington, Ky.	787	107	34	15	11	12	179	29	15	36	28
86	Danbury town, Conn.	337	51	10	5	4	1	71	16	10	6	13
87	Danvers town, Mass.	199	9	1	1	1	.....	12	.....	.....	5	1
88	Davenport, Iowa	513	52	15	12	2	5	86	16	7	11	26
89	Dayton, Ohio	1,310	221	39	20	13	10	303	42	13	39	62
90	Decatur, Ill.	331	69	9	7	10	6	101	14	7	8	11
91	Denver, Colo.	2,615	374	74	39	19	27	533	70	53	89	169
92	Detroit, Mich.	4,704	1,189	243	117	78	72	1,699	178	95	143	198
93	Dover, N. H.	200	22	10	4	1	1	38	4	3	4	8
94	Dubois, Pa.	161	61	11	5	2	3	82	3	3	4	10
95	Duluth, Minn.	754	157	38	20	11	7	233	27	20	24	49
96	Dunkirk, N. Y.	214	59	13	2	3	.....	77	10	7	4	6
97	Eau Claire, Wis.	205	32	6	3	6	2	49	10	5	8	7
98	Elizabeth, N. J.	842	240	50	19	10	4	323	18	10	23	25
99	Elkhart, Ind.	183	22	2	2	2	1	29	8	1	5	11
100	Elmira, N. Y.	486	74	10	4	7	7	102	11	11	11	18
101	Elwood, Ind.	174	54	14	4	2	1	75	3	2	8	5
102	Erie, Pa.	830	179	26	11	5	12	233	21	8	27	28
103	Escanaba, Mich.	180	59	9	1	1	.....	70	8	5	2	10
104	Evansville, Ind.	726	145	34	15	8	2	204	15	13	28	38
105	Everett, Mass.	384	99	18	8	2	3	130	14	6	8	20
106	Fall River, Mass.	2,206	893	183	84	42	35	1,237	59	22	30	59
107	Findlay, Ohio.	198	31	2	2	2	2	39	1	3	8	9
108	Fitchburg, Mass.	453	135	27	14	3	4	183	9	3	12	22
109	Flint, Mich.	194	18	6	3	1	.....	28	4	10	7	12
110	Fort Wayne, Ind.	636	101	19	11	7	7	145	20	24	28	33
111	Framingham town, Mass.	158	19	2	2	3	1	27	3	.....	2	4
112	Frederick, Md.	232	29	14	6	5	4	58	7	7	7	10
113	Fresno, Cal.	232	43	10	5	2	2	62	7	2	6	12
114	Gardner town, Mass.	157	37	11	2	1	4	55	1	2	3	1
115	Geneva, N. Y.	153	26	2	3	2	.....	33	3	2	3	2
116	Glens Falls, N. Y.	191	16	5	1	2	3	27	2	5	11	9
117	Gloucester, Mass.	485	99	22	14	11	6	143	17	9	12	24
118	Gloversville, N. Y.	234	29	3	2	1	4	39	4	1	3	11
119	Grand Rapids, Mich.	1,123	191	35	18	11	4	259	22	15	47	56
120	Green Bay, Wis.	235	57	10	3	7	2	79	5	2	9	11
121	Greenwich town, Conn.	213	35	14	4	4	6	63	17	.....	4	4
122	Hamilton, Ohio.	388	63	9	14	5	3	94	10	7	6	21
123	Hammond, Ind.	212	48	11	4	2	.....	65	8	7	10	12
124	Harrisburg, Pa.	841	154	23	20	9	9	215	29	20	29	43
125	Harrison, N. J.	214	42	20	8	4	6	80	16	4	3	7
126	Hartford, Conn.	1,302	209	57	22	17	23	328	33	21	23	45
127	Haverhill, Mass.	594	113	20	15	7	1	156	16	11	8	23
128	Hazelton, Pa.	221	57	19	6	6	2	90	13	3	9	5
129	Hoboken, N. J.	1,153	251	71	33	28	23	406	28	15	21	44
130	Holyoke, Mass.	769	247	39	18	11	8	323	21	5	21	31
131	Hudson, N. Y.	180	22	4	3	.....	2	31	1	3	6	3
132	Huntington, Ind.	119	24	8	.....	.....	.....	32	2	1	6	3
133	Hyde Park town, Mass.	163	45	9	2	2	1	59	3	5	1	7
134	Indianapolis, Ind.	2,674	509	94	44	29	15	691	50	43	86	155
135	Iron Mountain, Mich.	113	39	5	3	2	2	51	3	6	2	2
136	Ironton, Ohio.	235	39	22	5	5	4	75	4	3	8	12
137	Ironwood, Mich.	183	61	9	6	4	7	87	9	5	1	11
138	Ishpeming, Mich.	188	54	13	4	4	2	77	15	7	3	11
139	Ithaca, N. Y.	195	23	7	1	1	.....	32	5	.....	7	9
140	Jackson, Mich.	357	50	15	.....	3	2	70	8	3	5	16
141	Jacksonville, Fla.	878	166	25	23	12	5	231	27	21	40	65
142	Jacksonville, Ill.	364	29	4	2	3	3	41	9	9	15	17
143	Jamestown, N. Y.	248	33	7	2	2	4	48	13	3	8	11
144	Jeffersonville, Ind.	220	42	12	3	1	.....	58	4	7	12	18
145	Jersey City, N. J.	4,049	938	251	115	77	63	1,444	140	61	93	154
146	Johnstown, N. Y.	122	9	1	.....	.....	.....	10	5	1	2	3
147	Johnstown, Pa.	680	142	35	25	17	16	235	26	25	22	54
148	Kalamazoo, Mich.	400	44	7	4	5	2	62	7	8	14	15
149	Kansas City, Mo.	2,681	492	106	53	20	25	696	73	32	108	155
150	Keene, N. H.	120	18	2	.....	.....	2	22	1	3	2	1
151	Key West, Fla.	412	136	31	7	2	5	181	22	4	8	17
152	Kingston, N. Y.	386	71	11	4	.....	5	91	9	7	9	20
153	Kokomo, Ind.	159	26	8	2	1	.....	37	2	2	4	12
154	Laconia, N. H.	136	14	3	2	.....	1	20	3	3	2	4
155	Lafayette, Ind.	344	39	2	3	2	2	48	8	8	15	17
156	Lancaster, Pa.	575	102	22	10	.....	3	137	4	5	22	22
157	Lansing, Mich.	231	45	8	1	4	1	59	9	3	2	7
158	Lawrence, Mass.	1,168	351	84	37	12	15	499	19	16	23	25
159	Leadville, Colo.	226	54	7	7	2	1	71	3	4	3	12
160	Leavenworth, Kans.	333	37	17	9	1	2	66	16	14	17	11
161	Leominster town, Mass.	155	30	2	2	1	.....	35	5	1	3	5
162	Lima, Ohio.	335	57	7	6	5	2	77	15	2	17	10
163	Lincoln, Nebr.	405	81	26	9	4	6	126	15	7	12	14
164	Lockport, N. Y.	217	33	7	3	5	2	50	3	4	10	9
165	Logansport, Ind.	298	43	8	1	2	.....	54	7	4	5	13
166	Los Angeles, Cal.	2,357	259	60	32	14	16	381	65	39	72	129
167	Louisville, Ky.	3,815	647	152	72	55	30	956	104	66	150	198

AREAS, AT EACH AGE: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Unknown.	
11	14	2	7	7	5	4	9	9	12	2	12	2	.....	.....	.....	83
6	2	6	4	3	5	3	11	6	8	13	7	4	2	.....	.....	84
35	34	45	35	40	41	38	53	47	43	45	32	8	1	1	2	85
14	12	15	13	16	21	20	20	28	27	15	11	6	3	.....	.....	86
6	7	6	15	7	13	22	14	21	21	16	16	11	1	2	3	87
29	21	24	26	19	24	35	27	38	41	38	26	8	8	1	2	88
69	70	65	69	59	82	63	64	79	75	67	53	21	9	2	4	89
16	13	8	16	17	16	11	12	17	19	19	14	6	3	1	2	90
201	217	215	176	151	162	120	109	120	97	58	37	21	4	5	8	91
185	203	204	195	167	195	214	197	238	191	183	136	45	23	7	8	92
9	9	12	11	8	10	5	17	13	16	14	6	6	3	.....	4	93
9	3	5	5	2	3	4	11	5	4	2	2	1	.....	.....	3	94
45	51	65	54	26	34	20	29	18	15	15	16	7	.....	1	5	95
9	4	9	5	8	9	12	10	6	15	8	7	4	3	.....	.....	96
8	9	11	13	12	12	8	7	9	7	10	10	2	1	.....	7	97
35	41	53	35	33	38	32	34	33	46	31	19	8	3	2	.....	98
10	6	8	6	6	16	17	9	11	15	10	12	.....	1	.....	2	99
17	22	19	26	22	33	39	40	26	39	20	18	7	2	3	.....	100
10	3	9	7	3	8	1	7	8	6	6	2	3	.....	.....	8	101
37	30	29	36	32	25	39	55	48	60	58	33	15	12	2	2	102
16	7	7	5	9	6	7	9	2	3	4	4	2	1	.....	3	103
37	38	42	43	39	42	35	30	42	35	19	11	9	3	2	1	104
13	18	16	11	13	16	15	22	22	15	18	13	10	3	.....	1	105
55	69	67	69	60	80	93	76	73	71	37	28	13	4	.....	4	106
7	10	10	10	15	18	9	15	12	13	7	9	3	.....	.....	.....	107
15	14	18	17	11	20	22	26	21	19	13	14	9	3	2	.....	108
5	5	15	11	7	10	14	12	17	14	5	10	4	3	.....	1	109
34	18	27	26	28	28	29	37	53	39	30	25	8	2	2	.....	110
5	9	6	11	9	6	9	8	14	11	11	6	5	7	.....	5	111
9	10	8	8	14	6	11	12	16	20	10	15	2	1	.....	1	112
20	16	12	12	10	14	13	18	8	3	8	5	2	1	1	.....	113
7	5	6	13	7	4	10	9	8	11	6	4	3	1	1	.....	114
8	7	9	7	8	4	7	4	15	14	10	9	4	1	2	1	115
8	6	9	8	10	8	13	17	16	13	11	12	4	.....	.....	2	116
40	30	22	20	12	29	22	20	28	16	18	6	7	5	1	4	117
11	9	5	10	9	16	17	13	31	12	20	13	8	2	.....	.....	118
62	54	48	53	57	45	54	50	73	70	77	48	20	8	3	2	119
11	14	6	10	7	3	6	13	13	13	11	12	6	1	1	2	120
3	7	11	12	5	10	4	12	19	15	8	9	3	4	1	2	121
25	17	24	16	16	22	21	26	18	21	20	9	2	4	.....	9	122
16	7	11	12	14	7	10	8	7	9	4	2	.....	2	.....	1	123
47	35	37	29	39	52	47	62	46	28	42	21	15	3	.....	11	124
10	10	13	6	8	15	14	15	4	4	4	.....	.....	.....	.....	1	125
81	54	63	61	60	75	72	87	84	63	53	35	31	6	5	22	126
24	24	21	30	24	29	40	38	31	39	32	22	15	10	1	.....	127
9	8	7	4	8	9	7	11	15	11	5	4	1	2	.....	.....	128
64	58	78	66	60	63	57	62	43	42	18	16	8	2	2	.....	129
31	35	40	19	29	31	31	39	33	26	24	16	7	2	.....	5	130
9	8	3	7	5	17	10	16	20	10	14	12	1	3	1	.....	131
5	3	5	5	5	3	5	8	6	6	14	3	5	1	.....	1	132
12	2	6	6	3	8	8	9	5	11	9	2	5	2	.....	.....	133
138	160	131	112	106	137	133	150	175	148	107	74	30	15	11	13	134
5	1	4	11	6	5	2	2	7	3	2	.....	.....	1	.....	.....	135
13	15	5	10	5	16	12	10	13	8	4	5	4	1	.....	12	136
16	7	7	8	5	8	6	4	5	2	2	.....	.....	.....	.....	.....	137
8	13	12	5	7	7	4	2	7	1	3	4	2	.....	.....	.....	138
4	9	7	3	9	13	13	14	12	12	21	13	9	2	.....	1	139
16	11	20	11	18	22	18	24	31	27	26	20	7	3	1	.....	140
61	61	68	54	49	48	39	28	28	20	18	8	2	5	2	3	141
23	22	26	20	15	21	17	19	28	27	23	20	8	2	.....	2	142
13	13	6	11	13	5	13	13	17	20	19	16	4	.....	1	1	143
19	12	11	7	10	5	9	9	11	7	12	4	2	.....	.....	3	144
236	245	221	203	202	189	190	174	165	135	96	70	25	6	.....	.....	145
3	6	2	5	8	2	14	11	10	10	11	10	7	1	1	.....	146
51	35	33	27	21	16	19	22	26	30	17	10	6	2	1	2	147
17	18	23	25	25	21	20	32	19	25	24	26	12	2	1	4	148
188	154	182	142	138	142	127	117	135	106	83	46	24	3	7	3	149
7	6	3	2	13	4	5	5	10	9	11	9	6	1	.....	.....	150
14	23	24	12	16	15	13	14	16	8	9	3	7	3	3	.....	151
12	18	18	11	31	13	22	25	26	26	22	11	9	6	.....	.....	152
11	7	4	13	2	7	11	11	8	9	12	6	1	.....	.....	.....	153
4	5	4	2	8	9	8	9	9	8	19	8	4	5	1	1	154
13	9	12	16	15	12	12	31	28	36	26	16	8	8	1	5	155
26	22	15	19	26	27	35	34	47	38	47	37	7	4	1	.....	156
6	11	3	6	10	8	13	19	21	13	23	14	1	3	.....	.....	157
48	42	34	47	51	59	62	51	58	43	49	25	7	7	2	1	158
15	16	10	14	13	20	17	11	9	1	4	1	1	1	.....	.....	159
15	15	14	6	12	9	14	19	26	33	19	10	4	8	2	3	160
6	5	3	6	4	7	13	8	13	8	18	11	4	.....	.....	.....	161
22	18	17	19	13	14	12	19	24	25	9	10	8	2	.....	2	162
25	17	16	16	14	16	24	16	28	20	19	8	9	2	.....	1	163
5	6	11	7	9	10	9	9	16	22	12	8	4	1	1	1	164
15	13	27	22	14	20	16	20	18	18	15	9	4	3	1	.....	165
151	160	174	144	139	142	135	137	144	144	86	76	30	7	1	1	166
215	212	211	217	167	209	217	213	187	186	136	88	45	11	7	20	167

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
168	Lowell, Mass	1,943	523	103	47	46	23	742	65	27	43	43
169	Lynchburg, Va	424	89	16	15	6	3	129	11	8	12	33
170	Lynn, Mass	1,013	184	47	17	10	11	269	32	10	23	35
171	McKeesport, Pa	747	233	52	14	13	11	323	32	18	37	28
172	Madison, Wis	181	32	3	2	3	1	41	7	2	3	12
173	Mahanoy City, Pa	251	74	25	4	5	2	110	7	3	5	14
174	Malden, Mass	491	93	22	13	6	2	136	12	9	6	22
175	Manchester, N. H	1,057	360	66	30	23	16	495	23	12	21	33
176	Manchester town, Conn	114	28	7	3	2	.....	40	3	1	2	3
177	Manitowoc, Wis	166	22	3	2	1	1	29	9	2	4	9
178	Mankato, Minn	146	20	8	2	2	3	35	11	3	4	2
179	Marietta, Ohio	179	28	4	7	2	.....	41	4	6	12	3
180	Marinette, Wis	202	57	14	8	3	4	86	11	2	8	10
181	Marion, Ind	254	57	12	7	3	1	80	8	14	9	11
182	Marlboro, Mass	196	35	8	7	4	2	56	13	6	4	3
183	Marquette, Mich	134	32	2	3	1	2	40	5	5	8	5
184	Massillon, Ohio	139	23	3	4	2	3	35	4	1	6	3
185	Meadville, Pa	144	13	2	1	1	2	19	2	2	7	7
186	Medford, Mass	219	45	17	3	.....	1	66	2	1	3	1
187	Melrose, Mass	180	26	6	5	1	1	39	4	1	7	7
188	Memphis, Tenn	1,981	321	102	37	23	23	506	51	39	89	157
189	Menominee, Mich	141	52	4	3	2	3	64	8	4	7	5
190	Meriden town, Conn	379	68	8	8	8	4	96	2	9	7	10
191	Michigan City, Ind	188	60	10	.....	2	3	75	5	4	4	4
192	Middletown, N. Y	292	29	7	5	1	.....	42	5	8	5	10
193	Middletown, Ohio	146	31	8	3	1	2	45	2	2	4	8
194	Middletown town, Conn	359	39	5	4	2	.....	50	6	3	1	13
195	Milford town, Mass	182	36	11	5	5	2	59	1	2	2	3
196	Millville, N. J	173	43	8	3	2	2	58	6	3	3	4
197	Milwaukee, Wis	3,777	982	211	77	51	36	1,357	127	65	120	135
198	Minneapolis, Minn	2,266	359	81	38	28	18	524	96	59	65	119
199	Mobile, Ala	900	151	26	6	11	11	205	17	15	36	66
200	Montclair, N. J	237	100	13	4	5	.....	122	6	6	2	3
201	Morristown, N. J	194	37	9	3	2	2	53	3	1	3	7
202	Mt. Carmel, Pa	322	130	43	20	6	4	203	16	6	11	6
203	Mt. Vernon, N. Y	335	85	32	11	9	4	141	13	3	8	11
204	Muncie, Ind	348	67	18	5	3	7	100	11	6	15	15
205	Muscatine, Iowa	167	21	5	3	3	1	33	3	1	7	11
206	Muskegon, Mich	248	37	5	2	3	1	48	8	3	10	15
207	Nashua, N. H	447	91	20	12	10	9	142	20	8	13	17
208	Nashville, Tenn	1,810	293	113	46	29	23	504	48	52	101	137
209	Natick town, Mass	153	22	5	1	3	1	32	.....	3	5	3
210	Naugatuck, Conn	194	47	10	3	7	3	70	17	3	7	8
211	New Albany, Ind	351	62	6	8	6	7	89	14	8	11	19
212	New Bedford, Mass	1,364	446	75	34	30	15	600	49	16	31	56
213	New Britain town, Conn	414	135	21	24	2	4	186	16	2	10	9
214	New Brunswick, N. J	402	79	20	4	3	4	110	14	4	11	17
215	New Haven, Conn	1,872	406	91	38	29	13	577	44	31	46	74
216	New London, Conn	356	85	9	6	5	4	109	5	5	9	14
217	New Orleans, La	6,594	1,143	201	98	55	38	1,535	102	114	190	373
218	New Rochelle, N. Y	221	65	16	6	.....	1	88	2	5	2	6
219	New York, N. Y	67,986	15,524	4,652	2,047	1,176	885	24,284	2,068	910	1,425	2,545
220	Bronx borough	4,935	878	324	172	122	92	1,588	177	72	134	260
221	Brooklyn borough	22,427	5,054	1,513	699	404	316	7,986	742	300	491	837
222	Manhattan borough	36,561	8,623	2,588	1,090	596	432	13,329	1,008	485	725	1,312
223	Queens borough	2,782	689	169	57	38	28	981	103	37	58	92
224	Richmond borough	1,281	280	58	29	16	17	400	38	16	17	44
225	Newark, N. J	4,922	1,114	280	143	70	54	1,661	155	56	94	198
226	Newark, Ohio	250	41	9	2	2	7	61	6	4	7	11
227	Newburg, N. Y	475	80	14	13	7	3	117	15	13	9	14
228	Newburyport, Mass	290	54	14	2	3	2	75	6	4	5	18
229	Newcastle, Pa	495	87	37	11	5	2	142	16	8	12	39
230	Newport, Ky	395	74	24	13	5	6	122	12	6	9	13
231	Newport, R. I	424	78	20	9	3	1	111	8	7	18	17
232	Newton, Mass	439	81	15	13	4	3	116	9	4	11	9
233	Niagara Falls, N. Y	376	96	26	9	9	7	147	16	7	7	17
234	Norfolk, Va	1,187	275	66	26	21	24	412	49	19	29	69
235	Norristown, Pa	566	69	7	3	5	5	89	7	6	8	27
236	North Adams, Mass	349	74	22	11	7	4	118	9	5	14	21
237	Northampton, Mass	264	44	10	2	.....	.....	56	5	5	4	3
238	Norwalk town, Conn	293	47	5	7	1	3	63	7	4	5	5
239	Norwich town, Conn	379	57	6	6	3	.....	72	2	3	14	16
240	Oakland, Cal	1,152	118	23	20	9	15	185	36	29	42	45
241	Ogdensburg, N. Y	329	30	3	4	.....	.....	37	5	3	7	15
242	Olean, N. Y	98	13	7	3	.....	3	26	3	2	1	6
243	Omaha, Nebr	1,308	233	57	33	17	14	354	38	22	38	44
244	Orange, N. J	498	120	35	13	8	6	182	13	6	14	26
245	Ottawa, Ill	141	21	3	2	3	.....	29	4	2	5	7
246	Ottumwa, Iowa	211	41	12	4	3	1	61	6	9	1	7
247	Owosso, Mich	104	17	3	.....	.....	.....	20	7	4	7	6
248	Paducah, Ky	470	75	32	12	9	6	134	13	12	24	46
249	Passaic, N. J	565	219	54	27	11	4	315	22	9	13	24

AREAS, AT EACH AGE: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
68	76	89	89	85	86	86	103	111	86	65	37	24	13	4	1	168
19	21	16	32	10	25	14	29	15	13	14	14	3	1	1	4	169
58	33	39	54	38	53	56	67	66	70	40	40	21	7	2	.....	170
41	36	38	38	25	21	24	18	27	21	10	3	3	1	.....	3	171
5	4	5	9	6	6	4	7	12	16	16	18	5	.....	.....	3	172
6	9	11	9	11	8	11	7	10	2	8	3	3	.....	.....	14	173
13	20	25	17	25	27	29	30	32	29	22	16	17	.....	1	3	174
33	22	40	33	29	42	36	39	55	46	45	29	15	2	.....	7	175
5	7	2	4	5	5	8	5	4	8	6	3	1	1	1	.....	176
6	5	8	7	3	8	4	13	12	10	14	15	6	.....	.....	2	177
8	5	7	8	6	6	3	8	16	8	6	7	1	1	.....	1	178
10	5	11	4	6	5	8	13	12	12	9	8	7	2	1	.....	179
7	8	12	9	4	6	11	3	5	8	6	4	1	1	.....	.....	180
14	10	9	10	12	15	14	4	12	8	8	6	3	4	.....	3	181
4	8	7	5	7	8	13	10	13	11	13	8	5	1	1	.....	182
5	6	3	6	13	8	7	3	6	9	4	.....	.....	.....	1	.....	183
8	7	4	5	6	11	8	5	9	12	5	7	2	.....	1	.....	184
4	4	7	3	7	6	11	8	16	15	15	7	3	1	.....	.....	185
11	8	9	12	9	12	10	11	9	16	14	13	7	4	1	.....	186
2	6	10	11	6	6	9	8	12	14	19	14	5	.....	.....	.....	187
167	136	139	126	99	103	78	93	63	59	30	24	13	5	4	.....	188
3	5	6	5	7	6	.....	6	6	4	1	2	1	.....	.....	1	189
19	20	17	14	9	18	22	29	31	21	22	24	7	2	.....	.....	190
8	8	15	5	9	6	5	3	5	8	10	10	1	1	.....	2	191
23	12	13	20	22	10	15	20	19	19	24	9	10	3	1	2	192
7	3	8	6	4	4	5	7	9	17	8	4	1	.....	.....	2	193
15	14	22	27	23	27	17	29	25	32	29	15	4	3	1	3	194
5	6	11	9	4	9	8	12	12	10	12	10	1	3	2	1	195
10	4	8	5	6	13	4	6	9	11	14	7	1	1	.....	.....	196
155	154	168	157	150	142	145	171	194	158	171	114	59	24	8	3	197
117	128	137	135	105	89	95	125	117	114	91	67	31	8	1	43	198
56	46	58	54	54	66	42	48	41	42	27	18	4	3	1	1	199
8	7	10	9	9	8	7	5	5	12	6	8	3	1	.....	.....	200
6	10	12	12	8	11	11	7	12	14	10	8	4	.....	1	1	201
14	15	7	5	6	7	4	9	2	5	3	3	.....	.....	.....	.....	202
8	8	9	16	10	11	16	15	18	11	14	11	8	1	.....	3	203
26	22	14	13	18	12	16	17	18	13	7	14	5	2	2	2	204
3	7	6	7	6	6	7	10	15	14	7	9	5	2	2	6	205
9	16	16	10	15	17	11	10	19	6	15	3	13	1	2	1	206
18	21	10	10	19	21	16	21	29	21	22	16	17	2	1	3	207
122	95	106	73	61	88	80	79	83	62	49	34	23	6	6	1	208
10	8	5	3	7	3	8	19	8	15	9	6	4	4	1	.....	209
5	8	9	5	7	11	7	11	10	10	6	.....	.....	.....	.....	.....	210
13	14	14	25	14	16	19	15	24	20	14	16	2	2	.....	2	211
48	38	43	33	47	53	55	67	48	52	50	40	21	13	4	.....	212
23	16	14	10	17	15	19	18	19	13	12	9	.....	2	2	2	213
14	18	16	22	19	23	29	19	28	18	23	4	6	4	1	2	214
82	93	81	98	83	87	110	115	103	94	58	46	29	9	2	10	215
19	11	15	14	9	17	19	14	24	20	21	13	8	5	1	4	216
413	409	423	338	424	385	371	359	330	274	235	151	93	35	26	5	217
9	11	9	11	10	5	11	12	15	7	3	8	4	1	.....	2	218
3,262	3,767	3,858	3,647	3,128	3,426	3,241	3,338	2,901	2,493	1,815	1,139	511	178	42	8	219
323	367	340	309	207	241	179	195	179	144	110	71	29	9	1	.....	220
1,023	1,155	1,170	1,087	972	1,053	1,074	1,110	1,067	946	679	462	182	70	20	1	221
1,729	2,065	2,145	2,080	1,794	1,924	1,796	1,802	1,448	1,185	868	510	252	88	14	2	222
127	130	148	115	112	151	132	155	127	136	85	50	27	5	6	5	223
60	50	55	56	43	57	60	76	80	82	73	46	21	6	1	.....	224
267	235	287	249	251	245	233	247	236	220	146	89	39	9	2	3	225
10	12	9	12	7	10	17	11	21	15	18	14	4	1	.....	.....	226
27	24	14	18	24	26	19	37	41	27	22	17	3	7	.....	1	227
6	7	11	12	9	13	13	18	22	22	20	16	11	2	.....	.....	228
27	38	33	23	12	23	19	15	20	19	23	5	5	.....	1	15	229
24	18	9	23	11	21	11	24	20	27	21	16	4	1	.....	3	230
17	27	15	12	15	15	21	25	22	32	24	18	12	4	1	3	231
15	11	22	13	16	22	23	30	24	36	41	22	11	4	.....	.....	232
27	19	21	17	16	8	7	14	16	11	9	14	1	1	.....	1	233
63	66	63	57	49	59	56	59	34	46	25	14	7	1	5	5	234
33	24	39	30	40	35	31	34	33	39	38	20	13	6	1	13	235
14	12	8	13	18	15	16	18	20	17	12	14	2	2	1	.....	236
12	8	10	9	12	17	15	16	20	20	22	18	12	.....	.....	.....	237
15	15	14	11	19	17	18	16	19	29	12	16	5	1	1	1	238
14	19	8	9	20	25	14	32	30	32	27	24	10	4	3	1	239
50	65	55	59	64	68	60	87	62	92	81	45	22	3	2	.....	240
11	8	13	24	16	22	27	27	30	37	18	14	9	2	4	.....	241
8	3	.....	1	10	5	5	3	6	8	3	6	1	1	.....	.....	242
71	58	81	81	82	77	66	63	60	65	57	26	14	8	2	1	243
29	22	29	30	20	14	23	28	24	15	11	5	2	4	1	.....	244
5	7	4	7	5	2	8	13	13	11	8	3	5	.....	.....	3	245
12	8	11	11	6	6	9	15	9	12	13	7	6	1	1	.....	246
3	3	3	2	3	5	4	5	4	15	6	4	2	.....	1	.....	247
33	25	22	21	21	14	22	17	16	17	11	7	3	.....	1	11	248
22	20	16	29	16	19	6	9	12	13	9	4	2	3	.....	2	249

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
250	Paterson, N. J	1,783	423	102	61	23	28	637	63	20	31	60
251	Pawtucket, R. I	737	175	34	10	11	6	236	20	10	18	21
252	Peabody town, Mass	163	25	7	1	.....	1	34	5	3	4	13
253	Peekskill, N. Y	259	54	16	7	6	3	86	6	3	6	7
254	Perth Amboy, N. J	290	119	27	7	3	7	163	9	3	4	10
255	Peru, Ind	150	25	3	.....	1	1	30	5	3	6	10
256	Petersburg, Va	552	144	24	11	6	4	189	13	7	18	25
257	Philadelphia, Pa	23,578	4,279	1,169	511	376	267	6,602	603	352	577	1,007
258	Phillipsburg, N. J	156	24	5	4	1	2	36	8	2	6	9
259	Pittsburg, Pa	7,419	1,712	538	235	152	106	2,743	229	129	275	425
260	Pittsfield, Mass	348	42	12	2	2	.....	58	9	6	9	15
261	Plainfield, N. J	257	45	6	3	3	2	59	16	4	6	12
262	Plymouth, Pa	170	54	8	10	5	3	80	6	3	5	8
263	Plymouth town, Mass	136	23	3	1	.....	.....	27	7	2	3	2
264	Pontiac, Mich	171	18	3	3	2	.....	26	1	.....	3	4
265	Port Huron, Mich	261	56	10	2	4	2	74	7	6	7	15
266	Port Jervis, N. Y	155	20	5	2	1	1	29	8	2	5	4
267	Portland, Me	940	112	23	15	5	10	165	28	13	16	33
268	Portland, Oreg	1,121	115	17	11	11	10	164	46	30	42	60
269	Portsmouth, N. H	216	39	14	4	6	2	65	6	2	3	9
270	Portsmouth, Ohio	293	52	15	14	3	3	87	14	4	17	17
271	Pottstown, Pa	201	44	2	4	2	1	53	8	5	7	4
272	Pottsville, Pa	250	46	6	3	2	3	60	9	4	7	10
273	Poughkeepsie, N. Y	423	65	16	6	6	3	96	11	4	6	11
274	Providence, R. I	3,394	761	155	64	49	23	1,052	79	48	88	138
275	Pueblo, Colo	998	187	54	17	14	11	283	32	25	32	69
276	Quincy, Ill	561	72	19	13	9	4	117	18	12	13	22
277	Quincy, Mass	408	96	20	9	4	4	133	12	5	11	14
278	Raleigh, N. C	363	70	31	5	7	3	116	8	7	16	18
279	Reading, Pa	1,312	322	59	17	14	22	434	39	19	38	55
280	Revere town, Mass	150	31	11	.....	2	1	45	4	2	9	2
281	Richmond, Ind	393	40	16	9	3	4	72	24	11	13	20
282	Richmond, Va	2,188	482	90	37	31	20	660	57	40	76	126
283	Rochester, N. H	125	13	3	.....	3	1	20	8	2	6	4
284	Rochester, N. Y	2,295	305	42	28	20	16	411	38	20	60	97
285	Rockland, Me	129	13	1	4	1	1	20	.....	2	3	7
286	Rome, N. Y	256	31	4	4	.....	.....	39	7	3	6	12
287	Rutland, Vt	208	48	3	5	1	.....	57	1	1	2	4
288	Sacramento, Cal	589	69	11	5	8	.....	93	10	15	12	30
289	Saginaw, Mich	580	92	12	12	4	4	124	18	15	19	27
290	St. Joseph, Mo	936	132	53	18	11	9	223	24	14	23	42
291	St. Louis, Mo	10,363	1,862	378	202	115	107	2,664	303	177	325	546
292	St. Paul, Minn	1,770	371	51	34	28	15	499	58	54	50	83
293	Salem, Mass	657	137	31	16	6	6	196	19	6	13	24
294	Salt Lake City, Utah	1,059	162	55	24	17	17	275	63	36	26	47
295	San Antonio, Tex	1,504	326	48	20	5	6	405	40	21	55	111
296	San Diego, Cal	379	17	9	2	1	2	31	3	8	9	18
297	San Francisco, Cal	7,593	950	165	110	69	76	1,370	211	111	142	358
298	San Jose, Cal	348	42	6	2	1	6	57	10	7	12	19
299	Saratoga Springs, N. Y	281	34	7	1	2	.....	44	2	6	8	13
300	Sault Ste. Marie, Mich	231	78	7	5	3	1	94	9	1	8	13
301	Savannah, Ga	1,659	402	88	36	24	20	570	37	27	52	118
302	Schenectady, N. Y	648	165	26	17	14	10	232	31	6	21	28
303	Scranton, Pa	1,498	362	78	26	22	13	501	26	31	33	54
304	Seattle, Wash	1,082	136	16	15	3	12	182	29	30	38	66
305	Sioux City, Iowa	471	108	19	11	6	5	149	22	4	11	26
306	Somerville, Mass	895	163	38	13	15	8	237	29	15	17	26
307	South Bend, Ind	494	133	23	21	4	7	188	8	9	17	23
308	South Bethlehem, Pa	193	59	9	4	1	2	75	4	4	7	9
309	Southbridge town, Mass	166	46	10	3	1	1	61	4	2	6	7
310	Spokane, Wash	558	64	18	12	7	4	105	17	20	29	37
311	Springfield, Ill	640	78	18	13	8	4	121	24	7	35	31
312	Springfield, Mass	1,014	192	41	17	12	9	271	27	10	23	45
313	Stamford town, Conn	344	62	12	7	6	3	90	12	1	7	15
314	Steelton, Pa	248	77	13	4	1	1	96	9	11	12	18
315	Stonington town, Conn	133	24	3	5	3	2	37	4	2	3	4
316	Superior, Wis	383	93	21	9	10	16	149	21	11	7	17
317	Syracuse, N. Y	1,487	260	44	11	12	11	338	33	16	43	51
318	Tacoma, Wash	605	71	18	12	11	12	124	27	10	29	33
319	Taunton, Mass	570	94	14	5	6	3	122	12	4	12	24
320	Terre Haute, Ind	742	151	41	14	6	4	216	21	18	26	39
321	Tiffin, Ohio	168	29	4	3	.....	1	37	4	3	6	9
322	Toledo, Ohio	2,020	346	80	49	26	23	524	66	37	75	88
323	Torrington town, Conn	133	44	6	1	1	.....	52	5	1	3	8
324	Traverse City, Mich	181	28	1	1	3	2	35	10	1	3	7
325	Trenton, N. J	1,330	299	59	35	10	6	409	21	13	34	53
326	Troy, N. Y	1,415	256	39	15	11	3	324	16	12	33	55
327	Union, N. J	261	63	10	8	5	2	88	9	1	15	7
328	Utica, N. Y	1,051	172	27	16	10	8	233	20	13	22	28
329	Vernon town, Conn	123	17	5	2	.....	.....	24	5	1	3	3
330	Vincennes, Ind	172	35	6	1	3	1	46	3	2	6	7
331	Wabash, Ind	126	21	3	.....	2	.....	26	4	6	8	8
332	Wakefield town, Mass	142	21	4	1	1	1	28	2	1	2	3
333	Wallingford town, Conn	102	24	6	.....	2	2	34	2	2	4	4
334	Waltham, Mass	327	44	8	3	5	4	64	10	12	7	14

AREAS, AT EACH AGE: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
85	82	87	92	73	86	86	72	98	81	66	40	16	6	.....	2	250
25	22	29	35	24	31	41	56	42	41	43	23	17	3	.....	.....	251
6	9	3	3	9	8	16	16	8	10	8	2	5	1	.....	.....	252
6	8	21	13	12	8	17	13	12	9	18	4	8	1	1	.....	253
11	8	14	7	8	8	8	7	13	3	5	4	4	1	.....	.....	254
10	6	6	5	7	9	11	9	6	5	13	7	1	.....	.....	1	255
26	18	22	20	28	16	44	31	19	25	19	13	8	1	3	7	256
1,145	1,203	1,293	1,148	1,178	1,171	1,175	1,251	1,337	1,235	995	749	333	120	56	48	257
3	7	5	7	3	7	9	12	7	15	10	7	1	1	.....	1	258
495	375	434	380	319	316	270	276	227	199	156	103	49	11	5	3	259
13	23	11	20	19	20	23	20	20	31	26	17	6	2	.....	.....	260
16	11	10	8	7	16	14	15	21	8	19	9	2	3	1	.....	261
8	2	9	7	4	5	8	7	8	3	3	2	2	.....	.....	.....	262
5	4	5	5	3	3	6	11	10	16	11	7	7	2	.....	.....	263
11	8	7	19	4	11	7	17	11	12	18	8	2	1	1	.....	264
18	7	7	14	8	9	14	15	13	13	16	9	5	3	.....	1	265
4	7	9	4	8	9	9	10	17	13	8	9	.....	.....	.....	.....	266
43	42	47	45	47	39	52	67	92	80	50	46	21	8	4	2	267
65	54	69	68	64	61	72	69	73	60	47	35	12	3	1	26	268
7	8	6	9	3	7	7	14	10	17	18	11	8	1	2	3	269
13	9	9	11	11	15	15	12	16	12	10	10	4	1	1	5	270
8	14	11	6	8	9	9	12	8	11	13	6	6	1	.....	2	271
13	11	7	9	8	13	7	12	12	22	15	13	10	2	.....	6	272
16	15	15	16	24	21	24	23	26	39	37	23	11	5	.....	.....	273
150	162	154	158	168	191	185	186	172	183	130	82	46	17	5	.....	274
81	89	71	67	44	66	36	30	32	14	12	5	7	.....	.....	3	275
25	25	30	25	32	18	28	35	39	44	42	26	7	3	.....	.....	276
21	17	16	14	14	15	22	16	28	20	21	15	9	4	1	.....	277
26	10	8	11	14	15	23	18	10	13	13	11	3	4	3	16	278
68	48	47	53	41	58	65	78	65	57	55	53	23	8	3	5	279
7	3	9	7	11	5	5	12	4	11	7	6	.....	1	.....	.....	280
20	13	20	19	25	20	26	23	22	22	22	11	5	4	.....	1	281
116	102	118	98	99	109	117	108	100	91	66	48	21	2	5	29	282
6	3	7	7	2	8	9	5	7	5	12	4	7	1	1	1	283
94	103	136	138	111	136	120	167	165	163	153	105	52	22	2	2	284
4	6	4	3	6	3	9	11	14	8	14	8	6	1	.....	.....	285
7	12	9	11	10	16	10	18	15	27	24	15	9	1	.....	5	286
6	10	9	11	9	6	9	14	10	13	12	14	8	4	4	4	287
30	36	43	36	29	44	31	34	55	34	24	15	10	.....	1	7	288
28	22	25	28	25	25	18	36	43	43	28	31	17	5	1	2	289
50	57	49	69	31	41	48	61	47	48	47	34	11	.....	4	13	290
573	569	588	616	555	571	581	625	490	460	323	215	82	40	15	45	291
77	77	104	100	100	76	72	62	77	87	73	57	23	14	1	26	292
22	26	23	23	25	33	28	36	39	56	37	23	19	6	2	1	293
61	45	48	60	46	66	31	49	47	50	51	39	13	5	1	.....	294
111	111	102	80	83	61	48	56	48	59	45	37	11	5	5	10	295
11	14	22	19	20	22	31	34	40	38	29	15	11	1	1	2	296
461	432	518	495	489	489	440	513	492	443	341	191	62	23	9	3	297
18	16	17	12	19	20	16	21	31	27	16	16	8	4	1	1	298
13	9	11	15	10	15	12	20	24	25	19	19	11	4	.....	1	299
17	9	13	15	11	6	7	4	9	2	6	2	1	2	.....	2	300
114	81	87	92	87	74	55	60	64	29	40	29	18	7	7	11	301
30	19	35	30	28	29	33	15	36	13	11	19	12	2	1	17	302
64	68	70	66	61	61	71	107	71	57	44	24	5	3	1	80	303
87	66	98	95	72	82	45	38	49	35	38	14	5	1	3	9	304
24	22	20	27	24	21	26	14	24	17	16	13	4	.....	.....	7	305
32	38	33	41	33	42	45	69	59	68	52	39	17	3	.....	.....	306
24	16	21	27	16	22	19	17	20	21	24	8	10	3	.....	1	307
4	6	8	12	12	5	7	11	5	8	6	5	2	.....	.....	3	308
1	3	8	8	6	6	4	8	6	14	8	12	2	.....	.....	.....	309
35	40	45	33	32	43	24	29	25	23	12	6	2	1	.....	.....	310
38	49	24	28	26	39	29	36	29	33	43	19	20	7	2	.....	311
50	43	39	41	35	45	66	67	65	58	47	51	20	7	4	.....	312
12	13	13	16	15	23	18	30	22	18	19	9	6	3	.....	2	313
18	13	9	12	7	5	10	8	4	4	7	2	3	.....	.....	.....	314
3	3	1	7	1	4	5	11	13	7	6	12	6	4	.....	.....	315
25	22	27	21	12	14	7	16	9	8	9	3	1	.....	.....	4	316
58	71	62	70	63	87	85	113	97	125	86	50	26	12	1	.....	317
36	27	33	41	51	26	32	31	29	27	18	8	3	3	1	16	318
22	26	30	26	18	38	26	38	45	32	36	40	10	7	1	1	319
26	31	40	39	26	34	31	38	38	45	40	19	5	2	5	3	320
5	7	7	10	3	10	5	8	12	11	15	12	4	.....	.....	.....	321
102	98	78	108	98	97	99	127	99	130	91	56	24	10	9	4	322
6	3	7	5	3	5	5	7	6	4	6	2	3	2	.....	.....	323
9	8	11	10	10	13	12	9	10	15	10	4	2	.....	.....	2	324
43	76	69	67	70	72	59	79	70	67	53	42	14	4	.....	15	325
77	85	70	93	70	96	94	100	89	71	64	42	17	5	1	1	326
9	15	6	19	19	18	11	10	16	7	5	3	1	.....	.....	2	327
39	51	45	41	56	61	74	64	92	73	57	44	26	10	2	.....	328
3	3	11	2	5	6	5	5	10	12	13	6	4	1	1	.....	329
5	8	8	6	8	9	7	14	19	12	4	5	2	1	.....	.....	330
4	6	4	4	4	3	3	4	7	8	13	10	3	1	.....	.....	331
11	4	5	5	2	6	11	8	11	10	16	6	6	5	.....	.....	332
7	3	.....	3	6	7	8	3	5	3	4	5	1	1	.....	.....	333
17	10	14	16	15	16	17	24	22	20	20	13	9	6	.....	1	334

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
335	Ware town, Mass	147	55	3	1	2	.....	61	.....	5	4	4
336	Washington, D. C	5,782	1,240	221	87	50	37	1,635	132	91	179	304
337	Washington, Ind	140	22	6	3	1	3	35	7	1	3	5
338	Waterbury, Conn	937	267	46	35	20	11	379	31	17	26	34
339	Watertown, N. Y	294	57	7	4	1	1	70	5	4	12	12
340	Watertown town, Mass	131	36	4	2	1	1	44	4	3	.....	8
341	Watervliet, N. Y	212	46	9	6	1	.....	62	4	3	3	6
342	Webster town, Mass	158	47	13	10	7	4	81	15	4	2	5
343	West Bay City, Mich	191	58	5	1	3	.....	67	9	4	7	4
344	Westfield town, Mass	209	40	7	3	4	3	57	7	4	3	9
345	Weymouth town, Mass	158	25	2	3	2	2	34	1	1	2	4
346	Wheeling, W. Va	640	105	32	10	10	5	162	24	17	14	36
347	Wichita, Kans	415	69	7	9	3	3	91	12	10	20	17
348	Williamsport, Pa	399	59	12	11	3	1	86	16	10	10	20
349	Wilmington, Del	1,368	359	33	26	21	14	453	31	28	41	53
350	Wilmington, N. C	602	135	48	16	10	10	219	14	12	31	32
351	Windham town, Conn	160	28	2	1	.....	1	32	.....	3	2	4
352	Winona, Minn	206	44	5	7	1	5	62	5	7	7	5
353	Woburn, Mass	229	54	7	5	.....	.....	66	2	.....	8	8
354	Woonsocket, R. I	546	179	34	16	16	7	252	20	14	14	17
355	Worcester, Mass	1,936	428	74	34	24	18	578	31	20	41	81
356	Yonkers, N. Y	864	229	59	28	14	18	348	27	7	20	24
357	Youngstown, Ohio	876	178	40	22	14	11	265	29	18	35	66
	CONNECTICUT RURAL.											
358	Fairfield county	376	108	9	8	8	3	136	17	10	16	14
359	Hartford county	916	188	25	14	15	3	245	24	15	20	22
360	Litchfield county	751	120	24	8	10	6	168	7	11	16	16
361	Middlesex county	354	45	3	6	.....	2	56	4	3	9	15
362	New Haven county	703	137	34	14	9	8	202	15	5	13	15
363	New London county	471	62	11	10	4	1	88	6	7	6	14
364	Tolland county	243	30	9	3	2	1	45	3	6	6	5
365	Windham county	574	105	13	9	6	2	135	10	11	10	20
	INDIANA RURAL.											
366	Adams county	239	51	9	3	1	2	66	4	5	5	13
367	Allen county	318	64	20	8	3	3	98	5	4	8	15
368	Bartholomew county	105	42	9	3	.....	.....	54	2	2	10	9
369	Benton county	105	17	3	2	2	.....	24	.....	2	2	6
370	Blackford county	218	70	8	4	3	2	87	3	4	9	8
371	Boone county	311	52	7	3	2	4	68	7	4	14	13
372	Brown county	125	27	5	4	2	2	40	8	6	6	4
373	Carroll county	197	32	6	5	1	.....	44	2	2	7	8
374	Cass county	161	31	5	3	1	.....	40	4	5	7	5
375	Clark county	244	50	10	5	3	2	70	4	9	8	11
376	Clay county	415	106	32	11	3	4	156	21	17	18	19
377	Clinton county	385	65	25	11	6	3	110	8	11	19	18
378	Crawford county	162	24	6	4	1	.....	35	6	4	12	13
379	Daviess county	253	59	13	5	2	7	86	5	5	13	12
380	Dearborn county	291	41	11	5	2	1	60	4	6	8	17
381	Decatur county	273	58	13	7	4	3	85	6	1	10	10
382	Dekalb county	302	56	12	8	3	1	80	4	6	5	15
383	Delaware county	316	66	9	4	4	6	89	16	4	11	16
384	Dubois county	266	51	26	8	.....	4	89	6	12	11	15
385	Elkhart county	346	42	10	5	6	2	65	9	5	17	15
386	Fayette county	183	33	8	7	2	.....	50	6	5	5	9
387	Floyd county	93	10	1	.....	.....	2	13	7	1	2	4
388	Fountain county	242	34	16	6	4	2	62	9	3	6	10
389	Franklin county	256	40	4	3	.....	2	49	6	6	4	11
390	Fulton county	209	32	7	1	.....	1	41	4	5	6	4
391	Gibson county	363	89	20	7	7	3	126	16	13	19	16
392	Grant county	595	125	30	8	7	5	175	19	9	19	21
393	Greene county	386	83	23	10	7	4	127	8	9	24	20
394	Hamilton county	364	81	19	3	4	7	114	10	4	14	11
395	Hancock county	266	36	16	4	1	2	59	4	9	8	9
396	Harrison county	243	28	10	5	4	.....	47	7	6	9	11
397	Hendricks county	268	39	11	5	2	1	58	3	5	12	16
398	Henry county	372	52	7	7	2	1	69	7	6	13	22
399	Howard county	167	31	10	.....	1	.....	42	2	2	8	8
400	Huntington county	206	43	8	5	1	.....	57	2	3	4	6
401	Jackson county	377	81	25	11	2	2	121	13	7	18	18
402	Jasper county	112	28	6	3	.....	1	38	2	.....	7	3
403	Jay county	332	84	17	6	5	2	114	6	8	10	17
404	Jefferson county	345	48	18	3	4	4	77	7	6	12	19
405	Jennings county	200	37	2	2	.....	4	45	4	3	12	14
406	Johnson county	243	48	11	3	4	1	67	4	2	5	8
407	Knox county	264	57	22	9	3	1	92	11	5	10	15
408	Kosciusko county	331	57	17	7	3	.....	84	9	5	12	16
409	Lagrange county	180	34	4	2	2	.....	42	3	3	4	4
410	Lake county	337	97	15	6	5	11	134	12	7	7	14
411	Laporte county	296	50	3	5	2	2	62	4	5	3	13
412	Lawrence county	321	69	23	6	3	2	103	10	5	22	22
413	Madison county	462	110	20	12	7	8	157	12	9	16	27
414	Marion county	438	51	6	8	3	2	70	3	3	14	20
415	Marshall county	290	45	15	7	6	3	76	12	12	7	9

AREAS, AT EACH AGE: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3	5	6	3	5	5	6	9	6	9	7	4	3	2	.....	.....	335
305	279	249	262	275	277	322	335	297	321	242	163	72	27	15	.....	336
8	2	6	8	6	6	12	10	7	10	8	5	1	.....	.....	.....	337
57	46	55	43	34	31	31	36	24	27	31	19	11	1	2	2	338
12	12	10	15	12	10	10	15	19	26	19	22	7	1	1	.....	339
5	3	2	2	3	10	4	8	4	12	7	6	2	3	1	.....	340
11	10	7	13	8	16	15	10	12	10	11	5	5	.....	.....	1	341
5	3	3	3	1	7	5	2	.....	11	2	6	1	1	.....	1	342
5	2	5	4	8	15	13	12	10	6	10	6	3	1	.....	.....	343
10	7	8	5	5	7	12	16	11	13	22	8	3	1	1	.....	344
2	9	4	7	4	11	6	12	10	15	19	9	6	2	.....	.....	345
38	23	32	31	29	23	29	53	26	32	27	25	8	4	.....	7	346
26	21	12	25	19	28	24	20	26	27	16	8	6	2	.....	5	347
18	19	20	13	13	10	18	28	26	33	30	15	8	2	.....	4	348
61	66	67	37	55	62	65	73	77	57	50	37	23	9	2	1	349
22	22	27	26	19	32	38	25	16	22	13	7	4	1	3	17	350
4	12	7	9	9	8	12	8	11	11	12	6	7	1	1	1	351
8	3	13	8	5	8	8	11	16	15	12	7	3	1	2	.....	352
10	11	8	9	9	17	17	10	6	15	9	10	10	2	2	.....	353
30	13	9	14	13	15	27	35	17	18	22	9	4	2	1	.....	354
105	86	105	95	97	88	93	99	114	103	81	69	28	13	5	4	355
35	62	33	34	27	38	46	33	31	40	23	18	8	7	2	1	356
63	45	51	46	34	43	40	32	20	29	24	23	6	4	.....	3	357
11	11	21	22	23	32	56	50	55	48	59	62	21	7	2	3	358
21	28	27	30	33	32	48	49	49	92	61	60	31	14	4	12	359
21	28	27	28	19	38	41	30	50	68	72	49	31	14	8	9	360
9	13	15	9	10	16	7	25	26	29	41	33	20	9	3	2	361
17	21	21	17	21	29	41	34	59	50	49	46	35	5	3	5	362
20	9	11	26	16	17	23	28	37	33	47	50	15	7	2	9	363
7	8	7	9	7	8	16	14	22	15	26	14	14	5	1	5	364
15	17	17	17	20	23	31	30	38	41	53	46	23	12	1	4	365
9	15	12	5	9	9	10	6	11	15	21	14	6	1	3	.....	366
15	10	3	9	8	17	19	13	23	17	25	17	10	2	.....	.....	367
9	9	4	9	8	8	6	6	13	16	11	12	4	2	1	.....	368
4	2	2	3	2	4	3	9	12	11	11	5	1	.....	.....	2	369
6	4	5	8	6	12	9	8	12	6	10	9	4	2	1	5	370
14	16	6	6	15	15	8	10	28	24	24	28	6	2	2	1	371
4	3	3	4	3	2	6	5	9	11	4	5	2	.....	.....	.....	372
7	9	5	8	4	9	5	8	18	23	16	13	6	.....	1	2	373
7	9	3	9	5	6	2	7	10	11	13	12	4	1	.....	1	374
12	13	4	6	6	4	9	15	13	17	17	15	6	2	2	1	375
14	9	15	17	10	10	14	19	16	23	18	12	2	1	.....	4	376
18	12	9	14	12	15	13	18	19	29	30	19	5	3	1	2	377
6	8	5	10	7	3	4	9	5	13	11	7	1	2	.....	1	378
10	13	9	7	7	6	11	9	14	13	12	13	6	2	.....	.....	379
10	11	3	15	7	15	8	19	19	29	24	20	8	1	2	5	380
8	9	4	6	8	5	10	21	15	20	26	14	9	4	1	1	381
12	14	6	9	9	6	16	17	22	20	37	20	3	1	.....	.....	382
13	8	16	19	5	9	11	12	23	20	14	15	10	2	1	2	383
11	9	3	11	12	10	12	10	14	18	8	7	6	1	.....	1	384
14	12	12	10	8	21	17	30	21	29	30	22	8	.....	.....	1	385
3	7	4	7	10	9	14	6	10	11	14	8	2	1	.....	2	386
5	3	3	2	3	4	4	11	4	8	5	3	7	1	.....	3	387
10	7	7	7	8	10	10	10	23	23	14	10	9	2	1	1	388
10	8	8	14	4	9	7	13	25	20	32	14	15	1	.....	.....	389
10	3	6	9	9	8	16	20	18	20	15	9	3	2	.....	1	390
10	18	14	8	10	13	21	15	10	18	20	9	3	3	.....	1	391
20	17	14	17	14	16	32	54	38	43	39	21	16	3	2	6	392
14	19	8	17	9	18	15	16	23	15	18	15	8	2	.....	1	393
12	9	14	12	9	9	13	15	27	33	30	16	10	1	.....	1	394
9	13	8	10	16	12	11	12	24	23	13	11	7	4	1	3	395
8	22	9	6	6	8	13	16	16	13	22	7	5	4	2	6	396
7	10	10	16	8	10	13	17	20	19	15	17	7	4	.....	1	397
13	22	6	14	11	8	21	18	36	36	38	12	15	4	1	.....	398
8	5	8	5	4	4	10	9	10	13	10	10	5	3	1	.....	399
9	8	8	9	7	8	5	12	14	11	18	9	9	2	.....	5	400
21	10	14	11	14	15	11	20	15	20	25	16	6	1	1	.....	401
5	4	2	3	4	4	2	9	7	8	4	6	2	.....	.....	2	402
13	7	15	8	11	11	14	14	25	14	18	14	7	5	.....	1	403
17	16	10	12	5	12	14	23	20	29	19	23	11	8	2	3	404
7	6	9	9	6	4	13	12	13	14	11	10	5	1	1	1	405
12	11	4	13	14	12	5	17	18	20	14	6	6	3	.....	2	406
12	12	7	9	9	11	13	2	13	12	12	9	2	2	.....	6	407
5	16	5	12	12	12	17	19	19	32	24	19	9	4	.....	.....	408
6	4	9	5	3	8	4	9	13	19	22	12	5	3	1	1	409
12	14	18	12	14	7	8	18	10	22	13	10	2	.....	1	2	410
13	11	13	10	12	12	9	23	19	28	28	15	7	4	3	2	411
14	12	10	10	12	8	7	19	14	14	17	15	5	.....	1	1	412
30	17	18	18	12	13	13	20	26	21	24	15	6	5	.....	3	413
17	28	26	25	31	25	25	28	24	32	26	21	7	5	3	5	414
6	10	11	8	8	13	12	17	19	24	22	19	4	1	.....	.....	415

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA RURAL—Continued.											
416	Martin county	172	39	12	4	2	3	60	4	3	13	12
417	Miami county	220	49	4	6	1	1	61	6	2	2	6
418	Monroe county	285	62	19	4	3	3	91	7	5	9	21
419	Montgomery county	388	59	10	2	1	1	73	8	10	13	14
420	Morgan county	217	37	8	4	.....	2	51	1	4	7	14
421	Newton county	110	28	4	1	1	.....	34	5	2	4	6
422	Noble county	248	36	13	5	1	1	56	10	6	8	9
423	Ohio county	62	6	3	1	.....	.....	10	.....	.....	1	3
424	Orange county	183	35	4	3	2	4	48	11	6	1	15
425	Owen county	189	17	6	6	2	1	32	4	9	9	9
426	Parke county	279	66	14	3	5	1	89	5	4	7	14
427	Perry county	256	48	21	6	4	.....	79	3	3	12	9
428	Pike county	342	83	28	15	6	7	139	18	6	14	24
429	Porter county	237	51	3	4	1	1	60	6	9	10	9
430	Posey county	356	69	26	8	12	4	119	10	7	23	18
431	Pulaski county	141	38	6	2	2	1	49	4	5	4	8
432	Putnam county	285	58	8	11	2	2	81	1	8	10	15
433	Randolph county	355	72	10	6	1	1	90	8	6	12	16
434	Ripley county	210	37	10	1	.....	1	49	1	3	4	11
435	Rush county	250	37	6	5	3	1	52	8	5	6	10
436	St. Joseph county	236	37	8	6	2	3	56	5	5	7	11
437	Scott county	118	15	5	4	.....	1	25	5	5	8	5
438	Shelby county	365	85	18	6	5	3	117	11	9	10	18
439	Spencer county	316	70	13	5	2	6	96	9	7	15	16
440	Starke county	127	32	5	4	2	2	45	3	2	2	3
441	Steuben county	166	22	3	3	.....	.....	28	4	5	4	7
442	Sullivan county	340	86	21	5	5	5	122	3	8	6	29
443	Switzerland county	157	29	7	4	1	3	44	4	1	4	6
444	Tippecanoe county	174	31	4	2	.....	.....	37	2	.....	4	7
445	Tipton county	224	57	11	1	.....	2	71	4	6	8	8
446	Union county	92	13	2	1	.....	.....	16	2	1	2	6
447	Vanderburg county	196	46	.....	3	.....	.....	49	3	2	4	4
448	Vermilion county	224	61	17	3	2	1	84	2	5	7	9
449	Vigo county	222	56	18	10	1	1	86	8	11	5	8
450	Wabash county	215	42	3	2	3	2	52	3	4	9	8
451	Warren county	98	16	3	4	1	2	26	1	3	4	2
452	Warrick county	290	69	19	6	3	2	99	11	5	8	17
453	Washington county	259	52	9	6	2	1	70	6	5	18	13
454	Wayne county	288	41	2	5	4	1	53	4	6	13	7
455	Wells county	233	58	10	3	6	.....	77	7	2	10	11
456	White county	206	53	10	3	.....	4	70	5	5	7	7
457	Whitley county	187	31	2	.....	1	1	35	4	5	5	6
	MAINE RURAL.											
458	Androscoggin county	812	138	43	4	9	1	195	15	13	33	34
459	Aroostook county	745	228	34	13	8	7	290	21	21	22	41
460	Cumberland county	770	104	17	13	3	6	143	13	9	19	30
461	Franklin county	260	29	6	3	1	2	41	2	3	5	7
462	Hancock county	475	57	9	7	3	3	79	6	6	17	15
463	Kennebec county	756	99	13	8	5	3	128	16	9	31	25
464	Knox county	321	27	6	4	1	1	39	5	3	7	12
465	Lincoln county	256	18	3	3	2	2	28	.....	3	8	9
466	Oxford county	565	72	13	7	2	2	96	15	5	15	15
467	Penobscot county	855	149	28	6	5	5	193	17	8	16	32
468	Piscataquis county	219	28	5	3	2	1	39	4	7	7	7
469	Sagadahoc county	155	7	3	2	1	1	14	.....	1	2	2
470	Somerset county	540	54	6	7	6	5	78	7	8	19	23
471	Waldo county	370	22	7	2	1	.....	32	5	6	6	14
472	Washington county	591	115	19	11	2	4	151	6	8	22	21
473	York county	893	104	16	5	8	4	137	17	11	22	25
	MASSACHUSETTS RURAL.											
474	Barnstable county	520	48	14	2	6	.....	70	5	6	7	13
475	Berkshire county	527	58	3	7	6	3	77	10	7	13	17
476	Bristol county	621	116	24	11	5	1	157	13	8	8	19
477	Dukes county	76	4	.....	.....	.....	.....	4	.....	2	3	2
478	Essex county	1,032	144	27	10	12	7	200	12	12	19	25
479	Franklin county	623	105	16	13	5	6	145	18	7	11	25
480	Hampden county	619	147	24	19	3	6	199	13	6	14	19
481	Hampshire county	412	64	10	9	6	5	94	7	.....	16	15
482	Middlesex county	1,757	217	39	18	20	8	302	35	26	30	51
483	Nantucket county	65	7	.....	1	.....	.....	8	1	2	.....	2
484	Norfolk county	1,146	154	32	15	8	2	211	25	16	22	31
485	Plymouth county	1,008	120	29	15	6	7	177	14	10	22	17
486	Suffolk county	73	4	.....	2	2	1	9	2	1	1	4
487	Worcester county	1,902	304	72	24	15	16	431	37	22	41	58
	MICHIGAN RURAL.											
488	Alcona county	45	5	.....	1	1	.....	7	2	1	5	2
489	Alger county	74	18	4	3	1	3	29	3	3	1	6
490	Allegan county	473	51	11	5	3	1	71	4	7	5	19
491	Alpena county	170	46	9	5	5	1	66	9	6	10	9
492	Antrim county	168	50	15	2	4	2	73	2	2	4	8

AREAS, AT EACH AGE: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5	11	6	5	6	3	5	7	7	9	7	6	.....	.....	1	2	416
10	6	8	6	8	15	11	12	10	16	19	12	7	3	.....	.....	417
13	10	6	15	8	9	8	8	11	19	20	11	10	3	.....	1	418
20	19	15	13	13	18	19	19	27	43	25	18	18	3	.....	.....	419
18	9	16	5	11	11	5	12	12	14	12	6	7	1	1	.....	420
1	1	5	5	2	2	4	5	8	8	5	4	4	2	.....	3	421
8	6	7	5	6	9	7	11	24	19	17	26	4	3	1	6	422
2	1	3	3	5	4	5	5	5	5	7	1	2	.....	.....	.....	423
12	9	3	4	4	5	7	6	6	13	8	9	7	1	1	7	424
12	3	10	11	5	3	9	11	13	18	16	12	1	2	.....	.....	425
12	10	8	8	10	10	15	14	20	17	15	13	5	1	2	.....	426
11	12	5	9	10	8	5	14	19	17	18	13	5	.....	1	3	427
14	13	14	3	7	16	15	12	17	12	8	7	3	.....	.....	.....	428
11	6	10	8	8	5	9	12	13	17	24	10	6	2	.....	2	429
17	15	10	11	18	11	12	10	16	13	26	8	5	3	2	2	430
6	3	3	4	6	3	6	8	7	6	9	3	2	2	.....	3	431
7	11	6	5	9	14	14	5	17	24	18	22	12	4	2	.....	432
10	12	16	12	9	8	11	18	24	25	39	21	6	3	5	4	433
12	3	3	4	7	9	13	9	17	21	21	17	4	1	.....	1	434
12	6	10	10	4	11	20	11	14	24	20	14	10	1	.....	2	435
7	11	3	8	14	9	11	18	17	14	19	10	8	3	.....	.....	436
6	8	2	1	2	4	5	5	5	7	12	7	4	2	.....	.....	437
15	8	13	16	9	13	22	18	23	19	21	14	6	.....	1	2	438
17	4	13	12	13	11	8	14	24	21	12	11	4	4	.....	5	439
9	2	4	8	3	4	5	6	8	11	6	1	2	3	.....	.....	440
4	4	7	5	6	7	10	8	14	21	11	10	6	2	1	2	441
8	7	10	15	8	14	12	17	15	18	19	13	5	2	2	7	442
7	6	2	7	5	6	11	10	9	8	19	5	1	1	.....	1	443
9	4	5	7	4	9	12	12	18	20	7	11	4	.....	.....	2	444
6	8	2	7	9	9	7	8	7	16	23	13	10	1	1	.....	445
7	5	2	3	3	.....	3	9	4	4	8	8	4	2	1	2	446
9	11	9	7	12	12	12	16	19	13	9	3	1	1	.....	.....	447
8	10	9	4	8	12	9	10	7	11	9	9	7	1	.....	3	448
5	7	8	5	7	7	6	11	13	11	11	5	5	2	.....	1	449
8	3	8	10	10	7	7	11	17	18	17	12	10	1	.....	.....	450
2	4	4	7	3	5	2	5	4	10	7	5	1	.....	1	2	451
15	10	8	12	14	6	15	14	12	13	17	8	2	1	1	2	452
14	9	5	11	10	11	6	8	16	15	15	14	8	3	1	1	453
16	6	8	5	7	12	13	21	21	30	22	25	13	4	2	.....	454
11	10	7	6	7	10	9	10	15	9	17	6	8	1	.....	.....	455
6	4	4	9	7	5	9	8	15	16	13	9	5	1	.....	1	456
5	6	5	9	10	5	8	12	10	12	27	10	12	1	.....	.....	457
22	34	21	23	28	41	39	37	62	59	65	41	22	13	1	14	458
34	25	22	14	22	19	20	24	42	33	47	25	7	11	1	4	459
10	26	24	26	25	32	27	47	72	82	67	68	25	16	3	6	460
8	5	9	11	9	20	13	17	17	27	27	19	11	4	3	2	461
21	11	14	13	21	22	29	29	35	38	50	33	22	9	5	.....	462
21	18	24	11	31	25	37	52	58	71	69	49	51	20	4	6	463
15	10	7	9	11	15	13	25	30	30	27	28	24	8	3	.....	464
12	3	10	5	9	14	14	14	24	28	26	20	19	7	2	1	465
23	26	14	15	23	18	25	43	44	60	43	50	24	8	2	1	466
30	24	20	29	25	29	33	55	56	76	79	61	44	16	3	9	467
12	7	10	6	11	14	5	14	12	19	16	14	8	7	.....	.....	468
5	2	4	4	3	3	7	13	11	19	21	24	14	5	1	.....	469
18	15	8	16	18	21	20	29	45	62	51	57	28	7	7	3	470
12	9	10	8	12	22	21	19	36	40	47	38	21	10	.....	2	471
21	18	16	11	16	24	34	35	34	46	46	42	28	9	1	2	472
28	22	24	33	32	33	47	60	77	91	92	69	49	14	7	3	473
12	7	16	18	19	14	31	32	35	60	55	71	37	7	3	2	474
22	11	12	27	17	26	23	37	41	56	58	43	13	11	2	4	475
10	13	19	21	18	18	28	37	53	46	67	43	31	8	3	1	476
3	1	1	3	.....	5	3	6	6	10	11	10	2	3	1	.....	477
25	29	34	46	42	45	57	66	90	104	87	76	39	16	1	7	478
13	21	12	15	21	23	32	38	42	65	46	46	23	16	4	.....	479
23	27	14	19	22	15	21	36	34	44	39	37	22	7	5	3	480
10	9	8	13	9	12	18	22	33	28	51	30	28	4	2	3	481
60	83	71	78	95	93	127	127	125	134	119	108	57	25	8	3	482
1	2	.....	1	.....	4	3	6	3	9	8	4	6	4	1	.....	483
44	49	41	38	43	51	61	87	104	79	110	61	47	14	6	6	484
31	18	27	34	43	50	44	60	85	100	96	84	55	24	5	12	485
3	1	3	5	5	3	4	3	2	9	7	8	1	2	.....	.....	486
78	54	58	58	61	73	93	107	135	156	169	153	82	27	5	3	487
4	1	1	1	1	1	.....	4	5	3	4	1	.....	1	1	.....	488
8	4	4	4	5	.....	4	2	.....	1	.....	.....	.....	.....	.....	.....	489
12	10	14	14	16	27	25	24	43	47	62	44	21	6	2	.....	490
7	5	8	5	3	4	6	4	5	8	5	6	2	.....	1	1	491
11	6	13	6	3	6	4	5	8	11	2	4	.....	.....	.....	.....	492

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MICHIGAN RURAL—Continued.											
493	Arenac county	79	17	3	1	.....	1	22	3	2	2	4
494	Baraga county	40	14	3	.....	2	.....	19	2	.....	.....	2
495	Barry county	267	35	4	3	4	.....	46	2	3	6	6
496	Bay county	212	54	3	2	2	1	62	6	6	10	8
497	Benzie county	108	34	6	.....	.....	1	41	4	2	4	5
498	Berrien county	552	89	11	5	6	2	113	14	8	18	20
499	Branch county	379	40	11	5	3	2	61	8	5	9	3
500	Calhoun county	422	44	7	2	3	1	57	7	4	12	13
501	Cass county	287	28	5	4	1	1	39	4	2	15	9
502	Charlevoix county	162	31	4	3	.....	.....	38	6	3	3	7
503	Cheboygan county	180	54	6	2	1	2	65	8	3	4	13
504	Chippewa county	107	33	7	5	2	.....	47	6	3	3	7
505	Clare county	83	22	2	.....	1	1	26	5	3	3	1
506	Clinton county	208	41	7	1	1	2	52	4	4	6	10
507	Crawford county	47	11	3	1	.....	1	16	1	.....	4	1
508	Delta county	142	43	14	4	1	.....	62	6	2	4	12
509	Dickinson county	113	50	5	3	3	.....	61	5	3	2	5
510	Eaton county	400	31	12	5	4	6	58	8	4	12	18
511	Emmet county	231	58	12	1	1	1	73	6	5	10	9
512	Genesee county	367	49	7	3	2	3	64	7	5	6	8
513	Gladwin county	60	15	3	4	.....	1	23	2	.....	2	1
514	Gogebic county	122	38	17	3	5	3	66	5	4	5	4
515	Grand Traverse county	115	19	7	3	2	3	34	3	3	3	4
516	Gratiot county	351	50	15	7	2	2	76	8	5	10	10
517	Hillsdale county	375	27	6	5	6	1	45	7	4	9	11
518	Houghton county	939	341	44	28	11	11	435	32	11	27	43
519	Huron county	337	83	13	13	8	.....	117	8	9	16	17
520	Ingham county	327	36	8	3	1	.....	48	4	5	12	11
521	Ionia county	428	46	12	3	2	2	65	7	4	10	13
522	Iosco county	99	25	3	.....	.....	.....	28	6	5	4	3
523	Iron county	86	27	3	2	.....	1	33	2	1	9	9
524	Isabella county	262	46	14	2	5	3	70	9	8	11	19
525	Jackson county	282	29	5	1	1	.....	36	4	4	5	12
526	Kalamazoo county	235	23	6	2	.....	1	32	6	3	4	10
527	Kalkaska county	77	16	8	1	.....	1	26	1	2	4	7
528	Kent county	592	62	14	6	1	1	84	12	7	11	23
529	Keweenaw county	33	9	4	3	.....	1	17	1	1	2	1
530	Lake county	47	6	.....	3	1	.....	10	2	1	3	.....
531	Lapeer county	375	53	12	5	4	3	77	7	13	18	21
532	Leelanau county	117	28	8	3	1	2	42	3	3	5	3
533	Lenawee county	637	68	11	5	6	5	95	6	8	16	28
534	Livingston county	225	22	2	4	2	.....	30	4	4	5	6
535	Luce county	64	3	1	1	.....	.....	5	1	1	3	1
536	Mackinac county	83	15	3	.....	1	2	21	4	.....	6	5
537	Macomb county	466	66	15	10	6	4	101	17	4	18	21
538	Manistee county	312	83	11	6	1	2	103	8	9	9	14
539	Marquette county	191	46	15	3	1	4	69	15	5	7	10
540	Mason county	183	42	6	1	1	1	51	3	3	15	8
541	Mecosta county	223	33	5	2	3	3	46	5	10	8	6
542	Menominee county	127	40	7	2	1	2	52	4	4	5	8
543	Midland county	147	35	2	2	1	.....	40	1	2	10	6
544	Missaukee county	85	22	4	2	1	.....	29	2	2	3	3
545	Monroe county	369	80	6	5	4	1	96	7	9	13	15
546	Montcalm county	375	49	11	3	2	2	67	8	8	16	8
547	Montmorency county	44	9	1	1	.....	.....	11	2	1	4	4
548	Muskegon county	166	16	6	1	1	.....	24	8	2	7	7
549	Newaygo county	203	27	7	2	2	4	42	3	6	4	9
550	Oakland county	406	39	9	2	4	3	57	5	7	16	9
551	Oceana county	161	26	5	3	.....	2	36	5	5	2	5
552	Ogemaw county	79	20	3	1	2	1	27	3	2	5	1
553	Ontonagon county	93	26	8	1	1	2	38	8	4	.....	1
554	Osceola county	208	43	4	3	.....	.....	50	3	2	9	8
555	Oscoda county	10	1	.....	.....	.....	.....	1	.....	1	.....	.....
556	Otsego county	75	15	7	.....	.....	.....	22	3	4	3	4
557	Ottawa county	417	55	13	3	5	1	77	10	6	19	17
558	Presque Isle county	93	30	4	5	2	1	42	6	5	4	4
559	Roscommon county	9	2	.....	.....	.....	.....	2	.....	2	1	.....
560	Saginaw county	413	77	14	15	9	2	117	8	7	8	16
561	St. Clair county	466	73	13	8	7	4	105	24	9	12	14
562	St. Joseph county	302	27	3	2	4	2	38	4	6	6	13
563	Sanilac county	375	68	10	9	1	2	90	5	10	17	17
564	Schoolcraft county	95	19	4	3	1	.....	27	3	2	1	6
565	Shiawassee county	310	44	6	4	2	.....	56	2	6	10	11
566	Tuscola county	418	67	17	8	3	3	98	7	7	19	13
567	Van Buren county	364	34	5	3	2	1	45	7	10	8	16
568	Washtenaw county	423	45	4	7	.....	3	59	10	7	7	12
569	Wayne county	1,039	200	45	17	12	13	287	32	19	30	27
570	Wexford county	208	46	11	5	5	1	68	5	9	8	6
	NEW HAMPSHIRE RURAL.											
571	Belknap county	202	18	2	1	.....	.....	21	3	1	7	5
572	Carroll county	261	16	2	.....	2	.....	20	2	7	3	4
573	Cheshire county	315	35	9	4	1	2	51	11	5	1	7
574	Coos county	249	30	6	.....	6	3	45	2	4	4	8
575	Grafton county	611	52	13	9	6	5	85	10	7	18	19

AREAS, AT EACH AGE: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	1	2	2	8	5	2	3	5	5	4	3	2	.....	.....	2	493
1	.....	3	3	.....	2	.....	2	1	.....	2	1	.....	2	.....	.....	494
5	8	7	5	9	10	11	17	28	36	27	21	16	2	1	1	495
7	8	5	11	3	4	12	8	18	11	7	14	4	4	2	2	496
4	5	4	3	2	3	3	5	5	3	3	5	3	1	.....	3	497
18	29	16	15	18	22	26	36	42	51	37	36	25	5	1	2	498
14	5	5	10	8	15	10	38	42	48	47	29	16	4	2	.....	499
5	9	8	20	17	12	26	40	31	33	56	37	29	5	1	.....	500
5	6	9	13	7	14	16	15	33	29	28	23	15	2	2	1	501
5	9	9	8	6	6	6	14	8	9	8	5	6	2	.....	4	502
1	4	9	9	5	4	5	5	6	5	19	11	3	.....	1	.....	503
3	5	4	4	3	2	3	2	2	5	2	2	2	1	.....	1	504
2	3	2	4	2	5	5	4	2	2	5	9	.....	.....	.....	.....	505
10	7	7	9	7	10	14	23	30	30	29	28	13	3	1	1	506
1	1	3	3	4	1	2	1	3	2	.....	3	1	.....	.....	.....	507
4	6	5	6	6	2	4	8	5	5	2	1	.....	.....	.....	2	508
9	1	4	5	5	3	2	.....	1	1	2	3	.....	.....	.....	1	509
21	13	13	12	11	14	23	26	45	44	30	24	21	3	.....	.....	510
14	7	9	12	9	7	10	12	20	7	9	3	4	1	2	2	511
15	9	15	17	9	12	21	13	30	35	40	33	19	6	2	1	512
3	1	8	1	3	3	3	3	3	.....	4	.....	.....	.....	.....	.....	513
7	1	5	6	6	4	2	2	2	1	.....	2	.....	.....	.....	.....	514
3	2	5	.....	2	6	4	3	14	10	7	7	3	2	.....	.....	515
12	15	7	13	14	13	19	19	31	31	29	22	9	4	3	1	516
7	7	6	8	19	21	19	26	31	43	43	43	20	2	2	2	517
50	46	45	32	37	25	23	26	33	19	24	13	4	4	.....	10	518
8	8	7	10	6	11	14	13	16	17	19	25	10	5	.....	1	519
13	14	6	15	13	18	11	19	22	33	45	23	8	4	2	1	520
10	16	15	9	18	28	24	35	43	39	37	28	20	6	1	.....	521
5	4	4	5	.....	6	3	6	5	6	4	2	3	.....	.....	.....	522
4	2	5	4	3	4	.....	2	3	2	1	.....	.....	.....	.....	2	523
5	2	13	8	13	8	9	17	14	18	16	15	2	1	3	1	524
9	6	7	7	13	14	19	24	24	32	24	24	8	7	3	.....	525
2	6	8	8	10	6	13	23	22	24	26	15	14	2	.....	1	526
3	3	1	2	1	5	5	4	5	1	3	2	2	.....	.....	.....	527
24	8	12	19	14	17	32	42	67	76	66	48	22	4	2	2	528
.....	3	1	1	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	529
4	4	3	1	1	1	5	2	3	1	2	2	1	.....	.....	1	530
8	6	10	11	11	12	15	21	30	29	37	21	17	10	1	.....	531
6	4	3	5	3	3	2	5	6	5	6	5	6	.....	1	1	532
18	19	15	21	14	34	35	41	49	70	64	56	26	17	4	1	533
5	9	1	7	9	7	14	19	21	27	20	24	9	3	1	.....	534
3	5	6	10	2	4	3	2	5	3	3	.....	1	.....	.....	6	535
4	3	2	4	3	7	2	3	6	2	3	3	1	.....	2	2	536
11	8	15	19	17	26	18	32	38	35	32	33	17	3	1	.....	537
11	11	9	7	17	17	7	20	20	18	11	7	5	5	1	3	538
12	8	8	10	3	5	6	7	6	7	8	3	1	.....	.....	1	539
6	5	5	5	15	8	10	8	9	11	11	6	1	1	2	.....	540
13	3	9	10	15	10	20	14	14	9	16	8	7	.....	.....	.....	541
4	2	4	3	4	3	6	7	5	6	2	6	1	1	.....	.....	542
3	3	4	4	6	8	3	8	11	8	15	7	4	4	.....	.....	543
5	3	1	6	3	2	2	4	8	5	5	1	1	.....	.....	.....	544
12	13	11	12	7	14	17	22	18	27	38	24	11	2	1	.....	545
15	12	19	8	16	14	25	19	40	29	35	19	14	1	.....	2	546
3	1	.....	.....	2	2	1	7	2	.....	1	2	.....	.....	.....	1	547
5	4	8	7	4	11	8	15	14	19	10	8	3	1	.....	1	548
6	4	6	9	11	5	5	12	22	21	17	12	5	4	.....	.....	549
9	12	12	13	11	18	16	21	35	38	46	50	21	6	1	3	550
4	2	8	6	6	8	15	8	13	10	10	12	4	1	1	.....	551
3	1	3	5	2	9	3	.....	6	2	2	4	1	.....	.....	.....	552
5	5	6	3	4	2	5	1	3	1	4	.....	3	.....	.....	.....	553
7	7	10	8	8	12	9	17	20	17	7	9	2	1	.....	2	554
.....	.....	.....	.....	1	2	1	1	.....	1	.....	.....	2	.....	.....	.....	555
7	1	2	2	3	2	4	3	4	2	2	5	1	.....	.....	1	556
17	9	14	11	19	14	16	27	36	37	32	43	9	4	.....	.....	557
1	1	2	1	5	.....	3	6	4	1	1	3	1	1	.....	2	558
.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	559
16	7	12	11	19	7	18	22	31	36	34	27	10	2	2	3	560
27	13	15	20	15	10	18	27	26	33	34	29	25	8	2	.....	561
14	6	4	9	4	17	17	26	30	33	32	26	11	6	.....	.....	562
20	12	17	11	19	8	7	19	30	36	27	17	7	2	3	1	563
3	5	12	5	4	4	3	6	2	7	2	2	.....	.....	.....	1	564
6	6	9	12	7	17	23	19	27	32	30	25	8	3	.....	1	565
11	14	16	15	9	15	11	27	30	47	39	22	12	2	2	2	566
6	6	13	13	8	14	18	32	35	45	38	29	12	9	.....	.....	567
12	11	9	14	21	12	23	26	41	54	40	33	19	8	2	3	568
43	23	37	38	42	49	42	65	74	70	71	55	25	8	2	.....	569
6	8	5	5	4	8	25	5	6	15	12	7	2	1	.....	3	570
2	3	4	3	4	11	13	16	15	21	31	25	10	5	1	1	571
4	10	5	7	10	19	14	22	19	23	34	31	14	8	4	1	572
9	6	10	5	17	12	15	29	24	29	35	24	16	8	.....	1	573
8	13	9	7	11	19	20	22	19	17	19	10	5	4	.....	3	574
26	18	18	18	22	34	30	54	57	59	48	56	18	7	.....	7	575

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE RURAL—Continued.											
576	Hillsboro county	535	68	12	4	6	2	92	4	7	4	13
577	Merrimack county	505	69	14	7	2	5	97	8	9	15	11
578	Rockingham county	663	73	17	6	15	3	114	10	6	13	24
579	Strafford county	272	47	6	4	5	1	63	4	4	9	9
580	Sullivan county	270	21	5	1	2	2	31	3	2	7	10
	NEW JERSEY RURAL.											
581	Atlantic county	242	43	13	3	5	1	65	8	6	5	8
582	Bergen county	1,163	272	51	18	12	10	363	32	24	28	43
583	Burlington county	822	140	29	13	7	4	193	21	10	22	20
584	Camden county	520	112	15	.....	3	6	136	11	8	16	13
585	Cape May county	193	26	10	3	.....	.....	39	5	3	8	1
586	Cumberland county	333	55	13	3	1	2	74	3	6	9	8
587	Essex county	917	165	39	25	14	13	256	22	12	13	31
588	Gloucester county	392	71	17	5	4	1	98	9	3	7	15
589	Hudson county	1,241	268	59	43	25	17	412	59	20	32	56
590	Hunterdon county	456	50	9	3	7	3	72	7	9	11	14
591	Mercer county	229	56	3	2	3	.....	64	9	1	6	2
592	Middlesex county	572	126	41	14	5	2	188	12	6	18	19
593	Monmouth county	1,189	257	47	19	15	8	346	37	18	17	47
594	Morris county	806	150	37	12	6	7	212	21	12	16	17
595	Ocean county	272	41	11	4	8	.....	64	5	1	6	7
596	Passaic county	259	74	12	5	3	9	103	10	6	8	2
597	Salem county	312	67	13	2	.....	3	85	2	4	4	16
598	Somerset county	448	80	19	9	4	5	117	11	6	8	17
599	Sussex county	226	32	4	3	7	2	48	6	2	8	6
600	Union county	426	85	19	6	2	1	113	6	4	7	17
601	Warren county	367	66	8	8	5	1	88	5	4	8	15
	NEW YORK RURAL.											
602	Albany county	481	60	12	7	6	.....	85	9	3	9	16
603	Allegany county	561	49	10	5	1	4	69	11	3	13	11
604	Broome county	393	40	5	2	1	1	49	3	3	5	12
605	Cattaraugus county	709	93	23	10	11	3	140	21	15	13	24
606	Cayuga county	518	47	8	7	2	2	66	7	7	8	12
607	Chautauqua county	726	75	21	10	7	5	118	13	6	20	20
608	Chemung county	269	21	8	1	3	5	38	3	3	2	11
609	Chenango county	525	33	4	1	2	4	44	5	8	13	19
610	Clinton county	471	82	17	10	7	2	118	7	11	15	19
611	Columbia county	467	43	6	6	.....	1	56	6	7	13	14
612	Cortland county	298	32	6	1	2	1	42	3	2	5	4
613	Delaware county	569	51	12	9	5	3	80	13	9	14	9
614	Dutchess county	1,029	104	18	8	2	7	139	19	11	17	34
615	Erie county	1,119	193	38	13	6	9	259	20	19	31	30
616	Essex county	431	43	10	5	1	2	61	10	6	14	20
617	Franklin county	680	138	25	14	9	4	190	19	16	20	46
618	Fulton county	219	22	5	3	.....	.....	30	6	2	8	8
619	Genesee county	433	34	3	4	2	5	48	6	3	12	11
620	Greene county	508	64	17	4	4	1	90	10	3	4	24
621	Hamilton county	44	7	.....	.....	2	.....	9	.....	1	1	2
622	Herkimer county	553	88	13	7	4	4	116	16	12	7	14
623	Jefferson county	705	89	17	6	3	5	120	11	12	22	17
624	Lewis county	327	31	5	5	3	1	45	5	5	7	4
625	Livingston county	497	39	10	3	1	3	56	8	8	20	30
626	Madison county	568	60	11	4	4	.....	79	6	3	11	17
627	Monroe county	752	115	18	6	4	5	148	7	12	17	22
628	Montgomery county	338	26	4	5	1	1	37	13	4	8	7
629	Nassau county	817	145	30	17	11	4	207	15	11	12	26
630	Niagara county	490	95	13	.....	5	3	116	12	6	7	16
631	Oneida county	787	88	15	3	8	4	118	12	8	10	15
632	Onondaga county	906	116	21	11	3	6	157	17	8	17	19
633	Ontario county	581	68	7	6	6	6	93	7	6	10	12
634	Orange county	747	134	19	11	14	6	184	12	10	21	19
635	Orleans county	403	45	5	4	1	5	60	5	4	12	12
636	Oswego county	981	101	15	13	10	2	141	17	10	23	34
637	Otsego county	658	53	8	4	5	1	71	5	14	14	30
638	Putnam county	212	24	8	.....	4	.....	36	4	3	3	8
639	Rensselaer county	682	83	15	11	3	1	113	13	13	18	25
640	Rockland county	566	91	25	11	8	4	139	22	12	8	13
641	St. Lawrence county	866	118	22	10	6	4	160	16	15	20	30
642	Saratoga county	745	108	17	13	11	4	153	14	3	22	26
643	Schenectady county	183	28	12	7	1	5	53	8	3	4	5
644	Schoharie county	401	40	12	3	2	3	60	8	5	5	8
645	Schuyler county	211	18	4	3	2	1	28	4	1	3	3
646	Seneca county	509	34	3	2	2	2	43	2	2	8	11
647	Steuben county	994	66	20	11	3	4	104	12	11	19	27
648	Suffolk county	1,336	172	34	16	11	4	237	17	16	32	36
649	Sullivan county	466	47	9	3	4	1	64	9	11	17	25
650	Tioga county	391	27	9	4	3	3	46	14	3	6	13
651	Tompkins county	304	19	3	4	1	2	29	2	3	5	10
652	Ulster county	913	121	28	6	9	9	173	28	16	24	35
653	Warren county	202	27	3	1	2	1	34	3	.....	6	10
654	Washington county	690	93	11	16	4	4	128	11	9	10	28

AREAS, AT EACH AGE: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7	10	12	21	28	22	27	39	58	56	59	36	19	11	5	5	576
16	22	13	18	14	25	19	30	36	41	43	43	27	10	1	7	577
20	21	9	26	29	27	32	28	53	58	54	79	29	17	5	9	578
7	7	12	12	9	5	19	9	20	23	22	18	14	2	1	3	579
8	12	12	7	6	14	16	13	23	22	31	26	12	7	2	6	580
3	8	9	6	11	12	9	19	8	21	20	14	7	2	.....	1	581
41	53	39	35	49	53	54	75	66	67	63	38	20	9	4	7	582
23	26	34	27	31	40	41	52	59	62	70	50	18	14	1	8	583
20	22	17	18	14	25	29	40	41	32	32	29	11	3	1	2	584
9	3	11	6	9	12	8	9	15	17	13	12	8	2	.....	3	585
18	8	9	13	6	15	13	24	26	32	24	26	10	6	1	2	586
46	26	37	39	38	43	66	44	42	57	63	30	19	10	2	1	587
13	7	10	11	13	22	17	22	38	34	29	25	8	5	2	4	588
47	72	75	48	38	55	57	70	56	49	54	22	9	2	.....	8	589
8	12	13	14	23	20	24	36	32	40	52	36	21	8	.....	4	590
9	5	7	7	5	9	7	13	11	24	20	15	8	5	1	1	591
25	25	23	23	23	15	31	33	28	28	25	27	8	9	1	5	592
39	35	58	44	40	43	55	73	77	89	64	59	21	10	5	12	593
28	37	35	36	31	42	40	51	53	53	56	41	16	2	1	6	594
6	10	9	5	9	14	15	20	20	28	19	15	6	7	1	5	595
9	9	7	6	8	11	10	9	12	23	13	5	3	3	1	1	596
8	6	8	6	13	8	13	16	32	30	19	21	15	3	1	2	597
20	12	13	13	12	21	23	27	40	27	34	21	16	7	2	1	598
3	5	3	10	14	9	8	17	17	32	14	16	5	1	1	1	599
18	16	18	16	20	18	14	27	37	27	30	18	11	6	1	2	600
12	20	7	10	8	18	19	19	25	30	30	23	19	5	.....	2	601
10	14	18	14	17	23	29	30	33	58	43	36	17	10	2	5	602
18	23	12	16	15	28	21	38	47	58	74	61	29	10	1	3	603
12	11	14	11	19	24	25	19	29	49	37	43	16	9	1	2	604
16	18	15	12	29	30	28	52	53	79	66	55	29	9	3	2	605
7	10	11	17	16	22	24	27	62	65	59	55	27	8	5	3	606
22	21	23	11	24	30	33	47	60	74	87	76	28	7	2	4	607
8	9	10	11	11	12	18	28	18	23	24	29	7	3	1	.....	608
16	16	11	20	19	20	33	40	53	71	51	52	24	8	1	1	609
15	22	13	19	17	18	18	20	28	26	40	30	17	5	4	9	610
13	12	12	14	23	13	27	28	36	60	58	39	17	11	7	1	611
8	7	10	12	13	10	14	16	29	36	44	22	14	4	3	.....	612
16	25	18	12	13	17	28	41	52	55	68	51	29	16	1	2	613
47	28	47	35	53	62	52	69	105	114	73	68	36	5	5	10	614
31	35	45	37	28	41	52	64	71	103	93	86	52	18	4	.....	615
17	16	14	11	17	18	25	28	34	39	28	39	20	6	3	5	616
44	38	22	19	22	16	14	34	31	44	34	26	21	8	9	7	617
8	9	8	6	6	7	11	11	15	22	26	21	12	2	.....	1	618
12	11	14	13	17	15	15	35	38	46	45	47	29	9	.....	7	619
10	16	11	12	17	25	27	25	45	51	53	49	20	11	3	2	620
6	4	1	1	1	3	3	2	1	1	1	2	2	2	.....	1	621
19	12	25	20	14	22	24	38	43	36	45	49	27	8	1	5	622
14	18	18	21	30	21	46	43	48	67	79	61	37	9	5	6	623
11	11	6	8	13	30	10	21	32	36	36	32	13	6	4	2	624
14	18	9	15	26	30	32	34	41	49	45	46	12	5	6	3	625
11	12	17	12	26	19	34	38	56	62	66	57	28	12	2	.....	626
17	32	29	25	36	28	32	48	55	70	68	69	24	9	3	1	627
12	6	16	14	8	18	23	25	20	34	40	35	10	6	1	1	628
23	35	29	36	23	42	43	36	58	58	71	56	23	5	2	6	629
13	14	13	19	15	19	22	29	34	42	45	38	18	5	2	5	630
20	20	18	25	28	30	55	56	74	87	92	66	33	11	3	6	631
25	19	26	30	41	40	51	49	82	84	99	73	36	20	3	10	632
25	8	13	20	23	32	34	29	56	73	54	46	27	8	3	2	633
26	24	30	30	26	24	38	43	43	60	57	50	32	10	2	6	634
14	9	15	13	13	22	22	20	28	42	38	39	27	7	.....	1	635
33	29	29	28	44	51	47	78	104	93	84	56	51	20	4	5	636
23	20	21	19	29	35	33	39	41	80	73	72	32	12	3	2	637
6	7	8	15	8	11	12	9	15	17	23	11	7	6	.....	3	638
22	20	28	25	28	34	44	48	68	55	55	42	19	8	.....	4	639
23	26	17	17	19	23	24	29	47	40	47	33	14	7	1	5	640
25	28	27	29	25	37	48	43	66	65	94	70	39	17	7	5	641
21	23	20	30	31	34	35	46	66	61	54	48	31	8	5	14	642
6	5	3	7	7	4	7	5	17	14	12	11	4	2	1	5	643
8	10	11	12	12	18	25	26	42	50	39	40	13	5	2	2	644
3	8	3	6	11	5	11	26	21	14	31	17	13	.....	3	.....	645
13	12	22	27	21	34	45	46	49	56	48	44	18	5	2	1	646
21	27	25	40	26	46	63	91	117	108	108	75	37	18	2	17	647
60	55	82	78	74	85	77	80	90	98	91	71	37	10	2	8	648
26	36	26	24	19	13	29	30	28	40	35	34	18	2	4	3	649
7	7	13	8	16	22	21	26	33	42	46	34	23	9	1	1	650
8	7	7	8	13	11	11	21	22	32	48	38	17	7	2	3	651
28	33	34	36	32	43	43	70	94	66	65	56	24	10	2	1	652
7	9	8	8	4	4	13	13	15	18	22	16	9	2	1	.....	653
19	16	23	31	20	34	26	59	52	67	57	47	30	16	2	5	654

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW YORK RURAL—Continued.											
655	Wayne county	636	57	7	6	3	1	74	5	4	15	22
656	Westchester county	1,535	307	77	37	12	21	454	47	26	36	64
657	Wyoming county	429	38	5	3	.....	.....	46	7	4	9	9
658	Yates county	265	22	3	1	1	2	29	3	.....	6	8
	RHODE ISLAND RURAL.											
659	Bristol county	249	56	7	3	2	3	71	1	4	3	14
660	Kent county	545	157	34	10	8	6	215	14	12	9	14
661	Newport county	184	52	7	4	3	2	68	4	4	2	2
662	Providence county	1,275	260	40	22	13	10	345	21	13	22	37
663	Washington county	312	32	7	4	.....	2	45	2	2	3	9
	VERMONT RURAL.											
664	Addison county	309	26	7	.....	.....	2	35	3	4	11	11
665	Bennington county	179	27	4	.....	1	1	33	1	1	6	7
666	Caledonia county	377	54	14	7	3	4	82	10	9	14	10
667	Chittenden county	304	68	7	4	1	3	83	8	5	5	7
668	Essex county	113	32	3	2	4	.....	41	2	.....	6	6
669	Franklin county	409	75	13	4	2	3	97	5	13	14	13
670	Grand Isle county	39	6	1	1	1	.....	9	1	.....	.....	2
671	Lamoille county	165	21	5	2	.....	1	29	4	2	5	7
672	Orange county	316	29	4	3	1	1	38	6	3	5	7
673	Orleans county	350	50	11	9	4	4	78	5	5	8	15
674	Rutland county	455	76	10	8	2	1	97	7	6	8	15
675	Washington county	444	59	4	4	3	3	73	13	7	10	12
676	Windham county	442	42	11	5	4	2	64	6	7	5	8
677	Windsor county	550	64	10	2	1	1	78	3	5	7	16

AREAS, AT EACH AGE: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19	21	15	18	24	24	37	45	57	72	62	75	29	11	1	6	655
65	49	68	61	39	58	73	87	89	99	86	63	33	7	3	8	656
24	13	13	9	8	16	24	28	34	55	45	48	24	9	3	1	657
5	6	4	8	16	15	14	13	21	37	31	30	10	5	3	1	658
6	10	11	8	8	5	15	10	20	23	14	15	6	4	.....	1	659
19	13	14	19	10	17	21	26	28	30	30	33	13	5	3	.....	660
8	9	.....	2	4	8	6	13	9	8	10	16	6	3	.....	2	661
42	48	47	56	48	64	91	89	88	81	70	60	34	12	3	4	662
12	8	12	8	13	15	15	25	30	27	31	30	19	5	.....	1	663
10	9	4	7	7	16	20	22	24	31	31	28	25	7	2	2	664
3	4	7	3	2	12	13	8	16	9	19	22	7	2	2	2	665
12	18	14	11	8	11	10	18	37	30	25	21	22	11	1	3	666
6	6	7	10	9	9	10	15	22	32	31	24	11	4	.....	.....	667
2	4	.....	1	1	3	2	5	7	10	5	4	9	3	2	.....	668
13	14	10	14	9	22	18	21	17	32	34	31	22	6	1	3	669
1	1	2	1	4	.....	2	3	.....	2	5	3	1	.....	1	1	670
4	4	7	4	7	11	4	8	7	19	17	12	7	5	1	1	671
10	6	9	7	10	13	12	18	32	31	39	31	26	5	4	4	672
8	9	13	8	9	16	18	17	26	37	25	27	9	9	3	5	673
18	14	13	12	14	13	17	21	34	40	43	42	18	11	4	8	674
13	8	12	14	16	13	17	28	35	40	57	34	25	7	1	9	675
21	18	13	21	16	14	25	30	26	46	38	46	19	10	3	6	676
8	13	14	12	16	20	35	45	34	69	55	66	27	15	7	5	677

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	SUMMARIES.													
1	The registration area	508,640	10,980	1,738	2,111	3,033	4,041	3,854	9,859	3,225	148	52,079	6,859	20,847
2	Registration cities	385,670	8,511	1,339	1,802	2,506	3,484	2,970	8,299	1,886	125	40,983	5,450	15,038
3	Registration states	318,636	5,431	819	1,345	1,914	2,456	2,559	6,128	2,146	63	31,449	4,410	13,653
4	Cities in registration states	195,666	2,962	420	1,036	1,387	1,899	1,675	4,568	807	40	20,353	3,001	7,844
5	Rural part of registration states	122,970	2,469	399	309	527	557	884	1,560	1,339	23	11,096	1,409	5,809
6	Registration cities in other states	190,004	5,549	919	766	1,119	1,585	1,295	3,731	1,079	85	20,630	2,449	7,194
	REGISTRATION STATES.													
7	Connecticut	14,386	205	89	14	45	168	146	261	123	1	1,384	168	643
8	District of Columbia	5,782	228	32	1	15	6	122	50	60	1	710	100	216
9	Indiana	32,947	1,264	192	78	115	155	235	409	319	4	3,933	478	1,237
10	Maine	10,815	172	21	11	30	13	51	113	122	2	978	198	608
11	Massachusetts	47,498	533	58	283	331	309	395	894	220	13	4,801	665	2,233
12	Michigan	31,362	606	99	40	233	265	262	489	305	16	2,083	346	1,476
13	New Hampshire	6,649	76	2	7	20	2	31	157	51	1	563	67	340
14	New Jersey	31,382	429	63	429	218	230	304	695	94	1	3,123	378	1,064
15	New York	124,657	1,761	233	443	862	1,249	900	2,863	713	23	12,657	1,815	5,227
16	Rhode Island	7,953	91	26	37	23	28	79	159	66	.....	803	137	370
17	Vermont	5,205	66	4	2	22	31	34	38	73	1	414	58	239
	REGISTRATION CITIES.													
18	Adams town, Mass	215	5	.....	.....	.....	2	4	1	.....	.....	17	2	6
19	Alameda, Cal	315	4	1	.....	.....	.....	.....	7	.....	.....	25	7	19
20	Albany, N. Y	1,631	31	1	10	.....	3	7	26	20	.....	191	17	86
21	Alexandria, Va	305	10	2	.....	1	.....	3	2	4	.....	36	1	5
22	Allegheny, Pa	2,573	165	2	8	52	28	26	44	23	.....	201	34	67
23	Allentown, Pa	696	71	.....	.....	2	9	5	19	1	1	64	7	24
24	Altoona, Pa	603	10	.....	2	9	1	2	14	.....	.....	45	9	17
25	Amesbury town, Mass	143	2	.....	1	4	4	.....	1	3	.....	20	.....	12
26	Amsterdam, N. Y	348	4	.....	.....	.....	44	.....	3	1	.....	31	4	8
27	Anderson, Ind	333	15	.....	.....	3	6	1	10	.....	.....	34	10	11
28	Ann Arbor, Mich	236	3	1	.....	.....	.....	1	2	2	.....	13	7	24
29	Annapolis, Md	177	5	1	.....	.....	.....	.....	3	3	.....	32	3	8
30	Ansonia, Conn	184	1	2	.....	.....	2	5	10	1	.....	23	3	4
31	Appleton, Wis	177	3	.....	.....	4	1	.....	1	.....	.....	11	.....	11
32	Arlington town, Mass	102	.....	.....	.....	.....	.....	1	1	.....	.....	15	.....	10
33	Ashtabula, Ohio	212	5	.....	.....	1	.....	3	4	.....	.....	21	3	4
34	Atlanta, Ga	2,102	65	6	4	7	10	22	20	20	.....	267	12	55
35	Atlantic City, N. J	523	5	1	.....	1	1	2	7	2	.....	28	8	14
36	Attleboro town, Mass	151	1	.....	.....	.....	.....	1	3	.....	.....	16	2	11
37	Auburn, N. Y	473	2	.....	5	.....	.....	5	6	3	.....	29	5	34
38	Augusta, Me	279	6	1	.....	2	.....	4	1	2	.....	14	5	5
39	Aurora, Ill	319	10	.....	.....	.....	1	2	2	.....	.....	25	3	16
40	Baltimore, Md	10,255	220	32	7	43	37	86	126	56	4	1,154	169	408
41	Bangor, Me	383	8	1	.....	.....	.....	.....	3	3	1	40	8	27
42	Barre, Vt	131	4	.....	.....	.....	10	.....	1	.....	.....	24	.....	2
43	Bath, Me	161	2	.....	.....	.....	.....	1	3	.....	.....	13	4	6
44	Battle Creek, Mich	339	3	2	.....	.....	.....	.....	30	3	.....	20	4	20
45	Bay City, Mich	343	10	.....	.....	1	1	4	3	1	1	31	2	16
46	Bayonne, N. J	582	9	1	.....	7	4	4	27	2	.....	57	6	16
47	Bellaire, Ohio	217	9	.....	1	.....	.....	.....	1	2	.....	13	2	8
48	Belleville, Ill	284	7	.....	.....	.....	5	1	10	4	.....	30	1	15
49	Beloit, Wis	150	1	.....	.....	.....	2	1	1	.....	.....	15	.....	6
50	Bennington town, Vt	97	1	.....	.....	.....	.....	.....	.....	1	.....	8	1	7
51	Berlin, N. H	114	2	.....	.....	4	.....	.....	2	.....	.....	7	1	2
52	Beverly, Mass	194	3	.....	.....	.....	.....	.....	1	.....	.....	22	3	16
53	Biddeford, Me	340	10	.....	.....	2	.....	.....	5	1	.....	35	2	11
54	Binghamton, N. Y	714	12	4	3	.....	9	4	20	3	1	90	6	29
55	Boston, Mass	10,999	127	8	189	72	100	134	220	25	3	1,220	216	503
56	Bridgeport, Conn	1,225	18	5	.....	2	15	19	36	6	.....	126	18	58
57	Bridgeton, N. J	196	3	.....	.....	.....	.....	.....	.....	.....	.....	18	2	6
58	Bristol town, Conn	145	2	3	.....	.....	.....	.....	.....	3	.....	9	3	5
59	Brockton, Mass	484	6	1	.....	1	2	2	7	1	.....	71	9	39
60	Brookline town, Mass	238	2	.....	1	.....	1	1	.....	2	.....	23	4	19
61	Buffalo, N. Y	5,323	122	1	3	68	11	27	135	15	.....	426	64	241
62	Burlington, Iowa	342	11	.....	.....	.....	1	4	3	1	.....	42	2	17
63	Burlington, Vt	317	2	.....	.....	4	.....	.....	.....	.....	.....	23	3	12
64	Cambridge, Mass	1,388	10	.....	32	5	6	9	35	3	2	187	27	82
65	Camden, N. J	1,371	18	.....	19	3	4	15	29	12	.....	124	26	49
66	Canton, Ohio	355	4	.....	1	.....	.....	.....	3	1	.....	29	4	10
67	Carbondale, Pa	265	6	.....	.....	5	.....	11	5	5	.....	14	4	6
68	Carlisle, Pa	133	1	4	.....	.....	.....	1	2	.....	.....	15	3	6
69	Central Falls, R. I	287	6	3	.....	2	5	.....	6	2	.....	20	6	6
70	Charleston, S. C	1,740	45	37	2	3	3	1	8	17	.....	214	19	29
71	Chelsea, Mass	659	11	.....	.....	9	2	9	11	1	.....	62	6	31
72	Chicago, Ill	26,485	819	16	5	148	479	242	625	153	1	2,669	339	1,175
73	Chicopee, Mass	398	2	2	.....	2	14	1	20	1	.....	20	3	11
74	Chillicothe, Ohio	228	11	.....	.....	.....	.....	3	1	1	.....	25	3	12
75	Cincinnati, Ohio	5,954	204	14	6	57	59	22	77	47	.....	682	93	257
76	Cleveland, Ohio	6,380	143	3	233	18	41	37	212	18	1	473	47	219
77	Clinton town, Mass	228	3	2	.....	3	.....	1	3	.....	.....	18	3	6

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1902.

CAUSE OF DEATH—continued.

Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
459	3,312	9,981	49,332	49,233	39,715	31,312	26,903	6,724	27,565	29,119	4,164	21,811	4,054	27,081	15,107	42,241	1,753	1
321	2,256	7,992	34,310	35,081	31,392	25,452	22,205	4,989	20,627	22,909	3,113	17,128	3,271	20,644	11,409	29,207	973	2
287	2,411	6,138	32,122	33,043	23,999	20,119	17,286	4,017	16,718	18,642	2,626	14,069	2,124	16,170	8,369	27,090	1,033	3
149	1,355	4,149	17,100	18,891	15,674	14,259	12,588	2,282	9,780	12,432	1,575	9,386	1,341	9,733	4,671	14,056	253	4
138	1,056	1,989	15,022	14,152	8,325	5,860	4,698	1,735	6,938	6,210	1,051	4,683	783	6,437	3,698	13,034	780	5
172	901	3,843	17,210	16,190	15,716	11,193	9,617	2,707	10,847	10,477	1,538	7,742	1,930	10,911	6,738	15,151	720	6
12	121	326	1,575	1,588	932	715	896	183	777	866	128	703	109	794	198	1,183	33	7
2	31	76	528	586	366	409	368	93	265	333	44	335	38	209	112	445	1	8
19	228	617	3,205	2,580	2,013	1,474	1,459	568	2,039	1,345	230	2,115	182	1,631	1,180	3,478	165	9
9	88	245	1,370	1,255	845	498	369	85	527	566	107	340	72	444	340	1,171	165	10
51	392	1,095	4,785	5,560	3,554	2,763	2,833	488	2,113	2,144	274	2,674	268	2,117	1,551	3,974	127	11
37	299	387	3,440	3,658	2,125	1,867	1,445	409	2,138	1,299	447	1,189	230	1,932	703	3,224	313	12
9	51	189	882	831	539	346	291	63	342	331	28	158	28	226	259	708	51	13
17	177	800	3,611	2,978	2,316	2,085	1,854	375	1,557	1,918	219	1,378	223	1,663	1,164	1,982	37	14
116	928	2,092	11,438	12,649	10,303	9,194	7,016	1,563	6,231	9,035	1,039	4,625	894	6,546	2,622	9,549	71	15
7	53	189	685	766	535	468	639	148	438	525	71	322	54	380	93	752	9	16
8	43	122	603	592	471	300	116	42	291	280	39	230	26	228	147	624	61	17
.....	1	6	16	13	16	8	34	.....	15	7	1	21	2	10	13	14	1	18
.....	3	3	25	55	26	15	2	4	17	20	2	18	5	13	7	36	1	19
2	15	30	179	201	117	99	34	23	109	148	4	26	.....	88	41	122	1	20
.....	.....	.....	28	18	31	13	20	8	8	26	2	13	2	14	21	12	25	21
2	5	44	202	143	375	187	187	37	152	66	21	101	16	163	78	142	2	22
1	7	20	66	59	46	12	26	8	28	30	5	31	3	29	69	52	1	23
.....	2	16	76	46	38	12	23	5	19	22	3	48	2	86	39	49	8	24
1	.....	5	11	20	6	3	5	1	4	17	.....	5	1	6	3	8	.....	25
.....	1	11	38	29	22	14	19	8	26	10	3	14	4	18	14	22	.....	26
.....	3	13	21	21	24	11	11	2	22	11	3	33	2	24	14	27	1	27
2	1	2	22	33	22	8	5	3	20	13	6	3	4	10	4	25	.....	28
.....	1	.....	19	5	8	8	19	3	5	10	1	9	.....	9	8	17	.....	29
.....	.....	5	13	11	6	15	18	4	5	5	2	11	2	11	3	19	3	30
.....	3	3	13	14	15	7	9	.....	12	7	1	12	.....	5	15	29	1	31
.....	1	5	7	16	11	2	1	1	7	6	.....	4	1	5	2	6	.....	32
1	1	1	28	20	30	4	4	1	14	7	1	16	4	19	8	11	1	33
4	6	31	196	108	252	78	134	37	108	116	33	66	6	87	137	199	16	34
.....	3	9	52	69	30	31	28	3	40	47	2	29	.....	36	30	44	1	35
.....	2	7	14	8	13	7	11	.....	6	8	3	8	2	9	3	16	.....	36
1	4	8	49	75	43	19	33	6	34	18	3	12	4	18	6	51	.....	37
.....	.....	4	90	25	21	12	12	4	11	10	2	8	1	10	11	17	1	38
.....	3	9	36	32	27	19	10	3	23	14	1	9	2	20	17	32	3	39
5	46	157	938	863	777	640	667	124	540	666	113	719	58	446	359	793	2	40
.....	4	9	29	52	36	20	4	2	15	23	3	5	5	23	17	43	2	41
.....	2	7	9	7	7	13	1	1	10	4	.....	7	2	6	5	7	2	42
1	4	3	9	23	11	12	4	1	6	15	2	9	1	10	3	18	.....	43
1	1	4	33	33	24	17	8	5	28	15	3	15	2	25	11	31	1	44
.....	3	4	36	37	25	30	10	1	33	14	6	10	1	24	8	31	.....	45
.....	2	14	52	44	43	64	38	6	26	35	7	28	2	39	20	29	.....	46
.....	.....	10	18	12	27	8	13	9	20	6	1	8	.....	13	18	15	3	47
1	1	7	26	23	16	12	12	4	18	12	4	14	4	16	17	21	3	48
.....	.....	3	23	16	11	7	7	3	5	3	.....	5	1	7	8	25	.....	49
.....	.....	5	16	8	9	5	2	2	5	7	.....	4	.....	6	5	5	.....	50
.....	.....	6	9	5	18	8	9	1	6	4	.....	5	.....	7	6	9	3	51
.....	3	1	16	37	9	15	7	.....	4	14	1	10	1	11	8	12	.....	52
.....	5	22	34	18	34	23	42	2	10	9	2	26	2	10	17	16	2	53
1	4	9	113	65	52	26	19	7	36	57	10	17	7	38	14	57	1	54
7	80	222	827	1,346	888	690	610	102	544	454	86	539	78	593	257	824	35	55
.....	7	25	111	112	93	64	101	23	63	106	9	69	4	55	13	66	1	56
.....	.....	8	25	19	19	13	17	3	6	26	3	2	.....	5	8	12	.....	57
.....	3	3	14	13	13	5	12	1	8	1	1	6	.....	9	4	27	.....	58
.....	2	14	48	55	22	23	12	8	20	27	2	24	2	17	13	53	3	59
1	3	3	20	32	17	16	13	3	10	9	5	8	.....	7	6	31	1	60
6	48	122	463	568	304	468	361	60	320	283	46	250	36	337	70	468	.....	61
.....	3	4	41	25	22	7	10	9	22	16	4	8	5	13	12	54	6	62
.....	1	21	25	29	17	30	22	4	12	18	2	30	.....	10	12	40	.....	63
2	15	30	116	162	129	82	77	9	46	50	7	79	5	39	46	95	1	64
.....	6	35	154	136	121	73	47	15	72	104	7	84	4	94	47	73	.....	65
.....	5	8	53	34	28	15	12	4	23	16	1	16	5	27	30	25	1	66
.....	1	11	32	24	24	23	16	2	11	11	3	6	1	18	8	18	.....	67
.....	.....	.....	22	14	4	8	4	6	12	2	.....	6	.....	4	4	14	1	68
.....	.....	15	20	22	21	26	38	7	16	16	5	13	1	10	4	17	.....	69
5	5	17	206	118	111	43	146	67	85	190	20	88	5	62	73	120	1	70
2	3	12	81	74	51	37	37	7	40	31	.....	42	4	16	32	48	.....	71
10	152	595	1,946	2,278	2,610	1,964	1,839	349	1,475	1,551	281	679	437	1,543	266	1,830	9	72
.....	1	25	31	23	25	22	52	2	11	19	3	38	1	14	28	27	.....	73
.....	.....	7	21	26	14	8	6	2	6	8	.....	7	4	10	14	38	1	74
6	22	178	471	587	392	434	242	122	393	387	42	248	70	320	84	438	.....	75
11	21	160	633	540	554	422	391	86	331	268	39	368	62	392	219	436	2	76
.....	2	7	36	24	19	11	9	3	8	9	1	22	1	9	8	20	.....	77

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
78	Cohoes, N. Y.	433	30	.....	.....	.....	1	12	3	2	.....	46	3	13
79	Columbia, Pa.	193	10	.....	2	.....	2	.....	.....	.....	.....	10	1	2
80	Columbus, Ind.	130	2	1	.....	.....	.....	1	5	1	.....	15	3	7
81	Columbus, Ohio.	2,100	49	.....	1	22	9	16	12	16	.....	259	7	86
82	Concord, N. H.	351	3	.....	.....	.....	.....	1	2	6	1	28	2	15
83	Corning, N. Y.	141	2	.....	.....	.....	1	.....	5	2	.....	14	2	4
84	Cortland, N. Y.	93	1	.....	.....	.....	.....	.....	1	1	.....	9	3	4
85	Covington, Ky.	787	16	.....	.....	5	8	4	16	7	.....	104	10	30
86	Danbury town, Conn.	337	3	4	.....	1	5	6	13	3	.....	32	3	15
87	Danvers town, Mass.	199	2	1	.....	.....	.....	.....	.....	.....	.....	21	.....	10
88	Davenport, Iowa.	513	11	.....	1	.....	10	2	5	5	.....	51	6	41
89	Dayton, Ohio.	1,310	40	7	.....	20	4	16	19	5	.....	160	33	62
90	Decatur, Ill.	331	3	.....	.....	2	11	2	10	2	.....	32	5	17
91	Denver, Colo.	2,615	83	1	.....	21	33	16	70	11	1	557	42	90
92	Detroit, Mich.	4,704	71	9	7	69	73	57	134	14	3	349	48	193
93	Dover, N. H.	200	1	.....	.....	.....	.....	1	3	1	.....	15	1	9
94	Dubois, Pa.	161	6	.....	4	3	3	1	2	2	.....	5	1	7
95	Duluth, Minn.	754	31	.....	.....	8	11	8	31	4	.....	77	15	22
96	Dunkirk, N. Y.	214	10	.....	.....	6	1	.....	11	5	.....	11	.....	5
97	Eau Claire, Wis.	205	3	1	.....	.....	.....	3	3	.....	1	20	6	7
98	Elizabeth, N. J.	842	15	.....	8	2	4	3	10	.....	.....	59	16	21
99	Elkhart, Ind.	183	9	.....	.....	.....	.....	.....	1	.....	.....	22	1	12
100	Elmira, N. Y.	486	13	.....	1	.....	.....	1	13	6	.....	52	6	27
101	Elwood, Ind.	174	9	2	.....	2	.....	2	.....	.....	.....	22	2	8
102	Erie, Pa.	830	14	1	.....	.....	2	1	19	4	.....	64	13	28
103	Escanaba, Mich.	180	7	.....	2	.....	6	.....	3	.....	1	16	4	7
104	Evansville, Ind.	726	26	1	.....	.....	1	3	5	5	.....	107	11	26
105	Everett, Mass.	384	7	.....	7	1	1	5	6	4	1	43	4	27
106	Fall River, Mass.	2,206	12	1	2	23	37	24	50	8	2	183	13	54
107	Findlay, Ohio.	198	6	.....	.....	.....	.....	.....	.....	2	.....	26	2	14
108	Fitchburg, Mass.	453	4	2	.....	8	3	.....	10	1	.....	35	4	22
109	Flint, Mich.	194	7	.....	.....	1	.....	4	3	2	.....	18	2	12
110	Fort Wayne, Ind.	636	13	3	.....	.....	3	3	17	2	.....	72	13	38
111	Framingham town, Mass.	158	4	1	.....	.....	.....	1	5	5	.....	10	.....	8
112	Frederick, Md.	232	6	1	.....	.....	2	7	8	.....	.....	36	3	7
113	Fresno, Cal.	232	15	5	.....	1	1	.....	9	.....	1	28	4	6
114	Gardner town, Mass.	157	3	.....	.....	2	.....	.....	2	5	.....	15	.....	5
115	Geneva, N. Y.	153	1	.....	.....	.....	.....	.....	.....	.....	.....	10	5	3
116	Glens Falls, N. Y.	191	2	3	.....	.....	2	.....	2	5	.....	27	5	12
117	Gloucester, Mass.	485	4	.....	.....	4	.....	7	26	.....	.....	42	3	17
118	Gloversville, N. Y.	234	5	.....	.....	.....	2	.....	5	1	.....	14	2	12
119	Grand Rapids, Mich.	1,123	47	2	.....	3	5	5	9	4	.....	92	20	67
120	Green Bay, Wis.	235	4	.....	2	1	2	.....	1	2	.....	25	3	25
121	Greenwich town, Conn.	213	3	3	.....	.....	6	3	7	.....	.....	15	2	8
122	Hamilton, Ohio.	388	11	.....	.....	3	1	4	13	2	.....	40	7	13
123	Hammond, Ind.	212	9	.....	.....	2	4	.....	4	1	.....	24	1	4
124	Harrisburg, Pa.	841	33	2	.....	2	5	4	25	6	1	75	11	27
125	Harrison, N. J.	214	4	2	1	4	1	1	15	.....	.....	19	.....	4
126	Hartford, Conn.	1,302	14	5	2	9	33	11	16	8	.....	113	9	58
127	Haverhill, Mass.	594	10	2	.....	15	1	5	9	.....	.....	59	13	33
128	Hazelton, Pa.	221	3	.....	.....	2	9	3	5	.....	.....	12	.....	3
129	Hoboken, N. J.	1,153	6	.....	4	6	17	13	43	.....	.....	138	7	41
130	Holyoke, Mass.	769	8	.....	.....	3	2	.....	25	10	.....	79	14	25
131	Hudson, N. Y.	180	7	.....	.....	.....	.....	2	2	.....	.....	15	5	13
132	Huntington, Ind.	119	2	.....	.....	.....	.....	.....	.....	.....	.....	16	4	4
133	Hyde Park town, Mass.	163	2	1	1	1	.....	5	4	.....	.....	19	1	7
134	Indianapolis, Ind.	2,674	83	13	17	.....	7	17	30	20	.....	313	34	114
135	Iron Mountain, Mich.	113	.....	.....	.....	1	.....	2	.....	.....	.....	12	2	1
136	Ironton, Ohio.	235	8	.....	1	9	.....	.....	1	4	.....	37	5	11
137	Ironwood, Mich.	183	4	.....	.....	1	1	.....	12	1	.....	7	2	2
138	Ishpeming, Mich.	188	1	.....	.....	2	5	.....	13	1	.....	16	7	6
139	Ithaca, N. Y.	195	1	.....	.....	.....	.....	1	3	4	.....	27	2	12
140	Jackson, Mich.	357	14	2	.....	2	.....	7	3	.....	.....	20	3	24
141	Jacksonville, Fla.	878	40	47	.....	1	9	.....	1	3	.....	133	12	15
142	Jacksonville, Ill.	364	15	2	1	.....	2	1	.....	1	1	41	6	10
143	Jamestown, N. Y.	248	1	.....	.....	.....	3	.....	8	1	.....	29	4	9
144	Jeffersonville, Ind.	220	4	3	.....	.....	.....	.....	.....	1	.....	38	4	8
145	Jersey City, N. J.	4,049	44	7	11	15	38	40	122	4	.....	452	57	101
146	Johnstown, N. Y.	122	2	.....	.....	.....	1	.....	3	2	.....	13	1	9
147	Johnstown, Pa.	680	14	.....	23	3	44	1	21	2	.....	51	4	12
148	Kalamazoo, Mich.	400	5	1	.....	3	.....	1	8	2	.....	25	9	15
149	Kansas City, Mo.	2,681	65	10	8	25	15	21	19	9	1	302	10	101
150	Keene, N. H.	120	1	.....	.....	1	.....	.....	.....	3	.....	5	1	8
151	Key West, Fla.	412	8	4	.....	.....	11	.....	5	4	.....	61	4	12
152	Kingston, N. Y.	386	4	2	.....	.....	1	2	8	4	.....	44	6	17
153	Kokomo, Ind.	159	5	1	.....	.....	.....	.....	.....	1	.....	21	1	7
154	Laconia, N. H.	136	2	.....	.....	.....	.....	.....	1	.....	.....	13	.....	9
155	Lafayette, Ind.	344	15	2	.....	1	.....	.....	1	3	.....	35	8	19
156	Lancaster, Pa.	575	22	1	.....	.....	.....	7	4	8	.....	61	7	26
157	Lansing, Mich.	231	2	.....	.....	3	.....	3	1	5	.....	7	1	14

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1902—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	2	16	37	30	36	27	23	3	26	19	2	27	3	26	15	31	.....	78
.....	.....	4	20	20	13	8	8	.....	12	5	.....	7	2	19	21	27	.....	79
2	1	5	10	15	7	4	4	3	9	4	.....	6	.....	4	3	17	1	80
5	13	65	280	184	156	60	67	22	132	85	5	52	21	125	141	201	9	81
.....	4	11	65	40	25	12	10	4	17	20	2	10	2	9	10	52	.....	82
.....	2	4	11	21	15	4	4	1	12	7	.....	2	.....	19	3	6	.....	83
.....	.....	.....	9	14	3	5	1	2	5	11	1	3	.....	6	3	11	.....	84
.....	2	23	79	67	59	44	21	14	47	76	1	27	7	26	33	58	3	85
1	.....	11	36	45	26	15	11	1	24	18	2	15	4	20	5	18	.....	86
.....	3	2	47	31	16	10	1	2	7	14	.....	5	.....	4	2	21	.....	87
.....	.....	7	57	56	29	38	18	2	30	13	3	6	3	25	7	87	.....	88
.....	8	39	124	127	71	62	41	17	78	60	7	67	4	84	33	121	2	89
1	.....	4	29	23	21	9	18	4	21	25	2	23	5	21	13	27	1	90
1	19	42	157	219	221	87	81	25	171	140	28	94	35	116	27	227	.....	91
5	36	81	364	429	321	424	317	35	337	198	50	255	31	208	107	471	8	92
.....	2	2	28	35	19	3	14	1	10	14	.....	2	1	12	11	8	7	93
.....	1	2	16	8	7	9	16	1	5	2	2	18	.....	14	7	16	3	94
.....	3	16	42	49	46	35	54	7	38	38	14	31	11	79	7	75	2	95
2	.....	4	19	18	15	3	18	.....	24	6	3	17	1	15	2	18	.....	96
2	2	4	20	13	17	2	3	1	13	2	1	.....	4	15	12	18	32	97
.....	1	17	92	75	63	80	74	13	49	42	8	47	8	63	31	41	.....	98
1	2	4	20	17	10	10	1	1	16	9	2	11	2	6	8	17	1	99
1	1	13	53	35	32	24	19	9	28	49	.....	23	4	35	12	29	.....	100
.....	1	3	10	8	11	10	14	6	4	4	3	17	.....	9	6	21	.....	101
.....	8	18	99	80	54	28	50	11	69	42	13	54	1	66	14	76	1	102
.....	1	6	13	13	8	12	17	1	5	6	.....	10	.....	16	7	14	5	103
.....	3	8	72	49	45	37	35	6	53	49	3	70	10	33	16	52	.....	104
.....	1	16	31	43	23	21	22	2	14	22	3	19	3	16	22	20	.....	105
2	15	64	165	119	151	229	306	25	80	82	7	244	9	55	130	111	3	106
.....	2	4	24	21	8	10	11	3	8	9	1	6	4	15	5	16	1	107
.....	3	13	27	62	37	28	33	2	16	10	9	56	.....	19	20	28	1	108
2	1	2	29	13	19	9	.....	1	12	5	3	5	1	13	6	21	3	109
.....	8	5	63	39	32	44	23	11	42	33	1	45	8	31	21	66	.....	110
.....	.....	3	24	24	8	5	6	1	6	6	.....	2	2	10	3	23	1	111
.....	3	1	35	25	8	15	4	3	11	14	1	5	.....	6	8	22	1	112
.....	1	8	13	4	18	14	13	2	17	4	.....	8	3	20	21	16	.....	113
.....	1	9	10	13	18	4	11	3	5	14	.....	9	1	3	6	18	.....	114
1	1	2	26	19	8	10	4	1	12	6	.....	7	.....	14	3	20	.....	115
1	1	9	18	27	8	7	1	.....	13	10	1	2	1	16	.....	17	1	116
1	3	14	41	51	27	12	27	11	20	17	3	23	1	86	11	34	.....	117
.....	2	13	31	29	19	7	6	2	12	12	.....	7	.....	14	9	30	.....	118
1	7	15	91	170	63	91	40	7	86	33	21	37	11	55	28	113	.....	119
1	1	6	21	25	16	12	11	.....	6	9	1	16	2	12	10	21	.....	120
.....	.....	3	22	18	10	10	15	2	19	17	4	14	.....	10	3	19	.....	121
.....	2	10	33	36	38	21	8	7	19	24	3	21	4	19	12	34	3	122
.....	1	2	14	13	18	8	6	.....	20	9	.....	20	1	15	10	26	.....	123
1	2	14	129	65	64	43	28	13	39	39	2	38	.....	68	52	51	2	124
.....	.....	6	35	15	20	20	12	4	6	4	1	8	2	11	8	11	.....	125
.....	9	32	136	155	112	66	50	6	74	109	13	48	7	68	21	118	.....	126
.....	8	6	71	72	53	29	30	6	16	29	4	29	9	24	8	51	2	127
.....	2	10	31	16	10	20	19	4	13	11	.....	7	2	12	12	13	2	128
.....	8	51	128	111	89	85	47	7	51	85	7	38	23	57	30	61	.....	129
.....	8	26	65	62	41	40	91	13	41	29	6	66	4	36	29	45	1	130
.....	1	2	31	24	7	10	4	2	11	5	.....	9	2	9	2	17	.....	131
.....	.....	3	16	6	6	5	6	1	8	3	1	9	.....	4	4	20	1	132
1	3	3	16	22	7	9	15	3	4	7	.....	10	.....	2	9	10	1	133
.....	13	48	257	231	156	134	93	47	158	103	17	214	17	148	103	283	4	134
.....	.....	3	6	7	9	6	19	3	7	.....	1	6	.....	10	4	10	4	135
.....	.....	2	19	9	17	14	16	4	9	4	3	5	.....	15	2	21	19	136
.....	.....	.....	9	7	14	14	14	3	11	.....	4	4	1	31	4	14	23	137
.....	3	5	10	5	9	20	15	2	9	2	1	11	.....	30	2	8	5	138
.....	3	2	28	29	10	4	6	2	8	16	.....	8	2	10	4	13	.....	139
1	4	3	36	53	25	24	8	3	20	15	1	11	3	18	7	49	1	140
.....	.....	13	68	51	37	23	29	16	45	51	7	55	3	57	88	60	14	141
.....	2	4	94	38	25	12	3	6	12	14	2	13	.....	15	11	33	.....	142
2	3	5	29	19	9	10	6	4	20	16	3	11	.....	14	8	34	.....	143
.....	.....	9	18	15	9	9	7	3	21	14	1	16	1	9	11	19	.....	144
1	16	153	426	338	342	280	264	49	219	249	36	167	31	218	119	256	3	145
.....	1	1	15	17	5	6	.....	3	4	10	.....	2	.....	5	5	17	.....	146
1	5	18	70	27	75	18	35	7	27	25	2	25	1	84	54	25	6	147
.....	4	.....	78	55	21	18	12	7	31	19	4	12	4	24	3	39	.....	148
6	11	71	188	203	293	126	82	30	178	144	11	151	28	170	155	239	9	149
1	3	2	14	18	10	10	1	1	10	6	2	1	.....	3	1	18	.....	150
1	.....	18	38	23	13	7	53	20	14	15	4	28	.....	9	29	30	1	151
.....	3	8	49	44	34	21	17	2	22	20	6	12	.....	22	6	32	.....	152
.....	4	1	10	11	12	5	11	3	13	6	1	9	.....	14	3	20	.....	153
.....	.....	1	23	16	9	7	6	1	8	7	.....	2	.....	4	4	23	.....	154
.....	4	5	36	41	11	16	3	6	30	12	1	17	1	27	8	41	1	155
2	2	3	82	63	30	20	42	6	31	41	4	18	3	24	19	49	.....	156
.....	3	.....	17	50	12	8	15	2	21	14	3	9	3	11	2	25	.....	157

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
158	Lawrence, Mass.	1,168	13	2	4	18	6	18	13	1	1	114	12	43
159	Leadville, Colo.	226	5	.....	.....	.....	2	1	1	3	.....	2	.....	6
160	Leavenworth, Kans.	333	19	4	.....	1	14	3	1	3	.....	31	.....	17
161	Leominster town, Mass.	155	1	.....	.....	.....	1	.....	3	.....	.....	21	2	12
162	Lima, Ohio.	335	6	3	.....	.....	1	2	10	5	.....	40	4	12
163	Lincoln, Nebr.	405	17	1	.....	7	.....	3	7	1	.....	32	2	20
164	Lockport, N. Y.	217	5	1	.....	2	4	.....	3	3	.....	13	2	12
165	Logansport, Ind.	208	5	.....	.....	.....	.....	5	1	3	.....	38	2	10
166	Los Angeles, Cal.	2,357	47	2	.....	4	13	6	46	17	.....	435	57	119
167	Louisville, Ky.	3,815	128	11	3	5	5	16	87	8	1	389	57	132
168	Lowell, Mass.	1,943	17	2	4	9	4	8	75	9	.....	156	14	57
169	Lynchburg, Va.	424	22	2	.....	2	1	.....	2	3	.....	52	7	8
170	Lynn, Mass.	1,013	9	2	.....	22	2	.....	27	2	1	98	22	47
171	McKeesport, Pa.	747	30	.....	11	1	1	5	22	.....	.....	33	2	12
172	Madison, Wis.	181	.....	.....	.....	1	.....	1	1	3	.....	17	4	10
173	Mahanoy City, Pa.	251	3	.....	.....	.....	3	.....	2	.....	.....	8	.....	4
174	Malden, Mass.	491	9	.....	2	9	3	2	13	2	.....	56	8	28
175	Manchester, N. H.	1,057	9	1	.....	5	1	6	32	1	.....	72	19	29
176	Manchester town, Conn.	114	.....	1	.....	.....	1	1	7	.....	.....	16	4	5
177	Manitowoc, Wis.	166	.....	.....	1	.....	.....	1	1	1	.....	18	2	7
178	Mankato, Minn.	146	1	.....	.....	11	3	6	5	.....	.....	16	3	11
179	Marietta, Ohio.	179	13	2	.....	.....	1	1	1	.....	.....	16	4	9
180	Marinette, Wis.	202	5	.....	.....	1	5	2	2	.....	.....	17	3	8
181	Marion, Ind.	254	15	1	.....	5	2	.....	1	1	.....	27	.....	9
182	Marlboro, Mass.	196	1	.....	.....	.....	1	.....	22	2	.....	14	3	6
183	Marquette, Mich.	134	6	.....	.....	.....	1	1	.....	1	.....	15	3	4
184	Massillon, Ohio.	139	2	1	.....	.....	.....	.....	3	.....	.....	12	1	5
185	Meadville, Pa.	144	11	.....	.....	.....	1	.....	1	2	.....	8	1	6
186	Medford, Mass.	219	3	1	1	.....	.....	1	1	3	.....	22	1	10
187	Melrose, Mass.	180	1	.....	4	.....	1	2	2	3	.....	19	2	16
188	Memphis, Tenn.	1,981	43	145	5	2	11	11	14	29	1	274	22	40
189	Menominee, Mich.	141	3	.....	2	2	.....	1	3	.....	.....	8	1	4
190	Meriden town, Conn.	379	2	12	.....	.....	3	3	6	13	.....	48	4	16
191	Michigan City, Ind.	188	5	.....	1	.....	1	.....	2	1	.....	19	4	8
192	Middletown, N. Y.	292	8	1	.....	3	.....	1	1	1	.....	25	9	12
193	Middletown, Ohio.	146	1	.....	.....	3	.....	7	2	1	.....	20	2	7
194	Middletown town, Conn.	359	1	3	.....	.....	.....	2	3	.....	.....	46	8	19
195	Milford town, Mass.	182	2	.....	.....	6	.....	3	2	2	.....	14	1	6
196	Millville, N. J.	173	5	.....	.....	1	4	3	.....	.....	.....	18	1	11
197	Milwaukee, Wis.	3,777	45	1	2	25	6	26	71	11	1	305	51	182
198	Minneapolis, Minn.	2,266	61	1	.....	3	32	22	74	6	.....	241	49	119
199	Mobile, Ala.	900	32	18	.....	.....	.....	5	14	3	1	134	8	26
200	Montclair, N. J.	237	2	1	3	4	.....	4	2	.....	.....	12	6	9
201	Morristown, N. J.	194	4	.....	2	2	4	6	1	1	.....	21	2	8
202	Mt. Carmel, Pa.	322	1	.....	3	.....	3	6	12	.....	.....	9	.....	5
203	Mt. Vernon, N. Y.	335	2	3	2	3	4	2	8	1	.....	27	4	11
204	Muncie, Ind.	348	22	1	1	.....	1	5	6	3	.....	30	2	10
205	Muscatine, Iowa.	167	6	.....	.....	.....	.....	3	1	1	.....	9	1	8
206	Muskegon, Mich.	248	3	.....	.....	.....	.....	.....	6	.....	.....	20	7	15
207	Nashua, N. H.	447	3	.....	3	1	1	3	41	1	.....	48	5	28
208	Nashville, Tenn.	1,810	42	33	.....	1	19	1	9	29	1	257	34	35
209	Natick town, Mass.	153	4	.....	.....	.....	1	1	.....	5	.....	17	.....	5
210	Naugatuck, Conn.	194	3	.....	.....	.....	21	1	9	3	.....	17	.....	7
211	New Albany, Ind.	351	6	7	.....	.....	1	4	10	1	.....	45	1	19
212	New Bedford, Mass.	1,304	24	.....	.....	5	34	17	28	1	.....	122	8	47
213	New Britain town, Conn.	414	4	1	3	1	8	.....	11	2	.....	36	4	8
214	New Brunswick, N. J.	402	3	.....	2	.....	.....	3	12	3	.....	36	6	11
215	New Haven, Conn.	1,872	44	10	.....	7	8	33	10	7	1	211	33	93
216	New London, Conn.	356	7	.....	.....	2	2	13	4	.....	.....	44	1	15
217	New Orleans, La.	6,594	131	97	4	1	14	13	44	54	1	965	80	213
218	New Rochelle, N. Y.	221	4	.....	.....	2	1	7	4	2	.....	10	3	5
219	New York, N. Y.	67,986	745	127	308	642	938	577	2,003	183	13	7,610	1,202	2,440
220	Bronx borough.	4,935	36	23	202	132	188	42	119	7	.....	1,160	73	134
221	Brooklyn borough.	22,427	302	51	88	230	285	213	730	79	3	2,347	380	794
222	Manhattan borough.	36,561	361	41	17	267	434	278	1,045	92	9	3,742	688	1,385
223	Queens borough.	2,782	36	8	.....	10	13	27	89	3	.....	232	43	81
224	Richmond borough.	1,281	10	4	1	3	18	17	20	2	1	129	18	46
225	Newark, N. J.	4,922	51	11	188	54	48	41	101	14	.....	588	74	166
226	Newark, Ohio.	250	9	4	.....	.....	3	2	6	3	.....	27	1	12
227	Newburg, N. Y.	475	12	1	.....	.....	26	1	8	.....	.....	56	9	16
228	Newburyport, Mass.	290	7	.....	1	3	2	.....	4	5	.....	21	4	17
229	Newcastle, Pa.	495	60	1	.....	15	.....	6	9	7	.....	32	6	7
230	Newport, Ky.	395	4	.....	1	4	5	3	4	2	.....	47	4	13
231	Newport, R. I.	424	7	.....	1	.....	4	10	7	.....	.....	33	12	18
232	Newton, Mass.	439	2	.....	1	3	1	1	6	2	.....	32	15	22
233	Niagara Falls, N. Y.	376	29	1	.....	5	16	5	9	1	.....	20	3	4
234	Norfolk, Va.	1,187	28	25	1	1	.....	9	52	10	.....	135	22	26

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1902—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	6	43	106	96	117	103	113	19	67	51	6	62	3	42	34	51	3	158
.....	.....	3	16	17	57	12	13	4	14	11	4	13	3	23	3	13	.....	159
.....	1	3	31	30	28	18	7	5	18	21	.....	4	5	16	14	37	2	160
.....	3	1	18	18	9	4	8	1	5	7	1	11	1	3	7	18	.....	161
.....	2	5	29	25	25	11	14	4	17	22	5	19	1	28	11	24	10	162
2	5	9	51	25	34	11	22	3	23	11	1	19	1	21	37	37	3	163
1	4	4	28	23	10	18	4	4	11	6	1	7	3	17	7	24	.....	164
.....	3	9	51	24	11	10	8	5	15	21	1	17	2	16	5	36	.....	165
2	22	57	193	215	178	129	61	33	122	130	14	74	45	133	29	173	1	166
5	23	75	416	323	294	190	101	44	232	205	17	200	29	175	240	397	7	167
2	8	75	202	230	160	125	184	28	90	73	3	145	8	62	66	125	2	168
.....	2	5	45	47	18	6	16	7	27	14	3	5	.....	21	10	26	73	169
1	10	24	115	107	76	43	51	10	42	57	10	46	4	39	39	101	6	170
.....	.....	24	87	37	90	38	50	7	32	17	5	51	6	99	39	48	.....	171
1	.....	2	21	16	17	13	6	1	10	3	1	9	2	13	11	17	1	172
.....	.....	14	31	24	20	16	28	5	9	3	1	10	2	31	26	11	.....	173
2	4	9	45	67	24	25	16	2	27	32	3	31	2	9	13	47	1	174
.....	3	51	113	85	106	95	123	8	54	28	5	44	4	28	48	75	12	175
.....	1	3	13	16	8	4	4	.....	5	5	.....	7	.....	4	2	7	.....	176
.....	1	5	17	17	18	7	1	4	9	8	1	6	1	5	10	24	1	177
.....	.....	4	10	13	10	10	1	.....	9	3	1	3	.....	12	4	10	.....	178
1	1	6	21	23	16	5	5	2	8	7	2	9	3	3	4	16	.....	179
.....	.....	6	22	11	7	23	5	1	11	4	.....	26	.....	13	11	18	1	180
.....	.....	4	23	23	10	14	5	2	15	10	3	22	3	19	8	31	1	181
.....	1	10	17	41	16	6	7	1	6	5	.....	10	.....	4	7	15	1	182
.....	1	2	11	12	6	10	9	2	12	4	.....	12	.....	13	2	7	.....	183
1	3	1	21	15	8	6	.....	5	10	2	.....	7	1	15	11	9	.....	184
1	.....	2	19	16	5	5	3	2	9	10	3	6	1	9	4	19	.....	185
.....	1	7	25	31	14	14	13	2	7	12	3	16	1	7	6	17	.....	186
.....	1	2	24	34	13	8	7	1	9	6	3	6	1	6	1	8	.....	187
.....	4	30	118	122	112	60	112	48	120	92	20	48	7	118	78	191	104	188
.....	2	4	16	5	9	11	8	1	5	1	3	23	.....	13	3	9	4	189
1	3	8	41	40	13	18	17	2	24	15	6	15	12	22	2	33	.....	190
.....	.....	6	22	23	10	4	8	1	12	4	1	20	2	9	9	16	.....	191
2	1	3	66	20	19	11	17	5	15	21	.....	6	3	17	5	20	.....	192
.....	1	2	20	18	10	7	5	2	3	6	2	13	.....	8	.....	6	.....	193
.....	2	5	67	46	23	18	13	7	21	13	1	12	.....	11	4	32	2	194
.....	2	1	26	20	15	6	15	4	8	12	1	7	1	2	2	24	.....	195
.....	.....	.....	17	13	13	13	10	3	14	8	2	12	.....	5	10	10	.....	196
4	28	86	330	286	268	388	251	42	219	140	27	232	64	199	186	293	8	197
3	15	54	190	215	170	140	71	24	151	130	20	76	35	99	44	220	1	198
.....	4	9	100	64	60	28	27	10	48	80	13	35	5	51	39	80	6	199
.....	3	4	9	28	25	10	21	2	5	5	1	29	3	11	19	18	1	200
1	.....	2	21	24	15	10	5	.....	10	12	1	7	.....	8	7	20	.....	201
.....	.....	10	48	9	42	16	39	5	18	5	.....	18	.....	24	35	14	.....	202
.....	3	4	26	24	28	37	24	4	13	19	2	16	1	21	9	37	.....	203
.....	3	7	37	30	19	14	13	6	24	16	4	21	6	17	10	40	.....	204
.....	.....	5	21	9	14	12	2	2	11	2	.....	4	2	12	10	32	.....	205
.....	5	4	31	24	15	11	5	3	21	15	6	7	3	20	4	19	4	206
.....	4	15	33	42	32	26	22	5	16	18	1	20	2	9	23	41	4	207
3	6	37	153	141	189	106	86	31	103	38	23	51	7	75	86	188	6	208
1	4	1	18	16	19	4	3	1	5	9	1	10	.....	7	4	17	.....	209
.....	.....	7	13	16	12	13	13	2	12	6	4	6	.....	13	.....	14	2	210
.....	1	6	38	30	13	30	14	8	19	17	2	18	.....	23	19	18	1	211
.....	7	47	114	110	95	111	164	14	41	66	2	122	3	50	50	81	1	212
.....	2	20	34	21	27	23	62	3	30	16	4	27	8	26	3	29	1	213
.....	3	8	63	46	38	10	22	4	22	24	2	14	2	19	22	27	.....	214
3	8	47	184	177	113	111	146	20	84	108	15	92	7	104	35	155	6	215
.....	3	12	31	38	15	19	24	4	17	15	4	21	3	29	4	29	.....	216
3	17	121	657	684	440	268	327	131	339	499	56	290	47	346	193	588	1	217
.....	.....	6	21	21	16	22	11	.....	11	9	.....	16	3	21	9	17	.....	218
36	471	1,102	4,522	5,707	6,609	6,200	4,926	797	2,912	5,690	611	2 805	509	3,286	1,222	3,786	7	219
3	30	75	263	325	359	312	281	50	146	304	35	149	33	191	68	184	2	220
11	149	256	1,566	2,004	2,179	2,056	1,727	328	966	1,889	184	789	31	1,000	410	1,376	4	221
20	271	690	2,369	2,990	3,668	3,572	2,555	357	1,600	3,191	367	1,685	395	1,847	619	2,005	1	222
1	14	61	232	255	311	178	229	38	133	208	17	137	34	165	95	141	.....	223
1	7	20	92	133	92	82	143	15	67	98	8	45	16	83	30	80	.....	224
1	27	149	461	442	396	346	283	50	223	343	45	235	53	196	136	257	3	225
.....	2	6	39	19	14	10	1	2	16	8	4	13	2	17	7	23	.....	226
.....	2	9	50	34	39	24	17	7	22	40	3	17	1	30	10	40	1	227
1	5	4	24	24	15	18	12	1	19	12	3	15	3	11	25	32	2	228
1	1	6	31	29	32	18	28	3	40	18	5	10	.....	63	18	32	17	229
1	1	18	44	44	25	26	14	9	26	11	1	23	1	12	12	33	7	230
.....	5	18	37	47	29	18	27	4	11	23	4	24	6	20	5	53	1	231
1	6	7	45	67	22	27	24	7	23	22	2	23	.....	32	11	35	.....	232
.....	2	7	24	16	30	16	27	3	32	19	4	16	.....	43	23	19	2	233
.....	2	17	127	84	84	50	96	18	71	61	8	66	5	54	39	96	.....	234

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
235	Norristown, Pa.	566	11		4			1	8	4		75	2	14
236	North Adams, Mass.	349	13			2	3	2	14			39		10
237	Northampton, Mass.	264	1					2	1			25	5	10
238	Norwalk town, Conn.	293	11	1			1		4	8		31	2	10
239	Norwich town, Conn.	379	5	1	1	1	1	4	1	3		43	5	26
240	Oakland, Cal.	1,152	16	3		1	5	1	38	5	1	134	22	75
241	Ogdensburg, N. Y.	329	14							3		41		16
242	Olean, N. Y.	98	4	1		3	2	1	1	2		4	2	4
243	Omaha, Nebr.	1,308	24	3	3	15	14	20	16	7		110	15	51
244	Orange, N. J.	498	10		7	14	2	3	7	1		73	3	16
245	Ottawa, Ill.	141	2					2	1			15	1	7
246	Ottumwa, Iowa.	211	9	1		3		2	1	1		21	4	11
247	Owosso, Mich.	104	4			2	1			1		12	1	5
248	Paducah, Ky.	470	19	30			1	2	3	6		76	6	8
249	Passaic, N. J.	565	3			17	5	5	13			52	6	12
250	Paterson, N. J.	1,783	37	5	5	19	18	10	49	3		190	19	59
251	Pawtucket, R. I.	737	10	3	1	4	2	9	13	15		67	8	34
252	Peabody town, Mass.	163	1						2			16	1	11
253	Peekskill, N. Y.	259	3			4		5	6		1	28	8	16
254	Perth Amboy, N. J.	290	4	1	1	1	3	3	15			17	8	5
255	Peru, Ind.	150	6			1			1	2		14	1	8
256	Petersburg, Va.	552	21	20	1	2	1	3		12		68	7	4
257	Philadelphia, Pa.	23,578	635	20	217	159	135	187	517	66	4	2,674	317	900
258	Phillipsburg, N. J.	156	11	1		1	1		5			13		5
259	Pittsburg, Pa.	7,419	474	6	123	183	89	80	164	57	1	456	83	185
260	Pittsfield, Mass.	348	5						4	1		24	3	15
261	Plainfield, N. J.	257	2		4		6		5			34	2	7
262	Plymouth, Pa.	170	4			1	1	1	8			4		2
263	Plymouth town, Mass.	136	2						2	1		16	7	12
264	Pontiac, Mich.	171	1					2	2	2		11	3	7
265	Port Huron, Mich.	261	12			1	1	6	1	3		12	4	11
266	Port Jervis, N. Y.	155	5	1				1	6	3	2	14		6
267	Portland, Me.	940	15		7			1	15	2	1	86	35	52
268	Portland, Oreg.	1,121	35	2		1	7		25	6		116	19	73
269	Portsmouth, N. H.	216	6			2		3	8	1		11	1	7
270	Portsmouth, Ohio.	293	13		7	1	4	3		2		36	1	9
271	Pottstown, Pa.	201	6					1	4	2		17		5
272	Pottsville, Pa.	250	8				7	3	11	1		8	2	7
273	Poughkeepsie, N. Y.	423	6	3			1	3	15	4		44	1	27
274	Providence, R. I.	3,394	39	15	8	7	8	26	72	31		394	70	162
275	Pueblo, Colo.	998	90		1	14	11	1	23	10	1	125	3	17
276	Quincy, Ill.	561	21	1	2	2	6		8	4		67	6	21
277	Quincy, Mass.	408	5		4	2	1	1	14			41	5	10
278	Raleigh, N. C.	363	9	6		1			1			50	7	11
279	Reading, Pa.	1,312	55	2		3	14	7	38	11	3	98	21	44
280	Revere town, Mass.	150	2		3	1	1	3	2			13	6	7
281	Richmond, Ind.	393	11	1			1		29	2		41	8	13
282	Richmond, Va.	2,188	62	15		4	2	21	38	15		223	28	36
283	Rochester, N. H.	125	2						4	2		26	1	6
284	Rochester, N. Y.	2,295	20	1	77	1	13	8	14	11	1	188	30	151
285	Rockland, Me.	129	1					2	1			16	1	10
286	Rome, N. Y.	256	4						3	4		28	2	21
287	Rutland, Vt.	208	2			4				2		17	3	10
288	Sacramento, Cal.	589	11	3					14	4	1	74	6	20
289	Saginaw, Mich.	580	4	10		8	4	4	8	2		36	4	38
290	St. Joseph, Mo.	936	15	4	9	24	3	7	9	5		94	14	25
291	St. Louis, Mo.	10,363	240	44	9	6	126	73	177	31	2	1,086	120	330
292	St. Paul, Minn.	1,770	24			12	17	19	61	9	1	185	46	91
293	Salem, Mass.	657	9	1	2	4			20			63	9	32
294	Salt Lake City, Utah.	1,059	40	1	1	5	40	1	45	2		57	6	46
295	San Antonio, Tex.	1,504	37	26			1	1	13	28	1	378	23	45
296	San Diego, Cal.	379	1						1	8		81	8	25
297	San Francisco, Cal.	7,593	104	9		43	18	6	238	36	48	999	143	451
298	San Jose, Cal.	348	1	1			1		12	6		62	5	20
299	Saratoga Springs, N. Y.	281	3					1	1	2		26		12
300	Sault Ste. Marie, Mich.	231	19		2	4	2	1	4			9	1	4
301	Savannah, Ga.	1,659	28	88		3	6	1	8	6		206	10	33
302	Schenectady, N. Y.	648	9		2	4	16	2	30	2		57	9	10
303	Scranton, Pa.	1,498	21	5	1	2	3	17	17	11		93	6	55
304	Seattle, Wash.	1,082	29			2	9	1	11	1		104	12	60
305	Sioux City, Iowa.	471	9	1	5	17	1	12	4	7	1	27	4	29
306	Somerville, Mass.	895	5		5	5	3	9	20	3	1	110	20	45
307	South Bend, Ind.	494	11		2	3	4	7	13	1		57	8	12
308	South Bethlehem, Pa.	193	8		2	5	3		2			19	2	7
309	Southbridge town, Mass.	166	6			1		1	2			12	2	6
310	Spokane, Wash.	558	19				12	2	14	3		59	5	28
311	Springfield, Ill.	649	11		8		1	3	19	6		85	11	25
312	Springfield, Mass.	1,014	13				13	7	16	10		93	22	56
313	Stamford town, Conn.	344	12		1	1		3	12	2		27	5	12
314	Steelton, Pa.	248	35			1		1	4			21	4	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1902—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	1	7	113	63	34	32	10	7	25	32	.....	11	.....	33	30	48	1	235
1	1	10	37	31	30	16	26	10	20	18	1	19	1	19	13	13	.....	236
.....	2	6	40	35	15	10	14	1	9	11	.....	7	3	13	9	42	3	237
.....	3	6	24	41	26	12	18	6	11	18	3	13	4	14	2	24	.....	238
.....	6	7	49	46	18	15	14	5	25	18	5	19	3	16	5	37	.....	239
.....	20	24	109	196	91	65	30	7	76	54	3	19	11	64	9	73	.....	240
.....	4	6	54	37	18	17	10	7	12	30	2	2	1	14	5	36	.....	241
.....	1	5	14	9	7	5	6	1	1	1	2	.....	3	5	1	13	.....	242
9	4	25	156	92	94	77	59	16	100	58	10	44	17	77	53	129	10	243
.....	4	17	44	33	45	27	29	14	25	35	4	23	1	23	12	26	.....	244
1	.....	3	18	12	14	9	4	1	14	5	.....	6	.....	10	2	14	.....	245
1	.....	3	22	15	10	13	8	3	14	7	2	12	4	10	10	22	2	246
.....	4	1	9	15	7	9	5	1	3	1	1	4	.....	4	1	12	1	247
.....	3	11	37	15	37	17	29	12	26	8	2	14	3	35	39	30	1	248
1	2	18	44	22	43	69	73	4	25	24	4	46	1	28	18	30	.....	249
.....	9	65	152	164	156	141	121	18	105	91	8	92	11	74	58	103	1	250
2	6	31	63	78	45	44	52	12	57	46	5	17	2	25	10	76	.....	251
.....	1	2	14	24	9	11	5	1	15	12	2	7	1	7	5	16	.....	252
.....	3	2	28	22	16	19	25	2	11	14	2	13	1	14	5	11	.....	253
.....	.....	4	14	20	25	23	42	3	15	18	7	20	1	9	14	16	1	254
.....	1	9	14	18	9	4	3	1	8	8	1	5	.....	19	4	13	.....	255
.....	.....	5	68	44	18	24	47	16	35	35	8	17	2	17	36	39	2	256
16	105	412	2,175	2,318	2,079	1,503	1,005	291	1,291	1,830	169	712	187	994	1,052	1,589	19	257
.....	.....	1	23	18	11	2	1	2	12	7	2	4	2	14	5	12	3	258
3	21	118	477	371	860	522	627	144	374	222	78	293	55	686	240	421	6	259
1	4	8	50	46	35	23	9	5	21	23	2	10	2	33	7	17	.....	260
.....	.....	6	36	21	21	16	10	2	17	17	2	14	1	15	6	13	.....	261
.....	.....	5	11	12	30	18	17	3	11	6	1	8	.....	8	13	6	.....	262
.....	1	1	15	27	2	5	9	.....	6	6	.....	6	.....	3	2	13	.....	263
.....	1	3	57	19	8	9	2	4	7	6	1	5	2	4	1	14	.....	264
.....	1	.....	29	19	20	8	26	7	21	14	2	5	2	22	3	31	.....	265
.....	1	3	19	15	10	6	5	.....	8	8	1	8	1	13	3	16	.....	266
.....	6	26	110	105	61	39	17	6	44	79	10	26	5	49	40	99	4	267
3	11	35	93	131	62	47	31	4	80	55	.....	21	18	92	48	103	3	268
1	.....	6	33	34	16	13	7	3	12	5	.....	6	.....	13	10	17	1	269
1	1	13	24	26	20	15	11	9	16	5	2	17	.....	17	11	29	.....	270
.....	1	.....	27	21	20	8	8	7	12	6	1	6	1	17	17	14	.....	271
.....	1	7	32	22	19	16	7	5	15	17	.....	5	1	17	11	28	.....	272
.....	2	2	62	50	28	28	12	9	22	12	2	11	5	25	13	36	.....	273
5	20	60	230	338	233	203	246	59	204	233	30	153	20	181	45	301	1	274
.....	5	15	67	53	121	31	62	9	59	33	11	52	7	80	13	75	9	275
.....	2	15	58	57	41	36	14	7	26	27	3	25	8	15	28	61	.....	276
.....	5	7	32	52	27	18	39	5	20	14	3	30	2	26	4	38	3	277
.....	1	10	32	20	18	14	30	13	22	8	2	14	1	15	16	27	35	278
1	12	38	179	146	73	45	65	14	65	59	11	86	9	77	56	80	.....	279
.....	1	1	15	16	14	6	14	.....	4	11	.....	8	1	9	4	8	.....	280
.....	4	9	61	34	23	16	6	5	17	17	.....	18	9	16	12	40	.....	281
7	4	32	248	176	142	164	120	56	147	95	27	108	8	82	106	191	31	282
.....	2	2	7	12	6	11	3	1	5	7	.....	1	1	9	2	15	.....	283
2	20	61	250	283	105	139	78	28	174	156	20	47	29	119	33	235	1	284
.....	3	.....	21	11	10	5	4	.....	6	13	.....	3	.....	8	1	13	.....	285
.....	1	4	38	30	18	7	2	2	12	4	.....	10	2	15	15	34	.....	286
.....	2	3	18	24	16	9	11	3	11	11	1	13	1	14	9	23	1	287
.....	3	11	53	59	42	32	9	4	44	23	6	19	3	65	20	63	.....	288
1	4	2	62	76	33	39	16	4	59	24	6	21	6	30	8	71	.....	289
3	5	15	125	47	106	48	31	16	70	37	10	15	11	52	66	70	.....	290
8	28	147	963	721	964	718	334	180	568	704	61	600	131	490	465	1,018	17	291
1	9	34	140	149	132	104	55	18	115	100	12	86	20	97	54	177	2	292
.....	5	13	77	89	36	41	37	4	17	37	4	45	3	21	43	45	.....	293
1	8	42	69	84	76	64	35	8	79	51	18	42	11	74	25	127	1	294
1	7	16	73	85	69	41	143	33	69	71	15	77	4	60	57	123	2	295
.....	2	4	52	56	13	17	7	4	17	19	.....	4	5	12	10	33	.....	296
2	59	120	511	990	377	510	214	56	553	360	64	263	202	456	64	693	4	297
.....	5	3	31	40	22	19	18	2	16	22	2	7	7	13	3	30	.....	298
.....	1	4	33	34	20	11	14	1	23	26	2	8	1	22	9	27	.....	299
.....	1	3	17	12	20	5	28	1	11	6	2	13	4	21	4	29	8	300
.....	1	12	185	85	104	90	84	20	66	75	15	104	3	95	117	145	69	301
.....	1	18	58	53	52	36	59	11	28	30	4	30	.....	60	14	53	.....	302
1	10	52	309	115	136	133	90	28	87	62	7	42	.....	124	66	105	.....	303
2	8	28	77	115	95	37	28	10	77	52	5	32	1	150	49	87	.....	304
2	5	15	30	41	40	20	23	8	29	17	6	28	1	30	10	49	.....	305
.....	9	20	82	118	95	50	44	3	47	52	9	38	3	28	17	54	.....	306
.....	4	7	43	35	37	22	37	3	38	24	6	15	4	29	21	50	1	307
.....	.....	.....	25	13	22	6	19	4	5	2	2	8	3	18	5	9	1	308
.....	.....	1	4	15	9	15	14	11	5	4	6	.....	16	1	5	9	21	.....	309
.....	6	15	52	45	30	19	16	6	52	25	3	16	13	35	14	47	2	310
1	1	4	61	61	37	30	24	11	59	40	4	8	13	41	23	53	.....	311
.....	8	32	89	118	64	45	40	7	57	91	5	74	5	43	21	85	.....	312
1	4	9	44	47	22	13	12	2	15	16	3	26	1	17	9	28	.....	313
.....	.....	5	18	9	14	7	24	2	6	7	.....	20	.....	30	19	17	2	314

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
315	Stonington town, Conn	133		1			3		5			10	3	4
316	Superior, Wis	383	11			8	6	5	23			31	3	8
317	Syracuse, N. Y	1,487	9			6	6	12	13	2		132	20	86
318	Tacoma, Wash	605	14		1		3		20	1	1	52	5	27
319	Taunton, Mass	570	7				1	7	8	4		66	6	24
320	Terre Haute, Ind	742	17	4		1	5	2	18	6		68	11	34
321	Tiffin, Ohio	168	2					3	5			17	2	10
322	Toledo, Ohio	2,020	49	11	11	16	9	5	74	9		171	21	81
323	Torrington town, Conn	133							3	3		16	2	3
324	Traverse City, Mich	181	2				6	1	3	2		12		6
325	Trenton, N. J	1,330	31	2	3	10	6	6	12	4		105	13	45
326	Troy, N. Y	1,415	37	1	1	1	2	5	11	8	1	193	10	55
327	Union, N. J	261	4		1	1	1	1	4			24	2	9
328	Utica, N. Y	1,051	10	1		5	4	3	14	4		107	8	58
329	Vernon town, Conn	123	1						5	1		11		5
330	Vincennes, Ind	172	6	2	2			1	3	1		19	5	4
331	Wabash, Ind	126	7				1			2		13	1	8
332	Wakefield town, Mass	142	2			3	2					23	1	10
333	Wallingford town, Conn	102		2		1	1	1	2	1		9	2	6
334	Waltham, Mass	327	10	1		5	4	4	5			33	9	26
335	Ware town, Mass	147					1					21	2	5
336	Washington, D. C	5,782	228	32	1	15	6	122	50	60	1	710	100	216
337	Washington, Ind	140	2	1			1	2	1			28	1	1
338	Waterbury, Conn	937	18	7	3	3	18	5	23	5		95	9	23
339	Watertown, N. Y	294	15						4			16	7	15
340	Watertown town, Mass	131			1		3					11	1	11
341	Watervliet, N. Y	212	9	1	1			5	1	1		15	2	8
342	Webster town, Mass	158	1	1		1	13	3	8	1		11	2	2
343	West Bay City, Mich	191	2	4			2	6	1			8	1	13
344	Westfield town, Mass	209	3				4	2	9			16	5	8
345	Weymouth town, Mass	158	3		2		2	3	1	1		15		11
346	Wheeling, W. Va	640	38		2		2	6	18	2		56	9	27
347	Wichita, Kans	415	24	3				3	2	5		42	5	21
348	Williamsport, Pa	399	15	3				7	9	2		33	2	18
349	Wilmington, Del	1,368	48	2		1	4	23	8	6		154	3	34
350	Wilmington, N. C	602	19	56				4	7	17		57	8	14
351	Windham town, Conn	160	1	3	1					5		16	2	7
352	Winona, Minn	206	1			4		5	5	3	1	19	3	15
353	Woburn, Mass	229			1			1	1	1		34	3	8
354	Woonsocket, R. I	546	1		25	1		1	18			64	9	15
355	Worcester, Mass	1,936	17	7	1	9	16	26	9	8		202	29	79
356	Yonkers, N. Y	864	6	2	2	6	11	19	24	2		86	17	23
357	Youngstown, Ohio	876	64	2	16	14	9	5	14	3		45	10	20
	CONNECTICUT RURAL.													
358	Fairfield county	676	4	2			4	2	18	9		62	8	26
359	Hartford county	916	15	9	1	1	12	4	13	6		74	5	41
360	Litchfield county	751	6	3			9	5	13	4		62	12	38
361	Middlesex county	354	5	7				2	2	3		23	5	22
362	New Haven county	703	11	4		11	8	15	7	12		52	9	41
363	New London county	471	4			2	3	3	6	5		43	3	24
364	Tolland county	243	7		1		1		9	4		20	2	11
365	Windham county	574	3		1	3	3	5	6	6		54	2	33
	INDIANA RURAL.													
366	Adams county	239	13	5		1		1	1	1		28	6	7
367	Allen county	318	7			2	4	2	3	4		39	1	9
368	Bartholomew county	195	6	1				1				28	3	11
369	Benton county	105				1			1	2		7	1	6
370	Blackford county	218	6	1		1		5	1	1		21	3	8
371	Boone county	311	17	3	1		1		2	5		35	8	13
372	Brown county	125	3	5	1	2	3	2	8	2		11		3
373	Carroll county	197	5	1		1			1	4		23	3	2
374	Cass county	161	4	1	1		1	3	1	1		19	1	7
375	Clark county	244	18	4		1	1		2			28	3	6
376	Clay county	415	24			1	2	1	14	9		39	4	8
377	Clinton county	385	16		7		3		2	5	1	34	4	14
378	Crawford county	162	15							2		31	4	6
379	Daviess county	253	16	5				5	1	11		32	2	8
380	Dearborn county	291	8	1		1	2	1	3	3		38	2	15
381	Decatur county	273	9	2		1	2	1		3		37	4	7
382	Dekalb county	302	14			1	2	4	5	4		36	3	13
383	Delaware county	316	15			7	2	3	5	2		31	5	5
384	Dubois county	266	18	4		1		8	7	3		38		8
385	Elkhart county	346	12		1		3	1	4	1	1	43	7	17
386	Fayette county	183	5	1		1	4		5	5		15	2	13
387	Floyd county	93	5	2					5			10	1	4
388	Fountain county	242	3			2		2	2	3		21	2	7
389	Franklin county	256	7	3		1	4	2	3	10		27	7	10
390	Fulton county	209	7			1		1		5		22	4	12

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1902—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	.....	1	13	21	4	7	15	4	3	6	.....	5	1	6	5	16	.....	315
1	2	15	30	23	42	13	23	6	16	13	3	21	3	38	21	16	2	316
5	17	44	154	218	71	78	75	17	96	89	15	67	15	59	25	155	1	317
.....	2	26	41	75	35	14	16	4	51	45	4	13	12	34	27	77	5	318
4	4	9	87	82	34	33	31	11	17	12	1	25	3	24	15	55	.....	319
1	1	13	65	82	59	31	43	14	48	29	5	40	14	42	27	61	1	320
.....	2	4	24	18	11	3	9	7	8	1	.....	11	1	10	10	10	.....	321
4	16	37	268	141	113	102	113	33	125	81	15	62	22	136	47	246	2	322
.....	.....	2	13	4	8	7	17	.....	7	6	.....	13	1	14	4	9	1	323
.....	1	2	37	30	4	10	6	2	11	5	2	8	2	13	3	13	.....	324
2	7	32	222	115	92	82	83	26	66	65	8	49	4	71	81	87	1	325
2	14	38	144	158	157	90	59	18	72	76	8	63	7	54	35	94	1	326
.....	4	4	21	17	23	31	11	6	16	16	1	12	6	19	7	20	.....	327
2	9	17	117	135	96	66	28	23	61	54	8	48	6	68	20	79	.....	328
.....	1	1	23	15	4	5	7	3	11	4	3	5	2	4	1	10	1	329
.....	.....	3	22	15	12	8	9	3	6	11	2	13	.....	6	7	12	.....	330
.....	4	10	8	10	10	10	5	1	4	9	.....	2	2	5	1	13	.....	331
1	1	3	18	21	10	10	1	.....	3	9	1	4	.....	4	2	13	.....	332
1	1	5	16	12	5	7	7	1	4	1	.....	3	1	9	1	3	.....	333
.....	7	6	37	36	28	11	8	1	20	12	.....	11	1	16	6	29	1	334
.....	2	4	12	13	8	10	29	3	5	3	1	6	.....	1	6	15	.....	335
2	31	76	528	586	366	409	368	93	265	333	44	335	38	209	112	445	1	336
.....	.....	5	18	12	6	3	4	1	10	6	2	8	.....	4	5	19	.....	337
.....	4	26	64	79	66	46	109	14	47	51	15	57	4	62	16	65	3	338
1	3	11	19	34	19	19	7	5	19	18	3	19	1	10	4	44	1	339
.....	1	6	13	12	9	6	11	1	2	3	1	6	1	6	9	16	1	340
.....	1	5	15	22	22	20	14	4	16	16	3	6	.....	4	7	14	.....	341
.....	1	4	20	5	18	8	16	1	10	2	.....	5	.....	4	8	12	1	342
1	1	5	20	23	14	12	7	2	14	9	2	18	1	9	2	14	.....	343
.....	3	3	28	21	15	9	6	1	16	13	2	15	1	7	9	13	.....	344
1	2	2	19	29	9	5	6	.....	4	9	.....	7	1	7	3	16	.....	345
1	3	33	49	42	45	50	25	6	42	35	2	24	7	35	25	53	3	346
2	1	12	29	28	20	9	17	4	26	21	5	17	.....	35	34	40	10	347
.....	1	14	37	32	40	21	6	4	32	18	.....	9	2	26	24	41	3	348
4	4	64	154	124	131	50	56	21	50	61	3	74	4	106	92	84	3	349
1	.....	4	71	49	41	20	43	7	27	12	7	28	1	30	35	32	12	350
.....	5	3	17	20	8	13	3	1	11	16	.....	6	.....	13	1	8	.....	351
.....	2	5	26	17	13	10	3	1	11	9	2	6	.....	13	3	24	5	352
.....	2	3	27	32	10	10	13	3	9	19	2	13	1	11	8	17	.....	353
.....	1	14	44	29	43	36	73	8	20	29	2	35	3	18	6	51	.....	354
4	11	45	206	224	153	143	102	14	72	74	14	151	15	113	37	150	5	355
.....	3	23	69	78	57	60	90	11	55	65	11	33	5	39	12	55	.....	356
.....	2	16	67	46	74	38	41	8	42	25	5	56	8	133	45	59	9	357
2	7	7	106	92	39	33	27	7	39	44	4	33	7	37	1	56	.....	358
.....	12	10	100	106	69	42	47	14	46	64	8	61	11	54	19	68	4	359
1	13	19	101	90	39	25	30	10	44	54	6	29	10	29	13	64	2	360
.....	2	3	40	54	17	10	9	6	31	29	4	13	2	15	5	45	.....	361
1	7	13	85	70	42	34	37	8	37	31	5	33	7	46	6	67	4	362
1	9	12	58	82	34	17	16	6	14	24	4	14	2	33	4	46	2	363
.....	3	4	32	28	12	14	7	1	15	22	1	9	3	11	3	22	1	364
.....	6	17	75	73	28	34	35	20	31	28	2	21	3	32	4	49	.....	365
1	1	2	26	18	15	12	12	4	19	8	2	10	.....	12	6	28	.....	366
.....	.....	5	38	22	16	12	19	4	22	15	2	25	1	19	7	39	1	367
.....	3	3	16	17	16	6	14	3	14	14	.....	12	.....	8	4	14	1	368
.....	1	1	11	12	6	4	4	1	8	6	.....	6	3	3	5	15	1	369
.....	.....	5	14	18	8	8	12	7	9	8	3	30	.....	17	10	21	1	370
.....	1	.....	35	18	15	14	5	2	22	8	2	20	1	17	14	50	2	371
.....	1	1	7	13	6	8	2	2	6	6	1	13	.....	7	4	8	.....	372
.....	2	2	30	15	4	5	10	4	17	24	5	10	.....	4	.....	25	.....	373
1	1	5	16	12	14	6	3	1	9	10	1	8	.....	11	7	16	1	374
1	1	2	17	23	16	8	12	5	14	15	.....	16	.....	12	11	26	2	375
1	4	10	31	19	40	28	17	5	24	13	2	40	3	21	23	27	5	376
.....	4	8	37	20	24	13	26	15	25	18	2	22	1	20	22	39	3	377
.....	.....	6	12	16	7	8	3	5	7	6	1	8	1	8	2	12	2	378
.....	1	9	14	14	12	10	13	5	15	8	3	13	2	17	16	21	.....	379
.....	1	1	23	29	23	9	10	6	19	13	4	8	1	17	13	37	3	380
.....	2	7	24	26	14	12	18	6	19	4	2	17	1	6	16	33	.....	381
.....	5	3	32	37	12	8	16	5	10	12	.....	13	3	11	7	46	.....	382
.....	2	6	29	27	16	14	19	3	24	16	.....	18	1	18	11	34	3	383
1	.....	4	17	9	32	16	15	2	18	9	3	10	.....	9	8	26	.....	384
.....	1	4	50	35	14	10	8	7	25	13	4	12	6	18	13	32	4	385
.....	3	3	18	14	13	7	9	1	10	9	1	13	4	11	4	12	.....	386
.....	.....	2	5	8	7	2	3	2	6	3	.....	2	.....	12	4	9	1	387
.....	3	10	31	21	11	16	9	5	15	11	.....	14	2	10	15	26	1	388
.....	1	.....	35	27	16	7	9	6	17	11	2	11	3	11	3	20	3	389
.....	2	2	24	21	14	5	7	6	8	8	1	9	.....	9	9	30	2	390

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	INDIANA RURAL—Continued.													
391	Gibson county	363	23	11	.....	.....	1	7	1	3	.....	53	7	18
392	Grant county	395	19	1	.....	7	.....	.....	8	5	.....	53	9	19
393	Greene county	386	16	12	.....	.....	1	2	1	4	.....	43	3	11
394	Hamilton county	364	14	2	.....	.....	1	1	8	7	.....	30	7	12
395	Hancock county	266	11	2	.....	1	1	2	1	1	.....	25	2	10
396	Harrison county	243	24	5	.....	.....	.....	3	4	7	.....	32	6	7
397	Hendricks county	268	6	4	.....	.....	3	.....	6	2	.....	35	6	6
398	Henry county	372	16	2	14	3	2	3	2	3	1	45	4	13
399	Howard county	167	4	.....	3	.....	.....	.....	2	2	.....	19	4	8
400	Huntington county	206	10	1	.....	.....	.....	.....	.....	.....	.....	15	2	7
401	Jackson county	377	22	.....	.....	2	3	7	2	4	.....	58	8	12
402	Jasper county	112	1	.....	.....	.....	.....	.....	.....	2	.....	11	3	6
403	Jay county	332	12	1	1	1	1	9	6	4	.....	49	6	4
404	Jefferson county	345	15	2	1	.....	2	.....	2	2	.....	55	6	19
405	Jennings county	200	6	1	.....	.....	.....	3	1	2	.....	28	.....	8
406	Johnson county	243	12	2	.....	1	3	1	4	.....	.....	43	3	9
407	Knox county	254	14	6	1	.....	.....	4	2	2	.....	31	5	4
408	Kosciusko county	331	5	.....	2	.....	4	7	1	6	.....	37	1	18
409	Lagrange county	180	5	.....	.....	.....	1	1	3	7	.....	17	2	7
410	Lake county	337	7	3	1	.....	9	.....	8	2	.....	20	1	8
411	Laporte county	296	10	1	.....	.....	.....	2	.....	1	.....	31	5	15
412	Lawrence county	321	14	7	.....	.....	2	7	5	2	.....	41	8	11
413	Madison county	462	16	2	.....	2	3	2	10	2	1	63	7	11
414	Marion county	438	15	.....	1	.....	.....	3	3	3	.....	67	8	13
415	Marshall county	290	3	2	.....	.....	1	1	7	2	.....	31	2	9
416	Martin county	172	9	2	1	.....	1	.....	6	4	.....	25	.....	6
417	Miami county	220	10	.....	.....	.....	.....	3	1	3	.....	20	4	12
418	Monroe county	285	14	2	.....	5	.....	4	3	1	.....	47	10	5
419	Montgomery county	388	14	.....	2	1	.....	1	1	4	.....	32	4	18
420	Morgan county	217	13	.....	.....	.....	.....	.....	.....	1	.....	41	4	10
421	Newton county	110	3	.....	.....	.....	.....	.....	1	.....	.....	6	1	6
422	Noble county	248	5	.....	.....	2	.....	2	.....	2	.....	20	3	8
423	Ohio county	62	3	.....	.....	1	.....	.....	.....	.....	.....	8	2	.....
424	Orange county	183	11	.....	.....	.....	1	1	3	7	.....	36	5	5
425	Owen county	189	15	1	.....	2	2	.....	1	6	.....	27	1	9
426	Parke county	279	7	3	.....	2	1	2	2	7	.....	26	4	8
427	Perry county	256	8	2	2	.....	.....	1	4	2	.....	39	3	9
428	Pike county	342	25	3	.....	5	1	11	6	.....	.....	60	6	10
429	Porter county	237	5	.....	.....	.....	1	1	2	2	.....	21	6	11
430	Posey county	356	23	4	.....	1	7	6	4	2	.....	53	6	6
431	Pulaski county	141	4	2	.....	2	.....	4	3	1	.....	21	.....	2
432	Putnam county	285	12	.....	.....	2	3	.....	2	3	.....	39	.....	11
433	Randolph county	355	11	1	.....	1	2	1	1	3	.....	47	7	11
434	Ripley county	210	8	.....	.....	3	.....	.....	1	1	.....	29	7	11
435	Rush county	250	11	.....	.....	.....	.....	1	.....	2	.....	28	7	14
436	St. Joseph county	236	6	1	8	.....	.....	2	5	1	.....	19	6	13
437	Scott county	118	5	.....	.....	.....	.....	.....	.....	4	.....	18	2	3
438	Shelby county	365	20	.....	1	6	6	1	2	4	.....	35	2	15
439	Spencer county	316	16	2	.....	4	3	5	.....	5	.....	46	1	9
440	Starke county	127	6	5	.....	.....	.....	2	.....	2	.....	9	.....	8
441	Steuben county	166	3	1	.....	.....	3	.....	2	2	.....	16	1	16
442	Sullivan county	340	19	3	1	1	.....	9	4	4	.....	43	2	7
443	Switzerland county	157	4	.....	.....	.....	2	1	7	1	.....	21	3	8
444	Tippecanoe county	174	7	2	.....	.....	1	.....	.....	2	.....	21	2	6
445	Tipton county	224	7	1	.....	1	.....	3	1	1	.....	29	10	10
446	Union county	92	2	.....	.....	.....	2	.....	1	.....	.....	10	3	6
447	Vanderburg county	196	4	.....	.....	.....	.....	.....	.....	1	.....	20	5	8
448	Vermilion county	224	7	.....	.....	6	.....	.....	1	3	.....	27	2	3
449	Vigo county	222	12	1	.....	2	1	4	7	5	.....	26	1	2
450	Wabash county	215	11	.....	.....	.....	1	.....	3	.....	.....	14	2	10
451	Warren county	98	5	1	.....	.....	.....	.....	2	3	.....	11	2	4
452	Warrick county	290	14	2	3	3	.....	3	3	3	.....	44	7	7
453	Washington county	229	16	1	.....	1	2	3	2	1	.....	37	5	9
454	Wayne county	288	10	1	.....	2	2	1	2	.....	.....	28	5	17
455	Wells county	233	7	.....	2	.....	3	.....	5	2	.....	34	2	8
456	White county	206	6	2	.....	.....	.....	.....	.....	6	.....	23	2	7
457	Whitley county	187	8	.....	.....	1	.....	2	.....	.....	.....	14	2	11
	MAINE RURAL.													
458	Androscoggin county	812	6	1	.....	8	1	1	1	6	.....	78	14	42
459	Aroostook county	745	12	.....	.....	5	3	10	30	26	.....	58	13	19
460	Cumberland county	770	4	3	.....	4	.....	3	5	14	.....	68	8	65
461	Franklin county	260	1	.....	1	.....	.....	.....	1	1	.....	20	2	23
462	Hancock county	475	11	.....	.....	.....	.....	2	2	2	.....	46	4	32
463	Kennebec county	756	17	2	2	.....	1	2	5	8	.....	56	13	45
464	Knox county	321	3	1	.....	2	1	1	.....	3	.....	35	8	21
465	Lincoln county	256	1	.....	.....	.....	.....	.....	4	2	.....	35	3	15
466	Oxford county	565	7	3	.....	2	.....	5	6	17	.....	50	13	30
467	Penobscot county	855	18	1	.....	1	3	11	6	6	.....	64	15	42
468	Piscataquis county	219	6	.....	.....	.....	1	.....	1	1	.....	26	5	8
469	Sagadahoc county	155	1	1	.....	.....	.....	1	.....	.....	.....	10	2	15

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1902—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis. Under 2 years.	Diarrhea and enteritis. 2 years and over.	Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
.....	2	11	27	19	23	14	17	8	24	8	1	27	1	18	10	28	1	391
.....	2	8	66	53	32	22	46	6	50	17	4	31	3	20	27	85	2	392
.....	2	13	33	27	31	18	20	5	20	9	3	21	2	14	16	56	3	393
1	4	1	42	30	18	17	18	4	24	11	6	28	2	14	13	49	.....	394
.....	1	8	26	22	16	11	16	6	16	15	2	6	.....	18	15	31	1	395
.....	.....	6	20	20	11	7	10	2	16	8	5	5	1	14	11	19	.....	396
1	.....	5	36	23	20	12	7	9	9	10	2	17	.....	17	7	25	.....	397
.....	.....	6	37	40	18	17	8	8	19	19	2	17	.....	14	11	44	4	398
.....	.....	1	12	15	10	3	12	3	14	3	4	9	1	7	11	19	1	399
.....	.....	1	20	13	13	18	9	3	11	11	3	12	1	7	10	36	3	400
.....	1	7	29	28	31	13	19	9	17	8	5	29	4	15	7	31	6	401
.....	2	3	12	9	11	4	11	3	3	3	.....	11	.....	3	1	11	2	402
.....	3	10	26	19	23	12	22	11	19	12	5	19	2	10	13	30	2	403
.....	5	.....	26	43	17	18	16	6	18	11	1	12	3	14	7	43	1	404
.....	3	4	18	10	10	6	8	5	13	16	2	13	.....	12	4	27	.....	405
.....	5	5	23	14	12	9	9	4	7	18	.....	23	1	5	6	24	.....	406
.....	4	6	18	13	24	15	14	3	12	9	3	14	.....	12	10	29	9	407
.....	6	8	43	32	24	10	13	6	20	13	4	16	1	14	9	30	1	408
.....	3	1	18	13	17	9	3	2	7	7	2	16	.....	7	8	23	1	409
.....	.....	4	29	28	18	18	25	4	30	13	3	24	.....	42	12	26	2	410
.....	4	6	37	40	7	12	8	7	9	16	.....	14	1	20	8	41	1	411
.....	.....	6	17	23	22	17	22	9	20	10	1	20	3	15	10	29	.....	412
.....	2	7	42	19	35	18	26	9	17	18	3	33	1	32	26	53	2	413
.....	3	7	84	30	13	15	12	18	19	21	2	12	3	17	10	54	5	414
.....	3	7	27	36	7	16	5	7	16	13	1	19	1	14	24	36	.....	415
.....	.....	8	12	10	7	7	14	4	9	1	1	9	.....	11	7	18	.....	416
1	3	5	24	11	25	13	6	1	11	8	.....	14	1	8	5	30	1	417
.....	3	9	21	18	23	13	15	6	18	3	.....	26	.....	7	14	18	.....	418
1	4	7	42	33	20	9	19	4	28	11	1	23	.....	15	25	47	2	419
.....	1	2	22	18	10	6	15	6	7	14	.....	11	.....	4	2	28	2	420
.....	3	1	9	9	7	4	9	3	9	9	2	11	.....	4	.....	13	.....	421
.....	.....	6	31	30	6	11	6	8	18	9	2	12	.....	10	17	38	2	422
.....	.....	.....	10	8	2	2	1	.....	7	6	.....	.....	.....	1	5	6	.....	423
.....	.....	4	16	11	8	10	7	2	10	2	1	17	.....	3	6	17	.....	424
.....	2	3	23	17	18	8	6	2	9	4	1	5	1	8	4	14	.....	425
.....	3	3	29	21	25	11	17	6	16	6	2	28	2	20	6	21	1	426
1	2	3	18	18	28	8	12	5	17	6	1	12	.....	13	10	31	1	427
.....	.....	10	13	24	28	21	29	8	17	4	3	18	2	13	3	19	3	428
.....	2	2	26	20	18	16	8	4	18	13	1	18	.....	17	5	18	2	429
.....	4	7	21	11	26	15	27	11	23	14	3	21	.....	18	9	31	3	430
.....	1	2	8	8	10	3	7	3	12	4	3	12	1	6	6	12	4	431
1	1	7	18	18	21	11	13	8	10	11	1	33	1	16	13	30	.....	432
1	5	8	38	32	13	22	6	7	24	11	2	27	2	7	11	51	3	433
.....	4	5	14	8	14	10	11	5	13	10	2	16	.....	5	7	25	1	434
.....	1	.....	32	21	20	14	3	3	13	11	1	19	.....	13	9	25	2	435
.....	2	4	24	29	18	11	10	1	15	17	3	8	.....	9	3	20	1	436
.....	2	2	9	9	12	7	3	1	6	4	.....	4	1	3	5	18	.....	437
.....	4	7	34	21	23	17	14	2	31	13	1	40	.....	13	12	41	.....	438
.....	2	4	30	15	18	8	17	8	30	9	1	24	2	18	9	29	1	439
.....	.....	2	4	7	3	8	6	.....	10	4	1	14	.....	11	9	16	.....	440
.....	1	4	16	23	13	6	4	5	12	3	.....	3	1	5	8	17	1	441
1	1	14	28	18	19	17	21	6	27	13	2	12	3	14	10	38	3	442
.....	3	1	17	16	9	5	10	4	5	4	3	15	.....	4	3	11	.....	443
2	3	1	20	12	8	16	6	4	15	9	.....	6	.....	7	4	18	2	444
.....	1	2	12	11	12	12	13	2	12	4	5	23	1	10	10	30	1	445
.....	.....	3	14	5	6	1	4	.....	5	5	2	4	1	6	10	2	.....	446
.....	.....	6	26	18	13	10	7	1	9	9	1	18	2	5	10	23	.....	447
.....	.....	5	18	8	22	15	13	2	15	12	2	12	2	17	3	24	5	448
.....	.....	9	25	12	15	9	13	4	13	4	.....	10	.....	11	9	23	4	449
.....	3	4	28	16	8	12	13	4	14	10	2	11	1	12	3	28	5	450
.....	1	3	14	8	2	5	4	1	5	5	.....	3	1	7	2	8	1	451
.....	1	4	24	14	18	11	18	8	16	7	4	22	.....	18	8	26	2	452
.....	1	3	25	16	21	14	9	3	21	8	4	13	1	9	6	25	3	453
.....	4	3	31	25	14	8	8	2	19	22	3	18	3	11	11	36	2	454
.....	1	2	27	13	13	13	6	2	13	15	1	18	1	9	14	20	2	455
.....	2	1	21	9	10	11	6	1	16	11	3	21	1	12	7	21	7	456
.....	1	5	22	17	13	6	3	3	17	4	.....	10	3	9	5	29	2	457
.....	4	30	104	102	61	47	39	4	39	41	6	29	9	26	18	84	11	458
.....	2	19	54	49	45	23	93	10	31	22	15	29	1	28	18	82	48	459
.....	9	16	98	101	60	43	18	4	26	44	2	34	3	34	22	78	4	460
.....	4	6	40	31	22	13	3	1	13	16	1	8	.....	11	5	30	7	461
.....	6	9	47	61	44	14	9	6	23	32	5	15	3	15	17	62	8	462
1	6	19	107	84	67	40	19	9	47	24	11	20	4	27	30	83	7	463
2	1	5	46	46	13	16	5	3	14	12	3	6	.....	15	6	53	.....	464
.....	1	1	26	40	14	7	2	1	17	18	3	7	.....	7	7	28	17	465
1	2	10	70	63	49	26	7	6	38	19	7	23	4	21	12	71	3	466
1	4	19	91	113	71	38	38	5	35	42	8	22	7	36	31	108	19	467
1	4	8	34	19	20	5	5	1	9	6	2	10	6	15	6	20	.....	468
.....	3	.....	24	25	11	6	2	1	7	10	1	3	1	4	5	22	.....	469

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MAINE RURAL—Continued.													
470	Somerset county	540	2	3				4	4	5		54	15	34
471	Waldo county	370	7	2		1	1		3	1		42	5	24
472	Washington county	591	5	1			1	2	3	14		70	11	28
473	York county	893	29	1	1	3	1	1	14	8		62	12	54
	MASSACHUSETTS RURAL.													
474	Barnstable county	520	5	1				5		11		51	3	32
475	Berkshire county	527	11					2	5	3	1	38		27
476	Bristol county	621	3	1		6		5	5	6		50	6	39
477	Dukes county	76	1									7		6
478	Essex county	1,032	14	2	2	9		5	9	6	1	88	10	78
479	Franklin county	623	2			11	2	7	4	11		41	7	38
480	Hampden county	619	7	1		2	3	1	10	7		48	9	20
481	Hampshire county	412	4			3	2	5	5	6		30	6	22
482	Middlesex county	1,757	18	2	2	6	2	1	27	9		252	25	93
483	Nantucket county	65	1						1			4	1	5
484	Norfolk county	1,146	13	4	2	4	1	8	19	4		126	11	55
485	Plymouth county	1,008	7		2	6		13	9	13		81	13	60
486	Suffolk county	73				1			4			6		9
487	Worcester county	1,902	21	9	6	22	1	9	22	8		192	17	81
	MICHIGAN RURAL.													
488	Alcona county	45										3		
489	Alger county	74	2			2	1		2			3	2	2
490	Allegan county	473	3	4		1			1	8		37	8	22
491	Alpena county	170	1		1		1		10	2		10	2	8
492	Antrim county	168	8	1	1		2	1	2	2		8		2
493	Arenac county	79		1	1							6		2
494	Baraga county	40						3				4	1	1
495	Barry county	267	3			4		1		4		19	2	25
496	Bay county	212	4		1		2		2			20	1	12
497	Benzie county	108				1	1	1		1		10	2	3
498	Berrien county	552	10			4	2	7		6		42	5	26
499	Branch county	379	6			4		5	2	13		17	1	20
500	Calhoun county	422	2			4	2	2	5	2		25	2	22
501	Cass county	287	6	1		1	1	3	1	3		21	3	20
502	Charlevoix county	162	1				1	1	4	2		16		11
503	Cheboygan county	180	1	2	2		3	1	1	2		7		5
504	Chippewa county	107	7				3	1	4	1		7		3
505	Clare county	83		1			1	1	2	1		5		2
506	Clinton county	298	9	1		3	1	2		5	1	16	5	23
507	Crawford county	47	1	1								2		4
508	Delta county	142	2			6	1	1	2			11	2	5
509	Dickinson county	113	1			2	1		4	1		5	1	1
510	Eaton county	400	11	1		5	1		5	7	2	21	5	19
511	Emmet county	231	4					1		4		18	1	9
512	Genesee county	367	9		1	1		1	2	2		30	1	16
513	Gladwin county	60	1					2	1			3	1	3
514	Gogebic county	122	3				1	1	8	1		3	1	7
515	Grand Traverse county	115	2				2	2	3			9	1	4
516	Gratiot county	351	6		1	3		4		7		21	5	21
517	Hillsdale county	375	13	2			1		2	8		15	2	27
518	Houghton county	939	11		2	11	11	6	8	2		63	18	44
519	Huron county	337	7			1	4	11	4			30	6	11
520	Ingham county	327	7	2		6		1	1	9		11	3	14
521	Ionia county	428	8	4	1	1	3		6	13		25	3	14
522	Iosco county	99	1	3	1		1		3	2		9		6
523	Iron county	86	1						2	1		7	1	2
524	Isabella county	262	6	1		3	3	5	4	2		18	3	7
525	Jackson county	282	5			1			1	8		13	2	18
526	Kalamazoo county	235	4				1		2	3		11	1	22
527	Kalkaska county	77	1	1			2		2	1	2	2	1	1
528	Kent county	592	7		2		5	4	1	8		35	11	36
529	Keweenaw county	33										2		
530	Lake county	47	1	1					1			4		
531	Lapeer county	375	7	3		5	3	4	7	8	1	12	3	18
532	Leelanau county	117					1	3	1	2	1	10	1	1
533	Lenawee county	637	16	5		1	3	6	4	22		45	12	39
534	Livingston county	225	1				1	1	2	3	1	17	3	15
535	Luce county	64		1		2	1					5		2
536	Mackinac county	83					1					10	1	1
537	Macomb county	466	7	3	2	6	15	4	6	3		33	3	23
538	Manistee county	312	7				3	3	4	1		24	4	15
539	Marquette county	191	10			1	2		11	2		12	5	7
540	Mason county	183	4		1	1	4	4	1	2		14	5	7
541	Mecosta county	223	6	1	1		1		3	4		16	3	9
542	Menominee county	127	1			2	1		1	2		8	2	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1902—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	3	9	62	71	58	23	4	1	21	21	9	12	5	24	17	69	10	470
.....	2	5	55	41	23	24	3	5	25	19	1	5	3	12	11	47	3	471
.....	4	14	88	57	61	18	19	5	31	30	6	22	2	23	16	48	12	472
2	11	11	131	118	53	44	20	8	59	61	8	18	10	36	30	80	7	473
.....	2	8	79	71	26	18	12	5	24	17	2	12	2	24	27	81	2	474
1	5	12	62	74	57	33	5	9	36	22	1	13	3	31	22	53	1	475
1	6	15	86	74	25	28	31	7	29	38	2	30	5	27	23	72	1	476
1	.....	.....	10	18	4	6	1	.....	2	2	.....	2	.....	4	5	6	1	477
2	9	16	126	147	62	39	34	14	44	41	9	41	9	44	34	129	8	478
.....	8	19	62	73	67	33	14	4	36	32	3	27	2	33	24	61	2	479
.....	2	14	77	55	59	26	29	5	27	35	3	36	6	34	24	77	2	480
.....	1	10	50	46	19	22	13	7	28	17	4	19	1	18	16	55	3	481
2	23	20	202	238	133	79	49	24	62	67	3	64	10	72	73	195	4	482
.....	1	1	6	14	.....	3	2	1	3	2	.....	2	.....	4	2	12	.....	483
2	16	17	168	160	71	48	25	15	62	54	5	53	7	45	36	111	4	484
1	12	6	132	163	60	51	40	11	44	41	3	29	5	41	35	117	13	485
.....	.....	.....	11	10	9	3	2	.....	1	2	.....	.....	1	2	2	10	.....	486
3	19	44	282	207	144	93	78	15	64	92	12	76	18	73	67	221	6	487
.....	1	.....	4	2	5	.....	.....	1	1	2	2	3	.....	5	2	9	5	488
.....	1	1	6	5	7	6	4	1	5	.....	.....	4	.....	13	.....	1	6	489
.....	6	7	78	59	19	35	4	5	39	26	8	10	2	15	9	64	3	490
1	.....	2	12	10	9	13	9	2	12	3	5	17	.....	12	5	14	9	491
.....	.....	4	14	14	11	13	13	1	9	3	12	3	1	7	4	26	6	492
.....	.....	1	7	8	14	5	6	.....	4	1	2	3	.....	7	3	5	3	493
.....	.....	1	4	1	2	2	3	.....	2	.....	.....	2	.....	5	1	7	1	494
.....	4	3	36	45	16	12	7	7	13	16	2	5	3	10	4	26	.....	495
2	.....	4	16	11	18	8	12	3	13	9	5	12	2	16	10	24	5	496
.....	2	2	4	8	10	9	4	2	5	6	2	5	1	17	3	8	1	497
.....	4	7	73	74	26	27	17	8	35	27	6	27	4	43	13	56	3	498
.....	5	2	61	68	19	17	7	6	27	15	4	8	2	23	2	43	2	499
.....	4	3	63	81	27	17	11	7	29	20	6	14	2	18	13	40	1	500
.....	6	.....	37	53	17	10	6	4	18	16	6	5	1	13	7	28	.....	501
1	1	.....	16	15	9	13	7	1	11	9	2	4	.....	18	3	13	3	502
1	2	5	16	19	16	19	10	2	12	.....	9	12	.....	8	8	15	2	503
.....	.....	2	9	6	8	3	8	4	5	2	.....	2	.....	10	1	18	3	504
.....	.....	1	16	6	3	6	1	2	6	2	1	2	1	3	1	14	5	505
.....	7	3	32	50	24	10	9	5	18	12	2	5	2	14	7	31	1	506
.....	.....	.....	1	3	5	7	3	.....	.....	3	1	4	.....	7	1	4	.....	507
1	.....	2	6	4	6	5	18	3	11	4	4	5	1	18	4	11	9	508
.....	.....	3	5	6	5	8	25	.....	6	.....	1	9	.....	17	.....	8	4	509
1	5	6	53	76	22	20	7	5	32	15	2	6	3	15	5	49	1	510
1	2	8	25	22	14	9	14	2	13	12	3	15	1	25	4	20	4	511
1	6	2	51	48	28	23	8	1	14	16	7	14	4	19	14	44	4	512
.....	2	.....	3	4	6	2	5	3	4	1	1	2	.....	4	5	3	4	513
.....	2	1	6	3	10	15	13	3	4	2	2	16	.....	16	1	3	.....	514
.....	3	2	12	17	8	5	5	3	8	2	2	5	.....	2	3	13	2	515
1	7	5	50	49	17	12	12	6	24	10	6	13	5	16	7	42	1	516
.....	7	2	47	71	18	11	6	7	28	25	3	7	4	25	8	36	.....	517
.....	9	11	68	46	64	67	113	9	49	26	14	68	4	108	24	68	15	518
.....	8	5	32	36	26	24	15	5	19	11	1	10	5	16	4	32	14	519
.....	4	7	44	59	25	11	8	8	16	16	5	7	4	8	6	44	1	520
.....	2	4	60	77	21	12	15	5	26	21	6	12	3	25	13	48	.....	521
.....	1	4	7	9	8	4	1	3	6	1	1	11	.....	6	1	10	.....	522
.....	.....	.....	6	3	10	8	9	2	1	.....	.....	5	.....	21	.....	4	3	523
.....	5	4	21	29	19	8	13	1	29	16	2	10	2	19	5	25	2	524
1	2	4	33	39	15	12	2	4	23	16	5	9	2	20	7	39	1	525
1	1	1	33	41	10	9	10	.....	17	11	2	3	2	20	3	27	.....	526
.....	1	.....	8	6	5	8	5	.....	4	3	5	4	3	5	1	6	.....	527
.....	6	9	88	82	31	25	18	10	30	31	11	16	3	35	14	72	2	528
.....	2	1	4	.....	2	5	4	2	1	1	.....	.....	.....	4	.....	5	.....	529
.....	2	.....	2	7	5	2	.....	2	5	.....	1	2	.....	4	1	7	.....	530
.....	3	2	51	49	32	22	9	9	32	12	6	7	5	13	9	36	.....	531
.....	.....	1	10	11	12	5	8	2	7	4	2	6	.....	6	2	13	8	532
1	13	2	90	97	25	36	21	10	36	22	5	16	6	36	13	54	1	533
.....	2	4	29	50	13	7	3	2	15	17	1	5	1	6	4	19	3	534
1	.....	1	22	4	2	.....	2	.....	3	1	1	.....	2	4	3	7	.....	535
.....	.....	1	5	4	10	4	1	.....	4	5	1	2	.....	13	4	11	5	536
.....	6	6	49	56	26	20	17	7	24	38	4	14	9	21	10	54	.....	537
.....	6	3	29	19	42	12	11	3	21	14	8	14	6	12	8	28	15	538
2	3	1	10	7	13	17	15	.....	6	7	.....	11	2	28	4	12	3	539
.....	1	4	12	17	10	9	17	2	14	10	2	5	2	15	3	16	1	540
.....	5	5	17	18	21	7	10	1	14	13	3	8	3	16	6	32	.....	541
.....	1	2	4	8	19	6	10	2	8	9	3	7	.....	12	4	4	9	542

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.											
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MICHIGAN RURAL—Continued.													
543	Midland county	147	3	1				1		2		8	1	5
544	Missaukee county	85	1		1	1			2		1	6		2
545	Monroe county	369	5	2		5	3	8	5	2		22	2	20
546	Montcalm county	375	6	2	1	1	2		2	11		26	1	15
547	Montmorency county	44	1	1					1			5		
548	Muskegon county	166	3	1				1	2	2		15	2	12
549	Newaygo county	203	6	1	1	1		1	4	3		13		10
550	Oakland county	406	5			2	2	3	3	2		25	3	24
551	Oceana county	161	4			1		1	3	3		12		8
552	Ogemaw county	79	1				3	1		1		4		1
553	Ontonagon county	93	5			1	2	1	4	1		2	2	3
554	Osceola county	208	5		1				1	3		12		13
555	Oscoda county	10	1						1					
556	Otsego county	75	5	1			1	1	2			4		
557	Ottawa county	417	8	2			3	4	1	6		33	7	22
558	Presque Isle county	93	2		2	2		1	10		1	4		2
559	Roscommon county	9												
560	Saginaw county	413	5	1	1	4	10	6	2	5		30	4	13
561	St. Clair county	466	11	2		13	3	8	9	7		24	5	23
562	St. Joseph county	302	8	1			1	1	1	5		23	3	13
563	Sanilac county	375	3	4	1	2	4	5	4	1		31	6	13
564	Schoolcraft county	95		1			2		1	2		2		2
565	Shiawassee county	310	4			2	2	1		7		16	5	12
566	Tuscola county	418	8	4	1	2	5	6	5	6		25	3	20
567	Van Buren county	364	13	1		2			2	1		15	5	25
568	Washtenaw county	423	4	1			4		9	3		24	5	27
569	Wayne county	1,039	18	2		9	14	13	24	5	1	68	8	38
570	Wexford county	208	7				2		4	1		15	3	6
	NEW HAMPSHIRE RURAL.													
571	Belknap county	202	2						1	1		16	1	7
572	Carroll county	261	4		1				2	8		24	2	18
573	Cheshire county	315	3		1	1			10	1		20	4	14
574	Coos county	249	5			1		1	4	3		21	1	22
575	Grafton county	611	9	1		3		2	12	11		54	7	45
576	Hillsboro county	535	3					2	6	3		33	8	30
577	Merrimack county	505	8			1		1	4	5		52	6	25
578	Rockingham county	663	7		1	1		5	20	2		66	6	37
579	Strafford county	272	4					6	4	1		30		12
580	Sullivan county	270	2		1				1	1		22	1	17
	NEW JERSEY RURAL.													
581	Atlantic county	242	4	1		1	1	1	7			20	3	11
582	Bergen county	1,163	9	5	2	20	3	24	25	6		108	9	46
583	Burlington county	822	14	1	2	4	5	4	7	5		74	10	24
584	Camden county	520	11		1	1	1	2	6	1		68	2	25
585	Cape May county	193	6	1				3	5	1		19	1	11
586	Cumberland county	333	3	1				6	2	1		41	4	11
587	Essex county	917	18	3	11	2	5	12	27	3		100	11	41
588	Gloucester county	392	9	1			1	8	8	2		29	6	17
589	Hudson county	1,241	9	3	127	6	14	2	37	2		117	13	36
590	Hunterdon county	456	7	2	1	3	5		8	4		34	8	21
591	Mercer county	229	1		2	1	3	4	1	1		20		10
592	Middlesex county	572	7	1	9		2	13	7			53	4	20
593	Monmouth county	1,189	18	4	1	5	6	9	26	5		91	15	53
594	Morris county	806	6	2	1	3	8	19	11	5		75	8	18
595	Ocean county	272	6				1	2	4	1		32	2	14
596	Passaic county	259	2	1		3	1	6	9			12	4	12
597	Salem county	312	5	2				3	3	2		25	1	11
598	Somerset county	448	2	1	1		1	11	11	2		39	11	20
599	Sussex county	226	3	1			1	3	6	1		21		13
600	Union county	426	11		5	5	1	6	3	1	1	42	2	18
601	Warren county	367	7	1	7	2	4	3	3	5		25		17
	NEW YORK RURAL.													
602	Albany county	481	10				4	3	7	8		46	1	30
603	Allegany county	561	9	2	1		4		2	15	1	34	3	34
604	Broome county	393	4	1			1	3	3	4		28		19
605	Cattaraugus county	709	11	1		13	4	2	12	10		32	3	33
606	Cayuga county	518	4	2		1	1	4	3	8	1	30	5	23
607	Chautauqua county	726	12	1		5	4	3	19	14		51	8	33
608	Chemung county	269	10						9	4		21	7	9
609	Chenango county	525	10	1			1		1	4		43	5	27
610	Clinton county	471	4		1	4	3	6	10	12		58	4	20
611	Columbia county	467	6	3		1		2	3	4		45	2	29
612	Cortland county	298	3					1	4	9		14	1	22
613	Delaware county	569	3				1	4	7	8		28	7	38
614	Dutchess county	1,029	15	6		1	1	6	13	12		91	7	44
615	Erie county	1,119	16			6	5	10	23	10		76	11	58
616	Essex county	431	9		2	2	1	1	3	4		55	9	18

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1902—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	1	2	20	23	12	6	6	1	12	5	3	2	1	11	2	16	3	543
1	.....	.....	5	8	14	3	4	1	6	1	2	7	.....	6	4	7	2	544
.....	1	10	48	43	24	20	14	6	23	15	8	8	2	18	10	42	3	545
1	2	2	53	43	27	18	14	8	36	19	11	8	1	13	10	39	3	546
.....	.....	1	3	6	5	.....	5	.....	2	3	.....	1	.....	2	3	3	2	547
.....	1	.....	16	16	14	7	4	3	10	9	4	3	1	16	5	17	2	548
1	4	1	21	32	7	6	4	7	16	11	1	10	.....	9	1	29	3	549
1	5	2	50	66	20	15	10	9	36	27	4	6	3	24	8	49	2	550
.....	.....	2	22	27	15	6	12	7	7	3	2	1	3	6	4	12	.....	551
.....	.....	.....	3	7	12	3	4	2	8	5	2	4	1	7	2	7	1	552
.....	.....	2	2	4	8	9	10	3	5	1	1	7	.....	13	2	5	.....	553
.....	1	4	18	12	18	11	12	5	14	5	8	11	3	16	1	27	7	554
.....	.....	.....	1	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	3	.....	555
.....	.....	.....	6	7	7	4	5	.....	5	1	4	2	1	8	.....	9	2	556
.....	3	7	60	47	17	29	10	2	28	15	4	7	7	29	16	50	.....	557
.....	.....	.....	6	3	6	4	4	.....	4	2	.....	5	1	4	7	8	15	558
.....	.....	.....	1	2	.....	.....	1	2	.....	.....	.....	.....	.....	2	.....	1	.....	559
.....	2	4	48	38	33	21	13	9	29	23	10	12	3	23	9	50	5	560
.....	4	5	64	55	42	28	5	4	32	24	7	4	2	17	20	47	1	561
.....	3	4	45	49	26	11	3	6	27	18	2	2	2	17	5	26	.....	562
.....	5	3	36	39	20	22	9	8	35	16	12	12	3	22	17	41	1	563
.....	.....	1	8	6	13	1	5	4	6	1	5	6	.....	10	6	11	2	564
.....	5	2	39	42	22	21	5	7	32	16	4	8	1	12	8	36	1	565
.....	4	2	56	44	38	23	18	3	32	12	9	9	1	25	5	48	4	566
2	7	4	43	81	19	18	7	4	20	16	3	6	.....	15	9	46	.....	567
.....	2	1	56	65	33	20	14	12	31	24	6	8	5	17	10	39	3	568
1	2	12	150	119	77	70	54	11	62	39	11	36	4	57	14	109	11	569
.....	2	4	23	20	22	4	10	2	17	5	1	9	1	15	4	29	2	570
.....	1	.....	44	24	14	10	.....	2	13	11	.....	4	2	6	8	33	2	571
2	1	5	35	46	19	11	2	2	7	8	.....	3	3	8	9	38	3	572
.....	4	5	50	48	16	11	9	8	16	9	4	9	2	11	18	40	1	573
.....	1	7	31	46	19	12	6	4	8	13	1	3	1	12	7	15	5	574
.....	5	18	83	63	59	35	9	5	36	42	4	9	5	18	20	55	1	575
.....	6	12	74	78	35	29	13	7	37	41	1	14	2	13	19	68	1	576
2	8	14	78	63	47	15	21	4	33	21	2	8	1	19	20	46	1	577
1	3	17	91	105	51	21	19	4	28	39	4	10	.....	24	18	79	4	578
2	4	8	37	30	9	7	15	2	19	12	.....	5	2	12	12	35	4	579
.....	.....	7	34	41	29	10	2	.....	7	26	2	2	.....	9	13	41	2	580
.....	.....	3	30	27	11	11	12	4	13	19	2	12	.....	11	9	28	1	581
2	8	24	132	140	77	67	65	4	54	44	4	58	6	91	50	79	1	582
.....	7	11	120	97	57	32	46	14	39	54	8	34	7	46	47	53	.....	583
.....	1	5	84	54	43	25	29	8	22	28	1	17	3	18	23	39	2	584
.....	3	2	28	14	9	9	9	1	15	9	.....	2	.....	10	17	17	1	585
.....	5	10	44	40	26	11	11	2	13	21	1	7	3	17	19	34	.....	586
.....	3	16	112	95	63	55	54	17	43	63	4	40	10	34	28	47	.....	587
.....	1	5	63	61	25	13	17	3	16	23	1	9	4	29	16	24	1	588
.....	3	34	131	69	91	116	63	11	45	72	7	41	16	51	50	73	2	589
.....	5	6	88	63	20	28	11	7	28	20	2	12	.....	28	14	31	.....	590
1	3	4	31	25	14	13	13	.....	10	16	.....	11	.....	11	13	21	.....	591
1	4	13	78	41	37	38	46	8	30	30	2	17	3	48	23	37	.....	592
.....	13	14	143	138	71	58	79	17	60	77	4	36	2	64	65	109	6	593
4	8	14	127	84	55	56	35	11	32	60	5	34	2	50	23	43	7	594
.....	6	4	33	33	7	19	17	2	17	18	2	4	1	15	14	18	.....	595
.....	1	8	40	23	23	17	24	3	7	7	3	8	1	19	6	18	1	596
1	5	2	58	28	23	10	22	5	15	19	3	17	.....	12	14	26	.....	597
1	2	8	53	51	28	28	17	8	25	27	2	19	3	21	19	37	.....	598
1	.....	1	30	30	15	13	9	5	17	13	.....	7	.....	14	5	17	.....	599
.....	2	6	44	55	36	19	23	5	13	30	5	16	5	30	10	31	1	600
.....	2	7	51	40	15	21	14	6	19	20	5	17	2	29	11	34	.....	601
1	3	9	53	65	24	16	11	6	15	46	5	18	2	37	8	51	2	602
2	2	4	64	92	41	24	14	10	37	38	5	13	6	14	9	79	2	603
1	1	8	69	44	22	18	4	3	20	28	2	13	4	19	12	61	1	604
.....	9	6	93	104	55	39	18	12	46	21	9	20	6	43	22	84	1	605
1	4	7	92	80	26	16	9	8	27	29	1	14	3	33	13	73	.....	606
3	4	5	90	102	48	26	18	9	45	44	7	14	5	34	31	88	3	607
.....	3	2	36	38	16	11	5	.....	18	18	3	6	1	10	4	37	1	608
4	9	4	85	76	34	26	5	5	42	29	4	9	3	20	16	62	.....	609
1	2	9	50	51	25	18	13	5	23	22	3	20	5	27	16	59	.....	610
.....	3	5	66	68	29	14	8	5	29	40	3	10	3	40	8	41	.....	611
.....	5	2	34	42	18	9	3	3	27	24	3	13	2	14	4	39	2	612
.....	3	7	72	81	61	22	13	16	40	33	5	5	1	42	8	62	2	613
.....	5	13	183	161	62	45	26	23	49	57	3	17	5	55	27	101	1	614
.....	9	21	141	138	77	65	50	14	56	46	9	49	9	79	29	110	2	615
.....	6	7	53	53	26	21	10	6	21	21	7	8	4	19	8	56	1	616

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	NEW YORK RURAL—Continued.													
617	Franklin county	680	9	2	6	17	12	5	6	5	.....	127	8	21
618	Fulton county	219	4	.....	.....	.....	1	.....	2	2	.....	10	3	14
619	Genesee county	433	10	1	.....	.....	.....	3	2	8	.....	28	5	24
620	Greene county	508	15	1	.....	.....	1	2	10	7	.....	50	6	19
621	Hamilton county	44	.....	.....	.....	.....	.....	.....	.....	1	.....	3	3	2
622	Herkimer county	553	7	.....	.....	3	4	2	16	2	.....	39	6	30
623	Jefferson county	705	13	1	.....	.....	1	2	3	16	.....	47	8	33
624	Lewis county	327	4	1	.....	.....	3	.....	.....	8	.....	21	2	21
625	Livingston county	497	2	1	1	.....	2	1	6	9	.....	37	4	26
626	Madison county	568	10	.....	.....	.....	1	6	5	12	.....	37	10	31
627	Monroe county	752	8	.....	3	1	1	4	7	4	.....	69	4	39
628	Montgomery county	338	4	1	.....	.....	4	2	10	1	.....	30	.....	12
629	Nassau county	817	12	4	.....	5	5	9	14	3	.....	72	20	39
630	Niagara county	490	15	3	.....	4	2	4	7	1	1	24	1	26
631	Oneida county	787	12	.....	.....	.....	2	2	8	3	.....	65	5	48
632	Onondaga county	906	16	1	.....	3	.....	6	8	7	.....	93	15	43
633	Ontario county	581	9	.....	1	.....	1	2	5	5	.....	24	9	34
634	Orange county	747	10	6	.....	3	5	7	17	5	.....	65	8	24
635	Orleans county	403	14	.....	.....	.....	.....	2	5	5	.....	36	4	15
636	Oswego county	981	19	5	.....	1	.....	5	6	12	.....	96	19	49
637	Otsego county	658	15	1	.....	.....	3	5	1	6	.....	42	6	43
638	Putnam county	212	1	1	.....	.....	.....	.....	6	2	.....	18	2	11
639	Rensselaer county	682	18	.....	.....	4	1	7	6	9	.....	48	7	42
640	Rockland county	566	7	4	2	7	4	13	8	5	.....	58	5	34
641	St. Lawrence county	866	24	.....	1	1	1	6	3	16	.....	76	10	45
642	Saratoga county	745	10	1	.....	.....	2	.....	8	4	.....	72	10	36
643	Schenectady county	183	2	.....	.....	.....	6	1	16	1	.....	10	2	8
644	Schoharie county	401	4	.....	.....	.....	.....	.....	3	11	.....	36	4	21
645	Schuyler county	211	3	.....	.....	.....	.....	.....	4	11	.....	13	2	20
646	Seneca county	509	6	1	.....	.....	.....	1	3	5	.....	61	5	32
647	Steuben county	994	16	.....	.....	2	1	2	9	6	1	60	5	52
648	Suffolk county	1,336	14	7	4	7	7	11	14	3	.....	148	8	41
649	Sullivan county	493	11	2	.....	2	1	.....	3	4	.....	98	6	19
650	Tioga county	391	6	.....	.....	.....	1	2	9	9	.....	20	.....	22
651	Tompkins county	304	5	.....	.....	1	.....	1	3	7	.....	27	1	8
652	Ulster county	913	28	5	.....	3	5	8	21	9	.....	98	9	36
653	Warren county	202	8	1	.....	1	.....	.....	.....	7	.....	11	.....	9
654	Washington county	690	11	.....	.....	.....	10	1	16	8	.....	64	9	38
655	Wayne county	636	19	.....	.....	.....	.....	.....	3	11	.....	49	4	47
656	Westchester county	1,535	11	9	5	3	7	13	36	9	.....	152	13	88
657	Wyoming county	429	10	1	1	.....	.....	1	.....	7	.....	29	4	25
658	Yates county	265	4	.....	.....	.....	2	.....	2	7	.....	24	2	17
	RHODE ISLAND RURAL.													
659	Bristol county	249	2	.....	1	1	.....	2	4	3	.....	23	4	13
660	Kent county	545	5	.....	.....	.....	5	7	10	3	.....	39	6	21
661	Newport county	184	4	.....	.....	1	1	6	6	1	.....	8	2	12
662	Providence county	1,275	11	5	1	7	3	17	22	9	.....	134	18	59
663	Washington county	312	6	.....	.....	.....	.....	1	1	2	.....	21	2	30
	VERMONT RURAL.													
664	Addison county	309	9	.....	.....	2	.....	.....	2	8	.....	30	1	18
665	Bennington county	179	3	.....	.....	.....	.....	5	1	1	.....	10	1	12
666	Caledonia county	377	12	.....	.....	.....	.....	2	6	8	1	26	11	7
667	Chittenden county	304	3	.....	.....	.....	.....	1	4	1	.....	22	4	15
668	Essex county	113	3	.....	1	1	2	2	3	2	.....	6	2	2
669	Franklin county	409	4	.....	1	.....	7	1	4	2	.....	35	3	19
670	Grand Isle county	39	.....	.....	.....	.....	1	.....	.....	.....	.....	6	.....	2
671	Lamoille county	165	.....	2	.....	1	1	1	1	4	.....	17	4	3
672	Orange county	316	4	.....	.....	.....	3	1	5	4	.....	21	2	22
673	Orleans county	350	2	1	.....	.....	.....	9	3	8	.....	31	2	22
674	Rutland county	455	5	.....	.....	2	3	2	3	5	.....	23	6	18
675	Washington county	444	7	.....	.....	2	3	5	1	11	.....	36	5	20
676	Windham county	442	2	.....	.....	4	.....	1	2	4	.....	48	6	19
677	Windsor county	550	3	1	.....	2	1	4	2	12	.....	31	4	29

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1902—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	5	11	52	57	54	32	29	3	30	16	11	24	1	34	38	62	3	617
1	1	7	34	19	14	7	3	6	8	19	1	6	1	17	6	33	.....	618
1	2	7	62	68	26	14	10	3	23	22	.....	6	8	32	16	51	1	619
2	6	8	87	71	31	26	15	7	23	29	.....	11	4	20	16	41	.....	620
.....	1	3	4	3	.....	2	.....	.....	3	2	1	2	.....	4	3	6	1	621
.....	4	15	55	78	41	21	19	4	26	31	7	27	7	35	11	62	1	622
.....	7	10	98	100	29	24	11	12	45	39	5	34	4	34	16	112	1	623
.....	6	8	49	50	11	11	5	11	18	17	3	8	1	17	8	44	.....	624
2	6	5	71	87	39	17	12	2	32	29	3	10	5	23	16	49	.....	625
1	4	4	79	80	32	30	12	4	37	28	3	12	7	36	14	73	.....	626
.....	5	14	93	106	36	41	36	7	47	42	4	22	9	39	18	72	1	627
2	3	3	58	49	17	14	6	4	26	16	2	8	3	23	11	28	1	628
1	5	8	88	87	50	56	47	7	38	66	2	25	7	51	22	73	1	629
.....	6	3	66	71	30	23	23	3	37	16	5	20	5	35	12	45	2	630
2	2	6	104	111	56	24	18	7	62	58	7	24	.....	35	22	104	.....	631
.....	7	17	135	111	58	44	20	10	50	41	6	30	12	42	26	105	.....	632
.....	8	7	85	83	43	31	17	5	39	36	7	14	3	28	15	69	1	633
2	5	9	112	74	52	40	32	9	44	41	5	26	7	62	9	68	.....	634
.....	2	2	52	58	34	23	10	8	20	23	1	10	4	14	11	49	1	635
1	6	12	129	124	64	32	13	17	63	76	7	25	5	49	19	127	.....	636
1	14	5	86	92	33	19	10	13	44	64	8	15	4	23	15	90	.....	637
1	1	1	25	28	13	13	8	4	17	11	2	4	2	7	12	21	1	638
1	6	14	91	94	52	36	14	8	37	44	4	16	4	36	18	55	.....	639
3	2	10	74	49	25	30	27	14	18	42	5	26	1	33	18	41	1	640
1	9	11	115	98	49	51	26	18	43	36	7	28	1	41	25	122	2	641
...	5	14	96	69	59	44	23	4	35	51	7	26	1	56	22	90	.....	642
...	.....	4	16	11	19	11	7	5	6	5	.....	8	2	19	9	15	.....	643
...	11	2	54	52	15	21	7	6	24	28	3	12	2	18	15	49	3	644
.....	.....	4	25	26	18	6	1	3	17	16	1	7	2	9	3	19	1	645
1	5	3	66	93	37	16	9	8	26	37	5	5	5	25	2	51	1	646
2	8	18	110	155	77	43	21	19	72	52	6	13	13	64	29	136	2	647
.....	10	13	234	178	58	60	45	38	76	99	6	31	5	71	36	109	3	648
3	4	6	60	57	45	17	14	12	27	14	8	8	4	17	19	32	.....	649
.....	1	4	64	61	23	13	12	6	19	17	4	7	5	22	13	50	1	650
.....	3	4	42	56	21	8	2	5	15	15	1	8	3	10	15	42	1	651
1	11	16	130	107	69	52	20	11	47	44	8	15	2	48	29	81	.....	652
1	2	1	22	27	14	8	9	1	7	17	4	5	1	13	8	25	.....	653
1	6	15	77	70	56	29	11	5	41	31	7	18	5	45	25	87	4	654
.....	4	7	93	95	25	18	12	5	46	32	4	17	5	40	10	90	.....	655
1	4	30	159	163	79	91	97	18	59	100	6	68	6	114	51	142	1	656
3	5	3	56	66	31	16	7	8	28	20	6	10	4	23	17	48	.....	657
.....	2	2	40	33	8	17	4	4	13	11	2	8	4	16	4	38	1	658
.....	1	3	27	24	17	14	23	4	10	27	1	6	4	10	1	23	1	659
.....	7	14	57	43	33	31	72	15	21	35	6	19	3	21	8	63	1	660
.....	1	5	22	16	6	4	27	3	16	2	3	8	2	8	9	11	.....	661
.....	8	25	153	122	87	71	73	31	59	98	14	37	8	70	5	123	5	662
.....	4	4	32	47	21	21	8	5	24	16	1	10	5	17	.....	34	.....	663
2	8	5	30	28	41	15	4	6	21	18	1	5	3	12	2	35	3	664
.....	2	2	31	21	16	4	4	1	8	13	1	8	.....	7	2	26	.....	665
1	2	11	45	40	48	24	10	5	18	19	4	7	4	11	13	39	3	666
.....	3	3	31	35	25	23	11	1	11	22	.....	15	.....	20	10	43	1	667
.....	1	4	9	8	9	8	4	.....	2	8	1	11	1	3	4	12	4	668
2	3	10	42	44	29	18	11	2	23	22	1	20	.....	20	16	63	7	669
.....	.....	.....	2	7	2	2	.....	.....	3	4	.....	1	.....	2	2	4	1	670
.....	2	4	18	20	12	7	3	.....	13	7	1	7	1	7	5	21	3	671
.....	1	5	44	48	22	18	1	3	18	22	4	14	4	8	7	32	3	672
1	2	7	34	34	35	21	5	2	24	17	1	16	2	13	8	40	10	673
.....	3	4	55	53	51	30	11	3	32	16	8	20	2	20	5	67	8	674
.....	1	11	49	56	46	29	3	3	30	22	4	9	3	25	17	41	5	675
1	5	10	62	63	34	16	6	3	16	21	7	20	.....	22	12	53	5	676
1	5	10	83	67	52	28	7	3	34	29	3	23	3	22	13	73	5	677

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	THE REGISTRATION AREA.											
1	Total	508,640	98,575	22,978	10,525	6,475	4,962	143,515	13,790	8,163	13,709	21,390
2	Males	273,585	54,913	12,153	5,446	3,339	2,612	78,463	7,219	4,178	6,820	11,014
3	Females	235,055	43,662	10,825	5,079	3,136	2,350	65,052	6,571	3,985	6,889	10,376
4	White	473,645	91,297	21,183	9,708	6,004	4,640	132,832	12,869	7,432	12,235	18,829
5	Males	254,893	50,933	11,187	5,031	3,119	2,448	72,718	6,760	3,846	6,166	9,682
6	Females	218,752	40,364	9,996	4,677	2,885	2,192	60,114	6,109	3,586	6,069	9,147
7	Native	335,704	89,685	20,592	9,342	5,711	4,412	129,742	12,209	6,761	10,169	14,231
8	Males	178,235	50,027	10,871	4,840	2,967	2,330	71,035	6,435	3,498	5,006	7,161
9	Females	157,469	39,658	9,721	4,502	2,744	2,082	58,707	5,774	3,263	5,163	7,070
10	Both parents native {M	75,188	19,615	3,842	1,800	1,085	893	27,235	2,562	1,525	2,237	2,926
	{F	69,868	15,203	3,553	1,687	1,023	751	22,217	2,286	1,411	2,355	3,077
11	One or both parents foreign {M	57,215	20,969	5,031	2,189	1,296	998	30,483	2,618	1,264	1,657	2,458
	{F	48,847	16,913	4,460	2,022	1,194	926	25,515	2,341	1,173	1,773	2,399
12	Parentage unknown {M	23,805	3,379	465	211	127	109	4,291	316	250	422	822
	{F	19,314	2,635	390	190	128	79	3,422	284	209	385	713
13	Parentage not stated {M	22,027	6,064	1,533	640	459	330	9,026	939	459	690	955
	{F	19,440	4,907	1,318	603	399	326	7,553	863	470	650	881
14	Foreign	126,590	623	431	304	226	184	1,768	540	575	1,865	4,140
15	Males	69,253	360	233	154	115	93	955	266	296	1,049	2,228
16	Females	57,337	263	198	150	111	91	813	274	279	816	1,912
17	Unknown	11,351	989	160	62	67	44	1,322	111	96	201	458
18	Males	7,405	546	83	37	37	25	728	59	52	111	293
19	Females	3,946	443	77	25	30	19	594	52	44	90	165
20	Colored	34,995	7,278	1,795	817	471	322	10,683	930	731	1,474	2,561
21	Males	18,692	3,980	966	415	220	164	5,745	459	332	654	1,332
22	Females	16,303	3,298	829	402	251	158	4,938	471	399	820	1,229
23	Black {M	17,581	3,914	948	409	216	160	5,647	451	325	643	1,262
	{F	16,114	3,264	822	393	248	155	4,882	469	396	808	1,214
24	Indian {M	118	27	8	3	2	1	41	3	2	4	13
	{F	93	14	3	1	2	1	21	2	3	7	7
25	Chinese and Japanese {M	993	39	10	3	2	3	57	5	5	7	57
	{F	96	20	4	8	1	2	35	.....	.....	5	8
	REGISTRATION CITIES.											
26	Total	385,670	78,997	19,083	8,722	5,363	4,136	116,301	11,200	6,227	10,440	17,051
27	Males	208,719	43,906	10,087	4,547	2,786	2,185	63,511	5,874	3,167	5,227	8,953
28	Females	176,951	35,091	8,996	4,175	2,577	1,951	52,790	5,326	3,060	5,213	8,098
29	White	352,751	72,163	17,393	7,951	4,918	3,834	106,259	10,315	5,540	9,069	14,622
30	Males	191,137	40,173	9,187	4,153	2,576	2,030	58,119	5,440	2,859	4,616	7,680
31	Females	161,614	31,990	8,206	3,798	2,342	1,804	48,140	4,875	2,681	4,453	6,942
32	Native	238,125	70,778	16,880	7,621	4,665	3,628	103,572	9,755	4,980	7,302	10,614
33	Males	127,594	39,403	8,906	3,978	2,437	1,918	56,642	5,162	2,568	3,631	5,472
34	Females	110,531	31,375	7,974	3,643	2,228	1,710	46,930	4,593	2,412	3,671	5,142
35	Both parents native {M	44,336	13,059	2,584	1,250	741	641	18,275	1,784	923	1,336	1,887
	{F	40,449	10,151	2,434	1,137	686	540	14,948	1,530	861	1,377	1,806
36	One or both parents foreign {M	47,361	17,605	4,436	1,929	1,136	866	25,972	2,204	1,002	1,323	2,009
	{F	40,178	14,226	3,922	1,763	1,049	791	21,751	1,989	948	1,398	1,954
37	Parentage unknown {M	15,685	3,019	402	188	114	92	3,815	269	206	334	675
	{F	12,304	2,365	349	160	107	67	3,048	247	169	288	559
38	Parentage not stated {M	20,212	5,720	1,484	611	446	319	8,580	905	437	638	901
	{F	17,600	4,633	1,269	583	386	312	7,183	827	434	608	823
39	Foreign	105,931	490	370	272	198	166	1,496	469	480	1,595	3,618
40	Males	57,787	280	206	141	104	88	819	228	248	894	1,954
41	Females	48,144	210	164	131	94	78	677	241	232	701	1,664
42	Unknown	8,695	895	143	58	55	40	1,191	91	80	172	390
43	Males	5,756	490	75	34	35	24	658	50	43	91	254
44	Females	2,939	405	68	24	20	16	533	41	37	81	136
45	Colored	32,919	6,834	1,690	771	445	302	10,042	885	687	1,371	2,429
46	Males	17,582	3,733	900	394	210	155	5,392	434	308	611	1,273
47	Females	15,337	3,101	790	377	235	147	4,650	451	379	760	1,156
48	Black {M	16,578	3,693	890	391	208	151	5,333	429	303	603	1,213
	{F	15,228	3,080	785	368	234	145	4,612	451	379	752	1,148
49	Indian {M	20	1	.....	.....	.....	1	2	.....	.....	1	4
	{F	13	1	1	1	.....	.....	3	.....	.....	3	.....
50	Chinese and Japanese {M	984	39	10	3	2	3	57	5	5	7	56
	{F	96	20	4	8	1	2	35	.....	.....	5	8

SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1902.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23,542	23,382	24,146	23,797	22,419	24,340	24,651	27,359	28,427	28,196	24,474	18,147	8,946	3,263	1,072	1,909	1
12,317	12,739	13,758	13,869	12,975	13,805	13,795	14,757	15,049	14,613	12,401	8,769	4,071	1,341	382	1,230	2
11,225	10,643	10,388	9,928	9,444	10,535	10,859	12,602	13,378	13,583	12,073	9,378	4,875	1,922	690	679	3
21,157	21,340	21,934	21,906	20,641	22,478	23,135	26,081	27,398	27,350	23,910	17,699	8,707	3,107	891	1,723	4
10,983	11,608	12,503	12,811	11,962	12,735	12,931	14,081	14,520	14,185	12,118	8,582	3,970	1,282	317	1,133	5
10,174	9,732	9,431	9,095	8,679	9,743	10,204	12,000	12,878	13,165	11,792	9,117	4,737	1,825	574	590	6
15,189	14,207	13,003	12,800	11,724	11,371	11,347	12,260	13,616	14,113	13,408	10,653	5,611	2,016	490	784	7
7,648	7,535	7,104	7,110	6,403	6,232	6,121	6,544	7,233	7,399	6,721	5,084	2,537	813	164	452	8
7,541	6,672	5,899	5,690	5,321	5,139	5,226	5,716	6,383	6,714	6,687	5,569	3,074	1,203	326	332	9
2,539	2,342	2,145	2,322	2,407	2,843	3,103	3,562	4,124	4,313	3,918	2,927	1,467	453	79	159	10
2,911	2,497	2,173	2,188	2,303	2,571	2,858	3,240	3,682	4,048	3,945	3,323	1,815	668	162	138	
3,141	3,115	2,823	2,556	1,994	1,308	986	749	655	497	383	252	117	41	14	104	11
2,857	2,496	2,150	1,919	1,536	1,067	753	702	594	492	432	331	153	73	20	71	
979	977	1,132	1,240	1,150	1,304	1,309	1,548	1,724	1,868	1,826	1,466	746	243	54	138	12
802	799	802	851	803	884	1,007	1,144	1,395	1,500	1,644	1,341	785	345	108	91	
989	1,101	1,004	992	852	777	723	685	730	721	594	439	207	76	17	51	13
971	880	774	732	679	617	608	630	712	674	666	574	321	117	36	32	
5,371	6,486	8,103	8,248	8,130	10,336	11,186	13,089	13,080	12,587	9,941	6,591	2,847	1,012	368	327	14
2,932	3,617	4,770	5,058	4,974	5,961	6,380	7,068	6,843	6,402	5,103	3,250	1,321	437	137	206	15
2,439	2,869	3,333	3,190	3,156	4,375	4,806	6,021	6,237	6,185	4,838	3,341	1,526	575	231	121	16
597	647	828	858	787	771	602	732	702	650	561	455	249	79	33	612	17
403	456	629	643	585	542	430	469	444	384	294	248	112	32	16	475	18
194	191	199	215	202	229	172	263	258	266	267	207	137	47	17	137	19
2,385	2,042	2,212	1,891	1,778	1,862	1,519	1,278	1,029	846	564	448	239	156	181	186	20
1,334	1,131	1,255	1,058	1,013	1,070	864	676	529	428	283	187	101	59	65	117	21
1,051	911	957	833	765	792	655	602	500	418	281	261	138	97	116	69	22
1,248	1,043	1,143	937	873	906	784	616	503	412	280	178	100	59	62	109	23
1,030	896	953	821	755	783	651	597	497	413	279	258	135	95	114	68	
6	4	5	1	8	5	2	4	5	2	2	5	1	.....	2	3	24
8	6	1	7	6	2	3	3	1	4	1	3	3	2	2	1	
80	84	107	120	132	159	78	56	21	14	1	4	.....	.....	1	5	25
13	9	3	5	4	7	1	2	2	1	1	.....	.....	.....	.....	.....	
19,342	19,423	20,184	19,626	18,072	19,275	18,738	20,015	19,416	17,965	14,398	9,921	4,672	1,676	604	1,124	26
10,227	10,819	11,770	11,721	10,644	11,077	10,649	10,847	10,169	9,074	7,014	4,446	1,974	651	174	731	27
9,115	8,604	8,414	7,905	7,428	8,198	8,089	9,168	9,247	8,891	7,384	5,475	2,698	1,025	430	393	28
17,071	17,459	18,052	17,815	16,354	17,490	17,307	18,822	18,471	17,228	13,908	9,539	4,464	1,548	447	971	29
8,956	9,730	10,556	10,696	9,664	10,053	9,839	10,223	9,685	8,708	6,774	4,291	1,885	604	122	637	30
8,115	7,729	7,496	7,119	6,690	7,437	7,468	8,599	8,786	8,520	7,134	5,248	2,579	944	325	334	31
11,816	11,108	10,106	9,714	8,495	7,744	7,169	7,194	7,293	6,931	6,043	4,539	2,349	803	187	411	32
6,035	6,104	5,718	5,599	4,768	4,330	3,984	3,868	3,864	3,532	2,835	1,935	956	311	43	237	33
5,781	5,004	4,388	4,115	3,727	3,414	3,185	3,326	3,429	3,399	3,208	2,604	1,393	492	144	174	34
1,629	1,554	1,430	1,497	1,490	1,664	1,751	1,898	1,982	1,881	1,522	1,040	545	158	24	66	35
1,864	1,497	1,308	1,257	1,334	1,487	1,513	1,655	1,771	1,865	1,753	1,438	796	262	68	59	
2,640	2,649	2,389	2,146	1,610	1,042	741	513	387	298	194	107	50	19	3	63	36
2,371	2,072	1,737	1,552	1,220	814	561	499	391	305	251	188	84	31	13	49	
815	844	938	1,012	860	914	837	864	885	815	697	494	238	88	8	77	37
643	619	623	629	553	562	596	639	671	700	694	559	288	126	42	49	
951	1,057	961	944	808	710	655	593	610	538	422	294	123	46	8	31	38
903	816	720	677	620	551	515	533	596	529	510	419	225	73	21	17	
4,746	5,792	7,227	7,343	7,219	9,124	9,662	11,057	10,699	9,907	7,529	4,796	2,004	715	242	211	39
2,580	3,232	4,287	4,519	4,417	5,284	5,513	5,980	5,508	4,954	3,761	2,246	877	285	70	131	40
2,166	2,560	2,940	2,824	2,802	3,840	4,149	5,077	5,191	4,953	3,768	2,550	1,127	430	172	80	41
509	559	719	758	640	622	476	571	479	390	336	204	111	30	18	349	42
341	394	551	578	479	439	342	375	313	222	178	110	52	8	9	269	43
168	165	168	180	161	183	134	196	166	168	158	94	59	22	9	80	44
2,271	1,964	2,132	1,811	1,718	1,785	1,431	1,193	945	737	490	382	208	128	157	153	45
1,271	1,089	1,214	1,025	980	1,024	810	624	484	366	240	155	89	47	52	94	46
1,000	875	918	786	738	761	621	569	461	371	250	227	119	81	105	59	47
1,191	1,005	1,106	909	844	864	732	569	462	352	239	149	89	47	50	89	48
984	865	915	781	733	754	620	566	459	370	249	227	119	80	105	59	
.....	1	2	.....	4	2	.....	.....	1	.....	.....	2	.....	.....	1	.....	49
3	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	
80	83	106	116	132	158	78	55	21	14	1	4	.....	.....	1	5	50
13	9	3	5	4	7	1	2	2	1	1	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION STATES.											
51	Total	318,636	62,634	14,367	6,523	3,912	2,954	90,390	8,121	4,701	7,869	11,921
52	Males	168,639	34,927	7,594	3,351	1,984	1,539	49,395	4,260	2,401	3,886	5,904
53	Females	149,997	27,707	6,773	3,172	1,928	1,415	40,995	3,861	2,300	3,983	6,017
54	White	308,550	60,213	13,783	6,271	3,791	2,859	86,917	7,858	4,491	7,459	11,260
55	Males	163,387	33,585	7,288	3,230	1,929	1,494	47,526	4,134	2,301	3,707	5,592
56	Females	145,163	26,628	6,495	3,041	1,862	1,365	39,391	3,724	2,190	3,752	5,668
57	Native	223,849	59,208	13,378	6,021	3,585	2,712	84,994	7,425	4,077	6,178	8,491
58	Males	117,973	33,063	7,076	3,105	1,830	1,418	46,492	3,908	2,089	3,020	4,208
59	Females	105,876	26,235	6,302	2,916	1,755	1,294	38,502	3,517	1,988	3,158	4,283
60	Both parents native	M.. 56,468	14,109	2,724	1,238	760	588	19,419	1,742	1,069	1,581	2,012
		F.. 52,974	10,936	2,445	1,172	713	514	15,780	1,575	1,008	1,648	2,126
61	One or both parents foreign	M.. 43,921	16,972	4,076	1,739	1,003	770	24,560	1,977	888	1,171	1,757
		F.. 37,799	13,756	3,630	1,626	967	728	20,707	1,769	849	1,265	1,717
62	Parentage unknown	M.. 15,467	1,519	213	94	53	48	1,927	148	108	214	377
		F.. 12,995	1,200	172	90	60	37	1,559	129	87	195	378
63	Parentage not stated	M.. 2,117	463	63	34	14	12	586	41	24	54	62
		F.. 2,108	343	55	28	15	15	456	44	44	50	62
64	Foreign	79,596	450	318	224	177	133	1,302	396	391	1,222	2,630
65	Males	42,120	261	170	108	87	68	694	208	202	649	1,296
66	Females	37,476	189	148	116	90	65	608	188	189	573	1,334
67	Unknown	5,105	465	87	26	29	14	621	37	23	59	139
68	Males	3,294	261	42	17	12	8	340	18	10	38	88
69	Females	1,811	204	45	9	17	6	281	19	13	21	51
70	Colored	10,086	2,421	584	252	121	95	3,473	263	210	410	661
71	Males	5,252	1,342	306	121	55	45	1,869	126	100	179	312
72	Females	4,834	1,079	278	131	66	50	1,604	137	110	231	349
73	Black	M.. 4,986	1,308	294	117	53	44	1,816	123	96	174	290
		F.. 4,732	1,061	273	130	64	49	1,577	135	107	225	342
74	Indian	M.. 112	26	8	3	2	.....	39	3	2	4	10
		F.. 84	13	3	.....	2	1	19	2	3	4	7
75	Chinese and Japanese	M.. 154	8	4	1	.....	1	14	.....	2	1	12
		F.. 18	5	2	1	.....	.....	8	.....	.....	2	.....
	CITIES IN REGISTRATION STATES.											
76	Total	195,666	43,056	10,472	4,720	2,800	2,128	63,176	5,531	2,765	4,600	7,582
77	Males	103,773	23,920	5,528	2,452	1,431	1,112	34,443	2,915	1,390	2,293	3,843
78	Females	91,893	19,136	4,944	2,268	1,369	1,016	28,733	2,616	1,375	2,307	3,739
79	White	187,656	41,079	9,993	4,514	2,705	2,033	60,344	5,313	2,599	4,293	7,053
80	Males	99,631	22,825	5,288	2,352	1,386	1,076	32,927	2,814	1,314	2,157	3,590
81	Females	88,025	18,254	4,705	2,162	1,319	977	27,417	2,499	1,285	2,136	3,463
82	Native	126,270	40,391	9,666	4,300	2,539	1,928	58,824	4,971	2,296	3,311	4,874
83	Males	67,332	22,439	5,111	2,243	1,300	1,006	32,099	2,635	1,159	1,645	2,519
84	Females	58,938	17,952	4,555	2,057	1,239	922	26,725	2,336	1,137	1,666	2,355
85	Both parents native	M.. 25,616	7,553	1,466	688	416	336	10,459	964	467	680	973
		F.. 23,555	5,884	1,326	622	376	303	8,511	819	458	670	855
86	One or both parents foreign	M.. 34,067	13,608	3,481	1,479	843	638	20,049	1,563	626	837	1,308
		F.. 29,130	11,069	3,092	1,367	822	503	16,943	1,417	624	890	1,272
87	Parentage unknown	M.. 7,347	1,159	150	71	40	31	1,451	101	64	126	230
		F.. 5,985	930	131	60	39	25	1,185	92	47	98	224
88	Parentage not stated	M.. 302	119	14	5	1	1	140	7	2	2	8
		F.. 268	69	6	8	2	1	86	8	8	8	4
89	Foreign	58,937	317	257	192	149	115	1,030	325	296	952	2,108
90	Males	30,654	181	143	95	76	63	558	170	154	494	1,022
91	Females	28,283	136	114	97	73	52	472	155	142	458	1,086
92	Unknown	2,449	371	70	22	17	10	490	17	7	30	71
93	Males	1,645	205	34	14	10	7	270	9	1	18	49
94	Females	804	166	36	8	7	3	220	8	6	12	22
95	Colored	8,010	1,977	479	206	95	75	2,832	218	166	307	529
96	Males	4,142	1,095	240	100	45	36	1,516	101	76	136	253
97	Females	3,868	882	239	106	50	39	1,316	117	90	171	276
98	Black	M.. 3,983	1,087	236	99	45	35	1,502	101	74	134	241
		F.. 3,846	877	236	105	50	39	1,307	117	90	169	276
99	Indian	M.. 14	.....	.....	.....	.....	.....	.....	.....	.....	1	1
		F.. 4	.....	1	.....	.....	.....	1	.....	.....	.....	.....
100	Chinese and Japanese	M.. 145	8	4	1	.....	1	14	.....	2	1	11
		F.. 18	5	2	1	.....	.....	8	.....	.....	2	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
13,277	13,432	13,643	13,676	13,031	14,655	15,581	17,723	19,066	19,496	17,534	13,373	6,774	2,508	739	1,126	51
6,721	7,100	7,498	7,636	7,259	8,068	8,459	9,358	9,975	10,044	8,939	6,549	3,136	1,042	280	729	52
6,556	6,332	6,145	6,040	5,772	6,587	7,122	8,365	9,091	9,452	8,595	6,824	3,638	1,466	459	397	53
12,680	12,913	13,115	13,194	12,561	14,188	15,154	17,384	18,753	19,193	17,321	13,215	6,691	2,448	683	1,072	54
6,407	6,826	7,215	7,373	7,016	7,811	8,210	9,179	9,822	9,889	8,825	6,472	3,108	1,021	257	696	55
6,273	6,087	5,900	5,821	5,545	6,377	6,944	8,205	8,931	9,304	8,496	6,743	3,583	1,427	426	376	56
8,998	8,540	7,750	7,800	7,337	7,487	7,831	8,849	10,228	10,976	10,766	8,792	4,682	1,720	421	507	57
4,495	4,430	4,123	4,206	3,914	4,041	4,164	4,688	5,406	5,766	5,473	4,253	2,167	696	144	290	58
4,503	4,110	3,627	3,594	3,423	3,446	3,667	4,161	4,822	5,210	5,293	4,539	2,515	1,024	277	217	59
1,710	1,576	1,450	1,634	1,746	2,167	2,469	2,870	3,411	3,664	3,431	2,607	1,308	416	69	117	60
1,922	1,753	1,529	1,613	1,727	1,971	2,269	2,671	3,091	3,458	3,418	2,952	1,609	612	145	97	
2,246	2,300	1,998	1,790	1,416	950	702	570	514	373	293	204	100	30	13	69	61
2,052	1,824	1,555	1,387	1,114	783	563	509	465	390	337	268	121	58	18	48	
498	502	622	719	698	846	918	1,140	1,350	1,529	1,566	1,287	669	215	52	82	62
450	453	477	528	517	622	732	870	1,135	1,206	1,369	1,150	682	307	96	53	
41	52	53	63	54	78	75	108	131	200	183	155	90	35	10	22	63
79	80	66	66	65	70	103	111	131	156	169	169	103	47	18	19	
3,473	4,137	5,047	5,083	4,878	6,380	7,065	8,243	8,178	7,854	6,249	4,117	1,839	672	241	199	64
1,765	2,227	2,837	2,936	2,851	3,533	3,861	4,309	4,208	3,904	3,197	2,050	868	299	104	122	65
1,708	1,910	2,210	2,147	2,027	2,847	3,204	3,934	3,970	3,950	3,052	2,067	971	373	137	77	66
209	236	318	311	346	321	258	292	347	363	336	306	170	56	21	366	67
147	169	255	231	251	237	185	182	208	219	155	169	73	26	9	284	68
62	67	63	80	95	84	73	110	139	144	151	137	97	30	12	82	69
597	519	528	482	470	467	427	339	313	303	213	158	83	60	56	54	70
314	274	283	263	243	257	249	179	153	155	114	77	28	21	23	33	71
283	245	245	219	227	210	178	160	160	148	99	81	55	39	33	21	72
295	249	260	240	219	229	241	173	147	152	112	71	27	21	21	30	73
276	239	244	211	220	208	175	157	158	143	97	78	32	37	31	20	
6	4	5	1	7	5	2	4	5	2	2	5	1	.....	2	3	74
7	5	1	7	5	2	3	2	1	4	1	3	3	2	2	1	
13	21	18	22	17	23	6	2	1	1	.....	1	.....	.....	.....	.....	75
.....	1	.....	1	2	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	
9,077	9,473	9,681	9,505	8,684	9,590	9,665	10,379	10,055	9,265	7,458	5,147	2,500	921	271	341	76
4,631	5,180	5,510	5,488	4,928	5,340	5,313	5,448	5,095	4,505	3,552	2,226	1,039	352	72	210	77
4,446	4,293	4,171	4,017	3,756	4,250	4,352	4,931	4,960	4,760	3,906	2,921	1,461	569	199	131	78
8,594	9,032	9,233	9,103	8,274	9,200	9,326	10,125	9,826	9,071	7,319	5,055	2,448	889	239	320	79
4,380	4,948	5,208	5,258	4,718	5,129	5,118	5,321	4,987	4,412	3,481	2,181	1,023	343	62	200	80
4,214	4,084	3,965	3,845	3,556	4,071	4,208	4,804	4,839	4,659	3,838	2,874	1,425	546	177	120	81
5,625	5,441	4,853	4,714	4,108	3,860	3,653	3,783	3,905	3,794	3,401	2,678	1,420	507	118	134	82
2,882	2,999	2,737	2,695	2,279	2,139	2,027	2,012	2,037	1,899	1,587	1,104	586	194	23	75	83
2,743	2,442	2,116	2,019	1,829	1,721	1,626	1,771	1,868	1,895	1,814	1,574	834	313	95	59	84
800	788	735	809	829	988	1,117	1,206	1,269	1,232	1,035	720	386	121	14	24	85
875	753	664	682	758	887	924	1,086	1,180	1,275	1,226	1,067	590	206	51	18	
1,745	1,834	1,564	1,380	1,032	684	457	334	246	174	104	59	33	8	2	28	86
1,566	1,400	1,142	1,020	798	530	371	306	262	203	156	125	52	16	11	26	
334	369	428	491	408	456	446	456	511	476	437	315	161	60	6	21	87
291	273	298	306	267	300	321	365	411	406	419	368	185	88	30	11	
3	8	10	15	10	11	7	16	11	17	11	10	6	5	1	2	88
11	16	12	11	6	4	10	14	15	11	13	14	7	3	3	4	
2,848	3,443	4,171	4,178	3,967	5,168	5,541	6,211	5,797	5,174	3,837	2,322	996	375	115	83	89
1,413	1,842	2,354	2,397	2,294	2,856	2,994	3,221	2,873	2,456	1,855	1,046	424	147	37	47	90
1,435	1,601	1,817	1,781	1,673	2,312	2,547	2,990	2,924	2,718	1,982	1,276	572	228	78	36	91
121	148	209	211	199	172	132	131	124	103	81	55	32	7	6	103	92
85	107	177	166	145	134	97	88	77	57	39	31	13	2	2	78	93
36	41	32	45	54	38	35	43	47	46	42	24	19	5	4	25	94
483	441	448	402	410	390	339	254	229	194	139	92	52	32	32	21	95
251	232	242	230	210	211	195	127	108	93	71	45	16	9	10	10	96
232	209	206	172	200	179	144	127	121	101	68	47	36	23	22	11	97
238	211	223	212	190	187	189	126	106	92	71	42	16	9	9	10	98
230	208	206	171	198	179	144	126	120	100	67	47	36	22	22	11	
.....	1	2	.....	3	2	.....	.....	1	.....	.....	2	.....	.....	1	.....	99
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	
13	20	17	18	17	22	6	1	1	1	.....	1	.....	.....	.....	.....	100
.....	1	.....	1	2	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	RURAL PART OF REGISTRATION STATES.											
101	Total	122,970	19,578	3,895	1,803	1,112	826	27,214	2,590	1,936	3,269	4,339
102	Males	64,866	11,007	2,066	899	553	427	14,952	1,345	1,011	1,593	2,061
103	Females	58,104	8,571	1,829	904	559	399	12,262	1,245	925	1,676	2,278
104	White	120,894	19,134	3,790	1,757	1,086	806	26,573	2,545	1,892	3,166	4,207
105	Males	63,756	10,760	2,000	878	543	418	14,599	1,320	987	1,550	2,002
106	Females	57,138	8,374	1,790	879	543	388	11,974	1,225	905	1,616	2,205
107	Native	97,579	18,907	3,712	1,721	1,046	784	26,170	2,454	1,781	2,867	3,617
108	Males	50,641	10,624	1,965	862	530	412	14,393	1,273	930	1,375	1,689
109	Females	46,938	8,283	1,747	859	516	372	11,777	1,181	851	1,492	1,928
110	Both parents native { M	30,852	6,556	1,258	550	344	252	8,960	778	602	901	1,039
	{ F	29,419	5,052	1,119	550	337	211	7,269	756	550	978	1,271
111	One or both parents foreign { M	9,854	3,364	595	260	160	132	4,511	414	262	334	449
	{ F	8,669	2,687	538	259	145	135	3,764	352	225	375	445
112	Parentage unknown { M	8,120	360	63	23	13	17	476	47	44	88	147
	{ F	7,010	270	41	30	21	12	374	37	40	97	154
113	Parentage not stated { M	1,815	344	49	29	13	11	446	34	22	52	54
	{ F	1,840	274	49	29	13	14	370	36	36	42	58
114	Foreign	20,659	133	61	32	28	18	272	71	95	270	522
115	Males	11,466	80	27	13	11	5	136	38	48	155	274
116	Females	9,193	53	34	19	17	13	136	33	47	115	248
117	Unknown	2,656	94	17	4	12	4	131	20	16	29	68
118	Males	1,649	56	8	3	2	1	70	9	9	20	39
119	Females	1,007	38	9	1	10	3	61	11	7	9	29
120	Colored	2,076	444	105	46	26	20	641	45	44	103	132
121	Males	1,110	247	66	21	10	9	353	25	24	43	59
122	Females	966	197	39	25	16	11	288	20	20	60	73
123	Black { M	1,003	221	58	18	8	9	314	22	22	40	49
	{ F	886	184	37	25	14	10	270	18	17	56	66
124	Indian { M	98	26	8	3	2	.....	39	3	2	3	9
	{ F	80	13	2	.....	2	1	18	2	3	4	7
125	Chinese and Japanese { M	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	{ F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	REGISTRATION CITIES IN OTHER STATES.											
126	Total	190,004	35,941	8,611	4,002	2,563	2,008	53,125	5,669	3,462	5,840	9,469
127	Males	104,946	19,986	4,559	2,095	1,355	1,073	29,068	2,959	1,777	2,934	5,110
128	Females	85,058	15,955	4,052	1,907	1,208	935	24,057	2,710	1,685	2,906	4,359
129	White	165,095	31,084	7,400	3,437	2,213	1,781	45,915	5,002	2,941	4,776	7,569
130	Males	91,506	17,348	3,899	1,801	1,190	954	25,192	2,626	1,545	2,459	4,090
131	Females	73,589	13,736	3,501	1,636	1,023	827	20,723	2,376	1,396	2,317	3,479
132	Native	111,855	30,387	7,214	3,321	2,126	1,700	44,748	4,784	2,684	3,991	5,740
133	Males	60,262	16,964	3,795	1,735	1,137	912	24,543	2,527	1,409	1,986	2,953
134	Females	51,593	13,423	3,419	1,586	989	788	20,205	2,257	1,275	2,005	2,787
135	Both parents native { M	18,720	5,506	1,118	562	325	305	7,816	820	456	656	914
	{ F	16,894	4,267	1,108	515	310	237	6,437	711	403	707	951
136	One or both parents foreign { M	13,294	3,997	955	450	293	228	5,923	641	376	486	701
	{ F	11,048	3,157	830	396	227	198	4,808	572	324	508	682
137	Parentage unknown { M	8,338	1,860	252	117	74	61	2,364	168	142	208	445
	{ F	6,319	1,435	218	100	68	42	1,863	155	122	190	335
138	Parentage not stated { M	19,910	5,601	1,470	606	445	318	8,440	898	435	636	893
	{ F	17,332	4,564	1,263	575	384	311	7,097	819	426	600	819
139	Foreign	46,994	173	113	80	49	51	466	144	184	643	1,510
140	Males	27,133	99	63	46	28	25	261	58	94	400	932
141	Females	19,861	74	50	34	21	26	205	86	90	243	578
142	Unknown	6,246	524	73	36	38	30	701	74	73	142	319
143	Males	4,111	285	41	20	25	17	388	41	42	73	205
144	Females	2,135	239	32	16	13	13	313	33	31	69	114
145	Colored	24,909	4,857	1,211	565	350	227	7,210	667	521	1,064	1,900
146	Males	13,440	2,638	660	294	165	119	3,876	333	232	475	1,020
147	Females	11,469	2,219	551	271	185	108	3,334	334	289	589	880
148	Black { M	12,595	2,606	654	292	163	116	3,831	328	229	469	972
	{ F	11,382	2,303	549	263	184	106	3,305	334	289	583	872
149	Indian { M	6	1	.....	.....	.....	1	2	.....	.....	.....	3
	{ F	9	1	.....	1	.....	.....	2	.....	.....	3	.....
150	Chinese and Japanese { M	839	31	6	2	2	2	43	5	3	6	45
	{ F	78	15	2	7	1	2	27	.....	.....	3	8

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,200	3,959	3,962	4,171	4,347	5,065	5,916	7,344	9,011	10,231	10,076	8,226	4,274	1,587	468	785	101
2,090	1,920	1,988	2,148	2,331	2,728	3,146	3,910	4,880	5,539	5,387	4,323	2,097	690	208	519	102
2,110	2,039	1,974	2,023	2,016	2,337	2,770	3,434	4,131	4,692	4,689	3,903	2,177	897	260	266	103
4,086	3,881	3,882	4,091	4,287	4,988	5,828	7,259	8,927	10,122	10,002	8,160	4,243	1,559	444	752	104
2,027	1,878	1,947	2,115	2,298	2,682	3,092	3,858	4,835	5,477	5,344	4,291	2,085	678	195	496	105
2,059	2,003	1,935	1,976	1,989	2,306	2,736	3,401	4,092	4,645	4,658	3,869	2,158	881	249	256	106
3,373	3,099	2,897	3,086	3,229	3,627	4,178	5,066	6,323	7,182	7,365	6,114	3,262	1,213	303	373	107
1,613	1,431	1,386	1,511	1,635	1,902	2,137	2,676	3,369	3,867	3,886	3,149	1,581	502	121	215	108
1,760	1,668	1,511	1,575	1,594	1,725	2,041	2,390	2,954	3,315	3,479	2,965	1,681	711	182	158	109
910	788	715	825	917	1,179	1,352	1,664	2,142	2,432	2,396	1,887	922	295	55	93	110
1,047	1,000	865	931	969	1,084	1,345	1,585	1,911	2,183	2,192	1,885	1,019	406	94	79	
501	466	434	410	384	266	245	236	268	199	189	145	67	22	11	41	111
486	424	413	367	316	253	192	203	203	187	181	143	69	42	7	22	
164	133	194	228	290	390	472	684	839	1,053	1,129	972	508	155	46	61	112
159	180	179	222	250	322	411	505	724	800	950	782	497	219	66	42	
38	44	43	48	44	67	68	92	120	183	172	145	84	30	9	20	113
68	64	54	55	59	66	93	97	116	145	156	155	96	44	15	15	
625	694	876	905	911	1,212	1,524	2,032	2,381	2,680	2,412	1,795	843	297	126	116	114
352	385	483	539	557	677	867	1,088	1,335	1,448	1,342	1,004	444	152	67	75	115
273	309	393	366	354	535	657	944	1,046	1,232	1,070	791	399	145	59	41	116
88	88	109	100	147	149	126	161	223	260	225	251	138	49	15	263	117
62	62	78	65	106	103	88	94	131	162	116	138	60	24	7	206	118
26	26	31	35	41	46	38	67	92	98	109	113	78	25	8	57	119
114	78	80	80	60	77	88	85	84	109	74	66	31	28	24	33	120
63	42	41	33	33	46	54	52	45	62	43	32	12	12	13	23	121
51	36	39	47	27	31	34	33	39	47	31	34	19	16	11	10	122
57	38	37	28	29	42	52	47	41	60	41	29	11	12	12	20	123
46	31	38	40	22	29	31	31	38	43	30	31	16	15	9	9	
6	3	3	1	4	3	2	4	4	2	2	3	1	.....	1	3	124
5	5	1	7	5	2	3	2	1	4	1	3	3	1	2	1	
.....	1	1	4	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	125
10,265	9,950	10,503	10,121	9,388	9,685	9,073	9,636	9,361	8,700	6,940	4,774	2,172	755	333	783	126
5,596	5,639	6,260	6,233	5,716	5,737	5,336	5,399	5,074	4,569	3,462	2,220	935	299	102	521	127
4,669	4,311	4,243	3,888	3,672	3,948	3,737	4,237	4,287	4,131	3,478	2,554	1,237	456	231	262	128
8,477	8,427	8,819	8,712	8,080	8,290	7,981	8,697	8,645	8,157	6,589	4,484	2,016	659	208	651	129
4,576	4,782	5,288	5,438	4,946	4,924	4,721	4,902	4,698	4,296	3,293	2,110	862	261	60	437	130
3,901	3,645	3,531	3,274	3,134	3,366	3,260	3,795	3,947	3,861	3,296	2,374	1,154	398	148	214	131
6,191	5,667	5,253	5,000	4,387	3,884	3,516	3,411	3,388	3,137	2,642	1,861	929	296	69	277	132
3,153	3,105	2,981	2,904	2,489	2,191	1,957	1,856	1,827	1,633	1,248	831	370	117	20	162	133
3,038	2,562	2,272	2,096	1,898	1,693	1,559	1,555	1,561	1,504	1,394	1,030	559	179	49	115	134
829	766	695	688	661	676	634	692	713	649	487	320	159	37	10	42	135
989	744	644	575	576	600	589	569	591	590	527	371	206	56	17	41	
895	815	825	766	578	358	284	179	141	124	90	48	17	11	1	35	136
805	672	595	532	422	284	190	193	129	102	95	63	32	15	2	23	
481	475	510	521	452	458	391	408	374	339	260	179	77	28	2	56	137
352	346	325	323	286	262	275	274	260	294	275	191	103	38	12	38	
948	1,049	951	929	798	699	648	577	599	521	411	284	117	41	7	29	138
892	800	708	666	614	547	505	519	581	518	497	405	218	70	18	13	
1,898	2,349	3,056	3,165	3,252	3,956	4,121	4,846	4,902	4,733	3,692	2,474	1,008	340	127	128	139
1,167	1,390	1,933	2,122	2,123	2,428	2,519	2,759	2,635	2,498	1,906	1,200	453	138	33	84	140
731	959	1,123	1,043	1,129	1,528	1,602	2,087	2,267	2,235	1,786	1,274	555	202	94	44	141
388	411	510	547	441	450	344	440	355	287	255	149	79	23	12	246	142
256	287	374	412	334	305	245	287	236	165	139	79	39	6	7	191	143
132	124	136	135	107	145	99	153	119	122	116	70	40	17	5	55	144
1,788	1,523	1,684	1,409	1,308	1,395	1,092	939	716	543	351	290	156	96	125	132	145
1,020	857	972	795	770	813	615	497	376	273	169	110	73	38	42	84	146
768	666	712	614	538	582	477	442	340	270	182	180	83	58	83	48	147
953	794	883	697	654	677	543	443	356	260	168	107	73	38	41	79	148
754	657	709	610	535	575	476	440	339	270	182	180	83	58	83	48	
.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	149
1	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
67	63	89	98	115	136	72	54	29	13	1	3	.....	.....	1	5	150
13	8	3	4	2	7	1	1	1	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX.

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	CONNECTICUT.											
151	Total	14,386	2,874	523	287	195	120	3,999	356	206	301	459
152	Males	7,629	1,620	290	137	99	63	2,209	192	104	156	246
153	Females	6,757	1,254	233	150	96	57	1,790	164	102	145	213
154	White	14,076	2,812	510	277	192	117	3,908	350	200	284	448
155	Males	7,463	1,585	280	135	98	60	2,158	188	99	147	243
156	Females	6,613	1,227	230	142	94	57	1,750	162	101	137	205
157	Native	10,087	2,789	487	260	180	114	3,830	334	177	220	314
158	Males	5,345	1,575	267	125	91	58	2,116	180	89	116	177
159	Females	4,742	1,214	220	135	89	56	1,714	154	88	104	137
160	Both parents native	2,361	537	72	32	24	17	682	75	30	64	63
		2,148	381	54	32	28	18	513	48	33	44	47
161	One or both parents foreign	2,240	985	187	91	65	39	1,367	99	56	45	102
		1,899	789	162	103	58	35	1,147	100	51	55	74
162	Parentage unknown	744	53	8	2	2	2	67	6	3	7	12
		695	44	4	.....	3	3	54	6	4	5	16
163	Foreign	3,753	20	18	14	11	3	66	15	23	60	128
164	Males	1,946	9	11	8	7	2	37	8	10	27	61
165	Females	1,807	11	7	6	4	1	29	7	13	33	67
166	Unknown	236	3	5	3	1	.....	12	1	.....	4	6
167	Males	172	1	2	2	.....	.....	5	.....	.....	4	5
168	Females	64	2	3	1	1	.....	7	1	.....	.....	1
169	Colored	310	62	13	10	3	3	91	6	6	17	11
170	Males	166	35	10	2	1	3	51	4	5	9	3
171	Females	144	27	3	8	2	.....	40	2	1	8	8
172	Black	164	35	10	2	1	3	51	4	5	9	3
		144	27	3	8	2	.....	40	2	1	8	8
173	Indian	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Chinese and Japanese	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	DISTRICT OF COLUMBIA.											
175	Total	5,782	1,240	221	87	50	37	1,635	132	91	179	304
176	Males	3,067	709	113	46	24	16	908	61	45	80	140
177	Females	2,715	531	108	41	26	21	727	71	46	99	164
178	White	3,195	530	82	34	25	8	679	53	40	71	120
179	Males	1,764	309	44	19	14	7	393	28	23	40	60
180	Females	1,431	221	38	15	11	1	286	25	17	31	60
181	Native	2,585	524	81	34	24	8	671	51	39	67	109
182	Males	1,398	305	44	19	13	7	388	27	22	37	56
183	Females	1,187	219	37	15	11	1	283	24	17	30	53
184	Both parents native	941	236	34	15	12	5	302	22	20	27	40
		827	168	29	11	6	1	215	14	14	18	34
185	One or both parents foreign	212	42	5	4	.....	2	53	3	1	2	11
		221	28	7	4	4	.....	43	7	2	8	13
186	Parentage unknown	245	27	5	.....	1	.....	33	2	1	8	5
		139	23	1	.....	1	.....	25	3	1	4	6
187	Foreign	582	.....	.....	.....	.....	.....	.....	2	1	3	10
188	Males	342	.....	.....	.....	.....	.....	.....	1	1	2	3
189	Females	240	.....	.....	.....	.....	.....	.....	1	.....	1	7
190	Unknown	28	6	1	.....	1	.....	8	.....	.....	1	1
191	Males	24	4	.....	.....	1	.....	5	.....	.....	1	1
192	Females	4	2	1	.....	.....	.....	3	.....	.....	.....	.....
193	Colored	2,587	710	139	53	25	29	956	79	51	108	184
194	Males	1,303	400	69	27	10	9	515	33	22	40	80
195	Females	1,284	310	70	26	15	20	441	46	29	68	104
196	Black	1,299	399	69	27	10	9	514	33	22	40	79
		1,283	310	70	26	15	20	441	46	29	68	104
197	Indian	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
198	Chinese and Japanese	3	1	.....	.....	.....	.....	1	.....	.....	.....	1
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
571	578	577	584	564	696	754	826	895	882	817	673	355	136	49	110	151
290	320	321	330	308	390	385	426	454	460	402	325	154	53	20	84	152
281	258	256	254	256	306	369	400	441	422	415	348	199	83	29	26	153
558	559	561	572	549	680	734	815	882	871	808	666	348	133	48	102	154
280	311	312	325	302	378	372	419	446	456	400	325	152	51	20	79	155
278	248	249	247	247	302	362	396	436	415	408	341	196	82	28	23	156
385	354	300	317	309	340	351	361	481	503	569	504	269	104	35	30	157
196	198	165	165	173	180	174	191	242	278	277	239	116	40	12	21	158
189	156	135	152	136	160	177	170	239	225	292	265	153	64	23	9	159
58	62	58	61	72	107	108	124	177	183	172	154	69	29	8	5	160
65	52	54	63	66	92	121	108	161	160	195	185	85	39	13	4	
114	123	93	69	70	34	20	12	13	8	5	5	2	.....	1	2	161
106	84	69	59	46	33	16	10	13	6	15	4	6	2	1	2	
24	13	14	35	31	39	46	55	52	87	100	80	45	11	3	14	162
18	20	12	30	24	35	40	52	65	59	82	76	62	23	9	3	
163	195	246	248	231	325	368	436	382	347	223	152	70	29	12	34	163
77	105	135	154	124	185	185	216	195	163	113	79	30	11	7	24	164
86	90	111	94	107	140	183	220	187	184	110	73	40	18	5	10	165
10	10	15	7	9	15	15	18	19	21	16	10	9	.....	1	38	166
7	8	12	6	5	13	13	12	9	15	10	7	6	.....	1	34	167
3	2	3	1	4	2	2	6	10	6	6	3	3	.....	.....	4	168
13	19	16	12	15	16	20	11	13	11	9	7	5	3	1	8	169
10	9	9	5	6	12	13	7	8	4	2	.....	2	2	.....	5	170
3	10	7	7	9	4	7	4	5	7	7	7	3	1	1	3	171
10	9	8	5	5	12	13	7	8	4	2	.....	2	2	.....	5	172
3	10	7	7	9	4	7	4	5	7	7	7	3	1	1	3	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	173
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	174
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
305	279	249	262	275	277	322	335	297	321	242	163	72	27	15	.....	175
165	136	136	154	140	156	194	186	167	168	119	67	31	10	4	.....	176
140	143	113	108	135	121	128	149	130	153	123	96	41	17	11	.....	177
166	170	144	146	149	164	214	241	208	243	188	127	51	17	4	.....	178
94	85	82	84	80	96	132	142	119	130	93	49	25	8	1	.....	179
72	85	62	62	69	68	82	99	89	113	95	78	26	9	3	.....	180
158	151	114	120	121	126	155	172	132	147	114	85	40	12	1	.....	181
88	72	63	63	64	74	92	96	73	74	52	29	22	6	.....	.....	182
70	79	51	57	57	52	63	76	59	73	62	56	18	6	1	.....	183
46	33	26	36	36	54	51	69	45	54	36	23	17	4	.....	.....	184
44	49	28	32	29	39	44	55	44	51	51	44	16	5	1	.....	
17	25	21	11	10	11	16	8	6	5	7	1	3	1	.....	.....	185
18	18	12	16	16	9	15	13	7	12	5	6	1	.....	.....	.....	
25	14	16	16	18	9	25	19	22	15	9	5	2	1	.....	.....	186
8	12	11	9	12	4	4	8	8	10	6	6	1	1	.....	.....	
6	16	27	26	27	37	58	68	73	94	74	41	11	5	3	.....	187
4	10	16	21	15	21	39	45	44	54	41	19	3	2	1	.....	188
2	6	11	5	12	16	19	23	29	40	33	22	8	3	2	.....	189
2	3	3	.....	1	1	1	1	3	2	.....	1	.....	.....	.....	.....	190
2	3	3	.....	1	1	1	1	2	2	.....	1	.....	.....	.....	.....	191
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	192
139	109	105	116	126	113	108	94	89	78	54	36	21	10	11	.....	193
71	51	54	70	60	60	62	44	48	38	26	18	6	2	3	.....	194
68	58	51	46	66	53	46	50	41	40	28	18	15	8	8	.....	195
71	51	53	69	60	60	62	44	48	38	26	18	6	2	3	.....	196
67	58	51	46	66	53	46	50	41	40	28	18	15	8	8	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	197
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	198
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA.											
199	Total	32,947	6,428	1,406	624	325	272	9,055	826	689	1,180	1,595
200	Males	17,122	3,577	758	298	174	138	4,945	423	361	539	703
201	Females	15,825	2,851	648	326	151	134	4,110	403	328	641	892
202	White	31,748	6,215	1,340	587	312	261	8,715	793	646	1,104	1,517
203	Males	16,499	3,473	726	277	166	134	4,776	408	343	505	668
204	Females	15,249	2,742	614	310	146	127	3,939	385	303	599	849
205	Native	28,025	6,204	1,337	585	309	257	8,692	780	634	1,080	1,450
206	Males	14,304	3,465	724	277	164	130	4,760	400	341	489	629
207	Females	13,721	2,739	613	308	145	127	3,932	380	293	591	821
208	Both parents native	M.. 9,840	2,965	643	240	145	109	4,102	328	293	391	471
		F.. 9,571	2,328	542	261	131	101	3,363	335	243	481	643
209	One or both parents foreign	M.. 1,719	327	56	26	15	17	441	52	41	66	93
		F.. 1,611	281	47	30	10	20	388	32	30	67	98
210	Parentage unknown	M.. 2,745	173	25	11	4	4	217	20	7	32	65
		F.. 2,539	130	24	17	4	6	181	13	20	43	80
211	Foreign	3,058	5	2	2	1	2	12	5	10	18	42
212	Males	1,779	3	2	.....	1	2	8	3	2	12	22
213	Females	1,279	2	.....	2	.....	.....	4	2	8	6	20
214	Unknown	665	6	1	.....	2	2	11	8	2	6	25
215	Males	416	5	.....	.....	1	2	8	5	.....	4	17
216	Females	249	1	1	.....	1	.....	3	3	2	2	8
217	Colored	1,199	213	66	37	13	11	340	33	43	76	78
218	Males	623	104	32	21	8	4	169	15	18	34	35
219	Females	576	109	34	16	5	7	171	18	25	42	43
220	Black	M.. 604	100	31	20	8	4	163	15	16	34	34
		F.. 560	104	32	15	5	7	163	18	25	40	43
221	Indian	M.. 2	1	.....	.....	.....	.....	1	.....	.....	.....	.....
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
222	Chinese and Japanese	M.. 17	3	1	1	.....	.....	5	.....	2	.....	1
		F.. 16	5	2	1	.....	.....	8	.....	.....	2	.....
	MAINE.[a]											
223	Total	10,815	1,580	292	143	77	71	2,163	206	152	303	405
224	Males	5,544	890	148	68	37	36	1,179	113	71	131	191
225	Females	5,271	690	144	75	40	35	984	93	81	172	214
226	White	10,774	1,574	288	142	76	68	2,148	205	152	301	403
227	Males	5,522	888	146	68	36	33	1,171	112	71	130	191
228	Females	5,252	686	142	74	40	35	977	93	81	171	212
229	Native	9,215	1,545	276	133	72	66	2,092	192	139	245	335
230	Males	4,713	866	144	62	35	32	1,139	103	66	99	156
231	Females	4,502	679	132	71	37	34	953	89	73	146	179
232	Both parents native	M.. 3,036	448	79	28	20	19	594	59	38	72	108
		F.. 3,025	356	64	37	25	21	503	49	50	102	133
233	One or both parents foreign	M.. 889	395	63	32	15	13	518	38	23	24	34
		F.. 751	301	65	29	10	11	416	37	22	40	30
234	Parentage unknown	M.. 788	23	2	2	.....	.....	27	6	5	3	14
		F.. 726	22	3	5	2	2	34	3	1	4	16
235	Foreign	1,383	23	10	8	4	2	47	11	12	54	65
236	Males	705	16	2	6	1	1	26	8	4	29	33
237	Females	678	7	8	2	3	1	21	3	8	25	32
238	Unknown	176	6	2	1	.....	.....	9	2	1	2	3
239	Males	104	6	.....	.....	.....	.....	6	1	1	2	2
240	Females	72	.....	2	1	.....	.....	3	1	.....	.....	1
241	Colored	41	6	4	1	1	3	15	1	.....	2	2
242	Males	22	2	2	.....	1	3	8	1	.....	1	.....
243	Females	19	4	2	1	.....	.....	7	.....	.....	1	2
244	Black	M.. 17	2	2	.....	.....	2	6	1	.....	1	.....
		F.. 16	4	1	1	.....	.....	6	.....	.....	1	1
245	Indian	M.. 4	.....	.....	.....	1	.....	1	.....	.....	.....	.....
		F.. 3	.....	1	.....	.....	.....	1	.....	.....	.....	1
246	Chinese and Japanese	M.. 1	.....	.....	.....	.....	1	1	.....	.....	.....	.....
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1902—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,438	1,294	1,193	1,273	1,177	1,304	1,428	1,700	2,018	2,152	2,034	1,389	667	235	87	213	199
659	590	564	619	620	682	761	923	1,135	1,151	1,071	753	343	113	33	134	200
779	704	629	654	557	622	667	777	883	1,001	963	636	324	122	54	79	201
1,366	1,228	1,135	1,219	1,118	1,245	1,369	1,664	1,975	2,113	2,006	1,377	664	226	73	195	202
616	557	533	593	590	653	722	895	1,117	1,129	1,054	743	341	107	26	123	203
750	671	602	626	528	592	647	769	858	984	952	634	323	119	47	72	204
1,285	1,129	1,005	1,078	951	1,055	1,119	1,282	1,503	1,572	1,519	1,035	515	172	51	118	205
570	499	454	494	481	541	568	676	838	829	759	544	269	77	18	68	206
715	630	551	584	470	514	551	606	665	743	760	491	246	95	33	50	207
377	303	274	276	289	310	307	375	447	454	390	249	125	27	9	43	208
491	414	336	380	272	288	323	360	373	421	407	237	118	42	15	29	
121	116	100	115	88	71	77	64	82	49	56	45	22	12	1	7	209
113	107	112	114	84	87	61	63	56	51	61	46	24	8	3	6	
72	80	80	103	104	160	184	237	309	326	313	250	122	38	8	18	210
111	109	103	90	114	139	167	183	236	271	292	208	104	45	15	15	
51	65	95	111	112	146	221	335	422	477	434	294	126	47	19	16	211
24	39	54	85	73	83	132	186	248	264	265	170	63	25	8	13	212
27	26	41	26	39	63	89	149	174	213	169	124	63	22	11	3	213
30	34	35	30	55	44	29	47	50	64	53	48	23	7	3	61	214
22	19	25	14	36	29	22	33	31	36	30	29	9	5	.....	42	215
8	15	10	16	19	15	7	14	19	28	23	19	14	2	3	19	216
72	66	58	54	59	59	59	36	43	39	28	12	3	9	14	18	217
43	33	31	26	30	29	39	28	18	22	17	10	2	6	7	11	218
29	33	27	28	29	30	20	8	25	17	11	2	1	3	7	7	219
41	33	29	26	28	25	39	28	17	21	17	10	2	6	7	11	220
29	32	27	27	29	30	20	7	24	16	10	2	1	3	7	7	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	221
.....	.....	2	.....	2	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	222
.....	1	.....	1	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	
398	347	332	324	391	448	505	646	840	954	902	743	456	183	53	64	223
176	166	153	165	195	234	269	329	429	513	483	382	227	76	23	39	224
222	181	179	159	196	214	236	317	411	441	419	361	229	107	30	25	225
395	347	331	324	388	447	501	643	838	953	902	741	456	183	53	63	226
174	166	153	165	192	233	267	328	428	512	483	382	227	76	23	38	227
221	181	178	159	196	214	234	315	410	441	419	359	229	107	30	25	228
316	260	248	246	317	360	413	532	683	809	752	640	405	156	42	33	229
136	126	116	129	151	181	223	269	347	437	411	325	199	64	18	18	230
180	134	132	117	166	179	190	263	336	372	341	315	206	92	24	15	231
94	80	76	86	99	122	159	188	243	331	282	226	122	37	10	10	232
130	105	92	82	128	130	139	196	239	264	241	226	145	56	11	4	
26	32	20	19	24	17	21	20	20	14	15	10	5	4	1	4	233
33	14	23	16	20	10	11	12	19	19	10	2	6	5	1	5	
16	14	20	24	28	42	43	61	84	92	114	89	72	23	7	4	234
17	15	17	19	18	39	40	55	78	89	90	87	55	31	12	6	
68	82	79	69	64	79	82	101	135	124	134	89	43	23	9	13	235
31	36	37	29	36	48	40	56	70	61	64	52	23	11	4	7	236
37	46	42	40	28	31	42	45	65	63	70	37	20	12	5	6	237
11	5	4	9	7	8	6	10	20	20	16	12	8	4	2	17	238
7	4	.....	7	5	4	4	3	11	14	8	5	5	1	1	13	239
4	1	4	2	2	4	2	7	9	6	8	7	3	3	1	4	240
3	.....	1	.....	3	1	4	3	2	1	.....	2	.....	.....	.....	1	241
2	.....	.....	.....	3	1	2	1	1	1	.....	.....	.....	.....	.....	1	242
1	.....	1	.....	.....	.....	2	2	1	.....	.....	2	.....	.....	.....	.....	243
2	.....	.....	.....	2	1	2	.....	1	1	.....	.....	.....	.....	.....	.....	244
1	.....	1	.....	.....	.....	2	2	1	.....	.....	1	.....	.....	.....	.....	
.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	245
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	246
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MASSACHUSETTS.											
247	Total	47,498	10,021	2,176	977	595	425	14,194	1,124	603	985	1,658
248	Males	24,312	5,549	1,151	476	285	206	7,667	572	309	504	821
249	Females	23,186	4,472	1,025	501	310	219	6,527	552	294	481	837
250	White	46,725	9,889	2,111	939	582	419	13,960	1,099	591	967	1,597
251	Males	23,896	5,476	1,116	466	281	202	7,541	561	304	496	786
252	Females	22,829	4,413	995	493	301	217	6,419	538	287	471	811
253	Native	32,613	9,768	2,041	914	546	391	13,660	1,026	516	728	1,012
254	Males	16,896	5,406	1,078	447	264	189	7,384	523	264	360	514
255	Females	15,717	4,362	963	467	282	202	6,276	503	252	368	498
256	Both parents native M	7,086	1,431	247	121	72	50	1,921	171	107	141	207
	Both parents native F	6,808	1,112	239	121	70	53	1,595	151	95	116	179
257	One or both parents foreign M	8,113	3,757	803	313	184	137	5,194	345	151	208	286
	One or both parents foreign F	7,238	3,071	706	339	208	146	4,470	344	150	238	291
258	Parentage unknown M	1,697	218	28	13	8	2	269	7	6	11	21
	Parentage unknown F	1,671	179	18	7	4	3	211	8	7	14	28
259	Foreign	13,709	95	62	40	31	26	254	71	74	236	579
260	Males	6,732	60	36	16	15	12	139	36	40	133	268
261	Females	6,977	35	26	24	16	14	115	35	34	103	311
262	Unknown	403	26	8	5	5	2	46	2	1	3	6
263	Males	268	10	2	3	2	1	18	2	.....	3	4
264	Females	135	16	6	2	3	1	28	.....	1	.....	2
265	Colored	773	132	65	18	13	6	234	25	12	18	61
266	Males	416	73	35	10	4	4	126	11	5	8	35
267	Females	357	59	30	8	9	2	108	14	7	10	26
268	Black M	384	73	34	10	4	4	125	11	5	8	33
	Black F	356	59	30	8	9	2	108	14	7	10	26
269	Indian M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
270	Chinese and Japanese M	32	.....	1	.....	.....	.....	1	.....	.....	.....	2
	Chinese and Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MICHIGAN.											
271	Total	31,362	5,904	1,088	510	341	256	8,099	883	604	1,001	1,273
272	Males	17,016	3,353	579	282	188	142	4,544	469	310	489	612
273	Females	14,346	2,551	509	228	153	114	3,555	414	294	512	661
274	White	30,958	5,829	1,072	505	336	251	7,993	875	595	980	1,243
275	Males	16,793	3,310	566	279	186	139	4,480	465	307	476	597
276	Females	14,165	2,519	506	226	150	112	3,513	410	288	504	646
277	Native	21,742	5,724	1,047	490	320	238	7,819	842	555	836	932
278	Males	11,569	3,250	555	274	180	132	4,391	449	285	398	430
279	Females	10,173	2,474	492	216	140	106	3,428	393	270	438	502
280	Both parents native M	5,665	1,436	259	138	82	55	1,970	184	129	172	188
	Both parents native F	5,148	1,043	219	101	65	48	1,476	163	120	205	246
281	One or both parents foreign M	4,215	1,579	284	134	97	74	2,168	256	149	209	214
	One or both parents foreign F	3,682	1,268	268	112	71	57	1,776	216	139	212	215
282	Parentage unknown M	1,689	235	12	2	1	3	253	9	7	17	28
	Parentage unknown F	1,343	163	5	3	4	1	176	14	11	21	41
283	Foreign	8,535	63	16	15	13	12	119	29	38	131	286
284	Males	4,750	37	6	5	5	7	60	13	20	71	155
285	Females	3,785	26	10	10	8	5	59	16	18	60	131
286	Unknown	681	42	9	.....	3	1	55	4	2	13	25
287	Males	474	23	5	.....	1	.....	29	3	2	7	12
288	Females	207	19	4	.....	2	1	26	1	.....	6	13
289	Colored	404	75	16	5	5	5	106	8	9	21	30
290	Males	223	43	13	3	2	3	64	4	3	13	15
291	Females	181	32	3	2	3	2	42	4	6	8	15
292	Black M	142	20	5	1	1	3	30	2	2	9	6
	Black F	118	21	2	2	1	1	27	2	3	6	10
293	Indian M	81	23	8	2	1	.....	34	2	1	4	9
	Indian F	63	11	1	.....	2	1	15	2	3	2	5

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,976	1,912	1,912	2,010	1,886	2,180	2,433	2,770	2,805	2,839	2,553	1,957	1,085	411	114	91	247
1,011	959	995	1,086	1,010	1,150	1,274	1,435	1,389	1,340	1,235	856	454	157	32	56	248
965	953	917	924	876	1,030	1,159	1,335	1,416	1,499	1,318	1,101	631	254	82	35	249
1,919	1,860	1,865	1,965	1,847	2,134	2,392	2,750	2,791	2,824	2,531	1,947	1,076	409	111	90	250
980	933	970	1,039	993	1,121	1,253	1,422	1,379	1,332	1,221	850	452	156	32	55	251
939	927	895	906	854	1,013	1,139	1,328	1,412	1,492	1,310	1,097	624	253	79	35	252
1,170	1,025	894	1,013	990	1,036	1,083	1,253	1,415	1,593	1,602	1,353	811	310	66	57	253
601	515	477	558	507	571	580	677	714	771	791	584	339	118	17	31	254
569	510	417	455	483	465	503	576	701	822	811	769	472	192	49	26	255
170	169	151	227	246	349	388	468	509	536	557	401	251	93	13	11	256
189	171	147	183	237	297	337	399	496	604	569	542	340	124	32	5	
396	322	290	280	201	134	88	62	42	50	22	16	9	1	1	15	257
348	308	234	220	188	99	79	64	51	50	38	31	10	8	.....	17	
35	24	36	51	60	88	104	147	163	185	212	167	79	24	3	5	258
32	31	36	52	58	69	87	113	154	168	204	196	122	60	17	4	
736	815	947	923	818	1,069	1,284	1,474	1,351	1,198	907	568	254	96	42	13	259
369	400	474	478	454	529	656	731	647	540	418	256	108	37	12	7	260
367	415	473	445	364	540	628	743	704	658	489	312	146	59	30	6	261
13	20	24	29	39	29	25	23	25	33	22	26	11	3	3	20	262
10	18	19	23	32	21	17	14	18	21	12	10	5	1	3	17	263
3	2	5	6	7	8	8	9	7	12	10	16	6	2	.....	3	264
57	52	47	45	39	46	41	20	14	15	22	10	9	2	3	1	265
31	26	25	27	17	29	21	13	10	8	14	6	2	1	.....	1	266
26	26	22	18	22	17	20	7	4	7	8	4	7	1	3	.....	267
27	20	21	17	17	24	21	13	10	8	14	6	2	1	.....	1	
26	26	22	18	22	17	20	6	4	7	8	4	7	1	3	.....	268
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	269
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
4	6	4	10	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	270
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,197	1,038	1,155	1,207	1,171	1,284	1,420	1,728	2,127	2,187	2,102	1,632	793	264	83	114	271
586	500	579	656	669	758	809	918	1,182	1,199	1,151	895	430	136	38	86	272
611	538	576	551	502	526	611	810	945	988	951	737	363	128	45	28	273
1,176	1,025	1,144	1,190	1,157	1,266	1,405	1,713	2,104	2,168	2,086	1,615	784	258	74	107	274
576	495	572	646	662	748	800	912	1,168	1,189	1,141	884	426	133	34	82	275
600	530	572	544	495	518	605	801	936	979	945	731	358	125	40	25	276
817	696	688	674	633	668	752	921	1,100	1,144	1,132	888	453	132	30	30	277
366	325	316	336	324	377	417	481	615	623	599	492	244	65	15	21	278
451	371	372	338	309	291	335	440	485	521	533	396	209	67	15	9	279
158	154	124	150	164	186	231	286	375	383	374	266	130	31	4	6	280
193	165	177	170	165	167	220	307	310	344	305	249	121	31	7	7	
181	140	150	132	103	99	78	74	78	62	50	42	16	4	3	7	281
227	155	145	120	94	76	47	51	54	41	47	35	19	11	1	1	
27	31	42	54	57	92	108	121	162	178	175	184	98	30	8	8	282
31	51	50	48	50	48	68	82	121	136	181	112	69	25	7	1	
334	314	423	478	480	545	611	742	945	971	911	684	309	116	41	28	283
192	160	226	279	302	332	355	395	514	529	516	366	169	59	18	19	284
142	154	197	199	178	213	256	347	431	442	395	318	140	57	23	9	285
25	15	33	38	44	53	42	50	59	53	43	43	22	10	3	49	286
18	10	30	31	36	39	28	36	39	37	26	26	13	9	1	42	287
7	5	3	7	8	14	14	14	20	16	17	17	9	1	2	7	288
21	13	11	17	14	18	15	15	23	19	16	17	9	6	9	7	289
10	5	7	10	7	10	9	6	14	10	10	11	4	3	4	4	290
11	8	4	7	7	8	6	9	9	9	6	6	5	3	5	3	291
5	3	6	9	3	9	7	4	11	9	9	8	3	3	2	2	292
8	5	3	1	4	6	3	9	8	5	5	4	2	2	3	2	
5	2	1	1	4	1	2	2	3	1	1	3	1	.....	2	2	293
3	3	1	6	3	2	3	.....	1	4	1	2	3	1	2	1	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE.											
294	Total	6,649	1,067	225	93	90	56	1,531	133	88	145	207
295	Males	3,367	589	127	45	37	27	825	69	43	64	104
296	Females	3,282	478	98	48	53	29	706	64	45	81	103
297	White	6,635	1,064	225	93	90	56	1,528	133	87	145	206
298	Males	3,356	588	127	45	37	27	824	69	42	64	103
299	Females	3,279	476	98	48	53	29	704	64	45	81	103
300	Native	5,226	1,028	211	88	83	52	1,462	121	65	102	136
301	Males	2,647	569	118	43	35	24	789	62	33	46	71
302	Females	2,579	459	93	45	48	28	673	59	32	56	65
303	Both parents native	M.. 1,339	174	34	7	9	6	230	26	17	29	41
		F.. 1,312	116	31	8	14	11	180	25	22	28	35
304	One or both parents foreign	M.. 742	381	80	36	25	15	537	33	12	9	22
		F.. 680	321	57	32	33	16	459	31	10	23	25
305	Parentage unknown	M.. 566	14	4	.....	1	3	22	3	4	8	8
		F.. 587	22	5	5	1	1	34	3	.....	5	5
306	Foreign	1,124	26	10	4	3	3	46	11	19	41	63
307	Males	551	13	7	2	2	2	26	7	8	16	30
308	Females	573	13	3	2	1	1	20	4	11	25	33
309	Unknown	285	10	4	1	4	1	20	1	3	2	7
310	Males	158	6	2	.....	.....	1	9	.....	1	2	2
311	Females	127	4	2	1	4	.....	11	1	2	.....	5
312	Colored	14	3	.....	.....	.....	.....	3	.....	1	.....	1
313	Males	11	1	.....	.....	.....	.....	1	.....	1	.....	1
314	Females	3	2	.....	.....	.....	.....	2	.....	.....	.....	.....
315	Black	M.. 9	1	.....	.....	.....	.....	1	.....	.....	.....	1
		F.. 3	2	.....	.....	.....	.....	2	.....	.....	.....	.....
316	Indian	M.. 1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
317	Chinese and Japanese	M.. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEW JERSEY.											
318	Total	31,382	7,036	1,634	746	431	336	10,183	943	425	711	1,108
319	Males	17,071	3,949	861	389	223	173	5,595	495	223	369	565
320	Females	14,311	3,087	773	357	208	163	4,588	448	202	342	543
321	White	29,718	6,562	1,522	708	406	321	9,519	899	398	651	1,014
322	Males	16,202	3,685	793	374	213	167	5,232	473	206	351	525
323	Females	13,516	2,877	729	334	193	154	4,287	426	192	300	489
324	Native	21,729	6,506	1,496	691	393	305	9,391	860	369	540	785
325	Males	11,765	3,647	778	369	206	162	5,162	456	188	292	410
326	Females	9,964	2,859	718	322	187	143	4,229	404	181	248	375
327	Both parents native	M.. 5,808	1,657	313	133	88	64	2,255	210	86	147	196
		F.. 5,262	1,314	271	131	71	56	1,843	192	100	124	170
328	One or both parents foreign	M.. 4,565	1,838	431	211	106	88	2,674	217	91	114	164
		F.. 3,713	1,416	430	179	109	81	2,215	190	74	105	173
329	Parentage unknown	M.. 1,392	152	34	25	12	10	233	29	11	31	50
		F.. 989	129	17	12	7	6	171	22	7	19	32
330	Foreign	7,549	23	19	15	13	13	83	33	25	102	220
331	Males	4,140	16	11	4	7	4	42	13	17	55	110
332	Females	3,409	7	8	11	6	9	41	20	8	47	110
333	Unknown	440	33	7	2	.....	3	45	6	4	9	9
334	Males	297	22	4	1	.....	1	28	4	1	4	5
335	Females	143	11	3	1	.....	2	17	2	3	5	4
336	Colored	1,664	474	112	38	25	15	664	44	27	60	94
337	Males	869	264	68	15	10	6	363	22	17	18	40
338	Females	795	210	44	23	15	9	301	22	10	42	54
339	Black	M.. 865	264	68	15	10	6	363	22	17	18	40
		F.. 795	210	44	23	15	9	301	22	10	42	54
340	Chinese and Japanese	M.. 4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
201	217	206	221	249	305	314	400	490	506	547	457	239	101	25	67	294
107	106	105	112	113	149	154	204	242	274	285	215	108	42	10	36	295
94	111	101	109	136	156	160	196	248	232	262	242	131	59	15	31	296
198	216	206	220	248	304	314	399	490	506	546	457	239	101	25	67	297
104	105	105	111	112	148	154	203	242	274	285	215	108	42	10	36	298
94	111	101	109	136	156	160	196	248	232	261	242	131	59	15	31	299
128	154	131	138	172	219	218	292	363	383	429	377	199	86	20	31	300
66	75	63	69	78	103	110	152	183	208	224	174	91	32	6	12	301
62	79	68	69	94	116	108	140	180	175	205	203	108	54	14	19	302
40	43	29	40	51	64	80	98	112	118	127	106	62	22	3	1	
33	46	38	41	63	69	68	89	110	102	129	128	70	21	8	7	303
18	27	17	11	11	10	8	7	5	4	4	.....	1	.....	.....	6	
19	18	19	12	16	12	3	7	4	8	5	2	1	.....	1	5	304
8	5	17	18	16	29	22	47	66	86	93	68	28	10	3	5	
10	15	11	16	15	35	37	44	66	65	71	73	37	33	5	7	305
57	56	64	69	68	76	82	93	99	94	85	54	26	12	5	4	306
28	27	34	35	28	40	35	46	46	50	42	27	13	8	4	1	307
29	29	30	34	40	36	47	47	53	44	43	27	13	4	1	3	308
13	6	11	13	8	9	14	14	28	29	32	26	14	3	.....	32	309
10	3	8	7	6	5	9	5	13	16	19	14	4	2	.....	23	310
3	3	3	6	2	4	5	9	15	13	13	12	10	1	.....	9	311
3	1	.....	1	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	312
3	1	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	313
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	314
3	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	315
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	316
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	317
1,383	1,394	1,501	1,380	1,374	1,487	1,474	1,633	1,674	1,611	1,370	974	432	177	39	109	318
722	796	902	812	816	840	825	872	917	866	679	443	177	66	17	74	319
661	598	599	568	558	647	649	761	757	745	691	531	255	111	22	35	320
1,288	1,312	1,415	1,313	1,310	1,425	1,413	1,582	1,619	1,539	1,338	941	424	168	30	100	321
679	744	858	777	784	805	789	846	896	836	657	428	175	63	10	68	322
609	568	557	536	526	620	624	736	723	723	681	513	249	105	20	32	323
945	890	839	737	716	686	637	739	848	817	790	647	297	127	18	51	324
511	495	489	421	414	373	344	402	484	444	392	283	120	48	3	34	325
434	395	350	316	302	313	293	337	364	373	398	364	177	79	15	17	326
171	166	165	159	178	229	232	268	351	341	285	218	100	37	2	12	
168	159	135	154	175	192	218	247	279	299	303	275	143	60	13	13	327
267	253	216	172	131	79	36	49	38	23	21	11	.....	.....	.....	9	
204	188	158	102	87	62	26	32	28	18	15	24	5	5	.....	2	328
73	76	108	90	105	65	76	85	95	80	86	54	20	11	1	13	
62	48	57	60	40	59	49	58	57	56	80	65	29	14	2	2	329
324	404	540	545	552	702	746	825	743	714	531	271	120	36	12	21	330
159	235	336	332	344	401	424	431	394	373	258	130	52	14	7	13	331
165	169	204	213	208	301	322	394	349	341	273	141	68	22	5	8	332
19	18	36	31	42	37	30	18	28	28	17	23	7	5	.....	28	333
9	14	33	24	26	31	21	13	18	19	7	15	3	1	.....	21	334
10	4	3	7	16	6	9	5	10	9	10	8	4	4	.....	7	335
95	82	86	67	64	62	61	51	55	52	32	33	8	9	9	9	336
43	52	44	35	32	35	36	26	21	30	22	15	2	3	7	6	337
52	30	42	32	32	27	25	25	34	22	10	18	6	6	2	3	338
43	52	44	35	31	32	36	26	21	30	22	15	2	3	7	6	
52	30	42	32	32	27	25	25	34	22	10	18	6	6	2	3	339
.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	340

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW YORK.											
341	Total	124,657	23,806	6,321	2,833	1,672	1,289	35,921	3,249	1,643	2,762	4,478
342	Males	66,841	13,222	3,326	1,488	854	693	19,583	1,742	839	1,402	2,305
343	Females	57,816	10,584	2,995	1,345	818	596	16,338	1,507	804	1,360	2,173
344	White	121,827	23,114	6,160	2,751	1,637	1,268	34,930	3,186	1,592	2,665	4,292
345	Males	65,346	12,832	3,251	1,448	835	681	19,047	1,706	813	1,353	2,208
346	Females	56,481	10,282	2,909	1,303	802	587	15,883	1,480	779	1,312	2,084
347	Native	83,060	22,622	5,960	2,626	1,538	1,199	33,945	2,973	1,426	2,136	3,116
348	Males	44,466	12,561	3,146	1,380	782	644	18,513	1,596	729	1,071	1,608
349	Females	38,594	10,061	2,814	1,246	756	555	15,432	1,377	697	1,065	1,508
350	Both parents native	M.. 19,097	4,952	1,005	509	298	259	7,023	643	331	515	651
		F.. 17,629	3,896	954	448	288	198	5,784	572	320	508	612
351	One or both parents foreign	M.. 19,876	7,011	2,048	835	461	362	10,717	889	335	464	787
		F.. 16,741	5,703	1,767	759	434	342	9,005	749	341	480	745
352	Parentage unknown	M.. 5,493	598	93	36	23	23	773	64	63	92	170
		F.. 4,224	462	93	39	34	15	643	56	36	77	151
353	Foreign	36,822	167	151	111	87	66	582	203	157	511	1,124
354	Males	19,627	92	78	57	46	35	308	108	79	271	563
355	Females	17,195	75	73	54	41	31	274	95	78	240	561
356	Unknown	1,945	325	49	14	12	3	403	10	9	18	52
357	Males	1,253	179	27	11	7	2	226	2	5	11	37
358	Females	692	146	22	3	5	1	177	8	4	7	15
359	Colored	2,830	692	161	82	35	21	991	63	51	97	186
360	Males	1,495	390	75	40	19	12	536	36	26	49	97
361	Females	1,335	302	86	42	16	9	455	27	25	48	89
362	Black	M.. 1,381	384	73	39	19	12	527	35	26	49	88
		F.. 1,318	300	85	42	16	9	452	27	25	46	88
363	Indian	M.. 22	2	.....	1	.....	.....	3	1	.....	.....	1
		F.. 15	2	1	.....	.....	.....	3	.....	.....	2	1
364	Chinese and Japanese	M.. 92	4	2	.....	.....	.....	6	.....	.....	.....	8
		F.. 2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	RHODE ISLAND.											
365	Total	7,953	1,856	355	157	106	62	2,536	180	122	184	280
366	Males	4,041	1,000	173	84	49	32	1,338	82	67	90	144
367	Females	3,912	856	182	73	57	30	1,198	98	55	94	136
368	White	7,700	1,804	347	149	105	60	2,465	177	112	174	267
369	Males	3,923	970	171	81	49	31	1,302	82	64	84	139
370	Females	3,777	834	176	68	56	29	1,163	95	48	90	128
371	Native	5,342	1,782	324	138	91	55	2,390	161	89	120	178
372	Males	2,753	956	159	75	46	28	1,264	71	48	58	95
373	Females	2,589	826	165	63	45	27	1,126	90	41	62	83
374	Both parents native	M.. 1,295	273	38	15	10	4	340	24	18	23	47
		F.. 1,244	222	42	22	15	7	308	26	11	22	27
375	One or both parents foreign	M.. 1,350	657	119	57	35	23	891	45	29	30	44
		F.. 1,263	578	121	39	30	20	788	63	30	37	53
376	Parentage unknown	M.. 108	26	2	3	1	1	33	2	1	5	4
		F.. 82	26	2	2	.....	.....	30	1	.....	3	3
377	Foreign	2,301	19	22	11	13	5	70	15	23	54	86
378	Males	1,134	11	12	6	3	3	35	11	16	26	42
379	Females	1,167	8	10	5	10	2	35	4	7	28	44
380	Unknown	57	3	1	.....	1	.....	5	1	.....	.....	3
381	Males	36	3	.....	.....	.....	.....	3	.....	.....	.....	2
382	Females	21	.....	1	.....	1	.....	2	1	.....	.....	1
383	Colored	253	52	8	8	1	2	71	3	10	10	13
384	Males	118	30	2	3	.....	1	36	.....	3	6	5
385	Females	135	22	6	5	1	1	35	3	7	4	8
386	Black	M.. 116	30	2	3	.....	1	36	.....	3	6	5
		F.. 134	22	6	5	1	1	35	3	7	4	8
387	Indian	M..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
388	Chinese and Japanese	M.. 2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5,337	5,889	6,064	5,936	5,484	6,103	6,253	6,908	7,129	7,118	6,124	4,669	2,262	814	223	291	341
2,781	3,297	3,527	3,448	3,155	3,403	3,425	3,683	3,660	3,606	3,076	2,286	1,037	325	81	180	342
2,556	2,592	2,537	2,488	2,329	2,700	2,828	3,225	3,469	3,512	3,048	2,383	1,225	489	142	111	343
5,159	5,722	5,872	5,780	5,346	5,966	6,145	6,814	7,065	7,044	6,081	4,634	2,243	795	215	281	344
2,689	3,204	3,422	3,365	3,072	3,332	3,365	3,636	3,631	3,570	3,057	2,272	1,029	321	79	175	345
2,470	2,518	2,450	2,415	2,274	2,634	2,780	3,178	3,434	3,474	3,024	2,362	1,214	474	136	106	346
3,477	3,583	3,266	3,182	2,857	2,697	2,731	2,900	3,232	3,399	3,268	2,742	1,398	499	120	113	347
1,814	1,979	1,861	1,816	1,579	1,481	1,472	1,535	1,673	1,789	1,661	1,347	643	198	40	61	348
1,663	1,604	1,405	1,366	1,278	1,216	1,259	1,365	1,559	1,610	1,607	1,395	755	301	80	52	349
563	534	524	551	568	695	821	904	1,052	1,165	1,097	890	402	125	15	28	350
582	566	488	481	557	653	734	845	992	1,082	1,109	955	510	210	42	27	
1,042	1,203	1,049	940	735	472	343	268	227	148	110	73	41	8	6	19	351
922	887	740	683	596	375	287	248	222	181	141	114	46	19	10	10	
209	242	288	325	276	314	308	303	394	476	454	384	200	65	19	14	352
159	151	177	202	185	188	238	272	345	347	357	326	199	72	28	15	
1,603	2,024	2,459	2,453	2,362	3,157	3,332	3,819	3,732	3,560	2,725	1,802	789	276	90	62	353
818	1,143	1,444	1,435	1,397	1,766	1,832	2,043	1,898	1,734	1,359	875	365	117	38	34	354
785	881	1,015	1,018	965	1,391	1,500	1,776	1,834	1,826	1,366	927	424	159	52	28	355
79	115	147	145	127	112	82	95	101	85	88	90	56	20	5	106	356
57	82	117	114	96	85	61	58	60	47	37	50	21	6	1	80	357
22	33	30	31	31	27	21	37	41	38	51	40	35	14	4	26	358
178	167	192	156	138	137	108	94	64	74	43	35	19	19	5	10	359
92	93	105	83	83	71	60	47	29	36	19	14	8	4	2	5	360
86	74	87	73	55	66	48	47	35	38	24	21	11	15	6	5	361
82	77	92	73	68	56	54	44	27	35	18	11	8	4	2	5	362
83	72	87	72	51	66	48	46	35	38	24	21	11	15	6	5	
1	2	3	.....	1	3	.....	1	2	1	1	2	.....	.....	.....	.....	363
3	2	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
9	14	10	10	14	12	6	2	.....	.....	.....	1	.....	.....	.....	.....	364
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
321	325	296	321	308	370	436	474	438	453	380	289	161	55	13	11	365
164	163	141	176	165	195	254	238	211	202	197	123	60	19	5	7	366
157	162	155	145	143	175	182	236	227	251	183	166	101	36	8	4	367
307	315	285	307	297	356	426	461	428	440	372	293	152	53	12	11	368
156	159	134	170	161	186	247	233	207	197	193	120	58	19	5	7	369
151	156	151	137	136	170	179	228	221	243	179	163	94	34	7	4	370
197	166	146	166	152	152	194	178	209	253	239	197	102	40	10	3	371
106	94	66	92	89	82	109	101	106	113	124	81	34	13	5	2	372
91	72	80	74	63	70	85	77	103	140	115	116	68	27	5	1	373
33	32	23	48	43	51	92	90	100	99	111	74	30	11	5	1	374
27	26	34	27	35	44	65	65	87	131	109	111	61	24	3	1	
64	59	42	41	43	23	15	6	3	10	3	1	1	.....	.....	.....	375
62	45	43	45	27	20	18	9	11	4	.....	4	3	.....	1	.....	
9	3	1	3	3	8	2	5	3	4	10	6	3	2	.....	1	376
2	1	3	2	1	6	2	3	5	5	6	1	4	3	1	.....	
105	142	137	138	140	200	231	279	218	184	129	85	49	12	2	2	377
47	60	66	75	68	103	137	128	101	83	68	38	24	6	.....	.....	378
58	82	71	63	72	97	94	151	117	101	61	47	25	6	2	2	379
5	7	2	3	5	4	1	4	1	3	4	1	1	1	.....	6	380
3	5	2	3	4	1	1	4	.....	1	1	1	.....	.....	.....	5	381
2	2	.....	.....	1	3	.....	.....	1	2	3	.....	1	1	.....	1	382
14	10	11	14	11	14	10	13	10	13	8	6	9	2	1	.....	383
8	4	7	6	4	9	7	5	4	5	4	3	2	.....	.....	.....	384
6	6	4	8	7	5	3	8	6	8	4	3	7	2	1	.....	385
8	4	6	5	4	9	7	5	4	5	4	3	2	.....	.....	.....	386
6	6	4	8	7	5	3	8	6	8	4	3	7	1	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	387
.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	388

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	VERMONT.											
389	Total	5,205	822	126	66	30	30	1,074	89	78	118	154
390	Males	2,629	469	68	38	14	13	602	42	29	62	73
391	Females	2,576	353	58	28	16	17	472	47	49	56	81
392	White	5,194	820	126	66	30	30	1,072	88	78	117	153
393	Males	2,623	469	68	38	14	13	602	42	29	61	72
394	Females	2,571	351	58	28	16	17	470	46	49	56	81
395	Native	4,225	806	118	62	29	27	1,042	85	68	104	124
396	Males	2,117	463	63	34	14	12	586	41	24	54	62
397	Females	2,108	343	55	28	15	15	456	44	44	50	62
398	Parentage not stated M	2,117	463	63	34	14	12	586	41	24	54	62
	F	2,108	343	55	28	15	15	456	44	44	50	62
399	Foreign	780	9	8	4	1	1	23	1	9	12	27
400	Males	414	4	5	4	.....	.....	13	.....	5	7	9
401	Females	366	5	3	.....	1	1	10	1	4	5	18
402	Unknown	189	5	.....	.....	.....	2	7	2	1	1	2
403	Males	92	2	.....	.....	.....	1	3	1	.....	.....	1
404	Females	97	3	.....	.....	.....	1	4	1	1	1	1
405	Colored	11	2	.....	.....	.....	.....	2	1	.....	1	1
406	Males	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1
407	Females	5	2	.....	.....	.....	.....	2	1	.....	.....	.....
408	Black M	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	F	5	2	.....	.....	.....	.....	2	1	.....	.....	.....
409	Chinese and Japanese M	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1902—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
150	159	158	158	152	201	242	303	353	473	463	427	254	105	38	56	389
60	67	75	78	68	111	109	144	189	265	241	204	115	45	17	33	390
90	92	83	80	84	90	133	159	164	208	222	223	139	60	21	23	391
148	159	157	158	152	201	241	302	353	472	463	427	254	105	38	56	392
59	67	74	78	68	111	109	143	189	264	241	204	115	45	17	33	393
89	92	83	80	84	90	132	159	164	208	222	223	139	60	21	23	394
120	132	119	129	119	148	178	219	262	356	352	324	193	82	28	41	395
41	52	53	63	54	78	75	108	131	200	183	155	90	35	10	22	396
79	80	66	66	65	70	103	111	131	156	169	169	103	47	18	19	397
41	52	53	63	54	78	75	108	131	200	183	155	90	35	10	22	398
79	80	66	66	65	70	103	111	131	156	169	169	103	47	18	19	
26	24	30	23	24	44	50	71	78	91	96	77	42	20	6	6	399
16	12	15	13	10	25	26	32	51	53	53	38	18	9	5	4	400
10	12	15	10	14	19	24	39	27	38	43	39	24	11	1	2	401
2	3	8	6	9	9	13	12	13	25	15	26	19	3	4	9	402
2	3	6	2	4	8	8	3	7	11	5	11	7	1	2	7	403
.....	.....	2	4	5	1	5	9	6	14	10	15	12	2	2	2	404
2	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	405
1	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	406
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	407
1	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	408
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	409
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
1	All causes	508,640	385,670	318,636	195,666	122,970	190,004	9,698	4,688	5,782	9,566	23,381
2	I.—General diseases	138,514	106,681	84,835	53,002	31,833	53,679	2,696	1,186	1,709	2,828	7,344
3	Typhoid fever	10,980	8,511	5,431	2,962	2,469	5,549	150	55	228	305	959
4	Exanthematic typhus	7	7	2	2		5					
5	Recurrent fever	2	1	1		1	1					
6	Malarial fever	1,738	1,339	819	420	399	919	64	25	32	43	149
7	Smallpox	2,111	1,802	1,345	1,036	309	766	11	3	1	23	55
8	Measles	3,033	2,506	1,914	1,387	527	1,119	28	17	15	18	97
9	Scarlet fever	4,041	3,484	2,456	1,899	557	1,585	128	40	6	38	117
10	Whooping cough	3,854	2,970	2,559	1,675	884	1,295	110	36	122	53	182
11	Diphtheria	8,101	6,948	4,976	3,823	1,153	3,125	144	55	42	126	157
12	Croup	1,758	1,351	1,152	745	407	606	43	19	8	32	94
13	Influenza	3,225	1,886	2,146	807	1,339	1,079	74	49	60	57	202
14	Miliary fever	9	7	7	5	2	2					
15	Asiatic cholera											
16	Cholera nostras	516	368	296	148	148	220	15	6	2	7	21
17	Dysentery	3,187	2,196	2,082	1,091	991	1,105	102	46	32	120	380
18	Plague	41	41				41					
19	Yellow fever	1	1	1	1							
20	Leprosy	5	4	2	1	1	3					
21	Erysipelas	1,337	1,006	845	514	331	492	41	7	6	29	72
22	Other epidemic diseases	83	64	50	31	19	33	1		1		4
23	Septicemia	2,281	1,705	1,209	633	576	1,072	27	7	8	96	175
24	Glanders and farcy	7	7	7	7							
25	Malignant pustule and charbon	16	9	12	5	7	4					3
26	Rabies	45	40	17	12	5	28			1		2
27	Actinomycosis, trichinosis, etc	18	14	9	5	4	9					1
28	Pellagra											
29	Tuberculosis of lungs	52,079	40,983	31,449	20,353	11,096	20,630	994	390	710	1,118	2,815
30	Tuberculosis of larynx	541	416	322	197	125	219	8	3	10	17	39
31	Tuberculous meningitis	2,674	2,235	1,894	1,455	439	780	52	18	24	42	103
32	Abdominal tuberculosis	1,817	1,416	1,042	641	401	775	30	13	26	46	115
33	Pott's disease	421	320	282	181	101	139	13	1	7	5	21
34	Tuberculous abscess	39	26	24	11	13	15	1				5
35	White swelling	237	202	132	97	35	105	5	2	1	2	4
36	Tuberculosis of other organs	391	279	228	116	112	163	5	1	6	6	26
37	General tuberculosis	739	556	486	303	183	253	8	8	26	18	29
38	Scrofula	145	96	87	38	49	58	2	2		3	17
39	Syphilis	1,131	995	611	475	136	520	23	4	26	20	38
40	Gonorrhea of the adult	15	14	8	7	1	7			1		1
41	Gonorrheal infections of children	17	13	10	6	4	7			1		
42	Cancer of mouth	583	429	368	214	154	215	15	6	10	9	17
43	Cancer of stomach and liver	7,483	5,413	4,881	2,811	2,070	2,602	130	74	75	142	302
44	Cancer of intestines	2,239	1,658	1,314	933	581	725	53	35	30	23	53
45	Cancer of female genital organs	3,033	2,418	1,844	1,229	615	1,189	66	31	40	67	99
46	Cancer of breast	1,750	1,221	1,210	681	529	540	40	33	25	32	84
47	Cancer of skin	688	406	478	196	282	210	10	12	5	7	56
48	Cancer of other or unspecified organs	5,071	3,493	3,358	1,780	1,578	1,713	93	45	31	114	232
49	Tumor	459	321	287	149	138	172	7	5	2	4	15
50	Acute articular rheumatism	1,366	987	891	512	379	475	28	20	18	16	67
51	Chronic rheumatism and gout	1,295	810	868	383	485	427	33	21	12	41	112
52	Diabetes	3,312	2,256	2,411	1,355	1,056	901	62	59	31	61	167
53	Exophthalmic goiter	168	113	117	62	55	51	3	1	1	4	7
54	Addison's disease	149	101	98	50	48	51	1	3	1	4	11
55	Leukemia	371	287	225	141	84	146	6	2	1	8	19
56	Anemia, chlorosis	1,524	1,006	1,016	498	518	508	18	5	5	30	80
57	Alcoholism	1,943	1,644	1,080	781	299	863	45	21	18	31	48
58	Lead poisoning	94	74	58	38	20	36	1		1	1	
59	Other occupational poisonings	1	1				1					
60	Other chronic poisonings	157	101	101	45	56	56	2	5		4	9
61	Scurvy	44	38	26	20	6	18	3	1	1		
62	Other general diseases	142	86	91	35	56	51	1			6	23
63	II.—Diseases of nervous system	59,313	42,302	38,260	21,249	17,011	21,053	1,219	682	604	1,143	2,679
64	Encephalitis	716	458	432	174	258	284	3	6	1	39	95
65	Meningitis	8,259	6,654	5,038	3,433	1,605	3,221	201	71	67	169	362
66	Epidemic cerebro-spinal meningitis	1,722	1,338	1,100	716	384	622	40	14	9	25	61
67	Locomotor ataxia	691	498	432	239	193	259	16	5	3	9	30
68	Other diseases of spinal cord	1,454	1,008	993	547	446	461	25	22	19	33	74
69	Apoplexy	21,862	14,912	15,427	8,477	6,950	6,435	534	334	229	375	772
70	Softening of brain	1,197	700	761	264	497	436	25	29	6	25	85
71	Paralysis	6,674	3,982	4,345	1,653	2,692	2,329	61	63	57	161	570
72	General paralysis of insane	2,238	1,472	1,609	843	766	629	62	14	24	46	79
73	Other forms of mental disease	1,207	885	775	453	322	432	18	10	10	28	42
74	Other diseases of brain	1,445	1,051	959	565	394	486	27	13	74	33	48
75	Epilepsy	1,483	933	1,016	466	550	467	30	28	27	29	100
76	Convulsions (nonpuerperal)	367	270	206	109	97	161	5	3	3	11	15
77	Convulsions of children	7,620	6,316	3,883	2,579	1,304	3,737	122	45	47	92	196
78	Tetanus	1,158	1,000	448	290	158	710	22	4	23	30	52
79	Chorea	85	57	53	25	28	32	4			1	6
80	Other diseases of nervous system	825	514	565	254	311	260	20	19	3	33	79
81	Diseases of eye and its adnexa	15	8	11	4	7	4		1			
82	Diseases of ear	295	246	207	158	49	88	4	1	2	4	13

EACH DISEASE AND CLASS OF DISEASES: 1902.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
2,232	8,583	37,117	10,381	10,833	20,529	2,766	3,883	19,997	11,385	91,534	33,123	5,388	2,565	753	4,452	1
551	2,119	9,854	2,618	2,820	4,894	651	940	5,177	2,807	25,020	8,146	1,532	649	164	1,040	2
42	130	426	107	230	376	29	47	271	158	1,209	552	63	28	9	57	3
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
2	19	38	20	31	68	1	1	32	31	156	77	21	5	.....	4	6
7	4	269	14	13	27	3	4	259	170	415	28	35	2	.....	2	7
4	26	261	70	103	130	13	7	162	56	761	101	14	9	8	14	8
.....	13	298	11	108	157	2	.....	167	63	1,123	126	19	9	10	21	9
8	43	334	61	106	156	14	17	163	141	719	181	46	33	.....	34	10
22	60	657	92	217	172	68	52	371	161	2,076	343	99	37	1	24	11
6	25	117	28	32	68	25	12	108	55	357	87	17	6	.....	13	12
8	114	136	84	46	259	15	36	46	48	314	399	48	18	3	70	13
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	4	2	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
1	14	44	12	9	27	5	1	17	9	40	49	8	2	.....	7	16
5	26	131	53	42	96	15	12	106	97	446	228	88	33	4	20	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	20
4	24	95	24	40	59	6	13	42	27	237	83	11	11	3	11	21
2	.....	10	1	3	10	1	.....	.....	1	13	2	.....	.....	.....	1	22
13	17	149	45	48	93	25	30	73	43	180	136	10	1	4	29	23
.....	.....	1	.....	1	.....	.....	.....	1	.....	4	.....	.....	.....	.....	.....	24
.....	1	3	.....	1	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	25
.....	.....	.....	.....	2	1	.....	.....	3	2	6	.....	.....	.....	.....	.....	26
.....	.....	3	1	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
204	774	3,787	1,014	769	1,314	225	338	2,078	1,045	9,818	2,839	578	225	72	342	29
3	5	27	6	6	15	1	.....	34	19	87	31	3	3	1	4	30
22	38	266	40	45	56	14	17	115	35	830	102	42	14	3	16	31
15	43	124	20	42	58	8	7	55	37	265	90	29	3	1	15	32
5	12	31	8	13	18	3	3	12	4	90	30	2	3	.....	1	33
.....	2	2	1	1	2	.....	1	3	.....	4	2	.....	.....	.....	.....	34
.....	3	21	3	8	9	.....	1	6	3	53	8	1	.....	.....	2	35
1	13	16	9	10	20	1	2	12	6	53	30	5	.....	1	5	36
9	27	70	21	11	32	4	5	27	10	106	34	23	9	1	8	37
1	9	7	3	6	9	2	.....	5	1	10	6	2	1	.....	1	38
4	2	51	7	78	32	.....	3	38	10	223	28	12	9	.....	3	39
.....	.....	1	.....	.....	.....	.....	.....	1	.....	4	.....	.....	.....	.....	.....	40
.....	.....	2	.....	.....	2	.....	.....	.....	1	2	.....	1	1	.....	.....	41
3	22	39	13	14	30	3	7	16	18	98	34	6	5	1	2	42
41	196	541	171	197	411	38	63	225	165	1,343	578	74	42	5	68	43
17	50	192	64	53	91	10	16	71	49	437	170	44	20	3	33	44
19	76	221	31	90	128	17	15	92	46	574	159	37	17	6	13	45
10	55	128	27	38	88	4	7	54	35	312	168	33	21	5	11	46
3	27	36	15	16	54	1	9	17	21	94	74	7	8	.....	6	47
18	71	511	244	100	166	40	110	140	115	688	498	34	22	11	75	48
1	8	38	13	14	23	2	7	6	11	68	48	7	.....	.....	8	49
2	15	88	19	46	94	3	9	34	22	254	112	23	7	.....	14	50
2	23	53	35	27	98	6	14	28	22	168	132	11	8	2	20	51
22	66	288	104	85	214	18	33	95	82	656	272	32	21	5	38	52
.....	.....	14	2	8	21	.....	1	5	7	26	15	1	.....	.....	1	53
1	2	12	2	3	9	.....	1	3	2	23	18	2	.....	.....	.....	54
1	4	33	14	7	13	1	.....	10	4	71	19	3	2	.....	7	55
15	42	130	68	48	100	22	27	36	33	171	132	19	4	4	27	56
4	11	136	32	25	56	2	9	121	24	379	81	20	10	.....	7	57
1	5	6	3	1	3	2	1	8	2	16	5	1	.....	.....	1	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
1	2	2	1	17	15	1	2	2	2	15	16	1	.....	.....	4	60
.....	.....	2	.....	1	.....	.....	.....	2	2	10	2	.....	.....	1	1	61
2	.....	6	4	5	13	1	.....	5	.....	9	16	.....	.....	.....	.....	62
357	1,258	4,345	1,535	1,184	2,643	421	650	2,694	1,717	8,646	4,884	532	342	104	621	63
6	13	42	13	20	50	5	13	21	12	30	28	5	15	2	13	64
63	150	777	150	100	130	87	77	547	172	1,272	356	116	40	34	77	65
1	31	136	32	51	86	9	16	56	25	365	99	22	11	2	9	66
4	12	39	19	16	42	4	8	17	15	113	52	18	3	.....	7	67
8	34	117	35	41	91	13	13	52	33	227	113	7	4	5	27	68
132	542	1,684	651	370	927	128	286	965	662	3,768	2,315	256	160	36	301	69
3	42	55	39	8	75	8	18	42	67	86	122	6	7	.....	13	70
30	181	435	201	158	518	51	87	182	277	476	723	37	28	5	44	71
9	35	201	95	71	115	15	21	53	75	353	286	9	30	.....	16	72
54	19	78	47	27	50	11	18	21	38	203	83	1	11	2	4	73
11	53	122	45	33	60	20	19	48	34	182	94	13	7	2	21	74
12	21	72	53	42	111	9	18	37	37	199	144	7	12	2	26	75
.....	14	26	11	6	14	5	4	32	10	16	22	4	.....	1	4	76
18	82	441	102	197	249	49	37	533	216	1,043	328	25	10	12	39	77
1	6	40	6	15	19	4	4	50	28	103	33	2	1	.....	5	78
1	2	5	2	1	10	1	1	.....	1	12	5	.....	.....	.....	1	79
4	20	48	29	16	60	2	8	32	13	92	68	3	2	1	13	80
.....	.....	1	2	.....	3	.....	.....	.....	1	3	.....	.....	.....	.....	.....	81
.....	1	26	3	12	13	.....	2	6	1	103	13	1	1	.....	1	82

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
83	III.—Diseases of circulatory system	49,233	35,081	33,043	18,891	14,152	16,190	993	595	586	802	1,778
84	Pericarditis	753	564	404	215	189	349	5	3	6	21	37
85	Endocarditis	3,681	3,211	2,337	1,867	470	1,344	74	20	13	53	69
86	Heart disease	37,577	26,004	25,710	14,137	11,573	11,867	756	497	485	587	1,382
87	Angina pectoris	2,080	1,304	1,474	698	776	606	47	28	20	33	113
88	Diseases of arteries	2,629	2,131	1,532	1,054	498	1,097	48	23	39	51	81
89	Embolism and thrombosis	1,306	965	858	517	341	448	42	15	17	13	21
90	Diseases of veins	153	119	103	69	34	50	5	1	2	.....	5
91	Diseases of lymphatics	53	37	34	18	16	19	1	.....	.....	.....	1
92	Hemorrhages	945	714	539	308	231	406	15	6	3	27	55
93	Other diseases of circulatory system	56	32	52	28	24	4	.....	2	1	17	14
94	IV.—Diseases of respiratory system	71,027	56,842	44,118	29,933	14,185	26,909	1,138	509	775	1,019	2,468
95	Diseases of nasal fossa	72	46	38	12	26	34	.....	1	1	.....	3
96	Laryngitis	456	359	299	202	97	157	8	6	.....	16	19
97	Other diseases of larynx	381	311	221	151	70	160	6	2	4	9	12
98	Diseases of thyroid body	93	70	50	27	23	43	1	1	.....	1	7
99	Acute bronchitis	7,588	6,248	4,993	3,653	1,340	2,595	166	59	100	74	154
100	Chronic bronchitis	4,993	3,881	3,119	2,007	1,112	1,874	80	35	59	85	179
101	Bronchopneumonia	10,153	8,688	7,063	5,598	1,465	3,090	145	53	138	93	243
102	Pneumonia	39,715	31,390	23,999	15,674	8,325	15,716	632	300	366	560	1,453
103	Pleurisy	1,442	1,200	872	630	242	570	29	9	9	22	45
104	Congestion of lungs	2,978	2,212	1,747	981	766	1,231	31	20	60	86	155
105	Gangrene of lungs	196	161	107	72	35	89	2	.....	2	2	4
106	Asthma	1,264	1,003	621	360	261	643	20	10	7	33	79
107	Emphysema	257	202	163	108	55	94	4	2	3	3	16
108	Hemorrhage of lungs	773	615	414	256	158	359	8	4	19	17	34
109	Other diseases of respiratory system	666	456	412	202	210	254	6	7	7	18	65
110	V.—Diseases of digestive system	61,192	47,821	38,021	24,650	13,371	23,171	1,319	537	726	1,120	2,946
111	Diseases of mouth	229	170	128	69	59	101	4	1	.....	11	15
112	Tonsilitis	258	165	162	69	93	96	9	1	2	9	34
113	Diseases of pharynx	203	135	134	66	68	69	3	1	.....	3	16
114	Diseases of esophagus	126	100	84	58	26	42	6	1	.....	5	4
115	Ulcer of stomach	905	689	608	392	216	297	22	2	7	15	34
116	Gastritis	3,693	2,597	2,258	1,162	1,096	1,435	82	61	56	83	225
117	Other diseases of stomach	1,899	1,188	1,301	620	681	568	29	30	22	50	176
118	Dentition	321	287	133	99	34	188	2	1	2	3	11
119	Diarrhea and enteritis, under 2 years	26,903	22,205	17,286	12,588	4,698	9,617	688	208	368	389	1,090
120	Diarrhea and enteritis, 2 years and over	6,724	4,989	4,017	2,282	1,735	2,707	111	72	93	139	429
121	Intestinal parasites	35	24	22	11	11	13	.....	.....	1	.....	.....
122	Hernia	1,316	1,038	836	558	278	480	25	4	21	21	42
123	Obstruction of intestines	2,691	2,073	1,644	1,026	618	1,047	55	26	26	62	114
124	Other diseases of intestines	926	596	619	289	330	307	13	7	8	23	78
125	Acute yellow atrophy of liver	144	95	91	42	49	53	3	1	.....	4	4
126	Hydatid tumors of liver	14	11	10	7	3	4	.....	.....	.....	.....	1
127	Cirrhosis of liver	4,460	3,618	2,671	1,829	842	1,789	103	39	31	63	143
128	Biliary calculi	668	513	379	224	155	289	12	4	6	15	33
129	Other diseases of liver	2,483	1,672	1,567	756	811	916	33	25	23	71	186
130	Diseases of spleen	89	61	63	35	28	26	2	1	.....	5	3
131	Peritonitis	3,824	2,894	2,119	1,189	930	1,705	53	33	29	120	309
132	Appendicitis	3,216	2,629	1,825	1,238	587	1,391	60	19	31	48	97
133	Other diseases of digestive system	95	72	64	41	23	31	4	.....	.....	1	2
134	VI.—Diseases of genito-urinary system	34,608	26,944	22,149	14,485	7,664	12,459	658	359	404	539	1,128
135	Acute nephritis	2,983	2,470	2,038	1,525	513	945	85	24	42	34	61
136	Bright's disease	26,136	20,439	16,604	10,907	5,697	9,532	485	272	291	395	855
137	Other diseases of kidneys	938	700	575	337	238	363	13	9	7	18	40
138	Calculi of urinary tract	150	113	96	59	37	54	3	2	3	2	4
139	Diseases of bladder	1,432	877	1,016	461	555	416	25	25	12	32	83
140	Diseases of urethra, urinary abscess, etc	122	111	63	52	11	59	1	.....	2	1	2
141	Diseases of prostate	666	414	485	233	252	181	20	13	14	11	27
142	Nonvenereal diseases of male genital organs	32	19	23	10	13	9	1	1	.....	1	.....
143	Metritis	82	64	46	28	18	36	2	1	1	1	7
144	Uterine hemorrhage (nonpuerperal)	84	59	52	27	25	32	1	1	2	4	.....
145	Uterine tumor	536	436	338	238	100	198	5	1	8	9	10
146	Other diseases of uterus	440	374	231	165	66	209	4	1	5	16	15
147	Ovarian tumor	428	338	265	175	90	163	5	6	3	7	17
148	Diseases of tubes	460	437	240	217	23	220	7	.....	10	6	3
149	Other diseases of female genital organs	111	87	71	47	24	40	1	1	4	2	4
150	Nonpuerperal diseases of breast (cancer excepted)	8	6	6	4	2	2	.....	2	.....	.....	.....
151	VII.—Childbirth	4,164	3,113	2,626	1,575	1,051	1,538	94	34	44	60	170
152	Accidents of pregnancy	535	404	318	187	131	217	15	4	7	8	31
153	Puerperal hemorrhage	284	219	187	122	65	97	7	1	1	2	7
154	Other accidents of labor	283	220	191	128	63	92	7	3	6	5	8
155	Puerperal septicemia	1,813	1,431	1,092	710	382	721	37	11	17	28	69
156	Puerperal convulsions	768	543	517	292	225	251	14	11	9	11	26
157	Puerperal phlegmasia alba dolens	2	1	1	.....	1	1	.....	.....	.....	.....	.....
158	Other puerperal accidents	478	295	319	136	183	159	14	4	4	6	28
159	Puerperal diseases of breast	1	.....	1	.....	1	.....	.....	.....	.....	.....	1

EACH DISEASE AND CLASS OF DISEASES: 1902—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
234	1,021	4,210	1,350	1,140	2,518	287	544	1,770	1,208	8,287	4,362	514	252	68	524	83
3	26	34	11	14	33	5	10	22	20	101	40	3	4	1	5	84
1	25	283	59	42	54	12	14	196	71	1,160	123	30	10	3	25	85
203	829	3,294	1,095	911	2,092	222	433	1,272	969	5,937	3,674	418	205	52	397	86
6	64	136	46	61	158	16	36	84	48	274	224	17	17	4	42	87
7	28	236	63	63	98	11	17	84	41	478	126	16	9	1	12	88
8	30	136	41	30	32	14	21	62	35	176	113	17	5	2	28	89
1	1	14	5	4	9	.....	1	4	1	35	10	4	1	.....	.....	90
.....	1	1	2	2	6	.....	.....	4	1	8	5	1	.....	1	.....	91
5	17	74	28	12	31	5	12	41	22	115	45	7	1	4	14	92
.....	.....	2	.....	1	5	2	.....	1	.....	3	2	1	.....	.....	1	93
284	1,039	5,099	1,218	1,513	2,479	426	459	2,996	1,405	15,879	3,618	698	305	106	665	94
.....	.....	1	.....	4	12	.....	.....	2	.....	4	10	.....	.....	.....	.....	95
10	6	26	3	16	17	1	3	34	9	83	24	5	4	3	6	96
2	5	31	7	7	9	2	2	28	3	55	20	6	2	1	8	97
1	1	3	5	2	2	.....	.....	2	1	16	3	1	1	.....	2	98
24	112	610	105	214	265	55	45	281	133	1,993	364	115	51	21	52	99
14	91	414	123	128	201	37	33	175	101	963	283	48	26	4	40	100
35	79	755	97	226	269	43	33	610	223	3,430	352	109	45	14	71	101
173	672	2,818	736	708	1,417	241	298	1,570	746	8,186	2,117	371	164	49	422	102
5	9	98	30	41	44	8	7	50	24	350	60	17	6	1	8	103
15	39	185	60	71	98	26	21	126	83	369	259	5	1	7	30	104
.....	3	18	5	7	5	.....	1	7	7	34	9	.....	.....	.....	1	105
2	14	54	12	37	62	6	6	36	24	152	39	11	4	2	11	106
.....	2	6	5	6	6	.....	.....	19	14	65	8	2	.....	.....	2	107
2	16	39	18	18	18	5	4	36	23	105	41	3	.....	4	.....	108
1	10	41	12	28	54	2	6	20	14	74	29	5	1	.....	12	109
190	791	4,520	914	1,476	2,516	358	338	2,496	1,290	11,527	3,283	834	391	84	365	110
.....	5	6	2	7	23	2	.....	2	4	33	8	4	1	.....	.....	111
1	5	7	3	5	18	3	2	5	5	26	19	2	4	.....	2	112
1	11	7	3	7	21	2	1	6	3	34	7	3	2	.....	3	113
1	1	8	5	6	5	.....	.....	3	3	26	4	2	.....	1	3	114
1	12	65	17	22	48	8	8	32	17	214	65	3	8	3	5	115
5	70	196	84	99	160	16	35	143	109	444	284	35	16	3	52	116
13	37	106	40	58	112	10	26	41	37	212	194	74	15	5	14	117
1	4	14	3	3	4	10	1	4	3	58	7	2	.....	.....	.....	118
83	286	2,498	335	592	853	195	96	1,238	616	6,085	931	436	203	36	80	119
15	70	371	117	100	309	25	38	234	141	1,094	469	90	58	10	32	120
.....	2	4	.....	.....	5	.....	.....	.....	.....	5	4	1	.....	.....	.....	121
9	18	99	24	42	61	1	10	50	22	268	78	18	5	4	14	122
7	34	169	44	78	138	15	20	97	50	498	162	16	8	3	22	123
4	19	43	15	40	69	5	8	24	24	117	87	12	11	.....	12	124
.....	5	5	4	5	14	2	.....	8	3	14	16	1	1	.....	1	125
.....	.....	2	.....	2	1	.....	.....	2	.....	1	1	.....	.....	.....	.....	126
11	35	223	61	78	154	19	21	217	70	1,031	279	48	17	5	23	127
1	11	43	9	27	38	.....	1	19	15	91	36	8	5	2	3	128
8	55	153	51	76	167	11	23	80	56	276	202	23	20	2	26	129
.....	3	6	1	1	9	1	1	1	1	19	8	.....	.....	.....	1	130
20	59	271	52	105	166	25	26	187	86	361	246	13	9	5	44	131
9	49	213	40	122	135	7	21	100	24	601	166	42	8	5	28	132
.....	.....	11	4	1	6	1	.....	3	1	19	10	1	.....	.....	.....	133
171	520	2,067	556	636	1,204	141	260	1,362	756	8,035	2,375	429	210	43	296	134
9	34	180	45	49	59	17	20	192	67	878	172	38	17	1	14	135
140	383	1,502	417	370	821	92	202	1,056	603	6,228	1,757	309	161	39	226	136
8	14	64	16	37	56	4	10	16	7	154	72	15	6	1	8	137
.....	2	18	3	4	12	2	.....	2	4	23	9	2	.....	.....	1	138
6	42	94	44	31	85	18	17	51	43	179	175	12	15	1	26	139
.....	3	10	1	3	1	.....	.....	1	.....	31	2	3	1	.....	1	140
.....	12	53	17	15	79	1	3	10	10	99	78	10	3	.....	10	141
.....	.....	1	.....	3	7	.....	.....	.....	.....	3	4	1	1	.....	.....	142
.....	.....	6	1	1	3	.....	.....	1	2	16	4	.....	.....	.....	.....	143
.....	4	2	.....	1	6	.....	1	2	7	13	6	2	.....	.....	.....	144
2	7	33	4	29	23	3	4	7	7	128	38	13	1	1	5	145
.....	3	23	3	29	16	.....	1	11	4	71	22	6	1	.....	.....	146
4	10	21	4	20	20	4	2	7	2	96	24	8	1	.....	4	147
2	3	50	.....	39	10	.....	.....	6	.....	92	4	5	2	.....	1	148
.....	3	10	1	5	6	.....	.....	.....	.....	21	8	4	1	.....	.....	149
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	150
19	88	227	47	128	319	10	18	158	61	786	233	46	25	3	36	151
4	11	34	6	14	27	2	1	14	9	87	35	2	.....	.....	7	152
2	2	17	2	12	25	1	1	11	4	66	18	3	3	.....	2	153
1	5	19	1	13	17	.....	.....	15	8	58	17	3	1	1	3	154
7	36	79	10	53	137	4	7	73	22	390	67	20	12	2	11	155
3	14	50	8	26	63	2	5	30	14	133	72	14	7	.....	5	156
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	157
2	20	28	20	10	49	1	4	15	4	52	44	4	2	.....	8	158
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
160	VIII.—Diseases of skin	2,269	1,488	1,515	734	781	754	50	28	27	44	132
161	Gangrene	1,327	793	938	404	534	389	33	20	13	24	74
162	Carouncle	154	120	86	52	34	68	1	2	2	5	7
163	Abscess	448	335	284	171	113	164	12	5	5	10	28
164	Other diseases of skin	340	240	207	107	100	133	4	1	7	5	23
165	IX.—Diseases of locomotor system	849	676	541	368	173	308	16	7	9	18	29
166	Diseases of bones	715	569	470	324	146	245	16	7	8	12	22
167	Diseases of joints	57	47	31	21	10	26	.....	.....	.....	3	2
168	Amputation	45	41	19	15	4	26	.....	.....	.....	2	1
169	Other diseases of organs of locomotion	32	19	21	8	13	11	.....	.....	1	1	4
170	X.—Malformations	3,440	2,458	2,454	1,472	982	986	99	42	23	67	202
171	Hydrocephalus	490	355	358	223	135	132	10	8	4	9	21
172	Congenital malformation of heart (cyanosis)	1,875	1,387	1,288	800	488	587	47	21	13	36	104
173	Other congenital malformations	1,075	716	808	449	359	267	42	13	6	22	77
174	XI.—Early infancy	21,811	17,128	14,069	9,386	4,683	7,742	490	213	335	666	1,449
175	Premature birth	9,087	6,785	6,583	4,281	2,302	2,504	292	125	181	317	682
176	Congenital debility	6,931	5,781	4,510	3,360	1,150	2,421	111	42	92	96	164
177	Other diseases of early infancy	755	549	541	335	206	214	27	10	11	17	71
178	Lack of care	5,038	4,013	2,435	1,410	1,025	2,603	60	36	51	236	532
179	XII.—Old age	14,225	8,839	9,309	3,923	5,386	4,916	162	126	180	299	859
180	XIII.—Violence	31,135	23,915	18,294	11,074	7,220	12,841	601	302	247	613	1,200
181	Suicide by poison	1,344	1,197	626	479	147	718	26	10	11	22	15
182	Suicide by asphyxia	280	273	122	115	7	158	3	1	2	.....	.....
183	Suicide by hanging or strangulation	620	442	382	204	178	238	15	6	7	4	15
184	Suicide by drowning	223	142	139	58	81	84	1	12	.....	1	4
185	Suicide by firearms	953	804	449	300	149	504	7	10	13	5	7
186	Suicide by cutting instruments	221	171	123	73	50	98	7	2	3	1	1
187	Suicide by jumping from high places	45	42	16	13	3	29	.....	.....	1	1	.....
188	Suicide by crushing	15	12	8	5	3	7	1	.....	.....	.....	.....
189	Other suicides	353	188	259	94	165	94	4	4	1	50	56
190	Fractures	2,718	2,091	1,944	1,317	627	774	73	39	21	60	104
191	Dislocations	58	45	38	25	13	20	1	.....	.....	2	3
192	Burns and scalds	2,575	2,063	1,463	951	512	1,112	67	26	20	64	129
193	Heat and sunstroke	290	266	105	81	24	185	2	.....	7	6	5
194	Cold and freezing	163	88	132	57	75	31	7	3	1	2	9
195	Lightning	108	27	92	11	81	16	.....	2	.....	.....	31
196	Drowning	3,244	2,243	2,215	1,214	1,001	1,029	57	34	26	36	74
197	Inhalation of poisonous gases	950	886	600	536	64	350	14	2	8	5	4
198	Other accidental poisonings	1,374	1,038	877	541	336	497	29	9	9	46	88
199	Accidental gunshot wounds	1,196	873	623	300	323	573	18	12	7	27	94
200	Injuries by machinery	281	222	135	76	59	146	6	2	1	6	10
201	Injuries in mines and quarries	199	122	113	36	77	86	.....	.....	.....	.....	5
202	Railroad accidents and injuries	4,485	3,428	2,280	1,223	1,057	2,205	82	51	31	71	138
203	Injuries by vehicles and horses	660	517	375	232	143	285	6	5	5	2	21
204	Suffocation	439	303	271	135	136	168	17	2	.....	13	39
205	Injuries at birth	1,304	958	1,000	654	346	304	59	21	16	18	51
206	Other accidental traumatisms	4,270	3,328	2,590	1,648	942	1,680	75	35	39	41	99
207	Burning by corrosive substances	13	6	10	3	7	3	.....	4	.....	.....	.....
208	Other external violence	1,982	1,444	1,027	489	538	955	20	9	8	116	184
209	Starvation, privation, etc	38	22	25	9	16	13	1	1	.....	1	3
210	Homicide	734	674	255	195	60	479	3	.....	10	13	11
211	XIV.—Ill-defined causes	16,860	12,382	9,402	4,924	4,478	7,458	163	68	113	348	997
212	"Dropsy"	1,609	979	854	224	630	755	7	4	8	48	198
213	"Heart failure"	2,087	1,315	1,116	344	772	971	.....	.....	1	32	146
214	Sudden death	139	80	105	46	59	34	3	2	2	.....	8
215	Unspecified or ill-defined causes of death	1,536	1,110	876	450	426	660	33	5	7	48	73
216	Inanition, over 3 months	2,196	1,739	1,092	635	457	1,104	27	15	34	91	165
217	Debility, over 3 months	2,263	1,596	1,198	531	667	1,065	23	10	14	56	153
218	Marasmus, over 3 months	5,008	4,437	2,975	2,404	571	2,033	48	17	46	40	47
219	Fever	269	153	153	37	116	116	2	2	.....	20	55
220	Unknown causes	1,753	973	1,033	253	780	720	20	13	1	13	152

EACH DISEASE AND CLASS OF DISEASES: 1902—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
15	69	157	64	54	128	12	29	73	59	288	237	11	10	3	25	160
13	55	90	44	24	82	9	24	41	49	151	164	4	4	2	18	161
1	5	11	1	5	7	1	1	4	2	20	7	1	2	1	.....	162
.....	8	35	9	12	18	2	3	18	4	75	32	2	3	.....	3	163
1	1	21	10	13	21	.....	1	10	4	42	34	4	1	.....	4	164
1	9	63	15	27	38	3	7	28	12	192	44	10	7	1	5	165
.....	6	56	15	25	33	3	4	25	11	170	37	9	7	.....	4	166
1	.....	2	.....	1	2	.....	2	.....	1	12	3	1	.....	1	.....	167
.....	1	2	.....	.....	.....	.....	.....	3	.....	8	2	.....	.....	.....	.....	168
.....	2	3	.....	1	3	.....	1	.....	.....	2	2	.....	.....	.....	1	169
12	55	253	67	103	211	14	20	155	107	689	226	48	27	9	25	170
5	10	47	15	16	32	1	1	13	16	106	22	9	4	3	6	171
4	23	123	31	56	96	6	13	76	65	412	110	23	14	4	11	172
3	22	83	21	31	83	7	6	66	26	171	94	16	9	2	8	173
77	263	2,270	404	504	685	91	67	960	418	3,697	928	242	80	54	176	174
26	114	1,033	156	222	358	.....	1	375	199	1,688	512	114	38	33	117	175
29	107	860	154	160	190	53	43	366	132	1,492	242	91	36	10	40	176
4	14	78	18	17	31	9	1	44	23	118	31	9	3	1	4	177
18	28	299	76	105	106	29	22	175	64	399	143	28	3	10	15	178
99	532	947	635	252	712	106	233	256	240	1,447	1,675	134	89	41	285	179
124	392	1,864	521	705	1,457	104	150	1,170	716	5,321	2,119	286	148	39	215	180
.....	12	43	11	36	34	.....	2	71	13	260	46	9	3	1	1	181
1	.....	16	1	1	2	.....	.....	25	1	62	1	5	1	.....	.....	182
6	17	30	16	13	31	2	4	18	15	104	62	5	5	.....	7	183
1	6	18	4	3	17	1	2	7	6	24	25	2	4	.....	1	184
5	16	50	21	17	27	4	3	28	15	165	40	6	6	.....	4	185
1	6	19	1	4	9	1	.....	4	6	28	22	4	2	1	1	186
.....	.....	.....	.....	1	.....	.....	.....	1	.....	9	1	.....	1	.....	1	187
.....	.....	1	1	.....	2	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	188
.....	1	22	14	6	27	2	7	1	12	6	36	1	.....	1	8	189
11	25	267	60	55	99	19	16	127	55	674	201	4	4	6	24	190
1	.....	6	.....	3	1	.....	.....	.....	2	12	7	.....	.....	.....	.....	191
11	38	183	28	54	102	15	9	96	54	411	114	28	6	2	6	192
2	1	10	2	5	6	.....	.....	6	4	41	5	1	.....	1	1	193
3	2	12	11	1	20	.....	5	6	4	21	20	3	.....	1	1	194
1	2	1	2	1	14	.....	4	3	4	5	21	.....	1	.....	.....	195
23	92	265	93	87	179	17	23	118	135	561	320	21	26	3	25	196
6	3	64	3	18	12	1	1	49	8	351	29	18	1	2	1	197
4	11	69	21	28	64	4	5	38	27	305	95	7	2	2	14	198
4	13	26	15	26	64	4	3	33	23	155	89	.....	2	.....	8	199
1	.....	5	3	12	24	2	1	9	4	23	12	10	2	1	1	200
.....	1	.....	.....	33	60	.....	.....	1	9	2	2	.....	.....	.....	.....	201
7	26	207	88	100	158	8	14	237	152	436	383	37	20	7	27	202
1	8	14	3	17	54	3	3	10	5	158	34	15	5	1	5	203
3	4	30	6	12	30	1	3	12	15	43	27	4	2	.....	8	204
.....	14	139	17	34	53	2	5	60	28	289	119	33	21	4	17	205
22	73	210	51	98	255	10	18	148	73	940	283	60	21	5	34	206
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	.....	.....	.....	.....	207
10	18	127	44	27	89	8	22	46	38	121	111	5	4	1	19	208
.....	1	1	1	2	3	.....	.....	.....	.....	4	4	.....	3	.....	.....	209
.....	2	29	4	11	21	.....	.....	16	7	105	8	8	6	.....	1	210
98	407	1,241	437	291	725	142	168	702	499	1,720	973	72	30	34	174	211
3	33	34	31	25	118	13	16	24	53	59	172	2	.....	1	5	212
14	65	98	105	24	74	10	54	86	89	72	207	3	1	4	31	213
3	8	10	5	2	20	3	4	16	3	6	7	1	.....	.....	2	214
15	31	169	52	35	90	10	19	41	32	77	96	9	1	6	27	215
21	33	127	35	51	38	13	12	79	51	166	90	23	11	3	7	216
18	51	208	71	28	87	30	28	52	62	76	183	20	2	6	20	217
15	17	511	91	57	42	36	9	387	175	1,242	147	12	8	10	18	218
.....	13	4	.....	2	10	.....	2	3	11	5	17	.....	.....	1	6	219
9	156	80	47	67	246	27	24	14	23	17	54	2	7	3	58	220

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

	CAUSE OF DEATH.		AGE.										
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
1	All causes		508,640	98,575	22,978	10,525	6,475	4,962	143,515	13,790	8,163	13,709	21,390
2	Males		273,585	54,913	12,153	5,446	3,339	2,612	78,463	7,219	4,178	6,820	11,014
3	Females		235,055	43,662	10,825	5,079	3,136	2,350	65,052	6,571	3,985	6,889	10,376
4	I.—General diseases		138,514	8,503	5,715	4,029	3,051	2,517	23,815	6,769	3,342	6,827	11,066
5	Males		70,747	4,457	2,981	2,019	1,565	1,323	12,345	3,325	1,411	3,021	5,548
6	Females		67,767	4,046	2,734	2,010	1,486	1,194	11,470	3,444	1,931	3,806	5,518
7	Typhoid fever	M.	6,467	39	45	59	67	71	281	304	280	744	1,136
		F.	4,513	48	46	71	66	64	295	309	396	720	677
8	Malarial fever	M.	917	70	46	34	24	15	189	48	31	47	61
		F.	821	68	49	24	21	21	183	61	28	47	41
9	Smallpox	M.	1,355	126	61	49	33	27	296	48	20	58	161
		F.	756	124	47	44	21	21	257	56	11	38	69
10	Measles	M.	1,604	434	531	193	114	68	1,340	126	21	21	34
		F.	1,429	352	443	228	94	54	1,171	128	20	21	13
11	Scarlet fever	M.	2,067	105	240	315	296	257	1,213	612	136	36	24
		F.	1,974	114	218	293	253	208	1,086	607	148	47	40
12	Whooping cough	M.	1,707	1,005	371	147	67	43	1,633	55	3	2	3
		F.	2,147	1,147	475	217	120	59	2,018	95	9	5	2
13	Diphtheria	M.	4,101	269	600	572	541	498	2,480	1,154	236	89	50
		F.	4,000	227	479	530	500	448	2,184	1,240	316	99	40
14	Croup	M.	966	143	226	186	136	89	780	160	10	2	1
		F.	792	107	157	151	131	82	628	138	10	5	2
15	Influenza	M.	1,471	158	43	19	9	10	239	24	15	22	42
		F.	1,754	110	37	18	11	9	185	28	17	35	28
16	Cholera nostras	M.	264	51	9	8	5	6	79	21	5	2	3
		F.	252	36	15	2	4	2	59	9	7	2	4
17	Dysentery	M.	1,534	278	185	91	41	27	622	58	9	12	32
		F.	1,653	234	148	68	32	22	504	42	14	11	21
18	Erysipelas	M.	689	164	14	4	1	4	187	5	7	10	17
		F.	648	185	21	9	3	4	222	1	6	16	22
19	Other epidemic diseases[1]	M.	101	30	6	4	1	3	34	4	2	2	5
		F.	47	13	7	4	2		26	4		1	
20	Septicemia	M.	1,040	96	24	15	6	7	148	41	33	45	61
		F.	1,241	85	16	12	9	5	127	27	21	55	141
21	Tuberculosis of lungs	M.	28,250	389	186	105	73	59	812	184	239	1,515	3,383
		F.	23,829	313	186	127	80	65	771	263	559	2,250	3,829
22	Tuberculosis of larynx	M.	370	7	1	2		1	11	2	3	12	28
		F.	171							2	2	8	21
23	Tuberculous meningitis	M.	1,383	390	241	119	85	64	899	164	58	47	44
		F.	1,291	326	267	132	62	66	853	163	61	49	49
24	Abdominal tuberculosis	M.	827	106	38	19	14	11	188	51	31	42	65
		F.	990	74	35	18	12	10	149	35	40	85	129
25	Pott's disease	M.	232	8	4	3	1	3	19	33	27	24	26
		F.	189	11	6	3	4	4	28	25	18	13	15
26	Tuberculous abscess	M.	21	3					3	1		1	1
		F.	18	1		1	1		3		1	1	2
27	White swelling	M.	141	4	2	3	2	5	16	19	14	13	15
		F.	96	4	2	1	1	3	11	16	15	8	9
28	Tuberculosis of other organs	M.	233	9	3	4	1		17	3	12	18	22
		F.	158	6	2	3	4	2	17	4	4	11	13
29	General tuberculosis	M.	423	31	30	12	3	7	83	17	13	23	53
		F.	316	20	10	8	4	3	45	14	24	32	37
30	Scrofula	M.	84	38	8	5	3	1	55	9	4		4
		F.	61	28	11	1	1	1	42	2	2	1	3
31	Venereal diseases	M.	678	341	15	4	3	3	366	3	1	5	21
		F.	485	281	15	3	3	5	307	3	4	7	26
32	Cancer of mouth	M.	461	1			1		2	1		1	2
		F.	122			1	2	2	5	1		1	
33	Cancer of stomach and liver	M.	3,681	3	1		2	2	8	2	4	5	8
		F.	3,802	4		1	1		6		3	4	20
34	Cancer of intestines	M.	1,014	1			2		3	4	3	1	7
		F.	1,225	1		1			2	3	5	8	6
35	Cancer of female genital organs	F.	3,033					1	1		4	9	10
36	Cancer of breast	M.	16										
		F.	1,734	1					1	2		2	3
37	Cancer of skin	M.	454									1	1
		F.	234			1	1	1	3	1		1	2
38	Cancer of other or unspecified organs	M.	2,172	13	4	16	9	5	47	23	19	35	35
		F.	2,899	9	10	8	5	9	41	14	13	28	29
39	Tumor	M.	123	3	3		1	1	8	1	3	7	3
		F.	336	6	2		1	2	11	4	1	4	9
40	Rheumatism	M.	1,312	14	7	7	11	13	52	54	78	73	62
		F.	1,349	12	4	7	5	9	37	87	84	68	55
41	Diabetes	M.	1,638	6	4	6	3	9	28	43	45	70	57
		F.	1,674	13	4	7	10	7	41	35	56	34	46
42	Anemia, leukemia	M.	863	95	21	11	6	8	141	39	22	21	31
		F.	1,032	68	18	12	17	4	119	19	30	55	68
43	Alcoholism	M.	1,650	1	2				3	1		2	24
		F.	293		1	2			3	2			7
44	Chronic poisonings	M.	164	1					1	1	1	4	7
		F.	88		1		1		2		1	3	7
45	Other general diseases	M.	274	35	10	7	4	6	62	10	6	9	19
		F.	315	18	2	2	4	1	27	4	1	22	23

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

SPECIFIED DISEASE AND CLASS OF DISEASES. BY SEX AND AGE: 1902.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23,542	23,382	24,146	23,797	22,419	24,340	24,654	27,359	28,427	28,196	24,474	18,147	8,946	3,263	1,072	1,909	1
12,317	12,739	13,758	13,869	12,975	13,805	13,795	14,757	15,049	14,613	12,401	8,769	4,071	1,341	382	1,250	2
11,225	10,643	10,388	9,928	9,444	10,535	10,859	12,602	13,378	13,583	12,073	9,378	4,875	1,922	690	659	3
11,722	10,713	9,767	8,975	7,612	7,423	6,764	6,602	5,847	4,649	3,337	1,862	741	224	48	409	4
6,046	5,860	5,494	5,069	4,155	3,838	3,431	3,255	2,784	2,186	1,513	808	310	92	15	241	5
5,676	4,853	4,273	3,906	3,457	3,585	3,333	3,347	3,063	2,463	1,824	1,054	431	132	33	168	6
1,039	740	533	452	268	229	131	119	81	41	29	13	6	1	1	19	7
548	405	283	198	174	129	95	94	77	51	34	11	3	.....	.....	14	
51	62	42	50	36	48	45	50	50	48	29	14	11	2	.....	3	8
54	33	46	31	27	49	39	46	44	43	16	22	4	5	2	.....	
174	147	136	102	67	51	34	16	18	7	4	3	.....	1	.....	12	9
98	54	46	29	28	15	8	14	9	6	9	3	2	.....	.....	4	
15	10	4	13	9	3	3	2	.....	2	.....	.....	.....	.....	.....	1	10
15	13	9	9	7	8	5	2	5	1	.....	1	.....	1	.....	.....	
10	11	6	7	1	.....	4	1	3	.....	.....	.....	.....	.....	.....	3	11
25	8	5	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	2	2	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	4	12
3	2	.....	1	.....	1	1	2	2	2	1	.....	.....	1	.....	2	
17	16	20	15	5	7	2	1	3	.....	2	.....	.....	.....	.....	4	13
36	17	12	17	11	5	5	5	3	3	2	.....	.....	.....	.....	5	
3	2	1	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	3	14
1	3	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	
28	48	41	56	74	65	103	90	126	145	137	120	62	21	5	8	15
32	41	42	55	64	72	104	128	184	194	225	178	92	37	8	5	
14	6	10	9	16	8	17	13	17	14	13	11	2	2	.....	2	16
3	5	7	4	10	15	15	24	17	26	21	13	7	2	1	1	
27	24	43	35	51	62	73	79	76	120	88	74	34	10	1	4	17
41	43	42	48	50	70	72	100	128	157	135	97	51	16	3	8	
21	34	43	49	40	36	39	38	40	41	37	34	4	4	.....	3	18
24	27	21	32	25	28	28	43	40	31	37	29	8	6	2	.....	
5	5	9	6	12	4	8	2	1	2	.....	.....	.....	.....	.....	.....	19
3	4	2	1	1	1	1	.....	1	.....	1	1	.....	.....	.....	.....	
66	58	66	75	76	70	55	66	66	48	32	18	5	1	.....	10	20
177	174	155	89	44	52	38	22	38	25	29	13	8	2	1	3	
2,924	3,862	3,469	2,939	2,158	1,691	1,301	1,054	740	458	271	97	33	10	3	87	21
3,925	3,125	2,403	1,776	1,184	969	746	624	524	419	249	104	36	10	3	60	
35	43	50	39	36	30	22	22	16	8	4	7	.....	.....	.....	2	22
34	24	20	14	14	7	12	7	2	1	2	.....	.....	.....	.....	1	
35	41	33	11	10	16	8	6	3	1	3	3	.....	.....	.....	1	23
32	17	20	14	8	5	5	3	5	1	2	1	.....	.....	.....	3	
66	64	49	59	54	32	34	36	25	12	10	5	1	.....	.....	3	24
97	92	64	75	41	41	32	38	31	16	18	5	.....	.....	1	1	
23	13	13	13	4	13	4	10	6	.....	4	.....	.....	.....	.....	.....	25
12	17	15	12	4	7	5	5	5	4	3	1	.....	.....	.....	.....	
1	2	1	1	5	2	1	.....	.....	1	1	.....	.....	.....	.....	.....	26
1	2	2	1	2	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	
8	13	9	3	7	3	6	5	2	.....	5	1	.....	.....	1	1	27
6	2	7	3	2	1	4	2	3	5	1	1	.....	.....	.....	.....	
18	20	14	20	15	16	21	13	8	8	7	1	.....	.....	.....	.....	28
20	21	16	8	10	6	3	3	8	4	5	3	1	.....	.....	1	
48	41	33	29	16	26	14	9	8	5	2	1	1	1	.....	.....	29
44	33	30	14	14	8	6	6	4	3	2	.....	.....	.....	.....	.....	
1	.....	4	.....	3	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	30
.....	1	1	.....	.....	.....	3	1	2	.....	3	.....	.....	.....	.....	.....	
38	34	37	45	41	34	21	11	11	4	3	2	1	.....	.....	.....	31
24	23	20	23	15	16	4	4	2	1	3	.....	.....	.....	.....	3	
1	7	13	17	36	53	60	78	64	52	43	18	7	3	.....	3	32
2	1	3	3	12	19	24	8	11	13	10	9	.....	.....	.....	.....	
23	68	129	242	343	458	492	588	503	405	263	97	23	7	.....	13	33
26	88	132	233	322	484	453	574	537	436	286	127	49	10	.....	12	
28	25	58	73	79	102	125	152	141	106	68	30	3	.....	1	5	34
22	36	64	102	99	153	148	176	161	109	71	35	18	1	1	5	
56	133	259	370	477	451	422	331	234	123	94	38	9	4	.....	8	35
.....	.....	.....	.....	.....	2	3	3	4	1	1	.....	2	.....	.....	.....	
14	44	91	165	304	241	239	215	165	130	101	65	41	5	4	2	36
.....	3	15	20	20	31	51	38	66	64	52	58	21	9	1	3	
2	.....	6	5	13	14	24	22	29	30	25	33	16	8	.....	.....	37
48	58	82	135	157	227	251	263	261	217	152	95	46	11	.....	10	
44	72	169	234	279	354	357	325	314	254	187	114	46	15	3	7	38
4	7	5	12	8	20	9	8	8	8	7	3	2	.....	.....	.....	
11	18	9	22	19	22	43	50	28	35	28	16	3	1	.....	2	39
50	52	57	80	73	74	92	119	106	117	88	59	17	3	1	5	
53	81	66	71	61	83	83	114	129	107	79	61	20	5	2	3	40
52	53	69	100	89	139	170	199	185	157	110	29	15	3	.....	5	
56	59	57	73	95	140	197	242	212	169	95	51	9	2	.....	5	41
33	42	50	57	74	66	66	57	61	54	33	5	6	3	.....	2	
65	60	65	84	64	65	70	77	76	47	41	14	6	1	2	4	42
116	221	291	260	225	166	132	86	58	26	9	2	4	.....	1	23	
33	45	55	50	32	20	15	16	6	3	.....	1	.....	.....	.....	5	43
12	12	15	27	22	17	13	11	11	6	.....	2	1	.....	.....	1	
9	4	9	7	7	5	11	3	11	5	1	2	.....	.....	.....	1	44
12	16	22	16	24	14	19	9	14	7	6	5	3	.....	.....	1	
28	26	20	28	35	27	15	21	14	9	8	5	2	.....	.....	.....	45

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.		AGE.									
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
46	II.—Diseases of nervous system		59,313	11,673	2,789	1,277	709	507	16,955	1,303	777	799	919
47	Males		31,822	6,669	1,513	669	372	245	9,468	723	441	406	485
48	Females		27,491	5,004	1,276	608	337	262	7,487	580	336	393	434
49	Encephalitis	M.	369	120	33	20	13	6	192	21	10	7	15
		F.	347	88	41	18	16	6	169	26	19	12	8
50	Meningitis	M.	5,469	1,968	867	392	220	138	3,585	422	181	158	156
		F.	4,512	1,582	689	365	208	152	2,996	372	177	159	132
51	Locomotor ataxia	M.	525	5	.....	.....	.....	.....	5	1	1	3	3
		F.	166	1	.....	1	.....	.....	2	2	1	2	.....
52	Other diseases of spinal cord	M.	766	37	10	10	7	6	70	13	11	7	18
		F.	688	32	15	4	5	5	61	7	9	16	20
53	Apoplexy	M.	11,236	375	83	41	12	14	525	38	29	48	87
		F.	10,626	238	70	36	22	16	382	37	34	41	64
54	Softening of brain	M.	670	3	.....	.....	.....	.....	3	.....	.....	3	3
		F.	527	3	.....	.....	1	.....	4	2	.....	1	3
55	Paralysis	M.	3,121	33	15	7	12	3	70	18	14	10	18
		F.	3,553	30	10	7	9	7	63	15	10	18	22
56	General paralysis of insane	M.	1,558	1	1	.....	.....	1	3	1	.....	4	10
		F.	680	2	.....	.....	.....	.....	2	2	1	1	4
57	Other forms of mental disease	M.	593	2	.....	1	.....	1	4	1	2	11	18
		F.	614	.....	.....	.....	.....	.....	.....	.....	1	6	18
58	Other diseases of brain	M.	840	111	22	12	10	9	164	38	25	31	32
		F.	605	68	21	13	10	12	124	17	13	16	24
59	Epilepsy	M.	864	29	6	7	10	5	57	32	41	65	79
		F.	619	24	5	2	3	3	37	16	26	54	62
60	Convulsions	M.	4,442	3,580	447	159	75	44	4,305	46	9	11	4
		F.	3,545	2,667	403	148	53	44	3,315	42	13	26	39
61	Tetanus	M.	793	350	5	5	6	12	378	72	103	32	21
		F.	365	235	4	2	1	5	247	21	10	8	10
62	Other diseases of nervous system	M.	576	55	24	15	7	6	107	20	15	16	21
		F.	644	34	18	12	9	12	85	21	22	33	28
63	III.—Diseases of circulatory system		49,233	1,193	131	100	96	102	1,622	690	785	890	1,060
64	Males		26,527	680	75	45	49	50	899	347	349	443	485
65	Females		22,706	513	56	55	47	52	723	343	436	447	575
66	Pericarditis	M.	410	6	3	4	3	3	19	19	15	14	12
		F.	343	11	5	2	2	3	23	21	23	14	21
67	Endocarditis	M.	1,910	35	11	6	16	15	83	83	57	55	59
		F.	1,771	36	9	10	8	17	80	70	85	73	86
68	Heart disease	M.	20,053	436	48	20	22	23	549	205	251	333	351
		F.	17,524	307	32	33	30	30	432	225	297	314	381
69	Angina pectoris	M.	1,220	3	.....	1	.....	1	5	4	4	4	7
		F.	860	2	2	1	.....	.....	5	4	3	9	19
70	Diseases of arteries	M.	1,688	3	.....	.....	.....	.....	3	4	1	3	10
		F.	941	1	.....	.....	.....	1	2	3	3	2	10
71	Embolism and thrombosis	M.	591	11	1	4	2	1	19	4	6	8	15
		F.	715	7	2	1	1	.....	11	7	10	15	31
72	Diseases of veins	M.	67	2	1	1	.....	.....	4	1	.....	.....	1
		F.	86	2	.....	1	.....	.....	3	1	1	1	4
73	Diseases of lymphatics	M.	33	14	1	1	1	1	18	3	.....	1	.....
		F.	20	6	1	1	.....	.....	8	.....	1	.....	.....
74	Other diseases of circulatory system	M.	555	170	10	8	5	6	199	24	15	25	30
		F.	446	141	5	6	6	1	159	12	13	19	23
75	IV.—Diseases of respiratory system		71,027	17,366	6,822	2,793	1,346	841	29,168	1,839	749	1,300	1,859
76	Males		38,186	9,696	3,599	1,430	666	437	15,828	938	329	676	1,083
77	Females		32,841	7,670	3,223	1,363	680	404	13,340	901	420	624	776
78	Laryngitis	M.	277	56	40	25	27	14	162	29	6	2	6
		F.	179	28	26	25	11	11	101	25	3	6	8
79	Other diseases of larynx	M.	216	68	30	15	16	13	142	24	9	3	1
		F.	165	43	22	13	11	10	99	12	4	1	4
80	Diseases of thyroid body	M.	20	4	.....	.....	.....	1	5	.....	1	1	1
		F.	73	.....	1	.....	.....	.....	1	.....	3	2	4
81	Acute bronchitis	M.	3,890	2,526	589	194	73	54	3,436	40	10	5	15
		F.	3,698	2,066	532	206	81	47	2,932	45	15	15	18
82	Chronic bronchitis	M.	2,230	89	22	14	5	2	132	58	11	20	31
		F.	2,763	77	27	10	1	3	118	46	25	43	61
83	Bronchopneumonia	M.	5,212	2,344	977	346	149	91	3,907	135	23	36	47
		F.	4,941	1,842	914	384	164	83	3,387	158	39	46	44
84	Pneumonia	M.	22,055	4,058	1,827	783	368	235	7,271	573	230	512	837
		F.	17,660	3,191	1,593	664	381	233	6,062	545	276	427	521
85	Pleurisy	M.	839	43	43	24	12	11	133	32	11	37	44
		F.	603	28	34	20	8	3	93	19	19	30	33
86	Congestion of lungs	M.	1,561	433	52	21	8	8	522	28	17	22	40
		F.	1,417	333	55	32	18	9	447	32	11	22	27
87	Gangrene of lungs	M.	144	1	.....	1	1	.....	3	.....	.....	3	8
		F.	52	1	.....	1	1	.....	3	.....	1	.....	6
88	Asthma and emphysema	M.	829	20	7	4	2	6	39	10	2	4	6
		F.	692	19	5	2	2	2	30	4	8	3	7
89	Hemorrhage of lungs	M.	498	11	3	1	2	.....	17	3	4	17	23
		F.	275	11	2	.....	1	.....	14	1	5	12	24
90	Other diseases of respiratory system	M.	415	43	9	2	3	2	59	6	5	14	24
		F.	323	31	12	6	1	3	53	14	11	17	19

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1902—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,083	1,327	1,750	2,170	2,493	3,063	3,438	4,228	4,853	4,921	4,375	2,935	1,252	358	103	211	46
563	797	1,035	1,318	1,375	1,638	1,882	2,233	2,560	2,494	2,170	1,396	542	135	33	128	47
520	530	715	852	1,118	1,425	1,556	1,995	2,293	2,427	2,205	1,539	710	223	70	83	48
12	7	17	13	15	16	6	12	10	5	6	4	.....	.....	.....	1	49
5	20	15	6	8	9	8	10	8	12	8	3	.....	.....	.....	1	
131	147	137	105	98	75	69	63	50	37	21	15	4	1	.....	14	50
109	84	87	64	64	62	45	38	37	32	23	15	10	.....	1	5	
4	15	33	62	57	79	71	75	60	27	16	9	2	.....	.....	2	51
1	6	8	12	15	18	22	24	24	12	12	3	1	.....	.....	1	
23	29	38	58	51	57	76	84	78	67	51	25	7	.....	.....	3	52
19	20	30	46	45	58	54	65	78	74	47	21	13	4	.....	1	
133	200	322	469	601	848	1,065	1,295	1,540	1,541	1,215	806	318	84	18	54	53
124	145	248	362	576	835	956	1,240	1,372	1,454	1,268	865	413	135	37	38	
5	3	10	22	28	37	48	78	94	117	113	60	31	9	2	4	54
3	9	10	16	21	28	34	55	66	81	87	64	33	5	3	2	
25	42	67	90	117	168	230	316	447	462	507	329	131	31	10	19	55
40	31	52	99	132	198	246	343	467	531	558	430	197	61	24	16	
17	95	182	236	181	152	130	115	111	100	111	73	26	4	1	6	56
14	23	48	50	61	43	45	52	84	78	81	60	23	4	1	3	
28	52	46	66	45	52	47	66	37	39	33	28	8	4	2	4	57
35	44	53	54	52	51	42	63	59	51	41	28	7	5	2	2	
43	53	48	60	61	52	56	43	36	33	37	21	3	1	.....	3	58
32	36	38	33	42	37	42	37	26	34	24	17	5	5	1	2	
85	97	71	59	58	48	34	37	37	25	19	14	3	.....	.....	3	59
64	48	56	50	43	35	21	28	21	21	21	12	.....	1	.....	3	
7	2	12	9	6	5	5	.....	3	3	1	1	2	.....	.....	11	60
33	21	15	12	5	7	1	4	1	1	1	3	1	.....	1	4	
27	28	25	25	21	15	14	7	11	3	7	.....	1	.....	.....	3	61
10	12	9	11	9	4	6	2	1	2	1	.....	.....	.....	.....	2	
23	27	27	44	36	34	31	42	46	35	33	11	6	1	.....	1	62
31	31	46	37	45	40	34	34	49	44	33	18	7	3	.....	3	
1,392	1,713	2,129	2,565	2,837	3,547	4,205	5,108	5,601	5,685	4,679	2,956	1,199	299	81	190	63
646	844	1,127	1,351	1,572	1,977	2,431	2,885	3,124	3,110	2,567	1,511	577	136	33	113	64
746	869	1,002	1,214	1,265	1,570	1,774	2,223	2,477	2,575	2,112	1,445	622	163	48	77	65
23	16	25	28	22	34	34	28	35	28	33	12	9	1	1	2	66
15	15	21	12	18	22	17	36	28	25	14	12	5	.....	1	.....	
72	88	114	134	121	147	171	163	181	162	111	72	24	5	2	6	67
102	98	112	98	107	111	125	138	142	140	109	52	30	5	4	4	
463	616	819	1,004	1,196	1,488	1,870	2,279	2,406	2,435	1,989	1,175	419	92	24	89	68
524	610	748	960	997	1,267	1,428	1,777	1,985	2,048	1,705	1,147	479	110	30	60	
16	23	46	48	82	120	132	175	193	159	101	57	32	7	1	4	69
22	31	32	42	55	73	79	92	124	114	83	47	21	5	.....	.....	
23	37	69	72	82	117	146	154	201	250	252	150	78	26	4	6	70
6	14	21	12	25	39	59	105	109	156	138	136	58	31	9	3	
18	35	17	31	38	39	52	55	77	62	65	31	11	5	1	2	71
50	50	32	55	42	39	45	54	72	68	50	42	23	11	3	5	
1	1	9	2	2	5	7	7	11	5	4	5	2	.....	.....	.....	72
6	11	9	5	4	6	9	5	4	7	3	4	2	.....	1	.....	
1	.....	.....	1	1	2	.....	1	3	1	1	.....	.....	.....	.....	.....	73
.....	.....	.....	.....	2	2	1	1	3	2	.....	.....	.....	.....	.....	.....	
29	28	28	31	28	25	19	23	17	8	11	9	2	.....	.....	4	74
21	40	27	30	15	11	11	15	10	15	10	5	4	1	.....	5	
2,105	2,283	2,613	2,634	2,583	2,869	2,917	3,393	3,716	3,703	3,194	2,349	1,106	356	103	188	75
1,284	1,396	1,684	1,710	1,611	1,758	1,638	1,726	1,804	1,640	1,411	950	434	134	36	116	76
821	887	929	924	972	1,111	1,279	1,667	1,912	2,063	1,783	1,399	672	222	67	72	77
6	5	6	6	5	9	5	9	6	3	6	4	.....	.....	.....	2	78
7	4	4	4	3	1	2	.....	1	6	1	2	1	.....	.....	.....	
4	3	5	6	2	4	3	4	1	3	.....	2	.....	.....	.....	.....	79
8	3	6	4	4	4	2	3	3	1	4	2	.....	.....	.....	1	
.....	.....	1	1	1	1	1	2	1	3	.....	1	.....	.....	.....	.....	80
4	3	6	6	7	5	6	6	6	6	4	2	2	.....	.....	.....	
13	10	11	12	16	19	29	30	41	59	55	37	27	15	3	7	81
12	19	22	22	21	20	29	60	80	111	87	110	51	19	8	2	
46	54	63	54	86	112	159	195	253	290	263	229	110	42	15	7	82
47	45	59	57	81	105	161	238	324	414	381	311	163	52	20	12	
59	58	57	73	70	62	86	122	111	132	119	72	27	8	2	6	83
46	54	48	51	49	55	88	129	176	181	180	117	60	22	5	6	
958	1,064	1,306	1,289	1,174	1,220	1,089	1,062	1,065	898	732	476	209	48	13	68	84
563	607	643	650	663	745	814	998	1,047	1,055	886	675	310	105	25	43	
60	58	62	68	51	74	41	51	42	37	17	11	4	4	.....	2	85
34	40	36	21	28	34	30	41	44	42	28	21	4	3	.....	3	
41	52	62	58	61	89	77	86	105	97	88	68	29	9	3	7	86
30	44	47	43	45	65	48	73	90	106	125	85	55	13	5	4	
7	7	12	17	18	22	21	8	9	5	1	.....	.....	.....	.....	3	87
6	6	5	6	5	1	3	1	.....	7	1	1	.....	.....	.....	.....	
21	15	19	37	57	74	61	95	112	100	104	37	25	7	.....	4	88
10	13	29	27	34	43	66	81	104	96	66	47	16	5	2	1	
46	48	56	54	40	39	34	33	31	27	15	4	4	.....	.....	3	89
27	19	16	21	18	16	20	22	15	21	7	12	2	2	1	.....	
23	22	24	35	30	33	32	29	27	16	11	9	8	1	.....	7	90
27	30	8	12	14	17	10	15	22	17	13	14	8	1	1	.....	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
91	V.—Diseases of digestive system	61,192	24,758	5,587	1,317	527	354	32,543	1,134	893	1,104	1,494
92	Males	32,033	13,584	2,943	695	276	181	17,679	584	488	594	711
93	Females	29,159	11,174	2,644	622	251	173	14,864	550	405	510	783
94	Diseases of mouth	M. 111	68	10	1	1	4	84	7			4
		F. 118	73	14	1		1	89	5	1	1	1
95	Tonsilitis	M. 124	12	15	14	10	13	64	23	5	4	7
		F. 134	8	17	11	9	11	56	39	12	8	1
96	Other diseases of pharynx	M. 216	31	11	7	1	2	52	13	8	4	6
		F. 113	13	7	2	3	2	27	11	3	3	6
97	Ulcer of stomach	M. 465	2	2		1		5	1	2	12	18
		F. 440	6	1			1	8	8	4	15	31
98	Gastritis	M. 1,714	344	73	22	14	10	463	31	11	18	32
		F. 1,979	281	60	28	23	15	407	31	17	26	41
99	Other diseases of stomach	M. 1,019	420	48	15	9	4	496	11	4	10	9
		F. 850	315	31	12	11	5	374	10	7	7	10
100	Dentition	M. 183	110	66	4			180	1	2		
		F. 138	80	53	3			136				
101	Diarrhea and enteritis	M. 17,739	11,928	2,612	567	168	97	15,372	167	62	61	64
		F. 15,888	9,984	2,379	505	160	95	13,123	167	59	54	85
102	Hernia	M. 696	79	9	3	1	1	93	5	3	11	17
		F. 620	26	3	1			30	1	1	2	2
103	Obstruction of intestines	M. 1,317	251	43	21	19	11	345	49	37	38	60
		F. 1,374	147	31	16	14	15	223	37	23	35	52
104	Other diseases of intestines	M. 497	99	8	3	9	3	122	10	12	13	18
		F. 464	91	12	6	4	2	115	10	9	11	20
105	Acute yellow atrophy of liver	M. 57	6	1	2			9				4
		F. 87	6	1	1	2	1	11	1	2	2	5
106	Hydatid tumors of liver	M. 6	1					1				
		F. 8										1
107	Cirrhosis of liver	M. 2,944	6	4	3	2	1	16	6	7	11	21
		F. 1,516	6	1	3	1		11	4	10	11	22
108	Biliary calculi	M. 219	4				1	5	2		1	1
		F. 449	2	1	1			4			1	10
109	Other diseases of liver	M. 1,221	88	16	5	7	3	119	13	6	25	45
		F. 1,262	54	9	9	2	4	78	14	4	11	36
110	Diseases of spleen	M. 48	1	3		1		5	1	1	2	1
		F. 41	1	1	2	1		5		1	1	1
111	Peritonitis	M. 1,413	121	18	19	17	14	189	76	104	109	129
		F. 2,411	75	21	18	14	12	140	86	94	169	292
112	Appendicitis	M. 1,987	12	3	9	16	17	57	167	224	274	273
		F. 1,229	6	2	3	7	9	27	125	158	151	165
113	Other diseases of digestive system	M. 57	1	1				2	1		1	2
		F. 38							1		2	2
114	VI.—Diseases of genito-urinary system	34,608	549	160	150	176	136	1,171	418	291	576	1,143
115	Males	19,135	338	82	89	100	80	689	224	126	238	413
116	Females	15,473	211	78	61	76	56	482	194	165	338	730
117	Acute nephritis	M. 1,582	103	30	38	49	45	265	96	43	71	78
		F. 1,401	62	23	29	29	25	168	90	35	71	104
118	Bright's disease	M. 14,840	175	46	47	50	33	351	123	82	159	302
		F. 11,296	112	50	30	43	30	265	100	119	195	369
119	Other diseases of kidneys	M. 569	28	4	2	1		35	4		6	15
		F. 369	22	4	1	1	1	29	2	5	4	25
120	Calculi of urinary tract	M. 118	5		1			6		1		1
		F. 32	1					1				
121	Diseases of bladder	M. 1,217	15	2	1		1	19	1		2	15
		F. 215	8		1	1		10		2	2	5
122	Uterine tumor	F. 536									3	4
123	Other diseases of uterus	F. 606				1		1	1	3	23	80
124	Ovarian tumor	F. 428				1		1	1	1	9	25
125	Diseases of tubes	F. 460									25	106
126	Other diseases of genito-urinary system	M. 809	12				1	13				2
		F. 130	6	1				7			6	12
127	VII.—Childbirth	4,164								4	297	841
128	Puerperal septicemia	F. 1,813								1	144	424
129	Puerperal convulsions	F. 768								2	86	176
130	Other causes incident to childbirth	F. 1,583								1	67	241
131	VIII.—Diseases of skin	2,269	306	32	24	18	12	392	36	19	21	41
132	Males	1,275	167	17	19	7	4	214	22	9	14	19
133	Females	994	139	15	5	11	8	178	14	10	7	22
134	Gangrene	M. 738	30	9	8	3	1	51	7	3	4	
		F. 589	17	6	2	5	4	34	6	1	2	10
135	Carbuncle	M. 106	4					4	1	2	2	5
		F. 48	6					6			1	
136	Abscess	M. 256	40	3	7	4	3	57	12	3	7	12
		F. 192	44	4	2	4	3	57	5	6	3	8
137	Other diseases of skin	M. 175	93	5	4			102	2	1	1	2
		F. 165	72	5	1	2	1	81	3	3	1	4
138	IX.—Diseases of locomotor system	849	201	91	27	15	13	347	46	51	43	35
139	Males	529	131	55	13	7	9	215	23	32	32	19
140	Females	320	70	36	14	8	4	132	23	19	11	16
141	Diseases of bones	M. 440	127	55	12	7	9	210	18	28	26	14
		F. 275	67	36	13	8	4	128	22	18	10	14
142	Diseases of joints	M. 30	3		1			4	1	2	2	
		F. 27	3		1			4	1	1		
143	Other diseases of locomotor system	M. 59	1					1	4	2	4	5
		F. 18									1	2

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1902—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,630	1,722	1,928	1,922	1,926	2,205	2,151	2,366	2,377	2,116	1,718	1,149	486	146	35	147	91
702	801	920	1,006	1,026	1,170	1,167	1,221	1,194	1,047	825	527	214	58	12	87	92
928	921	1,008	916	900	1,035	984	1,145	1,183	1,069	893	622	272	88	23	60	93
1	1	1	.....	1	2	1	2	1	1	3	.....	.....	1	.....	1	94
1	.....	3	3	1	.....	1	1	2	2	3	2	1	.....	.....	1	
6	2	3	1	3	1	1	1	.....	.....	2	.....	.....	1	.....	.....	95
4	5	3	1	1	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	
8	11	9	7	10	13	8	11	18	22	9	1	2	2	.....	2	96
5	7	3	4	2	5	5	4	7	8	4	7	2	.....	.....	.....	
20	33	33	44	57	44	40	44	41	29	18	15	7	.....	.....	2	97
43	30	40	38	30	35	40	30	35	21	14	15	1	.....	.....	2	
33	52	56	71	71	95	113	130	140	141	124	79	35	11	2	6	98
77	56	89	77	78	113	121	148	187	153	163	113	59	19	2	2	
11	16	25	25	39	43	48	55	55	43	57	45	15	5	4	3	99
15	18	16	20	23	39	29	34	46	46	59	51	30	13	3	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	100
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	
69	87	117	97	112	135	180	215	223	239	226	178	77	25	1	32	101
109	126	129	111	129	175	167	256	264	285	270	218	100	30	10	21	
17	19	35	39	33	56	56	62	67	67	52	34	21	3	1	5	102
10	11	36	39	61	78	57	92	57	51	50	23	10	4	2	3	
52	51	63	53	67	72	73	85	89	71	64	29	11	.....	.....	8	103
84	64	82	97	70	97	82	102	103	99	57	38	15	5	2	7	
21	28	22	27	26	25	19	37	25	35	29	15	9	3	1	.....	104
23	24	38	20	19	18	17	25	22	32	19	28	6	4	2	2	
3	2	1	4	4	5	6	5	10	.....	1	2	1	.....	.....	.....	105
7	6	8	7	5	5	3	5	3	8	6	1	.....	.....	.....	2	
1	1	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
1	.....	.....	3	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
63	140	243	297	329	398	380	348	302	212	107	47	8	1	.....	8	107
52	79	105	120	171	170	164	159	163	142	76	39	12	4	.....	2	
9	4	9	13	23	28	23	29	28	20	11	8	5	.....	.....	.....	108
12	19	24	36	49	52	59	53	48	35	27	10	7	1	.....	2	
59	71	68	103	80	95	79	103	104	103	74	48	16	6	1	3	109
41	49	82	81	83	95	123	132	150	115	90	45	22	5	.....	6	
2	6	5	3	7	5	2	4	1	2	.....	1	.....	.....	.....	.....	110
3	4	4	5	2	4	2	.....	2	3	3	1	.....	.....	.....	.....	
114	99	91	87	63	65	70	53	53	43	34	19	6	.....	2	7	111
324	323	263	184	119	94	66	70	63	50	38	24	5	2	.....	5	
207	173	130	129	97	81	64	32	34	17	11	6	1	.....	.....	10	112
114	100	80	67	51	47	42	31	24	18	14	5	2	1	2	5	
6	5	9	4	4	7	3	5	3	2	3	.....	.....	.....	.....	.....	113
3	.....	3	3	5	7	4	3	4	1	.....	.....	.....	.....	.....	.....	
1,553	1,795	2,105	2,338	2,500	2,863	3,014	3,246	3,381	3,317	2,561	1,509	592	134	32	69	114
636	743	972	1,130	1,313	1,610	1,719	1,911	2,007	2,141	1,698	1,024	394	84	17	46	115
917	1,052	1,133	1,208	1,187	1,253	1,295	1,335	1,374	1,176	863	485	198	50	15	23	116
118	99	112	100	100	91	94	84	76	65	50	28	8	1	1	2	117
117	123	114	88	89	74	73	68	68	58	32	18	9	1	.....	1	
468	573	804	948	1,129	1,392	1,491	1,598	1,609	1,608	1,218	654	233	51	11	36	118
498	564	663	782	858	1,017	1,086	1,146	1,185	1,033	756	420	168	44	11	17	
21	40	23	32	28	44	34	61	50	64	49	45	16	2	.....	.....	119
26	36	22	30	29	28	21	21	31	24	18	12	3	1	1	1	
5	8	4	4	3	9	11	8	19	19	11	8	1	.....	.....	.....	120
2	3	2	4	2	1	2	5	5	2	1	2	.....	.....	.....	.....	
15	11	18	26	27	46	49	88	156	210	231	191	89	16	3	4	121
6	7	8	11	9	11	14	23	19	25	27	20	11	2	3	.....	
15	47	85	118	89	49	44	27	22	10	15	4	4	.....	.....	.....	122
86	115	94	71	48	29	23	16	3	6	3	.....	1	.....	.....	3	123
34	55	49	43	47	34	27	26	39	16	8	9	2	2	.....	.....	124
108	82	72	46	9	7	2	1	1	.....	.....	.....	.....	.....	.....	1	125
9	12	11	20	26	28	40	72	97	175	139	98	47	14	2	4	126
25	20	24	15	7	3	3	2	1	2	3	.....	.....	.....	.....	.....	
996	930	722	317	40	3	3	.....	1	.....	.....	.....	.....	.....	.....	10	127
490	366	280	90	15	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	128
158	165	115	58	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	129
348	399	327	169	20	3	2	.....	1	.....	.....	.....	.....	.....	.....	5	130
40	52	62	72	78	89	119	166	187	244	235	220	126	51	12	7	131
24	33	32	47	47	51	67	91	113	130	130	129	73	21	4	5	132
16	19	30	25	31	38	52	75	74	114	105	91	53	30	8	2	133
11	11	10	11	25	26	38	50	75	103	106	112	68	20	3	4	134
6	5	8	10	14	20	35	51	53	93	85	76	47	26	5	2	
.....	2	6	8	10	11	7	14	9	12	5	4	4	.....	.....	.....	135
2	1	2	1	3	6	3	7	3	6	1	2	3	1	.....	.....	
12	16	14	22	8	11	17	20	20	8	6	8	1	.....	1	1	136
4	9	17	11	9	8	9	10	11	5	10	5	1	2	2	.....	
1	4	2	6	4	3	5	7	9	7	13	5	.....	1	.....	.....	137
4	4	3	3	5	4	5	7	7	10	9	8	2	1	1	.....	
34	27	29	32	17	25	38	35	33	21	22	10	2	.....	1	1	138
20	20	17	21	9	16	23	24	24	13	13	5	2	.....	.....	1	139
14	7	12	11	8	9	15	11	9	8	9	5	.....	.....	1	.....	140
12	13	12	14	6	13	15	19	19	7	9	3	1	.....	.....	1	141
11	5	9	9	6	5	11	8	6	6	5	2	.....	.....	.....	.....	
1	3	2	1	1	1	6	.....	1	3	1	1	.....	.....	.....	.....	142
.....	1	2	2	2	3	2	1	2	1	2	2	.....	.....	1	.....	
7	4	3	6	2	2	2	5	4	3	3	1	1	.....	.....	.....	143
3	1	1	.....	.....	1	2	2	1	1	2	1	.....	.....	.....	.....	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
144	X.—Malformations	3,440	3,165	115	32	11	12	3,335	29	14	10	7
145	Males	1,959	1,811	64	14	4	10	1,903	13	10	6	3
146	Females	1,481	1,354	51	18	7	2	1,432	16	4	4	4
147	Hydrocephalus (M)	276	187	45	10	1	9	252	7	4	4	2
	(F)	214	151	27	8	2	1	189	10	1	2	2
148	Congenital malformation of heart (cyanosis). (M)	1,109	1,065	13	4	2	.....	1,084	4	5	2	1
	(F)	766	734	15	3	3	1	736	4	.....	2	.....
149	Other congenital malformations (M)	574	559	6	.....	1	1	567	2	1	.....	.....
	(F)	501	469	9	7	2	.....	487	2	3	.....	2
150	XI.—Early infancy	21,811	21,811	.....	.....	.....	.....	21,811	.....	.....	.....	.....
151	Males	12,417	12,417	.....	.....	.....	.....	12,417	.....	.....	.....	.....
152	Females	9,394	9,394	.....	.....	.....	.....	9,394	.....	.....	.....	.....
153	Premature birth (M)	5,141	5,141	.....	.....	.....	.....	5,141	.....	.....	.....	.....
	(F)	3,946	3,946	.....	.....	.....	.....	3,946	.....	.....	.....	.....
154	Congenital debility (M)	7,276	7,276	.....	.....	.....	.....	7,276	.....	.....	.....	.....
	(F)	5,448	5,448	.....	.....	.....	.....	5,448	.....	.....	.....	.....
155	XII.—Old age	14,225	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
156	Males	6,266	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
157	Females	7,959	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	XIII.—Violence	31,135	2,009	498	511	418	391	3,827	1,339	1,131	1,703	2,600
159	Males	23,955	1,185	289	313	234	230	2,251	926	939	1,324	2,151
160	Females	7,180	824	209	198	184	161	1,576	413	192	379	539
161	Suicide (M)	3,019	.....	.....	.....	.....	.....	.....	3	6	91	232
	(F)	1,035	.....	.....	.....	.....	.....	.....	.....	6	124	174
162	Fractures and dislocations (M)	2,008	16	12	20	11	16	75	74	57	105	169
	(F)	768	7	5	11	8	8	39	17	12	10	14
163	Burns and scalds (M)	1,120	44	134	153	107	77	515	86	27	31	57
	(F)	1,455	52	95	103	118	93	461	188	63	63	83
164	Heat and sunstroke (M)	210	25	5	1	.....	.....	31	3	2	3	6
	(F)	80	23	2	.....	2	.....	27	2	.....	.....	2
165	Cold and freezing (M)	131	4	2	.....	.....	2	8	.....	.....	.....	2
	(F)	32	3	.....	.....	1	.....	4	.....	.....	.....	3
166	Lightning (M)	84	1	1	1	1	.....	4	3	11	8	11
	(F)	24	.....	.....	.....	.....	.....	.....	2	3	4	1
167	Drowning (M)	2,933	25	25	30	21	32	133	283	321	285	298
	(F)	311	8	18	11	4	8	49	38	24	29	31
168	Inhalation of poisonous gases (M)	660	8	5	4	6	2	25	10	13	16	51
	(F)	290	8	3	1	2	3	17	12	4	26	34
169	Other accidental poisonings (M)	814	37	37	40	15	14	143	27	6	24	47
	(F)	560	38	35	22	16	6	117	15	10	36	73
170	Accidental gunshot wounds (M)	1,061	.....	1	3	6	6	16	32	98	135	126
	(F)	135	2	.....	2	1	1	6	6	4	19	21
171	Injuries by machinery (M)	271	2	.....	1	.....	.....	3	3	9	29	43
	(F)	10	2	.....	1	.....	.....	3	.....	.....	1	2
172	Injuries in mines and quarries (M)	198	.....	.....	.....	.....	.....	.....	3	1	14	30
	(F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173	Railroad accidents and injuries (M)	4,107	6	10	16	16	26	74	135	165	247	493
	(F)	378	1	2	9	11	8	31	47	26	20	20
174	Injuries by vehicles and horses (M)	583	3	5	7	10	11	36	81	45	26	28
	(F)	77	3	3	3	3	8	20	13	3	3	2
175	Suffocation (M)	267	121	8	3	3	2	137	10	6	5	9
	(F)	172	129	7	.....	2	.....	138	1	1	3	2
176	Other accidental injuries (M)	5,117	63	44	34	37	41	219	168	170	270	450
	(F)	1,186	57	37	34	16	26	170	65	34	28	38
177	Injuries at birth (M)	822	822	.....	.....	.....	.....	822	.....	.....	.....	.....
	(F)	482	482	.....	.....	.....	.....	482	.....	.....	.....	.....
178	Homicide (M)	550	8	.....	.....	1	1	10	5	2	35	99
	(F)	184	9	2	1	.....	.....	12	7	2	13	39
179	XIV.—Ill-defined causes	16,860	7,041	1,038	265	108	77	8,529	187	107	139	235
180	Males	8,734	3,778	535	140	59	43	4,555	94	44	66	97
181	Females	8,126	3,263	503	125	49	34	3,974	93	63	73	138
182	"Dropsy" (M)	791	23	7	5	4	1	40	10	6	10	16
	(F)	818	10	4	1	5	4	24	17	12	17	19
183	"Heart failure" (M)	1,122	133	6	2	3	5	149	9	5	8	19
	(F)	965	119	7	2	1	3	132	15	10	12	27
184	Other ill-defined causes (M)	5,828	3,152	491	123	42	33	3,841	56	22	37	35
	(F)	5,583	2,759	464	111	34	23	3,391	49	30	33	69
185	Unknown causes (M)	963	470	31	10	10	4	525	19	11	11	27
	(F)	760	375	28	11	9	4	427	12	11	11	23

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1902—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3	4	1	2	2	4	2	2	2	1	.....	1	.....	.....	.....	21	144
3	.....	1	.....	1	4	.....	1	.....	.....	.....	.....	.....	.....	.....	14	145
.....	4	.....	2	1	.....	2	1	2	1	.....	1	.....	.....	.....	7	146
1	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	3	147
.....	2	.....	2	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	2	
1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	148
.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	1	
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	149
.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	4	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	151
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	152
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	154
.....	.....	.....	.....	.....	.....	.....	288	653	1,770	2,814	3,911	2,776	1,409	558	46	155
.....	.....	.....	.....	.....	.....	.....	129	289	803	1,251	1,791	1,212	568	202	21	156
.....	.....	.....	.....	.....	.....	.....	159	364	967	1,563	2,120	1,564	841	356	25	157
2,715	2,515	2,656	2,353	1,920	1,772	1,385	1,231	1,006	848	660	524	285	126	48	401	158
2,260	2,117	2,301	2,007	1,644	1,497	1,115	927	745	565	386	279	108	43	14	356	159
455	398	355	346	276	275	270	304	261	283	274	245	177	83	34	45	160
230	305	362	359	298	294	235	210	132	112	78	34	11	5	.....	22	161
148	116	76	101	66	69	46	47	23	23	7	3	4	.....	.....	2	
188	212	226	180	122	131	89	67	67	59	58	57	30	12	7	23	162
19	14	13	21	14	31	28	42	55	76	93	112	93	48	16	1	
67	56	61	35	41	29	27	24	12	19	13	8	6	2	1	3	163
62	67	53	69	48	55	39	52	43	35	32	18	10	5	3	6	
17	18	25	16	17	23	14	11	7	9	4	2	2	.....	.....	.....	164
2	4	3	2	5	2	1	2	5	8	6	3	4	1	.....	1	
13	9	8	9	7	19	5	15	12	5	6	6	3	1	.....	3	165
2	1	1	1	2	3	3	3	.....	3	3	3	.....	.....	.....	.....	
8	4	4	4	8	2	8	3	4	1	.....	1	.....	.....	.....	.....	166
2	.....	3	2	1	1	3	1	.....	.....	1	.....	.....	.....	.....	.....	
275	199	243	234	155	139	92	65	64	26	21	8	3	.....	.....	89	167
23	15	24	22	9	7	4	8	7	3	4	1	.....	.....	1	12	
65	69	76	68	46	60	34	44	22	23	14	10	4	.....	.....	10	168
25	27	20	15	15	7	16	20	16	16	11	6	1	1	.....	1	
63	57	85	84	59	53	44	41	30	23	15	3	2	.....	.....	6	169
57	52	46	25	29	24	21	21	11	9	4	2	2	1	.....	5	
136	104	107	82	63	53	27	29	20	5	5	7	.....	.....	.....	16	170
23	16	18	3	8	2	3	3	.....	.....	.....	1	.....	.....	.....	2	
32	36	30	24	20	11	6	6	6	5	3	.....	.....	1	.....	2	171
1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
41	32	23	14	18	7	6	2	2	.....	1	.....	.....	.....	.....	4	172
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
501	390	424	353	321	265	195	146	127	72	41	38	6	4	.....	110	173
19	26	27	25	18	17	26	25	21	11	8	4	3	1	1	2	
38	40	48	50	42	35	27	26	19	19	12	4	1	.....	2	4	174
4	.....	1	3	4	5	6	4	5	.....	2	1	1	.....	.....	.....	
10	5	14	15	7	12	11	7	5	3	4	2	.....	.....	.....	5	175
2	2	3	3	5	1	3	2	1	1	.....	.....	.....	.....	.....	4	
490	502	500	419	387	340	276	222	205	181	110	97	39	18	4	50	176
42	35	46	41	41	46	66	70	72	98	102	90	59	26	13	4	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	177
86	79	65	61	33	22	19	9	9	3	1	2	1	.....	.....	9	178
24	23	19	13	11	5	5	4	2	.....	.....	1	.....	.....	.....	4	
269	301	384	417	411	477	618	694	770	921	879	721	381	160	51	209	179
133	128	175	210	222	246	322	354	405	484	437	349	205	70	16	122	180
136	173	209	207	189	231	296	340	365	437	442	372	176	90	35	87	181
26	19	23	38	42	48	61	68	87	97	98	58	25	14	1	4	182
14	28	32	43	43	50	63	75	90	93	87	60	29	13	4	5	
36	34	48	70	61	70	77	88	115	116	88	70	33	10	1	15	183
28	35	54	46	54	57	59	88	71	81	87	65	22	12	4	6	
46	48	72	71	91	95	165	164	170	244	231	197	135	45	14	49	184
76	94	104	91	79	104	152	161	188	237	253	230	118	61	25	38	
25	27	32	31	28	33	19	34	33	27	20	24	12	1	.....	54	185
18	16	19	27	13	20	22	16	16	26	15	17	7	4	2	38	

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902.

CONNECTICUT.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	14,386	2,874	523	287	195	120	356	507	1,030	1,155	1,148	1,450	1,721	1,699	1,026	185	110
I.—General diseases	3,882	237	139	124	98	57	217	268	545	489	419	438	426	262	128	16	19
Typhoid fever	205	1	1	2	3	.....	7	30	65	41	26	15	8	5	1	.....	.....
Malarial fever	89	10	4	4	6	2	2	5	4	8	5	7	16	11	4	1	.....
Smallpox	14	4	.....	.....	.....	.....	2	2	1	2	2	.....	.....	.....	.....	.....	1
Measles	45	6	16	7	6	4	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	168	5	11	26	26	9	62	18	8	2	.....	1	.....	.....	.....	.....	.....
Whooping cough	146	85	26	16	5	2	8	2	.....	.....	.....	.....	1	.....	.....	1	.....
Diphtheria	199	8	23	28	25	19	65	23	4	3	1	.....	.....	.....	.....	.....	.....
Croup	62	8	11	13	8	8	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	123	7	7	2	1	1	3	3	5	6	7	12	24	18	21	6	.....
Cholera nostras	21	4	.....	.....	.....	.....	.....	.....	1	.....	1	2	4	4	5	.....	.....
Dysentery	148	18	13	6	5	1	8	3	7	7	9	15	13	23	16	3	1
Erysipelas	48	10	.....	.....	.....	.....	.....	.....	2	8	4	7	5	10	1	1	.....
Other epidemic diseases [1]	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	34	4	.....	.....	.....	.....	1	2	5	5	6	4	2	4	1	.....	.....
Tuberculosis of lungs	1,384	18	5	5	6	3	15	140	376	315	199	137	97	47	11	1	9
Tuberculosis of larynx	11	.....	.....	.....	.....	.....	.....	.....	2	4	2	2	.....	.....	1	.....	.....
Tuberculous meningitis	70	18	15	7	2	3	8	7	3	4	1	1	1	.....	.....	.....	.....
Abdominal tuberculosis	43	5	1	1	1	.....	4	2	10	7	6	3	3	.....	.....	.....	.....
Pott's disease	14	.....	.....	.....	.....	.....	1	3	4	3	1	.....	1	1	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	7	.....	.....	.....	.....	.....	3	1	1	.....	1	.....	1	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	1	.....	.....	.....	.....
General tuberculosis	16	1	1	2	1	.....	1	1	2	4	2	1	.....	.....	1	.....	.....
Scrofula	4	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	27	12	2	.....	.....	1	1	.....	4	2	2	2	1	.....	.....	.....	.....
Cancer of mouth	21	.....	.....	.....	.....	.....	1	.....	.....	1	1	6	7	2	1	.....	2
Cancer of stomach and liver	204	1	.....	.....	1	1	.....	2	2	13	35	44	61	29	15	.....	.....
Cancer of intestines	88	.....	.....	.....	.....	.....	1	.....	3	1	10	25	24	21	2	.....	1
Cancer of female genital organs	97	.....	.....	.....	.....	.....	.....	.....	2	6	26	26	26	7	4	.....	.....
Cancer of breast	73	.....	.....	.....	.....	.....	.....	.....	.....	2	7	23	26	11	4	.....	.....
Cancer of skin	22	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	3	9	8	.....	.....
Cancer of other or unspecified organs	138	2	.....	2	1	.....	1	1	2	8	20	39	30	18	11	2	1
Tumor	12	1	.....	.....	.....	.....	.....	.....	.....	1	.....	4	4	2	.....	.....	.....
Rheumatism	102	.....	.....	1	.....	1	1	9	11	5	13	12	13	21	15	.....	.....
Diabetes	121	1	1	.....	1	1	4	7	6	2	10	28	38	16	6	.....	.....
Anemia, leukemia	31	1	1	2	.....	1	.....	4	3	4	2	5	5	1	.....	1	1
Alcoholism	66	.....	.....	.....	.....	.....	.....	.....	9	15	17	15	7	1	.....	.....	2
Chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	1	.....	.....	1
Other general diseases	13	3	1	.....	.....	.....	.....	1	.....	5	.....	.....	3	.....	.....	.....	.....
II.—Diseases of nervous system	1,901	394	58	46	22	19	34	42	59	81	135	224	298	350	199	29	11
Encephalitis	9	3	.....	2	.....	.....	1	.....	.....	2	.....	.....	.....	1	.....	.....	.....
Meningitis	326	127	31	28	15	13	21	19	20	11	8	9	10	6	6	.....	2
Locomotor ataxia	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	7	10	1	1	.....	.....
Other diseases of spinal cord	47	2	.....	.....	1	.....	.....	1	3	1	6	8	7	13	4	1	.....
Apoplexy	868	9	2	2	1	.....	1	4	9	28	65	140	202	248	131	21	5
Softening of brain	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	7	10	12	17	1	.....
Paralysis	124	1	.....	.....	.....	1	.....	1	2	5	9	13	31	29	26	5	1
General paralysis of insane	76	.....	1	.....	.....	.....	.....	.....	3	15	16	21	6	12	2	.....	.....
Other forms of mental disease	28	.....	.....	.....	.....	.....	.....	.....	1	.....	4	3	6	8	5	1	.....
Other diseases of brain	40	8	.....	1	.....	.....	1	.....	4	2	8	3	7	3	3	.....	.....
Epilepsy	58	1	.....	.....	1	2	2	9	13	8	4	6	1	7	2	.....	2
Convulsions	175	127	23	10	4	3	3	.....	2	2	.....	1	.....	.....	.....	.....	.....
Tetanus	26	13	.....	1	.....	.....	4	6	.....	.....	.....	.....	1	1	.....	.....	.....
Other diseases of nervous system	49	3	1	2	.....	.....	1	2	2	7	6	5	7	10	2	.....	1
III.—Diseases of circulatory system	1,588	42	2	4	4	2	10	37	61	99	116	255	337	387	192	23	17
Pericarditis	8	1	.....	1	.....	.....	.....	.....	1	.....	2	.....	2	.....	1	.....	.....
Endocarditis	94	2	.....	1	2	.....	2	5	6	8	10	12	20	15	6	3	2
Heart disease	1,253	28	2	2	2	2	7	28	48	78	91	204	274	308	152	15	12
Angina pectoris	75	.....	.....	.....	.....	.....	.....	1	2	4	7	17	19	18	7	.....	.....
Diseases of arteries	71	.....	.....	.....	.....	.....	.....	.....	2	1	1	6	11	29	15	4	2
Embolism and thrombosis	57	1	.....	.....	.....	.....	1	.....	2	3	3	12	6	17	10	1	1
Diseases of veins	6	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	1	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	23	10	.....	.....	.....	.....	.....	3	.....	3	1	2	4	.....	.....	.....	.....
IV.—Diseases of respiratory system	1,647	389	124	59	32	15	27	29	62	110	127	146	194	180	124	19	10
Laryngitis	14	1	5	2	2	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....
Other diseases of larynx	8	2	1	2	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of thyroid body	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Acute bronchitis	225	134	19	16	3	.....	5	1	3	4	4	3	9	10	9	4	1
Chronic bronchitis	115	5	.....	.....	.....	.....	1	2	3	1	6	8	28	30	25	6	.....
Bronchopneumonia	198	89	23	14	10	4	.....	.....	2	3	7	9	8	18	10	.....	1
Pneumonia	932	144	72	22	16	8	16	22	46	85	92	108	121	96	70	6	8
Pleurisy	38	.....	3	1	.....	.....	2	2	3	7	4	4	6	6	.....	.....	.....
Congestion of lungs	51	12	1	1	.....	2	1	.....	1	2	4	3	6	10	6	2	.....
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Asthma and emphysema	36	.....	.....	.....	.....	1	1	.....	1	1	3	5	14	8	1	1	.....
Hemorrhage of lungs	12	.....	.....	.....	.....	.....	.....	1	2	4	3	.....	1	.....	1	.....	.....
Other diseases of respiratory system	14	2	.....	1	.....	.....	.....	.....	1	1	3	3	1	.....	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,856	847	148	32	18	9	28	33	64	87	90	108	150	147	72	16	7
Diseases of mouth	5	4	1														
Tonsilitis	10			1	1		4	1	2	1							
Other diseases of pharynx	11	2					2		2	1	1		2	1			
Ulcer of stomach	24								1	4	3	5	4	5	2		
Gastritis	143	19	4	2	1		3	3	2	7	5	15	32	26	15	7	2
Other diseases of stomach	59	26	3	2	1	1	1		3		6		5	8	2	1	
Dentition	3	2	1														
Diarrhea and enteritis	1,079	762	134	19	14	7	8	3	7	8	12	9	25	38	27	6	
Hernia	29	1							2	3	1	3	5	9	5		
Obstruction of intestines	81	13	3	1			2	3	3	5	8	11	7	18	6		1
Other diseases of intestines	20	4								1	1	1	6	4	2	1	
Acute yellow atrophy of liver	4								1		1		2				
Hydatid tumors of liver																	
Cirrhosis of liver	142	1		1					4	17	20	36	45	14	3		1
Biliary calculi	16									1	5	6		3	1		
Other diseases of liver	58	5		1		1	1			6	3	11	8	15	6		1
Diseases of spleen	3										2	1					
Peritonitis	86	7	2	5			4	6	17	16	14	3	5	3	3	1	
Appendicitis	79	1			1		3	17	20	17	8	5	3	2			2
Other diseases of digestive system	4											2	1	1			
VI.—Diseases of genito-urinary system	1,017	19	1	4	3	8	7	17	66	83	126	143	205	206	112	12	5
Acute nephritis	109	8	1	3	2	4	4	6	11	14	15	15	16	7	3		
Bright's disease	757	9		1	1	4	3	11	48	55	93	116	162	161	78	8	5
Other diseases of kidneys	22	1							1	3	1	3	4	3	6		
Calculi of urinary tract	5									1			2	1	1		
Diseases of bladder	50									3	1	5	8	15	15	3	
Uterine tumor	6										2		3	1			
Other diseases of uterus	10								1	2	7						
Ovarian tumor	11								2	2	2	1	1	2	1		
Diseases of tubes	7								3	2	2						
Other diseases of genito-urinary system	40	1								1	1	3	9	16	8	1	
VII.—Childbirth	128							2	49	65	12						
Puerperal septicemia	48							2	20	22	4						
Puerperal convulsions	25								8	13	4						
Other causes incident to childbirth	55								21	30	4						
VIII.—Diseases of skin	78	5			1		2	2	1	3	2	11	12	16	18	4	1
Gangrene	53	1									2	9	9	12	17	2	1
Carbuncle	3							1				1	1				
Abscess	17	1			1		2	1	1	3		1	2	3		2	
Other diseases of skin	5	3												1	1		
IX.—Diseases of locomotor system	23	9	4		1		1	2		1	2	1	1		1		
Diseases of bones	23	9	4		1		1	2		1	2	1	1		1		
Diseases of joints																	
Other diseases of locomotor system																	
X.—Malformations	141	127	5	3	2			2			1	1					
Hydrocephalus	18	8	3	3	1			1			1	1					
Congenital malformation of heart (cyanosis)	68	66	1					1									
Other congenital malformations	55	53	1		1												
XI.—Early infancy	703	703															
Premature birth	417	417															
Congenital debility	286	286															
XII.—Old age	288												16	79	132	58	3
XIII.—Violence	903	101	22	14	14	10	26	65	120	131	111	110	68	50	28	3	30
Suicide	109							2	14	20	29	32	8	3			1
Fractures and dislocations	113	1	3			1	2	10	14	15	13	13	4	16	18	2	1
Burns and scalds	93	1	12	9	7	6	5	6	10	6	11	6	7	5	1		1
Heat and sunstroke	2						1			1							
Cold and freezing	10									3	1	2	3	1			
Lightning	2											2					
Drowning	91		2	1	2		8	19	15	11	8	13	3	1			8
Inhalation of poisonous gases	16			1				2	3	3	2	1		2	1		1
Other accidental poisonings	38	3	1		2			1	5	8	6	6	2	3			1
Accidental gunshot wounds	30						1	10	5	2	7	2	3				
Injuries by machinery	8	1						1	1	1			2				2
Injuries in mines and quarries																	
Railroad accidents and injuries	133	1	1		1	2	4	8	32	29	11	15	12	5			12
Injuries by vehicles and horses	11				1		2		1	3	3		1				
Suffocation	19	11	1						1	2	1	2	1				
Other accidental injuries	145	3	2	3	1	1	3	6	18	26	19	16	22	14	8	1	2
Injuries at birth	80	80															
Homicide	3								1	1							1
XIV.—Ill-defined causes	231	101	20	1			4	8	3	6	7	13	14	22	20	5	7
"Dropsy"	11	1	1							1		3		3	1		1
"Heart failure"																	
Other ill-defined causes	187	87	19	1			3	6		4	6	7	10	18	19	5	2
Unknown causes	33	13					1	2	3	1	1	3	4	1			4

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

DISTRICT OF COLUMBIA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,782	1,240	221	87	50	37	132	270	609	528	537	509	632	563	235	42	.....
I.—General diseases	1,709	120	83	28	29	26	69	172	357	254	185	173	118	77	17	1	.....
Typhoid fever	228	3	2	.....	2	8	17	49	82	37	13	10	2	2	1	.....	.....
Malarial fever	32	1	.....	1	.....	1	2	7	5	3	4	4	2	2	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	15	3	7	1	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	6	.....	.....	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	122	48	38	12	9	7	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	42	3	4	6	7	5	14	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Croup	8	2	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	60	4	2	.....	.....	.....	.....	6	3	5	7	8	10	12	3	.....	.....
Cholera nostras	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Dysentery	32	6	2	.....	.....	.....	.....	2	4	1	2	4	5	2	4	.....	.....
Erysipelas	6	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Other epidemic diseases[1]	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	8	1	.....	.....	.....	.....	.....	.....	3	.....	2	1	1	.....	.....	.....	.....
Tuberculosis of lungs	710	17	16	4	5	3	16	77	218	156	86	62	33	16	1	.....	.....
Tuberculosis of larynx	10	.....	.....	.....	.....	.....	.....	1	3	1	1	4	.....	.....	.....	.....	.....
Tuberculous meningitis	24	5	9	1	.....	.....	5	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	26	.....	.....	.....	.....	.....	2	6	4	5	4	1	3	1	.....	.....	.....
Pott's disease	7	.....	.....	.....	.....	.....	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	1	1	.....	.....	.....
General tuberculosis	26	5	.....	.....	.....	1	2	2	9	5	1	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	28	18	.....	.....	.....	.....	.....	3	2	1	3	.....	1	.....	.....	.....	.....
Cancer of mouth	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	3	1	.....	.....
Cancer of stomach and liver	75	.....	.....	.....	.....	.....	.....	1	1	7	11	18	20	14	3	.....	.....
Cancer of intestines	30	.....	.....	.....	.....	.....	.....	.....	2	3	5	10	4	5	1	.....	.....
Cancer of female genital organs	40	.....	.....	.....	.....	.....	.....	.....	.....	8	15	11	4	1	1	.....	.....
Cancer of breast	25	.....	.....	.....	.....	.....	.....	.....	.....	4	5	7	5	3	1	.....	.....
Cancer of skin	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....
Cancer of other or unspecified organs	31	.....	.....	.....	.....	.....	.....	1	1	6	6	9	4	2	1	1	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Rheumatism	30	.....	1	.....	.....	.....	1	1	4	5	1	4	11	2	.....	.....	.....
Diabetes	31	.....	.....	.....	.....	.....	.....	1	4	1	4	7	7	7	.....	.....	.....
Anemia, leukemia	6	.....	.....	.....	.....	.....	.....	.....	2	2	.....	1	.....	1	.....	.....	.....
Alcoholism	18	.....	.....	.....	.....	.....	.....	.....	1	3	9	4	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	4	.....	1	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
II.—Diseases of nervous system	604	93	17	9	5	.....	11	8	23	37	69	96	105	95	31	5	.....
Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Meningitis	76	28	9	7	2	.....	6	2	2	4	7	4	2	2	1	.....	.....
Locomotor ataxia	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Other diseases of spinal cord	19	2	.....	.....	1	.....	1	.....	1	.....	2	3	7	2	.....	.....	.....
Apoplexy	229	7	.....	.....	.....	.....	.....	3	6	8	34	48	57	50	15	1	.....
Softening of brain	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	.....	1	.....
Paralysis	57	.....	.....	.....	.....	.....	.....	.....	.....	2	5	15	8	19	7	1	.....
General paralysis of insane	24	.....	.....	.....	.....	.....	.....	.....	1	4	4	8	5	1	.....	1	.....
Other forms of mental disease	10	.....	.....	.....	.....	.....	.....	.....	2	4	2	2	.....	.....	.....	.....	.....
Other diseases of brain	74	1	.....	.....	.....	.....	1	1	3	3	8	12	19	18	7	1	.....
Epilepsy	27	.....	1	.....	1	.....	1	.....	5	8	3	3	4	.....	1	.....	.....
Convulsions	50	37	7	2	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	23	17	.....	.....	.....	.....	1	1	1	1	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	5	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....
III.—Diseases of circulatory system	586	9	1	.....	.....	1	4	13	28	48	81	114	144	100	35	8	.....
Pericarditis	6	.....	.....	.....	.....	1	.....	.....	1	2	1	.....	1	.....	.....	.....	.....
Endocarditis	13	1	.....	.....	.....	.....	1	.....	1	2	2	1	1	4	.....	.....	.....
Heart disease	485	7	1	.....	.....	.....	3	13	24	40	74	96	119	77	26	5	.....
Angina pectoris	20	.....	.....	.....	.....	.....	.....	.....	1	1	1	5	8	4	.....	.....	.....
Diseases of arteries	39	.....	.....	.....	.....	.....	.....	.....	.....	1	1	7	10	12	5	3	.....
Embolism and thrombosis	17	.....	.....	.....	.....	.....	.....	.....	1	.....	1	5	4	3	3	.....	.....
Diseases of veins	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	4	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....
IV.—Diseases of respiratory system	775	212	66	23	10	5	17	24	70	53	65	62	60	84	23	1	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	100	61	13	3	3	2	.....	2	2	1	1	3	3	5	1	.....	.....
Chronic bronchitis	59	1	.....	.....	.....	.....	.....	.....	3	2	6	10	13	19	5	.....	.....
Bronchopneumonia	138	59	22	10	2	.....	4	6	7	4	7	7	3	4	3	.....	.....
Pneumonia	366	74	26	10	5	3	11	14	44	34	39	26	30	43	6	1	.....
Pleurisy	9	1	.....	.....	.....	.....	.....	.....	1	3	2	.....	.....	.....	2	.....	.....
Congestion of lungs	60	15	3	.....	.....	.....	2	1	8	3	4	8	7	7	2	.....	.....
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Asthma and emphysema	10	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	1	3	.....	.....
Hemorrhage of lungs	19	.....	.....	.....	.....	.....	.....	.....	.....	3	3	4	4	3	2	.....	.....
Other diseases of respiratory system	8	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	2	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	726	350	39	18	2	1	12	19	28	37	47	47	53	52	17	4	.....
Diseases of mouth	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tonsilitis	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of pharynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ulcer of stomach	7	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	1	2	.....	.....	.....
Gastritis	56	9	.....	.....	.....	.....	3	.....	5	6	6	4	7	12	3	1	.....
Other diseases of stomach	22	4	.....	2	.....	.....	.....	2	1	1	3	4	1	2	2	.....	.....
Dentition	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	461	330	38	15	2	.....	4	3	3	7	6	9	16	18	7	3	.....
Hernia	21	3	.....	.....	.....	.....	.....	.....	.....	2	4	1	4	6	1	.....	.....
Obstruction of intestines	26	.....	.....	.....	.....	.....	1	.....	.....	6	6	3	5	4	1	.....	.....
Other diseases of intestines	9	1	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	2	1	.....	.....
Acute yellow atrophy of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydatid tumors of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	31	.....	.....	.....	.....	.....	.....	1	1	1	6	9	10	2	1	.....	.....
Biliary calculi	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....
Other diseases of liver	23	.....	.....	.....	.....	.....	.....	.....	2	1	5	7	5	2	1	.....	.....
Diseases of spleen	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Peritonitis	29	2	.....	.....	.....	1	.....	6	4	6	5	3	1	1	.....	.....	.....
Appendicitis	31	.....	.....	.....	.....	.....	2	7	11	4	3	2	2	.....	.....	.....	.....
Other diseases of digestive system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	404	7	.....	1	1	2	5	11	29	39	50	72	107	53	18	.....	.....
Acute nephritis	42	2	.....	.....	1	2	2	5	5	7	6	9	2	1	.....	.....	.....
Bright's disease	291	4	.....	1	.....	.....	3	6	9	24	41	57	97	38	11	.....	.....
Other diseases of kidneys	7	1	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	1	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....
Diseases of bladder	12	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	3	4	.....	.....
Uterine tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	1	2	.....	.....	.....
Other diseases of uterus	8	.....	.....	.....	.....	.....	.....	.....	4	2	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Diseases of tubes	10	.....	.....	.....	.....	.....	.....	.....	5	1	4	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	20	.....	.....	.....	.....	.....	.....	.....	3	.....	2	2	5	7	1	.....	.....
VII.—Childbirth	44	.....	.....	.....	.....	.....	.....	4	26	12	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia	17	.....	.....	.....	.....	.....	.....	1	13	3	.....	.....	.....	.....	.....	.....	.....
Puerperal convulsions	9	.....	.....	.....	.....	.....	.....	1	5	1	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	18	.....	.....	.....	.....	.....	.....	2	8	8	.....	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	27	5	.....	.....	.....	.....	.....	1	3	2	1	3	3	6	3	.....	.....
Gangrene	13	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	6	3	.....	.....
Carbuncle	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Abscess	5	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	.....	.....	.....	.....
Other diseases of skin	7	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
IX.—Diseases of locomotor system	9	2	.....	.....	1	.....	.....	1	1	1	.....	.....	1	2	.....	.....	.....
Diseases of bones	8	2	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	2	.....	.....	.....
Diseases of joints	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of locomotor system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
X.—Malformations	23	20	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	13	11	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Early infancy	335	335	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	181	181	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	154	154	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	180	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	69	74	21	.....
XIII.—Violence	247	20	3	4	2	1	10	17	43	44	28	26	17	18	13	1	.....
Suicide	38	.....	.....	.....	.....	.....	.....	1	8	11	6	6	5	1	.....	.....	.....
Fractures and dislocations	21	.....	.....	.....	.....	.....	.....	.....	2	4	.....	3	4	4	4	.....	.....
Burns and scalds	20	.....	2	3	2	1	3	.....	.....	3	2	2	.....	.....	1	1	.....
Heat and sunstroke	7	4	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Cold and freezing	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Lightning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Drowning	26	.....	.....	.....	.....	.....	3	7	7	2	5	.....	1	1	.....	.....	.....
Inhalation of poisonous gases	8	.....	.....	1	.....	.....	.....	1	2	2	.....	.....	1	1	.....	.....	.....
Other accidental poisonings	9	.....	.....	.....	.....	.....	.....	1	6	.....	2	.....	.....	.....	.....	.....	.....
Accidental gunshot wounds	7	.....	.....	.....	.....	.....	1	1	1	2	1	.....	1	.....	.....	.....	.....
Injuries by machinery	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Injuries in mines and quarries	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	31	.....	.....	.....	.....	.....	1	3	7	7	3	5	3	1	1	.....	.....
Injuries by vehicles and horses	5	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	1	.....	.....	.....
Suffocation	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other accidental injuries	47	.....	.....	.....	.....	.....	2	2	6	7	7	6	1	9	7	.....	.....
Injuries at birth	16	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	10	.....	.....	.....	.....	.....	.....	.....	2	3	1	3	1	.....	.....	.....	.....
XIV.—Ill-defined causes	113	67	11	3	.....	1	3	.....	1	1	.....	6	8	7	4	1	.....
"Dropsy"	8	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	5	2	.....	.....	.....
"Heart failure"	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other ill-defined causes	103	66	11	3	.....	1	2	.....	1	1	.....	6	2	5	4	1	.....
Unknown causes	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

INDIANA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	32,947	6,428	1,406	624	325	272	826	1,869	3,033	2,487	2,450	2,732	3,718	4,186	2,056	322	213
I.—General diseases	10,172	644	328	238	127	124	374	985	1,815	1,271	1,086	981	1,046	832	246	18	57
Typhoid fever	1,264	16	15	35	21	20	84	274	312	200	132	65	48	35	4	.....	3
Malarial fever	192	18	10	9	4	4	10	18	18	17	11	12	27	26	8	.....	.....
Smallpox	78	11	.....	.....	.....	1	.....	3	26	13	13	5	3	2	.....	.....	1
Measles	115	31	23	14	2	3	8	13	6	5	5	2	2	1	.....	.....	.....
Scarlet fever	155	13	13	18	17	26	44	19	5	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	235	154	43	13	6	4	10	2	.....	2	.....	1	.....	.....	.....	.....	.....
Diphtheria	283	18	23	35	24	28	95	53	3	1	1	.....	1	.....	.....	.....	1
Croup	126	34	15	23	12	15	21	2	.....	.....	.....	2	.....	.....	.....	.....	2
Influenza	319	22	4	2	1	3	5	9	11	13	16	34	47	95	50	6	1
Cholera nostras	28	1	3	.....	.....	.....	1	.....	1	.....	3	6	6	3	4	.....	.....
Dysentery	500	88	102	38	9	5	8	4	11	16	12	36	53	72	41	3	2
Erysipelas	101	28	2	2	.....	.....	.....	2	10	8	11	7	13	19	3	1	2
Other epidemic diseases[1]	4	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	271	24	4	2	2	.....	7	26	49	43	24	17	31	33	6	.....	3
Tuberculosis of lungs	3,933	73	29	17	9	7	26	438	1,176	739	541	362	279	182	31	1	23
Tuberculosis of larynx	56	.....	1	1	.....	.....	1	5	11	12	10	5	5	2	2	.....	1
Tuberculous meningitis	145	43	24	10	8	2	15	18	11	6	2	5	1	.....	.....	.....	.....
Abdominal tuberculosis	161	9	7	2	1	1	3	19	29	25	19	17	15	11	1	.....	2
Pott's disease	26	.....	2	.....	.....	.....	4	6	6	.....	1	2	2	3	.....	.....	.....
Tuberculous abscess	5	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	1	.....	.....	.....	.....
White swelling	6	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	1	.....
Tuberculosis of other organs	32	1	.....	.....	1	1	1	2	8	2	4	7	2	2	1	.....	.....
General tuberculosis	47	2	1	1	.....	.....	2	3	21	6	2	2	4	2	1	.....	.....
Scrofula	20	13	2	1	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
Venereal diseases	39	24	1	.....	.....	.....	.....	.....	8	6	11	3	2	3	.....	.....	1
Cancer of mouth	26	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	7	8	4	.....	.....
Cancer of stomach and liver	444	.....	.....	.....	.....	.....	.....	1	3	19	48	87	160	106	17	1	2
Cancer of intestines	76	.....	.....	1	.....	.....	.....	2	4	6	10	11	27	10	3	.....	2
Cancer of female genital organs	166	.....	.....	.....	.....	.....	.....	1	4	22	40	46	40	10	2	.....	1
Cancer of breast	116	.....	.....	.....	.....	.....	.....	.....	2	5	18	38	25	18	9	.....	1
Cancer of skin	63	.....	.....	.....	.....	.....	.....	.....	.....	2	4	8	17	19	12	1	.....
Cancer of other or unspecified organs	346	1	.....	4	.....	1	2	6	12	22	54	84	74	62	20	2	2
Tumor	19	1	1	.....	1	.....	.....	.....	.....	.....	4	2	4	5	.....	1	.....
Rheumatism	236	.....	.....	2	1	.....	9	19	19	21	16	25	54	52	15	.....	3
Diabetes	228	1	1	3	3	1	8	20	16	19	21	34	50	40	8	.....	3
Anemia, leukemia	137	13	1	1	3	.....	4	10	18	14	20	19	20	12	1	1	.....
Alcoholism	79	1	1	1	.....	.....	.....	.....	7	16	19	15	17	2	.....	.....	.....
Chronic poisonings	14	.....	.....	.....	.....	.....	1	1	1	1	1	5	2	2	.....	.....	.....
Other general diseases	61	4	.....	1	2	1	2	3	5	8	11	11	7	2	3	.....	1
II.—Diseases of nervous system	3,822	653	174	82	47	36	117	153	139	214	240	351	568	689	304	29	26
Encephalitis	134	44	12	11	6	2	13	11	7	10	4	3	7	3	.....	.....	1
Meningitis	617	211	103	39	25	15	52	55	38	25	22	10	8	7	5	.....	2
Locomotor ataxia	39	.....	.....	.....	.....	.....	1	.....	.....	5	8	5	12	5	2	.....	1
Other diseases of spinal cord	107	10	5	1	3	2	2	3	5	8	18	14	15	13	5	2	1
Apoplexy	1,147	93	18	14	5	3	13	18	23	53	73	153	244	298	121	12	6
Softening of brain	110	2	.....	.....	1	.....	.....	.....	1	3	11	13	20	40	15	1	3
Paralysis	731	5	3	3	.....	1	4	9	9	18	27	80	180	238	132	14	8
General paralysis of insane	125	.....	.....	.....	.....	.....	1	1	1	16	14	23	28	33	8	.....	.....
Other forms of mental disease	70	.....	.....	.....	.....	.....	.....	2	6	12	16	13	12	8	1	.....	.....
Other diseases of brain	81	18	5	3	1	.....	6	3	3	8	9	12	7	4	2	.....	.....
Epilepsy	129	1	.....	.....	2	1	3	19	28	31	13	6	10	10	4	.....	1
Convulsions	314	247	22	9	2	8	4	4	5	3	4	1	1	1	2	.....	1
Tetanus	82	16	2	.....	.....	1	12	19	8	10	5	4	2	3	.....	.....	.....
Other diseases of nervous system	136	6	4	2	2	3	6	9	5	12	16	14	22	26	7	.....	2
III.—Diseases of circulatory system	2,580	102	10	7	8	2	36	87	114	120	206	353	628	648	223	17	19
Pericarditis	58	2	.....	.....	2	.....	4	9	4	5	3	3	8	13	4	.....	1
Endocarditis	122	.....	2	1	2	1	7	12	10	7	13	13	23	22	9	.....	.....
Heart disease	1,969	32	5	3	4	1	20	62	79	84	158	274	501	520	178	13	15
Angina pectoris	146	1	.....	.....	.....	.....	1	.....	4	7	16	28	41	37	10	.....	1
Diseases of arteries	132	1	.....	.....	.....	.....	2	.....	3	4	9	18	34	41	15	4	1
Embolism and thrombosis	34	.....	.....	1	.....	.....	.....	.....	4	1	3	5	9	9	1	.....	1
Diseases of veins	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of circulatory system	113	46	3	2	.....	.....	2	4	10	11	4	11	11	5	4	.....	.....
IV.—Diseases of respiratory system	3,487	789	248	108	48	40	93	135	214	168	224	263	400	483	222	31	21
Laryngitis	35	5	5	3	2	1	3	1	4	6	1	.....	2	2	.....	.....	.....
Other diseases of larynx	21	7	2	1	3	1	1	2	1	1	1	.....	.....	1	.....	.....	.....
Diseases of thyroid body	8	2	1	.....	.....	.....	.....	1	1	.....	.....	2	1	.....	.....	.....	.....
Acute bronchitis	228	134	33	10	2	5	3	.....	3	3	1	2	9	11	12	.....	.....
Chronic bronchitis	264	8	2	1	.....	.....	2	2	10	8	15	31	39	86	48	8	4
Bronchopneumonia	336	125	41	17	5	11	13	6	11	8	16	5	22	38	15	1	2
Pneumonia	2,013	390	149	70	31	19	58	91	135	110	147	170	251	258	108	18	8
Pleurisy	67	1	1	1	.....	1	3	6	9	5	11	7	7	10	3	.....	2
Congestion of lungs	241	102	10	5	2	2	5	8	12	12	8	14	19	21	18	2	1
Gangrene of lungs	6	.....	.....	.....	1	.....	.....	.....	2	.....	1	1	.....	1	.....	.....	.....
Asthma and emphysema	131	6	1	.....	1	.....	.....	5	.....	7	11	14	34	37	11	2	2
Hemorrhage of lungs	51	3	.....	.....	1	.....	.....	5	11	1	9	8	5	7	1	.....	.....
Other diseases of respiratory system	86	6	3	.....	.....	.....	5	8	15	7	3	9	11	12	5	.....	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,066	1,249	522	124	46	28	80	187	185	224	228	292	363	358	150	12	18
Diseases of mouth	26	15	7				1			1			1	1			
Tonsilitis	43	5	5	4	3	8	8	6	1	3							
Other diseases of pharynx	28	3		1		1	3	4	2	2	1	1	5	4		1	
Ulcer of stomach	49		1					1	5	6	10	5	16	3	2		
Gastritis	308	41	18	4	5	1	6	6	22	19	24	33	55	48	23	2	1
Other diseases of stomach	226	79	11	3	3	1	1	9	4	16	11	24	24	21	19		
Dentition	14	7	7														
Diarrhea and enteritis	2,027	1,004	455	102	26	10	20	19	29	35	27	48	82	101	57	4	8
Hernia	63	7	1	1			1	2	1	4	4	10	17	10	4		1
Obstruction of intestines	176	28	5	1	4	1	9	19	9	19	13	21	15	21	10		1
Other diseases of intestines	101	20	3	2			2	2	8	7	6	8	16	17	9	1	
Acute yellow atrophy of liver	8	2		1				1		1		1		1	1		
Hydatid tumors of liver	1										1						
Cirrhosis of liver	206	2	1					4	7	11	28	53	51	42	6		1
Biliary calculi	48	1							3	3	6	8	16	7	4		
Other diseases of liver	257	16	3	2	3	3	1	6	18	22	30	46	40	55	8	2	2
Diseases of spleen	8		1							3	1	1	1	1			
Peritonitis	329	19	4	2	1	3	15	56	56	58	46	21	16	22	7	1	2
Appendicitis	145			1	1		13	52	20	14	20	10	7	4		1	2
Other diseases of digestive system	3											2	1				
VI.—Diseases of genito-urinary system	1,667	34	8	8	6	5	27	52	116	115	168	224	349	408	137	6	4
Acute nephritis	95	5	3		2		10	10	10	10	8	11	10	11	5		
Bright's disease	1,250	21	5	6	4	5	17	38	71	72	123	185	278	318	99	5	3
Other diseases of kidneys	58	4		1					6	1	4	6	14	19	3		
Calculi of urinary tract	6									1			1	2	2		
Diseases of bladder	115	3		1				1	3	6	6	6	28	38	22		1
Uterine tumor	19								1	2	8	4	1	3			
Other diseases of uterus	43							3	14	12	9	3	2				
Ovarian tumor	24								3	4	6	5	4	1	1		
Diseases of tubes	9								5	3	1						
Other diseases of genito-urinary system	48	1							3	4	3	4	11	16	5	1	
VII.—Childbirth	230							25	93	78	32	1					1
Puerperal septicemia	97							13	37	35	12						
Puerperal convulsions	37							9	16	8	4						
Other causes incident to childbirth	96							3	40	35	16	1					1
VIII.—Diseases of skin	176	20	3	1	2		1	2	6	6	10	24	32	38	28	2	1
Gangrene	98		2	1			1			2	4	13	16	30	26	2	1
Carbuncle	12							1			1	6	2	1	1		
Abscess	38	9		2				1	2	3	4	3	10	3	1		
Other diseases of skin	28	11	1						4	1	1	2	4	4			
IX.—Diseases of locomotor system	47	8	3	2		5	3	3	3	2	2	3	8	4	1		
Diseases of bones	34	7	3	2		5	2	3	1	1	1	1	5	2	1		
Diseases of joints	5	1								1		1	1	1			
Other diseases of locomotor system	8						1		2		1	1	2	1			
X.—Malformations	269	250	4	4	2		1		2				1	1	1		3
Hydrocephalus	30	21	3	3					1				1	1			
Congenital malformation of heart (cyanosis)	140	136			1										1		2
Other congenital malformations	99	93	1	1	1		1		1								1
XI.—Early infancy	2,115	2,115															
Premature birth	999	999															
Congenital debility	1,116	1,116															
XII.—Old age	1,158												42	385	551	173	7
XIII.—Violence	1,813	145	39	38	30	23	76	212	309	247	183	160	125	109	70	15	32
Suicide	182						1	20	39	32	30	22	20	11	5		2
Fractures and dislocations	169	2		1	3	2	7	13	22	17	16	12	12	27	26	5	4
Burns and scalds	193	5	22	20	16	13	23	17	20	17	11	6	1	12	8	1	1
Heat and sunstroke	11	1								4		1	1	2	1		1
Cold and freezing	11								1	2	1	1		2	4		
Lightning	31						1	6	6	5	6	5	1	1			
Drowning	110	2	2	3	2	2	12	39	14	12	5	6	6	2	1		2
Inhalation of poisonous gases	9	1							2	2	1	3					
Other accidental poisonings	134	12	5	8	4	3	2	10	29	20	18	12	6	2	2	1	
Accidental gunshot wounds	121				1		4	38	30	17	13	12	4		1		1
Injuries by machinery	16	1		1			1	2	8	3							
Injuries in mines and quarries	5							1		2		1	1				
Railroad accidents and injuries	209					1	9	21	52	32	27	26	22	7			12
Injuries by vehicles and horses	23					1	1	4	1	4	3	2	1	4	1		1
Suffocation	52	39	2		1			1	2	4		1	1	1			
Other accidental injuries	444	11	8	5	3	1	15	40	77	68	45	50	49	38	20	8	6
Injuries at birth	69	69															
Homicide	24	2							6	6	7				1		2
XIV.—Ill-defined causes	1,345	419	67	12	9	9	18	28	37	42	71	80	156	231	123	19	24
"Dropsy"	246	1	2		2	1	4	9	12	6	23	23	57	74	26	3	3
"Heart failure"	178	28		1		1	2	1	8	10	14	16	32	38	22	4	1
Other ill-defined causes	756	281	62	11	7	7	12	15	12	21	31	36	58	110	69	12	12
Unknown causes	165	109	3					3	5	5	3	5	9	9	6		8

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

MAINE.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,315	1,580	292	143	77	71	206	455	803	679	715	953	1,486	1,856	1,199	236	64
I.—General diseases	2,670	160	62	37	25	28	68	228	424	287	253	291	356	310	123	9	9
Typhoid fever	172	.....	1	2	.....	.....	12	38	58	24	22	10	3	1	.....	.....	1
Malarial fever	21	1	.....	.....	.....	.....	.....	.....	1	1	1	3	8	4	2	.....	.....
Smallpox	11	2	.....	.....	.....	1	1	.....	.....	2	3	1	1	.....	.....	.....	.....
Measles	30	6	11	2	1	.....	2	1	1	4	.....	1	.....	1	.....	.....	.....
Scarlet fever	13	2	.....	3	3	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	51	30	11	4	2	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	82	6	4	11	6	11	29	17	2	2	1	.....	1	.....	.....	.....	1
Croup	31	15	5	3	3	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	122	29	3	1	.....	1	3	2	.....	3	8	5	11	28	26	1	1
Cholera nostras	15	7	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	2	.....	.....
Dysentery	31	8	1	2	2	1	1	.....	.....	1	1	1	3	7	2	1	.....
Erysipelas	28	2	.....	1	.....	.....	.....	1	.....	1	1	5	3	7	6	1	.....
Other epidemic diseases [1]	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	30	2	.....	.....	.....	.....	.....	.....	5	8	4	4	3	3	1	.....	.....
Tuberculosis of lungs	978	9	4	3	1	5	6	115	285	171	112	94	86	68	14	2	3
Tuberculosis of larynx	8	.....	.....	.....	.....	.....	.....	.....	3	1	1	2	1	.....	.....	.....	.....
Tuberculous meningitis	60	11	12	2	3	6	4	11	5	3	.....	.....	1	.....	.....	.....	2
Abdominal tuberculosis	58	4	2	.....	.....	.....	.....	12	18	5	2	2	7	5	.....	1	.....
Pott's disease	17	3	.....	.....	.....	.....	1	3	2	1	2	1	2	2	.....	.....	.....
Tuberculous abscess	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	14	1	1	1	.....	.....	.....	4	.....	2	1	.....	1	3	.....	.....	.....
General tuberculosis	36	.....	.....	1	.....	.....	2	6	11	7	3	2	3	1	.....	.....	.....
Scrofula	10	6	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Venereal diseases	6	1	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....
Cancer of mouth	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	8	8	3	.....	.....
Cancer of stomach and liver	237	2	.....	.....	.....	.....	.....	.....	2	8	26	45	72	54	27	.....	1
Cancer of intestines	67	.....	.....	.....	.....	.....	.....	.....	.....	4	8	13	20	18	4	.....	.....
Cancer of female genital organs	95	.....	.....	.....	.....	.....	.....	.....	3	7	13	25	25	20	2	.....	.....
Cancer of breast	65	.....	.....	.....	.....	.....	.....	.....	.....	2	8	18	18	15	3	1	.....
Cancer of skin	30	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	7	9	6	1	.....
Cancer of other or unspecified organs	89	1	.....	.....	.....	.....	.....	3	3	3	10	16	22	19	11	1	.....
Tumor	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	2	1	.....	.....
Rheumatism	42	.....	.....	.....	1	.....	3	3	3	3	2	5	11	7	4	.....	.....
Diabetes	88	1	.....	1	.....	.....	1	5	4	8	6	15	22	17	8	.....	.....
Anemia, leukemia	62	6	2	.....	1	.....	1	3	7	8	5	10	11	7	1	.....	.....
Alcoholism	15	.....	.....	.....	.....	.....	.....	.....	3	4	4	2	2	.....	.....	.....	.....
Chronic poisonings	9	.....	.....	.....	1	.....	.....	1	3	.....	2	.....	1	1	.....	.....	.....
Other general diseases	6	2	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....
II.—Diseases of nervous system	1,615	189	56	25	10	9	29	43	44	61	78	165	284	388	197	27	10
Encephalitis	19	6	1	1	.....	.....	2	2	.....	.....	2	1	1	2	1	.....	.....
Meningitis	245	91	32	13	7	9	18	22	13	9	7	7	3	8	6	.....	.....
Locomotor ataxia	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	3	4	.....	.....	1
Other diseases of spinal cord	42	1	.....	.....	.....	.....	3	.....	.....	2	1	7	10	16	2	.....	.....
Apoplexy	674	8	2	1	.....	.....	.....	5	6	22	29	91	167	206	118	14	5
Softening of brain	45	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	12	16	12	1	1
Paralysis	211	2	1	.....	.....	.....	.....	1	.....	4	5	16	49	83	39	10	1
General paralysis of insane	44	.....	.....	.....	.....	.....	.....	.....	.....	3	3	7	6	19	5	.....	1
Other forms of mental disease	73	.....	.....	.....	.....	.....	.....	1	7	11	13	7	13	13	7	1	.....
Other diseases of brain	64	7	1	2	1	.....	1	5	1	1	6	10	10	14	3	1	1
Epilepsy	33	1	.....	.....	.....	.....	3	2	7	3	4	6	1	3	3	.....	.....
Convulsions	114	71	19	8	2	.....	2	2	5	2	1	1	1	.....	.....	.....	.....
Tetanus	7	2	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	2	.....	.....	.....
Other diseases of nervous system	28	.....	.....	.....	.....	.....	.....	3	2	3	4	5	8	2	1	.....	.....
III.—Diseases of circulatory system	1,255	28	2	.....	2	4	7	20	35	50	81	141	317	375	177	11	5
Pericarditis	29	.....	1	.....	.....	1	.....	1	.....	1	2	2	7	9	3	2	.....
Endocarditis	26	.....	.....	.....	.....	.....	1	.....	.....	2	3	1	11	5	3	.....	.....
Heart disease	1,032	22	1	.....	2	3	4	16	21	43	61	120	258	319	152	7	3
Angina pectoris	70	.....	.....	.....	.....	.....	.....	.....	3	2	4	8	22	21	9	1	.....
Diseases of arteries	35	.....	.....	.....	.....	.....	1	.....	.....	1	2	3	9	12	6	.....	1
Embolism and thrombosis	38	.....	.....	.....	.....	.....	.....	2	6	.....	8	6	5	5	4	1	1
Diseases of veins	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	22	6	.....	.....	.....	.....	1	1	5	1	1	1	4	2	.....	.....	.....
IV.—Diseases of respiratory system	1,343	222	94	42	16	12	33	46	68	75	75	102	161	223	138	24	12
Laryngitis	16	4	3	3	.....	.....	4	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of larynx	7	.....	3	.....	.....	1	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
Diseases of thyroid body	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Acute bronchitis	136	62	22	5	3	.....	2	2	2	2	1	2	5	13	13	1	1
Chronic bronchitis	105	2	1	.....	.....	.....	1	1	2	3	.....	6	15	39	28	6	1
Bronchopneumonia	114	30	15	9	1	2	4	.....	2	1	1	7	7	16	14	4	1
Pneumonia	845	102	46	24	11	9	22	40	52	58	66	72	123	126	74	12	8
Pleurisy	14	2	1	.....	.....	.....	.....	1	2	2	.....	2	.....	3	1	.....	.....
Congestion of lungs	54	16	2	.....	1	.....	.....	1	2	5	3	5	1	11	6	1	.....
Gangrene of lungs	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
Asthma and emphysema	18	2	1	1	.....	.....	.....	.....	.....	1	.....	1	5	7	.....	.....	.....
Hemorrhage of lungs	18	1	.....	.....	.....	.....	.....	.....	4	3	.....	4	1	4	1	.....	.....
Other diseases of respiratory system	11	1	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	3	1	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

MAINE—Continued.

CAUSE OF DEATH.	AGE																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	981	377	59	19	13	8	26	34	53	40	47	62	84	107	47	3	2
Diseases of mouth	5	4									1						
Tonsilitis	6			2	1	1		1						1			
Other diseases of pharynx	14	1	1	1		3				1		2		4		1	
Ulcer of stomach	13								1		1	4	5	2			
Gastritis	75	7		1				1	4	4	8	9	13	15	13		
Other diseases of stomach	50	15	2	1	1	1	1		3	2	3	3	5	8	5		
Dentition	5	2	3										1				
Diarrhea and enteritis	454	322	47	15	8	3	4	3	1	2	3	8	8	16	12	2	
Hernia	27	2							2	1	1	4	6	7	3		1
Obstruction of intestines	41	5	3			1	1	2	4	2	3	3	7	8	2		
Other diseases of intestines	25	6	1				3	1	2	2		3	3	4			
Acute yellow atrophy of liver	5	1							2		1			1			
Hydatid tumors of liver																	
Cirrhosis of liver	46							1	1	2	4	6	10	17	5		
Biliary calculi	12								1	3	2	1	4	1			
Other diseases of liver	63	5	1				1	1	3	4	6	7	12	15	7		1
Diseases of spleen	3										1	1		1			
Peritonitis	79	7	2	1	1	2	5	10	16	9	4	7	9	6			
Appendicitis	58			1			7	15	12	8	9	4	1	1			
Other diseases of digestive system																	
VI.—Diseases of genito-urinary system	691	10	1	1	4		5	15	29	41	89	109	144	157	78	5	3
Acute nephritis	43	4		1			3	2	4	7	7	8	2	5			
Bright's disease	523	4	1		4		2	11	15	26	67	88	127	120	52	3	3
Other diseases of kidneys	22	1							1	3		2	3	7	5		
Calculi of urinary tract	2										1			1			
Diseases of bladder	48	1							2		2	3	7	21	10	2	
Uterine tumor	9									1	4	3	1				
Other diseases of uterus	7							2		1	3	1					
Ovarian tumor	14								1	1	3	4	1	3	1		
Diseases of tubes	5								3	2							
Other diseases of genito-urinary system	18								3		2		3		10		
VII.—Childbirth	107							8	48	43	8						
Puerperal septicemia	43							5	18	17	3						
Puerperal convulsions	17							3	7	7							
Other causes incident to childbirth	47								23	19	5						
VIII.—Diseases of skin	84	8			1			1		1	2	8	14	25	16	8	
Gangrene	68	2									2	7	11	23	15	8	
Carbuncle	6							1		1			1	2	1		
Abscess	8	5										1	2				
Other diseases of skin	2	1			1												
IX.—Diseases of locomotor system	10		2					1	3	1		1	1	1			
Diseases of bones	6		2					1	2				1				
Diseases of joints	1											1					
Other diseases of locomotor system	3								1	1				1			
X.—Malformations	67	64	2														1
Hydrocephalus	15	14	1														
Congenital malformation of heart (cyanosis)	27	25	1														1
Other congenital malformations	25	25															
XI.—Early infancy	340	340															
Premature birth	140	140															
Congenital debility	200	200															
XII.—Old age	631												15	140	344	130	2
XIII.—Violence	516	25	5	15	5	8	33	48	82	53	60	49	51	42	23	7	10
Suicide	72							1	12	8	16	10	14	7	1		3
Fractures and dislocations	37				1			2	8	3	3	3	3	3	9	2	
Burns and scalds	49	2	2	4	1	1	6	3	6	6	4	3	4	4	2	1	
Heat and sunstroke	3	1								1				1			
Cold and freezing	5											2		1	1		1
Lightning	3								1			2					
Drowning	115	1		3		4	15	22	28	12	8	6	10		1		5
Inhalation of poisonous gases	9	1					1	3		1			1	1	1		
Other accidental poisonings	15	1	2	3	2	1	2		1		2	1					
Accidental gunshot wounds	17						3	7	2	1	2	1	1				
Injuries by machinery	1											1					
Injuries in mines and quarries	1						1										
Railroad accidents and injuries	33			2				3	7	6	7	2	2	3		1	
Injuries by vehicles and horses	9						1			1	1	2	1	3			
Suffocation	7	1							2		1		2	1			
Other accidental injuries	124	4	1	3	1	2	4	7	14	14	16	16	12	18	8	3	1
Injuries at birth	14	14															
Homicide	2								1				1				
XIV.—Ill-defined causes	505	157	9	4	1	2	5	11	17	27	22	25	59	88	56	12	10
"Dropsy"	36		1					1	1	4	1	3	5	15	4	1	
"Heart failure"	79	8						2	2	2	3	2	15	29	11	4	1
Other ill-defined causes	225	66	8	3	1			5	10	10	14	12	27	28	29	6	6
Unknown causes	165	83		1		2	5	3	4	11	4	8	12	16	12	1	3

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

MASSACHUSETTS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	47,498	10,021	2,176	977	595	425	1,124	1,588	3,634	3,824	3,896	4,613	5,575	5,392	3,042	525	91
I.—General diseases	12,472	815	592	392	295	211	554	798	1,925	1,753	1,418	1,347	1,234	821	282	30	5
Typhoid fever	533	4	2	3	7	6	22	100	177	102	54	35	11	8	2	.....	.....
Malarial fever	58	3	1	2	.....	1	4	1	3	5	7	8	11	9	2	1	.....
Smallpox	283	28	17	15	4	6	5	11	56	49	43	28	12	6	3	.....	.....
Measles	331	84	109	52	17	10	30	8	8	3	4	2	3	1	.....	.....	.....
Scarlet fever	309	18	39	52	45	27	96	23	5	.....	3	.....	1	.....	.....	.....	.....
Whooping cough	395	222	90	35	17	10	18	.....	.....	.....	2	.....	.....	1	.....	.....	.....
Diphtheria	749	52	106	106	120	74	206	58	10	5	5	4	1	2	.....	.....	.....
Croup	145	22	44	33	18	14	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	220	23	5	2	3	1	2	4	4	7	13	23	38	42	48	5	.....
Cholera nostras	56	15	3	1	3	1	2	2	1	1	2	3	8	10	4	.....	.....
Dysentery	184	22	18	5	2	6	6	5	1	3	8	13	28	38	24	5	.....
Erysipelas	119	38	4	1	1	1	1	2	6	7	9	10	16	11	12	.....	.....
Other epidemic diseases[1]	13	7	3	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Septicemia	194	14	2	1	3	1	4	9	34	43	22	18	16	17	9	1	.....
Tuberculosis of lungs	4,801	77	47	31	25	21	47	435	1,408	1,171	685	436	248	140	26	2	2
Tuberculosis of larynx	33	1	.....	1	.....	.....	.....	3	5	9	7	3	4	.....	.....	.....	.....
Tuberculous meningitis	306	85	64	35	17	20	38	23	13	5	2	1	1	1	1	.....	.....
Abdominal tuberculosis	144	18	11	5	5	2	9	9	27	16	14	15	8	4	1	.....	.....
Pott's disease	39	.....	.....	2	1	.....	8	4	7	12	1	2	2	.....	.....	.....	.....
Tuberculous abscess	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
White swelling	24	1	1	.....	.....	1	3	9	3	2	.....	2	1	1	.....	.....	.....
Tuberculosis of other organs	25	1	.....	.....	.....	.....	.....	4	5	5	2	5	2	1	.....	.....	.....
General tuberculosis	91	8	14	.....	1	2	5	11	18	17	9	4	2	.....	.....	.....	.....
Scrofula	10	2	1	.....	.....	.....	1	.....	1	.....	.....	2	2	1	.....	.....	.....
Venereal diseases	61	29	1	2	.....	.....	1	3	4	8	7	3	2	1	.....	.....	.....
Cancer of mouth	52	.....	.....	.....	.....	.....	.....	.....	.....	3	6	17	16	7	2	.....	1
Cancer of stomach and liver	712	1	.....	.....	.....	.....	.....	.....	10	38	99	171	208	150	33	2	.....
Cancer of intestines	256	.....	.....	.....	1	.....	1	3	4	20	42	57	73	42	12	1	.....
Cancer of female genital organs	252	.....	.....	.....	.....	.....	.....	1	4	29	61	74	57	19	6	1	.....
Cancer of breast	155	.....	.....	.....	.....	.....	.....	.....	3	12	37	37	28	25	12	1	.....
Cancer of skin	51	.....	.....	.....	.....	1	.....	.....	.....	.....	4	10	9	14	11	2	.....
Cancer of other or unspecified organs	755	3	.....	1	1	3	3	8	25	48	99	185	187	140	44	6	2
Tumor	51	3	1	.....	.....	.....	1	2	1	3	7	6	13	10	4	.....	.....
Rheumatism	195	1	1	1	1	2	13	19	11	17	28	23	38	26	13	1	.....
Diabetes	392	1	2	1	1	1	7	22	22	26	47	84	109	59	8	2	.....
Anemia, leukemia	245	29	5	4	2	.....	5	16	21	24	29	26	53	28	3	.....	.....
Alcoholism	168	.....	.....	.....	.....	.....	.....	.....	21	52	48	28	15	3	1	.....	.....
Chronic poisonings	12	1	.....	.....	.....	.....	.....	.....	.....	1	1	5	3	1	.....	.....	.....
Other general diseases	50	2	1	1	.....	.....	1	3	7	8	10	7	6	3	1	.....	.....
II.—Diseases of nervous system	5,880	939	310	143	90	48	122	130	167	259	441	675	1,017	1,004	467	59	9
Encephalitis	55	18	5	.....	5	1	1	3	1	2	4	5	3	6	1	.....	.....
Meningitis	1,095	422	195	88	59	32	85	58	54	33	23	18	18	10	.....	.....	.....
Locomotor ataxia	58	.....	.....	.....	.....	.....	.....	1	.....	3	7	15	22	9	1	.....	.....
Other diseases of spinal cord	152	8	.....	2	.....	1	.....	2	10	11	17	32	37	25	7	.....	.....
Apoplexy	2,335	46	9	8	2	1	7	17	41	84	187	372	617	608	288	42	6
Softening of brain	94	1	.....	.....	.....	.....	.....	1	.....	2	4	7	21	35	22	1	.....
Paralysis	636	7	4	.....	1	1	3	1	3	16	34	76	167	207	102	13	1
General paralysis of insane	296	.....	.....	.....	.....	.....	.....	.....	4	33	82	66	50	38	22	1	.....
Other forms of mental disease	125	.....	.....	.....	.....	.....	.....	1	6	10	17	24	32	19	14	1	1
Other diseases of brain	167	19	2	3	2	2	3	11	12	19	32	25	13	23	1	.....	.....
Epilepsy	125	4	2	1	1	1	1	14	19	25	18	14	16	5	4	.....	.....
Convulsions	580	395	86	38	17	7	9	6	5	10	1	2	1	1	2	.....	.....
Tetanus	46	13	.....	.....	1	2	7	9	2	2	5	2	1	1	.....	.....	1
Other diseases of nervous system	116	6	7	3	2	.....	6	6	10	9	10	17	19	17	3	1	.....
III.—Diseases of circulatory system	5,560	142	17	16	13	12	74	138	287	368	577	823	1,251	1,249	531	52	10
Pericarditis	45	3	2	.....	1	.....	4	9	3	4	4	5	4	5	1	.....	.....
Endocarditis	342	5	3	1	2	1	16	21	32	34	45	48	62	52	17	3	.....
Heart disease	4,389	93	9	12	9	10	50	98	218	292	464	663	1,018	1,008	406	31	8
Angina pectoris	182	.....	1	.....	.....	.....	.....	1	4	6	17	38	54	43	16	2	.....
Diseases of arteries	299	1	.....	.....	.....	1	.....	.....	.....	2	12	38	60	104	68	12	1
Embolism and thrombosis	177	2	.....	1	.....	.....	.....	2	19	18	25	21	40	29	16	4	.....
Diseases of veins	19	.....	.....	1	.....	.....	1	.....	1	2	1	2	5	2	4	.....	.....
Diseases of lymphatics	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Other diseases of circulatory system	104	37	2	1	1	.....	3	7	10	10	9	8	6	6	3	.....	1
IV.—Diseases of respiratory system	6,317	1,476	600	247	100	61	137	143	291	398	453	561	712	701	385	48	4
Laryngitis	29	4	1	6	6	2	2	.....	2	1	1	1	1	2	.....	.....	.....
Other diseases of larynx	38	15	4	1	2	.....	3	2	4	.....	1	4	1	1	.....	.....	.....
Diseases of thyroid body	8	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	3	.....	.....	.....
Acute bronchitis	715	436	101	35	11	7	6	2	6	6	5	5	38	31	22	4	.....
Chronic bronchitis	537	14	7	2	.....	1	6	8	18	19	30	55	119	150	95	12	1
Bronchopneumonia	852	322	166	63	29	9	17	12	8	21	27	31	55	56	34	2	.....
Pneumonia	3,554	629	298	125	50	38	89	101	205	298	328	390	406	374	198	23	2
Pleurisy	128	4	6	4	.....	2	7	7	17	12	16	16	17	13	5	2	.....
Congestion of lungs	245	44	9	7	2	1	4	5	11	14	20	21	37	46	22	2	.....
Gangrene of lungs	23	.....	.....	1	.....	.....	.....	2	5	4	5	2	1	1	1	.....	1
Asthma and emphysema	77	2	1	2	.....	1	1	.....	2	2	4	19	21	18	3	1	.....
Hemorrhage of lungs	57	3	2	.....	.....	.....	.....	2	9	10	9	7	6	3	4	2	.....
Other diseases of respiratory system	54	3	5	1	.....	.....	2	2	3	10	7	9	8	3	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	5,434	2,608	460	91	45	31	87	116	222	208	282	365	387	362	148	17	5
Diseases of mouth	8	3	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	1	.....	.....
Tonsilitis	10	.....	2	3	1	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of pharynx	23	4	.....	1	.....	1	1	2	.....	3	1	2	4	4	.....	.....	.....
Ulcer of stomach	82	.....	.....	.....	.....	.....	.....	3	15	11	19	13	7	11	3	.....	.....
Gastritis	280	48	4	.....	2	.....	2	3	8	9	27	35	43	62	34	3	.....
Other diseases of stomach	146	58	5	.....	3	2	2	.....	3	2	8	8	19	21	11	4	.....
Dentition	17	15	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	3,321	2,407	426	73	22	19	25	8	13	23	30	61	79	90	36	5	4
Hernia	123	7	2	.....	.....	.....	.....	2	3	3	14	24	32	24	11	.....	1
Obstruction of intestines	213	28	8	5	5	2	12	8	18	14	18	32	34	21	6	2	.....
Other diseases of intestines	62	13	1	2	1	1	.....	.....	4	3	6	6	7	9	7	2	.....
Acute yellow atrophy of liver	9	.....	.....	.....	.....	.....	.....	2	.....	4	.....	1	.....	1	1	.....	.....
Hydatid tumors of liver	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	284	.....	2	.....	.....	.....	1	1	5	30	52	74	67	40	12	.....	.....
Biliary calculi	52	.....	.....	.....	.....	.....	.....	.....	1	3	11	12	9	12	4	.....	.....
Other diseases of liver	204	10	3	2	1	.....	2	.....	15	18	28	32	40	38	15	.....	.....
Diseases of spleen	7	1	1	.....	1	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....
Peritonitis	323	13	4	4	7	4	17	29	68	51	34	34	30	23	5	.....	.....
Appendicitis	253	1	.....	1	2	2	24	55	64	31	30	23	13	4	2	1	.....
Other diseases of digestive system	15	.....	.....	.....	.....	.....	.....	.....	2	2	1	6	3	1	.....	.....	.....
VI.—Diseases of genito-urinary system	2,623	37	22	7	10	7	29	69	222	284	284	465	511	474	181	17	4
Acute nephritis	225	10	9	2	1	4	19	19	26	39	14	28	26	23	5	.....	.....
Bright's disease	1,919	21	13	4	9	2	10	44	146	182	213	390	411	345	116	10	3
Other diseases of kidneys	80	3	.....	1	.....	.....	.....	1	7	11	11	14	12	15	5	.....	.....
Calculi of urinary tract	21	.....	.....	.....	.....	.....	.....	1	2	1	4	4	4	4	1	.....	.....
Diseases of bladder	138	1	.....	.....	.....	.....	.....	.....	1	3	4	12	28	49	35	5	.....
Uterine tumor	37	.....	.....	.....	.....	.....	.....	1	1	5	17	7	5	1	.....	.....	.....
Other diseases of uterus	35	.....	.....	.....	.....	.....	.....	.....	11	14	5	2	1	2	.....	.....	.....
Ovarian tumor	25	.....	.....	.....	.....	.....	.....	.....	3	6	4	3	4	1	3	1	.....
Diseases of tubes	50	.....	.....	.....	.....	.....	.....	3	21	19	6	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	93	2	.....	.....	.....	1	.....	.....	4	4	6	5	19	34	16	1	1
VII.—Childbirth	274	.....	.....	.....	.....	.....	.....	10	111	123	30	.....	.....	.....	.....	.....	.....
Puerperal septicemia	89	.....	.....	.....	.....	.....	.....	3	40	41	5	.....	.....	.....	.....	.....	.....
Puerperal convulsions	58	.....	.....	.....	.....	.....	.....	4	26	25	3	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	127	.....	.....	.....	.....	.....	.....	3	45	57	22	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	221	16	6	3	4	1	5	2	6	15	17	14	40	43	45	3	1
Gangrene	134	2	1	2	3	.....	2	.....	3	5	6	5	27	36	39	2	1
Carbuncle	12	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	2	3	2	.....	.....
Abscess	44	2	3	.....	1	1	3	1	1	6	7	7	7	2	2	1	.....
Other diseases of skin	31	12	2	1	.....	.....	.....	1	1	2	2	2	4	2	2	.....	.....
IX.—Diseases of locomotor system	78	19	18	.....	.....	.....	4	7	8	3	4	4	4	5	2	.....	.....
Diseases of bones	71	19	18	.....	.....	.....	3	7	7	2	3	2	4	5	1	.....	.....
Diseases of joints	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of locomotor system	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	1	.....	.....
X.—Malformations	320	292	10	4	3	1	3	1	.....	.....	.....	.....	1	.....	.....	.....	5
Hydrocephalus	62	46	8	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
Congenital malformation of heart (cyanosis)	154	146	1	1	3	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1
Other congenital malformations	104	100	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
XI.—Early infancy	2,674	2,674	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	1,189	1,189	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,485	1,485	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	1,582	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	77	430	816	257	2
XIII.—Violence	2,385	225	45	46	28	44	100	154	367	360	320	244	196	133	90	20	13
Suicide	268	.....	.....	.....	.....	.....	.....	6	44	49	54	44	39	22	8	1	1
Fractures and dislocations	333	1	3	11	4	3	7	19	40	41	33	37	42	41	43	8	.....
Burns and scalds	211	8	19	22	10	17	22	5	23	22	18	22	11	7	5	.....	.....
Heat and sunstroke	12	1	.....	.....	1	.....	.....	1	2	2	1	1	2	.....	1	.....	.....
Cold and freezing	23	1	.....	.....	.....	.....	.....	.....	3	2	1	6	5	5	.....	.....	.....
Lightning	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
Drowning	358	5	5	3	4	9	32	46	86	63	58	28	10	3	1	.....	5
Inhalation of poisonous gases	67	1	1	.....	.....	.....	2	3	11	13	15	5	6	8	2	.....	.....
Other accidental poisonings	90	11	8	3	1	2	3	3	9	12	14	9	11	2	2	.....	.....
Accidental gunshot wounds	41	.....	.....	2	.....	2	1	10	6	6	7	3	3	.....	1	.....	.....
Injuries by machinery	8	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	1	.....	.....	1	.....
Injuries in mines and quarries	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	295	1	1	.....	2	1	10	25	66	61	50	42	17	10	5	.....	4
Injuries by vehicles and horses	17	.....	.....	.....	1	2	3	1	2	2	3	1	2	.....	.....	.....	.....
Suffocation	36	24	.....	1	.....	1	.....	.....	1	3	1	1	2	.....	.....	.....	2
Other accidental injuries	434	13	8	4	5	7	20	34	63	73	57	42	43	34	20	10	1
Injuries at birth	156	156	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	33	3	.....	.....	.....	.....	.....	1	8	9	7	1	2	.....	2	.....	.....
XIV.—Ill-defined causes	1,678	778	96	28	7	9	9	20	28	53	70	115	145	170	95	22	33
"Dropsy"	65	3	.....	1	.....	.....	3	.....	.....	9	2	9	12	15	8	3	.....
"Heart failure"	203	21	3	1	.....	1	.....	4	8	13	14	28	39	38	26	5	2
Other ill-defined causes	1,283	704	90	24	7	8	6	9	13	23	41	73	88	107	60	14	16
Unknown causes	127	50	3	2	.....	.....	.....	7	7	8	13	5	6	10	1	.....	15

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

MICHIGAN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	31,362	5,904	1,088	510	341	256	883	1,605	2,470	2,193	2,378	2,704	3,855	4,289	2,425	347	114
I.—General diseases	7,714	558	274	181	158	119	424	643	1,096	804	848	792	888	623	250	34	22
Typhoid fever	606	5	8	5	8	11	44	136	157	84	62	36	30	12	5	1	2
Malarial fever	99	2	4	4	2	.....	8	11	11	11	9	10	12	10	5	.....	.....
Smallpox	40	8	1	2	2	.....	.....	4	5	8	3	.....	3	4	.....	.....	.....
Measles	233	59	52	26	17	9	30	14	10	6	4	4	2	.....	.....	.....	.....
Scarlet fever	265	22	38	40	29	24	81	18	9	4	.....	.....	.....	.....	.....	.....	.....
Whooping cough	262	149	60	18	17	7	6	2	.....	.....	.....	.....	.....	.....	1	.....	2
Diphtheria	389	15	36	30	33	36	144	71	17	4	1	.....	1	.....	.....	.....	1
Croup	100	17	16	19	20	6	19	2	.....	.....	.....	.....	1	.....	.....	.....	.....
Influenza	305	26	5	2	4	3	4	5	15	11	19	17	50	82	51	10	1
Cholera nostras	36	8	1	.....	.....	1	2	1	.....	1	3	1	7	8	1	2	.....
Dysentery	138	27	11	11	5	4	2	.....	.....	5	8	8	17	26	13	1	.....
Erysipelas	99	16	2	.....	.....	.....	.....	3	5	7	13	17	11	14	9	2	.....
Other epidemic diseases[1]	16	6	3	1	.....	.....	2	1	1	1	.....	.....	.....	.....	1	.....	.....
Septicemia	141	10	2	2	1	2	3	11	18	25	19	13	17	9	6	1	2
Tuberculosis of lungs	2,083	26	9	7	6	4	14	230	676	432	283	177	123	82	13	.....	1
Tuberculosis of larynx	21	2	.....	.....	.....	.....	1	1	4	5	3	1	3	1	.....	.....	.....
Tuberculous meningitis	101	31	10	4	5	6	15	11	8	2	3	2	1	3	.....	.....	.....
Abdominal tuberculosis	100	5	2	1	.....	.....	4	15	26	11	10	10	13	3	.....	.....	.....
Pott's disease	31	.....	1	.....	.....	1	5	5	4	5	4	2	2	2	.....	.....	.....
Tuberculous abscess	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
White swelling	17	2	1	.....	.....	.....	1	2	3	2	1	2	1	2	.....	.....	.....
Tuberculosis of other organs	30	.....	.....	.....	.....	.....	2	4	10	2	4	3	3	1	1	.....	.....
General tuberculosis	43	2	2	.....	.....	.....	.....	5	16	6	3	6	2	.....	.....	1	.....
Scrofula	15	10	.....	.....	1	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....
Venereal diseases	112	81	1	1	.....	.....	.....	1	5	8	4	5	2	3	1	.....	.....
Cancer of mouth	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	8	16	11	6	1	.....
Cancer of stomach and liver	608	.....	.....	.....	1	.....	.....	1	7	23	88	138	192	127	28	2	1
Cancer of intestines	144	.....	.....	.....	.....	.....	.....	.....	6	7	26	30	43	27	3	.....	2
Cancer of female genital organs	218	.....	.....	.....	.....	.....	.....	1	3	27	66	54	51	10	4	1	1
Cancer of breast	126	.....	.....	.....	.....	.....	1	.....	1	5	36	30	33	11	9	.....	.....
Cancer of skin	70	.....	.....	.....	.....	.....	.....	1	.....	4	5	15	14	9	19	2	1
Cancer of other or unspecified organs	266	2	1	2	1	.....	.....	8	7	14	42	57	64	39	24	5	.....
Tumor	37	2	.....	.....	.....	.....	.....	.....	2	1	5	9	11	4	3	.....	.....
Rheumatism	265	3	1	1	.....	2	14	32	15	21	19	34	50	47	23	3	.....
Diabetes	299	4	1	3	2	1	14	39	26	22	28	41	60	43	13	2	.....
Anemia, leukemia	168	11	4	1	3	2	6	7	12	12	33	24	27	20	6	.....	.....
Alcoholism	81	.....	.....	.....	.....	.....	.....	.....	4	13	19	22	9	6	.....	.....	8
Chronic poisonings	36	.....	.....	.....	.....	.....	.....	1	5	8	5	6	9	.....	2	.....	.....
Other general diseases	67	7	2	1	1	.....	1	.....	6	7	15	10	7	7	3	.....	.....
II.—Diseases of nervous system	3,827	640	112	53	30	17	91	120	114	161	269	360	642	756	414	38	10
Encephalitis	70	22	8	3	3	1	10	3	4	5	3	2	2	3	1	.....	.....
Meningitis	387	129	51	27	12	7	46	45	19	17	15	11	5	2	1	.....	.....
Locomotor ataxia	58	2	.....	.....	.....	.....	.....	.....	.....	7	13	12	14	6	4	.....	.....
Other diseases of spinal cord	132	13	2	1	1	.....	3	5	9	9	11	20	26	21	11	.....	.....
Apoplexy	1,297	34	13	5	.....	2	5	11	20	32	92	176	313	367	202	19	6
Softening of brain	83	.....	.....	.....	.....	.....	.....	.....	1	1	4	13	22	31	10	1	.....
Paralysis	676	3	.....	.....	2	1	.....	2	11	9	31	60	155	242	142	17	1
General paralysis of insane	186	.....	.....	.....	.....	.....	.....	1	2	28	35	22	39	36	20	1	2
Other forms of mental disease	77	.....	.....	.....	.....	.....	.....	2	2	11	12	16	17	12	5	.....	.....
Other diseases of brain	93	12	6	1	3	1	8	4	9	11	10	9	9	6	3	.....	1
Epilepsy	153	12	.....	.....	.....	.....	4	20	25	19	26	10	17	14	6	.....	.....
Convulsions	466	400	27	13	5	1	6	4	6	.....	2	.....	1	.....	1	.....	.....
Tetanus	34	5	.....	1	1	1	6	12	.....	1	3	1	3	.....	.....	.....	.....
Other diseases of nervous system	115	8	5	2	3	3	3	11	6	11	12	8	19	16	8	.....	.....
III.—Diseases of circulatory system	3,658	93	7	6	2	6	36	116	125	182	269	482	857	1,001	429	39	8
Pericarditis	47	2	1	.....	.....	.....	2	3	4	4	3	2	7	11	8	.....	.....
Endocarditis	96	3	.....	.....	.....	3	4	14	8	7	3	13	15	18	7	1	.....
Heart disease	3,003	56	6	3	2	2	29	90	92	143	228	405	713	853	347	27	7
Angina pectoris	219	1	.....	1	.....	.....	.....	1	6	15	15	31	73	50	22	4	.....
Diseases of arteries	161	.....	.....	.....	.....	.....	1	1	4	2	8	19	35	50	36	5	.....
Embolism and thrombosis	62	3	.....	.....	.....	.....	.....	4	4	6	7	7	11	12	5	2	1
Diseases of veins	13	.....	.....	.....	.....	.....	.....	.....	4	1	1	1	1	3	2	.....	.....
Diseases of lymphatics	8	3	.....	.....	.....	1	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
Other diseases of circulatory system	49	25	.....	2	.....	.....	.....	3	3	4	3	3	1	3	2	.....	.....
IV.—Diseases of respiratory system	3,902	1,051	308	117	59	44	105	165	192	189	251	277	409	493	281	38	13
Laryngitis	33	5	3	3	3	3	4	.....	.....	1	.....	4	1	3	2	.....	1
Other diseases of larynx	16	8	.....	1	1	1	2	1	.....	.....	1	.....	1	.....	.....	.....	.....
Diseases of thyroid body	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....
Acute bronchitis	479	287	72	21	8	6	6	3	4	4	7	1	10	19	22	8	1
Chronic bronchitis	329	7	2	.....	1	.....	3	11	7	9	12	22	65	117	65	7	1
Bronchopneumonia	495	212	70	26	12	8	19	13	7	8	9	17	33	37	18	5	1
Pneumonia	2,125	442	146	61	30	22	58	116	133	134	180	188	223	243	132	10	7
Pleurisy	85	4	4	2	1	1	4	9	11	10	5	6	17	7	3	1	.....
Congestion of lungs	169	61	9	2	3	1	4	4	7	7	8	8	16	22	13	3	1
Gangrene of lungs	12	.....	.....	.....	.....	.....	.....	.....	3	2	3	2	2	.....	.....	.....	.....
Asthma and emphysema	111	4	1	.....	.....	.....	1	2	2	4	10	18	22	31	13	2	1
Hemorrhage of lungs	36	4	.....	.....	.....	.....	2	1	4	4	3	7	5	4	2	.....	.....
Other diseases of respiratory system	98	17	1	1	.....	2	2	5	14	6	12	4	14	8	10	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	3,992	1,466	283	89	42	29	80	190	202	210	214	283	361	345	171	14	13
Diseases of mouth	30	21	1	2			3				1		1	1			
Tonsilitis	23	6		2	1	1	3	3	2	4	1						
Other diseases of pharynx	39	6	2	1			1	2	2	3	2	5	4	7	4		
Ulcer of stomach	70		1		1				5	9	11	13	13	10	7		
Gastritis	259	56	8	2	3	3	2	7	10	9	19	23	44	45	24	3	1
Other diseases of stomach	170	66	5	3	1			2	5	7	7	11	16	20	24	3	
Dentition	7	3	4														
Diarrhea and enteritis	1,854	1,203	242	73	27	15	13	19	21	17	14	31	58	75	37	3	6
Hernia	103	7		1				3	2	2	8	20	24	20	13	1	2
Obstruction of intestines	216	34	10	3	4	5	7	14	17	20	21	18	24	28	9	1	1
Other diseases of intestines	114	27	3		1			8	6	12	6	7	13	16	14	1	
Acute yellow atrophy of liver	19	1				1	1		2	3	4	3	2	2			
Hydatid tumors of liver	3									1	1	1					
Cirrhosis of liver	232					1	1	1	5	18	23	59	63	49	12		
Biliary calculi	65	2	1						5	3	11	16	14	9	4		
Other diseases of liver	243	13	1		2		5	2	15	19	25	42	58	42	18	1	
Diseases of spleen	10		1	2					1		2	2		2			
Peritonitis	271	19	3			1	19	41	52	50	30	18	21	12	4	1	
Appendicitis	257	1			2	2	25	87	52	32	27	13	6	6	1		3
Other diseases of digestive system	7	1	1					1		1	1	1		1			
VI.—Diseases of genito-urinary system	1,840	46	8	7	8	5	20	65	132	179	171	232	360	412	183	12	
Acute nephritis	108	8		4	4	1	9	9	17	8	7	10	13	12	6		
Bright's disease	1,191	27	6	3	4	4	11	42	54	84	104	178	288	270	111	5	
Other diseases of kidneys	93	5	1					2	7	13	6	14	16	17	11	1	
Calculi of urinary tract	16								1	2	3		5	4	1		
Diseases of bladder	116	2						1		3	6	5	20	50	26	3	
Uterine tumor	52								4	15	18	5	6	2	2		
Other diseases of uterus	56							4	13	18	13	7		1			
Ovarian tumor	40							3	8	13	5	6	4	1			
Diseases of tubes	49							2	25	15	5	2					
Other diseases of genito-urinary system	119	4	1					2	3	8	4	5	8	55	26	3	
VII.—Childbirth	447							45	189	168	44						1
Puerperal septicemia	190							18	92	68	11						1
Puerperal convulsions	89							15	33	30	11						
Other causes incident to childbirth	168							12	64	70	22						
VIII.—Diseases of skin	182	33	2	1		1	2	1	7	8	7	10	27	47	32	4	
Gangrene	106	4		1					3	3	4	5	16	38	28	4	
Carbuncle	12	1							1		1	2	4	3			
Abscess	30	9				1	1		3	4	1	2	3	2	4		
Other diseases of skin	34	19	2				1	1		1	1	1	4	4			
IX.—Diseases of locomotor system	65	12	5	2	1		5	11	4	4	2	7	7	5			
Diseases of bones	58	12	5	1	1		5	11	4	4	2	6	5	2			
Diseases of joints	3			1								1		1			
Other diseases of locomotor system	4												2	2			
X.—Malformations	314	286	8	6			3	5	2		2		1				1
Hydrocephalus	48	38	3	2				2			2		1				
Congenital malformation of heart (cyanosis)	152	141	4	2			2	2	1								
Other congenital malformations	114	107	1	2			1	1	1								1
XI.—Early infancy	1,189	1,189															
Premature birth	580	580															
Congenital debility	609	609															
XII.—Old age	964												47	305	478	127	7
XIII.—Violence	2,162	153	49	40	35	30	102	230	374	255	263	192	159	141	97	15	27
Suicide	230							11	45	37	51	32	30	13	8		3
Fractures and dislocations	158	1	1				3	15	17	19	12	17	8	25	31	8	1
Burns and scalds	156	9	15	20	20	12	22	11	11	10	7	6	3	6	4		
Heat and sunstroke	11	2							2		4	1		1	1		
Cold and freezing	21	1	1						3		2	4	7	2	1		
Lightning	15						2	6	2			2	3				
Drowning	266	2	7	8	3	4	28	71	68	16	15	15	16	2	4		7
Inhalation of poisonous gases	30	2			2		2		6	4	3	1	6	4			
Other accidental poisonings	92	10	12	6	2	2	2	4	11	8	12	5	9	7			2
Accidental gunshot wounds	90				2	2	5	30	16	12	8	6	6	2	1		
Injuries by machinery	36							8	11	5	5	1	3	3			
Injuries in mines and quarries	93						1	6	41	22	16	3	2				2
Railroad accidents and injuries	258		2	2		3	7	22	47	48	46	34	15	16	8	1	7
Injuries by vehicles and horses	71	1			1	1	11	9	8	6	12	8	6	4	2	1	1
Suffocation	42	19	3	1		1	3		1	4	4	3	3				
Other accidental injuries	474	18	7	3	4	5	16	35	77	58	62	49	40	56	37	5	2
Injuries at birth	87	87															
Homicide	32	1	1		1			2	8	6	4	5	2				2
XIV.—Ill-defined causes	1,016	377	32	8	6	5	15	14	33	33	38	69	97	161	90	26	12
"Dropsy"	143	1	1		1		1	1	3	5	7	19	27	50	22	5	
"Heart failure"	98	22	1					2	3	7	10	14	14	19	5	1	
Other ill-defined causes	462	167	21	4	3	4	5	5	13	13	12	26	47	75	48	17	2
Unknown causes	313	187	9	4	2	1	9	6	14	8	9	10	9	17	15	3	10

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

NEW HAMPSHIRE.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,649	1,067	225	93	90	56	133	233	408	423	470	619	890	1,053	696	126	67
I.—General diseases	1,591	89	56	38	31	24	66	117	184	198	165	202	179	152	67	8	15
Typhoid fever	76	.....	.....	2	1	2	6	17	19	12	8	3	3	.....	1	.....	2
Malarial fever	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Smallpox	7	1	.....	.....	.....	1	1	.....	1	.....	.....	1	1	.....	.....	.....	1
Measles	20	9	3	2	.....	.....	2	2	.....	.....	1	1	.....	.....	.....	.....	.....
Scarlet fever	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	31	22	3	1	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	120	5	15	12	17	14	40	10	3	1	.....	2	1	.....	.....	.....	.....
Croup	37	6	11	9	6	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Influenza	51	4	1	.....	.....	.....	.....	2	.....	1	1	4	6	19	11	2	.....
Cholera nostras	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....
Dysentery	27	6	4	.....	.....	1	.....	.....	1	2	2	1	1	6	3	.....	.....
Erysipelas	19	3	1	1	1	1	.....	1	1	1	1	2	2	3	1	.....	.....
Other epidemic diseases[1]	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	55	.....	.....	1	.....	.....	1	6	7	11	6	8	5	5	3	.....	2
Tuberculosis of lungs	563	9	9	3	2	.....	4	60	132	135	82	50	43	22	7	.....	5
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	31	8	5	3	2	1	4	3	3	1	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	15	.....	.....	2	.....	.....	.....	1	3	1	3	1	.....	3	1	.....	.....
Pott's disease	6	1	.....	.....	.....	.....	1	1	.....	1	.....	2	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	9	.....	.....	.....	.....	.....	1	.....	2	1	2	1	1	1	.....	.....	.....
Scrofula	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	3	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Cancer of mouth	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	3	1	1	.....
Cancer of stomach and liver	101	.....	.....	.....	.....	.....	.....	1	.....	4	10	28	30	15	11	1	1
Cancer of intestines	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	9	5	2	.....	.....
Cancer of female genital organs	32	.....	.....	.....	.....	.....	.....	.....	.....	3	12	9	4	4	.....	.....	.....
Cancer of breast	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	3	1	.....	.....	.....
Cancer of skin	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	3	.....	.....
Cancer of other or unspecified organs	150	.....	.....	1	.....	.....	.....	1	1	8	18	36	36	31	15	2	1
Tumor	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	2	.....	.....
Rheumatism	32	1	.....	.....	.....	.....	.....	2	3	1	3	5	5	10	2	.....	.....
Diabetes	51	1	.....	.....	.....	.....	3	5	4	2	4	10	12	8	2	.....	.....
Anemia, leukemia	50	9	1	.....	.....	.....	1	2	1	4	2	13	4	10	1	1	1
Alcoholism	11	.....	.....	.....	.....	.....	.....	.....	1	3	3	2	.....	.....	.....	.....	2
Chronic poisonings	6	.....	1	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	1	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
II.—Diseases of nervous system	1,071	163	43	15	21	14	20	20	35	29	69	104	183	219	113	12	11
Encephalitis	18	4	1	.....	2	.....	2	1	.....	1	2	2	.....	2	.....	.....	1
Meningitis	189	79	23	13	14	5	11	12	8	5	5	7	2	4	1	.....	.....
Locomotor ataxia	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	3	1	.....	.....
Other diseases of spinal cord	26	1	1	.....	.....	1	.....	.....	1	1	4	3	4	8	2	.....	.....
Apoplexy	414	10	.....	.....	.....	.....	.....	1	5	5	26	51	110	133	63	5	5
Softening of brain	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	7	9	5	1	1
Paralysis	138	2	.....	.....	.....	1	1	.....	.....	1	7	22	30	41	26	5	2
General paralysis of insane	36	.....	.....	.....	.....	.....	.....	.....	2	3	4	3	8	10	6	.....	.....
Other forms of mental disease	29	.....	.....	.....	.....	.....	.....	.....	5	1	4	4	6	3	4	1	1
Other diseases of brain	39	4	1	1	.....	2	.....	.....	4	4	6	4	7	4	2	.....	.....
Epilepsy	27	1	.....	.....	.....	.....	2	4	7	4	3	2	3	.....	1	.....	.....
Convulsions	95	59	17	1	5	4	1	1	2	3	.....	.....	.....	.....	1	.....	1
Tetanus	8	1	.....	.....	.....	.....	2	1	.....	.....	2	1	.....	.....	1	.....	.....
Other diseases of nervous system	14	2	.....	.....	.....	1	1	.....	1	1	3	.....	3	2	.....	.....	.....
III.—Diseases of circulatory system	831	16	2	.....	1	1	7	9	27	42	63	108	203	218	110	9	15
Pericarditis	15	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	3	5	2	1	.....	.....
Endocarditis	26	.....	.....	.....	.....	.....	.....	1	4	3	5	3	3	7	.....	.....	.....
Heart disease	655	10	2	.....	1	1	5	5	14	29	47	87	164	183	89	6	12
Angina pectoris	32	.....	.....	.....	.....	.....	.....	.....	1	4	3	7	17	9	8	2	1
Diseases of arteries	28	.....	.....	.....	.....	.....	.....	1	.....	1	.....	3	6	6	9	1	1
Embolism and thrombosis	35	.....	.....	.....	.....	.....	2	.....	3	2	8	4	6	7	3	.....	.....
Diseases of veins	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	19	6	.....	.....	.....	.....	.....	2	1	3	.....	1	2	3	.....	.....	1
IV.—Diseases of respiratory system	885	190	68	27	18	8	18	23	36	41	39	64	105	134	83	18	4
Laryngitis	4	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	4	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	100	58	15	4	4	.....	.....	1	.....	.....	.....	1	4	7	5	1	.....
Chronic bronchitis	70	4	1	.....	.....	.....	1	.....	.....	3	3	3	12	28	11	4	.....
Bronchopneumonia	76	24	18	2	.....	3	4	.....	2	1	.....	.....	5	9	7	1	.....
Pneumonia	539	97	31	18	11	3	10	19	31	27	32	49	69	76	52	11	3
Pleurisy	15	.....	.....	2	.....	.....	.....	2	.....	.....	1	2	4	3	1	.....	.....
Congestion of lungs	47	14	.....	1	1	1	2	.....	.....	5	3	5	5	4	4	1	1
Gangrene of lungs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Asthma and emphysema	12	.....	.....	.....	.....	1	.....	.....	.....	3	.....	1	3	2	2	.....	.....
Hemorrhage of lungs	9	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	2	4	.....	.....	.....
Other diseases of respiratory system	8	.....	1	.....	.....	.....	.....	1	2	.....	.....	2	1	1	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	696	292	41	7	7	5	9	25	27	35	41	32	64	77	32	1	1
Diseases of mouth	2	1									1						
Tonsilitis	5		1		1			1			2						
Other diseases of pharynx	3					1				1				1			
Ulcer of stomach	16		1					2	2	1	1		3	5	1		
Gastritis	51	4	1			1	1	2	2	5	4	4	9	11	7		
Other diseases of stomach	36	11	1	1	1		1				1	3	6	8	3		
Dentition	11	7	4														
Diarrhea and enteritis	354	260	31	4	3	2	3	2	1	5	6	4	9	15	7	1	1
Hernia	11						1					2	1	3	4		
Obstruction of intestines	35	3			1		1			5	3	3	8	9	2		
Other diseases of intestines	13	3			1		1	2		1	1		2	2			
Acute yellow atrophy of liver	2										1		1				
Hydatid tumors of liver																	
Cirrhosis of liver	40								1	5	8	7	11	5	3		
Biliary calculi	1										1						
Other diseases of liver	34	1						1	1	2	3	2	9	11	4		
Diseases of spleen	2								1		1						
Peritonitis	51	2	1	2		1		8	9	5	6	5	5	6	1		
Appendicitis	28		1				1	7	10	4	2	2		1			
Other diseases of digestive system	1									1							
VI.—Diseases of genito-urinary system	401		2	2	6	2	1	10	28	25	42	57	86	92	40	4	4
Acute nephritis	37				3	2		3	7	4	5	6	3		4		
Bright's disease	294		2	2	3		1	5	18	19	30	45	65	77	20	3	4
Other diseases of kidneys	14							1	2		1	2	1	1	5	1	
Calculi of urinary tract	2												1		1		
Diseases of bladder	35									2	2	2	9	11	9		
Uterine tumor	7										2	1	3	1			
Other diseases of uterus	2							1			1						
Ovarian tumor	6								1		1	1	2	1			
Diseases of tubes																	
Other diseases of genito-urinary system	4												2	1	1		
VII.—Childbirth	28							1	17	9	1						
Puerperal septicemia	11								5	5	1						
Puerperal convulsions	7								6	1							
Other causes incident to childbirth	10							1	6	3							
VIII.—Diseases of skin	41	4					1		2	2	1		5	13	11	2	
Gangrene	33	2							2	1	1		4	11	10	2	
Carbuncle	2													2			
Abscess	5	1					1			1			1		1		
Other diseases of skin	1	1															
IX.—Diseases of locomotor system	10	2	1					1	1			2	2	1			
Diseases of bones	7	2	1					1	1			1	1				
Diseases of joints	2											1	1				
Other diseases of locomotor system	1													1			
X.—Malformations	34	29	1									2					2
Hydrocephalus	2	1										1					
Congenital malformation of heart (cyanosis)	19	15	1									1					2
Other congenital malformations	13	13															
XI.—Early infancy	158	158															
Premature birth	1	1															
Congenital debility	157	157															
XII.—Old age	339												10	81	187	60	1
XIII.—Violence	254	11	6	2	5	2	9	24	46	31	36	24	13	20	16	4	5
Suicide	28							1	5	4	5	4	3	5	1		
Fractures and dislocations	35		1					1	4	6	3	3	2	6	6	3	
Burns and scalds	24		3	1	3	1	1	5	2	2		1	2		3		
Heat and sunstroke																	
Cold and freezing	5								1	1	1	1		1			
Lightning	4							2			2						
Drowning	40		1				6	6	11	3	5	4	1	2			1
Inhalation of poisonous gases	2							1				1					
Other accidental poisonings	9	1	1					1	3	2							1
Accidental gunshot wounds	7							2	2	2	1						
Injuries by machinery	3						1			1		1					
Injuries in mines and quarries																	
Railroad accidents and injuries	22				1			1	7	3	4		1	2			3
Injuries by vehicles and horses	6							1		1	2	2					
Suffocation	4	2							1		1						
Other accidental injuries	58	1		1	1	1	1	3	10	6	12	7	4	4	6	1	
Injuries at birth	7	7															
Homicide																	
XIV.—Ill-defined causes	310	104	5	2	1		2	3	5	11	13	24	40	46	37	8	9
"Dropsy"	29	1									1	5	4	12	4	1	1
"Heart failure"	64	8					1			2	5	9	16	10	10		3
Other ill-defined causes	166	68	5	1			1		2	6	3	8	18	22	23	7	2
Unknown causes	51	27		1	1			3	3	3	4	2	2	2			3

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

NEW JERSEY.

CAUSE OF DEATH	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	31,382	7,036	1,634	746	431	336	943	1,136	2,491	2,895	2,754	2,961	3,307	2,981	1,406	216	109
I.—General diseases	8,074	609	385	256	187	163	472	488	1,278	1,226	967	800	668	419	112	13	31
Typhoid fever	429	2	.....	2	7	2	18	67	128	95	48	33	18	8	.....	.....	1
Malarial fever	63	7	4	1	2	5	6	5	9	6	6	3	6	1	2	.....	.....
Smallpox	429	54	26	27	14	8	31	29	92	87	27	17	5	5	1	.....	6
Measles	218	70	73	26	14	6	21	4	2	1	.....	.....	.....	.....	.....	.....	1
Scarlet fever	230	9	19	32	18	29	87	24	6	5	1	.....	.....	.....	.....	.....	.....
Whooping cough	304	180	68	18	13	10	12	1	1	.....	.....	.....	.....	1	.....	.....	.....
Diphtheria	532	24	58	72	65	71	174	46	10	3	4	2	1	2	.....	.....	.....
Croup	163	17	40	32	20	15	34	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	94	5	6	3	.....	.....	2	.....	6	3	4	8	16	28	10	3	.....
Cholera nostras	26	2	.....	.....	.....	2	1	4	1	1	4	3	4	4	.....	.....	.....
Dysentery	203	35	23	7	10	2	9	5	6	3	15	14	22	32	18	1	1
Erysipelas	69	23	2	.....	.....	.....	.....	2	3	6	7	7	7	7	5	.....	.....
Other epidemic diseases[1]	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	116	13	6	4	1	.....	6	7	21	21	10	12	6	7	1	1	.....
Tuberculosis of lungs	3,123	45	18	13	8	4	22	229	868	797	521	285	200	86	17	3	7
Tuberculosis of larynx	53	2	.....	.....	.....	.....	.....	1	15	13	11	6	3	1	.....	.....	1
Tuberculous meningitis	150	47	25	13	7	7	19	8	10	9	4	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	92	16	6	3	1	2	6	9	17	9	11	6	4	1	1	.....	.....
Pott's disease	16	.....	.....	.....	.....	.....	3	3	5	2	2	.....	1	.....	.....	.....	.....
Tuberculous abscess	3	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
White swelling	9	1	.....	.....	.....	.....	1	2	2	.....	.....	.....	1	2	.....	.....	.....
Tuberculosis of other organs	18	.....	.....	.....	.....	.....	1	4	3	2	4	3	1	.....	.....	.....	.....
General tuberculosis	37	2	4	1	.....	.....	3	8	4	4	4	4	2	1	.....	.....	.....
Scrofula	6	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Venereal diseases	50	30	1	.....	.....	.....	.....	1	6	3	5	4	.....	.....	.....	.....	.....
Cancer of mouth	34	.....	.....	.....	.....	.....	.....	.....	.....	1	5	12	4	10	2	.....	.....
Cancer of stomach and liver	390	.....	.....	.....	.....	.....	.....	.....	1	22	50	115	115	74	11	.....	2
Cancer of intestines	120	.....	.....	.....	.....	.....	.....	.....	3	6	18	30	29	25	6	1	2
Cancer of female genital organs	138	.....	.....	.....	.....	.....	.....	.....	3	16	47	36	27	6	2	.....	1
Cancer of breast	89	.....	.....	.....	.....	.....	.....	.....	1	5	24	24	16	16	3	.....	.....
Cancer of skin	38	.....	.....	.....	.....	.....	.....	.....	1	.....	3	12	5	9	6	1	1
Cancer of other or unspecified organs	255	.....	1	1	.....	.....	2	2	4	20	31	70	63	42	17	1	1
Tumor	17	1	.....	.....	.....	.....	.....	.....	.....	2	2	3	3	6	.....	.....	.....
Rheumatism	106	2	1	1	2	.....	5	10	12	10	11	14	21	10	6	.....	1
Diabetes	177	2	.....	.....	1	.....	5	6	8	10	22	38	57	24	3	.....	1
Anemia, leukemia	83	9	4	.....	2	.....	3	4	8	9	14	11	9	9	.....	1	.....
Alcoholism	145	.....	.....	.....	.....	.....	.....	.....	13	46	41	20	17	2	.....	1	5
Chronic poisonings	14	.....	.....	.....	.....	.....	.....	.....	2	2	4	2	4	.....	.....	.....	.....
Other general diseases	34	6	.....	.....	.....	.....	1	3	6	6	6	4	1	.....	1	.....	.....
II.—Diseases of nervous system	4,411	1,027	236	123	48	57	83	93	120	194	291	451	666	684	296	24	18
Encephalitis	33	6	3	2	2	.....	2	2	2	3	3	5	2	.....	1	.....	.....
Meningitis	800	286	134	67	27	33	51	49	35	37	21	18	25	12	3	1	1
Locomotor ataxia	32	.....	.....	.....	.....	.....	.....	.....	1	2	5	10	10	4	.....	.....	.....
Other diseases of spinal cord	85	5	.....	1	.....	.....	3	5	4	5	13	15	16	16	2	.....	.....
Apoplexy	1,627	63	12	7	4	2	3	12	27	54	145	282	410	423	163	12	8
Softening of brain	109	1	.....	.....	.....	.....	1	1	.....	.....	8	11	28	37	20	2	.....
Paralysis	459	3	3	1	1	1	.....	.....	3	8	29	55	115	145	84	6	5
General paralysis of insane	128	.....	.....	.....	.....	.....	.....	.....	5	19	23	19	23	25	13	1	.....
Other forms of mental disease	59	.....	.....	.....	.....	.....	.....	1	5	14	8	11	10	7	2	1	.....
Other diseases of brain	82	16	6	1	2	4	5	2	4	10	6	4	7	8	6	1	.....
Epilepsy	74	2	1	1	.....	1	3	8	14	19	8	5	8	4	.....	.....	.....
Convulsions	791	605	76	42	12	14	10	4	9	9	5	4	.....	.....	.....	.....	1
Tetanus	78	39	.....	.....	.....	.....	3	8	5	6	6	6	2	.....	.....	.....	3
Other diseases of nervous system	54	1	1	1	.....	2	2	1	6	8	11	6	10	3	2	.....	.....
III.—Diseases of circulatory system	2,978	104	11	8	12	9	53	103	144	258	313	497	612	574	248	26	6
Pericarditis	42	1	1	.....	.....	.....	4	4	6	2	3	6	7	6	2	.....	.....
Endocarditis	267	9	3	1	3	3	13	21	21	25	36	42	34	40	14	2	.....
Heart disease	2,241	69	6	5	7	5	33	66	93	193	232	387	475	450	195	29	5
Angina pectoris	132	.....	.....	.....	.....	.....	.....	2	6	10	14	28	42	26	4	.....	.....
Diseases of arteries	125	.....	.....	.....	.....	.....	.....	.....	3	9	11	15	28	31	25	2	1
Embolism and thrombosis	97	3	.....	1	1	1	1	2	10	9	10	13	22	17	6	1	.....
Diseases of veins	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	1	.....	.....	.....
Diseases of lymphatics	5	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....
Other diseases of circulatory system	64	21	1	1	1	.....	2	7	4	9	6	4	3	2	2	1	.....
IV.—Diseases of respiratory system	4,401	1,167	532	215	100	57	136	96	188	318	277	329	409	365	176	27	9
Laryngitis	43	11	9	2	4	2	6	.....	2	1	1	1	1	1	2	.....	.....
Other diseases of larynx	31	10	5	1	3	4	3	2	.....	1	.....	.....	.....	2	.....	.....	.....
Diseases of thyroid body	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
Acute bronchitis	414	262	55	26	10	3	5	2	1	3	1	7	10	13	12	3	1
Chronic bronchitis	276	15	6	1	.....	2	6	3	5	15	14	33	48	80	43	5	.....
Bronchopneumonia	833	367	197	63	25	16	21	13	13	12	14	13	36	30	12	1	.....
Pneumonia	2,316	437	247	115	53	29	85	64	133	234	204	215	229	176	73	14	8
Pleurisy	74	5	4	3	1	.....	3	3	7	13	9	8	11	5	2	.....	.....
Congestion of lungs	209	49	6	2	3	1	3	2	9	15	12	24	34	30	15	4	.....
Gangrene of lungs	14	1	.....	.....	.....	.....	.....	.....	.....	2	1	6	2	2	.....	.....	.....
Asthma and emphysema	93	3	2	1	1	.....	2	.....	3	3	8	13	27	17	13	.....	.....
Hemorrhage of lungs	59	.....	.....	.....	.....	.....	.....	6	11	13	7	7	8	5	2	.....	.....
Other diseases of respiratory system	36	7	1	1	.....	.....	2	1	4	6	4	2	3	3	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	3,786	1,699	346	88	34	16	60	82	166	209	257	255	265	197	95	10	7
Diseases of mouth	6	5							1								
Tonsilitis	10		1	1	3	2	2		1								
Other diseases of pharynx	15		2	1					1	1	2	3	2	2	1		
Ulcer of stomach	49	1					2	1	4	4	18	7	6	5	1		
Gastritis	252	45	11	7	5	3	2	4	10	21	23	28	40	37	15	1	
Other diseases of stomach	78	28	1	1			2		3	5	4	11	8	7	7	1	
Dentition	7	6	1														
Diarrhea and enteritis	2,229	1,533	321	72	22	7	20	8	16	10	25	30	64	57	38	4	2
Hernia	72	5						2	3	3	16	17	16	6	3		1
Obstruction of intestines	147	33	5	1			4	4	4	16	14	25	22	13	6		
Other diseases of intestines	48	14	1			1	1	2	4	6	4	4	4	3	3	1	
Acute yellow atrophy of liver	11	1									4	2	3	1			
Hydatid tumors of liver	2								2								
Cirrhosis of liver	287	1			1			4	16	45	75	71	50	19	3	1	1
Biliary calculi	34			1				1	2	2	5	8	9	3	2	1	
Other diseases of liver	136	11		1			1	1	4	15	20	24	26	26	6	1	
Diseases of spleen	2									1		1					
Peritonitis	273	15	3	3	1	1	11	21	64	64	37	15	14	14	8		2
Appendicitis	124	1			2	2	15	34	30	16	9	8		4	2		1
Other diseases of digestive system	4								1		1	1	1				
VI.—Diseases of genito-urinary system	2,118	35	10	7	16	12	35	53	146	244	324	349	407	329	134	11	6
Acute nephritis	259	20	4	5	9	7	18	19	38	38	35	23	23	16	2	1	1
Bright's disease	1,659	13	5	2	6	5	17	33	92	185	264	310	348	264	102	9	4
Other diseases of kidneys	23	2	1					1	1	3	3		6	2	4		
Calculi of urinary tract	6									1		1	2	2			
Diseases of bladder	94				1				3	3	7	8	21	30	21		
Uterine tumor	14								1	1	4	4		2	2		
Other diseases of uterus	27								6	12	6	1	1	1			
Ovarian tumor	9									1	5		2			1	
Diseases of tubes	6								5			1					
Other diseases of genito-urinary system	21											1	4	12	3		1
VII.—Childbirth	219							12	106	81	19						1
Puerperal septicemia	95							5	56	30	4						
Puerperal convulsions	44							4	23	16							1
Other causes incident to childbirth	80							3	27	35	15						
VIII.—Diseases of skin	132	19	2	2		1	5	1	5		8	10	24	33	20	2	
Gangrene	90	6	1				3	1	3		2	9	16	30	18	1	
Carbuncle	6										1		3	2			
Abscess	22	5	1	2			2		2		4		4	1	1		
Other diseases of skin	14	8				1					1	1	1		1	1	
IX.—Diseases of locomotor system	40	11	6	2	2		1	6	4	2	1	2	2	1			
Diseases of bones	36	11	6	2	2		1	6	2	2		2	2				
Diseases of joints	1													1			
Other diseases of locomotor system	3								2		1						
X.—Malformations	262	244	5	2		2	4	1	2	1		1					
Hydrocephalus	29	18	2	2		1	4		1			1					
Congenital malformation of heart (cyanosis)	141	135	3			1		1	1								
Other congenital malformations	92	91								1							
XI.—Early infancy	1,378	1,378															
Premature birth	574	574															
Congenital debility	804	804															
XII.—Old age	496												31	165	219	80	1
XIII.—Violence	1,886	124	25	30	29	14	87	189	308	325	249	217	131	96	33	10	19
Suicide	223							12	35	49	47	42	24	13			1
Fractures and dislocations	184	1		2	2	2	8	11	26	39	23	21	17	15	13	4	
Burns and scalds	150	4	12	18	19	8	25	11	12	10	8	6	10	5		2	
Heat and sunstroke	10	1	1					1	2	3		1	1				
Cold and freezing	10	2								2	4		2				
Lightning	7							3	2				1		1		
Drowning	253	4	3	2	3	2	21	46	50	49	29	29	8	9			7
Inhalation of poisonous gases	57	1						5	14	14	10	6	4	2	1		
Other accidental poisonings	65	4	4	3		1	4	2	7	9	10	7	6	7	1		
Accidental gunshot wounds	56							14	10	12	9	6	4		1		
Injuries by machinery	13								3	4	3	1	1				1
Injuries in mines and quarries	10								4		3	3					
Railroad accidents and injuries	389	1	1		2		16	48	83	77	57	48	25	22	3	1	5
Injuries by vehicles and horses	15						1	1	2	4	3	1	2			1	
Suffocation	27	12	1					1	3	1	3	3	1				2
Other accidental injuries	306	5	3	5	3	1	12	31	44	56	40	40	25	23	13	2	3
Injuries at birth	88	88															
Homicide	23	1						3	11	5		3					
XIV.—Ill-defined causes	1,201	619	76	13	3	5	7	12	24	37	48	50	92	118	73	13	11
"Dropsy"	77	6	1						2	4	8	7	15	22	10	1	1
"Heart failure"	175	21	2			1		3	7	11	18	18	35	38	15	2	4
Other ill-defined causes	912	576	73	13	2	4	7	7	14	18	15	23	39	58	48	10	5
Unknown causes	37	16			1			2	1	4	7	2	3				1

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

NEW YORK.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	124,657	23,806	6,321	2,833	1,672	1,289	3,249	4,405	9,815	11,953	11,420	12,356	14,037	13,242	6,931	1,037	291
I.—General diseases	33,166	2,142	1,676	1,188	828	633	1,592	1,908	4,814	5,085	4,018	3,419	2,988	2,010	686	66	53
Typhoid fever	1,761	8	17	14	8	11	80	294	552	340	184	119	83	39	7	1	4
Malarial fever	233	7	12	6	6	3	17	17	23	22	14	23	31	33	16	3	.....
Smallpox	443	43	24	27	12	19	26	22	84	83	56	31	11	4	.....	.....	1
Measles	862	247	306	119	58	36	49	13	12	5	11	5	1	.....	.....	.....	.....
Scarlet fever	1,249	60	166	216	166	138	349	98	35	10	6	3	.....	.....	.....	.....	2
Whooping cough	900	508	182	96	50	25	32	2	3	.....	.....	2	.....	.....	.....	.....	.....
Diphtheria	2,419	199	431	380	312	281	571	157	41	14	18	4	5	2	.....	.....	4
Croup	444	48	100	93	65	43	79	11	3	1	.....	1	.....	.....	.....	.....	.....
Influenza	713	52	18	8	5	6	12	21	32	49	61	77	112	130	109	17	4
Cholera nostras	89	15	2	1	1	1	5	1	3	3	6	11	14	18	6	1	1
Dysentery	674	116	65	42	17	17	34	10	18	25	29	56	76	95	65	5	4
Erysipelas	320	99	9	3	1	2	3	12	19	31	26	28	38	34	13	2	.....
Other epidemic diseases[1]	23	11	2	1	1	.....	.....	1	1	1	3	1	.....	1	.....	.....	.....
Septicemia	316	33	7	.....	1	3	7	15	54	49	43	41	32	24	7	.....	.....
Tuberculosis of lungs	12,657	123	76	46	20	20	81	932	3,418	3,485	2,138	1,182	697	329	84	5	21
Tuberculosis of larynx	118	1	.....	.....	.....	.....	1	3	19	29	22	17	18	6	2	.....	.....
Tuberculous meningitis	932	259	204	90	71	49	113	52	38	27	11	11	4	1	2	.....	.....
Abdominal tuberculosis	355	57	16	12	4	4	13	32	56	50	46	24	25	13	3	.....	.....
Pott's disease	120	7	6	1	3	3	18	23	16	15	15	5	5	2	1	.....	.....
Tuberculous abscess	6	1	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....
White swelling	61	1	.....	1	1	3	12	11	6	12	2	4	4	3	1	.....	.....
Tuberculosis of other organs	83	4	3	2	1	.....	1	7	19	14	9	10	10	2	1	.....	.....
General tuberculosis	140	12	7	6	4	3	5	11	26	30	20	6	7	3	.....	.....	.....
Scrofula	16	8	3	1	1	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
Venereal diseases	257	154	2	1	1	2	.....	.....	20	26	26	14	8	2	1	.....	.....
Cancer of mouth	132	1	.....	.....	1	1	.....	.....	2	8	16	34	38	23	7	1	.....
Cancer of stomach and liver	1,921	2	.....	.....	.....	1	1	3	18	98	283	509	546	373	75	9	3
Cancer of intestines	607	.....	.....	.....	1	.....	1	5	15	52	84	143	172	110	23	1	.....
Cancer of female genital organs	733	.....	.....	.....	.....	.....	.....	3	19	93	199	210	128	66	13	2	.....
Cancer of breast	480	.....	.....	.....	.....	.....	1	.....	4	41	93	124	117	64	33	2	1
Cancer of skin	168	.....	.....	1	.....	.....	1	.....	1	6	16	25	34	46	30	8	.....
Cancer of other or unspecified organs	1,186	8	7	8	3	1	9	20	34	81	177	243	283	215	89	6	2
Tumor	116	1	.....	.....	1	2	.....	3	4	7	15	20	27	23	4	.....	.....
Rheumatism	666	11	2	4	4	6	34	53	56	62	82	93	109	105	40	3	2
Diabetes	928	2	.....	2	3	6	16	42	54	72	83	182	256	176	32	.....	2
Anemia, leukemia	393	30	8	5	4	6	15	25	41	49	58	56	45	40	11	.....	.....
Alcoholism	460	.....	.....	.....	.....	.....	2	.....	45	174	122	68	33	9	5	.....	2
Chronic poisonings	52	.....	.....	.....	.....	.....	.....	1	5	7	18	11	6	3	1	.....	.....
Other general diseases	133	14	1	1	2	1	4	7	18	14	24	16	12	14	5	.....	.....
II.—Diseases of nervous system	13,530	2,141	580	240	129	103	238	289	396	727	1,159	1,670	2,258	2,346	1,111	116	27
Encephalitis	58	14	9	1	2	.....	1	5	4	6	1	8	5	1	1	.....	.....
Meningitis	2,092	701	361	159	87	69	170	130	96	104	81	59	46	19	8	1	1
Locomotor ataxia	165	2	.....	1	.....	.....	.....	2	1	12	37	53	41	11	4	.....	1
Other diseases of spinal cord	340	11	4	3	1	3	2	8	18	33	56	56	69	55	18	1	2
Apoplexy	6,083	96	24	5	4	5	12	23	89	237	563	1,105	1,591	1,547	692	74	16
Softening of brain	208	.....	.....	.....	.....	.....	1	1	1	6	9	27	40	82	36	5	.....
Paralysis	1,199	18	5	3	2	1	2	4	18	32	59	126	245	413	241	25	5
General paralysis of insane	639	.....	.....	.....	.....	.....	1	.....	14	113	179	91	69	98	70	4	.....
Other forms of mental disease	286	.....	.....	.....	.....	.....	1	6	22	48	39	45	50	48	22	5	.....
Other diseases of brain	276	31	8	4	4	5	8	25	27	31	43	31	34	16	9	.....	.....
Epilepsy	343	12	3	6	3	2	16	44	64	60	52	26	34	16	4	1	.....
Convulsions	1,409	1,144	150	48	19	10	9	5	5	3	7	3	.....	4	.....	.....	2
Tetanus	136	76	1	1	2	3	6	11	7	8	6	8	3	4	.....	.....	.....
Other diseases of nervous system	296	36	15	9	5	5	9	25	30	34	27	32	31	32	6	.....	.....
III.—Diseases of circulatory system	12,649	237	29	19	22	26	197	436	610	928	1,369	1,951	2,804	2,783	1,117	91	30
Pericarditis	141	3	2	1	1	1	12	10	12	14	20	13	24	19	8	1	.....
Endocarditis	1,283	28	7	4	8	9	46	83	111	137	174	211	221	177	65	1	1
Heart disease	9,611	134	14	9	8	12	122	313	429	654	1,015	1,486	2,224	2,209	888	67	27
Angina pectoris	498	.....	1	1	.....	.....	2	12	17	30	49	91	134	118	39	3	1
Diseases of arteries	604	1	.....	.....	.....	.....	1	1	4	39	49	94	126	189	86	14	.....
Embolism and thrombosis	289	3	2	1	1	.....	4	7	18	29	38	38	57	60	25	5	1
Diseases of veins	45	1	1	.....	.....	.....	.....	1	2	6	7	9	11	5	2	.....	.....
Diseases of lymphatics	13	6	1	1	1	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....
Other diseases of circulatory system	165	61	1	2	3	4	10	9	17	19	16	9	6	4	4	.....	.....
IV.—Diseases of respiratory system	19,497	5,167	2,283	864	400	217	465	471	983	1,304	1,268	1,453	1,805	1,741	930	123	23
Laryngitis	107	18	17	18	8	6	14	5	2	3	2	2	7	2	2	.....	1
Other diseases of larynx	75	20	11	9	6	4	8	3	6	2	1	3	1	1	.....	.....	.....
Diseases of thyroid body	19	.....	.....	.....	.....	.....	.....	.....	4	2	3	2	4	3	1	.....	.....
Acute bronchitis	2,357	1,460	338	124	42	26	19	10	17	16	27	29	62	104	70	12	1
Chronic bronchitis	1,246	26	9	9	1	1	38	28	52	50	66	135	263	315	215	35	3
Bronchopneumonia	3,782	1,614	803	283	115	63	97	44	71	84	66	102	163	183	80	14	.....
Pneumonia	10,303	1,841	1,046	394	207	111	265	319	721	986	933	988	1,088	910	434	47	13
Pleurisy	410	33	30	17	11	4	11	24	39	64	46	42	43	31	13	2	.....
Congestion of lungs	628	138	23	7	6	.....	9	20	24	42	43	62	72	101	73	7	1
Gangrene of lungs	43	.....	.....	1	1	.....	.....	1	2	8	9	9	6	5	.....	.....	1
Asthma and emphysema	264	4	2	1	.....	1	2	2	12	9	31	45	62	62	27	4	.....
Hemorrhage of lungs	146	3	2	.....	.....	.....	.....	6	19	25	25	23	19	16	5	1	2
Other diseases of respiratory system	117	10	2	1	3	1	2	9	14	13	16	11	15	8	10	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	14,810	6,367	1,347	299	127	80	242	382	603	852	881	1,074	1,148	895	433	52	28
Diseases of mouth	41	27	3	.....	1	2	1	.....	1	.....	.....	1	2	1	.....	1	1
Tonsilitis	45	3	7	3	1	.....	15	4	4	2	2	3	.....	.....	1	.....	.....
Other diseases of pharynx	71	8	4	2	.....	.....	3	6	8	6	7	9	9	8	1	.....	.....
Ulcer of stomach	279	3	.....	.....	.....	1	2	10	41	49	41	48	44	24	14	.....	2
Gastritis	728	129	18	8	6	5	9	10	29	46	45	82	119	134	75	12	1
Other diseases of stomach	406	158	14	5	5	1	2	6	3	14	20	34	46	51	35	10	2
Dentition	65	36	25	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	8,579	5,772	1,244	246	83	51	72	52	63	106	86	150	222	249	160	17	6
Hernia	346	32	3	2	.....	.....	2	3	11	33	50	61	68	55	20	5	1
Obstruction of intestines	660	91	13	16	10	5	13	27	52	68	76	90	102	69	25	1	2
Other diseases of intestines	213	34	4	3	3	.....	3	6	12	30	30	24	25	23	12	3	1
Acute yellow atrophy of liver	30	1	.....	1	.....	.....	.....	.....	4	4	3	4	6	4	2	.....	1
Hydatid tumors of liver	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Cirrhosis of liver	1,310	2	.....	1	.....	.....	5	6	48	192	275	325	278	146	26	1	5
Biliary calculi	127	1	.....	.....	.....	.....	.....	.....	5	9	22	39	32	17	2	.....	.....
Other diseases of liver	478	27	2	3	1	1	5	10	26	45	70	69	105	69	40	2	3
Diseases of spleen	27	.....	.....	.....	1	.....	.....	1	4	6	6	2	4	1	2	.....	.....
Peritonitis	607	34	9	5	10	4	29	72	118	115	66	60	40	29	14	.....	2
Appendicitis	767	8	1	1	6	10	78	168	167	123	78	68	40	14	4	.....	1
Other diseases of digestive system	29	.....	.....	.....	.....	.....	2	1	7	4	4	5	5	1	.....	.....	.....
VI.—Diseases of genito-urinary system	10,410	145	44	44	49	40	108	237	771	1,221	1,505	1,842	2,000	1,735	607	50	12
Acute nephritis	1,050	54	17	21	26	26	53	67	161	161	147	103	111	72	30	1	.....
Bright's disease	7,985	68	24	22	22	14	50	156	473	847	1,175	1,589	1,685	1,384	431	35	10
Other diseases of kidneys	226	14	3	1	.....	.....	3	2	18	26	17	35	46	40	19	2	.....
Calculi of urinary tract	32	2	.....	.....	.....	.....	.....	.....	1	3	3	7	8	6	2	.....	.....
Diseases of bladder	354	6	.....	.....	.....	.....	.....	.....	12	10	18	29	57	135	82	5	.....
Uterine tumor	166	.....	.....	.....	.....	.....	.....	1	5	39	68	32	16	3	2	.....	.....
Other diseases of uterus	132	.....	.....	.....	1	.....	1	5	32	54	19	10	4	3	1	.....	2
Ovarian tumor	120	.....	.....	.....	.....	.....	1	1	14	28	28	14	24	6	4	.....	.....
Diseases of tubes	96	.....	.....	.....	.....	.....	.....	5	42	36	11	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	249	1	.....	.....	.....	.....	.....	.....	13	17	19	22	48	86	36	7	.....
VII.—Childbirth	1,039	.....	.....	.....	.....	.....	.....	63	449	435	88	2	.....	.....	.....	.....	2
Puerperal septicemia	457	.....	.....	.....	.....	.....	.....	29	235	163	30	.....	.....	.....	.....	.....	.....
Puerperal convulsions	205	.....	.....	.....	.....	.....	.....	23	84	77	21	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	377	.....	.....	.....	.....	.....	.....	11	130	195	37	2	.....	.....	.....	.....	2
VIII.—Diseases of skin	525	67	3	6	4	1	8	11	16	26	39	42	77	110	93	21	1
Gangrene	315	9	2	1	3	.....	4	3	6	8	15	20	52	90	83	18	1
Carbuncle	27	4	.....	.....	.....	.....	1	.....	1	4	4	3	7	1	1	1	.....
Abscess	107	25	.....	5	1	1	3	5	8	13	12	14	12	6	2	.....	.....
Other diseases of skin	76	29	1	.....	.....	.....	.....	3	1	1	8	5	6	13	7	2	.....
IX.—Diseases of locomotor system	236	65	22	7	4	1	18	26	21	13	13	14	17	10	4	.....	1
Diseases of bones	207	60	22	6	4	1	17	24	20	9	11	9	13	8	2	.....	1
Diseases of joints	15	5	.....	1	.....	.....	.....	.....	.....	2	2	3	2	.....	.....	.....	.....
Other diseases of locomotor system	14	.....	.....	.....	.....	.....	1	2	1	2	.....	2	2	2	2	.....	.....
X.—Malformations	915	857	31	5	2	3	6	7	.....	1	.....	1	1	.....	.....	.....	1
Hydrocephalus	128	91	22	3	1	3	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	522	512	5	2	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Other congenital malformations	265	254	4	.....	1	.....	1	2	.....	1	.....	.....	1	.....	.....	.....	1
XI.—Early infancy	4,625	4,625	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	2,200	2,200	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	2,425	2,425	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	3,122	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	173	959	1,553	431	6
XIII.—Violence	7,440	566	131	117	93	116	357	556	1,119	1,298	1,004	770	595	372	207	47	92
Suicide	894	.....	.....	.....	.....	.....	1	37	149	182	194	145	102	63	12	3	6
Fractures and dislocations	894	11	8	11	3	13	38	52	113	177	98	93	77	83	83	26	8
Burns and scalds	525	26	55	58	45	37	58	22	47	42	31	41	36	18	8	1	.....
Heat and sunstroke	46	12	1	.....	1	.....	.....	1	4	6	3	2	6	5	5	.....	.....
Cold and freezing	41	2	1	.....	.....	2	.....	.....	9	5	2	6	5	4	3	1	1
Lightning	26	1	.....	.....	1	.....	2	5	8	4	3	1	1	.....	.....	.....	.....
Drowning	881	8	13	10	4	11	93	126	160	175	127	66	43	16	3	.....	26
Inhalation of poisonous gases	380	5	5	2	3	2	13	25	69	80	51	49	46	19	8	.....	3
Other accidental poisonings	400	13	15	9	8	6	7	22	72	76	65	49	40	14	2	.....	2
Accidental gunshot wounds	244	.....	.....	2	.....	2	5	38	64	57	36	19	14	5	1	.....	1
Injuries by machinery	35	1	.....	.....	.....	.....	1	4	6	8	7	4	3	1	.....	.....	.....
Injuries in mines and quarries	4	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	819	1	1	4	5	6	26	62	174	164	146	98	67	24	7	.....	34
Injuries by vehicles and horses	192	1	3	6	5	9	31	24	18	30	18	23	17	4	2	.....	1
Suffocation	70	40	2	.....	1	.....	1	5	2	2	7	6	1	3	.....	.....	.....
Other accidental injuries	1,468	30	27	15	17	27	76	125	202	249	197	158	134	113	73	16	9
Injuries at birth	408	408	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	113	7	.....	.....	.....	1	4	8	22	39	18	10	3	.....	.....	.....	1
XIV.—Ill-defined causes	2,693	1,427	175	44	14	9	18	19	33	63	76	118	171	281	190	40	15
"Dropsy"	231	7	.....	1	.....	.....	4	3	1	6	14	28	49	69	37	10	2
"Heart failure"	279	40	.....	1	1	1	4	2	12	19	24	25	39	63	40	6	2
Other ill-defined causes	2,112	1,347	175	41	12	7	9	13	19	32	36	58	79	143	111	24	6
Unknown causes	71	33	.....	1	1	1	1	1	1	6	2	7	4	6	2	.....	5

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

RHODE ISLAND.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,953	1,856	355	157	106	62	180	306	601	621	629	806	912	833	450	68	11
I.—General diseases	2,181	208	99	59	57	27	87	144	327	285	230	237	240	118	52	8	3
Typhoid fever	91					1	5	12	31	21	9	4	4	3			1
Malarial fever	26	2	1			2	1	5	3	1		2	5	2	1	1	
Smallpox	37	9			2	2	2	4	6	4	5	1	1	1			
Measles	23	6	9	3	2		3										
Scarlet fever	28	2	5	1	5	2	8	2	3								
Whooping cough	79	51	23	2	3												
Diphtheria	136	13	18	21	25	9	35	9	5		1						
Croup	23	9	4	4	5	1											
Influenza	66	5	4	1			2	1	2	1	5	9	12	14	8	2	
Cholera nostras	10	2		1	1		1	1	1		1	1				1	
Dysentery	121	24	13	12	4	3	11	1	3	7	7	5	15	8	8		
Erysipelas	22	6	1					1		2	1	2	3	2	3	1	
Other epidemic diseases [1]																	
Septicemia	11	2	1				1	1	2	2		2					
Tuberculosis of lungs	803	23	7	7	3	1	4	71	240	196	110	76	46	11	5	2	1
Tuberculosis of larynx	6								4	1	1						
Tuberculous meningitis	56	18	7	6	3	6	5	6		3	1	1					
Abdominal tuberculosis	32	9		1	3			5	6	1	3	1	2	1			
Pott's disease	5						2		1			2					
Tuberculous abscess																	
White swelling	1											1					
Tuberculosis of other organs	5							1		1	2		1				
General tuberculosis	32	7					2	5	6	5	5	2					
Scrofula	3	2	1														
Venereal diseases	23	14	1						1		2	5					
Cancer of mouth	11										2	3	3	3			
Cancer of stomach and liver	116							1		5	15	27	40	25	3		
Cancer of intestines	64							1		5	7	16	18	12	5		
Cancer of female genital organs	54								3	4	15	16	12	3	1		
Cancer of breast	54									5	8	15	14	6	5	1	
Cancer of skin	15										1	1	5	6	2		
Cancer of other or unspecified organs	56		1				1	2	2	6	7	14	12	8	3		
Tumor	7		1					1			1	2		1	1		
Rheumatism	49		1				3	9	2	6	2	4	14	4	4		
Diabetes	53						1	2	3	1	6	11	21	6	2		
Anemia, leukemia	28	4	1		1			2	1	2	4	5	6	1	1		
Alcoholism	30								2	6	9	9	3				1
Chronic poisonings	2												1	1			
Other general diseases	3							1					2				
II.—Diseases of nervous system	874	134	38	28	10	7	19	17	17	31	76	109	142	167	69	10	
Encephalitis	20	12	4				1	1		1	1						
Meningitis	189	77	25	25	8	5	15	10	8	4	5	2	2	3			
Locomotor ataxia	21									1	8	4	6	2			
Other diseases of spinal cord	11	1	1		1					1		2	3	1	1		
Apoplexy	416	8	1			2	2	2	4	12	34	71	96	128	47	9	
Softening of brain	13											2	3	4	4		
Paralysis	65				1						5	6	20	17	16		
General paralysis of insane	39									7	10	9	6	5	1	1	
Other forms of mental disease	12									1	3	2	4	2			
Other diseases of brain	20	8						2	1	2	1	4		2			
Epilepsy	19	1						2	4		3	5	1	3			
Convulsions	39	25	7	3			1				2	1					
Tetanus	3										2	1					
Other diseases of nervous system	7	2								2	2		1				
III.—Diseases of circulatory system	766	17	1				2	23	38	54	77	131	160	169	82	8	4
Pericarditis	7						1			2	1	1	1		1		
Endocarditis	40							2	3	4	3	7	7	9	4		1
Heart disease	623	9	1					19	34	44	68	104	136	133	67	5	3
Angina pectoris	34									1	2	11	7	11	2		
Diseases of arteries	25									2	1	2	3	12	3	2	
Embolism and thrombosis	22	1						2			2	4	5	3	4	1	
Diseases of veins	5								1	1		2		1			
Diseases of lymphatics	1						1										
Other diseases of circulatory system	9	7											1		1		
IV.—Diseases of respiratory system	1,003	314	80	33	17	14	23	28	37	53	57	84	103	111	43	5	1
Laryngitis	9	4	1							2	1	1					
Other diseases of larynx	8	3	2		1		1					1					
Diseases of thyroid body	2										1				1		
Acute bronchitis	166	113	18	8	2	4	1			2		1	3	8	6		
Chronic bronchitis	74	6	1				3		1	1	2	13	17	19	9	2	
Bronchopneumonia	154	61	22	5	4	3	4	4	4	5	2	4	12	15	8	1	
Pneumonia	535	121	34	20	9	7	13	23	27	37	44	58	57	64	18	2	1
Pleurisy	23	1	2		1		1	1	2	3	2	3	5	1	1		
Congestion of lungs	6	4							1		1						
Gangrene of lungs																	
Asthma and emphysema	17	1									3	2	7	4			
Hemorrhage of lungs	3									2			1				
Other diseases of respiratory system	6								2	1	1	1	1				

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown
V.—Diseases of digestive system	1,225	633	117	24	13	9	26	26	38	36	42	72	81	64	38	6	
Diseases of mouth	5	3				1								1			
Tonsilitis	6		1	1		3		1									
Other diseases of pharynx	7	2					1			1		1	1	1			
Ulcer of stomach	11								3	3	2	2	1				
Gastritis	51	8	2				1		1	3	2	8	9	9	8		
Other diseases of stomach	89	64	3	1	1		2	1	1	1		3	3	5	4		
Dentition	2	1	1														
Diarrhœa and enteritis	787	533	106	22	10	5	11	8	3	7	5	14	24	17	20	2	
Hernia	23	1	1							1		5	10	3		2	
Obstruction of intestines	24	7			2		1	1	3	2	2	4	1	1			
Other diseases of intestines	24	5	2				2			1	5	1	2	3	2	1	
Acute yellow atrophy of liver	2								1					1			
Hydatid tumors of liver																	
Cirrhosis of liver	65								5	6	17	16	12	9			
Biliary calculi	13										2	2	4	3	2		
Other diseases of liver	43	7					2		3	1	3	7	8	9	2	1	
Diseases of spleen																	
Peritonitis	22	2	1				1	2	3	3	2	3	4	1			
Appendicitis	50						5	13	15	6	2	6	2	1			
Other diseases of digestive system	1									1							
VI.—Diseases of genito-urinary system	639	13	2	2	5	1	2	22	48	71	91	120	111	107	41	3	
Acute nephritis	55	5	1	2	1			6	5	9	11	9	1	4	1		
Bright's disease	470	4	1		4	1	2	15	31	45	39	96	93	89	27	3	
Other diseases of kidneys	21	1							2	4	2	4	4	2	2		
Calculi of urinary tract	2										1		1				
Diseases of bladder	27	1								1	2	2	7	7	7		
Uterine tumor	14								1	5	2	4	1	1			
Other diseases of uterus	9								4	1	3	1					
Ovarian tumor	9									2	4	2	1				
Diseases of tubes	7							1	4	1	1						
Other diseases of genito-urinary system	25	2							1	3	6	2	3	4	4		
VII.—Childbirth	71							5	32	32	2						
Puerperal septicemia	32							3	16	12	1						
Puerperal convulsions	21							2	12	7							
Other causes incident to childbirth	18								4	13	1						
VIII.—Diseases of skin	21	4	1	1				1	2		1		5	3	3		
Gangrene	8		1	1					1				1	2	2		
Carbuncle	3												3				
Abscess	5	2							1		1			1			
Other diseases of skin	5	2						1					1		1		
IX.—Diseases of locomotor system	17	4	2				1	1		1	2	3	1	2			
Diseases of bones	16	4	2				1	1		1	2	3	1	1			
Diseases of joints	1													1			
Other diseases of locomotor system																	
X.—Malformations	75	70	3	1			1										
Hydrocephalus	13	10	2				1										
Congenital malformation of heart (cyanosis)	37	36	1														
Other congenital malformations	25	24		1													
XI.—Early infancy	322	322															
Premature birth	152	152															
Congenital debility	170	170															
XII.—Old age	223												25	66	109	23	
XIII.—Violence	434	67	6	8	4	4	18	38	60	56	30	48	39	20	10	3	3
Suicide	54							3	11	14	10	10	4	1	1		
Fractures and dislocations	8								1	1		1	1	2	1	1	
Burns and scalds	34	2	1	4	2	3	4	2	1	2	3	4	3	2	1		
Heat and sunstroke	1		1														
Cold and freezing	3									1	1		1				
Lightning	1											1					
Drowning	47				1	1	3	14	9	6	5	2	3	1			2
Inhalation of poisonous gases	19	1						1	3	6	1	3	3	1			
Other accidental poisonings	9			2			2			3		1	1				
Accidental gunshot wounds	2							2									
Injuries by machinery	12							3	3	3	3						
Injuries in mines and quarries																	
Railroad accidents and injuries	57						4	7	13	8	7	6	10	2			
Injuries by vehicles and horses	20	1	1		1		2		2	3	5	2	1	1	1		
Suffocation	6	6															
Other accidental injuries	93	3	3	2			3	5	13	8	12	14	12	10	5	2	1
Injuries at birth	54	54															
Homicide	14							1	4	1	3	4			1		
XIV.—Ill-defined causes	102	70	6	1			1	1	2	2	1	2	5	6	3	2	
"Dropsy"	2												1	1			
"Heart failure"	4	1										1	1	1			
Other ill-defined causes	87	62	6	1			1	1	1	2		1	3	4	3	2	
Unknown causes	9	7							1		1						

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

VERMONT.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown
All causes	5,205	822	126	66	30	30	89	196	304	317	310	443	656	936	681	143	56
I.—General diseases	1,204	89	32	18	9	17	32	87	141	122	115	128	158	159	76	11	10
Typhoid fever	66	2	3	1	.....	1	3	14	16	14	5	3	2	.....	.....	.....	2
Malarial fever	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....
Smallpox	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	22	9	5	.....	.....	1	.....	.....	1	2	.....	2	1	.....	1	.....	.....
Scarlet fever	31	4	2	6	3	3	7	5	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	34	22	3	2	3	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Diphtheria	25	2	4	2	.....	2	8	6	1	.....	.....	.....	.....	.....	.....	.....	.....
Croup	13	1	6	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	73	4	.....	.....	.....	.....	.....	1	4	1	1	10	8	15	25	3	1
Cholera nostras	7	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	2	.....	.....
Dysentery	24	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	11	2	1	.....
Erysipelas	14	4	.....	.....	.....	1	.....	.....	1	.....	3	.....	.....	3	2	.....	.....
Other epidemic diseases[1]	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	33	2	.....	.....	.....	.....	.....	4	10	2	2	3	6	3	.....	.....	1
Tuberculosis of lungs	414	9	4	.....	.....	1	5	37	93	76	60	36	42	36	8	3	4
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	19	8	2	2	.....	1	.....	2	.....	2	.....	.....	1	.....	1	.....	.....
Abdominal tuberculosis	16	.....	.....	.....	.....	.....	2	2	4	2	2	2	1	1	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	1	.....	.....	.....	.....	2	.....	1	.....	2	.....	.....	.....
General tuberculosis	9	.....	1	1	.....	.....	.....	1	3	1	1	1	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Cancer of mouth	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
Cancer of stomach and liver	73	.....	.....	.....	.....	.....	.....	.....	.....	4	6	11	23	23	4	1	1
Cancer of intestines	36	.....	.....	.....	.....	.....	.....	.....	.....	3	4	2	11	9	7	.....	.....
Cancer of female genital organs	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	11	1	2	1	.....	.....
Cancer of breast	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	6	1	4	.....	.....
Cancer of skin	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....
Cancer of other or unspecified organs	86	.....	.....	.....	.....	1	2	1	2	4	10	12	23	22	6	2	1
Tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	2	1	1	.....	.....
Rheumatism	36	.....	.....	1	.....	1	1	2	1	2	1	4	7	12	3	1	.....
Diabetes	43	2	.....	2	.....	.....	2	5	1	1	5	7	11	2	5	.....	.....
Anemia, leukemia	38	5	.....	.....	.....	.....	.....	6	1	3	4	6	6	6	1	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	.....	.....	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....
Other general diseases	3	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
II.—Diseases of nervous system	725	94	27	12	7	5	11	19	22	24	29	81	126	166	85	15	2
Encephalitis	15	3	2	.....	1	1	.....	.....	1	1	1	2	2	1	.....	.....	.....
Meningitis	122	47	18	9	4	1	5	9	9	4	3	5	4	1	3	.....	.....
Locomotor ataxia	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	1	.....	.....	.....
Other diseases of spinal cord	32	1	.....	.....	.....	.....	.....	2	1	6	1	6	9	5	1	.....	.....
Apoplexy	337	3	1	.....	.....	.....	1	1	2	5	9	50	76	123	56	9	1
Softening of brain	13	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	5	3	.....	.....
Paralysis	49	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	13	12	17	2	.....
General paralysis of insane	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	7	1	.....	.....
Other forms of mental disease	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	1	.....
Other diseases of brain	23	.....	1	1	.....	.....	1	3	1	1	.....	3	2	4	3	3	.....
Epilepsy	28	1	.....	.....	.....	.....	1	2	5	2	8	3	2	3	.....	.....	1
Convulsions	56	39	5	2	2	3	2	.....	1	1	.....	.....	.....	.....	1	.....	.....
Tetanus	5	.....	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....	.....
Other diseases of nervous system	16	.....	.....	.....	.....	.....	.....	1	1	1	1	4	4	4	.....	.....	.....
III.—Diseases of circulatory system	592	19	2	.....	.....	1	3	8	13	23	47	65	124	182	88	9	8
Pericarditis	6	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	1	1	.....	.....	.....
Endocarditis	28	.....	1	.....	.....	1	.....	2	4	3	1	2	5	6	3	.....	.....
Heart disease	449	12	.....	.....	.....	.....	1	4	8	14	33	49	98	145	71	8	6
Angina pectoris	46	.....	.....	.....	.....	.....	.....	.....	.....	1	6	8	14	12	5	.....	.....
Diseases of arteries	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	6	3	.....	.....
Embolism and thrombosis	30	1	.....	.....	.....	.....	.....	.....	.....	2	4	3	4	10	5	1	.....
Diseases of veins	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of lymphatics	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	19	6	.....	.....	.....	.....	2	.....	1	3	2	.....	.....	2	1	.....	2
IV.—Diseases of respiratory system	771	148	33	23	7	5	21	24	32	35	43	49	84	136	105	18	8
Laryngitis	9	2	1	.....	2	.....	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of larynx	9	3	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1
Diseases of thyroid body	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	73	42	6	4	.....	.....	4	.....	1	.....	1	1	1	7	4	2	.....
Chronic bronchitis	44	3	.....	.....	.....	.....	1	.....	.....	.....	1	3	5	14	15	2	.....
Bronchopneumonia	85	33	8	6	2	.....	1	1	2	.....	.....	4	7	14	6	.....	1
Pneumonia	471	51	15	13	3	4	11	21	22	31	37	35	63	81	67	12	5
Pleurisy	9	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	2	1	1	1	.....
Congestion of lungs	37	8	1	.....	.....	.....	1	.....	1	.....	.....	2	5	9	8	1	1
Gangrene of lungs	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Asthma and emphysema	15	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	6	3	.....	.....	.....
Hemorrhage of lungs	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....
Other diseases of respiratory system	12	2	.....	.....	.....	.....	.....	1	1	3	2	2	.....	1	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1902—Continued.

VERMONT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	449	120	21	6	2	1	7	20	25	33	25	43	41	57	38	9	1
Diseases of mouth																	
Tonsilitis	2		1					1									
Other diseases of pharynx	7	2							1	1				1	2		
Ulcer of stomach	8							1			2	2	1	1	1		
Gastritis	55	3	1	2	1		1	1	2	4	2	6	10	11	9	2	
Other diseases of stomach	19	8					1			2			2	3	3		
Dentition																	
Diarrhea and enteritis	158	100	16	3	1	1			2	3	4	4	8	7	8	1	
Hernia	18									1	1	4	3	6	1	2	
Obstruction of intestines	25	2	2				1		2	2	2	2	3	5	4		
Other diseases of intestines	12	3							1	1		1	2	3			1
Acute yellow atrophy of liver	1											1					
Hydatid tumors of liver																	
Cirrhosis of liver	28									2	3	8	3	6	3	3	
Biliary calculi	5									1	1		1	2			
Other diseases of liver	28	1	1					1	4	1	1	4	6	6	2	1	
Diseases of spleen	1									1							
Peritonitis	49	1		1			2	9	8	7	5	8	1	4	3		
Appendicitis	33						2	7	5	7	4	3	1	2	2		
Other diseases of digestive system																	
VI.—Diseases of genito-urinary system	339	3	2	2	1		1	11	13	21	19	48	62	104	44	7	1
Acute nephritis	15			2			1		3	2		3	2	2			
Bright's disease	265	2	2					11	9	19	17	40	49	82	29	4	1
Other diseases of kidneys	9	1			1							2	2	1	2		
Calculi of urinary tract	1													1			
Diseases of bladder	27											1	3	10	10	3	
Uterine tumor	6										2	1	1	2			
Other diseases of uterus																	
Ovarian tumor	4											1	1	2			
Diseases of tubes	1								1								
Other diseases of genito-urinary system	11												4	4	3		
VII.—Childbirth	39							1	18	16	3						1
Puerperal septicemia	13								9	4							
Puerperal convulsions	5								3	1							1
Other causes incident to childbirth	21							1	6	11	3						
VIII.—Diseases of skin	28	3				1						3	4	11	5	1	
Gangrene	20											3	2	9	5	1	
Carbuncle	1													1			
Abscess	3					1							2				
Other diseases of skin	4	3												1			
IX.—Diseases of locomotor system	6							1			1		1	3			
Diseases of bones	4							1			1			2			
Diseases of joints	1													1			
Other diseases of locomotor system	1												1				
X.—Malformations	34	28	1							1							4
Hydrocephalus	9	7	1														1
Congenital malformation of heart (cyanosis)	15	14															1
Other congenital malformations	10	7								1							2
XI.—Early infancy	230	230															
Premature birth	150	150															
Congenital debility	80	80															
XII.—Old age	326												4	68	189	65	
XIII.—Violence	254	28	2	5	1		11	22	35	36	20	18	21	22	24	5	4
Suicide	26						1		6	5	4	3	2	3	2		
Fractures and dislocations	30							1	5	3			2	3	11	5	
Burns and scalds	8	1					3	1	1	2							
Heat and sunstroke	2									1			1				
Cold and freezing	2											1	1				
Lightning																	
Drowning	28			2	1		4	7	5	3	1	1	3	1			
Inhalation of poisonous gases	3									3							
Other accidental poisonings	16			3			1		1	3	2	1	3	2			
Accidental gunshot wounds	8						1	4		1		1	1				
Injuries by machinery	2							1				1					
Injuries in mines and quarries																	
Railroad accidents and injuries	34		1					3	8	9	5	2	2	2	1		1
Injuries by vehicles and horses	6							1	1			2		1	1		
Suffocation	8	4							1				1	1			1
Other accidental injuries	59	2	1				1	4	7	6	8	6	5	9	9		1
Injuries at birth	21	21															
Homicide	1																1
XIV.—Ill-defined causes	208	60	6		3		3	3	5	6	8	8	31	28	27	3	17
"Dropsy"	6							1					2	1	2		
"Heart failure"	35	2							1	1	2	2	15	7	5		
Other ill-defined causes	106	27	4		1		2	2	1	4	5	3	10	17	16	3	11
Unknown causes	61	31	2		2		1		3	1	1	3	4	3	4		6

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902.

ALLEGHENY, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,573	563	171	81	55	25	95	130	286	224	210	235	213	214	65	5	1
Typhoid fever	165	.....	2	1	2	5	12	33	63	27	9	7	3	1	.....	.....	.....
Malarial fever	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox	8	.....	1	.....	1	.....	.....	1	1	2	2	.....	.....	.....	.....	.....	.....
Measles	52	9	20	11	5	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	28	.....	1	10	3	3	8	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	26	9	8	6	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	44	1	3	5	13	5	12	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	23	.....	.....	.....	.....	.....	.....	.....	1	4	1	3	6	6	1	1	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	5	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....
Erysipelas	5	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	9	1	.....	.....	.....	.....	.....	.....	2	3	.....	3	.....	.....	.....	.....	.....
Tuberculosis—total	235	13	7	4	2	1	5	21	64	50	33	22	8	5	.....	.....	.....
Tuberculosis of lungs	201	5	3	2	1	1	2	20	59	45	30	21	8	4	.....	.....	.....
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....
Tuberculous meningitis	15	5	3	1	1	.....	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	11	3	.....	1	.....	.....	.....	1	3	1	1	1	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Cancer	67	.....	.....	.....	.....	.....	1	2	2	5	12	18	20	6	1	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Rheumatism	20	.....	.....	.....	1	.....	2	1	1	1	3	5	4	1	1	.....	.....
Diabetes	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	1	.....	.....	.....	.....
Anemia, leukemia	4	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....
Alcoholism	14	.....	.....	.....	.....	.....	.....	.....	1	4	5	3	.....	1	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Meningitis	44	15	6	2	6	1	1	3	3	2	.....	2	.....	3	.....	.....	.....
Apoplexy	77	5	1	.....	.....	.....	1	1	3	2	8	12	18	22	4	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....
Paralysis	18	.....	1	.....	.....	.....	1	.....	.....	1	1	5	6	3	.....	.....	.....
Epilepsy	4	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....
Convulsions	72	56	12	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	24	1	.....	2	.....	.....	.....	1	3	3	2	2	3	2	4	1	.....
Pericarditis	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....
Endocarditis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Heart disease	121	7	2	1	.....	.....	4	3	5	16	18	21	17	20	7	.....	.....
Angina pectoris	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Embolism and thrombosis	6	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	9	1	.....	.....	.....	.....	1	.....	.....	.....	.....	2	2	2	1	.....	.....
Laryngitis	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	49	24	10	4	1	1	1	.....	.....	.....	.....	1	3	2	2	.....	.....
Chronic bronchitis	38	.....	.....	1	.....	1	.....	.....	.....	2	.....	5	11	14	4	.....	.....
Bronchopneumonia	58	18	6	5	1	4	3	2	2	1	2	1	5	7	1	.....	.....
Pneumonia	375	69	31	7	11	.....	13	16	41	21	45	47	34	30	8	1	1
Pleurisy	3	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Congestion of lungs	13	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	2	3	2	.....	.....
Other diseases of respiratory system	23	.....	.....	1	.....	.....	.....	.....	1	2	2	4	8	3	2	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	39	14	1	.....	.....	.....	1	.....	1	3	4	4	2	7	2	.....	.....
Diarrhea and enteritis	224	145	42	5	2	.....	1	4	1	2	1	4	7	6	4	.....	.....
Hernia and intestinal obstructions	25	5	1	.....	.....	1	2	1	2	3	1	3	3	2	1	.....	.....
Cirrhosis of liver	27	.....	.....	1	1	.....	.....	.....	.....	3	5	8	7	2	.....	.....	.....
Other diseases of liver	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	.....	.....	.....	.....
Peritonitis	29	4	1	1	1	.....	1	4	5	6	2	2	2	.....	.....	.....	.....
Appendicitis	16	.....	.....	.....	.....	.....	2	2	8	4	.....	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	7	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....
Acute nephritis	7	1	1	.....	.....	.....	1	.....	1	.....	.....	2	.....	.....	1	.....	.....
Bright's disease	59	3	1	.....	1	.....	.....	3	4	5	9	9	12	11	1	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	21	1	.....	.....	.....	.....	.....	1	2	4	3	2	3	4	1	.....	.....
Puerperal septicemia	14	.....	.....	.....	.....	.....	.....	1	8	4	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	7	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	4	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Diseases of locomotor system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Malformations	22	20	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	45	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	56	56	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14	9	2	.....
Suicide	16	.....	.....	.....	.....	.....	.....	1	6	2	3	2	2	.....	.....	.....	.....
Other violence	163	3	1	6	2	1	8	18	41	26	21	18	4	12	2	.....	.....
Ill-defined causes	80	22	8	4	.....	.....	.....	1	2	6	2	8	6	17	4	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

BALTIMORE, MD.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,255	2,435	476	205	121	88	228	453	929	888	984	1,010	1,125	875	377	60	1
Typhoid fever	220	.....	1	3	2	3	14	50	64	38	24	13	7	1	.....	.....	.....
Malarial fever	32	4	3	.....	.....	.....	3	2	4	2	3	2	6	2	1	.....	.....
Smallpox	7	.....	.....	.....	.....	.....	.....	1	4	1	.....	.....	1	.....	.....	.....	.....
Measles	43	8	14	7	5	3	4	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	37	3	5	5	2	8	11	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	86	49	16	12	1	2	4	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Diphtheria and croup	126	9	21	17	19	14	37	6	3	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	56	5	2	.....	1	.....	1	3	2	6	4	8	9	10	4	1	.....
Cholera nostras	17	.....	1	1	.....	1	.....	1	1	2	3	2	1	3	1	.....	.....
Dysentery	80	11	7	1	1	.....	1	2	1	5	9	8	14	19	1	.....	.....
Erysipelas	21	4	.....	.....	.....	.....	.....	.....	1	5	2	1	5	3	.....	.....	.....
Other epidemic diseases [1]	4	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Septicemia	35	2	.....	.....	.....	.....	3	4	7	5	6	3	1	2	2	.....	.....
Tuberculosis—total	1,323	37	36	9	12	12	29	129	362	281	186	127	70	28	5	.....	.....
Tuberculosis of lungs	1,154	10	13	4	6	8	22	111	336	258	177	115	66	24	4	.....	.....
Tuberculosis of larynx	17	.....	.....	.....	.....	.....	.....	1	3	7	2	2	.....	2	.....	.....	.....
Tuberculous meningitis	64	18	15	5	5	2	2	7	5	2	1	1	.....	1	.....	.....	.....
Abdominal tuberculosis	33	5	3	.....	.....	.....	1	3	4	3	5	5	2	1	1	.....	.....
Pott's disease	13	1	.....	.....	.....	.....	1	1	4	3	1	1	1	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	5	.....	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	1	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	30	3	5	.....	1	.....	2	4	7	4	.....	3	1	.....	.....	.....	.....
Scrofula	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	25	13	4	.....	.....	1	.....	1	2	2	1	1	.....	.....	.....	.....	.....
Cancer	408	.....	.....	1	1	.....	3	5	8	36	98	90	113	41	11	1	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	2	.....	.....	.....
Rheumatism	49	.....	.....	.....	.....	2	2	8	3	3	7	6	11	5	2	.....	.....
Diabetes	46	.....	.....	.....	.....	.....	.....	.....	4	3	5	11	13	9	1	.....	.....
Anemia, leukemia	29	5	.....	.....	.....	.....	.....	1	4	1	7	4	7	.....	.....	.....	.....
Alcoholism	30	.....	.....	.....	.....	.....	.....	.....	3	13	11	3	.....	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
Other general diseases	10	.....	1	.....	.....	.....	.....	1	3	.....	1	2	2	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Meningitis	157	65	28	18	3	5	8	13	5	3	3	3	2	1	.....	.....	.....
Apoplexy	392	7	.....	1	1	.....	.....	1	7	22	42	78	98	96	33	5	1
Softening of brain	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	6	11	5	1	.....
Paralysis	174	.....	.....	.....	1	1	.....	1	2	10	15	27	43	51	19	4	.....
Epilepsy	17	1	.....	.....	1	.....	.....	6	3	2	1	2	1	.....	.....	.....	.....
Convulsions	185	147	21	7	1	3	.....	.....	6	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	27	16	.....	.....	.....	.....	2	4	2	2	.....	.....	1	.....	.....	.....	.....
Other diseases of nervous system	115	3	1	1	.....	1	1	9	12	11	19	19	23	13	2	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	44	1	.....	.....	.....	.....	.....	6	4	6	11	6	5	4	1	.....	.....
Heart disease	662	18	3	.....	1	.....	6	20	39	64	94	136	139	94	46	2	.....
Angina pectoris	34	.....	.....	.....	.....	.....	.....	.....	3	2	4	6	12	6	1	.....	.....
Embolism and thrombosis	19	.....	.....	.....	.....	.....	.....	1	.....	1	4	2	7	2	2	.....	.....
Other diseases of circulatory system	103	11	.....	1	.....	.....	.....	1	6	8	8	12	14	24	16	2	.....
Laryngitis	6	1	1	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....
Acute bronchitis	145	79	17	12	5	3	1	3	2	1	2	3	4	6	6	1	.....
Chronic bronchitis	126	9	.....	.....	.....	.....	.....	6	8	11	10	11	28	25	17	1	.....
Bronchopneumonia	201	88	37	12	5	2	6	5	3	2	4	3	16	12	4	2	.....
Pneumonia	777	154	82	39	30	6	29	34	64	63	62	76	73	48	15	2	.....
Pleurisy	37	3	.....	1	.....	1	.....	2	6	4	4	11	3	1	1	.....	.....
Congestion of lungs	50	12	3	.....	.....	.....	.....	.....	2	2	2	5	8	10	6	.....	.....
Other diseases of respiratory system	75	4	1	.....	.....	.....	.....	5	10	10	12	14	8	10	1	.....	.....
Tonsilitis	5	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Diseases of stomach	187	45	13	6	1	2	4	4	7	12	16	26	28	19	4	.....	.....
Diarrhea and enteritis	791	560	107	28	1	5	5	4	3	5	6	13	26	18	10	.....	.....
Hernia and intestinal obstructions	87	9	1	.....	2	2	1	6	5	9	13	16	13	7	3	.....	.....
Cirrhosis of liver	72	.....	.....	.....	.....	.....	.....	.....	2	9	23	19	13	5	1	.....	.....
Other diseases of liver	55	1	2	.....	.....	.....	.....	.....	4	5	8	8	21	3	3	.....	.....
Peritonitis	36	1	.....	.....	2	1	1	6	11	5	2	2	3	2	.....	.....	.....
Appendicitis	66	.....	.....	.....	.....	.....	5	19	15	6	8	4	8	1	.....	.....	.....
Other diseases of digestive system	32	6	4	.....	1	.....	2	3	4	2	4	2	2	2	.....	.....	.....
Acute nephritis	73	2	.....	2	.....	.....	2	7	13	13	13	9	8	4	.....	.....	.....
Bright's disease	593	4	.....	1	1	.....	2	9	37	50	95	122	146	97	27	2	.....
Calculi of urinary tract	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....
Uterine tumor	20	.....	.....	.....	.....	.....	.....	.....	1	5	10	1	.....	3	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	96	2	.....	.....	.....	.....	.....	2	19	18	10	12	14	12	6	1	.....
Puerperal septicemia	59	.....	.....	.....	.....	.....	.....	5	31	19	4	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	54	.....	.....	.....	.....	.....	.....	2	24	19	8	1	.....	.....	.....	.....	.....
Diseases of skin	43	11	1	1	2	.....	.....	1	1	2	4	2	8	8	1	1	.....
Diseases of locomotor system	18	3	2	.....	.....	.....	1	2	2	3	1	2	2	.....	.....	.....	.....
Malformations	51	47	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	217	217	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	502	502	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	254	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24	104	98	28	.....
Suicide	58	.....	.....	.....	.....	.....	.....	.....	15	13	11	9	5	4	1	.....	.....
Other violence	446	46	9	12	13	9	36	46	68	49	55	39	27	23	9	5	.....
Ill-defined causes	361	207	27	4	5	1	3	2	2	14	21	22	22	20	11	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

BOSTON, MASS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,999	2,264	608	259	135	108	251	375	1,030	1,173	1,100	1,115	1,211	885	422	62	1
Typhoid fever	127	1	1	.....	2	.....	7	18	49	23	13	9	1	2	1	.....	.....
Malarial fever	8	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	2	1	1	.....	.....
Smallpox	189	24	12	11	3	3	5	5	36	33	27	17	7	4	2	.....	.....
Measles	72	23	21	10	5	2	5	2	4	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	100	9	20	21	17	4	20	7	1	.....	.....	.....	1	.....	.....	.....	.....
Whooping cough	134	71	38	13	3	1	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	220	36	47	36	23	20	33	14	4	2	1	3	.....	1	.....	.....	.....
Influenza	25	2	.....	.....	1	.....	.....	.....	2	2	3	5	4	4	2	.....	.....
Cholera nostras	7	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	2	.....	.....
Dysentery	30	4	3	.....	1	2	.....	.....	1	2	.....	2	5	6	4	.....	.....
Erysipelas	54	24	2	.....	1	1	1	.....	5	4	4	3	5	3	1	.....	.....
Other epidemic diseases [1]	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	29	2	.....	.....	.....	.....	.....	.....	1	8	5	6	2	3	1	1	.....
Tuberculosis—total	1,436	62	53	31	13	20	33	117	364	367	194	117	50	12	2	1	.....
Tuberculosis of lungs	1,220	20	17	15	6	7	9	98	342	351	187	108	46	11	2	1	.....
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	106	35	23	11	4	9	12	6	5	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	45	3	6	4	2	1	5	3	5	7	2	6	.....	1	.....	.....	.....
Pott's disease	17	.....	.....	1	1	.....	5	2	2	4	1	.....	1	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
White swelling	11	.....	.....	.....	.....	1	.....	5	2	.....	.....	2	1	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....
General tuberculosis	29	4	7	.....	.....	2	2	2	6	3	2	.....	1	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Venereal diseases	27	15	.....	.....	.....	.....	1	1	1	4	3	1	1	.....	.....	.....	.....
Cancer	503	2	.....	.....	.....	2	.....	1	16	46	96	131	136	58	15	.....	.....
Tumor	7	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	2	.....	1	.....	.....
Rheumatism	49	.....	1	1	1	1	7	4	2	5	4	5	10	6	1	1	.....
Diabetes	80	.....	.....	.....	.....	1	.....	1	2	6	15	16	31	7	1	.....	.....
Anemia, leukemia	33	3	.....	1	.....	.....	.....	2	2	8	7	4	4	2	.....	.....	.....
Alcoholism	62	.....	.....	.....	.....	.....	.....	.....	12	24	14	8	3	1	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	.....	.....	.....	.....
Other general diseases	15	.....	.....	1	.....	.....	.....	2	3	3	.....	2	2	2	.....	.....	.....
Encephalitis	7	3	.....	.....	1	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
Meningitis	222	66	47	17	11	7	20	15	16	11	5	3	3	1	.....	.....	.....
Apoplexy	455	15	2	.....	1	.....	.....	3	13	22	50	85	108	107	43	6	.....
Softening of brain	12	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	5	1	4	.....	.....
Paralysis	64	1	1	.....	.....	.....	.....	.....	.....	2	3	9	15	21	9	3	.....
Epilepsy	20	.....	.....	.....	.....	.....	.....	1	3	5	4	2	3	2	.....	.....	.....
Convulsions	72	51	10	3	1	3	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
Tetanus	8	4	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	189	10	4	3	1	.....	5	3	9	18	43	35	33	19	5	1	.....
Pericarditis	7	.....	1	.....	.....	.....	1	2	.....	1	1	1	.....	.....	.....	.....	.....
Endocarditis	110	2	.....	1	1	.....	3	5	12	14	12	19	22	11	7	1	.....
Heart disease	1,034	11	1	2	3	4	13	33	80	96	140	165	234	190	59	3	.....
Angina pectoris	39	.....	.....	.....	.....	.....	.....	.....	1	1	3	11	14	4	5	.....	.....
Embolism and thrombosis	49	.....	.....	.....	.....	.....	.....	2	6	7	12	5	10	6	.....	1	.....
Other diseases of circulatory system	107	9	.....	1	.....	.....	.....	2	1	3	9	20	16	22	21	3	.....
Laryngitis	7	1	1	.....	2	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
Acute bronchitis	168	99	27	9	2	1	1	.....	2	2	1	1	13	5	4	1	.....
Chronic bronchitis	150	4	3	1	.....	.....	.....	1	6	8	8	16	38	45	18	2	.....
Bronchopneumonia	232	96	54	16	8	5	2	2	5	5	6	6	16	7	4	.....	.....
Pneumonia	888	157	83	31	13	8	22	23	58	90	98	106	96	62	37	4	.....
Pleurisy	41	2	3	2	.....	.....	2	4	7	5	6	2	6	2	.....	.....	.....
Congestion of lungs	43	6	1	.....	2	.....	.....	.....	4	4	2	5	6	8	4	1	.....
Other diseases of respiratory system	49	5	3	.....	.....	.....	.....	.....	3	5	8	10	8	6	.....	1	.....
Tonsilitis	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	97	27	1	.....	1	.....	2	1	8	8	14	9	9	12	5	.....	.....
Diarrhea and enteritis	712	505	105	19	3	2	5	3	2	4	7	15	14	19	5	4	.....
Hernia and intestinal obstructions	108	13	3	.....	2	1	5	2	8	6	11	15	24	13	5	.....	.....
Cirrhosis of liver	84	.....	1	.....	.....	.....	.....	.....	1	14	21	24	14	8	1	.....	.....
Other diseases of liver	48	2	2	1	.....	.....	.....	.....	3	6	13	6	8	6	1	.....	.....
Peritonitis	87	2	1	2	2	3	5	8	25	13	9	6	8	1	2	.....	.....
Appendicitis	92	.....	.....	.....	1	1	9	17	23	17	8	11	5	.....	.....	.....	.....
Other diseases of digestive system	26	5	1	1	1	.....	.....	1	2	2	1	4	3	2	3	.....	.....
Acute nephritis	44	.....	1	1	.....	1	3	1	7	5	9	5	5	5	1	.....	.....
Bright's disease	410	4	4	.....	.....	1	1	7	39	48	55	85	87	60	18	1	.....
Calculi of urinary tract	11	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	4	2	.....	.....	.....
Uterine tumor	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	1	.....	1	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....
Other diseases of genito-urinary system	125	3	.....	1	.....	1	.....	1	23	24	14	11	16	19	12	.....	.....
Puerperal septicemia	32	.....	.....	.....	.....	.....	.....	2	11	18	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	54	.....	.....	.....	.....	.....	.....	3	24	22	5	.....	.....	.....	.....	.....	.....
Diseases of skin	49	3	4	2	1	.....	.....	1	2	4	8	2	8	7	6	1	.....
Diseases of locomotor system	36	10	10	.....	.....	.....	2	6	2	3	1	.....	1	1	.....	.....	.....
Malformations	84	79	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	257	257	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	282	282	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	192	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	63	89	24	.....
Suicide	78	.....	.....	.....	.....	.....	.....	2	14	19	15	13	11	3	1	.....	.....
Other violence	593	64	13	10	7	12	24	41	95	101	79	61	49	21	16	.....	.....
Ill-defined causes	292	183	17	9	.....	.....	3	4	6	15	18	10	13	8	3	2	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

BUFFALO, N. Y.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,323	1,189	298	110	65	57	130	208	426	537	515	469	567	486	242	24	.....
Typhoid fever	122	.....	2	.....	1	.....	10	28	27	26	15	6	6	1	.....	.....	.....
Malarial fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Smallpox	3	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Measles	68	14	29	7	8	2	6	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	11	1	2	2	.....	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	27	13	8	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	135	12	24	12	15	12	43	14	2	.....	1	.....	.....	.....	.....	.....	.....
Influenza	15	1	.....	1	.....	.....	.....	2	1	4	2	2	1	.....	1	.....	.....
Cholera nostras	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....
Dysentery	34	8	5	.....	.....	1	1	.....	1	.....	3	.....	3	6	6	.....	.....
Erysipelas	15	3	.....	.....	.....	1	.....	.....	.....	.....	3	2	2	3	1	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	15	1	.....	.....	.....	.....	.....	1	2	2	1	2	5	1	.....	.....	.....
Tuberculosis—total	490	15	6	5	4	4	2	49	131	122	72	43	29	6	2	.....	.....
Tuberculosis of lungs	426	5	3	2	2	3	.....	42	125	111	61	37	27	6	2	.....	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....
Tuberculous meningitis	20	8	2	3	2	1	1	1	.....	1	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	16	1	1	.....	.....	.....	.....	4	2	3	2	2	1	.....	.....	.....	.....
Pott's disease	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	8	.....	.....	.....	.....	.....	1	1	1	2	2	1	.....	.....	.....	.....	.....
General tuberculosis	10	1	.....	.....	.....	.....	.....	.....	3	3	2	1	.....	.....	.....	.....	.....
Scrofula	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	27	12	.....	.....	.....	.....	.....	.....	3	3	3	4	2	.....	.....	.....	.....
Cancer	241	1	.....	.....	.....	1	.....	1	4	16	53	63	51	38	11	2	.....
Tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	1	.....	.....	.....
Rheumatism	38	.....	.....	.....	.....	2	.....	4	5	5	4	7	5	5	1	.....	.....
Diabetes	48	.....	.....	.....	1	1	.....	.....	5	4	3	12	17	4	1	.....	.....
Anemia, leukemia	19	1	.....	.....	.....	.....	1	.....	2	7	5	2	.....	1	.....	.....	.....
Alcoholism	34	.....	.....	.....	.....	.....	.....	.....	2	12	11	5	3	.....	1	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	7	.....	.....	.....	.....	.....	.....	1	3	1	1	.....	.....	1	.....	.....	.....
Encephalitis	4	.....	1	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
Meningitis	122	51	19	5	8	6	9	9	5	5	3	1	1	.....	.....	.....	.....
Apoplexy	204	.....	.....	.....	.....	1	2	1	4	8	28	34	62	44	17	3	.....
Softening of brain	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	.....
Paralysis	35	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	10	14	4	.....	.....
Epilepsy	22	1	1	.....	.....	.....	1	1	4	3	7	.....	3	.....	1	.....	.....
Convulsions	82	69	10	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	110	5	2	.....	.....	.....	.....	6	5	19	31	16	13	10	3	.....	.....
Pericarditis	5	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	1	.....	1	.....	.....
Endocarditis	32	1	.....	.....	.....	.....	1	4	1	2	8	1	10	2	2	.....	.....
Heart disease	457	13	1	.....	1	.....	4	17	31	33	50	74	108	90	34	1	.....
Angina pectoris	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	3	5	1	.....	.....
Embolism and thrombosis	7	.....	.....	.....	.....	.....	1	.....	1	2	.....	1	.....	2	.....	.....	.....
Other diseases of circulatory system	52	5	.....	.....	1	.....	.....	.....	3	6	3	5	6	14	7	2	.....
Laryngitis	6	1	1	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	128	76	24	11	.....	1	1	1	3	.....	1	1	4	4	1	.....	.....
Chronic bronchitis	63	2	.....	.....	.....	1	2	.....	1	5	.....	4	16	21	11	.....	.....
Bronchopneumonia	180	91	42	14	4	3	1	.....	3	3	2	3	8	3	3	.....	.....
Pneumonia	304	57	28	17	5	10	7	3	24	28	29	26	31	28	10	1	.....
Pleurisy	21	.....	1	2	1	.....	.....	3	4	2	3	2	1	1	1	.....	.....
Congestion of lungs	36	5	2	.....	2	.....	1	2	1	5	.....	3	7	5	3	.....	.....
Other diseases of respiratory system	34	1	.....	.....	1	1	1	.....	1	2	3	5	8	10	1	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	51	16	3	.....	.....	.....	1	2	1	2	5	2	6	10	2	1	.....
Diarrhea and enteritis	421	292	69	11	3	2	2	2	3	8	3	7	3	8	8	.....	.....
Hernia and intestinal obstructions	70	6	1	.....	1	.....	.....	2	9	16	12	4	13	4	1	1	.....
Cirrhosis of liver	58	.....	.....	.....	.....	.....	.....	.....	2	8	14	17	12	3	2	.....	.....
Other diseases of liver	28	1	.....	1	.....	.....	.....	1	1	2	5	4	8	3	2	.....	.....
Peritonitis	43	4	.....	.....	1	1	.....	2	13	9	6	3	1	2	1	.....	.....
Appendicitis	46	1	.....	.....	.....	.....	5	10	11	8	4	5	2	.....	.....	.....	.....
Other diseases of digestive system	24	6	.....	.....	2	.....	1	1	.....	2	5	1	.....	4	2	.....	.....
Acute nephritis	54	5	2	1	1	1	3	6	7	9	2	9	4	3	.....	.....	.....
Bright's disease	229	1	1	.....	1	1	2	1	17	25	34	41	48	44	12	1	.....
Calculi of urinary tract	4	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....
Ovarian tumor	8	.....	.....	.....	.....	.....	.....	.....	2	3	3	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	48	3	.....	.....	.....	.....	.....	1	7	12	1	4	10	6	4	.....	.....
Puerperal septicemia	30	.....	.....	.....	.....	.....	.....	2	13	12	3	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	16	.....	.....	.....	.....	.....	.....	3	5	6	2	.....	.....	.....	.....	.....	.....
Diseases of skin	24	5	.....	.....	1	.....	1	.....	2	1	3	1	2	4	4	.....	.....
Diseases of locomotor system	5	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....
Malformations	46	42	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	154	154	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	96	96	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	132	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	49	64	10	.....
Suicide	36	.....	.....	.....	.....	.....	.....	3	5	8	8	5	6	1	.....	.....	.....
Other violence	337	59	8	7	1	3	16	24	43	74	40	31	19	12	8	1	.....
Ill-defined causes	70	42	3	3	1	.....	1	.....	2	1	1	2	.....	10	3	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

CHICAGO, ILL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	26,485	5,148	1,471	628	435	339	1,016	1,317	2,469	3,046	3,001	2,682	2,292	1,760	756	113	12
Typhoid fever	819	9	7	9	14	11	47	154	256	153	90	35	23	9	2	.....	.....
Malarial fever	16	2	.....	.....	1	.....	1	2	3	2	4	.....	.....	1	.....	.....	.....
Smallpox	5	1	.....	1	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
Measles	148	30	52	22	11	7	12	2	6	2	4	.....	.....	.....	.....	.....	.....
Scarlet fever	479	22	51	38	75	57	146	54	12	3	1	.....	.....	.....	.....	.....	.....
Whooping cough	242	128	66	17	13	8	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	625	29	92	92	87	87	185	37	7	5	2	2	.....	.....	.....	.....	.....
Influenza	153	12	9	2	1	2	2	5	4	10	12	12	27	36	16	3	.....
Cholera nostras	33	9	6	1	1	2	1	.....	3	2	2	2	1	3	.....	.....	.....
Dysentery	90	20	10	4	2	1	3	.....	10	3	3	6	8	14	5	1	.....
Erysipelas	91	27	4	1	.....	2	.....	2	9	12	9	12	7	3	2	1	.....
Other epidemic diseases[1]	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	62	11	2	3	.....	.....	4	2	8	10	9	7	5	1	.....	.....	.....
Tuberculosis—total	3,008	60	39	26	15	15	50	270	804	768	514	263	141	39	4	.....	.....
Tuberculosis of lungs	2,669	28	16	11	10	7	23	240	745	712	470	240	130	33	4	.....	.....
Tuberculosis of larynx	28	.....	.....	.....	.....	.....	.....	1	7	8	8	4	.....	.....	.....	.....	.....
Tuberculous meningitis	106	17	16	13	3	7	17	8	9	10	5	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	101	8	6	1	1	1	8	9	17	17	17	9	6	1	.....	.....	.....
Pott's disease	19	2	.....	.....	.....	.....	.....	1	4	5	1	3	2	1	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	15	.....	.....	.....	1	.....	2	4	4	1	2	.....	.....	1	.....	.....	.....
Tuberculosis of other organs	38	2	1	1	.....	.....	.....	4	7	8	8	3	1	3	.....	.....	.....
General tuberculosis	31	3	.....	.....	.....	.....	.....	3	11	6	3	3	2	.....	.....	.....	.....
Scrofula	5	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Venereal diseases	87	45	1	.....	.....	.....	1	1	9	10	14	5	1	.....	.....	.....	.....
Cancer	1,175	1	2	.....	1	5	2	11	22	116	255	318	256	146	38	2	.....
Tumor	10	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	3	2	1	.....	.....
Rheumatism	153	1	.....	.....	1	2	24	30	13	20	15	19	21	4	3	.....	.....
Diabetes	152	.....	.....	.....	1	.....	2	6	8	9	27	35	34	24	6	.....	.....
Anemia, leukemia	107	7	2	5	3	1	7	6	9	11	19	16	12	9	.....	.....	.....
Alcoholism	153	.....	.....	.....	.....	.....	.....	.....	10	53	57	19	11	3	.....	.....	.....
Chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	1	3	3	1	.....	.....	.....	.....	.....
Other general diseases	42	3	.....	.....	.....	1	2	4	6	10	8	4	4	.....	.....	.....	.....
Encephalitis	22	7	4	1	.....	1	2	2	1	1	1	.....	2	.....	.....	.....	.....
Meningitis	595	211	102	49	28	9	58	44	21	28	18	12	9	3	2	.....	1
Apoplexy	628	19	5	2	.....	1	6	7	10	34	79	129	141	133	56	6	.....
Softening of brain	23	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	10	5	3	.....	.....
Paralysis	157	3	.....	.....	1	.....	.....	3	5	7	14	22	35	45	17	5	.....
Epilepsy	87	2	1	.....	1	.....	2	13	13	19	16	12	5	3	.....	.....	.....
Convulsions	638	561	44	12	4	4	5	1	2	3	1	.....	1	.....	.....	.....	.....
Tetanus	45	19	.....	.....	.....	1	6	6	3	3	3	3	1	.....	.....	.....	.....
Other diseases of nervous system	346	16	2	3	2	1	9	13	28	46	72	56	55	34	9	.....	.....
Pericarditis	65	1	.....	1	.....	1	2	5	4	12	10	14	13	2	.....	.....	.....
Endocarditis	241	.....	.....	1	1	4	19	26	25	33	32	31	33	27	9	.....	.....
Heart disease	1,629	22	1	2	1	5	26	105	97	202	263	320	317	192	66	10	.....
Angina pectoris	78	1	.....	.....	.....	.....	.....	.....	2	7	14	18	15	16	5	.....	.....
Embolism and thrombosis	67	.....	.....	.....	.....	.....	.....	5	7	13	5	15	11	8	2	1	.....
Other diseases of circulatory system	198	7	.....	1	1	1	4	2	7	18	15	26	35	54	21	6	.....
Laryngitis	15	5	2	3	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	640	384	131	36	15	9	12	2	3	2	1	11	11	13	8	1	1
Chronic bronchitis	287	8	2	1	.....	.....	13	7	5	14	18	41	53	71	45	9	.....
Bronchopneumonia	601	265	102	34	25	9	24	6	15	17	20	21	28	21	11	3	.....
Pneumonia	2,610	409	239	109	60	33	86	89	179	327	339	275	222	167	73	3	.....
Pleurisy	98	5	7	6	2	2	4	6	11	13	15	12	8	6	1	.....	.....
Congestion of lungs	109	24	4	2	1	.....	.....	3	5	6	8	12	13	22	8	1	.....
Other diseases of respiratory system	214	17	4	3	3	3	8	8	14	25	33	23	29	38	5	1	.....
Tonsilitis	18	1	4	2	.....	1	3	2	.....	2	1	1	1	.....	.....	.....	.....
Diseases of stomach	313	87	11	7	4	1	2	4	17	27	32	45	32	25	19	.....	.....
Diarrhea and enteritis	2,188	1,466	373	63	16	10	28	9	12	33	27	38	48	37	26	2	.....
Hernia and intestinal obstructions	226	28	4	2	.....	1	10	4	18	21	40	43	27	23	5	.....	.....
Cirrhosis of liver	288	.....	.....	.....	.....	.....	2	3	11	39	77	69	57	25	5	.....	.....
Other diseases of liver	156	9	3	.....	.....	.....	2	4	9	18	30	33	28	16	2	2	.....
Peritonitis	157	9	1	2	1	.....	5	14	38	40	22	12	7	4	2	.....	.....
Appendicitis	240	.....	.....	2	1	2	24	54	62	38	32	16	6	3	.....	.....	.....
Other diseases of digestive system	77	27	2	.....	1	2	3	.....	4	12	6	6	5	6	3	.....	.....
Acute nephritis	208	16	.....	6	4	8	24	13	26	30	23	24	23	8	2	1	.....
Bright's disease	1,343	28	4	4	2	1	24	24	90	155	227	274	250	203	53	4	.....
Calculi of urinary tract	12	1	.....	.....	.....	.....	.....	.....	1	3	.....	3	2	2	.....	.....	.....
Uterine tumor	32	.....	.....	.....	.....	.....	.....	.....	.....	13	14	2	3	.....	.....	.....	.....
Ovarian tumor	30	.....	.....	.....	.....	.....	.....	1	5	9	7	5	3	.....	.....	.....	.....
Other diseases of genito-urinary system	251	8	2	.....	.....	.....	.....	9	50	54	38	14	22	33	20	1	.....
Puerperal septicemia	162	.....	.....	.....	.....	.....	.....	13	89	55	4	1	.....	.....	.....	.....	.....
Other causes incident to childbirth	119	.....	.....	.....	.....	.....	.....	3	49	51	16	.....	.....	.....	.....	.....	.....
Diseases of skin	95	20	.....	.....	2	1	2	2	5	9	8	17	9	10	8	2	.....
Diseases of locomotor system	56	18	6	4	4	2	1	8	1	1	2	3	4	.....	1	1	.....
Malformations	166	151	9	.....	1	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	266	266	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	413	413	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	357	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42	122	153	40	.....
Suicide	437	.....	.....	.....	.....	.....	.....	36	69	103	99	75	29	20	5	1	.....
Other violence	1,543	75	37	24	25	23	90	167	243	286	258	161	78	43	21	4	8
Ill-defined causes	275	120	22	4	3	.....	3	5	11	13	9	28	15	25	13	2	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

CINCINNATI, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,954	919	259	139	71	51	165	244	591	650	676	656	663	598	236	35	1
Typhoid fever	204	.....	4	7	4	4	9	44	63	31	24	5	7	2	.....	.....	.....
Malarial fever	14	.....	.....	.....	.....	.....	.....	1	3	2	2	2	1	2	.....	1	.....
Smallpox	6	1	.....	1	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Measles	57	11	15	11	4	4	8	.....	1	1	1	.....	.....	.....	.....	1	.....
Scarlet fever	59	3	6	11	7	5	21	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	22	6	5	6	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	77	8	14	8	7	14	23	1	.....	1	1	.....	.....	.....	.....	.....	.....
Influenza	47	3	2	1	1	.....	.....	1	3	5	1	9	9	8	4	.....	.....
Cholera nostras	7	1	.....	.....	.....	.....	1	.....	.....	.....	1	2	2	.....	.....	.....	.....
Dysentery	31	6	1	.....	.....	.....	1	.....	.....	1	3	3	5	7	3	1	.....
Erysipelas	17	3	2	.....	.....	.....	.....	1	.....	1	2	3	3	2	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	15	2	1	.....	.....	1	.....	2	.....	2	2	2	1	1	1	.....	.....
Tuberculosis—total	775	13	14	11	3	1	10	60	226	188	119	79	34	15	2	.....	.....
Tuberculosis of lungs	682	3	7	5	.....	.....	3	50	211	176	111	68	33	14	1	.....	.....
Tuberculosis of larynx	12	.....	.....	.....	.....	.....	.....	2	3	2	4	1	.....	.....	.....	.....	.....
Tuberculous meningitis	34	8	5	3	3	1	5	.....	3	.....	2	3	1	.....	.....	.....	.....
Abdominal tuberculosis	22	2	2	1	.....	.....	.....	3	5	5	1	2	.....	1	.....	.....	.....
Pott's disease	8	.....	.....	.....	.....	.....	2	1	1	.....	1	3	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
Tuberculosis of other organs	10	.....	.....	1	.....	.....	.....	3	1	3	.....	2	.....	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Scrofula	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	20	13	.....	.....	.....	.....	.....	.....	.....	3	2	2	.....	.....	.....	.....	.....
Cancer	257	.....	.....	.....	.....	.....	.....	1	5	25	56	60	68	39	3	.....	.....
Tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	1	.....	.....
Rheumatism	47	.....	.....	.....	.....	.....	2	9	6	7	4	6	3	8	2	.....	.....
Diabetes	22	.....	.....	.....	.....	.....	1	1	2	1	2	7	6	1	1	.....	.....
Anemia, leukemia	14	2	.....	.....	.....	.....	.....	1	2	2	2	2	2	1	.....	.....	.....
Alcoholism	18	.....	.....	.....	.....	.....	.....	.....	2	7	6	2	1	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Encephalitis	7	1	.....	1	.....	.....	.....	.....	3	.....	1	1	.....	.....	.....	.....	.....
Meningitis	178	55	29	15	8	3	22	7	6	9	10	7	3	4	.....	.....	.....
Apoplexy	182	6	2	.....	1	.....	2	3	2	7	15	33	51	43	16	1	.....
Softening of brain	13	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	5	2	.....	.....
Paralysis	61	1	.....	1	.....	.....	1	.....	2	2	6	11	11	20	5	1	.....
Epilepsy	23	1	.....	.....	.....	.....	.....	2	1	4	9	2	2	2	.....	.....	.....
Convulsions	74	65	6	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	10	3	.....	.....	.....	1	.....	1	.....	2	3	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	101	1	.....	1	2	.....	1	1	5	19	26	15	24	6	.....	.....	.....
Pericarditis	15	.....	.....	.....	.....	.....	1	2	1	1	3	5	.....	2	.....	.....	.....
Endocarditis	98	.....	.....	.....	.....	.....	1	3	4	10	12	14	31	20	3	.....	.....
Heart disease	384	9	7	4	1	1	2	12	18	33	60	78	67	73	17	2	.....
Angina pectoris	15	.....	.....	.....	.....	.....	.....	.....	1	5	2	2	2	3	.....	.....	.....
Embolism and thrombosis	14	1	.....	.....	.....	.....	.....	.....	2	.....	.....	2	4	4	.....	1	.....
Other diseases of circulatory system	61	4	.....	1	.....	.....	.....	1	2	7	6	3	10	15	9	3	.....
Laryngitis	7	1	.....	.....	.....	.....	1	1	1	.....	1	1	.....	1	.....	.....	.....
Acute bronchitis	88	39	17	6	2	4	.....	1	.....	1	.....	.....	7	7	3	1	.....
Chronic bronchitis	132	.....	.....	1	1	.....	1	.....	3	8	8	19	25	36	29	1	.....
Bronchopneumonia	103	29	16	9	3	2	2	4	2	2	7	7	6	10	4	.....	.....
Pneumonia	392	54	37	18	15	4	16	11	30	43	35	38	33	43	13	2	.....
Pleurisy	9	.....	.....	1	.....	.....	.....	.....	3	.....	2	2	.....	1	.....	.....	.....
Congestion of lungs	15	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	7	2	1	.....
Other diseases of respiratory system	80	7	2	2	2	.....	1	6	6	5	9	8	18	11	3	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diseases of stomach	96	12	7	.....	.....	.....	3	1	7	14	8	13	15	9	6	1	.....
Diarrhea and enteritis	364	184	58	8	2	.....	5	4	7	6	16	20	23	17	13	1	.....
Hernia and intestinal obstructions	49	8	.....	.....	.....	.....	1	.....	5	7	6	4	11	7	.....	.....	.....
Cirrhosis of liver	82	1	.....	.....	.....	.....	.....	1	5	9	24	19	18	5	.....	.....	.....
Other diseases of liver	50	.....	.....	.....	1	.....	.....	2	3	8	11	9	11	5	.....	.....	.....
Peritonitis	53	2	1	1	.....	.....	.....	3	10	20	3	5	7	1	.....	.....	.....
Appendicitis	37	.....	.....	.....	.....	.....	4	9	11	3	3	5	1	1	.....	.....	.....
Other diseases of digestive system	24	7	1	1	.....	1	2	.....	.....	1	1	2	4	4	.....	.....	.....
Acute nephritis	36	.....	.....	3	1	.....	2	1	5	6	5	6	5	2	.....	.....	.....
Bright's disease	351	4	.....	.....	.....	1	3	4	17	35	74	67	78	62	6	.....	.....
Calculi of urinary tract	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Uterine tumor	10	.....	.....	.....	.....	.....	.....	.....	.....	3	4	3	.....	.....	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	64	2	.....	1	.....	.....	.....	1	11	5	11	5	11	8	9	.....	.....
Puerperal septicemia	26	.....	.....	.....	.....	.....	.....	1	16	6	3	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	16	.....	.....	.....	.....	.....	.....	.....	8	5	2	.....	.....	.....	.....	.....	1
Diseases of skin	17	2	1	1	.....	.....	.....	.....	.....	6	1	3	.....	2	1	.....	.....
Diseases of locomotor system	14	3	2	1	.....	.....	2	2	.....	.....	3	1	.....	.....	.....	.....	.....
Malformations	16	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	130	130	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	118	118	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	135	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	52	61	14	.....
Suicide	70	.....	.....	.....	.....	.....	.....	2	18	22	9	11	6	2	.....	.....	.....
Other violence	320	30	2	5	3	3	10	28	58	49	38	43	20	16	13	2	.....
Ill-defined causes	84	49	7	.....	1	.....	2	.....	1	2	6	3	2	6	4	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

CLEVELAND, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,380	1,555	290	160	102	82	220	301	576	587	601	542	569	492	250	40	13
Typhoid fever	143				1	2	10	31	44	27	16	8	3	1			
Malarial fever	3				1							1	1				
Smallpox	233	18	8	8	10	5	12	18	76	40	18	10	6	2	1	1	
Measles	18	8	3	5			2										
Scarlet fever	41	2	4	4	4	9	11	6	1								
Whooping cough	37	20	10	5	2												
Diphtheria and croup	212	8	25	32	33	21	72	17	2	1	1						
Influenza	18	2									2	4	4	3	2	1	
Cholera nostras	7	2									3	1		1			
Dysentery	19	5	1							2	1	2	3	5			
Erysipelas	13			1						1	4	1	2	2	2		
Other epidemic diseases [1]	1										1						
Septicemia	44	4		1		2	4		14	10	6	2		1			
Tuberculosis—total	520	9	6	1	4	5	7	49	144	113	77	55	30	13	4	1	2
Tuberculosis of lungs	473	7	3	1	2	3	2	41	136	108	72	52	27	12	4	1	2
Tuberculosis of larynx	7								2	2	1	1	1				
Tuberculous meningitis	10	1	1			2	2	2	1	1							
Abdominal tuberculosis	17	1	1		1		1	3	3		3	1	2	1			
Pott's disease	2								1	1							
Tuberculous abscess	1											1					
White swelling	2						1				1						
Tuberculosis of other organs	4				1			1	1	1							
General tuberculosis	4		1				1	2									
Scrofula	2	1			1												
Venereal diseases	15	15															
Cancer	219	1					1	1	5	15	46	58	56	32	3	1	
Tumor	11								1		4	3	2	1			
Rheumatism	28	1			1		4	4	2	3	3	4	2	3	1		
Diabetes	21						1		1	4	2	5	4	4			
Anemia, leukemia	29	2					1		2	6	8	4	5	1			
Alcoholism	28								2	9	11	4	1				1
Chronic poisonings																	
Other general diseases	11	1		1	1			3	1	1	1		1		1		
Encephalitis	15	2	6					2		2	1		1	1			
Meningitis	160	62	19	9	8	4	12	10	9	10	6	5	3	2	1		
Apoplexy	205	5	1			2		2	3	12	33	33	49	46	14	3	2
Softening of brain	7										2		3	1	1		
Paralysis	49				1		1	1		3	4	4	11	11	13		
Epilepsy	9	1			1		1	1	2	1		1		1			
Convulsions	237	212	15	7		1	1		1								
Tetanus	12	3				1	2	4		1	1						
Other diseases of nervous system	99	1	2				2	1	8	24	22	14	15	8	1		1
Pericarditis	9						1	3			2	2		1			
Endocarditis	71	1			1		2	4	6	9	9	11	16	11	1		
Heart disease	360	8	1	1		2	4	11	13	32	67	63	68	60	28	2	
Angina pectoris	21										2	5	6	5	2		1
Embolism and thrombosis	10								1	1	1	1		2	4		
Other diseases of circulatory system	69	3					2	1	2	6	2	6	15	18	11	2	1
Laryngitis	12	2	4		1				2		1		2				
Acute bronchitis	112	84	12	5	2	1	3	1			1	2			1		
Chronic bronchitis	65		1				6		2	4	5	4	11	24	8		
Bronchopneumonia	130	55	28	16	4	2	1		2	3	2	5	9	3			
Pneumonia	554	131	42	22	9	11	10	13	39	50	63	56	51	36	18	2	1
Pleurisy	18	1						3	3	2	3	2	1	3			
Congestion of lungs	40	11				1		2	3	2	3	4	6	6	1	1	
Other diseases of respiratory system	45	3	1		1	3	1	2	1	2	9	7	9	4	2		
Tonsilitis	6	1					1	2	1					1			
Diseases of stomach	68	11	3	2					4	7	6	17	7	8	3		
Diarrhea and enteritis	477	317	74	18	4	2	1	4	2	8	10	5	11	12	8	1	
Hernia and intestinal obstructions	50	9	2	2				3	6	4	4	3	7	8	2		
Cirrhosis of liver	35			2					2	6	6	10	4	4	1		
Other diseases of liver	36	1			1	1			1	4	3	9	13	3			
Peritonitis	85	5	1			1	3	18	16	22	8	1	8	2			
Appendicitis	29						2	10	8	3	2	2	2				
Other diseases of digestive system	22	9	1					3	2		1	1	3	2			
Acute nephritis	26			1		1	7	2	1	2	2	1	4	5			
Bright's disease	242	5	1	5	5		5	7	15	17	35	41	47	41	16	2	
Calculi of urinary tract	1								1								
Uterine tumor	2									1	1						
Ovarian tumor	1										1						
Other diseases of genito-urinary system	35					1			8	3	3	2	3	9	5	1	
Puerperal septicemia	21							1	13	7							
Other causes incident to childbirth	18								10	5	3						
Diseases of skin	17	9		1						1			1	4	1		
Diseases of locomotor system	9	1					2	1		2			2		1		
Malformations	33	30	2					1									
Premature birth	79	79															
Congenital debility	289	289															
Old age	142												12	48	66	16	
Suicide	62							5	16	13	12	7	8	1			
Other violence	392	10	3	11	6	2	22	52	72	74	52	43	24	9	8		4
Ill-defined causes	221	95	14			2	3	2	6	12	9	13	17	23	19	6	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

COLUMBUS, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,100	274	67	29	20	10	58	136	255	233	259	213	219	197	96	11	23
Typhoid fever	49	1	.....	.....	1	.....	3	12	14	10	4	2	.....	1	.....	.....	1
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	22	4	6	2	.....	.....	4	.....	3	1	2	.....	.....	.....	.....	.....	.....
Scarlet fever	9	.....	2	1	2	1	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Whooping cough	16	7	1	2	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Diphtheria and croup	12	.....	.....	.....	3	2	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	16	1	1	.....	.....	.....	.....	.....	1	1	2	2	1	4	2	1	.....
Cholera nostras	4	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1
Dysentery	14	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	5	4	1	.....	.....
Erysipelas	4	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	18	1	.....	.....	1	.....	.....	1	3	5	3	2	.....	2	.....	.....	.....
Tuberculosis—total	266	1	2	.....	1	.....	4	31	82	60	38	22	15	8	2	.....	.....
Tuberculosis of lungs	259	1	2	.....	1	.....	2	30	80	60	38	21	15	7	2	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	4	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	3	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Cancer	86	.....	.....	.....	.....	1	.....	.....	3	5	21	28	16	9	1	.....	2
Tumor	5	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1	.....	.....	.....	.....
Rheumatism	15	.....	.....	.....	1	.....	1	.....	5	.....	1	.....	4	3	.....	.....	.....
Diabetes	13	.....	.....	.....	.....	.....	1	.....	.....	1	2	6	1	2	.....	.....	.....
Anemia, leukemia	12	1	.....	.....	.....	.....	.....	2	.....	1	2	1	2	3	.....	.....	.....
Alcoholism	10	.....	.....	.....	.....	.....	.....	.....	.....	2	6	2	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	4	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	65	18	9	2	4	1	5	13	.....	4	4	3	1	1	.....	.....	.....
Apoplexy	83	2	.....	1	1	.....	.....	2	4	2	10	11	19	22	8	.....	1
Softening of brain	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1	2	.....	.....
Paralysis	31	1	.....	1	.....	.....	.....	.....	1	.....	4	7	8	7	2	.....	.....
Epilepsy	14	.....	.....	.....	.....	.....	.....	3	4	5	.....	1	1	.....	.....	.....	.....
Convulsions	47	38	3	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	2
Tetanus	5	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	89	2	.....	.....	.....	.....	1	3	7	14	22	20	13	3	2	.....	2
Pericarditis	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Endocarditis	5	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	1	.....	.....	.....
Heart disease	151	4	.....	.....	.....	1	2	6	11	15	28	27	25	25	5	.....	2
Angina pectoris	7	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	1	1	.....	.....
Embolism and thrombosis	4	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	15	2	.....	.....	.....	.....	.....	2	3	1	2	1	3	1	.....	.....	.....
Laryngitis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	6	3	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Chronic bronchitis	8	1	.....	.....	.....	.....	.....	.....	.....	3	1	.....	2	.....	1	.....	.....
Bronchopneumonia	15	4	1	3	.....	.....	1	.....	.....	1	.....	.....	.....	3	2	.....	.....
Pneumonia	156	25	13	6	2	1	3	12	17	12	17	12	14	14	6	1	1
Pleurisy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Congestion of lungs	11	5	.....	.....	.....	.....	1	.....	1	.....	.....	2	1	1	.....	.....	.....
Other diseases of respiratory system	18	.....	.....	.....	.....	.....	.....	1	.....	1	3	5	2	4	2	.....	.....
Tonsilitis	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	24	5	2	.....	.....	.....	.....	1	3	3	1	2	5	.....	2	.....	.....
Diarrhea and enteritis	89	51	16	3	.....	1	1	2	1	.....	3	4	3	3	1	.....	.....
Hernia and intestinal obstructions	12	2	.....	.....	.....	.....	1	.....	1	.....	.....	3	4	.....	.....	.....	1
Cirrhosis of liver	18	.....	.....	.....	.....	.....	.....	.....	2	2	7	1	4	1	1	.....	.....
Other diseases of liver	15	.....	1	.....	.....	.....	.....	1	3	2	2	2	2	2	.....	.....	.....
Peritonitis	35	3	.....	.....	.....	.....	1	5	8	5	8	2	1	2	.....	.....	.....
Appendicitis	21	.....	.....	.....	.....	.....	.....	5	2	6	4	1	3	.....	.....	.....	.....
Other diseases of digestive system	5	.....	.....	.....	.....	.....	.....	1	.....	.....	3	1	.....	.....	.....	.....	.....
Acute nephritis	8	1	.....	.....	.....	.....	1	.....	1	3	.....	.....	1	1	.....	.....	.....
Bright's disease	77	1	1	.....	1	.....	1	5	6	11	15	12	7	12	4	1	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	24	.....	.....	.....	.....	.....	.....	.....	5	3	4	3	5	2	2	.....	.....
Puerperal septicemia	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of locomotor system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Malformations	6	4	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Premature birth	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	47	47	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	84	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	26	41	7	2
Suicide	21	.....	.....	.....	.....	.....	.....	3	5	6	4	3	.....	.....	.....	.....	.....
Other violence	125	2	3	3	.....	.....	7	14	34	17	18	8	11	1	.....	1	6
Ill-defined causes	150	25	4	3	.....	1	4	4	9	17	13	13	24	24	8	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

DENVER, COLO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,615	374	74	39	19	27	70	142	370	432	327	282	229	155	58	9	8
Typhoid fever	83	.....	1	.....	2	.....	4	16	22	19	11	5	2	1	.....	.....	.....
Malarial fever	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	21	6	7	3	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	33	4	6	3	3	5	8	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	16	10	2	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	70	4	6	8	7	7	19	15	.....	3	.....	1	.....	.....	.....	.....	.....
Influenza	11	1	.....	.....	.....	.....	.....	.....	.....	1	3	2	3	.....	1	.....	.....
Cholera nostras	6	1	.....	.....	.....	.....	1	1	.....	.....	1	.....	2	.....	.....	.....	.....
Dysentery	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Erysipelas	17	3	1	.....	.....	.....	.....	1	3	1	2	.....	2	2	2	.....	.....
Other epidemic diseases[1]	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	20	2	.....	.....	.....	.....	.....	1	1	9	6	1	.....	.....	.....	.....	.....
Tuberculosis—total	599	7	12	2	.....	2	2	18	203	209	88	41	10	4	.....	.....	1
Tuberculosis of lungs	557	4	3	1	.....	.....	.....	17	193	199	86	39	10	4	.....	.....	1
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	26	3	8	.....	.....	2	1	.....	6	3	2	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	4	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	10	6	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....
Cancer	90	.....	.....	.....	.....	.....	.....	.....	5	7	19	31	21	5	1	1	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Rheumatism	17	.....	.....	.....	.....	.....	1	1	2	4	4	1	1	3	.....	.....	.....
Diabetes	19	.....	.....	.....	.....	.....	.....	1	3	3	2	7	3	.....	.....	.....	.....
Anemia, leukemia	6	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	1
Alcoholism	18	.....	.....	.....	.....	.....	.....	.....	.....	5	9	3	1	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Encephalitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	42	21	4	1	.....	1	3	5	2	3	1	.....	.....	.....	.....	.....	1
Apoplexy	62	2	.....	1	.....	.....	.....	1	.....	4	9	5	22	15	3	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Paralysis	16	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	4	6	2	1	.....
Epilepsy	7	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	1	.....	.....	.....	.....
Convulsions	19	16	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	1	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	46	1	.....	1	.....	.....	2	2	3	7	9	9	7	4	1	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....
Endocarditis	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....
Heart disease	148	2	.....	1	1	.....	3	12	13	16	28	18	24	24	4	1	1
Angina pectoris	11	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	3	.....	1	.....	.....
Embolism and thrombosis	27	.....	.....	.....	.....	.....	.....	1	2	3	5	5	6	4	1	.....	.....
Other diseases of circulatory system	25	1	.....	.....	1	.....	.....	.....	3	2	1	5	6	4	2	.....	.....
Laryngitis	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	10	6	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Chronic bronchitis	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	2	.....	.....
Bronchopneumonia	14	8	.....	1	.....	.....	1	.....	.....	.....	.....	.....	2	1	.....	1	.....
Pneumonia	221	42	11	4	2	2	8	10	18	18	28	34	25	18	1	.....	.....
Pleurisy	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....
Congestion of lungs	13	4	1	1	.....	.....	2	1	.....	1	.....	.....	1	.....	1	.....	1
Other diseases of respiratory system	32	2	.....	.....	.....	.....	1	1	4	3	4	8	5	2	1	.....	1
Tonsilitis	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	31	3	.....	.....	.....	.....	.....	1	2	1	6	4	4	7	2	.....	1
Diarrhea and enteritis	106	68	13	2	1	.....	2	2	3	3	3	1	2	2	4	.....	.....
Hernia and intestinal obstructions	30	7	.....	.....	.....	1	.....	2	4	3	3	2	5	1	1	.....	1
Cirrhosis of liver	16	.....	.....	.....	.....	.....	.....	.....	.....	3	5	4	2	2	.....	.....	.....
Other diseases of liver	24	2	.....	.....	.....	1	.....	.....	3	3	4	4	4	2	1	.....	.....
Peritonitis	29	2	.....	.....	.....	.....	.....	6	6	6	5	3	1	.....	.....	.....	.....
Appendicitis	29	.....	.....	.....	1	.....	1	7	9	5	4	2	.....	.....	.....	.....	.....
Other diseases of digestive system	11	3	1	1	.....	.....	1	1	.....	2	.....	.....	2	.....	.....	.....	.....
Acute nephritis	8	.....	.....	1	.....	1	1	1	1	.....	2	.....	1	.....	.....	.....	.....
Bright's disease	132	2	.....	.....	.....	.....	1	5	9	14	18	35	29	13	6	.....	.....
Calculi of urinary tract	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	35	1	.....	.....	.....	.....	.....	.....	6	12	5	5	3	2	1	.....	.....
Puerperal septicemia	16	.....	.....	.....	.....	.....	.....	2	7	7	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	12	.....	.....	.....	.....	.....	.....	1	4	7	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....
Diseases of locomotor system	5	1	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
Malformations	17	15	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	36	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	58	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	53	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	23	14	6	.....
Suicide	35	.....	.....	.....	.....	.....	.....	2	8	7	8	4	4	2	.....	.....	.....
Other violence	116	9	2	4	.....	1	5	17	13	25	17	15	2	5	1	.....	.....
Ill-defined causes	27	12	2	.....	.....	.....	.....	.....	1	.....	.....	7	3	.....	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

DETROIT, MICH.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,704	1,189	243	117	78	72	178	238	383	407	362	409	435	374	181	30	8
Typhoid fever	71	.....	1	1	.....	4	4	18	15	20	4	3	1	.....	.....	.....	.....
Malarial fever	9	.....	.....	.....	.....	.....	2	.....	1	2	.....	2	.....	.....	2	.....	.....
Smallpox	7	2	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....
Measles	69	16	23	9	8	3	9	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	73	2	12	19	8	7	22	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	57	26	13	9	6	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	134	3	20	10	13	15	46	22	3	1	.....	.....	1	.....	.....	.....	.....
Influenza	14	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	3	5	3	.....	.....
Cholera nostras	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
Dysentery	13	3	2	.....	.....	.....	.....	.....	.....	.....	2	1	.....	4	1	.....	.....
Erysipelas	9	5	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....
Other epidemic diseases[1]	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	21	2	.....	2	.....	2	.....	1	5	4	2	2	1	.....	.....	.....	.....
Tuberculosis—total	397	14	4	5	5	3	9	41	133	93	42	22	21	5	.....	.....	.....
Tuberculosis of lungs	349	7	2	2	2	1	2	38	127	86	40	20	18	4	.....	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	18	6	2	2	3	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	15	1	.....	1	.....	.....	3	1	2	4	.....	1	2	.....	.....	.....	.....
Pott's disease	6	.....	.....	.....	.....	1	1	1	.....	2	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	.....	.....	.....	3	1	1	1	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	69	63	1	1	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....
Cancer	193	.....	.....	.....	1	.....	.....	1	.....	12	51	54	51	16	5	2	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....
Rheumatism	32	.....	.....	1	.....	.....	2	6	1	7	.....	5	6	3	.....	1	.....
Diabetes	36	1	.....	1	.....	1	1	3	3	7	1	7	5	5	1	.....	.....
Anemia, leukemia	21	1	3	.....	.....	1	1	1	1	2	5	3	2	1	.....	.....	.....
Alcoholism	8	.....	.....	.....	.....	.....	.....	.....	.....	4	2	2	.....	.....	.....	.....	.....
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	1	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....
Encephalitis	4	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	81	22	16	8	3	1	8	9	4	6	1	2	1	.....	.....	.....	.....
Apoplexy	124	4	2	.....	.....	.....	2	3	.....	7	15	17	31	30	12	1	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Paralysis	52	.....	.....	.....	.....	1	.....	.....	2	2	4	3	12	19	7	2	.....
Epilepsy	7	1	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	1	.....	.....	.....
Convulsions	118	104	7	5	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	8	1	.....	.....	.....	.....	1	4	.....	1	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	50	3	1	.....	1	1	2	4	3	4	8	4	12	6	1	.....	.....
Pericarditis	7	.....	.....	.....	.....	.....	.....	1	2	1	.....	2	.....	1	.....	.....	.....
Endocarditis	18	.....	.....	.....	.....	.....	.....	4	1	1	1	6	1	2	2	.....	.....
Heart disease	342	5	1	1	.....	2	11	18	18	30	44	58	74	59	17	2	2
Angina pectoris	22	.....	.....	.....	.....	.....	.....	.....	.....	3	1	4	8	2	4	.....	.....
Embolism and thrombosis	14	.....	.....	.....	.....	.....	.....	1	.....	3	3	3	1	1	1	.....	1
Other diseases of circulatory system	26	2	.....	.....	.....	.....	1	.....	1	.....	1	4	8	5	3	1	.....
Laryngitis	8	1	1	.....	1	1	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....
Acute bronchitis	121	73	19	6	4	3	2	1	1	.....	4	.....	1	2	3	2	.....
Chronic bronchitis	69	2	.....	.....	.....	.....	.....	4	2	1	3	3	15	23	12	3	1
Bronchopneumonia	136	59	29	8	6	3	4	2	1	2	1	4	8	6	2	.....	1
Pneumonia	321	62	27	14	7	7	14	15	22	19	30	32	35	26	10	1	.....
Pleurisy	20	.....	3	.....	1	.....	1	4	3	1	1	3	.....	3	.....	.....	.....
Congestion of lungs	23	8	1	1	.....	1	.....	1	1	2	.....	3	4	.....	1	.....	.....
Other diseases of respiratory system	47	3	.....	.....	.....	1	.....	4	4	3	8	8	6	6	4	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	62	23	.....	1	1	.....	.....	.....	4	5	5	8	4	5	6	.....	.....
Diarrhea and enteritis	352	275	42	5	3	3	3	2	4	3	.....	2	2	5	2	.....	1
Hernia and intestinal obstructions	55	5	1	1	.....	1	1	2	7	7	3	9	6	9	1	1	1
Cirrhosis of liver	44	.....	.....	.....	.....	.....	.....	1	1	6	6	17	5	8	.....	.....	.....
Other diseases of liver	50	3	.....	.....	.....	.....	.....	.....	2	5	7	11	12	8	2	.....	.....
Peritonitis	42	3	.....	.....	.....	.....	3	4	10	8	6	5	2	1	.....	.....	.....
Appendicitis	53	.....	.....	.....	.....	1	7	18	10	10	5	2	.....	.....	.....	.....	.....
Other diseases of digestive system	29	9	1	1	.....	.....	1	2	2	4	4	1	2	1	1	.....	.....
Acute nephritis	35	1	.....	1	1	1	2	2	3	3	5	8	3	5	.....	.....	.....
Bright's disease	163	2	.....	.....	.....	2	5	5	7	16	23	36	39	21	7	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	.....	1	.....	.....	.....
Ovarian tumor	14	.....	.....	.....	.....	.....	.....	.....	.....	8	2	3	1	.....	.....	.....	.....
Other diseases of genito-urinary system	69	1	1	.....	.....	.....	.....	2	21	14	5	7	5	10	3	.....	.....
Puerperal septicemia	21	.....	.....	.....	.....	.....	.....	2	7	9	3	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	29	.....	.....	.....	.....	.....	.....	3	12	10	4	.....	.....	.....	.....	.....	.....
Diseases of skin	22	10	.....	1	.....	.....	.....	.....	1	2	.....	.....	3	4	1	.....	.....
Diseases of locomotor system	10	3	.....	.....	1	.....	1	.....	2	2	.....	.....	.....	1	.....	.....	.....
Malformations	42	37	1	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Premature birth	97	97	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	158	158	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	116	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	39	57	9	.....
Suicide	31	.....	.....	.....	.....	.....	.....	2	6	6	7	5	1	2	1	.....	1
Other violence	208	15	4	4	6	3	7	16	38	32	27	22	16	8	7	3	.....
Ill-defined causes	115	55	5	.....	1	2	2	2	3	7	2	10	11	12	1	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

FALL RIVER, MASS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,206	893	183	84	42	35	59	52	114	136	129	173	149	108	41	4	4
Typhoid fever	12	2	.....	.....	.....	1	.....	2	1	1	2	3	.....	.....	.....	.....	.....
Malarial fever	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Measles	23	5	9	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	37	4	2	9	6	5	8	1	1	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough	24	15	4	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	50	8	14	7	7	5	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	8	1	1	.....	.....	.....	.....	.....	1	1	.....	1	2	1	.....	.....	.....
Cholera nostras	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Dysentery	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....
Erysipelas	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other epidemic diseases[1]	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	12	.....	1	1	.....	1	1	.....	2	4	1	.....	1	.....	.....	.....	.....
Tuberculosis—total	196	7	5	1	1	2	7	18	50	45	33	16	9	2	.....	.....	.....
Turbeculosis of lungs	183	5	2	.....	.....	.....	6	17	50	44	33	15	9	2	.....	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	9	2	1	1	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Cancer	54	.....	.....	.....	.....	1	.....	.....	1	9	9	21	9	3	1	.....	.....
Tumor	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Rheumatism	4	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....
Diabetes	15	.....	1	.....	.....	.....	.....	1	.....	1	1	6	5	.....	.....	.....	.....
Anemia, leukemia	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	.....	2	4	1	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	6	1	.....	.....	1	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....
Meningitis	64	25	14	6	4	2	7	2	2	.....	2	.....	.....	.....	.....	.....	.....
Apoplexy	52	1	.....	1	.....	1	.....	.....	3	3	6	9	17	8	3	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Paralysis	31	.....	.....	.....	.....	.....	.....	.....	1	.....	3	4	14	8	1	.....	.....
Epilepsy	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Convulsions	53	41	8	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	18	1	1	1	.....	.....	1	.....	.....	.....	3	3	3	4	1	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	16	.....	.....	.....	.....	.....	1	2	1	2	3	2	3	2	.....	.....	.....
Heart disease	87	2	1	.....	.....	.....	2	3	10	5	13	20	15	12	4	.....	.....
Angina pectoris	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	6	.....	.....	.....	1	1	.....	1	.....	1	.....	1	.....	1	.....	.....	.....
Laryngitis	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	80	51	13	6	.....	1	1	.....	2	.....	1	2	1	2	.....	.....	.....
Chronic bronchitis	31	1	.....	1	.....	.....	.....	1	3	1	2	6	6	6	3	1	.....
Bronchopneumonia	69	36	14	7	2	.....	4	1	.....	1	1	1	.....	1	1	.....	.....
Pneumonia	151	48	27	10	8	4	4	1	8	15	6	10	5	3	1	.....	1
Pleurisy	11	1	1	1	.....	.....	1	1	1	1	.....	.....	1	2	1	.....	.....
Congestion of lungs	13	3	.....	2	.....	1	.....	.....	1	1	1	1	1	2	.....	.....	.....
Other diseases of respiratory system	23	3	1	.....	.....	1	2	.....	2	2	.....	5	3	4	.....	.....	.....
Tonsilitis	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	25	6	.....	.....	.....	.....	.....	.....	.....	3	5	5	2	3	1	.....	.....
Diarrhea and enteritis	331	262	44	9	1	3	2	.....	1	.....	.....	3	2	3	1	.....	.....
Hernia and intestinal obstructions	5	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....
Cirrhosis of liver	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	.....	.....
Other diseases of liver	11	1	.....	.....	.....	.....	1	.....	.....	1	2	4	1	1	.....	.....	.....
Peritonitis	10	1	.....	.....	.....	.....	.....	3	.....	.....	1	3	1	1	.....	.....	.....
Appendicitis	6	.....	.....	.....	.....	.....	1	3	1	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	14	8	.....	2	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....
Acute nephritis	12	1	1	.....	.....	.....	2	.....	1	3	1	.....	3	.....	.....	.....	.....
Bright's disease	70	2	.....	2	2	.....	1	1	6	6	7	17	16	8	2	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Uterine tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	11	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	3	3	.....	.....	.....
Puerperal septicemia	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	7	.....	.....	.....	.....	.....	.....	.....	1	5	1	.....	.....	.....	.....	.....	.....
Diseases of skin	9	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	4	1	2	.....	.....
Diseases of locomotor system	4	.....	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	7	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Premature birth	118	118	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	126	126	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	15	15	3	.....
Suicide	9	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	2	1	.....	.....
Other violence	55	9	6	4	3	3	1	3	4	6	6	6	1	2	1	.....	.....
Ill-defined causes	133	89	12	3	.....	1	1	.....	.....	8	1	7	4	4	1	.....	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

INDIANAPOLIS, IND.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,674	309	94	44	29	15	50	129	293	300	218	270	325	255	104	26	13
Typhoid fever	83	.....	1	4	.....	.....	3	16	21	24	10	2	2	.....	.....	.....	.....
Malarial fever	13	.....	.....	.....	.....	1	1	1	1	4	1	2	1	1	.....	.....	.....
Smallpox	17	1	.....	.....	.....	.....	.....	1	4	5	4	1	1	.....	.....	.....	.....
Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	7	.....	3	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	17	12	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	30	3	5	6	4	3	6	2	.....	.....	.....	.....	.....	.....	.....	.....	1
Influenza	20	1	.....	.....	.....	.....	1	2	.....	.....	.....	4	5	2	5	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	29	2	5	1	.....	.....	.....	1	2	.....	.....	5	4	4	4	1	.....
Erysipelas	10	5	.....	1	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	25	1	.....	.....	1	.....	.....	2	8	5	2	.....	4	2	.....	.....	.....
Tuberculosis—total	347	6	5	4	2	.....	3	34	116	75	41	27	20	10	1	.....	3
Tuberculosis of lungs	313	4	2	3	1	.....	1	32	110	69	38	25	17	8	.....	.....	3
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	2	.....	1	.....	.....
Tuberculous meningitis	8	1	3	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	14	.....	.....	.....	.....	.....	1	2	2	2	3	2	1	1	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	5	1	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	7	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Cancer	114	.....	.....	1	.....	.....	.....	.....	7	16	15	26	33	10	5	.....	1
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	17	.....	.....	1	.....	.....	.....	1	1	2	1	1	5	5	.....	.....	.....
Diabetes	13	.....	.....	.....	.....	.....	.....	1	.....	1	1	5	4	1	.....	.....	.....
Anemia, leukemia	14	.....	.....	.....	1	.....	.....	.....	2	2	1	3	3	2	.....	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	4	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Encephalitis	12	4	.....	2	1	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....
Meningitis	48	17	4	2	3	1	5	1	4	7	2	1	1	.....	.....	.....	.....
Apoplexy	123	7	1	.....	1	2	.....	1	.....	11	10	24	30	29	5	2	.....
Softening of brain	8	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	1	1	1	.....	.....
Paralysis	34	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	15	9	1	1	.....
Epilepsy	5	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	2	.....	.....	.....
Convulsions	26	20	1	1	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	7	3	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	42	2	.....	1	.....	.....	1	1	3	6	6	7	6	7	2	.....	.....
Pericarditis	6	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	1	.....	.....	.....	.....
Endocarditis	16	.....	.....	.....	.....	.....	.....	2	1	1	2	3	3	3	1	.....	.....
Heart disease	170	4	1	.....	.....	.....	.....	3	14	16	16	26	51	30	6	1	2
Angina pectoris	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	2	.....	.....	.....	.....
Other diseases of circulatory system	27	3	.....	.....	.....	.....	.....	1	1	3	1	6	7	4	1	.....	.....
Laryngitis	7	.....	.....	.....	.....	1	2	.....	1	3	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	15	5	4	1	.....	.....	1	.....	1	.....	1	.....	1	1	.....	.....	.....
Chronic bronchitis	25	1	1	.....	.....	.....	.....	1	.....	.....	1	6	2	10	3	.....	.....
Bronchopneumonia	39	13	5	.....	1	1	.....	1	3	1	3	1	4	5	1	.....	.....
Pneumonia	156	30	11	6	3	1	8	4	17	11	19	15	16	10	3	2	.....
Pleurisy	4	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....
Congestion of lungs	22	6	1	.....	1	.....	1	1	2	1	1	4	.....	3	.....	1	.....
Other diseases of respiratory system	22	1	.....	.....	.....	.....	.....	3	2	2	1	3	5	2	2	.....	1
Tonsilitis	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	33	5	1	.....	1	.....	.....	1	4	2	2	5	6	4	2	.....	.....
Diarrhea and enteritis	140	67	26	5	3	.....	1	.....	4	9	2	8	7	5	3	.....	.....
Hernia and intestinal obstructions	29	3	1	.....	1	.....	2	1	5	3	1	4	4	2	2	.....	.....
Cirrhosis of liver	19	.....	.....	.....	.....	.....	.....	.....	.....	1	6	6	4	1	1	.....	.....
Other diseases of liver	26	2	.....	.....	.....	1	.....	1	2	5	3	3	7	2	.....	.....	.....
Peritonitis	28	.....	.....	.....	1	.....	1	5	4	8	4	2	1	2	.....	.....	.....
Appendicitis	10	.....	.....	.....	.....	.....	1	5	1	2	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	12	1	1	1	.....	.....	.....	.....	2	1	.....	1	2	2	1	.....	.....
Acute nephritis	7	.....	1	.....	.....	.....	2	1	1	.....	.....	1	.....	1	.....	.....	.....
Bright's disease	96	.....	.....	.....	.....	.....	.....	7	9	11	12	23	17	14	3	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	29	1	.....	.....	.....	.....	.....	1	7	7	2	2	4	5	.....	.....	.....
Puerperal septicemia	6	.....	.....	.....	.....	.....	.....	1	2	2	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	11	.....	.....	.....	.....	.....	.....	.....	4	5	2	.....	.....	.....	.....	.....	.....
Diseases of skin	10	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	2	3	2	.....	.....
Diseases of locomotor system	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Malformations	16	12	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Premature birth	94	94	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	120	120	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	107	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	40	39	16	.....
Suicide	17	.....	.....	.....	.....	.....	.....	2	2	4	5	1	3	.....	.....	.....	.....
Other violence	148	4	5	2	2	3	8	15	20	24	18	19	14	7	4	1	2
Ill-defined causes	107	45	7	.....	1	.....	.....	4	1	1	14	6	11	8	6	1	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

JERSEY CITY, N. J.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,049	938	251	115	77	63	140	154	390	466	405	379	339	231	95	6	.....
Typhoid fever	44	.....	.....	.....	.....	.....	1	5	9	12	7	4	3	3	.....	.....	.....
Malarial fever	7	1	.....	.....	.....	1	1	1	1	1	1	.....	.....	.....	.....	.....	.....
Smallpox	11	2	.....	2	.....	1	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....
Measles	15	2	6	5	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	38	3	.....	3	1	4	14	9	2	2	.....	.....	.....	.....	.....	.....	.....
Whooping cough	40	24	5	5	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	122	8	18	20	18	18	34	5	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	23	4	3	1	2	.....	1	3	3	.....	.....	2	2	1	1	.....	.....
Erysipelas	10	2	.....	.....	.....	.....	.....	.....	.....	3	.....	2	2	1	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	15	2	1	1	.....	.....	1	.....	2	4	1	1	1	1	.....	.....	.....
Tuberculosis—total	509	14	9	5	2	1	7	33	151	149	84	36	14	3	1	.....	.....
Tuberculosis of lungs	452	5	3	.....	1	1	1	28	145	142	80	31	12	2	1	.....	.....
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	.....	.....	.....	.....
Tuberculous meningitis	26	9	3	4	1	.....	4	1	1	2	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	8	.....	3	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	7	.....	.....	1	.....	.....	1	.....	1	1	1	1	1	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	5	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Cancer	101	.....	1	.....	.....	.....	.....	.....	2	10	15	33	25	12	3	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Rheumatism	21	1	1	.....	.....	.....	1	.....	2	2	2	4	3	2	3	.....	.....
Diabetes	16	.....	.....	.....	.....	.....	.....	.....	1	1	5	4	3	2	.....	.....	.....
Anemia, leukemia	10	.....	1	.....	2	.....	1	.....	.....	1	3	2	.....	.....	.....	.....	.....
Alcoholism	53	.....	.....	.....	.....	.....	.....	.....	4	21	14	6	8	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Meningitis	153	61	32	11	10	5	8	9	7	5	1	2	1	1	.....	.....	.....
Apoplexy	205	15	2	1	1	1	.....	1	5	4	26	46	41	47	15	.....	.....
Softening of brain	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	1	.....	.....
Paralysis	30	2	.....	.....	.....	.....	.....	.....	1	3	5	2	9	5	3	.....	.....
Epilepsy	10	.....	.....	.....	.....	.....	.....	1	2	4	1	1	.....	1	.....	.....	.....
Convulsions	126	94	10	4	4	6	1	.....	2	2	1	2	.....	.....	.....	.....	.....
Tetanus	8	6	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	39	2	1	.....	.....	1	2	3	3	4	6	3	9	4	1	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
Endocarditis	51	2	.....	.....	3	1	2	4	5	4	7	8	9	4	2	.....	.....
Heart disease	226	5	.....	.....	2	1	4	10	18	28	30	47	46	28	7	.....	.....
Angina pectoris	22	.....	.....	.....	.....	.....	.....	1	1	1	2	5	8	4	.....	.....	.....
Embolism and thrombosis	7	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	2	2	.....	.....	.....
Other diseases of circulatory system	29	3	.....	.....	.....	.....	1	.....	.....	1	3	1	8	6	6	.....	.....
Laryngitis	7	1	2	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	39	22	5	7	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
Chronic bronchitis	35	2	.....	.....	.....	.....	1	2	3	5	2	8	3	5	4	.....	.....
Bronchopneumonia	129	58	27	12	2	3	5	4	2	3	1	4	3	4	1	.....	.....
Pneumonia	342	46	47	20	8	7	13	11	20	55	32	32	19	24	8	.....	.....
Pleurisy	14	2	1	1	.....	.....	1	1	2	3	1	1	1	.....	.....	.....	.....
Congestion of lungs	21	2	2	.....	.....	1	1	1	.....	2	5	.....	4	2	1	.....	.....
Other diseases of respiratory system	35	4	3	.....	2	2	2	.....	3	3	4	6	5	.....	1	.....	.....
Tonsilitis	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	40	6	2	1	1	.....	.....	.....	2	3	5	6	8	4	2	.....	.....
Diarrhea and enteritis	313	211	53	9	4	1	6	2	3	3	3	5	6	4	3	.....	.....
Hernia and intestinal obstructions	30	10	1	.....	.....	.....	.....	1	.....	2	4	6	3	3	.....	.....	.....
Cirrhosis of liver	57	1	.....	.....	.....	.....	.....	1	5	9	13	15	10	2	1	.....	.....
Other diseases of liver	15	1	.....	.....	.....	.....	.....	.....	.....	2	5	3	.....	2	1	1	.....
Peritonitis	45	1	.....	.....	.....	.....	2	4	7	13	11	4	1	.....	2	.....	.....
Appendicitis	25	1	.....	.....	.....	.....	2	6	9	4	1	2	.....	.....	.....	.....	.....
Other diseases of digestive system	6	1	.....	.....	.....	1	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....
Acute nephritis	41	1	1	1	2	2	5	4	8	6	5	2	4	.....	.....	.....	.....
Bright's disease	199	3	.....	.....	1	.....	4	5	21	26	40	34	42	19	4	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	22	1	.....	.....	.....	.....	.....	.....	1	2	3	1	3	8	3	.....	.....
Puerperal septicemia	21	.....	.....	.....	.....	.....	.....	1	17	3	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	15	.....	.....	.....	.....	.....	.....	1	8	5	1	.....	.....	.....	.....	.....	.....
Diseases of skin	16	2	1	.....	.....	.....	1	.....	3	.....	2	3	3	1	.....	.....	.....
Diseases of locomotor system	4	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	48	47	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	70	70	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	97	97	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	11	11	3	.....
Suicide	31	.....	.....	.....	.....	.....	.....	1	9	6	7	6	1	1	.....	.....	.....
Other violence	218	12	3	3	2	2	10	20	39	40	35	23	18	5	5	1	.....
Ill-defined causes	122	77	12	3	1	1	1	1	1	4	4	3	6	4	4	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

KANSAS CITY, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,681	492	106	53	20	25	73	160	343	336	280	269	252	189	70	10	3
Typhoid fever	65			1			4	12	19	14	9	4	1	1			
Malarial fever	10	1					1	1	1	1	2	1	1	1			
Smallpox	8	3	1						2		1	1					
Measles	25	7	6	1	3	3	2	1	1			1					
Scarlet fever	15		3		2	3	5	1	1								
Whooping cough	21	10	5	1		1	4										
Diphtheria and croup	19	1	5	3	1	5	3	1									
Influenza	9	1						1			3	3		1			
Cholera nostras	2		1											1			
Dysentery	9		1	1	1		1			1	1			3			
Erysipelas	10	2						1		2	2			3			
Other epidemic diseases [1]	1	1															
Septicemia	30		1		1		1	2	17	8	5	6	3	5	1		
Tuberculosis—total	312	11	4	2			6	36	100	68	44	23	15	3			
Tuberculosis of lungs	302	9	3	2			6	34	98	68	42	23	14	3			
Tuberculosis of larynx	1										1						
Tuberculous meningitis	2	1	1														
Abdominal tuberculosis	4	1						1	1				1				
Pott's disease																	
Tuberculous abscess	1								1								
White swelling	1							1									
Tuberculosis of other organs	1										1						
General tuberculosis																	
Scrofula	1	1															
Venereal diseases	6									4	1	1					
Cancer	101				1	1	2	1	5	13	23	27	16	12			
Tumor	6						1		1		1	3					
Rheumatism	9							3	2	2	1				1		
Diabetes	11							1	2	4			4				
Anemia, leukemia	20		1						4	4	2	2	4	3			
Alcoholism	14								2	2	5	2	3				
Chronic poisonings	1										1						
Other general diseases	2	1							1								
Encephalitis	5						1			1		1	2				
Meningitis	71	28	7	4	2	1	5	2	7	8	2	3	1	1			
Apoplexy	72	1	1	1					3	10	9	8	20	12	7		
Softening of brain	2										1		1				
Paralysis	44							1	5	3	5	8	8	11	3		
Epilepsy	6	1							2	2				1			
Convulsions	35	22	2	4			1	2	2	1	1						
Tetanus	4	2			1			1									
Other diseases of nervous system	20	3		1				1	2	6	2	2	2	1			
Pericarditis	5							1	1			2	1				
Endocarditis	24	1					2	4		1	5	3	6	2			
Heart disease	132	3	1	1			5	8	5	18	16	28	21	23	3		
Angina pectoris	7						1			1	2	1	2				
Embolism and thrombosis	5									4			1				
Other diseases of circulatory system	30	1					1	2	3	6	8	3	5	1			
Laryngitis	4				1	1				1	1						
Acute bronchitis	38	26	6	2	1	1									1	1	
Chronic bronchitis	17						2			2		2	6	3	1	1	
Bronchopneumonia	6		1	1			1						3				
Pneumonia	293	71	23	11	3	4	7	11	30	25	29	29	28	18	4		
Pleurisy	12		1						2	1	2	2	2	2			
Congestion of lungs	20	7	1	1			1			1	2	2	2	2	1		
Other diseases of respiratory system	29	2			1	1			2	8	6	6	3				
Tonsilitis	1						1										
Diseases of stomach	25	6						1	1	7	2	2	4		2		
Diarrhea and enteritis	112	58	24	6	1		2	3	2	4	2	3	4	2	1		
Hernia and intestinal obstructions	26	3	1	1				1	4	3	6	2	3	2			
Cirrhosis of liver	17									5	2	4	3	3			
Other diseases of liver	14	1						1	2	1	1	1	6	1			
Peritonitis	62	2		1				7	24	12	8	4	1	3			
Appendicitis	25						1	8	8	3		2	1	2			
Other diseases of digestive system	8	1	1	1					2	1	1			1			
Acute nephritis	1												1				
Bright's disease	143	4		2	1		3	10	20	16	13	35	20	17	2		
Calculi of urinary tract																	
Uterine tumor	4									2	1		1				
Ovarian tumor	2									1	1						
Other diseases of genito-urinary system	12							1	2	4	1		3	1			
Puerperal septicemia	2								2								
Other causes incident to childbirth	9							3	2	3	1						
Diseases of skin	12						1		1	1		3	4		2		
Diseases of locomotor system	5	2		1						1		1					
Malformations	9	9															
Premature birth	39	39															
Congenital debility	112	112															
Old age	71												10	28	27	6	
Suicide	28							4	6	9	4	2	2				1
Other violence	170	10	2	2		3	7	23	38	26	29	18	8	4			
Ill-defined causes	164	38	7	4		1	1	4	7	15	16	18	20	15	14	2	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

LOS ANGELES, CAL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,357	259	60	32	14	16	65	111	280	334	283	277	281	230	106	8	1
Typhoid fever	47					2	3	9	13	15	2	1	2				
Malarial fever	2											1	1				
Smallpox																	
Measles	4	1	1	1				1									
Scarlet fever	13		1	2	1		5	2	2								
Whooping cough	6	5		1													
Diphtheria and croup	46	3	7	3	1	6	16	7		3							
Influenza	17	1						1	2	1	1	1	2	6	2		
Cholera nostras	1						1										
Dysentery	7	3				1						1	1	1			
Erysipelas	4	1									1		2				
Other epidemic diseases [1]																	
Septicemia	20			1					5	3	2	4	2	2	1		
Tuberculosis—total	492	9	5	2	2	1	8	32	132	126	98	44	22	9	2		
Tuberculosis of lungs	435	4				1	4	27	123	117	89	40	20	8	2		
Tuberculosis of larynx	3								1	1	1						
Tuberculous meningitis	22	5	5	1	1		4	2	1	2			1				
Abdominal tuberculosis	14				1				2	2	5	3		1			
Pott's disease	1									1							
Tuberculous abscess																	
White swelling	1							1									
Tuberculosis of other organs	5								1		2	1	1				
General tuberculosis	11			1				2	4	3	1						
Scrofula	1									1							
Venereal diseases	5	3							1		1						
Cancer	119							2	7	18	17	32	25	14	4		
Tumor	2									1				1			
Rheumatism	14							1	1	2	3	1	4	2			
Diabetes	22					1	1	2	1		1	8	6	2			
Anemia, leukemia	7								2	1	1	2	1				
Alcoholism	14								1	6	2	3	2				
Chronic poisonings	2									1		1					
Other general diseases	4									1		1	1	1			
Encephalitis	1	1															
Meningitis	57	14	9	3	4		4	6	3	6	2	3	2		1		
Apoplexy	91	3			1			1	2	4	9	15	28	21	6		1
Softening of brain	7											1	4	1	1		
Paralysis	39								1	2	3	5	6	12	10		
Epilepsy	2								1		1						
Convulsions	16	8	4				1	1	2								
Tetanus	4							2	1	1							
Other diseases of nervous system	33		1					1	2	5	3	7	6	8			
Pericarditis	1												1				
Endocarditis	21	1					1	2	1	6	3	1	3	2	1		
Heart disease	147	2					2	5	7	9	19	30	33	26	13	1	
Angina pectoris	9										1	1	3	4			
Embolism and thrombosis	13						1	1	2	1	3	2	2	1			
Other diseases of circulatory system	24	1		1				1			3	6	5	4	2	1	
Laryngitis																	
Acute bronchitis	22	10	4	2			1	3			1			1			
Chronic bronchitis	18						1				1	3	1	6	6		
Bronchopneumonia	31	9	6	1	1	1	1			1	2	1	3	5			
Pneumonia	178	12	8	6		1	5	6	13	22	24	26	20	27	7	1	
Pleurisy	9							1		1		2	4	1			
Congestion of lungs	24	6					1		1	5		1	5	3	1	1	
Other diseases of respiratory system	25							1	4	1	6	3	5	3	1	1	
Tonsilitis	1					1											
Diseases of stomach	25	4		1	1				2	3	1	3	3	4	3		
Diarrhea and enteritis	94	52	9	4	2	1	3	2	3	3	3	3	4	4	1		
Hernia and intestinal obstructions	13	2					1			1	3	2	2	2			
Cirrhosis of liver	23							1		4	2	5	7	3	1		
Other diseases of liver	17	1						1	1	1	3	3	4	2	1		
Peritonitis	14						1	2	5	3		2		1			
Appendicitis	19							4	5	3	3			4			
Other diseases of digestive system	10	1					1		1	2		2		2	1		
Acute nephritis	9	1	1						2	3	1	1					
Bright's disease	121	1						1	13	16	21	17	27	20	5		
Calculi of urinary tract																	
Uterine tumor	5									1	2	1	1				
Ovarian tumor	3									3							
Other diseases of genito-urinary system	12	1							1	6			2	1	1		
Puerperal septicemia	4									4							
Other causes incident to childbirth	10							1	4	4	1						
Diseases of skin	6							1		1	1		1	2			
Diseases of locomotor system	5	1		1				1					2				
Malformations	15	14							1								
Premature birth	33	33															
Congenital debility	41	41															
Old age	48												3	14	30	1	
Suicide	45							1	10	9	7	12	2	2	2		
Other violence	133	4	2	2	1	1	6	7	24	24	22	16	18	4	1	1	
Ill-defined causes	30	10	2	1			1	1	1		3	3	3	2	2	1	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

LOUISVILLE, KY.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,815	647	152	72	55	30	104	216	413	423	384	426	400	322	133	18	20
Typhoid fever	128	.....	2	.....	1	1	3	35	38	23	10	5	7	.....	.....	.....	.....
Malarial fever	11	1	1	.....	.....	.....	1	1	3	3	.....	.....	.....	1	.....	.....	.....
Smallpox	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1
Measles	5	2	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	5	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	16	9	3	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	87	4	12	12	17	8	27	5	.....	2	.....	.....	.....	.....	.....	.....	.....
Influenza	8	1	.....	1	.....	.....	.....	.....	1	.....	1	1	.....	1	2	.....	.....
Cholera nostras	6	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	2	.....	.....	.....
Dysentery	51	4	1	.....	1	.....	1	3	2	2	10	11	7	8	1	.....	.....
Erysipelas	7	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	.....	.....	.....	.....
Other epidemic diseases[1]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Septicemia	35	4	.....	1	.....	.....	1	.....	5	8	6	5	3	1	1	.....	.....
Tuberculosis—total	446	10	9	6	2	1	7	41	135	113	60	44	14	1	2	1	.....
Tuberculosis of lungs	389	4	3	3	2	1	3	34	124	105	53	42	12	.....	2	1	.....
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	2	.....	.....	.....	.....
Tuberculous meningitis	17	4	5	3	.....	.....	1	1	.....	1	2	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	24	2	1	.....	.....	.....	3	4	8	2	1	2	.....	1	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	9	2	1	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....	.....
Cancer	132	.....	.....	.....	.....	.....	1	3	3	10	25	35	27	26	1	.....	1
Tumor	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	1	.....	.....	.....	.....
Rheumatism	12	.....	.....	1	.....	.....	.....	2	.....	4	1	2	2	.....	.....	.....	.....
Diabetes	23	.....	.....	.....	1	.....	1	1	3	.....	5	6	2	4	.....	.....	.....
Anemia, leukemia	11	.....	.....	.....	.....	.....	.....	3	.....	.....	2	3	2	.....	1	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	6	.....	.....	1	.....	2	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
Encephalitis	11	3	.....	.....	.....	.....	.....	.....	3	.....	2	2	1	.....	.....	.....	.....
Meningitis	75	31	12	6	3	2	5	.....	3	4	4	1	3	1	.....	.....	.....
Apoplexy	131	6	1	.....	.....	.....	2	3	12	8	19	31	30	11	4	1	3
Softening of brain	20	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	6	8	1	.....	.....
Paralysis	85	.....	1	.....	1	.....	5	2	4	3	11	13	23	17	3	1	1
Epilepsy	11	.....	.....	.....	.....	.....	.....	3	2	2	4	.....	.....	.....	.....	.....	.....
Convulsions	94	75	5	8	2	1	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....
Tetanus	17	11	.....	.....	.....	.....	.....	3	.....	.....	1	.....	1	1	.....	.....	.....
Other diseases of nervous system	47	4	.....	.....	.....	.....	2	1	1	12	7	8	6	5	1	.....	.....
Pericarditis	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....
Endocarditis	15	.....	.....	.....	.....	.....	.....	1	.....	4	1	3	3	1	1	.....	1
Heart disease	269	3	1	.....	2	.....	4	11	25	35	43	53	44	38	7	1	2
Angina pectoris	9	.....	.....	.....	.....	.....	.....	.....	1	.....	2	5	1	.....	.....	.....	.....
Embolism and thrombosis	9	.....	.....	1	.....	.....	1	.....	1	.....	3	2	1	.....	.....	.....	.....
Other diseases of circulatory system	16	1	.....	.....	.....	.....	.....	2	1	1	3	4	3	1	.....	.....	.....
Laryngitis	5	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Acute bronchitis	40	20	12	1	1	.....	.....	1	1	.....	2	1	.....	.....	1	.....	.....
Chronic bronchitis	49	4	.....	.....	.....	.....	1	5	3	5	4	8	5	10	3	1	.....
Bronchopneumonia	19	6	4	1	1	.....	.....	2	1	.....	.....	.....	2	2	.....	.....	.....
Pneumonia	294	54	31	15	8	4	5	15	31	29	19	28	32	15	7	.....	1
Pleurisy	10	.....	.....	.....	.....	.....	1	1	1	1	1	1	2	2	.....	.....	.....
Congestion of lungs	12	3	1	.....	.....	.....	.....	.....	1	.....	1	1	2	2	1	.....	.....
Other diseases of respiratory system	55	3	1	1	.....	1	.....	2	7	5	8	9	10	6	2	.....	.....
Tonsilitis	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	52	9	1	.....	.....	.....	5	1	4	5	5	6	12	4	.....	.....	.....
Diarrhea and enteritis	145	75	26	4	1	1	4	2	4	1	9	6	7	4	1	.....	.....
Hernia and intestinal obstructions	33	3	2	1	.....	.....	1	2	5	3	5	6	2	2	1	.....	.....
Cirrhosis of liver	29	1	.....	.....	.....	.....	.....	1	1	3	7	7	7	2	.....	.....	.....
Other diseases of liver	24	2	1	.....	1	.....	1	1	1	3	3	4	4	3	.....	.....	.....
Peritonitis	57	3	1	2	.....	.....	1	14	14	10	5	3	4	.....	.....	.....	.....
Appendicitis	22	.....	.....	.....	.....	.....	1	5	4	6	2	1	2	.....	1	.....	.....
Other diseases of digestive system	13	2	.....	.....	.....	.....	.....	2	1	2	1	.....	3	2	.....	.....	.....
Acute nephritis	26	1	4	1	2	.....	3	2	4	3	5	.....	.....	1	.....	.....	.....
Bright's disease	179	2	.....	.....	1	2	3	2	10	20	22	46	35	28	4	1	3
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	23	.....	.....	.....	.....	.....	.....	.....	3	6	4	2	5	3	.....	.....	.....
Puerperal septicemia	4	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	13	.....	.....	.....	.....	.....	.....	.....	9	3	1	.....	.....	.....	.....	.....	.....
Diseases of skin	13	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	4	1	3	.....	.....
Diseases of locomotor system	4	.....	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Malformations	11	10	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	45	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	155	155	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	192	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32	78	70	11	1
Suicide	29	.....	.....	.....	.....	.....	.....	2	8	7	3	4	2	3	.....	.....	.....
Other violence	175	3	1	3	1	4	8	22	36	42	21	10	10	6	5	.....	3
Ill-defined causes	247	74	16	5	3	.....	4	9	9	12	22	35	26	20	9	.....	3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

MEMPHIS, TENN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,981	321	102	37	23	23	51	128	324	275	225	181	156	89	37	9	.....
Typhoid fever	43	1	2	2	.....	1	1	6	19	6	4	1	.....	.....	.....	.....	.....
Malarial fever	145	15	11	7	4	4	10	12	19	23	12	15	8	2	2	1	.....
Smallpox	5	2	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Measles	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	11	3	.....	2	2	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	11	6	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	14	5	2	3	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	29	3	.....	1	1	.....	1	3	2	6	5	1	3	3	.....	.....	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	38	6	1	.....	.....	.....	.....	2	4	3	5	8	3	3	3	.....	.....
Erysipelas	6	2	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....
Other epidemic diseases[1]	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	26	.....	.....	.....	.....	.....	.....	1	12	4	5	3	1	.....	.....	.....	.....
Tuberculosis—total	296	5	4	3	1	3	6	37	94	77	39	13	11	2	1	.....	.....
Tuberculosis of lungs	274	5	3	2	1	2	4	34	87	73	38	13	9	2	1	.....	.....
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	14	.....	.....	.....	.....	.....	2	2	4	4	1	.....	1	.....	.....	.....	.....
Pott's disease	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	5	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	7	1	.....	.....	1	.....	1	.....	1	.....	3	.....	.....	.....	.....	.....	.....
Cancer	40	.....	.....	.....	.....	.....	.....	2	1	5	12	10	8	2	.....	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	8	.....	.....	.....	.....	.....	.....	2	2	.....	2	.....	.....	1	1	.....	.....
Diabetes	4	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	2	.....	.....	.....	.....
Anemia, leukemia	10	.....	.....	.....	.....	.....	.....	.....	4	1	1	2	2	.....	.....	.....	.....
Alcoholism	11	.....	.....	.....	.....	.....	.....	.....	.....	4	5	2	.....	.....	.....	.....	.....
Chronic poisonings	10	.....	.....	.....	.....	.....	.....	1	4	.....	.....	4	1	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	7	2	.....	1	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....
Meningitis	30	5	7	1	1	2	2	2	6	2	1	1	.....	.....	.....	.....	.....
Apoplexy	52	2	2	.....	.....	1	.....	2	4	7	8	13	7	5	1	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Paralysis	18	1	.....	.....	.....	.....	.....	.....	.....	.....	4	4	4	5	.....	.....	.....
Epilepsy	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Convulsions	29	28	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	6	.....	1	.....	1	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....
Endocarditis	11	.....	.....	.....	.....	.....	1	1	1	.....	1	2	3	2	.....	.....	.....
Heart disease	84	.....	.....	.....	.....	.....	3	4	9	11	10	13	18	13	3	.....	.....
Angina pectoris	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	2	.....	.....	.....
Other diseases of circulatory system	15	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	5	3	2	.....	.....
Laryngitis	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	9	4	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Chronic bronchitis	20	.....	1	.....	.....	.....	.....	2	6	5	2	.....	1	2	.....	1	.....
Bronchopneumonia	9	6	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Pneumonia	112	23	5	2	2	1	1	7	12	20	13	10	13	3	.....	.....	.....
Pleurisy	4	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....
Congestion of lungs	3	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of respiratory system	13	.....	.....	.....	1	.....	.....	.....	.....	1	3	5	2	1	.....	.....	.....
Tonsilitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	21	.....	.....	.....	.....	1	.....	.....	.....	5	5	6	3	1	.....	.....	.....
Diarrhea and enteritis	160	79	33	8	3	1	6	.....	5	3	5	8	5	3	1	.....	.....
Hernia and intestinal obstructions	13	.....	1	.....	.....	.....	.....	.....	2	2	3	2	2	1	.....	.....	.....
Cirrhosis of liver	16	.....	1	.....	.....	.....	.....	.....	.....	3	2	6	3	1	.....	.....	.....
Other diseases of liver	19	.....	.....	.....	.....	.....	.....	.....	4	5	6	2	.....	2	.....	.....	.....
Peritonitis	29	1	.....	.....	.....	.....	2	2	9	7	7	.....	.....	1	.....	.....	.....
Appendicitis	6	.....	.....	.....	.....	.....	.....	1	4	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	15	4	2	.....	1	.....	1	.....	3	3	.....	1	.....	.....	.....	.....	.....
Acute nephritis	10	.....	2	.....	.....	.....	.....	.....	3	3	.....	1	1	.....	.....	.....	.....
Bright's disease	82	.....	1	.....	.....	.....	1	.....	11	9	19	17	15	8	1	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	11	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	4	2	.....	.....	.....
Puerperal septicemia	8	.....	.....	.....	.....	.....	.....	2	4	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	12	.....	.....	.....	.....	.....	.....	3	4	5	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	5	1	.....	.....	.....	1	.....	.....	.....	1	1	.....	2	1	2	.....	.....
Diseases of locomotor system	5	2	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	24	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	24	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	12	16	7	.....
Suicide	7	.....	.....	.....	.....	.....	.....	1	2	2	.....	1	1	.....	.....	.....	.....
Other violence	118	1	.....	2	1	4	.....	17	39	27	13	8	4	1	1	.....	.....
Ill-defined causes	182	60	14	2	2	1	6	9	19	14	18	14	17	4	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

MILWAUKEE, WIS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,777	982	211	77	51	36	127	185	290	322	307	287	365	329	173	32	3
Typhoid fever	45	1					4	8	11	12	8	1					
Malarial fever	1													1			
Smallpox	2												2				
Measles	25	11	8	3		1	2										
Scarlet fever	6			2			3	1									
Whooping cough	26	9	11	3	1	1	1										
Diphtheria and croup	71	6	11	8	16	4	22	4									
Influenza	11	2		1			2		1				1	3	1		
Cholera nostras	6			3			2			1							
Dysentery	12	4	3	2	1						1			1			
Erysipelas	9	5								2		1	1				
Other epidemic diseases [1]	1		1														
Septicemia	18	3				1	1	2	4	2	2	2			1		
Tuberculosis—total	356	8	2	1	2	2	9	53	100	79	46	22	24	6	2		
Tuberculosis of lungs	305	6	1				4	46	88	70	42	19	21	6	2		
Tuberculosis of larynx	6							1	2	2		1					
Tuberculous meningitis	16		1	1	2	2	5	2	3								
Abdominal tuberculosis	16	2						2	3	2	4	1	2				
Pott's disease	2							1	1								
Tuberculous abscess																	
White swelling	3							1		2							
Tuberculosis of other organs	4								1	1		1	1				
General tuberculosis	4								2	2							
Scrofula																	
Venereal diseases	3	2									1						
Cancer	182	1		1				1	2	13	33	47	52	20	11		1
Tumor	4							2			1	1					
Rheumatism	10							1	1	1	1			3	2	1	
Diabetes	28					1	2	5	2		1	4	7	6			
Anemia, leukemia	10		1				2		1		4	1		1			
Alcoholism	19								1	9	3	3	2				1
Chronic poisonings																	
Other general diseases	7								4		2		1				
Encephalitis	3	1					1	1									
Meningitis	86	20	14	6	3	2	6	12	8	8	3	2	2				
Apoplexy	123	2	2					1	1	8	12	17	27	30	19	4	
Softening of brain	5										1		2	1	1		
Paralysis	16										1	2	11	2			
Epilepsy	8						1		1		3	1	2				
Convulsions	126	101	14	1	5	2	1	2									
Tetanus	9	4					1	1	2	1							
Other diseases of nervous system	40	1	2	2	1		3	1	3	4	5	7	8	3			
Pericarditis	8			1					1	1		2	1	2			
Endocarditis	27		1			1	2	1	2	3	5	4	6	2			
Heart disease	182	3		1			6	9	11	12	16	31	36	40	14	2	1
Angina pectoris	14										3	3	3	4	1		
Embolism and thrombosis	16							2	3	4	1	2	2	2			
Other diseases of circulatory system	39	1	1					1	3	3	2	4	10	6	7	1	
Laryngitis	3	1			1	1											
Acute bronchitis	148	107	18	6	1	4	1				1		1	7	2		
Chronic bronchitis	62						3	2	1	3	2	4	10	22	14	1	
Bronchopneumonia	98	47	20	5	5	2	4	2		1	1	2	4	4	1		
Pneumonia	268	56	29	11	5	7	10	11	12	27	22	24	22	19	12	1	
Pleurisy	17		2				2	1	2	1	1	2	5	1			
Congestion of lungs	18	5					1	1	1	2	3	1	3	1			
Other diseases of respiratory system	42	2	1				1	1	6	3	8	2	7	8	3		
Tonsilitis																	
Diseases of stomach	54	27	5		1		1	1	1	3	3	7	4	1			
Diarrhea and enteritis	293	205	46	14	5		1	3	3	4	3	1	2	5	1		
Hernia and intestinal obstructions	24	4	1				1	1	1		4	3	5	4			
Cirrhosis of liver	31								1	4	6	6	6	7	1		
Other diseases of liver	27						1			3	5	2	11	5			
Peritonitis	50	5				1	4	6	14	13	2	1	2	1	1		
Appendicitis	23	1					3	10	2	3	2	1		1			
Other diseases of digestive system	10	4	1						2	1	1			1			
Acute nephritis	23	3	1	1		1	2	1	3	4	3		2	2			
Bright's disease	117				1		2	2	14	11	18	19	20	23	5	2	
Calculi of urinary tract																	
Uterine tumor	6									2		3		1			
Ovarian tumor	1									1							
Other diseases of genito-urinary system	28	1	1						3	3	7	1	3	4	5		
Puerperal septicemia	9							1	2	6							
Other causes incident to childbirth	18								9	7	2						
Diseases of skin	20	6		1				1	1	2	2	2	1	2	2		
Diseases of locomotor system	8	1	1				1	1		1		1	1	1			
Malformations	14	13	1														
Premature birth	107	107															
Congenital debility	125	125															
Old age	122												12	49	45	16	
Suicide	64							9	10	17	9	9	6	3	1		
Other violence	199	27	3	2	2	5	13	21	27	20	28	16	22	9	3	1	
Ill-defined causes	194	50	10	2	1		5	2	13	17	19	23	16	15	18	3	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

MINNEAPOLIS, MINN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,266	339	81	38	28	18	96	124	236	265	240	184	242	205	98	9	43
Typhoid fever	61	1	1			1	4	12	21	12	3	2	2				2
Malarial fever	1											1					
Smallpox																	
Measles	3	2					1										
Scarlet fever	32	2	1	5	6	5	9	4									
Whooping cough	22	16	3	2			1										
Diphtheria and croup	74	3	8	5	9	3	31	11	1	1	1						1
Influenza	6	2									1	1		1	1		
Cholera nostras	3		1										1		1		
Dysentery	3	1		1											1		
Erysipelas	10	4	1			1		2				1		1			
Other epidemic diseases[1]																	
Septicemia	21		1					1	7	7	2	1	2				
Tuberculosis—total	290	5	5	1		1	3	28	73	77	45	20	15	6	2		9
Tuberculosis of lungs	241	3		1		1	1	19	63	70	37	18	13	6	2		7
Tuberculosis of larynx	5							1	1	1	1						1
Tuberculous meningitis	13	2	5				1	1	1	2							1
Abdominal tuberculosis	14						1	5	1	1	4		2				
Pott's disease	2							1	1								
Tuberculous abscess																	
White swelling	3							1			2						
Tuberculosis of other organs	4								1	2	1						
General tuberculosis	8								5	1		2					
Scrofula																	
Venereal diseases	12	11								1							
Cancer	119							2	5	8	24	34	23	17	2		4
Tumor	3								1				1	1			
Rheumatism	12							2	2	2		1	2	2			1
Diabetes	15							2	1	2	2	1	3	3			1
Anemia, leukemia	23	1			1		2	1	4	4	3	2	2	3			
Alcoholism	15								2	6	5	1	1				
Chronic poisonings	1									1							
Other general diseases	4								3		1						
Encephalitis	5		2	1						2							
Meningitis	54	18	8	3			4	6	4	1	4	1	2	1	1		1
Apoplexy	73	3			1			1	2	3	7	8	22	16	7	2	1
Softening of brain	5									1		2	2				
Paralysis	24		1					1	2		2	2	6	8	2		
Epilepsy	9	1					1	2		3	1		1				
Convulsions	27	20	4	1			1	1									
Tetanus	7	3					1		1	1		1					
Other diseases of nervous system	40					2	1	1	3	8	13	3	5	3	1		
Pericarditis	7						1	2		1	1		2				
Endocarditis	23						2	4	4	3	3	2	1	4			
Heart disease	154						4	5	7	15	17	23	40	25	12	1	5
Angina pectoris	3									1	1			1			
Embolism and thrombosis	5				1					1			1		1		1
Other diseases of circulatory system	23	1						3	1	1	3	5	3	2	4		
Laryngitis																	
Acute bronchitis	33	20	5	1						1	1		2	2		1	
Chronic bronchitis	21										1	1	6	11	2		
Bronchopneumonia	57	28	9	1	2		4	2	2		1	2	4	2			
Pneumonia	170	34	18	2	4	1	3	5	11	18	13	19	20	17	2		3
Pleurisy	4								2		1	1					
Congestion of lungs	10	3								1	1	3	2				
Other diseases of respiratory system	15	2						1		2	3	2	1	3	1		
Tonsilitis	1						1										
Diseases of stomach	20	5		2					1	1	3		4	2	1	1	
Diarrhea and enteritis	95	62	9	2	1		3	1	1	3	1		4	3	3	1	1
Hernia and intestinal obstructions	24	4							2	1	5	4	5	3			
Cirrhosis of liver	12							1	1	2		3	1	2	1		1
Other diseases of liver	18	2							1	2	4	2	2	3			2
Peritonitis	32		1				3	4	6	9	6		2				1
Appendicitis	33			1		1	7	4	6	5	5	2	2				
Other diseases of digestive system	11	1	1					1	3	2	1						2
Acute nephritis	9	1			1					1	3	2	1				
Bright's disease	121	1		2			2	2	9	14	18	14	25	29	3		2
Calculi of urinary tract	2											1		1			
Uterine tumor	3											1	1	1			
Ovarian tumor	5								1		1		2	1			
Other diseases of genito-urinary system	28							1	5	5	5	2	4	4	2		
Puerperal septicemia	8								5	3							
Other causes incident to childbirth	12							1	7	2	2						
Diseases of skin	5								1	1					3		
Diseases of locomotor system	6	1							1	2			2				
Malformations	9	7		1				1									
Premature birth																	
Congenital debility	76	76															
Old age	58												2	14	39	3	
Suicide	35							4	12	6	7	2	3	1			
Other violence	99	6	2	6	2	3	5	5	12	16	15	5	8	7	3		4
Ill-defined causes	45	12		1			2		3	6	3	6	2	6	3		1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

NEW HAVEN, CONN.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,872	406	91	38	29	13	44	77	156	174	181	197	218	152	75	11	10
Typhoid fever	44		1		1		2	10	13	6	5	1	2	2	1		
Malarial fever	10	5								1	1		1	2			
Smallpox																	
Measles	7		3	2	1	1											
Scarlet fever	8	2		1	3		2										
Whooping cough	33	17	5	6	3		2										
Diphtheria and croup	10		2	3	2	1	2										
Influenza	7				1		1					1	1	1	2		
Cholera nostras	3	2													1		
Dysentery	43	7	6	2	1	1	3	1	3	3	4	4	4	3	1		
Erysipelas	5	3								2							
Other epidemic diseases[1]	1	1															
Septicemia	4									1		2		1			
Tuberculosis—total	244	7	5		3	1	9	34	39	54	37	16	14	4			1
Tuberculosis of lungs	211	1	1		2	1	4	29	33	52	36	14	13	4			1
Tuberculosis of larynx	1								1								
Tuberculous meningitis	16	5	4		1		2	2	2								
Abdominal tuberculosis	8	1					2		1		1	2	1				
Pott's disease	6						1	2	2	1							
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	1							1									
General tuberculosis	1									1							
Scrofula																	
Venereal diseases	8	6	1							1							
Cancer	93						3		3	3	20	25	24	8	7		
Tumor	3	1											2				
Rheumatism	10					1			1	2	1	4		1			
Diabetes	8						1	1			1	1	3	1			
Anemia, leukemia	4		1					1	1								1
Alcoholism	6								1		3	2					
Chronic poisonings	1									1							
Other general diseases	2	1	1														
Encephalitis																	
Meningitis	47	17	4	4	3	4	1	4	5			2	1		1		1
Apoplexy	97								2	6	10	20	32	13	11	2	1
Softening of brain	3												3				
Paralysis	12								1	1	2	1	4	1	1	1	
Epilepsy	7						1	1	2	1		1		1			
Convulsions	32	23	6	2			1										
Tetanus	7	5		1			1										
Other diseases of nervous system	26	1	1				1	1	2	2	3	6	4	4	1		
Pericarditis	1								1								
Endocarditis	7								1	1	2		2		1		
Heart disease	148					1		4	5	16	16	28	32	38	7		1
Angina pectoris	7										1	5	1				
Embolism and thrombosis	10								1	1	1	3	1	3			
Other diseases of circulatory system	4											1	1	1		1	
Laryngitis																	
Acute bronchitis	45	27	3	3			1			2	1	1	3	1	2	1	
Chronic bronchitis	18	1							1	1	2	4	1	5	3		
Bronchopneumonia	26	8	4	2	2					1	3	3		3			
Pneumonia	113	20	7	3	2	1	5	2	7	17	15	9	9	11	3		2
Pleurisy	9		1	1						1		2	3	1			
Congestion of lungs	5										1		2	1	1		
Other diseases of respiratory system	8								1	1	3	1	1	1			
Tonsilitis	1						1										
Diseases of stomach	20	3								1	2	2	8	3		1	
Diarrhea and enteritis	166	115	31	3	2				2	2	2		3	4	1	1	
Hernia and intestinal obstructions	15	1	1						1		3	2	1	4	2		
Cirrhosis of liver	12			1							4	2	4	1			
Other diseases of liver	9			1						2		2	2	1			1
Peritonitis	6			1					1		2	1		1			
Appendicitis	15				1			4	4	3	2		1				
Other diseases of digestive system	6	1									1		2		2		
Acute nephritis	19					1		2	3	3	3	4	3				
Bright's disease	89	1			1			2	8	9	6	23	17	14	8		
Calculi of urinary tract	1												1				
Uterine tumor	3										1		1	1			
Ovarian tumor	1													1			
Other diseases of genito-urinary system	14								2	3	4	1	3	1			
Puerperal septicemia	5								3	2							
Other causes incident to childbirth	10								5	5							
Diseases of skin	7	1								1			3		2		
Diseases of locomotor system	2		1								1						
Malformations	14	14															
Premature birth	49	49															
Congenital debility	43	43															
Old age	27												4	8	11	3	1
Suicide	7							1	3	1		2					
Other violence	104	9	3	2	3	1	5	7	12	15	15	11	11	5	3	1	1
Ill-defined causes	41	15	4				2	2	2	2	3	4	3	1	3		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

NEW ORLEANS, LA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,594	1,143	201	98	55	38	102	313	786	832	762	756	689	509	244	61	5
Typhoid fever	131	4	.....	1	2	2	3	27	45	29	10	4	3	1	.....	.....	.....
Malarial fever	97	5	.....	1	.....	1	3	16	18	13	11	15	9	3	1	1	.....
Smallpox	4	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....
Measles	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	14	1	.....	.....	2	8	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	13	10	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	44	4	6	11	5	5	9	1	2	.....	1	.....	.....	.....	.....	.....	.....
Influenza	54	3	1	.....	.....	1	1	2	1	4	5	6	13	14	2	1	.....
Cholera nostras	8	.....	.....	.....	.....	.....	.....	1	1	2	.....	2	2	.....	.....	.....	.....
Dysentery	55	1	2	.....	1	.....	.....	1	2	4	14	5	11	12	1	1	.....
Erysipelas	14	1	1	.....	.....	.....	.....	.....	3	2	2	1	2	.....	1	1	.....
Other epidemic diseases [1]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Septicemia	35	5	.....	1	1	.....	1	.....	9	8	5	2	3	.....	.....	.....	.....
Tuberculosis—total	1,045	10	9	4	1	2	9	72	328	268	168	102	57	13	1	1	.....
Tuberculosis of lungs	965	4	4	1	1	1	7	60	313	253	160	96	51	12	1	1	.....
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	.....	1	4	1	1	.....	.....	.....	.....	.....
Tuberculous meningitis	11	4	3	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	32	.....	1	.....	.....	1	1	4	5	6	4	5	4	1	.....	.....	.....
Pott's disease	4	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
General tuberculosis	22	1	.....	1	.....	.....	.....	6	7	4	2	.....	1	.....	.....	.....	.....
Scrofula	5	1	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	21	7	1	.....	.....	.....	.....	1	6	4	.....	.....	2	.....	.....	.....	.....
Cancer	213	.....	.....	.....	.....	.....	1	4	4	32	42	52	48	25	5	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....
Rheumatism	18	.....	1	.....	.....	.....	2	2	3	2	.....	1	5	2	.....	.....	.....
Diabetes	17	1	.....	.....	.....	.....	.....	1	.....	.....	2	3	8	2	.....	.....	.....
Anemia, leukemia	10	.....	1	.....	.....	.....	.....	3	1	2	2	1	.....	.....	.....	.....	.....
Alcoholism	19	.....	1	.....	.....	.....	.....	.....	3	4	3	5	2	1	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	6	1	.....	.....	.....	.....	1	1	1	.....	.....	2	.....	.....	.....	.....	.....
Encephalitis	6	.....	.....	1	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....
Meningitis	121	50	13	9	7	2	7	8	8	7	6	2	1	1	.....	.....	.....
Apoplexy	248	13	1	1	.....	.....	1	1	10	22	38	44	50	39	22	6	.....
Softening of brain	23	.....	.....	.....	.....	.....	.....	.....	.....	2	4	3	4	8	2	.....	.....
Paralysis	53	.....	.....	.....	.....	.....	.....	.....	1	2	8	12	16	10	4	.....	.....
Epilepsy	14	.....	.....	.....	1	.....	.....	3	4	1	1	3	1	.....	.....	.....	.....
Convulsions	65	41	12	4	3	.....	2	1	.....	.....	1	1	.....	.....	.....	.....	.....
Tetanus	145	104	.....	2	1	3	8	15	4	1	4	1	2	.....	.....	.....	.....
Other diseases of nervous system	103	1	1	.....	1	1	2	4	9	13	21	23	12	12	2	1	.....
Pericarditis	13	.....	.....	.....	.....	.....	.....	3	.....	4	2	4	.....	.....	.....	.....	.....
Endocarditis	103	1	1	.....	.....	.....	.....	6	11	7	17	19	20	14	5	2	.....
Heart disease	491	4	.....	.....	.....	.....	2	13	20	55	76	107	107	67	35	5	.....
Angina pectoris	19	.....	.....	.....	.....	.....	.....	.....	.....	6	5	5	1	1	1	.....	.....
Embolism and thrombosis	13	.....	.....	.....	.....	.....	.....	.....	2	.....	1	4	5	1	.....	.....	.....
Other diseases of circulatory system	45	1	.....	1	.....	.....	.....	.....	2	6	5	12	5	8	5	.....	.....
Laryngitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Acute bronchitis	86	51	12	5	6	.....	3	.....	3	.....	1	.....	2	2	1	.....	.....
Chronic bronchitis	30	.....	1	.....	.....	.....	.....	.....	1	2	3	5	6	7	4	1	.....
Bronchopneumonia	56	29	13	4	1	.....	3	.....	.....	1	.....	.....	.....	5	.....	.....	.....
Pneumonia	440	93	28	15	11	5	10	18	46	51	44	50	40	20	9	.....	.....
Pleurisy	23	1	.....	1	1	.....	1	5	5	3	2	2	1	1	.....	.....	.....
Congestion of lungs	21	2	2	1	.....	.....	.....	.....	1	3	3	3	4	2	.....	.....	.....
Other diseases of respiratory system	50	5	.....	1	1	.....	.....	.....	4	5	10	7	6	9	2	.....	.....
Tonsilitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	42	4	4	.....	1	.....	3	1	1	4	5	4	10	3	2	.....	.....
Diarrhea and enteritis	458	276	51	10	4	1	7	3	13	16	12	19	22	15	6	2	1
Hernia and intestinal obstructions	40	5	1	.....	.....	1	1	.....	4	4	3	7	7	4	3	.....	.....
Cirrhosis of liver	113	.....	.....	.....	.....	.....	.....	3	2	17	33	30	19	8	1	.....	.....
Other diseases of liver	53	1	1	.....	.....	.....	.....	1	10	16	7	6	6	5	.....	.....	.....
Peritonitis	44	2	.....	.....	.....	.....	.....	6	14	10	6	4	2	.....	.....	.....	.....
Appendicitis	29	1	.....	.....	.....	.....	2	4	7	5	5	2	2	.....	.....	1	.....
Other diseases of digestive system	17	6	1	.....	.....	.....	.....	.....	1	3	2	2	1	1	.....	.....	.....
Acute nephritis	45	2	1	1	.....	.....	.....	6	10	7	5	6	2	5	.....	.....	.....
Bright's disease	454	2	.....	1	.....	1	1	11	35	66	83	110	86	47	11	.....	.....
Calculi of urinary tract	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	9	.....	.....	.....	.....	.....	.....	.....	.....	4	3	1	1	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	42	.....	.....	.....	.....	.....	.....	2	5	9	7	4	7	6	2	.....	.....
Puerperal septicemia	25	.....	.....	.....	.....	.....	.....	6	10	7	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	31	.....	.....	.....	.....	.....	.....	4	13	10	4	.....	.....	.....	.....	.....	.....
Diseases of skin	35	2	1	.....	.....	.....	.....	3	1	2	5	1	6	8	4	2	.....
Diseases of locomotor system	19	8	3	2	.....	.....	.....	1	3	2	.....	.....	.....	.....	.....	.....	.....
Malformations	23	22	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	106	106	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	154	154	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	262	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	100	105	36	.....
Suicide	47	.....	.....	.....	.....	.....	.....	2	10	9	15	7	3	1	.....	.....	.....
Other violence	346	6	5	10	2	5	16	45	75	67	36	29	25	18	3	.....	4
Ill-defined causes	194	96	25	8	2	.....	1	3	4	6	7	13	18	8	3	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

NEW YORK, N. Y. (AGGREGATE).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	67,986	15,524	4,652	2,047	1,176	885	2,068	2,335	5,807	7,625	6,775	6,667	6,239	4,308	1,650	220	8
Typhoid fever	745	3	8	4	4	4	35	110	260	171	75	41	23	6	1	.....	.....
Malarial fever	127	6	7	4	2	3	12	13	13	13	10	13	11	13	6	1	.....
Smallpox	308	31	20	22	9	14	19	10	58	63	36	19	4	3	.....	.....	.....
Measles	642	190	241	91	42	26	31	5	5	3	6	2	.....	.....	.....	.....	.....
Scarlet fever	938	46	117	170	138	111	256	61	24	7	5	3	.....	.....	.....	.....	.....
Whooping cough	577	315	122	64	33	18	21	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	2,003	183	439	371	266	238	401	69	18	9	7	2	.....	.....	.....	.....	.....
Influenza	183	13	7	4	.....	2	4	8	14	20	22	29	28	22	10	.....	.....
Cholera nostras	22	8	1	.....	.....	.....	1	.....	.....	.....	2	3	3	3	1	.....	.....
Dysentery	289	64	28	21	8	4	19	5	11	15	13	26	29	27	17	2	.....
Erysipelas	182	66	7	2	.....	1	2	8	12	23	16	17	17	9	1	1	.....
Other epidemic diseases [1]	13	9	.....	1	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Septicemia	88	17	6	.....	1	2	3	3	14	14	11	11	2	1	3	.....	.....
Tuberculosis—total	8,812	329	237	115	79	63	175	614	2,169	2,430	1,439	697	324	113	25	1	2
Tuberculosis of lungs	7,610	60	43	30	12	13	43	529	2,068	2,337	1,385	662	295	107	23	1	2
Tuberculosis of larynx	64	1	.....	.....	.....	.....	1	1	8	18	12	10	9	2	2	.....	.....
Tuberculous meningitis	734	207	173	73	58	39	90	37	25	18	8	5	1	.....	.....	.....	.....
Abdominal tuberculosis	181	46	12	5	1	3	11	15	30	22	18	7	9	2	.....	.....	.....
Pott's disease	69	3	3	1	3	3	17	13	10	7	5	1	3	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
White swelling	44	1	.....	.....	1	3	9	8	4	11	2	4	1	.....	.....	.....	.....
Tuberculosis of other organs	38	3	2	2	.....	.....	.....	5	11	5	3	4	3	.....	.....	.....	.....
General tuberculosis	71	8	4	4	4	2	4	6	13	12	6	4	3	1	.....	.....	.....
Scrofula	4	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	177	121	2	1	1	2	.....	.....	11	16	16	4	2	1	.....	.....	.....
Cancer	2,440	3	5	8	4	1	7	15	59	247	501	671	559	280	70	10	.....
Tumor	36	1	.....	.....	1	1	.....	1	2	5	5	6	9	5	.....	.....	.....
Rheumatism	290	10	.....	4	1	1	21	32	29	29	44	40	38	29	12	.....	.....
Diabetes	471	.....	.....	.....	.....	2	5	14	23	42	49	101	146	79	10	.....	.....
Anemia, leukemia	157	21	6	2	.....	3	8	16	25	16	20	20	13	6	1	.....	.....
Alcoholism	283	.....	.....	.....	.....	.....	1	.....	33	122	71	38	15	2	1	.....	.....
Chronic poisonings	23	.....	.....	.....	.....	.....	.....	.....	4	5	9	4	1	.....	.....	.....	.....
Other general diseases	50	7	1	.....	1	.....	3	2	7	10	6	7	4	2	.....	.....	.....
Encephalitis	17	5	1	1	1	.....	.....	2	.....	1	1	1	2	1	1	.....	.....
Meningitis	1,102	372	231	89	45	39	93	56	47	47	40	27	10	5	1	.....	.....
Apoplexy	2,514	42	11	3	2	1	4	3	47	150	311	573	657	515	178	17	.....
Softening of brain	49	.....	.....	.....	.....	.....	1	.....	.....	.....	5	10	11	15	7	.....	.....
Paralysis	234	6	2	1	.....	1	.....	2	4	17	25	34	56	55	27	4	.....
Epilepsy	118	5	1	2	2	.....	10	20	23	23	12	5	10	5	.....	.....	.....
Convulsions	726	594	85	25	12	3	3	3	.....	.....	.....	1	.....	.....	.....	.....	.....
Tetanus	85	49	1	.....	.....	2	3	5	6	7	5	6	1	.....	.....	.....	.....
Other diseases of nervous system	779	39	15	14	9	9	15	31	59	145	151	129	103	44	15	1	.....
Pericarditis	66	2	2	1	1	1	8	6	6	8	8	7	9	6	1	.....	.....
Endocarditis	997	24	6	2	8	8	37	63	95	113	151	175	159	117	37	1	1
Heart disease	3,907	53	8	6	5	9	81	189	270	406	537	723	851	590	165	14	.....
Angina pectoris	164	.....	.....	1	.....	.....	1	3	4	18	22	38	47	24	6	.....	.....
Embolism and thrombosis	128	2	1	1	1	.....	.....	4	11	16	25	19	20	20	7	1	.....
Other diseases of circulatory system	445	32	1	2	3	2	9	5	9	36	48	66	88	104	35	5	.....
Laryngitis	56	10	10	14	6	2	8	.....	2	1	.....	.....	3	.....	.....	.....	.....
Acute bronchitis	1,639	1,068	255	95	31	17	11	4	12	9	16	19	26	52	21	3	.....
Chronic bronchitis	721	23	8	8	.....	.....	26	22	31	37	50	93	160	160	87	16	.....
Bronchopneumonia	2,966	1,303	684	243	100	49	76	37	58	65	54	67	90	97	35	8	.....
Pneumonia	6,609	1,300	849	300	158	74	188	203	520	696	624	619	556	370	133	19	.....
Pleurisy	281	29	28	13	9	4	9	18	29	45	28	21	28	17	3	.....	.....
Congestion of lungs	162	41	6	1	2	.....	3	6	7	8	15	12	18	17	24	2	.....
Other diseases of respiratory system	375	19	10	4	7	1	8	9	36	46	56	58	64	41	14	2	.....
Tonsilitis	13	.....	1	2	.....	.....	6	1	1	1	.....	.....	.....	.....	1	.....	.....
Diseases of stomach	566	140	11	6	4	4	7	9	48	58	55	88	65	44	24	3	.....
Diarrhea and enteritis	5,723	4,069	857	163	48	37	46	36	34	62	57	70	114	86	42	2	.....
Hernia and intestinal obstructions	519	74	8	10	5	3	10	14	35	63	68	88	80	48	13	.....	.....
Cirrhosis of liver	809	2	.....	1	.....	.....	3	2	35	154	183	217	149	53	10	.....	.....
Other diseases of liver	250	17	.....	2	.....	1	3	5	21	31	49	48	45	23	5	.....	.....
Peritonitis	155	11	1	1	1	1	3	15	24	46	26	11	11	3	1	.....	.....
Appendicitis	397	6	.....	.....	3	4	45	76	93	69	39	34	20	6	2	.....	.....
Other diseases of digestive system	203	57	28	4	2	2	5	9	13	22	24	17	12	6	1	1	.....
Acute nephritis	684	33	11	15	21	21	40	45	109	115	106	57	67	30	13	1	.....
Bright's disease	5,006	50	17	21	16	11	33	106	343	649	890	1,073	1,025	625	168	9	.....
Calculi of urinary tract	13	1	.....	.....	.....	.....	.....	.....	.....	1	1	2	4	4	.....	.....	.....
Uterine tumor	91	.....	.....	.....	.....	.....	.....	1	5	28	38	12	6	.....	1	.....	.....
Ovarian tumor	66	.....	.....	.....	.....	.....	1	1	8	19	16	7	11	2	1	.....	.....
Other diseases of genito-urinary system	431	9	.....	1	.....	.....	3	8	75	85	51	49	62	63	23	2	.....
Puerperal septicemia	317	.....	.....	.....	.....	.....	.....	17	168	113	19	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	294	.....	.....	.....	.....	.....	.....	10	117	142	24	1	.....	.....	.....	.....	.....
Diseases of skin	169	29	.....	3	2	.....	4	5	6	18	20	15	25	30	11	1	.....
Diseases of locomotor system	165	54	16	4	4	1	14	19	15	12	9	9	3	3	2	.....	.....
Malformations	512	477	21	3	2	2	3	3	.....	.....	.....	1	.....	.....	.....	.....	.....
Premature birth	1,224	1,224	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,581	1,581	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	774	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	79	304	309	82	.....
Suicide	509	.....	.....	.....	.....	.....	1	17	98	122	121	80	42	21	4	2	1
Other violence	3,286	256	82	69	66	77	217	254	486	655	453	316	215	82	47	7	4
Ill-defined causes	1,229	971	129	32	9	3	6	3	3	6	8	14	7	19	17	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

NEW YORK, N. Y. (BRONX BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,935	878	324	172	122	92	177	206	583	707	516	420	374	254	100	10	.....
Typhoid fever	36	.....	2	.....	2	.....	2	1	10	11	4	2	2	.....	.....	.....	.....
Malarial fever	23	1	1	1	.....	.....	3	3	.....	2	3	2	2	3	2	.....	.....
Smallpox	302	17	12	12	7	8	14	8	38	44	27	12	2	1	.....	.....	.....
Measles	132	33	44	26	14	5	6	2	1	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	188	9	32	27	33	24	43	11	7	1	1	.....	.....	.....	.....	.....	.....
Whooping cough	42	21	10	4	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	119	11	23	22	13	20	22	7	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	7	.....	.....	1	.....	.....	.....	.....	.....	1	.....	2	3	.....	.....	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Dysentery	31	5	3	3	1	.....	4	1	1	2	.....	3	1	5	2	.....	.....
Erysipelas	10	4	1	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	6	1	1	.....	.....	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Tuberculosis—total	1,233	17	9	13	4	4	11	81	358	388	216	90	35	7	.....	.....	.....
Tuberculosis of lungs	1,100	4	2	3	.....	2	7	75	345	383	212	87	34	6	.....	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	41	11	7	10	2	2	2	2	4	.....	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	13	.....	.....	.....	.....	.....	.....	.....	6	3	2	1	.....	1	.....	.....	.....
Pott's disease	7	1	.....	.....	1	.....	2	.....	2	.....	.....	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
General tuberculosis	6	1	.....	.....	1	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	4	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Cancer	134	.....	2	1	.....	.....	.....	1	1	17	26	41	27	16	2	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
Rheumatism	13	.....	.....	.....	.....	.....	1	1	2	1	1	2	4	1	.....	.....	.....
Diabetes	30	.....	.....	.....	.....	.....	.....	1	1	1	1	7	13	6	.....	.....	.....
Anemia, leukemia	12	.....	.....	.....	.....	.....	.....	2	3	2	2	.....	2	1	.....	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	1	2	4	.....	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other general diseases	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	3	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	75	28	10	9	3	3	11	3	4	1	1	2	.....	.....	.....	.....	.....
Apoplexy	161	1	.....	.....	1	.....	1	.....	1	11	15	41	39	40	11	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
Paralysis	21	1	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	7	3	1	.....
Epilepsy	8	.....	.....	.....	.....	.....	.....	.....	2	2	2	1	.....	1	.....	.....	.....
Convulsions	32	29	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	32	2	.....	.....	1	1	.....	.....	1	5	3	9	2	4	4	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	31	1	.....	.....	1	.....	2	1	3	4	7	4	4	1	2	1	.....
Heart disease	257	3	3	.....	.....	1	5	10	14	19	45	36	64	42	15	.....	.....
Angina pectoris	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	.....	.....	2	1	4	.....	3	.....	.....	.....
Other diseases of circulatory system	23	2	.....	.....	.....	.....	.....	2	2	4	1	6	2	2	2	.....	.....
Laryngitis	6	.....	2	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Acute bronchitis	74	47	2	3	3	1	.....	.....	1	.....	1	2	6	5	3	.....	.....
Chronic bronchitis	31	.....	.....	.....	.....	.....	.....	1	.....	1	1	3	11	10	4	.....	.....
Bronchopneumonia	162	76	39	11	6	2	4	1	3	2	4	1	8	3	1	1	.....
Pneumonia	359	77	46	12	11	6	14	12	24	45	25	32	30	17	6	2	.....
Pleurisy	7	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	1	2	.....	.....	.....
Congestion of lungs	15	1	1	.....	.....	.....	.....	1	.....	.....	3	1	4	1	4	.....	.....
Other diseases of respiratory system	16	1	.....	.....	1	.....	.....	1	1	2	2	3	3	1	1	.....	.....
Tonsilitis	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	28	7	.....	.....	.....	1	.....	3	.....	1	3	3	5	3	2	.....	.....
Diarrhea and enteritis	340	220	61	14	9	4	6	4	2	2	2	2	7	5	2	.....	.....
Hernia and intestinal obstructions	37	4	1	.....	.....	.....	1	3	2	5	3	6	6	4	2	.....	.....
Cirrhosis of liver	35	.....	.....	.....	.....	.....	.....	.....	1	8	3	13	8	2	.....	.....	.....
Other diseases of liver	9	.....	.....	1	.....	1	.....	.....	.....	1	4	1	.....	1	.....	.....	.....
Peritonitis	14	.....	.....	.....	.....	.....	.....	.....	4	5	3	1	1	.....	.....	.....	.....
Appendicitis	17	.....	.....	.....	.....	.....	3	4	4	1	4	1	.....	.....	.....	.....	.....
Other diseases of digestive system	5	1	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Acute nephritis	51	5	.....	.....	4	1	3	4	11	6	4	6	3	3	1	.....	.....
Bright's disease	253	3	1	.....	.....	.....	3	10	12	39	43	52	47	30	10	3	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	17	.....	.....	.....	.....	.....	.....	.....	3	1	3	.....	5	4	1	.....	.....
Puerperal septicemia	16	.....	.....	.....	.....	.....	.....	.....	12	3	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	19	.....	.....	.....	.....	.....	.....	.....	10	8	1	.....	.....	.....	.....	.....	.....
Diseases of skin	14	3	.....	.....	.....	.....	1	2	1	.....	3	1	1	2	.....	.....	.....
Diseases of locomotor system	6	1	3	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	26	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	83	83	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	66	66	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	10	14	2	.....
Suicide	33	.....	.....	.....	.....	.....	.....	.....	8	8	9	6	2	.....	.....	.....	.....
Other violence	191	11	2	7	5	6	11	22	27	42	22	15	13	5	3	.....	.....
Ill-defined causes	70	53	8	1	.....	1	.....	.....	.....	2	.....	1	.....	2	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

NEW YORK, N. Y. (BROOKLYN BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	22,427	5,054	1,513	699	404	316	742	791	1,860	2,325	2,059	2,127	2,177	1,625	644	90	1
Typhoid fever	302	3	3	2	.....	1	15	50	107	67	28	14	11	.....	1	.....	.....
Malarial fever	51	.....	5	.....	2	3	7	3	8	5	1	4	3	7	3	.....	.....
Smallpox	88	10	8	9	2	5	5	2	17	15	7	5	1	2	.....	.....	.....
Measles	230	75	86	28	12	14	11	1	1	1	.....	1	.....	.....	.....	.....	.....
Scarlet fever	285	7	25	53	34	30	93	29	7	2	3	2	.....	.....	.....	.....	.....
Whooping cough	213	119	44	21	7	11	9	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	730	37	123	142	112	93	187	27	5	1	2	1	.....	.....	.....	.....	.....
Influenza	79	5	4	3	.....	.....	4	3	5	5	10	13	12	12	3	.....	.....
Cholera nostras	12	4	1	.....	.....	.....	.....	.....	.....	.....	2	1	2	2	.....	.....	.....
Dysentery	153	28	18	16	6	4	11	3	7	9	7	11	9	12	11	1	.....
Erysipelas	33	12	.....	.....	.....	.....	.....	.....	2	3	7	6	1	2	.....	.....	.....
Other epidemic diseases [1]	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	14	2	.....	.....	.....	.....	.....	1	2	3	3	1	1	.....	1	.....	.....
Tuberculosis—total	2,727	111	81	23	21	19	51	227	681	793	411	190	83	33	2	.....	1
Tuberculosis of lungs	2,347	18	9	7	5	3	10	201	650	762	396	179	74	31	1	.....	1
Tuberculosis of larynx	23	1	.....	.....	.....	.....	.....	.....	2	8	2	5	4	.....	1	.....	.....
Tuberculous meningitis	219	60	60	15	14	14	28	13	6	5	3	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	76	30	8	1	1	.....	5	7	8	4	5	4	2	1	.....	.....	.....
Pott's disease	13	.....	2	.....	.....	.....	6	2	3	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
White swelling	13	.....	.....	.....	.....	1	1	2	2	6	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	7	2	.....	.....	.....	.....	.....	1	1	2	.....	.....	1	.....	.....	.....	.....
General tuberculosis	28	.....	2	.....	1	1	1	1	9	6	4	1	2	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	29	17	1	.....	.....	1	.....	.....	5	3	1	.....	1	.....	.....	.....	.....
Cancer	794	.....	.....	1	.....	.....	3	.....	15	79	154	207	187	115	29	4	.....
Tumor	11	1	.....	.....	.....	1	.....	.....	.....	1	2	2	3	1	.....	.....	.....
Rheumatism	144	6	.....	2	1	.....	9	18	15	15	21	16	20	17	4	.....	.....
Diabetes	149	.....	.....	.....	.....	2	2	3	8	13	19	29	41	27	5	.....	.....
Anemia, leukemia	52	10	2	.....	.....	1	2	4	6	6	6	4	7	4	.....	.....	.....
Alcoholism	69	.....	.....	.....	.....	.....	.....	.....	8	33	18	8	2	.....	.....	.....	.....
Chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	2	1	3	2	.....	.....	.....	.....	.....
Other general diseases	8	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	2	.....	.....	.....	.....
Encephalitis	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Meningitis	256	80	54	23	15	10	26	14	7	8	11	3	5	.....	.....	.....	.....
Apoplexy	869	10	8	1	1	.....	.....	1	15	47	102	206	230	166	73	9	.....
Softening of brain	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	5	3	.....	.....
Paralysis	101	1	2	1	.....	.....	.....	2	2	8	10	12	26	23	12	2	.....
Epilepsy	43	3	.....	.....	1	.....	4	5	11	8	3	3	4	1	.....	.....	.....
Convulsions	241	193	24	15	6	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	33	19	1	.....	.....	.....	1	1	1	4	2	4	.....	.....	.....	.....	.....
Other diseases of nervous system	256	11	6	5	5	2	4	9	17	39	48	42	41	20	6	1	.....
Pericarditis	20	1	.....	.....	.....	.....	3	2	3	3	3	2	2	1	.....	.....	.....
Endocarditis	173	6	4	.....	2	5	6	14	23	13	24	26	26	16	8	.....	.....
Heart disease	1,609	32	2	2	.....	4	30	67	116	137	200	303	359	269	81	7	.....
Angina pectoris	72	.....	.....	1	.....	.....	1	2	3	8	9	18	15	11	4	.....	.....
Embolism and thrombosis	33	2	.....	.....	1	.....	.....	.....	1	2	6	2	7	7	4	1	.....
Other diseases of circulatory system	97	6	.....	.....	.....	1	2	2	3	6	11	15	17	27	7	.....	.....
Laryngitis	29	4	5	4	4	2	5	.....	2	1	.....	.....	2	.....	.....	.....	.....
Acute bronchitis	688	436	105	36	10	7	8	3	6	5	10	8	13	32	9	.....	.....
Chronic bronchitis	256	6	6	4	.....	.....	17	8	12	17	19	24	48	56	31	8	.....
Bronchopneumonia	825	331	182	69	33	14	20	7	16	21	17	22	39	41	10	3	.....
Pneumonia	2,179	405	272	102	57	32	60	75	207	234	178	191	188	130	43	5	.....
Pleurisy	74	2	5	2	3	2	3	5	5	16	7	4	9	9	2	.....	.....
Congestion of lungs	51	18	1	.....	.....	.....	1	1	2	4	4	2	2	3	12	1	.....
Other diseases of respiratory system	133	7	1	2	2	.....	4	3	11	14	22	15	23	19	8	2	.....
Tonsilitis	6	.....	.....	1	.....	.....	3	.....	.....	1	.....	.....	.....	.....	1	.....	.....
Diseases of stomach	213	46	4	1	3	.....	2	2	20	22	22	38	27	16	9	1	.....
Diarrhea and enteritis	2,055	1,404	323	65	17	14	21	16	7	22	20	31	55	40	19	1	.....
Hernia and intestinal obstructions	157	21	2	5	1	.....	4	3	8	15	22	29	28	15	4	.....	.....
Cirrhosis of liver	270	1	.....	.....	.....	.....	.....	1	11	41	64	74	52	20	6	.....	.....
Other diseases of liver	89	6	.....	1	.....	.....	2	1	4	10	17	20	18	9	1	.....	.....
Peritonitis	38	1	.....	.....	.....	.....	.....	5	8	8	11	1	2	1	1	.....	.....
Appendicitis	121	2	.....	.....	1	2	14	26	25	30	8	7	5	1	.....	.....	.....
Other diseases of digestive system	72	26	17	2	.....	.....	1	2	1	3	9	6	4	.....	1	.....	.....
Acute nephritis	254	12	2	9	6	7	18	28	46	30	31	18	28	11	8	.....	.....
Bright's disease	1,635	15	5	7	7	4	12	34	112	189	255	343	362	238	51	1	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Uterine tumor	22	.....	.....	.....	.....	.....	.....	.....	.....	4	13	4	1	.....	.....	.....	.....
Ovarian tumor	19	.....	.....	.....	.....	.....	.....	.....	4	8	2	1	3	.....	1	.....	.....
Other diseases of genito-urinary system	131	3	.....	1	.....	.....	.....	2	22	27	11	20	16	21	6	2	.....
Puerperal septicemia	88	.....	.....	.....	.....	.....	.....	7	40	34	7	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	96	.....	.....	.....	.....	.....	.....	5	33	49	9	.....	.....	.....	.....	.....	.....
Diseases of skin	54	11	.....	2	1	.....	1	2	2	2	7	4	8	10	4	.....	.....
Diseases of locomotor system	30	11	2	1	1	.....	2	3	2	2	3	3	.....	.....	.....	.....	.....
Malformations	261	250	7	.....	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	347	347	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	442	442	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	335	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	33	134	132	36	.....
Suicide	31	.....	.....	.....	.....	.....	.....	4	1	5	5	11	4	.....	1	.....	.....
Other violence	1,000	102	26	24	23	22	55	56	147	172	148	89	81	30	21	4	.....
Ill-defined causes	414	328	46	13	5	1	2	.....	.....	.....	1	2	2	7	6	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

NEW YORK, N. Y. (MANHATTAN BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	36,561	8,623	2,588	1,090	596	432	1,008	1,210	3,041	4,210	3,874	3,720	3,250	2,053	762	102	2
Typhoid fever	361	.....	3	2	2	3	17	52	127	84	40	17	8	6	.....	.....	.....
Malarial fever	41	4	1	2	.....	.....	2	6	5	5	4	5	4	3	.....	.....	.....
Smallpox	17	3	.....	1	.....	1	.....	.....	3	4	2	2	1	.....	.....	.....	.....
Measles	267	77	105	36	15	7	14	2	3	2	5	1	.....	.....	.....	.....	.....
Scarlet fever	434	29	57	85	68	54	106	21	8	4	1	1	.....	.....	.....	.....	.....
Whooping cough	278	149	62	30	24	5	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	1,045	130	278	192	125	108	163	27	8	8	5	1	.....	.....	.....	.....	.....
Influenza	92	8	3	.....	.....	2	.....	5	9	13	11	14	13	8	6	.....	.....
Cholera nostras	8	4	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	1	.....	.....
Dysentery	89	27	6	.....	1	.....	4	.....	3	4	4	12	16	9	3	.....	.....
Erysipelas	134	47	6	2	.....	1	2	6	9	19	9	9	15	7	1	1	.....
Other epidemic diseases[1]	9	6	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Septicemia	62	12	5	.....	1	1	3	2	10	10	5	10	1	1	1	.....	.....
Tuberculosis—total	4,430	189	136	76	49	35	100	279	1,021	1,144	750	379	187	64	19	1	1
Tuberculosis of lungs	3,742	35	30	20	7	5	23	227	971	1,094	718	359	170	62	19	1	1
Tuberculosis of larynx	31	.....	.....	.....	.....	.....	1	1	4	7	8	4	4	2	.....	.....	.....
Tuberculous meningitis	444	130	99	46	37	22	54	21	14	12	5	3	1	.....	.....	.....	.....
Abdominal tuberculosis	83	15	3	3	.....	3	4	8	16	13	10	2	6	.....	.....	.....	.....
Pott's disease	43	1	1	1	2	3	8	11	2	6	5	1	2	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	28	1	.....	.....	1	2	8	5	1	4	1	4	1	.....	.....	.....	.....
Tuberculosis of other organs	28	1	2	2	.....	.....	.....	3	10	3	1	4	2	.....	.....	.....	.....
General tuberculosis	31	6	1	4	2	.....	2	3	3	5	2	2	1	.....	.....	.....	.....
Scrofula	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	136	95	1	1	1	1	.....	.....	6	12	13	4	1	1	.....	.....	.....
Cancer	1,385	3	3	5	3	1	4	13	39	139	305	385	311	134	35	5	.....
Tumor	20	.....	.....	.....	.....	.....	.....	1	1	4	3	3	5	3	.....	.....	.....
Rheumatism	122	4	.....	2	.....	1	10	10	12	12	21	21	13	11	5	.....	.....
Diabetes	271	.....	.....	.....	.....	.....	3	9	14	25	29	61	84	41	5	.....	.....
Anemia, leukemia	84	11	4	2	.....	2	4	9	14	8	11	15	3	.....	1	.....	.....
Alcoholism	198	.....	.....	.....	.....	.....	1	.....	22	85	45	29	13	2	1	.....	.....
Chronic poisonings	13	.....	.....	.....	.....	.....	.....	.....	2	3	5	2	1	.....	.....	.....	.....
Other general diseases	35	4	1	.....	.....	.....	2	2	6	8	4	4	2	2	.....	.....	.....
Encephalitis	9	1	1	.....	.....	.....	.....	2	.....	1	1	1	1	.....	1	.....	.....
Meningitis	690	231	148	52	26	24	52	36	34	34	27	19	2	4	1	.....	.....
Apoplexy	1,288	29	1	1	.....	1	2	1	26	81	180	283	337	258	81	7	.....
Softening of brain	24	.....	.....	.....	.....	.....	1	.....	.....	.....	3	6	4	7	3	.....	.....
Paralysis	100	4	.....	.....	.....	1	.....	.....	2	8	12	18	25	18	11	1	.....
Epilepsy	54	2	1	1	1	.....	5	11	8	12	6	.....	5	2	.....	.....	.....
Convulsions	412	340	52	9	6	1	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....
Tetanus	38	21	.....	.....	.....	1	.....	4	4	3	2	2	1	.....	.....	.....	.....
Other diseases of nervous system	444	24	9	9	3	6	10	22	37	90	90	70	53	17	4	.....	.....
Pericarditis	41	1	2	.....	1	1	4	3	1	5	5	5	7	5	1	.....	.....
Endocarditis	749	16	2	2	5	3	29	45	68	89	115	134	123	92	25	.....	1
Heart disease	1,739	15	2	4	4	4	44	102	124	225	256	331	358	215	51	4	.....
Angina pectoris	77	.....	.....	.....	.....	.....	.....	.....	1	10	11	17	26	11	1	.....	.....
Embolism and thrombosis	74	.....	1	1	.....	.....	.....	4	9	11	18	12	10	5	3	.....	.....
Other diseases of circulatory system	310	24	1	1	3	1	5	1	4	26	33	43	66	72	25	5	.....
Laryngitis	17	4	3	7	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	822	552	140	55	17	8	2	1	3	4	4	8	7	11	8	2	.....
Chronic bronchitis	401	15	2	3	.....	.....	9	12	18	18	29	62	91	86	48	8	.....
Bronchopneumonia	1,879	854	444	157	58	31	49	28	39	41	30	41	37	46	21	3	.....
Pneumonia	3,668	737	485	177	82	32	97	107	268	382	380	357	296	191	66	11	.....
Pleurisy	190	27	19	11	5	2	5	12	24	28	19	17	15	5	1	.....	.....
Congestion of lungs	60	20	4	1	1	.....	1	2	3	3	3	2	6	8	5	1	.....
Other diseases of respiratory system	203	11	6	2	4	1	2	5	23	28	30	35	35	16	5	.....	.....
Tonsilitis	6	.....	1	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	286	79	7	5	1	3	4	3	26	32	28	45	23	19	10	1	.....
Diarrhea and enteritis	2,912	2,137	418	72	19	13	15	15	22	34	34	35	44	34	19	1	.....
Hernia and intestinal obstructions	294	44	5	3	4	3	5	8	23	39	43	47	38	26	6	.....	.....
Cirrhosis of liver	448	1	.....	1	.....	.....	3	1	20	98	109	114	74	23	4	.....	.....
Other diseases of liver	131	9	.....	.....	.....	.....	1	4	14	16	26	26	22	10	3	.....	.....
Peritonitis	81	7	1	1	1	1	1	9	10	25	11	4	8	2	.....	.....	.....
Appendicitis	238	3	.....	.....	2	2	25	43	59	35	26	23	14	4	2	.....	.....
Other diseases of digestive system	116	25	9	1	2	.....	4	7	11	18	15	10	8	5	.....	1	.....
Acute nephritis	330	15	9	5	10	11	17	10	43	64	63	31	34	14	3	1	.....
Bright's disease	2,861	29	11	12	9	7	14	55	204	387	531	637	555	315	91	4	.....
Calculi of urinary tract	10	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	3	.....	.....	.....
Uterine tumor	68	.....	.....	.....	.....	.....	.....	1	5	24	24	8	5	.....	1	.....	.....
Ovarian tumor	41	.....	.....	.....	.....	.....	1	1	4	10	11	5	7	2	.....	.....	.....
Other diseases of genito-urinary system	251	4	.....	.....	.....	.....	3	5	47	52	35	26	35	32	12	.....	.....
Puerperal septicemia	203	.....	.....	.....	.....	.....	.....	10	111	72	10	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	164	.....	.....	.....	.....	.....	.....	4	63	82	14	1	.....	.....	.....	.....	.....
Diseases of skin	93	13	.....	1	1	.....	2	1	3	15	10	9	14	16	7	1	.....
Diseases of locomotor system	127	42	11	3	3	1	11	16	11	10	6	6	2	3	2	.....	.....
Malformations	206	186	12	2	.....	2	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Premature birth	714	714	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	971	971	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	325	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	37	117	132	39	.....
Suicide	395	.....	.....	.....	.....	.....	1	12	80	100	96	52	28	21	3	2	.....
Other violence	1,847	121	49	36	33	49	133	153	263	401	249	187	110	40	21	2	.....
Ill-defined causes	620	490	60	18	4	1	3	3	3	3	5	11	5	6	7	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

NEW YORK, N. Y. (QUEENS BOROUGH).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,782	689	169	57	38	28	103	95	219	278	227	283	282	221	77	11	5
Typhoid fever	36						1	7	7	9	3	7	2				
Malarial fever	8	1						1		1	1	1	2			1	
Smallpox																	
Measles	10	4	6														
Scarlet fever	13	1	1	2	1	2	5		1								
Whooping cough	27	19	4	4													
Diphtheria and croup	89	5	11	12	13	11	27	6	4								
Influenza	3									1				1	1		
Cholera nostras																	
Dysentery	14	4	1	2				1			1		3	1		1	
Erysipelas	1	1															
Other epidemic diseases[1]																	
Septicemia	5	2							1	1	1						
Tuberculosis—total	275	10	8	2	4	1	10	19	70	69	43	24	11	3	1		
Tuberculosis of lungs	232	2	1				1	18	66	66	41	23	11	2	1		
Tuberculosis of larynx	5								1	2	1	1					
Tuberculous meningitis	23	5	5	1	4		6	1	1								
Abdominal tuberculosis	6	1	1	1			1			1	1						
Pott's disease	2	1					1										
Tuberculous abscess																	
White swelling	1								1								
Tuberculosis of other organs																	
General tuberculosis	6	1	1			1	1		1					1			
Scrofula																	
Venereal diseases	2	2															
Cancer	81			1					3	9	12	27	20	8		1	
Tumor	1				1												
Rheumatism	6						1				1	1	1		2		
Diabetes	14									2		2	6	4			
Anemia, leukemia	7						1	1	2		1	1	1				
Alcoholism	4								1	1	1	1					
Chronic poisonings																	
Other general diseases	4				1		1			1	1						
Encephalitis																	
Meningitis	61	28	12	3	1	1	3	3	1	4	1	2	2				
Apoplexy	139	2	2	1			1	1	2	7	9	33	32	40	8	1	
Softening of brain	2											1	1				
Paralysis	6										1	1	1	3			
Epilepsy	6						1	3	2								
Convulsions	40	31	6	1			2										
Tetanus	8	5				1	2										
Other diseases of nervous system	31	2							4	9	6	4	4	2			
Pericarditis	4			1				1	2								
Endocarditis	28	1						3		4	3	9	3	4	1		
Heart disease	207	3	1				2	7	12	20	29	39	46	36	11	1	
Angina pectoris	5							1				1	3				
Embolism and thrombosis	7								1	1		1	2	2			
Other diseases of circulatory system	4			1			1				1		1				
Laryngitis	4	2		1			1										
Acute bronchitis	44	28	7		1	1	1		2		1	1			1	1	
Chronic bronchitis	22			1				1	1	1	1	3	9	3	2		
Bronchopneumonia	58	22	13	3	1	1	3	1			3	2	5	3		1	
Pneumonia	311	68	42	6	7	3	14	8	15	30	29	26	31	20	12		
Pleurisy	8		3				1				1		2	1			
Congestion of lungs	24	1			1		1		2		4	6	3	3	3		
Other diseases of respiratory system	18		1				2		1	2	2	4	3	3			
Tonsilitis																	
Diseases of stomach	20	3					1	1	2	2	2		6	3			
Diarrhea and enteritis	258	188	32	10	2	4	3	1	3	4		1	5	5			
Hernia and intestinal obstructions	25	5		2					2	3		5	5	2	1		
Cirrhosis of liver	41								2	6	3	13	11	6			
Other diseases of liver	9	2								1	1	1	1	2	1		
Peritonitis	20	3					1	1	2	8	1	4					
Appendicitis	13							2	3	3	1	3	1				
Other diseases of digestive system	5	3				1						1					
Acute nephritis	40	1			1	2	1	3	6	13	7	2	2	1	1		
Bright's disease	168	2		2			2	5	12	23	21	31	38	25	6	1	
Calculi of urinary tract	1												1				
Uterine tumor																	
Ovarian tumor	1									1							
Other diseases of genito-urinary system	14	2							2	3	2	1	1	3			
Puerperal septicemia	5								2	2	1						
Other causes incident to childbirth	12							1	8	3							
Diseases of skin	3									1			1	1			
Diseases of locomotor system	1												1				
Malformations	15	13	1				1										
Premature birth	59	59															
Congenital debility	78	78															
Old age	63												4	33	23	3	
Suicide	34								7	6	7	7	6				1
Other violence	165	12	3	2	4		12	17	34	26	24	17	5	3	2		4
Ill-defined causes	95	76	15				1			1	1				1		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

NEW YORK, N. Y. (RICHMOND BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,281	280	58	29	16	17	38	33	104	105	99	117	156	155	67	7	
Typhoid fever	10								9			1					
Malarial fever	4			1							1	1			1		
Smallpox	1	1															
Measles	3	1		1	1												
Scarlet fever	18		2	3	2	1	9		1								
Whooping cough	17	7	2	5	1		2										
Diphtheria and croup	20		4	3	3	6	2	2									
Influenza	2										1			1			
Cholera nostras	1													1			
Dysentery	2										1				1		
Erysipelas	4	2										1	1				
Other epidemic diseases [1]	1								1								
Septicemia	1														1		
Tuberculosis—total	147	2	3	1	1	4	3	8	39	36	19	14	8	6	3		
Tuberculosis of lungs	129	1	1			3	2	8	36	32	18	14	6	6	2		
Tuberculosis of larynx	3										1		1		1		
Tuberculous meningitis	7	1	2	1	1	1				1							
Abdominal tuberculosis	3						1			1			1				
Pott's disease	4								3	1							
Tuberculous abscess																	
White swelling	1									1							
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula	1				1												
Venereal diseases	6	4									2						
Cancer	46				1			1	1	3	4	11	14	7	4		
Tumor	1								1								
Rheumatism	5							3		1					1		
Diabetes	7							1		1		2	2	1			
Anemia, leukemia	2						1							1			
Alcoholism	5								1	1	3						
Chronic poisonings																	
Other general diseases	1	1															
Encephalitis																	
Meningitis	20	5	7	2		1	1		1			1	1	1			
Apoplexy	57								3	4	5	10	19	11	5		
Softening of brain	2												1		1		
Paralysis	6									1				4	1		
Epilepsy	7			1				1		1	1	1	1	1			
Convulsions	1	1															
Tetanus	3	3															
Other diseases of nervous system	16						1			2	4	4	3	1	1		
Pericarditis																	
Endocarditis	16								1	3	2	2	3	4	1		
Heart disease	95				1			3	4	5	7	14	24	28	7	2	
Angina pectoris	7										1	2	2	2			
Embolism and thrombosis	4												1	3			
Other diseases of circulatory system	11						1				2	2	2	3	1		
Laryngitis																	
Acute bronchitis	11	5	1	1										4			
Chronic bronchitis	11	2										1	1	5	2		
Bronchopneumonia	42	20	6	3	2	1				1		1	1	4	3		
Pneumonia	92	13	4	3	1	1	3	1	6	5	12	13	11	12	6	1	
Pleurisy	2		1											1			
Congestion of lungs	11	1						2		1	1	1	3	2			
Other diseases of respiratory system	5		2									1		2			
Tonsilitis																	
Diseases of stomach	19	5								1		2	4	3	3	1	
Diarrhea and enteritis	158	120	23	2	1	2	1				1	1	3	2	2		
Hernia and intestinal obstructions	6									1		1	3	1			
Cirrhosis of liver	15								1	1	4	3	4	2			
Other diseases of liver	12								3	3	1		4	1			
Peritonitis	2						1					1					
Appendicitis	8	1					3	1	2					1			
Other diseases of digestive system	5	2		1		1								1			
Acute nephritis	9			1			1		3	2	1			1			
Bright's disease	89	1					2	2	3	11	10	10	23	17	10		
Calculi of urinary tract																	
Uterine tumor																	
Ovarian tumor	2										1	1					
Other diseases of genito-urinary system	18							1	1	2		2	5	3	4		
Puerperal septicemia	5								3	2							
Other causes incident to childbirth	3								3								
Diseases of skin	5	2										1	1	1			
Diseases of locomotor system	1						1										
Malformations	4	2	1	1													
Premature birth	21	21															
Congenital debility	24	24															
Old age	22												2	10	8	2	
Suicide	16							1	2	3	4	4	2				
Other violence	83	10	2		1		6	6	15	14	10	8	6	4		1	
Ill-defined causes	30	24									1			4	1		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

NEWARK, N. J.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,922	1,114	280	143	70	54	155	150	465	522	500	478	483	366	128	11	3
Typhoid fever	51	.....	.....	.....	2	1	3	6	12	15	7	1	3	1	.....	.....	.....
Malarial fever	11	1	1	1	.....	1	1	.....	1	1	1	1	.....	1	1	.....	.....
Smallpox	188	29	12	10	6	2	15	10	42	37	12	8	2	3	.....	.....	.....
Measles	54	21	21	3	.....	2	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	48	4	6	8	4	11	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	41	24	10	1	2	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	101	5	16	19	18	11	26	4	1	1	.....	.....	.....	.....	.....	.....	.....
Influenza	14	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	5	1	3	2	.....	.....
Cholera nostras	7	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	3	1	.....	.....	.....
Dysentery	20	2	1	1	1	.....	.....	.....	2	1	4	1	1	5	1	.....	.....
Erysipelas	8	4	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	20	.....	.....	.....	.....	.....	1	2	6	3	2	4	1	1	.....	.....	.....
Tuberculosis—total	662	22	5	8	1	2	11	35	187	168	118	56	35	14	.....	.....	.....
Tuberculosis of lungs	588	7	1	3	.....	.....	5	32	172	156	113	52	33	14	.....	.....	.....
Tuberculosis of larynx	9	1	.....	.....	.....	.....	.....	.....	1	4	1	2	.....	.....	.....	.....	.....
Tuberculous meningitis	36	11	4	4	1	2	5	1	5	2	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	11	1	.....	1	.....	.....	.....	.....	4	1	1	2	1	.....	.....	.....	.....
Pott's disease	5	.....	.....	.....	.....	.....	1	.....	3	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....
General tuberculosis	8	1	.....	.....	.....	.....	.....	2	1	3	1	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Venereal diseases	16	8	.....	.....	.....	.....	.....	1	2	1	2	2	.....	.....	.....	.....	.....
Cancer	166	.....	.....	.....	.....	.....	1	.....	3	12	35	47	42	20	6	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Rheumatism	9	.....	.....	.....	.....	.....	.....	2	1	2	1	1	2	.....	.....	.....	.....
Diabetes	27	.....	.....	.....	.....	.....	.....	1	1	1	5	6	11	1	1	.....	.....
Anemia, leukemia	9	.....	.....	.....	.....	.....	.....	.....	.....	1	4	3	.....	1	.....	.....	.....
Alcoholism	23	.....	.....	.....	.....	.....	.....	.....	5	9	4	3	2	.....	.....	.....	.....
Chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	2	2	3	.....	1	.....	.....	.....	.....
Other general diseases	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Meningitis	149	55	23	14	4	5	10	8	10	5	3	4	6	2	.....	.....	.....
Apoplexy	247	10	3	.....	.....	1	1	3	3	4	25	43	75	60	19	.....	.....
Softening of brain	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	5	.....	.....	.....
Paralysis	22	.....	1	.....	.....	.....	.....	.....	.....	1	1	4	4	7	3	1	.....
Epilepsy	8	.....	.....	1	.....	1	.....	.....	1	3	.....	.....	2	.....	.....	.....	.....
Convulsions	99	77	10	6	.....	1	1	1	2	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	18	13	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....
Other diseases of nervous system	57	7	1	1	.....	.....	2	.....	5	8	10	6	8	7	2	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....
Endocarditis	33	4	.....	.....	.....	.....	4	.....	4	1	3	10	3	3	.....	1	.....
Heart disease	349	5	3	1	1	.....	6	9	18	34	49	62	75	64	20	2	.....
Angina pectoris	15	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	7	2	.....	.....	.....
Embolism and thrombosis	18	1	.....	1	.....	.....	.....	.....	1	3	1	4	6	1	.....	.....	.....
Other diseases of circulatory system	23	1	1	1	.....	.....	1	2	1	2	.....	2	8	2	2	.....	.....
Laryngitis	7	2	1	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....
Acute bronchitis	93	57	14	6	1	.....	1	.....	1	1	.....	4	4	2	2	.....	.....
Chronic bronchitis	47	1	1	1	.....	1	2	.....	.....	1	2	8	11	13	6	.....	.....
Bronchopneumonia	132	58	38	11	7	1	3	5	1	1	2	2	2	1	.....	.....	.....
Pneumonia	336	68	40	20	10	3	12	10	16	39	34	32	24	23	3	1	1
Pleurisy	13	1	1	1	1	.....	.....	1	1	1	3	1	.....	1	1	.....	.....
Congestion of lungs	21	4	.....	.....	.....	.....	1	.....	1	.....	.....	3	6	2	4	.....	.....
Other diseases of respiratory system	33	3	.....	1	1	1	2	2	5	5	3	3	4	2	1	.....	.....
Tonsilitis	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	26	1	1	.....	.....	.....	.....	2	3	2	6	4	3	4	.....	.....	.....
Diarrhea and enteritis	333	233	50	16	3	1	3	.....	3	1	1	1	9	9	3	.....	.....
Hernia and intestinal obstructions	50	6	2	1	.....	.....	.....	1	3	6	11	8	9	2	1	.....	.....
Cirrhosis of liver	58	.....	.....	.....	1	.....	.....	1	2	12	17	19	2	3	1	.....	.....
Other diseases of liver	19	.....	.....	.....	.....	.....	.....	.....	3	3	6	3	3	1	.....	.....	.....
Peritonitis	32	2	.....	.....	.....	.....	.....	2	6	8	6	1	4	1	1	.....	1
Appendicitis	29	.....	.....	.....	.....	.....	4	8	7	5	2	1	.....	1	1	.....	.....
Other diseases of digestive system	7	3	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Acute nephritis	44	5	.....	.....	1	2	2	3	6	9	7	5	.....	4	.....	.....	.....
Bright's disease	299	1	.....	1	.....	2	1	4	16	37	46	62	65	50	13	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	21	.....	.....	.....	.....	.....	.....	.....	3	4	3	3	5	2	1	.....	.....
Puerperal septicemia	21	.....	.....	.....	.....	.....	.....	2	11	7	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	24	.....	.....	.....	.....	.....	.....	1	7	13	3	.....	.....	.....	.....	.....	.....
Diseases of skin	17	4	.....	.....	.....	1	.....	.....	2	.....	3	.....	2	4	1	.....	.....
Diseases of locomotor system	7	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
Malformations	29	26	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	76	76	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	159	159	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	56	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	20	26	5	.....
Suicide	53	.....	.....	.....	.....	.....	.....	1	7	10	15	11	4	5	.....	.....	.....
Other violence	196	16	3	3	6	1	17	17	40	28	26	17	13	6	3	.....	.....
Ill-defined causes	139	89	9	4	.....	1	1	2	2	4	7	7	5	5	2	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

OMAHA, NEBR.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,308	233	57	33	17	14	38	60	115	139	163	143	123	122	40	10	1
Typhoid fever	24						1	2	8	4	3	5	1				
Malarial fever	3		1					1		1							
Smallpox	3	2													1		
Measles	15	2	8	3		1	1										
Scarlet fever	14	2		3	1	2	6										
Whooping cough	20	4	8	5		2	1										
Diphtheria and croup	16		1	2	3	2	5	2				1					
Influenza	7	1									1	3	1	1			
Cholera nostras																	
Dysentery	6	1	1		1					2				1			
Erysipelas	6	1		1							2			1		1	
Other epidemic diseases [1]																	
Septicemia	12							1	4	3	3	1					
Tuberculosis—total	125	4	3	1		1	1	12	26	34	18	12	10	3			
Tuberculosis of lungs	110	1	2			1	1	12	23	28	17	12	10	3			
Tuberculosis of larynx	1										1						
Tuberculous meningitis	4	1		1					1	1							
Abdominal tuberculosis	4	2								2							
Pott's disease																	
Tuberculous abscess																	
White swelling	1								1								
Tuberculosis of other organs	4								1	3							
General tuberculosis	1		1														
Scrofula																	
Venereal diseases	8	3	1						1	1		1		1			
Cancer	51								1	4	16	14	8	8			
Tumor	9							1	1	1	3	1	1	1			
Rheumatism	13						1	3	2	1	2	2	2				
Diabetes	4		1						1			2					
Anemia, leukemia	9	1								4	1	1	2				
Alcoholism	10								2	2	3	3					
Chronic poisonings	1								1								
Other general diseases	3									1	1	1					
Encephalitis																	
Meningitis	25	8	4	1	1		2		1	5	3						
Apoplexy	61	3	1		2		1			3	9	11	17	13	1		
Softening of brain	2										1			1			
Paralysis	17							1			4	4	2	5	1		
Epilepsy	3							1	1				1				
Convulsions	41	34	3	1				1	1			1					
Tetanus	2								1			1					
Other diseases of nervous system	30		1				1		3	2	8	4	4	5	1	1	
Pericarditis	1									1							
Endocarditis	3					1		1				1					
Heart disease	69	1					2	3	4	6	12	11	14	11	4	1	
Angina pectoris	8							1				2		4	1		
Embolism and thrombosis	3								1	1	1						
Other diseases of circulatory system	8							1		1	2	1	1	1		1	
Laryngitis	3	2	1														
Acute bronchitis	12	8	2			1								1			
Chronic bronchitis	10								1		1	2		6			
Bronchopneumonia	17	5	2	3			2			1	1	1	2				
Pneumonia	94	19	4	4	6	1	4	2	7	6	10	5	12	10	4		
Pleurisy	3								1		1		1				
Congestion of lungs	19	7		1					1	3	1		1	2	2	1	
Other diseases of respiratory system	13	2							1		4	1	3	2			
Tonsilitis																	
Diseases of stomach	14	2	1							4	1	2	2	2			
Diarrhea and enteritis	75	48	11	6		1		1	1	1	2	1	1		2		
Hernia and intestinal obstructions	10	1		1				1	2				1	4			
Cirrhosis of liver	14							1		3	2	3	2	3			
Other diseases of liver	19								1	2	6	6	3	1			
Peritonitis	12				1			2	3	4	1	1					
Appendicitis	25				1		4	8	5	5	1		1				
Other diseases of digestive system	6	1						1			1	2	1				
Acute nephritis	4					1		1	2								
Bright's disease	54	2					1	3	7	4	7	13	6	8	3		
Calculi of urinary tract																	
Uterine tumor	1									1							
Ovarian tumor	2									2							
Other diseases of genito-urinary system	18								4	2	5	2	2	2	1		
Puerperal septicemia	5							1	1	3							
Other causes incident to childbirth	5							1	2	1	1						
Diseases of skin	4	2											1		1		
Diseases of locomotor system	4					1	1				1		1				
Malformations	7	7															
Premature birth																	
Congenital debility	44	44															
Old age	25													10	11	4	
Suicide	17							2	2	3	4	2	3	1			
Other violence	77	2	2		1		4	4	13	14	12	11	7	4	1	1	1
Ill-defined causes	63	14	1	1				1	2	3	8	8	9	10	6		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

PATERSON, N. J.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,783	423	102	61	23	28	63	51	145	169	165	172	170	147	56	6	2
Typhoid fever	37						3	5	13	7	5	4					
Malarial fever	5	1	1					1		1			1				
Smallpox	5	1							3	1							
Measles	19	6	5	4	1	1	2										
Scarlet fever	18		3	5	2	2	4	2									
Whooping cough	10	7	1		1		1										
Diphtheria and croup	49	3	9	12	7	6	11	1									
Influenza	3			1								1			1		
Cholera nostras																	
Dysentery	13	2		1			2	1		2	2	1	1	1			
Erysipelas	3	1											1	1			
Other epidemic diseases[1]																	
Septicemia	5									2	2		1				
Tuberculosis—total	209	8	2	3	2	1	4	12	64	45	35	23	8	2			
Tuberculosis of lungs	190	5	1	2				7	63	44	35	23	8	2			
Tuberculosis of larynx																	
Tuberculous meningitis	9	3			2		2	1	1								
Abdominal tuberculosis	7		1	1		1	2	2									
Pott's disease	1									1							
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	1							1									
General tuberculosis	1							1									
Scrofula																	
Venereal diseases	2	2															
Cancer	59									3	11	17	15	12	1		
Tumor																	
Rheumatism	4								1		1	1		1			
Diabetes	9								1		2	2	4				
Anemia, leukemia	4	1							1				1	1			
Alcoholism	6									3		3					
Chronic poisonings																	
Other general diseases	2							1				1					
Encephalitis																	
Meningitis	65	15	11	7		5	5	3	3	4	1	2	5	4			
Apoplexy	68	1			1			1	2	2	10	7	23	16	4	1	
Softening of brain	2											1			1		
Paralysis	13		1								1	2		7	2		
Epilepsy																	
Convulsions	52	36	5	5	1		1		1	1	1	1					
Tetanus	6	2						1		1	1	1					
Other diseases of nervous system	11						1	1	2		3	2		1	1		
Pericarditis	2						1							1			
Endocarditis	30						2	2	2	3	6	5	2	5	3		
Heart disease	115	5					2	1	2	14	16	23	30	13	8	1	
Angina pectoris																	
Embolism and thrombosis	9								1			1	3	3	1		
Other diseases of circulatory system	8	1								1	2	1		3			
Laryngitis	3	2		1													
Acute bronchitis	29	21	2	3	1	1								1			
Chronic bronchitis	14											4	3	6	1		
Bronchopneumonia	69	29	16	5	1	3	2				2	1	5	4	1		
Pneumonia	156	21	19	8	1	5	5	2	11	24	17	13	15	10	5		
Pleurisy	3			1							1	1					
Congestion of lungs	12	1	1						1	1		4	1	3			
Other diseases of respiratory system	11	1	1					1	1	1	1		3	2			
Tonsilitis																	
Diseases of stomach	24	4	1		1	1	2		2	3	2		5	2	1		
Diarrhea and enteritis	139	104	17		2					3	2	4	1	5	1		
Hernia and intestinal obstructions	14	3						1	2	1	1	4	2				
Cirrhosis of liver	19									4	7	7	1				
Other diseases of liver	12										4	3	3	1	1		
Peritonitis	23	1					2	1	9	7		1	1		1		
Appendicitis	10					1	4	1	2	2							
Other diseases of digestive system	3	2							1								
Acute nephritis	18	3		2			3	1	1	4	2	1		1			
Bright's disease	73		2				1	2	4	13	10	14	15	9	2	1	
Calculi of urinary tract																	
Uterine tumor																	
Ovarian tumor																	
Other diseases of genito-urinary system	10								2	1	2			3	2		
Puerperal septicemia	2								2								
Other causes incident to childbirth	6								3	2	1						
Diseases of skin	7	1									1		5				
Diseases of locomotor system																	
Malformations	8	8															
Premature birth	42	42															
Congenital debility	50	50															
Old age	39												5	15	16	2	1
Suicide	11								1	4	2	3	1				
Other violence	74	8	2	2	2	2	4	9	7	8	10	9	6	3		1	1
Ill-defined causes	59	30	3	1			1	1		1	1	4	3	11	3		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

PHILADELPHIA, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	23,578	4,279	1,169	511	376	267	603	929	2,152	2,496	2,326	2,346	2,588	2,230	1,082	176	48
Typhoid fever	635	5	3	4	8	6	48	136	207	116	46	33	16	7	.....	.....	.....
Malarial fever	20	.....	1	.....	1	.....	2	.....	3	2	2	4	3	2	.....	.....	.....
Smallpox	217	25	17	8	4	2	11	16	39	42	19	6	5	1	1	.....	1
Measles	159	37	55	25	18	6	10	4	2	1	1	.....	.....	.....	.....	.....	.....
Scarlet fever	135	3	20	15	30	21	33	12	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	187	96	44	19	9	7	8	1	1	.....	.....	.....	.....	.....	.....	.....	2
Diphtheria and croup	517	30	105	77	84	67	126	18	5	2	1	.....	.....	.....	.....	.....	2
Influenza	66	5	2	1	.....	.....	1	3	.....	.....	2	10	9	20	10	3	.....
Cholera nostras	12	2	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	2	1	.....	.....
Dysentery	66	7	1	1	1	1	4	1	2	4	3	6	14	18	3	.....	.....
Erysipelas	54	10	2	.....	.....	.....	.....	2	6	9	4	1	8	5	6	1	.....
Other epidemic diseases [1]	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Septicemia	112	8	2	2	2	.....	5	5	23	30	16	7	7	3	1	.....	1
Tuberculosis—total	2,991	70	32	41	15	16	47	243	807	789	490	235	130	56	10	1	9
Tuberculosis of lungs	2,674	21	11	20	8	7	21	217	758	734	463	226	117	53	8	1	9
Tuberculosis of larynx	29	.....	.....	.....	.....	.....	.....	2	8	10	3	2	3	1	.....	.....	.....
Tuberculous meningitis	110	35	19	16	2	4	11	4	9	7	2	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	102	10	2	2	4	4	6	6	23	23	14	2	5	.....	1	.....	.....
Pott's disease	14	.....	.....	.....	1	1	3	6	1	1	.....	.....	1	.....	.....	.....	.....
Tuberculous abscess	3	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
White swelling	12	1	.....	1	.....	.....	2	2	3	.....	1	.....	1	1	.....	.....	.....
Tuberculosis of other organs	17	.....	.....	.....	.....	.....	1	2	1	4	4	1	2	1	1	.....	.....
General tuberculosis	30	2	.....	2	.....	.....	3	4	4	8	3	3	1	.....	.....	.....	.....
Scrofula	3	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Venereal diseases	40	23	3	.....	.....	1	1	.....	3	3	3	2	1	.....	.....	.....	.....
Cancer	900	2	1	.....	4	2	.....	2	13	87	182	249	214	113	29	2	.....
Tumor	16	.....	1	.....	.....	.....	1	.....	3	2	.....	3	3	3	.....	.....	.....
Rheumatism	69	1	.....	.....	.....	1	3	10	5	3	9	10	13	9	4	1	.....
Diabetes	105	.....	.....	.....	.....	.....	.....	7	7	5	14	27	26	16	3	.....	.....
Anemia, leukemia	77	3	3	.....	1	.....	5	10	9	11	13	8	8	4	.....	1	1
Alcoholism	84	.....	.....	.....	.....	.....	.....	.....	6	32	30	9	5	2	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....
Other general diseases	17	.....	1	1	.....	.....	.....	.....	1	6	2	2	3	1	.....	.....	.....
Encephalitis	24	7	1	1	3	.....	2	.....	2	3	.....	1	3	.....	1	.....	.....
Meningitis	412	141	70	35	25	8	30	25	22	23	9	12	5	6	1	.....	.....
Apoplexy	949	30	12	4	5	1	3	5	17	25	94	166	252	225	96	13	1
Softening of brain	43	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	5	16	12	4	1	.....
Paralysis	284	3	.....	1	2	.....	.....	6	8	3	27	29	62	94	49	.....	.....
Epilepsy	40	1	2	.....	.....	.....	2	4	9	8	4	4	1	4	1	.....	.....
Convulsions	527	401	69	16	11	6	6	5	10	2	.....	.....	.....	1	.....	.....	.....
Tetanus	28	6	.....	.....	.....	.....	1	4	7	4	5	1	.....	.....	.....	.....	.....
Other diseases of nervous system	280	10	5	2	2	1	1	10	19	47	49	49	49	28	8	.....	.....
Pericarditis	43	1	.....	.....	1	1	.....	2	6	5	3	7	8	7	2	.....	.....
Endocarditis	232	6	.....	.....	1	5	9	19	22	36	21	35	35	24	13	3	3
Heart disease	1,693	35	3	1	3	2	13	63	70	154	239	306	363	321	111	4	5
Angina pectoris	87	1	.....	.....	.....	.....	.....	.....	2	7	14	14	21	16	12	.....	.....
Embolism and thrombosis	50	1	.....	.....	.....	.....	1	1	7	7	1	3	12	8	8	1	.....
Other diseases of circulatory system	213	8	1	1	1	1	1	2	9	20	22	21	37	54	30	4	1
Laryngitis	12	.....	3	3	1	1	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	212	121	37	6	7	2	1	1	2	4	2	5	5	12	4	3	.....
Chronic bronchitis	172	20	7	3	1	.....	1	4	8	11	10	12	34	34	17	8	2
Bronchopneumonia	573	211	108	56	22	10	17	5	16	12	19	19	35	24	16	2	1
Pneumonia	2,079	428	195	82	41	39	68	63	141	184	197	191	211	156	69	9	5
Pleurisy	76	3	7	2	.....	.....	5	3	8	12	7	14	8	3	2	1	1
Congestion of lungs	274	61	12	8	2	3	5	6	15	21	24	25	40	30	19	2	1
Other diseases of respiratory system	184	6	7	.....	1	2	6	3	21	25	27	23	34	20	8	.....	1
Tonsilitis	8	.....	.....	1	2	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	271	34	10	2	1	4	5	11	17	18	33	42	55	29	8	2	.....
Diarrhea and enteritis	1,296	837	168	31	9	9	17	8	12	31	16	39	47	43	22	4	3
Hernia and intestinal obstructions	208	12	4	2	.....	.....	3	9	19	21	23	37	41	29	6	2	.....
Cirrhosis of liver	237	2	1	.....	.....	.....	.....	3	12	29	50	49	48	34	9	.....	.....
Other diseases of liver	127	4	1	2	.....	.....	2	3	7	12	19	24	26	21	6	.....	.....
Peritonitis	204	8	.....	.....	2	3	6	25	41	61	28	16	9	5	.....	.....	.....
Appendicitis	145	.....	1	1	1	1	7	30	45	31	15	9	3	1	.....	.....	.....
Other diseases of digestive system	91	33	16	.....	1	1	.....	.....	6	7	5	5	8	6	3	.....	.....
Acute nephritis	112	6	2	5	6	3	8	9	11	19	15	15	8	4	1	.....	.....
Bright's disease	1,718	16	3	3	8	6	9	24	100	189	243	342	373	293	102	5	2
Calculi of urinary tract	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	2	2	.....	.....
Uterine tumor	13	.....	.....	.....	.....	.....	.....	.....	.....	2	5	4	1	.....	1	.....	.....
Ovarian tumor	14	.....	.....	.....	.....	.....	.....	.....	2	2	5	1	3	1	.....	.....	.....
Other diseases of genito-urinary system	151	4	.....	.....	.....	1	.....	2	21	14	12	20	35	27	14	.....	1
Puerperal septicemia	74	.....	.....	.....	.....	.....	.....	1	39	29	4	.....	.....	.....	.....	.....	1
Other causes incident to childbirth	95	.....	.....	.....	.....	.....	.....	3	39	48	5	.....	.....	.....	.....	.....	.....
Diseases of skin	112	13	1	4	1	1	3	4	4	1	6	15	19	27	11	2	.....
Diseases of locomotor system	26	6	3	1	1	1	1	3	2	.....	1	1	3	2	1	.....	.....
Malformations	111	104	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Premature birth	9	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	703	703	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	615	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48	221	266	80	.....
Suicide	187	.....	.....	.....	.....	.....	.....	3	37	48	38	35	18	8	.....	.....	.....
Other violence	994	30	22	24	33	21	51	89	142	152	162	105	83	53	23	3	1
Ill-defined causes	1,071	627	100	19	5	1	8	1	11	22	18	30	59	82	68	18	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

PITTSBURG, PA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,419	1,712	538	235	152	106	229	404	920	809	699	586	503	355	152	16	3
Typhoid fever	474	2	1	3	8	4	12	96	204	92	31	13	7	.....	1	.....	.....
Malarial fever	6	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	1	.....	.....	.....	.....
Smallpox	123	8	8	.....	3	1	3	5	50	25	15	3	2	.....	.....	.....	.....
Measles	183	39	70	26	23	6	14	2	2	.....	.....	1	.....	.....	.....	.....	.....
Scarlet fever	89	5	9	13	11	13	28	5	3	1	.....	1	.....	.....	.....	.....	.....
Whooping cough	80	38	22	9	5	1	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Diphtheria and croup	164	15	20	31	24	20	39	8	3	3	1	.....	.....	.....	.....	.....	.....
Influenza	57	6	1	1	.....	.....	2	3	2	5	11	4	12	8	2	.....	.....
Cholera nostras	10	2	2	.....	.....	.....	1	.....	1	2	.....	.....	.....	1	1	.....	.....
Dysentery	21	3	1	.....	.....	.....	.....	.....	4	1	1	5	3	2	1	.....	.....
Erysipelas	28	8	.....	.....	.....	.....	.....	.....	2	3	8	2	2	2	1	.....	.....
Other epidemic diseases [1]	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	24	4	.....	.....	.....	.....	1	3	4	6	3	2	1	.....	.....	.....	.....
Tuberculosis—total	539	25	14	11	3	3	14	46	147	129	74	36	28	6	3	.....	.....
Tuberculosis of lungs	456	14	7	5	2	2	9	36	137	113	69	28	28	4	2	.....	.....
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	23	7	3	3	.....	1	4	2	1	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	34	1	3	2	.....	.....	1	4	6	8	4	5	.....	.....	.....	.....	.....
Pott's disease	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	7	.....	.....	.....	1	.....	.....	1	1	2	.....	2	.....	.....	.....	.....	.....
Tuberculosis of other organs	8	2	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	2	1	.....	.....
General tuberculosis	6	.....	1	1	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	17	9	1	.....	1	.....	.....	.....	3	.....	2	1	.....	.....	.....	.....	.....
Cancer	185	1	.....	.....	.....	.....	3	1	6	20	44	51	37	16	6	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Rheumatism	32	.....	1	.....	.....	1	.....	5	2	3	8	6	3	2	1	.....	.....
Diabetes	21	1	.....	.....	.....	1	.....	1	2	3	3	5	4	1	.....	.....	.....
Anemia, leukemia	15	.....	.....	.....	1	.....	.....	2	6	1	1	2	2	.....	.....	.....	.....
Alcoholism	44	.....	.....	.....	.....	.....	.....	.....	7	12	15	9	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other general diseases	10	.....	.....	1	1	.....	1	1	1	3	.....	1	1	.....	.....	.....	.....
Encephalitis	4	1	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Meningitis	118	36	22	10	9	6	7	5	9	3	7	1	2	1	.....	.....	.....
Apoplexy	172	8	.....	1	.....	1	.....	1	2	12	19	35	47	36	10	.....	.....
Softening of brain	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	3	1	.....
Paralysis	51	.....	.....	.....	.....	.....	1	2	1	1	1	13	16	10	5	1	.....
Epilepsy	15	1	.....	.....	.....	.....	.....	1	4	3	1	1	1	3	.....	.....	.....
Convulsions	155	114	28	4	2	3	1	1	.....	.....	1	.....	1	.....	.....	.....	.....
Tetanus	11	5	.....	.....	.....	.....	.....	.....	4	.....	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	62	8	2	.....	1	1	1	2	7	7	11	8	5	6	3	.....	.....
Pericarditis	5	.....	.....	.....	.....	.....	.....	1	.....	2	.....	2	.....	.....	.....	.....	.....
Endocarditis	21	.....	.....	.....	1	.....	1	.....	2	4	3	3	6	.....	.....	1	.....
Heart disease	293	12	2	1	1	1	4	19	19	35	39	59	54	36	10	1	.....
Angina pectoris	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4	2	2	.....	.....	.....
Embolism and thrombosis	7	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	3	.....	.....	1	.....
Other diseases of circulatory system	33	4	1	.....	1	.....	.....	2	.....	4	1	2	6	9	2	1	.....
Laryngitis	5	1	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	119	72	12	9	4	5	1	1	2	3	2	2	4	2	.....	.....	.....
Chronic bronchitis	85	6	.....	2	.....	.....	.....	2	4	1	9	15	15	21	10	.....	.....
Bronchopneumonia	162	72	16	18	7	4	5	4	7	4	6	4	6	6	3	.....	.....
Pneumonia	860	167	81	39	14	9	23	33	85	85	108	70	81	47	16	1	1
Pleurisy	34	4	3	.....	1	.....	1	3	2	4	4	5	2	4	1	.....	.....
Congestion of lungs	49	15	3	2	.....	1	1	1	2	4	5	3	4	5	3	.....	.....
Other diseases of respiratory system	68	5	3	3	1	.....	1	1	3	6	12	10	14	5	4	.....	.....
Tonsilitis	5	1	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	74	20	5	2	1	1	3	2	4	4	4	13	6	5	3	1	.....
Diarrhea and enteritis	771	472	155	31	7	9	9	6	11	17	14	8	14	13	5	.....	.....
Hernia and intestinal obstructions	45	4	3	.....	.....	.....	.....	5	5	8	5	7	2	4	2	.....	.....
Cirrhosis of liver	47	.....	.....	.....	.....	.....	.....	1	2	9	6	13	8	6	2	.....	.....
Other diseases of liver	44	4	.....	.....	.....	.....	.....	2	6	8	5	10	5	3	1	.....	.....
Peritonitis	74	6	3	2	1	1	2	3	16	15	9	7	6	3	.....	.....	.....
Appendicitis	54	.....	.....	.....	1	.....	3	13	17	10	6	3	.....	1	.....	.....	.....
Other diseases of digestive system	31	18	2	.....	.....	.....	1	1	2	2	.....	2	.....	2	1	.....	.....
Acute nephritis	41	1	1	2	2	.....	2	5	5	6	6	4	4	1	2	.....	.....
Bright's disease	181	3	1	2	1	.....	5	6	16	18	32	42	29	18	7	1	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....
Ovarian tumor	7	.....	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	46	1	.....	.....	.....	.....	1	3	7	10	4	6	3	7	4	.....	.....
Puerperal septicemia	38	.....	.....	.....	.....	.....	.....	4	18	15	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	40	.....	.....	.....	.....	.....	.....	3	15	15	6	1	.....	.....	.....	.....	.....
Diseases of skin	30	8	2	.....	.....	.....	.....	.....	.....	4	4	3	.....	6	2	1	.....
Diseases of locomotor system	20	2	1	.....	.....	1	.....	6	3	1	2	3	1	.....	.....	.....	.....
Malformations	59	54	2	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Premature birth	140	140	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	153	153	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	48	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	17	23	5	.....
Suicide	55	.....	.....	.....	.....	.....	.....	2	21	11	7	5	6	3	.....	.....	.....
Other violence	686	55	10	8	13	8	27	78	148	147	102	46	22	13	6	1	2
Ill-defined causes	246	71	23	3	4	4	7	4	12	14	28	28	21	19	8	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

PROVIDENCE, R. I.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,394	761	155	64	49	23	79	136	288	316	326	376	358	313	128	22	.....
Typhoid fever	39	.....	.....	.....	.....	.....	2	4	14	8	5	3	1	2	.....	.....	.....
Malarial fever	15	1	.....	.....	.....	1	1	2	1	1	.....	2	4	1	1	.....	.....
Smallpox	8	2	.....	.....	.....	.....	.....	.....	.....	1	3	.....	1	1	.....	.....	.....
Measles	7	1	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	8	.....	1	.....	2	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	26	14	9	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	72	7	13	8	16	4	17	5	2	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	31	4	.....	.....	.....	.....	1	1	1	.....	2	5	5	8	4	.....	.....
Cholera nostras	7	2	.....	1	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
Dysentery	57	13	4	8	1	1	6	.....	3	5	4	2	6	2	2	.....	.....
Erysipelas	8	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	8	.....	.....	.....	.....	.....	1	1	2	2	.....	2	.....	.....	.....	.....	.....
Tuberculosis—total	464	32	10	7	5	3	4	49	109	114	60	46	18	5	2	.....	.....
Tuberculosis of lungs	394	12	4	4	1	.....	1	40	105	107	54	42	17	5	2	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	32	10	6	3	2	3	2	2	.....	2	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	17	4	.....	.....	2	.....	.....	4	3	1	1	1	1	.....	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....
General tuberculosis	15	6	.....	.....	.....	.....	1	2	1	2	2	1	.....	.....	.....	.....	.....
Scrofula	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	10	8	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	162	.....	.....	.....	.....	.....	.....	1	3	11	38	45	40	16	7	1	.....
Tumor	5	.....	1	.....	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....
Rheumatism	23	.....	.....	.....	.....	.....	1	6	1	4	1	2	6	.....	2	.....	.....
Diabetes	20	.....	.....	.....	.....	.....	.....	.....	2	.....	3	3	9	1	2	.....	.....
Anemia, leukemia	12	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	3	1	.....	.....	.....
Alcoholism	15	.....	.....	.....	.....	.....	.....	.....	.....	4	7	4	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Encephalitis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Meningitis	60	20	12	8	2	2	3	3	3	1	3	1	1	1	.....	.....	.....
Apoplexy	156	1	1	.....	.....	.....	.....	1	1	8	19	32	32	48	9	4	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....
Paralysis	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	6	6	.....	.....
Epilepsy	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....	.....
Convulsions	12	8	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	34	3	.....	.....	.....	.....	.....	.....	1	6	8	6	5	5	.....	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Endocarditis	21	.....	.....	.....	.....	.....	.....	1	2	3	1	5	3	5	1	.....	.....
Heart disease	276	5	1	.....	.....	.....	.....	7	20	22	32	43	64	59	21	2	.....
Angina pectoris	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	3	.....	.....	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	4	1	2	.....	.....
Other diseases of circulatory system	23	5	.....	.....	.....	.....	1	.....	1	2	1	2	3	7	1	.....	.....
Laryngitis	3	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	66	46	6	4	2	1	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....
Chronic bronchitis	29	3	1	.....	.....	.....	.....	.....	1	.....	2	3	6	5	6	2	.....
Bronchopneumonia	76	32	9	2	2	1	2	1	3	2	2	2	5	8	4	1	.....
Pneumonia	233	53	13	6	3	4	6	10	13	19	28	26	24	24	4	.....	.....
Pleurisy	13	1	.....	.....	.....	.....	.....	1	2	3	.....	3	2	1	.....	.....	.....
Congestion of lungs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of respiratory system	15	1	1	.....	1	.....	.....	.....	2	2	2	1	2	3	.....	.....	.....
Tonsilitis	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	70	43	2	.....	.....	.....	2	.....	1	5	2	2	3	7	3	.....	.....
Diarrhea and enteritis	305	196	50	12	4	2	6	2	2	5	4	6	7	4	5	.....	.....
Hernia and intestinal obstructions	26	2	.....	.....	1	.....	.....	.....	3	3	2	6	6	2	.....	1	.....
Cirrhosis of liver	36	.....	.....	.....	.....	.....	.....	.....	4	3	8	11	6	4	.....	.....	.....
Other diseases of liver	18	3	.....	.....	.....	.....	1	.....	2	.....	1	3	4	2	1	1	.....
Peritonitis	8	.....	1	.....	.....	.....	.....	1	.....	1	2	1	2	.....	.....	.....	.....
Appendicitis	30	.....	.....	.....	.....	.....	5	7	11	4	1	1	1	.....	.....	.....	.....
Other diseases of digestive system	14	4	1	.....	.....	.....	2	.....	.....	1	2	1	.....	3	.....	.....	.....
Acute nephritis	19	1	.....	.....	.....	.....	.....	3	2	3	5	3	.....	2	.....	.....	.....
Bright's disease	214	.....	.....	.....	3	.....	2	7	18	19	29	48	43	36	8	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Uterine tumor	9	.....	.....	.....	.....	.....	.....	.....	1	3	1	4	.....	.....	.....	.....	.....
Ovarian tumor	7	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	40	1	.....	.....	.....	.....	.....	1	6	6	8	6	4	4	4	.....	.....
Puerperal septicemia	13	.....	.....	.....	.....	.....	.....	1	8	4	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	17	.....	.....	.....	.....	.....	.....	1	5	10	1	.....	.....	.....	.....	.....	.....
Diseases of skin	7	2	1	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....
Diseases of locomotor system	7	1	1	.....	.....	.....	1	1	.....	.....	1	1	.....	1	.....	.....	.....
Malformations	31	30	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	77	77	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	76	76	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	53	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	13	25	5	.....
Suicide	20	.....	.....	.....	.....	.....	.....	2	5	5	3	3	2	.....	.....	.....	.....
Other violence	181	27	4	4	3	3	9	11	27	17	22	27	14	9	2	2	.....
Ill-defined causes	46	28	4	1	.....	.....	1	1	1	1	.....	1	1	3	2	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

ROCHESTER, N. Y.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,295	305	42	28	20	16	38	80	191	239	249	256	332	316	157	24	2
Typhoid fever	20							4	10	3	1	1	1				
Malarial fever	1								1								
Smallpox	77	3	1	4	3	5	4	6	13	13	14	6	3	1			1
Measles	1	1															
Scarlet fever	13	1	3	1		2	3	2	1								
Whooping cough	8	5	1	1	1												
Diphtheria and croup	14		1	3	4	1	3	1			1						
Influenza	11	2					1			1			4	2	1		
Cholera nostras	2	1												1			
Dysentery	22	1	1			1		1	1	1	2		3	8	3		
Erysipelas	5	2								1			2				
Other epidemic diseases [1]	1	1															
Septicemia	8								3	3	2						
Tuberculosis—total	218	9	3				3	14	60	55	39	19	12	3	1		
Tuberculosis of lungs	188	1	1				1	12	55	48	36	19	11	3	1		
Tuberculosis of larynx	5							1		4							
Tuberculous meningitis	13	7	1				1	1	3								
Abdominal tuberculosis	5		1						1	1	2						
Pott's disease	4	1					1			2							
Tuberculous abscess	1										1						
White swelling																	
Tuberculosis of other organs	1								1								
General tuberculosis	1												1				
Scrofula																	
Venereal diseases	6	2								1		1	1	1			
Cancer	151								2	9	19	40	40	30	10	1	
Tumor	2										2						
Rheumatism	12						1		1	1	1	2	1	4	1		
Diabetes	20					1		1		2	1	5	5	4	1		
Anemia, leukemia	8	1							1		2	2	1		1		
Alcoholism	2										1		1				
Chronic poisonings	2										1		1				
Other general diseases	2								1		1						
Encephalitis																	
Meningitis	61	13	5	6	6	3	5	6	3	3	2	4	2	1	2		
Apoplexy	102								1	4	15	15	32	21	14		
Softening of brain	1														1		
Paralysis	27				1				1		1	2	6	13	2	1	
Epilepsy	12								5	4	2	1					
Convulsions	37	34	2	1													
Tetanus	3							2				1					
Other diseases of nervous system	68	3							7	9	19	8	3	11	8		
Pericarditis	3										1		1		1		
Endocarditis	28	1					2	3	1	3	2	4	9	3			
Heart disease	224	3	1					7	2	15	24	38	62	49	20	2	1
Angina pectoris	13								2	1	1	2	4	3			
Embolism and thrombosis	2										1		1				
Other diseases of circulatory system	13	1						1		1	1	3	2	4			
Laryngitis	1						1										
Acute bronchitis	34	25									1		2	3	3		
Chronic bronchitis	39								1	1	1	3	8	10	14	1	
Bronchopneumonia	33	18	2	1						1	1	2	4	2	2		
Pneumonia	105	10	6	4	1		3	2	9	14	11	9	19	13	4		
Pleurisy	4								1			1	1		1		
Congestion of lungs	17	1	1					1		2	3	1	4	3	1		
Other diseases of respiratory system	11								2		2	3	2	2			
Tonsilitis	2	1	1														
Diseases of stomach	23	3								4	4	3	4	3	2		
Diarrhea and enteritis	106	71	7	5	1		1			1		5	2	8	5		
Hernia and intestinal obstructions	26	2							2	3	4	4	6	3	2		
Cirrhosis of liver	27									4	6	3	7	5	2		
Other diseases of liver	14										3	6	3	2			
Peritonitis	28				1		1	4	8	4	6	4					
Appendicitis	41					1	3	6	5	12	7	4	3				
Other diseases of digestive system	13	4	1				1		3	2		1	1				
Acute nephritis	15	2		1			1	1	2	2	2	2		1	1		
Bright's disease	141	2	1				1	2	7	14	19	22	41	29	3		
Calculi of urinary tract	1												1				
Uterine tumor	5									2	1	2					
Ovarian tumor	6								2	2		1		1			
Other diseases of genito-urinary system	38								4	9	2	3	8	9	3		
Puerperal septicemia	8								6	2							
Other causes incident to childbirth	12							1	2	9							
Diseases of skin	9									2				4	2	1	
Diseases of locomotor system	3	1									1		1				
Malformations	11	8	1				1	1									
Premature birth	3	3															
Congenital debility	44	44															
Old age	93												7	33	37	16	
Suicide	29								3	4	3	8	6		5		
Other violence	119	9	3	1	2	1	3	10	17	16	11	14	10	17	5		
Ill-defined causes	34	17	1			1		1				3	1	5	3	2	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

ST. JOSEPH, MO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	936	132	53	18	11	9	24	37	92	106	100	89	108	95	45	4	13
Typhoid fever	15	1					1	1	4	2	3	2		1			
Malarial fever	4		1					1	1					1			
Smallpox	9	4	1				1		1	1							1
Measles	24	6	11	1	1		1	2		2							
Scarlet fever	3				2		1										
Whooping cough	7	1	6														
Diphtheria and croup	9		2	2			4				1						
Influenza	5										1		4				
Cholera nostras																	
Dysentery	6	2											1	1	2		
Erysipelas	1										1						
Other epidemic diseases[1]																	
Septicemia	11	1		1			1		3	2	2	1					
Tuberculosis—total	108	5				2	2	8	29	29	18	8	3	4			
Tuberculosis of lungs	94	3				2	1	6	27	26	17	7	1	4			
Tuberculosis of larynx																	
Tuberculous meningitis	3	2						1									
Abdominal tuberculosis	10						1	1	2	3	1	1	1				
Pott's disease	1												1				
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula																	
Venereal diseases																	
Cancer	25									1	7	5	7	4	1		
Tumor	3										2	1					
Rheumatism	3							1		1			1				
Diabetes	5									1		3		1			
Anemia, leukemia	5	1							2		1	1					
Alcoholism	3									1	1	1					
Chronic poisonings																	
Other general diseases																	
Encephalitis																	
Meningitis	15	9		1		1		2				1	1				
Apoplexy	63	2	1		2			1	4	8	7	8	11	12	4		3
Softening of brain	8								1	1		3		2		1	
Paralysis	15					1					2	4	4	2	2		
Epilepsy	6								1	2	2	1					
Convulsions	10	5	2	2				1									
Tetanus	2						1			1							
Other diseases of nervous system	21									7	5	2	5		2		
Pericarditis	1							1									
Endocarditis	7							1	1	3		2					
Heart disease	27	1							1	3	2	4	2	10	4		
Angina pectoris	2										1	1					
Embolism and thrombosis	1								1								
Other diseases of circulatory system	9	1							1		1		2	1	1		2
Laryngitis	1			1													
Acute bronchitis	12	9	2		1												
Chronic bronchitis	6								1				2	2	1		
Bronchopneumonia	9	2	3								1		1	1	1		
Pneumonia	106	18	14	7	2	2	5	2	10	6	6	10	12	8	2		2
Pleurisy	1									1							
Congestion of lungs	16	2	1				3				2	3	3	1	1		
Other diseases of respiratory system	3											1	2				
Tonsilitis																	
Diseases of stomach	17	2	1					2		1	1	2	5	2	1		
Diarrhea and enteritis	47	24	7	2		2			1	1		3	2	5			
Hernia and intestinal obstructions	14	1								1	3	2	5	1	1		
Cirrhosis of liver	4							1			1		2				
Other diseases of liver	9	1							1			2	3	2			
Peritonitis	16							3	3	4	3		1	1		1	
Appendicitis	4								3	1							
Other diseases of digestive system	6	1			1				2		1	1					
Acute nephritis																	
Bright's disease	37				1				1	3	7	8	8	7	2		
Calculi of urinary tract																	
Uterine tumor	2										1			1			
Ovarian tumor																	
Other diseases of genito-urinary system	9							1	1	1		1	1	3	1		
Puerperal septicemia	1									1							
Other causes incident to childbirth	9							2	1	5	1						
Diseases of skin	5	2										2		1			
Diseases of locomotor system																	
Malformations	3	3															
Premature birth	2	2															
Congenital debility	13	13															
Old age	22												3	9	9	1	
Suicide	11							1	3	4	1	1					1
Other violence	52	3	1	1		1	2	3	9	11	8	3	6	1			3
Ill-defined causes	66	10			1		1	3	5	3	6	2	9	13	11	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

ST. LOUIS, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,363	1,862	378	202	115	107	303	502	1,119	1,157	1,171	1,152	1,115	783	297	55	45
Typhoid fever	240	2	.....	5	3	2	14	51	83	39	20	12	8	1	.....	.....	.....
Malarial fever	44	2	3	2	.....	1	3	2	11	5	6	4	1	2	.....	.....	2
Smallpox	9	4	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....
Measles	6	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	126	4	12	18	19	15	50	5	.....	.....	.....	.....	2	.....	.....	.....	1
Whooping cough	73	38	23	6	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	177	3	21	29	20	24	56	20	3	.....	1	.....	.....	.....	.....	.....	.....
Influenza	33	2	.....	.....	.....	.....	.....	2	5	2	7	4	6	5	.....	.....	.....
Cholera nostras	6	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	1	.....	.....	.....
Dysentery	53	6	6	1	.....	.....	.....	1	3	5	8	7	7	5	2	1	1
Erysipelas	29	10	1	.....	.....	.....	.....	.....	1	3	6	3	4	1	.....	.....	.....
Other epidemic diseases[1]	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Septicemia	88	5	3	1	1	2	1	8	19	18	11	10	9	.....	.....	.....	.....
Tuberculosis—total	1,206	16	5	8	7	1	16	114	363	288	196	115	56	17	.....	.....	4
Tuberculosis of lungs	1,086	5	3	3	4	.....	7	98	342	266	177	110	51	16	.....	.....	4
Tuberculosis of larynx	19	.....	.....	.....	.....	.....	.....	1	5	5	4	2	1	1	.....	.....	.....
Tuberculous meningitis	40	10	2	5	3	.....	7	7	3	2	.....	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	43	1	.....	.....	.....	1	1	5	7	11	12	2	3	.....	.....	.....	.....
Pott's disease	11	.....	.....	.....	.....	.....	1	2	4	2	1	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	3	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Scrofula	4	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	21	7	.....	.....	.....	.....	1	.....	4	5	2	2	.....	.....	.....	.....	.....
Cancer	330	.....	.....	1	1	1	3	1	10	35	51	110	73	39	5	.....	.....
Tumor	8	.....	.....	.....	.....	.....	.....	.....	1	4	1	.....	1	1	.....	.....	.....
Rheumatism	35	.....	.....	1	.....	.....	.....	2	2	4	7	5	12	2	.....	.....	.....
Diabetes	28	.....	.....	.....	.....	.....	1	2	2	5	3	7	5	3	.....	.....	.....
Anemia, leukemia	35	2	.....	1	.....	.....	2	4	5	5	5	7	2	1	.....	1	.....
Alcoholism	26	.....	1	.....	.....	.....	.....	.....	1	11	8	5	.....	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	9	.....	.....	.....	.....	1	.....	1	2	.....	3	1	1	.....	.....	.....	.....
Encephalitis	33	9	3	5	1	2	.....	2	1	4	2	1	3	.....	.....	.....	.....
Meningitis	147	49	25	11	5	4	10	11	8	5	5	8	.....	.....	.....	.....	.....
Apoplexy	346	25	13	5	.....	2	5	5	14	25	52	54	78	60	5	1	2
Softening of brain	23	.....	.....	.....	.....	.....	.....	.....	.....	3	4	3	7	6	.....	.....	.....
Paralysis	117	1	.....	.....	3	.....	2	2	4	9	10	25	27	23	8	2	1
Epilepsy	25	.....	.....	.....	.....	.....	2	4	6	6	3	3	1	.....	.....	.....	.....
Convulsions	211	165	25	10	4	3	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	74	48	1	.....	.....	1	7	7	2	4	3	1	.....	.....	.....	.....	.....
Other diseases of nervous system	134	5	2	.....	.....	1	3	2	13	29	35	23	14	5	.....	.....	2
Pericarditis	36	.....	.....	.....	.....	1	1	4	4	6	5	3	10	1	1	.....	.....
Endocarditis	55	1	.....	.....	1	.....	5	3	8	7	9	5	8	6	2	.....	.....
Heart disease	508	2	.....	1	2	.....	9	35	38	56	91	103	104	49	17	.....	1
Angina pectoris	24	.....	.....	.....	.....	1	1	.....	1	.....	7	4	6	4	.....	.....	.....
Embolism and thrombosis	24	.....	.....	.....	.....	.....	.....	.....	2	3	6	4	2	7	.....	.....	.....
Other diseases of circulatory system	74	6	.....	.....	.....	.....	1	2	4	15	16	8	10	7	4	1	.....
Laryngitis	18	4	1	.....	1	1	2	1	3	.....	2	3	.....	.....	.....	.....	.....
Acute bronchitis	171	107	38	9	7	4	.....	.....	1	.....	1	1	1	.....	1	.....	1
Chronic bronchitis	173	2	.....	1	.....	.....	2	7	17	16	15	31	42	33	6	.....	1
Bronchopneumonia	49	15	9	5	1	.....	3	1	1	1	2	3	3	2	3	.....	.....
Pneumonia	964	125	60	27	10	6	25	39	103	126	144	121	106	54	12	2	4
Pleurisy	37	.....	2	1	.....	.....	.....	1	5	5	7	10	4	2	.....	.....	.....
Congestion of lungs	126	18	2	3	1	1	6	1	12	14	16	19	15	16	2	.....	.....
Other diseases of respiratory system	144	7	2	2	1	3	.....	2	7	14	21	21	37	22	5	.....	.....
Tonsilitis	6	1	1	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	108	11	.....	.....	1	.....	2	6	10	15	15	18	18	7	5	.....	.....
Diarrhea and enteritis	514	277	57	19	2	2	10	12	16	19	24	29	27	16	3	.....	1
Hernia and intestinal obstructions	67	11	.....	1	1	.....	.....	2	7	6	9	8	17	3	.....	.....	2
Cirrhosis of liver	112	.....	.....	.....	1	.....	1	1	5	19	29	21	22	10	3	.....	.....
Other diseases of liver	90	1	.....	.....	.....	1	.....	1	12	21	15	17	12	9	1	.....	.....
Peritonitis	80	.....	.....	.....	.....	.....	.....	8	24	24	12	5	6	1	.....	.....	.....
Appendicitis	58	.....	1	.....	.....	.....	7	20	12	5	6	4	1	1	1	.....	.....
Other diseases of digestive system	47	14	13	1	.....	.....	5	.....	2	5	4	2	.....	1	.....	.....	.....
Acute nephritis	10	.....	.....	1	1	.....	.....	.....	1	1	1	2	1	2	.....	.....	.....
Bright's disease	694	4	3	3	7	6	10	20	46	84	108	153	144	85	19	1	1
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	4	2	2	.....	.....	.....	.....	.....
Ovarian tumor	9	.....	.....	.....	.....	.....	.....	.....	3	1	1	3	1	.....	.....	.....	.....
Other diseases of genito-urinary system	70	.....	.....	.....	.....	.....	.....	5	14	7	14	10	8	7	5	.....	.....
Puerperal septicemia	32	.....	.....	.....	.....	.....	.....	4	15	11	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	29	.....	.....	.....	.....	.....	.....	3	12	14	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	48	6	2	.....	1	.....	.....	1	1	5	4	5	11	9	2	1	.....
Diseases of locomotor system	13	.....	.....	.....	.....	1	2	2	1	.....	1	4	.....	2	.....	.....	.....
Malformations	57	54	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	104	104	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	496	496	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	505	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	82	215	165	40	3
Suicide	131	.....	.....	.....	.....	.....	.....	11	41	24	20	17	13	3	1	.....	1
Other violence	490	12	4	11	8	10	15	48	105	80	78	45	37	12	9	2	14
Ill-defined causes	482	178	35	12	3	7	6	13	19	29	33	58	48	25	10	3	3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

ST. PAUL, MINN.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,770	371	51	34	28	15	58	104	160	181	200	148	139	160	80	15	20
Typhoid fever	24					3	1	4	5	4	5		1		1		
Malarial fever																	
Smallpox																	
Measles	12	4	3		1		2	2									
Scarlet fever	17		1	4	2	4	4	1			1						
Whooping cough	19	14		3	2												
Diphtheria and croup	61	9	6	6	10	4	12	8	2	1	2						1
Influenza	9	1					3				2		1	2			
Cholera nostras	2	1										1					
Dysentery	2				1									1			
Erysipelas	7	1							3		2		1				
Other epidemic diseases[1]	1												1				
Septicemia	16						1	2	3	3	3	2				1	1
Tuberculosis—total	231	4	1	4	2		5	27	59	51	41	23	3	4	2		5
Tuberculosis of lungs	185	3			2		1	16	50	47	34	21	3	3	2		3
Tuberculosis of larynx	2										1	1					
Tuberculous meningitis	13	1	1	3			2	4		1							1
Abdominal tuberculosis	11						1	2	3	2	2						1
Pott's disease	2							2									
Tuberculous abscess																	
White swelling	1								1								
Tuberculosis of other organs	2									1	1						
General tuberculosis	15			1			1	3	5		3	1		1			
Scrofula																	
Venereal diseases	16	14										1					1
Cancer	91								3	11	19	19	19	15	4		1
Tumor	1												1				
Rheumatism	8						1	2	1				2	2			
Diabetes	9							1	1	3	1	1	1	1			
Anemia, leukemia	15	1							1	4	3	3	2	1			
Alcoholism	5								1	2	1	1					
Chronic poisonings																	
Other general diseases	1										1						
Encephalitis	2						1		1								
Meningitis	34	9	6	2	1	1	2	1	5	4	2	1					
Apoplexy	57	1							3	5	7	16	12	9	4		
Softening of brain	4										1		2			1	
Paralysis	15	1								2	3	1	4	2	2		
Epilepsy	4							2		2							
Convulsions	34	31	2	1													
Tetanus	2	1								1							
Other diseases of nervous system	22	2	1				1		3		4	6	2	3			
Pericarditis	3										1	2					
Endocarditis	11			1			1	2	1	2			3	1			
Heart disease	98	7					2	5	6	6	13	12	16	25	5		1
Angina pectoris	2								1				1				
Embolism and thrombosis	12								1	2	5		2	2			
Other diseases of circulatory system	23							1		4		2	5	7	3	1	
Laryngitis	1	1															
Acute bronchitis	20	16	2		1										1		
Chronic bronchitis	13	1	1														
Bronchopneumonia	39	20	3	1	2	1				1	1		4	2	3		
Pneumonia	132	24	12	3		1	5	5	12	9	19	9	10	14	5	2	2
Pleurisy	4							2			1		1				
Congestion of lungs	11	2							1	2		3		1			2
Other diseases of respiratory system	16	2	1	1			1		1	1	2	2	1	2	2		
Tonsilitis																	
Diseases of stomach	35	13		1			1	1	2	3	6	2	3	1	1		1
Diarrhea and enteritis	73	47	8	6	2		1		1	1	2		2	2	1		
Hernia and intestinal obstructions	13	4	1					2	1	1	2	1			1		
Cirrhosis of liver	8										2	2	3	1			
Other diseases of liver	7	1					1			1	1	1	1	1			
Peritonitis	22	1					1	4	5	4	1	4	2				
Appendicitis	24					1	3	12	3	2	1	1					1
Other diseases of digestive system	6	2						1	1	2							
Acute nephritis	6	1						1	1	1		1	1				
Bright's disease	94	2						3	7	11	15	15	19	15	5	1	1
Calculi of urinary tract																	
Uterine tumor	1									1							
Ovarian tumor	4				1					2				1			
Other diseases of genito-urinary system	9								1	5	1		1		1		
Puerperal septicemia	6							1	1	2	2						
Other causes incident to childbirth	6								3	3							
Diseases of skin	8	4									1		1	2			
Diseases of locomotor system	1	1															
Malformations	15	14						1									
Premature birth	28	28															
Congenital debility	58	58															
Old age	67												3	31	28	5	
Suicide	20							1		7	5	3	2	2			
Other violence	97	8	2	1	2		7	12	16	12	15	8	3	3	3	1	4
Ill-defined causes	56	20	1		1		2		4	2	4	3	2	3	7	3	4

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

SAN FRANCISCO, CAL.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,593	950	165	110	69	76	211	253	819	950	984	929	1,005	784	253	32	3
Typhoid fever	104	2	.....	1	.....	1	5	7	42	21	18	4	3	.....	.....	.....	.....
Malarial fever	9	.....	.....	1	.....	.....	1	.....	1	2	1	1	2	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	43	5	9	4	1	3	1	3	15	1	1	.....	.....	.....	.....	.....	.....
Scarlet fever	18	2	1	2	.....	1	8	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	6	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	238	10	23	22	31	23	101	20	4	3	.....	1	.....	.....	.....	.....	.....
Influenza	36	5	.....	2	.....	.....	.....	1	3	1	4	7	4	7	2	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	27	.....	.....	.....	.....	.....	.....	1	11	7	2	1	2	2	1	.....	.....
Erysipelas	16	.....	.....	.....	.....	.....	.....	1	1	2	3	3	2	4	.....	.....	.....
Other epidemic diseases[1]	48	.....	.....	1	.....	1	.....	1	7	16	12	10	.....	.....	.....	.....	.....
Septicemia	5	.....	.....	1	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....
Tuberculosis—total	1,142	26	24	15	10	7	24	58	283	282	212	119	54	22	4	1	.....
Tuberculosis of lungs	999	9	8	5	5	2	6	40	267	270	206	103	54	19	4	1	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	58	12	14	5	4	3	8	8	2	.....	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	42	4	2	2	1	.....	4	4	8	7	3	5	.....	2	.....	.....	.....
Pott's disease	6	.....	.....	.....	.....	1	2	.....	1	.....	.....	2	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	11	.....	.....	.....	.....	.....	4	1	2	2	1	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	12	.....	.....	2	.....	.....	.....	2	2	1	2	3	.....	.....	.....	.....	.....
General tuberculosis	13	1	.....	1	.....	1	.....	3	1	2	.....	3	.....	1	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	52	24	4	2	.....	.....	.....	.....	5	3	2	8	4	.....	.....	.....	.....
Cancer	451	.....	.....	1	.....	.....	1	4	16	32	96	112	123	50	15	1	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Rheumatism	44	1	.....	.....	1	.....	.....	9	5	6	4	5	6	6	1	.....	.....
Diabetes	59	.....	.....	.....	.....	.....	.....	2	1	3	11	11	15	13	2	1	.....
Anemia, leukemia	21	.....	.....	.....	.....	.....	1	1	3	3	5	3	5	.....	.....	.....	.....
Alcoholism	88	.....	.....	.....	.....	.....	.....	.....	13	29	23	14	5	4	.....	.....	.....
Chronic poisonings	15	.....	.....	.....	.....	.....	.....	1	2	4	5	3	.....	.....	.....	.....	.....
Other general diseases	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....
Encephalitis	7	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	2	.....	.....	.....
Meningitis	120	45	17	13	3	5	6	11	6	2	2	3	3	4	.....	.....	.....
Apoplexy	238	4	1	.....	.....	1	.....	1	3	17	24	40	77	47	22	1	.....
Softening of brain	76	.....	.....	.....	.....	.....	.....	.....	.....	5	5	15	26	21	4	.....	.....
Paralysis	26	.....	.....	.....	.....	.....	.....	.....	1	.....	3	7	7	8	.....	.....	.....
Epilepsy	13	.....	.....	.....	1	.....	.....	.....	4	2	1	1	2	1	1	.....	.....
Convulsions	44	36	3	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	8	3	.....	.....	.....	.....	.....	3	.....	1	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	99	1	1	.....	.....	1	1	6	8	16	18	16	14	13	4	.....	.....
Pericarditis	25	.....	.....	.....	.....	.....	.....	.....	4	3	1	12	2	3	.....	.....	.....
Endocarditis	79	2	.....	2	.....	1	.....	3	4	10	9	10	14	19	5	.....	.....
Heart disease	685	6	.....	.....	.....	1	5	16	24	56	88	134	177	140	36	2	.....
Angina pectoris	35	.....	.....	.....	.....	.....	.....	.....	.....	3	2	11	15	4	.....	.....	.....
Embolism and thrombosis	20	.....	.....	.....	.....	.....	.....	.....	1	4	2	1	6	3	3	.....	.....
Other diseases of circulatory system	146	.....	.....	1	1	.....	.....	2	2	7	8	25	41	44	15	.....	.....
Laryngitis	12	2	2	2	.....	2	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....
Acute bronchitis	53	24	4	2	.....	.....	1	1	.....	1	2	3	4	8	3	.....	.....
Chronic bronchitis	81	1	.....	.....	.....	.....	.....	.....	2	1	4	7	21	26	17	1	1
Bronchopneumonia	272	111	34	14	8	6	9	1	3	8	5	5	22	34	11	1	.....
Pneumonia	377	24	8	5	3	6	12	15	39	57	62	50	49	38	9	.....	.....
Pleurisy	39	.....	1	.....	.....	.....	.....	.....	8	5	3	6	8	7	1	.....	.....
Congestion of lungs	18	5	.....	.....	.....	.....	1	.....	.....	2	2	2	2	4	.....	.....	.....
Other diseases of respiratory system	35	1	.....	.....	.....	.....	1	3	5	3	3	7	5	6	1	.....	.....
Tonsilitis	3	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	80	17	4	1	.....	1	.....	4	5	9	5	11	9	11	3	.....	.....
Diarrhea and enteritis	270	200	14	5	2	4	2	1	7	8	8	3	9	4	3	.....	.....
Hernia and intestinal obstructions	63	7	.....	.....	1	.....	3	1	9	11	5	4	12	7	3	.....	.....
Cirrhosis of liver	244	1	.....	.....	.....	.....	.....	.....	10	37	56	67	58	14	1	.....	.....
Other diseases of liver	54	.....	.....	.....	.....	.....	.....	.....	8	9	9	9	12	4	3	.....	.....
Peritonitis	10	.....	.....	.....	.....	.....	.....	.....	3	2	2	3	.....	.....	.....	.....	.....
Appendicitis	81	.....	.....	1	1	.....	10	11	20	15	12	6	4	1	.....	.....	.....
Other diseases of digestive system	18	3	.....	.....	.....	.....	1	2	3	2	4	1	1	1	.....	.....	.....
Acute nephritis	42	.....	.....	.....	.....	4	2	.....	10	12	8	2	3	1	.....	.....	.....
Bright's disease	318	.....	.....	.....	.....	.....	1	5	22	34	65	65	71	46	9	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	11	.....	.....	.....	.....	.....	.....	.....	1	2	6	.....	1	1	.....	.....	.....
Ovarian tumor	14	.....	.....	.....	.....	.....	.....	.....	3	4	2	2	1	2	.....	.....	.....
Other diseases of genito-urinary system	102	2	.....	.....	.....	.....	.....	2	15	21	7	10	21	20	4	.....	.....
Puerperal septicemia	19	.....	.....	.....	.....	.....	.....	2	11	5	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	45	.....	.....	.....	.....	.....	.....	2	11	27	5	.....	.....	.....	.....	.....	.....
Diseases of skin	45	1	1	.....	.....	.....	1	.....	3	3	2	5	5	14	7	3	.....
Diseases of locomotor system	20	5	2	1	1	1	.....	1	2	2	1	1	1	2	.....	.....	.....
Malformations	63	56	5	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Premature birth	111	111	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	152	152	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	163	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20	76	50	17	.....
Suicide	202	.....	.....	.....	.....	.....	.....	14	46	46	49	26	14	5	2	.....	.....
Other violence	456	18	4	2	3	5	10	31	101	76	85	50	35	28	5	1	2
Ill-defined causes	68	33	2	2	1	1	.....	.....	.....	.....	4	6	4	7	5	3	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

SCRANTON, PA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,498	362	78	26	22	13	26	64	118	138	127	132	178	101	29	4	80
Typhoid fever	21							6	6	5	1	1	1				1
Malarial fever	5										2		2	1			
Smallpox	1						1										
Measles	2	1								1							
Scarlet fever	3	1		1													1
Whooping cough	17	12	5														
Diphtheria and croup	17	2	3	2	3	1	2	3	1								
Influenza	11											1	6	2		1	1
Cholera nostras	1										1						
Dysentery	13	2	2				1				1	1	4	1			1
Erysipelas	1										1						
Other epidemic diseases[1]																	
Septicemia	12	1					1		3	3	1		1	1			1
Tuberculosis—total	99	10	1	2		1		12	26	21	16	1	3	2	1		3
Tuberculosis of lungs	93	9	1	1				11	24	21	16	1	3	2	1		3
Tuberculosis of larynx																	
Tuberculous meningitis	2			1				1									
Abdominal tuberculosis	2	1							1								
Pott's disease	1								1								
Tuberculous abscess																	
White swelling	1					1											
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula																	
Venereal diseases																	
Cancer	55				1			1		5	8	13	13	9			5
Tumor	1						1										
Rheumatism	9							3	1	2	2		1				
Diabetes	10								1	1	1	3	3				1
Anemia, leukemia	7				1			2		1		1		2			
Alcoholism	5									3		2					
Chronic poisonings																	
Other general diseases	3										3						
Encephalitis	2								1	1							
Meningitis	52	17	9	3	2	3	3	2	2		2	1	1	1			6
Apoplexy	57	2				2		1	1		7	10	18	5	6		5
Softening of brain	3												1	2			
Paralysis	23									1	1	2	9	9			1
Epilepsy	4							1	1			1	1				
Convulsions	97	69	9	5	4	2	2		1	1							4
Tetanus	1							1									
Other diseases of nervous system	22	1						1	1	5	4	3	3	1	1	1	1
Pericarditis																	
Endocarditis	11						1		1	3		2	3	1			
Heart disease	74	3	1				3	4	8	8	7	17	11	10	1		1
Angina pectoris	7								1		2	2	1	1			
Embolism and thrombosis	3							1		1			1				
Other diseases of circulatory system	20	3						1	2		5	1	4	3			1
Laryngitis																	
Acute bronchitis	41	28	7	1								2	1	1			1
Chronic bronchitis	17								1	2	2	2	5	3			2
Bronchopneumonia	34	14	6	3	3				2				2	3			1
Pneumonia	136	34	6	4	3		2	3	12	14	12	10	21	4	2		9
Pleurisy	14	2				1		1	2	1		4	2	1			
Congestion of lungs	10	1						1			1	2	3	1			1
Other diseases of respiratory system	17						1	1		5	1	1	3	5			
Tonsilitis																	
Diseases of stomach	12	2		1						2	2	2	1	1		1	
Diarrhea and enteritis	118	75	15	2	1	1		2		2	2	3	6	3	1		5
Hernia and intestinal obstructions	15	2						3	2	2	1		3				2
Cirrhosis of liver	4										1	3					
Other diseases of liver	13	1	1	1					1	2	2	2	2	1			
Peritonitis	26	1			1		3	1	7	6	1	3	1				2
Appendicitis	12				1			2	2			2	1				4
Other diseases of digestive system	5	2								1	2						
Acute nephritis	8							1	2		2	1	1	1			
Bright's disease	54	2		1			1		6	4	7	15	13	3			2
Calculi of urinary tract																	
Uterine tumor	2												1	1			
Ovarian tumor	1									1							
Other diseases of genito-urinary system	11							1		3		2	2	2			1
Puerperal septicemia	1								1								
Other causes incident to childbirth	6								2	3	1						
Diseases of skin	3										1		1				1
Diseases of locomotor system	1	1															
Malformations	8	7	1														
Premature birth	3	3															
Congenital debility	39	39															
Old age	28												3	9	15	1	
Suicide																	
Other violence	124	2	2		1	2	4	9	18	26	23	12	10	1	1		13
Ill-defined causes	66	22	10		1				3	2	1	4	9	10	1		3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

SYRACUSE, N. Y.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,487	260	44	11	12	11	33	59	109	133	133	172	210	211	76	13	.....
Typhoid fever	9	.....	.....	.....	.....	.....	1	1	3	2	2	.....	.....	.....	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	6	1	2	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	6	.....	1	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	12	5	5	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	13	.....	1	2	1	3	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	.....
Erysipelas	5	2	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	11	1	.....	.....	.....	.....	.....	.....	2	2	1	4	1	.....	.....	.....	.....
Tuberculosis—total	152	6	3	.....	1	.....	2	19	32	41	25	10	9	3	1	.....	.....
Tuberculosis of lungs	132	3	.....	.....	1	.....	2	16	30	37	22	10	7	3	1	.....	.....
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	8	2	3	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	6	1	.....	.....	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	86	.....	.....	.....	.....	1	.....	.....	.....	5	10	29	17	19	5	.....	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....
Rheumatism	11	.....	.....	.....	1	.....	.....	.....	3	4	.....	.....	1	1	1	.....	.....
Diabetes	17	.....	.....	.....	.....	.....	.....	.....	3	.....	1	1	8	3	1	.....	.....
Anemia, leukemia	8	.....	.....	.....	.....	1	.....	.....	.....	.....	2	3	.....	2	.....	.....	.....
Alcoholism	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other general diseases	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....
Encephalitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	44	10	5	2	2	2	3	6	4	4	.....	2	3	1	.....	.....	.....
Apoplexy	80	1	.....	.....	.....	.....	.....	.....	1	.....	5	16	26	25	6	.....	.....
Softening of brain	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Paralysis	16	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	6	5	3	.....	.....
Epilepsy	5	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....
Convulsions	26	24	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	26	2	.....	.....	.....	.....	.....	2	1	3	8	2	2	4	2	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Endocarditis	28	.....	.....	.....	.....	.....	1	4	3	2	3	2	6	7	.....	.....	.....
Heart disease	156	1	.....	.....	.....	.....	3	5	6	12	23	22	36	34	11	3	.....
Angina pectoris	19	.....	.....	.....	.....	.....	.....	.....	2	2	3	6	3	2	1	.....	.....
Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Other diseases of circulatory system	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	2	3	2	.....	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	18	12	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....
Chronic bronchitis	17	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	4	8	2	1	.....
Bronchopneumonia	21	6	2	1	1	.....	.....	1	.....	.....	.....	2	5	2	.....	1	.....
Pneumonia	71	7	2	2	2	1	3	.....	8	6	8	10	10	10	1	1	.....
Pleurisy	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Congestion of lungs	10	2	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	3	2	.....	.....
Other diseases of respiratory system	10	.....	.....	.....	1	.....	.....	2	1	1	.....	1	2	2	.....	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	25	6	1	.....	.....	.....	.....	.....	.....	2	.....	2	7	4	2	1	.....
Diarrhea and enteritis	92	64	11	.....	2	.....	1	.....	2	.....	.....	2	4	6	.....	.....	.....
Hernia and intestinal obstructions	14	1	1	.....	.....	.....	.....	1	1	.....	3	3	2	1	1	.....	.....
Cirrhosis of liver	14	.....	.....	.....	.....	.....	.....	.....	.....	1	2	7	3	1	.....	.....	.....
Other diseases of liver	8	1	.....	.....	.....	.....	.....	.....	.....	2	1	1	3	.....	.....	.....	.....
Peritonitis	12	.....	1	.....	.....	.....	.....	.....	3	4	1	3	.....	.....	.....	.....	.....
Appendicitis	14	.....	.....	.....	.....	.....	1	3	3	2	1	2	2	.....	.....	.....	.....
Other diseases of digestive system	9	1	.....	.....	.....	.....	.....	.....	2	2	1	1	1	1	.....	.....	.....
Acute nephritis	13	.....	.....	.....	.....	.....	1	1	.....	2	1	2	2	2	2	.....	.....
Bright's disease	76	1	.....	.....	.....	1	1	2	6	7	13	11	15	15	4	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	20	.....	.....	.....	.....	.....	.....	.....	2	3	1	2	4	4	4	.....	.....
Puerperal septicemia	5	.....	.....	.....	.....	.....	.....	.....	3	.....	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	10	.....	.....	.....	.....	.....	.....	1	2	6	1	.....	.....	.....	.....	.....	.....
Diseases of skin	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....
Diseases of locomotor system	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	10	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	42	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	25	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	25	21	5	.....
Suicide	15	.....	.....	.....	.....	.....	.....	2	2	1	2	4	4	.....	.....	.....	.....
Other violence	59	8	1	.....	.....	1	6	6	5	9	4	9	5	3	1	1	.....
Ill-defined causes	26	13	5	.....	.....	.....	1	.....	.....	1	1	2	2	1	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

TOLEDO, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,020	346	80	49	26	23	66	112	190	176	206	196	226	221	80	19	4
Typhoid fever	49	1					3	16	16	5	4	1	3				
Malarial fever	11							1	2	1	1	3		2	1		
Smallpox	11	1		2				1	1	3	2	1					
Measles	16	2	6	2	1	1	3	1									
Scarlet fever	9			2	2	2	1	2									
Whooping cough	5	1	1	2			1										
Diphtheria and croup	74	7	8	13	15	8	17	4		1			1				
Influenza	9	1					2					2	3			1	
Cholera nostras	4						1	1	1				1				
Dysentery	19		2	2						1		4	5	2	3		
Erysipelas	7	2					1				1	1	1		1		
Other epidemic diseases[1]																	
Septicemia	19	1					2	2	3	6	4		1				
Tuberculosis—total	192	7	1	4		1	1	19	64	37	24	21	9	4			
Tuberculosis of lungs	171	3		3			1	16	60	36	21	20	7	4			
Tuberculosis of larynx	1										1						
Tuberculous meningitis	5	3	1			1											
Abdominal tuberculosis	3							1	1	1							
Pott's disease	4							1	1		1		1				
Tuberculous abscess																	
White swelling	3								2		1						
Tuberculosis of other organs	2	1											1				
General tuberculosis	3			1				1				1					
Scrofula																	
Venereal diseases	4	3									1						
Cancer	81				1				2	4	24	19	17	12	2		
Tumor	4							1				1	1	1			
Rheumatism	5							1	1			1		2			
Diabetes	16			1				1		2	3	3	3	3			
Anemia, leukemia	8								1	1	1	1	3	1			
Alcoholism	14								1	4	2	4	3				
Chronic poisonings																	
Other general diseases	4							1		1	1	1					
Encephalitis	5	3	1								1						
Meningitis	37	11	9	2		2	5	2	2	2	1		1				
Apoplexy	72	1			1		1		4	10	11	16	11	14	3		
Softening of brain	5	1							1		1			1	1		
Paralysis	26		1				1					2	6	14	2		
Epilepsy	10							3		1	3	3					
Convulsions	43	36	5	1		1											
Tetanus																	
Other diseases of nervous system	107	2	1	1	1	1		4	4	17	25	15	16	16	4		
Pericarditis	1													1			
Endocarditis	4											1	1		2		
Heart disease	124	1					1	2	3	11	14	17	37	30	7	1	
Angina pectoris	4								1			1	1	1			
Embolism and thrombosis	2									1	1						
Other diseases of circulatory system	6							1		1	1	1	2				
Laryngitis	1		1														
Acute bronchitis	26	18	4	1			1					1			1		
Chronic bronchitis	12							1		1	2		4	2	2		
Bronchopneumonia	30	8	2	2			1	2		1	2	1	4	5	2		
Pneumonia	113	23	10	4	2	3	7		9	9	9	9	11	12	3	1	1
Pleurisy	7		1	2				1		1	1			1			
Congestion of lungs	14	6		2	1	1				1	2			1			
Other diseases of respiratory system	12			1				1	2	1		3	2	2			
Tonsilitis																	
Diseases of stomach	19	3	2	1				1	2		4		2	2	1	1	
Diarrhea and enteritis	146	98	15	1	1	1	2		2	4	3	8	5	5	1		
Hernia and intestinal obstructions	21	1						1	4	3	3	1	5	3			
Cirrhosis of liver	23	1								2	5	7	3	5			
Other diseases of liver	9									2	1	4	2				
Peritonitis	20				1		1	3	3	3	3	3	3				
Appendicitis	17	1					1	4	6	3	1		1				
Other diseases of digestive system	16	3								1	3	1	4	3	1		
Acute nephritis	10	1					1	1	2	1	2		1	1			
Bright's disease	71	1		1			2	1	4	2	13	13	19	12	3		
Calculi of urinary tract	1											1					
Uterine tumor	2										1	1					
Ovarian tumor	3							1	1				1				
Other diseases of genito-urinary system	27	1						1	6	4	1	3	3	5	3		
Puerperal septicemia	8							1	4	3							
Other causes incident to childbirth	7							1	3	1	2						
Diseases of skin	13	5	1									1	3		3		
Diseases of locomotor system	2									1	1						
Malformations	13	12					1										
Premature birth	2	2															
Congenital debility	60	60															
Old age	101												17	41	32	11	
Suicide	22							1	5	7	4	4	1				
Other violence	136	4	6	2		2	9	28	26	14	13	11	9	8	1	1	2
Ill-defined causes	49	17	3					2	2	4	5	3	5	5	1	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1902—Continued.

[For city of Washington, see table for District of Columbia (408), with which it is coextensive for census purposes.]

WORCESTER, MASS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,936	428	74	34	24	18	31	61	186	191	192	181	213	184	97	18	4
Typhoid fever	17							3	9	1	3	1					
Malarial fever	7		1					1	1		2	2					
Smallpox	1									1							
Measles	9	1	4	1		1	2										
Scarlet fever	16		2	2	5	2	2	2	1								
Whooping cough	26	14	4	4	1	1	2										
Diphtheria and croup	9		3	1	2	2	1										
Influenza	8										1	1	3	2	1		
Cholera nostras	3	1				1								1			
Dysentery	9	1	1			1					1	2	1	2			
Erysipelas	2											1			1		
Other epidemic diseases [1]																	
Septicemia	13	2						2	3	2	2	1		1			
Tuberculosis—total	231	7	7	3	1		5	19	73	52	34	13	11	4	2		
Tuberculosis of lungs	202	2	1	1			4	17	69	48	32	12	10	4	2		
Tuberculosis of larynx	2										1	1					
Tuberculous meningitis	11	3	4	2	1				1								
Abdominal tuberculosis	6	1	2							2			1				
Pott's disease	2								2								
Tuberculous abscess																	
White swelling	1							1									
Tuberculosis of other organs	3							1		2							
General tuberculosis	4	1					1		1		1						
Scrofula																	
Venereal diseases	2	2															
Cancer	79								1	8	8	22	23	13	3	1	
Tumor	4										1		1	1	1		
Rheumatism	6						1	1	1	1			1	1			
Diabetes	11									1	2	3	4	1			
Anemia, leukemia	16							1	2	3		4	4	1	1		
Alcoholism	7								1	3	1	2					
Chronic poisonings																	
Other general diseases	2									1		1					
Encephalitis	1				1												
Meningitis	45	23	10	5	2	1		1	1	1		1					
Apoplexy	82	1					1	1	3	2	10	10	18	21	13	1	1
Softening of brain																	
Paralysis	18	1								1	2	1	5	6	2		
Epilepsy	10			1				3	1	2	1		2				
Convulsions	28	16	6	2	3				1								
Tetanus	2									1	1						
Other diseases of nervous system	65	1				1		2	3	13	23	9	8	2	2	1	
Pericarditis	1										1						
Endocarditis	12						1	1	3	3	1		2	1			
Heart disease	178	4	1		1	1	2	2	7	21	17	30	40	39	12	1	
Angina pectoris	7										1	1	1	3	1		
Embolism and thrombosis	10								1	1	1	2	4		1		
Other diseases of circulatory system	16	3							1		1		2	7	2		
Laryngitis																	
Acute bronchitis	25	20	3										2				
Chronic bronchitis	25		1				1		3	3	3	1	9	3	1		
Bronchopneumonia	54	12	8	6				1		2	4	6	5	8	2		
Pneumonia	153	22	11	3	4	1	1	4	12	18	19	21	16	16	6	2	
Pleurisy	6					1	1		1	1	1	1					
Congestion of lungs	23	3		1				1			1	2	4	5	6		
Other diseases of respiratory system	10	1							1		1	2	4	1			
Tonsilitis																	
Diseases of stomach	11	1							2	1	3	1	1	2			
Diarrhea and enteritis	116	93	9	2	1	1	1	1		3		3	1	1			
Hernia and intestinal obstructions	13								3			3	5	2			
Cirrhosis of liver	13								1	1	5	3	3				
Other diseases of liver	4								1		1	1		1			
Peritonitis	15							1	2	5	4	1	1	1			
Appendicitis	10					1	3	1	2		3						
Other diseases of digestive system	6	3								1			1		1		
Acute nephritis	10				1		1	2	1	2		2		1			
Bright's disease	64	1	1					1	4	8	9	14	14	7	3	2	
Calculi of urinary tract																	
Uterine tumor	3								1		2						
Ovarian tumor	2									1					1		
Other diseases of genito-urinary system	19							1	2	5		1	3	4	1	2	
Puerperal septicemia	11								10	1							
Other causes incident to childbirth	3								1	2							
Diseases of skin	8	1			1		2					1	1		2		
Diseases of locomotor system	3	1							2								
Malformations	7	7															
Premature birth	90	90															
Congenital debility	61	61															
Old age	48												1	17	24	6	
Suicide	15							1	4	3	2	2	1	1	1		
Other violence	113	19	1	2	3	3	4	8	19	16	17	3	7	4	5	1	1
Ill-defined causes	42	16	1	1	1				1		3	6	4	4	2	1	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1902.

THE REGISTRATION AREA.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	508,640	44,487	43,196	44,789	43,924	42,330	38,694	45,410	44,254	40,013	39,174	38,645	43,508	216
Under 5	143,515	10,928	10,803	11,360	11,285	10,898	11,259	16,873	16,182	12,855	10,622	9,574	10,756	30
5 to 14	21,953	1,802	1,602	1,884	1,992	1,972	1,860	1,902	1,816	1,656	1,746	1,754	1,871	6
15 to 44	129,966	11,518	11,023	11,837	11,388	11,331	10,024	10,514	10,508	10,003	10,314	10,276	11,180	50
45 to 64	98,772	9,129	8,846	9,070	8,812	8,672	7,359	7,502	7,389	7,236	7,741	7,983	9,004	38
65 and over	112,525	10,963	10,578	10,458	10,203	9,292	8,049	8,456	8,206	8,097	8,626	8,927	10,537	43
Typhoid fever	10,980	749	586	616	633	680	617	796	1,292	1,429	1,367	1,174	1,041	.....
Under 15	1,865	134	122	106	121	114	127	142	199	253	210	174	163	.....
15 to 44	7,495	497	386	419	420	461	384	518	924	964	973	817	732	.....
45 to 64	1,239	86	61	74	63	87	87	111	128	159	133	141	109	.....
65 and over	348	31	15	16	26	14	19	25	35	48	47	39	33	.....
Malarial fever	1,738	91	70	90	94	132	151	208	244	240	194	129	94	1
Under 5	372	11	11	15	18	32	35	54	51	57	45	27	16	.....
5 to 14	168	7	3	9	15	12	17	18	23	26	15	13	10	.....
15 to 44	565	31	25	34	39	37	42	61	89	78	57	51	29	1
45 to 64	340	24	14	21	11	25	26	37	55	35	44	25	23	.....
65 and over	290	18	17	11	11	26	31	37	35	42	33	13	16	.....
Measles	3,033	305	351	388	427	502	365	243	95	45	57	90	165	.....
Under 5	2,511	253	272	305	353	420	328	209	81	41	46	76	127	.....
5 and over	521	52	78	83	74	82	37	34	14	4	11	14	38	.....
Scarlet fever	4,041	469	463	422	460	511	343	250	194	160	224	254	290	1
Under 5	2,299	300	265	230	250	269	188	158	105	97	120	155	162	.....
5 and over	1,738	169	198	191	210	242	155	92	88	62	103	99	128	1
Whooping cough	3,854	220	242	267	313	341	358	489	468	309	234	251	361	1
Under 5	3,651	208	228	251	294	320	341	465	452	298	219	232	342	1
5 and over	197	12	13	16	19	21	14	23	16	10	15	19	19	.....
Diphtheria and croup	9,859	1,046	906	816	756	695	672	524	583	692	995	1,025	1,148	1
Under 5	6,072	711	650	530	501	435	400	312	331	387	542	571	701	1
5 to 14	3,264	279	214	228	214	221	246	178	219	272	407	411	375	.....
15 and over	509	55	39	55	41	39	26	34	31	32	46	41	70	.....
Influenza	3,225	564	642	623	385	237	82	72	28	62	87	136	306	1
Under 5	424	58	87	74	50	33	9	7	2	16	20	15	53	.....
5 to 14	84	26	11	11	10	5	2	1	2	2	3	4	7	.....
15 to 44	470	92	79	96	56	28	9	14	1	11	8	24	51	1
45 to 64	700	131	153	149	67	51	17	14	5	13	20	30	50	.....
65 and over	1,534	254	311	291	201	119	43	35	18	20	35	62	145	.....
All other epidemic diseases [1]	7,299	560	487	452	494	490	639	1,013	1,163	792	469	340	400	.....
Under 5	2,286	156	127	115	153	153	222	382	409	261	133	75	100	.....
5 to 14	329	24	25	21	11	18	36	50	66	45	12	9	12	.....
15 to 44	1,919	197	161	157	169	173	194	184	150	147	125	113	149	.....
45 to 64	1,214	89	84	80	83	90	98	152	186	129	75	76	72	.....
65 and over	1,517	90	84	76	75	55	86	242	347	208	122	67	65	.....
Tuberculosis of lungs	52,079	4,721	4,494	5,069	4,905	4,782	4,135	4,093	3,963	3,764	3,981	3,917	4,242	13
Under 5	1,583	107	107	156	172	152	143	175	138	130	112	106	83	2
5 to 14	1,265	100	97	124	147	133	131	106	102	83	88	69	85	.....
15 to 44	36,400	3,340	3,171	3,540	3,336	3,333	2,916	2,856	2,808	2,597	2,768	2,717	3,013	5
45 to 64	9,727	880	837	942	962	874	705	756	698	731	784	772	784	2
65 and over	2,957	277	265	292	274	278	232	191	207	211	223	244	261	2
Other forms of tuberculosis	6,859	554	532	621	608	645	606	622	633	545	508	488	495	2
Under 5	2,342	187	178	223	254	198	187	227	216	196	166	153	157	.....
5 to 14	872	65	79	70	76	93	87	82	78	66	55	50	71	.....
15 to 44	2,533	212	187	232	206	252	229	225	233	196	189	195	176	1
45 to 64	798	66	66	70	49	80	82	58	73	57	67	65	64	1
65 and over	301	21	19	26	22	19	21	28	33	30	31	24	27	.....
Cancer	20,847	1,655	1,624	1,700	1,700	1,849	1,688	1,850	1,863	1,705	1,733	1,659	1,798	3
Under 15	221	17	23	16	18	20	14	27	14	20	17	20	14	1
15 to 44	3,640	271	262	302	335	340	299	310	326	299	311	271	314	.....
45 to 64	10,052	811	800	838	794	883	817	898	871	830	824	795	890	1
65 and over	6,866	553	535	539	551	597	548	604	647	551	595	573	572	1
Meningitis	9,981	773	800	961	989	874	873	1,017	865	761	677	672	717	2
Under 5	6,581	495	523	620	614	544	587	703	616	508	451	432	486	2
5 to 14	1,152	93	106	134	130	101	96	102	89	76	68	75	82	.....
15 to 44	1,469	123	124	143	158	139	136	136	105	112	95	104	94	.....
45 to 64	514	46	28	41	59	62	41	45	34	41	44	38	35	.....
65 and over	246	16	16	19	26	27	13	28	20	22	18	22	19	.....
Apoplexy and paralysis	28,536	2,550	2,509	2,624	2,551	2,447	2,209	2,224	2,132	2,091	2,244	2,319	2,629	7
Under 15	1,235	105	104	110	118	97	117	139	109	88	91	69	88	.....
15 to 44	2,757	217	195	251	250	241	216	216	261	233	223	219	234	1
45 to 64	9,166	832	835	806	845	784	689	642	685	653	750	776	866	3
65 and over	15,251	1,385	1,364	1,442	1,329	1,312	1,179	1,221	1,063	1,105	1,173	1,246	1,430	2
Other diseases of nervous system	20,796	1,729	1,690	1,835	1,913	1,773	1,621	1,922	1,672	1,626	1,605	1,660	1,741	9
Under 5	9,334	763	793	828	891	763	752	914	744	723	680	719	762	2
5 to 14	733	54	51	53	62	68	66	87	62	70	47	48	65	.....
15 to 44	3,822	294	282	329	349	347	303	348	316	303	317	303	330	1
45 to 64	3,542	319	270	317	303	324	263	305	285	277	274	309	292	4
65 and over	3,300	292	292	298	303	268	231	264	258	249	281	275	287	2

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1902—Continued.

THE REGISTRATION AREA—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	37,577	3,506	3,340	3,398	3,391	3,328	3,043	2,791	2,642	2,748	2,922	2,911	3,544	13
Under 5	981	69	94	101	93	74	67	85	73	90	77	76	81	1
5 to 14	978	77	72	100	104	84	86	93	78	77	72	63	72	.....
15 to 44	7,123	577	623	661	636	620	619	551	528	538	588	568	613	1
45 to 64	12,302	1,187	1,125	1,109	1,109	1,122	953	917	848	850	981	930	1,167	4
65 and over	16,044	1,587	1,416	1,414	1,434	1,415	1,305	1,131	1,102	1,178	1,197	1,261	1,598	6
Other diseases of circulatory system	11,656	1,069	1,077	1,003	1,089	1,005	874	904	816	858	934	986	1,036	5
Under 5	641	59	56	74	61	66	48	59	42	36	40	41	59	.....
5 to 14	497	41	33	41	50	62	49	45	35	32	29	44	36	.....
15 to 44	2,626	245	239	221	217	211	203	208	198	224	219	218	222	1
45 to 64	3,395	316	305	281	311	290	263	262	230	241	296	290	309	1
65 and over	4,456	407	436	381	450	372	308	327	309	321	347	391	406	1
Bronchitis, acute and chronic	12,581	1,544	1,480	1,375	1,346	1,104	696	577	541	609	841	1,107	1,356	5
Under 5	6,618	780	794	792	716	613	362	292	269	295	405	561	739	.....
5 to 14	250	29	20	19	31	17	18	10	13	13	23	26	31	.....
15 to 44	754	99	72	64	71	64	47	52	54	38	56	72	65	.....
45 to 64	1,361	152	163	121	166	124	77	79	55	67	106	110	141	.....
65 and over	3,570	479	429	373	357	285	192	142	149	194	251	336	380	3
Bronchopneumonia	10,153	1,170	1,302	1,203	1,156	865	605	471	409	479	678	831	983	1
Under 5	7,294	821	910	877	848	637	465	343	312	340	490	580	671	.....
5 to 14	355	37	39	36	43	37	29	13	15	15	26	28	36	1
15 to 44	619	61	80	80	60	45	31	36	23	37	40	51	75	.....
45 to 64	661	88	101	71	65	51	23	35	17	39	41	60	70	.....
65 and over	1,212	161	170	138	138	95	56	44	42	48	78	112	130	.....
Pneumonia	29,715	5,142	5,414	5,102	4,557	3,657	1,941	1,464	1,274	1,607	2,131	3,097	4,317	12
Under 5	13,333	1,470	1,657	1,657	1,491	1,191	772	601	512	572	756	1,132	1,520	2
5 to 14	1,624	183	220	196	188	158	90	79	60	60	93	128	169	.....
15 to 44	9,377	1,313	1,263	1,194	1,109	890	460	331	310	420	487	653	943	4
45 to 64	7,765	1,061	1,155	1,029	905	772	325	233	198	294	365	609	818	1
65 and over	7,505	1,104	1,101	1,007	852	637	290	219	190	257	428	568	849	3
Other diseases of respiratory system	8,578	893	829	898	832	714	557	561	520	569	651	743	807	4
Under 5	1,923	203	214	211	188	159	115	114	104	103	142	164	205	1
5 to 14	359	41	29	39	32	28	29	27	25	15	24	29	41	.....
15 to 44	2,044	205	166	196	198	169	145	152	156	156	153	184	162	2
45 to 64	1,975	198	176	196	177	179	149	130	123	136	155	162	193	1
65 and over	2,240	239	242	252	231	175	118	135	110	158	176	201	203	.....
Diarrhea and enteritis	33,627	1,023	837	1,010	1,074	1,420	2,917	7,827	7,771	4,849	2,477	1,337	1,082	3
Under 2	26,903	655	529	638	718	1,014	2,388	6,729	6,589	4,085	1,934	929	693	2
2 to 4	1,592	44	34	55	61	76	151	350	373	223	111	58	56	.....
5 to 14	455	23	24	27	28	34	38	86	74	41	34	22	24	.....
15 to 44	1,109	73	73	81	79	92	81	156	137	98	84	74	81	.....
45 to 64	1,369	80	72	85	85	74	93	187	230	154	126	95	87	1
65 and over	2,146	145	103	122	101	126	161	313	357	238	184	155	141	.....
Other diseases of digestive system	27,565	2,263	2,123	2,339	2,348	2,242	2,200	2,434	2,445	2,318	2,259	2,226	2,363	5
Under 5	4,048	266	320	343	361	341	293	392	387	353	373	295	324	.....
5 to 14	1,572	114	95	138	134	111	133	155	162	157	119	128	124	2
15 to 44	8,691	685	696	729	685	685	725	813	784	725	678	741	743	2
45 to 64	7,279	649	560	645	611	628	565	569	615	601	603	599	634	.....
65 and over	5,881	542	443	476	548	469	478	496	486	468	479	461	534	1
Bright's disease and nephritis	29,119	2,619	2,479	2,672	2,551	2,534	2,325	2,264	2,196	2,149	2,257	2,351	2,716	6
Under 5	1,049	90	93	104	93	88	86	70	75	82	92	86	90	.....
5 to 14	688	66	38	68	59	59	67	47	36	47	58	73	69	1
15 to 44	7,520	681	648	691	656	653	581	570	574	583	594	586	700	3
45 to 64	10,390	920	877	959	879	894	845	778	806	774	819	845	993	1
65 and over	9,416	858	817	847	857	834	741	795	703	659	688	756	860	1
Childbirth	4,164	366	414	434	413	387	307	346	334	270	292	301	298	2
Under 15	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....
15 to 44	4,103	361	408	432	405	382	299	341	331	266	288	295	294	1
45 and over	47	5	5	2	7	4	7	4	3	2	4	4	.....	.....
Suicide	4,054	281	258	311	356	406	381	396	353	327	338	345	298	4
Under 15	15	.....	2	1	3	1	.....	.....	.....	1	1	5	1	.....
15 to 44	2,318	170	156	170	189	251	214	214	204	188	187	200	173	2
45 to 64	1,265	80	81	106	116	116	122	132	102	100	113	107	90	.....
65 and over	432	30	17	32	45	36	44	50	44	33	35	32	33	1
Other violence	27,081	2,056	1,900	1,917	1,951	2,227	2,336	2,910	2,596	2,176	2,288	2,272	2,392	60
Under 5	3,827	311	306	304	300	308	326	357	346	282	304	317	362	4
5 to 14	2,455	134	106	140	185	241	272	371	293	190	187	178	158	.....
15 to 44	12,314	915	832	806	842	1,011	1,067	1,385	1,248	1,044	1,066	1,011	1,070	17
45 to 64	5,043	394	378	392	375	393	400	493	447	385	446	455	476	9
65 and over	3,065	280	258	244	230	238	244	252	234	251	252	280	300	2
All other causes	79,643	6,569	6,347	6,643	6,632	6,483	6,153	7,142	7,162	6,833	6,711	6,024	6,889	55
Under 5	36,116	2,767	2,506	2,733	2,656	2,886	2,846	3,685	3,798	3,521	3,214	2,651	2,842	11
5 to 14	1,288	112	105	118	122	102	90	110	115	97	103	95	117	2
15 to 44	9,427	768	794	883	837	820	769	789	714	708	757	758	824	6
45 to 64	8,529	704	689	724	752	754	706	658	684	668	665	687	829	9
65 and over	23,913	2,193	2,225	2,158	2,232	1,891	1,706	1,873	1,817	1,805	1,949	1,805	2,241	18

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1902—Continued.

REGISTRATION CITIES.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	385,670	33,398	32,534	33,598	33,237	32,094	29,840	35,398	33,530	29,758	29,528	29,570	33,082	103
Under 5	116,301	8,799	8,823	9,180	9,186	8,935	9,516	14,187	12,956	9,890	8,427	7,756	8,630	16
5 to 14	17,427	1,386	1,364	1,475	1,604	1,598	1,491	1,539	1,454	1,264	1,359	1,399	1,491	3
15 to 44	106,066	9,390	8,954	9,602	9,306	9,165	8,254	8,491	8,520	8,118	8,411	8,570	9,260	25
45 to 64	76,100	7,083	6,758	6,932	6,809	6,652	5,656	5,795	5,610	5,514	6,029	6,227	7,015	20
65 and over	68,652	6,638	6,538	6,310	6,249	5,642	4,841	5,281	4,894	4,866	5,235	5,543	6,602	13
Typhoid fever	8,511	559	453	484	501	570	506	648	1,036	1,063	983	898	810	.....
Under 15	1,407	97	98	74	96	97	103	115	157	182	137	128	123	.....
15 to 44	5,986	382	309	342	340	389	321	429	757	744	734	646	593	.....
45 to 64	901	63	39	53	48	70	67	87	99	110	91	104	70	.....
65 and over	198	16	6	14	16	10	15	17	19	24	20	19	22	.....
Malarial fever	1,339	68	49	70	67	107	119	172	185	188	140	101	72	1
Under 5	293	9	5	10	13	28	31	46	38	46	32	24	11	.....
5 to 14	134	5	3	7	11	9	12	17	18	22	12	9	9	.....
15 to 44	460	24	20	27	31	33	38	52	60	63	46	40	25	1
45 to 64	274	21	10	16	9	21	19	33	45	29	33	21	17	.....
65 and over	175	9	11	10	3	16	19	23	24	26	17	7	10	.....
Measles	2,506	270	292	317	345	400	302	200	77	39	45	78	141	.....
Under 5	2,158	230	240	261	300	349	277	179	70	37	39	67	109	.....
5 and over	348	40	52	56	45	51	25	21	7	2	6	11	32	.....
Scarlet fever	3,484	390	400	364	395	461	308	233	173	126	180	204	250	.....
Under 5	2,019	260	227	205	217	246	175	152	93	81	96	125	140	.....
5 and over	1,462	130	173	158	178	215	133	81	77	45	83	79	110	.....
Whooping cough	2,970	150	173	196	232	283	281	386	393	242	181	190	263	.....
Under 5	2,814	141	166	184	217	264	268	366	378	235	170	176	249	.....
5 and over	152	9	6	12	15	19	10	20	15	7	11	14	14	.....
Diphtheria and croup	8,299	848	767	695	661	606	590	445	494	565	819	862	946	1
Under 5	5,253	583	564	457	450	386	360	276	280	331	460	502	603	1
5 to 14	2,669	224	173	189	180	188	210	150	188	209	330	334	294	.....
15 and over	370	41	28	47	31	32	20	19	25	24	29	26	48	.....
Influenza	1,886	346	408	383	210	117	35	34	16	27	40	83	186	1
Under 5	240	35	54	46	22	17	1	3	.....	5	9	11	37	.....
5 to 14	53	14	10	9	5	4	1	.....	1	.....	1	3	5	.....
15 to 44	346	71	54	73	42	21	7	9	1	4	4	18	41	1
45 to 64	482	92	118	101	42	31	8	7	5	11	12	19	36	.....
65 and over	759	132	172	153	98	44	17	14	9	7	14	32	67	.....
All other epidemic diseases [1]	5,497	455	393	349	397	395	508	757	772	507	347	274	343	.....
Under 5	1,666	123	107	91	134	123	170	276	248	149	99	57	89	.....
5 to 14	261	22	21	20	11	12	29	41	50	28	10	7	10	.....
15 to 44	1,626	170	137	124	140	148	161	147	126	126	107	105	135	.....
45 to 64	951	79	73	65	63	74	80	117	133	90	57	58	62	.....
65 and over	975	58	54	49	46	38	65	175	211	112	74	47	46	.....
Tuberculosis of lungs	40,983	3,719	3,539	3,917	3,789	3,693	3,288	3,248	3,085	2,995	3,158	3,183	3,365	4
Under 5	1,270	80	92	123	132	132	117	143	108	104	92	84	62	1
5 to 14	998	80	73	100	116	105	97	85	76	71	71	51	73	.....
15 to 44	29,440	2,722	2,578	2,793	2,664	2,622	2,389	2,305	2,247	2,116	2,241	2,290	2,472	1
45 to 64	7,504	670	633	720	721	669	555	592	539	571	623	601	610	.....
65 and over	1,682	158	151	169	145	158	124	119	110	126	129	151	141	1
Other forms of tuberculosis	5,450	425	433	493	505	522	483	510	503	402	393	390	391	.....
Under 5	1,981	158	156	192	211	164	169	191	184	157	137	131	131	.....
5 to 14	728	50	67	59	70	78	73	70	67	54	43	43	54	.....
15 to 44	1,981	157	152	179	176	205	173	181	182	136	145	157	138	.....
45 to 64	582	47	46	47	38	63	57	49	48	38	50	43	56	.....
65 and over	166	10	9	16	10	9	11	17	22	17	18	15	12	.....
Cancer	15,038	1,189	1,190	1,238	1,230	1,342	1,208	1,335	1,325	1,223	1,261	1,192	1,303	2
Under 15	164	14	19	12	13	14	9	18	11	14	13	17	9	1
15 to 44	2,989	220	225	245	281	277	242	262	258	227	261	225	266	.....
45 to 64	7,671	632	610	655	599	680	617	673	660	645	629	604	667	.....
65 and over	4,171	321	333	323	336	364	336	375	393	333	354	346	356	1
Meningitis	7,992	606	628	787	794	708	711	839	690	570	530	556	572	1
Under 5	5,333	402	417	512	507	449	477	592	491	376	355	359	395	1
5 to 14	911	64	84	108	103	82	76	80	69	59	58	63	65	.....
15 to 44	1,175	97	96	114	120	112	117	109	85	89	73	87	76	.....
45 to 64	397	34	20	37	49	44	32	36	29	28	33	29	26	.....
65 and over	161	9	8	13	14	21	9	19	15	16	10	17	10	.....
Apoplexy and paralysis	18,894	1,676	1,656	1,745	1,690	1,635	1,450	1,503	1,392	1,366	1,473	1,545	1,760	3
Under 15	931	70	84	88	100	73	86	107	79	58	64	58	64	.....
15 to 44	2,239	167	150	200	207	200	185	176	213	190	183	169	199	.....
45 to 64	6,788	611	611	600	634	586	488	482	498	459	581	587	649	2
65 and over	8,868	817	806	849	746	770	687	733	594	653	643	726	844	.....
Other diseases of nervous system	15,416	1,276	1,227	1,327	1,422	1,292	1,223	1,471	1,232	1,211	1,187	1,230	1,314	4
Under 5	7,635	621	643	658	710	627	624	774	606	585	561	591	633	2
5 to 14	532	39	34	34	46	47	48	70	45	51	34	32	52	.....
15 to 44	2,897	226	205	241	263	260	236	264	244	234	241	229	254	.....
45 to 64	2,500	218	179	241	213	218	193	215	194	197	191	221	219	1
65 and over	1,811	166	164	149	188	138	118	146	139	141	155	154	152	1

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1902—Continued.

REGISTRATION CITIES—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.												
		January	February.	March.	April.	May.	June.	July.	August.	September.	October.	November	December.	Unknown.
Heart disease	26,004	2,368	2,361	2,411	2,359	2,261	2,102	1,899	1,795	1,872	2,077	2,009	2,486	4
Under 5	717	53	70	74	60	49	46	62	60	64	59	56	64	.....
5 to 14	807	66	57	88	89	70	69	78	66	60	54	54	56	.....
15 to 44	5,967	482	523	569	526	521	517	459	432	456	489	480	512	1
45 to 64	9,204	888	857	822	835	815	742	672	623	618	755	702	873	2
65 and over	9,233	876	849	852	841	799	723	619	608	662	716	712	975	1
Other diseases of circulatory system	9,077	820	829	788	826	774	673	716	632	670	755	780	812	2
Under 5	494	45	44	59	44	49	37	47	36	31	26	31	45	.....
5 to 14	416	35	28	34	41	52	40	37	31	26	22	37	33	.....
15 to 44	2,239	205	198	191	179	177	170	180	170	198	194	187	190	.....
45 to 64	2,788	256	247	230	257	241	215	217	184	186	258	238	258	1
65 and over	3,112	278	306	270	305	251	210	234	209	226	254	285	284	.....
Bronchitis, acute and chronic	10,129	1,264	1,186	1,086	1,059	894	544	470	432	494	683	930	1,084	3
Under 5	5,597	686	671	664	600	520	300	246	226	252	346	477	609	.....
5 to 14	205	21	16	16	26	13	16	8	10	13	19	22	25	.....
15 to 44	649	87	61	53	62	53	40	46	46	30	49	65	57	.....
45 to 64	1,139	129	133	103	132	108	60	62	46	56	93	96	121	.....
65 and over	2,519	336	304	246	236	200	128	106	104	142	176	268	272	1
Bronchopneumonia	8,688	993	1,117	1,037	983	757	516	421	365	410	579	701	808	1
Under 5	6,429	724	811	776	751	570	407	314	287	297	428	500	564	.....
5 to 14	298	31	36	29	36	31	23	11	15	12	21	25	27	1
15 to 44	541	53	71	73	43	37	28	33	20	36	34	46	67	.....
45 to 64	561	76	85	60	54	46	19	33	15	32	36	48	57	.....
65 and over	849	107	112	99	97	73	38	30	28	33	58	82	92	.....
Pneumonia	31,390	3,988	4,145	3,926	3,636	2,893	1,565	1,213	1,079	1,312	1,735	2,501	3,389	8
Under 5	11,140	1,221	1,382	1,349	1,242	1,004	647	522	448	488	637	942	1,257	1
5 to 14	1,293	139	172	152	152	123	74	70	53	53	73	97	135	.....
15 to 44	7,952	1,087	1,051	1,009	944	732	395	288	277	365	429	571	801	3
45 to 64	6,148	833	852	783	737	622	260	189	165	246	303	503	654	1
65 and over	4,786	701	676	620	554	405	186	144	134	157	292	383	532	2
Other diseases of respiratory system	6,635	691	641	694	626	547	411	440	413	427	515	599	629	2
Under 5	1,461	150	164	173	142	114	89	87	80	82	105	124	150	1
5 to 14	290	36	25	30	25	20	19	24	21	9	20	25	36	.....
15 to 44	1,732	171	145	166	162	149	117	126	131	131	132	163	138	1
45 to 64	1,615	170	147	156	147	142	118	108	100	102	124	139	162	.....
65 and over	1,517	159	158	168	147	121	68	93	79	103	133	147	141	.....
Diarrhea and enteritis	27,194	820	660	828	895	1,184	2,631	6,765	6,134	3,515	1,842	1,032	887	1
Under 2	22,205	557	436	552	621	876	2,195	5,885	5,268	3,025	1,463	741	586	.....
2 to 4	1,205	34	24	46	50	65	138	271	282	124	81	44	46	.....
5 to 14	372	20	21	21	23	28	35	78	57	30	22	19	18	.....
15 to 44	921	66	56	68	65	69	70	132	114	76	67	66	72	.....
45 to 64	1,075	59	50	63	70	60	81	164	171	116	97	71	72	1
65 and over	1,378	83	73	76	64	82	109	232	232	136	111	87	93	.....
Other diseases of digestive system	20,627	1,697	1,617	1,717	1,757	1,678	1,661	1,840	1,778	1,696	1,684	1,677	1,822	3
Under 5	2,980	195	243	266	266	248	232	297	280	237	273	205	238	.....
5 to 14	1,189	89	77	99	107	88	98	121	118	105	97	101	87	2
15 to 44	7,214	577	563	595	582	570	616	666	640	596	559	618	631	1
45 to 64	5,640	502	443	473	473	475	440	458	466	457	467	464	522	.....
65 and over	3,546	330	285	278	327	292	270	293	265	291	286	287	342	.....
Bright's disease and nephritis	22,909	2,062	1,965	2,077	2,028	1,988	1,792	1,730	1,692	1,702	1,784	1,871	2,215	3
Under 5	855	67	73	85	84	78	67	59	63	68	68	71	72	.....
5 to 14	559	47	34	51	42	48	54	38	32	39	53	59	62	.....
15 to 44	6,523	589	561	604	566	557	502	487	488	508	522	518	619	2
45 to 64	8,551	777	722	786	745	719	672	622	644	631	683	711	839	.....
65 and over	6,383	579	570	549	586	580	494	521	464	454	455	510	620	1
Childbirth	3,113	273	292	325	304	263	239	266	264	208	217	243	218	1
Under 15	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....
15 to 44	3,070	270	287	323	300	259	234	264	261	205	215	237	215	.....
45 and over	34	3	4	2	4	3	5	2	3	2	2	4	.....	.....
Suicide	3,271	237	214	244	275	331	310	314	275	267	265	293	245	1
Under 15	12	.....	2	1	3	.....	.....	.....	.....	.....	1	4	1	.....
15 to 44	1,975	143	138	144	157	220	181	183	169	162	150	175	152	1
45 to 64	992	71	62	78	84	93	96	102	79	76	90	91	70	.....
65 and over	280	22	12	20	29	18	33	29	25	25	23	23	21	.....
Other violence	20,644	1,561	1,446	1,441	1,520	1,708	1,761	2,175	1,997	1,652	1,749	1,760	1,842	32
Under 5	2,843	215	213	228	227	225	242	275	269	204	230	243	269	3
5 to 14	1,905	98	88	97	146	183	216	290	229	149	144	139	126	.....
15 to 44	9,853	742	673	652	709	825	839	1,030	990	829	867	822	865	10
45 to 64	3,920	315	302	307	294	310	296	381	348	313	326	348	375	5
65 and over	1,900	174	159	142	132	142	149	163	149	145	162	189	193	1
All other causes	57,724	4,647	4,453	4,659	4,731	4,685	4,623	5,368	5,301	5,009	4,906	4,388	4,929	25
Under 5	28,411	2,112	1,910	2,073	2,061	2,252	2,340	2,970	3,038	2,809	2,557	2,100	2,184	5
5 to 14	959	76	74	87	90	84	67	80	92	72	74	76	87	.....
15 to 44	7,660	616	628	717	687	668	637	631	576	570	636	620	671	3
45 to 64	6,339	530	510	527	550	556	532	492	515	501	492	524	594	7
65 and over	14,167	1,297	1,318	1,245	1,329	1,110	1,030	1,177	1,061	1,037	1,132	1,053	1,374	4

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1902—Continued.

RURAL PART OF REGISTRATION STATES.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	122,970	11,089	10,662	11,191	10,687	10,236	8,854	10,012	10,724	10,255	9,646	9,075	10,426	113
Under 5	27,214	2,129	2,070	2,180	2,099	1,963	1,743	2,686	3,226	2,965	2,195	1,818	2,126	14
5 to 14	4,526	416	328	409	388	374	369	363	362	392	387	355	380	3
15 to 44	23,900	2,128	2,069	2,235	2,082	2,166	1,770	2,023	1,988	1,885	1,903	1,706	1,920	25
45 to 64	22,672	2,046	2,088	2,138	2,003	2,020	1,703	1,707	1,770	1,722	1,712	1,756	1,989	18
65 and over	43,873	4,325	4,040	4,148	4,044	3,650	3,208	3,175	3,312	3,231	3,391	3,384	3,935	30
Typhoid fever	2,469	190	133	132	132	110	111	148	256	366	384	276	231	.....
Under 15	458	37	24	32	25	17	24	27	42	71	73	46	40	.....
15 to 44	1,509	115	77	77	80	72	63	89	167	220	239	171	139	.....
45 to 64	338	23	22	21	15	17	20	24	29	49	42	37	39	.....
65 and over	150	15	9	2	10	4	4	8	16	24	27	20	11	.....
Malarial fever	399	23	21	20	27	25	32	36	59	52	54	28	22	.....
Under 5	79	2	6	5	5	4	4	8	13	11	13	3	5	.....
5 to 14	34	2	.....	2	4	3	5	1	5	4	3	4	1	.....
15 to 44	105	7	5	7	8	4	4	9	20	15	11	11	4	.....
45 to 64	66	3	4	5	2	4	7	4	10	6	11	4	6	.....
65 and over	115	9	6	1	8	10	12	14	11	16	16	6	6	.....
Measles	527	35	39	71	82	102	63	43	18	6	12	12	24	.....
Under 5	353	23	32	44	53	71	51	30	11	4	7	9	18	.....
5 and over	173	12	26	27	29	31	12	13	7	2	5	3	6	.....
Scarlet fever	557	79	63	58	65	50	35	17	21	34	44	50	40	1
Under 5	280	40	38	25	33	23	13	6	10	16	24	30	22	.....
5 and over	276	39	25	33	32	27	22	11	11	17	20	20	18	1
Whooping cough	884	70	69	71	81	58	77	103	75	67	53	61	98	1
Under 5	837	67	62	67	77	56	73	99	74	63	49	56	93	1
5 and over	45	3	7	4	4	2	4	3	1	3	4	5	5	.....
Diphtheria and croup	1,560	198	139	121	95	89	82	79	89	127	176	163	202	.....
Under 5	819	128	86	73	51	49	40	36	51	56	82	69	98	.....
5 to 14	595	55	41	39	34	33	36	28	31	63	77	77	81	.....
15 and over	139	14	11	8	10	7	6	15	6	8	17	15	22	.....
Influenza	1,339	218	234	240	175	120	47	38	12	35	47	53	120	.....
Under 5	184	23	33	28	28	16	8	4	2	11	11	4	16	.....
5 to 14	31	12	1	2	5	1	1	1	1	2	2	1	2	.....
15 to 44	124	21	25	23	14	7	2	5	.....	7	4	6	10	.....
45 to 64	218	39	35	48	25	20	9	7	.....	2	8	11	14	.....
65 and over	775	122	139	138	103	75	26	21	9	13	21	30	78	.....
All other epidemic diseases [1]	1,802	105	94	103	97	95	131	256	391	285	122	66	57	.....
Under 5	620	33	20	24	19	30	32	106	161	112	34	18	11	.....
5 to 14	68	2	4	1	.....	6	7	9	16	17	2	2	2	.....
15 to 44	293	27	24	33	29	25	33	37	24	21	18	8	14	.....
45 to 64	263	10	11	15	20	16	18	35	53	39	18	18	10	.....
65 and over	542	32	30	27	29	17	21	67	136	96	48	20	19	.....
Tuberculosis of lungs	11,096	1,002	955	1,152	1,116	1,089	847	845	878	769	823	734	877	9
Under 5	313	27	15	33	40	20	26	32	30	26	20	22	21	1
5 to 14	267	20	24	24	31	28	34	21	26	12	17	18	12	.....
15 to 44	6,960	618	593	747	672	711	527	551	561	481	527	427	541	4
45 to 64	2,223	210	204	222	241	205	150	164	159	160	161	171	174	2
65 and over	1,275	119	114	123	129	120	108	72	97	85	94	93	120	1
Other forms of tuberculosis	1,409	129	99	128	103	123	123	112	130	143	115	98	104	2
Under 5	361	29	22	31	43	34	18	36	32	39	29	22	26	.....
5 to 14	144	15	12	11	6	15	14	12	11	12	12	7	17	.....
15 to 44	552	55	35	53	30	47	56	44	51	60	44	38	38	1
45 to 64	216	19	20	23	11	17	25	9	25	19	17	22	8	1
65 and over	135	11	10	10	12	10	10	11	11	13	13	9	15	.....
Cancer	5,809	466	434	462	470	507	480	515	538	482	492	467	495	1
Under 15	57	3	4	4	5	6	5	9	3	6	4	3	5	.....
15 to 44	651	51	37	57	54	63	57	48	68	72	50	46	48	.....
45 to 64	2,381	179	190	183	195	203	200	225	211	185	195	191	223	1
65 and over	2,695	232	202	216	215	233	212	229	254	218	241	227	216	.....
Meningitis	1,989	167	172	174	195	166	162	178	175	191	147	116	145	1
Under 5	1,248	93	106	108	107	95	110	111	125	132	96	73	91	1
5 to 14	241	29	22	26	27	19	20	22	20	17	10	12	17	.....
15 to 44	294	26	28	29	38	27	19	27	20	23	22	17	18	.....
45 to 64	117	12	8	4	10	18	9	9	5	13	11	9	9	.....
65 and over	85	7	8	6	12	6	4	9	5	6	8	5	9	.....
Apoplexy and paralysis	9,642	874	853	879	861	812	759	721	740	725	771	774	869	4
Under 15	304	35	20	22	18	24	31	32	30	30	27	11	24	.....
15 to 44	518	50	45	51	43	41	31	40	48	43	40	50	35	1
45 to 64	2,378	221	224	206	211	198	201	160	187	194	169	189	217	1
65 and over	6,383	568	558	593	583	542	492	488	469	452	530	520	586	2
Other diseases of nervous system	5,380	453	463	508	491	481	398	451	440	415	418	430	427	5
Under 5	1,699	142	150	170	181	136	128	140	138	138	119	128	129	.....
5 to 14	201	15	17	19	16	21	18	17	17	19	13	16	13	.....
15 to 44	925	68	77	88	86	87	67	84	72	69	76	74	76	1
45 to 64	1,042	101	91	76	90	106	70	90	91	80	83	88	73	3
65 and over	1,489	126	128	149	115	130	113	118	119	108	126	121	135	1

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1902—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October	November.	December.	Unknown.
Heart disease	11,573	1,138	979	987	1,032	1,067	941	892	847	876	845	902	1,058	9
Under 5	264	16	24	27	33	25	21	23	13	26	18	20	17	1
5 to 14	171	11	15	12	15	14	17	15	12	17	18	9	16	.....
15 to 44	1,156	95	100	92	110	99	102	92	96	82	99	88	101	.....
45 to 64	3,098	299	268	287	274	307	211	245	225	232	226	228	294	2
65 and over	6,811	711	567	562	593	616	582	512	494	516	481	549	623	5
Other diseases of circulatory system	2,579	249	248	215	263	231	201	188	184	188	179	206	224	3
Under 5	147	14	12	15	17	17	11	12	6	5	14	10	14	.....
5 to 14	81	6	5	7	9	10	9	8	4	6	7	7	3	.....
15 to 44	387	40	41	30	38	34	33	28	28	26	25	31	32	1
45 to 64	607	60	58	51	54	49	48	45	46	55	38	52	51	.....
65 and over	1,344	129	130	111	145	121	98	93	100	95	93	106	122	1
Bronchitis, acute and chronic	2,452	280	294	289	287	210	152	107	109	115	158	177	272	2
Under 5	1,021	94	123	128	116	93	62	46	43	43	59	84	130	.....
5 to 14	45	8	4	3	5	4	2	2	3	.....	4	4	6	.....
15 to 44	105	12	11	11	9	11	7	6	8	8	7	7	8	.....
45 to 64	222	23	30	18	34	16	17	17	9	11	13	14	20	.....
65 and over	1,051	143	125	127	121	85	64	36	45	52	75	68	108	2
Bronchopneumonia	1,465	177	185	166	173	108	89	50	44	69	99	130	175	.....
Under 5	865	97	99	101	97	67	58	29	25	43	62	80	107	.....
5 to 14	57	6	3	7	7	6	6	2	.....	3	5	3	9	.....
15 to 44	78	8	9	7	17	8	3	3	3	1	6	5	8	.....
45 to 64	100	12	16	11	11	5	4	2	2	7	5	12	13	.....
65 and over	363	54	58	39	41	22	18	14	14	15	20	30	38	.....
Pneumonia	8,325	1,154	1,269	1,176	921	764	376	251	195	295	396	596	928	4
Under 5	2,193	249	275	308	249	187	125	79	64	84	119	190	263	1
5 to 14	331	44	48	44	36	35	16	9	7	7	20	31	34	.....
15 to 44	1,425	226	212	185	165	158	65	43	33	55	58	82	142	1
45 to 64	1,617	228	303	246	168	150	65	44	33	48	62	106	164	.....
65 and over	2,719	403	425	387	298	232	104	75	56	100	136	185	317	1
Other diseases of respiratory system	1,943	202	188	204	206	167	146	121	107	142	136	144	178	2
Under 5	462	53	50	38	46	45	26	27	24	21	37	40	55	.....
5 to 14	69	5	4	9	7	8	10	3	4	6	4	4	5	.....
15 to 44	312	34	21	30	36	20	28	26	25	25	21	21	24	1
45 to 64	360	28	29	40	30	37	31	22	23	34	31	23	31	1
65 and over	723	80	84	84	84	54	50	42	31	55	43	54	62	.....
Diarrhea and enteritis	6,433	203	177	182	179	236	286	1,062	1,637	1,334	635	305	195	2
Under 2	4,698	98	93	86	97	138	193	844	1,321	1,060	471	188	107	2
2 to 4	387	10	10	9	11	11	13	79	91	99	30	14	10	.....
5 to 14	83	3	3	6	5	6	3	8	17	11	12	3	6	.....
15 to 44	188	7	17	13	14	23	11	24	23	22	17	8	9	.....
45 to 64	294	21	22	22	15	14	12	23	59	38	29	24	15	.....
65 and over	768	62	30	46	37	44	52	81	125	102	73	68	48	.....
Other diseases of digestive system	6,938	566	506	622	591	564	539	594	667	622	575	549	541	2
Under 5	1,068	71	77	77	95	93	61	95	107	116	100	90	86	.....
5 to 14	383	25	18	39	27	23	35	34	44	52	22	27	37	.....
15 to 44	1,477	108	133	134	103	115	109	147	144	129	119	123	112	1
45 to 64	1,639	147	117	172	138	153	125	111	149	144	136	135	112	.....
65 and over	2,335	212	158	198	221	177	208	203	221	177	193	174	192	1
Bright's disease and nephritis	6,210	557	514	595	523	546	533	534	504	447	473	480	501	3
Under 5	194	23	20	19	9	10	19	11	12	14	24	15	18	.....
5 to 14	129	19	4	17	17	11	13	9	4	8	5	14	7	1
15 to 44	997	92	87	87	90	96	79	83	86	75	72	68	81	1
45 to 64	1,839	143	155	173	134	175	173	156	162	143	136	134	154	1
65 and over	3,033	279	247	298	271	254	247	274	239	205	233	246	240	.....
Childbirth	1,051	93	122	109	109	124	68	80	70	62	75	58	80	1
Under 15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 44	1,033	91	121	109	105	123	65	77	70	61	73	58	79	1
45 and over	13	2	1	.....	3	1	2	2	.....	.....	2	.....	.....	.....
Suicide	783	44	44	67	81	75	71	82	78	60	73	52	53	3
Under 15	3	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....
15 to 44	343	27	18	26	32	31	33	31	35	26	37	25	21	1
45 to 64	273	9	19	28	32	23	26	30	23	24	23	16	20	.....
65 and over	152	8	5	12	16	18	11	21	19	8	12	9	12	1
Other violence	6,437	495	454	476	431	519	575	735	599	524	539	512	550	28
Under 5	984	96	93	76	73	83	84	82	77	78	74	74	93	1
5 to 14	550	36	18	43	39	58	56	81	64	41	43	39	32	.....
15 to 44	2,461	173	159	154	133	186	228	355	258	215	199	189	205	7
45 to 64	1,123	79	76	85	81	83	104	112	99	72	120	107	101	4
65 and over	1,165	106	99	102	98	96	95	89	85	106	90	91	107	1
All other causes	21,919	1,922	1,894	1,984	1,901	1,798	1,530	1,774	1,861	1,824	1,805	1,636	1,960	30
Under 5	7,705	655	596	660	595	634	506	715	760	712	657	551	658	6
5 to 14	329	36	31	31	32	18	23	30	23	25	29	19	30	2
15 to 44	1,767	152	166	166	150	152	132	158	138	138	121	138	153	3
45 to 64	2,199	174	179	197	202	198	174	166	169	167	173	163	235	2
65 and over	9,746	896	907	913	903	781	676	696	756	768	817	732	867	14

TABLES FOR 1903.

Table 1.—Deaths in registration areas, by color, general nativity, parent nativity, and month.
Table 2.—Deaths in registration areas, at each age.
Table 3.—Deaths in registration areas, from certain principal diseases and classes of diseases.
Table 4.—Deaths in registration areas, at each age, by sex, color, general nativity, and parent nativity.
Table 5.—Deaths in registration areas, from each disease and class of diseases.
Table 6.—Deaths in the registration area, from each specified disease and class of diseases, by sex and age.
Table 7.—Deaths in registration states, from each specified disease and class of diseases, by age.
Table 8.—Deaths in cities of 100,000 population or over, at each specified age, from certain causes.
Table 9.—Deaths in registration areas, from certain specified causes, in each month, by certain divisions of age.

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR,

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.								
			Both parents.			Mixed parentage.			Parentage not stated.	Foreign.	Unknown.	
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	SUMMARIES.											
1	The registration area	524,415	158,000	85,263	36,953	26,820	9,958	2,459	23,901	135,204	9,679	36,178
2	Registration cities	397,736	94,546	72,922	25,537	20,234	4,643	1,737	23,901	113,015	7,300	33,901
3	Registration states	327,295	113,512	61,572	21,359	19,971	8,567	1,855	.....	84,851	4,963	10,645
4	Cities in registration states	200,616	50,058	49,231	9,943	13,385	3,252	1,133	.....	62,662	2,584	8,368
5	Rural part of registration states	126,679	63,454	12,341	11,416	6,586	5,315	722	.....	22,189	2,379	2,277
6	Registration cities in other states	197,120	44,488	23,691	15,594	6,849	1,391	604	23,901	50,353	4,716	25,533
	REGISTRATION STATES.											
7	Connecticut	15,492	4,899	3,428	884	896	585	98	.....	4,110	255	337
8	District of Columbia	5,945	1,800	298	477	174	29	7	.....	572	39	2,549
9	Indiana	31,845	17,873	1,886	3,364	1,200	2,113	231	.....	3,272	604	1,302
10	Maine	11,216	6,476	967	1,030	667	425	51	.....	1,369	190	41
11	Massachusetts	48,863	14,628	11,493	2,004	3,594	1,446	371	.....	14,139	391	797
12	Michigan	33,120	11,419	5,354	1,965	2,913	1,000	258	.....	9,062	624	525
13	New Hampshire	6,968	2,850	960	895	354	334	30	.....	1,233	299	4
14	New Jersey	31,977	11,337	6,197	1,960	1,537	303	181	.....	8,363	340	1,759
15	New York	127,602	37,185	28,309	7,582	7,696	1,906	565	.....	39,310	1,997	3,052
16	Rhode Island	8,638	2,719	2,263	108	631	70	26	.....	2,502	57	262
17	Vermont	5,629	2,326	408	1,090	309	356	37	.....	919	167	17
	REGISTRATION CITIES.											
18	Adams town, Mass	183	23	73	9	25	1	3	.....	49	.....	.....
19	Alameda, Cal	179	51	17	23	14	1	1	.....	67	3	2
20	Albany, N. Y	1,813	507	275	303	82	34	7	.....	560	25	20
21	Alexandria, Va	319	.....	.....	.....	.....	.....	.....	178	18	3	120
22	Allegheny, Pa	2,622	679	634	215	215	19	16	.....	691	37	116
23	Allentown, Pa	550	.....	.....	.....	.....	.....	.....	462	59	29	.....
24	Altoona, Pa	781	560	53	17	22	.....	.....	.....	115	9	5
25	Amesbury town, Mass	142	63	14	7	8	3	.....	.....	47	.....	.....
26	Amsterdam, N. Y	396	121	124	11	13	2	2	.....	113	4	6
27	Anderson, Ind	268	169	16	19	10	20	1	.....	17	4	12
28	Ann Arbor, Mich	199	90	27	8	14	8	1	.....	34	5	12
29	Annapolis, Md	161	37	2	15	2	3	2	.....	6	2	92
30	Ansonia, Conn	209	20	73	7	18	6	.....	.....	72	5	8
31	Appleton, Wis	206	54	56	8	26	2	1	.....	57	2	.....
32	Arlington town, Mass	112	39	20	5	5	4	1	.....	36	.....	2
33	Ashtabula, Ohio	198	62	57	21	2	1	1	.....	50	2	2
34	Atlanta, Ga	2,041	779	22	105	21	2	1	.....	57	15	1,039
35	Atlantic City, N. J	510	244	37	34	21	1	.....	.....	59	3	111
36	Attleboro town, Mass	176	69	30	6	20	2	.....	.....	45	1	3
37	Auburn, N. Y	534	202	82	33	40	9	8	.....	140	6	14
38	Augusta, Me	286	113	37	56	18	10	1	.....	35	14	2
39	Aurora, Ill	322	.....	.....	.....	.....	.....	.....	191	110	17	4
40	Baltimore, Md	10,142	3,202	1,175	921	382	102	25	.....	1,825	55	2,455
41	Bangor, Me	378	152	46	50	24	22	2	.....	64	16	2
42	Barre, Vt	153	39	41	17	10	2	1	.....	38	5	.....
43	Bath, Me	180	114	16	9	11	.....	1	.....	28	1	.....
44	Battle Creek, Mich	386	206	23	33	26	19	2	.....	50	14	13
45	Bay City, Mich	382	68	88	10	52	13	8	.....	135	4	4
46	Bayonne, N. J	680	144	244	5	40	1	.....	.....	229	2	15
47	Bellaire, Ohio	155	65	15	13	8	12	3	.....	22	3	14
48	Belleville, Ill	318	.....	.....	.....	.....	.....	.....	194	114	2	8
49	Beloit, Wis	177	83	25	7	13	3	1	.....	43	2	.....
50	Bennington town, Vt	117	41	15	18	6	7	.....	.....	25	4	1
51	Berlin, N. H	170	15	61	3	8	2	.....	.....	74	7	.....
52	Beverly, Mass	217	111	26	4	17	5	.....	.....	53	.....	1
53	Biddeford, Me	306	64	109	8	23	.....	4	.....	98	.....	.....
54	Binghamton, N. Y	627	311	90	60	24	19	1	.....	105	9	8
55	Boston, Mass	10,649	2,293	2,798	346	736	230	117	.....	3,693	115	321
56	Bridgeport, Conn	1,322	320	389	41	77	31	11	.....	402	24	27
57	Bridgeton, N. J	203	128	3	33	2	8	1	.....	11	3	14
58	Bristol town, Conn	169	53	41	13	15	8	.....	.....	36	2	1
59	Brockton, Mass	499	202	86	26	37	21	1	.....	119	2	5
60	Brookline town, Mass	230	95	48	8	9	12	1	.....	56	1	.....
61	Buffalo, N. Y	5,867	1,372	1,626	151	474	49	22	.....	2,093	23	57
62	Burlington, Iowa	302	.....	.....	.....	.....	.....	.....	175	108	13	6
63	Burlington, Vt	382	138	33	36	37	25	2	.....	97	7	7
64	Cambridge, Mass	1,427	314	359	28	107	29	6	.....	504	5	75
65	Camden, N. J	1,280	601	171	77	60	13	7	.....	173	9	169
66	Canton, Ohio	367	156	44	58	24	3	.....	.....	80	2	.....
67	Carbondale, Pa	232	89	63	5	11	1	.....	.....	61	1	1
68	Carlisle, Pa	168	101	1	17	1	1	.....	.....	10	10	27
69	Central Falls, R. I	338	33	149	2	39	.....	.....	.....	115	.....	.....
70	Charleston, S. C	1,617	262	44	52	13	4	1	.....	86	12	1,143
71	Chelsea, Mass	638	186	152	47	43	28	7	.....	164	1	10
72	Chicago, Ill	28,758	.....	.....	.....	.....	.....	.....	16,490	10,757	570	941
73	Chicopee, Mass	404	66	174	7	39	6	8	.....	104	.....	.....
74	Chillicothe, Ohio	207	104	17	8	2	2	3	.....	36	4	31
75	Cincinnati, Ohio	6,251	1,867	1,062	479	320	21	8	.....	1,901	40	533
76	Cleveland, Ohio	6,900	1,672	1,751	629	191	34	85	.....	2,128	246	164
77	Clinton town, Mass	219	44	68	4	23	3	.....	.....	76	.....	1

GENERAL NATIVITY, PARENT NATIVITY, AND MONTH: 1903.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
47,014	44,663	48,784	44,808	43,354	38,635	46,224	43,164	39,720	39,872	40,301	46,684	1,192	1
35,597	33,892	36,761	33,870	32,984	29,695	35,982	32,409	29,337	29,904	30,667	35,798	840	2
29,384	28,095	30,344	27,960	26,918	23,569	28,600	27,633	25,419	25,143	25,036	28,531	663	3
17,967	17,324	18,321	17,022	16,548	14,629	18,358	16,878	15,036	15,175	15,402	17,645	311	4
11,417	10,771	12,023	10,938	10,370	8,940	10,242	10,755	10,383	9,968	9,634	10,886	352	5
17,630	16,368	18,440	16,848	16,436	15,066	17,624	15,531	14,301	14,729	15,265	18,153	529	6
1,426	1,298	1,415	1,260	1,266	1,157	1,410	1,404	1,162	1,123	1,169	1,350	52	7
576	573	568	458	445	483	528	424	397	450	475	561	7	8
2,875	2,614	2,855	2,712	2,372	2,190	2,686	2,897	2,719	2,542	2,426	2,795	162	9
1,017	952	999	1,008	948	791	922	875	966	888	870	940	40	10
4,602	4,379	4,637	4,255	4,077	3,351	4,226	4,176	3,901	3,650	3,497	4,098	14	11
2,878	2,752	3,057	2,729	2,756	2,332	2,678	2,810	2,750	2,646	2,648	2,990	94	12
626	646	670	620	544	499	547	575	558	528	558	588	9	13
2,830	2,770	2,837	2,627	2,390	2,394	3,210	2,747	2,298	2,399	2,418	2,844	13	14
11,250	10,910	12,015	11,100	10,716	9,368	11,129	10,487	9,527	9,791	9,954	11,151	204	15
833	774	772	725	690	584	816	782	686	657	585	698	36	16
471	427	519	466	514	420	448	456	455	469	436	516	32	17
11	17	13	14	9	12	12	19	25	18	8	25	.....	18
22	13	15	15	18	18	19	19	5	6	11	16	5	19
151	156	175	170	151	118	176	149	140	137	145	141	4	20
25	27	23	25	20	28	35	27	27	19	25	38	.....	21
221	199	254	220	250	207	230	209	173	208	217	223	11	22
50	50	59	32	45	46	62	46	36	33	35	56	.....	23
69	73	74	77	58	48	60	58	55	74	59	76	.....	24
15	10	10	18	10	13	11	10	11	21	6	7	.....	25
45	38	51	38	34	28	35	34	28	23	21	20	1	26
28	20	25	20	17	19	20	25	22	21	26	25	.....	27
19	26	12	.....	19	16	14	20	11	17	20	24	1	28
20	15	18	9	16	11	18	20	10	8	2	14	.....	29
20	17	20	18	15	20	25	19	18	13	7	17	.....	30
11	13	20	18	17	18	14	13	22	27	10	22	1	31
9	16	13	5	10	8	13	9	12	5	5	7	.....	32
15	12	23	22	18	12	14	19	15	14	10	23	1	33
182	150	170	125	196	197	187	158	142	176	156	186	16	34
32	26	37	52	39	47	73	68	48	26	22	40	.....	35
11	19	17	21	10	15	16	13	11	17	12	14	.....	36
45	32	61	70	29	47	38	52	42	35	39	43	1	37
33	23	33	30	24	17	16	30	15	19	25	21	.....	38
24	29	31	37	26	15	23	27	23	18	24	40	5	39
1,042	856	897	815	746	704	1,098	850	700	786	760	888	.....	40
32	29	35	37	35	23	33	37	14	29	34	36	4	41
10	5	16	17	20	11	8	11	17	12	16	10	.....	42
7	24	11	16	12	7	10	13	14	19	23	23	1	43
30	33	38	36	32	20	31	33	30	28	36	38	1	44
40	26	28	37	22	27	29	36	28	36	38	34	1	45
77	41	59	50	60	74	78	53	40	41	50	57	.....	46
7	14	14	13	14	12	9	13	18	7	21	13	.....	47
20	22	28	19	19	20	35	33	29	34	30	29	.....	48
14	16	24	27	16	9	8	8	21	12	11	11	.....	49
7	13	16	7	11	3	9	9	11	10	10	11	.....	50
11	10	8	14	11	9	20	27	13	18	12	17	.....	51
21	13	23	16	19	21	14	19	24	15	18	14	.....	52
30	32	31	21	31	26	19	23	32	15	28	18	.....	53
60	48	48	54	44	46	58	57	37	57	49	69	.....	54
1,037	952	993	970	866	689	888	859	849	807	789	941	9	55
95	107	109	85	116	91	120	125	112	110	114	133	5	56
29	20	19	13	20	11	17	15	14	15	17	13	.....	57
13	13	13	22	20	16	12	15	7	10	11	16	1	58
49	55	47	43	40	36	46	32	32	39	34	46	.....	59
19	30	27	20	20	13	13	19	14	17	20	18	.....	60
457	489	520	506	506	435	532	548	477	464	451	482	.....	61
25	26	38	29	27	24	25	18	17	22	21	25	5	62
31	46	33	28	34	29	34	35	26	20	25	41	.....	63
121	131	152	121	111	87	127	118	127	119	108	105	.....	64
131	108	111	127	85	96	132	95	86	89	105	115	.....	65
38	32	28	28	32	30	24	46	27	29	20	33	.....	66
10	12	21	20	21	17	18	25	16	23	24	25	.....	67
18	15	17	11	14	12	12	14	15	17	10	13	.....	68
40	33	29	17	35	19	39	33	20	24	13	36	.....	69
133	110	131	137	136	165	139	139	140	133	129	121	4	70
75	56	48	65	45	36	56	60	55	57	37	48	.....	71
2,619	2,570	2,628	2,620	2,647	2,008	2,320	2,216	2,088	2,020	2,076	2,929	17	72
41	30	35	55	53	35	45	22	21	17	23	27	.....	73
18	22	21	25	18	14	16	13	13	21	12	14	.....	74
512	539	644	521	481	492	606	448	413	425	480	636	54	75
640	562	760	624	541	515	651	537	471	501	526	558	14	76
17	24	19	20	17	9	14	17	23	22	13	24	.....	77

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.					
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.	Parentage not stated.		
	REGISTRATION CITIES—Continued.										
78	Cohoes, N. Y	466	97	130	10	60	7	3	.....	152	7	.....
79	Columbia, Pa	176	115	9	4	4	4	2	.....	19	4	15
80	Columbus, Ind	120	75	4	17	4	7	2	.....	9	1	1
81	Columbus, Ohio	2,287	1,246	213	76	76	5	3	.....	376	43	249
82	Concord, N. H	362	153	39	54	19	16	1	.....	66	14	.....
83	Corning, N. Y	172	77	15	16	10	5	1	.....	41	2	5
84	Cortland, N. Y	152	43	7	60	3	9	2	.....	14	12	2
85	Covington, Ky	678	236	89	53	40	3	.....	.....	186	7	64
86	Danbury town, Conn	339	128	50	22	19	22	2	.....	77	2	17
87	Danvers town, Mass	240	101	26	31	6	11	2	.....	62	.....	1
88	Davenport, Iowa	553	128	96	16	37	4	2	.....	242	12	16
89	Dayton, Ohio	1,277	525	162	109	77	18	4	.....	267	27	88
90	Decatur, Ill	280	.....	.....	.....	.....	.....	.....	222	37	13	8
91	Denver, Colo	2,706	776	333	394	188	127	37	.....	632	113	106
92	Detroit, Mich	4,895	799	1,246	331	471	83	53	.....	1,728	71	113
93	Dover, N. H	213	78	31	18	15	6	1	.....	54	9	1
94	Dubois, Pa	151	59	37	19	6	2	1	.....	20	6	1
95	Duluth, Minn	866	109	184	79	71	4	1	.....	362	50	6
96	Dunkirk, N. Y	237	44	89	5	15	4	2	.....	75	3	.....
97	Eau Claire, Wis	182	27	39	9	18	7	4	.....	73	5	.....
98	Elizabeth, N. J	940	211	232	42	72	9	16	.....	320	5	33
99	Elkhart, Ind	209	115	13	21	12	9	1	.....	32	5	1
100	Elmira, N. Y	524	260	69	18	31	22	5	.....	99	3	17
101	Elwood, Ind	160	94	14	8	7	15	2	.....	19	1	.....
102	Erie, Pa	749	169	155	153	39	5	3	.....	208	14	3
103	Escanaba, Mich	171	31	49	2	16	3	3	.....	65	.....	2
104	Evansville, Ind	791	243	102	68	46	36	10	.....	139	14	133
105	Everett, Mass	321	128	55	8	31	7	4	.....	77	.....	11
106	Fall River, Mass	2,342	302	984	16	202	20	21	.....	775	14	8
107	Findlay, Ohio	208	130	20	19	5	6	.....	.....	24	.....	4
108	Fitchburg, Mass	458	113	140	9	51	4	14	.....	126	1	.....
109	Flint, Mich	209	91	15	12	22	7	2	.....	51	3	6
110	Fort Wayne, Ind	746	268	93	73	60	34	11	.....	184	8	15
111	Framingham town, Mass	168	65	27	6	14	8	.....	.....	46	2	.....
112	Frederick, Md	228	.....	.....	.....	.....	.....	.....	126	10	21	71
113	Fresno, Cal	277	.....	.....	.....	.....	.....	.....	171	36	14	56
114	Gardner town, Mass	197	50	67	9	12	8	.....	.....	50	1	.....
115	Geneva, N. Y	157	58	27	11	8	5	1	.....	44	1	2
116	Glens Falls, N. Y	173	83	25	4	12	2	1	.....	44	2	.....
117	Gloucester, Mass	500	163	91	19	42	11	1	.....	170	3	.....
118	Gloversville, N. Y	283	158	29	26	4	11	.....	.....	50	3	2
119	Grand Rapids, Mich	1,257	343	271	60	112	36	12	.....	398	12	13
120	Green Bay, Wis	293	57	46	10	67	18	.....	.....	85	8	2
121	Greenwich town, Conn	201	71	43	5	14	4	1	.....	47	10	6
122	Hamilton, Ohio	363	174	52	19	19	3	.....	.....	86	4	6
123	Hammond, Ind	230	62	44	13	26	6	3	.....	68	7	1
124	Harrisburg, Pa	797	277	25	192	14	13	.....	.....	80	87	109
125	Harrison, N. J	209	44	57	12	10	1	4	.....	75	2	4
126	Hartford, Conn	1,428	345	325	133	69	34	7	.....	460	13	42
127	Haverhill, Mass	587	248	84	28	55	31	2	.....	129	3	7
128	Hazelton, Pa	206	.....	.....	.....	.....	.....	.....	119	54	33	.....
129	Hoboken, N. J	1,146	177	363	15	77	2	6	.....	496	5	5
130	Holyoke, Mass	852	93	283	60	105	19	10	.....	275	4	3
131	Hudson, N. Y	176	89	19	9	10	7	.....	.....	34	2	6
132	Huntington, Ind	152	82	8	17	11	11	3	.....	19	1	.....
133	Hyde Park town, Mass	175	52	34	1	13	3	3	.....	64	3	2
134	Indianapolis, Ind	3,117	1,141	214	440	118	178	33	.....	397	124	472
135	Iron Mountain, Mich	131	7	59	2	9	.....	.....	.....	51	2	1
136	Ironton, Ohio	170	82	10	12	6	2	1	.....	18	23	16
137	Ironwood, Mich	168	6	83	1	9	1	.....	.....	68	.....	.....
138	Ishpeming, Mich	172	10	87	.....	16	.....	.....	.....	58	1	.....
139	Ithaca, N. Y	269	144	23	33	8	15	1	.....	36	3	6
140	Jackson, Mich	337	165	39	24	32	14	1	.....	51	2	9
141	Jacksonville, Fla	878	.....	.....	.....	.....	.....	.....	267	38	12	566
142	Jacksonville, Ill	372	.....	.....	.....	.....	.....	.....	237	72	22	41
143	Jamestown, N. Y	305	100	51	17	19	17	1	.....	92	5	3
144	Jeffersonville, Ind	214	87	16	9	12	6	1	.....	19	2	62
145	Jersey City, N. J	4,144	984	1,126	182	280	21	22	.....	1,375	30	124
146	Johnstown, N. Y	156	75	14	18	8	4	2	.....	31	2	2
147	Johnstown, Pa	714	161	76	182	5	34	16	.....	173	55	12
148	Kalamazoo, Mich	495	165	45	75	25	8	2	.....	140	17	18
149	Kansas City, Mo	3,008	939	204	522	77	30	12	.....	424	274	526
150	Keene, N. H	131	69	9	14	7	7	.....	.....	24	1	.....
151	Key West, Fla	401	.....	.....	.....	.....	.....	.....	157	99	.....	145
152	Kingston, N. Y	426	213	75	8	20	5	4	.....	85	5	11
153	Kokomo, Ind	192	122	6	23	5	9	1	.....	15	2	9
154	Laconia, N. H	164	66	21	25	6	11	1	.....	30	4	.....
155	Lafayette, Ind	320	104	46	59	9	16	.....	.....	71	8	7
156	Lancaster, Pa	602	372	43	68	.....	1	1	.....	102	1	14
157	Lansing, Mich	212	91	23	26	15	9	.....	.....	36	6	6

NATIVITY, PARENT NATIVITY, AND MONTH: 1903—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
43	54	50	29	35	40	43	27	41	31	34	39	.....	78
11	14	13	12	14	16	15	21	21	16	11	12	.....	79
14	11	11	15	8	11	10	13	9	6	8	4	.....	80
227	165	210	185	193	183	226	189	160	176	182	190	1	81
35	32	35	40	21	20	29	29	22	31	35	33	.....	82
8	13	19	16	14	16	18	10	11	12	18	17	.....	83
9	15	23	13	22	7	9	8	13	8	14	11	.....	84
57	62	70	61	43	45	65	49	52	47	59	67	1	85
33	30	31	24	18	30	26	36	19	29	25	37	1	86
31	27	18	12	23	13	20	24	19	8	25	20	.....	87
42	45	62	42	40	39	49	47	35	47	38	66	1	88
106	107	128	96	118	73	125	110	104	100	91	119	.....	89
33	26	25	31	26	12	18	26	19	25	26	11	2	90
229	213	228	231	196	187	235	240	240	202	237	253	15	91
421	428	439	399	390	356	456	429	341	374	400	449	13	92
20	29	24	20	12	14	10	13	14	19	22	15	1	93
13	10	12	9	12	11	19	17	12	13	13	9	1	94
82	86	74	86	95	58	61	73	69	53	61	60	8	95
29	8	14	25	20	17	16	26	8	25	18	31	.....	96
20	19	28	13	25	16	10	9	15	20	2	5	.....	97
81	89	102	68	72	68	75	95	78	62	77	71	2	98
17	15	17	18	20	13	11	20	19	21	22	16	.....	99
42	40	57	50	53	36	34	39	36	44	45	47	1	100
15	12	17	7	9	15	17	16	16	7	14	15	.....	101
64	70	68	69	56	60	51	70	57	51	57	76	.....	102
8	17	21	16	20	19	17	15	6	12	8	12	.....	103
68	53	69	59	59	54	85	63	64	65	64	85	3	104
29	36	31	26	24	27	24	28	23	25	25	23	.....	105
238	217	204	177	175	172	289	205	182	145	158	180	.....	106
13	16	15	21	21	9	19	18	21	16	16	23	.....	107
39	46	38	50	35	28	37	43	29	35	38	40	.....	108
17	18	35	25	18	14	15	9	5	21	14	18	.....	109
56	57	60	72	63	67	64	62	60	57	60	67	1	110
19	17	16	17	8	12	10	12	21	12	8	16	.....	111
14	16	22	30	19	15	20	10	19	21	18	24	.....	112
27	18	28	22	24	20	10	18	17	29	33	29	2	113
15	16	30	19	13	5	16	15	13	14	18	23	.....	114
14	11	13	19	15	13	10	11	21	8	9	13	.....	115
12	16	15	19	6	16	15	16	14	15	11	18	.....	116
55	41	39	43	65	26	27	45	54	37	29	39	.....	117
26	12	21	27	37	20	27	24	16	23	22	26	2	118
100	96	94	97	112	89	93	124	100	112	86	150	4	119
27	21	25	27	21	34	22	17	28	27	20	23	1	120
23	17	18	15	14	18	15	20	16	10	13	21	1	121
34	29	35	34	22	22	30	29	29	37	31	29	2	122
19	21	22	22	23	17	16	22	16	19	14	18	1	123
78	72	77	75	55	45	77	72	59	51	58	74	4	124
12	19	18	10	13	15	17	17	20	17	23	28	.....	125
161	121	143	112	110	100	130	111	110	94	113	123	.....	126
63	52	49	44	53	49	50	50	39	42	43	52	1	127
16	8	23	23	23	16	18	22	11	17	14	15	.....	128
97	92	96	99	90	88	116	83	85	116	84	100	.....	129
80	60	58	84	85	70	87	73	65	60	49	81	.....	130
15	20	23	14	8	11	13	14	9	10	14	23	2	131
13	10	15	11	7	7	21	20	13	9	10	16	.....	132
13	18	21	12	17	6	12	17	13	11	15	20	.....	133
288	272	304	259	222	204	303	254	237	225	250	293	6	134
8	8	15	11	15	14	12	14	12	7	4	11	.....	135
16	22	22	20	17	13	12	10	11	6	14	7	.....	136
15	6	17	19	13	8	13	13	20	14	11	19	.....	137
14	16	17	10	15	11	10	12	20	19	14	14	.....	138
25	53	26	18	15	9	21	24	18	18	12	28	2	139
25	24	25	29	34	28	25	27	29	35	25	31	.....	140
68	56	76	63	69	71	82	57	70	90	91	73	12	141
25	35	37	35	29	25	33	23	25	31	33	41	.....	142
22	27	34	24	26	19	32	21	21	28	19	32	.....	143
24	19	16	24	14	14	21	25	16	9	14	17	1	144
344	355	347	323	340	328	458	340	311	335	294	367	2	145
16	9	21	12	10	6	13	15	10	12	16	16	.....	146
44	41	50	48	69	62	94	61	42	72	61	66	4	147
39	41	53	37	55	41	37	29	44	37	38	43	1	148
248	266	292	242	229	233	309	271	198	201	223	269	27	149
10	13	22	10	17	8	9	8	9	12	6	7	.....	150
28	33	31	37	24	41	35	34	38	27	29	44	.....	151
43	36	36	31	48	34	36	31	40	27	26	38	.....	152
16	15	14	13	14	17	19	24	10	10	14	26	.....	153
15	16	12	23	5	11	9	9	23	10	15	16	.....	154
34	28	40	25	24	15	36	24	21	22	28	22	1	155
47	59	48	53	55	43	65	43	44	30	49	65	1	156
16	16	21	11	20	9	28	22	14	18	21	15	1	157

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
158	Lawrence, Mass	1,144	157	463	10	99	11	7	.....	448	5	4
159	Leadville, Colo	195	35	53	27	11	3	1	.....	54	5	6
160	Leavenworth, Kans	337	.....	.....	.....	.....	.....	.....	162	88	5	82
161	Leominster town, Mass	178	47	27	27	15	13	3	.....	43	3	.....
162	Lima, Ohio	346	.....	.....	.....	.....	.....	.....	260	40	30	16
163	Lincoln, Nebr	392	84	29	146	12	3	2	.....	85	20	11
164	Lockport, N. Y	282	113	42	34	15	7	4	.....	58	6	3
165	Logansport, Ind	263	101	16	54	13	16	2	.....	38	20	3
166	Los Angeles, Cal	3,066	.....	.....	.....	.....	.....	.....	2,060	704	160	142
167	Louisville, Ky	4,021	946	196	750	76	97	103	.....	633	77	1,143
168	Lowell, Mass	1,943	281	715	70	146	36	7	.....	671	16	1
169	Lynchburg, Va	417	27	.....	47	.....	3	.....	.....	5	105	230
170	Lynn, Mass	1,084	397	187	60	86	45	5	.....	268	10	26
171	McKeesport, Pa	673	176	219	29	39	3	3	.....	177	10	17
172	Madison, Wis	239	74	38	16	17	10	3	.....	68	11	2
173	Mahanoy City, Pa	316	93	139	1	4	.....	.....	.....	79	.....	.....
174	Malden, Mass	520	180	100	25	56	17	3	.....	121	2	16
175	Manchester, N. H	1,065	179	373	73	76	18	4	.....	330	12	.....
176	Manchester town, Conn	123	19	34	4	5	9	1	.....	50	.....	1
177	Manitowoc, Wis	139	24	32	7	8	1	1	.....	56	10	.....
178	Mankato, Minn	144	36	34	3	10	.....	.....	.....	55	6	.....
179	Marietta, Ohio	194	119	24	13	3	2	1	.....	20	7	5
180	Marinette, Wis	191	32	53	3	28	.....	2	.....	63	4	6
181	Marion, Ind	266	160	7	28	2	31	3	.....	18	3	14
182	Marlboro, Mass	195	64	35	4	20	6	1	.....	63	2	.....
183	Marquette, Mich	189	37	42	1	24	1	.....	.....	78	2	4
184	Massillon, Ohio	126	45	22	4	10	1	.....	.....	38	2	4
185	Meadville, Pa	154	77	13	17	5	8	1	.....	30	2	1
186	Medford, Mass	227	113	28	3	17	9	.....	.....	55	.....	2
187	Melrose, Mass	150	80	16	6	7	3	.....	.....	36	1	1
188	Memphis, Tenn	2,023	554	58	130	32	19	2	.....	111	22	1,095
189	Menominee, Mich	180	34	53	7	26	3	2	.....	54	1	.....
190	Meriden town, Conn	422	97	110	21	29	23	4	.....	131	4	3
191	Michigan City, Ind	262	77	57	9	34	8	.....	.....	74	3	.....
192	Middletown, N. Y	256	104	21	58	7	4	1	.....	44	4	13
193	Middletown, Ohio	116	58	5	13	6	7	2	.....	18	3	4
194	Middletown town, Conn	464	144	99	32	23	13	2	.....	131	10	10
195	Milford town, Mass	160	39	46	6	9	5	3	.....	51	1	.....
196	Millville, N. J	151	108	8	5	6	3	.....	.....	15	1	5
197	Milwaukee, Wis	4,095	657	1,233	104	370	33	11	.....	1,657	17	13
198	Minneapolis, Minn	2,483	645	503	179	158	27	12	.....	860	75	24
199	Mobile, Ala	942	.....	.....	.....	.....	.....	.....	309	84	20	529
200	Montclair, N. J	272	92	50	16	24	15	3	.....	41	1	30
201	Morristown, N. J	212	79	24	21	11	4	3	.....	51	3	16
202	Mt. Carmel, Pa	203	85	70	3	5	1	.....	.....	39	.....	.....
203	Mt. Vernon, N. Y	272	75	68	4	22	3	2	.....	86	2	10
204	Muncie, Ind	386	228	23	18	24	29	1	.....	35	7	21
205	Muscatine, Iowa	181	51	14	48	6	2	.....	.....	46	13	1
206	Muskegon, Mich	261	52	48	21	17	8	8	.....	102	4	1
207	Nashua, N. H	383	96	119	20	27	18	6	.....	91	6	.....
208	Nashville, Tenn	1,732	653	48	35	28	35	1	.....	97	8	827
209	Natick town, Mass	129	51	24	5	13	4	1	.....	30	.....	1
210	Naugatuck, Conn	163	29	73	4	14	1	1	.....	38	3	.....
211	New Albany, Ind	350	166	24	24	17	12	4	.....	51	1	51
212	New Bedford, Mass	1,602	326	595	35	142	26	19	.....	387	10	62
213	New Britain town, Conn	543	123	207	7	33	11	5	.....	153	1	3
214	New Brunswick, N. J	371	114	40	56	13	11	9	.....	87	13	28
215	New Haven, Conn	1,943	468	535	86	99	53	20	.....	597	25	60
216	New London, Conn	359	121	64	30	29	9	1	.....	80	12	13
217	New Orleans, La	6,705	1,584	899	266	194	2	2	.....	1,241	16	2,501
218	New Rochelle, N. Y	201	54	53	6	9	1	.....	.....	58	2	18
219	New York, N. Y	67,787	11,987	19,794	2,410	4,474	314	237	.....	25,311	1,070	2,190
220	Bronx borough	4,729	793	1,281	85	396	21	14	.....	1,910	30	199
221	Brooklyn borough	22,198	5,157	6,275	581	1,748	89	59	.....	7,565	141	592
222	Manhattan borough	36,988	5,047	11,318	1,596	2,023	189	161	.....	14,509	874	1,271
223	Queens borough	2,663	687	663	44	230	7	7	.....	919	14	92
224	Richmond borough	1,209	303	257	104	77	8	5	.....	408	11	36
225	Newark, N. J	4,913	1,208	1,198	382	197	30	21	.....	1,621	33	223
226	Newark, Ohio	224	129	17	18	6	5	.....	.....	40	6	3
227	Newburg, N. Y	471	197	68	45	17	8	4	.....	112	5	15
228	Newburyport, Mass	263	131	38	12	14	13	2	.....	50	1	2
229	Newcastle, Pa	443	67	48	191	6	6	.....	.....	81	31	13
230	Newport, Ky	385	124	43	59	15	8	1	.....	128	3	4
231	Newport, R. I	359	132	58	12	12	1	.....	.....	102	6	36
232	Newton, Mass	446	184	87	7	31	7	.....	.....	123	.....	7
233	Niagara Falls, N. Y	368	76	93	16	40	3	5	.....	121	7	7
234	Norfolk, Va	1,115	345	21	49	16	7	1	.....	38	10	628

NATIVITY, PARENT NATIVITY, AND MONTH: 1903—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
132	97	105	98	94	72	129	98	76	82	85	76	.....	158
18	15	15	13	9	16	17	18	11	18	22	21	2	159
18	40	28	32	33	29	36	29	24	19	24	25	.....	160
11	9	27	17	11	17	16	15	21	8	14	12	.....	161
34	24	36	29	18	21	36	44	33	24	21	26	.....	162
37	51	45	32	33	27	28	26	24	35	27	26	1	163
29	19	30	22	22	10	18	32	23	28	19	30	.....	164
27	21	30	27	8	13	18	21	17	33	25	23	.....	165
292	251	300	242	236	226	230	236	218	224	290	315	6	166
376	347	388	360	340	293	363	282	259	338	302	373	.....	167
187	165	161	153	144	129	214	222	157	141	127	143	.....	168
36	43	53	37	37	41	40	30	21	22	29	20	8	169
98	115	103	81	80	73	84	95	94	87	80	94	.....	170
52	52	64	58	45	60	65	60	57	46	67	47	.....	171
19	23	21	17	20	14	25	15	18	18	25	23	1	172
23	22	14	16	27	49	47	36	17	17	27	21	.....	173
41	47	47	39	47	36	53	46	28	37	52	47	.....	174
86	86	95	90	72	69	98	104	97	83	88	96	1	175
14	10	8	9	11	5	11	14	10	9	11	11	.....	176
8	12	11	19	13	15	8	7	8	11	11	14	2	177
10	17	19	8	12	8	12	17	10	9	9	9	4	178
15	13	17	12	27	14	16	21	15	18	11	14	1	179
36	21	29	15	17	18	6	8	7	11	14	9	.....	180
15	17	19	19	22	22	22	26	21	29	27	27	.....	181
11	20	28	12	18	6	19	20	12	17	13	19	.....	182
15	13	10	13	18	16	19	10	19	15	18	23	.....	183
10	6	13	12	13	11	11	15	6	7	7	15	.....	184
10	14	16	6	12	15	12	11	14	16	10	18	.....	185
17	24	27	21	13	17	20	18	9	18	17	26	.....	186
17	17	14	15	10	12	12	13	10	11	10	9	.....	187
144	157	154	154	150	170	191	176	186	172	165	189	15	188
20	23	18	9	14	18	22	12	15	5	14	10	.....	189
43	39	34	31	26	32	42	40	31	27	32	42	3	190
20	17	25	20	25	28	13	26	21	13	20	33	1	191
19	28	25	18	21	25	16	16	20	19	22	27	.....	192
11	8	12	10	12	11	8	6	10	10	12	6	.....	193
43	35	50	41	29	56	35	53	38	22	30	31	1	194
13	18	16	13	14	9	13	8	7	17	18	14	.....	195
11	17	9	16	14	10	14	17	11	8	12	12	.....	196
358	410	447	350	330	251	309	328	338	321	328	317	8	197
192	222	251	237	192	161	213	199	180	171	209	221	35	198
87	67	73	72	67	98	84	60	68	75	94	97	.....	199
19	20	24	30	18	21	26	23	20	25	20	26	.....	200
23	21	19	21	20	8	25	20	3	16	18	18	.....	201
17	16	11	13	12	10	23	27	21	10	17	26	.....	202
25	21	26	22	22	23	22	24	20	21	24	22	.....	203
25	32	47	21	31	33	32	41	33	37	23	28	3	204
24	18	21	14	13	14	14	16	15	9	11	12	.....	205
26	27	35	21	21	13	16	18	24	15	21	24	.....	206
30	26	41	36	37	32	37	42	33	30	19	20	.....	207
137	128	150	142	129	173	182	129	131	136	132	162	1	208
12	7	11	10	15	11	12	7	11	9	13	11	.....	209
19	14	11	9	10	8	17	19	11	18	14	9	4	210
21	29	28	29	26	22	31	26	33	32	32	40	1	211
156	121	145	131	152	128	165	173	116	111	108	96	.....	212
43	46	42	46	49	55	62	51	28	34	45	40	2	213
34	44	38	7	23	25	48	24	25	33	27	43	.....	214
159	151	175	165	160	142	193	197	143	135	143	176	4	215
27	27	31	32	28	30	35	33	34	23	28	31	.....	216
581	520	562	504	614	536	539	486	490	503	619	750	1	217
19	18	18	10	13	19	20	21	21	13	16	12	1	218
6,035	5,987	6,082	5,779	5,784	5,069	6,226	5,433	4,925	5,098	5,359	5,860	150	219
403	432	418	407	388	340	443	373	318	392	364	444	7	220
1,922	1,971	1,902	1,787	1,859	1,682	2,152	1,777	1,615	1,713	1,787	1,994	37	221
3,401	3,269	3,443	3,270	3,263	2,753	3,191	2,908	2,678	2,694	2,878	3,135	105	222
227	221	210	212	195	219	278	257	224	197	228	194	1	223
82	94	109	103	79	75	162	118	90	102	102	93	.....	224
443	432	477	419	432	378	429	381	318	365	385	453	1	225
20	13	15	16	21	21	16	22	9	21	22	26	2	226
44	36	55	21	33	38	43	44	29	30	40	58	.....	227
29	36	19	26	18	12	20	22	20	15	16	30	.....	228
26	45	30	41	49	27	46	47	43	30	27	27	5	229
36	28	33	25	21	37	34	33	28	29	42	37	2	230
29	27	27	37	38	22	28	27	31	31	30	32	.....	231
34	37	61	37	40	29	25	35	36	43	32	37	.....	232
34	45	42	33	26	23	34	21	27	28	24	31	.....	233
91	92	78	95	115	106	120	94	66	101	79	74	4	234

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
235	Norristown, Pa	567	164	65	131	9	3	3	.....	124	53	15
236	North Adams, Mass	381	88	97	25	46	15	3	.....	104	1	2
237	Northampton, Mass	281	122	45	7	20	5	.....	.....	78	1	3
238	Norwalk town, Conn	325	150	53	8	11	12	1	.....	78	5	7
239	Norwich town, Conn	494	132	110	19	32	14	.....	.....	169	4	14
240	Oakland, Cal	1,100	324	187	81	66	12	4	.....	359	11	56
241	Ogdensburg, N. Y	346	88	53	33	30	7	4	.....	117	11	3
242	Olean, N. Y	102	38	10	12	6	3	4	.....	27	2	.....
243	Omaha, Nebr	1,097	377	194	58	60	9	2	.....	311	15	71
244	Orange, N. J	524	146	94	25	21	3	4	.....	164	1	66
245	Ottawa, Ill	139	.....	.....	.....	.....	.....	.....	94	45	.....	.....
246	Ottumwa, Iowa	256	108	14	46	10	12	1	.....	40	18	7
247	Owosso, Mich	65	31	4	2	6	2	1	.....	19	.....	.....
248	Paducah, Ky	436	228	7	12	.....	.....	.....	.....	13	12	164
249	Passaic, N. J	650	104	297	17	30	1	7	.....	175	5	14
250	Paterson, N. J	1,740	311	391	185	107	13	15	.....	657	24	37
251	Pawtucket, R. I	662	166	182	4	69	4	.....	.....	227	5	5
252	Peabody town, Mass	190	76	43	6	9	3	1	.....	50	.....	2
253	Peekskill, N. Y	185	78	30	11	10	4	1	.....	44	1	6
254	Perth Amboy, N. J	257	51	120	11	6	3	.....	.....	63	1	2
255	Peru, Ind	102	50	5	9	5	7	2	.....	20	2	2
256	Petersburg, Va	550	179	4	26	3	2	.....	.....	9	3	324
257	Philadelphia, Pa	25,731	6,906	4,301	3,691	1,177	148	62	.....	6,834	284	2,328
258	Phillipsburg, N. J	165	98	17	11	1	5	.....	.....	30	1	2
259	Pittsburg, Pa	7,476	1,877	1,896	227	450	76	52	.....	1,945	218	735
260	Pittsfield, Mass	360	130	61	13	22	11	3	.....	105	5	10
261	Plainfield, N. J	268	116	29	15	10	1	1	.....	52	2	42
262	Plymouth, Pa	289	100	98	2	10	.....	.....	.....	79	.....	.....
263	Plymouth town, Mass	137	66	30	3	12	6	1	.....	19	.....	.....
264	Pontiac, Mich	216	74	17	26	22	6	1	.....	62	4	4
265	Port Huron, Mich	228	49	32	5	27	2	.....	.....	110	3	.....
266	Port Jervis, N. Y	166	84	26	8	7	1	1	.....	35	3	1
267	Portland, Me	957	381	141	91	57	40	3	.....	214	15	15
268	Portland, Oreg	1,254	411	154	171	67	20	2	.....	298	49	82
269	Portsmouth, N. H	205	80	20	18	10	8	1	.....	56	10	2
270	Portsmouth, Ohio	332	193	24	34	17	1	2	.....	39	5	17
271	Pottstown, Pa	207	136	17	23	1	1	.....	.....	20	2	7
272	Pottsville, Pa	257	160	18	6	4	.....	.....	.....	62	6	1
273	Poughkeepsie, N. Y	450	182	64	27	10	18	4	.....	121	7	17
274	Providence, R. I	3,898	1,020	1,092	36	333	42	23	.....	1,165	22	165
275	Pueblo, Colo	798	296	101	87	30	37	5	.....	150	42	50
276	Quincy, Ill	552	.....	.....	.....	.....	.....	.....	319	151	21	61
277	Quincy, Mass	360	107	97	6	32	8	3	.....	104	2	1
278	Raleigh, N. C	267	58	1	29	1	8	.....	.....	4	35	131
279	Reading, Pa	1,283	913	107	57	41	8	1	.....	119	27	10
280	Revere town, Mass	144	51	30	10	10	2	3	.....	37	.....	1
281	Richmond, Ind	289	118	24	47	8	15	1	.....	43	7	26
282	Richmond, Va	2,188	627	39	206	28	7	.....	.....	93	62	1,126
283	Rochester, N. H	142	61	12	19	5	9	1	.....	29	6	.....
284	Rochester, N. Y	2,544	806	476	126	166	26	10	.....	891	31	12
285	Rockland, Me	162	121	10	5	6	4	.....	.....	14	1	1
286	Rome, N. Y	279	92	34	37	16	10	2	.....	83	4	1
287	Rutland, Vt	241	82	29	26	12	17	2	.....	59	13	1
288	Sacramento, Cal	564	145	46	132	11	1	.....	.....	162	8	59
289	Saginaw, Mich	574	137	85	18	60	19	5	.....	232	14	4
290	St. Joseph, Mo	722	86	15	394	2	2	1	.....	116	37	69
291	St. Louis, Mo	11,126	2,926	1,489	1,426	532	70	19	.....	3,064	335	1,265
292	St. Paul, Minn	1,782	242	275	447	46	1	1	.....	626	108	36
293	Salem, Mass	741	268	184	10	58	21	6	.....	190	2	2
294	Salt Lake City, Utah	1,106	317	157	107	107	12	5	.....	369	25	7
295	San Antonio, Tex	1,303	401	199	97	80	11	4	.....	311	14	186
296	San Diego, Cal	383	99	30	121	11	6	1	.....	95	11	9
297	San Francisco, Cal	7,592	1,432	1,477	515	420	48	16	.....	3,032	122	530
298	San Jose, Cal	338	110	39	25	36	3	1	.....	93	4	27
299	Saratoga Springs, N. Y	246	92	30	29	12	7	2	.....	55	8	11
300	Sault Ste. Marie, Mich	218	18	54	11	27	3	10	.....	79	12	4
301	Savannah, Ga	1,527	.....	.....	.....	.....	.....	.....	408	104	9	1,006
302	Schenectady, N. Y	799	287	225	29	45	7	4	.....	185	13	4
303	Scranton, Pa	1,632	458	632	22	65	8	6	.....	429	7	5
304	Seattle, Wash	1,117	334	130	105	69	9	.....	.....	296	117	57
305	Sioux City, Iowa	432	127	53	54	33	6	4	.....	112	27	16
306	Somerville, Mass	956	299	205	18	86	26	3	.....	312	4	3
307	South Bend, Ind	482	157	118	37	28	21	6	.....	107	4	4
308	South Bethlehem, Pa	253	78	58	32	3	3	2	.....	54	19	4
309	Southbridge town, Mass	173	43	45	8	14	6	1	.....	55	1	.....
310	Spokane, Wash	744	275	112	26	76	31	1	.....	196	10	17
311	Springfield, Ill	598	.....	.....	.....	.....	.....	.....	400	123	25	50
312	Springfield, Mass	1,104	386	258	67	81	48	2	.....	241	4	17
313	Stamford town, Conn	378	120	79	22	18	14	3	.....	97	16	9
314	Steelton, Pa	264	92	43	19	3	2	.....	.....	47	18	40

NATIVITY, PARENT NATIVITY, AND MONTH: 1903—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
61	58	46	50	45	37	48	47	42	43	41	49	.....	235
20	30	41	33	29	30	35	49	36	23	29	26	.....	236
23	16	18	22	31	20	28	25	26	21	22	29	.....	237
26	28	30	24	26	17	41	32	21	21	27	31	1	238
46	51	33	34	39	31	54	45	49	37	37	38	.....	239
114	92	96	84	90	105	104	85	73	85	90	82	.....	240
33	33	38	28	26	27	23	23	24	30	17	43	1	241
9	8	14	7	5	11	7	9	8	7	4	13	.....	242
96	93	106	92	71	72	95	89	82	80	95	124	2	243
39	34	59	51	42	45	54	45	37	47	34	37	.....	244
17	13	15	17	5	10	8	17	12	12	10	3	.....	245
14	16	29	21	18	19	23	30	14	21	29	21	1	246
9	.....	8	2	10	.....	7	12	9	8	.....	.....	.....	247
53	29	24	27	29	46	35	36	53	33	27	43	1	248
48	37	54	36	38	61	84	70	48	49	56	69	.....	249
166	152	143	151	130	138	165	145	129	129	133	159	.....	250
69	59	61	39	46	42	67	71	56	46	46	59	1	251
18	16	18	10	22	12	14	24	21	14	11	10	.....	252
21	14	13	25	10	13	13	18	12	14	14	18	.....	253
16	22	19	23	18	13	30	23	13	25	34	21	.....	254
15	9	12	6	7	8	9	8	3	11	3	11	.....	255
39	39	40	37	44	63	52	45	36	55	42	51	7	256
2,520	2,389	2,478	2,248	2,097	1,937	2,318	1,861	1,722	1,755	1,880	2,526	.....	257
13	10	19	9	12	15	19	14	8	9	15	22	.....	258
657	590	694	670	607	573	713	621	530	574	565	672	10	259
36	22	30	33	44	28	31	29	20	25	26	36	.....	260
29	21	11	23	23	13	30	33	20	15	23	27	.....	261
13	19	28	21	18	16	19	41	17	34	25	38	.....	262
18	6	13	16	4	10	14	15	16	8	8	9	.....	263
29	11	26	20	20	11	16	13	21	16	15	18	.....	264
25	18	20	.....	18	22	18	17	27	23	16	23	1	265
17	14	11	13	10	10	11	13	13	17	13	24	.....	266
76	80	103	72	88	73	79	79	85	64	71	86	1	267
68	98	137	106	105	97	101	109	106	96	116	108	7	268
19	15	16	25	16	15	20	16	11	12	20	20	.....	269
39	23	36	36	32	21	28	26	17	25	24	25	.....	270
17	23	21	20	22	16	12	15	14	17	8	18	4	271
20	27	21	16	16	23	26	20	18	29	19	22	.....	272
47	42	47	33	27	29	42	27	32	33	33	57	1	273
388	355	353	330	296	290	376	336	300	290	252	320	22	274
75	67	73	50	67	73	84	58	70	71	52	56	2	275
39	48	50	60	48	44	39	40	40	50	41	53	.....	276
32	30	29	43	28	14	28	40	30	31	23	32	.....	277
22	18	22	18	30	17	35	20	15	20	20	27	3	278
104	97	120	100	122	119	104	105	103	103	116	84	6	279
11	14	17	18	13	6	17	9	19	4	8	8	.....	280
19	23	27	29	30	18	19	24	25	30	18	26	1	281
194	168	205	196	218	215	199	134	157	146	152	196	8	282
9	20	17	11	10	8	6	5	19	11	12	13	1	283
226	175	210	236	199	208	215	212	172	197	240	253	1	284
10	8	11	14	14	8	19	7	15	21	21	14	.....	285
19	22	25	28	27	22	23	22	27	24	17	23	.....	286
16	18	18	15	17	18	25	21	27	18	25	23	.....	287
52	48	56	50	42	37	34	55	36	41	50	53	10	288
46	49	42	54	46	46	53	49	43	45	40	59	2	289
78	66	71	66	59	46	55	46	48	43	59	69	16	290
940	888	1,056	992	984	883	1,118	822	749	826	811	993	64	291
152	142	183	164	143	143	121	165	146	141	141	140	1	292
67	69	64	62	63	48	54	77	64	61	54	58	.....	293
99	106	86	104	68	79	101	102	103	86	69	103	.....	294
114	75	114	83	123	127	127	98	93	112	123	88	26	295
47	45	29	28	31	22	20	22	31	26	38	41	3	296
733	594	753	613	573	620	597	542	564	624	675	691	13	297
25	25	35	25	18	27	35	34	35	25	26	28	.....	298
23	15	18	26	19	22	23	30	19	21	12	18	.....	299
16	.....	23	17	21	15	29	32	21	20	13	11	.....	300
117	100	105	108	154	118	141	142	129	128	143	141	1	301
59	53	79	74	79	62	89	68	66	50	41	78	1	302
129	128	145	139	146	110	183	134	127	129	107	155	.....	303
93	69	95	113	84	80	89	114	106	82	96	92	4	304
36	40	34	47	44	29	34	33	30	33	35	35	2	305
98	88	102	91	82	51	64	70	69	75	57	109	.....	306
30	35	36	46	33	46	35	39	28	58	41	50	5	307
28	24	19	34	18	22	20	27	12	19	15	13	2	308
14	17	10	18	15	10	14	7	22	12	15	18	1	309
32	59	82	61	60	47	60	82	61	53	57	90	.....	310
70	42	53	47	51	45	54	48	42	45	45	56	.....	311
89	100	122	104	94	90	92	79	66	79	102	86	1	312
46	33	34	30	26	29	33	36	21	33	26	31	.....	313
24	24	22	30	15	27	30	16	17	20	20	19	.....	314

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.					
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.	Parentage not stated.		
	REGISTRATION CITIES—Continued.										
315	Stonington town, Conn	144	51	26	5	7	10	.....	40	.....	5
316	Superior, Wis	413	48	116	27	23	.....	.....	157	39	3
317	Syracuse, N. Y	1,627	620	315	92	88	28	10	440	18	16
318	Tacoma, Wash	495	182	89	24	30	4	2	139	13	12
319	Taunton, Mass	648	191	150	31	38	26	6	193	11	2
320	Terre Haute, Ind	602	304	42	58	28	37	3	70	11	40
321	Tiffin, Ohio	138	94	6	.....	9	.....	.....	29	.....	.....
322	Toledo, Ohio	2,143	749	423	118	118	7	7	539	151	31
323	Torrington town, Conn	170	34	64	8	12	9	1	38	.....	4
324	Traverse City, Mich	190	52	14	35	19	9	1	44	15	1
325	Trenton, N. J	1,407	466	246	168	60	14	8	329	44	72
326	Troy, N. Y	1,460	420	351	62	102	20	3	467	11	24
327	Union, N. J	248	63	51	6	17	.....	1	107	1	2
328	Utica, N. Y	1,058	350	210	48	86	9	2	331	14	8
329	Vernon town, Conn	128	20	31	10	9	2	2	50	1	3
330	Vincennes, Ind	132	73	11	12	5	4	2	14	3	8
331	Wabash, Ind	87	57	4	6	4	5	.....	9	1	1
332	Wakefield town, Mass	114	48	23	3	8	2	.....	29	.....	1
333	Wallingford town, Conn	145	42	34	3	13	7	.....	43	2	1
334	Waltham, Mass	349	94	59	18	39	18	2	115	2	2
335	Ware town, Mass	106	20	39	2	12	1	2	30	.....	.....
336	Washington, D. C	5,945	1,800	298	477	174	29	7	572	39	2,549
337	Washington, Ind	112	68	9	8	4	8	.....	9	.....	6
338	Waterbury, Conn	942	209	314	21	79	13	3	290	3	10
339	Watertown, N. Y	343	147	53	20	34	11	.....	74	3	1
340	Watertown town, Mass	122	41	26	.....	13	7	2	33	.....	.....
341	Watervliet, N. Y	237	80	55	4	24	2	.....	66	4	2
342	Webster town, Mass	153	31	54	2	10	3	3	50	.....	.....
343	West Bay City, Mich	163	52	25	4	27	4	1	48	.....	2
344	Westfield town, Mass	224	86	55	30	14	5	1	31	2	.....
345	Weymouth town, Mass	192	95	27	4	12	5	.....	49	.....	.....
346	Wheeling, W. Va	628	231	87	57	30	20	10	139	24	30
347	Wichita, Kans	446	179	9	136	8	11	1	31	34	37
348	Williamsport, Pa	390	164	21	81	14	9	2	51	19	29
349	Wilmington, Del	1,457	.....	.....	.....	.....	.....	.....	905	197	35	320
350	Wilmington, N. C	567	173	8	27	6	1	.....	12	9	331
351	Windham town, Conn	173	60	39	10	11	3	1	45	2	2
352	Winona, Minn	237	69	51	4	21	1	1	90	.....	.....
353	Woburn, Mass	230	57	62	5	13	9	.....	74	2	8
354	Woonsocket, R. I	489	106	200	.....	13	.....	.....	169	1	.....
355	Worcester, Mass	2,108	487	545	90	171	72	13	686	8	36
356	Yonkers, N. Y	842	205	238	16	65	10	3	268	7	30
357	Youngstown, Ohio	952	295	237	24	41	1	2	286	28	38
	CONNECTICUT RURAL.										
358	Fairfield county	705	321	78	68	27	46	4	132	10	19
359	Hartford county	990	390	149	56	73	47	9	233	14	19
360	Litchfield county	744	316	77	79	27	58	7	134	30	16
361	Middlesex county	362	197	47	15	4	20	1	75	3	.....
362	New Haven county	724	306	118	44	37	30	5	147	21	16
363	New London county	498	253	51	32	31	29	1	78	15	8
364	Tolland county	313	144	36	33	12	22	3	56	6	1
365	Windham county	572	216	79	46	49	25	2	131	12	12
	INDIANA RURAL.										
366	Adams county	229	139	19	18	9	12	1	29	1	1
367	Allen county	259	135	18	24	10	18	4	43	6	1
368	Bartholomew county	180	104	8	22	5	19	3	15	2	2
369	Benton county	106	59	7	8	7	4	.....	18	3	.....
370	Blackford county	194	129	6	20	6	13	1	15	4	.....
371	Boone county	309	221	6	44	6	20	3	4	1	4
372	Brown county	121	80	.....	17	1	19	1	1	2	.....
373	Carroll county	236	155	5	26	3	27	2	15	3	.....
374	Cass county	238	130	7	57	3	16	.....	17	16	2
375	Clark county	277	145	7	22	15	20	2	17	17	32
376	Clay county	335	211	17	27	10	22	4	37	4	3
377	Clinton county	374	292	4	34	3	22	3	9	4	3
378	Crawford county	162	119	2	16	1	17	.....	4	3	.....
379	Daviess county	243	182	8	19	5	13	1	6	7	2
380	Dearborn county	265	102	33	25	6	12	3	70	10	4
381	Decatur county	256	172	6	25	9	17	.....	21	5	1
382	Dekalb county	272	159	21	25	15	22	1	25	3	1
383	Delaware county	276	200	4	23	7	27	2	7	5	1
384	Dubois county	199	88	37	11	11	7	1	42	1	1
385	Elkhart county	340	222	6	33	17	27	3	27	5	.....
386	Fayette county	161	98	5	15	10	17	.....	12	.....	4
387	Floyd county	98	49	7	4	7	8	1	22	.....	.....
388	Fountain county	255	193	5	30	.....	14	.....	11	1	1
389	Franklin county	212	107	22	17	6	15	1	43	.....	1
390	Fulton county	221	146	5	31	8	17	3	9	2	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1903—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
18	13	15	12	7	5	14	11	10	18	11	9	1	315
27	33	45	46	35	27	31	37	42	32	26	31	1	316
116	118	168	137	156	116	141	143	120	123	151	138	.....	317
34	32	44	44	50	38	34	41	45	45	47	36	5	318
71	43	51	61	48	50	56	63	59	44	50	51	1	319
50	58	47	63	49	42	48	48	51	48	37	60	1	320
14	7	19	11	10	12	10	9	16	10	12	8	.....	321
175	161	192	164	184	156	180	213	177	168	171	197	5	322
15	10	17	13	8	14	16	20	13	12	14	18	.....	323
													324
14	15	16	20	17	9	19	12	13	11	24	20	.....	
138	129	101	128	128	90	154	100	77	94	115	151	2	325
125	108	148	140	131	109	138	105	101	108	117	126	4	326
17	19	30	16	21	13	33	29	21	12	22	15	.....	327
92	82	113	100	70	71	72	113	69	94	76	105	1	328
8	18	5	12	12	15	8	6	10	12	8	13	1	329
12	12	11	10	9	8	13	10	12	14	13	8	.....	330
8	5	11	9	5	2	8	15	3	7	4	9	1	331
12	11	12	15	13	8	8	7	7	1	7	13	.....	332
11	16	11	14	12	10	12	14	13	10	9	13	.....	333
42	38	34	35	23	30	23	22	20	27	24	31	.....	334
7	8	7	10	8	5	13	7	10	8	10	13	.....	335
576	573	568	458	445	483	528	424	397	450	475	561	7	336
8	8	8	5	15	9	13	13	9	10	5	9	.....	337
72	76	87	78	84	71	95	90	80	67	59	83	.....	338
22	27	36	29	34	18	25	34	39	29	23	26	1	339
9	15	12	9	10	9	7	10	16	10	10	5	.....	340
20	19	24	27	19	12	25	14	19	14	19	25	.....	341
14	10	17	16	8	8	13	20	16	12	8	11	.....	342
12	11	7	12	8	9	13	18	14	22	23	14	.....	343
13	19	17	17	24	18	27	33	20	19	7	10	.....	344
26	16	16	13	14	9	16	16	16	18	12	20	.....	345
66	64	69	58	62	48	45	36	52	40	38	50	.....	346
32	33	29	36	38	37	47	40	43	33	37	40	1	347
37	35	30	33	36	36	36	32	25	27	30	32	1	348
160	140	125	130	100	124	163	119	115	111	121	59	.....	349
33	26	47	48	54	57	54	54	41	52	55	39	7	350
22	11	15	11	16	10	13	15	9	30	16	15	.....	351
10	15	22	19	22	26	22	19	20	21	14	26	1	352
15	21	25	16	18	17	18	20	27	16	18	19	.....	353
37	47	40	56	39	25	34	54	33	41	46	37	.....	354
197	191	192	169	173	157	202	184	179	150	134	180	.....	355
85	56	70	77	56	52	99	67	76	73	58	71	2	356
89	79	96	81	63	97	86	80	76	69	63	71	2	357
74	45	66	55	60	39	55	66	50	52	71	70	2	358
101	85	97	89	90	68	79	74	62	71	75	98	1	359
67	74	71	65	59	67	61	53	55	63	57	50	2	360
33	29	43	38	36	20	25	24	27	23	29	33	2	361
64	44	70	57	71	59	74	67	50	45	50	64	9	362
49	43	50	42	43	35	41	54	40	41	22	31	7	363
28	34	18	28	29	21	26	24	33	21	24	25	2	364
53	61	68	49	42	43	40	40	42	43	48	41	2	365
21	18	15	22	18	15	16	30	17	16	15	23	3	366
30	17	31	21	20	23	14	21	17	22	18	23	2	367
15	14	17	19	18	14	14	8	19	16	17	9	.....	368
9	6	3	9	12	8	6	10	16	5	8	11	3	369
15	17	21	12	7	15	13	20	11	23	21	17	2	370
25	24	32	15	31	31	24	26	24	25	29	20	3	371
16	10	10	9	14	10	12	9	8	12	5	6	.....	372
23	12	20	19	16	17	23	20	16	24	10	36	.....	373
24	22	14	14	12	20	13	22	24	25	23	24	1	374
23	20	26	28	26	22	26	28	22	16	21	19	.....	375
32	29	32	24	19	34	39	29	30	16	33	18	.....	376
37	39	28	45	24	21	26	40	19	26	32	36	1	377
25	15	15	11	12	17	12	12	16	11	8	8	.....	378
28	13	13	16	17	21	25	35	16	21	20	18	.....	379
30	24	23	19	16	21	24	19	14	22	24	28	1	380
21	15	17	31	22	17	32	23	25	12	16	25	.....	381
26	27	23	25	20	15	27	23	24	20	19	23	.....	382
15	17	21	20	17	25	24	30	24	40	21	21	1	383
22	16	21	17	12	10	27	16	14	13	12	18	1	384
27	30	32	31	29	21	15	27	30	32	31	35	.....	385
13	14	14	16	17	10	10	13	13	11	18	12	.....	386
7	7	13	10	5	9	11	5	1	8	7	14	1	387
23	24	22	26	23	11	17	23	23	16	16	21	10	388
16	25	18	27	19	9	15	18	19	17	11	13	5	389
24	18	17	27	9	11	20	21	25	17	18	13	1	390

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.					
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.	Parentage not stated.		
	INDIANA RURAL—Continued.										
391	Gibson county	308	210	8	25	8	10	.....	.....	19	4	24
392	Grant county	502	267	13	127	11	26	.....	.....	36	1	21
393	Greene county	390	267	10	41	11	30	5	.....	18	6	2
394	Hamilton county	325	224	8	31	8	27	.....	.....	15	3	9
395	Hancock county	248	183	8	21	7	15	.....	.....	10	3	1
396	Harrison county	230	153	13	19	7	14	.....	.....	17	3	4
397	Hendricks county	241	185	8	16	3	20	.....	.....	5	1	3
398	Henry county	320	232	6	20	8	32	1	.....	7	4	10
399	Howard county	192	128	6	21	6	12	.....	.....	6	7	6
400	Huntington county	186	125	2	20	9	14	2	.....	11	3	.....
401	Jackson county	310	204	16	28	7	19	3	.....	24	2	7
402	Jasper county	110	60	7	9	5	10	1	.....	16	2	.....
403	Jay county	282	212	7	18	7	17	1	.....	17	1	2
404	Jefferson county	345	189	14	33	15	30	1	.....	34	4	25
405	Jennings county	194	110	18	19	6	12	2	.....	21	3	3
406	Johnson county	279	208	4	30	6	22	1	.....	1	1	6
407	Knox county	199	123	11	17	11	14	2	.....	11	4	6
408	Kosciusko county	332	208	8	50	17	28	2	.....	16	1	2
409	Lagrange county	200	124	6	22	13	16	3	.....	15	1	.....
410	Lake county	350	75	86	31	28	12	2	.....	106	10	.....
411	Laporte county	345	111	34	30	19	20	6	.....	100	11	14
412	Lawrence county	351	258	5	31	9	27	1	.....	8	3	9
413	Madison county	394	257	18	29	7	28	3	.....	25	7	20
414	Marion county	224	113	15	20	7	24	2	.....	17	11	15
415	Marshall county	316	165	13	61	15	26	5	.....	27	3	1
416	Martin county	157	114	2	22	3	5	.....	.....	2	9	.....
417	Miami county	235	156	8	29	4	17	1	.....	13	4	3
418	Monroe county	233	149	2	32	3	28	3	.....	2	7	7
419	Montgomery county	383	281	5	40	6	30	1	.....	15	.....	5
420	Morgan county	253	171	2	32	6	25	1	.....	6	8	2
421	Newton county	122	78	5	10	7	7	.....	.....	12	3	.....
422	Noble county	251	160	10	25	13	15	3	.....	20	5	.....
423	Ohio county	72	39	.....	13	3	3	2	.....	4	2	6
424	Orange county	183	144	.....	16	1	11	1	.....	1	7	2
425	Owen county	153	108	.....	18	4	10	1	.....	6	2	4
426	Parke county	259	180	9	25	7	20	2	.....	11	1	4
427	Perry county	200	127	17	11	4	11	.....	.....	28	1	1
428	Pike county	266	214	5	17	5	9	1	.....	6	5	4
429	Porter county	262	112	17	18	14	26	2	.....	68	5	.....
430	Posey county	249	138	12	25	9	6	4	.....	30	4	21
431	Pulaski county	116	58	10	19	5	12	.....	.....	8	4	.....
432	Putnam county	243	195	4	16	4	11	.....	.....	9	.....	4
433	Randolph county	344	247	10	33	6	29	1	.....	13	2	3
434	Ripley county	213	94	19	18	13	15	5	.....	49	.....	.....
435	Rush county	233	161	3	19	9	21	1	.....	9	1	9
436	St. Joseph county	458	193	74	43	32	22	2	.....	85	6	1
437	Scott county	99	60	1	17	.....	10	1	.....	6	4	.....
438	Shelby county	339	234	4	27	5	29	3	.....	22	6	9
439	Spencer county	211	109	11	17	6	12	2	.....	30	3	21
440	Starke county	131	75	14	12	5	3	.....	.....	20	2	.....
441	Steuben county	175	91	9	38	6	24	.....	.....	5	2	.....
442	Sullivan county	299	222	5	30	5	23	1	.....	6	5	2
443	Switzerland county	127	81	3	20	3	10	1	.....	5	2	2
444	Tippecanoe county	200	104	14	20	9	20	.....	.....	24	6	3
445	Tipton county	234	167	6	24	5	19	1	.....	4	8	.....
446	Union county	83	52	4	8	4	5	.....	.....	7	3	.....
447	Vanderburg county	161	39	16	20	6	2	3	.....	49	8	18
448	Vermilion county	195	132	8	24	4	13	1	.....	10	2	1
449	Vigo county	243	155	4	30	8	16	1	.....	15	8	6
450	Wabash county	200	137	5	23	5	19	2	.....	7	2	.....
451	Warren county	111	78	3	13	3	8	.....	.....	4	2	.....
452	Warrick county	219	134	7	18	7	21	1	.....	18	2	11
453	Washington county	200	155	4	17	6	9	.....	.....	.....	7	2
454	Wayne county	244	164	7	25	7	14	.....	.....	16	3	8
455	Wells county	278	195	9	20	11	23	2	.....	12	6	.....
456	White county	176	104	9	20	7	15	1	.....	16	4	.....
457	Whitley county	192	127	4	21	8	15	5	.....	12	.....	.....
	MAINE RURAL.											
458	Androscoggin county	750	366	100	60	41	35	7	.....	119	19	3
459	Aroostook county	780	325	103	43	131	15	2	.....	152	8	1
460	Cumberland county	796	551	46	54	38	26	1	.....	72	7	1
461	Franklin county	282	183	19	29	9	20	2	.....	13	7	.....
462	Hancock county	542	422	5	51	21	17	4	.....	18	4	.....
463	Kennebec county	826	510	57	75	47	41	3	.....	85	7	1
464	Knox county	326	232	4	47	7	17	1	.....	12	6	.....
465	Lincoln county	333	222	3	56	5	19	2	.....	11	15	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1903—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
20	32	33	24	30	21	22	27	18	21	29	28	3	391
32	49	47	43	28	29	38	48	48	42	42	56	.....	392
45	32	32	32	27	20	22	37	45	28	32	38	.....	393
28	20	22	25	27	25	20	24	35	33	29	37	.....	394
15	19	22	20	22	16	22	30	27	18	16	21	.....	395
19	22	26	20	19	26	22	17	22	17	10	10	.....	396
19	26	22	25	14	16	23	18	26	17	20	15	.....	397
24	30	31	25	31	23	25	34	33	27	15	22	.....	398
16	10	12	13	16	14	16	22	23	16	13	20	1	399
11	16	11	18	15	13	11	19	23	23	12	14	.....	400
26	22	20	28	17	20	31	27	29	30	27	33	.....	401
11	10	8	3	16	7	7	10	14	6	6	5	7	402
31	33	17	26	19	19	25	20	30	26	19	17	.....	403
31	38	37	28	22	26	35	25	25	24	26	27	1	404
18	24	11	19	18	13	22	15	12	12	15	15	.....	405
35	31	28	21	14	19	16	29	33	17	14	22	.....	406
14	18	19	22	18	14	19	17	22	13	12	11	.....	407
29	30	32	32	27	22	24	33	25	29	16	33	.....	408
19	21	17	12	22	15	13	12	21	14	17	17	.....	409
27	27	27	42	29	19	26	31	32	27	29	33	1	410
39	23	36	31	28	19	22	30	26	28	32	27	4	411
21	23	24	35	28	18	44	36	37	27	26	31	1	412
47	32	32	27	39	26	32	27	38	26	34	33	1	413
27	12	19	19	17	17	28	17	25	13	13	16	1	414
33	24	30	31	19	31	24	28	38	15	19	20	4	415
13	16	11	11	6	9	19	15	13	13	15	10	6	416
24	25	30	20	13	16	16	15	20	22	15	19	.....	417
21	15	20	19	13	18	19	20	26	18	18	26	.....	418
32	32	37	35	25	24	34	27	33	30	40	33	1	419
19	18	17	22	22	17	17	33	25	23	17	22	1	420
10	14	12	10	6	4	10	21	11	6	8	10	.....	421
27	13	22	23	22	16	21	18	29	20	17	23	.....	422
9	6	9	5	4	5	5	7	7	4	2	9	.....	423
17	17	21	9	16	15	19	15	14	14	16	10	.....	424
20	12	12	8	11	10	10	11	9	18	17	15	.....	425
22	21	29	16	15	14	21	21	24	20	21	34	1	426
14	19	20	19	16	17	19	15	19	17	14	11	.....	427
19	26	20	19	22	10	23	30	31	21	19	24	2	428
29	16	19	27	25	14	12	22	19	19	20	26	14	429
19	22	21	23	19	11	31	26	21	22	16	18	.....	430
9	10	10	17	6	6	9	4	21	11	10	3	.....	431
29	18	25	20	19	17	14	32	10	23	14	22	.....	432
40	23	31	29	24	27	24	37	28	18	27	27	9	433
20	19	16	18	13	11	15	20	16	21	18	18	8	434
18	18	16	23	23	19	20	15	17	17	20	21	6	435
53	27	55	23	41	21	36	58	45	34	21	42	2	436
7	10	8	6	9	4	14	8	8	12	4	8	1	437
35	28	28	33	17	25	27	34	31	26	27	26	2	438
14	21	23	23	15	13	15	15	16	20	21	15	.....	439
15	11	14	7	12	5	14	17	6	9	10	11	.....	440
22	17	18	14	10	8	9	18	11	13	19	16	.....	441
16	21	17	26	21	17	33	37	29	22	25	28	7	442
15	8	16	9	8	7	13	11	10	7	10	8	5	443
21	15	23	18	19	14	13	15	14	18	12	18	.....	444
10	11	16	26	12	21	21	37	25	21	14	19	.....	445
9	6	5	4	9	6	6	12	6	6	8	6	.....	446
18	24	19	12	9	9	13	11	9	8	11	17	1	447
18	14	13	21	14	16	13	21	15	16	11	21	2	448
28	20	21	16	9	17	22	21	27	20	24	18	.....	449
29	13	22	13	16	17	15	15	19	12	11	18	.....	450
13	9	6	4	12	7	12	8	15	6	9	8	2	451
18	19	16	24	10	15	20	18	18	24	14	23	.....	452
23	13	18	15	12	14	17	13	14	26	15	17	3	453
21	21	29	20	15	12	17	28	20	21	18	20	2	454
27	16	32	26	22	15	14	37	21	26	22	20	.....	455
9	12	21	16	6	16	9	18	18	13	19	18	1	456
17	22	13	20	16	12	17	15	16	17	9	17	1	457
71	68	67	73	53	52	76	57	65	51	47	57	13	458
65	49	47	61	75	49	67	78	111	57	49	69	3	459
76	80	76	63	64	59	59	58	59	66	58	75	3	460
35	22	20	30	25	20	23	22	25	19	27	14	.....	461
48	56	48	31	51	34	63	38	41	44	46	41	1	462
95	74	67	79	66	71	67	52	52	68	63	70	2	463
15	24	35	45	17	22	26	34	31	31	22	23	1	464
32	31	31	25	35	22	17	21	46	25	20	28	.....	465

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.								
			Both parents.			Mixed parentage.			Parentage not stated.	Foreign.	Unknown.	
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	MAINE RURAL—Continued.											
466	Oxford county	553	399	40	39	20	23	1		26	4	1
467	Penobscot county	929	536	71	84	68	22	2		115	20	11
468	Piscataquis county	217	136	10	29	7	5	1		23	6	
469	Sagadahoc county	168	127	7	11	4	9	1		8	1	
470	Somerset county	552	377	36	52	15	19	1		45	7	
471	Waldo county	361	259	4	60	7	11			10	10	
472	Washington county	632	282	53	41	83	27	10		121	12	3
473	York county	900	604	50	80	25	43	2		86	10	
	MASSACHUSETTS RURAL.											
474	Barnstable county	516	354	32	16	24	28			48	1	13
475	Berkshire county	564	228	51	70	25	27	3		134	8	18
476	Bristol county	672	351	106	35	30	23	4		112	5	6
477	Dukes county	91	64	4	3	4	5			6		5
478	Essex county	1,066	549	99	51	77	42	10		222	11	5
479	Franklin county	501	289	67	51	29	31			110	13	1
480	Hampden county	592	206	137	35	45	21	1		134	10	3
481	Hampshire county	452	186	62	44	26	28	1		94	8	3
482	Middlesex county	1,875	730	264	88	90	59	12		550	37	45
483	Nantucket county	56	44	1	1	2	5	1		2		
484	Norfolk county	1,295	531	181	86	64	47	8		356	15	7
485	Plymouth county	1,015	534	79	79	47	47	8		185	17	19
486	Suffolk county	71	25	7	10	4	6	1		17		1
487	Worcester county	2,157	881	328	123	152	117	15		518	14	9
	MICHIGAN RURAL.											
488	Alcona county	56	15	11	3	6	1	2		15	1	2
489	Alger county	81	22	23		13	2			19	2	
490	Allegan county	462	216	40	43	30	17	5		98	13	
491	Alpena county	231	29	64	9	33	2	3		91		
492	Antrim county	184	77	26	10	25	6	2		33	5	
493	Arenac county	89	23	11	7	14	2	1		28	2	1
494	Baraga county	54	8	17	1	9				9	3	7
495	Barry county	260	141	12	26	11	18	1		46	5	
496	Bay county	233	52	45	4	37	4	2		83	1	5
497	Benzie county	142	74	12	9	14	5			15	7	6
498	Berrien county	601	289	59	34	46	31	4		109	16	13
499	Branch county	367	236	14	46	15	27	3		21	4	1
500	Calhoun county	391	242	27	24	14	13	2		57	7	5
501	Cass county	271	167	5	18	11	16	1		24	4	25
502	Charlevoix county	205	80	33	6	21	4	4		37	3	17
503	Cheboygan county	196	53	33	8	27	6			57	8	4
504	Chippewa county	122	17	31	5	13	3	2		48	2	1
505	Clare county	100	44	5	9	11	3	2		23	3	
506	Clinton county	310	158	22	24	23	18	2		57	6	
507	Crawford county	52	13	8	3	9				16	3	
508	Delta county	139	15	48	4	26	2			38	4	2
509	Dickinson county	129	12	62	2	6	1			43	1	2
510	Eaton county	409	269	18	46	24	15	3		25	8	1
511	Emmet county	253	116	17	17	18	11	1		28	14	31
512	Genesee county	405	213	31	23	31	16	1		78	10	2
513	Gladwin county	58	21	8	3	6	2			15	2	1
514	Gogebic county	118	5	58	2	2		1		47	3	
515	Grand Traverse county	112	58	13	7	5	5			23	1	
516	Gratiot county	347	200	13	42	22	22	4		33	8	3
517	Hillsdale county	397	236	16	41	20	29	5		44	4	2
518	Houghton county	840	65	341	6	88	8	2		332	6	1
519	Huron county	364	58	77	4	58	2			165		
520	Ingham county	289	179	15	13	15	18	1		36	11	1
521	Ionia county	415	217	29	42	22	19	3		70	8	5
522	Iosco county	122	26	20	3	20	1	2		46	3	1
523	Iron county	98	6	35	1	2		1		52	1	
524	Isabella county	237	116	13	14	17	7	4		42	6	18
525	Jackson county	286	164	15	20	18	18	2		44	5	
526	Kalamazoo county	273	162	16	19	11	14			41	6	4
527	Kalkaska county	115	53	9	10	8	3	2		22	4	4
528	Kent county	611	282	49	50	47	24	4		122	29	4
529	Keweenaw county	46	6	22	1	5				12		
530	Lake county	51	20	1	5	5	1	1		15	3	
531	Lapeer county	353	134	37	14	33	31	5		94	4	1
532	Leelanau county	130	34	20	5	8		2		39	1	21
533	Lenawee county	660	375	46	62	36	28			97	5	11
534	Livingston county	269	133	25	19	12	17	2		54	7	
535	Luce county	99	8	28	4	3				53	1	2
536	Mackinac county	69	19	8	3	7	2			27		3
537	Macomb county	418	165	43	10	39	5	1		146	8	1
538	Manistee county	325	60	84	8	29	9			128	5	2
539	Marquette county	228	16	78	1	18	3	1		106	3	2
540	Mason county	180	66	25	5	16	5	1		45	4	13
541	Mecosta county	246	112	24	20	27	5	1		45	7	5
542	Menominee county	159	32	44	2	19	1	1		52	2	6

NATIVITY, PARENT NATIVITY, AND MONTH: 1903—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
33	52	52	44	52	33	40	45	48	41	42	51	.....	466
94	77	91	82	72	60	73	67	90	72	74	74	3	467
20	21	9	21	18	17	19	14	17	20	23	18	.....	468
10	12	14	16	20	12	16	17	8	10	20	13	.....	469
47	39	41	61	42	47	42	54	34	50	40	52	3	470
40	28	30	31	25	31	27	22	33	32	24	35	3	471
54	56	59	67	56	48	62	37	51	50	42	49	1	472
74	67	88	89	73	60	69	70	80	85	71	73	1	473
40	56	55	42	52	28	40	34	58	35	36	40	.....	474
46	54	73	46	39	45	32	48	42	44	49	55	.....	475
70	65	69	42	43	48	56	62	57	57	50	53	.....	476
10	8	5	7	14	6	7	7	12	3	9	3	.....	477
89	94	93	78	98	83	88	94	85	84	71	109	.....	478
58	51	47	54	42	49	39	50	55	45	46	55	.....	479
49	56	55	62	49	45	52	44	40	48	52	40	.....	480
35	35	54	44	45	27	41	25	22	43	38	43	.....	481
179	166	205	149	173	137	155	164	146	127	114	159	1	482
2	8	.....	7	4	10	1	7	4	5	5	3	.....	483
113	125	131	117	121	79	77	89	112	113	107	111	.....	484
104	79	85	80	87	84	78	90	80	84	77	87	.....	485
4	6	6	13	4	2	7	12	3	6	4	4	.....	486
205	200	247	198	178	145	170	163	167	159	147	178	.....	487
3	6	3	6	6	1	5	8	3	6	6	3	.....	488
6	7	4	7	5	6	10	13	5	6	5	7	.....	489
38	37	46	54	32	36	30	32	34	43	36	44	.....	490
16	11	15	17	17	12	27	27	20	19	19	31	.....	491
23	13	7	16	12	11	17	14	29	16	8	17	1	492
12	3	10	8	4	6	8	6	9	7	9	7	.....	493
2	2	5	.....	4	1	7	5	7	9	6	6	.....	494
20	28	24	19	16	17	24	29	21	24	16	20	2	495
22	22	19	24	16	14	13	23	18	18	21	22	1	496
11	10	12	11	8	8	11	13	15	14	14	14	1	497
59	62	50	47	60	31	51	45	38	50	45	58	5	498
35	25	34	28	38	25	22	27	31	25	44	32	1	499
35	36	30	43	29	31	23	41	37	23	23	40	.....	500
24	19	26	22	24	12	21	16	34	16	30	26	1	501
13	16	16	24	12	12	16	27	31	17	10	11	.....	502
13	14	20	19	9	14	17	16	23	15	22	13	1	503
11	24	12	4	4	11	7	15	8	10	8	7	1	504
13	12	9	6	7	4	10	8	10	8	8	5	.....	505
26	34	26	29	26	24	29	33	24	23	15	21	.....	506
3	7	4	4	7	3	2	1	6	3	5	6	1	507
10	13	15	14	14	10	9	12	15	8	10	9	.....	508
14	7	11	5	10	5	16	25	12	9	10	5	.....	509
35	27	49	37	43	24	33	20	37	33	43	28	.....	510
20	17	38	21	16	17	14	25	16	17	23	29	.....	511
44	38	49	40	28	24	31	31	27	26	31	33	3	512
5	3	4	.....	6	5	4	10	3	3	10	5	.....	513
6	10	8	7	13	13	7	7	18	8	9	11	1	514
12	4	11	8	10	8	14	9	8	8	11	8	1	515
32	32	41	28	31	31	23	29	26	20	37	25	2	516
43	34	33	37	24	30	26	38	36	36	30	28	2	517
72	49	81	77	68	65	59	91	81	64	68	70	4	518
31	40	34	24	24	24	38	22	33	28	35	27	4	519
33	20	24	27	23	23	19	23	14	27	28	28	.....	520
41	36	36	37	34	37	25	28	38	31	35	35	2	521
7	10	16	5	11	4	12	11	17	8	11	10	.....	522
5	9	12	10	3	6	6	15	5	12	5	9	1	523
22	18	33	19	20	18	18	17	23	12	17	19	1	524
28	20	26	27	28	29	18	18	26	26	23	15	2	525
17	21	29	25	20	19	28	26	25	18	26	19	.....	526
9	10	8	13	11	5	10	8	13	8	13	6	1	527
31	35	56	59	67	40	52	49	46	40	49	85	2	528
3	3	5	3	2	1	2	8	5	7	3	4	.....	529
4	3	2	6	3	2	5	6	5	7	4	4	.....	530
39	34	28	30	30	24	19	26	32	32	28	31	.....	531
12	13	8	15	6	23	8	9	11	8	11	6	.....	532
64	60	47	57	65	45	45	45	54	55	56	65	2	533
29	24	35	26	22	13	18	13	18	17	25	28	1	534
4	5	10	12	6	9	10	10	13	11	2	6	1	535
7	7	7	8	10	6	1	8	5	1	5	4	.....	536
47	40	38	31	36	18	41	38	30	36	32	30	1	537
29	30	34	23	23	27	22	27	31	26	24	24	3	538
15	16	16	20	20	9	12	24	15	20	23	37	1	539
23	15	15	17	15	15	17	11	14	13	14	10	1	540
17	24	21	25	25	17	14	20	28	23	12	19	1	541
9	11	15	16	10	13	18	10	14	11	12	19	1	542

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.					
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.	Parentage not stated.		
	MICHIGAN RURAL—Continued.										
543	Midland county	154	65	11	7	15	2	1	.....	50	3	.....
544	Missaukee county	133	50	15	2	22	1	1	.....	37	1	4
545	Monroe county	406	192	47	13	27	8	1	.....	111	6	1
546	Montcalm county	408	212	33	28	29	26	5	.....	68	5	2
547	Montmorency county	29	8	4	1	9	.....	.....	.....	7	.....	.....
548	Muskegon county	185	62	35	12	12	4	4	.....	51	5	.....
549	Newaygo county	232	116	17	13	19	10	2	.....	48	7	.....
550	Oakland county	445	237	47	21	31	15	2	.....	77	10	5
551	Oceana county	226	109	18	26	20	7	1	.....	42	1	2
552	Ogemaw county	83	27	12	4	13	6	1	.....	18	2	.....
553	Ontonagon county	89	16	29	2	8	1	.....	.....	31	2	.....
554	Osceola county	224	89	25	11	24	8	4	.....	59	4	.....
555	Oscoda county	11	4	1	1	1	.....	.....	.....	3	1	.....
556	Otsego county	105	34	13	4	18	6	2	.....	24	4	.....
557	Ottawa county	483	131	92	14	46	4	2	.....	187	6	1
558	Presque Isle county	113	36	19	1	18	1	2	.....	31	5	.....
559	Roscommon county	25	8	1	3	2	1	.....	.....	8	2	.....
560	Saginaw county	396	143	53	12	29	17	4	.....	128	4	6
561	St. Clair county	415	123	62	6	48	6	1	.....	161	6	2
562	St. Joseph county	322	191	18	26	13	24	3	.....	43	2	2
563	Sanilac county	419	86	77	8	69	2	1	.....	172	4	.....
564	Schoolcraft county	99	23	27	3	14	.....	1	.....	29	2	.....
565	Shiawassee county	383	195	27	19	22	21	1	.....	71	26	1
566	Tuscola county	424	151	43	29	49	10	4	.....	129	8	1
567	Van Buren county	469	266	25	47	23	23	5	.....	61	4	15
568	Washtenaw county	472	213	43	14	32	15	5	.....	126	4	20
569	Wayne county	1,168	297	217	88	103	15	5	.....	409	25	9
570	Wexford county	238	118	28	19	18	7	.....	.....	43	4	1
	NEW HAMPSHIRE RURAL.											
571	Belknap county	213	116	7	49	7	11	.....	.....	9	14	.....
572	Carroll county	278	170	4	50	12	22	.....	.....	8	12	.....
573	Cheshire county	326	154	27	50	15	18	1	.....	41	20	.....
574	Coos county	278	107	19	48	22	12	3	.....	49	18	.....
575	Grafton county	678	348	35	112	39	34	2	.....	72	36	.....
576	Hillsboro county	529	270	38	69	24	34	1	.....	62	31	.....
577	Merrimack county	587	274	48	84	21	38	1	.....	92	28	1
578	Rockingham county	652	350	41	103	24	31	4	.....	63	36	.....
579	Strafford county	280	125	43	25	8	19	1	.....	49	10	.....
580	Sullivan county	312	139	22	61	9	20	2	.....	34	25	.....
	NEW JERSEY RURAL.											
581	Atlantic county	308	142	48	15	8	3	1	.....	73	1	17
582	Bergen county	1,208	406	258	42	77	8	8	.....	332	10	67
583	Burlington county	940	590	58	45	24	14	1	.....	117	15	76
584	Camden county	558	269	38	35	23	8	4	.....	102	5	74
585	Cape May county	176	121	10	3	4	3	.....	.....	12	2	21
586	Cumberland county	351	206	20	24	13	7	.....	.....	41	3	37
587	Essex county	932	399	143	49	66	10	7	.....	205	7	46
588	Gloucester county	390	251	20	16	12	1	.....	.....	43	9	38
589	Hudson county	1,114	207	270	79	72	6	5	.....	450	15	10
590	Hunterdon county	481	378	16	19	10	14	.....	.....	31	3	10
591	Mercer county	269	160	11	10	6	4	1	.....	38	4	35
592	Middlesex county	639	258	132	29	20	10	6	.....	151	17	16
593	Monmouth county	1,168	679	90	49	31	24	9	.....	144	14	128
594	Morris county	815	376	91	110	30	11	3	.....	173	2	19
595	Ocean county	205	152	7	5	11	1	1	.....	20	2	6
596	Passaic county	275	121	54	13	9	5	.....	.....	66	2	5
597	Salem county	371	232	9	16	5	3	.....	.....	18	17	71
598	Somerset county	443	255	46	18	14	1	3	.....	70	7	29
599	Sussex county	234	188	8	5	9	4	1	.....	16	1	2
600	Union county	432	163	52	50	21	2	2	.....	103	5	34
601	Warren county	378	295	18	10	7	5	1	.....	28	10	4
	NEW YORK RURAL.											
602	Albany county	502	291	56	30	27	15	4	.....	73	6	.....
603	Allegany county	559	320	35	85	12	19	5	.....	72	6	5
604	Broome county	415	250	13	62	15	33	2	.....	30	9	1
605	Cattaraugus county	684	305	67	105	19	30	6	.....	136	15	1
606	Cayuga county	510	303	25	49	17	20	5	.....	73	14	4
607	Chautauqua county	746	374	59	122	19	27	2	.....	125	15	3
608	Chemung county	252	152	10	41	7	17	.....	.....	20	3	2
609	Chenango county	547	315	19	116	11	37	2	.....	33	10	4
610	Clinton county	511	219	60	41	40	8	10	.....	128	9	5
611	Columbia county	532	313	27	63	17	19	1	.....	71	12	9
612	Cortland county	287	148	10	59	11	23	1	.....	17	17	1
613	Delaware county	489	282	37	61	23	25	1	.....	49	8	3
614	Dutchess county	1,083	563	112	97	33	16	6	.....	205	32	19
615	Erie county	1,131	379	213	49	71	22	4	.....	367	21	5
616	Essex county	428	223	42	36	34	14	.....	.....	70	6	3

NATIVITY, PARENT NATIVITY, AND MONTH: 1903—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
10	13	11	8	13	11	13	10	24	9	18	22	.....	543
15	11	12	12	5	14	11	6	16	9	10	10	2	544
34	35	41	27	29	26	41	31	40	34	37	30	1	545
40	38	37	35	41	30	35	24	25	38	32	32	1	546
3	2	.....	1	6	1	2	3	1	7	1	2	.....	547
17	19	22	16	9	17	7	20	18	11	10	17	2	548
18	17	29	20	23	19	19	15	15	19	20	18	.....	549
37	35	61	41	38	26	32	25	34	46	24	45	1	550
15	24	20	20	16	18	10	15	21	21	20	25	1	551
11	2	5	3	10	5	9	5	10	12	6	5	.....	552
12	6	2	3	7	6	10	7	10	10	5	11	.....	553
21	25	21	17	21	14	11	21	23	17	12	21	.....	554
1	.....	.....	1	2	2	1	1	.....	2	.....	1	.....	555
9	9	12	6	11	6	6	8	8	9	9	12	.....	556
40	39	47	42	39	42	23	39	38	47	35	51	1	557
13	6	9	10	10	7	12	13	13	8	5	6	1	558
3	1	1	2	3	4	2	1	1	2	1	4	.....	559
26	34	38	34	36	25	39	38	42	26	32	25	1	560
42	43	51	10	38	28	34	34	37	29	35	33	1	561
33	29	25	24	40	20	28	27	23	23	27	22	1	562
45	40	44	26	35	27	29	33	38	41	31	30	.....	563
12	7	8	5	13	5	7	8	11	9	9	4	1	564
31	39	24	44	27	27	26	41	26	30	35	33	.....	565
44	43	48	42	37	34	30	24	27	32	27	36	.....	566
35	41	47	40	43	39	40	38	37	41	36	32	.....	567
52	35	39	55	30	27	36	36	38	37	27	60	.....	568
81	95	100	83	85	88	79	123	91	93	105	143	2	569
20	16	16	10	16	15	30	20	20	13	23	19	.....	570
26	16	21	15	18	19	15	22	8	19	14	20	.....	571
21	40	22	21	26	14	23	15	23	26	23	22	.....	572
38	38	30	22	23	26	26	24	23	22	27	25	.....	573
25	20	22	32	22	24	23	14	27	25	26	17	1	574
67	72	62	49	56	49	51	58	47	54	60	53	.....	575
48	51	52	52	43	29	34	46	48	37	39	49	1	576
48	49	55	56	46	61	35	41	46	38	47	64	1	577
60	68	77	52	55	47	53	55	47	41	48	47	2	578
24	22	22	27	29	23	22	26	22	24	16	23	.....	579
34	23	37	25	25	21	27	21	22	16	29	31	1	580
21	30	27	22	23	29	27	28	25	29	20	27	.....	581
107	113	112	108	112	71	128	122	77	81	87	89	1	582
86	72	61	71	74	74	107	99	86	74	77	59	.....	583
52	51	43	52	36	52	53	42	47	38	42	50	.....	584
12	16	10	11	21	12	16	28	18	11	11	10	.....	585
45	31	27	23	35	18	33	31	29	21	22	36	.....	586
81	89	104	68	76	60	87	65	64	78	68	89	3	587
47	51	35	36	25	28	35	24	22	28	27	32	.....	588
97	91	95	109	79	84	115	103	76	79	80	106	.....	589
43	41	70	31	46	34	25	40	34	39	36	42	.....	590
22	26	24	25	25	18	23	19	19	30	17	21	.....	591
41	57	50	66	60	54	60	46	44	48	57	56	.....	592
87	82	100	86	82	90	132	137	116	78	78	100	.....	593
69	53	71	56	74	52	74	83	71	70	63	78	1	594
18	28	14	16	14	15	18	18	13	11	16	24	.....	595
20	22	35	23	21	20	29	12	16	28	21	28	.....	596
30	40	36	26	32	30	25	38	32	32	21	29	.....	597
34	52	43	33	36	36	57	38	28	25	26	35	.....	598
18	30	30	21	15	16	15	18	13	17	24	27	.....	599
57	65	31	32	36	24	44	36	24	25	30	27	1	600
44	22	37	40	30	20	30	30	32	29	29	35	.....	601
42	31	57	52	48	33	35	48	36	43	35	42	.....	602
43	54	57	45	61	40	42	45	31	45	48	47	1	603
41	34	47	33	30	28	24	40	36	31	41	29	1	604
66	44	103	60	63	46	43	46	47	53	45	67	1	605
47	43	54	52	36	44	34	41	38	39	40	42	.....	606
60	68	72	66	55	52	54	66	68	53	68	64	.....	607
19	21	27	23	14	20	18	28	26	19	14	23	.....	608
52	37	55	37	47	41	42	42	41	56	44	53	.....	609
54	39	56	44	36	27	31	49	52	54	35	33	1	610
34	46	56	49	51	38	36	39	36	38	46	63	.....	611
34	22	33	30	22	20	23	18	15	18	26	26	.....	612
39	48	65	45	45	35	35	29	32	35	40	41	.....	613
93	102	107	103	91	56	80	106	70	75	89	108	3	614
102	92	115	98	87	60	105	103	78	84	92	115	.....	615
43	25	36	30	40	35	45	27	36	34	38	39	.....	616

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	NEW YORK RURAL—Continued.											
617	Franklin county	641	274	78	41	64	11	6	.....	135	15	17
618	Fulton county	195	116	12	25	6	7	3	.....	24	1	1
619	Genesee county	477	204	53	32	37	17	1	.....	124	7	2
620	Greene county	545	355	30	55	7	19	2	.....	50	3	24
621	Hamilton county	49	23	1	10	3	2	.....	.....	5	5	.....
622	Herkimer county	697	356	60	89	28	32	7	.....	109	12	4
623	Jefferson county	727	370	41	99	60	28	6	.....	111	10	2
624	Lewis county	373	180	34	37	22	16	1	.....	76	5	2
625	Livingston county	582	265	54	88	27	18	1	.....	116	9	4
626	Madison county	578	337	29	70	14	23	3	.....	86	9	7
627	Monroe county	782	317	106	[illegible]	43	18	6	.....	224	7	4
628	Montgomery county	366	208	24	[illegible]	7	21	3	.....	49	4	1
629	Nassau county	861	379	103	46	43	12	7	.....	198	11	62
630	Niagara county	561	229	86	26	43	8	3	.....	157	4	5
631	Oneida county	820	371	100	72	49	32	3	.....	180	11	2
632	Onondaga county	890	404	76	105	37	24	6	.....	197	30	11
633	Ontario county	603	298	58	39	42	20	2	.....	126	9	9
634	Orange county	844	447	78	59	32	24	3	.....	153	19	19
635	Orleans county	449	186	42	55	29	15	3	.....	107	10	2
636	Oswego county	1,093	490	99	166	63	39	11	.....	207	16	2
637	Otsego county	756	521	37	67	32	37	5	.....	48	7	2
638	Putnam county	198	109	24	19	7	10	1	.....	25	2	1
639	Rensselaer county	725	358	72	65	34	26	5	.....	155	9	1
640	Rockland county	553	254	74	27	28	11	1	.....	119	12	27
641	St. Lawrence county	913	451	99	81	59	18	3	.....	189	11	2
642	Saratoga county	765	372	89	68	33	23	7	.....	153	13	7
643	Schenectady county	170	92	22	7	11	6	1	.....	26	4	1
644	Schoharie county	445	308	9	55	7	29	3	.....	24	5	5
645	Schuyler county	194	104	8	29	2	14	2	.....	26	7	2
646	Seneca county	528	254	36	82	12	19	1	.....	117	1	6
647	Steuben county	1,006	490	54	221	43	37	6	.....	130	20	5
648	Suffolk county	1,494	590	143	113	44	31	1	.....	458	40	74
649	Sullivan county	508	212	84	47	14	14	5	.....	118	12	2
650	Tioga county	443	266	12	75	8	24	4	.....	29	17	8
651	Tompkins county	315	205	10	43	6	17	2	.....	24	5	3
652	Ulster county	858	539	67	56	22	34	4	.....	115	10	11
653	Warren county	268	166	12	35	6	13	.....	.....	28	8	.....
654	Washington county	659	293	69	71	32	22	6	.....	147	13	6
655	Wayne county	748	372	72	65	31	25	3	.....	166	9	5
656	Westchester county	1,461	488	236	92	102	27	7	.....	399	38	72
657	Wyoming county	411	220	33	41	16	10	1	.....	77	10	3
658	Yates county	321	155	19	67	9	19	5	.....	32	14	1
	RHODE ISLAND RURAL.											
659	Bristol county	276	106	78	4	11	.....	1	.....	71	5	.....
660	Kent county	569	299	151	5	46	4	1	.....	146	2	5
661	Newport county	175	95	36	6	6	.....	.....	.....	30	2	.....
662	Providence county	1,462	580	281	36	91	17	1	.....	424	9	23
663	Washington county	410	272	36	3	11	2	.....	.....	53	5	28
	VERMONT RURAL.											
664	Addison county	333	177	26	41	13	24	3	.....	42	7	.....
665	Bennington county	189	96	19	23	12	11	.....	.....	18	8	2
666	Caledonia county	427	189	23	80	30	32	5	.....	61	6	1
667	Chittenden county	358	133	34	60	24	17	4	.....	83	3	.....
668	Essex county	98	36	13	15	3	11	.....	.....	15	5	.....
669	Franklin county	476	153	25	120	56	22	4	.....	83	13	.....
670	Grand Isle county	56	17	.....	6	6	5	1	.....	16	5	.....
671	Lamoille county	153	69	4	34	2	15	2	.....	22	5	.....
672	Orange county	297	162	10	67	10	22	1	.....	17	8	.....
673	Orleans county	322	119	16	58	28	21	2	.....	64	14	.....
674	Rutland county	521	205	52	90	21	28	3	.....	114	6	2
675	Washington county	506	193	37	135	15	33	5	.....	74	14	.....
676	Windham county	463	187	12	153	8	26	1	.....	52	22	2
677	Windsor county	537	290	19	111	16	38	1	.....	39	22	1

NATIVITY, PARENT NATIVITY, AND MONTH: 1903—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
50	57	53	63	56	51	52	50	53	67	47	42	.....	617
24	20	9	20	14	10	11	21	16	19	14	17	.....	618
28	31	57	41	40	36	48	36	50	38	35	37	.....	619
38	38	52	53	44	27	48	59	44	53	41	47	1	620
7	5	5	6	3	3	4	4	3	1	2	6	.....	621
58	45	55	56	51	61	61	67	60	63	59	60	1	622
84	56	64	56	68	56	53	58	59	56	52	65	.....	623
48	24	26	39	33	22	25	32	32	31	33	28	.....	624
50	56	61	49	56	52	32	41	38	54	40	52	1	625
58	35	65	51	55	43	32	61	31	43	44	60	.....	626
51	74	67	72	69	56	71	54	55	69	74	70	.....	627
36	37	44	31	32	32	20	21	36	33	20	23	1	628
72	84	70	60	63	61	98	86	73	58	61	75	.....	629
48	35	72	55	50	48	41	46	38	53	39	36	.....	630
74	77	60	73	87	47	68	62	59	65	75	73	.....	631
93	75	93	81	62	65	66	76	64	58	68	89	.....	632
52	45	72	55	51	46	32	45	53	49	47	56	.....	633
78	57	80	73	68	55	65	76	82	72	55	81	.....	634
46	46	34	50	34	24	26	35	30	39	35	50	.....	635
90	84	114	90	94	87	93	84	84	75	91	105	2	636
82	60	71	61	81	57	65	58	64	59	54	44	.....	637
17	16	18	26	16	12	17	19	15	10	14	18	.....	638
64	77	64	66	65	52	49	63	52	59	46	66	2	639
46	57	55	38	36	49	43	48	32	51	51	47	.....	640
73	81	118	71	59	62	71	74	74	74	60	96	.....	641
64	60	93	72	62	48	62	76	56	53	55	63	1	642
11	14	18	9	15	14	16	15	15	11	18	14	.....	643
47	38	39	52	35	32	27	37	39	36	31	32	.....	644
15	22	23	17	12	14	10	13	16	16	17	19	.....	645
49	35	63	60	44	31	36	44	31	32	37	65	1	646
106	87	92	90	74	73	68	73	71	97	88	87	.....	647
123	131	139	139	110	114	125	148	140	106	105	110	4	648
39	28	51	44	50	36	58	45	38	45	36	38	.....	649
45	52	41	44	22	36	24	33	42	47	31	25	1	650
28	24	45	25	16	22	37	21	17	27	21	32	.....	651
68	86	83	86	87	48	84	67	67	65	55	61	1	652
20	26	33	24	20	31	21	25	16	15	20	17	.....	653
64	53	84	64	52	55	44	40	55	47	54	46	1	654
57	72	76	59	68	53	52	65	60	49	69	67	1	655
131	123	145	128	117	105	126	128	119	110	101	127	1	656
41	43	39	39	29	39	26	35	34	31	30	24	1	657
25	21	33	23	28	21	24	24	28	30	26	37	1	658
22	19	37	19	17	16	25	19	35	21	18	27	1	659
54	62	45	56	49	38	40	44	45	51	48	32	5	660
16	18	15	17	11	11	20	13	17	15	6	14	2	661
138	117	126	136	130	95	146	137	113	109	105	110	.....	662
40	37	39	28	29	26	41	48	36	29	21	31	5	663
25	32	26	33	29	24	23	25	21	21	33	35	6	664
17	11	20	16	15	14	21	14	20	16	12	12	1	665
42	21	36	33	39	35	30	42	33	39	31	44	2	666
36	31	25	25	38	23	23	39	39	25	29	25	.....	667
5	11	10	9	10	1	7	6	5	12	7	14	1	668
46	24	49	44	44	43	43	44	33	41	26	38	1	669
7	4	2	5	7	4	2	8	.....	4	6	7	.....	670
13	12	17	19	13	18	7	11	14	13	7	9	.....	671
21	21	25	18	36	23	25	19	14	35	21	33	6	672
24	30	32	24	19	25	30	27	33	33	20	22	3	673
53	42	56	49	41	37	36	34	45	46	38	41	3	674
36	36	53	40	42	36	47	38	43	52	39	44	.....	675
34	33	37	41	41	33	30	36	41	37	39	55	6	676
48	37	48	43	58	43	48	37	33	35	52	52	3	677

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	SUMMARIES.											
1	The registration area	524,415	96,857	21,956	10,079	6,429	4,619	139,940	14,047	8,733	14,541	22,227
2	Registration cities	397,736	77,643	18,319	8,329	5,208	3,813	113,402	11,325	6,645	11,253	17,824
3	Registration states	327,295	60,751	13,422	6,115	3,936	2,747	86,971	8,422	5,060	8,265	12,046
4	Cities in registration states	200,616	41,537	9,785	4,365	2,805	1,941	60,433	5,700	2,972	4,977	7,643
5	Rural part of registration states	126,679	19,214	3,637	1,750	1,131	806	26,538	2,722	2,088	3,288	4,403
6	Registration cities in other states	197,120	36,106	8,534	3,964	2,493	1,872	52,969	5,625	3,673	6,276	10,181
	REGISTRATION STATES.											
7	Connecticut	15,492	2,972	669	289	196	120	4,246	398	246	340	504
8	District of Columbia	5,945	1,089	227	106	53	31	1,506	110	74	177	292
9	Indiana	31,845	5,422	1,262	548	349	249	7,830	844	685	1,209	1,595
10	Maine	11,216	1,659	282	134	90	76	2,241	234	168	294	398
11	Massachusetts	48,863	10,117	2,069	959	652	419	14,216	1,180	678	1,051	1,564
12	Michigan	33,120	6,384	1,112	516	382	252	8,646	890	654	971	1,284
13	New Hampshire	6,968	1,040	228	109	61	48	1,486	144	87	158	220
14	New Jersey	31,977	6,458	1,422	652	432	297	9,261	974	477	787	1,177
15	New York	127,602	22,874	5,506	2,538	1,546	1,124	33,588	3,304	1,807	2,945	4,550
16	Rhode Island	8,638	1,902	508	200	138	97	2,845	244	96	188	277
17	Vermont	5,629	834	137	64	37	34	1,106	100	88	145	185
	REGISTRATION CITIES.											
18	Adams town, Mass	183	76	11	6	2	4	99	2	1	6	9
19	Alameda, Cal	179	14	7	1	2	2	26	4	7	5	9
20	Albany, N. Y	1,813	245	43	28	14	11	341	28	18	50	86
21	Alexandria, Va	319	68	14	11	4	3	100	8	1	5	21
22	Allegheny, Pa	2,622	546	186	87	60	35	914	114	61	76	158
23	Allentown, Pa	550	139	21	9	10	5	184	19	18	20	24
24	Altoona, Pa	781	209	24	11	10	10	264	27	14	21	47
25	Amesbury town, Mass	142	14	1	.....	3	1	19	4	3	3	5
26	Amsterdam, N. Y	396	74	21	10	9	8	122	18	5	22	14
27	Anderson, Ind	268	48	10	10	1	3	72	8	6	11	17
28	Ann Arbor, Mich	199	23	4	.....	1	1	29	10	2	7	9
29	Annapolis, Md	161	47	8	6	2	.....	63	4	3	8	10
30	Ansonia, Conn	209	53	10	5	6	1	75	10	4	10	9
31	Appleton, Wis	206	43	4	2	5	1	55	8	8	7	13
32	Arlington town, Mass	112	15	6	1	2	1	25	2	1	2	1
33	Ashtabula, Ohio	198	46	8	6	1	2	63	5	4	7	8
34	Atlanta, Ga	2,041	380	123	33	21	16	573	49	36	74	157
35	Atlantic City, N. J	510	92	34	5	5	6	142	8	9	12	20
36	Attleboro town, Mass	176	45	3	4	2	1	55	6	1	2	14
37	Auburn, N. Y	534	68	5	4	8	3	88	8	10	16	18
38	Augusta, Me	286	40	6	4	2	6	58	6	5	13	17
39	Aurora, Ill	322	43	6	2	1	1	53	9	5	15	9
40	Baltimore, Md	10,142	2,181	459	240	130	101	3,111	255	177	300	450
41	Bangor, Me	378	51	11	5	4	1	72	9	3	6	14
42	Barre, Vt	153	48	11	5	3	1	68	6	1	4	12
43	Bath, Me	180	30	6	3	3	1	43	3	2	6	5
44	Battle Creek, Mich	386	52	8	3	4	5	72	6	10	6	20
45	Bay City, Mich	382	75	28	4	3	10	120	13	13	13	13
46	Bayonne, N. J	680	174	53	30	11	8	276	30	9	22	21
47	Bellaire, Ohio	155	34	11	5	1	2	53	3	4	7	7
48	Belleville, Ill	318	38	19	6	3	3	69	8	3	11	16
49	Beloit, Wis	177	35	9	1	1	1	47	1	2	8	11
50	Bennington town, Vt	117	20	2	2	1	2	27	2	.....	4	4
51	Berlin, N. H	170	66	6	3	5	5	85	4	3	3	8
52	Beverly, Mass	217	40	7	5	2	5	59	4	2	3	3
53	Biddeford, Me	306	98	19	7	5	6	135	6	4	11	10
54	Binghamton, N. Y	627	76	7	9	.....	2	94	10	6	10	21
55	Boston, Mass	10,649	2,178	457	233	137	82	3,087	244	124	231	394
56	Bridgeport, Conn	1,322	310	76	29	13	13	441	32	13	23	38
57	Bridgeton, N. J	203	32	4	1	2	2	41	5	4	7	6
58	Bristol town, Conn	169	34	10	3	3	1	51	10	6	5	5
59	Brockton, Mass	499	88	16	6	4	4	118	11	5	11	17
60	Brookline town, Mass	230	30	3	8	.....	5	46	2	4	5	5
61	Buffalo, N. Y	5,867	1,281	280	99	59	60	1,779	153	93	159	245
62	Burlington, Iowa	302	35	10	4	1	.....	50	9	6	9	19
63	Burlington, Vt	382	96	12	5	1	4	118	9	9	15	8
64	Cambridge, Mass	1,427	324	65	22	22	10	443	41	16	26	52
65	Camden, N. J	1,280	332	57	28	14	11	442	36	21	42	41
66	Canton, Ohio	367	80	16	6	2	5	109	12	6	13	13
67	Carbondale, Pa	232	39	5	6	3	2	55	12	6	6	9
68	Carlisle, Pa	168	30	3	2	2	.....	37	5	.....	7	4
69	Central Falls, R. I	338	114	23	15	11	4	167	9	3	7	10
70	Charleston, S. C	1,617	358	76	32	27	7	500	33	30	68	98
71	Chelsea, Mass	638	139	26	10	8	3	186	12	10	5	18
72	Chicago, Ill	28,758	5,266	1,529	700	456	295	8,246	970	602	867	1,312
73	Chicopee, Mass	404	137	29	13	13	14	206	20	5	10	15
74	Chillicothe, Ohio	207	28	9	2	1	3	43	1	5	4	3
75	Cincinnati, Ohio	6,251	926	226	100	62	44	1,358	138	82	191	291
76	Cleveland, Ohio	6,900	1,688	277	120	93	70	2,248	203	119	226	333
77	Clinton town, Mass	219	54	7	9	2	.....	72	4	3	8	12
78	Cohoes, N. Y	466	121	19	4	7	3	154	19	10	17	17
79	Columbia, Pa	176	30	6	6	1	3	46	3	4	6	8
80	Columbus, Ind	120	18	8	1	2	1	30	3	1	5	10
81	Columbus, Ohio	2,287	321	60	25	20	16	442	54	38	86	125
82	Concord, N. H	362	37	10	5	1	1	54	6	3	7	10

AREAS, AT EACH AGE: 1903.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,639	24,053	25,314	24,672	23,686	25,534	26,030	29,042	30,335	29,736	26,298	19,222	9,735	3,447	1,124	2,060	1
20,312	20,158	21,203	20,401	19,237	20,355	19,714	21,335	20,847	19,196	15,463	10,536	5,025	1,764	614	1,127	2
13,640	13,541	14,292	14,073	13,785	15,245	16,648	18,859	20,338	20,536	18,932	14,287	7,459	2,691	839	1,366	3
9,313	9,646	10,181	9,802	9,336	10,066	10,332	11,152	10,850	9,996	8,097	5,601	2,749	1,008	329	433	4
4,327	3,895	4,111	4,271	4,449	5,179	6,316	7,707	9,488	10,540	10,835	8,686	4,710	1,683	510	933	5
10,999	10,512	11,022	10,599	9,901	10,289	9,382	10,183	9,997	9,200	7,366	4,935	2,276	756	285	694	6
582	567	649	623	604	677	797	901	995	1,014	984	714	411	138	40	62	7
320	302	267	307	287	307	332	407	377	330	260	148	84	30	24	4	8
1,381	1,261	1,187	1,134	1,216	1,289	1,467	1,675	2,010	2,172	2,083	1,463	719	235	68	322	9
390	326	349	340	414	457	533	658	888	922	974	776	459	197	61	137	10
1,906	1,935	2,014	1,962	1,953	2,230	2,510	2,829	3,065	3,024	2,717	2,163	1,160	453	133	120	11
1,212	1,113	1,152	1,219	1,254	1,366	1,601	1,800	2,202	2,375	2,243	1,715	906	292	102	123	12
234	188	229	239	238	291	358	434	515	540	618	499	287	102	35	66	13
1,384	1,474	1,525	1,541	1,346	1,531	1,633	1,827	1,801	1,774	1,502	1,070	524	162	53	134	14
5,728	5,880	6,418	6,212	5,901	6,469	6,680	7,494	7,515	7,456	6,687	4,979	2,519	915	260	295	15
329	322	353	318	371	397	452	487	511	425	400	327	161	62	26	47	16
174	173	149	178	201	231	265	347	459	504	464	433	229	105	37	56	17
8	3	3	3	1	9	4	6	7	7	8	2	3	1	.....	1	18
4	12	7	1	7	12	10	12	12	14	16	14	4	.....	.....	3	19
81	89	80	86	101	120	134	144	119	128	95	69	22	13	5	4	20
21	13	8	16	16	9	19	12	22	18	14	5	6	3	2	.....	21
184	134	121	106	98	102	83	110	102	91	78	56	20	4	1	9	22
21	13	14	17	18	19	23	32	31	32	20	15	12	1	3	14	23
51	40	39	40	32	26	30	29	31	29	36	14	10	1	.....	.....	24
6	3	6	4	2	5	12	9	10	17	9	12	8	4	1	.....	25
9	18	15	16	12	16	20	18	25	25	23	11	3	3	.....	1	26
17	12	8	16	14	13	11	8	16	9	8	12	4	.....	1	5	27
13	10	9	9	9	14	8	15	10	15	13	8	5	3	1	.....	28
7	2	7	3	4	.....	12	10	8	5	7	3	.....	2	.....	3	29
10	8	10	15	4	9	11	9	6	8	4	4	3	.....	.....	.....	30
11	8	6	5	7	8	5	5	12	14	7	17	6	.....	1	3	31
3	7	4	2	9	3	4	14	5	9	11	3	5	2	.....	.....	32
12	12	9	11	4	11	3	11	6	7	11	7	4	2	.....	1	33
140	103	137	98	93	96	101	95	90	74	46	34	23	6	8	8	34
23	25	42	25	20	35	24	32	31	21	16	14	7	2	1	1	35
5	4	5	6	10	8	6	12	10	7	12	6	6	.....	1	.....	36
38	28	27	22	26	35	26	39	35	38	31	30	10	8	1	.....	37
12	8	14	9	17	17	19	14	19	16	16	9	11	3	.....	3	38
13	13	17	12	10	15	15	23	25	26	33	11	11	3	.....	4	39
415	423	491	516	469	501	509	559	523	506	440	296	121	43	31	6	40
21	17	16	13	23	22	19	21	31	25	30	14	10	3	4	.....	41
2	5	2	8	5	4	9	5	8	3	.....	5	4	1	.....	1	42
6	5	5	4	2	7	11	6	10	20	14	9	7	7	1	7	43
17	21	17	17	20	22	23	24	25	33	17	23	10	2	.....	1	44
18	10	13	16	16	24	19	12	18	22	17	14	8	2	.....	1	45
35	55	38	26	25	32	25	23	18	25	10	5	4	1	.....	.....	46
8	9	5	5	9	4	6	9	8	10	4	1	2	1	.....	.....	47
17	18	14	6	15	11	11	20	22	29	22	16	7	2	.....	1	48
6	9	6	7	7	8	7	9	14	9	10	8	3	2	.....	3	49
.....	6	5	3	1	5	2	12	8	13	6	10	8	1	.....	.....	50
10	6	6	8	7	1	5	3	5	3	3	3	4	.....	1	2	51
6	6	6	6	10	8	14	15	20	13	17	11	10	4	.....	.....	52
8	9	8	12	9	10	12	16	10	18	9	9	3	3	4	.....	53
30	34	34	32	32	32	38	47	48	49	44	39	20	5	1	1	54
515	576	592	595	542	561	604	572	577	518	377	284	154	59	16	27	55
54	60	69	65	69	57	67	93	67	58	38	31	18	5	1	3	56
7	5	7	7	5	14	7	15	20	16	14	18	3	1	.....	1	57
6	6	6	5	2	3	12	8	9	9	15	5	3	3	.....	.....	58
25	30	26	18	20	33	26	35	27	23	26	33	10	4	1	.....	59
5	10	7	9	13	4	11	26	14	17	22	17	5	8	.....	.....	60
240	270	307	326	317	312	295	279	279	283	245	177	72	24	7	5	61
9	7	7	7	18	16	17	20	26	16	24	20	12	3	1	6	62
15	9	8	10	20	14	11	25	30	21	21	24	6	6	2	1	63
63	54	47	65	52	69	71	92	84	91	69	45	24	18	3	2	64
52	52	50	65	60	57	58	74	59	70	47	29	17	4	.....	4	65
17	12	16	13	12	20	21	22	23	19	14	12	9	3	.....	1	66
8	9	15	7	12	15	15	18	14	7	8	6	3	3	3	1	67
11	4	5	4	5	6	11	11	14	19	8	6	6	1	.....	4	68
8	19	12	10	14	7	15	17	16	7	8	6	1	1	.....	1	69
99	80	84	66	88	92	68	64	77	63	37	34	15	7	4	10	70
20	24	27	20	22	19	39	47	53	47	44	20	17	4	3	1	71
1,522	1,605	1,742	1,740	1,578	1,614	1,426	1,358	1,275	1,118	867	544	260	78	25	9	72
13	14	6	7	9	4	11	23	15	15	17	4	8	1	1	.....	73
12	8	7	13	8	7	9	17	17	15	15	15	7	1	.....	.....	74
320	336	386	381	381	330	319	362	401	367	287	182	103	22	9	5	75
389	323	352	316	328	331	304	316	335	274	234	168	68	23	3	7	76
7	8	14	12	7	5	14	8	21	11	5	5	1	2	.....	.....	77
27	25	21	14	24	21	22	23	21	18	16	5	1	.....	.....	11	78
9	5	6	3	11	5	14	12	10	10	10	2	8	.....	1	3	79
3	2	4	5	5	6	5	8	7	7	11	5	2	1	.....	.....	80
147	142	140	129	131	127	116	121	137	105	118	62	22	7	3	35	81
12	12	13	25	15	29	18	21	34	33	32	19	9	7	2	1	82

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
83	Corning, N. Y.	172	17	2	1	1	3	24	7	4	3	9
84	Cortland, N. Y.	152	15	7	.....	.....	.....	22	1	2	3	3
85	Covington, Ky.	678	106	33	8	7	8	162	19	11	23	39
86	Danbury town, Conn.	339	48	6	1	3	1	59	10	6	6	10
87	Danvers town, Mass.	240	23	4	1	.....	.....	28	2	2	2	4
88	Davenport, Iowa	553	72	9	6	2	3	92	10	8	15	26
89	Dayton, Ohio	1,277	190	41	14	4	12	261	23	25	54	66
90	Decatur, Ill.	280	47	9	7	4	3	70	10	7	8	12
91	Denver, Colo.	2,706	357	59	37	30	20	503	60	41	90	193
92	Detroit, Mich.	4,895	1,231	203	84	83	59	1,660	183	74	120	171
93	Dover, N. H.	213	30	7	2	1	1	41	.....	2	4	6
94	Dubois, Pa.	151	54	8	5	2	1	70	6	3	6	11
95	Duluth, Minn.	866	154	50	11	6	8	229	40	29	23	54
96	Dunkirk, N. Y.	237	63	6	3	6	2	80	20	4	8	10
97	Eau Claire, Wis.	182	27	2	2	1	3	35	2	5	6	10
98	Elizabeth, N. J.	940	224	44	20	16	10	314	29	10	22	37
99	Elkhart, Ind.	209	35	6	5	1	2	49	1	4	6	9
100	Elmira, N. Y.	524	69	10	7	3	4	93	10	14	21	25
101	Elwood, Ind.	160	40	5	8	6	1	60	8	5	6	7
102	Erie, Pa.	749	152	31	16	6	11	216	23	13	15	31
103	Escanaba, Mich.	171	47	15	3	7	3	75	11	1	3	9
104	Evansville, Ind.	791	118	30	11	6	2	167	18	16	40	39
105	Everett, Mass.	321	86	20	5	4	5	120	10	2	8	12
106	Fall River, Mass.	2,342	864	168	53	44	28	1,157	78	29	49	73
107	Findlay, Ohio	208	35	7	1	2	2	47	2	6	8	5
108	Fitchburg, Mass.	458	125	34	13	5	3	180	17	6	9	19
109	Flint, Mich.	209	29	4	.....	3	1	37	6	8	6	12
110	Fort Wayne, Ind.	746	109	15	4	6	4	138	21	22	44	50
111	Framingham town, Mass.	168	27	3	1	1	2	34	7	3	2	4
112	Frederick, Md.	228	48	7	7	1	.....	63	9	5	5	8
113	Fresno, Cal.	277	50	8	4	1	2	65	7	3	7	17
114	Gardner town, Mass.	197	54	11	10	3	.....	78	6	4	6	3
115	Geneva, N. Y.	157	15	8	.....	.....	1	24	5	4	6	11
116	Glens Falls, N. Y.	173	21	4	1	2	.....	28	1	4	8	7
117	Gloucester, Mass.	300	81	20	8	5	11	125	16	14	14	28
118	Gloversville, N. Y.	283	44	6	1	2	2	55	.....	3	8	10
119	Grand Rapids, Mich.	1,257	232	38	19	10	6	305	26	25	42	69
120	Green Bay, Wis.	293	70	13	11	2	3	99	7	7	7	18
121	Greenwich town, Conn.	201	29	9	3	3	2	46	5	4	2	7
122	Hamilton, Ohio	363	77	12	1	5	1	96	9	4	16	16
123	Hammond, Ind.	230	68	14	5	2	1	90	8	6	10	8
124	Harrisburg, Pa.	797	146	33	6	7	3	195	23	18	28	43
125	Harrison, N. J.	209	51	11	8	4	1	75	5	1	11	8
126	Hartford, Conn.	1,428	241	63	23	18	12	357	42	20	34	45
127	Haverhill, Mass.	587	101	17	6	6	8	138	10	6	13	20
128	Hazelton, Pa.	206	60	9	7	3	1	80	3	5	6	8
129	Hoboken, N. J.	1,146	239	63	24	14	12	352	47	16	24	52
130	Holyoke, Mass.	852	312	60	25	13	8	418	16	13	17	28
131	Hudson, N. Y.	176	29	7	4	.....	.....	40	3	2	3	9
132	Huntington, Ind.	152	22	4	1	.....	.....	27	3	3	9	6
133	Hyde Park town, Mass.	175	36	7	1	4	2	50	5	.....	3	5
134	Indianapolis, Ind.	3,117	512	111	51	27	22	723	80	56	119	139
135	Iron Mountain, Mich.	131	48	9	2	2	.....	61	2	4	2	9
136	Ironton, Ohio	170	27	8	5	1	1	42	4	3	6	7
137	Ironwood, Mich.	168	60	8	2	4	3	77	17	4	5	10
138	Ishpeming, Mich.	172	57	16	7	4	3	87	11	6	10	6
139	Ithaca, N. Y.	269	29	4	2	.....	.....	35	6	4	12	22
140	Jackson, Mich.	337	57	7	8	4	.....	76	4	7	10	15
141	Jacksonville, Fla.	878	184	33	14	13	4	248	18	17	34	62
142	Jacksonville, Ill.	372	23	5	3	1	.....	32	17	4	8	19
143	Jamestown, N. Y.	305	48	8	3	2	2	63	15	6	6	13
144	Jeffersonville, Ind.	214	39	7	1	2	.....	49	4	8	10	13
145	Jersey City, N. J.	4,144	868	241	105	67	42	1,323	149	48	101	182
146	Johnstown, N. Y.	156	20	3	3	.....	1	27	2	2	3	4
147	Johnstown, Pa.	714	148	50	33	12	18	261	38	20	20	50
148	Kalamazoo, Mich.	495	48	10	3	3	5	69	7	8	7	16
149	Kansas City, Mo.	3,008	499	116	37	21	15	688	66	63	105	221
150	Keene, N. H.	131	9	2	2	1	1	15	.....	.....	1	4
151	Key West, Fla.	401	149	22	2	7	1	181	7	4	8	10
152	Kingston, N. Y.	426	64	11	10	8	6	99	16	8	11	24
153	Kokomo, Ind.	192	27	13	7	2	2	51	6	.....	12	12
154	Laconia, N. H.	164	18	5	3	.....	1	27	8	4	5	.....
155	Lafayette, Ind.	320	24	5	2	2	.....	33	8	7	11	8
156	Lancaster, Pa.	602	107	11	9	6	1	134	17	10	20	33
157	Lansing, Mich.	212	28	.....	5	1	1	35	4	6	9	12
158	Lawrence, Mass.	1,144	348	70	20	24	5	467	22	13	20	27
159	Leadville, Colo.	195	53	10	1	2	.....	66	4	1	3	14
160	Leavenworth, Kans.	337	49	10	4	1	3	67	8	7	21	16
161	Leominster town, Mass.	178	27	5	5	2	.....	39	5	3	1	6
162	Lima, Ohio	346	64	18	11	4	4	101	11	11	18	13
163	Lincoln, Nebr.	392	74	23	4	5	7	113	8	7	20	14
164	Lockport, N. Y.	282	47	10	5	4	3	69	12	5	9	9
165	Logansport, Ind.	263	37	3	7	2	.....	49	3	2	13	18
166	Los Angeles, Cal.	3,066	305	75	42	41	15	478	90	60	81	180
167	Louisville, Ky.	4,021	681	141	76	45	49	992	111	79	163	210

AREAS, AT EACH AGE: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5	10	7	8	9	15	6	16	13	13	6	12	2	2	.....	1	83
3	4	8	3	8	5	12	11	16	17	12	10	9	2	1	.....	84
35	26	26	34	33	34	36	38	48	42	33	24	7	6	.....	2	85
17	16	19	15	16	16	18	26	24	20	27	23	9	1	1	.....	86
7	7	10	21	19	14	13	20	28	22	13	22	4	.....	1	1	87
35	35	23	22	23	26	30	37	38	45	40	28	13	5	.....	2	88
70	71	50	67	75	71	59	69	63	82	84	48	23	7	1	8	89
16	13	14	11	5	9	14	14	25	12	17	10	3	4	.....	6	90
213	225	222	188	174	153	113	148	133	102	79	44	16	4	.....	5	91
183	177	209	222	231	203	235	244	262	243	209	150	79	23	13	4	92
5	12	7	7	6	15	17	15	18	17	18	7	5	5	1	5	93
5	9	7	4	1	5	6	5	4	5	1	.....	.....	.....	2	1	94
61	47	63	67	36	39	35	29	34	20	29	18	2	.....	1	10	95
12	11	7	4	4	3	11	9	9	14	13	12	3	1	.....	2	96
9	11	6	16	12	7	12	9	10	7	10	4	4	2	.....	5	97
41	41	44	48	31	48	40	54	52	41	37	32	14	2	1	2	98
7	10	6	10	10	11	8	14	19	19	12	7	5	1	.....	1	99
16	17	25	23	26	25	34	27	49	35	34	34	9	5	1	1	100
8	7	6	9	5	4	5	3	7	6	5	6	.....	.....	1	2	101
33	32	32	25	28	31	39	52	51	49	36	29	13	1	.....	.....	102
12	11	8	3	12	1	6	7	5	.....	4	3	.....	.....	.....	.....	103
45	44	50	38	50	40	45	48	47	38	32	23	4	2	3	2	104
7	9	10	8	12	11	13	19	27	14	15	13	6	2	1	2	105
64	79	92	79	88	100	91	93	92	77	45	31	13	5	1	6	106
8	10	6	8	13	5	10	17	15	20	15	4	9	.....	.....	.....	107
22	17	16	12	10	20	19	20	21	26	21	17	2	3	1	.....	108
6	8	3	9	11	9	5	13	18	16	22	13	4	2	1	.....	109
32	35	36	41	34	47	28	37	48	50	41	31	8	3	.....	.....	110
8	7	4	5	4	5	7	17	17	11	14	8	5	2	1	3	111
10	6	7	5	4	8	2	9	17	13	24	17	5	3	1	7	112
19	11	16	16	22	22	16	13	14	10	9	7	3	.....	.....	.....	113
7	4	4	4	9	10	9	14	9	5	13	3	4	4	.....	1	114
3	7	5	4	3	8	9	12	18	10	10	9	7	2	.....	.....	115
6	5	10	10	12	7	13	10	10	10	6	16	5	3	2	.....	116
33	23	30	25	16	18	18	14	34	32	21	13	14	2	.....	10	117
7	11	14	21	9	15	18	20	28	31	13	16	3	1	.....	.....	118
58	63	59	46	51	53	70	78	78	85	58	60	25	4	2	.....	119
12	16	12	11	9	8	12	11	14	14	12	17	5	1	.....	1	120
5	8	8	6	7	12	6	12	12	22	13	14	8	1	.....	3	121
15	22	15	16	8	11	18	23	26	26	23	11	3	2	.....	3	122
15	9	9	13	5	11	11	5	6	6	2	8	3	1	1	3	123
38	36	36	32	37	34	38	42	36	45	37	32	8	3	3	33	124
11	11	13	14	6	10	9	9	14	6	3	2	.....	1	.....	.....	125
69	80	90	73	68	75	80	71	94	91	65	37	26	6	4	1	126
27	26	21	24	21	30	31	37	45	42	42	28	14	9	3	.....	127
10	9	8	7	10	9	10	9	8	7	10	5	1	.....	1	.....	128
56	62	76	67	75	51	58	63	52	41	23	19	7	1	1	3	129
31	33	45	26	32	36	22	36	30	30	15	12	7	5	.....	.....	130
4	8	9	6	11	6	7	16	13	12	12	8	5	2	.....	.....	131
6	9	7	9	6	4	10	7	6	14	13	9	3	1	.....	.....	132
6	7	6	6	6	12	6	10	9	16	14	8	4	2	.....	.....	133
174	158	163	143	157	150	167	154	185	189	149	100	49	10	7	25	134
8	5	4	8	3	4	3	2	3	5	5	3	.....	.....	.....	.....	135
9	9	5	8	4	7	7	9	6	4	8	8	2	.....	1	21	136
10	9	5	7	5	2	4	4	.....	3	2	1	2	1	.....	.....	137
6	6	7	7	5	4	5	2	1	5	2	2	.....	.....	.....	.....	138
9	11	12	15	11	14	16	17	18	25	24	9	4	3	2	.....	139
12	18	14	14	15	13	13	18	29	29	21	11	12	3	1	2	140
59	40	62	57	51	41	40	23	37	37	20	11	7	6	1	17	141
20	22	24	20	24	25	16	19	25	44	20	19	4	7	1	2	142
11	7	8	13	13	15	22	23	15	22	20	20	9	2	2	.....	143
4	11	9	5	11	10	14	15	13	15	8	6	3	1	.....	5	144
212	248	234	241	184	210	227	202	178	150	136	72	31	9	3	4	145
3	7	5	11	4	6	6	8	18	16	17	7	6	2	2	.....	146
43	29	35	32	29	22	13	30	23	19	28	12	7	3	.....	.....	147
17	17	19	35	26	33	35	45	44	36	34	25	13	6	1	2	148
202	204	193	169	158	155	157	154	142	125	98	56	28	10	7	7	149
1	3	4	3	6	4	8	10	19	14	15	11	7	5	1	.....	150
14	17	18	19	23	8	13	19	11	14	13	12	3	3	3	1	151
17	20	16	14	25	26	17	34	29	32	18	10	6	4	.....	.....	152
5	6	11	4	12	5	8	14	15	15	11	1	3	1	.....	.....	153
4	3	7	6	7	9	8	17	11	12	18	8	7	2	.....	1	154
14	14	14	13	18	22	16	29	35	33	22	10	6	1	1	5	155
19	26	24	13	23	24	34	41	40	48	38	34	21	3	.....	.....	156
8	12	10	6	7	13	9	10	24	17	12	10	6	1	.....	1	157
44	45	49	39	46	51	68	66	56	32	37	21	14	4	1	2	158
7	12	10	11	24	13	13	3	3	2	5	2	1	.....	1	.....	159
16	11	15	14	17	17	13	17	32	29	16	16	2	1	2	.....	160
6	3	6	11	9	8	8	10	8	16	17	11	7	1	.....	3	161
20	18	14	11	12	13	16	9	21	18	15	9	7	3	2	4	162
21	20	14	11	19	23	15	28	22	20	17	10	6	1	1	2	163
13	11	6	8	10	15	12	13	13	20	19	20	15	2	.....	1	164
16	6	7	15	7	11	18	13	26	18	19	14	5	1	.....	2	165
201	223	218	211	185	187	162	186	189	155	128	80	30	12	1	9	166
212	218	217	220	224	231	212	208	201	183	155	101	51	20	11	2	167

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
168	Lowell, Mass	1,943	557	105	39	29	9	739	37	37	49	65
169	Lynchburg, Va	417	78	19	11	4	3	115	7	14	24	30
170	Lynn, Mass	1,084	202	30	20	10	8	270	29	17	15	35
171	McKeesport, Pa	673	196	52	27	14	13	302	25	20	18	34
172	Madison, Wis	239	30	7	1	4	3	45	5	3	7	12
173	Mahanoy City, Pa	316	112	25	16	12	8	173	21	2	4	12
174	Malden, Mass	520	106	22	10	5	5	148	17	10	9	20
175	Manchester, N. H	1,065	307	84	35	12	11	449	24	24	35	30
176	Manchester town, Conn	123	29	4	1	1	3	38	4	1	1	5
177	Manitowoc, Wis	139	32	5	.....	2	.....	39	5	3	3	2
178	Mankato, Minn	144	21	3	1	.....	1	26	.....	4	7	13
179	Marietta, Ohio	194	25	7	2	3	4	41	9	2	6	14
180	Marinette, Wis	191	42	20	5	2	4	73	10	6	8	6
181	Marion, Ind	266	41	1	7	4	2	55	14	8	9	9
182	Marlboro, Mass	195	36	10	4	2	2	54	10	2	4	6
183	Marquette, Mich	189	44	8	2	6	4	64	9	3	6	9
184	Massillon, Ohio	126	23	1	2	.....	1	27	2	3	4	3
185	Meadville, Pa	154	13	3	2	.....	2	20	3	1	3	6
186	Medford, Mass	227	40	4	4	5	.....	53	4	3	6	4
187	Melrose, Mass	150	18	5	1	1	2	27	2	1	3	2
188	Memphis, Tenn	2,023	300	108	49	30	14	501	58	46	92	175
189	Menominee, Mich	180	39	14	10	3	1	67	8	2	5	13
190	Meriden town, Conn	422	83	13	11	5	7	119	10	6	12	12
191	Michigan City, Ind	262	86	20	7	5	2	120	10	9	6	13
192	Middletown, N. Y	256	16	1	4	4	1	26	4	5	8	7
193	Middletown, Ohio	116	23	3	7	1	1	35	5	2	6	5
194	Middletown town, Conn	464	67	17	7	3	3	97	10	9	9	11
195	Milford town, Mass	160	24	4	3	2	2	35	4	5	4	7
196	Millville, N. J	151	35	4	5	3	1	48	5	5	4	6
197	Milwaukee, Wis	4,095	1,103	170	69	41	26	1,409	104	74	125	156
198	Minneapolis, Minn	2,483	326	79	44	28	25	502	87	59	111	143
199	Mobile, Ala	942	165	40	9	12	6	232	10	25	37	67
200	Montclair, N. J	272	102	11	7	4	3	127	8	7	9	1
201	Morristown, N. J	212	50	7	5	4	.....	66	6	2	5	12
202	Mt. Carmel, Pa	203	68	13	9	7	5	102	8	5	8	4
203	Mt. Vernon, N. Y	272	48	9	8	3	3	71	8	2	7	8
204	Muncie, Ind	386	77	17	9	2	.....	105	14	5	14	24
205	Muscatine, Iowa	181	22	5	4	.....	2	33	9	5	12	8
206	Muskegon, Mich	261	47	16	9	2	.....	74	9	2	11	11
207	Nashua, N. H	383	108	15	5	7	6	141	16	2	11	19
208	Nashville, Tenn	1,732	301	87	44	14	8	454	37	34	92	125
209	Natick town, Mass	129	13	.....	3	.....	1	17	6	2	3	4
210	Naugatuck, Conn	163	45	16	5	4	4	74	8	4	5	10
211	New Albany, Ind	359	50	7	3	9	4	73	21	8	15	9
212	New Bedford, Mass	1,602	448	105	67	69	39	728	92	29	46	49
213	New Britain town, Conn	543	160	40	21	17	7	245	21	15	9	10
214	New Brunswick, N. J	371	80	15	7	8	6	116	18	9	10	12
215	New Haven, Conn	1,943	387	112	48	25	8	580	49	33	49	78
216	New London, Conn	359	75	12	6	2	1	96	8	6	10	15
217	New Orleans, La	6,705	1,068	191	76	40	29	1,404	127	85	239	376
218	New Rochelle, N. Y	201	45	9	5	3	2	64	7	2	5	6
219	New York, N. Y	67,787	14,315	3,989	1,784	1,095	751	21,934	1,973	966	1,542	2,519
220	Bronx borough	4,729	731	221	110	74	65	1,201	153	91	126	205
221	Brooklyn borough	22,198	4,592	1,216	608	368	265	7,049	685	327	522	859
222	Manhattan borough	36,988	8,132	2,344	991	599	392	12,458	906	490	811	1,322
223	Queens borough	2,663	612	165	55	45	21	898	104	41	53	93
224	Richmond borough	1,209	248	43	20	9	8	328	35	17	30	40
225	Newark, N. J	4,913	921	230	98	81	58	1,388	138	69	119	192
226	Newark, Ohio	224	38	8	2	3	.....	51	8	5	6	7
227	Newburg, N. Y	471	70	13	6	3	3	95	9	4	10	18
228	Newburyport, Mass	263	33	9	4	3	.....	49	2	4	8	12
229	Newcastle, Pa	443	97	19	12	5	4	137	12	4	17	36
230	Newport, Ky	385	50	20	6	5	3	84	11	8	8	21
231	Newport, R. I	359	52	7	2	6	4	71	11	5	17	8
232	Newton, Mass	446	70	13	4	6	5	98	7	9	6	11
233	Niagara Falls, N. Y	368	107	20	7	7	6	147	13	8	4	20
234	Norfolk, Va	1,115	234	37	31	10	7	319	32	20	32	64
235	Norristown, Pa	567	45	11	3	5	3	67	10	11	18	36
236	North Adams, Mass	381	70	19	9	12	7	117	13	10	17	20
237	Northampton, Mass	281	45	9	4	1	1	60	9	4	5	5
238	Norwalk town, Conn	325	38	14	4	4	3	63	8	7	4	9
239	Norwich town, Conn	494	83	21	14	12	4	134	13	8	10	12
240	Oakland, Cal	1,100	108	38	23	10	14	193	42	20	28	39
241	Ogdensburg, N. Y	346	29	6	4	4	2	45	8	4	7	11
242	Olean, N. Y	102	18	1	.....	1	.....	20	5	3	8	6
243	Omaha, Nebr	1,097	213	26	12	7	4	262	27	25	39	54
244	Orange, N. J	524	89	21	8	8	6	132	15	7	11	25
245	Ottawa, Ill	139	9	6	1	1	.....	17	3	2	3	3
246	Ottumwa, Iowa	256	36	11	7	2	2	58	8	6	14	7
247	Owosso, Mich	65	7	3	2	2	.....	14	5	1	1	3
248	Paducah, Ky	436	52	26	18	7	5	108	10	10	21	22
249	Passaic, N. J	650	230	77	20	14	8	349	31	7	15	16

AREAS, AT EACH AGE: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	77	89	71	71	95	88	105	89	111	61	44	30	9	4	.....	168
26	21	18	25	17	23	14	18	16	17	18	6	3	1	2	2	169
53	36	45	51	58	55	62	70	75	68	58	52	22	7	3	3	170
33	35	35	30	24	25	22	18	14	19	12	7	.....	.....	.....	.....	171
11	11	8	14	8	13	12	16	20	17	18	12	4	2	.....	1	172
11	10	13	7	11	6	7	7	14	8	7	1	.....	1	.....	1	173
24	23	11	19	15	19	23	35	39	38	35	14	13	4	2	2	174
40	35	33	43	27	34	34	52	55	49	39	30	22	5	5	.....	175
4	5	3	8	8	6	4	7	9	7	7	4	2	.....	.....	.....	176
4	10	4	7	3	3	6	7	5	10	11	9	2	2	2	2	177
7	10	4	2	9	8	11	5	7	9	9	10	2	.....	.....	1	178
9	13	2	7	6	16	11	10	8	17	7	7	5	3	.....	1	179
8	10	4	11	4	10	6	8	9	8	3	4	2	1	.....	.....	180
20	15	10	10	19	7	12	13	24	8	14	11	4	1	1	2	181
7	8	7	8	9	7	9	16	10	12	9	9	5	2	1	.....	182
10	16	6	7	4	5	6	7	11	8	10	6	1	1	.....	.....	183
7	7	4	5	6	8	10	6	6	12	6	5	3	.....	2	.....	184
8	7	5	7	10	10	7	9	15	16	12	8	5	1	1	.....	185
5	5	4	9	8	17	17	15	16	15	22	15	5	1	3	.....	186
9	9	9	4	5	7	11	12	10	14	14	5	.....	3	3	.....	187
170	139	128	124	89	115	78	90	67	59	41	26	10	6	3	6	188
9	7	11	11	5	6	7	4	11	4	5	1	2	1	.....	1	189
19	16	17	15	15	16	27	34	28	29	27	9	8	2	1	.....	190
5	9	5	4	8	4	9	11	9	12	11	5	3	6	.....	3	191
14	11	16	12	14	20	17	15	16	24	21	11	8	6	1	.....	192
9	7	3	3	4	3	6	2	10	6	5	3	1	1	.....	.....	193
18	14	21	17	31	23	36	37	31	34	28	18	13	3	1	3	194
6	7	7	8	5	7	5	12	12	11	11	9	5	.....	.....	.....	195
5	2	4	6	1	7	6	5	10	11	15	6	2	.....	3	.....	196
169	160	141	188	137	191	182	187	214	218	194	158	70	13	3	2	197
150	141	145	157	142	116	110	120	132	123	106	83	29	11	4	12	198
63	67	73	46	58	48	37	40	48	32	33	24	6	3	2	1	199
11	8	3	11	7	6	12	18	8	11	5	10	5	1	.....	4	200
5	6	14	1	7	8	12	10	19	10	12	11	3	2	.....	1	201
14	3	6	4	5	7	5	8	6	9	2	3	3	1	.....	.....	202
11	14	15	13	9	11	7	15	20	16	23	13	5	3	1	.....	203
19	16	24	12	20	12	18	22	22	16	18	9	4	.....	1	11	204
12	9	5	6	8	3	4	7	10	11	13	11	9	2	.....	4	205
12	4	7	11	13	16	14	14	10	19	14	13	5	1	.....	1	206
19	6	10	13	18	8	15	14	23	21	19	14	10	3	.....	1	207
112	79	99	80	80	109	80	89	72	78	49	35	15	11	2	.....	208
8	6	4	5	4	5	5	11	11	12	14	7	3	1	.....	1	209
6	7	6	5	7	4	7	5	5	4	4	2	.....	.....	.....	.....	210
21	24	12	17	18	9	12	17	20	28	22	11	7	3	.....	3	211
61	54	39	35	43	43	56	66	67	49	66	41	26	8	2	2	212
16	14	19	18	14	20	23	25	26	30	15	14	7	2	.....	.....	213
15	16	14	12	9	13	18	25	20	21	18	11	6	6	1	1	214
95	80	91	90	74	100	108	99	128	115	72	65	24	10	2	1	215
14	14	13	18	20	14	20	19	16	25	18	11	11	3	2	6	216
439	391	413	410	390	389	398	383	365	326	260	167	93	30	18	2	217
10	8	12	11	9	5	8	13	15	10	12	1	1	1	.....	1	218
3,492	3,713	4,023	3,733	3,361	3,671	3,467	3,662	3,101	2,658	1,983	1,178	536	181	58	36	219
315	349	371	285	245	238	225	228	210	202	137	89	38	13	4	4	220
1,131	1,137	1,222	1,105	1,034	1,163	1,132	1,187	1,086	980	782	467	230	68	19	13	221
1,889	2,050	2,237	2,139	1,908	2,087	1,922	2,011	1,590	1,277	912	527	231	86	28	17	222
110	117	127	133	120	127	131	157	131	128	101	56	24	8	3	1	223
47	60	66	71	54	56	57	79	84	71	51	39	13	6	4	1	224
222	287	283	273	248	280	283	290	236	234	191	114	45	11	7	3	225
6	9	11	9	13	14	12	12	20	14	11	9	6	.....	.....	1	226
20	23	25	30	25	20	29	31	38	28	30	17	13	4	1	1	227
10	7	12	7	4	20	18	12	21	19	28	16	11	2	1	.....	228
33	24	31	13	12	20	15	10	11	18	14	10	3	.....	.....	23	229
23	17	15	18	16	14	19	28	22	32	23	19	5	.....	.....	2	230
21	11	15	19	16	13	26	21	30	20	22	14	12	5	2	.....	231
18	9	12	17	12	23	29	32	23	45	35	32	22	6	.....	.....	232
15	16	16	20	16	15	9	12	24	10	10	9	3	.....	.....	1	233
61	74	57	69	65	78	43	52	50	35	23	22	10	5	4	.....	234
29	27	32	28	33	34	42	47	40	37	34	15	11	6	1	9	235
21	13	13	12	12	15	16	26	16	13	23	13	8	2	.....	1	236
8	7	8	13	13	14	18	19	28	19	21	18	8	2	1	1	237
12	12	18	10	10	16	21	17	40	24	22	21	6	3	1	1	238
15	23	22	26	14	27	28	24	37	25	37	20	13	6	.....	.....	239
66	46	46	55	49	58	59	94	66	81	74	41	24	5	3	11	240
15	12	20	22	23	22	24	32	34	19	24	10	10	2	1	1	241
8	4	5	3	2	4	5	6	6	4	8	2	3	.....	.....	.....	242
69	61	55	75	63	55	53	61	49	60	42	22	13	8	2	2	243
35	38	24	35	33	30	34	24	23	27	18	9	3	.....	1	.....	244
5	6	11	5	8	3	11	12	8	15	10	5	6	3	.....	3	245
13	8	9	12	14	12	8	9	18	13	9	11	5	4	.....	18	246
2	3	5	1	3	3	3	3	4	5	2	4	1	1	1	.....	247
33	47	31	29	22	18	11	14	14	12	11	8	8	.....	.....	7	248
30	18	25	18	17	25	25	18	20	16	8	8	.....	2	.....	2	249

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
250	Paterson, N. J	1,740	369	66	30	23	19	507	59	37	41	68
251	Pawtucket, R. I	662	157	41	13	7	5	223	18	7	14	21
252	Peabody town, Mass	190	32	15	5	1	.....	53	2	2	6	9
253	Peekskill, N. Y	185	28	16	4	.....	3	51	1	3	2	5
254	Perth Amboy, N. J	257	85	14	12	4	4	119	18	8	7	10
255	Peru, Ind	102	13	3	1	2	.....	19	.....	2	7	3
256	Petersburg, Va	550	108	24	14	5	8	159	16	9	21	30
257	Philadelphia, Pa	25,731	4,784	1,185	585	356	283	7,193	688	423	702	1,140
258	Phillipsburg, N. J	165	34	7	2	2	2	47	9	4	4	10
259	Pittsburg, Pa	7,476	1,760	544	222	134	107	2,767	241	133	246	558
260	Pittsfield, Mass	360	60	15	7	5	.....	87	4	6	15	11
261	Plainfield, N. J	268	50	15	5	1	.....	71	4	8	14	9
262	Plymouth, Pa	289	85	32	11	11	8	147	14	4	11	4
263	Plymouth town, Mass	137	32	6	1	5	1	45	4	2	1	5
264	Pontiac, Mich	216	17	3	3	1	.....	24	1	4	3	8
265	Port Huron, Mich	228	38	4	3	1	2	48	7	4	9	10
266	Port Jervis, N. Y	166	24	2	3	4	.....	33	5	2	5	7
267	Portland, Me	957	138	19	10	5	5	177	26	11	24	33
268	Portland, Oreg	1,254	148	31	20	12	12	223	36	38	51	63
269	Portsmouth, N. H	205	16	4	5	.....	4	29	.....	.....	3	9
270	Portsmouth, Ohio	332	51	23	11	6	5	96	11	9	16	21
271	Pottstown, Pa	207	46	7	5	3	1	62	4	3	3	10
272	Pottsville, Pa	257	45	6	6	5	1	63	3	7	6	9
273	Poughkeepsie, N. Y	450	66	11	9	2	2	90	11	6	10	17
274	Providence, R. I	3,898	875	266	102	70	42	1,355	110	40	70	131
275	Pueblo, Colo	708	161	45	14	10	9	239	23	13	32	57
276	Quincy, Ill	552	74	19	4	3	6	106	14	4	24	27
277	Quincy, Mass	360	74	18	7	4	3	106	11	7	7	6
278	Raleigh, N. C	267	52	11	6	4	3	76	10	3	5	16
279	Reading, Pa	1,283	300	60	28	20	15	423	70	22	37	54
280	Revere town, Mass	144	30	4	5	5	1	45	5	1	2	3
281	Richmond, Ind	289	31	6	2	5	.....	44	4	5	4	13
282	Richmond, Va	2,188	447	107	47	23	30	654	52	43	74	116
283	Rochester, N. H	142	14	6	2	2	.....	24	3	.....	4	7
284	Rochester, N. Y	2,544	276	88	41	31	28	464	110	39	74	83
285	Rockland, Me	162	13	5	.....	1	1	20	1	1	4	9
286	Rome, N. Y	279	34	2	2	.....	2	40	7	4	7	12
287	Rutland, Vt	241	38	6	.....	.....	1	45	1	2	8	9
288	Sacramento, Cal	564	65	16	8	4	5	98	11	6	14	39
289	Saginaw, Mich	574	99	16	6	3	7	131	5	5	23	28
290	St. Joseph, Mo	722	114	15	14	10	5	158	14	19	18	39
291	St. Louis, Mo	11,126	1,923	458	222	147	93	2,843	336	216	342	535
292	St. Paul, Minn	1,782	368	46	18	18	28	478	39	51	55	71
293	Salem, Mass	741	160	34	19	11	9	233	18	17	14	24
294	Salt Lake City, Utah	1,106	189	32	24	11	14	270	46	35	39	53
295	San Antonio, Tex	1,303	250	67	32	21	12	382	40	21	50	89
296	San Diego, Cal	383	32	6	2	2	3	45	4	7	19	14
297	San Francisco, Cal	7,592	969	196	82	67	45	1,359	154	86	159	332
298	San Jose, Cal	338	28	7	5	2	3	45	13	7	8	13
299	Saratoga Springs, N. Y	246	24	6	4	2	1	37	7	4	10	4
300	Sault Ste. Marie, Mich	218	68	4	5	3	2	82	8	5	8	10
301	Savannah, Ga	1,527	304	78	37	17	9	445	21	16	53	106
302	Schenectady, N. Y	709	222	30	16	11	9	288	28	15	18	32
303	Scranton, Pa	1,632	363	73	34	20	13	503	54	36	48	68
304	Seattle, Wash	1,117	149	22	9	14	8	202	24	26	31	87
305	Sioux City, Iowa	432	66	11	3	9	7	96	23	5	17	16
306	Somerville, Mass	956	169	37	20	14	9	249	24	10	20	35
307	South Bend, Ind	482	112	32	16	8	8	176	25	11	14	27
308	South Bethlehem, Pa	253	66	16	5	1	1	89	6	11	10	15
309	Southbridge town, Mass	173	49	9	2	.....	.....	60	6	2	5	6
310	Spokane, Wash	744	130	24	15	7	6	182	22	20	28	35
311	Springfield, Ill	598	69	18	11	10	10	118	25	10	25	32
312	Springfield, Mass	1,104	197	69	27	15	6	314	35	17	24	30
313	Stamford town, Conn	378	61	14	9	5	6	95	12	4	6	10
314	Steelton, Pa	264	74	20	6	4	1	105	11	5	16	19
315	Stonington town, Conn	144	23	5	4	3	.....	35	8	3	2	1
316	Superior, Wis	413	72	22	14	10	13	131	28	6	10	25
317	Syracuse, N. Y	1,627	272	47	24	14	7	364	46	17	46	56
318	Tacoma, Wash	495	61	15	10	11	2	99	26	23	21	33
319	Taunton, Mass	648	115	26	20	4	4	169	14	6	12	14
320	Terre Haute, Ind	602	107	21	10	7	10	155	16	8	25	23
321	Tiffin, Ohio	138	10	2	2	3	4	21	5	4	6	4
322	Toledo, Ohio	2,143	346	89	44	31	30	540	97	35	57	98
323	Torrington town, Conn	170	63	10	2	5	.....	80	5	3	6	2
324	Traverse City, Mich	190	24	4	1	.....	.....	29	3	2	4	3
325	Trenton, N. J	1,407	275	48	19	8	10	360	41	14	38	69
326	Troy, N. Y	1,460	242	35	10	13	7	307	39	15	34	78
327	Union, N. J	248	49	9	11	1	2	72	6	3	6	14
328	Utica, N. Y	1,058	197	29	16	7	11	260	23	20	22	45
329	Vernon town, Conn	128	25	5	1	.....	.....	31	2	1	3	9
330	Vincennes, Ind	132	31	4	3	4	1	43	5	2	3	2
331	Wabash, Ind	87	20	2	.....	.....	.....	22	3	5	4	6
332	Wakefield town, Mass	114	27	3	.....	1	.....	31	2	1	3	.....
333	Wallingford town, Conn	145	38	3	1	4	2	48	5	4	2	4
334	Waltham, Mass	349	55	7	8	4	7	81	10	7	10	11

AREAS, AT EACH AGE: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
66	87	117	86	81	102	92	87	103	84	63	38	16	3	1	2	250
30	25	24	18	28	38	33	36	41	35	32	22	11	3	2	1	251
2	8	7	7	6	12	9	11	9	20	14	5	3	2	3	.....	252
5	13	9	11	9	8	9	12	11	11	9	11	4	1	.....	.....	253
5	12	11	8	13	12	4	7	8	6	3	5	.....	.....	.....	1	254
6	9	1	5	3	4	3	11	8	8	4	4	1	1	.....	3	255
30	30	15	26	29	32	31	33	30	28	19	10	5	1	1	4	256
1,349	1,279	1,374	1,328	1,254	1,398	1,220	1,445	1,363	1,346	987	717	360	130	30	5	257
3	5	6	9	3	12	5	10	9	11	7	5	5	.....	.....	1	258
497	410	453	353	277	291	252	247	254	199	126	106	42	12	3	9	259
18	21	15	17	14	16	23	18	23	26	20	13	8	5	.....	.....	260
13	15	14	7	8	15	9	19	19	16	12	8	5	2	.....	.....	261
9	7	7	11	13	10	10	15	10	9	4	2	1	1	.....	.....	262
.....	4	3	3	5	1	6	9	12	7	12	6	7	5	.....	.....	263
6	5	11	9	20	8	22	18	23	10	19	15	6	2	1	1	264
6	16	6	6	11	13	11	11	18	19	14	8	3	5	2	1	265
12	12	12	6	6	8	6	10	6	14	10	5	3	2	.....	2	266
56	42	49	34	35	56	54	77	80	64	52	43	23	15	5	1	267
73	76	79	79	78	83	63	71	69	57	48	31	12	3	1	20	268
8	7	11	13	14	11	9	11	15	22	21	8	7	4	2	1	269
20	14	16	13	14	10	13	9	17	18	19	7	7	1	1	.....	270
8	12	9	5	9	10	12	8	13	14	7	12	4	1	1	.....	271
18	7	14	10	16	10	10	11	20	16	15	16	5	1	.....	.....	272
13	9	18	24	17	12	35	35	40	36	36	24	13	4	.....	.....	273
161	153	180	150	179	186	224	204	220	165	137	118	57	21	9	28	274
71	53	53	37	45	34	32	31	34	13	15	10	3	.....	.....	3	275
34	26	27	21	27	28	27	36	37	42	36	23	5	5	2	1	276
22	7	8	29	10	16	19	15	19	26	16	24	7	1	2	2	277
13	17	7	11	7	16	11	16	12	13	4	9	6	1	3	11	278
47	52	43	45	52	61	43	58	75	74	43	50	19	11	.....	4	279
5	4	7	7	7	5	10	6	9	9	8	8	1	1	1	.....	280
16	22	11	10	18	28	10	19	21	19	16	18	8	.....	.....	3	281
131	87	107	93	112	141	97	112	94	90	57	42	18	6	3	59	282
7	6	9	4	5	5	7	11	6	14	15	8	2	2	1	2	283
125	106	112	121	135	139	154	161	165	167	169	127	58	32	2	1	284
8	4	3	13	8	9	11	13	16	12	14	10	4	2	.....	.....	285
10	9	3	11	11	14	15	12	14	28	27	33	20	.....	1	1	286
9	11	14	7	10	13	17	14	18	21	10	16	7	2	2	5	287
26	33	33	44	26	42	29	33	35	34	32	11	5	.....	.....	13	288
27	28	36	24	26	30	28	34	43	39	28	22	12	3	.....	2	289
42	43	30	56	35	38	31	38	45	42	36	19	11	4	3	1	290
607	626	700	617	593	598	593	622	595	489	368	221	107	35	11	52	291
93	81	113	84	80	82	92	94	84	97	88	55	27	15	2	1	292
21	27	22	20	32	29	34	38	56	43	38	31	29	11	1	3	293
54	62	61	76	46	42	46	54	58	64	47	34	12	7	.....	.....	294
99	82	76	74	63	53	46	51	50	42	33	22	14	7	4	5	295
14	17	15	27	22	21	21	34	35	17	38	19	5	2	.....	7	296
430	449	487	515	464	553	439	513	507	466	371	204	77	15	7	5	297
20	25	14	17	14	20	15	26	31	28	20	11	6	4	1	.....	298
11	8	11	12	10	24	19	19	22	10	14	17	3	4	.....	.....	299
10	10	11	16	7	11	5	6	9	7	8	3	1	.....	1	.....	300
113	105	117	84	88	71	52	62	55	49	38	25	8	4	6	9	301
38	44	32	32	27	28	24	36	31	40	41	20	10	7	1	7	302
82	82	93	90	75	87	85	83	89	59	43	27	10	4	5	9	303
65	74	102	90	73	71	51	59	37	51	37	16	7	1	1	12	304
24	26	23	23	27	23	22	19	24	16	18	10	8	1	.....	11	305
32	45	32	27	36	30	46	71	76	77	71	41	24	8	1	1	306
19	19	20	19	19	17	18	17	22	19	23	7	8	.....	1	1	307
15	10	11	10	12	8	12	9	8	7	6	1	4	1	.....	8	308
6	4	4	3	8	6	6	7	8	12	11	6	4	2	1	6	309
61	52	44	43	44	46	38	32	29	25	20	13	8	1	.....	1	310
38	31	35	32	28	27	22	29	38	30	34	22	15	5	1	1	311
45	44	50	49	47	57	57	58	62	61	59	50	32	8	2	3	312
17	16	19	20	23	20	16	26	18	21	21	18	8	6	.....	2	313
12	16	12	11	5	9	8	10	9	5	6	2	1	.....	.....	2	314
1	5	5	8	5	5	10	9	9	10	10	9	4	2	2	1	315
21	34	32	27	22	11	15	11	8	11	12	7	.....	.....	1	1	316
70	75	80	75	99	103	86	102	95	110	75	74	34	17	3	.....	317
26	34	35	25	16	24	26	32	19	14	17	16	5	1	1	2	318
28	15	29	25	31	32	44	38	43	60	30	32	15	5	4	2	319
40	20	26	29	30	29	29	31	40	34	28	13	8	1	.....	17	320
3	6	5	14	5	2	8	7	6	14	11	14	.....	3	.....	.....	321
85	105	116	99	100	98	120	116	124	132	91	78	30	7	5	10	322
5	8	6	7	8	4	6	7	5	5	7	3	2	1	.....	.....	323
12	11	12	13	7	15	11	10	10	17	13	11	2	1	.....	4	324
79	65	81	84	75	58	81	72	69	73	55	44	17	6	3	23	325
82	78	91	76	78	83	77	90	98	96	54	43	22	15	3	1	326
11	13	15	12	8	12	13	18	15	10	11	6	1	1	1	.....	327
45	41	41	51	53	42	62	69	71	69	55	55	24	6	3	1	328
7	3	4	4	7	4	6	13	7	8	10	6	.....	2	.....	1	329
6	7	9	3	.....	7	7	5	13	6	8	5	.....	1	.....	.....	330
4	2	2	4	7	1	4	1	2	7	4	6	2	1	.....	.....	331
5	6	2	4	7	4	11	6	8	6	6	8	2	2	.....	.....	332
5	7	2	4	6	3	8	4	7	13	14	6	2	.....	.....	1	333
17	11	14	11	21	17	21	19	22	29	22	13	8	4	.....	1	334

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
335	Ware town, Mass	106	29	8	1	2	1	41	6	1	1	4
336	Washington, D. C	5,945	1,089	227	106	53	31	1,506	110	74	177	292
337	Washington, Ind	112	20	3	.....	2	1	26	5	3	6	4
338	Waterbury, Conn	942	262	55	21	17	13	368	34	16	27	33
339	Watertown, N. Y	343	66	6	2	2	.....	76	14	11	6	15
340	Watertown town, Mass	122	29	3	1	.....	1	34	.....	1	3	5
341	Watervliet, N. Y	237	38	7	7	.....	3	55	5	7	6	10
342	Webster town, Mass	153	44	14	.....	5	2	65	4	1	4	1
343	West Bay City, Mich	163	31	15	4	2	.....	52	9	5	5	10
344	Westfield town, Mass	224	61	11	5	1	3	81	7	2	4	7
345	Weymouth town, Mass	192	27	5	2	1	2	37	4	.....	1	4
346	Wheeling, W. Va	628	110	28	11	7	6	162	18	16	24	41
347	Wichita, Kans	446	64	17	6	3	5	95	8	13	17	30
348	Williamsport, Pa	390	58	11	5	4	2	80	9	5	11	17
349	Wilmington, Del	1,457	279	56	41	23	20	419	65	38	58	83
350	Wilmington, N. C	567	143	35	10	7	8	203	19	8	17	34
351	Windham town, Conn	173	41	7	5	2	1	56	3	2	5	8
352	Winona, Minn	237	40	6	7	2	.....	55	7	2	7	9
353	Woburn, Mass	230	40	8	11	3	1	63	4	3	3	7
354	Woonsocket, R. I	489	136	38	11	8	13	206	25	7	18	16
355	Worcester, Mass	2,108	469	100	37	13	10	629	36	38	39	73
356	Yonkers, N. Y	842	207	45	18	10	7	287	28	11	13	27
357	Youngstown, Ohio	952	241	45	14	6	8	314	17	14	35	78
	CONNECTICUT RURAL.											
358	Fairfield county	705	95	14	6	1	2	118	11	14	10	17
359	Hartford county	990	194	39	11	15	5	264	20	10	17	31
360	Litchfield county	744	103	12	7	3	3	128	15	8	15	20
361	Middlesex county	362	39	12	3	1	3	58	14	5	7	13
362	New Haven county	724	113	29	16	7	4	169	8	9	13	14
363	New London county	498	76	11	9	6	4	106	8	7	12	22
364	Tolland county	313	47	14	4	1	.....	66	2	11	6	8
365	Windham county	572	110	16	9	7	7	149	11	7	20	16
	INDIANA RURAL.											
366	Adams county	220	55	8	1	3	2	69	8	7	8	11
367	Allen county	259	52	10	1	3	5	71	8	1	14	13
368	Bartholomew county	180	21	5	1	3	1	31	2	6	4	6
369	Benton county	106	18	3	2	2	1	26	4	3	3	3
370	Blackford county	194	36	6	9	3	3	57	11	3	8	12
371	Boone county	309	31	16	6	2	3	58	11	6	12	12
372	Brown county	121	23	7	3	2	2	37	1	2	7	14
373	Carroll county	236	32	13	2	2	1	50	6	3	11	10
374	Cass county	238	43	7	.....	1	1	52	5	6	7	10
375	Clark county	277	44	8	6	4	1	63	10	6	17	23
376	Clay county	335	76	13	10	4	3	106	9	10	14	14
377	Clinton county	374	72	16	1	4	.....	93	12	7	7	16
378	Crawford county	162	22	4	3	1	1	31	6	5	9	8
379	Daviess county	243	51	22	5	1	4	83	8	8	14	10
380	Dearborn county	265	33	5	2	.....	.....	40	5	5	11	13
381	Decatur county	256	37	18	3	2	.....	60	.....	4	6	11
382	Dekalb county	272	31	7	3	7	2	50	3	5	10	12
383	Delaware county	276	52	6	5	1	2	66	6	8	9	20
384	Dubois county	199	31	5	4	4	2	46	6	2	8	14
385	Elkhart county	340	56	13	6	2	1	78	6	7	15	13
386	Fayette county	161	23	6	2	3	2	36	2	3	5	9
387	Floyd county	98	12	2	4	.....	.....	18	4	2	1	10
388	Fountain county	255	47	24	4	3	3	81	4	8	10	13
389	Franklin county	212	23	9	2	.....	1	35	3	5	2	13
390	Fulton county	221	21	10	5	4	6	46	10	6	6	6
391	Gibson county	308	66	18	10	2	2	98	4	7	11	16
392	Grant county	502	85	17	8	6	8	124	24	14	11	16
393	Greene county	390	78	22	15	8	2	125	11	9	18	31
394	Hamilton county	325	57	19	6	7	1	90	6	6	13	21
395	Hancock county	248	53	10	7	2	1	73	3	5	7	9
396	Harrison county	230	29	7	2	1	4	43	8	6	11	12
397	Hendricks county	241	34	4	7	1	2	48	8	3	5	5
398	Henry county	320	60	10	4	1	1	76	5	7	13	10
399	Howard county	192	27	10	4	3	3	47	6	5	9	14
400	Huntington county	186	36	7	3	3	.....	49	3	6	6	6
401	Jackson county	310	58	22	4	7	2	93	10	9	15	13
402	Jasper county	110	36	3	.....	.....	.....	39	1	.....	4	6
403	Jay county	282	67	21	5	.....	2	95	3	6	13	19
404	Jefferson county	345	44	13	7	3	3	70	3	7	12	32
405	Jennings county	194	31	7	4	2	2	46	3	2	3	8
406	Johnson county	279	33	12	7	4	2	58	10	7	9	16
407	Knox county	199	42	9	2	3	.....	56	6	8	10	9
408	Kosciusko county	332	49	18	5	4	1	77	7	7	11	11
409	Lagrange county	200	37	4	2	2	.....	45	4	1	3	8
410	Lake county	350	94	13	11	2	4	124	18	6	11	10
411	Laporte county	345	32	8	6	2	7	55	8	7	13	11
412	Lawrence county	351	75	15	5	4	5	104	10	13	14	32
413	Madison county	394	85	14	7	4	3	113	10	6	16	23
414	Marion county	224	35	5	5	1	3	49	5	5	15	10

AREAS, AT EACH AGE: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4	5	2	3	6	4	2	4	6	6	4	2	3	1	1	.....	335
320	302	267	307	287	307	332	407	377	330	260	148	84	30	24	4	336
6	11	5	8	9	3	2	6	5	4	4	2	1	1	1	.....	337
44	37	48	44	33	46	32	44	40	39	29	14	12	2	.....	.....	338
9	16	11	15	18	10	25	17	21	22	17	26	9	5	.....	.....	339
2	6	5	6	5	6	7	6	5	4	11	6	7	1	.....	2	340
10	10	18	13	10	15	8	25	11	11	10	3	6	3	.....	1	341
4	6	6	4	5	5	7	6	7	10	11	4	2	.....	.....	1	342
7	7	4	6	4	8	7	7	8	8	3	7	5	.....	1	.....	343
4	4	3	9	5	12	7	13	15	14	11	12	9	2	3	.....	344
3	6	8	6	8	12	15	14	16	19	19	9	6	5	.....	.....	345
43	40	34	31	32	25	22	26	23	31	30	18	7	2	.....	3	346
17	26	19	17	17	17	22	47	27	21	24	11	3	4	4	7	347
20	11	20	16	13	19	22	22	27	27	35	22	21	9	1	10	348
82	74	58	76	48	66	65	84	77	54	42	35	19	8	2	4	349
39	25	33	22	30	22	28	27	21	12	8	9	3	2	1	4	350
5	3	8	3	4	9	11	11	9	7	13	10	3	3	.....	.....	351
14	5	9	12	11	6	6	15	23	22	20	9	2	1	1	1	352
12	12	11	7	12	11	16	6	19	8	13	12	8	2	1	.....	353
20	11	22	23	17	16	16	23	22	16	9	13	8	.....	1	.....	354
90	96	117	90	87	108	117	139	129	94	100	79	24	15	5	3	355
43	49	50	44	34	32	43	46	43	40	17	19	6	6	.....	4	356
69	51	50	42	38	52	31	39	36	28	31	13	7	3	.....	4	357
17	19	27	23	18	32	43	51	53	79	66	60	29	13	5	.....	358
28	22	33	30	35	33	35	56	72	68	89	73	40	22	4	8	359
15	21	19	21	19	29	54	50	47	62	93	61	47	10	4	6	360
10	6	10	12	18	13	13	19	35	26	46	28	22	4	2	1	361
24	22	26	20	27	32	38	41	63	59	60	45	31	10	2	11	362
17	9	10	16	13	16	15	32	33	42	54	43	24	8	3	8	363
10	11	5	11	12	10	15	14	23	24	36	24	17	3	3	2	364
17	15	15	14	17	23	27	38	42	50	44	36	19	7	2	3	365
8	8	8	4	14	7	7	15	13	12	15	12	.....	.....	1	2	366
9	6	5	3	9	7	10	9	16	16	30	15	9	4	.....	4	367
4	4	9	6	8	11	6	12	14	13	22	11	4	5	1	1	368
4	3	5	1	4	4	6	4	8	6	10	7	5	.....	.....	.....	369
10	6	3	16	8	8	13	3	7	8	5	7	5	2	.....	2	370
18	11	6	5	18	7	19	14	20	24	35	13	11	6	1	2	371
3	2	2	1	5	7	4	1	14	5	8	.....	6	.....	.....	2	372
13	5	4	11	3	6	12	13	19	21	20	15	9	3	1	1	373
8	8	5	14	9	10	15	14	15	13	28	11	1	2	.....	5	374
19	6	7	7	5	7	18	11	12	20	22	7	8	3	1	5	375
16	10	7	11	10	17	16	10	21	17	13	12	6	1	.....	15	376
12	17	16	17	12	13	19	20	20	38	22	14	12	4	.....	3	377
9	5	7	3	8	9	3	7	12	8	12	10	3	2	.....	5	378
13	4	11	9	5	9	9	11	15	14	7	10	1	1	1	.....	379
7	9	7	9	8	13	10	15	22	16	33	22	11	2	.....	7	380
15	8	5	10	11	8	18	19	9	21	27	11	10	2	.....	1	381
15	7	11	17	3	9	14	12	26	22	23	18	8	4	1	2	382
13	17	9	7	10	9	16	10	18	15	16	12	8	2	.....	5	383
7	12	12	8	5	4	5	6	13	13	17	13	7	.....	1	.....	384
9	9	7	7	20	13	12	31	26	28	25	19	13	1	1	.....	385
2	8	6	5	3	8	2	7	15	15	11	10	11	2	.....	1	386
4	2	5	4	5	4	3	1	4	12	7	6	4	2	.....	.....	387
9	9	6	10	3	9	15	11	15	15	11	14	10	.....	1	1	388
7	6	7	7	8	13	12	11	15	11	25	17	10	5	.....	.....	389
9	7	10	5	9	13	16	8	18	22	13	9	7	.....	.....	1	390
17	21	8	8	13	11	10	18	14	14	15	11	6	3	1	2	391
18	21	15	12	11	13	29	40	35	45	33	21	12	6	.....	2	392
25	14	12	11	8	14	11	15	17	22	14	20	7	.....	2	4	393
19	9	9	5	11	5	14	16	26	32	22	12	4	2	2	1	394
11	11	16	13	7	13	8	10	15	12	17	12	3	2	.....	1	395
7	10	11	8	5	9	11	23	19	10	15	9	7	.....	.....	6	396
5	10	9	8	7	8	11	16	21	18	22	14	15	5	.....	3	397
6	7	10	12	7	22	14	22	26	25	24	19	12	2	.....	1	398
4	5	6	4	3	11	4	12	13	13	14	12	4	3	1	2	399
																400
7	4	7	2	10	7	13	6	10	11	16	12	5	5	1	.....	
11	7	8	10	14	15	15	14	11	23	23	10	4	1	.....	4	401
3	3	7	3	3	3	4	7	3	6	9	6	.....	1	.....	2	402
10	9	3	8	5	14	11	16	13	25	17	7	6	2	.....	.....	403
10	12	7	11	15	13	20	11	14	36	32	22	8	6	.....	4	404
																405
10	13	11	11	2	5	5	9	15	13	12	14	10	1	.....	1	
12	8	12	7	9	5	21	15	21	24	15	19	3	5	2	1	406
8	9	9	8	12	8	8	8	11	6	10	5	3	1	.....	4	407
12	10	9	5	13	10	15	17	28	33	20	21	14	3	1	8	408
6	3	10	5	4	10	7	20	12	16	18	17	9	.....	1	1	409
																410
14	10	17	18	10	12	7	14	17	14	20	14	8	1	2	3	
12	12	10	13	19	13	14	19	31	27	45	18	8	2	1	7	411
10	16	19	13	7	11	7	16	9	18	18	19	5	2	.....	8	412
15	18	13	13	7	19	24	19	15	30	18	16	10	4	1	2	413
8	8	13	10	10	11	6	7	16	16	14	10	5	2	.....	4	414

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA RURAL.—Continued.											
415	Marshall county	316	62	15	3		3	83	9	10	11	13
416	Martin county	157	25	7	4	1	3	40	11	7	4	13
417	Miami county	235	39	11	2	3	1	56	5	12	7	10
418	Monroe county	233	40	9	3	2		54	6	5	8	18
419	Montgomery county	383	51	18	1	2	3	75	2	1	16	15
420	Morgan county	253	36	14	3	1	3	57	6	5	12	14
421	Newton county	122	21	3	2	1		27	1	6	5	5
422	Noble county	251	27	11	6	1	4	49	5	7	9	10
423	Ohio county	72	9	3			1	13	3	1	3	2
424	Orange county	183	40	4	2		1	47	4	5	6	17
425	Owen county	153	20	3	1	2		26	7	6	3	6
426	Parke county	259	48	19	6	7	1	81	7	5	10	15
427	Perry county	200	35	13	7	2	3	60	9	7	10	13
428	Pike county	266	73	19	6	4	5	107	8	7	9	16
429	Porter county	262	38	10	4	2	1	55	1	6	8	10
430	Posey county	249	53	11	6	4	1	75	5	6	9	5
431	Pulaski county	116	25	7	1	2	1	36	3	6	1	7
432	Putnam county	243	47	2	2	3		54	2	5	16	8
433	Randolph county	344	43	11	7	2	3	66	10	3	13	12
434	Ripley county	213	29	5	1	8	2	45	4	2	6	7
435	Rush county	233	23	7		1	4	35	7	3	8	11
436	St. Joseph county	458	96	16	12	14	6	144	14	14	12	21
437	Scott county	99	12	2	1	1	1	17	6	1	5	8
438	Shelby county	339	62	14	3	5		84	4	6	12	16
439	Spencer county	211	30	11	7	1	4	53	13	6	10	10
440	Starke county	131	29	11	1	1		42	3	1	6	11
441	Steuben county	175	24	4	1	2	1	32	3	4	5	7
442	Sullivan county	269	56	21	6	4	6	93	3	4	13	16
443	Switzerland county	127	16	4		1		21	1	3	4	6
444	Tippecanoe county	200	21	4	3	4	1	33	4	2	8	13
445	Tipton county	234	57	17	5	7	1	87	4	6	9	9
446	Union county	83	6	2	2	2		12	3	1	3	6
447	Vanderburg county	161	20	1	2	1		24	2	4	6	5
448	Vermilion county	195	37	13	4	2	3	59	4	5	4	10
449	Vigo county	243	32	13	5		2	52	7	4	4	12
450	Wabash county	200	31	2	4	2	2	41	3	3	9	8
451	Warren county	111	15	3	3	1	1	23	2	3	3	6
452	Warrick county	219	48	8	4	4	3	67	9	4	11	9
453	Washington county	200	36	9	3	2	2	52	9	2	4	11
454	Wayne county	244	23	4		1	2	30	2	3	6	12
455	Wells county	278	58	11	9	5	3	86	12	2	10	16
456	White county	176	28	4	4			36	4	6	9	9
457	Whitley county	192	31	8	5	1		45	3	4	8	12
	MAINE RURAL.											
458	Androscoggin county	750	110	23	12	8	6	159	13	14	14	29
459	Aroostook county	780	253	41	16	10	12	332	31	18	33	31
460	Cumberland county	796	87	13	12	7	7	126	15	14	12	24
461	Franklin county	282	44	3	1	2		50	6	3	6	7
462	Hancock county	542	54	8	4	2	1	69	8	3	13	18
463	Kennebec county	826	107	18	14	7	5	151	16	9	27	37
464	Knox county	326	21	6	1	5	1	34	2	6	8	11
465	Lincoln county	333	26	2	2	2	1	33	7	7	8	7
466	Oxford county	553	94	11	3	2	3	113	4	13	10	21
467	Penobscot county	929	164	28	13	2	5	212	21	12	23	40
468	Piscataquis county	217	23	5	3	2		33	4	1	3	9
469	Sagadahoc county	168	17	2	2		1	22	4	2	4	3
470	Somerset county	552	50	7	8	5	5	75	14	9	17	22
471	Waldo county	361	29	6	3		2	40	5	7	6	7
472	Washington county	632	106	24	7	7	4	148	19	6	22	22
473	York county	900	104	19	4	9	3	139	14	13	24	22
	MASSACHUSETTS RURAL.											
474	Barnstable county	516	60	12	7	2	1	82	13	5	9	12
475	Berkshire county	564	66	15	7	3	4	95	11	11	9	17
476	Bristol county	672	116	19	11	8	9	163	11	12	18	12
477	Dukes county	91	4	1	1	1		7	2	1	1	3
478	Essex county	1,066	130	24	10	13	8	185	21	17	24	24
479	Franklin county	591	89	14	5	4	3	115	6	9	13	14
480	Hampden county	592	108	30	26	12	7	183	24	8	17	12
481	Hampshire county	452	77	14	4	4	5	104	10	7	8	16
482	Middlesex county	1,875	242	49	18	13	11	333	24	29	45	56
483	Nantucket county	56	3		1	1		5	1		1	2
484	Norfolk county	1,295	165	21	11	15	10	222	19	12	27	28
485	Plymouth county	1,015	93	19	10	8	2	132	10	6	17	40
486	Suffolk county	71	10	3				13		1	1	1
487	Worcester county	2,157	309	71	33	21	16	510	54	33	56	58
	MICHIGAN RURAL.											
488	Alcona county	56	13		1	1		15		3	3	5
489	Alger county	81	39	6	1	1		47	3	1		2
490	Allegan county	462	58	8	5	5	1	77	8	7	9	20
491	Alpena county	231	63	10	4	3	2	82	4	10	6	9
492	Antrim county	184	41	24	1	3	2	71	4	7	4	9

AREAS, AT EACH AGE: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6	8	4	8	9	13	20	21	20	22	21	24	9	2	.....	3	415
10	4	5	8	1	3	8	8	4	5	11	6	3	1	.....	5	416
7	9	6	4	6	11	16	10	13	16	16	15	8	4	.....	4	417
13	7	7	4	5	10	12	16	18	14	16	11	6	1	1	1	418
8	15	13	13	5	21	25	26	29	38	43	19	13	4	.....	2	419
11	13	6	5	8	16	16	13	12	20	15	15	6	1	.....	2	420
5	4	6	5	1	2	3	11	8	8	10	9	4	.....	1	1	421
7	5	6	8	6	18	7	17	18	24	22	23	5	2	2	1	422
.....	3	2	3	6	1	4	6	3	7	7	5	3	.....	.....	.....	423
11	9	6	4	8	6	11	7	10	8	8	5	4	2	.....	5	424
7	9	1	4	9	4	11	9	11	18	11	9	.....	1	.....	1	425
16	8	8	5	5	9	11	13	17	21	15	8	4	1	.....	.....	426
9	12	6	8	4	5	3	6	6	13	15	7	2	4	.....	1	427
13	8	8	4	6	5	11	10	12	16	14	9	1	1	.....	1	428
9	6	8	6	10	5	15	15	31	27	24	14	6	2	1	3	429
16	10	15	7	10	15	11	9	5	10	20	10	4	1	.....	6	430
.....	4	3	6	4	3	.....	6	6	13	7	4	3	2	.....	2	431
11	5	8	9	14	8	10	16	14	21	12	19	6	3	2	.....	432
13	11	16	13	20	15	20	23	21	20	31	22	9	3	2	1	433
6	10	4	7	9	8	5	13	17	10	20	22	11	6	1	.....	434
6	9	6	8	10	14	12	15	22	18	21	19	4	4	.....	1	435
16	21	21	18	21	12	19	20	23	22	29	17	8	2	1	3	436
4	3	5	2	7	3	2	4	10	11	5	3	1	.....	1	1	437
21	11	9	4	12	16	13	17	25	25	19	18	17	4	3	3	438
5	13	4	8	5	8	4	11	9	21	10	14	6	1	.....	.....	439
4	3	1	5	2	4	5	7	14	10	6	3	3	.....	.....	1	440
4	5	5	3	4	9	11	12	11	19	18	14	4	1	1	3	441
11	15	12	11	12	9	10	15	17	17	14	12	1	4	1	9	442
6	6	7	4	3	3	5	8	8	14	11	10	5	.....	2	.....	443
7	7	7	5	3	5	21	14	22	16	11	9	8	.....	3	2	444
8	9	11	7	6	6	10	5	11	15	13	9	4	2	.....	3	445
.....	2	2	3	5	2	2	3	9	10	7	7	4	1	.....	1	446
9	9	4	10	3	5	10	8	17	15	14	8	2	5	1	.....	447
9	8	6	3	11	6	6	14	6	16	12	8	5	3	.....	.....	448
15	14	14	5	8	11	16	10	22	16	8	10	5	2	.....	8	449
10	5	8	5	6	9	7	13	13	16	28	9	5	.....	.....	2	450
6	4	5	4	3	3	4	9	6	10	8	6	3	2	1	.....	451
7	8	8	9	4	8	8	14	14	14	14	7	3	.....	.....	1	452
6	8	3	6	6	12	5	10	11	19	15	8	6	2	.....	5	453
11	4	2	2	17	7	10	16	18	25	39	22	11	4	.....	3	454
11	11	11	7	10	7	9	19	10	8	14	16	9	5	.....	5	455
9	5	7	12	6	6	11	6	13	10	12	9	4	.....	.....	2	456
7	5	5	5	6	4	9	17	9	20	12	11	6	2	1	1	457
16	23	20	26	22	39	39	43	56	32	78	48	27	10	2	20	458
22	15	20	13	33	17	25	27	32	32	39	32	14	4	3	7	459
35	19	25	20	34	29	42	57	70	71	81	56	37	19	3	7	460
9	4	10	11	16	8	13	13	22	24	25	24	18	7	.....	6	461
15	29	18	17	14	25	27	36	47	54	53	46	27	14	3	6	462
23	16	20	16	34	33	44	45	76	72	73	71	44	12	2	5	463
11	5	4	8	12	9	22	26	36	23	44	28	18	11	3	5	464
11	13	4	8	6	16	6	21	34	34	44	28	24	7	2	13	465
13	14	22	14	22	16	12	28	45	55	50	51	30	12	3	5	466
38	25	36	24	34	25	41	51	70	77	80	62	29	14	8	7	467
7	5	15	9	5	13	8	18	15	20	18	20	3	4	2	5	468
4	3	5	5	7	7	3	12	16	7	26	24	11	2	1	.....	469
17	18	12	20	24	26	20	35	51	52	49	33	37	10	1	10	470
9	10	9	4	7	12	26	22	31	38	37	41	21	10	4	15	471
27	21	17	16	17	26	32	24	44	51	57	45	18	7	4	9	472
22	21	17	44	33	35	47	53	77	105	85	73	43	21	6	6	473
8	7	22	9	12	22	36	30	53	54	56	47	22	14	3	.....	474
16	15	19	19	16	23	29	29	45	66	39	52	35	12	4	2	475
17	12	23	17	20	30	25	31	67	67	45	57	32	7	5	1	476
3	.....	1	5	2	2	6	2	10	10	13	13	6	1	2	1	477
27	39	34	26	37	49	45	75	109	99	103	82	48	16	4	2	478
10	23	14	19	15	22	28	47	45	48	51	63	33	10	3	3	479
19	16	15	9	19	23	35	27	39	44	39	31	18	9	5	.....	480
12	9	15	11	9	13	23	31	35	34	43	45	19	6	2	.....	481
85	80	73	82	74	110	101	141	137	129	130	146	68	20	7	5	482
2	.....	2	3	2	1	5	3	4	3	9	7	3	2	1	.....	483
44	45	44	55	67	61	86	87	94	116	111	99	48	27	2	1	484
31	27	40	34	32	42	48	73	96	94	124	98	35	23	8	5	485
6	4	.....	2	4	5	4	9	3	6	8	2	1	1	.....	.....	486
66	67	71	78	64	74	104	114	148	179	189	156	90	32	7	7	487
2	2	3	2	1	2	4	1	4	3	3	.....	2	.....	.....	1	488
5	2	4	3	3	2	1	2	3	1	1	1	.....	.....	.....	.....	489
14	11	13	11	13	18	28	23	44	49	56	32	18	4	5	2	490
10	4	6	5	8	10	8	15	13	20	11	3	4	1	1	1	491
7	6	5	5	7	7	6	5	8	8	7	13	4	.....	.....	1	492

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MICHIGAN RURAL—Continued.											
493	Arenac county	89	19	3	1	1	.....	24	1	1	3	4
494	Baraga county	54	21	1	3	.....	.....	25	1	2	4	2
495	Barry county	260	24	1	3	4	.....	32	4	5	4	6
496	Bay county	233	51	11	5	3	2	72	13	8	5	10
497	Benzie county	142	29	6	4	2	2	43	9	1	8	5
498	Berrien county	601	103	11	3	7	2	126	19	14	19	13
499	Branch county	367	40	9	5	3	2	59	12	3	11	12
500	Calhoun county	391	41	5	3	4	2	55	9	5	6	10
501	Cass county	271	40	6	1	2	3	52	4	2	9	12
502	Charlevoix county	205	41	13	1	5	1	61	9	6	9	17
503	Cheboygan county	196	58	4	5	2	.....	69	6	5	5	7
504	Chippewa county	122	34	4	3	3	.....	44	5	5	5	10
505	Clare county	100	22	.....	5	2	1	30	3	2	8	2
506	Clinton county	310	41	7	6	2	.....	56	6	3	12	14
507	Crawford county	52	14	1	3	2	.....	20	1	1	5	2
508	Delta county	139	50	10	3	3	3	69	3	1	6	5
509	Dickinson county	129	50	8	2	3	2	65	2	3	3	12
510	Eaton county	409	40	6	5	4	1	56	7	6	10	9
511	Emmet county	253	62	8	6	1	2	79	5	9	8	8
512	Genesee county	405	43	14	9	1	5	72	4	7	9	15
513	Gladwin county	58	16	3	.....	1	.....	20	1	2	3	1
514	Gogebic county	118	44	9	3	1	3	60	3	1	5	4
515	Grand Traverse county	112	32	4	3	1	.....	40	2	3	3	7
516	Gratiot county	347	51	8	7	2	4	72	2	6	15	13
517	Hillsdale county	397	35	9	6	1	2	53	3	8	5	17
518	Houghton county	849	256	51	20	26	12	365	30	21	34	44
519	Huron county	364	91	11	11	5	3	121	14	8	11	14
520	Ingham county	289	28	4	2	1	1	36	5	8	6	11
521	Ionia county	415	53	4	6	.....	1	64	6	3	12	15
522	Iosco county	122	28	6	2	.....	.....	36	4	1	5	6
523	Iron county	98	30	7	.....	2	.....	39	2	2	2	10
524	Isabella county	237	49	7	6	2	2	66	9	13	8	7
525	Jackson county	286	27	8	1	1	2	39	2	5	5	6
526	Kalamazoo county	273	26	5	4	1	.....	36	3	7	5	8
527	Kalkaska county	115	23	7	.....	.....	1	31	4	3	2	7
528	Kent county	611	55	10	10	3	1	79	11	12	21	27
529	Keweenaw county	46	22	5	1	1	.....	29	2	1	1	3
530	Lake county	51	12	.....	.....	.....	.....	12	.....	.....	.....	4
531	Lapeer county	353	44	3	3	3	1	54	14	7	12	23
532	Leelanau county	130	36	7	3	1	.....	47	4	2	6	2
533	Lenawee county	660	78	9	4	4	4	99	12	8	15	17
534	Livingston county	269	21	3	1	.....	.....	25	5	3	7	4
535	Luce county	99	24	4	1	1	1	31	4	1	3	5
536	Mackinac county	69	11	1	.....	.....	3	15	.....	1	2	.....
537	Macomb county	418	78	11	6	1	3	99	12	10	9	10
538	Manistee county	325	79	6	4	5	4	98	12	10	16	12
539	Marquette county	228	67	12	4	4	2	89	4	6	6	9
540	Mason county	180	37	11	4	5	1	58	2	3	6	12
541	Mecosta county	246	43	8	3	3	.....	57	7	6	12	15
542	Menominee county	159	43	10	5	3	4	65	7	9	8	4
543	Midland county	154	35	5	2	3	1	46	2	1	2	5
544	Missaukee county	133	41	7	2	.....	1	51	2	3	4	4
545	Monroe county	406	72	13	7	4	3	99	5	15	6	6
546	Montcalm county	408	80	14	5	2	5	106	10	10	9	16
547	Montmorency county	29	13	.....	1	.....	.....	14	.....	.....	2	3
548	Muskegon county	185	34	6	3	3	2	48	7	2	9	8
549	Newaygo county	232	45	8	1	1	2	57	2	3	5	5
550	Oakland county	445	48	11	2	7	1	69	4	12	9	13
551	Oceana county	226	53	9	3	3	1	69	2	6	10	1
552	Ogemaw county	83	21	4	5	2	.....	32	2	.....	7	2
553	Ontonagon county	89	27	3	.....	.....	.....	30	7	3	4	3
554	Osceola county	224	46	6	4	1	2	59	5	4	9	13
555	Oscoda county	11	3	.....	.....	.....	.....	3	.....	1	.....	1
556	Otsego county	105	31	4	4	1	.....	40	4	1	3	6
557	Ottawa county	483	85	14	9	3	2	113	14	5	17	20
558	Presque Isle county	113	42	8	3	2	.....	55	2	2	6	7
559	Roscommon county	25	5	1	.....	1	.....	7	.....	.....	2	1
560	Saginaw county	396	90	12	2	3	.....	107	13	6	10	11
561	St. Clair county	415	75	8	7	7	2	99	13	17	16	20
562	St. Joseph county	322	34	5	2	2	3	46	5	3	5	10
563	Sanilac county	419	102	16	6	8	5	137	15	10	19	11
564	Schoolcraft county	99	32	9	1	.....	.....	42	8	1	3	4
565	Shiawassee county	383	41	7	9	2	1	60	4	5	10	12
566	Tuscola county	424	75	8	4	6	2	95	8	8	17	17
567	Van Buren county	469	66	11	4	3	.....	84	6	6	7	17
568	Washtenaw county	472	46	6	5	4	3	64	6	6	8	17
569	Wayne county	1,168	203	52	28	11	13	307	45	29	32	31
570	Wexford county	238	62	9	4	6	2	83	7	7	9	7
	NEW HAMPSHIRE RURAL.											
571	Belknap county	213	17	3	4	.....	1	25	1	1	3	8
572	Carroll county	278	32	3	1	1	.....	37	4	3	7	7
573	Cheshire county	326	36	8	2	3	2	51	2	5	9	9
574	Coos county	278	27	5	3	3	4	42	7	7	5	14
575	Grafton county	678	55	18	8	6	3	90	18	9	18	26

AREAS, AT EACH AGE: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4	6	5	3	4	3	5	4	4	5	7	6	.....	.....	.....	.....	493
1	1	2	4	3	3	1	.....	1	1	1	.....	1	.....	.....	1	494
6	4	6	8	11	13	12	21	23	20	37	26	11	7	1	3	495
11	8	3	9	10	10	11	15	6	12	13	11	2	2	.....	2	496
8	3	10	7	2	5	10	6	6	4	7	6	1	.....	.....	1	497
17	10	16	22	26	26	31	49	46	52	57	31	18	5	.....	4	498
9	13	4	10	8	19	20	20	32	32	43	26	26	7	.....	1	499
5	7	13	16	8	24	24	26	32	39	49	31	22	6	.....	4	500
7	10	5	9	5	12	15	16	21	29	20	23	16	3	.....	1	501
11	6	5	7	9	8	4	8	9	11	10	10	4	.....	.....	1	502
9	8	3	8	9	7	10	7	11	9	7	5	6	3	2	.....	503
2	5	5	6	2	2	5	4	8	3	3	2	3	.....	2	1	504
2	2	2	2	3	7	4	6	5	5	4	10	1	1	.....	1	505
9	11	6	6	8	11	18	21	20	31	33	28	14	2	.....	1	506
2	2	1	4	1	.....	.....	1	4	1	3	2	1	.....	.....	1	507
4	6	2	8	7	4	1	4	2	7	3	1	2	.....	.....	4	508
6	5	4	7	3	5	3	4	2	2	1	.....	1	.....	.....	1	509
13	15	12	10	13	27	26	25	23	43	47	34	20	5	3	4	510
9	13	11	10	7	13	10	13	16	14	12	8	4	2	.....	2	511
11	8	9	13	11	16	19	26	37	50	48	27	17	5	1	.....	512
4	.....	1	1	4	1	3	3	4	4	5	1	.....	.....	.....	.....	513
13	7	6	5	3	5	1	2	2	1	.....	.....	.....	.....	.....	.....	514
6	4	1	3	7	2	5	2	9	10	1	6	.....	.....	.....	1	515
23	18	9	12	15	19	17	17	20	23	27	19	10	5	2	3	516
7	3	10	7	13	19	30	38	27	36	46	41	29	2	3	.....	517
55	32	28	38	36	13	27	29	25	23	19	12	11	2	1	4	518
14	11	11	8	10	11	17	22	26	20	20	19	5	1	1	.....	519
9	7	15	4	12	10	17	15	21	39	23	26	15	9	.....	1	520
15	8	14	13	15	21	25	33	41	39	42	33	11	4	1	.....	521
7	3	3	3	8	7	8	6	7	2	11	.....	4	.....	.....	1	522
11	7	6	.....	7	1	3	2	1	1	.....	2	.....	.....	1	1	523
6	6	8	5	5	13	6	18	17	13	18	11	5	2	1	.....	524
8	9	7	9	10	9	16	16	35	33	32	24	12	6	2	1	525
8	6	4	8	7	17	12	22	24	34	27	28	12	4	1	.....	526
3	7	4	2	6	5	6	3	8	10	6	4	2	.....	.....	2	527
14	19	12	18	9	18	33	57	66	81	61	44	19	6	.....	4	528
2	.....	.....	1	1	1	1	.....	.....	1	.....	2	1	.....	.....	.....	529
.....	3	1	2	1	5	3	3	5	3	5	3	.....	1	.....	.....	530
8	10	5	19	17	8	22	15	20	34	36	30	16	2	1	.....	531
3	1	4	3	4	5	8	5	9	11	7	2	4	1	.....	2	532
21	17	14	21	20	25	36	45	57	64	69	64	34	15	6	1	533
3	3	5	13	12	10	13	16	27	34	34	34	11	7	2	1	534
4	2	8	6	3	6	5	7	5	2	3	1	2	.....	.....	1	535
12	5	2	3	3	4	5	3	5	5	2	1	.....	.....	.....	1	536
13	15	18	15	15	12	17	20	25	39	39	24	19	4	2	1	537
10	14	13	10	14	17	19	13	24	9	14	8	8	2	.....	2	538
12	5	9	10	7	7	10	8	12	13	12	5	2	2	.....	.....	539
3	4	8	9	9	7	7	2	15	14	8	6	4	1	1	1	540
10	4	11	12	13	12	12	9	14	20	8	13	8	2	1	.....	541
8	4	6	3	7	2	3	5	7	5	2	6	5	2	1	.....	542
4	7	5	4	4	3	12	13	13	13	9	4	2	3	1	1	543
3	5	4	1	3	7	6	13	8	8	.....	7	2	1	1	.....	544
16	12	10	11	18	10	17	20	27	37	40	31	13	8	3	2	545
15	9	7	12	10	16	19	33	22	31	32	32	13	3	1	2	546
2	.....	1	.....	.....	1	1	2	2	.....	.....	1	.....	.....	.....	.....	547
8	8	8	2	2	5	8	7	13	16	10	12	7	.....	1	4	548
8	5	10	4	6	7	16	18	22	16	19	13	9	3	2	2	549
7	15	15	17	19	21	21	34	36	41	43	34	21	8	3	3	550
9	6	1	1	7	10	10	10	18	23	19	12	4	4	2	2	551
2	1	3	1	3	3	7	2	6	4	1	1	2	2	.....	2	552
6	3	4	3	2	8	2	2	3	2	3	2	.....	1	.....	1	553
7	5	13	9	13	8	9	12	18	14	12	9	3	1	.....	1	554
.....	.....	1	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	1	555
2	3	4	6	4	2	5	3	6	5	3	4	3	1	.....	.....	556
16	8	11	19	9	34	19	20	33	44	47	29	13	9	1	2	557
3	3	6	5	4	1	1	1	3	5	3	2	1	.....	2	1	558
1	2	2	.....	1	1	.....	.....	2	3	1	2	.....	.....	.....	.....	559
11	13	9	12	16	16	14	18	33	40	26	24	11	3	1	2	560
14	7	16	5	7	9	27	22	28	33	40	18	16	6	2	.....	561
6	9	7	8	9	11	13	23	37	32	42	28	22	4	2	.....	562
11	12	9	7	12	12	10	16	27	28	28	33	14	5	2	1	563
5	2	6	2	5	1	3	3	6	2	3	1	.....	.....	.....	2	564
14	14	26	15	14	16	22	25	37	28	33	35	8	4	1	.....	565
12	14	7	10	21	13	22	28	41	32	33	18	20	7	1	.....	566
11	9	12	12	19	21	35	41	33	45	49	33	23	4	2	.....	567
10	19	17	16	15	21	28	30	47	41	45	48	21	9	2	2	568
38	38	45	67	38	43	48	50	62	96	101	56	23	11	3	5	569
6	8	9	9	6	10	14	7	16	15	9	8	6	.....	2	.....	570
5	4	6	4	8	9	16	13	16	19	24	30	15	5	1	.....	571
7	7	5	9	6	12	11	20	28	32	36	30	11	5	.....	1	572
8	6	13	10	11	19	19	23	19	32	32	30	17	5	.....	6	573
14	11	13	6	11	9	8	21	22	23	26	19	14	1	1	4	574
20	19	19	23	21	27	43	47	65	46	70	54	34	10	7	12	575

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE RURAL—Continued.											
576	Hillsboro county	529	58	9	8	5	3	83	12	3	11	11
577	Merrimack county	587	63	17	9	4	1	94	17	7	13	14
578	Rockingham county	652	71	14	5	5	3	98	6	8	10	19
579	Strafford county	280	46	8	5	3	.....	62	8	1	3	9
580	Sullivan county	312	30	4	2	2	1	39	8	5	6	10
	NEW JERSEY RURAL.											
581	Atlantic county	308	67	10	3	2	5	87	7	8	4	9
582	Bergen county	1,208	266	50	25	23	13	377	37	25	30	34
583	Burlington county	940	170	32	21	17	4	244	26	11	21	27
584	Camden county	558	109	20	9	4	4	146	15	9	11	15
585	Cape May county	176	22	7	1	2	2	34	4	4	4	5
586	Cumberland county	351	52	10	5	1	2	70	10	5	10	17
587	Essex county	932	155	33	18	11	13	230	36	11	21	26
588	Gloucester county	390	66	12	8	3	2	91	9	10	6	12
589	Hudson county	1,114	212	39	17	8	8	284	37	11	29	32
590	Hunterdon county	481	42	14	8	3	1	68	11	4	6	13
591	Mercer county	269	44	5	7	2	3	61	4	1	5	12
592	Middlesex county	639	128	22	18	9	6	183	22	10	13	22
593	Monmouth county	1,168	212	39	18	12	6	287	19	24	34	31
594	Morris county	815	150	22	11	9	6	198	13	12	27	27
595	Ocean county	205	29	7	1	2	.....	39	1	5	3	3
596	Passaic county	275	60	11	4	4	1	80	6	3	3	19
597	Salem county	371	64	17	7	3	1	92	9	4	6	13
598	Somerset county	443	82	13	6	6	3	110	16	6	7	12
599	Sussex county	234	25	6	1	5	3	40	4	4	3	8
600	Union county	432	67	10	9	8	1	95	12	7	11	19
601	Warren county	378	55	12	5	4	2	78	9	5	9	10
	NEW YORK RURAL.											
602	Albany county	502	72	12	7	5	1	97	16	9	11	13
603	Allegany county	559	51	12	4	1	1	69	9	8	12	12
604	Broome county	415	43	5	1	4	.....	53	4	1	4	13
605	Cattaraugus county	684	92	11	6	4	4	117	7	11	21	17
606	Cayuga county	510	46	9	5	2	.....	62	2	6	5	12
607	Chautauqua county	746	83	15	4	6	2	110	13	12	15	16
608	Chemung county	252	17	7	5	1	1	31	3	5	2	6
609	Chenango county	547	48	4	5	.....	2	59	7	3	10	12
610	Clinton county	511	96	21	10	5	3	135	9	7	16	20
611	Columbia county	532	65	9	5	1	1	81	9	6	8	11
612	Cortland county	287	28	5	3	2	.....	38	2	2	5	5
613	Delaware county	489	47	9	4	1	3	64	10	4	5	8
614	Dutchess county	1,083	113	17	11	6	4	151	14	18	21	32
615	Erie county	1,131	195	26	16	9	6	252	16	16	36	40
616	Essex county	428	58	11	6	4	2	81	8	7	11	19
617	Franklin county	641	130	16	10	6	8	170	15	11	27	36
618	Fulton county	195	19	4	4	.....	1	28	7	4	3	3
619	Genesee county	477	69	10	2	2	.....	83	7	8	11	12
620	Greene county	545	68	14	2	6	3	93	13	2	6	20
621	Hamilton county	49	8	1	3	.....	.....	12	3	.....	3	.....
622	Herkimer county	697	107	19	11	6	8	151	18	14	16	15
623	Jefferson county	727	89	10	3	5	2	109	9	4	13	22
624	Lewis county	373	35	9	1	2	2	49	9	7	13	13
625	Livingston county	582	48	4	6	1	2	61	11	13	27	22
626	Madison county	578	43	8	4	1	.....	56	3	2	11	12
627	Monroe county	782	110	18	10	5	6	149	11	11	14	16
628	Montgomery county	366	25	5	3	2	3	38	16	6	4	7
629	Nassau county	861	173	24	14	8	7	226	25	11	14	34
630	Niagara county	561	104	18	5	3	1	131	8	8	14	24
631	Oneida county	820	89	13	7	3	4	116	15	10	15	20
632	Onondaga county	890	96	15	6	4	2	123	16	15	15	21
633	Ontario county	603	56	15	6	3	6	86	13	5	15	10
634	Orange county	844	115	11	14	5	4	149	21	19	15	27
635	Orleans county	449	61	6	3	.....	1	71	4	6	8	15
636	Oswego county	1,093	116	19	13	7	9	164	20	15	21	32
637	Otsego county	756	61	5	4	6	3	79	10	7	14	16
638	Putnam county	198	23	4	3	.....	1	31	3	1	1	6
639	Rensselaer county	725	87	14	9	7	4	121	10	14	4	16
640	Rockland county	553	94	15	8	2	3	122	17	5	8	25
641	St. Lawrence county	913	124	17	12	6	4	163	21	11	23	34
642	Saratoga county	765	79	25	7	3	5	119	15	7	22	26
643	Schenectady county	170	32	7	5	3	2	49	2	2	4	5
644	Schoharie county	445	46	6	3	5	2	62	5	7	11	12
645	Schuyler county	194	11	1	3	.....	.....	15	1	1	3	2
646	Seneca county	528	31	7	3	1	1	43	3	7	6	12
647	Steuben county	1,006	106	12	11	9	6	144	19	10	22	25
648	Suffolk county	1,494	168	30	16	5	10	229	27	21	29	47
649	Sullivan county	508	43	9	7	7	3	69	9	5	17	30
650	Tioga county	443	54	1	4	2	.....	61	10	9	8	9
651	Tompkins county	315	23	2	1	1	2	29	2	2	6	6
652	Ulster county	858	110	22	11	5	8	156	15	16	20	37
653	Warren county	268	23	2	2	1	.....	28	5	4	11	11
654	Washington county	659	56	9	6	5	.....	76	6	1	7	16
655	Wayne county	748	68	11	9	2	3	93	14	12	21	18
656	Westchester county	1,461	253	52	24	11	6	346	45	17	28	45
657	Wyoming county	411	45	9	2	2	1	59	5	6	6	7
658	Yates county	321	32	1	1	2	2	38	2	4	8	5

AREAS, AT EACH AGE: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
20	10	19	16	19	25	27	39	48	42	48	54	28	4	4	6	576
20	16	20	11	19	27	40	34	37	53	54	51	37	9	2	12	577
14	9	22	15	17	26	42	40	53	54	91	68	38	14	4	4	578
4	6	4	8	11	10	16	18	18	28	30	20	9	10	1	4	579
16	10	8	15	10	11	15	25	23	26	27	35	11	6	2	4	580
11	11	8	12	13	10	15	15	16	26	26	15	9	5	.....	1	581
59	40	53	46	46	46	47	67	75	64	66	52	31	6	1	6	582
33	26	24	28	23	55	48	60	76	72	64	51	28	12	2	9	583
20	17	17	22	16	26	32	32	35	52	47	27	12	3	4	.....	584
3	6	5	4	7	4	10	13	17	21	16	8	5	4	.....	2	585
7	8	10	13	15	15	14	21	28	30	35	22	11	4	2	4	586
32	39	37	47	44	53	58	49	67	51	48	45	27	5	2	4	587
10	14	7	23	11	17	17	29	20	34	33	20	17	6	.....	4	588
52	51	56	70	52	55	65	98	62	63	46	33	9	2	1	6	589
16	10	10	14	14	17	28	28	48	53	56	49	26	7	1	2	590
13	9	9	9	9	14	14	13	16	17	18	18	16	4	.....	7	591
26	26	20	26	25	16	42	46	42	34	38	25	12	4	1	6	592
46	46	41	51	37	42	62	75	82	100	71	65	31	11	5	8	593
27	30	36	31	40	31	38	58	49	73	55	39	17	7	4	3	594
2	7	7	14	9	8	10	12	19	21	16	8	15	4	1	1	595
16	7	14	10	7	11	5	20	16	19	15	12	6	3	.....	3	596
15	9	11	11	9	10	25	28	23	37	27	24	8	3	3	4	597
12	8	14	13	15	20	24	30	42	33	31	33	11	4	1	1	598
15	10	8	8	4	4	15	16	20	21	26	14	13	1	.....	.....	599
19	16	11	20	19	22	24	18	41	29	26	20	12	9	1	1	600
13	13	12	14	15	18	18	24	24	24	38	24	17	3	1	9	601
15	14	13	17	16	26	27	33	30	45	59	28	26	4	.....	3	602
16	15	26	17	20	22	30	41	52	59	59	55	25	8	3	1	603
8	7	12	15	16	19	25	35	27	53	55	37	24	6	.....	1	604
20	9	24	24	26	29	40	42	54	74	65	50	32	14	5	3	605
13	13	12	12	23	17	23	36	46	48	70	63	30	12	1	4	606
28	17	21	19	24	28	33	58	79	66	84	74	27	14	2	6	607
6	8	8	4	11	6	19	18	25	23	32	21	19	4	1	.....	608
16	20	9	13	24	24	37	47	42	66	51	53	38	12	3	1	609
19	23	16	12	17	21	23	18	42	32	38	26	19	7	5	6	610
15	18	12	19	17	18	27	32	39	58	57	50	36	12	3	4	611
11	2	5	9	6	6	16	17	32	39	30	33	22	5	.....	2	612
13	12	16	19	17	19	25	24	56	56	54	50	19	11	2	5	613
39	44	48	54	39	46	60	80	87	93	105	77	43	16	2	14	614
37	34	30	46	42	53	41	55	83	105	98	91	37	15	2	2	615
17	19	18	19	31	21	15	31	21	29	34	28	7	9	2	1	616
37	30	26	25	20	25	18	19	36	36	37	39	17	14	2	1	617
6	6	7	5	9	4	5	15	15	19	25	19	9	3	3	.....	618
22	10	14	14	17	26	16	27	49	58	43	29	18	11	1	1	619
16	21	18	19	17	29	27	34	49	51	46	49	27	6	2	.....	620
1	2	2	1	1	2	1	6	2	2	3	4	2	.....	.....	2	621
17	20	28	25	28	28	40	44	57	43	60	57	19	12	2	3	622
25	13	11	26	22	27	36	57	62	77	85	58	44	21	6	.....	623
18	14	13	12	4	11	13	23	26	49	44	24	20	7	4	.....	624
19	13	18	16	28	25	34	32	43	52	70	46	32	13	3	4	625
19	8	19	15	18	23	49	48	57	67	73	49	33	8	6	2	626
28	27	24	27	19	26	42	54	56	70	84	66	40	12	4	2	627
9	7	13	15	16	16	25	28	33	25	36	37	24	8	3	.....	628
40	21	40	25	31	41	43	51	58	62	58	42	27	7	1	4	629
22	15	14	19	21	23	22	32	38	45	45	45	28	3	3	1	630
26	26	20	20	30	34	44	52	64	56	102	83	54	16	7	10	631
31	28	29	23	38	38	36	75	71	84	98	78	47	18	3	3	632
14	25	24	21	18	26	29	40	64	64	62	42	35	7	2	1	633
28	29	30	29	47	26	49	48	86	70	69	53	24	13	3	9	634
10	10	23	14	12	11	22	22	37	43	55	52	15	13	2	4	635
42	28	29	31	30	60	57	90	85	121	111	84	43	15	10	5	636
21	11	24	23	29	32	43	57	78	93	76	82	47	9	2	3	637
8	5	8	5	10	11	11	13	14	21	16	16	16	1	.....	1	638
16	18	22	28	28	34	44	52	62	68	78	66	22	11	5	6	639
31	25	22	36	24	29	26	25	43	33	34	25	18	2	.....	10	640
32	17	27	28	19	34	41	61	72	88	90	71	45	18	5	4	641
34	23	29	35	22	40	37	56	60	66	65	67	23	9	4	6	642
6	1	8	9	5	7	7	9	15	13	13	12	1	2	.....	.....	643
11	9	12	12	13	13	23	34	35	53	49	42	33	7	.....	2	644
5	5	3	8	4	8	15	17	19	22	32	18	11	2	1	2	645
10	10	24	27	22	32	35	41	60	55	63	49	19	5	3	2	646
19	21	25	26	26	44	63	104	107	103	101	91	37	9	3	7	647
45	58	67	99	95	78	95	102	92	123	106	90	47	24	5	15	648
39	25	26	28	17	26	25	21	31	40	36	37	12	6	4	5	649
4	11	8	15	14	17	29	31	47	53	52	38	19	4	3	1	650
3	4	7	6	10	19	18	19	29	32	40	45	23	9	4	2	651
27	31	35	24	23	41	50	63	68	79	74	55	28	9	2	5	652
12	15	12	9	8	11	12	21	17	15	33	19	13	3	.....	9	653
25	23	26	27	24	28	45	47	62	69	63	61	30	11	6	6	654
17	16	22	27	34	34	34	44	68	83	84	59	49	9	5	5	655
53	62	80	64	68	70	97	81	94	98	79	67	54	16	5	12	656
7	8	11	17	15	17	20	28	46	50	52	32	18	5	2	.....	657
8	10	12	17	13	6	14	18	35	35	42	33	10	5	4	2	658

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	RHODE ISLAND RURAL.											
659	Bristol county	276	53	15	9	5	4	86	3	4	11	7
660	Kent county	569	149	36	11	9	8	213	24	7	13	14
661	Newport county	175	45	5	2	2	3	57	5	.....	3	5
662	Providence county	1,462	265	66	29	18	11	389	29	18	30	53
663	Washington county	410	56	11	6	2	3	78	10	5	5	12
	VERMONT RURAL.											
664	Addison county	333	39	6	5	.....	4	54	8	5	10	10
665	Bennington county	189	32	3	3	5	1	44	3	2	6	5
666	Caledonia county	427	44	13	6	4	2	69	7	9	12	20
667	Chittenden county	358	75	9	4	3	3	94	3	4	6	10
668	Essex county	98	12	3	.....	1	.....	16	3	4	3	6
669	Franklin county	476	85	23	11	4	1	124	11	14	10	20
670	Grand Isle county	56	6	1	.....	2	.....	9	2	1	1	2
671	Lamoille county	153	20	1	3	1	.....	25	.....	.....	4	6
672	Orange county	297	30	1	3	1	1	36	3	4	6	13
673	Orleans county	322	55	10	3	1	4	73	8	5	8	9
674	Rutland county	521	79	13	8	6	1	107	7	7	19	12
675	Washington county	506	63	11	1	2	3	80	9	7	9	14
676	Windham county	463	44	5	2	1	2	54	8	5	13	12
677	Windsor county	537	48	7	3	1	4	63	10	9	7	13

AREAS, AT EACH AGE: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
12	4	8	6	12	10	13	21	14	18	19	12	9	3	.....	4	659
14	20	15	9	19	22	32	30	19	32	35	24	12	7	4	4	660
7	5	6	3	7	7	3	11	11	15	8	11	4	4	1	2	661
42	66	57	63	68	79	71	90	106	82	87	81	31	9	1	1	662
14	8	14	17	11	19	19	25	32	35	43	26	16	9	6	6	663
14	11	12	13	9	15	17	16	29	20	49	18	9	9	3	2	664
5	6	2	4	8	7	6	9	13	23	18	11	12	3	.....	2	665
10	13	11	9	12	17	19	22	40	42	43	39	17	11	3	2	666
18	9	4	13	9	10	16	18	31	32	26	27	15	5	5	3	667
5	3	.....	1	5	3	5	6	10	10	4	7	4	1	.....	2	668
18	11	12	16	14	15	15	35	29	36	26	33	19	14	3	1	669
3	1	1	1	2	5	3	7	3	5	3	2	2	1	.....	2	670
3	4	4	5	3	8	11	12	14	15	10	15	8	2	3	1	671
8	7	3	11	13	9	18	18	20	35	32	32	17	4	2	6	672
13	12	9	13	7	11	17	21	26	26	26	19	12	4	1	2	673
12	16	17	16	16	30	28	32	36	49	47	36	21	4	2	7	674
14	15	17	20	20	20	23	38	38	49	46	47	18	15	3	4	675
16	13	12	17	19	21	30	19	45	55	46	35	19	9	7	8	676
9	21	16	11	28	24	18	38	61	49	51	57	31	13	1	7	677

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	SUMMARIES.													
1	The registration area	524,415	11,149	1,410	1,382	3,221	3,991	5,171	10,363	6,064	122	53,910	7,577	22,325
2	Registration cities	397,736	8,876	1,066	1,267	2,629	3,313	4,046	8,725	3,772	101	42,729	6,005	16,173
3	Registration states	327,295	5,162	636	321	1,843	2,578	3,004	6,516	4,020	40	32,291	4,811	14,650
4	Cities in registration states	200,616	2,889	292	206	1,251	1,900	1,879	4,878	1,728	19	21,110	3,239	8,498
5	Rural part of registration states	126,679	2,273	344	115	592	678	1,125	1,638	2,292	21	11,181	1,572	6,152
6	Registration cities in other states	197,120	5,987	774	1,061	1,378	1,413	2,167	3,847	2,044	82	21,619	2,766	7,675
	REGISTRATION STATES.													
7	Connecticut	15,492	208	53	1	213	148	241	253	314	1	1,393	209	731
8	District of Columbia	5,945	143	22	2	45	2	71	25	85	.....	781	110	221
9	Indiana	31,845	1,064	155	195	168	187	277	459	416	4	3,955	525	1,289
10	Maine	11,216	229	11	7	40	19	108	114	189	1	910	173	599
11	Massachusetts	48,863	529	65	22	273	519	616	885	552	9	4,629	724	2,367
12	Michigan	33,120	603	66	30	173	201	381	684	451	8	2,136	403	1,689
13	New Hampshire	6,968	103	8	.....	42	11	64	105	152	.....	541	75	327
14	New Jersey	31,977	398	63	17	60	304	291	787	238	3	3,453	403	1,189
15	New York	127,602	1,718	160	41	662	1,123	781	2,950	1,345	10	13,223	1,954	5,558
16	Rhode Island	8,638	81	28	3	138	59	159	197	159	4	871	166	355
17	Vermont	5,629	86	5	3	29	5	15	57	119	.....	399	69	325
	REGISTRATION CITIES.													
18	Adams town, Mass	183	3	.....	.....	.....	7	1	3	.....	.....	18	1	8
19	Alameda, Cal	179	6	1	.....	.....	1	1	4	1	.....	11	4	11
20	Albany, N. Y	1,813	19	1	2	10	21	21	15	37	.....	202	26	95
21	Alexandria, Va	319	9	1	.....	.....	1	4	5	3	.....	30	2	4
22	Allegheny, Pa	2,622	142	.....	122	40	29	48	114	11	1	175	41	52
23	Allentown, Pa	550	13	.....	.....	.....	8	4	14	3	.....	42	3	24
24	Altoona, Pa	781	17	.....	8	4	12	9	20	3	.....	40	4	24
25	Amesbury town, Mass	142	3	.....	.....	.....	3	1	.....	1	2	9	1	11
26	Amsterdam, N. Y	396	11	.....	.....	2	26	5	5	3	.....	35	4	15
27	Anderson, Ind	268	6	.....	.....	.....	2	.....	5	3	.....	38	9	8
28	Ann Arbor, Mich	199	1	.....	.....	.....	4	1	1	2	.....	8	4	21
29	Annapolis, Md	161	3	2	.....	.....	.....	7	2	6	.....	22	3	7
30	Ansonia, Conn	209	6	1	.....	1	9	.....	5	8	.....	23	3	7
31	Appleton, Wis	206	1	.....	1	.....	1	3	15	2	.....	21	3	15
32	Arlington town, Mass	112	.....	.....	.....	.....	1	2	2	1	.....	9	3	5
33	Ashtabula, Ohio	198	7	.....	1	1	.....	9	2	3	.....	19	1	7
34	Atlanta, Ga	2,041	64	12	6	12	3	13	23	44	.....	222	7	51
35	Atlantic City, N. J	510	13	.....	.....	.....	1	12	8	.....	.....	43	9	17
36	Attleboro town, Mass	176	3	.....	.....	.....	1	3	.....	1	.....	20	.....	14
37	Auburn, N. Y	534	8	.....	.....	1	2	.....	16	6	.....	57	6	39
38	Augusta, Me	286	28	.....	1	1	10	2	.....	.....	.....	15	4	8
39	Aurora, Ill	322	4	1	.....	.....	.....	1	1	.....	.....	24	5	19
40	Baltimore, Md	10,142	186	22	2	83	86	70	154	107	5	1,183	186	388
41	Bangor, Me	378	10	.....	.....	1	.....	3	.....	4	.....	32	6	19
42	Barre, Vt	153	2	.....	.....	3	.....	.....	4	2	.....	17	3	.....
43	Bath, Me	180	1	.....	.....	.....	.....	.....	7	2	.....	14	1	8
44	Battle Creek, Mich	386	9	1	.....	.....	1	7	9	8	.....	26	3	27
45	Bay City, Mich	382	15	.....	.....	15	.....	4	8	1	.....	27	4	18
46	Bayonne, N. J	680	8	1	.....	.....	15	6	32	.....	.....	64	8	21
47	Bellaire, Ohio	155	6	.....	9	.....	.....	.....	3	1	.....	9	1	2
48	Belleville, Ill	318	14	3	6	8	4	1	2	2	.....	24	5	23
49	Beloit, Wis	177	2	.....	.....	6	2	1	1	7	.....	19	3	7
50	Bennington town, Vt	117	3	.....	.....	.....	.....	.....	3	1	.....	11	2	5
51	Berlin, N. H	170	4	.....	.....	.....	.....	1	2	.....	.....	8	1	1
52	Beverly, Mass	217	3	.....	.....	4	.....	3	4	5	.....	19	10	9
53	Biddeford, Me	306	9	.....	.....	.....	.....	15	7	.....	.....	31	6	11
54	Binghamton, N. Y	627	5	1	.....	1	1	3	8	8	1	59	6	35
55	Boston, Mass	10,649	119	.....	13	61	72	152	222	78	.....	1,193	201	542
56	Bridgeport, Conn	1,322	11	1	.....	20	11	27	27	6	.....	133	22	67
57	Bridgeton, N. J	203	3	.....	.....	.....	1	.....	6	1	.....	21	.....	9
58	Bristol town, Conn	169	13	1	.....	4	3	3	2	10	.....	9	.....	5
59	Brockton, Mass	499	5	2	.....	.....	4	8	5	11	.....	53	11	25
60	Brookline town, Mass	230	1	2	.....	2	6	4	2	3	.....	21	5	17
61	Buffalo, N. Y	5,867	127	2	4	32	27	55	120	34	1	448	87	276
62	Burlington, Iowa	302	11	.....	.....	3	1	.....	8	4	.....	28	1	21
63	Burlington, Vt	382	3	.....	.....	.....	.....	.....	2	2	.....	26	5	15
64	Cambridge, Mass	1,427	10	.....	.....	4	9	14	28	11	.....	166	26	80
65	Camden, N. J	1,280	11	.....	6	.....	8	10	25	8	.....	149	18	51
66	Canton, Ohio	367	7	.....	.....	.....	4	10	7	6	.....	43	4	14
67	Carbondale, Pa	232	9	1	.....	.....	.....	1	19	3	.....	14	1	4
68	Carlisle, Pa	168	5	.....	.....	6	.....	.....	.....	.....	.....	20	1	7
69	Central Falls, R. I	338	2	1	1	1	6	9	5	5	.....	31	3	7
70	Charleston, S. C	1,617	26	26	9	1	1	19	2	17	.....	217	21	30
71	Chelsea, Mass	638	5	2	.....	1	1	12	4	7	.....	74	6	29
72	Chicago, Ill	28,758	602	18	47	289	306	257	632	262	2	2,963	452	1,206
73	Chicopee, Mass	404	4	1	.....	3	43	5	9	1	.....	32	2	6
74	Chillicothe, Ohio	207	4	.....	.....	5	.....	1	1	3	.....	20	3	11
75	Cincinnati, Ohio	6,251	142	4	14	33	37	23	62	106	.....	792	102	278
76	Cleveland, Ohio	6,900	477	3	23	12	18	54	201	32	.....	547	52	258
77	Clinton town, Mass	219	3	1	.....	1	.....	.....	4	2	.....	15	2	6

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1903.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
531	3,681	9,213	49,106	52,275	39,764	31,166	26,697	6,338	28,184	31,814	4,569	22,514	4,510	31,032	13,226	41,639	1,471	1
363	2,559	7,222	33,824	36,743	31,792	24,973	22,083	4,601	20,987	25,076	3,450	18,188	3,641	23,585	9,997	29,122	828	2
335	2,650	5,851	32,301	35,188	23,763	20,182	16,854	3,900	17,315	20,158	2,778	14,060	2,371	18,523	7,655	26,618	901	3
187	1,528	3,860	17,019	19,656	15,791	13,989	12,240	2,163	10,118	13,420	1,659	9,734	1,502	11,076	4,426	14,101	258	4
168	1,122	1,991	15,282	15,532	7,972	6,193	4,614	1,737	7,197	6,738	1,119	4,326	869	7,447	3,229	12,517	643	5
176	1,031	3,362	16,805	17,087	16,001	10,984	9,843	2,438	10,869	11,656	1,791	8,454	2,139	12,509	5,571	15,021	570	6
16	127	329	1,583	1,729	1,033	861	838	179	815	891	128	719	118	958	213	1,170	20	7
2	36	50	588	654	403	377	300	97	305	385	53	330	59	241	115	442	1	8
26	224	560	3,247	2,914	1,797	1,439	1,336	574	1,999	1,408	270	1,451	206	1,876	878	2,843	100	9
14	92	238	1,380	1,307	854	475	411	120	568	636	93	392	76	458	354	1,173	175	10
62	422	1,099	4,645	5,822	3,739	2,736	2,912	516	2,198	2,376	341	2,779	317	2,292	1,283	4,012	122	11
62	282	382	3,674	3,806	2,004	1,863	1,713	442	2,211	1,378	417	1,259	246	2,175	733	3,341	307	12
13	80	159	846	912	525	327	347	74	349	369	44	147	47	365	196	711	29	13
10	211	825	3,619	3,037	2,406	1,906	1,586	366	1,650	2,062	235	1,449	276	1,983	1,057	2,057	33	14
140	1,055	2,000	11,323	13,501	9,963	9,346	6,558	1,322	6,440	9,721	1,084	4,982	938	7,448	2,597	9,602	57	15
2	72	112	672	802	636	546	657	148	445	635	62	326	51	435	114	692	11	16
8	49	94	724	704	403	306	193	62	335	297	51	226	37	292	115	575	46	17
.....	.....	5	13	13	12	7	24	1	8	4	2	25	1	8	6	12	1	18
.....	1	4	22	20	13	12	2	1	17	9	3	6	.....	12	.....	15	2	19
4	10	27	181	237	124	97	48	19	111	155	9	45	18	85	54	140	.....	20
.....	1	7	29	21	28	19	15	3	6	23	1	14	.....	23	21	25	24	21
1	10	55	192	141	314	149	170	40	148	62	18	101	20	174	100	147	5	22
.....	4	14	67	56	36	16	31	4	41	17	.....	29	6	30	46	37	5	23
1	2	26	84	45	76	23	22	9	20	32	3	105	7	106	36	40	3	24
.....	3	5	16	29	8	1	1	.....	7	11	1	5	.....	3	8	13	.....	25
.....	1	9	31	39	32	27	24	4	14	20	4	23	1	28	10	23	.....	26
.....	1	7	19	22	9	18	13	6	16	13	3	10	2	21	8	28	1	27
1	1	2	23	28	11	10	9	1	19	6	1	4	4	7	4	26	.....	28
.....	1	5	9	17	5	5	5	2	6	8	2	11	.....	11	12	10	.....	29
.....	.....	16	11	13	4	10	17	1	14	11	4	14	.....	12	2	14	3	30
.....	2	7	26	13	10	5	8	.....	13	11	.....	7	.....	12	9	16	5	31
1	3	4	13	18	10	2	.....	1	9	8	1	3	.....	2	4	10	.....	32
.....	.....	1	15	12	25	4	16	1	6	1	2	8	1	24	7	23	2	33
2	7	24	209	159	217	81	127	37	136	129	17	79	6	89	88	149	28	34
.....	4	8	68	53	31	25	17	6	24	40	5	26	2	41	20	37	.....	35
.....	3	8	13	20	17	8	10	3	6	9	1	8	.....	8	6	14	.....	36
.....	2	2	57	68	48	17	23	7	31	14	4	20	5	27	17	57	.....	37
1	.....	7	80	17	14	9	14	4	10	6	3	8	4	5	11	24	.....	38
1	2	11	33	26	33	21	7	3	24	14	1	17	5	22	21	26	.....	39
11	35	135	927	853	745	676	569	103	469	750	106	650	50	453	330	780	8	40
.....	4	9	52	35	50	14	16	6	22	19	3	7	2	16	12	35	1	41
.....	1	8	12	12	11	17	9	2	10	4	.....	10	1	6	2	15	2	42
.....	3	5	18	25	19	10	7	2	8	14	1	11	2	9	1	11	1	43
1	6	4	41	40	24	17	14	9	20	21	3	14	3	31	13	34	.....	44
1	3	4	33	36	20	21	26	2	33	11	6	19	3	30	6	35	1	45
.....	3	20	61	37	61	61	55	11	32	45	4	27	7	56	6	39	.....	46
.....	1	4	18	10	12	8	7	4	6	5	1	6	2	19	6	15	.....	47
1	1	3	29	16	24	13	13	5	19	11	7	17	3	30	12	21	1	48
.....	3	5	14	14	12	9	5	2	12	7	1	7	1	11	2	24	.....	49
.....	2	.....	21	15	6	9	4	.....	7	8	.....	6	.....	1	2	11	.....	50
.....	3	12	12	14	21	5	30	2	2	3	1	9	.....	22	8	9	.....	51
.....	3	3	13	33	10	14	12	2	9	18	.....	10	2	14	3	14	.....	52
.....	1	17	25	33	24	20	19	1	6	11	1	29	1	6	16	17	.....	53
.....	10	6	79	70	45	29	13	13	34	35	15	23	8	36	10	73	.....	54
11	82	206	760	1,339	930	620	619	79	514	497	103	562	80	571	203	776	44	55
2	12	30	112	133	85	100	83	10	56	97	19	70	12	82	15	77	2	56
.....	4	4	25	23	12	14	6	.....	15	27	.....	10	.....	8	6	8	.....	57
.....	1	3	19	15	18	7	13	1	8	6	.....	6	1	9	.....	12	.....	58
.....	5	16	59	53	20	15	18	1	32	25	4	36	8	21	10	51	1	59
.....	6	.....	29	41	13	10	8	4	5	7	.....	6	2	6	6	23	1	60
5	59	119	504	647	317	411	393	71	360	324	68	277	47	439	72	537	4	61
1	2	.....	38	28	25	13	7	.....	22	12	.....	4	2	20	7	41	3	62
1	5	13	35	29	30	28	24	5	28	17	3	31	2	12	17	49	.....	63
4	5	29	141	154	138	95	81	21	54	67	6	94	11	45	53	80	1	64
.....	1	32	157	129	88	53	62	11	59	88	10	83	5	83	63	70	.....	65
.....	4	7	43	42	21	12	11	4	18	12	4	23	3	24	12	30	2	66
.....	5	5	13	22	15	18	9	1	14	9	1	10	.....	26	11	21	.....	67
.....	.....	4	26	21	7	8	1	4	10	3	1	10	.....	9	9	13	3	68
1	.....	6	23	24	35	39	56	5	10	20	3	13	3	10	2	17	.....	69
3	1	10	193	90	71	46	123	48	69	195	24	53	3	47	62	199	1	70
1	6	8	68	82	33	27	33	5	28	48	2	46	3	25	13	69	.....	71
11	173	568	2,038	2,365	3,381	1,967	1,927	306	1,428	1,858	308	767	469	2,180	222	1,748	6	72
.....	4	16	27	22	31	25	39	4	14	17	.....	34	.....	24	14	27	.....	73
.....	.....	6	18	32	10	7	6	1	12	5	.....	9	2	14	14	23	.....	74
6	30	147	553	549	400	477	251	96	360	413	52	296	81	384	137	484	.....	75
9	30	134	652	570	540	382	458	69	346	329	43	484	72	411	227	463	4	76
1	1	4	20	17	32	4	17	4	11	5	2	15	2	18	6	25	1	77

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
78	Cohoes, N. Y.	466	23	1	.....	.....	13	8	2	4	.....	53	5	21
79	Columbia, Pa.	176	7	.....	.....	.....	6	1	.....	.....	.....	15	2	5
80	Columbus, Ind.	120	3	.....	.....	1	.....	2	4	8	.....	20	1	2
81	Columbus, Ohio.	2,287	51	2	50	16	17	25	7	14	.....	294	15	91
82	Concord, N. H.	362	4	.....	.....	8	.....	3	4	5	.....	25	4	15
83	Corning, N. Y.	172	6	.....	.....	2	.....	2	1	.....	.....	10	3	10
84	Cortland, N. Y.	152	4	.....	.....	1	.....	.....	.....	2	.....	9	3	13
85	Covington, Ky.	678	16	.....	1	7	6	3	8	18	.....	89	10	29
86	Danbury town, Conn.	339	9	1	.....	.....	2	.....	6	4	.....	38	3	19
87	Danvers town, Mass.	240	1	.....	.....	.....	.....	.....	.....	1	.....	24	3	12
88	Davenport, Iowa.	553	12	3	.....	3	3	2	3	10	.....	50	11	28
89	Dayton, Ohio.	1,277	22	1	6	.....	1	7	10	13	.....	165	18	73
90	Decatur, Ill.	280	4	.....	.....	8	.....	2	10	5	.....	24	4	13
91	Denver, Colo.	2,706	82	1	.....	4	28	11	50	14	.....	603	45	93
92	Detroit, Mich.	4,895	62	5	11	15	22	58	222	36	.....	333	42	242
93	Dover, N. H.	213	3	.....	.....	.....	.....	3	1	2	.....	19	4	6
94	Dubois, Pa.	151	4	.....	.....	2	1	3	2	2	.....	4	2	4
95	Duluth, Minn.	866	39	.....	.....	10	15	8	29	10	.....	78	16	31
96	Dunkirk, N. Y.	237	7	.....	.....	.....	13	6	4	4	.....	14	.....	10
97	Eau Claire, Wis.	182	2	1	.....	2	1	1	5	.....	.....	20	1	13
98	Elizabeth, N. J.	940	12	.....	.....	2	29	14	15	8	.....	83	13	31
99	Elkhart, Ind.	209	9	.....	.....	1	.....	2	1	2	.....	23	5	11
100	Elmira, N. Y.	524	31	2	.....	6	.....	6	7	10	.....	40	6	27
101	Elwood, Ind.	160	8	2	.....	.....	.....	.....	9	1	.....	15	5	5
102	Erie, Pa.	749	19	2	4	.....	2	14	23	2	.....	70	6	22
103	Escanaba, Mich.	171	3	1	.....	.....	1	4	12	.....	.....	15	2	9
104	Evansville, Ind.	791	17	9	1	.....	4	.....	4	4	.....	148	17	29
105	Everett, Mass.	321	2	.....	.....	.....	2	6	6	2	.....	36	3	20
106	Fall River, Mass.	2,342	24	.....	1	13	19	13	43	17	.....	194	20	70
107	Findlay, Ohio.	208	6	.....	1	.....	.....	2	.....	1	.....	18	1	9
108	Fitchburg, Mass.	458	1	.....	.....	8	.....	26	7	1	.....	40	9	24
109	Flint, Mich.	209	10	.....	.....	2	1	1	4	3	.....	9	4	9
110	Fort Wayne, Ind.	746	19	.....	2	1	5	2	9	11	.....	82	14	37
111	Framingham town, Mass.	168	1	2	.....	.....	.....	6	3	2	.....	11	3	14
112	Frederick, Md.	228	3	.....	.....	6	.....	1	7	3	.....	27	3	9
113	Fresno, Cal.	277	16	4	1	1	5	.....	3	3	1	30	2	14
114	Gardner town, Mass.	197	1	.....	.....	1	.....	5	6	6	.....	13	1	9
115	Geneva, N. Y.	157	5	.....	.....	2	.....	.....	.....	2	.....	9	1	12
116	Glens Falls, N. Y.	173	4	1	.....	.....	.....	.....	1	.....	.....	13	3	10
117	Gloucester, Mass.	500	7	.....	.....	.....	1	4	41	4	.....	45	5	27
118	Gloversville, N. Y.	283	3	.....	.....	.....	.....	3	4	7	.....	19	3	19
119	Grand Rapids, Mich.	1,257	39	2	1	3	4	9	19	13	.....	107	26	87
120	Green Bay, Wis.	293	2	.....	.....	.....	4	.....	2	2	.....	28	1	17
121	Greenwich town, Conn.	201	5	.....	.....	2	.....	1	2	3	.....	11	1	9
122	Hamilton, Ohio.	363	11	.....	2	.....	3	.....	8	9	.....	34	8	18
123	Hammond, Ind.	230	18	.....	2	1	.....	1	9	2	.....	14	2	10
124	Harrisburg, Pa.	797	55	5	2	5	7	20	6	9	.....	64	10	22
125	Harrison, N. J.	209	3	4	.....	.....	4	1	3	4	.....	22	3	3
126	Hartford, Conn.	1,428	19	1	.....	20	13	21	33	16	.....	148	21	77
127	Haverhill, Mass.	587	5	1	1	.....	.....	8	6	5	.....	62	7	30
128	Hazelton, Pa.	206	3	.....	.....	1	1	3	6	1	.....	8	1	2
129	Hoboken, N. J.	1,146	10	1	.....	7	2	10	51	1	.....	152	17	36
130	Holyoke, Mass.	852	5	.....	.....	16	6	12	16	9	.....	74	15	25
131	Hudson, N. Y.	176	4	2	.....	3	.....	2	4	3	.....	17	2	8
132	Huntington, Ind.	152	5	2	.....	2	.....	7	.....	.....	.....	17	3	10
133	Hyde Park town, Mass.	175	2	1	.....	.....	5	4	.....	2	.....	19	3	12
134	Indianapolis, Ind.	3,117	101	7	103	14	10	23	35	22	.....	367	46	110
135	Iron Mountain, Mich.	131	1	.....	.....	2	3	5	.....	.....	.....	5	2	2
136	Ironton, Ohio.	170	8	1	5	2	.....	3	2	1	.....	27	.....	5
137	Ironwood, Mich.	168	.....	.....	.....	1	.....	2	15	1	.....	12	3	3
138	Ishpeming, Mich.	172	4	.....	.....	.....	1	11	15	.....	.....	12	3	5
139	Ithaca, N. Y.	269	47	.....	.....	.....	1	2	1	4	.....	17	4	12
140	Jackson, Mich.	337	6	1	.....	2	.....	5	3	3	1	27	8	19
141	Jacksonville, Fla.	878	20	48	.....	2	.....	19	3	6	.....	93	3	22
142	Jacksonville, Ill.	372	16	2	.....	7	.....	3	4	10	.....	42	5	14
143	Jamestown, N. Y.	305	6	.....	.....	1	1	2	12	6	.....	25	4	20
144	Jeffersonville, Ind.	214	7	2	.....	.....	.....	5	1	4	.....	25	6	8
145	Jersey City, N. J.	4,144	33	5	1	18	27	23	118	15	1	507	38	126
146	Johnstown, N. Y.	156	4	.....	.....	.....	1	3	1	2	.....	11	1	11
147	Johnstown, Pa.	714	9	.....	11	7	24	5	34	2	.....	45	3	13
148	Kalamazoo, Mich.	495	11	.....	.....	1	4	4	2	7	.....	24	5	32
149	Kansas City, Mo.	3,008	139	14	8	3	14	17	23	22	.....	352	23	96
150	Keene, N. H.	131	1	.....	.....	.....	.....	2	1	7	.....	8	.....	13
151	Key West, Fla.	401	2	8	.....	.....	5	1	3	.....	2	43	3	10
152	Kingston, N. Y.	426	7	4	.....	.....	18	4	5	7	1	43	8	18
153	Kokomo, Ind.	192	2	.....	.....	5	1	.....	4	2	.....	19	4	8
154	Laconia, N. H.	164	1	.....	.....	5	.....	2	.....	2	.....	17	.....	8
155	Lafayette, Ind.	320	5	2	1	.....	1	1	.....	5	.....	43	5	13
156	Lancaster, Pa.	602	23	.....	1	.....	3	9	12	6	.....	60	9	29
157	Lansing, Mich.	212	12	.....	.....	1	1	1	7	4	.....	15	6	7

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1903—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	.....	19	39	25	37	34	32	6	25	14	3	26	1	25	20	32	.....	78
.....	1	5	26	18	h.	10	6	1	8	10	1	7	1	18	3	15	.....	79
.....	3	4	12	6	10	7	3	2	4	.....	.....	4	1	9	2	12	.....	80
5	13	49	237	184	204	70	53	37	148	104	8	114	21	152	66	236	4	81
1	7	10	59	44	16	18	8	4	11	15	3	8	5	24	7	51	3	82
.....	3	2	16	18	14	4	3	.....	14	13	2	5	2	18	3	21	.....	83
.....	3	2	13	26	18	8	5	.....	6	7	.....	3	.....	9	1	19	.....	84
2	4	37	53	49	60	22	18	8	50	63	.....	19	3	40	21	40	2	85
.....	4	8	38	51	20	24	9	3	19	21	.....	16	1	20	2	21	.....	86
.....	3	3	41	37	32	16	6	5	5	14	.....	6	5	5	1	20	.....	87
.....	6	11	60	56	41	26	9	5	29	23	4	24	12	35	41	46	.....	88
2	9	29	116	139	79	50	55	18	74	73	14	41	7	105	22	128	.....	89
1	2	2	31	25	13	14	6	4	20	15	4	12	3	23	7	27	1	90
2	14	52	195	246	205	102	91	22	163	146	25	111	40	132	14	213	2	91
6	32	82	411	429	340	376	312	67	330	233	50	287	34	243	117	491	7	92
.....	1	4	18	56	22	4	5	.....	11	13	.....	7	1	10	1	22	.....	93
.....	.....	3	15	5	7	7	16	3	9	8	2	13	2	19	6	11	1	94
1	4	23	48	81	70	31	45	13	60	42	10	41	10	73	15	59	4	95
.....	2	2	12	22	20	5	24	3	17	8	3	14	2	22	3	20	.....	96
.....	2	1	14	11	19	8	1	1	20	6	3	5	.....	10	13	16	6	97
.....	5	18	84	84	83	77	63	8	48	49	11	54	4	65	34	46	.....	98
1	.....	2	19	32	15	6	10	2	9	10	1	10	1	9	8	20	.....	99
1	1	5	42	65	28	27	17	7	29	54	4	19	1	28	10	51	.....	100
.....	.....	4	16	7	8	7	12	2	10	6	1	9	.....	8	5	20	.....	101
1	6	17	85	81	50	21	48	10	53	36	10	42	2	44	17	62	.....	102
.....	.....	3	10	11	7	13	14	1	10	3	1	11	1	17	4	14	4	103
1	1	5	72	86	41	46	37	26	51	41	4	44	11	37	13	41	1	104
.....	2	10	35	36	21	18	19	2	16	12	3	25	2	11	7	25	.....	105
1	17	61	181	146	201	205	320	32	88	96	16	254	11	72	111	113	3	106
.....	3	.....	20	24	17	5	12	.....	16	17	2	8	2	15	11	17	1	107
.....	6	18	33	60	26	37	24	3	20	7	2	38	3	26	18	21	.....	108
.....	6	2	17	28	10	15	5	4	17	6	2	10	.....	14	4	23	3	109
.....	10	14	87	55	36	48	24	7	67	54	3	29	11	54	15	49	1	110
.....	3	.....	15	20	22	7	4	1	8	7	.....	7	.....	8	6	18	.....	111
.....	.....	2	36	26	17	11	8	.....	13	9	.....	11	.....	11	4	21	.....	112
.....	1	3	11	19	19	19	17	1	18	8	1	10	6	16	23	25	.....	113
.....	2	14	16	12	17	4	9	1	6	10	2	18	.....	11	6	27	.....	114
.....	2	4	14	22	10	11	4	1	16	8	.....	3	.....	13	.....	18	.....	115
.....	4	3	21	21	8	6	8	4	13	7	3	6	.....	8	5	24	.....	116
1	4	15	44	46	19	16	17	2	17	21	4	19	4	91	10	36	.....	117
.....	2	6	38	32	18	17	8	2	15	22	4	13	.....	11	4	33	.....	118
2	10	12	125	145	75	86	64	15	93	24	16	49	11	80	27	113	.....	119
.....	3	9	29	25	18	7	18	3	26	12	2	20	1	9	17	32	6	120
.....	2	2	24	23	13	18	5	2	13	17	3	6	3	18	.....	18	.....	121
.....	2	9	34	34	34	7	13	2	18	14	2	28	5	30	10	27	1	122
.....	1	9	14	12	10	9	23	3	24	5	2	13	1	17	3	25	.....	123
3	4	12	132	68	47	29	34	5	30	38	6	25	4	56	49	50	.....	124
.....	2	13	15	19	14	16	8	4	13	9	1	13	2	14	8	7	4	125
.....	8	29	124	157	98	58	44	11	91	87	14	79	11	89	16	141	2	126
1	7	7	50	93	54	30	26	4	29	35	7	29	9	33	5	41	2	127
.....	1	3	26	22	11	13	15	3	10	16	2	11	1	17	11	15	3	128
.....	10	53	101	98	100	63	59	6	57	89	11	34	17	71	20	70	.....	129
1	6	28	54	61	71	57	115	7	43	42	7	75	5	31	18	53	.....	130
.....	2	3	15	21	3	11	4	2	14	12	1	7	.....	12	5	18	1	131
.....	.....	1	19	11	11	3	2	2	13	15	.....	3	.....	12	1	11	1	132
.....	2	1	10	16	16	6	4	.....	9	8	2	11	1	9	8	24	.....	133
1	21	64	284	271	197	155	114	64	175	125	15	188	24	167	97	315	2	134
.....	.....	2	10	7	.....	11	11	1	10	2	3	17	2	20	2	11	2	135
1	.....	3	14	14	13	9	8	3	11	1	.....	2	.....	10	7	15	5	136
.....	.....	.....	9	6	18	9	19	1	3	2	.....	8	1	21	3	10	21	137
.....	1	1	7	9	13	11	28	1	6	2	2	8	1	21	1	5	4	138
.....	3	3	27	29	14	13	8	2	12	17	.....	7	1	11	4	29	.....	139
1	6	5	36	44	24	9	11	5	17	14	2	15	3	23	8	38	1	140
3	3	13	70	87	47	27	25	8	50	57	7	62	3	69	60	66	5	141
1	2	1	65	34	17	12	6	11	17	15	1	6	5	16	6	54	.....	142
1	3	3	26	39	14	14	8	.....	15	12	2	13	1	27	16	33	1	143
1	1	3	18	11	16	10	8	5	12	23	.....	20	.....	9	3	16	.....	144
.....	25	124	408	369	399	250	226	55	231	267	27	173	44	246	125	239	4	145
.....	3	4	28	20	5	6	2	5	5	9	2	7	.....	11	4	11	.....	146
.....	3	16	51	38	86	26	41	8	25	24	.....	36	2	91	53	55	6	147
.....	5	6	113	72	24	30	10	4	28	18	.....	8	3	28	2	53	1	148
2	9	67	203	231	316	107	99	36	180	159	23	160	41	218	219	227	.....	149
.....	1	3	19	17	10	4	1	1	5	4	1	.....	.....	9	3	21	.....	150
.....	.....	8	51	26	11	14	56	11	15	15	1	32	.....	14	38	31	1	151
.....	3	7	42	56	28	18	13	5	25	24	6	21	.....	27	8	28	.....	152
.....	2	6	15	15	14	11	14	5	13	4	4	4	2	17	5	16	.....	153
.....	3	4	26	19	8	5	9	3	5	7	.....	2	.....	12	3	21	2	154
.....	1	6	49	43	21	13	3	3	16	15	.....	5	.....	23	11	35	.....	155
1	9	13	75	63	31	23	26	11	40	42	6	11	5	27	15	52	.....	156
.....	2	1	17	30	22	6	8	2	13	9	2	10	1	10	4	20	1	157

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
158	Lawrence, Mass	1,144	19	3	1	9	9	12	32	5	.....	105	19	40
159	Leadville, Colo	195	3	.....	.....	5	1	4	.....	3	.....	2	.....	6
160	Leavenworth, Kans	337	12	1	1	.....	1	.....	8	3	.....	33	2	20
161	Leominster town, Mass	178	1	.....	.....	.....	1	1	2	1	.....	16	2	12
162	Lima, Ohio	246	8	.....	.....	10	.....	5	3	3	.....	42	4	12
163	Lincoln, Nebr	392	7	2	.....	6	.....	6	7	6	2	21	5	24
164	Lockport, N. Y	282	9	.....	.....	2	3	2	15	3	.....	21	2	7
165	Logansport, Ind	263	9	3	2	.....	.....	.....	4	4	.....	23	2	13
166	Los Angeles, Cal	3,066	63	1	.....	10	23	11	48	15	3	598	42	146
167	Louisville, Ky	4,021	129	5	17	.....	13	44	70	16	1	462	42	120
168	Lowell, Mass	1,943	31	1	.....	1	9	16	33	10	.....	129	23	80
169	Lynchburg, Va	417	16	4	1	.....	.....	16	2	1	.....	63	13	9
170	Lynn, Mass	1,084	13	3	2	.....	2	30	33	8	.....	92	20	67
171	McKeesport, Pa	677	31	.....	4	5	4	20	27	3	.....	38	5	14
172	Madison, Wis	239	.....	.....	.....	.....	5	9	.....	5	.....	26	1	14
173	Mahanoy City, Pa	316	2	1	.....	.....	31	9	3	.....	.....	6	1	2
174	Malden, Mass	520	7	1	.....	2	8	6	7	3	.....	51	6	38
175	Manchester, N. H	1,065	11	.....	.....	1	2	18	35	11	.....	77	22	37
176	Manchester town, Conn	123	3	1	.....	.....	3	2	2	1	.....	21	.....	7
177	Manitowoc, Wis	139	1	.....	.....	.....	.....	1	.....	1	.....	19	4	10
178	Mankato, Minn	144	.....	.....	.....	.....	1	1	1	1	.....	15	5	10
179	Marietta, Ohio	194	11	1	7	.....	.....	.....	8	.....	.....	16	2	15
180	Marinette, Wis	191	8	.....	.....	8	6	.....	4	.....	.....	14	4	8
181	Marion, Ind	296	5	.....	.....	.....	5	.....	9	4	.....	34	4	12
182	Marlboro, Mass	195	1	.....	.....	4	3	6	3	1	.....	16	2	9
183	Marquette, Mich	189	3	.....	.....	.....	5	3	10	1	.....	15	2	10
184	Massillon, Ohio	126	2	.....	.....	.....	.....	1	8	4	.....	7	.....	6
185	Meadville, Pa	154	5	1	.....	4	.....	3	1	4	.....	12	.....	11
186	Medford, Mass	227	3	1	.....	.....	1	2	5	1	.....	23	4	16
187	Melrose, Mass	150	1	.....	.....	.....	.....	6	1	2	.....	17	4	15
188	Memphis, Tenn	2,023	47	133	2	4	6	54	12	38	.....	204	13	51
189	Menominee, Mich	180	10	.....	.....	4	1	.....	4	1	.....	18	6	7
190	Meriden town, Conn	422	10	12	.....	4	.....	17	4	16	.....	47	12	27
191	Michigan City, Ind	262	11	.....	1	11	.....	3	9	.....	.....	20	2	7
192	Middletown, N. Y	256	3	.....	.....	.....	.....	2	2	3	.....	27	2	14
193	Middletown, Ohio	116	2	.....	1	.....	1	4	4	1	.....	12	5	4
194	Middletown town, Conn	464	4	2	.....	8	3	9	3	9	.....	51	5	22
195	Milford town, Mass	160	1	1	.....	.....	.....	.....	6	4	.....	13	3	4
196	Millville, N. J	151	4	.....	.....	.....	3	.....	3	.....	.....	9	1	10
197	Milwaukee, Wis	4,095	51	1	1	4	11	52	63	74	.....	387	71	215
198	Minneapolis, Minn	2,483	98	.....	9	18	28	18	59	26	.....	283	65	162
199	Mobile, Ala	942	21	21	.....	.....	.....	8	8	8	.....	157	3	28
200	Montclair, N. J	272	3	.....	.....	1	2	5	6	4	.....	20	3	6
201	Morristown, N. J	212	2	.....	.....	.....	.....	2	1	1	.....	17	4	9
202	Mt. Carmel, Pa	203	.....	.....	.....	1	4	1	8	.....	.....	13	1	2
203	Mt. Vernon, N. Y	272	1	.....	.....	.....	1	2	2	2	.....	24	4	11
204	Muncie, Ind	386	4	1	.....	1	3	2	7	5	.....	36	10	9
205	Muscatine, Iowa	181	13	1	2	1	1	2	5	2	.....	13	1	5
206	Muskegon, Mich	261	4	1	.....	9	1	3	1	4	.....	16	3	15
207	Nashua, N. H	383	4	1	.....	1	1	6	12	7	.....	38	2	15
208	Nashville, Tenn	1,732	58	15	.....	21	7	13	9	47	.....	208	43	45
209	Natick town, Mass	129	1	.....	.....	.....	.....	.....	5	3	.....	11	.....	10
210	Naugatuck, Conn	163	2	1	.....	4	10	6	6	2	.....	20	4	6
211	New Albany, Ind	350	18	1	.....	.....	.....	4	16	5	.....	47	6	10
212	New Bedford, Mass	1,602	35	1	.....	11	149	17	33	7	.....	126	17	52
213	New Britain town, Conn	543	6	1	.....	24	10	17	22	10	1	39	5	16
214	New Brunswick, N. J	371	1	1	.....	.....	.....	1	31	3	.....	34	1	11
215	New Haven, Conn	1,943	42	6	.....	30	15	23	19	18	.....	189	29	91
216	New London, Conn	359	3	1	.....	6	1	2	5	8	.....	34	.....	17
217	New Orleans, La	6,705	123	79	4	2	8	28	36	118	2	955	95	240
218	New Rochelle, N. Y	201	4	1	.....	3	1	1	4	3	.....	19	6	3
219	New York, N. Y	67,787	645	77	5	429	786	316	2,081	417	4	7,990	1,272	2,623
220	Bronx borough	4,729	36	14	3	27	172	19	153	15	.....	1,286	87	163
221	Brooklyn borough	22,198	248	31	2	154	262	124	797	183	1	2,418	411	806
222	Manhattan borough	36,988	318	22	.....	223	327	145	1,001	189	3	3,919	731	1,503
223	Queens borough	2,663	29	7	.....	21	22	22	106	17	.....	234	29	92
224	Richmond borough	1,209	14	3	.....	4	3	6	24	13	.....	133	14	59
225	Newark, N. J	4,913	61	3	3	2	71	50	115	42	.....	651	77	191
226	Newark, Ohio	224	5	.....	3	.....	.....	1	4	3	.....	25	2	14
227	Newburg, N. Y	471	10	.....	.....	.....	3	3	7	5	.....	62	5	16
228	Newburyport, Mass	263	2	.....	.....	.....	.....	1	7	17	.....	25	3	14
229	Newcastle, Pa	443	40	.....	.....	2	4	11	7	4	.....	30	2	9
230	Newport, Ky	385	9	.....	.....	4	2	.....	4	12	.....	47	10	18
231	Newport, R. I	359	4	.....	.....	.....	1	.....	13	.....	.....	36	6	16
232	Newton, Mass	446	3	.....	.....	1	.....	5	6	12	.....	25	9	24
233	Niagara Falls, N. Y	368	30	.....	.....	.....	19	1	3	.....	.....	21	4	17
234	Norfolk, Va	1,115	33	9	.....	1	1	24	15	19	.....	160	21	45

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1903—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
2	10	35	90	82	82	79	144	9	56	57	10	55	5	44	41	72	17	158
.....	2	1	8	10	43	10	7	2	11	8	2	19	3	21	.....	24	.....	159
4	.....	11	35	34	30	12	7	2	23	17	2	11	5	15	9	39	.....	160
1	2	3	13	19	12	4	9	4	7	7	3	9	1	12	9	27	.....	161
.....	3	7	26	13	36	10	17	6	30	18	3	14	1	24	9	37	5	162
1	4	10	37	21	36	11	22	2	36	14	1	17	2	30	24	37	1	163
.....	4	1	40	34	14	21	13	3	19	11	2	6	2	15	5	28	.....	164
.....	2	3	31	13	13	11	5	2	15	22	4	18	4	21	11	28	.....	165
3	23	84	231	324	210	123	71	32	162	181	3	82	60	196	87	234	.....	166
2	15	115	432	322	302	206	105	50	229	223	16	209	29	165	228	451	3	167
2	7	63	171	197	143	140	242	23	89	99	10	130	14	69	83	127	1	168
.....	1	2	41	36	18	17	9	6	20	5	3	6	.....	18	10	21	79	169
.....	5	23	93	125	71	51	37	6	68	69	7	59	3	60	24	101	12	170
1	2	14	63	40	64	33	44	5	41	19	5	50	5	66	27	42	1	171
1	4	2	30	21	5	16	3	4	19	14	3	9	2	17	6	23	.....	172
.....	.....	8	31	13	31	30	28	3	17	10	3	17	1	30	24	14	1	173
2	6	11	58	69	23	30	18	6	30	23	3	45	2	16	9	40	.....	174
2	6	32	111	95	90	70	137	14	51	55	6	42	8	42	31	57	2	175
.....	.....	3	9	17	6	7	4	.....	9	4	1	10	.....	4	1	9	.....	176
.....	.....	3	16	10	8	10	2	1	5	7	1	8	1	6	11	12	2	177
.....	.....	1	17	6	18	7	2	1	11	7	1	4	3	7	3	22	.....	178
1	.....	2	19	26	4	9	12	3	8	5	3	8	.....	17	4	13	.....	179
.....	.....	3	10	14	7	19	11	1	19	5	1	9	2	9	8	20	1	180
1	2	3	29	20	18	11	8	5	20	11	2	5	4	17	8	28	1	181
.....	1	11	19	27	18	5	12	1	13	9	2	3	.....	4	6	18	1	182
.....	1	3	13	17	14	20	7	1	11	6	3	15	.....	16	2	11	.....	183
.....	1	3	20	6	5	5	4	2	3	7	2	7	3	16	3	10	1	184
.....	2	2	25	16	6	4	2	2	13	10	5	3	3	8	2	10	.....	185
.....	1	8	30	35	22	14	4	.....	7	7	.....	13	2	11	5	12	.....	186
.....	2	.....	14	22	12	5	1	.....	10	10	2	3	.....	7	2	14	.....	187
2	3	27	121	142	151	105	95	56	132	103	26	56	8	140	78	167	47	188
.....	2	5	13	13	10	14	13	3	12	3	2	11	3	12	.....	11	2	189
.....	5	7	44	48	24	14	28	5	16	20	2	15	1	15	3	26	.....	190
.....	2	6	36	23	11	25	13	3	16	11	3	17	1	15	7	9	.....	191
.....	1	8	45	27	24	9	.....	2	28	13	2	6	2	16	3	22	.....	192
.....	.....	6	9	8	2	5	4	2	4	8	2	9	1	11	1	9	1	193
.....	4	5	61	74	29	42	18	13	19	14	.....	15	3	12	3	36	.....	194
.....	1	5	13	29	11	8	5	3	6	10	.....	10	1	8	1	17	.....	195
.....	.....	2	24	17	3	13	6	2	11	3	1	5	.....	5	11	18	.....	196
4	32	80	330	368	299	346	287	36	259	168	39	279	71	231	43	292	1	197
4	19	43	169	229	167	141	89	27	157	144	39	69	28	136	20	235	1	198
1	3	11	123	70	47	42	28	6	42	89	2	42	4	50	33	90	5	199
.....	.....	4	27	27	18	9	22	3	15	12	2	17	2	18	12	33	1	200
.....	4	3	14	23	24	15	10	3	16	8	.....	16	1	9	12	18	.....	201
.....	.....	5	29	11	24	11	28	1	9	8	1	10	.....	17	16	4	8	202
.....	6	5	21	33	13	25	10	3	21	21	6	18	.....	16	6	21	.....	203
.....	1	6	34	32	29	12	16	6	26	30	9	36	5	27	9	40	.....	204
.....	1	4	15	9	9	8	7	2	16	7	2	3	1	11	5	34	1	205
2	1	1	40	23	18	19	5	1	13	16	5	7	2	18	3	24	6	206
2	3	16	33	31	22	24	38	4	19	14	1	18	2	20	17	32	.....	207
2	4	16	134	186	114	85	86	28	128	55	26	100	2	109	27	160	4	208
.....	.....	2	24	17	12	5	2	.....	5	7	1	4	.....	9	3	8	.....	209
.....	.....	2	10	11	13	8	13	.....	8	8	.....	9	.....	11	2	7	.....	210
.....	.....	2	36	40	23	18	9	8	20	11	3	14	1	18	12	26	2	211
1	11	50	106	133	110	128	178	16	40	79	14	111	5	38	49	85	.....	212
.....	8	18	40	39	28	32	57	7	35	26	5	30	4	29	2	31	1	213
.....	2	7	47	33	25	13	35	2	22	29	5	12	.....	21	13	22	.....	214
1	23	54	182	196	152	121	118	16	92	94	14	83	18	127	58	129	3	215
3	1	5	32	35	15	12	27	4	23	21	1	21	5	41	6	30	.....	216
3	18	85	631	666	408	267	333	121	335	645	88	211	38	363	186	576	1	217
.....	1	6	15	21	12	13	8	2	14	12	1	16	1	16	7	11	.....	218
63	518	1,007	4,367	5,959	6,195	6,127	4,523	638	2,953	6,020	603	2,904	534	3,806	1,250	3,662	13	219
6	38	65	272	301	313	274	212	33	164	314	32	155	52	228	52	240	3	220
20	157	238	1,581	2,344	1,929	1,937	1,510	240	983	1,846	229	811	1	1,267	415	1,250	3	221
36	289	651	2,225	2,948	3,644	3,654	2,453	320	1,608	3,545	311	1,781	443	2,025	694	1,975	5	222
1	20	45	213	250	236	184	225	34	143	200	25	114	25	177	62	129	1	223
.....	14	8	76	116	73	78	123	11	55	115	6	43	13	109	27	68	1	224
4	33	143	448	417	357	343	200	52	229	387	27	231	69	249	135	291	2	225
.....	2	5	22	23	14	7	10	2	14	13	.....	8	.....	17	1	29	.....	226
.....	1	10	38	53	30	36	22	3	18	48	4	17	2	28	12	38	.....	227
1	3	1	19	30	17	11	9	1	15	16	1	11	1	13	19	25	1	228
2	.....	7	29	32	20	21	43	5	30	16	9	19	1	48	13	29	10	229
.....	3	13	35	24	29	22	11	10	20	15	7	10	2	17	21	35	5	230
.....	6	6	44	33	19	17	11	1	23	31	4	15	4	14	20	35	.....	231
1	3	7	54	61	31	21	16	2	25	33	3	17	1	22	9	55	.....	232
1	3	9	22	20	22	17	39	1	14	18	5	24	2	24	22	26	4	233
.....	3	9	113	91	68	41	76	12	57	80	10	52	2	60	28	85	.....	234

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
235	Norristown, Pa	567	12	2	.....	3	.....	2	10	5	.....	57	2	8
236	North Adams, Mass	381	13	1	.....	.....	20	5	14	6	1	30	4	14
237	Northampton, Mass	281	2	.....	.....	.....	2	3	6	2	.....	30	3	7
238	Norwalk town, Conn	325	5	1	.....	2	6	1	10	19	.....	25	2	16
239	Norwich town, Conn	494	4	3	.....	6	.....	12	6	8	.....	48	10	23
240	Oakland, Cal	1,100	15	.....	.....	11	3	8	49	14	1	117	28	66
241	Ogdensburg, N. Y	346	8	.....	.....	.....	3	.....	1	5	.....	42	3	18
242	Olean, N. Y	102	3	.....	.....	.....	2	.....	1	4	.....	4	1	2
243	Omaha, Nebr	1,097	13	1	.....	5	13	4	10	17	.....	134	10	54
244	Orange, N. J	524	5	1	.....	.....	1	7	5	1	.....	78	9	12
245	Ottawa, Ill	139	1	.....	.....	.....	.....	.....	.....	.....	1	14	3	8
246	Ottumwa, Iowa	256	7	1	.....	1	.....	3	5	1	.....	23	3	10
247	Owosso, Mich	65	.....	.....	.....	.....	1	2	3	2	.....	7	.....	1
248	Paducah, Ky	436	9	25	1	1	.....	10	8	3	.....	64	1	4
249	Passaic, N. J	650	5	1	.....	2	30	11	17	1	1	53	12	18
250	Paterson, N. J	1,740	24	3	.....	1	2	18	51	3	.....	185	21	70
251	Pawtucket, R. I	662	8	3	.....	3	2	9	12	18	.....	70	5	22
252	Peabody town, Mass	190	.....	.....	.....	1	1	5	2	1	.....	23	4	7
253	Peekskill, N. Y	185	5	.....	.....	3	.....	.....	2	1	.....	17	5	9
254	Perth Amboy, N. J	257	2	.....	.....	2	4	.....	23	.....	.....	17	3	6
255	Peru, Ind	102	8	.....	.....	.....	.....	1	1	.....	.....	10	2	5
256	Petersburg, Va	550	21	10	.....	.....	.....	9	16	14	.....	82	4	14
257	Philadelphia, Pa	25,731	903	12	282	237	201	433	617	197	2	2,970	396	983
258	Phillipsburg, N. J	165	1	.....	.....	.....	1	4	7	3	.....	9	1	10
259	Pittsburg, Pa	7,476	471	4	315	90	73	168	213	49	2	486	106	197
260	Pittsfield, Mass	360	6	1	.....	5	.....	1	2	4	.....	24	7	20
261	Plainfield, N. J	268	5	.....	.....	.....	1	3	5	2	.....	30	7	10
262	Plymouth, Pa	289	2	1	.....	20	2	1	18	1	1	3	1	8
263	Plymouth town, Mass	137	.....	.....	.....	2	4	5	4	.....	.....	15	2	10
264	Pontiac, Mich	216	1	.....	1	.....	.....	.....	6	1	.....	11	.....	14
265	Port Huron, Mich	228	5	1	.....	.....	.....	1	5	4	.....	8	3	23
266	Port Jervis, N. Y	166	6	.....	.....	.....	.....	2	5	6	.....	17	.....	8
267	Portland, Me	957	17	.....	.....	3	.....	12	9	5	.....	81	18	57
268	Portland, Oreg	1,254	35	1	2	2	7	2	29	12	.....	130	19	64
269	Portsmouth, N. H	205	4	.....	.....	.....	.....	.....	.....	.....	.....	18	2	14
270	Portsmouth, Ohio	332	17	.....	8	2	4	10	5	1	.....	52	5	11
271	Pottstown, Pa	207	11	2	.....	.....	.....	3	2	2	.....	21	3	9
272	Pottsville, Pa	257	6	.....	.....	.....	1	1	7	.....	.....	16	.....	12
273	Poughkeepsie, N. Y	450	11	3	.....	2	5	1	5	6	.....	37	3	28
274	Providence, R. I	3,898	37	10	.....	96	25	74	84	73	2	406	103	153
275	Pueblo, Colo	798	54	1	1	3	3	14	26	4	.....	91	11	17
276	Quincy, Ill	552	15	3	1	1	2	1	5	8	1	53	8	24
277	Quincy, Mass	360	2	.....	.....	1	.....	9	11	8	.....	30	6	25
278	Raleigh, N. C	267	10	3	.....	.....	.....	4	.....	.....	.....	52	2	10
279	Reading, Pa	1,283	27	.....	.....	2	30	16	59	18	1	106	12	52
280	Revere town, Mass	144	2	.....	.....	.....	.....	5	3	1	.....	12	2	4
281	Richmond, Ind	289	5	.....	.....	.....	.....	3	1	1	.....	40	9	18
282	Richmond, Va	2,188	63	18	1	22	4	75	44	45	.....	232	30	58
283	Rochester, N. H	142	3	.....	.....	.....	.....	4	3	4	.....	16	5	4
284	Rochester, N. Y	2,544	21	.....	24	26	12	8	112	16	1	218	33	137
285	Rockland, Me	162	1	.....	.....	.....	.....	.....	.....	2	.....	20	3	10
286	Rome, N. Y	279	3	1	.....	.....	1	5	2	2	.....	22	4	7
287	Rutland, Vt	241	4	1	1	.....	.....	1	1	3	.....	19	4	10
288	Sacramento, Cal	564	15	4	.....	1	5	9	7	2	1	76	7	25
289	Saginaw, Mich	574	5	1	.....	2	1	2	6	5	.....	39	9	42
290	St. Joseph, Mo	722	9	3	1	1	5	.....	6	22	.....	66	3	29
291	St. Louis, Mo	11,126	321	61	4	143	97	84	197	161	.....	1,142	151	448
292	St. Paul, Minn	1,782	19	1	16	13	25	10	21	21	1	173	37	108
293	Salem, Mass	741	17	1	.....	2	.....	14	26	5	1	62	5	41
294	Salt Lake City, Utah	1,106	35	.....	2	1	11	3	52	10	.....	56	8	38
295	San Antonio, Tex	1,303	36	44	.....	14	.....	7	23	19	19	258	13	39
296	San Diego, Cal	383	2	1	.....	2	.....	.....	3	21	.....	74	8	20
297	San Francisco, Cal	7,592	89	7	2	33	13	109	114	56	30	1,030	178	446
298	San Jose, Cal	338	7	.....	1	.....	.....	1	8	6	.....	46	10	25
299	Saratoga Springs, N. Y	246	6	.....	.....	.....	.....	4	2	2	.....	26	2	9
300	Sault Ste. Marie, Mich	218	13	.....	.....	.....	1	6	4	.....	.....	10	3	1
301	Savannah, Ga	1,527	35	60	.....	.....	1	20	2	19	.....	207	8	23
302	Schenectady, N. Y	799	16	2	.....	13	10	9	22	2	.....	83	7	22
303	Scranton, Pa	1,632	20	1	2	9	6	5	22	9	.....	110	3	49
304	Seattle, Wash	1,117	34	2	3	15	15	3	8	5	1	107	27	56
305	Sioux City, Iowa	432	7	1	.....	.....	9	6	11	5	.....	31	2	20
306	Somerville, Mass	956	9	.....	.....	2	11	25	21	15	.....	82	12	50
307	South Bend, Ind	482	6	1	.....	12	5	6	23	4	.....	66	12	16
308	South Bethlehem, Pa	253	29	.....	.....	1	1	9	1	.....	.....	15	.....	6
309	Southbridge town, Mass	173	1	.....	.....	.....	.....	.....	1	.....	.....	8	1	9
310	Spokane, Wash	744	37	.....	7	4	5	.....	8	6	.....	74	12	23
311	Springfield, Ill	598	18	.....	1	1	4	7	22	2	.....	74	5	21
312	Springfield, Mass	1,104	16	3	.....	17	17	25	22	19	.....	99	13	62
313	Stamford town, Conn	378	10	.....	.....	.....	6	.....	12	13	.....	23	5	13
314	Steelton, Pa	264	24	.....	.....	11	.....	1	6	2	.....	26	2	7

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1903—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	.....	7	97	56	48	32	10	6	27	44	3	4	.....	65	37	29	1	235
.....	5	6	26	31	19	25	23	6	35	22	4	18	3	13	10	27	.....	236
.....	2	6	45	39	11	16	11	3	10	10	1	17	4	18	5	38	.....	237
.....	1	6	42	47	20	11	17	4	17	18	5	7	4	24	2	13	.....	238
1	7	7	48	64	22	22	25	6	25	33	3	17	1	23	3	67	.....	239
1	10	22	103	175	70	50	26	7	75	47	4	18	27	65	14	74	.....	240
.....	4	6	39	44	35	10	12	4	18	34	.....	7	1	11	12	28	1	241
.....	.....	2	9	17	5	5	3	3	8	2	.....	2	.....	16	2	11	.....	242
2	7	17	103	103	91	47	25	5	76	47	16	61	13	82	25	115	1	243
.....	3	18	58	40	42	28	25	7	28	45	6	24	10	24	13	34	.....	244
.....	.....	4	11	8	9	10	2	4	17	12	1	4	.....	13	2	14	1	245
.....	2	5	32	27	15	8	9	8	13	8	.....	6	1	21	13	32	2	246
.....	1	.....	3	6	5	3	2	1	3	7	.....	1	.....	6	1	10	.....	247
1	3	10	28	14	37	28	27	15	27	4	4	10	2	43	30	27	.....	248
.....	7	21	41	39	39	70	68	1	33	23	8	54	3	33	20	38	1	249
.....	8	69	170	186	163	102	89	20	102	90	10	91	15	101	58	87	1	250
.....	3	22	49	63	41	49	61	14	36	54	3	25	4	31	5	47	3	251
.....	2	4	22	34	8	12	12	3	6	14	1	10	.....	2	5	11	.....	252
.....	.....	4	11	8	16	15	10	2	10	23	1	11	.....	11	6	15	.....	253
.....	.....	4	23	15	20	13	37	1	12	12	3	11	2	26	7	14	.....	254
.....	.....	.....	8	9	3	8	7	2	7	8	.....	4	.....	10	2	7	.....	255
.....	1	5	60	54	29	11	33	13	28	46	9	20	.....	15	16	31	9	256
22	154	218	2,084	2,612	1,959	1,444	1,243	304	1,252	2,051	219	1,069	201	1,251	662	1,600	3	257
.....	.....	3	30	16	12	4	7	1	11	6	3	12	.....	11	4	8	1	258
7	14	124	443	402	784	414	585	99	361	203	65	375	57	732	221	414	2	259
.....	6	7	54	29	30	19	19	4	28	14	2	14	3	22	5	34	.....	260
1	2	7	30	23	11	10	23	5	16	13	1	15	3	21	3	21	.....	261
.....	.....	6	35	8	55	18	27	4	4	13	2	6	.....	17	28	8	.....	262
.....	1	.....	10	17	1	6	4	4	9	7	.....	11	4	3	3	15	.....	263
.....	4	1	70	22	10	5	7	1	10	16	2	4	2	11	.....	17	.....	264
.....	1	1	26	30	10	4	12	2	12	15	1	10	1	14	5	34	.....	265
1	1	3	16	8	9	6	1	2	6	16	2	10	.....	20	5	16	.....	266
1	7	23	86	110	77	36	25	7	61	90	9	48	3	40	31	96	5	267
3	10	56	97	135	104	40	31	9	85	53	5	31	17	99	39	126	11	268
1	1	3	28	27	15	4	3	.....	23	14	1	4	4	13	4	20	2	269
.....	2	9	21	30	20	17	13	6	14	3	5	19	.....	16	13	28	1	270
.....	1	2	26	22	23	9	9	1	11	8	1	7	.....	14	11	9	.....	271
.....	1	6	35	22	24	14	9	1	19	20	4	13	.....	25	8	13	.....	272
1	1	5	62	50	34	31	13	5	27	21	2	14	.....	32	10	41	.....	273
1	35	43	229	348	296	262	285	60	227	286	31	166	21	202	42	297	4	274
.....	3	10	57	35	93	28	54	15	49	22	17	39	10	80	8	50	3	275
1	3	5	59	52	37	37	15	11	33	24	3	30	3	30	31	52	4	276
1	6	10	24	52	22	15	19	2	17	19	1	24	4	24	4	24	.....	277
.....	1	5	18	14	15	13	4	9	20	13	1	5	2	17	7	17	25	278
1	8	16	164	99	67	53	55	19	72	52	11	84	9	73	65	112	.....	279
.....	1	3	15	16	11	10	10	3	10	6	1	6	2	6	2	13	.....	280
1	2	6	51	30	21	6	8	5	19	19	2	5	.....	14	8	15	.....	281
1	8	43	242	159	121	193	98	35	119	100	15	88	6	100	86	163	19	282
.....	2	4	6	17	10	5	5	1	11	10	1	1	1	6	6	16	1	283
7	18	48	303	315	163	169	76	22	190	155	19	44	22	97	32	256	.....	284
1	.....	6	18	22	7	1	6	.....	7	12	2	2	1	13	6	21	1	285
.....	3	2	33	26	21	9	6	6	7	10	4	10	4	21	28	42	.....	286
1	1	4	21	29	27	10	15	4	17	19	1	12	.....	13	4	19	.....	287
.....	4	8	43	50	48	27	15	.....	47	14	7	14	7	43	22	62	1	288
2	6	6	67	64	36	30	28	6	44	17	7	24	11	34	9	70	1	289
2	2	14	83	54	57	31	30	7	57	42	9	14	17	54	42	62	.....	290
3	47	144	920	873	853	818	425	176	614	684	115	609	167	601	294	963	11	291
1	14	31	137	146	131	107	61	20	121	97	21	108	27	103	35	176	1	292
1	7	18	70	102	42	51	51	7	17	36	3	52	2	28	27	53	.....	293
1	4	33	65	93	104	45	46	10	85	61	19	52	12	91	25	138	6	294
2	4	22	89	53	53	45	101	25	62	60	14	74	8	58	50	111	.....	295
.....	3	5	40	33	17	19	12	2	22	15	3	7	14	15	9	33	3	296
1	66	84	503	1,045	442	454	218	44	460	457	72	294	200	460	45	640	.....	297
.....	6	6	24	55	12	18	8	5	14	17	2	7	5	24	9	22	.....	298
.....	1	2	31	32	12	17	8	1	19	27	2	4	.....	15	2	22	.....	299
.....	.....	7	20	20	13	6	21	4	14	10	2	7	2	26	5	19	4	300
.....	3	8	172	99	95	84	58	23	80	78	15	36	6	69	98	143	85	301
2	2	27	68	56	64	36	80	9	40	40	5	48	2	70	18	46	.....	302
3	9	37	223	121	150	114	113	22	69	80	10	62	20	159	115	86	3	303
2	4	20	74	142	63	33	26	9	68	59	16	37	26	128	20	114	.....	304
4	2	8	39	43	38	12	6	6	34	20	6	9	4	51	18	38	2	305
2	14	28	94	126	85	48	25	13	32	54	8	70	5	35	14	74	1	306
.....	5	7	46	37	23	15	24	7	28	20	5	17	3	20	32	42	.....	307
.....	1	1	19	14	32	12	23	5	8	7	.....	12	1	24	14	16	2	308
.....	1	4	15	10	12	10	18	2	8	6	5	18	.....	5	9	21	9	309
2	9	13	44	50	57	19	49	8	69	35	4	32	18	56	23	79	1	310
.....	6	17	42	45	46	35	12	5	37	52	3	14	9	38	30	50	2	311
1	11	26	100	105	89	54	40	15	45	84	9	52	7	71	18	82	2	312
1	1	11	55	28	30	12	20	6	18	28	2	19	1	30	7	27	.....	313
.....	2	7	21	12	14	9	25	3	9	5	1	18	1	21	26	9	2	314

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
315	Stonington town, Conn	144	4	.....	.....	5	2	2	1	.....	.....	12	.....	4
316	Superior, Wis	413	17	.....	.....	2	39	6	11	1	.....	37	4	13
317	Syracuse, N. Y	1,627	20	.....	.....	16	2	23	21	12	.....	149	20	93
318	Tacoma, Wash	495	27	.....	.....	1	6	1	11	2	.....	66	4	26
319	Taunton, Mass	648	6	3	.....	1	5	4	10	11	.....	52	7	25
320	Terre Haute, Ind	602	22	3	.....	1	2	5	16	7	.....	60	8	24
321	Tiffin, Ohio	138	3	.....	.....	3	.....	1	8	1	.....	12	2	8
322	Toledo, Ohio	2,143	43	4	3	5	3	15	118	25	1	176	13	80
323	Torrington town, Conn	170	2	1	.....	.....	1	2	9	2	.....	14	1	7
324	Traverse City, Mich	190	.....	.....	.....	.....	2	1	.....	3	.....	13	3	3
325	Trenton, N. J	1,407	48	1	.....	.....	4	17	23	7	.....	173	17	53
326	Troy, N. Y	1,460	27	.....	.....	.....	4	7	24	21	.....	206	24	59
327	Union, N. J	248	1	.....	.....	.....	.....	2	7	.....	.....	24	2	9
328	Utica, N. Y	1,058	11	.....	1	.....	4	8	30	6	.....	100	16	38
329	Vernon town, Conn	128	.....	.....	.....	.....	.....	3	.....	3	.....	9	1	6
330	Vincennes, Ind	132	6	.....	.....	.....	.....	.....	4	1	.....	13	2	2
331	Wabash, Ind	87	2	.....	.....	.....	1	3	.....	.....	.....	10	2	4
332	Wakefield town, Mass	114	1	.....	.....	.....	.....	3	.....	.....	.....	19	1	5
333	Wallingford town, Conn	145	1	1	.....	2	7	2	4	3	.....	11	.....	4
334	Waltham, Mass	349	8	1	.....	3	1	6	6	6	.....	27	7	16
335	Ware town, Mass	106	.....	.....	.....	2	4	.....	2	3	.....	10	2	3
336	Washington, D. C	5,945	143	22	2	45	2	71	25	85	.....	781	110	221
337	Washington, Ind	112	4	2	12	.....	2	.....	1	1	.....	14	4	1
338	Waterbury, Conn	942	17	1	.....	29	12	19	24	6	.....	79	11	33
339	Watertown, N. Y	343	17	.....	.....	.....	1	.....	11	.....	.....	28	11	20
340	Watertown town, Mass	122	2	.....	.....	4	.....	1	.....	3	.....	11	1	5
341	Watervliet, N. Y	237	10	.....	.....	1	.....	4	4	3	.....	28	3	14
342	Webster town, Mass	153	.....	.....	.....	.....	.....	3	5	2	.....	13	.....	6
343	West Bay City, Mich	163	3	1	.....	5	.....	2	7	1	.....	14	.....	4
344	Westfield town, Mass	224	4	1	.....	2	2	6	8	2	.....	15	1	14
345	Weymouth town, Mass	192	1	.....	.....	.....	.....	2	3	1	.....	15	2	9
346	Wheeling, W. Va	628	30	1	9	1	.....	1	13	3	.....	60	10	29
347	Wichita, Kans	446	14	.....	1	9	1	3	4	5	.....	38	10	17
348	Williamsport, Pa	390	9	.....	.....	.....	.....	3	5	4	.....	40	7	14
349	Wilmington, Del	1,457	77	1	1	7	3	14	50	10	.....	162	3	37
350	Wilmington, N. C	567	12	38	.....	.....	2	30	3	16	.....	43	9	5
351	Windham town, Conn	173	3	1	.....	1	.....	2	.....	9	.....	18	7	7
352	Winona, Minn	237	3	.....	3	.....	.....	2	1	6	.....	19	2	18
353	Woburn, Mass	230	.....	2	.....	.....	5	7	2	4	.....	24	6	9
354	Woonsocket, R. I	489	1	.....	.....	.....	7	13	29	2	.....	61	7	7
355	Worcester, Mass	2,108	19	11	.....	29	7	15	11	12	1	212	41	86
356	Yonkers, N. Y	842	8	2	.....	3	7	7	25	5	.....	114	11	42
357	Youngstown, Ohio	952	88	.....	2	6	1	11	13	8	1	62	15	26
	CONNECTICUT RURAL.													
358	Fairfield county	705	2	2	1	6	7	4	7	15	.....	63	5	47
359	Hartford county	990	5	2	.....	16	9	32	16	22	.....	67	16	41
360	Litchfield county	744	5	.....	.....	1	7	6	8	22	.....	54	6	42
361	Middlesex county	362	2	1	.....	8	5	5	4	15	.....	26	6	14
362	New Haven county	724	4	7	.....	2	2	9	6	19	.....	58	14	38
363	New London county	498	4	2	.....	2	2	5	3	17	.....	48	8	31
364	Tolland county	313	2	.....	.....	6	2	4	1	16	.....	21	2	11
365	Windham county	572	5	2	.....	4	.....	5	6	14	.....	54	10	24
	INDIANA RURAL.													
366	Adams county	229	8	1	1	2	.....	4	1	2	.....	28	5	14
367	Allen county	259	8	.....	.....	.....	.....	3	5	2	.....	29	6	5
368	Bartholomew county	180	7	1	2	.....	1	4	2	1	.....	20	3	6
369	Benton county	106	6	1	.....	1	.....	3	.....	1	.....	15	1	6
370	Blackford county	194	7	2	.....	.....	5	1	7	6	.....	27	6	8
371	Boone county	309	9	1	2	.....	2	3	1	3	.....	41	7	13
372	Brown county	121	5	.....	.....	.....	.....	.....	4	2	.....	21	2	3
373	Carroll county	236	9	1	.....	2	1	2	2	2	.....	29	1	10
374	Cass county	238	.....	2	.....	.....	.....	.....	7	4	.....	20	2	7
375	Clark county	277	10	.....	1	9	4	6	4	4	.....	50	11	12
376	Clay county	335	16	2	2	1	.....	11	9	8	.....	35	2	5
377	Clinton county	374	21	.....	1	3	4	.....	.....	3	.....	34	4	13
378	Crawford county	162	13	2	3	.....	.....	.....	.....	2	.....	32	4	5
379	Daviess county	243	13	3	10	1	1	1	8	6	.....	32	4	5
380	Dearborn county	265	11	1	.....	.....	.....	6	.....	2	.....	33	2	12
381	Decatur county	256	11	3	.....	3	1	.....	1	5	.....	35	7	14
382	Dekalb county	272	9	3	.....	.....	3	3	.....	1	1	31	4	22
383	Delaware county	276	14	1	2	.....	4	1	2	2	.....	37	7	8
384	Dubois county	199	7	1	1	.....	.....	1	2	8	.....	26	2	7
385	Elkhart county	340	10	2	.....	3	.....	4	1	6	.....	37	2	12
386	Fayette county	161	4	.....	.....	.....	1	5	6	2	.....	14	2	11
387	Floyd county	98	1	1	.....	.....	.....	1	5	.....	.....	14	.....	3
388	Fountain county	255	6	.....	.....	1	2	9	3	4	.....	33	4	9
389	Franklin county	212	3	2	3	.....	.....	.....	4	7	.....	38	3	5
390	Fulton county	221	7	.....	.....	.....	.....	3	1	6	.....	28	2	9

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1903—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis. Under 2 years	Diarrhea and enteritis. 2 years and over.	Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
.....	1	4	15	23	8	6	7	3	8	4	1	6	.....	10	2	16	.....	315
.....	1	15	33	26	37	21	20	6	24	9	3	5	1	38	19	24	1	316
1	16	31	150	193	119	74	70	21	95	113	10	79	27	82	21	169	.....	317
.....	3	17	29	33	31	11	16	3	31	18	6	23	3	26	36	63	2	318
1	7	17	114	55	53	51	36	10	25	34	3	28	4	17	19	50	.....	319
.....	2	13	51	63	39	31	27	5	41	30	2	35	1	43	17	51	3	320
3	.....	2	13	21	11	5	1	2	12	3	3	2	3	8	.....	11	.....	321
2	14	43	293	176	108	131	111	31	143	83	10	76	31	127	51	227	.....	322
.....	1	5	16	9	17	7	22	1	5	8	5	8	1	12	3	10	1	323
.....	1	2	51	31	4	4	10	6	13	4	2	9	2	8	1	16	1	324
2	11	20	203	191	109	66	81	19	79	63	15	64	3	80	57	90	1	325
.....	7	31	147	152	122	82	38	9	68	111	5	78	3	76	46	113	.....	326
.....	2	5	19	24	30	14	17	1	8	18	2	12	4	26	9	10	2	327
1	12	26	127	110	94	65	43	17	51	65	7	58	5	65	19	79	.....	328
.....	1	.....	17	19	10	2	5	2	9	10	1	10	2	7	1	8	2	329
.....	2	4	14	11	7	6	6	1	9	9	.....	13	.....	5	5	11	1	330
.....	.....	3	8	9	5	4	4	2	8	2	.....	7	.....	6	1	6	.....	331
.....	1	6	13	11	8	10	1	.....	3	2	.....	10	3	4	1	12	.....	332
.....	1	3	15	14	10	5	12	3	11	4	4	9	.....	7	1	11	.....	333
.....	4	4	42	51	27	18	8	1	17	12	4	19	.....	21	9	31	.....	334
.....	.....	2	10	6	7	5	7	1	2	5	1	9	2	7	5	9	2	335
2	36	50	588	654	403	377	300	97	305	385	53	330	59	241	115	442	1	336
.....	.....	2	8	8	2	6	3	.....	8	4	3	7	.....	6	6	8	.....	337
1	4	19	79	70	69	65	84	6	51	44	5	65	8	72	8	60	1	338
.....	3	11	29	47	17	14	20	8	19	11	3	21	3	11	4	34	.....	339
.....	1	4	15	14	4	6	5	1	3	5	.....	8	.....	8	7	18	.....	340
.....	.....	6	24	28	16	21	9	3	12	17	1	8	1	7	5	12	.....	341
.....	.....	3	18	12	16	5	14	1	9	7	.....	7	1	3	9	17	2	342
2	.....	2	10	16	5	10	11	4	13	5	.....	8	.....	22	6	12	.....	343
.....	1	5	28	24	14	8	24	3	9	10	.....	13	.....	11	6	13	.....	344
.....	4	3	17	37	25	7	10	2	12	7	.....	12	.....	8	3	12	.....	345
.....	3	25	56	37	46	29	31	6	34	28	6	28	10	50	27	43	3	346
2	2	9	46	31	22	14	9	6	49	26	5	22	1	27	19	44	10	347
.....	4	4	39	46	29	18	10	4	20	29	3	9	.....	23	35	35	.....	348
6	4	41	165	121	150	72	50	21	75	73	2	68	7	85	63	87	2	349
.....	.....	6	64	66	28	13	33	4	40	22	7	15	1	36	19	37	18	350
.....	3	5	14	16	9	7	14	5	7	7	.....	7	1	7	3	20	.....	351
.....	.....	5	23	31	11	12	8	5	21	13	5	6	1	8	4	26	4	352
.....	.....	2	24	34	19	8	12	3	3	16	1	11	1	8	4	25	.....	353
.....	4	6	35	33	44	37	56	6	19	25	4	27	2	20	11	33	.....	354
6	13	58	209	222	182	128	130	21	128	84	20	161	9	107	32	148	.....	355
.....	4	23	68	75	37	37	89	5	42	60	6	41	4	45	17	45	.....	356
.....	5	18	52	45	78	46	72	12	87	30	5	67	4	92	41	64	1	357
.....	7	7	97	105	42	39	19	10	39	41	3	30	4	53	6	44	.....	358
1	5	18	110	122	65	60	53	17	45	50	8	33	10	55	18	93	1	359
4	8	15	95	92	51	42	17	9	44	50	7	30	7	44	6	70	2	360
.....	2	5	52	47	27	22	8	4	17	20	1	10	4	17	8	32	.....	361
.....	5	17	89	80	44	40	36	9	31	60	6	33	8	47	7	53	.....	362
1	6	6	45	59	34	27	20	8	33	41	5	20	3	29	6	32	1	363
.....	1	5	36	47	25	15	11	1	18	18	.....	18	2	19	11	21	.....	364
1	5	14	52	75	45	26	32	12	34	30	9	23	3	33	11	42	1	365
.....	.....	6	22	12	15	12	6	2	21	14	.....	19	1	12	7	14	.....	366
.....	3	3	31	17	14	19	11	3	12	20	3	22	1	12	4	24	2	367
.....	1	3	19	18	10	13	6	5	17	5	.....	5	.....	9	4	17	1	368
.....	.....	.....	11	13	5	8	3	1	3	1	.....	5	2	8	2	10	.....	369
.....	4	2	13	13	12	6	10	1	17	5	1	13	.....	13	2	12	1	370
1	5	2	42	33	12	11	14	7	13	11	3	10	.....	24	10	29	.....	371
.....	1	4	11	14	9	2	8	3	3	7	1	4	1	3	3	8	2	372
.....	3	6	26	18	11	11	7	1	17	19	1	9	.....	15	7	25	1	373
.....	3	3	48	16	10	16	12	3	11	13	3	13	1	16	7	21	.....	374
.....	1	5	27	20	10	10	13	3	12	10	2	11	2	22	4	14	.....	375
.....	2	1	22	24	17	11	18	6	26	10	5	18	.....	30	18	35	1	376
.....	2	5	35	39	32	13	14	11	13	20	2	24	8	23	11	39	.....	377
.....	1	3	10	14	5	5	5	3	11	4	2	8	.....	6	2	22	.....	378
.....	.....	7	19	17	7	15	20	1	18	4	1	11	2	14	9	14	.....	379
.....	.....	2	32	28	13	21	8	1	11	12	.....	7	.....	31	4	28	.....	380
.....	2	1	29	24	14	7	11	2	19	9	5	12	3	8	6	24	.....	381
1	.....	2	32	37	12	5	6	5	16	12	1	9	1	23	7	26	.....	382
.....	2	6	26	19	15	9	8	1	17	21	7	15	4	12	6	29	1	383
.....	.....	1	17	11	16	15	9	2	13	4	2	8	1	15	8	20	2	384
.....	3	10	46	41	10	11	12	7	20	10	2	17	2	16	9	47	.....	385
.....	2	2	12	20	13	9	4	8	10	6	1	1	2	10	3	13	.....	386
.....	.....	1	4	13	16	6	4	2	5	3	2	3	.....	5	2	7	.....	387
.....	1	10	28	18	21	16	11	3	11	5	1	8	.....	11	10	28	2	388
.....	1	.....	26	24	13	8	6	6	21	7	.....	6	3	12	.....	14	.....	389
.....	1	6	29	23	12	10	11	.....	14	8	3	.....	.....	11	9	24	4	390

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	INDIANA RURAL—Continued.													
391	Gibson county	308	12	8	.....	.....	.....	2	3	8	.....	46	8	16
392	Grant county	502	16	3	3	1	4	3	13	1	.....	43	8	19
393	Greene county	390	24	2	3	5	4	4	8	1	.....	54	3	12
394	Hamilton county	325	13	4	.....	.....	.....	.....	16	14	.....	37	1	18
395	Hancock county	248	8	.....	.....	.....	.....	8	1	7	.....	35	3	8
396	Harrison county	230	12	1	.....	.....	2	1	2	5	.....	35	4	18
397	Hendricks county	241	5	.....	.....	2	2	1	1	4	.....	26	2	9
398	Henry county	320	7	4	.....	.....	.....	4	2	3	.....	33	7	17
399	Howard county	192	6	.....	1	3	2	1	2	3	.....	19	5	7
400	Huntington county	186	6	.....	.....	2	.....	4	2	3	.....	22	4	6
401	Jackson county	310	10	2	.....	1	5	1	3	6	1	55	3	4
402	Jasper county	110	1	1	1	.....	.....	.....	1	.....	.....	10	1	2
403	Jay county	282	10	.....	.....	.....	2	4	2	9	.....	34	4	8
404	Jefferson county	345	17	.....	.....	1	1	3	1	3	.....	59	9	14
405	Jennings county	194	9	2	.....	.....	.....	1	2	2	.....	36	1	7
406	Johnson county	279	11	.....	.....	1	2	1	7	5	.....	39	1	12
407	Knox county	199	10	4	.....	1	2	1	6	3	.....	19	1	8
408	Kosciusko county	332	13	1	.....	9	2	7	3	7	.....	35	1	16
409	Lagrange county	200	2	.....	.....	1	.....	2	3	4	.....	22	4	9
410	Lake county	350	10	.....	.....	9	3	7	11	3	.....	28	5	6
411	Laporte county	345	5	1	.....	7	5	2	1	2	.....	29	3	15
412	Lawrence county	351	12	4	.....	1	1	6	3	3	.....	59	9	9
413	Madison county	394	13	2	2	1	.....	6	4	2	1	44	8	16
414	Marion county	224	8	.....	3	1	1	2	3	3	.....	29	5	13
415	Marshall county	316	4	1	.....	3	5	3	4	4	.....	22	3	18
416	Martin county	157	6	2	.....	.....	2	.....	2	2	.....	22	2	3
417	Miami county	235	12	1	.....	1	3	.....	4	1	.....	24	2	12
418	Monroe county	233	12	.....	.....	.....	.....	.....	3	1	.....	44	10	12
419	Montgomery county	383	5	1	.....	.....	3	.....	1	6	.....	47	5	28
420	Morgan county	253	15	1	1	5	.....	.....	1	1	.....	40	5	11
421	Newton county	122	6	.....	.....	1	.....	1	2	2	.....	11	1	5
422	Noble county	251	4	2	.....	4	2	4	1	6	.....	22	7	14
423	Ohio county	72	3	.....	.....	.....	.....	.....	.....	1	.....	12	.....	3
424	Orange county	183	12	1	.....	.....	1	1	6	4	.....	37	3	5
425	Owen county	153	7	.....	3	5	.....	.....	4	.....	.....	24	4	5
426	Parke county	259	3	1	1	3	4	3	1	4	.....	39	3	10
427	Perry county	200	10	2	3	.....	4	2	5	3	.....	33	3	7
428	Pike county	266	17	3	.....	.....	1	3	10	5	.....	38	2	9
429	Porter county	262	4	.....	.....	4	1	4	3	4	.....	19	2	13
430	Posey county	249	10	3	.....	.....	2	1	.....	5	.....	35	3	10
431	Pulaski county	116	3	1	.....	1	1	.....	2	3	.....	10	.....	3
432	Putnam county	243	8	2	2	1	1	.....	1	6	.....	37	3	15
433	Randolph county	344	7	2	7	.....	.....	2	1	4	.....	40	7	16
434	Ripley county	213	9	1	1	.....	.....	1	8	1	.....	35	4	13
435	Rush county	233	9	1	.....	.....	2	1	1	4	.....	22	4	19
436	St. Joseph county	458	10	1	.....	7	8	1	8	4	.....	49	8	18
437	Scott county	99	3	.....	.....	.....	.....	.....	1	2	.....	18	1	6
438	Shelby county	339	14	.....	.....	.....	1	5	2	4	.....	39	12	16
439	Spencer county	211	11	.....	.....	.....	4	5	6	4	.....	24	2	6
440	Starke county	131	6	3	.....	1	.....	2	.....	2	.....	14	1	2
441	Steuben county	175	3	.....	.....	1	1	.....	3	7	.....	15	3	10
442	Sullivan county	299	8	4	2	1	6	2	6	1	.....	45	5	16
443	Switzerland county	127	2	1	.....	.....	.....	4	.....	3	.....	20	.....	8
444	Tippecanoe county	200	4	.....	1	.....	.....	.....	1	5	.....	31	4	9
445	Tipton county	234	8	1	.....	.....	2	4	4	1	.....	28	10	9
446	Union county	83	1	1	.....	.....	.....	.....	3	.....	.....	12	2	1
447	Vanderburg county	161	5	3	2	.....	2	.....	.....	.....	.....	27	.....	5
448	Vermilion county	195	3	2	3	1	3	2	1	3	.....	18	3	10
449	Vigo county	243	8	3	3	.....	4	3	4	5	.....	37	3	9
450	Wabash county	200	5	1	.....	1	4	4	1	4	1	20	7	7
451	Warren county	111	2	.....	1	.....	.....	.....	.....	2	.....	20	1	6
452	Warrick county	219	7	3	.....	.....	2	1	5	2	.....	21	1	4
453	Washington county	200	14	2	.....	.....	1	.....	2	4	.....	23	5	13
454	Wayne county	244	5	.....	.....	.....	.....	.....	1	6	.....	20	4	8
455	Wells county	278	12	.....	.....	4	3	2	.....	1	.....	36	5	15
456	White county	176	8	1	.....	.....	1	1	3	.....	.....	34	2	7
457	Whitley county	192	4	.....	.....	2	5	3	1	3	.....	20	.....	8
	MAINE RURAL.													
458	Androscoggin county	750	5	1	6	1	2	8	11	12	.....	55	15	43
459	Aroostook county	780	10	1	.....	11	3	2	24	33	1	43	9	23
460	Cumberland county	796	16	.....	.....	2	.....	6	12	14	.....	58	11	58
461	Franklin county	282	3	.....	.....	.....	.....	3	2	4	.....	22	2	19
462	Hancock county	542	6	1	.....	2	.....	.....	1	13	.....	58	7	25
463	Kennebec county	826	30	1	.....	.....	2	12	11	15	.....	75	11	46
464	Knox county	326	4	1	.....	.....	.....	1	.....	13	.....	31	8	10
465	Lincoln county	333	4	1	.....	.....	1	2	3	6	.....	30	1	25
466	Oxford county	553	9	1	.....	3	.....	1	2	17	.....	37	7	26
467	Penobscot county	929	22	2	.....	5	.....	7	3	8	.....	80	25	56
468	Piscataquis county	217	5	1	.....	1	.....	.....	1	2	.....	15	1	6
469	Sagadahoc county	168	4	.....	.....	.....	.....	3	2	.....	.....	13	3	8

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1903—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	2	7	21	19	22	17	14	9	9	11	5	19	1	21	7	20	1	391
.....	2	8	62	63	29	20	4	7	29	26	7	30	3	28	19	49	2	392
.....	1	9	39	21	17	14	16	10	25	9	7	22	2	32	10	35	1	393
.....	.....	4	31	23	17	14	13	5	17	7	2	24	2	18	5	40	.....	394
.....	1	4	28	24	6	12	20	12	16	10	1	8	1	11	8	16	.....	395
.....	4	7	28	16	14	6	5	5	26	6	3	3	.....	11	6	9	1	396
1	3	4	31	25	13	12	7	11	15	9	.....	10	2	6	8	31	1	397
1	1	4	49	30	17	15	7	11	27	14	1	13	1	14	9	27	2	398
.....	1	4	22	17	14	10	12	6	11	3	3	3	3	8	2	23	1	399
.....	4	3	27	10	12	9	5	2	12	10	2	10	.....	7	2	15	7	400
.....	2	5	17	25	12	12	27	7	18	9	3	15	1	18	9	37	2	401
.....	2	1	14	6	5	7	8	1	9	3	1	8	.....	5	4	18	1	402
.....	3	7	36	22	28	15	20	10	13	11	.....	16	.....	8	5	13	2	403
.....	2	3	30	44	28	13	15	.....	18	21	2	9	1	15	6	30	.....	404
2	1	4	21	18	11	5	7	4	9	10	1	8	1	14	3	15	.....	405
.....	4	1	34	26	12	16	10	4	18	19	1	13	1	15	7	17	2	406
.....	1	2	20	12	11	8	10	3	10	10	4	13	2	12	5	20	1	407
3	4	3	37	39	11	12	13	4	19	19	3	8	2	7	11	39	4	408
.....	4	1	28	26	9	10	7	5	16	8	3	6	2	9	5	13	1	409
.....	1	6	35	30	14	24	24	6	20	10	7	16	3	44	7	20	1	410
.....	3	3	31	57	11	18	7	10	31	22	2	12	1	26	7	34	.....	411
.....	2	5	27	32	26	13	13	6	18	5	3	15	1	26	14	26	2	412
.....	7	6	31	37	18	18	16	4	29	15	6	16	1	20	11	57	3	413
.....	1	4	22	25	12	10	13	3	10	6	1	9	4	12	5	18	1	414
.....	2	5	41	34	12	16	16	2	28	9	6	18	2	14	15	28	1	415
1	.....	17	8	6	13	8	9	2	13	3	.....	1	2	17	3	10	3	416
.....	8	4	26	23	11	13	15	2	16	11	4	7	1	11	5	20	1	417
.....	1	7	20	18	11	9	7	5	14	8	4	12	.....	9	5	19	2	418
.....	2	10	47	40	14	12	20	6	19	25	3	15	3	19	9	42	1	419
.....	.....	3	31	27	17	6	12	2	16	9	3	4	1	16	2	23	1	420
2	2	3	8	13	8	6	4	2	8	8	1	6	2	8	2	10	.....	421
.....	2	3	31	41	8	8	8	9	13	9	.....	5	1	13	6	28	.....	422
.....	.....	.....	6	10	10	4	1	.....	2	4	.....	2	1	8	1	4	.....	423
.....	2	2	15	13	12	9	7	2	12	7	1	12	1	8	4	6	.....	424
1	1	3	20	14	12	2	3	2	9	12	1	4	1	6	2	8	.....	425
1	1	5	21	24	20	6	12	5	18	6	3	7	5	27	11	14	1	426
.....	.....	3	14	10	8	10	7	2	20	7	3	10	.....	8	13	12	1	427
.....	1	12	17	27	14	5	16	2	11	10	6	14	.....	13	5	25	.....	428
.....	4	4	22	32	21	17	9	4	17	17	5	5	3	17	5	26	.....	429
.....	.....	5	16	19	9	10	20	3	20	12	3	13	1	20	6	20	3	430
.....	.....	1	12	10	4	6	5	2	2	6	1	10	.....	8	8	15	2	431
.....	3	3	19	20	17	8	11	5	12	8	1	18	1	9	7	25	.....	432
.....	2	5	32	35	23	15	10	9	27	19	3	15	4	17	4	38	.....	433
.....	1	6	21	9	16	8	5	4	19	6	1	5	5	11	5	18	.....	434
1	4	11	21	28	7	5	7	4	24	11	2	5	1	10	2	27	.....	435
.....	3	8	51	43	36	17	31	7	25	22	10	15	5	18	23	24	6	436
.....	2	.....	11	10	5	5	3	1	4	4	.....	2	1	6	3	11	.....	437
1	3	2	30	27	20	16	17	9	20	22	3	19	4	14	5	34	.....	438
.....	1	2	21	13	14	9	8	5	18	8	2	7	.....	12	8	21	.....	439
.....	.....	.....	15	13	3	4	15	1	12	4	1	4	2	11	5	9	1	440
.....	.....	2	23	22	3	7	5	4	12	8	1	6	1	9	6	22	1	441
.....	.....	8	27	21	11	7	21	7	15	11	2	6	2	24	11	27	3	442
.....	1	4	11	22	7	6	2	4	2	6	.....	4	5	6	.....	9	.....	443
.....	.....	3	27	28	7	9	3	3	15	5	.....	7	.....	13	7	18	.....	444
.....	3	7	15	17	7	12	14	9	12	5	2	18	.....	15	9	22	.....	445
.....	1	4	11	8	8	1	1	3	4	6	.....	2	.....	3	4	7	.....	446
1	1	.....	25	17	9	9	3	6	6	6	.....	7	2	13	2	10	.....	447
1	1	1	26	17	14	10	10	5	10	2	.....	10	3	17	10	7	2	448
1	3	7	16	22	11	8	8	.....	9	8	3	6	.....	23	9	28	2	449
.....	3	6	21	19	11	10	5	2	13	19	2	4	.....	8	6	16	.....	450
.....	1	.....	12	10	3	6	6	5	12	2	1	2	.....	5	4	10	.....	451
.....	1	4	19	16	20	8	12	4	13	13	2	10	1	17	12	21	.....	452
.....	1	2	20	17	12	7	12	4	13	13	2	6	.....	11	3	13	.....	453
.....	1	3	40	23	16	11	8	6	19	14	3	6	2	9	3	35	1	454
.....	1	3	33	18	19	13	16	2	18	10	1	18	1	17	7	23	.....	455
.....	1	5	12	17	9	11	6	3	10	9	1	9	.....	14	2	10	.....	456
1	7	1	19	25	10	5	6	5	14	12	1	14	1	9	1	13	2	457
3	8	24	91	77	54	40	27	2	47	47	4	25	10	23	21	79	9	458
2	6	15	51	50	52	33	105	12	47	18	13	23	1	25	16	67	84	459
.....	13	14	99	102	59	27	17	6	39	53	10	23	7	40	14	91	5	460
.....	3	5	22	29	27	13	5	4	13	16	3	11	4	9	16	40	7	461
.....	3	14	64	89	40	17	13	8	24	27	2	17	4	23	18	61	5	462
1	2	15	135	93	43	32	17	2	46	40	5	25	4	28	30	76	9	463
.....	3	5	50	48	21	12	4	4	15	20	5	6	3	16	8	38	1	464
.....	5	4	50	46	18	12	4	1	12	17	2	7	.....	21	9	48	4	465
.....	6	14	56	78	43	31	23	3	19	30	7	20	6	22	17	70	5	466
2	2	20	90	100	79	41	46	13	46	39	5	40	6	50	34	102	12	467
1	1	4	42	21	18	6	3	4	15	15	.....	6	1	14	7	23	4	468
.....	.....	2	20	29	6	6	5	.....	8	17	1	3	4	4	7	22	1	469

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MAINE RURAL—Continued.													
470	Somerset county	552	10	.....	.....	7	.....	3	11	4	.....	48	5	23
471	Waldo county	361	2	.....	.....	1	.....	1	.....	4	.....	34	4	30
472	Washington county	632	12	.....	.....	2	.....	17	3	11	.....	66	18	36
473	York county	900	21	1	.....	.....	1	10	5	20	.....	52	8	62
	MASSACHUSETTS RURAL.													
474	Barnstable county	516	1	.....	1	2	.....	4	8	10	1	38	9	43
475	Berkshire county	564	4	.....	.....	5	8	5	5	10	.....	36	5	27
476	Bristol county	672	8	1	.....	4	9	11	12	11	.....	56	5	30
477	Dukes county	91	.....	.....	.....	.....	.....	.....	.....	2	.....	5	.....	2
478	Essex county	1,066	11	3	1	5	1	10	28	21	.....	93	15	75
479	Franklin county	391	3	2	1	1	.....	2	7	10	.....	38	5	44
480	Hampden county	592	8	2	.....	16	18	10	11	8	1	52	10	26
481	Hampshire county	452	5	3	.....	4	.....	4	4	8	.....	39	7	10
482	Middlesex county	1,875	12	3	.....	9	18	6	14	38	.....	271	39	111
483	Nantucket county	56	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	2
484	Norfolk county	1,295	13	1	1	1	9	9	18	23	.....	111	20	67
485	Plymouth county	1,015	10	.....	.....	.....	5	1	4	22	1	96	15	51
486	Suffolk county	71	3	.....	.....	.....	.....	1	.....	.....	.....	7	1	8
487	Worcester county	2,157	16	3	.....	17	10	18	31	38	1	186	16	68
	MICHIGAN RURAL.													
488	Alcona county	56	2	.....	.....	.....	.....	1	2	1	.....	6	1	2
489	Alger county	81	.....	.....	.....	1	.....	11	1	.....	.....	8	1	1
490	Allegan county	462	7	3	.....	5	1	6	4	4	.....	23	7	23
491	Alpena county	231	6	1	.....	.....	1	10	3	3	.....	16	1	4
492	Antrim county	184	8	.....	.....	3	.....	2	.....	4	.....	10	1	5
493	Arenac county	89	1	.....	.....	.....	1	3	1	.....	.....	5	1	4
494	Baraga county	54	1	.....	.....	.....	.....	1	1	.....	.....	5	1	1
495	Barry county	260	3	1	.....	.....	1	3	2	4	1	16	3	15
496	Bay county	233	2	1	.....	6	.....	2	10	1	.....	14	3	13
497	Benzie county	142	5	.....	.....	.....	2	2	3	1	.....	15	2	3
498	Berrien county	601	11	3	.....	6	1	1	10	13	.....	30	10	35
499	Branch county	367	2	3	1	2	.....	2	10	10	.....	21	5	22
500	Calhoun county	391	1	1	.....	.....	1	2	7	13	.....	15	3	16
501	Cass county	271	5	.....	.....	.....	3	1	5	4	.....	15	3	16
502	Charlevoix county	205	6	.....	.....	1	.....	2	3	.....	1	18	3	6
503	Cheboygan county	196	1	.....	.....	.....	.....	2	8	1	.....	13	2	7
504	Chippewa county	122	7	.....	.....	.....	3	.....	1	.....	.....	9	1	3
505	Clare county	100	1	.....	.....	.....	.....	.....	1	1	.....	9	1	3
506	Clinton county	310	4	1	2	.....	.....	3	2	11	.....	18	1	21
507	Crawford county	52	2	.....	.....	2	.....	.....	.....	.....	.....	1	1	1
508	Delta county	139	4	.....	1	.....	1	2	4	2	.....	12	.....	1
509	Dickinson county	129	3	.....	.....	.....	2	.....	1	.....	.....	6	3	2
510	Eaton county	409	9	1	.....	1	.....	2	2	15	.....	25	4	27
511	Emmet county	253	7	1	.....	5	.....	8	1	4	.....	16	3	12
512	Genesee county	405	5	2	.....	3	.....	4	7	3	.....	25	3	24
513	Gladwin county	58	1	.....	.....	.....	.....	.....	1	.....	.....	3	1	2
514	Gogebic county	118	.....	.....	.....	1	1	1	5	1	.....	12	1	.....
515	Grand Traverse county	112	3	.....	.....	1	1	1	2	1	.....	9	2	3
516	Gratiot county	347	8	.....	.....	1	1	3	1	8	.....	36	3	19
517	Hillsdale county	397	6	3	1	3	1	1	2	8	.....	25	6	19
518	Houghton county	849	12	.....	1	4	15	22	20	6	.....	71	21	32
519	Huron county	364	2	1	2	1	10	7	11	5	.....	25	4	12
520	Ingham county	289	10	2	.....	.....	1	2	1	4	.....	20	3	20
521	Ionia county	415	11	2	.....	1	1	3	2	5	1	21	8	28
522	Iosco county	122	3	2	1	.....	2	3	1	2	.....	12	1	6
523	Iron county	98	2	.....	.....	1	.....	.....	.....	1	.....	1	1	3
524	Isabella county	237	7	1	.....	.....	1	1	4	2	1	12	5	12
525	Jackson county	286	4	1	.....	.....	.....	2	1	6	.....	10	3	16
526	Kalamazoo county	273	4	2	.....	1	.....	.....	.....	1	.....	15	3	12
527	Kalkaska county	115	2	.....	.....	.....	.....	.....	3	1	1	6	3	5
528	Kent county	611	11	.....	.....	2	4	5	3	11	.....	44	6	46
529	Keweenaw county	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2
530	Lake county	51	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	4
531	Lapeer county	353	7	.....	.....	.....	4	4	1	4	.....	11	7	16
532	Leelanau county	130	1	.....	.....	2	.....	1	1	2	.....	11	.....	6
533	Lenawee county	660	8	.....	.....	1	1	4	4	20	.....	37	13	39
534	Livingston county	269	4	.....	.....	1	2	1	1	4	.....	17	2	16
535	Luce county	99	3	.....	.....	3	.....	1	.....	1	.....	6	.....	2
536	Mackinac county	69	1	.....	1	.....	.....	.....	.....	2	.....	10	2	3
537	Macomb county	418	1	.....	1	.....	10	6	11	5	.....	18	2	34
538	Manistee county	325	9	.....	.....	.....	3	3	5	3	.....	21	3	25
539	Marquette county	228	5	.....	1	1	4	9	8	2	.....	16	2	11
540	Mason county	180	3	1	.....	.....	1	3	.....	.....	.....	14	1	8
541	Mecosta county	246	3	2	.....	2	.....	1	2	3	.....	19	3	15
542	Menominee county	159	2	.....	.....	2	3	5	5	2	.....	16	.....	4
543	Midland county	154	2	.....	.....	2	2	1	2	1	.....	5	.....	3
544	Missaukee county	133	2	.....	.....	.....	2	4	1	3	.....	7	2	4
545	Monroe county	406	6	4	.....	1	3	2	13	5	.....	29	5	23
546	Montcalm county	408	8	1	.....	9	1	3	10	9	.....	17	2	21
547	Montmorency county	29	1	1	.....	.....	.....	.....	.....	1	.....	4	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1903—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	9	2	75	64	56	10	16	12	35	26	4	12	2	25	15	68	10	470
.....	4	4	50	58	25	10	2	8	15	27	1	8	3	14	10	52	4	471
.....	4	14	74	72	50	36	18	6	27	30	8	27	3	19	19	55	5	472
2	8	16	132	109	72	39	25	15	46	62	4	34	5	36	36	77	2	473
.....	5	6	75	74	14	30	16	9	25	34	1	10	.....	18	26	58	.....	474
.....	5	9	67	76	53	32	18	9	29	33	3	17	8	26	6	66	2	475
1	13	7	71	89	48	26	36	12	31	44	1	27	4	30	25	60	.....	476
.....	1	3	16	20	3	5	1	1	3	4	.....	.....	.....	3	4	17	1	477
2	16	13	135	149	64	44	23	10	37	53	7	39	10	55	23	123	.....	478
1	4	16	64	83	48	36	8	3	29	28	1	25	2	31	25	72	2	479
1	8	21	56	50	38	34	22	7	24	33	3	28	5	33	8	59	.....	480
3	7	10	62	57	28	27	15	2	23	27	5	24	2	19	13	44	.....	481
1	17	42	193	285	117	75	42	53	73	73	7	63	11	80	44	174	4	482
.....	.....	2	10	14	2	.....	1	.....	4	1	1	1	1	2	2	8	.....	483
4	9	14	181	217	95	68	35	23	37	50	8	51	7	52	34	136	1	484
2	7	11	128	191	66	42	26	9	60	47	3	25	6	49	28	105	5	485
.....	1	.....	8	12	1	4	2	.....	2	6	.....	3	.....	2	3	7	.....	486
3	17	49	239	284	179	76	99	20	86	95	16	100	23	116	63	263	5	487
.....	1	1	4	2	6	3	1	.....	2	3	2	3	.....	4	1	5	3	488
.....	.....	1	7	2	4	7	9	.....	1	2	1	5	.....	8	1	6	4	489
.....	6	3	61	60	17	29	10	9	43	21	4	10	5	31	9	58	3	490
.....	2	.....	22	17	19	23	14	1	15	11	3	12	2	18	8	15	4	491
.....	1	5	12	17	9	6	19	4	13	4	4	6	1	17	4	27	2	492
.....	.....	.....	9	10	6	3	7	1	4	6	3	3	.....	5	3	9	4	493
.....	1	1	2	3	3	2	6	1	1	1	3	3	1	4	1	9	2	494
.....	7	4	35	46	14	12	6	4	20	9	4	4	1	14	3	27	1	495
.....	2	2	18	25	15	11	20	2	7	8	8	5	.....	18	11	24	5	496
.....	1	.....	9	18	7	5	9	2	12	5	2	7	4	9	4	15	.....	497
1	6	6	80	75	33	36	34	7	47	25	2	20	7	43	11	45	3	498
.....	2	4	34	74	12	16	11	7	24	12	2	5	1	20	8	56	1	499
.....	7	6	52	63	22	20	10	8	21	24	4	9	6	35	5	38	2	500
2	2	1	41	42	8	8	10	8	19	17	3	3	1	25	3	25	1	501
2	3	.....	16	20	13	20	15	9	6	8	2	3	1	21	4	21	1	502
.....	.....	5	13	26	9	12	17	7	9	9	3	10	1	10	5	21	5	503
.....	.....	1	10	9	8	8	12	.....	5	3	3	3	1	11	5	13	6	504
.....	.....	2	12	9	4	2	6	3	6	2	3	3	.....	6	5	17	4	505
.....	4	3	43	51	24	18	9	3	22	7	9	10	2	6	8	27	1	506
.....	.....	.....	3	4	4	1	3	1	3	1	.....	3	1	9	1	11	.....	507
.....	.....	2	7	5	10	7	14	1	9	2	1	11	2	7	7	17	10	508
.....	2	.....	6	8	5	6	28	1	3	4	6	10	1	20	2	7	3	509
3	8	3	54	64	18	16	11	6	27	25	1	10	3	21	7	44	2	510
.....	2	4	20	23	25	15	12	4	7	10	5	12	1	23	8	21	4	511
.....	3	2	39	70	42	14	6	1	28	27	5	3	6	24	11	46	2	512
.....	.....	.....	5	6	4	1	6	.....	7	.....	2	.....	.....	5	2	11	1	513
.....	.....	1	6	1	2	6	13	1	8	1	4	11	1	27	7	5	2	514
.....	.....	1	12	10	9	3	7	.....	5	8	4	7	2	8	2	10	1	515
1	3	8	43	40	24	15	7	4	27	15	10	10	1	15	7	37	.....	516
1	6	2	53	81	25	15	7	4	24	21	5	6	7	16	7	42	.....	517
.....	4	22	53	55	62	74	67	8	43	37	8	42	1	88	19	46	16	518
2	1	5	32	31	20	33	29	4	21	14	7	10	6	21	7	36	15	519
2	4	2	36	40	19	17	4	4	22	14	2	5	.....	15	5	35	.....	520
1	4	3	65	68	18	20	13	5	37	21	7	10	.....	12	11	34	3	521
1	.....	1	10	6	8	6	7	2	13	5	1	4	4	8	5	8	.....	522
.....	.....	.....	5	8	5	12	9	2	4	2	2	8	1	22	1	4	4	523
.....	1	3	26	22	12	15	9	2	20	15	5	8	4	11	5	30	3	524
.....	3	4	44	56	14	12	6	5	13	20	1	4	2	22	5	31	1	525
.....	1	5	39	49	19	20	6	1	25	12	2	5	4	12	1	30	4	526
.....	.....	.....	9	12	5	9	12	4	3	6	1	4	.....	13	5	9	2	527
4	2	6	82	110	18	38	16	5	38	26	5	8	.....	37	13	70	1	528
.....	.....	1	5	3	2	7	9	1	3	.....	.....	2	.....	4	.....	5	.....	529
.....	.....	1	8	5	1	2	1	1	5	.....	4	6	.....	3	3	3	1	530
1	5	2	53	54	19	8	7	3	38	14	7	11	2	16	13	43	3	531
.....	2	.....	15	10	11	4	10	.....	13	5	.....	3	.....	4	6	16	7	532
2	5	2	92	101	29	27	22	15	32	21	7	22	7	44	11	74	.....	533
1	2	3	32	65	16	11	2	2	11	14	4	.....	1	11	6	37	3	534
1	.....	2	26	4	3	3	5	2	7	.....	2	8	.....	8	5	7	.....	535
.....	1	.....	5	7	7	2	5	.....	6	1	2	2	.....	2	1	6	3	536
1	5	6	64	45	30	16	22	6	33	17	5	16	4	20	4	43	3	537
.....	4	4	39	31	16	10	22	4	26	13	2	12	4	23	5	29	9	538
.....	3	1	15	9	8	19	17	.....	12	9	1	18	3	33	3	13	5	539
.....	.....	1	29	21	13	8	14	4	12	12	3	4	1	8	2	13	4	540
.....	1	3	29	23	24	8	9	4	22	18	3	13	1	10	5	22	1	541
.....	.....	3	17	13	11	4	14	6	6	2	6	7	.....	15	2	9	5	542
1	2	3	17	14	6	11	9	3	20	6	5	6	.....	15	2	15	1	543
.....	2	1	11	8	10	12	10	4	9	5	3	4	.....	6	4	18	1	544
.....	7	6	45	56	24	21	21	7	24	14	3	11	3	28	6	39	.....	545
1	2	2	50	53	24	16	13	4	34	13	6	19	3	32	9	44	2	546
.....	.....	1	4	2	2	2	2	1	.....	.....	.....	2	.....	.....	.....	5	1	547

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MICHIGAN RURAL—Continued.													
548	Muskegon county	185	1	.....	.....	6	2	3	2	1	.....	11	2	11
549	Newaygo county	232	4	2	.....	1	.....	2	1	4	.....	9	2	12
550	Oakland county	445	5	1	.....	.....	3	5	9	17	.....	26	6	33
551	Oceana county	226	3	.....	.....	2	.....	3	2	10	.....	13	1	6
552	Ogemaw county	83	.....	.....	.....	2	1	.....	2	2	.....	7	.....	.....
553	Ontonagon county	89	.....	.....	.....	.....	1	.....	2	1	.....	7	1	4
554	Osceola county	224	5	1	.....	.....	.....	2	2	2	1	17	2	9
555	Oscoda county	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
556	Otsego county	105	6	.....	.....	3	.....	5	6	1	.....	5	.....	.....
557	Ottawa county	483	10	2	1	7	4	4	3	11	.....	29	9	27
558	Presque Isle county	113	8	.....	.....	.....	2	2	1	.....	1	3	1	.....
559	Roscommon county	25	1	1	.....	.....	.....	.....	2	.....	.....	3	.....	1
560	Saginaw county	396	2	.....	.....	.....	.....	3	3	8	.....	28	10	20
561	St. Clair county	415	7	.....	.....	.....	9	2	5	6	.....	25	5	20
562	St. Joseph county	322	3	1	.....	2	.....	2	3	6	.....	18	3	19
563	Sanilac county	419	7	.....	1	.....	9	10	6	7	.....	27	5	13
564	Schoolcraft county	99	1	.....	.....	.....	3	6	.....	.....	.....	5	1	5
565	Shiawassee county	383	8	.....	.....	1	1	2	3	8	.....	20	2	21
566	Tuscola county	424	3	.....	.....	2	1	11	1	7	.....	24	5	26
567	Van Buren county	469	13	1	.....	1	5	7	2	9	.....	24	4	44
568	Washtenaw county	472	6	.....	.....	4	5	3	4	14	.....	32	7	33
569	Wayne county	1,168	31	2	3	2	9	6	47	12	.....	76	15	38
570	Wexford county	238	7	.....	.....	3	1	2	5	1	.....	18	2	8
	NEW HAMPSHIRE RURAL.													
571	Belknap county	213	2	.....	.....	.....	.....	.....	.....	9	.....	16	1	10
572	Carroll county	278	3	.....	.....	.....	.....	.....	3	13	.....	16	4	16
573	Cheshire county	326	3	.....	.....	3	.....	.....	3	8	.....	23	4	14
574	Coos county	278	7	2	.....	2	.....	1	3	5	.....	24	3	14
575	Grafton county	678	24	.....	.....	4	.....	7	7	11	.....	44	6	41
576	Hillsboro county	529	9	.....	.....	3	.....	6	12	12	.....	44	5	33
577	Merrimack county	587	9	2	.....	3	6	.....	5	20	.....	47	3	24
578	Rockingham county	652	8	1	.....	.....	2	9	8	18	.....	51	4	27
579	Strafford county	280	2	2	.....	9	.....	1	1	9	.....	29	4	13
580	Sullivan county	312	1	.....	.....	3	.....	1	5	9	.....	21	1	22
	NEW JERSEY RURAL.													
581	Atlantic county	308	4	.....	.....	.....	1	4	3	1	.....	31	5	12
582	Bergen county	1,208	9	5	1	2	18	11	32	11	.....	105	12	35
583	Burlington county	940	20	4	5	1	21	6	12	11	1	83	12	45
584	Camden county	558	7	1	.....	2	3	6	10	2	.....	64	6	16
585	Cape May county	176	1	.....	.....	2	1	.....	2	2	.....	17	4	4
586	Cumberland county	351	1	2	.....	.....	2	2	5	5	.....	43	5	24
587	Essex county	932	12	4	.....	1	24	9	16	7	.....	107	19	47
588	Gloucester county	390	8	.....	.....	1	1	5	5	4	.....	31	4	11
589	Hudson county	1,114	11	7	1	3	5	2	34	4	.....	130	12	50
590	Hunterdon county	481	5	1	.....	.....	1	1	12	12	.....	25	7	27
591	Mercer county	269	6	.....	.....	.....	.....	9	1	3	.....	16	3	10
592	Middlesex county	639	4	5	.....	3	9	4	23	8	.....	51	4	28
593	Monmouth county	1,168	15	3	.....	1	2	7	27	13	.....	106	15	51
594	Morris county	815	10	4	.....	4	4	7	13	15	.....	62	8	22
595	Ocean county	205	1	.....	.....	.....	.....	2	2	5	.....	26	.....	11
596	Passaic county	275	5	.....	.....	1	1	2	4	2	.....	32	2	11
597	Salem county	371	9	.....	.....	.....	.....	4	8	8	.....	52	4	19
598	Somerset county	443	4	5	.....	.....	1	7	9	3	.....	38	4	20
599	Sussex county	234	2	1	.....	2	1	.....	4	6	.....	27	.....	9
600	Union county	432	5	.....	.....	1	2	2	6	6	.....	36	7	11
601	Warren county	378	4	.....	.....	1	1	2	7	6	.....	30	6	17
	NEW YORK RURAL.													
602	Albany county	502	5	.....	.....	.....	6	9	5	17	1	34	6	22
603	Allegany county	559	10	1	.....	1	.....	8	.....	21	.....	24	2	29
604	Broome county	415	3	1	.....	1	.....	2	2	13	.....	27	4	26
605	Cattaraugus county	684	10	.....	.....	.....	3	9	5	14	.....	25	7	33
606	Cayuga county	510	7	1	.....	2	.....	2	6	12	.....	40	4	17
607	Chautauqua county	746	12	1	.....	.....	4	3	8	13	.....	52	11	41
608	Chemung county	252	7	.....	.....	1	1	4	3	2	.....	14	1	12
609	Chenango county	547	4	1	.....	3	1	3	4	10	.....	30	3	34
610	Clinton county	511	6	.....	.....	5	14	1	4	19	.....	53	6	12
611	Columbia county	532	7	1	.....	3	3	1	7	13	.....	37	4	26
612	Cortland county	287	4	.....	.....	1	.....	1	4	6	.....	13	3	16
613	Delaware county	489	6	.....	.....	.....	2	3	1	10	.....	40	3	36
614	Dutchess county	1,083	18	3	.....	6	3	4	9	19	.....	129	14	49
615	Erie county	1,131	24	.....	.....	1	3	10	17	19	.....	70	8	40
616	Essex county	428	8	1	.....	1	2	3	1	6	.....	41	6	21
617	Franklin county	641	15	2	.....	1	4	2	6	14	.....	120	9	18
618	Fulton county	195	1	.....	.....	.....	2	3	2	3	.....	13	1	11
619	Genesee county	477	15	.....	.....	.....	.....	1	2	14	.....	34	.....	26
620	Greene county	545	14	1	.....	.....	.....	3	4	6	.....	40	7	26
621	Hamilton county	49	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1903—Continued.

CAUSE OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	1	.....	20	20	5	10	5	8	16	5	5	5	1	13	5	26	1	548
1	4	3	19	42	21	14	6	1	19	4	3	8	1	13	8	27	1	549
2	2	1	58	62	22	14	12	7	33	29	2	10	6	23	8	47	2	550
.....	3	3	22	24	20	15	14	4	11	13	2	10	1	7	7	28	2	551
.....	1	2	7	11	3	4	8	3	6	3	2	4	.....	5	3	6	1	552
.....	.....	1	6	6	7	7	9	.....	4	2	3	3	.....	10	5	7	3	553
.....	4	2	22	25	15	11	13	5	12	7	13	8	2	16	1	25	2	554
.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	1	555
.....	.....	2	10	12	6	6	5	.....	6	7	.....	3	.....	5	2	12	3	556
2	3	3	67	54	26	33	23	6	29	26	4	14	4	19	15	44	4	557
.....	.....	2	8	5	7	4	16	1	7	1	6	6	1	8	6	9	8	558
.....	.....	.....	2	6	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	2	4	559
.....	5	2	39	38	23	24	31	5	31	16	8	15	6	28	7	39	5	560
.....	5	10	56	41	27	15	16	5	28	12	4	16	1	32	14	46	5	561
3	2	3	47	54	20	8	6	8	20	17	4	4	1	20	5	41	2	562
4	2	8	39	33	31	26	20	7	34	11	3	20	1	16	18	53	8	563
.....	.....	2	9	4	3	5	9	2	7	2	2	6	1	14	3	6	3	564
1	4	6	46	55	29	18	9	5	28	19	5	9	2	44	12	25	.....	565
.....	6	4	61	50	33	20	12	5	34	9	7	15	1	22	7	56	2	566
.....	9	2	53	84	22	10	20	3	32	23	4	15	7	21	9	42	3	567
1	3	5	63	62	31	31	7	1	29	33	5	9	3	26	10	43	2	568
1	3	8	141	115	80	67	74	12	61	53	10	32	6	77	30	151	6	569
1	1	2	27	14	12	15	20	4	23	8	.....	9	1	18	6	25	5	570
.....	1	1	35	30	25	7	6	1	10	5	1	.....	2	13	3	34	1	571
.....	6	3	52	51	23	4	3	.....	13	9	1	6	1	11	7	29	4	572
2	2	6	47	58	15	18	9	5	12	22	4	5	5	24	5	28	1	573
.....	2	8	29	29	21	5	12	5	18	20	1	6	1	23	5	32	.....	574
1	13	9	83	85	61	19	13	11	38	47	6	7	2	39	19	78	3	575
2	2	9	70	64	41	40	13	6	28	33	1	6	4	13	16	56	1	576
.....	11	11	65	76	47	29	20	8	36	22	8	8	5	29	15	76	2	577
.....	8	9	95	114	35	28	13	3	22	37	5	10	2	33	28	79	3	578
1	1	7	27	38	17	15	15	3	19	14	2	7	1	5	13	22	3	579
1	7	8	31	47	26	23	7	3	15	25	1	1	3	17	5	28	1	580
.....	2	6	35	39	22	15	15	1	10	16	2	16	.....	12	17	39	.....	581
.....	13	30	166	134	84	53	66	17	55	57	13	58	4	90	47	80	.....	582
.....	5	28	99	101	63	52	33	15	45	62	5	49	5	34	46	75	2	583
.....	2	11	87	58	39	20	29	13	24	48	4	18	2	28	18	39	1	584
.....	1	2	22	21	4	13	6	4	15	10	2	2	1	7	14	17	2	585
.....	3	5	45	36	22	20	17	2	14	30	1	9	1	19	13	25	.....	586
1	4	18	113	97	59	62	26	6	56	59	8	37	9	43	36	52	.....	587
.....	1	10	56	37	35	21	16	7	19	31	1	7	3	25	22	29	.....	588
1	6	37	146	92	76	86	57	9	39	58	2	35	14	69	23	83	2	589
.....	8	10	88	82	31	14	9	7	19	25	3	11	7	22	12	42	.....	590
.....	2	5	36	32	21	12	5	.....	14	11	4	8	1	34	12	23	1	591
.....	4	12	80	61	41	33	35	8	40	35	3	24	8	72	12	31	1	592
1	11	15	150	148	68	61	55	20	65	70	11	37	9	76	48	83	.....	593
.....	4	21	121	77	53	48	30	8	27	79	8	45	3	61	16	62	3	594
.....	1	4	22	25	13	13	6	2	15	14	.....	9	.....	10	12	12	.....	595
.....	1	5	28	32	21	11	15	1	5	13	4	21	5	21	13	19	.....	596
.....	.....	5	63	29	22	18	8	9	10	24	.....	21	.....	13	14	30	1	597
.....	4	8	60	57	19	35	18	6	23	21	4	19	3	24	25	26	.....	598
.....	1	3	38	39	19	8	2	3	14	10	4	6	3	18	2	21	.....	599
.....	6	7	52	37	32	32	13	6	15	48	2	17	4	58	5	22	.....	600
.....	6	8	59	39	21	20	9	4	15	18	2	16	1	39	14	27	3	601
.....	5	13	50	50	30	35	21	2	28	48	1	8	3	46	13	44	.....	602
1	10	14	55	95	37	20	5	5	39	30	4	10	3	34	14	87	.....	603
3	3	3	56	51	20	16	5	5	44	25	5	11	3	13	6	67	.....	604
1	8	9	88	107	47	28	16	7	35	24	7	24	9	54	14	100	.....	605
.....	8	8	86	71	31	23	8	3	29	24	3	13	10	26	13	62	1	606
2	10	10	98	100	42	32	21	10	56	39	10	16	4	46	17	88	.....	607
.....	2	4	27	39	19	11	2	5	18	11	.....	4	.....	26	3	36	.....	608
.....	6	4	68	103	39	34	1	7	34	33	9	14	5	30	12	55	.....	609
.....	1	15	49	67	28	28	25	3	31	9	7	16	3	30	25	51	3	610
1	7	4	74	67	29	40	12	1	31	43	8	18	2	35	9	47	2	611
.....	2	1	46	60	29	12	4	3	10	19	.....	7	1	10	2	32	1	612
.....	4	4	62	63	36	21	10	7	37	33	6	13	2	27	4	59	.....	613
.....	6	13	172	127	83	46	19	18	55	62	7	20	5	68	23	105	.....	614
3	12	10	140	140	68	76	47	15	66	51	8	50	6	106	30	109	2	615
.....	7	13	56	46	15	30	5	7	21	25	1	15	3	36	11	46	1	616
3	1	11	46	38	46	27	32	8	31	17	7	34	.....	38	32	77	2	617
1	3	1	27	25	22	10	2	2	12	18	.....	2	.....	8	3	22	1	618
1	6	7	53	56	25	28	14	1	25	27	5	21	2	38	18	57	1	619
4	4	12	72	75	51	33	15	6	27	31	1	10	2	31	14	56	.....	620
.....	1	.....	6	7	5	1	.....	3	1	4	2	1	.....	5	2	4	.....	621

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	NEW YORK RURAL—Continued.													
622	Herkimer county	697	8	.....	.....	1	1	13	14	8	.....	61	4	38
623	Jefferson county	727	10	1	1	.....	.....	3	9	10	.....	55	11	38
624	Lewis county	373	7	2	.....	.....	.....	1	8	10	.....	26	3	28
625	Livingston county	582	3	.....	.....	7	.....	.....	5	16	.....	39	5	34
626	Madison county	578	5	1	.....	2	2	1	.....	4	.....	36	7	35
627	Monroe county	782	6	.....	.....	3	2	9	18	16	.....	56	11	46
628	Montgomery county	366	11	1	.....	.....	8	1	5	9	.....	26	3	19
629	Nassau county	861	5	9	.....	3	5	5	18	16	.....	77	12	41
630	Niagara county	561	14	1	.....	.....	5	5	6	4	.....	49	11	28
631	Oneida county	820	12	.....	1	.....	3	5	9	10	.....	59	14	49
632	Onondaga county	890	16	.....	.....	11	2	14	5	24	.....	69	11	42
633	Ontario county	603	10	.....	.....	3	1	3	3	10	.....	43	6	46
634	Orange county	844	12	1	.....	.....	2	5	15	23	.....	74	14	30
635	Orleans county	449	9	2	.....	.....	3	1	4	8	.....	28	4	16
636	Oswego county	1,093	26	1	.....	6	3	12	19	15	.....	73	7	50
637	Otsego county	756	10	.....	.....	2	5	3	5	10	.....	41	9	46
638	Putnam county	198	.....	.....	.....	.....	.....	.....	.....	5	.....	18	2	15
639	Rensselaer county	725	12	1	.....	2	.....	12	5	15	.....	56	6	30
640	Rockland county	553	5	2	.....	7	1	5	10	11	.....	62	6	20
641	St. Lawrence county	913	31	.....	.....	1	.....	5	13	18	.....	65	5	45
642	Saratoga county	765	17	.....	.....	2	6	6	4	15	1	92	8	24
643	Schenectady county	170	5	.....	.....	1	2	2	2	1	.....	15	1	7
644	Schoharie county	445	9	.....	.....	1	.....	3	2	11	.....	35	7	16
645	Schuyler county	194	3	.....	.....	.....	.....	1	1	3	.....	10	.....	10
646	Seneca county	528	5	.....	.....	1	.....	2	3	7	.....	52	6	42
647	Steuben county	1,006	13	.....	.....	3	1	7	17	26	.....	65	10	50
648	Suffolk county	1,494	10	6	.....	2	6	25	13	14	.....	178	7	55
649	Sullivan county	508	6	2	.....	3	1	3	9	10	.....	105	5	11
650	Tioga county	443	7	2	.....	.....	3	1	6	10	.....	21	4	26
651	Tompkins county	315	6	1	.....	.....	.....	4	3	14	.....	17	1	19
652	Ulster county	858	15	5	.....	1	10	11	10	26	.....	99	5	45
653	Warren county	268	4	.....	1	2	.....	.....	.....	5	.....	29	3	17
654	Washington county	659	5	.....	.....	.....	2	.....	1	9	.....	45	10	32
655	Wayne county	748	7	3	.....	8	7	.....	4	16	.....	53	6	41
656	Westchester county	1,461	13	6	2	4	6	13	21	20	.....	177	13	81
657	Wyoming county	411	6	.....	.....	.....	.....	.....	2	12	.....	17	4	19
658	Yates county	321	4	.....	.....	1	.....	.....	2	8	.....	27	4	14
	RHODE ISLAND RURAL.													
659	Bristol county	276	1	1	.....	2	6	6	5	10	.....	25	2	11
660	Kent county	569	10	2	1	16	6	13	17	6	1	39	8	21
661	Newport county	175	1	1	.....	1	1	2	3	1	.....	10	2	8
662	Providence county	1,462	11	9	1	14	5	29	24	36	.....	167	27	78
663	Washington county	410	6	1	.....	5	.....	4	5	8	1	26	3	32
	VERMONT RURAL.													
664	Addison county	333	8	2	.....	5	.....	.....	3	10	.....	21	7	19
665	Bennington county	189	4	.....	.....	.....	1	.....	6	4	.....	13	.....	8
666	Caledonia county	427	7	.....	.....	9	1	2	2	8	.....	33	9	26
667	Chittenden county	358	3	.....	.....	.....	.....	3	.....	12	.....	22	2	22
668	Essex county	98	2	.....	.....	.....	.....	.....	3	1	.....	6	1	3
669	Franklin county	476	12	.....	.....	5	.....	1	2	8	.....	44	6	24
670	Grand Isle county	56	4	.....	.....	.....	.....	.....	1	2	.....	8	.....	3
671	Lamoille county	153	1	.....	.....	.....	.....	.....	1	3	.....	7	1	11
672	Orange county	297	7	.....	.....	.....	.....	2	3	9	.....	21	2	20
673	Orleans county	322	5	.....	2	3	1	.....	6	7	.....	27	3	20
674	Rutland county	521	9	1	.....	1	1	2	1	4	.....	31	4	46
675	Washington county	506	4	.....	.....	2	1	3	9	8	.....	42	6	27
676	Windham county	463	1	1	.....	.....	.....	1	4	13	.....	24	5	27
677	Windsor county	537	7	.....	.....	1	.....	.....	6	22	.....	27	9	39

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1903—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	4	26	72	89	34	35	18	4	57	54	8	19	4	35	20	70	.....	622
4	9	5	85	122	24	49	14	8	46	36	6	31	4	24	10	112	.....	623
.....	2	9	42	55	14	13	8	7	28	18	4	9	1	15	6	56	1	624
2	7	2	89	85	41	25	7	7	36	34	3	18	6	32	13	66	.....	625
1	4	5	73	110	45	18	8	10	34	34	4	15	7	27	11	78	1	626
.....	6	7	97	116	40	45	23	6	43	47	7	30	5	48	12	83	.....	627
.....	7	5	52	63	16	8	4	3	21	18	2	5	6	21	10	41	1	628
1	9	17	97	92	42	48	44	7	47	66	9	38	6	69	23	55	.....	629
.....	8	14	79	75	25	29	20	3	36	13	4	25	1	30	11	63	2	630
1	9	17	89	95	64	40	12	11	47	44	6	30	6	45	38	104	.....	631
3	11	13	103	139	61	38	14	7	53	43	4	20	7	45	20	115	.....	632
.....	4	4	79	83	49	32	16	7	47	36	3	12	6	30	14	56	.....	633
.....	11	17	106	102	48	56	27	8	37	56	8	25	6	71	23	67	.....	634
.....	5	6	59	62	29	23	13	3	23	32	6	11	2	19	12	60	.....	635
2	8	10	162	186	71	44	24	11	64	68	7	28	6	68	16	106	.....	636
1	16	9	117	119	33	23	9	6	32	67	5	15	4	46	11	92	.....	637
.....	.....	5	19	24	12	11	6	2	7	12	.....	8	2	18	8	24	.....	638
1	11	12	89	114	55	36	17	5	45	58	6	15	1	40	13	59	.....	639
.....	5	9	61	64	40	30	16	1	30	45	3	30	3	41	12	33	1	640
1	9	9	110	115	67	36	39	14	53	36	11	32	6	50	19	123	.....	641
2	4	12	87	85	37	48	18	9	32	71	8	13	.....	52	19	91	2	642
3	1	3	15	21	10	11	8	3	10	10	1	7	.....	9	1	20	1	643
2	4	8	71	61	21	22	9	6	21	34	5	10	2	22	15	48	.....	644
1	3	1	32	36	6	8	2	2	18	8	1	3	1	15	4	24	1	645
.....	4	2	77	75	44	27	10	5	34	41	2	9	4	18	5	52	1	646
.....	10	18	120	188	63	47	13	15	53	59	7	28	8	46	27	112	.....	647
1	12	22	269	196	80	70	21	28	78	107	7	49	9	80	38	109	2	648
2	2	5	54	65	35	24	9	9	29	23	3	15	3	26	15	33	1	649
.....	4	3	66	66	17	29	11	6	19	25	2	20	2	27	14	52	.....	650
.....	2	1	48	50	10	17	3	5	14	16	3	8	2	14	10	47	.....	651
1	4	16	121	96	53	40	20	15	51	53	6	18	10	42	29	55	1	652
2	2	1	26	35	18	7	4	3	16	24	4	2	1	28	3	31	.....	653
.....	7	8	85	96	52	31	14	11	36	64	6	17	3	41	15	68	1	654
.....	5	11	116	100	25	44	10	11	47	38	4	22	20	53	11	85	1	655
1	12	26	109	146	81	80	66	18	60	118	6	52	10	112	38	108	2	656
.....	3	3	60	77	26	23	5	3	38	13	2	16	6	23	2	51	.....	657
.....	6	4	46	46	18	14	2	5	17	24	.....	12	3	22	6	36	.....	658
.....	1	3	25	29	16	8	27	8	15	24	1	5	1	19	4	21	.....	659
.....	4	8	55	46	40	28	46	9	27	36	6	28	2	32	9	53	.....	660
.....	1	4	18	20	14	9	13	3	6	10	1	11	2	12	2	18	1	661
.....	11	12	160	146	104	78	86	34	53	120	6	25	10	69	14	131	2	662
.....	7	2	34	60	27	19	16	8	29	29	3	11	2	26	5	40	1	663
1	2	4	53	42	24	16	5	2	18	13	3	13	4	18	3	34	3	664
.....	5	6	30	20	11	8	3	1	5	10	5	9	1	14	7	18	.....	665
.....	2	7	61	47	34	23	11	8	28	17	5	9	.....	23	7	42	6	666
.....	1	2	35	38	36	24	21	6	19	20	6	21	1	17	7	40	.....	667
.....	1	3	14	14	8	1	2	1	7	9	.....	3	1	6	5	7	.....	668
.....	4	8	66	49	27	26	19	4	24	27	5	21	3	21	9	54	7	669
.....	1	1	5	10	5	1	1	.....	4	2	.....	1	.....	5	.....	2	.....	670
.....	1	.....	21	32	16	8	5	1	8	7	2	4	.....	7	3	13	1	671
1	3	2	32	50	8	15	5	4	17	17	5	9	5	15	7	35	3	672
1	3	6	35	27	13	24	15	3	21	15	3	12	4	17	8	35	6	673
.....	1	11	59	68	44	24	20	2	36	18	4	21	2	42	9	54	6	674
2	6	5	67	64	36	24	16	5	28	37	4	17	7	27	9	46	4	675
.....	7	3	79	72	36	24	11	8	22	24	4	12	4	21	9	47	4	676
1	3	11	78	86	31	24	7	6	36	33	1	15	2	27	7	54	4	677

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	THE REGISTRATION AREA.											
1	Total	524,415	96,857	21,956	10,079	6,429	4,619	139,940	14,047	8,733	14,541	22,227
2	Males	281,041	54,021	11,486	5,220	3,343	2,320	76,390	7,266	4,596	7,257	11,438
3	Females	243,374	42,836	10,470	4,859	3,086	2,299	63,550	6,781	4,137	7,284	10,789
4	White	488,237	89,524	20,118	9,228	5,975	4,302	129,147	13,150	7,979	12,909	19,628
5	Males	262,033	50,054	10,530	4,801	3,114	2,165	70,664	6,849	4,269	6,525	10,108
6	Females	226,204	39,470	9,588	4,427	2,861	2,137	58,483	6,301	3,710	6,386	9,520
7	Native	343,354	88,129	19,488	8,847	5,654	4,070	126,188	12,444	7,328	10,704	14,599
8	Males	182,055	49,307	10,212	4,618	2,951	2,052	69,140	6,478	3,926	5,295	7,178
9	Females	161,299	38,822	9,276	4,229	2,703	2,018	57,048	5,966	3,402	5,409	7,421
10	Both parents native	M.. 81,553	20,455	3,861	1,839	1,127	880	28,162	2,743	1,800	2,469	3,083
		F.. 76,447	15,968	3,458	1,641	1,071	808	22,946	2,592	1,587	2,604	3,360
11	One or both parents foreign	M.. 61,640	21,891	4,987	2,145	1,407	903	31,333	2,757	1,454	1,904	2,640
		F.. 52,902	17,299	4,627	2,006	1,247	941	26,120	2,557	1,285	1,924	2,663
12	Parentage unknown	M.. 25,666	3,225	416	207	127	91	4,066	331	297	455	862
		F.. 21,245	2,740	368	187	123	110	3,528	272	196	429	806
13	Parentage not stated	M.. 13,196	3,736	948	427	290	178	5,579	647	375	467	593
		F.. 10,705	2,815	823	395	262	159	4,454	545	334	452	592
14	Foreign	135,294	606	522	315	276	215	1,934	618	577	2,048	4,645
15	Males	73,357	322	264	154	133	105	978	316	296	1,132	2,664
16	Females	61,847	284	258	161	143	110	956	302	281	916	1,981
17	Unknown	9,679	789	198	66	45	17	1,025	88	74	157	384
18	Males	6,621	425	54	29	30	8	546	55	47	96	266
19	Females	3,058	364	54	37	15	9	479	33	27	61	118
20	Colored	36,178	7,333	1,838	851	454	317	10,793	897	754	1,632	2,599
21	Males	19,008	3,967	956	419	229	155	5,726	417	327	734	1,330
22	Females	17,170	3,366	882	432	225	162	5,067	480	427	898	1,269
23	Black	M.. 17,964	3,915	951	413	225	152	5,656	412	316	717	1,284
		F.. 16,952	3,332	868	430	220	155	5,005	461	420	891	1,248
24	Indian	M.. 136	27	3	5	3	1	39	1	8	4	7
		F.. 119	14	6	.....	3	6	29	12	6	6	11
25	Chinese and Japanese	M.. 908	25	2	1	1	2	31	4	3	13	59
		F.. 99	20	8	2	2	1	33	7	1	1	10
	REGISTRATION CITIES.											
26	Total	397,736	77,643	18,319	8,329	5,298	3,813	113,402	11,325	6,645	11,253	17,824
27	Males	214,455	43,235	9,570	4,298	2,750	1,929	61,782	5,861	3,500	5,634	9,272
28	Females	183,281	34,408	8,749	4,031	2,548	1,884	51,620	5,464	3,145	5,619	8,552
29	White	363,835	70,763	16,594	7,536	4,874	3,516	103,283	10,495	5,950	9,719	15,351
30	Males	196,707	39,527	8,680	3,911	2,531	1,778	56,427	5,470	3,206	4,944	8,020
31	Females	167,128	31,236	7,914	3,625	2,343	1,738	46,856	5,025	2,744	4,775	7,331
32	Native	243,520	69,517	16,045	7,202	4,602	3,314	100,680	9,902	5,393	7,835	10,967
33	Males	130,501	38,869	8,399	3,750	2,395	1,679	55,092	5,172	2,913	3,906	5,477
34	Females	113,019	30,648	7,646	3,452	2,207	1,635	45,588	4,730	2,480	3,929	5,490
35	Both parents native	M.. 49,166	13,739	2,705	1,285	770	639	19,138	1,908	1,106	1,543	2,010
		F.. 45,380	10,830	2,410	1,146	763	584	15,733	1,795	966	1,612	2,084
36	One or both parents foreign	M.. 51,372	18,508	4,389	1,857	1,225	782	26,761	2,344	1,189	1,535	2,165
		F.. 43,521	14,562	4,095	1,750	1,076	794	22,277	2,152	1,023	1,528	2,184
37	Parentage unknown	M.. 16,767	2,886	357	181	110	80	3,614	273	243	361	709
		F.. 13,413	2,441	318	161	106	98	3,124	238	157	337	630
38	Parentage not stated	M.. 13,196	3,736	948	427	290	178	5,579	647	375	467	593
		F.. 10,705	2,815	823	395	262	159	4,454	545	334	452	592
39	Foreign	113,015	504	449	273	237	191	1,654	526	494	1,757	4,059
40	Males	61,173	263	231	136	113	94	837	258	253	962	2,320
41	Females	51,842	241	218	137	124	97	817	268	241	795	1,739
42	Unknown	7,300	742	100	61	35	11	949	67	63	127	325
43	Males	5,033	395	50	25	23	5	498	40	40	76	223
44	Females	2,267	347	50	36	12	6	451	27	23	51	102
45	Colored	33,901	6,880	1,725	793	424	297	10,119	830	695	1,534	2,473
46	Males	17,748	3,708	890	387	219	151	5,355	391	294	690	1,252
47	Females	16,153	3,172	835	406	205	146	4,764	439	401	844	1,221
48	Black	M.. 16,825	3,681	888	386	216	148	5,319	388	290	676	1,191
		F.. 16,034	3,152	827	405	203	145	4,732	430	399	842	1,208
49	Indian	M.. 31	3	.....	.....	2	1	6	.....	1	1	4
		F.. 25	.....	.....	.....	1	.....	1	3	1	1	4
50	Chinese and Japanese	M.. 892	24	2	1	1	2	30	3	3	13	57
		F.. 94	20	8	1	1	1	31	6	1	1	9

SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1903.

AGE—continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,639	24,053	25,314	24,672	23,686	25,534	26,030	29,042	30,335	29,736	26,298	19,222	9,735	3,447	1,124	2,060	1
13,008	13,166	14,246	14,301	13,829	14,442	14,407	15,611	15,907	15,261	13,256	9,211	4,352	1,398	397	1,302	2
11,631	10,887	11,068	10,371	9,857	11,092	11,623	13,431	14,428	14,475	13,042	10,011	5,383	2,049	727	758	3
22,024	21,854	23,119	22,604	21,853	23,637	24,546	27,612	29,186	28,850	25,759	18,788	9,472	3,286	962	1,872	4
11,645	11,939	13,043	13,133	12,814	13,388	13,567	14,824	15,296	14,822	12,980	9,032	4,257	1,345	355	1,190	5
10,379	9,915	10,076	9,471	9,039	10,249	10,979	12,788	13,900	14,028	12,779	9,756	5,215	1,941	607	682	6
15,599	14,705	13,992	13,182	12,584	12,109	12,074	13,228	14,472	14,792	14,358	11,234	6,174	2,134	556	898	7
7,949	7,837	7,564	7,220	7,008	6,560	6,510	7,094	7,712	7,716	7,276	5,346	2,702	848	194	502	8
7,650	6,868	6,428	5,962	5,576	5,549	5,564	6,134	6,760	7,076	7,082	5,888	3,472	1,286	362	396	9
2,917	2,613	2,479	2,517	2,730	3,095	3,550	3,994	4,641	4,716	4,424	3,215	1,595	477	104	229	10
3,163	2,680	2,544	2,337	2,496	2,856	3,233	3,684	4,225	4,539	4,475	3,737	2,223	763	209	199	
3,371	3,478	3,229	2,874	2,454	1,626	1,110	962	737	585	459	328	164	49	15	111	11
3,044	2,803	2,531	2,298	1,819	1,346	1,029	901	734	556	513	374	228	77	20	80	
977	1,053	1,199	1,266	1,282	1,413	1,454	1,785	1,985	2,092	2,112	1,653	873	302	73	136	12
854	848	872	898	876	1,029	1,074	1,277	1,520	1,738	1,870	1,590	928	411	127	102	
684	693	657	563	542	426	396	353	349	323	281	150	70	20	2	26	13
589	537	481	434	385	318	228	272	281	243	224	187	93	35	6	15	
5,904	6,602	8,353	8,686	8,552	10,846	11,933	13,761	14,118	13,512	10,972	7,191	3,092	1,096	387	377	14
3,302	3,707	4,852	5,333	5,236	6,311	6,672	7,296	7,183	6,793	5,461	3,514	1,460	472	156	223	15
2,602	2,895	3,501	3,353	3,316	4,535	5,261	6,465	6,935	6,719	5,511	3,677	1,632	624	231	154	16
521	547	774	736	717	682	539	623	596	546	429	363	206	56	19	597	17
394	395	627	580	570	517	385	434	391	313	243	172	95	25	5	465	18
127	152	147	156	147	165	154	189	205	233	186	191	111	31	14	132	19
2,615	2,199	2,195	2,068	1,833	1,897	1,484	1,430	1,149	886	539	434	263	161	162	188	20
1,363	1,227	1,203	1,168	1,015	1,054	840	787	621	439	276	179	95	53	42	112	21
1,252	972	992	900	818	843	644	643	528	447	263	255	168	108	120	76	22
1,276	1,150	1,107	1,033	903	902	756	732	589	422	270	174	93	51	40	101	23
1,232	963	983	895	812	833	638	638	522	437	260	252	163	106	118	75	
10	4	4	6	2	8	8	7	7	11	1	4	1	2	2	.....	24
7	4	2	3	1	4	2	4	4	8	3	3	5	2	2	1	
77	73	92	129	110	144	76	48	25	6	5	1	1	.....	.....	11	25
13	5	7	2	5	6	4	1	2	2	.....	.....	.....	.....	.....	.....	
20,312	20,158	21,203	20,401	19,237	20,355	19,714	21,335	20,847	19,196	15,463	10,536	5,025	1,764	614	1,127	26
10,861	11,273	12,236	12,046	11,431	11,695	11,135	11,516	10,845	9,607	7,461	4,703	2,089	643	181	684	27
9,451	8,885	8,967	8,355	7,806	8,660	8,579	9,819	10,002	9,589	8,002	5,833	2,936	1,121	433	443	28
17,826	18,062	19,090	18,429	17,481	18,557	18,334	20,008	19,805	18,417	14,985	10,166	4,807	1,626	473	971	29
9,575	10,100	11,083	10,934	10,464	10,696	10,350	10,790	10,287	9,233	7,226	4,552	2,010	598	147	595	30
8,251	7,962	8,007	7,495	7,017	7,861	7,984	9,218	9,518	9,184	7,759	5,614	2,797	1,028	326	376	31
12,198	11,691	10,972	10,087	9,317	8,409	7,608	7,804	7,868	7,371	6,479	4,827	2,566	872	210	464	32
6,360	6,420	6,201	5,673	5,311	4,671	4,269	4,268	4,192	3,757	3,103	2,079	1,009	309	55	264	33
5,838	5,271	4,771	4,414	4,006	3,738	3,339	3,536	3,676	3,614	3,376	2,748	1,557	563	155	200	34
1,985	1,822	1,740	1,685	1,764	1,953	2,084	2,189	2,341	2,129	1,750	1,169	565	161	30	94	35
2,051	1,767	1,548	1,448	1,546	1,669	1,727	1,909	2,133	2,193	2,022	1,693	973	331	97	83	
2,884	3,028	2,798	2,414	2,039	1,309	828	682	472	356	234	161	72	21	4	76	36
2,523	2,291	2,072	1,887	1,467	1,072	763	652	494	357	321	218	134	42	11	53	
807	877	1,006	1,011	966	983	961	1,044	1,030	949	838	599	302	107	19	68	37
675	676	670	645	608	679	621	703	768	821	809	650	357	155	41	49	
684	693	657	563	542	426	396	353	349	323	281	150	70	20	2	26	38
589	537	481	434	385	318	228	272	281	243	224	187	93	35	6	15	
5,179	5,889	7,448	7,726	7,548	9,595	10,292	11,728	11,543	10,720	8,295	5,193	2,159	735	255	220	39
2,878	3,331	4,342	4,777	4,664	5,601	5,764	6,191	5,834	5,290	4,009	2,404	962	284	91	121	40
2,301	2,558	3,106	2,949	2,884	3,994	4,528	5,537	5,709	5,430	4,286	2,789	1,197	451	164	99	41
449	482	670	616	616	553	434	476	394	326	211	146	82	19	8	287	42
337	349	540	484	489	424	317	331	261	186	114	69	39	5	1	210	43
112	133	130	132	127	129	117	145	133	140	97	77	43	14	7	77	44
2,486	2,096	2,113	1,972	1,756	1,798	1,380	1,327	1,042	779	478	370	218	138	141	156	45
1,286	1,173	1,153	1,112	967	999	785	726	558	374	235	151	79	45	34	89	46
1,200	923	960	860	789	799	595	601	484	405	243	219	139	93	107	67	47
1,205	1,101	1,065	982	858	855	710	675	531	365	230	148	78	45	34	79	48
1,184	918	952	857	784	793	591	597	480	403	242	219	137	93	106	67	
4	1	.....	1	.....	1	1	3	2	3	.....	3	.....	.....	.....	.....	49
3	.....	1	1	.....	1	.....	3	2	.....	1	.....	2	.....	1	.....	
77	71	88	129	109	143	74	48	25	6	5	.....	1	.....	.....	10	50
13	5	7	2	5	5	4	1	2	2	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION STATES.											
51	Total	327,295	60,751	13,422	6,115	3,936	2,747	86,971	8,422	5,060	8,265	12,046
52	Males	172,623	33,918	7,051	3,152	2,072	1,348	47,541	4,300	2,644	4,106	6,103
53	Females	154,672	26,833	6,371	2,963	1,864	1,399	39,430	4,122	2,416	4,159	5,943
54	White	316,650	58,356	12,802	5,848	3,790	2,654	83,450	8,158	4,843	7,840	11,415
55	Males	167,134	32,622	6,716	3,026	1,996	1,307	45,667	4,197	2,543	3,928	5,786
56	Females	149,516	25,734	6,086	2,822	1,794	1,347	37,783	3,961	2,300	3,912	5,629
57	Native	226,836	57,393	12,375	5,575	3,553	2,490	81,386	7,660	4,398	6,406	8,440
58	Males	119,149	32,105	6,495	2,890	1,876	1,227	44,593	3,933	2,314	3,158	4,144
59	Females	107,687	25,288	5,880	2,685	1,677	1,263	36,793	3,727	2,084	3,248	4,296
60	Both parents native {M	58,163	13,919	2,523	1,209	755	533	18,939	1,770	1,217	1,642	1,932
	{F	55,349	10,835	2,191	1,110	695	514	15,345	1,739	1,094	1,741	2,163
61	One or both parents foreign {M	44,804	16,831	3,817	1,609	1,064	666	23,987	2,015	968	1,308	1,825
	{F	38,594	13,321	3,530	1,510	939	708	20,008	1,883	898	1,314	1,761
62	Parentage unknown {M	16,182	1,355	155	72	57	28	1,667	148	129	208	367
	{F	13,744	1,132	159	65	43	41	1,440	105	92	193	372
63	Foreign	84,851	419	369	232	204	153	1,377	464	417	1,371	2,846
64	Males	44,692	219	193	116	98	75	701	241	209	732	1,547
65	Females	40,159	200	176	116	106	78	676	223	208	639	1,299
66	Unknown	4,963	544	58	41	33	11	687	34	28	63	129
67	Males	3,293	298	28	20	22	5	373	23	20	38	95
68	Females	1,670	246	30	21	11	6	314	11	8	25	34
69	Colored	10,645	2,395	620	267	146	93	3,521	264	217	425	631
70	Males	5,489	1,296	335	126	76	41	1,874	103	101	178	317
71	Females	5,156	1,099	285	141	70	52	1,647	161	116	247	314
72	Black {M	5,231	1,268	332	121	73	40	1,834	101	93	174	300
	{F	5,042	1,082	279	140	67	46	1,614	150	111	241	304
73	Indian {M	117	24	3	5	3	.....	35	1	8	3	4
	{F	103	14	6	.....	2	6	28	10	5	6	8
74	Chinese and Japanese {M	141	4	.....	.....	.....	1	5	1	.....	1	13
	{F	11	3	.....	1	1	.....	5	1	.....	.....	2
	CITIES IN REGISTRATION STATES.											
75	Total	200,616	41,537	9,785	4,365	2,805	1,941	60,433	5,700	2,972	4,977	7,643
76	Males	106,037	23,132	5,135	2,230	1,479	957	32,933	2,895	1,548	2,483	3,937
77	Females	94,579	18,405	4,650	2,135	1,326	984	27,500	2,805	1,424	2,494	3,706
78	White	192,248	39,595	9,278	4,156	2,689	1,868	57,586	5,503	2,814	4,650	7,138
79	Males	101,808	22,695	4,866	2,136	1,413	920	31,430	2,818	1,480	2,349	3,698
80	Females	90,440	17,500	4,412	2,020	1,276	948	26,156	2,685	1,334	2,301	3,440
81	Native	127,002	38,781	8,932	3,930	2,501	1,734	55,878	5,118	2,463	3,537	4,808
82	Males	67,595	21,667	4,682	2,022	1,320	854	30,545	2,627	1,301	1,769	2,443
83	Females	59,407	17,114	4,250	1,908	1,181	880	25,333	2,491	1,162	1,768	2,365
84	Both parents native {M	25,776	7,203	1,307	655	398	292	9,915	935	523	716	879
	{F	24,282	5,697	1,143	615	387	290	8,132	942	473	749	887
85	One or both parents foreign {M	34,536	13,448	3,219	1,321	882	545	19,415	1,602	703	939	1,350
	{F	29,213	10,584	2,998	1,254	768	561	16,165	1,478	636	918	1,282
86	Parentage unknown {M	7,283	1,016	96	46	40	17	1,215	90	75	114	214
	{F	5,912	833	109	39	26	29	1,036	71	53	101	196
87	Foreign	62,662	317	296	190	165	129	1,097	372	334	1,080	2,260
88	Males	32,508	160	160	98	78	64	560	183	166	562	1,203
89	Females	30,154	157	136	92	87	65	537	189	168	518	1,057
90	Unknown	2,584	497	50	36	23	5	611	13	17	33	70
91	Males	1,705	268	24	16	15	2	325	8	13	18	52
92	Females	879	229	26	20	8	3	286	5	4	15	18
93	Colored	8,368	1,942	507	209	116	73	2,847	197	158	327	505
94	Males	4,229	1,037	269	94	66	37	1,503	77	68	134	239
95	Females	4,139	905	238	115	50	36	1,344	120	90	193	266
96	Black {M	4,092	1,034	269	94	64	36	1,497	77	67	133	227
	{F	4,124	902	238	115	50	36	1,341	119	90	192	264
97	Indian {M	12	.....	.....	.....	2	.....	2	.....	1	.....	1
	{F	9	.....	.....	.....	.....	.....	.....	1	.....	1	1
98	Chinese and Japanese {M	125	3	.....	.....	.....	1	4	.....	.....	1	11
	{F	6	3	.....	.....	.....	.....	3	.....	.....	.....	1

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
13,640	13,541	14,292	14,073	13,785	15,245	16,648	18,859	20,338	20,536	18,932	14,287	7,459	2,691	839	1,366	51
6,953	7,168	7,734	7,895	7,786	8,338	8,896	9,880	10,565	10,524	9,571	6,927	3,375	1,111	321	885	52
6,687	6,373	6,558	6,178	5,999	6,907	7,752	8,979	9,773	10,012	9,361	7,360	4,084	1,580	518	481	53
12,950	12,952	13,761	13,534	13,303	14,749	16,192	18,428	19,946	20,221	18,717	14,128	7,345	2,629	781	1,308	54
6,598	6,848	7,455	7,620	7,525	8,074	8,647	9,648	10,354	10,358	9,448	6,861	3,336	1,092	300	849	55
6,352	6,104	6,306	5,914	5,778	6,675	7,545	8,780	9,592	9,863	9,269	7,267	4,009	1,537	481	459	56
9,055	8,648	8,234	7,863	7,792	7,818	8,342	9,457	10,881	11,471	11,580	9,279	5,183	1,828	485	630	57
4,532	4,505	4,323	4,219	4,261	4,151	4,382	4,985	5,777	5,960	5,867	4,470	2,313	738	176	348	58
4,523	4,143	3,911	3,644	3,531	3,667	3,960	4,472	5,104	5,511	5,713	4,809	2,870	1,090	309	282	59
1,790	1,621	1,567	1,641	1,879	2,168	2,637	3,047	3,718	3,892	3,777	2,799	1,415	427	98	176	60
2,019	1,749	1,695	1,587	1,716	2,094	2,470	2,912	3,372	3,734	3,805	3,190	1,912	673	181	158	
2,292	2,338	2,154	1,913	1,654	1,103	757	678	536	413	343	254	132	42	11	81	61
2,073	1,951	1,723	1,524	1,278	914	741	621	553	402	372	280	165	61	17	55	
450	546	602	665	737	880	988	1,260	1,523	1,655	1,747	1,417	766	269	67	91	62
431	443	493	533	537	659	749	939	1,179	1,375	1,536	1,339	793	356	111	69	
3,712	4,113	5,207	5,349	5,199	6,627	7,593	8,679	8,748	8,412	6,854	4,580	2,030	756	281	266	63
1,934	2,208	2,866	3,150	3,021	3,696	4,090	4,469	4,380	4,201	3,422	2,262	954	329	120	160	64
1,778	1,905	2,341	2,199	2,178	2,931	3,503	4,210	4,368	4,211	3,432	2,318	1,046	427	161	106	65
183	191	320	322	312	304	257	292	317	338	283	269	162	45	15	412	66
132	135	266	251	243	227	175	194	197	197	159	129	69	25	4	341	67
51	56	54	71	69	77	82	98	129	141	124	140	93	20	11	71	68
690	589	531	539	482	496	456	431	392	315	215	159	114	62	58	58	69
355	320	279	275	261	264	249	232	211	166	123	66	39	19	21	36	70
335	269	252	264	221	232	207	199	181	149	92	93	75	43	37	22	71
330	295	254	250	247	244	230	225	204	157	121	63	38	17	19	35	72
330	265	250	261	220	227	205	198	178	140	90	90	71	41	35	21	
8	3	4	6	2	8	7	5	6	9	1	2	1	2	2	.....	73
5	4	1	3	1	4	2	1	3	8	2	3	4	2	2	1	
17	22	21	19	12	12	12	2	1	.....	1	1	.....	.....	.....	1	74
.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
9,313	9,646	10,181	9,802	9,336	10,066	10,332	11,152	10,850	9,996	8,097	5,601	2,749	1,008	329	433	75
4,806	5,275	5,724	5,640	5,388	5,591	5,624	5,785	5,503	4,870	3,776	2,419	1,112	356	105	267	76
4,507	4,371	4,457	4,162	3,948	4,475	4,708	5,367	5,347	5,126	4,321	3,182	1,637	652	224	166	77
8,752	9,160	9,732	9,359	8,931	9,669	9,980	10,824	10,565	9,788	7,943	5,506	2,680	969	292	407	78
4,528	5,009	5,495	5,421	5,175	5,382	5,430	5,614	5,355	4,769	3,694	2,381	1,089	345	92	254	79
4,224	4,151	4,237	3,938	3,756	4,287	4,550	5,210	5,210	5,019	4,249	3,125	1,591	624	200	153	80
5,654	5,634	5,214	4,768	4,525	4,118	3,876	4,033	4,277	4,050	3,701	2,872	1,575	566	139	196	81
2,943	3,088	2,960	2,672	2,564	2,262	2,141	2,159	2,257	2,001	1,694	1,203	620	199	37	110	82
2,711	2,546	2,254	2,096	1,961	1,856	1,735	1,874	2,020	2,049	2,007	1,669	955	367	102	86	83
858	830	828	809	904	1,026	1,171	1,242	1,418	1,305	1,103	753	385	111	24	41	84
907	836	699	703	766	907	964	1,137	1,280	1,388	1,352	1,149	662	241	69	42	
1,805	1,888	1,723	1,453	1,239	786	473	398	271	184	118	87	40	14	.....	46	85
1,552	1,439	1,264	1,113	926	640	475	372	313	203	180	124	71	26	8	28	
280	370	409	410	421	450	495	519	568	512	473	363	195	74	13	23	86
252	271	291	280	269	309	296	365	427	458	475	399	222	100	25	16	
2,987	3,400	4,302	4,389	4,195	5,376	5,932	6,646	6,173	5,620	4,177	2,582	1,067	395	149	109	87
1,510	1,832	2,356	2,594	2,449	2,986	3,182	3,364	3,031	2,698	1,970	1,152	456	141	55	58	88
1,477	1,568	1,946	1,795	1,746	2,390	2,770	3,282	3,142	2,922	2,207	1,430	611	254	94	51	89
111	126	216	202	211	175	152	145	115	118	65	52	38	8	4	102	90
75	89	179	155	162	134	107	91	67	70	30	26	13	5	.....	86	91
36	37	37	47	49	41	45	54	48	48	35	26	25	3	4	16	92
561	486	449	443	405	397	352	328	285	208	154	95	69	39	37	26	93
278	266	229	219	213	200	194	171	148	101	82	38	23	11	13	13	94
283	220	220	224	192	188	158	157	137	107	72	57	46	28	24	13	95
259	246	212	199	202	197	184	168	146	100	81	37	23	11	13	13	96
282	220	219	223	192	187	158	157	136	106	72	57	45	28	23	13	
2	.....	.....	1	.....	1	.....	1	1	1	.....	1	.....	.....	.....	.....	97
1	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	1	.....	1	.....	
17	20	17	19	11	11	10	2	1	.....	1	.....	.....	.....	.....	.....	98
.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	RURAL PART OF REGISTRATION STATES.											
99	Total	126,679	19,214	3,637	1,750	1,131	806	26,538	2,722	2,088	3,288	4,403
100	Males	66,586	10,786	1,916	922	593	391	14,608	1,405	1,096	1,623	2,166
101	Females	60,093	8,428	1,721	828	538	415	11,930	1,317	992	1,665	2,237
102	White	124,402	18,761	3,524	1,692	1,101	786	25,864	2,655	2,029	3,190	4,277
103	Males	65,326	10,527	1,850	890	583	387	14,237	1,379	1,063	1,579	2,088
104	Females	59,076	8,234	1,674	802	518	399	11,627	1,276	966	1,611	2,189
105	Native	99,834	18,612	3,443	1,645	1,052	756	25,508	2,542	1,935	2,869	3,632
106	Males	51,554	10,438	1,813	868	556	373	14,048	1,306	1,013	1,389	1,701
107	Females	48,280	8,174	1,630	777	496	383	11,460	1,236	922	1,480	1,931
108	Both parents native (M)	32,387	6,716	1,156	554	357	241	9,024	835	694	926	1,073
	Both parents native (F)	31,067	5,138	1,048	495	308	224	7,213	797	621	992	1,276
109	One or both parents foreign (M)	10,268	3,383	598	288	182	121	4,572	413	265	369	475
	One or both parents foreign (F)	9,381	2,737	532	256	171	147	3,843	405	262	396	479
110	Parentage unknown (M)	8,899	339	59	26	17	11	452	58	54	94	153
	Parentage unknown (F)	7,832	299	50	26	17	12	404	34	39	92	176
111	Foreign	22,189	102	73	42	39	24	280	92	83	291	586
112	Males	12,184	59	33	18	20	11	141	58	43	170	344
113	Females	10,005	43	40	24	19	13	139	34	40	121	242
114	Unknown	2,379	47	8	5	10	6	76	21	11	30	59
115	Males	1,588	30	4	4	7	3	48	15	7	20	43
116	Females	791	17	4	1	3	3	28	6	4	10	16
117	Colored	2,277	453	113	58	30	20	674	67	59	98	126
118	Males	1,260	259	66	32	10	4	371	26	33	44	78
119	Females	1,017	194	47	26	20	16	303	41	26	54	48
120	Black (M)	1,139	234	63	27	9	4	337	24	26	41	73
	Black (F)	918	180	41	25	17	10	273	31	21	49	40
121	Indian (M)	105	24	3	5	1	.....	33	1	7	3	3
	Indian (F)	94	14	6	.....	2	6	28	9	5	5	7
122	Chinese and Japanese (M)	16	1	.....	.....	.....	.....	1	1	.....	.....	2
	Chinese and Japanese (F)	5	.....	.....	1	1	.....	2	1	.....	.....	1
	REGISTRATION CITIES IN OTHER STATES.											
123	Total	197,120	36,106	8,534	3,964	2,493	1,872	52,969	5,625	3,673	6,276	10,181
124	Males	108,418	20,103	4,435	2,068	1,271	972	28,849	2,966	1,952	3,151	5,335
125	Females	88,702	16,003	4,099	1,896	1,222	900	24,120	2,659	1,721	3,125	4,846
126	White	171,587	31,168	7,316	3,380	2,185	1,648	45,697	4,992	3,136	5,069	8,213
127	Males	94,899	17,432	3,814	1,775	1,118	858	24,997	2,652	1,726	2,595	4,322
128	Females	76,688	13,736	3,502	1,605	1,067	790	20,700	2,340	1,410	2,474	3,891
129	Native	116,518	30,736	7,113	3,272	2,101	1,580	44,802	4,784	2,930	4,298	6,159
130	Males	62,906	17,202	3,717	1,728	1,075	825	24,547	2,545	1,612	2,137	3,034
131	Females	53,612	13,534	3,396	1,544	1,026	755	20,255	2,239	1,318	2,161	3,125
132	Both parents native (M)	23,390	6,536	1,338	630	372	347	9,223	973	583	827	1,131
	Both parents native (F)	21,098	5,133	1,267	531	376	294	7,601	853	493	863	1,197
133	One or both parents foreign (M)	16,836	5,060	1,170	536	343	237	7,346	742	486	596	815
	One or both parents foreign (F)	14,308	3,978	1,097	496	308	233	6,112	674	387	610	902
134	Parentage unknown (M)	9,484	1,870	261	135	70	63	2,399	183	168	247	495
	Parentage unknown (F)	7,501	1,608	209	122	80	69	2,088	167	104	236	434
135	Parentage not stated (M)	13,196	3,736	948	427	280	178	5,579	647	375	467	593
	Parentage not stated (F)	10,705	2,815	823	395	262	159	4,454	545	334	452	592
136	Foreign	50,353	187	153	83	72	62	557	154	160	677	1,799
137	Males	28,665	103	71	38	35	30	277	75	87	400	1,117
138	Females	21,688	84	82	45	37	32	280	79	73	277	682
139	Unknown	4,716	245	30	25	12	6	338	54	46	94	255
140	Males	3,328	127	26	9	8	3	173	32	27	58	171
141	Females	1,388	118	24	16	4	3	165	22	19	36	84
142	Colored	25,533	4,938	1,218	584	308	224	7,272	633	537	1,207	1,968
143	Males	13,519	2,671	621	293	153	114	3,852	314	226	556	1,013
144	Females	12,014	2,267	597	291	155	110	3,420	319	311	651	955
145	Black (M)	12,733	2,647	619	292	152	112	3,822	311	223	543	964
	Black (F)	11,910	2,250	589	290	153	109	3,391	311	309	650	944
146	Indian (M)	19	3	.....	.....	.....	1	4	.....	.....	1	3
	Indian (F)	16	.....	.....	.....	1	.....	1	2	1	.....	3
147	Chinese and Japanese (M)	767	21	2	1	1	1	26	3	3	12	46
	Chinese and Japanese (F)	88	17	8	1	1	1	28	6	1	1	8

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,327	3,895	4,111	4,271	4,449	5,179	6,316	7,707	9,488	10,540	10,835	8,686	4,710	1,683	510	933	99
2,147	1,893	2,010	2,255	2,398	2,747	3,272	4,095	5,062	5,654	5,795	4,508	2,263	755	216	618	100
2,180	2,002	2,101	2,016	2,051	2,432	3,044	3,612	4,426	4,886	5,040	4,178	2,447	928	294	315	101
4,198	3,792	4,029	4,175	4,372	5,080	6,212	7,604	9,381	10,433	10,774	8,622	4,665	1,660	489	901	102
2,070	1,839	1,960	2,199	2,350	2,692	3,217	4,034	4,999	5,589	5,754	4,480	2,247	747	208	595	103
2,128	1,953	2,069	1,976	2,022	2,388	2,995	3,570	4,382	4,844	5,020	4,142	2,418	913	281	306	104
3,401	3,014	3,020	3,095	3,267	3,700	4,466	5,424	6,604	7,421	7,879	6,407	3,608	1,262	346	434	105
1,589	1,417	1,363	1,547	1,697	1,889	2,241	2,826	3,520	3,959	4,173	3,267	1,693	539	139	238	106
1,812	1,597	1,657	1,548	1,570	1,811	2,225	2,598	3,084	3,462	3,706	3,140	1,915	723	207	196	107
932	791	739	832	966	1,142	1,466	1,805	2,300	2,587	2,674	2,046	1,030	316	74	135	108
1,112	913	996	884	950	1,187	1,506	1,775	2,092	2,346	2,453	2,044	1,250	432	112	116	
487	450	431	460	415	317	282	280	265	229	225	167	92	28	11	35	109
521	512	459	411	352	274	266	249	240	199	192	156	94	35	9	27	
170	176	193	255	316	430	493	741	955	1,143	1,274	1,054	571	195	54	68	110
179	172	202	253	268	350	453	574	752	917	1,061	940	571	256	86	53	
725	713	905	960	1,004	1,251	1,641	2,033	2,575	2,792	2,677	1,998	933	361	132	157	111
424	376	510	556	572	710	908	1,105	1,349	1,503	1,452	1,110	498	188	65	102	112
301	337	395	404	432	541	733	928	1,226	1,289	1,225	888	435	173	67	55	113
72	65	104	120	101	129	105	147	202	220	218	217	124	37	11	310	114
57	46	87	96	81	93	68	103	130	127	129	103	56	20	4	255	115
15	19	17	24	20	36	37	44	72	93	89	114	68	17	7	55	116
129	103	82	96	77	99	104	103	107	107	61	64	45	23	21	32	117
77	54	50	56	48	55	55	61	63	65	41	28	16	8	8	23	118
52	49	32	40	29	44	49	42	44	42	20	36	29	15	13	9	119
71	49	42	51	45	47	46	57	58	57	40	26	15	6	6	22	120
48	45	31	38	28	40	47	41	42	34	18	33	26	13	12	8	
6	3	4	5	2	7	7	4	5	8	1	1	1	2	2	.....	121
4	4	1	2	1	3	2	1	2	8	2	3	3	2	1	1	
.....	2	4	.....	1	1	2	.....	.....	.....	.....	1	.....	.....	.....	1	122
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
10,999	10,512	11,022	10,599	9,901	10,289	9,382	10,183	9,997	9,200	7,366	4,935	2,276	736	285	694	123
6,055	5,998	6,512	6,406	6,043	6,104	5,511	5,731	5,342	4,737	3,685	2,284	977	287	76	417	124
4,944	4,514	4,510	4,193	3,858	4,185	3,871	4,452	4,655	4,463	3,681	2,651	1,299	469	209	277	125
9,074	8,902	9,358	9,070	8,550	8,888	8,354	9,184	9,240	8,629	7,042	4,660	2,127	657	181	564	126
5,047	5,091	5,588	5,513	5,289	5,314	4,920	5,176	4,932	4,464	3,532	2,171	921	253	55	341	127
4,027	3,811	3,770	3,557	3,261	3,574	3,434	4,008	4,308	4,165	3,510	2,489	1,206	404	126	223	128
6,544	6,057	5,758	5,319	4,792	4,291	3,732	3,771	3,591	3,321	2,778	1,955	991	306	71	268	129
3,417	3,332	3,241	3,001	2,747	2,409	2,128	2,109	1,935	1,756	1,409	876	389	110	18	154	130
3,127	2,725	2,517	2,318	2,045	1,882	1,604	1,662	1,656	1,565	1,369	1,079	602	196	53	114	131
1,127	992	912	876	860	927	913	947	923	824	647	416	180	50	6	53	132
1,144	931	849	745	780	762	763	772	853	805	670	547	311	90	28	41	
1,079	1,140	1,075	961	800	523	353	284	201	172	116	74	32	7	4	30	133
971	852	808	774	541	432	288	280	181	154	141	94	63	16	3	25	
527	507	597	601	545	533	466	525	462	437	365	236	107	33	6	45	134
423	405	379	365	339	370	325	338	341	363	334	251	135	55	16	33	
684	693	657	563	542	426	396	353	349	323	281	150	70	20	2	26	135
589	537	481	434	385	318	228	272	281	243	224	187	93	35	6	15	
2,192	2,489	3,146	3,337	3,353	4,219	4,340	5,082	5,370	5,100	4,118	2,611	1,092	340	106	111	136
1,368	1,499	1,986	2,183	2,215	2,615	2,582	2,827	2,803	2,592	2,039	1,252	506	143	36	63	137
824	990	1,160	1,154	1,138	1,604	1,738	2,255	2,567	2,508	2,079	1,359	586	197	70	48	138
338	356	454	414	405	378	282	331	279	208	146	94	44	11	4	185	139
262	260	361	329	327	290	210	240	194	116	84	43	26	.....	1	124	140
76	96	93	85	78	88	72	91	85	92	62	51	18	11	3	61	141
1,925	1,610	1,664	1,529	1,351	1,401	1,028	999	757	571	324	275	149	99	104	130	142
1,008	907	924	893	754	790	591	555	410	273	153	113	56	34	21	76	143
917	703	740	636	597	611	437	444	347	298	171	162	93	65	83	54	144
946	855	853	783	656	658	526	507	385	265	149	111	55	34	21	66	145
902	698	733	634	592	606	433	440	344	297	170	162	92	65	83	54	
2	1	.....	.....	.....	.....	1	2	1	2	.....	2	.....	.....	.....	.....	146
2	.....	1	.....	.....	.....	.....	3	1	.....	1	.....	1	.....	.....	.....	
60	51	71	110	98	132	64	46	24	6	4	.....	1	.....	.....	10	147
13	5	6	2	5	5	4	1	2	1	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	CONNECTICUT.											
148	Total	15,492	2,972	669	289	196	120	4,246	398	246	340	504
149	Males	8,118	1,682	358	146	105	62	2,353	198	160	169	272
150	Females	7,374	1,290	311	143	91	58	1,893	200	86	171	232
151	White	15,155	2,916	644	282	195	118	4,155	389	241	329	492
152	Males	7,937	1,645	342	144	105	61	2,297	196	158	164	266
153	Females	7,218	1,271	302	138	90	57	1,858	193	83	165	226
154	Native	10,790	2,886	618	268	177	109	4,058	364	216	250	338
155	Males	5,663	1,624	328	136	98	55	2,241	187	140	126	187
156	Females	5,127	1,262	290	132	79	54	1,817	177	76	124	151
157	Both parents native {M	2,451	527	96	47	38	17	725	55	64	62	66
	{F	2,448	442	86	39	21	15	603	75	36	49	65
158	One or both parents foreign {M	2,424	1,056	229	88	59	37	1,469	124	67	59	107
	{F	1,908	788	199	90	58	38	1,173	98	37	72	76
159	Parentage unknown {M	788	41	3	1	1	1	47	8	9	5	14
	{F	681	32	5	3	.....	1	41	4	3	3	10
160	Foreign	4,110	22	25	13	17	8	85	24	25	74	140
161	Males	2,103	15	13	7	7	5	47	8	18	33	69
162	Females	2,007	7	12	6	10	3	38	16	7	41	71
163	Unknown	255	8	1	1	1	1	12	1	.....	5	14
164	Males	171	6	1	1	.....	1	9	1	.....	5	10
165	Females	84	2	.....	.....	1	.....	3	.....	.....	.....	4
166	Colored	337	56	25	7	1	2	91	9	5	11	12
167	Males	181	37	16	2	.....	1	56	2	2	5	6
168	Females	156	19	9	5	1	1	35	7	3	6	6
169	Black {M	177	37	16	2	.....	1	56	2	2	5	6
	{F	155	19	9	5	1	1	35	7	3	6	6
170	Indian {M	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
171	Chinese and Japanese {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	DISTRICT OF COLUMBIA.											
172	Total	5,945	1,089	227	106	53	31	1,506	110	74	177	292
173	Males	3,210	621	126	54	29	16	846	60	45	73	142
174	Females	2,735	468	101	52	24	15	660	50	29	104	150
175	White	3,396	510	87	40	25	12	674	58	33	67	116
176	Males	1,941	307	43	21	11	5	387	35	23	40	70
177	Females	1,455	203	44	19	14	7	287	23	10	27	46
178	Native	2,785	508	86	40	24	12	670	58	32	65	107
179	Males	1,572	307	43	21	10	5	386	35	23	38	64
180	Females	1,213	201	43	19	14	7	284	23	9	27	43
181	Both parents native {M	972	235	37	18	8	5	303	22	19	28	38
	{F	828	156	31	16	9	5	217	15	6	20	24
182	One or both parents foreign {M	261	45	5	1	.....	.....	51	9	1	7	16
	{F	218	32	7	2	5	2	48	5	1	3	13
183	Parentage unknown {M	339	27	1	2	2	.....	32	4	3	3	10
	{F	167	13	5	1	.....	.....	19	3	2	4	6
184	Foreign	572	.....	.....	.....	.....	.....	.....	.....	1	2	7
185	Males	340	.....	.....	.....	.....	.....	.....	.....	.....	2	5
186	Females	232	.....	.....	.....	.....	.....	.....	.....	1	.....	2
187	Unknown	39	2	1	.....	1	.....	4	.....	.....	.....	2
188	Males	29	.....	.....	.....	1	.....	1	.....	.....	.....	1
189	Females	10	2	1	.....	.....	.....	3	.....	.....	.....	1
190	Colored	2,549	579	140	66	28	19	832	52	41	110	176
191	Males	1,269	314	83	33	18	11	459	25	22	33	72
192	Females	1,280	265	57	33	10	8	373	27	19	77	104
193	Black {M	1,266	314	83	33	18	11	459	25	22	33	72
	{F	1,280	265	57	33	10	8	373	27	19	77	104
194	Indian {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
195	Chinese and Japanese {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
582	567	649	623	604	677	797	901	995	1,014	984	714	411	138	40	62	148
303	302	340	341	342	374	390	461	519	480	518	331	159	51	19	36	149
279	265	309	282	262	303	407	440	476	534	466	383	252	87	21	26	150
563	542	633	607	594	656	782	887	980	999	973	699	407	131	40	56	151
295	288	334	335	337	361	379	451	509	473	510	326	158	48	19	33	152
268	254	299	272	257	295	403	436	471	526	463	373	249	83	21	23	153
370	336	339	341	339	317	340	436	509	580	674	524	315	103	26	15	154
188	175	173	180	180	164	150	227	265	294	336	247	128	36	14	5	155
182	161	166	161	159	153	190	209	244	286	318	277	187	67	12	10	156
60	47	53	67	78	80	95	128	179	192	230	159	76	25	7	3	157
58	58	57	61	76	93	132	148	158	210	208	176	132	39	8	6	
120	115	98	74	77	49	11	18	10	12	5	5	3	.....	.....	1	158
111	92	88	76	57	31	24	11	17	11	10	10	2	.....	1	1	
8	13	22	39	25	35	44	81	76	90	121	83	49	11	7	1	159
13	11	21	24	26	29	34	50	69	65	100	91	53	28	3	3	
182	197	274	252	234	325	425	442	454	402	283	163	74	26	14	15	160
101	106	145	144	138	185	218	219	234	169	146	76	23	10	5	9	161
81	91	129	108	96	140	207	223	220	233	137	87	51	16	9	6	162
11	9	20	14	21	14	17	9	17	17	16	12	18	2	.....	26	163
6	7	16	11	19	12	11	5	10	10	8	3	7	2	.....	19	164
5	2	4	3	2	2	6	4	7	7	8	9	11	.....	.....	7	165
19	25	16	16	10	21	15	14	15	15	11	15	4	7	.....	6	166
8	14	6	6	5	13	11	10	10	7	8	5	1	3	.....	3	167
11	11	10	10	5	8	4	4	5	8	3	10	3	4	.....	3	168
7	14	6	6	5	13	11	10	8	7	7	5	1	3	.....	3	169
11	11	10	10	5	8	4	4	5	8	3	10	3	3	.....	3	
1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	170
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	171
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
320	302	267	307	287	307	332	407	377	330	260	148	84	30	24	4	172
161	165	157	166	168	157	208	233	203	184	124	64	37	9	7	1	173
159	137	110	141	119	150	124	174	174	146	136	84	47	21	17	3	174
161	183	146	168	153	178	225	279	278	254	223	116	60	13	7	4	175
89	100	93	96	102	104	141	166	153	147	109	51	29	4	1	1	176
72	83	53	72	51	74	84	113	125	107	114	65	31	9	6	3	177
148	164	121	145	134	144	169	190	189	166	149	74	45	10	3	2	178
79	93	75	81	87	83	105	110	99	92	65	28	25	3	.....	1	179
69	71	46	64	47	61	64	80	90	74	84	46	20	7	3	1	180
42	86	37	31	49	48	57	60	58	52	43	22	18	1	.....	1	181
43	36	30	39	28	38	43	54	72	54	51	33	15	6	3	1	
18	27	17	27	20	11	10	14	10	11	5	2	4	1	.....	.....	182
13	20	10	17	7	13	10	13	9	9	16	8	2	1	.....	.....	
19	23	21	23	18	24	38	36	31	29	17	4	3	1	.....	.....	183
13	15	6	8	12	10	11	13	9	11	17	5	3	.....	.....	.....	
8	17	22	19	18	31	52	85	86	86	72	42	15	3	4	2	184
5	5	16	13	14	19	32	54	51	53	42	23	4	1	1	.....	185
3	12	6	6	4	12	20	31	35	33	30	19	11	2	3	2	186
5	2	3	4	1	3	4	4	3	2	2	.....	.....	.....	.....	.....	187
5	2	2	2	1	2	4	2	3	2	2	.....	.....	.....	.....	.....	188
.....	.....	1	2	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	189
159	119	121	139	134	129	107	128	99	76	37	32	24	17	17	.....	190
72	65	64	70	66	53	67	67	50	37	15	13	8	5	6	.....	191
87	54	57	69	68	76	40	61	49	39	22	19	16	12	11	.....	192
72	64	64	70	66	52	67	67	50	37	15	12	8	5	6	.....	193
87	54	57	69	68	76	40	61	49	39	22	19	16	12	11	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	194
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	195
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA.											
196	Total	31,845	5,422	1,262	548	349	249	7,830	844	685	1,209	1,595
197	Males	16,588	3,044	684	296	199	108	4,331	439	361	532	717
198	Females	15,257	2,378	578	252	150	141	3,499	405	324	677	878
199	White	30,543	5,203	1,201	517	333	238	7,492	795	642	1,130	1,505
200	Males	15,891	2,924	651	282	191	103	4,151	421	341	499	669
201	Females	14,652	2,279	550	235	142	135	3,341	374	301	631	836
202	Native	26,667	5,195	1,194	514	333	236	7,472	781	637	1,100	1,432
203	Males	13,632	2,916	646	280	191	101	4,134	415	338	482	622
204	Females	13,035	2,279	548	234	142	135	3,338	366	299	618	810
205	Both parents native: M	8,981	2,461	559	232	151	80	3,483	333	281	375	438
	Both parents native: F	8,892	1,906	485	199	122	116	2,828	314	246	488	610
206	One or both parents foreign: M	1,718	305	63	35	28	13	444	56	41	66	105
	One or both parents foreign: F	1,599	270	48	26	14	18	376	39	32	74	111
207	Parentage unknown: M	2,933	150	24	13	12	8	207	26	16	41	79
	Parentage unknown: F	2,544	103	15	9	6	1	134	13	21	56	89
208	Foreign	3,272	2	6	2	.....	2	12	10	3	15	51
209	Males	1,882	2	4	1	.....	2	9	3	2	9	32
210	Females	1,390	.....	2	1	.....	.....	3	7	1	6	19
211	Unknown	604	6	1	1	.....	.....	8	4	2	15	22
212	Males	377	6	1	1	.....	.....	8	3	1	8	15
213	Females	227	.....	.....	.....	.....	.....	.....	1	1	7	7
214	Colored	1,302	219	61	31	16	11	338	49	43	79	90
215	Males	697	120	33	14	8	5	180	18	20	33	48
216	Females	605	99	28	17	8	6	158	31	23	46	42
217	Black: M	690	119	33	14	7	5	178	17	20	33	48
	Black: F	600	98	28	17	7	6	156	30	23	46	41
218	Indian: M	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....
	Indian: F	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
219	Chinese and Japanese: M	5	1	.....	.....	.....	.....	1	1	.....	.....	.....
	Chinese and Japanese: F	4	.....	.....	.....	1	.....	1	1	.....	.....	1
	MAINE.											
220	Total	11,216	1,659	282	134	90	76	2,241	234	168	294	398
221	Males	5,742	934	148	68	47	36	1,233	116	80	137	190
222	Females	5,474	725	134	66	43	40	1,008	118	88	157	208
223	White	11,175	1,652	279	134	90	76	2,231	229	167	293	397
224	Males	5,722	929	146	68	47	36	1,226	115	79	137	190
225	Females	5,453	723	133	66	43	40	1,005	114	88	156	207
226	Native	9,616	1,633	271	125	86	68	2,183	209	155	241	309
227	Males	4,922	915	141	64	46	35	1,201	100	76	110	146
228	Females	4,694	718	130	61	40	33	982	109	79	131	163
229	Both parents native: M	3,288	492	74	34	28	17	645	60	46	82	106
	Both parents native: F	3,188	371	68	36	23	14	512	67	48	89	122
230	One or both parents foreign: M	880	387	60	29	16	17	509	33	25	22	32
	One or both parents foreign: F	805	316	59	22	15	15	427	39	30	37	37
231	Parentage unknown: M	754	36	7	1	2	1	47	7	5	6	8
	Parentage unknown: F	701	31	3	3	2	4	43	3	1	5	4
232	Foreign	1,369	14	7	8	3	5	37	19	11	50	84
233	Males	691	10	4	3	1	.....	18	15	3	27	41
234	Females	678	4	3	5	2	5	19	4	8	23	43
235	Unknown	190	5	1	1	1	3	11	1	1	2	4
236	Males	109	4	1	1	.....	1	7	.....	.....	.....	3
237	Females	81	1	.....	.....	1	2	4	1	1	2	1
238	Colored	41	7	3	.....	.....	.....	10	5	1	1	1
239	Males	30	5	2	.....	.....	.....	7	1	1	.....	.....
240	Females	21	2	1	.....	.....	.....	3	4	.....	1	1
241	Black: M	15	3	1	.....	.....	.....	4	1	.....	.....	.....
	Black: F	13	2	.....	.....	.....	.....	2	1	.....	1	1
242	Indian: M	5	2	1	.....	.....	.....	3	.....	1	.....	.....
	Indian: F	8	.....	1	.....	.....	.....	1	3	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,381	1,261	1,187	1,134	1,216	1,289	1,467	1,675	2,010	2,172	2,083	1,463	719	235	68	322	196
643	591	547	588	617	688	795	926	1,091	1,146	1,100	774	362	113	27	200	197
738	670	640	546	599	601	672	749	919	1,026	983	689	357	122	41	122	198
1,294	1,192	1,138	1,074	1,155	1,224	1,401	1,623	1,955	2,129	2,061	1,439	703	227	59	305	199
594	555	516	552	586	652	758	893	1,061	1,120	1,087	759	355	109	25	188	200
700	637	622	522	569	572	643	730	894	1,009	974	680	348	118	34	117	201
1,198	1,095	1,011	934	988	1,038	1,150	1,293	1,457	1,583	1,496	1,070	542	166	40	184	202
532	494	442	453	498	539	610	684	784	820	770	550	268	82	14	101	203
666	601	569	481	490	499	540	609	673	763	725	520	274	84	26	83	204
348	296	239	228	263	301	323	367	402	432	396	265	110	39	4	58	205
480	390	358	274	276	305	337	369	375	423	367	239	119	35	9	50	
98	110	110	114	104	83	72	65	67	54	53	39	20	2	3	12	206
95	124	109	107	99	67	64	62	59	50	57	41	18	8	3	4	
86	88	93	111	131	155	215	252	315	334	321	246	138	41	7	31	207
91	87	102	100	115	127	139	178	239	290	302	240	137	41	14	29	
67	64	96	105	135	151	220	299	451	497	510	337	141	55	18	35	208
41	42	51	79	73	89	128	185	251	271	287	195	78	24	11	22	209
26	22	45	26	62	62	92	114	200	226	223	142	63	31	7	13	210
29	33	31	35	32	35	31	31	47	49	55	32	20	6	1	86	211
21	19	23	20	15	24	20	24	26	29	30	14	9	3	.....	65	212
8	14	8	15	17	11	11	7	21	20	25	18	11	3	1	21	213
87	69	49	60	61	65	66	52	55	43	22	24	16	8	9	17	214
49	36	31	36	31	36	37	33	30	26	13	15	7	4	2	12	215
38	33	18	24	30	29	29	19	25	17	9	9	9	4	7	5	216
48	36	30	36	31	36	36	33	30	26	13	14	7	4	2	12	
38	33	18	24	30	28	29	19	25	17	9	9	9	4	7	5	217
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	218
.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	219
390	326	349	340	414	457	533	658	888	922	974	776	459	197	61	137	220
176	164	159	170	220	227	267	359	476	491	517	390	191	77	16	86	221
214	162	190	170	194	230	266	299	412	431	457	386	268	120	45	51	222
387	325	346	338	413	455	533	658	888	917	973	774	457	197	60	137	223
176	164	158	169	220	225	267	359	476	487	516	389	191	77	15	86	224
211	161	188	169	193	230	266	299	412	430	457	385	266	120	45	51	225
311	265	271	273	326	373	438	525	749	782	823	684	401	167	48	83	226
139	134	120	135	174	178	221	288	401	422	447	339	168	70	10	43	227
172	131	151	138	152	195	217	237	348	360	376	345	233	97	38	40	228
96	101	78	96	114	123	157	208	297	311	314	252	129	41	7	25	
131	97	108	99	111	137	164	185	263	258	275	237	164	67	23	31	229
31	25	22	17	28	17	20	18	21	13	15	16	5	4	.....	7	
28	18	31	18	20	18	19	9	18	18	10	14	7	3	1	3	230
12	8	20	22	32	38	44	62	83	98	118	71	34	25	3	11	
13	16	12	21	21	40	34	43	67	84	91	94	62	27	14	6	231
74	56	73	56	69	74	89	126	123	119	133	80	44	26	11	15	232
35	27	36	30	38	42	43	66	67	58	61	45	19	5	4	11	233
39	29	37	26	31	32	46	60	56	61	72	35	25	21	7	4	234
2	4	2	9	18	8	6	7	16	16	17	10	12	4	1	39	235
2	3	2	4	8	5	3	5	8	7	8	5	4	2	1	32	236
.....	1	.....	5	10	3	3	2	8	9	9	5	8	2	.....	7	237
3	1	3	2	1	2	.....	.....	.....	5	1	2	2	.....	1	.....	238
.....	.....	1	1	.....	2	.....	.....	.....	4	1	1	.....	.....	1	.....	239
3	1	2	1	1	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	240
.....	.....	.....	1	.....	2	.....	.....	.....	4	1	1	.....	.....	1	.....	
2	.....	2	1	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	241
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	242

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MASSACHUSETTS.											
243	Total	48,863	10,117	2,069	959	652	419	14,216	1,180	678	1,051	1,564
244	Males	25,061	5,774	1,073	477	350	205	7,879	584	356	528	799
245	Females	23,802	4,343	996	482	302	214	6,337	596	322	523	765
246	White	48,066	9,957	2,015	937	634	411	13,954	1,161	664	1,023	1,521
247	Males	24,609	5,685	1,041	466	340	201	7,733	574	350	510	779
248	Females	23,457	4,272	974	471	294	210	6,221	587	314	513	742
249	Native	33,536	9,848	1,959	902	590	384	13,683	1,067	580	767	964
250	Males	17,500	5,638	1,013	450	313	185	7,599	530	304	391	493
251	Females	16,036	4,210	946	452	277	199	6,084	537	276	376	471
252	Both parents native (M.)	7,466	1,544	236	125	80	55	2,040	168	110	165	188
	Both parents native (F.)	7,162	1,115	213	129	88	57	1,602	165	102	129	158
253	One or both parents foreign (M.)	8,341	3,869	763	320	229	129	5,310	352	188	216	293
	One or both parents foreign (F.)	7,117	2,920	717	315	186	139	4,277	362	171	236	288
254	Parentage unknown (M.)	1,693	225	14	5	4	1	249	10	6	10	12
	Parentage unknown (F.)	1,757	175	16	8	3	3	205	10	3	11	25
255	Foreign	14,139	84	53	34	40	24	235	91	82	251	553
256	Males	6,862	37	27	16	23	14	117	41	44	117	282
257	Females	7,277	47	26	18	17	10	118	50	38	134	271
258	Unknown	391	25	3	1	4	3	36	3	2	5	4
259	Males	247	10	1	.....	4	2	17	3	2	2	4
260	Females	144	15	2	1	.....	1	19	.....	.....	3	.....
261	Colored	797	160	54	22	18	8	262	19	14	28	43
262	Males	452	89	32	11	10	4	146	10	6	18	20
263	Females	345	71	22	11	8	4	116	9	8	10	23
264	Black (M.)	425	88	32	11	10	4	145	10	6	18	19
	Black (F.)	337	71	22	11	8	4	116	9	7	9	22
265	Indian (M.)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F.)	7	.....	.....	.....	.....	.....	.....	.....	1	1	1
266	Chinese and Japanese (M.)	22	1	.....	.....	.....	.....	1	.....	.....	.....	1
	Chinese and Japanese (F.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MICHIGAN.											
267	Total	33,120	6,384	1,112	516	382	252	8,646	890	654	971	1,284
268	Males	17,733	3,643	574	264	214	126	4,821	457	331	463	618
269	Females	15,387	2,741	538	252	168	126	3,825	433	323	508	666
270	White	32,595	6,306	1,099	506	374	243	8,528	876	636	952	1,256
271	Males	17,442	3,597	571	256	211	124	4,759	453	321	452	606
272	Females	15,153	2,709	528	250	163	119	3,769	423	315	500	650
273	Native	22,909	6,236	1,069	488	353	230	8,376	837	591	822	949
274	Males	11,970	3,563	555	249	198	115	4,680	431	297	381	419
275	Females	10,939	2,673	514	239	155	115	3,696	406	294	441	530
276	Both parents native (M.)	5,886	1,610	250	103	78	49	2,090	183	144	173	194
	Both parents native (F.)	5,533	1,198	211	112	69	41	1,631	168	122	206	246
277	One or both parents foreign (M.)	4,478	1,766	298	142	120	66	2,392	239	145	193	195
	One or both parents foreign (F.)	4,047	1,292	293	125	85	74	1,869	232	167	216	251
278	Parentage unknown (M.)	1,606	187	7	4	.....	.....	198	9	8	15	30
	Parentage unknown (F.)	1,359	183	10	2	1	.....	196	6	5	19	33
279	Foreign	9,032	52	26	18	18	12	126	34	42	126	287
280	Males	4,996	24	14	7	11	8	64	17	21	69	171
281	Females	4,036	28	12	11	7	4	62	17	21	57	116
282	Unknown	624	18	4	.....	3	1	26	5	3	4	20
283	Males	476	10	2	.....	2	1	15	5	3	2	16
284	Females	148	8	2	.....	1	.....	11	.....	.....	2	4
285	Colored	525	78	13	10	8	9	118	14	18	19	28
286	Males	291	46	3	8	3	2	62	4	10	11	12
287	Females	234	32	10	2	5	7	56	10	8	8	16
288	Black (M.)	212	26	2	4	2	2	36	3	4	8	11
	Black (F.)	165	20	7	2	3	3	35	4	4	4	11
289	Indian (M.)	79	20	1	4	1	.....	26	1	6	3	1
	Indian (F.)	60	12	3	.....	2	4	21	6	4	4	5

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,906	1,935	2,014	1,962	1,953	2,230	2,510	2,829	3,065	3,024	2,717	2,163	1,160	453	133	120	243
975	958	1,039	1,048	1,033	1,177	1,299	1,420	1,523	1,455	1,236	960	476	169	42	85	244
931	977	955	914	920	1,053	1,211	1,409	1,542	1,569	1,481	1,203	684	284	91	35	245
1,845	1,890	1,982	1,912	1,920	2,198	2,470	2,707	3,035	3,006	2,694	2,151	1,147	452	130	114	246
938	931	1,045	1,019	1,014	1,155	1,271	1,398	1,506	1,443	1,222	957	474	169	40	81	247
907	959	937	893	906	1,043	1,199	1,399	1,529	1,563	1,472	1,194	673	283	90	33	248
1,086	1,132	1,009	970	1,012	1,089	1,163	1,287	1,533	1,636	1,733	1,490	854	331	85	65	249
550	555	549	517	535	587	626	650	809	819	812	642	342	124	22	44	250
536	577	460	453	477	502	537	637	724	817	921	848	512	207	63	21	251
179	179	201	200	246	342	428	468	578	607	577	447	240	78	13	12	252
174	213	182	177	230	299	321	451	515	591	676	621	369	139	41	7	
346	340	310	269	219	164	95	64	60	36	28	13	7	4	.....	27	253
326	325	234	222	194	119	108	59	55	46	26	27	23	5	1	13	
25	36	38	48	70	81	103	118	171	176	207	182	95	42	9	5	254
36	39	44	54	53	84	108	127	154	180	219	200	120	63	21	1	
746	740	948	906	878	1,077	1,283	1,482	1,477	1,339	939	642	278	119	45	28	255
377	365	478	473	454	546	631	736	679	606	402	306	127	44	18	19	256
369	375	470	433	424	531	652	746	798	733	537	336	151	75	27	9	257
13	18	25	36	30	32	24	28	25	31	22	19	15	2	.....	21	258
11	11	18	29	25	22	14	12	18	18	8	9	5	1	.....	18	259
2	7	7	7	5	10	10	16	7	13	14	10	10	1	.....	3	260
61	45	32	50	33	32	40	32	30	18	23	12	13	1	3	6	261
37	27	14	29	19	22	28	22	17	12	14	3	2	.....	2	4	262
24	18	18	21	14	10	12	10	13	6	9	9	11	1	1	2	263
35	22	11	26	19	19	24	19	16	12	14	2	2	.....	2	4	264
23	18	17	21	14	9	12	10	12	6	9	9	11	1	.....	2	
.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	1	.....	.....	.....	.....	
1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	265
2	5	3	3	.....	3	3	1	.....	.....	.....	.....	.....	.....	1	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	266
1,212	1,113	1,152	1,219	1,254	1,366	1,601	1,800	2,202	2,375	2,243	1,715	906	292	102	123	267
591	510	554	612	707	769	831	972	1,186	1,339	1,245	955	481	151	51	89	268
621	603	598	607	547	597	770	828	1,016	1,036	998	760	425	141	51	34	269
1,190	1,081	1,130	1,193	1,228	1,333	1,578	1,772	2,178	2,344	2,223	1,703	896	285	95	118	270
582	493	541	596	691	744	818	959	1,172	1,319	1,232	948	474	148	49	85	271
608	588	589	597	537	589	760	813	1,006	1,025	991	755	422	137	46	33	272
831	744	654	702	691	724	824	957	1,163	1,211	1,163	922	504	150	47	47	273
378	321	272	311	365	377	400	488	646	672	624	523	256	78	26	25	274
453	423	382	391	326	347	424	469	517	539	539	399	248	72	21	22	275
173	123	111	128	172	197	237	293	398	401	392	276	139	36	15	11	276
188	191	184	177	167	205	263	301	333	365	338	249	139	41	7	12	
178	162	126	144	136	86	79	82	100	79	45	59	24	6	3	5	277
228	189	157	154	111	94	77	81	65	42	45	26	29	7	5	2	
27	36	35	39	57	94	84	113	148	192	187	188	93	36	8	9	278
37	43	41	60	48	48	84	87	119	132	156	124	80	24	9	8	
331	321	424	449	496	568	709	765	969	1,082	1,017	743	377	128	45	23	279
184	161	220	250	293	331	382	432	498	615	577	398	209	64	23	17	280
147	160	204	199	203	237	327	333	471	467	440	345	168	64	22	6	281
28	16	52	42	41	41	45	50	46	51	43	38	15	7	3	48	282
20	11	49	35	33	36	36	39	28	32	31	27	9	6	.....	43	283
8	5	3	7	8	5	9	11	18	19	12	11	6	1	3	5	284
22	32	22	26	26	33	23	28	24	31	20	12	10	7	7	5	285
9	17	13	16	16	25	13	13	14	20	13	7	7	3	2	4	286
13	15	9	10	10	8	10	15	10	11	7	5	3	4	5	1	287
4	16	10	11	14	19	11	10	12	12	12	7	6	2	.....	4	288
10	12	8	10	10	6	8	14	9	4	5	3	1	3	4	.....	
5	1	3	5	2	6	2	3	2	8	1	.....	1	1	2	.....	
3	3	1	.....	.....	2	2	1	1	7	2	2	2	1	1	1	289

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE.											
290	Total	6,968	1,040	228	109	61	48	1,486	144	87	158	220
291	Males	3,544	569	116	52	34	28	799	67	44	84	104
292	Females	3,424	471	112	57	27	20	687	77	43	74	116
293	White	6,964	1,040	228	109	61	48	1,486	144	87	158	220
294	Males	3,542	569	116	52	34	28	799	67	44	84	104
295	Females	3,422	471	112	57	27	20	687	77	43	74	116
296	Native	5,432	1,004	211	97	56	44	1,412	125	72	120	145
297	Males	2,772	548	110	47	31	27	763	57	37	63	67
298	Females	2,660	456	101	50	25	17	649	68	35	57	78
299	Both parents native {M	1,433	168	28	17	13	10	236	22	15	40	39
	{F	1,417	137	31	14	7	6	195	34	19	32	49
300	One or both parents foreign {M	726	360	76	29	18	16	499	29	20	18	21
	{F	627	296	64	34	16	11	421	31	14	22	20
301	Parentage unknown {M	613	20	6	1	.....	1	28	6	2	5	7
	{F	616	23	6	2	2	.....	33	3	2	3	9
302	Foreign	1,233	27	16	9	3	4	59	15	14	34	68
303	Males	593	18	6	4	1	1	30	8	6	17	33
304	Females	640	9	10	5	2	3	29	7	8	17	35
305	Unknown	209	9	1	3	2	.....	15	4	1	4	7
306	Males	177	3	.....	1	2	.....	6	2	1	4	4
307	Females	122	6	1	2	.....	.....	9	2	.....	.....	3
308	Colored	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
309	Males	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
310	Females	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
311	Black {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEW JERSEY.											
312	Total	31,977	6,458	1,422	652	432	297	9,261	974	477	787	1,177
313	Males	17,287	3,585	764	338	216	147	5,050	503	257	396	664
314	Females	14,690	2,873	658	314	216	150	4,211	471	220	391	513
315	White	30,218	5,976	1,298	609	407	281	8,571	941	439	722	1,092
316	Males	16,426	3,327	701	318	206	139	4,691	490	243	374	613
317	Females	13,792	2,649	597	291	201	142	3,880	451	196	348	479
318	Native	21,515	5,942	1,267	596	397	267	8,469	896	406	588	825
319	Males	11,543	3,313	685	311	201	134	4,644	462	228	291	444
320	Females	9,972	2,629	582	285	196	133	3,825	434	178	297	381
321	Both parents native {M	5,941	1,572	299	140	85	64	2,160	217	109	147	194
	{F	5,396	1,220	218	124	94	49	1,705	212	104	155	175
322	One or both parents foreign {M	4,303	1,641	366	162	106	68	2,343	231	103	126	204
	{F	3,612	1,311	353	151	100	76	1,991	211	66	128	169
323	Parentage unknown {M	1,299	100	20	9	10	2	141	14	16	18	46
	{F	964	98	11	10	2	8	129	11	8	14	37
324	Foreign	8,363	31	31	13	10	13	98	42	32	129	255
325	Males	4,649	12	16	7	5	5	45	27	14	80	158
326	Females	3,714	19	15	6	5	8	53	15	18	49	97
327	Unknown	340	3	.....	.....	.....	1	4	3	1	5	12
328	Males	234	2	.....	.....	.....	.....	2	1	1	3	11
329	Females	106	1	.....	.....	.....	1	2	2	.....	2	1
330	Colored	1,759	482	124	43	25	16	690	33	38	65	85
331	Males	861	258	63	20	10	8	359	13	14	22	51
332	Females	898	224	61	23	15	8	331	20	24	43	34
333	Black {M	856	258	63	20	9	8	358	13	14	22	51
	{F	896	222	61	23	15	8	329	20	24	43	34
334	Indian {M	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
335	Chinese and Japanese {M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	2	2	.....	.....	.....	.....	2	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
234	188	229	239	238	291	358	434	515	540	618	499	287	102	35	66	290
115	91	118	107	131	158	188	224	251	267	328	252	136	32	9	39	291
119	97	111	132	107	133	170	210	264	273	290	247	151	70	26	27	292
233	188	229	239	238	290	357	434	514	540	618	499	287	102	35	66	293
115	91	118	107	131	157	188	224	250	267	328	252	136	32	9	39	294
118	97	111	132	107	133	169	210	264	273	290	247	151	70	26	27	295
142	116	148	153	157	211	258	320	364	421	499	393	243	86	24	23	296
72	55	79	69	94	110	131	162	181	209	265	203	112	24	8	11	297
70	61	69	84	63	101	127	158	183	212	234	190	131	62	16	12	298
33	29	45	44	56	75	90	105	116	128	159	118	63	13	1	6	299
37	38	44	46	36	63	91	92	116	124	153	113	84	33	12	6	
32	16	18	12	17	2	6	5	9	9	8	2	.....	1	.....	2	300
20	13	12	17	11	7	8	12	3	4	5	3	.....	1	.....	3	
7	19	16	13	21	33	35	52	56	72	98	83	49	10	7	3	301
13	10	13	21	16	31	28	54	64	84	76	74	47	28	4	3	
78	65	71	76	72	65	85	101	121	94	86	68	26	14	9	12	302
35	31	32	31	30	39	47	54	51	46	42	32	14	7	1	7	303
43	34	39	45	42	26	38	47	70	48	44	36	12	7	8	5	304
13	7	10	10	9	14	14	13	29	25	33	38	18	2	2	31	305
8	5	7	7	7	8	10	8	18	12	21	17	10	1	.....	21	306
5	2	3	3	2	6	4	5	11	13	12	21	8	1	2	10	307
1	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	308
.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	309
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	310
.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	311
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,384	1,474	1,525	1,541	1,346	1,531	1,653	1,827	1,801	1,774	1,502	1,070	524	162	53	134	312
741	842	877	943	816	851	920	960	962	905	752	472	208	69	22	77	313
643	632	648	598	530	680	733	867	839	869	750	598	316	93	31	57	314
1,271	1,395	1,423	1,470	1,288	1,462	1,590	1,754	1,736	1,720	1,469	1,049	505	152	45	124	315
680	803	828	908	788	814	897	916	932	881	736	467	204	67	20	74	316
591	592	595	562	500	648	693	838	804	839	733	582	301	85	25	50	317
903	904	845	831	694	713	743	806	880	955	838	676	344	111	28	60	318
470	522	478	495	415	366	402	418	477	487	419	296	135	50	14	30	319
433	382	367	336	279	347	341	388	403	468	419	380	209	61	14	30	320
170	201	177	218	197	206	264	287	338	359	316	219	98	37	10	17	321
204	139	148	145	160	227	238	274	293	353	316	301	169	48	12	18	
249	243	210	179	130	72	60	35	37	27	27	11	7	4	.....	5	322
184	188	156	135	80	62	54	53	37	31	27	21	9	2	1	7	
51	78	91	98	88	88	78	96	102	101	76	66	30	9	4	8	323
45	55	63	56	39	58	49	61	73	84	76	58	31	11	1	5	
354	468	553	610	562	721	826	918	833	750	617	360	153	39	16	27	324
200	266	329	385	348	428	480	481	442	387	310	169	66	16	6	12	325
154	202	224	225	214	293	346	437	391	363	307	191	87	23	10	15	326
14	23	25	29	32	28	21	30	23	15	14	13	8	2	1	37	327
10	15	21	28	25	30	15	17	13	7	7	2	3	1	.....	32	328
4	8	4	1	7	8	6	13	10	8	7	11	5	1	1	5	329
113	79	102	71	58	69	63	73	65	54	33	21	19	10	8	10	330
61	39	49	35	28	37	23	44	30	24	16	5	4	2	2	3	331
52	40	53	36	30	32	40	29	35	30	17	16	15	8	6	7	332
61	38	47	34	28	37	23	44	30	24	16	5	4	2	2	3	333
52	40	53	36	30	32	40	29	35	30	17	16	15	8	6	7	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	334
.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	335

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW YORK.											
336	Total	127,602	22,874	5,506	2,538	1,546	1,124	33,588	3,304	1,807	2,945	4,550
337	Males	68,030	12,596	2,873	1,311	785	556	18,121	1,689	931	1,558	2,364
338	Females	59,572	10,278	2,633	1,227	761	568	15,467	1,615	876	1,387	2,186
339	White	124,550	22,120	5,329	2,460	1,503	1,098	32,510	3,226	1,756	2,845	4,367
340	Males	66,459	12,198	2,784	1,276	763	546	17,567	1,663	909	1,509	2,262
341	Females	58,091	9,922	2,545	1,184	740	552	14,943	1,563	847	1,336	2,105
342	Native	83,243	21,495	5,109	2,308	1,384	1,021	31,317	3,021	1,554	2,214	3,044
343	Males	44,237	11,856	2,670	1,197	703	508	16,934	1,551	808	1,158	1,537
344	Females	39,006	9,639	2,439	1,111	681	513	14,383	1,470	746	1,056	1,507
345	Both parents native {M	19,191	4,785	860	448	250	208	6,551	648	398	524	622
	{F	17,994	3,839	765	405	241	189	5,439	631	364	510	648
346	One or both parents foreign {M	19,725	6,591	1,749	721	427	287	9,775	853	353	543	771
	{F	16,845	5,406	1,596	683	415	305	8,405	792	344	477	726
347	Parentage unknown {M	5,321	480	61	28	26	13	608	50	57	91	144
	{F	4,167	394	78	23	25	19	539	47	38	69	133
348	Foreign	39,310	166	175	119	100	76	636	194	186	609	1,284
349	Males	20,887	91	92	63	48	38	332	105	90	337	695
350	Females	18,423	75	83	56	52	38	304	89	96	272	589
351	Unknown	1,997	459	45	33	19	1	557	11	16	22	39
352	Males	1,335	251	22	16	12	.....	301	7	11	14	30
353	Females	662	208	23	17	7	1	256	4	5	8	9
354	Colored	3,052	754	177	78	43	26	1,078	78	51	100	183
355	Males	1,571	398	89	35	22	10	554	26	22	49	102
356	Females	1,481	356	88	43	21	16	524	52	29	51	81
357	Black {M	1,446	394	88	34	22	9	547	26	21	48	87
	{F	1,461	354	86	42	21	14	517	51	29	50	78
358	Indian {M	20	2	1	1	.....	.....	4	.....	1	.....	3
	{F	17	1	2	.....	.....	2	5	1	.....	1	2
359	Chinese and Japanese {M	105	2	.....	.....	.....	1	3	.....	.....	1	12
	{F	3	1	.....	1	.....	.....	2	.....	.....	.....	1
	RHODE ISLAND.											
360	Total	8,638	1,902	508	200	138	97	2,845	244	96	188	277
361	Males	4,478	1,037	272	108	78	47	1,542	127	40	102	143
362	Females	4,160	865	236	92	60	50	1,303	117	56	86	134
363	White	8,376	1,845	485	190	131	95	2,746	239	92	177	265
364	Males	4,344	1,009	258	105	73	47	1,492	123	38	95	138
365	Females	4,032	836	227	85	58	48	1,254	116	54	82	127
366	Native	5,817	1,822	460	177	120	86	2,665	212	76	110	179
367	Males	3,088	998	243	99	70	45	1,455	114	29	60	92
368	Females	2,729	824	217	78	50	41	1,210	98	47	50	87
369	Both parents native {M	1,421	271	51	28	13	18	381	34	10	17	31
	{F	1,298	241	43	22	10	15	331	34	21	17	33
370	One or both parents foreign {M	1,569	694	188	70	57	27	1,036	78	19	41	57
	{F	1,351	560	172	55	40	26	853	63	26	33	53
371	Parentage unknown {M	98	33	4	1	.....	.....	38	2	.....	2	4
	{F	80	23	2	1	.....	.....	26	1	.....	.....	1
372	Foreign	2,502	16	25	12	10	8	71	27	16	67	86
373	Males	1,215	6	15	6	2	2	31	9	9	35	46
374	Females	1,287	10	10	6	8	6	40	18	7	32	40
375	Unknown	57	7	.....	1	1	1	10	.....	.....	.....	.....
376	Males	41	5	.....	.....	1	.....	6	.....	.....	.....	.....
377	Females	16	2	.....	1	.....	1	4	.....	.....	.....	.....
378	Colored	262	57	23	10	7	2	99	5	4	11	12
379	Males	134	28	14	3	5	.....	50	4	2	7	5
380	Females	128	29	9	7	2	2	49	1	2	4	7
381	Black {M	131	28	14	3	5	.....	50	4	2	7	5
	{F	127	29	9	7	2	2	49	1	2	4	7
382	Indian {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
383	Chinese and Japanese {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
5,728	5,880	6,418	6,212	5,901	6,469	6,680	7,494	7,515	7,456	6,687	4,979	2,519	915	260	295	336
2,989	3,284	3,660	3,650	3,471	3,614	3,644	3,880	3,838	3,800	3,328	2,376	1,151	370	107	205	337
2,739	2,596	2,758	2,562	2,430	2,855	3,036	3,614	3,677	3,656	3,359	2,603	1,368	545	153	90	338
5,514	5,675	6,248	6,049	5,758	6,335	6,548	7,398	7,429	7,395	6,627	4,940	2,495	903	250	282	339
2,878	3,171	3,569	3,571	3,386	3,544	3,575	3,839	3,790	3,769	3,289	2,360	1,142	368	103	195	340
2,636	2,504	2,679	2,478	2,372	2,791	2,973	3,559	3,639	3,626	3,338	2,580	1,353	535	147	87	341
3,731	3,596	3,541	3,223	3,118	2,849	2,888	3,182	3,478	3,554	3,587	2,883	1,636	578	145	104	342
1,956	2,001	1,995	1,817	1,747	1,558	1,549	1,719	1,804	1,843	1,801	1,376	751	216	59	57	343
1,775	1,595	1,546	1,406	1,371	1,291	1,339	1,463	1,674	1,711	1,786	1,507	885	362	86	47	344
615	554	573	555	612	689	865	975	1,151	1,204	1,145	861	463	123	37	26	345
636	526	519	508	553	634	763	893	1,076	1,183	1,207	1,016	598	221	49	20	
1,144	1,218	1,171	1,023	868	573	372	358	202	160	145	100	59	19	5	13	346
995	921	851	728	636	462	345	299	274	173	168	124	73	32	5	15	
197	229	251	239	267	296	312	386	451	479	511	415	229	74	17	18	347
144	148	176	170	182	195	231	271	324	355	411	367	214	109	32	12	
1,722	2,006	2,564	2,692	2,527	3,373	3,571	4,111	3,857	3,734	2,970	1,968	816	310	100	80	348
878	1,112	1,452	1,644	1,541	1,901	1,968	2,047	1,926	1,862	1,447	939	375	144	41	51	349
844	894	1,112	1,048	986	1,472	1,603	2,064	1,931	1,872	1,523	1,029	441	166	59	29	350
61	73	143	134	113	113	89	105	94	107	70	89	43	15	5	98	351
44	58	122	110	98	85	58	73	60	64	41	45	16	8	3	87	352
17	15	21	24	15	28	31	32	34	43	29	44	27	7	2	11	353
214	205	170	163	143	134	132	96	86	61	60	39	24	12	10	13	354
111	113	91	79	85	70	69	41	48	31	39	16	9	2	4	10	355
103	92	79	84	58	64	63	55	38	30	21	23	15	10	6	3	356
95	96	78	63	73	60	57	40	46	31	39	16	9	1	4	9	357
103	92	79	81	57	63	63	55	37	29	21	23	14	10	6	3	
1	2	.....	1	.....	2	4	.....	1	.....	.....	.....	.....	1	.....	.....	
.....	.....	.....	3	1	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	358
15	15	13	15	12	8	8	1	1	.....	.....	.....	.....	.....	.....	1	359
329	322	353	318	371	397	452	487	511	425	400	327	161	62	26	47	360
181	187	192	164	181	208	219	260	262	207	191	148	61	27	8	28	361
148	135	161	154	190	189	233	227	249	218	209	179	100	35	18	19	362
320	308	339	307	356	387	444	479	495	415	392	325	159	62	23	46	363
174	178	182	162	171	203	219	258	252	204	187	147	60	27	6	28	364
146	130	157	145	185	184	225	221	243	211	205	178	99	35	17	18	365
194	162	185	156	184	187	177	202	218	218	258	223	122	49	16	24	366
109	95	96	83	93	107	90	104	121	123	126	102	45	24	4	16	367
85	67	89	73	91	80	87	98	97	95	132	121	77	25	12	8	368
45	28	38	43	51	72	64	91	108	115	119	98	42	21	4	9	369
29	23	31	34	37	53	59	74	87	81	125	118	73	25	11	2	
59	62	56	37	37	32	24	6	8	5	3	1	1	.....	.....	7	370
54	43	56	36	49	24	20	13	7	10	4	1	.....	.....	.....	6	
5	5	2	3	5	3	2	7	5	3	4	3	2	3	.....	.....	371
2	1	2	3	5	3	8	11	3	4	3	2	4	.....	1	.....	
121	144	148	147	170	194	264	273	273	196	134	100	36	13	6	16	372
62	81	82	76	76	91	126	151	128	81	61	44	15	3	2	6	373
59	63	66	71	94	103	138	122	145	115	73	56	21	10	4	10	374
5	2	6	4	2	6	3	4	4	1	.....	2	1	.....	1	6	375
3	2	4	3	2	5	3	3	3	.....	.....	1	.....	.....	.....	6	376
2	.....	2	1	.....	1	.....	1	1	1	.....	1	1	.....	1	.....	377
9	14	14	11	15	10	8	8	16	10	8	2	2	.....	3	1	378
7	9	10	2	10	5	.....	2	10	3	4	1	1	.....	2	.....	379
2	5	4	9	5	5	8	6	6	7	4	1	1	.....	1	1	380
7	9	8	2	10	5	.....	2	10	2	4	1	1	.....	2	.....	381
2	5	4	9	5	5	8	6	6	6	4	1	1	.....	1	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	382
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	383
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	VERMONT.											
384	Total	5,629	834	137	64	37	34	1,106	100	88	145	185
385	Males	2,832	433	63	38	15	17	566	60	39	64	99
386	Females	2,797	401	74	26	22	17	540	40	49	81	95
387	White	5,612	831	137	64	37	34	1,103	100	86	144	184
388	Males	2,821	432	63	38	15	17	565	60	37	64	89
389	Females	2,791	399	74	26	22	17	538	40	49	80	95
390	Native	4,526	824	131	60	33	33	1,081	90	79	129	148
391	Males	2,250	427	61	36	15	17	556	51	34	58	73
392	Females	2,276	397	70	24	18	16	525	39	45	71	75
393	Both parents native {M	1,133	234	33	17	11	10	325	28	21	29	36
	{F	1,193	210	40	14	11	7	282	24	26	46	33
394	One or both parents foreign {M	379	117	20	12	4	6	159	11	6	17	24
	{F	375	130	22	7	5	4	168	11	10	16	17
395	Parentage unknown {M	738	56	8	7	.....	1	72	12	7	12	13
	{F	708	57	8	3	2	5	75	4	9	9	25
396	Foreign	919	5	5	4	3	1	18	8	5	14	31
397	Males	474	4	2	2	.....	.....	8	8	2	6	15
398	Females	445	1	3	2	3	1	10	.....	3	8	16
399	Unknown	167	2	1	.....	1	.....	4	2	2	1	5
400	Males	97	1	.....	.....	.....	.....	1	1	1	.....	1
401	Females	70	1	1	.....	1	.....	3	1	1	1	4
402	Colored	17	3	.....	.....	.....	.....	3	.....	2	1	1
403	Males	11	1	.....	.....	.....	.....	1	.....	2	.....	1
404	Females	6	2	.....	.....	.....	.....	2	.....	.....	1	.....
405	Black {M	11	1	.....	.....	.....	.....	1	.....	2	.....	1
	{F	6	2	.....	.....	.....	.....	2	.....	.....	1	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1903—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
174	173	149	178	201	231	265	347	459	504	464	433	229	105	37	56	384
78	74	71	106	100	115	135	185	254	250	232	205	113	43	13	39	385
96	99	78	72	101	116	130	162	205	254	232	228	116	62	24	17	386
172	173	147	177	200	231	264	347	458	502	464	433	229	105	37	56	387
77	74	71	105	99	115	134	185	253	248	232	205	113	43	13	39	388
95	99	76	72	101	116	130	162	205	254	232	228	116	62	24	17	389
141	134	110	135	149	173	192	259	341	365	360	340	177	77	23	23	390
59	60	44	78	73	82	98	135	190	179	182	164	83	31	5	15	391
82	74	66	57	76	91	94	124	151	186	178	176	94	46	18	8	392
29	20	15	31	32	35	57	65	93	91	86	82	37	13	.....	8	393
39	38	34	27	42	40	59	71	84	92	89	87	50	19	6	5	
17	20	16	17	18	14	8	13	12	7	9	6	2	1	.....	2	394
19	18	19	14	14	17	12	9	9	8	4	5	2	2	.....	1	
13	20	13	30	23	33	33	57	85	81	87	76	44	17	5	5	395
24	18	13	16	20	34	23	44	58	86	85	84	42	25	12	2	
29	35	34	37	38	48	69	77	104	113	93	77	40	23	13	13	396
16	12	25	25	16	25	35	44	53	53	47	35	24	11	8	6	397
13	23	9	12	22	23	34	33	51	60	46	42	16	12	5	7	398
2	4	3	5	13	10	3	11	13	24	11	16	12	5	1	20	399
2	2	2	2	10	8	1	6	10	16	3	6	6	1	.....	18	400
.....	2	1	3	3	2	2	5	3	8	8	10	6	4	1	2	401
2	.....	2	1	1	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	402
1	.....	.....	1	1	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	403
1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	404
1	.....	.....	1	1	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	405
1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
1	All causes	524,415	397,736	327,295	200,616	126,679	197,120	10,584	4,908	5,945	9,852	21,993
2	I.—General diseases	146,082	112,935	88,249	55,102	33,147	57,833	3,092	1,260	1,686	3,045	7,051
3	Typhoid fever	11,149	8,876	5,162	2,889	2,273	5,987	179	29	143	300	764
4	Exanthematic typhus	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
5	Recurrent fever	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
6	Malarial fever	1,410	1,066	636	292	344	774	37	16	22	35	120
7	Smallpox	1,382	1,267	321	206	115	1,061	.....	1	2	124	71
8	Measles	3,221	2,629	1,843	1,251	592	1,378	168	45	45	50	118
9	Scarlet fever	3,991	3,313	2,578	1,900	678	1,413	114	34	2	41	146
10	Whooping cough	5,171	4,046	3,004	1,879	1,125	2,167	171	70	71	70	207
11	Diphtheria	8,658	7,391	5,449	4,182	1,267	3,209	162	41	18	136	207
12	Croup	1,705	1,334	1,067	696	371	638	40	10	7	36	80
13	Influenza	6,064	3,772	4,020	1,728	2,292	2,044	174	140	85	96	320
14	Miliary fever	3	3	1	1	.....	2	.....	.....	.....	.....	.....
15	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Cholera nostras	374	261	243	130	113	131	7	1	1	6	20
17	Dysentery	2,378	1,646	1,534	802	732	844	78	28	18	75	257
18	Plague	17	17	.....	.....	.....	17	.....	.....	.....	.....	.....
19	Yellow fever	17	17	.....	.....	.....	17	.....	.....	.....	.....	.....
20	Leprosy	4	4	1	1	.....	3	.....	.....	.....	.....	.....
21	Erysipelas	1,300	994	839	533	306	461	28	13	16	31	47
22	Other epidemic diseases	79	59	37	17	20	42	1	.....	.....	.....	4
23	Septicemia	1,754	1,321	982	549	433	772	33	5	5	63	110
24	Glanders and farcy	12	10	10	8	2	2	1	.....	.....	.....	.....
25	Malignant pustule and charbon	22	17	14	9	5	8	.....	.....	.....	.....	2
26	Rabies	43	37	16	10	6	27	.....	.....	.....	2	3
27	Actinomycosis, trichinosis, etc	12	8	6	2	4	6	.....	.....	.....	.....	2
28	Pellagra	2	2	1	1	.....	1	.....	.....	.....	.....	.....
29	Tuberculosis of lungs	53,910	42,729	32,291	21,110	11,181	21,619	1,002	391	781	1,184	2,771
30	Tuberculosis of larynx	539	422	307	190	117	232	9	1	10	14	26
31	Tuberculous meningitis	2,905	2,442	2,002	1,539	463	903	71	23	26	45	98
32	Abdominal tuberculosis	1,854	1,398	1,084	628	456	770	34	22	26	61	126
33	Pott's disease	516	402	323	209	114	193	8	5	4	6	21
34	Tuberculous abscess	72	52	45	25	20	27	2	1	1	4	5
35	White swelling	224	176	132	84	48	92	1	1	5	3	3
36	Tuberculosis of other organs	465	349	288	172	116	177	6	4	8	15	36
37	General tuberculosis	1,002	764	630	392	238	372	11	10	30	32	30
38	Scrofula	153	103	89	39	50	64	2	1	.....	3	19
39	Syphilis	1,368	1,192	715	539	176	653	23	7	23	22	36
40	Gonorrhea of the adult	12	8	9	5	4	3	.....	.....	.....	.....	.....
41	Gonorrheal infections of children	13	13	5	5	.....	8	.....	.....	1	.....	.....
42	Cancer of mouth	661	478	427	244	183	234	15	7	8	9	31
43	Cancer of stomach and liver	8,193	5,954	5,267	3,028	2,239	2,926	168	78	61	130	360
44	Cancer of intestines	2,134	1,597	1,469	932	537	665	49	31	15	34	49
45	Cancer of female genital organs	3,289	2,603	2,033	1,347	686	1,256	73	30	57	67	102
46	Cancer of breast	1,787	1,269	1,251	733	518	536	56	24	29	23	70
47	Cancer of skin	752	434	536	218	318	216	18	12	8	8	66
48	Cancer of other or unspecified organs	5,509	3,838	3,667	1,996	1,671	1,842	104	66	43	101	239
49	Tumor	531	363	355	187	168	176	9	7	2	6	20
50	Acute articular rheumatism	1,594	1,227	992	625	367	602	35	18	15	27	67
51	Chronic rheumatism and gout	1,191	790	780	379	401	411	16	15	8	34	68
52	Diabetes	3,681	2,539	2,650	1,528	1,122	1,031	88	39	36	59	165
53	Exophthalmic goiter	235	146	159	70	89	76	3	.....	2	10	17
54	Addison's disease	156	104	110	58	52	46	2	1	1	1	7
55	Leukemia	396	299	254	157	97	142	5	4	7	11	18
56	Anemia, chlorosis	1,512	978	1,023	489	534	489	21	8	10	23	64
57	Alcoholism	2,163	1,796	1,290	923	367	873	59	15	27	31	37
58	Lead poisoning	100	85	61	46	15	39	2	.....	1	4	1
59	Other occupational poisonings	11	10	4	3	1	7	.....	.....	.....	.....	.....
60	Other chronic poisonings	189	127	110	48	62	79	5	4	4	4	3
61	Scurvy	55	47	41	33	8	14	2	.....	1	1	1
62	Other general diseases	140	90	85	35	50	55	.....	2	1	8	17
63	II.—Diseases of nervous system	58,319	41,046	38,152	20,879	17,273	20,167	1,249	663	638	1,156	2,651
64	Encephalitis	609	423	335	149	186	274	9	6	2	20	60
65	Meningitis	7,295	5,791	4,586	3,082	1,504	2,709	200	70	39	159	255
66	Epidemic cerebro-spinal meningitis	1,918	1,431	1,265	778	487	653	42	17	11	21	125
67	Locomotor ataxia	813	579	511	277	234	302	24	10	9	18	31
68	Other diseases of spinal cord	1,685	1,131	1,157	603	554	528	45	13	18	38	94
69	Apoplexy	22,311	14,931	15,930	8,550	7,380	6,381	555	342	305	366	878
70	Softening of brain	1,258	782	792	316	476	466	16	27	20	23	91
71	Paralysis	6,609	3,845	4,355	1,591	2,764	2,254	65	58	37	181	568
72	General paralysis of insane	2,152	1,410	1,542	800	742	610	44	13	33	66	77
73	Other forms of mental disease	1,232	902	794	464	330	438	12	9	37	27	27
74	Other diseases of brain	1,456	1,085	941	570	371	515	34	19	20	20	60
75	Epilepsy	1,512	972	1,065	525	540	447	41	18	27	43	97
76	Convulsions (nonpuerperal)	357	280	212	135	77	145	4	.....	.....	14	8
77	Convulsions of children	6,476	5,392	3,327	2,243	1,084	3,149	101	30	54	98	154
78	Tetanus	1,326	1,165	472	311	161	854	23	13	17	29	40
79	Chorea	88	66	51	29	22	37	.....	1	1	1	5
80	Other diseases of nervous system	763	481	527	245	282	236	15	11	6	25	66
81	Diseases of eye and its adnexa	22	18	10	6	4	12	.....	.....	.....	1	1
82	Diseases of ear	437	362	280	205	75	157	19	6	2	6	14

EACH DISEASE AND CLASS OF DISEASES: 1903.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
2,269	8,947	37,850	11,013	11,298	21,822	2,835	4,133	20,290	11,687	93,054	34,548	5,746	2,892	893	4,736	1
567	2,190	10,108	2,883	3,010	5,334	688	1,028	5,395	2,870	25,603	8,539	1,720	859	188	1,133	2
66	163	435	94	217	386	35	68	255	143	1,195	523	52	29	12	74	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	5
.....	11	47	18	14	52	1	7	21	42	100	60	14	14	1	4	6
1	6	18	4	13	17	.....	.....	10	7	36	5	1	2	1	2	7
5	35	209	64	62	111	15	27	35	25	539	103	100	38	3	26	8
10	9	441	78	54	147	3	8	206	98	988	135	41	18	.....	5	9
32	76	535	81	132	249	39	25	196	95	527	254	105	54	1	14	10
16	63	649	112	312	253	35	37	452	187	2,265	283	129	46	8	38	11
7	28	94	30	51	68	23	10	100	48	322	80	14	8	2	9	12
13	176	349	203	100	351	38	114	104	134	663	682	98	61	8	111	13
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	22	33	8	11	18	4	.....	14	7	49	34	3	1	2	2	16
6	24	139	46	36	98	6	13	90	67	291	147	61	35	2	17	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	20
1	14	85	23	42	56	9	6	54	24	249	98	18	14	.....	11	21
.....	1	5	4	1	7	.....	.....	1	1	7	1	2	2	.....	.....	22
12	25	140	36	49	68	5	18	74	24	159	120	5	3	4	24	23
.....	.....	1	.....	.....	1	.....	.....	1	.....	5	.....	.....	1	.....	.....	24
.....	.....	3	.....	1	1	.....	.....	.....	1	5	.....	.....	1	.....	.....	25
.....	.....	.....	.....	2	1	.....	.....	.....	2	6	.....	.....	.....	.....	.....	26
.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	28
193	717	3,599	1,039	771	1,365	226	315	2,341	1,112	10,336	2,887	604	267	73	326	29
2	7	21	14	9	19	3	4	23	10	94	31	5	4	.....	1	30
10	38	275	45	41	71	15	11	119	41	871	105	57	20	9	11	31
9	44	122	26	37	69	9	8	46	37	262	102	21	10	1	12	32
3	12	46	8	18	26	1	4	17	10	98	21	8	1	.....	6	33
.....	3	1	2	1	4	.....	.....	5	.....	10	4	.....	.....	1	1	34
1	5	5	2	7	14	1	.....	10	7	45	14	5	.....	1	2	35
1	8	24	8	9	24	6	1	11	8	88	22	4	.....	.....	5	36
12	18	82	43	19	35	5	7	33	26	142	45	24	7	2	17	37
1	5	9	3	3	10	2	1	5	2	9	8	4	.....	1	1	38
1	5	64	11	80	48	3	5	45	13	260	36	16	10	2	5	39
.....	.....	1	.....	.....	1	1	.....	.....	.....	3	2	.....	1	.....	.....	40
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	41
.....	19	51	21	14	35	3	5	25	11	113	44	6	2	.....	8	42
47	175	560	181	217	456	38	62	274	179	1,444	589	83	51	6	108	43
13	55	197	55	72	74	12	19	69	45	442	174	27	12	2	23	44
20	74	248	43	116	119	14	15	119	67	595	174	32	30	6	32	45
8	45	134	44	37	87	9	12	58	41	349	149	28	17	2	29	46
3	19	42	11	13	74	.....	8	19	11	100	90	5	12	2	15	47
22	99	571	209	132	243	37	93	145	126	805	490	24	26	12	80	48
3	11	44	18	18	44	6	7	7	3	88	52	2	.....	2	6	49
8	22	106	21	47	82	9	6	42	27	319	111	16	7	1	6	50
4	16	74	31	43	76	8	7	26	21	155	133	7	2	4	12	51
15	77	312	110	89	193	27	53	126	85	719	336	48	24	9	40	52
.....	2	8	4	9	27	1	2	3	3	32	28	2	1	.....	5	53
1	4	7	6	4	13	2	1	4	3	36	13	.....	1	.....	3	54
1	4	23	11	15	25	.....	1	19	5	75	22	.....	2	1	5	55
13	30	136	70	52	114	21	25	43	33	150	156	18	16	2	18	56
7	12	138	42	25	72	12	17	132	35	463	118	25	9	4	10	57
.....	.....	11	4	3	1	2	2	2	1	21	6	.....	.....	.....	.....	58
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	59
.....	6	8	2	3	17	.....	1	2	2	19	21	2	.....	1	6	60
.....	1	3	1	3	3	1	.....	7	1	14	1	1	.....	.....	.....	61
.....	3	2	5	5	9	1	2	4	.....	13	9	1	.....	.....	3	62
346	1,272	4,216	1,528	1,317	2,739	400	605	2,631	1,816	8,349	4,974	463	321	114	704	63
5	18	30	8	16	37	5	9	19	11	41	28	2	3	.....	6	64
56	137	774	169	102	149	74	57	516	204	1,090	380	50	24	22	59	65
11	34	122	34	50	81	14	14	62	46	409	121	33	5	3	10	66
2	15	46	18	24	48	4	10	29	21	114	63	5	6	2	12	67
6	45	107	45	33	93	7	16	39	49	272	171	14	8	4	20	68
121	572	1,605	704	442	994	123	290	1,004	681	3,677	2,405	224	155	38	359	69
1	34	59	34	23	65	4	33	27	34	126	131	13	5	4	22	70
32	177	359	187	161	606	49	75	170	300	493	703	36	24	8	66	71
9	45	180	75	73	93	19	23	63	91	296	278	11	27	6	20	72
49	14	71	51	41	57	18	8	37	38	166	97	5	14	1	15	73
13	31	124	38	51	58	25	9	47	28	225	94	7	9	4	25	74
10	29	79	43	42	106	6	13	41	45	217	144	16	15	3	30	75
3	6	38	4	8	17	2	3	42	17	22	19	1	.....	1	3	76
18	67	383	85	196	232	39	27	446	194	877	247	21	12	10	36	77
5	6	45	8	28	28	3	5	39	39	108	18	8	2	6	2	78
.....	1	6	.....	3	7	.....	.....	4	1	14	6	.....	.....	.....	1	79
4	37	59	23	15	44	5	12	21	14	91	54	3	6	1	15	80
.....	1	.....	.....	.....	1	.....	.....	1	.....	2	1	1	.....	1	.....	81
1	3	39	2	9	23	3	1	4	3	109	14	13	6	.....	3	82

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
83	III.—Diseases of circulatory system	52,275	36,743	35,188	19,656	15,532	17,087	1,102	627	654	866	2,048
84	Pericarditis	664	480	360	176	184	304	6	4	11	19	41
85	Endocarditis	3,202	2,755	1,976	1,529	447	1,226	82	11	31	41	50
86	Heart disease	40,704	27,901	27,872	15,069	12,803	12,832	837	505	530	677	1,667
87	Angina pectoris	2,192	1,344	1,589	741	848	603	42	44	24	38	119
88	Diseases of arteries	2,908	2,291	1,761	1,144	617	1,147	78	33	29	48	77
89	Embolism and thrombosis	1,449	1,116	954	621	333	495	36	16	18	17	30
90	Diseases of veins	176	131	107	62	45	69	3	2	4	2	6
91	Diseases of lymphatics	58	47	37	26	11	21	.....	2	.....	2	3
92	Hemorrhages	862	650	483	271	212	379	18	10	7	16	39
93	Other diseases of circulatory system	60	28	49	17	32	11	.....	.....	.....	6	16
94	IV.—Diseases of respiratory system	70,930	56,765	43,945	29,780	14,165	26,985	1,290	604	780	1,068	2,168
95	Diseases of nasal fossa	57	29	37	9	28	20	1	1	1	2	10
96	Laryngitis	397	297	251	151	100	146	6	6	3	5	19
97	Other diseases of larynx	390	311	227	148	79	163	12	1	.....	8	16
98	Diseases of thyroid body	93	68	51	26	25	42	.....	.....	.....	.....	2
99	Acute bronchitis	6,842	5,433	4,478	3,069	1,409	2,364	146	70	92	82	179
100	Chronic bronchitis	5,005	3,842	3,030	1,867	1,163	1,975	96	75	37	89	153
101	Bronchopneumonia	10,964	9,235	7,672	5,943	1,729	3,292	181	65	127	129	247
102	Pneumonia	39,764	31,792	23,763	15,791	7,972	16,001	700	333	403	582	1,215
103	Pleurisy	1,463	1,199	929	665	264	534	41	8	19	15	41
104	Congestion of lungs	2,885	2,116	1,824	1,055	769	1,061	68	34	53	86	150
105	Gangrene of lungs	132	102	82	52	30	50	2	1	8	.....	4
106	Asthma	1,262	1,022	590	350	240	672	9	4	17	24	44
107	Emphysema	247	215	138	106	32	109	11	.....	.....	7	9
108	Hemorrhage of lungs	753	615	428	290	138	325	7	3	11	16	23
109	Other diseases of respiratory system	676	489	445	258	187	231	10	3	9	23	56
110	V.—Diseases of digestive system	61,219	47,671	38,069	24,521	13,548	23,150	1,305	527	702	1,193	2,719
111	Diseases of mouth	235	177	138	80	58	97	4	1	3	7	14
112	Tonsilitis	258	151	179	72	107	79	11	2	1	5	26
113	Diseases of pharynx	181	123	121	63	58	60	1	2	.....	6	6
114	Diseases of esophagus	113	90	63	40	23	50	2	2	.....	.....	4
115	Ulcer of stomach	905	669	565	329	236	340	16	4	9	15	41
116	Gastritis	3,797	2,713	2,340	1,256	1,084	1,457	92	59	61	96	220
117	Other diseases of stomach	1,991	1,201	1,469	679	790	522	41	22	35	56	138
118	Dentition	210	185	68	43	25	142	.....	.....	.....	1	4
119	Diarrhea and enteritis, under 2 years	26,697	22,083	16,854	12,240	4,614	9,843	642	196	300	393	946
120	Diarrhea and enteritis, 2 years and over	6,338	4,601	3,900	2,163	1,737	2,438	109	70	97	173	401
121	Intestinal parasites	29	10	22	3	19	7	.....	1	.....	.....	3
122	Hernia	1,412	1,107	884	579	305	528	27	12	12	17	50
123	Obstruction of intestines	2,844	2,087	1,799	1,042	757	1,045	54	31	28	74	145
124	Other diseases of intestines	915	628	592	305	287	323	14	6	5	27	71
125	Acute yellow atrophy of liver	119	76	76	33	43	43	1	4	1	1	8
126	Hydatid tumors of liver	9	6	8	5	3	1	.....	.....	.....	.....	.....
127	Cirrhosis of liver	4,731	3,813	2,834	1,916	918	1,897	102	31	41	74	147
128	Biliary calculi	795	618	440	263	177	355	19	9	2	17	41
129	Other diseases of liver	2,545	1,735	1,593	783	810	952	41	35	25	71	177
130	Diseases of spleen	88	62	57	31	26	31	2	.....	.....	1	7
131	Peritonitis	3,333	2,503	1,981	1,151	830	1,352	59	20	39	98	148
132	Appendicitis	3,589	2,965	2,031	1,407	624	1,558	67	20	40	60	120
133	Other diseases of digestive system	85	68	55	38	17	30	1	.....	3	1	2
134	VI.—Diseases of genito-urinary system	38,013	29,752	23,882	15,621	8,261	14,131	710	376	456	609	1,201
135	Acute nephritis	3,173	2,613	2,116	1,556	560	1,057	88	25	45	45	62
136	Bright's disease	28,641	22,463	18,042	11,864	6,178	10,599	493	285	340	434	867
137	Other diseases of kidneys	917	670	555	308	247	362	9	9	13	18	50
138	Calculi of urinary tract	151	117	88	54	34	63	3	.....	2	2	5
139	Diseases of bladder	1,450	899	1,006	455	551	444	40	27	14	37	87
140	Diseases of urethra, urinary abscess, etc.	140	127	55	42	13	85	4	.....	2	.....	5
141	Diseases of prostate	1,012	698	695	381	314	317	26	14	16	19	54
142	Nonvenereal diseases of male genital organs	47	37	25	15	10	22	.....	1	.....	.....	3
143	Metritis	71	57	39	25	14	32	.....	2	.....	4	5
144	Uterine hemorrhage (nonpuerperal)	87	63	52	28	24	35	3	.....	.....	1	5
145	Uterine tumor	608	508	336	236	100	272	13	3	9	10	14
146	Other diseases of uterus	545	459	285	199	86	260	10	3	3	17	17
147	Ovarian tumor	439	362	239	162	77	200	13	4	4	12	12
148	Diseases of tubes	583	551	265	233	32	318	6	2	5	4	8
149	Other diseases of female genital organs	131	115	69	53	16	62	1	1	3	6	6
150	Nonpuerperal diseases of breast (cancer excepted)	18	13	15	10	5	3	1	.....	.....	.....	1
151	VII.—Childbirth	4,569	3,450	2,778	1,659	1,119	1,791	89	39	53	66	204
152	Accidents of pregnancy	570	447	325	202	123	245	8	5	3	6	27
153	Puerperal hemorrhage	341	276	233	168	65	108	12	4	2	5	10
154	Other accidents of labor	280	225	182	127	55	98	7	1	6	3	9
155	Puerperal septicemia	1,992	1,554	1,153	715	438	839	30	13	27	39	101
156	Puerperal convulsions	929	662	594	327	267	335	24	15	11	7	33
157	Puerperal phlegmasia alba dolens	5	2	4	1	3	1	.....	.....	.....	.....	.....
158	Other puerperal accidents	452	284	287	119	168	165	8	1	4	6	24
159	Puerperal diseases of breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH DISEASE AND CLASS OF DISEASES: 1903—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
242	1,065	4,221	1,601	1,127	2,679	320	592	1,773	1,264	8,765	4,736	501	301	85	619	83
1	9	31	8	7	36	1	5	19	16	78	53	3	6	.....	6	84
6	27	299	54	48	55	5	9	229	55	750	152	36	12	2	22	85
190	881	3,255	1,319	908	2,276	272	509	1,264	1,014	6,667	3,878	406	242	63	512	86
15	81	159	76	60	152	16	27	75	74	284	233	23	9	5	33	87
10	25	273	83	55	101	6	16	77	48	543	195	19	16	6	23	88
10	23	129	31	24	27	11	16	63	30	300	142	7	8	6	10	89
1	3	9	2	2	8	.....	.....	6	8	34	11	1	4	.....	1	90
.....	1	2	.....	2	.....	.....	.....	3	1	16	4	1	.....	.....	.....	91
9	12	62	26	20	19	8	10	35	18	89	62	5	4	2	12	92
.....	3	2	2	1	5	1	.....	2	.....	4	6	.....	.....	1	.....	93
281	1,048	5,220	1,255	1,442	2,425	353	499	2,900	1,412	15,469	3,840	839	343	138	571	94
.....	.....	4	.....	.....	14	.....	.....	.....	1	1	1	.....	.....	.....	1	95
3	5	26	10	6	14	3	4	27	11	61	26	10	1	1	4	96
2	6	28	1	7	20	7	1	21	11	60	16	3	4	.....	3	97
.....	3	9	3	3	2	.....	.....	2	1	11	12	1	2	.....	.....	98
21	100	532	125	188	285	44	51	242	123	1,568	369	136	41	18	66	99
10	77	433	105	105	202	30	53	167	102	829	330	60	19	11	47	100
33	103	750	152	253	314	36	42	493	206	3,773	477	153	61	15	62	101
191	663	2,983	756	713	1,291	214	311	1,641	765	7,855	2,108	435	201	74	329	102
6	11	116	27	28	47	5	11	52	29	361	72	18	6	4	12	103
11	35	186	37	52	100	11	15	144	90	435	281	3	1	6	26	104
.....	1	9	2	4	6	.....	1	4	2	24	9	1	.....	.....	4	105
1	23	54	23	27	57	3	7	30	22	174	52	10	3	1	5	106
.....	3	7	3	4	11	.....	.....	13	1	62	4	2	1	.....	.....	107
.....	5	47	3	24	22	.....	1	40	28	135	46	5	2	5	5	108
3	13	36	8	28	40	.....	2	24	20	120	37	2	1	3	7	109
221	878	4,663	963	1,533	2,833	403	367	2,425	1,177	11,081	3,239	870	380	125	465	110
1	4	10	2	11	17	.....	1	10	6	31	11	2	1	1	1	111
.....	11	10	6	7	28	1	2	5	7	30	21	2	3	.....	1	112
1	10	13	3	1	20	.....	4	6	1	33	11	2	.....	.....	1	113
.....	1	9	2	3	5	.....	.....	5	1	21	7	.....	.....	.....	1	114
2	11	57	14	22	57	2	6	30	13	167	68	5	2	4	20	115
10	64	212	77	90	160	26	30	169	119	439	301	48	17	13	37	116
8	60	128	42	61	140	11	36	39	51	235	252	38	29	7	20	117
.....	1	8	2	4	8	1	.....	5	4	20	4	4	1	.....	1	118
87	324	2,568	344	647	1,066	236	111	1,116	470	5,730	828	469	188	52	141	119
20	100	358	158	142	300	29	45	218	148	920	402	86	62	11	51	120
.....	1	1	1	.....	6	.....	.....	.....	1	2	6	.....	.....	.....	.....	121
3	18	95	22	33	67	3	12	56	17	303	80	23	4	7	23	122
15	47	192	59	86	142	14	11	108	52	453	241	14	7	4	22	123
2	20	50	10	21	60	5	6	35	24	130	77	14	7	2	6	124
.....	.....	2	1	2	5	.....	5	5	7	18	11	2	.....	1	2	125
.....	.....	.....	.....	2	1	.....	.....	2	1	1	.....	.....	1	.....	.....	126
11	56	224	63	81	191	20	24	236	89	1,063	273	59	23	5	21	127
4	6	67	15	32	35	2	5	18	8	96	42	6	5	.....	11	128
19	53	134	52	62	169	11	22	77	60	315	216	25	8	3	18	129
.....	2	6	2	3	10	.....	1	2	1	15	2	2	.....	.....	1	130
16	30	264	50	106	178	30	27	150	71	366	244	15	10	8	52	131
22	58	245	36	115	165	12	18	109	26	679	136	51	12	7	33	132
.....	1	10	2	2	3	.....	1	4	.....	14	6	3	.....	.....	2	133
182	602	2,265	649	644	1,239	163	304	1,442	822	8,607	2,526	483	237	60	305	134
13	41	193	44	65	87	18	17	198	63	841	176	47	17	3	28	135
139	443	1,655	484	385	841	117	217	1,125	676	6,762	1,942	369	202	45	221	136
4	25	54	25	23	45	7	11	21	11	148	58	11	4	.....	9	137
2	2	10	3	5	8	1	1	1	4	27	9	1	.....	.....	2	138
11	40	99	46	39	98	5	37	31	35	169	160	7	6	3	15	139
1	.....	8	1	3	3	.....	.....	4	.....	15	2	2	1	1	1	140
3	21	73	28	39	71	11	9	14	6	158	89	19	3	3	19	141
.....	2	3	.....	1	1	.....	.....	2	1	9	2	.....	.....	.....	.....	142
.....	.....	3	.....	.....	3	.....	.....	5	3	13	1	.....	.....	.....	.....	143
.....	2	5	3	.....	4	.....	1	6	1	11	7	2	.....	.....	1	144
1	7	55	7	15	20	2	.....	9	11	109	31	11	3	2	4	145
3	7	28	2	18	32	.....	4	8	6	107	14	3	.....	2	1	146
2	10	26	4	12	12	2	5	6	3	82	24	3	.....	.....	3	147
3	2	41	1	29	7	.....	2	8	2	128	7	8	.....	1	1	148
.....	.....	8	1	8	6	.....	.....	4	.....	23	2	.....	.....	.....	.....	149
.....	.....	4	.....	.....	1	.....	.....	.....	.....	5	2	.....	1	.....	.....	150
19	74	285	56	112	305	14	30	152	83	820	264	45	17	4	47	151
4	16	50	4	15	31	.....	5	16	6	94	17	6	2	.....	10	152
1	5	27	5	13	20	3	3	15	1	87	12	3	4	.....	1	153
2	5	15	5	4	14	.....	.....	16	11	68	8	6	.....	.....	2	154
8	20	101	15	50	134	7	9	58	36	373	93	21	6	1	11	155
1	16	61	15	25	54	1	7	39	20	148	87	8	3	2	17	156
.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	157
3	12	31	12	5	50	3	6	8	9	49	46	1	2	1	6	158
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
160	VIII.—Diseases of skin	2,470	1,696	1,610	836	774	860	62	27	33	38	91
161	Gangrene	1,482	941	1,020	479	541	462	39	21	23	21	47
162	Carbuncle	151	106	88	43	45	63	2	.....	.....	2	13
163	Abscess	547	448	316	217	99	231	13	3	7	5	12
164	Other diseases of skin	290	201	186	97	89	104	8	3	3	10	19
165	IX.—Diseases of locomotor system	980	817	607	444	163	373	16	11	14	19	29
166	Diseases of bones	829	701	508	380	128	321	10	9	13	16	25
167	Diseases of joints	93	79	56	42	14	37	5	.....	.....	3	1
168	Amputation	39	27	27	15	12	12	.....	1	.....	.....	1
169	Other diseases of organs of locomotion	19	10	16	7	9	3	1	1	1	.....	2
170	X.—Malformations	4,025	2,875	2,701	1,551	1,150	1,324	83	46	25	67	216
171	Hydrocephalus	533	396	362	225	137	171	14	9	3	6	32
172	Congenital malformation of heart (cyanosis)	2,141	1,553	1,408	820	588	733	38	24	14	38	111
173	Other congenital malformations	1,351	926	931	506	425	420	31	13	8	23	73
174	XI.—Early infancy	22,514	18,188	14,060	9,734	4,326	8,454	522	197	330	517	934
175	Premature birth	10,143	7,903	6,873	4,723	2,150	3,270	292	120	214	228	445
176	Congenital debility	6,942	5,827	4,331	3,216	1,115	2,611	117	46	70	84	161
177	Other diseases of early infancy	937	707	642	412	230	295	36	4	8	14	47
178	Lack of care	4,492	3,661	2,214	1,383	831	2,278	77	27	38	191	281
179	XII.—Old age	12,780	7,747	8,604	3,571	5,033	4,176	171	115	158	249	580
180	XIII.—Violence	35,542	27,226	20,894	12,578	8,316	14,648	738	338	300	657	1,425
181	Suicide by poison	1,627	1,416	791	580	211	836	40	16	17	38	31
182	Suicide by asphyxia	368	357	179	168	11	189	4	.....	6	2	1
183	Suicide by hanging or strangulation	625	394	413	182	231	212	7	5	6	7	32
184	Suicide by drowning	204	131	125	52	73	79	3	2	2	3	8
185	Suicide by firearms	1,052	873	520	341	179	532	16	5	23	15	33
186	Suicide by cutting instruments	297	230	177	100	77	120	4	5	5	2	10
187	Suicide by jumping from high places	69	65	34	30	4	35	.....	1	.....	.....	1
188	Suicide by crushing	25	20	11	6	5	14	.....	2	.....	1	1
189	Other suicides	243	165	121	43	78	122	3	5	.....	4	17
190	Fractures	2,944	2,228	2,039	1,323	716	905	96	26	14	55	115
191	Dislocations	59	35	45	21	24	14	.....	.....	.....	.....	6
192	Burns and scalds	2,667	2,168	1,519	1,020	499	1,148	56	19	39	59	118
193	Heat and sunstroke	520	449	294	223	71	226	11	7	8	5	12
194	Cold and freezing	184	82	142	40	102	42	2	3	.....	2	17
195	Lightning	92	24	78	10	68	14	.....	3	1	3	23
196	Drowning	3,418	2,314	2,399	1,295	1,104	1,019	79	53	30	45	88
197	Inhalation of poisonous gases	1,075	1,008	641	574	67	434	39	2	14	6	11
198	Conflagration	640	635	62	57	5	578	.....	.....	.....	.....	.....
199	Other accidental poisonings	1,551	1,131	1,083	663	420	468	34	10	10	45	97
200	Accidental gunshot wounds	1,151	782	653	284	369	498	14	6	8	44	103
201	Injuries by machinery	280	209	150	79	71	130	3	2	1	6	10
202	Injuries in mines and quarries	305	165	172	32	140	133	.....	.....	.....	6	51
203	Railroad accidents and injuries	5,484	4,098	2,960	1,574	1,386	2,524	102	66	24	157	220
204	Injuries by vehicles and horses	907	702	572	367	205	335	9	6	6	9	43
205	Suffocation	504	341	364	201	163	140	16	7	3	10	49
206	Injuries at birth	1,669	1,265	1,237	833	404	432	84	18	15	10	50
207	Other accidental traumatisms	4,911	3,810	3,002	1,901	1,101	1,909	93	52	47	81	164
208	Burning by corrosive substances	15	12	10	7	3	5	.....	.....	.....	.....	.....
209	Other external violence	1,786	1,340	836	390	446	950	16	14	5	31	92
210	Starvation, privation, etc	36	28	29	21	8	7	3	.....	.....	2	.....
211	Homicide	834	759	236	161	75	598	4	3	16	9	22
212	XIV.—Ill-defined causes	14,697	10,825	8,556	4,684	3,872	6,141	155	78	116	302	676
213	"Dropsy"	1,221	699	719	197	522	502	6	12	3	38	127
214	"Heart failure"	2,189	1,429	1,285	525	760	904	3	2	2	49	134
215	Sudden death	118	54	85	21	64	33	2	4	.....	.....	3
216	Unspecified or ill-defined causes of death	1,410	1,010	826	426	400	584	32	21	3	39	69
217	Inanition, over 3 months	1,892	1,545	922	575	347	970	16	7	24	65	87
218	Debility, over 3 months	2,003	1,430	1,146	573	573	857	17	7	21	47	102
219	Marasmus, over 3 months	4,163	3,697	2,521	2,055	466	1,642	63	15	60	29	27
220	Fever	230	133	151	54	97	79	1	5	2	22	40
221	Unknown causes	1,471	828	901	258	643	570	15	5	1	13	87

EACH DISEASE AND CLASS OF DISEASES: 1903—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
18	70	157	72	51	151	17	27	77	60	352	232	28	24	3	20	160
11	39	97	56	26	93	13	19	44	48	186	172	17	12	2	14	161
1	.....	13	2	2	11	.....	2	3	2	18	11	2	3	.....	1	162
3	7	32	6	12	24	3	5	24	2	109	32	8	6	1	2	163
3	4	15	8	11	23	1	1	6	8	39	17	1	3	.....	3	164
2	12	67	10	20	35	6	2	42	17	244	37	11	5	3	5	165
2	10	57	8	16	25	5	1	37	12	212	28	9	5	3	5	166
.....	1	6	2	1	5	1	.....	2	1	23	4	1	.....	.....	.....	167
.....	1	2	.....	3	3	.....	.....	3	2	7	4	.....	.....	.....	.....	168
.....	.....	2	.....	.....	2	.....	1	.....	2	2	1	1	.....	.....	.....	169
10	52	303	94	96	249	16	35	179	105	714	277	50	23	8	53	170
1	9	51	10	14	23	4	5	20	10	104	29	7	4	1	6	171
6	19	149	58	46	108	9	19	93	67	391	146	31	10	5	26	172
3	24	103	26	36	118	3	11	66	28	219	102	12	9	2	21	173
105	287	2,366	413	556	703	91	56	984	465	3,958	1,024	246	80	59	167	174
52	142	1,157	198	238	340	2	4	439	226	1,943	543	122	39	36	93	175
35	94	802	123	178	188	59	30	319	149	1,463	253	73	29	16	42	176
2	16	76	19	32	50	5	7	54	20	173	50	11	3	1	14	177
16	35	331	73	108	125	25	15	172	70	379	178	40	9	6	18	178
89	521	884	570	302	757	95	220	236	301	1,251	1,661	92	89	44	219	179
102	432	2,014	595	802	1,619	179	233	1,401	858	6,039	2,347	311	175	35	294	180
1	11	51	13	30	35	1	2	93	24	300	61	9	7	.....	11	181
1	.....	26	.....	5	3	2	.....	18	4	95	1	9	2	.....	.....	182
2	19	37	23	14	37	5	5	21	22	76	75	6	3	1	10	183
2	11	11	8	6	18	2	3	9	2	10	17	3	1	1	3	184
5	18	55	14	25	38	9	6	36	18	151	39	5	3	1	5	185
.....	3	27	13	9	12	1	.....	10	6	41	25	1	.....	.....	3	186
1	.....	7	1	.....	.....	.....	.....	1	.....	20	.....	1	1	.....	.....	187
.....	1	1	.....	.....	.....	.....	.....	1	.....	3	1	.....	.....	.....	.....	188
1	.....	23	7	1	13	1	10	4	7	6	17	.....	.....	.....	2	189
9	28	278	57	82	116	25	24	154	59	600	245	8	3	2	43	190
.....	.....	5	2	1	6	1	.....	2	3	11	7	.....	.....	1	.....	191
8	32	177	36	51	107	14	16	132	52	454	95	27	7	3	17	192
.....	1	17	5	10	6	.....	1	43	17	125	19	4	3	.....	.....	193
.....	4	13	11	2	10	1	4	8	20	11	31	1	2	.....	.....	194
.....	.....	1	2	2	24	.....	.....	1	7	2	8	.....	1	.....	.....	195
14	112	235	98	81	176	22	52	150	134	608	322	24	47	7	22	196
2	2	60	6	18	8	7	1	59	15	350	22	19	.....	.....	.....	197
1	.....	2	.....	.....	.....	.....	.....	.....	.....	54	5	.....	.....	.....	.....	198
6	18	71	19	48	92	11	9	44	31	380	124	10	5	4	15	199
5	14	27	19	28	93	5	11	30	25	123	82	.....	4	.....	12	200
1	7	13	3	8	20	2	1	11	7	30	14	3	2	1	5	201
1	.....	1	.....	23	68	.....	1	.....	7	1	11	.....	1	.....	1	202
17	33	244	82	130	239	18	17	272	206	570	490	36	24	4	39	203
2	15	38	15	20	47	.....	7	16	7	248	50	18	7	1	8	204
.....	7	43	7	14	27	3	5	19	12	88	36	5	5	.....	8	205
1	17	153	23	32	84	7	6	76	47	417	126	35	18	3	15	206
16	52	284	86	96	247	26	25	146	93	1,037	318	71	21	4	43	207
.....	.....	1	.....	1	2	.....	.....	.....	1	5	.....	.....	.....	.....	.....	208
3	21	81	40	51	67	15	27	36	30	141	121	9	4	2	30	209
.....	.....	4	.....	3	2	1	.....	1	.....	7	4	.....	1	.....	1	210
3	6	28	5	11	22	.....	.....	8	2	75	11	7	3	.....	1	211
85	444	1,081	324	286	754	90	135	653	437	1,892	852	87	38	27	134	212
5	39	24	12	43	128	3	11	11	25	61	159	3	3	.....	6	213
12	69	79	74	36	108	17	28	129	117	193	203	1	1	4	24	214
2	20	8	.....	.....	9	2	.....	2	.....	1	21	2	.....	2	7	215
17	36	148	58	34	71	13	15	41	31	82	80	8	4	9	15	216
9	18	117	33	29	57	9	13	68	37	199	62	34	22	5	11	217
18	64	198	62	24	82	17	39	70	52	136	146	23	2	2	17	218
14	25	400	60	58	39	18	9	311	153	1,091	128	8	2	3	8	219
.....	6	5	5	3	12	1	1	4	6	15	20	1	.....	.....	2	220
8	167	102	29	59	248	10	19	17	16	24	33	7	4	2	44	221

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

	CAUSE OF DEATH.		AGE.										
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
1	All causes		524,415	96,857	21,956	10,079	6,429	4,619	139,940	14,047	8,733	14,541	22,227
2	Males		281,041	54,021	11,486	5,220	3,343	2,320	76,390	7,266	4,596	7,257	11,438
3	Females		243,374	42,836	10,470	4,859	3,086	2,299	63,550	6,781	4,137	7,284	10,789
4	I.—General diseases		146,082	8,980	6,170	4,181	3,221	2,475	25,027	7,119	3,510	7,301	11,436
5	Males		73,898	4,715	3,165	2,080	1,656	1,245	12,861	3,434	1,472	3,205	5,679
6	Females		72,184	4,265	3,005	2,101	1,565	1,230	12,166	3,685	2,038	4,096	5,757
7	Typhoid fever	M.	6,585	34	41	59	66	52	252	324	339	774	1,177
		F.	4,564	36	57	57	62	59	271	342	447	717	683
8	Malarial fever	M.	673	52	36	23	14	18	143	35	25	38	47
		F.	737	74	33	29	21	11	168	38	27	44	47
9	Smallpox	M.	872	65	30	14	14	14	137	26	11	42	149
		F.	510	76	22	17	18	8	141	18	7	38	64
10	Measles	M.	1,680	413	567	218	124	74	1,396	154	33	26	20
		F.	1,541	352	469	243	109	67	1,240	151	23	30	16
11	Scarlet fever	M.	2,016	98	236	294	270	254	1,152	609	130	50	29
		F.	1,975	81	184	242	271	227	1,005	642	173	61	40
12	Whooping cough	M.	2,374	1,386	532	222	87	52	2,279	76	7	2	1
		F.	2,797	1,418	703	300	150	86	2,657	114	8	3	2
13	Diphtheria	M.	4,356	278	602	636	614	484	2,614	1,228	273	73	48
		F.	4,302	197	569	578	541	460	2,345	1,377	324	104	46
14	Croup	M.	954	132	218	186	149	82	767	176	4	1	1
		F.	751	95	149	163	104	86	597	136	10	1	1
15	Influenza	M.	2,635	227	60	21	15	16	339	24	22	44	69
		F.	3,429	164	56	23	23	11	277	52	41	62	78
16	Cholera nostras	M.	178	32	10	7	4	2	55	4	5	2	3
		F.	196	40	3	5	2	3	53	4	6	2	5
17	Dysentery	M.	1,176	236	139	50	29	16	470	29	11	10	21
		F.	1,202	181	104	52	34	16	387	32	5	10	15
18	Erysipelas	M.	735	145	6	2	1	2	156	4	4	12	17
		F.	565	165	23	5	.....	3	196	4	6	8	14
19	Other epidemic diseases [1]	M.	76	13	5	1	.....	1	20	4	1	4	9
		F.	46	9	7	1	4	1	22	9	2	1	2
20	Septicemia	M.	775	83	9	9	4	5	110	36	27	49	35
		F.	979	68	8	8	7	9	100	23	17	51	120
21	Tuberculosis of lungs	M.	29,061	382	221	111	101	45	860	194	210	1,610	3,451
		F.	24,849	341	190	124	74	63	792	278	575	2,471	4,021
22	Tuberculosis of larynx	M.	349	5	1	1	1	1	9	.....	.....	10	21
		F.	190	3	.....	3	.....	.....	6	3	3	12	20
23	Tuberculous meningitis	M.	1,533	421	288	137	88	58	992	177	67	51	52
		F.	1,372	351	288	161	90	49	939	157	60	52	36
24	Abdominal tuberculosis	M.	855	104	42	19	14	14	193	48	31	65	79
		F.	999	73	24	22	8	7	134	43	44	94	113
25	Pott's disease	M.	302	15	6	5	10	7	43	36	31	21	30
		F.	214	11	6	5	5	6	33	19	20	22	14
26	Tuberculous abscess	M.	41	2	.....	2	.....	.....	4	1	1	1	5
		F.	31	.....	.....	1	.....	.....	1	1	1	1	3
27	White swelling	M.	126	3	1	.....	1	1	6	14	10	22	13
		F.	98	2	4	4	.....	1	11	18	13	13	7
28	Tuberculosis of other organs	M.	244	10	7	4	2	2	25	9	13	14	17
		F.	221	7	10	4	2	1	24	9	6	14	21
29	General tuberculosis	M.	550	32	23	12	4	9	80	26	16	44	69
		F.	452	32	21	11	6	12	82	20	26	42	60
30	Scrofula	M.	75	32	13	3	2	.....	50	9	5	.....	2
		F.	78	32	6	6	.....	2	46	5	6	2	.....
31	Venereal diseases	M.	803	365	15	3	3	2	388	5	4	4	40
		F.	590	311	21	1	2	1	336	4	1	16	30
32	Cancer of mouth	M.	527	2	.....	1	.....	.....	3	.....	2	1	3
		F.	134	1	.....	.....	.....	1	2	2	.....	1	.....
33	Cancer of stomach and liver	M.	4,037	2	.....	3	.....	4	9	4	5	10	17
		F.	4,156	2	.....	.....	1	2	5	2	4	5	12
34	Cancer of intestines	M.	899	2	1	.....	.....	1	4	6	5	6	15
		F.	1,235	.....	.....	2	.....	.....	2	1	1	1	10
35	Cancer of female genital organs	F.	3,289	.....	.....	.....	.....	1	1	.....	2	4	18
36	Cancer of breast	M.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1,777	.....	.....	.....	.....	.....	.....	.....	.....	1	2
37	Cancer of skin	M.	484	1	1	.....	.....	.....	2	.....	.....	1	.....
		F.	268	.....	.....	1	.....	.....	1	.....	2	2	1
38	Cancer of other or unspecified organs	M.	2,465	4	7	7	13	4	35	21	10	33	30
		F.	3,044	8	8	8	8	4	36	19	10	23	32
39	Tumor	M.	152	7	4	2	2	1	16	2	4	3	2
		F.	379	5	1	3	3	1	13	6	1	2	9
40	Rheumatism	M.	1,346	11	6	8	13	10	48	78	73	80	68
		F.	1,439	14	3	7	9	18	51	83	81	73	66
41	Diabetes	M.	1,789	3	3	7	3	4	20	38	55	55	54
		F.	1,892	2	6	4	4	4	20	40	54	43	51
42	Anemia, leukemia	M.	813	75	25	9	7	6	122	22	26	23	31
		F.	1,095	82	23	7	7	9	128	26	27	58	45
43	Alcoholism	M.	1,883	1	.....	.....	.....	.....	1	1	.....	6	37
		F.	280	1	1	.....	.....	1	3	.....	.....	.....	11
44	Chronic poisonings	M.	196	2	.....	.....	.....	.....	2	.....	1	5	4
		F.	104	.....	.....	.....	.....	.....	.....	.....	.....	1	7
45	Other general diseases	M.	273	40	10	4	1	4	59	14	11	13	13
		F.	404	31	6	4	.....	.....	41	7	5	11	35

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1903.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24,639	24,053	25,314	24,672	23,686	25,534	26,030	29,042	30,335	29,736	26,298	19,222	9,735	3,447	1,124	2,060	1
13,008	13,166	14,246	14,301	13,829	14,442	14,407	15,611	15,907	15,261	13,256	9,211	4,352	1,398	397	1,302	2
11,631	10,887	11,068	10,371	9,857	11,092	11,623	13,431	14,428	14,475	13,042	10,011	5,383	2,049	727	758	3
12,110	10,925	10,319	9,110	8,067	7,790	7,206	7,071	6,316	5,159	3,782	2,159	870	250	77	478	4
6,250	6,004	5,717	4,998	4,428	4,096	3,623	3,384	2,988	2,372	1,697	967	366	87	27	243	5
5,860	4,921	4,602	4,112	3,639	3,694	3,583	3,687	3,328	2,787	2,085	1,192	504	163	50	235	6
1,046	760	574	424	282	185	160	96	73	44	39	10	2	1	.....	23	7
509	363	326	234	182	120	99	80	59	53	36	18	5	.....	.....	20	
51	39	29	33	19	23	37	42	29	26	29	15	7	2	1	3	8
40	38	33	31	35	30	30	38	47	36	21	16	9	5	.....	4	
126	87	105	64	43	34	16	10	9	8	.....	1	.....	.....	.....	4	9
68	50	41	27	13	10	12	4	5	2	3	3	.....	.....	1	3	
13	8	5	3	5	5	2	1	2	.....	3	.....	.....	1	.....	3	10
17	15	17	8	3	6	5	3	3	1	2	.....	1	.....	.....	.....	
20	10	6	2	2	2	1	.....	.....	.....	1	.....	.....	.....	.....	2	11
20	12	10	2	4	2	.....	.....	1	1	.....	1	.....	.....	.....	1	
.....	.....	1	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	4	12
2	1	.....	.....	.....	.....	1	1	.....	1	1	.....	1	.....	.....	5	
31	23	20	11	10	4	4	2	5	1	.....	2	.....	.....	.....	7	13
29	25	14	10	4	5	6	2	.....	4	1	.....	.....	.....	.....	6	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	14
.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	3	
65	75	95	109	103	136	144	191	236	268	294	238	127	32	9	15	15
63	86	95	118	145	155	159	301	330	413	430	354	167	67	20	16	
3	4	2	8	10	7	11	11	8	11	14	12	6	1	.....	1	16
2	4	10	9	2	4	11	7	17	19	19	11	8	1	2	.....	
18	26	32	33	26	46	38	54	73	87	90	69	29	4	6	4	17
28	32	28	19	39	55	67	82	88	90	92	71	37	15	6	4	
30	42	44	49	55	43	58	35	49	36	50	29	14	3	2	3	18
13	15	25	18	29	38	31	32	28	36	25	24	14	8	.....	1	
7	7	5	3	5	5	1	2	1	.....	.....	1	.....	.....	.....	1	19
2	2	1	.....	.....	1	.....	1	2	.....	.....	1	.....	.....	.....	.....	
47	48	40	52	56	57	40	49	44	36	30	9	3	2	.....	5	20
140	135	92	79	37	31	32	26	26	22	20	13	4	2	2	7	
4,023	3,958	3,615	2,890	2,340	1,839	1,375	1,069	707	458	264	94	23	7	2	72	21
4,130	3,232	2,516	1,795	1,249	919	779	662	567	375	251	102	41	4	3	87	
41	47	45	41	31	28	19	18	16	15	3	2	1	.....	.....	2	22
31	28	27	21	9	9	7	2	7	4	1	.....	.....	.....	.....	.....	
42	38	28	26	9	16	11	9	4	6	2	1	.....	.....	.....	2	23
38	23	16	14	7	9	10	3	2	2	1	1	.....	.....	.....	2	
76	53	49	44	44	53	30	21	31	21	8	4	1	.....	.....	4	24
102	91	82	72	49	38	31	38	29	18	10	6	.....	1	.....	4	
23	18	16	18	10	15	16	10	7	6	1	.....	.....	.....	.....	1	25
13	22	9	12	10	8	5	6	5	9	3	4	.....	.....	.....	.....	
5	3	.....	6	5	2	1	5	1	.....	.....	1	.....	.....	.....	.....	26
8	3	1	2	1	1	1	4	2	.....	.....	.....	.....	1	.....	.....	
7	6	9	9	5	8	4	2	5	3	2	1	.....	.....	.....	.....	27
6	5	4	2	3	1	4	1	3	.....	5	1	.....	.....	.....	1	
30	21	18	16	13	20	17	11	8	4	4	.....	1	.....	.....	3	28
18	18	26	20	10	12	7	9	7	9	9	4	2	.....	.....	2	
56	45	39	40	33	32	19	17	16	9	5	1	2	.....	.....	1	29
56	31	33	33	18	13	13	3	6	9	5	.....	.....	.....	.....	2	
2	.....	.....	.....	.....	1	1	3	.....	1	.....	.....	.....	.....	.....	1	30
2	1	1	.....	3	1	4	1	2	2	.....	1	1	.....	.....	.....	
48	43	56	48	40	40	35	12	15	10	3	6	1	.....	.....	5	31
45	26	35	38	14	19	7	12	1	2	2	2	.....	.....	.....	.....	
1	4	18	24	54	59	66	80	73	50	43	30	9	3	1	3	32
3	1	4	4	6	13	12	19	15	20	18	7	5	.....	2	.....	
32	43	158	234	344	487	573	628	589	505	244	111	26	3	.....	15	33
44	69	162	263	344	509	554	611	561	510	313	146	23	8	2	9	
22	37	28	55	85	109	109	120	114	77	72	27	6	.....	.....	2	34
12	38	66	94	114	144	150	182	148	118	93	33	17	3	2	6	
64	116	288	422	489	515	387	375	270	174	90	42	12	7	.....	13	35
.....	1	.....	2	2	.....	1	1	1	1	1	.....	.....	.....	.....	.....	36
18	37	111	169	199	215	240	232	169	160	116	59	34	9	.....	6	
3	4	10	14	27	42	37	56	57	82	55	56	27	7	1	3	37
2	4	3	7	20	15	17	31	30	30	34	27	26	9	5	2	
42	63	119	164	202	234	296	306	321	240	180	98	40	13	2	16	38
63	105	171	231	271	357	394	361	359	244	191	101	48	12	2	14	
2	8	5	16	14	11	11	13	12	12	15	3	2	.....	.....	1	39
12	20	23	30	23	28	37	49	40	34	25	20	5	1	.....	1	
62	71	68	64	76	80	85	103	108	98	96	65	13	4	1	5	40
64	64	64	68	70	89	92	107	139	137	103	52	23	5	3	5	
81	80	78	98	121	149	186	209	219	158	101	58	19	3	1	6	41
64	64	70	69	104	184	246	282	257	179	105	43	11	3	.....	3	
26	43	42	45	61	64	71	69	78	45	24	13	5	1	1	1	42
58	66	80	81	69	85	92	77	71	50	46	22	7	2	.....	5	
141	249	307	307	260	216	113	111	59	34	17	4	.....	.....	.....	20	43
30	37	66	52	26	18	16	10	6	1	.....	2	1	.....	.....	1	
13	18	30	26	22	25	13	9	11	6	6	3	1	.....	.....	1	44
10	8	10	11	5	9	8	12	8	11	3	.....	1	.....	.....	.....	
15	21	21	20	13	19	29	8	7	14	1	3	1	.....	.....	.....	45
34	34	47	47	33	26	17	21	17	11	11	4	1	.....	.....	2	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.		AGE.									
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
46	II.—Diseases of nervous system		58,319	10,277	2,548	1,142	644	400	15,011	1,302	896	802	947
47	Males		31,251	5,910	1,299	599	328	197	8,333	731	553	448	515
48	Females		27,068	4,367	1,249	543	316	203	6,678	571	343	354	432
49	Encephalitis	M.	339	90	27	18	11	8	154	20	11	9	15
		F.	270	61	33	18	7	3	122	15	12	10	14
50	Meningitis	M.	4,996	1,733	771	386	209	111	3,210	397	184	168	140
		F.	4,217	1,428	714	336	207	132	2,817	366	183	114	100
51	Locomotor ataxia	M.	617		1				1			3	1
		F.	196										4
52	Other diseases of spinal cord	M.	943	45	12	8	3	2	70	23	13	10	33
		F.	742	32	12	7	5	2	58	8	7	11	23
53	Apoplexy	M.	11,493	311	63	34	20	12	440	47	20	40	90
		F.	10,818	242	62	33	18	12	367	27	17	40	78
54	Softening of brain	M.	686	1	1			1	3	2		2	5
		F.	572	1	1				2	1	2	2	
55	Paralysis	M.	3,099	34	8	6	4	7	59	14	9	14	9
		F.	3,510	14	15	10	3	5	47	20	10	23	19
56	General paralysis of insane	M.	1,434			1	1	2	4	2	2	1	9
		F.	718							2	1	1	8
57	Other forms of mental disease	M.	566	1					1	1	2	10	21
		F.	666	2				1	3		2	11	20
58	Other diseases of brain	M.	857	88	22	9	8	4	131	21	23	37	41
		F.	599	68	20	6	9	6	109	29	22	24	16
59	Epilepsy	M.	865	35	12	7	5	6	65	19	38	65	81
		F.	647	34	4	4	5	5	52	16	16	47	82
60	Convulsions	M.	3,821	3,156	340	112	53	33	3,694	43	14	4	6
		F.	3,012	2,235	355	113	53	26	2,782	44	7	25	43
61	Tetanus	M.	959	336	7	7	6	3	359	110	216	61	38
		F.	367	206	4	2	2	6	220	18	24	10	10
62	Other diseases of nervous system	M.	576	80	35	11	8	8	142	32	21	24	26
		F.	734	44	29	14	7	5	99	25	40	36	15
63	III.—Diseases of circulatory system		52,275	1,074	118	82	79	85	1,438	589	765	907	1,100
64	Males		27,812	589	65	54	42	36	786	245	358	489	551
65	Females		24,463	485	53	28	37	49	652	344	407	418	549
66	Pericarditis	M.	390	3	4			1	8	9	16	23	10
		F.	274	2			1		3	7	17	9	14
67	Endocarditis	M.	1,626	29	7	6	3	10	55	48	52	50	66
		F.	1,576	21	2	2	7	13	45	79	61	58	39
68	Heart disease	M.	21,409	378	36	29	31	19	493	165	260	372	413
		F.	19,295	296	37	15	22	32	402	239	301	313	392
69	Angina pectoris	M.	1,276	3	2				5		4	3	13
		F.	916							2	2	4	14
70	Diseases of arteries	M.	1,850	1	1				2		1	3	7
		F.	1,058	3					3	2	1	2	5
71	Embolism and thrombosis	M.	654	12	3	1		2	18	5	9	13	17
		F.	795	9	1	2		1	13	4	9	18	48
72	Diseases of veins	M.	74	4					4	1		2	
		F.	102	2			1		3			2	1
73	Diseases of lymphatics	M.	34	11	4	4	1		20	2	1	4	1
		F.	24	12	1	1			14	2	1		1
74	Other diseases of circulatory system	M.	499	148	8	14	7	4	181	15	15	19	24
		F.	423	140	12	8	6	3	169	9	15	12	15
75	IV.—Diseases of respiratory system		70,930	15,736	6,247	2,478	1,209	709	26,379	1,727	718	1,294	1,869
76	Males		37,780	8,657	3,287	1,250	637	337	14,168	858	315	657	1,086
77	Females		33,150	7,079	2,960	1,228	572	372	12,211	869	403	637	783
78	Laryngitis	M.	214	42	31	27	15	14	129	33	3	2	1
		F.	183	32	19	22	13	14	100	27	8	5	5
79	Other diseases of larynx	M.	229	54	28	27	22	15	146	21	4	2	5
		F.	161	51	16	16	10	12	105	19	4	6	1
80	Diseases of thyroid body	M.	15	2					2	1	1	2	1
		F.	78			1			1			4	4
81	Acute bronchitis	M.	3,447	2,169	531	158	74	37	2,969	34	4	8	6
		F.	3,395	1,766	528	168	80	41	2,583	42	10	14	18
82	Chronic bronchitis	M.	2,175	61	31	11	2	2	107	30	9	22	33
		F.	2,830	41	21	8	5		75	44	18	48	47
83	Bronchopneumonia	M.	5,528	2,363	1,022	340	167	63	3,955	137	26	27	52
		F.	5,436	1,929	917	364	151	82	3,443	173	55	48	65
84	Pneumonia	M.	22,034	3,499	1,540	629	325	188	6,181	536	228	513	848
		F.	17,730	2,868	1,376	603	285	206	5,338	488	267	436	524
85	Pleurisy	M.	842	26	30	26	9	8	99	32	13	30	41
		F.	621	31	30	15	10	4	90	26	18	23	42
86	Congestion of lungs	M.	1,493	302	52	24	12	7	457	22	13	20	37
		F.	1,392	290	36	25	15	7	373	35	10	24	30
87	Gangrene of lungs	M.	94	1					1		3	4	6
		F.	38		1			1	2	1			5
88	Asthma and emphysema	M.	805	16	8	4	4	1	33	6	5	2	8
		F.	704	10	5	2	1		18	5	1	4	9
89	Hemorrhage of lungs	M.	475	15	1		2	1	19	2		4	28
		F.	278	21				2	23	4	7	6	15
90	Other diseases of respiratory system	M.	429	47	13	4	5	1	70	4	6	21	20
		F.	304	40	11	4	2	3	60	5	5	19	18

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1903—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,041	1,228	1,608	2,201	2,507	3,121	3,530	4,371	4,930	5,064	4,661	3,092	1,361	375	86	185	46
568	667	939	1,309	1,416	1,661	1,905	2,343	2,538	2,612	2,355	1,473	617	131	29	108	47
473	561	669	892	1,091	1,460	1,625	2,028	2,392	2,452	2,306	1,619	744	244	57	77	48
15	7	11	14	13	10	8	10	12	13	10	3	1	.....	.....	3	49
8	13	7	13	6	7	6	12	7	9	3	4	.....	1	.....	1	
120	114	115	126	101	74	49	69	46	35	17	11	8	1	.....	11	50
87	89	81	57	61	62	58	37	35	21	17	21	3	1	1	6	
6	19	39	66	76	83	78	92	58	48	26	16	.....	2	.....	3	51
1	5	9	22	23	32	25	23	23	11	9	9	.....	.....	.....	.....	
32	36	37	50	58	71	91	108	113	84	63	37	9	2	1	2	52
34	17	28	45	49	66	62	57	95	77	58	33	9	1	1	3	
132	197	273	480	602	847	1,073	1,380	1,549	1,568	1,399	851	367	78	16	44	53
91	147	224	372	535	820	967	1,257	1,443	1,480	1,395	936	424	135	29	34	
10	6	10	10	30	33	53	85	107	108	120	66	26	3	2	5	54
4	9	6	9	31	30	37	62	72	97	100	53	40	9	3	3	
23	28	60	87	130	160	238	322	408	482	495	348	157	37	8	11	55
34	38	56	94	121	178	251	329	482	538	524	436	206	75	19	10	
24	74	148	201	182	180	110	105	81	118	102	64	18	1	.....	8	56
16	23	58	61	50	57	55	74	60	73	82	60	18	11	2	6	
32	27	47	45	41	56	62	44	54	47	39	21	8	3	.....	5	57
33	42	37	71	66	55	56	67	69	48	39	26	15	4	1	1	
36	39	68	79	68	47	58	50	41	51	34	21	7	2	.....	3	58
31	22	27	36	44	43	26	35	32	40	21	26	12	3	.....	1	
75	70	75	80	65	46	44	37	41	20	22	8	7	.....	.....	7	59
52	65	59	56	49	40	28	22	15	18	15	4	6	1	.....	4	
6	5	7	9	8	5	2	.....	5	2	1	3	3	.....	.....	4	60
30	25	13	12	7	3	2	3	4	2	1	1	2	.....	.....	6	
33	18	27	20	20	20	13	11	5	3	2	3	.....	.....	.....	.....	61
17	21	17	5	7	5	4	4	1	1	3	.....	.....	.....	.....	.....	
24	27	22	42	22	29	26	30	18	33	25	21	6	2	2	2	62
35	45	47	39	42	62	48	46	54	37	39	10	9	3	1	2	
1,391	1,719	2,203	2,671	2,970	3,755	4,385	5,482	6,061	6,222	5,303	3,349	1,351	329	88	197	63
673	865	1,112	1,439	1,631	2,015	2,440	3,039	3,324	3,367	2,806	1,753	627	139	33	120	64
718	854	1,091	1,232	1,339	1,740	1,945	2,443	2,737	2,855	2,497	1,596	724	190	55	77	65
16	13	22	18	30	22	28	30	46	46	19	23	5	1	1	4	66
13	20	20	15	22	27	10	16	25	16	17	18	4	1	.....	.....	
46	86	84	107	112	128	119	146	147	145	125	64	31	7	1	7	67
71	69	75	83	84	114	128	125	137	132	106	89	36	15	4	6	
528	659	848	1,106	1,263	1,556	1,920	2,387	2,626	2,655	2,208	1,306	439	94	23	88	68
518	644	864	989	1,051	1,424	1,584	2,031	2,232	2,303	1,990	1,244	541	134	36	63	
17	27	38	57	67	109	147	176	176	183	139	73	29	3	2	8	69
26	33	32	46	70	59	86	97	110	131	124	44	28	4	3	1	
13	36	54	92	88	121	138	187	237	249	243	230	104	29	6	10	70
4	15	18	22	35	39	62	87	128	186	178	152	80	27	10	2	
24	22	36	32	40	43	57	82	62	81	52	45	12	4	.....	.....	71
49	46	49	46	48	48	56	68	86	64	69	37	23	9	2	3	
2	1	7	7	4	11	5	9	11	4	5	.....	1	.....	.....	.....	72
8	4	4	9	7	8	7	9	10	12	8	9	.....	.....	.....	1	
2	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	73
.....	.....	1	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
25	21	23	20	27	25	24	22	18	4	14	12	6	1	.....	3	74
29	23	28	20	21	21	10	10	9	11	5	3	12	.....	.....	1	
2,254	2,429	2,775	2,683	2,694	3,054	3,122	3,709	4,004	3,851	3,580	2,668	1,349	449	135	187	75
1,369	1,530	1,762	1,769	1,723	1,851	1,739	1,887	1,925	1,678	1,568	1,042	529	173	43	108	76
885	899	1,013	914	971	1,203	1,383	1,822	2,079	2,173	2,012	1,626	820	276	92	79	77
7	7	1	3	3	4	5	3	3	4	3	2	.....	.....	.....	1	78
7	6	3	3	3	4	.....	1	3	5	1	1	1	.....	.....	.....	
8	8	6	5	2	2	2	7	4	2	3	1	1	.....	.....	.....	79
1	4	1	8	3	1	.....	2	4	1	.....	1	.....	.....	.....	.....	
.....	.....	1	1	1	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....	80
8	7	2	3	5	4	7	9	11	7	5	1	.....	.....	.....	.....	
12	9	9	16	17	18	26	41	55	47	73	57	28	12	2	4	81
14	7	17	17	21	32	34	54	88	104	128	94	78	26	10	4	
39	46	40	74	74	106	170	198	273	248	290	229	121	53	10	3	82
36	43	52	44	56	101	143	240	332	409	439	386	204	75	30	8	
55	67	77	93	74	92	106	132	139	139	164	115	50	18	3	7	83
47	72	49	57	71	111	127	167	206	232	199	179	92	25	7	11	
1,007	1,206	1,356	1,356	1,293	1,343	1,143	1,178	1,146	962	773	454	251	73	17	70	84
658	644	763	643	684	793	859	1,098	1,160	1,101	974	780	330	106	37	47	
48	57	62	64	64	65	67	64	40	37	27	20	7	.....	.....	5	85
22	39	39	29	27	38	40	41	41	47	30	17	10	2	.....	.....	
37	42	61	52	62	58	67	97	105	92	109	94	41	13	8	6	86
34	32	30	44	45	55	61	74	86	129	115	99	74	31	4	7	
2	5	14	11	9	11	6	8	4	5	4	1	.....	.....	.....	.....	87
6	2	3	5	3	2	3	1	1	2	2	.....	.....	.....	.....	.....	
12	13	29	38	54	66	76	93	99	102	85	56	20	3	3	2	88
9	11	27	30	29	35	73	88	105	92	87	45	21	10	3	2	
36	50	65	43	39	45	44	28	31	17	11	4	3	1	.....	5	89
19	15	16	15	14	14	11	29	24	28	20	13	5	.....	.....	.....	
16	20	31	13	31	39	27	36	26	23	25	9	7	.....	.....	5	90
24	17	11	16	10	13	25	18	18	16	12	10	5	1	1	.....	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.	AGE.									
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
91	V.—Diseases of digestive system	61,219	24,967	4,995	1,197	522	352	32,033	1,142	965	1,093	1,507
92	Males	32,080	13,740	2,647	669	274	176	17,506	611	532	556	692
93	Females	29,139	11,227	2,348	528	248	176	14,527	531	433	537	815
94	Diseases of mouth	M. 111	70	13	.....	2	3	88	1	2	1	1
		F. 124	81	9	6	2	1	99	2	.....	2	1
95	Tonsilitis	M. 146	15	9	8	16	12	60	31	14	10	6
		F. 112	9	3	6	9	9	36	24	15	8	5
96	Other diseases of pharynx	M. 189	16	10	3	7	5	41	7	5	1	2
		F. 105	17	3	4	4	5	33	9	2	5	4
97	Ulcer of stomach	M. 465	4	3	1	2	.....	10	3	3	8	19
		F. 440	3	2	1	1	1	8	5	3	13	32
98	Gastritis	M. 1,715	332	62	19	15	14	442	29	11	9	24
		F. 2,082	297	70	32	13	15	427	27	14	24	57
99	Other diseases of stomach	M. 1,023	431	51	18	9	11	520	13	5	2	11
		F. 968	331	56	14	11	8	420	16	10	14	16
100	Dentition	M. 110	70	36	4	.....	.....	110	.....	.....	.....	.....
		F. 100	67	31	1	1	.....	100	.....	.....	.....	.....
101	Diarrhea and enteritis	M. 17,530	12,174	2,374	553	168	86	15,355	151	52	49	54
		F. 15,505	10,028	2,121	424	156	86	12,815	131	53	51	90
102	Hernia	M. 706	77	7	7	6	.....	97	3	6	14	16
		F. 706	28	1	.....	3	.....	32	3	4	2	4
103	Obstruction of intestines	M. 1,369	285	26	25	12	10	358	49	36	50	53
		F. 1,475	152	15	16	14	12	209	41	24	40	74
104	Other diseases of intestines	M. 468	83	17	6	4	3	113	9	6	9	8
		F. 476	86	7	2	6	6	107	16	5	16	16
105	Acute yellow atrophy of liver	M. 43	2	.....	.....	.....	.....	2	.....	1	1	2
		F. 76	.....	.....	.....	.....	.....	.....	.....	.....	2	8
106	Hydatid tumors of liver	M. 6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 3	1	.....	.....	.....	.....	1	.....	.....	.....	.....
107	Cirrhosis of liver	M. 3,146	9	4	2	.....	1	16	5	9	7	30
		F. 1,585	7	2	1	1	.....	11	5	3	4	13
108	Biliary calculi	M. 235	7	1	.....	.....	.....	8	.....	1	1	5
		F. 560	5	.....	.....	.....	.....	5	1	.....	3	6
109	Other diseases of liver	M. 1,271	72	9	8	5	.....	94	15	13	18	31
		F. 1,274	53	10	4	4	3	74	15	14	16	28
110	Diseases of spleen	M. 51	.....	.....	.....	.....	.....	.....	4	1	2	1
		F. 37	.....	.....	.....	.....	.....	.....	1	1	3	1
111	Peritonitis	M. 1,232	86	22	7	20	15	150	86	96	94	99
		F. 2,101	58	13	11	14	9	105	88	77	157	280
112	Appendicitis	M. 2,216	7	3	8	8	15	41	205	271	289	326
		F. 1,373	4	4	6	9	20	43	147	208	176	178
113	Other diseases of digestive system	M. 48	.....	.....	.....	.....	1	1	.....	.....	.....	4
		F. 37	.....	1	.....	.....	1	2	.....	.....	1	2
114	VI.—Diseases of genito-urinary system	38,013	499	163	126	129	99	1,016	395	348	642	1,393
115	Males	20,870	312	87	64	64	54	581	214	151	238	422
116	Females	17,143	187	76	62	65	45	435	181	197	404	781
117	Acute nephritis	M. 1,620	93	35	31	22	27	208	100	45	62	88
		F. 1,553	62	27	34	30	16	169	65	53	90	114
118	Bright's disease	M. 16,172	152	43	31	39	23	288	108	92	161	311
		F. 12,469	101	41	27	35	21	225	113	128	219	385
119	Other diseases of kidneys	M. 562	42	5	.....	2	2	51	4	6	7	10
		F. 355	14	6	1	.....	3	24	2	2	9	15
120	Calculi of urinary tract	M. 113	2	.....	.....	.....	1	3	1	1	.....	1
		F. 38	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
121	Diseases of bladder	M. 1,212	12	2	2	.....	1	17	.....	6	2	7
		F. 238	6	2	.....	.....	2	10	1	1	2	3
122	Uterine tumor	F. 608	.....	.....	.....	.....	1	1	.....	1	2	8
123	Other diseases of uterus	F. 703	2	.....	.....	.....	1	3	.....	10	38	95
124	Ovarian tumor	F. 439	.....	.....	.....	.....	1	1	.....	2	9	25
125	Diseases of tubes	F. 583	.....	.....	.....	.....	.....	.....	.....	.....	27	114
126	Other diseases of genito-urinary system	M. 1,191	11	2	.....	1	.....	14	1	1	6	5
		F. 157	2	.....	.....	.....	.....	2	.....	.....	8	20
127	VII.—Childbirth	4,569	.....	.....	.....	.....	.....	.....	.....	3	328	950
128	Puerperal septicemia	F. 1,992	.....	.....	.....	.....	.....	.....	.....	2	155	486
129	Puerperal convulsions	F. 929	.....	.....	.....	.....	.....	.....	.....	.....	108	222
130	Other causes incident to childbirth	F. 1,648	.....	.....	.....	.....	.....	.....	.....	1	65	242
131	VIII.—Diseases of skin	2,470	296	43	22	6	16	383	38	25	23	42
132	Males	1,396	160	23	11	.....	9	203	24	16	16	23
133	Females	1,074	136	20	11	6	7	180	14	9	12	19
134	Gangrene	M. 831	16	2	5	.....	2	25	6	4	4	6
		F. 651	8	7	5	1	3	24	7	6	2	3
135	Carbuncle	M. 96	8	1	.....	.....	1	10	1	.....	4	.....
		F. 55	8	4	.....	.....	.....	12	.....	.....	1	1
136	Abscess	M. 316	54	17	5	.....	6	82	17	10	7	16
		F. 231	50	6	5	4	4	69	5	2	8	15
137	Other diseases of skin	M. 153	82	3	1	.....	.....	86	.....	2	1	1
		F. 137	70	3	1	1	.....	75	2	1	1	.....
138	IX.—Diseases of locomotor system	980	230	138	41	21	12	442	54	50	45	36
139	Males	605	134	76	21	9	7	247	36	32	30	22
140	Females	375	96	62	20	12	5	195	18	18	15	14
141	Diseases of bones	M. 506	132	74	19	9	6	240	33	27	23	17
		F. 323	93	60	18	10	5	186	18	15	13	10
142	Diseases of joints	M. 56	2	2	2	.....	.....	6	2	4	4	.....
		F. 37	2	2	1	1	.....	6	.....	.....	2	3
143	Other diseases of locomotor system	M. 43	.....	.....	.....	.....	1	1	1	1	3	5
		F. 15	1	.....	1	1	.....	3	.....	3	.....	1

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1903—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,589	1,717	1,878	2,056	1,929	2,145	2,306	2,303	2,473	2,199	1,772	1,213	548	159	56	136	91
744	798	930	1,047	1,046	1,176	1,237	1,191	1,241	1,067	807	528	223	60	21	67	92
845	919	948	1,009	883	[a]969	1,069	1,112	1,232	1,132	965	685	325	99	35	69	93
1	4	1	2	1	1	.....	2	1	5	.....	.....	.....	.....	.....	.....	94
3	1	1	1	3	1	.....	2	2	1	3	1	.....	1	.....	.....	
5	4	2	5	.....	3	.....	3	.....	1	1	.....	.....	1	.....	.....	
5	2	2	5	1	1	3	.....	.....	2	1	1	.....	.....	.....	1	95
6	5	9	15	6	9	16	11	18	16	12	5	3	.....	.....	2	
5	3	7	5	1	3	7	7	.....	2	6	4	2	.....	.....	.....	96
22	25	33	32	39	62	52	30	45	33	23	15	7	.....	.....	4	
35	42	34	37	27	36	26	38	40	23	26	11	1	.....	.....	3	97
37	54	70	66	75	102	103	123	150	139	115	82	58	16	5	5	
58	68	82	105	83	98	138	165	162	176	179	134	62	12	7	4	98
20	23	18	25	38	35	50	49	58	52	45	31	18	7	1	2	
16	18	18	13	34	22	38	36	60	74	58	47	42	13	2	1	99
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	100
74	75	84	94	95	136	130	200	220	239	221	176	75	24	10	25	
97	109	96	100	137	154	186	204	269	298	268	229	126	46	21	25	101
23	21	33	43	41	38	54	68	76	54	56	41	12	7	1	2	
10	20	31	61	71	86	65	74	76	58	58	32	12	4	1	2	102
53	53	67	62	61	79	89	89	90	78	58	31	6	2	1	4	
80	72	79	93	90	86	96	105	109	98	89	55	17	8	1	9	103
20	16	21	31	23	26	35	26	35	34	24	20	9	.....	1	2	
20	23	32	26	20	22	20	29	31	49	20	25	5	2	.....	1	104
3	3	3	2	4	5	1	2	7	.....	4	1	2	.....	.....	.....	
4	10	4	9	5	5	3	9	7	5	2	2	1	.....	.....	.....	105
.....	2	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	106
77	142	228	350	386	410	408	350	317	224	126	41	12	.....	1	7	
35	72	135	171	155	170	196	176	165	123	84	44	14	5	.....	4	107
6	4	13	13	14	16	34	35	28	30	16	8	2	.....	.....	1	
12	34	32	47	54	56	78	52	68	47	40	18	6	.....	.....	1	108
60	75	77	94	96	105	128	108	113	109	61	54	13	3	1	3	
42	65	76	65	74	90	97	136	160	119	96	63	29	6	3	6	109
3	2	6	3	5	7	7	.....	3	4	1	2	.....	.....	.....	.....	
2	1	4	4	3	3	6	2	1	3	1	.....	1	.....	.....	.....	110
88	79	94	68	68	69	62	53	44	32	30	16	3	.....	.....	1	
275	268	231	179	77	92	71	59	54	33	26	14	6	1	.....	8	111
245	209	167	140	85	63	64	35	33	15	13	5	1	.....	.....	9	
143	110	80	78	44	44	37	21	28	20	7	4	1	.....	.....	4	112
1	2	3	1	8	10	4	6	3	2	1	.....	2	.....	.....	.....	
3	1	4	10	4	.....	1	6	.....	1	.....	1	.....	1	.....	.....	113
1,557	1,874	2,260	2,601	2,798	3,108	3,311	3,739	3,776	3,724	2,860	1,719	717	198	49	118	114
591	805	1,006	1,271	1,453	1,725	1,926	2,207	2,274	2,330	1,868	1,108	477	121	29	73	115
966	1,069	1,254	1,330	1,345	1,383	1,385	1,532	1,502	1,394	992	611	240	77	20	45	116
93	110	129	127	112	94	102	86	78	74	55	30	16	3	1	7	
142	134	126	105	99	88	89	81	76	49	39	24	6	3	.....	1	117
451	642	816	1,060	1,248	1,512	1,655	1,851	1,796	1,708	1,292	751	282	74	21	53	
465	568	737	844	935	1,095	1,157	1,342	1,304	1,234	866	526	208	64	19	35	118
20	23	20	32	40	37	42	48	57	60	47	32	15	8	.....	3	
22	19	30	37	30	27	20	23	23	17	20	17	6	2	.....	1	119
4	5	6	3	3	7	8	16	16	16	14	6	2	.....	.....	1	
4	1	3	6	4	4	2	3	.....	2	6	.....	1	.....	.....	.....	120
8	11	18	23	25	37	60	102	147	237	227	158	100	19	3	5	
3	7	6	6	11	9	17	16	26	35	31	28	16	6	1	3	121
22	50	87	124	117	73	34	25	30	20	7	6	.....	.....	.....	1	122
119	99	98	75	71	35	17	13	11	9	3	2	1	.....	.....	4	123
39	37	51	48	43	43	33	28	30	25	16	6	2	.1	.....	.....	124
124	118	94	67	25	7	4	1	1	.....	1	.....	.....	.....	.....	.....	125
15	14	17	26	25	38	59	104	180	235	233	131	62	17	4	4	
26	36	22	18	10	2	3	.....	1	3	3	2	.....	1	.....	.....	126
1,125	1,013	781	303	38	4	3	1	.....	.....	.....	1	.....	.....	.....	10	127
521	397	307	103	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	128
207	185	138	57	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	3	129
397[b]	431	336	143	19	4	2	1	.....	.....	.....	1	.....	.....	.....	6	130
59	39	65	72	87	119	91	187	225	267	275	245	132	58	19	14	131
33	17	39	48	46	68	51	105	115	146	181	139	75	32	10	9	132
26	22	26	24	41	51	40	82	110	121	94	106	57	26	9	5	133
12	7	9	17	21	36	26	72	76	120	149	127	69	30	8	7	
4	7	6	6	21	26	25	58	88	107	78	92	54	25	8	4	134
1	1	4	7	3	9	11	13	13	7	7	1	3	.....	.....	1	
3	.....	2	3	1	7	7	3	7	1	.....	5	1	1	.....	.....	135
19	9	23	22	19	18	13	12	15	5	17	7	1	2	1	1	
17	13	15	11	18	12	5	12	9	8	6	4	1	.....	.....	1	136
1	.....	3	2	3	5	1	8	11	14	8	4	2	.....	1	.....	
2	2	3	4	1	6	3	9	6	5	10	5	1	.....	1	.....	137
31	31	36	38	24	28	33	34	32	29	21	7	7	.....	.....	2	138
23	25	22	31	18	21	18	21	18	18	13	6	2	.....	.....	2	139
8	6	14	7	6	7	15	13	14	11	8	1	5	.....	.....	.....	140
19	16	18	20	15	17	15	11	13	9	5	5	1	.....	.....	2	
8	4	11	6	4	6	12	7	9	7	5	.....	2	.....	.....	.....	141
3	6	3	6	2	2	2	4	3	3	4	1	1	.....	.....	.....	
.....	2	1	.....	1	1	3	5	5	2	2	1	3	.....	.....	.....	142
1	3	1	5	1	2	1	6	2	6	4	.....	.....	.....	.....	.....	
.....	.....	2	1	1	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	143

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
144	X.—Malformations	4,025	3,677	143	46	30	12	3,908	37	20	13	2
145	Males	2,334	2,120	83	31	19	5	2,258	24	15	9	1
146	Females	1,691	1,557	60	15	11	7	1,650	13	5	4	1
147	Hydrocephalus M	314	190	53	17	15	2	277	12	10	3	.....
	Hydrocephalus F	219	149	32	8	7	4	200	7	2	2	.....
148	Congenital malformation of heart (cyanosis). M	1,292	1,236	20	9	3	2	1,270	9	3	3	.....
	Congenital malformation of heart (cyanosis). F	849	813	16	4	2	2	837	3	3	2	.....
149	Other congenital malformations M	728	694	10	5	1	1	711	3	2	3	1
	Other congenital malformations F	623	595	12	3	2	1	613	3	.....	.....	1
150	XI.—Early infancy	22,514	22,514	.....	.....	.....	.....	22,514	.....	.....	.....	.....
151	Males	12,786	12,786	.....	.....	.....	.....	12,786	.....	.....	.....	.....
152	Females	9,728	9,728	.....	.....	.....	.....	9,728	.....	.....	.....	.....
153	Premature birth M	5,712	5,712	.....	.....	.....	.....	5,712	.....	.....	.....	.....
	Premature birth F	4,431	4,431	.....	.....	.....	.....	4,431	.....	.....	.....	.....
154	Congenital debility M	7,074	7,074	.....	.....	.....	.....	7,074	.....	.....	.....	.....
	Congenital debility F	5,297	5,297	.....	.....	.....	.....	5,297	.....	.....	.....	.....
155	XII.—Old age	12,780	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
156	Males	5,585	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
157	Females	7,195	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	XIII.—Violence	35,542	2,491	567	538	470	407	4,473	1,472	1,352	1,960	2,951
159	Males	26,897	1,490	307	314	272	224	2,607	1,002	1,112	1,543	2,352
160	Females	8,645	1,001	260	224	198	183	1,866	470	240	417	599
161	Suicide M	3,407	.....	.....	.....	.....	.....	.....	.....	13	78	245
	Suicide F	1,103	.....	.....	.....	.....	.....	.....	.....	4	91	174
162	Fractures and dislocations M	2,098	7	9	15	14	11	56	64	57	99	149
	Fractures and dislocations F	905	6	4	6	12	6	34	14	8	11	11
163	Burns and scalds M	1,134	58	114	141	115	66	494	86	21	36	65
	Burns and scalds F	1,533	47	113	114	112	121	507	218	52	47	69
164	Heat and sunstroke M	333	61	5	.....	2	.....	68	3	1	2	17
	Heat and sunstroke F	187	55	11	1	2	.....	69	1	.....	2	3
165	Cold and freezing M	161	6	1	.....	1	.....	8	1	2	3	5
	Cold and freezing F	23	3	1	.....	.....	.....	4	1	.....	.....	1
166	Lightning M	79	1	.....	.....	.....	.....	1	1	7	11	4
	Lightning F	13	.....	.....	.....	.....	.....	.....	2	3	2	1
167	Drowning M	3,115	16	31	32	30	32	141	294	364	322	283
	Drowning F	303	7	20	13	7	3	50	31	17	25	29
168	Inhalation of poisonous gases M	913	13	8	4	3	5	33	35	46	58	73
	Inhalation of poisonous gases F	802	8	2	3	2	5	20	26	63	79	90
169	Other accidental poisonings M	895	53	61	44	22	10	190	31	12	23	45
	Other accidental poisonings F	656	28	39	34	16	5	122	28	10	47	65
170	Accidental gunshot wounds M	1,010	3	2	8	4	3	20	26	101	151	157
	Accidental gunshot wounds F	141	1	2	.....	3	4	10	11	13	24	22
171	Injuries by machinery M	278	.....	1	.....	.....	1	2	1	9	31	50
	Injuries by machinery F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
172	Injuries in mines and quarries M	305	.....	.....	.....	.....	.....	.....	.....	3	23	49
	Injuries in mines and quarries F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173	Railroad accidents and injuries M	5,038	1	8	11	25	24	69	165	198	339	660
	Railroad accidents and injuries F	446	.....	9	10	13	10	42	58	24	28	34
174	Injuries by vehicles and horses M	809	2	5	15	17	25	64	114	56	27	33
	Injuries by vehicles and horses F	98	2	6	2	6	5	21	17	5	4	4
175	Suffocation M	315	168	2	4	1	3	178	3	6	8	8
	Suffocation F	189	130	4	2	3	.....	139	2	3	2	8
176	Other accidental injuries M	5,349	70	59	40	38	42	249	174	207	289	421
	Other accidental injuries F	1,399	43	47	37	20	23	170	57	35	43	54
177	Injuries at birth M	1,015	1,015	.....	.....	.....	.....	1,015	.....	.....	.....	.....
	Injuries at birth F	654	654	.....	.....	.....	.....	654	.....	.....	.....	.....
178	Homicide M	643	16	1	.....	.....	2	19	4	9	43	88
	Homicide F	191	17	2	2	2	1	24	4	3	12	34
179	XIV.—Ill-defined causes	14,697	6,116	824	226	98	52	7,316	172	81	128	184
180	Males	7,747	3,408	447	127	42	30	4,054	87	40	66	95
181	Females	6,950	2,708	377	99	56	22	3,262	85	41	62	89
182	"Dropsy" M	547	13	4	2	4	2	25	10	7	10	8
	"Dropsy" F	674	11	4	3	2	2	22	8	5	6	7
183	"Heart failure" M	1,164	145	7	5	4	4	165	14	8	9	18
	"Heart failure" F	1,025	90	7	7	4	1	109	22	13	17	21
184	Other ill-defined causes M	5,182	2,834	414	111	31	19	3,409	50	18	32	44
	Other ill-defined causes F	4,634	2,298	339	74	43	17	2,771	45	15	29	45
185	Unknown causes M	854	416	22	9	3	5	455	13	7	15	25
	Unknown causes F	617	309	27	15	7	2	360	10	8	10	16

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1903—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6	3	3	1	3	3	1	.....	.....	2	2	1	1	.....	.....	19	144
4	1	3	1	2	1	1	.....	.....	2	1	.....	1	.....	.....	10	145
2	2	.....	.....	1	2	.....	.....	.....	.....	1	1	.....	.....	.....	9	146
2	1	2	1	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	2	147
.....	.....	.....	.....	1	2	.....	.....	.....	.....	1	1	.....	.....	.....	3	
2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	3	148
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	5	149
2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	151
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	152
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	154
.....	.....	.....	.....	.....	.....	.....	200	393	1,508	2,397	3,497	2,636	1,377	518	54	155
.....	.....	.....	.....	.....	.....	.....	92	255	663	1,089	1,586	1,133	572	175	20	156
.....	.....	.....	.....	.....	.....	.....	108	338	845	1,308	1,911	1,503	805	343	34	157
3,239	2,829	3,038	2,599	2,197	1,974	1,536	1,349	1,187	933	796	629	394	113	44	477	158
2,645	2,339	2,546	2,217	1,873	1,623	1,215	1,022	866	602	423	281	155	30	16	428	159
594	490	492	382	324	351	321	327	321	331	373	348	239	83	28	49	160
316	374	427	407	373	341	250	181	166	103	59	26	14	1	.....	33	161
176	127	122	92	67	74	59	45	26	23	10	6	.....	1	.....	6	
192	199	224	184	166	127	103	90	98	67	66	64	40	14	4	35	162
8	16	16	13	14	22	38	45	61	108	149	154	124	46	10	3	
66	56	64	45	39	23	24	28	19	21	12	10	3	.....	1	21	163
72	69	81	59	55	54	47	43	38	39	36	22	10	7	3	5	
22	26	23	29	20	30	19	22	16	14	9	5	4	1	.....	2	164
5	7	5	4	5	14	11	7	12	14	7	9	6	1	3	2	
3	7	8	21	12	11	17	17	11	9	9	5	5	.....	.....	7	165
1	1	1	1	2	.....	.....	2	2	2	1	4	.....	.....	.....	.....	
7	10	14	3	3	6	3	1	4	.....	.....	.....	1	.....	.....	3	166
.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
285	214	205	237	175	136	93	75	54	32	18	10	2	1	1	113	167
19	17	17	13	12	13	17	12	6	4	8	2	1	.....	1	9	
90	90	85	80	65	64	47	43	44	17	21	14	7	.....	.....	1	168
82	91	67	56	43	42	24	34	29	16	19	13	4	.....	.....	4	
69	74	78	82	67	70	32	41	36	16	13	4	1	.....	1	10	169
90	58	66	35	24	35	12	19	19	11	8	1	.....	1	1	4	
122	87	84	68	57	38	32	18	17	15	.....	.....	1	.....	.....	16	170
21	10	8	10	3	4	3	1	.....	.....	.....	.....	.....	.....	.....	1	
35	36	23	26	24	14	9	5	5	3	.....	2	.....	.....	.....	3	171
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
64	50	32	29	23	12	8	6	2	.....	.....	1	.....	.....	.....	3	172
681	508	545	413	346	286	214	179	123	95	62	26	12	1	2	114	173
28	18	26	26	22	24	25	29	25	13	10	9	5	.....	.....	.....	
45	51	60	42	56	55	52	43	41	31	14	12	9	.....	.....	4	174
5	6	3	3	5	5	5	2	5	4	1	3	.....	.....	.....	.....	
11	7	16	15	7	15	8	11	6	5	4	.....	.....	.....	.....	7	175
5	3	2	4	4	2	6	3	1	.....	.....	.....	.....	.....	.....	5	
531	462	497	463	385	365	289	256	221	171	135	101	56	12	7	48	176
50	46	55	52	57	58	67	84	95	94	123	125	89	27	10	8	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	177
106	88	101	73	45	30	15	6	3	3	1	1	.....	.....	.....	8	178
32	21	21	12	9	4	7	1	2	3	.....	.....	.....	.....	.....	2	
237	246	348	337	372	433	506	596	738	778	849	642	369	139	52	174	179
108	115	170	171	193	205	252	320	363	404	448	328	147	53	14	114	180
129	131	178	166	179	228	254	276	375	374	401	314	222	86	38	60	181
11	12	14	21	30	23	43	61	51	72	66	53	20	6	1	3	182
10	11	33	25	40	55	52	52	86	74	85	55	34	11	1	2	
28	41	61	53	63	86	74	93	113	106	120	61	25	9	2	15	183
40	39	49	50	53	65	77	83	91	110	86	49	38	9	3	1	
48	41	69	64	74	75	112	141	168	205	235	197	94	36	10	60	184
70	63	79	69	75	94	112	125	178	175	211	197	144	62	33	42	
21	21	26	33	26	21	23	25	31	21	27	17	8	2	1	36	185
9	18	17	22	11	14	13	16	20	15	19	13	6	4	1	15	

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903.

CONNECTICUT.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	15,492	2,972	669	289	196	120	398	586	1,086	1,216	1,227	1,474	1,896	1,998	1,125	178	62
I.—General diseases	4,352	341	250	130	114	69	210	295	539	533	422	441	465	344	168	18	13
Typhoid fever	208	.....	1	2	3	3	13	36	65	38	21	11	10	3	2	.....	.....
Malarial fever	53	2	2	3	.....	4	3	6	.....	5	3	8	6	7	3	1	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	213	54	80	24	9	4	23	6	2	4	3	3	1	.....	.....	.....	.....
Scarlet fever	148	5	10	12	16	20	47	27	6	3	.....	.....	.....	1	.....	.....	1
Whooping cough	241	134	61	23	14	4	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	203	10	26	25	39	20	46	25	3	4	2	2	.....	1	.....	.....	.....
Croup	50	1	11	9	9	5	14	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	314	17	5	1	3	.....	3	10	10	12	19	26	55	87	55	11	.....
Cholera nostras	8	1	.....	.....	.....	.....	.....	1	.....	1	.....	3	.....	1	1	.....	.....
Dysentery	106	15	14	8	7	3	4	3	3	1	4	8	12	16	6	1	1
Erysipelas	41	7	2	.....	.....	.....	1	.....	2	6	1	3	7	1	11	.....	.....
Other epidemic diseases [1]	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	38	7	.....	.....	.....	.....	3	4	6	7	3	2	5	1	.....	.....	.....
Tuberculosis of lungs	1,393	22	16	6	5	3	22	139	370	335	195	129	86	46	15	2	2
Tuberculosis of larynx	10	.....	.....	.....	.....	.....	.....	.....	2	5	1	1	.....	1	.....	.....	.....
Tuberculous meningitis	94	31	18	9	7	2	7	10	4	1	2	2	.....	.....	1	.....	.....
Abdominal tuberculosis	56	8	1	5	1	1	1	4	9	6	8	9	1	.....	1	.....	1
Pott's disease	13	.....	.....	1	1	.....	1	2	4	1	.....	2	1	.....	.....	.....	.....
Tuberculous abscess	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Tuberculosis of other organs	10	1	1	.....	.....	.....	.....	.....	.....	3	1	2	1	.....	1	.....	.....
General tuberculosis	21	1	1	.....	.....	.....	1	4	2	2	8	1	1	.....	.....	.....	.....
Scrofula	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Venereal diseases	30	14	1	.....	.....	.....	.....	.....	1	3	6	3	2	.....	.....	.....	.....
Cancer of mouth	22	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	7	8	4	1	.....	1
Cancer of stomach and liver	246	1	.....	.....	.....	.....	.....	1	3	17	30	55	69	57	11	1	1
Cancer of intestines	80	.....	.....	1	.....	.....	.....	.....	1	5	11	16	27	13	6	.....	.....
Cancer of female genital organs	103	.....	.....	.....	.....	.....	.....	.....	1	10	23	21	28	12	7	.....	1
Cancer of breast	80	.....	.....	.....	.....	.....	.....	.....	2	5	16	15	14	16	11	.....	1
Cancer of skin	30	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	8	8	6	1	1
Cancer of other or unspecified organs	170	.....	.....	.....	.....	.....	.....	.....	2	13	14	46	48	30	14	1	2
Tumor	16	2	.....	.....	.....	.....	.....	1	1	.....	3	1	3	4	1	.....	.....
Rheumatism	84	.....	.....	1	.....	.....	9	6	7	9	8	9	18	9	8	.....	.....
Diabetes	127	.....	.....	.....	.....	.....	2	7	11	5	9	31	36	20	6	.....	.....
Anemia, leukemia	38	2	.....	.....	.....	.....	3	1	5	4	7	5	7	3	1	.....	.....
Alcoholism	74	.....	.....	.....	.....	.....	1	.....	10	21	19	15	6	1	.....	.....	1
Chronic poisonings	11	.....	.....	.....	.....	.....	.....	.....	1	3	1	3	2	1	.....	.....	.....
Other general diseases	11	3	.....	.....	.....	.....	.....	.....	2	3	.....	1	2	.....	.....	.....	.....
II.—Diseases of nervous system	1,912	275	75	37	21	20	38	41	55	82	133	192	357	378	188	14	6
Encephalitis	15	3	2	.....	.....	2	.....	.....	1	2	.....	.....	3	2	.....	.....	.....
Meningitis	329	112	51	28	18	9	26	16	12	16	10	10	14	5	1	.....	1
Locomotor ataxia	34	.....	.....	.....	.....	.....	.....	.....	.....	2	3	7	10	9	3	.....	.....
Other diseases of spinal cord	58	1	.....	.....	1	3	.....	1	2	2	7	8	14	16	3	.....	.....
Apoplexy	897	11	2	2	.....	1	1	1	17	29	68	118	251	269	114	11	2
Softening of brain	43	.....	1	.....	.....	.....	.....	.....	.....	1	3	7	4	12	13	.....	2
Paralysis	123	2	1	.....	.....	.....	.....	1	1	3	6	10	22	39	36	2	.....
General paralysis of insane	57	.....	.....	.....	.....	1	.....	.....	2	3	13	6	14	9	8	1	.....
Other forms of mental disease	21	.....	.....	.....	.....	.....	.....	1	.....	1	5	4	5	3	2	.....	.....
Other diseases of brain	53	10	.....	.....	.....	.....	1	3	4	5	6	8	7	4	5	.....	.....
Epilepsy	59	4	1	.....	.....	1	2	5	13	9	7	3	7	5	1	.....	1
Convulsions	135	108	13	6	2	2	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	36	14	.....	.....	.....	1	5	8	1	2	1	3	.....	1	.....	.....	.....
Other diseases of nervous system	52	10	4	1	.....	.....	2	3	2	7	3	8	6	4	2	.....	.....
III.—Diseases of circulatory system	1,729	28	1	4	.....	3	15	42	63	89	150	243	393	480	187	25	6
Pericarditis	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	5	.....	.....	.....
Endocarditis	93	1	.....	.....	.....	2	5	2	7	8	13	9	22	17	5	2	.....
Heart disease	1,342	15	1	1	.....	1	8	37	48	72	112	197	312	384	130	18	6
Angina pectoris	86	.....	.....	.....	.....	.....	.....	.....	2	2	7	13	28	28	5	1	.....
Diseases of arteries	111	.....	.....	.....	.....	.....	.....	.....	1	1	5	11	17	31	41	4	.....
Embolism and thrombosis	52	1	.....	.....	.....	.....	1	1	2	4	8	8	11	12	4	.....	.....
Diseases of veins	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	2	.....	.....	.....
Diseases of lymphatics	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	28	11	.....	2	.....	.....	.....	1	3	1	4	2	1	1	2	.....	.....
IV.—Diseases of respiratory system	1,894	406	165	55	26	11	42	52	88	123	141	170	196	233	156	28	2
Laryngitis	12	3	1	.....	1	.....	3	.....	.....	.....	.....	2	.....	1	1	.....	.....
Other diseases of larynx	13	4	2	1	2	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	216	122	26	14	6	1	2	2	1	1	1	6	8	8	12	6	.....
Chronic bronchitis	171	4	.....	.....	.....	.....	1	3	7	5	8	20	30	44	42	7	.....
Bronchopneumonia	246	87	45	11	6	1	8	3	7	10	5	8	15	18	19	2	1
Pneumonia	1,033	160	89	27	11	7	22	36	61	84	108	110	110	135	64	8	1
Pleurisy	49	.....	.....	1	.....	2	2	2	5	12	4	4	11	5	1	.....	.....
Congestion of lungs	102	21	1	.....	.....	.....	.....	1	4	5	10	10	14	17	15	4	.....
Gangrene of lungs	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
Asthma and emphysema	24	1	.....	1	.....	.....	2	1	1	.....	1	7	6	2	1	1	.....
Hemorrhage of lungs	10	1	.....	.....	.....	.....	.....	.....	.....	4	2	1	.....	1	1	.....	.....
Other diseases of respiratory system	15	3	1	.....	.....	.....	.....	2	2	.....	2	2	1	2	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,832	821	135	29	12	6	31	47	59	74	91	134	121	158	92	21	1
Diseases of mouth	5	2						1		1			1				
Tonsilitis	13	3	1	1	1	1	1	4					1				
Other diseases of pharynx	7	1	2								1	2		1			
Ulcer of stomach	20	1							4	2	4	4	3		2		
Gastritis	151	24	6	2			1	3	6	9	9	15	20	27	22	7	
Other diseases of stomach	63	30	4	1			2	1		1	4	4	2	8	4	2	
Dentition																	
Diarrhea and enteritis	1,017	721	117	24	9	3	7	4	2	6	8	10	24	38	35	9	
Hernia	39	3						1		3	1	11	6	8	6		
Obstruction of intestines	85	17	1				2	3	4	9	4	7	8	24	5	1	
Other diseases of intestines	21	5	1			1			4	1	2		2	5			
Acute yellow atrophy of liver	5								1	1	1			1	1		
Hydatid tumors of liver																	
Cirrhosis of liver	133				1		1		4	9	24	36	32	19	6		1
Biliary calculi	28	1								1	2	9	5	8	2		
Other diseases of liver	76	4	1				1		2	5	6	20	11	16	8	2	
Diseases of spleen	2											1	1				
Peritonitis	79	8	1		1	1	9	12	10	14	6	12	1	3	1		
Appendicitis	87	1	1	1			7	18	22	11	19	3	4				
Other diseases of digestive system	1									1							
VI.—Diseases of genito-urinary system	1,086	12	3	5	5	3	10	19	82	102	121	156	230	207	114	12	5
Acute nephritis	113	3		2	3	3	5	4	16	21	20	14	11	7	4		
Bright's disease	778	8	3	3	2		5	15	48	62	84	121	185	152	79	7	4
Other diseases of kidneys	18	1							2	1	2	2	2	4	4		
Calculi of urinary tract	3										1		2				
Diseases of bladder	67								1	2	2	6	13	24	15	3	1
Uterine tumor	16									3	7	1	3	2			
Other diseases of uterus	18								5	5	2	5			1		
Ovarian tumor	17								3	3	3	5	1	2			
Diseases of tubes	8								6	2							
Other diseases of genito-urinary system	48								1	3		2	13	16	11	2	
VII.—Childbirth	128							6	59	58	5						
Puerperal septicemia	43							1	24	17	1						
Puerperal convulsions	39							4	15	19	1						
Other causes incident to childbirth	46							1	20	22	3						
VIII.—Diseases of skin	89	7	1			1		2	1	5	5	7	16	25	12	5	2
Gangrene	60	1	1							3	1	4	13	21	10	5	1
Carbuncle	2									1		1					
Abscess	16	3				1		2	1	1	3	1		3			1
Other diseases of skin	11	3									1	1	3	1	2		
IX.—Diseases of locomotor system	27	7	1	1	1		2	2	3	1	2	1	3	2	1		
Diseases of bones	19	7	1				2	2	3		1	1	1		1		
Diseases of joints	5									1	1		1	2			
Other diseases of locomotor system	3			1	1								1				
X.—Malformations	129	120	5	1			1	1				1					
Hydrocephalus	23	17	4	1								1					
Congenital malformation of heart (cyanosis)	62	61	1														
Other congenital malformations	44	42					1	1									
XI.—Early infancy	719	719															
Premature birth	412	412															
Congenital debility	307	307															
XII.—Old age	286												18	74	150	43	1
XIII.—Violence	1,076	131	20	24	17	7	48	77	135	145	143	115	78	67	40	10	19
Suicide	118							7	19	22	27	22	9	10	1		1
Fractures and dislocations	122			2	1		1	5	12	22	16	15	14	15	13	5	1
Burns and scalds	75	1	12	10	5	3	13	2	6	5	9	2	4	2	1		
Heat and sunstroke	18	3	1	1					2	2	1	3	2	1	2		
Cold and freezing	5								2		1	1	1				
Lightning	3								1		1	1					
Drowning	132		3	3	6	1	15	28	17	12	17	13	6	3	1		7
Inhalation of poisonous gases	41	2						2	6	6	6	8	3	4	4		
Other accidental poisonings	44	2		5			4	2	6	4	9	6	4	2			
Accidental gunshot wounds	20						1	7	2	2	5			1			2
Injuries by machinery	5								2		2	1					
Injuries in mines and quarries																	
Railroad accidents and injuries	168		2	1	2	2	6	8	36	46	28	18	9	4	1		5
Injuries by vehicles and horses	15				1	1	1	1	1	3		1	2	3	1		
Suffocation	23	17							2		2		1				1
Other accidental injuries	178	3	2	2	2		7	15	20	17	18	24	23	22	16	5	2
Injuries at birth	102	102															
Homicide	7	1							1	4	1						
XIV.—Ill-defined causes	233	105	13	3			1	2	2	4	14	14	19	30	17	2	7
"Dropsy"	18								1		1		2	6	7	1	
"Heart failure"	5										2			2	1		
Other ill-defined causes	190	94	12	3			1	1	1	3	10	13	15	22	9	1	5
Unknown causes	20	11	1					1		1	1	1	2				2

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

DISTRICT OF COLUMBIA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,945	1,089	227	106	53	31	110	251	612	569	594	639	784	590	232	54	4
I.—General diseases	1,686	89	73	37	23	13	59	134	337	275	217	173	152	78	22	1	3
Typhoid fever	143	1	.....	2	1	2	12	31	43	19	22	5	2	2	1	.....	.....
Malarial fever	22	2	1	2	.....	1	2	2	4	2	1	2	1	2	.....	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Measles	45	10	16	5	6	1	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	71	31	21	8	1	3	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	18	.....	3	3	3	2	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Croup	7	3	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	85	6	3	2	.....	.....	.....	4	6	6	11	9	19	14	4	.....	1
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	18	.....	1	.....	.....	.....	1	.....	1	.....	4	6	2	2	1	.....	.....
Erysipelas	16	2	2	.....	.....	.....	.....	.....	1	.....	1	4	.....	4	2	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	5	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....
Tuberculosis of lungs	781	9	10	6	6	2	13	78	233	182	111	67	44	16	3	.....	1
Tuberculosis of larynx	10	.....	.....	1	.....	.....	.....	1	4	2	1	1	.....	.....	.....	.....	.....
Tuberculous meningitis	26	4	5	4	2	.....	6	2	2	.....	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	26	2	.....	1	1	.....	1	2	10	5	2	1	1	.....	.....	.....	.....
Pott's disease	4	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	5	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	.....	.....
Tuberculosis of other organs	8	.....	.....	.....	1	.....	1	1	1	.....	1	2	1	.....	.....	.....	.....
General tuberculosis	30	3	2	1	.....	2	4	1	7	5	1	.....	2	2	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	24	11	5	.....	.....	.....	.....	.....	1	2	1	2	1	1	.....	.....	.....
Cancer of mouth	8	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	3	2	1	.....	.....
Cancer of stomach and liver	61	.....	.....	.....	.....	.....	.....	.....	.....	3	11	15	23	8	1	.....	.....
Cancer of intestines	15	.....	.....	.....	.....	.....	.....	1	2	1	1	5	3	2	.....	.....	.....
Cancer of female genital organs	57	.....	.....	.....	.....	.....	.....	.....	.....	12	14	17	12	2	.....	.....	.....
Cancer of breast	29	.....	.....	.....	.....	.....	.....	.....	1	3	9	5	3	5	3	.....	.....
Cancer of skin	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	1	.....	.....
Cancer of other or unspecified organs	43	.....	.....	.....	.....	.....	.....	.....	.....	9	5	9	11	6	1	1	1
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Rheumatism	23	.....	.....	.....	.....	.....	2	2	2	3	1	4	6	2	1	.....	.....
Diabetes	36	.....	.....	.....	.....	.....	1	1	3	1	5	9	11	2	3	.....	.....
Anemia, leukemia	17	4	1	.....	1	.....	.....	.....	3	4	.....	2	1	1	.....	.....	.....
Alcoholism	27	.....	.....	.....	.....	.....	.....	.....	5	10	9	3	.....	.....	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	2	.....	.....	.....
Other general diseases	5	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....
II.—Diseases of nervous system	638	82	13	10	4	2	10	8	21	39	58	115	143	98	30	5	.....
Encephalitis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Meningitis	50	13	4	5	3	2	6	4	1	3	3	4	1	1	.....	.....	.....
Locomotor ataxia	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	.....	.....	1	.....
Other diseases of spinal cord	18	.....	.....	1	.....	.....	1	.....	.....	2	2	6	4	2	.....	.....	.....
Apoplexy	305	10	2	3	1	.....	2	.....	10	11	27	65	91	61	20	2	.....
Softening of brain	20	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	4	8	3	.....	.....
Paralysis	37	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	8	10	7	4	1
General paralysis of insane	33	.....	.....	.....	.....	.....	.....	.....	.....	1	6	8	5	6	5	2	.....
Other forms of mental disease	37	.....	.....	.....	.....	.....	.....	.....	.....	2	4	4	7	11	8	1	.....
Other diseases of brain	20	.....	.....	.....	.....	.....	1	.....	.....	1	1	3	3	9	2	.....	.....
Epilepsy	27	.....	1	.....	.....	.....	.....	1	4	6	1	9	1	2	1	1	.....
Convulsions	54	48	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	17	11	.....	.....	.....	.....	.....	2	1	1	1	.....	1	.....	.....	.....	.....
Other diseases of nervous system	9	.....	.....	1	.....	.....	.....	1	.....	.....	2	1	4	.....	.....	.....	.....
III.—Diseases of circulatory system	654	7	1	1	1	.....	2	15	37	54	85	121	166	133	27	4	.....
Pericarditis	11	.....	.....	.....	.....	.....	.....	.....	.....	3	2	2	2	2	.....	.....	.....
Endocarditis	31	1	.....	.....	1	.....	1	1	.....	2	4	9	4	8	.....	.....	.....
Heart disease	530	3	.....	.....	.....	.....	1	13	34	44	67	97	141	103	24	3	.....
Angina pectoris	24	.....	.....	.....	.....	.....	.....	.....	2	.....	5	7	6	4	.....	.....	.....
Diseases of arteries	29	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	9	11	3	1	.....
Embolism and thrombosis	18	.....	.....	1	.....	.....	.....	.....	1	1	4	2	4	5	.....	.....	.....
Diseases of veins	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	7	3	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
IV.—Diseases of respiratory system	780	165	84	30	17	9	11	24	64	52	75	60	89	62	33	4	1
Laryngitis	3	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	92	52	17	3	2	1	1	.....	.....	1	2	.....	3	6	4	.....	.....
Chronic bronchitis	37	.....	1	1	.....	.....	.....	.....	2	2	2	5	8	8	6	2	.....
Bronchopneumonia	127	46	23	8	2	2	4	4	5	8	6	4	6	6	2	1	.....
Pneumonia	403	59	40	17	10	4	6	16	43	30	52	36	51	24	14	.....	1
Pleurisy	19	.....	.....	.....	.....	.....	.....	3	2	1	3	4	4	1	.....	1	.....
Congestion of lungs	53	7	3	1	3	.....	.....	1	6	4	3	5	8	9	3	.....	.....
Gangrene of lungs	8	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	1	.....	.....	.....	.....
Asthma and emphysema	17	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	5	5	1	.....	.....
Hemorrhage of lungs	11	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	3	1	.....	.....	.....
Other diseases of respiratory system	10	.....	.....	.....	.....	1	.....	.....	2	1	1	.....	.....	2	3	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	702	289	39	14	5	3	12	25	47	36	49	38	62	48	27	8	
Diseases of mouth	3	3															
Tonsilitis	1								1								
Other diseases of pharynx																	
Ulcer of stomach	9						1		2	1	2		3				
Gastritis	61	9	2			1	1	3	3	5	7	6	16	4	2	2	
Other diseases of stomach	35	5	2						3	3	4	4	4	7	3		
Dentition																	
Diarrhea and enteritis	397	266	34	13	5	2	3	2	6	3	7	8	14	16	12	6	
Hernia	12	1		1					1				3	4	2		
Obstruction of intestines	28	3					2		3	7	4	2	2	2	3		
Other diseases of intestines	5		1						1			1		1	1		
Acute yellow atrophy of liver	1												1				
Hydatid tumors of liver																	
Cirrhosis of liver	41							1	1	2	12	8	8	7	2		
Biliary calculi	2										1			1			
Other diseases of liver	25	1							3	3	3	4	6	3	2		
Diseases of spleen																	
Peritonitis	39	1						9	10	5	5	3	4	2			
Appendicitis	40						5	10	12	6	4	2		1			
Other diseases of digestive system	3								1	1			1				
VI.—Diseases of genito-urinary system	456	4	1	2	1		1	4	28	41	70	84	104	88	24	4	
Acute nephritis	45		1		1			2	6	8	9	7	6	1	4		
Bright's disease	340	4		2			1	2	15	29	48	68	85	70	12	4	
Other diseases of kidneys	13									1	2	2	4	4			
Calculi of urinary tract	2								1						1		
Diseases of bladder	14									1		1	4	6	2		
Uterine tumor	9										5	2		1	1		
Other diseases of uterus	3								2		1						
Ovarian tumor	4								1	1		1	1				
Diseases of tubes	5								2	1	2						
Other diseases of genito-urinary system	21								1		3	3	4	6	4		
VII.—Childbirth	53							10	20	19	4						
Puerperal septicemia	27							6	10	9	2						
Puerperal convulsions	11							2	5	4							
Other causes incident to childbirth	15							2	5	6	2						
VIII.—Diseases of skin	33	3		1				1	2	1	2	6	10	5	2		
Gangrene	23	3									1	5	8	4	2		
Carbuncle																	
Abscess	7							1	2	1	1	1	1				
Other diseases of skin	3			1									1	1			
IX.—Diseases of locomotor system	14	2	4						2	3	1	1	1				
Diseases of bones	13	2	4						2	2	1	1	1				
Diseases of joints																	
Other diseases of locomotor system	1									1							
X.—Malformations	25	22	2					1									
Hydrocephalus	3	2						1									
Congenital malformation of heart (cyanosis)	14	13	1														
Other congenital malformations	8	7	1														
XI.—Early infancy	330	330															
Premature birth	214	214															
Congenital debility	116	116															
XII.—Old age	158												20	58	55	25	
XIII.—Violence	300	24	5	5	1	3	15	29	53	49	33	37	29	10	6	1	
Suicide	59							3	15	10	12	12	7				
Fractures and dislocations	14	1						2		3			5	1	2		
Burns and scalds	29	1	4	2	1	2	7	6	3	1	4	2	5	1			
Heat and sunstroke	8	4									1	1	2				
Cold and freezing																	
Lightning	1									1							
Drowning	30						4	5	9	5	3	3	1				
Inhalation of poisonous gases	14							2	5	1	1	1	2	2			
Other accidental poisonings	10		1						2	2	2	2	1				
Accidental gunshot wounds	8						1	2	2	2	1						
Injuries by machinery	1										1						
Injuries in mines and quarries																	
Railroad accidents and injuries	24						2	3	6	7	3	2	1				
Injuries by vehicles and horses	6						1			2		1	1	1			
Suffocation	3	3															
Other accidental injuries	52		1	2		1		3	9	8	4	11	4	4	4	1	
Injuries at birth	15	15															
Homicide	16							3	2	7	1	2		1			
XIV.—Ill-defined causes	116	72	5	6	1	1			1			4	8	10	6	2	
"Dropsy"	3				1								1		1		
"Heart failure"	2													1	1		
Other ill-defined causes	110	72	5	6		1			1			4	7	8	4	2	
Unknown causes	1													1			

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

INDIANA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	31,845	5,422	1,262	548	349	249	844	1,894	2,976	2,448	2,350	2,756	3,685	4,255	2,182	303	322
I.—General diseases	10,096	580	335	197	177	127	449	1,045	1,734	1,282	957	970	979	842	298	27	97
Typhoid fever	1,064	6	15	16	16	16	84	281	244	134	96	64	41	33	7	1	10
Malarial fever	155	15	2	4	2	2	8	24	18	9	16	11	17	14	11	1	1
Smallpox	195	22	4	1	3	2	4	18	48	43	21	17	6	2	1	1	2
Measles	168	37	43	15	10	4	14	19	11	4	3	5	1	.....	.....	1	1
Scarlet fever	187	13	12	20	26	22	66	23	2	1	1	.....	1	.....	.....	.....	.....
Whooping cough	277	174	52	23	10	3	9	1	.....	.....	.....	.....	.....	.....	.....	.....	5
Diphtheria	343	20	34	42	47	37	114	38	4	1	.....	1	1	1	.....	.....	3
Croup	116	24	24	16	18	9	21	2	.....	.....	.....	.....	.....	.....	.....	.....	2
Influenza	416	20	5	4	3	3	6	11	12	13	22	35	65	124	80	11	2
Cholera nostras	26	2	.....	.....	.....	.....	.....	3	.....	1	1	2	4	5	8	.....	.....
Dysentery	332	51	57	22	9	4	4	5	5	12	9	21	31	63	30	5	4
Erysipelas	78	10	2	1	.....	.....	1	4	3	10	2	11	10	13	7	2	2
Other epidemic diseases[1]	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Septicemia	173	13	1	.....	2	2	12	16	25	28	15	15	18	15	5	1	5
Tuberculosis of lungs	3,955	58	33	12	14	9	38	461	1,197	803	454	365	277	177	24	1	32
Tuberculosis of larynx	40	.....	1	.....	.....	.....	.....	4	9	13	5	3	4	1	.....	.....	.....
Tuberculous meningitis	143	37	26	10	11	5	12	19	6	6	2	5	1	2	.....	.....	1
Abdominal tuberculosis	187	10	3	2	1	.....	7	26	37	24	19	22	20	10	2	1	3
Pott's disease	27	2	.....	.....	.....	2	3	4	1	8	4	2	.....	1	.....	.....	.....
Tuberculous abscess	9	.....	.....	.....	.....	.....	.....	1	1	1	4	1	1	.....	.....	.....	.....
White swelling	6	.....	1	.....	.....	.....	.....	2	1	.....	.....	1	.....	1	.....	.....	.....
Tuberculosis of other organs	51	2	2	.....	.....	.....	4	8	8	11	3	3	3	3	2	.....	2
General tuberculosis	62	3	3	.....	.....	.....	3	9	16	9	7	6	4	2	.....	.....	.....
Scrofula	22	4	4	2	1	1	3	1	1	.....	1	2	1	1	.....	.....	.....
Venereal diseases	58	25	.....	.....	.....	.....	.....	1	9	5	7	7	1	2	.....	.....	1
Cancer of mouth	40	.....	.....	.....	.....	.....	.....	.....	.....	1	6	11	13	6	3	.....	.....
Cancer of stomach and liver	490	2	.....	1	.....	1	.....	4	7	16	56	101	163	111	25	.....	3
Cancer of intestines	83	.....	.....	.....	.....	.....	1	.....	3	8	8	20	21	20	2	.....	.....
Cancer of female genital organs	169	.....	.....	.....	.....	1	.....	1	4	18	43	43	37	13	4	1	4
Cancer of breast	93	.....	.....	.....	.....	.....	.....	.....	.....	10	19	24	19	17	3	.....	1
Cancer of skin	74	.....	.....	.....	.....	.....	.....	.....	.....	1	4	7	12	28	21	.....	1
Cancer of other or unspecified organs	340	.....	.....	1	.....	1	6	5	10	20	52	67	75	71	25	1	6
Tumor	26	1	.....	.....	.....	.....	1	.....	1	1	3	2	9	7	1	.....	.....
Rheumatism	196	1	.....	.....	3	3	6	20	15	14	15	22	42	34	20	.....	1
Diabetes	224	3	2	2	1	.....	14	18	15	18	18	31	48	41	10	.....	3
Anemia, leukemia	116	12	7	1	.....	.....	6	9	9	12	10	16	17	12	5	.....	.....
Alcoholism	68	.....	1	.....	.....	.....	.....	.....	5	14	17	16	8	4	1	.....	2
Chronic poisonings	12	.....	.....	.....	.....	.....	.....	1	1	3	2	.....	2	3	.....	.....	.....
Other general diseases	71	10	1	2	.....	.....	2	6	6	10	12	11	5	5	1	.....	.....
II.—Diseases of nervous system	3,807	606	153	65	37	19	92	111	149	164	265	360	617	772	335	36	26
Encephalitis	80	27	15	3	3	.....	6	4	3	3	7	4	3	1	.....	.....	1
Meningitis	560	232	82	46	16	10	40	34	28	17	14	16	15	4	1	.....	5
Locomotor ataxia	49	.....	.....	.....	.....	.....	.....	.....	3	1	12	7	15	11	.....	.....	.....
Other diseases of spinal cord	132	14	9	1	1	.....	3	5	7	10	13	18	21	21	8	.....	1
Apoplexy	1,244	69	18	8	8	3	11	12	24	43	96	139	290	356	130	9	8
Softening of brain	114	.....	.....	.....	.....	.....	1	.....	2	1	4	9	34	43	17	3	.....
Paralysis	749	2	3	2	.....	2	5	2	13	12	28	78	173	262	143	21	3
General paralysis of insane	143	.....	.....	.....	.....	.....	1	1	6	14	27	26	19	31	16	1	1
Other forms of mental disease	54	.....	.....	.....	.....	.....	.....	4	2	8	11	10	7	9	2	1	.....
Other diseases of brain	80	10	3	2	2	2	6	7	7	6	9	6	7	5	8	.....	.....
Epilepsy	140	4	.....	.....	.....	.....	2	16	36	31	26	7	7	4	4	.....	3
Convulsions	274	225	20	2	5	.....	5	3	2	4	1	2	1	2	1	.....	1
Tetanus	69	16	1	.....	2	.....	8	22	6	3	2	5	4	.....	.....	.....	.....
Other diseases of nervous system	119	7	2	1	.....	2	4	1	10	11	15	13	21	23	5	1	3
III.—Diseases of circulatory system	2,914	90	10	2	7	2	21	77	130	157	238	402	659	777	294	18	30
Pericarditis	60	.....	2	.....	.....	.....	.....	7	1	2	6	9	16	11	6	.....	.....
Endocarditis	91	1	.....	.....	.....	.....	3	1	7	3	10	13	20	22	8	.....	3
Heart disease	2,344	47	7	2	6	2	17	62	98	128	190	331	547	634	236	14	23
Angina pectoris	157	.....	1	.....	.....	.....	.....	1	8	12	16	27	34	41	13	1	3
Diseases of arteries	125	1	.....	.....	.....	.....	.....	.....	2	3	6	9	24	53	24	3	.....
Embolism and thrombosis	47	1	.....	.....	.....	.....	.....	1	7	3	2	7	11	10	5	.....	.....
Diseases of veins	8	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	5	.....	.....	.....
Diseases of lymphatics	5	2	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Other diseases of circulatory system	77	38	.....	.....	.....	.....	1	5	7	5	6	5	6	1	2	.....	1
IV.—Diseases of respiratory system	3,236	771	223	102	54	35	79	123	161	147	190	211	359	469	250	34	28
Laryngitis	24	3	2	1	2	3	4	1	1	.....	2	.....	1	3	.....	.....	1
Other diseases of larynx	24	7	2	2	2	1	2	.....	4	.....	2	.....	1	.....	1	.....	.....
Diseases of thyroid body	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Acute bronchitis	261	146	39	16	7	4	4	4	1	5	2	3	8	12	7	2	1
Chronic bronchitis	242	2	1	.....	.....	.....	2	6	8	14	13	16	33	84	57	6	.....
Bronchopneumonia	376	139	46	28	14	2	8	11	4	6	12	18	26	36	22	2	2
Pneumonia	1,797	366	117	49	27	23	52	83	109	96	127	133	218	238	128	16	15
Pleurisy	56	1	3	.....	.....	.....	1	3	6	3	6	7	10	8	6	.....	2
Congestion of lungs	236	82	9	6	1	1	3	9	11	3	12	17	16	36	17	8	5
Gangrene of lungs	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	.....	.....
Asthma and emphysema	84	2	1	.....	1	.....	1	2	2	3	6	9	19	28	9	.....	1
Hemorrhage of lungs	39	5	.....	.....	.....	1	2	.....	6	6	3	1	8	7	.....	.....	.....
Other diseases of respiratory system	91	18	3	.....	.....	.....	.....	4	8	10	4	7	18	15	3	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	3,912	1,176	435	117	30	29	74	168	185	178	211	311	377	414	167	17	23
Diseases of mouth	21	16	3					1			1						
Tonsilitis	31	3	2	2	4	1	4	8	5		2						
Other diseases of pharynx	16	1					2			2	3		3	2	3		
Ulcer of stomach	56			1			1	7	4	3	6	16	9	7	1		1
Gastritis	316	44	8	3	3	1	8	5	13	17	32	31	51	68	28	2	2
Other diseases of stomach	194	73	13	3	2	4	3	1	3	5	10	12	24	26	14	1	
Dentition	5	2	3														
Diarrhea and enteritis	1,913	951	388	96	10	13	10	20	25	29	28	52	84	123	65	10	9
Hernia	67	7	2	1				3	3	1	6	6	13	15	9		1
Obstruction of intestines	219	33	4	6	6	3	13	18	25	8	18	30	24	22	5	2	2
Other diseases of intestines	101	17	2	1	1	2		5	3	7	7	12	20	18	5	1	
Acute yellow atrophy of liver	9								1	1		3	1	3			
Hydatid tumors of liver																	
Cirrhosis of liver	221	1	1				1		3	11	28	52	62	49	10	1	2
Biliary calculi	58							1	2	2	6	12	14	17	4		
Other diseases of liver	248	16	1	3	1		1	8	13	22	21	47	53	43	17		2
Diseases of spleen	8						1					6			1		
Peritonitis	246	11	8		3	2	15	33	52	44	25	21	12	14	3		3
Appendicitis	180	1		1		3	15	58	33	26	16	10	7	7	2		1
Other diseases of digestive system	3										2	1					
VI.—Diseases of genito-urinary system	1,810	25	12	8	7	4	20	69	114	117	173	226	395	433	167	15	25
Acute nephritis	107	2	2	5	2	2	7	9	20	13	7	4	12	13	5	1	3
Bright's disease	1,391	18	9	3	5	2	12	47	64	66	124	193	318	309	103	9	19
Other diseases of kidneys	68	3	1					2	1	3	8	12	10	16	8	2	2
Calculi of urinary tract	7										2	1	1	1	2		
Diseases of bladder	124	2							2	4	3	5	24	56	26	2	
Uterine tumor	24								3	5	7	4	2	2	1		
Other diseases of uterus	49							7	12	15	12	3					
Ovarian tumor	24							2	4	3	3	2	6	1	3		
Diseases of tubes	12							1	5	3	2			1			
Other diseases of genito-urinary system	94						1	1	3	5	5	2	22	34	19	1	1
VII.—Childbirth	270							21	119	96	29						5
Puerperal septicemia	140							9	72	45	10						4
Puerperal convulsions	40							9	17	10	4						
Other causes incident to childbirth	90							3	30	41	15						1
VIII.—Diseases of skin	129	16	2				4	4	6	8	7	9	20	24	22	6	1
Gangrene	68						2	1	1	4	3	3	13	17	18	5	1
Carbuncle	15		1					1			2	3	3	2	2	1	
Abscess	17	4					1	1	4	2	1		1	2	1		
Other diseases of skin	29	12	1				1	1	1	2	1	3	3	3	1		
IX.—Diseases of locomotor system	48	7	5		2	1	6	9	5	2		6	2	3			
Diseases of bones	41	7	5		2	1	6	8	4	2		5		1			
Diseases of joints	4											1	2	1			
Other diseases of locomotor system	3							1	1					1			
X.—Malformations	283	262	9	1			5			1	1			1			3
Hydrocephalus	38	26	6				2			1	1			1			1
Congenital malformation of heart (cyanosis)	149	145					2										2
Other congenital malformations	96	91	3	1			1										
XI.—Early infancy	1,451	1,451															
Premature birth	673	673															
Congenital debility	778	778															
XII.—Old age	829												40	211	443	124	11
XIII.—Violence	2,082	146	41	50	29	28	81	251	351	251	236	189	132	131	97	10	59
Suicide	206							14	44	36	50	26	14	12	4		6
Fractures and dislocations	176	1	1		1	2	5	14	15	14	15	12	11	31	43	7	4
Burns and scalds	177	11	15	23	14	16	17	11	18	12	8	6	9	10	3		4
Heat and sunstroke	17	2							1	6		2	1	2	2		1
Cold and freezing	19									2	1	2	1	4	5		4
Lightning	26						1	7	6	7	2	2	1				
Drowning	133	1	7	4	1	1	19	42	18	11	9	7	5	3	2	1	2
Inhalation of poisonous gases	17	2	1						3	4		1	4		2		
Other accidental poisonings	142	11	8	11	4	1	3	9	29	18	19	9	12	4	3		1
Accidental gunshot wounds	147			3	3	1	1	43	39	17	15	13	6				6
Injuries by machinery	16							2	5	3	3	2					1
Injuries in mines and quarries	57							10	15	15	6	8	2				1
Railroad accidents and injuries	377	1	1	2	1		7	47	107	57	52	42	25	14	5		16
Injuries by vehicles and horses	52		1	3		2	11	9	4	3	4	7	4	2	2		
Suffocation	59	44		1	1	1	1	3	2			1	3				2
Other accidental injuries	370	12	7	3	4	4	16	38	37	38	45	47	33	49	26	2	9
Injuries at birth	60	60															
Homicide	31	1						2	8	8	7	2	1				2
XIV.—Ill-defined causes	978	292	37	6	6	4	13	16	22	45	43	72	105	178	109	16	14
"Dropsy"	165	1		2		1	4	5	2	9	11	24	29	52	23	1	1
"Heart failure"	183	32	3			1	1	2	4	7	17	24	30	44	16	1	1
Other ill-defined causes	530	209	33	4	6	1	6	7	14	21	13	22	43	71	59	12	9
Unknown causes	100	50	1				2	2	2	8	2	2	3	11	11	2	3

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

MAINE.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	11,216	1,659	282	134	90	76	234	462	788	675	754	990	1,546	1,896	1,235	258	137
I.—General diseases	2,757	174	63	45	30	37	89	235	424	270	270	284	347	308	131	23	27
Typhoid fever	229	1	.....	3	3	2	16	52	76	32	21	10	6	6	.....	.....	1
Malarial fever	11	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	5	2	1	.....	.....
Smallpox	7	.....	1	.....	.....	.....	1	.....	.....	.....	3	1	.....	.....	.....	.....	1
Measles	40	5	5	2	.....	1	3	8	5	6	2	.....	1	.....	1	.....	1
Scarlet fever	19	2	1	2	.....	5	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	108	69	21	7	4	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	79	10	4	8	5	6	24	14	2	2	.....	1	1	.....	.....	.....	2
Croup	35	5	4	6	4	6	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
Influenza	189	29	5	1	.....	2	1	4	3	3	4	7	19	51	52	8	.....
Cholera nostras	22	6	.....	2	2	1	.....	1	.....	.....	.....	.....	2	6	2	.....	.....
Dysentery	30	5	5	1	3	2	.....	.....	1	2	.....	.....	2	5	1	3	.....
Erysipelas	15	3	.....	.....	.....	.....	.....	.....	1	3	.....	3	1	1	2	1	.....
Other epidemic diseases[1]	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	37	2	.....	.....	.....	1	2	4	3	2	4	3	7	5	3	.....	1
Tuberculosis of lungs	910	11	9	5	4	1	9	100	263	155	119	88	79	45	10	1	11
Tuberculosis of larynx	9	.....	.....	1	.....	.....	.....	1	2	1	.....	2	2	.....	.....	.....	.....
Tuberculous meningitis	48	12	4	6	1	5	7	5	5	1	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	53	3	.....	.....	.....	1	2	8	13	6	5	3	5	4	2	.....	1
Pott's disease	15	2	.....	.....	.....	.....	1	3	1	1	.....	.....	4	2	1	.....	.....
Tuberculous abscess	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....
White swelling	6	.....	.....	.....	.....	.....	2	1	.....	1	2	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	9	.....	.....	.....	.....	.....	.....	1	2	1	.....	2	3	.....	.....	.....	.....
General tuberculosis	30	1	1	.....	.....	.....	1	6	11	4	2	2	.....	2	.....	.....	.....
Scrofula	6	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	1	.....	1
Venereal diseases	6	1	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....
Cancer of mouth	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	6	5	4	.....	.....
Cancer of stomach and liver	222	.....	.....	.....	.....	.....	.....	2	2	6	18	36	66	73	15	2	2
Cancer of intestines	68	1	.....	.....	.....	.....	.....	.....	1	3	8	16	20	15	3	.....	1
Cancer of female genital organs	94	.....	.....	.....	.....	.....	.....	.....	3	8	22	26	18	14	3	.....	.....
Cancer of breast	53	.....	.....	.....	.....	.....	.....	.....	.....	3	7	13	15	13	1	1	.....
Cancer of skin	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	6	4	4	3	.....
Cancer of other or unspecified organs	121	.....	.....	.....	1	.....	.....	3	8	8	16	20	29	19	12	2	3
Tumor	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	2	5	3	.....	.....	.....
Rheumatism	50	.....	.....	2	.....	2	8	4	3	1	4	11	11	3	1	.....	.....
Diabetes	92	.....	.....	1	.....	1	4	4	8	12	18	23	16	5	.....	.....	.....
Anemia, leukemia	48	4	2	1	.....	.....	1	4	6	3	5	9	6	5	1	1	.....
Alcoholism	19	.....	.....	.....	.....	.....	.....	.....	.....	5	6	3	3	.....	2	.....	.....
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	1	.....	.....	.....
Other general diseases	11	1	.....	.....	.....	.....	1	.....	1	2	3	2	.....	.....	1	.....	.....
II.—Diseases of nervous system	1,618	166	50	25	11	10	30	46	42	48	110	158	291	392	197	20	22
Encephalitis	23	4	1	1	.....	.....	1	2	3	1	1	2	2	4	1	.....	.....
Meningitis	238	79	31	16	8	9	23	20	12	8	13	7	7	3	.....	.....	2
Locomotor ataxia	17	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	4	6	1	.....	.....
Other diseases of spinal cord	51	2	.....	.....	.....	.....	.....	1	1	1	4	6	19	14	3	.....	.....
Apoplexy	693	5	2	2	.....	.....	1	6	6	15	43	69	154	244	122	12	12
Softening of brain	35	.....	.....	.....	.....	.....	1	.....	.....	.....	4	1	5	17	5	2	.....
Paralysis	209	3	1	.....	.....	.....	.....	1	1	3	12	24	56	60	43	2	3
General paralysis of insane	54	.....	.....	.....	.....	.....	.....	.....	1	4	5	7	10	16	6	3	2
Other forms of mental disease	63	.....	.....	.....	.....	.....	.....	1	4	5	15	11	11	12	4	.....	.....
Other diseases of brain	44	3	2	.....	.....	.....	2	1	1	5	1	8	7	6	7	1	.....
Epilepsy	39	2	.....	1	.....	.....	.....	7	5	3	3	5	8	1	2	.....	2
Convulsions	94	64	12	5	3	1	2	1	3	.....	1	1	.....	.....	.....	.....	1
Tetanus	11	1	.....	.....	.....	.....	.....	2	3	1	2	1	1	.....	.....	.....	.....
Other diseases of nervous system	47	3	1	.....	.....	.....	.....	4	2	1	5	12	7	9	3	.....	.....
III.—Diseases of circulatory system	1,307	24	3	.....	.....	1	11	20	38	55	92	150	315	377	192	20	9
Pericarditis	10	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	3	2	1	.....	.....
Endocarditis	33	.....	.....	.....	.....	1	3	.....	1	2	4	1	9	9	3	.....	.....
Heart disease	1,071	17	2	.....	.....	.....	6	13	29	45	71	130	257	312	163	17	9
Angina pectoris	96	.....	.....	.....	.....	.....	.....	1	2	1	7	8	28	35	13	1	.....
Diseases of arteries	35	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	9	10	8	1	.....
Embolism and thrombosis	33	.....	.....	.....	.....	.....	.....	3	3	1	5	3	8	8	1	1	.....
Diseases of veins	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	24	7	1	.....	.....	.....	2	1	3	3	3	1	1	.....	2	.....	.....
IV.—Diseases of respiratory system	1,329	227	72	29	22	6	30	34	65	78	72	121	172	207	157	25	12
Laryngitis	8	1	2	.....	.....	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	8	3	1	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diseases of thyroid body	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
Acute bronchitis	121	62	18	3	4	.....	1	.....	.....	1	.....	1	6	9	13	2	1
Chronic bronchitis	87	1	1	.....	.....	.....	.....	2	.....	1	.....	8	17	28	23	5	1
Bronchopneumonia	136	38	14	6	5	2	5	3	1	2	4	6	8	18	20	2	2
Pneumonia	854	107	31	20	12	2	13	27	55	68	60	94	127	131	87	13	1
Pleurisy	17	.....	1	.....	.....	.....	.....	1	3	1	3	1	1	5	.....	.....	1
Congestion of lungs	46	13	2	.....	1	.....	4	.....	1	1	1	4	4	5	9	1	.....
Gangrene of lungs	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Asthma and emphysema	27	1	1	.....	.....	.....	.....	.....	1	1	3	3	3	7	5	2	.....
Hemorrhage of lungs	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....
Other diseases of respiratory system	16	1	1	.....	.....	.....	.....	2	1	2	1	.....	3	3	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

MAINE—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,099	415	62	23	9	9	39	42	41	57	52	74	108	100	54	4	10
Diseases of mouth	5	2								1				1	1		
Tonsilitis	11		1			1	6	1		1	1						
Other diseases of pharynx	12	3				1	1	1				3	1	1	1		
Ulcer of stomach	13								3	1		1	4	3	1		
Gastritis	74	13		1			3		3	9	5	10	10	12	5	1	2
Other diseases of stomach	68	20	3	1	1	2		2	1	3	1	6	6	13	9		
Dentition	1	1															
Diarrhea and enteritis	531	357	54	16	4	1	11	3	3	5	11	9	19	19	13		6
Hernia	21	4						2		2		1	4	6		2	
Obstruction of intestines	62	8	1	2	1		2	3	5	5	6	7	8	9	3	1	1
Other diseases of intestines	23	2				1	1	2	1	2	2	3	4	3	2		
Acute yellow atrophy of liver																	
Hydatid tumors of liver																	
Cirrhosis of liver	67	2							1	5	9	9	26	11	4		
Biliary calculi	10									1	3	1	3	2			
Other diseases of liver	72	2					1	2	3	6	4	13	13	16	12		
Diseases of spleen	2										1		1				
Peritonitis	46		3		3	1		5	6	5	4	10	5	2	2		
Appendicitis	80	1		3		2	14	21	15	11	4	1	4	2	1		1
Other diseases of digestive system	1										1						
VI.—Diseases of genito-urinary system	784	8	3			3	5	14	36	51	77	102	176	209	78	12	10
Acute nephritis	54		3				2	3	9	2	6	5	10	13	1		
Bright's disease	582	4				3	3	11	21	37	60	86	141	148	56	5	7
Other diseases of kidneys	29	4							1	2	1	3	7	6	3	2	
Calculi of urinary tract	4											1	1	1	1		
Diseases of bladder	51								1	1	1	3	12	17	12	3	1
Uterine tumor	8								1		2	2	1	1			1
Other diseases of uterus	12								3	5	2			1	1		
Ovarian tumor	12									1	2		2	7			
Diseases of tubes	5									2	3						
Other diseases of genito-urinary system	27									1		2	2	15	4	2	1
VII.—Childbirth	93							11	51	27	4						
Puerperal septicemia	28							2	18	8							
Puerperal convulsions	17							3	10	3	1						
Other causes incident to childbirth	48							6	23	16	3						
VIII.—Diseases of skin	88	5			1		2	2	1	3	2	4	14	29	18	4	3
Gangrene	70	1					1	1		1	2	2	12	25	18	4	3
Carbuncle	1												1				
Abscess	10	2					1	1	1	2		1	1	1			
Other diseases of skin	7	2			1							1		3			
IX.—Diseases of locomotor system	14	1	2							1		3	2	3	2		
Diseases of bones	12	1	2							1		3	2	2	1		
Diseases of joints	1														1		
Other diseases of locomotor system	1													1			
X.—Malformations	62	54	4					2									2
Hydrocephalus	10	4	4					1									1
Congenital malformation of heart (cyanosis)	25	24						1									
Other congenital malformations	27	26															1
XI.—Early infancy	392	392															
Premature birth	194	194															
Congenital debility	198	198															
XII.—Old age	610												9	130	339	122	10
XIII.—Violence	534	27	7	7	13	7	23	51	78	72	47	53	46	48	24	8	23
Suicide	76							2	10	19	9	18	6	6	3		3
Fractures and dislocations	37	1							5	1	2	3	6	9	6	4	
Burns and scalds	40		3	3	4	2	6		2	2	3		3	7	4	1	
Heat and sunstroke	1													1			
Cold and freezing	4											1	1	1			
Lightning																	
Drowning	126	2			1	4	9	29	25	17	11	10	3	3			12
Inhalation of poisonous gases	5							2		1	1		1				
Other accidental poisonings	24	2	4	1	3		1		2	1	2	3	3	1			1
Accidental gunshot wounds	19					1	3	5	3	3	1		1	2			
Injuries by machinery	8							2	2	2	2						
Injuries in mines and quarries	1								1								
Railroad accidents and injuries	50			1			2	2	11	10	6	5	5	3			5
Injuries by vehicles and horses	17				1		1	2	5	1	1	1	3	2			
Suffocation	7	2			1			1		1				1			1
Other accidental injuries	92	1		2	3		1	4	10	12	8	11	13	12	11	3	1
Injuries at birth	18	18															
Homicide	9	1						2	2	2		1	1				
XIV.—Ill-defined causes	529	166	16	5	4	3	5	5	12	13	28	41	66	93	43	20	9
"Dropsy"	44						1	1			1	5	9	16	7	3	1
"Heart failure"	81	7	1					1		3	6	6	20	28	4	5	
Other ill-defined causes	229	62	10	3	1		1		7	8	13	20	25	37	26	10	6
Unknown causes	175	97	5	2	3	3	3	3	5	2	8	10	12	12	6	2	2

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

MASSACHUSETTS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	48,863	10,117	2,069	959	652	419	1,180	1,729	3,470	3,949	3,915	4,740	5,894	5,741	3,323	586	120
I.—General diseases	12,991	922	619	426	355	240	584	859	1,763	1,719	1,421	1,385	1,350	951	365	36	16
Typhoid fever	529	2	2	7	5	4	26	92	143	133	53	37	13	8	4	.....	.....
Malarial fever	65	6	1	.....	2	.....	2	1	4	8	6	3	20	6	6	.....	.....
Smallpox	22	2	.....	1	2	.....	.....	1	4	6	4	.....	2	.....	.....	.....	.....
Measles	273	66	93	48	25	7	19	6	.....	3	1	2	2	1	.....	.....	.....
Scarlet fever	519	17	49	72	96	63	157	43	16	4	1	.....	.....	1	.....	.....	.....
Whooping cough	616	355	123	73	30	13	18	2	.....	.....	.....	.....	1	.....	1	.....	.....
Diphtheria	761	47	117	103	104	93	197	74	11	10	2	1	1	1	.....	.....	.....
Croup	124	18	28	24	20	14	19	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	552	32	15	.....	2	3	4	8	16	21	37	46	92	147	111	16	2
Cholera nostras	41	10	2	2	.....	.....	.....	.....	.....	5	3	5	3	6	4	1	.....
Dysentery	185	36	14	8	6	1	3	2	5	6	8	12	29	30	24	1	.....
Erysipelas	108	23	1	.....	.....	.....	1	4	3	7	11	19	13	17	8	1	.....
Other epidemic diseases[1]	9	1	3	1	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Septicemia	176	13	1	1	2	2	1	13	30	37	27	17	13	13	6	.....	.....
Tuberculosis of lungs	4,629	85	58	30	27	12	50	446	1,304	1,119	672	413	262	115	30	.....	6
Tuberculosis of larynx	35	.....	.....	.....	.....	.....	.....	1	1	7	13	5	3	2	2	1	.....	.....
Tuberculous meningitis	320	98	74	38	16	15	33	16	10	12	6	1	1	.....	.....	.....	.....
Abdominal tuberculosis	148	12	12	7	5	.....	9	22	24	20	17	6	5	8	1	.....	.....
Pott's disease	54	2	2	1	2	3	7	13	7	3	2	4	5	3	.....	.....	.....
Tuberculous abscess	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....
White swelling	7	.....	.....	.....	.....	.....	1	1	.....	.....	2	2	1	.....	.....	.....	.....
Tuberculosis of other organs	32	1	1	1	1	.....	.....	3	10	3	1	7	2	2	.....	.....	.....
General tuberculosis	125	11	8	.....	2	1	7	20	24	21	16	8	4	3	.....	.....	.....
Scrofula	12	4	2	1	.....	.....	1	2	.....	.....	.....	1	.....	1	.....	.....	.....
Venereal diseases	76	48	1	.....	1	1	1	2	7	7	3	3	2	.....	.....	.....	.....
Cancer of mouth	72	1	.....	.....	.....	.....	.....	1	.....	.....	6	17	26	10	9	2	.....
Cancer of stomach and liver	741	.....	.....	.....	.....	1	.....	.....	6	29	105	173	217	165	41	3	1
Cancer of intestines	252	.....	.....	1	.....	.....	.....	.....	4	15	39	60	66	52	14	.....	1
Cancer of female genital organs	291	.....	.....	.....	.....	.....	.....	1	7	41	65	88	58	27	3	1	.....
Cancer of breast	178	.....	.....	.....	.....	.....	.....	.....	1	7	28	51	47	27	15	2	.....
Cancer of skin	53	.....	.....	.....	.....	.....	.....	2	.....	2	4	9	15	11	8	2	.....
Cancer of other or unspecified organs	780	.....	2	2	2	1	4	6	19	42	130	185	199	142	41	5	.....
Tumor	62	1	2	1	1	1	.....	2	3	11	7	10	11	11	1	.....	.....
Rheumatism	232	4	1	.....	1	4	10	17	22	21	28	30	38	39	15	1	1
Diabetes	422	1	2	1	.....	1	7	24	28	28	35	86	123	68	15	1	2
Anemia, leukemia	240	22	3	2	2	.....	4	11	24	23	21	41	52	31	4	.....	.....
Alcoholism	180	.....	.....	.....	.....	.....	.....	1	12	50	64	31	14	3	2	.....	3
Chronic poisonings	25	1	.....	.....	.....	.....	.....	1	2	7	3	7	4	.....	.....	.....	.....
Other general diseases	42	3	2	1	.....	.....	.....	1	8	5	9	6	5	1	1	.....	.....
II.—Diseases of nervous system	5,744	859	311	119	82	41	133	133	163	249	405	650	960	1,054	518	59	8
Encephalitis	38	10	2	1	1	.....	2	2	2	5	1	2	3	4	2	.....	1
Meningitis	1,099	426	201	86	55	28	91	65	43	32	24	22	11	8	6	.....	1
Locomotor ataxia	64	.....	.....	.....	.....	.....	.....	.....	1	1	15	18	16	10	3	.....	.....
Other diseases of spinal cord	152	3	1	.....	.....	.....	3	3	7	13	19	22	41	27	11	1	1
Apoplexy	2,399	38	10	3	3	2	8	7	32	66	170	384	622	669	348	33	4
Softening of brain	93	.....	.....	.....	.....	.....	.....	.....	3	4	5	4	14	45	16	2	.....
Paralysis	546	6	3	.....	1	1	3	2	5	18	30	57	121	188	95	16	.....
General paralysis of insane	255	.....	.....	.....	.....	.....	1	.....	7	33	55	58	41	42	16	2	.....
Other forms of mental disease	122	.....	.....	.....	.....	.....	.....	.....	7	12	19	23	38	11	10	2	.....
Other diseases of brain	162	16	5	2	2	.....	3	7	12	21	23	22	22	20	7	.....	.....
Epilepsy	122	4	1	1	1	1	7	14	16	17	19	21	12	8	.....	.....	.....
Convulsions	510	334	82	25	18	9	5	4	16	11	1	1	3	.....	.....	.....	1
Tetanus	53	12	.....	1	1	.....	5	19	5	1	4	1	2	2	.....	.....	.....
Other diseases of nervous system	129	10	6	.....	.....	.....	5	10	7	15	20	15	14	20	4	3	.....
III.—Diseases of circulatory system	5,822	114	16	12	6	8	61	145	232	380	565	893	1,357	1,321	642	63	7
Pericarditis	39	.....	2	.....	.....	.....	.....	6	2	7	2	7	5	5	3	.....	.....
Endocarditis	353	2	1	2	.....	2	15	16	20	27	41	67	62	67	25	6	.....
Heart disease	4,574	73	11	10	5	6	42	110	179	304	444	713	1,103	1,050	481	38	5
Angina pectoris	235	.....	.....	.....	.....	.....	.....	2	5	8	22	40	69	62	24	2	1
Diseases of arteries	356	1	.....	.....	.....	.....	1	.....	3	7	24	35	80	98	94	12	1
Embolism and thrombosis	160	3	1	.....	.....	.....	.....	4	12	19	19	20	33	34	10	5	.....
Diseases of veins	11	.....	.....	.....	.....	.....	1	.....	.....	1	2	2	3	1	1	.....	.....
Diseases of lymphatics	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	92	35	1	.....	1	.....	1	7	10	7	11	9	2	4	4	.....	.....
IV.—Diseases of respiratory system	6,475	1,356	559	232	97	48	136	145	316	459	457	600	739	777	455	69	10
Laryngitis	36	11	4	2	3	3	7	.....	1	2	1	1	.....	1	.....	.....	.....
Other diseases of larynx	29	5	6	7	2	1	1	1	.....	2	2	.....	2	.....	.....	.....	.....
Diseases of thyroid body	12	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	3	3	.....	.....	.....
Acute bronchitis	657	368	90	43	8	5	4	.....	2	2	7	15	27	51	28	7	.....
Chronic bronchitis	538	4	2	2	1	.....	6	9	16	24	20	69	112	145	108	19	1
Bronchopneumonia	902	350	149	57	33	15	19	13	10	22	23	31	55	65	52	6	2
Pneumonia	3,739	559	287	116	45	23	85	103	237	350	355	417	471	437	220	29	5
Pleurisy	143	3	7	4	3	1	4	11	19	22	15	17	23	10	4	.....	.....
Congestion of lungs	223	43	13	1	2	.....	7	4	9	13	15	15	29	37	29	6	.....
Gangrene of lungs	11	.....	.....	.....	.....	.....	1	.....	2	1	3	2	1	1	.....	.....	.....
Asthma and emphysema	87	2	.....	.....	.....	.....	1	2	2	5	5	18	17	22	11	2	.....
Hemorrhage of lungs	50	2	.....	.....	.....	.....	.....	.....	11	13	3	7	10	2	2	.....	.....
Other diseases of respiratory system	48	9	1	.....	.....	.....	1	2	6	2	6	6	9	3	1	.....	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	5,626	2,766	383	81	51	29	87	163	214	244	276	364	420	327	196	21	4
Diseases of mouth	12	5	1	2							1		1	2			
Tonsilitis	16	2			3		4	4			1	1		1			
Other diseases of pharynx	27	3			1	2	1	1		4	4	5	4	2			
Ulcer of stomach	71			1				2	8	10	11	18	12	5	3		1
Gastritis	289	46	5	4	3	3	4	6	14	16	15	41	58	41	27	4	2
Other diseases of stomach	170	63	5			3	4	4	6	5	7	9	21	27	13	3	
Dentition	10	4	6														
Diarrhea and enteritis	3,428	2,555	337	64	34	8	15	18	17	28	29	43	90	75	88	6	1
Hernia	117	7	1	1	1		2	3	3	5	17	15	28	22	9	3	
Obstruction of intestines	251	35	2	3	2	6	7	16	15	19	23	31	43	35	13	1	
Other diseases of intestines	62	15	2	1			1	3	7	6	3	6	8	8	2		
Acute yellow atrophy of liver	3								1		1			1			
Hydatid tumors of liver																	
Cirrhosis of liver	287	2						2	12	28	56	76	58	39	13	1	
Biliary calculi	82	2							3	4	16	23	15	14	5		
Other diseases of liver	186	6	1	1	3			5	7	17	18	43	39	32	13	1	
Diseases of spleen	8						1	1		1	2	1		2			
Peritonitis	314	19	2	1	3	2	19	33	52	52	43	32	31	14	10	1	
Appendicitis	281	2	1	3	1	4	29	65	67	49	25	18	10	7			
Other diseases of digestive system	12					1			2		4	2	2			1	
VI.—Diseases of genito-urinary system	2,914	37	6	14	8	7	35	71	234	299	342	498	597	556	186	22	2
Acute nephritis	237	10	3	8	4	2	17	18	35	34	29	26	28	19	4		
Bright's disease	2,139	17	3	6	4	5	17	45	154	202	250	416	478	399	127	15	1
Other diseases of kidneys	79	6					1		6	8	8	9	13	17	8	2	1
Calculi of urinary tract	13									3		1	6	3			
Diseases of bladder	145	1						2	2	1	5	18	29	53	33	1	
Uterine tumor	62								2	15	26	9	4	5	1		
Other diseases of uterus	41							1	14	9	8	5	3	1			
Ovarian tumor	30								1	6	4	6	8	4	1		
Diseases of tubes	42							3	14	18	6	1					
Other diseases of genito-urinary system	126	3						2	6	3	6	7	28	55	12	4	
VII.—Childbirth	341							11	152	156	22						
Puerperal septicemia	116							4	62	43	7						
Puerperal convulsions	76							3	35	34	4						
Other causes incident to childbirth	149							4	55	79	11						
VIII.—Diseases of skin	229	21	2	2	2		3	2	10	7	17	13	35	49	52	14	
Gangrene	153	1		1			2		1	3	6	5	27	43	50	14	
Carbuncle	15						1	1	1		3	3	3	2	1		
Abscess	38	9	1	1	2			1	8	4	6	4	1	1			
Other diseases of skin	23	11	1								2	1	4	3	1		
IX.—Diseases of locomotor system	77	27	9	3	2		4	7	3	4	6	3	7		2	1	
Diseases of bones	65	27	9	3	2		4	6	1	3	3	2	5				
Diseases of joints	8								2	1	1	1	1		2		
Other diseases of locomotor system	4							1			2		1				
X.—Malformations	397	355	18	6	2	1		3		2	1			1			8
Hydrocephalus	61	37	12	5	1	1		2		1	1						1
Congenital malformation of heart (cyanosis)	207	197	5	1	1			1		1							1
Other congenital malformations	129	121	1											1			6
XI.—Early infancy	2,779	2,779															
Premature birth	1,355	1,355															
Congenital debility	1,424	1,424															
XII.—Old age	1,454												79	387	715	271	2
XIII.—Violence	2,009	241	49	46	40	40	116	192	350	372	360	252	228	172	109	17	25
Suicide	317							5	45	70	71	54	53	15	2		2
Fractures and dislocations	342	2		3	3	3	5	17	33	41	51	31	28	64	51	9	1
Burns and scalds	213	7	22	24	19	18	30	9	14	15	15	12	9	8	8	3	
Heat and sunstroke	22	3					1		2	4	2	2	3	3	2		
Cold and freezing	24	2			1				1	4	3	6	5	1	1		
Lightning	3										1						2
Drowning	333		3	4	3	3	39	67	69	46	43	19	16	9			12
Inhalation of poisonous gases	68	3			1			5	4	11	14	11	12	5	1		1
Other accidental poisonings	90	4	13	3	5	1	6	2	6	12	14	7	10	5	1	1	
Accidental gunshot wounds	46				1		1	13	14	3	9	4	1				
Injuries by machinery	16						1	4	4	1	2	2	1	1			
Injuries in mines and quarries	1								1								
Railroad accidents and injuries	326			2	1	1	13	25	80	73	52	39	23	11	2		4
Injuries by vehicles and horses	53		1	1	1	4	2	4	6	9	7	7	7	4			
Suffocation	50	32		2		1		2	1	4	2	2	2	2			
Other accidental injuries	496	9	10	6	5	9	16	38	62	71	68	52	58	44	41	4	3
Injuries at birth	176	176															
Homicide	33	3		1			2	1	8	8	6	4					
XIV.—Ill-defined causes	1,405	640	97	18	7	5	21	18	33	58	43	82	102	146	83	14	38
"Dropsy"	36	1			1	1		2	2	3	2	5	8	7	4		
"Heart failure"	153	13		2	2		2	6	7	8	6	22	22	41	20	2	
Other ill-defined causes	1,094	582	90	14	4	4	14	10	17	37	26	42	62	93	56	12	31
Unknown causes	122	44	7	2			5		7	10	9	13	10	5	3		7

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

MICHIGAN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	33,120	6,384	1,112	516	382	252	890	1,625	2,496	2,265	2,473	2,967	4,002	4,618	2,621	394	123
I.—General diseases	8,344	654	295	172	163	139	451	699	1,114	838	844	943	953	759	271	24	25
Typhoid fever	603	2	13	7	11	6	31	142	161	71	67	43	28	17	3	.....	1
Malarial fever	66	6	3	2	.....	.....	2	5	8	1	8	9	8	11	3	.....	.....
Smallpox	30	13	1	1	.....	1	.....	1	5	5	.....	1	1	.....	1	.....	.....
Measles	173	42	43	18	9	9	17	13	9	5	3	2	1	2	.....	.....	.....
Scarlet fever	201	13	13	22	26	22	71	22	7	3	1	.....	.....	.....	1	.....	.....
Whooping cough	381	240	79	23	15	8	12	3	.....	.....	.....	.....	.....	1	.....	.....	.....
Diphtheria	565	28	48	51	68	53	200	92	13	7	4	1	.....	.....	.....	.....	.....
Croup	119	18	23	16	15	15	29	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	451	29	6	1	3	1	10	12	11	18	30	35	64	136	79	13	3
Cholera nostras	29	3	.....	2	1	1	1	1	1	.....	3	1	4	9	2	.....	.....
Dysentery	134	38	13	5	1	4	2	.....	2	3	1	4	16	26	18	1	.....
Erysipelas	98	23	1	.....	.....	.....	.....	4	4	9	7	11	15	16	6	1	1
Other epidemic diseases [1]	8	3	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	117	8	1	1	2	2	2	9	23	26	14	10	9	9	1	.....	.....
Tuberculosis of lungs	2,136	31	12	10	4	5	17	252	675	432	269	193	145	67	16	.....	8
Tuberculosis of larynx	28	.....	.....	.....	.....	.....	.....	3	6	3	4	7	2	2	1	.....	.....
Tuberculous meningitis	112	29	18	5	4	4	16	14	6	5	4	4	2	1	.....	.....	.....
Abdominal tuberculosis	106	4	2	2	.....	2	1	23	26	11	9	13	9	4	.....	.....	.....
Pott's disease	44	5	.....	.....	.....	.....	2	8	11	6	3	4	3	2	.....	.....	.....
Tuberculous abscess	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	1	.....	.....
White swelling	21	1	.....	.....	1	.....	3	3	4	2	4	3	.....	.....	.....	.....	.....
Tuberculosis of other organs	33	.....	.....	.....	.....	.....	1	4	9	5	4	3	1	4	2	.....	.....
General tuberculosis	54	1	1	.....	.....	1	3	8	18	8	7	1	3	3	.....	.....	.....
Scrofula	13	8	2	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Venereal diseases	129	79	3	1	.....	.....	.....	1	13	11	8	7	2	1	3	.....	.....
Cancer of mouth	49	1	.....	.....	.....	.....	.....	.....	1	4	6	4	11	14	7	.....	1
Cancer of stomach and liver	673	.....	.....	.....	.....	.....	.....	.....	6	23	98	174	196	142	31	1	2
Cancer of intestines	146	.....	.....	.....	.....	.....	1	.....	5	10	18	36	45	25	3	2	1
Cancer of female genital organs	235	.....	.....	.....	.....	.....	.....	.....	3	22	64	68	55	20	2	.....	1
Cancer of breast	124	.....	.....	.....	.....	.....	.....	.....	2	10	19	42	29	16	4	.....	2
Cancer of skin	87	.....	.....	.....	.....	.....	.....	.....	.....	1	7	13	19	28	16	2	1
Cancer of other or unspecified organs	375	1	1	.....	1	1	3	5	10	35	46	87	86	68	29	2	.....
Tumor	62	2	.....	.....	1	.....	.....	1	4	4	4	13	18	10	4	1	.....
Rheumatism	248	2	1	.....	.....	1	14	21	14	21	34	31	51	42	15	.....	1
Diabetes	282	1	.....	1	1	.....	6	32	21	22	27	48	70	41	11	1	.....
Anemia, leukemia	206	17	6	2	.....	1	4	12	18	24	26	33	28	27	8	.....	.....
Alcoholism	97	2	.....	.....	.....	.....	.....	.....	6	17	32	19	15	3	.....	.....	3
Chronic poisonings	24	.....	.....	.....	.....	.....	.....	.....	.....	1	4	7	5	5	2	.....	.....
Other general diseases	80	4	5	2	.....	1	.....	3	10	13	9	14	10	7	2	.....	.....
II.—Diseases of nervous system	4,056	622	98	38	34	15	77	152	138	158	281	458	686	828	415	37	19
Encephalitis	53	14	5	1	2	.....	5	6	5	5	2	2	2	4	.....	.....	.....
Meningitis	382	132	44	19	22	7	36	44	24	18	13	7	9	5	1	.....	1
Locomotor ataxia	72	.....	.....	.....	.....	.....	.....	.....	1	7	9	22	18	9	6	.....	.....
Other diseases of spinal cord	126	11	.....	2	.....	.....	3	3	4	3	12	24	21	30	12	1	.....
Apoplexy	1,436	34	6	6	3	1	5	14	28	46	117	212	360	410	172	14	8
Softening of brain	88	.....	.....	.....	.....	.....	.....	.....	2	3	4	10	22	30	15	1	1
Paralysis	767	4	5	.....	.....	1	3	11	3	7	36	82	172	252	170	18	3
General paralysis of insane	166	.....	.....	.....	1	.....	.....	.....	3	16	30	34	28	35	14	1	4
Other forms of mental disease	98	.....	.....	.....	.....	.....	.....	.....	9	10	17	26	13	14	8	.....	1
Other diseases of brain	109	8	3	.....	1	2	5	8	7	12	12	15	17	15	4	.....	.....
Epilepsy	148	12	3	.....	.....	.....	6	20	38	14	19	12	9	12	3	.....	.....
Convulsions	453	387	27	9	3	2	4	5	6	2	1	1	1	2	2	.....	1
Tetanus	56	8	2	.....	.....	1	7	27	4	3	1	2	1	.....	.....	.....	.....
Other diseases of nervous system	102	12	3	1	2	1	3	14	4	12	8	9	13	10	8	2	.....
III.—Diseases of circulatory system	3,806	72	10	4	4	4	26	80	127	195	308	494	881	1,063	490	33	15
Pericarditis	43	1	.....	.....	.....	1	1	5	.....	4	3	7	6	10	4	1	.....
Endocarditis	103	1	2	1	.....	.....	2	5	11	7	18	12	23	12	7	2	.....
Heart disease	3,184	48	4	3	4	1	22	62	103	158	260	410	740	916	414	25	14
Angina pectoris	212	.....	.....	.....	.....	.....	.....	.....	5	13	16	42	60	59	15	1	1
Diseases of arteries	156	.....	.....	.....	.....	.....	1	1	.....	1	7	16	33	50	43	4	.....
Embolism and thrombosis	51	1	.....	.....	.....	1	.....	3	3	10	4	3	11	12	3	.....	.....
Diseases of veins	10	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	3	2	1	.....	.....
Diseases of lymphatics	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of circulatory system	45	19	4	.....	.....	1	.....	3	4	2	.....	2	5	2	3	.....	.....
IV.—Diseases of respiratory system	3,867	1,105	270	111	77	41	95	130	173	182	211	247	417	464	295	40	9
Laryngitis	20	6	2	1	2	1	2	3	.....	.....	.....	.....	2	.....	1	.....	.....
Other diseases of larynx	27	7	3	4	3	.....	4	1	1	.....	.....	1	.....	1	2	.....	.....
Diseases of thyroid body	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	1	.....	.....	.....
Acute bronchitis	473	283	55	20	15	11	9	3	3	4	4	1	15	22	26	2	.....
Chronic bronchitis	307	2	4	.....	.....	.....	3	5	7	8	14	22	58	96	71	16	1
Bronchopneumonia	567	242	86	32	21	7	21	5	10	12	10	17	28	43	31	1	1
Pneumonia	2,004	481	114	49	29	15	48	97	126	124	149	167	235	219	128	18	5
Pleurisy	75	1	1	.....	2	2	3	8	6	10	6	7	10	13	5	1	.....
Congestion of lungs	152	59	2	4	1	3	3	2	2	5	9	5	21	25	10	.....	1
Gangrene of lungs	10	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	4	.....	1	.....	.....
Asthma and emphysema	99	5	1	1	2	1	.....	.....	2	5	6	6	23	30	15	2	.....
Hemorrhage of lungs	46	6	.....	.....	.....	.....	.....	1	4	6	3	8	12	5	.....	.....	1
Other diseases of respiratory system	82	13	2	.....	2	.....	2	4	11	7	6	9	11	9	6	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,396	1,695	321	113	60	25	93	177	203	215	231	275	380	388	168	18	4
Diseases of mouth	28	23	.....	.....	2	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tonsilitis	35	2	.....	1	4	3	8	6	5	.....	2	1	.....	.....	1	1	1
Other diseases of pharynx	29	1	.....	2	1	.....	1	1	4	1	3	.....	6	5	4	.....	.....
Ulcer of stomach	79	.....	1	.....	1	.....	.....	1	1	9	11	14	20	15	6	.....	.....
Gastritis	250	46	11	5	1	2	1	5	8	7	18	31	35	45	32	3	.....
Other diseases of stomach	201	96	10	3	2	2	1	.....	6	7	6	9	19	28	11	1	.....
Dentition	12	9	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	2,155	1,432	281	94	38	11	13	17	12	22	19	25	63	79	42	7	.....
Hernia	100	13	1	.....	1	.....	.....	1	1	7	7	14	14	27	11	3	.....
Obstruction of intestines	228	31	4	3	2	.....	11	12	18	13	21	28	36	38	10	.....	1
Other diseases of intestines	87	12	3	1	3	1	1	5	2	7	7	9	5	18	12	.....	1
Acute yellow atrophy of liver	7	.....	.....	.....	.....	.....	.....	2	.....	1	2	1	1	.....	.....	.....	.....
Hydatid tumors of liver	3	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	272	.....	1	.....	.....	.....	.....	2	9	21	33	54	89	53	10	.....	.....
Biliary calculi	67	2	1	.....	.....	.....	.....	.....	.....	6	17	10	15	14	2	.....	.....
Other diseases of liver	231	7	3	.....	.....	1	2	9	6	20	31	34	47	46	22	3	.....
Diseases of spleen	13	.....	.....	.....	.....	.....	1	.....	1	.....	4	2	.....	4	1	.....	.....
Peritonitis	284	19	2	2	3	2	18	37	66	49	31	24	21	9	1	.....	.....
Appendicitis	280	1	.....	1	2	3	35	79	63	42	17	18	8	7	3	.....	1
Other diseases of digestive system	5	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	1,883	54	7	13	11	3	30	67	114	157	201	253	342	426	187	14	4
Acute nephritis	152	18	1	5	5	1	12	15	15	17	15	13	13	13	8	1	.....
Bright's disease	1,226	20	5	8	6	1	17	37	56	92	139	190	259	286	97	9	4
Other diseases of kidneys	68	10	.....	.....	.....	.....	1	1	4	3	2	14	2	16	14	1	.....
Calculi of urinary tract	13	.....	.....	.....	.....	1	.....	.....	.....	2	.....	2	1	6	1	.....	.....
Diseases of bladder	137	5	1	.....	.....	.....	.....	1	1	2	4	11	30	47	34	1	.....
Uterine tumor	35	.....	.....	.....	.....	.....	.....	1	.....	7	13	5	4	5	.....	.....	.....
Other diseases of uterus	57	.....	.....	.....	.....	.....	.....	6	12	13	16	6	2	2	.....	.....	.....
Ovarian tumor	24	.....	.....	.....	.....	.....	.....	1	5	2	4	4	3	4	1	.....	.....
Diseases of tubes	36	.....	.....	.....	.....	.....	.....	3	15	13	4	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	135	1	.....	.....	.....	.....	.....	2	6	6	4	7	28	47	32	2	.....
VII.—Childbirth	417	.....	.....	.....	.....	.....	.....	35	186	161	34	1	.....	.....	.....	.....	.....
Puerperal septicemia	184	.....	.....	.....	.....	.....	.....	16	92	66	10	.....	.....	.....	.....	.....	.....
Puerperal convulsions	79	.....	.....	.....	.....	.....	.....	12	37	25	5	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	154	.....	.....	.....	.....	.....	.....	7	57	70	19	1	.....	.....	.....	.....	.....
VIII.—Diseases of skin	202	29	2	2	.....	.....	3	6	3	12	6	11	26	56	36	9	1
Gangrene	119	3	.....	1	.....	.....	1	.....	1	3	2	3	20	46	30	8	1
Carbuncle	13	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	2	1	.....	.....
Abscess	36	6	.....	1	.....	.....	1	5	2	9	4	2	.....	4	1	1	.....
Other diseases of skin	34	17	2	.....	.....	.....	1	1	.....	.....	.....	2	3	4	4	.....	.....
IX.—Diseases of locomotor system	55	9	6	3	.....	1	3	3	7	3	3	6	2	8	1	.....	.....
Diseases of bones	41	9	6	2	.....	1	3	1	4	3	1	5	.....	5	1	.....	.....
Diseases of joints	6	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....
Other diseases of locomotor system	8	.....	.....	.....	.....	.....	.....	2	3	.....	.....	1	.....	2	.....	.....	.....
X.—Malformations	345	310	15	6	2	.....	3	3	3	1	.....	.....	.....	1	1	.....	.....
Hydrocephalus	37	21	5	4	1	.....	3	2	.....	.....	.....	.....	.....	.....	1	.....	.....
Congenital malformation of heart (cyanosis)	154	145	4	2	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Other congenital malformations	154	144	6	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
XI.—Early infancy	1,259	1,259	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	578	578	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	681	681	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	1,059	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45	298	535	177	4
XIII.—Violence	2,421	186	56	48	28	22	97	255	403	313	290	219	167	175	103	24	35
Suicide	246	.....	.....	.....	.....	.....	.....	10	43	49	45	42	26	21	7	.....	3
Fractures and dislocations	205	.....	1	.....	.....	1	3	9	18	25	15	24	18	36	44	9	2
Burns and scalds	158	5	25	25	9	8	18	6	8	10	9	9	16	5	3	1	1
Heat and sunstroke	16	1	.....	.....	.....	.....	.....	.....	2	3	3	2	1	4	.....	.....	.....
Cold and freezing	12	2	1	.....	.....	.....	.....	1	.....	.....	2	2	1	1	1	.....	1
Lightning	26	.....	.....	.....	.....	.....	.....	8	2	11	2	1	2	.....	.....	.....	.....
Drowning	257	3	8	3	3	3	26	62	56	20	30	11	7	11	1	1	12
Inhalation of poisonous gases	26	.....	.....	.....	.....	.....	.....	2	5	2	8	3	4	1	1	.....	.....
Other accidental poisonings	140	15	8	10	4	2	6	9	17	17	17	8	12	14	.....	.....	1
Accidental gunshot wounds	121	2	.....	1	2	3	8	45	27	13	11	6	2	1	.....	.....	.....
Injuries by machinery	28	.....	1	.....	.....	.....	.....	8	6	6	2	4	.....	1	.....	.....	.....
Injuries in mines and quarries	91	.....	.....	.....	.....	.....	.....	5	48	18	15	5	.....	.....	.....	.....	.....
Railroad accidents and injuries	369	.....	4	2	3	.....	12	35	89	77	51	39	18	25	5	1	8
Injuries by vehicles and horses	67	.....	1	1	2	1	9	6	1	5	7	8	14	8	3	.....	1
Suffocation	41	28	.....	2	.....	.....	.....	1	1	1	1	4	2	1	.....	.....	.....
Other accidental injuries	469	11	5	4	5	2	15	47	68	51	68	50	43	45	38	12	5
Injuries at birth	116	116	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	33	3	2	.....	.....	2	.....	1	12	5	4	1	1	1	.....	.....	1
XIV.—Ill-defined causes	1,040	389	32	6	3	2	12	18	25	30	64	60	103	152	119	18	7
"Dropsy"	171	6	3	1	.....	1	3	3	1	5	11	18	33	46	38	2	.....
"Heart failure"	144	23	1	1	.....	.....	1	.....	4	7	16	18	23	28	14	5	3
Other ill-defined causes	418	171	18	2	.....	1	4	7	10	12	21	18	36	52	57	9	.....
Unknown causes	307	189	10	2	3	.....	4	8	10	6	16	6	11	26	10	2	4

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

NEW HAMPSHIRE.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,968	1,040	228	109	61	48	144	245	454	417	477	649	949	1,158	786	137	66
I.—General diseases	1,716	113	44	45	24	20	64	103	210	190	146	202	237	217	80	5	16
Typhoid fever	103	.....	1	1	1	.....	7	22	28	15	9	8	6	5	.....	.....	.....
Malarial fever	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	42	12	12	4	.....	1	5	1	1	4	.....	2	.....	.....	.....	.....	.....
Scarlet fever	11	1	1	1	1	1	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	64	41	12	6	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	72	5	3	13	10	7	24	8	2	.....	.....	.....	.....	.....	.....	.....	.....
Croup	33	5	7	10	5	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	152	11	1	.....	.....	.....	1	3	4	4	10	10	27	44	34	3	.....
Cholera nostras	4	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....
Dysentery	19	4	1	1	2	1	.....	.....	.....	.....	.....	1	2	5	2	.....	.....
Erysipelas	15	1	1	.....	.....	.....	.....	.....	1	1	2	.....	3	5	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	23	.....	1	.....	1	.....	.....	2	2	3	4	2	4	2	.....	1	1
Tuberculosis of lungs	541	11	1	5	1	1	6	45	145	108	69	55	50	33	7	.....	4
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	1	1	.....	2	2	.....	1	.....	.....	.....
Tuberculous meningitis	26	8	3	3	1	2	4	2	1	1	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	17	1	.....	.....	1	.....	2	.....	2	5	1	1	1	3	.....	.....	.....
Pott's disease	5	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	1	1	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	7	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	1	2	.....	.....	.....
General tuberculosis	12	2	.....	.....	.....	.....	2	3	2	2	.....	.....	1	.....	.....	.....	.....
Scrofula	3	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Venereal diseases	9	2	.....	.....	.....	.....	.....	.....	2	1	1	2	.....	1	.....	.....	.....
Cancer of mouth	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	1	.....	1	.....
Cancer of stomach and liver	100	.....	.....	.....	.....	.....	.....	.....	.....	3	9	23	28	31	6	.....	.....
Cancer of intestines	31	.....	.....	.....	.....	.....	.....	.....	.....	1	3	7	11	4	3	.....	2
Cancer of female genital organs	29	.....	.....	.....	.....	.....	.....	.....	.....	2	6	7	8	4	1	.....	1
Cancer of breast	21	.....	.....	.....	.....	.....	.....	.....	.....	1	1	6	5	5	3	.....	.....
Cancer of skin	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	2	.....	.....
Cancer of other or unspecified organs	130	.....	.....	.....	.....	.....	.....	.....	.....	1	11	6	32	43	24	12	.....	1
Tumor	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	2	4	.....	.....
Rheumatism	30	.....	.....	.....	.....	.....	2	1	4	2	1	1	6	12	1	.....	.....
Diabetes	80	.....	.....	.....	.....	.....	3	5	6	8	6	21	16	14	1	.....	.....
Anemia, leukemia	47	6	.....	.....	.....	.....	.....	6	2	5	2	7	7	9	2	.....	1
Alcoholism	29	.....	.....	.....	.....	.....	.....	.....	4	10	4	5	1	.....	.....	.....	5
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	1
Other general diseases	11	.....	.....	1	.....	1	.....	.....	.....	1	3	1	3	1	.....	.....	.....
II.—Diseases of nervous system	1,005	114	51	17	8	5	17	19	32	30	72	96	169	220	134	15	6
Encephalitis	14	1	2	.....	1	.....	.....	2	.....	.....	1	.....	2	3	1	.....	1
Meningitis	159	46	32	12	6	5	13	8	11	6	7	4	6	2	1	.....	.....
Locomotor ataxia	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	4	2	.....	.....
Other diseases of spinal cord	23	.....	2	.....	.....	.....	.....	.....	3	.....	3	3	6	5	1	.....	.....
Apoplexy	413	7	.....	.....	.....	.....	.....	2	6	11	28	62	95	119	74	7	2
Softening of brain	37	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	7	13	9	4	.....
Paralysis	124	.....	.....	.....	.....	.....	1	.....	2	1	7	10	21	42	36	3	1
General paralysis of insane	42	.....	.....	.....	.....	.....	.....	1	1	1	7	5	7	12	7	1	.....
Other forms of mental disease	26	.....	.....	.....	.....	.....	.....	.....	1	2	6	4	4	6	3	.....	.....
Other diseases of brain	34	9	1	1	.....	.....	.....	1	.....	3	4	1	7	7	.....	.....	.....
Epilepsy	19	1	.....	.....	.....	.....	.....	.....	5	3	2	2	4	1	.....	.....	1
Convulsions	71	49	14	3	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	1
Tetanus	8	.....	.....	.....	.....	.....	1	3	2	1	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	21	1	.....	1	1	.....	.....	.....	1	1	2	1	7	6	.....	.....	.....
III.—Diseases of circulatory system	912	17	2	.....	.....	.....	4	19	34	33	65	109	222	264	121	17	5
Pericarditis	6	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	1	1	.....	.....
Endocarditis	14	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	4	1	4	.....	.....
Heart disease	781	11	1	.....	.....	.....	3	14	27	29	52	95	195	230	104	15	5
Angina pectoris	43	.....	.....	.....	.....	.....	.....	1	1	1	2	8	10	18	2	.....	.....
Diseases of arteries	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	4	7	2	.....
Embolism and thrombosis	27	.....	1	.....	.....	.....	.....	1	3	1	3	2	6	8	2	.....	.....
Diseases of veins	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	19	6	.....	.....	.....	.....	1	1	2	1	3	1	1	2	1	.....	.....
IV.—Diseases of respiratory system	852	177	62	22	9	10	20	25	31	42	48	57	89	121	113	15	11
Laryngitis	7	.....	1	1	1	1	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....
Other diseases of larynx	8	1	.....	1	2	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	95	48	12	3	.....	3	.....	.....	.....	.....	1	3	3	8	12	1	1
Chronic bronchitis	83	1	.....	.....	.....	.....	.....	.....	1	5	4	4	9	24	26	5	4
Bronchopneumonia	78	28	6	4	1	2	4	.....	2	1	2	5	7	9	6	1	.....
Pneumonia	525	93	41	10	4	4	12	24	20	34	35	38	67	72	57	8	6
Pleurisy	16	.....	.....	1	.....	.....	1	1	4	.....	.....	2	2	3	2	.....	.....
Congestion of lungs	26	6	1	2	1	.....	.....	.....	4	.....	2	1	1	2	6	.....	.....
Gangrene of lungs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Asthma and emphysema	10	.....	1	.....	.....	.....	1	.....	.....	.....	.....	4	.....	2	2	.....	.....
Hemorrhage of lungs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of respiratory system	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	770	331	51	13	10	4	15	24	28	27	37	54	66	60	40	6	4
Diseases of mouth	1	1															
Tonsilitis	3			1			1			1							
Other diseases of pharynx	4	2		1						1							
Ulcer of stomach	8									1		4		3			
Gastritis	56	5	1			1		1		4	4	5	13	12	10		
Other diseases of stomach	47	17	2	1	1		2	1			3	3	6	1	8	2	
Dentition	1		1														
Diarrhea and enteritis	421	303	44	8	6	1	6	3	2	1	5	7	7	13	11	2	2
Hernia	15											2	4	8		1	
Obstruction of intestines	25	2		1	1			2	5	3	6	1	2		2		
Other diseases of intestines	11		1						1	1		2		3	2	1	
Acute yellow atrophy of liver	5									2		1	1		1		
Hydatid tumors of liver																	
Cirrhosis of liver	44									2	5	14	12	7	4		
Biliary calculi	7								1			3	1	2			
Other diseases of liver	33			1			1	1		3	3	3	11	9	1		
Diseases of spleen	1														1		
Peritonitis	57	1	1		1	1	1	8	13	7	8	8	6	1			1
Appendicitis	30		1		1	1	4	8	6	1	3	1	2	1			1
Other diseases of digestive system	1												1				
VI.—Diseases of genito-urinary system	467	9	3	1	1	1	3	11	22	27	49	71	93	114	55	5	2
Acute nephritis	35	5	2	1			1	6	2	4	4	3	7				
Bright's disease	334	1	1		1	1	2	4	14	20	38	59	71	81	35	4	2
Other diseases of kidneys	18	3						1	1	1	3	2	4	2	1		
Calculi of urinary tract	2												1	1			
Diseases of bladder	42										2	1	7	16	15	1	
Uterine tumor	2									1		1					
Other diseases of uterus	5								3			1		1			
Ovarian tumor	7								1		1	2		3			
Diseases of tubes	2								1	1							
Other diseases of genito-urinary system	20										1	2	3	10	4		
VII.—Childbirth	44							3	19	17	5						
Puerperal septicemia	16							1	7	6	2						
Puerperal convulsions	8							2	1	3	2						
Other causes incident to childbirth	20								11	8	1						
VIII.—Diseases of skin	44							1	3	2	1	1	7	16	9	2	2
Gangrene	32									1			6	12	9	2	2
Carbuncle	2											1		1			
Abscess	8							1	3	1	1			2			
Other diseases of skin	2												1	1			
IX.—Diseases of locomotor system	8	1	1	1							2	1		2			
Diseases of bones	6	1	1	1							1	1		1			
Diseases of joints	1													1			
Other diseases of locomotor system	1										1						
X.—Malformations	51	42	4		1	2	1					1					
Hydrocephalus	9	3	3		1	1						1					
Congenital malformation of heart (cyanosis)	28	25	1			1	1										
Other congenital malformations	14	14															
XI.—Early infancy	147	147															
Premature birth	6	6															
Congenital debility	141	141															
XII.—Old age	315												9	75	168	61	2
XIII.—Violence	412	21	8	9	7	6	18	38	67	42	43	39	26	37	33	3	15
Suicide	47							1	12	7	8	8	5	4	1		1
Fractures and dislocations	50			1	1		1	3	6	2	4	2	6	10	11	1	2
Burns and scalds	30	1	1	3	3	2	3		3	3		1	1	5	3		1
Heat and sunstroke	1														1		
Cold and freezing	5								1		1		1	1			1
Lightning																	
Drowning	74		3	4	2	3	6	20	16	5	4	4	1	1			5
Inhalation of poisonous gases	8		1					2		3	1	1					
Other accidental poisonings	20	1		1	1		3		3	3	2	2	1	1			2
Accidental gunshot wounds	16						1	3	4	3		2	2	1			
Injuries by machinery	3							1	1	1							
Injuries in mines and quarries	1																1
Railroad accidents and injuries	35						2	5	7	5	8	4	2	1			1
Injuries by vehicles and horses	7									1	2	1	1	1	1		
Suffocation	8	5							1	1		1					
Other accidental injuries	94	1	3			1	2	3	13	8	13	13	6	12	16	2	1
Injuries at birth	13	13															
Homicide																	
XIV.—Ill-defined causes	225	68	2	1	1		2	2	8	7	9	18	31	32	33	8	3
"Dropsy"	14	1						1				1	5	2	4		
"Heart failure"	45	2					1		2	3	5	8	4	14	4		2
Other ill-defined causes	137	53	1	1	1		1		4	3	2	6	18	15	23	8	1
Unknown causes	29	12	1					1	2	1	2	3	4	1	2		

TABLE 7.—DEATHS IN REGISTRATION STATES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

NEW JERSEY.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	31,977	6,458	1,422	652	432	297	974	1,264	2,561	2,999	2,887	3,184	3,628	3,276	1,594	215	134
I.—General diseases	8,265	508	361	251	203	157	498	560	1,245	1,301	947	818	789	451	135	15	26
Typhoid fever	398	3	2	7	4	4	13	76	105	88	51	21	19	3	.....	.....	2
Malarial fever	63	4	4	4	4	2	2	6	3	10	3	6	5	7	2	1	.....
Smallpox	17	1	.....	1	1	.....	.....	1	3	3	3	.....	2	2	.....	.....	.....
Measles	60	8	25	7	7	3	6	1	1	.....	1	.....	.....	1	.....	.....	.....
Scarlet fever	304	14	41	35	37	34	102	27	9	3	2	.....	.....	.....	.....	.....	.....
Whooping cough	291	160	72	20	12	14	9	1	1	1	.....	1	.....	.....	.....	.....	.....
Diphtheria	639	27	85	83	78	61	227	57	9	7	.....	2	.....	.....	.....	.....	3
Croup	148	14	28	31	26	10	36	1	.....	.....	.....	.....	.....	.....	1	.....	1
Influenza	238	15	8	4	3	2	2	6	10	17	14	20	46	49	35	5	2
Cholera nostras	21	2	.....	1	1	.....	1	1	.....	1	2	3	5	2	2	.....	.....
Dysentery	157	34	20	8	3	5	3	4	4	8	3	11	23	21	10	.....	.....
Erysipelas	78	28	2	1	.....	1	2	1	2	4	11	4	11	8	2	1	.....
Other epidemic diseases[1]	3	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	98	5	1	1	.....	2	4	9	19	21	12	12	7	5	.....	.....	.....
Tuberculosis of lungs	3,453	67	26	13	12	5	27	287	962	896	536	308	200	97	14	1	2
Tuberculosis of larynx	33	.....	.....	1	.....	.....	1	3	5	6	9	2	2	4	.....	.....	.....
Tuberculous meningitis	160	41	33	18	8	6	20	9	7	7	4	2	2	2	.....	.....	1
Abdominal tuberculosis	83	10	4	4	1	1	5	5	10	8	15	9	8	2	.....	.....	1
Pott's disease	27	3	.....	.....	.....	2	4	5	2	1	4	3	1	1	1	.....	.....
Tuberculous abscess	5	1	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
White swelling	17	.....	.....	.....	.....	1	5	6	2	1	1	.....	.....	1	.....	.....	.....
Tuberculosis of other organs	19	2	.....	1	.....	.....	1	2	3	2	5	1	1	1	.....	.....	.....
General tuberculosis	59	3	5	5	2	1	1	8	12	10	2	2	3	2	1	.....	2
Scrofula	7	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Venereal diseases	58	41	1	.....	.....	.....	1	1	6	2	2	.....	2	.....	1	.....	1
Cancer of mouth	36	.....	.....	.....	.....	.....	.....	.....	.....	2	4	16	9	5	.....	.....	.....
Cancer of stomach and liver	453	.....	.....	.....	.....	.....	.....	.....	4	23	73	114	141	87	11	.....	.....
Cancer of intestines	114	.....	.....	.....	.....	.....	.....	.....	3	9	21	27	35	13	5	1	.....
Cancer of female genital organs	186	.....	.....	.....	.....	.....	.....	.....	5	23	39	58	40	15	5	.....	1
Cancer of breast	99	.....	.....	.....	.....	.....	.....	.....	1	7	13	23	22	23	9	.....	1
Cancer of skin	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	5	11	5	2	1
Cancer of other or unspecified organs	271	.....	.....	2	2	.....	1	3	6	24	32	61	79	39	14	2	6
Tumor	10	.....	.....	1	.....	.....	.....	1	.....	1	3	1	1	1	1	.....	.....
Rheumatism	116	3	.....	2	1	1	13	14	10	12	3	15	10	18	12	2	.....
Diabetes	211	.....	.....	.....	.....	.....	4	12	10	21	25	38	74	23	4	.....	.....
Anemia, leukemia	160	12	3	1	.....	.....	6	7	7	15	8	19	18	3	.....	.....	1
Alcoholism	167	.....	.....	.....	.....	1	.....	1	18	60	39	29	15	3	.....	.....	1
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	1	.....	3	.....	1	2	.....	.....	.....	.....
Other general diseases	29	5	.....	.....	.....	1	2	3	2	4	6	4	1	1	.....	.....	.....
II.—Diseases of nervous system	4,447	912	225	116	71	25	93	103	134	181	324	505	690	703	330	24	11
Encephalitis	39	4	2	2	1	.....	1	2	4	2	2	4	3	2	1	.....	.....
Meningitis	828	291	129	78	44	17	62	48	32	37	31	24	17	9	8	.....	1
Locomotor ataxia	50	.....	.....	.....	.....	.....	.....	.....	.....	8	7	15	13	5	1	.....	1
Other diseases of spinal cord	108	6	1	1	2	.....	1	1	6	6	17	23	21	15	8	.....	.....
Apoplexy	1,685	45	11	5	2	.....	2	4	25	52	160	304	435	431	186	15	8
Softening of brain	61	.....	.....	.....	.....	.....	.....	1	1	2	2	10	21	17	7	.....	.....
Paralysis	470	1	1	.....	.....	2	2	7	4	4	19	50	116	160	96	7	1
General paralysis of insane	154	.....	.....	.....	.....	.....	.....	.....	3	14	32	29	25	36	13	2	.....
Other forms of mental disease	75	.....	.....	.....	.....	.....	.....	1	9	12	15	15	11	9	3	.....	.....
Other diseases of brain	75	12	3	3	.....	1	3	2	6	6	10	3	13	10	3	.....	.....
Epilepsy	86	2	.....	2	1	1	2	10	13	17	14	14	7	2	1	.....	.....
Convulsions	699	514	78	24	20	4	16	10	19	8	5	.....	.....	.....	1	.....	.....
Tetanus	78	34	.....	.....	1	.....	3	12	6	7	4	6	2	3	.....	.....	.....
Other diseases of nervous system	48	3	.....	1	.....	.....	1	5	6	6	6	8	6	4	2	.....	.....
III.—Diseases of circulatory system	3,037	86	6	10	7	8	55	107	130	208	314	510	631	659	270	21	15
Pericarditis	35	.....	.....	.....	.....	.....	2	5	1	3	3	7	3	4	7	.....	.....
Endocarditis	284	9	1	2	3	4	16	27	15	26	28	43	49	45	13	3	.....
Heart disease	2,278	59	4	4	3	4	31	71	90	153	244	386	502	500	200	14	13
Angina pectoris	149	.....	.....	.....	.....	.....	.....	.....	6	7	15	34	31	41	14	1	.....
Diseases of arteries	125	.....	.....	.....	.....	.....	.....	.....	.....	4	10	21	23	37	27	3	.....
Embolism and thrombosis	93	2	.....	.....	.....	.....	2	1	8	6	7	14	18	27	7	.....	1
Diseases of veins	14	.....	.....	.....	.....	.....	.....	.....	2	2	2	1	3	2	2	.....	.....
Diseases of lymphatics	4	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	55	14	.....	4	1	.....	3	3	8	7	5	4	2	3	.....	.....	1
IV.—Diseases of respiratory system	4,312	966	417	127	64	48	108	103	242	339	342	397	472	434	211	31	11
Laryngitis	38	9	9	4	4	2	1	2	2	2	.....	2	.....	1	.....	.....	.....
Other diseases of larynx	32	9	2	4	5	2	3	1	1	3	.....	1	.....	1	.....	.....	.....
Diseases of thyroid body	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Acute bronchitis	365	235	54	10	4	5	1	1	1	2	4	7	13	17	9	1	1
Chronic bronchitis	269	7	1	1	.....	.....	3	8	7	12	12	24	59	70	52	13	.....
Bronchopneumonia	699	300	139	26	17	16	19	7	9	16	21	20	35	45	26	2	1
Pneumonia	2,406	348	202	73	31	20	71	69	192	260	249	279	281	229	83	11	8
Pleurisy	81	3	2	4	.....	.....	6	3	5	10	10	10	15	7	6	.....	.....
Congestion of lungs	234	48	5	3	2	3	3	5	12	13	11	26	41	38	21	3	.....
Gangrene of lungs	6	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	.....	.....	.....	.....	.....
Asthma and emphysema	66	2	1	1	.....	.....	1	1	4	8	13	8	11	8	8	.....	.....
Hemorrhage of lungs	68	1	.....	.....	.....	.....	.....	2	7	8	13	10	14	6	5	1	1
Other diseases of respiratory system	45	3	2	1	1	.....	.....	4	1	5	7	7	2	11	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	3,602	1,500	281	70	31	16	60	100	167	212	247	248	275	250	122	13	10
Diseases of mouth	16	10	2							1		1	1	1			
Tonsilitis	12		1	2	1	1	3	1	1	1				1			
Other diseases of pharynx	13	1		1	1		1	1	1		1	2	2	2			
Ulcer of stomach	43	1			1		1	2	7	9	4	9	6	3			
Gastritis	288	47	8	4	3	2	4	4	15	18	24	26	46	55	28	3	1
Other diseases of stomach	110	40	8	2	1		2	2	5	2	7	7	11	12	10	1	
Dentition	9	5	4														
Diarrhea and enteritis	1,952	1,341	245	53	23	9	18	11	16	20	26	34	53	60	36	5	2
Hernia	73	2							3	5	8	15	18	15	7		
Obstruction of intestines	160	24	4	3	1	1	2	6	9	15	20	17	29	20	5	1	3
Other diseases of intestines	60	10	3	1				3	1	6	11	6	4	9	6		
Acute yellow atrophy of liver	12								3	1	1	1	2	1	3		
Hydatid tumors of liver	3									1		1		1			
Cirrhosis of liver	325	1	1	1		1	3		9	46	90	76	49	34	12		2
Biliary calculi	26									2	6	6	9	2	1		
Other diseases of liver	137	7	1	1			3	3	8	15	16	21	26	22	11	3	
Diseases of spleen	3								2			1					
Peritonitis	221	11	3	1		1	10	31	58	46	20	15	11	11	2		1
Appendicitis	135		1	1		1	13	36	29	24	12	9	7	1			1
Other diseases of digestive system	4										1	1	1		1		
VI.—Diseases of genito-urinary system	2,264	40	14	10	11	6	33	49	149	241	336	415	430	366	140	10	14
Acute nephritis	261	16	7	6	2	3	16	13	33	51	28	37	24	16	8		1
Bright's disease	1,801	23	6	4	9	3	16	32	96	166	278	356	368	307	116	9	12
Other diseases of kidneys	32	1					1		5	5	3	5	7	5			
Calculi of urinary tract	5										1	1	3				
Diseases of bladder	66		1						2	2	5	4	19	22	10	1	
Uterine tumor	20									2	10	4	2	1	1		
Other diseases of uterus	29							3	9	7	6	1	1	2			
Ovarian tumor	9								1	1	1	3	3				
Diseases of tubes	10								1	5	3	1					
Other diseases of genito-urinary system	31							1	2	2	1	3	3	13	5		1
VII.—Childbirth	235							19	102	94	18		1				1
Puerperal septicemia	94							12	43	35	4						
Puerperal convulsions	59							5	34	17	3						
Other causes incident to childbirth	82							2	25	42	11		1				1
VIII.—Diseases of skin	137	16	1	1		3		1	4	5	7	10	23	42	19	5	
Gangrene	92	1	1			1		1	1	1	1	6	17	39	18	5	
Carbuncle	5									1	1	1	2				
Abscess	26	9		1		2			3	2	3	2	3	1			
Other diseases of skin	14	6								1	2	1	1	2	1		
IX.—Diseases of locomotor system	59	23	7	4	1	2		4	2	3	3		3	7			
Diseases of bones	49	23	7	3	1	1		2	1	2	3		2	4			
Diseases of joints	3			1				1					1				
Other diseases of locomotor system	7					1		1	1	1				3			
X.—Malformations	284	270	7	2	1	1	2	1									
Hydrocephalus	30	24	5		1												
Congenital malformation of heart (cyanosis)	160	154	2	1		1	1	1									
Other congenital malformations	94	92		1			1										
XI.—Early infancy	1,449	1,449															
Premature birth	665	665															
Congenital debility	784	784															
XII.—Old age	537												41	167	249	80	
XIII.—Violence	2,259	108	35	36	41	27	109	200	369	383	306	224	185	97	42	6	31
Suicide	276							9	45	71	53	49	31	15	2		1
Fractures and dislocations	218		1	2	5		6	17	29	35	33	21	23	25	16	2	3
Burns and scalds	184	7	13	14	19	22	36	5	12	16	11	7	7	9	2	1	3
Heat and sunstroke	60	12	3		2				4	11	5	9	10	1	2	1	
Cold and freezing	28						1			3	9	6	7	1			1
Lightning	8						1	1	2	2					1		1
Drowning	284	1		6	2	1	28	61	49	56	28	26	12	1	2		11
Inhalation of poisonous gases	74		3	1				6	14	17	11	9	6	6	1		
Other accidental poisonings	75	4	5	4	4	1	3	4	12	11	15	7	5				
Accidental gunshot wounds	55		1				2	14	11	7	11	4	3	2			
Injuries by machinery	18							1	3	5	4	1	4				
Injuries in mines and quarries	7							2	1	1	3						
Railroad accidents and injuries	478		2	3	2	1	16	56	129	96	64	47	43	10	3		6
Injuries by vehicles and horses	23	1		1	1		6	1	3	3	3	1	1	2			
Suffocation	31	13	1					1	6	5	2	1		2			
Other accidental injuries	307	4	6	5	6	2	10	22	46	41	54	35	33	23	13	2	5
Injuries at birth	123	123															
Homicide	10	3							3	3		1					
XIV.—Ill-defined causes	1,090	520	68	25	2	4	16	17	17	32	43	57	88	100	76	10	15
"Dropsy"	36	1	3					1	1	4	5	4	2	9	6		
"Heart failure"	246	23	2	2		1	8	9	5	13	23	32	46	45	29	3	5
Other ill-defined causes	775	485	63	22	2	3	8	7	7	9	13	20	37	46	41	6	6
Unknown causes	33	11		1					4	6	2	1	3			1	4

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

NEW YORK.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	127,602	22,874	5,506	2,538	1,546	1,124	3,304	4,752	10,278	12,298	12,113	13,149	15,009	14,143	7,498	1,175	295
I.—General diseases	34,142	1,925	1,519	1,069	775	589	1,656	2,107	5,054	5,181	4,282	3,665	3,214	2,196	764	82	54
Typhoid fever	1,718	12	18	14	15	14	91	314	502	337	196	102	56	35	7	.....	5
Malarial fever	160	12	11	9	2	3	10	14	13	16	8	15	20	13	10	2	2
Smallpox	41	6	3	1	1	2	.....	3	8	7	5	3	1	1	.....	.....	.....
Measles	662	186	234	81	44	23	55	13	11	7	2	2	2	2	.....	.....	.....
Scarlet fever	1,123	44	140	100	131	135	334	129	33	11	4	1	.....	.....	.....	.....	1
Whooping cough	781	441	190	67	38	15	25	3	1	.....	.....	.....	.....	1	.....	.....	.....
Diphtheria	2,548	174	426	407	347	254	685	171	37	25	13	3	3	1	2	.....	.....
Croup	402	55	106	84	51	41	62	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	1,345	96	22	13	8	6	15	33	60	74	101	146	236	299	205	28	3
Cholera nostras	83	18	4	3	.....	.....	3	1	3	2	8	4	8	16	10	2	1
Dysentery	438	77	39	21	17	7	16	5	10	11	10	47	56	66	50	5	1
Erysipelas	347	99	10	3	.....	1	.....	9	14	27	44	45	32	38	21	3	1
Other epidemic diseases [1]	10	3	3	.....	1	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	279	33	2	2	.....	1	13	21	41	39	42	29	23	27	4	2	.....
Tuberculosis of lungs	13,223	100	64	44	22	23	88	1,008	3,678	3,564	2,224	1,230	722	368	75	5	18
Tuberculosis of larynx	125	2	.....	.....	.....	1	1	4	28	35	28	11	9	5	1	.....	.....
Tuberculous meningitis	976	263	197	119	64	29	105	71	56	30	18	15	6	2	.....	.....	1
Abdominal tuberculosis	364	59	13	7	4	7	21	42	69	42	42	26	18	12	2	.....	.....
Pott's disease	119	5	.....	5	5	1	20	16	18	10	14	10	6	6	2	.....	1
Tuberculous abscess	14	.....	.....	1	.....	.....	1	.....	2	1	3	1	5	.....	.....	.....	.....
White swelling	59	2	1	.....	.....	.....	10	18	7	7	6	2	4	2	.....	.....	.....
Tuberculosis of other organs	110	5	5	4	1	1	2	10	12	19	15	16	6	13	.....	.....	1
General tuberculosis	187	11	3	7	3	5	10	19	50	30	18	19	5	6	1	.....	.....
Scrofula	17	8	1	.....	.....	.....	.....	2	1	.....	.....	2	2	.....	1	.....	.....
Venereal diseases	304	158	7	2	1	.....	1	8	32	34	33	17	8	2	1	.....	.....
Cancer of mouth	157	1	.....	1	.....	1	1	2	3	3	27	34	35	29	18	1	1
Cancer of stomach and liver	2,033	.....	.....	.....	.....	1	3	9	29	122	267	544	592	379	81	2	4
Cancer of intestines	616	.....	1	.....	.....	.....	1	3	14	38	102	153	169	104	28	2	1
Cancer of female genital organs	769	.....	.....	.....	.....	.....	.....	.....	12	89	214	218	158	60	15	2	1
Cancer of breast	498	.....	.....	.....	.....	.....	.....	.....	5	37	119	126	116	76	17	2	.....
Cancer of skin	190	.....	1	1	.....	.....	.....	.....	1	6	18	30	43	48	34	8	.....
Cancer of other or unspecified organs	1,295	5	5	3	5	2	11	17	37	106	202	283	332	204	71	8	4
Tumor	140	1	3	2	1	.....	2	3	4	12	23	22	29	26	11	.....	1
Rheumatism	738	5	2	3	7	8	42	82	72	67	61	88	123	127	44	6	1
Diabetes	1,055	.....	1	3	2	5	19	43	67	80	116	240	268	169	37	4	1
Anemia, leukemia	403	26	5	2	4	3	5	22	34	59	69	74	53	31	14	.....	2
Alcoholism	581	.....	.....	.....	.....	.....	.....	.....	64	185	186	90	38	15	1	.....	2
Chronic poisonings	69	1	.....	.....	.....	.....	.....	1	5	17	17	7	15	5	1	.....	.....
Other general diseases	163	17	2	.....	1	.....	4	8	28	32	27	20	15	8	.....	.....	1
II.—Diseases of nervous system	13,323	1,862	527	254	135	87	240	319	420	652	1,124	1,630	2,309	2,444	1,170	125	25
Encephalitis	69	11	6	2	.....	3	4	5	8	4	7	2	7	9	.....	1	.....
Meningitis	2,000	638	333	173	95	52	162	141	94	85	84	55	42	27	13	2	4
Locomotor ataxia	177	.....	.....	.....	.....	.....	.....	1	4	12	47	56	38	14	4	.....	1
Other diseases of spinal cord	443	14	4	5	1	1	8	10	39	28	53	71	122	63	23	1	.....
Apoplexy	6,082	112	19	14	7	3	13	24	76	222	522	1,051	1,562	1,615	752	82	8
Softening of brain	257	.....	.....	.....	.....	.....	.....	.....	2	3	13	27	71	96	41	2	2
Paralysis	1,196	12	1	2	.....	1	2	4	17	28	63	132	260	400	241	31	2
General paralysis of insane	574	.....	.....	1	.....	1	.....	.....	12	95	160	90	73	92	45	2	3
Other forms of mental disease	263	.....	.....	.....	.....	.....	.....	10	20	24	28	44	58	54	22	2	1
Other diseases of brain	319	40	12	3	4	3	8	28	25	36	43	40	32	29	12	1	3
Epilepsy	361	16	5	3	5	5	7	38	71	66	65	29	23	21	6	.....	1
Convulsions	1,165	925	126	44	16	13	12	6	10	4	4	2	1	1	1	.....	.....
Tetanus	126	68	2	2	1	1	9	13	10	11	4	5	.....	.....	.....	.....	.....
Other diseases of nervous system	291	26	19	5	6	4	15	39	32	34	31	26	20	23	10	1	.....
III.—Diseases of circulatory system	13,501	251	33	18	18	19	160	428	644	990	1,399	2,103	2,996	3,020	1,296	105	21
Pericarditis	131	2	.....	.....	.....	.....	5	9	14	9	17	12	27	24	12	.....	.....
Endocarditis	902	19	3	.....	1	7	33	57	63	99	112	153	149	131	68	7	.....
Heart disease	10,545	152	21	10	15	8	110	331	484	784	1,079	1,678	2,375	2,429	977	76	16
Angina pectoris	517	1	.....	.....	.....	.....	1	2	21	35	61	83	141	129	39	4	.....
Diseases of arteries	738	1	1	.....	.....	.....	.....	1	8	28	58	86	178	218	141	14	4
Embolism and thrombosis	442	4	1	1	.....	2	4	15	40	27	50	66	99	80	49	4	.....
Diseases of veins	45	4	.....	.....	.....	.....	.....	1	2	1	6	11	12	5	3	.....	.....
Diseases of lymphatics	20	13	1	1	.....	.....	1	2	.....	.....	1	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	161	55	6	6	2	2	6	10	12	7	15	14	14	4	7	.....	1
IV.—Diseases of respiratory system	19,309	4,478	1,941	719	316	180	432	475	1,008	1,375	1,425	1,684	2,044	1,932	1,089	169	22
Laryngitis	87	12	9	17	5	5	18	3	5	3	4	1	3	2	.....	.....	.....
Other diseases of larynx	76	31	9	5	6	6	3	3	1	4	2	2	3	1	.....	.....	.....
Diseases of thyroid body	23	.....	.....	1	.....	.....	.....	2	4	4	2	3	6	1	.....	.....	.....
Acute bronchitis	1,937	1,120	312	64	37	18	23	12	11	7	23	40	71	103	76	18	2
Chronic bronchitis	1,159	28	15	2	.....	2	17	19	20	25	56	115	254	329	237	40	.....
Bronchopneumonia	4,250	1,723	833	292	102	54	97	67	90	101	105	167	230	234	133	18	4
Pneumonia	9,963	1,389	712	307	151	89	241	315	742	1,072	1,043	1,104	1,222	1,020	480	64	12
Pleurisy	433	24	32	17	8	2	20	16	53	52	51	63	46	32	17	.....	.....
Congestion of lungs	716	131	11	7	4	1	11	16	37	32	51	67	94	126	103	24	1
Gangrene of lungs	33	1	.....	.....	.....	.....	.....	2	4	4	10	3	5	4	.....	.....	.....
Asthma and emphysema	292	3	2	1	.....	.....	2	.....	6	19	29	61	72	68	24	4	1
Hemorrhage of lungs	181	7	.....	.....	.....	.....	.....	5	19	33	28	33	22	22	11	.....	1
Other diseases of respiratory system	159	9	6	6	3	3	.....	15	16	19	21	25	16	10	8	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	14,320	6,154	1,086	245	109	81	282	402	570	846	913	1,042	1,123	977	421	52	17
Diseases of mouth	42	24	7	.....	1	1	.....	1	2	1	2	.....	1	1	.....	1	.....
Tonsilitis	51	4	2	3	5	7	12	8	2	3	1	2	.....	2	.....	.....	.....
Other diseases of pharynx	72	7	3	2	2	1	6	2	3	4	9	12	3	11	5	.....	.....
Ulcer of stomach	235	2	3	.....	1	1	.....	5	32	39	36	37	38	30	8	.....	3
Gastritis	740	105	25	9	7	6	7	5	25	54	72	84	107	136	88	10	.....
Other diseases of stomach	487	192	22	10	6	3	7	10	16	13	23	28	49	62	38	7	1
Dentition	24	15	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	7,880	5,569	989	201	69	46	69	35	51	70	83	120	189	227	131	26	5
Hernia	383	27	.....	2	.....	.....	3	10	15	24	61	76	81	49	33	.....	2
Obstruction of intestines	694	109	12	6	3	2	21	33	53	59	68	98	100	89	37	3	1
Other diseases of intestines	215	42	7	2	3	3	12	5	6	23	16	23	27	31	14	1	.....
Acute yellow atrophy of liver	29	1	.....	.....	.....	.....	.....	.....	3	8	7	2	7	1	.....	.....	.....
Hydatid tumors of liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Cirrhosis of liver	1,336	3	.....	.....	.....	.....	2	5	34	209	291	326	282	160	21	3	.....
Biliary calculi	138	4	.....	.....	.....	.....	1	.....	2	15	16	26	41	29	4	.....	.....
Other diseases of liver	531	27	2	1	.....	.....	6	10	25	57	65	72	132	100	30	1	3
Diseases of spleen	17	.....	.....	.....	.....	.....	2	1	.....	6	2	4	1	1	.....	.....	.....
Peritonitis	610	23	5	6	7	6	41	69	113	122	67	67	40	35	9	.....	.....
Appendicitis	815	.....	1	2	5	5	93	203	185	138	87	60	22	10	2	.....	2
Other diseases of digestive system	20	.....	.....	.....	.....	.....	.....	.....	1	1	7	5	2	3	1	.....	.....
VI.—Diseases of genito-urinary system	11,133	120	36	33	42	33	108	267	725	1,286	1,633	1,947	2,198	1,885	723	82	15
Acute nephritis	1,017	46	10	20	14	16	49	78	124	162	166	131	108	65	23	4	1
Bright's disease	8,704	56	24	13	26	11	57	166	451	925	1,251	1,673	1,908	1,523	553	58	9
Other diseases of kidneys	206	12	1	.....	2	3	1	7	7	23	40	25	32	33	17	3	.....
Calculi of urinary tract	36	.....	.....	.....	.....	.....	.....	.....	3	2	3	7	7	11	2	.....	1
Diseases of bladder	329	1	.....	.....	.....	2	1	2	3	11	9	33	40	138	76	10	3
Uterine tumor	140	.....	.....	.....	.....	1	.....	.....	7	33	57	27	12	2	1	.....	.....
Other diseases of uterus	153	.....	.....	.....	.....	.....	.....	5	46	42	46	7	6	1	.....	.....	.....
Ovarian tumor	106	.....	.....	.....	.....	.....	.....	2	12	20	27	23	11	8	2	1	.....
Diseases of tubes	135	.....	.....	.....	.....	.....	.....	4	57	50	23	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	307	5	1	.....	.....	.....	.....	3	15	18	11	21	73	104	49	6	1
VII.—Childbirth	1,084	.....	.....	.....	.....	.....	.....	62	494	430	89	4	.....	.....	1	.....	4
Puerperal septicemia	466	.....	.....	.....	.....	.....	.....	34	256	164	32	.....	.....	.....	.....	.....	.....
Puerperal convulsions	235	.....	.....	.....	.....	.....	.....	19	104	91	19	1	.....	.....	.....	.....	1
Other causes incident to childbirth	383	.....	.....	.....	.....	.....	.....	9	154	175	38	3	.....	.....	1	.....	3
VIII.—Diseases of skin	584	64	9	5	.....	4	6	11	17	27	36	45	99	138	104	16	3
Gangrene	358	7	.....	3	.....	2	1	3	3	6	12	24	71	116	92	16	2
Carbuncle	29	2	1	.....	.....	.....	.....	2	1	1	4	8	5	1	4	.....	.....
Abscess	141	25	7	2	.....	2	5	5	13	18	19	10	16	12	6	.....	1
Other diseases of skin	56	30	1	.....	.....	.....	.....	1	.....	2	1	3	7	9	2	.....	.....
IX.—Diseases of locomotor system	281	69	42	11	4	3	14	28	22	30	17	11	19	13	7	.....	1
Diseases of bones	249	66	41	10	4	3	12	22	16	15	15	10	12	9	4	.....	1
Diseases of joints	27	2	1	1	.....	.....	1	4	4	4	1	.....	5	1	3	.....	.....
Other diseases of locomotor system	14	1	.....	.....	.....	.....	1	2	2	1	1	1	2	3	.....	.....	.....
X.—Malformations	991	910	29	17	8	3	7	10	2	.....	1	.....	.....	1	1	.....	2
Hydrocephalus	133	88	18	8	5	1	6	4	1	.....	1	.....	.....	.....	1	.....	.....
Congenital malformation of heart (cyanosis)	537	512	7	7	2	2	1	4	.....	.....	.....	.....	.....	.....	.....	.....	2
Other congenital malformations	321	310	4	2	1	.....	.....	2	1	.....	.....	.....	.....	1	.....	.....	.....
XI.—Early infancy	4,982	4,982	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	2,486	2,486	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	2,496	2,496	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	2,912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148	816	1,471	472	5
XIII.—Violence	8,386	756	140	133	122	122	373	626	1,270	1,418	1,095	879	638	404	261	40	109
Suicide	938	.....	.....	.....	.....	.....	.....	28	163	239	200	163	89	38	10	1	7
Fractures and dislocations	863	4	5	8	10	3	30	48	103	146	103	93	87	89	100	22	12
Burns and scalds	549	21	58	56	50	47	61	24	44	48	46	39	25	20	7	1	2
Heat and sunstroke	144	51	5	.....	.....	.....	3	.....	6	9	13	25	12	13	6	1	.....
Cold and freezing	42	1	.....	.....	.....	.....	1	1	1	3	9	5	8	8	5	.....	.....
Lightning	10	1	.....	.....	.....	.....	.....	2	.....	1	1	3	2	.....	.....	.....	.....
Drowning	930	8	10	11	11	9	73	148	130	181	138	88	50	15	5	.....	33
Inhalation of poisonous gases	431	6	1	3	2	6	11	24	91	79	66	58	52	21	11	.....	.....
Other accidental poisonings	504	25	20	15	10	9	15	28	97	106	61	56	43	14	2	2	1
Accidental gunshot wounds	205	.....	1	1	.....	1	6	42	54	37	24	24	8	4	.....	.....	3
Injuries by machinery	44	.....	.....	.....	.....	1	.....	5	9	11	12	2	1	1	1	.....	1
Injuries in mines and quarries	12	.....	.....	.....	.....	.....	.....	1	6	3	1	.....	1	.....	.....	.....	.....
Railroad accidents and injuries	1,030	.....	4	2	11	6	39	106	246	203	153	97	75	38	11	1	38
Injuries by vehicles and horses	298	3	2	5	7	14	56	28	31	36	27	39	29	12	8	.....	1
Suffocation	124	58	1	1	1	.....	2	3	9	11	14	13	7	3	.....	.....	1
Other accidental injuries	1,633	26	33	30	20	26	75	133	241	276	215	171	148	127	94	12	6
Injuries at birth	543	543	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	86	9	.....	1	.....	.....	1	5	19	29	12	3	1	1	1	.....	4
XIV.—Ill-defined causes	2,654	1,303	144	34	17	3	26	17	42	73	99	139	221	297	190	32	17
"Dropsy"	220	5	.....	.....	1	.....	2	.....	3	8	21	23	44	71	37	5	.....
"Heart failure"	396	36	1	1	2	1	10	6	16	41	37	52	74	82	34	2	1
Other ill-defined causes	1,981	1,239	141	33	14	2	14	11	20	22	33	60	102	142	115	24	9
Unknown causes	57	23	2	.....	.....	.....	.....	.....	3	2	8	4	1	2	4	1	7

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

RHODE ISLAND.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	8,638	1,902	508	200	138	97	244	284	606	675	689	849	998	825	488	88	47
I.—General diseases	2,579	290	202	95	65	55	134	130	314	318	254	245	225	156	71	12	13
Typhoid fever	81	1	1	1	.....	.....	10	14	20	25	2	5	2	.....	.....	.....	.....
Malarial fever	28	2	1	.....	2	1	2	.....	1	.....	2	4	4	7	2	.....	.....
Smallpox	3	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Measles	138	45	49	18	7	2	13	2	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	59	2	7	4	7	4	23	9	1	2	.....	.....	.....	.....	.....	.....	.....
Whooping cough	159	87	42	16	6	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	175	14	29	22	23	26	49	10	1	.....	.....	.....	.....	.....	.....	.....	1
Croup	22	4	4	4	2	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	159	15	7	2	.....	1	2	3	4	8	14	14	23	36	26	3	1
Cholera nostras	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....
Dysentery	96	20	20	7	.....	2	7	.....	3	5	2	7	4	11	5	2	1
Erysipelas	32	5	.....	1	.....	.....	.....	.....	1	1	2	3	6	7	4	2	.....
Other epidemic diseases[1]	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Septicemia	8	2	.....	1	.....	.....	.....	.....	4	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of lungs	871	20	15	6	6	2	3	71	244	215	133	82	48	15	6	1	4
Tuberculosis of larynx	9	2	.....	.....	.....	.....	.....	1	3	2	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	77	21	13	10	7	2	8	5	4	4	1	1	.....	.....	.....	.....	1
Abdominal tuberculosis	31	6	3	1	2	2	3	3	3	1	2	3	2	.....	.....	.....	.....
Pott's disease	9	1	.....	.....	.....	.....	1	2	3	.....	1	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	1	.....	.....	1
Tuberculosis of other organs	4	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....
General tuberculosis	31	12	6	.....	1	1	2	1	1	3	1	1	1	1	.....	.....	.....
Scrofula	4	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	28	20	1	.....	.....	.....	.....	1	1	1	1	2	.....	.....	1	.....	.....
Cancer of mouth	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	1	1	.....
Cancer of stomach and liver	134	.....	.....	.....	.....	.....	1	.....	4	4	26	33	36	26	3	.....	1
Cancer of intestines	39	.....	.....	.....	.....	.....	.....	.....	1	4	6	7	9	7	4	.....	1
Cancer of female genital organs	62	.....	.....	.....	.....	.....	.....	.....	.....	2	22	16	15	5	2	.....	.....
Cancer of breast	45	.....	.....	.....	.....	.....	.....	.....	.....	4	8	8	13	5	5	2	.....
Cancer of skin	17	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	5	5	2	.....	.....
Cancer of other or unspecified organs	50	.....	.....	.....	.....	.....	.....	.....	1	4	12	15	13	5	.....	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Rheumatism	32	.....	.....	.....	.....	1	2	3	1	4	5	5	1	9	.....	1	.....
Diabetes	72	.....	.....	.....	1	.....	.....	2	5	6	2	16	24	8	6	.....	2
Anemia, leukemia	36	5	1	.....	.....	1	1	2	1	2	3	5	12	2	1	.....	.....
Alcoholism	34	.....	.....	.....	.....	.....	.....	.....	4	14	6	7	3	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....
Other general diseases	8	2	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	2	.....	.....	.....
II.—Diseases of nervous system	784	92	42	17	10	5	12	21	27	30	64	108	135	135	72	12	2
Encephalitis	5	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
Meningitis	112	41	29	10	5	3	9	7	1	3	3	.....	.....	1	.....	.....	.....
Locomotor ataxia	11	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	1	2	.....	1	.....
Other diseases of spinal cord	22	1	.....	.....	.....	.....	.....	1	2	1	3	5	4	5	.....	.....	.....
Apoplexy	379	8	1	1	2	1	1	3	7	9	32	64	89	97	54	9	1
Softening of brain	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	6	8	1	.....	.....
Paralysis	60	.....	.....	.....	.....	.....	.....	1	.....	2	6	9	18	12	9	2	1
General paralysis of insane	38	.....	.....	.....	.....	.....	.....	.....	2	3	9	10	4	7	3	.....	.....
Other forms of mental disease	19	.....	.....	.....	.....	.....	.....	.....	1	2	1	6	6	1	2	.....	.....
Other diseases of brain	16	4	1	.....	.....	.....	.....	2	1	2	3	.....	2	.....	1	.....	.....
Epilepsy	31	1	2	.....	.....	1	.....	4	9	4	2	6	1	1	.....	.....	.....
Convulsions	34	24	5	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	10	5	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	29	7	4	3	1	.....	1	.....	2	2	2	2	3	1	1	.....	.....
III.—Diseases of circulatory system	802	12	1	2	.....	1	6	15	34	45	78	139	200	170	86	6	7
Pericarditis	9	.....	.....	.....	.....	.....	.....	2	1	2	1	1	.....	2	.....	.....	.....
Endocarditis	48	.....	.....	.....	.....	.....	.....	2	7	4	3	8	10	7	5	.....	2
Heart disease	648	7	1	1	.....	1	6	11	23	30	70	115	172	135	66	6	4
Angina pectoris	32	.....	.....	.....	.....	.....	.....	.....	2	1	1	5	9	10	4	.....	.....
Diseases of arteries	35	.....	.....	.....	.....	.....	.....	.....	.....	3	2	5	4	11	9	.....	1
Embolism and thrombosis	15	1	.....	.....	.....	.....	.....	.....	1	2	1	1	4	3	2	.....	.....
Diseases of veins	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of circulatory system	9	4	.....	1	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....
IV.—Diseases of respiratory system	1,182	306	126	38	30	13	35	24	41	79	84	99	127	101	59	12	8
Laryngitis	11	1	2	4	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of larynx	7	3	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
Acute bronchitis	177	107	31	11	3	.....	3	1	.....	.....	2	3	5	3	6	1	1
Chronic bronchitis	79	3	1	.....	1	.....	1	.....	1	3	5	10	19	16	13	4	2
Bronchopneumonia	214	72	34	8	9	2	6	1	1	6	5	15	25	20	9	.....	1
Pneumonia	636	114	58	13	16	9	19	19	38	67	63	61	70	55	26	6	2
Pleurisy	24	.....	.....	2	1	.....	1	2	1	2	5	5	3	1	.....	.....	1
Congestion of lungs	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Gangrene of lungs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Asthma and emphysema	16	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	4	5	3	.....	.....
Hemorrhage of lungs	7	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....
Other diseases of respiratory system	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,230	637	108	33	12	10	27	31	40	36	60	69	92	58	28	4	5
Diseases of mouth	3	1	1										1				
Tonsilitis	5	1		1	1		1		1								
Other diseases of pharynx	2	1	1														
Ulcer of stomach	7	1							2	1		1	2				
Gastritis	65	12	4	2	2	1		2	1	4	4	9	12	4	8		
Other diseases of stomach	67	37	6	1		1	4				3	2	3	5	4	1	
Dentition	5	3	2														
Diarrhea and enteritis	805	363	94	27	7	6	12	6	7	3	12	9	20	22	9	3	5
Hernia	27	1								1	5	7	9	3	1		
Obstruction of intestines	21	4					1	1	2	2	3	4	2	2			
Other diseases of intestines	21	6						1	3		2	2	3	2	2		
Acute yellow atrophy of liver	2										1		1				
Hydatid tumors of liver	1									1							
Cirrhosis of liver	82	3							3	9	18	20	15	13	1		
Biliary calculi	11									1	3	2	3	1	1		
Other diseases of liver	33	2		1	2				2	3	1	5	10	5	2		
Diseases of spleen	2							1					1				
Peritonitis	25	2		1			2	3	5	3	3	2	3	1			
Appendicitis	63					2	7	17	14	8	4	6	5				
Other diseases of digestive system	3										1		2				
VI.—Diseases of genito-urinary system	720	12	5		4	2	8	24	60	72	79	129	152	114	47	8	4
Acute nephritis	64	7	4		1		2	5	13	8	4	9	5	6			
Bright's disease	571	4	1		3	2	6	16	41	55	64	113	129	89	37	7	4
Other diseases of kidneys	15								1		1	1	3	5	4		
Calculi of urinary tract	1												1				
Diseases of bladder	13	1										2	4	3	3		
Uterine tumor	14									2	6	2	2	1	1		
Other diseases of uterus	5							1	1	1	2						
Ovarian tumor	3									3							
Diseases of tubes	8							1	3	2	2						
Other diseases of genito-urinary system	26							1	1	1		2	8	10	2	1	
VII.—Childbirth	62							2	27	24	7	1					1
Puerperal septicemia	27							1	14	9	2						1
Puerperal convulsions	11								3	7	1						
Other causes incident to childbirth	24							1	10	8	4	1					
VIII.—Diseases of skin	52	9		1				1			3	7	13	10	6	2	
Gangrene	29										2	3	9	7	6	2	
Carbuncle	5	2										2		1			
Abscess	14	6		1				1				2	3	1			
Other diseases of skin	4	1									1		1	1			
IX.—Diseases of locomotor system	16	5	4	1			1			1	1	2	1				
Diseases of bones	14	5	4	1			1					2	1				
Diseases of joints	1									1							
Other diseases of locomotor system	1										1						
X.—Malformations	73	65	2		3	1		2									
Hydrocephalus	11	4	2		3	1		1									
Congenital malformation of heart (cyanosis)	41	40						1									
Other congenital malformations	21	21															
XI.—Early infancy	326	326															
Premature birth	161	161															
Congenital debility	165	165															
XII.—Old age	181												18	48	89	26	
XIII.—Violence	486	74	10	10	10	9	21	34	61	70	58	46	33	21	23	2	4
Suicide	51								9	9	9	13	4	4	2	1	
Fractures and dislocations	11			1			1		3		3			2	1		
Burns and scalds	34	2	1	2	4	6	1	2	1	6	4	1	1	2	1		
Heat and sunstroke	7	2	1		1						1	1	1				
Cold and freezing	3										2				1		
Lightning	1									1							
Drowning	71	1	1	2	2	2	8	15	8	10	9	7	3	2			1
Inhalation of poisonous gases	19							1	3	6	5	1	1	1	1		
Other accidental poisonings	15	1	4	2			1	1	1	3	1		1				
Accidental gunshot wounds	4				1			1	1		1						
Injuries by machinery	5							2		3							
Injuries in mines and quarries	1										1						
Railroad accidents and injuries	60			1	1		4	4	14	11	9	7	4	3			2
Injuries by vehicles and horses	25		1				4	2	2	3	2	6	1	2	2		
Suffocation	10	10															
Other accidental injuries	106	4	2	2	1	1	2	6	16	16	9	9	17	5	15	1	
Injuries at birth	53	53															
Homicide	10	1							3	2	2	1					1
XIV.—Ill-defined causes	125	74	8	3	4	1			2		1	4	2	12	7	4	3
"Dropsy"	6	1									1			4			
"Heart failure"	2	2															
Other ill-defined causes	106	63	8	3	4	1			2			3	1	8	7	4	2
Unknown causes	11	8										1	1				1

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

VERMONT.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,629	834	137	64	37	34	100	233	359	322	379	496	806	968	662	142	56
I.—General diseases	1,321	54	25	22	12	17	34	112	176	139	126	148	178	174	80	11	13
Typhoid fever	86	2	.....	1	1	1	2	21	24	16	8	4	1	4	.....	.....	1
Malarial fever	5	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	.....	.....	.....
Smallpox	3	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Measles	29	5	6	4	1	3	2	3	3	1	1	.....	.....	.....	.....	.....	.....
Scarlet fever	5	1	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	15	9	4	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	46	3	4	6	1	3	15	11	.....	.....	.....	1	.....	2	.....	.....	.....
Croup	11	.....	.....	3	2	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	119	4	3	.....	1	.....	.....	3	4	6	5	5	18	31	32	5	2
Cholera nŏstras	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....
Dysentery	19	3	1	3	1	1	.....	.....	1	.....	.....	.....	3	2	3	1	.....
Erysipelas	11	1	1	.....	.....	.....	.....	.....	1	.....	1	4	2	.....	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	28	1	.....	.....	.....	.....	1	2	5	4	6	3	1	4	1	.....	.....
Tuberculosis of lungs	399	6	3	3	3	.....	2	53	102	77	49	31	36	25	4	.....	5
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	20	6	2	2	.....	1	2	2	2	1	.....	.....	.....	1	1	.....	.....
Abdominal tuberculosis	13	.....	.....	.....	.....	.....	.....	3	4	2	1	.....	2	.....	1	.....	.....
Pott's disease	6	.....	.....	.....	.....	.....	.....	2	.....	3	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....
General tuberculosis	19	.....	.....	.....	.....	.....	1	1	6	2	3	1	5	.....	.....	.....	.....
Scrofula	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Venereal diseases	7	2	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	1	.....	.....
Cancer of mouth	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	3	1	.....	.....
Cancer of stomach and liver	114	.....	.....	.....	.....	1	.....	.....	2	2	6	30	35	30	6	.....	2
Cancer of intestines	25	.....	.....	.....	.....	.....	.....	.....	.....	1	2	8	5	9	.....	.....	.....
Cancer of female genital organs	38	.....	.....	.....	.....	.....	.....	.....	.....	3	8	10	10	6	.....	1	.....
Cancer of breast	31	.....	.....	.....	.....	.....	.....	.....	.....	2	6	8	6	6	2	1	.....
Cancer of skin	17	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	3	3	7	.....	.....
Cancer of other or unspecified organs	92	.....	.....	.....	.....	.....	.....	2	3	4	8	13	21	27	10	2	2
Tumor	8	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	2	1	2	.....	.....
Rheumatism	23	.....	.....	.....	.....	1	1	1	2	1	1	6	5	3	2	.....	.....
Diabetes	49	.....	1	.....	.....	1	2	4	7	2	5	11	6	6	4	.....	.....
Anemia, leukemia	26	4	.....	.....	.....	.....	.....	1	2	.....	4	3	8	3	.....	1	.....
Alcoholism	14	.....	.....	.....	.....	.....	.....	.....	1	3	4	3	1	1	.....	.....	1
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	3	.....	.....	.....
Other general diseases	11	2	.....	.....	.....	.....	.....	.....	.....	3	.....	1	1	3	1	.....	.....
II.—Diseases of nervous system	818	78	30	9	7	4	12	17	13	26	56	89	162	170	119	20	6
Encephalitis	6	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Meningitis	94	35	13	3	5	3	6	6	3	4	6	5	2	1	2	.....	.....
Locomotor ataxia	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	7	3	.....	.....	.....
Other diseases of spinal cord	24	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	4	9	6	2	1	.....
Apoplexy	397	2	3	.....	.....	1	.....	2	2	6	20	49	104	106	82	17	3
Softening of brain	26	.....	.....	.....	.....	.....	.....	1	.....	.....	1	4	6	8	6	.....	.....
Paralysis	74	1	.....	.....	.....	.....	.....	.....	1	.....	6	9	18	23	15	1	.....
General paralysis of insane	26	.....	.....	.....	.....	.....	.....	.....	.....	2	5	5	1	7	4	.....	2
Other forms of mental disease	16	.....	.....	.....	.....	.....	.....	.....	.....	2	6	1	4	3	.....	.....	.....
Other diseases of brain	29	2	1	.....	.....	.....	3	2	.....	2	2	3	2	8	3	.....	1
Epilepsy	33	2	1	1	.....	.....	1	3	5	5	6	3	5	.....	1	.....	.....
Convulsions	50	30	11	4	1	.....	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....
Tetanus	8	2	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of nervous system	21	.....	1	.....	1	.....	.....	.....	.....	2	2	4	4	4	2	1	.....
III.—Diseases of circulatory system	704	10	1	1	1	.....	.....	12	12	20	47	79	171	219	110	13	8
Pericarditis	6	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	1	1	.....	.....
Endocarditis	24	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	4	8	6	.....	1
Heart disease	575	5	1	.....	.....	.....	.....	9	8	14	41	67	150	182	84	9	5
Angina pectoris	38	.....	.....	.....	.....	.....	.....	.....	1	2	4	5	4	14	7	.....	1
Diseases of arteries	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	7	10	9	2	.....
Embolism and thrombosis	16	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	4	2	2	2	.....
Diseases of veins	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	15	5	.....	1	1	.....	.....	1	.....	1	.....	2	1	1	1	.....	1
IV.—Diseases of respiratory system	709	137	32	12	6	2	12	18	27	27	54	48	84	143	85	14	8
Laryngitis	5	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....
Other diseases of larynx	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	84	46	8	1	.....	.....	.....	1	1	1	1	2	4	12	5	1	1
Chronic bronchitis	58	1	.....	.....	.....	.....	.....	1	2	2	4	5	8	19	14	2	.....
Bronchopneumonia	77	26	7	3	1	1	3	3	.....	.....	4	1	4	12	8	4	.....
Pneumonia	403	54	15	5	4	1	7	11	18	17	36	33	59	81	49	7	6
Pleurisy	16	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	3	7	.....	.....	.....
Congestion of lungs	32	8	.....	2	.....	.....	.....	.....	.....	3	2	3	1	5	8	.....	.....
Gangrene of lungs	4	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	1	.....	.....	.....
Asthma and emphysema	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	4	.....	.....	.....
Hemorrhage of lungs	10	.....	.....	.....	.....	.....	1	.....	2	1	3	.....	1	1	.....	.....	1
Other diseases of respiratory system	11	.....	1	.....	.....	.....	1	1	2	.....	2	1	2	1	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1903—Continued.

VERMONT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	590	192	35	13	6	5	18	29	26	33	23	47	61	52	41	6	3
Diseases of mouth	2	2															
Tonsilitis	1											1					
Other diseases of pharynx	2	1										1					
Ulcer of stomach	24	1							2	5	2	4	2	6	2		
Gastritis	50	4					2		2	6		6	12	7	10	1	
Other diseases of stomach	27	12							1		1	3	2	5	2	1	
Dentition	1	1															
Diarrhea and enteritis	255	160	33	12	4	3	2	3		3	2	3	6	10	10	2	2
Hernia	30	2							1	1	1	5	9	9	2		
Obstruction of intestines	26	4		1				2	1	1	4	2	5	2	2	1	1
Other diseases of intestines	8	4					1		1		1			1			
Acute yellow atrophy of liver	3									1		1		1			
Hydatid tumors of liver																	
Cirrhosis of liver	26										2	10	11	2	1		
Biliary calculi	11								1			3	4	1	2		
Other diseases of liver	21							1		2	1	3	3	4	6	1	
Diseases of spleen	1													1			
Peritonitis	60	1	2		2		5	13	8	9	6	4	4	3	3		
Appendicitis	40					2	8	10	9	5	3	1	2				
Other diseases of digestive system	2												1		1		
VI.—Diseases of genito-urinary system	365	3	1		1		4	7	22	17	21	49	88	101	43	6	2
Acute nephritis	31	1	1		1		1	3	6	1	1	3	7	3	2		1
Bright's disease	266						3	4	13	13	15	43	69	71	29	6	
Other diseases of kidneys	9	1							1			1	1	3	2		
Calculi of urinary tract	2													2			
Diseases of bladder	18	1							1				6	6	3		1
Uterine tumor	6										3	1		2			
Other diseases of uterus	4								1	1	1		1				
Ovarian tumor	3												2	1			
Diseases of tubes	2									2							
Other diseases of genito-urinary system	24										1	1	2	13	7		
VII.—Childbirth	51							4	25	15	6						1
Puerperal septicemia	12								5	5							1
Puerperal convulsions	19							1	12	2	4						
Other causes incident to childbirth	20							3	7	8	2						
VIII.—Diseases of skin	23	2	1						1			3	5	4	5	2	
Gangrene	16	1										3	2	3	5	2	
Carbuncle	1												1				
Abscess	3		1										2				
Other diseases of skin	3	1							1					1			
IX.—Diseases of locomotor system	8	1					3	2			1		1				
Diseases of bones	8	1					3	2			1		1				
Diseases of joints																	
Other diseases of locomotor system																	
X.—Malformations	61	54	2				3			1	1						
Hydrocephalus	7	2	2				2				1						
Congenital malformation of heart (cyanosis)	31	29					1			1							
Other congenital malformations	23	23															
XI.—Early infancy	226	226															
Premature birth	129	129															
Congenital debility	97	97															
XII.—Old age	263												7	55	137	59	4
XIII.—Violence	329	26	5	6	4	4	12	26	50	39	36	21	28	31	27	5	9
Suicide	37								10	5	9	7	3	3			
Fractures and dislocations	46								3	3	4	2	6	10	14	3	1
Burns and scalds	20	1		2	4	1	2	3	2	1			1	3			
Heat and sunstroke																	
Cold and freezing																	
Lightning																	
Drowning	29			2		1	4	8	4	2		2	5				1
Inhalation of poisonous gases																	
Other accidental poisonings	19		3	1			2	3	1	5	2	1					
Accidental gunshot wounds	12					1		4	1	2			4				
Injuries by machinery	6							1		1	4						
Injuries in mines and quarries	1									1							
Railroad accidents and injuries	43		1	1			1		18	8	5	2	1	2			4
Injuries by vehicles and horses	9								2	2		2	1	1			1
Suffocation	8	5							1		1	1					
Other accidental injuries	80	2	1			1	2	7	8	9	10	4	7	12	13	2	2
Injuries at birth	18	18															
Homicide	1										1						
XIV.—Ill-defined causes	161	51	5	1		2	2	6	7	5	8	12	21	18	15	6	2
"Dropsy"	6											2	1	2	1		
"Heart failure"	28	1						2	1	1	4	3	6	4	3	2	1
Other ill-defined causes	81	19	5	1		1	2	3	5	3	2	5	10	10	11	4	
Unknown causes	46	31				1		1	1	1	2	2	4	2			1

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903.

ALLEGHENY, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,622	546	186	87	60	35	114	137	342	255	204	185	212	169	76	5	9
Typhoid fever	142	.....	.....	2	2	.....	9	24	66	24	8	5	1	.....	.....	.....	1
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	122	4	4	3	4	2	5	8	53	26	7	4	1	.....	.....	.....	1
Measles	40	8	13	7	5	.....	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	29	.....	.....	4	6	.....	14	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	48	20	19	5	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	114	2	17	20	18	14	30	9	3	.....	1	.....	.....	.....	.....	.....	.....
Influenza	11	2	.....	.....	.....	.....	.....	1	2	1	.....	.....	3	2	.....	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Dysentery	6	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	2	.....	.....	.....
Erysipelas	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Other epidemic diseases[1]	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Septicemia	5	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis—total	216	7	10	4	.....	.....	9	23	59	46	27	17	12	2	.....	.....	.....
Tuberculosis of lungs	175	4	1	1	.....	.....	3	18	57	40	24	15	11	1	.....	.....	.....
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
Tuberculous meningitis	15	1	8	1	.....	.....	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	10	1	1	.....	.....	.....	2	2	1	1	1	1	.....	.....	.....	.....	.....
Pott's disease	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	5	.....	.....	2	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	6	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	1	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	4	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Cancer	52	.....	.....	.....	.....	.....	.....	.....	3	9	9	12	9	6	3	.....	1
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Rheumatism	15	.....	.....	.....	.....	.....	.....	3	1	3	3	2	3	.....	.....	.....	.....
Diabetes	10	.....	.....	.....	.....	.....	.....	1	1	2	1	1	4	.....	.....	.....	.....
Anemia, leukemia	10	3	1	.....	.....	.....	.....	2	.....	.....	.....	3	1	.....	.....	.....	.....
Alcoholism	11	.....	.....	.....	.....	.....	.....	.....	3	1	3	1	2	1	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Encephalitis	3	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	55	12	14	10	4	3	4	3	3	1	.....	1	.....	.....	.....	.....	.....
Apoplexy	83	4	2	1	1	2	.....	1	4	1	6	13	20	21	7	.....	.....
Softening of brain	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....
Paralysis	10	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	2	1	.....	.....
Epilepsy	5	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	1	.....	.....
Convulsions	62	53	4	2	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	20	1	.....	2	.....	.....	2	3	.....	1	1	3	7	.....	.....	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
Endocarditis	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Heart disease	119	5	.....	.....	1	1	1	3	5	18	19	19	20	20	6	1	.....
Angina pectoris	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	3	.....	.....	.....
Embolism and thrombosis	3	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	6	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....
Laryngitis	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	26	15	4	1	.....	1	1	.....	1	.....	.....	.....	.....	3	.....	.....	.....
Chronic bronchitis	40	2	.....	.....	.....	.....	.....	.....	1	1	1	5	13	13	3	1	.....
Bronchopneumonia	48	16	8	2	1	2	.....	1	1	3	3	2	1	4	3	.....	1
Pneumonia	314	37	34	13	7	5	13	9	36	32	26	24	39	26	11	1	1
Pleurisy	6	.....	.....	.....	.....	1	1	1	.....	2	.....	1	.....	.....	.....	.....	.....
Congestion of lungs	9	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	2	2	2	.....	.....
Other diseases of respiratory system	18	1	.....	.....	.....	.....	.....	.....	.....	.....	3	1	9	4	.....	.....	.....
Tonsilitis	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	35	17	2	.....	.....	.....	.....	.....	2	2	3	3	5	.....	1	.....	.....
Diarrhea and enteritis	210	135	35	6	2	.....	.....	2	8	1	3	2	5	6	5	.....	.....
Hernia and intestinal obstructions	17	4	.....	.....	.....	.....	.....	.....	1	2	2	3	2	3	.....	.....	.....
Cirrhosis of liver	28	.....	.....	.....	.....	.....	.....	1	.....	4	11	6	5	1	.....	.....	.....
Other diseases of liver	14	2	.....	.....	.....	.....	2	.....	1	.....	.....	4	2	2	1	.....	.....
Peritonitis	34	.....	.....	1	.....	.....	1	7	5	7	7	3	2	.....	1	.....	.....
Appendicitis	11	.....	.....	.....	.....	.....	1	2	5	2	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	7	3	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
Acute nephritis	7	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	1	1	1	.....	.....
Bright's disease	55	2	.....	.....	.....	.....	.....	1	6	6	13	9	11	4	3	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	23	.....	.....	.....	.....	.....	.....	1	2	5	.....	3	1	7	4	.....	.....
Puerperal septicemia	10	.....	.....	.....	.....	.....	.....	.....	7	2	.....	.....	.....	.....	.....	.....	1
Other causes incident to childbirth	8	.....	.....	.....	.....	.....	.....	.....	2	4	2	.....	.....	.....	.....	.....	.....
Diseases of skin	14	3	1	.....	1	.....	1	.....	1	1	2	4	.....	.....	.....	.....	.....
Diseases of locomotor system	9	3	2	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	14	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	42	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	59	59	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	12	2	.....
Suicide	20	.....	.....	.....	.....	.....	.....	1	7	4	2	3	1	.....	.....	.....	2
Other violence	174	9	4	1	3	.....	11	16	34	39	28	20	9	4	4	.....	1
Ill-defined causes	105	50	10	1	.....	.....	.....	2	4	3	2	2	8	16	7	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

BALTIMORE, MD.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,142	2,181	459	240	130	101	255	477	865	914	985	1,010	1,082	946	417	74	6
Typhoid fever	186	.....	2	3	1	.....	15	40	54	29	26	10	3	3	.....	.....	.....
Malarial fever	22	.....	1	.....	1	.....	.....	1	5	2	4	4	2	2	.....	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Measles	83	17	28	24	6	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	86	2	12	18	18	8	23	3	.....	2	.....	.....	.....	.....	.....	.....	.....
Whooping cough	70	35	18	7	4	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	154	14	20	29	14	24	43	4	2	1	1	.....	2	.....	.....	.....	.....
Influenza	107	4	4	.....	.....	1	.....	6	10	10	12	10	23	19	7	1	.....
Cholera nostras	6	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
Dysentery	41	12	4	1	.....	.....	.....	.....	4	3	3	3	5	2	3	1	.....
Erysipelas	22	2	.....	.....	.....	.....	.....	.....	.....	3	5	6	3	3	.....	.....	.....
Other epidemic diseases [1]	5	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	28	2	1	3	1	.....	2	2	1	6	2	3	2	3	.....	.....	.....
Tuberculosis—total	1,360	39	26	12	15	13	32	164	316	297	202	131	88	33	1	.....	.....
Tuberculosis of lungs	1,183	14	9	8	6	3	13	147	292	271	185	123	79	32	1	.....	.....
Tuberculosis of larynx	21	.....	.....	.....	.....	.....	.....	1	3	7	5	2	3	.....	.....	.....	.....
Tuberculous meningitis	66	19	13	2	5	7	12	2	4	1	.....	.....	.....	1	.....	.....	.....
Abdominal tuberculosis	44	5	1	1	1	1	3	7	9	8	5	.....	3	.....	.....	.....	.....
Pott's disease	6	.....	.....	.....	1	.....	.....	1	.....	2	1	.....	1	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
White swelling	4	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	12	.....	1	.....	.....	.....	2	1	2	3	1	1	1	.....	.....	.....	.....
General tuberculosis	32	1	2	.....	2	2	1	3	6	5	5	4	1	.....	.....	.....	.....
Scrofula	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	30	12	2	.....	1	.....	.....	.....	4	6	5	.....	.....	.....	.....	.....	.....
Cancer	388	1	.....	1	1	1	1	4	6	27	76	103	102	53	11	1	.....
Tumor	11	.....	.....	1	.....	.....	1	1	.....	1	3	1	1	2	.....	.....	.....
Rheumatism	57	.....	.....	.....	1	1	6	8	4	3	7	9	12	4	2	.....	.....
Diabetes	55	.....	.....	1	.....	.....	1	1	2	5	12	6	17	9	1	.....	.....
Anemia, leukemia	46	2	1	1	.....	1	1	2	5	4	6	11	7	4	1	.....	.....
Alcoholism	31	.....	.....	.....	.....	.....	.....	.....	4	8	9	6	4	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
Other general diseases	14	1	.....	.....	.....	.....	.....	2	3	2	4	2	.....	.....	.....	.....	.....
Encephalitis	5	1	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	135	46	17	14	6	3	13	14	8	5	4	3	2	.....	.....	.....	.....
Apoplexy	420	8	2	2	.....	.....	.....	2	7	13	48	76	106	115	34	6	1
Softening of brain	23	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	9	6	4	.....	.....
Paralysis	167	2	1	1	.....	1	1	1	2	4	17	27	37	50	18	5	.....
Epilepsy	16	1	.....	1	.....	2	1	3	1	4	1	1	.....	1	.....	.....	.....
Convulsions	153	122	17	7	1	2	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Tetanus	18	11	.....	.....	.....	1	.....	.....	3	.....	1	1	.....	1	.....	.....	.....
Other diseases of nervous system	125	5	5	2	1	.....	2	8	11	9	20	20	14	17	10	1	.....
Pericarditis	10	.....	.....	.....	.....	.....	.....	1	1	1	1	2	2	1	.....	1	.....
Endocarditis	46	.....	1	.....	.....	.....	4	5	4	7	8	5	3	4	5	.....	.....
Heart disease	621	8	1	1	.....	.....	5	34	36	54	71	107	134	121	44	5	.....
Angina pectoris	38	.....	1	.....	.....	.....	.....	.....	1	4	7	7	7	8	3	.....	.....
Embolism and thrombosis	25	1	.....	.....	.....	.....	.....	.....	3	3	5	8	2	3	.....	.....	.....
Other diseases of circulatory system	113	6	.....	1	1	.....	.....	2	3	11	14	17	17	20	17	4	.....
Laryngitis	6	2	.....	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	121	67	25	6	3	.....	1	1	1	3	.....	1	3	9	.....	1	.....
Chronic bronchitis	118	4	.....	.....	.....	.....	4	3	5	4	10	12	25	22	24	5	.....
Bronchopneumonia	287	125	57	25	10	5	9	4	9	7	3	8	7	12	3	3	.....
Pneumonia	745	136	79	34	19	14	20	36	54	76	75	75	65	43	14	5	.....
Pleurisy	23	1	3	.....	.....	.....	1	2	.....	3	2	5	4	2	.....	.....	.....
Congestion of lungs	37	7	.....	1	2	.....	1	1	2	1	2	1	5	7	7	.....	.....
Other diseases of respiratory system	84	2	3	.....	.....	1	1	2	9	8	8	16	12	17	4	1	.....
Tonsilitis	3	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Diseases of stomach	132	17	2	3	.....	1	1	3	8	14	11	14	25	19	13	1	.....
Diarrhea and enteritis	672	494	75	22	6	3	2	6	5	5	10	11	11	14	8	.....	.....
Hernia and intestinal obstructions	83	12	1	.....	1	1	2	5	6	7	13	7	18	9	1	.....	.....
Cirrhosis of liver	66	1	.....	.....	.....	.....	1	1	3	7	21	11	14	6	1	.....	.....
Other diseases of liver	58	1	.....	.....	.....	.....	.....	2	7	7	11	17	7	6	.....	.....	.....
Peritonitis	30	1	.....	.....	.....	.....	2	2	9	10	2	1	2	1	.....	.....	.....
Appendicitis	60	.....	.....	1	.....	1	2	12	23	10	2	5	1	2	1	.....	.....
Other diseases of digestive system	37	10	5	.....	1	.....	.....	1	.....	2	4	5	6	3	.....	.....	.....
Acute nephritis	96	3	3	1	3	.....	3	6	21	13	19	9	11	3	.....	.....	1
Bright's disease	654	2	.....	.....	.....	1	4	21	35	58	90	142	149	126	22	3	1
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Uterine tumor	22	.....	.....	.....	.....	.....	.....	.....	2	4	8	5	2	1	.....	.....	.....
Ovarian tumor	8	.....	.....	.....	.....	.....	.....	.....	3	1	4	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	108	.....	.....	.....	.....	.....	.....	3	18	13	20	10	15	18	10	1	.....
Puerperal septicemia	54	.....	.....	.....	.....	.....	.....	5	25	19	5	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	52	.....	.....	.....	.....	.....	.....	5	24	21	2	.....	.....	.....	.....	.....	.....
Diseases of skin	58	9	2	.....	.....	.....	1	2	3	1	6	10	13	7	4	.....	.....
Diseases of locomotor system	28	4	9	2	1	.....	4	4	.....	1	1	1	1	.....	.....	.....	.....
Malformations	61	58	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	248	248	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	402	402	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	211	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15	67	105	22	2
Suicide	50	.....	.....	.....	.....	.....	.....	2	11	9	8	14	4	1	1	.....	.....
Other violence	453	36	8	6	8	7	32	34	69	67	51	30	38	35	28	3	1
Ill-defined causes	338	178	17	6	3	1	3	4	11	16	17	17	21	30	10	4	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

BOSTON, MASS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,649	2,178	457	233	137	82	244	355	909	1,168	1,137	1,165	1,149	895	438	75	27
Typhoid fever	119	.....	.....	.....	2	1	8	12	35	42	8	6	4	1	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	13	1	.....	.....	2	.....	.....	.....	3	3	3	.....	1	.....	.....	.....	.....
Measles	61	16	22	12	9	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	72	.....	7	12	18	7	20	3	4	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	152	84	32	23	7	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	222	27	42	24	30	23	50	18	4	1	1	.....	1	1	.....	.....	.....
Influenza	78	3	1	.....	1	.....	1	.....	2	9	6	6	10	23	12	3	1
Cholera nostras	5	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Dysentery	19	5	.....	1	.....	.....	1	.....	2	.....	2	3	2	3	.....	.....	.....
Erysipelas	31	10	.....	.....	.....	.....	1	.....	3	.....	3	8	3	2	1	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	38	6	1	1	1	.....	.....	1	6	9	5	5	2	1	.....	.....	.....
Tuberculosis—total	1,394	57	44	28	10	10	33	116	358	343	207	113	45	23	3	.....	4
Tuberculosis of lungs	1,193	19	10	6	3	2	11	101	338	327	195	109	45	20	3	.....	4
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	113	28	26	17	6	5	14	4	3	6	3	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	34	4	3	4	1	.....	2	4	8	5	2	.....	.....	1	.....	.....	.....
Pott's disease	14	.....	1	1	.....	2	3	5	2	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	1	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	1	.....	.....	.....
General tuberculosis	27	5	4	.....	.....	1	2	.....	6	3	4	1	.....	1	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Venereal diseases	29	16	.....	.....	1	.....	1	1	4	5	1	.....	.....	.....	.....	.....	.....
Cancer	542	.....	1	1	1	1	2	2	13	44	111	147	132	71	14	1	1
Tumor	11	.....	.....	.....	1	.....	.....	.....	1	4	2	3	.....	.....	.....	.....	.....
Rheumatism	47	.....	.....	.....	.....	1	4	4	5	4	6	7	10	4	2	.....	.....
Diabetes	82	1	.....	.....	.....	.....	1	5	5	5	10	16	23	14	.....	.....	2
Anemia, leukemia	34	2	.....	.....	1	.....	.....	2	5	6	5	8	3	2	.....	.....	.....
Alcoholism	53	.....	.....	.....	.....	.....	.....	.....	2	17	22	3	5	2	1	.....	1
Chronic poisonings	10	.....	.....	.....	.....	.....	.....	.....	1	3	2	3	1	.....	.....	.....	.....
Other general diseases	8	.....	1	1	.....	.....	.....	.....	1	2	2	1	.....	.....	.....	.....	.....
Encephalitis	5	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Meningitis	206	80	34	18	5	3	16	13	10	10	7	5	2	1	2	.....	.....
Apoplexy	440	10	1	1	.....	1	1	2	7	15	40	94	112	101	48	5	2
Softening of brain	11	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	2	2	1	.....	.....
Paralysis	50	.....	.....	.....	.....	.....	1	.....	2	2	4	7	12	14	7	1	.....
Epilepsy	14	1	.....	1	.....	.....	.....	2	.....	2	4	2	2	.....	.....	.....	.....
Convulsions	67	49	5	5	2	.....	1	1	4	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	11	.....	.....	.....	.....	.....	3	4	1	.....	1	1	.....	1	.....	.....	.....
Other diseases of nervous system	162	8	6	1	1	.....	2	5	9	21	31	27	25	21	3	1	1
Pericarditis	7	.....	1	.....	.....	.....	.....	1	1	1	2	.....	1	.....	.....	.....	.....
Endocarditis	113	.....	.....	1	.....	.....	5	3	6	11	19	17	14	24	9	4	.....
Heart disease	1,010	19	2	2	1	1	15	35	51	90	136	190	230	164	64	8	2
Angina pectoris	36	.....	.....	.....	.....	.....	.....	.....	2	3	2	6	10	8	4	.....	1
Embolism and thrombosis	38	.....	.....	.....	.....	.....	.....	1	3	6	10	3	9	4	1	1	.....
Other diseases of circulatory system	135	10	.....	.....	.....	.....	.....	1	2	7	10	22	36	30	13	3	1
Laryngitis	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	141	81	13	7	2	2	.....	.....	.....	.....	1	4	5	10	4	2	.....
Chronic bronchitis	129	.....	.....	.....	.....	.....	1	1	4	5	7	23	27	31	25	4	1
Bronchopneumonia	243	98	36	11	9	6	4	3	2	13	9	12	20	5	14	.....	1
Pneumonia	930	120	79	36	16	5	7	22	72	123	116	115	99	75	37	6	2
Pleurisy	43	.....	4	2	1	1	.....	1	4	9	5	8	6	2	.....	.....	.....
Congestion of lungs	31	6	.....	1	.....	.....	2	1	1	1	2	3	5	7	2	.....	.....
Other diseases of respiratory system	39	2	2	1	.....	.....	.....	.....	5	3	5	4	14	3	.....	.....	.....
Tonsilitis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	87	15	1	2	1	.....	3	.....	9	8	6	18	7	10	4	1	2
Diarrhea and enteritis	698	543	76	15	4	1	.....	3	1	4	7	5	16	8	15	.....	.....
Hernia and intestinal obstructions	89	14	1	.....	.....	3	3	11	5	4	13	8	17	7	2	1	.....
Cirrhosis of liver	87	.....	.....	.....	.....	.....	.....	2	7	13	21	24	11	8	1	.....	.....
Other diseases of liver	50	.....	.....	.....	.....	.....	.....	.....	.....	7	11	22	3	5	2	.....	.....
Peritonitis	72	4	.....	.....	.....	.....	4	6	10	13	15	10	8	1	1	.....	.....
Appendicitis	90	1	.....	.....	.....	2	8	16	30	22	11	7	2	1	.....	.....	.....
Other diseases of digestive system	38	6	1	.....	1	.....	1	1	5	3	7	5	5	2	1	.....	.....
Acute nephritis	39	1	.....	3	.....	.....	3	3	10	4	4	4	5	1	1	.....	.....
Bright's disease	458	.....	1	2	2	1	4	9	30	61	72	96	88	70	18	3	1
Calculi of urinary tract	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....
Uterine tumor	23	.....	.....	.....	.....	.....	.....	.....	1	7	12	1	1	1	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	.....	.....	.....
Other diseases of genito-urinary system	97	.....	.....	.....	.....	.....	.....	3	21	15	11	10	13	18	3	3	.....
Puerperal septicemia	28	.....	.....	.....	.....	.....	.....	1	14	12	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	75	.....	.....	.....	.....	.....	.....	3	27	40	5	.....	.....	.....	.....	.....	.....
Diseases of skin	50	5	1	.....	.....	.....	.....	.....	5	3	7	4	8	7	9	1	.....
Diseases of locomotor system	29	13	3	.....	.....	.....	1	4	.....	2	3	1	1	.....	1	.....	.....
Malformations	99	91	2	2	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	1
Premature birth	298	298	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	264	264	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	194	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	58	90	25	.....
Suicide	80	.....	.....	.....	.....	.....	.....	1	11	20	18	14	11	5	.....	.....	.....
Other violence	571	68	15	16	8	7	26	30	84	90	88	47	43	31	15	2	1
Ill-defined causes	247	136	22	3	.....	1	6	1	8	13	14	13	13	7	8	.....	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

BUFFALO, N. Y.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,867	1,281	280	99	59	60	153	252	485	577	643	607	558	528	249	31	5
Typhoid fever	127	1	2	.....	2	.....	7	26	37	27	14	7	4	.....	.....	.....	.....
Malarial fever	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Smallpox	4	1	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
Measles	32	6	14	4	1	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	27	2	5	5	4	7	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	55	22	21	4	3	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	120	10	23	22	13	16	28	7	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	34	.....	1	.....	.....	.....	1	.....	1	.....	4	8	7	8	4	.....	.....
Cholera nostras	4	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
Dysentery	21	8	1	3	1	.....	3	1	.....	.....	1	.....	1	2	.....	.....	.....
Erysipelas	25	7	.....	1	.....	.....	.....	1	2	3	3	3	3	1	1	.....	.....
Other epidemic diseases [1]	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	8	1	.....	.....	.....	.....	1	.....	1	2	3	.....	.....	.....	.....	.....	.....
Tuberculosis—total	535	13	3	5	1	2	9	58	162	128	87	44	16	5	2	.....	.....
Tuberculosis of lungs	448	5	.....	1	.....	1	5	43	142	118	80	37	11	4	1	.....	.....
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....
Tuberculous meningitis	24	1	2	4	1	.....	2	6	4	2	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	23	5	.....	.....	.....	1	1	5	3	5	1	1	.....	1	.....	.....	.....
Pott's disease	9	.....	.....	.....	.....	.....	1	1	2	.....	2	2	1	.....	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	8	2	.....	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....
General tuberculosis	18	.....	1	.....	.....	.....	.....	3	11	1	.....	1	1	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	35	22	1	.....	.....	.....	.....	.....	4	5	1	1	1	.....	.....	.....	.....
Cancer	276	.....	.....	1	.....	1	1	2	9	20	55	86	62	33	5	1	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....
Rheumatism	41	.....	.....	.....	.....	.....	2	5	4	3	5	8	7	6	.....	1	.....
Diabetes	59	.....	.....	.....	1	.....	1	3	6	8	6	11	13	8	1	1	.....
Anemia, leukemia	12	1	.....	.....	.....	.....	1	.....	.....	2	4	1	2	1	.....	.....	.....
Alcoholism	30	.....	.....	.....	.....	.....	.....	.....	2	7	14	5	2	.....	.....	.....	.....
Chronic poisonings	6	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	1	.....	.....	.....	.....
Other general diseases	11	1	.....	.....	.....	.....	.....	2	2	3	2	.....	1	.....	.....	.....	.....
Encephalitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	119	43	23	8	6	4	10	3	6	5	5	.....	5	.....	1	.....	.....
Apoplexy	224	7	.....	.....	.....	.....	1	.....	.....	16	31	42	47	51	27	2	.....
Softening of brain	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	4	3	1	.....	.....
Paralysis	38	1	.....	.....	.....	.....	.....	.....	.....	1	5	4	7	10	9	1	.....
Epilepsy	19	4	2	.....	.....	.....	.....	1	3	4	2	.....	.....	2	1	.....	.....
Convulsions	83	69	9	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	.....	.....	1	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	120	6	2	.....	1	.....	3	2	6	18	26	24	16	14	2	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Endocarditis	44	1	.....	.....	.....	.....	1	1	5	9	7	4	5	9	2	.....	.....
Heart disease	500	7	2	.....	.....	1	5	19	25	39	87	90	104	88	31	1	1
Angina pectoris	20	.....	.....	.....	.....	.....	.....	.....	2	1	6	3	5	3	.....	.....	.....
Embolism and thromoosis	15	.....	.....	.....	.....	.....	.....	.....	1	3	3	1	4	2	1	.....	.....
Other diseases of circulatory system	66	1	.....	1	.....	.....	1	.....	2	2	6	10	12	18	13	.....	.....
Laryngitis	3	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	106	65	18	4	3	1	2	.....	.....	.....	.....	1	4	5	3	.....	.....
Chronic bronchitis	61	2	1	.....	.....	.....	1	.....	1	3	1	2	19	17	12	2	.....
Bronchopneumonia	176	90	31	9	2	3	2	1	4	3	7	4	6	11	3	.....	.....
Pneumonia	317	62	23	5	2	4	10	14	19	24	28	43	30	33	17	2	1
Pleurisy	12	1	1	.....	1	.....	1	1	1	.....	2	1	1	1	1	.....	.....
Congestion of lungs	22	3	1	.....	.....	.....	.....	1	1	1	2	1	3	4	4	1	.....
Other diseases of respiratory system	31	4	.....	.....	1	1	.....	.....	1	4	4	5	7	4	.....	.....	.....
Tonsilitis	5	.....	.....	.....	.....	.....	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	72	19	2	2	2	.....	1	2	3	8	6	10	4	5	8	.....	.....
Diarrhea and enteritis	464	323	70	14	1	4	5	.....	1	2	8	5	12	12	6	1	.....
Hernia and intestinal obstructions	51	7	1	.....	.....	.....	1	1	6	5	9	8	6	4	3	.....	.....
Cirrhosis of liver	62	.....	.....	.....	.....	.....	.....	.....	.....	8	16	18	8	10	2	.....	.....
Other diseases of liver	34	1	.....	.....	.....	.....	.....	.....	1	3	8	7	11	2	1	.....	.....
Peritonitis	36	1	.....	1	.....	.....	3	4	7	12	3	1	1	3	.....	.....	.....
Appendicitis	67	.....	.....	1	.....	.....	7	21	15	15	5	1	.....	2	.....	.....	.....
Other diseases of digestive system	33	2	1	.....	.....	2	3	2	1	3	3	8	1	6	1	.....	.....
Acute nephritis	35	1	1	1	.....	.....	2	4	5	1	6	10	1	3	.....	.....	.....
Bright's disease	289	8	.....	.....	1	1	3	5	13	25	57	66	49	50	9	2	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Uterine tumor	9	.....	.....	.....	.....	.....	.....	.....	1	2	1	5	.....	.....	.....	.....	.....
Ovarian tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	82	4	.....	.....	1	.....	.....	1	15	13	11	3	14	13	7	.....	.....
Puerperal septicemia	28	.....	.....	.....	.....	.....	.....	1	16	9	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	40	.....	.....	.....	.....	.....	.....	2	12	21	5	.....	.....	.....	.....	.....	.....
Diseases of skin	25	7	1	.....	.....	.....	.....	.....	.....	.....	6	2	3	3	3	.....	.....
Diseases of locomotor system	12	.....	1	.....	.....	.....	3	4	1	1	.....	1	.....	1	.....	.....	.....
Malformations	72	69	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	178	178	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	99	99	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	134	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	47	60	16	.....
Suicide	47	.....	.....	.....	.....	.....	.....	3	8	13	15	5	3	.....	.....	.....	.....
Other violence	439	65	9	5	10	8	21	47	65	82	45	30	28	18	5	.....	1
Ill-defined causes	76	36	8	.....	.....	.....	.....	.....	1	4	4	7	2	9	3	.....	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

CHICAGO, ILL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	28,758	5,266	1,529	700	456	295	970	1,469	2,834	3,347	3,318	3,040	2,633	1,985	804	103	9
Typhoid fever	602	6	8	11	11	7	38	104	181	109	70	32	17	7	.....	.....	1
Malarial fever	18	.....	1	.....	1	1	1	1	5	.....	4	3	1	.....	.....	.....	.....
Smallpox	47	6	4	2	.....	1	3	1	14	9	4	2	1	.....	.....	.....	.....
Measles	289	64	88	50	24	14	38	6	3	2	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	306	17	30	51	36	36	93	29	11	1	.....	2	.....	.....	.....	.....	.....
Whooping cough	257	123	63	35	16	6	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	632	28	94	101	99	57	189	41	11	8	3	.....	1	.....	.....	.....	.....
Influenza	262	12	5	5	1	.....	2	7	13	24	24	31	60	51	22	5	.....
Cholera nostras	27	11	2	.....	1	.....	2	1	1	2	.....	3	.....	3	1	.....	.....
Dysentery	74	16	10	2	4	1	.....	2	2	6	4	9	3	8	6	1	.....
Erysipelas	72	21	3	.....	.....	1	.....	2	5	12	9	7	7	2	3	.....	.....
Other epidemic diseases[1]	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	27	6	.....	1	.....	.....	1	1	3	7	3	1	3	.....	1	.....	.....
Tuberculosis—total	3,415	89	72	25	30	17	62	307	929	823	559	325	112	52	11	1	1
Tuberculosis of lungs	2,963	32	23	8	17	10	23	245	872	764	525	291	97	46	9	.....	1
Tuberculosis of larynx	26	1	.....	.....	.....	.....	.....	1	6	8	3	4	3	.....	.....	.....	.....
Tuberculous meningitis	159	42	34	13	9	5	22	17	9	6	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	119	8	7	.....	1	1	9	18	22	20	9	13	6	4	1	.....	.....
Pott's disease	35	1	4	1	3	.....	3	7	3	5	3	4	.....	1	.....	.....	.....
Tuberculous abscess	4	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	1	.....
White swelling	15	1	.....	.....	.....	.....	2	3	5	2	.....	.....	1	.....	1	.....	.....
Tuberculosis of other organs	30	2	1	1	.....	.....	1	2	4	4	6	7	2	.....	.....	.....	.....
General tuberculosis	64	2	3	2	.....	1	2	13	8	13	12	4	3	1	.....	.....	.....
Scrofula	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	97	40	1	.....	1	1	1	1	13	12	15	8	3	.....	1	.....	.....
Cancer	1,206	.....	.....	1	1	.....	4	11	28	106	256	321	273	170	32	3	.....
Tumor	11	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	3	3	.....	.....
Rheumatism	171	.....	1	3	2	1	11	30	11	22	22	25	19	19	4	1	.....
Diabetes	173	.....	.....	.....	.....	.....	1	7	10	13	27	42	42	27	4	.....	.....
Anemia leukemia	98	2	1	1	.....	3	4	6	10	12	22	15	12	8	2	.....	.....
Alcoholism	152	.....	.....	.....	.....	.....	.....	2	14	58	44	23	10	1	.....	.....	.....
Chronic poisonings	13	.....	.....	.....	.....	.....	.....	.....	3	5	3	.....	.....	1	1	.....	.....
Other general diseases	43	4	.....	1	.....	.....	4	7	6	8	9	2	2	.....	.....	.....	.....
Encephalitis	26	5	2	2	3	.....	2	1	2	2	2	4	1	.....	.....	.....	.....
Meningitis	568	208	88	51	28	12	63	32	29	17	14	12	7	4	3	.....	.....
Apoplexy	643	21	4	3	1	2	3	1	11	32	79	133	169	134	48	2	.....
Softening of brain	25	.....	1	.....	.....	.....	.....	.....	1	.....	4	5	4	6	4	.....	.....
Paralysis	173	2	1	2	1	1	2	2	4	9	21	17	40	44	25	2	.....
Epilepsy	72	2	.....	1	1	.....	.....	11	13	13	13	9	4	3	2	.....	.....
Convulsions	592	536	36	11	1	.....	4	2	1	.....	1	.....	.....	.....	.....	.....	.....
Tetanus	104	33	2	.....	.....	1	13	31	10	6	5	2	1	.....	.....	.....	.....
Other diseases of nervous system	403	20	6	4	2	3	9	14	25	56	93	69	47	41	11	2	1
Pericarditis	29	.....	.....	.....	.....	.....	.....	4	1	4	2	6	8	4	.....	.....	.....
Endocarditis	210	3	.....	.....	.....	2	13	20	18	24	24	30	36	27	11	2	.....
Heart disease	1,739	12	2	.....	4	2	26	104	105	222	290	320	332	249	60	10	1
Angina pectoris	64	.....	.....	.....	.....	.....	.....	1	3	3	10	11	20	11	5	.....	.....
Embolism and thrombosis	80	1	.....	.....	.....	.....	1	4	11	11	9	10	18	10	5	.....	.....
Other diseases of circulatory system	243	10	.....	.....	1	.....	1	4	5	16	32	36	51	56	28	3	.....
Laryngitis	17	4	2	1	1	.....	5	.....	1	.....	1	1	.....	1	.....	.....	.....
Acute bronchitis	583	343	103	38	12	5	9	5	2	5	3	6	21	16	15	.....	.....
Chronic bronchitis	293	4	1	1	2	.....	9	4	7	5	14	42	64	99	42	8	.....
Bronchopneumonia	699	274	140	57	27	8	28	2	18	12	13	31	43	28	18	.....	.....
Pneumonia	3,381	445	253	106	57	53	83	102	297	460	452	416	354	211	85	7	.....
Pleurisy	97	5	4	6	1	2	7	7	7	14	12	15	5	8	4	.....	.....
Congestion of lungs	93	13	1	1	.....	1	2	1	7	11	8	13	4	18	13	.....	.....
Other diseases of respiratory system	185	12	7	4	3	5	8	4	15	23	23	22	24	23	11	1	.....
Tonsilitis	11	1	2	.....	1	1	1	2	.....	.....	2	.....	.....	1	.....	.....	.....
Diseases of stomach	287	56	16	4	2	2	3	5	18	28	34	38	32	30	18	1	.....
Diarrhea and enteritis	2,233	1,549	378	61	30	13	16	9	11	20	16	33	29	46	16	6	.....
Hernia and intestinal obstructions	230	27	5	4	4	2	4	6	19	28	36	36	39	17	3	.....	.....
Cirrhosis of liver	324	.....	1	1	.....	.....	1	4	8	55	88	87	55	21	3	.....	.....
Other diseases of liver	157	9	1	1	2	.....	1	2	11	24	24	34	25	17	5	1	.....
Peritonitis	79	2	4	.....	1	1	3	7	17	22	8	6	5	3	.....	.....	.....
Appendicitis	257	1	.....	.....	2	4	30	64	51	42	39	16	5	3	.....	.....	.....
Other diseases of digestive system	83	35	2	1	1	.....	2	.....	7	8	8	8	3	6	2	.....	.....
Acute nephritis	176	10	4	3	5	4	6	17	21	27	27	23	16	11	2	.....	.....
Bright's disease	1,682	19	9	3	3	3	15	32	91	173	285	364	343	242	93	7	.....
Calculi of urinary tract	13	1	.....	.....	.....	.....	1	1	2	2	1	2	.....	3	.....	.....	.....
Uterine tumor	29	.....	.....	.....	.....	.....	.....	.....	1	9	14	2	3	.....	.....	.....	.....
Ovarian tumor	33	.....	.....	.....	.....	.....	.....	.....	6	6	7	7	4	2	1	.....	.....
Other diseases of genito-urinary system	323	9	1	.....	.....	1	1	13	59	63	46	27	37	47	18	1	.....
Puerperal septicemia	156	.....	.....	.....	.....	.....	.....	5	79	62	10	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	152	.....	.....	.....	.....	.....	.....	9	56	69	18	.....	.....	.....	.....	.....	.....
Diseases of skin	85	16	4	2	1	2	1	2	3	3	8	5	15	15	8	.....	.....
Diseases of locomotor system	64	8	8	3	3	1	2	7	4	4	7	8	7	1	.....	.....	1
Malformations	154	138	6	3	1	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	292	292	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	475	475	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	271	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	33	92	114	32	.....
Suicide	469	.....	.....	.....	.....	.....	.....	27	109	119	106	61	32	12	2	.....	1
Other violence	2,180	97	31	32	27	17	122	332	392	393	323	214	115	56	24	2	3
Ill-defined causes	228	121	20	5	1	.....	1	1	2	6	6	8	14	24	14	5	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

CINCINNATI, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,251	926	226	100	62	44	138	273	611	722	762	649	763	654	285	31	5
Typhoid fever	142	1	.....	1	1	1	8	34	50	20	9	9	3	3	1	.....	1
Malarial fever	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....
Smallpox	14	3	.....	.....	.....	.....	.....	3	6	1	.....	1	.....	.....	.....	.....	.....
Measles	33	7	12	4	5	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	37	3	3	9	5	1	14	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	23	10	4	5	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	62	6	5	11	8	9	19	2	1	1	.....	.....	.....	.....	.....	.....	.....
Influenza	106	7	1	.....	1	.....	.....	4	8	6	14	17	18	21	7	1	1
Cholera nostras	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
Dysentery	36	6	4	.....	1	.....	.....	.....	1	2	2	3	7	6	4	.....	.....
Erysipelas	15	4	.....	.....	.....	.....	.....	.....	1	1	4	3	.....	1	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	7	.....	.....	.....	.....	.....	.....	2	1	1	1	1	1	.....	.....	.....	.....
Tuberculosis—total	894	23	16	1	5	5	9	81	245	222	157	78	40	9	2	.....	1
Tuberculosis of lungs	702	14	3	.....	2	1	5	73	229	204	144	67	39	8	2	.....	1
Tuberculosis of larynx	14	.....	.....	.....	.....	.....	.....	.....	2	5	3	4	.....	.....	.....	.....	.....
Tuberculous meningitis	32	6	10	1	2	2	3	1	3	2	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	26	2	1	.....	.....	.....	.....	3	2	9	5	4	.....	.....	.....	.....	.....
Pott's disease	11	.....	.....	.....	1	1	.....	2	3	.....	3	.....	.....	1	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	1	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	11	.....	.....	.....	.....	1	.....	1	4	1	1	2	1	.....	.....	.....	.....
Scrofula	5	2	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	16	10	.....	.....	.....	.....	.....	.....	1	3	1	.....	1	.....	.....	.....	.....
Cancer	278	.....	.....	1	1	.....	1	3	5	16	52	80	68	43	7	1	.....
Tumor	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	.....
Rheumatism	29	.....	.....	.....	.....	.....	1	3	1	3	3	4	6	5	3	.....	.....
Diabetes	30	.....	.....	.....	.....	.....	1	.....	1	4	6	5	6	4	3	.....	.....
Anemia, leukemia	18	1	1	.....	1	2	.....	5	2	1	1	.....	4	.....	.....	.....	.....
Alcoholism	34	.....	.....	.....	.....	.....	.....	.....	3	15	9	3	4	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
Other general diseases	10	.....	.....	.....	.....	.....	.....	1	2	2	5	.....	.....	.....	.....	.....	.....
Encephalitis	12	5	.....	.....	.....	.....	.....	2	.....	1	2	.....	2	.....	.....	.....	.....
Meningitis	147	33	26	14	8	5	17	7	4	9	10	9	2	3	.....	.....	.....
Apoplexy	215	9	2	.....	.....	.....	.....	1	5	13	29	41	48	45	21	1	.....
Softening of brain	10	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	3	.....	.....	.....
Paralysis	76	.....	.....	.....	.....	.....	1	.....	1	3	11	7	30	16	6	1	.....
Epilepsy	17	.....	1	.....	.....	.....	.....	1	2	3	5	1	2	2	.....	.....	.....
Convulsions	67	55	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Tetanus	20	3	.....	.....	.....	.....	2	10	1	3	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	138	9	1	1	1	.....	2	3	12	18	34	19	20	17	1	.....	.....
Pericarditis	13	.....	.....	.....	.....	.....	.....	1	.....	4	4	1	.....	3	.....	.....	.....
Endocarditis	76	.....	.....	.....	.....	.....	2	2	3	7	13	13	13	12	10	1	.....
Heart disease	366	1	1	1	.....	1	2	18	18	35	58	52	82	79	18	.....	.....
Angina pectoris	20	.....	.....	.....	.....	.....	.....	.....	.....	2	4	3	7	2	2	.....	.....
Embolism and thrombosis	13	.....	.....	.....	.....	.....	.....	.....	2	1	2	4	2	2	.....	.....	.....
Other diseases of circulatory system	61	5	.....	.....	.....	.....	.....	.....	.....	4	7	6	13	13	10	3	.....
Laryngitis	5	.....	.....	1	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....
Acute bronchitis	106	52	18	8	3	1	1	.....	3	.....	1	1	4	4	10	.....	.....
Chronic bronchitis	124	.....	1	.....	.....	.....	1	3	4	5	5	9	21	47	25	3	.....
Bronchopneumonia	139	27	11	8	7	4	7	5	1	4	3	10	16	27	7	2	.....
Pneumonia	400	55	32	16	7	4	9	8	33	48	37	38	59	35	16	3	.....
Pleurisy	9	.....	.....	.....	.....	.....	1	1	2	1	1	.....	1	2	.....	.....	.....
Congestion of lungs	24	8	1	.....	.....	.....	.....	3	1	1	1	2	1	3	3	.....	.....
Other diseases of respiratory system	70	3	.....	2	.....	.....	.....	2	3	6	11	14	17	9	2	1	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	93	11	3	2	.....	1	1	2	4	11	14	12	12	12	7	1	.....
Diarrhea and enteritis	347	200	51	5	2	2	2	2	8	11	8	11	13	23	9	.....	.....
Hernia and intestinal obstructions	42	5	1	.....	1	.....	.....	3	3	6	5	5	8	4	1	.....	.....
Cirrhosis of liver	89	.....	.....	.....	.....	.....	.....	1	5	10	25	18	20	9	1	.....	.....
Other diseases of liver	36	2	.....	.....	.....	.....	.....	.....	2	3	9	9	9	2	.....	.....	.....
Peritonitis	51	1	.....	.....	.....	.....	2	3	12	12	8	5	5	3	.....	.....	.....
Appendicitis	28	.....	.....	.....	.....	.....	.....	4	9	7	3	1	3	1	.....	.....	.....
Other diseases of digestive system	21	3	.....	.....	1	1	.....	1	1	1	3	.....	6	2	2	.....	.....
Acute nephritis	31	2	.....	.....	.....	.....	4	1	1	10	4	2	6	1	.....	.....	.....
Bright's disease	382	.....	.....	.....	.....	.....	4	5	22	36	69	71	96	62	17	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Uterine tumor	10	.....	.....	.....	.....	.....	.....	.....	.....	4	4	.....	1	1	.....	.....	.....
Ovarian tumor	12	.....	.....	.....	.....	.....	.....	.....	2	3	2	3	1	1	.....	.....	.....
Other diseases of genito-urinary system	64	.....	.....	.....	.....	.....	.....	1	7	13	12	7	10	11	3	.....	.....
Puerperal septicemia	25	.....	.....	.....	.....	.....	.....	1	11	11	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	27	.....	.....	.....	.....	.....	.....	1	8	15	3	.....	.....	.....	.....	.....	.....
Diseases of skin	28	7	1	.....	.....	.....	1	.....	1	1	2	5	4	4	1	1	.....
Diseases of locomotor system	17	4	3	1	.....	.....	1	.....	.....	3	.....	1	2	2	.....	.....	.....
Malformations	29	25	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	110	110	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	126	126	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	144	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	55	62	9	2
Suicide	81	.....	.....	.....	.....	.....	.....	4	16	22	17	12	7	2	1	.....	.....
Other violence	384	30	2	7	2	5	21	30	66	68	53	38	26	22	12	2	.....
Ill-defined causes	137	52	12	.....	.....	.....	.....	2	3	6	10	9	15	19	8	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

CLEVELAND, OHIO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,900	1,688	277	120	93	70	203	345	722	675	644	635	651	508	236	26	7
Typhoid fever	477	3	.....	.....	4	7	27	100	164	98	40	23	8	3	.....	.....	.....
Malarial fever	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Smallpox	23	3	.....	.....	2	.....	.....	3	8	3	2	1	.....	1	.....	.....	.....
Measles	12	3	5	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	18	1	1	5	5	1	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	54	31	10	6	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	201	9	22	33	29	28	56	13	6	3	2	.....	.....	.....	.....	.....	.....
Influenza	32	.....	.....	.....	1	.....	.....	2	2	2	3	3	10	7	1	1	.....
Cholera nostras	4	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
Dysentery	20	4	3	.....	.....	.....	.....	.....	2	.....	2	1	3	2	2	1	.....
Erysipelas	11	4	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	33	5	.....	.....	.....	.....	.....	.....	5	11	5	4	2	.....	.....	1	.....
Tuberculosis—total	599	12	7	6	3	.....	8	47	163	153	93	68	30	6	2	.....	1
Tuberculosis of lungs	547	8	5	2	2	.....	6	41	150	146	87	63	28	6	2	.....	1
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....
Tuberculous meningitis	13	3	1	3	1	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	14	1	1	.....	.....	.....	.....	2	4	2	2	2	.....	.....	.....	.....	.....
Pott's disease	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....
General tuberculosis	8	.....	.....	1	.....	.....	.....	2	2	1	.....	.....	2	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	15	9	.....	.....	.....	.....	1	.....	1	.....	2	1	.....	1	.....	.....	.....
Cancer	258	.....	.....	.....	.....	.....	2	3	6	19	45	80	65	35	3	.....	.....
Tumor	9	.....	.....	.....	.....	.....	1	.....	.....	.....	1	3	3	.....	1	.....	.....
Rheumatism	40	2	.....	.....	.....	.....	2	5	8	5	4	2	6	4	2	.....	.....
Diabetes	30	.....	.....	.....	.....	.....	.....	1	4	4	2	6	7	5	1	.....	.....
Anemia, leukemia	16	1	.....	1	1	.....	.....	1	2	1	.....	6	3	.....	.....	.....	.....
Alcoholism	29	.....	.....	.....	.....	.....	.....	1	3	9	11	3	1	1	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Other general diseases	6	2	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Encephalitis	11	1	1	2	1	1	.....	1	1	.....	2	.....	1	.....	.....	.....	.....
Meningitis	134	50	24	4	4	6	10	13	8	6	4	3	2	.....	.....	.....	.....
Apoplexy	202	8	.....	.....	.....	1	1	1	4	8	30	38	50	46	15	.....	.....
Softening of brain	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	5	.....	.....
Paralysis	55	.....	.....	.....	1	.....	1	3	2	3	9	7	9	12	7	1	.....
Epilepsy	7	.....	.....	.....	.....	.....	.....	1	2	2	1	1	.....	.....	.....	.....	.....
Convulsions	240	208	15	4	4	1	3	1	1	.....	3	.....	.....	.....	.....	.....	.....
Tetanus	22	5	1	.....	.....	.....	7	5	2	.....	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	104	4	1	.....	.....	.....	.....	3	14	19	19	20	12	11	1	.....	.....
Pericarditis	15	.....	.....	.....	.....	.....	.....	3	2	3	2	3	1	.....	1	.....	.....
Endocarditis	65	.....	.....	.....	1	.....	2	7	4	6	6	9	10	13	7	.....	.....
Heart disease	370	6	.....	1	1	1	6	13	28	38	67	62	82	51	14	.....	.....
Angina pectoris	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	6	7	5	.....	.....
Embolism and thrombosis	15	.....	.....	1	.....	.....	.....	2	2	3	1	1	2	3	.....	.....	.....
Other diseases of circulatory system	80	4	1	.....	.....	.....	.....	2	3	9	9	5	15	23	8	1	.....
Laryngitis	5	1	1	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	75	49	10	4	.....	1	1	.....	2	.....	.....	3	1	3	1	.....	.....
Chronic bronchitis	77	.....	1	.....	.....	.....	1	3	2	5	3	8	19	19	14	2	.....
Bronchopneumonia	127	51	20	5	3	1	5	2	3	4	4	4	8	13	4	.....	.....
Pneumonia	540	94	53	17	4	5	15	19	47	56	56	46	67	37	23	1	.....
Pleurisy	28	.....	1	.....	.....	.....	.....	4	4	4	5	4	4	2	.....	.....	.....
Congestion of lungs	26	5	.....	.....	.....	.....	.....	3	1	2	5	.....	1	6	3	.....	.....
Other diseases of respiratory system	44	3	.....	2	.....	.....	.....	1	4	1	3	5	14	9	2	.....	.....
Tonsilitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	57	9	2	1	.....	.....	1	.....	4	6	7	8	8	8	3	.....	.....
Diarrhea and enteritis	527	385	73	11	4	6	4	2	2	4	3	13	6	8	5	.....	1
Hernia and intestinal obstructions	56	14	.....	.....	.....	.....	3	1	2	6	8	6	9	4	1	2	.....
Cirrhosis of liver	41	.....	.....	.....	.....	.....	.....	.....	.....	2	13	17	7	2	.....	.....	.....
Other diseases of liver	45	2	.....	.....	.....	.....	1	2	4	5	6	10	7	6	2	.....	.....
Peritonitis	70	.....	.....	.....	.....	.....	4	10	16	20	8	5	4	2	1	.....	.....
Appendicitis	48	.....	1	.....	.....	.....	3	11	18	6	4	3	1	.....	1	.....	.....
Other diseases of digestive system	28	11	1	.....	1	.....	.....	.....	.....	2	3	5	4	1	.....	.....	.....
Acute nephritis	42	2	.....	.....	5	1	2	4	8	6	1	4	7	2	.....	.....	.....
Bright's disease	287	5	.....	.....	2	.....	1	4	15	23	49	55	71	45	17	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....
Ovarian tumor	6	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	2	.....	.....	.....
Other diseases of genito-urinary system	40	1	.....	1	.....	.....	.....	.....	7	7	3	3	7	9	2	.....	.....
Puerperal septicemia	27	.....	.....	.....	.....	.....	.....	4	13	8	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	16	.....	.....	.....	.....	.....	.....	.....	6	8	2	.....	.....	.....	.....	.....	.....
Diseases of skin	32	12	2	.....	.....	1	.....	.....	1	.....	2	1	4	5	4	.....	.....
Diseases of locomotor system	10	1	3	.....	.....	.....	.....	.....	2	1	.....	3	.....	.....	.....	.....	.....
Malformations	53	48	2	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	102	102	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	382	382	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	140	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	55	61	13	.....
Suicide	72	.....	.....	.....	.....	.....	.....	4	17	17	9	12	9	4	.....	.....	.....
Other violence	411	29	3	10	10	7	23	37	77	64	60	38	27	14	7	.....	5
Ill-defined causes	231	105	10	4	1	1	3	2	14	7	14	21	20	17	9	3	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

COLUMBUS, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,287	321	60	25	20	16	54	124	272	282	260	243	258	223	84	10	35
Typhoid fever	51	1	.....	.....	1	1	1	5	20	10	10	1	.....	.....	.....	.....	1
Malarial fever	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox	50	2	.....	.....	.....	.....	2	3	15	14	7	5	1	1	.....	.....	.....
Measles	16	3	3	.....	1	2	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	17	1	4	1	.....	2	3	3	2	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	25	9	6	4	2	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	7	.....	.....	2	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	14	1	.....	.....	.....	.....	.....	1	1	.....	1	1	2	4	3	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	9	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	.....	.....	.....
Erysipelas	9	1	.....	.....	.....	.....	.....	.....	2	2	1	1	1	1	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	18	2	.....	.....	.....	.....	2	1	3	6	2	.....	.....	.....	2	.....	.....
Tuberculosis—total	309	3	1	.....	2	1	2	30	106	73	49	25	9	4	.....	.....	4
Tuberculosis of lungs	294	2	1	.....	2	.....	2	29	103	71	45	24	9	4	.....	.....	2
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	5	1	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
General tuberculosis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal disease	3	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Cancer	91	.....	.....	.....	.....	.....	.....	2	4	8	12	25	23	14	3	.....	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....	.....
Rheumatism	15	.....	1	.....	.....	.....	1	2	.....	2	1	1	3	2	2	.....	.....
Diabetes	13	.....	.....	.....	.....	.....	.....	3	.....	.....	6	.....	4	.....	.....	.....	.....
Anemia, leukemia	12	.....	.....	.....	.....	.....	.....	2	1	1	2	3	2	1	.....	.....	.....
Alcoholism	14	.....	.....	.....	.....	.....	.....	.....	.....	6	5	2	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	49	13	6	3	2	1	4	4	4	3	4	3	2	.....	.....	.....	.....
Apoplexy	88	2	.....	.....	.....	.....	2	1	3	10	9	18	19	17	6	1	.....
Softening of brain	8	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	1	2	2	.....	.....
Paralysis	29	.....	.....	.....	.....	.....	1	1	.....	2	3	7	4	6	3	1	1
Epilepsy	16	.....	.....	.....	.....	.....	.....	4	3	4	1	1	1	1	.....	.....	1
Convulsions	23	21	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	70	1	.....	.....	.....	.....	1	2	4	9	18	18	14	3	.....	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Endocarditis	11	.....	.....	.....	.....	.....	1	1	.....	1	3	2	1	2	.....	.....	.....
Heart disease	139	1	.....	.....	.....	.....	.....	2	7	16	25	19	32	29	3	.....	5
Angina pectoris	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	.....	.....	.....
Embolism and thrombosis	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	2	.....	.....
Other diseases of circulatory system	20	5	.....	.....	.....	.....	.....	.....	1	2	.....	2	6	3	1	.....	.....
Laryngitis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	10	4	1	.....	.....	.....	.....	1	.....	.....	1	.....	2	1	.....	.....	.....
Chronic bronchitis	14	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	5	5	2	.....	.....
Bronchopneumonia	7	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Pneumonia	204	32	13	4	7	4	10	12	15	20	11	24	18	24	5	1	4
Pleurisy	9	.....	.....	.....	1	.....	.....	.....	1	1	3	1	1	1	.....	.....	.....
Congestion of lungs	8	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	3	1	.....	.....	1
Other diseases of respiratory system	21	1	.....	.....	.....	.....	.....	2	2	.....	4	2	3	3	4	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Diseases of stomach	35	3	2	.....	.....	.....	.....	1	3	6	2	8	7	1	1	.....	1
Diarrhea and enteritis	90	45	8	9	.....	.....	2	1	2	5	2	4	6	3	3	.....	.....
Hernia and intestinal obstructions	19	2	.....	1	.....	.....	1	.....	2	3	4	2	2	2	.....	.....	.....
Cirrhosis of liver	17	.....	.....	.....	.....	.....	.....	.....	1	2	5	3	4	.....	.....	.....	2
Other diseases of liver	21	.....	.....	.....	.....	.....	2	.....	1	3	4	2	7	1	.....	.....	1
Peritonitis	21	.....	.....	.....	.....	.....	.....	3	6	4	2	1	1	3	.....	.....	1
Appendicitis	17	.....	.....	.....	.....	.....	.....	5	7	3	2	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	16	3	1	.....	.....	1	.....	.....	3	1	2	2	.....	1	1	.....	1
Acute nephritis	10	.....	.....	.....	.....	.....	.....	1	2	1	1	2	1	1	1	.....	.....
Bright's disease	94	2	.....	.....	.....	.....	.....	2	2	10	15	21	25	15	1	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	1	.....	.....	.....
Other diseases of genito-urinary system	32	1	1	.....	.....	.....	.....	1	7	5	4	5	5	2	1	.....	.....
Puerperal septicemia	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	8	.....	.....	.....	.....	.....	.....	.....	4	3	1	.....	.....	.....	.....	.....	.....
Diseases of skin	12	1	1	.....	.....	.....	1	.....	.....	2	2	.....	.....	3	1	.....	1
Diseases of locomotor system	4	.....	1	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Malformations	13	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	37	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	77	77	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	84	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	41	28	2	.....
Suicide	21	.....	.....	.....	.....	.....	.....	2	5	5	4	3	.....	1	.....	.....	1
Other violence	152	7	5	1	.....	2	5	14	27	22	21	16	14	7	4	2	5
Ill-defined causes	70	17	2	.....	.....	.....	5	.....	2	6	5	6	7	8	5	2	5

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

DENVER, COLO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,706	357	59	37	30	20	60	131	406	447	362	266	281	181	60	4	5
Typhoid fever	82	.....	1	1	3	.....	5	10	27	18	9	2	4	2	.....	.....	.....
Malarial fever	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	4	1	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	28	3	1	6	4	6	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	11	4	2	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	50	2	3	4	8	3	14	9	4	1	1	.....	1	.....	.....	.....	.....
Influenza	14	.....	.....	.....	.....	.....	1	3	.....	3	1	1	3	2	.....	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....
Erysipelas	10	5	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	12	1	.....	.....	.....	.....	1	2	2	2	2	.....	1	1	.....	.....	.....
Tuberculosis—total	648	17	4	3	4	1	2	28	234	209	98	27	16	3	1	.....	1
Tuberculosis of lungs	603	8	1	.....	1	.....	1	23	230	203	91	25	15	3	1	.....	1
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....
Tuberculous meningitis	22	7	3	3	3	1	1	1	.....	1	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	7	1	.....	.....	.....	.....	.....	2	.....	2	2	.....	.....	.....	.....	.....	.....
Pott's disease	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
† Tuberculosis of other organs	5	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....
General tuberculosis	5	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	18	11	.....	.....	.....	.....	.....	.....	1	5	.....	.....	1	.....	.....	.....	.....
Cancer	93	.....	.....	.....	1	.....	.....	1	3	5	22	27	23	9	2	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Rheumatism	11	2	.....	.....	.....	.....	1	3	1	1	2	.....	.....	1	.....	.....	.....
Diabetes	14	.....	.....	.....	.....	.....	1	1	1	3	2	1	5	.....	.....	.....	.....
Anemia, leukemia	12	1	.....	.....	.....	.....	.....	.....	.....	.....	4	3	2	1	1	.....	.....
Alcoholism	18	.....	.....	.....	.....	.....	.....	.....	1	3	8	5	1	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Other general diseases	4	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Encephalitis	3	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	52	14	8	4	2	3	3	3	2	4	3	5	1	.....	.....	.....	.....
Apoplexy	75	4	1	.....	.....	.....	.....	.....	1	5	11	10	23	13	6	1	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....
Paralysis	14	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	6	2	.....	.....
Epilepsy	13	.....	.....	.....	.....	.....	1	2	1	1	3	3	1	1	.....	.....	.....
Convulsions	25	21	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	5	1	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	56	2	.....	.....	.....	.....	1	3	2	12	12	14	9	.....	1	.....	.....
Pericarditis	7	.....	.....	.....	.....	.....	2	.....	1	.....	3	.....	1	.....	.....	.....	.....
Endocarditis	18	.....	.....	.....	.....	.....	1	3	3	1	3	.....	4	3	.....	.....	.....
Heart disease	162	3	.....	.....	1	2	3	12	12	15	22	28	42	18	4	.....	.....
Angina pectoris	9	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	5	.....	.....	.....
Embolism and thrombosis	32	.....	.....	.....	.....	.....	.....	1	3	4	3	8	7	4	2	.....	.....
Other diseases of circulatory system	18	.....	.....	1	.....	1	.....	.....	1	3	.....	3	3	4	2	.....	.....
Laryngitis	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	11	5	1	1	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....
Chronic bronchitis	22	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	4	5	7	3	1	.....
Bronchopneumonia	18	5	4	1	.....	.....	1	.....	.....	.....	.....	3	1	2	1	.....	.....
Pneumonia	205	23	10	3	1	.....	2	3	16	28	29	35	31	17	6	1	.....
Pleurisy	9	1	.....	.....	.....	.....	1	.....	.....	.....	5	2	.....	.....	.....	.....	.....
Congestion of lungs	13	3	.....	2	.....	.....	.....	.....	1	.....	1	2	1	2	1	.....	.....
Other diseases of respiratory system	27	1	.....	.....	1	.....	1	1	4	4	4	1	7	2	1	.....	.....
Tonsilitis	3	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	35	3	2	1	.....	.....	.....	1	2	2	10	7	5	2	.....	.....	.....
Diarrhea and enteritis	113	74	17	2	.....	1	.....	.....	1	3	2	2	6	5	.....	.....	.....
Hernia and intestinal obstructions	20	1	.....	.....	1	.....	.....	.....	3	1	7	3	3	.....	1	.....	.....
Cirrhosis of liver	21	.....	.....	.....	.....	.....	.....	.....	.....	4	8	6	1	2	.....	.....	.....
Other diseases of liver	14	.....	.....	.....	.....	.....	.....	.....	.....	4	4	.....	3	1	1	.....	1
Peritonitis	31	1	.....	.....	1	.....	1	2	3	5	8	5	4	1	.....	.....	.....
Appendicitis	28	1	.....	.....	.....	.....	.....	9	3	7	4	2	.....	1	.....	.....	1
Other diseases of digestive system	11	2	.....	.....	1	.....	1	.....	1	2	1	.....	3	.....	.....	.....	.....
Acute nephritis	13	.....	1	.....	.....	.....	.....	1	2	4	1	3	.....	1	.....	.....	.....
Bright's disease	133	3	.....	2	.....	.....	.....	1	8	19	25	26	30	15	4	.....	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Uterine tumor	9	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	2	.....	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	.....	.....
Other diseases of genito-urinary system	35	.....	.....	.....	.....	.....	.....	1	7	9	2	.....	7	9	.....	.....	.....
Puerperal septicemia	12	.....	.....	.....	.....	.....	.....	2	4	4	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	13	.....	.....	.....	.....	.....	.....	1	6	5	1	.....	.....	.....	.....	.....	.....
Diseases of skin	3	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....
Diseases of locomotor system	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Malformations	15	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Premature birth	67	67	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	44	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	51	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	30	17	1	.....
Suicide	40	.....	.....	.....	.....	.....	.....	4	10	10	10	5	1	.....	.....	.....	.....
Other violence	132	6	.....	3	.....	1	4	16	25	30	17	14	9	5	2	.....	.....
Ill-defined causes	16	8	.....	.....	.....	.....	.....	.....	1	.....	1	1	3	.....	1	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

DETROIT, MICH.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,895	1,231	203	84	83	59	183	194	354	386	453	438	506	452	229	36	4
Typhoid fever	62				2			13	27	7	5	5	1	2			
Malarial fever	5								1		1	2	1				
Smallpox	11	2		1		1		1	2	4							
Measles	15	4	6	1	1	1	1	1									
Scarlet fever	22	1	2	3	2	7	5	1		1							
Whooping cough	58	32	13	5	1	2	4							1			
Diphtheria and croup	222	11	29	23	35	25	80	17	1	1							
Influenza	36	2			1		1		2	1	2	4	5	13	4	1	
Cholera nostras	5										1		1	3			
Dysentery	14	6				1							3	3	1		
Erysipelas	10	2	1							3	2	1		1			
Other epidemic diseases[1]																	
Septicemia	22	2		1		1	1	1	2	5	4	3	2				
Tuberculosis—total	375	13	7	3	2		7	45	106	81	57	31	14	8	1		
Tuberculosis of lungs	333	9	3	2	1		3	35	100	76	54	29	13	7	1		
Tuberculosis of larynx	3									1	1	1					
Tuberculous meningitis	13	4	3	1	1		2	1	1								
Abdominal tuberculosis	13		1					5	1	2	2	1	1				
Pott's disease	4						1	1	2								
Tuberculous abscess																	
White swelling	2						1	1									
Tuberculosis of other organs	3								1	1				1			
General tuberculosis	4							2	1	1							
Scrofula	2	2															
Venereal diseases	66	61	1						1	1		1			1		
Cancer	242					1	1		4	19	47	67	64	31	8		
Tumor	6									1	1	1	2	1			
Rheumatism	38						4	3	1	2	9	5	8	4	2		
Diabetes	32	1						2	1	4	3	6	11	3	1		
Anemia, leukemia	21	2	1				1		5	2	3	3	3	1			
Alcoholism	8	1							2	1	3		1				
Chronic poisonings	2										1	1					
Other general diseases	13	1	2	1				2	1			4	2				
Encephalitis	3	2							1								
Meningitis	82	32	9	2	8	2	9	9	4	3	2	1		1			
Apoplexy	153	4				1		1	2	12	16	31	36	35	14	1	
Softening of brain	2												2				
Paralysis	56					1	1			1	6	8	16	14	8		1
Epilepsy	8							1	1		5	1					
Convulsions	134	120	9	1	1		2		1								
Tetanus	9	4					2	2					1				
Other diseases of nervous system	46				1		1	1	1	10	7	11	7	5	2		
Pericarditis	1							1									
Endocarditis	20								4	2	5	3	4	1		1	
Heart disease	341	9		2	1	1	4	7	19	38	65	52	61	52	28	2	
Angina pectoris	29									1	5	6	8	9			
Embolism and thrombosis	7							1		1		1	3		1		
Other diseases of circulatory system	31	5	2					1		1	2	1	11	5	3		
Laryngitis																	
Acute bronchitis	91	58	6	5	3	3	2		1	1		1	4	4	3		
Chronic bronchitis	58	1	1					2	2		1	5	12	17	15	2	
Bronchopneumonia	151	59	21	6	7		10	3	4	4	4	8	7	10	8		
Pneumonia	340	75	18	5	9	2	12	13	20	25	38	29	43	37	13	1	
Pleurisy	16				1	1		3	2	3	1	1	1	3			
Congestion of lungs	16	3								1	2	1	4	4	1		
Other diseases of respiratory system	44	3	1	1	1	1		1	3	8	5	8	4	8			
Tonsilitis	2								2								
Diseases of stomach	74	22	6	1		1			2	9	7	11	4	9	2		
Diarrhea and enteritis	379	258	54	12	4	3	2	4	6	4	4	4	8	12	4		
Hernia and intestinal obstructions	59	7	2	1			2	1	1	5	10	7	14	8	1		
Cirrhosis of liver	42								3	6	6	10	15	2			
Other diseases of liver	44	1							1	3	10	6	13	7	3		
Peritonitis	49	2				1	1	4	16	10	5	4	3	3			
Appendicitis	44						5	11	14	6	2	3	2		1		
Other diseases of digestive system	16	5			1					3	2	2	1	1	1		
Acute nephritis	39	4		1		1	3	2	5	4	6	5	5	3			
Bright's disease	194	6	1	1			3	7	16	15	24	34	40	36	10	1	
Calculi of urinary tract	4									2		1	1				
Uterine tumor	5									3	2						
Ovarian tumor	4							1		1		1	1				
Other diseases of genito-urinary system	62	3							9	11	6	7	6	15	5		
Puerperal septicemia	24							1	10	11	2						
Other causes incident to childbirth	26							1	10	12	3						
Diseases of skin	24	3								5	3	2		6	4	1	
Diseases of locomotor system	6	1	1					2				2					
Malformations	47	43	1	1				1		1							
Premature birth	94	94															
Congenital debility	193	193															
Old age	138												13	44	63	18	
Suicide	34							1	5	7	7	6	5	2	1		
Other violence	243	17	3	7	2	2	17	24	31	21	42	20	23	17	10	4	3
Ill-defined causes	124	54	6				2	2	2	3	9	11	10	11	10	4	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

FALL RIVER, MASS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,342	864	168	53	44	28	78	78	137	171	167	191	185	122	44	6	6
Typhoid fever	24					1	1	4	4	7	2	2		2	1		
Malarial fever																	
Smallpox	1	1															
Measles	13	3	4	2	2		2										
Scarlet fever	19		5	2	4	2	5	1									
Whooping cough	13	9		2			2										
Diphtheria and croup	43	5	12	6	7	6	7										
Influenza	17	6	3				1				3	2	1	1			
Cholera nostras	4	1								2	1						
Dysentery	5	2	1												2		
Erysipelas	5	1								1	1	1	1				
Other epidemic diseases [1]																	
Septicemia	6									2	2	1	1				
Tuberculosis—total	214	11	4	3	4		7	26	53	50	30	19	5	2			
Tuberculosis of lungs	194	7	3	3	4		3	23	51	48	26	19	5	2			
Tuberculosis of larynx	2								1	1							
Tuberculous meningitis	6	3						1		1	1						
Abdominal tuberculosis	8	1	1				2	1			3						
Pott's disease	3						2	1									
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis	1								1								
Scrofula	1	1															
Venereal diseases	2	2															
Cancer	70							2	5	12	19	18	10	4			
Tumor	1										1						
Rheumatism	12						1			1	2	4	3	1			
Diabetes	17								1	1	2	5	6	2			
Anemia, leukemia	7	2							1		1	3					
Alcoholism	5									1	1	3					
Chronic poisonings																	
Other general diseases	1												1				
Encephalitis	2							1					1				
Meningitis	61	22	9	2	4	4	11	7	1		1						
Apoplexy	71	6	1				1		2	7	9	12	17	12	4		
Softening of brain	4												1	3			
Paralysis	20		1							1	3	2	7	4	1	1	
Epilepsy	1										1						
Convulsions	55	35	10	1	1	2			1	2			2				1
Tetanus	3	1						2									
Other diseases of nervous system	25	1					2	1		3	6	5	2	3	1	1	
Pericarditis	4		1					1				1		1			
Endocarditis	13						2	1	2	1		4	3				
Heart disease	109	1					1	5	5	11	17	22	30	12	5		
Angina pectoris	4										1		1	1	1		
Embolism and thrombosis	7	1							1	2			3				
Other diseases of circulatory system	9	1						1	3	1			1	1	1		
Laryngitis	4	2					1		1								
Acute bronchitis	60	38	12	5	2					1				2			
Chronic bronchitis	38		1					3	4	6	1	6	9	5	3		
Bronchopneumonia	63	27	16	8	5	2						2	1	2			
Pneumonia	201	50	28	6	5	2	14	3	11	13	18	22	15	9	5		
Pleurisy	13	1			1		1		1	2	2	2	2		1		
Congestion of lungs	11	3	1							1	2	1		2	1		
Other diseases of respiratory system	16	2		3			1	1	3	2		2	1		1		
Tonsilitis	2				1			1									
Diseases of stomach	27	5			1				1	5	3	4	5	3			
Diarrhea and enteritis	352	282	38	5	3	2	2	5		5	2	1	5	1	1		
Hernia and intestinal obstructions	10					1	1		1	1	2	1	1	2			
Cirrhosis of liver	10										3	3	3	1			
Other diseases of liver	8									1		1	3	3			
Peritonitis	20						1	1	7	6	2	3					
Appendicitis	6							2			2	1	1				
Other diseases of digestive system	5	1						2						2			
Acute nephritis	10				1	1	1		1	1	3	1	1				
Bright's disease	86	1	1	2		1		2	11	9	9	22	16	9	3		
Calculi of urinary tract																	
Uterine tumor	2										1	1					
Ovarian tumor	2											2					
Other diseases of genito-urinary system	12	1					1			1	2	1	1	4	1		
Puerperal septicemia	9								4	4	1						
Other causes incident to childbirth	7								3	4							
Diseases of skin	7						2					1	2	1		1	
Diseases of locomotor system	6	4		1	1												
Malformations	13	12	1														
Premature birth	131	131															
Congenital debility	123	123															
Old age	23												2	12	6	3	
Suicide	11							1	2	3	2		3				
Other violence	72	7	1	1	1	3	8	6	8	8	15	6	5	3			
Ill-defined causes	114	62	18	4	1	1	2	1	3		2	2	5	6	2		5

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

INDIANAPOLIS, IND.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,117	512	111	51	27	22	80	175	333	321	300	317	339	338	149	17	25
Typhoid fever	101		2	1	1	2	6	27	27	18	5	7	4				1
Malarial fever	7	1			1				1			1	1	2			
Smallpox	103	9			2	1	3	5	31	25	11	12	3	1			
Measles	14	5	5	1	1		1		1								
Scarlet fever	10				2	1	4	3									
Whooping cough	23	13	6	2			2										
Diphtheria and croup	35	3	5	4	3	7	9	3						1			
Influenza	22				1			1				5	5	3	6		1
Cholera nostras	2												1		1		
Dysentery	30	3	1							1	1	1	9	3	1		
Erysipelas	14	1	1	1					1	2		3		2	2		1
Other epidemic diseases[1]																	
Septicemia	22	1			1			6	2	4	1	2	4	1			
Tuberculosis—total	413	7	3	2	1	2	8	58	111	86	60	43	18	13			1
Tuberculosis of lungs	367	4			1	2	5	54	103	79	55	36	14	13			1
Tuberculosis of larynx	8		1						1	3		1	2				
Tuberculous meningitis	7	1	2	1			1					1	1				
Abdominal tuberculosis	15			1			1	3	3	2	3	1	1				
Pott's disease	1									1							
Tuberculous abscess	2										1	1					
White swelling																	
Tuberculosis of other organs	3	1							1			1					
General tuberculosis	10	1					1	1	3	1	1	2					
Scrofula																	
Venereal diseases	9	5							1	1		2					
Cancer	110							1	5	11	17	28	26	17	2		3
Tumor	1									1							
Rheumatism	19							1	2		2	3	4	5	2		
Diabetes	21						2	3	1	3		2	7	2	1		
Anemia, leukemia	13		1	1			1	1	1		1	3	2	1	1		
Alcoholism	7									2	1	4					
Chronic poisonings	3									1	1			1			
Other general diseases	10	3					1	1	1	2	1		1				
Encephalitis	2			1	1												
Meningitis	64	22	13	5	3	1	6	4	1	3		1	2	2			1
Apoplexy	112	5	1	1			1	1	2	6	13	15	20	39	8		
Softening of brain	5										1	2	1	1			
Paralysis	46			1					1	1	2	4	11	17	9		
Epilepsy	15								2	6	6				1		
Convulsions	27	13	4				2		1	3		2	1	1			
Tetanus	9	3							4			1	1				
Other diseases of nervous system	68		1				2	2	5	12	20	13	8	3	2		
Pericarditis	1												1				
Endocarditis	23						1		1	2	6	2	3	5	2		1
Heart disease	201	3					2	4	10	18	31	40	40	44	8		1
Angina pectoris	13								1	1		4	4	3			
Embolism and thrombosis	5	1						1	1				1	1			
Other diseases of circulatory system	28	2			1				1	2	3	5	2	9	3		
Laryngitis	1					1											
Acute bronchitis	16	5	3	1	1		1		1			1		3			
Chronic bronchitis	26								2	2	1	1	5	10	4	1	
Bronchopneumonia	44	11	9	3		1	2	1		1	1	4	4	4	3		
Pneumonia	197	34	12	9		1	7	9	18	12	17	18	34	16	7		3
Pleurisy	8										3	1	2		2		
Congestion of lungs	36	10	1			1	1	3	1	1	1	5	6	5		1	
Other diseases of respiratory system	24	2	1		1		3		1	2	1	3	2	6	1		1
Tonsilitis	1								1								
Diseases of stomach	51	5		2	1		1	1	1	6	12	4	11	5	1		1
Diarrhea and enteritis	178	82	32	11	2			3	2	10	4	5	13	10	3		1
Hernia and intestinal obstructions	26	4		1		2		1	3	1	2	2	6	3	1		
Cirrhosis of liver	27									3	7	8	5	3	1		
Other diseases of liver	19	1	1							4	3	2	5	2	1		
Peritonitis	26		2				2	2	6	7	4	1	1	1			
Appendicitis	12						2	1	3	2	4						
Other diseases of digestive system	13	3						1	1	2	2	2	2				
Acute nephritis	8							2		3	1		1	1			
Bright's disease	117	1						5	8	9	17	22	25	20	9		1
Calculi of urinary tract	1												1				
Uterine tumor	2								1	1							
Ovarian tumor	5								3	1			1				
Other diseases of genito-urinary system	37	2							2	4	6	2	9	10	1	1	
Puerperal septicemia	10							2	4	4							
Other causes incident to childbirth	5								2	2	1						
Diseases of skin	14						2		2	4	1		3		2		
Diseases of locomotor system	5		1						1	1		2		1			
Malformations	16	15															
Premature birth	74	74															
Congenital debility	114	114															
Old age	116												8	41	52	13	2
Suicide	24							1	5	8	4	1	2	1			2
Other violence	167	7	1	4	1	2	7	19	46	17	21	17	5	10	5	1	4
Ill-defined causes	99	42	5		3		1	2	4	3	4	11	8	9	7		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

JERSEY CITY, N. J.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,144	868	241	105	67	42	149	149	394	482	425	437	380	286	103	12	4
Typhoid fever	33				1	1		6	7	8	6	2	2				
Malarial fever	5											1	1	3			
Smallpox	1	1															
Measles	18	4	7	1	4		2										
Scarlet fever	27		1	5	3	2	12	3		1							
Whooping cough	23	8	10	3	1	1											
Diphtheria and croup	118	2	23	24	20	13	31	4	1								
Influenza	15			1		1	1	1	1			3	2	3	2		
Cholera nostras	8	2		1			1			1			2	1			
Dysentery	19	3	2	3			1	1	2	3		3			1		
Erysipelas	9	4		1						1	1		2				
Other epidemic diseases [1]	1							1									
Septicemia	16		1					2	2	6	2	2		1			
Tuberculosis—total	545	12	10	4	4	2	11	41	152	157	92	26	21	11	1		1
Tuberculosis of lungs	507	6	4	3	1	1	6	38	149	154	88	26	20	10	1		
Tuberculosis of larynx	4							1	1		1			1			
Tuberculous meningitis	15	2	6	1	3		2										1
Abdominal tuberculosis	7	2					2			1	1		1				
Pott's disease	1							1									
Tuberculous abscess	1									1							
White swelling	2					1				1							
Tuberculosis of other organs	4	1					1				2						
General tuberculosis	4	1						1	2								
Scrofula																	
Venereal diseases	5	1							2	1			1				
Cancer	126								3	14	19	35	34	17	3		1
Tumor																	
Rheumatism	15			1		1	1			2		4	1	3	2		
Diabetes	25							1	2	1	5	4	11	1			
Anemia, leukemia	14		1					1	3	2	4	1	2				
Alcoholism	49								9	14	15	6	5				
Chronic poisonings	2									1		1					
Other general diseases	3						1	1				1					
Encephalitis	4									1	1	1		1			
Meningitis	124	49	20	15	5	1	12	6	7	5	1	1	2				
Apoplexy	207	12	6	2				1	1	11	25	42	46	47	14		
Softening of brain	4								1					3			
Paralysis	25		1			1		2	1	2	3	7	3	3	2		
Epilepsy	8			1		1		2	1		2		1				
Convulsions	105	76	6	6	6	2	2	1	5	1							
Tetanus	4	4															
Other diseases of nervous system	51	2	1				2	1	4	3	8	9	7	9	5		
Pericarditis	5							1				2			2		
Endocarditis	45	3	1			2	4	3	3	5	4	10	3	6		1	
Heart disease	262	11			1		6	8	16	22	42	55	47	41	11	2	
Angina pectoris	15										2	4	3	5	1		
Embolism and thrombosis	7								1	1	1	2	2				
Other diseases of circulatory system	35	3	1	1					1	3	1	5	7	9	4		
Laryngitis	8	1	4		1				1	1							
Acute bronchitis	56	40	10			1		1					3	1			
Chronic bronchitis	43							2	2	2	3	4	10	15	3	2	
Bronchopneumonia	103	50	20	4	4	3	5		1	1	1	5	4	2	3		
Pneumonia	399	52	48	8	5	5	18	10	31	48	48	51	41	27	7		
Pleurisy	9	1					1	1	2	1	1	2					
Congestion of lungs	18	1							2	3		4	4	2	2		
Other diseases of respiratory system	13	1	1		2		2	1	1	1	2	1		1			
Tonsilitis	2								1	1							
Diseases of stomach	56	9	4					1	6	7	4	4	8	9	3	1	
Diarrhea and enteritis	281	187	39	11	2	1	3	1	4	7	4	7	8	6	1		
Hernia and intestinal obstructions	43	6					1	1	3	5	6	8	6	5		1	1
Cirrhosis of liver	53			1					2	10	18	13	8	1			
Other diseases of liver	18	1					1		5	2	2	3	2	1		1	
Peritonitis	26	1					3	4	5	6	3	2		2			
Appendicitis	17						1	8	1	5	1	1					
Other diseases of digestive system	16	4	1				1	1	1		2	1	1	1	3		
Acute nephritis	49	2	3	1			4	5	9	11	3	5	3	3			
Bright's disease	218	1		1	1		1	2	18	29	43	52	36	23	9	1	1
Calculi of urinary tract																	
Uterine tumor	2										1		1				
Ovarian tumor	2											1	1				
Other diseases of genito-urinary system	22							1	1	5	2	3	7	3			
Puerperal septicemia	9							4	3	2							
Other causes incident to childbirth	18							1	7	8	2						
Diseases of skin	17			1		2				1	2	1	5	2	3		
Diseases of locomotor system	3							1	1	1							
Malformations	46	44	2														
Premature birth	62	62															
Congenital debility	111	111															
Old age	27												1	9	15	2	
Suicide	44							3	6	14	9	9	3				
Other violence	246	16	3	6	6	1	19	12	53	42	33	30	17	4	3	1	
Ill-defined causes	129	81	15	3	1	1	2	2	3	3	1	3	6	5	3		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

KANSAS CITY, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,008	499	116	37	21	15	66	168	423	397	327	312	296	223	84	17	7
Typhoid fever	139	.....	3	1	1	1	7	24	52	23	10	12	2	3	.....	.....	.....
Malarial fever	14	1	1	1	.....	.....	.....	.....	3	2	3	1	1	1	.....	.....	.....
Smallpox	8	1	.....	.....	.....	.....	.....	1	.....	3	2	1	.....	.....	.....	.....	.....
Measles	3	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	14	2	.....	1	2	2	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	17	13	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	23	2	5	1	1	7	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	22	1	1	.....	.....	.....	.....	1	2	1	2	.....	7	5	1	.....	1
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Dysentery	11	3	1	1	.....	.....	.....	.....	.....	1	1	1	1	1	1	.....	.....
Erysipelas	9	1	.....	.....	.....	.....	.....	.....	1	2	.....	2	1	2	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	51	2	.....	.....	.....	.....	.....	5	8	13	9	5	5	3	1	.....	.....
Tuberculosis—total	375	10	5	2	2	1	8	36	118	91	42	32	20	5	1	1	1
Tuberculosis of lungs	352	9	3	1	2	.....	7	33	112	86	42	30	19	5	1	1	1
Tuberculosis of larynx	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	6	1	1	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	11	.....	1	.....	.....	.....	.....	1	3	4	.....	1	1	.....	.....	.....	.....
Pott's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
Scrofula	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Venereal diseases	8	.....	.....	.....	.....	.....	.....	.....	3	1	2	1	.....	.....	.....	.....	1
Cancer	96	.....	.....	.....	.....	.....	.....	.....	5	13	18	30	22	5	3	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Rheumatism	8	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	1	.....	.....	.....	.....
Diabetes	9	.....	.....	.....	.....	.....	2	.....	1	.....	.....	1	3	2	.....	.....	.....
Anemia, leukemia	5	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
Alcoholism	13	.....	.....	.....	.....	.....	.....	.....	1	4	4	2	2	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Other general diseases	3	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Encephalitis	8	3	2	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	67	28	13	1	.....	.....	3	7	6	6	1	.....	2	.....	.....	.....	.....
Apoplexy	76	.....	1	.....	.....	.....	1	1	.....	8	13	18	16	15	3	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
Paralysis	47	1	.....	1	.....	.....	1	3	.....	2	5	7	15	7	4	1	.....
Epilepsy	7	1	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....
Convulsions	20	14	.....	1	.....	1	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Tetanus	9	2	.....	.....	.....	.....	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	32	1	1	.....	.....	1	1	.....	2	7	7	7	3	1	1	.....	.....
Pericarditis	13	.....	.....	.....	.....	.....	.....	.....	2	2	3	4	1	1	.....	.....	.....
Endocarditis	33	.....	.....	.....	.....	.....	.....	1	2	4	9	3	6	7	1	.....	.....
Heart disease	142	2	.....	.....	.....	.....	2	4	22	16	22	23	30	18	3	.....	.....
Angina pectoris	10	.....	.....	.....	.....	.....	.....	1	.....	.....	2	2	2	3	1	.....	.....
Embolism and thrombosis	13	.....	.....	.....	.....	.....	.....	.....	2	4	2	1	2	2	.....	.....	.....
Other diseases of circulatory system	20	3	1	.....	.....	.....	.....	3	4	3	.....	3	2	1	.....	.....	.....
Laryngitis	3	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	29	18	3	2	.....	.....	.....	1	.....	1	1	.....	1	1	1	.....	.....
Chronic bronchitis	15	1	.....	.....	.....	.....	2	1	.....	.....	.....	1	.....	7	2	1	.....
Bronchopneumonia	20	8	4	1	.....	.....	.....	.....	1	1	1	.....	.....	3	1	.....	.....
Pneumonia	316	63	19	10	6	.....	10	17	34	40	27	33	26	20	10	1	.....
Pleurisy	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Congestion of lungs	10	2	1	.....	.....	.....	.....	.....	2	1	1	.....	1	1	1	.....	.....
Other diseases of respiratory system	28	4	1	1	2	.....	1	1	3	4	1	3	3	3	1	.....	.....
Tonsilitis	5	1	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	47	6	2	.....	.....	.....	.....	2	5	4	6	9	9	3	.....	1	.....
Diarrhea and enteritis	135	72	27	5	.....	.....	1	2	3	1	4	5	8	6	1	.....	.....
Hernia and intestinal obstructions	18	1	.....	.....	.....	.....	1	1	4	2	3	1	4	1	.....	.....	.....
Cirrhosis of liver	15	.....	.....	.....	.....	.....	.....	.....	.....	2	7	4	.....	2	.....	.....	.....
Other diseases of liver	22	1	.....	.....	.....	.....	.....	.....	3	2	5	2	4	4	1	.....	.....
Peritonitis	48	2	.....	.....	.....	.....	1	7	16	16	3	2	.....	1	.....	.....	.....
Appendicitis	12	.....	.....	.....	.....	1	.....	5	3	2	.....	1	.....	.....	.....	.....	.....
Other diseases of digestive system	13	3	1	.....	.....	.....	.....	.....	1	1	3	2	.....	1	1	.....	.....
Acute nephritis	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bright's disease	157	2	.....	.....	.....	.....	3	3	9	14	22	34	38	27	5	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	22	.....	.....	.....	.....	.....	.....	2	4	4	1	1	6	4	.....	.....	.....
Puerperal septicemia	12	.....	.....	.....	.....	.....	.....	2	9	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	11	.....	.....	.....	.....	.....	.....	2	4	4	1	.....	.....	.....	.....	.....	.....
Diseases of skin	7	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	1	.....	1	.....
Diseases of locomotor system	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	51	51	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	109	109	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	72	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	24	33	9	.....
Suicide	41	.....	.....	.....	.....	.....	.....	1	15	9	8	4	1	1	.....	.....	2
Other violence	218	4	3	2	4	.....	3	22	51	54	37	18	11	6	3	.....	.....
Ill-defined causes	219	48	15	4	2	.....	2	3	16	20	25	29	25	22	4	2	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

LOS ANGELES, CAL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,066	305	75	42	41	15	90	141	381	441	396	349	375	283	110	13	9
Typhoid fever	63	1	1	2	2	2	8	12	11	9	7	4	3	1			
Malarial fever	1									1							
Smallpox																	
Measles	10		3	1	1		1	1	3								
Scarlet fever	23		1		2	3	10	4	1	1							1
Whooping cough	11	6	1	1	3												
Diphtheria and croup	48	3	8	7	7		12	3	5	2		1					
Influenza	15					2			1			1	6	4	1		
Cholera nostras																	
Dysentery	16	2	1						2		3	3	2	3			
Erysipelas	15	3						2		3	2	2	2		1		
Other epidemic diseases[1]	3						2		1								
Septicemia	35						2	8	9	7	4		3		2		
Tuberculosis—total	640	8	4	4	1	1	3	34	168	192	111	55	41	15			3
Tuberculosis of lungs	598	7	2	3	1		1	27	162	183	105	53	38	13			3
Tuberculosis of larynx	3							1	1					1			
Tuberculous meningitis	11		1	1		1	1	2		1	1	1	1	1			
Abdominal tuberculosis	14	1						1	2	6	2		2				
Pott's disease	5								2	2	1						
Tuberculous abscess																	
White swelling	3						1	2									
Tuberculosis of other organs	4		1						1		1	1					
General tuberculosis	2							1			1						
Scrofula	1							1									
Venereal diseases	2	1							1								
Cancer	146		1					1	5	13	31	37	28	24	6		
Tumor	3										1	1	1				
Rheumatism	8						1	1	1	2		1	1		1		
Diabetes	23							1	1	1	3	9	7	1			
Anemia, leukemia	17	1					2	1	4	3	2	2	1	1			
Alcoholism	11								2	2	4	1	2				
Chronic poisonings																	
Other general diseases	3								2	1							
Encephalitis	4				1				1	1	1						
Meningitis	84	19	6	5	4		11	5	8	14	6	1	3	2			
Apoplexy	90	3						1	5	8	10	18	19	15	10	1	
Softening of brain	10										1		3	5	1		
Paralysis	46		1					1	1	3	1	8	12	13	6		
Epilepsy	4								2		1			1			
Convulsions	18	9	2	1	1		1		2	1	1						
Tetanus	11	1			1	1	2		2	3			1				
Other diseases of nervous system	48		1	1				2	4	4	12	10	7	6	1		
Pericarditis	4							1		1	1		1				
Endocarditis	38			1				3	3	2	8	6	9	4	2		
Heart disease	201	5		1			6	9	16	17	23	41	47	29	6	1	
Angina pectoris	28	1							1		4	5	8	7	2		
Embolism and thrombosis	14	1							2	3			5	2	1		
Other diseases of circulatory system	39	1						3		2	8	8	7	7	3		
Laryngitis	2		2														
Acute bronchitis	25	11	3	1	2				1	1		1	3	1	1		
Chronic bronchitis	22		1				1			1		2	8	7	2		
Bronchopneumonia	31	7	4	3			1		1	2	3		6	2	1	1	
Pneumonia	210	23	12	5	5	2	9	6	14	26	24	25	20	31	7		1
Pleurisy	9									2	1	2	3	1			
Congestion of lungs	20	2					2	1	2	3	2	1	3	2	2		
Other diseases of respiratory system	14	2							1	1	1	2	5	2			
Tonsilitis	2							1	1								
Diseases of stomach	31	5					1		2	5	3	6	2	5	2		
Diarrhea and enteritis	103	59	12	8	1	1	2	2		2	2	2	7	1	4		
Hernia and intestinal obstructions	22	5						1		4	3	3	4	2			
Cirrhosis of liver	20								2	1	4	6	7				
Other diseases of liver	14									3	2	2	1	4	2		
Peritonitis	42	2						2	16	11	4	2	4	1			
Appendicitis	21							3	5	4	3	2	1	3			
Other diseases of digestive system	10	1	1						1	2	2	1	2				
Acute nephritis	23	2	2			1	3	3		5	2		3	2			
Bright's disease	158	3			2		1	3	13	8	26	33	36	24	8	1	
Calculi of urinary tract	1												1				
Uterine tumor	3								1	1	1						
Ovarian tumor	1										1						
Other diseases of genito-urinary system	24							1	3	2	3	5	2	4	4		
Puerperal septicemia	2								2								
Other causes incident to childbirth	1									1							
Diseases of skin	12								3		2	3	1	1	2		
Diseases of locomotor system	4		1				1		1	1							
Malformations	10	10															
Premature birth	25	25															
Congenital debility	57	57															
Old age	71												9	25	30	7	
Suicide	60							1	8	16	17	9	8	1			
Other violence	196	4	2		5	1	4	19	33	38	37	22	11	15	1	1	3
Ill-defined causes	87	22	5	1	3	1	1	2	8	6	9	7	7	12	1	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

LOUISVILLE, KY.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,021	681	141	76	45	49	111	242	422	435	444	443	409	338	152	31	2
Typhoid fever	129	2	.....	.....	2	2	6	34	31	25	17	6	3	1	.....	.....	.....
Malarial fever	5	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	1	.....	.....	.....	.....
Smallpox	17	.....	.....	.....	1	.....	1	2	6	2	1	3	.....	1	.....	.....	.....
Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	13	.....	.....	2	4	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	44	23	8	2	1	1	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	70	5	7	11	4	20	19	3	.....	.....	.....	1	.....	.....	.....	.....	.....
Influenza	16	.....	.....	.....	.....	.....	.....	2	2	1	2	2	2	3	2	.....	.....
Cholera nostras	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	2	.....	.....	.....
Dysentery	38	2	.....	1	.....	.....	.....	1	2	3	7	11	3	4	4	.....	.....
Erysipelas	16	1	1	.....	.....	.....	.....	.....	2	3	2	4	1	2	.....	.....	.....
Other epidemic diseases [1]	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	38	1	1	1	.....	.....	.....	8	6	5	7	8	1	.....	.....	.....	.....
Tuberculosis—total	504	12	7	6	3	2	8	55	133	117	89	43	22	6	.....	1	.....
Tuberculosis of lungs	462	9	6	2	1	2	5	47	126	113	84	41	19	6	.....	1	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....
Tuberculous meningitis	14	1	1	4	2	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	14	2	.....	.....	.....	.....	.....	5	2	1	2	.....	2	.....	.....	.....	.....
Pott's disease	5	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	29	18	1	.....	.....	.....	.....	.....	4	2	1	.....	3	.....	.....	.....	.....
Cancer	120	.....	.....	.....	.....	.....	.....	.....	5	16	24	32	25	16	2	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Rheumatism	16	1	1	.....	.....	.....	1	1	1	1	3	5	.....	2	.....	.....	.....
Diabetes	15	.....	.....	.....	.....	.....	.....	.....	1	2	1	4	6	1	.....	.....	.....
Anemia, leukemia	11	.....	.....	.....	1	1	1	1	1	.....	2	3	1	.....	.....	.....	.....
Alcoholism	6	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	1
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	5	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	1	.....	1	.....	.....
Encephalitis	11	3	.....	2	.....	.....	1	1	.....	2	.....	1	.....	.....	1	.....	.....
Meningitis	115	38	20	9	4	3	14	8	5	6	3	3	2	.....	.....	.....	.....
Apoplexy	160	2	1	.....	.....	.....	1	.....	5	15	26	38	39	26	6	1	.....
Softening of brain	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	5	3	3	.....	.....
Paralysis	88	1	.....	3	.....	2	.....	.....	2	6	12	13	26	14	7	2	.....
Epilepsy	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	.....	.....	.....
Convulsions	92	68	12	3	.....	.....	.....	2	1	2	2	2	.....	.....	.....	.....	.....
Tetanus	21	4	.....	.....	.....	.....	5	9	1	2	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	39	2	2	1	.....	.....	.....	.....	7	4	10	6	5	2	.....	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Endocarditis	11	.....	.....	.....	1	.....	.....	1	.....	2	2	.....	2	2	1	.....	.....
Heart disease	257	6	.....	.....	.....	2	3	13	13	35	40	48	54	32	11	.....	.....
Angina pectoris	19	.....	.....	.....	.....	.....	.....	.....	1	4	4	3	3	3	1	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....
Other diseases of circulatory system	28	5	.....	2	.....	.....	.....	.....	2	6	3	5	2	2	1	.....	.....
Laryngitis	5	2	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	42	16	7	4	3	2	.....	.....	3	1	.....	2	2	1	.....	1	.....
Chronic bronchitis	58	4	2	1	.....	.....	.....	8	5	4	3	6	12	12	1	.....	.....
Bronchopneumonia	23	9	4	1	4	.....	.....	1	.....	.....	.....	2	1	.....	1	.....	.....
Pneumonia	302	55	18	11	4	4	12	16	32	35	33	29	25	15	12	1	.....
Pleurisy	13	.....	.....	.....	.....	.....	.....	3	3	2	.....	2	2	.....	.....	.....	1
Congestion of lungs	23	7	.....	.....	.....	.....	.....	1	3	.....	2	1	3	6	.....	.....	.....
Other diseases of respiratory system	42	1	1	.....	1	.....	.....	3	3	3	8	7	7	6	2	.....	.....
Tonsilitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	41	6	.....	.....	.....	.....	.....	.....	5	7	7	8	6	1	1	.....	.....
Diarrhea and enteritis	155	81	24	2	2	.....	2	2	7	5	3	11	9	6	1	.....	.....
Hernia and intestinal obstructions	39	5	.....	2	.....	1	1	2	1	5	3	6	5	8	.....	.....	.....
Cirrhosis of liver	32	.....	.....	.....	.....	.....	.....	.....	.....	4	9	12	5	1	1	.....	.....
Other diseases of liver	42	3	.....	.....	.....	.....	.....	1	6	5	8	7	9	2	1	.....	.....
Peritonitis	48	1	.....	.....	1	.....	.....	7	13	15	5	2	3	1	.....	.....	.....
Appendicitis	21	.....	.....	.....	.....	.....	3	4	8	2	1	.....	3	.....	.....	.....	.....
Other diseases of digestive system	5	1	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Acute nephritis	17	1	2	.....	1	.....	.....	3	4	3	1	.....	.....	2	.....	.....	.....
Bright's disease	206	1	1	1	2	2	2	5	13	22	38	37	41	30	11	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....
Other diseases of genito-urinary system	30	2	.....	1	.....	.....	.....	2	5	3	7	3	3	4	.....	.....	.....
Puerperal septicemia	13	.....	.....	.....	.....	.....	.....	3	7	3	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	12	1	.....	.....	.....	.....	1	.....	.....	.....	1	6	1	2	.....	.....	.....
Diseases of locomotor system	5	1	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....
Malformations	12	10	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	42	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	167	167	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	221	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23	100	75	23	.....
Suicide	29	.....	.....	.....	.....	.....	.....	1	6	9	6	3	3	1	.....	.....	.....
Other violence	165	2	3	4	4	2	8	28	38	23	20	20	5	4	2	2	.....
Ill-defined causes	231	69	13	4	2	1	7	9	19	14	20	28	30	11	4	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

MEMPHIS, TENN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,023	300	108	49	30	14	58	138	345	267	213	193	157	100	36	9	6
Typhoid fever	47	1	.....	.....	.....	.....	5	8	14	12	4	3	.....	.....	.....	.....	.....
Malarial fever	133	13	8	7	1	3	12	16	26	16	10	8	9	3	1	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Measles	4	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	6	1	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	54	27	14	8	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	12	5	2	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	38	3	2	2	.....	1	.....	5	7	4	4	5	.....	5	.....	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Dysentery	25	1	1	.....	.....	.....	2	1	2	4	2	4	4	3	1	.....	.....
Erysipelas	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	8	2	.....	.....	.....	.....	1	.....	2	2	1	.....	.....	.....	.....	.....	.....
Tuberculosis—total	217	3	1	.....	6	.....	7	26	77	48	21	17	9	2	.....	.....	.....
Tuberculosis of lungs	204	1	.....	.....	4	.....	6	24	76	47	20	16	8	2	.....	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	4	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	4	.....	.....	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	3	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	21	6	.....	.....	.....	.....	.....	.....	5	3	3	4	.....	.....	.....	.....	.....
Cancer	51	.....	.....	.....	.....	.....	.....	3	3	11	6	15	10	3	.....	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	8	.....	.....	.....	.....	1	.....	1	1	2	.....	3	.....	.....	.....	.....	.....
Diabetes	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
Anemia, leukemia	5	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	1	.....	.....	.....	.....
Alcoholism	14	.....	.....	.....	.....	.....	.....	.....	.....	2	9	2	.....	.....	.....	.....	1
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Encephalitis	6	1	.....	1	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	27	6	1	1	3	1	4	3	2	5	1	.....	.....	.....	.....	.....	.....
Apoplexy	43	5	2	.....	.....	2	.....	1	3	5	5	7	5	5	3	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....
Paralysis	22	.....	.....	.....	.....	.....	.....	.....	.....	1	6	7	4	4	.....	.....	.....
Epilepsy	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Convulsions	16	14	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	8	3	.....	.....	.....	.....	1	.....	2	.....	.....	.....	2	.....	.....	.....	.....
Other diseases of nervous system	19	2	.....	.....	.....	.....	.....	1	7	2	5	1	1	.....	.....	.....	.....
Pericarditis	10	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	3	2	.....	.....	.....
Endocarditis	13	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	4	4	.....	.....	.....
Heart disease	96	1	.....	.....	.....	.....	.....	4	10	14	18	22	19	6	1	.....	1
Angina pectoris	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	.....	3	2	.....	2	2	1	.....	.....	.....
Other diseases of circulatory system	11	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	3	3	.....	1	.....
Laryngitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	22	7	5	4	3	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Chronic bronchitis	25	.....	.....	.....	.....	.....	2	1	8	3	2	3	3	2	1	.....	.....
Bronchopneumonia	23	11	4	2	.....	.....	1	.....	.....	.....	2	1	1	.....	1	.....	.....
Pneumonia	151	16	13	3	1	.....	.....	17	25	20	20	14	14	4	3	.....	1
Pleurisy	9	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	2	.....	.....	.....	.....
Congestion of lungs	8	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	2	2	1	.....	.....
Other diseases of respiratory system	17	1	1	.....	.....	1	.....	1	3	2	2	1	5	.....	.....	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	25	2	3	2	.....	.....	1	.....	6	4	2	4	1	.....	.....	.....	.....
Diarrhea and enteritis	151	64	31	7	.....	.....	2	1	7	5	12	8	7	3	3	1	.....
Hernia and intestinal obstructions	13	1	1	1	.....	.....	.....	.....	3	3	.....	3	1	.....	.....	.....	.....
Cirrhosis of liver	12	.....	.....	.....	.....	.....	.....	.....	.....	1	6	4	.....	1	.....	.....	.....
Other diseases of liver	21	1	1	.....	.....	.....	1	2	2	6	6	.....	1	.....	1	.....	.....
Peritonitis	29	.....	.....	.....	.....	.....	4	1	9	5	6	4	.....	.....	.....	.....	.....
Appendicitis	22	.....	.....	.....	.....	.....	1	7	6	5	2	1	.....	.....	.....	.....	.....
Other diseases of digestive system	10	2	1	.....	1	.....	1	1	1	1	1	1	.....	.....	.....	.....	.....
Acute nephritis	8	1	.....	.....	1	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....	.....
Bright's disease	95	1	1	.....	.....	.....	.....	.....	13	11	16	21	18	12	2	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	6	.....	.....	.....	.....	.....	.....	.....	1	3	2	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	20	.....	.....	.....	.....	1	.....	1	2	4	3	2	3	3	1	.....	.....
Puerperal septicemia	10	.....	.....	.....	.....	.....	.....	3	6	1	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	16	.....	.....	.....	.....	.....	.....	4	7	5	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	9	.....	.....	.....	.....	.....	1	1	2	2	1	1	1	.....	.....	.....	.....
Diseases of locomotor system	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	8	4	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	32	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	24	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	13	10	4	.....
Suicide	8	.....	.....	.....	.....	.....	.....	.....	5	2	1	.....	.....	.....	.....	.....	.....
Other violence	140	5	4	3	4	1	1	16	41	29	15	4	6	5	2	1	3
Ill-defined causes	125	29	6	3	3	1	2	7	13	15	10	11	9	10	4	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

MILWAUKEE, WIS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,095	1,103	170	69	41	26	104	199	325	301	325	373	401	412	228	16	2
Typhoid fever	51	.....	1	.....	.....	.....	4	15	15	6	5	3	1	1	.....	.....	.....
Malarial fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Smallpox	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	4	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	11	.....	1	2	1	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	52	33	10	4	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	63	4	7	7	9	6	21	6	2	1	.....	.....	.....	.....	.....	.....	.....
Influenza	74	3	1	.....	.....	.....	.....	3	1	4	9	8	12	22	9	2	.....
Cholera nostras	4	1	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Dysentery	8	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	1	1	.....	.....
Erysipelas	8	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	6	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....
Tuberculosis—total	458	13	6	5	3	3	9	52	138	86	54	41	33	11	4	.....	.....
Tuberculosis of lungs	387	3	3	3	2	3	4	46	125	78	46	37	25	9	3	.....	.....
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	1	.....	.....	.....
Tuberculous meningitis	25	7	3	2	1	.....	4	3	2	2	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	18	2	.....	.....	.....	.....	.....	1	3	3	4	.....	5	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	1	.....	.....
Tuberculosis of other organs	7	.....	.....	.....	.....	.....	.....	1	4	.....	.....	1	1	.....	.....	.....	.....
General tuberculosis	6	1	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	1	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	9	4	.....	.....	.....	.....	.....	1	.....	3	1	.....	.....	.....	.....	.....	.....
Cancer	215	1	.....	1	1	.....	1	3	3	13	36	53	54	41	8	.....	.....
Tumor	4	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	1	.....	.....	.....
Rheumatism	22	.....	.....	.....	.....	.....	2	7	2	.....	3	4	2	1	1	.....	.....
Diabetes	32	.....	.....	1	.....	.....	.....	4	2	4	3	5	7	6	.....	.....	.....
Anemia, leukemia	7	.....	.....	.....	.....	.....	1	1	.....	3	1	.....	1	.....	.....	.....	.....
Alcoholism	14	.....	.....	.....	.....	.....	.....	.....	2	2	4	3	2	1	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	6	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	.....	.....	.....	.....	.....
Encephalitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	80	27	16	5	3	1	7	9	3	1	5	2	.....	.....	1	.....	.....
Apoplexy	161	4	1	.....	.....	.....	.....	.....	1	5	14	21	37	48	30	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....
Paralysis	13	.....	1	.....	.....	.....	.....	.....	.....	1	.....	2	2	4	3	.....	.....
Epilepsy	4	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Convulsions	101	89	8	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	8	1	.....	.....	.....	.....	1	4	.....	1	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	39	5	2	1	.....	1	2	1	3	2	6	9	2	4	1	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....
Endocarditis	20	1	.....	.....	.....	.....	1	2	2	1	.....	3	4	4	2	.....	.....
Heart disease	272	4	1	.....	.....	.....	3	10	10	18	31	47	63	65	20	.....	.....
Angina pectoris	7	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	1	.....	.....	.....
Embolism and thrombosis	16	.....	.....	.....	.....	.....	.....	.....	4	4	2	2	.....	4	.....	.....	.....
Other diseases of circulatory system	49	.....	.....	.....	.....	.....	.....	2	1	2	3	4	6	21	9	1	.....
Laryngitis	5	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	110	66	24	6	3	2	3	.....	.....	.....	.....	1	1	2	2	.....	.....
Chronic bronchitis	64	1	1	.....	.....	.....	1	.....	2	.....	1	4	14	23	16	1	.....
Bronchopneumonia	106	63	14	6	3	1	3	.....	.....	1	3	1	3	5	3	.....	.....
Pneumonia	290	57	18	10	5	2	8	12	20	22	28	40	32	27	17	1	.....
Pleurisy	18	4	1	1	.....	.....	2	1	1	4	.....	1	2	1	.....	.....	.....
Congestion of lungs	14	3	.....	.....	.....	.....	2	.....	.....	.....	1	1	1	3	1	2	.....
Other diseases of respiratory system	29	2	2	.....	.....	.....	1	1	2	1	2	3	6	7	.....	1	1
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	73	38	3	.....	3	.....	.....	.....	3	4	2	1	5	8	5	1	.....
Diarrhea and enteritis	323	254	33	6	3	2	3	1	1	3	1	6	5	2	3	.....	.....
Hernia and intestinal obstructions	34	5	.....	1	.....	.....	1	3	.....	1	3	6	4	6	4	.....	.....
Cirrhosis of liver	42	1	.....	.....	.....	.....	.....	.....	1	5	12	9	7	5	2	.....	.....
Other diseases of liver	23	.....	.....	.....	.....	.....	.....	.....	.....	3	6	4	5	4	1	.....	.....
Peritonitis	30	2	.....	1	.....	.....	3	1	7	5	4	4	1	2	.....	.....	.....
Appendicitis	41	.....	.....	.....	.....	.....	2	11	13	7	6	1	1	.....	.....	.....	.....
Other diseases of digestive system	16	1	1	.....	.....	.....	.....	1	3	2	3	2	1	2	.....	.....	.....
Acute nephritis	20	1	1	3	.....	.....	1	4	.....	2	4	1	1	1	1	.....	.....
Bright's disease	148	5	.....	1	.....	.....	1	5	7	14	20	21	38	23	13	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....
Uterine tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	3	1	3	1	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	36	1	.....	.....	.....	.....	.....	1	3	5	3	4	7	6	6	.....	.....
Puerperal septicemia	21	.....	.....	.....	.....	.....	.....	2	8	9	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	18	.....	.....	.....	.....	.....	.....	.....	6	11	1	.....	.....	.....	.....	.....	.....
Diseases of skin	29	20	1	.....	.....	1	.....	.....	.....	1	.....	1	.....	1	3	1	.....
Diseases of locomotor system	15	10	1	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....
Malformations	37	35	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	112	112	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	167	167	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	77	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	23	48	5	.....
Suicide	71	.....	.....	.....	.....	.....	.....	4	14	14	10	14	9	4	2	.....	.....
Other violence	231	32	3	4	3	3	12	26	39	21	28	25	18	11	5	.....	1
Ill-defined causes	44	18	7	.....	.....	.....	1	.....	1	2	1	1	3	5	4	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

MINNEAPOLIS, MINN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,483	326	79	44	28	25	87	170	293	286	299	226	252	229	112	15	12
Typhoid fever	98	1	1	.....	.....	1	5	12	33	23	12	6	3	.....	1	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	9	.....	.....	.....	1	.....	.....	.....	3	2	3	.....	.....	.....	.....	.....	.....
Measles	18	3	4	6	1	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	28	1	5	6	3	1	10	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	18	9	4	2	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	59	2	7	2	9	9	16	12	2	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	26	1	1	1	.....	.....	.....	1	2	1	2	1	3	4	7	1	1
Cholera nostras	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
Dysentery	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	2	1	.....	.....
Erysipelas	7	2	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	17	1	1	.....	.....	1	.....	.....	5	4	.....	1	3	1	.....	.....	.....
Tuberculosis—total	348	13	4	3	1	1	7	44	96	74	61	23	11	9	1	.....	.....
Tuberculosis of lungs	283	4	2	2	1	.....	2	38	80	65	51	21	11	5	1	.....	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1	.....	.....	.....
Tuberculous meningitis	15	6	1	1	.....	.....	2	3	1	.....	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	23	2	1	.....	.....	.....	2	2	6	3	3	2	.....	2	.....	.....	.....
Pott's disease	6	.....	.....	.....	.....	.....	1	.....	2	1	2	.....	.....	.....	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	1	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	7	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	1	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	12	8	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
Cancer	162	.....	.....	1	.....	2	.....	1	5	12	32	39	38	21	9	1	1
Tumor	4	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....
Rheumatism	22	.....	.....	.....	.....	.....	2	2	2	2	1	1	2	8	2	.....	.....
Diabetes	19	.....	.....	.....	.....	.....	1	3	2	.....	2	3	5	3	.....	.....	.....
Anemia, leukemia	12	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	5	.....	.....	.....	.....
Alcoholism	9	.....	.....	.....	.....	.....	.....	.....	3	3	3	.....	.....	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other general diseases	5	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....
Encephalitis	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	43	12	4	6	.....	3	4	4	1	4	3	.....	1	1	.....	.....	.....
Apoplexy	73	.....	.....	.....	.....	.....	1	.....	2	3	8	8	22	24	5	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....
Paralysis	14	1	.....	.....	.....	.....	.....	1	1	2	.....	3	2	3	1	.....	.....
Epilepsy	8	1	.....	.....	.....	.....	1	2	3	.....	1	.....	.....	.....	.....	.....	.....
Convulsions	8	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	9	1	.....	.....	.....	.....	1	3	.....	2	.....	2	.....	.....	.....	.....	.....
Other diseases of nervous system	52	1	.....	.....	2	.....	4	3	6	5	11	6	9	5	.....	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
Endocarditis	11	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	2	1	1	.....	.....
Heart disease	167	2	.....	.....	1	.....	2	14	9	14	19	25	36	37	7	1	.....
Angina pectoris	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....
Embolism and thrombosis	11	1	.....	.....	.....	.....	.....	1	1	1	1	3	.....	2	1	.....	.....
Other diseases of circulatory system	33	.....	.....	1	.....	.....	1	1	1	2	3	8	9	4	3	.....	.....
Laryngitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	26	19	2	.....	1	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....
Chronic bronchitis	18	.....	.....	1	.....	.....	.....	.....	.....	.....	1	2	3	8	3	.....	.....
Bronchopneumonia	62	23	11	2	3	.....	4	.....	1	.....	.....	3	5	7	3	.....	.....
Pneumonia	167	31	10	7	3	1	10	11	9	21	18	12	12	7	12	1	2
Pleurisy	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....
Congestion of lungs	11	.....	.....	.....	.....	.....	1	.....	.....	2	3	.....	2	2	1	.....	.....
Other diseases of respiratory system	19	1	1	.....	.....	1	.....	2	1	1	1	1	3	5	2	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	23	8	.....	.....	.....	.....	1	.....	.....	2	.....	4	3	3	1	1	.....
Diarrhea and enteritis	116	72	17	3	2	3	1	1	1	3	1	.....	4	3	4	.....	1
Hernia and intestinal obstructions	24	3	.....	.....	.....	.....	.....	.....	4	2	5	5	4	.....	1	.....	.....
Cirrhosis of liver	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	8	3	1	.....	1	.....
Other diseases of liver	23	.....	.....	.....	.....	.....	.....	.....	4	4	4	7	4	.....	.....	.....	.....
Peritonitis	16	.....	.....	.....	.....	1	.....	4	8	1	2	.....	.....	.....	.....	.....	.....
Appendicitis	43	.....	.....	.....	.....	.....	3	16	12	7	4	.....	.....	1	.....	.....	.....
Other diseases of digestive system	9	2	.....	1	1	.....	.....	1	.....	1	1	.....	.....	2	.....	.....	.....
Acute nephritis	23	.....	1	.....	.....	1	3	.....	3	2	4	4	2	2	1	.....	.....
Bright's disease	121	.....	1	.....	.....	.....	.....	3	5	10	26	21	26	21	7	.....	1
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	1	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	43	.....	1	.....	.....	.....	.....	1	6	11	7	2	5	5	4	1	.....
Puerperal septicemia	17	.....	.....	.....	.....	.....	.....	2	8	6	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	22	.....	.....	.....	.....	.....	.....	3	10	8	1	.....	.....	.....	.....	.....	.....
Diseases of skin	14	2	.....	.....	.....	.....	.....	.....	.....	1	2	.....	3	2	3	1	.....
Diseases of locomotor system	8	1	2	1	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....
Malformations	17	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	14	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	55	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	47	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	18	21	7	.....
Suicide	28	.....	.....	.....	.....	.....	.....	3	5	8	7	4	1	.....	.....	.....	.....
Other violence	136	3	.....	.....	.....	.....	3	15	28	28	20	14	9	6	5	.....	5
Ill-defined causes	21	8	.....	1	.....	.....	1	.....	1	1	1	1	2	3	1	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

NEW HAVEN, CONN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,943	387	112	48	25	8	49	82	173	171	164	208	227	187	89	12	1
Typhoid fever	42					1	4	6	16	9	3		1	1	1		
Malarial fever	6		1	1		1		2						1			
Smallpox																	
Measles	30	8	16	3	1	1	1										
Scarlet fever	15		1	1	5	1	5	1		1							
Whooping cough	23	10	10	2	1												
Diphtheria and croup	19		2	4	3	1	8	1									
Influenza	18			1	1			2	2		2	1	4	5			
Cholera nostras																	
Dysentery	15	3	2	2			1	1			1	1	1	2	1		
Erysipelas	8		1							1	1	1	2	1	1		
Other epidemic diseases [1]																	
Septicemia	3	1								1			1				
Tuberculosis—total	218	16	4	5	3		5	29	54	49	26	13	11	3			
Tuberculosis of lungs	189	4	3		1		4	27	51	48	24	13	11	3			
Tuberculosis of larynx	1								1								
Tuberculous meningitis	16	8	1	2	2		1	1	1								
Abdominal tuberculosis	5	2		3													
Pott's disease	1							1									
Tuberculous abscess	1								1								
White swelling																	
Tuberculosis of other organs	2	1								1							
General tuberculosis	3	1									2						
Scrofula																	
Venereal diseases	5	2								1	2						
Cancer	91			1			1		1	8	16	26	23	9	6		
Tumor	1											1					
Rheumatism	7						1		1				2	2	1		
Diabetes	23									1	5	5	8	4			
Anemia, leukemia	3									1			2				
Alcoholism	11								2	7		2					
Chronic poisonings	2												1	1			
Other general diseases	1									1							
Encephalitis																	
Meningitis	54	17	10	5	3	1	6	2		3		3	4				
Apoplexy	103	1						1	1	2	9	21	34	19	15		
Softening of brain	2											1	1				
Paralysis	11							1		1	1	1	4	2	1		
Epilepsy	7							1	3	1		1		1			
Convulsions	23	18	3	1				1									
Tetanus	6	5						1									
Other diseases of nervous system	30	2			1		2		2	1	4	3	7	7		1	
Pericarditis																	
Endocarditis	11						1		1	2	3		4				
Heart disease	153	1					2	4	7	12	14	29	27	39	15	3	
Angina pectoris	11										2	2	2	5			
Embolism and thrombosis	5	1							1		1	1	1				
Other diseases of circulatory system	16	2						1	1		1	2	6	1	2		
Laryngitis	2	1			1												
Acute bronchitis	30	20	4	1				1				1	1	1	1		
Chronic bronchitis	23							1	2	1	1	3	3	9	3		
Bronchopneumonia	40	16	10	2	1				2	2		1	2		3	1	
Pneumonia	152	17	17	7	2		1	4	15	14	22	16	16	17	3	1	
Pleurisy	13			1					2	5		1	4				
Congestion of lungs	6											1	2	1	1	1	
Other diseases of respiratory system	7	1		1					1	1	1	2					
Tonsilitis	2	1						1									
Diseases of stomach	30	7	1					1	2	3		6	2	3	4	1	
Diarrhea and enteritis	134	99	19	1			2	1			2	2	2	3	3		
Hernia and intestinal obstructions	9	3							1	1		1	2	1			
Cirrhosis of liver	18						1			2	2	6	6	1			
Other diseases of liver	7										2	1	2	2			
Peritonitis	7		1				2	1	1	1		1					
Appendicitis	15						2	2	4	4	3						
Other diseases of digestive system	4	2							1		1						
Acute nephritis	8			1					1	1	3	1	1				
Bright's disease	86						2	2	10	10	10	16	15	12	9		
Calculi of urinary tract	1												1				
Uterine tumor	3									1	2						
Ovarian tumor	2								1	1							
Other diseases of genito-urinary system	13								2	2		1	2	5	1		
Puerperal septicemia	5							1	3	1							
Other causes incident to childbirth	9								6	2	1						
Diseases of skin	14	2						1		1	1	1	1	3	3		1
Diseases of locomotor system	3							1	2								
Malformations	6	6															
Premature birth	41	41															
Congenital debility	42	42															
Old age	32												7	11	11	3	
Suicide	18							1	4	2	5	3	2	1			
Other violence	127	18	3	6	3	2	2	9	20	13	12	22	5	9	3		
Ill-defined causes	61	24	7	2				1	1	1	5	8	5	5	1	1	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

NEW ORLEANS, LA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,705	1,068	191	76	40	29	127	324	815	804	800	787	748	586	260	48	2
Typhoid fever	123	3	1	1	1	1	6	27	44	14	15	7	2	1			
Malarial fever	79	3	2	2	3		2	17	17	14	5	3	9	2			
Smallpox	4									3		1					
Measles	2	1						1									
Scarlet fever	8	1		1		1	5										
Whooping cough	28	16	5	3	1	1	1					1					
Diphtheria and croup	36	4	5	6	3	3	15										
Influenza	118	4	1	1	1	1	2	2	14	7	13	14	22	22	13	1	
Cholera nostras	5						1			1	1			2			
Dysentery	52	1					1	2	2	11	6	8	9	7	5		
Erysipelas	6										2		2	2			
Other epidemic diseases[1]	2												1		1		
Septicemia	24	3						1	7	3	1	4	2	3			
Tuberculosis—total	1,050	14	9	3	2	4	6	77	322	260	188	99	52	8	5	1	
Tuberculosis of lungs	955	3	3	1	1	2	3	69	300	241	178	91	50	7	5	1	
Tuberculosis of larynx	12								2	4	4	1	1				
Tuberculous meningitis	16	7	2	1	1			1	2	1		1					
Abdominal tuberculosis	22	1					1		4	9	3	3		1			
Pott's disease	4		1					1		1		1					
Tuberculous abscess	1								1								
White swelling																	
Tuberculosis of other organs	3		1				1		1								
General tuberculosis	37	3	2	1		2	1	6	12	4	3	2	1				
Scrofula	3	1				1	1										
Venereal diseases	27	12	1						4	2	4	3		1			
Cancer	240		1					4	8	28	44	70	50	30	3	1	1
Tumor	3						1			2							
Rheumatism	28				1			2	3	1	5	3	8	5			
Diabetes	18							1	1	1	3	3	5	3		1	
Anemia, leukemia	22	4	1				1		1	3	4	1	5	2			
Alcoholism	23								4	5	4	7	3				
Chronic poisonings	4								2			2					
Other general diseases	5	1	3					1									
Encephalitis	6	1		1			1			1		1	1				
Meningitis	85	39	12	5	1	1	2	7	5	4	4	3	2				
Apoplexy	199	5	1	1		1	2	3	5	7	20	41	56	45	10	2	
Softening of brain	28								3	4	6	6	2	5	2		
Paralysis	63	1						1	1	6	7	11	13	18	4	1	
Epilepsy	11							1	1	3	4	2					
Convulsions	61	47	4	3	1	2	3	1									
Tetanus	166	108				2	14	12	9	6	6	4	4	1			
Other diseases of nervous system	97	2					2	7	12	9	20	21	14	9	1		
Pericarditis	12							1		2	1	3	3	1	1		
Endocarditis	114	1			1		1	2	6	14	15	24	20	24	4	2	
Heart disease	447	2				1		7	20	49	63	88	102	85	25	5	
Angina pectoris	14								1	1	3	2	4	3			
Embolism and thrombosis	13								1	2	3	1	4	1	1		
Other diseases of circulatory system	66	2							1	5	9	8	13	20	6	2	
Laryngitis																	
Acute bronchitis	73	46	13	2	1		1				1	2	3	3	1		
Chronic bronchitis	45	3	1	1			1	1	3	3	4	6	8	9	4	1	
Bronchopneumonia	57	26	8	7	1		1	2	1		1	3	3	2	2		
Pneumonia	408	72	28	14	9	3	10	25	41	49	52	36	36	20	11	2	
Pleurisy	12							3		1	3	2	3				
Congestion of lungs	28	2	2				1		2	4	1	2	6	1	6	1	
Other diseases of respiratory system	52				1	1	1	1	7	9	5	4	14	3	5	1	
Tonsilitis																	
Diseases of stomach	47	1	1	1		1	2	2	2	5	4	11	9	6	2		
Diarrhea and enteritis	474	292	61	10	3		1	2	12	13	12	25	16	22	4	1	
Hernia and intestinal obstructions	51	5	1	1				3	10	3	8	10	5	3	2		
Cirrhosis of liver	113			1				2	8	12	25	30	26	8	1		
Other diseases of liver	57	1	1	1			1	2	6	12	7	11	7	5	3		
Peritonitis	44	2		1		1	4	2	11	10	8	2	3				
Appendicitis	24	1					2	5	7	3	3	1	2				
Other diseases of digestive system	19	9			1				1	2	2		2	2			
Acute nephritis	45						1	3	11	7	12	6	3	2			
Bright's disease	600	1	1				2	15	43	71	122	138	112	67	26	1	
Calculi of urinary tract	1								1								
Uterine tumor	6								1	2		1	2				
Ovarian tumor	6								1	1	4						
Other diseases of genito-urinary system	69							1	14	9	14	11	11	7	2		
Puerperal septicemia	51							6	29	14	2						
Other causes incident to childbirth	37							6	14	14	3						
Diseases of skin	32	2	3	1								4	13	5	4		
Diseases of locomotor system	10	3		1			2	1	1	1	1						
Malformations	26	19	3	2		1	1										
Premature birth	99	99															
Congenital debility	112	112															
Old age	227												48	96	91	22	
Suicide	38							2	8	10	14	1	3				
Other violence	363	7	8	3	7	3	28	61	82	75	28	23	19	11	7		1
Ill-defined causes	187	89	14	3	2		1	1	5	6	8	17	16	14	8	3	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

NEW YORK, N. Y. (AGGREGATE).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	67,787	14,315	3,989	1,784	1,095	751	1,973	2,508	6,011	7,736	7,094	7,138	6,763	4,641	1,714	239	36
Typhoid fever	645	2	7	7	6	5	39	118	198	133	70	33	17	9	1	.....	.....
Malarial fever	77	4	9	6	1	1	6	8	6	11	6	5	9	3	1	.....	1
Smallpox	5	2	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Measles	429	128	172	57	30	12	27	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	786	31	113	128	96	91	226	68	21	8	3	1	.....	.....	.....	.....	.....
Whooping cough	316	166	86	31	16	7	9	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	2,081	166	451	382	314	213	462	65	11	10	4	1	2	.....	.....	.....	.....
Influenza	417	25	8	4	4	2	6	14	32	39	45	61	84	64	27	1	1
Cholera nostras	31	9	.....	1	.....	.....	2	.....	.....	1	5	2	4	4	3	.....	.....
Dysentery	201	42	24	6	4	4	10	3	7	8	6	28	29	17	11	2	.....
Erysipelas	179	61	9	2	.....	1	.....	4	7	18	28	23	14	11	.....	1	.....
Other epidemic diseases[1]	4	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	67	18	.....	1	.....	.....	3	6	8	1	14	9	5	2	.....	.....	.....
Tuberculosis—total	9,262	321	226	138	74	43	185	689	2,400	2,500	1,490	740	322	113	13	3	5
Tuberculosis of lungs	7,990	47	43	25	13	11	54	578	2,276	2,412	1,412	697	303	99	13	3	4
Tuberculosis of larynx	69	1	.....	.....	.....	1	1	3	12	22	18	6	2	3	.....	.....	.....
Tuberculous meningitis	762	217	169	94	53	22	84	52	35	13	11	9	2	1	.....	.....	.....
Abdominal tuberculosis	176	40	8	4	4	5	16	17	33	19	18	6	4	2	.....	.....	.....
Pott's disease	69	3	.....	4	3	1	16	12	10	6	7	3	2	2	.....	.....	.....
Tuberculous abscess	8	.....	.....	1	.....	.....	.....	.....	2	.....	3	1	1	.....	.....	.....	.....
White swelling	35	2	1	.....	.....	.....	5	13	5	4	4	.....	1	.....	.....	.....	.....
Tuberculosis of other organs	59	2	4	3	.....	.....	1	7	6	10	10	6	4	5	.....	.....	1
General tuberculosis	94	9	1	7	1	3	8	7	21	14	7	12	3	1	.....	.....	.....
Scrofula	5	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	186	110	5	1	1	.....	.....	5	16	18	19	7	2	1	1	.....	.....
Cancer	2,623	3	4	3	3	2	3	20	59	237	536	718	639	319	72	5	.....
Tumor	63	.....	3	1	1	.....	2	2	1	7	14	12	11	9	.....	.....	.....
Rheumatism	316	3	.....	2	6	7	26	44	37	42	27	43	41	28	9	1	.....
Diabetes	518	.....	.....	2	.....	.....	3	7	34	37	62	142	148	67	15	1	.....
Anemia, leukemia	136	12	3	1	1	2	.....	12	17	32	20	17	10	6	2	.....	1
Alcoholism	368	.....	.....	.....	.....	.....	.....	.....	50	139	117	42	15	5	.....	.....	.....
Chronic poisonings	29	.....	.....	.....	.....	.....	.....	.....	3	9	12	2	3	.....	.....	.....	.....
Other general diseases	70	11	2	.....	1	.....	2	1	15	14	13	7	2	2	.....	.....	.....
Encephalitis	16	2	2	.....	.....	.....	1	1	.....	1	.....	1	2	6	.....	.....	.....
Meningitis	1,007	327	190	107	57	32	81	63	41	36	32	18	11	11	.....	1	.....
Apoplexy	2,439	57	10	5	2	2	6	9	42	125	296	548	681	476	166	14	.....
Softening of brain	76	.....	.....	.....	.....	.....	.....	.....	1	2	7	13	25	20	7	1	.....
Paralysis	203	8	.....	1	.....	.....	.....	2	5	7	22	23	65	44	23	3	.....
Epilepsy	144	7	2	1	3	3	5	17	35	23	30	8	6	3	1	.....	.....
Convulsions	611	490	73	21	9	5	5	3	2	1	.....	1	.....	1	.....	.....	.....
Tetanus	88	45	2	.....	1	1	7	10	10	7	2	3	.....	.....	.....	.....	.....
Other diseases of nervous system	790	49	28	6	10	8	18	55	75	110	134	105	102	64	24	2	.....
Pericarditis	42	1	.....	.....	.....	.....	4	6	7	2	8	2	10	2	.....	.....	.....
Endocarditis	564	15	2	.....	1	6	19	44	46	65	77	102	91	64	28	4	.....
Heart disease	4,542	68	9	7	8	6	83	216	303	500	594	854	928	701	243	19	3
Angina pectoris	175	.....	.....	.....	.....	.....	1	.....	7	19	25	35	46	36	5	1	.....
Embolism and thrombosis	196	2	1	1	.....	1	1	10	26	11	28	35	39	30	9	2	.....
Other diseases of circulatory system	440	36	3	3	2	1	2	10	9	23	50	66	96	85	48	6	.....
Laryngitis	42	7	4	10	3	3	7	.....	2	2	.....	.....	2	2	.....	.....	.....
Acute bronchitis	1,245	758	219	47	29	13	15	8	7	3	13	24	36	48	16	8	1
Chronic bronchitis	563	24	12	2	.....	2	10	13	11	14	34	79	136	147	71	8	.....
Bronchopneumonia	3,289	1,370	725	243	90	44	79	44	69	80	78	120	158	123	54	8	4
Pneumonia	6,195	861	542	241	112	62	155	205	532	792	702	711	685	419	154	20	2
Pleurisy	292	20	30	16	7	1	16	13	29	40	35	39	24	15	7	.....	.....
Congestion of lungs	254	45	4	4	3	.....	3	7	15	10	20	26	31	38	32	16	.....
Other diseases of respiratory system	442	29	14	11	6	3	2	15	30	53	64	80	63	47	22	3	.....
Tonsilitis	22	4	.....	2	3	4	6	1	1	.....	.....	.....	.....	1	.....	.....	.....
Diseases of stomach	517	118	22	6	6	6	6	10	38	53	50	61	60	51	25	5	.....
Diarrhea and enteritis	5,161	3,844	679	119	40	31	38	26	27	40	41	62	81	89	39	5	.....
Hernia and intestinal obstructions	504	72	6	5	1	1	9	13	37	44	74	90	85	48	17	1	1
Cirrhosis of liver	836	3	.....	.....	.....	.....	1	4	32	161	214	207	147	61	5	1	.....
Other diseases of liver	245	19	.....	1	.....	.....	3	6	18	41	24	42	54	32	5	.....	.....
Peritonitis	178	10	2	1	4	2	5	10	38	45	21	21	11	6	2	.....	.....
Appendicitis	478	.....	1	.....	3	4	51	107	109	89	56	40	12	5	1	.....	.....
Other diseases of digestive system	173	57	14	3	2	2	5	2	8	17	22	16	9	13	3	.....	.....
Acute nephritis	670	28	8	17	13	13	35	60	88	114	107	84	65	31	7	.....	.....
Bright's disease	5,350	27	16	9	22	9	41	103	306	688	912	1,101	1,125	766	199	22	4
Calculi of urinary tract	15	.....	.....	.....	.....	.....	.....	.....	3	2	1	3	1	4	1	.....	.....
Uterine tumor	65	.....	.....	.....	.....	.....	.....	.....	4	22	25	10	3	1	.....	.....	.....
Ovarian tumor	51	.....	.....	.....	.....	.....	.....	.....	8	13	14	10	3	2	1	.....	.....
Other diseases of genito-urinary system	485	6	1	.....	.....	4	1	14	72	93	75	44	66	76	30	3	.....
Puerperal septicemia	293	.....	.....	.....	.....	.....	.....	21	158	97	17	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	310	.....	.....	.....	.....	.....	.....	13	121	152	22	1	.....	.....	.....	.....	1
Diseases of skin	231	35	7	3	.....	3	2	4	12	22	16	26	37	40	21	3	.....
Diseases of locomotor system	200	64	34	11	3	3	9	17	15	13	11	8	9	2	1	.....	.....
Malformations	512	471	16	8	2	3	4	4	1	.....	.....	.....	.....	1	1	.....	1
Premature birth	1,405	1,405	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,499	1,499	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	515	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52	194	208	61	.....
Suicide	534	.....	.....	.....	.....	.....	.....	16	105	149	123	87	42	9	2	.....	1
Other violence	3,806	426	85	76	85	83	217	252	567	666	502	400	268	125	46	3	5
Ill-defined causes	1,263	888	101	24	10	.....	9	6	12	25	24	38	39	42	35	5	5

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

NEW YORK, N. Y. (BRONX BOROUGH).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,729	731	221	110	74	65	153	217	520	720	530	463	438	339	127	17	4
Typhoid fever	36	.....	1	3	2	.....	3	4	7	7	5	2	.....	2	.....	.....	.....
Malarial fever	14	1	2	1	.....	1	3	1	1	1	1	1	.....	1	.....	.....	.....
Smallpox	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Measles	27	10	12	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	172	4	34	23	24	23	42	18	4	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	19	11	6	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	153	16	24	26	23	20	37	6	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	15	2	.....	.....	.....	.....	2	1	.....	1	1	3	3	2	.....	.....	.....
Cholera nostras	8	.....	.....	1	.....	.....	1	.....	.....	.....	1	1	1	3	.....	.....	.....
Dysentery	15	2	2	2	1	.....	1	.....	.....	.....	1	1	2	1	2	.....	.....
Erysipelas	9	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	9	2	.....	.....	.....	.....	.....	2	2	.....	1	1	.....	1	.....	.....	.....
Tuberculosis—total	1,373	19	12	7	7	1	14	99	352	445	252	117	31	15	1	1	.....
Tuberculosis of lungs	1,286	3	.....	.....	1	1	4	95	342	438	246	111	31	12	1	1	.....
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	55	12	12	7	5	.....	7	2	6	1	1	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	15	4	.....	.....	.....	.....	2	.....	2	3	2	2	.....	.....	.....	.....	.....
Pott's disease	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
General tuberculosis	6	.....	.....	.....	.....	.....	1	1	1	2	.....	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	9	5	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....
Cancer	163	.....	.....	.....	.....	.....	.....	.....	2	9	31	40	46	26	8	1	.....
Tumor	6	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	1	1	.....	.....	.....
Rheumatism	25	.....	.....	.....	.....	.....	1	3	4	2	1	3	5	4	2	.....	.....
Diabetes	38	.....	.....	.....	.....	.....	.....	1	4	3	4	11	13	2	.....	.....	.....
Anemia, leukemia	8	1	.....	.....	.....	.....	.....	.....	.....	3	.....	1	2	.....	1	.....	.....
Alcoholism	20	.....	.....	.....	.....	.....	.....	.....	3	9	3	3	2	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Other general diseases	4	1	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	65	28	12	4	.....	.....	5	4	2	4	2	1	1	2	.....	.....	.....
Apoplexy	164	.....	2	.....	.....	.....	.....	1	2	5	18	35	48	37	16	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....
Paralysis	18	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	5	6	3	.....	.....
Epilepsy	9	1	.....	.....	.....	.....	1	.....	1	3	1	1	.....	1	.....	.....	.....
Convulsions	18	17	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	57	3	2	.....	.....	1	1	2	2	10	13	7	6	10	.....	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....	.....	.....
Endocarditis	21	.....	.....	.....	.....	1	.....	.....	3	4	3	1	3	4	2	.....	.....
Heart disease	234	3	1	.....	.....	1	4	12	8	30	18	48	51	45	13	.....	.....
Angina pectoris	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Embolism and thrombosis	15	.....	.....	.....	.....	.....	.....	1	1	.....	3	3	3	3	.....	1	.....
Other diseases of circulatory system	25	.....	.....	.....	.....	.....	.....	1	1	2	2	2	6	6	5	.....	.....
Laryngitis	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	44	19	8	1	2	.....	.....	.....	.....	.....	.....	2	6	4	2	.....	.....
Chronic bronchitis	26	.....	1	.....	.....	.....	.....	.....	.....	.....	1	2	7	9	5	1	.....
Bronchopneumonia	143	62	28	9	1	1	1	.....	2	1	2	9	8	10	6	2	1
Pneumonia	313	44	20	13	4	5	11	12	23	46	33	31	32	26	11	2	.....
Pleurisy	14	2	.....	.....	.....	1	.....	.....	1	.....	.....	1	3	6	.....	.....	.....
Congestion of lungs	22	5	1	1	.....	.....	1	1	1	.....	.....	2	2	3	4	1	.....
Other diseases of respiratory system	23	2	.....	2	1	.....	.....	.....	.....	2	3	8	3	1	1	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	39	9	3	1	.....	1	.....	.....	3	5	6	5	4	.....	2	.....	.....
Diarrhea and enteritis	245	183	29	7	1	.....	1	4	1	3	1	1	4	7	3	.....	.....
Hernia and intestinal obstructions	33	11	.....	.....	.....	.....	.....	1	2	1	4	2	8	3	1	.....	.....
Cirrhosis of liver	41	.....	.....	.....	.....	.....	1	.....	1	2	11	13	9	3	1	.....	.....
Other diseases of liver	17	1	.....	1	.....	.....	.....	.....	2	1	2	4	4	2	.....	.....	.....
Peritonitis	14	.....	.....	.....	1	.....	1	.....	4	4	3	1	.....	.....	.....	.....	.....
Appendicitis	11	.....	.....	.....	.....	.....	2	3	.....	3	2	1	.....	.....	.....	.....	.....
Other diseases of digestive system	9	3	2	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	.....
Acute nephritis	39	5	.....	.....	1	2	.....	4	7	7	6	3	2	.....	2	.....	.....
Bright's disease	275	2	.....	1	.....	.....	3	4	13	26	42	55	66	32	9	2	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	24	.....	.....	.....	.....	.....	1	1	4	3	2	4	4	3	2	.....	.....
Puerperal septicemia	11	.....	.....	.....	.....	.....	.....	.....	4	6	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	21	.....	.....	.....	.....	.....	.....	1	7	10	3	.....	.....	.....	.....	.....	.....
Diseases of skin	17	2	.....	.....	.....	.....	.....	.....	1	1	1	3	4	4	1	.....	.....
Diseases of locomotor system	11	4	2	1	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....
Malformations	26	25	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	86	86	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	69	69	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	50	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	19	18	6	.....
Suicide	52	.....	.....	.....	.....	.....	.....	.....	9	17	14	5	6	.....	1	.....	.....
Other violence	228	26	6	2	3	4	14	27	30	38	24	22	18	10	2	.....	2
Ill-defined causes	55	38	7	1	.....	.....	.....	.....	1	.....	.....	1	2	1	3	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

NEW YORK, N. Y. (BROOKLYN BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	22,198	4,592	1,716	608	368	265	685	849	1,990	2,359	2,139	2,295	2,273	1,762	697	87	13
Typhoid fever	248	1	3	3	2	1	7	59	78	55	25	15	5	2	1	.....	.....
Malarial fever	31	2	2	3	1	.....	2	3	2	6	3	1	4	.....	1	.....	1
Smallpox	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	154	38	64	24	8	5	13	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	262	7	31	42	29	29	90	24	7	2	.....	1	.....	.....	.....	.....	.....
Whooping cough	124	67	30	13	8	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	797	32	160	146	123	83	209	29	5	6	1	1	2	.....	.....	.....	.....
Influenza	183	15	4	1	3	2	.....	6	17	19	20	24	30	27	14	1	.....
Cholera nostras	9	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....
Dysentery	90	13	7	2	2	2	7	3	3	4	3	16	14	8	6	.....	.....
Erysipelas	49	15	1	1	.....	.....	.....	2	1	3	12	6	5	3	.....	.....	.....
Other epidemic diseases [1]	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	15	3	.....	1	.....	.....	.....	1	2	.....	4	3	1	.....	.....	.....	.....
Tuberculosis—total	2,829	97	77	44	23	16	61	221	799	756	417	198	83	31	5	.....	1
Tuberculosis of lungs	2,418	13	13	9	2	2	19	186	760	731	388	191	74	25	5	.....	.....
Tuberculosis of larynx	27	.....	.....	.....	.....	1	.....	2	6	9	6	1	1	1	.....	.....	.....
Tuberculous meningitis	226	59	58	30	15	8	25	17	7	7	2	2	1	1	.....	.....	.....
Abdominal tuberculosis	72	22	3	1	4	3	7	4	11	7	8	.....	1	1	.....	.....	.....
Pott's disease	19	.....	.....	1	1	1	5	5	3	1	2	.....	.....	.....	.....	.....	.....
Tuberculous abscess	7	.....	.....	1	.....	.....	.....	.....	1	.....	3	1	1	.....	.....	.....	.....
White swelling	10	.....	.....	.....	.....	.....	2	5	1	.....	1	.....	1	.....	.....	.....	.....
Tuberculosis of other organs	17	.....	3	.....	.....	.....	.....	1	.....	2	4	.....	3	3	.....	.....	.....
General tuberculosis	33	3	.....	2	1	1	3	1	10	5	3	3	1	.....	.....	.....	1
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	49	28	.....	.....	.....	.....	.....	1	4	6	8	1	.....	1	.....	.....	.....
Cancer	806	.....	.....	1	.....	.....	1	7	13	63	165	226	203	94	30	3	.....
Tumor	20	.....	1	.....	.....	.....	1	.....	.....	2	6	2	4	4	.....	.....	.....
Rheumatism	145	2	.....	2	3	3	9	18	20	21	12	25	15	11	4	.....	.....
Diabetes	157	.....	.....	1	.....	.....	1	2	10	11	21	46	38	22	5	.....	.....
Anemia, leukemia	35	4	1	.....	.....	2	.....	1	4	5	6	6	1	4	1	.....	.....
Alcoholism	90	.....	.....	.....	.....	.....	.....	.....	13	31	29	11	3	3	.....	.....	.....
Chronic poisonings	10	.....	.....	.....	.....	.....	.....	.....	.....	2	5	1	2	.....	.....	.....	.....
Other general diseases	18	2	1	.....	.....	.....	.....	.....	2	5	4	1	1	2	.....	.....	.....
Encephalitis	12	2	1	.....	.....	.....	1	1	.....	.....	.....	1	1	5	.....	.....	.....
Meningitis	238	81	52	29	9	8	14	15	8	9	4	3	4	2	.....	.....	.....
Apoplexy	941	20	4	3	1	.....	1	3	11	50	108	192	255	214	73	6	.....
Softening of brain	26	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	5	10	7	3	.....	.....
Paralysis	67	3	.....	.....	.....	.....	.....	1	3	.....	5	6	21	16	10	2	.....
Epilepsy	47	1	.....	.....	.....	2	.....	9	12	5	10	4	3	1	.....	.....	.....
Convulsions	235	179	37	9	1	3	1	2	1	1	.....	.....	.....	1	.....	.....	.....
Tetanus	20	12	.....	.....	1	.....	.....	2	3	1	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	233	15	9	1	2	2	5	14	23	22	33	32	40	22	12	1	.....
Pericarditis	11	.....	.....	.....	.....	.....	.....	.....	2	2	3	.....	3	1	.....	.....	.....
Endocarditis	153	6	1	.....	1	1	4	13	9	19	31	27	16	18	7	.....	.....
Heart disease	1,948	41	6	3	5	2	23	84	118	172	230	359	422	344	127	11	1
Angina pectoris	94	.....	.....	.....	.....	.....	1	.....	5	13	12	16	25	19	2	1	.....
Embolism and thrombosis	62	1	.....	.....	.....	.....	.....	1	7	6	11	14	11	8	3	.....	.....
Other diseases of circulatory system	76	10	.....	1	.....	.....	.....	5	1	1	5	11	14	16	12	.....	.....
Laryngitis	28	4	3	6	1	2	7	.....	2	1	.....	.....	1	1	.....	.....	.....
Acute bronchitis	515	336	68	17	12	6	8	3	3	1	7	10	14	20	7	3	.....
Chronic bronchitis	224	6	5	.....	.....	.....	3	5	4	5	11	31	46	68	35	5	.....
Bronchopneumonia	869	358	168	65	30	17	17	12	22	23	19	26	48	36	25	1	2
Pneumonia	1,929	271	168	72	38	20	46	74	174	200	195	210	203	146	45	5	2
Pleurisy	72	3	2	6	2	.....	4	3	7	15	10	9	3	4	4	.....	.....
Congestion of lungs	55	12	.....	.....	.....	.....	.....	2	3	4	4	4	4	7	7	8	.....
Other diseases of respiratory system	174	6	2	2	2	1	1	6	8	22	27	32	28	24	10	3	.....
Tonsilitis	5	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Diseases of stomach	190	39	5	1	5	1	4	5	17	11	16	24	25	22	12	3	.....
Diarrhea and enteritis	1,750	1,277	233	54	16	12	17	7	9	10	8	16	31	40	19	1	.....
Hernia and intestinal obstructions	170	23	.....	2	.....	1	6	6	16	9	24	32	30	15	6	.....	.....
Cirrhosis of liver	289	.....	.....	.....	.....	.....	.....	1	11	40	73	77	65	20	1	1	.....
Other diseases of liver	79	5	.....	.....	.....	.....	2	3	5	10	9	12	22	11	.....	.....	.....
Peritonitis	24	2	.....	1	1	.....	.....	2	6	6	.....	.....	4	2	.....	.....	.....
Appendicitis	177	.....	.....	.....	.....	2	23	52	46	25	20	13	3	3	.....	.....	.....
Other diseases of digestive system	49	15	3	2	.....	.....	3	.....	3	5	4	5	2	5	2	.....	.....
Acute nephritis	270	7	3	6	6	3	17	33	33	44	42	34	25	15	2	.....	.....
Bright's disease	1,576	3	2	1	6	4	7	31	100	201	240	310	327	271	68	5	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....
Uterine tumor	24	.....	.....	.....	.....	.....	.....	.....	1	6	12	3	2	.....	.....	.....	.....
Ovarian tumor	23	.....	.....	.....	.....	.....	.....	.....	4	6	6	5	.....	1	1	.....	.....
Other diseases of genito-urinary system	140	2	.....	.....	.....	1	.....	5	20	23	18	18	17	26	10	.....	.....
Puerperal septicemia	110	.....	.....	.....	.....	.....	.....	7	57	42	4	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	119	.....	.....	.....	.....	.....	.....	3	50	59	6	.....	.....	.....	.....	.....	1
Diseases of skin	75	11	1	2	.....	2	1	1	4	4	4	9	12	14	8	2	.....
Diseases of locomotor system	45	17	3	3	.....	.....	3	4	4	3	2	2	2	1	1	.....	.....
Malformations	257	245	7	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Premature birth	464	464	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	347	347	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	172	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	54	85	22	.....
Suicide	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other violence	1,267	169	19	26	24	29	56	73	186	206	167	142	95	51	21	1	2
Ill-defined causes	418	267	31	10	1	.....	3	2	8	20	15	14	15	18	10	2	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

NEW YORK, N. Y. (MANHATTAN BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	36,988	8,132	2,344	991	599	392	996	1,301	3,211	4,287	4,047	4,009	3,601	2,189	758	114	17
Typhoid fever	318	1	3	1	2	3	24	58	105	61	34	13	9	4	.....	.....	.....
Malarial fever	22	1	3	1	.....	.....	1	3	2	3	1	3	2	2	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	223	72	86	29	20	5	10	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	327	18	46	61	40	35	86	23	9	6	3	.....	.....	.....	.....	.....	.....
Whooping cough	145	73	42	13	7	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	1,001	113	252	193	145	98	169	20	5	3	3	.....	.....	.....	.....	.....	.....
Influenza	189	7	4	3	1	.....	4	6	13	18	22	26	46	28	10	.....	1
Cholera nostras	14	5	.....	.....	.....	.....	1	.....	.....	1	3	.....	1	1	2	.....	.....
Dysentery	84	26	13	1	1	1	1	.....	2	4	2	11	11	8	2	1	.....
Erysipelas	110	38	6	1	.....	.....	.....	1	6	14	13	16	7	7	.....	1	.....
Other epidemic diseases[1]	3	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	43	13	.....	.....	.....	.....	3	3	4	1	9	5	4	1	.....	.....	.....
Tuberculosis—total	4,650	196	131	81	43	26	104	344	1,134	1,194	751	386	191	56	7	2	4
Tuberculosis of lungs	3,919	29	27	15	10	8	29	277	1,063	1,145	711	358	182	52	7	2	4
Tuberculosis of larynx	33	1	.....	.....	.....	.....	1	1	5	11	7	5	1	1	.....	.....	.....
Tuberculous meningitis	458	141	96	53	32	14	50	30	20	9	7	5	1	.....	.....	.....	.....
Abdominal tuberculosis	86	12	5	3	.....	2	7	13	20	8	8	4	3	1	.....	.....	.....
Pott's disease	45	3	.....	3	1	.....	10	7	7	5	5	2	2	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	20	2	1	.....	.....	.....	3	5	3	3	3	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	38	2	1	2	.....	.....	1	6	5	7	6	6	1	1	.....	.....	.....
General tuberculosis	50	6	1	5	.....	2	3	5	10	6	4	6	1	1	.....	.....	.....
Scrofula	4	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	121	73	5	1	1	.....	.....	3	10	10	11	4	2	.....	1	.....	.....
Cancer	1,503	4	4	2	3	2	2	13	43	156	321	415	345	165	28	1	.....
Tumor	36	.....	2	1	1	.....	.....	1	1	4	8	9	6	3	.....	.....	.....
Rheumatism	128	.....	.....	.....	2	4	11	22	11	17	13	14	20	11	2	1	.....
Diabetes	289	.....	.....	.....	.....	.....	2	2	16	23	35	78	83	42	7	1	.....
Anemia, leukemia	83	5	2	1	1	.....	.....	9	13	20	13	10	6	2	.....	.....	1
Alcoholism	249	.....	.....	.....	.....	.....	.....	.....	33	96	81	28	10	1	.....	.....	.....
Chronic poisonings	16	.....	.....	.....	.....	.....	.....	.....	3	7	5	1	.....	.....	.....	.....	.....
Other general diseases	43	7	1	.....	1	.....	2	1	11	6	8	5	1	.....	.....	.....	.....
Encephalitis	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Meningitis	651	202	113	69	46	24	55	40	30	22	23	13	6	7	.....	1	.....
Apoplexy	1,164	30	3	2	1	1	5	5	26	66	150	289	329	189	61	7	.....
Softening of brain	39	.....	.....	.....	.....	.....	.....	.....	.....	2	7	6	12	9	3	.....	.....
Paralysis	104	3	.....	1	.....	.....	.....	1	2	5	15	15	35	17	9	1	.....
Epilepsy	80	5	2	1	3	1	3	6	20	14	18	2	3	1	1	.....	.....
Convulsions	336	281	29	10	7	2	4	1	1	.....	.....	1	.....	.....	.....	.....	.....
Tetanus	51	23	2	.....	.....	1	4	8	7	3	2	1	.....	.....	.....	.....	.....
Other diseases of nervous system	449	29	16	5	7	5	11	36	45	74	79	62	46	23	11	.....	.....
Pericarditis	24	1	.....	.....	.....	.....	3	5	5	.....	4	1	4	1	.....	.....	.....
Endocarditis	375	9	1	.....	.....	4	14	29	34	42	42	72	68	40	16	4	.....
Heart disease	2,056	19	2	3	2	3	49	108	160	270	305	404	384	248	89	8	2
Angina pectoris	67	.....	.....	.....	.....	.....	.....	.....	.....	4	13	17	16	14	3	.....	.....
Embolism and thrombosis	109	1	1	1	.....	1	1	7	18	4	13	17	22	17	5	1	.....
Other diseases of circulatory system	317	25	3	2	1	1	2	4	7	17	36	51	72	60	31	5	.....
Laryngitis	9	2	1	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Acute bronchitis	636	375	132	29	15	7	7	5	4	2	4	10	14	20	7	4	1
Chronic bronchitis	289	18	6	2	.....	2	7	8	7	8	20	43	76	66	24	2	.....
Bronchopneumonia	2,154	895	497	163	58	25	55	31	44	55	55	83	97	71	21	3	1
Pneumonia	3,644	494	331	149	66	35	85	106	314	454	444	442	411	221	81	11	.....
Pleurisy	195	15	27	10	5	.....	11	8	21	24	24	28	15	5	2	.....	.....
Congestion of lungs	152	25	3	3	2	.....	2	3	11	5	14	15	19	25	18	7	.....
Other diseases of respiratory system	219	18	12	5	3	2	.....	9	20	28	30	37	28	19	8	.....	.....
Tonsilitis	15	4	.....	2	2	2	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	249	60	12	4	1	4	2	4	16	32	26	27	27	25	8	1	.....
Diarrhea and enteritis	2,773	2,080	373	45	20	17	18	13	16	26	30	40	41	35	16	3	.....
Hernia and intestinal obstructions	268	33	4	2	1	.....	2	6	19	31	44	53	38	25	8	1	1
Cirrhosis of liver	447	3	.....	.....	.....	.....	.....	3	19	112	111	100	64	33	2	.....	.....
Other diseases of liver	121	13	.....	.....	.....	.....	1	2	9	27	11	19	24	11	4	.....	.....
Peritonitis	133	8	2	.....	2	2	4	8	26	32	17	20	7	3	2	.....	.....
Appendicitis	272	.....	1	.....	3	2	25	57	59	58	32	24	9	1	1	.....	.....
Other diseases of digestive system	103	32	8	1	1	2	2	2	3	12	16	11	6	6	1	.....	.....
Acute nephritis	325	15	4	11	6	8	16	17	45	55	49	46	36	14	3	.....	.....
Bright's disease	3,220	21	13	7	15	5	31	64	179	425	593	680	668	394	109	12	4
Calculi of urinary tract	11	.....	.....	.....	.....	.....	.....	.....	3	2	.....	2	1	3	.....	.....	.....
Uterine tumor	38	.....	.....	.....	.....	.....	.....	.....	3	15	12	6	1	1	.....	.....	.....
Ovarian tumor	24	.....	.....	.....	.....	.....	.....	.....	4	7	6	3	3	1	.....	.....	.....
Other diseases of genito-urinary system	294	4	1	.....	.....	2	.....	8	42	64	51	21	40	41	17	3	.....
Puerperal septicemia	157	.....	.....	.....	.....	.....	.....	13	87	46	11	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	154	.....	.....	.....	.....	.....	.....	7	61	73	12	1	.....	.....	.....	.....	.....
Diseases of skin	124	19	5	1	.....	1	1	3	7	16	10	14	18	20	9	.....	.....
Diseases of locomotor system	140	41	29	7	3	3	6	12	10	10	7	6	5	1	.....	.....	.....
Malformations	196	174	4	6	.....	3	4	3	1	.....	.....	.....	.....	.....	1	.....	.....
Premature birth	767	767	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,014	1,014	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	253	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32	106	86	29	.....
Suicide	443	.....	.....	.....	.....	.....	.....	15	91	121	102	74	31	7	1	.....	1
Other violence	2,025	208	50	47	53	48	132	129	308	375	265	208	128	54	19	1	.....
Ill-defined causes	699	512	54	10	8	.....	6	4	3	5	8	21	20	22	22	3	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

NEW YORK, N. Y. (QUEENS BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,663	612	165	55	45	21	104	94	203	244	253	258	288	229	80	11	1
Typhoid fever	29						4	3	4	7	5	2	3	1			
Malarial fever	7		1	1				1		1	1		2				
Smallpox																	
Measles	21	7	9	1	1	1	2										
Scarlet fever	22	1	2	2	2	3	8	3	1								
Whooping cough	22	12	6	4													
Diphtheria and croup	106	4	13	15	19	8	37	10									
Influenza	17							1	2	1	1	5	3	3	1		
Cholera nostras																	
Dysentery	6	1	2						1				1			1	
Erysipelas	9	3				1		1			3	1					
Other epidemic diseases[1]																	
Septicemia																	
Tuberculosis—total	263	6	5	1	1		4	17	74	72	41	25	11	6			
Tuberculosis of lungs	234	1	2				1	14	70	69	38	23	10	6			
Tuberculosis of larynx	3								1		2						
Tuberculous meningitis	16	4	3	1	1		2	2	2		1						
Abdominal tuberculosis	1	1															
Pott's disease	1						1										
Tuberculous abscess																	
White swelling	3							1	1	1							
Tuberculosis of other organs	1									1							
General tuberculosis	4									1		2	1				
Scrofula																	
Venereal diseases	4	2							1			1					
Cancer	92								1	6	13	24	27	18	3		
Tumor	1													1			
Rheumatism	14	1			1		5		1	2	1		1	1	1		
Diabetes	20			1				2	3		1	3	8	1	1		
Anemia, leukemia	6	2						1		2	1						
Alcoholism	7								1	2	4						
Chronic poisonings																	
Other general diseases	3								1	1	1						
Encephalitis	1												1				
Meningitis	45	15	10	4	2		7	1	1	1	3	1					
Apoplexy	131	5							2	3	15	26	38	30	11	1	
Softening of brain	3											1		1	1		
Paralysis	8									1	1	1		4	1		
Epilepsy	1											1					
Convulsions	19	11	5	2	1												
Tetanus	13	8					2			2		1					
Other diseases of nervous system	47	2	1				1	3	4	4	8	1	7	5	1		
Pericarditis	3						1					1	1				
Endocarditis	5							1				2	1		1		
Heart disease	216	3		1	1		3	8	13	21	28	35	51	44	8		
Angina pectoris	5								1	1			2	1			
Embolism and thrombosis	6									1	1	1	1	1	1		
Other diseases of circulatory system	15	1								2	3	1	4	3		1	
Laryngitis	2				1					1							
Acute bronchitis	41	23	11								1	1	1	4			
Chronic bronchitis	14									1	2	2	4	2	3		
Bronchopneumonia	91	41	27	4	1	1	6	1			1	1	3	3	1	1	
Pneumonia	236	46	20	3	4	2	10	11	18	19	23	23	28	15	13	1	
Pleurisy	9		1				1	2		1		1	3				
Congestion of lungs	11	1								1	1	2	2	2	2		
Other diseases of respiratory system	16	1					1		2	1	3	3	3	2			
Tonsilitis	1				1												
Diseases of stomach	22	7	1					1	1	4		3	1	2	2		
Diarrhea and enteritis	259	196	29	11	3	2	2	2	1	1	1	5	2	3	1		
Hernia and intestinal obstructions	26	3	2	1			1			2	2	3	5	5	2		
Cirrhosis of liver	46								1	4	15	15	6	4	1		
Other diseases of liver	21								2	2	2	5	4	5	1		
Peritonitis	4								2	1				1			
Appendicitis	14							5	2	2	2	2		1			
Other diseases of digestive system	9	5	1		1				1		1						
Acute nephritis	30		1				2	4	3	8	8	1	1	2			
Bright's disease	170	1	1		1			3	9	21	22	36	34	31	8	3	
Calculi of urinary tract	1													1			
Uterine tumor	1									1							
Ovarian tumor	2										2						
Other diseases of genito-urinary system	13					1			2	1	2		4	3			
Puerperal septicemia	13							1	8	3	1						
Other causes incident to childbirth	12							2	3	6	1						
Diseases of skin	8	2	1										2	1	1	1	
Diseases of locomotor system	3	2							1								
Malformations	23	20	2											1			
Premature birth	61	61															
Congenital debility	53	53															
Old age	29												2	12	13	2	
Suicide	25								3	8	3	7	3	1			
Other violence	177	17	7	1	4	2	7	10	33	26	28	14	17	8	2		1
Ill-defined causes	63	49	7	3	1						1	1	1				

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE S.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

NEW YORK, N. Y. (RICHMOND BOROUGH).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,209	248	43	20	9	8	35	47	87	126	125	113	163	122	52	10	1
Typhoid fever	14					1	1	3	4	3	1	1					
Malarial fever	3		1						1				1				
Smallpox																	
Measles	4	1	1				2										
Scarlet fever	3	1			1	1											
Whooping cough	6	3	2	1													
Diphtheria and croup	24	1	2	2	4	4	10			1							
Influenza	13	1									1	3	2	4	2		
Cholera nostras																	
Dysentery	6			1		1	1		1				1		1		
Erysipelas	2	1								1							
Other epidemic diseases [1]																	
Septicemia																	
Tuberculosis—total	147	3	1	5			2	8	41	33	29	14	6	5			
Tuberculosis of lungs	133	1	1	1			1	6	41	29	29	14	6	4			
Tuberculosis of larynx	2									1				1			
Tuberculous meningitis	7	1		3				1		2							
Abdominal tuberculosis	2	1								1							
Pott's disease																	
Tuberculous abscess																	
White swelling	1							1									
Tuberculosis of other organs	1			1													
General tuberculosis	1						1										
Scrofula																	
Venereal diseases	3	2										1					
Cancer	59									3	6	13	18	16	3		
Tumor																	
Rheumatism	4							1	1			1		1			
Diabetes	14								1		1	4	6		2		
Anemia, leukemia	4							1		2			1				
Alcoholism	2									1				1			
Chronic poisonings	1										1						
Other general diseases	2	1										1					
Encephalitis	1									1							
Meningitis	8	1	3	1				3									
Apoplexy	39	2	1			1			1	1	5	6	11	6	5		
Softening of brain	4												2	1		1	
Paralysis	6	1											4	1			
Epilepsy	7						1	2	2	1	1						
Convulsions	3	2	1														
Tetanus	2	1								1							
Other diseases of nervous system	14				1				1		1	3	3	4		1	
Pericarditis																	
Endocarditis	10						1	1			1		3	2	2		
Heart disease	88	2					4	4	4	7	13	8	20	20	6		
Angina pectoris	7									1		2	2	2			
Embolism and thrombosis	4							1					2	1			
Other diseases of circulatory system	7				1					1	4	1					
Laryngitis	1	1															
Acute bronchitis	9	5									1	1	1			1	
Chronic bronchitis	10											1	3	2	4		
Bronchopneumonia	32	14	5	2					1	1	1	1	2	3	1	1	
Pneumonia	73	6	3	4			3	2	3	13	7	5	11	11	4	1	
Pleurisy	2										1				1		
Congestion of lungs	14	2			1			1			1	3	4	1	1		
Other diseases of respiratory system	10	2		2							1		1	1	3		
Tonsilitis	1						1										
Diseases of stomach	17	3	1						1	1	2	2	3	2	1	1	
Diarrhea and enteritis	134	108	15	2							1		3	4		1	
Hernia and intestinal obstructions	7	2								1			4				
Cirrhosis of liver	13									3	4	2	3	1			
Other diseases of liver	7							1		1		2		3			
Peritonitis	3									2	1						
Appendicitis	4						1		2	1							
Other diseases of digestive system	3	2												1			
Acute nephritis	6	1						2			2		1				
Bright's disease	109							1	5	15	15	20	20	18	5		
Calculi of urinary tract																	
Uterine tumor	1											1					
Ovarian tumor																	
Other diseases of genito-urinary system	14								4	2	2	1	1	3	1		
Puerperal septicemia	2								2								
Other causes incident to childbirth	4									4							
Diseases of skin	7	1								1	1		1	1	2		
Diseases of locomotor system	1							1									
Malformations	10	7	2					1									
Premature birth	27	27															
Congenital debility	16	16															
Old age	11													3	6	2	
Suicide	13							1	2	3	3	1	2	1			
Other violence	109	6	3		1		8	13	10	21	18	14	10	2	2	1	
Ill-defined causes	28	22	2									1	1	1			1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

NEWARK, N. J.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,913	921	230	98	81	58	138	188	414	570	521	563	526	425	159	18	3
Typhoid fever	61	2	1	1	1	.....	1	10	23	14	5	1	2	.....	.....	.....	.....
Malarial fever	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Smallpox	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Measles	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	71	5	15	5	6	10	23	5	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	50	28	11	3	1	3	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Diphtheria and croup	115	7	14	17	22	11	34	9	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	42	3	.....	.....	.....	.....	.....	1	2	6	5	7	11	.....	6	.....	1
Cholera nostras	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
Dysentery	24	8	1	.....	1	2	.....	1	1	1	.....	1	6	1	1	.....	.....
Erysipelas	11	5	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	.....	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	18	1	.....	.....	.....	.....	.....	4	4	3	1	3	.....	2	.....	.....	.....
Tuberculosis—total	728	21	18	9	5	2	10	43	183	190	114	80	35	16	2	.....	.....
Tuberculosis of lungs	651	13	5	2	3	.....	3	36	172	184	104	78	34	16	1	.....	.....
Tuberculosis of larynx	9	.....	.....	1	.....	.....	.....	1	.....	2	4	.....	1	.....	.....	.....	.....
Tuberculous meningitis	40	8	12	5	1	1	5	2	2	3	.....	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	8	.....	.....	.....	.....	.....	.....	1	2	1	4	.....	.....	.....	.....	.....	.....
Pott's disease	5	.....	.....	.....	.....	1	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	.....	1	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
General tuberculosis	6	.....	1	.....	1	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....
Scrofula	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	12	7	1	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
Cancer	191	.....	.....	.....	1	.....	.....	1	4	16	30	58	46	32	3	.....	.....
Tumor	4	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....
Rheumatism	12	.....	.....	.....	.....	.....	1	3	1	2	.....	3	.....	2	.....	.....	.....
Diabetes	33	.....	.....	.....	.....	.....	.....	1	1	5	4	9	10	2	1	.....	.....
Anemia, leukemia	9	.....	2	.....	.....	.....	1	.....	1	2	1	.....	2	.....	.....	.....	.....
Alcoholism	49	.....	.....	.....	.....	.....	.....	.....	3	26	5	11	3	1	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	143	41	21	11	7	4	11	14	4	10	6	5	5	3	1	.....	.....
Apoplexy	241	4	.....	.....	.....	.....	.....	.....	3	6	28	52	53	67	27	1	.....
Softening of brain	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....
Paralysis	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	6	7	6	2	.....
Epilepsy	9	.....	.....	.....	.....	.....	.....	2	.....	2	2	2	.....	1	.....	.....	.....
Convulsions	98	72	14	2	2	.....	3	1	4	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	63	2	2	1	.....	.....	.....	.....	5	11	10	13	9	7	3	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Endocarditis	48	2	.....	.....	.....	.....	3	2	3	5	5	7	11	8	2	.....	.....
Heart disease	317	4	.....	.....	1	1	6	11	17	24	30	67	69	66	17	3	1
Angina pectoris	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	2	2	.....	.....
Embolism and thrombosis	15	.....	.....	.....	.....	.....	.....	1	1	1	.....	3	4	5	.....	.....	.....
Other diseases of circulatory system	24	4	.....	1	.....	.....	.....	.....	.....	2	2	2	5	5	2	1	.....
Laryngitis	8	1	1	2	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....
Acute bronchitis	88	40	17	3	2	1	.....	.....	1	2	1	2	3	6	1	.....	.....
Chronic bronchitis	52	2	.....	.....	.....	.....	.....	2	1	3	3	10	14	10	5	2	.....
Bronchopneumonia	118	51	22	5	6	7	.....	1	2	3	6	4	2	5	4	.....	.....
Pneumonia	357	34	30	13	6	3	9	9	30	44	63	49	39	22	6	.....	.....
Pleurisy	20	1	1	2	.....	.....	2	1	1	2	3	3	1	3	.....	.....	.....
Congestion of lungs	30	4	1	1	.....	.....	.....	1	.....	2	5	5	5	3	3	.....	.....
Other diseases of respiratory system	27	2	.....	.....	1	.....	.....	1	3	2	5	3	2	4	4	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	53	10	1	2	.....	.....	1	.....	3	2	8	4	10	7	4	1	.....
Diarrhea and enteritis	252	171	29	8	4	3	2	1	1	3	3	3	9	8	5	2	.....
Hernia and intestinal obstructions	43	3	3	1	.....	1	.....	1	3	6	6	6	7	5	1	.....	.....
Cirrhosis of liver	73	.....	.....	.....	.....	1	1	.....	1	13	23	18	7	6	3	.....	.....
Other diseases of liver	26	2	.....	.....	.....	.....	.....	.....	1	6	4	5	4	2	2	.....	.....
Peritonitis	21	.....	1	.....	.....	.....	1	4	6	2	2	1	2	2	.....	.....	.....
Appendicitis	28	.....	.....	.....	.....	.....	2	7	9	3	3	2	2	.....	.....	.....	.....
Other diseases of digestive system	15	4	.....	.....	.....	.....	.....	1	.....	4	4	1	.....	1	.....	.....	.....
Acute nephritis	66	2	1	1	.....	1	2	2	4	7	6	10	6	2	2	.....	.....
Bright's disease	341	8	1	1	2	.....	4	5	19	45	60	60	73	47	16	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	25	.....	.....	.....	.....	.....	.....	.....	5	5	2	.....	2	9	2	.....	.....
Puerperal septicemia	8	.....	.....	.....	.....	.....	.....	1	4	2	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	19	.....	.....	.....	.....	.....	.....	1	9	9	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	20	6	1	.....	.....	.....	.....	1	.....	1	1	2	3	4	1	.....	.....
Diseases of locomotor system	14	4	2	2	.....	.....	.....	.....	1	.....	1	.....	2	2	.....	.....	.....
Malformations	30	26	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	98	98	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	133	133	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	20	21	6	.....
Suicide	69	.....	.....	.....	.....	.....	.....	2	16	18	10	10	8	5	.....	.....	.....
Other violence	249	22	8	3	11	5	17	34	24	43	30	23	17	9	2	.....	1
Ill-defined causes	137	68	7	3	.....	1	1	1	5	4	10	7	15	14	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

OMAHA, NEBR.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,097	213	26	12	7	4	27	64	123	116	138	108	110	102	35	10	2
Typhoid fever	13		2				2	2	3		2			1	1		
Malarial fever	1		1														
Smallpox																	
Measles	5	3	1						1								
Scarlet fever	13	1		4	1	3	2	1	1								
Whooping cough	4	3	1														
Diphtheria and croup	10	2	1	1	1		4	1									
Influenza	17	3	1					1		2	5	1	3	1			
Cholera nostras	1															1	
Dysentery	5	1							1				1	1	1		
Erysipelas	2									1	1						
Other epidemic diseases[1]																	
Septicemia	8	2							3	2			1				
Tuberculosis—total	144	1	1	1			1	15	45	35	24	9	9	3			
Tuberculosis of lungs	134	1	1	1				14	43	32	22	9	8	3			
Tuberculosis of larynx	2									1	1						
Tuberculous meningitis																	
Abdominal tuberculosis	7						1	1	2	1	1		1				
Pott's disease																	
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	1									1							
General tuberculosis																	
Scrofula																	
Venereal diseases	1	1															
Cancer	54								2	9	14	11	11	5	1	1	
Tumor	2									1			1				
Rheumatism	8						2	1	1	2	1			1			
Diabetes	7							1	1			3	1	1			
Anemia, leukemia	6	3								1		1	1				
Alcoholism	7										3	2	2				
Chronic poisonings	2									1		1					
Other general diseases	2								1		1						
Encephalitis																	
Meningitis	17	4	3		1		3	3	1		1		1				
Apoplexy	34	2						1			10	4	10	6	1		
Softening of brain	1										1						
Paralysis	11										2		3	4	2		
Epilepsy	6	1							4		1						
Convulsions	25	23	2														
Tetanus	5	1					1	1		2							
Other diseases of nervous system	21	1					2	2	1	4	2	4	2	3			
Pericarditis	1												1				
Endocarditis	1								1								
Heart disease	78	3					1	3	5	5	11	16	15	15	3	1	
Angina pectoris	4									1	1	1	1				
Embolism and thrombosis	9							1			1	7					
Other diseases of circulatory system	10	1						1			1	2	3	1	1		
Laryngitis	1						1										
Acute bronchitis	14	9	3				1							1			
Chronic bronchitis	8				1			1		2		2	1			1	
Bronchopneumonia	8	3	1									1		2	1		
Pneumonia	91	13	3	4	1	1	2	1	12	6	11	6	12	11	7	1	
Pleurisy	1													1			
Congestion of lungs	11	4						2	1			1		2			1
Other diseases of respiratory system	4									1	2		1				
Tonsilitis																	
Diseases of stomach	17	4								2	5	2	1	2	1		
Diarrhea and enteritis	30	22	3		1				1			1	1		1		
Hernia and intestinal obstructions	10	3		1			1			1	2	1			1		
Cirrhosis of liver	12								1		3	4	3	1			
Other diseases of liver	9								1	2	1	4	1				
Peritonitis	11							4	2	1	1	1	1	1			
Appendicitis	14						2	3	2	4	2	1					
Other diseases of digestive system	3	1	1										1				
Acute nephritis	8	2	1					1		1	1			2			
Bright's disease	39	2						1		4	7	6	6	9	3		1
Calculi of urinary tract																	
Uterine tumor	1											1					
Ovarian tumor	2										1	1					
Other diseases of genito-urinary system	8								2	2	1		2	1			
Puerperal septicemia	8							2	3	3							
Other causes incident to childbirth	8								3	3	2						
Diseases of skin	12								1		2	2	3	3	1		
Diseases of locomotor system	2	1						1									
Malformations	22	21						1									
Premature birth	21	21															
Congenital debility	40	40															
Old age	26												2	14	6	4	
Suicide	13								4	5	2	1		1			
Other violence	82	6	1		1		2	13	19	11	10	6	9	2	1	1	
Ill-defined causes	25	5		1						2	3	5		7	3		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

PATERSON, N. J.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,740	369	66	30	23	19	59	78	134	204	167	194	190	147	54	4	2
Typhoid fever	24							6	4	6	6	1	1				
Malarial fever	3									2			1				
Smallpox																	
Measles	1					1											
Scarlet fever	2		1							1							
Whooping cough	18	9	2	1	2	3	1										
Diphtheria and croup	51	5	11	6	6	3	17	1		1							1
Influenza	3											1	1		1		
Cholera nostras																	
Dysentery	6	1	1									1	1	2			
Erysipelas	8	2	1				1				1		1	2			
Other epidemic diseases[1]																	
Septicemia	8	1				1			2	1			2	1			
Tuberculosis—total	206	8	2	2		2	7	16	52	67	31	11	7		1		
Tuberculosis of lungs	185	3		1		1	4	13	51	67	27	10	7		1		
Tuberculosis of larynx																	
Tuberculous meningitis	7	1	1			1	2	1	1								
Abdominal tuberculosis	7	3						1			3						
Pott's disease	3	1					1				1						
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis	4		1	1				1				1					
Scrofula	1	1															
Venereal diseases	1	1															
Cancer	70								2	5	11	25	15	9	2	1	
Tumor																	
Rheumatism	4						1	2			1						
Diabetes	8						1	1	1		1		3	1			
Anemia, leukemia	7	2						1				3		1			
Alcoholism	5								2	1		1	1				
Chronic poisonings																	
Other general diseases	3										1	2					
Encephalitis	3											2		1			
Meningitis	69	27	6	8	4	2	3	6	3	2	4	4					
Apoplexy	76								3	3	10	13	23	19	5		
Softening of brain	1											1					
Paralysis	15										1	4	2	4	3	1	
Epilepsy	4				1				1	2							
Convulsions	45	35	5		3				2								
Tetanus	4				1		1				1	1					
Other diseases of nervous system	22	2						1	1	3	6	3	5	1			
Pericarditis	1												1				
Endocarditis	40	1					3	3		4	6	4	6	10	3		
Heart disease	124	2	1				4	7	6	14	14	31	27	14	4		
Angina pectoris	8									2		1	3	2			
Embolism and thrombosis	3												1	2			
Other diseases of circulatory system	10	2					1		1		1	2	1	1	1		
Laryngitis																	
Acute bronchitis	21	14	3	1		1						1		1			
Chronic bronchitis	11			1									3	5	2		
Bronchopneumonia	46	15	9		1	1	1			2	3	2	4	8			
Pneumonia	163	29	5	5			4	7	10	24	16	21	25	13	4		
Pleurisy	1														1		
Congestion of lungs	10	2						2		1	1	1	2		1		
Other diseases of respiratory system	13							2	2	5		3		1			
Tonsilitis	1					1											
Diseases of stomach	19	2	1		2				1	1	1		4	4	3		
Diarrhea and enteritis	109	78	11	3				2	1		3	4	1	3	3		
Hernia and intestinal obstructions	11	2							1	1		3	2	2			
Cirrhosis of liver	19						1			2	3	6	5		1		1
Other diseases of liver	13							1	1	1	3	3	4				
Peritonitis	17							1	6	3	2	2	1	2			
Appendicitis	15						2	3	5	2	2		1				
Other diseases of digestive system	7		1					1			1	1	1	2			
Acute nephritis	14	2						1	2	2	3	2	1	1			
Bright's disease	76	3	2				1		6	14	14	16	12	6	2		
Calculi of urinary tract																	
Uterine tumor																	
Ovarian tumor																	
Other diseases of genito-urinary system	9						1	1	3	1		1	1	1			
Puerperal septicemia	6								3	3							
Other causes incident to childbirth	4									3	1						
Diseases of skin	6									1			2	2	1		
Diseases of locomotor system	1									1							
Malformations	7	7															
Premature birth	44	44															
Congenital debility	47	47															
Old age	21												3	7	9	2	
Suicide	15								1	6	3	3	1	1			
Other violence	101	6		2	3	4	7	13	12	13	13	10	7	10	1		
Ill-defined causes	59	19	4	1			2			4	3	4	8	8	6		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

PHILADELPHIA, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	25,731	4,784	1,185	585	356	283	688	1,125	2,489	2,653	2,582	2,618	2,808	2,333	1,077	160	5
Typhoid fever	993	4	5	11	11	6	60	220	340	196	85	32	15	6	2	.....	.....
Malarial fever	12	1	.....	1	1	.....	.....	.....	1	3	.....	2	.....	2	1	.....	.....
Smallpox	282	32	18	12	7	6	10	30	81	46	32	12	4	2	.....	.....	.....
Measles	237	57	67	53	21	15	21	1	1	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	201	8	21	25	37	32	61	14	3	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	433	206	124	54	18	15	14	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	617	37	118	119	96	70	148	22	3	1	1	2	.....	.....	.....	.....	.....
Influenza	197	14	3	.....	4	2	4	3	4	15	27	15	40	43	20	3	.....
Cholera nostras	14	2	.....	.....	.....	.....	.....	3	.....	1	2	3	2	1	.....	.....	.....
Dysentery	50	4	3	.....	.....	.....	2	.....	1	3	5	5	8	8	10	1	.....
Erysipelas	54	11	1	.....	1	.....	1	2	6	3	11	5	5	5	3	.....	.....
Other epidemic diseases [1]	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Septicemia	50	5	.....	.....	1	.....	3	3	9	11	3	9	6	.....	.....	.....	.....
Tuberculosis—total	3,366	91	68	26	24	21	52	278	898	803	541	311	185	59	8	1	.....
Tuberculosis of lungs	2,970	37	24	12	12	9	28	233	838	745	512	288	170	53	8	1	.....
Tuberculosis of larynx	34	1	.....	.....	.....	.....	.....	.....	11	9	5	6	2	.....	.....	.....	.....
Tuberculous meningitis	143	38	34	9	10	7	13	13	9	7	1	1	1	.....	.....	.....	.....
Abdominal tuberculosis	101	11	3	1	1	.....	7	9	21	19	11	7	7	4	.....	.....	.....
Pott's disease	37	.....	2	.....	1	2	1	10	6	5	3	4	2	1	.....	.....	.....
Tuberculous abscess	7	1	.....	1	.....	.....	1	1	1	1	.....	.....	1	.....	.....	.....	.....
White swelling	12	.....	3	.....	.....	.....	1	4	.....	3	.....	.....	.....	1	.....	.....	.....
Tuberculosis of other organs	22	1	.....	.....	.....	1	.....	4	5	5	2	3	1	.....	.....	.....	.....
General tuberculosis	40	2	2	3	.....	2	1	4	7	9	7	2	1	.....	.....	.....	.....
Scrofula	7	2	2	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	62	31	3	.....	.....	.....	.....	.....	5	5	7	5	3	2	1	.....	.....
Cancer	383	1	2	1	1	.....	3	6	21	77	214	238	254	130	32	3	.....
Tumor	22	.....	.....	.....	.....	.....	.....	.....	1	1	2	8	4	6	.....	.....	.....
Rheumatism	103	.....	.....	1	2	2	7	15	6	17	10	11	15	14	3	.....	.....
Diabetes	154	.....	1	.....	.....	1	2	4	10	13	19	40	43	17	4	.....	.....
Anemia, leukemia	70	5	7	1	1	.....	1	8	5	10	15	9	5	1	2	.....	.....
Alcoholism	88	.....	.....	.....	.....	.....	.....	.....	10	31	22	15	8	2	.....	.....	.....
Chronic poisonings	14	.....	.....	.....	.....	.....	.....	1	2	5	3	2	.....	1	.....	.....	.....
Other general diseases	29	8	.....	.....	.....	.....	.....	2	6	7	3	1	.....	1	1	.....	.....
Encephalitis	24	9	1	1	.....	1	1	3	2	1	2	1	.....	1	1	.....	.....
Meningitis	218	69	40	19	11	8	13	9	15	11	10	7	6	.....	.....	.....	.....
Apoplexy	927	26	3	4	.....	2	4	5	14	39	70	161	233	248	104	14	.....
Softening of brain	54	.....	.....	.....	.....	.....	.....	.....	.....	1	1	6	13	22	9	2	.....
Paralysis	228	2	.....	1	.....	.....	1	1	1	4	16	34	59	68	36	5	.....
Epilepsy	54	1	.....	.....	.....	.....	3	6	8	15	9	5	6	1	.....	.....	.....
Convulsions	410	311	58	18	2	4	7	2	2	3	3	.....	.....	.....	.....	.....	.....
Tetanus	40	8	.....	3	1	.....	3	14	2	4	3	2	.....	.....	.....	.....	.....
Other diseases of nervous system	347	8	3	4	5	1	13	20	18	55	63	60	42	39	13	3	.....
Pericarditis	38	2	.....	.....	.....	.....	.....	5	3	3	4	7	7	3	4	.....	.....
Endocarditis	201	4	.....	1	1	1	6	20	22	19	18	31	30	31	16	1	.....
Heart disease	2,016	30	6	4	3	3	34	67	94	164	232	355	480	414	119	10	1
Angina pectoris	90	.....	.....	.....	.....	.....	.....	1	1	5	13	19	23	25	3	.....	.....
Embolism and thrombosis	49	.....	.....	.....	.....	.....	.....	.....	5	4	10	3	8	11	7	1	.....
Other diseases of circulatory system	218	6	3	1	.....	1	1	4	7	17	26	21	42	50	31	8	.....
Laryngitis	16	1	1	2	2	3	1	.....	.....	4	2	.....	.....	.....	.....	.....	.....
Acute bronchitis	215	117	33	7	6	3	4	1	3	2	3	2	5	18	6	5	.....
Chronic bronchitis	205	13	8	5	.....	.....	2	4	10	8	15	18	47	38	34	3	.....
Bronchopneumonia	541	197	93	37	13	9	16	9	14	15	16	22	35	39	21	4	1
Pneumonia	1,959	306	150	65	36	30	56	81	163	201	186	248	210	158	65	4	.....
Pleurisy	59	5	1	.....	1	.....	2	3	2	10	6	13	8	7	1	.....	.....
Congestion of lungs	208	44	12	6	4	.....	5	5	5	15	18	19	29	24	20	2	.....
Other diseases of respiratory system	200	11	8	4	2	3	3	5	17	17	25	39	38	19	9	.....	.....
Tonsilitis	4	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	204	62	14	4	3	4	4	3	12	22	27	40	50	34	15	.....	.....
Diarrhea and enteritis	1,547	1,055	188	39	8	8	13	6	20	24	28	35	41	56	24	2	.....
Hernia and intestinal obstructions	229	24	1	3	2	.....	5	5	17	27	41	31	37	26	8	2	.....
Cirrhosis of liver	257	1	.....	.....	.....	.....	.....	.....	10	25	61	75	52	28	5	.....	.....
Other diseases of liver	123	9	1	.....	.....	1	1	.....	5	15	23	21	24	15	7	1	.....
Peritonitis	84	5	.....	1	.....	.....	4	10	22	19	11	4	7	1	.....	.....	.....
Appendicitis	177	.....	1	.....	.....	.....	17	48	52	24	23	7	2	3	.....	.....	.....
Other diseases of digestive system	84	31	5	2	1	3	4	4	6	12	4	6	3	3	.....	.....	.....
Acute nephritis	162	4	1	2	1	.....	3	12	24	33	30	26	16	6	4	.....	.....
Bright's disease	1,889	11	3	6	1	2	8	28	105	187	298	348	415	340	127	10	.....
Calculi of urinary tract	9	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	2	1	1	.....	.....
Uterine tumor	52	.....	.....	.....	.....	.....	.....	.....	3	13	19	10	6	1	.....	.....	.....
Ovarian tumor	28	.....	.....	.....	.....	.....	.....	2	6	8	4	6	2	.....	.....	.....	.....
Other diseases of genito-urinary system	203	3	1	.....	1	.....	.....	6	36	30	26	17	27	39	15	2	.....
Puerperal septicemia	80	.....	.....	.....	.....	.....	.....	6	32	39	2	.....	.....	.....	.....	.....	1
Other causes incident to childbirth	139	.....	.....	.....	.....	.....	.....	9	59	64	6	.....	.....	.....	.....	.....	1
Diseases of skin	114	9	5	1	.....	2	1	1	5	2	10	8	26	22	21	1	.....
Diseases of locomotor system	57	17	9	2	3	1	.....	6	5	1	3	5	.....	5	.....	.....	.....
Malformations	256	240	5	2	.....	1	4	2	1	1	.....	.....	.....	.....	.....	.....	.....
Premature birth	386	386	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	683	683	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	400	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28	131	176	65	.....
Suicide	201	.....	.....	.....	.....	.....	.....	2	33	52	43	43	24	4	.....	.....	.....
Other violence	1,251	127	32	23	18	17	55	104	200	184	161	126	97	62	43	1	1
Ill-defined causes	665	427	56	13	6	3	3	3	12	5	7	8	31	40	45	6	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

PITTSBURG, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,476	1,760	544	222	134	107	241	379	1,055	863	630	543	501	325	148	15	9
Typhoid fever	471	1	2	6	6	8	22	85	210	88	23	11	5	1	.....	.....	1
Malarial fever	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Smallpox	315	30	14	5	8	4	9	16	102	78	35	9	4	.....	1	.....	.....
Measles	90	17	35	18	10	6	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	73	1	11	11	15	6	20	6	2	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	168	59	57	29	6	10	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	213	10	27	38	26	27	63	9	8	4	.....	1	.....	.....	.....	.....	.....
Influenza	49	2	1	.....	.....	.....	3	.....	1	9	6	2	13	8	4	.....	.....
Cholera nostras	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Dysentery	15	2	1	.....	1	.....	.....	.....	.....	3	3	2	2	.....	.....	1	.....
Erysipelas	19	7	.....	.....	.....	.....	.....	.....	.....	2	5	3	1	.....	1	.....	.....
Other epidemic diseases[1]	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	26	5	.....	.....	.....	.....	.....	1	12	3	3	.....	1	1	.....	.....	.....
Tuberculosis—total	502	21	21	16	4	6	13	47	178	133	75	53	19	4	1	.....	1
Tuberculosis of lungs	486	10	9	7	1	3	5	35	162	124	62	45	18	4	1	.....	.....
Tuberculosis of larynx	6	.....	.....	.....	1	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	1
Tuberculous meningitis	38	7	10	7	2	1	5	3	1	.....	.....	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	28	3	2	1	.....	2	.....	6	5	4	4	1	.....	.....	.....	.....	.....
Pott's disease	7	1	.....	.....	.....	.....	1	1	2	.....	1	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	6	.....	.....	1	.....	.....	2	1	1	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....
General tuberculosis	17	.....	.....	.....	.....	.....	.....	.....	7	2	6	2	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	23	13	2	.....	.....	.....	.....	.....	4	3	.....	1	.....	.....	.....	.....	.....
Cancer	197	.....	.....	.....	.....	.....	.....	1	7	20	54	46	42	23	4	.....	.....
Tumor	7	.....	.....	.....	1	.....	.....	.....	1	1	3	.....	1	.....	.....	.....	.....
Rheumatism	50	.....	.....	.....	.....	1	3	1	10	5	10	9	7	4	.....	.....	.....
Diabetes	14	.....	.....	.....	.....	.....	.....	.....	1	2	3	2	4	2	.....	.....	.....
Anemia, leukemia	17	1	2	1	.....	.....	.....	5	1	2	1	2	1	1	.....	.....	.....
Alcoholism	46	.....	.....	.....	.....	.....	.....	1	4	14	15	7	4	1	.....	.....	.....
Chronic poisonings	6	.....	.....	.....	.....	.....	.....	1	1	1	1	1	1	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....
Encephalitis	5	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Meningitis	124	43	29	13	5	5	4	8	4	6	2	2	2	1	.....	.....	.....
Apoplexy	134	2	6	.....	1	.....	2	.....	5	7	10	28	33	30	10	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....
Paralysis	51	.....	.....	1	.....	.....	2	.....	1	1	3	6	18	10	9	.....	.....
Epilepsy	6	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	1	.....	.....
Convulsions	155	119	22	3	4	1	3	1	1	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	29	8	.....	.....	.....	.....	3	13	2	2	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	60	3	2	1	.....	.....	.....	1	9	10	8	12	7	4	3	.....	.....
Pericarditis	7	.....	.....	.....	.....	.....	1	.....	2	.....	3	.....	.....	1	.....	.....	.....
Endocarditis	18	1	.....	.....	.....	.....	.....	1	.....	.....	4	4	3	4	1	.....	.....
Heart disease	329	15	3	1	.....	.....	5	14	34	44	51	49	55	43	12	2	1
Angina pectoris	16	.....	.....	.....	.....	.....	.....	1	1	4	2	3	3	2	.....	.....	.....
Embolism and thrombosis	7	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	3	.....	.....	.....	.....
Other diseases of circulatory system	25	4	1	1	1	.....	.....	2	1	2	2	.....	3	5	3	.....	.....
Laryngitis	3	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	86	59	14	2	3	.....	1	.....	3	.....	.....	1	2	1	.....	.....	.....
Chronic bronchitis	60	.....	1	1	.....	.....	.....	1	2	3	2	12	13	13	10	2	.....
Bronchopneumonia	151	67	25	8	6	2	5	3	5	3	4	5	9	6	2	1	.....
Pneumonia	784	168	68	30	14	13	20	29	79	87	82	68	79	31	14	2	.....
Pleurisy	33	1	2	.....	.....	.....	2	1	2	4	7	8	3	3	.....	.....	.....
Congestion of lungs	30	7	2	.....	.....	1	.....	1	.....	2	1	2	7	6	1	.....	.....
Other diseases of respiratory system	51	2	.....	1	.....	.....	.....	2	4	2	7	11	13	5	4	.....	.....
Tonsilitis	3	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	87	25	6	.....	3	.....	1	2	5	10	4	4	17	7	3	.....	.....
Diarrhea and enteritis	684	441	144	22	8	1	11	2	6	5	4	5	11	18	4	1	1
Hernia and intestinal obstructions	43	13	1	.....	1	.....	1	1	3	7	6	3	4	1	2	.....	.....
Cirrhosis of liver	47	.....	.....	.....	.....	.....	.....	.....	4	3	14	11	5	9	1	.....	.....
Other diseases of liver	50	3	1	.....	.....	.....	.....	.....	4	8	10	12	9	2	1	.....	.....
Peritonitis	58	3	1	.....	.....	1	1	10	12	15	6	4	3	1	1	.....	.....
Appendicitis	40	.....	.....	.....	1	.....	.....	14	19	6	2	2	3	1	.....	.....	1
Other diseases of digestive system	24	8	2	1	.....	3	.....	.....	2	3	2	1	1	.....	1	.....	.....
Acute nephritis	26	3	1	.....	.....	1	3	2	5	2	3	4	.....	1	1	.....	.....
Bright's disease	177	4	2	1	.....	.....	4	6	13	24	28	42	26	18	7	2	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Uterine tumor	9	.....	.....	.....	.....	.....	.....	.....	1	2	4	.....	1	1	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	51	.....	1	.....	.....	.....	.....	5	13	10	3	4	6	6	2	1	.....
Puerperal septicemia	24	.....	.....	.....	.....	.....	.....	2	16	5	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	41	.....	.....	.....	.....	.....	.....	2	20	16	3	.....	.....	.....	.....	.....	.....
Diseases of skin	34	7	1	2	.....	.....	2	.....	4	4	2	1	4	6	1	.....	.....
Diseases of locomotor system	14	2	6	1	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....
Malformations	55	51	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	175	175	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	200	200	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	13	21	1	.....
Suicide	57	.....	.....	.....	.....	.....	.....	2	20	18	9	7	1	.....	.....	.....	.....
Other violence	732	53	8	6	6	11	25	72	199	160	89	51	29	14	6	.....	3
Ill-defined causes	223	100	18	1	2	.....	.....	3	3	11	9	25	18	15	15	2	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

PROVIDENCE, R. I.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,898	875	266	102	70	42	110	110	292	333	329	410	424	302	175	30	28
Typhoid fever	37	1	.....	.....	.....	.....	7	7	8	9	1	3	1	.....	.....	.....	.....
Malarial fever	10	2	1	.....	1	.....	.....	.....	.....	.....	1	3	1	.....	1	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	96	30	37	13	5	2	6	1	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	25	1	4	.....	4	2	11	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	74	36	24	8	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	84	7	14	16	11	14	18	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	73	6	5	.....	.....	.....	2	2	3	3	10	6	10	13	11	1	1
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Dysentery	45	9	10	3	.....	1	4	.....	2	2	1	4	2	6	1	.....	.....
Erysipelas	12	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	3	.....	1	.....
Other epidemic diseases [1]	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Septicemia	5	2	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	509	33	20	13	13	4	9	32	128	111	60	48	25	5	2	.....	6
Tuberculosis of lungs	406	6	4	5	4	2	1	24	121	104	56	46	23	4	2	.....	4
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	50	13	9	7	5	1	4	3	2	3	1	1	.....	.....	.....	.....	1
Abdominal tuberculosis	17	4	1	1	2	1	2	3	1	1	1	.....	.....	.....	.....	.....	.....
Pott's disease	5	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	4	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	1
Tuberculosis of other organs	3	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	21	9	5	.....	1	.....	1	.....	1	2	1	.....	1	.....	.....	.....	.....
Scrofula	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	14	10	1	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
Cancer	153	.....	.....	.....	.....	.....	.....	.....	3	10	35	35	40	20	6	2	2
Tumor	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	20	.....	.....	.....	.....	.....	2	1	1	2	5	4	.....	5	.....	.....	.....
Diabetes	35	.....	.....	.....	1	.....	.....	.....	3	3	1	9	10	4	2	.....	2
Anemia, leukemia	11	.....	1	.....	.....	.....	1	1	.....	1	3	1	2	1	.....	.....	.....
Alcoholism	19	.....	.....	.....	.....	.....	.....	.....	3	9	3	2	2	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....
Other general diseases	4	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	43	11	8	6	3	2	5	4	1	2	1	.....	.....	.....	.....	.....	.....
Apoplexy	135	4	.....	.....	.....	1	1	2	2	2	14	29	27	30	19	3	1
Softening of brain	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	3	1	.....	.....
Paralysis	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	5	1	3	.....	.....
Epilepsy	10	.....	1	.....	.....	.....	.....	1	4	.....	1	2	.....	1	.....	.....	.....
Convulsions	13	11	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	5	2	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	44	2	5	2	1	.....	.....	2	4	3	5	6	5	4	4	1	.....
Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	28	.....	.....	.....	.....	.....	.....	1	1	2	1	7	5	6	4	.....	1
Heart disease	279	2	1	.....	.....	.....	3	6	13	13	28	49	77	54	28	3	2
Angina pectoris	16	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	6	3	.....	.....	.....
Embolism and thrombosis	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
Other diseases of circulatory system	20	.....	.....	1	.....	.....	.....	.....	.....	5	.....	4	2	3	5	.....	.....
Laryngitis	7	1	1	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	76	46	16	2	.....	.....	.....	.....	.....	.....	2	3	2	2	1	1	1
Chronic bronchitis	45	2	1	.....	.....	.....	.....	.....	1	1	2	8	8	8	10	3	1
Bronchopneumonia	103	34	20	2	5	.....	2	1	.....	4	3	13	8	8	3	.....	.....
Pneumonia	296	58	31	9	7	5	6	9	17	32	28	30	34	23	5	2	.....
Pleurisy	11	.....	.....	1	1	.....	.....	.....	.....	.....	3	3	2	.....	.....	.....	1
Congestion of lungs	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of respiratory system	17	1	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	4	3	.....	1
Tonsilitis	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	64	24	5	1	1	2	4	.....	1	4	3	4	8	2	5	.....	.....
Diarrhea and enteritis	345	242	43	11	3	2	5	2	2	.....	8	4	7	7	5	1	3
Hernia and intestinal obstructions	30	2	.....	.....	.....	.....	1	1	1	3	6	9	6	1	.....	.....	.....
Cirrhosis of liver	43	2	.....	.....	.....	.....	.....	.....	2	4	11	10	8	6	.....	.....	.....
Other diseases of liver	21	.....	.....	.....	1	.....	.....	.....	1	4	3	6	4	2	.....	.....	.....
Peritonitis	7	1	.....	1	.....	.....	.....	.....	2	.....	2	.....	1	.....	.....	.....	.....
Appendicitis	39	.....	.....	.....	.....	2	3	9	10	7	3	3	2	.....	.....	.....	.....
Other diseases of digestive system	21	9	2	.....	.....	.....	.....	1	2	.....	3	1	1	1	1	.....	.....
Acute nephritis	26	5	2	.....	1	.....	.....	1	5	4	.....	3	4	1	.....	.....	.....
Bright's disease	269	2	1	.....	2	1	5	3	15	30	36	53	59	33	15	3	2
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Uterine tumor	9	.....	.....	.....	.....	.....	.....	.....	.....	2	5	1	1	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	42	1	.....	.....	.....	.....	.....	2	5	3	4	3	8	9	7	.....	.....
Puerperal septicemia	12	.....	.....	.....	.....	.....	.....	.....	4	5	2	.....	.....	.....	.....	.....	1
Other causes incident to childbirth	19	.....	.....	.....	.....	.....	.....	.....	7	10	2	.....	.....	.....	.....	.....	.....
Diseases of skin	19	1	.....	.....	.....	.....	.....	.....	.....	.....	2	6	5	2	3	.....	.....
Diseases of locomotor system	8	3	2	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Malformations	30	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	81	81	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	85	85	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	48	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	15	19	8	.....
Suicide	21	.....	.....	.....	.....	.....	.....	.....	5	4	1	6	2	3	.....	.....	.....
Other violence	202	38	3	6	4	2	12	13	23	28	23	15	14	8	10	1	2
Ill-defined causes	46	27	5	2	2	.....	.....	.....	1	.....	.....	3	1	4	.....	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

ROCHESTER, N. Y.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,544	276	88	41	31	28	110	113	208	218	256	293	326	336	185	34	1
Typhoid fever	21							6	6	4	2	2	1				
Malarial fever																	
Smallpox	24	2	3	1	1	2		1	3	5	3	1	1	1			
Measles	26	6	5	4	1	2	7		1								
Scarlet fever	12		1	2	2	2	4	1									
Whooping cough	8	4	3		1												
Diphtheria and croup	112	3	7	9	12	14	51	13	1	1	1						
Influenza	16							1	2	2	1		2	4	3	1	
Cholera nostras	2		1						1								
Dysentery	11											1	4	3	2	1	
Erysipelas	5	2						1				1		1			
Other epidemic diseases [1]	1	1															
Septicemia	16	1					2	2	1	2	1	4	1	2			
Tuberculosis—total	251	3	1	2		1	6	29	73	50	39	25	13	7	2		
Tuberculosis of lungs	218	1					1	23	68	46	37	21	12	7	2		
Tuberculosis of larynx	2								1		1						
Tuberculous meningitis	12	1	1	1		1	3	1		3		1					
Abdominal tuberculosis	8			1			1	3				2	1				
Pott's disease	5							1	2	1		1					
Tuberculous abscess																	
White swelling	3						1	1	1								
Tuberculosis of other organs	1								1								
General tuberculosis	2	1									1						
Scrofula	1												1				
Venereal diseases	8	5							1	1	1						
Cancer	137						2	1	2	7	34	30	34	20	6	1	
Tumor	7							1				2	1	2	1		
Rheumatism	14			1					1	1		3	3	4		1	
Diabetes	18							3	3	2	1	4	3	2			
Anemia, leukemia	9			1				2		1	1	1		1	2		
Alcoholism	6									1	3	1	1				
Chronic poisonings																	
Other general diseases	5							1	1			1		2			
Encephalitis	6						1	1	2	1	1						
Meningitis	48	12	8	2	3	1	2	2	5	4	4	3	2				
Apoplexy	138	2	1						3	8	10	28	40	30	15	1	
Softening of brain	8										2			4	2		
Paralysis	32	1					1				3	5	5	10	7		
Epilepsy	12	1							2	5	1	2	1				
Convulsions	26	18	5	2		1											
Tetanus	1	1															
Other diseases of nervous system	80		1	2			1	1	4	8	18	10	18	11	6		
Pericarditis	5										2	1	1	1			
Endocarditis	32	1					1	2	3	1	2	1	10	4	7		
Heart disease	223	3					2	9	8	19	20	36	44	59	21	2	
Angina pectoris	10								2			1	3	3	1		
Embolism and thrombosis	12							1	2			2	3	1	3		
Other diseases of circulatory system	33	4	1	1						2	2	3	7	11	2		
Laryngitis	2			2													
Acute bronchitis	31	14	7	2				1			1		4	1	1		
Chronic bronchitis	50		1				1				3	2	10	18	11	4	
Bronchopneumonia	36	12	8	2	1	1	2		1		2	1	3	2		1	
Pneumonia	163	22	13	2	5	1	7	3	10	12	13	22	22	22	7	2	
Pleurisy	11						1		2		1	3	3		1		
Congestion of lungs	25	1						1	1	3	3	2	5	4	5		
Other diseases of respiratory system	14	1						1	1	2	1	1	5	1	1		
Tonsilitis	1									1							
Diseases of stomach	26	1		1				1	2	2	1	4	4	6	3	1	
Diarrhea and enteritis	98	65	11		3	1	3			2	1	2		5	3	2	
Hernia and intestinal obstructions	36	3					1	2		3	2	7	8	7	3		
Cirrhosis of liver	35									1	5	15	7	7			
Other diseases of liver	22						1		3	3	6	1	3	5			
Peritonitis	25						2	6	3	5	3	3	1	2			
Appendicitis	34						6	7	4	5	2	6	2	1			1
Other diseases of digestive system	11						1		2	3		4		1			
Acute nephritis	16	1		1	1		1	1	3	3	2	1			2		
Bright's disease	139	1	1					3	10	18	21	25	27	22	11		
Calculi of urinary tract	1										1						
Uterine tumor	6								1	2	1	2					
Ovarian tumor	4								1	1	2						
Other diseases of genito-urinary system	33								6	3	5	8	4	4	3		
Puerperal septicemia	9								4	5							
Other causes incident to childbirth	10								7	1	2						
Diseases of skin	17	1				1					2	2	5	3	3		
Diseases of locomotor system	8		1					1		1	1			3	1		
Malformations	18	13	3	2													
Premature birth	1	1															
Congenital debility	43	43															
Old age	92												5	28	44	15	
Suicide	22										4	3	6	4	3	1	1
Other violence	97	6	5	1		1	1	8	16	14	17	7	6	9	5	1	
Ill-defined causes	32	21	1	1	1		3					3		1		1	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

ST. JOSEPH, MO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	722	114	15	14	10	5	14	37	81	73	91	69	83	78	30	7	1
Typhoid fever	9	1	1		1			1		2	1		2				
Malarial fever	3	1			1						1						
Smallpox	1	1															
Measles	1						1										
Scarlet fever	5	1	1		1		1	1									
Whooping cough																	
Diphtheria and croup	6			1	1	1	2	1									
Influenza	22	1					1	2	2	2	3	2	3	4	1	1	
Cholera nostras	1												1				
Dysentery	3												1	2			
Erysipelas	2													1	1		
Other epidemic diseases[1]																	
Septicemia	10	1						1	2	2	1	2	1				
Tuberculosis—total	69	2	1	1		1		6	25	16	9	2	6				
Tuberculosis of lungs	66	2	1	1				5	24	16	9	2	6				
Tuberculosis of larynx																	
Tuberculous meningitis	1					1											
Abdominal tuberculosis	1								1								
Pott's disease																	
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	1							1									
General tuberculosis																	
Scrofula																	
Venereal diseases																	
Cancer	29							1			8	11	6	2	1		
Tumor	2										1			1			
Rheumatism	2				1								1				
Diabetes	2							1			1						
Anemia, leukemia	4	2						1				1					
Alcoholism	3									2			1				
Chronic poisonings	1										1						
Other general diseases	1										1						
Encephalitis	1	1															
Meningitis	14	6	1				2		2	1	1	1					
Apoplexy	47	2	1	1				1		3	6	3	14	15	1		
Softening of brain	1										1						
Paralysis	10						1			1	2		1	5			
Epilepsy	2								1		1						
Convulsions	12	9	1	2													
Tetanus	3							2					1				
Other diseases of nervous system	7							1		1	3	1	1				
Pericarditis	3								1		2						
Endocarditis	5						1		1			2	1				
Heart disease	40	1							2	3	8	9	5	9	2	1	
Angina pectoris	1													1			
Embolism and thrombosis	1											1					
Other diseases of circulatory system	4	2								1	1						
Laryngitis	2	1	1														
Acute bronchitis	8	7	1														
Chronic bronchitis	3								1		2						
Bronchopneumonia	4	3												1			
Pneumonia	57	11	1	3	2	1	2	2	4	4	5	5	5	9	3		
Pleurisy	1											1					
Congestion of lungs	11	5		1								1	2	1	1		
Other diseases of respiratory system	2									1	1						
Tonsilitis																	
Diseases of stomach	7	1		1					1	2	1					1	
Diarrhea and enteritis	37	25	5	2	1	1			1		1		1				
Hernia and intestinal obstructions	7	1						1	2	1		1		1			
Cirrhosis of liver	3											2	1				
Other diseases of liver	9							1	2		3	2	1				
Peritonitis	18							3	4	6	3		2				
Appendicitis	7						1	1	2	3							
Other diseases of digestive system	6			1						1		2	1		1		
Acute nephritis	3										1			1			
Bright's disease	39	1						1	1	4	5	6	8	9	4		
Calculi of urinary tract																	
Uterine tumor																	
Ovarian tumor	1										1						
Other diseases of genito-urinary system	11								2	2	1		2	1	3		
Puerperal septicemia	3								3								
Other causes incident to childbirth	6								3	3							
Diseases of skin																	
Diseases of locomotor system	1									1							
Malformations	3	2	1														
Premature birth																	
Congenital debility	14	14															
Old age	19												2	5	8	4	
Suicide	17							2	5	3	3	2	2				
Other violence	54	5			1	1	2	4	11	7	11	3	4	2	2		1
Ill-defined causes	42	7		1	1			2	3	1	1	9	7	8	2		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

ST. LOUIS, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	11,126	1,923	458	222	147	93	336	558	1,162	1,326	1,210	1,191	1,217	857	328	46	52
Typhoid fever	321	2	2	1	3	3	21	77	97	66	28	13	8	.....	.....	.....	.....
Malarial fever	61	3	2	3	1	.....	3	3	13	9	6	6	9	3	.....	.....	.....
Smallpox	4	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	143	35	42	24	11	8	18	2	2	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	97	3	12	8	11	14	34	14	.....	.....	.....	1	.....	.....	.....	.....	.....
Whooping cough	84	41	20	11	5	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Diphtheria and croup	197	12	21	30	34	15	65	14	4	1	.....	.....	.....	.....	.....	.....	1
Influenza	161	8	2	1	2	.....	8	7	15	21	17	27	28	20	5	.....	.....
Cholera nostras	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	2	.....	.....	.....
Dysentery	37	5	4	1	.....	.....	.....	1	2	3	3	8	6	3	1	.....	.....
Erysipelas	25	5	.....	.....	.....	1	.....	.....	3	3	4	6	3	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	24	2	1	.....	.....	1	1	2	3	4	6	1	2	1	.....	.....	.....
Tuberculosis—total	1,293	26	17	8	8	3	23	121	360	347	205	104	48	15	2	.....	6
Tuberculosis of lungs	1,142	9	7	3	1	2	13	103	330	327	187	101	39	12	2	.....	6
Tuberculosis of larynx	22	.....	.....	.....	.....	.....	.....	1	3	8	3	.....	5	2	.....	.....	.....
Tuberculous meningitis	30	12	9	5	7	.....	6	2	7	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	44	2	.....	.....	.....	1	1	10	15	4	7	2	1	1	.....	.....	.....
Pott's disease	12	1	.....	.....	.....	.....	1	3	2	2	1	1	1	.....	.....	.....	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
White swelling	5	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....	.....
Tuberculosis of other organs	8	.....	.....	.....	.....	.....	.....	.....	1	3	4	.....	.....	.....	.....	.....	.....
General tuberculosis	8	1	1	.....	.....	.....	1	1	1	1	1	.....	1	.....	.....	.....	.....
Scrofula	4	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	37	15	.....	.....	.....	.....	.....	.....	2	10	3	4	2	1	.....	.....	.....
Cancer	448	.....	.....	.....	2	1	.....	4	9	37	79	134	125	49	6	.....	2
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Rheumatism	44	.....	.....	1	.....	.....	3	4	5	4	7	8	6	3	1	.....	2
Diabetes	47	.....	.....	.....	.....	.....	2	3	2	4	3	12	14	6	1	.....	.....
Anemia, leukemia	41	.....	3	.....	1	.....	2	4	5	8	6	4	5	3	.....	.....	.....
Alcoholism	30	.....	.....	.....	.....	.....	.....	.....	1	5	11	7	4	2	.....	.....	.....
Chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	.....	2	4	1	1	.....	.....	.....	.....
Other general diseases	11	.....	.....	.....	.....	.....	3	.....	1	3	2	1	.....	1	.....	.....	.....
Encephalitis	26	7	3	1	.....	.....	2	1	3	1	2	2	4	.....	.....	.....	.....
Meningitis	144	53	24	5	3	6	12	13	6	4	7	4	6	1	.....	.....	.....
Apoplexy	332	21	7	3	.....	.....	1	5	20	27	39	65	72	61	8	1	2
Softening of brain	43	.....	.....	.....	.....	.....	.....	1	.....	.....	5	6	15	13	1	1	1
Paralysis	128	.....	.....	1	1	.....	1	1	2	9	11	18	41	32	9	1	1
Epilepsy	32	.....	.....	1	1	.....	.....	2	6	12	6	3	1	.....	.....	.....	.....
Convulsions	110	91	14	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	65	34	.....	.....	.....	1	4	16	3	2	2	1	1	.....	1	.....	.....
Other diseases of nervous system	184	7	4	.....	.....	.....	6	5	9	28	44	37	25	12	3	.....	4
Pericarditis	25	.....	.....	.....	.....	.....	1	1	4	7	4	2	1	3	1	.....	1
Endocarditis	41	.....	1	.....	.....	1	5	3	5	5	3	3	6	6	1	.....	2
Heart disease	676	7	.....	2	1	.....	8	38	39	86	113	143	118	97	22	.....	2
Angina pectoris	27	.....	.....	.....	.....	.....	.....	.....	2	2	5	6	4	8	.....	.....	.....
Embolism and thrombosis	23	1	1	.....	.....	.....	1	.....	3	4	2	2	5	1	3	.....	.....
Other diseases of circulatory system	81	4	.....	1	.....	.....	2	.....	4	15	9	6	17	16	4	1	2
Laryngitis	21	3	2	4	.....	2	4	.....	3	.....	.....	2	.....	1	.....	.....	.....
Acute bronchitis	193	112	34	20	12	3	.....	1	.....	2	2	1	3	1	2	.....	.....
Chronic bronchitis	190	3	.....	.....	1	.....	7	2	12	8	14	27	45	53	15	3	.....
Bronchopneumonia	112	36	18	13	10	.....	6	1	6	2	6	6	4	3	1	.....	.....
Pneumonia	853	115	71	24	14	10	21	36	92	118	114	88	81	48	12	2	7
Pleurisy	48	4	1	1	2	1	.....	2	4	5	8	7	7	4	2	.....	.....
Congestion of lungs	111	18	6	1	.....	1	3	3	8	12	19	10	17	10	3	.....	.....
Other diseases of respiratory system	143	4	1	1	1	1	1	2	6	12	15	19	47	28	4	.....	1
Tonsilitis	7	1	1	1	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	125	19	6	3	1	.....	.....	4	10	9	23	19	15	13	2	1	.....
Diarrhea and enteritis	601	344	81	20	3	5	14	4	19	16	15	22	31	15	10	2	.....
Hernia and intestinal obstructions	74	10	1	.....	.....	.....	1	2	6	11	14	9	9	8	3	.....	.....
Cirrhosis of liver	134	.....	.....	.....	.....	.....	.....	1	8	24	39	28	24	9	1	.....	.....
Other diseases of liver	81	1	1	1	.....	.....	1	1	9	12	9	18	22	3	3	.....	.....
Peritonitis	40	2	.....	.....	.....	.....	1	5	14	9	5	3	1	.....	.....	.....	.....
Appendicitis	91	1	.....	.....	.....	1	6	26	26	19	5	4	2	1	.....	.....	.....
Other diseases of digestive system	62	29	11	.....	.....	.....	.....	2	2	3	1	6	5	1	2	.....	.....
Acute nephritis	18	2	1	.....	1	.....	2	2	1	4	3	1	1	.....	.....	.....	.....
Bright's disease	666	4	2	1	1	1	9	14	40	83	115	147	141	80	18	5	5
Calculi of urinary tract	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....
Uterine tumor	15	.....	.....	.....	.....	.....	.....	1	1	4	3	2	4	.....	.....	.....	.....
Ovarian tumor	12	.....	.....	.....	.....	1	.....	1	2	1	4	3	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	129	.....	.....	.....	.....	.....	1	4	23	17	14	13	23	24	9	.....	1
Puerperal septicemia	72	.....	.....	.....	.....	.....	.....	4	43	21	3	.....	.....	.....	.....	.....	1
Other causes incident to childbirth	43	.....	.....	.....	.....	.....	.....	1	20	19	3	.....	.....	.....	.....	.....	.....
Diseases of skin	57	5	1	1	.....	.....	1	2	5	2	5	10	15	5	3	2	.....
Diseases of locomotor system	27	6	2	3	.....	.....	.....	4	4	3	1	.....	4	.....	.....	.....	.....
Malformations	67	60	1	.....	1	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	163	163	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	446	446	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	385	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60	153	151	21	.....
Suicide	167	.....	.....	.....	.....	.....	.....	15	48	40	27	21	11	5	.....	.....	.....
Other violence	601	18	3	11	7	5	19	67	108	125	89	65	44	20	10	5	5
Ill-defined causes	305	132	33	11	6	4	4	5	11	12	16	23	22	12	8	1	5

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

ST. PAUL, MINN.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,782	368	46	18	18	28	39	106	164	194	164	174	178	185	82	17	1
Typhoid fever	19						1	5	8	3	1			1			
Malarial fever	1												1				
Smallpox	16	2						1	4	3	2	3		1			
Measles	13	3	4	3	1	1		1									
Scarlet fever	25		5	3	2	6	1	6	1	1							
Whooping cough	10	6		2	1	1											
Diphtheria and croup	21		3	3	3	5	6			1							
Influenza	21	3	1						1	1		3	3	3	6		
Cholera nostras																	
Dysentery	1	1															
Erysipelas	6	2							2				1		1		
Other epidemic diseases[1]	1	1															
Septicemia	5	1							2		1	1					
Tuberculosis—total	210	4	3	2	2	5	5	28	58	43	27	22	8	3			
Tuberculosis of lungs	173	2	1		2	1	1	22	49	40	24	20	8	3			
Tuberculosis of larynx																	
Tuberculous meningitis	17	2	2	1		2	4	1	1	2	2						
Abdominal tuberculosis	2								2								
Pott's disease	2			1				1									
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	1									1							
General tuberculosis	15					2		4	6		1	2					
Scrofula																	
Venereal diseases	12	8							1	1	1	1					
Cancer	108						2	1	3	8	17	30	24	20	3		
Tumor	1										1						
Rheumatism	11						1	2	1		2		2	3			
Diabetes	14			1				1	1	1	3		5	2			
Anemia, leukemia	9					1				2	2	2		2			
Alcoholism	7									4	3						
Chronic poisonings																	
Other general diseases	6	1								5							
Encephalitis																	
Meningitis	31	10	4	1		2	1	6	1	3	3						
Apoplexy	62	3								4	7	8	18	16	5	1	
Softening of brain	4											1		1	2		
Paralysis	13							1	1			1	4	4	1	1	
Epilepsy	1										1						
Convulsions	26	23	2		1												
Tetanus	7						1	3	1	1		1					
Other diseases of nervous system	24	2			1		1	2	1	2	8	3		3		1	
Pericarditis	1						1										
Endocarditis	8							4		1	2			1			
Heart disease	113	8			1		3	5	5	14	13	15	22	21	5	1	
Angina pectoris	3										2				1		
Embolism and thrombosis	8							2	1	1	1	1		1	1		
Other diseases of circulatory system	13	1				1		1			1	2	3	2	1	1	
Laryngitis																	
Acute bronchitis	19	10	3				1						3	2			
Chronic bronchitis	17												5	8	3	1	
Bronchopneumonia	37	15	3						1	1	5	1	4	7			
Pneumonia	131	33	7	1	1		2	3	12	13	12	9	15	21	2		
Pleurisy	4								1	1		1		1			
Congestion of lungs	9	4								2				2	1		
Other diseases of respiratory system	21	1	1						1	1	1	5	5	4	1	1	
Tonsilitis																	
Diseases of stomach	18	9					1		2	1		1		4			
Diarrhea and enteritis	81	54	7				1	2			2	2	6	3	3	1	
Hernia and intestinal obstructions	29	8			2	1		1	3	3	3	4	2	1	1		
Cirrhosis of liver	14								1		3	4	4	2			
Other diseases of liver	16	1						1	1	5	1	3	3	1			
Peritonitis	11				1			2	2	3	1	2					
Appendicitis	29							8	9	8	2	1	1				
Other diseases of digestive system	4	1								1	2						
Acute nephritis	15						1		4	3	1	2	2	2			
Bright's disease	82							2	5	10	7	19	17	15	7		
Calculi of urinary tract																	
Uterine tumor	4							1		1	2						
Ovarian tumor	2									2							
Other diseases of genito-urinary system	17	1							2	6		2	4	1	1		
Puerperal septicemia	15								10	5							
Other causes incident to childbirth	6									5	1						
Diseases of skin	8							1				3	2	1	1		
Diseases of locomotor system	1							1									
Malformations	22	21				1											
Premature birth	44	44															
Congenital debility	64	64															
Old age	65												4	20	33	8	
Suicide	27							3	6	3	5	6	3	1			
Other violence	103	8	1	2	1	3	8	10	11	18	16	14	5	2	2	1	1
Ill-defined causes	36	15	2		1	1	2	2	1	3	2	1	2	3	1		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

SAN FRANCISCO, CAL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,592	969	196	82	67	45	154	245	762	936	979	992	1,020	837	281	22	5
Typhoid fever	89	.....	.....	.....	1	2	4	15	17	23	14	6	5	2	.....	.....	.....
Malarial fever	7	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	1	.....	.....	.....	.....
Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Measles	33	9	8	3	6	1	3	1	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	13	.....	2	2	.....	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	109	58	26	11	5	3	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Diphtheria and croup	114	5	12	14	14	14	41	10	4	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	56	7	.....	.....	.....	1	.....	.....	8	5	3	5	13	12	2	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	25	10	.....	.....	1	.....	.....	.....	3	6	1	.....	2	1	1	.....	.....
Erysipelas	21	4	.....	.....	.....	.....	.....	1	5	2	1	4	2	2	.....	.....	.....
Other epidemic diseases [1]	30	.....	1	.....	.....	.....	2	2	5	6	6	5	3	.....	.....	.....	.....
Septicemia	7	1	.....	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....
Tuberculosis—total	1,208	35	37	13	9	4	28	67	290	302	191	138	75	16	2	1	.....
Tuberculosis of lungs	1,030	10	10	5	.....	1	7	54	268	287	179	125	67	14	2	1	.....
Tuberculosis of larynx	7	.....	.....	1	.....	.....	.....	.....	1	1	2	.....	2	.....	.....	.....	.....
Tuberculous meningitis	73	20	20	2	7	1	12	2	3	3	.....	2	1	.....	.....	.....	.....
Abdominal tuberculosis	43	3	5	3	1	1	2	1	10	7	3	5	2	.....	.....	.....	.....
Pott's disease	10	.....	.....	.....	1	.....	2	3	.....	2	1	.....	1	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
White swelling	7	.....	.....	.....	.....	1	1	3	1	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	10	.....	.....	1	.....	.....	1	1	5	.....	1	.....	1	.....	.....	.....	.....
General tuberculosis	27	2	2	1	.....	.....	3	3	2	2	4	5	1	2	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	51	17	2	.....	.....	.....	1	1	3	4	10	11	.....	1	.....	.....	1
Cancer	446	1	.....	.....	1	.....	1	1	8	55	84	113	113	59	10	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	48	1	.....	.....	.....	.....	1	7	7	7	6	6	5	6	2	.....	.....
Diabetes	66	.....	.....	.....	.....	.....	.....	2	3	8	6	13	19	13	2	.....	.....
Anemia, leukemia	20	.....	1	.....	.....	.....	.....	3	.....	3	7	2	2	1	1	.....	.....
Alcoholism	48	.....	.....	.....	.....	.....	.....	.....	6	16	13	5	5	3	.....	.....	.....
Chronic poisonings	13	.....	.....	.....	.....	.....	.....	.....	1	4	5	3	.....	.....	.....	.....	.....
Other general diseases	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....
Encephalitis	6	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	2	1	.....	.....	.....
Meningitis	84	17	18	8	4	4	6	5	11	1	4	1	4	1	.....	.....	.....
Apoplexy	246	2	1	.....	.....	.....	1	.....	4	9	33	46	64	64	21	1	.....
Softening of brain	72	.....	.....	.....	.....	.....	.....	.....	.....	3	5	12	19	25	8	.....	.....
Paralysis	18	.....	.....	.....	.....	.....	.....	1	2	2	1	4	3	4	1	.....	.....
Epilepsy	18	.....	.....	.....	.....	.....	.....	1	4	4	3	5	1	.....	.....	.....	.....
Convulsions	30	25	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	10	.....	1	.....	1	.....	1	2	1	3	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	103	2	.....	.....	.....	.....	3	1	12	11	14	14	23	19	4	.....	.....
Pericarditis	14	.....	.....	.....	.....	.....	.....	1	1	1	5	3	3	.....	.....	.....	.....
Endocarditis	49	1	.....	.....	.....	.....	2	1	6	7	6	5	6	11	3	1	.....
Heart disease	832	3	1	.....	.....	.....	3	18	32	62	110	155	226	174	46	1	1
Angina pectoris	22	1	.....	.....	.....	.....	.....	.....	.....	1	2	7	6	4	1	.....	.....
Embolism and thrombosis	19	.....	.....	.....	.....	.....	.....	.....	2	4	1	3	3	4	.....	.....	.....
Other diseases of circulatory system	109	.....	.....	.....	.....	.....	.....	3	2	2	13	26	20	27	15	1	.....
Laryngitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	68	24	6	1	2	.....	.....	.....	3	1	1	2	10	12	5	1	.....
Chronic bronchitis	88	1	1	.....	.....	.....	.....	1	1	1	5	11	29	20	16	2	.....
Bronchopneumonia	227	76	25	9	5	3	13	1	4	8	13	12	24	25	9	.....	.....
Pneumonia	442	42	17	12	5	3	6	18	36	60	70	47	64	47	13	2	.....
Pleurisy	18	1	.....	.....	.....	.....	.....	.....	3	2	5	5	.....	2	.....	.....	.....
Congestion of lungs	17	3	1	.....	.....	.....	.....	.....	.....	1	1	2	6	2	1	.....	.....
Other diseases of respiratory system	35	3	1	1	.....	1	.....	.....	1	3	2	7	7	5	3	1	.....
Tonsilitis	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	51	11	.....	1	.....	.....	.....	.....	3	6	3	12	6	8	1	.....	.....
Diarrhea and enteritis	262	199	19	5	1	1	3	.....	8	4	5	5	5	6	1	.....	.....
Hernia and intestinal obstructions	47	6	.....	.....	1	.....	.....	1	5	7	9	6	8	3	1	.....	.....
Cirrhosis of liver	212	.....	.....	.....	.....	.....	.....	1	9	27	57	62	38	14	4	.....	.....
Other diseases of liver	37	1	.....	.....	.....	.....	1	.....	8	6	8	4	5	4	.....	.....	.....
Peritonitis	6	.....	.....	.....	1	.....	1	.....	.....	2	.....	1	1	.....	.....	.....	.....
Appendicitis	90	.....	.....	.....	.....	.....	7	16	33	16	8	5	4	1	.....	.....	.....
Other diseases of digestive system	16	3	.....	.....	1	.....	1	.....	3	1	3	2	.....	2	.....	.....	.....
Acute nephritis	47	2	3	.....	.....	.....	1	5	10	7	5	5	4	3	2	.....	.....
Bright's disease	410	1	.....	.....	.....	.....	1	5	22	36	72	93	79	78	22	1	.....
Calculi of urinary tract	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....
Uterine tumor	15	.....	.....	.....	.....	.....	.....	.....	1	5	5	4	.....	.....	.....	.....	.....
Ovarian tumor	14	.....	.....	.....	.....	.....	.....	1	5	3	2	.....	2	1	.....	.....	.....
Other diseases of genito-urinary system	106	1	.....	.....	.....	.....	.....	4	16	25	21	7	15	13	3	1	.....
Puerperal septicemia	32	.....	.....	.....	.....	.....	.....	3	13	15	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	40	.....	.....	.....	.....	.....	.....	3	20	16	1	.....	.....	.....	.....	.....	.....
Diseases of skin	31	.....	.....	.....	.....	.....	1	1	1	3	3	6	2	10	4	.....	.....
Diseases of locomotor system	12	1	1	.....	1	.....	2	.....	.....	3	3	.....	1	.....	.....	.....	.....
Malformations	41	39	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	139	139	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	155	155	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	177	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19	89	61	8	.....
Suicide	200	.....	.....	.....	.....	.....	.....	6	38	43	45	30	19	13	3	.....	3
Other violence	460	29	4	1	7	1	12	32	79	78	78	61	44	25	9	.....	.....
Ill-defined causes	45	31	2	1	.....	.....	.....	.....	.....	.....	.....	2	2	2	4	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

SCRANTON, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,632	363	73	34	20	13	54	84	150	175	165	172	172	102	37	9	9
Typhoid fever	20				1		1	3	6	4	4		1				
Malarial fever	1												1				
Smallpox	2								1	1							
Measles	9	1	3	2	1	1				1							
Scarlet fever	6			1	2		2		1								
Whooping cough	5	4	1														
Diphtheria and croup	22	2	3	4	3	4	6										
Influenza	9	1							2		1	2	3				
Cholera nostras	3			1				1	1								
Dysentery	13	4	1	1								3	2		1	1	
Erysipelas	3									1		2					
Other epidemic diseases [1]																	
Septicemia	10						1	1		2	3		1	1	1		
Tuberculosis—total	113	1					1	12	38	30	18	6	6	1			
Tuberculosis of lungs	110	1						11	38	29	18	6	6	1			
Tuberculosis of larynx																	
Tuberculous meningitis	1						1										
Abdominal tuberculosis	1									1							
Pott's disease																	
Tuberculous abscess																	
White swelling	1							1									
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula																	
Venereal diseases	2	1									1						
Cancer	49						2	1	1	6	11	14	11	2	1		
Tumor	3								1			1	1				
Rheumatism	11		1				1	1	3		1		1	3			
Diabetes	9								1		2	2	3	1			
Anemia, leukemia	7	1							1	2		2	1				
Alcoholism	3								1		1	1					
Chronic poisonings																	
Other general diseases	4						2	1			1						
Encephalitis																	
Meningitis	37	16	4	2	2		3	6	1	1			1			1	
Apoplexy	83	2						2	3	3	10	23	20	12	7		1
Softening of brain	1								1								
Paralysis	27				1				1	2	3	3	8	6	3		
Epilepsy																	
Convulsions	90	62	10	2	1	1	5	1	4		4						
Tetanus																	
Other diseases of nervous system	22	3				1		2	2	2	5	2	4		1		
Pericarditis	1								1								
Endocarditis	10						1	3	1	2		1	1	1			
Heart disease	95	1					3	5	6	8	16	26	19	7	3		1
Angina pectoris	5						1			1		2		1			
Embolism and thrombosis	2									1			1				
Other diseases of circulatory system	8	1						1		3		2	1				
Laryngitis																	
Acute bronchitis	30	21	5	3	1												
Chronic bronchitis	20								1	1	3	1	9	2	2	1	
Bronchopneumonia	28	10	9	1	1	1	1	1					2	3			
Pneumonia	150	28	16	7	3	2	4	5	15	12	16	16	16	9		1	
Pleurisy	8					1		1	1	2	1		2				
Congestion of lungs	9	1								1		1	4	2			
Other diseases of respiratory system	19									2	4	5	5	3			
Tonsilitis	1							1									
Diseases of stomach	17	6	2					1		3	1		2	2			
Diarrhea and enteritis	135	100	13	6			1	1	3			4	2	2	2		1
Hernia and intestinal obstructions	11	1							2	3	1	1	1	1	1		
Cirrhosis of liver	3								1			2					
Other diseases of liver	8	1								1	1	2	1	2			
Peritonitis	18						3	2	5	4	4						
Appendicitis	8						3	3	2								
Other diseases of digestive system	3	1									1	1					
Acute nephritis	12			1					1	5		3	1	1			
Bright's disease	68	1					2	2	4	11	13	10	13	8	3	1	
Calculi of urinary tract																	
Uterine tumor																	
Ovarian tumor																	
Other diseases of genito-urinary system	6							1				1	1	3			
Puerperal septicemia	2								1	1							
Other causes incident to childbirth	8								3	4	1						
Diseases of skin	5						1				1		2		1		
Diseases of locomotor system																	
Malformations	8	7			1												
Premature birth	19	19															
Congenital debility	43	43															
Old age	11													3	7	1	
Suicide	20							5	4	3	5	1		1			1
Other violence	159	2	3	1	1	1	8	19	28	39	19	14	13	6			5
Ill-defined causes	118	22	2	2	2	1	2	2	2	13	13	18	12	20	4	3	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

SYRACUSE, N. Y.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,627	272	47	24	14	7	46	63	126	155	174	189	197	185	108	20	.....
Typhoid fever	20	.....	.....	.....	.....	.....	2	3	8	6	.....	1	.....	.....	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	16	2	5	4	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	23	16	1	1	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	21	.....	1	3	3	1	11	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	12	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	5	4	.....	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Erysipelas	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	12	.....	.....	.....	.....	.....	.....	.....	4	3	2	2	.....	1	.....	.....	.....
Tuberculosis—total	169	4	4	2	1	.....	1	22	34	39	27	20	9	5	1	.....	.....
Tuberculosis of lungs	149	2	3	2	.....	.....	1	21	28	36	25	17	9	4	1	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	6	2	.....	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	1	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	4	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	93	.....	.....	.....	.....	.....	.....	.....	3	11	20	19	23	16	1	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Rheumatism	10	.....	.....	.....	.....	.....	2	.....	1	.....	2	2	2	1	.....	.....	.....
Diabetes	16	.....	.....	.....	.....	.....	.....	1	.....	1	.....	4	2	8	.....	.....	.....
Anemia, leukemia	11	1	.....	.....	.....	.....	.....	2	.....	1	6	1	.....	.....	.....	.....	.....
Alcoholism	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	31	10	5	3	1	.....	2	2	2	2	4	.....	.....	.....	.....	.....	.....
Apoplexy	87	1	1	1	1	.....	.....	.....	.....	1	9	15	21	23	14	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....
Paralysis	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	7	7	1	.....	.....
Epilepsy	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Convulsions	19	15	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	19	1	.....	.....	.....	.....	.....	1	2	1	3	6	1	3	1	.....	.....
Pericarditis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	24	.....	.....	.....	.....	.....	2	1	2	1	2	4	5	3	4	.....	.....
Heart disease	133	2	1	.....	.....	.....	2	2	10	14	12	26	26	22	14	2	.....
Angina pectoris	18	.....	.....	.....	.....	.....	.....	.....	1	4	4	3	3	2	1	.....	.....
Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Other diseases of circulatory system	14	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	3	5	2	.....	.....
Laryngitis	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	19	8	3	1	.....	.....	1	.....	1	.....	1	1	1	1	1	.....	.....
Chronic bronchitis	14	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	4	4	2	.....
Bronchopneumonia	18	7	4	2	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....
Pneumonia	119	14	2	1	.....	3	3	8	10	11	11	20	18	9	8	1	.....
Pleurisy	5	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	1	.....	.....
Congestion of lungs	7	2	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	1	.....	.....
Other diseases of respiratory system	9	1	1	.....	.....	.....	.....	.....	1	.....	.....	1	1	4	.....	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	17	3	2	.....	.....	.....	.....	.....	.....	.....	3	1	5	1	2	.....	.....
Diarrhea and enteritis	91	60	10	2	3	.....	.....	1	1	1	2	2	3	2	3	1	.....
Hernia and intestinal obstructions	20	2	.....	.....	.....	.....	.....	2	.....	2	5	6	2	1	.....	.....	.....
Cirrhosis of liver	11	.....	.....	.....	.....	.....	.....	.....	1	4	2	1	2	1	.....	.....	.....
Other diseases of liver	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	6	3	.....	.....	.....
Peritonitis	19	.....	.....	.....	.....	.....	1	3	4	3	3	2	.....	2	1	.....	.....
Appendicitis	6	.....	.....	.....	.....	.....	1	1	2	1	.....	1	.....	.....	.....	.....	.....
Other diseases of digestive system	6	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	.....	1	.....	.....	.....
Acute nephritis	12	1	.....	.....	.....	.....	.....	1	2	2	2	.....	3	.....	1	.....	.....
Bright's disease	101	.....	.....	.....	.....	.....	3	2	5	11	14	18	25	17	5	1	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	23	1	.....	.....	.....	.....	.....	.....	2	4	1	2	5	4	4	.....	.....
Puerperal septicemia	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	8	.....	.....	.....	.....	.....	.....	.....	6	1	.....	1	.....	.....	.....	.....	.....
Diseases of skin	9	1	.....	.....	.....	.....	.....	1	3	.....	1	2	.....	1	.....	.....	.....
Diseases of locomotor system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Malformations	17	16	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	44	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	35	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	66	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	23	28	12	.....
Suicide	27	.....	.....	.....	.....	.....	.....	.....	6	8	6	5	1	1	.....	.....	.....
Other violence	82	9	1	2	.....	1	8	5	7	12	12	10	8	2	4	1	.....
Ill-defined causes	21	9	.....	.....	1	.....	1	.....	.....	.....	4	1	.....	3	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

TOLEDO, OHIO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,143	346	89	44	31	30	97	92	183	221	199	218	240	223	108	12	10
Typhoid fever	43			1	2	1	5	11	10	10	2		1				
Malarial fever	4													3	1		
Smallpox	3							1		1	1						
Measles	5				1	2	2										
Scarlet fever	3				1		2										
Whooping cough	15	8	3	1		1	1						1				
Diphtheria and croup	118	1	14	20	15	12	41	10	3	1		1					
Influenza	25		2		1		1		1	2	1	2	6	4	4		1
Cholera nostras																	
Dysentery	8	1								2		1	4				
Erysipelas	5	2							1		1			1			
Other epidemic diseases [1]	1	1															
Septicemia	9			1				1	1	2	2	1		1			
Tuberculosis—total	180	3	3	3			2	15	56	43	25	20	13	3	2		1
Tuberculosis of lungs	176	2	2	2			1	15	53	42	24	19	10	3	2		1
Tuberculosis of larynx	3								1	1		1					
Tuberculous meningitis	4		1				1		1				1				
Abdominal tuberculosis	4	1							1		1		1				
Pott's disease	1			1													
Tuberculous abscess																	
White swelling	1												1				
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula																	
Venereal diseases	4	1								1	1		1				
Cancer	80	2						1	2	5	19	21	20	6	2	1	1
Tumor	2										2						
Rheumatism	11					1			2	1	2		4	1			
Diabetes	14						1	1		2		2	3	4	1		
Anemia, leukemia	5				1			1	1		1		1				
Alcoholism	12									4	6	2					
Chronic poisonings	1													1			
Other general diseases	1													1			
Encephalitis	6	2		1	1			1	1								
Meningitis	43	11	8	4	2	2	5	3	3	2	2			1			
Apoplexy	85	3					1		3	5	12	21	19	15	6		
Softening of brain	3											1	1	1			
Paralysis	30									1	1	7	4	13	3	1	
Epilepsy	13	3							1	1	3	2	3				
Convulsions	43	35	3	2									1		1		1
Tetanus	11	3					2	5		1							
Other diseases of nervous system	102		1			1			6	25	17	21	15	13	3		
Pericarditis	1														1		
Endocarditis	8	1							1	1	1	2	1	1			
Heart disease	146					1	2	1	9	13	12	23	34	35	14		2
Angina pectoris	4										2	1		1			
Embolism and thrombosis	6							1	1	2		1		1			
Other diseases of circulatory system	11	4							1		2		2	2			
Laryngitis	3	2												1			
Acute bronchitis	25	17	3									1	1	1	2		
Chronic bronchitis	20						2				2	2	4	6	4		
Bronchopneumonia	39	8	8	2			2		1	2	2	2	3	4	5		
Pneumonia	108	22	8	2	3	4	6	2	5	11	5	16	10	7	7		
Pleurisy	9									3	1	2	1	1	1		
Congestion of lungs	12	2	1					1	1	1		1	2	1	2		
Other diseases of respiratory system	23	1				1			1	4	1		7	7	1		
Tonsilitis	3							1	1				1				
Diseases of stomach	30	4	1					1	1	1	4	4	6	6	2		
Diarrhea and enteritis	142	92	19	5		1			4	1	7	4	3	6			
Hernia and intestinal obstructions	22	3					1	1	1		8	2	3	2	1		
Cirrhosis of liver	18							1		3	5	3	4	2			
Other diseases of liver	25	1						1		3	3	5	8	3			1
Peritonitis	13						1	1	5	4	1	1					
Appendicitis	16						1	6	4	4		1					
Other diseases of digestive system	16	4	1						2		1	2	2	3	1		
Acute nephritis	14		1		1		3	1	2	2	1	1		2			
Bright's disease	69						1	1	4	8	5	17	15	13	5		
Calculi of urinary tract	1								1								
Uterine tumor	3									1	1	1					
Ovarian tumor	3								1		2						
Other diseases of genito-urinary system	53		1					1	8	15	1	4	11	8	3	1	
Puerperal septicemia	7							2	3	2							
Other causes incident to childbirth	3								2	1							
Diseases of skin	12	1					1		1	1	3	3		2			
Diseases of locomotor system	4		2				2										
Malformations	13	11	2														
Premature birth	32	32															
Congenital debility	44	44															
Old age	82												8	31	34	9	
Suicide	31							3	1	9	8	3	5	2			
Other violence	127	3	3	2	2	3	11	17	29	17	17	7	8	4	1		3
Ill-defined causes	51	18	5		1		1		2	3	5	8	4	3	1		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1903—Continued.

[For city of Washington, see table for District of Columbia (566), with which it is coextensive for census purposes.]

WORCESTER, MASS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,108	469	100	37	13	10	36	77	163	213	177	225	268	194	103	20	3
Typhoid fever	19			1			1	3	3	8	2	1					
Malarial fever	11								1	2	2		3	1	2		
Smallpox																	
Measles	29	4	19	5	1												
Scarlet fever	7	1		2		1	2		1								
Whooping cough	15	10	2	1	2												
Diphtheria and croup	11		6	1			3	1									
Influenza	12	2	2					1				2	3	1	1		
Cholera nostras	1		1														
Dysentery	6	1	1					1					2	1			
Erysipelas	4	1								1	1	1					
Other epidemic diseases [1]	1		1														
Septicemia	10							1	3	2	3	1					
Tuberculosis—total	253	4	10	5	2		4	24	72	61	35	20	13	3			
Tuberculosis of lungs	212	2	2	3			1	18	65	55	33	20	11	2			
Tuberculosis of larynx	3						1		1		1						
Tuberculous meningitis	20	2	5	2	2		2	3	2	1	1						
Abdominal tuberculosis	9		2						2	4				1			
Pott's disease	1							1									
Tuberculous abscess																	
White swelling	1												1				
Tuberculosis of other organs	3		1					1	1								
General tuberculosis	4							1	1	1			1				
Scrofula	1		1														
Venereal diseases	3	3															
Cancer	86			1		1				2	20	19	24	16	3		
Tumor	6											2	2	2			
Rheumatism	9	1						2	1		2	1		1	1		
Diabetes	13							1	2	4		2	3	1			
Anemia, leukemia	5											3	1	1			
Alcoholism	5								1	3				1			
Chronic poisonings	2									1			1				
Other general diseases	2											2					
Encephalitis	2	1										1					
Meningitis	58	17	14	6	2	2	4	3	4	1	1	3	1				
Apoplexy	90	2					1		1	5	6	13	29	19	12	2	
Softening of brain	4								1				1	1	1		
Paralysis	18									1	3	5	2	4	3		
Epilepsy	9							1		2		5	1				
Convulsions	23	17	5		1												
Tetanus	2						1	1									
Other diseases of nervous system	61		1						4	13	11	14	11	3	2	2	
Pericarditis																	
Endocarditis	9							1	1	1	1	2	2	1			
Heart disease	179						2	5	5	11	21	37	41	36	19	2	
Angina pectoris	5										1	1	3				
Embolism and thrombosis	12	1								2	3	2		3	1		
Other diseases of circulatory system	17									1	3	1	4	2	6		
Laryngitis	2	1					1										
Acute bronchitis	23	13	1	2								1	2	3	1		
Chronic bronchitis	21							1		2		3	7	5	2	1	
Bronchopneumonia	50	18	7	3		1		1	2		2	1	4	6	5		
Pneumonia	182	27	13	4	1	1	5	3	11	23	14	21	31	18	9	1	
Pleurisy	5		1							1		2			1		
Congestion of lungs	19	2							1		1	2	7	3	3		
Other diseases of respiratory system	8	1									3	1	1	2			
Tonsilitis																	
Diseases of stomach	25	4	2				1	2	2			3	6	2	2	1	
Diarrhea and enteritis	157	126	10		2					1	1	4	6	3	4		
Hernia and intestinal obstructions	26	1		1					1	2	3	9	8	1			
Cirrhosis of liver	13	1							1	1	1	2	5	1	1		
Other diseases of liver	10								3		1		4	2			
Peritonitis	20	2				1	3	1	5	4		1	1	1	1		
Appendicitis	28						3	13	2	5	1	3		1			
Other diseases of digestive system	6	2								2		2					
Acute nephritis	9	1							1	2	3		1	1			
Bright's disease	75							2	5	8	6	16	24	13	1		
Calculi of urinary tract	1												1				
Uterine tumor	2									1	1						
Ovarian tumor	4									1	2	1					
Other diseases of genito-urinary system	29								1	3	8	2	1	12	2		
Puerperal septicemia	8								4	3	1						
Other causes incident to childbirth	12								4	8							
Diseases of skin	6	1							1		1		1	1	1		
Diseases of locomotor system	5	2		2	1												
Malformations	12	11								1							
Premature birth	90	90															
Congenital debility	71	71															
Old age	41												3	12	15	11	
Suicide	9								1	2	2	4					
Other violence	107	16	3	3		3	5	9	17	21	11	8	7	4			
Ill-defined causes	32	14			1				1	1		1	1	6	4		3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1903.

THE REGISTRATION AREA.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	524,415	47,014	44,663	48,784	44,808	43,354	38,635	40,224	43,164	39,720	39,872	40,301	46,684	1,192
Under 5	139,940	11,566	11,311	11,791	10,878	10,438	10,739	16,118	14,957	12,158	10,299	9,022	10,373	289
5 to 14	22,780	1,854	1,706	1,924	1,878	2,102	1,947	2,163	1,696	1,711	1,725	1,961	2,069	44
15 to 44	135,446	11,922	11,235	12,854	11,913	11,853	10,154	11,208	10,442	9,990	10,515	10,696	12,346	318
45 to 64	104,292	9,757	9,183	9,899	9,265	8,925	7,518	7,758	7,529	7,431	8,130	8,686	9,925	216
65 and over	119,897	11,711	11,071	12,105	10,686	9,861	8,162	8,819	8,387	8,280	9,035	9,798	11,719	293
Typhoid fever	11,149	1,022	829	986	838	846	628	805	1,094	1,185	1,098	964	833	21
Under 15	1,975	161	139	176	176	150	137	147	187	198	183	167	150	4
15 to 44	7,587	730	588	683	547	569	409	548	736	809	752	642	562	12
45 to 64	1,204	103	75	89	90	98	61	82	135	136	125	110	96	4
65 and over	340	19	25	36	23	27	21	24	32	37	31	42	23	.....
Malarial fever	1,410	58	51	65	76	105	126	183	192	194	168	120	67	5
Under 5	311	16	10	9	10	29	25	59	53	38	32	18	9	3
5 to 14	125	2	7	7	13	11	4	11	14	26	15	7	7	1
15 to 44	470	18	14	26	24	29	49	51	53	67	61	52	25	1
45 to 64	254	13	9	11	12	14	23	36	40	37	27	21	11	.....
65 and over	243	9	11	12	17	22	24	25	30	25	32	21	15	.....
Measles	3,221	218	277	392	462	504	399	265	139	72	68	149	270	6
Under 5	2,636	180	218	308	378	403	333	231	124	61	62	120	214	4
5 and over	582	38	59	83	83	101	66	33	15	11	6	29	56	2
Scarlet fever	3,991	400	331	369	405	478	411	330	196	160	217	297	392	5
Under 5	2,157	226	166	200	217	257	218	184	120	84	123	143	217	2
5 and over	1,831	174	164	169	188	220	193	146	76	75	94	154	175	3
Whooping cough	5,171	531	530	654	608	537	464	491	455	303	186	182	218	12
Under 5	4,936	504	500	625	578	506	450	472	444	290	180	171	204	12
5 and over	226	26	30	29	28	30	14	17	11	12	5	10	14	.....
Diphtheria and croup	10,363	1,015	859	757	722	746	722	669	583	729	1,086	1,270	1,194	11
Under 5	6,323	650	561	517	478	436	417	387	363	445	630	694	740	5
5 to 14	3,528	308	249	192	199	266	278	252	188	255	410	515	411	5
15 and over	492	53	48	45	43	42	27	30	32	27	44	58	42	1
Influenza	6,064	627	1,180	1,654	867	503	179	81	61	72	106	227	495	12
Under 5	616	76	154	155	72	30	9	6	7	11	17	30	47	2
5 to 14	139	19	22	43	16	11	4	3	2	.....	5	6	8	.....
15 to 44	959	103	181	266	134	66	28	19	15	11	21	38	73	4
45 to 64	1,334	131	272	366	185	119	38	11	15	16	13	48	118	2
65 and over	2,985	294	545	815	458	275	99	42	22	34	49	105	243	4
All other epidemic diseases [1]	5,556	411	384	400	365	386	373	643	838	604	447	341	355	9
Under 5	1,637	95	93	102	90	116	124	254	257	212	126	83	83	2
5 to 14	192	13	6	9	7	13	19	25	39	25	16	9	11	.....
15 to 44	1,517	175	144	126	121	115	96	109	154	112	121	118	124	2
45 to 64	948	66	78	83	80	60	60	111	142	83	55	66	63	1
65 and over	1,241	62	61	77	65	80	70	143	244	170	128	64	73	4
Tuberculosis of lungs	53,910	4,703	4,583	5,297	5,019	4,776	4,339	4,175	4,008	3,917	4,177	4,176	4,644	96
Under 5	1,652	103	110	157	185	163	176	157	131	131	129	83	123	4
5 to 14	1,257	88	92	137	118	116	111	110	110	96	84	104	89	2
15 to 44	37,712	3,269	3,189	3,643	3,430	3,334	3,034	2,972	2,872	2,761	2,928	2,944	3,271	65
45 to 64	10,232	937	903	1,022	973	885	780	740	694	748	810	823	896	21
65 and over	2,808	288	274	313	301	263	225	190	192	171	215	211	252	3
Other forms of tuberculosis	7,577	550	608	689	680	711	658	718	634	618	578	541	576	16
Under 5	2,582	190	224	224	243	261	219	242	212	208	203	155	192	9
5 to 14	923	69	82	93	94	77	87	81	70	75	61	70	62	2
15 to 44	2,814	207	207	268	230	264	243	275	245	224	209	209	231	2
45 to 64	876	57	71	69	79	82	75	74	76	74	76	79	62	2
65 and over	358	26	22	32	32	25	29	46	28	35	29	25	28	1
Cancer	22,325	1,861	1,656	1,927	1,788	1,845	1,760	1,930	1,958	1,922	1,884	1,762	1,976	56
Under 15	196	16	12	24	14	15	16	12	13	14	21	16	21	2
15 to 44	3,877	324	302	335	313	288	308	361	333	316	329	302	353	13
45 to 64	10,694	893	793	900	895	889	879	935	923	902	903	833	930	19
65 and over	7,469	624	540	663	554	645	554	617	683	682	623	603	661	20
Meningitis	9,213	745	734	905	819	886	763	871	879	683	620	589	704	15
Under 5	6,027	496	501	596	507	539	496	592	624	451	400	381	436	8
5 to 14	1,130	93	82	124	118	136	103	102	81	79	72	66	74	.....
15 to 44	1,311	99	87	121	136	133	110	120	99	94	96	88	123	5
45 to 64	511	37	46	46	41	49	42	32	53	42	37	37	49	.....
65 and over	217	18	18	16	16	28	11	25	18	17	14	17	17	2
Apoplexy and paralysis	28,920	2,822	2,556	2,540	2,459	2,339	2,110	2,256	2,128	2,095	2,386	2,393	2,779	57
Under 15	1,077	124	85	96	92	82	89	110	91	80	75	68	82	3
15 to 44	2,649	232	212	227	236	235	202	217	197	198	232	212	242	7
45 to 64	9,210	905	792	798	752	738	666	706	678	672	769	787	927	20
65 and over	15,885	1,549	1,461	1,409	1,372	1,275	1,150	1,215	1,148	1,141	1,296	1,321	1,521	27
Other diseases of nervous system	20,186	1,790	1,713	1,804	1,678	1,711	1,648	2,040	1,517	1,517	1,524	1,541	1,648	55
Under 5	8,071	764	795	757	697	692	657	784	610	553	585	565	601	11
5 to 14	904	77	38	55	68	74	90	231	53	80	52	43	39	4
15 to 44	3,867	323	305	332	321	329	310	380	304	295	291	327	336	14
45 to 64	3,808	304	282	321	318	323	319	333	279	320	321	320	354	14
65 and over	3,467	313	289	330	268	288	268	305	263	262	272	281	316	12

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1903—Continued.

THE REGISTRATION AREA—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	40,704	3,814	3,623	3,653	3,737	3,458	2,962	3,038	2,933	2,877	3,182	3,480	3,869	78
Under 5	895	94	91	87	66	74	62	76	66	65	65	64	83	2
5 to 14	965	82	78	83	93	105	87	79	63	80	77	61	75	2
15 to 44	7,646	711	617	641	694	706	600	640	573	548	605	643	652	16
45 to 64	13,216	1,340	1,232	1,195	1,205	1,100	912	903	914	913	1,048	1,167	1,276	21
65 and over	17,831	1,581	1,588	1,637	1,668	1,460	1,293	1,330	1,309	1,259	1,380	1,530	1,768	33
Other diseases of circulatory system	11,571	1,042	954	1,032	1,019	1,044	894	866	793	788	942	1,054	1,168	25
Under 5	543	49	53	50	50	36	38	42	50	33	40	42	58	2
5 to 14	389	35	26	34	44	33	40	34	27	29	23	31	32	1
15 to 44	2,345	211	183	205	209	256	180	173	156	150	211	214	191	6
45 to 64	3,376	297	268	314	291	292	241	250	233	244	289	309	339	9
65 and over	4,872	443	421	444	423	426	321	363	322	331	376	459	545	7
Bronchitis, acute and chronic	11,847	1,518	1,511	1,445	1,147	1,003	686	556	483	515	727	955	1,269	32
Under 5	5,734	794	826	717	561	499	325	257	194	216	319	430	584	12
5 to 14	191	18	25	19	21	19	15	8	3	4	23	18	18	.....
15 to 44	671	70	54	77	63	54	48	34	37	49	47	66	72	.....
45 to 64	1,331	168	150	147	139	117	87	71	68	60	78	98	142	6
65 and over	3,901	466	454	481	362	313	211	183	180	184	259	343	451	14
Bronchopneumonia	10,964	1,449	1,327	1,421	1,121	915	632	522	400	428	599	897	1,236	17
Under 5	7,398	967	919	961	745	645	464	399	274	296	379	563	775	11
5 to 14	391	53	31	53	41	39	28	15	18	16	19	32	45	1
15 to 44	709	79	75	91	86	56	34	22	42	22	46	69	86	1
45 to 64	880	124	111	113	90	61	47	27	29	39	50	89	100	.....
65 and over	1,568	222	188	201	157	114	57	59	37	55	104	143	227	4
Pneumonia	39,764	5,155	5,125	5,227	4,146	3,750	1,934	1,498	1,148	1,327	1,989	3,273	5,104	88
Under 5	11,519	1,621	1,591	1,447	1,208	989	584	512	397	433	584	850	1,280	23
5 to 14	1,519	167	197	175	155	137	102	60	59	54	92	142	176	3
15 to 44	10,054	1,188	1,234	1,395	1,086	1,063	523	400	293	340	480	735	1,293	24
45 to 64	8,391	1,050	1,062	1,123	866	858	404	248	204	242	402	744	1,174	14
65 and over	8,164	1,115	1,030	1,070	821	694	314	272	192	258	424	791	1,164	19
Other diseases of respiratory system	8,355	989	837	831	777	666	546	551	468	514	663	746	860	7
Under 5	1,728	219	207	182	167	137	111	99	82	113	107	128	176	.....
5 to 14	344	39	22	24	37	33	25	29	21	24	21	32	37	.....
15 to 44	1,870	198	173	170	173	139	124	150	133	125	128	164	190	3
45 to 64	1,977	223	203	183	190	163	143	134	111	110	134	181	201	1
65 and over	2,403	306	227	271	207	194	143	138	118	140	169	239	248	3
Diarrhea and enteritis	33,035	1,101	1,025	1,173	1,206	1,429	2,591	7,315	7,211	4,851	2,629	1,334	1,112	58
Under 2	26,697	756	712	808	821	1,046	2,144	6,377	6,131	4,014	2,142	961	738	47
2 to 4	1,473	55	52	57	55	63	118	294	330	224	100	56	65	4
5 to 14	387	18	11	24	23	31	36	67	63	50	22	26	16	.....
15 to 44	964	70	55	69	70	76	67	118	118	97	66	76	81	1
45 to 64	1,242	77	80	71	110	90	77	151	166	150	96	71	101	2
65 and over	2,222	123	114	141	124	120	149	299	395	309	193	140	111	4
Other diseases of digestive system	28,184	2,312	2,187	2,504	2,324	2,367	2,190	2,496	2,502	2,377	2,306	2,175	2,394	60
Under 5	3,863	294	308	326	305	282	300	378	378	348	357	257	322	8
5 to 14	1,720	131	115	147	121	188	129	183	175	167	129	141	141	3
15 to 44	8,876	725	711	802	721	747	713	821	742	750	713	686	726	19
45 to 64	7,441	620	571	690	620	671	550	588	663	590	602	612	654	13
65 and over	6,198	532	474	531	548	514	493	519	537	519	497	475	543	16
Bright's disease and nephritis	31,814	2,940	2,734	2,899	2,757	2,659	2,497	2,529	2,303	2,277	2,556	2,663	2,946	54
Under 5	890	91	79	88	79	76	74	72	64	62	64	70	70	1
5 to 14	704	58	60	52	61	68	58	49	39	64	58	60	73	4
15 to 44	7,979	719	662	719	690	692	617	644	605	578	639	680	718	16
45 to 64	11,546	1,063	1,003	1,062	1,003	935	908	896	828	821	963	970	1,072	22
65 and over	10,599	1,003	921	966	915	882	832	860	761	748	823	878	1,000	10
Childbirth	4,569	409	351	429	423	422	352	401	365	322	353	325	406	11
Under 15	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
15 to 44	4,500	405	349	425	413	417	351	396	355	312	345	323	400	9
45 and over	47	3	1	1	8	1	1	3	8	7	6	2	5	1
Suicide	4,510	330	290	395	442	408	369	415	359	402	378	354	351	17
Under 15	17	2	2	2	.....	.....	1	4	1	1	2	1	1	.....
15 to 44	2,629	188	169	236	261	236	226	245	232	226	203	204	194	9
45 to 64	1,390	109	91	116	131	126	106	128	101	127	126	114	110	5
65 and over	435	25	27	38	46	43	32	37	24	46	43	29	44	1
Other violence	31,032	2,315	2,040	2,171	2,239	2,574	2,424	3,563	2,781	2,586	2,592	2,463	3,150	134
Under 5	4,473	352	310	289	348	372	371	538	364	389	369	364	389	18
5 to 14	2,807	147	133	173	184	269	271	421	314	244	182	165	299	5
15 to 44	13,987	1,008	930	978	974	1,123	1,084	1,590	1,317	1,149	1,191	1,110	1,476	57
45 to 64	5,666	456	380	374	416	457	425	596	490	484	505	468	596	19
65 and over	3,661	317	269	316	280	310	251	375	270	275	307	329	352	10
All other causes	79,010	6,887	6,368	7,145	6,684	6,296	6,048	7,017	6,736	6,385	6,511	6,030	6,668	235
Under 5	36,243	2,809	2,714	2,991	2,878	2,679	2,901	3,561	3,546	3,347	3,166	2,694	2,863	94
5 to 14	1,313	110	123	106	89	115	102	117	116	99	109	114	109	4
15 to 44	9,561	778	688	923	889	823	745	864	784	721	752	718	845	31
45 to 64	8,635	784	703	792	760	783	669	698	677	611	691	732	716	19
65 and over	22,904	2,373	2,110	2,303	2,029	1,859	1,611	1,747	1,582	1,580	1,768	1,758	2,115	69

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1903—Continued.

REGISTRATION CITIES.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown
All causes	397,736	35,597	33,892	36,761	33,870	32,984	29,695	35,982	32,409	29,337	29,904	30,667	35,798	840
Under 5	113,402	9,257	9,044	9,432	8,832	8,545	9,088	13,712	11,959	9,352	8,079	7,394	8,496	212
5 to 14	17,970	1,463	1,344	1,502	1,527	1,687	1,553	1,725	1,328	1,333	1,317	1,522	1,636	33
15 to 44	111,151	9,865	9,279	10,301	9,784	9,730	8,315	9,102	8,367	8,157	8,615	8,837	10,350	249
45 to 64	80,641	7,610	7,174	7,703	7,106	6,924	5,747	5,971	5,703	5,640	6,270	6,786	7,846	196
65 and over	73,445	7,275	6,965	7,501	6,517	6,004	4,919	5,388	4,969	4,793	5,535	6,053	7,378	148
Typhoid fever	8,876	811	688	812	706	717	540	667	872	890	792	695	668	18
Under 15	1,523	125	110	139	153	124	116	117	138	141	128	110	118	4
15 to 44	6,236	589	506	583	464	498	369	466	609	627	562	489	463	11
45 to 64	895	79	55	70	71	77	42	64	103	104	85	71	72	2
65 and over	194	11	15	19	16	18	13	16	20	15	13	24	14	.....
Malarial fever	1,066	42	36	44	49	74	90	147	157	151	132	94	46	4
Under 5	245	11	8	5	7	18	19	49	44	32	29	15	6	2
5 to 14	95	2	4	6	9	9	2	10	13	19	11	6	3	1
15 to 44	388	13	12	21	17	24	41	46	46	52	52	42	21	1
45 to 64	197	10	7	7	10	11	13	25	32	32	23	20	7	.....
65 and over	136	6	5	5	6	12	14	16	21	15	16	11	9	.....
Measles	2,629	189	217	290	360	404	344	221	117	58	62	131	223	4
Under 5	2,276	158	186	252	308	346	294	199	111	56	59	110	193	4
5 and over	352	31	31	46	52	58	50	22	6	2	3	21	30	.....
Scarlet fever	3,313	308	281	317	346	404	358	285	162	132	175	227	315	3
Under 5	1,855	180	145	174	194	227	194	167	99	68	101	119	185	2
5 and over	1,455	128	135	143	152	176	164	118	63	63	74	108	130	1
Whooping cough	4,046	410	424	508	468	403	347	392	380	250	150	134	172	8
Under 5	3,800	387	402	486	443	379	338	375	370	240	145	128	159	8
5 and over	182	22	22	22	24	23	9	16	10	10	5	6	13	.....
Diphtheria and croup	8,725	850	696	640	623	652	634	576	503	602	905	1,042	983	10
Under 5	5,519	559	478	458	425	397	375	343	323	382	548	606	621	4
5 to 14	2,861	252	190	154	170	227	240	210	154	207	326	396	330	5
15 and over	334	36	27	35	27	27	19	23	26	13	30	38	32	1
Influenza	3,772	403	812	1,083	402	250	88	46	29	31	68	147	317	6
Under 5	356	43	90	93	40	15	6	3	3	4	10	19	29	1
5 to 14	100	16	16	28	12	6	4	2	.....	.....	4	5	7	.....
15 to 44	760	79	156	205	109	44	17	15	12	9	19	30	63	2
45 to 64	970	102	208	277	126	78	21	10	6	7	11	38	85	1
65 and over	1,565	161	338	474	204	106	39	16	8	11	23	55	128	2
All other epidemic diseases[1]	4,209	342	315	329	302	323	306	514	580	375	305	273	298	7
Under 5	1,193	75	76	78	73	93	110	187	167	120	77	63	72	2
5 to 14	156	11	6	9	6	9	15	23	26	21	12	8	10	.....
15 to 44	1,376	159	128	116	104	107	85	103	127	106	114	107	118	2
45 to 64	783	56	64	68	72	54	48	97	111	59	43	56	54	1
65 and over	752	41	40	57	46	59	45	103	148	69	59	39	44	2
Tuberculosis of lungs	42,729	3,775	3,608	4,113	3,975	3,744	3,454	3,295	3,173	3,109	3,332	3,363	3,712	76
Under 5	1,297	87	79	120	148	129	140	127	103	99	100	59	102	4
5 to 14	993	70	76	108	98	88	88	85	88	71	62	88	69	2
15 to 44	30,680	2,690	2,578	2,891	2,799	2,674	2,462	2,407	2,328	2,248	2,415	2,445	2,693	50
45 to 64	7,979	737	713	801	756	694	611	563	538	585	625	641	698	17
65 and over	1,686	179	155	176	165	152	146	109	111	101	123	125	142	2
Other forms of tuberculosis	6,005	418	485	559	554	570	524	566	486	496	450	416	408	13
Under 5	2,209	152	190	203	215	223	192	209	177	178	163	132	167	8
5 to 14	753	50	68	73	81	70	72	68	55	60	50	53	51	2
15 to 44	2,180	158	161	211	181	203	186	207	182	180	167	155	188	1
45 to 64	648	42	54	51	55	61	59	54	54	55	57	60	45	1
65 and over	202	15	11	21	21	11	12	28	16	22	13	14	17	1
Cancer	16,173	1,322	1,205	1,407	1,304	1,366	1,267	1,419	1,384	1,349	1,377	1,284	1,452	37
Under 15	156	12	9	21	12	14	10	8	11	11	13	14	19	2
15 to 44	3,190	257	243	274	261	237	263	315	263	253	285	243	285	11
45 to 64	8,113	656	609	693	669	698	636	719	690	674	690	646	719	14
65 and over	4,671	396	340	416	357	414	356	375	417	408	385	376	422	9
Meningitis	7,222	590	585	730	656	699	616	674	662	513	479	458	548	12
Under 5	4,804	380	413	490	411	437	407	477	482	331	308	304	358	6
5 to 14	870	80	64	97	89	106	81	72	61	63	55	51	51	.....
15 to 44	1,025	87	60	94	115	104	89	89	69	75	77	70	92	4
45 to 64	375	29	35	35	30	36	32	22	38	32	29	22	35	.....
65 and over	142	13	13	13	11	16	6	14	12	12	9	11	10	2
Apoplexy and paralysis	18,776	1,865	1,693	1,652	1,622	1,551	1,348	1,445	1,337	1,335	1,540	1,558	1,797	33
Under 15	794	95	65	75	70	63	67	81	68	56	52	55	47	.....
15 to 44	2,113	181	163	187	187	199	159	173	151	159	188	169	193	4
45 to 64	6,738	677	585	594	568	531	481	508	477	492	545	583	681	16
65 and over	9,088	908	877	789	797	753	639	678	633	626	751	750	874	13
Other diseases of nervous system	15,048	1,347	1,314	1,322	1,273	1,272	1,238	1,537	1,120	1,089	1,136	1,150	1,218	42
Under 5	6,656	640	682	606	598	551	557	646	493	438	477	467	490	11
5 to 14	703	61	30	37	51	52	69	192	39	66	42	31	30	3
15 to 44	2,973	255	236	255	243	258	235	287	246	223	208	252	263	12
45 to 64	2,713	216	197	225	219	242	221	236	196	224	240	230	257	10
65 and over	1,909	168	169	192	162	166	154	173	142	135	159	167	176	6

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1903—Continued.

REGISTRATION CITIES—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	27,901	2,658	2,483	2,541	2,548	2,328	2,009	2,074	1,949	1,930	2,194	2,435	2,698	54
Under 5	660	74	65	70	40	56	44	60	44	48	50	46	61	2
5 to 14	827	74	67	66	77	96	76	64	57	67	61	56	65	1
15 to 44	6,372	600	511	545	576	583	502	510	469	468	506	552	535	15
45 to 64	9,700	1,004	921	896	892	798	672	678	680	660	768	871	935	15
65 and over	10,175	896	908	961	952	789	712	755	696	682	807	904	1,093	20
Other diseases of circulatory system	8,842	784	745	831	796	816	627	648	589	577	694	828	890	17
Under 5	430	39	40	42	42	29	35	31	41	21	29	34	46	1
5 to 14	330	29	25	26	37	27	36	26	24	25	20	26	28	1
15 to 44	2,005	176	151	185	184	224	147	144	126	132	171	188	174	3
45 to 64	2,691	231	216	254	233	229	204	198	185	187	224	247	276	7
65 and over	3,357	304	311	329	298	306	202	248	211	212	248	326	366	5
Bronchitis, acute and chronic	9,275	1,202	1,164	1,111	899	789	545	436	373	403	562	752	1,017	22
Under 5	4,694	640	637	556	448	419	286	221	161	189	265	362	502	8
5 to 14	161	17	20	16	20	18	12	4	3	4	17	15	15	.....
15 to 44	561	54	44	61	60	49	40	29	30	45	38	53	58	.....
45 to 64	1,115	148	131	123	116	93	70	56	50	51	65	82	124	6
65 and over	2,736	342	332	351	255	210	137	125	129	114	176	240	317	8
Bronchopneumonia	9,235	1,160	1,100	1,181	918	775	555	471	349	374	511	770	1,056	15
Under 5	6,447	800	769	810	641	571	416	368	251	269	338	504	700	10
5 to 14	322	48	26	41	31	33	24	12	16	14	14	28	34	1
15 to 44	616	69	70	85	65	47	29	20	34	19	40	60	77	1
45 to 64	746	105	93	100	71	47	39	23	24	35	43	81	85	.....
65 and over	1,091	135	139	144	108	77	45	48	24	37	76	96	159	3
Pneumonia	31,792	4,045	3,983	4,105	3,277	3,002	1,553	1,253	962	1,096	1,641	2,664	4,145	66
Under 5	9,504	1,272	1,233	1,169	989	835	500	453	346	373	491	735	1,093	15
5 to 14	1,227	131	161	133	118	117	75	49	52	47	78	123	141	2
15 to 44	8,679	1,044	1,053	1,188	940	896	451	343	262	298	421	632	1,130	21
45 to 64	6,930	851	879	928	707	694	317	220	168	194	348	625	987	12
65 and over	5,379	738	653	675	518	456	204	185	133	184	298	540	783	12
Other diseases of respiratory system	6,463	770	650	659	587	529	420	419	353	382	434	586	669	5
Under 5	1,273	166	146	133	118	102	84	76	62	80	77	102	127	.....
5 to 14	268	28	16	18	33	25	20	25	17	18	18	21	29	.....
15 to 44	1,576	170	144	152	140	123	105	122	103	111	106	137	160	3
45 to 64	1,633	179	177	161	146	142	115	102	90	86	106	156	172	1
65 and over	1,694	226	163	194	148	137	96	94	78	86	126	168	177	1
Diarrhea and enteritis	26,684	900	854	945	1,001	1,215	2,312	6,376	5,655	3,477	1,916	1,092	927	44
Under 2	22,083	635	621	666	716	922	1,948	5,638	4,915	2,960	1,602	780	634	37
2 to 4	1,087	42	41	51	47	51	105	234	216	135	62	45	55	3
5 to 14	297	15	11	21	17	26	30	54	44	32	14	23	10	.....
15 to 44	800	56	48	59	59	61	64	95	96	80	49	67	65	1
45 to 64	951	62	58	54	78	73	59	127	124	97	73	55	91	.....
65 and over	1,440	90	74	92	83	79	106	223	255	171	110	82	72	3
Other diseases of digestive system	20,987	1,720	1,633	1,847	1,724	1,782	1,638	1,884	1,805	1,751	1,725	1,629	1,807	42
Under 5	2,753	209	229	221	222	210	231	277	258	231	256	181	225	3
5 to 14	1,279	95	81	109	95	100	98	143	126	121	90	107	112	2
15 to 44	7,412	605	606	665	584	638	604	700	579	617	597	580	618	19
45 to 64	5,796	491	436	532	474	518	432	450	515	461	481	482	513	11
65 and over	3,692	313	278	313	341	314	270	309	324	319	295	276	333	7
Bright's disease and nephritis	25,076	2,316	2,187	2,288	2,147	2,104	1,939	1,983	1,782	1,779	2,033	2,131	2,348	39
Under 5	710	79	61	68	65	63	62	63	49	43	49	59	51	1
5 to 14	552	44	46	45	47	52	47	40	26	52	45	48	57	3
15 to 44	6,927	619	585	616	584	593	525	545	531	508	567	607	635	12
45 to 64	9,490	882	833	863	825	790	741	730	662	667	786	816	880	15
65 and over	7,338	690	656	688	623	601	560	602	511	505	581	597	717	7
Childbirth	3,450	327	255	306	314	327	257	308	268	237	263	264	317	7
Under 15	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
15 to 44	3,407	326	255	305	307	326	257	304	259	230	256	263	312	7
45 and over	30	1	.....	.....	5	.....	.....	2	7	5	5	1	4	.....
Suicide	3,641	270	240	316	351	320	300	323	296	323	310	285	293	14
Under 15	12	2	2	1	.....	.....	1	4	1	.....	1	.....	.....	.....
15 to 44	2,234	155	141	202	217	202	191	200	201	194	177	173	173	8
45 to 64	1,091	91	75	88	104	93	83	95	79	102	99	88	90	4
65 and over	281	17	22	23	28	23	22	24	15	26	31	20	30	.....
Other violence	23,585	1,752	1,564	1,612	1,742	1,945	1,832	2,701	2,044	1,932	1,992	1,832	2,546	91
Under 5	3,341	257	220	214	270	264	273	443	274	280	280	267	285	14
5 to 14	2,189	102	102	126	152	214	204	329	247	195	134	120	261	3
15 to 44	11,138	799	778	778	807	892	845	1,222	979	909	948	876	1,264	41
45 to 64	4,435	370	293	291	321	350	336	466	365	369	407	360	494	13
65 and over	2,265	201	164	185	171	201	159	223	162	166	297	197	224	5
All other causes	38,156	5,021	4,675	5,195	4,836	4,623	4,554	5,322	5,022	4,696	4,736	4,457	4,868	151
Under 5	28,995	2,245	2,147	2,357	2,264	2,118	2,374	2,958	2,871	2,675	2,481	2,173	2,269	63
5 to 14	964	83	90	86	61	91	64	85	92	72	75	91	71	3
15 to 44	7,923	659	583	760	727	683	611	720	630	598	629	600	713	19
45 to 64	6,489	587	532	588	553	606	514	521	508	460	515	552	538	15
65 and over	13,582	1,425	1,302	1,391	1,207	1,104	979	1,022	903	877	1,027	1,034	1,271	49

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1903—Continued.

RURAL PART OF REGISTRATION STATES.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	126,679	11,417	10,771	12,023	10,938	10,370	8,940	10,242	10,755	10,383	9,968	9,634	10,886	352
Under 5	26,538	2,309	2,267	2,359	2,046	1,893	1,651	2,406	2,998	2,806	2,220	1,628	1,877	78
5 to 14	4,810	391	362	422	351	415	394	438	368	378	408	439	433	11
15 to 44	24,295	2,057	1,956	2,353	2,129	2,123	1,839	2,106	2,075	1,833	1,900	1,859	1,996	69
45 to 64	23,651	2,147	2,009	2,196	2,159	2,001	1,771	1,787	1,826	1,791	1,860	1,900	2,149	55
65 and over	46,452	4,436	4,106	4,604	4,169	3,857	3,243	3,431	3,418	3,487	3,500	3,745	4,341	115
Typhoid fever	2,273	211	141	174	132	129	88	138	222	295	306	269	165	3
Under 15	452	36	29	37	23	26	21	30	49	57	54	57	32	.....
15 to 44	1,351	141	82	100	83	71	40	82	127	182	190	153	99	1
45 to 64	309	24	20	19	10	21	19	18	32	32	40	39	24	2
65 and over	146	8	10	17	7	9	8	8	12	22	18	18	9	.....
Malarial fever	344	16	15	21	27	31	26	36	35	43	36	26	21	1
Under 5	66	5	2	4	3	11	6	10	9	6	3	3	3	1
5 to 14	30	.....	3	1	4	2	2	1	1	7	4	1	4	.....
15 to 44	82	5	2	5	7	5	8	5	7	15	9	10	4	.....
45 to 64	57	3	2	4	2	3	10	11	8	5	4	1	4	.....
65 and over	107	3	6	7	11	10	10	9	9	10	16	10	6	.....
Measles	592	29	60	93	102	100	55	44	22	14	6	18	47	2
Under 5	360	22	32	56	70	57	30	32	13	5	3	10	21	.....
5 and over	230	7	28	37	31	43	16	11	9	9	3	8	26	2
Scarlet fever	678	92	50	52	59	74	53	45	34	28	42	70	77	2
Under 5	302	46	21	26	23	30	24	17	21	16	22	24	32	.....
5 and over	376	46	29	26	36	44	29	28	13	12	20	46	45	2
Whooping cough	1,125	121	106	146	140	134	117	99	75	53	36	48	46	4
Under 5	1,076	117	98	139	135	127	112	97	74	50	35	43	45	4
5 and over	44	4	8	7	4	7	5	1	1	2	.....	4	1	.....
Diphtheria and croup	1,638	165	163	108	99	94	88	93	80	127	181	228	211	1
Under 5	804	91	83	59	53	39	42	44	40	63	82	88	119	1
5 to 14	667	56	59	38	29	39	38	42	34	48	84	119	81	.....
15 and over	158	17	21	10	16	15	8	7	6	14	14	20	10	.....
Influenza	2,292	224	368	571	375	253	91	35	32	41	38	80	178	6
Under 5	260	33	64	62	32	15	3	3	4	7	7	11	18	1
5 to 14	39	3	6	15	4	5	.....	1	2	.....	1	1	1	.....
15 to 44	199	24	25	61	25	22	11	4	3	2	2	8	10	2
45 to 64	364	29	64	89	59	41	17	1	9	9	2	10	33	1
65 and over	1,430	133	207	341	254	169	60	26	14	23	26	50	115	2
All other epidemic diseases [1]	1,287	69	69	71	63	63	67	129	258	229	142	68	57	2
Under 5	444	20	17	24	17	23	14	67	90	92	49	20	11	.....
5 to 14	36	2	.....	.....	1	4	4	2	13	4	4	1	1	.....
15 to 44	141	16	16	10	17	8	11	6	27	6	7	11	6	.....
45 to 64	165	10	14	15	8	6	12	14	31	24	12	10	9	.....
65 and over	489	21	21	20	19	21	25	40	96	101	69	25	29	2
Tuberculosis of lungs	11,181	928	975	1,184	1,044	1,032	885	880	835	808	845	813	932	20
Under 5	355	16	31	37	37	34	36	30	28	32	29	24	21	.....
5 to 14	264	18	16	29	20	28	23	25	22	25	22	16	20	.....
15 to 44	7,032	579	611	752	631	660	572	565	544	513	513	499	578	15
45 to 64	2,253	200	190	221	217	191	169	177	156	163	185	182	198	4
65 and over	1,212	109	119	137	136	111	79	81	81	70	92	86	110	1
Other forms of tuberculosis	1,572	132	123	130	126	141	134	152	148	122	128	125	108	3
Under 5	373	38	34	21	28	38	27	33	35	30	40	23	25	1
5 to 14	170	19	14	20	13	7	15	13	15	15	11	17	11	.....
15 to 44	634	49	46	57	49	61	57	68	63	44	42	54	43	1
45 to 64	228	15	17	18	24	21	16	20	22	19	19	19	17	1
65 and over	156	11	11	11	11	14	17	18	12	13	16	11	11	.....
Cancer	6,152	539	451	520	484	479	493	511	574	573	507	478	524	19
Under 15	40	4	3	3	2	1	6	4	2	3	8	2	2	.....
15 to 44	687	67	59	61	52	51	45	46	70	63	44	59	68	2
45 to 64	2,581	237	184	207	226	191	243	216	233	228	213	187	211	5
65 and over	2,798	228	200	247	197	231	198	242	266	274	238	227	239	11
Meningitis	1,991	155	149	175	163	187	147	197	217	170	141	131	156	3
Under 5	1,223	116	88	106	96	102	89	115	142	120	92	77	78	2
5 to 14	290	13	18	27	29	30	22	30	20	16	17	15	23	.....
15 to 44	286	12	27	27	21	29	21	31	30	19	19	18	31	1
45 to 64	136	8	11	11	11	13	10	10	15	10	8	15	14	.....
65 and over	75	5	5	3	5	12	5	11	6	5	5	6	7	.....
Apoplexy and paralysis	10,144	957	863	888	837	788	762	811	791	760	846	835	982	24
Under 15	283	29	20	21	22	19	22	29	23	24	23	13	35	3
15 to 44	536	51	49	40	49	36	43	44	46	39	44	43	49	3
45 to 64	2,472	228	207	204	184	207	185	198	201	180	224	204	246	4
65 and over	6,797	641	584	620	575	522	511	537	515	515	545	571	647	14
Other diseases of nervous system	5,138	443	399	482	405	439	410	503	397	428	398	391	430	13
Under 5	1,415	124	113	151	99	141	100	138	117	115	108	98	111	.....
5 to 14	201	16	8	18	17	22	21	39	14	14	10	12	9	1
15 to 44	894	68	69	77	78	71	75	93	58	72	83	75	73	2
45 to 64	1,095	88	85	96	99	81	98	97	83	96	81	90	97	4
65 and over	1,498	145	120	138	106	122	114	132	121	127	113	114	140	6

[1] Includes smallpox, cholera nostras, dysentery, erysipelas exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1903—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.												
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	12,803	1,156	1,140	1,112	1,189	1,130	953	964	984	947	988	1,045	1,171	24
Under 5	235	20	26	17	26	18	18	16	22	17	15	18	22	.....
5 to 14	138	8	11	17	16	9	11	15	6	13	16	5	10	1
15 to 44	1,274	111	106	96	118	123	98	130	104	80	99	91	117	1
45 to 64	3,426	326	311	299	313	302	240	225	234	253	280	296	341	6
65 and over	7,656	685	680	676	711	671	581	575	613	577	573	626	675	13
Other diseases of circulatory system	2,729	258	209	221	223	228	197	218	204	211	248	226	278	8
Under 5	113	10	13	8	8	7	3	11	9	12	11	8	12	1
5 to 14	59	6	1	8	7	6	4	8	3	4	3	5	4	.....
15 to 44	340	35	32	20	25	32	33	29	30	18	40	26	17	3
45 to 64	685	66	52	60	58	63	37	52	48	57	65	62	63	2
65 and over	1,515	139	110	124	125	120	119	115	111	119	128	124	179	2
Bronchitis, acute and chronic	2,572	316	347	334	248	214	141	120	110	112	165	203	252	10
Under 5	1,040	154	189	161	113	80	39	36	33	27	54	68	82	4
5 to 14	30	1	5	3	1	1	3	4	.....	.....	6	3	3	.....
15 to 44	110	16	10	16	3	5	8	5	7	4	9	13	14	.....
45 to 64	216	20	19	24	23	24	17	15	18	9	13	16	18	.....
65 and over	1,165	124	122	130	107	103	74	58	51	70	83	103	134	6
Bronchopneumonia	1,729	289	227	240	203	140	77	51	51	54	88	127	180	2
Under 5	951	167	150	151	104	74	48	31	23	27	41	59	75	1
5 to 14	69	5	5	12	10	6	4	3	2	2	5	4	11	.....
15 to 44	93	10	5	6	21	9	5	2	8	3	6	9	9	.....
45 to 64	134	19	18	13	19	14	8	4	5	4	7	8	15	.....
65 and over	477	87	49	57	49	37	12	11	13	18	28	47	68	1
Pneumonia	7,972	1,110	1,142	1,122	869	748	381	245	186	231	348	609	939	22
Under 5	2,015	349	358	278	219	154	84	59	51	60	93	115	187	8
5 to 14	292	36	36	42	37	20	27	11	7	7	14	19	35	1
15 to 44	1,375	144	181	207	146	167	72	57	31	42	59	103	163	3
45 to 64	1,461	199	183	195	159	164	87	28	36	48	54	119	187	2
65 and over	2,785	377	377	395	303	238	110	87	59	74	126	251	381	7
Other diseases of respiratory system	1,892	219	187	172	190	137	126	132	115	132	129	160	191	2
Under 5	455	53	61	49	49	35	27	23	20	33	30	26	49	.....
5 to 14	76	11	6	6	4	8	5	4	4	6	3	11	8	.....
15 to 44	294	28	29	18	33	16	19	28	20	14	22	27	30	.....
45 to 64	344	44	26	22	44	21	28	32	21	24	28	25	29	.....
65 and over	709	80	64	77	59	57	47	44	40	54	43	71	71	2
Diarrhœa and enteritis	6,351	201	171	228	205	214	279	939	1,556	1,374	713	272	185	14
Under 2	4,614	121	91	142	105	124	196	739	1,216	1,054	540	172	104	10
2 to 4	386	13	11	6	8	12	13	60	114	89	38	11	10	1
5 to 14	90	3	.....	3	6	5	6	13	19	18	8	3	6	.....
15 to 44	164	14	7	10	11	15	3	23	22	17	17	9	16	.....
45 to 64	291	15	22	17	32	17	18	24	42	53	23	16	10	2
65 and over	782	33	40	49	41	41	43	76	140	138	83	58	39	1
Other diseases of digestive system	7,197	592	554	657	600	575	552	612	697	626	581	546	587	18
Under 5	1,110	85	79	105	83	72	69	101	120	117	101	75	97	5
5 to 14	441	36	34	38	26	38	31	40	49	46	39	34	29	1
15 to 44	1,464	120	105	137	137	109	109	121	163	133	116	106	108	.....
45 to 64	1,645	129	135	158	146	153	118	138	148	129	121	130	138	2
65 and over	2,506	219	196	218	207	200	223	210	213	200	202	199	210	9
Bright's disease and nephritis	6,738	624	547	611	610	555	558	546	521	498	523	532	598	15
Under 5	180	12	18	20	14	13	12	12	15	19	15	11	19	.....
5 to 14	152	14	14	7	14	16	11	9	13	12	13	12	16	1
15 to 44	1,052	100	77	103	106	99	92	99	74	70	72	73	83	4
45 to 64	2,056	181	170	199	178	145	167	166	166	154	177	154	192	7
65 and over	3,261	313	265	278	292	281	272	258	250	243	242	281	283	3
Childbirth	1,119	82	96	123	109	95	95	93	97	85	90	61	89	4
Under 15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 44	1,093	79	94	120	106	91	94	92	96	82	89	60	88	2
45 and over	17	2	1	1	3	1	1	1	1	2	1	1	1	1
Suicide	869	60	50	79	91	88	69	92	63	79	68	69	58	3
Under 15	5	.....	.....	1	.....	.....	.....	.....	.....	1	1	1	1	.....
15 to 44	395	33	28	34	44	34	35	45	31	32	26	31	21	1
45 to 64	299	18	16	28	27	33	23	33	22	25	27	26	20	1
65 and over	154	8	5	15	18	20	10	13	9	20	12	9	14	1
Other violence	7,447	563	476	559	497	629	592	862	737	654	600	631	604	43
Under 5	1,132	93	90	73	78	108	98	95	90	109	89	97	104	4
5 to 14	618	45	31	47	32	55	67	92	67	49	48	45	38	2
15 to 44	2,849	209	152	200	167	231	239	368	338	240	243	234	212	16
45 to 64	1,231	86	87	83	95	107	89	130	125	115	98	108	102	6
65 and over	1,396	116	105	131	109	109	92	152	108	109	100	132	128	5
All other causes	20,854	1,866	1,693	1,950	1,848	1,673	1,494	1,695	1,714	1,689	1,775	1,573	1,800	84
Under 5	7,248	564	567	634	614	561	527	603	675	672	685	521	594	31
5 to 14	349	27	33	20	28	24	38	32	24	27	34	23	38	1
15 to 44	1,638	119	105	163	162	140	134	144	154	123	132	118	132	12
45 to 64	2,146	197	171	204	207	177	155	177	169	151	176	180	178	4
65 and over	9,322	948	808	912	822	755	632	725	679	703	741	724	844	29

TABLES FOR 1904.

Table 1.—Deaths in registration areas, by color, general nativity, parent nativity, and month.
Table 2.—Deaths in registration areas, at each age.
Table 3.—Deaths in registration areas, from certain principal diseases and classes of diseases.
Table 4.—Deaths in registration areas, at each age, by sex, color, general nativity, and parent nativity.
Table 5.—Deaths in registration areas, from each disease and class of diseases.
Table 6.—Deaths in the registration area, from each specified disease and class of diseases, by sex and age.
Table 7.—Deaths in registration states, from each specified disease and class of diseases, by age.
Table 8.—Deaths in cities of 100,000 population or over, at each specified age, from certain causes.
Table 9.—Deaths in registration areas, from certain specified causes, in each month, by certain divisions of age.

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR,

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.		Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	SUMMARIES.										
1	The registration area	551,354	172,761	95,283	42,756	29,193	11,548	2,931	6,740	141,937	9,867	38,378
2	Registration cities	416,627	105,365	82,400	31,108	22,360	5,404	2,151	6,740	117,859	7,355	35,885
3	Registration states	349,855	120,886	66,078	22,465	20,980	9,650	2,160	.....	90,963	5,119	11,554
4	Cities in registration states	215,128	53,490	53,195	10,817	14,147	3,506	1,380	.....	66,885	2,607	9,101
5	Rural part of registration states	134,727	67,396	12,883	11,648	6,833	6,144	780	.....	24,078	2,512	2,453
6	Registration cities in other states	201,499	51,875	29,205	20,291	8,213	1,898	771	6,740	50,974	4,748	26,784
	REGISTRATION STATES.											
7	Connecticut	15,489	4,696	3,425	1,018	859	641	120	.....	4,140	257	333
8	District of Columbia	6,211	1,927	292	467	196	25	12	.....	617	41	2,634
9	Indiana	35,801	20,315	1,955	3,861	1,292	2,411	285	.....	3,626	678	1,378
10	Maine	11,678	6,574	984	1,037	717	472	43	.....	1,513	301	37
11	Massachusetts	48,431	14,487	11,131	1,758	3,568	1,477	372	.....	14,464	325	849
12	Michigan	34,382	12,154	4,994	2,125	2,856	1,164	286	.....	9,643	647	513
13	New Hampshire	6,800	2,875	954	885	333	325	43	.....	1,127	253	5
14	New Jersey	35,373	12,774	7,321	1,838	1,745	272	132	.....	9,024	375	1,892
15	New York	142,014	40,029	32,562	8,614	8,537	2,428	786	.....	43,416	2,028	3,614
16	Rhode Island	8,100	2,606	1,981	109	540	61	37	.....	2,434	46	286
17	Vermont	5,576	2,449	479	753	337	374	44	.....	959	168	13
	REGISTRATION CITIES.											
18	Adams town, Mass	200	30	83	17	21	.....	.....	.....	48	1	.....
19	Alameda, Cal	198	50	37	21	10	10	2	.....	68	.....	.....
20	Albany, N. Y	1,847	501	296	292	77	22	12	.....	615	21	11
21	Alexandria, Va	338	.....	.....	.....	.....	.....	.....	169	16	9	144
22	Allegheny, Pa	2,499	719	580	205	164	18	17	.....	652	33	111
23	Allentown, Pa	752	500	81	45	19	15	2	.....	75	13	2
24	Altoona, Pa	721	396	58	87	29	19	5	.....	107	1	19
25	Amesbury town, Mass	160	62	40	1	8	6	.....	.....	41	1	1
26	Amsterdam, N. Y	355	109	107	6	14	4	5	.....	104	3	3
27	Anderson, Ind	331	224	18	23	12	16	2	.....	15	2	19
28	Ann Arbor, Mich	212	84	29	8	10	7	.....	.....	59	8	7
29	Annapolis, Md	217	69	6	9	2	7	.....	.....	6	3	115
30	Ansonia, Conn	172	29	61	6	6	2	2	.....	63	.....	3
31	Appleton, Wis	207	53	50	10	22	6	.....	.....	66	.....	.....
32	Arlington town, Mass	115	49	22	2	4	7	1	.....	26	3	1
33	Ashtabula, Ohio	240	98	76	1	8	.....	.....	.....	53	2	2
34	Atlanta, Ga	2,359	825	24	138	12	3	.....	.....	52	59	1,246
35	Atlantic City, N. J	527	240	48	38	27	3	1	.....	65	4	101
36	Attleboro town, Mass	177	75	40	.....	14	2	.....	.....	42	1	3
37	Auburn, N. Y	497	190	79	31	32	15	1	.....	125	3	21
38	Augusta, Me	306	89	36	88	21	7	.....	.....	53	12	.....
39	Aurora, Ill	353	.....	.....	.....	.....	.....	.....	226	99	24	4
40	Baltimore, Md	10,815	3,343	1,292	662	486	222	79	.....	1,917	98	2,716
41	Bangor, Me	447	188	43	59	29	11	4	.....	98	13	2
42	Barre, Vt	129	41	31	7	15	6	.....	.....	28	1	.....
43	Bath, Me	171	104	14	8	15	1	2	.....	26	1	.....
44	Battle Creek, Mich	320	186	21	25	14	20	2	.....	37	3	12
45	Bay City, Mich	389	68	75	29	45	7	3	.....	150	10	2
46	Bayonne, N. J	712	134	309	11	43	.....	.....	.....	195	4	16
47	Bellaire, Ohio	230	102	31	7	17	8	.....	.....	39	1	25
48	Belleville, Ill	377	.....	.....	.....	.....	.....	.....	229	126	11	11
49	Beloit, Wis	140	16	22	35	9	16	5	.....	32	4	1
50	Bennington town, Vt	143	52	9	22	9	9	2	.....	32	7	1
51	Berlin, N. H	183	10	96	6	16	2	2	.....	49	2	.....
52	Beverly, Mass	211	110	31	7	9	10	.....	.....	42	2	.....
53	Biddeford, Me	330	77	92	15	34	6	7	.....	99	.....	.....
54	Binghamton, N. Y	793	380	101	73	35	34	3	.....	126	18	23
55	Boston, Mass	10,753	2,198	2,863	319	761	262	133	.....	3,788	104	325
56	Bridgeport, Conn	1,318	295	387	65	74	21	17	.....	398	26	35
57	Bridgeton, N. J	237	151	3	28	6	13	1	.....	18	7	10
58	Bristol town, Conn	180	35	45	9	9	7	1	.....	71	2	1
59	Brockton, Mass	574	239	112	20	42	14	8	.....	130	2	7
60	Brookline town, Mass	242	113	30	10	15	7	.....	.....	66	1	.....
61	Buffalo, N. Y	5,938	1,344	1,788	128	458	50	21	.....	2,056	35	58
62	Burlington, Iowa	365	.....	.....	.....	.....	.....	.....	211	118	25	11
63	Burlington, Vt	364	115	62	41	33	25	4	.....	72	10	2
64	Cambridge, Mass	1,392	288	365	16	109	25	4	.....	513	1	71
65	Camden, N. J	1,553	738	191	95	87	8	1	.....	213	21	199
66	Canton, Ohio	365	148	41	55	20	12	3	.....	79	4	3
67	Carbondale, Pa	257	90	63	3	19	.....	2	.....	77	3	.....
68	Carlisle, Pa	168	112	3	4	.....	2	.....	.....	10	6	31
69	Central Falls, R. I	281	42	111	.....	21	.....	.....	.....	107	.....	.....
70	Charleston, S. C	1,687	218	36	85	22	14	3	.....	94	20	1,195
71	Chelsea, Mass	684	187	153	24	54	18	10	.....	212	3	23
72	Chicago, Ill	26,697	1,937	3,651	8,294	779	64	49	.....	10,367	594	962
73	Chicopee, Mass	339	58	130	8	27	8	4	.....	103	1	.....
74	Chillicothe, Ohio	185	119	12	13	3	.....	.....	.....	24	1	13
75	Cincinnati, Ohio	7,118	2,242	1,277	421	336	40	7	.....	2,057	61	677
76	Cleveland, Ohio	6,546	1,512	1,745	547	156	25	81	.....	2,136	192	152
77	Clinton town, Mass	177	31	56	1	7	1	1	.....	79	.....	1

GENERAL NATIVITY, PARENT NATIVITY, AND MONTH: 1904.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
50,492	51,410	55,140	51,167	45,993	39,547	45,535	44,432	40,935	40,053	40,228	45,598	1,024	1
38,278	38,494	41,034	38,617	34,636	30,450	35,354	33,417	30,562	29,852	30,477	34,758	698	2
31,594	32,066	35,173	32,786	29,430	25,033	29,298	28,618	26,259	25,423	25,301	28,533	541	3
19,180	19,150	21,067	20,236	18,073	15,936	19,117	17,603	15,886	15,222	15,550	17,893	215	4
12,214	12,916	14,106	12,550	11,357	9,097	10,181	11,015	10,373	10,201	9,751	10,640	326	5
19,098	19,344	19,967	18,381	16,563	14,514	16,237	15,814	14,676	14,630	14,927	16,865	483	6
1,442	1,381	1,523	1,377	1,310	1,121	1,371	1,319	1,119	1,128	1,123	1,235	40	7
591	554	621	511	512	499	566	507	434	443	454	514	5	8
3,181	3,495	3,862	3,361	2,949	2,256	2,732	3,019	2,726	2,803	2,536	2,811	70	9
999	1,054	1,104	1,141	1,071	844	833	908	938	936	839	974	37	10
4,424	4,207	4,666	4,305	3,882	3,211	3,913	4,236	3,985	3,704	3,764	4,102	32	11
3,149	3,413	3,421	3,250	2,980	2,401	2,529	2,618	2,603	2,549	2,421	2,808	240	12
593	630	678	583	591	448	532	542	566	564	508	559	6	13
3,237	3,189	3,529	3,224	2,847	2,466	3,524	3,081	2,584	2,425	2,477	2,783	7	14
12,464	12,923	14,398	13,746	12,220	10,882	12,187	11,174	10,275	9,870	10,172	11,633	70	15
811	707	748	740	623	516	754	750	592	583	586	682	8	16
503	513	623	548	445	389	357	464	437	418	421	432	26	17
12	12	13	20	19	12	20	33	14	15	16	14	.....	18
26	20	16	24	12	17	20	12	11	13	9	17	1	19
135	182	209	185	146	119	169	162	124	135	131	150	.....	20
28	29	26	32	31	30	27	33	22	38	17	24	1	21
223	209	177	204	196	179	217	208	168	232	224	262	.....	22
78	69	83	66	65	43	72	69	47	51	47	57	5	23
70	70	73	47	48	59	56	66	56	59	62	47	8	24
12	17	15	13	14	15	12	15	8	19	6	14	.....	25
31	29	40	34	26	24	41	23	27	35	21	23	1	26
29	30	33	28	26	17	22	31	25	35	26	29	.....	27
22	19	22	17	14	19	27	4	22	16	16	11	3	28
18	20	11	19	16	30	39	21	22	8	6	17	.....	29
11	17	14	15	12	13	20	10	17	12	13	18	.....	30
21	19	19	28	17	13	12	14	18	18	11	16	1	31
14	13	10	8	10	8	3	11	9	8	11	10	.....	32
17	31	27	31	24	13	18	22	13	8	17	19	.....	33
174	206	222	186	197	249	196	185	194	185	184	178	3	34
36	32	50	46	51	50	64	59	35	37	35	32	.....	35
19	17	20	10	10	6	12	18	10	17	18	20	.....	36
38	42	65	50	48	37	40	32	29	38	30	47	1	37
16	34	33	37	25	25	21	24	30	26	22	22	1	38
47	31	30	28	24	14	27	27	30	27	31	31	6	39
955	1,037	1,034	897	835	758	1,071	919	768	781	791	863	106	40
27	36	50	62	66	36	22	33	23	36	24	32	.....	41
11	8	9	11	9	9	5	9	12	14	18	11	3	42
12	19	19	14	17	10	14	14	10	16	12	12	2	43
24	39	32	37	19	25	26	21	23	23	19	31	1	44
42	46	40	33	35	26	22	34	22	32	26	28	3	45
68	54	52	59	51	59	91	60	58	59	52	49	.....	46
24	26	27	26	19	19	13	14	15	11	15	21	.....	47
32	41	35	33	21	25	29	29	47	27	31	27	.....	48
11	18	11	16	10	14	7	5	18	13	11	6	.....	49
11	8	12	19	10	10	11	12	11	20	7	12	.....	50
9	14	24	22	17	9	20	20	11	16	12	9	.....	51
28	23	16	15	18	10	15	16	19	11	19	21	.....	52
33	46	26	37	25	25	27	21	22	22	18	28	.....	53
50	92	93	89	64	53	80	46	58	50	52	66	.....	54
1,011	904	1,050	992	904	692	832	912	880	818	874	881	3	55
114	119	125	111	101	116	134	105	104	100	85	100	4	56
23	15	29	19	22	11	17	25	22	16	18	19	1	57
15	14	19	12	14	15	11	13	15	7	18	26	1	58
37	45	55	66	49	39	49	67	39	40	37	49	2	59
26	24	24	20	20	11	16	13	22	17	22	27	.....	60
471	481	514	535	528	382	547	526	504	482	447	521	.....	61
38	29	52	28	27	28	25	16	23	32	27	29	11	62
32	33	33	30	28	31	27	32	34	29	29	26	.....	63
157	117	142	125	98	94	93	100	123	115	105	123	.....	64
140	141	160	137	142	128	158	117	88	97	98	147	.....	65
33	36	45	42	23	25	30	22	30	28	20	28	3	66
29	19	27	22	26	12	12	21	22	21	26	20	.....	67
15	17	23	15	24	16	11	11	10	6	8	12	.....	68
23	23	30	27	28	12	36	27	16	15	20	24	.....	69
159	129	112	140	163	155	161	153	134	135	134	111	1	70
60	46	58	66	55	48	52	52	61	49	66	70	1	71
2,426	2,722	2,603	2,571	2,167	1,734	2,066	2,087	1,978	1,960	1,958	2,426	19	72
34	29	43	31	25	24	32	34	18	21	17	31	.....	73
15	16	15	21	6	6	17	17	14	17	24	17	.....	74
829	744	800	664	564	500	513	456	467	433	536	601	11	75
760	704	666	618	601	473	547	554	487	451	420	501	4	76
18	15	11	25	16	14	19	11	17	11	6	13	1	77

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
78	Cohoes, N. Y	458	106	106	14	59	8	2	.....	160	2	1
79	Columbia, Pa	190	134	8	2	5	4	.....	.....	20	2	15
80	Columbus, Ind	149	97	6	16	3	16	.....	.....	7	1	3
81	Columbus, Ohio	2,340	1,149	195	145	110	58	14	.....	344	72	253
82	Concord, N. H	377	166	29	55	28	14	2	.....	67	16	.....
83	Corning, N. Y	203	103	22	10	14	8	.....	.....	41	3	2
84	Cortland, N. Y	144	53	8	39	3	10	2	.....	13	16	.....
85	Covington, Ky	845	361	98	62	36	7	1	.....	185	6	89
86	Danbury town, Conn	303	129	39	21	18	16	4	.....	63	3	10
87	Danvers town, Mass	285	116	19	33	6	7	.....	.....	98	3	3
88	Davenport, Iowa	522	151	80	30	28	2	2	.....	213	7	9
89	Dayton, Ohio	1,389	622	184	75	87	14	6	.....	291	28	82
90	Decatur, Ill	323	.....	.....	.....	.....	.....	.....	244	47	16	16
91	Denver, Colo	2,917	909	386	357	191	136	53	.....	666	84	135
92	Detroit, Mich	4,739	794	1,159	353	464	85	53	.....	1,678	63	90
93	Dover, N. H	241	91	42	28	11	7	3	.....	51	8	.....
94	Dubois, Pa	152	72	30	4	4	.....	.....	.....	42	.....	.....
95	Duluth, Minn	724	105	161	46	55	5	1	.....	325	23	3
96	Dunkirk, N. Y	273	60	91	6	29	4	1	.....	81	1	.....
97	Eau Claire, Wis	232	50	51	8	15	2	3	.....	98	4	1
98	Elizabeth, N. J	1,095	303	316	21	66	9	5	.....	336	8	31
99	Elkhart, Ind	224	122	15	31	13	9	3	.....	21	7	3
100	Elmira, N. Y	555	258	78	44	26	25	4	.....	107	2	11
101	Elwood, Ind	158	106	11	8	8	14	1	.....	10	.....	.....
102	Erie, Pa	872	221	199	142	35	4	2	.....	248	12	9
103	Escanaba, Mich	240	41	62	4	28	3	2	.....	92	7	1
104	Evansville, Ind	929	320	90	79	60	43	10	.....	179	16	132
105	Everett, Mass	347	110	72	6	33	11	3	.....	97	1	14
106	Fall River, Mass	2,074	254	839	23	190	20	17	.....	718	5	8
107	Findlay, Ohio	249	157	14	16	13	6	2	.....	27	4	10
108	Fitchburg, Mass	423	113	115	13	38	10	2	.....	132	.....	.....
109	Flint, Mich	194	77	22	18	19	16	1	.....	36	1	4
110	Fort Wayne, Ind	682	259	78	65	54	31	12	.....	166	14	3
111	Framingham town, Mass	159	54	27	8	19	4	4	.....	38	4	1
112	Frederick, Md	188	62	3	27	2	8	.....	.....	7	20	59
113	Fresno, Cal	251	.....	.....	.....	.....	.....	.....	153	40	11	47
114	Gardner town, Mass	179	43	54	14	18	11	1	.....	38	.....	.....
115	Geneva, N. Y	179	61	32	17	10	7	3	.....	47	.....	2
116	Glens Falls, N. Y	201	110	30	8	16	2	.....	.....	32	2	1
117	Gloucester, Mass	466	154	97	18	37	7	1	.....	148	4	.....
118	Gloversville, N. Y	260	130	24	36	15	4	3	.....	44	2	2
119	Grand Rapids, Mich	1,417	476	291	48	107	19	8	.....	445	15	8
120	Green Bay, Wis	326	53	39	69	37	14	4	.....	101	8	1
121	Greenwich town, Conn	213	86	44	15	13	6	.....	.....	40	5	4
122	Hamilton, Ohio	412	225	45	2	31	.....	.....	.....	85	7	17
123	Hammond, Ind	192	57	44	9	22	10	.....	.....	43	6	1
124	Harrisburg, Pa	821	331	28	186	10	4	.....	.....	72	91	99
125	Harrison, N. J	194	45	59	14	12	.....	.....	.....	61	1	2
126	Hartford, Conn	1,500	341	380	136	81	44	6	.....	440	17	55
127	Haverhill, Mass	556	230	81	19	58	25	1	.....	131	2	9
128	Hazelton, Pa	241	.....	.....	.....	.....	.....	.....	170	67	4	.....
129	Hoboken, N. J	1,427	236	506	13	87	2	.....	.....	570	12	1
130	Holyoke, Mass	832	100	271	28	71	33	17	.....	308	3	1
131	Hudson, N. Y	202	90	22	18	10	8	.....	.....	34	3	17
132	Huntington, Ind	172	94	8	21	6	22	2	.....	18	1	.....
133	Hyde Park town, Mass	204	63	41	3	21	2	2	.....	69	.....	3
134	Indianapolis, Ind	3,346	1,194	189	499	131	186	59	.....	454	147	487
135	Iron Mountain, Mich	110	10	42	1	9	.....	.....	.....	46	1	1
136	Ironton, Ohio	162	105	9	7	2	.....	.....	.....	16	2	21
137	Ironwood, Mich	72	4	29	1	2	.....	.....	.....	36	.....	.....
138	Ishpeming, Mich	132	11	54	1	14	.....	1	.....	51	.....	.....
139	Ithaca, N. Y	219	99	10	27	11	19	2	.....	36	3	12
140	Jackson, Mich	372	180	36	26	31	16	5	.....	67	4	7
141	Jacksonville, Fla	904	.....	.....	.....	.....	.....	.....	262	35	4	603
142	Jacksonville, Ill	339	.....	.....	.....	.....	.....	.....	231	60	15	33
143	Jamestown, N. Y	321	117	60	18	12	6	1	.....	104	3	.....
144	Jeffersonville, Ind	200	89	15	11	8	15	8	.....	22	3	34
145	Jersey City, N. J	4,728	1,157	1,301	191	303	14	17	.....	1,580	45	120
146	Johnstown, N. Y	126	53	11	21	4	11	.....	.....	23	.....	3
147	Johnstown, Pa	603	267	68	84	3	2	1	.....	147	18	13
148	Kalamazoo, Mich	494	191	54	51	33	17	3	.....	114	17	14
149	Kansas City, Mo	3,465	1,181	206	581	70	60	13	.....	442	281	631
150	Keene, N. H	150	79	8	16	7	8	1	.....	27	4	.....
151	Key West, Fla	416	.....	.....	.....	.....	.....	.....	169	96	1	150
152	Kingston, N. Y	444	211	69	11	21	15	1	.....	97	3	16
153	Kokomo, Ind	201	119	5	23	5	20	4	.....	16	1	8
154	Laconia, N. H	142	65	15	17	7	8	.....	.....	26	3	1
155	Lafayette, Ind	347	127	38	59	11	13	4	.....	78	10	7
156	Lancaster, Pa	676	486	76	2	1	.....	1	.....	94	.....	16
157	Lansing, Mich	234	104	20	20	22	13	2	.....	42	6	5

NATIVITY, PARENT NATIVITY, AND MONTH: 1904—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
43	47	67	38	30	27	36	32	22	40	47	29	.....	78
16	15	28	20	18	9	21	15	14	15	8	10	1	79
5	11	19	14	13	4	9	11	10	11	19	22	1	80
248	275	237	195	212	140	183	175	176	162	148	178	11	81
30	34	47	26	35	34	30	26	29	30	26	29	1	82
29	19	22	10	15	12	16	17	14	19	15	15	.....	83
7	9	12	14	13	6	12	16	13	15	14	13	.....	84
80	100	90	80	47	66	75	78	53	43	60	72	1	85
20	28	33	17	29	23	26	20	21	36	21	29	.....	86
26	27	33	27	15	18	18	17	25	27	32	20	.....	87
51	50	56	47	35	35	42	43	37	39	43	39	5	88
115	125	145	119	116	87	117	129	113	105	112	102	4	89
30	29	38	23	25	27	23	21	25	25	30	27	.....	90
294	306	263	253	245	213	199	194	208	241	213	284	4	91
438	424	405	394	433	369	433	421	359	317	327	382	37	92
13	34	25	21	27	18	15	19	20	17	15	17	.....	93
13	14	12	12	9	7	13	15	9	9	18	21	.....	94
67	62	62	61	61	48	56	78	72	48	54	55	.....	95
34	31	38	32	16	21	12	21	21	13	10	24	.....	96
20	17	32	35	14	12	14	16	14	16	26	16	.....	97
98	103	106	106	84	76	148	99	70	56	65	84	.....	98
16	21	23	15	21	14	20	22	14	22	18	18	.....	99
39	48	68	53	50	34	55	41	35	46	44	42	.....	100
24	18	19	6	6	8	9	12	20	20	8	8	.....	101
67	74	85	84	83	64	72	70	69	79	58	66	1	102
7	20	39	45	29	12	22	15	12	15	15	8	1	103
78	81	86	75	69	75	101	84	77	71	66	64	2	104
27	26	45	39	28	21	28	24	24	32	33	19	1	105
185	200	181	179	149	124	232	208	159	164	136	156	1	106
22	23	26	21	28	17	23	22	20	19	15	13	.....	107
45	28	38	57	43	21	24	39	29	28	37	34	.....	108
15	13	15	23	15	15	8	20	14	20	19	16	1	109
60	77	80	66	51	32	41	50	68	52	42	54	7	110
11	18	16	7	15	17	10	10	10	19	18	8	.....	111
17	20	21	19	13	19	16	19	12	13	7	12	.....	112
29	22	23	16	21	20	11	23	18	16	24	28	.....	113
16	26	20	14	24	12	10	12	10	11	8	16	.....	114
16	17	14	17	15	13	13	22	9	15	18	10	.....	115
18	20	26	19	19	6	19	12	19	20	15	8	.....	116
49	38	32	49	37	33	25	40	42	34	42	45	.....	117
26	19	31	24	29	15	19	22	23	20	15	16	1	118
128	138	168	130	107	87	83	140	83	104	110	133	6	119
26	21	28	28	47	28	20	22	36	21	26	22	1	120
29	14	15	22	20	9	16	24	21	17	9	17	.....	121
47	38	41	38	34	26	37	32	26	25	32	35	1	122
19	20	14	22	18	11	18	18	12	13	4	23	.....	123
80	77	128	88	72	55	52	50	62	44	53	60	.....	124
17	17	29	15	15	11	18	16	16	12	11	17	.....	125
116	123	137	149	154	118	133	131	106	103	114	115	1	126
55	45	51	50	48	43	40	37	43	40	48	54	2	127
17	20	27	18	21	18	26	23	13	18	21	19	.....	128
129	122	132	141	112	137	136	122	103	76	94	122	1	129
78	60	67	73	62	64	89	75	71	80	63	50	.....	130
17	28	38	29	10	18	9	13	9	11	5	15	.....	131
12	13	17	13	15	11	9	27	20	19	8	8	.....	132
22	21	25	19	20	11	20	16	15	5	16	14	.....	133
311	300	334	324	264	218	312	262	258	242	238	282	1	134
9	8	10	9	5	7	12	14	11	3	7	12	3	135
15	25	13	7	9	16	14	5	12	12	16	18	.....	136
1	.....	.....	8	11	8	9	8	5	11	5	6	.....	137
.....	14	11	14	8	12	15	18	13	10	8	8	1	138
29	24	22	25	12	10	18	18	12	12	17	20	.....	139
40	38	32	40	24	28	22	32	34	27	21	33	1	140
88	68	75	96	77	76	87	74	55	70	74	62	2	141
31	27	42	24	37	30	20	32	25	21	23	24	3	142
33	28	30	34	29	19	29	20	29	27	25	18	.....	143
13	20	20	25	10	19	17	15	11	17	23	10	.....	144
438	400	452	429	410	312	465	392	366	340	337	387	.....	145
11	12	15	10	14	4	5	14	9	4	7	21	.....	146
70	62	62	55	45	48	38	68	41	38	36	36	4	147
41	53	55	57	41	37	19	45	38	25	40	40	3	148
282	362	447	390	299	217	286	250	221	213	252	239	7	149
11	17	16	20	8	11	13	13	13	9	11	8	.....	150
37	35	39	24	41	39	49	28	27	34	30	33	.....	151
42	29	40	53	21	24	42	31	39	43	45	35	.....	152
30	20	16	21	17	10	14	15	13	19	11	15	.....	153
14	11	10	12	17	10	9	14	13	12	9	11	.....	154
30	21	26	39	33	29	31	22	28	24	28	36	.....	155
67	54	72	67	65	44	54	53	55	50	49	45	1	156
20	26	1	30	16	14	18	24	26	12	23	23	1	157

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
158	Lawrence, Mass.	1,147	151	398	15	97	6	3	.....	472	2	3
159	Leadville, Colo.	235	53	51	31	11	4	1	.....	97	5	2
160	Leavenworth, Kans.	346	.....	.....	.....	.....	.....	.....	168	95	12	71
161	Leominster town, Mass.	176	55	23	15	14	12	1	.....	51	3	2
162	Lima, Ohio	359	133	18	107	6	2	2	.....	37	41	13
163	Lincoln, Nebr.	457	117	45	164	14	2	1	.....	89	7	18
164	Lockport, N. Y.	285	107	48	25	13	6	2	.....	73	8	3
165	Logansport, Ind.	311	123	25	43	12	22	4	.....	39	37	6
166	Los Angeles, Cal.	2,732	.....	.....	.....	.....	.....	.....	1,863	594	160	135
167	Louisville, Ky.	4,344	1,050	251	848	88	66	55	.....	651	119	1,216
168	Lowell, Mass.	1,738	290	645	48	122	29	5	.....	585	13	1
169	Lynchburg, Va.	477	30	.....	69	.....	62	1	.....	3	81	231
170	Lynn, Mass.	1,127	394	219	40	93	54	8	.....	283	10	26
171	McKeesport, Pa.	743	181	224	22	38	1	4	.....	240	16	17
172	Madison, Wis.	283	72	57	13	27	4	5	.....	98	4	3
173	Mahanoy City, Pa.	333	109	122	3	6	.....	.....	.....	92	1	.....
174	Malden, Mass.	489	185	81	14	42	19	8	.....	127	2	11
175	Manchester, N. H.	977	180	340	66	71	18	8	.....	290	4	.....
176	Manchester town, Conn.	128	28	23	5	10	8	1	.....	51	1	1
177	Manitowoc, Wis.	167	26	31	8	8	4	1	.....	86	3	.....
178	Mankato, Minn.	140	39	38	2	10	1	.....	.....	47	3	.....
179	Marietta, Ohio	178	106	13	15	5	8	.....	.....	23	2	6
180	Marinette, Wis.	148	21	39	.....	15	2	1	.....	65	4	1
181	Marion, Ind.	327	211	8	33	11	27	1	.....	11	.....	25
182	Marlboro, Mass.	181	64	37	5	14	5	.....	.....	56	.....	.....
183	Marquette, Mich.	168	29	34	5	12	2	.....	.....	78	5	3
184	Massillon, Ohio	155	73	30	3	7	1	1	.....	38	1	1
185	Meadville, Pa.	150	72	13	27	3	1	.....	.....	24	1	9
186	Medford, Mass.	231	105	31	6	22	6	.....	.....	58	.....	3
187	Melrose, Mass.	188	90	18	12	14	8	3	.....	42	.....	1
188	Memphis, Tenn.	2,290	563	87	155	34	37	3	.....	153	31	1,227
189	Menominee, Mich.	128	23	35	6	13	.....	.....	.....	47	3	1
190	Meriden town, Conn.	416	77	107	22	27	16	7	.....	157	2	1
191	Michigan City, Ind.	213	54	51	16	17	5	.....	.....	65	3	2
192	Middletown, N. Y.	341	152	28	54	16	6	.....	.....	62	12	11
193	Middletown, Ohio	110	53	5	18	3	4	1	.....	16	.....	10
194	Middletown town, Conn.	207	54	35	19	8	7	.....	.....	76	4	4
195	Milford town, Mass.	168	58	49	3	6	.....	.....	.....	50	1	1
196	Millville, N. J.	177	141	5	3	9	1	.....	.....	16	.....	2
197	Milwaukee, Wis.	4,178	572	1,257	120	431	32	15	.....	1,609	36	6
198	Minneapolis, Minn.	2,405	567	513	141	196	49	11	.....	779	111	38
199	Mobile, Ala.	1,052	.....	.....	.....	.....	.....	.....	400	67	7	578
200	Montclair, N. J.	312	102	59	18	25	4	2	.....	52	4	46
201	Morristown, N. J.	232	87	28	30	11	5	1	.....	52	.....	28
202	Mt. Carmel, Pa.	270	119	102	.....	8	.....	.....	.....	41	.....	.....
203	Mt. Vernon, N. Y.	348	94	90	11	20	5	.....	.....	97	5	26
204	Muncie, Ind.	395	247	24	34	17	19	2	.....	28	4	20
205	Muscatine, Iowa	207	63	9	13	6	3	.....	.....	61	48	4
206	Muskegon, Mich.	278	54	43	29	25	8	2	.....	109	6	2
207	Nashua, N. H.	371	107	93	22	28	17	5	.....	90	9	.....
208	Nashville, Tenn.	1,996	705	56	63	25	50	3	.....	83	9	1,002
209	Natick town, Mass.	123	39	22	3	7	11	.....	.....	39	1	1
210	Naugatuck, Conn.	177	34	74	6	14	4	1	.....	43	1	.....
211	New Albany, Ind.	366	171	25	24	24	16	5	.....	57	.....	44
212	New Bedford, Mass.	1,366	295	422	30	117	22	13	.....	394	4	69
213	New Britain town, Conn.	485	105	162	6	41	3	2	.....	162	1	3
214	New Brunswick, N. J.	446	156	82	64	12	8	6	.....	82	16	20
215	New Haven, Conn.	2,015	483	544	102	100	68	12	.....	598	24	84
216	New London, Conn.	403	164	66	20	17	25	3	.....	86	15	7
217	New Orleans, La.	6,819	2,022	788	88	210	3	.....	.....	1,122	16	2,570
218	New Rochelle, N. Y.	267	70	71	5	14	2	1	.....	82	2	20
219	New York, N. Y.	78,325	13,663	23,150	3,289	5,177	421	434	.....	28,524	1,001	2,666
220	Bronx borough	5,536	1,007	1,615	90	409	31	46	.....	2,076	44	218
221	Brooklyn borough	24,830	5,668	7,092	620	1,996	119	104	.....	8,431	147	653
222	Manhattan borough	43,448	5,883	13,310	2,435	2,371	242	266	.....	16,497	777	1,667
223	Queens borough	3,045	754	804	38	292	15	10	.....	1,037	17	78
224	Richmond borough	1,466	351	329	106	109	14	8	.....	483	16	50
225	Newark, N. J.	5,396	1,329	1,410	316	236	27	25	.....	1,685	29	279
226	Newark, Ohio	340	218	29	17	20	2	.....	.....	46	1	7
227	Newburg, N. Y.	524	222	86	33	24	7	8	.....	114	8	22
228	Newburyport, Mass.	277	121	36	7	18	13	1	.....	76	2	3
229	Newcastle, Pa.	437	46	62	192	2	2	.....	.....	76	44	13
230	Newport, Ky.	466	188	83	23	21	4	1	.....	131	6	9
231	Newport, R. I.	340	127	45	8	14	2	2	.....	101	3	38
232	Newton, Mass.	412	169	83	5	38	4	.....	.....	104	1	8
233	Niagara Falls, N. Y.	416	76	116	15	37	6	2	.....	144	13	7
234	Norfolk, Va.	1,187	385	21	40	27	5	2	.....	57	18	632

NATIVITY, PARENT NATIVITY, AND MONTH: 1904—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
114	95	109	78	90	80	113	110	97	82	84	95	.....	158
57	35	14	18	19	18	10	17	13	19	14	21	.....	159
31	35	48	43	29	26	24	15	20	15	32	28	.....	160
17	14	18	16	13	11	11	21	13	16	17	9	.....	161
34	39	42	36	29	37	28	26	20	25	14	29	.....	162
47	38	42	45	42	34	25	40	43	27	37	37	.....	163
29	24	26	27	28	16	23	22	26	20	23	27	.....	64
28	34	33	35	21	23	21	24	22	22	26	22	.....	165
330	322	284	263	1	263	(1)	255	191	246	262	324	11	166
373	452	469	419	389	300	341	342	293	263	312	391	.....	167
130	133	153	134	129	121	213	163	159	121	132	148	2	168
46	35	55	35	35	36	46	41	43	37	30	37	1	169
96	115	104	100	89	72	101	81	104	76	83	104	2	170
73	75	53	74	56	47	75	74	49	56	55	56	.....	171
24	31	30	21	34	19	19	21	25	17	23	19	.....	172
25	45	32	28	24	21	50	26	27	18	20	17	.....	173
43	46	55	32	37	25	36	53	34	37	39	52	.....	174
92	88	96	73	66	58	98	84	81	68	75	96	2	175
9	13	9	11	10	14	11	16	7	7	6	15	.....	176
16	17	12	17	17	10	12	8	11	17	10	20	.....	177
11	8	20	13	16	6	13	9	17	10	6	10	1	178
25	15	19	21	14	12	21	14	14	12	6	5	.....	179
23	12	8	8	11	13	12	13	10	7	10	20	1	180
29	28	28	35	25	22	20	35	37	24	25	19	.....	181
21	18	18	20	18	10	11	14	11	15	10	15	.....	182
7	19	18	20	12	13	18	13	10	14	13	10	1	183
10	12	13	18	13	14	6	21	10	17	15	5	1	184
13	13	16	11	8	13	15	16	12	10	7	15	1	185
18	24	16	27	18	11	28	18	22	15	14	20	.....	186
12	20	20	22	14	9	15	16	21	15	13	11	.....	187
234	272	207	173	158	171	162	168	165	180	197	190	13	188
14	13	.....	10	22	13	10	.....	15	8	12	10	1	189
44	42	38	33	32	28	37	32	29	32	38	30	1	190
23	21	19	27	16	15	13	18	14	17	13	17	.....	191
32	26	43	38	29	21	25	24	34	17	22	30	.....	192
14	11	11	8	13	7	5	11	13	8	4	5	.....	193
31	27	44	28	45	30	(2)	(2)	(2)	(2)	1	(2)	1	194
12	14	15	20	20	13	11	11	13	12	15	12	.....	195
19	18	13	19	13	11	21	10	9	17	12	15	.....	196
366	385	433	373	365	273	303	326	344	324	302	370	14	197
214	222	226	229	209	164	161	211	190	153	159	235	32	198
96	94	86	97	102	99	60	80	80	86	94	77	1	199
22	33	33	32	29	19	34	26	19	33	12	20	.....	200
27	24	20	21	23	15	21	16	13	25	14	13	.....	201
23	31	14	34	18	18	29	25	26	22	12	18	.....	202
33	29	39	39	25	25	31	35	23	16	22	31	.....	203
37	47	37	26	29	29	28	43	31	30	28	30	.....	204
22	17	27	29	17	12	10	17	13	14	17	12	.....	205
21	22	25	26	31	21	20	15	28	19	23	24	3	206
29	30	31	28	25	19	35	44	36	25	29	40	.....	207
177	191	185	166	132	163	202	209	146	141	136	148	.....	208
12	10	11	12	11	10	7	9	8	7	15	11	.....	209
14	17	12	15	12	13	23	26	11	9	11	14	.....	210
30	41	40	35	33	25	34	26	21	22	32	27	.....	211
122	114	117	113	111	84	99	158	129	107	95	113	4	212
36	51	41	39	40	28	56	40	38	30	38	41	7	213
37	25	46	40	33	35	47	48	36	29	29	41	.....	214
193	163	219	180	157	145	192	158	143	162	146	157	.....	215
38	36	41	35	40	30	31	39	28	32	24	29	.....	216
731	651	655	623	569	532	514	456	472	504	558	552	2	217
25	29	25	25	25	16	27	24	19	19	17	16	.....	218
6,886	7,026	7,709	7,791	6,791	6,445	7,096	5,952	5,398	5,147	5,479	6,562	43	219
490	450	532	525	488	406	500	456	406	387	400	492	4	220
2,136	2,229	2,344	2,440	2,198	1,874	2,460	1,927	1,759	1,638	1,782	2,034	9	221
3,870	3,964	4,411	4,448	3,771	3,858	3,625	3,146	2,892	2,818	2,987	3,630	28	222
264	254	285	254	226	209	349	277	243	193	214	276	1	223
126	129	137	124	108	98	162	146	98	111	96	130	1	224
493	518	526	464	398	353	504	453	392	381	403	451	.....	225
22	28	44	34	22	19	31	32	32	30	19	26	1	226
44	49	53	51	37	32	53	43	28	47	38	49	.....	227
25	20	28	30	28	25	23	26	24	20	18	20	.....	228
44	46	49	36	29	32	32	44	31	35	31	24	4	229
43	47	37	38	38	30	44	37	40	34	38	40	.....	230
34	25	42	29	29	23	25	39	27	20	23	24	.....	231
44	30	36	33	42	27	29	44	35	32	27	33	.....	232
37	34	48	36	37	28	34	40	34	26	24	38	.....	233
116	101	109	85	84	105	128	96	100	93	81	89	.....	234

[1] No return of deaths for July received.

[2] Return of deaths not received in time for compilation.

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.								
			Both parents.			Mixed parentage.			Parentage not stated.	Foreign.	Unknown.	
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
235	Norristown, Pa.	566	200	45	127	11	.....	2	.....	115	32	34
236	North Adams, Mass.	371	93	92	19	41	17	2	.....	103	2	2
237	Northampton, Mass.	347	132	72	10	32	10	.....	.....	88	1	2
238	Norwalk town, Conn.	317	122	54	12	18	13	4	.....	73	10	11
239	Norwich town, Conn.	415	112	82	20	27	11	1	.....	149	5	8
240	Oakland, Cal.	1,073	325	173	74	76	9	4	.....	375	11	26
241	Ogdensburg, N. Y.	268	87	59	43	34	6	2	.....	120	16	1
242	Olean, N. Y.	134	41	11	19	9	6	1	.....	43	3	1
243	Omaha, Nebr.	1,344	524	241	22	94	9	2	.....	376	13	63
244	Orange, N. J.	350	146	113	34	29	4	3	.....	155	4	62
245	Ottawa, Ill.	124	.....	.....	.....	.....	.....	.....	78	35	9	2
246	Owosso, Mich.	60	31	4	6	4	3	.....	.....	11	1	.....
247	Paducah, Ky.	445	225	2	5	1	.....	.....	.....	13	9	190
248	Passaic, N. J.	661	77	312	16	16	4	16	.....	198	6	16
249	Paterson, N. J.	1,987	404	467	155	157	29	15	.....	710	7	43
250	Pawtucket, R. I.	681	171	176	9	62	5	2	.....	251	2	3
251	Peabody town, Mass.	157	73	30	1	15	1	3	.....	34	.....	.....
252	Peekskill, N. Y.	194	93	33	6	12	9	2	.....	34	1	4
253	Perth Amboy, N. J.	294	57	113	12	7	2	2	.....	87	5	9
254	Peru, Ind.	143	70	12	19	6	13	.....	.....	20	1	2
255	Petersburg, Va.	665	223	6	19	6	2	.....	.....	6	4	399
256	Philadelphia, Pa.	26,218	8,535	5,269	1,093	1,478	185	92	.....	6,968	312	2,286
257	Phillipsburg, N. J.	168	106	22	4	3	2	.....	.....	27	3	1
258	Pittsburg, Pa.	6,972	1,702	1,884	243	421	73	60	.....	1,872	151	566
259	Pittsfield, Mass.	398	147	68	29	29	8	1	.....	103	2	11
260	Plainfield, N. J.	292	126	46	12	3	1	3	.....	39	3	59
261	Plymouth, Pa.	239	58	103	4	12	.....	.....	.....	82	.....	.....
262	Plymouth town, Mass.	153	64	26	2	13	7	.....	.....	34	2	5
263	Pontiac, Mich.	178	75	22	11	15	4	.....	.....	47	1	3
264	Port Huron, Mich.	228	51	33	5	24	3	3	.....	103	5	1
265	Port Jervis, N. Y.	182	117	17	11	3	4	.....	.....	26	1	3
266	Portland, Me.	1,016	444	125	72	62	43	2	.....	226	31	11
267	Portland, Oreg.	1,372	587	176	35	77	21	1	.....	386	26	63
268	Portsmouth, N. H.	158	70	22	14	11	10	3	.....	21	5	2
269	Portsmouth, Ohio	294	160	16	27	16	13	1	.....	38	4	19
270	Pottstown, Pa.	220	176	19	1	.....	.....	.....	.....	18	.....	6
271	Pottsville, Pa.	323	198	28	9	8	.....	.....	.....	64	13	3
272	Poughkeepsie, N. Y.	522	222	80	35	20	15	1	.....	113	17	19
273	Providence, R. I.	3,595	1,045	959	31	246	32	23	.....	1,063	23	173
274	Pueblo, Colo.	708	243	120	68	32	25	4	.....	138	34	44
275	Quincy, Ill.	586	.....	.....	.....	.....	.....	.....	334	181	31	40
276	Quincy, Mass.	349	84	98	13	35	5	3	.....	109	1	1
277	Raleigh, N. C.	315	119	1	18	.....	5	.....	.....	.....	22	150
278	Reading, Pa.	1,364	947	117	77	30	7	5	.....	124	44	13
279	Revere town, Mass.	155	46	31	4	11	10	.....	.....	51	1	1
280	Richmond, Ind.	313	166	24	21	9	21	2	.....	41	6	23
281	Richmond, Va.	2,073	626	53	166	31	19	.....	.....	94	30	1,054
282	Rochester, N. H.	150	80	18	14	6	9	.....	.....	20	3	.....
283	Rochester, N. Y.	2,665	677	569	169	180	33	8	.....	975	32	22
284	Rockland, Me.	166	122	6	3	7	6	1	.....	16	3	2
285	Rome, N. Y.	292	110	44	36	8	10	2	.....	69	9	4
286	Rutland, Vt.	235	68	24	28	16	13	1	.....	52	32	1
287	Sacramento, Cal.	612	239	60	84	13	1	.....	.....	163	5	47
288	Saginaw, Mich.	605	152	94	28	71	16	17	.....	216	6	5
289	St. Joseph, Mo.	891	485	62	79	14	7	.....	.....	147	18	79
290	St. Louis, Mo.	11,767	3,135	1,628	1,330	537	95	32	.....	3,435	333	1,242
291	St. Paul, Minn.	1,896	299	386	370	62	1	.....	.....	632	115	31
292	Salem, Mass.	703	227	180	10	58	16	6	.....	199	2	5
293	Salt Lake City, Utah.	1,063	330	141	80	105	17	7	.....	349	23	11
294	San Antonio, Tex.	1,506	508	208	113	112	11	5	.....	333	31	185
295	San Diego, Cal.	467	48	41	201	9	2	.....	.....	137	19	10
296	San Francisco, Cal.	7,487	1,266	1,369	584	431	79	34	.....	3,038	181	505
297	San Jose, Cal.	413	161	54	24	31	10	1	.....	101	5	26
298	Saratoga Springs, N. Y.	277	112	31	34	11	13	3	.....	49	5	19
299	Sault Ste. Marie, Mich.	164	23	43	6	12	8	5	.....	57	8	2
300	Savannah, Ga.	1,718	.....	.....	.....	.....	.....	.....	454	104	8	1,152
301	Schenectady, N. Y.	784	258	218	25	45	15	3	.....	199	15	6
302	Scranton, Pa.	2,011	658	789	4	33	.....	.....	.....	522	3	2
303	Seattle, Wash.	1,206	285	141	91	78	7	6	.....	299	127	62
304	Sioux City, Iowa	488	193	79	24	33	4	.....	.....	140	9	6
305	Somerville, Mass.	965	325	190	32	94	18	4	.....	298	1	3
306	South Bend, Ind.	581	174	162	35	36	23	5	.....	134	1	11
307	South Bethlehem, Pa.	241	93	68	5	4	3	1	.....	66	.....	1
308	Southbridge town, Mass.	188	45	62	4	31	3	.....	.....	42	1	.....
309	Spokane, Wash.	693	224	88	73	60	40	13	.....	144	36	15
310	Springfield, Ill.	801	.....	.....	.....	.....	.....	.....	545	165	21	70
311	Springfield, Mass.	1,154	398	227	52	83	54	9	.....	303	6	22
312	Stamford town, Conn.	429	118	111	22	20	25	9	.....	113	7	4
313	Steelton, Pa.	193	106	27	.....	1	.....	.....	.....	33	.....	26
314	Stonington town, Conn.	180	78	23	9	7	6	2	.....	47	.....	8

NATIVITY, PARENT NATIVITY, AND MONTH: 1904—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
67	60	61	47	48	41	54	46	33	39	37	32	1	235
31	38	32	31	47	22	30	35	39	20	27	28	1	236
27	24	32	32	29	18	24	40	35	23	29	34	.....	237
30	25	36	19	24	22	34	24	30	19	31	30	3	238
36	33	33	46	34	28	37	42	28	34	36	28	.....	239
100	77	87	94	100	79	84	77	100	81	87	103	4	240
28	32	36	40	32	37	25	40	31	22	27	18	.....	241
10	14	15	14	13	8	4	10	16	5	8	17	.....	242
93	114	131	127	115	92	116	130	97	101	105	113	10	243
50	55	51	35	46	27	61	58	40	48	43	36	.....	244
5	11	14	12	15	9	5	14	10	11	10	7	1	245
.....	.....	.....	9	.....	5	3	.....	13	14	6	9	1	246
48	49	41	17	37	40	41	34	38	29	36	32	3	247
70	42	60	54	43	65	88	54	44	28	45	68	.....	248
187	150	176	183	171	144	196	178	141	141	150	169	1	249
76	67	53	55	51	44	64	55	54	48	49	64	1	250
17	17	12	11	10	7	13	13	11	18	11	17	.....	251
15	18	13	12	15	13	20	27	17	9	21	14	.....	252
35	18	34	26	20	20	43	21	21	21	13	22	.....	253
12	13	17	22	8	8	16	14	6	9	9	8	1	254
54	57	63	41	53	67	67	45	57	50	57	47	7	255
2,794	2,629	2,811	2,491	2,235	1,863	2,058	1,869	1,721	1,760	1,784	2,202	1	256
17	19	10	9	20	11	11	18	19	8	13	13	.....	257
673	651	653	625	556	536	654	526	448	502	555	587	6	258
30	40	40	40	43	37	32	30	24	21	33	28	.....	259
26	24	28	37	13	20	22	38	13	24	21	26	.....	260
24	23	16	27	26	19	25	19	6	16	19	19	.....	261
14	11	21	8	12	9	11	10	18	14	16	9	.....	262
16	22	19	16	13	8	19	15	14	15	10	11	.....	263
28	20	37	19	14	8	19	2	26	17	15	23	.....	264
15	11	27	10	23	9	9	11	18	16	21	12	.....	265
98	87	87	90	90	79	70	79	75	91	74	94	2	266
117	100	117	117	117	126	99	105	119	120	115	119	1	267
16	17	22	18	13	9	11	.....	14	18	10	10	.....	268
31	26	42	27	21	25	28	16	19	19	17	23	.....	269
28	32	26	24	15	15	11	19	12	13	12	13	.....	270
26	38	24	32	23	23	48	26	23	14	23	23	.....	271
65	56	67	59	42	39	36	29	24	29	34	42	.....	272
361	318	332	311	286	245	324	313	258	270	249	323	5	273
69	83	65	61	58	63	64	37	56	44	52	55	1	274
49	59	66	65	51	39	40	38	42	44	47	44	2	275
34	24	38	38	22	23	28	21	39	29	27	24	2	276
23	21	22	14	38	31	32	28	29	30	30	16	1	277
131	112	139	167	114	105	110	131	82	94	84	90	5	278
7	12	13	12	11	11	11	21	18	14	11	14	.....	279
17	22	34	30	36	20	23	28	27	26	28	21	1	280
167	197	225	165	165	197	216	140	159	163	146	133	.....	281
9	23	11	11	13	13	14	10	11	9	10	16	.....	282
254	262	265	271	220	209	200	196	215	184	190	198	1	283
14	8	19	23	14	9	8	18	15	16	9	13	.....	284
17	18	31	18	32	29	26	31	32	15	19	23	1	285
31	22	22	19	17	10	12	30	18	17	13	20	4	286
72	47	57	42	46	52	50	30	45	53	41	66	11	287
55	62	75	47	51	51	57	20	43	51	37	55	1	288
66	86	89	93	84	55	70	65	66	65	63	89	.....	289
1,079	997	1,189	1,133	1,011	761	909	984	804	868	914	1,079	39	290
155	169	188	170	176	147	151	175	149	143	123	150	.....	291
63	45	61	56	51	53	70	67	64	40	58	75	.....	292
107	93	105	105	55	73	73	94	75	97	83	96	7	293
113	151	143	150	145	108	115	93	92	112	142	123	19	294
52	56	37	54	36	37	40	27	28	31	31	38	.....	295
758	643	638	647	609	535	581	533	620	637	618	666	2	296
39	25	42	37	34	41	39	31	40	27	26	31	1	297
23	29	32	20	23	14	22	26	23	26	17	22	.....	298
9	8	15	12	10	15	20	14	18	11	11	17	4	299
156	145	126	139	185	119	138	138	149	134	148	139	2	300
54	57	85	75	75	51	72	77	70	59	52	57	.....	301
169	183	205	166	154	133	212	172	177	160	129	149	2	302
89	86	112	92	97	93	89	123	109	106	104	98	8	303
44	51	52	48	44	33	41	32	38	41	25	39	.....	304
92	106	87	87	91	54	59	67	77	77	74	93	1	305
45	48	49	47	44	34	54	53	52	62	27	66	.....	306
28	22	22	22	17	8	26	24	15	15	22	19	1	307
14	15	8	20	20	14	13	12	13	17	18	24	.....	308
51	52	52	48	58	63	74	76	62	40	60	54	3	309
69	83	92	67	70	44	70	72	52	58	57	61	6	310
110	89	123	97	89	85	100	87	89	80	102	103	.....	311
36	28	42	35	32	37	51	43	36	26	34	20	.....	312
15	25	27	19	16	18	16	8	7	17	12	13	.....	313
18	14	18	9	14	12	11	23	13	13	15	20	.....	314

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	REGISTRATION CITIES—Continued.											
315	Superior, Wis	319	24	69	47	23	9	5	.....	101	34	7
316	Syracuse, N. Y	1,752	548	360	116	112	49	17	.....	491	32	27
317	Tacoma, Wash	541	170	79	38	33	7	4	.....	180	20	10
318	Taunton, Mass	629	167	163	27	40	16	1	.....	209	3	3
319	Terre Haute, Ind	827	430	52	76	35	53	8	.....	101	25	47
320	Tiffin, Ohio	151	97	10	.....	10	.....	.....	.....	32	1	1
321	Toledo, Ohio	2,057	622	360	154	122	13	8	.....	603	134	41
322	Torrington town, Conn	155	31	52	8	8	3	1	.....	48	1	3
323	Traverse City, Mich	219	69	21	29	8	7	1	.....	71	12	1
324	Trenton, N. J	1,486	499	297	131	65	12	3	.....	368	36	75
325	Troy, N. Y	1,645	525	396	77	93	20	3	.....	512	9	10
326	Union, N. J	287	51	75	6	23	4	3	.....	123	2	.....
327	Utica, N. Y	1,244	397	292	90	97	13	6	.....	359	10	9
328	Vernon town, Conn	121	29	31	4	8	2	1	.....	45	1	.....
329	Vincennes, Ind	231	135	13	19	9	12	.....	.....	30	2	11
330	Wabash, Ind	122	67	6	16	7	10	.....	.....	13	.....	3
331	Wakefield town, Mass	120	55	20	1	9	6	.....	.....	28	.....	1
332	Wallingford town, Conn	142	39	36	6	11	5	5	.....	37	.....	3
333	Waltham, Mass	334	106	66	12	28	6	1	.....	112	3	.....
334	Ware town, Mass	125	36	42	.....	6	3	1	.....	37	.....	.....
335	Washington, D. C	6,211	1,927	292	467	196	25	12	.....	617	41	2,634
336	Washington, Ind	122	82	9	12	7	1	2	.....	9	1	4
337	Waterbury, Conn	894	178	301	26	68	11	5	.....	291	3	11
338	Watertown, N. Y	409	219	53	16	22	8	2	.....	84	2	3
339	Watertown town, Mass	139	46	30	4	9	3	2	.....	43	1	1
340	Watervliet, N. Y	228	80	56	3	20	6	.....	.....	61	.....	2
341	Webster town, Mass	146	28	54	1	3	8	1	.....	49	.....	2
342	West Bay City, Mich	158	41	25	7	28	1	4	.....	51	.....	1
343	Westfield town, Mass	203	73	40	22	15	8	3	.....	39	2	1
344	Weymouth town, Mass	164	91	20	1	6	5	.....	.....	41	.....	.....
345	Wheeling, W. Va	709	195	76	111	37	38	13	.....	163	41	35
346	Wichita, Kans	493	267	18	78	18	13	.....	.....	30	34	35
347	Williamsport, Pa	439	173	25	78	8	11	2	.....	61	56	25
348	Wilmington, Del	1,287	.....	.....	.....	.....	.....	.....	834	190	33	230
349	Wilmington, N. C	600	152	6	42	4	3	.....	.....	9	11	373
350	Windham town, Conn	200	55	42	10	11	13	2	.....	60	6	1
351	Winona, Minn	287	92	68	5	25	1	2	.....	89	5	.....
352	Woburn, Mass	195	47	41	7	21	5	1	.....	66	.....	7
353	Woonsocket, R. I	465	79	158	2	29	.....	1	.....	195	1	.....
354	Worcester, Mass	2,047	503	491	109	161	71	12	.....	660	10	30
355	Yonkers, N. Y	1,004	208	326	25	78	11	3	.....	317	12	24
356	Youngstown, Ohio	825	252	191	19	48	2	1	.....	265	19	28
	CONNECTICUT RURAL.											
357	Fairfield county	748	297	95	92	40	62	6	.....	124	22	10
358	Hartford county	1,071	396	162	73	51	60	4	.....	279	29	17
359	Litchfield county	778	316	101	99	29	58	5	.....	134	20	16
360	Middlesex county	374	191	40	22	12	19	3	.....	76	9	2
361	New Haven county	803	300	160	53	42	43	6	.....	169	18	12
362	New London county	503	258	53	31	30	33	2	.....	81	9	6
363	Tolland county	264	110	31	39	7	22	1	.....	47	6	1
364	Windham county	578	206	84	60	52	28	7	.....	119	10	12
	INDIANA RURAL.											
365	Adams county	230	139	12	24	12	10	.....	.....	33	.....	.....
366	Allen county	301	136	20	25	27	13	6	.....	67	5	2
367	Bartholomew county	201	120	6	21	13	16	.....	.....	15	6	4
368	Benton county	124	82	4	9	4	5	2	.....	17	.....	1
369	Blackford county	218	153	8	16	9	20	.....	.....	11	1	.....
370	Boone county	327	239	1	38	7	29	.....	.....	5	6	2
371	Brown county	116	67	2	28	1	11	.....	.....	1	6	.....
372	Carroll county	189	129	8	14	2	24	2	.....	7	3	.....
373	Cass county	287	133	3	66	4	13	4	.....	28	33	3
374	Clark county	278	139	9	30	13	19	1	.....	16	9	42
375	Clay county	405	238	17	43	17	36	4	.....	38	3	9
376	Clinton county	369	264	4	40	11	35	1	.....	6	7	1
377	Crawford county	171	130	2	15	2	14	.....	.....	5	3	.....
378	Daviess county	303	232	10	16	6	16	.....	.....	17	5	1
379	Dearborn county	330	138	39	30	21	9	3	.....	65	13	12
380	Decatur county	287	184	11	33	9	24	.....	.....	23	1	2
381	Dekalb county	242	144	17	28	9	19	1	.....	19	5	.....
382	Delaware county	309	230	7	32	5	20	1	.....	9	5	.....
383	Dubois county	243	130	26	10	11	12	.....	.....	53	1	.....
384	Elkhart county	376	211	14	43	16	43	3	.....	34	12	.....
385	Fayette county	212	137	8	17	4	18	2	.....	11	2	13
386	Floyd county	96	56	8	2	2	6	2	.....	16	1	3
387	Fountain county	252	168	5	21	4	28	2	.....	20	3	1
388	Franklin county	239	131	26	26	10	16	2	.....	26	2	.....
389	Fulton county	208	140	7	27	7	7	1	.....	16	3	.....

NATIVITY, PARENT NATIVITY, AND MONTH: 1904—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
39	32	31	22	27	25	22	31	35	19	20	16	.....	315
169	167	170	151	162	130	161	151	134	131	114	112	.....	316
47	42	46	42	50	41	42	49	55	30	36	48	13	317
70	59	68	52	55	35	40	65	47	54	37	47	.....	318
73	76	86	75	73	58	63	56	59	61	71	76	.....	319
16	13	19	11	12	12	13	12	17	8	8	10	.....	320
179	163	224	193	175	155	166	179	165	144	144	169	1	321
11	10	11	19	14	14	15	12	11	15	10	13	.....	322
9	22	25	20	14	16	22	15	21	15	17	18	5	323
141	130	169	147	125	99	148	117	80	87	121	121	1	324
138	153	161	144	118	120	150	130	117	125	119	169	1	325
23	32	28	28	25	9	37	21	26	17	15	26	.....	326
89	112	114	116	122	90	99	114	90	94	105	98	1	327
12	13	10	7	7	3	9	14	11	11	14	10	.....	328
20	14	29	28	19	18	15	19	16	17	22	14	.....	329
14	15	12	12	15	5	11	11	11	6	5	5	.....	330
13	11	14	4	13	4	11	11	6	9	7	17	.....	331
11	12	18	9	15	9	9	18	11	10	9	11	.....	332
33	22	28	27	16	25	32	40	24	27	28	31	1	333
15	11	18	8	6	12	5	7	13	8	8	14	.....	334
591	554	621	511	512	499	566	507	434	443	454	514	5	335
9	10	21	6	12	5	9	14	8	8	10	10	.....	336
89	69	83	67	63	67	113	82	69	65	67	63	.....	337
37	70	44	41	32	29	28	33	23	17	30	25	.....	338
11	10	18	14	6	3	12	13	12	12	15	13	.....	339
24	12	30	24	26	11	23	12	17	14	15	20	.....	340
13	16	9	12	12	7	16	12	6	16	12	15	.....	341
17	10	18	16	17	14	4	14	15	13	11	9	.....	342
15	19	15	18	17	11	26	13	16	16	12	25	.....	343
11	18	14	24	10	9	2	22	15	11	14	14	.....	344
72	62	66	70	65	54	64	55	42	38	40	54	7	345
50	57	49	44	36	39	42	46	25	29	41	34	1	346
41	41	37	31	38	34	33	43	38	29	36	33	5	347
64	78	73	72	131	112	141	131	119	107	135	124	.....	348
44	49	61	40	51	30	61	53	56	43	52	38	2	349
12	13	18	18	13	19	23	10	12	16	26	20	.....	350
20	34	27	32	19	21	12	18	22	26	23	33	.....	351
20	12	21	22	20	14	10	23	18	6	8	21	.....	352
41	45	43	39	44	31	38	43	29	40	35	37	.....	353
177	172	185	191	126	159	152	186	161	174	175	189	.....	354
80	99	84	101	69	76	91	99	71	61	83	87	3	355
68	77	89	66	52	64	83	74	66	53	60	72	1	356
76	81	63	56	55	42	59	71	65	59	60	62	1	357
121	96	124	89	112	71	71	83	70	63	76	88	7	358
74	86	79	80	71	59	53	58	60	54	54	46	4	359
31	36	37	38	33	14	25	30	36	30	23	38	3	360
94	68	81	86	51	53	63	77	46	65	47	70	2	361
51	51	47	57	40	27	35	51	32	43	33	35	1	362
22	29	24	24	23	17	24	17	20	19	17	27	1	363
48	53	55	51	43	45	49	50	41	39	47	54	3	364
34	20	15	16	27	13	11	18	19	17	19	21	.....	365
23	30	37	36	29	19	15	22	16	22	23	27	2	366
24	21	22	14	20	12	8	19	17	12	17	15	.....	367
7	12	17	9	11	4	10	12	11	9	10	12	.....	368
15	21	23	15	20	15	22	17	20	23	10	17	.....	369
25	23	54	28	35	22	16	24	29	21	23	25	2	370
8	15	10	5	14	10	11	5	10	8	8	12	.....	371
17	20	23	18	17	15	14	13	12	13	11	15	1	372
24	40	40	29	27	17	9	20	21	19	19	22	.....	373
33	26	31	32	23	15	19	24	21	15	17	22	.....	374
41	48	42	43	34	19	34	34	18	34	30	28	.....	375
32	42	49	27	27	22	22	26	33	29	31	28	1	376
11	13	21	17	13	17	17	15	12	5	17	13	.....	377
25	23	30	25	21	16	30	28	34	20	25	26	.....	378
28	26	23	32	29	30	33	18	25	28	26	30	2	379
26	33	22	28	24	24	20	20	22	24	23	19	2	380
27	20	23	25	22	14	18	20	17	15	18	23	.....	381
16	20	31	33	24	20	28	38	23	21	30	23	2	382
19	18	16	19	18	13	24	24	22	13	34	22	1	383
30	50	38	28	31	33	24	22	31	36	19	33	1	384
18	20	27	20	14	12	12	24	9	28	10	18	.....	385
8	15	12	13	11	5	5	9	6	5	3	4	.....	386
23	22	21	24	22	15	19	23	22	19	22	19	1	387
16	22	33	28	16	19	19	13	16	17	20	20	.....	388
21	12	27	24	17	15	17	15	14	15	8	20	.....	389

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.									Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	INDIANA RURAL—Continued.											
390	Gibson county	467	316	12	53	10	29			19	3	25
391	Grant county	593	308	15	152	11	25	3		52	7	20
392	Greene county	516	377	11	46	18	42	1		13	7	1
393	Hamilton county	357	228	9	40	4	30	4		17	5	20
394	Hancock county	287	211	3	23	6	19	1		15	5	4
395	Harrison county	288	180	14	35	8	20	2		24	4	1
396	Hendricks county	277	212	1	20	6	22	1		7	*2	6
397	Henry county	371	276	8	30	4	37			5	4	7
398	Howard county	200	140	2	16	5	26	1		6	3	1
399	Huntington county	211	149	6	21	5	15	3		10	2	
400	Jackson county	378	264	16	27	15	17	4		26	5	4
401	Jasper county	128	70	6	22	4	9	2		14	1	
402	Jay county	317	236	13	28	5	10	2		15	2	6
403	Jefferson county	361	200	26	32	8	19	1		43	4	28
404	Jennings county	216	125	10	29	3	15			25	2	7
405	Johnson county	305	220	6	34	7	20	3		8	1	6
406	Knox county	272	196	5	24	3	19	1		14	2	8
407	Kosciusko county	322	210	5	34	8	37	4		19	5	
408	Lagrange county	169	111	6	24	7	8			13		
409	Lake county	415	109	113	22	27	11	1		122	10	
410	Laporte county	319	108	34	31	14	20	6		93	9	4
411	Lawrence county	448	344	6	40	6	30	1		11	1	9
412	Madison county	377	259	9	41	5	31	1		18	4	9
413	Marion county	286	162	11	21	9	30	1		34	2	16
414	Marshall county	295	160	14	49	15	27	3		22	4	1
415	Martin county	222	155	3	32	10	10	1		8	3	
416	Miami county	209	121	5	31	8	19	3		14	4	4
417	Monroe county	273	184	8	41	4	18	3		3	6	6
418	Montgomery county	422	300	6	37	11	38	3		25		2
419	Morgan county	314	200	10	41	6	24			22	10	1
420	Newton county	104	53	7	17	3	8	3		10	3	
421	Noble county	323	190	11	31	19	27	5		36	4	
422	Ohio county	70	36	2	11	4	5	2		4		6
423	Orange county	263	195	1	25	3	26			3	8	2
424	Owen county	179	121	2	26	5	17	1		3	2	2
425	Parke county	335	232	5	40	15	19			12	7	5
426	Perry county	276	148	16	23	14	13	3		40	8	11
427	Pike county	358	297	5	14	4	18	2		8	4	6
428	Porter county	292	103	27	21	23	22	1		88	7	
429	Posey county	297	161	21	28	16	14	4		30	1	22
430	Pulaski county	131	66	5	17	2	14	1		24	2	
431	Putnam county	303	225	7	26	9	19	2		11	1	3
432	Randolph county	357	253	3	37	8	27	3		13	3	10
433	Ripley county	250	113	25	21	15	21	1		53	1	
434	Rush county	257	180	11	17		14	4		17	3	11
435	St. Joseph county	388	174	38	41	28	22	5		74	4	2
436	Scott county	122	80	1	24	1	13			2	1	
437	Shelby county	358	259	11	29	8	24	1		12	5	9
438	Spencer county	257	139	13	23	4	15	1		28	5	29
439	Starke county	118	60	9	11	10	8	1		19		
440	Steuben county	177	106	6	36	6	8	1		9	5	
441	Sullivan county	418	284	5	58	5	39			12	8	7
442	Switzerland county	160	103	5	15	7	15	4		8	2	1
443	Tippecanoe county	249	131	9	30	8	28	2		33	6	2
444	Tipton county	209	150	4	22	4	15			11	3	
445	Union county	100	56	2	11	7	9			10	2	3
446	Vanderburg county	196	57	20	18	9	5	2		55	11	19
447	Vermilion county	288	182	28	20	5	26	2		18	4	3
448	Vigo county	308	203	16	29	3	20	2		15	7	13
449	Wabash county	219	154	1	27	3	18			11	4	1
450	Warren county	118	82	3	12	4	7			2	6	2
451	Warrick county	283	196	10	17	6	18	3		23		10
452	Washington county	217	161	2	23	2	20	3		6		
453	Wayne county	322	193	7	56	6	28	1		15	5	11
454	Wells county	270	191	11	19	12	18	2		17		
455	White county	203	115	10	36	5	14			18	5	
456	Whitley county	216	127	6	28	8	20	1		24	1	1
	MAINE RURAL.											
457	Androscoggin county	848	392	117	56	58	29	3		169	22	2
458	Aroostook county	823	332	113	26	138	15	4		173	20	2
459	Cumberland county	847	573	60	55	32	38	1		73	14	1
460	Franklin county	307	216	15	38	7	10	1		13	7	
461	Hancock county	517	388	6	54	12	21	2		28	6	
462	Kennebec county	880	529	82	79	51	30	5		81	20	3
463	Knox county	343	256	11	16	15	14	1		23	6	1
464	Lincoln county	295	200	5	40	8	14			19	8	1

NATIVITY, PARENT NATIVITY, AND MONTH: 1904—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
41	66	54	61	32	20	41	32	31	41	23	25	.....	390
51	55	63	48	66	37	45	38	40	48	52	50	.....	391
52	75	40	35	64	27	35	41	39	39	27	38	4	392
39	34	37	37	31	20	20	31	24	25	33	26	.....	393
29	30	28	30	20	17	18	31	23	19	19	23	.....	394
20	33	33	20	17	10	31	32	16	26	33	17	.....	395
28	31	28	24	23	21	18	20	20	22	15	26	1	396
35	33	45	24	35	27	28	35	37	23	26	23	.....	397
19	14	19	21	16	16	19	13	23	18	7	14	1	398
25	26	29	17	9	10	14	25	16	17	11	11	1	399
25	31	47	32	25	29	36	40	31	35	27	20	.....	400
10	12	14	17	16	7	7	11	10	7	8	9	.....	401
24	34	34	22	23	19	24	20	42	28	22	22	3	402
34	37	49	40	24	20	35	38	16	28	14	26	.....	403
18	20	20	21	18	18	14	14	16	12	24	21	.....	404
31	24	40	39	30	15	21	32	14	20	20	19	.....	405
16	19	28	30	19	15	35	23	23	31	16	17	.....	406
24	35	36	30	21	14	25	23	31	35	23	25	.....	407
10	21	26	14	15	5	9	16	6	14	20	12	1	408
25	64	40	36	31	22	32	39	33	23	32	37	1	409
31	21	38	32	28	16	26	23	32	21	21	29	1	410
36	35	49	43	42	24	37	56	33	34	23	36	.....	411
39	30	46	34	29	22	21	29	29	25	32	41	.....	412
26	28	28	26	19	16	22	40	17	24	14	26	.....	413
33	31	34	30	24	14	14	24	25	22	18	26	.....	414
21	16	19	25	19	9	9	23	14	26	24	17	.....	415
32	15	28	22	21	9	7	11	14	11	21	18	.....	416
22	20	32	19	21	22	23	20	24	25	14	30	1	417
26	37	43	42	46	25	24	38	38	40	31	32	.....	418
28	18	37	25	30	25	15	27	20	36	18	25	10	419
6	5	12	11	12	8	5	8	9	12	8	7	1	420
24	31	46	20	30	20	24	29	17	32	27	23	.....	421
7	5	6	6	8	5	6	4	3	7	7	6	.....	422
17	32	26	34	31	13	15	22	20	22	16	14	1	423
13	20	25	16	18	13	15	17	10	10	14	8	.....	424
25	43	38	38	26	21	28	35	26	13	23	19	.....	425
18	31	34	24	23	27	21	28	17	20	15	18	.....	426
31	26	33	25	23	26	26	43	32	33	19	41	.....	427
26	39	41	37	14	14	16	23	29	17	20	16	.....	428
24	35	42	19	19	16	21	31	22	25	18	24	1	429
12	13	12	12	12	5	11	9	11	12	9	13	.....	430
27	38	24	20	35	22	13	25	18	34	19	28	.....	431
34	29	43	39	22	22	26	33	38	29	22	20	.....	432
26	36	27	15	26	15	14	27	15	18	15	16	.....	433
26	26	26	17	26	15	20	26	17	21	15	21	1	434
41	43	49	38	30	40	27	23	28	25	24	20	.....	435
9	13	10	13	9	8	14	14	7	14	5	6	.....	436
38	30	35	37	33	20	29	33	25	31	20	27	.....	437
15	19	31	23	16	17	23	27	20	15	21	26	4	438
13	16	10	13	3	5	7	14	14	7	7	8	1	439
18	19	24	18	12	13	16	9	8	14	9	17	.....	440
43	37	45	38	37	24	31	21	28	49	32	33	.....	441
16	19	18	11	19	12	11	16	8	11	8	11	.....	442
18	38	40	28	17	14	21	15	6	13	21	17	1	443
29	20	22	26	11	14	14	14	13	16	11	18	1	444
7	16	7	11	5	6	4	8	11	14	6	5	.....	445
19	29	17	16	14	15	15	17	11	15	16	12	.....	446
30	43	36	17	26	11	21	18	24	17	26	19	.....	447
23	20	40	37	15	12	25	22	33	33	25	22	1	448
18	22	25	25	21	16	10	18	17	18	11	15	3	449
11	10	14	13	7	8	9	12	9	12	6	7	.....	450
27	33	27	27	21	22	35	21	18	12	17	21	2	451
23	13	27	24	17	9	14	22	20	18	20	10	.....	452
31	19	35	31	29	28	25	22	18	18	24	42	.....	453
27	21	30	24	22	15	20	33	14	24	15	25	.....	454
20	23	17	24	12	11	9	16	17	15	21	17	1	455
21	25	25	24	12	17	19	6	16	15	16	20	.....	456
81	78	69	80	70	52	77	80	66	73	50	68	4	457
66	54	64	59	79	55	73	93	105	58	48	64	5	458
83	68	78	85	85	64	62	64	70	67	67	52	2	459
26	36	25	21	38	21	19	23	26	17	28	27	.....	460
39	34	59	54	42	37	47	27	42	37	48	49	2	461
63	89	84	79	73	59	51	63	71	67	83	94	4	462
37	41	29	25	18	23	25	23	26	32	22	42	.....	463
34	25	34	20	29	17	21	24	17	21	20	22	1	464

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.		Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.			
	MAINE RURAL—Continued.										
465	Oxford county	582	397	31	55	13	26	.....	42	18	.....
466	Penobscot county	961	515	70	92	62	43	1	128	41	9
467	Piscataquis county	254	166	9	23	9	12	.....	28	7	.....
468	Sagadahoc county	144	109	6	11	4	5	.....	6	2	1
469	Somerset county	582	345	34	58	34	38	.....	49	24	.....
470	Waldo county	396	274	4	68	6	19	.....	10	15	.....
471	Washington county	390	281	53	45	71	31	7	85	16	1
472	York county	873	577	52	76	29	53	2	68	15	1
	MASSACHUSETTS RURAL.										
473	Barnstable county	504	325	48	15	21	24	2	52	5	12
474	Berkshire county	592	239	71	55	31	42	2	124	9	19
475	Bristol county	695	351	109	39	33	35	3	113	8	4
476	Dukes county	93	52	7	3	4	4	1	11	4	7
477	Essex county	1,051	550	103	36	75	48	11	219	8	1
478	Franklin county	670	329	60	71	28	44	7	121	9	1
479	Hampden county	699	234	132	32	49	26	2	126	3	5
480	Hampshire county	512	224	86	29	25	31	5	102	6	4
481	Middlesex county	1,915	713	221	83	104	70	15	643	20	46
482	Nantucket county	72	46	3	1	9	4	.....	6	2	1
483	Norfolk county	1,306	515	214	67	84	48	10	347	9	12
484	Plymouth county	1,010	534	95	47	48	43	5	202	9	27
485	Suffolk county	67	20	9	6	8	6	2	15	.....	1
486	Worcester county	2,121	876	325	121	143	93	6	531	14	12
	MICHIGAN RURAL.										
487	Alcona county	60	8	13	1	6	.....	1	29	2	.....
488	Alger county	74	12	16	4	5	.....	1	28	4	4
489	Allegan county	561	241	46	37	45	35	3	138	8	8
490	Alpena county	269	31	80	7	42	4	3	98	4	.....
491	Antrim county	230	102	24	13	23	8	1	48	1	10
492	Arenac county	123	31	16	5	25	4	3	28	5	6
493	Baraga county	44	7	11	3	3	.....	.....	13	1	6
494	Barry county	308	164	11	26	19	26	3	46	11	2
495	Bay county	239	62	37	11	21	4	2	86	7	9
496	Benzie county	140	67	10	6	12	5	.....	33	1	6
497	Berrien county	634	286	58	48	32	32	6	147	16	9
498	Branch county	382	231	17	37	22	36	3	33	3	.....
499	Calhoun county	426	231	28	32	20	17	6	71	14	7
500	Cass county	281	169	6	24	11	21	.....	22	7	21
501	Charlevoix county	217	96	13	6	22	6	3	52	6	13
502	Cheboygan county	194	55	45	6	24	4	1	50	8	1
503	Chippewa county	108	12	18	6	12	1	2	44	5	8
504	Clare county	109	41	8	9	10	7	1	27	6	.....
505	Clinton county	310	152	15	33	21	27	5	56	1	.....
506	Crawford county	44	16	4	1	6	1	1	12	3	.....
507	Delta county	170	26	46	4	18	3	4	60	6	3
508	Dickinson county	102	10	40	.....	6	.....	2	42	1	1
509	Eaton county	482	301	21	56	25	34	6	34	3	2
510	Emmet county	232	111	17	11	22	9	2	23	8	29
511	Genesee county	385	185	21	31	24	24	1	92	6	1
512	Gladwin county	56	20	9	2	8	2	.....	13	2	.....
513	Gogebic county	140	7	75	3	7	.....	1	43	4	.....
514	Grand Traverse county	160	63	10	13	12	7	3	40	9	3
515	Gratiot county	386	215	12	45	24	31	1	51	6	1
516	Hillsdale county	421	271	17	34	25	27	2	41	3	1
517	Houghton county	918	79	327	6	104	2	5	382	10	3
518	Huron county	356	61	72	3	52	4	1	160	2	1
519	Ingham county	396	231	21	22	24	22	2	58	12	4
520	Ionia county	497	259	36	36	35	36	5	84	4	2
521	Iosco county	114	22	18	4	10	2	.....	52	5	1
522	Iron county	87	6	33	1	6	.....	.....	40	1	.....
523	Isabella county	234	114	26	15	16	7	.....	39	2	15
524	Jackson county	334	190	17	26	22	23	1	47	5	3
525	Kalamazoo county	299	168	22	23	14	18	1	42	8	3
526	Kalkaska county	97	56	1	6	4	8	1	16	2	3
527	Kent county	690	270	58	57	49	26	8	169	48	5
528	Keweenaw county	45	4	19	.....	2	.....	.....	20	.....	.....
529	Lake county	60	23	9	6	2	3	1	7	9	.....
530	Lapeer county	419	149	31	24	44	26	7	130	5	3
531	Leelanau county	144	58	10	6	9	.....	1	34	2	24
532	Lenawee county	700	430	39	50	32	25	5	109	7	3
533	Livingston county	265	132	27	26	15	10	3	49	3	.....
534	Luce county	61	3	13	3	7	.....	.....	32	3	.....
535	Mackinac county	99	33	16	4	6	1	1	26	8	4
536	Macomb county	508	197	54	20	38	15	2	178	4	.....
537	Manistee county	312	80	66	8	32	7	.....	114	3	2
538	Marquette county	195	19	57	3	21	3	.....	91	1	.....
539	Mason county	244	77	20	12	25	6	2	83	5	14
540	Mecosta county	277	121	28	14	23	15	2	61	10	3
541	Menominee county	164	35	42	5	19	.....	.....	62	.....	1

NATIVITY, PARENT NATIVITY, AND MONTH: 1904—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
47	57	54	70	49	45	42	34	43	56	37	47	1	465
81	73	90	84	110	76	60	80	75	80	76	73	3	466
19	22	22	21	13	18	16	27	30	18	20	28	.....	467
10	17	13	12	10	12	14	9	14	9	10	14	.....	468
52	61	71	53	54	34	35	51	38	39	39	50	5	469
32	27	54	35	37	38	27	24	39	32	28	23	.....	470
49	65	56	66	51	51	43	36	35	41	47	48	2	471
80	77	68	104	76	58	59	61	76	82	57	72	3	472
31	38	56	44	41	35	46	37	45	53	36	41	1	473
51	42	71	63	56	33	38	51	41	62	45	39	.....	474
51	78	70	64	58	46	64	57	44	51	55	56	1	475
7	7	4	8	6	4	11	9	11	9	10	7	.....	476
97	110	100	97	84	84	66	79	89	59	77	109	.....	477
61	50	71	64	47	52	60	42	68	44	54	57	.....	478
62	63	64	59	37	47	54	58	42	39	35	49	.....	479
33	38	63	54	49	36	46	53	36	39	28	37	.....	480
179	181	170	151	139	138	155	162	166	144	162	165	3	481
11	4	6	6	4	3	7	9	7	7	4	4	.....	482
130	114	141	97	95	90	91	118	113	111	102	103	1	483
86	93	103	83	74	72	89	76	87	91	72	82	2	484
3	5	10	7	4	2	5	10	5	8	3	5	.....	485
197	209	215	172	193	122	136	196	168	165	167	181	.....	486
5	6	6	7	5	7	3	2	5	4	3	7	.....	487
7	8	6	3	6	10	5	5	7	11	4	2	.....	488
55	60	53	62	43	46	35	39	42	44	42	35	5	489
28	38	16	35	26	18	19	16	16	9	15	26	7	490
11	21	17	17	17	17	19	22	26	19	21	22	1	491
5	15	8	8	14	13	13	7	4	12	9	13	2	492
4	3	2	5	6	4	.....	1	4	5	3	7	.....	493
23	43	33	35	28	20	21	19	17	26	22	20	1	494
24	23	24	26	23	10	21	17	15	31	10	12	3	495
10	20	10	11	16	13	12	8	13	7	8	12	.....	496
44	66	62	61	49	35	48	53	48	60	53	48	7	497
31	42	36	32	39	22	18	29	21	29	44	35	4	498
45	27	52	47	41	35	34	24	29	29	29	31	3	499
23	34	36	20	21	20	12	21	21	31	20	18	4	500
17	24	20	22	13	15	13	21	22	15	16	16	3	501
19	15	20	16	13	16	12	16	10	19	18	17	3	502
12	14	6	8	9	5	13	11	10	5	3	11	1	503
14	8	9	6	13	8	7	4	13	10	9	7	1	504
29	25	35	32	29	23	20	20	26	23	23	25	.....	505
7	4	4	2	8	1	1	3	4	1	4	5	.....	506
21	12	16	22	10	12	9	12	12	15	11	18	.....	507
10	8	6	7	11	10	5	16	6	10	7	6	.....	508
45	56	42	40	52	47	42	28	32	35	27	45	1	509
18	22	16	19	23	15	17	27	25	20	9	17	4	510
38	46	42	37	36	22	26	25	24	28	21	35	5	511
5	7	5	7	2	3	4	2	4	3	4	8	2	512
26	25	14	8	14	12	10	8	7	5	7	4	.....	513
9	21	11	10	14	12	11	12	12	20	8	19	1	514
40	39	42	33	30	38	28	21	23	27	36	28	1	515
41	53	38	44	30	27	31	22	22	38	34	34	7	516
82	88	105	80	71	62	76	66	71	80	66	63	8	517
43	34	33	25	30	26	36	17	28	34	20	30	.....	518
38	43	48	25	41	21	18	20	39	24	37	37	5	519
35	47	50	58	62	34	32	31	28	33	34	53	.....	520
10	12	8	11	7	7	8	5	6	14	12	10	4	521
9	14	9	6	9	9	3	6	4	4	6	7	1	522
14	21	29	22	24	17	14	18	18	24	16	17	.....	523
34	45	39	31	22	22	32	25	20	16	18	27	3	524
29	25	32	31	23	23	27	19	26	24	19	21	.....	525
15	4	6	9	7	4	9	16	11	7	4	4	1	526
79	56	86	73	60	45	42	57	41	37	53	59	2	527
3	3	4	6	7	5	4	4	2	1	3	3	.....	528
7	5	3	9	4	5	7	4	6	2	3	5	.....	529
39	28	40	39	40	29	30	30	32	33	39	39	1	530
9	16	13	15	12	11	10	10	15	13	9	11	.....	531
55	79	61	70	44	40	50	50	62	66	68	54	1	532
35	26	25	23	21	23	19	10	20	19	15	27	2	533
4	7	4	13	2	6	4	7	4	7	.....	3	.....	534
7	9	10	10	10	7	10	8	8	3	5	12	.....	535
51	49	47	43	48	38	41	41	32	34	41	40	3	536
33	37	37	25	31	13	19	14	30	26	21	26	.....	537
33	15	17	20	29	12	11	18	12	12	11	13	1	538
17	25	21	18	27	21	19	21	13	14	22	23	3	539
27	25	20	22	21	20	16	23	28	23	17	32	3	540
17	19	21	11	8	5	5	19	24	12	9	13	1	541

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total	WHITE.								Colored.
			Native.						Foreign.	Unknown.	
			Both parents.			Mixed parentage.					
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.	Parentage not stated.		
	MICHIGAN RURAL—Continued.										
542	Midland county	142	78	12	10	5	5	1		29	2	
543	Missaukee county	109	41	15	4	14	4	1		21	5	4
544	Monroe county	423	210	39	23	30	6	4		102	3	6
545	Montcalm county	432	221	28	30	31	27	1		86	7	1
546	Montmorency county	56	15	10	5	10	1			9	6	
547	Muskegon county	242	84	16	15	15	9			96	6	1
548	Newaygo county	247	124	21	16	14	9	5		54	4	
549	Oakland county	465	240	33	32	41	17	1		95	4	2
550	Oceana county	244	135	12	18	10	11	3		42	4	9
551	Ogemaw county	97	42	9	4	15		1		23	1	2
552	Ontonagon county	98	19	21	3	13				38	2	2
553	Osceola county	224	101	21	14	23	9	4		49	3	
554	Oscoda county	11	6	1	2	1				1		
555	Otsego county	84	27	10	10	10	2	1		19	5	
556	Ottawa county	496	118	81	33	43	17	3		192	9	
557	Presque Isle county	93	23	12	5	9	6	1		31	5	1
558	Roscommon county	30	10	6	3	3				5	3	
559	Saginaw county	475	148	69	27	49	9	5		152	12	4
560	St. Clair county	444	118	64	14	36	16	2		182	12	
561	St. Joseph county	329	198	14	16	20	14	1		58	3	5
562	Sanilac county	393	60	56	6	43	6	4		214	4	
563	Schoolcraft county	91	17	14	6	11	3	1		29	8	2
564	Shiawassee county	377	196	25	27	25	21	1		78	4	
565	Tuscola county	423	151	37	23	44	18	1		143	3	3
566	Van Buren county	528	328	28	46	19	28	5		52	7	15
567	Washtenaw county	475	190	64	16	33	12	3		120	5	23
568	Wayne county	1,189	313	194	89	91	19	7		444	15	17
569	Wexford county	252	118	28	17	25	6	3		51	3	1
	NEW HAMPSHIRE RURAL.										
570	Belknap county	178	95	6	50	4	8			9	6	
571	Carroll county	242	136	4	48	3	23			10	18	
572	Cheshire county	385	190	40	56	8	20	4		51	16	
573	Coos county	268	88	17	40	28	18			54	22	1
574	Grafton county	634	336	33	101	25	36	2		57	44	
575	Hillsboro county	575	276	39	96	12	32	2		93	24	1
576	Merrimack county	567	291	58	81	14	35	5		62	21	
577	Rockingham county	658	365	39	85	20	39	1		74	25	
578	Strafford county	269	118	43	30	12	10			47	9	
579	Sullivan county	275	132	12	60	12	11	5		29	14	
	NEW JERSEY RURAL.										
580	Atlantic county	271	146	28	17	11	2			50	2	15
581	Bergen county	1,230	458	241	33	77	8			335	11	67
582	Burlington county	977	604	65	47	36	6	1		129	15	74
583	Camden county	523	262	46	28	23	4	1		81	7	71
584	Cape May county	211	145	16	7	9	2			15	4	13
585	Cumberland county	378	242	19	37	9	6			34	3	28
586	Essex county	1,081	466	180	57	62	8	3		250	5	50
587	Gloucester county	485	311	31	22	15	5			49	6	46
588	Hudson county	1,401	334	321	78	74	4	7		552	23	8
589	Hunterdon county	460	267	21	10	13	4			32	3	10
590	Mercer county	282	178	17	13	7	4	1		28	9	25
591	Middlesex county	647	236	168	18	33	9	4		144	15	20
592	Monmouth county	1,313	752	95	65	40	29	3		143	13	173
593	Morris county	839	392	81	83	35	4	2		211	11	20
594	Ocean county	272	229	10	2	5	1			19	1	5
595	Passaic county	327	121	69	21	18	3	3		81	2	9
596	Salem county	423	289	8	13	5	6	1		21	9	71
597	Somerset county	420	220	51	14	14	3	1		75	8	34
598	Sussex county	295	227	18	11	6	3			26	1	3
599	Union county	427	194	52	52	19	2			78	8	22
600	Warren county	410	316	22	8	7	7	1		39	2	8
	NEW YORK RURAL.										
601	Albany county	519	306	56	30	21	13	1		84	6	2
602	Allegany county	606	358	22	96	18	26	1		73	8	4
603	Broome county	521	294	15	81	19	44	4		50	9	5
604	Cattaraugus county	730	304	71	113	31	43	5		137	17	9
605	Cayuga county	562	300	28	68	18	34	1		100	10	3
606	Chautauqua county	794	396	58	107	34	47	5		131	13	3
607	Chemung county	286	176	11	39	9	15	1		22	7	6
608	Chenango county	640	378	17	124	13	41	5		50	9	3
609	Clinton county	571	257	62	42	38	16	5		134	11	6
610	Columbia county	548	298	25	80	14	31	1		70	12	17
611	Cortland county	315	181	10	53	9	21	1		29	9	2
612	Delaware county	590	363	35	67	25	34	2		47	13	4
613	Dutchess county	1,156	564	108	95	45	38	4		252	22	28
614	Erie county	1,191	397	236	54	67	21	12		380	23	1
615	Essex county	449	229	49	40	28	24	5		68	3	3

NATIVITY, PARENT NATIVITY, AND MONTH: 1904—Continued.

MONTH.													
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
17	22	13	13	15	8	5	17	.....	13	6	12	1	542
8	4	10	7	14	5	9	11	11	16	4	10	.....	543
43	49	53	33	35	27	26	28	41	28	19	38	3	544
39	36	48	30	43	27	23	23	37	34	30	41	1	545
5	12	6	2	7	3	4	1	3	3	4	5	1	546
26	22	22	16	19	21	24	15	16	20	22	18	1	547
22	22	28	21	23	15	15	17	19	26	19	19	1	548
45	41	34	55	38	29	41	30	39	33	35	41	4	549
19	22	24	21	24	19	14	25	22	14	20	17	3	550
10	12	7	13	6	9	6	6	8	7	4	9	.....	551
16	6	9	12	10	6	6	8	4	4	5	12	.....	552
25	22	30	19	11	4	14	21	24	16	22	14	2	553
.....	2	1	3	1	1	.....	2	.....	.....	.....	1	.....	554
7	10	7	6	9	5	7	11	9	3	4	6	.....	555
36	46	61	52	44	38	31	39	36	34	44	30	5	556
7	8	11	3	8	8	8	7	6	7	7	11	2	557
2	3	4	7	4	1	1	2	1	2	2	1	.....	558
44	44	54	48	30	29	28	29	33	30	26	29	1	559
40	52	33	50	38	26	32	45	38	15	32	39	4	560
31	40	39	37	26	17	26	12	21	27	21	31	1	561
38	45	36	46	39	21	25	33	32	25	28	23	2	562
6	7	15	8	4	8	11	5	5	5	3	10	2	563
50	51	43	32	40	25	13	30	30	22	17	20	4	564
31	41	48	49	42	27	23	23	28	44	26	36	5	565
37	60	68	50	49	43	28	29	40	38	35	48	3	566
46	53	53	46	50	26	42	37	29	30	33	29	1	567
118	107	123	118	106	79	90	82	90	86	75	104	11	568
27	21	24	24	12	10	18	26	26	22	17	25	.....	569
16	15	14	11	17	11	19	15	18	21	10	10	.....	570
15	21	24	21	21	21	29	16	20	13	17	24	.....	571
48	31	36	33	35	22	26	29	28	36	29	31	1	572
24	26	17	21	27	17	21	23	28	17	19	26	.....	573
47	46	61	62	63	42	50	49	54	48	51	61	.....	574
55	49	57	44	50	40	33	54	33	53	53	54	.....	575
61	57	65	56	59	29	39	33	42	48	53	34	.....	576
64	66	66	49	55	40	46	45	60	69	45	52	1	577
15	20	27	25	25	26	16	22	26	30	21	16	.....	578
25	30	29	28	18	19	17	26	29	25	13	15	1	579
27	14	21	22	21	31	24	28	21	25	17	20	.....	580
98	100	124	108	119	87	127	94	84	98	94	97	.....	581
81	110	97	83	83	73	87	98	74	61	65	64	1	582
61	56	57	53	32	39	42	38	37	36	39	33	.....	583
19	19	21	15	19	12	30	36	13	11	10	5	1	584
38	43	39	39	31	35	22	34	36	21	23	17	.....	585
106	101	111	110	85	69	108	86	66	90	71	78	.....	586
42	53	54	49	41	25	45	43	34	32	28	38	1	587
113	118	128	135	120	94	155	119	110	98	104	107	.....	588
47	53	62	52	21	29	23	31	34	30	30	48	.....	589
21	23	31	22	24	28	33	15	22	20	19	24	.....	590
60	57	72	59	50	33	72	63	41	46	43	51	.....	591
107	103	133	103	114	95	141	149	125	82	82	79	.....	592
76	73	104	97	49	52	62	74	71	59	53	67	.....	593
21	31	21	21	19	12	36	29	26	7	24	25	.....	594
31	34	28	33	27	15	35	28	27	22	30	17	.....	595
39	43	45	46	29	23	31	33	39	37	30	28	.....	596
42	41	39	32	28	23	43	50	33	30	33	26	.....	597
37	42	32	20	21	19	19	23	28	20	14	20	.....	598
34	52	42	39	31	32	36	31	26	26	39	39	.....	599
41	49	64	39	37	28	23	31	26	22	28	22	.....	600
52	47	56	54	37	33	39	50	35	42	27	47	.....	601
47	67	74	56	62	43	39	36	54	38	48	42	.....	602
54	51	87	47	44	40	37	29	24	36	42	30	.....	603
82	51	75	63	70	51	43	39	78	45	57	56	.....	604
55	57	54	48	37	44	42	42	35	53	46	48	1	605
81	84	81	81	81	66	48	60	54	64	47	46	1	606
32	24	26	29	29	21	23	17	27	22	19	17	.....	607
53	66	88	58	59	50	41	35	45	45	49	51	.....	608
46	50	51	55	46	39	58	40	54	55	35	42	.....	609
38	58	63	50	48	42	49	40	45	34	31	49	1	610
32	25	26	28	31	23	28	31	21	28	19	23	.....	611
42	51	75	44	53	56	47	45	38	51	35	52	1	612
106	105	125	104	80	75	96	97	90	77	99	101	1	613
101	105	134	109	93	78	111	102	96	79	85	97	1	614
42	46	46	36	27	38	33	30	40	36	34	41	.....	615

TABLE 1.—DEATHS IN REGISTRATION AREAS, BY COLOR, GENERAL

	REGISTRATION AREA.	Total.	WHITE.								Colored.
			Native.							Foreign.	Unknown.	
			Both parents.			Mixed parentage.			Parentage not stated.			
			Native.	Foreign.	Unknown.	Native and foreign.	Native and unknown.	Foreign and unknown.				
	NEW YORK RURAL—Continued.											
616	Franklin county	738	282	106	51	67	25	4	.....	161	15	27
617	Fulton county	197	119	6	31	2	15	1	.....	23	.....	.....
618	Genesee county	513	213	49	64	26	15	2	.....	128	10	6
619	Greene county	524	330	33	45	16	26	2	.....	47	6	19
620	Hamilton county	52	24	6	4	7	2	2	.....	7	.....	.....
621	Herkimer county	675	287	87	90	25	32	5	.....	129	14	6
622	Jefferson county	806	423	53	82	51	33	3	.....	139	18	4
623	Lewis county	379	162	34	36	28	17	6	.....	89	6	1
624	Livingston county	553	223	62	92	20	22	2	.....	121	11	.....
625	Madison county	625	342	33	91	20	29	1	.....	81	19	9
626	Monroe county	837	360	88	46	59	20	6	.....	241	10	7
627	Montgomery county	374	208	35	28	10	18	.....	.....	65	5	5
628	Nassau county	932	428	128	31	44	26	13	.....	198	6	58
629	Niagara county	561	215	81	45	49	10	2	.....	132	17	10
630	Oneida county	921	417	108	65	51	40	8	.....	217	14	1
631	Onondaga county	908	425	96	75	44	36	5	.....	198	24	5
632	Ontario county	574	316	56	45	19	19	4	.....	107	6	2
633	Orange county	815	422	77	60	44	29	2	.....	139	17	25
634	Orleans county	453	190	53	50	24	20	7	.....	106	2	1
635	Oswego county	1,126	530	105	156	47	45	10	.....	208	21	4
636	Otsego county	844	586	29	86	24	48	9	.....	50	9	3
637	Putnam county	244	129	20	19	14	7	1	.....	53	1	.....
638	Rensselaer county	718	381	70	49	39	20	3	.....	145	7	4
639	Rockland county	645	280	91	32	30	9	3	.....	153	22	25
640	St. Lawrence county	908	424	96	69	78	29	6	.....	190	16	.....
641	Saratoga county	746	364	62	69	32	37	2	.....	156	16	8
642	Schenectady county	177	98	22	12	6	3	.....	.....	31	3	2
643	Schoharie county	421	279	7	57	10	29	4	.....	21	6	8
644	Schuyler county	228	148	8	27	11	11	.....	.....	14	4	5
645	Seneca county	547	243	39	70	11	31	8	.....	121	17	7
646	Steuben county	1,128	562	56	220	32	54	3	.....	161	30	10
647	Suffolk county	1,672	624	146	134	53	31	11	.....	560	42	71
648	Sullivan county	626	279	78	46	31	25	8	.....	145	10	4
649	Tioga county	463	243	15	90	14	28	5	.....	42	18	8
650	Tompkins county	309	192	2	37	12	23	3	.....	23	15	2
651	Ulster county	929	609	84	48	26	30	.....	.....	115	8	9
652	Warren county	246	166	19	22	8	9	1	.....	16	4	1
653	Washington county	683	318	73	69	22	44	8	.....	138	11	.....
654	Wayne county	725	336	66	69	32	26	4	.....	178	10	4
655	Westchester county	1,708	601	354	94	91	38	7	.....	421	38	64
656	Wyoming county	455	238	47	44	13	20	.....	.....	87	6	.....
657	Yates county	330	159	10	69	15	26	1	.....	40	9	1
	RHODE ISLAND RURAL.											
658	Bristol county	264	94	68	5	14	1	3	.....	76	.....	3
659	Kent county	594	230	155	7	37	7	4	.....	144	3	7
660	Newport county	152	94	23	3	6	.....	.....	.....	20	1	5
661	Providence county	1,336	475	258	40	88	11	2	.....	421	12	29
662	Washington county	392	249	28	4	23	3	.....	.....	56	1	28
	VERMONT RURAL.											
663	Addison county	282	148	20	35	14	16	1	.....	42	5	1
664	Bennington county	229	129	12	22	7	21	.....	.....	29	8	1
665	Caledonia county	369	161	30	39	25	32	2	.....	70	10	.....
666	Chittenden county	318	113	38	42	22	16	6	.....	75	5	1
667	Essex county	111	39	12	18	11	4	.....	.....	26	1	.....
668	Franklin county	515	208	51	36	53	23	6	.....	127	11	.....
669	Grand Isle county	36	18	3	6	2	1	2	.....	4	.....	.....
670	Lamoille county	162	70	2	47	5	15	1	.....	16	6	.....
671	Orange county	331	194	6	58	11	32	1	.....	26	3	.....
672	Orleans county	348	142	22	39	36	17	6	.....	76	9	1
673	Rutland county	528	225	72	42	23	25	2	.....	126	12	1
674	Washington county	518	232	37	79	25	37	5	.....	81	21	1
675	Windham county	420	200	22	87	17	41	2	.....	34	16	1
676	Windsor county	538	294	26	105	13	41	3	.....	43	11	2

NATIVITY, PARENT NATIVITY, AND MONTH: 1904—Continued.

MONTH.												
January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	
60	72	80	76	64	57	49	67	61	48	50	54	.....	616
17	17	22	24	12	9	14	21	17	16	17	11	.....	617
47	55	55	58	33	26	32	42	37	39	36	53	.....	618
44	54	63	53	50	31	49	36	29	30	46	38	1	619
6	4	6	7	1	2	2	4	9	4	3	4	.....	620
62	57	75	69	59	42	62	48	50	54	46	51	.....	621
83	69	89	69	71	60	59	59	76	55	51	65	.....	622
30	46	42	40	44	25	27	25	28	18	24	30	.....	623
46	52	71	52	51	40	28	47	45	42	48	49	.....	624
51	62	68	63	55	41	41	52	42	51	43	58	1	625
75	75	91	72	61	58	74	80	65	67	61	58	.....	626
27	37	30	31	35	29	31	30	27	32	33	32	.....	627
78	74	104	80	90	54	80	107	77	62	68	58	.....	628
52	40	63	55	58	44	41	52	33	45	43	35	.....	629
95	84	66	103	72	73	74	67	66	58	76	87	.....	630
93	87	94	83	73	60	66	75	67	62	78	70	.....	631
56	63	58	48	52	44	37	37	53	44	37	45	.....	632
60	84	90	81	61	47	70	71	63	54	59	74	1	633
45	42	37	38	32	37	25	40	38	43	36	39	1	634
98	126	117	114	123	69	88	53	66	81	97	94	.....	635
77	89	110	63	85	60	49	54	64	67	52	74	.....	636
25	22	26	19	23	19	16	22	9	23	18	21	1	637
68	72	87	80	43	57	48	61	38	50	62	52	.....	638
57	59	59	50	63	38	56	65	56	42	49	51	.....	639
76	101	115	68	83	76	75	79	64	52	52	67	.....	640
62	63	76	62	62	50	55	65	62	63	64	62	.....	641
14	16	16	13	23	11	10	18	14	15	12	15	.....	642
42	40	67	34	31	29	30	27	30	34	29	28	.....	643
24	20	21	21	28	9	8	22	16	20	16	23	.....	644
51	53	72	62	40	52	34	29	44	48	34	28	.....	645
101	105	99	108	83	93	72	109	89	103	86	79	1	646
134	148	134	146	164	108	157	152	127	138	122	140	2	647
54	54	57	46	55	48	44	59	66	46	51	46	.....	648
36	44	45	37	44	37	27	35	36	40	39	43	.....	649
27	26	33	34	29	17	19	23	31	19	20	31	.....	650
94	83	108	86	85	59	74	79	62	61	71	65	2	651
15	16	19	25	19	26	14	31	30	12	16	23	.....	652
61	55	81	73	56	51	47	50	44	44	65	56	.....	653
65	75	74	66	55	52	46	58	50	56	67	61	.....	654
147	135	157	155	142	113	151	164	138	144	131	131	.....	655
37	41	54	39	39	28	34	33	48	35	36	30	1	656
36	35	45	30	31	30	21	19	22	24	17	20	.....	657
24	29	29	25	21	17	27	15	23	22	17	15	.....	658
63	51	50	52	33	36	49	65	58	41	48	48	.....	659
16	11	15	19	7	12	17	11	11	8	13	11	1	660
144	105	111	135	94	77	139	146	85	84	106	109	1	661
29	33	43	48	30	19	35	36	31	35	26	27	.....	662
20	32	29	32	25	15	13	18	22	23	22	28	3	663
18	22	20	21	19	15	21	20	23	16	20	14	.....	664
36	41	44	39	22	26	19	27	21	28	24	42	.....	665
31	30	28	35	24	27	25	24	20	23	24	25	2	666
8	13	18	12	11	5	6	9	8	8	9	3	1	667
47	51	67	53	43	44	37	42	35	35	28	33	.....	668
4	1	6	2	5	3	1	3	5	1	3	1	1	669
15	15	23	14	14	18	11	10	9	11	9	12	1	670
29	38	53	22	25	20	24	20	23	21	30	23	3	671
23	35	42	37	36	27	25	29	16	26	26	25	1	672
40	43	60	56	45	41	31	52	43	43	28	41	5	673
45	45	50	47	37	28	37	49	47	31	48	52	2	674
50	37	51	51	22	21	23	33	40	32	38	22	.....	675
52	39	56	48	53	39	29	45	50	40	45	42	.....	676

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.									
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	SUMMARIES.											
1	The registration area	551,354	102,880	22,268	9,750	6,323	4,681	145,902	13,774	9,368	15,496	23,206
2	Registration cities	416,627	82,530	18,396	7,988	5,183	3,836	117,933	11,060	7,152	11,941	18,581
3	Registration states	349,855	64,805	14,213	5,242	4,030	2,982	92,272	8,712	5,842	9,167	12,867
4	Cities in registration states	215,128	44,455	10,341	4,480	2,890	2,137	64,303	5,998	3,626	5,612	8,242
5	Rural part of registration states	134,727	20,350	3,872	1,762	1,140	845	27,969	2,714	2,216	3,555	4,625
6	Registration cities in other states	201,499	38,075	8,055	3,508	2,293	1,699	53,630	5,062	3,526	6,329	10,339
	REGISTRATION STATES.											
7	Connecticut	15,489	2,977	497	221	162	112	3,969	367	235	403	504
8	District of Columbia	6,211	1,123	208	91	59	43	1,524	104	104	181	286
9	Indiana	35,801	6,527	1,426	627	385	260	9,225	933	710	1,312	1,712
10	Maine	11,678	1,689	279	130	98	73	2,269	198	180	326	432
11	Massachusetts	48,431	9,912	1,701	714	500	374	13,201	956	594	1,080	1,658
12	Michigan	44,382	6,191	1,051	499	285	273	8,299	754	672	1,085	1,407
13	New Hampshire	6,800	1,045	197	80	46	36	1,404	125	87	127	186
14	New Jersey	35,373	7,471	1,743	810	531	374	10,929	1,074	654	874	1,291
15	New York	142,014	25,366	6,646	2,868	1,822	1,342	38,044	3,904	2,398	3,460	4,929
16	Rhode Island	8,100	1,739	337	131	91	67	2,365	197	119	187	278
17	Vermont	5,576	765	128	71	51	28	1,043	100	89	132	184
	REGISTRATION CITIES.											
18	Adams town, Mass	200	73	15	6	2	.....	96	5	1	5	5
19	Alameda, Cal	198	20	4	1	.....	.....	25	7	2	3	8
20	Albany, N. Y	1,847	214	38	23	9	9	293	30	21	56	68
21	Alexandria, Va	338	61	12	4	6	5	88	6	6	7	19
22	Allegheny, Pa	2,499	629	187	66	34	22	938	86	50	75	128
23	Allentown, Pa	752	173	20	13	20	12	238	55	19	26	34
24	Altoona, Pa	721	165	34	17	6	6	228	20	12	21	29
25	Amesbury town, Mass	169	40	1	.....	.....	1	42	.....	2	5	4
26	Amsterdam, N. Y	355	75	16	5	4	1	101	5	4	7	15
27	Anderson, Ind	331	59	16	8	4	3	90	12	6	10	16
28	Ann Arbor, Mich	212	20	.....	1	1	1	23	5	7	6	13
29	Annapolis, Md	217	65	12	4	1	3	85	4	4	7	8
30	Ansonia, Conn	172	40	10	1	2	1	54	6	4	4	13
31	Appleton, Wis	207	50	6	.....	3	1	60	5	7	10	6
32	Arlington town, Mass	115	19	2	.....	1	.....	22	2	.....	5	3
33	Ashtabula, Ohio	240	70	11	6	3	3	93	7	5	8	14
34	Atlanta, Ga	2,359	466	170	53	30	20	739	55	46	106	184
35	Atlantic City, N. J	527	96	19	7	4	5	131	8	8	14	23
36	Attleboro town, Mass	177	45	5	4	2	1	57	3	1	9	4
37	Auburn, N. Y	497	68	16	5	5	6	100	9	5	15	29
38	Augusta, Me	306	42	8	3	2	1	56	3	2	6	12
39	Aurora, Ill	353	50	5	6	3	3	67	19	7	9	16
40	Baltimore, Md	10,815	2,293	442	201	119	99	3,154	257	148	334	484
41	Bangor, Me	447	45	9	6	2	4	66	10	5	21	24
42	Barre, Vt	129	25	8	5	5	.....	43	4	3	3	2
43	Bath, Me	171	17	1	3	5	6	32	4	4	5	4
44	Battle Creek, Mich	320	47	3	5	5	1	61	9	5	7	17
45	Bay City, Mich	389	65	12	7	3	4	91	11	13	17	7
46	Bayonne, N. J	712	221	71	31	5	13	341	26	8	24	31
47	Bellaire, Ohio	230	54	25	9	7	3	98	9	3	3	8
48	Belleville, Ill	377	56	16	5	2	3	82	6	3	10	26
49	Beloit, Wis	140	24	4	2	1	2	33	2	3	3	7
50	Bennington town, Vt	143	17	1	.....	.....	1	19	2	4	3	7
51	Berlin, N. H	183	77	26	8	1	2	114	7	5	4	5
52	Beverly, Mass	211	26	2	3	1	3	35	2	4	3	7
53	Biddeford, Me	330	98	15	6	3	5	127	4	2	11	11
54	Binghamton, N. Y	793	94	16	12	3	6	131	18	15	24	32
55	Boston, Mass	10,753	2,199	466	213	125	102	3,105	244	137	222	382
56	Bridgeport, Conn	1,318	293	51	33	21	10	408	43	17	40	63
57	Bridgeton, N. J	237	38	9	3	1	.....	51	7	10	9	18
58	Bristol town, Conn	180	33	5	5	4	1	48	8	4	8	7
59	Brockton, Mass	574	107	27	10	10	3	157	6	6	11	25
60	Brookline town, Mass	242	22	5	3	.....	.....	30	1	5	3	7
61	Buffalo, N. Y	5,938	1,377	288	116	79	30	1,890	134	134	155	200
62	Burlington, Iowa	365	42	5	4	4	2	57	9	4	14	18
63	Burlington, Vt	364	101	9	4	4	4	122	8	7	11	12
64	Cambridge, Mass	1,392	292	53	20	12	17	394	20	15	34	58
65	Camden, N. J	1,553	352	80	52	32	21	537	60	37	49	47
66	Canton, Ohio	365	66	21	1	3	1	92	10	8	14	12
67	Carbondale, Pa	257	58	9	1	1	4	73	10	3	14	9
68	Carlisle, Pa	168	22	3	.....	.....	3	28	2	4	5	7
69	Central Falls, R. I	281	99	14	9	4	1	127	8	6	8	12
70	Charleston, S. C	1,687	345	113	45	13	15	531	47	28	56	108
71	Chelsea, Mass	684	125	27	11	10	6	179	17	4	17	20
72	Chicago, Ill	26,697	5,383	1,092	414	304	229	7,422	641	489	771	1,165
73	Chicopee, Mass	339	109	17	2	7	5	140	12	6	8	12
74	Chillicothe, Ohio	185	31	4	4	.....	.....	39	6	1	6	12
75	Cincinnati, Ohio	7,118	1,057	295	139	86	59	1,636	160	85	196	334
76	Cleveland, Ohio	6,546	1,680	282	117	74	51	2,204	137	111	170	277
77	Clinton town, Mass	177	37	11	.....	2	1	51	2	1	6	9
78	Cohoes, N. Y	458	109	22	10	5	3	149	15	11	19	20
79	Columbia, Pa	190	56	9	5	1	.....	71	4	8	4	14
80	Columbus, Ind	149	25	6	1	1	4	37	6	3	2	13
81	Columbus, Ohio	2,340	286	63	33	19	13	414	70	55	104	170
82	Concord, N. H	377	48	11	4	.....	2	65	5	3	6	13

AREAS, AT EACH AGE: 1904.

AGE—continued.

25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
25,336	25,237	26,449	25,787	25,487	27,182	27,359	31,453	31,688	32,183	27,666	20,476	10,621	3,814	1,127	1,743	1
20,855	20,978	22,022	21,514	20,733	21,579	20,844	23,070	21,642	20,466	16,238	11,243	5,377	1,889	617	893	2
14,331	14,514	15,421	14,910	14,863	16,523	17,416	20,478	21,572	22,535	19,980	15,289	8,182	2,957	818	1,206	3
9,850	10,255	10,994	10,637	10,109	10,920	10,901	12,095	11,526	10,818	8,552	6,056	2,938	1,032	308	356	4
4,481	4,259	4,427	4,273	4,754	5,603	6,515	8,383	10,046	11,717	11,428	9,233	5,244	1,925	510	850	5
11,005	10,723	11,028	10,877	10,624	10,659	9,943	10,975	10,116	9,648	7,686	5,187	2,439	857	309	537	6
576	621	656	637	655	694	781	963	1,035	984	943	748	411	181	46	80	7
318	287	327	299	307	328	398	444	377	337	240	176	105	45	18	6	8
1,467	1,375	1,316	1,269	1,321	1,493	1,605	1,914	2,132	2,531	2,307	1,613	846	317	71	332	9
443	383	362	353	403	488	579	670	890	989	975	805	535	191	48	159	10
1,912	1,961	2,048	1,998	2,089	2,396	2,477	2,964	3,076	3,219	2,805	2,182	1,212	427	119	57	11
1,280	1,132	1,188	1,128	1,391	1,446	1,647	2,077	2,292	2,592	2,443	1,906	1,041	338	113	151	12
230	225	252	223	256	290	351	382	507	555	565	498	294	122	34	78	13
1,442	1,518	1,659	1,659	1,483	1,680	1,659	1,961	2,018	1,918	1,561	1,155	544	187	55	52	14
6,174	6,522	7,120	6,821	6,401	7,065	7,224	8,260	8,361	8,368	7,262	5,482	2,766	970	260	223	15
312	292	326	348	354	402	441	500	479	522	400	310	170	61	20	17	16
177	198	167	175	203	232	254	343	405	520	479	414	258	118	34	51	17
6	4	10	8	6	6	11	7	9	4	6	4	6	1	.....	.....	18
10	5	15	12	6	9	11	19	20	15	15	10	4	1	1	.....	19
85	112	97	85	113	138	133	143	135	123	114	61	25	7	5	3	20
15	20	14	16	18	24	13	15	23	15	19	8	4	4	1	3	21
126	128	94	97	106	92	106	124	111	109	72	35	17	4	1	.....	22
20	35	27	16	29	27	44	21	33	47	31	20	12	10	1	7	23
31	39	26	31	25	24	29	40	45	34	39	30	9	3	.....	6	24
2	3	8	7	11	4	7	9	11	11	11	16	7	.....	.....	.....	25
12	16	11	23	15	12	24	26	19	24	15	14	7	2	.....	3	26
21	20	13	10	18	12	15	18	16	18	18	10	1	3	.....	4	27
13	9	11	11	15	8	16	16	23	10	7	7	7	2	1	2	28
9	10	16	6	6	9	10	11	11	5	10	1	2	1	1	1	29
6	13	4	7	7	1	8	7	12	11	6	5	1	2	1	.....	30
13	6	6	9	9	5	6	12	6	9	11	14	5	5	2	1	31
.....	6	8	3	5	5	8	7	11	13	7	4	4	1	1	.....	32
18	9	11	15	3	8	8	4	4	6	6	7	7	3	.....	1	33
174	133	116	118	105	115	91	108	77	63	51	34	15	15	5	9	34
20	27	27	29	30	35	26	27	34	32	25	11	5	2	2	2	35
7	2	3	11	10	8	12	5	8	11	13	10	2	1	.....	.....	36
21	25	23	20	27	29	21	34	26	41	27	25	14	3	3	.....	37
12	20	11	17	11	21	20	14	16	29	23	10	11	4	2	6	38
15	10	16	13	21	24	18	18	23	17	17	16	8	6	7	6	39
496	465	524	570	516	579	538	635	574	594	439	296	146	48	13	5	40
26	22	23	21	20	32	30	37	26	19	25	17	18	2	2	1	41
6	8	4	6	4	6	6	8	5	9	7	4	1	.....	.....	.....	42
6	7	6	3	2	6	11	9	15	13	16	11	10	4	2	1	43
6	15	10	22	21	20	18	15	17	21	19	18	14	5	.....	.....	44
13	18	8	25	25	21	18	28	21	16	15	20	14	4	4	.....	45
34	24	34	21	32	28	23	25	21	19	10	4	4	1	1	1	46
12	11	8	7	9	6	13	11	6	13	4	3	2	3	.....	1	47
20	25	24	18	11	15	18	17	21	31	26	18	4	1	.....	1	48
8	7	6	5	7	5	11	5	7	8	8	9	3	1	.....	2	49
3	5	6	2	4	3	9	13	11	24	15	4	6	1	.....	2	50
5	5	6	6	3	2	5	1	3	2	6	.....	1	.....	.....	3	51
7	8	5	4	9	12	20	19	13	12	27	13	10	1	.....	.....	52
14	12	7	10	7	10	14	29	17	13	16	17	6	3	.....	.....	53
40	29	34	29	36	49	63	61	59	53	49	41	20	7	4	2	54
520	558	631	564	546	643	570	621	581	536	382	298	146	48	16	3	55
52	73	68	63	67	60	66	80	60	56	42	34	11	6	2	7	56
7	5	10	7	7	17	9	8	12	19	12	18	8	1	1	1	57
4	7	7	5	10	9	8	7	16	11	8	5	3	2	1	2	58
20	30	20	24	23	37	27	36	38	41	31	23	15	3	.....	1	59
10	12	10	14	7	9	17	23	24	21	18	13	15	2	1	.....	60
248	236	276	309	260	289	313	395	325	288	264	179	97	28	4	4	61
14	18	16	18	11	22	14	21	21	35	24	34	6	6	1	2	62
12	17	15	9	22	20	18	11	15	26	15	5	12	4	1	2	63
58	65	59	59	66	66	66	87	99	74	67	51	39	10	5	.....	64
63	64	64	71	70	77	75	68	95	58	60	36	15	5	1	1	65
19	18	15	12	18	15	22	25	14	22	21	14	9	2	.....	3	66
6	12	15	12	16	10	17	8	17	10	9	5	4	.....	.....	7	67
4	2	8	4	6	7	13	15	12	16	13	13	6	1	2	.....	68
7	3	12	14	10	9	17	14	13	7	7	3	4	.....	.....	.....	69
97	71	69	95	75	98	75	102	58	59	53	39	13	7	4	2	70
32	30	23	24	11	32	46	68	52	47	34	29	9	5	2	3	71
1,385	1,522	1,605	1,641	1,651	1,569	1,337	1,426	1,214	1,134	807	526	254	97	28	7	72
15	15	9	8	10	21	15	15	17	12	14	6	2	1	1	.....	73
11	10	3	9	11	13	6	8	11	7	12	12	4	2	1	1	74
366	412	429	423	418	368	365	434	403	387	327	241	99	21	7	7	75
306	323	324	282	318	330	312	349	299	265	246	173	63	25	10	22	76
7	12	5	11	8	7	12	13	11	8	7	3	4	.....	.....	.....	77
26	17	15	22	11	25	28	27	26	15	8	6	6	1	.....	11	78
5	7	6	7	4	9	8	5	7	7	11	7	4	2	.....	.....	79
4	8	4	5	6	3	4	6	12	11	15	3	2	2	.....	3	80
158	135	121	120	132	119	141	128	120	116	95	67	32	9	2	12	81
17	14	15	10	14	26	24	25	35	31	31	25	11	4	2	1	82

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
83	Corning, N. Y.	263	30	3	4	.....	2	39	8	4	8	15
84	Cortland, N. Y.	144	27	.....	.....	1	1	29	2	2	5	4
85	Covington, Ky.	845	124	39	23	16	9	211	25	10	32	42
86	Danbury town, Conn.	303	53	6	3	1	2	65	9	2	6	9
87	Danvers town, Mass.	285	13	1	1	.....	.....	15	3	.....	7	7
88	Davenport, Iowa	522	70	6	5	5	3	89	8	11	13	19
89	Dayton, Ohio	1,389	242	33	16	11	8	310	29	27	42	83
90	Decatur, Ill.	323	51	9	5	5	3	73	7	8	7	10
91	Denver, Colo.	2,917	378	70	38	31	22	539	68	45	88	204
92	Detroit, Mich.	4,739	1,211	179	86	53	51	1,580	136	88	150	210
93	Dover, N. H.	241	39	5	1	3	1	49	1	5	1	6
94	Dubois, Pa.	152	42	7	4	3	.....	56	6	5	6	9
95	Duluth, Minn.	724	143	16	10	9	3	181	27	21	31	53
96	Dunkirk, N. Y.	273	74	9	11	7	6	107	22	8	3	9
97	Eau Claire, Wis.	232	17	7	2	.....	7	33	10	8	10	15
98	Elizabeth, N. J.	1,095	262	63	32	26	10	393	29	27	33	37
99	Elkhart, Ind.	224	25	5	3	2	1	36	4	4	7	10
100	Elmira, N. Y.	555	67	14	3	4	2	90	14	13	12	28
101	Elwood, Ind.	158	36	11	4	2	2	55	6	1	3	6
102	Erie, Pa.	872	168	19	18	7	6	218	31	12	26	42
103	Escanaba, Mich.	240	62	11	6	1	.....	80	5	7	13	23
104	Evansville, Ind.	929	150	46	12	18	7	233	32	15	33	46
105	Everett, Mass.	347	78	12	5	2	3	100	3	12	8	12
106	Fall River, Mass.	2,674	806	101	27	31	16	981	30	27	42	64
107	Findlay, Ohio.	249	48	6	3	2	1	60	6	9	14	17
108	Fitchburg, Mass.	423	108	10	6	2	1	127	5	11	15	16
109	Flint, Mich.	194	28	4	2	2	2	38	5	4	6	16
110	Fort Wayne, Ind.	682	110	16	14	7	2	149	16	15	25	54
111	Framingham town, Mass.	159	19	4	1	2	2	28	5	4	5	14
112	Frederick, Md.	188	28	4	2	.....	.....	34	5	2	9	10
113	Fresno, Cal.	251	41	14	.....	4	3	62	7	3	7	16
114	Gardner town, Mass.	179	56	10	3	2	1	72	4	5	3	6
115	Geneva, N. Y.	179	20	7	3	.....	.....	30	7	3	6	8
116	Glens Falls, N. Y.	201	30	2	6	.....	.....	38	6	1	9	5
117	Gloucester, Mass.	466	86	16	10	8	2	122	12	9	13	21
118	Gloversville, N. Y.	260	31	2	3	3	3	42	2	6	6	6
119	Grand Rapids, Mich.	1,417	284	38	18	9	11	360	33	27	64	78
120	Green Bay, Wis.	326	91	22	6	2	.....	121	8	5	9	19
121	Greenwich town, Conn.	213	54	10	1	3	2	70	5	5	4	2
122	Hamilton, Ohio.	412	77	15	7	6	4	109	14	6	9	18
123	Hammond, Ind.	192	53	5	6	3	3	70	9	7	6	7
124	Harrisburg, Pa.	821	162	28	10	9	3	212	21	17	25	37
125	Harrison, N. J.	194	47	5	6	7	2	67	9	8	5	5
126	Hartford, Conn.	1,500	276	49	21	22	19	387	42	26	42	59
127	Haverhill, Mass.	556	104	21	5	5	5	140	11	15	9	23
128	Hazelton, Pa.	241	62	11	7	7	6	93	15	8	7	5
129	Hoboken, N. J.	1,427	303	81	40	24	10	458	53	25	35	51
130	Holyoke, Mass.	832	280	31	12	7	9	339	21	12	18	30
131	Hudson, N. Y.	202	29	10	2	1	1	43	4	7	6	8
132	Huntington, Ind.	172	25	6	7	2	2	42	4	4	4	8
133	Hyde Park town, Mass.	204	51	6	5	2	1	65	6	3	1	7
134	Indianapolis, Ind.	3,346	549	102	42	19	24	736	78	59	132	186
135	Iron Mountain, Mich.	110	37	6	2	2	2	49	2	1	3	6
136	Ironton, Ohio.	162	25	7	1	1	4	38	6	4	4	12
137	Ironwood, Mich.	72	24	.....	1	3	2	30	3	2	2	2
138	Ishpeming, Mich.	132	42	8	5	2	3	60	5	2	4	7
139	Ithaca, N. Y.	219	23	3	2	1	2	31	3	1	11	8
140	Jackson, Mich.	372	53	8	1	5	4	71	10	3	10	10
141	Jacksonville, Fla.	904	189	37	19	4	10	259	15	9	40	73
142	Jacksonville, Ill.	339	35	5	.....	2	.....	42	6	2	6	16
143	Jamestown, N. Y.	321	38	6	1	.....	.....	45	12	7	18	9
144	Jeffersonville, Ind.	200	25	12	2	2	3	44	7	1	8	5
145	Jersey City, N. J.	4,728	1,013	281	117	98	68	1,577	178	96	101	199
146	Johnstown, N. Y.	126	21	2	1	.....	1	25	1	2	.....	3
147	Johnstown, Pa.	603	103	26	19	15	10	173	35	9	19	28
148	Kalamazoo, Mich.	404	52	13	2	2	2	71	15	7	15	15
149	Kansas City, Mo.	3,465	483	84	48	41	15	671	92	57	117	231
150	Keene, N. H.	150	18	4	3	.....	1	26	1	2	2	6
151	Key West, Fla.	416	144	27	6	6	5	188	10	7	10	17
152	Kingston, N. Y.	444	80	16	9	8	2	115	7	8	12	17
153	Kokomo, Ind.	201	45	6	3	.....	2	56	2	2	9	9
154	Laconia, N. H.	142	17	5	1	.....	1	24	2	1	3	2
155	Lafayette, Ind.	347	36	5	3	2	1	47	13	4	9	18
156	Lancaster, Pa.	676	117	26	15	9	10	177	16	12	26	31
157	Lansing, Mich.	234	34	7	4	1	.....	46	1	4	16	13
158	Lawrence, Mass.	1,147	320	60	18	18	8	424	17	16	29	47
159	Leadville, Colo.	255	41	16	2	1	1	61	6	3	8	13
160	Leavenworth, Kans.	346	47	15	7	2	2	73	8	8	16	18
161	Leominster town, Mass.	176	28	9	4	.....	.....	41	2	2	4	7
162	Lima, Ohio.	359	67	13	7	7	2	96	12	8	8	19
163	Lincoln, Nebr.	457	78	14	4	4	2	106	9	11	12	17
164	Lockport, N. Y.	285	42	8	3	3	1	57	5	8	7	9
165	Logansport, Ind.	311	59	7	5	5	2	78	5	4	8	14
166	Los Angeles, Cal.	2,752	273	44	34	27	15	393	62	50	98	178
167	Louisville, Ky.	4,344	783	143	70	51	31	1,078	106	75	169	246

AREAS, AT EACH AGE: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
11	12	7	8	11	4	4	14	11	19	9	12	7	.....	.....	.....	83
4	7	3	5	5	9	10	8	8	12	14	10	5	1	1	.....	84
43	45	33	51	32	45	37	48	47	50	37	26	18	8	4	1	85
12	8	11	14	16	23	11	21	37	18	20	13	4	3	.....	1	86
8	11	12	29	25	20	17	20	29	29	25	21	12	4	.....	.....	87
29	23	36	23	20	17	28	40	22	44	36	37	12	9	1	5	88
71	75	61	52	68	65	75	74	91	92	79	54	24	13	1	3	89
19	16	20	12	16	15	19	15	20	23	15	14	8	2	1	3	90
257	230	223	191	177	155	163	139	129	111	94	61	30	8	2	3	91
204	166	208	184	202	223	225	250	209	243	212	139	68	23	8	11	92
11	11	10	7	17	10	12	16	20	16	20	14	7	4	.....	4	93
6	5	7	5	6	2	2	8	6	12	2	5	1	2	.....	1	94
64	43	55	55	38	36	16	31	21	16	21	8	4	1	.....	2	95
7	5	10	11	5	9	10	10	11	16	9	10	6	4	.....	1	96
9	14	10	10	14	14	12	10	10	17	19	6	5	2	.....	4	97
48	48	54	51	39	55	50	57	43	41	48	26	12	4	.....	.....	98
8	8	13	6	11	18	7	14	29	14	17	7	4	2	.....	5	99
23	23	24	13	27	31	30	43	40	61	35	29	15	2	2	.....	100
11	11	4	7	7	2	6	5	7	8	9	4	1	.....	.....	5	101
25	33	29	42	42	35	56	64	62	59	51	20	19	4	2	.....	102
16	13	15	8	11	13	12	6	2	3	6	6	1	.....	.....	.....	103
57	43	42	51	41	38	51	59	54	56	45	17	11	1	.....	4	104
12	16	13	13	14	23	20	17	23	27	17	11	4	1	1	.....	105
76	69	94	72	73	67	92	110	79	74	68	33	15	6	1	1	106
9	10	11	9	6	9	11	6	20	21	12	11	5	2	.....	1	107
20	21	11	15	14	20	25	23	17	20	26	22	6	6	3	.....	108
7	11	4	3	8	11	10	13	19	7	11	14	5	1	1	.....	109
29	28	33	28	31	26	49	33	49	40	35	18	11	8	.....	5	110
3	4	8	7	8	6	11	7	11	5	13	12	5	1	2	.....	111
8	6	7	1	4	15	9	10	16	13	12	16	6	1	1	3	112
18	15	14	10	17	12	12	14	15	9	11	5	1	.....	.....	3	113
7	7	6	5	4	4	9	8	7	4	9	11	7	1	.....	.....	114
6	8	10	10	5	8	10	6	10	23	10	9	6	1	3	.....	115
8	13	7	11	12	8	8	9	16	14	12	13	4	7	.....	.....	116
24	14	22	24	15	17	18	22	33	27	29	21	16	3	1	3	117
13	10	5	11	13	14	14	25	23	26	15	23	3	3	.....	.....	118
64	60	49	64	53	61	58	71	97	95	80	54	35	6	5	3	119
15	14	10	13	12	6	10	16	17	14	12	14	8	1	1	1	120
4	4	13	16	5	7	10	8	13	7	17	10	7	4	1	1	121
29	24	9	20	23	22	14	20	26	22	20	16	6	1	2	2	122
8	11	16	7	18	5	5	2	6	3	5	2	1	2	.....	2	123
41	31	31	37	23	41	54	45	45	42	45	29	14	2	2	27	124
9	10	8	9	5	7	15	18	8	7	2	.....	1	1	.....	.....	125
82	78	77	70	73	77	77	80	94	75	69	55	25	7	1	4	126
16	23	20	26	28	33	30	33	35	41	34	25	12	2	.....	.....	127
8	7	9	6	6	7	11	17	9	12	12	6	2	1	.....	.....	128
70	90	91	85	84	69	81	66	63	45	33	16	9	2	1	.....	129
38	29	32	44	30	39	41	48	30	37	30	9	5	.....	.....	.....	130
12	8	9	6	8	13	8	9	15	6	15	13	10	2	.....	.....	131
5	9	7	3	11	9	3	12	11	9	14	14	1	1	.....	1	132
6	7	7	8	8	16	16	11	14	8	12	7	1	1	.....	.....	133
179	173	177	177	181	184	167	178	192	192	129	103	46	14	7	56	134
8	1	6	7	4	2	3	5	5	2	1	3	2	.....	.....	.....	135
8	8	6	7	9	7	6	7	13	3	7	9	4	1	.....	3	136
2	6	9	1	4	2	1	1	.....	3	1	.....	1	2	.....	.....	137
5	6	4	3	4	2	5	7	5	7	4	1	1	.....	.....	.....	138
8	7	4	8	8	13	19	19	13	15	17	20	10	2	.....	2	139
17	16	20	14	15	26	29	24	20	26	28	15	14	2	2	.....	140
65	53	53	47	52	50	49	38	34	18	16	9	4	1	.....	10	141
15	17	15	25	26	10	13	28	29	28	20	24	8	6	2	1	142
15	23	11	17	22	10	18	14	20	28	22	22	5	3	.....	.....	143
8	10	6	9	12	13	9	13	13	18	12	8	4	.....	.....	.....	144
251	256	289	276	212	258	200	245	205	170	104	70	26	9	5	1	145
3	5	4	1	6	6	9	7	13	13	13	6	6	3	.....	.....	146
43	32	35	24	31	27	25	27	33	18	15	16	8	2	.....	3	147
19	28	20	20	27	32	31	34	41	30	32	31	12	3	2	.....	148
228	238	235	230	227	210	165	187	175	163	94	71	38	4	6	26	149
3	2	4	6	5	8	10	4	11	17	13	14	8	2	.....	6	150
13	12	25	15	11	10	16	22	19	15	10	8	4	3	1	.....	151
16	21	20	31	13	28	14	32	25	30	26	17	11	1	.....	.....	152
10	8	10	5	11	9	12	8	14	12	11	4	5	2	1	1	153
4	7	7	6	6	7	7	18	10	12	12	8	3	1	.....	2	154
18	14	12	10	19	12	14	30	42	35	30	15	4	.....	.....	1	155
23	19	21	26	27	32	23	41	44	44	50	29	19	12	2	2	156
7	7	9	12	9	8	17	18	13	17	9	17	6	2	1	2	157
40	39	44	50	47	57	58	71	61	49	47	31	15	3	2	.....	158
11	18	15	15	25	20	24	12	3	12	7	1	1	.....	.....	.....	159
10	11	22	20	13	13	21	22	26	24	21	10	7	1	.....	2	160
3	8	11	7	2	8	9	11	12	14	7	11	8	8	.....	1	161
15	16	14	17	16	13	16	25	21	18	17	15	7	2	.....	4	162
25	17	23	26	18	21	21	27	26	37	29	16	10	4	1	1	163
14	6	9	12	11	21	10	19	22	23	14	22	9	5	1	1	164
19	8	14	14	16	16	10	20	14	20	25	17	6	.....	1	2	165
195	179	191	188	170	173	145	162	165	155	128	68	34	10	1	7	166
241	241	264	234	208	245	211	249	201	219	172	103	54	14	7	7	167

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
168	Lowell, Mass.	1,738	499	92	41	24	18	674	34	25	40	54
169	Lynchburg, Va.	477	90	25	15	5	1	136	19	12	16	23
170	Lynn, Mass.	1,127	232	23	16	8	13	292	24	14	32	40
171	McKeesport, Pa.	743	193	40	20	8	3	264	33	15	33	66
172	Madison, Wis.	283	35	4	2	1	2	44	6	7	9	10
173	Mahanoy City, Pa.	333	115	20	12	4	5	156	10	8	7	18
174	Malden, Mass.	489	91	21	8	6	3	129	10	6	16	16
175	Manchester, N. H.	977	298	42	21	10	9	380	29	11	16	30
176	Manchester town, Conn.	128	31	3	1	2	1	38	6	.....	2	2
177	Manitowoc, Wis.	167	39	1	1	4	.....	45	3	3	1	5
178	Mankato, Minn.	140	24	3	2	1	.....	30	1	4	8	11
179	Marietta, Ohio.	178	26	4	5	2	1	38	4	2	6	6
180	Marinette, Wis.	148	33	5	6	1	2	47	.....	4	2	7
181	Marion, Ind.	327	85	15	9	7	5	121	13	8	12	15
182	Marlboro, Mass.	181	28	8	3	2	1	42	5	3	5	2
183	Marquette, Mich.	168	25	4	6	2	.....	37	4	3	8	7
184	Massillon, Ohio.	155	37	2	1	3	.....	43	2	3	8	7
185	Meadville, Pa.	150	18	2	1	1	1	23	1	6	3	6
186	Medford, Mass.	231	42	5	4	2	2	55	3	4	10	2
187	Melrose, Mass.	188	30	8	1	3	.....	42	3	2	6	8
188	Memphis, Tenn.	2,290	300	85	43	31	22	481	71	43	112	183
189	Menominee, Mich.	128	33	7	.....	2	1	43	.....	4	9	9
190	Meriden town, Conn.	416	87	9	8	2	1	107	10	7	8	13
191	Michigan City, Ind.	213	60	4	2	4	1	71	1	3	8	12
192	Middletown, N. Y.	341	24	10	2	2	.....	38	6	7	2	16
193	Middletown, Ohio.	110	25	2	.....	.....	1	28	7	1	6	3
194	Middletown town, Conn.	207	26	1	.....	1	.....	28	4	2	3	6
195	Milford town, Mass.	168	24	7	3	.....	1	35	4	1	1	7
196	Millville, N. J.	177	45	4	8	1	2	60	8	4	8	5
197	Milwaukee, Wis.	4,178	1,084	230	91	46	30	1,481	104	57	144	176
198	Minneapolis, Minn.	2,405	343	71	39	37	18	508	77	62	101	148
199	Mobile, Ala.	1,052	182	40	28	15	10	275	23	17	40	64
200	Montclair, N. J.	312	122	20	8	4	3	157	3	3	6	5
201	Morristown, N. J.	232	41	11	4	1	.....	57	7	4	12	7
202	Mt. Carmel, Pa.	270	85	33	18	9	8	153	16	.....	6	8
203	Mt. Vernon, N. Y.	348	82	20	6	6	10	124	13	7	9	8
204	Muncie, Ind.	305	77	16	5	3	1	102	9	11	12	22
205	Muscatine, Iowa.	207	32	6	1	3	1	43	5	6	11	5
206	Muskegon, Mich.	278	44	13	1	3	4	65	11	5	3	20
207	Nashua, N. H.	371	88	20	6	2	4	120	8	7	7	15
208	Nashville, Tenn.	1,996	376	118	59	31	15	599	35	37	108	142
209	Natick town, Mass.	123	9	1	1	.....	.....	11	3	1	2	4
210	Naugatuck, Conn.	177	63	6	3	.....	.....	72	5	3	6	9
211	New Albany, Ind.	366	63	11	7	3	1	85	8	6	15	20
212	New Bedford, Mass.	1,366	440	61	27	10	13	551	17	12	32	59
213	New Britain town, Conn.	485	131	28	13	6	2	180	11	10	9	25
214	New Brunswick, N. J.	446	123	22	10	4	8	167	16	8	9	12
215	New Haven, Conn.	2,015	398	82	26	17	18	541	49	51	65	66
216	New London, Conn.	403	69	14	2	4	1	90	5	4	8	14
217	New Orleans, La.	6,819	1,100	251	93	47	38	1,529	133	114	220	411
218	New Rochelle, N. Y.	267	57	9	3	5	.....	74	14	2	7	11
219	New York, N. Y.	78,325	16,287	4,957	2,094	1,308	972	25,618	2,569	1,357	1,916	2,874
220	Bronx borough.	5,536	917	306	134	105	66	1,528	188	106	148	291
221	Brooklyn borough.	24,830	5,042	1,605	655	420	322	8,044	857	399	604	896
222	Manhattan borough.	43,448	9,337	2,878	1,200	726	533	14,674	1,377	780	1,066	1,552
223	Queens borough.	3,045	702	129	64	45	34	974	95	54	69	96
224	Richmond borough.	1,466	289	39	41	12	17	398	52	18	29	39
225	Newark, N. J.	5,336	1,084	293	146	98	76	1,697	169	95	132	183
226	Newark, Ohio.	340	78	12	5	4	1	100	4	11	13	10
227	Newburg, N. Y.	524	76	17	12	5	4	114	18	6	10	19
228	Newburyport, Mass.	277	26	10	4	4	1	45	4	3	3	14
229	Newcastle, Pa.	437	103	19	4	5	4	135	9	10	18	15
230	Newport, Ky.	466	78	16	12	4	5	115	18	16	19	17
231	Newport, R. I.	340	52	9	3	4	1	69	4	2	8	18
232	Newton, Mass.	412	57	16	5	6	4	88	7	7	17	16
233	Niagara Falls, N. Y.	416	106	17	7	5	2	137	15	10	16	29
234	Norfolk, Va.	1,187	254	53	28	11	10	356	20	20	33	71
235	Norristown, Pa.	566	63	14	7	8	3	95	5	8	13	29
236	North Adams, Mass.	371	89	14	5	4	3	115	21	4	6	25
237	Northampton, Mass.	347	63	19	6	1	1	90	4	3	10	11
238	Norwalk town, Conn.	317	42	7	4	1	1	55	12	4	10	11
239	Norwich town, Conn.	415	59	11	5	2	4	81	5	1	10	13
240	Oakland, Cal.	1,073	116	30	9	6	7	168	18	13	30	49
241	Ogdensburg, N. Y.	368	52	3	2	2	2	61	4	2	9	9
242	Olean, N. Y.	134	16	1	.....	.....	.....	17	4	1	6	11
243	Omaha, Nebr.	1,344	243	45	16	12	9	325	25	30	38	77
244	Orange, N. J.	550	100	30	11	8	10	159	18	7	14	18
245	Ottawa, Ill.	124	13	3	.....	.....	.....	16	1	2	3	5
246	Owosso, Mich.	60	12	.....	.....	1	1	14	1	1	2	4
247	Paducah, Ky.	445	85	30	19	6	3	143	15	3	24	26
248	Passaic, N. J.	661	261	62	16	13	3	355	10	4	17	26
249	Paterson, N. J.	1,987	474	94	44	29	14	655	55	37	45	69

AREAS, AT EACH AGE: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
70	77	57	59	68	89	81	111	81	92	51	44	17	11	2	1	168
32	20	18	23	17	35	18	26	13	15	21	18	9	2	3	1	169
53	46	57	34	65	51	49	75	79	77	66	46	10	12	2	3	170
44	36	34	36	36	25	25	20	21	19	23	8	2	2	.....	1	171
21	12	23	10	9	12	11	12	19	15	21	31	8	1	.....	2	172
14	13	7	11	17	11	11	12	15	11	4	6	1	1	.....	.....	173
18	14	22	22	18	22	25	26	33	35	36	22	13	2	3	1	174
47	40	44	37	41	43	32	39	64	43	35	32	8	5	.....	1	175
4	5	4	3	8	9	10	4	3	6	8	6	7	1	2	.....	176
4	4	1	8	7	5	3	6	11	15	21	15	5	1	2	2	177
5	7	4	5	5	7	6	2	9	12	10	7	3	1	2	1	178
9	4	6	9	10	4	8	11	15	8	11	14	4	5	3	1	179
7	4	10	11	5	12	3	4	9	7	7	5	.....	1	1	2	180
17	18	9	8	18	14	15	17	11	9	10	4	3	1	.....	4	181
6	11	3	4	8	9	11	8	19	19	8	11	3	4	.....	.....	182
6	4	11	10	13	5	8	13	8	15	5	6	3	2	.....	.....	183
7	3	5	4	8	7	10	6	9	13	11	7	1	1	.....	.....	184
4	2	7	5	9	13	10	15	8	13	12	9	3	1	.....	.....	185
6	4	7	10	11	13	15	16	16	20	14	12	9	2	1	1	186
4	12	4	4	6	11	9	6	15	19	12	14	8	3	.....	.....	187
218	161	146	119	145	137	85	110	101	60	55	30	18	9	6	.....	188
5	5	5	5	5	7	9	1	5	3	5	4	3	.....	.....	1	189
22	14	22	22	18	14	22	34	25	24	28	12	8	4	2	.....	190
8	12	8	7	4	14	9	6	9	10	12	10	5	4	.....	.....	191
15	18	12	16	22	16	24	22	37	33	31	19	3	3	.....	1	192
4	3	5	3	9	2	4	6	8	5	6	5	3	2	.....	.....	193
6	9	9	8	14	12	15	12	24	18	14	14	5	3	.....	1	194
5	6	14	6	12	9	11	8	13	12	7	10	5	1	1	.....	195
6	3	5	2	6	3	10	15	6	17	9	5	2	1	.....	.....	196
179	134	167	177	185	178	184	186	202	193	206	133	69	15	4	4	197
157	135	138	130	133	126	106	111	112	116	101	61	53	12	5	13	198
71	60	80	44	56	67	49	59	55	37	26	15	3	7	4	.....	199
11	6	12	7	10	11	13	19	12	16	7	8	3	1	1	1	200
11	9	8	13	7	14	8	18	20	10	10	8	5	2	2	.....	201
6	6	6	8	9	5	12	9	8	4	7	4	3	.....	.....	.....	202
15	18	14	9	9	9	16	26	17	19	14	10	5	3	2	1	203
31	24	19	12	15	23	23	19	21	22	11	9	8	2	.....	.....	204
6	7	5	7	10	11	6	11	14	21	15	14	6	1	.....	3	205
9	10	15	6	12	11	13	16	22	19	13	16	10	1	.....	1	206
9	19	20	9	15	12	24	14	14	23	18	17	15	1	2	2	207
126	113	82	97	97	92	90	96	86	75	44	40	17	8	10	2	208
5	3	8	7	7	5	12	10	19	9	4	6	4	1	2	.....	209
6	12	10	9	.....	3	7	8	5	7	6	8	1	.....	.....	.....	210
18	15	14	12	15	13	15	19	31	31	14	15	7	7	.....	6	211
55	48	46	46	51	57	59	64	73	58	52	47	27	5	3	4	212
21	22	24	13	16	18	19	26	29	26	20	9	6	.....	1	.....	213
16	19	15	22	18	21	16	15	30	17	20	16	5	4	.....	.....	214
81	98	111	98	105	99	112	141	106	102	83	67	23	13	1	3	215
20	18	16	20	21	18	31	19	30	23	22	18	10	8	2	6	216
425	405	481	403	417	406	355	341	350	301	247	147	69	41	22	2	217
14	5	15	14	13	16	8	14	16	19	14	7	4	.....	.....	.....	218
3,820	4,167	4,574	4,396	3,911	4,101	3,826	4,160	3,519	3,111	2,181	1,372	580	196	63	14	219
351	373	385	331	271	284	248	274	215	217	167	94	40	19	5	1	220
1,207	1,228	1,366	1,266	1,190	1,236	1,193	1,302	1,232	1,157	831	520	216	67	17	2	221
2,069	2,361	2,587	2,564	2,247	2,338	2,162	2,317	1,808	1,500	1,003	632	273	96	33	9	222
131	140	171	162	139	157	143	169	167	147	116	70	29	5	2	.....	223
62	56	65	73	64	86	80	98	97	90	64	56	22	9	6	2	224
241	252	285	290	254	255	257	283	293	261	174	134	59	9	4	.....	225
17	13	16	13	15	14	20	12	21	21	15	14	8	1	.....	2	226
25	26	22	26	19	33	38	33	36	37	31	21	7	3	.....	.....	227
13	6	10	5	13	9	10	25	30	22	20	22	14	7	2	.....	228
24	26	24	21	14	23	12	20	18	14	15	8	10	4	.....	17	229
27	16	17	24	22	22	22	30	28	29	20	15	5	1	.....	3	230
11	6	19	20	14	26	19	20	23	19	24	17	11	10	.....	.....	231
7	19	22	12	14	19	16	34	26	37	32	24	8	6	1	.....	232
22	26	22	16	15	11	13	15	16	17	14	15	6	.....	.....	1	233
77	67	78	65	63	72	64	57	43	46	20	19	11	2	1	2	234
26	27	33	23	39	26	35	37	41	45	37	21	18	3	1	13	235
11	10	15	17	14	20	16	20	19	19	10	13	8	5	3	.....	236
14	8	12	10	7	21	20	30	24	31	23	19	9	1	.....	.....	237
11	14	12	10	12	14	13	20	26	21	29	23	11	6	.....	3	238
10	14	15	17	14	17	26	32	40	35	33	29	12	8	1	2	239
41	32	43	56	58	53	58	92	87	89	85	36	30	10	3	2	240
17	17	18	20	14	17	29	26	35	25	26	24	8	5	2	.....	241
9	5	3	3	9	5	12	11	12	11	6	5	4	.....	.....	.....	242
82	72	77	78	85	71	77	75	72	55	42	32	18	10	1	2	243
29	32	47	23	23	30	22	32	27	24	21	14	2	8	.....	.....	244
7	5	5	11	9	3	11	7	12	11	5	4	3	.....	.....	4	245
1	1	1	5	4	2	4	3	4	3	3	5	1	1	.....	.....	246
39	33	15	20	21	13	17	19	16	10	11	13	1	.....	.....	6	247
28	27	28	28	12	20	17	27	20	16	13	8	3	2	.....	.....	248
71	78	93	102	97	118	94	118	104	101	72	55	14	8	1	.....	249

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
250	Pawtucket, R. I.	681	156	23	11	4	7	201	18	8	16	18
251	Peabody town, Mass.	157	38	3	.....	.....	3	44	3	1	3	4
252	Peekskill, N. Y.	194	51	13	4	1	1	70	7	4	3	10
253	Perth Amboy, N. J.	294	78	23	11	10	2	124	18	5	10	7
254	Peru, Ind.	143	18	4	3	.....	.....	25	5	2	5	11
255	Petersburg, Va.	665	137	38	20	6	4	205	13	8	23	38
256	Philadelphia, Pa.	26,218	5,190	1,173	495	372	296	7,526	678	415	678	1,123
257	Phillipsburg, N. J.	168	37	6	3	.....	.....	46	10	5	4	6
258	Pittsburg, Pa.	6,972	1,771	469	168	120	91	2,619	223	147	290	448
259	Pittsfield, Mass.	398	55	11	5	3	4	78	14	1	14	20
260	Plainfield, N. J.	232	54	13	6	2	3	78	4	9	12	18
261	Plymouth, Pa.	239	64	15	12	6	2	99	11	7	6	8
262	Plymouth town, Mass.	153	25	8	2	2	1	38	3	2	6	8
263	Pontiac, Mich.	178	18	4	.....	.....	1	23	.....	.....	2	7
264	Port Huron, Mich.	228	45	4	.....	.....	1	50	5	7	10	7
265	Port Jervis, N. Y.	182	20	7	1	4	2	34	13	8	6	8
266	Portland, Me.	1,016	142	20	10	11	11	194	23	11	20	41
267	Portland, Oreg.	1,372	183	18	18	12	10	241	32	23	41	67
268	Portsmouth, N. H.	158	16	6	1	1	.....	24	1	2	4	3
269	Portsmouth, Ohio.	294	59	15	7	4	.....	85	8	7	12	18
270	Pottstown, Pa.	220	34	9	6	8	1	58	4	8	8	12
271	Pottsville, Pa.	323	63	12	8	10	2	95	14	14	11	10
272	Poughkeepsie, N. Y.	522	91	19	7	4	2	123	9	5	10	16
273	Providence, R. I.	3,595	789	159	69	35	37	1,089	90	53	87	129
274	Pueblo, Colo.	708	114	38	23	9	6	190	21	13	20	37
275	Quincy, Ill.	586	81	12	3	4	1	101	9	13	17	26
276	Quincy, Mass.	349	77	19	6	6	4	112	14	4	13	15
277	Raleigh, N. C.	315	64	24	13	2	3	106	5	5	16	15
278	Reading, Pa.	1,364	331	66	23	29	24	473	66	28	32	50
279	Revere town, Mass.	155	36	6	2	4	1	49	4	1	2	4
280	Richmond, Ind.	313	65	3	5	7	1	81	4	4	7	13
281	Richmond, Va.	2,073	432	86	35	17	12	582	40	33	66	134
282	Rochester, N. H.	150	16	3	1	2	.....	22	5	5	6	5
283	Rochester, N. Y.	2,665	323	56	29	33	22	463	77	64	78	96
284	Rockland, Me.	166	21	1	2	.....	.....	24	1	1	5	6
285	Rome, N. Y.	292	27	5	2	2	.....	36	9	14	13	24
286	Rutland, Vt.	235	31	5	2	3	1	42	2	3	1	12
287	Sacramento, Cal.	612	54	14	7	4	3	82	11	14	19	38
288	Saginaw, Mich.	605	79	12	3	4	4	102	14	16	26	43
289	St. Joseph, Mo.	891	125	33	17	4	10	189	21	22	39	46
290	St. Louis, Mo.	11,767	1,830	332	149	88	91	2,490	276	166	407	604
291	St. Paul, Minn.	1,896	453	65	37	23	10	588	51	50	67	80
292	Salem, Mass.	703	170	20	6	7	5	208	9	11	17	22
293	Salt Lake City, Utah.	1,063	234	45	12	10	7	308	35	22	40	48
294	San Antonio, Tex.	1,506	304	71	19	10	18	422	41	36	42	104
295	San Diego, Cal.	467	42	10	5	2	1	60	3	6	9	18
296	San Francisco, Cal.	7,487	937	156	86	61	52	1,292	97	80	146	359
297	San Jose, Cal.	413	65	15	7	7	2	96	7	9	7	21
298	Saratoga Springs, N. Y.	277	31	3	5	3	.....	42	11	3	9	9
299	Sault Ste. Marie, Mich.	164	52	12	2	.....	.....	66	4	2	2	6
300	Savannah, Ga.	1,718	324	74	34	20	4	456	40	24	74	122
301	Schenectady, N. Y.	784	228	41	12	12	4	297	25	9	14	27
302	Scranton, Pa.	2,011	553	92	39	28	11	714	39	45	61	101
303	Seattle, Wash.	1,206	212	24	10	11	15	272	41	24	32	84
304	Sioux City, Iowa.	488	85	15	10	5	3	118	13	9	24	20
305	Somerville, Mass.	965	170	35	13	14	9	241	22	17	16	21
306	South Bend, Ind.	581	193	22	15	7	5	242	21	10	18	22
307	South Bethlehem, Pa.	241	84	13	4	1	2	104	7	4	6	11
308	Southbridge town, Mass.	188	55	11	10	13	3	92	10	3	5	5
309	Spokane, Wash.	693	123	16	12	7	4	162	29	28	19	34
310	Springfield, Ill.	801	127	22	12	3	9	173	22	9	20	55
311	Springfield, Mass.	1,154	212	30	12	13	8	275	26	23	27	41
312	Stamford town, Conn.	429	82	13	5	8	4	112	16	4	15	7
313	Steelton, Pa.	193	67	12	1	1	2	83	7	3	11	10
314	Stonington town, Conn.	180	30	5	1	3	.....	39	6	1	3	4
315	Superior, Wis.	319	71	6	5	6	3	91	10	8	11	22
316	Syracuse, N. Y.	1,752	278	47	23	16	13	377	59	20	56	59
317	Tacoma, Wash.	541	91	17	7	.....	2	117	18	20	29	32
318	Taunton, Mass.	629	121	17	10	11	4	163	11	4	10	23
319	Terre Haute, Ind.	827	132	42	11	8	9	202	25	23	39	46
320	Tiffin, Ohio.	151	15	2	3	2	.....	22	2	3	8	9
321	Toledo, Ohio.	2,057	350	43	32	15	13	453	53	36	51	104
322	Torrington town, Conn.	155	44	2	1	7	1	55	8	2	8	6
323	Traverse City, Mich.	219	26	5	4	1	1	37	2	2	4	12
324	Trenton, N. J.	1,486	298	65	32	9	17	421	39	31	37	61
325	Troy, N. Y.	1,645	276	55	19	8	8	366	28	22	45	60
326	Union, N. J.	287	63	14	6	4	2	89	8	8	10	16
327	Utica, N. Y.	1,244	207	55	22	20	14	318	48	16	32	31
328	Vernon town, Conn.	121	17	8	2	2	.....	29	3	3	5	.....
329	Vincennes, Ind.	231	46	9	7	1	2	65	7	6	10	15
330	Wabash, Ind.	122	28	3	.....	2	3	36	6	3	3	6
331	Wakefield town, Mass.	120	22	1	.....	.....	.....	23	2	.....	2	5
332	Wallingford town, Conn.	142	40	1	4	2	.....	47	4	1	3	5
333	Waltham, Mass.	334	48	4	3	2	4	61	10	6	9	13
334	Ware town, Mass.	125	35	3	.....	2	.....	40	2	.....	1	7

AREAS, AT EACH AGE: 1904—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
29	21	26	30	31	30	41	45	42	51	38	12	13	6	3	2	250
4	7	6	4	6	7	13	8	8	8	11	13	4	3	.....	.....	251
6	7	6	3	10	8	7	6	13	17	10	3	3	.....	1	.....	252
14	14	12	13	10	10	15	7	11	7	4	7	5	.....	.....	1	253
4	6	5	6	9	8	9	10	4	15	9	6	3	.....	.....	1	254
34	28	29	28	26	43	40	36	25	33	22	19	9	1	1	4	255
1,256	1,264	1,269	1,365	1,268	1,351	1,380	1,532	1,427	1,378	1,058	741	348	125	31	5	256
9	6	5	3	2	6	11	9	11	13	9	7	4	.....	1	1	257
384	373	314	321	306	257	273	238	219	228	181	114	47	14	5	1	258
19	17	17	15	16	13	17	24	24	37	30	24	14	2	1	1	259
11	13	19	16	8	12	14	16	15	10	17	13	5	1	1	.....	260
6	6	6	11	12	10	15	18	10	5	1	1	5	1	.....	1	261
3	3	4	2	7	4	12	8	4	14	15	10	6	2	1	1	262
7	10	10	13	13	12	11	12	12	8	17	12	7	2	.....	.....	263
10	8	9	7	13	12	9	9	16	17	13	12	10	3	1	.....	264
7	8	12	7	6	7	9	9	12	12	6	10	7	1	.....	.....	265
49	44	43	47	48	56	59	62	69	82	71	51	31	10	1	4	266
75	70	89	89	95	86	75	82	87	89	55	47	14	5	1	6	267
9	10	9	6	7	14	6	6	11	14	13	10	2	5	1	1	268
24	13	9	9	7	10	8	11	12	19	21	12	5	3	.....	1	269
8	8	10	5	10	7	9	14	10	14	15	9	9	2	.....	.....	270
10	19	6	19	14	12	12	11	19	21	12	12	6	4	1	1	271
28	21	23	18	16	24	20	38	42	35	26	37	15	14	.....	2	272
154	156	158	181	174	190	187	236	186	199	142	108	47	14	5	10	273
58	56	58	38	33	34	31	31	25	21	24	10	5	1	.....	2	274
25	26	31	18	26	28	31	38	43	46	49	36	14	8	.....	1	275
15	13	9	12	16	13	15	19	16	21	19	18	2	3	.....	.....	276
19	15	12	10	10	19	3	15	12	14	7	8	6	3	1	14	277
50	53	57	46	49	39	63	82	77	68	62	45	17	2	.....	5	278
10	3	5	6	11	9	5	11	11	16	1	4	3	.....	.....	.....	279
18	8	14	9	10	8	17	20	19	20	25	19	11	3	2	1	280
124	97	104	99	98	132	112	114	85	81	64	47	17	9	2	33	281
4	7	6	2	4	6	10	13	14	17	8	7	2	4	.....	3	282
132	124	144	134	128	138	147	165	193	207	162	124	62	20	7	.....	283
10	6	5	9	7	7	10	10	12	20	14	9	5	3	.....	2	284
14	13	17	16	8	13	11	16	22	22	22	18	2	1	.....	1	285
11	11	5	5	14	14	17	21	18	20	11	13	5	2	3	5	286
48	36	47	36	20	39	31	35	42	45	25	24	13	1	2	4	287
24	32	30	28	39	31	27	34	40	46	34	22	11	4	1	1	288
53	44	52	60	44	55	45	52	52	41	27	25	14	6	5	2	289
685	804	800	742	691	683	653	728	630	556	408	261	106	37	17	23	290
102	86	80	96	88	109	73	80	85	104	69	49	26	12	1	.....	291
30	29	23	31	33	29	39	37	51	46	33	24	18	9	3	1	292
60	60	45	43	55	49	34	51	45	53	50	36	16	8	.....	5	293
108	111	103	83	74	69	61	60	53	57	38	22	12	5	2	3	294
29	21	23	22	27	31	38	19	40	52	35	12	11	2	.....	9	295
444	452	507	515	509	501	461	539	463	453	359	190	75	19	9	17	296
20	15	17	19	21	20	28	39	27	18	26	14	6	3	.....	.....	297
8	15	15	8	16	14	21	25	16	19	17	15	9	3	1	1	298
12	5	11	8	6	4	4	9	9	5	3	5	1	1	.....	1	299
129	85	115	110	91	104	70	74	55	68	44	28	14	3	11	1	300
36	33	30	26	26	37	36	31	37	37	36	20	15	4	2	6	301
91	100	117	91	80	86	90	114	107	69	48	36	11	5	1	5	302
72	80	76	105	65	59	49	67	50	40	41	27	10	4	.....	8	303
25	19	36	20	32	20	26	30	23	23	19	16	12	3	.....	.....	304
39	38	33	46	43	49	49	63	69	83	60	48	16	11	1	.....	305
23	19	24	19	24	25	30	22	25	21	21	11	6	6	.....	2	306
6	6	8	6	12	8	15	13	10	8	5	3	4	2	1	2	307
6	6	4	8	5	3	3	9	4	8	8	4	2	3	.....	.....	308
50	45	38	57	43	32	32	41	22	25	15	10	6	.....	2	3	309
52	42	50	34	42	40	35	30	42	51	49	32	13	3	3	4	310
56	51	51	44	51	59	58	85	70	79	68	50	36	3	1	.....	311
19	18	20	22	24	20	24	21	31	26	21	14	9	4	1	1	312
13	9	10	7	4	3	3	10	4	4	7	1	3	1	.....	.....	313
7	6	4	9	9	6	9	11	13	10	29	9	8	3	1	2	314
16	22	25	25	19	16	9	10	14	8	5	2	4	.....	.....	2	315
76	78	100	90	76	100	95	108	124	106	108	69	34	12	3	2	316
25	37	39	25	39	33	19	26	22	15	14	13	6	3	1	8	317
19	24	25	26	28	33	28	28	62	47	52	25	13	5	1	2	318
47	38	44	34	42	35	36	38	45	46	34	24	12	4	1	12	319
5	8	3	5	8	12	12	7	8	12	9	9	6	3	.....	.....	320
97	86	112	132	112	123	108	125	122	113	96	72	44	10	7	1	321
6	2	5	9	6	3	5	9	8	8	6	3	4	1	1	.....	322
5	12	11	17	12	14	11	12	12	18	17	12	6	2	.....	1	323
57	85	75	76	69	62	88	87	79	77	55	55	14	8	.....	10	324
78	93	86	97	84	103	98	108	108	97	75	56	25	12	3	1	325
17	16	12	17	7	10	15	12	10	18	14	6	2	.....	.....	.....	326
46	39	54	60	75	46	61	91	71	79	86	54	23	10	4	.....	327
2	6	2	7	4	6	5	12	5	11	12	4	4	1	.....	.....	328
4	11	10	12	12	11	12	8	17	11	13	3	1	1	1	1	329
7	1	4	3	4	4	4	6	8	7	12	3	1	2	.....	2	330
1	5	3	4	4	5	7	1	15	15	12	10	5	.....	1	.....	331
7	4	9	4	3	7	11	4	7	9	5	8	3	.....	.....	1	332
21	14	13	20	8	15	16	23	24	28	25	15	9	2	2	.....	333
7	6	6	4	2	7	3	4	5	9	6	6	8	2	.....	.....	334

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION CITIES—Continued.											
335	Washington, D. C.	6,211	1,123	208	91	59	43	1,524	104	104	181	286
336	Washington, Ind.	122	17	12	4	.....	1	34	3	1	6	9
337	Waterbury, Conn.	894	252	33	20	9	12	326	27	16	23	32
338	Watertown, N. Y.	409	80	6	2	3	2	93	10	13	14	17
339	Watertown town, Mass.	139	35	4	2	1	3	45	1	.....	1	3
340	Watervliet, N. Y.	228	28	11	4	3	2	48	5	4	3	10
341	Webster town, Mass.	146	43	11	2	.....	.....	56	1	1	4	7
342	West Bay City, Mich.	158	40	6	2	.....	2	50	7	5	4	7
343	Westfield town, Mass.	203	39	2	3	2	2	48	3	2	5	5
344	Weymouth town, Mass.	164	19	4	5	.....	2	30	4	1	5	4
345	Wheeling, W. Va.	709	138	51	21	8	8	226	16	11	12	29
346	Wichita, Kans.	493	73	16	3	7	4	103	16	21	23	19
347	Williamsport, Pa.	439	71	12	6	6	4	99	6	6	9	28
348	Wilmington, Del.	1,287	238	56	28	12	11	345	46	36	36	65
349	Wilmington, N. C.	600	149	43	17	5	3	217	13	8	29	37
350	Windham town, Conn.	200	50	8	2	1	1	62	3	1	5	6
351	Winona, Minn.	287	54	13	10	6	5	88	16	11	6	12
352	Woburn, Mass.	195	43	9	4	4	1	61	.....	4	3	6
353	Woonsocket, R. I.	465	125	21	6	9	3	164	10	5	13	16
354	Worcester, Mass.	2,047	418	65	26	15	12	536	53	29	45	67
355	Yonkers, N. Y.	1,004	236	50	35	15	10	346	26	14	30	44
356	Youngstown, Ohio	825	182	41	14	10	6	253	33	14	26	57
	CONNECTICUT RURAL.											
357	Fairfield county	748	93	19	9	9	3	133	12	11	11	18
358	Hartford county	1,071	157	34	15	7	9	222	15	20	36	32
359	Litchfield county	778	116	25	5	5	4	155	11	5	22	22
360	Middlesex county	374	51	9	1	1	1	63	3	5	11	11
361	New Haven county	803	153	27	10	10	6	206	15	12	15	22
362	New London county	503	87	9	11	2	4	113	9	6	7	8
363	Tolland county	264	31	2	1	1	4	39	5	3	3	3
364	Windham county	578	119	10	8	7	.....	144	10	5	11	16
	INDIANA RURAL.											
365	Adams county	230	56	11	3	3	1	74	5	4	13	10
366	Allen county	301	66	7	4	5	1	83	3	8	9	11
367	Bartholomew county	201	38	8	4	.....	2	52	5	8	2	6
368	Benton county	124	35	4	2	1	.....	42	2	4	6	6
369	Blackford county	218	50	9	3	3	2	67	8	8	10	11
370	Boone county	327	50	12	1	1	4	68	5	8	12	28
371	Brown county	116	16	4	2	2	1	25	2	1	4	6
372	Carroll county	189	34	9	1	2	1	47	2	3	8	6
373	Cass county	287	49	5	2	3	1	60	3	2	8	10
374	Clark county	278	29	10	10	2	4	55	6	6	12	20
375	Clay county	405	87	18	13	10	.....	128	14	10	16	13
376	Clinton county	369	70	11	4	2	1	88	8	13	17	13
377	Crawford county	171	23	7	7	2	.....	39	1	5	9	12
378	Daviess county	303	63	24	15	5	3	110	16	9	9	19
379	Dearborn county	330	50	11	5	2	.....	68	8	3	7	12
380	Decatur county	287	31	7	4	3	2	47	5	2	6	17
381	Dekalb county	242	40	7	3	1	3	54	3	7	11	5
382	Delaware county	309	69	10	11	1	4	95	16	4	14	16
383	Dubois county	243	60	15	5	4	2	86	8	3	10	8
384	Elkhart county	376	47	14	5	3	5	74	5	10	7	14
385	Fayette county	212	46	9	2	2	2	61	3	9	5	13
386	Floyd county	96	13	2	2	.....	.....	17	1	2	3	5
387	Fountain county	252	43	9	4	1	1	58	2	4	5	11
388	Franklin county	239	30	9	5	.....	.....	44	7	4	8	4
389	Fulton county	208	32	11	1	.....	.....	44	2	7	4	7
390	Gibson county	467	115	24	9	10	4	162	20	10	22	25
391	Grant county	593	121	33	4	8	3	169	15	8	16	33
392	Greene county	516	134	43	18	9	8	212	22	10	24	17
393	Hamilton county	357	58	15	7	3	2	85	11	6	14	10
394	Hancock county	287	52	15	2	3	2	74	7	6	8	10
395	Harrison county	288	46	9	6	3	.....	64	6	2	14	12
396	Hendricks county	277	45	10	3	5	5	68	3	12	8	12
397	Henry county	371	87	5	3	3	1	99	8	8	17	21
398	Howard county	300	40	7	4	2	1	54	5	5	5	4
399	Huntington county	211	31	11	2	2	.....	46	5	6	8	6
400	Jackson county	378	83	30	9	6	5	133	13	6	20	20
401	Jasper county	128	20	7	2	1	1	31	4	4	3	4
402	Jay county	317	51	12	6	2	.....	71	11	11	10	21
403	Jefferson county	361	55	10	1	5	2	73	12	3	14	17
404	Jennings county	216	41	9	3	1	.....	54	4	3	12	4
405	Johnson county	305	46	10	8	5	1	70	9	11	17	14
406	Knox county	272	64	26	7	3	4	104	8	6	8	9
407	Kosciusko county	322	38	10	7	3	1	59	5	2	6	9
408	Lagrange county	169	21	4	1	3	3	32	3	2	4	4
409	Lake county	415	120	21	7	10	1	159	13	11	13	13
410	Laporte county	319	37	4	5	1	1	48	12	7	9	13
411	Lawrence county	448	97	40	11	5	8	161	14	8	17	24
412	Madison county	377	85	16	6	10	2	119	7	6	12	17
413	Marion county	286	40	13	3	4	.....	60	16	5	13	10
414	Marshall county	295	34	8	3	4	.....	49	13	6	13	13

AREAS, AT EACH AGE: 1904—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
318	287	327	299	307	328	398	444	377	337	240	176	105	45	18	6	335
6	5	5	4	5	7	6	4	7	6	4	7	2	1	.....	.....	336
41	50	40	49	31	41	42	48	42	35	22	17	7	3	2	.....	337
25	20	22	20	15	18	19	16	28	26	26	13	9	2	2	1	338
3	3	9	6	4	5	9	7	6	7	12	9	6	1	1	1	339
14	17	10	13	11	15	17	14	17	11	8	6	3	2	.....	.....	340
2	4	8	5	4	5	7	5	13	6	8	6	3	.....	1	.....	341
5	2	3	3	4	10	7	8	9	12	13	5	3	1	.....	.....	342
11	7	3	10	6	16	13	10	9	20	9	11	10	4	1	.....	343
6	4	9	4	8	6	7	9	8	20	18	12	8	1	.....	.....	344
34	40	31	31	44	38	29	23	28	41	33	20	6	3	2	12	345
22	23	15	24	27	30	23	30	32	24	19	16	5	.....	2	19	346
14	17	14	15	22	26	29	28	39	21	32	14	10	4	.....	6	347
71	48	59	59	56	72	57	82	76	66	52	41	15	.....	2	3	348
33	10	27	21	22	37	25	30	30	16	18	10	3	3	6	5	349
11	12	9	2	10	7	8	12	15	8	8	10	6	4	.....	1	350
10	6	11	5	8	12	5	22	17	16	16	13	7	2	.....	4	351
3	6	5	7	5	8	13	17	15	12	14	7	6	2	1	.....	352
17	21	22	13	17	23	28	23	37	19	17	12	5	3	.....	.....	353
90	85	98	90	93	97	118	124	133	100	137	91	46	11	2	2	354
46	55	56	40	47	49	52	42	39	41	25	22	17	4	.....	9	355
55	38	43	43	31	34	29	31	42	37	28	20	5	4	1	1	356
20	17	29	23	24	36	50	57	68	54	72	50	36	14	4	9	357
28	33	40	39	42	43	50	70	78	83	83	82	36	20	6	13	358
38	24	22	24	33	29	21	53	59	66	74	56	34	18	5	7	359
6	5	12	12	16	29	14	29	26	38	31	31	24	6	1	1	360
18	21	26	32	34	33	48	51	56	60	48	57	34	11	1	3	361
7	8	7	15	14	20	27	34	37	59	56	33	21	14	4	4	362
8	6	12	.....	3	13	17	20	26	27	31	19	20	6	1	2	363
17	20	16	15	16	20	15	33	44	50	49	47	31	9	4	6	364
7	11	9	.....	5	4	11	12	14	15	18	8	7	1	2	.....	365
7	3	8	10	12	17	15	17	17	26	22	19	9	4	.....	1	366
4	8	6	5	2	12	6	18	9	15	14	17	7	2	.....	3	367
4	4	3	3	2	9	3	6	3	14	6	4	2	1	.....	.....	368
9	11	7	8	10	5	3	11	7	15	11	9	4	3	1	.....	369
11	12	9	11	12	7	16	13	18	23	28	21	17	3	2	3	370
6	6	5	4	.....	4	5	6	6	11	14	3	3	2	1	2	371
6	8	4	7	8	5	9	14	15	16	10	14	5	2	.....	.....	372
11	12	11	16	17	11	18	23	15	27	18	13	4	1	.....	7	373
11	9	7	10	7	12	11	15	17	17	32	13	7	3	2	6	374
16	19	10	14	16	19	15	23	27	22	16	9	7	1	1	9	375
15	12	10	9	15	15	18	24	25	29	30	19	5	2	1	1	376
8	8	10	8	3	5	10	10	10	8	11	6	3	3	.....	2	377
7	13	11	7	8	13	12	12	12	14	12	7	7	3	2	.....	378
14	16	14	4	8	15	13	19	25	27	24	22	12	2	1	16	379
16	9	18	13	8	5	17	15	23	22	25	19	13	4	1	2	380
12	16	9	13	12	11	2	10	15	19	14	19	6	3	1	.....	381
12	9	9	8	6	13	15	16	14	17	21	16	6	2	.....	.....	382
9	9	8	9	10	11	8	11	6	12	15	11	6	1	.....	2	383
10	11	13	14	11	14	22	19	27	42	37	23	18	4	.....	1	384
2	11	6	1	9	5	9	9	10	15	17	13	9	2	1	2	385
1	3	3	5	4	5	2	7	3	10	6	8	7	1	.....	3	386
11	11	6	13	10	8	14	8	19	21	26	17	7	.....	.....	1	387
10	11	8	8	8	11	12	15	9	20	23	20	14	1	2	.....	388
7	6	7	7	7	6	6	16	14	22	20	11	9	2	.....	4	389
12	12	16	14	15	19	16	28	24	26	27	12	4	.....	1	2	390
16	12	14	14	15	9	33	51	50	51	41	28	11	4	1	2	391
19	16	12	19	19	19	11	16	25	23	19	16	12	1	.....	4	392
11	13	8	7	13	13	24	25	27	32	21	20	12	2	2	1	393
13	10	11	8	9	11	15	15	18	31	23	10	6	1	1	.....	394
13	13	11	9	2	9	17	22	16	23	21	20	10	1	.....	3	395
13	17	6	12	9	10	9	12	15	25	19	10	9	6	1	1	396
16	12	11	11	5	15	16	15	28	24	24	25	7	8	.....	1	397
8	7	4	2	5	10	7	9	25	13	13	9	9	4	1	1	398
3	5	8	3	7	12	11	10	15	17	20	13	6	6	.....	4	399
15	14	10	8	8	15	15	16	20	17	26	10	5	4	2	1	400
1	8	4	7	6	3	4	6	4	4	17	11	4	3	.....	.....	401
11	13	9	14	4	14	16	19	15	24	13	23	14	4	.....	.....	402
7	13	15	13	12	10	10	17	20	41	22	36	19	2	.....	5	403
10	7	3	8	10	9	8	14	15	23	8	13	7	3	1	.....	404
15	8	4	11	9	15	8	20	12	27	22	14	14	2	2	1	405
9	10	6	8	13	12	11	17	7	15	14	6	4	2	.....	3	406
15	8	12	11	16	24	20	18	22	28	30	22	16	3	1	1	407
8	5	2	8	7	10	10	7	14	17	14	17	2	3	.....	.....	408
13	14	18	11	8	16	14	16	17	23	25	16	9	3	1	2	409
10	10	12	12	11	11	12	17	18	36	46	19	9	2	2	3	410
29	18	19	14	10	15	10	17	15	23	22	12	10	6	2	2	411
18	13	10	18	12	15	9	13	28	28	27	14	6	4	.....	1	412
7	9	4	13	11	13	15	16	14	19	28	23	4	3	.....	3	413
10	9	12	14	11	12	15	19	24	27	23	14	6	3	1	1	414

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA RURAL—Continued.											
415	Martin county	222	53	19	9	.....	1	82	11	6	10	9
416	Miami county	209	27	8	4	2	3	44	6	6	4	14
417	Monroe county	273	51	7	8	6	2	74	10	5	9	13
418	Montgomery county	422	50	20	6	1	2	79	10	9	18	22
419	Morgan county	314	54	10	9	3	4	80	8	5	12	14
420	Newton county	104	24	8	1	1	.....	34	3	1	7	5
421	Noble county	323	28	6	1	1	2	38	5	6	9	13
422	Ohio county	70	10	4	.....	.....	.....	14	1	2	4	1
423	Orange county	263	59	13	1	5	.....	78	5	8	15	18
424	Owen county	179	23	4	4	1	1	33	3	.....	8	10
425	Parke county	335	70	18	6	5	1	100	9	6	15	14
426	Perry county	276	64	19	5	4	2	94	6	3	11	18
427	Pike county	358	107	26	9	10	6	158	7	9	14	20
428	Porter county	292	32	4	3	6	3	48	6	7	13	9
429	Posey county	297	52	18	8	6	1	85	8	7	10	12
430	Pulaski county	131	22	2	2	1	2	29	2	3	9	3
431	Putnam county	303	57	11	5	.....	2	75	8	7	15	20
432	Randolph county	357	65	7	4	1	2	79	13	10	13	16
433	Ripley county	250	39	10	3	2	.....	54	4	6	9	7
434	Rush county	257	45	5	3	3	.....	56	5	4	8	10
435	St. Joseph county	388	88	10	12	1	4	115	8	6	13	16
436	Scott county	122	19	2	3	.....	1	25	4	1	5	6
437	Shelby county	358	54	12	6	4	.....	76	7	3	20	16
438	Spencer county	257	53	13	4	1	1	72	6	6	13	12
439	Starke county	118	25	4	2	1	3	35	5	5	3	8
440	Steuben county	177	30	2	.....	5	2	39	5	3	1	4
441	Sullivan county	418	98	19	17	4	5	143	10	6	18	27
442	Switzerland county	160	21	4	1	.....	3	29	.....	2	1	7
443	Tippecanoe county	249	26	9	3	3	1	42	5	4	6	14
444	Tipton county	209	42	13	4	2	3	64	4	5	6	15
445	Union county	100	9	4	1	.....	.....	14	2	3	4	4
446	Vanderburg county	196	31	4	2	3	1	41	4	1	5	11
447	Vermilion county	288	77	17	8	6	2	110	13	6	9	13
448	Vigo county	308	64	21	7	3	8	103	7	6	12	17
449	Wabash county	219	25	5	3	.....	.....	33	9	4	10	12
450	Warren county	118	18	7	6	3	1	35	2	1	6	3
451	Warrick county	283	65	14	11	3	4	97	7	7	11	16
452	Washington county	217	31	7	1	1	.....	40	7	3	7	10
453	Wayne county	322	39	1	1	1	4	46	1	2	6	13
454	Wells county	270	48	8	8	5	2	71	4	8	15	18
455	White county	203	37	7	2	2	1	49	4	3	7	8
456	Whitley county	216	26	5	1	1	.....	43	7	5	8	6
	MAINE RURAL.											
457	Androscoggin county	848	144	21	7	6	6	184	19	13	33	22
458	Aroostook county	823	266	40	15	17	7	345	22	25	24	48
459	Cumberland county	847	117	17	5	10	4	153	11	12	21	25
460	Franklin county	307	39	7	1	1	1	49	3	2	8	6
461	Hancock county	517	79	10	4	2	1	87	10	8	14	14
462	Kennebec county	880	101	20	12	8	3	144	11	14	20	24
463	Knox county	343	35	5	5	3	1	49	3	2	5	12
464	Lincoln county	295	13	5	2	1	1	22	3	2	7	12
465	Oxford county	582	84	13	5	.....	3	105	4	6	15	22
466	Penobscot county	961	148	26	19	9	5	177	20	18	30	54
467	Piscataquis county	254	20	3	.....	4	.....	27	1	6	10	10
468	Sagadahoc county	144	12	2	.....	1	.....	15	5	4	1	6
469	Somerset county	582	69	13	5	3	3	93	13	16	24	20
470	Waldo county	396	37	6	3	2	2	50	2	5	5	8
471	Washington county	590	99	24	4	6	1	134	16	14	20	25
472	York county	873	100	13	13	2	8	136	10	8	21	26
	MASSACHUSETTS RURAL.											
473	Barnstable county	504	71	8	3	4	1	87	12	5	11	11
474	Berkshire county	592	85	14	4	2	5	110	9	7	12	8
475	Bristol county	695	120	13	7	7	1	148	14	6	13	21
476	Dukes county	93	11	.....	1	.....	1	13	1	1	3	2
477	Essex county	1,051	127	29	14	9	6	185	22	8	27	26
478	Franklin county	670	88	15	8	6	2	119	11	9	12	27
479	Hampden county	699	140	20	13	4	7	184	14	9	20	25
480	Hampshire county	512	87	11	7	7	5	117	12	4	8	8
481	Middlesex county	1,915	184	33	12	7	8	244	31	14	36	75
482	Nantucket county	72	4	1	.....	.....	.....	5	.....	.....	.....	1
483	Norfolk county	1,306	171	28	15	13	7	234	21	13	33	29
484	Plymouth county	1,010	119	18	5	6	8	156	8	5	13	28
485	Suffolk county	67	9	.....	1	.....	.....	10	4	.....	1	3
486	Worcester county	2,121	362	51	20	15	10	458	33	20	41	66
	MICHIGAN RURAL.											
487	Alcona county	60	9	3	.....	.....	1	13	2	3	3	5
488	Alger county	74	23	3	.....	1	2	29	4	1	1	6
489	Allegan county	561	64	14	5	2	4	89	10	8	10	18
490	Alpena county	269	63	10	11	4	5	93	18	11	11	9
491	Antrim county	230	57	14	7	4	1	83	11	8	6	6

AREAS, AT EACH AGE: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	7	5	3	7	7	15	6	12	8	9	8	3	3	.....	2	415
8	4	6	8	7	8	14	6	15	13	17	11	12	4	.....	2	416
13	3	13	13	13	12	9	16	11	22	9	16	5	5	2	.....	417
8	13	11	15	17	15	21	34	33	35	30	32	8	9	1	2	418
9	5	12	11	9	13	17	18	18	30	21	11	13	5	.....	3	419
3	3	1	4	3	4	1	6	7	4	5	9	2	.....	.....	2	420
9	12	14	7	5	16	22	22	23	40	37	25	12	7	.....	1	421
4	3	3	.....	3	1	1	3	9	7	6	2	2	2	1	1	422
10	7	14	10	3	12	12	7	9	15	15	7	8	6	.....	4	423
6	4	8	6	4	8	11	12	10	14	19	12	8	.....	1	2	424
5	15	14	10	11	16	10	16	17	26	16	18	8	2	3	4	425
12	10	11	7	6	12	8	15	12	17	18	7	6	.....	.....	3	426
8	13	10	9	11	12	17	14	9	15	16	12	3	1	.....	.....	427
15	8	9	9	10	10	15	14	18	38	27	15	11	4	.....	6	428
11	16	11	14	10	15	8	14	12	21	24	10	6	1	1	1	429
3	5	4	4	1	7	4	10	4	12	10	11	5	3	1	1	430
11	9	11	4	10	12	21	20	12	20	16	15	11	2	1	3	431
13	14	7	9	6	12	19	23	29	27	29	23	13	1	1	.....	432
17	15	10	9	5	6	8	12	14	23	22	16	9	3	.....	1	433
4	8	7	10	11	14	9	10	21	29	10	17	13	5	2	4	434
11	12	5	12	14	16	20	20	31	31	31	14	4	3	1	5	435
5	7	4	7	1	3	6	6	12	9	11	7	3	.....	.....	.....	436
11	9	14	15	14	16	18	21	22	34	29	20	8	2	.....	3	437
8	10	10	9	5	11	9	14	12	12	23	11	4	1	1	8	438
4	3	2	2	6	6	2	9	5	7	10	5	.....	1	.....	.....	439
2	9	4	7	3	9	13	10	18	24	12	9	8	3	.....	4	440
16	9	18	9	19	17	8	12	20	21	23	11	10	3	.....	18	441
10	6	4	2	7	7	3	18	16	15	17	6	7	3	.....	.....	442
13	5	9	5	9	14	9	14	24	31	20	12	4	5	.....	4	443
7	4	7	14	6	9	7	10	8	13	11	12	5	1	.....	1	444
4	4	4	3	3	3	2	4	6	12	12	8	3	3	2	.....	445
11	8	12	8	5	7	12	11	13	9	14	12	7	4	.....	1	446
17	13	9	4	5	9	12	13	11	10	14	10	4	3	.....	3	447
20	13	15	9	12	6	11	12	9	11	20	12	5	1	.....	7	448
9	5	12	9	7	7	14	13	22	14	14	15	7	.....	.....	3	449
5	2	3	6	8	6	6	7	5	9	5	4	2	1	.....	2	450
14	10	7	8	7	6	15	16	15	21	15	4	6	1	.....	.....	451
5	12	7	10	6	9	15	19	11	18	17	15	2	3	1	.....	452
9	8	9	16	15	20	17	22	27	21	38	28	14	7	2	1	453
10	8	9	12	11	10	9	11	14	22	15	9	9	3	.....	2	454
6	5	8	1	3	9	14	11	13	23	17	9	7	4	.....	2	455
4	7	4	5	6	9	15	12	19	18	18	16	10	3	.....	1	456
35	30	30	27	40	30	37	51	62	61	50	59	40	8	2	15	457
31	29	30	13	22	22	16	26	31	40	35	30	15	7	3	9	458
30	24	22	17	22	23	40	48	78	85	90	72	44	16	5	9	459
7	9	12	11	10	14	15	13	26	24	30	25	19	10	5	9	460
19	25	18	18	14	19	28	30	49	49	42	35	22	5	.....	11	461
24	24	17	20	28	39	40	48	63	108	92	75	51	19	5	14	462
9	7	6	13	15	22	22	24	36	35	31	18	22	9	1	2	463
8	5	4	8	9	7	24	25	26	37	24	30	19	13	2	8	464
20	19	12	11	11	19	31	39	39	46	69	37	29	12	6	10	465
49	23	29	25	39	36	42	43	72	65	84	78	34	16	5	22	466
12	9	20	6	9	19	10	16	17	18	25	15	14	2	2	6	467
1	2	2	2	2	6	8	12	12	15	21	14	10	5	.....	1	468
16	16	21	22	20	20	30	26	49	54	51	37	31	7	1	15	469
14	12	13	15	18	15	23	24	38	41	35	40	27	8	1	2	470
22	16	12	15	12	23	26	29	39	52	45	47	23	11	3	6	471
29	22	19	23	37	42	43	55	78	83	86	78	54	17	.....	6	472
11	12	12	11	21	24	19	41	35	57	38	46	32	7	5	7	473
13	17	19	26	22	23	28	31	47	61	60	53	29	12	4	1	474
11	21	13	11	26	29	35	33	53	68	65	54	37	13	1	3	475
1	1	2	2	1	3	6	9	8	7	11	9	3	6	1	3	476
27	34	35	33	38	44	62	68	92	103	97	68	57	18	6	1	477
19	22	21	12	27	28	34	42	52	67	66	61	31	7	2	1	478
23	15	11	24	15	18	17	42	42	54	43	32	14	5	1	1	479
17	15	7	11	19	29	21	34	34	40	53	44	25	11	3	.....	480
84	84	92	92	112	98	97	136	143	167	150	129	82	36	10	3	481
1	2	.....	3	2	3	5	5	6	4	7	18	8	1	.....	1	482
50	48	39	45	54	74	67	88	97	108	127	93	55	25	4	2	483
35	26	36	41	40	54	55	59	84	126	97	79	41	22	3	2	484
5	2	2	3	8	1	2	9	4	7	4	1	1	.....	.....	.....	485
66	80	80	67	80	90	106	131	169	199	180	134	82	31	6	2	486
1	2	2	3	1	3	1	3	6	7	1	.....	2	2	.....	.....	487
5	2	1	4	.....	2	5	1	2	5	3	3	.....	.....	.....	.....	488
15	12	18	13	17	28	32	40	42	71	52	47	21	9	4	5	489
8	6	7	7	5	15	13	12	10	10	16	12	3	1	1	1	490
6	9	9	3	7	6	11	10	15	7	19	10	2	.....	.....	2	491

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MICHIGAN RURAL.—Continued.											
492	Arenac county	123	32	6	2	4	3	47	5	6	2	7
493	Baraga county	44	12	4				16			1	1
494	Barry county	308	36	11	1	2		50	1	7	6	4
495	Bay county	239	53	10	4	5	3	75	8	2	14	5
496	Benzie county	140	31	11	3	4	3	52	6	1	5	5
497	Berrien county	634	106	10	9	3	2	130	4	12	16	25
498	Branch county	382	46	6	2	1		55	1	1	5	9
499	Calhoun county	426	35	7	7	2	1	52	7	7	8	13
500	Cass county	281	32	7		2	2	43	4	9	10	5
501	Charlevoix county	217	50	8	3	5	3	69	2	1	9	9
502	Cheboygan county	194	55	11	3		3	72	3	1	10	11
503	Chippewa county	108	22	11	4	1	2	40	3		2	5
504	Clare county	109	24	6	1	1	3	35	2	3	5	3
505	Clinton county	310	33	5	3	1	2	44	4	5	4	13
506	Crawford county	44	12	2	2			16				2
507	Delta county	170	62	9	3	2		76	3	2	7	5
508	Dickinson county	102	36	7	3	1	2	49	2	2	2	7
509	Eaton county	482	62	17	2	3	4	88	7	10	17	16
510	Emmet county	232	64	10	1	1	2	78	5	5	9	14
511	Genesee county	385	24	4	1	3	1	33	5	1	14	7
512	Gladwin county	56	14	4	3			21	1	2	1	
513	Gogebic county	140	57	11	5	2	2	77	5	2	2	5
514	Grand Traverse county	160	25	3	5	6	1	40	2	3	8	8
515	Gratiot county	386	55	11	4	5	2	77	7	10	14	18
516	Hillsdale county	421	42	7	2	5	3	59	2	8	9	8
517	Houghton county	918	271	63	33	11	18	396	27	19	24	57
518	Huron county	356	79	14	8	4	3	108	17	9	7	12
519	Ingham county	396	44	11	5	2	3	65	5	7	15	12
520	Ionia county	497	53	2	4		4	63	7	6	17	7
521	Iosco county	114	25	3	1	1	1	31	4	5	4	6
522	Iron county	87	35	3				38	4		2	3
523	Isabella county	234	30	11	8			49	7	11	10	12
524	Jackson county	334	34	5	2	1	1	43	4	5	4	8
525	Kalamazoo county	299	33	7	4			44	5	6	4	8
526	Kalkaska county	97	16	6	4	4	2	32	1		2	9
527	Kent county	690	80	12	6	6	4	108	6	9	14	12
528	Keweenaw county	45	16	3		2		21	2	2		5
529	Lake county	60	8	2	2		2	14	2	2	3	4
530	Lapeer county	419	54	9	6	4	2	75	7	17	15	19
531	Leelanau county	144	38	7	1	3	1	50	4	1	7	6
532	Lenawee county	700	78	15	7	2	2	104	8	13	17	28
533	Livingston county	265	20	2	2	4	1	29	4	3	6	3
534	Luce county	61	7	1		1		9	2	2	2	6
535	Mackinac county	99	21	7			1	29	5	3	3	5
536	Macomb county	508	54	10	1	1	4	70	15	10	11	11
537	Manistee county	312	71	12	9	6	3	101	11	5	13	15
538	Marquette county	195	49	4	8		3	64	7	7	9	12
539	Mason county	244	43	11	3	2	3	62	7	6	8	8
540	Mecosta county	277	52	4	1	5	3	65	1	10	14	15
541	Menominee county	164	46	9	7	2	3	67	6	1	6	6
542	Midland county	142	36	8	9	2		55	4	2	2	8
543	Missaukee county	109	26	8	1	2	2	39	4	4	2	5
544	Monroe county	423	64	12	3	1	1	81	11	14	21	11
545	Montcalm county	432	81	2	4	5	5	97	8	5	12	17
546	Montmorency county	56	16	4	1	1	3	25	1	2	4	2
547	Muskegon county	242	40	8	4		3	55	2	4	4	8
548	Newaygo county	247	37	9	2	1		49	4	1	8	10
549	Oakland county	465	49	7	4	2	1	63	9	7	15	13
550	Oceana county	244	38	3	7	2	1	51	7	6	10	10
551	Ogemaw county	97	38	4	2			44	1	1	4	4
552	Ontonagon county	98	27	3	4	2		36	1	6	2	7
553	Osceola county	224	34	3	3	5	3	48	5	7	10	18
554	Oscoda county	11	4					4			1	1
555	Otsego county	84	21	3	3		2	29	2	2	5	4
556	Ottawa county	496	64	14	4		2	84	7	13	22	23
557	Presque Isle county	93	27	3	3	2	1	36	2		2	5
558	Roscommon county	30	8	2				10	2	2	2	2
559	Saginaw county	475	101	14	6	3	1	125	10	12	15	18
560	St. Clair county	444	59	12	7	3	2	83	13	8	13	11
561	St. Joseph county	329	22	3	3			28	5	1	6	19
562	Sanilac county	393	67	12	5	3	3	90	3	9	16	12
563	Schoolcraft county	91	21	2	1	1		25	1	1	3	5
564	Shiawassee county	377	39	7	5	1	4	56	5	5	14	13
565	Tuscola county	423	77	7	1	2	6	93	6	9	15	17
566	Van Buren county	528	75	9	3	1	4	92	6	7	15	22
567	Washtenaw county	475	40	8	5	1	2	56	6	9	12	14
568	Wayne county	1,189	195	43	28	11	4	281	30	28	27	41
569	Wexford county	252	59	10	5	1	4	79	9	2	12	10
	NEW HAMPSHIRE RURAL.											
570	Belknap county	178	5	4	1	1	1	12	2	2	3	2
571	Carroll county	242	16	1	2	1	1	21	4	1	2	9
572	Cheshire county	385	47	8	4	2	1	62	6	6	8	10
573	Coos county	268	27	6	3	5		41	3	4	6	9
574	Grafton county	634	54	11	6	3	2	76	15	12	15	20

AREAS, AT EACH AGE: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3	2	5	3	5	6	7	5	7	5	3	1	1	.....	1	2	492
3	.....	3	4	3	2	1	3	2	2	1	.....	.....	1	.....	1	493
10	8	8	8	9	12	23	23	29	29	28	32	16	4	1	.....	494
10	5	7	10	6	7	5	12	14	21	16	12	7	1	2	.....	495
4	6	2	2	4	6	4	5	7	11	4	5	9	.....	.....	2	496
16	21	15	30	27	21	25	46	54	50	74	36	18	6	1	7	497
10	10	9	10	15	19	25	37	33	43	36	33	21	6	3	1	498
13	18	9	8	16	17	21	24	35	55	58	29	23	4	3	6	499
8	6	5	9	11	13	18	17	25	34	17	33	7	2	2	3	500
12	4	7	8	6	6	7	7	20	12	14	9	6	4	2	3	501
8	4	6	5	10	6	9	11	10	8	7	6	2	2	.....	3	502
6	5	6	3	4	4	3	5	11	1	3	3	2	1	1	.....	503
3	2	6	5	6	6	3	1	8	7	3	5	2	2	.....	2	504
13	4	4	6	9	12	16	26	28	33	34	25	20	9	.....	1	505
5	1	4	1	1	2	3	1	3	1	2	.....	.....	1	.....	1	506
11	12	9	4	5	7	7	7	1	6	1	4	2	.....	1	.....	507
6	2	1	2	1	4	6	2	5	3	3	3	1	.....	.....	1	508
9	10	15	10	14	21	17	44	45	49	43	41	19	3	1	3	509
10	5	8	8	8	8	7	16	8	14	13	9	5	1	1	.....	510
9	10	16	11	13	15	26	32	38	44	44	37	22	4	2	2	511
2	1	.....	2	2	1	6	2	1	7	2	1	3	.....	.....	1	512
9	6	6	4	9	1	5	3	1	1	1	.....	1	.....	.....	2	513
7	3	8	3	4	6	8	5	9	12	15	8	4	2	.....	5	514
16	15	6	7	15	11	20	26	23	42	32	30	7	8	2	.....	515
10	11	13	9	18	20	23	32	35	55	42	43	18	4	.....	2	516
55	43	28	28	33	27	38	28	32	33	20	14	6	.....	2	8	517
10	12	7	9	11	13	12	24	21	27	21	20	10	4	.....	2	518
7	8	10	15	7	21	15	36	29	41	45	30	20	5	1	2	519
13	25	14	14	19	20	26	36	50	52	57	40	18	10	1	2	520
3	7	2	6	4	6	4	4	6	7	5	4	3	1	1	1	521
6	4	4	5	9	2	1	3	3	2	.....	1	.....	.....	.....	.....	522
12	6	5	9	9	9	15	15	15	21	14	7	4	2	1	1	523
7	10	7	7	16	17	22	19	30	35	49	31	16	4	.....	.....	524
8	5	10	3	11	10	16	22	29	30	37	22	22	6	1	.....	525
5	2	4	1	.....	4	6	12	5	5	5	2	1	.....	.....	1	526
15	15	16	17	31	27	35	55	74	78	80	59	29	7	1	2	527
3	2	1	.....	1	2	1	2	2	.....	.....	.....	.....	.....	.....	1	528
6	1	5	1	3	.....	1	4	1	4	4	3	1	.....	.....	1	529
12	10	10	7	14	11	23	30	37	30	38	33	22	4	5	.....	530
4	5	4	2	6	6	3	7	12	4	8	9	2	2	2	.....	531
27	17	25	14	24	27	46	48	54	70	63	60	36	12	5	2	532
11	7	11	6	8	10	8	19	27	24	29	38	18	4	.....	.....	533
2	3	5	5	4	4	3	2	2	2	1	.....	.....	.....	.....	7	534
3	2	2	5	12	1	3	4	7	2	3	5	.....	1	1	3	535
16	15	15	18	23	20	26	29	39	40	61	50	24	11	2	2	536
10	8	6	9	12	16	11	18	23	17	22	3	10	1	.....	1	537
8	9	10	5	12	5	9	6	10	10	6	3	2	.....	.....	1	538
7	5	9	12	4	12	15	16	13	16	22	15	3	2	2	.....	539
8	5	7	10	8	11	18	23	16	21	20	16	6	3	.....	.....	540
7	4	7	6	8	6	12	5	3	3	4	3	4	3	1	2	541
3	4	4	3	8	3	2	5	13	8	7	7	2	1	.....	1	542
5	6	2	3	5	3	4	6	6	5	7	1	1	.....	.....	1	543
16	6	14	9	18	13	15	25	41	33	35	26	23	9	1	1	544
8	13	10	14	17	17	21	31	44	32	32	28	17	7	1	1	545
.....	.....	.....	3	2	3	1	3	3	2	2	.....	1	2	.....	.....	546
8	6	6	5	11	11	20	16	13	22	24	14	9	.....	.....	4	547
10	10	10	9	10	12	6	22	19	21	22	14	6	3	.....	1	548
13	12	15	8	18	23	21	39	29	55	44	46	21	11	2	1	549
9	11	3	7	14	10	13	14	13	25	17	6	13	2	3	.....	550
1	3	1	2	5	4	3	3	5	4	6	2	1	2	.....	1	551
9	4	7	.....	3	2	4	3	3	3	3	3	1	1	.....	.....	552
11	9	6	4	13	6	14	14	13	18	12	8	6	2	.....	.....	553
.....	2	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	554
4	1	2	4	3	5	5	6	3	3	3	1	.....	.....	.....	2	555
17	12	19	9	17	13	23	20	43	56	56	35	21	4	1	1	556
4	3	4	2	5	.....	3	6	7	5	2	1	4	1	1	.....	557
1	2	.....	.....	1	1	3	.....	.....	1	.....	1	.....	1	.....	1	558
15	13	7	14	24	26	15	27	31	32	35	32	10	8	5	1	559
13	9	13	17	13	19	29	30	34	37	41	38	17	5	.....	1	560
9	8	11	10	8	10	20	19	27	48	33	32	25	8	1	1	561
14	11	11	7	7	20	13	25	27	37	41	29	12	5	4	.....	562
7	6	1	6	2	6	4	5	7	4	2	5	1	.....	.....	.....	563
18	12	9	12	19	17	15	21	22	47	47	29	9	5	.....	2	564
12	14	11	10	12	17	15	34	26	43	35	36	7	6	3	2	565
18	11	15	18	13	23	24	34	46	54	55	39	23	8	3	2	566
16	15	18	11	17	27	24	46	45	40	46	33	29	7	4	.....	567
47	42	58	41	55	38	47	76	83	91	74	62	42	14	4	8	568
14	10	13	8	11	6	11	16	12	12	13	9	4	.....	.....	1	569
5	3	5	8	8	5	13	17	12	19	22	26	6	5	2	1	570
5	7	9	9	15	10	17	14	21	20	26	26	19	5	1	1	571
8	8	8	14	17	13	20	15	30	33	48	29	20	11	5	4	572
8	9	18	12	12	15	14	25	20	24	15	11	10	4	3	5	573
24	24	22	25	18	28	25	37	61	60	54	65	32	9	2	10	574

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.									
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE RURAL—Continued.											
575	Hillsboro county	575	46	10	3	2	.....	61	10	7	8	14
576	Merrimack county	567	89	10	3	3	5	110	7	5	11	12
577	Rockingham county	658	74	7	6	4	2	93	5	3	13	11
578	Strafford county	269	46	12	3	3	3	67	8	3	6	7
579	Sullivan county	275	24	6	3	3	1	37	6	3	6	7
	NEW JERSEY RURAL.											
580	Atlantic county	271	68	13	5	2	1	89	7	1	3	7
581	Bergen county	1,230	288	48	22	15	17	390	34	17	35	36
582	Burlington county	977	163	32	13	12	10	230	19	21	22	33
583	Camden county	523	88	30	7	8	5	138	11	4	7	24
584	Cape May county	211	39	10	4	2	1	56	5	2	4	8
585	Cumberland county	378	51	12	7	2	4	76	7	4	9	19
586	Essex county	1,081	203	43	14	15	8	283	30	17	30	37
587	Gloucester county	485	97	15	3	4	6	125	17	9	6	19
588	Hudson county	1,401	298	73	34	29	11	445	53	27	27	36
589	Hunterdon county	460	52	11	3	2	4	72	3	8	10	11
590	Mercer county	282	51	4	4	1	1	61	9	6	9	9
591	Middlesex county	647	141	32	12	13	9	207	23	12	18	29
592	Monmouth county	1,313	238	50	24	13	6	331	32	24	35	47
593	Morris county	839	118	15	9	11	6	159	19	11	18	30
594	Ocean county	272	41	14	9	1	3	68	9	8	2	9
595	Passaic county	327	87	16	11	4	5	123	16	7	10	7
596	Salem county	423	80	12	11	5	.....	108	17	8	9	18
597	Somerset county	420	77	16	6	3	4	106	10	7	7	21
598	Sussex county	295	48	3	4	3	.....	58	5	6	8	15
599	Union county	427	69	16	9	1	2	97	8	10	12	16
600	Warren county	410	62	12	6	5	2	87	5	6	7	16
	NEW YORK RURAL.											
601	Albany county	519	68	15	6	4	3	96	8	10	18	10
602	Allegany county	606	52	14	2	2	7	77	3	8	15	13
603	Broome county	521	48	8	4	2	2	64	6	9	11	9
604	Cattaraugus county	730	81	14	3	8	5	111	20	10	13	23
605	Cayuga county	562	42	7	2	1	2	54	9	7	8	13
606	Chautauqua county	794	81	12	5	4	1	103	8	12	18	27
607	Chemung county	286	22	2	1	2	2	29	4	2	11	4
608	Chenango county	640	41	6	4	4	2	57	10	8	9	11
609	Clinton county	571	103	16	15	8	4	146	12	9	18	21
610	Columbia county	548	51	9	3	2	2	67	9	5	12	14
611	Cortland county	315	25	5	1	.....	1	32	2	3	4	7
612	Delaware county	590	63	8	4	2	3	80	11	8	15	25
613	Dutchess county	1,156	120	22	9	4	4	159	13	10	10	37
614	Erie county	1,191	200	31	20	5	9	265	23	21	21	34
615	Essex county	449	63	2	2	2	2	71	13	5	19	28
616	Franklin county	738	141	23	8	4	6	182	16	14	27	38
617	Fulton county	197	24	3	1	2	1	31	1	5	4	8
618	Genesee county	513	43	4	6	4	2	59	11	11	14	10
619	Greene county	524	59	15	.....	1	5	80	8	11	7	20
620	Hamilton county	52	5	4	1	2	.....	12	1	2	1	4
621	Herkimer county	675	62	11	10	8	5	96	11	9	14	33
622	Jefferson county	806	80	18	9	6	3	116	15	12	12	15
623	Lewis county	379	44	4	6	1	1	56	5	2	8	10
624	Livingston county	553	50	9	7	6	2	74	12	11	17	10
625	Madison county	625	48	4	5	4	2	63	10	10	11	14
626	Monroe county	837	100	24	7	9	3	143	20	18	18	26
627	Montgomery county	374	22	7	3	3	3	38	6	6	13	13
628	Nassau county	932	195	31	18	5	7	256	24	22	15	32
629	Niagara county	561	107	13	3	5	5	133	12	8	14	15
630	Oneida county	921	111	15	13	9	5	153	14	17	21	20
631	Onondaga county	908	99	10	9	5	5	128	16	18	18	19
632	Ontario county	574	61	12	5	.....	1	79	13	6	7	14
633	Orange county	815	118	31	11	10	9	179	21	15	18	25
634	Orleans county	453	58	5	6	1	3	73	12	8	18	11
635	Oswego county	1,126	118	17	11	8	6	160	13	18	20	25
636	Otsego county	844	77	19	10	3	4	113	10	11	16	19
637	Putnam county	244	33	7	6	3	.....	49	8	1	3	6
638	Rensselaer county	718	92	11	11	4	.....	118	8	14	11	25
639	Rockland county	645	112	22	18	12	6	170	20	15	15	16
640	St. Lawrence county	908	116	22	8	7	9	162	12	16	24	35
641	Saratoga county	746	106	13	4	3	4	130	8	10	14	23
642	Schenectady county	177	28	3	3	1	.....	35	3	1	4	8
643	Schoharie county	421	40	7	1	3	.....	51	6	7	9	3
644	Schuyler county	228	11	4	3	.....	.....	18	1	2	4	.....
645	Seneca county	547	34	5	2	.....	2	43	6	1	12	14
646	Steuben county	1,128	117	24	5	7	5	158	22	14	17	24
647	Suffolk county	1,672	163	32	10	3	9	217	19	23	28	45
648	Sullivan county	626	54	9	5	4	4	76	11	13	25	29
649	Tioga county	463	37	7	4	.....	2	50	8	1	10	12
650	Tompkins county	309	23	1	1	3	1	29	3	4	4	5
651	Ulster county	929	147	23	10	9	7	196	8	11	31	29
652	Warren county	246	38	5	2	1	.....	46	7	4	8	8
653	Washington county	683	70	20	5	4	3	102	6	8	13	14

AREAS, AT EACH AGE: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21	16	17	9	17	27	27	38	52	60	67	58	41	18	3	4	575
10	19	18	20	15	24	35	26	49	49	49	45	31	12	4	16	576
19	12	16	22	23	25	42	43	50	71	76	67	42	17	5	3	577
13	7	6	6	7	13	11	12	15	20	26	16	12	8	3	3	578
8	5	12	9	12	11	17	19	15	24	26	28	14	7	1	8	579
7	6	8	12	6	13	12	16	16	19	20	17	5	4	2	1	580
33	45	47	37	46	70	44	83	84	73	64	49	32	6	1	4	581
42	33	31	35	27	45	47	70	80	85	72	43	27	10	4	1	582
23	7	24	22	18	22	22	35	26	59	31	25	17	2	5	1	583
5	6	8	6	8	7	7	11	21	21	13	14	8	1	.....	.....	584
8	6	9	12	12	27	25	18	30	34	34	24	20	2	.....	2	585
29	47	52	45	41	32	65	70	77	80	64	47	23	9	3	.....	586
19	11	18	19	10	25	22	28	31	30	44	31	16	3	1	1	587
65	52	55	71	64	71	67	81	86	84	58	39	9	8	1	2	588
10	15	20	12	15	23	22	26	45	47	39	39	29	10	2	2	589
9	10	5	8	8	8	8	32	20	19	24	21	11	5	.....	.....	590
20	21	26	29	17	22	35	21	36	38	39	27	16	7	3	3	591
26	57	49	54	46	54	66	79	88	102	94	67	41	12	3	6	592
36	42	32	38	45	48	48	57	65	61	57	49	15	5	2	2	593
9	8	10	12	16	11	11	13	22	20	16	15	5	8	.....	.....	594
11	16	16	7	14	10	8	17	21	16	15	8	4	1	.....	.....	595
13	5	16	15	14	10	22	22	28	37	34	28	14	4	.....	1	596
11	8	8	10	13	13	20	29	35	32	31	33	16	6	1	3	597
7	8	7	12	13	11	14	18	30	17	24	20	13	3	4	2	598
16	22	10	20	21	17	19	40	31	25	26	20	9	4	2	2	599
20	9	15	13	18	21	16	23	27	41	43	24	11	8	.....	.....	600
27	22	8	17	12	17	34	31	44	38	44	51	18	9	2	3	601
14	16	19	19	21	29	43	45	55	53	68	57	36	10	2	3	602
11	18	21	14	14	16	36	41	47	45	57	56	32	11	2	1	603
21	27	28	18	23	34	41	42	59	78	68	69	34	9	2	.....	604
15	15	10	10	14	20	26	34	54	83	73	69	33	12	3	.....	605
19	35	13	22	24	32	41	50	86	87	79	85	34	10	4	5	606
4	7	9	3	8	10	22	25	30	34	39	29	12	2	1	1	607
19	18	18	16	15	33	23	58	59	97	70	70	31	15	2	1	608
18	15	23	15	21	18	20	27	34	40	52	35	27	10	5	5	609
15	9	13	18	21	16	34	28	43	62	74	51	35	16	3	3	610
6	7	6	8	14	11	20	24	38	33	31	33	27	7	2	.....	611
13	18	13	14	24	19	29	36	55	64	70	45	27	17	4	3	612
44	40	59	56	53	52	69	91	97	92	102	93	47	18	7	7	613
42	41	43	45	36	48	57	63	85	97	103	92	50	19	2	4	614
22	15	17	8	20	19	24	28	33	40	30	27	16	9	4	1	615
48	36	27	31	22	32	23	29	38	45	44	40	25	9	8	4	616
4	4	4	7	5	7	9	14	19	15	25	17	16	2	.....	.....	617
14	12	20	18	15	16	21	33	38	59	58	58	37	7	.....	2	618
14	10	15	12	19	19	41	40	40	55	66	38	23	3	3	.....	619
3	2	4	1	1	1	3	5	5	.....	.....	3	4	.....	.....	.....	620
38	22	26	19	22	30	23	55	67	54	62	45	28	13	3	5	621
21	22	28	21	24	32	44	60	65	92	90	78	41	13	3	2	622
18	9	10	11	5	20	19	21	20	39	66	30	20	5	4	1	623
12	22	16	17	22	22	21	34	55	60	54	51	30	9	2	2	624
11	17	21	10	18	31	32	43	60	69	79	65	44	10	4	3	625
25	26	30	12	29	35	35	47	59	84	91	72	47	18	1	1	626
9	8	18	9	10	18	29	23	40	35	37	35	18	6	.....	3	627
24	27	46	41	28	43	40	49	55	73	63	50	27	8	6	3	628
14	20	17	19	13	17	30	26	44	46	37	51	35	5	3	2	629
28	27	25	18	24	38	41	53	89	104	96	88	37	23	3	2	630
21	25	32	28	36	33	55	63	73	104	89	86	40	15	4	5	631
15	12	13	19	21	31	30	37	54	61	63	55	32	11	1	.....	632
21	29	32	28	30	31	42	59	53	67	70	46	29	13	2	5	633
11	12	7	13	19	14	19	34	39	48	48	38	18	7	4	.....	634
42	23	39	37	36	60	67	85	94	125	108	107	39	24	2	2	635
17	15	22	22	25	38	43	66	95	91	89	78	51	17	3	3	636
1	4	11	8	10	15	17	11	24	15	19	27	9	3	2	1	637
26	28	28	22	18	29	34	52	60	82	69	48	32	10	1	3	638
22	18	23	28	31	24	37	40	46	41	42	43	10	3	.....	1	639
21	27	24	37	24	37	37	54	73	87	84	95	43	20	4	2	640
21	22	32	24	32	26	43	50	62	57	75	58	34	16	2	7	641
5	5	6	7	3	7	9	12	9	15	24	13	5	3	.....	3	642
8	8	7	15	11	13	17	33	30	46	69	41	31	13	2	1	643
6	3	10	4	7	10	16	12	31	29	36	21	11	6	.....	1	644
15	16	17	30	20	40	30	45	71	57	51	51	20	4	1	3	645
37	30	30	24	42	46	63	97	126	138	133	62	39	12	3	11	646
48	77	121	90	80	97	98	107	145	151	128	95	63	23	3	14	647
50	40	37	28	22	20	25	42	39	46	48	41	26	4	.....	4	648
14	11	8	10	19	21	31	49	39	46	53	48	24	5	3	1	649
8	4	9	9	8	11	16	29	27	37	44	36	18	5	1	2	650
34	26	19	26	34	43	57	57	90	84	77	63	31	7	1	5	651
8	8	7	10	9	15	13	15	12	25	25	11	12	3	.....	.....	652
15	18	24	27	19	36	48	48	58	64	81	51	33	13	2	3	653

TABLE 2.—DEATHS IN REGISTRATION

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW YORK RURAL—Continued.											
654	Wayne county	725	69	9	4	2	8	92	10	6	17	20
655	Westchester county	1,708	305	78	20	14	8	425	49	26	39	59
656	Wyoming county	455	42	7	6	2	1	58	8	8	7	9
657	Yates county	330	22	7	.....	4	.....	33	5	4	3	7
	RHODE ISLAND RURAL.											
658	Bristol county	264	60	8	3	3	3	77	10	6	5	7
659	Kent county	594	151	33	9	9	4	206	13	14	13	17
660	Newport county	152	27	5	1	1	.....	34	4	1	2	6
661	Providence county	1,336	226	52	16	16	9	319	32	21	32	43
662	Washington county	392	54	13	4	6	2	79	8	3	3	12
	VERMONT RURAL.											
663	Addison county	282	35	2	1	2	1	41	6	1	5	12
664	Bennington county	229	27	2	4	4	2	39	3	4	9	7
665	Caledonia county	369	46	10	5	3	5	69	5	6	11	13
666	Chittenden county	318	50	16	4	1	1	72	6	4	6	14
667	Essex county	111	12	4	1	.....	.....	17	3	5	6	3
668	Franklin county	515	95	12	10	9	1	127	13	9	18	13
669	Grand Isle county	36	5	2	2	1	1	11	1	2	1	.....
670	Lamoille county	162	21	4	2	1	.....	28	2	1	1	3
671	Orange county	331	28	3	5	2	1	39	7	3	13	10
672	Orleans county	348	41	11	3	3	3	61	9	9	7	17
673	Rutland county	528	80	17	6	7	2	112	6	7	9	23
674	Washington county	518	67	14	6	2	.....	89	11	6	11	15
675	Windham county	420	33	4	7	.....	2	46	4	8	8	8
676	Windsor county	538	51	4	4	4	3	66	8	7	9	13

AREAS, AT EACH AGE: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
18	14	18	21	29	30	28	52	65	76	85	79	37	18	7	3	654
78	75	83	54	75	82	78	97	136	103	112	73	32	16	8	8	655
9	13	11	9	18	13	25	36	36	48	59	50	26	10	1	1	656
5	4	9	8	8	12	14	36	34	41	41	31	23	7	5	.....	657
9	4	7	10	12	11	12	18	23	17	9	14	8	4	1	.....	658
21	16	19	14	19	20	20	27	32	60	32	31	11	7	1	1	659
3	2	4	3	6	7	14	7	6	19	11	15	6	2	.....	.....	660
44	50	47	50	60	66	88	80	93	96	86	67	41	10	8	3	661
17	13	12	13	11	20	15	30	24	35	34	31	24	5	2	1	662
7	10	4	10	9	14	15	14	28	27	33	27	12	6	.....	1	663
4	6	4	5	6	8	7	15	20	24	27	14	17	5	2	3	664
18	15	9	15	13	18	19	17	24	23	34	28	11	15	1	5	665
6	14	7	9	11	14	13	16	18	25	31	25	17	3	2	5	666
4	3	2	5	5	1	3	8	11	12	6	7	3	2	1	4	667
18	17	15	20	18	21	17	33	26	41	36	28	24	14	3	4	668
2	1	.....	.....	3	3	1	.....	1	3	1	1	2	1	1	1	669
6	5	5	5	8	6	3	8	20	18	11	15	11	6	.....	.....	670
6	8	6	10	6	10	16	19	25	39	35	38	22	13	2	4	671
12	6	9	12	14	11	16	29	20	25	36	27	19	4	3	2	672
19	20	18	18	17	18	24	32	32	52	35	46	20	11	5	4	673
12	18	21	13	22	31	17	27	45	48	52	34	27	14	1	4	674
15	13	23	17	12	18	26	33	37	40	38	41	24	4	2	3	675
16	21	14	14	15	16	27	39	49	64	56	57	25	13	7	2	676

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	SUMMARIES.													
1	The registration area	551,354	10,557	1,391	709	3,659	3,610	2,183	9,444	6,724	112	58,763	8,034	23,395
2	Registration cities	416,627	8,347	1,087	602	2,793	2,950	1,653	7,810	3,972	89	46,517	6,391	17,040
3	Registration states	349,855	5,094	619	176	2,418	2,470	1,242	6,257	4,643	50	35,022	5,103	15,247
4	Cities in registration states	215,128	2,884	315	69	1,552	1,810	712	4,623	1,891	27	22,776	3,460	8,892
5	Rural part of registration states	134,727	2,210	304	107	866	660	530	1,634	2,752	23	12,246	1,643	6,355
6	Registration cities in other states	201,499	5,463	772	533	1,241	1,140	941	3,187	2,081	62	23,741	2,931	8,148
	REGISTRATION STATES.													
7	Connecticut	15,489	168	46	.....	80	80	64	216	354	1	1,402	203	670
8	District of Columbia	6,211	140	12	1	4	11	39	52	101	.....	833	112	228
9	Indiana	35,801	1,078	149	97	492	219	158	316	548	4	4,483	583	1,334
10	Maine	11,678	250	11	3	23	9	55	161	167	.....	1,044	179	611
11	Massachusetts	48,431	494	58	9	239	155	165	727	441	8	5,145	761	2,607
12	Michigan	34,382	637	67	27	189	210	145	500	632	10	2,309	419	1,706
13	New Hampshire	6,800	79	9	2	7	10	24	70	127	1	596	84	342
14	New Jersey	35,373	389	58	24	207	441	139	1,000	259	3	3,800	534	1,205
15	New York	142,014	1,685	183	13	1,138	1,256	425	3,012	1,750	19	14,210	1,975	5,834
16	Rhode Island	8,100	70	20	.....	16	70	8	145	109	3	801	182	407
17	Vermont	5,576	104	6	.....	3	9	23	58	155	1	399	71	303
	REGISTRATION CITIES.													
18	Adams town, Mass	230	4	.....	1	1	.....	.....	5	2	.....	16	.....	8
19	Alameda, Cal	138	.....	.....	.....	1	2	.....	2	.....	.....	24	5	16
20	Albany, N. Y	1,847	17	3	.....	.....	9	4	10	33	.....	217	25	106
21	Alexandria, Va	378	15	.....	.....	.....	.....	1	6	6	.....	47	2	8
22	Allegheny, Pa	2,499	173	.....	17	22	23	35	72	13	.....	206	37	63
23	Allentown, Pa	752	13	.....	.....	2	27	2	57	3	.....	52	4	19
24	Altoona, Pa	721	26	.....	.....	8	7	8	15	7	.....	42	14	26
25	Amesbury town, Mass	160	5	.....	.....	.....	.....	2	.....	1	.....	17	1	12
26	Amsterdam, N. Y	355	3	1	.....	2	2	1	2	2	.....	37	5	19
27	Anderson, Ind	331	9	2	.....	7	3	.....	8	.....	.....	47	11	3
28	Ann Arbor, Mich	212	2	.....	.....	2	.....	.....	2	2	.....	13	4	17
29	Annapolis, Md	217	6	.....	.....	.....	1	1	.....	4	.....	31	1	7
30	Ansonia, Conn	172	1	.....	.....	.....	1	.....	.....	7	.....	23	1	5
31	Appleton, Wis	207	2	.....	.....	.....	1	2	5	1	.....	21	4	11
32	Arlington town, Mass	115	.....	.....	.....	.....	1	.....	.....	.....	.....	14	7	8
33	Ashtabula, Ohio	240	20	.....	.....	4	.....	2	.....	3	.....	14	1	6
34	Atlanta, Ga	2,559	60	7	9	7	4	36	31	52	.....	239	21	51
35	Atlantic City, N. J	527	9	.....	.....	.....	1	.....	14	3	.....	41	7	19
36	Attleboro town, Mass	177	1	1	.....	.....	.....	.....	3	1	.....	17	4	12
37	Auburn, N. Y	497	8	2	.....	1	1	.....	14	7	.....	49	5	31
38	Augusta, Me	306	6	.....	.....	.....	.....	.....	.....	1	.....	27	1	7
39	Aurora, Ill	353	12	.....	1	.....	.....	.....	13	2	.....	31	4	24
40	Baltimore, Md	10,815	262	26	4	9	145	26	112	129	2	1,353	174	466
41	Bangor, Me	447	43	1	.....	.....	.....	3	3	2	.....	47	10	24
42	Barre, Vt	129	.....	.....	.....	.....	3	4	1	2	.....	20	3	2
43	Bath, Me	171	3	.....	.....	.....	.....	.....	14	2	.....	11	4	7
44	Battle Creek, Mich	320	5	1	.....	3	.....	1	8	1	.....	25	3	21
45	Bay City, Mich	389	12	1	2	6	1	.....	11	10	.....	33	5	17
46	Bayonne, N. J	712	11	1	.....	9	12	8	24	.....	.....	61	9	17
47	Bellaire, Ohio	230	4	.....	.....	5	1	8	6	3	.....	14	.....	5
48	Belleville, Ill	377	9	2	46	1	.....	4	1	2	.....	33	3	14
49	Beloit, Wis	140	1	.....	.....	.....	.....	.....	1	1	.....	12	3	9
50	Bennington town, Vt	143	3	.....	.....	.....	.....	1	.....	5	.....	15	4	7
51	Berlin, N. H	183	6	.....	1	1	.....	6	3	.....	.....	9	3	6
52	Beverly, Mass	211	2	1	.....	.....	.....	1	2	1	.....	18	7	13
53	Biddeford, Me	330	11	.....	.....	.....	.....	2	6	1	.....	33	3	7
54	Binghamton, N. Y	793	4	2	.....	18	4	2	17	9	.....	82	6	40
55	Boston, Mass	10,753	139	3	.....	135	46	44	223	39	.....	1,270	192	563
56	Bridgeport, Conn	1,318	14	4	.....	8	17	6	24	7	.....	153	25	49
57	Bridgeton, N. J	237	6	.....	.....	3	2	.....	2	1	.....	38	3	6
58	Bristol town, Conn	180	5	1	.....	.....	.....	1	4	5	.....	9	2	5
59	Brockton, Mass	574	9	1	.....	15	1	.....	3	10	.....	57	13	39
60	Brookline town, Mass	242	1	.....	.....	1	1	1	1	5	.....	13	2	28
61	Buffalo, N. Y	5,938	90	3	.....	37	16	11	112	28	2	505	88	269
62	Burlington, Iowa	365	14	1	.....	.....	10	.....	1	3	.....	26	3	20
63	Burlington, Vt	364	6	1	.....	.....	1	1	5	2	.....	23	5	10
64	Cambridge, Mass	1,392	15	3	.....	7	3	2	24	12	.....	189	26	100
65	Camden, N. J	1,553	17	1	7	13	14	3	72	7	.....	164	25	54
66	Canton, Ohio	365	10	.....	.....	1	1	.....	6	3	.....	32	6	19
67	Carbondale, Pa	257	5	.....	.....	.....	.....	.....	9	7	.....	13	4	5
68	Carlisle, Pa	168	.....	1	.....	.....	.....	1	1	2	.....	21	2	10
69	Central Falls, R. I	281	2	.....	.....	.....	1	.....	4	6	.....	21	8	12
70	Charleston, S. C	1,687	33	26	3	.....	1	.....	5	18	.....	204	10	28
71	Chelsea, Mass	684	12	.....	.....	5	3	.....	15	12	.....	82	3	30
72	Chicago, Ill	26,697	390	9	30	54	150	139	407	210	3	3,168	404	1,237
73	Chicopee, Mass	339	2	.....	.....	1	4	1	8	4	.....	38	5	14
74	Chillicothe, Ohio	185	13	.....	.....	.....	.....	4	3	6	.....	29	.....	8
75	Cincinnati, Ohio	7,118	274	3	12	79	24	7	46	118	1	918	126	273
76	Cleveland, Ohio	6,546	211	5	6	52	4	10	142	22	.....	612	54	260
77	Clinton town, Mass	177	4	.....	.....	.....	.....	.....	.....	2	.....	6	1	5

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1904.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
444	4,259	10,553	50,028	57,220	44,957	32,018	30,315	6,549	29,261	34,381	5,109	24,001	4,912	31,732	12,400	43,041	1,593	1
290	3,017	8,482	34,092	40,191	35,869	25,607	25,252	4,694	21,910	27,201	3,861	19,004	3,969	24,089	9,204	29,810	834	2
294	3,036	7,275	33,421	38,690	27,804	20,874	19,463	4,074	17,890	21,851	3,216	15,116	2,611	19,850	7,203	27,795	1,051	3
140	1,794	5,204	17,485	21,661	18,716	14,463	14,400	2,219	10,539	14,671	1,968	10,119	1,668	12,207	4,007	14,564	292	4
154	1,242	2,071	15,936	17,029	9,088	6,411	5,063	1,855	7,351	7,180	1,248	4,997	943	7,643	3,196	13,231	759	5
150	1,223	3,278	16,607	18,530	17,153	11,144	10,852	2,475	11,371	12,530	1,893	8,885	2,301	11,882	5,197	15,246	542	6
21	166	416	1,594	1,797	1,082	751	985	178	854	1,029	131	723	148	955	171	1,142	62	7
2	37	68	616	663	436	360	346	70	313	439	53	321	63	289	112	488	2	8
42	256	706	3,508	3,191	2,439	1,640	1,449	617	2,109	1,575	318	2,074	228	1,885	895	3,290	118	9
8	104	208	1,344	1,378	884	523	382	105	603	636	91	440	91	584	317	1,241	226	10
40	469	972	4,765	6,264	3,603	2,612	2,927	464	2,221	2,520	394	2,781	392	2,391	914	3,882	81	11
53	338	392	3,792	4,150	2,025	1,883	1,510	524	2,290	1,509	502	1,352	298	2,127	773	3,640	373	12
6	61	131	843	909	470	333	337	71	370	395	38	175	46	307	190	746	24	13
21	232	846	3,613	3,338	3,239	2,120	2,335	417	1,676	2,104	265	1,529	298	1,985	957	2,284	55	14
92	1,225	3,307	12,016	15,477	12,549	9,860	8,417	1,474	6,724	10,674	1,268	5,202	1,031	8,664	2,657	9,834	43	15
3	74	115	720	830	643	499	611	89	400	648	97	317	61	421	90	635	16	16
6	74	114	610	693	434	293	164	65	330	322	59	202	45	242	127	613	51	17
.....	.....	7	16	13	17	12	29	.....	14	6	3	21	2	3	5	15	.....	18
.....	2	2	26	34	11	7	7	2	14	13	.....	2	1	6	3	14	4	19
4	17	32	172	251	124	93	59	29	119	196	9	33	11	89	41	144	.....	20
.....	.....	3	28	23	30	10	23	4	13	23	1	12	.....	18	14	32	19	21
1	10	54	213	163	255	136	241	47	128	72	19	115	19	126	95	144	.....	22
1	1	17	76	71	56	18	22	3	43	46	3	49	4	22	88	50	3	23
1	5	14	80	60	79	35	37	4	37	39	7	31	2	47	33	53	4	24
.....	2	4	18	24	20	3	8	1	4	8	.....	11	.....	6	4	9	.....	25
1	3	15	39	37	20	21	22	4	24	20	1	16	1	16	14	27	.....	26
.....	1	9	26	36	17	13	14	3	18	16	2	13	5	23	12	32	1	27
1	4	1	25	34	6	8	2	1	19	17	3	7	4	10	3	25	.....	28
.....	.....	3	23	12	8	11	20	2	7	16	2	17	2	14	16	13	.....	29
.....	2	11	16	10	12	9	16	3	11	8	5	8	1	7	1	13	1	30
.....	2	5	26	15	11	8	5	.....	12	6	1	15	1	11	10	29	3	31
1	1	2	7	21	6	2	6	1	8	3	.....	6	3	4	3	10	1	32
1	1	4	24	8	46	4	17	.....	3	1	1	13	4	27	16	20	.....	33
2	15	29	187	151	289	91	155	41	138	159	37	81	2	121	115	170	39	34
.....	5	10	63	67	25	22	26	5	36	42	2	24	6	38	20	40	2	35
.....	3	9	18	19	8	7	11	.....	8	9	.....	17	1	15	1	12	.....	36
.....	4	14	40	65	40	18	23	6	23	27	4	23	6	31	3	52	.....	37
.....	2	2	82	24	15	23	17	1	14	11	6	13	3	13	9	27	2	38
1	6	15	43	19	29	11	8	4	26	18	2	12	5	16	19	30	2	39
7	64	142	926	985	839	695	671	100	519	880	110	671	76	451	281	749	1	40
.....	2	4	35	53	49	15	7	5	23	18	.....	16	3	30	5	37	12	41
1	1	8	11	6	14	12	5	1	9	3	1	4	.....	4	4	10	.....	42
.....	.....	3	22	22	14	10	2	1	10	14	.....	3	1	14	1	13	.....	43
.....	7	1	32	36	28	9	9	2	28	19	4	13	4	16	12	32	.....	44
2	2	2	27	51	16	25	19	1	31	22	10	13	5	18	7	40	.....	45
.....	1	19	55	45	59	65	85	11	30	39	8	39	5	47	12	40	.....	46
.....	1	10	17	23	26	6	10	16	20	15	1	5	2	12	7	13	.....	47
.....	3	8	33	27	22	18	17	5	30	18	2	14	10	24	10	21	.....	48
.....	2	3	10	12	11	10	2	2	12	8	5	8	.....	7	4	16	1	49
.....	1	1	14	23	6	4	4	3	7	17	.....	4	3	2	1	17	1	50
.....	2	12	6	9	21	9	25	.....	7	2	.....	11	.....	16	10	8	10	51
.....	4	4	28	49	17	5	6	2	3	18	2	7	1	9	1	10	.....	52
.....	3	14	43	45	27	26	19	2	5	15	3	39	.....	4	6	15	1	53
1	4	12	104	102	52	34	28	22	46	56	4	22	3	41	15	63	.....	54
9	109	198	823	1,348	907	631	582	80	540	482	96	569	74	571	185	847	28	55
.....	9	33	83	131	100	67	109	15	76	125	16	58	10	82	14	81	2	56
1	1	2	28	18	16	13	14	1	16	21	3	4	.....	10	11	15	2	57
.....	1	22	11	19	20	5	14	3	5	12	2	6	1	6	2	19	.....	58
.....	4	12	56	72	32	27	22	7	35	21	9	29	5	24	12	57	2	59
.....	4	1	24	47	20	13	7	.....	10	17	4	7	1	9	2	23	.....	60
6	72	102	542	687	353	456	456	67	334	352	61	305	40	368	77	497	2	61
.....	5	3	40	32	29	9	8	3	21	13	.....	13	1	31	17	59	3	62
.....	3	21	28	28	31	16	30	5	16	19	2	30	4	12	26	39	.....	63
1	13	31	109	201	106	72	90	16	52	61	8	85	4	41	25	95	1	64
.....	6	33	136	151	135	76	100	12	77	133	8	76	5	90	46	92	.....	65
2	5	9	41	32	32	18	4	4	25	13	1	17	3	23	21	33	4	66
1	6	6	28	21	29	13	15	1	18	13	1	10	.....	33	7	12	.....	67
.....	1	2	22	16	15	8	1	3	10	6	1	8	.....	4	10	22	1	68
.....	1	9	28	15	24	26	29	4	19	18	5	15	.....	13	2	19	.....	69
2	1	13	187	173	70	44	145	67	62	221	14	58	1	54	67	177	3	70
.....	5	17	92	84	44	34	43	6	27	55	6	25	6	32	7	39	.....	71
13	194	467	1,898	2,457	2,989	1,745	1,801	353	1,435	1,931	328	994	408	1,717	182	1,573	11	72
.....	1	20	29	35	18	18	34	6	13	16	3	23	1	22	4	19	.....	73
2	.....	4	10	14	14	9	5	1	10	6	.....	11	3	11	7	15	.....	74
8	35	172	554	643	560	533	328	135	388	450	60	252	87	358	133	540	1	75
5	31	128	645	593	552	356	517	63	340	333	39	412	73	368	172	514	7	76
.....	2	2	14	18	24	10	13	5	15	8	2	10	3	11	5	16	1	77

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
78	Cohoes, N. Y.	458	25	.....	.....	.....	5	1	7	6	.....	58	11	21
79	Columbia, Pa.	190	16	.....	.....	3	.....	.....	.....	.....	.....	12	.....	8
80	Columbus, Ind.	149	9	.....	.....	3	.....	1	4	3	.....	25	3	4
81	Columbus, Ohio.	2,340	205	4	.....	11	14	2	24	18	1	207	60	101
82	Concord, N. H.	377	2	.....	.....	.....	.....	1	4	7	1	29	2	19
83	Corning, N. Y.	203	7	.....	.....	.....	1	1	10	3	.....	14	2	12
84	Cortland, N. Y.	144	1	.....	.....	2	.....	.....	.....	3	1	11	2	10
85	Covington, Ky.	845	18	.....	.....	16	3	16	11	20	.....	106	14	28
86	Danbury town, Conn.	303	1	2	.....	2	.....	2	5	9	.....	28	10	18
87	Danvers town, Mass.	285	3	.....	.....	.....	.....	.....	.....	.....	.....	22	4	9
88	Davenport, Iowa.	522	13	.....	.....	3	2	.....	1	2	.....	50	6	40
89	Dayton, Ohio.	1,389	26	2	23	6	4	7	6	11	.....	174	36	80
90	Decatur, Ill.	323	9	2	1	1	.....	5	1	3	.....	38	5	22
91	Denver, Colo.	2,917	45	.....	.....	27	21	21	47	12	.....	681	53	107
92	Detroit, Mich.	4,739	56	7	1	41	36	7	141	30	2	377	74	237
93	Dover, N. H.	241	3	1	.....	.....	.....	.....	.....	2	.....	32	5	11
94	Dubois, Pa.	152	7	.....	2	3	.....	5	7	2	.....	7	1	4
95	Duluth, Minn.	724	34	.....	.....	.....	9	.....	8	.....	.....	92	13	41
96	Dunkirk, N. Y.	273	6	.....	.....	1	39	1	4	5	.....	13	2	8
97	Eau Claire, Wis.	232	1	.....	.....	.....	1	.....	11	.....	.....	34	4	12
98	Elizabeth, N. J.	1,095	11	.....	1	5	6	.....	48	5	.....	92	27	28
99	Elkhart, Ind.	224	8	1	.....	.....	1	.....	.....	2	.....	29	2	11
100	Elmira, N. Y.	555	19	.....	.....	.....	2	.....	15	8	.....	43	6	34
101	Elwood, Ind.	158	7	1	.....	2	.....	.....	2	1	.....	20	1	3
102	Erie, Pa.	872	28	.....	.....	1	2	2	36	11	.....	66	7	54
103	Escanaba, Mich.	240	39	.....	.....	.....	.....	4	2	4	.....	22	6	7
104	Evansville, Ind.	929	25	5	1	3	5	6	27	12	.....	107	12	35
105	Everett, Mass.	347	3	.....	.....	1	1	1	7	6	1	46	5	18
106	Fall River, Mass.	2,074	20	1	.....	7	4	2	29	11	.....	224	12	67
107	Findlay, Ohio.	249	8	2	.....	2	1	.....	.....	3	.....	27	4	7
108	Fitchburg, Mass.	423	3	1	1	.....	.....	4	1	1	.....	35	4	25
109	Flint, Mich.	194	3	.....	1	.....	4	.....	2	.....	.....	9	2	12
110	Fort Wayne, Ind.	682	15	4	.....	1	.....	1	6	4	.....	70	16	29
111	Framingham town, Mass.	159	1	.....	.....	.....	1	.....	.....	3	.....	14	2	11
112	Frederick, Md.	188	6	.....	.....	.....	.....	.....	.....	6	.....	28	.....	7
113	Fresno, Cal.	251	8	3	.....	5	.....	6	.....	2	.....	32	1	5
114	Gardner town, Mass.	179	3	.....	.....	.....	.....	2	6	4	.....	22	2	1
115	Geneva, N. Y.	179	6	.....	.....	.....	.....	1	5	2	.....	10	2	7
116	Glens Falls, N. Y.	201	7	.....	.....	.....	.....	.....	1	5	.....	17	5	8
117	Gloucester, Mass.	466	4	1	.....	2	3	.....	11	6	.....	34	9	18
118	Gloversville, N. Y.	260	1	.....	.....	1	2	.....	5	4	.....	18	5	12
119	Grand Rapids, Mich.	1,417	59	2	.....	4	6	12	12	20	.....	116	26	67
120	Green Bay, Wis.	326	8	.....	.....	1	1	6	4	.....	5	23	6	17
121	Greenwich town, Conn.	213	2	.....	.....	2	.....	2	4	4	.....	13	2	11
122	Hamilton, Ohio.	412	7	.....	.....	14	2	3	4	3	.....	45	7	14
123	Hammond, Ind.	192	6	.....	.....	1	5	5	1	1	.....	14	7	10
124	Harrisburg, Pa.	821	32	5	.....	5	3	1	11	19	1	68	9	27
125	Harrison, N. J.	194	1	5	.....	.....	3	.....	5	1	1	19	.....	4
126	Hartford, Conn.	1,500	12	.....	.....	4	4	7	28	25	.....	127	19	70
127	Haverhill, Mass.	556	5	.....	.....	7	.....	.....	2	2	.....	62	10	35
128	Hazelton, Pa.	241	2	.....	.....	1	3	.....	16	1	.....	17	.....	7
129	Hoboken, N. J.	1,427	13	1	.....	13	9	7	47	1	.....	184	36	55
130	Holyoke, Mass.	832	4	3	.....	.....	2	5	16	8	.....	98	14	43
131	Hudson, N. Y.	202	17	.....	.....	1	.....	.....	2	9	.....	15	4	9
132	Huntington, Ind.	172	4	.....	.....	2	.....	.....	1	2	.....	17	2	14
133	Hyde Park town, Mass.	204	1	.....	.....	2	1	3	.....	5	.....	28	8	10
134	Indianapolis, Ind.	3,346	140	9	.....	17	2	2	19	27	.....	422	59	122
135	Iron Mountain, Mich.	110	1	.....	.....	.....	.....	.....	2	.....	.....	8	.....	7
136	Ironton, Ohio.	162	4	.....	6	1	1	.....	3	.....	.....	18	2	4
137	Ironwood, Mich.	72	4	.....	.....	.....	.....	.....	2	2	.....	5	.....	1
138	Ishpeming, Mich.	132	.....	.....	.....	.....	1	5	5	.....	.....	18	.....	7
139	Ithaca, N. Y.	219	4	1	.....	4	1	.....	1	8	.....	14	3	15
140	Jackson, Mich.	372	12	1	5	.....	.....	.....	5	6	.....	25	3	20
141	Jacksonville, Fla.	904	29	20	.....	6	.....	8	4	1	.....	138	4	18
142	Jacksonville, Ill.	339	9	.....	.....	.....	.....	.....	1	3	.....	35	8	11
143	Jamestown, N. Y.	321	10	.....	.....	.....	1	2	5	5	.....	31	3	17
144	Jeffersonville, Ind.	200	5	4	.....	.....	.....	1	2	3	.....	20	6	14
145	Jersey City, N. J.	4,728	43	6	.....	11	92	29	153	25	.....	500	54	123
146	Johnstown, N. Y.	126	.....	.....	.....	1	.....	.....	.....	2	.....	12	1	8
147	Johnstown, Pa.	603	14	1	2	1	27	6	22	1	.....	54	3	23
148	Kalamazoo, Mich.	494	6	1	.....	2	3	1	5	9	.....	34	6	26
149	Kansas City, Mo.	3,465	76	13	8	18	20	7	49	61	1	415	27	128
150	Keene, N. H.	150	1	.....	.....	.....	.....	1	.....	12	.....	13	.....	8
151	Key West, Fla.	416	17	7	.....	1	3	.....	2	.....	2	53	2	7
152	Kingston, N. Y.	444	5	1	.....	.....	1	7	9	7	.....	48	5	23
153	Kokomo, Ind.	201	1	.....	.....	.....	.....	.....	2	5	.....	28	1	10
154	Laconia, N. H.	142	1	1	.....	.....	.....	.....	1	.....	.....	14	1	11
155	Lafayette, Ind.	347	7	1	.....	.....	1	.....	3	5	.....	46	6	7
156	Lancaster, Pa.	676	36	.....	.....	16	1	.....	13	9	.....	60	10	27
157	Lansing, Mich.	234	9	.....	.....	1	.....	2	2	4	.....	8	2	13

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1904—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	1	14	44	20	27	28	21	7	30	26	3	25	2	33	21	22	.....	78
.....	.....	1	25	24	10	9	15	2	5	15	.....	14	.....	14	5	12	.....	79
.....	2	5	8	7	11	4	8	.....	4	3	1	8	1	13	3	19	.....	80
2	14	48	234	244	165	90	81	31	131	75	22	52	15	162	41	190	6	81
.....	8	6	60	45	25	14	11	11	15	20	1	8	5	21	10	51	1	82
.....	2	4	21	14	18	7	6	3	16	12	1	2	1	23	5	16	2	83
.....	.....	3	13	20	12	7	3	1	9	12	.....	6	1	8	5	14	.....	84
1	4	31	61	72	90	31	20	9	38	69	7	27	6	36	32	78	1	85
.....	6	5	40	37	20	11	16	6	16	18	.....	19	6	7	.....	18	1	86
.....	.....	2	61	38	33	52	2	3	7	16	.....	4	3	3	3	20	.....	87
.....	5	7	47	45	28	42	15	6	29	18	7	22	16	31	11	75	1	88
1	8	36	125	117	81	50	58	15	95	88	5	57	3	83	43	149	.....	89
1	3	6	32	30	18	11	12	6	19	23	3	19	6	18	6	23	.....	90
1	19	40	171	242	319	124	63	15	180	170	30	87	50	139	16	237	.....	91
2	37	86	420	426	301	326	306	53	313	220	57	299	47	187	128	476	46	92
.....	1	4	35	37	12	9	11	1	8	15	1	7	.....	10	8	27	1	93
1	1	3	7	8	6	13	11	3	9	6	1	10	1	12	8	14	.....	94
.....	5	21	26	58	59	27	42	12	43	39	9	44	8	71	8	35	.....	95
.....	1	1	17	19	26	13	14	1	29	8	4	13	3	21	5	19	.....	96
2	3	.....	24	14	17	9	1	1	13	4	2	4	.....	13	20	41	1	97
2	13	18	90	93	117	63	114	16	45	61	6	55	9	82	30	56	2	98
.....	3	3	23	30	9	10	3	4	16	12	5	8	1	21	5	16	1	99
2	5	7	39	71	36	31	23	5	30	54	2	14	4	43	4	38	.....	100
1	1	2	13	5	12	8	15	4	14	4	.....	8	1	9	6	18	.....	101
1	10	15	75	77	52	43	44	12	68	64	10	32	7	51	9	74	1	102
.....	.....	4	14	12	9	18	21	4	12	6	2	9	1	15	5	20	4	103
1	6	23	131	84	52	55	49	15	59	55	5	44	13	33	15	58	2	104
2	4	8	34	43	33	15	18	3	19	14	2	14	3	17	6	23	.....	105
1	13	50	197	124	142	165	286	32	83	92	23	254	3	56	61	111	4	106
1	3	6	32	29	10	12	15	3	15	6	2	13	5	17	3	23	.....	107
.....	5	4	35	61	26	30	34	3	26	10	4	34	4	30	14	28	.....	108
1	4	3	18	22	19	7	7	4	10	6	4	10	3	9	4	29	1	109
2	10	12	90	50	54	47	22	12	50	45	6	33	6	46	12	36	3	110
.....	2	2	22	19	11	2	3	1	10	5	4	5	1	16	1	23	.....	111
.....	1	3	21	17	3	5	5	.....	11	17	.....	13	1	11	3	29	1	112
.....	2	4	17	18	16	10	20	4	28	3	2	9	4	15	16	21	.....	113
.....	1	11	14	17	11	11	7	1	3	10	.....	16	1	9	3	24	.....	114
.....	1	5	18	17	16	11	7	2	11	10	2	7	2	12	1	24	.....	115
1	1	2	28	22	9	6	6	5	18	14	2	13	.....	9	2	20	.....	116
1	6	9	51	59	24	18	12	3	19	24	7	35	6	60	9	35	.....	117
1	2	5	37	44	12	23	3	.....	12	21	5	11	1	11	5	19	.....	118
1	16	18	107	173	103	94	81	19	106	53	19	54	20	65	37	126	1	119
.....	3	6	27	20	29	17	21	1	27	16	3	23	1	9	3	48	1	120
.....	3	3	15	13	14	12	22	2	17	15	1	10	4	17	9	15	1	121
1	1	10	36	33	40	24	13	2	22	16	4	19	11	38	16	26	1	122
.....	.....	3	10	8	19	5	13	3	16	8	1	11	3	20	6	16	.....	123
.....	7	11	97	61	68	36	27	8	43	41	8	45	2	62	43	81	.....	124
.....	.....	9	14	19	26	8	8	2	7	14	.....	12	.....	16	7	10	3	125
6	15	91	111	169	107	66	86	11	88	105	18	81	14	98	12	125	1	126
1	8	14	54	98	38	20	20	.....	19	30	1	31	6	42	5	45	1	127
.....	3	11	24	12	17	18	16	2	13	13	2	15	.....	15	19	12	2	128
.....	10	57	108	124	160	86	77	9	64	92	11	53	26	77	39	67	1	129
.....	8	29	54	69	64	53	112	7	37	39	6	69	7	28	19	38	.....	130
1	2	5	23	24	6	9	2	3	8	9	1	12	.....	13	8	19	.....	131
1	3	5	14	14	9	4	5	4	23	11	3	5	2	11	1	13	2	132
.....	2	2	17	19	16	9	17	3	8	9	3	7	4	11	3	16	.....	133
4	18	87	322	306	258	161	103	59	201	157	17	209	36	186	102	301	.....	134
1	.....	1	7	4	2	6	15	2	8	4	2	13	2	13	1	8	3	135
.....	1	1	8	17	11	7	7	3	10	10	1	8	2	12	5	20	.....	136
.....	.....	.....	5	.....	3	8	5	.....	4	.....	1	7	.....	8	3	5	9	137
.....	.....	7	6	9	6	11	15	1	6	5	1	9	.....	8	2	9	1	138
.....	3	2	20	28	23	12	6	2	10	25	3	4	1	14	2	13	.....	139
2	3	3	44	49	26	19	10	2	20	20	3	17	5	19	12	41	.....	140
.....	4	10	80	46	68	38	43	8	43	66	9	64	3	54	61	67	12	141
.....	2	4	58	37	31	9	4	4	18	21	2	11	3	20	6	42	.....	142
1	3	7	33	49	14	13	6	3	21	23	4	15	2	17	8	28	.....	143
.....	2	5	20	17	11	11	11	4	18	16	1	7	.....	5	4	13	.....	144
.....	20	170	395	461	306	280	311	53	238	267	40	156	44	269	122	261	9	145
.....	1	4	20	18	8	8	5	2	4	6	.....	5	.....	5	5	11	.....	146
.....	4	5	55	27	56	14	28	9	36	15	3	20	4	65	68	33	7	147
1	2	5	110	78	21	21	13	6	24	17	2	11	1	32	2	54	1	148
5	18	60	182	299	567	133	79	29	209	178	21	150	34	284	118	272	4	149
.....	2	1	18	27	10	7	3	4	4	7	1	2	.....	9	2	18	.....	150
.....	1	14	47	30	4	14	55	12	10	11	3	41	.....	13	42	24	1	151
1	2	8	60	50	29	22	24	4	22	23	4	20	1	29	9	30	.....	152
3	2	2	14	17	18	10	6	1	17	2	1	19	2	11	6	23	.....	153
.....	2	.....	25	12	12	9	5	1	10	7	.....	2	1	8	4	15	.....	154
3	2	5	40	54	24	11	9	6	20	15	3	15	.....	17	11	35	1	155
.....	6	12	94	73	49	27	30	12	35	42	5	18	6	28	14	53	.....	156
3	1	3	25	41	12	6	11	6	18	9	3	2	1	20	1	18	4	157

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
158	Lawrence, Mass.	1,147	12	1	.....	1	3	6	12	6	.....	115	15	41
159	Leadville, Colo.	255	38	.....	.....	1	1	.....	1	4	.....	3	1	4
160	Leavenworth, Kans.	346	11	.....	1	1	1	4	9	2	.....	33	2	11
161	Leominster town, Mass.	176	1	.....	.....	.....	1	.....	.....	1	.....	20	3	7
162	Lima, Ohio.	359	9	2	.....	1	2	4	7	10	.....	29	7	9
163	Lincoln, Nebr.	457	10	.....	.....	14	1	.....	4	3	.....	33	4	23
164	Lockport, N. Y.	285	7	.....	.....	.....	2	.....	16	3	.....	27	4	8
165	Logansport, Ind.	311	9	.....	.....	.....	1	2	5	6	.....	36	8	19
166	Los Angeles, Cal.	2,752	60	4	.....	7	7	1	39	15	.....	520	41	117
167	Louisville, Ky.	4,344	135	13	7	14	7	2	40	53	1	525	45	135
168	Lowell, Mass.	1,738	19	2	1	19	6	3	35	7	.....	134	22	71
169	Lynchburg, Va.	477	25	.....	1	2	.....	3	5	2	.....	69	9	10
170	Lynn, Mass.	1,127	18	1	.....	1	.....	2	21	5	.....	146	16	64
171	McKeesport, Pa.	743	54	.....	.....	1	8	.....	26	4	.....	53	10	15
172	Madison, Wis.	283	.....	.....	.....	.....	.....	.....	2	8	.....	31	7	19
173	Mahanoy City, Pa.	333	2	.....	2	2	7	.....	13	.....	.....	12	.....	6
174	Malden, Mass.	489	10	.....	.....	3	2	2	4	6	.....	56	10	29
175	Manchester, N. H.	977	13	2	1	.....	1	7	17	8	.....	90	20	37
176	Manchester town, Conn.	128	3	.....	.....	.....	1	.....	7	3	.....	15	2	4
177	Manitowoc, Wis.	167	2	.....	.....	1	.....	.....	2	3	.....	13	3	11
178	Mankato, Minn.	140	2	.....	.....	.....	1	.....	.....	2	.....	11	3	9
179	Marietta, Ohio.	178	10	.....	.....	2	1	2	.....	2	.....	10	1	10
180	Marinette, Wis.	148	4	.....	.....	.....	.....	1	.....	4	1	19	.....	1
181	Marion, Ind.	327	14	.....	.....	5	17	.....	3	.....	.....	38	3	11
182	Marlboro, Mass.	181	2	.....	.....	.....	2	.....	3	1	.....	13	2	12
183	Marquette, Mich.	168	4	.....	.....	.....	1	3	1	1	.....	10	3	5
184	Massillon, Ohio.	155	2	.....	.....	4	2	1	1	3	.....	14	.....	10
185	Meadville, Pa.	150	2	.....	.....	.....	.....	.....	.....	3	.....	8	2	9
186	Medford, Mass.	231	2	1	.....	.....	1	.....	2	2	1	21	7	19
187	Melrose, Mass.	188	1	.....	.....	.....	.....	3	2	2	.....	15	7	16
188	Memphis, Tenn.	2,290	54	163	9	20	18	12	17	50	.....	256	16	35
189	Menominee, Mich.	128	13	.....	.....	.....	.....	1	.....	.....	.....	7	1	7
190	Meriden town, Conn.	416	2	6	.....	.....	.....	1	2	14	.....	51	5	20
191	Michigan City, Ind.	213	9	.....	.....	.....	.....	.....	3	2	.....	24	3	12
192	Middletown, N. Y.	341	1	.....	.....	4	.....	.....	4	4	.....	41	3	13
193	Middletown, Ohio.	110	1	.....	.....	.....	.....	.....	.....	.....	.....	18	1	3
194	Middletown town, Conn.	207	1	.....	.....	.....	.....	.....	1	.....	.....	25	3	7
195	Milford town, Mass.	168	1	1	.....	.....	.....	1	1	1	.....	15	2	7
196	Millville, N. J.	177	3	.....	.....	1	.....	2	8	2	.....	17	3	10
197	Milwaukee, Wis.	4,178	42	2	1	41	43	11	54	50	.....	436	57	229
198	Minneapolis, Minn.	2,405	101	.....	17	2	33	17	58	10	1	259	66	144
199	Mobile, Ala.	1,052	24	11	1	14	.....	5	10	4	.....	163	11	23
200	Montclair, N. J.	312	7	.....	.....	4	1	.....	3	1	.....	23	8	11
201	Morristown, N. J.	232	2	1	.....	.....	1	.....	7	1	.....	23	5	13
202	Mt. Carmel, Pa.	270	1	.....	.....	2	22	1	14	.....	1	13	.....	4
203	Mt. Vernon, N. Y.	348	6	.....	.....	2	6	2	10	1	.....	27	5	12
204	Muncie, Ind.	395	16	2	1	1	.....	3	3	5	.....	51	7	18
205	Muscatine, Iowa.	207	15	.....	.....	.....	1	.....	1	9	.....	11	5	14
206	Muskegon, Mich.	278	6	1	.....	3	2	6	2	4	.....	28	3	11
207	Nashua, N. H.	371	5	.....	.....	6	1	1	9	6	.....	39	6	17
208	Nashville, Tenn.	1,996	46	29	.....	36	8	17	8	59	.....	296	64	49
209	Natick town, Mass.	123	1	.....	.....	.....	.....	.....	1	2	.....	16	5	11
210	Naugatuck, Conn.	177	2	.....	.....	.....	.....	1	1	.....	.....	25	6	4
211	New Albany, Ind.	366	3	1	.....	3	1	.....	4	7	.....	49	.....	9
212	New Bedford, Mass.	1,366	15	1	.....	2	.....	10	9	7	.....	151	16	58
213	New Britain town, Conn.	485	7	.....	.....	2	4	1	9	9	.....	31	5	21
214	New Brunswick, N. J.	446	8	.....	.....	3	10	.....	20	1	.....	32	9	9
215	New Haven, Conn.	2,015	32	10	.....	17	6	13	17	42	.....	191	33	84
216	New London, Conn.	403	1	.....	.....	.....	1	2	7	11	.....	41	2	21
217	New Orleans, La.	6,819	112	70	.....	32	2	11	47	116	1	1,034	95	253
218	New Rochelle, N. Y.	267	3	.....	.....	.....	1	1	6	3	.....	18	1	9
219	New York, N. Y.	78,325	654	105	7	838	888	208	2,047	552	9	8,570	1,271	2,774
220	Bronx borough	5,536	31	16	1	113	177	13	147	25	.....	1,413	91	157
221	Brooklyn borough	24,830	295	57	6	314	297	77	697	207	3	2,664	420	855
222	Manhattan borough	43,448	276	22	.....	405	376	106	1,097	273	6	4,118	693	1,608
223	Queens borough	3,045	37	8	.....	2	19	10	74	31	.....	268	40	90
224	Richmond borough	1,466	15	2	.....	4	19	2	32	16	.....	107	27	64
225	Newark, N. J.	5,336	37	10	.....	38	122	13	148	31	.....	677	90	192
226	Newark, Ohio.	340	2	.....	1	7	.....	5	7	4	.....	28	10	14
227	Newburg, N. Y.	524	11	.....	.....	10	.....	2	19	3	.....	62	5	24
228	Newburyport, Mass.	277	3	.....	.....	.....	.....	2	3	5	.....	23	1	26
229	Newcastle, Pa.	437	22	.....	.....	1	2	.....	12	5	1	27	2	13
230	Newport, Ky.	466	10	1	.....	1	1	3	16	8	.....	64	10	10
231	Newport, R. I.	340	4	.....	.....	.....	.....	.....	.....	2	1	25	11	18
232	Newton, Mass.	412	3	2	.....	1	1	2	6	4	.....	38	7	26
233	Niagara Falls, N. Y.	416	35	.....	1	2	.....	6	12	6	1	22	6	18
234	Norfolk, Va.	1,187	33	10	.....	2	3	8	13	23	.....	162	19	35

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1904—Continued.

CAUSE OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhœa and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	10	34	88	94	109	88	117	21	63	73	7	60	10	43	36	81	1	158
.....	1	1	18	16	63	18	8	4	11	11	4	12	3	8	5	18	1	159
.....	3	5	38	30	49	18	6	4	21	14	2	12	2	27	11	23	6	160
.....	3	3	19	25	7	7	10	3	4	11	4	12	1	9	4	21	.....	161
2	4	13	30	38	24	12	8	1	21	20	2	20	1	25	19	37	2	162
2	5	11	51	42	39	19	16	5	23	21	.....	24	6	26	24	49	2	163
1	5	5	18	55	11	17	11	2	21	12	2	10	1	13	10	24	.....	164
.....	2	9	29	15	16	10	16	5	28	16	2	18	2	22	4	31	.....	165
2	13	77	224	291	182	110	54	32	173	148	9	89	49	166	69	249	4	166
5	18	92	410	319	446	259	136	39	220	226	15	246	49	159	267	452	9	167
1	13	55	153	164	138	110	216	21	102	86	10	126	11	60	24	127	2	168
1	.....	4	43	53	33	16	21	10	19	10	5	5	.....	20	13	31	67	169
2	11	26	108	107	83	38	59	9	38	72	10	82	6	73	24	97	8	170
.....	4	14	57	44	68	34	66	8	34	28	6	48	4	91	25	40	1	171
.....	3	4	26	31	23	17	5	2	25	15	4	8	1	21	5	24	2	172
.....	.....	11	42	19	21	17	42	7	13	9	2	13	1	38	31	21	2	173
.....	7	10	45	87	48	19	28	2	14	17	5	23	1	19	4	37	1	174
.....	10	33	72	88	73	62	106	10	65	46	9	62	6	34	32	73	.....	175
.....	3	.....	15	12	5	5	11	3	4	4	1	10	1	5	2	12	.....	176
.....	2	.....	16	14	7	20	4	2	9	6	3	8	3	7	3	26	2	177
.....	.....	2	9	12	14	11	1	2	9	13	4	13	1	4	9	7	1	178
.....	1	7	22	20	12	10	3	1	10	2	.....	7	1	15	3	25	1	179
.....	.....	3	11	13	12	8	6	3	12	6	1	13	1	12	4	13	.....	180
.....	1	3	28	22	21	10	11	6	21	10	.....	38	5	17	8	32	3	181
1	1	11	20	30	13	7	5	2	16	6	2	8	.....	6	3	15	.....	182
.....	4	.....	20	17	12	11	8	4	12	14	.....	9	1	15	1	12	.....	183
.....	1	3	23	13	9	6	2	1	4	3	2	16	2	12	2	18	1	184
1	1	2	27	20	9	2	4	3	9	16	1	7	1	17	2	4	.....	185
.....	2	8	35	32	19	4	18	2	5	14	3	9	1	8	.....	15	.....	186
.....	2	3	18	26	17	12	4	.....	12	8	1	9	2	14	4	10	.....	187
3	11	37	128	135	250	108	82	46	132	145	24	45	14	167	50	184	79	188
.....	.....	3	9	12	11	7	8	.....	7	2	2	9	4	11	3	11	.....	189
1	3	8	40	31	36	31	26	3	16	25	5	26	8	14	5	37	.....	190
1	1	5	23	23	13	7	15	2	10	16	2	12	1	10	3	16	.....	191
.....	1	3	71	41	21	22	6	2	16	27	3	11	2	20	4	21	.....	192
.....	2	3	14	10	7	7	3	.....	3	7	2	12	1	6	2	7	1	193
.....	2	2	35	46	26	17	3	2	7	6	.....	6	1	5	.....	11	1	194
.....	1	3	16	21	15	6	8	1	8	18	2	9	1	10	2	18	.....	195
.....	4	2	19	14	4	10	18	2	8	6	1	7	1	12	9	14	.....	196
3	35	63	347	375	318	324	315	40	292	188	39	252	72	212	37	297	3	197
.....	22	43	178	229	145	113	103	10	152	154	28	46	44	174	27	220	.....	198
.....	2	12	113	87	71	38	38	18	63	93	9	52	8	50	38	89	5	199
.....	2	5	29	23	27	24	38	2	14	13	5	17	4	12	3	36	.....	200
.....	3	7	20	23	23	10	15	.....	11	14	1	8	.....	16	6	22	.....	201
.....	1	5	36	6	31	24	20	4	4	6	4	15	1	18	22	14	1	202
.....	2	8	21	39	23	18	26	.....	23	32	6	16	2	22	15	24	.....	203
.....	.....	9	41	31	21	13	19	6	26	17	5	23	8	24	9	35	1	204
.....	.....	2	20	15	26	6	4	2	11	19	2	5	.....	7	4	26	2	205
.....	3	2	29	32	15	12	5	8	8	22	6	7	1	25	2	25	10	206
.....	1	13	36	39	21	26	40	2	23	8	.....	16	.....	22	10	24	.....	207
2	2	12	149	181	140	128	139	41	112	55	34	66	3	114	18	181	7	208
.....	1	2	11	25	9	2	1	1	6	8	1	3	1	7	.....	9	.....	209
.....	2	2	13	12	7	11	30	2	7	14	2	11	.....	11	1	13	.....	210
.....	3	5	48	21	37	25	11	5	25	13	3	18	1	24	5	44	1	211
.....	13	32	113	152	81	87	172	10	52	80	13	114	4	51	42	79	2	212
1	5	17	45	52	30	24	45	9	32	28	6	35	2	32	4	27	2	213
.....	3	14	68	25	33	21	39	4	22	22	2	27	1	21	17	33	2	214
3	17	54	170	216	141	116	109	25	119	147	13	92	28	140	24	132	24	215
.....	7	9	48	48	18	13	24	3	23	33	3	16	1	34	7	30	.....	216
2	23	112	609	694	507	288	368	107	347	600	78	227	42	379	161	502	.....	217
.....	5	6	28	27	17	15	15	3	20	15	1	15	3	22	9	24	.....	218
21	638	2,209	4,648	6,941	8,375	6,641	6,015	703	3,100	6,648	759	3,099	630	4,830	1,205	3,936	4	219
1	59	135	273	409	433	292	305	38	154	414	47	193	46	269	58	226	.....	220
3	182	474	1,615	2,619	2,543	2,033	2,101	279	987	1,999	249	768	28	1,229	430	1,397	2	221
17	266	1,533	2,386	3,476	4,955	4,026	3,153	323	1,773	3,846	420	1,947	501	3,014	633	2,098	1	222
.....	22	59	260	297	313	191	329	47	123	238	33	120	39	215	51	137	1	223
.....	9	17	114	140	131	99	127	16	63	151	10	71	16	103	33	78	.....	224
3	30	154	419	438	487	406	321	68	233	380	42	248	63	233	125	325	3	225
.....	3	12	31	38	19	13	21	6	28	9	7	13	3	33	2	24	.....	226
.....	8	17	50	59	37	27	19	4	25	44	3	20	.....	38	9	28	.....	227
.....	.....	2	25	36	13	10	10	6	19	12	4	10	3	19	21	23	1	228
.....	.....	2	25	36	13	10	10	6	19	12	5	20	2	59	16	28	17	229
2	2	9	33	22	32	24	16	3	40	22	5	20	2	59	16	28	17	229
1	3	10	47	30	44	34	20	11	19	15	1	24	.....	22	23	35	3	230
.....	5	3	34	54	22	18	18	2	20	22	5	13	2	18	1	41	1	231
1	5	12	40	61	32	21	16	1	23	26	5	21	.....	20	9	29	.....	232
.....	3	8	30	27	26	15	44	1	25	14	8	28	2	34	18	23	1	233
.....	2	10	127	107	86	47	87	10	69	66	18	56	3	67	20	102	1	234

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
235	Norristown, Pa	566	18	1	.....	2	3	3	3	8	.....	56	5	19
236	North Adams, Mass	371	10	.....	5	1	4	1	19	4	.....	29	8	16
237	Northampton, Mass	347	3	1	.....	3	.....	.....	1	2	1	28	4	17
238	Norwalk town, Conn	317	5	1	.....	4	2	1	3	6	.....	39	.....	18
239	Norwich town, Conn	415	2	.....	.....	.....	.....	.....	2	7	1	34	7	19
240	Oakland, Cal	1,073	31	3	.....	2	2	5	8	3	1	97	34	72
241	Ogdensburg, N. Y	368	9	.....	.....	.....	.....	2	2	1	.....	48	6	22
242	Olean, N. Y	134	2	.....	.....	.....	.....	.....	.....	3	.....	11	.....	6
243	Omaha, Nebr	1,344	20	3	1	10	8	12	17	15	1	124	20	73
244	Orange, N. J	550	5	.....	.....	2	7	3	13	5	.....	74	8	29
245	Ottawa, Ill	124	1	.....	.....	.....	.....	.....	1	3	.....	16	2	6
246	Owosso, Mich	60	.....	1	.....	.....	.....	.....	.....	2	.....	2	1	5
247	Paducah, Ky	445	13	26	.....	16	1	1	3	6	.....	66	1	4
248	Passaic, N. J	661	6	1	.....	5	6	2	11	3	.....	52	10	17
249	Paterson, N. J	1,987	8	3	.....	14	16	6	47	4	.....	230	28	70
250	Pawtucket, R. I	681	10	3	.....	1	8	.....	11	18	1	63	12	37
251	Peabody town, Mass	157	2	.....	.....	.....	.....	.....	2	1	.....	11	2	11
252	Peekskill, N. Y	194	1	2	.....	2	.....	1	3	2	.....	16	3	7
253	Perth Amboy, N. J	294	7	1	.....	2	13	.....	16	3	.....	22	5	11
254	Peru, Ind	143	6	.....	.....	2	.....	.....	1	2	.....	20	5	3
255	Petersburg, Va	665	23	12	.....	10	.....	.....	5	16	.....	101	5	13
256	Philadelphia, Pa	26,218	766	17	226	311	220	96	547	217	6	3,224	434	1,096
257	Phillipsburg, N. J	168	2	.....	.....	.....	.....	.....	4	.....	.....	12	1	6
258	Pittsburg, Pa	6,972	492	.....	20	86	41	69	163	37	2	541	100	179
259	Pittsfield, Mass	398	8	.....	.....	.....	.....	.....	6	2	.....	38	10	23
260	Plainfield, N. J	292	9	.....	.....	.....	1	2	4	3	.....	45	4	11
261	Plymouth, Pa	239	1	.....	.....	2	1	2	15	.....	.....	7	.....	5
262	Plymouth town, Mass	153	6	.....	.....	1	.....	.....	2	1	.....	8	4	14
263	Pontiac, Mich	178	2	.....	.....	.....	.....	.....	2	3	.....	10	3	9
264	Port Huron, Mich	228	7	.....	.....	1	.....	1	2	4	.....	10	3	6
265	Port Jervis, N. Y	182	8	2	.....	.....	.....	.....	17	6	.....	18	1	3
266	Portland, Me	1,016	15	1	.....	5	1	11	18	4	.....	83	20	56
267	Portland, Oreg	1,372	26	.....	1	2	4	3	23	6	2	136	11	124
268	Portsmouth, N. H	158	1	.....	.....	.....	.....	.....	.....	.....	.....	27	1	10
269	Portsmouth, Ohio	294	15	2	.....	1	3	.....	3	4	.....	43	3	11
270	Pottstown, Pa	220	12	1	3	4	.....	.....	10	3	.....	24	4	4
271	Pottsville, Pa	323	2	1	.....	4	3	1	16	2	.....	25	4	9
272	Poughkeepsie, N. Y	522	16	2	.....	11	.....	2	2	7	.....	47	8	24
273	Providence, R. I	3,595	30	9	.....	6	43	2	89	35	1	364	87	188
274	Pueblo, Colo	708	33	.....	.....	15	3	7	12	13	.....	86	7	25
275	Quincy, Ill	586	20	.....	.....	.....	.....	.....	3	5	.....	71	8	24
276	Quincy, Mass	349	1	.....	.....	3	2	1	10	2	.....	30	13	20
277	Raleigh, N. C	315	8	1	.....	.....	.....	5	4	4	.....	49	8	15
278	Reading, Pa	1,364	29	4	.....	33	21	2	61	19	1	102	21	42
279	Revere town, Mass	155	1	.....	.....	.....	.....	.....	3	3	.....	14	3	9
280	Richmond, Ind	313	5	.....	.....	.....	.....	1	6	3	.....	31	11	13
281	Richmond, Va	2,073	47	17	.....	1	3	5	10	32	.....	239	48	67
282	Rochester, N. H	150	2	.....	.....	.....	.....	2	3	6	.....	19	2	7
283	Rochester, N. Y	2,665	28	5	.....	1	35	1	93	28	.....	249	35	154
284	Rockland, Me	166	2	.....	.....	.....	.....	.....	.....	3	.....	17	4	12
285	Rome, N. Y	292	3	.....	.....	.....	4	.....	1	6	1	42	11	5
286	Rutland, Vt	235	3	.....	.....	.....	.....	2	1	7	.....	16	3	8
287	Sacramento, Cal	612	23	5	.....	2	.....	4	6	3	1	87	9	34
288	Saginaw, Mich	605	23	2	1	.....	2	.....	6	10	.....	53	5	38
289	St. Joseph, Mo	891	14	3	2	9	4	4	10	5	.....	71	11	49
290	St. Louis, Mo	11,767	237	64	51	32	66	43	170	158	4	1,440	135	434
291	St. Paul, Minn	1,896	26	.....	2	3	8	15	50	10	.....	201	50	115
292	Salem, Mass	703	8	.....	.....	.....	.....	5	11	4	.....	57	8	49
293	Salt Lake City, Utah	1,003	43	.....	1	.....	.....	29	27	6	1	67	7	45
294	San Antonio, Tex	1,506	30	28	.....	13	1	3	35	29	.....	369	19	41
295	San Diego, Cal	467	3	1	.....	.....	.....	.....	3	8	.....	81	12	20
296	San Francisco, Cal	7,487	113	14	.....	25	9	52	68	17	19	990	161	484
297	San Jose, Cal	413	5	.....	.....	3	.....	12	7	4	.....	64	10	19
298	Saratoga Springs, N. Y	277	6	2	.....	1	.....	.....	4	7	.....	26	2	16
299	Sault Ste. Marie, Mich	164	6	.....	.....	.....	2	.....	.....	2	.....	12	2	3
300	Savannah, Ga	1,718	52	69	.....	4	.....	10	3	29	.....	228	18	40
301	Schenectady, N. Y	784	12	.....	.....	1	3	9	17	11	.....	68	3	34
302	Scranton, Pa	2,011	12	2	.....	6	3	7	20	38	.....	117	.....	40
303	Seattle, Wash	1,206	35	.....	.....	2	9	13	39	9	1	122	24	54
304	Sioux City, Iowa	488	7	.....	.....	3	3	2	6	8	.....	35	11	26
305	Somerville, Mass	965	12	.....	.....	5	3	.....	17	8	.....	94	18	50
306	South Bend, Ind	581	7	.....	1	2	7	9	8	4	.....	50	13	20
307	South Bethlehem, Pa	241	7	.....	.....	.....	3	.....	2	2	.....	14	2	5
308	Southbridge town, Mass	188	.....	.....	.....	.....	.....	3	22	.....	.....	21	4	5
309	Spokane, Wash	693	35	1	5	2	2	1	23	3	.....	66	9	23
310	Springfield, Ill	801	15	1	1	4	7	6	11	8	.....	91	9	25
311	Springfield, Mass	1,154	11	1	.....	3	11	4	28	15	.....	101	23	72
312	Stamford town, Conn	429	6	.....	.....	5	5	.....	13	11	.....	33	2	14
313	Steelton, Pa	193	7	.....	.....	.....	.....	1	2	2	.....	25	2	2
314	Stonington town, Conn	180	3	.....	.....	1	1	.....	2	.....	.....	16	4	10

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1904—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis. Under 2 years.	Diarrhea and enteritis. 2 years and over.	Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
.....	2	12	78	82	45	26	12	9	27	38	2	13	.....	37	11	54	.....	235
.....	1	4	37	31	36	16	31	1	19	13	1	19	2	26	3	34	.....	236
.....	2	11	47	47	20	18	27	1	17	17	1	17	2	20	2	38	.....	237
.....	3	4	40	42	19	12	15	4	12	23	4	11	2	23	2	22	.....	238
1	4	7	57	51	35	21	19	3	34	23	1	16	3	23	5	40	.....	239
2	16	23	95	203	63	45	23	7	75	65	6	22	23	65	11	70	1	240
.....	3	4	44	52	27	17	10	2	11	42	3	18	1	4	7	33	.....	241
.....	.....	6	12	11	9	8	3	1	9	8	6	7	1	16	3	12	.....	242
2	9	16	127	119	100	64	57	11	125	75	17	42	18	88	27	142	1	243
.....	2	11	46	49	62	25	53	3	36	31	5	23	7	26	5	20	.....	244
.....	1	2	5	15	12	10	2	2	9	5	2	5	6	9	2	5	3	245
.....	2	.....	2	11	2	.....	6	3	1	3	1	4	.....	1	1	12	.....	246
1	1	9	34	25	55	20	23	7	22	8	3	10	1	30	29	28	2	247
.....	1	14	37	31	38	70	103	14	26	25	8	63	6	30	17	45	.....	248
.....	13	56	192	191	195	134	150	23	119	112	14	89	9	94	41	127	2	249
.....	4	12	54	63	46	45	41	9	44	54	8	26	4	36	3	64	4	250
.....	1	1	13	36	8	10	15	3	3	8	.....	12	.....	2	5	11	.....	251
.....	1	4	18	20	19	17	21	5	4	10	.....	10	.....	10	3	15	.....	252
.....	1	7	11	11	23	11	34	2	18	6	1	19	1	36	14	17	2	253
.....	3	.....	18	14	9	10	3	1	11	4	.....	8	1	10	3	7	2	254
.....	1	15	69	60	38	25	46	13	27	53	12	35	5	17	30	30	4	255
15	175	217	1,999	2,863	1,918	1,509	1,558	302	1,244	2,228	246	1,203	213	1,217	512	1,626	13	256
1	2	4	28	16	15	7	9	1	16	7	2	4	.....	15	4	12	.....	257
3	17	124	507	443	688	469	622	96	371	196	71	386	69	578	174	424	4	258
1	6	7	28	64	27	17	20	2	25	20	6	19	.....	27	8	34	.....	259
2	2	6	19	23	24	18	20	6	8	18	6	10	1	21	5	23	1	260
.....	.....	14	27	9	28	21	22	4	6	11	1	8	2	20	20	13	.....	261
.....	.....	2	16	18	5	12	11	.....	10	8	3	4	.....	14	3	11	.....	262
.....	1	.....	58	17	14	6	2	1	10	8	2	3	3	4	1	19	.....	263
1	3	2	27	33	11	7	10	3	15	16	2	17	1	17	3	25	1	264
.....	2	6	9	18	13	12	7	1	14	5	.....	5	1	11	10	13	.....	265
.....	13	34	104	120	71	35	23	7	58	86	4	37	11	65	27	104	3	266
1	19	48	123	171	82	42	51	9	98	69	3	47	3	114	47	102	5	267
.....	1	4	17	22	16	3	8	1	7	14	2	4	1	5	3	11	.....	268
.....	2	3	20	37	22	11	6	3	12	9	.....	29	1	12	12	30	.....	269
.....	2	1	28	15	27	6	11	6	10	12	1	3	3	12	6	10	2	270
1	4	4	47	34	26	16	20	4	31	15	1	11	1	12	11	18	.....	271
.....	3	6	71	49	37	33	19	7	40	40	3	17	1	24	12	51	.....	272
1	35	40	267	353	281	226	261	35	188	295	49	151	31	201	53	267	7	273
1	1	11	65	43	77	21	31	8	47	38	7	23	12	57	7	54	4	274
.....	4	3	75	50	61	46	18	6	31	24	2	23	3	28	11	66	4	275
.....	2	6	16	55	30	14	21	5	9	11	3	30	2	28	3	23	.....	276
1	.....	6	24	22	12	9	25	10	19	9	2	11	1	17	10	28	15	277
1	8	20	147	119	110	54	70	16	75	51	15	96	10	92	60	85	.....	278
.....	2	6	10	19	9	9	12	1	15	8	1	6	.....	9	3	12	.....	279
.....	1	5	24	31	18	8	9	4	10	19	4	34	4	17	10	45	.....	280
.....	9	28	201	158	148	133	126	34	133	133	18	88	7	90	103	167	27	281
1	3	1	21	13	13	6	3	.....	8	8	1	2	1	12	1	16	.....	282
.....	33	57	291	343	181	151	74	24	167	180	26	37	21	127	37	287	.....	283
1	1	.....	19	23	5	2	2	.....	11	20	2	5	1	3	4	28	1	284
.....	.....	4	40	20	19	9	8	7	19	14	5	5	2	15	22	30	.....	285
.....	3	8	27	34	18	6	9	.....	21	20	2	5	.....	12	2	27	1	286
.....	4	9	53	63	38	28	6	1	50	19	6	17	5	46	14	78	1	287
.....	7	6	65	76	31	32	15	3	57	22	11	23	9	44	8	54	.....	288
2	5	9	50	71	123	57	31	6	76	37	10	16	11	84	39	82	1	289
6	54	125	843	1,062	1,076	822	411	133	691	772	121	594	216	757	233	1,005	12	290
2	20	52	145	146	130	80	113	11	121	98	13	121	33	124	44	162	1	291
2	7	11	66	102	36	31	68	5	30	37	2	59	6	32	22	45	.....	292
1	8	26	66	87	113	86	28	7	74	56	4	41	6	61	31	132	10	293
2	4	25	109	60	78	57	111	30	74	49	8	74	15	64	47	129	2	294
.....	6	6	44	69	23	17	14	14	18	19	1	8	11	18	17	46	8	295
2	73	86	534	1,069	388	445	211	66	536	444	66	266	262	419	42	621	5	296
1	3	12	30	61	27	25	18	3	22	22	5	10	2	16	5	25	.....	297
.....	4	3	18	27	16	19	5	5	22	36	1	10	.....	27	4	16	.....	298
.....	.....	.....	17	16	7	11	14	3	6	4	1	14	2	17	3	19	3	299
1	8	12	200	143	103	92	52	17	94	97	20	90	6	69	128	125	8	300
.....	2	35	69	56	47	45	84	10	46	38	7	52	4	72	10	49	.....	301
2	11	45	233	99	211	113	168	15	93	94	4	123	8	181	241	122	3	302
.....	14	16	61	149	51	43	49	8	83	59	15	65	37	116	17	114	1	303
2	6	9	22	51	42	17	19	9	59	22	5	10	5	34	14	61	.....	304
1	13	17	97	154	85	45	31	11	43	61	10	57	1	47	18	67	.....	305
.....	6	13	45	44	28	16	34	14	40	28	6	90	1	27	28	37	3	306
.....	1	1	32	10	35	6	35	2	9	11	5	16	.....	16	15	12	.....	307
.....	.....	9	10	11	4	10	11	2	14	9	1	24	1	7	3	17	.....	308
2	8	13	40	60	42	18	39	5	73	36	7	28	20	49	13	67	3	309
2	8	13	47	57	78	37	36	7	59	53	4	33	11	69	22	85	2	310
1	10	17	108	175	51	45	60	7	55	102	13	65	5	77	8	86	.....	311
1	3	10	54	42	43	16	27	7	28	27	1	15	1	21	12	32	.....	312
.....	.....	5	22	13	24	10	15	2	4	2	1	19	.....	17	11	7	.....	313
1	2	5	10	24	13	5	11	1	11	11	4	10	2	7	5	21	.....	314

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	REGISTRATION CITIES—Continued.													
315	Superior, Wis.	319	12	.....	.....	.....	3	.....	5	1	.....	35	3	9
316	Syracuse, N. Y.	1,752	21	1	.....	5	30	1	22	14	.....	109	28	80
317	Tacoma, Wash.	541	30	.....	1	.....	2	7	8	1	.....	72	8	27
318	Taunton, Mass.	629	2	2	.....	.....	3	.....	5	9	.....	61	7	21
319	Terre Haute, Ind.	827	24	2	20	12	4	3	9	13	.....	82	17	28
320	Tiffin, Ohio	151	6	.....	.....	.....	.....	2	2	5	.....	20	2	6
321	Toledo, Ohio	2,057	56	4	.....	13	1	.....	44	19	.....	243	28	94
322	Torrington town, Conn.	155	1	.....	.....	.....	2	.....	1	1	.....	23	1	5
323	Traverse City, Mich.	219	4	.....	.....	.....	2	.....	.....	1	.....	21	4	3
324	Trenton, N. J.	1,486	35	1	7	19	19	6	56	10	1	162	18	41
325	Troy, N. Y.	1,645	38	.....	.....	7	2	7	12	28	.....	219	20	69
326	Union, N. J.	287	2	.....	.....	1	3	1	5	1	.....	28	2	7
327	Utica, N. Y.	1,244	11	.....	.....	8	54	10	21	11	.....	101	21	51
328	Vernon town, Conn.	121	2	1	.....	.....	.....	2	.....	5	.....	10	4	9
329	Vincennes, Ind.	231	13	1	.....	8	.....	1	1	.....	.....	31	2	9
330	Wabash, Ind.	122	2	.....	2	1	1	.....	1	1	.....	20	.....	3
331	Wakefield town, Mass.	120	.....	.....	.....	1	.....	.....	.....	.....	.....	17	1	9
332	Wallingford town, Conn.	142	2	1	.....	.....	2	2	3	6	.....	14	2	11
333	Waltham, Mass.	334	4	2	.....	.....	.....	.....	6	4	.....	41	9	21
334	Ware town, Mass.	125	.....	.....	.....	.....	.....	.....	1	3	.....	16	3	5
335	Washington, D. C.	6,211	140	12	1	4	11	39	52	101	.....	833	112	228
336	Washington, Ind.	122	4	3	.....	.....	3	.....	.....	2	.....	19	3	.....
337	Waterbury, Conn.	894	12	4	.....	.....	12	6	25	8	.....	90	15	29
338	Watertown, N. Y.	409	52	.....	.....	.....	.....	3	8	12	.....	18	11	15
339	Watertown town, Mass.	139	.....	.....	.....	1	.....	1	.....	2	.....	14	.....	6
340	Watervliet, N. Y.	228	7	.....	.....	2	.....	.....	6	4	.....	28	.....	5
341	Webster town, Mass.	146	1	.....	.....	.....	.....	1	2	1	.....	16	2	4
342	West Bay City, Mich.	158	7	.....	.....	3	.....	.....	5	3	.....	6	2	3
343	Westfield town, Mass.	203	5	.....	.....	1	1	.....	5	.....	.....	21	5	11
344	Weymouth town, Mass.	164	1	.....	.....	.....	1	.....	3	2	.....	19	3	6
345	Wheeling, W. Va.	709	32	.....	.....	7	1	14	12	2	.....	44	5	30
346	Wichita, Kans.	493	9	.....	.....	1	.....	5	17	14	.....	50	5	24
347	Williamsport, Pa.	439	12	.....	5	.....	1	1	5	5	.....	29	5	20
348	Wilmington, Del.	1,287	42	2	1	2	3	6	34	5	.....	150	3	44
349	Wilmington, N. C.	600	16	44	.....	5	1	1	5	26	.....	55	4	3
350	Windham town, Conn.	200	2	2	.....	1	.....	.....	.....	5	.....	26	2	6
351	Winona, Minn.	287	2	.....	.....	.....	7	3	17	8	.....	21	4	18
352	Woburn, Mass.	195	.....	.....	.....	1	1	.....	1	2	.....	15	6	11
353	Woonsocket, R. I.	465	2	.....	.....	3	1	3	9	.....	.....	62	10	20
354	Worcester, Mass.	2,047	8	5	.....	3	3	14	9	3	1	212	38	128
355	Yonkers, N. Y.	1,004	9	1	.....	5	7	4	23	8	.....	115	24	39
356	Youngstown, Ohio	825	45	2	3	9	3	.....	24	4	1	65	5	19
	CONNECTICUT RURAL.													
357	Fairfield county	748	8	.....	.....	5	4	2	14	19	.....	49	4	37
358	Hartford county	1,071	6	3	.....	1	5	4	11	35	.....	90	17	53
359	Litchfield county	778	7	.....	.....	11	.....	2	6	26	.....	71	10	32
360	Middlesex county	374	4	.....	.....	2	2	2	4	13	.....	25	2	21
361	New Haven county	803	9	8	.....	9	8	3	8	21	.....	53	9	30
362	New London county	503	3	1	.....	4	.....	1	5	19	.....	31	7	30
363	Tolland county	264	4	.....	.....	1	.....	1	6	16	.....	19	1	10
364	Windham county	578	9	2	.....	1	3	2	4	20	.....	47	1	17
	INDIANA RURAL.													
365	Adams county	230	5	.....	.....	3	4	1	1	3	.....	33	5	5
366	Allen county	301	14	.....	.....	2	1	1	1	4	.....	24	2	20
367	Bartholomew county	201	4	.....	.....	4	.....	3	4	3	.....	27	1	7
368	Benton county	124	1	.....	1	1	.....	2	.....	2	.....	16	1	6
369	Blackford county	218	6	1	1	4	1	.....	5	6	.....	27	2	4
370	Boone county	327	17	1	.....	8	2	1	2	3	1	55	7	10
371	Brown county	116	1	1	.....	1	.....	4	.....	3	.....	27	2	5
372	Carroll county	189	5	2	.....	.....	.....	.....	.....	4	.....	18	1	7
373	Cass county	287	2	.....	.....	2	1	.....	.....	3	.....	22	6	10
374	Clark county	278	7	.....	.....	4	.....	2	2	3	.....	43	11	16
375	Clay county	405	11	5	5	13	2	6	5	5	.....	44	1	11
376	Clinton county	369	20	1	.....	3	1	2	5	15	.....	38	7	9
377	Crawford county	171	6	1	.....	.....	3	.....	.....	2	.....	48	3	4
378	Daviess county	303	23	4	.....	9	6	1	3	5	1	47	3	7
379	Dearborn county	330	15	2	2	2	1	1	.....	7	.....	39	4	16
380	Decatur county	287	9	3	.....	1	.....	1	2	4	.....	51	6	9
381	Dekalb county	242	7	1	1	2	3	.....	3	6	.....	26	2	11
382	Delaware county	309	17	1	.....	2	1	.....	9	8	.....	23	6	11
383	Dubois county	243	8	.....	6	2	1	2	.....	6	.....	25	5	1
384	Elkhart county	376	9	.....	2	.....	8	1	1	7	.....	39	3	20
385	Fayette county	212	4	.....	.....	3	1	1	1	3	.....	18	2	5
386	Floyd county	96	1	1	1	.....	1	.....	3	2	.....	15	2	3
387	Fountain county	252	5	2	.....	2	4	1	1	7	.....	46	2	11
388	Franklin county	239	12	.....	1	3	.....	.....	1	8	.....	31	2	6
389	Fulton county	208	.....	1	.....	2	1	.....	2	3	.....	18	1	9

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1904—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	3	12	14	19	24	14	26	3	30	16	1	10	4	40	13	22	.....	315
3	14	32	180	229	122	88	55	17	116	117	15	76	17	85	28	187	.....	316
2	2	11	39	35	41	7	20	1	35	20	7	15	10	38	44	58	.....	317
1	5	14	92	63	62	45	49	10	28	35	3	31	1	27	8	54	.....	318
.....	5	21	56	76	52	41	31	13	61	37	6	38	8	66	32	70	.....	319
1	.....	3	17	27	5	5	5	5	6	7	1	1	2	8	4	11	.....	320
1	18	44	278	178	93	96	92	29	146	102	21	72	26	112	43	200	4	321
.....	.....	2	17	11	13	7	15	.....	7	10	2	10	2	9	3	10	3	322
.....	2	5	37	34	5	10	7	15	10	12	4	5	2	11	4	21	.....	323
3	12	24	193	106	146	83	73	15	79	77	14	63	5	67	46	104	1	324
.....	9	30	148	187	121	110	90	17	111	116	5	68	3	81	53	104	.....	325
.....	2	11	27	25	31	24	27	3	10	14	2	16	11	18	4	12	.....	326
1	9	31	116	151	117	65	48	14	79	70	9	49	3	86	23	85	.....	327
1	1	1	14	13	7	3	9	4	7	7	1	2	3	5	2	8	.....	328
1	4	8	8	17	24	6	10	7	13	15	3	10	.....	10	6	22	1	329
.....	1	4	9	22	10	3	4	.....	4	3	1	13	.....	7	.....	10	.....	330
.....	2	2	18	13	8	10	5	.....	3	6	1	4	.....	5	3	12	.....	331
.....	2	4	9	11	5	3	13	2	4	6	.....	12	2	14	1	11	.....	332
.....	4	4	36	50	35	9	11	6	16	10	3	17	.....	17	1	28	.....	333
.....	.....	2	11	14	11	5	10	3	7	1	1	12	.....	7	2	10	1	334
2	37	68	616	663	436	360	346	70	313	439	53	321	63	289	112	488	2	335
1	2	6	9	12	5	4	8	2	8	1	2	10	.....	6	2	10	.....	336
.....	11	9	80	91	70	42	111	14	44	46	10	49	8	52	6	50	.....	337
.....	6	11	30	51	22	24	8	4	27	9	3	37	4	13	4	36	1	338
.....	1	3	10	12	11	9	10	.....	2	5	4	9	.....	14	9	16	.....	339
.....	.....	5	25	16	24	17	13	1	15	13	3	4	1	10	6	23	.....	340
.....	1	2	12	6	21	3	13	1	9	7	.....	7	2	2	6	19	8	341
.....	2	2	17	18	13	9	11	.....	10	4	3	8	1	7	2	22	.....	342
1	4	3	21	27	10	5	13	2	9	10	1	9	1	16	4	18	.....	343
.....	4	6	11	35	16	2	6	1	9	11	.....	7	1	5	1	14	.....	344
.....	3	32	49	44	79	43	34	15	38	35	4	18	12	49	44	61	2	345
1	4	6	43	33	41	12	11	11	44	24	2	19	1	34	22	54	6	346
1	.....	15	39	47	33	14	16	5	34	30	6	19	1	26	23	46	1	347
1	2	47	162	130	107	44	68	18	78	65	4	47	2	76	66	78	.....	348
.....	1	11	60	51	26	25	44	5	39	23	7	27	1	29	37	40	14	349
.....	1	3	23	25	9	15	14	1	12	12	1	9	.....	14	5	12	.....	350
.....	2	6	15	31	22	22	6	1	17	3	2	11	.....	18	6	39	6	351
.....	1	2	26	22	13	11	15	1	10	15	1	7	2	9	2	21	.....	352
.....	5	14	37	40	60	23	44	3	20	31	4	25	4	11	5	29	.....	353
.....	25	26	209	262	166	145	79	19	90	99	14	162	15	120	28	162	2	354
.....	5	35	76	76	77	76	101	9	52	84	13	36	3	59	8	59	.....	355
.....	2	14	68	59	85	43	69	8	60	23	7	29	6	87	24	59	2	356
.....	14	12	86	113	46	30	31	9	37	68	5	32	8	50	6	58	1	357
3	18	41	117	144	81	44	60	6	59	53	10	38	12	66	15	75	4	358
.....	6	17	115	75	53	30	28	8	47	62	8	35	8	41	4	65	11	359
.....	3	5	43	60	15	20	8	4	23	33	.....	11	2	31	4	37	.....	360
.....	11	12	105	102	64	45	41	9	37	51	4	39	3	58	9	52	3	361
2	4	11	68	83	21	24	20	9	20	23	3	26	7	29	1	49	2	362
.....	3	2	30	36	16	18	11	1	16	13	2	8	2	17	4	26	1	363
1	5	14	84	78	36	29	41	9	35	21	3	22	6	37	6	41	4	364
.....	1	5	22	17	14	7	13	3	10	8	4	16	2	14	11	22	1	365
.....	6	2	35	27	15	26	13	5	11	13	5	13	4	18	9	29	1	366
.....	.....	3	24	19	18	6	10	4	17	7	.....	10	.....	8	4	18	.....	367
.....	4	.....	16	2	9	7	4	2	6	5	2	14	1	7	2	11	2	368
.....	2	4	18	22	18	8	9	2	8	9	2	20	2	18	3	16	.....	369
.....	.....	4	43	25	11	10	9	4	20	11	1	12	.....	16	10	43	1	370
.....	.....	1	9	13	7	4	4	4	3	7	1	1	1	3	1	10	3	371
.....	1	3	21	23	8	10	8	3	11	10	2	11	1	11	4	25	.....	372
.....	1	5	50	31	16	27	5	6	13	12	2	15	2	10	14	32	.....	373
.....	2	3	29	21	28	16	5	7	14	11	2	9	1	16	5	21	.....	374
.....	2	11	24	36	36	23	14	4	24	18	2	21	.....	27	20	35	.....	375
.....	4	4	31	35	20	18	16	9	25	17	3	24	1	21	8	31	1	376
.....	.....	3	10	16	15	10	7	4	5	3	5	5	.....	5	5	9	1	377
1	.....	17	15	24	22	16	17	4	14	11	3	14	.....	10	5	21	.....	378
.....	1	2	4	31	38	20	14	13	3	20	10	3	16	1	32	5	29	.....	379
1	2	3	35	26	15	12	9	5	15	10	4	6	5	15	12	26	.....	380
.....	1	3	44	21	6	11	5	5	15	13	2	9	1	18	5	20	1	381
.....	3	4	35	22	14	16	15	5	16	18	3	23	2	17	11	26	1	382
.....	2	6	22	12	18	6	17	7	12	9	3	30	1	4	5	33	.....	383
.....	1	8	43	55	24	15	7	6	19	25	5	11	4	17	4	39	3	384
.....	2	4	20	15	16	12	8	2	22	13	4	16	.....	11	7	21	1	385
.....	.....	1	14	13	11	3	.....	3	1	.....	1	5	1	2	3	9	.....	386
.....	2	6	23	22	11	8	10	4	17	9	4	12	4	11	8	18	2	387
1	.....	1	27	24	13	10	6	3	18	10	3	13	1	16	1	27	1	388
.....	2	2	19	12	17	15	13	3	9	12	1	10	1	14	5	35	1	389

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	INDIANA RURAL—Continued.													
390	Gibson county	467	21	7	1	12	1	2	4	14	.....	54	10	11
391	Grant county	593	11	1	1	12	7	1	4	5	.....	59	4	12
392	Greene county	516	18	5	11	26	10	5	8	7	.....	66	5	15
393	Hamilton county	357	10	.....	.....	9	2	1	1	11	.....	58	9	24
394	Hancock county	287	6	.....	.....	2	1	.....	4	14	.....	39	4	7
395	Harrison county	288	19	.....	1	.....	4	1	2	5	.....	41	3	12
396	Hendricks county	277	3	4	.....	9	3	1	1	5	.....	47	9	6
397	Henry county	371	9	.....	.....	5	.....	1	2	5	.....	30	8	13
398	Howard county	200	8	.....	.....	.....	1	3	5	6	.....	19	3	10
399	Huntington county	211	4	.....	.....	6	2	.....	3	5	.....	32	1	7
400	Jackson county	378	15	.....	.....	7	3	2	1	4	.....	65	13	7
401	Jasper county	128	.....	.....	.....	1	2	.....	.....	3	.....	21	1	8
402	Jay county	317	12	.....	.....	5	.....	1	2	5	.....	44	6	11
403	Jefferson county	361	12	.....	.....	4	3	2	1	8	.....	53	9	15
404	Jennings county	216	9	2	.....	4	1	.....	4	.....	.....	32	4	12
405	Johnson county	305	10	.....	.....	3	5	1	2	6	.....	39	10	14
406	Knox county	272	12	4	.....	12	2	6	2	2	1	27	3	4
407	Kosciusko county	322	4	4	.....	6	.....	1	.....	3	.....	42	1	15
408	Lagrange county	169	5	1	.....	2	3	1	1	4	.....	18	5	12
409	Lake county	415	12	.....	1	1	6	6	6	4	.....	27	4	15
410	Laporte county	319	3	.....	.....	1	1	.....	3	3	.....	32	6	12
411	Lawrence county	448	14	7	.....	22	.....	.....	.....	1	.....	51	4	12
412	Madison county	377	8	.....	.....	7	4	.....	3	3	.....	56	3	5
413	Marion county	286	10	2	.....	5	1	.....	1	3	.....	35	7	14
414	Marshall county	295	9	4	1	1	2	.....	.....	9	.....	35	5	20
415	Martin county	222	8	5	1	12	4	8	3	4	.....	30	2	8
416	Miami county	209	1	.....	.....	7	6	.....	2	5	.....	25	3	3
417	Monroe county	273	8	2	.....	4	1	.....	3	3	.....	38	3	15
418	Montgomery county	422	13	.....	.....	5	.....	1	.....	10	.....	47	14	25
419	Morgan county	314	7	.....	.....	4	.....	.....	1	8	.....	39	5	13
420	Newton county	104	1	.....	.....	.....	1	.....	1	2	.....	7	1	3
421	Noble county	323	5	.....	.....	.....	3	.....	.....	6	.....	40	6	12
422	Ohio county	70	1	.....	.....	.....	.....	1	1	.....	.....	10	3	2
423	Orange county	263	8	1	2	11	.....	1	.....	3	.....	52	5	7
424	Owen county	179	4	1	.....	3	1	1	1	6	.....	27	2	7
425	Parke county	335	11	.....	.....	18	1	1	2	.....	.....	32	5	14
426	Perry county	276	9	1	.....	8	1	2	8	5	.....	39	5	5
427	Pike county	358	9	3	.....	7	3	4	2	4	.....	63	8	6
428	Porter county	292	4	.....	.....	1	.....	.....	6	9	.....	28	2	13
429	Posey county	297	12	1	.....	1	.....	1	4	4	.....	45	6	14
430	Pulaski county	131	3	.....	.....	1	.....	.....	1	.....	.....	12	3	2
431	Putnam county	303	5	3	.....	6	.....	3	4	4	.....	49	7	11
432	Randolph county	357	11	.....	.....	5	2	.....	3	7	.....	47	7	14
433	Ripley county	250	10	3	.....	5	2	.....	2	8	.....	39	3	6
434	Rush county	257	9	1	.....	2	4	3	.....	5	1	30	6	21
435	St. Joseph county	388	5	.....	.....	2	8	4	2	6	.....	41	6	24
436	Scott county	122	4	1	.....	3	.....	1	.....	7	.....	31	1	4
437	Shelby county	358	12	.....	.....	5	1	2	1	5	.....	46	6	15
438	Spencer county	257	7	2	.....	.....	3	1	2	5	.....	50	3	4
439	Starke county	118	2	3	.....	.....	1	2	2	4	.....	9	1	3
440	Steuben county	177	2	1	.....	2	.....	3	1	3	.....	9	2	10
441	Sullivan county	418	11	3	10	14	3	1	7	2	.....	63	5	14
442	Switzerland county	160	6	1	.....	1	.....	.....	.....	1	.....	31	1	10
443	Tippecanoe county	249	2	3	.....	3	1	.....	4	7	.....	30	2	8
444	Tipton county	209	5	.....	.....	7	.....	2	2	1	.....	24	2	8
445	Union county	100	3	.....	.....	3	.....	1	1	1	.....	11	5	3
446	Vanderburg county	196	10	.....	.....	.....	2	1	2	4	.....	28	5	4
447	Vermilion county	288	7	3	.....	8	2	.....	3	8	.....	26	3	6
448	Vigo county	308	13	1	20	14	4	3	1	3	.....	40	3	9
449	Wabash county	219	6	.....	1	3	.....	.....	4	6	.....	29	1	12
450	Warren county	118	2	1	1	1	.....	.....	.....	2	.....	20	.....	3
451	Warrick county	283	10	5	1	8	4	8	3	2	.....	41	5	13
452	Washington county	217	5	.....	.....	3	1	1	1	5	.....	31	7	11
453	Wayne county	322	5	.....	.....	1	1	1	.....	5	.....	21	3	22
454	Wells county	270	7	.....	.....	4	.....	.....	3	3	.....	43	2	9
455	White county	203	4	.....	.....	2	1	1	3	5	.....	20	2	12
456	Whitley county	216	10	.....	.....	3	1	.....	.....	3	.....	22	.....	6
	MAINE RURAL.													
457	Androscoggin county	848	13	.....	.....	.....	.....	3	11	12	.....	68	17	45
458	Aroostook county	823	30	.....	.....	1	1	10	18	24	.....	71	16	29
459	Cumberland county	847	9	.....	.....	5	1	3	18	15	.....	74	11	52
460	Franklin county	307	2	.....	.....	.....	.....	4	1	.....	.....	28	1	19
461	Hancock county	517	4	1	.....	4	.....	.....	5	6	.....	46	1	28
462	Kennebec county	880	8	.....	.....	2	1	1	8	17	.....	67	7	56
463	Knox county	343	1	2	.....	1	.....	2	1	5	.....	31	4	18
464	Lincoln county	295	4	.....	.....	.....	1	.....	3	3	.....	28	2	13

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1904—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	2	10	26	27	39	27	25	10	25	18	1	49	1	26	6	37	.....	390
2	2	8	83	60	36	20	23	8	33	29	6	52	4	28	23	58	1	391
.....	1	7	37	23	43	28	31	10	24	15	4	35	2	24	22	32	2	392
.....	3	3	45	32	22	18	7	4	17	12	.....	25	1	11	6	25	1	393
1	4	12	33	22	16	13	11	3	16	16	3	12	.....	14	5	29	.....	394
.....	4	14	32	27	24	13	10	3	12	10	.....	10	.....	11	5	24	1	395
1	2	3	30	26	13	13	14	3	13	13	2	11	1	8	3	32	1	396
2	2	9	39	39	26	11	8	7	27	13	7	44	1	15	6	45	.....	397
.....	2	5	14	21	14	9	11	2	13	6	2	13	1	9	3	20	.....	398
.....	.....	2	27	14	19	7	9	4	14	11	.....	7	.....	6	4	26	1	399
.....	1	9	25	26	22	8	26	10	12	27	3	27	3	11	5	44	2	400
.....	1	3	8	9	6	10	7	2	6	12	.....	3	1	6	4	12	2	401
.....	3	2	31	30	25	9	15	12	21	15	4	15	2	15	7	25	.....	402
.....	2	3	33	41	27	14	10	7	21	19	2	19	3	12	3	38	.....	403
.....	1	.....	24	17	14	13	5	3	12	3	.....	19	.....	14	3	20	.....	404
.....	.....	7	25	27	23	9	12	2	22	22	3	20	.....	9	11	23	.....	405
1	.....	4	22	19	23	14	18	1	11	10	2	20	2	17	4	28	1	406
.....	3	5	60	33	22	19	7	3	21	6	4	6	3	18	8	22	6	407
.....	1	2	18	11	12	7	6	2	13	7	.....	3	1	6	6	21	1	408
1	7	6	34	34	21	29	37	5	35	15	6	20	2	33	8	39	1	409
1	5	7	29	47	13	23	4	9	22	16	3	13	3	18	4	41	.....	410
.....	1	13	25	35	44	25	38	9	23	13	6	29	.....	28	9	39	.....	411
1	1	7	41	29	36	20	23	1	18	11	4	22	1	21	16	36	.....	412
1	.....	4	34	34	18	13	12	7	13	14	2	11	.....	16	7	22	.....	413
.....	10	2	37	24	18	15	8	1	18	14	1	14	.....	13	10	23	1	414
.....	.....	4	12	10	13	13	8	4	12	5	1	19	.....	10	9	17	.....	415
.....	1	4	28	19	16	9	2	3	14	4	2	5	.....	15	4	30	1	416
.....	1	6	36	22	18	12	12	7	13	9	4	14	.....	14	5	21	2	417
.....	7	10	48	38	36	11	13	6	25	16	1	16	3	20	14	41	2	418
.....	5	8	23	33	31	13	12	6	18	18	2	13	3	18	9	24	1	419
1	7	4	14	9	3	4	10	.....	5	1	1	3	1	10	2	12	1	420
2	3	5	34	57	11	16	5	5	24	17	7	4	.....	13	5	43	.....	421
.....	.....	1	7	11	6	1	7	.....	3	3	1	2	2	3	1	4	.....	422
.....	1	3	17	17	19	13	16	8	12	7	2	18	.....	10	8	17	5	423
.....	1	2	18	20	23	10	8	1	8	6	1	3	3	8	2	11	1	424
.....	3	14	40	30	24	14	26	7	16	7	2	13	2	19	8	25	1	425
.....	2	6	17	16	21	15	13	2	12	8	3	23	.....	14	11	28	2	426
.....	2	7	13	16	22	15	34	14	16	10	3	39	.....	16	6	35	1	427
.....	1	5	35	32	27	16	12	5	19	16	5	6	2	14	4	30	.....	428
.....	2	5	24	21	20	17	22	8	22	12	4	9	2	9	5	26	1	429
.....	1	2	16	12	9	6	5	1	9	8	3	7	1	5	6	17	1	430
.....	2	2	26	23	17	14	7	4	19	16	3	30	3	13	6	26	.....	431
.....	4	5	31	40	22	18	16	3	26	21	4	15	3	10	9	32	2	432
1	1	4	26	14	22	11	10	6	18	7	5	12	.....	15	2	15	3	433
1	4	6	28	20	9	9	9	7	14	9	1	15	1	16	3	22	1	434
.....	2	5	33	32	19	21	10	5	23	26	2	32	1	25	17	36	1	435
.....	1	.....	8	9	9	2	4	.....	3	6	1	8	.....	6	.....	13	.....	436
.....	1	6	41	32	21	18	11	2	18	18	2	15	3	25	5	46	1	437
1	.....	2	21	18	21	7	19	6	9	6	1	17	1	11	8	32	.....	438
.....	.....	1	9	16	3	9	5	3	7	1	3	7	2	9	.....	15	1	439
.....	2	5	26	34	7	8	1	5	15	5	2	5	.....	7	3	19	.....	440
.....	1	12	31	21	22	16	12	6	14	16	4	42	7	27	20	30	4	441
.....	.....	3	19	21	10	8	.....	1	4	10	1	10	1	1	6	13	1	442
.....	.....	2	28	34	15	16	4	4	15	12	3	11	.....	9	8	27	1	443
.....	2	5	19	20	10	13	6	3	14	9	2	12	2	11	7	23	.....	444
.....	.....	2	15	12	8	3	2	.....	3	6	.....	4	2	1	3	11	.....	445
.....	.....	4	24	19	13	8	10	4	10	9	1	9	.....	7	3	19	.....	446
.....	2	19	23	16	26	9	14	3	13	7	6	14	2	30	9	23	6	447
.....	3	11	14	18	27	8	14	9	13	8	2	13	2	22	10	21	2	448
.....	2	5	17	19	20	9	3	3	17	15	5	8	1	11	2	19	1	449
.....	1	3	9	14	6	8	3	5	7	7	1	6	.....	7	2	8	1	450
.....	.....	1	17	16	22	13	11	14	23	4	4	14	1	8	7	27	1	451
1	2	2	14	27	20	5	9	8	13	15	.....	6	.....	6	1	21	2	452
1	1	3	61	45	16	6	6	11	19	21	1	18	4	9	4	36	1	453
.....	1	4	21	19	13	12	9	9	17	18	7	12	2	11	9	32	3	454
.....	5	3	16	22	20	3	8	3	15	7	2	9	1	13	4	19	3	455
1	4	2	28	36	16	12	7	1	12	8	2	9	1	12	.....	18	2	456
1	10	30	107	101	54	32	37	6	46	43	3	38	7	42	30	83	9	457
2	7	11	53	49	42	26	113	10	30	25	18	31	3	38	21	77	67	458
.....	6	10	101	115	63	42	26	5	48	39	5	35	5	36	17	93	13	459
.....	5	3	38	35	32	11	7	1	18	28	2	7	2	17	7	34	5	460
2	1	4	43	64	56	20	9	8	35	31	6	18	5	35	9	64	12	461
.....	12	17	117	102	75	65	26	11	43	35	8	17	9	33	37	97	9	462
.....	4	5	48	43	18	18	1	1	21	21	3	14	5	23	9	41	3	463
.....	3	1	24	44	28	8	3	.....	18	27	1	6	7	10	4	54	3	464

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MAINE RURAL—Continued.													
465	Oxford county	582	12	3	.....	1	.....	.....	5	13	.....	36	6	35
466	Penobscot county	961	47	1	1	.....	.....	8	17	13	.....	101	17	39
467	Piscataquis county	254	8	.....	.....	.....	.....	1	2	5	.....	30	8	17
468	Sagadahoc county	144	3	1	.....	.....	.....	.....	3	.....	.....	10	2	12
469	Somerset county	582	4	.....	1	1	1	3	14	14	.....	63	7	40
470	Waldo county	396	7	1	.....	.....	.....	1	1	7	.....	38	8	12
471	Washington county	590	4	.....	1	3	.....	2	8	13	.....	63	17	33
472	York county	873	14	.....	.....	.....	3	1	5	7	.....	72	13	50
	MASSACHUSETTS RURAL.													
473	Barnstable county	504	7	1	.....	2	2	.....	4	5	.....	34	5	30
474	Berkshire county	592	3	.....	1	4	2	3	4	19	.....	40	6	34
475	Bristol county	695	6	3	.....	2	2	2	12	10	.....	67	9	39
476	Dukes county	93	2	.....	.....	.....	.....	.....	.....	1	.....	2	.....	6
477	Essex county	1,051	6	.....	.....	5	6	1	19	13	.....	92	12	74
478	Franklin county	670	7	5	.....	.....	2	.....	9	13	1	57	10	34
479	Hampden county	609	7	2	.....	1	2	9	14	12	.....	48	10	31
480	Hampshire county	512	2	2	.....	2	6	2	4	8	1	36	5	27
481	Middlesex county	1,915	8	1	.....	1	4	2	19	22	1	326	35	118
482	Nantucket county	72	.....	.....	.....	.....	.....	.....	.....	2	.....	3	2	8
483	Norfolk county	1,306	10	2	.....	3	4	1	9	18	.....	141	13	65
484	Plymouth county	1,010	6	2	.....	5	1	1	9	12	.....	128	7	71
485	Suffolk county	67	2	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	6
486	Worcester county	2,121	16	5	.....	.....	8	15	16	34	1	211	32	100
	MICHIGAN RURAL.													
487	Alcona county	60	2	.....	.....	.....	1	1	.....	.....	.....	5	1	2
488	Alger county	74	1	.....	.....	.....	.....	1	.....	.....	.....	5	2	2
489	Allegan county	561	5	1	.....	3	3	1	1	19	.....	33	5	36
490	Alpena county	209	2	1	.....	1	23	6	21	6	.....	13	3	12
491	Antrim county	230	5	.....	.....	2	3	3	3	5	.....	9	2	7
492	Arenac county	123	1	1	.....	1	1	1	4	2	.....	9	2	5
493	Baraga county	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	1	1
494	Barry county	308	2	.....	.....	2	.....	5	1	15	.....	17	1	21
495	Bay county	239	3	1	2	2	.....	2	3	4	.....	25	1	11
496	Benzie county	140	1	.....	.....	.....	.....	.....	4	.....	.....	9	3	7
497	Berrien county	634	5	3	.....	1	1	1	5	15	.....	47	8	35
498	Branch county	382	3	1	.....	1	.....	.....	.....	16	.....	22	3	14
499	Calhoun county	426	3	.....	1	1	1	2	5	8	.....	30	.....	27
500	Cass county	281	6	.....	.....	3	1	.....	3	5	.....	20	3	21
501	Charlevoix county	217	4	.....	.....	1	.....	.....	.....	3	.....	19	2	11
502	Cheboygan county	194	2	1	.....	.....	.....	4	2	1	.....	11	1	6
503	Chippewa county	108	.....	.....	.....	1	.....	.....	2	.....	.....	8	2	1
504	Clare county	109	4	.....	.....	4	4	1	1	.....	.....	7	2	6
505	Clinton county	310	7	1	.....	.....	2	3	.....	10	.....	19	2	17
506	Crawford county	44	1	.....	.....	1	.....	.....	.....	.....	.....	3	.....	1
507	Delta county	170	4	.....	.....	.....	1	4	.....	2	.....	8	.....	9
508	Dickinson county	102	.....	.....	.....	.....	.....	.....	3	.....	.....	6	1	3
509	Eaton county	482	7	.....	.....	5	.....	2	4	12	.....	30	2	25
510	Emmet county	232	3	.....	1	4	1	1	1	5	.....	18	3	6
511	Genesee county	385	5	1	.....	.....	2	.....	3	8	.....	15	6	20
512	Gladwin county	56	2	1	.....	1	2	.....	.....	.....	.....	1	.....	1
513	Gogebic county	140	2	.....	.....	.....	1	.....	5	.....	.....	5	4	2
514	Grand Traverse county	160	1	.....	1	.....	.....	3	1	3	.....	12	.....	4
515	Gratiot county	386	9	.....	.....	4	2	1	3	17	.....	23	4	21
516	Hillsdale county	421	3	3	.....	5	1	1	4	11	.....	30	6	23
517	Houghton county	918	2	.....	.....	6	33	24	13	5	.....	77	32	44
518	Huron county	356	5	1	1	4	5	.....	9	3	.....	24	4	16
519	Ingham county	396	6	.....	.....	2	1	2	8	13	2	17	5	20
520	Ionia county	497	11	2	.....	.....	3	1	1	6	1	30	5	42
521	Iosco county	114	2	1	.....	.....	2	1	1	2	.....	11	3	5
522	Iron county	87	1	.....	.....	.....	.....	.....	1	2	.....	5	.....	8
523	Isabella county	234	4	1	.....	4	.....	1	2	2	.....	14	6	14
524	Jackson county	334	2	.....	1	2	1	.....	2	7	.....	12	1	34
525	Kalamazoo county	299	2	1	.....	3	.....	1	3	11	.....	14	3	18
526	Kalkaska county	97	.....	.....	1	1	1	1	2	1	.....	4	2	5
527	Kent county	690	8	3	.....	.....	.....	2	4	9	.....	26	8	35
528	Keweenaw county	45	.....	.....	.....	.....	1	.....	.....	.....	.....	7	.....	.....
529	Lake county	60	2	1	.....	.....	2	.....	1	3	.....	5	.....	3
530	Lapeer county	419	4	1	1	.....	2	.....	3	4	.....	19	1	20
531	Leelanau county	144	.....	.....	.....	.....	1	.....	.....	3	.....	15	.....	7
532	Lenawee county	700	14	.....	.....	5	3	3	9	22	.....	38	4	38
533	Livingston county	265	9	.....	.....	1	2	.....	3	7	.....	11	3	17
534	Luce county	61	3	.....	.....	1	.....	.....	.....	.....	.....	3	.....	.....
535	Mackinac county	99	2	.....	1	.....	.....	2	.....	1	1	10	.....	.....
536	Macomb county	508	6	2	.....	3	3	.....	7	6	.....	36	10	25
537	Manistee county	312	9	1	.....	.....	2	.....	6	5	.....	17	2	9
538	Marquette county	195	6	.....	.....	1	2	2	1	1	.....	10	1	9
539	Mason county	244	2	.....	.....	.....	1	1	4	12	.....	20	3	7
540	Mecosta county	277	9	1	.....	.....	2	.....	6	11	.....	12	3	12
541	Menominee county	164	2	.....	.....	.....	1	2	5	3	.....	9	1	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1904—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
.....	2	10	70	77	35	28	16	2	32	32	5	22	4	38	17	67	14	465
.....	9	12	97	100	53	53	27	14	52	43	6	29	6	53	27	120	16	466
.....	1	4	24	24	18	5	.....	3	16	12	1	8	5	24	5	28	5	467
.....	1	.....	25	14	14	7	2	.....	10	8	1	4	.....	6	1	17	3	468
1	2	11	51	62	61	18	14	7	33	23	2	17	3	31	22	64	12	469
.....	5	3	53	59	33	18	5	2	24	22	5	16	2	14	10	43	7	470
.....	1	14	59	77	51	22	10	9	20	23	7	31	2	25	21	58	16	471
1	14	16	129	125	70	39	16	10	36	60	3	34	7	30	28	77	13	472
.....	7	8	62	79	23	34	19	7	34	27	6	18	1	33	10	46	.....	473
2	6	5	74	87	42	29	23	3	37	33	5	20	4	44	7	53	2	474
.....	9	5	81	108	50	35	32	9	17	59	4	30	8	26	18	52	.....	475
.....	1	.....	13	15	5	6	2	1	6	4	.....	2	1	8	2	15	1	476
.....	9	18	124	174	71	47	26	9	36	57	7	45	11	40	33	115	1	477
.....	3	15	79	91	58	28	27	7	27	45	3	23	4	38	16	63	5	478
.....	3	15	66	84	48	32	36	7	24	38	8	34	2	26	9	41	.....	479
1	6	17	67	56	40	20	29	10	23	26	2	22	3	25	7	62	1	480
1	15	23	226	352	107	90	39	29	76	92	10	59	12	74	23	150	.....	481
.....	.....	1	8	15	2	4	1	2	5	4	.....	2	.....	5	1	7	.....	482
3	12	14	198	201	87	56	29	16	60	72	9	56	8	62	35	119	3	483
3	9	8	116	162	56	45	31	9	40	55	7	29	10	39	25	124	.....	484
.....	1	1	8	15	4	2	3	1	.....	7	1	4	2	5	.....	2	.....	485
2	31	48	285	271	145	93	95	14	91	124	13	95	15	97	35	225	4	486
.....	.....	.....	6	4	3	2	2	.....	4	4	2	2	.....	7	2	8	2	487
.....	.....	2	3	9	5	8	5	1	3	1	2	4	1	8	2	8	1	488
.....	10	8	52	99	31	29	19	15	48	23	11	8	4	29	4	59	5	489
.....	2	.....	18	15	9	24	11	1	15	8	8	13	2	20	6	22	7	490
.....	1	4	17	24	16	22	12	8	19	4	6	6	2	11	5	29	5	491
.....	.....	.....	12	10	9	8	5	1	11	6	4	7	.....	4	.....	11	8	492
.....	.....	.....	5	5	4	1	.....	.....	1	.....	1	2	1	7	.....	5	3	493
.....	.....	.....	38	54	16	12	11	3	21	13	2	4	4	18	5	33	.....	494
.....	7	3	28	25	11	15	13	3	13	8	3	14	1	16	7	21	3	495
.....	1	3	9	23	9	6	10	5	9	4	3	10	.....	11	4	10	1	496
.....	4	5	84	89	27	23	19	9	37	32	5	26	5	62	6	69	11	497
1	4	4	50	79	21	15	12	3	21	13	3	12	4	13	10	53	4	498
1	6	6	50	85	19	24	3	7	31	21	8	8	4	35	6	34	.....	499
.....	2	6	32	46	10	9	6	7	17	20	3	9	2	12	8	28	2	500
.....	1	1	17	19	9	18	22	2	12	8	3	8	3	18	11	24	1	501
1	5	8	9	18	14	13	16	7	8	8	5	13	2	19	2	14	4	502
.....	1	.....	9	11	9	7	6	6	3	1	2	3	1	14	6	12	3	503
.....	2	2	8	3	5	6	3	1	11	8	.....	5	1	9	3	11	2	504
1	4	4	43	54	10	13	7	4	16	11	6	6	6	16	6	41	1	505
.....	.....	.....	5	3	2	3	3	.....	2	2	.....	2	.....	14	.....	2	.....	506
.....	.....	1	10	8	17	10	12	2	10	3	4	8	1	21	3	18	14	507
.....	2	.....	7	9	3	8	17	3	7	1	1	7	1	15	1	5	2	508
2	4	8	78	70	31	19	9	8	26	26	6	16	5	32	4	48	3	509
1	2	3	14	20	11	18	12	1	13	12	4	20	.....	23	3	29	3	510
1	3	1	40	72	30	18	3	10	23	25	7	6	2	22	13	48	1	511
.....	1	1	7	3	4	5	4	.....	2	1	1	2	.....	8	1	7	1	512
.....	.....	5	20	6	7	9	8	2	7	1	1	15	2	14	5	12	7	513
.....	5	2	16	24	5	9	7	11	9	4	5	3	2	13	5	12	3	514
1	4	6	36	63	22	15	12	7	27	15	11	15	3	19	12	34	.....	515
1	11	3	62	72	21	16	9	2	32	19	9	6	1	19	9	40	2	516
.....	3	13	64	61	67	78	64	6	33	38	14	49	3	105	12	59	13	517
.....	1	4	28	47	15	15	15	5	35	19	8	20	1	21	2	36	12	518
1	14	3	49	52	28	15	5	5	33	21	5	7	6	20	4	52	.....	519
2	8	2	73	72	36	21	9	8	47	22	5	8	5	24	8	41	4	520
.....	.....	1	4	8	9	4	6	4	8	3	5	6	.....	8	3	15	2	521
.....	.....	1	3	2	2	11	10	.....	5	.....	1	8	2	17	2	4	2	522
.....	5	2	24	20	19	10	7	6	17	14	4	6	1	14	4	28	5	523
.....	4	1	56	50	25	20	4	3	21	14	3	8	3	18	6	33	3	524
.....	2	2	27	67	21	13	8	4	14	16	4	6	4	15	4	35	1	525
.....	.....	4	10	10	5	9	3	5	8	4	4	4	1	8	1	2	1	526
1	7	11	99	107	40	39	23	11	43	38	6	15	5	40	15	91	4	527
.....	.....	1	4	2	4	2	7	1	1	2	.....	2	.....	8	.....	2	1	528
1	.....	.....	9	3	.....	1	4	1	8	.....	3	1	.....	5	2	4	1	529
1	9	4	65	44	29	28	12	9	28	17	6	12	1	16	15	65	3	530
.....	.....	3	17	15	7	7	10	4	10	4	2	7	1	7	5	19	.....	531
3	7	7	94	119	30	34	14	15	46	26	7	12	8	27	15	95	5	532
.....	3	4	33	60	9	11	2	4	19	6	5	8	1	15	4	24	4	533
.....	.....	1	10	2	4	3	1	2	6	3	2	2	.....	5	6	7	.....	534
.....	.....	.....	12	7	4	3	2	.....	9	5	1	3	1	8	4	19	4	535
2	7	3	77	63	21	14	14	6	36	33	2	14	5	22	17	70	4	536
.....	2	3	30	24	22	16	19	6	26	14	5	15	2	27	7	37	6	537
.....	.....	2	13	12	7	24	17	1	13	9	.....	8	3	31	6	13	3	538
3	1	1	25	29	17	19	13	3	23	10	3	8	3	14	1	21	.....	539
.....	1	4	26	37	14	9	10	6	23	21	6	6	3	18	6	29	2	540
.....	1	3	13	14	9	7	16	4	13	3	2	8	3	22	4	12	5	541

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.											
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	MICHIGAN RURAL—Continued.													
542	Midland county	142	7			2		1	1	2		7	2	9
543	Missaukee county	109	2			3			2	2		7	1	2
544	Monroe county	423	5			2	1		15	6		29	14	27
545	Montcalm county	432	4	1	1		2		3	18		29	5	24
546	Montmorency county	56	2			4			6			3		1
547	Muskegon county	242	4	1	1	2	4	4	2	2	1	10	2	14
548	Newaygo county	247	2	1						12		15	2	13
549	Oakland county	465	6			2	6		1	14		26	3	24
550	Oceana county	244	4	1		3			3	12	1	17	3	10
551	Ogemaw county	97	2	2					2	2		4	1	3
552	Ontonagon county	98	6					2	2	3		9		3
553	Osceola county	224	6	1	1		1		1	6		23	2	5
554	Oscoda county	11										2		
555	Otsego county	84	5				1			1		1		6
556	Ottawa county	496	10	1		1		4	2	16		39	2	32
557	Presque Isle county	93	2				2		2			3		
558	Roscommon county	30							3			1		
559	Saginaw county	475	5			1	1		2	14		33	5	25
560	St. Clair county	444	10	1		2	3	1	8	11		18	3	31
561	St. Joseph county	329	1	1	2	1	1	1	2	9		23	4	22
562	Sanilac county	393	5	3			2		2	9		23	7	16
563	Schoolcraft county	91	1	1		1			1	1		5		2
564	Shiawassee county	377	8	1			1		3	19		28	3	23
565	Tuscola county	423	8	1		3	1		2	7		27	7	22
566	Van Buren county	528	15			4	2		4	11		30	9	31
567	Washtenaw county	475	6	3		6	1	1	1	16		35	7	28
568	Wayne county	1,189	23	1	2	10	3	2	40	10	1	84	10	38
569	Wexford county	252	4						3	5	1	14	2	6
	NEW HAMPSHIRE RURAL.													
570	Belknap county	178	1						3			8	1	5
571	Carroll county	242	2					1	1	1		23	6	18
572	Cheshire county	385	2						6	12		29	2	19
573	Coos county	268	3	1					3	7		28	2	15
574	Grafton county	634	7	2				1	8	22		42	9	36
575	Hillsboro county	575	5					1	6	10		57	2	28
576	Merrimack county	567	11	1			2		1	14		38	12	31
577	Rockingham county	658	4	1					3	8		58	5	37
578	Strafford county	269	6				6		1	8		23	2	13
579	Sullivan county	275	4						1	4		18	3	14
	NEW JERSEY RURAL.													
580	Atlantic county	271	2			1			3	3		17	1	9
581	Bergen county	1,230	11	2		8	14	7	27	10		85	19	43
582	Burlington county	977	18	2	2	5	8	6	13	11		109	10	41
583	Camden county	523	10		1	3	1	1	15	7		67	10	21
584	Cape May county	211						1	4	2		13	1	14
585	Cumberland county	378	6	1	1	1	4	2	6	3		41	5	12
586	Essex county	1,081	5	3		6	11	5	31	7		117	24	49
587	Gloucester county	485	7	1		1	4	2	5	4		48	12	24
588	Hudson county	1,401	11	3	1	7	22	11	53	4		159	11	41
589	Hunterdon county	460	5	1			1		10	9		35	6	15
590	Mercer county	282	4	1		1	2	1	6	4		23	1	14
591	Middlesex county	647	8	3		4	12	2	30	8	1	46	9	22
592	Monmouth county	1,313	19	7		7	1	6	15	26		126	25	43
593	Morris county	839	4			3	6	2	24	16		93	10	28
594	Ocean county	272	3	1		1			7	9		27	5	9
595	Passaic county	327				1	1	1	16	2		31	7	7
596	Salem county	423	11		4	5	5	2	4	6		47	2	17
597	Somerset county	420	3			3	1	2	9	3		29	6	22
598	Sussex county	295	5			2	5	1	5	3		18	5	10
599	Union county	427	8	1		2	3	1	5	6		42	12	17
600	Warren county	410	7	1		3	2	4	5	8		41	1	14
	NEW YORK RURAL.													
601	Albany county	519	12					1	3	15		51	6	20
602	Allegany county	606	4	1		3	1	1	2	27		23	7	24
603	Broome county	521	2	1		15	1	4	4	13		26	3	16
604	Cattaraugus county	730	12			2		1	13	11		39		36
605	Cayuga county	562	11	1	1		1		2	9		40	3	34
606	Chautauqua county	794	11	1	1	3	7	1	2	37	1	52	8	45
607	Chemung county	286	3	2				2	5	5		21	4	18
608	Chenango county	640	6			1	2		3	20		31	6	45
609	Clinton county	571	5	1	1		15	3	7	23	1	58	5	21
610	Columbia county	548	7	1		2	6	1	2	22		42	5	22
611	Cortland county	315	4			2				10		9	3	23
612	Delaware county	590	11			5	2	3	12	13		35	6	24
613	Dutchess county	1,156	12	3		8		6	9	26		142	7	49
614	Erie county	1,191	12	1		8	5		12	20		85	9	40
615	Essex county	449	3			1	6		6	6		63	4	18

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1904—Continued.

CAUSE OF DEATH—continued.																	
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
1	1	5	12	16	9	8	11	1	9	5	2	5	2	12	1	9	2	542
.....	1	2	7	6	9	3	13	7	8	5	3	3	.....	5	5	12	1	543
1	4	4	55	46	33	20	14	7	37	13	5	15	.....	24	7	36	3	544
.....	5	2	56	50	23	18	20	8	33	20	4	12	3	16	13	60	2	545
1	.....	1	3	5	3	3	5	1	3	1	.....	3	1	2	2	4	2	546
.....	4	.....	24	36	10	8	10	4	14	6	5	15	2	11	9	35	2	547
.....	5	2	30	36	9	18	8	3	25	6	7	9	3	10	6	24	1	548
1	.....	2	73	68	22	17	6	6	31	31	8	10	6	26	12	59	5	549
.....	3	2	26	30	19	10	8	5	19	6	5	7	1	13	7	28	1	550
.....	.....	1	6	5	12	7	9	1	7	5	2	9	1	5	2	9	.....	551
.....	.....	.....	2	8	4	9	6	3	4	5	.....	7	1	15	1	7	1	552
.....	2	1	24	14	12	11	14	5	17	14	5	5	.....	23	1	28	2	553
.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	2	554
.....	.....	.....	7	3	10	6	6	2	4	1	3	4	1	9	4	7	3	555
1	2	7	52	39	23	29	16	9	39	29	6	13	1	23	15	63	2	556
1	3	.....	11	2	5	4	7	1	6	3	2	2	.....	3	5	11	18	557
.....	.....	1	4	2	6	.....	.....	.....	3	.....	.....	.....	1	3	1	2	3	558
1	9	1	49	54	32	25	31	6	32	12	5	19	2	36	19	52	4	559
.....	4	8	51	60	26	33	13	2	34	20	3	12	2	28	8	50	2	560
.....	4	1	52	46	15	13	3	6	19	22	7	6	1	15	13	37	2	561
1	7	3	54	43	29	12	16	6	27	13	10	12	2	14	16	54	7	562
.....	.....	2	15	7	3	3	4	1	4	2	2	8	1	16	3	5	3	563
.....	1	4	45	46	24	13	7	8	32	21	7	8	5	26	5	37	2	564
1	5	4	57	61	29	21	9	4	31	17	6	18	.....	27	9	45	1	565
1	6	2	68	94	26	25	18	6	33	18	5	21	1	26	19	48	5	566
1	4	4	62	65	23	28	11	5	18	24	8	8	8	25	9	65	3	567
1	7	10	158	103	81	66	38	23	67	32	16	37	10	67	27	157	25	568
.....	3	2	18	33	19	12	14	5	16	9	4	17	4	20	7	33	1	569
2	2	3	41	33	10	11	2	3	9	9	2	1	.....	5	7	20	.....	570
.....	1	2	29	40	22	6	3	1	15	16	1	2	2	14	10	24	2	571
.....	1	5	55	66	18	21	23	4	24	23	3	6	4	15	5	41	1	572
.....	2	5	38	35	16	9	5	2	8	26	.....	5	.....	16	10	30	2	573
.....	8	13	68	82	50	15	15	7	37	48	6	9	5	33	14	96	1	574
1	4	9	81	88	23	34	11	5	36	38	2	11	7	22	18	76	.....	575
1	2	5	87	78	43	20	24	5	25	50	2	9	2	21	20	63	.....	576
.....	6	6	100	110	44	33	20	7	37	33	5	12	4	28	11	83	3	577
.....	.....	7	22	49	11	20	18	4	18	13	1	5	3	7	6	23	3	578
2	5	2	32	36	30	19	4	3	14	12	1	1	5	9	9	47	.....	579
2	2	3	26	33	22	20	34	6	13	17	5	6	1	12	15	17	1	580
1	5	25	144	144	125	71	81	15	51	57	7	60	6	83	39	89	1	581
1	6	15	116	111	73	43	49	11	43	68	6	36	4	61	41	66	2	582
.....	1	8	65	64	40	33	26	5	22	29	2	18	7	14	18	34	1	583
.....	2	3	33	22	5	13	11	8	10	15	1	7	3	15	14	14	.....	584
.....	2	3	64	45	21	14	10	4	19	27	2	14	.....	18	14	38	1	585
.....	16	29	108	117	102	58	66	10	56	70	8	48	6	39	19	68	3	586
1	11	8	72	49	40	23	22	7	27	22	6	22	1	32	14	30	.....	587
.....	12	32	174	122	138	93	98	22	51	65	7	51	22	39	28	102	2	588
1	5	5	80	70	29	22	10	6	26	29	1	19	4	23	10	37	1	589
.....	1	5	48	30	22	9	14	3	12	9	3	9	.....	35	7	18	.....	590
2	1	15	63	62	57	43	51	4	30	24	4	18	3	58	17	49	1	591
.....	12	25	168	136	89	60	78	16	72	79	11	63	12	73	55	87	2	592
.....	4	7	118	95	80	42	29	14	29	66	5	24	1	53	10	75	1	593
1	1	4	45	26	23	12	12	7	13	13	3	9	.....	14	14	12	1	594
.....	7	3	23	38	28	22	27	4	4	12	2	26	4	35	7	19	.....	595
.....	4	4	52	36	32	17	16	8	23	23	2	23	2	20	13	43	2	596
.....	3	4	70	49	33	18	24	6	14	20	2	22	2	25	15	33	2	597
.....	3	2	40	32	39	13	6	1	20	11	2	8	6	20	7	29	2	598
.....	6	9	55	50	40	16	18	2	10	31	2	17	5	37	9	21	2	599
.....	5	4	52	54	29	22	18	6	18	23	3	16	5	29	8	32	.....	600
1	9	11	50	77	32	33	18	7	25	30	3	14	3	40	15	42	1	601
.....	5	7	80	107	50	34	6	7	42	25	4	22	5	40	14	65	.....	602
4	8	3	59	79	30	20	7	6	32	37	6	13	3	35	13	80	1	603
1	11	4	81	121	54	25	25	14	33	37	7	18	7	70	28	78	2	604
1	8	3	86	112	36	21	6	2	31	32	5	16	5	30	9	57	.....	605
1	9	12	99	135	55	34	16	7	41	41	9	18	7	50	19	71	1	606
1	1	2	39	41	15	19	2	3	21	10	1	6	6	15	4	40	.....	607
1	10	10	80	122	42	26	5	6	34	38	5	12	8	36	12	79	.....	608
1	3	15	52	71	36	23	14	8	32	17	4	30	4	27	18	73	3	909
.....	3	2	62	97	34	25	11	5	37	44	3	14	1	28	10	61	1	610
.....	4	2	40	52	19	16	1	3	27	22	1	9	3	18	4	42	1	611
1	10	7	74	103	54	20	9	8	38	37	5	8	2	39	9	53	2	612
1	11	21	194	163	79	48	28	17	51	66	8	27	6	57	11	106	.....	613
1	7	25	144	162	68	53	55	15	68	66	7	54	11	99	32	122	1	614
.....	6	7	61	65	16	22	9	5	27	22	3	17	1	29	9	41	2	615

TABLE 3.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN

	REGISTRATION AREA.	CAUSE OF DEATH.												
		All causes.	Typhoid fever.	Malarial fever.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Other epidemic diseases.[1]	Tuberculosis of lungs.	Other forms of tuberculosis.	Cancer.
	NEW YORK RURAL—Continued.													
616	Franklin county	738	6	.....	.....	.....	4	3	12	12	.....	109	4	28
617	Fulton county	197	.....	.....	.....	.....	1	.....	7	5	.....	14	1	10
618	Genesee county	513	8	1	.....	2	3	.....	7	19	.....	32	4	32
619	Greene county	524	15	.....	.....	.....	.....	3	4	16	.....	43	7	31
620	Hamilton county	52	1	.....	.....	.....	.....	.....	.....	1	.....	5	.....	1
621	Herkimer county	675	8	1	.....	1	4	.....	16	8	.....	57	10	35
622	Jefferson county	806	12	.....	.....	1	2	5	15	18	.....	58	6	36
623	Lewis county	379	4	.....	.....	.....	1	3	3	10	.....	23	2	19
624	Livingston county	553	7	2	.....	.....	1	1	8	17	1	30	3	28
625	Madison county	625	9	.....	.....	1	1	.....	3	12	.....	44	6	29
626	Monroe county	837	12	.....	.....	1	7	5	18	16	.....	59	13	50
627	Montgomery county	374	7	.....	.....	.....	.....	2	3	5	.....	40	5	26
628	Nassau county	932	10	4	.....	8	3	12	18	7	.....	78	9	41
629	Niagara county	561	15	2	.....	.....	3	4	7	17	.....	32	6	34
630	Oneida county	921	17	1	.....	2	10	4	14	20	.....	65	1	37
631	Onondaga county	908	16	1	.....	.....	8	.....	3	12	.....	67	7	49
632	Ontario county	574	6	1	.....	.....	1	3	4	11	.....	40	6	26
633	Orange county	815	12	2	.....	5	3	8	20	21	.....	82	7	33
634	Orleans county	453	1	1	.....	.....	3	.....	9	7	.....	40	7	29
635	Oswego county	1,126	21	.....	1	.....	2	1	16	30	.....	89	6	56
636	Otsego county	844	13	.....	.....	6	.....	4	4	29	.....	51	10	55
637	Putnam county	244	.....	.....	.....	.....	3	1	5	1	.....	28	2	12
638	Rensselaer county	718	16	1	1	3	4	3	5	26	.....	62	4	30
639	Rockland county	645	10	3	.....	16	2	4	14	4	.....	49	7	25
640	St. Lawrence county	908	20	.....	.....	.....	4	6	8	39	1	77	10	49
641	Saratoga county	746	10	.....	.....	2	1	1	7	13	.....	62	9	33
642	Schenectady county	177	1	.....	.....	.....	.....	3	5	2	.....	12	.....	8
643	Schoharie county	421	6	.....	.....	.....	3	2	6	21	.....	32	3	30
644	Schuyler county	228	3	.....	.....	2	.....	1	5	4	.....	15	.....	14
645	Seneca county	547	3	.....	.....	1	.....	1	2	14	.....	61	5	19
646	Steuben county	1,128	17	1	.....	18	3	1	27	20	.....	83	8	65
647	Suffolk county	1,672	16	3	.....	11	4	6	13	21	.....	176	7	69
648	Sullivan county	626	3	1	.....	5	1	2	9	23	.....	169	3	26
649	Tioga county	463	4	.....	.....	4	1	2	3	16	.....	25	4	30
650	Tompkins county	309	6	.....	.....	1	.....	.....	1	18	.....	16	2	14
651	Ulster county	929	25	5	.....	15	1	7	15	26	.....	92	10	40
652	Warren county	246	2	.....	.....	.....	.....	2	3	3	.....	24	.....	13
653	Washington county	683	10	1	.....	.....	.....	6	4	24	.....	54	9	25
654	Wayne county	725	14	.....	.....	.....	2	1	11	15	.....	53	11	43
655	Westchester county	1,708	25	6	.....	15	8	3	25	19	.....	168	24	82
656	Wyoming county	455	2	1	.....	.....	.....	2	3	11	1	21	10	28
657	Yates county	330	7	.....	.....	1	.....	.....	4	14	.....	20	3	13
	RHODE ISLAND RURAL.													
658	Bristol county	264	3	.....	.....	1	3	1	5	2	.....	17	2	9
659	Kent county	594	6	4	.....	1	3	1	8	11	.....	65	14	19
660	Newport county	152	.....	.....	.....	.....	.....	.....	.....	1	.....	10	3	11
661	Providence county	1,336	7	3	.....	1	9	1	14	25	.....	145	25	64
662	Washington county	392	6	1	.....	3	2	.....	5	9	.....	29	10	29
	VERMONT RURAL.													
663	Addison county	282	8	1	.....	.....	1	.....	.....	11	.....	18	.....	17
664	Bennington county	229	5	.....	.....	1	.....	.....	1	1	.....	10	3	9
665	Caledonia county	369	9	.....	.....	.....	.....	.....	6	12	.....	21	7	20
666	Chittenden county	318	5	1	.....	.....	.....	1	5	8	.....	30	7	13
667	Essex county	111	4	.....	.....	.....	.....	.....	5	6	1	5	1	11
668	Franklin county	515	19	.....	.....	2	2	2	7	13	.....	42	10	32
669	Grand Isle county	36	1	.....	.....	.....	.....	.....	.....	.....	.....	4	1	3
670	Lamoille county	162	.....	2	.....	.....	.....	.....	1	5	.....	10	2	12
671	Orange county	331	1	.....	.....	.....	.....	1	2	15	.....	18	3	25
672	Orleans county	348	17	1	.....	.....	.....	.....	6	17	.....	22	6	20
673	Rutland county	528	7	.....	.....	.....	1	5	8	9	.....	45	5	20
674	Washington county	518	6	.....	.....	.....	1	5	3	7	.....	36	5	31
675	Windham county	420	6	.....	.....	.....	.....	.....	3	6	.....	27	4	28
676	Windsor county	538	4	.....	.....	.....	.....	1	4	29	.....	37	2	35

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

PRINCIPAL DISEASES AND CLASSES OF DISEASES: 1904—Continued.

CAUSE OF DEATH—continued.																		
Tumor.	Diabetes.	Meningitis.	Other diseases of nervous system.	Diseases of circulatory system.	Pneumonia.	Other diseases of respiratory system.	Diarrhea and enteritis.		Other diseases of digestive system.	Bright's disease and nephritis.	Childbirth.	Early infancy.	Suicide.	Other violence.	Ill-defined causes.	All other causes.	Cause unknown.	
							Under 2 years.	2 years and over.										
2	6	24	66	87	45	41	26	5	29	31	9	35	2	37	38	76	1	616
.....	.....	4	25	19	17	6	4	2	12	16	3	2	2	10	6	31	.....	617
1	6	6	71	77	22	15	14	5	29	26	4	10	9	39	16	55	.....	618
.....	3	10	69	74	43	19	15	6	25	40	4	10	5	27	12	43	.....	619
.....	.....	1	6	8	4	1	4	1	6	2	1	1	.....	5	1	3	.....	620
.....	6	9	57	95	45	28	16	13	48	48	5	15	4	43	29	74	.....	621
1	5	13	101	149	36	29	6	8	51	39	4	29	6	52	15	107	2	622
.....	6	2	45	56	22	19	10	9	16	18	6	8	4	25	6	61	1	623
1	2	6	89	102	35	17	12	6	32	30	6	11	4	45	12	45	.....	624
2	6	7	108	99	52	21	14	12	29	34	7	12	4	41	11	60	1	625
.....	7	10	100	134	57	48	32	10	41	39	3	23	10	58	10	74	.....	626
.....	4	6	48	57	16	11	8	4	20	29	3	5	2	31	9	33	.....	627
.....	2	8	12	91	111	74	54	63	14	49	54	9	34	2	60	28	77	.....	628
.....	4	16	50	78	39	19	21	8	38	22	5	21	2	45	19	54	.....	629
.....	2	12	22	112	122	65	44	18	15	54	53	6	26	13	59	27	99	1	630
2	6	19	124	138	67	42	15	10	32	55	5	25	12	45	28	120	.....	631
.....	6	5	94	83	25	32	28	8	32	39	3	13	5	33	4	66	.....	632
.....	2	6	16	93	93	49	33	45	7	43	51	6	26	2	51	21	77	1	633
2	6	16	93	93	49	33	45	7	43	51	6	26	2	51	21	77	1	633
1	6	3	49	59	36	18	14	3	27	25	5	12	2	24	11	61	.....	634
2	9	16	169	186	69	32	19	16	71	74	11	37	4	60	25	104	.....	635
2	12	9	102	135	56	27	13	10	44	64	4	29	5	45	18	97	.....	636
.....	2	3	29	26	13	16	5	4	11	15	.....	9	.....	21	9	29	.....	637
1	3	13	90	101	71	32	17	7	36	47	5	18	3	40	19	60	.....	638
1	8	11	62	86	38	33	40	13	27	45	4	28	4	50	14	46	1	639
1	12	7	99	153	43	40	17	14	51	43	14	28	6	47	20	97	2	640
.....	2	16	99	85	54	43	23	10	44	50	5	26	1	50	25	75	.....	641
.....	.....	1	19	20	15	14	8	3	9	11	.....	6	2	15	5	18	.....	642
.....	5	8	69	55	16	18	5	2	27	18	2	6	4	19	6	57	1	643
1	5	.....	36	33	11	10	5	1	16	19	1	3	1	8	3	31	.....	644
.....	7	3	97	115	39	15	8	8	25	37	.....	7	4	28	4	44	.....	645
1	11	12	147	167	64	49	18	16	77	61	9	35	11	58	36	113	.....	646
1	13	23	298	260	97	68	54	28	77	116	12	27	9	75	55	133	.....	647
1	5	6	56	69	31	22	11	3	24	37	5	8	4	31	27	43	1	648
.....	2	7	71	76	25	15	7	5	25	26	4	15	2	27	13	54	.....	649
.....	1	1	52	52	19	12	3	3	15	18	2	5	3	16	11	38	.....	650
1	4	17	141	127	58	42	31	10	52	53	5	20	3	35	30	64	.....	651
.....	4	3	20	41	11	10	10	6	12	22	6	8	1	19	4	21	1	652
1	7	12	86	86	61	34	17	9	39	62	6	18	4	42	5	59	2	653
2	10	8	112	100	37	25	11	13	44	49	4	25	7	32	19	76	1	654
1	14	43	166	174	117	97	114	19	68	124	8	55	7	154	50	121	1	655
1	7	4	61	84	20	19	3	8	37	22	3	14	2	29	12	50	.....	656
.....	1	5	33	65	29	13	5	2	13	28	2	3	1	18	7	42	1	657
.....	.....	.....	34	24	30	19	24	3	13	28	1	11	.....	15	2	17	.....	658
1	5	9	65	56	42	39	80	2	13	33	9	20	4	28	7	49	.....	659
.....	.....	2	24	31	6	6	6	1	10	6	3	6	.....	14	.....	12	.....	660
.....	14	25	140	135	108	79	94	19	46	131	8	38	11	64	14	112	4	661
1	5	1	37	59	24	18	14	11	27	30	5	12	5	21	3	25	.....	662
.....	4	4	32	32	21	9	3	7	22	21	6	11	2	11	6	29	6	663
.....	2	4	33	29	28	5	3	6	12	17	2	10	2	13	9	23	1	664
1	2	6	36	46	40	27	7	4	23	15	5	11	5	10	11	44	1	665
.....	6	4	30	38	27	18	9	3	14	20	6	11	3	11	5	39	4	666
.....	1	1	12	16	7	7	2	1	7	3	3	1	.....	3	2	11	1	667
.....	5	9	48	47	33	28	19	4	31	19	5	30	2	26	16	56	8	668
.....	1	.....	2	3	5	1	1	.....	3	1	1	3	.....	2	1	3	.....	669
.....	3	1	23	18	13	14	1	.....	6	14	4	5	1	6	1	19	1	670
1	6	3	35	49	24	25	4	4	23	22	3	12	4	12	6	30	3	671
.....	5	12	28	40	22	27	10	2	25	19	2	9	.....	18	4	34	2	672
.....	5	8	59	59	53	25	26	3	32	26	2	16	3	31	7	63	10	673
.....	10	10	63	70	39	19	14	9	32	27	4	21	9	26	10	56	5	674
.....	6	12	62	59	19	22	6	7	27	31	5	7	3	17	4	54	4	675
1	10	2	67	96	34	28	11	6	20	28	6	12	4	26	12	59	3	676

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX.

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	THE REGISTRATION AREA.											
1	Total	551,354	102,880	22,268	9,750	6,323	4,681	145,902	13,774	9,368	15,496	23,206
2	Males	296,252	57,545	11,694	5,148	3,281	2,509	80,177	7,015	4,812	7,526	11,710
3	Females	255,102	45,335	10,574	4,602	3,042	2,172	65,725	6,759	4,556	7,970	11,496
4	White	513,016	95,233	20,320	8,900	5,872	4,380	134,705	12,853	8,580	13,797	20,367
5	Males	276,029	53,538	10,682	4,713	3,054	2,362	74,349	6,595	4,447	6,769	10,278
6	Females	236,987	41,695	9,638	4,187	2,818	2,018	60,356	6,258	4,133	7,028	10,089
7	Native	361,212	93,994	19,785	8,584	5,568	4,134	132,065	12,115	7,918	11,395	15,257
8	Males	192,021	52,854	10,398	4,556	2,889	2,241	72,938	6,201	4,093	5,469	7,463
9	Females	169,191	41,140	9,387	4,028	2,679	1,893	59,127	5,914	3,825	5,926	7,794
10	Both parents native	M. 89,259	23,008	4,248	1,978	1,243	971	31,448	2,828	1,962	2,630	3,426
		F. 83,502	17,737	3,808	1,652	1,161	834	25,192	2,733	1,866	3,002	3,757
11	One or both parents foreign	M. 68,863	24,600	5,471	2,261	1,414	1,081	34,827	2,833	1,639	2,194	2,855
		F. 58,544	19,249	4,931	2,100	1,325	906	28,511	2,693	1,607	2,277	2,965
12	Parentage unknown	M. 30,219	4,488	548	241	188	145	5,610	430	408	531	955
		F. 24,085	3,586	523	216	153	124	4,602	373	283	521	887
13	Parentage not stated	M. 3,680	758	131	76	44	44	1,053	110	84	114	227
		F. 3,060	568	125	60	40	29	822	115	69	126	185
14	Foreign	141,937	591	443	272	269	219	1,794	658	585	2,232	4,698
15	Males	77,371	328	232	134	147	108	949	347	304	1,203	2,556
16	Females	64,566	263	211	138	122	111	845	311	281	1,029	2,142
17	Unknown	9,867	648	92	44	35	27	846	80	77	170	412
18	Males	6,637	356	52	23	18	13	462	47	50	97	259
19	Females	3,230	292	40	21	17	14	384	33	27	73	153
20	Colored	38,338	7,647	1,948	850	451	301	11,197	921	788	1,699	2,839
21	Males	20,223	4,007	1,012	435	227	147	5,828	420	365	757	1,432
22	Females	18,115	3,640	936	415	224	154	5,369	501	423	942	1,407
23	Black	M. 19,161	3,943	1,000	428	224	145	5,740	412	338	734	1,351
		F. 17,904	3,598	928	415	219	152	5,312	495	416	923	1,392
24	Indian	M. 143	29	8	5	1	1	44	4	7	9	11
		F. 133	19	6	.....	4	1	30	5	6	13	8
25	Chinese and Japanese	M. 919	35	4	2	2	1	44	4	.....	14	70
		F. 78	23	2	.....	1	1	27	1	1	6	7
	REGISTRATION CITIES.											
26	Total	416,627	82,530	18,396	7,988	5,183	3,836	117,933	11,060	7,152	11,941	18,581
27	Males	225,203	46,015	9,642	4,220	2,682	2,053	64,612	5,605	3,677	5,821	9,474
28	Females	191,424	36,515	8,754	3,768	2,501	1,783	53,321	5,455	3,475	6,120	9,107
29	White	380,742	75,355	16,572	7,185	4,757	3,557	107,426	10,194	6,430	10,382	15,915
30	Males	206,327	42,276	8,703	3,811	2,465	1,916	59,171	5,210	3,338	5,129	8,131
31	Females	174,415	33,079	7,869	3,374	2,292	1,641	48,255	4,984	3,092	5,253	7,784
32	Native	255,528	74,289	16,102	6,911	4,493	3,339	105,134	9,550	5,873	8,337	11,516
33	Males	137,122	41,682	8,451	3,673	2,324	1,811	57,941	4,866	3,041	4,037	5,721
34	Females	118,406	32,607	7,651	3,238	2,169	1,528	47,193	4,684	2,832	4,300	5,795
35	Both parents native	M. 54,840	15,839	2,962	1,385	867	693	21,746	1,951	1,223	1,683	2,316
		F. 50,525	12,178	2,650	1,132	819	586	17,365	1,920	1,185	1,843	2,450
36	One or both parents foreign	M. 57,918	20,996	4,862	1,995	1,239	939	30,031	2,413	1,363	1,892	2,359
		F. 48,993	16,552	4,406	1,849	1,175	799	24,781	2,317	1,327	1,898	2,452
37	Parentage unknown	M. 20,684	4,089	496	217	174	135	5,111	382	371	438	819
		F. 15,828	3,309	470	197	135	114	4,225	332	251	433	708
38	Parentage not stated	M. 3,680	758	131	76	44	44	1,053	110	84	114	227
		F. 3,060	568	125	60	40	29	822	115	69	126	185
39	Foreign	117,859	481	393	238	238	198	1,548	584	497	1,911	4,068
40	Males	64,174	268	208	119	126	95	816	311	257	1,022	2,306
41	Females	53,685	213	185	119	112	103	732	273	240	889	1,862
42	Unknown	7,355	585	77	36	26	20	744	60	60	134	331
43	Males	5,031	326	44	19	15	10	414	33	40	70	204
44	Females	2,324	259	33	17	11	10	330	27	20	64	127
45	Colored	35,885	7,175	1,824	803	426	279	10,507	866	722	1,559	2,666
46	Males	18,876	3,739	939	409	217	137	5,441	395	339	692	1,343
47	Females	17,009	3,436	885	394	209	142	5,066	471	383	867	1,323
48	Black	M. 17,969	3,700	933	406	215	136	5,390	391	338	680	1,281
		F. 16,912	3,411	883	394	207	141	5,036	469	382	861	1,315
49	Indian	M. 16	4	2	1	.....	.....	7	.....	1	.....	1
		F. 19	2	.....	.....	1	.....	3	1	.....	.....	1
50	Chinese and Japanese	M. 891	35	4	2	2	1	44	4	.....	12	61
		F. 78	23	2	.....	1	1	27	1	1	6	7

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1904.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
25,336	25,237	26,449	25,787	25,487	27,182	27,339	31,453	31,688	32,183	27,666	20,476	10,621	3,814	1,127	1,743	1
13,169	13,878	15,110	15,162	14,982	15,399	15,392	17,174	16,673	16,460	13,931	9,858	4,793	1,516	398	1,117	2
12,167	11,359	11,339	10,625	10,505	11,783	11,947	14,279	15,015	15,723	13,735	10,618	5,828	2,298	729	626	3
22,495	22,940	24,698	23,557	23,472	25,119	25,780	29,811	30,545	31,271	27,057	20,000	10,375	3,645	966	1,583	4
11,659	12,600	13,756	13,882	13,860	14,286	14,484	16,259	16,051	15,981	13,635	9,643	4,688	1,457	343	1,007	5
10,836	10,340	10,342	9,675	9,612	10,833	11,296	13,552	14,494	15,290	13,422	10,357	5,687	2,188	623	576	6
15,785	15,567	14,646	13,821	13,682	13,248	12,866	14,378	15,323	16,103	14,920	11,903	6,585	2,373	542	720	7
7,953	8,327	8,079	7,715	7,701	7,331	7,122	7,773	8,038	8,299	7,496	5,621	2,938	924	168	372	8
7,832	7,240	6,567	6,106	5,981	5,917	5,744	6,605	7,285	7,804	7,424	6,282	3,647	1,449	374	348	9
3,014	2,995	2,836	2,739	2,969	3,433	3,883	4,511	4,893	5,081	4,638	3,424	1,749	541	90	169	10
3,363	3,006	2,672	2,440	2,733	3,037	3,360	4,012	4,694	5,051	4,862	4,033	2,373	929	218	169	
3,563	3,858	3,602	3,253	2,928	2,065	1,422	1,071	875	717	510	345	170	62	11	63	11
3,263	3,083	2,711	2,527	2,086	1,613	1,150	1,103	884	695	530	436	232	79	36	63	
1,174	1,273	1,417	1,520	1,632	1,668	1,652	2,024	2,101	2,338	2,221	1,768	990	313	65	129	12
1,031	989	1,027	996	1,031	1,128	1,107	1,335	1,559	1,921	1,917	1,725	1,003	425	117	108	
232	201	224	203	172	165	165	167	169	163	127	84	29	8	2	11	13
175	162	157	143	131	139	127	155	148	137	115	88	39	16	3	8	
6,222	6,806	8,654	8,915	9,055	11,144	12,357	14,771	14,611	14,582	11,655	7,723	3,597	1,199	404	275	14
3,357	3,881	5,072	5,522	5,597	6,409	6,953	8,034	7,635	7,348	5,862	3,828	1,672	497	165	180	15
2,865	2,925	3,582	3,393	3,458	4,735	5,404	6,737	6,976	7,234	5,793	3,895	1,925	702	239	95	16
488	567	798	821	735	727	557	662	611	586	482	374	193	73	20	588	17
349	392	605	645	562	546	409	452	378	334	277	194	78	36	10	455	18
139	175	193	176	173	181	148	210	233	252	205	180	115	37	10	133	19
2,841	2,297	2,351	2,230	2,015	2,063	1,579	1,642	1,143	912	609	476	246	169	161	160	20
1,510	1,278	1,354	1,280	1,122	1,113	908	915	622	479	296	215	105	59	55	110	21
1,331	1,019	997	950	893	950	671	727	521	433	313	261	141	110	106	50	22
1,417	1,192	1,266	1,141	1,005	995	827	858	597	464	288	206	103	58	51	98	23
1,319	1,002	983	945	886	942	667	719	511	430	308	258	139	108	100	49	
4	5	3	7	9	5	4	6	3	2	3	7	2	1	4	3	24
5	10	9	3	3	4	2	4	9	3	5	3	2	2	6	1	
89	81	85	132	108	113	77	51	22	13	5	2	.....	.....	.....	9	25
7	7	5	2	4	4	2	4	1	.....	.....	.....	.....	.....	.....	.....	
20,855	20,978	22,022	21,514	20,733	21,579	20,844	23,070	21,642	20,466	16,238	11,243	5,377	1,889	617	893	26
11,047	11,739	12,907	12,879	12,378	12,348	11,892	12,622	11,354	10,230	7,836	5,094	2,223	687	204	574	27
9,808	9,239	9,115	8,635	8,355	9,231	8,952	10,448	10,288	10,236	8,402	6,149	3,154	1,202	413	319	28
18,135	18,786	19,764	19,384	18,817	19,603	19,377	21,548	20,595	19,645	15,731	10,835	5,180	1,743	485	767	29
9,603	10,525	11,604	11,657	11,309	11,292	11,042	11,778	10,783	9,808	7,605	4,915	2,142	635	160	490	30
8,532	8,261	8,160	7,727	7,508	8,311	8,335	9,770	9,812	9,837	8,126	5,920	3,038	1,108	325	277	31
12,293	12,289	11,445	10,736	10,176	9,212	8,288	8,542	8,249	7,958	6,766	5,067	2,639	926	216	316	32
6,371	6,733	6,584	6,134	5,845	5,217	4,707	4,607	4,330	4,018	3,207	2,178	1,029	316	58	162	33
5,922	5,536	4,861	4,602	4,331	3,995	3,581	3,935	3,919	3,940	3,559	2,889	1,610	610	158	154	34
2,090	2,101	2,012	1,864	1,931	2,161	2,329	2,450	2,478	2,375	1,897	1,347	608	186	25	57	35
2,189	1,982	1,706	1,566	1,753	1,804	1,909	2,192	2,369	2,479	2,341	1,866	1,059	390	94	63	
3,067	3,349	3,126	2,705	2,447	1,652	1,131	774	579	425	276	172	79	32	4	42	36
2,721	2,608	2,219	2,140	1,714	1,294	882	802	598	436	325	256	126	42	21	34	
1,012	1,102	1,222	1,272	1,295	1,239	1,082	1,216	1,104	1,055	907	575	313	90	27	52	37
837	784	779	753	733	758	663	786	804	888	778	679	386	162	40	49	
202	201	224	203	172	165	165	167	169	163	127	84	29	8	2	11	38
175	162	157	143	131	139	127	155	148	137	115	88	39	16	3	8	
5,431	6,007	7,636	7,936	8,022	9,787	10,670	12,500	11,949	11,335	8,734	5,589	2,458	789	262	146	39
2,943	3,432	4,498	4,959	4,984	5,622	6,023	6,819	6,198	5,590	4,260	2,654	1,085	307	98	90	40
2,488	2,575	3,138	2,977	3,038	4,165	4,647	5,681	5,751	5,745	4,474	2,935	1,373	482	164	56	41
411	490	683	712	619	604	419	506	397	352	231	179	83	28	7	305	42
289	340	522	564	480	453	312	352	255	200	138	83	28	12	4	238	43
122	150	161	148	139	151	107	154	142	152	93	96	55	16	3	67	44
2,720	2,192	2,258	2,130	1,916	1,976	1,467	1,522	1,047	821	507	408	197	146	132	126	45
1,444	1,214	1,303	1,222	1,069	1,056	850	844	571	422	231	179	81	52	44	84	46
1,276	978	955	908	847	920	617	678	476	399	276	229	116	94	88	42	47
1,357	1,137	1,220	1,093	961	942	776	793	548	409	225	177	81	52	44	74	48
1,268	969	949	904	843	915	614	673	474	398	275	228	116	94	87	42	
1	.....	.....	.....	1	1	.....	.....	1	.....	1	.....	.....	.....	.....	2	49
1	2	1	2	.....	1	1	1	1	1	1	1	.....	.....	1	.....	50
86	77	83	129	107	113	74	51	22	13	5	2	.....	.....	.....	8	
7	7	5	2	4	4	2	4	1	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	REGISTRATION STATES.											
51	Total	349,855	64,805	14,213	6,242	4,030	2,982	92,272	8,712	5,842	9,167	12,867
52	Males	184,991	36,186	7,442	3,296	2,100	1,590	50,614	4,422	2,941	4,443	6,329
53	Females	164,864	28,619	6,771	2,946	1,930	1,392	41,658	4,290	2,901	4,724	6,538
54	White	338,301	62,258	13,577	5,980	3,878	2,881	88,574	8,430	5,580	8,694	12,133
55	Males	178,963	34,827	7,114	3,158	2,022	1,537	48,658	4,293	2,830	4,243	5,974
56	Females	159,338	27,431	6,463	2,822	1,856	1,344	39,916	4,137	2,750	4,451	6,159
57	Native	242,219	61,433	13,212	5,744	3,656	2,696	86,741	7,889	5,105	7,106	8,990
58	Males	127,520	34,385	6,914	3,038	1,905	1,443	47,685	4,017	2,586	3,408	4,331
59	Females	114,699	27,048	6,298	2,706	1,751	1,253	39,056	3,872	2,519	3,698	4,659
60	Both parents native	M. 61,963	15,071	2,708	1,268	798	599	20,444	1,815	1,336	1,726	2,124
		F. 58,923	11,733	2,453	1,074	735	567	16,562	1,792	1,253	1,991	2,326
61	One or both parents foreign	M. 48,227	17,732	4,012	1,687	1,044	795	25,270	2,052	1,106	1,473	1,849
		F. 40,991	13,969	3,651	1,561	960	654	20,795	1,950	1,138	1,496	1,924
62	Parentage unknown	M. 17,330	1,582	194	83	63	49	1,971	150	144	209	358
		F. 14,785	1,346	194	71	56	32	1,699	130	128	211	409
63	Foreign	90,963	438	311	208	200	166	1,323	495	432	1,520	2,988
64	Males	48,104	235	171	107	106	85	704	250	217	791	1,540
65	Females	42,859	203	140	101	94	81	619	245	215	729	1,448
66	Unknown	5,119	387	54	28	22	19	510	46	43	68	155
67	Males	3,339	207	29	13	11	9	269	26	27	44	103
68	Females	1,780	180	25	15	11	10	241	20	16	24	52
69	Colored	11,554	2,547	636	262	152	101	3,698	282	262	473	734
70	Males	6,028	1,359	328	138	78	53	1,956	129	111	200	355
71	Females	5,526	1,188	308	124	74	48	1,742	153	151	273	379
72	Black	M. 5,729	1,331	321	133	77	52	1,914	125	104	189	327
		F. 5,400	1,168	302	124	69	47	1,710	149	145	260	372
73	Indian	M. 135	26	6	5	1	1	39	4	7	9	11
		F. 123	18	6	.....	4	1	29	4	6	13	7
74	Chinese and Japanese	M. 164	2	1	.....	.....	.....	3	.....	.....	2	17
		F. 3	2	.....	.....	1	.....	3	.....	.....	.....	.....
	CITIES IN REGISTRATION STATES.											
75	Total	215,128	44,455	10,341	4,480	2,890	2,137	64,303	5,998	3,626	5,612	8,242
76	Males	113,942	24,656	5,390	2,368	1,501	1,134	35,049	3,012	1,806	2,738	4,093
77	Females	101,186	19,799	4,951	2,112	1,389	1,003	29,254	2,986	1,820	2,874	4,149
78	White	206,027	42,380	9,829	4,265	2,763	2,058	61,295	5,771	3,430	5,279	7,681
79	Males	109,261	23,565	5,135	2,256	1,433	1,091	33,480	2,908	1,721	2,603	3,827
80	Females	96,766	18,815	4,694	2,009	1,330	967	27,815	2,863	1,709	2,676	3,854
81	Native	136,535	41,728	9,529	4,071	2,581	1,901	59,810	5,324	3,060	4,048	5,249
82	Males	72,621	23,213	4,967	2,155	1,340	1,013	32,688	2,682	1,534	1,976	2,589
83	Females	63,914	18,515	4,562	1,916	1,241	888	27,122	2,642	1,526	2,072	2,660
84	Both parents native	M. 27,544	7,902	1,422	675	422	321	10,742	948	597	779	1,014
		F. 25,946	6,174	1,295	554	393	319	8,735	979	572	832	1,019
85	One or both parents foreign	M. 37,282	14,128	3,403	1,421	869	653	20,474	1,632	830	1,081	1,353
		F. 31,440	11,272	3,126	1,310	810	547	17,065	1,574	858	1,117	1,411
86	Parentage unknown	M. 7,795	1,183	142	59	49	39	1,472	102	107	116	222
		F. 6,528	1,069	141	52	38	22	1,322	89	96	123	230
87	Foreign	66,885	328	261	174	169	145	1,077	421	344	1,199	2,358
88	Males	34,907	175	147	92	85	72	571	214	170	610	1,190
89	Females	31,978	153	114	82	84	73	506	207	174	589	1,168
90	Unknown	2,607	324	39	20	13	12	408	26	26	32	74
91	Males	1,733	177	21	9	8	6	221	12	17	17	48
92	Females	874	147	18	11	5	6	187	14	9	15	26
93	Colored	9,101	2,075	512	215	127	79	3,008	227	196	333	561
94	Males	4,681	1,091	255	112	68	43	1,569	104	85	135	266
95	Females	4,420	984	257	103	59	36	1,439	123	111	198	295
96	Black	M. 4,537	1,088	254	111	68	43	1,564	104	84	135	257
		F. 4,408	981	257	103	57	36	1,434	123	111	198	295
97	Indian	M. 8	1	.....	1	.....	.....	2	.....	1	.....	1
		F. 9	1	.....	.....	1	.....	2	.....	.....	.....	.....
98	Chinese and Japanese	M. 136	2	1	.....	.....	.....	3	.....	.....	.....	8
		F. 3	2	.....	.....	1	.....	3	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14,331	14,514	15,421	14,910	14,863	16,523	17,416	20,478	21,572	22,535	19,980	15,289	8,182	2,957	818	1,206	51
7,180	7,807	8,510	8,497	8,407	9,089	9,500	10,990	11,259	11,457	10,066	7,432	3,775	1,188	301	784	52
7,151	6,707	6,911	6,413	6,456	7,434	7,916	9,488	10,313	11,078	9,914	7,857	4,407	1,769	517	422	53
13,596	13,876	14,831	14,304	14,321	15,993	16,901	19,963	21,187	22,209	19,730	15,098	8,080	2,896	759	1,146	54
6,789	7,449	8,189	8,157	8,114	8,804	9,214	10,710	11,057	11,291	9,934	7,344	3,728	1,166	280	739	55
6,807	6,427	6,642	6,147	6,207	7,189	7,687	9,253	10,130	10,918	9,796	7,754	4,352	1,730	479	407	56
9,410	9,281	8,883	8,334	8,409	8,668	8,759	10,212	11,476	12,466	12,010	9,877	5,547	2,044	470	542	57
4,631	4,897	4,787	4,576	4,585	4,708	4,769	5,506	5,979	6,427	6,077	4,765	2,535	809	150	292	58
4,779	4,384	4,096	3,758	3,824	3,960	3,990	4,706	5,497	6,039	5,933	5,112	3,012	1,235	320	250	59
1,807	1,773	1,738	1,707	1,933	2,362	2,793	3,386	3,825	4,088	3,906	2,962	1,538	475	86	139	60
2,125	1,886	1,722	1,588	1,835	2,171	2,461	3,024	3,704	4,021	3,994	3,346	1,995	810	185	132	
2,355	2,583	2,417	2,171	1,834	1,407	927	749	623	521	366	281	132	50	9	52	61
2,143	2,015	1,834	1,625	1,371	1,099	749	753	631	485	374	322	165	53	28	41	
469	541	632	698	818	939	1,049	1,371	1,531	1,818	1,805	1,522	865	284	55	101	62
511	483	540	545	618	690	780	929	1,162	1,533	1,565	1,444	852	372	107	77	
3,990	4,356	5,586	5,610	5,598	7,012	7,865	9,434	9,349	9,386	7,387	4,967	2,395	796	273	201	63
2,012	2,391	3,130	3,308	3,296	3,864	4,249	4,998	4,863	4,652	3,679	2,443	1,135	329	122	131	64
1,978	1,965	2,456	2,302	2,302	3,148	3,616	4,436	4,486	4,734	3,708	2,524	1,260	467	151	70	65
196	239	362	360	314	313	277	317	362	357	333	254	138	56	16	403	66
146	161	272	273	233	232	196	206	215	212	178	136	58	28	8	316	67
50	78	90	87	81	81	81	111	147	145	155	118	80	28	8	87	68
735	638	590	606	542	530	515	515	385	326	250	191	102	61	59	60	69
391	358	321	340	293	285	286	280	202	166	132	88	47	22	21	45	70
344	280	269	266	249	245	229	235	183	160	118	103	55	39	38	15	71
368	327	294	309	268	268	268	271	199	164	130	81	45	21	17	40	72
340	271	261	264	246	242	227	231	175	158	113	100	53	37	32	14	
4	5	3	7	9	5	4	6	3	2	2	7	2	1	4	1	73
4	9	8	2	3	3	2	4	8	2	5	3	2	2	6	1	
19	26	24	24	16	12	14	3	.....	.....	.....	.....	.....	.....	.....	4	74
9,850	10,255	10,994	10,637	10,109	10,920	10,901	12,095	11,526	10,818	8,552	6,056	2,938	1,032	308	356	75
5,058	5,668	6,307	6,214	5,803	6,038	6,000	6,438	5,940	5,227	3,971	2,668	1,205	359	107	241	76
4,792	4,587	4,687	4,423	4,306	4,882	4,901	5,657	5,586	5,591	4,581	3,388	1,733	673	201	115	77
9,236	9,722	10,497	10,131	9,666	10,477	10,498	11,700	11,237	10,583	8,404	5,933	2,885	994	278	330	78
4,733	5,374	6,037	5,932	5,563	5,810	5,772	6,229	5,789	5,118	3,904	2,616	1,182	344	97	222	79
4,503	4,348	4,460	4,199	4,103	4,667	4,726	5,471	5,448	5,465	4,500	3,317	1,703	650	181	108	80
5,918	6,003	5,682	5,249	4,903	4,632	4,181	4,376	4,402	4,321	3,856	3,041	1,601	597	144	138	81
3,049	3,323	3,292	2,995	2,729	2,594	2,354	2,340	2,271	2,146	1,788	1,322	626	201	40	82	82
2,869	2,680	2,390	2,254	2,174	2,038	1,827	2,036	2,131	2,175	2,068	1,719	975	396	104	56	83
883	879	914	832	895	1,090	1,239	1,325	1,410	1,382	1,165	885	397	120	21	27	84
951	862	756	714	855	938	1,010	1,204	1,379	1,449	1,473	1,179	681	271	61	26	
1,859	2,074	1,941	1,713	1,353	994	636	452	327	229	132	108	41	20	2	31	85
1,601	1,540	1,342	1,238	999	780	481	452	345	226	169	142	59	16	13	12	
307	370	437	450	481	510	479	563	534	535	491	329	188	61	17	24	86
317	278	292	302	320	320	336	380	407	500	426	398	235	109	30	18	
3,199	3,557	4,568	4,631	4,565	5,655	6,178	7,163	6,687	6,139	4,466	2,833	1,256	386	131	72	87
1,598	1,942	2,556	2,745	2,683	3,077	3,319	3,783	3,426	2,894	2,077	1,269	548	139	55	41	88
1,601	1,615	2,012	1,886	1,882	2,578	2,859	3,380	3,261	3,245	2,389	1,564	708	247	76	31	89
119	162	247	251	198	190	139	161	148	123	82	59	28	11	3	120	90
86	109	189	192	151	139	99	106	92	78	39	25	8	4	2	99	91
33	53	58	59	47	51	40	55	56	45	43	34	20	7	1	21	92
614	533	497	506	443	443	403	395	289	235	148	123	53	38	30	26	93
325	294	270	282	240	228	228	209	151	109	67	52	23	15	10	19	94
289	239	227	224	203	215	175	186	138	126	81	71	30	23	20	7	95
308	272	248	261	224	215	217	206	150	109	67	52	23	15	10	16	96
289	238	227	223	203	215	174	185	138	126	80	70	30	23	19	7	
1	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	97
.....	1	.....	1	.....	.....	1	1	.....	.....	1	1	.....	.....	1	.....	
16	22	22	21	15	12	11	3	.....	.....	.....	.....	.....	.....	.....	3	98

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	RURAL PART OF REGISTRATION STATES.											
99	Total	134,727	20,350	3,872	1,762	1,140	845	27,969	2,714	2,216	3,555	4,625
100	Males	71,049	11,530	2,052	928	599	456	15,565	1,410	1,135	1,705	2,236
101	Females	63,678	8,820	1,820	834	541	389	12,404	1,304	1,081	1,850	2,389
102	White	132,274	19,878	3,748	1,715	1,115	823	27,279	2,659	2,150	3,415	4,452
103	Males	69,702	11,262	1,979	902	589	446	15,178	1,385	1,109	1,640	2,147
104	Females	62,572	8,616	1,769	813	526	377	12,101	1,274	1,041	1,775	2,305
105	Native	105,684	19,705	3,683	1,673	1,075	795	26,931	2,565	2,045	3,058	3,741
106	Males	54,899	11,172	1,947	883	565	430	14,997	1,335	1,052	1,432	1,742
107	Females	50,785	8,533	1,736	790	510	365	11,934	1,230	993	1,626	1,999
108	Both parents native	M. 34,419	7,169	1,286	593	376	278	9,702	867	739	947	1,110
		F. 32,977	5,559	1,158	520	342	248	7,827	813	681	1,159	1,307
109	One or both parents foreign	M. 10,945	3,604	609	266	175	142	4,796	420	276	392	496
		F. 9,551	2,697	525	251	150	107	3,730	376	280	379	513
110	Parentage unknown	M. 9,535	399	52	24	14	10	499	48	37	93	136
		F. 8,257	277	53	19	18	10	377	41	32	88	179
111	Foreign	24,078	110	50	34	31	21	246	74	88	321	630
112	Males	13,197	60	24	15	21	13	133	36	47	181	350
113	Females	10,881	50	26	19	10	8	113	38	41	140	280
114	Unknown	2,512	63	15	8	9	7	102	20	17	36	81
115	Males	1,606	30	8	4	3	3	48	14	10	27	55
116	Females	906	33	7	4	6	4	54	6	7	9	26
117	Colored	2,453	472	124	47	25	22	690	55	66	140	173
118	Males	1,347	268	73	26	10	10	387	25	26	65	89
119	Females	1,106	204	51	21	15	12	303	30	40	75	84
120	Black	M. 1,192	243	67	22	9	9	350	21	20	54	70
		F. 992	187	45	21	12	11	276	26	34	62	77
121	Indian	M. 127	25	6	4	1	1	37	4	6	9	10
		F. 114	17	6	.....	3	1	27	4	6	13	7
122	Chinese and Japanese	M. 28	.....	.....	.....	.....	.....	.....	.....	.....	2	9
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	REGISTRATION CITIES IN OTHER STATES.											
123	Total	201,499	38,075	8,055	3,508	2,293	1,699	53,630	5,062	3,526	6,329	10,339
124	Males	111,261	21,359	4,252	1,852	1,181	919	29,563	2,593	1,871	3,083	5,381
125	Females	90,238	16,716	3,803	1,656	1,112	780	24,067	2,469	1,655	3,246	4,958
126	White	174,715	32,975	6,743	2,920	1,994	1,499	46,131	4,423	3,000	5,103	8,234
127	Males	97,066	18,711	3,568	1,555	1,032	825	25,691	2,302	1,617	2,526	4,304
128	Females	77,649	14,264	3,175	1,365	962	674	20,440	2,121	1,383	2,577	3,930
129	Native	118,993	32,561	6,573	2,840	1,912	1,438	45,324	4,226	2,813	4,289	6,267
130	Males	64,501	18,469	3,484	1,518	984	798	25,253	2,184	1,507	2,061	3,132
131	Females	54,492	14,092	3,089	1,322	928	640	20,071	2,042	1,306	2,228	3,135
132	Both parents native	M. 27,296	7,937	1,540	710	445	372	11,004	1,013	626	904	1,302
		F. 24,579	6,004	1,355	578	426	267	8,630	941	613	1,011	1,431
133	One or both parents foreign	M. 20,636	6,868	1,439	574	370	286	9,557	781	533	721	1,006
		F. 17,553	5,280	1,280	539	365	252	7,716	743	469	781	1,041
134	Parentage unknown	M. 12,889	2,906	354	158	125	96	3,639	280	264	322	597
		F. 9,300	2,240	329	145	97	92	2,903	243	155	310	478
135	Parentage not stated	M. 3,680	758	131	76	44	44	1,053	110	84	114	227
		F. 3,060	568	125	60	40	29	822	115	69	126	185
136	Foreign	50,974	153	132	64	69	53	471	163	153	712	1,710
137	Males	29,267	93	61	27	41	23	245	97	87	412	1,016
138	Females	21,707	60	71	37	28	30	226	66	66	300	694
139	Unknown	4,748	261	38	16	13	8	336	34	34	102	257
140	Males	3,298	149	23	10	7	4	193	21	23	53	156
141	Females	1,450	112	15	6	6	4	143	13	11	49	101
142	Colored	26,784	5,100	1,312	588	299	200	7,499	639	526	1,226	2,105
143	Males	14,195	2,648	684	297	149	94	3,872	291	254	557	1,077
144	Females	12,589	2,452	628	291	150	106	3,627	348	272	669	1,028
145	Black	M. 13,432	2,612	679	295	147	93	3,826	287	254	545	1,024
		F. 12,504	2,430	626	291	150	105	3,602	346	271	663	1,020
146	Indian	M. 8	3	2	.....	.....	.....	5	.....	.....	.....	.....
		F. 10	1	.....	.....	.....	.....	1	1	.....	.....	1
147	Chinese and Japanese	M. 755	33	3	2	2	1	41	4	.....	12	53
		F. 75	21	2	.....	.....	1	24	1	1	6	7

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,481	4,259	4,427	4,273	4,754	5,603	6,515	8,383	10,046	11,717	11,428	9,233	5,244	1,925	510	850	99
2,122	2,139	2,203	2,283	2,604	3,051	3,500	4,552	5,319	6,230	6,095	4,764	2,570	829	194	543	100
2,359	2,120	2,224	1,990	2,150	2,552	3,015	3,831	4,727	5,487	5,333	4,469	2,674	1,096	316	307	101
4,390	4,154	4,334	4,173	4,655	5,516	6,403	8,263	9,950	11,626	11,326	9,165	5,195	1,902	481	816	102
2,056	2,075	2,152	2,225	2,551	2,994	3,442	4,481	5,268	6,173	6,030	4,728	2,546	822	183	517	103
2,304	2,079	2,182	1,948	2,104	2,522	2,961	3,782	4,682	5,453	5,296	4,437	2,649	1,080	298	299	104
3,492	3,278	3,201	3,085	3,506	4,036	4,578	5,836	7,074	8,145	8,154	6,836	3,946	1,447	326	404	105
1,582	1,574	1,495	1,581	1,856	2,114	2,415	3,166	3,708	4,281	4,289	3,443	1,909	698	110	210	106
1,910	1,704	1,706	1,504	1,650	1,922	2,163	2,670	3,366	3,864	3,865	3,393	2,037	839	216	194	107
924	894	824	875	1,038	1,272	1,554	2,061	2,415	2,706	2,741	2,077	1,141	355	65	112	108
1,174	1,024	966	874	980	1,233	1,451	1,820	2,325	2,572	2,521	2,167	1,314	539	124	106	
496	509	476	458	481	413	291	297	296	292	234	173	91	30	7	21	109
542	475	492	387	372	319	268	301	286	259	205	180	106	37	15	29	
162	171	195	248	337	429	570	808	997	1,283	1,314	1,193	677	223	38	77	110
194	205	248	243	298	370	444	549	755	1,033	1,139	1,046	617	263	77	59	
791	799	1,018	979	1,033	1,357	1,687	2,271	2,662	3,247	2,921	2,134	1,139	410	142	129	111
414	449	574	563	613	787	930	1,215	1,437	1,758	1,602	1,174	587	190	67	90	112
377	350	444	416	429	570	757	1,056	1,225	1,489	1,319	960	552	220	75	39	113
77	77	115	109	116	123	138	156	214	234	251	195	110	45	13	283	114
60	52	83	81	82	93	97	100	123	134	139	111	50	24	6	217	115
17	25	32	28	34	30	41	56	91	100	112	84	60	21	7	66	116
121	105	93	100	99	87	112	120	96	91	102	68	49	23	29	34	117
66	64	51	58	53	57	58	71	51	57	65	36	24	7	11	26	118
55	41	42	42	46	30	54	49	45	34	37	32	25	16	18	8	119
60	55	46	48	44	53	51	65	49	55	63	29	22	6	7	24	120
51	33	34	41	43	27	53	45	37	32	33	30	23	14	13	7	
3	5	3	7	8	4	4	6	2	2	2	7	2	1	4	1	121
4	8	8	1	3	3	1	3	8	2	4	2	2	2	5	1	
3	4	2	3	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	122
11,005	10,723	11,028	10,877	10,624	10,659	9,943	10,975	10,116	9,648	7,686	5,187	2,439	857	309	537	123
5,989	6,071	6,600	6,665	6,575	6,310	5,892	6,184	5,414	5,003	3,865	2,426	1,018	328	97	333	124
5,016	4,652	4,428	4,212	4,049	4,349	4,051	4,791	4,702	4,645	3,821	2,761	1,421	529	212	204	125
8,899	9,064	9,267	9,253	9,151	9,126	8,879	9,848	9,358	9,062	7,327	4,902	2,295	749	207	437	126
4,870	5,151	5,567	5,725	5,746	5,482	5,270	5,549	4,994	4,690	3,701	2,299	960	291	63	268	127
4,029	3,913	3,700	3,528	3,405	3,644	3,609	4,299	4,364	4,372	3,626	2,603	1,335	458	144	169	128
6,375	6,286	5,763	5,487	5,273	4,580	4,107	4,166	3,847	3,637	2,910	2,026	1,038	329	72	178	129
3,322	3,430	3,292	3,139	3,116	2,623	2,353	2,267	2,059	1,872	1,419	856	403	115	18	80	130
3,053	2,856	2,471	2,348	2,157	1,957	1,754	1,899	1,788	1,765	1,491	1,170	635	214	54	98	131
1,207	1,222	1,098	1,032	1,036	1,071	1,090	1,125	1,068	993	732	462	211	66	4	30	132
1,238	1,120	950	832	898	866	899	988	990	1,030	868	687	378	119	33	37	
1,208	1,275	1,185	1,082	1,094	658	495	322	252	196	144	64	38	12	2	11	133
1,120	1,068	877	902	715	514	401	350	253	210	156	114	67	26	8	22	
705	732	785	822	814	729	603	653	570	520	416	246	125	29	10	28	134
520	506	487	451	413	438	327	406	397	388	332	281	151	53	10	31	
202	201	224	203	172	165	165	167	169	163	127	84	29	8	2	11	135
175	162	157	143	131	139	127	155	148	137	115	88	39	16	3	8	
2,232	2,450	3,068	3,305	3,457	4,132	4,492	5,337	5,262	5,196	4,268	2,756	1,202	403	131	74	136
1,345	1,490	1,942	2,214	2,301	2,545	2,704	3,036	2,772	2,696	2,183	1,385	537	168	43	49	137
887	960	1,126	1,091	1,156	1,587	1,788	2,301	2,490	2,500	2,085	1,371	665	235	88	25	138
292	328	436	461	421	414	280	345	249	229	149	120	55	17	4	185	139
203	231	333	372	329	314	213	246	163	122	99	58	20	8	2	139	140
89	97	103	89	92	100	67	99	86	107	50	62	35	9	2	46	141
2,106	1,659	1,761	1,624	1,473	1,533	1,064	1,127	758	586	339	285	144	108	102	100	142
1,119	920	1,033	940	829	828	622	635	420	313	164	127	58	37	34	65	143
987	739	728	684	644	705	442	492	338	273	195	158	86	71	68	35	144
1,049	865	972	832	737	727	559	587	398	300	158	125	58	37	34	58	145
979	731	722	681	640	700	440	488	336	272	195	158	86	71	68	35	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	146
1	1	1	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	
70	55	61	108	92	101	63	48	22	13	5	2	.....	.....	.....	5	147
7	7	5	2	4	4	2	4	1	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	CONNECTICUT.											
148	Total	15,489	2,977	497	221	162	112	3,969	367	235	403	504
149	Males	8,275	1,707	260	104	91	68	2,230	176	126	191	258
150	Females	7,214	1,270	237	117	71	44	1,739	191	109	212	246
151	White	15,156	2,922	476	215	158	109	3,880	357	230	389	488
152	Males	8,093	1,677	251	102	88	65	2,183	170	125	185	251
153	Females	7,063	1,245	225	113	70	44	1,697	187	105	204	237
154	Native	10,759	2,886	465	205	148	100	3,804	338	207	298	328
155	Males	5,734	1,658	245	98	81	61	2,143	160	111	140	168
156	Females	5,025	1,228	220	107	67	39	1,661	178	96	158	160
157	Both parents native {M	2,396	532	68	37	24	17	678	47	51	51	72
	{F	2,300	408	61	28	16	8	521	62	39	64	60
158	One or both parents foreign {M	2,436	1,081	171	57	54	43	1,406	109	56	81	84
	{F	1,968	790	152	78	50	31	1,101	109	55	87	91
159	Parentage unknown {M	902	45	6	4	3	1	59	4	4	8	12
	{F	757	30	7	1	1	.....	39	7	2	7	9
160	Foreign	4,140	32	11	9	10	7	69	16	21	84	153
161	Males	2,181	17	6	3	7	3	36	9	12	42	77
162	Females	1,959	15	5	6	3	4	33	7	9	42	76
163	Unknown	257	4	.....	1	.....	2	7	3	2	7	7
164	Males	178	2	.....	1	.....	1	4	1	2	3	6
165	Females	79	2	.....	.....	.....	1	3	2	.....	4	1
166	Colored	333	55	21	6	4	3	89	10	5	14	16
167	Males	182	30	9	2	3	3	47	6	1	6	7
168	Females	151	25	12	4	1	.....	42	4	4	8	9
169	Black {M	176	30	9	2	2	3	46	6	1	6	7
	{F	150	25	12	4	1	.....	42	4	4	8	9
170	Indian {M	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
171	Chinese and Japanese {M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	DISTRICT OF COLUMBIA.											
172	Total	6,211	1,123	208	91	59	43	1,524	104	104	181	286
173	Males	3,275	613	98	46	27	23	807	44	51	77	130
174	Females	2,936	510	110	45	32	20	717	60	53	104	156
175	White	3,577	518	89	42	23	22	694	48	43	73	124
176	Males	1,947	285	38	25	11	11	370	20	27	34	59
177	Females	1,630	233	51	17	12	11	324	28	16	39	65
178	Native	2,919	515	89	42	21	22	689	46	42	70	115
179	Males	1,554	284	38	25	10	11	368	19	27	31	53
180	Females	1,365	231	51	17	11	11	321	27	15	39	62
181	Both parents native {M	976	208	26	21	7	8	270	14	14	21	33
	{F	951	175	36	7	9	10	237	21	12	25	37
182	One or both parents foreign {M	272	56	8	3	3	.....	70	3	6	8	7
	{F	228	35	9	7	1	1	53	4	1	7	15
183	Parentage unknown {M	306	20	4	1	.....	3	28	2	7	2	13
	{F	186	21	6	3	1	.....	31	2	2	7	10
184	Foreign	617	.....	.....	.....	2	.....	2	2	1	3	7
185	Males	363	.....	.....	.....	1	.....	1	1	.....	3	5
186	Females	254	.....	.....	.....	1	.....	1	1	1	.....	2
187	Unknown	41	3	.....	.....	.....	.....	3	.....	.....	.....	2
188	Males	30	1	.....	.....	.....	.....	1	.....	.....	.....	1
189	Females	11	2	.....	.....	.....	.....	2	.....	.....	.....	1
190	Colored	2,634	605	119	49	36	21	830	56	61	108	162
191	Males	1,328	328	60	21	16	12	437	24	24	43	71
192	Females	1,306	277	59	28	20	9	393	32	37	65	91
193	Black {M	1,326	327	60	21	16	12	436	24	24	43	71
	{F	1,306	277	59	28	20	9	393	32	37	65	91
194	Chinese and Japanese {M	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1904—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
576	621	650	637	655	694	781	963	1,035	984	943	748	411	181	46	80	148
310	350	360	374	377	381	434	538	537	497	462	360	175	60	21	58	149
266	271	296	263	278	313	347	425	498	487	481	388	236	121	25	22	150
560	601	637	624	633	672	766	948	1,019	975	935	741	403	178	44	76	151
303	340	352	367	364	367	424	526	527	492	457	357	170	59	19	55	152
257	261	285	257	269	305	342	422	492	483	478	384	233	119	25	21	153
360	368	355	375	351	347	356	461	546	571	619	549	316	149	37	24	154
194	211	190	216	205	189	198	251	285	284	315	258	138	48	15	15	155
166	157	165	159	146	158	158	210	261	287	304	291	178	101	22	9	156
48	60	52	64	84	87	115	151	167	166	210	164	83	28	5	2	157
57	45	57	68	69	83	101	130	165	188	190	199	119	63	11	5	
125	127	99	128	85	49	25	9	19	11	10	1	4	1	1	6	158
86	95	91	74	50	41	22	17	19	9	9	5	2	3	1	1	
21	20	32	27	36	53	58	91	99	107	95	93	51	19	9	7	159
23	13	17	17	24	34	35	63	77	90	105	37	57	35	10	3	
190	220	267	232	247	310	395	474	451	390	302	174	76	25	6	20	160
101	119	149	137	141	168	216	266	229	198	133	90	28	9	4	12	161
89	101	118	95	118	141	179	208	222	192	169	84	48	16	2	8	162
10	13	15	17	17	13	15	13	22	14	14	18	11	4	1	32	163
8	10	13	14	13	10	10	9	13	10	9	9	4	2	.....	28	164
2	3	2	3	4	5	5	4	9	4	5	9	7	2	1	4	165
16	20	19	13	22	22	15	15	16	9	8	7	8	3	2	4	166
7	10	8	7	13	14	10	12	10	5	5	3	5	1	2	3	167
9	10	11	6	9	8	5	3	6	4	3	4	3	2	.....	1	168
7	10	8	7	11	13	10	12	10	5	5	3	5	1	1	2	169
9	10	11	5	9	8	5	3	6	4	3	4	3	2	.....	1	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	170
.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	171
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
318	287	327	299	307	328	398	444	377	337	240	176	105	45	18	6	172
167	148	190	178	165	172	237	243	217	178	112	87	51	13	5	3	173
151	139	137	121	142	156	161	201	160	159	128	89	54	32	13	3	174
155	177	199	159	174	173	273	290	283	255	201	134	84	29	6	3	175
81	88	120	102	103	92	165	167	165	137	93	68	44	9	1	2	176
74	89	79	57	71	81	108	123	118	118	108	66	40	20	5	1	177
132	153	171	133	145	133	207	196	201	161	145	93	59	24	3	1	178
67	74	100	84	83	73	129	109	116	85	59	45	24	7	.....	1	179
65	79	71	49	62	60	78	87	85	76	86	48	35	17	3	.....	180
34	35	55	50	42	44	82	63	71	58	37	32	15	5	.....	1	181
39	50	45	27	36	40	58	61	60	57	65	35	29	15	2	.....	
15	21	28	14	22	12	11	16	14	10	9	5	1	.....	.....	.....	182
19	14	15	9	16	10	9	12	12	8	11	8	4	1	.....	.....	
18	18	17	20	19	17	36	30	31	17	13	8	8	2	.....	.....	183
7	15	11	13	10	10	11	14	13	11	10	5	2	1	1	.....	
20	22	24	23	27	36	64	89	81	89	53	41	24	5	3	1	184
11	12	16	15	18	16	34	54	48	50	33	23	20	2	1	.....	185
9	10	8	8	9	20	30	35	33	39	20	18	4	3	2	1	186
3	2	4	3	2	4	2	5	1	5	3	.....	1	.....	.....	1	187
3	2	4	3	2	3	2	4	1	2	1	.....	.....	.....	.....	1	188
.....	.....	.....	.....	.....	1	.....	1	.....	3	2	.....	1	.....	.....	.....	189
163	110	128	140	133	155	125	154	94	82	39	42	21	16	12	3	190
86	60	70	76	62	80	72	76	52	41	19	19	7	4	4	1	191
77	50	58	64	71	75	53	78	42	41	20	23	14	12	8	2	192
86	60	70	76	62	80	71	76	52	41	19	19	7	4	4	1	193
77	50	58	64	71	75	53	78	42	41	20	23	14	12	8	2	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	194

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	INDIANA.											
195	Total	35,801	6,527	1,426	627	385	260	9,225	933	710	1,312	1,712
196	Males	18,613	3,663	746	334	193	144	5,080	498	349	581	705
197	Females	17,188	2,864	680	293	192	116	4,145	435	361	731	1,007
198	White	34,423	6,291	1,364	600	372	245	8,872	891	670	1,216	1,610
199	Males	17,903	3,551	716	317	188	137	4,909	481	329	538	662
200	Females	16,520	2,740	648	283	184	108	3,963	410	341	678	948
201	Native	30,119	6,277	1,360	599	371	243	8,850	882	660	1,182	1,548
202	Males	15,437	3,542	714	316	187	136	4,895	476	323	518	630
203	Females	14,682	2,735	646	283	184	107	3,955	406	337	664	918
204	Both parents native (M)	10,298	2,968	636	274	159	117	4,154	393	268	398	481
	Both parents native (F)	10,017	2,315	560	250	157	97	3,379	346	273	551	673
205	One or both parents foreign (M)	1,850	390	56	26	19	10	501	58	40	83	79
	One or both parents foreign (F)	1,682	287	56	25	20	6	394	49	44	73	125
206	Parentage unknown (M)	3,289	184	22	16	9	9	240	25	15	37	70
	Parentage unknown (F)	2,983	133	30	8	7	4	182	11	20	40	120
207	Foreign	3,626	7	3	1	1	2	14	5	8	24	43
208	Males	2,089	5	2	1	1	1	10	3	4	17	22
209	Females	1,537	2	1	.....	.....	1	4	2	4	7	21
210	Unknown	678	7	1	.....	.....	.....	8	4	2	10	19
211	Males	377	4	.....	.....	.....	.....	4	2	2	3	10
212	Females	301	3	1	.....	.....	.....	4	2	.....	7	9
213	Colored	1,378	236	62	27	13	15	353	42	40	96	102
214	Males	710	112	30	17	5	7	171	17	20	43	43
215	Females	668	124	32	10	8	8	182	25	20	53	59
216	Black (M)	707	112	30	17	5	7	171	17	20	43	43
	Black (F)	666	124	32	10	8	7	181	25	20	53	59
217	Indian (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	MAINE.											
218	Total	11,678	1,689	279	130	98	73	2,269	198	180	326	432
219	Males	6,068	947	154	71	57	45	1,274	109	85	151	201
220	Females	5,610	742	125	59	41	28	995	89	95	175	231
221	White	11,641	1,688	277	130	97	73	2,265	198	180	325	431
222	Males	6,046	947	153	71	57	45	1,273	109	85	151	200
223	Females	5,595	741	124	59	40	28	992	89	95	174	231
224	Native	9,827	1,658	267	125	90	70	2,210	188	167	255	327
225	Males	5,104	928	150	70	54	44	1,246	103	80	117	141
226	Females	4,723	730	117	55	36	26	964	85	87	138	186
227	Both parents native (M)	3,372	490	84	31	29	27	661	67	54	89	94
	Both parents native (F)	3,202	384	68	31	18	12	513	49	60	97	144
228	One or both parents foreign (M)	936	400	62	36	23	17	538	29	24	23	39
	One or both parents foreign (F)	808	319	47	21	15	13	415	34	22	34	34
229	Parentage unknown (M)	796	38	4	3	2	.....	47	7	2	5	8
	Parentage unknown (F)	713	27	2	3	3	1	36	2	5	7	8
230	Foreign	1,513	23	9	5	4	2	43	8	10	63	89
231	Males	758	13	2	1	3	1	20	4	5	27	48
232	Females	755	10	7	4	1	1	23	4	5	36	41
233	Unknown	301	7	1	.....	3	1	12	2	3	7	15
234	Males	184	6	1	.....	.....	.....	7	2	.....	7	11
235	Females	117	1	.....	.....	3	1	5	.....	3	.....	4
236	Colored	37	1	2	.....	1	.....	4	.....	.....	1	1
237	Males	22	.....	1	.....	.....	.....	1	.....	.....	.....	1
238	Females	15	1	1	.....	1	.....	3	.....	.....	1	.....
239	Black (M)	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Black (F)	12	1	1	.....	.....	.....	2	.....	.....	1	.....
240	Indian (M)	5	.....	1	.....	.....	.....	1	.....	.....	.....	.....
	Indian (F)	3	.....	.....	.....	1	.....	1	.....	.....	.....	.....
241	Chinese and Japanese (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese and Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,467	1,375	1,316	1,269	1,321	1,493	1,605	1,914	2,132	2,531	2,307	1,613	846	317	71	332	195
649	638	637	647	694	807	867	1,019	1,179	1,373	1,236	832	450	148	25	199	196
818	737	679	622	627	686	738	895	953	1,158	1,071	781	396	169	46	133	197
1,376	1,298	1,259	1,207	1,260	1,433	1,549	1,858	2,079	2,484	2,277	1,576	835	309	65	299	198
609	595	606	610	659	771	835	982	1,147	1,351	1,218	814	445	143	24	175	199
767	703	653	597	601	662	714	876	932	1,133	1,059	762	390	166	41	124	200
1,283	1,204	1,117	1,072	1,096	1,201	1,265	1,449	1,560	1,835	1,646	1,180	632	232	49	176	201
552	545	519	525	547	630	661	759	850	980	878	603	332	104	17	93	202
731	659	598	547	549	571	604	690	710	855	768	577	300	128	32	83	203
377	351	292	267	308	350	356	430	448	510	415	274	135	39	6	46	204
505	428	377	312	303	332	361	404	414	455	390	268	140	47	11	48	
105	109	121	114	98	93	79	59	78	69	68	46	27	12	2	9	205
110	106	109	99	87	86	68	78	52	68	50	39	24	12	2	7	
70	85	106	144	141	187	226	270	324	401	395	283	170	53	9	38	206
116	125	112	136	159	153	175	208	244	332	328	270	136	69	19	28	
67	64	100	101	129	183	241	367	450	592	577	360	184	69	13	35	207
42	34	58	68	94	109	143	201	265	344	317	196	102	35	6	19	208
25	30	42	33	35	74	98	166	185	248	260	164	82	34	7	16	209
26	30	42	34	35	49	43	42	69	57	54	36	19	8	3	88	210
15	16	29	17	18	32	31	22	32	27	23	15	11	4	1	63	211
11	14	13	17	17	17	12	20	37	30	31	21	8	4	2	25	212
91	77	57	62	61	60	56	56	53	47	30	37	11	8	6	33	213
40	43	31	37	35	36	32	37	32	22	18	18	5	5	1	24	214
51	34	26	25	26	24	24	19	21	25	12	19	6	3	5	9	215
40	43	31	36	35	35	32	37	32	22	17	18	5	5	1	24	216
51	34	25	25	26	24	24	19	21	25	12	19	6	3	5	9	
.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	217
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
443	383	362	353	403	488	579	670	890	989	975	805	535	191	48	159	218
202	186	164	174	203	286	319	377	445	516	541	387	253	75	21	99	219
241	197	198	179	200	202	260	293	445	473	434	418	282	116	27	60	220
441	381	360	350	401	486	575	667	888	985	973	805	534	190	48	158	221
201	184	162	172	202	284	318	374	445	513	539	387	253	75	21	98	222
240	197	198	178	199	202	257	293	443	472	434	418	281	115	27	60	223
342	283	281	265	303	390	455	540	730	814	832	697	450	168	37	93	224
158	136	127	126	148	230	255	303	363	425	462	333	219	68	15	49	225
184	147	154	139	155	160	200	237	367	389	370	364	231	100	22	44	226
107	94	81	81	98	175	180	231	273	294	319	224	164	45	13	28	227
142	94	101	101	106	107	145	173	288	279	271	274	152	68	16	22	
35	22	28	27	22	27	23	16	11	23	19	15	8	2	1	4	228
30	37	33	23	17	23	18	15	12	14	14	13	6	3	2	9	
16	20	18	18	28	28	52	56	79	108	124	94	47	21	1	17	229
12	16	20	15	32	30	37	49	67	96	85	77	73	29	4	13	
93	87	68	73	78	83	108	115	135	150	115	89	63	20	9	14	230
39	40	28	36	43	44	59	63	71	74	61	44	28	7	5	12	231
54	47	40	37	35	39	49	52	64	76	54	45	35	13	4	2	232
6	11	11	12	20	13	12	12	23	21	26	19	21	2	2	51	233
4	8	7	10	11	10	4	8	11	14	16	10	6	.....	1	37	234
2	3	4	2	9	3	8	4	12	7	10	9	15	2	1	14	235
2	2	2	3	2	2	4	3	2	4	2	.....	1	1	.....	1	236
1	2	2	2	1	2	1	3	.....	3	2	.....	.....	.....	.....	1	237
1	.....	.....	1	1	.....	3	.....	2	1	.....	.....	1	1	.....	.....	238
.....	.....	1	1	1	2	1	2	.....	3	2	.....	.....	.....	.....	1	239
1	.....	.....	1	1	.....	3	.....	1	1	.....	.....	1	.....	.....	.....	
.....	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	240
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	241

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	MASSACHUSETTS.											
242	Total	48,431	9,912	1,701	714	500	374	13,201	956	594	1,080	1,658
243	Males	24,632	5,529	890	372	257	213	7,261	498	298	507	822
244	Females	23,799	4,383	811	342	243	161	5,940	458	296	573	836
245	White	47,582	9,738	1,660	698	487	363	12,946	935	581	1,049	1,601
246	Males	24,177	5,443	868	364	249	208	7,132	487	292	493	787
247	Females	23,405	4,295	792	334	238	155	5,814	448	289	556	814
248	Native	32,703	9,648	1,612	667	470	339	12,736	871	515	792	1,010
249	Males	16,959	5,391	843	349	242	198	7,023	460	239	365	506
250	Females	15,834	4,257	769	318	228	141	5,713	411	256	427	504
251	Both parents native	M.. 7,298	1,437	199	102	72	43	1,853	151	95	152	182
		F.. 7,189	1,149	180	90	70	42	1,531	138	90	148	171
252	One or both parents foreign	M.. 8,070	3,763	628	242	166	152	4,951	306	160	203	307
		F.. 7,001	2,944	580	223	155	97	3,999	268	163	269	314
253	Parentage unknown	M.. 1,591	191	16	5	4	3	219	3	4	10	17
		F.. 1,644	164	9	5	3	2	183	5	3	10	19
254	Foreign	14,464	56	47	30	16	24	173	60	64	251	582
255	Males	7,015	32	25	15	7	10	89	23	31	124	275
256	Females	7,449	24	22	15	9	14	84	37	33	127	307
257	Unknown	325	34	1	1	1	.....	37	4	2	6	9
258	Males	203	20	.....	.....	.....	.....	20	4	2	4	6
259	Females	122	14	1	1	1	.....	17	.....	.....	2	3
260	Colored	849	174	41	16	13	11	255	21	13	31	57
261	Males	455	86	22	8	8	5	129	11	6	14	35
262	Females	394	88	19	8	5	6	126	10	7	17	22
263	Black	M.. 420	84	21	8	8	5	126	11	6	13	29
		F.. 390	88	19	8	4	6	125	10	6	17	22
264	Indian	M.. 7	2	.....	.....	.....	.....	2	.....	.....	1	2
		F.. 4	.....	.....	.....	1	.....	1	.....	1	.....	.....
265	Chinese and Japanese	M.. 28	.....	1	.....	.....	.....	1	.....	.....	.....	4
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MICHIGAN.											
266	Total	34,382	6,191	1,051	499	285	273	8,299	754	672	1,085	1,407
267	Males	18,685	3,542	546	275	150	135	4,648	381	332	534	701
268	Females	15,697	2,649	505	224	135	138	3,651	373	340	551	706
269	White	33,869	6,118	1,030	491	281	269	8,189	740	646	1,051	1,378
270	Males	18,387	3,500	535	269	148	132	4,584	373	322	521	684
271	Females	15,482	2,618	495	222	133	137	3,605	367	324	530	694
272	Native	23,579	6,029	996	474	267	255	8,021	702	602	924	1,067
273	Males	12,480	3,458	518	259	141	127	4,503	356	301	453	505
274	Females	11,099	2,571	478	215	126	128	3,518	346	301	471	562
275	Both parents native	M.. 6,362	1,709	251	129	70	59	2,218	142	159	192	227
		F.. 5,792	1,272	244	100	66	62	1,744	149	134	228	252
276	One or both parents foreign	M.. 4,349	1,557	257	126	70	68	2,078	210	132	247	242
		F.. 3,787	1,122	221	110	57	66	1,576	188	165	223	271
277	Parentage unknown	M.. 1,769	192	10	4	1	.....	207	4	10	14	36
		F.. 1,520	177	13	5	3	.....	198	9	2	20	39
278	Foreign	9,643	54	24	14	13	11	116	37	38	118	297
279	Males	5,448	27	12	8	7	4	58	17	18	61	169
280	Females	4,195	27	12	6	6	7	58	20	20	57	128
281	Unknown	647	35	10	3	1	3	52	1	6	9	14
282	Males	459	15	5	2	.....	1	23	.....	3	7	10
283	Females	188	20	5	1	1	2	29	1	3	2	4
284	Colored	513	73	21	8	4	4	110	14	26	34	29
285	Males	298	42	11	6	2	3	64	8	10	13	17
286	Females	215	31	10	2	2	1	46	6	16	21	12
287	Black	M.. 199	23	8	2	2	2	37	4	4	6	8
		F.. 127	15	5	2	1	1	24	2	11	12	7
288	Indian	M.. 98	19	3	4	.....	1	27	4	6	7	9
		F.. 88	16	5	.....	1	.....	22	4	5	9	5
289	Chinese and Japanese	M.. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,912	1,961	2,048	1,998	2,089	2,396	2,477	2,964	3,076	3,219	2,805	2,182	1,212	427	119	57	242
894	1,001	1,039	1,080	1,097	1,261	1,267	1,541	1,519	1,500	1,355	975	486	154	38	39	243
1,018	960	1,009	918	992	1,135	1,210	1,423	1,557	1,719	1,450	1,207	726	273	81	18	244
1,863	1,914	1,998	1,949	2,051	2,357	2,433	2,925	3,046	3,187	2,786	2,168	1,203	419	116	55	245
861	974	1,009	1,051	1,077	1,243	1,234	1,522	1,503	1,484	1,348	972	482	151	37	38	246
1,002	940	989	898	974	1,114	1,199	1,403	1,543	1,703	1,438	1,196	721	268	79	17	247
1,095	1,100	1,000	1,007	1,134	1,208	1,123	1,335	1,530	1,761	1,758	1,503	882	334	74	25	248
525	555	501	530	587	659	608	721	785	853	863	673	337	115	20	14	249
570	545	499	477	547	549	515	614	745	908	895	830	545	219	54	11	250
172	165	166	178	248	369	397	492	592	625	642	473	239	84	14	9	251
189	186	186	179	238	322	343	423	540	659	678	589	385	156	34	4	
327	353	298	298	271	206	118	88	60	55	29	30	5	1	.....	4	252
350	328	280	253	238	148	93	78	65	56	30	33	21	7	2	6	
26	37	37	54	68	84	93	141	133	173	192	170	93	30	6	1	253
31	31	33	45	71	79	79	113	140	193	187	208	139	56	18	1	
739	802	975	919	893	1,128	1,292	1,569	1,495	1,408	1,006	644	312	80	41	11	254
329	412	495	504	470	568	612	791	707	624	476	288	141	33	16	7	255
430	390	480	415	423	560	680	778	788	784	530	356	171	47	25	4	256
9	12	23	23	24	21	18	21	21	18	22	21	9	5	1	19	257
7	7	13	17	20	16	14	10	11	7	9	11	4	3	1	17	258
2	5	10	6	4	5	4	11	10	11	13	10	5	2	.....	2	259
49	47	50	49	38	39	44	39	30	32	19	14	9	8	3	2	260
33	27	30	29	20	18	33	19	16	16	7	3	4	3	1	1	261
16	20	20	20	18	21	11	20	14	16	12	11	5	5	2	1	262
31	23	24	23	18	17	30	18	16	16	7	3	4	3	1	1	263
16	19	20	20	18	21	11	20	13	16	12	11	5	5	2	1	
.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	264
.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
2	4	6	5	2	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	265
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,280	1,132	1,188	1,128	1,391	1,446	1,647	2,077	2,292	2,592	2,443	1,906	1,041	338	113	151	266
615	556	585	601	770	809	967	1,209	1,273	1,455	1,323	1,045	559	163	52	107	267
665	576	603	527	621	637	680	868	1,019	1,137	1,120	861	482	175	61	44	268
1,265	1,107	1,166	1,109	1,363	1,422	1,620	2,048	2,267	2,574	2,424	1,888	1,033	334	100	145	269
607	542	574	589	750	797	950	1,193	1,256	1,441	1,310	1,033	552	160	47	102	270
658	565	592	520	613	625	670	855	1,011	1,133	1,114	855	481	174	53	43	271
881	755	714	653	814	771	865	1,105	1,248	1,340	1,252	1,028	572	170	45	50	272
393	350	327	328	423	397	478	639	651	733	647	551	316	86	17	26	273
488	405	387	325	391	374	387	466	597	607	605	477	256	84	28	24	274
185	163	140	135	211	196	287	394	406	419	381	296	151	39	10	11	275
214	188	178	152	195	211	228	289	402	364	360	273	149	55	14	13	
185	153	144	141	138	129	99	105	92	85	56	49	37	15	.....	12	
228	181	161	130	128	99	76	92	77	48	61	44	22	6	6	5	276
23	34	43	52	74	72	92	140	153	229	210	206	128	32	7	3	277
46	36	48	43	68	64	83	85	118	195	184	160	85	23	8	6	
358	329	418	420	505	603	716	906	969	1,185	1,112	828	449	156	51	32	278
193	177	220	235	291	361	439	527	571	675	624	459	230	70	28	25	279
165	152	198	185	214	242	277	379	298	510	488	369	219	86	23	7	280
26	23	34	36	44	48	39	37	50	49	60	32	12	8	4	63	281
21	15	27	26	36	39	33	27	34	33	39	23	6	4	2	51	282
5	8	7	10	8	9	6	10	16	16	21	9	6	4	2	12	283
15	25	22	19	28	24	27	29	25	18	19	18	8	4	13	6	284
8	14	11	12	20	12	17	16	17	14	13	12	7	3	5	5	285
7	11	11	7	8	12	10	13	8	4	6	6	1	1	8	1	286
5	12	8	10	12	9	14	13	14	12	12	6	5	2	2	4	287
4	4	6	6	5	9	10	11	4	3	2	4	.....	.....	3	.....	
3	2	2	2	8	3	3	3	3	2	1	6	2	1	3	1	288
3	7	5	1	3	3	.....	2	4	1	4	2	1	1	5	1	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	289

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW HAMPSHIRE.											
290	Total	6,800	1,045	197	80	46	36	1,404	125	87	127	186
291	Males	3,400	579	99	42	22	16	758	65	50	56	90
292	Females	3,400	466	98	38	24	20	646	60	37	71	96
293	White	6,795	1,045	196	80	46	36	1,403	125	87	127	186
294	Males	3,399	579	99	42	22	16	758	65	50	56	90
295	Females	3,396	466	97	38	24	20	645	60	37	71	96
296	Native	5,415	1,025	184	73	43	31	1,356	113	76	97	129
297	Males	2,734	569	91	40	20	15	735	61	43	43	61
298	Females	2,681	456	93	33	23	16	621	52	33	54	68
299	Both parents native {M	1,434	175	33	10	8	3	229	32	25	26	41
	{F	1,441	135	23	11	11	4	184	20	18	32	43
300	One or both parents foreign {M	685	364	57	29	12	12	474	28	15	12	14
	{F	645	304	66	20	12	9	411	30	15	19	21
301	Parentage unknown {M	615	30	1	1	.....	.....	32	1	3	5	6
	{F	595	17	4	2	.....	3	26	2	.....	3	4
302	Foreign	1,127	16	10	6	3	3	38	11	8	29	51
303	Males	513	7	7	2	2	1	19	4	4	12	25
304	Females	614	9	3	4	1	2	19	7	4	17	26
305	Unknown	253	4	2	1	.....	2	9	1	3	1	6
306	Males	152	3	1	.....	.....	.....	4	.....	3	1	4
307	Females	101	1	1	1	.....	2	5	1	.....	.....	2
308	Colored	5	.....	1	.....	.....	.....	1	.....	.....	.....	.....
309	Males	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
310	Females	4	.....	1	.....	.....	.....	1	.....	.....	.....	.....
311	Black {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	4	.....	1	.....	.....	.....	1	.....	.....	.....	.....
	NEW JERSEY.											
312	Total	35,373	7,471	1,743	810	531	374	10,929	1,074	654	874	1,291
313	Males	19,051	4,202	905	442	293	195	6,037	546	343	466	658
314	Females	16,322	3,269	838	368	238	179	4,892	528	311	408	633
315	White	33,481	6,989	1,626	765	497	357	10,234	1,022	608	794	1,181
316	Males	18,080	3,943	840	418	276	188	5,665	517	323	427	610
317	Females	15,401	3,046	786	347	221	169	4,569	505	285	367	571
318	Native	24,082	6,932	1,600	741	468	341	10,082	979	568	626	873
319	Males	12,902	3,910	826	404	263	178	5,581	493	302	330	437
320	Females	11,180	3,022	774	337	205	163	4,501	486	266	296	436
321	Both parents native {M	6,613	1,807	344	177	114	83	2,525	245	156	179	211
	{F	6,161	1,372	321	147	89	82	2,011	253	142	176	216
322	One or both parents foreign {M	5,075	2,003	466	222	142	90	2,923	228	129	132	189
	{F	4,123	1,543	435	183	111	80	2,352	221	113	104	187
323	Parentage unknown {M	1,214	100	16	5	7	5	133	20	17	19	37
	{F	896	107	18	7	5	1	138	12	11	16	33
324	Foreign	9,024	48	23	23	27	16	137	42	39	163	295
325	Males	4,903	30	14	14	11	10	79	23	20	94	165
326	Females	4,121	18	9	9	16	6	58	19	19	69	130
327	Unknown	375	9	3	1	2	.....	15	1	1	5	13
328	Males	275	3	.....	.....	2	.....	5	1	1	3	8
329	Females	100	6	3	1	.....	.....	10	.....	.....	2	5
330	Colored	1,892	482	117	45	34	17	695	52	46	80	110
331	Males	971	259	65	24	17	7	372	29	20	39	48
332	Females	921	223	52	21	17	10	323	23	26	41	62
333	Black {M	963	259	65	24	17	7	372	29	20	39	47
	{F	921	223	52	21	17	10	323	23	26	41	62
334	Indian {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
335	Chinese and Japanese {M	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1904—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
230	225	252	223	256	299	351	382	507	555	565	498	294	122	34	78	290
87	109	126	109	140	145	188	195	251	276	296	235	126	40	13	45	291
143	116	126	114	116	154	163	187	256	279	269	263	168	82	21	33	292
230	225	252	222	255	298	350	382	507	555	565	498	294	122	34	78	293
87	109	126	109	140	145	187	195	251	276	296	235	126	40	13	45	294
143	116	126	113	115	153	163	187	256	279	269	263	168	82	21	33	295
150	146	167	153	178	206	248	286	385	418	465	427	254	102	25	34	296
58	72	88	80	94	101	133	141	198	206	249	204	109	34	6	18	297
92	74	79	73	84	105	115	145	187	212	216	223	145	68	19	16	298
32	37	44	51	61	61	86	82	123	126	156	118	69	25	2	8	299
55	35	40	43	60	69	79	101	109	147	140	129	83	39	9	6	
16	29	23	14	11	14	11	8	1	5	3	5	1	.....	.....	1	300
22	26	26	17	13	13	3	6	7	1	4	3	2	2	1	3	
10	6	21	15	22	26	36	51	74	75	90	81	39	9	4	9	301
15	13	13	13	11	23	33	38	71	64	72	91	60	27	9	7	
76	72	76	59	67	79	86	78	99	107	75	46	29	16	8	17	302
26	32	33	23	41	39	44	42	39	50	33	18	12	4	6	7	303
50	40	43	36	26	40	42	36	60	57	42	28	17	12	2	10	304
4	7	9	10	10	13	16	18	23	30	25	25	11	4	1	27	305
3	5	5	6	5	5	10	12	14	20	14	13	5	2	1	20	306
1	2	4	4	5	8	6	6	9	10	11	12	6	2	.....	7	307
.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	308
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	309
.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	310
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	311
.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,442	1,518	1,659	1,659	1,483	1,680	1,659	1,961	2,018	1,918	1,561	1,155	544	187	55	52	312
746	867	972	994	881	934	912	1,064	1,053	950	746	537	220	69	20	36	313
696	651	687	665	602	746	747	897	965	968	815	618	324	118	35	16	314
1,328	1,418	1,568	1,570	1,404	1,606	1,573	1,894	1,963	1,873	1,511	1,132	526	182	46	48	315
683	814	922	943	844	897	866	1,033	1,030	930	720	528	211	68	16	33	316
645	604	646	627	560	709	707	861	933	943	791	604	315	114	30	15	317
932	945	909	855	752	801	747	869	999	992	867	742	357	136	32	19	318
470	536	530	493	435	438	401	481	521	512	404	326	141	51	10	10	319
462	409	379	362	317	363	346	388	478	480	463	416	216	85	22	9	320
168	186	206	185	194	249	268	342	382	380	320	263	106	38	6	4	321
217	182	159	172	172	235	240	287	374	378	376	306	174	69	16	6	
243	279	249	214	156	100	62	56	38	30	20	18	4	3	1	1	322
202	185	168	137	105	68	49	61	48	42	24	40	12	4	1	.....	
59	71	75	94	85	89	71	83	101	102	64	45	31	10	3	5	323
43	42	52	53	40	60	57	40	56	60	63	70	30	12	5	3	
381	460	621	682	605	774	796	992	940	862	624	382	182	44	14	9	324
200	267	363	424	371	437	442	529	489	405	303	197	65	17	6	7	325
181	193	258	258	234	337	354	463	451	457	321	185	97	27	8	2	326
15	13	38	33	47	31	30	33	24	19	20	8	7	2	.....	20	327
13	11	29	26	38	22	23	23	30	13	13	5	5	.....	.....	16	328
2	2	9	7	9	9	7	10	4	6	7	3	2	2	.....	4	329
114	100	91	89	79	74	86	67	55	45	50	23	18	5	9	4	330
63	53	50	51	37	37	46	31	23	20	26	9	9	1	4	3	331
51	47	41	38	42	37	40	36	32	25	24	14	9	4	5	1	332
63	52	49	50	36	35	45	31	23	20	26	9	9	1	4	3	333
51	47	41	38	42	37	40	36	32	25	24	14	9	4	5	1	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	334
.....	1	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	335

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	NEW YORK.											
336	Total	142,014	25,366	6,646	2,868	1,822	1,342	38,044	3,904	2,398	3,460	4,929
337	Males	75,985	14,002	3,477	1,512	931	702	20,624	1,955	1,209	1,742	2,538
338	Females	66,029	11,364	3,169	1,356	891	640	17,420	1,949	1,189	1,718	2,391
339	White	138,400	24,507	6,407	2,766	1,779	1,315	36,774	3,827	2,331	3,362	4,694
340	Males	74,085	13,534	3,356	1,457	906	687	19,940	1,925	1,181	1,704	2,416
341	Females	64,315	10,973	3,051	1,309	873	628	16,834	1,902	1,150	1,658	2,278
342	Native	92,956	24,050	6,202	2,639	1,650	1,208	35,749	3,512	2,085	2,623	3,279
343	Males	49,579	13,290	3,240	1,390	838	629	19,387	1,762	1,053	1,308	1,681
344	Females	43,377	10,760	2,962	1,249	812	579	16,362	1,750	1,032	1,315	1,598
345	Both parents native M.	20,709	5,221	977	457	286	221	7,162	683	474	569	716
	Both parents native F.	19,320	4,116	896	379	276	231	5,898	693	443	601	658
346	One or both parents foreign M.	22,705	7,351	2,155	890	517	381	11,294	1,001	500	639	817
	One or both parents foreign F.	19,180	6,018	1,970	834	505	328	9,655	987	510	621	789
347	Parentage unknown M.	6,165	718	108	43	35	27	931	78	79	100	148
	Parentage unknown F.	4,877	626	96	36	31	20	809	70	79	93	151
348	Foreign	43,416	184	170	107	117	96	674	290	223	716	1,354
349	Males	23,156	96	95	58	61	51	361	150	114	380	693
350	Females	20,260	88	75	49	56	45	313	140	109	336	661
351	Unknown	2,028	273	35	20	12	11	351	25	23	23	61
352	Males	1,350	148	21	9	7	7	192	13	14	16	42
353	Females	678	125	14	11	5	4	159	12	9	7	19
354	Colored	3,614	859	239	102	43	27	1,270	77	67	98	235
355	Males	1,900	468	121	55	25	15	684	30	28	38	122
356	Females	1,714	391	118	47	18	12	586	47	39	60	113
357	Black M.	1,762	462	119	54	25	15	675	30	27	35	110
	Black F.	1,686	387	117	47	16	12	579	47	39	56	111
358	Indian M.	19	5	2	1	.....	.....	8	.....	1	1	.....
	Indian F.	25	2	1	.....	1	.....	4	.....	.....	4	2
359	Chinese and Japanese M.	119	1	.....	.....	.....	.....	1	.....	.....	2	12
	Chinese and Japanese F.	3	2	.....	.....	1	.....	3	.....	.....	.....	.....
	RHODE ISLAND.											
360	Total	8,100	1,739	337	131	91	67	2,365	197	119	187	278
361	Males	4,144	979	189	64	50	36	1,318	104	58	80	140
362	Females	3,956	760	148	67	41	31	1,047	93	61	107	138
363	White	7,814	1,680	324	122	87	64	2,277	187	115	178	257
364	Males	3,991	947	180	59	48	35	1,269	100	56	77	129
365	Females	3,823	733	144	63	39	29	1,008	87	59	101	128
366	Native	5,334	1,664	314	111	81	59	2,229	169	100	131	167
367	Males	2,787	940	173	54	42	31	1,240	86	48	59	81
368	Females	2,547	724	141	57	39	28	989	83	52	72	86
369	Both parents native M.	1,297	282	53	13	14	10	372	23	16	24	24
	Both parents native F.	1,309	210	38	14	11	9	282	34	17	31	33
370	One or both parents foreign M.	1,393	632	120	41	28	21	842	63	32	32	54
	One or both parents foreign F.	1,165	497	100	43	27	19	686	48	34	39	50
371	Parentage unknown M.	97	26	.....	.....	.....	.....	26	.....	.....	3	3
	Parentage unknown F.	73	17	3	.....	1	.....	21	1	1	2	3
372	Foreign	2,434	11	10	10	5	5	41	18	14	47	89
373	Males	1,175	5	7	4	5	4	25	14	8	18	47
374	Females	1,259	6	3	6	.....	1	16	4	6	29	42
375	Unknown	46	5	.....	1	1	.....	7	.....	1	.....	1
376	Males	29	2	.....	1	1	.....	4	.....	.....	.....	1
377	Females	17	3	.....	.....	.....	.....	3	.....	1	.....	.....
378	Colored	286	59	13	9	4	3	88	10	4	9	21
379	Males	153	32	9	5	2	1	49	4	2	3	11
380	Females	133	27	4	4	2	2	39	6	2	6	10
381	Black M.	152	32	9	5	2	1	49	4	2	3	11
	Black F.	133	27	4	4	2	2	39	6	2	6	10
382	Chinese and Japanese M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese and Japanese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6,174	6,522	7,120	6,821	6,401	7,065	7,224	8,260	8,361	8,368	7,262	5,482	2,766	970	260	223	336
3,263	3,701	4,181	4,067	3,793	3,977	3,943	4,358	4,342	4,202	3,574	2,608	1,266	390	91	161	337
2,911	2,821	2,939	2,754	2,608	3,088	3,281	3,902	4,019	4,166	3,688	2,874	1,500	580	169	62	338
5,903	6,283	6,910	6,599	6,241	6,924	7,081	8,135	8,261	8,291	7,182	5,440	2,742	957	247	216	339
3,118	3,563	4,067	3,946	3,700	3,897	3,876	4,285	4,298	4,166	3,533	2,587	1,256	386	87	154	340
2,785	2,720	2,843	2,653	2,541	3,027	3,205	3,850	3,963	4,125	3,649	2,853	1,486	571	160	62	341
3,931	4,008	3,879	3,528	3,289	3,246	3,143	3,502	3,759	3,938	3,845	3,119	1,707	596	137	81	342
2,065	2,252	2,258	2,046	1,882	1,811	1,721	1,833	1,952	2,038	1,922	1,500	778	243	41	46	343
1,866	1,756	1,621	1,482	1,407	1,435	1,422	1,669	1,807	1,900	1,923	1,619	929	353	96	35	344
632	610	633	620	603	744	901	1,024	1,178	1,296	1,247	948	485	139	24	21	345
637	591	527	476	566	664	794	1,012	1,155	1,253	1,299	1,091	648	239	55	20	
1,217	1,399	1,356	1,162	965	719	463	352	290	213	138	107	43	15	4	11	346
1,026	988	881	811	662	560	386	369	320	223	159	130	70	14	12	7	
216	243	269	264	314	348	357	457	484	529	537	445	250	89	13	14	347
203	177	213	195	179	211	242	288	332	424	465	398	211	100	29	8	
1,886	2,154	2,854	2,888	2,842	3,569	3,854	4,515	4,388	4,230	3,242	2,239	998	342	107	51	348
989	1,229	1,671	1,753	1,730	2,000	2,095	2,371	2,276	2,056	1,565	1,046	465	131	44	37	349
897	925	1,183	1,135	1,112	1,569	1,759	2,144	2,112	2,174	1,677	1,193	533	211	63	14	350
86	121	177	183	110	109	84	118	114	123	95	82	37	19	3	84	351
64	82	138	147	88	86	60	81	70	72	46	41	13	12	2	71	352
22	39	39	36	22	23	24	37	44	51	49	41	24	7	1	13	353
271	239	210	222	160	141	143	125	100	77	80	42	24	13	13	7	354
145	138	114	121	93	80	67	73	44	36	41	21	10	4	4	7	355
126	101	96	101	67	61	76	52	56	41	39	21	14	9	9	.....	356
128	116	98	101	82	71	57	69	44	36	41	20	10	4	4	4	357
125	100	94	101	67	61	74	50	54	40	38	20	13	9	8	.....	
1	2	.....	2	1	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	358
1	1	2	.....	.....	.....	2	2	2	1	1	1	1	.....	1	.....	
16	20	16	18	10	9	9	3	.....	.....	.....	.....	.....	.....	.....	3	359
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
312	292	326	348	354	402	441	500	479	522	400	310	170	61	20	17	360
161	152	173	185	183	203	228	258	235	247	170	144	72	17	7	9	361
151	140	153	163	171	199	213	242	244	275	230	166	98	44	13	8	362
298	275	315	340	336	391	427	475	470	510	397	303	169	58	19	17	363
153	142	168	180	171	197	221	247	228	238	169	142	72	16	7	9	364
145	133	147	160	165	194	206	228	242	272	228	161	97	42	12	8	365
175	165	165	158	185	186	167	211	218	263	243	208	126	44	18	12	366
92	94	87	80	98	95	87	125	109	126	102	101	55	11	4	7	367
83	71	78	78	87	91	80	86	109	137	141	107	71	33	8	5	368
23	28	31	35	46	59	66	97	93	110	90	91	53	9	4	3	369
32	33	24	29	50	53	57	70	95	129	131	100	65	33	8	3	
64	65	53	43	47	31	19	21	9	9	5	1	.....	.....	.....	3	370
48	36	51	46	35	35	19	14	8	5	3	4	2	.....	.....	2	
5	1	3	2	5	5	2	7	7	7	7	9	2	2	.....	1	371
3	2	3	3	2	3	4	2	6	3	7	3	4	.....	.....	.....	
119	109	148	175	150	199	253	259	252	247	154	93	43	13	7	4	372
58	47	79	94	73	97	131	120	119	112	67	40	17	5	3	1	373
61	62	69	81	77	102	122	139	133	135	87	53	26	8	4	3	374
4	1	2	7	1	6	7	5	.....	.....	.....	2	.....	1	.....	1	375
3	1	2	6	.....	5	3	2	.....	.....	.....	1	.....	.....	.....	1	376
1	.....	.....	1	1	1	4	3	.....	.....	.....	1	.....	1	.....	.....	377
14	17	11	8	18	11	14	25	9	12	3	7	1	3	1	.....	378
8	10	5	5	12	6	7	11	7	9	1	2	.....	1	.....	.....	379
6	7	6	3	6	5	7	14	2	3	2	5	1	2	1	.....	380
8	10	5	5	11	6	7	11	7	9	1	2	.....	1	.....	.....	381
6	7	6	3	6	5	7	14	2	3	2	5	1	2	1	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	382

TABLE 4.—DEATHS IN REGISTRATION AREAS, AT EACH AGE, BY SEX,

	REGISTRATION AREA.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
	VERMONT.											
383	Total	5,576	765	128	71	51	28	1,043	100	89	132	184
384	Males	2,863	423	78	34	29	13	577	46	40	58	86
385	Females	2,713	342	50	37	22	15	466	54	49	74	98
386	White	5,563	762	128	71	51	28	1,040	100	89	130	183
387	Males	2,855	421	78	34	29	13	575	46	40	57	86
388	Females	2,708	341	50	37	22	15	465	54	49	73	97
389	Native	4,436	749	123	68	47	28	1,015	89	83	108	147
390	Males	2,250	415	76	33	27	13	564	41	39	44	68
391	Females	2,186	334	47	35	20	15	451	48	44	64	79
392	Both parents native {M	1,208	242	37	17	15	11	322	18	24	25	43
	{F	1,241	197	26	17	12	10	262	27	25	38	39
393	One or both parents foreign {M	456	135	32	15	10	1	193	17	12	13	17
	{F	404	110	15	17	7	4	153	12	16	20	27
394	Parentage unknown {M	586	38	7	1	2	1	49	6	3	6	8
	{F	541	27	6	1	1	1	36	9	3	6	13
395	Foreign	959	7	4	3	2	.....	16	6	6	22	28
396	Males	503	3	1	1	1	.....	6	2	1	13	14
397	Females	456	4	3	2	1	.....	10	4	5	9	14
398	Unknown	168	6	1	.....	2	.....	9	5	.....	.....	8
399	Males	102	3	1	.....	1	.....	5	3	.....	.....	4
400	Females	66	3	.....	.....	1	.....	4	2	.....	.....	4
401	Colored	13	3	.....	.....	.....	.....	3	.....	.....	2	1
402	Males	8	2	.....	.....	.....	.....	2	.....	.....	1	.....
403	Females	5	1	.....	.....	.....	.....	1	.....	.....	1	1
404	Black {M	8	2	.....	.....	.....	.....	2	.....	.....	1	.....
	{F	5	1	.....	.....	.....	.....	1	.....	.....	1	1

COLOR, GENERAL NATIVITY, AND PARENT NATIVITY: 1904—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
177	198	167	175	203	232	254	343	405	520	479	414	258	118	34	51	383
86	99	83	88	104	114	138	188	208	263	251	222	117	59	8	28	384
91	99	84	87	99	118	116	155	197	257	228	192	141	59	26	23	385
177	197	167	175	203	231	254	341	404	520	479	413	257	118	34	51	386
86	98	83	88	104	114	138	186	207	263	251	221	117	59	8	28	387
91	99	84	87	99	117	116	155	197	257	228	192	140	59	26	23	388
129	154	125	135	162	179	183	258	300	373	338	331	192	89	19	27	389
57	72	60	68	83	85	98	144	149	185	176	171	86	42	5	13	390
72	82	65	67	79	94	85	114	151	188	162	160	106	47	14	14	391
29	40	31	41	38	28	55	80	92	104	89	79	38	24	2	6	392
38	50	28	29	40	55	55	74	102	112	94	82	51	26	9	5	
23	26	18	16	19	27	17	19	11	11	9	4	2	1	.....	1	393
22	19	19	26	20	16	6	11	11	11	9	3	.....	1	1	1	
5	6	11	11	26	30	26	45	46	70	78	88	46	17	3	6	394
12	13	18	12	19	23	24	29	38	65	59	75	55	20	4	8	
41	37	35	38	37	48	60	70	89	126	127	71	55	26	14	7	395
24	22	18	19	19	25	34	34	49	64	67	42	27	16	3	4	396
17	15	17	19	18	23	26	36	40	62	60	29	28	10	11	3	397
7	6	7	2	4	4	11	13	15	21	14	11	10	3	1	17	398
5	4	5	1	2	4	6	8	9	14	8	8	4	1	.....	11	399
2	2	2	1	2	.....	5	5	6	7	6	3	6	2	1	6	400
.....	1	.....	.....	.....	1	.....	2	1	.....	.....	1	1	.....	.....	.....	401
.....	1	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	402
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	403
.....	1	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	404
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
1	All causes	551,354	416,627	349,855	215,128	134,727	201,499	10,370	5,119	6,211	10,882	24,919
2	I.—General diseases	149,549	114,508	91,752	56,711	35,041	57,797	2,688	1,240	1,711	3,183	7,800
3	Typhoid fever	10,557	8,347	5,094	2,884	2,210	5,463	118	50	140	348	730
4	Exanthematic typhus	2	1	1		1	1					
5	Recurrent fever	3	2	2	1	1	1					
6	Malarial fever	1,391	1,087	619	315	304	772	32	14	12	36	113
7	Smallpox	709	602	176	69	107	533			1	25	72
8	Measles	3,659	2,793	2,418	1,552	866	1,241	46	34	4	70	422
9	Scarlet fever	3,610	2,950	2,470	1,810	660	1,140	58	22	11	51	168
10	Whooping cough	2,183	1,653	1,242	712	530	941	47	17	39	35	123
11	Diphtheria	7,898	6,655	5,235	3,992	1,243	2,663	131	44	52	96	125
12	Croup	1,546	1,155	1,022	631	391	524	27	14		23	72
13	Influenza	6,724	3,972	4,643	1,891	2,752	2,081	185	169	101	110	438
14	Miliary fever	2	1	2	1	1						
15	Asiatic cholera											
16	Cholera nostras	397	287	254	144	110	143	13	2	3	5	14
17	Dysentery	2,567	1,704	1,720	857	863	847	60	36	27	79	271
18	Plague	7	7				7					
19	Yellow fever											
20	Leprosy	4	4	1	1		3					
21	Erysipelas	1,680	1,271	1,095	686	409	585	35	9	6	40	85
22	Other epidemic diseases	94	74	44	24	20	50	1				4
23	Septicemia	1,886	1,387	1,036	517	519	850	23	15	7	75	123
24	Glanders and farcy	3	2	3	2	1						
25	Malignant pustule and charbon	25	15	19	9	10	6					1
26	Rabies	38	32	10	4	6	28	1				3
27	Actinomycosis, trichinosis, etc	18	16	11	9	2	7	1				1
28	Pellagra	1	1				1					
29	Tuberculosis of lungs	58,763	46,517	35,022	22,776	12,246	23,741	1,017	385	833	1,296	3,187
30	Tuberculosis of larynx	570	455	344	229	115	226	8	7	5	19	30
31	Tuberculous meningitis	3,025	2,498	2,089	1,562	527	936	57	21	40	66	124
32	Abdominal tuberculosis	2,098	1,605	1,245	752	493	853	43	9	31	66	132
33	Pott's disease	519	415	332	228	104	187	14	5	5	10	17
34	Tuberculous abscess	62	43	41	22	19	21				3	6
35	White swelling	241	199	140	98	42	101	1		2	3	4
36	Tuberculosis of other organs	545	402	331	188	143	214	11	4	4	12	36
37	General tuberculosis	974	774	581	381	200	393	18	5	25	19	36
38	Scrofula	124	82	80	38	42	44			4	2	15
39	Syphilis	1,507	1,331	747	571	176	760	21	7	27	36	41
40	Gonorrhea of the adult	28	26	16	14	2	12					
41	Gonorrheal infections of children	34	30	15	11	4	19		1			
42	Cancer of mouth	737	550	458	271	187	279	11	7	6	15	20
43	Cancer of stomach and liver	8,744	6,301	5,660	3,217	2,443	3,084	156	102	79	135	377
44	Cancer of intestines	2,399	1,798	1,633	1,032	601	766	44	17	23	28	85
45	Cancer of female genital organs	3,436	2,713	2,143	1,420	723	1,293	78	29	47	74	120
46	Cancer of breast	2,030	1,489	1,367	826	541	663	42	22	29	29	63
47	Cancer of skin	758	429	551	222	329	207	19	11	6	11	58
48	Cancer of other or unspecified organs	5,291	3,760	3,435	1,904	1,531	1,856	90	42	38	115	204
49	Tumor	444	290	294	140	154	150	15	6	2	18	24
50	Acute articular rheumatism	2,100	1,591	1,365	856	509	735	63	17	13	45	101
51	Chronic rheumatism and gout	1,087	696	688	297	391	399	17	11	12	19	91
52	Diabetes	4,259	3,017	3,036	1,794	1,242	1,223	102	64	37	79	177
53	Exophthalmic goiter	247	187	151	91	60	96	1	1	3	6	14
54	Addison's disease	148	95	109	56	53	39	3		1	1	6
55	Leukemia	400	303	244	147	97	156	6	4	5	12	18
56	Anemia, chlorosis	1,607	1,002	1,132	527	605	475	25	12	9	25	71
57	Alcoholism	1,927	1,608	1,128	809	319	799	45	18	20	35	45
58	Lead poisoning	81	63	50	32	18	31	1	1			2
59	Other occupational poisonings	3	3				3					
60	Other chronic poisonings	170	111	98	39	59	72	1	4	2	4	8
61	Scurvy	50	40	30	20	10	20	1	2			1
62	Other general diseases	137	87	80	30	50	57				7	12
63	II.—Diseases of nervous system	60,581	42,574	40,696	22,689	18,007	19,885	1,248	762	684	1,298	2,916
64	Encephalitis	530	359	312	141	171	218	7	1		25	57
65	Meningitis	7,269	5,739	4,575	3,045	1,530	2,694	153	63	57	204	343
66	Epidemic cerebro-spinal meningitis	3,284	2,743	2,700	2,159	541	584	149	51	11	45	114
67	Locomotor ataxia	820	560	545	285	260	275	17	13	13	14	37
68	Other diseases of spinal cord	1,653	1,097	1,177	621	556	476	32	18	36	34	109
69	Apoplexy	23,828	15,943	17,090	9,205	7,885	6,738	555	395	326	394	945
70	Softening of brain	1,250	775	816	341	475	434	19	37	11	24	92
71	Paralysis	6,431	3,695	4,324	1,588	2,736	2,107	69	59	63	214	602
72	General paralysis of insane	2,263	1,469	1,670	876	794	593	43	18	25	54	79
73	Other forms of mental disease	1,139	795	725	381	344	414	12	11	9	43	51
74	Other diseases of brain	1,341	956	900	515	385	441	23	10	25	30	65
75	Epilepsy	1,481	906	1,076	501	575	405	23	24	28	42	101
76	Convulsions (nonpuerperal)	310	218	194	102	92	116	9	4	2	16	14
77	Convulsions of children	6,492	5,414	3,245	2,167	1,078	3,247	98	41	47	109	173
78	Tetanus	1,105	921	445	261	184	660	17	6	18	30	55
79	Chorea	80	53	55	28	27	25	3	1	1		8
80	Other diseases of nervous system	752	486	495	229	266	257	7	6	9	14	53
81	Diseases of eye and its adnexa	28	21	18	11	7	10	2				
82	Diseases of ear	525	424	334	233	101	191	10	4	3	6	18

EACH DISEASE AND CLASS OF DISEASES: 1904.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
2,436	9,242	37,214	11,217	11,111	23,271	2,749	4,051	22,701	12,672	105,221	36,793	5,362	2,738	871	4,705	1
616	2,294	9,777	2,939	2,887	5,609	689	936	6,080	3,181	27,419	9,081	1,460	685	201	1,186	2
80	170	412	82	280	357	34	45	242	147	1,170	515	48	22	12	92	3
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	5
2	9	35	23	17	50	4	5	31	27	133	50	12	8	1	5	6
.....	3	8	1	10	17	2	.....	15	9	8	5	.....	.....	.....	.....	7
5	18	234	25	66	123	7	.....	143	64	967	171	10	6	.....	3	8
1	8	116	39	60	150	2	8	338	103	1,116	140	53	17	4	5	9
16	39	129	36	43	102	18	3	82	57	290	135	5	3	8	15	10
36	88	534	84	188	227	25	21	562	226	2,261	360	102	26	5	42	11
5	32	74	35	29	56	12	12	145	67	303	88	11	6	2	9	12
13	154	272	169	118	514	41	86	108	151	866	884	61	48	16	139	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
3	11	26	9	11	20	1	9	11	11	62	29	6	.....	3	5	16
3	30	133	63	35	111	10	17	115	91	348	202	45	24	2	18	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	20
4	26	144	28	35	82	14	13	63	34	323	110	20	1	2	21	21
.....	.....	4	3	2	8	1	.....	1	1	12	3	3	.....	.....	1	22
14	42	127	27	49	103	12	19	59	36	141	137	3	2	7	15	23
.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	24
.....	3	5	1	1	2	.....	.....	1	.....	2	3	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....	26
.....	.....	4	1	1	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
218	826	3,957	1,188	852	1,457	272	324	2,586	1,214	11,136	3,074	535	266	74	325	29
1	7	30	9	8	17	4	2	48	18	104	20	2	4	.....	1	30
14	43	268	52	46	71	19	17	153	69	834	82	56	25	9	23	31
12	40	134	32	59	85	8	14	68	55	302	102	27	13	2	11	32
1	8	49	9	9	18	1	3	19	8	110	28	10	3	.....	5	33
2	3	6	1	3	4	1	.....	1	.....	4	2	1	2	1	1	34
2	5	23	3	6	10	1	.....	8	3	47	15	4	2	1	.....	35
1	12	37	9	12	32	2	2	21	8	82	34	6	.....	.....	6	36
9	19	68	31	15	24	4	6	34	21	165	44	22	5	2	9	37
.....	2	9	4	4	9	1	.....	1	1	15	10	2	.....	.....	1	38
4	4	75	18	65	39	2	2	39	13	283	44	16	5	3	3	39
.....	.....	1	.....	1	1	.....	.....	1	.....	10	1	1	.....	.....	.....	40
.....	.....	2	1	.....	.....	.....	.....	1	.....	8	2	.....	.....	.....	.....	41
2	21	60	21	23	48	4	3	16	18	127	38	6	4	1	7	42
41	196	620	228	216	486	32	71	275	182	1,547	644	87	59	9	98	43
17	59	243	39	61	110	17	19	79	48	480	158	39	12	1	34	44
23	47	281	46	90	140	22	21	122	63	615	208	61	12	7	37	45
5	40	203	55	46	96	12	5	56	46	364	159	39	23	1	32	46
3	24	47	24	13	66	4	13	30	21	78	101	9	5	2	6	47
22	111	510	210	93	218	35	84	155	94	806	489	34	17	6	62	48
1	7	28	12	17	36	.....	6	12	9	45	47	1	2	1	5	49
9	20	139	38	44	115	7	16	64	40	457	139	14	6	1	17	50
2	19	56	24	24	70	3	14	32	27	121	117	10	2	1	16	51
21	83	357	112	100	238	30	31	133	99	877	348	50	24	8	66	52
1	2	19	1	10	12	.....	3	5	8	43	16	3	.....	.....	3	53
2	4	13	5	5	13	2	.....	1	2	26	22	2	1	.....	.....	54
2	8	30	11	7	16	2	1	7	8	72	29	2	2	2	.....	55
11	35	125	63	65	152	10	23	41	33	194	172	19	9	3	35	56
8	12	114	31	36	68	9	13	141	36	374	73	23	15	4	8	57
.....	.....	7	5	.....	1	.....	1	5	1	19	6	.....	.....	.....	1	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	59
.....	1	3	5	6	22	.....	.....	2	4	21	7	.....	4	.....	4	60
.....	1	2	2	.....	.....	.....	.....	2	2	15	2	.....	.....	.....	.....	61
.....	1	3	3	6	13	2	4	2	4	10	13	.....	.....	.....	.....	62
362	1,190	4,152	1,585	1,275	2,909	364	610	2,630	1,829	10,060	5,263	498	337	118	606	63
3	7	28	8	18	45	5	4	25	16	25	29	4	3	1	1	64
52	134	669	148	105	144	70	47	438	163	1,219	411	44	16	34	61	65
5	17	125	30	49	94	4	10	195	50	1,538	139	34	21	4	15	66
4	24	49	28	16	50	3	8	22	25	139	65	5	2	3	8	67
8	44	116	46	42	90	9	19	68	49	259	145	17	15	.....	21	68
138	574	1,860	798	431	1,061	128	292	1,011	758	4,051	2,582	266	166	45	314	69
5	35	71	26	20	86	8	19	35	44	138	116	8	5	2	15	70
41	136	308	145	162	610	49	86	168	310	475	706	33	33	6	49	71
20	34	186	80	82	100	11	28	73	85	365	318	13	31	4	21	72
42	23	66	48	31	62	13	16	28	39	130	80	5	9	2	5	73
5	33	108	46	36	62	14	20	56	21	203	110	13	1	2	17	74
10	15	87	72	31	108	9	17	42	44	218	158	10	13	1	23	75
.....	13	21	3	9	17	5	1	22	11	17	26	1	.....	.....	3	76
19	57	316	65	207	262	23	26	368	146	949	269	23	11	8	28	77
3	10	28	7	6	26	2	5	41	32	110	31	4	3	2	9	78
.....	1	8	.....	3	10	1	2	3	1	9	3	.....	.....	.....	1	79
7	30	59	24	14	47	2	7	20	23	85	59	9	4	3	13	80
.....	1	3	.....	.....	5	1	1	2	.....	3	.....	.....	.....	.....	.....	81
.....	2	45	11	13	30	7	2	13	12	127	16	9	4	1	2	82

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM EACH

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
83	III.—Diseases of circulatory system	57,220	40,191	38,690	21,661	17,029	18,530	1,106	691	663	956	2,235
84	Pericarditis	624	452	372	200	172	252	9	5	3	22	50
85	Endocarditis	3,880	3,348	2,315	1,783	532	1,565	83	20	18	58	63
86	Heart disease	44,472	30,436	30,724	16,688	14,036	13,748	848	583	562	733	1,819
87	Angina pectoris	2,180	1,375	1,514	709	805	666	38	28	18	43	119
88	Diseases of arteries	3,516	2,720	2,143	1,347	796	1,373	67	29	42	52	88
89	Embolism and thrombosis	1,401	1,021	942	562	380	459	44	21	14	19	40
90	Diseases of veins	202	150	134	82	52	68	5	1	3	2	4
91	Diseases of lymphatics	83	69	50	36	14	33	1	.....	.....	1	1
92	Hemorrhages	826	602	465	241	224	361	10	4	3	19	48
93	Other diseases of circulatory system	36	18	31	13	18	5	1	.....	.....	7	3
94	IV.—Diseases of respiratory system	76,975	61,476	48,678	33,179	15,499	28,297	1,261	572	796	1,240	2,839
95	Diseases of nasal fossa	44	21	32	9	23	12	.....	.....	.....	1	5
96	Laryngitis	349	253	228	132	96	121	4	4	4	10	20
97	Other diseases of larynx	361	290	226	155	71	135	6	6	6	7	16
98	Diseases of thyroid body	97	76	58	37	21	39	.....	.....	.....	3	7
99	Acute bronchitis	6,910	5,646	4,472	3,208	1,264	2,438	128	62	90	72	161
100	Chronic bronchitis	5,021	3,754	3,099	1,832	1,267	1,922	83	49	44	88	191
101	Bronchopneumonia	12,219	10,222	8,542	6,545	1,997	3,677	169	64	110	164	383
102	Pneumonia	44,957	35,869	27,804	18,716	9,088	17,153	750	332	436	748	1,691
103	Pleurisy	1,598	1,293	1,032	727	305	566	38	14	15	17	36
104	Congestion of lungs	2,597	1,866	1,632	901	731	965	53	22	46	59	171
105	Gangrene of lungs	157	119	100	62	38	57	1	1	2	2	5
106	Asthma	1,297	975	594	362	232	613	20	3	9	32	55
107	Emphysema	189	149	105	66	40	83	1	2	1	6	10
108	Hemorrhage of lungs	675	531	386	242	144	289	1	3	25	12	30
109	Other diseases of respiratory system	594	412	367	185	182	227	7	10	8	19	58
110	V.—Diseases of digestive system	66,125	51,856	41,427	27,158	14,269	24,698	1,448	569	729	1,313	2,862
111	Diseases of mouth	256	196	146	86	60	110	7	1	5	6	15
112	Tonsilitis	290	179	198	87	111	92	3	2	.....	6	24
113	Diseases of pharynx	230	151	161	82	79	69	5	3	1	.....	6
114	Diseases of esophagus	110	86	71	47	24	39	2	2	1	3	5
115	Ulcer of stomach	1,044	791	643	390	253	401	17	5	9	18	43
116	Gastritis	3,710	2,703	2,250	1,243	1,007	1,460	106	47	77	90	174
117	Other diseases of stomach	2,233	1,412	1,598	777	821	635	44	33	42	47	135
118	Dentition	173	150	57	34	23	116	1	.....	1	1	5
119	Diarrhea and enteritis, under 2 years	30,315	25,252	19,463	14,400	5,063	10,852	745	240	346	420	1,029
120	Diarrhea and enteritis, 2 years and over	6,549	4,694	4,074	2,219	1,855	2,475	123	55	70	180	437
121	Intestinal parasites	37	26	20	9	11	17	.....	.....	.....	1	4
122	Hernia	1,405	1,102	870	567	303	535	37	11	9	34	54
123	Obstruction of intestines	3,040	2,289	1,900	1,149	751	1,140	69	32	29	76	141
124	Other diseases of intestines	932	639	606	313	293	326	13	6	14	33	73
125	Acute yellow atrophy of liver	143	99	95	51	44	48	2	1	1	4	9
126	Hydatid tumors of liver	12	7	10	5	5	2	.....	1	.....	.....	.....
127	Cirrhosis of liver	5,020	4,048	2,958	1,986	972	2,062	87	59	46	94	166
128	Biliary calculi	832	643	484	295	189	348	19	6	4	17	45
129	Other diseases of liver	2,340	1,593	1,481	737	747	856	46	24	17	83	174
130	Diseases of spleen	76	51	57	32	25	19	2	2	2	.....	5
131	Peritonitis	3,331	2,394	1,991	1,054	937	1,340	53	21	32	116	214
132	Appendicitis	3,946	3,267	2,224	1,545	679	1,722	65	17	22	82	103
133	Other diseases of digestive system	101	84	67	50	17	34	2	1	1	2	1
134	VI.—Diseases of genito-urinary system	40,450	31,724	25,629	16,903	8,726	14,821	815	393	527	650	1,318
135	Acute nephritis	3,470	2,832	2,277	1,659	618	1,193	100	22	63	41	87
136	Bright's disease	30,911	24,349	19,574	13,012	6,562	11,337	605	302	376	482	965
137	Other diseases of kidneys	923	678	608	363	245	315	21	9	22	18	46
138	Calculi of urinary tract	154	117	98	61	37	56	4	3	2	1	8
139	Diseases of bladder	1,408	820	987	399	588	421	21	20	16	38	91
140	Diseases of urethra, urinary abscess, etc	146	131	77	62	15	69	4	.....	5	1	2
141	Diseases of prostate	927	622	629	324	305	298	22	19	8	16	40
142	Nonvenereal diseases of male genital organs	39	30	30	21	9	9	2	.....	.....	.....	.....
143	Metritis	86	72	45	31	14	41	.....	.....	.....	1	5
144	Uterine hemorrhage (nonpuerperal)	79	50	52	23	29	27	3	2	.....	4	8
145	Uterine tumor	620	540	365	285	80	255	14	6	11	11	15
146	Other diseases of uterus	489	415	253	179	74	236	5	5	8	12	21
147	Ovarian tumor	433	342	255	164	91	178	5	2	3	16	20
148	Diseases of tubes	654	613	316	275	41	338	7	3	9	7	6
149	Other diseases of female genital organs	89	74	48	33	15	41	2	.....	4	2	4
150	Nonpuerperal diseases of breast (cancer excepted)	22	19	15	12	3	7	.....	.....	.....	.....	.....
151	VII.—Childbirth	5,109	3,861	3,216	1,968	1,248	1,893	96	35	53	79	239
152	Accidents of pregnancy	579	477	329	227	102	250	15	4	2	15	20
153	Puerperal hemorrhage	360	261	248	149	99	112	5	5	2	5	15
154	Other accidents of labor	321	239	204	142	62	117	7	1	5	2	12
155	Puerperal septicemia	2,291	1,780	1,403	892	511	888	34	14	24	33	118
156	Puerperal convulsions	1,075	763	713	401	312	362	21	10	15	16	55
157	Puerperal phlegmasia alba dolens	3	3	1	1	.....	2	.....	.....	.....	.....	.....
158	Other puerperal accidents	479	317	317	155	162	162	14	1	5	8	19
159	Puerperal diseases of breast	1	1	1	1	.....	.....	.....	.....	.....	.....	.....

DISEASE AND CLASS OF DISEASES: 1904—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
287	1,091	4,554	1,710	1,201	2,949	292	617	1,953	1,385	10,033	5,444	525	305	91	602	83
1	6	28	17	17	34	3	3	26	6	85	41	5	2	1	8	84
13	35	331	65	55	74	17	16	293	93	881	134	31	9	3	23	85
230	882	3,494	1,369	952	2,503	238	510	1,380	1,106	7,751	4,508	418	257	73	499	86
12	66	146	71	55	149	18	41	82	60	268	239	21	12	8	20	87
10	33	379	134	71	107	4	21	80	57	610	287	31	20	1	20	88
7	39	107	30	28	39	7	16	44	35	280	139	8	4	4	17	89
1	3	18	8	5	9	1	2	5	5	39	18	3			2	90
1	1	10	1		2			6	1	15	7	2			1	91
3	24	40	14	18	25	4	8	36	22	101	66	6	1	1	12	92
	2	1	1		7			1		3	5					93
292	1,115	4,956	1,250	1,336	2,572	348	455	3,628	1,731	18,444	3,965	771	371	107	620	94
		4		1	9					3	8				1	95
	12	22	8	8	11		3	20	10	58	23	6	2		3	96
2	3	30	5	8	13	5	3	21	4	65	13	4	3	1	5	97
		7	2	2	5			2	2	23	4		1			98
32	93	507	111	169	293	48	37	287	115	1,761	291	105	39	9	62	99
19	77	404	132	113	255	19	43	191	97	810	332	57	29	4	62	100
32	126	744	150	202	325	47	47	577	265	4,348	505	138	67	14	65	101
181	703	2,865	738	673	1,352	203	267	2,172	1,067	10,186	2,363	433	210	69	365	102
3	16	120	32	21	53	8	6	72	36	424	89	8	12	1	11	103
9	38	143	50	53	109	15	27	174	69	334	214	10	5	5	26	104
1	5	9	3	5	8		2	6	7	35	7			1		105
3	19	29	16	44	56	1	13	39	25	175	38	7	2	3	5	106
1	1	3	2	1	9			10	5	43	9				2	107
8	10	32	4	12	30		1	46	17	104	43	2			6	108
1	12	37	6	24	44	2	6	11	12	75	26	1	1		7	109
207	883	4,620	992	1,476	2,848	389	389	3,000	1,428	13,129	3,486	737	363	110	449	110
		11	1	4	18		2	4	5	47	16	2	1		1	111
1	5	16	6	7	31	1	4	7	6	42	30	4	1		2	112
1	8	18	4	3	18	1	3	12	10	40	25	1	1		1	113
	3	14		2	3		4	2	1	23	7				2	114
2	20	62	18	22	58	10	8	34	22	196	69	16	3	4	7	115
14	68	214	64	77	206	23	32	169	112	430	253	37	16	6	35	116
17	58	137	53	66	125	13	19	65	67	280	267	63	21	3	43	117
	1	7	4	2	6	2		6	4	14	2				1	118
70	312	2,535	392	600	910	212	125	1,635	700	7,396	1,021	393	218	48	116	119
16	89	340	124	141	383	30	41	252	165	1,005	469	53	36	9	56	120
	1			1	4					6	2	1				121
8	16	100	23	24	56	3	14	50	24	283	84	15	6	4	15	122
10	51	201	57	79	161	16	24	143	56	500	204	21	4	5	21	123
4	17	56	20	22	66	8	6	30	15	119	74	11	8	3	8	124
	8	9	3	4	8		1	5	2	25	9	1	1		2	125
					4					5						126
9	46	236	55	98	196	16	27	225	92	1,130	282	43	21	2	28	127
1	15	49	13	22	44	2	4	31	14	136	38	12	1	2	9	128
6	54	116	59	55	146	14	27	80	36	304	195	12	10	4	22	129
	1	4	3	5	6	2	1	3		10	6	2		2	1	130
21	73	219	47	109	202	24	26	116	57	345	249	11	9	8	39	131
27	37	260	46	131	193	12	23	130	34	768	181	38	5	10	40	132
		16		2	4		1	1	6	25	3	1	1			133
187	578	2,333	764	705	1,339	153	310	1,551	812	9,425	2,638	485	251	72	323	134
12	45	180	53	58	95	13	25	214	74	920	195	54	7	4	15	135
152	427	1,697	500	447	909	114	243	1,180	636	7,538	2,021	366	221	55	248	136
3	14	61	13	34	55	3	4	36	20	158	77	6	2	1	5	137
1	1	15	1	3	7		2	1	1	31	11	3	1		2	138
8	46	89	48	27	107	6	19	37	49	138	176	11	10	8	22	139
1	1	14	2	7	1			3	3	26	4	1	1		1	140
2	20	91	32	35	78	4	12	19	7	117	77	9	3	1	17	141
		4	1	2	2			1	2	10	3	2	1			142
		8	1	2	4			4		14	4	2				143
	1	5	2	1	5			2	2	8	7		1		1	144
	2	53	6	28	20	5	3	18	8	130	11	13	2	2	7	145
5	9	29	3	23	18	3		8	2	82	14	3		1	2	146
3	5	26	7	20	27	1	1	6	6	80	20	4	1		2	147
	5	51	2	15	9	4	1	20	1	153	13	9	1			148
	2	6	1	3	2			2	1	13	4	1			1	149
		4	2							7	1	1				150
15	76	319	75	143	339	15	23	181	84	991	277	71	26	5	54	151
1	9	49	4	12	34	2	3	15	2	103	17	12	1	1	8	152
2	5	32	3	3	29	1	6	18	7	78	27	3	1		1	153
	6	26	5	13	19	1		16	5	65	9	6	3	1	2	154
9	29	105	28	65	153	5	9	92	39	485	92	38	12	2	17	155
2	12	66	21	39	89	3	2	32	20	198	82	9	6		15	156
										1						157
1	15	41	14	11	35	3	3	7	11	61	50	3	3	1	11	158
								1								159

TABLE 5.—DEATHS IN REGISTRATION AREAS, FROM EACH

	CAUSE OF DEATH.	Total.	Cities.	STATES.			Cities in other states.	CONNECTICUT.		District of Columbia.	INDIANA.	
				Total.	Cities.	Rural.		Cities.	Rural.		Cities.	Rural.
160	VIII.—Diseases of skin	2,397	1,576	1,643	822	821	754	47	30	31	45	106
161	Gangrene	1,500	914	1,076	490	586	424	31	21	18	22	72
162	Carbuncle	134	107	77	50	27	57	2	3	2	4	5
163	Abscess	476	357	309	190	119	167	7	3	8	13	12
164	Other diseases of skin	287	198	181	92	89	106	7	3	3	6	17
165	IX.—Diseases of locomotor system	990	828	614	452	162	376	19	7	11	19	37
166	Diseases of bones	861	723	538	400	138	323	15	5	8	17	31
167	Diseases of joints	82	64	49	31	18	33	1	1	3	2	4
168	Amputation	27	27	12	12	.....	15	1	.....	.....	.....	.....
169	Other diseases of organs of locomotion	20	14	15	9	6	5	2	1	.....	.....	2
170	X.—Malformations	4,382	3,192	2,977	1,787	1,190	1,405	103	46	34	66	228
171	Hydrocephalus	541	400	387	246	141	154	15	5	6	11	27
172	Congenital malformation of heart (cyanosis)	2,434	1,817	1,616	999	617	818	52	25	21	36	113
173	Other congenital malformations	1,407	975	974	542	432	433	36	16	7	19	88
174	XI.—Early infancy	24,001	19,004	15,116	10,119	4,997	8,885	512	211	321	692	1,382
175	Premature birth	11,361	8,789	7,569	4,997	2,572	3,792	308	132	189	365	715
176	Congenital debility	6,862	5,687	4,345	3,170	1,175	2,517	108	46	64	89	182
177	Other diseases of early infancy	971	740	689	458	231	282	30	7	13	29	63
178	Lack of care	4,807	3,788	2,513	1,494	1,019	2,294	66	26	55	209	422
179	XII.—Old age	12,938	7,741	8,702	3,505	5,197	4,236	143	111	185	291	791
180	XIII.—Violence	36,644	28,058	22,461	13,875	8,586	14,183	726	377	352	736	1,377
181	Suicide by poison	1,698	1,490	838	630	208	860	42	11	27	50	37
182	Suicide by asphyxia	414	403	203	192	11	211	8	.....	6	1	.....
183	Suicide by hanging or strangulation	772	496	518	242	276	254	18	8	6	10	28
184	Suicide by drowning	242	169	134	61	73	108	3	3	.....	9	6
185	Suicide by firearms	1,185	957	585	357	228	600	19	13	18	15	38
186	Suicide by cutting instruments	273	213	156	96	60	117	7	4	3	2	5
187	Suicide by jumping from high places	66	62	40	36	4	26	.....	.....	2	.....	1
188	Suicide by crushing	22	19	13	10	3	9	1	.....	1	1	1
189	Other suicides	240	160	124	44	80	116	2	9	.....	13	11
190	Fractures	2,867	2,054	2,104	1,291	813	763	92	39	14	72	125
191	Dislocations	41	26	30	15	15	11	2	.....	1	.....	4
192	Burns and scalds	2,745	2,193	1,593	1,041	552	1,152	69	29	31	60	128
193	Heat and sunstroke	235	201	136	102	34	99	1	.....	5	2	5
194	Cold and freezing	227	113	182	68	114	45	6	6	2	4	11
195	Lightning	81	26	67	12	55	14	.....	4	.....	2	12
196	Drowning	3,378	2,273	2,416	1,311	1,105	962	73	46	40	49	103
197	Inhalation of poisonous gases	1,152	1,050	717	615	102	435	32	7	16	15	7
198	Conflagration	1,015	1,000	995	980	15	20	.....	.....	.....	1	4
199	Other accidental poisonings	1,632	1,205	1,064	637	427	568	30	19	17	54	90
200	Accidental gunshot wounds	1,294	882	730	318	412	564	16	15	4	34	118
201	Injuries by machinery	320	213	177	70	107	143	4	5	2	6	8
202	Injuries in mines and quarries	329	207	144	22	122	185	.....	1	.....	3	30
203	Railroad accidents and injuries	5,084	3,804	2,812	1,532	1,280	2,272	108	69	44	137	210
204	Injuries by vehicles and horses	949	744	620	415	205	329	11	4	12	7	38
205	Suffocation	555	379	365	189	176	190	12	3	5	15	28
206	Injuries at birth	1,899	1,330	1,339	970	369	560	65	25	21	19	43
207	Other accidental traumatisms	5,390	4,146	3,307	2,063	1,244	2,083	85	43	56	93	190
208	Burning by corrosive substances	11	3	11	3	8	.....	1	.....	.....	.....	.....
209	Other external violence	1,563	1,143	738	318	420	825	17	13	9	37	82
210	Starvation, privation, etc	30	19	20	9	11	10	.....	1	.....	4	1
211	Homicide	935	878	283	226	57	652	2	.....	10	21	13
212	XIV.—Ill-defined causes	13,993	10,038	8,254	4,299	3,955	5,739	158	75	114	314	699
213	"Dropsy"	1,144	681	623	160	463	521	1	10	2	39	121
214	"Heart failure"	2,167	1,422	1,213	468	745	954	3	2	2	53	137
215	Sudden death	96	50	66	20	46	30	.....	2	.....	2	2
216	Unspecified or ill-defined causes of death	1,105	757	640	292	348	465	12	8	7	33	56
217	Inanition, over 3 months	1,873	1,471	985	583	402	888	20	6	32	89	109
218	Debility, over 3 months	1,499	976	844	321	523	655	22	2	18	37	89
219	Marasmus, over 3 months	4,298	3,733	2,683	2,118	565	1,615	60	15	49	30	45
220	Fever	218	114	149	45	104	69	4	4	2	10	43
221	Unknown causes	1,593	834	1,051	292	759	542	36	26	2	21	97

DISEASE AND CLASS OF DISEASES: 1904—Continued.

MAINE.		MASSACHUSETTS.		MICHIGAN.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		RHODE ISLAND.		VERMONT.		
Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	Cities.	Rural.	
10	63	153	63	46	146	15	32	96	73	354	259	20	13	5	36	160
8	49	99	40	33	90	8	25	58	53	197	201	12	12	4	23	161
1	.....	11	2	4	4	1	.....	4	5	20	8	1	.....	.....	.....	162
1	13	31	10	6	28	3	3	25	11	93	28	2	1	1	10	163
.....	1	12	11	3	24	3	4	9	4	44	22	5	.....	.....	3	164
4	7	74	11	20	37	4	5	55	19	230	30	12	6	4	3	165
3	7	67	10	16	31	4	4	48	15	206	26	12	6	4	3	166
.....	.....	4	1	4	4	.....	1	4	3	13	4	.....	.....	.....	.....	167
1	.....	.....	.....	.....	.....	.....	.....	3	.....	7	.....	.....	.....	.....	.....	168
.....	.....	3	.....	.....	2	.....	.....	.....	1	4	.....	.....	.....	.....	.....	169
11	48	333	113	102	274	29	30	215	101	825	280	55	24	14	46	170
1	7	48	14	5	30	7	2	33	14	113	32	4	3	3	7	171
7	25	170	52	62	132	13	19	101	60	494	149	36	14	7	28	172
3	16	115	47	35	112	9	9	81	27	218	99	15	7	4	11	173
113	327	2,342	439	563	789	114	61	1,013	516	4,176	1,026	230	87	43	159	174
59	169	1,221	224	203	396	8	6	493	243	2,027	568	105	39	19	80	175
32	111	729	130	192	201	65	34	284	157	1,517	235	77	60	13	39	176
3	15	100	19	24	46	10	6	32	24	183	40	12	4	2	7	177
19	32	292	66	144	146	31	15	184	92	449	183	36	4	9	33	178
113	371	754	426	330	896	94	259	232	265	1,212	1,372	102	78	29	228	179
148	527	2,090	603	698	1,727	151	202	1,434	849	7,183	2,512	320	162	37	250	180
2	7	60	6	37	54	2	2	93	27	281	48	15	5	1	11	181
.....	.....	16	2	1	1	1	.....	22	5	130	.....	7	3	.....	.....	182
5	21	27	18	18	51	2	8	25	24	122	102	7	5	2	11	183
1	6	20	16	6	9	3	3	7	3	9	20	2	4	1	3	184
4	23	64	27	24	44	4	10	35	20	162	42	9	3	3	8	185
2	2	20	2	4	14	.....	5	18	5	39	18	1	.....	.....	5	186
.....	.....	3	.....	2	2	.....	.....	.....	.....	29	1	.....	.....	.....	.....	187
1	.....	1	1	.....	.....	.....	.....	3	.....	2	1	.....	.....	.....	.....	188
4	13	10	9	5	6	2	4	1	10	7	18	.....	.....	.....	.....	189
18	46	230	66	89	129	11	14	135	60	624	313	4	.....	2	21	190
.....	.....	4	2	2	4	.....	.....	2	1	4	4	.....	.....	.....	.....	191
11	32	185	36	42	110	13	12	135	61	473	127	17	9	5	8	192
.....	2	21	4	6	6	2	2	21	4	60	8	4	2	.....	1	193
.....	1	15	12	5	33	1	5	10	12	22	32	3	.....	.....	2	194
.....	1	2	1	1	13	.....	.....	2	4	5	18	.....	.....	.....	2	195
25	123	218	85	68	202	22	31	150	120	640	332	21	33	5	30	196
5	6	67	7	17	7	7	2	66	27	379	36	11	2	.....	1	197
.....	.....	.....	.....	1	11	.....	.....	.....	.....	978	.....	.....	.....	.....	.....	198
2	30	75	32	44	82	7	12	54	32	347	114	4	6	3	10	199
7	29	27	9	17	80	1	14	33	36	178	98	1	1	.....	12	200
.....	13	18	6	8	38	.....	3	8	8	20	19	3	3	1	4	201
.....	1	3	.....	14	74	.....	.....	1	7	1	3	.....	.....	.....	6	202
17	28	241	88	89	192	19	20	260	177	570	442	44	18	3	36	203
1	14	56	12	13	55	.....	8	19	9	285	47	11	9	.....	9	204
3	6	59	13	12	51	5	3	9	20	60	43	8	6	1	3	205
7	19	226	25	32	67	15	2	96	40	433	121	56	20	.....	7	206
20	69	306	96	87	283	27	27	191	95	1,114	364	77	27	7	50	207
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	8	.....	.....	.....	.....	208
10	33	81	26	25	91	7	13	22	33	104	117	4	3	2	9	209
.....	2	1	.....	.....	1	.....	.....	.....	1	4	5	.....	.....	.....	.....	210
3	.....	34	2	8	17	.....	2	16	8	120	11	11	3	1	1	211
71	472	757	238	329	817	92	122	613	399	1,740	960	76	30	35	143	212
1	30	23	12	26	128	4	13	19	19	42	121	2	1	1	8	213
2	73	69	42	37	131	11	25	54	72	224	237	3	.....	10	26	214
.....	4	4	1	4	4	2	.....	1	2	6	25	.....	2	1	4	215
14	42	107	37	15	56	13	24	25	16	54	95	8	4	4	10	216
15	32	84	28	38	64	18	14	81	29	168	96	30	12	8	12	217
11	49	75	29	26	81	7	20	30	57	90	177	4	1	1	18	218
9	28	327	63	96	52	22	12	369	174	1,131	162	17	5	8	9	219
.....	7	4	9	3	12	3	2	4	5	15	14	.....	1	.....	7	220
19	207	64	17	84	289	12	12	30	25	10	33	12	4	2	49	221

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH

	CAUSE OF DEATH.		AGE.										
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
1	All causes		551,354	102,880	22,268	9,750	6,323	4,681	145,902	13,774	9,368	15,496	23,206
2	Males		296,252	57,545	11,694	5,148	3,281	2,509	80,177	7,015	4,812	7,526	11,710
3	Females		255,102	45,335	10,574	4,602	3,042	2,172	65,725	6,759	4,556	7,970	11,496
4	I.—General diseases		149,549	8,119	5,561	3,742	2,894	2,278	22,594	6,460	3,729	7,745	12,007
5	Males		76,124	4,335	2,885	1,920	1,510	1,212	11,862	3,089	1,589	3,270	5,836
6	Females		73,425	3,784	2,676	1,822	1,384	1,066	10,732	3,371	2,140	4,475	6,171
7	Typhoid fever	M.	6,298	23	60	50	64	80	277	270	355	689	1,105
		F.	4,259	43	46	55	60	46	250	331	407	652	632
8	Malarial fever	M.	705	57	41	26	17	16	157	39	17	33	36
		F.	686	73	27	28	15	8	151	55	27	35	48
9	Smallpox	M.	446	35	16	14	6	11	82	9	6	29	55
		F.	263	31	15	11	10	7	74	12	8	17	29
10	Measles	M.	1,874	515	560	264	126	83	1,548	155	30	43	27
		F.	1,785	423	562	254	109	70	1,418	155	35	30	27
11	Scarlet fever	M.	1,823	101	219	276	258	227	1,081	500	122	41	34
		F.	1,787	88	193	234	250	199	964	526	143	66	38
12	Whooping cough	M.	967	566	222	83	41	16	928	31	1	----	----
		F.	1,216	618	312	130	60	34	1,154	47	9	2	1
13	Diphtheria	M.	3,995	251	618	580	545	452	2,446	1,066	268	67	36
		F.	3,903	189	553	518	461	412	2,133	1,173	321	85	54
14	Croup	M.	832	128	190	142	108	93	661	151	11	4	----
		F.	714	91	145	140	106	69	551	143	10	4	----
15	Influenza	M.	3,072	251	73	30	29	11	394	36	32	52	80
		F.	3,652	196	52	25	18	16	307	44	42	72	91
16	Cholera nostras	M.	212	33	7	1	3	4	48	12	4	2	2
		F.	185	34	9	3	3	3	52	3	2	3	1
17	Dysentery	M.	1,234	266	134	52	38	15	505	26	7	6	11
		F.	1,333	221	116	47	28	12	424	33	5	11	22
18	Erysipelas	M.	963	228	15	5	2	2	252	4	3	13	20
		F.	717	243	13	3	4	3	266	1	5	8	16
19	Other epidemic diseases [1]	M.	60	11	8	2	1	1	23	3	----	----	5
		F.	52	24	10	2	----	2	38	2	3	1	1
20	Septicemia	M.	912	113	17	2	10	3	145	33	19	33	38
		F.	974	79	9	5	6	2	101	15	15	62	123
21	Tuberculosis of lungs	M.	31,833	446	216	123	68	51	904	213	286	1,769	3,784
		F.	26,930	371	211	122	73	49	826	200	705	2,888	4,434
22	Tuberculosis of larynx	M.	391	3	----	----	1	1	5	3	1	9	27
		F.	179	4	1	2	----	1	8	2	2	9	29
23	Tuberculous meningitis	M.	1,617	479	297	155	98	75	1,104	177	61	54	54
		F.	1,408	361	245	149	110	68	933	194	48	50	40
24	Abdominal tuberculosis	M.	933	115	52	27	24	14	232	51	32	59	75
		F.	1,165	81	44	23	15	10	173	52	45	102	118
25	Pott's disease	M.	287	15	10	14	5	3	47	27	28	20	19
		F.	232	9	7	7	5	4	32	33	19	19	12
26	Tuberculous abscess	M.	31	1	1	2	----	----	4	3	1	1	6
		F.	31	3	1	----	----	----	4	1	1	1	2
27	White swelling	M.	147	6	3	4	6	5	24	14	10	12	16
		F.	94	2	1	1	2	2	8	15	17	8	7
28	Tuberculosis of other organs	M.	303	13	5	6	5	1	30	10	15	20	26
		F.	242	15	10	4	----	3	32	4	9	19	23
29	General tuberculosis	M.	536	34	27	13	8	4	86	22	18	42	49
		F.	438	37	18	9	10	5	79	18	19	51	66
30	Scrofula	M.	68	31	11	3	1	2	48	5	4	5	----
		F.	56	30	5	2	2	----	39	1	2	3	1
31	Venereal diseases	M.	897	441	26	8	3	3	481	6	5	9	33
		F.	672	374	14	10	4	5	407	5	6	16	34
32	Cancer of mouth	M.	591	----	----	1	1	----	2	1	1	3	4
		F.	146	----	1	2	----	----	3	3	1	1	1
33	Cancer of stomach and liver	M.	4,340	4	----	----	3	2	9	5	3	4	14
		F.	4,404	2	2	----	2	1	7	----	2	5	12
34	Cancer of intestines	M.	1,054	3	----	1	----	3	7	4	3	8	11
		F.	1,345	2	----	2	----	2	6	----	4	5	10
35	Cancer of female genital organs	F.	3,436	----	----	----	----	1	1	1	2	1	19
36	Cancer of breast	M.	11	----	----	----	----	----	----	----	----	----	1
		F.	2,019	----	----	----	----	----	----	----	----	----	3
37	Cancer of skin	M.	462	----	----	----	----	----	----	----	----	----	1
		F.	296	1	----	----	----	1	2	2	----	2	1
38	Cancer of other or unspecified organs	M.	2,423	10	8	5	12	6	41	19	18	39	50
		F.	2,868	7	7	8	5	6	33	18	12	20	31
39	Tumor	M.	113	9	1	2	1	----	13	----	4	1	1
		F.	331	6	1	----	----	----	7	3	3	5	4
40	Rheumatism	M.	1,558	19	12	7	10	15	63	113	124	95	76
		F.	1,629	17	9	8	10	11	55	115	129	99	79
41	Diabetes	M.	2,120	6	7	10	5	6	34	38	77	64	50
		F.	2,139	3	8	6	7	3	27	51	56	50	52
42	Anemia, leukemia	M.	910	88	20	4	7	5	124	27	14	32	38
		F.	1,097	82	21	11	5	5	124	18	22	53	77
43	Alcoholism	M.	1,654	----	----	1	----	2	3	1	----	3	34
		F.	273	----	----	----	----	----	----	1	----	1	5
44	Chronic poisonings	M.	176	----	----	----	----	----	----	----	1	1	9
		F.	78	----	----	----	----	----	----	----	----	1	6
45	Other general diseases	M.	276	34	9	7	4	----	54	15	8	8	9
		F.	391	24	8	1	4	6	43	4	4	18	22

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1904.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
25,336	25,237	26,449	25,787	25,487	27,182	27,359	31,453	31,688	32,183	27,666	20,476	10,621	3,814	1,127	1,743	1
13,169	13,878	15,110	15,162	14,982	15,399	15,392	17,174	16,673	16,460	13,931	9,858	4,793	1,516	398	1,117	2
12,167	11,359	11,339	10,625	10,505	11,783	11,967	14,279	15,015	15,723	13,735	10,618	5,828	2,298	729	626	3
12,502	11,567	10,740	9,629	8,726	8,235	7,515	7,599	6,645	5,828	3,930	2,262	1,011	330	92	383	4
6,429	6,374	6,045	5,398	4,765	4,348	3,867	3,775	3,233	2,711	1,747	981	444	116	26	219	5
6,073	5,193	4,695	4,231	3,961	3,887	3,648	3,824	3,412	3,117	2,203	1,281	567	214	66	164	6
910	735	564	371	309	210	168	127	78	72	19	12	3	.....	.....	24	7
488	344	290	200	175	128	89	86	71	49	28	18	6	2	.....	13	
39	36	41	40	40	37	32	39	37	28	29	14	4	2	1	4	8
40	34	35	24	33	38	34	32	23	33	25	10	5	1	.....	3	
70	49	34	34	21	17	14	9	6	2	3	.....	.....	.....	1	5	9
26	26	22	10	12	9	2	4	7	2	1	.....	.....	.....	.....	2	
13	9	9	9	16	5	2	.....	4	1	2	.....	.....	.....	.....	1	
13	25	26	12	12	10	1	6	3	4	1	3	1	.....	.....	3	10
23	9	6	3	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
23	13	7	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	11
.....	.....	1	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	2	
.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	12
20	25	16	11	11	4	4	4	3	1	1	2	.....	.....	.....	10	
43	28	12	16	11	8	3	3	1	3	4	1	1	1	.....	2	13
.....	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	
2	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	14
86	94	109	105	120	167	165	205	269	332	313	286	160	45	8	14	15
70	79	108	120	120	160	200	280	342	442	436	371	227	93	37	11	
1	10	7	11	14	9	18	8	19	18	10	8	8	1	1	1	16
5	2	1	3	7	13	7	11	16	15	16	16	8	3	1	.....	
18	25	29	30	35	37	47	71	76	110	88	55	44	7	1	6	17
22	30	24	37	41	37	54	84	110	132	113	77	48	22	5	2	
30	37	42	63	56	56	52	65	61	77	64	36	20	4	2	6	18
24	29	27	24	43	21	37	37	37	50	32	34	15	6	2	3	
5	3	3	3	3	2	4	5	.....	.....	.....	1	.....	.....	.....	.....	19
1	2	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	
52	57	62	65	59	71	53	61	61	38	31	17	9	2	1	5	20
145	106	88	51	41	38	43	33	28	37	16	17	3	5	.....	7	
4,411	4,304	4,005	3,343	2,559	1,963	1,436	1,133	768	491	248	101	37	3	2	73	21
4,378	3,481	2,699	1,879	1,346	1,055	780	739	570	405	266	99	25	8	2	55	
42	61	53	43	40	36	26	24	12	7	1	1	.....	.....	.....	.....	22
28	26	23	12	11	11	4	3	5	3	2	.....	.....	.....	.....	1	
38	34	33	17	16	11	5	5	3	3	.....	.....	.....	.....	.....	2	23
38	27	28	15	10	7	2	3	5	5	2	.....	.....	.....	.....	1	
69	69	72	48	53	47	43	25	21	16	14	3	1	.....	1	2	24
119	106	82	69	53	60	52	40	34	29	18	8	3	.....	1	1	
28	27	9	14	13	11	11	11	7	5	5	1	1	2	.....	1	25
16	12	16	10	10	14	12	9	3	9	3	1	2	.....	.....	.....	
3	1	1	1	2	.....	1	3	2	2	.....	.....	.....	.....	.....	.....	26
3	5	5	1	.....	1	3	1	2	.....	.....	1	.....	.....	.....	.....	
11	15	4	9	7	6	4	4	5	.....	5	1	.....	.....	.....	.....	27
5	4	5	5	1	6	2	4	3	1	2	.....	1	.....	.....	.....	
28	23	25	22	24	22	13	13	8	10	6	5	2	.....	.....	1	28
21	19	20	15	16	14	15	13	8	6	3	2	3	.....	.....	.....	
56	46	37	47	37	31	17	11	14	15	3	2	.....	.....	.....	3	29
46	36	36	23	20	9	13	6	11	2	3	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	30
2	2	.....	1	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	1	
49	59	55	43	45	29	25	21	16	10	4	2	1	.....	.....	4	31
45	39	32	21	25	12	9	9	4	4	2	.....	.....	.....	.....	2	
5	3	17	33	52	68	72	85	73	72	59	24	10	7	.....	.....	32
1	5	4	8	8	17	24	15	20	17	8	6	1	2	1	.....	
25	87	138	247	378	521	612	706	628	509	281	125	27	8	1	12	33
38	82	172	271	357	509	569	623	636	568	330	153	45	13	3	9	
30	29	39	74	85	120	148	148	135	116	67	34	4	.....	.....	2	34
21	39	62	131	107	139	159	178	165	154	102	39	14	4	1	5	
69	167	256	450	508	529	456	382	252	174	106	37	11	4	1	10	35
.....	.....	.....	1	2	1	1	.....	2	.....	.....	3	.....	.....	.....	.....	36
11	52	110	198	255	253	239	261	224	189	114	70	26	8	3	3	
1	6	7	9	20	31	62	51	67	71	57	45	23	8	.....	3	37
3	1	5	13	12	16	22	27	24	39	44	41	30	10	2	.....	
37	77	86	142	184	219	270	341	312	254	178	91	44	9	2	10	38
44	89	161	246	292	321	307	374	278	275	199	109	36	12	1	10	
4	6	6	2	8	4	10	14	13	11	10	3	1	2	.....	.....	39
15	17	19	27	29	25	32	23	42	37	23	15	4	.....	.....	1	
77	70	81	95	70	84	103	103	123	120	72	43	25	8	5	8	40
75	63	72	82	94	94	95	107	109	127	122	66	26	15	4	1	
81	89	92	101	142	220	227	271	243	208	116	49	13	3	.....	2	41
64	53	74	86	146	201	256	299	276	228	137	56	17	3	.....	7	
44	50	45	53	72	66	68	81	59	55	32	11	3	5	.....	1	42
67	64	72	82	81	82	73	92	67	53	32	20	8	2	2	6	
107	194	275	268	224	200	125	104	53	33	13	2	1	.....	.....	14	43
34	42	54	35	38	20	19	8	7	6	2	.....	.....	.....	.....	1	
10	17	22	24	24	15	10	12	11	13	6	.....	.....	.....	.....	1	44
3	9	4	6	9	5	3	7	7	7	5	6	.....	.....	.....	.....	
16	16	19	17	24	25	17	14	11	8	7	4	3	.....	.....	1	45
25	33	43	45	34	24	30	23	20	11	5	5	1	.....	.....	1	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.		AGE.									
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
46	II.—Diseases of nervous system		60,581	10,268	2,587	1,187	717	552	15,311	1,590	984	967	916
47	Males		32,318	5,857	1,406	632	367	308	8,570	845	572	552	499
48	Females		28,263	4,411	1,181	555	350	244	6,741	745	412	415	417
49	Encephalitis	M.	287	86	30	18	8	5	147	17	3	9	10
		F.	243	63	25	7	12	8	115	14	3	9	10
50	Meningitis	M.	5,792	1,790	846	424	267	226	3,553	550	305	279	174
		F.	4,761	1,389	710	368	243	169	2,879	544	265	216	135
51	Locomotor ataxia	M.	621	1					1			1	3
		F.	199							1			2
52	Other diseases of spinal cord	M.	907	42	9	8	6	5	70	15	14	20	18
		F.	746	33	9	8	8	5	63	11	10	10	17
53	Apoplexy	M.	12,159	291	60	22	14	8	395	35	26	37	71
		F.	11,669	220	66	24	17	12	339	34	24	44	64
54	Softening of brain	M.	649	1	1				2			3	
		F.	601	1					1	1		2	2
55	Paralysis	M.	3,035	28	11	6	3	3	51	16	12	9	20
		F.	3,396	25	15	7	5	3	55	11	11	8	18
56	General paralysis of insane	M.	1,491	2		1	1		4	1		1	5
		F.	772					1	1	1	2	2	3
57	Other forms of mental disease	M.	531							1	2	9	27
		F.	608									4	19
58	Other diseases of brain	M.	787	90	23	10	2	8	133	33	27	34	29
		F.	554	71	19	9	6	2	107	16	16	22	21
59	Epilepsy	M.	842	37	7	8	6	8	66	22	40	63	84
		F.	639	31	6	4	6	5	52	11	26	44	61
60	Convulsions	M.	3,805	3,130	382	114	46	30	3,702	39	10	3	3
		F.	2,997	2,312	298	110	40	30	2,790	50	9	21	29
61	Tetanus	M.	772	280	6	4	5	6	301	81	110	55	37
		F.	333	204	4	2	2	3	215	20	15	4	11
62	Other diseases of nervous system	M.	640	79	31	17	9	9	145	35	23	29	18
		F.	745	62	29	16	11	6	124	31	31	29	25
63	III.—Diseases of circulatory system		57,220	1,116	138	72	97	99	1,522	720	886	1,013	1,148
64	Males		30,355	655	78	38	47	53	871	325	402	483	553
65	Females		26,865	461	60	34	50	46	651	395	484	530	595
66	Pericarditis	M.	347	4		3	1	1	9	16	14	13	11
		F.	277	5	2		4	5	16	5	14	13	11
67	Endocarditis	M.	1,994	36	6	5	13	7	67	61	65	57	59
		F.	1,886	25	2	6	7	10	50	88	76	67	79
68	Heart disease	M.	23,280	423	53	23	25	33	557	222	300	378	405
		F.	21,192	287	41	25	30	27	410	282	365	422	419
69	Angina pectoris	M.	1,275	1					1	3	2	7	12
		F.	905	2				1	3	4	6	4	18
70	Diseases of arteries	M.	2,200	3					3	1		3	4
		F.	1,316	2	1	1			4		1	2	2
71	Embolism and thrombosis	M.	630	14	3		2	2	21	7	5	13	19
		F.	771	7	2		1	1	11	5	13	13	46
72	Diseases of veins	M.	85	3	1				4	1	2	1	
		F.	117							1	1		2
73	Diseases of lymphatics	M.	53	22	3	3	1	2	31	4			1
		F.	30	12	4		1	1	18			1	
74	Other diseases of circulatory system	M.	491	149	12	4	5	8	178	10	14	11	21
		F.	371	121	8	2	7	1	139	10	8	8	18
75	IV.—Diseases of respiratory system		76,975	17,038	6,472	2,483	1,222	731	27,946	1,597	760	1,369	2,034
76	Males		42,092	9,526	3,435	1,317	614	386	15,278	793	327	746	1,257
77	Females		34,883	7,512	3,037	1,166	608	345	12,668	804	433	623	777
78	Laryngitis	M.	190	31	30	24	15	14	114	20	4	2	2
		F.	159	33	20	17	12	8	90	19		2	2
79	Other diseases of larynx	M.	197	55	34	25	10	6	130	15	3	1	2
		F.	164	46	25	20	16	9	116	10	3	3	1
80	Diseases of thyroid body	M.	25	4	1	1		1	7		1	4	1
		F.	72	2					2	2		4	5
81	Acute bronchitis	M.	3,517	2,269	506	166	65	34	3,040	26	8	4	7
		F.	3,393	1,838	502	150	76	32	2,598	39	18	10	12
82	Chronic bronchitis	M.	2,211	74	25	12	8	4	123	27	10	22	30
		F.	2,810	55	25	11	4	1	96	34	13	32	45
83	Bronchopneumonia	M.	6,337	2,715	1,148	382	174	84	4,503	156	28	38	61
		F.	5,882	2,191	998	332	161	88	3,770	139	43	52	57
84	Pneumonia	M.	25,622	3,906	1,604	649	317	216	6,692	496	230	600	1,010
		F.	19,335	2,993	1,398	597	315	189	5,492	514	312	439	556
85	Pleurisy	M.	934	31	29	29	10	9	108	23	20	32	62
		F.	664	27	29	17	12	8	93	22	21	29	28
86	Congestion of lungs	M.	1,405	374	46	19	11	13	463	19	12	19	16
		F.	1,192	270	33	13	10	6	332	17	8	24	21
87	Gangrene of lungs	M.	112			1			1		1	4	3
		F.	45	2		1		2	5		1	2	1
88	Asthma and emphysema	M.	721	14	4	3	3	2	26	3	3	3	9
		F.	675	14	2	2	1	1	20	2	3	1	5
89	Hemorrhage of lungs	M.	438	22		1			23	3	2	11	27
		F.	237	14					14	1	4	9	13
90	Other diseases of respiratory system	M.	383	31	8	5	1	3	48	5	5	6	27
		F.	255	27	5	6	1	1	40	5	7	16	18

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1904—Continued

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,070	1,328	1,646	2,106	2,506	3,174	3,632	4,638	5,077	5,289	4,843	3,301	1,495	433	83	172	46
580	745	970	1,221	1,430	1,702	1,991	2,501	2,605	2,648	2,403	1,555	631	165	39	94	47
490	583	676	885	1,076	1,472	1,661	2,137	2,472	2,641	2,440	1,746	864	268	44	78	48
9	13	9	14	9	7	8	3	8	10	7	4					49
9	10	7	9	7	6	5	9	13	6	5	3	2			1	
131	115	123	119	119	71	66	54	40	31	28	15	7		1	11	50
108	108	81	80	73	65	51	47	29	30	19	15	6		1	9	
9	13	38	55	95	101	87	83	60	37	23	11	1			3	51
4	6	14	10	22	24	26	28	28	21	8	4	1				
22	35	55	45	60	69	78	93	106	97	67	34	6	2		1	52
19	35	37	48	46	57	67	75	96	72	51	17	9	2	2	2	
130	199	290	460	634	918	1,192	1,545	1,598	1,683	1,471	939	373	101	20	42	53
96	148	219	377	563	862	1,043	1,365	1,534	1,669	1,519	1,032	496	162	22	37	
5	7	7	18	22	36	54	90	86	106	105	67	27	7	4	3	54
4	5	8	13	15	30	31	72	82	101	97	83	39	8	3	4	
22	35	51	74	93	152	222	343	430	463	481	345	159	38	10	9	55
20	34	57	90	115	186	218	308	443	514	535	437	244	72	8	12	
26	88	163	198	194	162	105	122	119	101	101	67	22	7	1	4	56
17	36	41	73	63	63	57	73	81	83	86	54	20	12	4		
36	40	44	41	39	51	49	40	46	40	27	22	10	2		5	57
38	40	46	47	57	69	60	52	56	45	35	21	12	3	1	3	
34	53	55	67	66	42	45	36	32	31	38	19	7	3	1	2	58
30	34	34	26	41	28	24	34	30	30	20	19	14	7		1	
90	75	75	56	49	38	40	41	29	26	21	16	4		2	5	59
66	58	69	53	31	33	30	21	24	24	17	14	2	1	2		
6	6	5	3	5	2	2	6	5		3	1				4	60
23	17	14	8	3	5	2	3	3	7	1	3	2	1		6	
32	30	22	34	14	16	13	9	5	3	3	1	1			5	61
19	11	7	7	5	3	7	3	3	3							
28	36	33	37	31	37	30	36	41	20	28	14	14	5			62
37	41	42	44	35	41	40	47	50	36	47	24	17		1	3	
1,438	1,783	2,315	2,783	3,129	4,105	4,777	6,129	6,663	7,004	5,792	3,745	1,577	417	107	167	63
655	886	1,209	1,479	1,729	2,225	2,673	3,416	3,621	3,722	3,094	1,957	745	176	38	96	64
783	897	1,106	1,304	1,400	1,880	2,104	2,713	3,042	3,282	2,698	1,788	832	241	69	71	65
15	17	18	27	25	29	26	29	24	35	20	13	6				66
6	17	12	12	10	17	29	28	24	22	26	11	3	1			
59	81	106	124	124	159	173	191	201	178	142	77	26	15	1	7	67
77	97	98	108	92	122	126	171	179	182	132	77	38	17	6	4	
501	665	926	1,130	1,344	1,735	2,070	2,658	2,855	2,887	2,390	1,495	553	112	22	75	68
563	667	873	1,049	1,157	1,565	1,734	2,217	2,475	2,602	2,117	1,380	618	178	40	59	
20	24	29	50	76	106	150	197	192	199	109	68	21	3		6	69
31	31	29	42	49	72	75	108	122	140	92	48	21	5	1	4	
16	35	74	84	88	112	160	228	268	335	356	255	122	40	11	5	70
7	13	24	23	25	39	52	108	152	236	241	211	120	34	19	3	
16	24	22	32	34	49	54	81	60	69	61	43	14	2	3	1	71
64	34	34	46	42	43	63	61	72	72	75	50	21	4	2		
3	2	7	7	8	7	10	13	8	3	6	2	1				72
7	13	11	8	8	9	10	6	9	11	8	6	6	1			
1	2	1	1	1	1	2	3	1	1		1		1	1		73
	1	1		1	1	1	2		2	2						
24	36	26	24	29	27	28	16	12	15	10	3	2	3		2	74
28	24	24	16	16	12	14	12	9	15	5	5	5	1	1	1	
2,348	2,700	3,163	3,206	3,098	3,482	3,527	4,146	4,241	4,231	3,865	2,895	1,555	492	151	169	75
1,474	1,756	2,086	2,181	2,001	2,119	2,064	2,180	2,037	1,897	1,693	1,290	595	176	42	100	76
874	944	1,077	1,025	1,097	1,363	1,463	1,966	2,204	2,334	2,172	1,695	960	316	109	69	77
2	4	3	5	5	6	5	6	1	7		3				1	78
3	6	5	4	1	5	6	3	2	1	4	4	2				
7	6	8	3	3	3	3	6	3	1	3						79
4	2	4	3	3	4		3	1	1	3	2	1				
			2	1	1	4	3			1						80
5	7	4	4	7	6	4	9	4	5	3			1			
7	6	9	11	13	18	46	43	43	57	68	69	32	8	2		81
10	15	13	11	18	29	32	50	85	113	123	101	75	31	8	2	
41	38	58	56	73	102	139	195	239	283	303	258	145	49	13	7	82
39	42	53	51	58	123	121	221	317	421	439	378	216	73	27	11	
72	85	81	87	87	104	122	151	168	190	182	124	63	24	3	8	83
58	50	68	49	62	96	122	205	220	200	221	191	124	42	12	11	
1,179	1,426	1,717	1,785	1,572	1,622	1,464	1,477	1,271	1,098	903	632	280	74	19	75	84
662	713	806	784	817	933	995	1,243	1,321	1,229	1,143	739	431	125	43	38	
56	60	68	63	74	74	61	50	69	43	31	24	12	3	1		85
34	33	48	28	32	37	40	45	49	37	32	30	8	7	1		
35	46	33	46	57	56	69	76	99	86	104	112	39	10	4	4	86
26	23	28	35	39	41	52	62	74	92	99	104	74	25	15	1	
9	7	10	18	7	11	15	11	6	4	4	1					87
2	3	7	1	5	5	2	4		5	2						
8	15	32	26	45	58	70	95	86	93	73	51	18	5		2	88
11	13	15	27	29	53	66	80	99	97	77	38	24	6	2	4	
40	35	45	44	41	38	33	38	26	15	8	4	2	2		1	89
10	21	11	16	20	18	11	23	20	23	11	8	2	1		1	
18	28	22	35	23	26	33	29	26	20	13	12	4	1		2	90
10	16	15	12	6	13	12	18	12	20	15	10	3	5	1	1	

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.	AGE.										
		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
91	V.—Diseases of digestive system	66,125	28,248	5,586	1,236	601	381	36,052	1,231	1,079	1,207	1,499
92	Males	34,577	15,564	2,851	651	315	199	19,580	629	571	621	670
93	Females	31,548	12,684	2,735	585	286	182	16,472	602	499	586	829
94	Diseases of mouth	M.. 127	95	8	3	1	.....	107	1	1	.....	1
		F.. 129	71	14	4	3	1	93	4	1	5	1
95	Tonsilitis	M.. 155	16	14	10	4	7	51	37	10	4	9
		F.. 135	12	15	8	4	12	51	28	14	5	9
96	Other diseases of pharynx	M.. 208	24	8	7	6	7	52	9	2	6	8
		F.. 132	19	3	4	7	2	35	5	7	2	.....
97	Ulcer of stomach	M.. 524	4	1	.....	2	1	8	6	4	4	20
		F.. 520	1	1	1	.....	2	5	8	3	14	36
98	Gastritis	M.. 1,700	401	63	28	11	21	524	25	11	15	17
		F.. 2,010	290	72	20	15	8	405	30	20	24	46
99	Other diseases of stomach	M.. 1,158	514	59	15	8	7	603	13	9	5	7
		F.. 1,075	402	52	19	9	8	490	13	9	12	23
100	Dentition	M.. 94	52	39	3	.....	.....	94	.....	.....	.....	.....
		F.. 79	39	36	4	.....	.....	79	.....	.....	.....	.....
101	Diarrhea and enteritis	M.. 19,442	13,847	2,560	500	223	96	17,226	168	63	43	59
		F.. 17,422	11,439	2,469	475	201	111	14,695	163	63	48	81
102	Hernia	M.. 738	86	1	6	5	.....	98	5	8	13	19
		F.. 667	24	1	.....	2	.....	27	3	1	3	2
103	Obstruction of intestines	M.. 1,459	249	41	28	12	14	344	50	41	50	50
		F.. 1,581	182	26	9	14	10	241	36	27	40	60
104	Other diseases of intestines	M.. 476	91	15	10	5	4	125	8	6	14	8
		F.. 493	94	13	7	3	5	122	16	9	9	17
105	Acute yellow atrophy of liver	M.. 63	2	.....	.....	.....	.....	2	.....	1	2	6
		F.. 80	1	1	.....	.....	.....	2	2	.....	2	6
106	Hydatid tumors of liver	M.. 7	2	.....	.....	.....	.....	2	.....	.....	.....	1
		F.. 5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Cirrhosis of liver	M.. 3,276	13	2	5	.....	3	23	7	6	5	21
		F.. 1,744	3	3	2	.....	.....	8	6	4	11	17
108	Biliary calculi	M.. 264	.....	.....	.....	.....	.....	.....	.....	.....	3	4
		F.. 568	2	.....	.....	.....	.....	2	1	.....	2	7
109	Other diseases of liver	M.. 1,209	62	12	10	7	3	94	20	9	22	35
		F.. 1,131	42	8	11	7	1	69	16	12	14	26
110	Diseases of spleen	M.. 30	.....	.....	1	.....	.....	1	.....	1	2	.....
		F.. 46	1	2	.....	.....	1	4	.....	.....	1	.....
111	Peritonitis	M.. 1,220	94	19	16	10	12	151	82	80	96	71
		F.. 2,111	61	17	15	11	11	115	96	73	173	303
112	Appendicitis	M.. 2,370	11	9	9	21	24	74	198	318	337	331
		F.. 1,576	1	2	6	10	9	28	174	256	219	194
113	Other diseases of digestive system	M.. 57	1	.....	.....	.....	.....	1	.....	1	.....	3
		F.. 44	.....	.....	.....	.....	1	1	1	.....	2	1
114	VI.—Diseases of genito-urinary system	40,450	549	178	132	139	102	1,100	389	367	647	1,242
115	Males	22,322	335	87	68	72	59	621	195	152	230	417
116	Females	18,128	214	91	64	67	43	479	194	215	417	825
117	Acute nephritis	M.. 1,818	100	34	35	30	24	223	84	42	60	84
		F.. 1,652	88	42	28	29	21	208	92	59	76	121
118	Bright's disease	M.. 17,544	170	47	30	41	33	321	104	104	161	313
		F.. 13,367	92	40	35	36	18	221	94	145	231	415
119	Other diseases of kidneys	M.. 539	27	4	1	.....	1	33	2	5	4	15
		F.. 384	24	6	1	2	1	34	4	5	10	27
120	Calculi of urinary tract	M.. 121	1	.....	1	1	1	4	1	.....	1	1
		F.. 33	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
121	Diseases of bladder	M.. 1,198	20	1	1	.....	.....	22	4	.....	4	2
		F.. 210	7	2	.....	.....	1	10	3	1	2	6
122	Uterine tumor	F.. 620	.....	.....	.....	.....	.....	.....	.....	.....	2	7
123	Other diseases of uterus	F.. 654	.....	1	.....	.....	1	2	1	4	43	86
124	Ovarian tumor	F.. 433	.....	.....	.....	.....	1	1	.....	1	12	24
125	Diseases of tubes	F.. 654	.....	.....	.....	.....	.....	.....	.....	.....	36	120
126	Other diseases of genito-urinary system	M.. 1,102	17	1	.....	.....	.....	18	.....	1	.....	2
		F.. 121	3	.....	.....	.....	.....	3	.....	.....	5	14
127	VII.—Childbirth	5,109	.....	.....	.....	.....	.....	.....	.....	.....	375	1,116
128	Puerperal septicemia	F.. 2,291	.....	.....	.....	.....	.....	.....	.....	.....	184	563
129	Puerperal convulsions	F.. 1,075	.....	.....	.....	.....	.....	.....	.....	.....	118	283
130	Other causes incident to childbirth	F.. 1,743	.....	.....	.....	.....	.....	.....	.....	.....	73	270
131	VIII.—Diseases of skin	2,397	294	30	24	5	6	359	17	15	26	43
132	Males	1,352	161	16	12	4	4	197	8	9	16	24
133	Females	1,045	133	14	12	1	2	162	9	6	10	19
134	Gangrene	M.. 846	14	5	6	1	3	29	3	2	4	4
		F.. 654	7	5	8	1	2	23	5	1	3	4
135	Carbuncle	M.. 102	10	.....	.....	.....	.....	10	.....	1	3	3
		F.. 32	10	1	.....	.....	.....	11	.....	.....	.....	1
136	Abscess	M.. 252	50	9	3	1	1	64	4	6	8	15
		F.. 224	58	3	3	.....	.....	64	2	4	6	13
137	Other diseases of skin	M.. 152	87	2	3	2	.....	94	1	.....	1	2
		F.. 135	58	5	1	.....	.....	64	2	1	1	1
138	IX.—Diseases of locomotor system	990	232	128	47	29	16	452	53	48	37	36
139	Males	599	135	85	24	13	8	265	33	28	30	19
140	Females	391	97	43	23	16	8	187	20	20	7	17
141	Diseases of bones	M.. 524	132	84	24	12	8	260	30	27	26	15
		F.. 337	95	42	23	16	7	183	20	18	4	14
142	Diseases of joints	M.. 46	3	1	.....	1	.....	5	2	.....	2	2
		F.. 36	2	.....	.....	.....	.....	2	.....	2	2	3
143	Other diseases of locomotor system	M.. 29	.....	.....	.....	.....	.....	.....	1	1	2	2
		F.. 18	.....	1	.....	.....	1	2	.....	.....	1	.....

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1904—Continued.

AGE—continued.																
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,596	1,723	1,951	1,958	2,166	2,289	2,264	2,374	2,406	2,308	1,820	1,290	558	188	42	133	91
701	835	970	1,054	1,180	1,232	1,223	1,216	1,198	1,090	857	557	232	80	18	63	92
895	888	981	904	986	1,057	1,041	1,158	1,208	1,218	963	733	326	108	24	70	93
2	2				3			5		3	2					94
2	1			5	1	1	2	2	3	2	1	3	2			
13	6	2	4	5	2	6	2		1	1	1	1				95
3	1	3	2	3	1	1	3	2	4	2	3					
8	10	6	11	13	13	9	10	18	8	11	9	3	1		1	96
2	1	4	6	8	11	10	6	9	6	6	10	1	2		1	
20	43	40	44	58	45	61	48	48	36	26	11	2				97
42	45	53	42	46	37	41	39	34	31	27	10	5			2	
26	51	55	63	85	104	95	109	132	119	128	96	27	13	2	3	98
69	65	63	72	86	103	118	134	168	183	171	147	74	21	4	7	
8	17	32	36	33	43	53	55	32	54	54	38	29	10	3	4	99
9	22	25	27	30	40	41	54	48	61	62	64	31	11	2	1	
																100
57	68	100	70	103	116	134	196	225	259	228	181	81	35	11	19	101
99	82	109	99	127	146	186	202	278	323	284	235	121	47	13	21	
30	27	20	37	41	50	64	65	61	70	62	43	19	3	2	1	102
8	21	26	40	61	86	71	83	73	60	48	36	11	4		3	
74	74	69	69	75	71	79	99	84	73	82	45	18	6		6	103
76	92	100	100	94	86	103	121	113	110	86	61	19	10		6	
9	22	28	24	18	32	32	31	30	32	21	16	13	1		6	104
21	33	24	22	20	32	19	32	31	27	21	22	11	1	1	3	
9	3	2	3	4	7	4	8	4	5	2					1	105
9	3	3	7	4	5	4	9	10	6	5	1	2				
		1	1					1		1						106
	1	1		1	1		1									
67	149	277	392	427	427	410	366	282	236	117	46	8	2		8	107
37	83	144	147	189	205	175	196	192	165	95	45	14	4	1	6	
8	7	21	21	35	27	27	27	30	32	12	8	2				108
17	20	37	59	51	69	66	63	64	54	32	18	4	1		1	
49	78	80	76	85	97	106	106	120	99	66	39	18	5		5	109
46	50	58	58	80	99	96	112	112	114	84	57	17	3	2	6	
3	2	3		2	5	3	1	1	5		1					110
2	5	3	4	6	6	6	4	2	1	1	1					
77	73	68	75	84	89	70	49	64	34	28	13	7	3		6	111
292	247	206	147	96	78	55	65	50	56	23	18	8	2	1	7	
238	196	159	124	108	97	65	37	33	26	13	8	4	1		3	112
155	110	118	69	75	46	45	30	18	13	13	3	4			6	
3	7	7	4	4	4	5	7	8	1	2						113
6	6	4	3	4	5	3	2	2	1	1	1	1				
1,655	1,886	2,379	2,708	3,040	3,347	3,391	4,017	4,084	3,993	3,085	1,881	867	229	45	98	114
619	820	1,085	1,387	1,641	1,820	1,959	2,412	2,475	2,494	2,011	1,202	558	136	27	61	115
1,036	1,066	1,294	1,321	1,399	1,327	1,432	1,605	1,609	1,499	1,074	679	309	93	18	37	116
109	101	167	145	137	127	108	114	111	106	47	32	14	4		3	117
134	118	124	110	94	100	83	101	59	69	54	31	14	2		3	
472	664	864	1,153	1,394	1,379	1,702	2,035	2,005	1,920	1,483	795	330	79	21	45	118
534	589	756	859	1,015	1,231	1,217	1,375	1,432	1,331	944	587	267	80	16	28	
13	19	24	37	41	41	42	51	48	32	45	35	27	4		1	119
21	24	28	32	26	25	26	24	25	13	24	19	12	3	1	1	
6	7	3	5	9	9	13	15	11	17	7	7	5				120
3		2	2	1	1	3	8	2	1		3	2				
8	15	12	23	33	35	42	89	134	209	214	200	112	36	4	9	121
4	7	8	9	11	10	11	11	20	28	28	24	8	7	1	1	
26	43	112	100	126	57	41	38	26	22	12	6	1			1	122
99	96	89	71	59	49	20	8	12	6	3	3	2			1	123
48	48	47	49	34	34	28	36	28	26	7	6	2	1		1	124
145	127	111	74	23	13	1	2		1						1	125
11	14	15	24	27	29	52	108	166	199	215	133	70	13	2	3	126
22	14	17	15	10	7	2	2	5	2	2		1				
1,210	1,118	886	350	36	4	1									13	127
594	468	352	116	8	3										3	128
220	207	157	80	8		1									1	129
306	443	377	154	20	1										9	130
39	46	51	78	80	81	106	184	205	297	270	254	150	60	23	13	131
23	29	32	37	52	48	53	97	101	182	160	147	93	28	7	9	132
16	17	19	41	28	33	53	87	104	115	110	107	57	32	16	4	133
7	15	14	17	24	18	30	69	70	143	140	134	80	27	7	9	134
1	6	4	14	12	17	35	64	84	95	93	94	49	32	15	3	
2	2	5	3	9	9	9	6	13	14	6	4	2	1			135
3	1	2	2	2	3	1	1	1	1	1		1			1	
13	12	13	13	17	18	11	13	16	12	7	5	5				136
12	7	8	22	8	9	10	13	13	11	9	7	5		1		
1			4	2	3	3	9	2	13	7	4	6				137
	3	5	3	6	4	7	9	6	8	7	6	2				
26	23	28	31	36	27	28	42	36	34	26	17	8	1		1	138
18	17	15	19	24	13	16	27	21	19	17	11	5	1		1	139
8	6	13	12	12	14	12	15	15	15	9	6	3				140
16	12	12	12	17	11	11	20	17	17	10	8	1	1		1	141
7	5	13	7	9	11	11	11	10	5	4	2	3				
1	3	3	6	6		2	4	1	2	3	1	3				142
1	1		2	1	2	1	2	4	6	4	3					
1	2		1	1	2	3	3	3		4	2	1				143
			3	2	1		2	1	4	1	1					

TABLE 6.—DEATHS IN THE REGISTRATION AREA, FROM EACH SPECIFIED

	CAUSE OF DEATH.		AGE.									
			All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24
144	X.—Malformations		4,382	4,046	136	55	24	15	4,276	39	21	16	7
145	Males		2,536	2,337	82	31	16	7	2,473	25	13	12	4
146	Females		1,846	1,709	54	24	8	8	1,803	14	8	4	3
147	Hydrocephalus	M	339	221	52	17	12	4	306	12	8	7	2
		F	202	144	25	14	1	6	190	3	.....	2	2
148	Congenital malformation of heart (cyanosis)	M	1,413	1,372	15	7	3	3	1,400	7	1	2	2
		F	1,021	976	17	6	3	.....	1,002	7	6	1	.....
149	Other congenital malformations	M	784	744	15	7	1	.....	767	6	4	3	.....
		F	623	589	12	4	4	2	611	4	2	1	1
150	XI.—Early infancy		24,001	24,001	.....	.....	.....	.....	24,001	.....	.....	.....	.....
151	Males		13,611	13,611	.....	.....	.....	.....	13,611	.....	.....	.....	.....
152	Females		10,390	10,390	.....	.....	.....	.....	10,390	.....	.....	.....	.....
153	Premature birth	M	6,358	6,358	.....	.....	.....	.....	6,358	.....	.....	.....	.....
		F	5,003	5,003	.....	.....	.....	.....	5,003	.....	.....	.....	.....
154	Congenital debility	M	7,253	7,253	.....	.....	.....	.....	7,253	.....	.....	.....	.....
		F	5,387	5,387	.....	.....	.....	.....	5,387	.....	.....	.....	.....
155	XII.—Old age		12,938	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
156	Males		5,583	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
157	Females		7,355	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	XIII.—Violence		36,644	2,782	624	596	515	443	4,960	1,545	1,398	1,964	2,969
159	Males		27,472	1,701	344	372	286	245	2,948	1,006	1,107	1,496	2,349
160	Females		9,172	1,081	280	224	229	198	2,012	539	291	468	620
161	Suicide	M	3,775	.....	.....	.....	.....	.....	.....	.....	9	76	316
		F	1,137	.....	.....	.....	.....	.....	.....	.....	2	102	197
162	Fractures and dislocations	M	1,942	10	8	10	10	12	50	53	52	90	156
		F	966	12	8	4	6	3	33	14	7	7	8
163	Burns and scalds	M	1,161	51	139	187	121	81	579	76	19	34	45
		F	1,584	48	105	112	129	105	499	206	52	61	66
164	Heat and sunstroke	M	164	19	2	1	.....	2	24	4	2	4	8
		F	71	20	4	2	.....	3	29	4	1	.....	.....
165	Cold and freezing	M	171	3	1	.....	.....	.....	4	3	4	2	8
		F	56	7	.....	1	.....	.....	8	2	.....	.....	1
166	Lightning	M	66	.....	.....	.....	.....	1	1	3	12	5	7
		F	15	.....	1	.....	.....	1	2	2	1	1	3
167	Drowning	M	3,060	14	34	29	29	25	131	280	354	372	319
		F	318	8	22	13	10	7	60	20	26	27	31
168	Inhalation of poisonous gases	M	1,116	25	13	12	15	15	80	82	85	73	75
		F	1,051	28	20	18	9	10	85	102	109	116	74
169	Other accidental poisonings	M	955	62	60	42	23	20	207	27	8	25	52
		F	677	38	47	34	22	15	156	28	13	50	82
170	Accidental gunshot wounds	M	1,134	2	2	2	1	6	13	21	98	127	141
		F	160	1	1	1	5	2	10	14	9	25	31
171	Injuries by machinery	M	313	.....	.....	1	1	1	3	.....	8	33	41
		F	7	.....	.....	.....	.....	.....	.....	.....	1	3	.....
172	Injuries in mines and quarries	M	328	.....	.....	.....	.....	.....	.....	.....	1	23	61
		F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173	Railroad accidents and injuries	M	4,640	2	6	13	15	22	58	152	182	252	521
		F	444	1	4	6	13	13	37	47	18	17	28
174	Injuries by vehicles and horses	M	826	4	5	15	22	21	67	91	53	31	47
		F	123	3	5	7	5	9	29	22	5	4	4
175	Suffocation	M	362	206	8	2	1	2	219	5	3	6	13
		F	193	144	8	2	.....	.....	154	1	2	6	3
176	Other accidental injuries	M	5,557	92	64	57	47	36	296	202	210	286	442
		F	1,437	55	52	24	30	28	189	72	43	29	48
177	Injuries at birth	M	1,192	1,192	.....	.....	.....	.....	1,192	.....	.....	.....	.....
		F	707	707	.....	.....	.....	.....	707	.....	.....	.....	.....
178	Homicide	M	710	19	2	1	1	1	24	7	7	57	97
		F	225	9	3	.....	.....	2	14	5	2	20	44
179	XIV.—Ill-defined causes		13,993	6,187	828	176	80	58	7,329	133	90	130	189
180	Males		7,311	3,328	425	83	37	28	3,901	67	42	70	82
181	Females		6,682	2,859	403	93	43	30	3,428	66	48	60	107
182	"Dropsy"	M	545	9	1	3	1	1	15	6	3	11	12
		F	599	19	4	4	.....	2	29	7	11	11	12
183	"Heart failure"	M	1,172	133	7	5	1	5	151	19	9	19	13
		F	995	136	6	3	5	6	156	10	9	17	29
184	Other ill-defined causes	M	4,642	2,789	392	68	30	19	3,298	36	19	23	36
		F	4,447	2,401	373	81	34	20	2,909	39	19	22	47
185	Unknown causes	M	952	397	25	7	5	3	437	6	11	17	21
		F	641	303	20	5	4	2	334	10	9	10	19

DISEASE AND CLASS OF DISEASES, BY SEX AND AGE: 1904—Continued.

AGE—continued.															
25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3	1	2	2	2	2	1	1	1							8	144
1	1	1		1	1										4	145
2		1	2	1	1	1	1	1							4	146
1	1														2	147
			1				1	1							2	
															1	148
2			1		1										1	
		1		1	1										1	149
		1		1		1									1	
																150
																151
																152
																153
																154
							246	538	1,516	2,408	3,610	2,705	1,375	498	42	155
							103	229	722	1,059	1,582	1,173	527	174	14	156
							143	309	794	1,349	2,028	1,532	848	324	28	157
3,193	2,799	3,016	2,634	2,311	2,011	1,601	1,488	1,127	983	887	736	398	177	36	411	158
2,556	2,290	2,555	2,208	1,962	1,665	1,275	1,141	824	630	514	335	162	65	11	373	159
637	509	461	426	349	346	326	347	303	353	373	401	236	112	25	38	160
343	366	454	406	407	390	288	257	180	120	75	37	11	4		36	161
187	132	105	89	83	72	49	49	25	20	13	8				4	
173	154	189	156	129	126	79	90	78	92	78	84	53	31	6	23	162
10	9	12	14	14	22	33	53	75	109	158	184	122	66	14	2	
64	61	54	42	29	33	28	28	22	15	15	6	1	3		7	163
97	72	70	60	53	58	53	62	36	47	28	32	18	8	2	4	
11	13	13	17	10	13	8	8	8	10	5	2	2			2	164
3	1	1	1		4	8	3	3	4	2	5			1	1	
8	12	17	9	13	14	16	16	10	8	12	6	4	1	1	3	165
2	1	3	4	4	1	2	4	3	3	3	8	5	1	1		
6	6	3	4	7	4	2	1	1	1	1	1				1	166
2	1		1		1	1										
229	222	264	228	184	122	84	76	50	24	17	8	4			92	167
34	20	16	15	12	14	12	9	7	3	3	3				6	
103	103	102	79	82	70	49	40	27	22	15	15	5	1	1	7	168
93	83	83	67	51	42	43	29	18	21	17	15	1	1		1	
56	88	76	96	80	62	49	39	27	30	16	7	2		1	7	169
64	60	46	48	32	27	17	20	7	13	6	2	1			3	
165	119	116	91	60	59	31	29	20	12	15	2				15	170
22	13	14	11	4	3	3									1	
42	41	37	33	26	15	12	8	4	4	3	2	1				171
		1	1		1											
52	55	38	27	26	20	13	5	4							3	172
			1													
638	461	498	424	354	265	221	176	129	89	61	37	5	3		114	173
20	28	30	25	31	30	29	28	23	30	10	7	1	1	1	3	
66	56	73	73	53	48	43	42	31	27	15	5	3			2	174
5	5	5	2	3	4	4	9	9	6	4	3					
12	6	17	18	11	15	7	8	5	6	6	1				4	175
5		3	3	1	3	4	1		2	1	2	1			1	
458	424	501	440	438	380	331	308	223	168	178	122	71	22	2	55	176
51	59	44	70	50	58	65	75	95	94	128	132	87	35	6	7	
																177
130	103	103	65	53	29	14	10	5	2	2					2	178
42	25	28	14	11	6	3	5	2	1						3	
256	263	272	302	357	425	496	589	665	700	720	485	297	112	30	133	179
113	125	142	178	197	226	271	306	329	345	376	241	155	46	16	83	180
143	138	130	124	160	199	225	283	336	355	344	244	142	66	34	50	181
10	14	15	25	31	35	42	49	49	64	69	47	33	8	1	6	182
11	17	17	19	38	41	46	51	47	71	77	50	23	7	8	6	
24	43	56	64	66	81	98	117	109	107	102	57	24	7	2	4	183
35	42	41	40	57	49	77	86	98	100	60	48	25	8	4	4	
51	37	46	53	54	79	93	101	138	143	169	113	86	30	10	33	184
69	61	57	51	54	94	89	127	161	163	182	130	87	46	16	24	
28	31	25	36	46	31	38	39	33	31	36	24	18	1	3	40	185
28	18	15	14	11	15	13	19	30	21	25	16	7	5	6	16	

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904.

CONNECTICUT.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	15,489	2,977	497	221	162	112	367	638	1,080	1,277	1,292	1,475	1,998	1,927	1,159	227	80
I.—General diseases	3,928	253	130	79	73	50	165	305	525	526	434	410	451	334	139	42	12
Typhoid fever	168	1	1	.....	4	1	14	32	43	30	18	8	8	5	3	.....	.....
Malarial fever	46	7	4	3	.....	.....	5	6	4	4	.....	3	3	6	1	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	80	23	22	8	7	2	5	3	2	3	3	.....	2	.....	.....	.....	.....
Scarlet fever	80	6	9	12	11	5	19	11	7	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	64	38	17	3	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	175	9	23	16	28	28	54	13	2	.....	.....	1	1	.....	.....	.....	.....
Croup	41	7	7	7	5	4	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	354	19	6	3	2	.....	5	9	9	19	20	32	57	82	63	26	2
Cholera nostras	15	6	1	.....	.....	.....	1	.....	.....	.....	.....	1	1	3	2	.....	.....
Dysentery	96	18	7	3	1	2	2	.....	2	3	5	10	11	20	11	.....	1
Erysipelas	44	13	.....	.....	.....	.....	.....	1	3	3	3	3	6	9	3	.....	.....
Other epidemic diseases [1]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Septicemia	38	5	.....	.....	.....	.....	3	2	11	4	2	4	2	2	2	1	.....
Tuberculosis of lungs	1,402	24	13	9	2	2	19	168	383	343	195	108	90	33	7	1	5
Tuberculosis of larynx	15	.....	.....	.....	.....	1	.....	.....	3	2	4	.....	5	.....	.....	.....	.....
Tuberculous meningitis	78	32	12	8	7	1	9	5	2	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	52	12	2	1	1	1	2	1	5	7	10	4	6	.....	.....	.....	.....
Pott's disease	19	1	2	1	1	.....	2	4	1	4	1	1	.....	.....	.....	1	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	15	.....	.....	1	.....	.....	.....	3	1	2	5	1	.....	1	1	.....	.....
General tuberculosis	23	4	1	.....	.....	1	1	3	3	2	6	.....	1	1	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	29	19	1	.....	.....	.....	.....	.....	2	3	1	1	1	1	.....	.....	.....
Cancer of mouth	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	8	3	2	1	1	.....
Cancer of stomach and liver	258	1	.....	.....	.....	.....	.....	.....	4	11	39	62	77	51	10	2	1
Cancer of intestines	61	1	.....	1	.....	.....	.....	.....	.....	5	8	15	17	11	3	.....	.....
Cancer of female genital organs	107	.....	.....	.....	.....	.....	.....	.....	1	11	25	35	22	10	3	.....	.....
Cancer of breast	64	.....	.....	.....	.....	.....	.....	.....	.....	7	11	12	19	10	4	1	.....
Cancer of skin	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	7	7	5	1	1
Cancer of other or unspecified organs	132	.....	.....	1	.....	1	.....	.....	3	13	16	31	34	20	8	4	1
Tumor	21	.....	.....	.....	.....	.....	.....	1	1	3	1	2	6	5	1	1	.....
Rheumatism	108	.....	1	1	.....	.....	6	28	8	8	15	12	8	14	4	3	.....
Diabetes	166	.....	.....	1	.....	1	4	10	12	13	7	28	49	34	6	.....	1
Anemia, leukemia	47	5	1	.....	1	.....	.....	3	6	5	8	6	5	6	1	.....	.....
Alcoholism	63	.....	.....	.....	.....	.....	.....	.....	6	15	22	12	8	.....	.....	.....	.....
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	.....	.....	.....
Other general diseases	10	2	.....	.....	.....	.....	.....	1	1	2	.....	3	.....	1	.....	.....	.....
II.—Diseases of nervous system	2,010	234	69	40	19	17	75	85	57	86	121	213	350	405	206	27	6
Encephalitis	8	3	1	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....
Meningitis	416	89	45	27	14	15	57	68	33	23	15	14	5	7	3	.....	1
Locomotor ataxia	30	.....	.....	.....	.....	.....	.....	.....	.....	2	5	9	8	6	.....	.....	.....
Other diseases of spinal cord	50	3	1	1	.....	.....	2	.....	.....	5	7	9	8	11	3	.....	.....
Apoplexy	959	13	2	.....	2	1	6	2	10	25	53	126	251	295	139	20	5
Softening of brain	56	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	15	18	18	2	.....
Paralysis	128	.....	.....	.....	.....	.....	1	1	.....	3	6	16	27	46	24	4	.....
General paralysis of insane	61	.....	.....	.....	.....	.....	.....	.....	.....	8	9	13	17	9	5	.....	.....
Other forms of mental disease	23	.....	.....	.....	.....	.....	.....	.....	2	1	3	6	3	5	3	.....	.....
Other diseases of brain	33	5	.....	.....	.....	.....	.....	2	2	5	5	5	5	1	2	1	.....
Epilepsy	47	3	.....	3	.....	.....	.....	4	4	8	7	4	7	4	3	.....	.....
Convulsions	152	108	19	9	2	1	3	.....	3	2	.....	2	.....	.....	3	.....	.....
Tetanus	23	6	.....	.....	.....	.....	2	7	1	1	3	1	1	.....	1	.....	.....
Other diseases of nervous system	33	4	1	.....	1	.....	4	1	2	3	6	3	3	3	2	.....	.....
III.—Diseases of circulatory system	1,797	27	5	2	.....	1	18	38	54	100	160	267	414	436	242	23	10
Pericarditis	14	1	.....	.....	.....	.....	1	.....	1	2	.....	1	3	5	.....	.....	.....
Endocarditis	103	2	.....	.....	.....	.....	5	6	7	3	4	19	26	21	7	1	2
Heart disease	1,431	16	4	2	.....	.....	11	30	42	83	136	212	328	344	195	21	7
Angina pectoris	66	.....	.....	.....	.....	.....	.....	.....	2	3	7	13	20	16	4	.....	1
Diseases of arteries	96	.....	.....	.....	.....	.....	.....	.....	.....	1	6	9	22	34	23	1	.....
Embolism and thrombosis	65	1	.....	.....	.....	1	.....	1	2	3	6	11	13	15	12	.....	.....
Diseases of veins	6	.....	.....	.....	.....	.....	.....	1	.....	3	1	.....	.....	.....	1	.....	.....
Diseases of lymphatics	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of circulatory system	15	7	1	.....	.....	.....	1	.....	.....	2	.....	2	1	1	.....	.....	.....
IV.—Diseases of respiratory system	1,833	380	110	43	28	7	43	27	81	128	150	151	260	222	170	31	2
Laryngitis	8	1	1	2	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....
Other diseases of larynx	12	5	1	2	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	190	127	17	7	2	1	1	.....	.....	1	1	2	10	5	12	4	.....
Chronic bronchitis	132	3	2	.....	.....	.....	.....	.....	2	4	5	13	17	32	45	8	1
Bronchopneumonia	233	86	27	12	8	.....	8	.....	2	1	6	9	29	27	12	6	.....
Pneumonia	1,082	133	60	19	14	4	27	19	67	112	124	114	168	126	82	12	1
Pleurisy	52	2	.....	.....	2	.....	4	5	5	5	4	5	8	8	4	.....	.....
Congestion of lungs	75	20	.....	.....	2	.....	1	.....	3	2	6	1	14	13	12	1	.....
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Asthma and emphysema	26	2	.....	1	.....	.....	.....	.....	.....	.....	3	5	8	5	2	.....	.....
Hemorrhage of lungs	4	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	1	.....	.....	.....
Other diseases of respiratory system	17	1	2	.....	.....	.....	.....	1	1	3	1	.....	5	3	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	2,017	962	133	22	22	13	19	52	70	86	117	132	155	118	90	21	5
Diseases of mouth	8	3	1					1	1			1	1				
Tonsilitis	5	1		1	1		1				1						
Other diseases of pharynx	12	2				1	1		1	1		3	3	1			
Ulcer of stomach	22						1	1	6	4	4	2	3		1		
Gastritis	153	29	6		3	1	1	3	7	6	13	12	23	20	20	9	
Other diseases of stomach	77	29	1	3	1	1				1	5	10	8	9	8		1
Dentition	1		1														
Diarrhea and enteritis	1,163	867	118	14	12	7	4	4	5	9	9	22	17	27	37	9	2
Hernia	48	5					1	2	2	4	4	13	10	4	3		
Obstruction of intestines	101	10	3		3	1	1	3	7	9	9	13	17	15	7	2	1
Other diseases of intestines	19	5					1			4	5	1	2	1			
Acute yellow atrophy of liver	3										1	1	1				
Hydatid tumors of liver	1													1			
Cirrhosis of liver	146						2	1	2	14	28	25	43	25	5		1
Biliary calculi	25	1								2	7	5	5	3	2		
Other diseases of liver	70	7		1				3	3	5	12	10	14	9	5	1	
Diseases of spleen	4								1				1	2			
Peritonitis	74	3	2		2		3	9	15	15	7	10	7		1		
Appendicitis	82		1	3		2	3	25	20	12	11	3		1	1		
Other diseases of digestive system	3										1	1	1				
VI.—Diseases of genito-urinary system	1,208	20	5	4	3	5	8	33	72	121	153	190	233	215	129	14	3
Acute nephritis	122	6	2	1	2	3	5	9	17	21	19	16	10	7	4		
Bright's disease	907	9	3	2	1	2	3	20	48	78	111	155	197	174	90	11	3
Other diseases of kidneys	30	3						1	3	3	7	5	4	3	1		
Calculi of urinary tract	7										1		3	2	1		
Diseases of bladder	41	2		1				1				4	7	8	16	2	
Uterine tumor	20									4	7	6	1	2			
Other diseases of uterus	15							1	1	6	3	3	1				
Ovarian tumor	7									1	2		2	1	1		
Diseases of tubes	10							1	2	6	1						
Other diseases of genito-urinary system	49								1	2	2	1	8	18	16	1	
VII.—Childbirth	131							7	59	57	8						
Puerperal septicemia	48							3	26	16	3						
Puerperal convulsions	31							3	15	12	1						
Other causes incident to childbirth	52							1	18	29	4						
VIII.—Diseases of skin	77	8	1	1				1	1	2	6	4	14	22	13	3	1
Gangrene	32		1								1	3	12	18	13	3	1
Carbuncle	5	2								1		1		1			
Abscess	10	1		1				1		1	4		1	1			
Other diseases of skin	10	5							1		1		1	2			
IX.—Diseases of locomotor system	26	6	2	2			2	2	1		1	4	2	1	3		
Diseases of bones	20	6	2	2			2	2	1			3	1	1			
Diseases of joints	2										1				1		
Other diseases of locomotor system	4											1	1		2		
X.—Malformations	149	134	1	5	2		2	1	1	1		1					1
Hydrocephalus	20	12	1	4	2		1										
Congenital malformation of heart (cyanosis)	77	73		1			1		1								1
Other congenital malformations	52	49						1		1		1					
XI.—Early infancy	723	723															
Premature birth	440	440															
Congenital debility	283	283															
XII.—Old age	254												15	87	98	51	3
XIII.—Violence	1,103	116	29	21	14	17	32	85	156	160	132	94	86	61	58	9	33
Suicide	148							4	39	23	28	17	26	6	4		1
Fractures and dislocations	133	3	1				2	4	8	15	14	11	13	28	29	4	1
Burns and scalds	98	2	15	14	7	5	9	6	9	12	3	7	5	2	1	1	
Heat and sunstroke	1										1						
Cold and freezing	12			1					1	1	1	2	2	2	1		1
Lightning	4							1		1	2						
Drowning	119		3	1		1	10	29	24	13	14	7	5	2			10
Inhalation of poisonous gases	39	3	1					3	5	11	3	4	6	1	1	1	
Other accidental poisonings	49	1	5	2	4	3		3	6	11	8	2	3	1			
Accidental gunshot wounds	31						2	6	6	5	4	4	1	1			2
Injuries by machinery	9			1				1		3	2		1	1			
Injuries in mines and quarries	1								1								
Railroad accidents and injuries	177		1	1	1	1	2	16	41	36	34	16	8	4	3		13
Injuries by vehicles and horses	15			1		2	1		2	3	1	1	2	2			
Suffocation	15	11								2		1	1				
Other accidental injuries	160	6	3		2	5	6	12	13	23	17	22	13	11	19	3	5
Injuries at birth	90	90															
Homicide	2									1	1						
XIV.—Ill-defined causes	233	114	12	2	1	2	3	2	3	10	10	9	18	26	11	6	4
"Dropsy"	11	1		1								2	1	1	4		1
"Heart failure"	5											1		1	2	1	
Other ill-defined causes	155	88	10	1	1	2	1			3	4	3	11	16	10	5	
Unknown causes	62	25	2				2	2	3	7	3	5	5	4	1		3

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

DISTRICT OF COLUMBIA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,211	1,123	208	91	59	43	104	285	604	614	606	726	821	577	281	63	6
I.—General diseases	1,711	86	32	31	22	29	56	166	337	267	206	198	162	90	24	3	2
Typhoid fever	140	1	2	2	.....	1	3	33	42	29	14	6	6	1	.....	.....	.....
Malarial fever	12	2	.....	.....	3	1	1	3	.....	.....	1	.....	1	.....	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles	4	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	11	.....	.....	2	.....	1	7	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	39	22	3	6	4	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	52	4	6	5	6	13	13	4	.....	.....	1	.....	.....	.....	.....	.....	.....
Croup	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	101	3	.....	.....	.....	.....	2	1	7	8	12	23	15	14	13	2	1
Cholera nostras	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
Dysentery	27	7	2	.....	.....	2	.....	1	.....	1	1	1	5	5	2	.....	.....
Erysipelas	6	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	7	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....	.....	.....	.....
Tuberculosis of lungs	833	17	6	6	2	6	7	99	248	177	119	81	41	21	3	.....	.....
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....
Tuberculous meningitis	40	7	5	6	5	3	6	2	2	2	.....	.....	2	.....	.....	.....	.....
Abdominal tuberculosis	31	.....	1	1	2	.....	4	3	5	8	4	2	.....	1	.....	.....	.....
Pott's disease	5	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	1
General tuberculosis	25	3	2	.....	.....	.....	4	5	3	2	2	4	.....	.....	.....	.....	.....
Scrofula	4	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	27	14	2	1	.....	.....	.....	1	4	1	2	1	1	.....	.....	.....	.....
Cancer of mouth	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	3	.....	.....	.....
Cancer of stomach and liver	79	.....	.....	.....	.....	.....	.....	.....	2	4	12	17	30	11	3	.....	.....
Cancer of intestines	23	.....	.....	.....	.....	.....	.....	.....	1	1	3	4	9	4	1	.....	.....
Cancer of female genital organs	47	.....	.....	.....	.....	.....	.....	.....	1	7	9	16	9	5	.....	.....	.....
Cancer of breast	29	.....	.....	.....	.....	.....	.....	.....	.....	2	8	8	6	5	.....	.....	.....
Cancer of skin	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....
Cancer of other or unspecified organs	38	.....	.....	.....	.....	.....	1	1	2	1	6	8	11	8	.....	.....	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Rheumatism	25	.....	1	1	.....	.....	2	4	.....	5	2	.....	5	3	1	1	.....
Diabetes	37	.....	.....	.....	.....	.....	1	2	3	.....	2	14	11	4	.....	.....	.....
Anemia, leukemia	14	1	.....	.....	.....	.....	.....	5	3	2	.....	1	2	.....	.....	.....	.....
Alcoholism	20	.....	.....	.....	.....	.....	.....	.....	5	7	4	4	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Other general diseases	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	1	.....	.....
II.—Diseases of nervous system	684	73	23	6	2	1	16	11	30	38	61	105	161	105	42	9	1
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	68	23	10	4	.....	1	6	4	3	2	4	2	6	2	1	.....	.....
Locomotor ataxia	13	.....	.....	.....	.....	.....	1	.....	1	.....	1	3	5	1	1	.....	.....
Other diseases of spinal cord	36	.....	.....	.....	.....	.....	1	1	.....	8	4	5	9	7	1	.....	.....
Apoplexy	326	5	3	.....	1	.....	4	2	2	11	30	74	99	66	21	7	1
Softening of brain	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	2	.....	.....
Paralysis	63	1	.....	.....	1	.....	.....	.....	1	1	5	5	24	14	10	1	.....
General paralysis of insane	25	.....	.....	.....	.....	.....	.....	.....	2	3	9	6	1	3	1	.....	.....
Other forms of mental disease	9	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	2	1	2	.....	.....
Other diseases of brain	25	.....	.....	.....	.....	.....	.....	1	4	.....	6	1	6	6	1	.....	.....
Epilepsy	28	.....	.....	.....	.....	.....	.....	1	8	9	2	3	4	.....	.....	1	.....
Convulsions	49	36	9	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	18	8	.....	.....	.....	.....	3	.....	4	3	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	13	.....	1	.....	.....	.....	.....	1	2	1	.....	3	2	1	2	.....	.....
III.—Diseases of circulatory system	663	8	.....	1	.....	.....	5	16	24	56	85	133	176	110	44	5	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
Endocarditis	18	1	.....	.....	.....	.....	.....	.....	1	4	1	4	4	3	.....	.....	.....
Heart disease	562	4	.....	1	.....	.....	5	15	19	45	73	117	149	95	36	3	.....
Angina pectoris	18	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	7	2	1	.....	.....
Diseases of arteries	42	.....	.....	.....	.....	.....	.....	.....	.....	4	4	5	13	9	5	2	.....
Embolism and thrombosis	14	.....	.....	.....	.....	.....	.....	.....	3	1	1	3	3	1	2	.....	.....
Diseases of veins	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
Diseases of lymphatics	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
IV.—Diseases of respiratory system	796	162	90	33	22	5	13	29	52	48	66	82	90	60	37	7	.....
Laryngitis	4	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of larynx	6	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	90	42	23	7	5	2	2	1	1	.....	.....	1	1	2	2	1	.....
Chronic bronchitis	44	.....	1	.....	.....	.....	.....	1	3	1	1	5	11	10	9	2	.....
Bronchopneumonia	110	31	21	8	6	.....	2	5	3	2	5	5	7	9	5	1	.....
Pneumonia	436	77	42	14	9	3	7	17	35	37	44	52	54	30	13	2	.....
Pleurisy	15	.....	.....	.....	1	.....	.....	1	1	1	4	3	4	.....	.....	.....	.....
Congestion of lungs	46	6	2	3	1	.....	.....	.....	3	3	7	6	2	5	7	1	.....
Gangrene of lungs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Asthma and emphysema	10	.....	.....	.....	.....	.....	1	.....	1	1	.....	3	2	1	1	.....	.....
Hemorrhage of lungs	25	1	.....	.....	.....	.....	.....	2	2	2	4	6	7	1	.....	.....	.....
Other diseases of respiratory system	8	.....	.....	1	.....	.....	.....	2	2	.....	.....	1	1	1	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	729	333	45	7	3	4	6	15	38	55	51	62	55	36	14	4	1
Diseases of mouth	5	3	1													1	
Tonsilitis																	
Other diseases of pharynx	2					1				1							
Ulcer of stomach	9								1	2	1	2	3				
Gastritis	77	8	2	3			1	1	4	10	11	11	17	8	1		
Other diseases of stomach	42	7	1						1	2	5	11	8	3	4		
Dentition	1	1															
Diarrhea and enteritis	416	307	39	4	1	2	3	2	3	8	8	10	11	11	5	2	
Hernia	9									1	5	1	1	1			
Obstruction of intestines	29	3						4	3	4	4	2		6	2	1	
Other diseases of intestines	14	4							2	2	1	2		1	2		
Acute yellow atrophy of liver	1								1								
Hydatid tumors of liver																	
Cirrhosis of liver	46								2	8	5	17	12	2			
Biliary calculi	4								1	1	2						
Other diseases of liver	17				2				1	4	2	3	1	3			1
Diseases of spleen	2							1				1					
Peritonitis	32						1	2	11	10	5	1	1	1			
Appendicitis	22		2			1	1	5	8	2	2	1					
Other diseases of digestive system	1												1				
VI.—Diseases of genito-urinary system	527	3		3		1	3	11	36	60	80	94	124	81	27	4	
Acute nephritis	63			1				3	4	10	18	13	8	5	1		
Bright's disease	376	1		2		1	2	5	20	35	53	72	104	60	17	4	
Other diseases of kidneys	22	2							2	3	3	2	2	6	2		
Calculi of urinary tract	2											1		1			
Diseases of bladder	16										1	2	3	5	5		
Uterine tumor	11								1	2	5	2			1		
Other diseases of uterus	8						1	3	3	1							
Ovarian tumor	3								1				2				
Diseases of tubes	9								3	6							
Other diseases of genito-urinary system	17								2	3		2	5	4	1		
VII.—Childbirth	53							4	26	23	1						
Puerperal septicemia	24							1	10	12	1						
Puerperal convulsions	15							1	8	6							
Other causes incident to childbirth	14							1	8	5							
VIII.—Diseases of skin	31	2	1	1			1		1	1	5	1	7	5	4	1	1
Gangrene	18			1							2		5	5	3	1	1
Carbuncle	2										1				1		
Abscess	8	1	1				1		1	1	1	1	1				
Other diseases of skin	3	1									1		1				
IX.—Diseases of locomotor system	11	1	1			1			2	1	3	1	1				
Diseases of bones	8	1	1			1				1	2	1	1				
Diseases of joints	3								2		1						
Other diseases of locomotor system																	
X.—Malformations	34	31		1				2									
Hydrocephalus	6	4		1				1									
Congenital malformation of heart (cyanosis)	21	20						1									
Other congenital malformations	7	7															
XI.—Early infancy	321	321															
Premature birth	189	189															
Congenital debility	132	132															
XII.—Old age	185												21	62	75	27	
XIII.—Violence	352	30	5	4	8	2	3	32	56	64	46	42	20	25	12	2	1
Suicide	63							1	15	18	10	14	2	3			
Fractures and dislocations	15								1	2	1		3	3	4	1	
Burns and scalds	31	1	1	3	3	1	2	2	3		4	2	4	1	2	1	1
Heat and sunstroke	5	1								1	1		1	1			
Cold and freezing	2							1			1						
Lightning																	
Drowning	40		1	1				15	5	9	7	2					
Inhalation of poisonous gases	16								1	6	1	2	1	4	1		
Other accidental poisonings	17	1	2		4	1		2	2	1	1	2	1				
Accidental gunshot wounds	4							1	1	1		1					
Injuries by machinery	2							1			1						
Injuries in mines and quarries																	
Railroad accidents and injuries	44				1			2	13	11	6	3	3	5			
Injuries by vehicles and horses	12							2	3	3	1		1		2		
Suffocation	5	5															
Other accidental injuries	65		1				1	5	9	9	11	15	3	8	3		
Injuries at birth	21	21															
Homicide	10	1							3	3	1	1	1				
XIV.—Ill-defined causes	114	73	11	4	2		1		2	1	2	8	4	3	2	1	
"Dropsy"	2	1											1				
"Heart failure"	2										1	1					
Other ill-defined causes	108	70	11	4	2		1		2	1	1	7	3	3	2	1	
Unknown causes	2	2															

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

INDIANA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	35,801	6,527	1,426	627	385	260	933	2,022	3,179	2,691	2,590	3,098	4,046	4,838	2,459	388	332
I.—General diseases	11,073	652	442	234	174	111	452	1,110	1,812	1,416	1,129	1,085	1,055	934	325	42	100
Typhoid fever	1,078	17	10	18	9	18	86	232	234	153	102	83	69	28	8	.....	11
Malarial fever	149	12	5	9	4	3	17	11	15	13	9	12	8	21	6	1	3
Smallpox	97	9	2	.....	2	2	1	10	21	18	15	5	6	2	.....	1	3
Measles	492	116	84	51	30	19	54	48	23	29	20	9	2	3	3	.....	1
Scarlet fever	219	16	31	37	32	20	61	19	1	.....	1	.....	.....	.....	.....	.....	1
Whooping cough	158	85	54	9	3	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	221	12	28	21	27	16	78	31	3	1	1	.....	.....	.....	.....	.....	3
Croup	95	21	15	9	18	5	25	1	.....	.....	.....	.....	.....	.....	.....	.....	1
Influenza	548	39	5	4	6	1	4	16	22	20	25	37	74	164	110	17	4
Cholera nostras	19	2	1	.....	.....	.....	1	1	.....	.....	1	1	4	3	5	.....	.....
Dysentery	350	63	78	24	11	3	8	5	5	6	8	21	32	55	24	6	1
Erysipelas	125	37	3	.....	1	1	1	1	6	6	12	14	9	21	6	3	4
Other epidemic diseases[1]	4	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	198	14	.....	.....	2	1	7	12	33	34	21	19	20	20	4	2	9
Tuberculosis of lungs	4,483	79	49	20	13	11	38	580	1,282	890	551	387	312	191	38	4	38
Tuberculosis of larynx	49	1	.....	1	.....	.....	2	.....	7	15	11	9	1	1	1	.....	.....
Tuberculous meningitis	190	47	45	16	10	2	23	20	9	9	4	2	3	.....	.....	.....	.....
Abdominal tuberculosis	198	11	5	3	1	1	6	26	30	26	24	29	17	15	3	.....	1
Pott's disease	27	2	3	2	.....	.....	2	2	4	1	6	3	1	.....	1	.....	.....
Tuberculous abscess	9	.....	1	.....	.....	.....	.....	.....	3	1	1	.....	1	2	.....	.....	.....
White swelling	7	.....	.....	1	.....	.....	1	.....	.....	3	1	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	48	.....	4	.....	1	.....	.....	4	6	7	8	6	7	4	1	.....	.....
General tuberculosis	55	5	3	1	1	.....	1	6	17	8	5	4	1	3	.....	.....	.....
Scrofula	17	9	2	1	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	1
Venereal diseases	77	22	5	1	.....	.....	1	4	9	14	10	4	2	3	1	.....	1
Cancer of mouth	35	.....	.....	.....	.....	.....	1	1	.....	2	2	11	7	9	2	.....	.....
Cancer of stomach and liver	512	.....	.....	.....	.....	1	.....	3	5	27	57	117	148	118	31	.....	5
Cancer of intestines	113	.....	.....	1	.....	.....	.....	4	3	5	13	27	30	23	4	.....	3
Cancer of female genital organs	194	.....	.....	.....	.....	.....	.....	.....	1	22	51	52	46	20	1	.....	1
Cancer of breast	92	.....	.....	.....	.....	.....	.....	.....	1	5	19	23	28	10	5	1	.....
Cancer of skin	69	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	14	14	25	9	2	.....
Cancer of other or unspecified organs	319	2	1	.....	.....	.....	1	3	7	22	43	66	77	68	27	1	1
Tumor	42	3	.....	.....	.....	.....	1	.....	3	5	5	4	8	10	2	1	.....
Rheumatism	256	3	2	.....	1	3	11	32	27	17	26	32	39	46	13	2	2
Diabetes	256	2	1	3	1	1	9	24	13	21	25	45	46	47	17	1	.....
Anemia, leukemia	126	16	4	1	.....	.....	5	7	11	9	16	16	26	12	1	.....	2
Alcoholism	80	.....	.....	.....	.....	.....	.....	.....	4	19	19	24	6	5	.....	.....	3
Chronic poisonings	14	.....	.....	.....	.....	.....	.....	1	3	2	3	.....	2	2	1	.....	.....
Other general diseases	52	5	1	.....	.....	.....	3	4	3	6	8	8	9	3	1	.....	1
II.—Diseases of nervous system	4,214	635	153	86	51	27	109	154	153	192	283	468	672	790	365	43	33
Encephalitis	82	32	13	6	2	2	4	5	4	1	4	1	3	5	.....	.....	.....
Meningitis	706	230	85	57	27	17	62	70	35	37	30	20	13	13	8	.....	2
Locomotor ataxia	51	.....	.....	.....	.....	.....	.....	.....	2	3	14	15	16	1	.....	.....	.....
Other diseases of spinal cord	143	16	4	1	5	1	3	9	4	11	12	16	26	26	6	2	1
Apoplexy	1,339	55	20	8	3	3	13	17	33	41	91	218	321	333	149	18	16
Softening of brain	116	.....	.....	.....	.....	.....	.....	.....	.....	8	4	10	24	54	16	.....	.....
Paralysis	816	5	4	2	2	1	4	6	7	15	34	105	184	271	154	18	4
General paralysis of insane	133	.....	.....	.....	.....	.....	.....	.....	4	17	21	17	24	33	14	1	2
Other forms of mental disease	94	.....	.....	.....	.....	.....	.....	.....	9	13	11	21	19	13	4	2	2
Other diseases of brain	95	17	1	.....	2	2	3	5	4	10	13	14	11	9	3	.....	1
Epilepsy	143	4	2	.....	1	.....	.....	15	28	28	27	13	10	11	2	1	1
Convulsions	312	248	21	9	4	.....	5	4	6	4	2	1	5	1	.....	.....	2
Tetanus	85	22	3	.....	5	1	8	15	9	2	8	4	1	5	.....	.....	2
Other diseases of nervous system	99	6	.....	3	.....	.....	7	8	8	2	12	13	15	15	9	1	.....
III.—Diseases of circulatory system	3,191	67	10	4	9	7	38	88	113	148	229	425	751	947	314	23	18
Pericarditis	72	1	.....	.....	2	2	1	6	3	5	6	9	15	16	6	.....	.....
Endocarditis	121	.....	.....	.....	2	.....	7	9	6	8	13	10	30	25	9	.....	2
Heart disease	2,552	42	10	3	2	2	22	64	77	115	182	346	625	784	242	20	16
Angina pectoris	162	.....	.....	.....	.....	.....	1	1	5	5	12	33	46	41	18	.....	.....
Diseases of arteries	140	1	.....	.....	.....	.....	1	.....	2	3	2	13	20	61	34	3	.....
Embolism and thrombosis	59	2	.....	.....	.....	.....	1	3	11	3	7	6	8	15	3	.....	.....
Diseases of veins	6	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	2	.....	.....	.....	.....
Diseases of lymphatics	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	77	20	.....	1	3	3	5	5	9	6	5	8	5	5	2	.....	.....
IV.—Diseases of respiratory system	4,079	965	285	125	71	45	115	140	181	201	230	277	455	589	312	47	41
Laryngitis	30	6	2	4	1	3	5	.....	1	.....	1	3	1	1	1	.....	1
Other diseases of larynx	23	5	4	2	.....	.....	4	1	.....	2	1	2	.....	2	.....	.....	.....
Diseases of thyroid body	10	1	.....	.....	.....	1	.....	.....	2	2	1	.....	1	1	.....	1	.....
Acute bronchitis	233	139	30	5	6	3	2	1	2	1	2	6	9	16	9	2	.....
Chronic bronchitis	279	5	1	.....	.....	1	5	4	5	5	11	15	61	103	55	4	4
Bronchopneumonia	547	216	67	28	10	7	24	12	12	8	11	12	33	56	41	4	6
Pneumonia	2,439	490	165	79	50	29	62	107	129	151	168	188	275	337	153	31	25
Pleurisy	53	1	.....	1	2	1	4	2	4	5	6	8	8	7	4	.....	.....
Congestion of lungs	230	85	14	4	2	.....	5	5	8	7	11	11	19	25	29	3	2
Gangrene of lungs	7	.....	.....	.....	.....	.....	.....	2	.....	1	1	3	.....	.....	.....	.....	.....
Asthma and emphysema	103	3	1	1	.....	.....	2	.....	6	5	5	13	28	27	8	1	3
Hemorrhage of lungs	42	5	.....	.....	.....	.....	1	3	4	5	1	6	9	4	4	.....	.....
Other diseases of respiratory system	83	9	1	1	.....	.....	1	3	8	9	11	10	11	10	8	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

INDIANA—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,175	1,301	386	115	44	31	89	172	229	204	229	317	396	432	172	14	44
Diseases of mouth	21	14	1									1		3	2		
Tonsilitis	30	2	5	1	2	4	6	2	3		1	3			1		
Other diseases of pharynx	14	3	1	2	1			1			1	2	2		1		
Ulcer of stomach	61							3	6	5	7	12	12	15	1		
Gastritis	264	29	5	2	2	1	5	9	12	17	18	31	39	58	31	2	3
Other diseases of stomach	182	79	10	2	2	2	2	11	2	6	4	10	13	16	16	3	4
Dentition	6	3	2	1													
Diarrhea and enteritis	2,066	1,102	347	93	26	18	28	15	27	29	34	50	94	127	59	6	11
Hernia	88	14	1	1	1		2	1	3	6	9	12	18	16	3		1
Obstruction of intestines	217	19	5	4	4	1	8	17	22	12	12	20	36	40	12	2	3
Other diseases of intestines	111	14	3	2	2	1	2	4	5	6	9	11	20	17	10		5
Acute yellow atrophy of liver	13								2		2	2	5	2			
Hydatid tumors of liver																	
Cirrhosis of liver	260	2							3	15	40	66	65	51	11		7
Biliary calculi	62								3	4	12	8	12	20	3		
Other diseases of liver	257	11	2	2	2		2	5	15	21	34	50	53	40	15		5
Diseases of spleen	5									1		2		1	1		
Peritonitis	330	8	4	3	1	3	14	53	84	55	33	25	18	19	5	1	4
Appendicitis	185	1		2	1	1	20	51	42	27	12	12	9	5	1		1
Other diseases of digestive system	3										1			2			
VI.—Diseases of genito-urinary system	1,968	35	20	12	9	6	24	51	138	113	195	257	396	489	191	19	13
Acute nephritis	128	7	8	6	3	2	8	11	15	8	14	11	18	12	4	1	
Bright's disease	1,447	19	11	6	6	4	16	26	82	74	141	206	318	389	125	12	12
Other diseases of kidneys	64	6						2	2	1	7	11	11	10	12	2	
Calculi of urinary tract	9								1	1		1	3	1	2		
Diseases of bladder	129	3	1						3	4	4	10	19	48	33	4	
Uterine tumor	26							2	1	4	7	4	4	3			1
Other diseases of uterus	51							8	16	11	10	3	2	1			
Ovarian tumor	36								8	7	7	8	3	3			
Diseases of tubes	13							2	5	3	2	1					
Other diseases of genito-urinary system	65								5		3	2	18	22	15		
VII.—Childbirth	318							44	135	104	32	1					2
Puerperal septicemia	151							20	72	47	10						2
Puerperal convulsions	71							17	28	14	11	1					
Other causes incident to childbirth	96							7	35	43	11						
VIII.—Diseases of skin	151	16	2	1			3	2	5	4	6	13	26	39	26	6	2
Gangrene	94	3					1	1			3	6	20	31	21	6	2
Carbuncle	9								1		1	2	2	2	1		
Abscess	25	3	1				1	1	4	3	2	3	2	1	4		
Other diseases of skin	23	10	1	1			1			1		2	2	5			
IX.—Diseases of locomotor system	56	11	2	1	1	1	3	5	3	5	4	4	6	7	1		
Diseases of bones	48	11	2	1	1	1	4	5	3	4	3	3	6	4			
Diseases of joints	6						1			1	1			2	1		
Other diseases of locomotor system	2											1		1			
X.—Malformations	294	274	5	1		2	6	2	3								1
Hydrocephalus	38	25	4			1	4	2	1								1
Congenital malformation of heart (cyanosis)	149	148							1								
Other congenital malformations	107	101	1	1		1	2		1								
XI.—Early infancy	2,074	2,074															
Premature birth	1,080	1,080															
Congenital debility	994	994															
XII.—Old age	1,082												39	310	564	164	5
XIII.—Violence	2,113	138	66	41	24	27	85	232	383	273	207	174	135	146	104	18	60
Suicide	228							17	51	48	35	42	15	9	2	1	8
Fractures and dislocations	201	3		1	1	3	3	9	26	14	16	15	18	42	39	10	1
Burns and scalds	188	6	24	14	11	13	26	14	25	15	9	6	8	8	5	1	2
Heat and sunstroke	7	1								1		2	1	2			
Cold and freezing	15	1							3	2	2	1	2	2			
Lightning	14						1	6	3	1	1	1	1				
Drowning	152	1	6	6	2	1	12	39	38	17	9	4	5	5	1		6
Inhalation of poisonous gases	27	1		1		1		1	3	7	2	1	4	1	2		3
Other accidental poisonings	144	19	18	8	2	4	4	10	24	21	8	9	6	6	2	1	2
Accidental gunshot wounds	152	1		2		1	2	41	31	29	19	12	9	1			4
Injuries by machinery	14							3	5	3	1			2			
Injuries in mines and quarries	33							5	11	7	5	4	1				
Railroad accidents and injuries	347		1				8	31	88	58	50	37	25	17	9		23
Injuries by vehicles and horses	45	1	1		1	2	10	9	3	3	6	3	4	2			
Suffocation	43	20	4					1	4		1	1	1	1			
Other accidental injuries	407	11	11	9	7	2	18	43	57	38	36	35	35	48	41	5	11
Injuries at birth	62	62															
Homicide	34	1	1				1	3	11	9	7	1					
XIV.—Ill-defined causes	1,013	339	55	7	2	3	7	22	26	31	46	77	115	155	85	12	13
"Dropsy"	160	1	2				1	7	2	5	13	29	26	46	22	3	3
"Heart failure"	190	28	1		1	1	3	3	5	9	15	19	44	37	20	2	2
Other ill-defined causes	545	267	47	6	1	2	3	6	15	13	13	23	37	62	36	7	7
Unknown causes	118	63	5	1				6	2	4	5	6	8	10	7		1

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

MAINE.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	11,678	1,689	279	130	98	73	198	506	875	745	756	1,067	1,560	1,964	1,340	239	159
I.—General diseases	2,910	156	55	41	36	35	95	239	493	335	293	303	339	337	104	18	31
Typhoid fever	250	2			1	4	11	54	85	37	23	13	10	4	1		5
Malarial fever	11			1								1	6	2			1
Smallpox	3	2							1								
Measles	23	11	3	1	1		3	1		1		1					1
Scarlet fever	9		1		1	2	2	2		1							
Whooping cough	55	35	8	5	2	2	1		1					1			
Diphtheria	124	4	8	11	15	15	35	26	6	1		1					2
Croup	37	12	4	6	3	5	6				1						
Influenza	167	21	8	4	1	1	1	6	7	2	7	10	18	42	32	5	2
Cholera nostras	14	2				1		1			4			1	4	1	
Dysentery	33	11	1	2	2	2	1				3	2		4	4	1	
Erysipelas	30	4	1					1	1	2	2	4	4	8	2		1
Other epidemic diseases[1]																	
Septicemia	56	3			1		1	2	12	7	8	4	12	6			
Tuberculosis of lungs	1,044	18	6	3	6		12	113	311	198	134	96	83	46	10		8
Tuberculosis of larynx	8								2	3			1	2			
Tuberculous meningitis	57	12	8	4	1	1	11	7	7	3	1		1				1
Abdominal tuberculosis	52	1	2				2	4	16	9	5	3	4	4	2		
Pott's disease	9			1				1		1		1	3	2			
Tuberculous abscess	5			1				1	1	2							
White swelling	7							1	3	1		1	1				
Tuberculosis of other organs	13	1					1	1	3	1		4		2			
General tuberculosis	28	1	1	1			1	6	5	5	3	3	1	1			
Scrofula	2	1			1												
Venereal diseases	8	3							1	2	1	1					
Cancer of mouth	23									1		2	7	12		1	
Cancer of stomach and liver	237	1							1	12	19	46	56	76	21	3	2
Cancer of intestines	76								1	4	6	18	18	24	2	1	2
Cancer of female genital organs	70								4	11	20	11	17	6			1
Cancer of breast	45									2	8	10	13	9	1	2	
Cancer of skin	27										1	7	2	9	8		
Cancer of other or unspecified organs	138				1				3	9	17	24	33	31	10	3	2
Tumor	8	2								1			3	1			1
Rheumatism	50						4	3	2	4	4	6	7	17	2		1
Diabetes	104		1	1		1	3	8	8	2	6	20	27	22	4		1
Anemia, leukemia	56	7	3			1			7	5	9	8	9	5	1	1	
Alcoholism	20								3	6	6	4	1				
Chronic poisonings	1									1							
Other general diseases	15	2						1	2	1	5	2	2				
II.—Diseases of nervous system	1,552	161	50	15	10	7	17	35	33	58	92	181	285	372	197	17	22
Encephalitis	10	3	1	1				1				2		1	1		
Meningitis	208	81	30	10	10	3	11	18	7	11	6	11	4	2	2		2
Locomotor ataxia	28								1	2	3	2	10	7	1		2
Other diseases of spinal cord	52	2	1			1			4	3	5	8	16	9	2		1
Apoplexy	712	11	4			1	1	2	3	13	37	107	166	225	119	13	10
Softening of brain	40										2	5	10	15	8		
Paralysis	177		1						1		7	15	37	68	43	4	1
General paralysis of insane	54							1	2	4	5	1	13	19	8		1
Other forms of mental disease	65							1	1	7	13	12	15	8	6		2
Other diseases of brain	38	2	1						1	1	7	8	6	8	4		
Epilepsy	25							2	6	9	1	2	2	2			1
Convulsions	89	59	11	4		2	4	1	3	1	2	1					1
Tetanus	13							6	2	3	2						
Other diseases of nervous system	41	3	1				1	3	2	4	2	7	6	8	3		1
III.—Diseases of circulatory system	1,378	22	4	1			7	22	44	55	76	175	318	406	210	19	19
Pericarditis	7							1	2				1	3			
Endocarditis	48	1					2	1	5	2	2	12	8	12	2	1	
Heart disease	1,121	12	3	1			5	18	28	30	58	138	273	340	176	12	18
Angina pectoris	78								4	1	9	12	16	21	14		1
Diseases of arteries	43									2	2	3	7	14	11	4	
Embolism and thrombosis	46	2						1	4	3	2	7	9	13	4	1	
Diseases of veins	4							1				2	1				
Diseases of lymphatics	2	1	1														
Other diseases of circulatory system	29	6							1	8	3	1	3	3	3	1	
IV.—Diseases of respiratory system	1,407	246	80	33	22	9	16	30	64	55	75	117	189	247	178	32	14
Laryngitis	12	2	2	1	3	1	1	1					1				
Other diseases of larynx	5	1	1	1							1	1					
Diseases of thyroid body																	
Acute bronchitis	125	58	14	5	4			2	1				8	13	16	3	1
Chronic bronchitis	96	2	1						2	2	4	6	15	31	25	8	
Bronchopneumonia	158	44	16	5	2	1	2	1	4		3	7	13	33	23	4	
Pneumonia	884	127	45	21	10	7	13	23	47	45	56	93	129	144	99	15	10
Pleurisy	19				1			2	3		2	2	1	3	4	1	
Congestion of lungs	47	6	1		2				1	3	5	4	6	12	6	1	
Gangrene of lungs	6											1	4	1			
Asthma and emphysema	24	3							1		2	2	7	6	2		1
Hemorrhage of lungs	18	3						1	5	1	1	1	3	2			1
Other diseases of respiratory system	13									3	1	1	2	2	3		1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

MAINE—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,000	391	64	18	12	5	28	45	50	51	50	83	112	105	61	5	10
Diseases of mouth																	
Tonsilitis	6				1	1	2			1				1			
Other diseases of pharynx	12					1	1			3		1		2	1	1	2
Ulcer of stomach	22		1					1	3	3	2	1	7	2	2		
Gastritis	82	8	1		1	1	3	4	2	9	4	8	10	20	10		1
Other diseases of stomach	75	30	2	1			1		3	1	1	7	11	9	8	1	
Dentition	1		1														
Diarrhea and enteritis	487	328	54	13	8		5	4	8		11	11	14	19	10	1	1
Hernia	24	1		1				1			1	5	6	5	3	1	
Obstruction of intestines	61	9	2	1	1		2	1	1	3	4	5	10	9	9		4
Other diseases of intestines	22	6	2				1		2	1			5	4	1		
Acute yellow atrophy of liver	8	1					1		1			1	4				
Hydatid tumors of liver																	
Cirrhosis of liver	55							1	2	2	7	11	15	11	6		
Biliary calculi	16							1				3	6	5	1		
Other diseases of liver	60		1				1		4	6	5	12	14	10	6	1	
Diseases of spleen	1											1					
Peritonitis	94	7		2			8	12	18	13	5	12	6	6	3		2
Appendicitis	64	1			1	2	3	20	6	9	10	5	4	2	1		
Other diseases of digestive system																	
VI.—Diseases of genito-urinary system	765	7	1	1	2	3	6	23	38	47	72	107	169	180	90	7	12
Acute nephritis	57	5		1	1	2	4	5	4	8	6	7	5	5	3		1
Bright's disease	579	2	1		1	1	1	15	25	33	54	86	135	147	63	6	9
Other diseases of kidneys	17							1	1	2	1	1	5	1	4		1
Calculi of urinary tract	2												1		1		
Diseases of bladder	54						1				2	4	13	16	17	1	
Uterine tumor	2										2						
Other diseases of uterus	15							1	4	2	6	2					
Ovarian tumor	8									1	1	3	2	1			N.
Diseases of tubes	5							1	3	1							
Other diseases of genito-urinary system	26								1			4	8	10	2		1
VII.—Childbirth	91							14	34	36	5						2
Puerperal septicemia	38							7	18	13							
Puerperal convulsions	14							3	5	6							
Other causes incident to childbirth	39							4	11	17	5						2
VIII.—Diseases of skin	73	4	1	2				1	3	2	3	3	13	18	17	5	1
Gangrene	57	1		2				1			1	1	11	18	16	5	1
Carbuncle	1										1						
Abscess	14	2	1						3	2	1	2	2		1		
Other diseases of skin	1	1															
IX.—Diseases of locomotor system	11	1		1					1		2		2	1	2	1	
Diseases of bones	10	1		1					1		2		2	1	1	1	
Diseases of joints																	
Other diseases of locomotor system	1														1		
X.—Malformations	59	51	3	1		1	3										
Hydrocephalus	8	4	2	1			1										
Congenital malformation of heart (cyanosis)	32	28	1			1	2										
Other congenital malformations	19	19															
XI.—Early infancy	440	440															
Premature birth	228	228															
Congenital debility	212	212															
XII.—Old age	684												19	150	390	119	6
XIII.—Violence	675	40	11	12	12	11	24	82	87	87	65	62	53	53	44	8	24
Suicide	91							2	11	20	19	12	15	6	2	1	3
Fractures and dislocations	64		1				1	2	3	7	2	6	2	11	23	5	1
Burns and scalds	43	1		2	6	3	4	3	2	6	2	6	3	3	1		1
Heat and sunstroke	2			1										1			
Cold and freezing	1														1		
Lightning	1							1									
Drowning	148		3	1	2	3	13	40	28	22	13	8	7	2			6
Inhalation of poisonous gases	11	1			1		1			3	1	1		1	2		
Other accidental poisonings	32	1	6	5	3	1	1	1	1	2	3	3		3			2
Accidental gunshot wounds	36						1	12	9	4	2	2	2	2			2
Injuries by machinery	13							4	1	3	3	2					
Injuries in mines and quarries	1									1							
Railroad accidents and injuries	45						2	1	13	5	4	7	3	4	1		5
Injuries by vehicles and horses	15			1			1	3	1	2	1	2	2	1			
Suffocation	9	6									1			1			1
Other accidental injuries	134	4	1	2		1	2	13	18	11	14	12	19	18	14	2	3
Injuries at birth	26	26															
Homicide	3	1								1		1					
XIV.—Ill-defined causes	543	170	10	5	4	2	2	15	28	19	23	36	61	95	47	8	18
"Dropsy"	31	1				1		3	1			3	1	15	4	1	1
"Heart failure"	75	6						4	4	4	8	11	13	14	9		2
Other ill-defined causes	211	72	5	2	1	1		4	10	8	7	10	25	38	18	4	6
Unknown causes	226	91	5	3	3		2	4	13	7	8	12	22	28	16	3	9

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

MASSACHUSETTS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	48,431	9,912	1,701	714	500	374	956	1,674	3,570	4,009	4,087	4,873	6,040	6,024	3,394	546	57
I.—General diseases	12,716	715	480	282	225	171	438	790	1,925	1,824	1,575	1,459	1,398	1,035	356	36	7
Typhoid fever	494	2	6	.....	3	8	21	78	148	98	65	34	20	7	4	.....	.....
Malarial fever	58	3	3	4	2	.....	2	2	2	4	4	13	10	5	3	1	.....
Smallpox	9	.....	.....	.....	.....	.....	.....	.....	3	1	2	1	1	1	.....	.....	.....
Measles	259	82	100	36	14	5	9	6	4	1	2	.....	.....	.....	.....	.....	.....
Scarlet fever	155	6	18	22	28	14	46	16	3	2	.....	.....	.....	.....	.....	.....	.....
Whooping cough	165	80	54	12	5	5	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	618	40	86	98	80	77	166	46	10	8	5	.....	1	1	.....	.....	.....
Croup	109	17	23	25	20	8	15	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	441	31	7	4	1	1	7	4	11	15	31	45	80	108	84	12	.....
Cholera nostras	35	8	1	1	2	2	2	1	1	1	2	2	2	5	4	1	.....
Dysentery	196	34	16	4	4	2	2	4	4	2	9	15	30	37	27	5	1
Erysipelas	172	45	5	.....	.....	.....	.....	3	6	13	21	20	23	24	12	.....	.....
Other epidemic diseases [1]	8	1	2	.....	.....	.....	1	.....	.....	.....	1	2	1	.....	.....	.....	.....
Septicemia	154	18	3	.....	1	.....	.....	9	28	28	21	19	14	9	3	1	.....
Tuberculosis of lungs	5,145	118	51	22	20	18	51	476	1,468	1,264	738	427	303	164	19	2	4
Tuberculosis of larynx	39	.....	.....	.....	.....	.....	.....	.....	7	10	12	7	2	1	.....	.....	.....
Tuberculous meningitis	320	90	73	33	23	18	33	16	17	11	3	1	1	1	.....	.....	.....
Abdominal tuberculosis	166	14	14	9	4	3	10	15	37	23	11	11	6	9	.....	.....	.....
Pott's disease	58	1	2	2	3	.....	11	7	7	5	5	6	4	4	1	.....	.....
Tuberculous abscess	7	.....	.....	1	.....	.....	.....	.....	2	2	2	.....	.....	.....	.....	.....	.....
White swelling	26	2	.....	.....	1	.....	3	3	6	4	1	4	1	.....	1	.....	.....
Tuberculosis of other organs	46	3	.....	.....	2	1	.....	4	10	5	9	4	4	1	3	.....	.....
General tuberculosis	99	9	4	2	1	.....	4	13	25	14	15	6	3	3	.....	.....	.....
Scrofula	13	10	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	97	62	1	2	.....	.....	.....	.....	7	9	9	3	1	3	.....	.....	.....
Cancer of mouth	81	.....	1	.....	.....	.....	.....	.....	1	3	15	25	17	11	8	.....	.....
Cancer of stomach and liver	848	1	.....	.....	1	.....	1	2	3	31	100	204	251	198	53	3	.....
Cancer of intestines	302	.....	.....	.....	.....	.....	.....	1	7	11	49	57	101	62	14	.....	.....
Cancer of female genital organs	327	.....	.....	.....	.....	.....	.....	.....	7	48	100	88	54	24	5	.....	1
Cancer of breast	258	.....	.....	.....	.....	.....	.....	.....	2	18	55	65	54	45	19	.....	.....
Cancer of skin	71	.....	.....	.....	.....	.....	1	.....	1	1	2	9	17	21	16	3	.....
Cancer of other or unspecified organs	720	3	1	.....	2	2	5	6	16	58	109	158	173	135	47	4	1
Tumor	40	.....	.....	1	.....	.....	.....	.....	.....	2	4	6	13	13	1	.....	.....
Rheumatism	257	5	3	3	4	.....	28	38	18	11	35	40	27	32	11	2	.....
Diabetes	469	1	1	.....	1	3	9	24	27	38	48	95	127	81	13	1	.....
Anemia, leukemia	229	25	1	.....	1	2	3	12	17	27	31	43	35	26	5	1	.....
Alcoholism	145	.....	.....	.....	.....	1	.....	1	13	40	48	32	9	1	.....	.....	.....
Chronic poisonings	20	.....	.....	.....	.....	.....	.....	.....	1	8	2	4	3	2	.....	.....	.....
Other general diseases	60	4	3	.....	2	.....	.....	1	6	8	9	13	10	1	3	.....	.....
II.—Diseases of nervous system	5,737	731	258	97	75	56	97	131	168	255	433	709	1,013	1,102	556	52	4
Encephalitis	36	5	1	2	.....	1	1	.....	5	5	2	3	3	6	2	.....	.....
Meningitis	972	354	182	62	55	44	63	55	40	28	36	18	13	15	6	.....	1
Locomotor ataxia	77	.....	.....	.....	.....	.....	.....	.....	.....	5	15	30	18	9	.....	.....	.....
Other diseases of spinal cord	162	5	2	.....	.....	.....	.....	2	5	14	16	30	40	39	8	1	.....
Apoplexy	2,658	33	8	5	4	1	.....	10	37	82	193	423	689	767	378	26	2
Softening of brain	97	.....	.....	.....	.....	.....	.....	.....	.....	1	3	13	28	30	18	4	.....
Paralysis	453	9	1	2	.....	.....	1	3	2	7	20	55	98	143	98	14	.....
General paralysis of insane	266	.....	.....	.....	1	.....	.....	1	5	44	78	52	44	30	8	3	.....
Other forms of mental disease	114	.....	.....	.....	.....	.....	1	.....	10	10	15	29	20	17	10	1	1
Other diseases of brain	154	16	3	4	2	1	6	12	15	18	15	14	21	13	12	2	.....
Epilepsy	159	3	.....	.....	4	3	2	28	26	19	22	15	21	10	6	.....	.....
Convulsions	405	291	58	19	7	6	8	3	4	1	4	2	.....	1	1	.....	.....
Tetanus	35	5	.....	.....	.....	.....	8	6	5	4	2	3	2	.....	.....	.....	.....
Other diseases of nervous system	149	10	3	3	2	.....	7	11	14	17	12	22	16	22	9	1	.....
III.—Diseases of circulatory system	6,264	116	10	12	8	16	69	178	232	341	560	954	1,368	1,551	766	78	5
Pericarditis	45	1	.....	1	1	1	1	4	1	7	3	5	8	8	4	.....	.....
Endocarditis	396	2	1	1	1	1	10	18	27	24	44	62	88	74	32	10	1
Heart disease	4,863	77	4	8	6	11	54	150	183	279	466	785	1,075	1,163	556	42	4
Angina pectoris	217	.....	.....	.....	.....	.....	.....	1	5	4	12	33	71	72	18	1	.....
Diseases of arteries	513	1	.....	.....	.....	.....	.....	1	.....	9	18	44	94	194	130	22	.....
Embolism and thrombosis	137	2	.....	.....	.....	1	1	2	13	10	11	19	21	35	20	2	.....
Diseases of veins	26	.....	.....	.....	.....	.....	.....	1	2	2	3	5	6	2	5	.....	.....
Diseases of lymphatics	11	3	3	.....	.....	.....	1	.....	.....	.....	1	.....	2	1	.....	.....	.....
Other diseases of circulatory system	56	30	2	2	.....	2	2	1	1	6	2	1	3	2	1	1	.....
IV.—Diseases of respiratory system	6,215	1,355	446	172	79	48	98	129	303	432	436	607	759	775	492	81	3
Laryngitis	30	5	4	5	1	.....	4	1	2	2	1	1	2	1	1	.....	.....
Other diseases of larynx	35	10	6	4	3	4	.....	.....	1	1	1	2	2	.....	1	.....	.....
Diseases of thyroid body	9	.....	.....	.....	.....	.....	.....	.....	1	1	2	4	.....	1	.....	.....	.....
Acute bronchitis	618	373	78	27	9	3	6	3	4	5	7	13	23	26	26	5	.....
Chronic bronchitis	536	9	5	2	2	.....	2	3	16	16	15	52	104	149	132	27	2
Bronchopneumonia	894	348	141	37	17	10	16	9	16	18	30	35	59	93	55	10	.....
Pneumonia	3,603	545	207	94	44	30	62	98	220	343	333	424	506	428	238	31	.....
Pleurisy	152	7	2	2	2	.....	4	8	21	21	17	31	19	12	5	1	.....
Congestion of lungs	193	45	2	1	1	1	3	2	2	10	15	19	20	39	28	5	.....
Gangrene of lungs	12	.....	.....	.....	.....	.....	.....	.....	2	3	3	2	2	.....	.....	.....	.....
Asthma and emphysema	50	1	.....	.....	.....	.....	.....	.....	1	1	5	12	12	12	4	2	.....
Hemorrhage of lungs	36	2	.....	.....	.....	.....	.....	3	6	6	2	7	7	2	1	.....	.....
Other diseases of respiratory system	47	10	1	.....	.....	.....	1	2	11	5	5	5	3	2	1	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	5,612	2,874	349	72	44	25	83	147	195	254	299	323	394	361	171	20	1
Diseases of mouth	12	9	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Tonsilitis	22	3	2	1	1	.....	3	5	5	.....	.....	.....	1	.....	1	.....	.....
Other diseases of pharynx	36	3	1	1	4	.....	1	1	3	3	2	5	5	6	1	.....	.....
Ulcer of stomach	80	.....	.....	.....	.....	1	1	2	12	16	11	16	13	7	1	.....	.....
Gastritis	278	56	13	1	.....	3	3	4	12	12	20	26	37	58	30	3	.....
Other diseases of stomach	190	86	4	3	4	1	2	1	2	7	9	10	14	29	16	2	.....
Dentition	11	6	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	3,391	2,615	312	56	27	14	24	12	11	18	27	35	87	84	39	10	.....
Hernia	123	14	1	1	.....	.....	.....	1	2	8	15	22	27	25	6	1	.....
Obstruction of intestines	258	37	4	5	.....	1	5	9	14	31	26	28	40	35	20	2	1
Other diseases of intestines	76	18	2	.....	.....	.....	2	3	4	2	4	10	9	14	6	2	.....
Acute yellow atrophy of liver	12	.....	1	.....	.....	.....	.....	.....	3	3	.....	2	2	1	.....	.....	.....
Hydatid tumors of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	291	1	1	1	.....	1	.....	.....	6	34	59	71	72	42	3	.....	.....
Biliary calculi	62	.....	.....	.....	.....	.....	.....	.....	.....	8	15	13	10	11	5	.....	.....
Other diseases of liver	175	11	.....	1	2	.....	5	2	9	14	23	34	32	26	16	.....	.....
Diseases of spleen	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	1	1	.....	.....
Peritonitis	266	13	2	2	1	2	14	28	42	52	42	23	27	13	5	.....	.....
Appendicitis	306	2	1	.....	5	2	23	78	67	39	43	23	14	8	1	.....	.....
Other diseases of digestive system	16	.....	.....	.....	.....	.....	.....	1	3	4	2	3	3	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	3,097	31	8	10	7	3	28	76	214	292	382	509	690	577	248	22	.....
Acute nephritis	233	12	6	2	2	1	10	18	23	26	28	39	24	29	12	1	.....
Bright's disease	2,287	12	2	8	5	1	18	43	139	197	286	420	579	414	151	12	.....
Other diseases of kidneys	74	3	.....	.....	.....	1	.....	1	3	7	10	9	15	13	11	1	.....
Calculi of urinary tract	16	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	4	1	6	.....	.....
Diseases of bladder	137	2	.....	.....	.....	.....	.....	1	2	3	4	10	21	50	38	6	.....
Uterine tumor	59	.....	.....	.....	.....	.....	.....	.....	3	14	20	11	4	7	.....	.....	.....
Other diseases of uterus	48	.....	.....	.....	.....	.....	.....	4	16	13	10	2	3	.....	.....	.....	.....
Ovarian tumor	33	.....	.....	.....	.....	.....	.....	2	3	8	6	5	5	1	3	.....	.....
Diseases of tubes	53	.....	.....	.....	.....	.....	.....	4	19	18	10	2	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	157	2	.....	.....	.....	.....	.....	3	5	5	7	9	35	62	27	2	.....
VII.—Childbirth	394	.....	.....	.....	.....	.....	.....	23	139	194	17	.....	.....	.....	.....	.....	1
Puerperal septicemia	133	.....	.....	.....	.....	.....	.....	12	64	54	3	.....	.....	.....	.....	.....	.....
Puerperal convulsions	87	.....	.....	.....	.....	.....	.....	5	37	40	5	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	174	.....	.....	.....	.....	.....	.....	6	58	100	9	.....	.....	.....	.....	.....	1
VIII.—Diseases of skin	216	23	3	2	1	1	1	1	5	10	8	17	33	58	42	11	.....
Gangrene	139	2	.....	2	.....	.....	1	.....	.....	3	4	9	24	47	36	11	.....
Carbuncle	13	4	.....	.....	.....	.....	.....	1	.....	1	2	2	1	2	.....	.....	.....
Abscess	41	5	2	.....	.....	1	.....	.....	4	5	2	6	7	7	2	.....	.....
Other diseases of skin	23	12	1	.....	1	.....	.....	.....	1	1	.....	.....	1	2	4	.....	.....
IX.—Diseases of locomotor system	85	21	12	4	1	3	4	11	2	3	6	2	9	3	4	.....	.....
Diseases of bones	77	21	11	4	1	3	4	10	2	2	6	2	6	1	4	.....	.....
Diseases of joints	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	1	.....	.....	.....
Other diseases of locomotor system	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
X.—Malformations	446	407	15	8	1	2	5	3	.....	.....	1	.....	.....	.....	.....	.....	4
Hydrocephalus	62	45	6	3	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	3
Congenital malformation of heart (cyanosis)	222	206	7	4	.....	.....	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Other congenital malformations	162	156	2	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1
XI.—Early infancy	2,781	2,781	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	1,445	1,445	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,336	1,336	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	1,180	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	70	311	593	206	.....
XIII.—Violence	2,693	329	57	46	52	44	128	178	350	372	328	242	230	175	114	27	21
Suicide	302	.....	.....	.....	.....	.....	.....	11	61	59	54	51	38	25	3	.....	.....
Fractures and dislocations	302	1	3	4	4	2	9	9	20	25	30	22	58	46	48	20	1
Burns and scalds	221	4	22	16	24	16	24	6	18	28	10	17	17	14	4	1	.....
Heat and sunstroke	25	3	2	1	.....	1	2	.....	1	3	.....	7	2	2	1	.....	.....
Cold and freezing	27	2	.....	.....	.....	.....	.....	.....	2	4	6	4	2	4	2	1	.....
Lightning	3	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
Drowning	303	1	3	7	6	7	36	71	39	39	25	20	13	4	1	.....	11
Inhalation of poisonous gases	74	1	4	1	.....	.....	3	3	6	18	15	7	8	5	2	.....	1
Other accidental poisonings	107	13	9	5	4	5	10	4	7	9	23	6	7	3	1	.....	1
Accidental gunshot wounds	36	.....	.....	.....	4	1	2	8	7	6	1	3	1	3	.....	.....	.....
Injuries by machinery	24	.....	.....	.....	.....	.....	.....	3	7	7	5	2	.....	.....	.....	.....	.....
Injuries in mines and quarries	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Railroad accidents and injuries	329	1	1	4	1	1	12	20	82	71	65	34	18	12	1	.....	6
Injuries by vehicles and horses	68	.....	.....	.....	1	4	5	5	8	15	11	9	5	4	1	.....	.....
Suffocation	72	39	1	.....	1	1	1	2	8	5	6	5	.....	2	.....	.....	1
Other accidental injuries	510	8	12	8	7	6	23	34	48	78	69	51	60	51	30	5	.....
Injuries at birth	251	251	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	36	5	.....	.....	.....	.....	1	1	15	4	7	2	1	.....	.....	.....	.....
XIV.—Ill-defined causes	995	529	63	9	7	5	5	7	17	32	42	51	76	76	52	13	11
"Dropsy"	35	3	1	.....	.....	.....	2	.....	.....	3	3	4	2	8	7	2	.....
"Heart failure"	111	17	.....	.....	.....	1	2	1	1	10	14	16	18	20	9	2	.....
Other ill-defined causes	768	468	62	8	7	4	1	3	13	15	13	28	52	45	36	8	5
Unknown causes	81	41	.....	1	.....	.....	.....	3	3	4	12	3	4	3	.....	1	6

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

MICHIGAN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	34,382	6,191	1,051	499	285	273	754	1,757	2,687	2,320	2,519	3,093	4,369	5,035	2,947	451	151
I.—General diseases	8,496	513	238	160	112	121	342	798	1,214	916	902	877	1,036	872	321	37	37
Typhoid fever	637	8	8	6	4	6	27	157	193	91	62	33	23	16	2	.....	1
Malarial fever	67	6	.....	.....	3	1	5	9	3	6	7	7	3	14	2	.....	1
Smallpox	27	7	.....	.....	.....	.....	1	3	5	6	1	1	3	.....	.....	.....	.....
Measles	189	57	44	17	6	8	24	8	6	10	3	1	1	3	.....	.....	1
Scarlet fever	210	14	20	30	25	27	47	33	13	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	145	84	27	16	4	3	8	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Diphtheria	415	24	42	42	36	43	132	74	11	1	3	3	1	1	.....	.....	2
Croup	85	18	15	16	7	7	17	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	632	49	7	1	1	3	6	23	16	21	32	46	91	189	122	21	4
Cholera nostras	31	2	2	.....	1	1	1	1	2	1	3	2	7	7	1	.....	.....
Dysentery	146	23	14	6	9	3	5	.....	2	6	3	3	16	37	16	2	1
Erysipelas	117	29	1	1	.....	.....	.....	.....	4	10	13	8	17	22	11	.....	1
Other epidemic diseases [1]	10	2	4	.....	.....	.....	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....
Septicemia	152	18	2	.....	.....	1	1	13	30	21	9	17	15	13	10	1	1
Tuberculosis of lungs	2,309	25	13	8	3	5	10	304	740	474	299	199	145	65	18	.....	10
Tuberculosis of larynx	25	1	.....	.....	.....	.....	.....	1	7	6	3	7	.....	.....	.....	.....	.....
Tuberculous meningitis	117	31	19	8	6	8	12	14	10	4	1	.....	1	3	.....	.....	.....
Abdominal tuberculosis	144	9	1	1	2	1	1	23	45	14	15	16	5	7	3	.....	1
Pott's disease	27	1	1	.....	.....	1	1	3	4	5	4	1	2	2	2	.....	.....
Tuberculous abscess	7	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	2	.....	.....	.....	.....
White swelling	16	.....	1	.....	.....	.....	1	5	1	2	2	3	1	.....	.....	.....	.....
Tuberculosis of other organs	44	2	.....	.....	.....	.....	1	5	7	10	5	4	3	7	.....	.....	.....
General tuberculosis	39	1	.....	.....	1	1	3	7	5	6	6	3	3	2	.....	.....	1
Scrofula	13	7	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....
Venereal diseases	106	66	1	1	1	.....	.....	2	8	6	5	5	5	5	.....	.....	1
Cancer of mouth	71	.....	.....	.....	.....	.....	.....	.....	1	2	6	14	18	21	7	2	.....
Cancer of stomach and liver	702	.....	.....	.....	.....	.....	.....	5	6	35	89	153	212	166	32	2	2
Cancer of intestines	171	2	.....	.....	.....	.....	1	.....	1	7	30	45	51	27	7	.....	.....
Cancer of female genital organs	230	.....	.....	.....	.....	.....	.....	.....	5	20	65	62	51	20	6	.....	1
Cancer of breast	142	.....	.....	.....	.....	.....	.....	.....	2	12	29	30	40	22	6	1	.....
Cancer of skin	79	.....	.....	.....	.....	.....	.....	.....	1	1	3	14	15	27	18	.....	.....
Cancer of other or unspecified organs	311	2	1	.....	1	.....	3	7	10	19	44	57	86	54	23	2	2
Tumor	53	2	1	1	.....	.....	.....	2	2	5	10	12	7	7	4	.....	.....
Rheumatism	253	1	1	.....	.....	1	17	39	21	17	23	28	39	47	13	5	1
Diabetes	338	.....	2	3	1	.....	12	32	17	30	43	47	92	49	7	.....	3
Anemia, leukemia	240	17	10	2	.....	1	5	15	22	30	29	32	48	21	6	1	1
Alcoholism	104	.....	.....	.....	.....	.....	.....	.....	4	19	35	22	16	6	.....	.....	2
Chronic poisonings	29	.....	.....	.....	.....	.....	.....	.....	2	2	4	6	6	7	2	.....	.....
Other general diseases	63	5	.....	1	.....	.....	.....	4	4	13	16	4	10	3	3	.....	.....
II.—Diseases of nervous system	4,184	638	135	57	23	33	68	116	117	176	276	426	708	887	473	40	11
Encephalitis	63	22	11	3	2	1	10	.....	4	2	1	.....	4	1	2	.....	.....
Meningitis	392	119	59	35	12	15	37	47	25	8	8	10	11	3	1	.....	2
Locomotor ataxia	66	.....	.....	.....	.....	.....	.....	.....	.....	7	10	22	13	11	3	.....	.....
Other diseases of spinal cord	132	5	4	3	1	1	3	6	5	12	17	18	28	20	9	.....	.....
Apoplexy	1,492	40	5	2	.....	2	4	12	18	50	104	213	368	449	203	21	1
Softening of brain	106	1	.....	.....	.....	.....	.....	1	.....	1	5	16	26	35	19	2	.....
Paralysis	772	9	1	2	.....	2	2	4	7	21	34	64	155	272	184	12	3
General paralysis of insane	182	.....	.....	.....	.....	.....	.....	.....	1	13	36	28	38	42	20	4	.....
Other forms of mental disease	93	.....	.....	.....	.....	.....	.....	1	9	15	13	18	19	11	6	.....	1
Other diseases of brain	98	10	4	.....	.....	.....	2	4	5	13	18	12	11	15	4	.....	.....
Epilepsy	139	8	2	.....	1	3	4	16	26	21	12	18	9	9	9	.....	1
Convulsions	495	402	45	10	6	6	3	2	8	3	1	.....	3	3	.....	.....	3
Tetanus	32	7	.....	.....	.....	1	1	10	5	3	1	.....	3	1	.....	.....	.....
Other diseases of nervous system	122	15	4	2	1	2	2	13	4	7	16	7	20	15	13	1	.....
III.—Diseases of circulatory system	4,150	92	8	5	7	7	36	105	131	178	298	562	1,020	1,129	509	48	15
Pericarditis	51	1	.....	.....	.....	.....	2	5	2	2	3	9	11	14	2	.....	.....
Endocarditis	129	3	.....	2	2	.....	3	16	10	9	15	15	28	20	7	.....	1
Heart disease	3,455	61	5	3	4	4	29	78	97	141	247	477	860	981	424	34	10
Angina pectoris	204	2	.....	.....	.....	.....	1	2	11	11	19	35	54	44	20	3	2
Diseases of arteries	178	.....	.....	.....	.....	.....	.....	2	.....	1	4	13	47	57	45	8	1
Embolism and thrombosis	67	2	1	.....	.....	.....	.....	1	5	9	5	9	17	8	7	2	1
Diseases of veins	14	1	.....	.....	.....	.....	.....	.....	3	1	.....	4	3	2	.....	.....	.....
Diseases of lymphatics	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	50	22	2	.....	1	2	1	1	3	4	5	2	.....	2	4	1	.....
IV.—Diseases of respiratory system	3,908	1,027	258	98	43	38	70	138	193	170	245	312	426	538	316	29	7
Laryngitis	19	4	2	3	3	.....	1	.....	.....	1	1	2	1	1	.....	.....	.....
Other diseases of larynx	21	10	2	3	1	1	1	.....	1	.....	.....	1	1	.....	.....	.....	.....
Diseases of thyroid body	7	2	.....	.....	.....	.....	.....	1	.....	.....	2	.....	1	1	.....	.....	.....
Acute bronchitis	462	290	60	12	4	5	8	4	2	2	2	9	11	28	21	4	.....
Chronic bronchitis	368	5	1	1	.....	2	3	6	11	13	14	23	72	123	84	9	1
Bronchopneumonia	527	247	67	23	11	9	9	7	14	8	5	17	30	46	28	5	1
Pneumonia	2,025	407	118	46	23	20	42	101	128	124	174	213	226	230	141	7	5
Pleurisy	74	3	.....	1	.....	.....	1	5	10	5	8	12	8	15	6	.....	.....
Congestion of lungs	162	49	6	4	.....	1	2	7	6	6	6	7	21	24	20	3	.....
Gangrene of lungs	13	.....	.....	1	.....	.....	.....	.....	3	1	3	3	2	.....	.....	.....	.....
Asthma and emphysema	110	5	.....	.....	.....	.....	.....	2	1	1	9	14	27	38	13	.....	.....
Hemorrhage of lungs	42	1	.....	.....	.....	.....	.....	1	7	4	12	5	11	1	.....	.....	.....
Other diseases of respiratory system	78	4	2	4	1	.....	3	4	10	5	9	6	15	11	3	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,324	1,569	270	110	53	37	111	221	221	194	220	325	358	406	187	25	17
Diseases of mouth	22	17	2	1						1	1						
Tonsilitis	38	5	3	4		3	8	5	2	2	1		1	4			
Other diseases of pharynx	26	4		1		2		2	1	1	1	2	6	1	4	1	
Ulcer of stomach	80	1		1				2	6	8	9	15	14	21	3		
Gastritis	283	55	7	3	1	2		4	8	11	11	37	57	51	29	5	2
Other diseases of stomach	191	97	14	4	1	1	1	1	1	5	8	12	16	16	12	2	
Dentition	8	5	3														
Diarrhea and enteritis	2,034	1,283	227	84	45	17	19	29	23	15	17	32	61	91	67	13	11
Hernia	80	6					2	3	3	2	7	21	11	14	11		
Obstruction of intestines	240	32	5	3	2	5	3	17	20	16	19	26	39	36	15	1	1
Other diseases of intestines	93	25	2	2			2	3	5	10	7	7	11	11	7		1
Acute yellow atrophy of liver	12									2	2	3	1	4			
Hydatid tumors of liver	4	1								2			1				
Cirrhosis of liver	294	1	1	1			1	6	7	14	51	78	61	63	9	1	
Biliary calculi	66							1	2	2	9	16	18	15	3		
Other diseases of liver	201	7		2		1	8	5	4	18	22	30	36	51	16	1	
Diseases of spleen	11	1	1	1							1	2	2	3			
Peritonitis	311	28	4	3	2	5	19	41	69	43	34	21	12	19	8	1	2
Appendicitis	324	1	1		2	1	48	102	70	41	20	20	11	4	3		
Other diseases of digestive system	6									1		3		2			
VI.—Diseases of genito-urinary system	2,044	34	18	8	7	6	27	70	111	170	206	260	421	448	226	26	6
Acute nephritis	153	8	9	4	3	3	13	13	16	22	6	12	20	16	8		
Bright's disease	1,356	15	7	3	4	3	11	42	51	94	135	209	327	311	123	17	4
Other diseases of kidneys	89	4	2	1			1	6	3	8	7	11	10	19	17		
Calculi of urinary tract	10								2		1	1	2	2	2		
Diseases of bladder	134	4					2	1	2	3	10	4	19	43	41	4	1
Uterine tumor	48								4	9	16	6	10	2	1		
Other diseases of uterus	53							4	17	9	15	6	1	1			
Ovarian tumor	47							3	8	9	10	3	8	4	1		1
Diseases of tubes	24							1	5	15	1	2					
Other diseases of genito-urinary system	130	3							3	1	5	6	24	50	33	5	
VII.—Childbirth	502							38	240	179	43	1					1
Puerperal septicemia	218							15	118	70	14	1					
Puerperal convulsions	128							17	58	43	10						
Other causes incident to childbirth	156							6	64	66	19						1
VIII.—Diseases of skin	192	28				1		3	5	9	5	11	30	53	41	6	
Gangrene	123	2				1		1	1	3	4	8	19	43	35	6	
Carbuncle	8								1	1			3	2	1		
Abscess	34	9						2	3	5	1	2	7	4	1		
Other diseases of skin	27	17										1	1	4	4		
IX.—Diseases of locomotor system	57	11	4		3	1	2	4	2	4	4	2	11	3	5		1
Diseases of bones	47	11	4		3	1	2	2	2	3	1	2	9	2	4		1
Diseases of joints	8							2		1	3		1	1			
Other diseases of locomotor system	2												1		1		
X.—Malformations	376	353	10	6			2	5									
Hydrocephalus	35	25	5	3			1	1									
Congenital malformation of heart (cyanosis)	194	190	2	1				1									
Other congenital malformations	147	138	3	2			1	3									
XI.—Early infancy	1,352	1,352															
Premature birth	599	599															
Congenital debility	753	753															
XII.—Old age	1,226												47	346	633	195	5
XIII.—Violence	2,425	188	73	48	34	24	86	255	406	287	263	238	187	177	121	21	37
Suicide	298							15	50	51	57	58	37	19	8		3
Fractures and dislocations	224		1			1	3	9	29	21	18	18	22	44	49	9	
Burns and scalds	152	12	23	24	15	11	9	4	4	10	7	8	12	9	4		
Heat and sunstroke	12	2						1	1		3	1		4			
Cold and freezing	38	2					4	1	3	8	3	2	5	4	3	2	1
Lightning	14						1	1	4	4	1			2			1
Drowning	270	1	12	6	7	4	31	77	51	21	18	15	9	3	3		12
Inhalation of poisonous gases	36	2	2	1		1		4	6	9	1	3	2	3	1		1
Other accidental poisonings	126	6	15	5	6	2	4	7	12	14	20	13	8	9	4		1
Accidental gunshot wounds	97		1				2	37	22	11	9	5	4	5			1
Injuries by machinery	46							7	15	8	10	4	1	1			
Injuries in mines and quarries	88							5	45	22	12	3	1				
Railroad accidents and injuries	281			2			5	21	79	46	36	32	21	22	5	2	10
Injuries by vehicles and horses	68	1	1	3		1	3	8	6	4	11	14	9	5	1		1
Suffocation	63	50	1	1				1	3		3	1		1	1		1
Other accidental injuries	488	13	16	5	6	4	24	34	67	53	52	59	56	46	42	8	3
Injuries at birth	99	99															
Homicide	25		1	1				3	9	5	2	2					2
XIV.—Ill-defined causes	1,146	386	37	7	3	5	10	24	47	37	57	79	125	176	115	24	14
"Dropsy"	154	1					1	3	3	5	11	18	34	44	30	3	1
"Heart failure"	168	19		2				3	7	6	15	22	28	43	20	2	1
Other ill-defined causes	451	196	28	5	2	3	4	5	12	6	14	16	36	61	44	13	6
Unknown causes	373	170	9		1	2	5	13	25	20	17	23	27	28	21	6	6

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

NEW HAMPSHIRE.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,800	1,045	197	80	46	36	125	214	416	477	479	650	889	1,120	792	156	78
I.—General diseases	1,625	83	42	27	15	16	49	93	234	202	174	173	221	176	88	17	15
Typhoid fever	79			1	2		4	13	22	19	8	2	3	4	1		
Malarial fever	9	1							1			2	4	1			
Smallpox	2		2														
Measles	7	3	3	1													
Scarlet fever	10		3	2		2	2	1									
Whooping cough	21	12	4	3	1	1											
Diphtheria	46	2	4	8		4	19	5		1	2		1				
Croup	24	1	7	6	4	1	3		1				1				
Influenza	127	10	2			1		2	5	5	6	9	20	30	27	10	
Cholera nostras	10	1			1			1						2	5		
Dysentery	27	7	2	2						2		2	1	6	3	2	
Erysipelas	27	5			1				1			4	5	5	5	1	
Other epidemic diseases[1]	1	1															
Septicemia	31	2	1						3	3	6	4	7	3	2		
Tuberculosis of lungs	596	15	7	2	2		9	45	181	130	80	55	42	21	4		3
Tuberculosis of larynx	6									3			3				
Tuberculous meningitis	36	15	5	2	3	3	4	1	1				2				
Abdominal tuberculosis	22	1	2				2	4	2	4	2	2	2		1		
Pott's disease	4							1	1	1		1					
Tuberculous abscess	1	1															
White swelling	1							1									
Tuberculosis of other organs	4							1					1		2		
General tuberculosis	10							2	2	2	1	2	1				
Scrofula	1	1															
Venereal diseases	4	2				1							1				
Cancer of mouth	7												5	2			
Cancer of stomach and liver	103									1	8	22	34	23	11		4
Cancer of intestines	36									2	6	7	9	9	3		
Cancer of female genital organs	43								2	6	11	14	3	7			
Cancer of breast	17										3	2	6	2	3		1
Cancer of skin	17										2	1	2	8	1	2	1
Cancer of other or unspecified organs	119							3		6	12	19	39	26	11	1	2
Tumor	6									1		2		2	1		
Rheumatism	40					2	3	6	3	2	3	6	5	7	1	1	1
Diabetes	61				1		2	7	3	5	4	10	15	9	4		1
Anemia, leukemia	36	2				1	1		3	4	8	2	6	6	2		1
Alcoholism	22								1	4	9	5	2				1
Chronic poisonings	1													1			
Other general diseases	11	1							2	1	3		1	2	1		
II.—Diseases of nervous system	974	115	24	17	7	7	18	19	21	44	59	111	156	212	137	17	10
Encephalitis	9	2	1	1						1	1		1		1		1
Meningitis	131	51	14	13	4	4	10	7	3	4	8	5	3	4	1		
Locomotor ataxia	11									1	3	2	1	3	1		
Other diseases of spinal cord	28	1	2	1		1			1	2	4	5	1	8	1		1
Apoplexy	430	9	1			1	1	1	2	15	25	59	93	126	72	10	5
Softening of brain	27											2	6	8	11		
Paralysis	135									3	6	12	29	38	38	6	3
General paralysis of insane	39									2	4	5	9	12	7		
Other forms of mental disease	29								3	4	1	7	6	5	3		
Other diseases of brain	34	5	1				1	2	5	2	3	8		4	2	1	
Epilepsy	26	2		1			1	5	5	6	2	3		1			
Convulsions	55	41	4		3	1	3		1	1				1			
Tetanus	7	1					2	3	1								
Other diseases of nervous system	23	3	1	1				1		3	2	3	7	2			
III.—Diseases of circulatory system	909	25	2				6	15	12	42	64	122	202	256	129	24	10
Pericarditis	6							1				1	1	3			
Endocarditis	33							1	2	3	3	4	3	10	5	1	1
Heart disease	748	19	2				5	13	10	34	54	99	171	210	106	19	6
Angina pectoris	59						1			1	3	12	14	15	11	1	1
Diseases of arteries	25									1			4	11	6	2	1
Embolism and thrombosis	23	1								1	2	5	6	6	1	1	
Diseases of veins	3									1			2				
Diseases of lymphatics																	
Other diseases of circulatory system	12	5								1	2	1	1	1			1
IV.—Diseases of respiratory system	803	152	61	21	7	2	12	19	30	48	40	60	74	140	108	20	9
Laryngitis	3	3															
Other diseases of larynx	8	2	5	1													
Diseases of thyroid body																	
Acute bronchitis	85	48	12	4						1	1	1	2	10	4	2	
Chronic bronchitis	62	2					2			3		3	4	15	27	4	2
Bronchopneumonia	94	21	16	5	2		2	1	2	2	3	2	8	14	15		1
Pneumonia	470	65	26	11	5	2	8	16	24	38	29	47	46	85	50	12	6
Pleurisy	14	1	1					1	1	2	2	1	3	1	1		
Congestion of lungs	42	7	1					1	1	2	2	2	5	9	11	1	
Gangrene of lungs	2										1			1			
Asthma and emphysema	14	1								1	2	2	5	3			
Hemorrhage of lungs	1									1							
Other diseases of respiratory system	8	2										2	1	2		1	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	778	325	51	9	8	6	18	22	29	40	39	52	67	56	45	4	7
Diseases of mouth	2	1												1			
Tonsilitis	5	1	1				2		1								
Other diseases of pharynx	5					1	2					1			1		
Ulcer of stomach	18								3	1	3	2	5		4		
Gastritis	55	6	1	1	2	1	1		1	4	4	5	7	8	12	2	
Other diseases of stomach	32	11	6						2	1	2		4	4	2		
Dentition	2	1	1														
Diarrhea and enteritis	408	297	40	6	4	4	4	2	1	7	1	7	13	9	10	2	1
Hernia	17	1								1	4	2	2	2	4		1
Obstruction of intestines	40	1		1			2	2	3	3	5	6	5	7	4		1
Other diseases of intestines	14	1	2					2		3	1	3	1	1			
Acute yellow atrophy of liver	1													1			
Hydatid tumors of liver																	
Cirrhosis of liver	43								2	3	7	9	10	9	3		
Biliary calculi	6										2	2		1			1
Other diseases of liver	41	1		1	1		2	1	2	2	2	4	11	9	4		1
Diseases of spleen	3										2		1				
Peritonitis	50	4					3	5	7	10	5	9	4	3			
Appendicitis	35				1		2	10	7	5	1	2	4	1			2
Other diseases of digestive system	1														1		
VI.—Diseases of genito-urinary system	463	4		2	1	2	2	5	28	35	44	68	92	112	53	2	13
Acute nephritis	38	1		1	1	1	1	2	5	4	5	1	4	5	3		4
Bright's disease	357	3		1		1	1	3	18	25	38	63	75	82	41	1	5
Other diseases of kidneys	7												2	3	1		1
Calculi of urinary tract	2									1		1					
Diseases of bladder	25											1	3	11	7	1	2
Uterine tumor	8									2		2	2	2			
Other diseases of uterus	3								1	2							
Ovarian tumor	2								1				1				
Diseases of tubes	5								3	1	1						
Other diseases of genito-urinary system	16												5	9	1		1
VII.—Childbirth	38							2	16	19	1						
Puerperal septicemia	14							2	7	4	1						
Puerperal convulsions	5								1	4							
Other causes incident to childbirth	19								8	11							
VIII.—Diseases of skin	47	4	1				1	1		1	4	2	6	13	12	1	1
Gangrene	33									1	1	1	4	12	12	1	1
Carbuncle	1											1					
Abscess	6	1	1					1			2			1			
Other diseases of skin	7	3					1				1		2				
IX.—Diseases of locomotor system	9	3		1			1	1	1				1	1			
Diseases of bones	8	3		1			1	1	1					1			
Diseases of joints	1												1				
Other diseases of locomotor system																	
X.—Malformations	59	55	1		1		1	1									
Hydrocephalus	9	7					1	1									
Congenital malformation of heart (cyanosis)	32	30	1		1												
Other congenital malformations	18	18															
XI.—Early infancy	175	175															
Premature birth	14	14															
Congenital debility	161	161															
XII.—Old age	353												14	95	182	62	
XIII.—Violence	353	31	7	1	7	2	16	36	40	40	43	36	32	32	18	4	8
Suicide	46								7	3	10	14	4	6			2
Fractures and dislocations	25								1	1	2	1	2	6	7	3	2
Burns and scalds	25		2		3	2	2	2	1	3	1	3	5		1		
Heat and sunstroke	4								1		1	1		1			
Cold and freezing	6	2							1	1		1			1		
Lightning																	
Drowning	53				2		7	21	12	5	4	1					1
Inhalation of poisonous gases	9	1							2	1		1		3			1
Other accidental poisonings	19	2	3	1						4	3	2	3	1			
Accidental gunshot wounds	15						2	3		4	2	2	1	1			
Injuries by machinery	3							1				2					
Injuries in mines and quarries																	
Railroad accidents and injuries	39		1		1		2		7	13	9	1	1	3			1
Injuries by vehicles and horses	8									2	1	3	1	1			
Suffocation	8	6										1		1			
Other accidental injuries	74	3	1		1		3	9	7	3	10	3	14	9	9	1	1
Injuries at birth	17	17															
Homicide	2								1				1				
XIV.—Ill-defined causes	214	73	8	2		1	1		5	6	11	26	24	27	20	5	5
"Dropsy"	17	1							1			3	3	6	3		
"Heart failure"	36	4					1		1	1	4	7	6	8	3	1	
Other ill-defined causes	137	54	6	2		1			2	5	6	15	15	11	12	4	4
Unknown causes	24	14	2						1		1	1		2	2		1

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

NEW JERSEY.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	35,373	7,471	1,743	810	531	374	1,074	1,528	2,733	3,177	3,142	3,339	3,979	3,479	1,699	242	52
I.—General diseases	9,261	582	440	347	269	195	525	647	1,350	1,413	1,065	894	830	527	150	22	5
Typhoid fever	389	2	3	3	2	3	14	77	109	81	33	34	19	5	4	.....	.....
Malarial fever	58	6	4	.....	.....	2	6	6	4	6	6	4	6	3	5	.....	.....
Smallpox	24	.....	3	3	.....	2	.....	2	7	5	1	1	.....	.....	.....	.....	.....
Measles	207	53	78	24	18	11	16	5	.....	1	.....	1	.....	.....	.....	.....	.....
Scarlet fever	441	16	49	59	55	44	138	55	16	5	2	2	.....	.....	.....	.....	.....
Whooping cough	139	72	35	17	7	1	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	788	37	121	111	109	83	211	81	15	10	4	2	1	1	1	.....	1
Croup	212	21	44	47	32	21	40	6	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	259	18	6	4	2	.....	2	4	7	9	17	28	51	66	34	11	.....
Cholera nostras	22	3	.....	.....	.....	.....	1	.....	.....	3	2	3	5	3	1	1	.....
Dysentery	206	56	23	7	8	3	8	4	6	4	10	7	22	33	12	3	.....
Erysipelas	97	28	2	1	.....	.....	.....	3	6	8	9	10	8	18	4	.....	.....
Other epidemic diseases [1]	3	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Septicemia	95	14	2	2	1	.....	3	4	17	12	14	11	8	7	.....	.....	.....
Tuberculosis of lungs	3,800	83	23	28	13	4	22	323	1,027	1,007	611	339	224	84	9	1	2
Tuberculosis of larynx	66	1	.....	1	.....	.....	2	2	13	18	15	5	7	2	.....	.....	.....
Tuberculous meningitis	222	82	27	28	13	13	21	14	10	8	2	2	1	1	.....	.....	.....
Abdominal tuberculosis	123	23	6	3	2	2	8	13	20	17	8	10	4	5	.....	1	1
Pott's disease	27	3	2	1	1	.....	4	3	4	5	1	2	1	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
White swelling	11	1	.....	.....	.....	1	2	.....	2	3	.....	.....	2	.....	.....	.....	.....
Tuberculosis of other organs	29	3	1	1	.....	.....	1	5	5	6	2	1	3	.....	1	.....	.....
General tuberculosis	55	5	5	2	1	.....	1	9	4	7	7	6	6	2	.....	.....	.....
Scrofula	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Venereal diseases	54	35	2	.....	1	.....	.....	.....	5	4	5	.....	1	.....	.....	.....	1
Cancer of mouth	34	.....	.....	.....	.....	.....	.....	.....	1	.....	2	10	8	11	2	.....	.....
Cancer of stomach and liver	457	.....	.....	.....	.....	.....	.....	.....	7	27	55	124	136	95	13	.....	.....
Cancer of intestines	127	.....	.....	.....	.....	.....	.....	1	2	9	16	30	36	30	2	1	.....
Cancer of female genital organs	185	.....	.....	*	.....	.....	.....	.....	3	23	47	55	40	12	5	.....	.....
Cancer of breast	102	.....	.....	.....	.....	.....	.....	.....	.....	8	27	28	24	13	2	.....	.....
Cancer of skin	51	.....	.....	.....	.....	.....	.....	.....	1	2	2	11	13	12	9	1	.....
Cancer of other or unspecified organs	249	2	1	.....	.....	1	.....	4	8	19	35	46	70	48	15	.....	.....
Tumor	21	1	.....	.....	.....	.....	.....	.....	.....	2	4	5	5	1	3	.....	.....
Rheumatism	163	6	1	.....	2	2	11	15	15	16	17	21	25	18	13	1	.....
Diabetes	232	.....	.....	1	1	1	5	6	13	16	27	51	66	35	8	2	.....
Anemia, leukemia	89	7	2	3	1	1	2	2	6	6	18	8	19	12	2	.....	.....
Alcoholism	177	.....	.....	.....	.....	.....	.....	.....	11	60	53	31	14	6	2	.....	.....
Chronic poisonings	12	.....	.....	.....	.....	.....	.....	1	1	1	2	2	1	3	1	.....	.....
Other general diseases	32	1	.....	1	.....	.....	1	1	5	4	10	4	3	1	1	.....	.....
II.—Diseases of nervous system	4,459	777	229	89	57	41	135	161	141	177	300	478	720	742	354	47	11
Encephalitis	41	9	4	2	1	.....	6	2	5	2	5	1	3	.....	1	.....	.....
Meningitis	846	248	127	60	39	29	98	103	37	27	30	17	12	14	3	1	1
Locomotor ataxia	47	.....	.....	.....	.....	.....	.....	.....	1	3	8	17	11	5	2	.....	.....
Other diseases of spinal cord	117	10	1	1	2	1	1	3	2	12	8	21	27	25	3	.....	.....
Apoplexy	1,769	45	17	5	2	1	2	12	33	53	146	305	454	453	205	30	6
Softening of brain	79	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	6	21	31	15	.....	2
Paralysis	478	4	3	1	1	1	2	3	5	14	20	46	118	154	93	11	2
General paralysis of insane	158	.....	.....	.....	.....	.....	.....	.....	4	11	32	24	37	30	18	2	.....
Other forms of mental disease	67	.....	.....	.....	.....	.....	.....	1	9	10	15	16	7	8	1	.....	.....
Other diseases of brain	77	8	2	3	.....	1	5	6	6	12	11	5	8	3	5	2	.....
Epilepsy	86	5	.....	.....	.....	1	1	6	17	15	9	9	7	12	3	1	.....
Convulsions	547	410	69	16	12	7	9	9	9	5	.....	.....	.....	1	.....	.....	.....
Tetanus	73	27	3	.....	.....	.....	8	10	6	3	5	7	3	.....	1	.....	.....
Other diseases of nervous system	74	11	3	1	.....	.....	3	6	7	10	7	4	12	6	4	.....	.....
III.—Diseases of circulatory system	3,338	105	10	9	9	6	63	138	158	256	365	489	708	711	285	21	5
Pericarditis	32	.....	.....	.....	.....	.....	4	3	4	3	8	5	4	1	.....	.....	.....
Endocarditis	386	13	1	4	3	.....	25	29	32	45	48	39	60	67	19	1	.....
Heart disease	2,486	61	5	5	3	6	31	103	103	179	264	375	565	549	218	15	4
Angina pectoris	142	.....	.....	.....	.....	.....	.....	.....	2	8	16	36	32	40	7	.....	1
Diseases of arteries	137	1	.....	.....	.....	.....	.....	.....	.....	7	12	12	29	36	36	4	.....
Embolism and thrombosis	79	1	1	.....	.....	.....	1	1	9	8	7	14	15	16	5	1	.....
Diseases of veins	10	.....	.....	.....	.....	.....	.....	.....	1	5	.....	2	1	1	.....	.....	.....
Diseases of lymphatics	7	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Other diseases of circulatory system	59	25	3	.....	2	.....	2	2	7	1	10	5	1	1	.....	.....	.....
IV.—Diseases of respiratory system	5,359	1,171	493	190	84	54	109	131	278	420	466	548	626	498	255	30	6
Laryngitis	30	7	6	3	3	2	4	.....	.....	.....	2	1	.....	1	1	.....	.....
Other diseases of larynx	25	5	6	4	2	.....	2	1	.....	2	.....	2	.....	.....	1	.....	.....
Diseases of thyroid body	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Acute bronchitis	402	271	49	19	10	3	1	1	1	1	2	9	15	11	7	2	.....
Chronic bronchitis	288	6	4	2	1	.....	1	4	9	14	15	25	70	82	48	7	.....
Bronchopneumonia	842	375	158	58	22	15	19	12	12	24	8	30	43	36	26	2	2
Pneumonia	3,239	441	253	92	44	27	74	100	225	339	377	402	415	293	136	17	4
Pleurisy	108	4	6	5	2	3	4	5	15	9	15	17	12	8	3	.....	.....
Congestion of lungs	243	56	9	4	.....	4	3	5	7	10	21	28	33	37	24	2	.....
Gangrene of lungs	13	.....	.....	.....	.....	.....	.....	.....	2	1	3	4	1	2	.....	.....	.....
Asthma and emphysema	79	2	1	1	.....	.....	.....	.....	1	4	5	14	22	20	9	.....	.....
Hemorrhage of lungs	63	4	.....	1	.....	.....	.....	2	5	11	14	11	8	7	.....	.....	.....
Other diseases of respiratory system	23	.....	1	.....	.....	.....	1	1	1	5	4	5	5	.....	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	4,428	2,138	423	98	45	27	77	110	151	189	252	247	298	237	121	15	.....
Diseases of mouth	9	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Tonsilitis	13	3	1	.....	.....	3	.....	1	2	1	1	1	.....	.....	.....	.....	.....
Other diseases of pharynx	25	6	1	.....	2	1	.....	1	1	1	3	.....	2	3	3	1	.....
Ulcer of stomach	56	.....	1	.....	.....	.....	1	2	6	10	9	14	8	5	.....	.....	.....
Gastritis	281	58	12	8	.....	.....	8	6	10	14	29	24	42	38	30	2	.....
Other diseases of stomach	132	40	2	2	1	2	4	1	3	5	12	12	14	17	14	3	.....
Dentition	10	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	2,752	1,943	392	82	34	14	28	15	17	17	17	28	58	64	35	8	.....
Hernia	74	7	.....	.....	2	.....	.....	2	1	4	7	11	18	14	7	1	.....
Obstruction of intestines	109	37	5	1	1	2	4	15	16	20	23	26	24	20	5	.....	.....
Other diseases of intestines	45	7	.....	.....	1	1	3	4	3	2	2	5	8	5	4	.....	.....
Acute yellow atrophy of liver	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1	.....	.....
Hydatid tumors of liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of liver	317	1	1	1	.....	1	1	1	6	41	77	71	77	31	8	.....	.....
Biliary calculi	45	.....	.....	.....	.....	.....	1	.....	3	.....	9	13	10	9	.....	.....	.....
Other diseases of liver	116	8	.....	2	.....	.....	.....	3	11	16	17	12	21	18	8	.....	.....
Diseases of spleen	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Peritonitis	173	11	3	2	1	.....	11	20	37	30	19	17	10	8	4	.....	.....
Appendicitis	164	1	1	.....	3	3	15	39	33	26	24	11	5	1	2	.....	.....
Other diseases of digestive system	7	.....	.....	.....	.....	.....	1	.....	2	1	2	.....	1	.....	.....	.....	.....
VI.—Diseases of genito-urinary system	2,353	43	12	15	19	7	51	74	168	232	323	388	476	356	181	13	5
Acute nephritis	288	17	3	10	11	5	21	21	33	36	47	34	21	17	12	.....	.....
Bright's disease	1,816	19	7	5	7	2	30	51	109	166	255	326	402	282	142	8	5
Other diseases of kidneys	56	4	1	.....	1	.....	.....	1	4	6	5	8	13	9	3	1	.....
Calculi of urinary tract	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Diseases of bladder	86	1	1	.....	.....	.....	.....	.....	.....	4	1	8	20	29	19	3	.....
Uterine tumor	26	.....	.....	.....	.....	.....	.....	.....	1	4	8	5	5	3	.....	.....	.....
Other diseases of uterus	18	.....	.....	.....	.....	.....	.....	.....	7	3	5	2	.....	.....	1	.....	.....
Ovarian tumor	12	.....	.....	.....	.....	.....	.....	.....	4	1	.....	1	4	1	.....	1	.....
Diseases of tubes	21	.....	.....	.....	.....	.....	.....	1	8	11	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	38	2	.....	.....	.....	.....	.....	.....	2	1	1	3	11	14	4	.....	.....
VII.—Childbirth	265	.....	.....	.....	.....	.....	.....	13	117	114	21	.....	.....	.....	.....	.....	.....
Puerperal septicemia	131	.....	.....	.....	.....	.....	.....	8	64	51	8	.....	.....	.....	.....	.....	.....
Puerperal convulsions	52	.....	.....	.....	.....	.....	.....	5	25	20	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	82	.....	.....	.....	.....	.....	.....	.....	28	43	11	.....	.....	.....	.....	.....	.....
VIII.—Diseases of skin	109	22	1	1	.....	1	3	1	3	9	9	19	34	39	21	6	.....
Gangrene	111	3	.....	1	.....	1	3	.....	.....	.....	.....	5	13	25	36	18	6	.....
Carbuncle	9	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	1	2	2	.....	.....	.....
Abscess	36	10	1	.....	.....	.....	.....	1	3	5	4	3	7	1	1	.....	.....
Other diseases of skin	13	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....
IX.—Diseases of locomotor system	74	34	16	.....	1	.....	2	5	2	2	2	.....	3	5	2	.....	.....
Diseases of bones	63	34	16	.....	1	.....	2	3	1	.....	2	.....	1	2	1	.....	.....
Diseases of joints	7	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	3	1	.....	.....
Other diseases of locomotor system	4	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....
X.—Malformations	316	296	7	2	6	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Hydrocephalus	47	38	2	1	4	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	161	152	4	1	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other congenital malformations	108	106	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XI.—Early infancy	1,529	1,529	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	736	736	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	793	793	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	517	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38	174	238	67	.....
XIII.—Violence	2,283	191	39	46	34	39	100	236	347	349	312	231	176	114	48	9	12
Suicide	298	.....	.....	.....	.....	.....	.....	14	57	54	62	57	36	14	2	.....	2
Fractures and dislocations	198	.....	1	2	.....	1	3	18	28	28	29	20	13	27	19	8	1
Burns and scalds	196	9	17	26	13	23	24	14	12	17	9	9	14	6	2	1	.....
Heat and sunstroke	25	4	2	.....	.....	2	.....	1	3	2	2	2	4	2	1	.....	.....
Cold and freezing	22	1	.....	.....	.....	.....	.....	.....	5	5	1	4	3	2	1	.....	.....
Lightning	6	.....	.....	.....	.....	.....	2	1	2	.....	1	.....	.....	.....	.....	.....	.....
Drowning	270	2	2	3	3	3	28	55	52	33	42	21	17	7	.....	.....	2
Inhalation of poisonous gases	93	4	2	1	2	.....	2	10	17	14	12	18	7	2	2	.....	.....
Other accidental poisonings	86	7	7	7	2	3	4	8	9	9	15	6	3	5	.....	.....	1
Accidental gunshot wounds	69	.....	.....	.....	.....	.....	4	11	16	17	7	9	2	2	1	.....	.....
Injuries by machinery	16	.....	.....	.....	.....	.....	.....	1	4	6	2	1	1	1	.....	.....	.....
Injuries in mines and quarries	8	.....	.....	.....	.....	.....	.....	.....	2	3	3	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	437	.....	1	.....	2	2	13	59	95	86	67	43	38	22	5	.....	4
Injuries by vehicles and horses	28	.....	.....	2	2	1	2	2	3	5	6	3	1	1	.....	.....	.....
Suffocation	29	16	.....	.....	.....	.....	1	1	1	1	4	2	2	1	.....	.....	.....
Other accidental injuries	342	12	5	5	10	4	15	36	35	64	48	34	35	22	15	.....	2
Injuries at birth	136	136	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	24	.....	2	.....	.....	.....	2	5	6	5	2	2	.....	.....	.....	.....	.....
XIV.—Ill-defined causes	1,012	583	73	13	7	4	7	10	17	16	27	45	70	76	44	12	8
"Dropsy"	38	3	.....	.....	.....	.....	.....	1	2	1	3	9	7	9	3	.....	.....
"Heart failure"	126	21	2	.....	.....	2	1	.....	6	6	8	17	34	19	7	3	.....
Other ill-defined causes	793	533	71	13	7	2	6	5	6	5	11	18	28	47	34	7	.....
Unknown causes	55	26	.....	.....	.....	.....	.....	4	3	4	5	1	1	1	.....	2	8

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

NEW YORK.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	142,014	25,366	6,646	2,868	1,822	1,342	3,904	5,858	11,103	13,642	13,222	14,289	16,621	15,630	8,248	1,239	223
I.—General diseases	36,500	1,918	1,698	1,155	842	640	1,692	2,407	5,263	5,550	4,482	3,885	3,521	2,431	881	96	39
Typhoid fever	1,685	9	7	13	18	13	95	311	416	374	188	133	62	38	7	.....	1
Malarial fever	183	18	9	7	4	6	5	15	20	15	16	16	20	25	7	.....	.....
Smallpox	13	1	.....	.....	.....	.....	.....	3	3	1	2	1	1	.....	.....	.....	1
Measles	1,138	280	412	181	73	47	68	25	18	13	10	2	6	1	1	.....	1
Scarlet fever	1,256	56	150	169	179	146	370	125	41	18	1	1	.....	.....	.....	.....	.....
Whooping cough	425	200	93	41	21	9	12	5	.....	.....	.....	.....	1	2	.....	.....	1
Diphtheria	2,621	189	204	432	320	253	615	192	49	31	19	6	3	5	1	1	1
Croup	391	48	89	79	46	46	74	7	.....	1	.....	1	.....	.....	.....	.....	.....
Influenza	1,750	94	39	12	9	7	23	55	93	101	101	183	293	399	296	41	4
Cholera nostras	91	17	6	3	.....	1	5	.....	1	5	7	15	11	10	9	1	.....
Dysentery	550	87	41	25	13	5	17	5	14	18	19	38	83	112	66	6	1
Erysipelas	433	148	7	2	2	.....	3	7	26	26	44	40	55	44	24	5	.....
Other epidemic diseases[1]	19	6	4	1	.....	1	.....	1	.....	3	.....	.....	2	.....	1	.....	.....
Septicemia	278	37	2	1	3	.....	8	20	48	44	26	27	26	24	9	2	1
Tuberculosis of lungs	14,210	127	83	38	28	12	92	1,178	3,905	3,855	2,413	1,286	758	335	84	5	11
Tuberculosis of larynx	124	2	.....	.....	.....	.....	.....	8	33	36	23	13	6	3	.....	.....	.....
Tuberculous meningitis	916	240	172	100	77	49	123	51	40	29	21	10	.....	2	.....	.....	2
Abdominal tuberculosis	404	45	21	12	9	6	26	51	61	62	32	38	27	11	3	.....	.....
Pott's disease	138	3	3	4	4	3	20	25	18	23	12	14	5	4	.....	.....	.....
Tuberculous abscess	6	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	3	.....	.....	.....	.....
White swelling	62	3	3	1	3	1	6	14	5	2	8	4	9	3	.....	.....	.....
Tuberculosis of other organs	116	3	2	4	2	2	3	20	20	12	17	18	9	3	1	.....	.....
General tuberculosis	209	12	9	6	5	3	12	27	51	36	21	12	9	6	.....	.....	.....
Scrofula	25	14	3	.....	.....	1	1	3	.....	.....	.....	.....	2	1	.....	.....	.....
Venereal diseases	348	176	8	5	2	3	3	11	47	29	28	19	10	4	1	.....	2
Cancer of mouth	165	.....	.....	2	.....	.....	.....	1	3	7	27	43	43	24	10	5	.....
Cancer of stomach and liver	2,211	2	.....	.....	2	1	2	2	19	117	317	561	687	415	81	4	1
Cancer of intestines	638	2	.....	.....	.....	2	1	2	10	47	103	149	177	115	27	2	1
Cancer of female genital organs	823	.....	.....	.....	.....	1	.....	2	23	93	226	229	158	74	13	3	1
Cancer of breast	523	.....	.....	.....	.....	.....	.....	.....	6	42	102	142	128	81	19	3	.....
Cancer of skin	179	1	.....	.....	.....	1	1	1	.....	5	16	19	39	54	37	4	1
Cancer of other or unspecified organs	1,295	3	8	6	6	1	8	19	36	96	210	276	320	225	74	3	4
Tumor	92	1	.....	.....	1	.....	.....	5	7	6	10	18	23	18	3	.....	.....
Rheumatism	834	9	5	1	7	13	63	115	71	71	90	83	118	122	57	7	2
Diabetes	1,225	2	5	4	4	1	19	60	50	83	154	301	292	209	40	.....	1
Anemia, leukemia	467	28	8	3	2	2	12	32	55	48	64	82	77	40	9	4	1
Alcoholism	447	.....	.....	1	.....	1	2	1	57	157	117	67	35	8	1	.....	.....
Chronic poisonings	53	.....	.....	.....	.....	.....	.....	1	4	14	13	6	10	5	.....	.....	.....
Other general diseases	157	14	5	2	2	3	2	7	13	30	25	31	13	9	.....	.....	1
II.—Diseases of nervous system	15,323	2,064	652	362	221	207	536	580	491	758	1,123	1,705	2,551	2,634	1,277	128	14
Encephalitis	54	9	3	2	2	3	2	3	5	7	3	2	5	8	.....	.....	.....
Meningitis	3,307	774	457	273	181	162	456	415	191	132	111	71	45	29	8	1	1
Locomotor ataxia	204	.....	.....	.....	.....	.....	.....	1	6	21	45	46	60	18	6	.....	1
Other diseases of spinal cord	404	13	.....	4	3	5	3	15	19	40	48	71	96	69	17	1	.....
Apoplexy	6,633	95	16	7	7	2	9	22	85	226	532	1,117	1,762	1,822	838	83	10
Softening of brain	254	1	1	.....	.....	.....	1	.....	.....	1	5	28	66	89	55	7	.....
Paralysis	1,181	9	7	2	.....	.....	8	3	9	22	51	122	274	390	258	24	2
General paralysis of insane	683	1	.....	.....	.....	.....	.....	2	13	125	172	116	101	105	42	6	.....
Other forms of mental disease	210	.....	.....	.....	.....	.....	.....	4	21	26	28	39	45	30	14	3	.....
Other diseases of brain	313	42	15	3	.....	3	12	25	24	40	38	30	34	29	15	3	.....
Epilepsy	376	25	7	5	2	5	10	37	76	66	50	33	27	23	10	.....	.....
Convulsions	1,261	1,010	121	55	19	13	14	7	10	6	2	.....	1	1	2	.....	.....
Tetanus	141	53	1	1	1	5	16	22	8	15	9	4	4	2	.....	.....	.....
Other diseases of nervous system	302	32	24	10	6	9	25	24	24	31	29	26	31	19	12	.....	.....
III.—Diseases of circulatory system	15,477	233	45	11	28	26	203	496	672	1,121	1,502	2,335	3,499	3,583	1,538	161	24
Pericarditis	126	1	1	.....	1	.....	6	8	13	15	17	16	19	18	10	1	.....
Endocarditis	1,015	20	2	1	4	6	45	68	60	108	118	170	194	157	54	8	.....
Heart disease	12,229	148	34	9	19	18	143	383	512	867	1,189	1,902	2,823	2,865	1,218	109	20
Angina pectoris	507	.....	.....	.....	.....	1	1	9	16	32	57	77	153	130	28	1	2
Diseases of arteries	897	2	.....	.....	.....	.....	.....	.....	8	35	52	82	199	304	177	36	2
Embolism and thrombosis	419	4	2	.....	.....	1	3	17	39	26	45	60	88	87	43	4	.....
Diseases of veins	57	.....	.....	.....	.....	.....	1	.....	2	7	7	8	12	15	5	.....	.....
Diseases of lymphatics	22	10	1	1	.....	.....	1	1	2	.....	.....	1	2	1	1	1	.....
Other diseases of circulatory system	175	48	5	.....	4	.....	3	10	20	31	17	19	9	6	2	1	.....
IV.—Diseases of respiratory system	22,409	4,888	2,286	776	398	222	487	302	1,138	1,876	1,897	2,010	2,314	2,231	1,221	174	19
Laryngitis	81	15	14	8	7	6	7	1	2	6	1	4	3	4	3	.....	.....
Other diseases of larynx	78	26	9	10	4	1	5	2	4	4	2	1	7	2	1	.....	.....
Diseases of thyroid body	27	1	1	.....	.....	.....	.....	2	3	4	6	3	6	1	.....	.....	.....
Acute bronchitis	2,012	1,203	350	92	35	19	15	9	3	11	14	37	52	115	89	8	.....
Chronic bronchitis	1,142	31	8	8	3	.....	14	8	25	45	58	128	192	327	247	46	2
Bronchopneumonia	4,853	1,920	1,001	295	131	69	127	50	92	117	111	170	269	301	170	28	2
Pneumonia	12,549	1,527	856	333	177	111	293	377	895	1,529	1,549	1,472	1,556	1,228	567	66	13
Pleurisy	513	22	32	22	5	7	18	27	62	73	66	64	47	46	19	3	.....
Congestion of lungs	548	118	14	3	3	6	7	11	15	22	26	36	75	100	92	18	2
Gangrene of lungs	42	1	.....	1	.....	2	.....	1	1	10	8	8	4	6	.....	.....	.....
Asthma and emphysema	265	5	.....	1	2	1	.....	3	5	17	22	56	65	63	24	1	.....
Hemorrhage of lungs	147	6	.....	.....	.....	.....	.....	3	22	25	26	16	26	19	2	2	.....
Other diseases of respiratory system	112	13	1	3	1	.....	1	8	9	13	8	15	12	19	7	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	16,615	7,640	1,505	302	139	93	306	509	586	889	955	1,066	1,131	955	465	62	12
Diseases of mouth	63	40	3	3	2	.....	2	2	1	.....	1	1	5	1	2	.....	.....
Tonsilitis	72	6	9	7	3	3	15	9	9	3	6	1	.....	1	.....	.....	.....
Other diseases of pharynx	95	11	4	3	1	2	2	6	2	4	13	15	14	9	9	.....	.....
Ulcer of stomach	265	3	.....	.....	1	1	6	8	23	56	58	44	33	24	7	.....	1
Gastritis	683	115	19	11	3	5	12	11	24	54	50	67	101	123	80	8	.....
Other diseases of stomach	547	214	33	6	5	3	6	9	12	24	24	32	55	65	47	12	.....
Dentition	16	14	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis	9,891	7,019	1,398	242	99	47	80	57	57	72	80	127	198	237	149	26	3
Hernia	367	17	.....	2	1	.....	1	6	14	31	48	75	81	57	30	4	.....
Obstruction of intestines	704	98	16	8	8	8	25	29	44	83	66	77	106	91	39	6	.....
Other diseases of intestines	201	40	3	3	2	5	5	5	11	24	18	29	21	20	13	.....	2
Acute yellow atrophy of liver	34	.....	.....	.....	.....	.....	1	2	11	3	4	3	6	1	2	.....	1
Hydatid tumors of liver	5	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....
Cirrhosis of liver	1,412	2	1	1	.....	1	5	7	41	212	327	335	281	165	31	1	2
Biliary calculi	174	.....	.....	.....	.....	.....	.....	.....	2	19	34	42	43	22	12	.....	.....
Other diseases of liver	499	25	5	5	2	1	4	11	24	39	64	88	95	82	29	5	.....
Diseases of spleen	16	.....	1	.....	.....	1	.....	1	.....	4	3	2	4	.....	.....	.....	.....
Peritonitis	594	33	7	7	4	7	30	74	107	96	70	56	57	36	8	.....	2
Appendicitis	949	1	4	4	8	9	112	270	201	135	86	67	25	20	6	.....	1
Other diseases of digestive system	28	1	.....	.....	.....	.....	.....	2	2	10	2	4	5	1	1	.....	.....
VI.—Diseases of genito-urinary system	12,063	151	43	35	36	27	96	200	819	1,304	1,754	2,112	2,437	2,086	820	75	8
Acute nephritis	1,115	54	19	17	20	13	52	75	148	174	141	137	133	98	31	3	.....
Bright's disease	9,559	82	21	18	16	12	42	100	521	920	1,423	1,831	2,100	1,736	618	56	3
Other diseases of kidneys	235	6	2	.....	.....	.....	2	5	24	22	35	35	38	36	27	3	.....
Calculi of urinary tract	42	1	.....	.....	.....	1	.....	.....	7	1	5	10	12	3	2	.....	.....
Diseases of bladder	314	2	.....	.....	.....	.....	.....	.....	4	7	10	16	52	123	83	12	5
Uterine tumor	141	.....	.....	.....	.....	.....	.....	.....	5	35	51	26	15	8	1	.....	.....
Other diseases of uterus	129	.....	1	.....	.....	.....	.....	9	33	43	21	15	4	1	2	.....	.....
Ovarian tumor	100	.....	.....	.....	.....	1	.....	2	16	24	16	19	15	5	2	.....	.....
Diseases of tubes	166	.....	.....	.....	.....	.....	.....	8	56	70	28	4	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	262	6	.....	.....	.....	.....	.....	1	5	8	24	19	68	76	54	1	.....
VII.—Childbirth	1,268	.....	.....	.....	.....	.....	.....	67	368	516	114	.....	.....	.....	.....	.....	3
Puerperal septicemia	577	.....	.....	.....	.....	.....	.....	33	293	217	34	.....	.....	.....	.....	.....	.....
Puerperal convulsions	280	.....	.....	.....	.....	.....	.....	20	130	101	28	.....	.....	.....	.....	.....	1
Other causes incident to childbirth	411	.....	.....	.....	.....	.....	.....	14	145	198	52	.....	.....	.....	.....	.....	2
VIII.—Diseases of skin	613	66	6	8	2	2	4	11	11	17	29	47	98	166	120	23	3
Gangrene	398	2	3	4	1	2	1	1	1	7	13	24	75	135	105	22	2
Carbuncle	28	2	.....	.....	.....	.....	.....	1	2	1	2	4	4	8	3	.....	1
Abscess	121	35	1	2	1	.....	3	8	7	6	11	16	11	11	8	1	.....
Other diseases of skin	66	27	2	2	.....	.....	.....	1	1	3	3	3	8	12	4	.....	.....
IX.—Diseases of locomotor system	260	62	28	15	5	4	17	26	22	12	20	16	15	15	3	.....	.....
Diseases of bones	232	59	27	15	5	4	16	26	20	10	13	12	13	10	2	.....	.....
Diseases of joints	17	3	1	.....	.....	.....	1	.....	1	.....	4	2	.....	4	1	.....	.....
Other diseases of locomotor system	11	.....	.....	.....	.....	.....	.....	.....	1	2	3	2	2	1	.....	.....	.....
X.—Malformations	1,105	1,015	47	10	9	4	6	7	1	1	3	1	1	.....	.....	.....	.....
Hydrocephalus	145	91	33	4	5	4	3	1	1	1	1	.....	1	.....	.....	.....	.....
Congenital malformation of heart (cyanosis)	643	630	4	3	2	.....	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....
Other congenital malformations	317	294	10	3	2	.....	3	3	.....	.....	2	.....	.....	.....	.....	.....	.....
XI.—Early infancy	5,202	5,202	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	2,595	2,595	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	2,607	2,607	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
XII.—Old age	2,784	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148	765	1,433	425	13
XIII.—Violence	9,695	755	166	166	153	112	512	966	1,482	1,519	1,272	979	682	484	313	55	79
Suicide	1,031	.....	.....	.....	.....	.....	.....	31	214	225	196	179	110	55	14	1	6
Fractures and dislocations	945	7	4	6	9	5	32	48	110	124	102	91	90	134	144	32	7
Burns and scalds	600	21	66	76	61	37	59	32	56	43	54	32	24	20	16	1	2
Heat and sunstroke	48	15	.....	.....	.....	.....	2	3	4	7	3	4	6	1	2	.....	1
Cold and freezing	54	.....	.....	.....	.....	.....	.....	3	3	5	12	9	8	6	8	.....	.....
Lightning	23	.....	.....	.....	.....	.....	.....	6	5	2	6	3	.....	.....	1	.....	.....
Drowning	972	8	15	9	9	7	77	182	153	197	160	78	39	12	3	.....	23
Inhalation of poisonous gases	1,393	29	22	24	21	22	166	321	208	208	139	111	57	31	12	1	1
Other accidental poisonings	461	12	20	17	10	6	13	30	79	86	79	52	33	24	.....	.....	.....
Accidental gunshot wounds	276	1	.....	1	1	5	7	42	62	58	40	27	19	10	1	.....	2
Injuries by machinery	39	.....	.....	.....	.....	1	.....	2	8	11	7	4	4	.....	2	.....	.....
Injuries in mines and quarries	4	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....
Railroad accidents and injuries	1,012	.....	1	1	4	6	32	90	241	218	149	131	76	31	6	.....	26
Injuries by vehicles and horses	332	2	6	9	14	4	38	31	45	51	42	35	34	16	5	.....	.....
Suffocation	103	67	2	.....	.....	1	1	1	6	6	4	8	2	3	2	.....	.....
Other accidental injuries	1,717	30	30	23	24	18	80	128	246	249	238	208	175	140	97	20	11
Injuries at birth	554	554	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide	131	9	.....	.....	.....	.....	5	16	41	28	19	7	5	1	.....	.....	.....
XIV.—Ill-defined causes	2,700	1,372	170	28	19	5	25	27	50	79	71	133	224	280	177	31	9
"Dropsy"	163	4	.....	.....	.....	.....	2	3	1	4	8	17	31	50	39	4	.....
"Heart failure"	461	55	3	.....	.....	.....	7	10	18	49	37	63	93	87	35	4	.....
Other ill-defined causes	2,033	1,292	166	27	19	5	15	13	29	25	24	49	97	143	100	22	7
Unknown causes	43	21	1	1	.....	.....	1	1	2	1	2	4	3	.....	3	1	2

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

RHODE ISLAND.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	8,100	1,739	337	131	91	67	197	306	590	618	702	843	979	922	480	81	17
I.—General diseases	2,145	144	77	53	43	34	97	150	312	270	265	232	227	163	53	11	5
Typhoid fever	70	.....	1	.....	2	2	6	13	18	10	9	4	2	2	1	.....	.....
Malarial fever	20	1	1	.....	2	2	2	1	1	.....	1	2	3	3	.....	1	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	16	7	4	2	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	70	1	6	10	5	11	20	11	2	3	.....	1	.....	.....	.....	.....	.....
Whooping cough	8	6	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria	128	10	18	15	23	13	35	10	2	.....	2	.....	.....	.....	.....	.....	.....
Croup	17	1	6	4	.....	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	109	3	3	.....	1	.....	2	4	7	7	9	10	24	23	14	2	.....
Cholera nostras	6	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....
Dysentery	69	14	9	3	5	1	1	.....	1	.....	4	5	12	9	5	.....	.....
Erysipelas	21	8	.....	.....	.....	.....	.....	.....	.....	1	2	2	4	2	1	1	.....
Other epidemic diseases [1]	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	5	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
Tuberculosis of lungs	801	19	7	3	.....	.....	9	88	238	190	119	60	39	20	6	1	2
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....
Tuberculous meningitis	81	35	12	6	3	2	5	6	4	4	3	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	40	8	5	4	.....	.....	1	7	2	2	7	1	2	.....	.....	1	.....
Pott's disease	13	1	.....	1	.....	.....	2	2	3	1	1	1	.....	1	.....	.....	.....
Tuberculous abscess	3	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
White swelling	6	.....	.....	1	.....	.....	1	2	.....	.....	1	.....	.....	1	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	1	.....	.....	1	.....	1	.....	1	.....	1	1	.....	.....	.....
General tuberculosis	27	7	2	1	.....	.....	.....	3	6	3	4	1	.....	.....	.....	.....	.....
Scrofula	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	22	12	.....	.....	.....	.....	.....	1	2	3	1	1	2	.....	.....	.....	.....
Cancer of mouth	10	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	3	2	2	.....	.....
Cancer of stomach and liver	146	.....	.....	.....	1	.....	.....	.....	6	5	13	38	40	33	7	1	2
Cancer of intestines	51	.....	.....	.....	.....	.....	.....	.....	2	5	10	9	16	7	2	.....	.....
Cancer of female genital organs	73	.....	.....	.....	.....	.....	.....	.....	2	6	24	18	15	7	.....	.....	1
Cancer of breast	62	.....	.....	.....	.....	.....	.....	.....	.....	4	15	7	12	16	8	.....	.....
Cancer of skin	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	6	2	1	1	2	.....
Cancer of other or unspecified organs	51	.....	.....	.....	.....	.....	.....	1	.....	1	9	15	13	10	1	1	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
Rheumatism	32	.....	.....	.....	.....	.....	2	5	2	5	2	6	2	7	.....	1	.....
Diabetes	74	.....	.....	.....	.....	.....	2	3	2	4	7	21	19	13	3	.....	.....
Anemia, leukemia	32	5	.....	1	1	.....	.....	2	3	.....	5	4	7	3	1	.....	.....
Alcoholism	38	.....	.....	.....	.....	.....	.....	.....	7	8	9	11	3	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....
Other general diseases	6	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	.....	.....	.....	.....
II.—Diseases of nervous system	835	86	29	10	7	5	19	19	18	34	58	119	164	179	77	11	.....
Encephalitis	7	2	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	.....	.....	.....	.....
Meningitis	115	38	17	9	5	5	17	6	3	5	3	3	3	1	.....	.....	.....
Locomotor ataxia	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	1	.....	.....	.....
Other diseases of spinal cord	32	3	.....	.....	.....	.....	.....	1	1	2	5	5	7	6	2	.....	.....
Apoplexy	432	8	2	.....	1	.....	1	2	1	11	26	69	117	132	56	6	.....
Softening of brain	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	9	3	.....	.....
Paralysis	66	.....	.....	.....	.....	.....	.....	.....	1	1	2	12	22	16	8	4	.....
General paralysis of insane	44	.....	.....	.....	.....	.....	.....	.....	2	5	11	9	7	7	3	.....	.....
Other forms of mental disease	14	.....	.....	.....	.....	.....	.....	.....	2	2	1	4	1	2	2	.....	.....
Other diseases of brain	14	2	1	.....	.....	.....	.....	1	1	1	2	1	2	1	2	.....	.....
Epilepsy	23	.....	.....	.....	1	.....	.....	7	5	3	1	4	.....	2	.....	.....	.....
Convulsions	35	26	7	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	7	2	.....	.....	.....	.....	1	1	1	.....	.....	1	1	.....	.....	.....	.....
Other diseases of nervous system	26	5	2	.....	.....	.....	.....	.....	.....	3	4	6	2	2	1	1	.....
III.—Diseases of circulatory system	830	16	2	1	.....	1	10	23	26	51	68	133	213	186	88	9	3
Pericarditis	7	.....	.....	.....	.....	.....	1	1	1	2	1	.....	.....	.....	1	.....	.....
Endocarditis	40	.....	.....	1	.....	.....	2	4	3	6	2	3	9	6	2	1	1
Heart disease	675	10	2	.....	.....	.....	6	17	20	41	54	117	176	154	69	7	2
Angina pectoris	33	.....	.....	.....	.....	.....	.....	.....	1	1	4	7	10	7	2	1	.....
Diseases of arteries	51	.....	.....	.....	.....	.....	.....	.....	.....	1	2	5	14	17	12	.....	.....
Embolism and thrombosis	12	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	4	1	2	.....	.....
Diseases of veins	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
Diseases of lymphatics	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	7	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
IV.—Diseases of respiratory system	1,142	314	99	42	22	12	14	39	49	61	85	102	107	117	65	11	3
Laryngitis	8	.....	3	.....	1	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
Other diseases of larynx	7	2	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	144	101	19	6	1	2	1	1	1	.....	1	.....	.....	3	7	1	.....
Chronic bronchitis	86	3	.....	.....	.....	.....	1	.....	2	.....	9	8	20	25	14	3	1
Bronchopneumonia	205	99	27	11	7	2	1	1	4	4	4	8	11	13	8	4	1
Pneumonia	643	104	46	23	12	7	10	30	37	54	68	77	70	68	33	3	1
Pleurisy	20	.....	1	2	.....	.....	.....	1	4	1	.....	5	3	2	1	.....	.....
Congestion of lungs	15	4	.....	.....	.....	.....	.....	3	.....	.....	1	1	3	2	1	.....	.....
Gangrene of lungs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Asthma and emphysema	9	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	4	1	.....	.....
Hemorrhage of lungs	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other diseases of respiratory system	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	1,100	607	104	16	7	5	22	17	28	24	51	60	61	63	29	4	2
Diseases of mouth	3	2						1									
Tonsilitis	5	1		1			2								1		
Other diseases of pharynx	2	1												1			
Ulcer of stomach	19	1							3	2	4	3	4	2			
Gastritis	53	12	1		2				2	2	3	9	7	9	6		
Other diseases of stomach	84	56	7	1			2				3	2	7	3	3		
Dentition																	
Diarrhea and enteritis	700	518	93	12	5	5	9	3	3	3	3	9	9	16	8	2	2
Hernia	21	2							1			8	2	5	3		
Obstruction of intestines	25	6	1						1		5	2	5	3	2		
Other diseases of intestines	20	5		1					1	1	1	2	3	4	1	1	
Acute yellow atrophy of liver	2										1			1			
Hydatid tumors of liver																	
Cirrhosis of liver	64	1							1	5	16	17	10	12	2		
Biliary calculi	13	1							1	3	4	1	2	1			
Other diseases of liver	22								1	1	1	4	7	5	2	1	
Diseases of spleen	2								1	1							
Peritonitis	20	1	2				4	1	2	1	2	3	4				
Appendicitis	43			1			5	12	10	5	7		1	1	1		
Other diseases of digestive system	2								1		1						
VI.—Diseases of genito-urinary system	736	7	3	1	3		5	14	42	74	96	139	152	138	57	5	
Acute nephritis	61	2	1	1			2	1	11	9	9	8	10	5	2		
Bright's disease	587	3	2		3		3	12	27	51	71	123	124	115	48	5	
Other diseases of kidneys	8	1									1		3	2	1		
Calculi of urinary tract	4									2				1	1		
Diseases of bladder	21								1	1	2	1	6	8	2		
Uterine tumor	15									3	5	2	3	1	1		
Other diseases of uterus	6							1		2	1	2					
Ovarian tumor	5									1	2	1		1			
Diseases of tubes	10								3	4	3						
Other diseases of genito-urinary system	19	1								1	2	2	6	5	2		
VII.—Childbirth	97							6	43	40	8						
Puerperal septicemia	50								27	20	3						
Puerperal convulsions	15							3	4	6	2						
Other causes incident to childbirth	32							3	12	14	3						
VIII.—Diseases of skin	33	4						1			2	1	5	5	10	4	1
Gangrene	24										1		5	5	8	4	1
Carbuncle	1							1									
Abscess	3	1										1			1		
Other diseases of skin	5	3									1				1		
IX.—Diseases of locomotor system	18	4	3		2		1		3			2	2	1			
Diseases of bones	18	4	3		2		1		3			2	2	1			
Diseases of joints																	
Other diseases of locomotor system																	
X.—Malformations	79	74	4			1											
Hydrocephalus	7	5	2														
Congenital malformation of heart (cyanosis)	50	48	1			1											
Other congenital malformations	22	21	1														
XI.—Early infancy	317	317															
Premature birth	144	144															
Congenital debility	173	173															
XII.—Old age	180												18	51	88	23	
XIII.—Violence	482	94	5	7	5	9	27	28	67	60	64	52	29	19	11	3	2
Suicide	61								15	12	13	10	10	1			
Fractures and dislocations	4							1			1	1					1
Burns and scalds	26	1	2	4	1	3	3	1	2	5	1		2	1			
Heat and sunstroke	6					2	1					3					
Cold and freezing	3										2		1				
Lightning																	
Drowning	54			1		2	11	12	13	4	5	5		1			
Inhalation of poisonous gases	13							1	5	3	1	2		1			
Other accidental poisonings	10		1	2	2		1	1		1				2			
Accidental gunshot wounds	2						1	1									
Injuries by machinery	6								3	1		1			1		
Injuries in mines and quarries																	
Railroad accidents and injuries	62				1	1	6	5	11	12	15	6	2	1	1	1	
Injuries by vehicles and horses	20	1							4	4	6	3		2			
Suffocation	14	10							2	1		1					
Other accidental injuries	111	5	2		1	1	4	4	9	14	18	19	13	10	9	2	
Injuries at birth	76	76															
Homicide	14	1						2	3	3	2	1	1				1
XIV.—Ill-defined causes	106	72	11	1	2		2		2	4	5	3	1		2		1
"Dropsy"	3									1	2						
"Heart failure"	3	1							1						1		
Other ill-defined causes	84	62	10	1	2		2			1	1	3	1		1		
Unknown causes	16	9	1						1	2	2						1

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

VERMONT.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,576	765	128	71	51	28	100	221	361	365	378	486	748	999	672	152	51
I.—General diseases	1,387	55	28	24	23	12	39	100	163	146	152	144	206	188	86	12	9
Typhoid fever	104	.....	.....	.....	.....	1	5	25	30	10	18	4	4	5	.....	.....	2
Malarial fever	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Scarlet fever	9	.....	1	2	1	.....	1	1	1	1	.....	1	.....	.....	.....	.....	.....
Whooping cough	23	11	5	3	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Diphtheria	47	.....	3	6	7	8	14	7	1	1	.....	.....	.....	.....	.....	.....	.....
Croup	11	3	2	1	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	155	7	1	2	2	.....	1	2	7	13	9	7	22	38	37	5	2
Cholera nostras	8	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....
Dysentery	20	3	3	2	.....	.....	.....	.....	.....	.....	.....	.....	3	4	2	3	.....
Erysipelas	23	4	.....	.....	.....	.....	.....	.....	1	1	3	2	3	5	4	.....	.....
Other epidemic diseases[1]	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	22	1	.....	.....	1	1	.....	2	3	1	2	2	6	1	2	.....	.....
Tuberculosis of lungs	399	4	2	4	2	.....	2	41	97	87	55	43	37	19	5	.....	1
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	32	9	6	1	3	1	5	2	1	1	2	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	13	.....	.....	.....	2	.....	.....	2	2	1	1	1	1	3	.....	.....	.....
Pott's disease	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	1	.....	1	.....
Tuberculous abscess	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	2	.....	.....	.....
General tuberculosis	11	1	1	1	.....	.....	.....	1	3	2	2	.....	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	6	2	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
Cancer of mouth	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	5	.....	.....	.....
Cancer of stomach and liver	107	.....	.....	.....	.....	.....	.....	.....	1	6	11	18	32	31	8	.....	.....
Cancer of intestines	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	7	12	12	2	.....	.....
Cancer of female genital organs	44	.....	.....	.....	.....	.....	.....	.....	.....	3	11	10	11	7	1	.....	1
Cancer of breast	33	.....	.....	.....	.....	.....	.....	.....	.....	1	7	7	4	6	6	.....	2
Cancer of skin	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	1	1	.....
Cancer of other or unspecified organs	68	.....	.....	.....	.....	.....	.....	3	2	2	10	10	16	19	5	1	.....
Tumor	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....
Rheumatism	35	1	.....	.....	.....	.....	.....	4	3	3	2	3	5	5	8	1	.....
Diabetes	74	.....	.....	2	1	.....	5	6	4	4	5	10	22	13	1	.....	1
Anemia, leukemia	40	3	1	.....	.....	.....	2	2	2	4	5	5	12	4	.....	.....	.....
Alcoholism	12	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	4	.....	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	.....	.....
Other general diseases	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
II.—Diseases of nervous system	724	77	20	11	5	5	23	24	26	23	31	82	110	169	98	16	4
Encephalitis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Meningitis	114	38	11	8	2	2	13	13	10	2	4	4	5	1	1	.....	.....
Locomotor ataxia	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	5	2	.....	.....	.....
Other diseases of spinal cord	21	.....	.....	.....	.....	.....	.....	1	2	1	.....	3	5	6	3	.....	.....
Apoplexy	359	7	3	1	1	1	2	.....	4	8	12	52	67	121	70	8	2
Softening of brain	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	5	3	1	1
Paralysis	55	.....	.....	.....	.....	.....	.....	.....	1	1	2	4	8	23	13	3	.....
General paralysis of insane	25	.....	.....	.....	.....	.....	1	.....	.....	1	3	5	7	2	5	1	.....
Other forms of mental disease	7	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	2	.....	.....	.....	.....
Other diseases of brain	19	.....	1	.....	.....	.....	1	1	1	2	2	.....	2	4	3	1	1
Epilepsy	24	2	.....	.....	.....	1	3	5	6	2	3	.....	1	1	.....	.....	.....
Convulsions	39	27	4	2	2	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	11	2	.....	.....	.....	.....	2	2	1	2	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	20	1	1	.....	.....	.....	.....	1	1	.....	1	5	4	4	.....	2	.....
III.—Diseases of circulatory system	693	15	3	.....	.....	.....	4	9	23	27	44	71	157	221	102	9	8
Pericarditis	9	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	3	2	.....	.....
Endocarditis	26	.....	.....	.....	.....	.....	.....	1	1	5	3	1	3	2	8	1	1
Heart disease	572	10	1	.....	.....	.....	.....	1	7	12	20	37	60	140	187	83	7	7
Angina pectoris	28	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	2	9	6	3	.....	1
Diseases of arteries	21	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	6	9	1	.....
Embolism and thrombosis	21	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	3	2	9	3	.....	.....
Diseases of veins	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diseases of lymphatics	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	13	4	1	.....	.....	.....	1	.....	2	2	.....	.....	1	1	1	.....	.....	.....
IV.—Diseases of respiratory system	727	108	37	18	6	2	7	19	28	44	47	60	92	128	94	28	9
Laryngitis	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of larynx	6	2	1	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
Diseases of thyroid body	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	71	36	11	2	2	.....	.....	.....	.....	.....	.....	.....	1	3	12	4	.....
Chronic bronchitis	66	1	.....	1	.....	.....	.....	2	.....	1	1	.....	9	23	21	5	2
Bronchopneumonia	79	24	7	8	1	.....	2	2	.....	3	1	2	6	9	11	2	1
Pneumonia	434	39	16	7	3	1	5	14	23	31	38	51	69	79	42	10	6
Pleurisy	12	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	2	1	3	2	.....
Congestion of lungs	31	4	1	.....	.....	.....	.....	.....	1	2	1	3	4	7	4	4	.....
Gangrene of lungs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Asthma and emphysema	10	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	1	4	.....	.....	.....
Hemorrhage of lungs	6	1	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....
Other diseases of respiratory system	8	.....	.....	.....	.....	1	.....	.....	1	1	2	1	.....	.....	1	1	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 7.—DEATHS IN REGISTRATION STATES, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY AGE: 1904—Continued.

VERMONT—Continued.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
V.—Diseases of digestive system	559	179	24	9	9	6	18	25	19	22	26	42	55	76	41	2	6
Diseases of mouth	1													1			
Tonsilitis	2	1												1			
Other diseases of pharynx	3	1										1	1				
Ulcer of stomach	11									1	1	3	1	4	1		
Gastritis	41	6						2	2	1	1	3	9	13	4		
Other diseases of stomach	46	18	1	2	1	3	1		1	1		3	2	7	5	1	
Dentition	1	1															
Diarrhea and enteritis	229	142	22	4	5	2	3	1	1	3	2	4	5	15	19	1	
Hernia	19	2							1		1	1	4	7	3		
Obstruction of intestines	26	4		1	1			2		4	1	3	5	4	1		
Other diseases of intestines	11	1		1			1				2	1	1	1	3		
Acute yellow atrophy of liver	2										1		1				
Hydatid tumors of liver																	
Cirrhosis of liver	30	1					1			1	1	6	9	10	1		
Biliary calculi	11									1		3	3	3	1		
Other diseases of liver	26	1			1					1	3	3	9	6	1		1
Diseases of spleen	3											3					
Peritonitis	47	1	1	1	1		6	7	4	3	7	5	3	4	1		3
Appendicitis	56					1	6	13	10	6	6	3	2		1		2
Other diseases of digestive system																	
VI.—Diseases of genito-urinary system	395	4	1	1	1	1	1	3	12	27	40	43	80	99	71	9	2
Acute nephritis	19	1		1	1				1	1	3	2	5	2	2		
Bright's disease	303	3	1			1	1	2	10	20	33	39	60	78	49	4	2
Other diseases of kidneys	6									1	1		2		2		
Calculi of urinary tract	2												1	1			
Diseases of bladder	30							1					6	9	12	2	
Uterine tumor	9									2	2		2	2	1		
Other diseases of uterus	4									3	1						
Ovarian tumor	2													2			
Diseases of tubes																	
Other diseases of genito-urinary system	20								1			2	4	5	5	3	
VII.—Childbirth	59							7	28	22	1						1
Puerperal septicemia	19							4	9	5							1
Puerperal convulsions	15							1	8	6							
Other causes incident to childbirth	25							2	11	11	1						
VIII.—Diseases of skin	41	1	1						3	3	4	2	6	6	11	4	
Gangrene	27									2	1	1	3	6	10	4	
Carbuncle																	
Abscess	11		1						3		3		3		1		
Other diseases of skin	3	1								1		1					
IX.—Diseases of locomotor system	7		1	1	1					2		1			1		
Diseases of bones	7		1	1	1					2		1			1		
Diseases of joints																	
Other diseases of locomotor system																	
X.—Malformations	60	54	3	3													
Hydrocephalus	10	6	2	2													
Congenital malformation of heart (cyanosis)	35	33	1	1													
Other congenital malformations	15	15															
XI.—Early infancy	202	202															
Premature birth	99	99															
Congenital debility	103	103															
XII.—Old age	257												3	60	135	59	
XIII.—Violence	287	14	4	2	4	2	6	25	53	42	26	34	25	21	15	7	7
Suicide	45							1	7	5	5	13	7	4	2		1
Fractures and dislocations	23						1	1	2	3	1	2		4	5	4	
Burns and scalds	13	1	1		1				3	2	1		3		1		1
Heat and sunstroke	1																
Cold and freezing	2												1	1			
Lightning	2					1				1							
Drowning	35	1	1	1	2			10	11	4	1	3					1
Inhalation of poisonous gases	1								1								
Other accidental poisonings	13	2		1	1	1			1	3		1	3				
Accidental gunshot wounds	12		1					6	3			1					1
Injuries by machinery	5								1	1	1	1	1				
Injuries in mines and quarries	6								2	3		1					
Railroad accidents and injuries	39							1	2	9	10	7	5	1	1	2	1
Injuries by vehicles and horses	9							2		2	1	1		1	2		
Suffocation	4	3									1						
Other accidental injuries	68		1					2	5	11	6	9	7	8	9	5	3	2
Injuries at birth	7	7															
Homicide	2										2						
XIV.—Ill-defined causes	178	56	6	2	2		2	9	6	7	7	7	14	31	18	6	5
"Dropsy"	9								1				3	2	3		
"Heart failure"	36	5					1	3		3	2	2	6	8	5	1	
Other ill-defined causes	82	33	4	2	1			2	4	2	3	4	1	12	8	4	2
Unknown causes	51	18	2		1		1	3	2	2	2	1	4	9	2	1	3

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904.

ALLEGHENY, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown. [4]
All causes	2,499	629	187	66	34	22	86	125	254	222	203	198	235	181	52	5	.....
Typhoid fever	173	.....	1	4	4	1	16	29	59	35	14	8	2	.....	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	17	3	1	.....	.....	.....	.....	4	5	3	1	.....	.....	.....	.....	.....	.....
Measles	22	8	7	3	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	23	1	4	4	1	4	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	35	21	11	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	72	3	17	6	8	6	30	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	13	.....	.....	.....	.....	.....	.....	1	1	3	3	1	1	2	1	.....	.....
Cholera nostras	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	18	2	.....	.....	.....	.....	.....	.....	.....	2	3	3	4	3	1	.....	.....
Erysipelas	6	1	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	1	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	9	1	1	.....	.....	.....	.....	.....	2	2	.....	3	.....	.....	.....	.....	.....
Tuberculosis—total	243	10	5	4	5	1	5	24	71	43	33	24	16	2	.....	.....	.....
Tuberculosis of lungs	206	3	3	1	1	.....	5	20	68	38	32	22	11	2	.....	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous meningitis	11	4	2	2	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	17	3	.....	1	2	.....	.....	2	1	4	1	.....	3	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	6	2	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
Cancer	63	.....	.....	.....	.....	.....	.....	1	1	7	12	12	16	13	1	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Rheumatism	14	.....	.....	.....	.....	.....	.....	1	.....	3	3	.....	4	3	.....	.....	.....
Diabetes	10	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	3	2	.....	.....	.....
Anemia, leukemia	3	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1	2	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	54	22	9	8	2	1	5	3	.....	.....	2	1	.....	1	.....	.....	.....
Apoplexy	73	3	2	.....	.....	.....	.....	4	2	4	6	15	17	18	2	.....	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Paralysis	18	.....	.....	1	.....	.....	.....	.....	.....	.....	3	1	6	5	2	.....	.....
Epilepsy	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Convulsions	80	70	8	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	5	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	34	1	1	1	.....	.....	1	.....	1	8	2	9	4	4	2	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....
Endocarditis	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	2	.....	.....	.....
Heart disease	124	5	1	.....	1	.....	4	8	8	15	23	17	23	18	1	.....	.....
Angina pectoris	5	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	2	.....	.....	.....	.....
Embolism and thrombosis	6	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	3	.....	.....	.....	.....
Other diseases of circulatory system	19	1	1	.....	.....	.....	1	1	2	2	1	3	3	3	1	.....	.....
Laryngitis	3	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Acute bronchitis	39	22	5	3	1	1	1	.....	.....	.....	.....	.....	2	4	.....	.....	.....
Chronic bronchitis	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	9	4	3	2	.....
Bronchopneumonia	40	13	7	1	.....	1	1	.....	1	1	2	5	.....	5	3	.....	.....
Pneumonia	255	60	25	11	4	1	2	11	25	19	18	22	28	21	7	1	.....
Pleurisy	7	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	3	1	.....	.....	.....
Congestion of lungs	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	1	.....	.....
Other diseases of respiratory system	18	1	.....	1	1	.....	.....	1	1	4	2	2	2	1	2	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	36	15	1	.....	.....	.....	.....	.....	2	.....	5	4	4	4	1	.....	.....
Diarrhea and enteritis	288	184	57	10	2	.....	1	2	.....	1	6	5	14	4	2	.....	.....
Hernia and intestinal obstructions	10	1	.....	1	.....	.....	.....	.....	2	1	.....	1	2	2	.....	.....	.....
Cirrhosis of liver	23	.....	.....	.....	.....	.....	.....	.....	.....	2	5	8	4	4	.....	.....	.....
Other diseases of liver	19	1	.....	.....	.....	.....	1	.....	2	2	3	4	4	2	.....	.....	.....
Peritonitis	20	1	.....	.....	.....	.....	.....	1	4	2	7	3	1	1	.....	.....	.....
Appendicitis	12	.....	.....	.....	.....	.....	.....	4	2	3	2	.....	1	.....	.....	.....	.....
Other diseases of digestive system	8	.....	1	.....	.....	.....	.....	1	1	2	1	.....	1	1	.....	.....	.....
Acute nephritis	15	.....	1	.....	.....	.....	2	2	1	3	1	2	2	1	.....	.....	.....
Bright's disease	57	.....	.....	.....	.....	.....	.....	3	7	6	7	9	15	9	1	.....	.....
Calculi of urinary tract	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....
Uterine tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	15	1	1	.....	.....	.....	.....	.....	3	1	1	.....	5	2	1	.....	.....
Puerperal septicemia	10	.....	.....	.....	.....	.....	.....	1	4	5	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	9	.....	.....	.....	.....	.....	.....	.....	5	3	1	.....	.....	.....	.....	.....	.....
Diseases of skin	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....
Diseases of locomotor system	4	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....
Malformations	15	14	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	44	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	71	71	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	16	12	2	.....
Suicide	19	.....	.....	.....	.....	.....	.....	1	6	5	3	3	.....	1	.....	.....	.....
Other violence	126	8	1	3	3	4	4	8	19	25	15	16	14	6	.....	.....	.....
Ill-defined causes	95	34	17	1	.....	1	1	1	4	3	4	6	11	6	6	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

BALTIMORE, MD.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,815	2,293	442	201	119	99	257	482	980	989	1,086	1,117	1,209	1,033	442	61	5
Typhoid fever	202	.....	5	1	1	4	17	39	60	29	24	12	7	3	.....	.....	.....
Malarial fever	26	2	2	.....	.....	.....	2	1	3	3	3	5	4	1	.....	.....	.....
Smallpox	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....
Measles	9	4	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	145	15	16	26	18	25	36	7	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	26	13	6	3	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	112	5	20	29	19	19	27	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	129	7	4	2	3	1	3	8	11	9	15	12	25	17	11	1	.....
Cholera nostras	6	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	1	.....	.....
Dysentery	58	12	3	.....	2	.....	2	.....	.....	6	8	3	10	9	2	1	.....
Erysipelas	22	5	1	.....	.....	.....	.....	.....	.....	3	3	3	4	2	1	.....	.....
Other epidemic diseases[1]	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	28	4	2	1	.....	.....	2	2	1	5	1	5	3	2	.....	.....	.....
Tuberculosis—total	1,527	48	30	13	12	5	28	166	438	302	225	148	75	33	4	.....	.....
Tuberculosis of lungs	1,353	21	14	7	7	3	11	146	408	282	212	137	70	32	3	.....	.....
Tuberculosis of larynx	23	.....	.....	.....	.....	.....	.....	1	6	6	6	4	.....	.....	.....	.....	.....
Tuberculous meningitis	60	20	12	3	1	1	10	5	6	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	29	3	3	.....	.....	1	3	4	4	7	3	.....	1	.....	.....	.....	.....
Pott's disease	11	.....	1	2	.....	.....	1	1	2	.....	.....	.....	3	.....	1	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	4	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	10	2	.....	.....	.....	.....	.....	2	2	2	.....	2	.....	.....	.....	.....	.....
General tuberculosis	37	2	.....	1	4	.....	2	5	10	2	4	2	4	.....	1	.....	.....
Scrofula	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	50	32	2	.....	.....	.....	.....	.....	1	7	4	3	1	.....	.....	.....	.....
Cancer	466	.....	.....	1	.....	.....	1	7	16	42	84	111	108	78	18	.....	.....
Tumor	7	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	2	.....	.....
Rheumatism	70	2	1	.....	.....	1	5	11	7	6	8	10	10	8	1	.....	.....
Diabetes	64	.....	.....	.....	.....	.....	.....	1	1	2	7	16	24	10	3	.....	.....
Anemia, leukemia	50	3	1	.....	1	.....	.....	4	2	7	13	6	7	4	2	.....	.....
Alcoholism	21	.....	.....	.....	.....	.....	.....	.....	1	5	6	5	2	2	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....
Other general diseases	9	1	.....	.....	.....	.....	2	1	.....	2	.....	1	2	.....	.....	.....	.....
Encephalitis	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1
Meningitis	142	52	27	16	6	4	11	11	7	2	4	1	.....	.....	.....	.....	1
Apoplexy	445	3	.....	.....	1	.....	.....	2	11	13	50	87	133	95	47	2	.....
Softening of brain	17	.....	.....	.....	.....	.....	.....	.....	2	.....	1	3	6	3	2	.....	.....
Paralysis	168	.....	1	.....	.....	.....	.....	.....	2	5	15	26	40	55	23	1	.....
Epilepsy	10	.....	.....	.....	.....	.....	.....	3	3	3	.....	.....	.....	1	.....	.....	.....
Convulsions	148	111	16	10	1	2	4	.....	2	1	.....	.....	.....	1	.....	.....	.....
Tetanus	26	14	.....	.....	.....	.....	1	2	5	1	3	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	109	4	3	.....	1	1	5	1	4	14	21	21	24	4	5	1	.....
Pericarditis	8	.....	.....	1	.....	1	2	1	.....	1	.....	2	.....	.....	.....	.....	.....
Endocarditis	42	2	.....	.....	1	.....	.....	1	7	5	5	7	8	6	.....	.....	.....
Heart disease	778	16	1	.....	1	.....	7	34	32	70	116	144	160	140	53	4	.....
Angina pectoris	46	.....	.....	.....	.....	.....	.....	1	1	4	3	11	12	10	4	.....	.....
Embolism and thrombosis	18	.....	.....	.....	1	.....	.....	.....	2	2	6	4	3	.....	.....	.....	.....
Other diseases of circulatory system	93	6	.....	.....	1	.....	.....	2	1	9	7	13	14	30	9	1	.....
Laryngitis	5	1	.....	.....	.....	1	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Acute bronchitis	131	79	17	7	2	2	.....	.....	.....	3	.....	1	2	2	11	3	2
Chronic bronchitis	163	4	2	1	1	.....	2	6	17	13	7	16	27	43	21	3	.....
Bronchopneumonia	233	106	46	17	11	2	5	4	1	4	5	7	8	12	5	.....	.....
Pneumonia	839	128	62	25	13	11	23	41	66	86	94	85	96	74	27	8	.....
Pleurisy	29	1	2	.....	.....	1	.....	7	3	4	3	1	5	1	.....	1	.....
Congestion of lungs	47	15	.....	1	.....	.....	1	.....	2	3	.....	3	7	7	7	1	.....
Other diseases of respiratory system	87	2	2	1	.....	.....	3	4	11	9	12	16	13	13	1	.....	.....
Tonsilitis	3	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	159	41	12	3	.....	2	3	3	4	11	11	16	27	18	6	2	.....
Diarrhea and enteritis	771	566	105	12	1	3	9	3	2	8	7	8	13	22	12	.....	.....
Hernia and intestinal obstructions	78	10	2	.....	.....	.....	.....	2	9	8	5	15	15	6	6	.....	.....
Cirrhosis of liver	80	1	.....	.....	.....	.....	.....	.....	2	14	17	23	15	5	3	.....	.....
Other diseases of liver	45	1	1	.....	.....	.....	.....	1	7	10	8	5	6	4	2	.....	.....
Peritonitis	44	.....	.....	.....	.....	.....	3	7	7	12	7	4	1	3	.....	.....	.....
Appendicitis	75	.....	.....	1	1	.....	7	18	16	12	11	5	2	2	.....	.....	.....
Other diseases of digestive system	35	8	4	1	1	1	.....	1	3	2	3	3	6	2	.....	.....	.....
Acute nephritis	94	3	2	5	2	2	4	11	13	14	14	14	8	2	.....	.....	.....
Bright's disease	786	4	1	1	2	.....	5	19	42	64	113	134	186	170	39	6	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Uterine tumor	16	.....	.....	.....	.....	.....	.....	.....	1	7	5	1	1	1	.....	.....	.....
Ovarian tumor	7	.....	.....	.....	.....	.....	.....	.....	3	.....	3	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	81	1	.....	.....	.....	.....	.....	.....	15	9	15	10	11	12	7	1	.....
Puerperal septicemia	65	.....	.....	.....	.....	.....	.....	8	28	24	5	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	45	.....	.....	.....	.....	.....	.....	1	21	16	6	1	.....	.....	.....	.....	.....
Diseases of skin	39	7	.....	1	.....	.....	.....	2	1	.....	8	2	7	7	4	.....	.....
Diseases of locomotor system	32	6	1	4	2	.....	1	5	2	3	3	2	1	2	.....	.....	.....
Malformations	68	67	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	266	266	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	405	405	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	185	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	63	83	22	1
Suicide	76	.....	.....	.....	.....	.....	.....	3	20	21	10	13	5	3	1	.....	.....
Other violence	451	41	10	18	13	8	29	29	49	68	61	51	30	21	19	2	2
Ill-defined causes	282	165	26	7	.....	2	2	1	4	4	17	15	16	13	8	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

BOSTON, MASS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	10,753	2,199	466	213	125	102	244	359	902	1,189	1,110	1,213	1,202	918	444	64	3
Typhoid fever	139	.....	2	.....	.....	2	3	19	45	37	16	8	2	3	2	.....	.....
Malarial fever	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	135	40	56	22	8	2	4	1	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	46	2	4	6	7	3	18	5	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	44	14	20	4	1	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	223	22	35	44	23	29	51	11	3	3	2	.....	.....	.....	.....	.....	.....
Influenza	59	3	2	.....	.....	.....	.....	1	1	5	4	4	16	15	8	.....	.....
Cholera nostras	8	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	3	1	.....	.....
Dysentery	27	5	3	1	.....	.....	1	.....	1	.....	.....	3	3	8	1	1	.....
Erysipelas	57	16	1	.....	.....	.....	.....	.....	2	6	8	7	10	5	2	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	36	6	1	.....	1	.....	.....	1	5	3	8	9	2	.....	.....	.....	.....
Tuberculosis—total	1,462	65	41	30	21	17	35	101	381	377	294	111	51	26	2	.....	.....
Tuberculosis of lungs	1,270	29	13	10	7	8	13	90	363	365	196	105	46	23	2	.....	.....
Tuberculosis of larynx	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
Tuberculous meningitis	97	25	23	11	8	7	9	3	7	2	.....	1	.....	1	.....	.....	.....
Abdominal tuberculosis	38	4	1	6	2	2	3	4	7	3	3	1	1	1	.....	.....	.....
Pott's disease	20	1	1	2	2	.....	6	1	1	1	2	1	1	1	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	9	1	.....	.....	1	.....	2	1	.....	1	.....	2	1	.....	.....	.....	.....
Tuberculosis of other organs	7	1	.....	.....	1	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	.....
General tuberculosis	17	4	3	1	.....	.....	2	2	1	2	1	.....	1	.....	.....	.....	.....
Scrofula	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	36	25	.....	.....	.....	.....	.....	.....	2	3	4	2	.....	.....	.....	.....	.....
Cancer	563	1	2	.....	.....	.....	3	3	7	44	102	150	158	71	20	2	.....
Tumor	9	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	2	.....	.....	.....
Rheumatism	59	1	1	1	1	.....	8	7	3	2	9	10	10	3	3	.....	.....
Diabetes	109	.....	1	.....	.....	1	2	6	7	11	12	25	34	10	.....	.....	.....
Anemia, leukemia	34	4	.....	.....	1	.....	.....	3	3	4	6	8	3	2	.....	.....	.....
Alcoholism	43	.....	.....	.....	.....	.....	.....	.....	4	18	13	7	1	.....	.....	.....	.....
Chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....
Other general diseases	18	2	1	.....	.....	.....	.....	.....	2	5	2	2	3	1	.....	.....	.....
Encephalitis	4	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Meningitis	198	74	32	13	14	9	11	16	9	8	8	2	1	.....	1	.....	.....
Apoplexy	505	2	.....	1	2	.....	.....	2	8	20	63	103	134	115	51	4	.....
Softening of brain	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	4	3	5	.....	.....
Paralysis	54	2	.....	.....	.....	.....	.....	.....	1	1	8	6	11	15	10	.....	.....
Epilepsy	11	.....	.....	.....	.....	.....	.....	2	3	2	1	.....	2	1	.....	.....	.....
Convulsions	58	41	11	2	1	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Tetanus	12	1	.....	.....	.....	.....	3	2	3	3	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	162	8	1	4	2	.....	2	8	15	24	31	28	20	17	1	1	.....
Pericarditis	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	2	.....	.....	.....
Endocarditis	114	.....	1	1	.....	1	1	6	6	8	20	19	32	12	3	4	.....
Heart disease	1,012	17	1	2	3	3	18	46	55	87	127	209	233	168	66	5	2
Angina pectoris	38	.....	.....	.....	.....	.....	.....	.....	1	1	3	10	11	10	2	.....	.....
Embolism and thrombosis	36	.....	.....	.....	.....	.....	.....	.....	3	7	2	8	8	7	.....	1	.....
Other diseases of circulatory system	141	9	3	1	.....	1	1	1	.....	6	9	17	35	33	24	1	.....
Laryngitis	7	2	.....	2	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
Acute bronchitis	131	80	15	9	1	.....	2	2	2	.....	.....	2	5	4	7	2	.....
Chronic bronchitis	120	2	1	.....	1	.....	1	1	4	1	6	18	23	34	21	7	.....
Bronchopneumonia	276	123	51	9	5	3	7	1	6	10	10	12	9	19	8	3	.....
Pneumonia	907	133	68	27	10	7	14	13	69	116	100	122	106	84	34	4	.....
Pleurisy	40	1	1	1	1	.....	1	1	10	8	5	8	3	.....	.....	.....	.....
Congestion of lungs	33	3	.....	1	.....	.....	.....	1	1	6	7	3	4	4	2	1	.....
Other diseases of respiratory system	24	6	.....	.....	.....	.....	.....	.....	3	2	4	6	2	.....	1	.....	.....
Tonsilitis	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....
Diseases of stomach	97	21	6	1	.....	1	1	2	5	13	11	12	5	14	4	1	.....
Diarrhea and enteritis	662	515	67	10	3	2	6	2	1	4	4	4	19	14	9	2	.....
Hernia and intestinal obstructions	114	21	.....	1	.....	.....	.....	2	6	9	18	15	19	15	6	2	.....
Cirrhosis of liver	67	1	.....	.....	.....	.....	.....	.....	.....	16	15	20	13	2	.....	.....	.....
Other diseases of liver	55	1	.....	.....	.....	.....	1	.....	3	7	10	14	8	6	5	.....	.....
Peritonitis	73	3	.....	2	.....	1	4	7	10	14	16	8	5	1	2	.....	.....
Appendicitis	93	.....	.....	.....	.....	1	6	22	17	19	12	8	7	1	.....	.....	.....
Other diseases of digestive system	37	4	3	1	3	.....	.....	.....	4	4	4	6	4	2	2	.....	.....
Acute nephritis	38	2	2	1	.....	.....	.....	3	4	5	3	6	3	4	5	.....	.....
Bright's disease	444	1	.....	1	.....	.....	2	12	31	52	72	90	107	60	13	3	.....
Calculi of urinary tract	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	1	.....	.....
Uterine tumor	17	.....	.....	.....	.....	.....	.....	.....	.....	4	8	3	2	.....	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	1	.....	2	2	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	125	3	.....	.....	.....	.....	.....	5	14	17	20	13	19	21	12	1	.....
Puerperal septicemia	32	.....	.....	.....	.....	.....	.....	1	15	14	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	64	.....	.....	.....	.....	.....	.....	5	23	36	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	45	8	.....	1	.....	1	.....	.....	1	4	3	6	8	8	5	.....	.....
Diseases of locomotor system	36	8	5	3	.....	1	1	5	2	1	3	1	4	1	1	.....	.....
Malformations	111	102	4	2	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	281	281	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	288	288	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	177	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	63	88	15	.....
Suicide	74	.....	.....	.....	.....	.....	.....	2	20	13	17	18	3	.....	1	.....	.....
Other violence	571	74	12	8	11	12	30	24	73	109	80	54	48	23	10	2	1
Ill-defined causes	213	149	11	1	5	2	1	3	3	7	10	5	6	4	4	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

BUFFALO, N. Y.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,938	1,377	288	116	79	30	134	280	448	512	569	602	630	552	276	32	4
Typhoid fever	90	1				1	5	17	23	23	10	7		2	1		
Malarial fever	3				1			1						1			
Smallpox																	
Measles	37	10	13	7	3	1	3										
Scarlet fever	16	1		3	4	2	2	3				1					
Whooping cough	11	5	4	1	1												
Diphtheria and croup	112	6	17	17	19	9	26	13		2	1	1	1				
Influenza	28		1		1		2	1	5	3	2	4	2	4	3		
Cholera nostras	8	1								1	1	1	2	1	1		
Dysentery	31	13	3	2	1				1			1	4	5	1		
Erysipelas	23	7						1	2		2	2	7		2		
Other epidemic diseases[1]	2	1	1														
Septicemia	9	1							3	1		1	2	1			
Tuberculosis—total	593	9	8	5	6	2	16	78	176	128	84	46	22	10	3		
Tuberculosis of lungs	505	5	2	1	2		5	60	165	117	78	40	18	10	2		
Tuberculosis of larynx	4								3		1						
Tuberculous meningitis	27	2	1	2	2	2	6	6	1	4		1					
Abdominal tuberculosis	33	1	4		1		2	7	4	5	3	4	1		1		
Pott's disease	9			1	1		2	4				1					
Tuberculous abscess	1												1				
White swelling	2									1			1				
Tuberculosis of other organs	6			1			1		1	1	2						
General tuberculosis	6	1	1					1	2				1				
Scrofula	1	1															
Venereal diseases	31	16	1				1	1	7		1	2	1	1			
Cancer	269						2	1	3	28	47	75	69	38	5		1
Tumor	6	1									1	2	2				
Rheumatism	31						4	8	2	3	2	5	2	4		1	
Diabetes	72		1					2	1	3	9	24	18	11	3		
Anemia, leukemia	23		1				1		1	3	7	4	5	1			
Alcoholism	28							1	6	9	4	5	2	1			
Chronic poisonings	4									2	1		1				
Other general diseases	15	1	2					1	1	5		4	1				
Encephalitis	1	1															
Meningitis	102	33	19	10	10	2	6	9	5	1	2		4	1			
Apoplexy	236	3						1	2	10	25	50	63	60	20	2	
Softening of brain	9											2	1	5	1		
Paralysis	44						1		1		2	4	10	12	12	2	
Epilepsy	26	8	2	1		1	1		3	5	4		1		1		
Convulsions	103	86	11	4	1	1											
Tetanus	12	2					3	3	2		1	1					
Other diseases of nervous system	111	5	2		1		3	4	7	19	27	15	16	7	5		
Pericarditis	5							1	1		1			1	1		
Endocarditis	59	2					1	3	4	1	11	8	15	9	5		
Heart disease	533	7	3	1			6	31	14	42	59	104	122	106	38		
Angina pectoris	15							1		1	1	1	5	4	2		
Embolism and thrombosis	18	2						3	2	1	2	1	2	4	1		
Other diseases of circulatory system	57	2							1	2	8	5	9	15	13	2	
Laryngitis	6	1	1								1		1		1		
Acute bronchitis	103	57	26	5	1	1			1		1	1	3	4	4		
Chronic bronchitis	49	1	1				1		1	1	2	7	7	13	12	3	
Bronchopneumonia	216	96	43	14	4	5	3		2		2	6	19	19	3		
Pneumonia	353	77	24	11	6	3	4	14	23	35	42	37	32	29	14	1	1
Pleurisy	19		1	2	2		1	2	3	2	1	2		2	1		
Congestion of lungs	27	6					1	1	1		2	2	3	5	6		
Other diseases of respiratory system	36	2						3	3	6	2	3	6	7	3	1	
Tonsilitis	4						1										
Diseases of stomach	58	14	2	1			1		3	5	7	6	7	7	5		
Diarrhea and enteritis	523	379	77	19	9			4	1	2	4	4	7	9	7	1	
Hernia and intestinal obstructions	55	4	1		1	2	2	3	3	7	7	8	7	4	6		
Cirrhosis of liver	57									8	17	13	12	6	1		
Other diseases of liver	45	1	1	1			1	1	2	5	6	11	12	2	2		
Peritonitis	27					1	3	1	4	5	6	3	3	1			
Appendicitis	60						8	17	15	7	4	7	1	1			
Other diseases of digestive system	28	8						3	2	2	4	2	5	1	1		
Acute nephritis	28	2	2	1			3		2	5	2	3	5	2	1		
Bright's disease	324	16	3		1			2	20	27	45	63	71	59	16	1	
Calculi of urinary tract	3	1										1		1			
Uterine tumor	12									2	6	1	3				
Ovarian tumor	2									1			1				
Other diseases of genito-urinary system	49	1						2	7	9	13	3	3	7	4		
Puerperal septicemia	28							3	10	11	4						
Other causes incident to childbirth	33							3	12	13	5						
Diseases of skin	27	12						2			2		2	8	1		
Diseases of locomotor system	10	2	1				1	3			1	1	1				
Malformations	73	69	2	2													
Premature birth	196	196															
Congenital debility	109	109															
Old age	117												8	40	55	14	
Suicide	40							1	9	5	9	10	5	1			
Other violence	368	49	8	8	6		21	35	51	60	58	27	17	14	11	1	2
Ill-defined causes	79	49	6	1	1			2		1	2	4	1	6	3	3	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

CHICAGO, ILL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	26,697	5,383	1,092	414	304	229	641	1,260	2,553	3,127	3,295	2,906	2,640	1,941	780	125	7
Typhoid fever	390	3	5	5	9	6	23	65	118	76	43	21	10	6	.....	.....	.....
Malarial fever	9	1	.....	.....	.....	.....	.....	1	3	1	.....	.....	3	.....	.....	.....	.....
Smallpox	30	3	1	.....	.....	2	1	1	6	11	3	1	1	.....	.....	.....	.....
Measles	54	12	16	5	5	6	8	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	150	10	23	15	26	21	38	11	2	3	1	.....	.....	.....	.....	.....	.....
Whooping cough	139	73	33	17	9	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	407	23	71	54	54	49	111	27	7	6	2	2	1	.....	.....	.....	.....
Influenza	210	17	6	1	2	1	2	6	9	18	25	38	37	31	13	4	.....
Cholera nostras	6	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	1	.....	.....
Dysentery	53	23	1	3	.....	.....	.....	1	3	.....	5	3	5	5	3	1	.....
Erysipelas	82	27	1	.....	.....	.....	.....	.....	5	7	10	7	10	8	4	2	1
Other epidemic diseases[1]	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	59	9	1	.....	.....	.....	5	2	4	9	11	12	3	3	.....	.....	.....
Tuberculosis—total	3,572	93	55	38	17	16	54	339	897	913	613	307	159	62	8	.....	1
Tuberculosis of lungs	3,168	42	24	16	4	4	26	295	834	852	575	289	143	56	7	.....	1
Tuberculosis of larynx	16	.....	.....	.....	.....	1	.....	.....	4	7	2	1	1	.....	.....	.....	.....
Tuberculous meningitis	126	32	21	16	8	5	14	11	6	9	3	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	120	10	6	4	4	4	6	12	20	21	12	10	7	3	1	.....	.....
Pott's disease	23	.....	.....	1	.....	1	1	7	5	1	4	1	2	.....	.....	.....	.....
Tuberculous abscess	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....
White swelling	7	.....	.....	.....	.....	.....	1	2	1	2	.....	.....	.....	1	.....	.....	.....
Tuberculosis of other organs	43	4	.....	.....	.....	1	4	4	11	9	7	2	1	.....	.....	.....	.....
General tuberculosis	65	5	4	1	1	.....	2	7	14	12	10	4	3	2	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	119	60	.....	.....	1	.....	1	3	7	21	14	6	5	.....	.....	.....	1
Cancer	1,237	2	1	.....	1	1	2	9	22	107	286	335	302	143	23	3	.....
Tumor	13	1	.....	.....	.....	.....	.....	.....	.....	3	4	1	3	1	.....	.....	.....
Rheumatism	176	1	.....	1	1	.....	17	26	24	29	12	21	21	19	4	.....	.....
Diabetes	194	.....	.....	.....	.....	.....	3	9	16	16	23	48	48	28	3	.....	.....
Anemia, leukemia	89	8	2	1	.....	.....	.....	4	11	16	19	16	8	3	.....	1	.....
Alcoholism	112	.....	.....	.....	.....	.....	.....	.....	6	33	42	22	8	1	.....	.....	.....
Chronic poisonings	15	.....	.....	.....	.....	.....	.....	.....	2	1	6	2	3	1	.....	.....	.....
Other general diseases	38	4	1	.....	1	.....	2	1	9	3	9	5	1	1	1	.....	.....
Encephalitis	28	11	3	.....	1	2	.....	1	1	2	3	1	2	1	.....	.....	.....
Meningitis	467	166	87	24	29	12	37	34	19	20	19	9	8	2	1	.....	.....
Apoplexy	694	17	2	.....	1	.....	1	4	11	32	79	133	167	164	75	7	1
Softening of brain	29	.....	.....	.....	.....	.....	.....	1	2	2	3	3	6	9	2	1	.....
Paralysis	130	1	.....	.....	.....	.....	1	3	3	3	13	16	31	36	22	1	.....
Epilepsy	62	2	1	1	.....	.....	3	12	13	14	8	4	3	.....	1	.....	.....
Convulsions	556	512	33	3	3	1	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....
Tetanus	58	19	1	1	.....	1	9	14	6	5	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	341	24	3	2	2	1	5	12	23	60	84	45	39	35	5	1	.....
Pericarditis	58	.....	.....	.....	1	1	1	2	3	10	10	12	9	7	2	.....	.....
Endocarditis	277	3	.....	.....	1	1	13	24	18	40	40	39	42	38	15	3	.....
Heart disease	1,730	13	4	3	5	6	26	99	104	191	268	344	348	224	80	14	1
Angina pectoris	82	.....	.....	.....	.....	.....	.....	.....	5	8	7	21	19	19	3	.....	.....
Embolism and thrombosis	66	.....	.....	.....	.....	.....	2	3	7	8	9	15	12	7	3	.....	.....
Other diseases of circulatory system	244	11	.....	1	.....	.....	.....	1	8	17	28	28	44	61	39	6	.....
Laryngitis	15	1	4	4	2	1	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....
Acute bronchitis	559	329	78	17	14	9	13	4	3	2	6	11	23	24	21	5	.....
Chronic bronchitis	212	12	4	1	2	.....	3	4	2	6	8	27	46	56	38	3	.....
Bronchopneumonia	668	272	119	41	20	7	17	12	19	13	17	21	46	47	13	4	.....
Pneumonia	2,989	411	147	71	34	29	66	81	262	382	452	403	321	238	87	5	.....
Pleurisy	83	3	2	.....	.....	1	2	5	4	11	11	12	18	9	5	.....	.....
Congestion of lungs	75	23	1	1	.....	.....	1	1	4	2	6	6	10	8	10	2	.....
Other diseases of respiratory system	133	5	5	6	2	1	5	3	9	12	15	25	17	19	7	2	.....
Tonsilitis	12	.....	1	.....	.....	1	4	1	3	1	.....	.....	1	.....	.....	.....	.....
Diseases of stomach	283	65	16	3	2	2	6	2	11	34	36	32	28	26	18	2	.....
Diarrhea and enteritis	2,154	1,507	294	48	22	10	15	12	18	40	32	39	39	52	19	7	.....
Hernia and intestinal obstructions	233	42	3	.....	.....	.....	3	7	15	24	37	36	37	22	7	.....	.....
Cirrhosis of liver	338	.....	.....	1	.....	.....	.....	2	12	55	96	85	53	25	9	.....	.....
Other diseases of liver	154	2	.....	2	1	.....	.....	3	13	18	33	33	32	14	3	.....	.....
Peritonitis	73	7	.....	1	1	.....	5	10	10	14	7	5	9	2	1	1	.....
Appendicitis	269	.....	.....	1	3	.....	25	92	61	40	24	18	2	3	.....	.....	.....
Other diseases of digestive system	73	26	8	.....	1	1	1	1	4	4	9	7	5	4	2	.....	.....
Acute nephritis	245	19	6	3	3	3	10	13	30	30	54	36	18	16	4	.....	.....
Bright's disease	1,686	17	3	1	4	3	5	35	96	185	304	335	349	267	75	7	.....
Calculi of urinary tract	6	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	3	.....	.....	.....
Uterine tumor	35	.....	.....	.....	.....	.....	.....	.....	2	10	19	4	.....	.....	.....	.....	.....
Ovarian tumor	31	.....	.....	.....	.....	.....	.....	2	8	6	8	3	2	2	.....	.....	.....
Other diseases of genito-urinary system	230	7	.....	.....	.....	.....	1	10	46	44	24	12	30	40	13	3	.....
Puerperal septicemia	167	.....	.....	.....	.....	.....	.....	12	83	61	11	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	161	.....	.....	.....	.....	.....	.....	8	72	67	14	.....	.....	.....	.....	.....	.....
Diseases of skin	62	12	1	.....	.....	.....	.....	2	3	1	10	6	8	5	13	1	.....
Diseases of locomotor system	65	21	17	3	3	.....	4	4	1	2	1	4	1	4	.....	.....	.....
Malformations	186	171	5	4	.....	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	1
Premature birth	505	505	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	489	489	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	209	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	65	93	30	.....
Suicide	408	.....	.....	.....	.....	.....	.....	15	88	95	99	66	32	9	3	1	.....
Other violence	1,717	155	23	28	20	26	83	201	296	277	258	163	117	49	17	3	1
Ill-defined causes	193	130	3	2	.....	.....	2	1	1	2	1	.....	17	16	13	5	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

CINCINNATI, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,118	1,057	295	139	86	59	160	281	700	841	841	733	837	714	340	28	7
Typhoid fever	274	.....	6	7	8	7	9	53	79	67	25	8	3	2	.....	.....	.....
Malarial fever	3	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Smallpox	12	1	.....	1	.....	.....	.....	1	2	4	1	1	1	.....	.....	.....	.....
Measles	79	18	20	16	5	7	10	1	.....	1	.....	1	.....	.....	.....	.....	.....
Scarlet fever	24	1	1	3	5	2	8	2	1	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough	7	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	46	4	4	9	5	2	17	4	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	118	7	2	1	1	2	3	2	4	13	11	14	14	31	12	1	.....
Cholera nostras	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....
Dysentery	26	.....	.....	.....	.....	.....	.....	.....	2	2	4	2	7	4	5	.....	.....
Erysipelas	26	3	1	.....	.....	.....	.....	2	1	4	6	4	2	3	.....	.....	.....
Other epidemic diseases[1]	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	20	3	1	.....	.....	.....	.....	1	3	1	1	4	4	1	1	.....	.....
Tuberculosis—total	1,044	13	14	6	8	7	23	78	263	286	174	100	48	21	1	1	1
Tuberculosis of lungs	918	2	3	3	3	2	12	64	247	264	162	91	43	19	1	1	1
Tuberculosis of larynx	16	.....	.....	.....	.....	.....	.....	2	2	7	2	1	2	.....	.....	.....	.....
Tuberculous meningitis	31	5	6	2	3	3	5	4	.....	2	.....	.....	1	.....	.....	.....	.....
Abdominal tuberculosis	37	2	2	1	.....	.....	1	4	12	8	3	2	1	1	.....	.....	.....
Pott's disease	10	1	.....	.....	1	1	3	.....	.....	.....	1	2	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	9	.....	.....	.....	.....	1	2	.....	1	1	3	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	7	.....	1	.....	.....	.....	.....	2	1	1	.....	1	.....	1	.....	.....	.....
General tuberculosis	16	3	2	.....	1	.....	.....	2	.....	3	3	2	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	38	31	1	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....
Cancer	273	.....	.....	.....	.....	.....	2	2	8	32	53	57	72	38	8	1	.....
Tumor	8	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	2	1	.....	.....
Rheumatism	23	.....	.....	.....	1	.....	.....	1	1	1	8	3	4	3	.....	1	.....
Diabetes	35	1	.....	.....	.....	.....	.....	.....	4	6	5	4	12	3	.....	.....	.....
Anemia, leukemia	17	1	.....	.....	.....	.....	1	2	3	2	1	3	4	.....	.....	.....	.....
Alcoholism	29	.....	.....	.....	.....	.....	.....	.....	2	11	8	6	1	1	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Other general diseases	11	1	1	.....	.....	.....	.....	.....	2	1	4	1	.....	.....	1	.....	.....
Encephalitis	5	1	1	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Meningitis	172	46	35	10	13	5	14	10	8	8	9	6	5	2	1	.....	.....
Apoplexy	229	1	1	.....	.....	1	1	.....	3	7	40	41	54	63	15	1	1
Softening of brain	15	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	3	3	1	1	.....
Paralysis	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	8	19	15	7	.....	.....
Epilepsy	11	.....	.....	.....	.....	.....	1	3	4	1	1	1	.....	.....	.....	.....	.....
Convulsions	82	67	12	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	10	4	.....	.....	.....	.....	.....	3	.....	.....	2	1	.....	.....	.....	.....	.....
Other diseases of nervous system	147	2	3	2	.....	.....	1	4	14	23	28	22	28	17	3	.....	.....
Pericarditis	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Endocarditis	101	.....	.....	1	.....	.....	3	5	7	10	11	16	20	21	6	1	.....
Heart disease	434	5	.....	.....	.....	.....	4	11	23	45	71	64	116	74	20	1	.....
Angina pectoris	16	.....	.....	.....	.....	.....	.....	.....	1	1	2	4	4	4	.....	.....	.....
Embolism and thrombosis	19	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	4	7	1	.....	.....
Other diseases of circulatory system	70	2	1	.....	.....	.....	.....	.....	2	3	3	10	16	22	10	1	.....
Laryngitis	5	1	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
Acute bronchitis	114	55	21	8	1	2	1	1	1	1	1	2	9	9	2	.....	.....
Chronic bronchitis	154	1	1	.....	1	.....	1	1	2	4	9	18	29	44	40	3	.....
Bronchopneumonia	159	33	25	16	7	5	5	1	6	5	7	7	15	15	10	1	1
Pneumonia	560	72	47	22	17	5	15	17	44	66	64	66	65	35	25	.....	.....
Pleurisy	27	.....	.....	1	.....	.....	.....	1	3	6	3	2	8	2	1	.....	.....
Congestion of lungs	33	6	.....	.....	1	.....	.....	.....	2	1	2	1	3	11	6	.....	.....
Other diseases of respiratory system	41	1	1	.....	.....	.....	.....	1	2	2	5	12	7	8	2	.....	.....
Tonsilitis	4	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....	.....
Diseases of stomach	90	6	3	1	.....	3	.....	.....	4	9	5	18	16	17	7	1	.....
Diarrhea and enteritis	463	259	69	17	7	2	4	2	6	7	8	21	23	29	7	1	1
Hernia and intestinal obstructions	33	5	.....	1	1	.....	1	3	2	4	1	6	4	4	1	.....	.....
Cirrhosis of liver	98	.....	.....	.....	.....	.....	.....	.....	1	15	31	27	14	8	2	.....	.....
Other diseases of liver	48	1	1	.....	.....	.....	.....	.....	5	2	7	9	13	9	1	.....	.....
Peritonitis	41	1	.....	.....	.....	.....	3	9	12	5	5	3	1	1	1	.....	.....
Appendicitis	40	.....	.....	.....	.....	.....	2	13	7	7	6	4	1	.....	.....	.....	.....
Other diseases of digestive system	34	8	2	1	.....	.....	3	1	.....	2	2	5	4	5	1	.....	.....
Acute nephritis	40	1	3	1	.....	2	2	3	4	8	7	3	4	2	.....	.....	.....
Bright's disease	410	3	.....	1	1	2	6	3	21	39	69	71	100	69	23	2	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Uterine tumor	12	.....	.....	.....	.....	.....	.....	.....	3	2	5	.....	2	.....	.....	.....	.....
Ovarian tumor	10	.....	.....	.....	.....	.....	.....	.....	.....	6	2	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	78	.....	.....	.....	.....	.....	.....	1	1	13	10	8	6	8	21	10	.....	.....
Puerperal septicemia	43	.....	.....	.....	.....	.....	.....	.....	6	21	14	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	17	.....	.....	.....	.....	.....	.....	1	7	7	2	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	20	1	1	.....	.....	.....	.....	.....	.....	3	2	4	4	1	3	1	.....	.....
Diseases of locomotor system	20	5	3	3	.....	.....	2	5	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Malformations	41	41	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	128	128	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	124	124	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	162	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	47	92	10	.....
Suicide	87	.....	.....	.....	.....	.....	.....	3	26	13	21	15	8	1	.....	.....	.....	.....
Other violence	358	27	3	2	2	4	13	22	61	39	72	28	29	23	10	.....	1
Ill-defined causes	134	64	6	4	2	.....	2	1	3	4	7	11	12	13	3	.....	2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

CLEVELAND, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,546	1,680	282	117	74	51	137	281	583	647	600	642	648	511	236	35	22
Typhoid fever	211	2	2	1	.....	2	11	34	66	44	29	10	8	.....	.....	.....	2
Malarial fever	5	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	2	1	.....	.....	.....
Smallpox	6	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	2	.....	.....	.....	.....
Measles	52	18	17	8	5	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	4	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	10	6	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	142	7	23	25	25	17	31	11	1	1	1	.....	.....	.....	.....	.....	.....
Influenza	22	1	.....	.....	1	.....	.....	2	4	.....	3	1	3	5	2	.....	.....
Cholera nostras	8	2	1	.....	1	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....
Dysentery	32	20	1	.....	.....	.....	.....	.....	1	2	.....	1	1	5	1	.....	.....
Erysipelas	18	6	.....	.....	1	.....	.....	.....	1	3	1	1	2	2	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	36	4	1	1	.....	.....	.....	4	7	8	3	6	2	.....	.....	.....	.....
Tuberculosis—total	666	14	9	6	1	3	5	46	191	174	93	63	43	15	1	.....	2
Tuberculosis of lungs	612	7	7	5	.....	3	3	40	183	164	90	57	37	13	1	.....	2
Tuberculosis of larynx	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....
Tuberculous meningitis	11	3	.....	.....	1	.....	1	3	2	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	20	2	1	.....	.....	.....	1	2	3	6	.....	3	.....	2	.....	.....	.....
Pott's disease	5	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
General tuberculosis	6	.....	1	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	48	46	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Cancer	260	.....	1	.....	.....	.....	.....	2	5	18	42	78	78	28	8	.....	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....
Rheumatism	41	.....	.....	.....	.....	1	4	5	5	7	3	6	5	3	1	1	.....
Diabetes	31	.....	.....	.....	.....	.....	.....	.....	4	1	3	7	10	6	.....	.....	.....
Anemia, leukemia	22	.....	.....	.....	.....	.....	1	.....	5	2	2	6	5	1	.....	.....	.....
Alcoholism	36	.....	.....	.....	.....	.....	.....	1	2	13	12	4	.....	1	.....	.....	3
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Other general diseases	18	3	1	.....	.....	.....	.....	3	4	3	3	1	.....	.....	.....	.....	.....
Encephalitis	12	6	1	.....	1	.....	.....	1	.....	.....	1	.....	.....	1	1	.....	.....
Meningitis	128	48	22	7	4	2	10	10	6	2	7	8	2	.....	.....	.....	.....
Apoplexy	197	8	1	1	.....	.....	1	.....	2	15	33	37	43	41	14	.....	1
Softening of brain	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	5	1	.....	.....
Paralysis	59	.....	.....	.....	.....	.....	.....	.....	1	5	2	10	15	14	11	1	.....
Epilepsy	10	.....	.....	.....	.....	.....	.....	2	3	2	1	2	.....	.....	.....	.....	.....
Convulsions	248	224	14	2	2	.....	1	2	.....	1	1	.....	1	.....	.....	.....	.....
Tetanus	11	2	.....	.....	.....	.....	.....	5	.....	2	.....	2	.....	.....	.....	.....	.....
Other diseases of nervous system	100	5	1	1	.....	.....	3	8	5	14	19	16	9	14	4	1	.....
Pericarditis	8	.....	.....	.....	.....	.....	.....	1	.....	.....	1	4	2	.....	.....	.....	.....
Endocarditis	90	1	.....	.....	.....	.....	4	10	8	9	10	13	20	8	6	.....	1
Heart disease	376	8	1	.....	2	.....	5	21	26	40	55	65	71	62	17	2	1
Angina pectoris	39	.....	.....	.....	.....	.....	.....	.....	1	3	3	6	14	8	3	1	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	4	1	.....	.....	.....
Other diseases of circulatory system	70	4	.....	.....	.....	1	.....	4	4	4	7	11	9	12	14	.....	.....
Laryngitis	5	.....	1	1	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	77	44	10	7	3	.....	.....	1	.....	1	.....	1	3	6	1	.....	.....
Chronic bronchitis	63	.....	1	.....	.....	.....	.....	1	2	2	.....	6	17	19	15	.....	.....
Bronchopneumonia	125	52	20	10	3	1	2	.....	3	3	4	5	9	12	1	.....	.....
Pneumonia	552	102	43	23	5	6	14	17	41	51	54	52	70	46	26	1	1
Pleurisy	29	.....	3	2	1	.....	1	4	4	2	3	4	1	3	1	.....	.....
Congestion of lungs	23	6	.....	.....	1	.....	1	.....	1	3	1	3	3	2	1	1	.....
Other diseases of respiratory system	34	2	2	1	.....	1	.....	1	3	1	2	9	4	7	1	.....	.....
Tonsilitis	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	67	16	1	1	.....	1	.....	.....	2	4	2	14	16	9	1	.....	.....
Diarrhea and enteritis	580	435	82	10	5	2	3	1	3	3	5	6	7	9	6	2	1
Hernia and intestinal obstructions	62	10	.....	.....	.....	2	2	.....	2	12	15	4	8	5	1	1	.....
Cirrhosis of liver	45	1	.....	.....	.....	.....	.....	.....	.....	5	11	16	10	2	.....	.....	.....
Other diseases of liver	40	.....	.....	.....	.....	.....	1	1	.....	4	5	12	11	4	1	1	.....
Peritonitis	56	5	1	.....	.....	.....	5	5	13	13	6	3	4	.....	.....	1	.....
Appendicitis	51	1	1	.....	.....	1	2	17	14	6	4	4	1	.....	.....	.....	.....
Other diseases of digestive system	18	6	3	.....	.....	.....	1	.....	.....	2	3	.....	2	1	.....	.....	.....
Acute nephritis	23	1	1	.....	.....	.....	.....	.....	1	8	3	2	1	4	1	1	.....
Bright's disease	310	9	.....	2	4	.....	4	6	13	20	48	60	66	53	19	3	3
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	8	.....	.....	.....	.....	.....	.....	.....	.....	3	2	2	1	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	54	.....	2	.....	1	.....	.....	.....	6	11	3	8	12	4	6	1	.....
Puerperal septicemia	29	.....	.....	.....	.....	.....	.....	1	16	10	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	30	.....	.....	.....	.....	.....	.....	1	14	12	3	.....	.....	.....	.....	.....	.....
Diseases of skin	22	7	.....	.....	.....	1	.....	.....	2	.....	2	2	3	3	2	.....	.....
Diseases of locomotor system	7	.....	.....	.....	1	.....	1	1	2	.....	.....	1	1	.....	.....	.....	.....
Malformations	31	26	1	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	114	114	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	298	298	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	127	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	56	52	12	.....
Suicide	73	.....	.....	.....	.....	.....	.....	4	15	11	20	12	7	2	1	.....	1
Other violence	368	21	5	4	5	3	19	37	65	70	51	40	18	16	7	2	5
Ill-defined causes	179	89	8	1	.....	2	1	6	3	10	11	9	13	14	8	3	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

COLUMBUS, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,340	286	63	33	19	13	70	159	328	276	252	260	248	211	99	11	12
Typhoid fever	205		1	2	2	3	8	46	68	38	19	9	8				1
Malarial fever	4										3	1					
Smallpox																	
Measles	11	1	1	2			4		2	1							
Scarlet fever	14	1			2		6	3	2								
Whooping cough	2	2															
Diphtheria and croup	24	1	2	2	1	2	13	1	2								
Influenza	18	2							2	1		3	4	2	4		
Cholera nostras	2									1	1						
Dysentery	15	2	1							2		1	1	5	2		1
Erysipelas	3										1		1	1			
Other epidemic diseases [1]	1								1								
Septicemia	20							2	5	3	3	4	2	1			
Tuberculosis—total	357	2	7	5	2	2	6	29	107	84	48	33	21	9	1		1
Tuberculosis of lungs	297			2		1	4	27	98	76	42	23	17	5	1		1
Tuberculosis of larynx	7								1	3	1	1	1				
Tuberculous meningitis	14	2	5	3	2		1			1							
Abdominal tuberculosis	18		1			1		1	4		3	4	2	2			
Pott's disease	5						1		1				1	1			
Tuberculous abscess																	
White swelling	1									1							
Tuberculosis of other organs	5								2	1	1	1					
General tuberculosis	10		1						1	2	1	4		1			
Scrofula																	
Venereal diseases	4	2								1		1					
Cancer	101							2	3	7	18	32	17	22			
Tumor	2												1	1			
Rheumatism	7								1			2	1	2	1		
Diabetes	14						2	1	1	1	1	2	5		1		
Anemia, leukemia	9						1	2		1	3	1		1			
Alcoholism	7									3	3	1					
Chronic poisonings																	
Other general diseases																	
Encephalitis	1							1									
Meningitis	48	16	7	4	3	3	2	4	3	1	2		2	1			
Apoplexy	97	4	1					1		6	12	20	22	25	4	1	1
Softening of brain	10								1	1	1	2	2	2	1		
Paralysis	23		1								3	5	5	6	3		
Epilepsy	11							1	5	2	1	2					
Convulsions	24	20	1				2	1									
Tetanus	6	1					1	2	1		1						
Other diseases of nervous system	62	2						1	5	16	12	14	7	2	2		1
Pericarditis																	
Endocarditis	7	1			1						1	1	2	1			
Heart disease	192	5	1				5	8	12	15	21	37	56	25	7		
Angina pectoris	11										1	3	2	4	1		
Embolism and thrombosis	5											1		2	2		
Other diseases of circulatory system	29	4								1	2	8	2	7	5		
Laryngitis	2	1									1						
Acute bronchitis	7	3		1				1						2			
Chronic bronchitis	17	2						1				1	6	4	3		
Bronchopneumonia	40	10	3	4	1		2	2			2	2	3	4	5	2	
Pneumonia	165	41	18	7	5		5	9	15	11	12	7	13	15	5	1	1
Pleurisy	4							1	1		1	1					
Congestion of lungs	9	1		1			1			2	1	1	1		1		
Other diseases of respiratory system	11	1	1					2	1	1	1			2	2		
Tonsilitis	4						1	1	1	1							
Diseases of stomach	23	3		1				1	2	3	5		4	4			
Diarrhea and enteritis	112	67	14	2		1	2	2	3	1	4	3	7	5			1
Hernia and intestinal obstructions	20	2					2	2		6	3	2		1	1		1
Cirrhosis of liver	16								1	1	5	8	1				
Other diseases of liver	25	1	1					4		2	3	4	5	5			
Peritonitis	12							1	6	3		1		1			
Appendicitis	23							4	9	4	4	2					
Other diseases of digestive system	8	2						1		1	1	1	1			1	
Acute nephritis	11								4	4		1	1	1			
Bright's disease	64						1	4	4	7	12	13	13	8	2		
Calculi of urinary tract	1								1								
Uterine tumor	3									1	2						
Ovarian tumor	5								1	1	1		1	1			
Other diseases of genito-urinary system	14								1	3	5	1	2		1	1	
Puerperal septicemia	10								4	6							
Other causes incident to childbirth	12							2	2	7	1						
Diseases of skin	14							2	1	2		3		3	1	1	1
Diseases of locomotor system	2							1	1								
Malformations	14	12	1					1									
Premature birth	8	8															
Congenital debility	44	44															
Old age	70									5	3	5	2	7	21	20	3	
Suicide	15									1	4	5	4				1
Other violence	162	2	1	2	1	2	4	11	41	20	23	21	18	9	4	1	2
Ill-defined causes	47	20	1		1		2	1	3	1	3	3	4	7			1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

DENVER, COLO.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,917	378	70	38	31	22	68	133	461	453	368	318	268	205	91	10	3
Typhoid fever	45						4	5	20	6	6	2	2				
Malarial fever																	
Smallpox																	
Measles	27	9	6	4	2	2	3		1								
Scarlet fever	21	1	1	2	3	1	10	2	1								
Whooping cough	21	11	3	2	4	1											
Diphtheria and croup	47	3	5	6	6	3	16	6	2								
Influenza	12	1					1	1		1	1	4	1	1	1		
Cholera nostras	2												1		1		
Dysentery	7										1	1	3	2			
Erysipelas	16	8							1	3	1				3		
Other epidemic diseases [1]																	
Septicemia	12	1							2	2	2	3	1	1			
Tuberculosis—total	734	19	4	3	1	2	4	47	266	221	100	41	17	7			2
Tuberculosis of lungs	681	7	1		1		2	45	253	214	95	39	15	7			2
Tuberculosis of larynx	6							1	2	2	1						
Tuberculous meningitis	24	10	3	3		2	2	1	3								
Abdominal tuberculosis	11	2							4	3	1	1					
Pott's disease	1												1				
Tuberculous abscess	1									1							
White swelling	2								1				1				
Tuberculosis of other organs	3								1	1	1						
General tuberculosis	5								2		2	1					
Scrofula	2	2															
Venereal diseases	12	7			1					2			1	1			
Cancer	107				1			1	2	13	26	30	21	10	3		
Tumor	1												1				
Rheumatism	20							1	1	4	3	4	2	3	2		
Diabetes	19		1					1	1	4	4	4	3		1		
Anemia, leukemia	12	1								2	1	3	3		2		
Alcoholism	14									2	8	4					
Chronic poisonings																	
Other general diseases	6									3	1		2				
Encephalitis	4				2					1		1					
Meningitis	40	15	5	5	2	1	2	2	4	2		1		1			
Apoplexy	67	1						1		3	4	11	22	15	10		
Softening of brain	6										3		1		2		
Paralysis	15								1			1	2	5	5	1	
Epilepsy	11							1	5	4		1					
Convulsions	21	20	1														
Tetanus																	
Other diseases of nervous system	47		1		1			1	5	4	18	10	4	3			
Pericarditis	4							1			1	2					
Endocarditis	19					2		1	4	1	2		4	5			
Heart disease	164	3				1	5	13	9	17	26	26	36	23	5		
Angina pectoris	9						1				1	3	4				
Embolism and thrombosis	33		1		1				5	5	2	4	6	8	1		
Other diseases of circulatory system	13	1							1		1	1	2	5	2		
Laryngitis	3		2							1							
Acute bronchitis	18	13	1			1					2					1	
Chronic bronchitis	18										4	3	3	6	2		
Bronchopneumonia	35	8	7			1			1	3	2	4	5	2	2		
Pneumonia	319	40	12	6	3	2	8	12	21	42	38	57	40	31	7		
Pleurisy	6	1							3	2							
Congestion of lungs	15	3	2					1	2	1	2	1	1	2			
Other diseases of respiratory system	29								2	7	8	8	2	2			
Tonsilitis	2		1									1					
Diseases of stomach	43	12	1		1			2	4	2	5	7	2	5	2		
Diarrhea and enteritis	78	52	11	2		1				1	1	2	4	3	1		
Hernia and intestinal obstructions	23	4			1		1	1	3	2		4	3	1	3		
Cirrhosis of liver	28									3	5	9	8	3			
Other diseases of liver	15								3	1	4	2	4	1			
Peritonitis	17	2						2	2	4	1		3	2	1		
Appendicitis	43					2	2	8	11	9	7	4					
Other diseases of digestive system	9	2	1	1				1		2				1	1		
Acute nephritis	12	2								3	2	2	1	2			
Bright's disease	158	1		1				5	8	13	30	31	36	25	6	1	1
Calculi of urinary tract	1													1			
Uterine tumor	10									1	5	4					
Ovarian tumor	9							1		4	1	1	1	1			
Other diseases of genito-urinary system	34	3						1	9	3	5	3	3	5	1	1	
Puerperal septicemia	17							1	12	4							
Other causes incident to childbirth	13								5	8							
Diseases of skin	9	1	1					1		1	1	1		2	1		
Diseases of locomotor system	4			1						1		1		1			
Malformations	22	18	1					3									
Premature birth	49	49															
Congenital debility	38	38															
Old age	45												4	12	23	6	
Suicide	50							1	15	14	12	6	2				
Other violence	139	15	2	5	2	2	10	9	29	20	20	9	6	7	3		
Ill-defined causes	16	11					1			1	1	1	1				

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

DETROIT, MICH.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,739	1,211	179	86	53	51	136	238	414	374	386	448	459	455	207	31	11
Typhoid fever	56	1					5	13	18	8	6	1	2	1			1
Malarial fever	7							2	1		2		1	1			
Smallpox	1	1															
Measles	41	15	13	3	2	2	5			1							
Scarlet fever	36	1	3	8	5	4	6	6	2	1							
Whooping cough	7	1	3	1	1			1									
Diphtheria and croup	141	14	19	23	10	18	47	10									
Influenza	30	2					2	2	5	1	1	2	3	9	2	1	
Cholera nostras	3		1							1			1	2			
Dysentery	11		1	1			1			1			3	3		1	
Erysipelas	17	4	1								4	1	4	1	2		
Other epidemic diseases[1]	2		1				1										
Septicemia	21	1	1						2	4	2	5	3	1	2		
Tuberculosis—total	451	14	8	6	3	3	3	54	150	95	54	35	15	7	3		1
Tuberculosis of lungs	377	3	4	1	1		1	43	140	84	45	30	14	7	3		1
Tuberculosis of larynx	6							1	1	3		1					
Tuberculous meningitis	25	7	3	5	1	2	1	1	2	2	1						
Abdominal tuberculosis	25	3			1		1	5	6	3	4	2					
Pott's disease	2					1						1					
Tuberculous abscess																	
White swelling	4		1					1			2						
Tuberculosis of other organs	6							1	1	2	1	1					
General tuberculosis	6	1						2		1	1		1				
Scrofula																	
Venereal diseases	44	41	1						2								
Cancer	237	1							4	20	41	70	61	33	7		
Tumor	2										1		1				
Rheumatism	29					1	2	8	6	3	2	2	2	2	1		
Diabetes	37								1	5	6	9	12	4			
Anemia, leukemia	22	1					2	2	2	2	2	3	6		1	1	
Alcoholism	19								3	4	9	2		1			
Chronic poisonings	3								1		1	1					
Other general diseases	8	2								2	3		1				
Encephalitis	5	1	1		1		1		1								
Meningitis	86	27	14	7	4	6	13	6	4	1		3	1				
Apoplexy	150	1					2	2	1	11	17	30	33	40	13		
Softening of brain	2										1	1					
Paralysis	61	2				1	1	2		3	6	4	17	15	10		
Epilepsy	7						1	1	2	1				2			
Convulsions	145	118	13	2	3	3			5					1			
Tetanus	2							1					1				
Other diseases of nervous system	48	1	3					2	1	7	12	6	8	6	2		
Pericarditis	10							2	1		2	2	1	2			
Endocarditis	26			1	1			3	2	3	3	4	5	3	1		
Heart disease	327	6			1		7	20	21	21	42	62	74	52	19		2
Angina pectoris	18									1	2	2	5	7	1		
Embolism and thrombosis	9							1	2	1	1	2	1				1
Other diseases of circulatory system	36	5				1			2	2		2	11	8	4	1	
Laryngitis	1	1															
Acute bronchitis	91	65	9	1	1	2	1	1				2	2	4	3		
Chronic bronchitis	57	1						2	2	2	2	5	13	18	12		
Bronchopneumonia	99	53	14	4	1		1	1	5		3	1	3	7	3	3	
Pneumonia	301	63	17	8	9	4	8	19	22	34	26	31	21	26	12	1	
Pleurisy	9							2	1		1	1	1	1	2		
Congestion of lungs	19	3	1	1				2		1	2	2	3	3	1		
Other diseases of respiratory system	50	5	2	1	1			2	4	3	10	5	6	8	3		
Tonsilitis	3	2							1								
Diseases of stomach	70	18	4	1					3	1	7	12	12	7	4	1	
Diarrhea and enteritis	359	277	29	10	3	1	2	4	1	2	2	5	4	9	7	1	2
Hernia and intestinal obstructions	35	1	1		2			2	2	7	3	9	7	1			
Cirrhosis of liver	55	1							2	3	12	20	10	7			
Other diseases of liver	35								1	5	5	8	1	13	2		
Peritonitis	44	2				1	2	7	13	10	7			2			
Appendicitis	54						7	17	14	10	3	3					
Other diseases of digestive system	17	9		1					1		2		3	1			
Acute nephritis	28	2	1	2			1	2	2	6		1	4	5	2		
Bright's disease	192	3	1	1			3	7	11	18	22	39	44	32	8	3	
Calculi of urinary tract																	
Uterine tumor	11								2	4	2	1	2				
Ovarian tumor	9							1	3	2		1	2				
Other diseases of genito-urinary system	54							5	7	8	6	7	6	10	5		
Puerperal septicemia	28							1	13	10	4						
Other causes incident to childbirth	29							4	12	11	1						1
Diseases of skin	18	2				1			1		1	1	2	5	4	1	
Diseases of locomotor system	5					1			1		1		2				
Malformations	45	45															
Premature birth	86	86															
Congenital debility	213	213															
Old age	155												11	65	62	17	
Suicide	47							2	7	14	10	11	2		1		
Other violence	187	18	7	2	4	1	7	14	31	19	24	23	14	16	6		1
Ill-defined causes	174	81	10	2	1	1	5	5	13	5	10	11	12	14	2		2

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

FALL RIVER, MASS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,074	806	101	27	31	16	30	69	140	163	145	159	189	142	48	7	1
Typhoid fever	20					1	2	2	7	3	4	1					
Malarial fever	1							1									
Smallpox																	
Measles	7	1	4	1	1												
Scarlet fever	4				1	1	1	1									
Whooping cough	2	1	1														
Diphtheria and croup	29	4	6	4	6	2	4			1	2						
Influenza	11								1		4	1	2	1	2		
Cholera nostras	3			1	1					1							
Dysentery	8	1						1			2	1	2			1	
Erysipelas	4	1								1	2						
Other epidemic diseases[1]																	
Septicemia	5									2	2	1					
Tuberculosis—total	236	6	5		1	1	2	26	68	71	31	16	5	4			
Tuberculosis of lungs	224	6	3			1	2	24	65	70	30	15	4	4			
Tuberculosis of larynx	3								1	1			1				
Tuberculous meningitis	1		1														
Abdominal tuberculosis	1		1														
Pott's disease	1								1								
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	3				1			1				1					
General tuberculosis	3							1	1		1						
Scrofula	2	1				1											
Venereal diseases	3	3															
Cancer	67									7	14	20	13	10	2		1
Tumor	1												1				
Rheumatism	6							1				1	3	1			
Diabetes	13									1		3	6	3			
Anemia, leukemia	4							1			1	1	1				
Alcoholism	5									1	3	1					
Chronic poisonings																	
Other general diseases	2	1										1					
Encephalitis	5	1							1		2			1			
Meningitis	50	23	8	3	5	3	1	1	3	2	1						
Apoplexy	77	4	1						4	4	4	14	24	22			
Softening of brain	4										1		2	1			
Paralysis	29	1										6	10	7	4	1	
Epilepsy																	
Convulsions	53	42	9				2										
Tetanus																	
Other diseases of nervous system	29			1			1		2	3	5	5	6	4	2		
Pericarditis	3							1			1			1			
Endocarditis	11						1	2	2		2	4					
Heart disease	103	3				2		2	9	10	13	17	22	19	6		
Angina pectoris	2											1		1			
Embolism and thrombosis																	
Other diseases of circulatory system	5									1	1		1	2			
Laryngitis	4	2		1	1												
Acute bronchitis	43	32	8	1								1		1			
Chronic bronchitis	40	1						1	5	4	2	2	11	7	7		
Bronchopneumonia	39	20	10	3			1	1			1		1	2			
Pneumonia	142	39	11	4	6	2	6	4	10	12	9	15	14	7	3		
Pleurisy	16	3						2		3	1	2	2	2	1		
Congestion of lungs	7	1						1		1		1		2	1		
Other diseases of respiratory system	16	2		2	1	2	1		1			2	3	2			
Tonsilitis	2		1					1									
Diseases of stomach	21	4	1								2	2	7	5			
Diarrhea and enteritis	318	267	19	5	3		2	5		1	1	4	7	2	2		
Hernia and intestinal obstructions	6									1	1	1	1	1	1		
Cirrhosis of liver	14								1	2	4	2	4	1			
Other diseases of liver	12	1					1	1			2	3	2	2			
Peritonitis	9							3	2		1			2	1		
Appendicitis	8							4	1	2				1			
Other diseases of digestive system	11	4			1				1			2	1	2			
Acute nephritis	11	1			1		2		1			3	3				
Bright's disease	81	2	1	1			1	2	5	3	14	15	24	11	2		
Calculi of urinary tract	1														1		
Uterine tumor	2										1	1					
Ovarian tumor																	
Other diseases of genito-urinary system	16	3				1		1		3		3	3	1	1		
Puerperal septicemia	10							1	5	4							
Other causes incident to childbirth	13								1	11	1						
Diseases of skin	10	3									2			4	1		
Diseases of locomotor system	3		1				1	1									
Malformations	13	13															
Premature birth	133	133															
Congenital debility	121	121															
Old age	24												4	7	8	5	
Suicide	3								1	1				1			
Other violence	56	20	5		2		1	2	8	5	4	4	3		2		
Ill-defined causes	65	41	10		1				1	2	4	2	1	2	1		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

INDIANAPOLIS, IND.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,346	549	102	42	19	24	78	191	365	350	358	351	370	321	149	21	56
Typhoid fever	140	3	2	1	.....	3	10	24	37	27	21	4	6	1	.....	.....	1
Malarial fever	9	1	.....	.....	.....	.....	1	.....	1	1	1	1	.....	2	.....	.....	1
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	17	3	4	4	1	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	19	2	5	2	2	2	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	27	3	.....	.....	.....	.....	.....	2	3	1	3	2	.....	6	5	2	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	13	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	5	2	.....	.....
Erysipelas	11	1	.....	.....	.....	.....	.....	1	1	2	.....	1	2	.....	1	.....	2
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	19	.....	.....	.....	.....	.....	.....	2	1	3	3	3	2	1	.....	.....	4
Tuberculosis—total	481	5	5	2	3	5	9	67	138	106	72	32	20	7	1	.....	9
Tuberculosis of lungs	422	4	3	1	2	3	3	59	124	102	60	27	18	6	1	.....	9
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	.....	2	1	2	2	.....	.....	.....	.....	.....
Tuberculous meningitis	14	1	1	.....	1	1	3	2	1	1	3	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	25	.....	.....	1	.....	1	2	4	5	2	6	2	2	.....	.....	.....	.....
Pott's disease	3	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	5	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	1	.....	.....	.....
General tuberculosis	5	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	13	6	.....	.....	.....	.....	.....	1	1	2	2	1	.....	.....	.....	.....	.....
Cancer	122	.....	1	.....	.....	1	.....	1	1	10	30	35	24	16	1	.....	2
Tumor	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....
Rheumatism	17	.....	1	.....	.....	.....	1	1	3	4	3	2	.....	1	.....	.....	1
Diabetes	18	.....	.....	.....	.....	.....	.....	.....	.....	3	2	4	3	5	1	.....	.....
Anemia, leukemia	11	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	4	1	.....	.....	.....
Alcoholism	11	.....	.....	.....	.....	.....	.....	.....	1	1	2	4	.....	1	.....	.....	2
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	4	1	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	4	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
Meningitis	87	24	14	10	1	1	6	8	4	8	5	2	2	1	.....	.....	1
Apoplexy	121	3	2	.....	.....	.....	.....	1	4	6	13	22	31	26	9	1	3
Softening of brain	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	5	3	.....	.....	.....
Paralysis	54	.....	.....	.....	.....	.....	1	.....	.....	1	6	8	12	15	9	2	.....
Epilepsy	20	.....	1	.....	.....	.....	.....	2	1	7	7	1	.....	1	.....	.....	.....
Convulsions	33	24	1	1	.....	.....	.....	.....	.....	1	1	1	2	1	.....	.....	1
Tetanus	8	3	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	72	.....	.....	.....	.....	.....	1	2	5	16	14	18	11	4	1	.....	.....
Pericarditis	8	1	.....	.....	.....	.....	.....	1	1	1	1	1	2	.....	.....	.....	.....
Endocarditis	26	.....	.....	.....	.....	.....	2	.....	.....	2	5	3	7	4	1	.....	2
Heart disease	225	2	.....	1	.....	.....	3	5	19	18	23	47	62	30	11	1	3
Angina pectoris	14	.....	.....	.....	.....	.....	.....	1	1	.....	2	3	5	1	1	.....	.....
Embolism and thrombosis	7	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	2	.....	.....	.....
Other diseases of circulatory system	26	.....	.....	.....	.....	.....	.....	.....	2	2	1	6	5	7	3	.....	.....
Laryngitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Acute bronchitis	15	2	3	.....	.....	.....	.....	.....	.....	.....	.....	3	3	3	1	.....	.....
Chronic bronchitis	28	.....	.....	.....	.....	.....	.....	1	2	.....	2	4	10	4	3	.....	2
Bronchopneumonia	61	19	3	7	1	1	4	.....	3	2	4	1	2	8	6	.....	.....
Pneumonia	258	48	24	5	3	5	4	12	27	18	29	26	22	25	5	.....	5
Pleurisy	6	.....	.....	.....	.....	.....	1	1	.....	.....	1	2	.....	.....	1	.....	.....
Congestion of lungs	28	8	.....	.....	.....	.....	.....	.....	.....	1	2	4	4	7	1	.....	1
Other diseases of respiratory system	21	1	.....	1	.....	.....	2	2	1	3	.....	6	2	3	.....	.....	.....
Tonsilitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	38	3	1	.....	2	.....	1	1	1	3	4	7	9	3	1	.....	2
Diarrhea and enteritis	162	87	16	3	2	.....	4	2	3	7	8	5	9	12	2	.....	2
Hernia and intestinal obstructions	36	5	.....	.....	1	.....	1	5	4	2	2	4	5	6	1	.....	.....
Cirrhosis of liver	29	.....	.....	.....	.....	.....	.....	.....	.....	3	5	11	4	4	1	.....	1
Other diseases of liver	38	.....	.....	1	.....	.....	1	.....	4	7	6	6	4	7	2	.....	.....
Peritonitis	31	.....	1	.....	.....	.....	3	6	7	5	6	1	2	.....	.....	.....	.....
Appendicitis	16	.....	.....	1	.....	.....	2	3	3	3	1	1	1	1	.....	.....	.....
Other diseases of digestive system	12	3	.....	.....	.....	.....	.....	.....	1	3	1	2	1	1	.....	.....	.....
Acute nephritis	13	3	.....	.....	1	.....	.....	1	.....	2	2	.....	2	2	.....	.....	.....
Bright's disease	144	1	2	.....	1	1	.....	3	13	10	20	29	34	24	6	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....
Other diseases of genito-urinary system	30	.....	.....	.....	.....	.....	.....	1	6	3	3	5	5	4	3	.....	.....
Puerperal septicemia	6	.....	.....	.....	.....	.....	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	11	.....	.....	.....	.....	.....	.....	2	3	6	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	16	2	.....	.....	.....	.....	.....	1	1	1	4	1	3	1	2	.....	.....
Diseases of locomotor system	4	1	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Malformations	15	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	92	92	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	117	117	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	128	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	44	59	12	1
Suicide	36	.....	.....	.....	.....	.....	.....	2	12	10	8	1	1	.....	.....	1	1
Other violence	186	8	4	.....	1	3	11	19	36	34	20	15	13	9	5	2	6
Ill-defined causes	102	48	10	2	.....	.....	.....	1	2	2	3	8	10	9	4	.....	3

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

JERSEY CITY, N. J.

CAUSE OF DEATH	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,728	1,013	281	117	98	68	178	197	450	545	488	458	450	274	96	14	1
Typhoid fever	43	.....	.....	.....	.....	.....	2	6	16	15	2	.....	1	.....	1	.....	.....
Malarial fever	6	.....	1	.....	.....	.....	1	2	.....	.....	.....	2	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	11	4	4	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	92	2	13	12	12	8	32	10	3	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	29	15	8	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	153	8	30	17	27	24	35	9	.....	.....	1	.....	1	.....	1	.....	.....
Influenza	25	2	.....	1	1	.....	.....	.....	2	.....	2	3	5	8	.....	1	.....
Cholera nostras	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	14	3	1	2	.....	.....	.....	.....	1	1	.....	2	2	1	1	.....	.....
Erysipelas	19	9	.....	.....	.....	.....	.....	.....	2	2	3	1	.....	2	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	7	1	.....	.....	.....	.....	.....	.....	1	1	2	.....	2	.....	.....	.....	.....
Tuberculosis—total	644	17	6	6	3	2	5	44	190	179	105	60	24	2	1	.....	.....
Tuberculosis of lungs	590	4	3	3	2	.....	2	41	184	170	101	55	23	2	.....	.....	.....
Tuberculosis of larynx	12	1	.....	.....	.....	.....	.....	.....	2	2	4	2	1	.....	.....	.....	.....
Tuberculous meningitis	23	10	2	3	1	1	2	2	.....	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	8	2	1	.....	.....	1	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
White swelling	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	5	2	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Cancer	123	.....	.....	.....	.....	.....	.....	.....	3	9	26	30	35	16	4	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	18	.....	.....	.....	.....	.....	.....	4	1	1	3	4	3	1	1	.....	.....
Diabetes	20	.....	.....	.....	.....	.....	.....	1	1	3	1	1	5	8	.....	.....	.....
Anemia, leukemia	6	.....	.....	1	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....
Alcoholism	45	.....	.....	.....	.....	.....	.....	.....	4	17	13	8	3	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Other general diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Encephalitis	4	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....
Meningitis	170	49	23	17	10	8	27	24	3	1	4	2	2	.....	.....	.....	.....
Apoplexy	192	9	2	1	.....	1	.....	1	1	9	20	43	55	35	12	3	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
Paralysis	21	1	.....	1	.....	.....	.....	.....	.....	1	1	3	9	4	1	.....	.....
Epilepsy	5	.....	.....	.....	.....	.....	.....	.....	1	3	.....	1	.....	.....	.....	.....	.....
Convulsions	108	78	15	3	2	3	3	2	1	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	6	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	56	4	2	.....	.....	1	2	.....	3	6	10	9	11	2	6	.....	.....
Pericarditis	7	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	.....	.....	.....	.....	.....
Endocarditis	80	4	.....	.....	1	.....	1	4	9	16	14	8	11	10	2	.....	.....
Heart disease	303	10	.....	1	2	2	4	15	16	33	52	47	59	48	12	2	.....
Angina pectoris	27	.....	.....	.....	.....	.....	.....	.....	1	2	7	7	6	4	.....	.....	.....
Embolism and thrombosis	6	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	2	1	.....	.....
Other diseases of circulatory system	38	5	2	.....	.....	.....	.....	.....	2	1	5	3	8	8	3	1	.....
Laryngitis	8	2	3	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	60	42	11	1	3	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....
Chronic bronchitis	38	2	.....	1	.....	.....	.....	3	1	2	3	5	11	8	2	.....	.....
Bronchopneumonia	108	46	19	9	5	3	2	2	2	2	.....	6	5	3	4	.....	.....
Pneumonia	506	63	44	14	10	3	14	8	40	76	60	67	57	40	7	3	.....
Pleurisy	14	1	.....	2	1	.....	1	2	3	.....	1	.....	2	1	.....	.....	.....
Congestion of lungs	30	9	.....	.....	.....	.....	.....	.....	2	1	5	6	3	2	2	.....	.....
Other diseases of respiratory system	22	2	.....	.....	1	.....	.....	.....	2	5	.....	3	4	5	.....	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	67	19	1	1	.....	.....	4	4	4	7	5	4	12	4	2	.....	.....
Diarrhea and enteritis	364	241	70	13	4	2	6	2	3	4	2	3	6	4	3	1	.....
Hernia and intestinal obstructions	41	6	.....	.....	.....	.....	2	2	3	4	5	9	8	1	1	.....	.....
Cirrhosis of liver	52	.....	.....	.....	.....	1	.....	.....	1	9	14	15	11	1	.....	.....	.....
Other diseases of liver	18	1	.....	1	.....	.....	.....	.....	.....	.....	2	1	4	5	3	1	.....
Peritonitis	21	1	1	.....	.....	.....	.....	2	3	7	3	2	2	.....	.....	.....	.....
Appendicitis	33	.....	.....	.....	2	.....	5	7	11	2	3	1	2	.....	.....	.....	.....
Other diseases of digestive system	6	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	2	.....	.....	.....	.....
Acute nephritis	46	2	.....	1	1	1	5	4	3	5	8	8	6	1	1	.....	.....
Bright's disease	221	4	1	1	3	.....	7	6	25	21	34	49	46	15	9	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other diseases of genito-urinary system	17	1	.....	.....	.....	.....	.....	.....	2	4	.....	3	3	3	1	.....	.....
Puerperal septicemia	26	.....	.....	.....	.....	.....	.....	3	14	7	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	14	.....	.....	.....	.....	.....	.....	.....	5	8	1	.....	.....	.....	.....	.....	.....
Diseases of skin	16	2	.....	.....	.....	1	1	.....	1	3	2	2	3	1	.....	.....	.....
Diseases of locomotor system	9	4	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	1	.....	.....
Malformations	60	58	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	76	76	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	80	80	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	16	13	3	.....
Suicide	44	.....	.....	.....	.....	.....	.....	1	14	6	13	6	1	2	1	.....	.....
Other violence	269	29	6	5	5	5	14	23	41	60	40	21	13	6	.....	.....	1
Ill-defined causes	131	91	16	1	.....	2	2	3	1	1	5	4	1	2	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

KANSAS CITY, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,465	483	84	48	41	15	92	174	459	473	457	375	362	257	109	10	26
Typhoid fever	76	.....	1	.....	3	1	7	13	26	15	5	.....	3	2	.....	.....	.....
Malarial fever	13	4	.....	.....	.....	.....	.....	.....	.....	3	2	2	2	.....	.....	.....	.....
Smallpox	8	.....	.....	.....	.....	.....	.....	.....	2	1	3	1	.....	.....	.....	.....	1
Measles	18	5	4	1	.....	.....	4	2	1	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	20	1	1	5	5	1	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	7	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	49	1	3	12	9	2	17	4	.....	.....	1	.....	.....	.....	.....	.....	.....
Influenza	61	4	.....	1	.....	.....	1	.....	3	7	5	11	12	9	7	1	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
Dysentery	13	5	1	1	.....	.....	.....	.....	.....	.....	2	.....	1	2	1	.....	.....
Erysipelas	27	5	.....	.....	.....	.....	.....	1	1	5	7	3	1	1	2	.....	1
Other epidemic diseases [1]	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	43	5	.....	1	.....	.....	2	3	9	8	7	1	2	2	2	1	.....
Tuberculosis—total	442	7	5	3	1	1	3	44	135	105	60	51	16	6	1	.....	4
Tuberculosis of lungs	415	3	4	.....	1	1	3	41	129	102	58	47	15	6	1	.....	4
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	7	2	1	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	8	.....	.....	.....	.....	.....	.....	2	2	2	1	1	.....	.....	.....	.....	.....
Pott's disease	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	5	.....	.....	1	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....
Scrofula	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Venereal diseases	12	4	.....	.....	.....	.....	.....	1	2	3	1	.....	1	.....	.....	.....	.....
Cancer	128	.....	.....	.....	.....	.....	1	.....	5	16	25	36	29	12	3	1	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....
Rheumatism	21	.....	.....	.....	.....	.....	.....	3	3	5	4	1	1	4	.....	.....	.....
Diabetes	18	.....	.....	.....	.....	.....	.....	.....	2	4	1	2	6	2	1	.....	.....
Anemia, leukemia	12	.....	.....	.....	.....	.....	.....	1	2	4	1	.....	4	.....	.....	.....	.....
Alcoholism	16	.....	.....	.....	.....	.....	.....	.....	1	4	5	2	3	.....	.....	.....	1
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1
Other general diseases	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Encephalitis	6	1	2	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
Meningitis	60	22	7	3	1	3	6	3	7	4	2	2	.....	.....	.....	.....	.....
Apoplexy	68	4	.....	.....	.....	.....	.....	.....	3	3	5	13	19	14	7	.....	.....
Softening of brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....
Paralysis	44	.....	.....	.....	.....	.....	1	1	1	.....	8	10	13	7	3	.....	.....
Epilepsy	6	2	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....
Convulsions	16	11	1	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	7	.....	.....	.....	.....	.....	.....	2	.....	4	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	32	2	.....	.....	.....	.....	1	2	.....	7	7	7	4	1	1	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Endocarditis	32	1	.....	.....	.....	.....	.....	4	1	6	4	6	4	6	.....	.....	.....
Heart disease	224	4	.....	.....	.....	.....	3	5	21	20	46	35	42	36	9	.....	3
Angina pectoris	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	4	.....	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	1	.....	.....
Other diseases of circulatory system	28	2	.....	.....	.....	.....	.....	.....	3	4	7	2	3	4	3	.....	.....
Laryngitis	6	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....
Acute bronchitis	19	14	1	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....
Chronic bronchitis	19	.....	.....	.....	1	.....	.....	.....	1	.....	2	2	4	5	4	.....	.....
Bronchopneumonia	33	15	3	1	4	.....	3	1	3	1	.....	.....	2	.....	.....	.....	.....
Pneumonia	567	63	23	9	8	1	15	28	72	75	95	72	67	23	9	1	6
Pleurisy	11	.....	.....	1	.....	1	.....	2	2	1	1	1	1	1	.....	.....	.....
Congestion of lungs	18	3	1	.....	.....	.....	.....	.....	1	1	2	3	3	2	2	.....	.....
Other diseases of respiratory system	27	1	.....	.....	.....	.....	1	1	3	3	5	1	7	3	2	.....	.....
Tonsillitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	47	6	1	.....	.....	.....	.....	.....	4	5	11	8	5	5	2	.....	.....
Diarrhea and enteritis	108	68	11	.....	1	.....	1	1	3	3	5	5	4	6	.....	.....	.....
Hernia and intestinal obstructions	30	4	.....	.....	.....	.....	2	2	2	2	5	4	6	3	.....	.....	.....
Cirrhosis of liver	20	1	.....	.....	.....	.....	.....	.....	1	2	4	7	4	1	.....	.....	.....
Other diseases of liver	25	.....	.....	.....	.....	.....	.....	.....	4	3	.....	5	8	4	1	.....	.....
Peritonitis	46	2	1	.....	.....	.....	1	2	11	15	9	2	3	.....	.....	.....	.....
Appendicitis	24	.....	.....	1	.....	.....	1	4	8	3	4	3	.....	.....	.....	.....	.....
Other diseases of digestive system	16	1	1	1	.....	.....	1	2	3	2	.....	2	1	.....	2	.....	.....
Acute nephritis	20	2	1	.....	.....	1	2	.....	2	1	5	2	2	2	.....	.....	.....
Bright's disease	158	3	1	.....	2	.....	1	7	9	25	28	19	30	28	5	.....	.....
Calculi of urinary tract	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	23	3	.....	.....	.....	.....	.....	1	2	4	2	4	1	4	2	.....	.....
Puerperal septicemia	9	.....	.....	.....	.....	.....	.....	1	5	3	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	12	.....	.....	.....	.....	.....	.....	1	9	2	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	9	2	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	2	.....	.....	.....
Diseases of locomotor system	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Malformations	10	8	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	71	71	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	79	79	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	68	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	28	30	4	1
Suicide	34	.....	.....	.....	.....	.....	.....	2	8	12	5	4	2	.....	.....	.....	1
Other violence	284	10	3	3	5	3	11	25	63	58	42	23	18	12	4	1	3
Ill-defined causes	122	28	8	2	1	.....	1	.....	6	16	12	12	15	14	2	1	4

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

LOS ANGELES, CAL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,752	273	44	34	27	15	62	148	373	370	358	318	327	283	102	11	7
Typhoid fever	60	.....	2	.....	.....	.....	1	8	26	12	5	4	1	1	.....	.....	.....
Malarial fever	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	7	1	.....	1	.....	1	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	7	.....	.....	1	2	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	39	1	2	3	6	3	14	9	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	15	.....	.....	.....	.....	.....	.....	1	1	3	2	2	3	3	.....	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Dysentery	9	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	2	2	.....	.....
Erysipelas	8	1	.....	.....	.....	.....	.....	.....	1	1	2	2	1	.....	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	33	2	.....	.....	.....	.....	2	2	8	5	4	4	4	1	1	.....	.....
Tuberculosis—total	561	1	6	3	2	.....	6	43	173	130	103	53	26	10	4	.....	1
Tuberculosis of lungs	520	1	2	1	1	.....	4	42	165	120	98	49	24	8	4	.....	1
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	13	.....	3	1	1	.....	2	.....	2	2	.....	1	.....	1	.....	.....	.....
Abdominal tuberculosis	14	.....	1	1	.....	.....	.....	.....	3	4	3	2	.....	.....	.....	.....	.....
Pott's disease	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....
General tuberculosis	6	.....	.....	.....	.....	.....	.....	1	.....	3	1	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	6	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
Cancer	117	.....	.....	.....	.....	.....	.....	.....	1	4	23	32	35	20	1	.....	1
Tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Rheumatism	11	.....	.....	.....	.....	.....	1	.....	1	.....	3	1	2	3	.....	.....	.....
Diabetes	13	.....	.....	.....	.....	.....	1	.....	1	3	1	3	3	1	.....	.....	.....
Anemia, leukemia	10	2	.....	.....	.....	.....	.....	2	1	2	2	1	.....	.....	.....	.....	.....
Alcoholism	23	.....	.....	.....	.....	.....	.....	.....	3	6	8	3	2	1	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Meningitis	77	19	3	4	5	2	7	8	9	11	5	2	.....	1	.....	.....	1
Apoplexy	103	3	.....	.....	.....	.....	.....	1	4	5	12	21	30	22	4	.....	1
Softening of brain	9	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	4	.....	.....	.....
Paralysis	33	1	.....	1	.....	.....	.....	1	1	.....	2	6	8	9	4	.....	.....
Epilepsy	6	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....
Convulsions	26	17	3	1	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....
Tetanus	7	.....	.....	.....	.....	.....	1	1	3	1	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	39	1	.....	.....	.....	.....	.....	1	2	6	6	4	10	4	5	.....	.....
Pericarditis	6	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	1	.....	1	.....	.....
Endocarditis	40	.....	1	.....	.....	.....	1	2	4	4	8	8	10	.....	2	.....	.....
Heart disease	190	5	.....	.....	1	.....	3	13	13	19	22	30	40	36	8	.....	.....
Angina pectoris	14	.....	.....	.....	.....	.....	.....	.....	3	1	1	1	3	5	.....	.....	.....
Embolism and thrombosis	11	.....	.....	.....	.....	.....	.....	.....	1	4	1	1	1	3	.....	.....	.....
Other diseases of circulatory system	30	2	.....	.....	.....	.....	1	1	2	3	5	4	4	5	1	.....	2
Laryngitis	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	18	10	3	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	.....	1	.....
Chronic bronchitis	18	.....	.....	.....	.....	.....	2	.....	.....	1	1	2	1	9	2	.....	.....
Bronchopneumonia	28	10	.....	1	1	1	1	1	2	2	1	1	4	1	2	.....	.....
Pneumonia	182	22	5	6	1	2	7	7	11	16	23	31	25	19	6	1	.....
Pleurisy	10	.....	.....	1	.....	.....	.....	.....	.....	1	3	1	3	1	.....	.....	.....
Congestion of lungs	9	1	1	.....	.....	.....	.....	2	.....	.....	1	.....	.....	2	2	.....	.....
Other diseases of respiratory system	25	1	.....	.....	.....	.....	.....	.....	1	2	4	2	8	5	1	1	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	29	5	1	.....	.....	1	.....	1	1	4	2	6	.....	3	5	.....	.....
Diarrhea and enteritis	86	43	11	4	5	1	2	1	1	2	2	4	2	4	4	.....	.....
Hernia and intestinal obstructions	25	1	.....	.....	1	.....	.....	1	1	4	5	5	3	3	1	.....	.....
Cirrhosis of liver	28	.....	.....	.....	.....	.....	.....	.....	1	3	8	6	8	2	.....	.....	.....
Other diseases of liver	20	.....	.....	.....	1	1	1	.....	4	3	.....	5	2	3	.....	.....	.....
Peritonitis	42	.....	.....	.....	.....	.....	.....	8	10	11	6	2	4	1	.....	.....	.....
Appendicitis	23	.....	.....	.....	1	.....	1	4	5	5	.....	3	2	1	1	.....	.....
Other diseases of digestive system	6	1	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	1	.....	.....
Acute nephritis	12	2	.....	.....	.....	.....	.....	2	.....	3	3	.....	2	.....	.....	.....	.....
Bright's disease	136	4	.....	.....	.....	.....	1	3	7	21	19	26	29	23	2	1	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	27	.....	.....	.....	.....	.....	.....	3	4	5	5	3	.....	5	2	.....	.....
Puerperal septicemia	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	7	.....	.....	.....	.....	.....	.....	1	2	2	2	.....	.....	.....	.....	.....	.....
Diseases of skin	15	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	3	6	3	1	.....	.....
Diseases of locomotor system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	35	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	54	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	99	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	44	38	6	.....
Suicide	49	.....	.....	.....	.....	.....	.....	2	9	12	11	7	7	1	.....	.....	.....
Other violence	166	9	2	7	.....	1	1	8	39	32	33	13	7	12	.....	1	1
Ill-defined causes	73	11	4	1	.....	1	2	3	6	13	4	7	13	7	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

LOUISVILLE, KY.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,344	783	143	70	51	31	106	244	487	505	442	456	450	391	157	21	7
Typhoid fever	135	.....	2	1	1	2	11	28	36	24	16	7	3	4	.....	.....	.....
Malarial fever	13	.....	.....	.....	.....	.....	1	2	1	3	3	1	2	.....	.....	.....	.....
Smallpox	7	.....	.....	.....	1	.....	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....
Measles	14	2	4	1	1	.....	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	7	.....	2	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	40	3	6	9	5	7	9	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	53	1	1	.....	.....	.....	1	.....	5	3	3	8	12	14	4	1	.....
Cholera nostras	7	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	1	1	.....	.....	.....
Dysentery	23	6	2	1	.....	.....	.....	.....	1	2	1	4	2	4	.....	.....	.....
Erysipelas	18	1	.....	.....	.....	.....	.....	1	1	1	1	3	6	3	1	.....	.....
Other epidemic diseases[1]	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	39	2	.....	.....	.....	.....	2	5	9	10	3	3	3	2	.....	.....	.....
Tuberculosis—total	570	11	4	4	1	3	11	66	176	120	74	69	24	6	.....	.....	1
Tuberculosis of lungs	525	5	2	4	.....	2	8	60	169	116	69	62	21	6	.....	.....	1
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....	.....
Tuberculous meningitis	17	6	1	.....	1	1	1	3	1	1	.....	2	.....	.....	.....	.....	.....
Abdominal tuberculosis	15	.....	1	.....	.....	.....	1	1	3	1	2	4	2	.....	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
Scrofula	4	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	24	18	.....	.....	.....	.....	.....	.....	2	4	.....	.....	.....	.....	.....	.....	.....
Cancer	135	.....	.....	.....	1	.....	.....	.....	7	15	24	43	24	14	7	.....	.....
Tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....
Rheumatism	25	1	.....	.....	.....	.....	3	2	2	3	6	2	4	2	.....	.....	.....
Diabetes	18	.....	.....	.....	.....	.....	1	.....	2	1	3	3	5	3	.....	.....	.....
Anemia, leukemia	10	2	1	.....	.....	.....	2	.....	2	1	1	.....	1	.....	.....	.....	.....
Alcoholism	12	.....	.....	.....	.....	.....	.....	.....	1	3	5	1	1	1	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other general diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	9	1	1	.....	.....	.....	1	.....	.....	2	2	.....	2	.....	.....	.....	.....
Meningitis	92	31	15	6	8	4	6	11	2	2	3	2	1	1	.....	.....	.....
Apoplexy	146	4	1	.....	1	1	2	1	8	16	28	30	27	19	8	.....	.....
Softening of brain	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	1	2	.....	.....
Paralysis	86	1	.....	.....	.....	.....	1	1	2	8	9	23	20	16	5	.....	.....
Epilepsy	8	1	.....	.....	.....	.....	.....	1	1	1	.....	2	2	.....	.....	.....	.....
Convulsions	96	79	6	5	2	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Tetanus	9	3	.....	1	.....	.....	.....	2	.....	.....	3	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	48	2	2	.....	1	.....	.....	1	7	7	9	6	5	6	.....	1	1
Pericarditis	6	.....	.....	.....	.....	.....	.....	.....	2	1	.....	3	.....	.....	.....	.....	.....
Endocarditis	15	.....	.....	.....	.....	.....	.....	1	1	2	4	3	2	1	1	.....	.....
Heart disease	245	2	1	.....	.....	.....	2	11	14	32	36	38	60	39	10	.....	.....
Angina pectoris	19	.....	.....	.....	.....	.....	.....	.....	.....	2	5	4	6	2	.....	.....	.....
Embolism and thrombosis	7	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	3	.....	.....	.....	.....
Other diseases of circulatory system	27	1	.....	.....	.....	.....	1	.....	1	11	2	3	6	2	.....	.....	.....
Laryngitis	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Acute bronchitis	54	24	5	2	5	.....	1	2	2	2	3	2	1	3	2	.....	.....
Chronic bronchitis	82	3	2	1	.....	.....	3	7	4	9	4	10	19	14	5	1	.....
Bronchopneumonia	45	11	10	4	4	4	1	.....	2	1	2	2	1	2	1	.....	.....
Pneumonia	446	100	37	18	7	4	15	28	42	43	43	28	38	34	7	2	.....
Pleurisy	7	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	1	.....	.....	.....	.....
Congestion of lungs	16	4	1	1	1	.....	.....	.....	.....	2	2	2	2	.....	.....	1	.....
Other diseases of respiratory system	53	.....	.....	.....	.....	.....	.....	1	7	10	4	12	11	6	2	.....	.....
Tonsilitis	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	48	4	1	.....	.....	.....	1	.....	9	5	7	6	8	5	1	.....	1
Diarrhea and enteritis	175	117	19	8	.....	1	2	2	5	6	3	3	8	1	.....	.....	.....
Hernia and intestinal obstructions	28	3	.....	.....	.....	.....	1	1	1	6	7	4	3	1	.....	1	.....
Cirrhosis of liver	17	.....	.....	.....	.....	.....	.....	.....	.....	4	5	5	3	.....	.....	.....	.....
Other diseases of liver	33	1	.....	.....	.....	.....	.....	.....	4	4	7	3	10	4	.....	.....	.....
Peritonitis	60	.....	1	.....	.....	.....	4	10	17	9	5	10	2	2	.....	.....	.....
Appendicitis	21	.....	.....	.....	1	1	4	7	4	3	1	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	11	2	.....	.....	.....	.....	.....	1	2	3	1	2	.....	.....	.....	.....	.....
Acute nephritis	18	.....	.....	1	1	.....	.....	1	4	1	3	2	4	1	.....	.....	.....
Bright's disease	208	2	1	.....	2	1	2	3	14	29	33	40	44	34	3	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....
Ovarian tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	15	.....	.....	.....	.....	.....	.....	.....	4	2	5	.....	1	3	.....	.....	.....
Puerperal septicemia	8	.....	.....	.....	.....	.....	.....	1	4	3	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	7	.....	.....	.....	.....	.....	.....	3	3	1	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	21	1	1	.....	.....	.....	1	.....	5	2	1	1	3	3	2	1	.....
Diseases of locomotor system	5	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Malformations	13	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	54	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	192	192	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	231	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27	106	88	10	.....
Suicide	49	.....	.....	.....	.....	.....	.....	5	13	11	5	5	6	2	1	.....	1
Other violence	159	4	.....	1	3	1	6	21	31	36	22	19	7	2	2	2	2
Ill-defined causes	276	71	14	4	2	1	5	12	22	27	26	33	27	25	5	1	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

MEMPHIS, TENN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,290	300	85	43	31	22	71	155	401	307	264	222	211	115	48	15	.....
Typhoid fever	54	.....	.....	1	1	.....	3	6	24	9	6	2	2	.....	.....	.....	.....
Malarial fever	163	12	7	3	7	3	15	9	35	16	24	10	15	7	.....	.....	.....
Smallpox	9	2	.....	.....	1	.....	.....	2	1	.....	2	1	.....	.....	.....	.....	.....
Measles	20	4	3	4	1	1	3	1	1	.....	1	.....	.....	1	.....	.....	.....
Scarlet fever	18	.....	3	2	.....	4	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	12	5	4	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	17	2	.....	3	1	4	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	50	3	2	2	1	.....	1	6	9	5	5	3	5	3	4	1	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Dysentery	27	1	.....	.....	.....	.....	.....	1	3	4	1	5	5	6	1	.....	.....
Erysipelas	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	7	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	1	.....	.....	.....	.....
Tuberculosis—total	272	4	3	1	1	.....	1	33	94	76	33	16	9	1	.....	.....	.....
Tuberculosis of lungs	256	3	3	1	1	.....	1	31	92	72	30	14	8	.....	.....	.....	.....
Tuberculosis of larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Tuberculous meningitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	7	.....	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	.....	.....	.....	.....
Pott's disease	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....
General tuberculosis	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	4	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	6	2	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Cancer	35	.....	.....	.....	.....	.....	.....	1	2	4	11	10	5	1	1	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
Rheumatism	9	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	2	1	.....	1	.....
Diabetes	11	1	.....	.....	.....	.....	.....	2	1	1	1	2	2	1	.....	.....	.....
Anemia, leukemia	5	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....
Alcoholism	14	.....	.....	.....	.....	.....	.....	.....	1	4	4	2	3	.....	.....	.....	.....
Chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....
Other general diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Encephalitis	6	.....	.....	1	.....	.....	1	.....	.....	3	1	.....	.....	.....	.....	.....	.....
Meningitis	37	14	3	2	.....	.....	4	4	4	1	2	2	.....	.....	1	.....	.....
Apoplexy	41	2	.....	1	.....	.....	2	1	1	5	6	11	6	4	2	.....	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Paralysis	31	.....	.....	.....	.....	.....	.....	2	2	2	5	7	6	6	1	.....	.....
Epilepsy	6	.....	.....	.....	.....	.....	.....	1	3	.....	1	1	.....	.....	.....	.....	.....
Convulsions	16	14	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	7	1	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	19	.....	.....	1	.....	.....	.....	1	2	5	4	1	2	3	.....	.....	.....
Pericarditis	6	.....	.....	.....	.....	.....	.....	1	.....	.....	3	1	1	.....	.....	.....	.....
Endocarditis	10	.....	1	.....	.....	.....	.....	1	.....	1	.....	2	3	1	1	.....	.....
Heart disease	101	.....	.....	.....	1	.....	.....	4	8	19	17	19	21	10	2	.....	.....
Angina pectoris	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....
Embolism and thrombosis	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of circulatory system	12	1	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	4	1	.....	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	10	2	3	2	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Chronic bronchitis	21	1	.....	.....	.....	1	1	1	5	.....	3	3	2	2	1	1	.....
Bronchopneumonia	50	18	9	3	3	1	2	2	1	1	3	1	5	1	.....	.....	.....
Pneumonia	250	28	12	6	5	3	11	15	53	32	24	28	18	12	3	.....	.....
Pleurisy	10	.....	.....	.....	.....	.....	.....	.....	2	4	3	.....	1	.....	.....	.....	.....
Congestion of lungs	4	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of respiratory system	13	1	.....	.....	.....	1	1	1	.....	3	3	1	1	1	.....	.....	.....
Tonsilitis	4	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	29	4	1	1	1	.....	.....	4	1	3	2	3	6	2	.....	1	.....
Diarrhea and enteritis	128	63	19	5	3	1	5	1	6	5	4	9	5	2	.....	.....	.....
Hernia and intestinal obstructions	16	.....	.....	.....	.....	.....	.....	1	3	5	1	4	.....	2	.....	.....	.....
Cirrhosis of liver	12	.....	.....	.....	.....	.....	.....	.....	1	1	4	5	.....	1	.....	.....	.....
Other diseases of liver	20	.....	.....	.....	.....	.....	.....	.....	7	2	4	3	2	2	.....	.....	.....
Peritonitis	26	1	.....	.....	.....	.....	.....	4	6	5	2	4	4	.....	.....	.....	.....
Appendicitis	19	.....	.....	.....	.....	1	.....	3	7	3	1	.....	3	1	.....	.....	.....
Other diseases of digestive system	6	.....	1	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....
Acute nephritis	10	.....	.....	.....	.....	.....	.....	2	2	2	1	2	1	.....	.....	.....	.....
Bright's disease	135	.....	.....	.....	.....	.....	.....	6	15	14	27	27	28	15	3	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	2	3	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	18	.....	.....	.....	.....	.....	.....	1	3	5	2	.....	3	3	1	.....	.....
Puerperal septicemia	10	.....	.....	.....	.....	.....	.....	4	4	2	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	14	.....	.....	.....	.....	.....	.....	3	5	6	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	11	1	.....	.....	.....	.....	.....	.....	1	1	3	1	3	1	.....	.....	.....
Diseases of locomotor system	7	.....	2	.....	.....	.....	.....	2	2	.....	.....	.....	1	.....	.....	.....	.....
Malformations	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	16	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	29	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	48	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	15	17	9	.....
Suicide	14	.....	.....	.....	.....	.....	.....	2	7	4	1	.....	.....	.....	.....	.....	.....
Other violence	167	4	2	3	.....	1	6	13	48	29	22	17	11	5	4	2	.....
Ill-defined causes	129	50	6	2	1	1	.....	2	15	10	12	13	15	1	1	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

MILWAUKEE, WIS.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	4,178	1,084	230	91	46	30	104	201	355	301	362	362	388	399	202	19	4
Typhoid fever	42							10	14	8	4	4	2				
Malarial fever	2			1						1							
Smallpox	1							1									
Measles	41	15	16	6	1		3										
Scarlet fever	43	4	4	4	3	5	17	4	2								
Whooping cough	11	6	5														
Diphtheria and croup	54	4	9	11	8	3	15	1	2	1							
Influenza	50	5	2	1	1				2	5	1	7	6	16	3	1	
Cholera nostras	3	1	1													1	
Dysentery	4	2									1				1		
Erysipelas	17	5	1			2			2	1	2			2	2		
Other epidemic diseases[1]																	
Septicemia	10		1		1			2	1	2	2				1		
Tuberculosis—total	493	18	5	2	2	2	8	65	154	101	72	37	21	5	1		
Tuberculosis of lungs	436	12	1	1	1		1	53	146	96	70	34	16	5			
Tuberculosis of larynx	5								1	1	1	1	1				
Tuberculous meningitis	25	5	4	1	1	2	4	3	2	2			1				
Abdominal tuberculosis	14	1					2	5	1	2		2	1				
Pott's disease	4						1	1	2								
Tuberculous abscess																	
White swelling	1														1		
Tuberculosis of other organs	3										1		2				
General tuberculosis	5							3	2								
Scrofula																	
Venereal diseases	13	7					1		2	1	2						
Cancer	229	2		1	1				8	9	42	68	49	37	11	1	
Tumor	3												1	1	1		
Rheumatism	20			1			2	3	4	5	1	2	1		1		
Diabetes	35							3	5	1	4	8	8	5	1		
Anemia, leukemia	17	3						1	3	2		3	3		2		
Alcoholism	4									1	2		1				
Chronic poisonings	1									1							
Other general diseases	8								1	1	5	1					
Encephalitis	2	2															
Meningitis	63	16	6	4	3	4	8	9	4	1	2	1	2	1	1		1
Apoplexy	156	3					1		2	6	13	22	39	42	26	2	
Softening of brain	7												2	5			
Paralysis	16							1			2	1	9	1	1	1	
Epilepsy	5						1	1		3							
Convulsions	119	98	13	2	2	2	1		1								
Tetanus	6	3					1				1	1					
Other diseases of nervous system	36		1	3			2	2	2	3	6	4	11	2			
Pericarditis	3						1							1			
Endocarditis	31						1	3	4	2	2	2	10	4	3		
Heart disease	290	6					6	16	13	17	33	48	59	66	26		
Angina pectoris	10							1			2	3	2	1	1		
Embolism and thrombosis	10						1	1	1			1	4	2			
Other diseases of circulatory system	31		1							2	2	2	6	10	8		
Laryngitis																	
Acute bronchitis	107	70	20	7	1						1	2	3		3		
Chronic bronchitis	41		2					1	1		2	3	5	17	10		
Bronchopneumonia	125	59	31	16	1	2	3	2	2				2	4	2	1	
Pneumonia	318	64	32	12	4	2	9	14	15	21	34	20	36	38	15		2
Pleurisy	13	2	2	1				2			1	2	1	1	1		
Congestion of lungs	10	2	1					1				1		2	2	1	
Other diseases of respiratory system	28	9	1			1	1			1	4	3	1	5	2		
Tonsilitis	1		1														
Diseases of stomach	108	54	7	1	2	2		1	6	4	7	12	3	8	1		
Diarrhea and enteritis	355	266	49	8	5	1	1	3		3	1	1	4	11	2		
Hernia and intestinal obstructions	36	5			1				4	2	7	6	4	6	1		
Cirrhosis of liver	48								3	5	11	13	10	3	3		
Other diseases of liver	17						1		2	2	2	5	4		1		
Peritonitis	29				1		5	1	10	3	2	2	3	1	1		
Appendicitis	36						3	15	12	1	1	3		1			
Other diseases of digestive system	17	6	1		2					2	2	1	2	1			
Acute nephritis	19	3		2	1		1	3	2	2	1	1	2	1			
Bright's disease	169	1	4	1	1		2	7	9	11	28	29	39	32	5		
Calculi of urinary tract	2											1	1				
Uterine tumor	5								1	2	1	1					
Ovarian tumor	1									1							
Other diseases of genito-urinary system	37	1						1	6	4	4	2	4	14	1		
Puerperal septicemia	23							1	11	9	2						
Other causes incident to childbirth	16							1	8	7							
Diseases of skin	17	8	2						1	1	2			1	2		
Diseases of locomotor system	8	1	2									2		3			
Malformations	37	32	3	1				1									
Premature birth	125	125															
Congenital debility	127	127															
Old age	93												2	33	49	9	
Suicide	72							2	7	18	17	14	10	2	2		
Other violence	212	28	2	6	5	3	9	19	27	26	31	21	15	10	8	1	1
Ill-defined causes	40	21	5			1		2	1	2		2	1	4		1	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

MINNEAPOLIS, MINN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,405	343	71	39	37	18	77	163	305	273	263	232	223	217	114	17	13
Typhoid fever	101		1		1	2	7	28	35	14	5	3	3				2
Malarial fever																	
Smallpox	17							1	6	5	5						
Measles	2	1		1													
Scarlet fever	33	1	2	8	7	2	9	4									
Whooping cough	17	13	4														
Diphtheria and croup	58	2	7	6	8	3	15	9	5	2	1						
Influenza	10			2		1				1	1		1	1	3		
Cholera nostras	1													1			
Dysentery	3		1										2				
Erysipelas	7	4								1	1			1			
Other epidemic diseases[1]	1		1														
Septicemia	10	4						1	3	1	1						
Tuberculosis—total	325	5	10	3	2	4	7	35	93	70	50	22	18	3	2		1
Tuberculosis of lungs	259	1				1	1	29	85	62	40	20	16	2	1		1
Tuberculosis of larynx	2								1			1					
Tuberculous meningitis	25	3	8	2	1	2	4	3		1	1						
Abdominal tuberculosis	15	1	1	1		1		1	4	3	2		1				
Pott's disease	3							1			2						
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	10		1						2	4	1		1	1			
General tuberculosis	11				1		2	1	1		4	1			1		
Scrofula																	
Venereal diseases	11	8							2	1							
Cancer	144		1						3	14	24	37	27	34	1	1	2
Tumor																	
Rheumatism	19					1	1	4	4	3	2	1	3				
Diabetes	22							2	4	1	2	4	6	2	1		
Anemia, leukemia	13							1	2	2	2	1	3	2			
Alcoholism	17								2	7	6	1	1				
Chronic poisonings	2												1	1			
Other general diseases	4										2			2			
Encephalitis	3	1	1									1					
Meningitis	43	12	9	2	4	2	7	3		2		1	1				
Apoplexy	96	4					1	1	2	3	15	17	19	23	11		
Softening of brain	9										1		3	3	2		
Paralysis	20										1	5	5	6	2	1	
Epilepsy	2										1			1			
Convulsions	16	14											1				1
Tetanus	5	1						3	1								
Other diseases of nervous system	27				1		1		2	2	7	5	6	2	1		
Pericarditis	7							2		1		1	3				
Endocarditis	15						2	1		3		1	3	3		1	1
Heart disease	169	2		1			4	11	11	18	21	27	32	28	13		1
Angina pectoris	4								1		1	1	1				
Embolism and thrombosis	15							1	3	1	2	2	2	4			
Other diseases of circulatory system	19	1							1	2		6	2	4	3		
Laryngitis																	
Acute bronchitis	24	15	2	1						1				3	1	1	
Chronic bronchitis	14											1	3	3	5	2	
Bronchopneumonia	56	30	6	3	3		1	1	1		1	1	1	5	3		
Pneumonia	145	23	8	4	1	2	5	9	14	18	15	14	14	9	7	2	
Pleurisy	7	2						2	1			1	1				
Congestion of lungs	6	3										1		1	1		
Other diseases of respiratory system	6								1			1	2	1	1		
Tonsilitis																	
Diseases of stomach	35	9	1				1	1	4	3	2	4	5	3	2		
Diarrhea and enteritis	113	96	7	1			1		2			1	1	2	1		1
Hernia and intestinal obstructions	25	4	1						2	2	4	6	2	3	1		
Cirrhosis of liver	20									5	6	6		3			
Other diseases of liver	7										1	1	3	2			
Peritonitis	23				2			3	7	4	2	3	2				
Appendicitis	29						4	7	8	5	2	1	2				
Other diseases of digestive system	13	2		1				1	4	3		1	1				
Acute nephritis	17								3	6	4	1	2	1			
Bright's disease	137	2			3			5	3	14	26	21	18	29	13	1	2
Calculi of urinary tract	4											1	2		1		
Uterine tumor	7									3	3	1					
Ovarian tumor	5								2	2	1						
Other diseases of genito-urinary system	31	1						1	6	8	6	2	1	2	4		
Puerperal septicemia	12							3	4	5							
Other causes incident to childbirth	16							2	9	5							
Diseases of skin	14		1						1		1	1	5	2	3		
Diseases of locomotor system	10	1	2				1		2		2		2				
Malformations	17	15				1		1									
Premature birth	11	11															
Congenital debility	35	35															
Old age	54												1	21	25	7	
Suicide	44							3	12	11	11	4	3				
Other violence	174	7	5	5	5		10	17	39	23	25	22	8	2	3	1	2
Ill-defined causes	27	14	1	1						1		1	1	4	4		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

NEW HAVEN, CONN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,015	398	82	26	17	18	49	116	147	209	203	211	247	185	90	14	3
Typhoid fever	32	1					3	6	10	6	3	1	1	1			
Malarial fever	10	5	1							1			1	2			
Smallpox																	
Measles	17	5	5	2	1	2				1			1				
Scarlet fever	6		1		2	1	1	1									
Whooping cough	13	5	6		1		1										
Diphtheria and croup	17	2	2	3	3	4	2	1									
Influenza	42		1					5	1	4	3	4	10	9	2	3	
Cholera nostras	1	1															
Dysentery	8	1	2							1		2		1	1		
Erysipelas	6	2						1	1		1			1			
Other epidemic diseases[1]																	
Septicemia	5						2		2		1						
Tuberculosis—total	224	11	5	2	2		11	38	53	47	33	13	5	4			
Tuberculosis of lungs	191	5	2				4	31	53	46	28	13	5	4			
Tuberculosis of larynx	1										1						
Tuberculous meningitis	16	4	3		2		5	1		1							
Abdominal tuberculosis	10	2		1			2	1			4						
Pott's disease	2							2									
Tuberculous abscess																	
White swelling	1							1									
Tuberculosis of other organs	2			1				1									
General tuberculosis	1							1									
Scrofula																	
Venereal diseases	7	5	1							1							
Cancer	84									3	20	25	25	10		1	
Tumor	3											1		1		1	
Rheumatism	18		1				1	6	1	3	3		1	2			
Diabetes	17							1	1	2	1	3	5	4			
Anemia, leukemia	5								2	1	1		1				
Alcoholism	10										6	4					
Chronic poisonings																	
Other general diseases	1								1								
Encephalitis	1										1						
Meningitis	54	10	6	5		5	5	7	5	5	3	1		2			
Apoplexy	80				1		2	1	1	3	4	14	25	20	8	1	
Softening of brain	3											1	1		1		
Paralysis	15							1		1		3	4	5	1		
Epilepsy	3										1	2					
Convulsions	23	18	2	2								1					
Tetanus	9	3						5		1							
Other diseases of nervous system	36									5	5	9	7	6	4		
Pericarditis	1						1										
Endocarditis	5						2	1				1		1			
Heart disease	182	2					1	5	7	18	25	36	32	32	22	1	1
Angina pectoris	8										3	1	2	2			
Embolism and thrombosis	8					1		1	1				3	1	1		
Other diseases of circulatory system	12	1								1		2	2	4	2		
Laryngitis																	
Acute bronchitis	35	28	4	1									1		1		
Chronic bronchitis	14									1	3	3	1	4	2		
Bronchopneumonia	39	16	8	2	1						2	2	4	2	1	1	
Pneumonia	141	19	16	4	1	1	3	1	12	19	20	13	16	11	5		
Pleurisy	13	1			1		2	1		2	1		3	2			
Congestion of lungs	7	1								1	2			1	2		
Other diseases of respiratory system	8	1									1	2	3	1			
Tonsilitis	1			1													
Diseases of stomach	39	9	2					1	3	2	6	5	6	2	3		
Diarrhea and enteritis	134	99	10	1	2	1	2		2		1	6	2	3	4	1	
Hernia and intestinal obstructions	17	2					1	2		1	1	3	3	3	1		
Cirrhosis of liver	17									1	4	4	5	2	1		
Other diseases of liver	11									3	2	4	1	1			
Peritonitis	6							1		2	1	1	1				
Appendicitis	16						1	4	4	5	2						
Other diseases of digestive system	12	2					1	1		2		2	3	1			
Acute nephritis	25						3	3	3	8	4		4				
Bright's disease	122	2		1				3	8	6	15	22	33	22	9	1	
Calculi of urinary tract																	
Uterine tumor	2									2							
Ovarian tumor	1									1							
Other diseases of genito-urinary system	16							1		2	2	3	4	1	3		
Puerperal septicemia	4								1	2	1						
Other causes incident to childbirth	9							1	2	6							
Diseases of skin	7	1	1							1		1	2	1			
Diseases of locomotor system	3							1				1	1				
Malformations	17	16					1										
Premature birth	58	58															
Congenital debility	34	34															
Old age	25												6	9	8	2	
Suicide	28							2	8	5	5	3	4		1		
Other violence	140	14	4	2	2	2	2	14	16	29	15	10	13	8	5	2	2
Ill-defined causes	48	23	4			1	1		2	4	1	2	5	3	2		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

NEW ORLEANS, LA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,819	1,100	251	93	47	38	133	334	836	886	820	761	691	548	216	63	2
Typhoid fever	112	1	1	.....	.....	2	6	21	38	20	12	6	4	.....	.....	.....	1
Malarial fever	70	6	1	1	.....	1	5	7	10	10	8	10	7	2	2	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	22	8	11	4	3	.....	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Scarlet fever	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	11	9	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	47	6	12	4	3	5	14	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	116	5	1	.....	.....	.....	.....	6	12	8	12	12	21	24	11	4	.....
Cholera nostras	8	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	.....	3	.....	.....	.....
Dysentery	33	3	1	.....	.....	.....	1	1	3	3	9	3	5	2	1	1	.....
Erysipelas	17	2	1	.....	.....	1	.....	.....	2	1	.....	4	3	3	.....	.....	.....
Other epidemic diseases[1]	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	24	1	1	.....	1	.....	.....	2	7	1	4	5	2	.....	.....	.....	.....
Tuberculosis—total	1,129	7	10	6	2	2	11	90	317	295	204	111	57	12	5	.....	.....
Tuberculosis of lungs	1,034	4	5	3	1	.....	6	77	299	276	193	101	53	11	5	.....	.....
Tuberculosis of larynx	10	.....	.....	.....	.....	.....	.....	3	3	1	1	2	.....	.....	.....	.....	.....
Tuberculous meningitis	10	.....	3	2	1	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	34	1	2	.....	.....	1	2	1	2	7	8	5	4	1	.....	.....	.....
Pott's disease	3	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	4	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	6	.....	.....	.....	.....	.....	.....	4	.....	1	.....	1	.....	.....	.....	.....	.....
General tuberculosis	28	1	.....	1	.....	.....	2	3	11	7	2	1	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	22	5	.....	1	.....	1	.....	.....	5	5	4	1	.....	.....	.....	.....	.....
Cancer	253	.....	.....	1	.....	3	.....	5	7	25	50	66	57	30	8	1	.....
Tumor	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
Rheumatism	24	.....	.....	.....	.....	.....	1	3	2	4	4	4	4	1	1	.....	.....
Diabetes	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	7	9	3	.....	.....	.....
Anemia, leukemia	19	1	.....	.....	.....	.....	.....	1	8	1	2	2	2	1	1	.....	.....
Alcoholism	13	.....	.....	.....	.....	.....	.....	.....	1	4	4	3	1	.....	.....	.....	.....
Chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	6	.....	.....	.....	.....	.....	1	3	1	.....	.....	1	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	112	39	27	12	4	5	5	6	5	5	2	2	.....	.....	.....	.....	.....
Apoplexy	256	7	3	.....	1	.....	.....	2	8	14	39	56	45	57	15	9	.....
Softening of brain	29	.....	.....	.....	.....	.....	.....	.....	.....	5	6	7	6	4	1	.....	.....
Paralysis	40	.....	.....	.....	.....	.....	.....	.....	.....	2	3	11	15	9	.....	.....	.....
Epilepsy	11	.....	.....	.....	1	.....	1	2	2	1	3	1	.....	.....	.....	.....	.....
Convulsions	46	31	10	3	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	129	81	.....	.....	1	.....	9	18	8	2	3	5	1	1	.....	.....	.....
Other diseases of nervous system	97	2	1	.....	.....	.....	.....	7	12	16	19	19	12	7	2	.....	.....
Pericarditis	4	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....
Endocarditis	123	1	.....	.....	1	.....	.....	4	8	15	18	25	18	21	7	5	.....
Heart disease	471	2	1	.....	.....	.....	2	5	30	48	57	95	121	84	18	8	.....
Angina pectoris	13	.....	.....	.....	.....	.....	.....	.....	1	1	4	.....	3	3	1	.....	.....
Embolism and thrombosis	12	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	4	2	.....	.....	.....
Other diseases of circulatory system	71	1	.....	.....	.....	.....	.....	.....	2	10	13	11	14	12	7	1	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	72	44	9	7	4	.....	.....	.....	2	1	.....	.....	3	1	1	.....	.....
Chronic bronchitis	44	.....	.....	.....	.....	.....	3	2	2	2	1	6	13	8	6	1	.....
Bronchopneumonia	92	39	17	5	6	1	2	2	4	2	3	5	4	2	.....	.....	.....
Pneumonia	507	97	53	16	8	5	22	23	75	53	45	39	41	26	4	.....	.....
Pleurisy	18	.....	1	2	.....	.....	.....	2	4	6	1	.....	2	.....	.....	.....	.....
Congestion of lungs	18	2	.....	.....	.....	.....	.....	3	2	1	2	3	3	1	1	.....	.....
Other diseases of respiratory system	44	2	1	2	1	2	.....	1	3	5	6	4	8	5	4	.....	.....
Tonsilitis	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	53	2	.....	.....	1	.....	1	4	7	7	11	11	5	2	2	.....	.....
Diarrhea and enteritis	475	310	58	15	2	.....	5	2	11	11	13	15	17	13	2	1	.....
Hernia and intestinal obstructions	35	7	2	.....	.....	.....	1	.....	4	5	4	2	7	1	2	.....	.....
Cirrhosis of liver	96	.....	.....	.....	.....	.....	.....	2	7	14	28	17	15	10	3	.....	.....
Other diseases of liver	45	.....	1	1	.....	.....	.....	2	4	10	11	9	6	1	.....	.....	.....
Peritonitis	42	1	1	.....	.....	.....	1	3	12	13	4	1	5	.....	1	.....	.....
Appendicitis	38	.....	.....	.....	.....	.....	3	8	12	10	3	2	.....	.....	.....	.....	.....
Other diseases of digestive system	36	9	8	.....	.....	.....	2	4	.....	4	4	2	1	1	1	.....	.....
Acute nephritis	78	1	.....	1	1	1	4	5	13	19	14	9	6	4	.....	.....	.....
Bright's disease	522	1	2	2	.....	.....	4	13	28	84	100	123	84	62	15	4	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	11	.....	.....	.....	.....	.....	.....	.....	1	7	2	1	.....	.....	.....	.....	.....
Ovarian tumor	6	.....	.....	.....	.....	.....	.....	.....	3	2	.....	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	51	.....	.....	.....	.....	.....	1	.....	5	11	12	8	5	6	3	.....	.....
Puerperal septicemia	43	.....	.....	.....	.....	.....	.....	2	30	10	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	35	.....	.....	.....	.....	.....	.....	2	18	10	5	.....	.....	.....	.....	.....	.....
Diseases of skin	26	2	1	.....	.....	.....	.....	.....	2	4	4	2	4	4	3	.....	.....
Diseases of locomotor system	4	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Malformations	25	23	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	107	107	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	120	120	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	211	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20	92	76	23	.....
Suicide	42	.....	.....	.....	.....	.....	.....	1	8	12	9	5	6	1	.....	.....	.....
Other violence	379	14	6	7	3	5	17	59	89	78	46	20	18	16	6	3	1
Ill-defined causes	161	99	6	3	3	3	4	2	6	5	4	3	6	9	6	2	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

NEW YORK, N. Y. (AGGREGATE).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	78,325	16,287	4,957	2,094	1,308	972	2,569	3,273	6,694	8,741	8,307	7,927	7,679	5,292	1,952	259	14
Typhoid fever	654	3	4	4	7	9	32	113	171	167	70	47	23	4	.....	.....	.....
Malarial fever	105	9	6	5	2	5	4	8	17	11	10	11	7	10	.....	.....	.....
Smallpox	7	1	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....	.....	.....
Measles	838	211	331	143	59	34	44	4	7	4	1	.....	.....	.....	.....	.....	.....
Scarlet fever	888	43	119	134	140	105	245	69	22	11	.....	.....	.....	.....	.....	.....	.....
Whooping cough	308	97	59	24	14	5	7	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Diphtheria and croup	2,047	174	500	395	260	217	402	55	18	14	6	2	2	2	.....	.....	.....
Influenza	552	21	18	8	6	5	9	28	46	49	49	85	104	85	37	2	.....
Cholera nostras	31	7	3	.....	.....	.....	2	.....	.....	3	3	7	4	2	.....	.....	.....
Dysentery	225	49	22	11	5	3	12	3	8	10	9	20	29	30	13	1	.....
Erysipelas	231	111	3	1	2	.....	1	3	13	17	25	24	15	12	3	1	.....
Other epidemic diseases[1]	9	3	3	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Septicemia	59	18	2	1	1	.....	1	2	11	7	6	4	3	2	1	.....	.....
Tuberculosis—total	9,841	315	220	129	100	56	204	780	2,479	2,659	1,678	778	336	94	11	.....	2
Tuberculosis of lungs	8,570	63	46	24	21	11	57	666	2,356	2,563	1,607	737	319	88	11	.....	1
Tuberculosis of larynx	76	2	.....	.....	.....	.....	.....	6	19	23	15	7	3	1	.....	.....	.....
Tuberculous meningitis	727	196	149	86	66	34	99	32	28	15	13	6	.....	2	.....	.....	1
Abdominal tuberculosis	190	37	13	9	4	5	18	19	26	28	12	13	6	.....	.....	.....	.....
Pott's disease	76	2	2	1	3	3	14	18	11	11	3	6	1	1	.....	.....	.....
Tuberculous abscess	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
White swelling	39	3	2	1	2	1	5	12	2	1	5	2	3	.....	.....	.....	.....
Tuberculosis of other organs	52	3	1	2	2	1	1	13	10	6	8	4	1	.....	.....	.....	.....
General tuberculosis	108	8	7	6	2	1	9	14	27	12	15	2	3	2	.....	.....	.....
Scrofula	11	6	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	230	130	6	4	2	2	1	8	24	18	20	10	5	.....	.....	.....	.....
Cancer	2,774	6	6	7	6	3	5	17	64	242	604	740	675	324	70	5	.....
Tumor	21	.....	.....	.....	.....	.....	.....	3	4	2	2	3	5	1	1	.....	.....
Rheumatism	430	7	5	.....	5	10	46	63	44	34	63	43	44	43	21	2	.....
Diabetes	638	1	.....	1	2	.....	4	18	22	41	76	173	175	107	18	.....	.....
Anemia, leukemia	159	16	4	2	.....	1	6	18	27	20	22	18	18	6	1	.....	.....
Alcoholism	276	.....	.....	1	.....	.....	1	.....	43	103	72	35	19	2	.....	.....	.....
Chronic poisonings	23	.....	.....	.....	.....	.....	.....	.....	2	8	6	5	2	.....	.....	.....	.....
Other general diseases	54	7	2	1	.....	3	1	3	4	12	10	8	1	2	.....	.....	.....
Encephalitis	13	1	1	.....	1	2	2	.....	2	2	.....	1	1	.....	.....	.....	.....
Meningitis	2,209	433	312	192	128	128	369	306	132	87	64	37	14	6	.....	.....	1
Apoplexy	2,728	59	11	5	3	1	5	10	50	151	314	585	745	583	190	16	.....
Softening of brain	89	.....	.....	.....	.....	.....	.....	.....	.....	1	2	13	32	25	15	1	.....
Paralysis	198	3	4	1	.....	.....	4	.....	1	6	13	30	68	47	20	1	.....
Epilepsy	125	7	3	1	1	2	5	12	32	29	16	6	7	4	.....	.....	.....
Convulsions	614	487	69	28	11	8	8	1	.....	1	.....	.....	.....	.....	1	.....	.....
Tetanus	77	39	.....	.....	.....	4	3	12	2	11	4	1	1	.....	.....	.....	.....
Other diseases of nervous system	804	47	25	13	7	13	24	45	47	119	146	117	125	64	12	.....	.....
Pericarditis	59	1	.....	.....	1	.....	4	5	10	10	10	8	5	2	2	1	.....
Endocarditis	647	18	2	1	3	6	28	49	40	78	81	113	112	80	32	4	.....
Heart disease	5,406	68	24	7	15	15	102	237	359	567	729	995	1,159	827	272	30	.....
Angina pectoris	167	.....	.....	.....	.....	.....	.....	2	5	11	27	37	46	35	4	.....	.....
Embolism and thrombosis	202	1	2	.....	.....	1	3	7	18	17	28	35	44	36	8	2	.....
Other diseases of circulatory system	460	22	3	1	2	.....	4	4	12	36	38	49	96	126	54	13	.....
Laryngitis	38	9	8	3	3	3	4	.....	.....	4	.....	.....	2	2	.....	.....	.....
Acute bronchitis	1,453	874	280	72	29	11	8	9	2	9	11	23	33	54	37	1	.....
Chronic bronchitis	543	24	5	8	3	.....	5	5	17	24	31	85	109	149	67	10	1
Bronchopneumonia	3,694	1,525	834	242	110	50	102	42	73	95	85	133	162	160	67	13	1
Pneumonia	8,375	941	670	266	137	87	215	240	672	1,192	1,171	1,030	992	564	175	20	3
Pleurisy	332	20	28	15	3	7	15	14	46	55	43	38	26	16	5	1	.....
Congestion of lungs	198	35	8	2	1	5	1	3	5	10	10	11	34	33	34	6	.....
Other diseases of respiratory system	383	34	7	10	6	3	3	5	26	40	53	67	69	51	9	.....	.....
Tonsilitis	30	4	5	3	2	.....	5	2	3	2	4	.....	.....	.....	.....	.....	.....
Diseases of stomach	546	123	27	9	5	4	12	14	26	71	65	60	57	45	26	2	.....
Diarrhea and enteritis	6,718	5,015	1,000	150	58	33	56	32	34	41	44	59	73	71	44	7	1
Hernia and intestinal obstructions	530	62	9	6	4	4	15	21	39	61	59	85	89	55	18	3	.....
Cirrhosis of liver	887	1	.....	1	.....	.....	3	6	35	148	236	213	159	75	10	.....	.....
Other diseases of liver	281	12	2	.....	1	1	3	4	23	41	56	59	49	21	8	1	.....
Peritonitis	134	8	1	1	1	2	6	18	25	20	19	11	15	7	.....	.....	.....
Appendicitis	512	1	3	1	4	4	56	133	122	78	48	33	16	11	2	.....	.....
Other diseases of digestive system	180	47	10	7	4	4	5	5	8	25	15	23	16	7	4	.....	.....
Acute nephritis	728	35	13	11	18	13	31	44	112	122	102	81	86	48	11	1	.....
Bright's disease	5,920	47	11	13	11	10	32	110	363	678	1,038	1,193	1,238	872	275	29	.....
Calculi of urinary tract	24	.....	.....	.....	.....	1	.....	.....	5	.....	4	8	5	1	.....	.....	.....
Uterine tumor	87	.....	.....	.....	.....	.....	.....	.....	5	24	31	17	5	4	1	.....	.....
Ovarian tumor	60	.....	.....	.....	.....	1	.....	1	10	18	14	11	4	1	.....	.....	.....
Other diseases of genito-urinary system	471	7	3	.....	.....	.....	1	14	75	101	66	41	64	64	32	3	.....
Puerperal septicemia	385	.....	.....	.....	.....	.....	.....	20	211	134	20	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	374	.....	.....	.....	.....	.....	.....	16	151	167	39	.....	.....	.....	.....	.....	1
Diseases of skin	196	33	2	5	1	1	2	4	5	13	13	23	31	38	22	3	.....
Diseases of locomotor system	187	46	23	12	5	4	12	17	18	10	14	11	7	6	2	.....	.....
Malformations	612	559	30	6	6	2	3	2	1	.....	1	1	1	.....	.....	.....	.....
Premature birth	1,446	1,446	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,653	1,653	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	570	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63	200	235	72	.....
Suicide	630	.....	.....	.....	.....	.....	.....	19	146	150	128	102	60	20	4	.....	1
Other violence	4,830	426	102	113	101	79	380	581	686	823	653	435	265	126	52	5	3
Ill-defined causes	1,209	879	104	17	12	4	6	4	13	24	29	33	26	29	26	3	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

NEW YORK, N. Y. (BRONX BOROUGH).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,536	917	306	134	105	66	188	254	642	758	602	532	489	384	134	24	1
Typhoid fever	31	1	1	.....	1	.....	.....	7	6	6	4	3	1	1	.....	.....	.....
Malarial fever	16	5	1	1	.....	1	1	3	1	.....	1	2	.....	.....	.....	.....	.....
Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Measles	113	36	36	19	9	4	5	1	2	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	177	3	24	27	30	20	49	9	10	3	.....	.....	.....	.....	.....	.....	.....
Whooping cough	13	5	3	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	147	8	41	28	15	14	34	6	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	25	.....	1	.....	1	.....	1	.....	1	3	1	4	3	8	2	.....	.....
Cholera nostras	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Dysentery	14	3	3	.....	.....	1	2	.....	.....	.....	.....	.....	1	2	2	.....	.....
Erysipelas	7	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	.....	.....	.....
Other epidemic diseases [1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	4	1	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis—total	1,504	23	22	12	9	1	14	105	399	473	273	117	43	11	2	.....	.....
Tuberculosis of lungs	1,413	5	7	3	3	.....	8	97	390	467	265	114	42	10	2	.....	.....
Tuberculosis of larynx	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....
Tuberculous meningitis	53	15	14	9	5	1	6	1	1	.....	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	13	2	1	.....	.....	.....	.....	2	4	3	1	.....	.....	.....	.....	.....	.....
Pott's disease	8	1	.....	.....	.....	.....	.....	2	1	2	.....	2	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	5	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
General tuberculosis	7	.....	.....	.....	1	.....	.....	2	2	1	1	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	11	8	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Cancer	157	.....	.....	.....	.....	.....	.....	1	1	5	31	45	50	18	6	.....	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Rheumatism	24	.....	.....	.....	.....	.....	2	1	3	1	2	3	5	4	3	.....	.....
Diabetes	59	.....	.....	.....	.....	.....	.....	.....	2	6	7	19	14	11	.....	.....	.....
Anemia, leukemia	8	.....	1	.....	.....	.....	.....	.....	1	1	2	2	.....	1	.....	.....	.....
Alcoholism	12	.....	.....	.....	.....	.....	1	.....	1	4	3	3	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	6	.....	.....	.....	.....	1	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	135	29	21	8	9	9	22	15	10	5	1	2	3	1	.....	.....	.....
Apoplexy	179	5	.....	.....	.....	.....	.....	.....	4	16	21	37	41	42	13	.....	.....
Softening of brain	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	3	.....	.....
Paralysis	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	2	1	.....	.....
Epilepsy	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	1	.....	.....	.....
Convulsions	24	22	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	45	1	3	.....	.....	1	.....	1	3	3	9	10	7	5	2	.....	.....
Pericarditis	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Endocarditis	28	.....	.....	.....	.....	.....	1	3	.....	1	3	5	3	7	2	3	.....
Heart disease	340	1	.....	.....	1	3	14	28	15	36	29	56	80	51	27	1	.....
Angina pectoris	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	4	.....	.....	.....
Other diseases of circulatory system	26	3	.....	.....	.....	.....	.....	1	1	1	1	2	6	7	4	.....	.....
Laryngitis	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Acute bronchitis	51	26	9	3	.....	.....	1	.....	.....	3	1	1	.....	4	2	1	.....
Chronic bronchitis	30	4	.....	.....	.....	.....	1	.....	1	.....	.....	6	3	13	2	.....	.....
Bronchopneumonia	168	83	34	7	1	2	5	1	3	1	3	3	9	13	3	.....	.....
Pneumonia	433	51	37	12	11	5	11	17	30	37	54	52	67	39	9	.....	1
Pleurisy	16	.....	3	.....	.....	.....	.....	1	3	3	2	1	1	2	.....	.....	.....
Congestion of lungs	16	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	4	3	.....	.....
Other diseases of respiratory system	9	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	.....	.....
Tonsilitis	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	32	10	6	.....	.....	.....	.....	.....	2	2	2	3	1	5	.....	1	.....
Diarrhea and enteritis	343	256	49	7	4	1	1	1	.....	3	5	.....	5	9	2	.....	.....
Hernia and intestinal obstructions	30	4	.....	1	.....	1	1	1	1	2	6	1	5	6	1	.....	.....
Cirrhosis of liver	44	.....	.....	.....	.....	.....	.....	.....	1	5	13	13	8	4	.....	.....	.....
Other diseases of liver	12	1	.....	.....	.....	.....	.....	.....	1	2	3	1	2	1	1	.....	.....
Peritonitis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Appendicitis	23	.....	.....	.....	.....	.....	1	9	5	2	2	1	1	1	1	.....	.....
Other diseases of digestive system	9	1	1	1	.....	.....	.....	.....	1	1	.....	1	1	.....	2	.....	.....
Acute nephritis	43	2	.....	1	2	.....	.....	2	9	11	7	3	3	2	1	.....	.....
Bright's disease	371	1	.....	1	.....	.....	1	8	15	35	68	79	79	64	15	8	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	30	.....	.....	.....	.....	.....	.....	.....	5	6	1	8	6	2	1	1	.....
Puerperal septicemia	24	.....	.....	.....	.....	.....	.....	1	15	8	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	23	.....	.....	.....	.....	.....	.....	.....	12	10	1	.....	.....	.....	.....	.....	.....
Diseases of skin	15	1	.....	.....	.....	.....	.....	1	.....	2	.....	1	3	4	3	.....	.....
Diseases of locomotor system	14	8	.....	.....	.....	.....	.....	1	.....	1	1	.....	2	1	.....	.....	.....
Malformations	30	29	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Premature birth	99	99	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	94	94	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	18	14	8	.....
Suicide	46	.....	.....	.....	.....	.....	.....	1	16	7	6	12	2	1	1	.....	.....
Other violence	269	27	4	4	8	1	19	28	54	43	28	26	14	8	4	1	.....
Ill-defined causes	58	49	4	.....	.....	.....	.....	.....	1	.....	2	.....	.....	2	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

NEW YORK, N. Y. (BROOKLYN BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 15	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	24,830	5,042	1,605	655	429	322	857	1,003	2,103	2,594	2,456	2,429	2,534	1,988	736	84	2
Typhoid fever	295		2	2	1	4	20	56	66	78	35	22	9				
Malarial fever	57	2	3	2	1	3	3	3	11	8	5	6	3	7			
Smallpox	6	1						2	1		1	1					
Measles	314	74	124	37	21	10	21	2	3	1	1						
Scarlet fever	297	10	36	41	38	40	97	28	5	2							
Whooping cough	77	32	23	11	7	2	1						1				
Diphtheria and croup	697	40	146	113	101	83	185	23	3	1	1	1					
Influenza	207	10	9	2	3	2	4	13	20	15	17	24	39	37	10	2	
Cholera nostras	18	1	3				2			1	2	4	3	2			
Dysentery	116	20	12	8	2	2	8	2	5	7	5	12	12	14	6	1	
Erysipelas	64	19	1					1	6	7	9	7	5	8		1	
Other epidemic diseases [1]	3	1	1							1							
Septicemia	13	4						1	3	3		1			1		
Tuberculosis—total	3,084	112	70	32	30	15	66	263	819	826	518	215	85	27	5		1
Tuberculosis of lungs	2,664	19	10	5	8	3	14	225	776	795	494	207	78	25	5		
Tuberculosis of larynx	31							2	7	11	7	3	1				
Tuberculous meningitis	237	71	50	23	18	9	38	11	5	6	3	1		1			1
Abdominal tuberculosis	68	20	8	3	1	1	6	4	11	6	4	1	3				
Pott's disease	16				1		4	4	4	2			1				
Tuberculous abscess																	
White swelling	14		1	1		1		4	2		2	1	2				
Tuberculosis of other organs	20	2			1		1	8	1	3	2	2					
General tuberculosis	34		1		1	1	3	5	13	3	6			1			
Scrofula	1	1															
Venereal diseases	56	35						2	8		7	4					
Cancer	855		3	1	2	2	2	7	17	71	182	215	218	106	28	1	
Tumor	3												2	1			
Rheumatism	174	2	3			6	18	28	19	13	23	18	18	16	9	1	
Diabetes	182				1		3	4	4	13	12	50	52	36	7		
Anemia, leukemia	49	8	1				3	4	7	7	7	2	8	2			
Alcoholism	75								14	32	19	6	4				
Chronic poisonings	7								1	2	1	2	1				
Other general diseases	15	1	2			1		1	1	3	4	1		1			
Encephalitis	3	1				1	1										
Meningitis	474	94	66	39	21	22	100	74	32	12	9	3	1	1			
Apoplexy	983	11	9	4	2	1	1	2	9	36	102	192	284	238	85	7	
Softening of brain	36									1	1	2	15	9	7	1	
Paralysis	60	1	2							1		4	22	21	9		
Epilepsy	42	3	2			1	2	2	8	9	8	4	3				
Convulsions	237	183	30	13	3	3	4								1		
Tetanus	26	10				2	1	6	1	5	1						
Other diseases of nervous system	228	10	6	4	1	2	5	13	12	28	27	44	37	33	6		
Pericarditis	22				1		1	1	3	3	4	2	3	1	2	1	
Endocarditis	197	9		1	2	3	8	15	10	23	19	34	35	27	11		
Heart disease	2,168	43	16	3	7	4	36	82	138	190	260	389	483	385	120	12	
Angina pectoris	71							1	2	1	15	16	22	13	1		
Embolism and thrombosis	58	1					1			3	4	8	12	12	13	4	
Other diseases of circulatory system	103	1			1			2	3	6	9	11	19	33	14	4	
Laryngitis	13	2	3	1	1	1	2			1			1	1			
Acute bronchitis	542	328	92	23	12	5	3	3	2	1	4	11	16	22	20		
Chronic bronchitis	189	5	1	2	1		3	1	4	11	11	27	37	50	30	6	
Bronchopneumonia	969	291	206	63	32	17	31	15	21	29	17	31	46	49	17	4	
Pneumonia	2,543	307	220	91	46	35	77	88	214	346	358	276	267	154	58	6	
Pleurisy	98	4	4	8	1	2	6	2	11	21	12	12	6	7	2		
Congestion of lungs	55	8	1	1		3		1	1	1	2	1	11	10	12	3	
Other diseases of respiratory system	167	9	3	2	4			3	13	21	23	28	33	24	4		
Tonsilitis	19	3	3	2	2		3	1	1	1	3						
Diseases of stomach	181	30	5	3	1	1	4	8	9	18	17	24	29	18	13	1	
Diarrhea and enteritis	2,380	1,706	395	63	26	14	20	15	20	12	13	21	25	25	23	2	
Hernia and intestinal obstructions	153	17	3	3	1		4	7	15	12	19	25	27	15	5		
Cirrhosis of liver	304			1			1	1	15	50	65	75	54	39	3		
Other diseases of liver	82	4	2				1	1	5	7	15	18	19	9	1		
Peritonitis	23		1				2	6	1	1	6	3	2	1			
Appendicitis	173			1	1	2	15	54	42	27	14	9	5	3			
Other diseases of digestive system	52	17	2	2	1	1	1	1	3	6	3	7	4	4			
Acute nephritis	265	11	5	4	7	6	16	14	39	43	38	27	33	17	5		
Bright's disease	1,734	17	2	3	4	3	13	36	118	194	273	319	363	299	85	5	
Calculi of urinary tract	4								1			2		1			
Uterine tumor	37								1	11	11	9	2	3			
Ovarian tumor	24								7	7	5	4	1				
Other diseases of genito-urinary system	129	3						2	23	18	19	10	13	29	12		
Puerperal septicemia	131							3	68	51	9						1
Other causes incident to childbirth	118							7	39	58	13						
Diseases of skin	71	15	1	3				3		5	4	7	9	15	9		
Diseases of locomotor system	37	9	4	4	1			2	8		3	2	1	2	1		
Malformations	279	255	12	3	4	2	1	1	1								
Premature birth	413	413															
Congenital debility	355	355															
Old age	228												26	97	80	25	
Suicide	28								5	6	6	4	5	2			
Other violence	1,229	146	23	32	27	21	59	88	172	203	162	145	85	45	20	1	
Ill-defined causes	432	247	47	7	3		2	2	10	23	19	28	18	16	10		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

NEW YORK, N. Y. (MANHATTAN BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	43,448	9,337	2,878	1,200	726	533	1,377	1,846	3,621	4,948	4,811	4,500	4,125	2,503	905	129	9
Typhoid fever	276	2	1	2	5	5	9	41	85	73	25	15	10	3	.....	.....	.....
Malarial fever	22	2	2	1	.....	.....	.....	1	4	2	3	2	3	2	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	405	100	169	65	29	20	18	.....	2	2	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	376	26	57	60	66	41	84	30	7	5	.....	.....	.....	.....	.....	.....	.....
Whooping cough	106	52	31	12	4	2	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Diphtheria and croup	1,097	124	301	235	129	105	148	21	11	13	5	1	2	2	.....	.....	.....
Influenza	273	8	8	5	2	3	4	14	23	30	28	53	50	28	17	.....	.....
Cholera nostras	10	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....
Dysentery	70	19	4	3	.....	.....	2	1	3	2	4	7	12	11	2	.....	.....
Erysipelas	153	87	2	1	2	.....	1	2	6	8	15	17	9	2	1	.....	.....
Other epidemic diseases[1]	6	2	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Septicemia	38	13	2	1	1	.....	1	1	5	4	4	3	2	1	.....	.....	.....
Tuberculosis—total	4,811	163	121	77	55	40	113	378	1,172	1,231	813	409	185	50	3	.....	1
Tuberculosis of lungs	4,118	38	28	14	9	8	30	317	1,103	1,181	782	381	176	47	3	.....	1
Tuberculosis of larynx	32	2	.....	.....	.....	.....	.....	2	10	10	3	3	2	.....	.....	.....	.....
Tuberculous meningitis	393	94	80	48	38	24	51	17	21	6	8	5	.....	1	.....	.....	.....
Abdominal tuberculosis	104	15	3	6	3	4	12	12	11	18	5	12	3	.....	.....	.....	.....
Pott's disease	48	1	2	1	2	3	9	11	6	6	2	4	.....	1	.....	.....	.....
Tuberculous abscess	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
White swelling	19	3	1	.....	2	.....	5	7	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	30	1	1	2	1	1	.....	5	9	3	4	2	1	.....	.....	.....	.....
General tuberculosis	64	8	6	6	.....	.....	5	7	12	7	8	1	3	1	.....	.....	.....
Scrofula	10	5	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	156	83	5	4	2	1	1	4	16	18	13	5	4	.....	.....	.....	.....
Cancer	1,608	6	3	6	4	1	3	8	43	157	362	441	368	172	30	4	.....
Tumor	17	.....	.....	.....	.....	.....	.....	3	4	2	2	3	2	.....	1	.....	.....
Rheumatism	207	3	2	.....	4	4	21	31	19	17	35	20	20	21	9	1	.....
Diabetes	366	1	.....	.....	1	.....	1	12	14	21	55	98	98	54	11	.....	.....
Anemia, leukemia	92	7	2	2	.....	1	3	12	15	12	13	14	8	2	1	.....	.....
Alcoholism	175	.....	.....	1	.....	.....	.....	.....	28	59	48	23	14	2	.....	.....	.....
Chronic poisonings	16	.....	.....	.....	.....	.....	.....	.....	1	6	5	3	1	.....	.....	.....	.....
Other general diseases	29	5	.....	1	.....	1	1	2	3	7	4	4	.....	1	.....	.....	.....
Encephalitis	9	.....	1	.....	1	1	1	.....	2	2	.....	.....	1	.....	.....	.....	.....
Meningitis	1,533	300	218	137	96	93	231	207	85	66	54	32	9	4	.....	.....	1
Apoplexy	1,347	40	2	.....	1	.....	4	6	29	92	171	314	361	250	70	7	.....
Softening of brain	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	8	14	9	2	.....	.....
Paralysis	113	2	2	1	.....	.....	3	.....	1	3	13	23	39	16	9	1	.....
Epilepsy	69	3	1	1	.....	1	2	9	20	18	7	1	4	2	.....	.....	.....
Convulsions	326	260	36	13	7	4	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	32	18	.....	.....	.....	2	1	4	.....	5	2	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	456	32	15	9	6	9	17	27	29	79	98	51	64	17	3	.....	.....
Pericarditis	34	1	.....	.....	.....	.....	3	3	7	7	5	6	2	.....	.....	.....	.....
Endocarditis	391	8	2	.....	1	2	19	29	27	52	55	72	68	39	16	1	.....
Heart disease	2,535	18	8	4	7	7	49	119	189	312	399	475	512	318	107	11	.....
Angina pectoris	81	.....	.....	.....	.....	.....	.....	1	3	8	10	19	20	18	2	.....	.....
Embolism and thrombosis	124	.....	2	.....	.....	1	2	6	15	13	16	21	27	16	4	1	.....
Other diseases of circulatory system	311	18	2	1	.....	.....	4	1	7	26	25	33	70	84	33	7	.....
Laryngitis	23	7	5	2	1	2	2	.....	.....	3	.....	.....	.....	1	.....	.....	.....
Acute bronchitis	815	486	172	46	16	6	4	6	.....	5	6	11	17	25	15	.....	.....
Chronic bronchitis	281	12	4	5	2	.....	.....	4	11	12	18	46	61	72	30	3	1
Bronchopneumonia	2,408	991	570	158	75	26	64	26	44	62	61	94	97	91	39	9	1
Pneumonia	4,955	529	396	148	77	43	107	119	401	752	688	660	604	331	88	11	1
Pleurisy	202	15	20	7	2	4	8	10	28	29	28	23	17	7	3	1	.....
Congestion of lungs	108	21	7	1	1	2	1	2	2	8	5	6	16	17	16	3	.....
Other diseases of respiratory system	189	22	4	5	.....	3	3	2	12	18	27	38	31	20	4	.....	.....
Tonsilitis	10	1	2	1	.....	.....	2	.....	2	1	1	.....	.....	.....	.....	.....	.....
Diseases of stomach	303	77	16	6	3	3	7	6	14	49	37	30	25	20	10	.....	.....
Diarrhea and enteritis	3,476	2,658	495	67	23	12	31	15	13	21	22	33	38	28	14	5	1
Hernia and intestinal obstructions	307	36	6	1	2	3	8	11	21	45	33	50	50	29	9	3	.....
Cirrhosis of liver	481	1	.....	.....	.....	.....	2	5	18	89	145	104	83	27	7	.....	.....
Other diseases of liver	172	7	.....	.....	1	1	2	3	16	31	36	38	24	8	4	1	.....
Peritonitis	100	8	.....	1	1	2	3	12	19	18	11	7	12	6	.....	.....	.....
Appendicitis	295	1	3	.....	3	2	37	66	71	47	29	21	8	6	1	.....	.....
Other diseases of digestive system	105	23	7	3	2	2	4	3	4	15	12	14	11	3	2	.....	.....
Acute nephritis	385	22	6	6	9	7	14	25	56	63	55	47	43	27	4	1	.....
Bright's disease	3,461	28	9	9	6	6	18	57	207	415	648	725	717	455	146	15	.....
Calculi of urinary tract	20	.....	.....	.....	.....	1	.....	.....	4	.....	4	6	5	.....	.....	.....	.....
Uterine tumor	46	.....	.....	.....	.....	.....	.....	.....	4	13	20	8	1	.....	.....	.....	.....
Ovarian tumor	34	.....	.....	.....	.....	.....	1	1	3	9	9	7	3	1	.....	.....	.....
Other diseases of genito-urinary system	287	4	3	.....	.....	.....	1	12	44	72	44	20	37	29	19	2	.....
Puerperal septicemia	212	.....	.....	.....	.....	.....	.....	15	118	68	11	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	208	.....	.....	.....	.....	.....	.....	9	89	89	21	.....	.....	.....	.....	.....	.....
Diseases of skin	103	17	1	2	1	1	2	.....	5	6	9	14	16	17	10	2	.....
Diseases of locomotor system	132	28	19	8	4	4	12	12	10	9	10	9	3	3	1	.....	.....
Malformations	266	240	17	2	2	.....	2	1	.....	.....	.....	1	1	.....	.....	.....	.....
Premature birth	829	829	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	1,118	1,118	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	254	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	31	71	118	34	.....
Suicide	501	.....	.....	.....	.....	.....	.....	16	117	126	107	76	42	13	3	.....	1
Other violence	3,014	223	69	71	63	54	286	431	411	517	417	234	147	60	26	3	2
Ill-defined causes	634	520	43	8	9	2	3	2	2	1	6	3	5	11	15	3	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

NEW YORK, N. Y. (QUEENS BOROUGH).

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,045	702	129	64	45	34	95	123	227	320	301	300	336	263	99	7	.....
Typhoid fever	37	.....	.....	.....	.....	.....	1	8	8	9	4	5	2	.....	.....	.....	.....
Malarial fever	8	.....	.....	1	1	1	.....	1	1	1	.....	.....	1	1	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	19	1	.....	2	6	2	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	10	8	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	74	.....	8	14	11	8	27	4	2	.....	.....	.....	.....	.....	.....	.....	.....
Influenza	31	.....	.....	1	.....	.....	.....	1	2	1	2	2	8	11	3	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	14	4	2	.....	2	.....	.....	.....	.....	.....	.....	1	3	1	1	.....	.....
Erysipelas	7	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	2	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
Tuberculosis—total	308	13	4	4	4	.....	5	23	62	92	59	24	13	4	1	.....	.....
Tuberculosis of lungs	268	1	1	2	1	.....	3	21	61	87	51	22	13	4	1	.....	.....
Tuberculosis of larynx	7	.....	.....	.....	.....	.....	.....	.....	1	1	4	1	.....	.....	.....	.....	.....
Tuberculous meningitis	23	12	2	2	3	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	5	.....	1	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	3	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	5	2	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Cancer	90	.....	.....	.....	.....	.....	.....	1	.....	7	18	21	23	17	3	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	18	1	.....	.....	1	.....	4	3	2	2	3	.....	.....	2	.....	.....	.....
Diabetes	22	.....	.....	1	.....	.....	.....	.....	2	1	1	4	8	5	.....	.....	.....
Anemia, leukemia	6	1	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	1	.....	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	1	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	4	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	50	8	5	4	2	2	13	7	5	4	.....	.....	.....	.....	.....	.....	.....
Apoplexy	152	2	.....	.....	.....	.....	.....	1	5	6	14	32	42	35	15	.....	.....
Softening of brain	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	.....	.....
Paralysis	8	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	4	.....	.....	.....
Epilepsy	4	1	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Convulsions	23	19	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	12	5	.....	.....	.....	.....	1	1	1	1	1	1	1	.....	.....	.....	.....
Other diseases of nervous system	54	2	1	.....	.....	1	1	4	3	7	10	9	10	6	.....	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	17	1	.....	.....	.....	.....	.....	2	2	2	4	1	2	1	2	.....	.....
Heart disease	200	6	.....	.....	.....	1	.....	8	15	23	28	56	58	54	11	.....	.....
Angina pectoris	6	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....
Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
Other diseases of circulatory system	11	.....	1	.....	1	.....	.....	.....	1	3	.....	2	.....	1	1	1	.....
Laryngitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	42	31	7	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
Chronic bronchitis	29	.....	.....	1	.....	.....	1	.....	1	1	2	4	7	9	2	1	.....
Bronchopneumonia	99	43	17	10	1	4	1	.....	4	2	3	2	4	5	3	.....	.....
Pneumonia	313	48	15	8	3	4	16	11	17	42	43	30	43	21	11	1	.....
Pleurisy	11	.....	1	.....	.....	1	1	1	3	.....	1	2	1	.....	.....	.....	.....
Congestion of lungs	6	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....
Other diseases of respiratory system	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	18	4	.....	.....	1	.....	.....	1	2	5	1	1	1	2	.....	.....	.....
Diarrhea and enteritis	376	282	47	10	5	4	1	1	1	5	3	3	3	7	4	.....	.....
Hernia and intestinal obstructions	27	5	.....	.....	1	.....	.....	1	2	1	1	6	3	4	3	.....	.....
Cirrhosis of liver	44	.....	.....	.....	.....	.....	.....	.....	1	4	12	14	8	5	.....	.....	.....
Other diseases of liver	8	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	3	.....	1	.....	.....
Peritonitis	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....
Appendicitis	15	.....	.....	.....	.....	.....	2	3	3	2	2	1	2	.....	.....	.....	.....
Other diseases of digestive system	8	3	.....	1	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
Acute nephritis	27	.....	2	.....	.....	.....	1	3	6	4	1	2	5	2	1	.....	.....
Bright's disease	211	1	.....	.....	1	1	.....	8	14	23	33	38	44	31	17	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Ovarian tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	13	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	5	2	.....	.....	.....
Puerperal septicemia	14	.....	.....	.....	.....	.....	.....	1	7	6	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	19	.....	.....	.....	.....	.....	.....	.....	9	6	4	.....	.....	.....	.....	.....	.....
Diseases of skin	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....
Diseases of locomotor system	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	26	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	66	66	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	54	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10	11	3	.....
Suicide	39	.....	.....	.....	.....	.....	.....	1	5	9	7	8	5	4	.....	.....	.....
Other violence	215	24	6	4	2	2	9	24	35	40	28	18	13	8	2	.....	.....
Ill-defined causes	52	37	10	1	.....	1	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

NEW YORK, N. Y. (RICHMOND BOROUGH).

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,466	289	39	41	12	17	52	47	101	121	137	166	195	154	78	15	2
Typhoid fever	15						2	1	6	1	2	2	1				
Malarial fever	2										1	1					
Smallpox																	
Measles	4	1	1	1				1									
Scarlet fever	19	1	2	4		2	7	2		1							
Whooping cough	2		2														
Diphtheria and croup	32	2	4	5	4	7	8	1	1								
Influenza	16	3									1	2	4	1	5		
Cholera nostras																	
Dysentery	11	3	1		1					1			1	2	2		
Erysipelas																	
Other epidemic diseases[1]																	
Septicemia	1												1				
Tuberculosis—total	134	4	3	4	2		6	11	27	37	15	13	10	2			
Tuberculosis of lungs	107						2	6	26	33	15	13	10	2			
Tuberculosis of larynx	3							2		1							
Tuberculous meningitis	21	4	3	4	2		3	2	1	2							
Abdominal tuberculosis																	
Pott's disease	3						1	1		1							
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula																	
Venereal diseases	2	2															
Cancer	64								3	2	11	18	16	11	3		
Tumor																	
Rheumatism	7	1					1		1	1		2	1				
Diabetes	9							2			1	2	3	1			
Anemia, leukemia	4							2	1				1				
Alcoholism	7									5	1	1					
Chronic poisonings																	
Other general diseases																	
Encephalitis	1											1					
Meningitis	17	2	2	4		2	3	3					1				
Apoplexy	67	1		1				1	3	1	6	10	17	18	7	2	
Softening of brain	4											1		3			
Paralysis	9									1		1	2	4	1		
Epilepsy	5						1		2			1		1			
Convulsions	4	3		1													
Tetanus	3	2						1									
Other diseases of nervous system	21	2					1			2	2	3	7	3	1		
Pericarditis	1													1			
Endocarditis	14					1			1			1	4	6	1		
Heart disease	103						3	2	2	6	13	19	26	19	7	6	
Angina pectoris	6												1	4	1		
Embolism and thrombosis	7							1			1		2	2		1	
Other diseases of circulatory system	9										3	1	1	1	2	1	
Laryngitis																	
Acute bronchitis	3	3															
Chronic bronchitis	14	3										2	1	5	*3		
Bronchopneumonia	50	17	7	4	1	1	1		1	1	1	3	6	2	5		
Pneumonia	131	6	2	7			4	5	10	15	28	12	11	19	9	2	1
Pleurisy	5	1							1	2			1				
Congestion of lungs	13								2		1	2	3	2	3		
Other diseases of respiratory system	14	1		2	2				1	1	2	1	3	1			
Tonsilitis																	
Diseases of stomach	12	2					1				4	2	1	1	1		
Diarrhea and enteritis	143	113	14	3		2	3				1	2	2	2	1		
Hernia and intestinal obstructions	13			1			2	1		1		3	4	1			
Cirrhosis of liver	14										1	7	6				
Other diseases of liver	7										1	1	1	3	1		
Peritonitis	5						1		2	1	1						
Appendicitis	6						1	1	1		1	1		1			
Other diseases of digestive system	6	3			1	1				1							
Acute nephritis	8								2	1	1	2	2				
Bright's disease	143							1	9	11	16	32	35	26	12	1	
Calculi of urinary tract																	
Uterine tumor	1													1			
Ovarian tumor																	
Other diseases of genito-urinary system	12								3	2	1	1	3	2			
Puerperal septicemia	4								3	1							
Other causes incident to childbirth	6								2	4							
Diseases of skin	2												2				
Diseases of locomotor system	2	1											1				
Malformations	11	9	1	1													
Premature birth	39	39															
Congenital debility	32	32															
Old age	18													4	12	2	
Suicide	16							1	3	2	2	2	6				1
Other violence	103	6		2	1	1	7	10	14	20	18	12	6	5			
Ill-defined causes	33	26		1							1	2	2		1		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

NEWARK, N. J.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	5,336	1,084	293	146	98	76	169	227	424	537	553	512	576	435	193	13	
Typhoid fever	37				1		2	7	9	7	3	5	3				
Malarial fever	10	1								2		2	2	2	1		
Smallpox																	
Measles	38	6	19	5	1	2	4			1							
Scarlet fever	122	4	13	20	18	16	36	13	1	1							
Whooping cough	13	6	4	2			1										
Diphtheria and croup	148	10	28	34	18	14	32	6	2	1	2	1					
Influenza	31	3	3							2	3	3	5	9	3		
Cholera nostras	5	1								2		1		1			
Dysentery	43	13	6	1	3		2	1	4		2		6	3	2		
Erysipelas	17	7	1						1		1	1	3	2	1		
Other epidemic diseases[1]																	
Septicemia	13	2						1	2	3	3	2					
Tuberculosis—total	767	31	10	12	5	3	10	71	174	207	142	49	36	13	3	1	
Tuberculosis of lungs	677	9	1	4			3	65	164	200	137	47	33	12	2		
Tuberculosis of larynx	6								3	1	1		1				
Tuberculous meningitis	53	19	7	8	4	3	5	2	1	2	1			1			
Abdominal tuberculosis	13	1			1			1	4	2	1	2				1	
Pott's disease	7	1	1				1	2	1	1							
Tuberculous abscess																	
White swelling	3						1			1			1				
Tuberculosis of other organs	6	1	1					1	1		1			1			
General tuberculosis	2										1		1				
Scrofula																	
Venereal diseases	11	8	1								2						
Cancer	192	2	1					1	6	19	30	47	53	26	7		
Tumor	3									1	1				1		
Rheumatism	21	2				1	1	2	1	2	1	2	4	3	2		
Diabetes	30						1		1		9	9	8	1	1		
Anemia, leukemia	13	2				1		1		2	4		2	1			
Alcoholism	30								3	14	8	4	1				
Chronic poisonings	2								1	1							
Other general diseases	6								1	1	1	2	1				
Encephalitis	3	1		1							1						
Meningitis	154	37	20	12	7	4	18	23	9	6	7	5		4	2		
Apoplexy	246	8	2				1	1	6	9	23	43	71	57	24	1	
Softening of brain	8											1	1	4	2		
Paralysis	28	1			1			1		2		4	7	7	5		
Epilepsy	7	1							1	1		1	2		1		
Convulsions	52	40	6	1	2	1			2								
Tetanus	11	4					2		2		1	2					
Other diseases of nervous system	64	5						1	3	4	11	10	13	14	3		
Pericarditis	5								1			2	1	1			
Endocarditis	53				1		6	5	4	10	9	5	3	9	1		
Heart disease	335	5	1			1	5	8	22	32	27	48	85	75	24	2	
Angina pectoris	12									2		5		4	1		
Embolism and thrombosis	9								1	1		4	1	2			
Other diseases of circulatory system	24	4			1			2		4	3	3	3		4		
Laryngitis	2	2															
Acute bronchitis	103	68	9	4	3	3					1	5	8		1	1	
Chronic bronchitis	73	1					1	1	3	3	4	4	16	23	15	2	
Bronchopneumonia	138	67	29	8	6	3		2		3	1	4	10	4	1		
Pneumonia	487	53	41	14	10	7	9	15	41	57	81	67	46	34	12		
Pleurisy	24	1	4	1	1		2		1	2	3	7	2				
Congestion of lungs	35	1				2	1	2	1	1	3	7	8	5	4		
Other diseases of respiratory system	31	2	1	3	1				2	2	3	4	5	6	2		
Tonsilitis																	
Diseases of stomach	35	9	4	1		1				3	3	5	1	4	4		
Diarrhea and enteritis	389	263	58	16	5	5	3	1	2	1	4	6	10	11	4		
Hernia and intestinal obstructions	46	7	3		1	1	1	4	5	8	6	3	5		2		
Cirrhosis of liver	56		1					1	3	4	19	10	13	5			
Other diseases of liver	24			1				1	4	4	2	4	4	3	1		
Peritonitis	30	2	1				2	2	5	5	7	3	1	1	1		
Appendicitis	30	1	1				2	9	2	5	6	2	1		1		
Other diseases of digestive system	12	5			1				1	1	2	1			1		
Acute nephritis	44	2			1	2	6	1	4	7	10	6	3	1	1		
Bright's disease	336	2	1	2	4	1	4	10	22	24	54	68	77	47	19	1	
Calculi of urinary tract																	
Uterine tumor	1										1						
Ovarian tumor	2								2								
Other diseases of genito-urinary system	33				1				6	2	1	5	8	7	2	1	
Puerperal septicemia	22							1	6	15							
Other causes incident to childbirth	20							1	12	7							
Diseases of skin	25	5							1		1	4	4	5	4	1	
Diseases of locomotor system	16	4	5				1	1	1	1	1		1		1		
Malformations	36	32	1		2		1										
Premature birth	105	105															
Congenital debility	143	143															
Old age	51												8	17	23	3	
Suicide	63							3	8	14	12	11	12	3			
Other violence	233	27	6	6	3	7	14	27	31	27	32	19	18	13	3		
Ill-defined causes	128	78	13	2	1	1	1	1	4	4	2	6	4	8	3		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

OMAHA, NEBR.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,344	243	45	16	12	9	25	68	139	149	163	148	147	97	50	11	2
Typhoid fever	20						1	4	7	4	1	2	1				
Malarial fever	3	1								1				1			
Smallpox	1								1								
Measles	10	3	3	1	1	1		1									
Scarlet fever	8	1	2	1			4										
Whooping cough	12	7	2	1		2											
Diphtheria and croup	17	3	4	2	1	1	3	2		1							
Influenza	15	2	1		1				1		4	1	3		2		
Cholera nostras																	
Dysentery	6		1								1		2	1	1		
Erysipelas	5	1									1	1	1		1		
Other epidemic diseases[1]	1	1															
Septicemia	9						1	1	3	2		2					
Tuberculosis—total	144	3	3	1	1		2	14	33	40	22	14	8	2			1
Tuberculosis of lungs	124	2	3					12	29	35	21	12	7	2			1
Tuberculosis of larynx	2								1		1						
Tuberculous meningitis	4			1	1		2										
Abdominal tuberculosis	8							2	3	1		1	1				
Pott's disease	2	1								1							
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	2									1		1					
General tuberculosis	2									2							
Scrofula	1						1										
Venereal diseases	10	6	1					1		2							
Cancer	73							2	1	7	18	19	17	8	1		
Tumor	2	1										1					
Rheumatism	9							2	4	1	1		1				
Diabetes	9								2	2	1	1	1	1		1	
Anemia, leukemia	5	1						1		1			1		1		
Alcoholism	4									2	1	1					
Chronic poisonings	1									1							
Other general diseases																	
Encephalitis	4								4								
Meningitis	16	10	1	1	1			2		1							
Apoplexy	47	1		1		1	1	1		1	8	9	16	6	2		
Softening of brain	3												2	1			
Paralysis	20	1							1		3	4	6	2	3		
Epilepsy	2				1						1						
Convulsions	21	17	4														
Tetanus	4						1	2		1							
Other diseases of nervous system	26	2	1						2	4	6	6	3	1	1		
Pericarditis																	
Endocarditis	5						1	1	2	1							
Heart disease	87	2					1	5	7	7	7	23	17	16	2		
Angina pectoris	7										3		1	3			
Embolism and thrombosis	6										3	1	2				
Other diseases of circulatory system	14	4					1		1		1	1	1	3	2		
Laryngitis																	
Acute bronchitis	13	10	3														
Chronic bronchitis	11	1						1				2	4	1	2		
Bronchopneumonia	18	9	2	1	1						1	2	1	1			
Pneumonia	100	20	5	2	2		3		8	12	12	11	9	10	4	2	
Pleurisy	5	1						1			1		2				
Congestion of lungs	8										1		2	3	2		
Other diseases of respiratory system	9	1									2	3	2	1			
Tonsilitis	1	1															
Diseases of stomach	14	1				1			1	2	2	3		3		1	
Diarrhea and enteritis	68	51	6	3	2			1	1		1			2	1		
Hernia and intestinal obstructions	14	1	1						4	1	2	1	2		2		
Cirrhosis of liver	15								1	1	7	2	4				
Other diseases of liver	11									3	1	4	2	1			
Peritonitis	32	1		1		1	3	4	11	7	1	2	1				
Appendicitis	31						1	10	12	2	3	3					
Other diseases of digestive system	7		1						3	1	1	1					
Acute nephritis	6							2		1		2		1			
Bright's disease	69	1						1	2	9	17	10	12	11	5	1	
Calculi of urinary tract																	
Uterine tumor	4									2	1	1					
Ovarian tumor	3								1			1	1				
Other diseases of genito-urinary system	22	1							7	3	5		4	1	1		
Puerperal septicemia	6								3	2							1
Other causes incident to childbirth	11								5	4	2						
Diseases of skin	5	1							1			1		2			
Diseases of locomotor system	6	1	1		1				2	1							
Malformations	19	17	1	1													
Premature birth	23	23															
Congenital debility	19	19															
Old age	33												3	10	14	6	
Suicide	18							3	5	4	3	1	1	1			
Other violence	88	11	2			2	1	6	20	12	14	6	9	2	3		
Ill-defined causes	28	5							3	3	4	6	5	2			

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

PATERSON, N. J.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,987	474	94	44	29	14	55	82	140	171	199	212	222	173	69	9	.....
Typhoid fever	8	.....	.....	.....	.....	.....	.....	.....	4	.....	3	.....	1	.....	.....	.....	.....
Malarial fever	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	14	5	2	2	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	16	.....	5	3	1	.....	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	6	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	47	3	5	11	4	6	15	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	9	1	1	1	.....	.....	.....	.....	.....	1	.....	1	2	1	1	.....	.....
Erysipelas	7	1	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	8	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....
Tuberculosis—total	258	16	2	3	3	1	6	19	61	65	54	22	14	2	.....	.....	.....
Tuberculosis of lungs	230	11	.....	2	2	1	4	16	59	62	38	20	13	2	.....	.....	.....
Tuberculosis of larynx	6	.....	.....	1	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....
Tuberculous meningitis	5	1	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	9	3	1	.....	.....	.....	.....	.....	1	.....	3	1	.....	.....	.....	.....	.....
Pott's disease	3	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	70	.....	.....	.....	.....	.....	.....	.....	.....	5	12	19	18	15	1	.....	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	9	.....	.....	.....	.....	.....	1	.....	1	.....	.....	3	3	1	.....	.....	.....
Diabetes	13	.....	.....	.....	1	.....	.....	.....	2	2	2	3	2	1	.....	.....	.....
Anemia, leukemia	6	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	1	1	.....	.....	.....
Alcoholism	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Encephalitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	56	16	14	3	3	1	2	9	3	2	1	1	1	.....	.....	.....	.....
Apoplexy	83	.....	.....	.....	.....	.....	.....	.....	2	1	11	20	27	14	8	.....	.....
Softening of brain	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Paralysis	16	1	1	.....	.....	.....	.....	1	1	.....	.....	1	6	4	.....	1	.....
Epilepsy	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Convulsions	55	38	10	3	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	3	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	33	1	.....	.....	.....	.....	1	.....	2	7	8	6	6	2	.....	.....	.....
Pericarditis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	42	1	1	.....	.....	.....	.....	1	2	2	5	8	6	13	2	1	.....
Heart disease	132	1	1	.....	.....	.....	4	10	9	8	15	18	31	29	6	.....	.....
Angina pectoris	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	.....	.....	.....
Embolism and thrombosis	6	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	.....	.....
Other diseases of circulatory system	6	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....
Laryngitis	5	.....	.....	1	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....	.....
Acute bronchitis	28	15	6	3	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....
Chronic bronchitis	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	6	1	.....	.....
Bronchopneumonia	57	26	9	4	2	.....	.....	1	.....	1	.....	5	3	3	3	.....	.....
Pneumonia	195	28	12	4	2	2	6	8	13	19	19	29	33	15	5	.....	.....
Pleurisy	6	.....	.....	1	.....	.....	.....	.....	1	.....	3	.....	1	.....	.....	.....	.....
Congestion of lungs	15	2	.....	1	.....	.....	.....	.....	.....	.....	1	2	3	4	2	.....	.....
Other diseases of respiratory system	11	1	1	.....	.....	.....	.....	.....	1	1	1	2	1	3	.....	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	24	5	1	.....	.....	.....	1	.....	.....	2	5	2	1	4	3	.....	.....
Diarrhea and enteritis	173	135	15	1	3	2	.....	1	1	1	1	2	4	5	2	.....	.....
Hernia and intestinal obstructions	21	5	1	.....	1	.....	.....	.....	.....	.....	1	1	6	5	1	.....	.....
Cirrhosis of liver	16	.....	.....	.....	.....	.....	.....	.....	1	2	4	4	5	.....	.....	.....	.....
Other diseases of liver	16	2	.....	.....	.....	.....	.....	1	1	2	3	2	.....	3	2	.....	.....
Peritonitis	24	1	.....	.....	.....	.....	1	3	6	2	2	4	3	2	.....	.....	.....
Appendicitis	11	.....	.....	.....	.....	.....	.....	3	2	3	3	.....	.....	.....	.....	.....	.....
Other diseases of digestive system	7	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....	.....
Acute nephritis	32	3	2	.....	.....	.....	1	1	5	2	6	4	2	4	2	.....	.....
Bright's disease	80	1	.....	.....	.....	.....	1	1	5	10	10	22	20	9	1	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	.....	.....
Ovarian tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Other diseases of genito-urinary system	6	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	2	.....	.....	.....
Puerperal septicemia	6	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	8	.....	.....	.....	.....	.....	.....	1	.....	5	2	.....	.....	.....	.....	.....	.....
Diseases of skin	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	3	.....	.....
Diseases of locomotor system	5	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malformations	15	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	50	50	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	39	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	9	20	6	.....
Suicide	9	.....	.....	.....	.....	.....	.....	.....	.....	3	1	4	1	.....	.....	.....	.....
Other violence	94	10	1	1	4	1	7	12	11	10	15	10	6	4	2	.....	.....
Ill-defined causes	43	28	1	1	.....	.....	.....	2	.....	.....	2	3	2	2	2	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

PHILADELPHIA, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	26,218	5,190	1,173	495	372	296	678	1,093	2,379	2,533	2,633	2,731	2,959	2,436	1,089	156	5
Typhoid fever	766	3	12	7	11	14	56	160	232	146	70	28	18	6	2	1	.....
Malarial fever	17	1	.....	.....	1	.....	.....	1	2	3	2	1	1	4	1	.....	.....
Smallpox	226	22	15	18	9	11	16	12	54	26	19	16	6	2	.....	.....	.....
Measles	311	76	113	55	19	15	27	4	.....	.....	2	.....	.....	.....	.....	.....	.....
Scarlet fever	220	14	19	38	38	33	58	15	5	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	96	35	29	15	8	1	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	547	32	103	78	88	70	140	28	4	2	2	.....	.....	.....	.....	.....	.....
Influenza	217	19	5	.....	3	2	1	7	10	21	16	23	35	38	33	4	.....
Cholera nostras	14	2	.....	.....	.....	.....	.....	.....	2	.....	2	1	4	3	.....	.....	.....
Dysentery	45	4	1	.....	1	1	1	.....	2	5	4	5	5	10	4	2	.....
Erysipelas	69	27	3	.....	1	.....	.....	3	2	5	6	5	6	7	3	1	.....
Other epidemic diseases [1]	6	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	33	6	2	.....	1	.....	1	2	2	4	7	2	4	1	1	.....	.....
Tuberculosis—total	3,658	112	67	30	22	23	62	336	958	843	582	376	172	67	8	.....	.....
Tuberculosis of lungs	3,224	40	24	10	6	6	29	292	901	795	549	348	160	57	7	.....	.....
Tuberculosis of larynx	31	.....	.....	.....	.....	.....	.....	1	6	10	7	5	.....	2	.....	.....	.....
Tuberculous meningitis	174	49	30	14	8	15	19	14	12	4	7	1	1	.....	.....	.....	.....
Abdominal tuberculosis	92	14	3	1	6	1	4	8	15	11	10	11	3	4	1	.....	.....
Pott's disease	31	2	2	1	.....	.....	5	7	4	5	1	2	1	1	.....	.....	.....
Tuberculous abscess	5	1	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....
White swelling	14	.....	.....	.....	1	.....	1	4	3	.....	1	1	1	2	.....	.....	.....
Tuberculosis of other organs	27	3	4	2	.....	.....	1	4	3	5	.....	3	2	.....	.....	.....	.....
General tuberculosis	60	3	4	2	1	1	2	6	13	12	7	4	4	1	.....	.....	.....
Scrofula	5	1	.....	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	100	53	1	3	.....	.....	3	2	7	12	10	5	3	1	.....	.....	.....
Cancer	1,096	.....	.....	1	1	2	6	8	19	83	221	286	270	153	43	3	.....
Tumor	15	1	.....	.....	.....	.....	.....	.....	1	1	2	3	3	4	.....	.....	.....
Rheumatism	134	.....	1	.....	2	.....	14	26	7	11	16	18	16	15	7	1	.....
Diabetes	175	.....	1	.....	.....	.....	2	4	9	7	24	44	46	33	5	.....	.....
Anemia, leukemia	55	3	2	.....	1	.....	1	2	13	5	7	8	6	6	1	.....	.....
Alcoholism	72	.....	.....	.....	.....	.....	.....	.....	3	25	20	16	6	2	.....	.....	.....
Chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	1	.....	.....	.....	.....
Other general diseases	30	2	1	.....	.....	.....	3	2	6	6	1	5	.....	3	1	.....	.....
Encephalitis	16	4	2	1	3	.....	.....	1	.....	1	.....	.....	2	2	.....	.....	.....
Meningitis	217	82	37	12	8	7	14	20	11	10	6	4	2	1	2	.....	1
Apoplexy	934	32	12	2	1	1	1	4	9	25	77	159	254	247	98	12	.....
Softening of brain	49	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	17	18	9	.....	.....
Paralysis	188	.....	2	1	.....	.....	.....	1	4	5	8	25	49	53	35	5	.....
Epilepsy	53	2	.....	1	.....	.....	1	5	12	10	9	4	7	2	.....	.....	.....
Convulsions	404	317	52	16	6	4	3	.....	2	3	1	.....	.....	.....	.....	.....	.....
Tetanus	23	9	1	.....	.....	.....	.....	6	3	1	.....	1	2	.....	.....	.....	.....
Other diseases of nervous system	332	17	6	4	3	1	8	18	24	42	58	56	48	38	9	.....	.....
Pericarditis	20	1	.....	.....	.....	.....	1	.....	2	4	1	6	2	2	1	.....	.....
Endocarditis	265	4	.....	.....	2	3	7	18	16	24	25	44	51	53	15	3	.....
Heart disease	2,133	42	4	3	6	6	39	89	95	167	264	357	505	388	152	16	.....
Angina pectoris	70	.....	.....	.....	.....	.....	.....	.....	2	3	2	21	23	18	1	.....	.....
Embolism and thrombosis	55	2	.....	.....	.....	.....	1	1	4	6	11	4	7	12	7	.....	.....
Other diseases of circulatory system	320	6	2	1	1	1	1	.....	8	18	25	31	82	91	46	7	.....
Laryngitis	12	4	1	.....	3	.....	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Acute bronchitis	258	161	34	12	5	1	1	.....	1	2	2	6	7	17	7	2	.....
Chronic bronchitis	181	11	3	2	1	1	3	2	10	5	8	19	39	50	24	3	.....
Bronchopneumonia	654	278	120	36	19	13	9	9	12	18	14	22	37	46	20	1	.....
Pneumonia	1,918	318	144	62	42	30	42	51	143	182	227	235	236	149	60	6	1
Pleurisy	69	1	2	3	2	.....	3	8	3	10	8	9	12	7	.....	1	.....
Congestion of lungs	189	39	8	1	2	3	2	3	9	14	14	20	28	18	26	1	1
Other diseases of respiratory system	146	8	2	1	2	1	.....	2	12	21	26	28	21	13	8	1	.....
Tonsilitis	8	.....	1	.....	.....	2	1	.....	1	.....	1	.....	1	.....	1	.....	.....
Diseases of stomach	266	65	11	2	.....	2	7	3	13	18	20	34	36	30	25	.....	.....
Diarrhea and enteritis	1,860	1,320	238	38	19	13	9	2	14	17	19	24	55	59	27	6	.....
Hernia and intestinal obstructions	207	23	4	1	1	1	2	8	13	18	27	31	31	35	12	.....	.....
Cirrhosis of liver	246	2	.....	.....	.....	.....	.....	3	6	37	69	58	43	23	5	.....	.....
Other diseases of liver	140	7	1	.....	.....	.....	5	.....	8	21	18	19	32	23	6	.....	.....
Peritonitis	83	1	1	2	.....	1	5	6	23	13	16	6	6	2	1	.....	.....
Appendicitis	206	1	.....	.....	2	2	11	48	63	39	17	10	10	3	.....	.....	.....
Other diseases of digestive system	88	21	6	2	3	.....	2	4	5	10	10	6	9	6	4	.....	.....
Acute nephritis	168	10	2	.....	4	2	12	9	27	26	22	20	18	14	2	.....	.....
Bright's disease	2,060	11	5	3	1	3	9	34	114	209	293	412	453	374	125	14	.....
Calculi of urinary tract	9	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	4	.....	.....	.....
Uterine tumor	34	.....	.....	.....	.....	.....	.....	.....	1	8	15	6	2	1	1	.....	.....
Ovarian tumor	25	.....	.....	.....	.....	.....	.....	1	1	6	4	5	6	2	.....	.....	.....
Other diseases of genito-urinary system	252	7	.....	.....	.....	.....	1	8	35	48	29	30	34	46	11	3	.....
Puerperal septicemia	105	.....	.....	.....	.....	.....	.....	10	59	33	3	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	141	.....	.....	.....	.....	.....	.....	7	66	56	12	.....	.....	.....	.....	.....	.....
Diseases of skin	97	13	1	3	1	.....	.....	4	7	2	9	8	20	21	8	.....	.....
Diseases of locomotor system	47	6	11	1	3	1	3	2	4	2	2	1	6	3	2	.....	.....
Malformations	257	242	7	2	2	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	587	587	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	616	616	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	341	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	93	175	52	.....
Suicide	213	.....	.....	.....	.....	.....	.....	7	35	47	53	36	24	9	2	.....	.....
Other violence	1,217	157	36	24	23	32	66	83	158	136	178	119	98	74	36	6	1
Ill-defined causes	525	346	51	13	.....	3	3	3	4	7	11	9	19	33	17	5	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

PITTSBURG, PA.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	6,972	1,771	469	168	120	91	223	407	832	687	627	530	457	409	161	19	1
Typhoid fever	492	1	2	6	8	4	32	99	200	81	41	10	6	2	.....	.....	.....
Malarial fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox	20	3	1	1	1	.....	.....	.....	5	3	2	3	.....	1	.....	.....	.....
Measles	86	16	34	9	9	4	9	2	3	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	41	2	4	7	5	8	7	5	3	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	69	29	25	7	2	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	163	4	26	23	28	24	41	9	5	2	1	.....	.....	.....	.....	.....	.....
Influenza	37	1	1	1	1	.....	2	2	1	2	4	6	5	7	3	1	.....
Cholera nostras	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Dysentery	19	3	3	.....	.....	.....	1	1	.....	2	2	2	2	1	2	.....	.....
Erysipelas	21	8	.....	2	.....	.....	.....	1	1	3	3	1	1	1	.....	.....	.....
Other epidemic diseases [1]	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	17	2	1	.....	1	.....	.....	1	7	1	1	.....	1	1	1	.....	.....
Tuberculosis—total	641	29	13	11	8	2	19	78	167	149	87	43	25	9	1	.....	.....
Tuberculosis of lungs	541	17	3	7	5	.....	9	66	149	137	79	36	24	8	1	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Tuberculous meningitis	30	9	4	4	2	1	6	.....	2	.....	1	1	.....	.....	.....	.....	.....
Abdominal tuberculosis	33	2	2	.....	1	.....	3	7	7	3	3	5	.....	.....	.....	.....	.....
Pott's disease	4	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	3	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	10	.....	.....	.....	.....	.....	.....	.....	3	4	2	1	.....	.....	.....	.....	.....
General tuberculosis	18	1	3	.....	.....	1	.....	2	6	4	1	.....	.....	.....	.....	.....	.....
Scrofula	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Venereal diseases	24	12	1	2	.....	.....	1	2	1	2	.....	2	1	.....	.....	.....	.....
Cancer	179	.....	.....	.....	.....	.....	.....	3	7	10	41	56	38	21	3	.....	.....
Tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
Rheumatism	48	2	.....	.....	.....	.....	1	5	11	5	5	2	10	4	2	1	.....
Diabetes	17	.....	.....	.....	1	.....	1	2	.....	2	4	3	2	2	.....	.....	.....
Anemia, leukemia	18	.....	.....	.....	1	.....	1	3	2	3	3	3	.....	1	1	.....	.....
Alcoholism	33	.....	.....	.....	.....	.....	.....	.....	7	10	8	5	3	.....	.....	.....	.....
Chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Other general diseases	12	4	2	1	.....	1	.....	1	1	1	.....	.....	.....	1	.....	.....	.....
Encephalitis	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	124	42	21	13	8	4	13	9	5	2	4	2	.....	1	.....	.....	.....
Apoplexy	176	5	2	.....	.....	.....	1	1	2	6	21	44	43	32	17	2	.....
Softening of brain	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Paralysis	41	2	1	.....	.....	1	.....	1	2	2	.....	3	8	15	6	.....	.....
Epilepsy	7	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	1	.....	.....	1	.....
Convulsions	168	134	22	4	2	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....
Tetanus	16	7	.....	.....	.....	.....	4	3	1	.....	1	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	97	9	.....	1	.....	.....	2	5	10	13	19	10	17	8	3	.....	.....
Pericarditis	3	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Endocarditis	22	1	.....	.....	.....	1	.....	2	2	5	4	2	3	1	1	.....	.....
Heart disease	356	5	1	.....	.....	.....	3	22	31	32	68	71	57	58	8	.....	.....
Angina pectoris	13	.....	.....	.....	.....	.....	1	.....	1	2	2	5	.....	1	1	.....	.....
Embolism and thrombosis	10	.....	.....	.....	.....	.....	.....	1	1	3	2	.....	3	.....	.....	.....	.....
Other diseases of circulatory system	39	7	1	.....	.....	1	.....	1	2	2	4	3	3	9	5	1	.....
Laryngitis	6	2	1	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
Acute bronchitis	106	62	21	4	1	1	.....	.....	1	.....	1	2	4	4	5	.....	.....
Chronic bronchitis	69	4	.....	.....	.....	.....	1	1	1	7	3	8	18	17	7	2	.....
Bronchopneumonia	174	82	29	6	6	5	4	3	3	5	3	7	9	7	5	.....	.....
Pneumonia	688	153	52	23	10	8	17	25	69	68	66	64	56	54	21	1	1
Pleurisy	20	2	2	1	.....	1	.....	1	1	2	4	2	2	.....	2	.....	.....
Congestion of lungs	37	11	.....	1	.....	.....	1	1	4	2	1	3	7	4	2	.....	.....
Other diseases of respiratory system	57	5	2	1	4	.....	.....	2	1	5	8	7	12	9	1	.....	.....
Tonsilitis	4	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....
Diseases of stomach	88	20	5	.....	2	1	1	.....	11	6	9	12	5	10	6	.....	.....
Diarrhea and enteritis	718	471	151	22	8	5	4	3	4	4	5	6	11	18	6	.....	.....
Hernia and intestinal obstructions	58	9	2	.....	.....	.....	2	4	7	4	10	6	8	4	2	.....	.....
Cirrhosis of liver	53	.....	.....	1	.....	.....	1	.....	2	11	9	12	7	10	.....	.....	.....
Other diseases of liver	32	3	2	.....	.....	.....	.....	1	1	4	7	6	5	2	1	.....	.....
Peritonitis	69	4	.....	1	2	.....	9	14	16	8	7	7	.....	1	.....	.....	.....
Appendicitis	47	.....	.....	.....	1	.....	4	14	11	6	6	5	.....	.....	.....	.....	.....
Other diseases of digestive system	20	11	1	1	.....	.....	.....	.....	.....	1	3	.....	3	.....	.....	.....	.....
Acute nephritis	28	2	1	.....	.....	.....	2	2	8	4	2	2	3	2	.....	.....	.....
Bright's disease	168	1	1	1	1	4	1	7	11	17	25	32	39	23	5	.....	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	7	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	2	.....	.....	.....	.....
Ovarian tumor	5	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	38	2	.....	.....	.....	.....	.....	3	4	7	7	3	2	8	2	.....	.....
Puerperal septicemia	34	.....	.....	.....	.....	.....	.....	3	18	12	1	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	37	.....	.....	.....	.....	.....	.....	1	12	19	5	.....	.....	.....	.....	.....	.....
Diseases of skin	28	9	.....	1	.....	.....	.....	1	.....	2	2	3	2	4	2	2	.....
Diseases of locomotor system	17	6	4	2	.....	1	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....
Malformations	64	62	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	182	182	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	204	204	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	67	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	26	28	6	.....
Suicide	69	.....	.....	.....	.....	.....	.....	.....	22	18	15	6	4	4	.....	.....	.....
Other violence	578	33	7	13	9	10	26	57	135	115	82	53	17	11	8	2	.....
Ill-defined causes	178	100	26	1	1	2	3	1	3	6	8	6	3	14	4	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

PROVIDENCE, R. I.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	3,595	789	159	69	35	37	90	140	283	314	355	377	422	341	155	19	10
Typhoid fever	30				1	1	4	4	6	7	2	3	2				
Malarial fever	9	1	1			2	1	1				1	1	1			
Smallpox																	
Measles	6	2	4														
Scarlet fever	43	1	5	5	2	6	15	5	2	2							
Whooping cough	2	2															
Diphtheria and croup	89	5	14	14	13	8	25	8	1		1						
Influenza	35	1			1		1	3	4		2	3	11	5	4		
Cholera nostras	3										1		2				
Dysentery	31	5	3	2	1		1				3	3	8	4	1		
Erysipelas	11	5									1		3		1	1	
Other epidemic diseases[1]	1	1															
Septicemia	1												1				
Tuberculosis—total	451	29	11	11	3	2	6	52	117	96	66	30	19	6	1		2
Tuberculosis of lungs	364	7	3				3	37	110	91	59	29	18	4	1		2
Tuberculosis of larynx	1										1						
Tuberculous meningitis	36	9	7	5	3	2	1	4	1	3	1						
Abdominal tuberculosis	20	7	1	3			1	6	1		1						
Pott's disease	6	1		1			1	1	1			1					
Tuberculous abscess																	
White swelling	4			1				2						1			
Tuberculosis of other organs	4								1		1		1	1			
General tuberculosis	16	5		1				2	3	2	3						
Scrofula																	
Venereal diseases	16	9						1	2	2		1	1				
Cancer	188								6	10	40	43	55	29	4		1
Tumor	1											1					
Rheumatism	16						1	4	1	1	1	3	2	2		1	
Diabetes	35						1	1	1	3	4	9	9	7			
Anemia, leukemia	13	1		1	1						4	2	3	1			
Alcoholism	20								4	5	5	5	1				
Chronic poisonings																	
Other general diseases	4								1	2	1						
Encephalitis	1												1				
Meningitis	40	10	5	3	1	2	6	2	3	4	1		3				
Apoplexy	177	5								4	13	30	44	57	24		
Softening of brain	6											1		3	2		
Paralysis	12								1		2	1	2	5		1	
Epilepsy	8				1			1	1	2	1	2					
Convulsions	9	4	4					1									
Tetanus	2							1				1					
Other diseases of nervous system	52	5	1					1	2	7	9	9	5	6	7		
Pericarditis	2							1							1		
Endocarditis	27							2	1	5	1	2	6	6	2	1	1
Heart disease	272		2				2	5	11	20	24	59	67	58	18	4	2
Angina pectoris	15								1	1	3	3	4	2	1		
Embolism and thrombosis	2							1					1				
Other diseases of circulatory system	35	3				1				1	4	4	7	8	7		
Laryngitis	5		3			1				1							
Acute bronchitis	63	46	7	3		2					1			1	3		
Chronic bronchitis	36	2									4	4	10	9	5	1	1
Bronchopneumonia	104	52	14	5	3	1		1	2	4	3	4	4	7	1	2	1
Pneumonia	281	46	25	16	4	5	4	11	19	23	29	36	33	22	6	1	1
Pleurisy	5		1					1		1		2					
Congestion of lungs	5							2			1			1	1		
Other diseases of respiratory system	8	1	1							1	1	1		3			
Tonsilitis	3			1			1								1		
Diseases of stomach	68	33	3	1	1		1		2	2	4	4	10	3	4		
Diarrhea and enteritis	296	219	42	6	1	1	4	1	2	1	2	4	3	6	4		
Hernia and intestinal obstructions	24	5							1		2	7	3	3	3		
Cirrhosis of liver	27	1							1	4	8	5	3	4	1		
Other diseases of liver	18	1								3	6	3	4	1			
Peritonitis	5						1				2	1	1				
Appendicitis	30						4	8	7	5	5				1		
Other diseases of digestive system	13	4						1	3	1	1	1		1		1	
Acute nephritis	36	2	1				2	1	7	5	7	3	4	2	2		
Bright's disease	259	2	2				3	6	15	30	31	51	59	43	16	1	
Calculi of urinary tract	3									2					1		
Uterine tumor	10									1	4	2	2	1			
Ovarian tumor	4									1	2			1			
Other diseases of genito-urinary system	34							1	3	6	8	2	8	5	1		
Puerperal septicemia	24								13	11							
Other causes incident to childbirth	25							3	9	10	3						
Diseases of skin	10	2						1			1		1	3	2		
Diseases of locomotor system	9	3	2		1				1				2				
Malformations	38	37				1											
Premature birth	73	73															
Congenital debility	78	78															
Old age	44												3	13	23	5	
Suicide	31								8	5	9	5	3	1			
Other violence	201	48	2	1	1	4	7	9	24	24	30	24	10	11	5		1
Ill-defined causes	60	45	6						1	1	2	2	1		2		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

ROCHESTER, N. Y.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,665	323	56	29	33	22	77	142	228	268	262	285	358	369	186	27	.....
Typhoid fever	28	.....	.....	.....	.....	.....	3	5	11	1	5	1	.....	2	.....	.....	.....
Malarial fever	5	1	.....	.....	.....	1	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	35	.....	3	3	3	5	9	7	3	1	1	.....	.....	.....	.....	.....	.....
Whooping cough	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	93	7	9	11	10	8	29	16	1	2	.....	.....	.....	.....	.....	.....	.....
Influenza	28	2	.....	.....	1	.....	.....	1	1	1	3	2	4	6	7	.....	.....
Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Dysentery	21	5	1	.....	.....	.....	.....	.....	.....	1	1	1	3	6	2	1	.....
Erysipelas	12	1	.....	.....	.....	.....	.....	.....	2	1	2	1	3	1	1	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	11	1	.....	.....	.....	.....	1	2	.....	4	1	.....	.....	2	.....	.....	.....
Tuberculosis—total	284	1	6	1	3	1	6	33	85	70	36	26	11	4	1	.....	.....
Tuberculosis of lungs	249	.....	5	.....	1	.....	4	28	78	59	33	25	11	4	1	.....	.....
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	.....	.....	.....	.....	.....
Tuberculous meningitis	12	1	1	1	1	1	1	3	2	1	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	9	.....	.....	.....	.....	.....	1	1	2	4	1	.....	.....	.....	.....	.....	.....
Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
General tuberculosis	6	.....	.....	.....	1	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	9	6	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
Cancer	154	1	.....	.....	.....	.....	.....	.....	2	11	27	38	43	27	4	1	.....
Tumor	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	16	.....	.....	.....	1	.....	.....	2	.....	2	.....	2	4	4	1	.....	.....
Diabetes	33	.....	.....	.....	.....	.....	.....	3	2	3	5	6	9	3	2	.....	.....
Anemia, leukemia	17	1	.....	.....	.....	.....	.....	2	.....	1	2	5	4	2	.....	.....	.....
Alcoholism	8	.....	.....	.....	.....	.....	.....	.....	1	4	2	1	.....	.....	.....	.....	.....
Chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
Other general diseases	6	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	.....	.....	.....	.....
Encephalitis	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningitis	57	21	2	4	3	2	2	6	3	5	3	1	3	2	.....	.....	.....
Apoplexy	150	1	.....	.....	.....	.....	.....	.....	1	5	12	35	36	35	22	3	.....
Softening of brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Paralysis	26	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	5	12	6	.....	.....
Epilepsy	10	.....	.....	.....	.....	1	.....	.....	2	1	.....	4	1	1	.....	.....	.....
Convulsions	26	23	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	76	.....	.....	.....	.....	.....	.....	4	3	13	13	18	16	8	.....	1	.....
Pericarditis	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....
Endocarditis	38	.....	.....	.....	.....	.....	.....	2	1	4	5	9	6	8	3	.....	.....
Heart disease	257	.....	.....	.....	.....	1	3	12	9	21	27	33	61	64	25	1	.....
Angina pectoris	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	.....
Embolism and thrombosis	5	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	1	.....	.....	.....
Other diseases of circulatory system	32	.....	1	.....	.....	.....	.....	.....	2	2	1	2	11	9	3	1	.....
Laryngitis	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....
Acute bronchitis	33	26	4	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Chronic bronchitis	35	.....	.....	.....	.....	.....	1	.....	1	1	3	2	6	8	13	.....	.....
Bronchopneumonia	44	25	4	1	4	.....	2	1	.....	2	.....	.....	1	2	2	.....	.....
Pneumonia	181	23	10	1	2	.....	6	4	12	13	26	12	21	37	14	.....	.....
Pleurisy	13	.....	1	.....	.....	.....	.....	.....	4	1	3	2	.....	2	.....	.....	.....
Congestion of lungs	7	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....
Other diseases of respiratory system	15	.....	.....	2	.....	.....	.....	1	3	3	1	.....	2	2	1	.....	.....
Tonsilitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	29	3	.....	.....	1	.....	1	1	2	3	4	3	6	3	2	.....	.....
Diarrhea and enteritis	98	66	8	1	.....	.....	.....	1	2	1	2	4	3	9	1	.....	.....
Hernia and intestinal obstructions	20	.....	.....	1	.....	.....	.....	.....	1	4	3	5	3	3	.....	.....	.....
Cirrhosis of liver	30	.....	.....	.....	.....	.....	1	.....	.....	3	8	5	7	5	1	.....	.....
Other diseases of liver	15	1	.....	.....	.....	.....	.....	.....	1	3	2	3	4	1	.....	.....	.....
Peritonitis	29	1	.....	.....	.....	1	.....	5	7	4	4	3	2	2	.....	.....	.....
Appendicitis	30	.....	.....	.....	.....	.....	5	12	6	5	1	1	.....	.....	.....	.....	.....
Other diseases of digestive system	14	7	.....	.....	1	.....	.....	.....	1	2	1	1	1	.....	.....	.....	.....
Acute nephritis	22	2	.....	.....	.....	.....	2	3	3	3	4	1	.....	4	.....	.....	.....
Bright's disease	158	1	1	.....	1	.....	1	2	9	15	17	29	38	33	10	1	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	9	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	2	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	32	.....	.....	.....	.....	.....	.....	.....	.....	8	6	7	2	3	4	2	.....
Puerperal septicemia	11	.....	.....	.....	.....	.....	.....	2	1	8	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	15	.....	.....	.....	.....	.....	.....	.....	7	6	2	.....	.....	.....	.....	.....	.....
Diseases of skin	19	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	3	7	5	.....	.....
Diseases of locomotor system	5	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Malformations	21	20	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	35	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	94	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	30	42	15	.....
Suicide	21	.....	.....	.....	.....	.....	.....	1	3	6	4	2	4	1	.....	.....	.....
Other violence	127	9	3	1	.....	1	2	13	20	15	13	12	13	10	13	2	.....
Ill-defined causes	37	25	.....	1	.....	.....	1	.....	2	.....	1	1	4	2	.....	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

ST. JOSEPH, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	891	125	33	17	4	10	21	61	99	96	104	100	104	68	39	8	2
Typhoid fever	14	1					1	1	5	1	1	2	2				
Malarial fever	3			2				1									
Smallpox	2								1	1							
Measles	9	2	3	1		1	1		1								
Scarlet fever	4		1	1			1	1									
Whooping cough	4	3			1												
Diphtheria and croup	10		1	2	1	1	4	1									
Influenza	5	1						1			1			1	1		
Cholera nostras																	
Dysentery	5	2												3			
Erysipelas	4	3													1		
Other epidemic diseases[1]																	
Septicemia	10								2	2	2	2	1	1			
Tuberculosis—total	82	1	1	1	1		1	9	20	20	15	8	4	1			
Tuberculosis of lungs	71	1					1	7	19	19	11	8	4	1			
Tuberculosis of larynx																	
Tuberculous meningitis	5		1		1			2	1								
Abdominal tuberculosis	4									1	3						
Pott's disease	1			1													
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	1										1						
General tuberculosis																	
Scrofula	1										1						
Venereal diseases	2	2															
Cancer	49								1	4	10	9	18	5	2		
Tumor	1											1					
Rheumatism	7						1	1		1		2	1		1		
Diabetes	5											2	2	1			
Anemia, leukemia	3										2	1					
Alcoholism	5										3	2					
Chronic poisonings																	
Other general diseases	2						1				1						
Encephalitis																	
Meningitis	9	1	1	1		1	1	1		3							
Apoplexy	21	1						1	3	3	3	3	2	2	3		
Softening of brain	3												1	2			
Paralysis	6							1					4			1	
Epilepsy	1										1						
Convulsions	5	3	2														
Tetanus	1							1									
Other diseases of nervous system	13	1	1				1			2	2	3	2	1			
Pericarditis	6							1	1	2	1	1					
Endocarditis	7						1	1		1			2	1	1		
Heart disease	45							4	4	4	8	8	7	7	2		1
Angina pectoris	2											1	1				
Embolism and thrombosis	2								1			1					
Other diseases of circulatory system	9	2						1	3				1	2			
Laryngitis	2						1			1							
Acute bronchitis	10	4	2				1	1						1	1		
Chronic bronchitis	7	1								1	1		1	2	1		
Bronchopneumonia	13	7	1	2						1		1			1		
Pneumonia	123	16	5	2		3	1	7	14	15	15	13	13	13	6		
Pleurisy	2										1		1				
Congestion of lungs	16	8	1			1		1				2	2	1			
Other diseases of respiratory system	7							1		1	1	2	2				
Tonsilitis																	
Diseases of stomach	21	7						1		4	2	3	3		1		
Diarrhea and enteritis	37	21	10				1	2						2	1		
Hernia and intestinal obstructions	10	1				1		1	2	1	1	2				1	
Cirrhosis of liver	9									1	1	3	3		1		
Other diseases of liver	9							1	1		1		4	1	1		
Peritonitis	13	2					1	2	4	4							
Appendicitis	8							4	3	1							
Other diseases of digestive system	6	1	1	1							1		2				
Acute nephritis	1	1															
Bright's disease	36					1		5	3	4	12	6	3	2			
Calculi of urinary tract	1												1				
Uterine tumor	4										4						
Ovarian tumor	1										1						
Other diseases of genito-urinary system	8								2		1	2	1	1	1		
Puerperal septicemia	2								2								
Other causes incident to childbirth	8								4	2	2						
Diseases of skin	3	1							1				1				
Diseases of locomotor system	4	1					1				2						
Malformations	8	7	1														
Premature birth	4	4															
Congenital debility	12	12															
Old age	14												2	5	5	2	
Suicide	11							1	1	3		2	4				
Other violence	84	4	1	4	1	1	2	9	15	14	10	8	5	6	2	1	1
Ill-defined causes	40	4	1					4	3		5	4	6	5	5	3	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS, IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

ST. LOUIS, MO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	11,767	1,830	332	149	88	91	276	573	1,289	1,604	1,433	1,336	1,358	964	367	54	23
Typhoid fever	237	1	3	2	2	2	6	59	70	48	24	8	10	2			
Malarial fever	64		3		1	2	5	2	6	8	9	11	8	7	1	1	
Smallpox	51	3			1			7	24	11	5						
Measles	32	8	5	7	2	2	7	1									
Scarlet fever	66	6	6	14	5	9	16	7	3								
Whooping cough	43	19	12	6	2	2	2										
Diphtheria and croup	170	6	21	18	19	22	66	16	1								1
Influenza	158	12	3	1	2	1	4	5	14	14	15	23	34	22	5	3	
Cholera nostras	11	1									1	3	4	1	1		
Dysentery	33	7								5	4	5	9	3			
Erysipelas	47	12							3	13	5	5	2	5	1	1	
Other epidemic diseases[1]	4								2	2							
Septicemia	18						1	1	3	2	4	1	5	1			
Tuberculosis—total	1,575	27	16	5	3	2	19	134	433	429	271	136	73	20	5		2
Tuberculosis of lungs	1,440	11	6	5		1	6	121	412	401	258	127	67	19	5		1
Tuberculosis of larynx	18				1				3	7	1	3	3				
Tuberculous meningitis	46	13	9		1	1	8	5	2	6	1						
Abdominal tuberculosis	39	2	1		1		3	3	9	8	6	3	2	1			
Pott's disease	10						1	2	2	2	2	1					
Tuberculous abscess	4	1						1		1		1					
White swelling	4						1		2	1							
Tuberculosis of other organs	5								3	1		1					
General tuberculosis	9							2		2	3		1				1
Scrofula	3						1	2									
Venereal diseases	55	17	3					3	10	13	4	2	2		1		
Cancer	434			1	1	1	3	3	14	53	80	116	100	53	9		
Tumor	6							1				1		4			
Rheumatism	77	1	2	3			7	10	8	10	9	7	14	5	1		
Diabetes	54							3	5	8	3	13	15	7			
Anemia, leukemia	35	8			1		1		5	7	5	3	4	1			
Alcoholism	70								7	19	20	17	3	4			
Chronic poisonings	6								1	2	2	1					
Other general diseases	8	2						3	1	1	1						
Encephalitis	22	6	3		2			1	3		4	2		1			
Meningitis	125	47	12	7	8	3	10	8	7	9	7	5	1		1		
Apoplexy	376	15	2	5	1	1	2	6	9	38	50	70	96	59	19	2	1
Softening of brain	39							1	1	2	2	9	9	10	2	2	1
Paralysis	86				1			1	2	4	14	17	21	21	4		1
Epilepsy	35	1					2	3	5	12	5	3	2		1	1	
Convulsions	90	74	7	6			2			1							
Tetanus	47	32					3	5	2	1	2	1					1
Other diseases of nervous system	148	6	1	3	2	1	4	9	13	32	27	25	16	5	2		2
Pericarditis	15		1					1	2	3	1	3	3	1			
Endocarditis	69				1	1	3	5	10	8	9	8	12	10	1		1
Heart disease	810	10	2	2			10	37	50	104	143	156	168	105	23		
Angina pectoris	48								2	8	5	8	10	9	5	1	
Embolism and thrombosis	12						1	1		2	2	4	1	1			
Other diseases of circulatory system	108	6	2	1					4	12	12	17	15	28	10	1	
Laryngitis	12		1	3		1	1	2	1	1		1	1				
Acute bronchitis	178	103	28	14	8	6	2	1	1	1	1	3	1	6	2		1
Chronic bronchitis	228	2	1	1			7	6	11	13	16	30	48	60	28	5	
Bronchopneumonia	142	35	26	7		2	4	2	6	8	5	8	21	12	3	2	1
Pneumonia	1,076	113	56	15	5	9	18	42	114	192	169	139	115	63	23		3
Pleurisy	39		1					3	3	6	4	6	13	2	1		
Congestion of lungs	70	15		1	1		1	4	4	10	6	12	5	5	4	2	
Other diseases of respiratory system	153	6	3	1	2	2	2	2	10	10	20	21	38	23	12		1
Tonsilitis	3	1					1				1						
Diseases of stomach	136	20	2	2		1	3	3	12	9	20	22	16	18	6	2	
Diarrhea and enteritis	544	346	65	10	4	6	4	9	15	15	10	12	20	19	8	1	
Hernia and intestinal obstructions	94	9			1		2	5	10	12	15	12	16	10	2		
Cirrhosis of liver	191								7	25	51	52	38	17	1		
Other diseases of liver	94	2	2	1	1		2	4	4	17	16	20	15	8	1	1	
Peritonitis	45					1	1	6	19	7	5	5	1				
Appendicitis	94	1		1			7	30	18	18	7	7	2	2	1		
Other diseases of digestive system	34	9	5				2	1	3	1	2	5	5		1		
Acute nephritis	40	2		1			1	3	3	9	4	3	13	1			
Bright's disease	732	8	4		3	1	3	13	44	83	127	149	165	99	27	4	2
Calculi of urinary tract	3						1		1				1				
Uterine tumor	15								1	2	9	2	1				
Ovarian tumor	9									2	3	3	1				
Other diseases of genito-urinary system	136	2	1			1		5	26	22	13	11	20	24	10	1	
Puerperal septicemia	63							6	37	18	2						
Other causes incident to childbirth	58							2	23	29	4						
Diseases of skin	46	7	1						2	3	5	6	12	5	4	1	
Diseases of locomotor system	22	5	3	1	1	1	1	2	1	1		3		3			
Malformations	74	64	5	1		1	2	1									
Premature birth	187	187															
Congenital debility	407	407															
Old age	337												50	144	122	21	
Suicide	216							14	54	47	31	30	24	15	1		
Other violence	757	25	8	6	8	9	32	69	136	158	133	76	53	24	14	2	4
Ill-defined causes	245	134	16	3		1	4	3	3	4	9	18	26	19	4		1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

ST. PAUL, MINN.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,896	453	65	37	23	10	51	117	182	166	184	182	165	173	75	13	
Typhoid fever	26	1	1				4	7	6	2	3	1		1			
Malarial fever																	
Smallpox	2								1	1							
Measles	3	2						1									
Scarlet fever	8			2	2	1	1	2									
Whooping cough	15	10	3	1	1												
Diphtheria and croup	50	3	6	7	6	3	10	9	4	1	1						
Influenza	10	1							1	1	2	1	1	2	1		
Cholera nostras	1	1															
Dysentery	3	1	2														
Erysipelas	11	7							1				2	1			
Other epidemic diseases[1]																	
Septicemia	5			1				1		1				1	1		
Tuberculosis—total	251	13	4	3	1	1	5	31	76	57	34	18	4	4			
Tuberculosis of lungs	201	6	3					25	64	52	29	15	4	3			
Tuberculosis of larynx																	
Tuberculous meningitis	23	3	1	3	1		3	2	4	2	2	1		1			
Abdominal tuberculosis	9	2							4	2		1					
Pott's disease	2							1				1					
Tuberculous abscess																	
White swelling	3					1	1	1									
Tuberculosis of other organs	1								1								
General tuberculosis	12	2					1	2	3	1	3						
Scrofula																	
Venereal diseases	8	7									1						
Cancer	115	1					1	1	2	12	28	27	23	19		1	
Tumor	2										1	1					
Rheumatism	15						2	5	3		1	2		2			
Diabetes	20					1	1	2	1			5	6	2	2		
Anemia, leukemia	7							1		1	1	2	2				
Alcoholism	4								1	1	2						
Chronic poisonings																	
Other general diseases	2				1					1							
Encephalitis																	
Meningitis	32	22	3	6		2	7	2	2	4	2	1	1				
Apoplexy	67	2	1						1	3	10	11	19	14	5	1	
Softening of brain																	
Paralysis	11										2	1	1	5	2		
Epilepsy	1	1															
Convulsions	32	31	1														
Tetanus																	
Other diseases of nervous system	34	4	1	1			1	1	1	6	5	4	4	6			
Pericarditis	1												1				
Endocarditis	8		1				1		1	1	1		2	1			
Heart disease	102	5		1			4	13	9	6	8	20	16	17	2	1	
Angina pectoris	3								1		1		1				
Embolism and thrombosis	7	1							1			2	3				
Other diseases of circulatory system	25	7					1	1			1	2	2	10	1		
Laryngitis	3	1	1	1													
Acute bronchitis	15	11	3											1			
Chronic bronchitis	11										1		3	4	3		
Bronchopneumonia	25	12	3	1	2							1	1	3	2		
Pneumonia	130	28	10	4	2	1	2	4	9	7	8	19	14	17	3	2	
Pleurisy	4							1	2	1							
Congestion of lungs	8	2						1			1		3		1		
Other diseases of respiratory system	14						1	1		1	2	3	2	2	2		
Tonsilitis	2						1	1									
Diseases of stomach	31	11			2			1	1		4	5	2	3	2		
Diarrhea and enteritis	124	93	20	4	3				1			2	1				
Hernia and intestinal obstructions	21	2		1				1	2		2	4	4	4	1		
Cirrhosis of liver	12									2	3	5	1	1			
Other diseases of liver	9								1	1	2	3	2				
Peritonitis	8							3	2	1	1	1					
Appendicitis	31						2	9	7	8	2	2	1				
Other diseases of digestive system	7	3									2	1	1				
Acute nephritis	6		1				1		1	1			2				
Bright's disease	92	2	1					2	4	9	22	14	21	14	3		
Calculi of urinary tract	1												1				
Uterine tumor	3									1	1			1			
Ovarian tumor	1								1								
Other diseases of genito-urinary system	20							1	2	3	1	2	3	8			
Puerperal septicemia	4								2		2						
Other causes incident to childbirth	9								4	4	1						
Diseases of skin	8	2									1	1		4			
Diseases of locomotor system	3			1		1					1						
Malformations	8	8															
Premature birth	45	45															
Congenital debility	76	76															
Old age	62												3	12	39	8	
Suicide	33							2	3	6	8	7	2	5			
Other violence	124	7		3	3		6	12	27	22	14	13	9	7	1		
Ill-defined causes	45	30	3					1	1	1	1	1	1	3	3		

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

SAN FRANCISCO, CAL.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	7,487	937	156	86	61	52	97	226	803	959	1,024	962	1,002	812	265	28	17
Typhoid fever	113	1	1	.....	1	1	1	15	49	23	12	4	1	4	.....	.....	.....
Malarial fever	14	1	.....	1	1	.....	.....	1	1	2	3	3	1	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	25	.....	9	5	.....	.....	1	.....	9	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever	9	1	2	1	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	52	29	12	8	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	68	5	5	7	6	15	20	4	2	1	1	1	1	.....	.....	.....	.....
Influenza	17	2	.....	.....	.....	.....	.....	1	1	.....	3	2	4	4	.....	.....	.....
Cholera nostras	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Dysentery	30	3	1	2	1	.....	.....	.....	3	4	4	2	5	4	1	.....	.....
Erysipelas	14	1	.....	.....	.....	.....	.....	3	1	2	2	1	2	1	1	.....	.....
Other epidemic diseases [1]	19	.....	.....	.....	.....	1	.....	1	4	2	4	4	3	.....	.....	.....	.....
Septicemia	7	1	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	.....	.....	.....
Tuberculosis—total	1,151	35	27	15	9	12	20	57	283	284	210	115	61	22	1	.....	.....
Tuberculosis of lungs	990	11	7	4	.....	2	6	45	262	264	200	113	57	18	1	.....	.....
Tuberculosis of larynx	6	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	.....	.....	.....	.....
Tuberculous meningitis	74	14	16	9	8	5	10	3	2	4	2	.....	.....	1	.....	.....	.....
Abdominal tuberculosis	40	6	3	1	1	1	1	3	7	8	4	.....	2	3	.....	.....	.....
Pott's disease	11	2	.....	.....	.....	1	1	2	3	1	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	12	.....	.....	1	.....	2	1	2	4	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis of other organs	12	1	1	.....	.....	.....	.....	1	2	4	2	.....	1	.....	.....	.....	.....
General tuberculosis	6	1	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Scrofula	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	38	16	3	.....	.....	.....	.....	1	3	7	2	4	2	.....	.....	.....	.....
Cancer	484	.....	.....	.....	1	.....	2	5	8	44	108	117	121	65	12	.....	1
Tumor	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Rheumatism	41	.....	.....	.....	.....	.....	4	4	9	4	4	6	8	2	.....	.....	.....
Diabetes	73	.....	.....	.....	.....	.....	2	1	1	6	6	14	18	20	5	.....	.....
Anemia, leukemia	22	1	.....	.....	.....	1	.....	1	3	5	7	1	2	1	.....	.....	.....
Alcoholism	68	.....	.....	.....	.....	.....	.....	.....	7	20	16	12	7	4	.....	.....	2
Chronic poisonings	24	.....	.....	.....	.....	.....	.....	.....	.....	4	12	5	3	.....	.....	.....	.....
Other general diseases	17	1	.....	.....	.....	.....	.....	.....	2	4	6	2	.....	2	.....	.....	.....
Encephalitis	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Meningitis	86	25	16	5	8	2	5	6	3	4	5	4	2	.....	1	.....	.....
Apoplexy	273	1	.....	.....	.....	.....	1	1	5	9	32	46	83	70	22	3	.....
Softening of brain	75	.....	.....	.....	.....	.....	.....	.....	1	1	7	10	32	18	5	.....	1
Paralysis	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	2	6	5	5	.....	.....
Epilepsy	18	.....	.....	.....	.....	.....	1	1	1	3	5	5	1	1	.....	.....	.....
Convulsions	37	30	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	9	3	.....	.....	.....	.....	1	1	1	2	.....	1	.....	.....	.....	.....	.....
Other diseases of nervous system	98	3	.....	2	1	1	1	3	8	13	19	18	17	7	3	2	.....
Pericarditis	9	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	3	1	.....	.....	.....
Endocarditis	74	1	.....	.....	.....	.....	1	3	4	8	8	14	19	8	8	.....	.....
Heart disease	816	8	.....	1	.....	2	3	18	36	75	103	141	199	171	52	5	2
Angina pectoris	37	.....	.....	.....	.....	.....	.....	1	1	.....	4	7	9	14	1	.....	.....
Embolism and thrombosis	17	.....	.....	.....	.....	.....	.....	2	2	.....	1	3	4	4	1	.....	.....
Other diseases of circulatory system	116	3	.....	.....	.....	.....	.....	1	1	1	8	26	29	32	14	1	.....
Laryngitis	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	70	25	6	2	3	.....	.....	1	1	3	1	4	11	7	6	.....	.....
Chronic bronchitis	70	1	1	.....	.....	.....	.....	1	.....	6	6	8	14	23	10	.....	.....
Bronchopneumonia	243	95	19	9	2	4	4	5	6	16	14	17	21	24	6	1	.....
Pneumonia	388	37	16	7	3	2	2	13	48	53	62	57	50	30	6	2	.....
Pleurisy	29	.....	.....	.....	1	.....	1	1	3	5	5	4	4	2	3	.....	.....
Congestion of lungs	9	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	1	.....	.....
Other diseases of respiratory system	23	2	.....	.....	.....	2	.....	.....	1	1	3	4	2	7	1	.....	.....
Tonsilitis	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of stomach	67	14	.....	.....	1	.....	1	.....	3	11	6	10	6	12	2	1	.....
Diarrhea and enteritis	277	185	26	10	10	2	3	2	4	6	4	5	8	8	4	.....	.....
Hernia and intestinal obstructions	62	5	1	.....	1	.....	.....	1	6	9	9	10	8	8	4	.....	.....
Cirrhosis of liver	232	.....	.....	.....	.....	.....	.....	.....	8	42	63	50	46	23	.....	.....	.....
Other diseases of liver	35	1	.....	.....	.....	.....	.....	.....	3	9	3	10	5	4	.....	.....	.....
Peritonitis	16	.....	.....	.....	1	1	.....	1	1	3	3	4	1	1	.....	.....	.....
Appendicitis	100	1	.....	.....	.....	1	3	23	31	14	14	8	4	1	.....	.....	.....
Other diseases of digestive system	21	1	.....	1	1	.....	.....	.....	3	2	2	4	3	1	3	.....	.....
Acute nephritis	64	3	.....	.....	1	1	1	3	18	7	9	7	10	4	.....	.....	.....
Bright's disease	380	.....	.....	.....	.....	.....	1	5	19	37	61	81	89	73	13	1	.....
Calculi of urinary tract	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	.....	.....	.....	.....
Uterine tumor	16	.....	.....	.....	.....	.....	.....	.....	1	4	7	1	3	.....	.....	.....	.....
Ovarian tumor	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
Other diseases of genito-urinary system	101	.....	1	.....	.....	.....	.....	3	26	18	12	12	6	17	4	1	1
Puerperal septicemia	27	.....	.....	.....	.....	.....	.....	1	12	12	2	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	39	.....	.....	.....	.....	.....	.....	1	16	21	1	.....	.....	.....	.....	.....	.....
Diseases of skin	29	3	.....	1	.....	.....	.....	.....	1	1	3	2	6	8	4	.....	.....
Diseases of locomotor system	9	1	2	.....	1	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....
Malformations	63	60	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1
Premature birth	117	117	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	149	149	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	130	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	61	49	11	.....
Suicide	262	.....	.....	.....	.....	.....	.....	7	60	62	63	35	20	11	2	.....	2
Other violence	419	27	2	7	5	2	15	23	73	84	63	49	28	21	14	.....	6
Ill-defined causes	47	36	1	.....	.....	.....	.....	.....	2	.....	1	3	.....	2	1	.....	1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

SCRANTON, PA.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,011	553	92	30	28	11	39	106	192	217	171	176	221	117	47	6	5
Typhoid fever	12						1		1	5	4	1					
Malarial fever	2							1			1						
Smallpox																	
Measles	6	3	1				1				1						
Scarlet fever	3		1		1		1										
Whooping cough	7	5	2														
Diphtheria and croup	20	1	3	4	4	2	3	3									
Influenza	38	2	1	3			1	2	4	5	2	5	7	5	1		
Cholera nostras	7	1	1					1				1	3				
Dysentery	14	3	4							1	1	2	1	2			
Erysipelas	2											1		1			
Other epidemic diseases [1]																	
Septicemia	20	1	1		1			1	7	4	2	1	1		1		
Tuberculosis—total	117	1	1		1		1	14	39	26	17	8	7	1			1
Tuberculosis of lungs	117	1	1		1		1	14	39	26	17	8	7	1			1
Tuberculosis of larynx																	
Tuberculous meningitis																	
Abdominal tuberculosis																	
Pott's disease																	
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis																	
Scrofula																	
Venereal diseases																	
Cancer	40									5	8	15	7	4	1		
Tumor	2								2								
Rheumatism	11						1	3	1				3	3			
Diabetes	11							1	1			3	5	1			
Anemia, leukemia	7							1	3	1			1	1			
Alcoholism	9									2	4	2	1				
Chronic poisonings																	
Other general diseases	1									1							
Encephalitis	1									1							
Meningitis	45	17	6	1	3	1	1	6	3	3	1	1	1				1
Apoplexy	73							1		4	12	14	24	12	5		1
Softening of brain																	
Paralysis	31	3			1			2	2	1	3	3	9	7			
Epilepsy	1											1					
Convulsions	110	91	6	3	1	1	2	1	1	1	1	1	1				
Tetanus	1											1					
Other diseases of nervous system	16	1	1					1	1	3	3	5	1				
Pericarditis																	
Endocarditis	16	1					2	1	2	2	2	2	4				
Heart disease	67	2			1		2	4	6	10	13	9	13	6	1		
Angina pectoris	2												2				
Embolism and thrombosis	4									1		2	1				
Other diseases of circulatory system	10	1						2	1	2		2	1		1		
Laryngitis																	
Acute bronchitis	37	31	3	1	2												
Chronic bronchitis	17	1					1			2	1	4	5	3			
Bronchopneumonia	18	8	4	1	2		1						1		1		
Pneumonia	211	39	20	9	2	2	5	15	13	36	18	12	23	12	4	1	
Pleurisy	21	1				1	1	1	4	5		2	4	1	1		
Congestion of lungs	5	2							2		1						
Other diseases of respiratory system	15								1	2		5	4	3			
Tonsilitis	1	1															
Diseases of stomach	17	6							1	2		4	3		1		
Diarrhea and enteritis	183	146	22	4	2	2	1		1				1	3	1		
Hernia and intestinal obstructions	5	1	1						1		1		1				
Cirrhosis of liver	10										3	2	3	2			
Other diseases of liver	17							2	3	1	3	1	5	2			
Peritonitis	29	2	2	1	1		1	3	7	4	3	1	2	2			
Appendicitis	12						2	6	4								
Other diseases of digestive system	2								1	1							
Acute nephritis	1													1			
Bright's disease	93					1	1	2	10	17	10	20	21	8	3		
Calculi of urinary tract	1										1						
Uterine tumor																	
Ovarian tumor																	
Other diseases of genito-urinary system	4								1	1			1		1		
Puerperal septicemia	1										1						
Other causes incident to childbirth	3								1	2							
Diseases of skin	4	1											1		2		
Diseases of locomotor system	2								1	1							
Malformations	5	5															
Premature birth	58	58															
Congenital debility	65	65															
Old age	35												1	13	19	2	
Suicide	8								3	2	3						
Other violence	181	9		2	6		8	22	38	39	28	12	12	2		1	2
Ill-defined causes	244	44	12	1		1	2	10	26	24	23	33	40	23	3	2	

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

SYRACUSE, N. Y.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	1,752	278	47	23	16	13	59	76	135	178	166	195	232	214	103	15	2
Typhoid fever	21							4	5	4	2	2	2	2			
Malarial fever	1													1			
Smallpox																	
Measles	5	1	2	1			1										
Scarlet fever	30	2	2	3	3	2	15	2	1								
Whooping cough	1	1															
Diphtheria and croup	22	1	1	1	5	2	8	3	1								
Influenza	14		2				1		1		1	2	2	3	2		
Cholera nostras																	
Dysentery	6	2	2										1	1			
Erysipelas	10	4	1				1				1		2	1			
Other epidemic diseases [1]																	
Septicemia	10								4	2	2	1	1				
Tuberculosis—total	197	8	3	1	2	1	4	16	32	30	26	16	13	3	2		
Tuberculosis of lungs	169	3	2				1	14	32	44	24	14	11	2	2		
Tuberculosis of larynx	1											1					
Tuberculous meningitis	9	4	1		1	1	2										
Abdominal tuberculosis	10	1			1		1	1		3		1	1	1			
Pott's disease	3			1						2							
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs	3							1		1			1				
General tuberculosis	2										2						
Scrofula																	
Venereal diseases	4	1							1			1	1				
Cancer	80							2		8	15	22	15	12	6		
Tumor	3											2	1				
Rheumatism	16					1	1	3		2		4	4	1			
Diabetes	14						1			1	4	6	1	1			
Anemia, leukemia	7						1	1	1			1	3				
Alcoholism	4									3	1						
Chronic poisonings	1							1									
Other general diseases	4		1					1			1		1				
Encephalitis	2									1		1					
Meningitis	32	8	5	6		2	2	4	2	1			1	1			
Apoplexy	91	4							1	5	6	13	25	31	5	1	
Softening of brain	2											1		1			
Paralysis	20									1	1	1	5	5	7		
Epilepsy	2							2									
Convulsions	40	34	3	1						1	1						
Tetanus	2				1		1										
Other diseases of nervous system	21	1	1				1	1	3	2		4	7	1			
Pericarditis	1										1						
Endocarditis	35						2	2	1	4	5	5	3	10	3		
Heart disease	144	4					3	4	2	10	16	23	42	26	11	3	
Angina pectoris	19							2	1	3	4	3	2	3	1		
Embolism and thrombosis	4								1		1	1			1		
Other diseases of circulatory system	26	4								3		2	3	10	3	1	
Laryngitis																	
Acute bronchitis	16	8	2	1	1	2							1		1		
Chronic bronchitis	22						1		1	1		5	5	4	5		*
Bronchopneumonia	24	5	3	1	1		1	1					6	3	2	1	
Pneumonia	122	10	3	2	1		5	5	9	19	22	10	17	14	5		
Pleurisy	6							1		1	1	2	1				
Congestion of lungs	8	1									1		1	3	1	1	
Other diseases of respiratory system	12	2						1		2	1	1	3	2			
Tonsilitis																	
Diseases of stomach	24	6						1	1	1	2	4	5	2	1	1	
Diarrhea and enteritis	72	44	11		2	1	1		2		2	3	3	3			
Hernia and intestinal obstructions	21	2	1			1			2	2	3	5	1	4			
Cirrhosis of liver	14									1	2	5	3	3			
Other diseases of liver	10	1							1	2		1	3	2			
Peritonitis	21						1		5	6	2	5		2			
Appendicitis	18			1			1	6	3	3	3	1					
Other diseases of digestive system	8	2						1		1	1	2		1			
Acute nephritis	11	1	1				1		1		2	1	3	1			
Bright's disease	106							2	7	9	18	23	20	19	7		1
Calculi of urinary tract																	
Uterine tumor	2									1		1					
Ovarian tumor	1											1					
Other diseases of genito-urinary system	28									2	1	2	3	8	8	3	1
Puerperal septicemia	8									4	4						
Other causes incident to childbirth	7							1	3	1	2						
Diseases of skin	16	1		1				1		1	1	2	2	4	3		
Diseases of locomotor system	7	2					1	1					2	1			
Malformations	19	19															
Premature birth	45	45															
Congenital debility	31	31															
Old age	52											4	16	26	6		
Suicide	17									5	4	2	2	3	1		
Other violence	85	9	2	3		1	4	7	11	17	11	4	5	6	5		
Ill-defined causes	28	14	1	1			1		1			3	1	3	2		1

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

TOLEDO, OHIO.

CAUSE OF DEATH.	AGE.															
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,057	350	43	32	15	13	53	87	201	198	244	231	247	209	116	17	1
Typhoid fever	56	.....	1	.....	.....	.....	1	9	15	10	9	6	3	2	.....	.....	.....
Malarial fever	4	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles	13	4	3	2	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup	44	1	7	5	5	4	12	7	2	.....	.....	1	.....	.....	.....	.....	.....
Influenza	19	1	.....	.....	.....	.....	.....	.....	1	2	2	3	5	2	2	1	.....
Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Dysentery	13	4	.....	1	.....	.....	.....	.....	.....	1	.....	2	1	3	1	.....	.....
Erysipelas	7	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	2	2	.....	.....
Other epidemic diseases[1]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Septicemia	12	.....	.....	.....	.....	.....	.....	.....	2	5	4	.....	1	.....	.....	.....	.....
Tuberculosis—total	271	5	.....	1	.....	.....	7	24	78	59	55	25	12	4	1	.....	.....
Tuberculosis of lungs	243	4	.....	1	.....	.....	5	23	75	50	47	22	11	4	1	.....	.....
Tuberculosis of larynx	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Tuberculous meningitis	4	1	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Abdominal tuberculosis	13	.....	.....	.....	.....	.....	.....	1	1	4	4	2	1	.....	.....	.....	.....
Pott's disease	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Tuberculous abscess	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White swelling	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of other organs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
General tuberculosis	4	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....
Scrofula	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Venereal diseases	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer	94	.....	.....	.....	.....	.....	.....	.....	1	3	20	27	23	13	5	2	.....
Tumor	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Rheumatism	11	.....	.....	.....	.....	.....	2	.....	.....	1	.....	1	5	1	1	.....	.....
Diabetes	18	.....	.....	.....	.....	.....	1	1	2	3	3	2	4	1	1	.....	.....
Anemia, leukemia	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....
Alcoholism	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....
Chronic poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other general diseases	7	1	.....	1	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	.....
Encephalitis	9	2	.....	1	.....	1	.....	1	.....	1	2	.....	.....	.....	1	.....	.....
Meningitis	44	16	4	5	3	1	6	3	2	2	.....	1	1	.....	.....	.....	.....
Apoplexy	83	1	.....	.....	.....	.....	.....	.....	.....	2	12	13	18	29	8	.....	.....
Softening of brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....
Paralysis	25	.....	1	.....	.....	.....	.....	.....	.....	2	2	4	8	8	.....	.....	.....
Epilepsy	18	.....	.....	.....	.....	.....	.....	.....	6	5	3	1	2	.....	.....	.....	1
Convulsions	43	35	4	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus	9	8	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of nervous system	87	1	.....	1	1	.....	.....	2	6	13	23	13	15	10	2	.....	.....
Pericarditis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
Endocarditis	7	1	.....	.....	.....	.....	1	1	1	1	.....	.....	1	1	.....	.....	.....
Heart disease	144	2	.....	.....	.....	.....	1	4	7	13	24	30	33	21	9	.....	.....
Angina pectoris	7	1	.....	.....	.....	.....	.....	1	.....	.....	.....	3	1	1	.....	.....	.....
Embolism and thrombosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Other diseases of circulatory system	16	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	5	2	1	.....
Laryngitis	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis	19	8	4	3	.....	.....	1	.....	.....	.....	.....	2	.....	1	.....	.....	.....
Chronic bronchitis	16	.....	.....	.....	.....	.....	.....	1	1	1	2	1	2	3	5	.....	.....
Bronchopneumonia	28	12	2	1	.....	1	1	2	.....	.....	.....	1	3	4	1	.....	.....
Pneumonia	93	26	2	4	.....	.....	2	3	7	3	8	12	9	10	7	.....	.....
Pleurisy	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Congestion of lungs	13	5	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	1	3	.....	.....
Other diseases of respiratory system	18	.....	.....	.....	.....	.....	.....	2	.....	1	2	2	2	5	2	2	.....
Tonsilitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Diseases of stomach	26	3	.....	1	.....	.....	.....	.....	2	1	5	8	3	3	.....	.....	.....
Diarrhea and enteritis	121	84	8	3	2	1	.....	.....	1	1	3	6	3	6	3	.....	.....
Hernia and intestinal obstructions	26	5	1	.....	.....	.....	2	1	3	3	3	2	4	2	.....	.....	.....
Cirrhosis of liver	22	.....	.....	.....	.....	.....	.....	.....	2	2	4	3	6	5	.....	.....	.....
Other diseases of liver	23	2	.....	.....	.....	.....	.....	1	1	4	4	4	3	3	1	.....	.....
Peritonitis	23	.....	.....	.....	.....	.....	2	2	7	4	4	.....	2	2	.....	.....	.....
Appendicitis	17	.....	.....	.....	.....	1	.....	4	6	3	.....	3	.....	.....	.....	.....	.....
Other diseases of digestive system	8	2	1	.....	.....	.....	.....	1	.....	.....	.....	1	2	1	.....	.....	.....
Acute nephritis	11	3	.....	.....	.....	.....	.....	.....	1	.....	4	.....	1	2	.....	.....	.....
Bright's disease	91	.....	.....	.....	.....	.....	.....	.....	8	7	14	17	22	15	6	2	.....
Calculi of urinary tract	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Uterine tumor	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Ovarian tumor	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
Other diseases of genito-urinary system	22	1	.....	.....	.....	.....	.....	.....	2	3	2	2	6	4	2	.....	.....
Puerperal septicemia	14	.....	.....	.....	.....	.....	.....	.....	7	7	.....	.....	.....	.....	.....	.....	.....
Other causes incident to childbirth	7	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	.....	.....	.....	.....	.....
Diseases of skin	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	4	3	2	.....	.....
Diseases of locomotor system	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....
Malformations	18	17	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth	27	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility	45	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Old age	78	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	22	40	8	.....
Suicide	26	.....	.....	.....	.....	.....	.....	.....	6	7	3	7	3	.....	.....	.....	.....
Other violence	112	7	4	1	.....	2	7	14	18	13	13	13	13	4	3	.....	.....
Ill-defined causes	47	13	1	.....	1	.....	1	.....	.....	2	4	7	5	7	6	.....	.....

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 8.—DEATHS IN CITIES OF 100,000 POPULATION OR OVER, AT EACH SPECIFIED AGE, FROM CERTAIN CAUSES: 1904—Continued.

[For city of Washington, see table for District of Columbia (724), with which it is coextensive for census purposes.]

WORCESTER, MASS.

CAUSE OF DEATH.	AGE.																
	All ages.	Under 1	1	2	3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 and over.	Unknown.
All causes	2,047	418	65	26	15	12	53	74	157	183	183	215	257	237	137	13	2
Typhoid fever	8							2	3	2	1						
Malarial fever	5			1								2		1	1		
Smallpox																	
Measles	3		2				1										
Scarlet fever	3					1	1	1									
Whooping cough	14	7	3	2		2											
Diphtheria and croup	9	3	1	1	2		1		1								
Influenza	3						2						1				
Cholera nostras																	
Dysentery	15	2		1	1						2	1	3	1	4		
Erysipelas	5								1		2			2			
Other epidemic diseases [1]	1	1															
Septicemia	5	1							1		1	1		1			
Tuberculosis—total	250	5	7	1	3	3	7	24	70	68	23	18	16	4	1		
Tuberculosis of lungs	212	4	1	1	1		2	19	63	64	21	16	15	4	1		
Tuberculosis of larynx	3										2		1				
Tuberculous meningitis	16	1	5		2	3	3	1	1								
Abdominal tuberculosis	10		1				1	2	5	1							
Pott's disease	5						1	2				2					
Tuberculous abscess																	
White swelling																	
Tuberculosis of other organs																	
General tuberculosis	4								1	3							
Scrofula																	
Venereal diseases	6	4								1		1					
Cancer	128						1	1	4	13	18	34	25	25	7		
Tumor																	
Rheumatism	11						1	4	1		2	1		2			
Diabetes	25							1	2	1	4	8	2	7			
Anemia, leukemia	13					1	1	1	1		5		1	3			
Alcoholism	3									1	2						
Chronic poisonings																	
Other general diseases	3									2	1						
Encephalitis	3	1		1						1							
Meningitis	26	5	6	3	3	2	4			2			1				
Apoplexy	94	1							1	2	10	17	29	22	11	1	
Softening of brain	1											1					
Paralysis	11	1									2	1	2	2	3		
Epilepsy	15							1	3	3		2	5		1		
Convulsions	27	18	7	2													
Tetanus	1										1						
Other diseases of nervous system	57			1	1		2	2	4	9	16	8	9	5			
Pericarditis	1									1							
Endocarditis	23	1					1		3	2	3	4	4	4			1
Heart disease	193						5	7	10	12	17	30	49	42	19	2	
Angina pectoris	9										2	1	6				
Embolism and thrombosis	8								1			2	1	2	2		
Other diseases of circulatory system	28	1	1				1			1		1	6	7	9	1	
Laryngitis	1												1				
Acute bronchitis	35	23	2	1	1						1	1	2	2	2		
Chronic bronchitis	28		1								1	6	7	5	7	1	
Bronchopneumonia	50	16	7				2		1	2	3	2	7	4	6		
Pneumonia	166	32	11	4	2		4	3	3	9	11	18	29	22	16	2	
Pleurisy	5										2	2		1			
Congestion of lungs	24	2									2	2	2	11	5		
Other diseases of respiratory system	2													2			
Tonsilitis	1								1								
Diseases of stomach	20	2	1				2				2	4	5	2	2		
Diarrhea and enteritis	98	71	8	2		2	1		1	1	3	2	2	3	2		
Hernia and intestinal obstructions	15	1					1			4	1	5		2	1		
Cirrhosis of liver	14								1	2	7	2	1	1			
Other diseases of liver	2									1			1				
Peritonitis	17	1						2	4	5	1	1	2		1		
Appendicitis	16						2	5	6		2	1					
Other diseases of digestive system	5	2								1			2				
Acute nephritis	7		1				1	2			1	1		1			
Bright's disease	92	1			1		1	1	9	9	11	19	17	18	5		
Calculi of urinary tract	3													1	2		
Uterine tumor	4										1			3			
Ovarian tumor	1										1						
Other diseases of genito-urinary system	20								3	8			5	4			
Puerperal septicemia	7								4	3							
Other causes incident to childbirth	7							1	1	4	1						
Diseases of skin	7			1								2		2	2		
Diseases of locomotor system	6	3					2						1				
Malformations	13	10	2				1										
Premature birth	108	108															
Congenital debility	54	54															
Old age	47												2	16	23	6	
Suicide	15							1	3	2	4	2	3				
Other violence	120	20	3	5	1	1	7	13	14	11	16	12	7	4	5		1
Ill-defined causes	30	21	2				1	2					1	3			

[1] Includes exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1904.

THE REGISTRATION AREA.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	551,354	50,492	51,410	55,140	51,167	45,993	39,547	45,535	44,432	40,935	40,053	40,228	45,398	1,024
Under 5	145,902	12,128	12,209	12,804	12,487	10,998	10,347	16,336	15,794	12,971	10,277	8,687	10,578	286
5 to 14	23,142	1,969	1,974	2,098	2,204	2,255	2,118	2,024	1,716	1,639	1,664	1,677	1,769	35
15 to 44	141,511	12,850	13,101	14,528	13,559	12,629	11,029	10,689	10,463	10,052	10,264	10,591	11,494	262
45 to 64	111,481	10,679	10,642	11,497	10,571	9,416	7,817	7,854	7,816	7,734	8,373	8,989	9,912	181
65 and over	127,575	12,715	13,329	14,041	12,196	10,557	8,111	8,473	8,488	8,403	9,323	10,189	11,541	209
Typhoid fever	10,557	857	875	978	915	820	590	718	935	1,139	1,040	949	718	23
Under 15	1,890	145	156	178	168	145	95	149	170	203	198	156	125	2
15 to 44	6,980	565	601	648	615	550	392	449	634	750	663	619	477	17
45 to 64	1,292	120	90	106	105	95	85	85	94	146	132	135	96	3
65 and over	358	24	25	42	24	28	17	32	33	37	41	36	19	.....
Malarial fever	1,391	62	68	74	78	110	126	118	158	217	184	108	83	5
Under 5	308	9	7	10	15	30	28	34	40	65	39	18	12	1
5 to 14	138	4	8	4	13	10	14	15	14	20	16	9	11	.....
15 to 44	441	25	26	25	23	27	44	31	50	65	65	33	26	1
45 to 64	285	11	19	22	15	18	21	19	32	43	36	27	20	2
65 and over	212	13	8	13	11	25	18	17	22	22	28	21	14	.....
Measles	3,659	405	464	660	623	548	328	178	79	44	51	120	156	3
Under 5	2,966	329	346	497	498	455	286	155	68	39	47	107	137	2
5 and over	689	76	118	162	124	93	42	23	10	5	4	13	19	.....
Scarlet fever	3,610	517	483	454	486	421	260	181	110	112	150	169	261	6
Under 5	2,045	307	273	258	268	243	137	99	60	63	85	91	158	3
5 and over	1,564	210	209	196	218	178	123	82	50	49	65	78	103	3
Whooping cough	2,183	188	190	216	215	180	163	189	207	173	130	146	180	6
Under 5	2,082	177	176	206	202	165	158	186	203	167	127	140	170	5
5 and over	98	11	12	10	13	15	5	3	4	5	3	6	10	1
Diphtheria and croup	9,444	1,035	912	779	780	672	636	571	518	639	872	959	1,054	17
Under 5	5,791	691	593	539	534	423	379	309	292	347	459	544	671	10
5 to 14	3,143	288	262	197	202	220	214	231	198	256	369	372	327	7
15 and over	496	54	54	42	44	28	43	31	27	36	44	41	52	.....
Influenza	6,724	897	1,424	1,822	1,084	426	144	61	49	46	82	210	470	9
Under 5	701	116	151	168	102	39	12	2	3	3	8	36	59	2
5 to 14	154	23	30	36	30	12	2	2	.....	.....	3	4	10	2
15 to 44	1,066	144	208	289	170	77	32	9	7	9	9	33	79	.....
45 to 64	1,417	209	295	375	211	102	30	10	13	5	13	36	116	2
65 and over	3,361	403	735	943	569	196	66	38	26	29	49	100	204	3
All other epidemic diseases [1]	5,465	438	411	461	384	352	322	697	856	641	368	243	282	10
Under 5	1,764	122	106	116	103	111	124	257	301	225	137	69	89	4
5 to 14	148	12	11	13	6	7	10	29	20	24	8	4	4	.....
15 to 44	1,072	124	110	106	107	86	68	93	93	92	58	54	79	2
45 to 64	964	85	82	96	75	63	60	121	129	104	52	50	43	4
65 and over	1,492	94	98	126	89	83	60	194	312	192	112	66	66	.....
Tuberculosis of lungs	58,763	5,158	5,249	5,986	5,737	5,361	4,695	4,536	4,426	4,129	4,341	4,374	4,692	79
Under 5	1,730	128	129	175	182	170	143	160	137	135	135	110	122	4
5 to 14	1,494	119	141	132	145	167	118	160	127	94	102	89	100	.....
15 to 44	41,375	3,592	3,685	4,148	4,019	3,785	3,389	3,221	3,084	2,960	3,075	3,069	3,301	47
45 to 64	11,011	1,016	992	1,177	1,091	956	828	779	861	727	795	852	918	19
65 and over	3,025	289	293	338	288	269	208	205	209	203	226	246	242	9
Other forms of tuberculosis	8,034	657	659	754	803	796	672	712	670	598	587	543	570	13
Under 5	2,801	224	222	282	318	293	221	247	243	215	193	162	180	1
5 to 14	952	79	84	95	105	100	81	104	57	75	46	60	66	.....
15 to 44	2,907	226	227	276	251	278	265	246	252	195	237	216	230	8
45 to 64	997	92	89	77	93	94	72	85	87	83	85	72	65	3
65 and over	365	33	33	24	36	31	31	29	30	29	26	33	29	1
Cancer	23,395	1,887	1,867	1,970	1,891	1,950	1,786	2,047	2,003	1,913	2,037	1,956	2,052	36
Under 15	210	15	16	5	18	20	11	25	16	20	24	11	28	1
15 to 44	4,038	325	325	356	285	343	309	352	373	339	325	330	368	8
45 to 64	11,136	924	862	920	913	926	896	983	961	890	1,006	928	914	13
65 and over	7,947	617	661	684	670	658	562	679	647	659	675	684	738	13
Meningitis	10,553	761	783	988	1,203	1,354	935	916	838	714	664	598	787	12
Under 5	6,432	505	507	597	654	699	564	594	562	470	438	359	474	9
5 to 14	1,664	88	105	158	223	285	157	144	112	98	79	87	127	1
15 to 44	1,669	109	100	154	248	286	140	117	111	93	96	87	127	1
45 to 64	546	40	53	51	56	55	52	40	37	38	37	52	35	.....
65 and over	222	18	15	27	39	27	21	14	16	13	14	13	23	1
Apoplexy and paralysis	30,259	2,858	2,846	3,003	2,718	2,568	2,201	2,158	2,162	2,158	2,330	2,434	2,796	27
Under 15	1,009	89	109	107	85	88	69	90	90	86	61	61	72	2
15 to 44	2,573	231	215	274	230	233	202	197	175	182	199	204	227	4
45 to 64	9,759	870	841	939	929	807	748	723	682	723	751	802	940	4
65 and over	16,818	1,654	1,674	1,678	1,465	1,428	1,175	1,142	1,205	1,158	1,313	1,359	1,550	17
Other diseases of nervous system	19,769	1,848	1,748	1,972	1,810	1,720	1,423	1,706	1,511	1,417	1,457	1,460	1,658	39
Under 5	8,039	766	792	832	786	700	616	658	608	526	526	544	665	20
5 to 14	741	54	58	58	56	50	58	110	63	56	57	61	59	1
15 to 44	3,791	308	282	389	341	352	264	338	291	289	318	296	318	5
45 to 64	3,665	371	283	359	295	326	237	308	304	286	296	298	298	4
65 and over	3,481	344	329	327	326	288	244	289	241	257	255	259	313	9

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1904—Continued.

THE REGISTRATION AREA—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	44,472	4,317	4,259	4,430	4,231	3,858	3,106	3,004	2,963	3,006	3,469	3,606	4,151	72
Under 5	967	77	106	92	101	74	65	71	82	54	78	79	87	1
5 to 14	1,169	88	111	110	109	128	100	105	86	93	82	79	76	2
15 to 44	7,998	772	730	763	762	693	587	564	584	558	617	629	730	9
45 to 64	14,480	1,401	1,368	1,413	1,335	1,254	993	978	958	1,007	1,138	1,208	1,408	19
65 and over	19,724	1,962	1,937	2,046	1,914	1,692	1,347	1,279	1,237	1,286	1,538	1,608	1,841	37
Other diseases of circulatory system	12,748	1,241	1,168	1,217	1,141	1,057	914	921	873	921	992	1,053	1,230	20
Under 5	555	46	61	61	44	54	43	38	36	43	45	40	43	1
5 to 14	437	41	26	45	60	37	37	38	30	36	25	23	39	.....
15 to 44	2,482	238	223	252	220	210	179	177	202	182	194	190	207	8
45 to 64	3,660	343	342	333	330	311	267	269	234	268	291	318	350	4
65 and over	5,581	572	513	523	483	441	388	393	367	390	435	481	588	7
Bronchitis, acute and chronic	11,931	1,449	1,547	1,599	1,295	1,029	597	466	440	541	718	971	1,260	19
Under 5	5,857	766	786	769	651	502	314	214	187	263	324	437	632	12
5 to 14	175	26	14	23	17	22	10	9	4	8	12	13	17	.....
15 to 44	622	64	69	64	64	48	41	39	44	39	42	47	60	1
45 to 64	1,281	134	163	159	115	120	58	53	73	60	82	121	143	.....
65 and over	3,976	459	511	582	445	331	173	151	132	171	256	352	407	6
Bronchopneumonia	12,219	1,596	1,635	1,648	1,530	1,081	590	448	391	453	648	879	1,303	17
Under 5	8,273	1,089	1,110	1,090	1,061	745	434	332	251	307	435	536	872	11
5 to 14	366	47	34	42	47	46	21	10	19	16	17	28	38	1
15 to 44	758	82	96	104	92	61	37	35	40	39	44	57	71	.....
45 to 64	949	138	129	122	102	84	42	28	26	33	55	82	107	1
65 and over	1,854	238	265	284	225	143	56	43	55	58	95	175	213	4
Pneumonia	44,957	6,060	6,778	7,107	5,830	4,018	1,752	1,179	995	1,289	1,979	3,207	4,705	58
Under 5	12,184	1,668	1,702	1,749	1,541	1,087	616	374	321	394	557	838	1,321	16
5 to 14	1,552	231	195	203	210	145	82	44	48	47	75	103	167	2
15 to 44	11,677	1,554	1,798	1,952	1,570	1,147	430	322	272	339	445	772	1,060	16
45 to 64	10,123	1,315	1,621	1,661	1,343	882	356	244	181	237	424	757	1,088	14
65 and over	9,308	1,280	1,440	1,516	1,153	750	265	192	170	268	472	731	1,062	9
Other diseases of respiratory system	7,868	879	873	858	798	640	487	457	447	484	548	673	709	15
Under 5	1,632	193	208	181	187	148	81	79	70	86	98	144	148	9
5 to 14	264	29	32	30	16	24	18	19	13	11	22	26	24	.....
15 to 44	1,763	176	164	200	172	151	140	132	101	108	129	127	162	1
45 to 64	1,900	216	198	185	182	148	131	105	130	126	135	172	170	2
65 and over	2,292	265	270	259	239	166	117	120	132	151	163	203	204	3
Diarrhea and enteritis	36,864	1,188	1,285	1,278	1,453	1,556	2,599	8,563	8,252	5,305	2,795	1,321	1,124	55
Under 2	30,315	802	899	868	1,017	1,125	2,163	7,657	7,165	4,586	2,243	965	789	45
2 to 4	1,606	57	58	69	83	70	107	297	359	265	124	55	60	2
5 to 14	457	30	26	30	37	40	32	71	61	52	32	23	23	.....
15 to 44	915	68	74	70	84	61	75	103	107	85	65	62	59	2
45 to 64	1,210	91	73	91	85	102	80	162	178	128	93	60	67	.....
65 and over	2,321	135	163	149	144	157	141	265	376	274	232	153	126	6
Other diseases of digestive system	29,261	2,535	2,419	2,594	2,567	2,498	2,292	2,432	2,552	2,442	2,280	2,232	2,368	50
Under 5	4,131	344	333	353	362	314	319	366	388	421	336	266	524	5
5 to 14	1,844	159	138	162	163	166	142	172	180	146	148	128	138	2
15 to 44	9,019	801	800	795	785	782	721	754	784	681	650	695	752	19
45 to 64	7,883	697	634	725	713	656	604	602	662	652	674	633	621	10
65 and over	6,291	526	505	554	539	572	499	528	530	533	462	505	526	12
Bright's disease and nephritis	34,381	3,192	3,170	3,352	3,216	2,906	2,551	2,634	2,477	2,454	2,617	2,750	3,010	52
Under 5	973	90	84	102	110	89	79	65	68	68	67	67	84	.....
5 to 14	724	63	66	67	70	74	57	48	54	45	56	68	57	2
15 to 44	8,360	750	750	808	775	745	659	686	612	612	625	609	715	14
45 to 64	12,412	1,168	1,139	1,208	1,168	982	863	931	920	922	953	1,013	1,127	18
65 and over	11,833	1,114	1,127	1,156	1,087	1,010	883	897	820	801	909	989	1,023	17
Childbirth	5,109	491	513	535	508	476	407	375	359	317	355	388	368	17
Under 15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 44	5,055	486	508	529	507	470	399	374	353	315	349	385	364	16
45 and over	41	3	4	4	1	6	7	1	4	1	5	1	3	1
Suicide	4,912	367	352	412	453	446	401	463	433	407	380	367	325	16
Under 15	11	.....	1	.....	.....	.....	3	.....	2	1	.....	3	1	.....
15 to 44	2,773	227	210	234	254	262	288	256	238	226	202	196	176	4
45 to 64	1,595	114	110	129	159	140	153	149	138	133	124	129	109	8
65 and over	493	26	30	47	38	43	43	54	46	43	51	35	36	1
Other violence	31,732	2,459	2,320	2,414	2,317	2,493	3,529	2,989	2,880	2,602	2,551	2,550	2,514	114
Under 5	4,960	404	365	384	388	409	503	406	437	381	426	401	442	14
5 to 14	2,932	139	112	156	157	236	648	374	319	264	174	199	150	4
15 to 44	13,802	1,033	954	1,008	989	1,083	1,560	1,412	1,298	1,162	1,094	1,091	1,068	50
45 to 64	5,816	499	467	458	441	443	551	486	492	466	506	496	494	17
65 and over	3,851	363	395	375	313	298	241	266	296	293	313	346	346	6
All other causes	81,094	7,150	7,112	7,579	7,101	6,657	5,951	6,816	6,848	6,684	6,428	5,962	6,572	234
Under 5	38,312	3,096	3,058	3,264	3,152	2,937	2,866	3,615	3,781	3,707	3,230	2,581	2,920	105
5 to 14	1,392	99	136	152	142	121	102	109	118	84	114	86	123	6
15 to 44	9,435	845	817	934	874	829	734	740	720	685	719	744	765	29
45 to 64	8,947	808	774	869	798	834	672	687	617	655	683	741	776	33
65 and over	22,729	2,277	2,301	2,343	2,110	1,917	1,554	1,642	1,586	1,534	1,657	1,790	1,970	48

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1904—Continued.

REGISTRATION CITIES.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	416,627	38,278	38,494	41,034	38,617	34,636	30,450	35,354	33,417	30,562	29,852	30,477	34,758	698
Under 5	117,933	9,839	9,708	10,185	10,038	8,863	8,689	13,866	12,555	10,158	8,145	7,026	8,587	214
5 to 14	18,212	1,537	1,544	1,603	1,759	1,847	1,745	1,579	1,299	1,272	1,290	1,315	1,397	25
15 to 44	115,891	10,667	10,776	11,893	11,129	10,276	9,033	8,655	8,486	8,189	8,318	8,754	9,519	196
45 to 64	86,226	8,330	8,205	8,922	8,212	7,237	6,013	6,055	5,925	5,933	6,388	6,987	7,891	128
65 and over	77,472	7,826	8,121	8,336	7,392	6,350	4,907	5,103	5,078	4,938	5,656	6,345	7,311	109
Typhoid fever	8,347	689	726	807	742	670	492	588	752	855	746	699	562	19
Under 15	1,454	113	124	146	138	119	76	121	136	150	129	107	93	2
15 to 44	5,732	474	519	555	512	458	335	379	529	588	511	473	385	14
45 to 64	929	84	69	81	74	73	67	63	70	92	81	99	74	2
65 and over	208	17	11	22	16	19	14	22	14	23	22	19	9	.....
Malarial fever	1,087	48	49	58	58	77	100	96	117	183	151	89	59	2
Under 5	247	8	6	7	12	20	25	29	32	52	30	17	8	1
5 to 14	106	3	6	3	8	6	12	13	11	18	11	7	8	.....
15 to 44	375	19	22	22	19	22	37	26	44	58	57	29	20	.....
45 to 64	228	8	11	19	11	14	17	13	23	40	34	24	13	1
65 and over	128	10	4	7	8	15	9	13	7	14	19	12	10	.....
Measles	2,793	304	338	489	454	411	262	150	64	35	42	104	138	2
Under 5	2,418	290	281	402	388	364	239	137	59	34	38	93	121	2
5 and over	375	44	57	87	66	47	23	13	5	1	4	11	17	.....
Scarlet fever	2,950	430	406	370	398	363	214	150	85	85	111	134	198	6
Under 5	1,719	263	239	218	222	209	118	84	50	51	65	72	125	3
5 and over	1,231	167	167	152	176	154	96	66	35	34	46	62	73	3
Whooping cough	1,653	135	130	156	146	128	131	153	174	142	100	109	145	4
Under 5	1,585	129	120	152	137	118	127	151	171	138	98	103	137	4
5 and over	66	6	9	4	9	10	4	2	3	3	2	6	8	.....
Diphtheria and croup	7,810	830	734	649	661	567	536	466	424	527	738	786	880	12
Under 5	4,992	569	497	466	467	370	332	275	261	307	398	466	576	8
5 to 14	2,479	223	206	152	163	178	174	172	150	196	306	291	264	4
15 and over	334	38	31	31	31	18	30	19	12	24	34	28	38	.....
Influenza	3,972	577	832	1,048	582	240	90	34	28	22	51	134	329	5
Under 5	432	84	91	105	57	21	8	2	1	2	4	24	32	1
5 to 14	109	17	21	22	21	11	1	2	.....	.....	1	3	10	.....
15 to 44	796	109	155	212	116	58	24	8	6	5	8	27	68	.....
45 to 64	1,017	155	215	261	139	73	25	7	10	5	10	25	90	2
65 and over	1,606	212	349	441	247	77	31	15	11	10	28	54	129	2
All other epidemic diseases [1]	3,953	349	326	357	309	288	264	511	542	391	214	183	214	5
Under 5	1,273	95	82	87	82	92	105	193	188	146	78	55	69	1
5 to 14	101	9	9	12	5	4	8	18	14	12	3	3	4	.....
15 to 44	902	113	97	92	96	76	54	74	69	70	45	49	66	1
45 to 64	760	75	70	77	62	54	54	95	91	70	37	36	36	3
65 and over	905	56	65	87	62	60	43	129	180	93	51	40	39	.....
Tuberculosis of lungs	46,517	4,148	4,176	4,692	4,587	4,174	3,683	3,555	3,451	3,295	3,414	3,509	3,772	61
Under 5	1,349	100	104	141	144	123	108	130	112	105	105	90	84	3
5 to 14	1,198	94	111	105	116	140	95	118	105	75	78	80	81	.....
15 to 44	33,579	2,969	3,035	3,368	3,269	3,022	2,704	2,595	2,436	2,432	2,490	2,516	2,707	36
45 to 64	8,531	805	753	892	882	724	641	595	667	553	603	658	743	15
65 and over	1,792	172	168	176	168	161	130	109	131	123	134	159	154	7
Other forms of tuberculosis	6,391	531	512	591	648	645	543	557	535	464	458	443	457	7
Under 5	2,354	193	183	237	269	252	188	202	200	180	160	132	157	1
5 to 14	794	69	74	79	92	86	63	85	45	65	38	51	47	.....
15 to 44	2,302	184	171	207	202	213	216	201	201	148	188	182	185	4
45 to 64	734	67	65	55	66	74	54	56	72	55	59	56	53	2
65 and over	200	16	16	13	19	20	21	13	16	16	13	22	15	.....
Cancer	17,040	1,374	1,372	1,433	1,394	1,419	1,311	1,482	1,425	1,372	1,473	1,456	1,506	23
Under 15	171	13	12	5	17	16	9	20	12	16	20	9	22	.....
15 to 44	3,347	267	268	286	240	285	264	292	307	273	276	276	305	8
45 to 64	8,614	723	676	714	723	711	681	746	730	696	762	731	712	9
65 and over	4,882	369	415	424	414	405	354	421	373	385	411	439	466	6
Meningitis	8,482	598	614	767	972	1,130	793	760	652	560	524	477	628	7
Under 5	5,208	403	399	468	532	581	487	499	446	379	342	289	378	5
5 to 14	1,374	67	87	117	191	253	133	127	86	74	62	66	110	1
15 to 44	1,346	86	76	125	197	235	121	97	85	67	83	73	100	1
45 to 64	407	33	42	40	36	43	39	25	26	32	25	42	24	.....
65 and over	132	8	8	16	15	16	12	8	9	6	12	7	15	.....
Apoplexy and paralysis	19,638	1,852	1,812	1,947	1,763	1,688	1,434	1,439	1,361	1,369	1,483	1,391	1,878	21
Under 15	737	57	79	78	54	65	56	73	65	59	44	49	56	2
15 to 44	2,057	197	173	210	179	187	162	161	145	143	152	164	180	4
45 to 64	7,141	640	592	705	696	601	542	523	468	529	538	590	714	3
65 and over	9,655	951	966	952	830	827	672	677	678	634	746	785	925	12
Other diseases of nervous system	14,454	1,355	1,291	1,420	1,322	1,244	1,029	1,261	1,119	1,011	1,088	1,049	1,235	30
Under 5	6,590	639	657	661	643	559	496	557	489	428	446	440	538	17
5 to 14	551	44	43	41	34	40	45	82	46	46	46	43	40	1
15 to 44	2,846	231	217	283	251	266	185	257	236	213	234	222	247	4
45 to 64	2,558	232	183	253	206	222	166	217	217	201	216	210	212	3
65 and over	1,883	185	187	178	184	156	136	146	131	122	143	134	176	5

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1904—Continued.

REGISTRATION CITIES—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	30,436	2,936	2,863	3,053	2,902	2,601	2,658	2,040	2,050	2,044	2,352	2,505	2,994	38
Under 5	704	59	75	65	72	48	46	56	58	39	60	58	68	.....
5 to 14	981	70	94	92	95	112	87	87	69	72	71	66	64	2
15 to 44	6,734	649	607	638	648	592	475	463	514	471	517	530	625	5
45 to 64	10,799	1,027	1,010	1,054	997	914	724	735	720	741	848	893	1,121	15
65 and over	11,152	1,122	1,072	1,203	1,083	929	722	694	679	717	850	955	1,112	14
Other diseases of circulatory system	9,755	959	888	935	905	814	694	708	655	685	751	806	943	12
Under 5	422	37	43	51	31	40	31	34	27	31	36	34	27	.....
5 to 14	361	33	23	37	54	26	28	34	26	30	15	18	37	.....
15 to 44	2,109	197	186	211	187	177	162	148	168	162	166	164	175	6
45 to 64	2,952	284	274	259	269	257	216	219	181	217	228	254	292	2
65 and over	3,891	407	360	374	362	311	257	270	250	244	306	335	411	4
Bronchitis, acute and chronic	9,400	1,163	1,247	1,201	993	778	484	366	339	432	566	772	1,024	15
Under 5	4,906	647	671	617	534	415	270	178	160	232	279	374	518	11
5 to 14	145	20	10	20	14	20	8	8	4	7	11	10	13	.....
15 to 44	537	59	62	55	52	42	35	34	37	29	37	39	55	1
45 to 64	1,065	111	137	133	94	92	50	43	60	50	68	101	126	.....
65 and over	2,735	326	363	375	296	207	121	103	98	114	170	247	312	3
Bronchopneumonia	10,222	1,336	1,347	1,308	1,251	913	511	395	354	406	552	740	1,096	13
Under 5	7,150	941	957	918	899	650	381	302	236	286	383	465	754	8
5 to 14	305	38	29	34	37	39	18	9	16	15	13	23	33	1
15 to 44	664	68	80	84	81	56	35	32	38	36	40	52	62	.....
45 to 64	807	122	110	96	89	70	35	23	24	30	49	70	88	1
65 and over	1,255	166	170	173	143	97	42	29	40	39	67	129	157	3
Pneumonia	35,869	4,870	5,300	5,539	4,649	3,200	1,441	981	824	1,045	1,554	2,600	3,775	51
Under 5	10,008	1,380	1,348	1,386	1,256	902	533	320	273	332	456	696	1,111	15
5 to 14	1,288	195	159	162	171	120	71	38	31	44	61	90	145	1
15 to 44	10,156	1,343	1,557	1,694	1,368	995	369	290	238	296	376	692	922	16
45 to 64	8,269	1,072	1,312	1,343	1,104	727	290	197	151	205	344	634	877	13
65 and over	6,079	873	911	938	743	492	176	133	129	165	316	484	714	5
Other diseases of respiratory system	5,985	679	648	669	604	489	377	367	319	369	414	518	521	11
Under 5	1,189	145	156	137	135	107	57	63	52	63	70	102	95	7
5 to 14	203	19	23	20	13	21	15	12	12	9	20	21	18	.....
15 to 44	1,473	150	128	176	146	132	122	116	75	94	101	104	128	1
45 to 64	1,546	178	164	158	150	118	106	90	99	97	110	141	133	2
65 and over	1,561	187	176	175	158	109	77	85	81	105	112	149	146	1
Diarrhea and enteritis	29,946	965	1,049	1,025	1,229	1,281	2,323	7,461	6,498	4,029	2,095	1,048	907	36
Under 2	25,252	679	755	732	899	976	1,977	6,741	5,743	3,524	1,732	796	668	30
2 to 4	1,192	43	49	57	71	59	96	236	235	139	95	43	48	1
5 to 14	341	19	20	25	31	31	25	55	42	35	24	19	15	.....
15 to 44	744	56	62	60	70	44	68	86	80	68	51	51	47	1
45 to 64	942	76	56	65	60	77	64	143	146	88	71	46	50	.....
65 and over	1,456	89	107	86	97	94	92	193	248	154	121	92	79	4
Other diseases of digestive system	21,910	1,881	1,803	1,943	1,917	1,865	1,724	1,830	1,875	1,802	1,723	1,712	1,804	31
Under 5	3,016	248	245	263	249	234	246	271	276	307	237	194	242	4
5 to 14	1,382	118	93	112	121	133	101	138	137	105	112	103	107	2
15 to 44	7,555	664	669	667	660	647	612	627	657	557	552	600	630	13
45 to 64	6,144	542	484	571	550	505	467	471	497	510	534	500	505	8
65 and over	3,773	304	309	329	334	344	292	318	305	320	286	312	316	4
Bright's disease and nephritis	27,201	2,532	2,536	2,657	2,542	2,289	1,966	2,079	1,963	1,941	2,057	2,187	2,418	34
Under 5	782	77	66	84	93	62	66	50	55	53	56	51	69	.....
5 to 14	391	53	49	52	62	59	46	40	43	38	46	54	48	1
15 to 44	7,248	634	654	704	667	642	560	591	539	533	520	538	636	10
45 to 64	10,298	972	940	1,019	958	818	706	780	738	771	793	820	940	13
65 and over	8,240	771	824	793	758	704	583	615	586	543	639	692	723	9
Childbirth	3,861	373	380	415	367	330	298	280	291	238	274	300	303	12
Under 15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 44	3,828	370	376	411	367	329	295	279	286	236	271	297	300	11
45 and over	26	2	4	3	.....	1	3	1	4	1	3	1	2	1
Suicide	3,969	308	295	344	373	346	396	372	337	327	298	289	275	9
Under 15	8	.....	1	.....	.....	.....	2	.....	1	1	.....	2	1	.....
15 to 44	2,383	194	187	204	218	221	245	227	198	191	170	165	159	4
45 to 64	1,238	98	88	104	123	102	114	112	109	104	96	100	85	3
65 and over	321	16	18	36	30	23	34	32	25	29	30	20	28	.....
Other violence	24,089	1,854	1,739	1,787	1,729	1,877	2,906	2,218	2,143	2,012	1,905	1,928	1,912	79
Under 5	3,788	313	269	285	282	306	398	316	332	306	316	306	349	10
5 to 14	2,281	107	88	117	112	182	568	281	228	217	128	145	106	2
15 to 44	10,976	849	753	795	791	866	1,309	1,059	1,004	925	876	865	846	38
45 to 64	4,526	373	374	360	323	333	443	378	396	360	386	384	405	11
65 and over	2,329	204	243	211	202	179	170	164	162	184	186	223	197	4
All other causes	58,897	5,202	5,081	5,374	5,120	4,769	4,390	5,055	5,020	4,921	4,718	4,309	4,785	153
Under 5	30,209	2,444	2,361	2,535	2,474	2,267	2,283	2,937	3,002	2,902	2,579	2,051	2,295	79
5 to 14	1,017	69	107	112	101	89	76	77	82	60	85	62	91	6
15 to 44	7,622	692	653	742	720	669	599	591	575	562	566	614	621	18
45 to 64	6,638	624	571	651	592	632	501	519	425	486	487	538	593	19
65 and over	13,273	1,360	1,379	1,325	1,221	1,105	919	912	925	898	993	1,033	1,177	26

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1904—Continued.

RURAL PART OF REGISTRATION STATES.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.												
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
All causes	134,727	12,214	12,916	14,106	12,550	11,357	9,097	10,181	11,015	10,373	10,201	9,751	10,640	326
Under 5	27,909	2,289	2,441	2,619	2,449	2,135	1,658	2,470	3,239	2,813	2,132	1,661	1,991	72
5 to 14	4,930	432	430	495	445	408	373	445	417	367	374	362	372	10
15 to 44	25,620	2,183	2,325	2,635	2,430	2,353	1,996	2,034	1,977	1,863	1,946	1,837	1,975	66
45 to 64	25,255	2,349	2,437	2,575	2,359	2,179	1,804	1,799	1,891	1,891	1,985	2,002	2,021	53
65 and over	50,103	4,889	5,208	5,705	4,804	4,207	3,204	3,370	3,410	3,465	3,667	3,844	4,230	100
Typhoid fever	2,210	168	149	171	173	150	98	130	183	284	294	250	156	4
Under 15	436	32	32	32	30	26	19	28	34	53	69	49	32	.....
15 to 44	1,248	91	82	93	103	92	57	70	105	162	152	146	92	3
45 to 64	363	36	21	25	31	22	18	22	24	54	51	36	22	1
65 and over	150	7	14	20	8	9	3	10	19	14	19	17	10	.....
Malarial fever	304	14	19	16	20	33	26	22	41	34	33	19	24	3
Under 5	61	1	1	3	3	10	3	5	8	13	9	1	4	.....
5 to 14	32	1	2	1	5	4	2	2	3	2	5	2	3	.....
15 to 44	66	6	4	3	4	5	7	5	6	7	8	4	6	1
45 to 64	57	3	8	3	4	4	4	6	9	3	2	3	7	1
65 and over	84	3	4	6	3	10	9	4	15	8	9	9	4	.....
Measles	866	101	126	171	169	137	66	28	15	9	9	16	18	1
Under 5	548	69	65	95	110	91	47	18	9	5	9	14	16	.....
5 and over	314	32	61	75	58	46	19	10	5	4	.....	2	2	.....
Scarlet fever	660	87	77	84	88	58	46	31	25	27	39	35	63	.....
Under 5	326	44	34	40	46	34	19	15	10	12	20	19	33	.....
5 and over	333	43	42	44	42	24	27	16	15	15	19	16	30	.....
Whooping cough	530	53	60	60	69	52	32	36	33	31	30	37	35	2
Under 5	497	48	56	54	65	47	31	35	32	29	29	37	33	1
5 and over	32	5	3	6	4	5	1	1	1	2	1	.....	2	1
Diphtheria and croup	1,634	205	178	130	119	105	100	105	94	112	134	173	174	5
Under 5	799	122	96	73	67	53	47	34	31	40	61	78	95	2
5 to 14	664	65	56	45	39	42	40	59	48	60	63	81	63	3
15 and over	162	16	23	11	13	10	13	12	15	12	10	13	14	.....
Influenza	2,752	320	592	774	502	186	54	27	21	24	31	76	141	4
Under 5	269	32	60	63	45	18	4	.....	2	1	4	12	27	1
5 to 14	45	6	9	14	9	1	1	.....	.....	.....	2	1	.....	2
15 to 44	270	35	53	77	54	19	8	1	1	4	1	6	11	.....
45 to 64	400	54	80	114	72	29	5	3	3	.....	3	11	26	.....
65 and over	1,755	191	386	502	322	119	35	23	15	19	21	46	75	1
All other epidemic diseases [1]	1,512	89	85	104	75	64	58	186	314	250	154	60	68	5
Under 5	491	27	24	29	21	19	19	64	113	79	59	14	20	3
5 to 14	47	3	2	1	1	3	2	11	6	12	5	1	.....	.....
15 to 44	170	11	13	14	11	10	14	19	24	22	13	5	13	1
45 to 64	204	10	12	19	13	9	6	26	38	34	15	14	7	1
65 and over	587	38	33	39	27	23	17	65	132	99	61	26	27	.....
Tuberculosis of lungs	12,246	1,010	1,073	1,294	1,150	1,187	1,012	981	975	834	927	865	920	18
Under 5	381	28	25	34	38	47	35	30	25	30	30	20	38	1
5 to 14	296	25	30	27	29	27	23	42	22	19	24	9	19	.....
15 to 44	7,796	623	650	780	750	763	685	626	648	528	585	553	594	11
45 to 64	2,480	211	239	285	209	232	187	184	194	174	192	194	175	4
65 and over	1,233	117	125	162	120	108	78	96	78	80	92	87	88	2
Other forms of tuberculosis	1,643	126	147	163	155	151	129	155	135	134	129	100	113	6
Under 5	447	31	39	45	49	41	33	45	43	35	33	30	23	.....
5 to 14	158	10	10	16	13	14	18	19	12	10	8	9	19	.....
15 to 44	605	42	56	69	49	65	49	45	51	47	49	34	45	4
45 to 64	263	25	24	22	27	20	18	29	15	28	26	16	12	1
65 and over	165	17	17	11	17	11	10	16	14	13	13	11	14	1
Cancer	6,355	513	495	537	497	531	475	565	578	541	564	500	546	13
Under 15	39	2	4	.....	1	4	2	5	4	4	4	2	6	1
15 to 44	691	58	57	70	45	58	45	60	66	66	49	54	63	.....
45 to 64	2,522	201	186	206	190	215	215	237	231	194	244	197	202	4
65 and over	3,065	248	246	260	256	253	208	258	274	274	264	245	272	7
Meningitis	2,071	163	169	221	231	224	142	156	186	154	140	121	159	5
Under 5	1,224	102	108	129	122	118	77	95	116	91	96	70	96	4
5 to 14	290	21	18	41	32	32	24	17	26	24	17	21	17	.....
15 to 44	323	23	24	29	51	51	19	20	26	26	13	14	27	.....
45 to 64	139	7	11	11	20	12	13	15	11	6	12	10	11	.....
65 and over	90	10	7	11	5	11	9	6	7	7	2	6	8	1
Apoplexy and paralysis	10,621	1,006	1,034	1,056	955	880	767	719	801	789	847	843	918	6
Under 15	272	32	39	29	31	23	13	17	25	27	17	12	16	.....
15 to 44	516	34	42	64	51	46	40	36	30	39	47	40	47	.....
45 to 64	2,618	230	249	234	233	206	206	200	214	194	213	212	226	1
65 and over	7,163	703	708	726	635	601	503	465	527	524	567	574	625	5
Other diseases of nervous system	5,315	493	457	552	488	476	394	445	392	406	369	411	423	9
Under 5	1,449	127	135	171	143	141	120	101	119	98	80	104	107	3
5 to 14	190	10	15	17	22	10	13	28	17	10	11	18	19	.....
15 to 44	945	77	65	106	90	86	79	81	55	76	84	74	71	1
45 to 64	1,107	119	100	106	89	104	71	91	87	85	80	88	86	1
65 and over	1,598	159	142	149	142	132	108	143	110	135	112	125	137	4

[1] Includes smallpox, cholera nostras, dysentery, erysipelas, exanthematic typhus, recurrent fever, miliary fever, plague, yellow fever, leprosy, and other epidemic diseases.

TABLE 9.—DEATHS IN REGISTRATION AREAS, FROM CERTAIN SPECIFIED CAUSES, IN EACH MONTH, BY CERTAIN DIVISIONS OF AGE: 1904—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH, AND AGE.	Total.	MONTH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.
Heart disease	14,036	1,381	1,206	1,377	1,329	1,257	1,048	964	913	962	1,117	1,101	1,157	34
Under 5	263	18	31	27	29	26	19	15	24	15	18	21	19	1
5 to 14	188	18	17	18	14	16	13	18	17	21	11	13	12	.....
15 to 44	1,264	123	123	125	114	101	112	101	70	87	100	99	105	4
45 to 64	3,681	374	358	359	338	340	269	243	238	266	290	315	287	4
65 and over	8,572	840	865	843	831	763	625	585	558	569	688	653	729	23
Other diseases of circulatory system	2,993	282	280	282	236	243	220	213	218	236	241	247	287	8
Under 5	133	9	18	10	13	14	12	4	9	12	9	6	16	1
5 to 14	76	8	3	8	6	11	9	4	4	6	10	5	2	.....
15 to 44	373	41	37	41	33	33	17	29	34	20	28	26	32	2
45 to 64	708	59	68	74	61	54	51	50	53	51	63	64	58	2
65 and over	1,690	165	153	149	121	130	131	123	117	146	129	146	177	3
Bronchitis, acute and chronic	2,531	286	300	398	302	251	113	100	81	109	152	199	236	4
Under 5	951	119	115	152	117	87	44	36	27	31	45	63	114	1
5 to 14	30	6	4	3	3	2	2	1	.....	1	1	3	4	.....
15 to 44	85	5	7	9	12	6	6	5	7	10	5	8	5	.....
45 to 64	216	23	26	26	21	28	8	10	13	10	14	20	17	.....
65 and over	1,241	133	148	207	149	124	52	48	34	57	86	105	95	3
Bronchopneumonia	1,997	260	288	340	279	168	79	53	37	47	96	139	207	4
Under 5	1,093	148	153	172	162	95	53	30	15	21	52	71	118	3
5 to 14	61	9	5	8	10	7	3	1	3	1	4	5	5	.....
15 to 44	94	14	16	20	11	5	2	3	2	3	4	5	9	.....
45 to 64	142	16	19	26	13	14	7	5	2	3	6	12	19	.....
65 and over	599	72	95	111	82	46	14	14	15	19	28	46	56	1
Pneumonia	9,088	1,190	1,478	1,568	1,181	778	311	198	171	244	425	607	930	7
Under 5	2,176	288	354	363	285	185	83	54	48	62	101	142	210	1
5 to 14	264	36	36	41	39	25	11	6	17	3	14	13	22	1
15 to 44	1,521	211	241	258	202	152	61	32	34	43	69	80	138	.....
45 to 64	1,854	243	309	318	239	155	66	47	30	32	80	123	211	1
65 and over	3,229	407	529	578	410	258	89	59	41	103	156	247	348	4
Other diseases of respiratory system	1,883	200	225	189	194	151	110	90	128	115	134	155	188	4
Under 5	443	48	52	44	52	41	24	16	18	23	28	42	53	2
5 to 14	61	10	9	10	3	3	3	7	1	2	2	5	6	.....
15 to 44	290	26	36	24	26	19	18	16	26	14	28	23	34	.....
45 to 64	354	38	34	27	32	30	25	15	31	29	25	31	37	.....
65 and over	731	78	94	84	81	57	40	35	51	46	51	54	58	2
Diarrhea and enteritis	6,918	223	236	253	224	275	276	1,102	1,754	1,366	700	273	217	19
Under 2	5,063	123	135	136	118	149	186	916	1,422	1,062	511	169	121	15
2 to 4	414	14	9	12	12	11	11	61	124	106	29	12	12	1
5 to 14	116	11	6	5	6	9	7	16	19	17	8	4	8	.....
15 to 44	171	12	12	10	14	17	7	17	27	17	14	11	12	1
45 to 64	268	15	17	26	25	25	16	19	32	40	22	14	17	.....
65 and over	865	46	56	63	47	63	49	72	128	120	111	61	47	2
Other diseases of digestive system	7,351	654	616	651	650	633	568	602	677	640	557	520	564	19
Under 5	1,115	96	88	90	113	80	73	95	112	114	99	72	82	1
5 to 14	462	41	45	50	42	33	41	34	43	41	36	25	31	.....
15 to 44	1,464	137	131	128	125	135	109	127	127	124	98	95	122	6
45 to 64	1,739	155	150	154	163	151	137	131	165	142	140	133	116	2
65 and over	2,518	222	196	225	205	228	207	210	225	213	176	193	210	8
Bright's disease and nephritis	7,180	660	634	695	674	617	585	555	514	513	560	563	592	18
Under 5	191	13	18	18	17	27	13	15	13	15	11	16	15	.....
5 to 14	133	10	17	15	8	15	11	8	8	7	10	14	9	1
15 to 44	1,112	98	96	104	108	103	99	95	73	79	105	71	79	4
45 to 64	2,114	196	199	199	210	164	157	151	182	151	160	163	187	5
65 and over	3,593	343	303	363	329	306	300	282	234	258	270	297	300	8
Childbirth	1,248	118	133	120	141	146	109	95	68	79	81	88	65	5
Under 15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 44	1,227	116	132	118	140	141	104	95	67	79	78	88	64	5
45 and over	15	1	.....	1	1	5	4	.....	.....	.....	2	.....	1	.....
Suicide	943	59	57	68	80	100	95	91	96	80	82	78	50	7
Under 15	3	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....
15 to 44	390	33	23	30	36	41	43	29	40	35	32	31	17	.....
45 to 64	357	16	22	25	36	38	39	37	29	29	28	29	24	5
65 and over	172	10	12	11	8	20	9	22	21	14	21	15	8	1
Other violence	7,643	605	581	627	588	616	623	771	737	590	646	622	602	35
Under 5	1,172	91	96	99	106	103	105	90	105	75	110	95	93	4
5 to 14	651	32	24	39	45	54	80	93	91	47	46	54	44	2
15 to 44	2,826	184	201	213	198	217	251	353	294	237	218	226	222	12
45 to 64	1,290	126	93	98	118	110	108	108	96	106	120	112	89	6
65 and over	1,522	159	152	164	111	119	71	102	134	109	127	123	149	2
All other causes	22,197	1,948	2,031	2,205	1,981	1,888	1,561	1,761	1,828	1,763	1,710	1,653	1,787	81
Under 5	8,105	652	697	729	678	670	583	678	779	805	651	530	625	26
5 to 14	375	30	29	40	41	32	26	32	36	24	29	24	32	.....
15 to 44	1,813	153	164	192	154	160	135	149	145	123	153	130	144	11
45 to 64	2,309	184	203	218	206	202	171	168	192	169	196	203	183	14
65 and over	9,456	917	922	1,018	889	812	635	730	661	636	664	757	793	22

INDEX.

Abdominal tuberculosis. *See* Tuberculosis.
Abscess, death rates, CLXXXVI. *See also* Skin diseases.
Accidents (specified), death rates, CXC, CCIII; deaths from, by age, CCI, 91, 249, 407, 565, 723; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720. *See also* Violence.
Actinomycosis, trichinosis, etc., death rates, LXVIII, CLXVIII; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708.
Actuarial Society of America, invited to examine census mortality data, XVI.
Addison's disease, death rates, LXVIII, CLXXII; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708.
Age, mortality statistics according to, by specified diseases, CC, CCII, 90, 248, 406, 564, 722; by registration areas, 22, 58, 180, 216, 338, 374, 496, 532, 654, 690; by specified cities, 112, 270, 428, 586, 744.
Alcoholism, deaths from, by registration areas, XLI, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XLII, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXVIII, CLVIII; by cities and rural districts, CLXXII; by age, CCII.
Alexandria, Va., death rates, by race, XX. *See also* Registration cities.
Allegheny, Pa., deaths in, from certain causes, by age, 112, 270, 428, 586, 744.
American Medical Association, resolution urging states and cities to register vital statistics, XI.
American Public Health Association, resolution commending registration movement, X.
Amputation, deaths from, by registration areas, LXX; by cities and rural districts, 80, 238, 396, 554, 712; death rates, LXX, CLXXXVI.
Anemia, chlorosis, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVII, CLXXII.
Anemia, leukemia, deaths from, by registration areas, CLVIII; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, CLVIII, CCII.
Angina pectoris, deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by age, CCII.
Annapolis, Md., death rates, by race, XX. *See also* Registration cities.
Apoplexy, death rates, increasing, XXI; by registration areas, LXVIII, CLVIII; by cities and rural districts, CLXXIV; by age, CCII; deaths from, by registration areas, LXVIII, CLVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744. *See also* Apoplexy and paralysis.
Apoplexy and paralysis, deaths from, by registration areas, XLIV; by sex and age, XLV; by months, XLV, CXCV; by months and age, 154, 312, 470, 628, 786; death rates, average annual, XLIV; by months, XLV, CXCVIII.
Appendicitis, death rates, increasing, XXI; average annual, LIII; by registration areas, LXIX, CLXII; by cities and rural districts, CLXXXII; by age, CCIII; deaths from, by registration areas, LIII, LXIX, CLXII; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, LIII, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
Arteries, diseases of, deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 242, 400, 558, 716; death rates, by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by age, CCII.
Asiatic cholera, death rates, LXVIII, CLXVI; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708.
Asphyxia. *See* Suicide.
Asthma, death rates, LXIX, CLX, CLXXVIII; deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710.
Asthma and emphysema, deaths from, according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 242, 400, 558, 716; death rates, CCII.
Atlanta, Ga., death rates, by race, XX. *See also* Registration cities.
Atrophy of liver. *See* Liver, diseases of.

Baltimore, Md., death rates, by race, XX; deaths in, from certain causes, by age, 113, 271, 429, 587, 745. *See also* Registration cities.
Belgium, death rates, all causes, XVIII; typhoid fever, XXI; smallpox, XXV; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; tuberculosis of lungs, XXXV.
Biliary calculi, deaths from, by registration areas, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex, 86, 244, 402, 560, 718; death rates, CLXI, CLXXX, CCIII.
Black population, in registration areas, deaths among, at each age, by sex, 58, 216, 374, 532, 690.
Bladder, diseases of, deaths from, by registration areas, LXIX, CLXII; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718; death rates, LXIX, CLXII, CLXXXII, CCIII.
Boards of Health Conference, resolution pledging support in the registration movement, X.
Bones, diseases of, deaths from, by registration areas, LXX, CLXIII; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 86, 244, 402, 560, 718; death rates, LXX, CLXIII, CLXXXVI, CCIII.
Boston, Mass., deaths in, from certain causes, by age, 114, 272, 430, 588, 746. *See also* Registration cities.
Brain, diseases of, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 242, 400, 558, 716; death rates, LXVIII, CCII.
Breast, nonpuerperal diseases of, death rates, CLXXXIV; deaths from, 78, 236, 394, 552, 710. *See also* Genito-urinary system, diseases of.
Breast, puerperal diseases of, death rates, CLXXXIV; deaths from, 78, 236, 394, 552, 710. *See also* Puerperal diseases.
Bright's disease, death rates, increasing, XXI; by cities and rural districts, CLXXXII; by registration areas, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; distributed by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718.
Bright's disease and nephritis, death rates, increasing, XXI; average annual, LIV; states and cities showing highest, LV; by registration areas, LXIX, LXXIII, CLXII; by states, LXXIII; by specified cities, LXXV; by months, LV, CXCIX; by age, CCIII; deaths from, by registration areas, LIV, CLXII, 41, 199, 357, 515, 673; by sex and age, LV; by months, LV, CXCVI; by age, CCI; by month and age, 155, 313, 471, 629, 787. *See also* Bright's disease *and* Nephritis.
Bronchitis, death rates, decreasing, XXI; by registration areas, LXIX, CLX; by cities and rural districts, CLXXVIII; by months, CXCVIII; by age, CCII; deaths from, by registration areas, LXIX, XLVII, CLX; by months, CXCV; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; distributed by sex and age, XLVII, 84, 242, 400, 558, 716; by cities and rural districts, 78, 236, 394, 552, 710; by months and age, 155, 313, 471, 629, 787.
Bronchopneumonia, death rates, by cities and rural districts, CLXXVIII; by months, CXCVIII; by age, CCII; deaths from, by months, CXCV; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787. *See also* Pneumonia.
Bronx borough, N. Y., deaths in, from certain causes, by age, 134, 292, 450, 608, 766. *See also* Registration cities.
Brooklyn borough, N. Y., deaths in, from certain causes, by age, 135, 293, 451, 609, 767. *See also* Registration cities.

Buffalo, N. Y., deaths in, from certain causes, by age, 115, 273, 431, 589, 747. *See also* Registration cities.
Burns and scalds, death rates, CLXXXVIII, CCIII; deaths from, by age, CCI, 91, 249, 407, 565, 723; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720. *See also* Violence.

Calculi of urinary tract, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXIX; by cities and rural districts, CLXXXII; by age, CCIII.
Cancer (all forms), deaths from, classification, XXXVII; each specified organ, XXXVIII; by registration areas, XXXVIII, LXVIII, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XXXIX, 82, 240, 398, 556, 714; by months, XXXIX, CXCV; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786; death rates, average annual, XXXVIII; in United States compared with certain European countries, XXXVIII; by registration areas, LXVIII, LXXII; by states, LXXII; by specified cities, LXXIV; by cities and rural districts, CLXX; by months, XXXIX, CXCVIII; by age, CCII.
Carbuncle, deaths from, by registration areas, LXX; by cities and rural districts, 80, 236, 396, 554, 712; by sex and age, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; death rates, by registration areas, LXX; by cities and rural districts, CLXXXVI; by age, CCIII.
Causes of death, classification of, XX; death rates, increase or decrease in, by classes, XX; from principal diseases, per 100,000 of population, XXI, LXXII; deaths from specified diseases, by registration areas, LXVIII, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by month and age, 154, 312, 470, 628, 786; by sex and age, 82, 240, 398, 556, 714; in registration states, by age, 90, 248, 406, 564, 722; in cities of 100,000 and upward, by age, 112, 270, 428, 586, 744.
Cerebro-spinal meningitis, deaths from, by registration areas, XLII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, by cities and rural districts, CLXXIV. *See also* Meningitis.
Certificate of death, standard form, facsimile, XV; treatment of returns not uniform, XVI.
Charleston, S. C., death rates, by race, XX. *See also* Registration cities.
Chicago, Ill., deaths in, from certain causes, by age, 116, 274, 432, 590, 748. *See also* Registration cities.
Childbirth, deaths from diseases incident to, by registration areas, LXX, CLXIII, 41, 199, 357, 515, 673; by cities and rural districts, 78, 236, 394, 552, 710; by months, CXCVI; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787; death rates, by registration areas, LXX, CLXXIII; by cities and rural districts, CLXXXIV; by months, CXCIX; by age, CCIII.
Chinese and Japanese, deaths among, at each age, by sex, 58, 216, 374, 532, 690.
Cholera nostras, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXX; by cities and rural districts, CLXVI; by age, CCII.
Chorea, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXXIV.
Chronic poisonings, deaths from, CLVIII. *See also* Poisonings.
Cincinnati, Ohio, deaths in, from certain causes, by age, 117, 275, 433, 591, 749. *See also* Registration cities.
Circulars, object of, to promote uniformity in registration methods, XIII; (No. 100) outline of registration law, XI; (No. 101) for guidance of local registrars, XII; (No. 102) international classification of diseases, for physicians, XII; (No. 103) to interest medical schools in registration methods, XIII.
Circulatory system, diseases of, deaths from, by registration areas, XLV, LXIX, 41, 199, 357, 515, 673; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, XLV, 84, 242, 400, 558, 716; by months, CXCV; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787; death rates, average annual, XLV; by registration areas, LXIX, LXXIII; by specified cities, LXXV; by cities and rural districts, CLXXVI; by months, CXCVIII; by age, CCII.
Cirrhosis of liver, death rates, increasing, XXI; average annual, LII; by registration areas, LXIX; by age, CCIII; deaths from, by registration areas, LII, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, LII, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
Cities. *See* Registration cities.
Cleveland, Ohio, deaths in, from certain causes, by age, 118, 276, 434, 592, 750. *See also* Registration cities.
Cold and freezing, death rates, CXC; deaths from, by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720; according to age, by states, 91, 249, 407, 565, 723. *See also* Violence.
Color, deaths classified by, 4, 58, 162, 216, 320, 374, 478, 532, 636, 690.
Columbus, Ohio, deaths in, from certain causes, by age, 119, 277, 435, 593, 751. *See also* Registration cities.
Conflagration, death rates, CXC. *See also* Violence.
Congenital debility, death rates, fluctuating, XXI; by cities and rural districts, CLXXXVI; by age, CCIII; deaths from, by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744. *See also* Infancy.
Congenital malformations, deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720; death rates, LXX, CLXIII.
Congestion of lungs, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, LXIX, CCII.
Congress, resolution commending registration movement, XI.
Connecticut, death rates for cities and rural districts, XIX; deaths, by age, 22, 90, 180, 248, 338, 406, 496, 564, 654, 722; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 64, 222, 380, 538, 696. *See also* Registration states.
Connecticut rural, death rates in, by diseases, CXIV; deaths, by age, color, nativity, and month, 12, 170, 328, 486, 644, 30, 188, 346, 504, 662; by diseases, 48, 206, 364, 522, 680. *See also* Rural districts.
Convulsions, death rates, decreasing, XXI; by registration areas, LXVIII; by cities and rural districts, CLXXIV; by age, CCII; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
Counties. See each specified state, rural.
Croup, death rates, by cities and rural districts, CLXVI; deaths from, by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by states, 90, 248, 406, 564, 722. *See also* Diphtheria and croup.
Cutting instruments, deaths from wounds. *See* Suicide.
Cyanosis (congenital malformation of heart), death rates, by cities and rural districts, CLXXXVI; by age, CCIII; deaths from, by sex and age, 88, 246, 404, 562, 720; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723. *See also* Malformations.

Death rates, all causes, in registration areas, XVIII, XIX, CLVI; in certain European countries, XVIII; principal diseases, XX, LXXII; annual average and yearly rates, by cities, LXV; by specified diseases, LXVIII; in cities and rural districts, CLXVI; by months, CXCVII; by age, CCII. See also each specified disease.
Deaths, returns for nonresidents, XVI; in registration areas, XVIII, LXVIII; from specified diseases, CLVI; by months, CXCIV; by age, CC. See also each specified disease.
Debility. *See* Ill-defined causes.
Dentition, death rates, by registration areas, LXIX, CLXI; by cities and rural districts, CLXXX; by age, CCIII; deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex, 86, 242, 402, 560, 718.
Denver, Colo., deaths in, from certain causes, by age, 120, 278, 436, 594, 752. *See also* Registration cities.
Detroit, Mich., deaths in, from certain causes, by age, 121, 279, 437, 595, 753. *See also* Registration cities.
Diabetes, death rates, increasing, XXI; annual average, XLI; by registration areas, XLI, LXVIII, LXXII; by states, XLI, LXXII; by cities, XLI, LXXV; by cities and rural districts, CLXXII; by age, CCII; deaths from, by sex and age, XLI, 82, 240, 398, 556, 714; by registration areas, LXVIII, 41, 199, 357, 515, 673; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
Diarrhea and enteritis, death rates, fluctuating, XXI; average annual, L; by registration areas, LXIX, LXXII; by states, L, LXXII; by cities, L, LXXV; by cities and rural districts, CLXXX; by months, CXCIX; by age, CCIII; deaths from, by registration areas, L, LXIX, 41, 199, 357, 515, 673; by sex and age, LI, 86, 242, 402, 560, 718; by months, LII, CXCVI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787.
Digestive system, diseases of, deaths from, by registration areas, XLIX, LXIX, CLXI, 41, 199, 357, 515, 673; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, XLIX, 86, 242, 402, 560, 718; by months, L, CXCVI; according to age, by registration areas, CCI;

by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by months and age, 155, 313, 471, 629, 787; death rates, by month, L, CXCIX; by registration areas, LXIX, LXXII, CLXI; by states, LXXII; by cities, LXXIV; by cities and rural districts, CLXXVIII; by age, CCIII.
Diphtheria, death rates, CLXVI, CCII; deaths from, by age, CC; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; by states, 90, 248, 406, 564, 722. *See also* Diphtheria and croup.
Diphtheria and croup, death rates, fluctuating, XXI; average annual, XXX; by registration areas, XXX, LXVIII, LXXII, CLVI; by cities, XXX, LXXIV; by states, LXXII; for certain European countries, XXX; cities showing highest, XXXI; by months, XXXII, CXCVII; deaths from, by registration areas, XXX, LXVIII, CLVI, 40, 198, 356, 514, 672; by months, XXXII, CXCIV; by sex and age, XXXII; by age, in specified cities, 112, 270, 428, 586, 744; by month and age, 154, 312, 470, 628, 786.
Dislocations. *See* Fractures and dislocations.
District of Columbia, deaths in, by age, 22, 92, 180, 250, 338, 408, 496, 566, 654, 724; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 64, 222, 380, 538, 696.
"Dropsy." *See* Ill-defined causes.
Drowning, death rates, CXC, CCIII; deaths from, by registration areas, CCI; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720; by age and states, 91, 249, 407, 565, 723. *See also* Suicide.
Dysentery, death rates, average annual, XXXIII; by registration areas, XXXIII, LXVIII, CLVI; by cities and rural districts, CLXVIII; by age, CCII; deaths from, by registration areas, XXXIII, LXVIII, CLVI; by cities and rural districts, 76, 234, 392, 550, 708; by age and sex, XXXIV, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.

Ear, diseases of, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXXVI.
Embolism and thrombosis, death rates, by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by age, CCII; deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by sex and age, 84, 242, 400, 558, 716.
Emphysema, deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, by registration areas, LXIX, CLX; by cities and rural districts, CLXXVIII.
Encephalitis, deaths from, by registration areas, LXVIII, CLVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 240, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXVIII, CLVIII; by cities and rural districts, CLXXII; by age, CCII.
Endocarditis, death rates, fluctuating, XXI; by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by age, CCII; deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
England and Wales, death rates, all causes, XVIII; typhoid fever, XXI; smallpox, XXV; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII.
Enteritis. *See* Diarrhea and enteritis.
Epidemic diseases, deaths from, by registration areas, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by months, CXCIV; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786; death rates, by registration areas, LXVIII, CLVI; by cities and rural districts, CLXVIII; by months, CXCVII; by age, CCII.
Epilepsy, deaths from, by registration areas, LXVIII, CLIX; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by sex, 84, 242, 400, 558, 716; death rates, by registration areas, LXVIII, CLIX; by cities and rural districts, CLXXIV; by age, CCII.
Erysipelas, deaths from, by registration areas, LXVIII, CLVI; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by sex, 82, 240, 398, 556, 714; death rates, by registration areas, LXVIII, CLVI; by cities and rural districts, CLXVIII; by age, CCII.
Esophagus, diseases of, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, LXIX, CLXXX.
Exanthematic typhus, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVI.
Exophthalmic goiter, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXXII.
Eye and its adnexa, diseases of, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXXVI.

Fall River, Mass., deaths in, from certain causes, by age, 122, 280, 438, 596, 754. *See also* Registration cities.
Farcy. *See* Glanders and farcy.
Fever. *See* Ill-defined causes.
Firearms and instruments, deaths from. *See* Suicide.
Fractures and dislocations, death rates, CLXXXVIII, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex and age, 88, 246, 404, 562, 720; by cities and rural districts, 80, 238, 396, 554, 712.
Frederick, Md., death rates, by race, XX. *See also* Registration cities.
Freezing. *See* Cold and freezing.

Gangrene, deaths from, by registration areas, LXX; by cities and rural districts, 80, 236, 396, 554, 712; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by sex and age, 86, 244, 402, 560, 718; death rates, CLXXXIV, CCIII.
Gangrene of lungs, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; distributed by sex and age, 84, 242, 400, 558, 716; death rates, CCII.
Gastritis, death rates, XXI, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 242, 402, 560, 718.
General diseases (classified list) deaths from, by registration areas, LXVIII, CLVI; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; death rates, CLXVI, CCII.
Genito-urinary system, diseases of, death rates, by registration areas, LIII, LXIX; average annual, LIII; by cities and rural districts, CLXXXII; by age, CCIII; deaths from, by registration areas, LIII, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, LIII, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
Germany, death rates, all causes, XVIII; typhoid fever, XXI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; tuberculosis of lungs, XXXV; cancer, XXXVIII.
Glanders and farcy, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, CLXVIII.
Gonorrhea, death rates, CLXX; deaths from, by cities and rural districts, 76, 234, 392, 550, 708. *See also* Venereal diseases.
Gunshot wounds, deaths from. *See* Violence.

Hanging. *See* Suicide.
Heart disease, death rates, increasing, XXI; average annual, XLVI; by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by months, CXCVIII; by age, CCII; deaths from, by registration areas, XLVI, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; by months, CXCVIII; according to age, by sex, XLVI, 84, 242, 400, 558, 716; by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787.
Heart failure. *See* Ill-defined causes.
Heat and sunstroke, death rates, CLXXXVIII, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720.
Hemorrhages. *See* Circulatory system.
Hernia, deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by sex, 86, 242, 402, 560, 718; death rates, by registration areas, LXIX, CLXI; by cities and rural districts, CLXXX; by age, CCIII.
Homicide, death rates, CXCII, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720.
Hungary, death rates, all causes, XVIII; typhoid fever, XXI; smallpox, XXV; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; cancer, XXXVIII.
Hydatid tumors of liver, deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718; death rates, CCIII.
Hydrocephalus, deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 238, 396, 554, 712; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by sex and

age, 88, 244, 404, 562, 720; death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXVI; by age, CCIII.

Ill-defined causes, deaths from, by registration areas, LXX, 41, 199, 357, 515, 673; by cities and rural districts, 80, 238, 396, 554, 712; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by sex, 88, 246, 404, 562, 720; death rates, by registration areas, LXX; by states, LXXIII; by cities, LXXV; by cities and rural districts, CXCII; by age, CCIII.

Immigration, increase of population by, XVIII.

Inanition, deaths from, 80, 238, 396, 554, 712.

Indian population, in registration areas, deaths at each age, by sex, 58, 216, 374, 532, 690.

Indiana, death rates, by cities and rural districts, XIX; deaths, by age, 22, 94, 180, 252, 338, 410, 496, 568, 651, 726; from specified diseases, 40, 76, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 66, 224, 382, 540, 698. *See also* Registration states.

Indiana rural, death rates in, by diseases, CXVI; deaths, by color, nativity, and months, 12, 170, 328, 486, 644; by age, 30, 188, 346, 504, 662; by diseases, 48, 206, 364, 522, 680. *See also* Rural districts.

Indianapolis, Ind., deaths in, from certain causes, by age, 123, 281, 439, 597, 755. *See also* Registration cities.

Infancy, diseases of early, deaths from, by registration areas, LXX, LXXIII, 41, 199, 357, 515, 673; by states, LXXIII; by cities, LXXV; death rates, CLXXXVI.

Influenza, death rates, fluctuating, XXI; average annual, XXXII; by registration areas, XXXII, LXXII; by cities, XXXII, LXXIV; by states, XXXII, LXXII; by cities and rural districts, CLXVI; in United States compared with European countries, XXXII; by months, XXXIII, CXCIV, CXCVII; by age, CCII; deaths from, by registration areas, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XXXIII, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.

Injuries. *See* Violence.

Intestinal parasites, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, CLXXX.

Intestines, diseases of, deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by age and sex, 86, 244, 402, 560, 718; death rates, CLXXX, CCIII.

Ireland, death rates, all causes, XVIII; typhoid fever, XXI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; tuberculosis of lungs, XXXV; cancer, XXXVIII.

Italy, death rates, all causes, XVIII; smallpox, XXVI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII.

Jacksonville, Fla., death rates, by race, XX. *See also* Registration cities.

Japanese. *See* Chinese and Japanese.

Jersey City, N. J., deaths in, from certain causes, by age, 124, 282, 440, 598, 756. *See also* Registration cities.

Joints, diseases of, deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 238, 396, 554, 712; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex, 86, 244, 402, 560, 718; death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXVI; by age, CCIII.

Jumping from high places, deaths from. *See* Suicide.

Kansas City, Mo., deaths in, from certain causes, by age, 125, 283, 441, 599, 757. *See also* Registration cities.

Key West, Fla., death rates, by race, XX. *See also* Registration cities.

Kidneys, diseases of, deaths from, by registration areas, LXIX, CLXII; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex, 86, 244, 402, 560, 718; death rates, LXIX, CLXII, CCIII.

Lack of care, deaths from. *See* Infancy.

Laryngitis, death rates, CLXXVI, CCII; deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by sex, 84, 242, 400, 558, 716.

Larynx, diseases of, deaths from, by registration areas, LXIX, CLX; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; death rates, LXIX, CLX, CCII.

Lead poisoning, death rates, CLXXII; deaths from, by cities and rural districts, 76, 234, 392, 550, 708.

Leprosy, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVIII.

Leukemia, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXXII. *See also* Anemia, leukemia.

Lightning, death rates, CXC, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex, 88, 246, 404, 562, 720; distribution of deaths, by cities and rural districts, 80, 238, 396, 554, 712.

Liver, diseases of, deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by sex, 86, 244, 402, 560, 718; death rates, by registration areas, LXIX; by cities and rural districts, CLXXX; by age, CCIII.

Locomotor ataxia, deaths from, by registration areas, LXVIII, CLVIII; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 240, 400, 558, 716; death rates, by registration areas, LXVIII, CLVIII; by cities and rural districts, CLXXIV; by age, CCII.

Locomotor system, diseases of, deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 238, 396, 554, 712; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by sex, 86, 244, 402, 560, 718; death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXVI; by age, CCIII.

Los Angeles, Cal., deaths in, from certain causes, by age, 126, 284, 442, 600, 758. *See also* Registration cities.

Louisville, Ky., deaths in, from certain causes, by age, 127, 285, 443, 601, 759. *See also* Registration cities.

Lungs, diseases of, deaths from, by registration areas, LXIX; by age and sex, 82, 242, 400, 558, 716; death rates, LXIX, CLXXVIII. *See also* Respiratory system, *and* Tuberculosis of lungs.

Lymphatics, diseases of, deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 242, 400, 558, 716; death rates, by registration areas, LXIX, CLX; by cities and rural districts, CLXXVI; by age, CCII.

Lynchburg, Va., death rates, by race, XX. *See also* Registration cities.

Maine, death rates for cities and rural districts, XIX; deaths, by age, 22, 96, 180, 254, 338, 412, 496, 570, 654, 728; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 66, 224, 382, 540, 698. *See also* Registration states.

Maine rural, death rates, by diseases, CXXVIII; deaths, by color, nativity, and month, 14, 172, 330, 488, 646; by age, 32, 190, 348, 506, 664; by diseases, 50, 208, 366, 524, 682. *See also* Rural districts.

Malarial fever, deaths from, by registration areas, XXIII, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XXIV, 82, 240, 398, 556, 714; by months, XXIV, CXCIV; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786; death rates, average annual, XXIII; by registration areas, XXIII, LXVIII, LXXII, CLVI; by cities, XXIII, LXXIV; minor cities showing highest death rates, XXIV; by months, XXIV, CXCVII; by age, CCII.

Malformations, deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 244, 404, 562, 720; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXVI; by age, CCIII.

Malignant pustule and charbon, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVIII.

Manhattan borough, N. Y., deaths in, from certain causes, by age, 136, 294, 452, 610, 768. *See also* Registration cities.

Manual of International Classification of Causes of Death, X.

Marasmus. *See* Ill-defined causes.

Massachusetts, death rates for cities and rural districts, XIX; deaths, by age, 22, 98, 180, 256, 338, 414, 496, 572, 654, 730; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 68, 226, 384, 542, 700. *See also* Registration states.

Massachusetts rural, death rates, by diseases, CXXX; deaths, by color, nativity, and month, 16, 174, 332, 490, 648; by age, 32, 190, 348, 506, 664; by diseases, 52, 210, 368, 526, 684. *See also* Rural districts.

Measles, death rates, fluctuating, XXI; states showing highest, XXVI; average annual, XXVI; in certain European countries, XXVI; by registration areas, XXVI, LXVIII, LXXII, CLVI; by cities, XXVI, LXXIV; by states, LXXII; by cities and rural districts, CLXVI; by months, XXVII, CXCVII; by age, CCII; deaths from, by registration areas, XXVI, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by months, XXVII, CXCIV; by sex and age, XXVII, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.

Medical Education in Vital Statistics, a circular for medical schools, XIII.

Memphis, Tenn., deaths in, from certain causes, by age, 128, 286, 444, 602, 760. *See also* Registration cities.

Meningitis, death rates, fluctuating, XXI; by registration areas, XLIII, LXVIII, LXXII, CLVIII; by states, XLIII, LXXII; by cities, XLIII, LXXV; by cities and rural districts, CLXXIV; by months, XLIV, CXCVIII; by age, CCII; deaths from, by registration areas,

xlii, lxviii, clviii, 41, 199, 357, 515, 673; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, xliii, 84, 240, 400, 558, 716; by months, xliv, cxcv; according to age, by registration areas, cc; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.
Methods of Estimating Population, xvii.
Metritis, deaths from, by registration areas, lxix; by cities and rural districts, 78, 236, 394, 552, 710; death rates, lxix, clxxxii.
Michigan, death rates for cities and rural districts, xix; number of deaths, by age, 22, 100, 180, 258, 338, 416, 496, 574, 654, 732; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 68, 226, 384, 542, 700. *See also* Registration states.
Michigan rural, death rates, by diseases, cxxxii; deaths, by color, nativity, and month, 16, 174, 332, 490, 648; by age, 32, 190, 348, 506, 664; by diseases, 52, 210, 368, 526, 684. *See also* Rural districts.
Miliary fever, deaths from, by registration areas, lxviii; by cities and rural districts, 76, 234, 392, 550, 708; death rates, lxviii, clxvi.
Milwaukee, Wis., deaths in, from certain causes, by age, 129, 287, 445, 603, 761. *See also* Registration cities.
Minneapolis, Minn., deaths in, from certain causes, by age, 130, 288, 446, 604, 762. *See also* Registration cities.
Mobile, Ala., death rates, by race, xx. *See also* Registration cities.
Mouth, diseases of, deaths from, by registration areas, lxix, clxi; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 242, 402, 560, 718; according to age, by registration areas, cci; by states, 91, 249, 407, 565, 723; death rates, by registration areas, lxix, clxi; by cities and rural districts, clxxviii; by age, cciii.

Nasal fossa, diseases of, deaths from, by registration areas, lxix; by cities and rural districts, 78, 236, 394, 552, 710; death rates, lxix, clxxvi.
Nativity, general and parent, deaths in registration areas shown by, 4, 58, 162, 216, 320, 374, 478, 532, 636, 690.
Negroes. *See* Black population.
Nephritis, acute, death rates, clxxxii, cciii; deaths from, according to age, by registration areas, cci; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; distributed by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718. *See also* Bright's disease and nephritis.
Nervous system, diseases of, deaths from, by registration areas, xlii, lxviii, clviii, 41, 199, 357, 515, 673; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, xlii, 84, 240, 400, 558, 716; by months, cxcv; according to age, by registration areas, cc; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786; death rates, by registration areas, lxviii, lxxii, clviii; by states, lxxiii; by cities, lxxv; by cities and rural districts, clxxii; by months, cxcviii; by age, ccii.
Netherlands, death rates, all causes, xviii; measles, xxvi; scarlet fever, xxvii; whooping cough, xxix; influenza, xxxii; tuberculosis of lungs, xxxv; cancer, xxxviii.
New Hampshire, death rates for cities and rural districts, xix; deaths, by age, 22, 102, 180, 260, 338, 418, 496, 576, 654, 734; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, age, color, and nativity, 70, 228, 386, 544, 702. *See also* Registration states.
New Hampshire rural, death rates, by diseases, cxlii; deaths, by color, nativity, and month, 18, 176, 334, 492, 650; by age, 34, 192, 350, 508, 666; by diseases, 54, 212, 370, 528, 686. *See also* Rural districts.
New Haven, Conn., deaths in, from certain causes, by age, 131, 289, 447, 605, 763. *See also* Registration cities.
New Jersey, death rates for cities and rural districts, xix; deaths, by age, 22, 104, 180, 262, 338, 420, 496, 578, 654, 736; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by age, sex, color, and nativity, 70, 228, 386, 544, 702. *See also* Registration states.
New Jersey rural, death rates, by diseases, cxlii; deaths, by color, nativity, and month, 18, 176, 334, 492, 650; by age, 36, 194, 352, 510, 668; by diseases, 54, 212, 370, 528, 686. *See also* Rural districts.
New Orleans, La., death rates, by race, xx; deaths in, from certain causes, by age, 132, 290, 448, 606, 764. *See also* Registration cities.
New York, death rates for cities and rural districts, xix; deaths, by age, 22, 106, 180, 264, 338, 422, 496, 580, 654, 738; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by age, sex, color, and nativity, 72, 230, 388, 546, 704. *See also* Registration states.
New York, N. Y., deaths in, from certain causes, by age, 133, 291, 449, 607, 765. *See also* Registration cities.
New York rural, death rates, by diseases, cxlvi; deaths, by color, nativity, and month, 18, 176, 334, 492, 650; by age, 36, 194, 352, 510, 668; by diseases, 54, 212, 370, 528, 686. *See also* Rural districts.
Newark, N. J., deaths in, from certain causes, by age, 139, 297, 455, 613, 771. *See also* Registration cities.
Norfolk, Va., death rates, by race, xx. *See also* Registration cities.
Norway, death rates, all causes, xviii; typhoid fever, xxi; measles, xxvi; scarlet fever, xxvii; whooping cough, xxix; diphtheria and croup, xxx; tuberculosis of lungs, xxxv; cancer, xxxviii.

Occupational poisonings, deaths from. *See* Poisonings.
Occupations, mortality statistics not shown by, xvi.
Old age, death rates, decreasing, xxi; by registration areas, lxx, clxiv, cciii; by cities and rural districts, clxxxviii; deaths from, by registration areas, lxx, clxiv; by cities and rural districts, 80, 238, 396, 554, 712; according to age, by registration areas, cci; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by sex, 88, 244, 404, 562, 720.
Omaha, Nebr., deaths in, from certain causes, by age, 140, 298, 456, 614, 772. *See also* Registration cities.
Ovarian tumor, death rates, by registration areas, lxix; by cities and rural districts, clxxxiv; by age, cciii; deaths from, according to age, by registration areas, cci, 86, 244, 402, 506, 718; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; distributed by cities and rural districts, 78, 236, 394, 552, 710.

Paralysis, death rates, decreasing, xxi; by registration areas, lxviii, clix; by cities and rural districts, clxxiv; by age, cciii; deaths from, by registration areas, lxviii, clix; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, cc; by states, 90, 248, 406, 564, 722; by cities, 112, 270, 428, 586, 744. *See also* Apoplexy and paralysis.
Paterson, N. J., deaths in, from certain causes, by age, 141, 299, 457, 615, 773. *See also* Registration cities.
Pellagra, death rates, lxviii, clxviii; deaths from, by registration areas, lxviii; by cities and rural districts, 76, 234, 392, 550, 708.
Pericarditis, death rates, by registration areas, lxix, clix; by cities and rural districts, clxxvi; by age, ccii; deaths from, by registration areas, lxix, clix; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, cc; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
Peritonitis, death rates, decreasing, xxi; average annual, lii; by registration areas, lxix, clxii; by cities and rural districts, clxxxii; by age, cciii; deaths from, by registration areas, lii, lxix, clxii; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, liii, 86, 244, 402, 560, 718; according to age, by registration areas, cci; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
Petersburg, Va., death rates, by race, xx. *See also* Registration cities.
Pharynx, diseases of, death rates, by registration areas, lxix, clxi; by cities and rural districts, clxxx; by age, ccii; deaths from, by registration areas, lxix, clxi; according to age, by registration areas, cci; by states, 91, 249, 407, 565, 723; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 242, 402, 560, 718.
Philadelphia, Pa., deaths in, from certain causes, by age, 142, 300, 458, 616, 774. *See also* Registration cities.
Pittsburg, Pa., deaths in, from certain causes, by age, 143, 301, 459, 617, 775. *See also* Registration cities.
Plague, death rates, lxviii, clxviii; deaths from, by registration areas, lxviii; by cities and rural districts, 76, 234, 392, 550, 708.
Pleurisy, death rates, by registration areas, lxix, clx; by cities and rural districts, clxxviii; by age, ccii; deaths from, by registration areas, lxix, clx; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, cc; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
Pneumonia, death rates, fluctuating, xxi; average annual, xlvii; states and cities showing highest, xlviii; by registration areas, lxix, clx, lxxiii; by states, xlviii, lxxiii; by cities, xlviii, lxxv; by cities and rural districts, clxxviii; by months, cxcviii; by age, ccii; deaths from, by registration areas, xlviii, lxix, clx, 41, 199, 357, 515, 673; by months, xlix, cxcv; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, cc; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 687.
Poisonings, chronic, deaths from, by registration areas, clviii; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, cc; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, clxxii, ccii. *See also* Suicide.
Population, of registration areas, xviii, lxi; immigration as a factor of increase, xviii; Census methods of estimating, xviii.
Pott's disease, death rates, clxx, cci; deaths from, by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, cc; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
Practical Registration Methods, circular for local registrars, xii.
Pregnancy, deaths from diseases incident to, by registration areas, lxx; by cities and rural districts, 78, 236, 394, 552, 710; death rates, clxxxiv.

Premature birth, death rates, CLXXXVI, CCIII; deaths from, by cities and rural districts, 80, 238, 396, 554, 712; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744. *See also* Infancy.
Privation. *See* Starvation, privation, etc.
Prostate, diseases of, death rates, LXIX, CLXXXII; deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710.
Providence, R. I., deaths in, from certain causes, by age, 144, 302, 460, 618, 776. *See also* Registration cities.
Prussia, death rates, all causes, XVIII.
Puerperal diseases, death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXIV; by age, CCIII; deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 78, 236, 394, 552, 710; by age, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.

Queens borough, N. Y., deaths in, from certain causes, by age, 137, 295, 453, 611, 769. *See also* Registration cities.

Rabies, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVIII.
Race, deaths, shown by, XX, 58, 216, 374, 532, 540.
Railroad accidents, deaths from. *See* Violence.
Raleigh, N. C., death rates, by race, XX. *See also* Registration cities.
Rate tables. *See* Tables.
Recurrent fever, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVI.
Registration area, extent and composition of XIV; number of states and cities constituting, XIV, XVI; population, XVIII, LXI; death rates, compared with certain European countries, XVIII; all causes, XIX; typhoid fever, XXI; malarial fever, XXIII; smallpox, XXV; measles, XXVI; scarlet fever, XXVIII; whooping cough, XXIX; diphtheria and croup, XXX; influenza, XXXII; dysentery, XXXIII; tuberculosis of lungs, XXXV; cancer, XXXVIII; death rates for each disease and class of diseases, LXVIII, LXXII, CLVI; by months, CXCVII; by age, CCII; deaths from each disease and class of diseases, LXVIII, CLVI, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by months, CXCIV, 154 312, 470, 628, 786; by age, CC; deaths, according to color, nativity, and month, 4, 162, 320, 478, 636; age, 22, 180, 338, 496, 654; by sex, age, color, and nativity, 58, 216, 374, 532, 690.
Registration cities, number, XVI; death rates in southern cities, by race, XX; in cities of 100,000 population and over, from typhoid fever, XXI; malarial fever, XXIII; smallpox, XXV; measles, XXVI; scarlet fever, XXVIII; whooping cough, XXIX; diphtheria and croup, XXX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII; diabetes, XLI; meningitis, XLIII; pneumonia, XLVIII; diarrhea and enteritis, L; Bright's disease and nephritis, LIV; death rates, average annual and yearly, LXV; from certain principal diseases and classes of diseases, LXXIV; population, LXI; deaths, by color and nativity, 4, 162, 320, 478, 636; by age, 22, 180, 338, 496, 654; by sex, age, color, and nativity, 58, 60, 216, 218, 374, 376, 532, 534, 690, 692; from specified diseases, 40, 198, 356, 514, 672; by month and age, 156, 314, 472, 630, 788.
Registration law, outline, as proposed, XI.
Registration of deaths, movement for uniform laws, forms, and statistics, IX; circulars explaining, XI, XII, XIII.
Registration states, rural parts of, deaths in, by color, nativity, and month, 12, 170, 328, 486, 644; by age, 30, 188, 346, 504, 662; by diseases, 48, 206, 364, 522, 680. *See also* Rural districts.
Registration states, specified, XIV; death rates, all causes, XIX; typhoid fever, XXI; malarial fever, XXIII; smallpox, XXV; measles, XXVI; scarlet fever, XXVIII; whooping cough, XXIX; diphtheria and croup, XXX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII; diabetes, XLI; meningitis, XLIII; pneumonia, XLVIII; diarrhea and enteritis, L; Bright's disease and nephritis, LIV; from certain principal diseases and classes of diseases, LXXII; from each disease and class of diseases, by cities and rural districts, CLXVI; population, LXI; deaths, by color, nativity, and month, 4, 162, 320, 478, 636; by age, 22, 180, 338, 496, 654; by diseases, 40, 198, 356, 514, 672; by sex, age, color, and nativity, 60, 218, 376, 534, 692; from each disease and class of diseases, by cities and rural districts, 76, 234, 392, 550, 708; in specified states, by certain causes and age, 90, 248, 406, 564, 722.
Relation of Physicians to Mortality Statistics, circular for physicians, XII.
Resolutions, relative to the registration movement, by the Boards of Health Conference, X; by the American Public Health Association, X; by Congress, XI.
Respiratory system, diseases of, deaths from, by registration areas, XLVI, LXIX, CLX, 41, 199, 357, 515, 673; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, XLVI, 84, 242, 400, 558, 716; by months, XLVII, CXCV, 155, 313, 471, 629, 787; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, XLVI, LXIX, LXXII, CLX; by states, LXXII; by specified cities, LXXV; by cities and rural districts, CLXXVI; by months, CXCVIII; by age, CCII.
Rheumatism, deaths from, acute articular, XL; chronic, XL; by registration areas, XL, LXVIII, CLVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XL, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, average annual, XL; by registration areas, XL, LXVIII, CLVIII; by cities and rural districts, CLXXII; by age, CCII.
Rhode Island, death rates for cities and rural districts, XIX; deaths, by age, 22, 108, 180, 266, 338, 424, 496, 582, 654, 740; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 72, 230, 388, 546, 704. *See also* Registration states.
Rhode Island rural, death rates, by diseases, CLII; deaths, by color, nativity, and month, 20, 178, 336, 494, 652; by age, 38, 196, 354, 512, 670; by diseases, 56, 214, 372, 530, 688. *See also* Rural districts.
Richmond borough, N. Y., deaths in, from certain causes, by age, 138, 296, 454, 612, 770. *See also* Registration cities.
Richmond, Va., death rates, by race, XX. *See also* Registration cities.
Rochester, N. Y., deaths in, from certain causes, by age, 145, 303, 461, 619, 777. *See also* Registration cities.
Rural districts of registration states, death rates, by specified causes of death, CLXVI; deaths, by age, 22, 30, 180, 188, 338, 346, 496, 504, 654, 662; by diseases, 40, 48, 198, 206, 356, 364, 514, 522, 672, 680; by month and age, 158, 316, 474, 632, 790.

St. Joseph, Mo., deaths in, from certain causes, by age, 146, 304, 462, 620, 778. *See also* Registration cities.
St. Louis, Mo., deaths in, from certain causes, by age, 147, 305, 463, 621, 779. *See also* Registration cities.
St. Paul, Minn., deaths in, from certain causes, by age, 148, 306, 464, 622, 780. *See also* Registration cities.
San Antonio, Tex., death rates, by race, XX. *See also* Registration cities.
San Francisco, Cal., deaths in, from certain causes, by age, 149, 307, 465, 623, 781. *See also* Registration cities.
Savannah, Ga., death rates, by race, XX. *See also* Registration cities.
Scalds. *See* Burns and scalds.
Scarlet fever, death rates, fluctuating, XXI; in United States, compared with certain European countries, XXVII; average annual, XXVII; by registration areas, XXVIII, LXVIII, LXXII, CLVI; by cities, XXVIII, LXXIV; by states, XXVIII, LXXII; by cities and rural districts, CLXVI; by months, XXVIII, CXCVII; by age, CCII; deaths from, by sex and age, XXVIII, 82, 240, 398, 556, 714; by months, XXVIII, CXCIV; by registration areas, XXVIII, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.
Scotland, death rates, all causes, XVIII; typhoid fever, XXI; smallpox, XXV; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII.
Scranton, Pa., deaths in, from certain causes, by age, 150, 308, 466, 624, 782. *See also* Registration cities.
Scrofula, death rates, by registration areas, LXVIII, CLVII; by cities and rural districts, CLXX; by age, CCII; deaths from, by registration areas, LXVIII, CLVII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
Scurvy, death rates, LXVIII, CLXXII; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708.
Septicemia, death rates, by registration areas, LXVIII, CLVI; by cities and rural districts, CLXVIII; by age, CCII; deaths from, by registration areas, LXVIII, CLVI; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by cities, 112, 270, 428, 586, 744.
Sex, deaths shown by, 58, 82, 216, 240, 374, 398, 532, 556, 690, 714.
Skin diseases, death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXIV; by age, CCIII; deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 236, 396, 554, 712; by sex and age, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
Smallpox, death rates, fluctuation due to epidemics, XXV; average annual, XXV; in United States compared with European countries, XXV; cities showing highest, XXV; by registration areas, XXV, LXVIII, LXXII, CLVI; by cities, XXV, LXXIV; by states, XXV, LXXII; by cities and rural districts, CLXVI; by age, CCII; deaths from, by sex and age, XXVI, 82, 240, 398, 556, 714; by registration areas, XXV, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
Softening of brain, death rates, by registration areas, LXVIII, CLVIII; by cities and rural dis-

tricts, CLXXIV; by age, CCII; deaths from, by registration areas, LXVIII, CLVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
Southern registration cities, death rates in, by race, XX.
Spain, death rates, all causes, XVIII; smallpox, XXV; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; tuberculosis of lungs, XXXV; cancer, XXXVIII.
Spinal cord, diseases of, deaths from, according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; distributed by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 240, 400, 558, 716; death rates, CLXXIV, CCII.
Spleen, diseases of, death rates, by registration areas, LXIX, CLXII; by cities and rural districts, CLXXXII; by age, CCIII; deaths from, by registration areas, LXIX, CLXII; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex, 86, 244, 402, 560, 718.
Starvation, privation, etc., death rates, CXCII; number of deaths from, 80, 238, 396, 554, 712. *See also* Violence.
Stomach, diseases of, death rates, by registration areas, LXIX, CLXI; by cities and rural districts, CLXXX; by age, CCIII; deaths from, by registration areas, LXIX, CLXI; by sex and age, 86, 242, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
Strangulation. *See* Suicide.
Sudden death. *See* Ill-defined causes.
Suffocation, death rates, CXC, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex and age, 88, 246, 404, 562, 720.
Suicide, death rates, by registration areas, LXX, LXXIII, CLXIV; by states, LXXIII; by cities, LXXV; by cities and rural districts, CLXXXVIII; by months, CXCVI; by age, CCIII; deaths from, by registration areas, LXX, CLXIV, 41, 199, 357, 515, 673; by cities and rural districts, 80, 238, 396, 554, 712; by months, CXIX; by sex and age, 88, 246, 404, 562, 720; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787.
Summary tables. *See* Tables.
Sunstroke. *See* Heat and sunstroke.
Sweden, death rates, all causes, XVIII; typhoid fever, XXI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX.
Switzerland, death rates, all causes, XVIII; typhoid fever, XXI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; tuberculosis of lungs, XXXV; cancer, XXXVIII.
Syphilis, death rates, CLXX; deaths from, 76, 234, 392, 550, 708. *See also* Venereal diseases.
Syracuse, N. Y., deaths in, from certain causes, by age, 151, 309, 467, 625, 783. *See also* Registration cities.

Tables, general, outline of, XVII.
Tetanus, death rates, by registration areas, LXVIII, CLIX; by cities and rural districts, CLXXIV; by age, CCII; deaths from, by registration areas, LXVIII, CLIX; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
Thrombosis. *See* Embolism and thrombosis.
Thyroid body, diseases of, death rates, by registration areas, LXIX, CLX; by cities and rural districts, CLXXVIII; by age, CCII; deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 242, 400, 558, 716.
Toledo, Ohio, deaths in, from certain causes, by age, 152, 310, 468, 626, 784. *See also* Registration cities.
Tonsilitis, death rates, CLXXVIII, CCIII; deaths from, by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 242, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744. *See also* Pharynx.
Trichinosis. *See* Actinomycosis, trichinosis, etc.
Tuberculosis (all forms), deaths from, by registration areas, XXXIV, LXVIII, LXXII, CLVII; by states, LXXII; by cities, LXXIV; by cities and rural districts, 76, 234, 392, 550, 708; by months, CXCIV; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786; death rates, by registration areas, LXVIII, LXXII, CLVII; by states, LXXII; by cities, LXXIV; by cities and rural districts, CLXVIII; by months, CXCVII; by age, CCII.
Tuberculosis of lungs, deaths from, by registration areas, XXXV, 40, 198, 356, 514, 672; by sex and age, XXXVI; by months, XXXVII, CXCIV; death rates, in United States compared with certain European countries, XXXV; mortality from, higher in cities than in rural districts, XXXV; states showing highest death rates, XXXV; cities showing excessive, XXXVI. *See also* Tuberculosis.
Tubes, diseases of, death rates, CLXXXIV. *See also* Genito-urinary system.
Tumor, death rates, by registration areas, LXVIII, LXXIII, CLVIII; by states, LXXIII; by cities, LXXV; by cities and rural districts, CLXXII; by age, CCII; deaths from, by registration areas, LXVIII, CLVIII, 41, 199, 357, 515, 673; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
Typhoid fever, death rates, fluctuating, XXI; average annual, XXI; in United States compared with certain European countries, XXI; by registration areas, XXI, LXVIII, LXXII, CLVI; by cities, XXI, LXXIV; by states, LXXII; by cities and rural districts, CLXVI; by months, XXIII, CXCVII; by age, CCII; deaths from, by months, XXIII, CXCIV; by registration areas, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.

Ulcer of stomach, deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex, 86, 242, 402, 560, 718; death rates, LXIX, CLXI, CCIII.
Urethra, diseases of, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, LXIX, CLXXXII.
Uterus, diseases of, deaths from, by registration areas, LXIX, CLXII; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXIX, CLXII; by cities and rural districts, CLXXXII; by age, CCIII.

Veins, diseases of, deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; death rates, LXIX, CLIX, CCII, CLXXVI.
Venereal diseases, deaths from, by registration areas, XXXVII, LXVIII, CLVII; by sex and age, XXXVII, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, average annual, XXXVII; by registration areas, XXXVII LXVIII, CLVII; by age, CCII.
Vermont, death rates for cities and rural districts, XIX; deaths, by age, 22, 110, 180, 268, 338, 426, 496, 584, 654, 742; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 74, 232, 390, 548, 706. *See also* Registration states.
Vermont rural, death rates, by diseases, CLIV; deaths, by color, nativity, and month, 20, 178, 336, 494, 652; by age, 38, 196, 354, 512, 670; by diseases, 56, 214, 372, 530, 688. *See also* Rural districts.
Violence, statistical treatment of data, separation into primary groups not permissible, LV; death rates, average annual, LV; by registration areas, LXX, LXXIII, CLXIX, CCIII; by states, LXXIII; by cities, LXXV; by cities and rural districts, CLXXXVIII; by months, CXCIX; deaths from, by registration areas, LVII, LXX, CLXIV; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, LVII, 88, 246, 404, 562, 720; by months, CXCVI; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787.

Wales. *See* England and Wales.
Washington, D. C., death rates, by race, XX. *See also* Registration cities.
White population, deaths among, by nativity and parent nativity, 4, 162, 320, 478, 636; at each age, by sex and nativity, 58, 216, 374, 532, 540.
White swelling, death rates, CLXX, CCII; deaths from, according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; distributed by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714.
Whooping cough, death rates, fluctuating, XXI; average annual, XXVIII; by registration areas, XXVIII, XXIX, LXVIII, LXXII, CLVI; by cities, XXIX, LXXIV; by states, LXXII; by cities and rural districts, CLXVI; in registration area compared with certain European countries, XXIX; by months, XXX, CXCVII; by age, CCII; deaths from, by registration areas, XXIX, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XXIX, 82, 240, 398, 556, 714; by months, XXX, CXCIV; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.
Wilmington, N. C., death rates, by race, XX. *See also* Registration cities.
Worcester, Mass., deaths in, from certain causes, by age, 153, 311, 469, 627, 785. *See also* Registration cities.

Yellow fever, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVIII.

Wellcome Library for the History and Understanding of Medicine

LONDON SCHOOL OF HYGIENE & TROPICAL MEDICINE
LIBRARY
14 DEC 1972