

## **The pocket prescriber / by James Burnet.**

### **Contributors**

Burnet, James, 1871-

### **Publication/Creation**

London : A. & C. Black, 1919.

### **Persistent URL**

<https://wellcomecollection.org/works/abeg6jdc>

### **License and attribution**

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).




Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

THE  
POCKET PRESCRIBER

---

BURNET





22102082447

**Med**

**K13383**



nb.

X.

24 513 434

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOmec
Call	
No.	Q V

J. R. Davie

THE  
POCKET PRESCRIBER



*BY THE SAME AUTHOR.*

THE  
POCKET  
CLINICAL GUIDE.

Uniform with this Volume.

PRICE **2s.** NET.

# THE POCKET PRESCRIBER

BY

JAMES BURNET

M.A., M.D., M.R.C.P.E.

Fellow of the Royal Society of Medicine  
Lecturer on Materia Medica and Pharmacy  
Late Examiner in Materia Medica and  
Therapeutics to the University of Aberdeen  
Registrar to the Royal Hospital for Sick Children  
and Physician for Diseases of Children to the  
Marshall Street Dispensary, Edinburgh  
Author of 'Handbook of Medical Treatment' and  
'The Pocket Clinical Guide'

*FIFTH EDITION*

A. & C. BLACK, LTD.

4, 5 & 6 SOHO SQUARE, LONDON, W.1

1919



*First Edition published 1908*  
*Second Edition 1909 ; Third Edition 1911*  
*by JOHN CURRIE, Edinburgh.*

*Third Edition reissued January 1913*

*By A. & C. BLACK, LTD., London.*

*Fourth Edition published 1915*

*Fifth Edition 1919*

# PREFACE


## TO FIFTH EDITION

I HAVE taken the opportunity of appending a few prescriptions to this edition in the hope that these will add to the value of this little book. I have to thank those students and practitioners who have recently expressed their appreciation of my efforts to supply them with a collection of simple, compatible and effective formulæ. If my endeavours to stimulate a real interest in scientific prescription-writing continue to meet with favour I shall feel that my *Pocket Prescriber* has been at least one successful effort in this direction.

JAMES BURNET.

6 GLENGYLE TERRACE,  
EDINBURGH,  
15th December 1918.






# CONTENTS

	PAGE
APHORISMS . . . . .	ix
INCOMPATIBILITIES . . . . .	xi
PRESCRIPTIONS . . . . .	I
USEFUL RECIPES . . . . .	85
INDEX OF DISEASES . . . . .	91





## APHORISMS

Never order medicines by word of mouth. Always write a prescription. Failure to do so often causes trouble, and always encourages self-medication on the part of the patient.

Never prescribe patent medicines or preparations advertised to the general public.

Avoid, as a rule, prescribing drugs of which you do not know the action.

Never order medicines in tablet form. Tablets are often insoluble, and their use by the profession and the public is to be discouraged, on this as well as on other grounds.

Never order a larger quantity of any medicine than is likely to be used by the patient. Be economical as far as possible.

As far as possible keep to the B.P. There are drugs enough to be found in it for all ordinary purposes.



## x THE POCKET PRESCRIBER

Always remember that the treatment of disease embraces more than mere drug therapy.


Study your patient as well as the particular disease from which he is suffering.

Always read your prescription carefully over after writing it, and never forget to initial or to sign it.

# INCOMPATIBILITIES

	<i>Incompatible with</i>
Alkaloids . . .	Alkalies and Alkaline Salts ; Iodides and Bromides.
Bismuthi Subnitras	Carbonates or Bicarbonates in aqueous solution.
Digitalis . . .	Iron Salts and Solutions ; Quinine.
Hydrargyri Subchloridum.	Alkalies.
Iodides . . .	Acids ; Alkaloids.
Quinine . . .	Alkalies ; Salicylates
Syrupus Scillæ .	Alkalies.
Tinctures and Infusions containing Tannin.	Acids ; Alkalies ; Alkaloids ; Iron Salts.





# THE POCKET PRESCRIBER

## 1. *Acne Vulgaris*

℞ Zinci Oxidi  
Bismuth. Subnit. . . . āā ℥ij.  
Paraffini Mollis . . . . ℥j.  
M. Ft. Ung.

*Sig.* To be applied at bedtime.

## 2. *Acne Vulgaris*

℞ Sulphur. Sublim. . . . grs. lx.  
β Naphthol . . . . grs. x.  
Paraffini Mollis . . . . ℥j.  
M. Ft. Ung.

*Sig.* To be applied at bedtime.

## 3. *Acne Vulgaris*

℞ Sulphur. Præcip. . . . grs. lx.  
Glycerini . . . . ℥ss.  
Liq. Calcis ad . . . . ℥iij.  
M. Ft. Lotio.

*Sig.* To be painted on at bedtime.



4. *Acne Rosacea*

✕ R Glycerini Acid. Carbol. . ʒij.  
 Sulphuris Præcip. . ʒij.  
 Spt. Vini Rectif. ad . ʒij.  
 M. Ft. Lotio.

*Sig.* To be painted on at bedtime.

5. *Addison's Disease*

R Ferri Redacti . . . grs. ij.  
 Quin. Sulph. . . grs. ij.  
 Strychninæ . . . gr.  $\frac{1}{60}$ .  
 M. Ft. Pil.

*Sig.* One to be taken thrice daily  
 after meals.

6. *Addison's Disease*

R Phosphori . . . gr.  $\frac{1}{4}$ .  
 Ol. Morrhuæ . . . ʒiij.  
 S. Ft. Mist.

*Sig.* A teaspoonful three times a day  
 after meals.

7. *Adenitis*

R Ung. Hydrarg.  
 Adipis Lanæ Hydros. . āā ʒiv.  
 M. Ft. Ung.

*Sig.* A small piece to be rubbed  
 gently into the inflamed glands at  
 bedtime.



### 8. *After-Pains*

℞ Extr. Opii . . . . gr.  $\frac{1}{4}$ .  
 Extr. Bellad. Virid. . . . gr.  $\frac{1}{4}$ .  
 M. Ft. Pil. Mitte tales ij.  
*Sig.* One to be taken immediately,  
 and the other in six hours.

### 9. *Alcoholism*

℞ Ammon. Brom. . . . ℥ijj.  
 Tr. Strophanthi . . . . ℥24.  
 Tr. Capsici . . . . ℥36.  
 Glycerini . . . . ℥ss.  
 Aq. Cinnamomi ad . . . ℥vj.  
 S. et M. Ft. Mist.  
*Sig.* A tablespoonful in water three  
 times a day.

### 10. *Alcoholism*

℞ Tr. Nuc. Vom. . . . ℥ij.  
 Tr. Digitalis . . . . ℥j.  
 Tr. Card. Co. . . . ℥ijj.  
 Glycerini . . . . ℥iv.  
 Aq. Dest. ad . . . ℥vj.  
 M. Ft. Mist.  
*Sig.* A tablespoonful to be taken  
 thrice daily in water.



11. *Alopecia*

℞ Tr. Cantharidini . . . ʒij.  
 Liq. Ammon. Fort. . . ʒj.  
 Spt. Rosmarini ad . . ʒiiij.  
 M. Ft. Lotio.

*Sig.* To be well rubbed into the roots of the hair at bedtime.

12. *Alopecia*

℞ Liq. Ammon. Fort.  
 Olei Sesami . . . āā ʒij.  
 Spt. Vini Rectif. ad . . ʒiiij.  
 M. Ft. Lotio.

*Sig.* To be well rubbed into the roots of the hair at bedtime.

13. *Alopecia*

℞ Tr. Cantharidini . . . ʒiss.  
 Liniment. Saponis ad . . ʒiiij.  
 M. Ft. Lotio.

*Sig.* To be rubbed into the scalp at bedtime.

14. *Amenorrhæa*

℞ Pil. Aloes et Ferri . . . grs. v.  
 Mitte tales xxiv.

*Sig.* One thrice daily after meals.



15. *Amenorrhœa*

℞ Ferri Sulph. Exsicc. . . grs. ij.  
 Quin. Sulph. . . gr. i.  
 Extract. Aloes . . gr.  $\frac{1}{4}$ .  
 M. Ft. Pil. Mitte tales xxiv.  
*Sig.* One thrice daily after meals.

16. *Anæmia (Simple)*

℞ Ferr. Redact. . . gr. v.  
 Ft. Pulv. Mitte tales xxiv.  
*Sig.* One to be taken thrice daily  
 after meals.

17. *Anæmia (Simple)*

℞ Ferri Sulph. Exsicc. . . grs. ij.  
 Extr. Nuc. Vom. . . gr.  $\frac{1}{8}$ .  
 M. Ft. Pil. Mitte tales xxiv.  
*Sig.* One to be taken three times a  
 day after meals.

18. *Anæmia (Simple)*

℞ Tr. Ferri Perchlor. . . ʒij.  
 Tr. Nuc. Vom. . . ʒij.  
 Glycerini . . . ʒss.  
 Inf. Quassiaæ ad . . ʒvj.  
 M. Ft. Mist.  
*Sig.* A tablespoonful in water three  
 times a day after meals.



## 6 THE POCKET PRESCRIBER

### 19. *Anæmia (Simple)*

R̄ Pil. Ferri . . . . . grs. v.  
Mitte tales xxiv.  
Sig. One or two to be taken three  
times a day after meals.

### 20. *Anæmia (Pernicious)*

R̄ Acid. Arsenios. . . . . gr.  $\frac{1}{60}$ .  
Ferr. Sulph. Exsicc. . . . . grs. ij.  
M. Ft. Pil. Mitte tales xxiv.  
Sig. One thrice daily after meals.

### 21. *Anæmia (Pernicious)*

R̄ Tr. Ferr. Perchlor. . . . . ℥ij.  
Liq. Arsenici Hydrochlor. . . . . ℥xxiv.  
Glycerini . . . . . ℥ss.  
Inf. Calumbæ ad . . . . . ℥vj.  
M. Ft. Mist.  
Sig. A tablespoonful to be taken in  
water thrice daily after meals.

### 22. *Aneurism*

R̄ Pot. Iodidi . . . . . ℥iij.  
Spt. Ammon. Arom. . . . . ℥iv.  
Aq. Chloroformi ad . . . . . ℥vj.  
S. et M. Ft. Mist.  
Sig. A tablespoonful to be taken  
thrice daily well diluted.



23. *Angina Pectoris*

℞ Liq. Trinitrini . . . ℥ xij.  
 Spt. Vini Rectif. . . . . ℥ ss.  
 Aq. Menth. Pip. ad . . . ℥ iss.  
 M. Ft. Mist.

*Sig.* A teaspoonful to be taken in water thrice daily after meals.

24. *Angina Pectoris*

℞ Caps. Amyl. Nitr. . . . . ℥ v.  
 Mitte tales vj.

*Sig.* One to be broken and inhaled during the paroxysm.

25. *Apoplexy*

℞ Ol. Crotonis . . . . . ℥ j.  
 Ol. Olivæ . . . . . ℥ xxx.  
 M.

*Sig.* To be given immediately.

26. *Arthritis*

℞ Tinct. Iodi Fortis  
 Tinct. Iodi Mitis . . . . . āā ℥ ij.  
 M. Ft. Lin.

*Sig.* To be painted on the affected joint night and morning.



## 8 THE POCKET PRESCRIBER

### 27. *Ascaris Lumbricoides*

℞ Santonini . . . . grs. ij.  
 Sacch. Alb. . . . . grs. v.  
 M. Ft. Pulv. Mitte tales ij.  
*Sig.* One to be taken every other  
 night.

### 28. *Ascites*

℞ Pil. Hydrargyri . . . . grs. ij.  
 Pulv. Digitalis . . . . gr. ss.  
 Pulv. Scillæ . . . . gr. j.  
 M. Ft. Pil. Mitte tales xij.  
*Sig.* One to be taken thrice daily.

### 29. *Ascites*

℞ Elaterii . . . . gr.  $\frac{1}{10}$ .  
 Hydrarg. Subchlor. . . . grs. iij.  
 M. Ft. Pil. Mitte tales v.  
*Sig.* One to be taken at night.

### 30. *Ascites*

℞ Magnes. Sulph. . . . ℥iss.  
 Acid. Sulph. Dil. . . . ℥ij.  
 Aq. Menth. Pip. ad . . . ℥vj.  
 S. et M. Ft. Mist.  
*Sig.* Two tablespoonfuls in water  
 before breakfast.



31. *Asthma*

℞ Tr. Lobeliæ Æther. . . . ʒiij.  
 Vin. Ipecac. . . . ʒij.  
 Syr. Scillæ . . . . ʒiv.  
 Inf. Senegæ ad . . . . ʒvj.  
 M. Ft. Mist.

*Sig.* A tablespoonful thrice daily in water.

32. *Asthma*

℞ Pot. Iodid. . . . ʒij.  
 Ammon. Carb. . . . grs. 36.  
 Inf. Cascarillæ ad . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water three times a day after meals.

33. *Bedsore*

℞ Zinci Oxidi  
 Pulv. Acid. Borici . . . āā ʒss.  
 M. Ft. Pulv.

*Sig.* To be frequently dusted on the affected part.



34. *Blepharitis*

℞ Hydrarg. Oxid. Flav. . . grs. ij.  
 Ol. Olivæ . . . q.s.  
 Paraffin. Mollis . . . ℥ss.  
 M. Ft. Ung.

*Sig.* To be applied to the margins of the lids night and morning.

35. *Bradycardia*

℞ Tr. Belladonnæ . . . ℥iss.  
 Tr. Zingiberis . . . ℥ij.  
 Glycerini . . . ℥ss.  
 Aq. Menth. Pip. ad . . . ℥vj.  
 M. Ft. Mist.

*Sig.* A tablespoonful to be taken thrice daily after meals.

36. *Bronchiectasis*

℞ Creosoti . . . ℥v.  
 Ft. Capsul. Mitte tales xxiv.

*Sig.* One thrice daily after meals.

37. *Bronchiectasis*

℞ Mist. Creosoti . . . ℥vj.  
*Sig.* A tablespoonful thrice daily after meals.



38. *Bronchitis (Acute)*

℞	Vin. Ipecac. . . . .	℥ij.
	Liq. Ammon. Acet. . . . .	℥vj.
	Glycerini . . . . .	℥ss.
	Aq. Cinnamomi ad . . . . .	℥vj.
	M. Ft. Mist.	

*Sig.* A tablespoonful in water every four hours.

39. *Bronchitis (Acute)*

*(Or other chest affection in children)*

℞	Vin. Ipecac. . . . .	℥j.
	Liq. Ammon. Acetatis . . . . .	℥iij.
	Glycerini . . . . .	℥ij.
	Aq. Dest. ad . . . . .	℥iss.
	M. Ft. Mist.	

*Sig.* A teaspoonful in water every three or four hours.

40. *Bronchitis (Acute)*

℞	Vin. Ipecac. . . . .	℥ij.
	Spt. Ætheris Nitros. . . . .	℥iv.
	Glycerini . . . . .	℥iv.
	Aq. Dest. ad . . . . .	℥vj.
	M. Ft. Mist.	

*Sig.* A tablespoonful every four hours in water.



43. R Ammon Chlor  
Extr. Glycyrrhiz. Liq.  
Syrup. Linc

gr 60  
3iv

12 THE POCKET PRESCRIBER

Ag.

3vj

41. *Bronchitis (Acute)*

R Tr. Camph. Co. . . . 3iij.  
Vin. Ipecac. . . . 3ij.  
Syr. Scillæ . . . . 3iv.  
Infus. Senegæ ad . . . 3vj.

M. Ft. Mist.

Sig. A tablespoonful thrice daily in water.

42. *Bronchitis (Chronic)*

R Ammon. Carb. . . . grs. 48.  
Tr. Scillæ  
Spt. Chlorof. . . . āā 3ij.  
Inf. Senegæ ad . . . 3vj.

S. et M. Ft. Mist.

Sig. A tablespoonful in water thrice daily.

43. *Bronchitis (Chronic)*

R Ammon. Chlor. . . . grs. 60.  
Extr. Glycyrrhiz. Liq. . . 3iv.  
Tr. Hyoscyami . . . . 3iv.  
Inf. Senegæ ad . . . 3vi.

S. et M. Ft. Mist.

Sig. A tablespoonful in water three times a day.

To make salve. Use gum  
Chlor



44. *Bronchitis (Chronic)*

℞ Tr. Camph. Co. . . . . ℥ss.  
 Acid. Nitric. Dil. . . . . ℥ij.  
 Syr. Scillæ . . . . . ℥ss.  
 Aq. Dest. ad . . . . . ℥vj.  
 M. Ft. Mist.

*Sig.* A tablespoonful thrice daily in water.

45. *Bronchitis (Chronic)*

℞ Tereben. . . . . ℥v.  
 Ft. Capsul. Mitte tales xxiv.

*Sig.* One to be taken thrice daily after meals.

46. *Burns*

℞ Acid. Picric. . . . . grs. x.  
 Alcohol. Absol. . . . . ℥iiss.  
 Aq. Dest. ad . . . . . ℥iv.  
 S. et M. Ft. Lotio.

*Sig.* Strips of lint to be soaked in the lotion and applied frequently.



47. *Bursitis*

℞ Tinct. Iodi Fortis  
 Tinct. Iodi Mitis . . . āā ʒij.  
 M. Ft. Lin.  
*Sig.* To be painted on the affected  
 part night and morning.

48. *Chancre (Soft)*

℞ Hydrarg. Subchlor. . . ʒij.  
 Zinci Oxidi  
 Acid. Bor. Pulv. . . āā ʒiv.  
 M. Ft. Pulv.  
*Sig.* To be dusted on frequently over  
 the sore.

49. *Chlorosis*

℞ Ferr. Redact. . . grs. v.  
 Ft. Pulv. Mitte tales xxiv.  
*Sig.* One to be taken thrice daily  
 after meals.

50. *Chlorosis*

℞ Pil. Ferri . . . grs. v.  
 Mitte tales xxiv.  
*Sig.* One or two to be taken thrice  
 daily after meals.



51. *Chlorosis*

℞ Pil. Aloes et Ferri . . . grs. v.  
Mitte tales xxiv.  
*Sig.* One to be taken three times a  
day after meals.

52. *Cholera*

℞ Camphor. . . . grs. ij.  
Extr. Opii . . . . gr. ss.  
M. Ft. Pil. Mitte tales xij.  
*Sig.* One to be taken three times a  
day.

53. *Chorea*

℞ Liq. Arsenicalis . . . ℥ 48.  
Tr. Card. Co. . . . ʒiij.  
Aq. Dest. ad . . . ʒiij.  
M. Ft. Mist.  
*Sig.* A teaspoonful in water three  
times a day after meals.

54. *Chorea*

℞ Sod. Brom. . . . ʒiij.  
Liq. Arsenicalis . . . ℥ 48.  
Glycerini . . . ʒss.  
Aq. Cinnamomi ad . . . ʒvj.  
S. et M. Ft. Mist.  
*Sig.* A dessertspoonful in water thrice  
daily after meals.



55. *Cirrhosis (Hepatic)*

R <sub>x</sub>	Pot. Iodidi	.	.	.	3j.
	Ammon. Chlorid.	.	.	.	3ij.
	Glycerini	.	.	.	3ss.
	Inf. Chiratae ad	.	.	.	3vj.
	S. et M. Ft. Mist.				

*Sig.* A tablespoonful thrice daily in water after meals.

56. *Cirrhosis (Renal)*

R <sub>x</sub>	Tr. Ferr. Perchlor.	.	.	3iij.
	Tr. Nuc. Vom.	.	.	3ij.
	Glycerini	.	.	3ss.
	Inf. Calumbae ad	.	.	3vj.
	M. Ft. Mist.			

*Sig.* A tablespoonful well diluted after meals.

57. *Cirrhosis (Renal)*

R <sub>x</sub>	Ferri et Ammon. Citrat.	.	grs. 60.
	Tr. Nuc. Vom.	.	3ij.
	Glycerini	.	3ss.
	Inf. Quassiae ad	.	3vj.
	S. et M. Ft. Mist.		

*Sig.* A tablespoonful in water thrice daily after meals.



58. *Colic (Biliary)*

℞ Hydrarg. c. Cret. . . . grs. v.  
 Pulv. Ipec. Co. . . . gr. x.  
 M. Ft. Pulv.  
*Sig.* To be taken immediately.

59. *Colic (Intestinal)*

℞ Liq. Morphin. Hydrochlor. . ʒj.  
 Tr. Belladonn. . . . ʒiss.  
 Spt. Chlorof. . . . ʒij.  
 Aq. Menth. Pip. ad . . ʒiss.  
 M. Ft. Mist.  
*Sig.* A teaspoonful in water every  
 four hours till relieved.

60. *Colic (Renal)*

℞ Pulv. Opii . . . . gr. j.  
 Extr. Belladon. Vir. . . . gr. ¼.  
 M. Ft. Pil. Mitte tales iv.  
*Sig.* One to be taken immediately,  
 and the others as directed.



61. *Colitis*

℞ Ol. Ricini . . . . ʒiv.  
 Tinct. Opii . . . . ʒj.  
 Mucilag. Acaciæ . . . . q.s.  
 Aq. Cinnamomi ad . . . ʒvj.  
M. Ft. Mist.  
*Sig.* A tablespoonful to be taken  
 thrice daily.

62. *Coma (Diabetic)*

℞ Sod. Bicarb. . . . ʒiv.  
 Sod. Sulphat. . . . ʒiiij.  
 Glycerini . . . . ʒiv.  
 Aq. Menth. Pip. ad . . . ʒvj.  
S. et M. Ft. Mist.  
*Sig.* A tablespoonful in water every  
 two hours.

63. *Condyloma*

℞ Ung. Hydrarg.  
 Adipis Lanæ Hydros. . . āā ʒij.  
M. Ft. Ung.  
*Sig.* Apply a small piece at bedtime.



64. *Conjunctivitis (Simple)*

℞ Acid. Borici . . . . grs. xxx.  
 Aq. Dest. . . . . ℥ij.  
 S. Ft. Lotio.

*Sig.* Use as a lotion every two hours.

65. *Conjunctivitis (Purulent)*

Sol. Hydrarg. Perchlor. (1 in  
 4000) . . . . ℥ij.  
 Ft. Lotio.

*Sig.* Dilute with an equal part of  
 warm water and use every hour as a  
 lotion.

66. *Constipation*

℞ Pil. Colocynth. et Hyoscyami gr. v.  
 Mitte tales xij.

*Sig.* One at bedtime as required.

67. *Constipation*

℞ Aloin. . . . . gr.  $\frac{1}{8}$ .  
 Extr. Cascar. Sagrad. . . . grs. ij.  
 M. Ft. Pil. Mitte tales xij.

*Sig.* One to be taken at bedtime.



68. *Constipation*

℞ Tr. Nuc. Vom. . . . ʒij.  
 Tr. Belladonn. . . . ʒiss.  
 Extr. Cascar. Liq. . . . ʒij.  
 Aq. Menth. Pip. ad . . . ʒvj.  
 M. Ft. Mist.  
*Sig.* A tablespoonful in water after meals.

69. *Constipation*

℞ Magnes. Sulph. . . . ʒiss.  
 Acid. Sulph. Dil. . . . ʒij.  
 Aq. Menth. Pip. ad . . . ʒvj.  
 S. et M. Ft. Mist.  
*Sig.* A large tablespoonful in water before breakfast.

70. *Constipation*

℞ Pil. Hydrarg. . . . grs. v.  
 Mitte tales xij.  
*Sig.* One at bedtime, followed by a tablespoonful of No. 69 next morning.

71. *Constipation*

R Pulv. Glycyrrhiz. Co. . . . ʒj.  
 Sig. A teaspoonful at bedtime.

72. *Constipation (in Children)*

R Syr. Sennæ  
 Syr. Simplicis . . . āā ʒj. M.  
 Sig. A teaspoonful in water at bed-  
 time.

73. *Convulsions (Infantile)*

R Sod. Brom. . . . grs. iij.  
 Phenazoni . . . gr. j.  
 M. Ft. Pulv. Mitte tales vj.  
 Sig. One to be taken every four  
 hours.

74. *Corns*

R Acid. Salicyl. . . . ʒj.  
 Extr. Cannabis Indic. . . grs. xv.  
 Collod. Flexil. ad . . . ʒj.  
 M. Ft. Pigmt.  
 Sig. To be painted over the corn at  
 bedtime.



75. *Coryza*

℞ Tr. Aconiti . . . . ℥24.  
 Glycerini . . . . ℥ij.  
 Aq. Dest. ad . . . . ℥iss.  
 M. Ft. Mist.

*Sig.* A teaspoonful in water every  
 four hours.

76. *Cretinism*

℞ Thyroid. Sicc. . . . grs. ij.  
 Ft. Pulv. Mitte tales xxiv.

*Sig.* One to be taken thrice daily.

77. *Croup*

℞ Vin. Ipecac. . . . ℥j.

*Sig.* A teaspoonful to be given at  
 once to produce vomiting; to be  
 repeated as directed.

78. *Cystitis*

℞ Pot. Bicarb. . . . ℥iv.  
 Tr. Hyoscyami . . . . ℥iv.  
 Tr. Scillæ . . . . ℥ij.  
 Inf. Buchu ad . . . . ℥vj.  
 M. Ft. Mist.

*Sig.* A tablespoonful in water every  
 four hours.



79. *Cystitis*

℞ Salol . . . . . grs. x.  
                     Ft. Pulv. Mitte tales xxiv.  
*Sig.* One to be taken thrice daily.

80. *Dermatitis*

℞ Zinci Oxidi  
     Bismuth. Subnit. . . . . āā ʒij.  
     Paraffin. Moll. Alb. . . . . ʒj.  
   M. Ft. Ung.  
*Sig.* To be applied night and  
           morning.

81. *Diabetes Mellitus*

℞ Codeinæ Phosph. . . . . gr. ss.  
                     Ft. Pil. Mitte tales xxiv.  
*Sig.* One to be taken thrice daily.

82. *Diarrhœa (of Infants)*

℞ Hydrarg. Subchlor. . . . . gr.  $\frac{1}{6}$ .  
     Bismuth. Carb. . . . . grs. v.  
                     Ft. Pulv. Mitte tales ix.  
*Sig.* One to be taken three times a  
           day.



83. *Diarrhœa*

℞ Pil. Plumbi c. Opio . . . gr. v.  
 Mitte tales ij.  
*Sig.* One to be taken as directed.

84 *Diarrhœa*

℞ Tr. Opii . . . ʒij.  
 Bismuth. Carb. . . ʒiij.  
 Mucilag. Acaciæ . . . q.s.  
 Mist. Cretæ ad . . . ʒvj.  
 M. Ft. Mist.  
*Sig.* A tablespoonful in water thrice  
 daily.

85. *Dilatation (Cardiac)*

℞ Tr. Digitalis . . . ʒiss.  
 Spt. Chlorof. . . ʒij.  
 Aq. Cinnam. ad . . . ʒvj.  
 M. Ft. Mist.  
*Sig.* A tablespoonful in water three  
 times a day after meals.

(Very sweet)



86. *Dilatation (Gastric) [Gastrextasis]*

℞ Liq. Strychnin. Hydrochlor. . ʒj.  
 Tr. Zingiberis . . . ʒij.  
 Glycerini . . . ʒss.  
 Inf. Gent. Co. ad . . ʒvj.  
 M. Ft. Mist.

*Sig.* A tablespoonful in water after meals.

87. *Diphtheria*

℞ Spt. Vini Gallici . . . ʒj.  
*Sig.* Ten drops or more in water every two hours.

88. *Dropsy (Cardiac)*

℞ Pot. Acetatis . . . ʒiij.  
 Tr. Scillæ . . . ʒij.  
 Infus. Digitalis ad . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful to be taken in water thrice daily.

89. *Dropsy (Cardiac)*

℞ Pil. Hydrargyri  
 Pulv. Scillæ  
 Pulv. Digitalis . . . āā gr. j.  
 M. Ft. Pil. Mitte tales xij.

*Sig.* One to be taken three times a day.



90. *Dropsy (Renal)*

℞ Pulv. Jalapæ Co. . . . . grs. xl.  
Ft. Pulv. Mitte tales iij.  
Sig. One to be taken every morning.

91. *Dropsy (Renal)*

℞ Elaterii . . . . gr.  $\frac{1}{4}$   
Ft. Pil. Mitte tales iv.  
Sig. One to be taken before breakfast.

92. *Dysentery*

℞ Pulv. Cret. Aromat.  
Bismuth. Carb. . . . . āā grs. x.  
M. Ft. Pulv. Mitte tales vi.  
*Sig.* One to be taken every four  
hours.

93. *Dysmenorrhœa*

℞ Ammon. Brom. . . . ʒij.  
Spt. Ammon. Arom. . . . ʒiiij.  
Aq. Camphoræ ad . . . ʒvj.  
S. et M. Ft. Mist.  
Sig. A tablespoonful to be taken  
every four hours in water.



94. *Dyspepsia*

℞ Liq. Strychnin. Hydrochlor. . ℥ 36.  
 Acid. Hydrochlor. Dil. . ʒij.  
 Glycerini . . . ʒss.  
 Inf. Gent. Co. ad . . ʒvj.  
 M. Ft. Mist.

*Sig.* A tablespoonful in water after meals.

95. *Dyspepsia*

℞ Bismuth. Carb. . . ʒij.  
 Sod. Bicarb. . . ʒij.  
 Tr. Rhei Co. . . ʒj.  
 Mucilag. Acaciæ . . q.s.  
 Infus. Cascarillæ ad . . ʒvj.  
 M. Ft. Mist.

*Sig.* A tablespoonful in water thrice daily before meals.

96. *Dyspepsia*

℞ Tr. Nuc. Vom. . . ʒij.  
 Tr. Card. Co. . . ʒiij.  
 Glycerini . . . ʒss.  
 Inf. Calumbæ ad . . ʒvj.  
 M. Ft. Mist.

*Sig.* A tablespoonful in water after meals.



97. *Dyspnœa*

℞ Spt. Ætheris . . . . . ℥ss.  
 Spt. Ammon. Aromat. . . . . ℥j.  
 M. Ft. Mist.

*Sig.* A teaspoonful well diluted every  
 two or three hours.

98. *Dysuria*

℞ Pot. Citratis . . . . . ℥ij.  
 Tr. Hyoscyami . . . . . ℥ss.  
 Inf. Buchu ad . . . . . ℥vj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water every  
 four hours.

99. *Earache*

℞ Tr. Opii . . . . . ℥j.  
 Ol. Amygdalæ . . . . . ℥j.  
 M.

*Sig.* Apply a little on cotton wool,  
 and place in the ear.

100. *Eczema*

℞ Acid. Salicyl. . . . . grs. x.  
 Zinci Oxidi . . . . . ℥ij.  
 Paraffin. Mollis . . . . . ℥j.  
 M. Ft. Ung.

*Sig.* To be applied night and  
 morning.



101. *Eczema*

℞ Liq. Plumbi Subacetatis  
 Glycerini . . . āā ℥ss.  
 Aq. Dest. ad . . . ℥iij.  
 M. Ft. Lotio.

*Sig.* To be applied frequently with a camel's hair brush.

102. *Eczema*

℞ Calaminæ Præparat.  
 Acid. Bor. Pulv. . . āā ℥iij.  
 Glycerini . . . ℥j.  
 Liq. Calcis ad . . . ℥iij.  
 M. Ft. Lot.

*Sig.* To be applied night and morning with a camel's hair brush.

103. *Emphysema*

℞ Pot. Iodidi . . . ℥ij.  
 Ammon. Carb. . . grs. 48.  
 Tr. Strophanthi . . . ℥24.  
 Aq. Dest. ad . . . ℥vj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water thrice daily after meals.



104. *Endocarditis (Simple)*

R̄	Tr. Digitalis	.	.	.	℥ij.
	Tr. Capsici	.	.	.	℥30.
	Glycerini	.	.	.	℥ss.
	Aq. Chlorof. ad	.	.	.	℥iij.
					M. Ft. Mist.

*Sig.* A teaspoonful every four hours  
in water.

105. *Endocarditis (Malignant)*

R̄	Tr. Ferri Perchlor.	.	.	.	℥ij.
	Quin. Sulph.	.	.	.	grs. 48.
	Acid. Sulph. dil.	.	.	.	℥ij.
	Spt. Chloroformi	.	.	.	℥ij.
	Aq. Dest. ad	.	.	.	℥vj.
					S. et M. Ft. Mist.

*Sig.* A tablespoonful every four  
hours in water.

106. *Endometritis (Chronic)*

R̄	Pot. Iodid.	.	.	.	℥j.
	Pot. Brom.	.	.	.	℥ij.
	Liq. Arsenicalis	.	.	.	℥24.
	Aq. Cinnamomi ad	.	.	.	℥vj.
					S. et M. Ft. Mist.

*Sig.* A tablespoonful well diluted  
after meals.



107. *Enteric Fever*

℞ Hydrarg. Subchlor. . . gr. j.  
 Salol . . . grs. x.  
 M. Ft. Pulv. Mitte tales xxiv.  
*Sig.* One to be taken three times a  
 day.

108. *Enteritis*

℞ Bismuth. Subnit. . . ʒij.  
 Liq. Morph. Hydrochlor. . ʒj.  
 Mucilag. Acaciæ . . . q.s.  
 Mist. Cretæ ad . . . ʒvj.  
 M. Ft. Mist.  
*Sig.* A tablespoonful every four  
 hours in water.

109. *Enuresis*

℞ Tr. Belladonnæ . . . ʒij.  
 Aq. Menth. Pip. ad . . . ʒiij.  
 M. Ft. Mist.  
*Sig.* A teaspoonful in water thrice  
 daily.



110. *Epilepsy*

℞ Pot. Brom.  
 Sod. Brom.  
 Ammon. Brom. . . . āā ʒj.  
 Syr. Simplicis . . . . ʒss.  
 Aq. Dest. ad . . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water three times a day.

111. *Epistaxis*

℞ Aluminis  
 Acid. Tannic. . . . āā ʒij.  
 Trit. bene. M. Ft. Pulv.

*Sig.* A small quantity to be snuffed up the nostrils.

112. *Erysipelas*

℞ Tr. Ferri Perchlor. . . . ʒvj.  
 Glycerini . . . . ʒss.  
 Aq. Dest. ad . . . . ʒiiij.  
 M. Ft. Mist.

*Sig.* A teaspoonful to be taken in water every four hours.



113. *Erythema*

- ℞ Zinci Oxidi  
 Acid. Bor. Pulv.  
 Amyli . . . . . āā ℥ss.  
                                     Trite bene. M. Ft. Pulv.  
*Sig.* Use as a dusting powder.

114. *Erythema Nodosum*

- ℞ Liq. Plumbi Subacetatis  
 Tr. Opii . . . . . āā ℥ss.  
                                     M. Ft. Lotio.  
*Sig.* Strips of lint to be soaked in the  
 lotion and applied to the painful  
 parts.

115. *Erythema Pernio*

- ℞ Tr. Iod. Ammon. . . . ℥ss.  
*Sig.* To be painted on night and  
 morning.

116. *Exophthalmic Goitre*

- ℞ Tr. Digitalis . . . . ℥j.  
 Pot. Bromid. . . . . ℥iij.  
 Glycerini . . . . . ℥ss.  
 Inf. Gent. Co. ad . . . . ℥vj.  
                                     S. et M. Ft. Mist.  
*Sig.* A tablespoonful in water thrice  
 daily after meals.



117. *Face (Paralysis of)*

- ℞ Emplastr. Cantharidini . . . 1" × 1".  
 Sig. To be applied behind the ear  
 as directed.

118. *Fatty Heart*

- ℞ Tr. Strophanthi . . . ℥24.  
 Tr. Nuc. Vom. . . ʒij.  
 Aq. Dest. ad . . . ʒiss.  
 M. Ft. Mist.  
 Sig. A teaspoonful to be taken in  
 water three times a day after meals.

119. *Favus*

- ℞ Resorcin . . . grs. x.  
 Paraffin. Mollis . . . ʒj.  
 M. Ft. Ung.  
 Sig. To be applied night and morn-  
 ing.

120. *Fibroids (Uterine)*

- ℞ Extract. Ergot. Liq. . . ʒiss.  
 Sig. A teaspoonful thrice daily in  
 water.



121. *Flatulence*

℞ Sod. Bicarb. . . . ʒij.  
 Tr. Card. Co. . . . ʒss.  
 Aq. Menth. Pip. ad . . . ʒiiij.  
 S. et M. Ft. Mist.  
*Sig.* A dessertspoonful in water after meals.

122. *Furunculosis*

℞ Liq. Arsenicalis . . . m 36.  
 Tr. Card. Co. . . . ʒiiij.  
 Aq. Dest. ad . . . ʒiss.  
 M. Ft. Mist.  
*Sig.* A teaspoonful in water thrice daily after meals.

123. *Gastric Ulcer*

℞ Bismuth. Carb. . . . grs. xv.  
 Ft. Pulv. Mitte tales xxiv.  
*Sig.* One to be taken three times a day.

124. *Gonorrhœa*

℞ Zinci Sulph. . . . grs. xij.  
 Aq. Dest. . . . ʒvj.  
 M. Ft. Lotio.  
*Sig.* Use as an injection thrice daily.



125. *Gonorrhœa*

℞ Ol. Copaibæ . . . ℥x.  
 Ft. Caps. Mitte tales xxiv.  
*Sig.* One to be taken three times a  
 day after meals.

126. *Gout*

℞ Vin. Colchici . . . ʒj.  
 Pot. Bicarb. . . ʒij.  
 Glycerini . . . ʒss.  
 Inf. Cascarillæ ad . . . ʒvj.  
 S. et M. Ft. Mist.  
*Sig.* A tablespoonful in water thrice  
 daily after meals.

127. *Gumma*

℞ Pot. Iodidi . . . ʒij.  
 Spt. Ammon. Arom. . . ʒss.  
 Aq. Dest. ad . . . ʒvj.  
 S. et M. Ft. Mist.  
*Sig.* A tablespoonful well diluted  
 after meals.

128. *Hæmatemesis*

℞ Liq. Morph. Hydrochlor. . ʒj.  
 Aq. Dest. ad . . . ʒiss.  
 M. Ft. Mist.  
*Sig.* A teaspoonful every four hours.

129. *Hæmaturia*

℞ Tr. Hamamelidis . . . ʒvj.  
 Syr. Aurantii . . . ʒss.  
 Aq. Dest. ad . . . ʒvj.  
 M. Ft. Mist.

*Sig.* A tablespoonful every two hours  
 in water.

130. *Hæmophilia*

℞ Pot. Iodid. . . . ʒij.  
 Spt. Amm. Arom. . . . ʒss.  
 Inf. Chiratae ad . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A dessertspoonful in water after  
 meals.

131. *Hæmoptysis*

℞ Ol. Terebinthinæ . . . ℥x.  
 Ft. Caps. Mitte tales xij.

*Sig.* One to be taken thrice daily.

132. *Hæmorrhoids*

℞ Ung. Gallæ c. Opio . . . ʒj.  
*Sig.* To be applied night and morning.



133. *Hæmorrhoids*

℞ Pulv. Glycyrrhizæ Co. . . . . ʒj.  
*Sig.* A large teaspoonful at bedtime.

134. *Headache*

℞ Sod. Brom. . . . . grs. x.  
 Phenacetin. . . . . grs. v.  
 Caffein. Citr. . . . . grs. iij.  
 M. Ft. Pulv. Mitte tales iij.  
*Sig.* One to be taken as directed.

135. *Headache*

℞ Hydrarg. Subchlor. . . . . grs. v.  
 Ft. Pulv.  
*Sig.* To be taken at bedtime and  
 followed by a Seidlitz powder before  
 breakfast.

136. *Heartburn*

℞ Carbonis Ligni  
 Sod. Bicarb. . . . . āā grs. v.  
 M. Ft. Pulv. Mitte tales xij.  
*Sig.* One to be taken during each meal.



137. *Heart (Mitral Disease)*

℞ Tr. Strophanthi . . . ℥ 48.  
 Tr. Capsici . . . ℥ 30.  
 Aq. Dest. ad . . . ℥ iij.  
 M. Ft. Mist.

*Sig.* A teaspoonful in water thrice daily after meals.

138. *Heart (Aortic Disease)*

℞ Liq. Arsenicalis . . . ℥ j.  
 Tr. Nuc. Vom. . . ℥ iv.  
 Glycerini . . . ℥ ss.  
 Aq. Cinnamomi ad . . . ℥ vj.  
 M. Ft. Mist.

*Sig.* A dessertspoonful three times a day in water after meals.

139. *Hemiplegia*

℞ Pot. Iodid. . . . ℥ ij.  
 Ammon. Carb. . . . grs. 36.  
 Inf. Gent. Co. ad . . . ℥ vj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful well diluted after meals.



140. a. H. Facialis. when out treat  
as for I. contagiosa with Amm m  
To last: 2% AgNO<sub>3</sub>.

40 THE POCKET PRESCRIBER

I 30 days

140. Herpes Zoster (Small)

R̄ Zinci Oxidi

Pulv. Amyli . . . . āā ʒss.  
M. Ft. Pulv.

Sig. Use as a dusting powder.

141. Hiccough

R̄ Sod. Brom. . . . ʒij.

Sod. Bicarb. . . . ʒij.

Tr. Card. Co. . . . ʒss.

Aq. Menth. Pip. ad . . ʒvj.

S. et M. Ft. Mist.

Sig. A tablespoonful in water every four  
hours.

142. Hordeolum

R̄ Ung. Acid. Boric. . . . ʒss.

Sig. To be well rubbed in several times  
a day.

143. Hysteria

R̄ Sod. Brom. . . . ʒiij.

Tr. Valerian. Ammon. . . ʒij.

Aq. Dest. ad . . . . ʒvj.

S. et M. Ft. Mist.

Sig. A tablespoonful in water thrice  
daily.



144. a. Hydrous Ammon . . . grv  
Paraffin. Moll. . . 3j

THE POCKET PRESCRIBER 41

*If crust not dry, use the ant. when  
dry. Wash the crust off. - 6*

144. *Impetigo Contagiosa*

R Ung. Sulphuris  
Adipis Lanæ Hydros.

*Aceto Salicyl grs  
Ol Ol  
aa 3ss. 3j*

*Keep foot bare as possible*

Sig. To be applied night and  
morning.

*Remove crust with  
slane needle etc.*

145. *Infantile Paralysis*

R Emuls. Ol. Morrhuae . . . 3iij.

Sig. A teaspoonful thrice daily after  
meals.

146. *Influenza*

R Sod. Salicyl. . . . 3iij.  
Amm. Carb. . . . grs. 36.  
Tr. Aurantii . . . . 3ss.  
Aq. Dest. ad. . . . 3vj.

S. et M. Ft. Mist.

Sig. A tablespoonful every four hours  
in water.

147. *Insomnia*

R Trional . . . . grs. x.

Ft. Pulv. Mitte j.

Sig. To be taken in a glass of hot  
milk at bedtime.



148. *Intertrigo*

℞ Zinci Oxidi  
 Acid. Bor. Pulv.  
 Amyli . . . . . āā ʒss.  
 M. Ft. Pulv.

*Sig.* Use as a dusting powder.

149. *Iritis*

℞ Atropin. Sulph. . . . . grs. ij.  
 Aq. Dest. . . . . ʒss.  
 M. Ft. Lotio.

*Sig.* One drop to be placed in the eye twice daily.

150. *Keratitis*

℞ Acid. Bor. (Xtl.) . . . . . grs. xxx.  
 Aq. Dest. . . . . ʒiij.  
 M. Ft. Lotio.

*Sig.* Use for bathing the eye every hour.

151. *Laryngismus Stridulus*

℞ Sod. Brom. . . . . ʒj.  
 Chloral. Hydrat. . . . . grs. xij.  
 Syr. Tolut. . . . . ʒij.  
 Aq. Cinnam. ad . . . . . ʒiss.  
 S. et M. Ft. Mist.

*Sig.* A teaspoonful in water every three hours.



152. *Laryngitis (Acute)*

℞ Vin. Ipecac. . . . ʒij.  
 Tr. Camph. Co. . . . ʒiij.  
 Liq. Ammon. Acet.  
 Syr. Tolut. . . . āā ʒss.  
 Aq. Dest. ad . . . ʒvj.  
 M. Ft. Mist.

*Sig.* A tablespoonful in water every four hours.

153. *Laryngitis (Acute)*

℞ Tr. Benzoini Co. . . . ʒj.  
*Sig.* A teaspoonful in a pint of boiling water for inhalation.

154. *Laryngitis (Chronic)*

℞ Ol. Pini Sylvestr. . . . ℥xl.  
 Magnes. Carb. Lev. . . . grs. xx.  
 Aq. Dest. . . . ʒj.  
 M.

*Sig.* A teaspoonful in a pint of boiling water for inhalation.



155. *Laryngitis (Chronic)*

℞ Creosoti . . . . . ℥℥x.  
 Magnes. Carb. Levis . . . . . grs. xxx.  
 Aq. Dest. . . . . ℥j.

M.

*Sig.* A teaspoonful in a pint of boiling water for inhalation.

156. *Laryngitis (Tuberculous)*

℞ Menthol . . . . . grs. xx.  
 Ol. Olivæ . . . . . ℥j.

S.

*Sig.* To be applied locally twice daily.

157. *Leucocythæmia*

℞ Acid. Arseniosi . . . . . gr.  $\frac{1}{60}$ .  
 Extr. Nuc. Vom. . . . . gr.  $\frac{1}{4}$ .  
 Ferr. Sulph. Exsicc. . . . . gr. ij.

M. Ft. Pil. Mitte tales xxx.

*Sig.* One to be taken three times a day after meals.

158. *Leucorrhæa*

℞ Acid. Boric. Pulv. . . . . ℥ij.

*Sig.* A tablespoonful in a pint of hot water as a douche. To be used frequently.



159. *Leucorrhœa*

℞ Pot. Permang. . . . . grs. xx.  
 Aq. Dest. . . . . ℥viiij.  
 S. Ft. Lotio.

*Sig.* Use for swabbing the vagina  
 several times a day.

160. *Leucorrhœa*

℞ Aluminis . . . . . ℥ij.  
 Acid. Bor. Pulv. . . . . ℥vj.  
 M. Ft. Pulv.

*Sig.* A teaspoonful to a pint of water  
 as a douche. To be used night  
 and morning.

161. *Lumbago*

℞ Emplastr. Belladonn. . . . . 6" × 4".  
*Sig.* To be applied to the back.

162. *Lumbago*

℞ Lin. Terebinth. . . . . ℥ij.  
*Sig.* To be well rubbed in night and  
 morning.



163. *Lumbago*

℞ Pulv. Ipec. Co. . . . grs. v.  
 Salicin. . . . grs. x.  
 M. Ft. Pulv. Mitte tales ix.  
 Sig. One to be taken every four hours.

164. *Lupus Erythematosus*

℞ Ichthyol . . . . ℥iss.  
 Adip. Lanæ Hydros. . . . ℥j.  
 M. Ft. Ung.  
 Sig. To be applied night and morning.

165. *Lupus Vulgaris*

℞ Acid. Chromic. . . . grs. 30.  
 Aq. Dest. . . . ℥ss.  
 S. Ft. Pigmt.  
 Sig. To be applied locally.

166. *Lymphadenoma*

℞ Liq. Arsenicalis . . . . ℥ 72.  
 Tr. Card. Co. . . . ℥iij.  
 Aq. Dest. ad . . . . ℥iij.  
 M. Ft. Mist.  
 Sig. A teaspoonful in water three  
 times daily after meals.



167. *Lymphadenoma*

℞ Ung. Hydrarg. . . . . ʒss.  
 Adip. Lanæ Hydros. . . . . ʒj.  
 M. Ft. Ung.  
*Sig.* A small piece to be rubbed into  
 the affected glands at bedtime.

168. *Malaria*

℞ Quin. Sulph. . . . . grs. x.  
 Ft. Pulv. Mitte tales xij.  
*Sig.* One to be taken three times a  
 day.

169. *Malaria*

℞ Quin. Sulph. . . . . ʒij.  
 Acid. Sulph. Dil.  
 Syr. Aurantii . . . . . āā ʒss.  
 Aq. Cinnamomi ad . . . . . ʒvj.  
 S. et M. Ft. Mist.  
*Sig.* A dessertspoonful every four  
 hours in water.

170. *Mastitis*

℞ Lin. Belladonn. . . . . ʒss.  
*Sig.* To be painted on the affected  
 part two or three times a day.



171. *Mastitis*

℞ Quin. Sulph. . . . grs. iij.  
 Hydrarg. Subchlor. . . . grs. v.  
 M. Ft. Pulv.

*Sig.* To be taken at bedtime.

*Vag.*

172. *Measles*

℞ Vin. Ipecac. . . . ℥j.  
 Liq. Ammon. Acet. . . . ℥iij.  
 Glycerini . . . . ℥ss.  
 Aq. Dest. ad . . . . ℥iij.  
 M. Ft. Mist.

*Sig.* A teaspoonful in water every four hours.

173. *Menière's Disease*

℞ Pilocarpin. Nitratis . . . gr.  $\frac{1}{12}$ .  
 Extr. Nuc. Vom. . . . gr.  $\frac{1}{8}$ .  
 M. Ft. Pil. Mitte tales xij.

*Sig.* One to be taken three times a day.



174. *Meningitis (in Children)*

℞ Sod. Brom. . . . ʒij.  
 Chloral Hydrat. . . . grs. xxiv.  
 Syr. Aurantii . . . ʒss.  
 Aq. Dest. ad . . . ʒiiij.  
 S. et M. Ft. Mist.

*Sig.* A teaspoonful every four hours  
 in water.

175. *Meningitis (in Children)*

℞ Hydrarg. c. Cret. . . . gr. j.  
 Quin. Sulph. . . . gr. j.  
 Sacch. Lactis . . . grs. vj.  
 M. Ft. Pulv. Mitte tales vj.

*Sig.* One to be taken at bedtime.

176. *Menopause*

℞ Amm. Brom. . . . ʒij.  
 Tr. Nuc. Vom. . . . ʒij.  
 Glycerini . . . ʒss.  
 Inf. Cascarillæ ad . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water thrice  
 daily after meals.



177. *Menopause*

℞ Tr. Digitalis. . . . ʒj.  
 Pot. Brom. . . . ʒiij.  
 Syr. Simplicis . . . ʒss.  
 Aq. Dest. ad . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water thrice daily after meals.

178. *Menopause*

℞ Pil. Hydrarg.  
 Pil. Colocynth. et Hyoscyam. āā grs. iiss.  
 M. Ft. Pil. Mitte tales vj.

*Sig.* One to be taken every alternate night.

179. *Menorrhagia and Metrorrhagia*

℞ Extr. Ergot. Liq. . . . ʒvj.  
 Tr. Ferr. Perchlor. . . . ʒij.  
 Glycerini . . . ʒj.  
 Aq. Dest. ad . . . ʒvj.  
 M. Ft. Mist.

*Sig.* A tablespoonful well diluted three times a day after meals.



180. *Migraine*

℞ Phenacetin . . . grs. x.  
 Caffein. Citr. . . grs. iij.  
 M. Ft. Pulv. Mitte tales vj.  
*Sig.* One to be taken night and  
 morning.

181. *Migraine*

℞ Hydrarg. Subchlor. . . grs. v.  
 Phenazoni . . . grs. x.  
 M. Ft. Pulv. Mitte tales ij.  
*Sig.* One to be taken at bedtime.

182. *Mumps*

℞ Liq. Ammon. Acet. . . ℥ss.  
 Pot. Citratis . . . ℥j.  
 Aq. Cinnam. ad . . . ℥iij.  
 S. et M. Ft. Mist.  
*Sig.* A teaspoonful in water every  
 three or four hours.

183. *Mumps*

℞ Lin. Belladonn. . . ℥j.  
*Sig.* To be painted on night and  
 morning.



184. *Myelitis*

R̄ Pot. Iod. . . . ʒj.  
 Pot. Brom. . . . ʒij.  
 Extr. Ergot. Liq. . . ʒiij.  
 Glycerini . . . ʒss.  
 Aq. Dest. ad . . . ʒvj.  
 S. et M. Ft. Mist.  
*Sig.* A tablespoonful well diluted  
 thrice daily after meals.

185. *Myxædema*

R̄ Thyroid. Sicc. . . . grs. iij.  
 Ft. Pulv. Mitte tales xij.  
*Sig.* One to be taken thrice daily.

186. *Nephritis (Acute)*

R̄ Pot. Acet. . . . ʒss.  
 Syr. Scill. . . . ʒss.  
 Inf. Digitalis ad . . ʒvj.  
 S. et M. Ft. Mist.  
*Sig.* A tablespoonful in water thrice  
 daily after meals.

187. *Nephritis (Acute)*

R̄ Pulv. Jalap. Co. . . . grs. xl.  
 Mitte tales iij.  
*Sig.* One to be taken every morning  
 as directed.



188. *Nephritis (Acute)*

℞ Magnes. Sulph. . . . . ℥iss.  
 Acid. Sulph. Dil. . . . . ℥ij.  
 Aq. Menth. Pip. ad . . . . . ℥vj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in a wineglassful of water every morning before breakfast.

189. *Nephritis (Chronic)*

℞ Syr. Ferri Iodidi . . . . . ℥j.  
*Sig.* A teaspoonful in water thrice daily after meals.

190. *Nephritis (Chronic)*

℞ Tr. Ferr. Perchlor. . . . . ℥ij.  
 Tr. Nuc. Vom. . . . . ℥ij.  
 Glycerini . . . . . ℥j.  
 Inf. Quassiae ad . . . . . ℥vj.  
 M. Ft. Mist.

*Sig.* A tablespoonful well diluted thrice daily after meals.

191. *Neuralgia*

℞ Camphor.  
 Chloral Hydrat. . . . . āā ℥ij.  
 M. Ft. Pigmt.

*Sig.* To be painted over the painful part.



192. *Neuralgia*

℞ Quin. Sulph. . . . . grs. v.  
 Hydrarg. Subchlor. . . . . grs. iij.  
 M. Ft. Pulv. Mitte tales ij.  
*Sig.* One to be taken at bedtime.

193. *Neuralgia*

℞ Ferr. Sulph. Exsicc. . . . . grs. ij.  
 Quin. Sulph. . . . . gr. j.  
 Acid. Arsenios. . . . . gr.  $\frac{1}{60}$ .  
 M. Ft. Pil. Mitte tales xxx.  
*Sig.* One to be taken thrice daily after meals.

194. *Neurasthenia*

℞ Syr. Ferr. Phosphat. c. Quin.  
 et Strychnin. . . . . ℥iij.  
*Sig.* A small teaspoonful in water  
 three times a day after meals.

195. *Neurasthenia*

℞ Liq. Strychnin. Hydrochlor. . ℥iss.  
 Tr. Card. Co. . . . . ℥ss.  
 Aq. Dest. ad . . . . . ℥iij.  
 M. Ft. Mist.  
*Sig.* A teaspoonful in a wineglassful  
 of water to be sipped slowly three  
 times a day after meals.



196. *Neuritis*

℞ Phenazoni . . . . grs. viij.  
 Quin. Sulph. . . . grs. iij.  
 M. Ft. Pulv. Mitte tales xij.  
*Sig.* One to be taken three times a  
 day.

197. *Night Terrors*

℞ Sod. Brom. . . . ʒj.  
 Syr. Aurantii . . . ʒij.  
 Aq. Dest. ad . . . ʒiij.  
 S. et M. Ft. Mist.  
*Sig.* A dessertspoonful in water at  
 bedtime.

198. *Nipple (Fissure of)*

℞ Ung. Acid. Boric.  
 Ung. Zinci Oxidi . . . āā ʒss.  
 M. Ft. Ung.  
*Sig.* To be applied frequently on lint.

199. *Orchitis*

℞ Ung. Hydrarg. . . . ʒij.  
 Ung. Bellad. . . . ʒij.  
 Paraffin. Mollis . . . ʒss.  
 M. Ft. Ung.  
*Sig.* To be applied night and  
 morning.



200. *Orchitis*

℞ Liq. Plumbi Subacetatis . ℥ij.  
*Sig.* Use as directed for fomentations.

201. *Otorrhœa*

℞ Acid. Bor. (Xtl.) . . . grs. lx.  
 Aq. Dest. . . . ℥vj.  
 S. Ft. Lotio.  
*Sig.* Use for syringing the ear.

202. *Otorrhœa*

℞ Liq. Hydrogen. Peroxidi . ℥i  
 (10 Vols.)  
*Sig.* Ten to fifteen drops to be introduced into the ear after syringing.

203. *Oxyuris Vermicularis*

℞ Santonini . . . grs. ij.  
 Ft. Pulv. Mitte tales iij.  
*Sig.* One to be given every alternate night.

204. *Oxyuris Vermicularis*

℞ Sod. Chlorid. . . . ℥ss.  
 Aq. Dest. . . . ℥iij.  
 S. Ft. Solutio.  
*Sig.* Use as an enema at bedtime.



205. *Ozæna*

℞ Ichthyol . . . . ʒij.  
 Sod. Bibor. . . . grs. 36.  
 Aq. Dest. . . . ʒvj.  
 S. et M. Ft. Lotio.

*Sig.* Syringe the nose two or three times a day with the lotion after diluting with an equal quantity of hot water.

206. *Palpitation*

℞ Ferr. Sulph. Exsicc. . . . grs. iiss.  
 Pulv. Digitalis . . . . gr. ss.  
 M. Ft. Pil. Mitte tales xxiv.

*Sig.* One to be taken three times a day after meals.

207. *Palpitation*

℞ Tr. Digitalis . . . . ʒj.  
 Sod. Brom. . . . ʒij.  
 Inf. Gent. Co. ad . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water three times a day after meals.



Wetted with 1/40 Phenol  
Dilute: 4 or 2 Rm: Not inflam:

58 THE POCKET PRESCRIBER

Danger of gas: fine.

San Remo: 3 months the 1st. with  
208. Paraplegia *van der*

R<sub>x</sub> Pot. Iodid. . . . . 3ij.  
Sod. Brom. . . . . 3ij.  
Ammon. Brom. . . . . 3j.  
Aq. Dest. ad . . . . . 3vj.  
S. et M. Ft. Mist.

Sig. A small tablespoonful to be  
taken three times a day, well diluted,  
after meals.

209. *Pediculosis Capitis*

Ung. Hydrarg. Ammon.  
Paraffin. Mollis . . . . . āā 3ss.  
M. Ft. Ung.

Sig. To be applied at night.

210. *Pediculosis Corporis*

R<sub>x</sub> Acid. Carbol. Liq. . . . . 3j.  
Glycerini . . . . . 3j.  
Aq. Dest. ad . . . . . 3vj.  
M. Ft. Lotio.

Sig. To be applied night and  
morning.



211. *Pemphigus*

℞ Ung. Hydrarg. Oleat.  
 Adipis Lanæ Hydros. . āā ʒss.  
 M. Ft. Ung.  
*Sig.* To be applied night and morning.

212. *Pericarditis*

℞ Sod. Salicyl. . . . ʒiij.  
 Syr. Aurantii . . . ʒss.  
 Aq. Dest. ad . . . ʒvj.  
 S. et M. Ft. Mist.  
*Sig.* A tablespoonful in water three times a day.

213. *Pericarditis*

℞ Emplastr. Cantharidini . . 1" × 1"  
*Sig.* To be applied as directed.

214. *Periostitis*

℞ Liq. Plumbi Subacetatis  
 Tr. Opii . . . . āā ʒss.  
 M. Ft. Lotio.  
*Sig.* A few drops to be sprinkled on a fomentation cloth and applied frequently.



215. *Periostitis*

℞ Tr. Iodi Mitis  
 Tr. Iodi Fort. . . . āā ℥ij. M.

*Sig.* To be painted over the affected part.

216. *Peritonitis (Tuberculous)*

℞ Syr. Ferr. Iodidi . . . ℥iij.  
*Sig.* A small teaspoonful three times a day in water after meals.

217. *Peritonitis (Tuberculous)*

℞ Ichthyol . . . ℥ij.  
 Adipis Lanæ Hydros. . . ℥vj. M. Ft. Ung.  
*Sig.* To be well rubbed into the affected parts at bedtime.

218. *Pertussis*

℞ Tr. Belladonn. . . ℥ij.  
 Ammon. Brom. . . grs. 48.  
 Glycerini . . . ℥ss.  
 Aq. Cinnam. ad . . . ℥iij. S. et M. Ft. Mist.  
*Sig.* A teaspoonful in water three or four times daily.



219. *Pertussis*

℞ Phenazoni . . . . grs. ij.  
 Quin. Sulph. . . . gr. j.  
 Sacch. Alb. . . . grs. v.  
 M. Ft. Pulv. Mitte tales xij.  
*Sig.* One to be taken three times a  
 day.

220. *Pharyngitis*

℞ Glycerin. Acid. Tannic.  
 Glycerin. Acid. Boric . āā ℥ss.  
 M. Ft. Pigmt.  
*Sig.* To be painted on the throat  
 three times a day.

221. *Pharyngitis*

℞ Iodi . . . . grs. iv.  
 Pot. Iodidi . . . . grs. xx.  
 Glycerini . . . . ℥j.  
 M. Ft. Pigmt.  
*Sig.* To be painted on the throat  
 night and morning.

222. *Phlebitis*

℞ Lin. Belladonn. . . . ℥ss.  
*Sig.* To be painted over the affected  
 parts night and morning.



223. *Pleurisy*

℞ Tr. Iodi Mitis  
 Tr. Iodi Fort. . . . āā ʒij. M.

*Sig.* To be painted on the chest at  
 bedtime.

224. *Pleurisy*

℞ Liq. Ammon. Acet. . . . ʒvj.  
 Spt. Æther. Nitros. . . . ʒij.  
 Spt. Chloroformi . . . . ʒij.  
 Aq. Menth. Pip. ad . . . . ʒvj.  
 M. Ft. Mist.

*Sig.* A tablespoonful in water every  
 four hours.

225. *Pleurodynia*

℞ Salicin . . . . . grs. x.  
 Ft. Pulv. Mitte tales vj.

*Sig.* One to be taken every four hours.

226. *Pneumonia*

℞ Ammon. Chlor. . . . . grs. 60.  
 Spt. Chlorof. . . . . ʒij.  
 Tr. Scillæ . . . . . ʒij.  
 Inf. Quillaiaæ ad . . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water every  
 four hours.



227. *Pneumonia*

Tr. Strophanthi	.	.	.	℥48.
Spt. Ætheris	.	.	.	℥iij.
Glycerini	.	.	.	℥ss.
Aq. Chloroformi ad	.	.	.	℥iij.

M. Ft. Mist.

*Sig.* A teaspoonful every four hours  
in water.

228. *Pneumonia (Lobular)*  
(in Children)

℞ Liq. Ammon. Acet.	.	.	.	℥vj.
Vin. Ipecac.	.	.	.	℥ij.
Aq. Dest. ad	.	.	.	℥iij.

M. Ft. Mist.

*Sig.* A teaspoonful in water every four  
hours.

229. *Pruritus Ani*

℞ Ung. Acid. Carbol.	.	.	.	℥ij.
Paraffin. Mollis	.	.	.	℥vj.

M. Ft. Ung.

*Sig.* To be applied at bedtime.



230. *Pruritus Vulvæ*

℞ Sod. Bibor.  
 Aluminis . . . . āā ʒi.  
 Aq. Dest. ad . . . . ʒviij.  
 M. Ft. Lotio.  
*Sig.* Bathe the parts night and morning.

231. *Psoriasis*

℞ Ung. Picis Liq. . . . ʒij.  
 Adip. Lanæ Hydros. . . . ʒvj.  
 M. Ft. Ung.  
*Sig.* To be applied night and morning.

232. *Psoriasis*

℞ Acid. Chrysophan. . . . grs. x.  
 Adipis Benzoat. . . . ʒj.  
 M. Ft. Ung.  
*Sig.* To be applied night and morning.

233. *Pulmonary Tuberculosis*

℞ Guaiacol Carb. . . . grs. x.  
 Ft. Pulv. Mitte tales xij.  
*Sig.* One to be taken thrice daily.



234. *Pulmonary Tuberculosis*

℞ Acid. Nitric. Dil. . . . . ʒij.  
 Acid. Hydrocyan. Dil. . . . . ℥ 24.  
 Glycerini . . . . . ʒss.  
 Inf. Quassiaæ ad . . . . . ʒvj.  
 M. Ft. Mist.

*Sig.* A tablespoonful three times a day in water after meals.

235. *Pulmonary Tuberculosis*

℞ Codein. Phosphat. . . . . gr. ʒ.  
 Ft. Pil. Mitte tales xxiv.

*Sig.* One to be taken three times a day.

236. *Purpura*

℞ Ol. Terebinth. . . . . ℥ viij.  
 Ft. Caps. Mitte tales xxiv.

*Sig.* One to be taken thrice daily after meals.

237. *Pyelitis (in Children)*

℞ Pot. Citratis . . . . . ʒiij.  
 Pot. Acetatis . . . . . ʒiij.  
 Glycerini . . . . . ʒss.  
 Aq. Dest. ad . . . . . ʒiij.  
 S. et M. Ft. Mist.

*Sig.* A teaspoonful in water every four hours.



238. *Raynaud's Disease*

℞ Liq. Trinitrini . . . ℥xxiv.  
 Spt. Vini Rectif. . . . . ℥ss.  
 Aq. Menth. Pip. ad . . . . . ℥iij.  
 M. Ft. Mist.

*Sig.* A teaspoonful in water three times a day after meals.

239. *Rheumatism (Acute)*

℞ Sod. Salicyl. . . . . ℥iij.  
 Syr. Aurantii . . . . . ℥ss.  
 Aq. Dest. ad . . . . . ℥vj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water every four hours.

240. *Rheumatism (Acute)*

℞ Acid. Acetyl-salicyl. . . . . grs. x.  
 Ft. Pulv. Mitte tales xxiv.

*Sig.* One to be taken every four hours in lemonade.

241. *Rheumatism (Chronic)*

℞ Sod. Iodid. . . . . ℥ij.  
 Sod. Salicyl. . . . . ℥iij.  
 Glycerini . . . . . ℥ss.  
 Inf. Gent. Co. ad . . . . . ℥vj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful well diluted thrice daily after meals.



242. *Rheumatism (Chronic)*

℞ Ol. Gaultheriæ . . . . . ʒj.  
*Sig.* To be rubbed into the affected joints night and morning.

243. *Rheumatism (Gonorrhœal)*

℞ Tr. Iodi Fort. . . . . ʒss.  
*Sig.* To be painted over the affected joints at bedtime.

244. *Rheumatoid Arthritis*

℞ Cin. Salicyl. . . . . grs. x.  
 Ft. Pulv. Mitte tales xxiv.  
*Sig.* One to be taken three times a day after meals.

245. *Rickets \**

℞ Emuls. Ol. Morrhuæ . . . . . ʒiij.  
*Sig.* A teaspoonful three times a day after meals.

\* Patent and Proprietary Emulsions should never be prescribed; nor should Petroleum ever be substituted for Cod Liver Oil.



246. *Rickets*

℞ Syr. Calcii Lactophosph. . ℥iij.  
*Sig.* Half a teaspoonful in water  
 thrice daily after meals.

247. *Rötheln*

℞ Liq. Ammon. Acet. . . ℥vj.  
 Glycerini . . . ℥ss.  
 Aq. Anisi ad . . . ℥iij.  
 M. Ft. Mist.  
*Sig.* A teaspoonful every four hours  
 in water.

248. *Scabies*

℞ Ung. Sulphuris  
 Paraffin. Mollis . . . āā ℥ss.  
 M. Ft. Ung.  
*Sig.* To be rubbed into the affected  
 parts at bedtime.

249. *Scarlet Fever*

℞ Tr. Aconiti . . . ℥48.  
 Sod. Citratis . . . ℥iij.  
 Aq. Dest. ad . . . ℥iij.  
 S. et M. Ft. Mist.  
*Sig.* A teaspoonful thrice daily in  
 water.



250. *Scarlet Fever*

℞ Glycerin. Acid. Carbol. . ʒj.  
 Glycerini . . . ʒviij.  
 M. Ft. Pigmt.  
*Sig.* To be painted on the throat  
 three or four times a day.

251. *Sciatica*

℞ Emplastr. Menthol . . 6" × 6".  
*Sig.* To be applied as directed.

252. *Sciatica*

℞ Salicin . . . . grs. x.  
 Pulv. Ipec. Co. . . . grs. v.  
 M. Ft. Pulv. Mitte tales xij.  
*Sig.* One to be taken three times a  
 day.

253. *Scorbutus*

℞ Succ. Limonis . . . ʒiiij.  
*Sig.* A teaspoonful to be taken in  
 water several times a day.

254. *Scorbutus*

℞ Pot. Chlorat. . . . ʒj.  
 Ft. Pulv.  
*Sig.* Half a teaspoonful to be dis-  
 solved in a cupful of water, and used  
 as a mouth wash.



255. *Seborrhœa Capitis*

℞ Sulphur. Præcip. . . . ʒj.  
 Acid. Boric. . . . grs. xxx.  
 Paraffin. Mollis . . . ʒj.  
 M. Ft. Ung.

*Sig.* To be applied to the scalp night  
 and morning.

256. *Stomatitis (Simple)*

℞ Hydrarg. c. Cret. . . . gr. ss.  
 Sod. Bicarb. . . . grs. v.  
 M. Ft. Pulv. Mitte tales xij.

*Sig.* One to be taken thrice daily.

257. *Stomatitis (Simple)*

℞ Glycerin. Acid. Borici . . . ʒss.

*Sig.* To be painted frequently over  
 the affected parts.

258. *Stomatitis (Ulcerative)*

℞ Aluminis . . . . grs. 60.  
 Pot. Chlor. . . . grs. 60.  
 Tr. Myrrh. . . . ʒss.  
 Aq. Dest. ad . . . ʒvj.  
 S. et M.

*Sig.* Use as a mouth wash.



259. *Syncope*

℞ Spt. Ammon. Arom. . . . ʒss.  
 Spt. Ætheris . . . . ʒij.  
 Aq. Dest. ad . . . . ʒij.  
 M. Ft. Mist.

*Sig.* A teaspoonful every two or three hours in water.

260. *Synovitis*

℞ Tr. Iodi Mitis  
 Tr. Iodi Fort. . . . āā ʒij.  
 M.

*Sig.* To be painted over the affected part at bedtime.

261. *Synovitis*

℞ Liq. Epispastic. . . . ʒij.  
*Sig.* To be painted on the affected part as directed.

262. *Syphilis (Acquired)*

℞ Hydrarg. c. Cret. . . . gr. j.  
 Ferr. Sulph. Exsicc. . . . grs. ij.  
 M. Ft. Pil. Mitte tales xxiv.

*Sig.* One to be taken thrice daily after meals.



263. *Syphilis (Acquired)*

℞ Liq. Hydrarg. Perchlor. . ʒvj.  
 Pot. Iodid. . . . . ʒj.  
 Spt. Ammon. Aromat. . . ʒss.  
 Inf. Chiratae ad . . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful well diluted  
 thrice daily after meals.

264. *Syphilis (Congenital)*

℞ Hydrarg. c. Cret. . . . . gr. ss.  
 Sacch. Lactis . . . . . grs. v.  
 M. Ft. Pulv. Mitte tales xxiv.

*Sig.* One to be taken two or three  
 times a day.

265. *Syphilis (Congenital)*

℞ Ung. Hydrargyri  
 Adip. Lanæ Hydros. . . āā ʒss.  
 M. Ft. Ung.

*Sig.* A small piece to be rubbed in  
 as directed at bedtime.



266. *Tachycardia*

℞ Tr. Belladonn. . . . ʒiss.  
 Sod. Brom. . . . ʒiij.  
 Aq. Dest. ad . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water three times daily after meals.

267. *Tachycardia*

℞ Tr. Strophanthi . . . ℥ 48.  
 Liq. Arsenicalis . . . ℥ 36.  
 Glycerini . . . ʒss.  
 Aq. Menth. Pip. ad . . ʒiij.  
 M. Ft. Mist.

*Sig.* A teaspoonful thrice daily in water after meals.

268. *Tapeworm*

℞ Extr. Filicis Liq. . . . ʒj.  
 Mucil. Acaciæ  
 Syr. Simplicis . . . āā ʒss.  
 Aq. Cinnam. ad . . . ʒij.  
 M. Ft. Haustus

*Sig.* To be taken after fasting.



269. *Tapeworm*

℞ Pulv. Kamalæ . . . grs. xxx.  
 Syr. Zingiberis . . . ʒj.  
 Mucil. Tragacanth. . . ʒj.  
 Aq. Dest. ad . . . ʒj.  
 M. Ft. Haustus.

*Sig.* To be taken on an empty stomach.

270. *Tetany*

℞ Sod. Brom. . . . grs. v.  
 Phenazoni . . . . gr. j.  
 M. Ft. Pulv. Mitte tales viij.

*Sig.* One to be taken night and morning.

271. *Tetany*

℞ Ol. Morrhuæ . . . ʒij.

*Sig.* Ten drops to be given after meals.

272. *Tinea Barbæ*

℞ Ung. Hydrarg. Ammon. . ʒss.  
 β Naphthol . . . ʒss.  
 Paraffin. Mollis . . . ʒj.  
 M. Ft. Ung.

*Sig.* To be applied night and morning.



273. *Tinea Circinata*

R Ung. Hydrarg. Ammon. . ʒss.  
 Sig. To be rubbed on night and morning.

274. *Tinea Circinata*

R Tr. Iodi Fort. . . ʒss.  
 Sig. To be painted over the affected part at bedtime.

275. *Tinea Tonsurans*

R Ung. Sulphuris  
 Ung. Hydrarg. Ammon. āā ʒss.  
 M. Ft. Ung.  
 Sig. To be applied night and morning.

276. *Tinea Tonsurans*

R Ung. Hydrarg. Nitrat. Dil. . ʒj.  
 Sig. To be rubbed into the affected part night and morning.



277. *Tinnitus Aurium*

℞ Sod. Brom. . . . . ʒiij.  
 Liq. Arsenicalis . . . . . ℥ 24.  
 Aq. Dest. ad . . . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water night  
 and morning.

278. *Tonsillitis*

℞ Hydrarg. Subchlor.  
 Quin. Sulph. . . . . āā grs. v.  
 Ft. Pulv.

*Sig.* To be taken at bedtime.

279. *Tonsillitis*

℞ Tr. Aconiti . . . . . ℥ 30.  
 Aq. Dest. ad . . . . . ʒiss.  
 M. Ft. Mist.

*Sig.* A teaspoonful in water every  
 four hours.

280. *Tonsillitis*

℞ Glycerin. Acid. Tannic. . . . . ʒiij.  
 Glycerin. Acid. Carbol. . . . . ʒj.  
 Glycerini . . . . . ʒss.  
 M. Ft. Pigmt.

*Sig.* Paint on the throat three or  
 four times a day.



281. *Torticollis (Rheumatic)*

℞ Salicin . . . . . grs. x.  
                     Ft. Pulv. Mitte tales xij.  
*Sig.* One to be taken every four  
       hours.

282. *Torticollis (Rheumatic)*

℞ Lin. Terebinth. . . . . ℥ij.  
*Sig.* To be rubbed into the neck  
       night and morning.

283. *Typhus Fever*

℞ Tr. Strophanthi . . . . . ℥24.  
   Spt. Ammon. Arom. . . . . ℥ss.  
   Glycerini . . . . . ℥ss.  
   Aq. Dest. ad . . . . . ℥vj.  
                                     M. Ft. Mist.  
*Sig.* A tablespoonful in water every  
       four hours.

284. *Uræmia*

℞ Elaterii . . . . . gr. ¼.  
                     Ft. Pil. Mitte tales iv.  
*Sig.* One to be taken every morning.



285. *Uræmia*

℞ Sod. Brom. . . . . grs. v.  
Ft. Pulv. Mitte tales xij.  
*Sig.* One to be taken every two hours.

286. *Urticaria*

℞ Ung. Hydrarg. Ammon. . ʒij.  
Paraffin. Mollis . . . ʒvj.  
M. Ft. Ung.  
Sig. To be applied night and morning.

287. *Urticaria*

℞ Sulphuris Præcip.  
Acid. Bor. Pulv. . . . . āā ʒss.  
M. Ft. Pulv.  
*Sig.* To be dusted on the under-  
clothing.

288. *Varicella*

R	Liq. Ammon. Acet.	.	.	3vj.
	Glycerini	.	.	3ss.
	Aq. Dest. ad	.	.	3iij.
				M. Ft. Mist.

*Sig.* A teaspoonful every four hours  
in water.



289. *Varicella*

℞ Ung. Hydrarg. Ammon. . ʒij.  
 Ung. Acid. Boric. . ʒij.  
 Paraff. Mollis Alb. . ʒss.  
 M. Ft. Ung.  
*Sig.* To be applied night and morning.

290. *Variola*  
*(To prevent pitting)*

℞ Collod. Flexil. . . ʒss.  
*Sig.* To be painted on at bedtime.

291. *Vertigo*

℞ Sod. Brom. . . ʒij.  
 Ammon. Brom. . . ʒj.  
 Aq. Dest. ad . . ʒvj.  
 S. et M. Ft. Mist.  
*Sig.* A tablespoonful in water thrice daily after meals.

292. *Vertigo*

℞ Hydrarg. Subchlor. . . grs. v.  
 Pulv. Jalap. Co. . . grs. xx.  
 M. Ft. Pulv. Mitte tales iij.  
*Sig.* One to be taken every other night.



293. *Vertigo*

℞ Sod. Bicarb. . . . . ʒij.  
 Tr. Rhei Co. . . . . ʒj.  
 Spt. Ammon. Arom. . . . . ʒss.  
 Aq. Menth. Pip. ad . . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water three times a day before meals.

294. *Verruca*

℞ Liq. Arsenicalis . . . . . ℥ 24.  
 Aq. Menth. Pip. ad . . . . ʒiss.  
 M. Ft. Mist.

*Sig.* A teaspoonful in water three times a day after meals.

295. *Verruca*

℞ Acid. Acetic. Glacial. . . . ʒij.  
*Sig.* One drop to be applied at bedtime.

296. *Vomiting (in Children)*

℞ Bismuth. Carb. . . . . ʒij.  
 Mucilag. Acaciæ . . . . . q.s.  
 Aq. Cinnamomi ad . . . . ʒiij.  
 M. Ft. Mist.

*Sig.* A teaspoonful in water every three hours.



297. *Vomiting*

℞ Bismuth. Subnit. . . . . ℥iij.  
 Acid. Hydrocyan. Dil. . . . . ℥xxiv.  
 Mucilag. Acaciæ . . . . . q.s.  
 Aq. Menth. Pip. ad . . . . . ℥vj.  
 M. Ft. Mist.

*Sig.* A tablespoonful in water every four hours.

298. *Vomiting (of Pregnancy)*

℞ Sod. Brom. . . . . ℥ij.  
 Caffein. Citrat. . . . . grs. 36.  
 Glycerini . . . . . ℥ss.  
 Aq. Menth. Pip. ad . . . . . ℥vj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful three times a day in water.

299. *Vulvitis*

℞ Acid. Boric. . . . . ℥j.  
 Glycerini . . . . . ℥vj.  
*Sig.* A tablespoonful in a pint of water to be used as an injection.



300. *Vulvitis*

℞ Sol. Hydrarg. Perchlor. (1 in 2000) ℥vj.  
Ft. Lotio.

*Sig.* Dilute with an equal part of warm water and use as an injection.

## ADDITIONAL PRESCRIPTIONS

301. *Debility*

(As a general tonic, *e.g.* after influenza, rheumatism, etc.)

℞ Tr. Nuc. Vom. . . . . ℥j.  
Tr. Gentian . . . . . ℥iij.  
Spt. Chloroformi . . . . . ℥ij.  
Infus. Aurantii ad . . . . . ℥vj.  
M. Ft. Mist.

*Sig.* A tablespoonful in water thrice daily before meals.

302. *Debility*

℞ Ferr. Redact. . . . . grs. iij.  
Ext. Nuc. Vom. Sicc. . . . . gr.  $\frac{1}{4}$   
M. Ft. Pil. Mitte tales xxiv.

*Sig.* One to be taken thrice daily after meals.



303. *Diarrhœa*

℞ Bismuth. Salicyl. . . . ʒij.  
 Liq. Morph. Hydrochlor. . . ʒj.  
 Mucilag. Acac. . . . . q.s.  
 Aq. Anethi ad . . . . ʒvj.  
 Misce, Ft. Mist.

*Sig.* A tablespoonful in water every four hours.

304. *Enuresis*

℞ Sod. Brom. . . . . ʒij.  
 Tr. Belladonnæ . . . . ʒij.  
 Extr. Glycyrrhiz. Liq. . . ʒiv.  
 Aq. Cinnamomi ad . . . ʒiij.  
 S. et M. Ft. Mist.

*Sig.* A teaspoonful in water three times a day between meals.

305. *Influenza*

℞ Tinct. Quin. Ammon. . . ʒj.

*Sig.* A teaspoonful in water every four hours.



306. *Influenza*

℞ Sod. Salicyl. . . . ʒij.  
 Tinct. Aurantii . . . ʒiij.  
 Aq. Cinnam. ad . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water every three or four hours.

307. *Insomnia*

℞ Sod. Brom. . . . ʒiv. ~~℥~~ ʒ  
 Chloral Hydratis . . . ʒj.  
 Aq. Chloroformi ad . . . ʒvj.  
 S. et M. Ft. Mist.

*Sig.* A tablespoonful in water at bedtime.

308. *Marasmus (in Infants)*

℞ Thyroid. Sicc. . . .  
 Hydrarg. c̄. Cret. . . . āā gr. ¼  
 Sacch. Lactis . . . q.s.  
 M. Ft. Pulv. Mitte tales xij.

*Sig.* One to be taken night and morning.

309. *Scorbutus*

℞ Calcii Lactat. . . . grs. x.  
 Ft. Pulv. Mitte tales xij.

*Sig.* One to be taken thrice daily after food.



## USEFUL RECIPES

### *Linseed Poultice*

Warm a large bowl or a basin. Pour into it a cupful of boiling water. Add linseed meal, stirring well until a fairly stiff paste is produced. Spread this quickly on linen. Apply to the patient, and cover with flannel so as to retain the heat.

### *Mustard and Linseed Poultice*

Mix two or three tablespoonfuls each of linseed meal and mustard in a bowl or basin. Add boiling water until of a suitable, paste-like consistence. Spread and apply as for a linseed poultice.

### *Starch Poultice*

Add a tablespoonful of ordinary starch to a pint of boiling water. When the starch has dissolved and cooled spread the mixture on linen, and cover with muslin. Apply to the affected part.



*Fomentations*

Place a piece of flannel in a bowl of boiling water. Lift the wet flannel out with a towel and wring it well. Place the flannel over the affected part, and cover with cotton wool, or better with pink jaconette.

Fomentations may be medicated by sprinkling lightly over the surface of the moist flannel one or other of the following:—

1. Turpentine (as a counter-irritant).
2. Lead and opium lotion (as a sedative).
3. Tinct. Opii (as a sedative).

*Emetics*

The following is a list of useful emetics always readily obtainable:—

1. Mustard and water.  $\mathfrak{zss}$  of mustard in  $\mathfrak{z}$ x of warm water.
2. Salt and water.  $\mathfrak{zj}$  of salt in  $\mathfrak{z}$ x of warm water.
3. Vinum Ipecacuanhæ.  $\mathfrak{zj}$  to  $\mathfrak{zss}$  in  $\mathfrak{zj}$  to  $\mathfrak{ziii}$  of water.



*Enemata*

The most generally useful enemata are the following :—

1. Soap and water. An ounce of soap in a pint of warm water.
2. Olive oil. From six to ten ounces of warm olive oil.
3. Castor oil. An ounce of castor oil and seven ounces of olive oil.
4. Starch and Opium. From two to three ounces of thin starch and thirty drops of Tinct. Opii.
5. Glycerine. From one drachm to half an ounce may be given alone, or added to the olive oil enema.

*Beef Tea*

Cut some lean beef into shreds. Place in a saucepan with cold water, and let it cook very slowly for three or four hours. Add salt to flavour. Skim off the fat and strain. (N.B. It must never be allowed to boil.)



*Raw Meat Juice*

Finely mince some steak. Place in a jar containing cold water in the proportion of one part of water to four of meat. Let it soak for half an hour. Press out the juice through muslin.

*Barley Water*

Wash two teaspoonfuls of pearl barley. Place in a saucepan. Add a pint of cold water. Boil slowly down to two-thirds of a pint. Strain, and store in a covered jug.

N.B.—Barley water does not keep well, and must be prepared several times a day to ensure absolute freshness.

*Whey*


Heat a pint of milk to about the temperature of the body. Add a teaspoonful of essence of rennet. Break up the curd, and strain off the whey through muslin.



*Sherry Whey*

Heat half a pint of milk short of boiling. Add a wineglassful of sherry. Heat again until the mixture just boils. Stand aside for five minutes, breaking up the curd. Strain off the whey through muslin.







## INDEX OF DISEASES

- Acne Rosacea, 4  
    Vulgaris, 1, 2, 3  
Addison's Disease, 5, 6  
Adenitis, 7  
After-Pains, 8  
Alcoholism, 9, 10  
Alopecia, 11, 12, 13  
Amenorrhœa, 14, 15  
Anæmia, Pernicious, 20, 21  
    Simple, 16, 17, 18, 19  
Aneurism, 22  
Angina Pectoris, 23, 24  
Apoplexy, 25  
Arthritis, 26  
Ascaris Lumbricoides, 27  
Ascites, 28, 29, 30  
Asthma, 31, 32  
  
Bedsore, 33  
Blepharitis, 34  
Bradycardia, 35  
Bronchiectasis, 36, 37



## 92 THE POCKET PRESCRIBER

Bronchitis, Acute, 38, 39, 40, 41

Chronic, 42, 43, 44, 45

Burns, 46

Bursitis, 47

Chancre, 48

Chlorosis, 49, 50, 51

Cholera, 52

Chorea, 53, 54

Cirrhosis, Hepatic, 55

Renal, 56, 57

Colic, Biliary, 58

Intestinal, 59

Renal, 60

Colitis, 61

Coma, Diabetic, 62

Condyloma, 63

Conjunctivitis, 64, 65

Constipation, 66, 67, 68, 69, 70, 71, 72

Convulsions, Infantile, 73

Corns, 74

Coryza, 75

Cretinism, 76

Croup, 77

Cystitis, 78, 79

Debility, 301, 302

Dermatitis, 80

Diabetes Mellitus, 81

Diarrhoea, 82, 83, 84, 303

Dilatation, Cardiac, 85



- Dilatation, Gastric, 86
- Diphtheria, 87
- Dropsy, 88, 89, 90, 91
- Dysentery, 92
- Dysmenorrhœa, 93
- Dyspepsia, 94, 95, 96
- Dyspnœa, 97
- Dysuria, 98
  
- Earache, 99
- Eczema, 100, 101, 102
- Emphysema, 103
- Endocarditis, Simple, 104
  - Ulcerative, 105
- Endometritis, 106
- Enteric Fever, 107
- Enteritis, 108
- Enuresis, 109, 304
- Epilepsy, 110
- Epistaxis, 111
- Erysipelas, 112
- Erythema, Simple, 113
  - Nodosum, 114
  - Pernio, 115
- Exophthalmic Goitre, 116
  
- Facial Paralysis, 117
- Fatty Heart, 118
- Favus, 119
- Fibroids, Uterine, 120



## 94 THE POCKET PRESCRIBER

Flatulence, 121  
Furunculosis, 122

Gastric Ulcer, 123  
Gonorrhœa, 124, 125  
Gout, 126  
Gumma, 127

Hæmatemesis, 128  
Hæmaturia, 129  
Hæmophilia, 130  
Hæmoptysis, 131  
Hæmorrhoids, 132, 133  
Headache, 134, 135  
Heartburn, 136  
Heart, Diseases of, 85, 118, 137, 138  
Hemiplegia, 139  
Herpes Zoster, 140  
Hiccough, 141  
Hordeolum, 142  
Hysteria, 143

Impetigo Contagiosa, 144  
Infantile Paralysis, 145  
Influenza, 146, 305, 306  
Insomnia, 147, 307  
Intertrigo, 148  
Iritis, 149

Keratitis, 150



- Laryngismus Stridulus, 151
- Laryngitis, Acute, 152, 153
  - Chronic, 154, 155
  - Tuberculous, 156
- Leucocythæmia, 157
- Leucorrhœa, 158, 159, 160
- Lumbago, 161, 162, 163
- Lupus, Erythematosus, 164
  - Vulgaris, 165
- Lymphadenoma, 166, 167
- Malaria, 168, 169
- Marasmus, 308
- Mastitis, 170, 171
- Measles, 172
- Menière's Disease, 173
- Meningitis, 174, 175
- Menopause, Disorders of, 176, 177, 178
- Menorrhagia, 179
- Metrorrhagia, 179
- Migraine, 180, 181
- Mumps, 182, 183
- Myelitis, 184
- Myxœdema, 185
- Nasal Catarrh, *see* Coryza
- Nephritis, Acute, 186, 187, 188
  - Chronic, 189, 190
- Neuralgia, 191, 192, 193
- Neurasthenia, 194, 195
- Neuritis, 196



96 THE POCKET PRESCRIBER

Night Terrors, 197  
Nipple, Fissure of, 198

Ophthalmia Neonatorum, *see* Purulent  
Conjunctivitis

Orchitis, 199, 200

Otorrhœa, 201, 202

Oxyuris Vermicularis, 203, 204

Ozæna, 205

Palpitation, 206, 207

Paralysis, Facial, 117

Infantile, 145

Paraplegia, 208

Parotitis, *see* Mumps

Pediculosis, Capitis, 209

Corporis, 210

Pemphigus, 211

Pericarditis, 212, 213

Periostitis, 214, 215

Peritonitis, Tuberculous, 216, 217

Pernicious Anæmia, *see* Anæmia, Pernicious

Pertussis, 218, 219

Pharyngitis, 220, 221

Phlebitis, 222

Pleurisy, 223, 224

Pleurodynia, 225

Pneumonia, Lobar, 226, 227

Lobular, 228

Pruritus Ani, 229



Pruritus Vulvæ, 230  
 Psoriasis, 231, 232  
 Pulmonary Tuberculosis, 233, 234, 235  
 Purpura, 236  
 Pyelitis, 237

Quinsy, *see* Tonsillitis

Raynaud's Disease, 238  
 Renal Colic, *see* Colic, Renal  
 Rheumatism, Acute, 239, 240  
     Chronic, 241, 242  
     Gonorrhœal, 243  
 Rheumatoid Arthritis, 244  
 Rickets, 245, 246  
 Ringworm, *see* Tinea  
 Rötheln, 247

Scabies, 248  
 Scarlet Fever, 249, 250  
 Sciatica, 251, 252  
 Scorbutus, 253, 254, 309  
 Seborrhœa Capitis, 255  
 Sleeplessness, *see* Insomnia  
 Stomatitis, Simple, 256, 257  
     Ulcerative, 258  
 Syncope, 259  
 Synovitis, 260, 261  
 Syphilis, Acquired, 262, 263  
     Congenital, 264, 265



## 98 THE POCKET PRESCRIBER

Tabes Mesenterica, *see* Peritonitis, Tuberculous

Tachycardia, 266, 267

Tapeworm, 268, 269

Tetany, 270, 271

Tinea Barbæ, 272

    Circinata, 273, 274

    Tonsurans, 275, 276

Tinnitus Aurium, 277

Tonsillitis, 278, 279, 280

Torticollis, Rheumatic, 281, 282

Typhoid Fever, *see* Enteric Fever

Typhus Fever, 283

Ulcer of Stomach, *see* Gastric Ulcer

Ulcerative Endocarditis, *see* Endocarditis,  
    Ulcerative

Uræmia, 284, 285

Urticaria, 286, 287

Varicella, 288, 289

Variola, 290

Verruca, 294, 295

Vertigo, 291, 292, 293

Vomiting, 296, 297, 298

Vulvitis, 299, 300

Whooping-Cough, *see* Pertussis





# THE EDINBURGH MEDICAL SERIES.

For Students and Practitioners.

**MEDICAL APPLIED ANATOMY.** By T. B. JOHNSTON, M.B. Crown 8vo, cloth, containing 145 illustrations in the text and 3 full-page plates in colour. Price 12s. 6d. net.

**PRACTICAL PATHOLOGY AND POST-MORTEM TECHNIQUE.** By JAMES MILLER, M.D., F.R.C.P.E. Small crown 8vo, cloth, illustrated. Price 12s. 6d. net.

**DISEASES AND INJURIES OF THE EYE.** By WILLIAM GEORGE SYM, M.D., F.R.C.S.E. Crown 8vo, cloth, containing 25 full-page illustrations, 16 of them in colour, and 88 Figures in the text; and a Type Test-Card. Price 12s. 6d. net.

**TEXT-BOOK OF MIDWIFERY.** By R. W. JOHNSTONE, M.A., M.D., F.R.C.S., M.R.C.P.E. Crown 8vo, cloth, with 246 illustrations (3 in colour). Price 12s. 6d. net.

**DISEASES OF CHILDREN.** By A. DINGWALL FORDYCE, M.D., M.B., Ch.B., F.R.C.P.E. Containing over 150 illustrations and 8 full-page plates in colour. Crown 8vo, cloth. Price 12s. 6d. net.

**RADIOGRAPHY, X-RAY THERAPEUTICS, and RADIUM THERAPY.** By ROBERT KNOX, M.D. (Edin.), M.R.C.S. (Eng.), L.R.C.P. (Lond.). Second Edition. Containing 94 plates and a frontispiece in colour, also about 420 illustrations in the text. Super royal 8vo. Vol. I. Radiography, price 30s. net. Vol. II. Radiotherapeutics, price 15s. net.

PUBLISHED BY A. & C. BLACK, LTD.  
SOHO SQUARE, LONDON, W.1.



## OTHER MEDICAL BOOKS.

**TUBERCULOSIS OF BONES AND JOINTS IN CHILDREN.** By JOHN FRASER, M.D., F.R.C.S. (Edin.), Ch.M. Containing 51 full-page plates (2 of them in colour) and 164 other illustrations in the text. Super royal 8vo, cloth. Price 20s. net.

**TEXT-BOOK OF OPERATIVE SURGERY.** By Dr. TH. KOCHER. Third English Edition. With over 300 Illustrations, many with colour introduced. Translated by HAROLD J. STILES, M.B., F.R.C.S. (Edin.), from the Fifth German Edition. Royal 8vo, cloth. Price 30s. net.

**A MANUAL OF MEDICAL JURISPRUDENCE, TOXICOLOGY AND PUBLIC HEALTH.** By W. G. AITCHISON ROBERTSON, M.D., D.Sc., F.R.C.P.E., F.R.S.E. With 48 Illustrations. Third Edition. Crown 8vo, cloth. Price 12s. 6d. net.

**INTRODUCTION TO THE PHYSIOLOGY AND PSYCHOLOGY OF SEX.** By S. HERBERT, M.D., M.R.C.S., L.R.C.P. Large crown 8vo, cloth, illustrated. Price 7s. 6d. net.

**SURGERY AT A CASUALTY CLEARING STATION.** By CUTHBERT WALLACE, C.M.G., F.R.C.S., and JOHN FRASER, M.C., F.R.C.S. Crown 8vo, cloth, with 63 Figures in the text. Price 10s. 6d. net.

**CEREBRO-SPINAL FEVER.** The Etiology, Symptomatology, Diagnosis, and Treatment of Epidemic Cerebro-Spinal Meningitis. By C. WORSTEH-DROUGHT, B.A., M.B., and ALEX. MILLS KENNEDY, M.D. Crown 8vo, cloth, illustrated. Price 30s. net.

**THE STRUCTURE OF THE FOWL.** By O. CHARNOCK BRADLEY, M.D. Large crown 8vo, with 73 illustrations. Price 5s. net.

PUBLISHED BY A. & C. BLACK, LTD.

4 SOHO SQUARE, LONDON, W.1.



~~Reverend~~ : m.

Children.

By

Ant-hym. gr i for  
each year & life.

Gray heads 81/2

---











