Medical inquiries and observations / by Benjamin Rush, M.D. Professor of the institutes of medicine, and of clinical practice in the University of Pennsylvania; vol. II.

Contributors

Rush, Benjamin, 1746-1813. Dobson, Thomas, 1751-1823

Publication/Creation

Philadelphia: Printed by Thomas Dobson, at the stone-house, no 41, South Second-Street, MDCCXCVII [1797]

Persistent URL

https://wellcomecollection.org/works/frg9juwg


License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org











T 3204.

MEDICAL

INQUIRIES

AND

OBSERVATIONS.

BY BENJAMIN RUSH, M.D.

PROFESSOR OF THE INSTITUTES OF MEDICINE, AND OF CLINICAL PRACTICE IN THE UNIVERSITY OF PENNSYLVANIA.


VOLUME II.

A NEW EDITION.

PHILADELPHIA

PRINTED BY THOMAS BOBSON,


AT THE STONE-HOUSE, N° 41, SOUTH SECOND-STREET.





CONTENTS.

	PAGE,
1. AN inquiry into the influence of physical cau	ses .
upon the moral faculty,	1
II. An inquiry into the effects of spirituous lique upon the human body, and their influence up	0012
the happiness of society,	57
III. An inquiry into the causes and cure of the pulmo-	
nary confumption,	83
1V. Observations on the symptoms and cure dropsies,	of
dropfies,	161
V. An inquiry into the causes and cure of the inte	
nal dropfy of the brain,	199
VI. An account of the measles, as they appeared	
Philadelphia, in the year 1789,	
VII. An account of the influenza, as it appeared	in
Philadelphia, in the years 1789, 1790, a	nd
1791,	247
VIII. An inquiry into the causes of the increase of bill	ous
and remitting fevers, in Pennsylvania,	
IX. An inquiry into the causes and cure of s	
legs,	277
X. An account of the state of the body and mind	in
old age, with observations upon its diseases a	
their remedies,	293



PREFACE.

Inquiries and Observations, published in the year 1788, has encouraged me to offer a second to the public, with the same title. Three of the inquiries were published several years ago; two of them in pamphlets, and the third in the second volume of the American Philosophical Transactions. They are now republished, in their present form, at the request of several of my friends, with the addition, chiefly, of a few notes.

I am aware of the fate of every attempt to introduce new opinions into medicine. My apology for this attempt in some of the following effays is, that I believe the want of success in the treatment of those diseases which are thought to be incurable, is occasioned, in most cases, by an attachment to such theories as are imperfect or erroneous. I do not say, by a want of theory altogether, for it is impossible for a physician to prescribe, without a theory of some kind. I be-

† The inquiry into the causes of the increase of bilious

and intermitting fevers in Perriylvania.

^{*} The inquiry into the influence of physical causes on the moral faculty, and the inquiry into the influence of spirituous liquors upon the human body, &c.

lieve further, after all that has been faid against theory, and in favour of simple observation in medicine, that uniform and complete success can never be attained, but by combining with observation a perfect knowledge of all the causes of diseases. Perhaps it would be equally just to affert, that observation will always be extensive, accurate, and useful, in proportion as it is directed

by principles in medicine.

I have one more excuse to offer for my temerity in proposing the new opinions which are contained in the following inquiries, and that is, they were not sought for, but obtruded upon me, and that too in spite of a conviction of the certain loss of reputation which follows a change of opinion upon any subject; for I well knew the world was not disposed to admit as a justification of this change, that it is always the necessary effect of the discovery or adoption of new truths; and that stability in principles and practice, in an impersect science, is, for the most part, the effect of a timid or slothful perseverance in ignorance or error.

In departing in some things from the system of Dr. Cullen, in which I was educated, I do not relinquish the whole of his principles, much less do I reject indiscriminately the systems of authors, whether ancient or modern, of less reputation. Truth in medicine, as far as it has been discovered, like truth in religion, appears to exist in greater or less proportions in different systems; but the sabric which shall include a knowledge of the causes and cure of every disease, remains yet to be completed, by an application to its unfinished parts, of the successive labours of Physicians in generations, or perhaps ages, yet to come.

Had

Had I yielded to personal considerations, I should have kept these papers a sew years longer from the public eye, in order that they might have become more correct from the influence which time alone exerts upon all literary personmances; but I have preferred at every hazard, sending them thus early into the world, from a desire that my opinions and practice may be corrected, or supported, by the auxiliary observations and reasonings of my medical brethren; and that several formidable diseases may thereby be opposed, not by an individual only, but by the consederated exertions of men of different talents, and situations, in every part of the republic of medicine.

I had another reason for committing these Essays to the press, in their present immature state, and that was, I have observed freedom in thinking, to be necessarily connected with freedom in communicating the result of inquiries after truth. I consider this volume therefore, with all its impersections, as a pledge of equal boldness, and I hope, of more success, in all suture investigations.

philadelphia, ?
4th July, 1793.

PREFACE

To the Second Edition.

SINCE the publication of the first edition of this Volume, the Author has had frequent occasions to be satisfied with the principles, and practice recommended in it. A few additions have been made to this edition, but no alterations in any part of it, except in the choice of certain phrases more accommodated to the unity and simplicity of diseases than those which have been introduced by the Nosological Systems of Medicine.

BENJAMIN RUSH.

25th, April, 1797.

INQUIRY

INTO THE INFLUENCE OF PHYSICAL CAUSES
UPON THE MORAL FACULTY,

DELIVERED BEFORE THE

AMERICAN PHILOSOPHICAL SOCIETY,

Held in Philadelphia, on the 27th of February, 1786.

GENTLEMEN,

rit of emulation and inquiry, among the members of our body, that the founders of our fociety inflituted an annual oration. The task of preparing, and delivering this exercise, hath devolved, once more, upon me. I have submitted to it, not because I thought myself capable of sulfilling your intentions, but because I wished, by a testimony of my obedience to your requests, to atone for my long absence from the temple of science.

The fubject upon which I am to have the honour of addressing you this evening, is "An Inquiry in-Vol. II.

A "to

"to the Influence of Physical Causes upon the "Moral Faculty."

By the moral faculty I mean a capacity in the human mind of distinguishing and chusing good and evil, or in other words, virtue and vice. It is a native principle, and though it be capable of improvement by experience and reslection, it is not derived from either of them.——St. Paul and Cicero give us the most perfect account of it that is to be found in modern or ancient authors. "For "when the Gentiles, (says St. Paul) which have "not the law, do by nature the things contained in the law, these, having not the law, are a law "unto themselves; which shew the works of the law written in their hearts, their consciences also bearing witness, and their thoughts the mean "while accusing, or else excusing another." *

The words of Cicero are as follow—" Est igi" tur hæc, judices, non scripta, sed nata lex, quam
" non didicimus, accepimus, legimus, verum ex na" tura ipsa arripuimus, hausimus, expressimus, ad
" quam non docti, sed facti, non instituti, sed imbuti
" sumus." † This faculty is often consounded with
conscience, which is a distinct and independent capacity of the mind. This is evident from the passage

^{*} Rom, i. 14. 15. + Oratio pro Milone. quoted

quoted from the writings of St. Paul, in which conscience is said to be the witness that accuses or excuses us, of a breach of the law written in our hearts. The moral faculty is what the schoolmen call the "regula regulans,"—the conscience is their " regula regulata." Or, to speak in more modern terms, the moral faculty performs the office of a law-giver, while the business of conscience is to perform the duty of a judge. The moral faculty is to the conscience, what taste is to the judgment, and fensation to perception. It is quick in its operations, and, like the fenfitive plant, acts without reflection, while conscience follows with deliberate steps, and measures all her actions, by the unerring fquare of right and wrong. The moral faculty exercises itself upon the actions of others. It approves even in books, of the virtues of a Trajan, and disapproves of the vices of a Marius, while conscience confines its operations only to its own actions. These two capacities of the mind are generally in an exact ratio to each other, but they fometimes exist in different degrees in the same perfon. Hence we often find confcience in its full vigour, with a diminished tone, or total absence of the moral faculty.

It has long been a question among metaphysicians, whether the conscience be seated in the will

or in the understanding. The controversy can only be settled by admitting the will to be the seat of the moral faculty, and the understanding to be the seat of the conscience. The mysterious nature of the union of those two moral principles with the will and understanding, is a subject foreign to the business of the present inquiry.—

As I consider virtue and vice to consist in action, and not in opinion, and as this action has its seat in the will, and not in the conscience, I shall consine my inquiries chiefly to the influence of physical causes upon that moral power of the mind, which is connected with volition, although many of these causes act likewise upon the conscience, as I shall shew hereafter.—The state of the moral faculty is visible in actions, which affect the well-being of society. The state of the conscience is invisible, and therefore removed beyond our investigation.

The moral faculty has received different names from different authors. It is the "moral fense" of Dr. Hutchison—the "fympathy" of Dr. Adam Smith—the "moral instinct" of Rousseau—and "the light that lighteth every man that cometh in- "the world" of St. John. I have adopted the term of moral faculty from Dr. Beattie, because I conceive it conveys with the most perspicuity, the idea

idea of a capacity in the mind, of chufing good and evil.

Our books of medicine contain many records of the effects of phyfical causes upon the memorythe imagination-and the judgment. In some instances we behold their operation only on one,in others on two, and in many cases upon the whole of these faculties. Their derangement has received different names, according to the number or nature of the faculties that are affected. The loss of memory has been called "amnesia"-false judgment upon one fubject has been called "me-" lancholia"-false judgment upon all subjects has been called "mania"-and a defect of all the three intellectual faculties that have been mentioned, has received the name of "amentia." Perfons who labour under the derangement, or want of these faculties of the mind, are confidered, very properly, as subjects of medicine; and there are many cases upon record that prove, that their diseases have yielded to the healing art.

In order to illustrate the effects of physical causes upon the moral faculty, it will be necesfary first to shew their effects upon the memory, the imagination, and the judgment; and at the fame time to point out the analogy between their operation upon the intellectual powers of the mind, and the moral faculty.

- 1. Do we observe a connection between the intellectual faculties, and the degrees of consistency and firmness of the brain in infancy and child-hood? The same connection has been observed between the strength as well as the progress of the moral faculty in children.
- 2. Do we observe a certain size of the brain, and a peculiar cast of features, such as the prominent eye, and the aquiline nose, to be connected with extraordinary portions of genius? We observe a similar connection between the sigure and temperament of the body, and certain moral qualities. Hence, we often ascribe good temper and benevolence to corpulency, and irascibility to sanguineous habits. Cæsar thought himself safe in the friendship of the "sleek-headed" Authony and Dolabella; but was afraid to trust to the professions of the slender Cassius.
- 2. Do we observe certain degrees of the intellectual faculties to be hereditary in certain families? The same observation has been frequently extended to moral qualities. Hence we often find certain virtues and vices as peculiar to families, through

through all their degrees of confanguinity, and duration, as a peculiarity of voice, complexion, or shape.

4. Do we observe instances of a total want of memory, imagination, and judgment, either from an original defect in the stamina of the brain, or from the influence of physical causes?---The fame unnatural defect is fometimes observed, and probably from the fame causes, of a moral faculty. The celebrated Servin whose character is drawn by the Duke of Sully in his Memoirs, appears to be an instance of the total absence of the moral faculty, while the chafm, produced by this defect, feems to have been filled up by a more than common extension of every other power of his mind. I beg leave to repeat the history of this prodigy of vice and knowledge. --- " Let the reader re-" prefent to himfelf a man of a genius fo lively, and " of an understanding so extensive, as rendered him " fcarce ignorant of any thing that could be known " -of fo vast and ready a comprehension, that he " immediately made himfelf mafter of whatever " he attempted—and of fo prodigious a memory, " that he never forgot what he once learned. He " poffeffed all parts of philosophy, and the ma-" thematics, particularly fortification and drawing. "Even in theology he was fo well skilled, that ce he A 4

" he was an excellent preacher, whenever he had " a mind to exert that talent, and an able difpu-" tant, for and against the reformed religion indif-" ferently. He not only understood Greek, He-"brew, and all the languages which we call " learned, but also all the different jargons, or " modern dialects. He accented and pronounced "them fo naturally, and fo perfectly imitated the " gestures and manners both of the several nations " of Europe, and the particular provinces of "France, that he might have been taken for a " native of all, or any of these countries: and this " quality he applied to counterfeit all forts of per-" fons, wherein he fucceeded wonderfully. He was " moreover the best comedian, and the greatest "droll that perhaps ever appeared. He had a " genius for poetry, and had wrote many verfes. " He played upon almost all instruments, was a " perfect mafter of music, and fung most agree-" ably and justly. He likewise could say mass, " for he was of a disposition to do, as well as to "know, all things. His body was perfectly well " fuited to his mind. He was light, nimble, and "dexterous, and fit for all exercises. He could " ride well, and in dancing, wreftling, and leap-"ing, he was admired. There are not any re-" creative games that he did not know, and he was skilled in almost all mechanic arts. - But " now for the reverse of the medal. Here it ap"peared, that he was treacherous—cruel—cow"ardly—deceitful—a liar—a cheat—a drunkard
"and a glutton—a sharper in play—immersed in
"every species of vice—a blasphemer—an athiest.

"—In a word, in him might be found all the
"vices that are contrary to nature—honour—
"religion—and society,—the truth of which he
"himself evinced with his latest breath; for he
"died in the slower of his age, in a common bro"thel, perfectly corrupted by his debaucheries,
"and expired with the glass in his hand, cursing,
"and denying God*."

It was probably a state of the human mind such as has been described, that our Saviour alluded to in the disciple, who was about to betray him, when he called him "a devil." Perhaps the essence of depravity in infernal spirits, consists in their being wholly devoid of a moral faculty. In them the will has probably lost the power of chusing , as well as the capacity of enjoying moral good. It is true, we

^{*} Vol. III. p. 216, 217.

⁺ Milton feems to have been of this opinion. Hence, after afcribing repentance to Satan, he makes him declare,

[&]quot; Farewell remorfe : all good to me is loft,

[&]quot; Evil, be thou my good."

read of their trembling in a belief of the existence of a God, and of their anticipating future punishment by asking, whether they were to be tormented before their time: But this is the effect of confcience, and hence arises another argument in favour of this judicial power of the mind, being distinct from the moral faculty. It would feem as if the Supreme Being had preferved the moral faculty in man from the ruins of his fall, on purpose to guide him back again to Paradife, and at the fame time had constituted the conscience, both in men and in fallen spirits, a kind of royalty in his moral empire, on purpose to shew his property in all intelligent creatures, and their original refemblance to himfelf. Perhaps the effence of moral depravity in man confilts in a total, but temporary fufpension of the power of conscience. Persons in this fituation are emphatically faid in the Scriptures to be " past feeling"-and to have their consciences feared with a "hot iron"-they are likewise said to be "twice dead"—that is, the fame torpor or moral infenfibility, has feized both the moral faculty and the confcience.

5. Do we ever observe instances of the existence of only one of the three intellectual powers of the mind that have been named, in the absence of the other two? We observe something of the same kind

kind with respect to the moral faculty. I once knew a man, who discovered no one mark of reafon, who possessed the moral sense or faculty in so high a degree, that he spent his whole life in acts of benevolence. He was not only inossensive, (which is not always the case with idiots) but he was kind and affectionate to every body. He had no ideas of time, but what were suggested to him by the returns of the stated periods for public worship, in which he appeared to take great delight. He spent several hours of every day in devotion, in which he was so careful to be private, that he was once found in the most improbable place in the world for that purpose, viz. in an oven.

6. Do we observe the memory, the imagination and the judgment, to be affected by diseases, particularly by madness? Where is the physician, who has not seen the moral faculty affected from the same causes! How often do we see the temper wholly changed by a fit of sickness! And how often do we hear persons of the most delicate virtue, utter speeches in the delirium of a fever, that are offensive to decency, or good manners! I have heard a well attested history of a clergyman of the most exemplary moral character, who spent the last moments of a fever which deprived him both of his reason and his life, in profane

profane curfing and fwearing. I once attended a young woman in a nervous fever, who discovered after her recovery, a loss of her former habit of veracity. Her memory (a defect of which, might be suspected of being the cause of this vice) was in every respect as perfect as it was before the attack of the fever*. The instances of immorality in maniacs, who were formerly distinguished for the opposite character, are so numerous, and well known, that it will not be necessary to select any cases, to establish the truth of the proposition contained under this head.

7. Do we observe any of the three intellectual faculties that have been named, enlarged by diseases? Patients in the delirium of a sever, often discover extraordinary slights of imagination, and madmen often astonish us with their wonderful acts of memory. The same enlargement, sometimes, appears in the operations of the moral faculty. I have more than once heard the most sublime discourses of morality in the cell of an hospital, and who has not seen instances of patients in acute diseases, discovering degrees of benevo-

^{*} I have selected this case from many others, which have come under my notice, in which the moral faculty appeared to be impaired by diseases, particularly by the typhus of Dr. Cullen, and by those species of palsy which affect the brain, lence

lence and integrity; that were not natural to them in the ordinary course of their lives?*

8. Do we ever observe a partial infanity, or false perception on one subject, while the judgment is found and correct, upon all others? We perceive, in fome instances, a similar defect in the moral faculty. There are perfons who are moral in the highest degree, as to certain duties, who nevertheless live under the influence of some one vice. I knew an instance of a woman, who was exemplary in her obedience to every command of the moral law, except one. She could not refrain from stealing. What made this vice the more remarkable was, that she was in easy circumstances, and not addicted to extravagance in any thing. Such was her propenfity to this vice, that when she could lay her hands upon nothing more valuable, the would often, at the table of a friend, fill her pockets fecretly with bread. As a proof that her judgment was not affected by this defect in her moral faculty, she would both confess and lament her crime, when detected in it.

^{*} Xenophon makes Cyrus to declare, in his last moments.

[&]quot;That the foul of man at the hour of death appears most

[&]quot; divine, and then foresees something of future events."

- 9. Do we observe the imagination in many instances to be affected with apprehensions of dangers that have no existence? In like manner we
 observe the moral faculty to discover a sensibility
 to vice, that is by no means proportioned to its degrees of depravity. How often do we see persons
 labouring under this morbid sensibility of the moral faculty, refuse to give a direct answer to a plain
 question, that related perhaps only to the weather, or to the hour of the day, less they should
 wound the peace of their minds by telling a falsehood!
- 10. Do dreams affect the memory—the imagination-and the judgment? Dreams are nothing but incoherent ideas, occasioned by partial or imperfect fleep. There is a variety in the fuspension of the faculties and operations of the mind in this state of the system. In some cases the imagination only is deranged in dreams—in others the memory is affected—and in others the judgment.—But there are cases, in which the change that is produced in the state of the brain, by means of sleep, affects the moral faculty likewife; hence we fometimes dream of doing and faying things when afleep, which we shudder at, as soon as we awake. This fupposed defection from virtue, exists frequently in dreams where the memory and judgment are fcarcely

fcarcely impaired. It cannot therefore be afcribed to an absence of the exercises of those two powers of the mind.

11. Do we read, in the accounts of travellers, of men, who in respect of intellectual capacity and enjoyments, are but a few degrees above brutes? We read likewise of a similar degradation of our fpecies, in refpect to moral capacity and feeling. Here it will be necessary to remark, that the low degrees of moral perception, that have been discovered in certain African and Ruffian tribes of men, no more invalidate our proposition of the universal and effential existence of a moral faculty in the human mind, than the low state of their intellects prove, that reason is not natural to man. Their perceptions of good and evil are in an exact proportion to their intellectual powers. But I will go further, and admit with Mr. Locke*, that fome favage nations are totally devoid of the moral faculty, yet it will by no means follow, that this was the original constitution of their minds. The appetite for certain aliments is uniform among all mankind. Where is the nation and the individual, in their primitive state of health, to whom bread is not agreeable? But if we should find favages, or individuals, whose stomachs have been so disorder-

^{*} Essay concerning the Human Understanding, Book I. Chap. III.

ed by intemperance, as to refuse this simple and wholesome article of diet, shall we affert that this was the original constitution of their appetites? By no means. As well might we affert, because favages destroy their beauty by painting and cutting their faces, that the principles of taste do not exist naturally in the human mind. It is with virtue as with fire. It exists in the mind, as fire does in certain bodies in a latent or quiescent state. As collision renders the one fensible, so education renders the other visible. It would be as abfurd to maintain, because olives become agreeable to many people from habit, that we have no natural appetites for any other kind of food, as to affert that any part of the human species exist without a moral principle, because in some of them, it has wanted causes to excite it into action, or has been perverted by example. There are appetites that are wholly artificial. There are taftes fo entirely vitiated, as to perceive beauty in deformity. There are torpid and unnatural passions. Why, under certain unfavourable circumstances, may there not exist also a moral faculty, in a state of sleep, or fubject to mistakes?

THE only apology I shall make, for prefuming to differ from that justly-celebrated oracle,* who first

* Mr. Locke.

unfolded to us a map of the intellectual world, shall be, that the eagle eye of genius often darts its views beyond the notice of facts, which are accommodated to the slender organs of perception of men, who possess no other talent than that of observation.

It is not furprifing, that Mr. Locke has confounded this moral principle with reason, or that Lord Shaftsbury has confounded it with tafte, fince all three of these faculties agree in the objects of their approbation, notwithstanding they exist in the mind independently of each other. The favourable influence which the progress of science and tafte has had upon the morals, can be afcribed to nothing elfe, but to the perfect union that subsists in nature between the dictates of reason-of tafte-and of the moral faculty. Why has the fpirit of humanity made fuch rapid progrefs for fome years past in the courts of Europe? It is because kings and their ministers have been taught to reason upon philosophical subjects .- Why have indecency and profanity been banished from the stage in London and Paris? It is because immorality is an offence against the highly cultivated talte of the French and English nations.

It must afford great pleasure to the lovers of virtue, to behold the depth and extent of this Vol. II.

B moral

moral principle in the human mind. Happily for the human race, the intimations of duty and the road to happiness are not left to the slow operations or doubtful inductions of reason, nor to the precarious decisions of taste! Hence we often find the moral faculty in a state of vigour, in persons in whom reason and taste exist in a weak, or in an uncultivated state. It is worthy of notice likewise, that while second thoughts are best in matters of judgment, sirst thoughts are always to be preferred in matters that relate to morality. Second thoughts, in these cases, are generally parlies between duty and corrupted inclinations. Hence Rousseau has justly said, that "a well regulated moral instinct is the surest guide to happiness."

It must afford equal pleasure to the lovers of virtue to behold, that our moral conduct and happiness are not committed to the determination of a single legislative power.—The conscience, like a wise and faithful legislative council, performs the office of a check upon the moral faculty, and thus prevents the fatal consequences of immoral actions.

An objection, I foresee, will arise to the doctrine of the influence of physical causes upon the moral faculty, from its being supposed to favour the opinion

opinion of the materiality of the foul. But I do not fee that this doctrine obliges us to decide upon the question of the nature of the soul, any more than the facts which prove the influence of physifical causes upon the memory, the imagination, or the judgment. I shall, however, remark upon this subject, that the writers in favour of the immortality of the foul have done that truth great injury, by connecting it necessarily with its immateriality. The immortality of the foul depends upon the will of the Deity, and not upon the supposed properties of spirit. Matter is in its own nature as immortal as spirit. It is resolvable by heat and mixture into a variety of forms; but it requires the fame Almighty hand to annihilate it, that it did to create it. I know of no arguments to prove the immortality of the foul, but fuch as are derived from the Christian revelation. * It would be as reasonable to affert, that the bason of the ocean is immortal, from the greatness of its capacity to hold water; or that we are to live for ever in this world, because we are afraid of dying, as to maintain the immortality of the foul, from the greatness of its capacity for knowledge and happiness, or from its dread of annihilation.

^{* &}quot; Life and immortality are brought to light only " through the Gospel."—2 Tim. i. 10.

I remarked in the beginning of this discourse, that persons who were deprived of the just exercise of memory, imagination, or judgment, were proper subjects of medicine; and that there are many cases upon record which prove, that the diseases from the derangement of these faculties, have yielded to the healing art.

It is perhaps only because the disorders of the moral faculty have not been traced to a connection with physical causes, that medical writers have neglected to give them a place in their systems of nosology, and that so few attempts have been hitherto made, to lessen or remove them by physical as well as rational and moral remedies.

I shall not attempt to derive any support to my opinions, from the analogy of the influence of physical causes upon the temper and conduct of brute animals. The facts which I shall produce in favour of the action of these causes upon morals in the human species, will, I hope, render unnecessary the arguments that might be drawn from that quarter.

I am aware, that in venturing upon this subject,
I step upon untrodden ground.——I feel as Æneas
did, when he was about to enter the gates of
Avernus,

Avernus, but without a Sibyl to instruct me in the mysteries that are before me. I foresee, that men who have been educated in the mechanical habits of adopting popular or established opinions will revolt at the doctrine I am about to deliver—while men of sense and genius will hear my propositions with candor, and if they do not adopt them, will commend that boldness of inquiry, that prompted me to broach them.

I shall begin with an attempt to supply the defects of nosological writers, by naming the partial or weakened action of the moral faculty, MICRONOMIA. The total absence of this faculty, I shall call ANOMIA. By the law, referred to in these new genera of vesaniæ, I mean the law of nature written in the human heart, and which I formerly quoted from the writings of St. Paul.

In treating of the effects of physical causes upon the moral faculty, it might help to extend our ideas upon this subject, to reduce virtues and vices to certain species, and to point out the effects of particular species of virtue and vice; but this would lead us into a field too extensive for the limits of the present inquiry. I shall only hint at a few cases, and have no doubt but the ingenuity of my auditors will supply my silence, by applying the rest.

It is immaterial, whether the physical causes that are to be enumerated, act upon the moral faculty through the medium of the senses, the passions, the memory, or the imagination. Their influence is equally certain, whether they act as remote, predisposing, or occasional causes.

1. The effects of CLIMATE upon the moral faculty claim our first attention. Not only individuals, but nations, derive a confiderable part of their moral, as well as intellectual character, from the different portions they enjoy of the rays of the fun. Irafcibility, levity, timidity, and indolence, tempered with occasional emotions of benevolence, are the moral qualities of the inhabitants of warm climates, while felfishness, tempered with fincerity and integrity, form the moral character of the inhabitants of cold countries. The state of the weather, and the seasons of the year also, have a visible effect upon moral fenfibility. The month of November, in Great Britain, rendered gloomy by constant fogs and rains, has been thought to favour the perpetration of the worst species of murder, while the vernal fun,

fun, in middle latitudes, has been as generally remarked for producing gentleness and benevolence.

2. The effects of DIET upon the moral faculty are more certain, though less attended to, than the effects of climate. "Fulness of bread," we are told, was one of the predifposing causes of the vices of the cities of the plain. The fasts so often inculcated among the Jews, were intended to leffen the incentives to vice; for pride, cruelty, and feafuality, are as much the natural confequences of luxury, as apoplexies and palfies. quality as well as the quantity of aliment, has an influence upon morals; hence we find the moral difeases that have been mentioned, are most frequently the offspring of animal food. The prophet Isaiah seems to have been sensible of this, when he ascribes such falutary effects to a temperate and vegetable diet. "Butter and honey shall "he eat," fays he, "that he may know to refuse " the evil, and to chuse the good."-But we have many facts which prove the efficacy of a vegetable diet upon the passions. Dr. Arbuthnot assures us, that he cured feveral patients of irafcible tempers, by nothing but a prescription of this simple and temperate regimen.

3. The effects of CERTAIN DRINKS upon the moral faculty are not less observable, than upon the intellectual powers of the mind. Fermented liquors of a good quality, and taken in a moderate quantity, are favourable to the virtues of candor, benevolence, and generofity; but when they are taken in excess, or when they are of a bad quality, and drank even in a moderate quantity, they feldom fail of roufing every latent spark of vice into action. The last of these facts is so notorious, that when a man is observed to be ill-natured or quarrelfome in Portugal, after drinking, it is common in that country to fay, that "he has " drunken bad wine." While occasional fits of intoxication produce ill temper in many people, habitual drunkenness (which is generally produced by distilled spirits) never fails to eradicate veracity and integrity from the human mind. Perhaps this may be the reason why the Spaniards, in ancient times, never admitted a man's evidence in a court of justice, who had been convicted of drunkennels. Water is the universal sedative of turbulent paffions-it not only promotes a general equanimity of temper, but it composes anger. I have heard feveral well-attefted cases, of a draught of cold water having fuddenly composed this violent passion, after the usual remedies of reason had been applied to no purpofe.

4. Extreme Hunger produces the most unfriendly effects upon moral fenfibility. It is immaterial, whether it acts by inducing a relaxation of the folids, or an acrimony of the fluids, or by the combined operation of both those physical causes. The Indians in this country whet their appetites for that favage species of war, which is peculiar to them, by the stimulus of hunger; hence, we are told, they always return meagre and emaciated from their military excursions. In civilized life we often behold this fensation an overbalance for the restraints of moral feeling; and perhaps this may be the reason, why poverty, which is the most frequent parent of hunger, disposes so generally to theft; for the character of hunger is taken from that vice-It belongs to it "to break through "ftone walls." So much does this fenfation predominate over reason and moral feeling, that Cardinal de Retz fuggests to politicians, never to risk a motion in a popular affembly, however wife or just it may be, immediately before dinner.-That temper must be uncommonly guarded, which is not disturbed by long abstinence from food. One of the worthieft men I ever knew, who made his breakfast his principal meal, was peevish and disagreeable to his friends and family, from the time he left his bed, till he fat down to his morning repast, after which, cheerfulness sparkled in his countenance,

countenance, and he became the delight of all around him.

5. I hinted formerly, in proving the analogy between the effects of DISEASES upon the intel-· lects, and upon the moral faculty, that the latter was frequently impaired by madnefs. I beg leave to add further upon this head, that not only madnefs, but the hysteria and hypochondriasis, as well as all those states of the body, whether idiopathic or fymptomatic, which are accompanied with preternatural irritability, fensibility, torpor, stupor, or mobility of the nervous fystem, dispose to vice. either of the body or of the mind. It is in vain to attack these vices with lectures upon morality. They are only to be cured by medicine, particularly by exercise, the cold bath, and by a cold or warm atmosphere. The young woman, whose case I mentioned formerly, that lost her habit of veracity by a nervous fever, recovered this virtue, as foon as her fystem recovered its natural tone, from the cold weather which happily fucceeded ber fever. *

6. IDLENESS

^{*} There is a morbid state of excitability in the body during the convalescence from fever, which is intimately connected with an undue propensity to venereal pleasures. I have met with several instances of it. The marriage of the celebrated

6. IDLENESS is the parent of every vice. It is mentioned in the Old Testament as another of the predisposing causes of the vices of the cities of the plain. Labour of all kinds, favours and facilitates the practice of virtue. The country life is happy, chiefly because its laborious employments are favourable to virtue, and unfriendly to vice. It is a common practice, I have been told, for the planters in the Southern States, to consign a house slave, who has become vicious from idleness, to the drudgery of the field, in order to reform him. The Bridewells and workhouses of all civilized countries prove, that LABOUR is not only

brated Mr. Howard to a woman who was twice as old as himfelf, and very fickly, has been afcribed by his biographer, Dr. Aiken, to gratitude for her great attention to him in a fit of fickness. I am disposed to ascribe it to a sudden paroxysm of another passion, which as a religious man he could not gratify in any other, than in a lawful way. I have heard of two young clergymen who married the women who had nurfed them in fits of fickness. In both cases there was great inequality in their years, and condition in life. Their motive was, probably, the fame as that which I have attributed to Mr. Howard. Dr. Patrick Russel takes notice of an uncommon degree of venereal excitability which followed attacks of the plague at Messina, in 1743, in all ranks of people.-Marriages, he fays, were more frequent after it than usual, and virgins were, in some instances violated, who died of that diforder, by perfous who had just recovered from it.

a very severe, but the most benevolent of all punishments, in as much as it is one of the most suitable means of reformation. Mr. Howard tells us in his History of Prisons, that in Holland it is a common saying, "Make men work and you will make them honest." And over the rasp and spin-house at Græningen, this sentiment is expressed (he tells us) by a happy motto:

" Vitiorum femina-otium-labore exhauriendum."

The effects of fleady labour in early life, in creating virtuous habits, is still more remarkable. The late Anthony Benezet of this city, whose benevolence was the centinel of the virtue, as well as of the happiness of his country, made it a constant rule in binding out poor children, to avoid putting them into wealthy families, but always preferred mafters for them who worked themselves, and who obliged these children to work in their presence. If the habits of virtue, contracted by means of this apprenticeship to labour, are purely mechanical, their effects are, nevertheless, the same upon the happiness of society, as if they flowed from principle. The mind, moreover, when preferved by these means from weeds, becomes a more mellow foil afterwards, for moral and rational improvement.

means.

- 7. The effects of excessive sleep are intimately connected with the effects of idleness upon the moral faculty: hence we find that moderate, and even scanty portions of sleep, in every part of the world, have been found to be friendly, not only to health and long life, but in many instances to morality. The practice of the Monks, who often sleep upon a floor, and who generally rife with the sun, for the sake of mortifying their sensual appetites, is certainly founded in wisdom, and has often produced the most salutary moral effects.
- 8. The effects of BODILY PAIN upon the moral, are not less remarkable than upon the intellectual powers of the mind. The late Dr. Gregory, of the university of Edinburgh, used to tell his pupils, that he always found his perceptions quicker in a fit of the gout, than at any other time. The pangs which attend the diffolution of the body, are often accompanied with conceptions and expressions upon the most ordinary subjects, that discover an uncommon elevation of the intellectual powers. The effects of bodily pain are exactly the fame in roufing and directing the moral faculty. Bodily pain, we find, was one of the remedies employed in the Old Testament, for extirpating vice and promoting virtue: and Mr. Howard tells us, that he faw it employed fuccessfully as a

means of reformation, in one of the prisons which he visited. If pain has a physical tendency to cure vice, I submit it to the consideration of parents and legislators, whether moderate degrees of corporal punishments, inslicted for a great length of time, would not be more medicinal in their effects, than the violent degrees of them, which are of short duration.

g. Too much cannot be faid in favour of CLEANLINESS, as a physical means of promoting virtue. The writings of Mofes have been called by military men, the best "orderly book" in the world. In every part of them we find cleanliness inculcated with as much zeal, as if it was part of the moral, instead of the Levitical law. Now, it is well known, that the principal defign of every precept and rite of the ceremonial parts of the Jewish religion, was to prevent vice, and to promote virtue. All writers upon the leprofy, take notice of its connection with a certain vice. To this difeafe grofs animal food, particularly fwine's flesh, and a dirty skin, have been thought to be predifpofing causes-hence the reason, probably, why pork was forbidden, and why ablutions of the body and limbs were fo frequently inculcated by the Jewish law. Sir John Pringle's remarks, in his Oration upon Captain Cook's Voyage, delivered

very pertinent to this part of our subject.——
"Cleanlines (says he) is conducive to health, but
"it is not so obvious, that it also tends to good or"der and other virtues. Such (meaning the ship's
"crew) as were made more cleanly, became more
"fober, more orderly, and more attentive to
"duty." The benefit to be derived by parents
and schoolmasters from attending to these facts, is
too obvious to be mentioned.

10. I hope I shall be excused in placing so-LITUDE among the physical causes which influence the moral faculty, when I add, that I confine its effects to persons who are irreclaimable by rational or moral remedies. Mr. Howard informs us, that the chaplain of the prison at Liege in Germany affured him, "that the most refractory " and turbulent spirits, became tractable and sub-" miffive, by being closely confined for four or five "days." In bodies that are predisposed to vice, the stimulus of cheerful, but much more of profane fociety and conversation, upon the animal spirits, becomes an exciting cause, and like the stroke of the flint upon the steel, renders the sparks of vice both active and visible. By removing men out of the reach of this exciting cause, they are often reformed, especially if they are confined long enough

to produce a fufficient chasm in their habits of vices. Where the benefit of reslection, and instruction from books, can be added to solitude and confinement, their good essects are still more certain. To this philosophers and poets in every age have assented, by describing the life of a hermit as a life of passive virtue.

11. Connected with folitude, as a mechanical means of promoting virtue, SILENCE deferves to be mentioned in this place. The late Dr Fothergill, in his plan of education for that benevolent institution at Ackworth, which was the last care of his useful life, fays every thing that can be faid in favour of this necessary discipline, in the following words. "To habituate children from their early " infancy, to filence and attention, is of the great-" est advantage to them, not only as a preparative "to their advancement in religious life, but as "the groundwork of a well cultivated under-" standing. To have the active minds of children " put under a kind of restraint—to be accustomed " to turn their attention from external objects, " and habituated to a degree of abstracted quiet, " is a matter of great confequence, and lafting be-" nefit to them. Although it cannot be supposed, " that young and active minds are always engaged " in filence as they ought to be, yet to be accuf-66 tomed 4

"tomed thus to quietness, is no small point gained towards fixing a habit of patience, and recollection, which seldom for sakes those who have been properly instructed in this entrance of the school of wisdom, during the residue of their days."

For the purpose of acquiring this branch of education, children cannot affociate too early, nor too often with their parents, or with their superiors in age, rank, and wisdom.

- 12. The effects of music upon the moral faculty, have been felt and recorded in every country. Hence we are able to discover the virtues and vices of different nations, by their tunes, as certainly as by their laws. The effects of music, when simply mechanical, upon the passions, are powerful and extensive. But it remains yet to determine the degrees of moral ecstasy, that may be produced by an attack upon the ear, the reason, and the moral principle, at the same time, by the combined powers of music and eloquence.
- 13. The eloquence of the pulpit is nearly allied to music in its effects upon the moral faculty. It is true, there can be no permanent change in the temper, and moral conduct of a man, that is not derived from the understanding and the will; but

we must remember, that these two powers of the mind are most assailable, when they are attacked through the avenue of the passions; and these, we know, when agitated by the powers of eloquence, exert a mechanical action upon every power of the foul. Hence we find in every age and country, where christianity has been propagated, the most accomplished orators have generally been the most fuccessful reformers of mankind. There must be a defect of eloquence in a preacher, who with the resources for oratory, which are contained in the Old and New Testaments, does not produce in every man who hears him, at least a temporary love of virtue. I grant that the eloquence of the pulpit alone, cannot change men into christians, but it certainly possesses the power of changing brutes into men. Could the eloquence of the stage be properly directed, it is impossible to conceive the extent of its mechanical effects upon morals. The language and imagery of a Shakespeare, upon moral and religious fubjects, poured upon the paffions and the fenfes, in all the beauty and variety of dramatic representation! Who could resist, or describe their effects?

14. Odors of various kinds have been observed to act in the most sensible manner upon the moral faculty. Brydone tells us, upon the authority of a celebrated philosopher in Italy, that the pecu-

bourhood of Ætna and Vesuvius, is occasioned chiefly by the smell of the sulphur and of the hot exhalations which are constantly discharged from those volcanos. Agreeable odors, seldom fail to inspire ferenity, and to compose the angry spirits—Hence the pleasure, and one of the advantages of a flower garden. The smoke of tobacco is likewise of a composing nature, and tends not only to produce what is called a train in perception, but to hush the agitated passions into silence and order—Hence the propriety of connecting the pipe or segar and the bottle together, in public company.

- 15. It will be fufficient only to mention light and darkness, to suggest facts in favour of the influence of each of them upon moral sensibility. How often do the peevish complaints of the night in sickness, give way to the composing rays of the light of the morning? Othello cannot murder Desdemona by candle-light, and who has not felt the effects of a blazing sire, upon the gentle passions?
- 16. It is to be lamented, that no experiments have as yet been made, to determine the effects of all the different species of Airs, which chemistry has lately discovered, upon the moral faculty. I have authority, from actual experiments, only to declare, that Dephlogisticated Air, when taken in-

to the lungs, produces cheerfulness, gentleness, and serenity of mind.

17. What shall we say of the effects of Medicines upon the moral faculty? That many substances in the materia medica act upon the intellects, is well known to physicians. Why should it be thought impossible for medicines, to act in like manner upon the moral faculty? May not the earth contain in its own bowels, or upon its surface, antidotes? But I will not blend facts with conjectures. Clouds and darkness still hang upon this part of my subject.

Let it not be suspected from any thing that I have delivered, that I suppose the influence of phyfical causes upon the moral faculty, renders the agency of divine influence unnecessary to our moral happiness. I only maintain, that the operations of the divine government are carried on in the moral, as in the natural world, by the instrumentality of fecond causes. I have only trodden in the footsteps of the inspired writers; for most of the physical causes I have enumerated, are connected with moral precepts, or have been used as the means of reformation from vice, in the Old and New Testaments. To the cases that have been mentioned I shall only add, that Nebuchadnezzar was cured of his pride, by means of folitude and

and a vegetable diet.—Saul was cured of his evil spirit, by means of David's harp, and St. Paul exprefsly fays, "I keep my body under, and bring " it into fubjection, left that by any means, when I " have preached to others, I myfelf should be a " cast-away." But I will go one step further, and add in favour of divine influence upon the moral principle, that in those extraordinary cases, where bad men are fuddenly reformed, without the instrumentality of physical, moral, or rational causes, I believe that the organization of those parts of the body, in which the faculties of the mind are feated, undergoes a physical change;* and hence the expression of a " new creature," which is made use of in the Scriptures to denote this change, is proper in a literal, as well as a figurative fense. It is probably the beginning of that perfect renovation of the human body, which is predicted by St. Paul in the following words-" For our conversation " is in heaven, from whence we look for the Savi-

^{*} St. Paul was fuddenly transformed from a perfecutor into a man of a gentle and amiable spirit. The manner in which this change was effected upon his mind, he tells us in the following words—" Neither circumcision availeth any thing, nor uncircumcision, but a new creature.—
"From henceforth let no man trouble me; for I bear in my body, the marks of our Lord Jesus." Galatians, vi. 17.

"our, who shall change our vile bodies, that they "may be fashioned according to his own glorious "body." I shall not pause to defend myself against the charge of enthusiasm in this place; for the age is at length arrived, so devoutly wished for by Dr. Cheyne, in which men will not be deterred in their researches after truth, by the terror of odious or unpopular names.

I cannot help remarking under this head, that if the conditions of those parts of the human body which are connected with the human foul, influence morals, the fame reason may be given for a virtuous education, that has been admitted for teaching music and the pronunciation of foreign languages, in the early and yielding state of those organs, which form the voice and speech. Such is the effect of a moral education, that we often fee its fruits in advanced stages of life, after the religious principles which were connected with it, have been renounced; just as we perceive the same care in a furgeon in his attendance upon patients, after the fympathy which first produced this care, has ceafed to operate upon his mind. The boafted morality of the Deifts, is I believe, in most cases, the offfpring of habits, produced originally by the principles and precepts of Christianity. Hence appears the wisdom of Solomon's advice-" Train up a 66 child "child in the way he should go, and when he is old he will not," I had almost said, he cannot depart from it."

Thus have I enumerated the principal causes, which act mechanically upon morals. If from the combined action of physical powers that are opposed to each other, the moral faculty should become stationary, or if the virtue or vice produced by them, should form a neutral quality, composed of both of them, I hope it will not call in question the truth of our general propositions. I have only mentioned the effects of physical causes in a simple state.*

It might help to enlarge our ideas upon this subject, to take notice of the influence of the different stages of society, of agriculture and commerce, of soil and situation, of the different degrees of cultivation of taste, and of the intellectual powers, of the different forms of government, and lastly, of the different professions and occupations of mankind, upon the moral faculty; but as these act

^{*} The doctrine of the influence of physical causes on morals is happily calculated to beget charity towards the failings of our fellow creatures. Our duty to practise this virtue is enforced by motives drawn from science, as well as from the precepts of christianity.

indirectly only, and by the intervention of causes that are unconnected with matter, I conceive they are foreign to the business of the present inquiry. If they should vary the action of the simple physical causes in any degree, I hope it will not call in question the truth of our general propositions, any more than the compound action of physical powers, that are opposed to each other. There remain only a few more causes which are of a compound nature, but so nearly related to those, which are purely mechanical, that I shall beg leave to trespass upon your patience, by giving them a place in my oration.

The effects of imitation, habit and affociation upon morals, would furnish ample matter for investigation. Considering how much the shape, texture, and conditions of the human body, influence morals, I fubmit it to the confideration of the ingenious, whether in our endeavours to imitate moral examples, fome advantage may not be derived, from our copying the features and external manners of the originals. What makes the fuccefs of this experiment probable is, that we generally find men, whose faces resemble each other, have the fance manners and dispositions. I infer the possibility of fuccess in an attempt to imitate originals in a manner that has been mentioned, from the facility with which domestics acquire a refemblance

refemblance to their masters and mistresses, not only in manners, but in countenance, in those cases where they are tied to them by respect and affection. Husbands and wives also, where they possess the same species of face, under circumstances of mutual attachment, often acquire a resemblance to each other.

From the general detestation in which hypocrify is held both by good and bad men, the mechanical effects of habit upon virtue, have not been sufficiently explored. There are, I am persuaded, many instances where virtues have been assumed by accident, or necessity, which have become real from habit, and afterwards derived their nourishment from the heart. Hence the propriety of Hamlet's advice to his mother—

- " Assume a virtue, if you have it not,
- "That monster, custom, who all fense doth eat,
- " Of habits evil, is angel, yet in this,
- "That to the use of actions fair and good,
- "He likewise gives a frock or livery,
- "That aptly is put on-Refrain to-night,
- " And that shall lend a kind of easiness,
- "To the next abstinence; the next more easy,
- "For use can almost change the stamp of na-

- " And master even the devil, or throw him out,
- " With wondrous potency."

The influence of Association upon morals, opens an ample field for inquiry. It is from this principle, that we explain the reformation from theft and drunkenness in servants which we sometimes fee produced by a draught of spirits in which tartar emetic had been fecretly diffolved. The recollection of the pain and fickness excited by the emetic, naturally affociates itself with the spirits, fo as to render them both equally the objects " of aversion. It is by calling in this principle only, that we can account for the conduct of Moses, in grinding the golden calf into a powder, and afterwards diffolving it (probably by means of hepar fulphuris) in water, and compelling the children of Ifrael to drink of it, as a punishment for their idolatry. This mixture is bitter and naufeating in the highest degree. An inclination to idolatry, therefore, could not be felt without being affociated with the remembrance of this difagreeable mixture, and of course being rejected, with equal abhorrence. The benefit of corporal punishments, when they are of a short duration, depends in part upon their being connected by time and place, with the crimes for which they are inflicted. Quick as the thunder follows the lightning,

lightning, if it were possible, should punishments follow the crimes, and the advantage of association would be more certain, if the spot where they were committed, were made the theatre of their expiation. It is from the effects of this association, probably, that the change of place and company produced by exile and transportation, has so often reclaimed bad men, after moral, rational, and physical means of reformation had been used to no purpose.

As sensibility is the avenue to the moral faculty, every thing which tends to diminish it tends also to injure morals.—The Romans owed much of their corruption to the fights of the contests of their gladiators, and of criminals, with wild beasts. For these reasons, executions should never be public. Indeed, I believe there are no public punishments of any kind, that do not harden the hearts of spectators, and thereby lessen the natural horror which all crimes at first excite in the human mind.

CRUELTY to brute animals is another means of destroying moral sensibility. The serocity of savages has been ascribed in part to their peculiar mode of subsistence. Mr. Hogarth points out in his ingenious prints, the connection between cruelty to brute animals in youth, and murder in man-

hood. The Emperor Domitian prepared his mind by the amusement of killing slies, for all those bloody crimes which afterwards disgraced his reign. I am so perfectly satisfied of the truth of a connection between morals, and humanity to brutes, that I shall find it difficult to restrain my idolatry for that legislature, that shall first establish a system of laws, to defend them from outrage and oppression.

In order to preferve the vigour of the moral faculty, it is of the utmost consequence to keep young people as ignorant as possible of those crimes that are generally thought most disgraceful to human nature. Suicide, I believe, is often propagated by means of news-papers. For this reason, I should be glad to see the proceedings of our courts kept from the public eye, when they expose, or punish monstrous vices.

The last mechanical method of promoting morality that I shall mention, is to keep sensibility alive, by a familiarity with scenes of distress from poverty and disease. Compassion never awakens in the human bosom, without being accompanied by a train of sister virtues—hence the wise man justly remarks, that "By the sadness of the countenance, the heart is made better."

A late

A late French writer in his prediction of events that are to happen in the year 4000, fays "That " mankind in that æra shall be so far improved by " religion and government, that the fick and the "dying fhall no longer be thrown together with " the dead, into fplendid houses, but shall be re-" lieved and protected in a connection with their " families and fociety." For the honour of humanity, an institution * destined for that distant period, has lately been founded in this city, that shall perpetuate the year 1786 in the history of Pennfylvania. Here the feeling heart, the tearful eye, and the charitable hand, may always be connected together, and the flame of fympathy, instead of being extinguished in taxes, or expiring in a folitary blaze by a fingle contribution, may be kept alive, by constant exercise. There is a necessary connection between animal fympathy and good morals. The priest and the Levite, in the New Testament, would probably have relieved the poor man who fell among thieves, had accident brought them near enough to his wounds. The unfortunate Mrs. Bellamy was refcued from the dreadful purpose of drowning herself, by nothing but the diftrefs of a child, rending the air with its cries for

A public Dispensary.

bread. It is probably owing in some measure to the connection between good morals and sympathy that the fair sex in every age, and country, have been more distinguished for virtue, than men for how seldom do we hear of a woman, devoid of humanity?——

Lastly, ATTRACTION, composition, and DECOMPOSITION, belong to the passions as well as to matter. Vices of the same species attract each other with the most force—hence the bad consequences of crouding young men (whose propensities are generally the same) under one roof, in our modern plans of education. The effects of composition and decomposition upon vices, appear in the meanness of the school-boy, being often cured by the prodigality of a military life, and by the precipitation of avarice, which is often produced by ambition and love. *

* A citizen of Philadelphia had made many unfuccefsful attempts to cure his wife of drinking ardent spirits. At length, despairing of her reformation, he purchased a hogshead of rum, and after tapping it, lest the key in the door where he had placed it as if he had forgotten it. His design was to give her an opportunity of destroying herself, by drinking as much as she pleased. The woman suspected this to be his design, and suddenly lest off drinking. Anger here became the antidote of intemperance.

If physical causes influence morals in the manner we have described, may they not also influence religious principles and opinions?—I answer in the affirmative; and I have authority, from the records of physic, as well as from my own observations, to declare, that religious melancholy and madness, in all their variety of species, yield with more facility to medicine, than simply to polemical discourses, or to casuistical advice. But this subject is foreign to the business of the present inquiry.

From a review of our fubject, we are led to contemplate with admiration, the curious structure of the human mind. How distinct are the number, and yet how united! How subordinate and yet how coequal are all its powers! How wonderful is the action of the foul upon the body! Of the body upon the foul !--- And of the Divine Spirit upon both! What a mystery is the mind of man to itself! O! nature! Or to fpeak more properly, O! THOU GOD OF NATURE! --- In vain do we attempt to fcan THY immensity, or to comprehend THY various modes of existence, when a single particle of light issued from THYSELF, and kindled into intelligence in the bosom of man, thus dazzles and confounds our understandings !---

The extent of the moral powers and habits in man is unknown. It is not improbable, but the human mind contains principles of virtue, which have never yet been excited into action. We behold with furprise the versatility of the human body in the exploits of tumblers and rope-dancers. Even the agility of a wild beaft has been demonstrated in a girl in France, and an amphibious nature has been discovered in the human species, in a young man in Spain. We liften with aftonishment to the accounts of the memories of Mithridates, Cyrus, and Servin. We feel a veneration bordering upon divine homage, in contemplating the stupendous understandings of Lord Verulam and Sir Haac Newton; and our eyes grow dim, in attempting to purfue Shakespeare and Milton in their immeasurable flights of imagination. And if the history of mankind does not furnish similar instances of the verfatility and perfection of our species in virtue, it is because the moral faculty has been the subject of less culture and fewer experiments than the body, and the intellectual powers of the mind. From what has been faid the reafon of this is obvious. Hitherto the cultivation of the moral faculty has been the business of parents, fchoolinasters, and divines. * But if the principles

^{*} The people commonly called Quakers and the Methodias, make use of the greatest number of physical remedies

principles, we have laid down, be just, the improvement and extension of this principle should be equally the business of the legislator, the natural philosopher, and the physician; and a phyfical regimen fhould as necessarily accompany a moral precept, as directions with respect to the air, exercife, and diet, generally accompany prefcriptions for the confumption, and the gout. To encourage us to undertake experiments for the improvement of morals, let us recollect the fuccefs of philosophy in lessening the number, and mitigating the violence of incurable difeases. The intermitting fever, which proved fatal to two of the monarchs of Britain, is now under absolute subjection to medicine. Continual fevers are much lefs fatal than formerly. The fmall-pox is difarmed of its mortality by inoculation, and even the tetanus and the cancer have lately received a check in their ravages upon mankind. But medicine has done more-It has

in their religious and moral discipline, of any sects of Christians—and hence we find them every where distinguished for their good morals. There are several excellent physical institutions in other churches; and if they do not produce the same moral effects, that we observe from physical institutions among those two modern sects, it must be ascribed to their being more neglected by the members of those shurches.

VOL. II.

D

penetrated

penetrated the deep and gloomy abysis of death, and acquired fresh honours in his cold embraces. have lately been brought back to life by the fuccefsful efforts of the humane focieties, which are now established in many parts of Europe, and in some parts of America. Should the same industry and ingenuity, which have produced these triumphs of medicine over diseases and death, be applied to the moral science, it is highly probable, that most of those baneful vices, which deform the human breast, and convulse the nations of the earth, might be banished from the world. I am not fo fanguine as to suppose, that it is possible for man to acquire so much perfection from science, religion, liberty, and good government, as to cease to be mortal; but I am fully perfuaded, that from the combined action of causes, which operate at once upon the reason, the moral faculty, the passions, the senses, the brain, the nerves, the blood, and the heart, it is possible to produce such a change in his moral character, as shall raise him to a resemblance of angels-nay more, to the likeness of God himself. --- The state of Pennsylvania still deplores the loss of a man, in whom not only reason and revelation, but many of the physical causes that have been enumerated, concurred to produce fuch attainments

tainments in moral excellency, as have feldom appeared in a human being. This amiable citizen confidered his fellow creature, man, as God's extract, from his own works; and whether this image of himself was cut out from ebony or copper—whether he spoke his own, or a foreign language-or whether he worshipped his Maker with ceremonies, or without them, he still confidered him as a brother, and equally the object of his benevolence. Poets and historians, who are to live hereafter, to you I commit his panegyric; and when you hear of a law for abolishing flavery in each of the American States, fuch as was paffed in Pennsylvania, in the year 1780-when you hear of the kings and queens of Europe, publishing edicts for abolishing the trade in human soulsand lastly, when you hear of schools and churches, with all the arts of civilized llfe, being established among the nations of Africa, then remember and record, that this revolution in favour of human happiness, was the effect of the labours, the publications, the private letters, and the prayers of ANTHONY BENEZET. *-

D 2

I re-

* This worthy man was descended from an ancient and honourable family that sourished in the court of Lewis the XIV. I return from this digression, to address myself in a particular manner to you, venerable
sages and fellow citizens in the republic
of letters.—The influence of philosophy, we
have been told, has already been felt in courts.
To increase, and complete this influence, there is
nothing more necessary, than for the numerous
literary societies in Europe and America, to add

XIV. With liberal prospects in life he early devoted himfelf to teaching an English school; in which, for industry, capacity, and attention to the morals and principles of the youth committed to his care, he was without an equal. He published many excellent tracts against the African trade, against war, and the use of spirituous liquors, and one in fayour of civilizing and Christianizing the Indians. He wrote to the queen of Great Britain, and the queen of Portugal, to use their influence in their respective courts to abolish the African trade. He also wrote an affectionate letter to the king of Prussia, to disfuade him from making war. The history of his life affords a remarkable instance how much it is possible for an individual to accomplish in the world; and that the most humble stations do not preclude good men from the most extensive usefulness. He bequeathed his estate (after the death of his widow) to the support of a school for the education of negro children, which he had founded and taught for several years before he died. He departed this life in May 1784, in the 71st year of his age, in the meridian of his usefulness, universally lamented by persons of all ranks and denominations.

the science of morals to their experiments and inquiries. The godlike scheme of Henry the IV. of France, and of the illustrious queen Elizabeth of England, for establishing a perpetual peace in Europe, may be accomplished without a system of jurisprudence, by a confederation of learned men, and learned focieties. It is in their power, by multiplying the objects of human reason, to bring the monarchs and rulers of the world under their fubjection, and thereby to extirpate war, flavery, and capital punishments, from the lift of human evils. Let it not be suspected that I detract by this declaration, from the honour of the Christian religion. It is true, Christianity was propagated without the aid of human learning; but this was one of those miracles, which was necessary to establish it, and which, by repetition, would cease to be a miracle. They mifrepresent the Christian religion, who suppose it to be wholly an internal revelation, and addressed only to the moral powers of the mind. The truths of Christianity afford the greatest scope for the human understanding, and they will become intelligible to us, only in proportion as the human genius is stretched by means of philosophy, to its utmost dimensions. Errors may be opposed to errors; but truths, upon all fubjects, mutually fupport each other. And perhaps one reason, why some parts of the D 3 Christian

Christian revelation are still involved in obscurity, may be occasioned by our imperfect knowledge of the phenomena and laws of nature. The truths of philosophy and Christianity, dwell alike in the mind of the Deity, and reason and religion are equally the offspring of his goodness. They must, therefore, stand and fall together. By reason, in the present instance, I mean the power of judging of truth, as well as the power of comprehending it. Happy æra!—When the divine and the philosopher shall embrace each other, and unite their labours for the reformation and happiness of mankind!—

of Pennsylvania! * I anticipate your candid reception of this feeble effort to increase the quantity of virtue in our republic. It is not my business to remind you of the immense resources for greatness, which nature and Providence have bestowed upon our state. Every advantage which France has derived from being placed in the centre of Europe, and which Britain has derived from

^{*} The prefident, and supreme executive council, and the members of the general assembly of Pennsylvania, attended the delivery of the oration, in the hall of the University, by invitation from the Philosophical Society.

her mixture of nations, Pennfylvania has opened to her. But my business at present, is to suggest the means of promoting the happiness, not the greatness, of the state. For this purpose, it is absolutely necessary that our government, which unites into one all the minds of the state, should possess, in an eminent degree, not only the underflanding, the passions, and the will, but above all, the moral faculty, and the conscience of an individual. Nothing can be politically right, that is morally wrong; and no necessity can ever fanctify a law, that is contrary to equity. VIRTUE is the foul of a republic. To promote this, laws for the suppression of vice and immorality will be as ineffectual, as the increase and enlargement of gaols. There is but one method of preventing crimes, and of rendering a republican form of government durable, and that is, by diffeminating the feeds of virtue and knowledge through every part of the state, by means of proper modes and places of education, and this can be done effectually only by the interference and aid of the legislature. I am fo deeply impressed with the truth of this opinion, that were this evening to be the last of my life, I would not only fay to the afylum of my ancestors, and my beloved native country, with the patriot of Venice, "Efto perpetua," but I D 4 would

would add, as the last proof of my affection for her, my parting advice to the guardians of her liberties, "To establish and support Public "Schools in every part of the state."

INQUIRY

INTO THE

EFFECTS

OF


SPIRITUOUS LIQUORS

UPON THE

HUMAN BODY,

And their INFLUENCE upon the

HAPPINESS OF SOCIETY.



AN

INQUIRY, &c.

BY Spirits I mean all those liquors which are obtained by distillation from fermented juices or substances of any kind. These liquors were formerly used only for medicine—They now constitute a principal part of the drinks of many countries.

Since the introduction of spirituous liquors into such general use, physicians have remarked that a number of new diseases have appeared among us, and have described many new symptoms as common to old diseases. Spirits in their sirst operation are stimulating upon the system. They quicken the circulation of the blood, and produce some heat in the body. Soon afterwards, they become

become what is called fedative; that is, they diminish the action of the vital powers, and thereby produce languor and weakness.

The effects of spirituous liquors upon the human body, are sometimes slow in their appearance. A strong constitution, especially if it be assisted with constant and hard labour, will counteract the destructive effects of spirits for many years, but in general they produce the following diseases:

- 1. A sickness at the stomach, and vomiting in the morning. This disorder is generally accompanied by a want of appetite for breakfast. It is known by tremors in the hands, insomuch that persons who labour under it, are hardly able to lift a tea cup to their heads, till they have taken a dose of some cordial liquor. In this disorder, a peculiar paleness, with small red streaks, appear in the cheeks. The stellar of the face, at the same time, has a peculiar fulness and slabbiness, which are very different from sound and healthy fat.
- 2. An univerfal dropfy. This disorder begins first in the lower limbs, and gradually extends itself throughout the whole body. I have been told that the merchants in Charleston, South-Carolina, never trust the planters when spirits have produced

the

the first symptom of this disorder upon them. It is very natural to suppose that industry and virtue have become extinct in that man, whose legs and feet are swelled, from the use of spirituous liquors.

3. Obstruction of the liver. This disorder produces other diseases, such as an inflammation, which sometimes proves suddenly fatal—the jaundice—and a dropfy in the belly.

4. Diabetes.

- 5. Pains in the limbs, accompanied by a fense of burning in the palms of the hands and soles of the feet. This disease has sometimes been called the Jamaica Rheumatism.
- 6. Hoarfeness and cough. These complaints predispose to fatal attacks of Pneumonia Notha.
- 7. The Epilepsy. 8. Madness. 9. Palsy, and, 10. The Apoplexy complete the group of diseases produced by spirituous liquors.*

I do

* It has been remarked that those drunkards in whom a fit of intoxication is terminated by sleep and stupor, die of palfy, I do not affert that these disorders are never produced by any other causes, but I maintain that spirituous liquors are the most frequent causes of them, and that when a predisposition to them is produced by other causes, they are rendered more certain and more dangerous by the intemperate use of spirits.

I have only named a few of the principal diforders which are produced by spirituous liquors. It would take up a volume to describe how much other disorders natural to the human body, are increased and complicated by them. Every species of inflammatory and malignant sever, is rendered more frequent and more dangerous by the use of spirituous liquors.

The danger to life from the diseases which have been mentioned is well known. I do not think it extravagant therefore to repeat here, what has been often faid, that spirituous liquors destroy more lives than the sword. War has its intervals of destruction—but spirits operate at all times and seafons upon human life. The ravages of war are confined to but one part of the human species,

palfy, gout, and gravel; while those in whom it terminates by copious sweats, vomitings or stools, or by a discharge of pale urine, perish by diabetes and dropsy. wiz. to men; but spirits act too often upon perfons who are exempted from the dangers of war by age or sex; and lastly, war destroys only those persons who allow the use of arms to be lawful, whereas spirits infinuate their satal effects among people, whose principles are opposed to the essustion of human blood.

But the effects of ardent spirits upon the human body, do not end in the destruction of life. They derange and even deform a dead body fo as to render it a loathfome addition to the clay which conceals it from human view after death. This has been frequently demonstrated in the diffection of persons who have been destroyed by the use of ardent spirits. They harden and contract the fibres of the stomach and bowels, or induce in them abscesses and gangrene—they produce schirri in the viscera—they contract the diameter of the fanguiferous and bronchial veffels-they induce offifications in the tendons, arteries, and pleura, and laftly—they produce a peculiar crifpness in the hair of the head, infomuch that the wig-makers in London give much less for it, than for the hair of fober people.

If we advance a step further and examine the effects of spirituous liquors upon the mind, the prospect

Their first effects here, shew themselves in the temper. I have constantly observed men who are intoxicated in any degree with spirits, to be peevish and quarressome; after a while they lose by degrees the moral sense. They violate promises and engagements without shame or remorse. From these desiciencies in veracity and integrity, they pass on to crimes of a more hemous nature. It would dishonour human nature only to name them.

The next operation of ardent spirits is upon the understanding. This sublime power of the mind is sirst debilitated in hard drinkers.—They discover a torpor in every mental exertion, even when they are not under the immediate influence of spirits. To this debility in the understanding succeed the loss of memory, and the perversion of all the intellectual powers in melancholy and madness, and in some cases the total extinction of them in idiotism.

Let us next turn our eyes from the effects of spirits upon the body and mind, to their effects upon property; and here fresh scenes of misery open to our view. Among the inhabitants of cities, they produce debts, disgrace, and bankruptcy. Among farmers,

farmers, they produce idleness with its usual consequences, such as houses without windows, barns
without roofs, gardens without enclosures, sields
without fences, hogs without yokes, sheep without
wool, meagre cattle, seeble horses, and half clad
dirty children, without principles, morals, or manners. This picture is not exaggerated. I appeal
to the observations of my countrymen, whether
such seenes of wretchedness do not follow the
tracks of spirituous liquors, in every part of the
United States.

Thus have I in a few words pointed out the effects of spirituous liquors upon the bodies, minds, and estates of my fellow-citizens.—Their mischiefs may be summed up in a few words. They sill our church-yards with premature graves, they deface the image of God in the soul, they derange or destroy the intellectual powers, they fill the sheriff's docket with executions, they croud our hospitals with patients, and our jails with criminals, they lead to places of public ignominy and punishment, and lastly, they people the regions—but it belongs to another profession to shew their terrible consequences in the future world.

After this me'ancholy detail of the pernicious effects of spirituous liquors upon the body, it may not Vol. II. E

be improper to enumerate the usual causes which lead to their intemperate use. They are, 1. Expofure to exceffive heat and cold. 2. Hard labour, disproportioned to the strength of the body. 3. Hunger, more especially those degrees of it which have been excited by long intervals between meals. 4. Long speaking, or long sittings in company. 5. Smoking and chewing tobacco. 6. Taking medicines in ardent spirits. 7. Breeding sickness. 8. Great domestic care. I have observed this cause to produce it, in several instances in women-9. Domestic vexations, more especially conjugal infelicity. 10. The infection of company that is addicted to strong drink. 11. Debt. 12. The corrodings of a guilty conscience; and, 13. Solitude where the mind does not poffefs refources in books, or in religion. It is remarkable that an intemperate use of ardent spirits is seldom produced by that grief which follows the death of relations or friends.

In the use of spirits, there are certain progressive stages which deserve to be mentioned. Men begin generally by drinking them in a diluted state, at dinner only. They next drink them in the same state in the afternoon and evening. In the course of a few years, they call for them in the forenoon, and soon afterwards before breakfast, encreasing their

their strength from time to time until they finally drink them in an undiluted state during every hour of the night. I have known several persons who have passed through all the above stages of intemperance, in whom the pulse of life seemed to be supported for several months before their death, only by drinking from one to two quarts of raw spirits every night.

I shall now proceed to combat some prejudices in favour of the use of spirituous liquors.

The three occasions in which spirits have been thought most necessary and useful are the following:

- 1. In very cold weather.
- 2. In very warm weather. And,
- 3. In times of hard labour.
- 1. There cannot be a greater error than to suppose that spirituous liquors lessen the effects of cold upon the body. On the contrary, I maintain that they always render the body more liable to be affected and injured by cold. The temporary warmth they produce, is always succeeded

by chilliness. If any thing, besides warm clothing and exercise, be necessary to warm the body in cold weather, a plentiful meal of wholesome food is at all times sufficient for that purpose. This, by stimulating the stomach, invigorates the whole system, and thus renders it less sensible of the cold.

2. It is equally abfurd to suppose that spirituous liquors lessen the effects of heat upon the body. So far from it, they rather increase them. They add an internal heat to the external heat of the sun; they dispose to severs and inslammations of the most dangerous kind; they produce preternatural sweats which weaken, instead of an uniform and gentle perspiration, which exhibitates the body. Half the diseases which are faid to be produced by warm weather, I am persuaded are produced by the spirits which are swallowed to lessen its effects upon the system.*

3. I

* " I aver from my own knowledge and custom (fays Dr. Mosely*) as well as the custom and observations of many other people, that those who drink nothing but water, or make it their principal drink, are but little affected by the climate, and can undergo the greatest satigue without monvenience. Those who use water for their common

^{*} Difeases of tropical climates.

3. I maintain with equal confidence, that spirituous liquors do not lessen the effects of hard labour upon the body. Look at the horse, with every mufcle of his body fwelled from morning till night in the plough, or the team, does he make figns for spirits to enable him to cleave the earth, or to climb a hill?-No. He requires nothing but cool water and substantial food. There is neither strength nor nourishment in spirituous liquors. If they produce vigour in labour, it is of a transient nature, and is always succeeded by a sense of weakness and fatigue. These facts are founded in observation; for I have repeatedly seen those men perform the greatest exploits in work both as to their degrees and duration, who never tafted fpirituous liquors.

drink will never be subject to troublesome or dangerous diseases, and the only inconvenience attending water drinkers is, that their appetite is so keen that they eat more than they ought."

"Rum (fays Dr. Bell) whether used habitually, moderately, or in excessive quantities, in the West-Indies, always diminishes the strength of the body, and therefore renders the men more susceptible of disease, and unsit for any service in which vigour or activity is required." Inquiry into the causes which produce, and the means of preventing diseases among British officers, foldiers, and others in the West-Indies.

But are there no conditions of the human body in which spirituous liquors are required? Yes, there are; 1st. In those cases where the body has been exhaufted by any causes, and faintness, or a stoppage in the circulation of the blood has been produced, the fudden stimulus of spirits may be necessary. In this case we comply strictly with the advice of Solomon, who confines the use of "ftrong drink," only to him "that is ready to pe-" rish!" and 2dly. When the body has been long exposed to wet weather, and more especially if cold be joined with it, a moderate quantity of spirits is not only proper but highly ufeful to obviate debility, and thus to prevent a fever. I take these to be the only two cases that can occur, in which spirituous liquors are innocent or necessary.

But if we reject spirits from being part of our drinks, what liquors shall we substitute in the room of them? For custom, the experience of all ages and countries, and even nature herself, all seem to demand drinks more grateful and more cordial than simple water.

To this I shall reply, by recommending in the room of spirits, in the first place,

1. CYDER. This excellent liquor contains a small quantity of spirit, but so diluted and blunted,

by being combined with an acid and a large quantity of faccharine matter and water, as to be perfeetly inoffensive and wholesome. It disagrees only with persons subject to the rheumatism, but it may be rendered inoffensive to such people by extinguishing a red hot iron in it, or by diluting it with water. It is to be lamented that the late frosts in the fpring often deprive us of the fruit which affords this liquor. But the effects of these frosts have been in some measure obviated, by giving an orchard a north-west exposure, so as to check too early vegetation, and by kindling two or three large fires of brush and straw to the windward of the orchard, the evening before we expect a night of frost. This last expedient, has in many instances within the compass of my knowledge, preserved the fruit of an orchard, to the great joy and emolument of the ingenious husbandman.

2. BEER is a wholesome liquor compared with spirits. The grain from which it is obtained is not liable like the apple, to be affected by frost, and therefore it can always be procured at a moderate expense. It abounds with nourishment—hence we find many of the common people in Great Britain, endure hard labour with no other food than a quart or three pints of this liquor, with a few pounds of bread a-day.

E 4

3. WINE

3. WINE is likewise a wholesome liquor, compared with spirits. The low wines of France, I believe, could be drunken at a lefs expence than fpirits, in this country. The peafants in France, who drink thefe liquors in large quantities, are a healthy and fober body of people. Wines of all kinds yield, by chemical analysis, the same principles as cyder, but in different proportions; hence they are both cordial and nourishing. It has been remarked, that few men ever become babitual drunkards upon wine. It derives its relish principally from company, and is feldom, like spirituous liquors, drank in a chimney corner, or in a closet. The effects of wine upon the temper are likewise in most cases, directly opposite to those that were memtioned of spirituous liquors. It must be a bad heart, indeed, that is not rendered more cheerful and more generous, by a few glaffes of wine*.

4. MELAS-

* If two barrels of cyder fresh from the press, are boiled into one, and afterwards fermented, and kept for two or three years in a dry cellar, it affords a liquor which (according to the quality of the apple from which the cyder is made) has the taste of Malaga or Rhenish wine. This liquor, when mixed with water, affords a very agreeable drink in summer. I have taken the liberty to call it *Pomona wine*. Another method of obtaining a pleasant wine from the apple, is to add to four and twenty gallons of new cyder, three gallons of a syrup made from the expressed juice of sweet apples. When

- 4. MELASSES and WATER compose another excellent substitute for spirits. It is both cordial and nourishing.
- 5. The SUGAR MAPLE tree affords a thin Juice in fummer, which is cooling and refreshing. It has long been used in Connecticut, for this purpose in the time of harvest. The settlers in the western counties of Pennsylvania and New-York, will do well to suffer a few of the trees which yield this pleasant juice, to remain in all their fields. They may prove the means, not only of saving their children and grand-children many hundred pounds, but of saving their bodies from disease and death, and their souls from misery beyond the grave.
- 6. VINEGAR and WATER fweetened with fugar or melaffes, is an agreeable drink in warm weather. I beg leave to recommend this whole-fome liquor to reapers in a particular manner. It is pleafant and cooling. It promotes perfpiration, and refifts putrefaction. Vinegar and water conflituted the only drink of the foldiers of the Roman republic; and it is well known that they marched and fought in a warm climate, and be-

thoroughly fermented, and kept for fome time, it becomes fit for use.

neath a load of arms that weighed fixty pounds. Boaz, a wealthy farmer in Palestine, we find, treated his reapers with nothing but bread dipped in vinegar. Under this head, I should not neglect to recommend BUTTER MILK and WATER, or SOUR MILK (commonly called bonneclabber) and WA-TER. It will be rendered more grateful by the addition of a little fugar. Punch is likewife calculated to lessen the effects of heat, and hard labour upon the body. The fpirit in this liquor is blunted by its union with the vegetable acid. Hence it poffesses, not only the constituent parts, but most of the qualities of cyder and wine. To render this liquor perfectly innocent and wholesome, it must be drunken weak, in moderate quantities, and only in warm weather. Say not, that spirits have become necessary in harvest, from habit and the custom of the country. The custom of fwallowing this liquid fire, is a bad one, and the habit of it may be broken. Let half a dozen farmers in a neighbourhood, combine to allow higher wages to their reapers than are common, and a fufficient quantity of any of the liquors I have recommended, and they may foon abolish the practice of giving them fpirits. They will in a little while be delighted with the good effects of their affociation. Their grain will be fooner and more carefully gathered into their barns, and an hundred difagreeable fcenes.

fcenes of fickness and contention will be avoided, which always follow in a greater or less degree the use of spirituous liquors.

To enable the body to support the waste of its strength by labour, the stomach should be constantly, but moderately, stimulated by aliment of a particular kind. Labourers bear with great difficulty long intervals between their meals. They should always eat four or five times a-day in time of harvest, or at other seasons of great bodily exertion. The food at these times should be folid, confisting chiefly of falted meat. The vegetables used with it should possess fome activity. Onions and garlic are of a most cordial nature. These vegetables composed part of the diet which enabled the Ifraelites to endure, in a warm climate, the heavy tasks imposed upon them by their Egyptian masters. They were likewife eaten by the Roman farmers to repair the waste of their strength by the toils of harvest. But further; There are certain SWEET SUBSTANCES which support the body in labour. The negroes in the West Indies grow fat and strong by drinking the juice of the fugar cane in the feafon of grinding it. The Jewish foldiers were invigorated by occasionally eating raisins and figs. A bread composed of wheat flour, melasses, and ginger, (composing what is called ginger bread), and taken taken in small quantities, during the day, is happily calculated to obviate the debility which is so apt to be brought on by labour. All these substances, whether of an animal or vegetable nature, which have been mentioned, should be used by labouring people. They lessen the necessity for cordial drinks, and they impart equal and durable strength to every part of the system.

There are certain classes of people to whom I beg leave to suggest a caution or two upon the use of spirituous liquors.

under disorders of the stomach and bowels, are very apt to sly to spirits for relief. Let such people be cautious how they repeat this dangerous remedy. I have known many men and women, of excellent characters and principles, who have been betrayed by occasional doses of gin or brandy to ease the colic, into a love of spirituous liquors, insomuch that they have afterwards fallen facrifices to their fatal effects. The different preparations of opium are a thousand times more safe and innocent than spirituous liquors, in all spasmodic affections of the stomach and bowels. So apprehensive am I of the danger of contracting a love for spirituous liquors, by accustoming the stomach

to their stimulus, that I think the fewer medicines we exhibit in spirituous vehicles the better.

2. Some people, from living in countries fubject to the intermitting fever, endeavour to fortify themselves against it by two or three glasses of bitters made with spirits every day. There is great danger of men becoming fots from this practice. Befides, this mode of preventing intermittents is by no means a certain one. A much better fecurity against them is to be found in the Jesuits' bark. A tea-spoonful of this excellent medicine taken every morning during the fickly feafon, has in many instances preserved whole families, in the neighbourhood of rivers and mill-ponds, from fevers of all kinds. If Jefuits' bark cannot be had, a gill or half a pint of a strong infusion of centaury, camomile, wormwood, or rue, in water, with a little calamus mixed with it, may be taken with nearly the fame advantage as the bark, every morning. Those who live in a fickly part of the country, and cannot procure the bark, or any of the bitters which have been mentioned, I would advise to avoid the morning and evening air in the fickly months—to kindle fires in their houses on damp days, and in cool evenings throughout the whole fummer, and to put on woollen clothing about

about the first week in September. The last part of these directions applies only to the inhabitants of the middle states. These cautions, I am perfuaded, will be more effectual in preventing autumnal fevers than the best preparations that can be made from bitters in spirits.

3. Men, who follow professions that require a constant exercise of the mind or body, or perhaps both, are very apt to feek relief from fatigue in spirituous liquors. To such persons I would beg leave to recommend the use of TEA instead of spirits. This gentle stimulus, by restoring excitement, removes fatigue, and invigorates the whole fystem. I am no advocate for the general or exceffive use of tea. When drunken too strong, it is hurtful, especially to the female constitution; but when taken of a moderate degree of strength, and in moderate quantities, with fugar and cream, or milk, I believe it is in general innocent, and at all times to be preferred to spirituous liquors. Anthony Benezet, one of the most industrious schoolmasters I ever knew, told me that he had been preserved from the love of spirituous liquors by contracting a love for tea in early life. Three or four dishes taken in an afternoon, carried off the fatigue of a whole day's labour in his school. This worthy

worthy gentlemen lived to be 71 years of age, and afterwards died of an acute disease in the full exercise of all the faculties of the mind. *

To every class of my readers, I beg leave to suggest a caution against the use of Toddy. I acknowledge that I have known some men, who, by limiting its strength constantly by measuring the spirit and water, and who by drinking it only at their meals, have drunken toddy for many years without suffering in any degree from it: but I have known many more who have been insensibly led from drinking toddy for their constant drink, to take drams in the morning, and have afterwards paid their lives as the price of their folly. I shall select one case from among many, to shew the ordinary progress of intemperance in the use of spiri-

* An old and intelligent sea captain has lest upon record, the following testimony in favour of tea, cossee, and chocclate, in preference to spirituous liquors, in supporting the body under fatigue. "I have always observed (says he) "when sailors drink tea it weans them from the thoughts of drinking strong liquors, and pernicious grog, and with tea they are soon contented. Not so, with whatever will intoxicate, be it what it will. This has always been my remark. I therefore, always encouraged it without their knowing why. Cossee has the same good effect. "Also cocoa, or chocolate."——Forest Voyage from Catcutta to the Merqui Archipelaga.

tuous liquors.-A gentleman, once of a fair and fober character, in the city of Philadelphia, for many years drank toddy as his constant drink. From this he proceeded to drink grog. After a while nothing would fatisfy him but flings made of equal parts of rum and water, with a little fugar. From flings he advanced to raw rum-and from common rum to Jamaica spirits. Here he rested for a few months; but at last, he found even Jamaica spirits were not strong enough to warm his stomach, and he made it a constant practice to throw a table spoonful of ground pepper into each glass of his spirits, in order (to use his own expression) " to take off their coldness." It is hardly necessary to add, that he foon afterwards died a martyr to his own intemperance.

I shall conclude what has been said of the effects of spirituous liquors with two observations—

1. A people corrupted by strong drink cannot long be a free people. The rulers of such a community will soon partake of the vices of that mass from which they were secreted, and all our laws and governments will, sooner or later, bear the same marks of the effects of spirituous liquors which were described formerly upon individuals. I submit it therefore to the consideration of our rulers, whether more laws should not be made to increase.

increase the expense and lessen the consumption of spirituous liquors, and whether some mark of public infamy should not be inslicted by law upon every man, convicted before a common magistrate of drunkenness.

The fecond observation I shall offer, is of a ferious nature. It has been remarked, that the Indians have diminished every where in America fince their connections with the Europeans. This has been justly ascribed to the Europeans having introduced spirituous liquors among them. Let those men, who are every day turning their backs upon all the benefits of cultivated fociety, to feek habitations in the neighbourhood of Indians, confider how far this wandering mode of life is produced by the fame cause which has scattered and annihilated fo many Indian tribes. Long life, and the fecure possession of property, in the land of their ancestors, were looked upon as bleffings among the ancient Jews. For a fon to mingle his dust with the dust of his father, was to act worthy of his inheritance; and the prospect of this honour often afforded a confolation even in death. However exalted, my countrymen, your ideas of liberty may be, while you expose yourselves by the use of spirituous liquors to this consequence of them, you are nothing more than the pioneers, or VOL. II. F in

in more flavish terms, "the hewers of wood," of your more industrious neighbours.

If the facts that have been stated, have produced in any of my readers, who have fuffered from the use of spirituous liquors, a resolution to abstain from them hereafter, I must beg leave to inform them, that they must leave them off suddenly and entirely. No man was ever gradually reformed from drinking spirits. He must not only avoid tafting, but even fmelling them, until long habits of abstinence have subdued his affection for them. To prevent his feeling any inconveniences from the fudden loss of their stimulus upon his stomach, he should drink plentifully of camomile or of any other bitter tea, or a few glaffes of found old wine every day. I have great pleafure in adding, that I have feen a number of people who have been effectually restored to health-to character-and to usefulness to their families and to society, by following this advice.

AN


INQUIRY

INTO THE

CAUSES AND CURE

OF THE

PULMONARY CONSUMPTION.



INQUIRY, &c.

"nary Confumption," * I attempted to shew that this disorder was the effect of causes which induced general debility, and that the only hope of discovering a cure for it should be directed to such remedies as act upon the whole system. In the following inquiry, I shall endeavour to establish the truth of each of those opinions, by a detail of facts and reasonings, at which I only hinted in my former essay.

The method I have chosen for this purpose, is to deliver, and afterwards to support, a few general propositions.

* Medical Inquiries and Observations.

I shall begin by remarking,

I. That the Pulmonary Confumption is induced by predifpoling debility.

This I infer, 1st, From the remote and exciting causes which produce it. The remote causes are pneumony, catarrh, hæmoptysis, rheumatism, gout, asthma, scrophula, nervous and intermitting fevers, measles, repelled humours from the surface of the body, the venereal disease, obstructed menses, sudden growth about the age of puberty, grief, and all other debilitating passions of the mind; hypochondriasis, improper lactation, excessive evacuation of all kinds, more especially by stool, * cold and damp air, external violence acting upon the body; † and finally every thing that tends

* Sir George Baker relates in the fecond volume of the Medical Transactions, that Dr. Blanchard had informed him that he had seen the consumption brought on ten perfons out of ninety, by excessive purging used to prepare the body for the small-pox. I have seen a case of consumption in a youth of 17, from the spitting produced by the intemperate use of segars.

† Dr. Lind fays that out of 360 patients whom he attended between July 1st, 1758, and July 1st, 1760, in confumptions, the disorder was brought on one fourth of them, by falls, bruises, and strains received a year or two before the disease made its appearance.

directly

directly or indirectly to impair the vigour of the fystem.

The most frequent exciting cause of consumption is the alternate application of heat and cold to the whole external surface of the body, but all the remote causes which have been enumerated, operate as exciting causes of consumption when they act on previous debility. Original injuries of the lungs seldom induce this disorder except they first induce a debility of the whole system by a troublesome and obstinate cough.

- 2. From the occupations and habits of perfons who are most liable to this disorder. These are studious men, and mechanics who lead sedentary lives in confined places; also women, and all perfons of irritable habits, whether of body or mind.
- 3. From the period in which persons are most liable to be affected by this disorder. This is generally between the 18th and 36th year of life, a period in which the system is liable in a peculiar manner to most diseases which induce the disorder, and in which indirect debility is oftener produced than in any other stage of life, by the excessive exercises of the body and mind in the pursuits of business or pleasure.

I have conformed to authors, in fixing the pepiod of confumptions between the 18th and 36th year of life—but it is well known that it sometimes appears in children, and frequently in persons beyond the 40th, or even 50th year of life.

- II. The pulmonary confumption is a primary difease of the whole system. This I infer,
- 1. From the causes which produce it, acting upon the whole system.
- 2. From the fymptoms of general debility which always precede the affection of the lungs. These fymptoms are a quick pulse, especially towards evening; a heat and burning in the palms of the hands; faintness, head-ach, sickness at stomach, and an occasional diarrhœa. I have frequently observed each of these symptoms for several months before I have heard of a single complaint in the breast.
- 3. From the pulmonary confumption alternating with other difeases which obviously belong to the whole system. I shall briefly mention these diseases.

The RHEUMATISM. I have feen many cafes in which this difease and the consumption have alternately

alternately, in different seasons or years, affected the system. In the winter of 1792, three clinical patients in the Pennsylvania hospital exemplified by their complaints the truth of this observation. They were relieved several times of a cough by pains in their limbs, and as often, the pains in their limbs seemed for a while to promise a cure to their pulmonic complaints.

The GOUT has often been observed to alternate with the pulmonary consumption, especially in perfons in the decline of life. Dr. Sydenham describes a short cough continuing through the whole winter, as a symptom of gouty habits. A gentleman from Virginia died under my care in the spring of 1788, in the 45th year of his age, with all the symptoms of pulmonary consumption, which had frequently alternated with pains and a swelling in his feet.

The pulmonary confumption has been observed to alternate with MADNESS. Of this I have seen two instances, in both of which, the cough, and expectoration were wholly suspended during the continuance of the derangement of the mind. Dr. Mead mentions a melancholy case of the same kind in a young lady; and similar cases are to be met with in other authors. In all of them the disease proved

proved fatal. In one of the cases which came under my notice, the symptoms of consumption returned before the death of the patient.

I have likewise witnessed two cases in which the return of reason after madness, was suddenly succeeded by a fatal pulmonary consumption. Perhaps the false hopes, and even the cheerfulness which so universally occur in this disorder, may be resolved into a morbid state of the mind, produced by a general derangement of the whole system. So universal are the delusion and hopes of patients with respect to the nature and issue of this disorder, that I have never met with but one man, who, upon being asked what was the matter with him, answered unequivocally, "that he was in a consump-"tion!"

Again—Dr. Bennet mentions a case of "A "phthisical patient who was seized with a violent "PAIN IN THE TEETH for two days, and in whom, during that time, every symptom of a consumption, except the leanness of the body, altogether vanished;" and he adds further, that a defluction on the lungs had often been relieved by SALIVARY EVACUATIONS. *

I have

^{*} Treatise of the Nature and Cure of Confumptions-Exercitation X.

I have feen feveral instances in which the pulmonary symptoms have alternated with HEAD-ACH and DYSPEPSIA,—also with pain and noise in one EAR. This affection of the ears sometimes continues throughout the whole disease without any remission of the pulmonary symptoms. I have seen one case of a discharge of matter from the left ear without being accompanied by either pain or noise.

In all our books of medicine are to be found cases of consumption alternating with ERUPTIONS ON THE SKIN.

And who has not feen the pulmonary fymptoms alternately relieved, and reproduced by the appearance or ceffation of a diarrhoa, or pains in the BOWELS.

To these facts I shall only add, under this head, as a proof of the consumption being a disease of the whole system, that it is always more or less relieved by the change which is induced in the system by pregnancy.

4. I infer that the pulmonary confumption is a difease of the whole system from its analogy with several other diseases which, though accompanied

by local affections, are obviously produced by a morbid state of the whole system.

The Rheumatism, the Gout, the Measles, Small-pox, the different species of Cynanche—all furnish examples of the connection of local affections with a general disease; but the APOPLEXY, and the PNEUMONY, furnish the most striking analogies of local affection, succeeding a general disorder of the system in the pulmonary consumption.

The most frequent predisposing cause of apoplexy is a general debility of the fystem, produced by intemperance in eating and drinking. The phenomena of the disease are produced by an effusion of blood or ferum, in confequence of a morbid diftension, or of a rupture of the vessels of the brain. The pulmonary confumption begins and ends in the fame way, allowing only for the difference of fituation and structure of the brain and lungs. After the production of predifpoling debility from the action of the remote causes formerly enumerated, the fluids are determined to the weakest part of the body. Hence effusions of serum or blood take place in the lungs. When ferum is effused, a pituitous or purulent expectoration alone takes place; -when blood is discharged, a disease is produced which

which has been called Hæmoptysis. An effusion of blood in the brain, brought on by the operation of general debility, has been called by Dr. Hoffman, with equal propriety, a hæmorrhage of the brain. The effusion of blood in the lungs in confequence of the rupture of a blood veffel is less fatal than the fame accident when it occurs in the brain, only because the blood in the former case is more eafily discharged from the system. Where no rupture of a blood-veffel is produced, death is nearly as speedy and certain in the one case as in the other. * Diffections shew many cases of suffocation and death, from the lungs being preternaturally filled with blood or ferum. From this great analogy between the remote and proximate causes of the two difeafes which have been described, I have taken the liberty to call them both by the name of apoplexy. The only fymptom which does not accord with the derivation of the term. is, that in the apoplexy of the lungs, the patient does not fall down as if by an external stroke, which is most frequently the case in the apoplexy of the brain.

^{*} I have seen two cases of sudden death from Hamoptysis. In one of them there was very little blood discharged through the mouth.

The history of the remote and proximate causes of pneumony will furnish us with a still more remarkable analogy of the connection between a local affection, and a general disease of the system. The pneumony is produced by remote exciting causes, which act on the whole system. The whole arterial fystem is frequently agitated by a fever in this diforder before a pain is perceived in the breast or sides, and this fever generally constitutes the strength and danger of the disease. expectoration which terminates the diforder in health, is always the effect of effusions produced by a general difease, and even the vomicas, which fometimes fucceed a deficiency of bleeding in this diforder, always depend upon the fame general cause. From this view of the analogy between pneumony and pulmonary confumption, it would feem that the two difeases differed from each other only by the shorter or longer operation of the causes which induce them, and by the greater or lefs violence and duration of their fymptoms. The pneumony appears to be an acute confumption, and the confumption a chronic pneumony. From the analogy of the pulmonary confumption with the diminutive term of certain fevers, I have taken the liberty of calling it a PNEUMO-NICULA.

5. I infer that the pulmonary confumption is a disease of the whole system, from its existence without ulcers in the lungs. Of this there are many cases recorded in books of medicine.

Dr. Leigh informs us in his natural history of Lancashire, that the consumption was a very common disease on the sea coast of that country; but that it was not accompanied either by previous inflammation or ulcers in the lungs. It was generally attended, he says, by an unusual peevishness of temper.

6. And lastly, I infer, that the pulmonary confumption is a disease of the whole system, from its being relieved, or cured, only by remedies which act upon the whole system. This will appear, I hope, hereafter, when we come to treat of the cure of this disorder.

Let us now enquire how far the principles I have laid down will apply to the supposed proximate causes of consumption. These causes have been said to be—an abscess in the lungs, hæmoptysis, tubercles, catarrh, hereditary diathesis, contagion, and the matter of cutaneous eruptions or fores repelled, and thrown upon the lungs. I shall make a few observations upon each of them.

1. An abfcefs in the lungs is generally the confequence of a neglected, or half cured pneumony. It is feldom fatal, where it is not connected with a predisposition to consumption from general debility, or where general debility is not previously induced by the want of appetite, fleep, and exercise, which fometimes accompanies that diforder of the lungs. This explanation of the production of confumption by an abfcefs in the lungs, will receive further fupport from attending to the effects of wounds in the lungs. How feldom are they followed by pulmonary confumption; and this only because they are as seldom accompanied by predifpoling general debility. I do not recollect a fingle instance of this disorder having followed a wound in the lungs, either by the bayonet, or a bullet, during the late war. The recoveries which have fucceeded fuch wounds, and frequently under the most unfavourable circumstances, shew how very improbable it is that a much flighter affection of the lungs should become the cause of a pulmonary confumption.

A British officer, whom I met in the British camp, a few days after the battle of Brandywine, in September, 1777, informed me that the surgeongeneral of the royal army had affured him, that out of twenty-four soldiers who had been admitted

into the hospitals, during the campaign of 1776, with wounds in their lungs, twenty-three of them had recovered. Even primary difeases of the lungs often exist with peculiar violence, or continue for many years without inducing a confumption. I have never known but one instance of the whooping-cough ending in confumption, and all our books of medicine contain records of the asthma continuing for twenty and thirty years without terminating in that diforder. The reafon in both cases, must be ascribed to those two original diforders of the lungs not being accompanied by general debility. One fact more will ferve to throw still further light upon the subject. Millers are much afflicted with a cough from floating particles of flour constantly irritating their lungs, and yet they are not more fubject to confumptions than other labouring people. Hence "a miller's " cough," is proverbial in some places, to denote a cough of long continuance without danger.

2. The hæmoptysis is either a local disease, or it is the effect of general debility of the whole system. When it is local, or when it is the effect of causes which induce a temporary or acute debility only in the system, it is seldom followed by confumption. The accidental discharge of blood from the lungs, from injuries, and from an obstruction Vol. II.

of the menses in women, is of this kind. Many persons are affected by this species of hæmorrhage once or twice in their lives, without fuffering any inconvenience from it afterwards. I have met with feveral cases in which it has occurred for many years every time the body was exposed to any of the causes which induce sudden, direct, or indirect debility, and yet no confumption has followed it. The late king of Pruffia informed Dr. Zimmerman that he had been frequently attacked by it during his feven years war, and yet he lived, notwithstanding, above twenty years afterwards without any pulmonary complaints. It is only in persons who labour under chronic debility, that an hæmoptysis is necessarily followed by consumption.

3. I yield to the popular mode of expression when I speak of a consumption being produced by tubercles. But I maintain that they are the effects of general debility communicated to the bronchial vessels which cause them to essue a preternatural quantity of mucus. This mucus is sometimes poured into the trachea from whence it is discharged by hawking, more especially in the morning; for it is essued more copiously during the languid hours of sleep than in the day time. But this mucus is frequently essued into the substance of

the lungs, where it produces those tumours we call tubercles. When this occurs, there is either no cough * or a very dry one. That tubercles are formed in this way, I infer from the diffections and experiments of Dr. Stark, † who tells us, that he found them to confift of inorganic matterthat he was unable to discover any connection between them and the pulmonary veffels, by means of the microscope or injections, and that they first opened into the trachea through the bronchial veffels. It is remarkable that the colour and confiftence of the matter of which they are composed. is nearly the fame as the matter which is difcharged from the trachea, in the moist cough which occurs from a relaxation of the bronchial veffels.

I am aware that these tumours in the lungs have been ascribed to scrophula. But the frequent occurrence of consumptions in persons in whom no scrophulous taint existed, is sufficient to resute this opinion. I have frequently directed my inquiries after this disorder in consumptive patients, and

^{*} See Med Com. Vol. II.

[†] Clinical and Anatomical Observations, p. 26, 27. See also Morgagni, letter xxii. 21.

have met with very few cases which were produced by it. It is probable that it may frequently be a predisposing cause of consumption in Great Britain, but I am sure it is not in the United States of America.

- 4. The catarrh is of two kinds, acute and chronic, both of which are connected with general debility, but this debility is most obvious in the chronic catarrh: hence we find it increased by every thing which acts upon the whole system, such as cold and damp weather, fatigue, and above all, by old age, and relieved or cured by exercise, and every thing else which invigorates the whole system. This species of catarrh often continues for twenty or thirty years without inducing pulmonary consumption, in persons who pursue active occupations.
- 5. In the hereditary confumption there is either an hereditary debility of the whole fystem, or an hereditary mal-conformation of the breast. In the latter case, the consumption is the effect of weakness communicated to the whole system, by the long continuance of difficult respiration, or of such injuries being done to the lungs as are incompatible with health and life. It is remarkable, that

the confumptive diathefis is more frequently derived from paternal than maternal ancestors.

6. Physicians the most distinguished for accurate observations have agreed, that the pulmonary confumption may be communicated by contagion. However doubtful it may be in temperate, it cannot be controverted in warm climates. Morgagni informs us that, Valfalva (who was predifposed to the confumption) was fo fatisfied of its contagious nature, that he constantly avoided being present at the diffection of the lungs of persons who had died of that diforder. I know that its progress in whole families has been ascribed to a sameness of original constitution, or mal-conformation of the breast in the members of the same family, or the fatigue which is incurred by attending, and the grief which follows the loss of relations who perish by that diforder. Perhaps many of the cases of confumption, which have been afcribed to contagion, may be accounted for by calling in the debilitating operation of one or both of those causes; but there are cases of the disease being communicated by contagion, which cannot be refolved into the influence of either fatigue or grief.

The late Dr. Beardsley, of Connecticut, informed me that he had known several black slaves, affected

affected by a confumption which had previously fwept away feveral of the white members of the family to which they belonged. In these slaves no fufpicion was entertained of the most distant relationthip to the persons from whom they had contracted the diforder; nor had fatigue or grief, from the causes beforementioned, been supposed to have had the least share in debilitating their bodies. Admitting then contagion to act as a remote cause of confumption, it does not militate against the theory which I have aimed to establish; for if the contagion follow the analogy of all the other contagions that we are acquainted with, it must act by debilitating the whole fystem. The approach of the jail fever and the plague is often indicated by general languor. The influenza and the meafles are always accompanied by general debility, but the fmall-pox furnishes an analogy to the case in question more directly in point. The contagion of this diforder, whether received by the medium of the air or the skin, never fails of producing a difease of the whole system, before it discovers itself in affections of those parts of the body on which the contagion produced its first operation .- I am disposed to believe, from feveral cafes which have come under my notice, that the contagion which produces the confumption feldom acts in lefs than two or three months after it is received into the fystem. I once attended

attended a lady, in whom the contagion did not difcover itself in the lungs for nearly a year after the had been exposed to it, by attending a fifter who had died of the confumption. In this cafe the effects of fatigue, and of grief were entirely worn away from the fystem by time, as well as by cheerful fociety.

7. I grant that cutaneous humours, and the matter of old fores, when repelled, or fuddenly healed, have in fome cases fallen upon the lungs, and produced confumption. But I believe, in every cafe where this has happened, the confumption was preceded by general debility, or that it was not induced, until the whole fystem had been previously debilitated by a tedious and distressing cough.

If the reasonings founded upon the facts which have been mentioned be just, then it follows,

III. That the cough, tubercles, ulcers, and purulent or bloody discharges which occur in the pulmonary confumption, are the effects and not the causes of the disease; and, that all attempts to cure it, by inquiring after tubercles and ulcers, or into the quality of the discharges from the lungs, are as fruitless as an attempt would be to discover the caufes

G 4

causes or cure of dropsies, by an examination of the qualities of collections of water, or to find out the causes and cure of fevers by the quantity or quality of the discharges which take place in those diseases from the kidneys and skin. I admit that the cough, ulcers, and tubercles, after they are formed, increase the danger of the disease, by becoming new eauses of stimulus to the system, but in this they are upon a footing with those essuints in the viscera, which take place in the intermitting fever, which though they constitute no part of its cause, frequently produce symptoms and a termination which are wholly unconnected with the original disease.

The tendency of general debility to produce a difease of the lungs appears in many cases, as well as in the pulmonary consumption. Dr. Lind tells us, that the last stage of the jail sever was often marked by a cough. I have seldom been disappointed in looking for a cough and a copious excretion of mucus and phlegm after the 14th or 15th days of the nervous sever. Two cases of hypocondriasis under my care, ended in satal disorders of the lungs. The debility of old age is generally accompanied by a troubless me cough, and the debility which precedes death, generally discovers its last symptoms in the lungs,—hence, most people die with what

what are called the Rattles. They are produced by a fudden and copious effusion of mucus in the bronchial vessels of the lungs.

Should it be asked, why does general debility terminate by a diforder in the lungs, rather than in any other part of the body ?- I answer,-that it feems to be a law of the fystem, that general debility should always produce some local disease. This local difease sometimes manifests itself in dyspepsia, as in the general debility which follows grief; -- fometimes it discovers itself in a diarrhœa as in the general debility which fucceeds to fear .- Again it appears in the brain, -as in the general debility which fucceeds intemperance, and the constant or violent exercise of the understanding, or of stimulating passions; but it more frequently appears in the lungs, as the confequence of general debility. It would feem as if the debility in the cases of consumption is seated chiefly in the blood veffels, while that debility which terminates in difeases of the stomach and bowels, is confined chiefly to the nerves-and that the local affections of the brain arise from a debility, invading alike the nervous and arterial fystems. What makes it more probable, that the arterial fystem is materially affected in the confumption is, that the diforder most frequently oc-

40 mm

curs in those periods of life, and in those habits in which a peculiar state of irritability or excitability is supposed to be present in the arterial system; also in those climates in which there are the most frequent vicissitudes in the temperature of the weather. It is remarkable, that the debility in the inhabitants of the West Indies, whether produced by the heat of the climate, or the excessive pursuits of business or pleasure, generally terminates in dropsy, or in some disorder of the alimentary canal.

I have faid, that it feemed to be a law of the fyflem, that general debility should always produce
fome local affection. But to this law there are
fometimes exceptions: The Atrophy appears to
be a confumption without an affection of the
lungs.—This disorder is frequently mentioned
by the writers of the 16th and 17th centuries
by the name of Tabes. I have feen feveral inflances of it in adults, but more in children, and
a greater number in the children of black than of
white parents. The hectic fever, and even the
night sweats, were as obvious in feveral of these
cases, as in those consumptions where general debility had discovered itself in an affection of the
lungs.

I come

I come now to make a few observations upon the CURE of consumption; and here I hope it will appear, that the theory which I have delivered admits of an early and very important application to practice.

If the confumption be preceded by general debility, it becomes us to attempt the cure of it before it produce the active fymptoms of cough, bloody or purulent discharges from the lungs, and inflammatory or hectic fever. The fymptoms which mark its first stage, are too feldom observed; or if observed, they are too often treated with equal neglect by patients and physicians. I shall briefly enumerate these symptoms. They are a flight fever increased by the least exercise,a burning and dryness in the palms of the hands, more especially towards evening,-rheumy eyes upon waking from fleep, - an increase of urine, a dryness of the skin, more especially of the feet in the morning,*-an occasional flushing in one, and fometimes in both cheeks,-a hoarfe-

^{*} The three last mentioned symptoms are taken notice of by Dr. Bennet, in his Treatise upon the Nature and Cure of the Consumption as precursors of the disorder. Dr. Boerhaave used to tell his pupils that they had never deceived him.

ness +—a slight or acute pain in the breast,—a sixed pain in one side, or shooting pains in both sides,—head-ach,—occasional sick and fainty sits,—a desiciency of appetite, and a general indisposition to exercise or motion of every kind.

It would be eafy for me to mention cases in which every fymptom that has been enumerated has occurred within my own observations. I wish them to be committed to memory by young practitioners; and if they derive the fame advantages from attending to them, which I have done, I am fure they will not regret the trouble they have taken for that purpose. It is probable, while a morbid state of the lungs is supposed to be the proximate cause of this disorder, they will not derive much reputation or emolument from curing it in its forming stage; but let them remember, that in all attempts to discover the causes and cures of difeafes, which have been deemed incurable, a physician will do nothing effectual until he acquire a perfect indifference to his own interest and fame.

[†] I have feen the hearfeness in one case the first symptom of approaching consumption. In this symptom it preserves the analogy of pneumony, which often comes on with a hoarseness, and sometimes with paraphonia.

The remedies for confumption in this stage of the diforder are simple and certain. They consist, in a defertion of all the remote, and exciting causes of the disorder, particularly sedentary employments, damp or cold fituations, and whatever tends to weaken the fystem. When the disease has not yielded to this defertion of its remote and exciting causes, I have recommended the cold bath, Acel, and bark with great advantage. However improper or even dangerous these remedies may be after the difease assumes an inflammatory or hectic type, and produces an affection of the lungs, they are perfectly fafe and extremely useful in the state of the system which has been described. The use of the bark will readily be admitted by all those practitioners who believe the pulmonary confumption to depend upon a fcrophulous diathefis. Should even the lungs be affected by ferophulous tumors, it is no objection to the use of the bark; for there is no reason why it should not be as ufeful in scrophulous tumors of the lungs, as of the glands of the throat, provided it be given before those tumors have produced inflammation; and in this cafe, no prudent practitioner will ever prescribe it in scrophula when seated even in the external parts of the body. To these remedies thould be added a diet moderately flimulating, and gentle

gentle exercife. I shall hereafter mention the different species of exercise, and the manner in which each of them should be used so as to derive the utmost advantage from them. I can say nothing of the use of salt-water, or sea-air in this stage of the consumption from my own experience. I have heard them commended by a physician of Rhode-Island; and if they be used before the disease has discovered itself in pulmonary affections, I can easily conceive they may do service.

If the simple remedies which have been mentioned have been neglected, in the first stage of the disorder, it generally terminates in different periods of time, in pulmonary affections; which shew themselves under one of the three following forms.—

- 1. A fever, accompanied by a cough, a hard pulse, and a discharge of blood, or mucous matter from the lungs.
- 2. A fever of the hectic kind, accompanied by chilly fits, and night fweats, and a pulse full, quick, and occasionally hard. The discharges from the lungs in this state of the disorder, are frequently purulent.

3. A fever with a weak quick pulse, a troublefome cough, and copious purulent discharges from the lungs, a hoarse and weak voice, and chilly fits and night sweats, alternating occasionally with a diarrhœa.

These three different forms of the pulmonary affection have been distinguished by the names of the first, second, and third stages of the consumption; but as they do not always succeed each other in the order in which they have been mentioned, I shall consider them as different states of the system.

The first I shall call the INFLAMMATORY—the second the HECTIC, and the third the TYPHUS state. I have seen the pulmonary consumption come on sometimes with all the symptoms of the second, and sometimes with the most of the symptoms of the third state; and I have seen two cases in which a hard pulse, and other symptoms of inflammatory action appeared in the last hours of life. It is agreeable to pursue the analogy of this disorder with a pneumony, or an acute inflammation of the lungs. They both make their sirst appearance in the same seasons of the year. It is true, the pneumony most frequently attacks with inflammatory symptoms; but it sometimes occurs with symptoms which for-

bid blood-letting, and I have more than once feen it attended by fymptoms which required the use of wine and bark. The pneumony is attended at sirst by a dry cough, and an expectoration of streaks of blood—the cough in the consumption, in like manner, is at first dry, and attended by a discharge of blood from the lungs, which is more copious than in the pneumony, only because the lungs are more relaxed in the former than in the latter disorder. There are cases of pneumony in which no cough attends. I have seen cases of pulmonary consumption, in which nothing but a difficulty of breathing discovered a morbid state of the lungs, and one in which there was an entire absence of cough.*

The

* In the year 1785, I attended a young lady who had complained of a pain in her right fide, and had frequent chills with a fever of the hectic kind. They all gave way to frequent and gentle bleedings. In the fummer of 1786, the was feized with the fame complaints, and as the had great objections to bleeding, the confulted a physician who gratified her, by attempting to cure her by recommending exercife and country air. In the autumn the returned to the city much worfe than when the left it. I was again fent for, and found her confined to her bed with a pain in her right fide, but without the least cough or fever. Her pulse was preternaturally flow. She could lie only on her left fide. She fometimes complained of acute flying pains in her head, bowels,

The pneumony terminates in different periods according to the degrees of inflammation, or the nature of the effusions which take place in the lungs—the same observation applies to the pulmonary consumption. The symptoms of the different species of pneumony frequently run into each other; so do the symptoms of the three species of consumption which have been mentioned. In short, the pneumony and consumption are alike in so

bowels, and limbs. About a month before her death, which was on the 3d of May 1787, her pulse became quick, and she had a little hecking cough, but without any discharge from her lungs. Upon my first visit to her in the preceding autumn, I had told her friends that I believed she had an abscess in her lungs. The want of fever and cough afterwards however gave me reason to suspect that I had been mistaken. The morning after her death, I received a meffage from her father, informing me that it had been among the last requests of his daughter, that the cause of her death should be afcertained by my opening her body. I complied with this request, and in company with Dr. Hall, examined her thorax. We found the left lobe of the lungs perfectly found; the right lobe adhered to the pleura, in separating of which, Dr. Hall plunged his hand into a large fac which contained about half a pint of purulent matter, and which had nearly destroyed the whole substance of the right lobe of the lungs.

I have met with only two other cases of consumption in which there was an absence of a quick pulse. In both of them the pulse was regular to the last day of life.

Vol. II. H many

many particulars, that they appear to refemble shadows of the same substance. They differ only as the protracted shadow of the evening does from that of the noon-day sun.

I know that it will be objected here that the confumption is fometimes produced by ferophula, and that this creates an effential difference between it and pneumony. I formerly admitted ferophula to be one of the remote causes of the confumption; but this does not invalidate the parallel which has been given of the two diseases. The phenomena produced in the lungs are the same as to their nature, whether they be produced by the remote cause of scrophula, or by the sudden action of cold and heat upon them.

No more happens in the cases of acute and chronic pneumony, than what happens in dysentery and rheumatism. These two last diseases are for the most part so acute, as to confine the patient to his bed or his room, yet we often meet with both of them in patients who go about their ordinary business, and, in some instances, carry their diseases with them for two or three years.

The parallel which has been drawn between the pneumony and confumption, will enable us to understand

derstand the reason why the latter disorder terminates in fuch different periods of time. The lefs it partakes of pneumony, the longer it continues, and vice versa. What is commonly called in this country a galloping confumption, is a difease compounded of different degrees of confumption and pneumony. It terminates frequently in two or three months, and without many of the fymptoms which usually attend the last stage of pulmonary confumption. But there are cases in which patients in a confumption are fuddenly fnatched away by an attack of pneumony. I have met with one case only, in which, contrary to my expectation, the patient mended after an attack of an acute inflammation of the lungs, fo as to live two years afterwards.

It would feem from these facts, as if nature had preferred a certain gradation in diseases, as well as in other parts of her works. There is scarcely a disease in which there is not a certain number of grades, which mark the distance between health and the lowest specific deviation from it. Each of these grades has received different names, and has been considered as a distinct disease, but more accurate surveys of the animal economy have taught us, that they frequently depend upon the

fame original causes, and that they are only greater or less degrees of the same disease.

I shall now proceed to say a sew words upon the cure of the different states of pulmonary consumption. The remedies for this purpose are of two kinds, viz. PALLIATIVE and RADICAL. I shall first mention the palliative remedies which belong to each state, and then mention those which are alike proper in them all. The palliative remedies for the

I. Or INFLAMMATORY STATE, are

recommend this debilitating remedy in a difease brought on by debility. Were it proper in this place, I could prove that there is no difease in which bleeding is prescribed, which is not induced by predisposing debility in common with the pulmonary consumption. I shall only remark here, that in consequence of the exciting cause acting upon the system (rendered extremely excitable by debility) such a morbid and excessive excitement is produced in the arteries as to render a diminution of the stimulus of the blood absolutely necessary to reduce it. I have used this remedy with

great fuccess in every case of consumption, attended by a hard pulse, or a pulse rendered weak by a laborious transmission of the blood through the lungs. In the months of February and March in the year 1781, I bled a Methodist minister, who was affected by this state of confumption, fifteen times in the course of fix weeks. The quantity of blood drawn at each bleeding was never lefs than eight ounces, and it was at all times covered with an inflammatory crust. By the addition of country air, and moderate exercise, to this copious evacuation, in the ensuing spring he recovered his health fo perfectly, as to discharge all the duties of his profession for many years, nor was he ever afflicted afterwards with a diforder in his breast. I have in another instance, bled a citizen of Philadelphia eight times in two weeks, in this state of consumption, and with the happiest effeets. The blood drawn at each bleeding was always fizy, and never less in quantity than ten ounces. To these cases I might add many others of confumptive persons who have been perfectly cured by frequent, and of many others whose lives have been prolonged by occasional bleedings .-But I am forry to add, that I could relate many more cases of consumptive patients, who have died martyrs to their prejudices against the use of this invaluable remedy. A common objection to it is, H 3 that

that it has been used without success in this disorder. When this has been the case, I suspect that it has been used in one of the other two states of pulmonary confumption which have been mentioned, for it has unfortunately been too fashionable among physicians to prescribe the same remedies in every stage and species of the same disorder; and this I take to be the reason why the fame medicines, which in the hands of some phyficians, are either inert, or instruments of mischief, are, in the hands of others, used with more or less success in every case in which they are prefcribed. Another objection to bleeding in the inflammatory state of confumption, is derived from the apparent and even fenfible weakness of the patient. The men who urge this objection, do not hefitate to take from fixty to an hundred ounces of blood from a patient in a pneumony in the course of five or fix days, without confidering that the debility in the latter case is such as to confine a patient to his bed, while in the former case, the patient's strength is such as to enable him to walk about his house, and even to attend to his ordinary bufiness. The difference between the debility in the two diseases, confists in its being acute in the one, and chronic in the other. It is true, the preternatural or convultive excitement of the arteries is fomewhat greater in the pneumony

mony, than in the inflammatory confumption; but the plethora on which the necessity of bleeding is partly founded, is certainly greater in the inflammatory confumption than in pneumony.—
This is evident from women, and even nurses, discharging from four to six ounces of menstrual blood every month, while they are labouring with the most inflammatory symptoms of the disorder; nor is it to be wondered at, since the appetite is frequently unimpaired, and the generation of blood continues to be the same, as in perfect health.

Dr. Cullen recommends the use of bleeding in consumptions in order to lessen the inflammation of the ulcers in the lungs, and thereby to dispose them to heal. From the testimonies of the relief which bleeding affords in external ulcers and tumours accompanied by inflammation, I am disposed to expect the same benefit from it in inslamed ulcers and tumours in the lungs: Whether, therefore, we adopt Dr. Cullen's theory of consumption, and treat it as a local disease, or affent to the one which I have delivered, still repeated bleedings appear to be equally necessary and useful.

I have feen two cases of inflammatory confumption, attended by a hæmorrhrge of a quart

of blood from the lungs. I agreed at first with the friends of these patients in expecting a rapid termination of their disorder in death, but to the joy and surprise of all connected with them, they both recovered. I ascribed their recovery wholly to the inflammatory action of their systems being suddenly reduced by a spontaneous discharge of blood. These facts, I hope, will serve to establish the usefulness of blood-letting in the inflammatory state of consumption, with those physicians who are yet disposed to trust more to the fortuitous operations of nature, than to the decisions of reason and experience.

I have always found this remedy to be more necessary in the winter and first spring months, than at any other season. We obtain by means of repeated bleedings, such a mitigation of all the symptoms as enables the patient to use exercise with advantage as soon as the weather becomes so dry and settled, as to admit of his going abroad every day.

The relief obtained by bleeding, is so certain in this state of consumption, that I often use it as a palliative remedy, where I do not expect it will perform a cure. I was lately made happy in finding, that I am not singular in this practice. Dr. Hamilton,

Hamilton, of Lynn Regis, used it with success in a consumption, which was the effect of a most deplorable scrophula, without entertaining the least hope of its performing a cure.* In those cases where inflammatory action attends the last scene of the disorder, there is often more relief obtained by a little bleeding than by the use of opiates, and it is always a more humane prescription, in desperate cases, than the usual remedies of vomits and blisters.

I once bled a fea captain, whom I had declared to be within a few hours of his diffolution, in order to relieve him of uncommon pain, and difficulty in breathing. His pulse was at the fame time hard. The evacuation, though it consisted of only four ounces of blood, had the wished for effect, and his death, I have reason to believe, was rendered more easy by it. The blood, in this case, was covered with a buffy coat.

The quantity of blood drawn in every case of inflammatory consumption, should be determined by the force of the pulse, and the habits of the patient. I have seldom taken more than eight, but more frequently only six ounces at a time. It is

^{*} Observations on Scrophulous Affections.

much better to repeat the bleeding once or twice a week, than to use it less frequently, but in larger quantities.

From many years experience of the efficacy of bleeding in this state of consumption, I feel myfelf authorised to affert, that where a greater proportion of persons die of consumption when it makes its first appearance in the lungs, with symptoms of instammatory diathesis, than die of ordinary pneumonies, (provided exercise be used afterwards) it must in nine cases out of ten, be ascribed to the ignorance, or erroneous theories of physicians, or to the obstinacy or timidity of patients.

In speaking thus considently of the necessity and benefits of bleeeding in the inflammatory state of consumption, I consine myself to observations made chiefly in the state of Pennsylvania. It is possible the inhabitants of European countries and cities, may so far have passed the simple ages of inflammatory disorders, as never to exhibit those symptoms on which I have founded the indication of blood-letting. I am disposed to believe moreover that in most of the southern states of America, the inflammatory action of the arterial system is of too transient a nature to admit of the repeated bleedings in the consumption which are used with

so much advantage in the middle and northern states.

In reviewing the prejudices against this excellent remedy in consumptions, I have frequently wished to discover such a substitute for it as would with equal safety and certainty take down the morbid excitement, and action of the arterial system. I believe in the existence of such a remedy; but until it be discovered, it becomes us to combat the prejudices against bleeding; and to derive all the advantages from it which have been mentioned.

of confumption should be fought for in a MILK and VEGETABLE DIET. In those cases where the milk does not lie easy on the stomach, it should be mixed with water, or it should be taken without its cheefy or oily parts, as in whey, or buttermilk, or it should be taken without skimming; for there are cases in which milk will agree with the stomach in this state, and in no other. The oil of the milk probably helps to promote the solution of its curds in the stomach. It is seldom in the power of physicians to prescribe asses or goats' milk in this disorder; but a good substitute may be prepared for them by adding to cows' milk

milk a little fugar, and a third or fourth part of water, or of a weak infusion of green tea. The vegetables which are eaten in this state of the diforder, should contain as little stimulus as possible. It would feem as if the moderate portion of faccharine matter which is contained in certain fruits, fuch as strawberries, grapes, and sweet apples, were peculiarly agreeable and ufeful, for each of thefe fruits has been faid to have cured the confumption. In those cases where the stomach is disposed to dyspepsia, a little animal food, also soft boiled eggs, may be taken with fafety, mixed with vegetable aliment. Where there is no morbid affection of the stomach, I have seen the white meats eaten without increasing the inflammatory fymptoms of the disease. The transition from a full diet to milk and vegetables should be gradual, and the addition of animal to vegetable aliment, should be made with the fame caution. From the neglect of this direction, much error, both in theory and practice, has arisen in the treatment of confumptions.

In every case it will be better for the patient to eat sour or sive, rather than only two or three meals in a day. A less stimulus is by this means communicated to the system, and less chyle is mixed with the blood in a given time. Of so much importance

importance do I conceive this direction to be, that I feldom prescribe for a chronic disease of any kind without enforcing it.

- 3. Vomits have been much commended by Dr. Read in this diforder. From their indifcriminate use in every state of consumption, I am satisfied they have oftener done harm than good. In cases where a patient objects to bleeding, or where a physician doubts of its propriety, vomits may always be substituted in its room with great advantage.
- 4. Nitre in moderate doses of ten or fifteen grains taken three or four times a day, has sometimes done service in this disorder; but I believe it has been only when the disease has appeared with inflammatory symptoms. Care should be taken not to persevere too long in the use of this remedy as it is apt to impair the appetite. I have known one case in which it produced an obstinate dyspepsia, and a disposition to the colic; but it removed at the same time, the symptoms of pulmonary consumption.
- 5. Cold and dry air, when combined with the exercise of walking, deserves to be mentioned as an antiphlogistic remedy. I have repeatedly prescribed

prescribed it in this species of the consumption with advantage, and have often had the pleasure of finding a single walk of two or three miles in a clear cold day, produce nearly the same diminution of the force and frequency of the pulse, as the loss of six or eight ounces of blood.

I come now to treat of the palliative remedies which are proper in the

II. Or HECTIC STATE of Confumption. Here we begin to behold the diforder in a new and more distressing form than in the state which has been described. There is in this state of consumption the same complication of inflammatory and typhus diathesis which occurs in the typhoid and puerperile fevers, and of course the same difficulty in treating it successfully; for the same remedies do good and harm, according as the former or latter diathesis prevails in the system.

All that I shall say upon this state is, that the treatment of it should be accommodated to the predominance of inflammatory or typhus symptoms, for the hectic state presents each of them alternately every week, and sometimes every day to the hand or eye of a physician. When a hard pulse with acute pains in the side and breast occur, bleeding

bleeding and other remedies for the inflammatory state must be used; but when the disease exhibits a predominance of typhus symptoms, the remedies for that state to be mentioned immediately, should be prescribed in moderate doses. There are several palliative medicines which have been found useful in the hectic state, but they are such as belong alike to the other two states; and therefore will be mentioned hereafter in a place assigned to them.

I am forry, however, to add, that where bleeding has not been indicated, I have feldom been able to afford much relief by medicine in this state of confumption. I have used alternately the most gentle, and the most powerful vegetable and metallic tonics to no purpofe. Even arfenic has failed in my hands of affording the least alleviation of the hectic fever. I conceive the removal of this fever, to be the great defideratum in the cure of confumption, and should it be found after all our refearches to exist only in exercise, it will be no departure from a law of nature; for I believe there are no diseases produced by equal degrees of chronic debility, in which medicines are of any more efficacy, than they are in the hectic fever of the pulmonary confumption.

I proceed now to fpeak of the palliative remedies which are proper in the

III. Or, TYPHUS STATE of the Pulmonary Confumption.

The first of these are STIMULATING MEDICINES. However just the complaints of Dr. Fothergill may be against the use of balfams in the inflammatory and mixed states of confumption, I am satisfied that they are not only fafe, but ufeful likewife in mitigating the fymptoms of weak morbid action in the arterial system. I have therefore frequently prescribed the balfam of copaivæ, of Peru, the oil of amber, and different preparations of turpentine and tar in moderate doses with obvious advantage. Garlic, Elixir of vitriol, the juice of dandelion, a strong tea made of horehound, and a decoction of the inner bark of the wild cherry tree;* also bitters of all kinds, have all been found fafe and ufeful tonics in this species of the consumption. Even the Peruvian bark and the cold bath, fo often and fo generally condemned in confumptions, are always innocent and frequently active remedies where there is a total absence of inslammatory diathefis in this diforder. With these medicines should be combined

^{*} Prunus Virginiana.

2. A CORDIAL and STIMULATING DIET. Milk and vegetables fo proper in the inflammatory, are improper when taken alone in this state of confumption. I believe they often accelerate that decay of appetite and diarrhoa, which form the closing scene of the disorder. I think I have seen advantages from the use, not only of fresh, but of falted animal food when prescribed in the total abfence of inflammatory diathefis. Oysters, it has been faid, have performed cures of confumption. If they have, it must have been only when they were eaten in that state of it which is now under confideration. They are a most favoury and wholefome article of diet in all difeases attended with fymptoms of general debility. I have found the fame advantage from dividing the meals here that I mentioned under a former head. The exhibition of food in this case, should not be left to the calls of appetite, any more than the exhibition of a medicine. Indeed food may be made to supply the place of cordial medicines, by keeping up a constant and gentle action in the whole system. For this reason, I have frequently advised my patients never to fuffer their stomachs to be empty, even for a fingle hour. I have fometimes aimed to keep up the influence of a gentle action in the stomach upon the whole fystem, by advising them to eat in the night, in order to obviate the increase of the VOL. II. excreexcretion in the lungs and of the cough in the morning, which are brought on in part by the increase of debility from the long abstraction of the stimulus of aliment during the night.

However fafe and even useful the cordial medicines and diet which have been mentioned may appear, yet I am forry to add, that I have never feen any other advantages from them than a mitigation of distressing symptoms, except when they have been combined with suitable and long continued exercise. Even under this favourable circumstance, they are often inessectual; for there frequently occurs in this state of consumption, such a destruction of the substance and functions of the lungs, as to preclude the possibility of a recovery by the use of any of the remedies which have been discovered.

I have faid formerly that the three states of consumption do not observe any regular course in succeeding each other. They are not only complicated in some instances, but they often appear and disappear half a dozen times in the course of the disease, according to the influence of the weather, dress, diet, and the passions, upon the system. The great secret, therefore, of treating this disorder consists in accommodating all the remedies that have

have been mentioned to the predominance of either of the three different states of the system, as manifested chiefly by the pulse. It is in confequence of having observed the evils which have refulted from the ignorance or neglect of this practice, that I have fometimes wished that it were possible to abolish the seducing nomenclature of difeafes altogether, in order thereby to oblige phyficians to conform exactly to the fluctuating state of the fystem in all their prescriptions; for it is not more certain, that in all cultivated languages, every idea has its appropriate word, than that every state of a difease has its appropriate dose of medicine, the knowledge and application of which, can alone constitute rational, or ensure uniformly, fuccefsful practice.

I come now to fay a few words upon those palliative remedies which are alike proper in every state of the Pulmonary Consumption.

The first Remedy under this head is a DRY SITUATION. A damp air, whether breathed in a room, or out of doors, is always hurtful in every species of this disorder. A kitchen or a bed room below the level of the ground has often produced, and never fails to increase, a pulmonary consumption. I have often observed a peculiar paleness,

(the first symptom of general debility) to shew itself very early in the faces of persons who work or sleep in cellar kitchens or shops.

- 2. COUNTRY AIR. The higher and drier the fituation which is chosen for the purpose of enjoying the benefit of this remedy, the better. tions exposed to the fea, should be carefully avoided; for it is a fingular fact, that while confumptive perfons are benefited by the fea air, when they breathe it on the ocean, they are always injured by that portion of it which they breathe on the fea-shore. I shall not pause to inquire, why a mixture of land and fea air is fo hurtful in the confumption, and at the fame time fo agreeable to perfons in health, and fo medicinal in many other difeafes, but shall dismiss this head by adding a fact which was communicated to me by Dr. Matthew Irvine of South-Carolina, and that is, That those fituations which are in the neighbourhood of Bays or Rivers, where the falt and fresh waters mix their streams together, are more unfavourable to confumptive patients than the fea-shore; and therefore should be more carefully avoided by them in exchanging city for country air.
- 3. Loose dresses, and a careful accommodation of them to the changes in the Weather.

WEATHER. Many facts might be mentioned to thew the influence of compression and of tight ligatures of every kind, upon the different parts of the body; also of too much, or too little clothing, in producing, or increasing diseases of every kind, more especially those which affect the lungs. Tight stays, garters, waistbands, and collars, should all be laid afide in the confumption, and the quality of the clothing should be suited to the weather. A citizen of Maryland informed me, that he had twice had a return of a cough and spitting of blood, by wearing his fummer clothes a week after the weather became cool in the month of September. But it is not fufficient to vary the weight or quality of drefs with the feafons. It should be varied with the changes which take place in the temperature of the air every day, even in the fummer months, in middle latitudes. I know a citizen of Philadelphia, who has laboured under a confumptive diathefis near thirty years, who believes that he has leffened the frequency and violence of pulmonic complaints during that time, by a careful accommodation of his drefs to the weather. He has been observed frequently to change his waiftcoat and fmall clothes twice or three times in a day, in a fummer month.

A repetition of colds, and thereby an increase of the disorder, will be prevented by wearing flannel next to the skin in winter, and muslin in the summer, either in the form of a shirt or a waist-coat: where these are objected to, a piece of slannel, or of soft sheepskin, should be worn next to the breast. They not only prevent colds, but frequently remove chronic pains from that part of the body.

- 4. ARTIFICIAL EVACUATIONS by means of BLISTERS and ISSUES. I suspect the usefulness of these remedies to be chiefly confined to the inflammatory and hestic states of consumption. In the typhus state, the system is too weak to sustain the discharges of either of them. Fresh blisters should be preferred to such as are perpetual, and the issues, to be useful should be large. They are supposed to afford relief by diverting a preternatural secretion and excretion of mucus or pus from the lungs, to an artificial emunstory in a less vital part of the body.
- 5. Certain FUMIGATIONS and VAPORS. An accidental cure of a pulmonary affection by the finoke of rolin, in a man who bottled liquors, raifed for a while the credit of the first of those remedies. I have tried them, but without much permanent effect.

effect. I think I have feen the pain in the breaft relieved by receiving the vapour from a mixture of equal parts of tar, bran, and boiling water into the lungs. The fulphureous and faline air of Stabiæ, between Mount Vefuvius and the Mediterranean fea, and the effluvia of the pine forests of Lybia, were fupposed in ancient times to be powerful remedies in consumptive complaints; but it is probable, the exercise used in travelling to those countries, contributed chiefly to the cures which were ascribed to foreign matters acting upon the lungs.

- 6. LOZENGES, SYRUPS, and DEMULCENT TEAS. These are too common and too numerous to be mentioned.
- 7. OPIATES. It is a mistake in practice, founded upon a partial knowledge of the qualities of opium, to administer it only at night, or to suppose that its effects in composing a cough, depend upon its inducing sleep. It should be given in small doses during the day, as well as in larger ones at night. The dose should be proportioned to the degrees of action in the arterial system. The less this action, the more opium may be taken with safety and advantage.

- 8. DIFFERENT POSITIONS OF THE BODY have been found to be more or less favourable to the abatement of the cough. These positions should be carefully sought for, and the body kept in that which procures the most freedom from coughing. I have heard of an instance, in which a cough which threatened a return of an hæmorrhage from the lungs, was perfectly composed for two weeks, by keeping the patient nearly in one posture in bed; but I have known more cases in which relief from coughing was to be obtained only by an erect posture of the body.
 - 9. Considerable relief will often be obtained from the patient's sleeping between blankers in winter, and on a mattress in summer. The former prevent fresh colds from night sweats; the latter frequently checks them altogether. In cases where a sufficient weight of blankets to keep up an agreeable warmth, cannot be borne without restraining easy and full acts of inspiration, the patient should sleep under a light feather bed, or an eider down coverlit. They both afford more warmth than double or treble their weight of blankets.

However comfortable this mode of producing warmth in bed may be, it does not protect the lungs

lungs from the morbid effects of the distant points of temperature of a warm parlour in the day time, and a cold bed-chamber at night. To produce an equable temperature of air at all hours, I have frequently advised my patients, where going to a warm climate was not practicable, to pass their nights as well as days in an open stove room, in which nearly the same degrees of heat were kept up at all hours. I have found this practice, in several cases, a tolerable substitute for a warm climate.

ING. The MODERATE use of the lungs, in READING, PUBLIC SPEAKING, LAUGHING, and SINGING. The lungs, when debilitated, derive equal benefit with the limbs, or other parts of the body, from moderate exercise. I have mentioned in another place * several facts which support this opinion. But too much pains cannot be taken to inculcate upon our patients to avoid all excess in the use of the lungs, by long, or loud reading, speaking, or singing, or by sudden and violent bursts of laughter. I shall long lament the death of a female patient, who had discovered many hopeful signs of a recovery from a consumption, who re-

Med. Inquiries and Observations.

^{*} An account of the effects of common falt in the cure of hæmoptysis.

lapfed, and died in confequence of burfting a bloodvessel in her lungs, by a sudden fit of laughter.

11. Are there any advantages to be derived from the excitement of certain PASSIONS in the treatment of confumptions? Dr. Blane tells us, that many confumptive persons were relieved, and that fome recovered, in confequence of the terror which was excited by a hurricane in Barbadoes, in the year 1780. It will be difficult to imitate, by artificial means, the accidental cures which are recorded by Dr. Blane; but we learn enough from them to inspire the invigorating passions of hope and confidence in the minds of our patients, and to recommend to them fuch exercises as produce exertions of body and mind analogous to those which are produced by terror. Van Swieten and Smollet relate cures of confumptions, by patients falling into streams of cold water. Perhaps in both inflances, the cures were performed only by the fright and confequent exertion produced by the fall. This is only one instance out of many which might be mentioned, of partial and unequal action being fuddenly changed into general and equal excitement in every part of the fystem. The cures of confumptions which have been performed by a camp life, * have probably been much affift-

^{*} Medical Inquiries and Observations.

ed by the commotions in the passions which were excited by the various and changing events of war.

Before I proceed to fpeak of the radical cure of the confumption, it will be necessary to observe, that by means of the palliative remedies which have been mentioned, many persons have been recovered, and some have had their lives prolonged by them for many years. In all these cases I have found, upon inquiry, that the disorder was attended with but little general debility, and that it frequently recurred as soon as the patient left off the use of his remedies, unless it were prevented by necessary or voluntary exercise.

It is truly furprifing to observe how long some persons have lived, who have been affected by a consumptive diathesis, and by frequent attacks of many of the most troublesome symptoms of this disorder. Van Swieten mentions the case of a man, who had lived thirty years in this state. Morton relates the history of a man, in whom the symptoms of consumption appeared with but little variation or abatement from his early youth till the 70th year of his age; and Bennet says, he knew an instance of this disorder which continued sixty years. I prescribed for one of my pupils sour-

and-twenty years ago, in a confumption, who, during the greatest part of the time that has elapsed lince, has seldom passed a year without spitting blood, nor a week without coughing, who now enjoys a tolerable share of health. In this case, the fatal tendency of the disorder was constantly opposed by rural exercises, by a cordial, but temperate diet, and (during the absence of inslammatory action in his pulse) by the occasional use of Peruvian bark.

I am led here to mention another instance of the analogy between pneumony and the pulmonary confumption. We often fee the fame frequency of recurrence of both diforders in habits which are predifposed to them. I have attended a German citizen of Philadelphia, in feveral fits of the pneumony, who has been confined to his bed eightand-twenty times, by the fame diforder, in the course of the same number of years. He has, for the most part, enjoyed good health in the intervals of those attacks, and always appeared, till lately, to possess a good constitution. In the cases of the frequent recurrence of pneumony, no one has suspected the disease to have originated exclufively in a morbid state of the lungs; on the contrary, it appears evidently to be produced by the fudden influence of the fame causes, which, by acting

acting with lefs force, and for a longer time, produce the pulmonary confumption. The name of pneumony is taken from the principal fymptom of this diforder, but it is as certainly a difease of the whole arterial fystem as the confumption; and I add further, that it is as certainly produced by general predisposing debility. The hardness and fulness of the pulse do not militate against this affertion, for they are altogether the effects of a morbid and convulsive excitement of the sanguiferous system. The strength manifested by the pulse is moreover partial, for every other part of the body discovers, at the same time, signs of extreme debility.

It would be eafy, by pursuing this subject a little further, to mention a number of facts which, by the aid of principles in physiology and pathology, which are universally admitted, would open to us a new theory of fevers, but this would lead us too far from the subject before us. I shall only remark, that all that has been said of the influence of general debilitating causes upon the lungs, both in pneumony and consumption, and of the alternation of the consumption with other general diseases, will receive great support from considering the lungs only as a part of the whole external surface of the body, upon which most of the

the remote and exciting causes of both diseases produce their first effects. This extent of the surface of the body, not only to the lungs, but to the alimentary canal, was first taken notice of by Dr. Boerhaave; but was unhappily neglected by him in his theories of the diseases of the lungs and bowels. Dr. Keil supposes that the lungs, from the peculiar structure of the bronchial vessels, and air vesicles, expose a surface to the action of the air, equal to the extent of the whole external and visible surface of the body.

Thus have I mentioned the usual palliative remedies for the consumption. Many of these remedies have, under certain circumstances, been said to have cured the disease, but I suspect that such cures have taken place only when the disorder has partaken of an intermediate nature between a pneumony and a true pulmonary consumption. Such connecting shades appear between the extreme points of many other diseases. In a former essay, * I endeavoured to account for the transmutation (if I may be allowed the expression) of the pneumony into the consumption, by ascribing

^{*} Inquiry into the diseases and remedies of the Indians of North America; and a comparative view of their diseases and remedies with those of civilized nations. P.

it to the increase of the debilitating refinements of civilized life. This opinion has derived constant support from every observation I have made connected with this subject, since its first publication, in the year 1772.

I come now to treat of the RADICAL REMEDIES for the pulmonary confumption.

In an effay formerly alluded to, * I mentioned the effects of labour, and the hardships of a camp or naval life, upon this diforder. As there must frequently occur such objections to each of those remedies, as to forbid their being recommended or adopted, it will be necessary to seek for substitutes for them in the different species of exercise. These are, active, passive, and mixed. The active, includes walking, and the exercise of the hands and feet in working or dancing. The passive includes rocking in a cradle, swinging, failing, and riding in carriages of different kinds. The mixed is confined chiefly to riding on horse-back.

I have mentioned all the different species of exercise, not because I think they all belong to the

^{*} Thoughts upon the pulmonary confumption. Med. Inq. and Observations.

class of radical remedies for the consumption, but because it is often necessary to use those which are passive, before we recommend those of a mixed or active nature. That physician does not err more who advises a patient to take physic, without specifying its qualities and doses, than the physician does who advises a patient, in a consumption, to use exercise, without specifying its species and degrees. From the neglect of this direction, we often find consumptive patients injured instead of being relieved by exercises, which, if used with judgment, might have been attended with the happiest effects.

I have before fuggested that the stimulus of every medicine, which is intended to excite action in the system, should always be in an exact ratio to its excitability. The same rule should be applied to the stimulus of exercise. I have heard a well attested case of a young lady, upon whose consumption the first salutary impression was made by rocking her in a cradle; and I know another case in which a young lady, in the lowest state of that debility which precedes an affection of the lungs, was prepared for the use of the mixed and active exercises, by being first moved gently backwards and forwards in a chariot without horses, for an hour every day. Swinging appears to act

in the fame gentle manner. In the case of a gardener, who was far advanced in a consumption, in the Pennsylvania hospital, I had the pleasure of observing its good effects, in an eminent degree. It so far restored him, as to enable him to complete his recovery by working at his former occupation.

In cases of extreme debility, the following order should be recommended in the use of the different species of exercise.

- 1. Rocking in a cradle, or riding on an elastic board—commonly called a chamber horse.
 - 2. Swinging.
 - 3. Sailing.
 - 4. Riding in a carriage.
 - 3. Riding on horseback.
 - 6. Walking.
 - 7. Running-Dancing, &c.

In the use of each of those species of exercise great attention should be paid to the degree or force Vol. II.

of action with which they are applied to the body. For example,—in riding in a carriage, the exercise will be less in a four-wheel carriage than in a single horse chair, and less when the horses move in a walking, than a trotting gait. In riding on horse-back, the exercise will be less or greater according as the horse walks, paces, canters, or trots, in passing over the ground.

I have good reason to believe, that an English fea captain, who was on the verge of the grave with the confumption, in the fpring of the year 1790, owed his perfect recovery to nothing but the above gradual manner, in which, by my advice, he made use of the exercises of riding in a carriage and on horseback. I have seen many other cases of the good effects of thus accommodating exercife to debility; and I am forry to add, that I have feen many cafes in which, from the neglect of this manner of using exercise, most of the species and degrees of it, have either been useless, or done harm. However carelessly this observation may be read by physicians, or attended to by patients, I conceive no direction to be more necessary in the cure of confumptions. I have been thus particular in detailing it, not only because I believe it to be important, but that I might atone to fociety for that portion of evil which I might have prevented

by a more strict attention to it in the first years of my practice.

The more the arms are used in exercise the better. One of the proprietary governors of Pennfylvania, who laboured for many years under a confumptive diathefis, derived great benefit from frequently rowing himself in a small-boat, a few miles. up and down the river Schuylkill. Two young men, who were predifposed to a confumption, were perfeetly cured by working steadily at a printing press in this city. Perhaps the superior advantages of riding on horseback, in this disorder, may arise in part from the constant and gentle use of the arms in the management of the bridle and the whip.

Much has been faid in favour of fea voyages in confumptions. In the mild degrees of the diforder they certainly have done fervice, -but I fufpect the relief given, or the cures performed by them, should be confined chiefly to feafaring people, who add to the benefits of a constant change of pure air, a share of the invigorating exercises of navigating the ship. I have frequently heard of confumptive patients reviving at fea, probably from the transient effects of sea sickness upon the whole fystem, and growing worse as foon as they

came near the end of their voyage. It would feem as if the mixture of land and fea airs was hurtful to the lungs in every fituation and condition in which it could be applied to them. Nor is this peculiar and morbid operation of land and fea airs upon the human body confined only to confumptive people. I croffed the Atlantic ocean in the year 1766, with a fea captain, who announced to his paffengers the agreeable news that we were near the British coast before any discovery had been made of our fituation by founding, or by a change in the colour of the water. Upon asking him upon what he founded his opinion, -he faid, that he had been fneezing, which he added, was the fign of an approaching cold, and that in the course of upwards of twenty years, he had never made the land (to use the seaman's phrase) without being affected in a fimilar manner. I have visited many fick people in Philadelphia foon after their arrival from fea, who have informed me, that they had enjoyed good health during the greatest part of their voyage, and that they had contracted their indispositions after they came within fight of the land. I mention these facts only to shew the neceffity of advising confumptive patients, who undertake a fea voyage for the recovery of their health, not to expose themselves upon deck in the morning and at night, after they arrive within the region in which the mixture of the land and fea airs may be supposed to take place.

I fubscribe, from what I have observed, to the bold declaration of Dr. Sydenham, in favour of the efficacy of riding on borfeback, in the cure of confumption. I do not think the existence of ulcers, or even tubercles in the lungs, when recent, or of a moderate fize, the least objection to the use of this excellent remedy. Ulcers in the lungs are not necessarily fatal, and tubercles have no malignity in them which should render their removal impracticable by this species of exercise. The first question, therefore, to be asked by a physician who visits a patient in this diforder should be, not what is the state of his lungs, but, is he able to ride on horseback.

There are two methods of riding for health in this diforder. The first is by short excursions; the fecond is, by long journeys. In flight confumptive affections, and after a recovery from an acute illnefs, short excursions are sufficient to remove the existing debility; but in the more advanced stages of confumption, they are seldom effectual, and frequently do harm by exciting an occafional appetite without adding to the digeftive powers. They moreover keep the fystem con-K 3 stantly stantly vibrating by their unavoidable inconstancy, between distant points of tone and debility*, and they are unhappily accompanied at all times from the want of a succession of fresh objects to divert the mind, by the melancholy reslection that they are the sad, but necessary conditions of life.

In a confumption of long continuance or of great danger, long journeys on horse back are the most effectual modes of exercise. They afford a constant succession of fresh objects and company, which divert the mind from dwelling upon the danger of the existing malady; they are moreover attended by a constant change of air, and they are not liable to be interrupted by company, or transient changes in the weather, by which means appetite and digestion, action and power all keep pace with each other. It is to be lamented that the use of this excellent remedy is frequently opposed by indolence and narrow circumstances in both fexes, and by the peculiarity of fituation and temper in the female fex. Women are attached to their families by stronger ties than men. They cannot travel alone. Their delicacy, which is in-

^{*} The bad effects of inconstant exercise have been taken notice of in the gout. Dr. Sydenham says, when it is used only by fits and starts in this disorder, it does harm.

creafed by fickness, is liable to be offended at every stage,-and lastly, they sooner relax in their exertions to prolong their lives than men. Of the truth of the last observation, Sir William Hamilton has furnished us with a striking illustration. He tells us, that in digging into the ruins produced by the late earthquake in Calabria, the women who perished in it, were all found with their arms folded as if they had abandoned themselves immediately to defpair and death; whereas, the men were found with their arms extended, as if they had refisted their fate to the last moment of their lives. It would feem from this fact, and many others of a fimilar nature which might be related; that a capacity of bearing pain and diffrefs with fortitude and refignation, was the diffinguishing characteristic of the female mind; while a difposition to resist and overcome evil belonged in a more peculiar manner to the mind of man. I have mentioned this peculiarity of circumstances and temper in female patients, only for the fake of convincing physicians that it will be necessary for them to add all the force of eloquence to their advice, when they recommend journeys to women in preference to all other remedies, for the recovery of their health.

Persons, moreover, who pursue active employments, frequently object to undertaking journeys, from an opinion that their daily occupations are sufficient to produce all the salutary effects we expect from artificial exercise. It will be highly necessary to correct this mistake, by assuring such persons that, however useful the habitual exercise of an active, or even a laborious employment may be to preserve health, it must always be exchanged for one which excites new impressions, both upon the mind and body in every attempt to restore the system from that debility which is connected with pulmonary consumption.

As travelling is often rendered useless, and even hurtful in this disease from being pursued in an improper manner, it will be necessary to surnish our patients with such directions as will enable them to derive the greatest benefit from their journeys. I shall therefore, in this place, mention the substance of the directions which I have given in writing for many years to such consumptive patients as undertake journeys by my advice.

1. To Avoid Fatigue. Too much cannot be faid to enforce this direction. It is the hinge on which the recovery or death of a confumptive patient

tient frequently turns. I repeat it again, therefore, that patients should be charged over and over when they fet off on a journey, as well as when they use exercise of any kind to avoid fatigue. For this purpose, they should begin by travelling only a few miles in a day, and increase the distance of their stages as they increase their strength. By neglecting this practice, many perfons have returned from journeys much worfe than when they left home, and many have died in taverns, or at the houses of their friends on the road. Travelling in stage-coaches is feldom safe for a confumptive patient. They are often crouded; they give too much motion; and they afford by their short delays and distant stages, too little time for rest, or for taking the frequent refreshment which was formerly recommended.

- 2. To Avoid travelling too foon in the Morning, and after the Going down of the Sun in the Evening; and if the weather be hot, never to travel in the middle of the day. The fooner a patient breakfasts after he leaves his bed the better; and in no case should he leave his morning stage with an empty stomach.
- 3. If it should be necessary for a patient to lie down, or to sleep in the day time, he should be advised

advised to undress himself, and to cover his body between sheets or blankets. The usual ligatures of garters, stocks, kneebands, waistcoats and shoes, are very unfriendly to found sleep; hence persons who lie down with their cloaths on, often awake from an afternoon's nap in terror from dreams, or in a profuse sweat, or with a head-ach or fick stomach; and generally out of humour. The furveyors are so sensible of the truth of this remark, that they always undrefs themselves when they fleep in the woods. An intelligent gentleman of this profession informed me that he had frequently feen young woodfmen who had refufed to conform to this practice, fo much indisposed in the morning, that after the experience of a few nights, they were forced to adopt it.

Great care should be taken in sleeping, whether in the day time, or at night, never to lie down in damp sheets. Dr. Sydenham excepts the danger from this quarter, when he speaks of the efficacy of riding on horseback in curing the confumption.

4. Patients who travel for health in this diforder should avoid all large companies, more especially evening and night parties. The air of a contaminated room, phlogisticated by the breath of fifteen fifteen or twenty persons, and by the same number of burning candles, is possion to a consumptive patient. To avoid impure air from every other source, he should likewise avoid sleeping in a crouded room, or with curtains around his bed, and even with a bed-fellow.

5. Travelling, to be effectual in this diforder, should be conducted in such a manner as that a patient may escape the extremes of beat and cold. For this purpose he should pass the winter, and part of the fpring in Georgia or South-Carolina, and the fummer in New Hampshire, Massachufetts, or Vermont, or if he pleafes, he may still more effectually shun the summer heats by crossing the lakes, and travelling along the shores of the St. Lawrence to the city of Quebec. He will thus escape the extremes of heat and cold, particularly the lefs avoidable one of heat; for I have constantly found the hot month of July to be as unfriendly to confumptive patients in Pennfylvania, as the variable month of March. By thefe means too he will enjoy nearly an equable temperature of air in every month of the year; and his fystem will be free from the inconvenience of the alternate action of heat and cold upon it. The autumnal months should be spent in New-Jersey or Pennfylvania.

In these journeys from north to fouth, or from fouth to north, he should be careful, for reasons before mentioned, to keep at as great a distance as possible from the sea coast. Should this inquiry fall into the hands of a British physician, I would beg leave to fuggest to him, whether more advantages would not accrue to his confumptive patients from advising them to cross the Atlantic ocean, and afterwards to purfue the tour which I have recommended, than by fending them to Portugal, France or Italy-Here they will arrive with fuch a mitigation of the violence of the diforder, in confequence of the length of their fea voyage, as will enable them immediately to begin their journeys on horseback. Here they will be exposed to fewer temptations to intemperance, or to unhealthy amusements, than in old European countries. And, lastly, in the whole course of this tour, they will travel among a people related to them by a fameness of language and manners, and by ancient or modern ties of citizenthip. Long journeys for the recovery of health under circumstances so agreeable, should certainly be preferred to travelling among strangers of different nations, languages, and manners, on the continent of Europe.

6. To render travelling on horseback effectual in a confumption, it should be continued with moderate

derate intervals from fix to twelve months. But the cure should not be rested upon a single journey. It should be repeated every two or three years, till our patient has passed the consumptive stages of life. Nay,—he must do more; he must acquire a habit of riding constantly, both at home and abroad; or, to use the words of Dr. Fuller, "he must, like a Tartar, learn to live on horseback, by which means he will acquire in time the constitution of a Tartar. *"

Where benefit is expected from a change of climate, as well as from travelling, patients should reside at least two years in the place which is chosen for that purpose. I have seldom known a residence for a shorter time in a foreign climate do much service.

To fecure a perfect obedience to medical advice, it would be extremely useful if consumptive patients could always be accompanied by a physician. Celsus says, he found it more easy to cure the dropsy in slaves than in freemen, because they more readily submitted to the restraints he imposed upon their appetites. Madness has become a curable disorder in England, since the physicians

^{*} Medicina Gymnastica, p. 116.

of that country have opened private mad-houses, and have taken the entire and constant direction of their patients into their own hands. The fame fuccefsful practice would probably follow the treatment of confumptions, if patients were conflantly kept under the eye and authority of their physicians.—The keenness of appetite, and great stock of animal spirits, which those persons frequently possess, hurry them into many excesses which defeat the best concerted plans of a recovery; -or, if they escape these irregularities, they are frequently feduced from our directions by every quack remedy which is recommended to them. Unfortunately the cough becomes a fignal of their disorder, at every stage of their journey, and the easy or pleasant prescriptions of even hostlers and ferrymen, are often fubstituted to the felf-denial and exertion which have been imposed by physicians. The love of life in these cases feems to level all capacities; for I have observed perfons of the most cultivated understandings to yield in common with the vulgar to the use of these prescriptions.

I cannot conclude this inquiry without adding, that the author of it derived from his paternal ancestors a predisposition to the pulmonary consumption, and that between the 18th and 43d years of

his age, he has occasionally been afflicted with many of the symptoms of that disorder which he has described:—By the constant and faithful use of most of the remedies which he has recommended, he has enjoyed for several years nearly an uninterrupted exemption from pulmonary complaints. In humble gratitude, therefore, to that Being, who condescends to be called the preserver of men, he thus publicly devotes the result of his experience and inquiries to the benefit of such of his fellow-creatures as may be afflicted with the same disorder, sincerely wishing that they may be as useful to them, as they have been to the author.

STREET AND THE BUILDING STREET STREET STREET


OBSERVATIONS

ON THE

SYMPTOMS AND CURE

OF

DROPSIES.



OBSERVATIONS, &c.

HETHER we admit the exhaling and absorbing vessels to be affected in general dropfies by preternatural debility, palfy, or rupture, or by a retrograde motion of their fluids, it is certain that their exhaling and abforbing power is materially affected by too much, or too little action in the arterial fystem. That too little action in the arteries should favour dropsical effuflons, has been long observed, but it has been less obvious that the fame effusions are fometimes promoted, and their abforption prevented, by too much action in these vessels. That this fact should have escaped our notice, is the more remarkable, confidering how long we have been accustomed to feeing ferous fwellings in the joints in the acute rheumatism, and copious, but partial essusions of water in the form of fweat, in every species of inflammatory fever.

It

It is nothing new that the healthy action of one part, should depend upon the healthy action of another part of the system. We see it in many of the diseases of the nerves and brain. The tetanus is cured by exciting a tone in the arterial system; madness is cured by lessening the action of the arteries by copious blood-letting, and epilepsy and hysteria are often mitigated by the moderate use of the same remedy.

By too much action in the arterial system, I mean a certain morbid excitement in the arteries, accompanied by preternatural force, which is obvious to the sense of touch. It differs from the morbid excitement of the arteries, which takes place in common inflammatory severs, in being attended by less febrile heat, and with little or no pain in the head or limbs. The thirst is nearly the same in this state of dropsy, as in inflammatory severs. I include here those dropsies only in which the whole system is affected by what is called an hydropic diathesis.

That debility should, under certain circumstances, dispose to excessive action, and that excessive action should occur in one part of the body, at the same time that debility prevailed in every other, are abundantly evident from the history and phenomena phenomena of many diseases. Inflammatory fever, active hæmorrhages, tonic gout, asthma, apoplexy, and palfy, however much they are accompanied by excessive action in the arterial system, are always preceded by original debility, and are always accompanied by obvious debility in every other part of the system.

But it has been less observed by physicians that an undue force or excess of action occurs in the arterial system in certain dropsies, and that the same theory which explains the union of predisposing and nearly general debility, with a partial excitement and preternatural action in the arterial system, in the diseases before mentioned, will explain the symptoms and cure of certain dropsies.

That debility predifposes to every state of dropsy, is evident from the history of all the remote and occasional causes which produce them. It will be unnecessary to mention these causes, as they are to be found in all our systems of physics. Nor will it be necessary to mention any proofs of the existence of debility in nearly every part of the body. It is too plain to be denied. I shall only mention the symptoms which indicate a morbid excitement and preternatural action of the arterial system. These are,

- I believe, is more common in dropfies than is generally supposed, for many physicians visit and examine patients in these disorders, without feeling the pulse. Dr. Home mentions the frequency of the pulse, in the patients whose cures he has recorded, * but he takes no notice of its force except in two cases. Dr. Zimmerman, in his account of the dropfy which terminated the life of the late king of Prussia, tells us that he found his pulse hard and full. I have repeatedly found it full and hard in every state of dropsy, and more especially in the first stage of the disorder. Indeed I have seldom found it otherwise in the beginning of the dropsy of the breast.
- 2. SIZY BLOOD. This has been taken notice of by many practical writers, and has very justly been ascribed, under certain circumstances of blood-letting, to an excessive action of the vessels upon the blood.
- 3. Alternation of dropfies with certain difeases which were evidently accompanied by excess of action in the arterial system. I have seen anasarca alternate with vertigo, and both ascites and anasarca

* Medical Fads.

alternate

alternate with tonic madness. A case of nearly the fame kind is related by Dr. Mead.

- 4. The occasional connection of certain dropsies with difeases evidently of an inflammatory nature, particularly pneumony, rheumatism, and gout.
- 5. Spontaneous hamorrhages from the lungs, hæmorrhoidal veffels, and nofe, cafes of which shall be mentioned hereafter, when we come to treat of the cure of dropfies.
- 6. The appearance of droppies in the winter and spring, in habits previously affected by the intermitting fever. The debility produced by this state of fever, frequently disposes to inflammatory diathefis, as foon as the body is exposed to the alternate action of heat and cold, nor is this inflammatory diathelis always laid afide, by the transition of the intermitting fever into a dropfy, in the fucceeding cold weather.
- 7. The injurious effects of stimulating medicines in certain dropfies, prove that there exists in them, at times, too much action in the blood-veffels. Dr. Tiffot, in a letter to Dr. Haller, " De Vario-" lis, apoplexia, et hydrope," condemns in strong terms, the use of opium in the dropfy. Now the L4

bad effects of this medicine in dropfies, must have arisen from its having been given in cases of too much action in the arterial system; for opium, we know, increases, by its stimulating qualities, the action and tone of the blood-vessels, and hence we find, it has been prescribed with success in dropfies of too little action in the system.

But the existence of too much action in the arterial system in certain dropsies, will appear more fully from the history of the effects of the remedies which have been employed either by defign or accident in the cure of these disorders. I shall first mention the remedies which have been used with fuccess in tonic dropsies; and afterwards mention those which have been given with success in dropfies of a weak action of the fystem. I have constantly proposed to treat only of the theory and cure of dropfies in general, without specifying any of the numerous names it derives from the different parts of the body in which they may be feated; but in speaking of the remedies which have been used with advantage in both the tonic and atonic states, I shall occasionally mention the name or feat of the dropfy in which the remedy has done fervice.

The first Remedy that I shall mention for dropses is Blood-letting. Dr. Hossiman and Dr. Home both

both cured dropfies accompanied by pulmonic congestion by means of this remedy. Dr. Monroe quotes a case of dropsy from Sponius, in which bleeding fucceeded, but not till after it had been used twenty times. * Mr. Cruikshank relates a case † of accidental bleeding, which confirms the efficacy of blood-letting in thefe diforders. He tells us that he attended a patient with dropfical fwellings in his legs, who had had a hoarfeness for two years. One morning in stooping to buckle his shoes, he bursted a blood-vessel in his lungs, from which he loft a quart of blood; in confequence of which, both the fwellings and the hoarfeness went off gradually, and he continued well two years afterwards. I have known one case in which fpontaneous hæmorrhages from the hæmorrhoidal veffels, and from the nofe, fuddenly reduced univerfal dropfical fwellings. In this patient there had been an uncommon tension and fullness in the pulse.

To these facts, I can with pleasure add, that I have cured one person of ascites, and three of anasarca, (in the course of the three last years) by means of blood-letting. It has been used with

^{*} Treatife on the Dropfy.

[†] Treatife on the Lymphatics.

equal success by Dr. Rawlings, of Maryland, in a case of anasarca which had resisted nitre, and other powerful medicines commonly prescribed for that disorder. *

In those deplorable cases of Hydrothorax, which do not admit of a radical cure, I have given temporary relief, and thereby protracted life by taking away occasionally a few ounces of blood.—Had Dr. Zimmerman used this remedy in the case of the king of Prussia, I cannot help thinking from the account which the Doctor gives us of the diet and pulse of his royal patient, that he would have lessened his sufferings much more than by plentiful doses of dandelion; for I take it for granted, from the candour and integrity which the Doctor discovered in all his visits to the king, that he did not expect that dandelion, or any other medicine, would cure him.

Although a full and tense pulse is always an indication of the necessity of bleeding; yet I can easily conceive there may be such congestions, and

* Dr. Miller, formerly of Delaware, now of New York, has used bleeding in dropsies in several cases with success. I have received many other communications of the efficacy of this remedy from my pupils, since the publication of the first edition of this volume.

fuch a degree of stimulus to the arterial system, as to produce indirect debility, and a low or weak pulse. Two cases of this kind are related by Dr. Monroe, one of which was cured by bleeding. The same symptom of a low and weak pulse is often met with in the first stage of pneumony, and apoplexy, and is only to be removed by the plentiful use of the same remedy.

II. Vomits have often been given with advantage in dropfies. Dr. Home fays, that fquills were useful in these disorders only when they produced a vomiting. The ultimate action of vomits is certainly debilitating; but in producing a diminution of excitement and action in the arterial fyftem, they dispose the lymphatics to absorb and discharge large quantities of water. The efficacy of vomits in promoting the absorption of stagnating fluids is not confined to dropfies. Mr. Hunter was once called to vifit a patient in whom he found a bubo in fuch a state that he purposed to open it the next day. In the mean while, the patient went on board of a veffel where he was feverely affected by fea-fickness and vomiting; in confequence of which the bubo disappeared, and the patient recovered without the use of the knife.

Mr. Cruikshank further mentions a case* of a swelling in the knee being nearly cured by a patient vomiting eight and forty hours in consequence of his taking a large dose of the salt of tartar instead of soluble tartar.

III. Purges. The efficacy of this remedy in the cure of dropfies, has been acknowledged by physicians in all ages and countries. Jalap, calomel, fcammony and gamboge, are often preferred for this purpose; but I have heard of two cases of ascites being cured by a table spoonful of sweet oil taken every day. It probably acted only as a gentle laxative. The cream of tartar fo highly commended by Dr. Home, feems to act chiefly in the same way. Gherlius, from whom Dr. Home learned the use of this medicine, says, that all the perfons whom he cured by it were in the vigour of life, and that their difeases had been only of a few months continuance. From these two circumstances, it is most probable they were dropsies of excessive action in the arterial system. He adds further that the persons who were cured by this medicine, were reduced very low by the use of it. Dr. Home fays that it produced the fame effect upon the patients whom he cured by it, in the In-

^{*} Letter to Mr. Clare, p. 166.

firmary of Edinburgh. Dr. Sydenham prefers gentle to draftic purges, and recommends the exhibition of them every day. Both draftic and gentle purges act by diminishing the action of the arterial fystem, and thereby promote the absorption and discharge of water. That purges promote abforption, we learn not only from their effects in dropfies, but from an experiment related by Mr. Cruikshank,* of a man who acquired several ounces of weight after the operation of a purge, The abforption in this case was from the atmofphere. So great is the effect of purges in promoting abforption, that Mr. Hunter supposes the matter of a gonorrhœa, or of topical venereal ulcers to be conveyed by them in some instances into every part of the body.

IV. Certain Medicines, which by leffening the action of the arterial fystem, favour the absorption and evacuation of water. The only medicines of this class which I shall name are nitre, cream of tartar, and foxglove.

1. Two ounces of nitre dissolved in a pint of water, and a wine-glass full of it taken three times a-day have performed perfect cures, in two cases of ascites, which have come under my notice. I

^{*} Letter to Mr. Clare, p. 117.

think I have cured two persons of anasarca, by giving one scruple of the same medicine three times a-day for feveral weeks. The two last cures were evidently dropfies of too much action in the arterial fystem. Where nitre has been given in atonic dropfies it has generally been ufelefs, and fometimes done harm. I have feen one instance of an incurable diarrhoea after tapping, which I suspected arose from the destruction of the tone of the stomach and bowels, by large and long continued dofes of nitre, which the patient had previously taken by the advice of a person who had been cured by that remedy. To avoid this, or any other inconvenience from the use of nitre in dropsies, it should be given at first in small doses, and should always be laid afide, if it should prove ineffectual after having been given two or three weeks.

- 2. I can fay nothing of the efficacy of cream of tartar in dropfies from my own experience, where it has not acted as a purge. Perhaps my want of decision upon this subject has arisen only from my not having persisted in the use of it for the same length of time which is mentioned by Dr. Home.
- 3. There has been much inquiry into the manner in which foxglove acts in curing dropfies. It has been supposed to exert a specific action on the

the kidneys as a diuretic; but I am rather disposed to believe, that it acts only by lessening the action of the arterial system by a sedative quality which appears to reside in it. I am led to adopt this opinion by the facts which are related by Dr. Darwin, who says, that he had seen it do service in the dropsy, without producing any immediate discharge of water, and that it seldom succeeded until it had previously debilitated the body.

Dr. Warren fays, that he feldom found tonics necessary after he had discharged the water in the dropfy by this medicine, probably because he reduced the arterial system by it, from an excessive to a healthy state of action. And even Dr. Withering, who supposes the foxglove to be improper in plethoric habits, a onfesses that tonics, after its use " very often deceived his expectations," probably by reproducing the fame morbid and exceffive action in the arterial fystem, which he had just before removed by means of the foxglove. I am the more disposed to adopt this opinion of the manner in which this medicine acts. from observing the good effects which are ascribed to it in vertigo-madnefs-hæmorrhages*-and pulmonary confumption, when these diseases are

* Ferriar.

accompanied by too much action in the arterial fystem.

There are different opinions concerning the efficacy of this medicine in dropfies. From the cases related by Dr. Withering, it appears to have done good; but from those related by Dr. Lettfom* it feems to have done harm. I fuspect the different accounts of those two gentlemen have arisen from their having given it in different states of the fystem. In dropsies of too much action, I believe it has fometimes been used with success, but in atonic dropfies, I am fatisfied that it is not only an useless but a dangerous medicine. I am forry to add further, that after many trials of this medicine I have failed in most of the cases in which I have given it. I have discharged the water in three instances by it, but the disease returned, and my patients finally died .- I can ascribe only one complete cure to its use which was in the year 1789, in a young man in the Pennfylvania hospital, of five-and-thirty years of age, of a robust habit, and plethoric pulse.

Where medicines have once been in use, and afterwards fall into disrepute, as was the case with

the

^{*} Medical Memoirs, vol. II.

the Foxglove, I suspect the cases in which they were useful, to have been either sew or doubtful, and that the cases in which they had done harm, were so much more numerous and unequivocal, as justly to banish them from the materia medica.

V. HARD LABOUR, or exercise in such a degree as to produce fatigue, have in feveral instances cured the dropfy. A Dispensary patient in this city was cured of this diforder by fawing wood. And a patient in an ascites under my care in the Pennsylvania hospital, had his belly reduced seven inches in circumference in one day, by the labour of carrying wood from the yard into the hospital. A fecond patient belonging to the Philadelphia Difpenfary was cured by walking to Lancaster, 66 miles from the city, in the middle of winter. The efficacy of travelling in this disorder in cold weather, is taken notice of by Dr. Monroe, who quotes a case from Dr. Holler, of a French merchant, who was cured of a dropfy by a journey from Paris to England, in the winter feafor. It would feem, that in these two cases, the cold cooperated as a fedative with the fatigue produced by labour or exercise, in reducing the tone of the arterial fystem.

Vol. II:

M

VI. Low

VI. Low DIET. I have heard of a woman who was cured of a dropfy by eating nothing but boiled beans for three weeks, and drinking nothing but the water in which they had been boiled. Many other cases of the good effects of low diet in dropsies are to be found in the records of medicine.

VII. THIRST. This cruel remedy acts by debilitating the fystem in two ways; 1st, By abstracting the stimulus of distention; and, 2dly, By preventing a fresh supply of water to replace that which is discharged by the ordinary emunctories of nature.

VIII. EASTING. An accidental circumstance related by Sir John Hawkins, in the life of Dr. Johnson, first led me to observe the good effects of fasting in the dropfy. If the fact alluded to stood alone under the present head of this essay, it would be sufficient to establish the existence of too much action, and the essicacy of debilitating remedies in certain dropsies. I am the more disposed to lay a good deal of stress upon this fact, as it was the clue which conducted me out of the labyrinth of empirical practice, in which I had been bewildered for many years, and finally led me to adopt the principles and practice which I am now endeavouring

endeavoring to establish. The passage which contains this interesting fact is as follows. "A few " days after (fays Sir John) he [meaning Dr. John-" fon] fent for me, and informed me, that he had "discovered in himself the symptoms of a dropsy, " and indeed, his very much increased bulk, and "the fwollen appearance of his legs, feemed to "indicate no less. It was on Thursday that I " had this conversation with him, in the course " thereof, he declared that he intended to devote " the whole of the next day to falting, humilia-"tion, and fuch other devotional exercises as be-" came a man in his fituation. On the Saturday " following I made him a vifit, and upon entering " his room, I observed in his countenance such a " ferenity as indicated, that fome remarkable crifis " of his diforder had produced a change in his " feelings. He told me, that purfuant to the refo-" lution he had mentioned to me, he had fpent the " preceding day in an abstraction from all worldly " concerns—that to prevent interruption he had in " the morning ordered Frank, [his fervant] not to "admit any one to him, and the better to enforce the " charge, had added these awful words, for your es master is preparing himself to die. He then mencotioned to me, that in the course of this exere cife he found himself relieved from the disorder which had been growing upon him, and was " becoming M 2

"becoming very oppressive, viz. the dropsy, by
the gradual evacuation of water, to the amount
of twenty pints, a like instance whereof he had
never before experienced." Sir John Hawkins ascribes this immense discharge of water to the
instuence of Dr. Johnson's prayers; but he neglects to take notice, that these prayers were
answered in this instance, as they are in many
others, in a perfect consistence with the common and established laws of nature.

To fatisfy myself that this discharge of water, in the case of Dr. Johnson, was produced by the fasting only, I recommended it soon after I read the above account to a gentlewoman whom I was then attending in an ascites. I was delighted with the effects of it. Her urine, which for some time before had not exceeded half a pint a-day, amounted to two quarts on the day she fasted. I repeated the fame prescription once a week for several weeks, and each time was informed of an increase of urine, though it was confiderably less in the last experiments than in the first. Two patients in an ascites, to whom I prescribed the same remedy, in the Pennsylvania Hospital, the one in the winter of 1790, and the other in the winter of 1792, exhibited proofs in the presence of many of the fludents of the university, equally satisfactory of

the efficacy of fasting in suddenly increasing the quantity of urine.

IX. FEAR. This passion is evidently of a debilitating nature, and therefore, it has frequently afforded an accidental aid in the cure of dropsies, of too much action. I suspect, that the fear of death, which was so distinguishing a part of the character of Dr. Johnson, added a good deal to the efficacy of fasting, in procuring the immense discharge of water beforementioned. In support of the efficacy of fear simply applied, in discharging water from the body in dropsies, I shall mention the following facts.

In a letter which I received from Dr. John Pennington, dated Edinburgh, August 3, 1790, I was favoured with the following communication. "Since the conversation I had with you on the sub-"ject of the dropsy, I feel more and more inclined to adopt your opinion. I can surnish you with a fact which I learned from a Danish sailor, on my passage to this country, which is much in sa-" your of your doctrine. A failor in an ascites, fell off the end of the yard into the sea; the weasther being calm, he was taken up unhurt, but to use the failor's own words, who told me the story, he was frightened half to death, and as M 3 "foon

"foon as he was taken out of the water, he dif"charged a gallon of urine or more. A doctor on
"board afcribed this large evacuation to fea bath"ing, and accordingly ordered the man to be
"dipped in the fea every morning, much againft
"his will, for my informant adds, that he had not
"forgotten his fall, and that in four weeks he was
"perfectly well. I think this fact can only be
"explained on your principles. The fedative
"operation of fear, was no doubt the cause of his
"cure*."

Dr. Hall, of York-town in Pennfylvania, informed me, that he had been called to vifit a young woman of 19 years of age, who had taken all the usual remedies for ascites without effect. He at once proposed to her the operation of tapping. To this she objected, but so great was the fear of this operation, which the proposal of it suddenly excited in her mind, that it brought on a plentiful discharge of urine, which in a few days perfectly removed her disorder.

^{*} There is an account of an ascites being cured by a fall from an open chaise recorded in the third volume of the medical Memoirs by M. Lowdell. I have heard of a complete recovery from dropfy, having suddenly sollowed a fall from a horse. In both these cases may not sear have contributed very much to the cures?

On the 27th of August, 1790, I visited a gentlewoman in this city with the late Dr. Jones, in an ascites. We told her for the first time, that she could not be relieved without being tapped. She appeared to be much terrified upon hearing our opinion, and faid that she would consider of it. I faw her two days afterwards, when she told me with a fmile on her countenance, that she hoped the should get well without tapping, for that she had discharged two quarts of water in the course of the day after we had advised her to submit to that operation. For many days before, she had not discharged more than two or three gills in twenty-four hours. The operation, notwithstanding, was still indicated, and she submitted to be tapped a few days afterwards.

I tapped the same gentlewoman a second time in January 1791. She was much terrified while I was preparing for the operation, and fainted immediately after the puncture was made. The second time that I visited her after the operation was performed, she told me (without being interrogated on that subject) that she had discharged a pint and an half of urine, within twenty minutes after I left the room on the day I tapped her. What made this discharge the more remarkable was, she had not made more than a table-spoon-

M 4

ful

ful of water in a day for feveral days before the was tapped.

I have seen similar discharges of urine in two other cases of tapping which have come under my notice, but they resembled so nearly those which have been mentioned, that it will be unnecessary to record them.

But the influence of fear upon the fystem in the dropsy, extends far beyond the effects which I have ascribed to it. Dr. Currie, of this city, informed me that he called about four years ago, by appointment, to tap a woman. He no sooner entered the room than he observed her, as he thought, to faint away. He attempted to recover her, but to no purpose. She died of a sudden paroxysm of fear.

It is a matter of surprise, that we should have remained so long ignorant of the insluence of fear upon the urinary organs in dropsies, after having been so long familiar with the same effect of that passion in the hysteria.

I cannot dismis the remedies which discharge water from the body through the urinary passages, without taking notice, that they furnish an additional

additional argument in favour of blood-letting in dropfies, for they act, not by discharging the stagnating water, but by creating such a plentiful secretion in the kidneys from the serum of the circulating blood, as to make room for the absorption and conveyance of the stagnating water into the blood-vessels.

Now the fame effect may be produced in all tonic or inflammatory dropfies, with more certainty and fafety, by means of blood-letting.

In recommending the antiphlogistic treatment of certain dropfies, I must here confine myself to the dropfies of fuch climates as dispose to diseases of too much action in the fystem. I am fatisfied that it will often be proper in the middle and eastern states of America; and I have lately met with two observations, which shew that it has been used with success at Vienna in Germany. Dr. Stoll tells us, that in the month of January, 1780, "Hydropic and afthmatic patients discover-" ed more or less marks of inflammatory diathesis, " and that blood was drawn from them with a spa-" ring hand with advantage;" and in the month of November of the fame year, he fays, " The " ftronger diuretics injured dropfical patients in f' this feafon; but an antiphlogistic drink, compo-

see fed of a quart of the decoction of grass, with "two ounces of fimple oxymel, and nitre and " cream of tartar, of each a drachm, did fer-" vice." * It is probable that the fame difference should be observed between the treatment of dropfies in warm and cold climates that is observed in the treatment of inflammatory fevers. The tonic action probably exists in the system in both countries. In the former it refembles the tides which are fuddenly produced by a shower of rain, and as fuddenly difappear; whereas, in the latter, it may be compared to those tides which are produced by the flow and gradual addition of water from numerous streams, and which continue for days and weeks together to exhibit marks of violence in every part of their course.

I come now to fay a few words upon Atonic Dropsies. They may easily be distinguished from those which have been described, by occurring in habits naturally weak; by being produced by the operation of chronic causes; by a weak and quick pulse, and by little or no preternatural heat or thirst.

^{*} Ratio Medendi Nofocomio Practico Vindobonenfi. Vol. iv. p. 56 and 99.

The Remedies for Atonic Dropfies are all fuch stimulating substances as increase the action of the arterial system, or determine the sluids to the urinary organs. These are,

- I. BITTER and AROMATIC SUBSTANCES of all kinds exhibited in substance or in infusions of wine, spirit, beer, or water,
- II. CERTAIN ACRID VEGETABLES, such as scurvy-grass, horse-radish, mustard, water-cresses, and garlic. I knew an old man who was perfectly cured of an anasarca, by eating water-cresses, on bread and butter.
- III. OPIUM. The efficacy of this medicine in dropfies has been attested by Dr. Willis, and serveral other practical writers. It seems to possess almost an exclusive power of acting alike upon the arterial, the lymphatic, the glandular, and the nervous systems.
- IV. METALLIC TONICS, such as chalybeate medicines of all kinds, and the mild preparations of copper and mercury. I once cured an incipient ascites and anasarca by large doses of the rust of iron; and I have cured many dropsies by giving mercury in such quantities as to excite a plentiful salivation.

falivation. I have, it is true, often given it without effect, probably from my former ignorance of the tonic action of the arteries, which so frequently occurs in dropsies, and in which cases mercury must necessarily have done harm.

V. Diuretics, consisting of alkaline salts, nitre, and the oxymels of squills and colchicum. It is difficult to determine how far these medicines produce their salutary effects by acting directly upon the kidneys. It is remarkable that these organs are seldom affected in dropsies, and that their diseases are rarely sollowed by dropsical effusions in any part of the body.

VI. Generous DIET, confisting of animal food, rendered cordial by spices; also sound old wine.

VII. DILUTING DRINKS taken in fuch large quantities as to excite the action of the veffels by the stimulus of distention. This effect has been produced, Sir George Baker informs us, by means of large draughts of simple water, and of cyder and water.* The influence of distention in promoting

^{*} The remark upon this fact by Sir George, is worthy of notice, and implies much more than was probably intended

moting absorption is evident in the urinary and gall bladders, which frequently return their contents to the blood by the lymphatics, when they are unable to discharge them through their usual emunctories. Is it not probable that the distention produced by the large quantities of liquids which we are directed to administer after giving the foxglove, may have been the means of performing some of those cures of dropsies, which have been ascribed to that remedy?

VIII. PRESSURE. Bandages bound tightly around the belly and limbs, sometimes prevent the increase or return of dropsical swellings. The influence of pressure upon the action of the lymphatics appears in the absorption of bone which frequently follows the pressure of contiguous tumours, also in the absorption of slesh which follows the long pressure of certain parts of the body upon a sick bed.

IX. FRICTIONS, either by means of a dry, or oiled hand, or with linen or flannel impregnated with volatile and other stimulating substances. I

ed by it. "When common means have failed, fuccess has "fometimes followed a method directly contrary to the established practice."—Medical Transactions, Vol. II.

have found evident advantages from following the advice of Dr. Cullen, by rubbing the lower extremities upwards, and that only in the morning.—
I have been at a loss to account for the manner in which sweet oil acts when applied to dropsical swellings. If it act by a sedative power upon the bloodvessels, it will be more proper in tonic than atonic dropsies; but if it act by closing the pores, and thereby preventing the absorption of moisture from the air, it will be very proper in the state of dropsy which is now under consideration. It is in this manner that Dr. Cullen supposes that sweet oil, when applied to the body, cures that state of diabetes in which nothing but insipid water is discharged from the bladder.

X. Hear applied either separately or combined with moisture in the form of warm or vapour baths, has often been used with success in dropsies of too little action. Dampier in his voyage round the world was cured of a dropsy by means of a copious sweat excited by burying himself in a bed of warm sand. Warm somentations to the legs rendered moderately stimulating by the addition of saline or aromatic substances, have often done fervice in the atonic dropsical swellings of the lower extremities.

XI. The COLD-BATH. I can fay nothing in favour of the efficacy of this remedy in dropfies, from my own experience. Its good effects feem to depend wholly on its increasing the excitability of the fystem to common stimuli, by the diminution of its excitement. If this be the case, I would ask, whether FEAR might not be employed for the same purpose, and thus become as useful in atonic, as it was formerly proved to be in tonic dropsies.

XII. Wounds, whether excited by cutting infiruments, or by fire, provided they excite inflammation and action in the arteries, frequently cure atonic dropfies. The good effects of inflammation and action in these cases appear in the cure of hydrocele by means of the needle, or the caustic.

XIII. Exercise. This is probably as necessary in the atonic dropsy, as it is in the consumption, and should never be omitted when a patient is able to take it. The passive exercises of swinging, and riding in a carriage, are most proper in the lowest stage of the disorder; but as soon as the patient's strength will admit of it, he should ride on horseback. A journey should be preferred in this disorder, to short excursions from home.

In the application of each of the remedies which has been mentioned for the cure of both tonic and atonic Dropfies, great care should be taken to use them in such a manner, as to accommodate them to the strength and excitability of the patient's system. The most powerful remedies have often been rendered burtful by being given in too large doses in the beginning; and useless by being given in too small doses, in the subsequent stages of the disorder.

I have avoided faying any thing of the usual operations for discharging water from different parts of the body, as my design was to treat only of the symptoms and cure of those dropsies which affect the whole system. I shall only remark, that if tapping and punctures have been more successful in the early, than in the late stage of these disorders, it is probably because the sudden or gradual evacuation of water takes down that excessive action in the arterial system, which is most common in their early stage, and thereby favours the speedy restoration of healthy action in the exhaling or lymphatic vessels.

Thus have I endeavoured to prove, that two different states of action take place in dropsies, and have mentioned the remedies which are pro-

per for each of them under separate heads. I fuspect that dropsies are often connected with a certain intermediate or mixed action in the arterial fystem analogous to the typhoid action which takes place in certain fevers. I am led to adopt this opinion, not only from having observed mixed action to be fo universal in most of the diseases of the arterial and nervous system, but because I have fo frequently observed dropfical swellings to follow the scarlatina, and the puerperile fever, two difeases which appear to derive their peculiar character from a mixture of excessive and moderate force, combined with irregularity of action in the arterial system. In dropsies of mixed action where too much force prevails in the action of fome, and too little in the action of other of the arterial fibres, the remedies must be debilitating or stimulating, according to the greater or less predominance of tonic or atonic diathefis in the arterial fystem.

I shall conclude this history of dropsies, and of the different and opposite remedies which have cured them, by the following observations.

been faid, the impropriety, and even danger of Vol. II.

N prescribing

prescribing stimulating medicines indiscriminately in every case of dropsy.

2. We are taught by the facts which have been mentioned, the reason why physicians have differed fo much in their accounts of the fame remedies, and why the fame remedies have operated fo differently in the hands of the fame physicians. It is because they have been given without a reference to the two different states of the system, which have been described. Dr. Sydenham fays, that he cured the first dropsical patient he was called to, by frequent purges. He began to exult in the discovery, as he thought, of a certain cure for dropfies, but his triumph was of short duration. The fame remedy failed in the next cafe in which he prescribed it. The reason probably was, the dropfy in the first case, was of a tonic, but in the fecond, of an atonic nature; for the latter was an ascites from a quartan ague. It is agreeable, however, to discover, from the theory of dropsies which has been laid down, that all the different remedies for these disorders have been proper in their nature, and improper only in the state of the system in which they have been given. As the discovery of truth in religion reconciles the principles of the most opposite sects; so the discovery of truth in medicine.

medicine, reconciles the most opposite modes of practice. It would be happy if the inquirers after truth in medicine should be taught by such discoveries, to treat each other with tenderness and respect, and to wait with patience till accident, or time, shall combine into one perfect and consistent system, all the contradictory facts and opinions about which physicians have been so long divided.

3. If a state of excessive action in the arteries has been demonstrated in dropsies, both from its fymptoms and remedies, and if these dropsies are evidently produced by previous debility, who will deny the existence of excessive action in certain hæmorrhages, in gout, palfy, apoplexy, and madnefs, notwithstanding they are all the offspring of predisposing debility? And who will deny the efficacy of bleeding, purges, and other debilitating medicines in certain states of those disorders, that has feen the fame medicines administered with fuccess in certain dropsies? To reject bleeding, purging, and the other remedies for excessive action in the fystem, in either of the above diseases, because that action was preceded by general debility, will lead us to reject them in the most acute inflammatory fevers, for these are as much the offspring of previous debility as dropfies or palfy. The previous debility of the former, differs from that

of the latter diseases, only in being of a more acute, or, in other words, of a shorter duration.

- 4. From the fymptoms of tonic dropfy which have been mentioned, it follows, that the diffinction of apoplexy into ferous and fanguineous, affords no rational indication for a difference in the mode of treating that diforder. If an effusion of ferum in the thorax, bowels, or limbs, produce a hard and full pulse, it is reasonable to suppose that the fame fymptom will be produced by the effusion of ferum in the brain. But the diffections collected by Lieutaud, * place this opinion beyond all controversy. They prove that the symptoms of great and feeble action, as they appear in the pulse, follow alike the effusion of ferum and blood in the brain. This fact will admit of an important application to the difease, which is to be the fubject of the next inquiry.
- 5. From the influence which has been described, of the different states of action of the arterial system, upon the lymphatic vessels, in dropsies, we are led to reject the indiscriminate use of bark, mercury, and salt water, in the scrophula. When the action of the arteries is weak, those remedies

^{*} Historia Anatomico Medica, Vol. ii.

are proper; but when an opposite state of the arterial system occurs, and above all, when scrophulous tumours are attended with inflammatory ulcers, stimulating medicines of all kinds are hurtful. By alternating the above remedies with a milk and vegetable diet, according to the tonic, or atonic states of the arterial system, I have lately succeeded in a case of scrophula, attended by large ulcers in the inguinal glands, which had for several years resisted the constant use of the three stimulating remedies which have been mentioned.

6. Notwithstanding I have supposed dropsies to be connected with a peculiar state of force in the blood veffels, yet I have not ventured to affert, that dropfies may not exist from an exclufive affection of the exhaling and abforbing veffels. I conceive this to be as possible, as for a fever to exist from an exclusive affection of the arteries, or an hysteria, from an exclusive affection of the nervous fystem. Nothing, however, can be faid upon this fubject, until physiology and pathology have taught us more of the structure and diseases of the lymphatic veffels. Nor have I ventured further to affert, that there are not medicines which may act specifically upon the lymphatics independently of the arteries. This, I conceive to be as possible as for afafœtida to act chiefly upon the nerves, or ipe-N 3 cacuanha cacuanha and jalap upon the alimentary canal, without affecting other parts of the fystem. Until such medicines are discovered, it becomes us to avail ourselves of the access to the lymphatics, which is furnished us through the medium of the arteries by means of most of the remedies which have been mentioned.

7. If it should appear hereafter, that we have lessened the mortality of certain dropsies by the theory and practice which have been proposed, yet many cases of dropfy must still occur in which they will afford us no aid. The cases I allude to, are dropfies from enclosing cysts, from the offification of certain arteries, from schirri of certain viscera, from large ruptures of exhaling or lymphatic veffels, from a peculiar and corrofive acrimony of the fluids, and laftly, from an exhausted state of the whole system. The records of medicine furnish us with instances of death from each of the above causes. But let us not despair. It becomes a physician to believe, that there is no difease necessarily incurable; and that there exist in the womb of time, certain remedies for all those disorders which elude the present limits of the healing art.

AN

INQUIRY

INTO THE

CAUSES AND CURE

OF THE

INTERNAL DROPSY OF THE BRAIN.

No.

INQUIRY, &c.

AVING for many years been unfuccessful in all the cases, except two, of internal dropfy of the brain, which came under my care, I began to entertain doubts of the common theory of this disorder, and to suspect that the essusion of water should be considered only as the essect of a primary inflammation, or congestion of blood in the brain.

I mentioned this opinion to my colleague Dr. Wistar in the month of June 1788, and delivered it the winter following in my lectures. The year afterwards I was confirmed in it by hearing that the same idea had occurred to Dr. Quin. I have since read Dr. Quin's treatise on the dropsy of the brain with

with great pleasure, and consider it as the first dawn of light which has been shed upon the theory of this disorder. In pursuing this subject, therefore, I shall avail myself of Dr. Quin's discoveries, and endeavour to arrange the facts and observations I have collected in such a manner, as to form a connected theory from them, which I hope will lead to a new and more successful mode of treating this disease.

I shall begin this Inquiry by delivering a few general propositions.

- 1. The Internal Dropfy of the Brain is a diforder confined chiefly to children.
- 2. In children the brain is larger in proportion to other parts of the body, than it is in adults; and of course a greater proportion of blood is sent to it in childhood, than in the subsequent periods of life.—The essects of this determination of blood to the brain appear in the mucous discharge from the nose, and in the sores on the head and behind the ears, which are so common in childhood.
- 3. In all febrile diseases there is a preternatural determination of blood to the brain. This occurs in a more especial manner in children; hence the reason

reason why they are so apt to be affected by convulsions in the eruptive fever of the small-pox, in dentition, in the diseases from worms, and in the sirst paroxysm of intermitting severs.

4. In fevers of every kind, and in every stage of life, there is a disposition to essusion in that part to which there is the greatest determination. Thus in instammatory fever, essusions take place in the lungs and in the joints. In the bilious fever they occur in the liver, and in the gout in every part of the body. The matter essused is always insluenced by the structure of the part in which it takes place.

These propositions being premised, I should have proceeded to mention the remote causes of this disorder; but as this inquiry may possibly fall into the hands of some gentlemen who may not have access to the description of it as given by Dr. Whytt, Dr. Fothergill, and Dr. Quin, I shall introduce a history of its symptoms taken from the last of those authors. I prefer it to the histories by Dr. Whytt and Dr. Fothergill, as it accords most with the ordinary phænomena of this disorder in this country.

[&]quot;In general the patient is at first languid and inactive, often drowfy and peevish, but at inter-

" vals cheerful and apparently free from com-" plaint. The appetite is weak, a nausea, and in " many cases a vomiting occurs once or twice in " the day, and the skin is observed to be hot and " dry towards the evenings: foon after these symp-" toms have appeared, the patient is affected with " a sharp head-ach, chiefly in the fore-part, or, " if not there, generally in the crown of the head: " it is sometimes, however, confined to one side of " the head, and, in that case, when the posture " of the body is erect, the head often inclines to " to the fide affected. We frequently find also, "that the head-ach alternates with the affection " of the stomach; the vomiting being less trou-" blefome when the pain is most violent, and vice " versa; other parts of the body are likewise sub-" ject to temporary attacks of pain, viz. the ex-" tremities, or the bowels, but more constantly "the back of the neck, and between the fcapulæ; " in all fuch cases the head is more free from un-« eafinefs.

"The patient dislikes the light at this period;
cries much, sleeps little, and when he does sleep,
he grinds his teeth, picks his nose, appears to
be uneasy, and starts often, screaming as if he
were terrissed; the bowels are in the majority
of cases very much confined, though it sometimes

** times happens that they are in an opposite state:

** the pulse in this early stage of the disorder, does

** not usually indicate any material derangement.

When the fymptoms above mentioned have " continued for a few days, subject as they always " are in this disease to great fluctuation, the axis of " one eye is generally found to be turned in to-" wards the nose; the pupil on this side is rather " more dilated than the other; and when both " eyes have the axes directed inwards, (which " fometimes happens), both pupils are larger than "they are observed to be in the eyes of healthy " persons: the vomiting becomes more constant, " and the head-ach more excruciating; every " fymptom of fever then makes its appearance, " the pulse is frequent, and the breathing quick; " exacerbations of the fever take place towards " the evening, and the face is occasionally flushed; " ufually one cheek is much more affected than "the other; temporary perspirations likewise " break forth, which are not followed by any al-" leviation of diffress; a discharge of blood from " the nofe, which fometimes appears about this se period, is equally inefficacious.

"Delirium, and that of the most violent kind,
"particularly if the patient has arrived at the age
" of

"of puberty, now takes place, and with all the
preceding fymptoms of fever, continues for a
while to increase, until about fourteen days,
often a much shorter space of time, shall have
elapsed since the appearance of the symptoms,
which were first mentioned in the above detail.

"The disease then undergoes that remarkable " change, which fometimes fuddenly points out " the commencement of what has been called its " fecond stage: the pulse becomes flow but une-" qual, both as to its strength, and the intervals " between the pulfations; the pain of the head, " or of whatever part had previously been affected, " feems to abate, or at least the patient becomes "apparently less sensible of it; the interrupted "flumbers, or perpetual reftleffness which pre-" vailed during the earlier periods of the diforder, " are now fucceeded by an almost lethargic tor-" por, the strabismus, and dilatation of the pupil " increase, the patient lies with one, or both eyes " half closed, which, when minutely examined, " are often found to be completely infensible to " light; the vomiting ceases; whatever food or " medicine is offered is usually swallowed with ap-" parent voracity; the bowels at this period ge-" nerally remain obstinately costive.

" If every effort made by art fails to excite the 46 finking powers of life, the fymptoms of what " has been called the fecond stage are soon suc-" ceeded by others, which more certainly an-" nounce the approach of death .- The pulse " again becomes equal, but fo weak and quick, "that it is almost impossible to count it; a diffi-" culty of breathing, nearly refembling the Ster-" tor Apoplecticus, is often observed; sometimes " the eyes are fuffufed with blood, the flushing of "the face is more frequent than before, but of " fhorter duration, and followed by a deadly pale-" nefs; red spots, or blotches, sometimes appear " on the body and limbs; deglutition becomes "difficult, and convultions generally close the " fcene. In one case, I may observe, the jaws of " a child of four years of age were fo firmly lock-" ed for more than a day before death, that it " was impossible to introduce either food or me-" dicine into his mouth; and in another case, an " hæmiplegia, attended with fome remarkable cir-" cumstances, occurred during the two days pre-" ceding diffolution.

"Having thus given as exact an history of Apo"plexia Hydrocephalica as I could compile from
the writings of others, and from my own obser"vations,

"tion on my readers, if I did not caution them that it must be considered merely as a general outline; the human brain seems to be so extremely capricious (if the expression may be alsolved) in the signals it gives to other parts of the fystem, of the injury it suffers throughout the course of this disease, that although every fymptom above mentioned does occasionally occur, and indeed sew cases of the disease are to them; yet it does not appear to me, that any one of them is constantly and inseparably concreted with it."

To this history I shall add a few facts, which are the result of observations made by myself, or communicated to me by my medical brethren.—

These facts will serve to shew that there are many deviations from the history of the disorder which has been given, and that it is indeed as Dr. Quin has happily expressed it, of "a truly proteiform" nature.

I have not found the dilated and infensible pupil, the puking, the delirium, or the strabismus, to attend universally in this disease.

I faw

I faw one case in which the appetite was unimpaired from the first to the last stage of the disorder.

I have met with one case in which the disorder was attended by blindness, and another by double vision.

I have observed an uncommon acuteness in hearing to attend two cases of this disorder. In one of them the noise of the sparks which were discharged from a hiccory fire, produced great pain and startings which threatened convussions.

I have feen three cases in which the disease terminated in hemiplegia. In two of them it proved fatal in a few days—in the third it has continued for nearly eighteen months.

I have met with one case in which no preternatural slowness or intermission was ever perceived in the pulse.

I have feen the difease in children of nearly all ages. I once saw it in a child of six weeks old. It was preceded by the cholera infantum.

In

In the month of March 1771, I obtained a gill of water from the ventricles of the brain of a negro girl of nine years of age, who died of this diforder, who complained in no stage of it of a pain in her head or limbs, nor of a sick stomach. The disorder in this case was introduced suddenly by a pain in the breast, a sever, and the usual symptoms of a catarrh.

Dr. Wistar informed me that he had likewise met with a case of internal dropsy of the brain, in which there was a total absence of pain in the head.

Dr. Carson informed me that he had attended a child in this disorder that discovered, for some days before it died, the symptom of hydrophobia.

Dr. Currie obtained, by diffection, seven ounces of water from the brain of a child which died of this disorder; in whom he assured me no dilatation of the pupil, strabismus, sickness, or loss of appetite had attended, and but very little head-ach.

The causes which induce this disease, act either directly on the brain, or indirectly upon it, through the medium of the whole system.

The

The causes which act directly on the brain are falls or bruises upon the head, certain positions of the body, and childish plays which bring on congestion or inflammation, and afterwards an effusion of water in the brain.

The indirect causes of this disorder are more numerous, and more frequent, though less suspected, than those which have been mentioned. The following diseases of the whole system appear to act indirectly in producing an internal dropsy of the brain.

1. Intermitting, remitting, and continual fevers. Of the effects of these fevers in inducing this disorder, many cases are recorded by Lieutaud. *

My former pupil, Dr. Woodhouse, has furnished me with a dissection in which the disease was evidently the effect of the remitting sever. That state of continual sever which has been distinguished by the name of typhus, is often the remote cause of this disorder. The languor and weakness in all the muscles of voluntary motion, the head-ach, the inclination to rest and sleep, and the disposition to be disturbed, or terrified by

* Historia Anatomica-Medica Vol. II.

dreams, which are faid to be the precursors of water in the brain, I believe are frequently symptoms of a typhus sever which terminates in an inflammation, or essuance of water in the brain.—
The history which is given of the typhus state of sever in children by Dr. Butter, * seems to favour this opinion.

- 2. The Rheumatism. Of this I have known two instances. Dr. Lettsom has recorded a case, from the same cause.† The pains in the limbs, which are supposed to be the effect, I suspect, are frequently the cause of the disorder.
- 3. The Pulmonary Confumption. Of the connection of this disease with an internal dropfy of the brain, Dr. Percival has furnished us with the following communication: † "Mr. C——'s "daughter, aged nine years, after labouring under the phthis pulmonalis four months, was affected with unusual pains in her head. These rapidly "increased so as to occasion frequent screamings. "The cough, which had before been extremely

^{*} Treatife on the Infantile Remitting Fever.

[†] Medical Memoirs, Vol. I. p. 174.

[‡] Effays, Medical, Philosophical, and Experimental, Vol. II. p. 339, 340.

"violent, and was attended with stitches in the breast, now abated, and in a few days ceased almost entirely. The pupils of the eyes became dilated, a strabismus ensued, and in about a week death put an end to her agonies. Whether this affection of the head arose from the essusion of water or of blood, is uncertain, but its influence on the state of the lungs is worthy of notice." Dr. Quin likewise mentions a case from Dr. Cullen's private practice, in which an internal dropsy of the brain followed a pulmonary consumption. Lieutaud mentions three cases of the same kind, and two in which it succeeded a catarrh.

4. Eruptive Fevers. Dr. Odier informs us, † that he had feen four cases in which it had followed the small-pox, measles, and scarlatina. Dr. Lett-som mentions a case in which it followed the small-pox, and I have seen one in which it was obviously the essects of debility induced upon the system by the measles.

^{*} Historia Anatomica-Medica, Vol. II. Lib. tertius. Obs. 380, 394, 1121.

[†] Obf. 383, 431.

[†] Medical Journal.

Medical Memoirs, Vol. I. p. 171.

- 5. Worms. Notwithstanding the discharge of worms gives no relief in this disorder, yet there is good reason to believe, that it has, in some instances, been produced by them.
- 6. From the diffections of Lieutaud, Quin, and others, it appears further, that the internal dropfy of the brain has been observed to succeed each of the following disorders—viz. The colic—palfy—melancholy—dysentery—dentition—insolation—scrophula—and the sudden healing of old fores. I have seen two cases of it from the last cause, and one in which it was produced by the action of the vernal sun alone upon the system.

From the facts which have been enumerated, and from diffections to be mentioned hereafter, it appears, that the difease in its first stage is the effect of causes which produce a less degree of that inflammation which constitutes phrenitis, and that its second stage is the effect of a less degree of that effusion, which produces serous apoplexy in adults. The former partakes of the nature of the chronic inflammation of Dr. Cullen, and of the asthenic inflammation of Dr. Brown. I have taken the liberty to call it *Phrenicula*, from its being a diminutive species or state of phrenitis. It bears the same relation to phrenitis when it arises from indi-

rect causes, which pneumonicula does to pneumony,-and it is produced nearly in the fame manner as the pulmonary confumption, by debilitating causes which act primarily on the whole fy-The peculiar fize and texture of the brain, feem to invite the inflammation and effusions which follow debility, to that organ in childhood, just as the peculiar structure and situation of the lungs invite the fame morbid phænomena to them, after the body has acquired its growth, in youth and middle life. In the latter stage which has been mentioned, the internal dropfy of the brain partakes of some of the properties of apoplexy. It differs from it in being the effect of a flow, instead of a fudden effusion of water or blood, and in being the effect of causes which are of an acute instead of a chronic nature. The more advanced perfons are in life who are affected by this diforder, the more it approaches to the nature of the common apoplexy, by a fpeedy termination in life or death. Dr. Cullen has called it fimply by the name of " apoplexia hydrocephalica." I have preferred for this stage of the disorder the term of chronic apoplexy; for I believe with Dr. Quin, that it has no connection with an hydropic diathelis of the whole fystem. I am forced to adopt this opinion, from my having never feen it accompanied by dropfical 0 4 effutions

effusions in other parts of the body, nor a general dropfy accompanied by an internal dropfy of the brain. No more occurs in this difease than takes place when hydrothorax follows an inflammation of the lungs, or when ferous effusions follow an inflammation of the joints. I do not suppose that both inflammation and effusion always attend in this diforder; on the contrary, diffections have shewn fome cases of inflammation, with little or no effusion, and some of effusion without inflammation. Perhaps this variety may have been produced by the different stages of the difease in which death and the inspection of the brain took place. Neither do I suppose, that the two stages which have been mentioned, always fucceed each other in the common order of inflammation and effusion. In every case where the full tense-flow and intermitting pulse occurs, I believe there is inflammation; and as this state of the pulse occurs in most cases in the beginning of the diforder, I suppose the inflammation, in most cases, to precede the effusion of water. I have met with only one case in which the slow and tense pulse was absent; and out of fix diffections of patients whom I have loft by this diforder, the brains of four of them exhibited marks of inflammation.

Having

Having adopted the theory of this difease, which I have delivered several years ago, I resolved upon such a change in my practice as should accord with it. The first remedy indicated by it was

I. BLOOD-LETTING. I shall briefly mention the effects of this remedy in all the cases in which I have prescribed it.

CASE I.

On the 15th of November, 1790, I was called to visit the daughter of William Webb, aged four years, who was indifposed with a cough-a pain in her bowels-a coma-great fenfibility of her eyes to light-costiveness-and a suppression of urine—a flow and irregular, but tenfe pulfe—dilated pupils, but no head-ach. I found upon inquiry, that she had received a hurt on her head by a fall. about feven weeks before I faw her. From this information, as well as from her fymptoms, I had no doubt of the diforder being the internal dropfy of the brain. I advised the loss of five ounces of blood, which gave her some relief. The blood was fizy. The next day the took a dofe of jalap and calomel, which operated twelve times. On the 18th the loft four ounces more of blood, which

was more fizy than that drawn on the 15th. From this time she mended rapidly. Her coma left her on the 20th, and her appetite returned; on the 21st, she made a large quantity of turbid dark coloured urine. On the 22d her pulse became again a little tense, for which she took a gentle puke. On the 23d she had a natural stool. On the 24th her pupils appeared to be contracted to their natural size, and on the 30th I had the pleasure of seeing her seated at a tea-table in good health. Her pulse, notwithstanding, was a little more active and tense than natural.

CASE II.

On the 24th of the same month, I was called to visit the son of John Cypher in South Street, aged sour years, who had been hurt about a month before, by a wound on his forehead with a brick bat, the mark of which still appeared. He had been ill for near two weeks with coma, headach, colic, vomiting, and frequent startings in his sleep. His evacuations by stool and urine were suppressed; he had discharged three worms, and had had two convulsion sits just before I saw him. The pupil of the right eye was larger than that of the left. His pulse was full, tense, and slow, and intermitted after every fourth stroke.

The

The fymptoms plainly indicated an internal dropfy of the brain. I ordered him to lose four or five ounces of blood. Only three ounces of blood were drawn, which produced a fmall change in his pulse. It rendered the intermission of a pulfation perceptible only after every tenth stroke. On the 25th he lost five ounces of blood, and took a purge of calomel and jalap. On the 26th he was better. On the 27th, the vomiting was troublesome, and his pulse was still full and tense, but regular. I ordered him to lose four ounces of blood. On the 28th, his puking and headach continued, -his pulse was a little tense, but regular,—and his right pupil less dilated. the 29th, his head-ach and puking ceased-and he played about the room. On the 4th of December he grew worfe-his head-ach and puking returned, with a hard pulse, for which I ordered him to lose five ounces of blood. On the 5th he was better, but on the 6th his headach and puking returned. On the 7th I ordered his forehead to be bathed frequently with vinegar, in which ice had been diffolved. On the 8th he was much better. On the 9th his pulse became foft, and he complained but little of headach. After appearing to be well for near three weeks, except that he complained of a little headach, on the 29th his pulse became again full and tenfe,

tense, for which I ordered him to lose six ounces of blood, which for the first time discovered a buffy coat. After this last bleeding, he discharged a large quantity of water. From this time he recovered slowly, but his pulse was a little suller than natural on the 19th of January following. He is now alive, and in good health.

CASES III. AND IV.

In the month of March 1792, I attended two children of three years of age, the one the daughter of William King, the other the daughter of William Blake: each of whom had most of the symptoms of the inflammatory stage of the internal dropfy of the brain. I prescribed the loss of four ounces of blood, and a smart purge in both cases, and in the course of a few days had the pleasure of observing all the symptoms of the disease perfectly subdued in each of them.

CASE V.

In the months of July and August 1792, I attended a semale slave of Mrs. Oneal of St. Croix, who had an obstinate head-ach, coma, vomiting, and a tense, full, and flow pulse. I believed it to be the phrenicula, or internal dropsy of the brain,

in its inflammatory stage. I bled her five times in the course of two months, and each time with obvious relief of all the symptoms of the disorder. Finding that her head-ach, and a disposition to vomit, continued after the tension of her pulse was nearly reduced, I gave her as much calomel as excited a gentle salivation, which in a few weeks completed her cure.

CASE VI.

The daughter of Robert Moffat, aged eight years, in consequence of the suppression of an habitual discharge from sores on her head, in the month of April 1793, was affected by violent head-ach, puking, great pains and weakness in her limbs, and a full, tense, and sow pulse. I believed these symptoms to be produced by an inslammation of the brain. I ordered her to lose six or seven ounces of blood, and gave her two purges of jalap and calomel, which operated very plentifully. I afterwards applied a blister to her neck. In one week from the time of my first visit to her she appeared to be in perfect health.

CASE VII.

A young woman of eighteen years of age, a hired fervant in the family of Mrs. Elizabeth Smith,

Smith, had been fubject to a head-ach every fpring for feveral years. The unufually warm days which occurred in the beginning of April 1793, produced a return of this periodical pain. On the eighth of the month, it was fo fevere as to confine her to her bed. I was called to visit her on the 9th. I found her comatofe, and when awake, delirious. Her pupils were unufually dilated, and infensible to the light. She was constantly sick at her stomach, and vomited frequently. Her bowels were obstinately costive, and her pulse was full, tense, and so slow as seldom to exceed, for several days, from 56 to 60 strokes in a minute. I ordered her to lose ten ounces of blood every day for three days fuccessively, and gave her, on each of those days, strong doses of jalap and aloes. The last blood which was drawn from her was fizy. The purges procured from three to ten discharges every day from her bowels. On the 12th, she appeared to be much better. Her pulse was less tense, and beat 80 strokes in a minute. On the 14th, she had a fainting fit. On the 15th, she fat up, and called for food. The pupils of her eyes now recovered their fenfibility to light, as well as their natural fize. Her head-ach left her, and on the 17th, she appeared to be in good health. Her pulse, however, continued to beat between but 50 and 60 strokes in a minute, and retained

retained a fmall portion of irregular action for feveral days after the recovered.

I am the more disposed to pronounce the cases which have been described to have been internal dropfy of the brain, from my having never been deceived in a single case in which I have examined the brains of patients whom I have suspected to have died of it.

I believe, with Dr. Quin, that this diforder is much more frequent than is commonly supposed. I can recollect many cases of anomalous fever and head-ach in children, which have excited the most diffreffing apprehensions of an approaching internal dropfy of the brain, but which have yielded in a few days to bleeding, or to purges and blifters. I think it probable, that fome, or perhaps most of these cases, might have terminated in an effusion of water in the brain, had they been left to themselves, or not been treated with the above remedies. I believe further, that it is often prevented by all those physicians who treat the first stage of febrile difeases in children with evacuations, just as the pulmonary confumption is prevented by bleeding, and low diet, in an inflammatory catarrh.

I am forry, however, to add in this place, that I have failed in five cases, in which I used the remedy of blood-letting in the phrenicula, or in the inflammatory stage of this diforder; perhaps it was not used so copiously as the disease required. If the relation of this diforder to pneumonicula be the fame in its cure, that I have supposed it to be in its cause, then I am persuaded, that the same excefs in blood-letting is indicated in it, above what is necessary in phrenitis, that has been practised in pneumonicula, above what is necessary in the cure of an acute inflammation of the lungs. The continuance, and in some instances, the increase of the appetite in the internal dropfy of the brain, would feem to favour this opinion no lefs in this diforder, than in the inflammatory state of pulmonary confumption. Where the internal dropfy is obviously the effect of a fall, or of any other cause which acts directly on the brain, there can be no doubt of the fafety of very plentiful bleeding; all practical writers upon furgery concur in advising it. Dr. Pennington has favoured me with an extract from Mr. Cline's manuscript lectures upon anatomy, delivered in London in the winter of 1792, which places the advantage of blood-letting, in that species of inflammation which follows a local injury of the brain, in a very strong point of light. "I know (fays he) that feveral practition-

ers object to the use of evacuations as remedies " for concussions of the brain, because of the " weakness of the pulse; but in these cases the " pulse is depressed. Besides, experience shews, " that evacuations are frequently attended with " very great advantages. I remember a remark-" able case of a man in this [St. Thomas's] hos-" pital, who was under the care of Mr. Baker. "He lay in a comatofe state for three weeks after " an injury of the head. During that time, he " was bled twenty times, that is to fay, he was " bled once every day upon an average. He was " bled twice a day plentifully, but towards the con-" clusion, he was bled more sparingly, and only " every other day; but at each bleeding, there "were taken, upon an average, about fixteen " ounces of blood. In confequence of this treat-" ment, the man perfectly recovered his health " and reafon." *

II. A fecond remedy to be used in the first stage of this disorder, is PURGES. I have constantly ob-

VOL. II.

P

ferved

^{*} Since the publication of the first edition of this volume, I have used bleeding in this disorder in a more copious manner than formerly, and with the same success in which that remedy is used in other more common instammatory states of sever, attended with local determination. 1797.

ferved all the patients whose cases have been related, to be relieved by plentiful and repeated evacuations from the bowels. I was led to the use of frequent purges, by having long observed their good effects in palfies, and other cases of congestion in the brain, where blood-letting was unfafe, and where it had been used without benefit. In the Leipfic Commentaries, * there is an account of a case of internal dropsy of the brain, which followed the measles, being cured by no other medicines than purges and diureties. I can fay nothing in favour of the latter remedy, in this diforder, from my own experience. The digitalis purpurea has been used in this city by several respectable practitioners, but, I believe, in no instance with any advantage.

III. BLISTERS have been uniformly recommended by all practical writers upon this difease. I have applied them to the head, neck, and temples, and generally with obvious relief to the pain in the head. They should be omitted in no stage of the disorder; for even in the inflammatory stage, the discharge they occasion from the vessels of the head, greatly overbalances their stimulating effects upon the whole system.

* Vol. xxix. p. 139.

IV. MERCURY was long confidered as the only remedy, which gave the least chance of a recovery from this formidable diforder. Out of all the cases in which I gave it, before the year 1790, I fucceeded in but two-one of them was a child of three years old, the other was a young woman of 26 years of age. I am the more fatisfied that the latter case was internal dropfy of the brain, from my patient having relapfed, and died between two and three years afterwards, of the fame diforder. Perhaps my repeated failures in the use of this remedy, were occasioned by my giving it before the inflammatory action of the fystem was fufficiently fubdued, by previous evacuations. The fame rule should probably be observed in giving it in this diforder, which is practifed in administering it in effusions of water in other parts of the body, and in all other difeases of diminished action in the fystem. In none of the cases, except the 5th, in which I used bleeding and purging with fuccefs, did I prescribe calomel with any other view than to increase the evacuation from the bowels.

V. LINEN CLOTHS wetted with cold vinegar or water, and applied to the forehead, contribute very much to relieve the pain in the head. In

P 2

the

the case of Mr. Cypher's son, * the solution of ice in the vinegar appeared to afford the most obvious relief of this distressing symptom.

A puncture in the brain has been proposed by some writers to discharge the water from its ventricles. If the theory I have delivered be true, the operation promises nothing, even though it could always be performed with perfect safety. In cases of local injuries, or of inflammation from any cause, it must necessarily increase the disorder; and in cases of effusion only, the debilitated state of the whole system forbids us to hope for any relief from such a local remedy.

Bark, wine, and opium promife much more fuccess in the last stage of the disorder. I can say nothing in their favour from my own experience; but from the aid they afford to mercury in other diseases, I conceive they might be made to accompany it with advantage.

Considering the nature of the indirect causes which induce the disease, and the case of a relapse, which has been mentioned, after an interval

of near three years, as well as the fymptoms of flow convalescence, manifested by the pulse, which occurred in the first and seventh cases, I submit it to the consideration of physicians, whether the use of moderate exercise, and the cold bath, should not be recommended to prevent a return of the disorder in every case where it has yielded to the power of medicine.

power of exchions.

AN

ACCOUNT

OF THE

MEASLES,

AS THEY APPEARED IN

PHILADELPHIA,

IN THE SPRING OF 1789.

M WELL B S

ACCOUNT

OF THE

MEASLES, &c.

THE weather in December 1788, and in January 1789, was variable, but feldom very cold. On the first of February 1789, at 6 o'clock in the morning, the mercury in Fahrenheit's thermometer fell five degrees below o in the city of Philadelphia. At twenty miles from the city, on the Schuylkill, it fell 12° below o, at the same hour. On the 19th and 20th of this month, there fell a quantity of snow, the depth of which, upon an average, was supposed to be about eight or ten inches. On the 23d, 24th, 25th, and 27th, the

the weather was very cold. The mercury fluctuated during these days between 4 and 10° above 0.

In the intervals between these cold days, the weather frequently moderated, so that the Delaware was frozen and thawed not less than four times. It was not navigable till the eighth of March. There were in all, during the winter and month of March, sixteen distinct falls of snow.

In April and May there were a few warm days; but upon the whole, it was a very cold and backward fpring. The peaches failed almost universally. There were no strawberries or cherries on the 24th of May, and every other vegetable product was equally backward. A country woman of 84 years of age, informed me, that it was the coldest spring she had ever known. It was uncomfortable to sit without fire till the first of June.

The measles appeared first in the Northern Liberties, in December. They spread slowly in January, and were not universal in the city till February and March.

This difease, like many others, had its precursor. It was either a gum-boil, or a sore on the tongue. They

They were both very common, but not univerfal. They occurred, in some instances, several days before the sever, but in general they made their appearance during the eruptive sever, and were a sure mark of the approaching eruption of the measles. I was first led to observe this fact, from having read Dr. Quin's accurate account of the measles in Jamaica. I shall now proceed to mention the symptoms of the measles as they appeared in the different parts of the body.

- I. In the HEAD, they produced great pain, fwelling of the eye-lids, so as to obstruct the eye-fight, tooth-ach, bleeding at the nose, tinnitus aurium, and deafness; also coma for two days, and convulsions. I saw the last symptom only in one instance. It was brought on by a stoppage of a running from the ear.
- 2. In the THROAT and LUNGS, they produced a foreness and hoarseness, acute or dull pains in the breast and sides, and a painful or distressing cough. In one case, this cough continued for two hours without any intermission, attended by copious expectoration. In two cases, I saw a constant involuntary discharge of phlegm and mucus from the mouth, without any cough. One of them terminated satally. Spitting of blood occurred in several

feveral instances. The fymptoms of pneumonia vera notha and typhoides were very common. I faw two fatal cases from pneumonia notha, in both of which, the patients died with the trunk of the body in an erect posture. I met with two cases in which there was no cough till the eruption made its appearance on the fourth day, and one which was accompanied by all the usual symptoms of the cynanche trachealis humoralis.

- 3. In the STOMACH the measses produced, in many instances, sickness and vomiting. And,
- 4. In the BOWELS, griping, diarrhæa, and in fome instances, bloody stools. The diarrhæa occurred in every stage of the disorder, but it was bloody and most painful in its decline. I attended a black girl who discharged a great many worms, but without the least relief of any of her symptoms.

There was a great variety in this disease—rst, In the time of the attack of the fever, from the time of the reception of the contagion. In general the interval was fourteen days, but it frequently appeared before and sometimes later than that period.

and. In the time of the eruption, from the beginning of the fever. It generally appeared on the third and fourth days. In one case, Dr. Waters informed me, it did not appear till the eighth day.

3d. In the abatement or continuance of the fever after the eruption.

4th. In the colour and figure of the eruption. In some it put on a pale red, in others a deep, and in a few a livid colour, resembling an incipient mortification. In some there appeared red blotches, in others an equally diffused reduess, and in a few, eruptions like the small pox, called by Dr. Cullen, rubiola varioloides.

- 5. In the duration of the eruption on the skin. It remained in most cases only three or four days; but in one, which came under my care, it remained nine days.
- 6. In the manner of its retrocession. I faw very few cases of its leaving the branny appearance so generally spoken of by authors on the skin.
- 7. In not affecting many persons, and even families who were exposed to it.

The fymptoms which continued in many after the retrocession of the measles, were cough,—hoarseness,—or complete aphonia, which continued in two cases for two weeks; also diarrhea, opthalmy, a bad taste in the mouth, a defect or excess of appetite, and a sever, which in some instances was of the intermitting kind, but which in more assumed the more dangerous form of the typhus mitior. I attended two cases of internal dropsy of the brain soon after it. One was evidently excited by a fall. They both ended fatally.

During the prevalence of the difease, I obferved several persons (who had had the measles, and who were closely confined to the rooms of persons ill with them) to be affected with a slight cough, sore throat, and even sores in the mouth. I find a similar sact taken notice of by Dr. Quier.

But I observed further, many children to be affected by a fever, cough, and all the other symptoms of the measles which have been mentioned, except a general eruption, for, in some, there was a trifling efflorescence about the neck and breast. I observed the same thing in 1773 and 1783. In my note book, I find the following account of the appearance of this disease in children in the year 1773. "The measles appeared in March, a catarrh

"tarrh (for by that name I then called it) ap"peared at the fame time, and was often mistaken
"for them, the symptoms being nearly the same
"in both. In the catarrh there was in some in"stances a trisling eruption. A lax often attended
"it, and some who had it, had an extremely sore
"mouth."

I was the more struck with this disease, from finding it was taken notice of by Dr. Sydenham. He calls it a morbillous fever. I likewise find an account of it in the 2d article of the 5th volume of the Edinburgh Medical Effays. The words of the author who is anonymous, are as follow. "During this measley season, several persons, " who never had the measles, had all the fymp-"toms of measles, which went off in a few days " without any eruptions. The fame perfons had " the meafles months or years afterwards." Is this difease a common fever, marked by the reigning epidemic, and produced in the fame manner, and by the fame causes, as the variolous fever described by Dr. Sydenham, which he fays prevailed at the fame time with the fmall pox? I think it is not. My reasons for this opinion are as follow.

1. I never faw it affect any but children, in the degree that has been mentioned, and fuch only as had never had the meafles.

- 2. It affected whole families at the fame time. It proved fatal to one of three children whom it affected on the fame day.
- 3. It terminated in a pulmonary confumption in a boy of ten years old, with all the fymptoms which attend that difease when it follows the regular measles.
- 4. It affected a child in one family on the fame day that two other members of the fame family were affected by the genuine measles.
- 5. It appeared on the usual days of the genuine measles, from the time the persons affected by it were exposed to its contagion. And,
- 6. It communicated the difease in one family, in the usual time in which the disease is taken from the genuine measles.

The measles then appear to follow the analogy of the small pox, which affects so superficially as to be taken a second time, and which produce on persons who have had them what are called the nurse pock. They follow likewise the analogy of another disease, viz. the scarlatina anginosa. In the account of the epidemic for 1773, published in the third volume of the Edinburgh Medical Essays, we are

told, that fuch patients as had previously had the scarlet fever without fore throats, took the fore throat, and had no eruption, while those who had previously had the fore throat had a scarlet eruption, but the throat remained free from the distemper. All other persons who were affected had both.

From these facts, I have taken the liberty of calling it the Internal Measles, to distinguish it from those which are external. I think the discovery of this new state of this disorder of some application to practice.

1. It will lead us to be cautious in declaring any difease to be the external measles in which there is not a general eruption. From my ignorance of this, I have been led to commit feveral mistakes which were dishonourable to the profession. I was called during the prevalence of the measles in the above-named feason, to visit a girl of twelve years old, with an eruption on the skin. I called it the measles. The mother told me, it was impossible, for that I had in 1783 attended her for the fame diforder. I suspect the anonymous author before-mentioned has fallen into the fame error. He adds to the account before quoted the following words. "Others who had undergone the " measles formerly, had at this time, a fever of the " eryfipe= VOL. II.

- "eryfipelatous kind, with eruptions like to which
 nettles cause, and all the previous and concomitant symptoms of the measles from the beginning to the end of the disease."
- 2. If inoculation, or any other mode of lessening the violence of the disease should be adopted, it will be of consequence to know what persons are secure from the attacks of it, and who are still exposed to it.

I shall now add a short account of my method of treating this disorder.

Many hundred families came through the difease without the help of a physician. But in many cases it was attended with peculiar danger, and in some with death. I think it was much more satal than in the years 1773 and 1783, probably owing to the variable weather in the winter, and the coldness and dampness of the succeeding spring. Dr. Huxham says, he once saw the measles attended with peculiar mortality, during a late cold and damp spring in England. It was much more fatal (cæteris paribus) to adults than to young people.

The remedies I used were,

I. BLEEDING,

- i. BLEEDING, in all cases where great pain and cough with a hard pulse attended. In some I found it necessary to repeat this remedy. But I met with many cases in which it was forbidden by the weakness of the pulse, and by other marks of a feeble action in the blood-vessels.
- 2. Vomits. These were very useful in removaing a nausea; they likewise favoured the eruption of the measles.
- 3. Demulcent and diluting drinks. These were barley water, bran, and flaxseed tea, dried cherry and raw apple water, also beverage, and cyder and water. The last drink I found to be the most agreeable to my patients of any that have been mentioned.
- 4. BLISTERS to the neck, fides, and extremities, according to the fymptoms. They were useful in every stage of the disorder.
- 5. OPIATES. These were given not only at night, but in small doses during the day, when a troublesome cough or diarrhoea attended.
- 6. Where a catarrhal fever enfued, I used bleeding and blisters. In those cases in which this Q 2 fever

fever terminated in an intermittent, or in a typhus, I gave the bark with evident advantage. In that cafe of measles, formerly mentioned, which was accompanied by fymptoms of cynanche trachealis humoralis, I gave calomel with the happiest effects. In the admission of fresh air I observed a medium as to its temperature, and accommodated it to the degrees of action in the fystem. In different parts of the country, in Pennfylvania and New-Jerfey, I heard with great pleasure of the cold air being used as freely and as fuccessfully in this disorder as in the inflammatory fmall-pox. The fame people who were fo much benefited by cool air, I was informed, drank plentifully of cold water during every stage of the diforder. One thing in favour of this country practice deserves to be mentioned, and that is, evident advantage arose in all the cases which I attended, from patients leaving their beds in the febrile state of this disease. But this was practised only by those in whom inflammatory diathesis prevailed, for these alone had strength enough to bear it.

The convalescent state of this disease required particular attention.

1. A DIARRHOEA often continued to be troublefome after other symptoms had abated. I relieved
it by opiates and demulcent drinks. Bleeding has
been

been recommended for it, but I did not find it neceffary in a fingle case.

- 2. An opthalmia which fometimes attended, yielded to aftringent collyria and blifters.
- 3. Where a cough or fever followed so slight as not to require bleeding, I advised a milk and vegetable diet, country air, and moderate warmth; for whatever might have been the relation of the lungs in the beginning of the disease to cold air, they were now evidently too much debilitated to bear it.
- 4. It is a common practice to prescribe purges after the measles. After the asthenic state of this disorder they certainly do harm. In all cases, the effects of them may be better obviated by diet, sull or low, suitable clothing, and gentle exercise, or country air. I omitted them in several cases, and no eruption or disease of any kind sollowed their disuse.

I shall only add to this account of the measles, that in several families, I saw evident advantages from preparing the body for the reception of the contagion, by means of a vegetable diet. . A .. The state of the state of

ACCOUNT

OF THE

INFLUENZA,

AS IT APPEARED IN

PHILADELPHIA,

In the Autumn of 1789—In the Spring of 1790—and in the Winter of 1791.

ACCOUNT

OF THE

INFLUENZA, &.

THE latter end of the month of August in the summer of 1789, was so very cool that fires became agreeable. The month of September was cool, dry, and pleasant. During the whole of this month, and for some days before it began, and after it ended, there had been no rain. In the beginning of October, a number of the members of the first Congress, that had assembled in New-York, under the present national government, arrived in Philadelphia, much indisposed with colds. They ascribed them to the satigue and night air to which they

they had been exposed in travelling in the public stages; but from the number of persons who were affected, from the uniformity of their complaints, and from the rapidity with which it was propagated through our city, it soon became evident that it was the disease so well known of late years, by the name of the Influenza.

The fymptoms which ushered in the disease, were generally a hoarfeness, a sore-throat, a sense of weariness, chills, and a fever. After the disease was formed, it affected more or less the following parts of the body. Many complained of acute pains in the HEAD. These pains were frequently fixed between the eye-balls, and in three cases which came under my notice, they were terminated by abfceffes in the frontal finus, which discharged themselves through the nofe. The pain, in one of these cafes, before the rupture of the abscess, was so exquisite, that my patient informed me, that he felt as if he should lose his reason. Many complained of a great itching in the EVE-LIDS. In fome, the eye-lids were fwelled. In others, a copious esfusion of water took place from the EYES; and in a few, there was a true ophthalmia. Many complained of great pains in one EAR, and some of pains in both EARS. In some these pains terminated in abscesses, which discharged for some days

days a bloody or purulent matter. In others, there was a fwelling behind each ear without a fuppuration. SNEEZING was an universal symptom. In fome it occurred not less than fifty times in a day. The matter discharged from the nose was so acrid as to inflame the nostrils and the upper lip, in fuch a manner as to bring on fwellings, fores, and fcabs in many people. In some, the nose discharged drops, and in a few, streams of blood, to the amount, in one case, of twenty ounces. In many cases, it was so much obstructed, as to render breathing through it difficult. In some there was a total defect of TASTE. In others there was a bad tafte in the mouth, which frequently continued through the whole course of the disease. In some there was a want of APPETITE. In others it was perfectly natural. Some complained of a foreness in their mouths, as if they had been inflamed by holding pepper in them. Some had SWELLED JAWS, and many complained of the TOOTH-ACH. I faw only one case in which the disease produced a COMA.

Many were affected with pains in the BREAST and SIDES. A difficulty of breathing attended in some, and a cough was universal. Sometimes this cough alternated with a pain in the head. Sometimes it preceded this pain, and sometimes it followed

followed it. It was at all times distressing. In some instances it resembled the chin-cough. One person expired in a fit of coughing, and many persons spat blood in consequence of its violence. I saw several patients in whom the disease affected the trachea chiefly, producing great difficulty of breathing, and, in one case, a suppression of the voice, and I heard of one case in which the disease, by falling on the trachea, produced a cynanche trachealis. In most of the cases which terminated fatally, the patients died of pneumonia notha.

The STOMACH was sometimes affected by naufea and vomiting; but this was far from being an universal symptom.

I met with four cases in which the whole force of the disease fell upon the BOWELS and went off in a diarrhœa; but in general the bowels were regular or costive.

The LIMBS were affected with fuch acute pains as to be mistaken for the rheumatism, or for the break-bone-fever of 1780. The pains were most acute in the back and thighs.

PROFUSE SWEATS appeared in many over the whole body in the beginning, but without afford-

ing any relief. It was in some instances accompanied by erysipelatous, and in sour cases which came to my knowledge, it was followed by miliary eruptions.

The PULSE was fometimes tense and quick, but seldom full. In a great majority of those whom I visited it was quick, weak, and soft.

There was no appearance in the urine different from what is common in all fevers.

The disease had evident remissions, and the sever seldom continued above three or four days; but the cough, and some other troublesome symptoms, sometimes continued two or three weeks.

In a few persons, the sever terminated in a tedious and dangerous typhus.

In feveral pregnant women it produced uterine hæmorrhages and abortions. *

* It is remarkable that abortions are produced chiefly by contagious fevers, such as the plague, the small-pox, and the measles, while inflammatory and bilious fevers, and even the dysentery, which frequently agitate the semale system more violently, seldom induce those effects.

It affected adults of both fexes alike. A few old people escaped it. It passed by children under eight years old with a few exceptions. Out of five-and-thirty maniacs in the Pennsylvania hospital, but three were affected by it. No profession or occupation escaped it. The smell of tar and tobacco did not preserve the persons who worked in them from the contagion—nor did the use of tobacco, in snuff, smoking, or chewing, afford a security against it. *

Even previous and existing diseases did not protest patients from it. It infinuated into sick chambers, and blended itself with every species of chronic complaint.

It was remarkable that persons who worked in the open air, such as failors, and 'long-shore-men, (to use a mercantile epithet) had it much worse than tradesmen who worked within doors. A body of surveyors in the eastern woods of Pennsylvania, who caught it all at once from one of their attendants, suffered extremely from it. Even

^{*} Mr. Howard informs us that the use of tobacco is not a preservative against the plague as has formerly been supposed; of course that apology for the use of an offensive weed should not be admitted.

the vigour of constitution, which is imparted by the favage life, did not mitigate its violence. Mr. Andrew Ellicott, the geographer of the United States, informed me that he was a witness of its affecting the Indians in the neighbourhood of Niagara with peculiar force. The cough which attended this disorder was so new and so irritating a complaint among them, that they ascribed it to witchcraft.

It proved most fatal on the sea-shore of the United States.

Many people who had recovered, were affected a fecond time with all the fymptoms of the diforder. I should have ascribed this second attack to the sensible qualities of the atmosphere, had I not observed it to affect those persons chiefly who had occasionally changed their place of residence during the prevalence of the disorder. I met with a woman, who, after recovering from it in Philadelphia, took it a second time in New York, and a third time upon her return to Philadelphia.

Many thousand people had the disorder who were not confined to their houses, but transacted business as usual out of doors.—A perpetual coughing was heard in every street of the city.—

Buying

Buying and felling were rendered tedious by the coughing of the farmer and the citizen who met in market places. It even rendered divine fervice fearcely intelligible in the churches.

A few persons who were exposed to the contagion escaped it, and some had it so lightly as scarcely to be sensible of it. Of the persons who were confined to their houses, not a sourth part of them kept their beds.

It proved fatal (with few exceptions) only to old people, and to perfons who had been previously debilitated by confumptive complaints. It likewise carried off several hard drinkers. It terminated in asthma in three persons whose cases came under my notice, and in pulmonary consumption, in many more. I met with an instance in a lady, who was much relieved of a chronic complaint in her liver; and I heard of another instance of a clergyman whose general health was much improved by a severe attack of this disorder.

The contagion was not wholly confined to the human species. It affected two cats, two house-dogs, and one horse, within the sphere of my observations. One of the dogs disturbed his mistress so much by coughing at night, that she gave him

ten drops of laudanum for several nights, which perfectly composed him. One of the cats had a vomiting with her cough. The horse breathed as if he had been affected by the cynanche trachealis.

The scarlatina anginosa, which prevailed during the summer, disappeared after the first of October; but appeared again after the influenza left the city. Nor was the remitting fever seen during the prevalence of the reigning epidemic.

I inoculated about twenty children for the fmall-pox during this prevalence of the influenza, and never faw that difease exhibit a more favourable appearance.

In the treatment of the influenza I was governed by the state of the system. Where inflammatory diathesis discovered itself by a full or tense pulse, or where great dissiculty of breathing occurred, and the pulse was low and weak in the beginning of the disorder, I ordered moderate bleeding. In a few cases in which the symptoms of pneumony attended, I bled a second time with advantage. In all these instances of inslammatory affection I gave the usual antiphlogistic medicines. I found that vomits did not terminate the disorder,

as they often do a common catarrh, in the course of a day, or of a few hours.

In cases where no inflammatory action appeared in the system, I prescribed cordial drinks and diet, and forbad every kind of evacuation. I saw several instances of persons who had languished for a week or two with the disorder, who were suddenly cured by eating a hearty meal, or by drinking half a pint of wine, or a pint of warm punch. In all these cases of weak action in the blood-vessels, liquid laudanum gave great relief, not only by sufpending the cough, but by easing the pains in the bones.

I met with a case of an old lady who was suddenly and perfectly cured of her cough by a fright.

The duration of the disorder in our city was about six weeks—It spread from New-York and Philadelphia in all directions, and in the course of a few months pervaded every state in the union. It was carried from the United States to several of the West India islands. It prevailed in the island of Grenada in the month of November 1789, and it was heard of in the course of the ensuing winter in the Spanish settlements in South America.

The

The following winter was unufually mild, infomuch that the navigation of the Delaware was not interrupted during the whole feafon, only from the 7th to the 24th of February. The weather on the 3d and 4th days of March was very cold, and on the 8th and 9th days of the fame month, the mercury in Fahrenheit's thermometer stood at 4° at 7 o'clock in the morning. On the 10th and 11th, there fell a deep fnow. The weather during the remaining part of the month was cold, rainy, and variable. It continued to be variable during the month of April. About the middle of the month there fell an unufual quantity of rain. The showers which fell on the night of the 17th, will long be connected in the memories of the citizens of Philadelphia with the time of the death of the celebrated Dr. Franklin. Several pleurifies appeared during this month; also a few cases of measles. In the last week of the month, the influenza made its appearance. It was brought to the city from New England, and affected, in its courfe, all the intermediate states. Its symptoms were nearly the fame as they were in the preceding autumn, but in many people it put on fome new appearances. Several perfons who were affected by it, had fymptoms of madness, one of whom destroyed himself by jumping out of a window. Some had no cough, but very acute pains in

the back and head. It was remarked that those who had the disease chiefly in the breast the last year, complained now chiefly of their heads, while those whose heads were affected formerly, now complained chiefly of their breafts. In many, it put on the type of an intermitting fever. Several complained of constant chills, or constant sweats; and fome were much alarmed by an uncommon blue and dark colour in their hands. I faw one case of ischuria, another of an acute pain in the rectum, a third of anafarca, and a fourth of a palfy in the tongue and arms; all of which appeared to be anomalous fymptoms of the influenza. Sneezing, and pains in the ears and frontal finus, were less common now than they were in the fall; but a pain in the eye-balls was an univerfal fymptom. Some had a pain in the one eye only, and a few had fore eyes, and fwellings in the face. Many women who had it, were affected by an irregular appearance of the catamenia. In two perfons whom I faw, the cough was inceffant for three days, nor could it be composed by any other remedy than plentiful bleeding. A patient of Dr. Samuel Duffield informed me, after his recovery, that he had had no other fymptom of the difeafe than an efflorescence on his skin, and a large swelling in his groin, which terminated in a tedious abfeefs.

The prisoners in the gaol who had it in the autumn, escaped it this spring.

During the prevalence of this diforder, I faw no fign of any other epidemic.

It declined fensibly about the first week in June, and after the 12th day of this month, I was not called to a single patient in this disorder.

The remedies for it were the same as were used in the fall.

I used bleeding in several cases on the second, third, and sourth days of the disorder, where it had appeared to be improper in its sirst stage. The cases which required bleeding were far from being general. I saw two instances of syncope of an alarming nature, after the loss of ten ounces of blood; and I heard of one instance of a boy who died in half an hour after this evacuation.

I remarked that purges of all kinds worked more violently than usual in this disorder.

The convalescence from it was very slow, and a general languor appeared to pervade the citizens for several weeks after it left the city.

The

The month of December 1790 was extremely and uniformly cold. In the beginning of the month of January 1791, the weather moderated, and continued to be pleasant till the 17th, on which day the navigation of the Delaware, which had been completely obstructed by the ice, was opened fo as to admit of the arrival of feveral veffels. During the month of December many people complained of colds; but they were ascribed wholly to the weather. In January four or five persons in a family were affected by colds at the fame time; which created a suspicion of a return of the influ-This fuspicion was foon confirmed by accounts of its prevailing in the neighbouring counties of Chester and Montgomery in Pennsylvania, and in the diftant states of Virginia and Rhode-Island. It did not affect near fo generally as in the two former times of appearance. There was no difference in the method of treating it. the common inflammatory diseases of the winter, bore the lancet as usual, it was remarked that patients who were attacked by the influenza, did not bear bleeding in a greater proportion, or in a larger quantity than in the two former times of its appearance in the city,

I shall conclude this account of the Influenza by the following observations:

- measles or small-pox, and exists independently of the sensible qualities of the air. This is proved by its prevailing in every state of the weather, and in successive periods in neighbourhoods, which have been exposed in the same instant to the same atmosphere; also by whole families, and the tenants of gaols and hospitals frequently escaping it. It is not peculiar to the influenza not to be affected by the different states of the weather. Dr. Patrick Russel has proved, that the contagion of the plague is equally independent of the influence of the atmosphere.
- 2. The influenza passes with the utmost rapidity through a country, and affects the greatest number of people, in a given time, of any contagious disease in the world.
- 3. It appears from the histories of it which are upon record, that neither climate, nor the different states of society, have produced any material change in the disorder. This will appear from comparing the account I have given, with the histories of it which have lately been given by Dr. Grey, Dr. Hamilton, Dr. A. Fothergill, Mr. Chisholm, and other modern physicians. It appears further, that even time itself has not been

able materially to change the type of this diforder. This is evident, from comparing modern accounts of it with those which have been handed down to us by ancient physicians.

I have hinted in a former essay at the diminutives of certain diseases. There is a state of Inssuenza, which is less violent and more local, than that which has been described. It generally prevails in the winter season. It seems to originate from a morbid matter, generated in crouded and heated churches, and other assemblies of the people. I have seen a cold, or influenza, frequently universal in Philadelphia, which I have distinctly traced to this source. It would seem as if the same species of diseases resembled pictures, and that while some of them partook of the deep and vivid nature of mosaic work, others appeared like the seeble and transient impressions of water colours.

INQUIRY

INTO THE

CAUSES OF THE INCREASE


OF

Bilious and Intermitting Fevers

IN

PENNSYLVANIA,

Read in the AMERICAN PHILOSOPHICAL SOCIETY,
December 16, 1785.



INQUIRY, &c.

IT has been remarked, that Pennfylvania for fome years past, has become more sickly than formerly. Fevers, which a few years ago appeared chiefly on the banks of creeks and rivers, and in the neighbourhood of mill-ponds, now appear in parts remote from them all, and in the highest situations. This change with respect to the healthiness of our country, may be traced to the three following causes.

1. The establishment and increase of mill-ponds. There are whole counties in Pennsylvania in which intermittents were unknown, until the waters in them were dammed, for the purpose of erecting mill-ponds,

2. The

2. The cutting down of wood, under certain circumstances, tends to render a country sickly. It has been remarked, that intermittents on the shores of the Susquehannah, have kept an exact pace with the passages which have been opened for the propagation of marsh essure, by cutting down the wood which formerly grew in its neighbourhood. I remember the time, when intermittents were known only within half a mile, in some places, of that river. They are now to be met with ten miles from it, in the same parts of the state.

I beg a distinction to be made here between elearing and cultivating a country. While clearing a country makes it fickly, in the manner that has been mentioned, cultivating a country, that is, draining fwamps, destroying weeds, burning brush, and exhaling the unwholesome and supersuous moisture of the earth, by means of frequent crops of grain, grasses, and vegetables of all kinds, render it healthy. I could mention, in support of these facts, several countries in the United States, which have passed through each of the stages that have been described. The sirst settlers received these countries from the hands of nature pure and healthy.*

^{*} A Physician who travelled through part of Bedford county, in Pennsylvania, in the year 1782, informed me that

Fevers foon followed their improvements, nor were they finally banished, until the higher degrees of cultivation that have been named took place. I confine myself to those countries only where the salutary effects of cultivation were not rendered abortive by the neighbourhood of mill-ponds.

A third cause of the late increase of bilious and intermitting severs, must be sought for in the different and unequal quantities of rain which have fallen within these last seven years. While our creeks and rivers, from the uniformity of our seasons, were confined to steady bounds, there was little or no exhalation of sebrile miasmata from their shores. But the dry summers of 1780, 1781, and 1782, by reducing our creeks and rivers far below their ancient marks; while the wet springs of 1784 and 1785, by swelling them both beyond

that he was witness of some country people having travelled twenty miles, to see whether it was possible for a German girl, who laboured under an intermittent, to be nor and cold at the same time. Even the swamps in the United States are healthy before they are cleared. In the Delaware State, labourers pass whole summers and autumns in making shingles in the cedar swamps, without being affected by severs or sickness of any kind. Persons who spend the warm months in the cedar and pine swamps in North Carolina, are likewise equally free from diseases.

their natural heights, have, when they have fallen, as in the former case, left a large and extensive furface of moist ground exposed to the action of the fun, and of course to the generation and exhalation of febrile miasmata. The history of epidemics in foreign countries, favours this opinion of the cause of their increase in Pennsylvania. inhabitants of Egypt are always healthy during the overflowing of the Nile. Their fevers appear only after the recess of the river. It is remarkable that a wet feafon is often healthy in low, while it is fickly in hilly countries. The reason is obvious. In the former the rains entirely cover all the moist grounds, while in the latter, they fall only in fufficient quantity to produce those degrees of moisture which favour febrile exhalations. The rains which fall in the fummer are rendered harmless only by covering the whole surface of marshy ground. The rains which fall in our state after the middle of September, are fo far from producing fevers, that they generally prevent them. The extraordinary healthiness of the last autumn, I believe, was occasioned by nothing but the extraordinary quantity of rain that fell during the autumnal months. The rain probably acts at this feafon by diluting, and thus destroying, the febrile miasmata that were produced by the heat and moiflure of the preceding fummer. In support of the truth of this third cause of the increase of severs in Pennsylvania, I have only to add a fact
lately communicated to me by Dr. Franklin. He
informed me, that in his journey from Passey to
Havre de Grace, last summer, he found the country through which he travelled, unusually sickly
with severs. These fevers, it was generally supposed, were produced by the extraordinary dry
weather, of which the public papers have given
us such melancholy and frequent accounts.

I come now to fuggest a few hints for obviating and preventing fevers, and for rendering our country again healthy. For this purpose, I beg leave to recommend, in the first place, the planting of trees around all our mill ponds, (besides cleaning them occasionally) in order to prevent the difeases that have justly been ascribed to them. Let the trees be planted in the greatest number, and closest together, to leeward of the ordinary current of the fummer and autumnal winds. I have known feveral inflances of families being preferved from fevers by an accidental copfe of wood flanding between a mill-pond and a dwellinghouse, and that in cases too where the house derived no advantage from an high fituation. The trees around or near a mill-pond, act perhaps in a finall degree mechanically. By sheltering the pond from

from the action of the fun, they leffen exhalation, as well as obstruct the passage of the vapours that are raised, to the adjacent parts. But they act likewise chemically. It has been demonstrated that trees absorb unhealthy air, and discharge it in a highly purified state in the form of what is now called "dephlogisticated" air. The willow tree, according to Mr. Ingenhausz, has been found to purify air the most rapidly of any tree that he has subjected to his experiments. The rapidity of its growth, its early verdure, and the late fall of its leaf, all seem to mark it likewise as a tree highly proper for this purpose.

A fecond method of preventing fevers, is to let the cultivation always keep pace with the clearing of our lands. Nature has in this instance, connected our duty, interest, and health together. Let every spot covered with moisture from which the wood has been cut, be carefully drained, and afterwards ploughed and sowed with grass seed; let weeds of all kinds be destroyed, and let the waters be so directed as to prevent their stagnating in any part of their course.

These are the two principal means of extirpating intermitting and bilious fevers from our country, but as these means are slow in their operation, I shall subjoin a few directions for preventing feavers till the above remedies can take effect.

1. Whether the matter which produces fevers be of an organic nature, I do not pretend to determine, but it is certain, that fire, or the smoke or beat which issue from it, destroy the essets of marsh miasmata upon the human body; hence we find cities more healthy than country places, and the centre of cities more healthy than their fuburbs in the fickly months. To derive the utmost possible benefit from this method of preventing fickness, I would advise large fires to be made every evening, of brush, between the spots from whence the exhalations are derived, and the dwelling house, and as near to the latter as is fafe, and not difagreeable. This practice should be continued till the appearance of two or three frosts, for frosts, as well as heavy rains in the autumnal months, never fail to put a stop to the progress of intermittents.

During the fickly feafon, fires should be likewife kept in every room in the dwelling house, even in those cases where the heat of the weather makes it necessary to keep the doors and windows open.

Vol. II.

2. Let me advise my countrymen in sickly situations, to prefer woollen and cotton to linen clothes in the summer and autumnal months. The most sickly parts of the island of Jamaica have been rendered more healthy, since the inhabitants have adopted the use of woollen and cotton garments instead of linen.

During the late war, I knew many officers, both in the British and American armies, who escaped fevers in the most fickly places, by wearing woollen shirts or waistcoats constantly next to their skins. I have heard the present diminution of the human body in strength and fize, compared with its ancient vigour and form, ascribed in part to the introduction of linen garments. I am not disposed to controvert this opinion, but I am fure of the efficacy of woollen clothes in wet and cold climates in preventing fevers of all kinds. The parliament of Great Britain compels every body that dies within the island to be buried in a woollen shirt or winding sheet. The law would be much wifer if it compelled every body to wear woollen garments next to their skins during life, and linen after death.

3. The diet in the fickly months where the fewers are not of a malignant nature, should be generous.

Wine and beer should be the drinks of this feafon instead of spirits and water. I do not think that fruit and vegetables of any kind produce fevers, but as the feafon of the year produces languor and weaknefs, a larger quantity of animal food than usual is best calculated to oppose them. Salted mear, for this reason, is preferable to fresh meat. Food of all kinds eaten during the fickly months, should be well feafoned.

- 4. The evening air should be avoided as much as possible: Even the morning air before the fun rifes, should not be breathed, until the body has been fortified with a little folid aliment, or a draught of bitters. These bitters should be made of centaury wormwood, camomile, or the bark of the willow or dogwood trees infused in water. Bitters made with spirits, or even wine, cannot be taken in a fufficient quantity to do fervice without producing intoxication, or the deadly habit of loving and drinking spirituous liquors.
- 4. Too much cannot be faid in favour of cleanlinefs, as means of preventing fevers. The body should be bathed or washed frequently. It has been proved in the highlands of Jamaica, that adding falt to water, renders it more powerful in preventing diseases when applied to the body. Equal S 2 pains

pains should be taken to promote cleanliness in every species of apparel. Offal matters, especially those which are of a vegetable nature, should be removed from the neighbourhood of a dwelling house. The dung of domestic animals, during its progrefs towards manure, may be excepted from this direction. Nature, which made man and thefe animals equally necessary to each other's subfiftence, has kindly prevented any inconvenience from their living together. On the contrary, to repay the husbandman for affording a shelter to these useful and helpless animals, nature has done more. She has endowed their dung with a power of destroying the effects of marsh exhalations, and of preventing fevers. The miferable cottagers in Europe who live under the fame roof, and in some inftances in the fame room with their cattle, are always healthy. In Philadelphia, fevers are lefs known in the neighbourhood of livery stables, than in any other part of the city. I could mention a family that has lived near thirty years near a livery stable in a fickly part of the city, that has never known a fever but from the meafles or fmallpox.

AN


INQUIRY

INTO THE

CAUSES AND CURE

OF

SORE LEGS.



INQUIRY, &c.

appear, they compose a large class of the diseases of a numerous body of people. Hitherto the persons afflicted by them have been too generally abandoned to the care of empirics, either because the disease was considered as beneath the notice of physicians, or because they were unable to cure it. I would rather ascribe it to the latter, than to the former cause, for pride has no natural fellowship with the profession of medicine.

The difficulty of curing fore legs has been confessed by physicians in every country. As far as my observations have extended, I am disposed to ascribe this difficulty to the uniform and indiscriminate mode of treating them, occasioned by the want of a theory which shall explain their proximate cause. I shall attempt in a few pages to deliver one, which however imperfect, will, I hope, lay a foundation for more successful inquiries upon this subject hereafter.

S 4

fhall

I shall begin my observations upon this disorder, by delivering and supporting the following propositions.

I. Sore Legs are induced by general debility, which, for the most part, is of the indirect kind. This I infer from the occupations and habits of the persons who are most subject to them. They are day-labourers, and failers, who are in the habit of lifting great weights; also washer-women, and all other persons, who pass the greatest part of their time upon their feet. The blood-veffels and muscular fibres of the legs are thus overstretched, by which means either a rupture, or fuch a languid action in the vessels is induced, as that an accidental wound from any cause, even from the scratch of a pin, or the bite of a mosquito, will not easily heal. But labourers, failors, and washer-women are not the only persons who are afflicted with fore legs. Hard drinkers of every rank and defcription are likewise subject to them. Where ftrong drink, labour, and ftanding long on the feet are united, they more certainly dispose to fore legs, than when they act feparately. In China, where the labour which is performed by brutes in other countries, is performed by men, varices on the legs are very common among the labouring people, Perhaps, the reason why the debility induced in the

the legs produces varices instead of ulcers in these people, may be owing to their not adding the debilitating stimulus of strong drink to that of exceffive labour.

It is not extraordinary that the indirect debility produced by intemperance in drinking ardent spirits, should appear first in the lower extremities. The indirect debility produced by intemperance in the use of wine, makes its first appearance in the form of gout, in the same part of the body. The gout, it is true, discovers itself most frequently in pain only, but there are cases in which it has terminated in ulcers, and even mortifications on the legs.

- II. Sore LEGS are a discase of the whole system. This I infer,
- 1. From the causes which induce them, all of which act more or less upon every part of the body.
- 2. From their following or preceding diseases which obviously belong to the whole system. Fevers and dysenteries often terminate critically in this disorder; and the pulmonary consumption and apoplexy have often been preceded by the suppression of an habitual discharge from a fore leg.

The two latter diseases have been ascribed to the translation of a morbific matter to the lungs or brain: But it is more rational to afcribe them to a previous debility in those organs, by which means their veffels were more eafily excited into action and effusion by the stimulus of the plethora, induced upon the fystem in consequence of the confinement of the fluids formerly discharged from the leg in the form of pus. This plethora can do harm only where there is previous debility; for I maintain that the fystem (when the folids are exactly toned) will always relieve itself of a sudden preternatural accumulation of fluids by means of fome natural emunctory. This has been often obferved in the menorrhagia, which accompanies plentiful living in women, and in the copious difcharges from the bowels and kidneys which follow a suppression of the perspiration.

- 3. I infer it, from their appearing almost universally in one disease, which is evidently a disease of the whole system, viz. the scurvy.
- 4. From their becoming in some cases the outlets of menstrual blood, which is discharged in consequence of a plethora which affects more or less every part of the semale system,

- 5. I infer it from the *fymptoms* of fore legs, which are in fome cases febrile, and affect the pulse in every part of the body with preternatural frequency or force. These symptoms were witnessed, in an eminent degree, in two of the patients who furnished subjects for clinical remarks in the Pennsylvania hospital in the course of the last winter.
- 6. I infer that fore legs are a difease of the whole system, from the manner in which they are sometimes cured by nature and art. They often prove the outlets of many general diseases, and all the remedies which cure them, act more or less upon the whole system.

In all cases of sore legs there is a tonic and atonic state of the whole system. The same state of excessive or desicient action takes place in the parts which are affected by the sores. The remedies to cure them, therefore, should be general and local.

In cases where the arterial system is affected by too much tone, the general remedies should be,

I. BLOOD-LETTING. Of the efficacy of this remedy in disposing ulcers suddenly to heal, the two clinical patients beforementioned exhibited remarkable proofs last winter, in the presence of all the

the students of medicine in the university. The blood drawn was fizy in both cafes. I have not the merit of having introduced this remedy into practice in the cure of ulcers. I learned it from Sir John Pringle. I have known it to be used with equal fuccess in a fore breast, attended by pain and inflammation, after all the usual remedies for that disorder had been used to no purpose. I anticipate here a repetition of an objection to this remedy by persons who cannot, at first fight, reconcile excessive action in the arterial system with the debility which predisposes to it. I refer the reader for a defence of it, to what was faid upon the fubject of bleeding in the inflammatory species of confumption. It will only be necessary to add in this place, that indirect, like direct debility, when of short duration, never fails to produce fuch a degree of excitability, or vibratility (if I may be allowed to coin a word) in the bloodveffels, as to dispose them to be thrown into exceffive action by the least increase in the force or number of the stimuli which act upon the human body.

II. GENTLE PURGES.

III. NITRE. From fifteen to twenty grains of this medicine should be given three times a-day.

IV. A

IV. A TEMPERATE DIET, and a total abstinence from fermented and distilled liquors.

V. Cool and PURE AIR.

The local remedies in this state of the fystem should be,

I. Cold water. Dr. Rigby has written largely in favour of this remedy when applied to local inflammations. From its good effects in allaying the inflammation which fometimes follows the puncture which is made in the arm in communicating the small-pox, and from the sudden relief it affords in the inflammatory species of the opthalmia and in the piles, no one can doubt of its efficacy in fore legs, accompanied by inflammation in those veffels, which are the immediate seat of the disorder.

II. Soft poultices of bread and milk, or of bread moistened with lead water. Dr. Underwood's method of making a poultice of bread and milk should be preferred in this case. He directs us first to boil the milk, then to powder the bread, and throw it into the milk, and after they have been intimately mixed, by being well stirred and boiled together, they should be poured out and spread upon a rag, and a knife dipped in sweet oil or lard, should be run over them. The solidity and confishence

fistence of the poultice is hereby better preserved, than when the oil or lard is mixed with the bread and milk over the fire.

III. When the inflammation fubfides, dry lint should be applied to the fore, and confined by means of a foft plaster of wax and sweet oil.

IV. Above all, rest, and an horizontal posture of the leg. Too much cannot be said in favour of this remedy in this species of sore legs. Nannoni, the samous Italian surgeon, sums up the cure of sore legs in three words, viz. "Tempo, riposo, "e pazienza;" that is, in time, rest, and patience. A friend of mine, who was cured by this surgeon of a fore leg, about thirty years ago, informed me, that he confined him to his bed during the greatest part of the time that he was under his care.

In fore legs, attended by too little general and local action, the following remedies are proper.

I. BARK. It should be used plentifully, but with a constant reference to the state of the system; for the changes in the weather, and other accidental circumstances often produce such changes in the system, as to render its disuse for a short time frequently necessary.

II. MERCURY. This remedy has been supposed to act by altering the sluids, or by discharging a morbid matter from them, in curing sore legs. But this is by no means the case. It appears to act as an universal stimulant; and if it prove most useful when it excites a salivation, it is only because in this way it excites the most general action in the system.

III. MINERAL TONICS—fuch as the different preparations of iron, copper, and zinc.

IV. Gentle Exercise. Rest, and a recumbent posture of the body, so proper in the tonic, are both hurtful in this species of sore legs. The efficacy of exercise, even of the active kind, in the cure of sore legs, accompanied by desicient action in the vessels, may easily be conceived from its good essects after gun-shot wounds which are mentioned by Dr. Jackson.* He tells us, that those British soldiers who had been wounded at the battle of Guilford, in North-Carolina, who were turned out of the military hospitals and soldiewed the army, soonest recovered of their wounds. It was remarkable that if they delayed only a few days on the road, their wounds grew worse, or ceased to heal.

^{*} Medical Journal, 1790.

In the use of the different species of exercise the fame regard should be had to the state of the system which was recommended in a former disorder.

V. A nutritious and moderately stimulating diet, consisting of milk, faccharine vegetables, animal food, malt-siquors, and wine.

Wort has done great fervice in fore legs. manner in which I have directed it to be prepared and taken it as follows-To three or four heaped table-spoonsful of the malt, finely powdered and fifted, add two table spoonsful of brown fugar, and three or four of Madeira, Sherry, or Lisbon wine, and a quart of boiling water. After they have flood a few hours, it may be drunken liberally by the patient, stirring it each time before he takes it, fo that the whole fubstance of the malt may be conveyed into the stomach. A little limejuice may be added, if the patient requires it, to make it more pleafant. The above quantity may be taken once, twice, or three times a day at the pleasure of the patient, or according to the indication of his diforder.

VI. OPIUM. This remedy is not only useful in easing the pain of a fore leg, but co-operates with other cordial medicines in invigorating the whole system.

The local applications should confist of such fubstances as are gently escarotic, and which excite an action in the torpid veffels of the affected part. Arfenic, precipitate, and blue vitriol, have all been employed with fuccess for this purpose. Dr. Griffitts informed me, that he has frequently accomplished the same thing in the Dispensary by applications of tartar emetic. They should all be used, if necessary, in fuccession to each other; for there is often the same idiofyncrafy in a fore leg to certain topical applications, that there is in the stomach to certain aliments. After the use of these remedies, aftringents and tonics should be applied, fuch as an infusion of Peruvian, or white-oak bark; the water in which the fmiths extinguish their irons, lime-water, bread dipped in a weak folution of green vitriol (so much commended by Dr. Underwood) and compresses wetted with brandy, or ardent spirits of any kind.

Tight bandages are likewise highly proper here. The laced stocking has been much used. It is made of strong coarse linen. Dr. Underwood gives several good reasons for preferring a stannel roller to the linen stocking. It sets easier on the leg, and yields to the swelling of the muscles in walking.

In scorbutic sores on the legs, navy surgeons have spoken in high terms of an application of a mixture of lime-juice and melasses. Mr. Gillespie commends the use of lime or lemon-juice alone, and ascribes many cures to it in the British navy during the late war, after every common application had been used to no purpose.*

It is of the utmost consequence in the treatment of fore legs, to keep them clean, by frequent dreffings and washings. The success of old women is oftener derived from their great attention to cleanliness, in the management of sore legs, than to any specifics they possess which are unknown to physicians.

When fore legs are kept from healing by affections of the bone, the treatment should be such as is recommended by practical writers on surgery.

I shall conclude this inquiry by four observations, which are naturally suggested by what has been delivered upon this disorder.

1. If it has been proved that fore legs are, in most cases, diseases of the whole system, is it not proper to inquire, whether many other diseases

* Medical Journal, Vol. VI.

sof the whole system? And if sore legs have been cured by general remedies, is it not proper to use them more frequently in other local diseases?—I am led to make this remark by having seen two instances of tumors, the one on the breast, and the other in the prostate gland, nearly cured by long journies.

- 2. If there be two states of action in the arteries in fore legs, it becomes us to inquire, whether the same opposite states of action do not take place in many diseases in which they are not suspected. I have before observed, that they occur in the scrofula. It would be easy to prove, that they exist in several other local diseases.
- 3. If the efficacy of the remedies for fore legs which have been mentioned, depends upon their being accommodated exactly to the state of the arterial system, and if this system be liable to frequent changes, does it not become us to be more attentive to the state of the pulse in this disorder than is commonly supposed to be necessary by physicians?——Indeed, if one of the principles I have aimed to establish in this and several of the foregoing essays be just, that is, that all prescriptions should be suited to the state, and not to the

name, of a difease, it follows that success in the practice of physic will depend chiefly upon the occasional change of the dose, or quality of a medicine with the changing state of the whole system.

4. It has been a misfortune in medicine, as well as in other fciences, for men to afcribe effects to one cause, which should be ascribed to many. Hence diseases have been attributed exclusively to morbid affections of the fluids by fome, and of the muscles, and nerves by others. Unfortunately the morbid states of the arterial system, and the influence of those states upon the brainthe nerves-the muscles-the lymphatics-the glands-the vifcera-the alimentary canal-and the skin, as well as the reciprocal influence of the morbid states of each of those parts of the body upon the arteries, and upon each other, have been too much neglected in most of our fystems of phyfic. I confider the pathology of the arterial system as a mine. It was first discovered by Dr. Cullen. The man who attempts to explore it, will probably impoverish himself by his refearches; but the men who come after him, will certainly obtain from it a treasure which cannot fail of adding greatly to the riches of medicine.

be wire I to the Rose and not to the

ACCOUNT

OF THE

State of the Body and Mind

IN OLD AGE;

WITH

OBSERVATIONS ON ITS DISEASES,

And their Remedies.

State of the Body and Mind

AND AND AT THE ESCHALA PARCE

Whom It is At File

ACCOUNT, &c.

this subject, are the result of observations made during the last five years, upon persons of both sexes, who had passed the 80th year of their lives. I intended to have given a detail of the names—manner of life—occupations—and other circumstances of each of them; but, upon a review of my notes, I found so great a sameness in the history of most of them, that I despaired, by detailing them, of answering the intention which I have purposed in the following essay. I shall, therefore, only deliver the facts and principles which are the result of the inquiries and observations I have made upon this subject.

I. I shall mention the circumstances which favour the attainment of longevity.

T 4

II. I shall

- II. I shall mention the phænomena of body and mind which attend it: and,
- III. I shall enumerate its peculiar diseases, and the remedies which are most proper to remove, or moderate them.
- I. The circumstances which favour longevity, are,
- not found a fingle instance of a person, who has lived to be 80 years old, in whom this was not the case. In some instances I found the descent was only from one, but in general, it was from both parents. The knowledge of this sast may serve, not only to assist in calculating what are called the chances of lives, but it may be made useful to a physician. He may learn from it to cherish hopes of his patients in chronic, and in some acute diseases, in proportion to the capacity of life they have derived from their ancestors.*

2. Tem-

^{*} Dr. Franklin, who died in his 84th year, was descended from long-lived parents. His father died at 89, and his mother at 87. His father had 17 children by two wives. The Doctor informed me that he once sat down as one of 11 adult sons and daughters at his father's table. In an excur-

2. Temperance in Eating and Drinking. To this remark I found feveral exceptions. I met with one man of 84 years of age, who had been intemperate in eating; and four or five perfons who had been intemperate in drinking ardent spirits. They had all been day-labourers, or had deferred drinking until they began to feel the languor of old age. I did not meet with a fingle perfon who had not, for the last forty or fifty years of their lives, used tea, coffee, and bread and butter twice a day as part of their diet. I am disposed to believe that those articles of diet do not materially affect the duration of human life, although they evidently impair the strength of the system. The duration of life does not appear to depend fo much upon the strength of the body, or upon the quantity of its excitability, as upon an exact accommodation of stimuli to each of them. A watch spring will last as long as an anchor, provided the forces which are capable of destroying both, are always in an exact ratio to their strength. The use of tea and coffee in diet feems to be happily fuited to the change which has taken place in the human body,

fion he once made to that part of England from whence his family migrated to America, he discovered in a grave-yard, the tomb stones of several persons of his name, who had lived to be very old. These persons he supposed to have been his ancestors.

by fedentary occupations, by which means less nourishment and stimulus are required than formerly, to support animal life.

3. The moderate exercise of the Understanding. It has long been an established truth, that literary men (other circumstances being equal) are longer lived than other people. But it is not necessary that the understanding should be employed upon philosophical subjects to produce this influence upon human life. Business, politics, and religion, which are the objects of attention of men of all classes, impart a vigour to the understanding, which, by being conveyed to every part of the body, tends to produce health and long life.

4. Equanimity of temper. The violent and irregular action of the passions tends to wear away the springs of life.

Persons who live upon annuities in Europe have been observed to be longer lived, in equal circumstances, than other people. This is probably occasioned by their being exempted, by the certainty of their subsistence from those sears of want which so frequently distract the minds, and thereby weaken the bodies of old people. Liferents have been supposed to have the same influ-

ence in prolonging life. Perhaps the defire of life, in order to enjoy for as long a time as possible, that property which cannot be enjoyed a second time by a child or relation, may be another cause of the longevity of persons who live upon certain incomes. It is a fact, that the desire of life is a very powerful stimulus in prolonging it, especially when that desire is supported by hope. This is obvious to physicians every day. Despair of recovery is the beginning of death in all diseases.

But obvious and reasonable as the effects of equanimity of temper are upon human life, there are some exceptions in favour of passionate men and women having attained to a great age. The morbid stimulus of anger, in these cases, was probably obviated by less degrees, or less active exercises of the understanding, or by the defect or weakness of some of the other stimuli which keep up the motions of life.

J. Matrimony. In the course of my inquiries, I met with only one person beyond eighty years of age who had never been married.——I met with several women who had borne from ten to twenty children, and suckled them all. I met with one woman, a native of Herefordshire in England, who

who is now in the 100th year of her age, who bore a child at 60, menstruated till 80, and frequently suckled two of her children (though born in succession to each other) at the same time. She had passed the greatest part of her life over a washing-tub.

- 6. Emigration. I have observed many instances of Europeans who have arrived in America in the decline of life, who have acquired fresh vigour from the impression of our climate, and of new objects upon their bodies and minds; and whose lives, in consequence thereof, appeared to have been prolonged for many years.
- 7. I have not found Sedentary Employments to prevent long life, where they are not accompanied by intemperance in eating or drinking. This obfervation is not confined to literary men, nor to women only, in whom longevity, without much exercise of body, has been frequently observed. I met with one instance of a weaver; a second of a silver-smith; and a third of a shoe-maker, among the number of old people, whose histories have suggested these observations.
- 8. I have not found that acute, nor that all chronic difeases shorten human life. Dr. Franklin had two

two fuccessive vomicas in his lungs before he was 40 years old. I met with one man beyond 80, who had furvived a most violent attack of the vellow fever; a fecond who had had feveral of his bones fractured by falls, and in frays; and many who had been frequently affected by intermittents. I met with one man of 86, who had all his life been fubject to fyncope; another who had for 50 years been occasionally affected by a cough; * and two instances of men who had been afflicted for forty years with obstinate head-achs. † I met with only one person beyond 80, who had ever been affected by a diforder in the Romach; and in him, it arose from an occasional rupture. Mr. John Strangeways Hutton, of this city, who died last year, in the 109th year of his age, informed me, that he had never puked in his life. This circumstance is the more remarkable, as he passed several years at fea when a young man. ! Thefe facts may ferve

^{*} This man's only remedy for his cough was the fine powder of dry Indian turnip and honey.

[†] Dr. Thiery fays, That he did not find the itch, or flight degrees of the leprofy, to prevent longevity. Observations de Physique, et de Medicine faites en differens lieux de L'Espagne. Vol. II. p. 171.

this remark, was born in New-York in the year 1684—
His

ferve to extend our ideas of the importance of a healthy state of the stomach in the animal economy; and thereby to add to our knowledge in the prognosis of diseases, and in the chances of human life.

9. I have not found the loss of teeth to affect the duration of human life, so much as might be expected. Edward Drinker, who lived to be 103 years old, lost his teeth thirty years before he died from drawing the hot smoke of tobacco into his mouth through a short pipe.

His grandfather lived to be 101, but was unable to walk for thirty years before he died, from an excessive quantity of fat. His mother died at ot. His constant drinks were water, beer, and cyder. He had a fixed diflike to spirits of all kinds. His appetite was good, and he ate plentifully during the last years of his life. He seldom drank any thing between his meals. He was never intoxicated but twice in his life, and that was when a boy, and at fea, where he remembers perfectly well to have celebrated by a feu de joyé the birth day of Queen Ann. He was formerly afflicted with the head-ach and giddiness, but never had a fever, except from the fmall-pox, in the course of his life. His pulse was flow, but regular. He had been twice married. By his first wife he had eight, and by his second seventeen children. One of them lived to be 83 years of age. He was about five feet nine inches in height, of a flender make, and carried an erect head to the last year of his life.

Dr. Sayre, of New Jersey, to whom I am indebted for several very valuable histories of old persons, mentions one man aged 81, whose teeth began to decay at 16, and another of 90, who lost his teeth thirty years before he saw him. The gums, by becoming hard, persorm, in part, the office of teeth. But may not the gastric juice of the stomach, like the tears and urine, become acrid by age, and thereby supply, by a more dissolving power, the desect of mastication from the loss of teeth? Analogies might easily be adduced from several operations of nature, which go forward in the animal economy, which render this supposition highly probable.

Hairs, occurring in early or middle life, to prevent old age. In one of the histories furnished me by Dr. Sayre, I find an account of a man of 81, whose hair began to assume a silver colour when he was only one-and-twenty years of age.

I shall conclude this head by the following remark:

Notwithstanding there appears in the human body a certain capacity of long life, which seems to dispose it to preserve its existence in every situation: tion; yet this capacity does not always protect it from premature destruction; for among the old people whom I examined, I scarcely met with one who had not lost brothers or sisters, in early and middle life, and who were born under circumstances equally favourable to longevity with themselves.

- II. I come now to mention some of the phenomena of the body and mind which occur in old age.
- 1. There is a great fensibility to cold in all old people. I met with an old woman of 84, who slept constantly under three blankets and a coverlit during the hottest summer months. The servant of prince de Beaufremont, who came from Mount Jura to Paris at the age of 121, to pay his respects to the first national assembly of France, shivered with cold in the middle of the dog days, when he was not near a good fire. The national assembly directed him to sit with his hat on, in order to defend his head from the cold.
- 2. Impressions made upon the ears of old people, excite sensation and reslection much quicker than when they are made upon their eyes. Mr. Hutton informed me, that he had frequently met his sons in the street without knowing them until

they had spoken to him. Dr. Franklin informed me that he recognized his friends, after a long absence from them, first by their voices. This fact does not contradict the common opinion, upon the subject of memory, for the recollection in these instances, is the effect of what is called reminiscence, which differs from memory in being excited only by the renewal of the impression which at first produced the idea which is revived.

2. The appetite for food is generally increased in old age. The famous Parr, who died at 152, ate heartily in the last week of his life. The kindness of nature, in providing this last portion of earthly enjoyments for old people, deferves to be noticed. It is remarkable, that they have, like children, a frequent recurrence of appetite, and fustain with great uneafiness the intervals of regular meals. The observation, therefore, made by Hippocrates, that middle-aged people are more affected by abstinence than those who are old, is not true. This might eafily be proved by many appeals to the records of medicine; but old people differ from children, in preferring folid to liquid aliment. From inattention to this fact, Dr. Mead has done great mischief by advising old people, as their teeth decayed or perished, to lessen the quantity of their folid, and to increase the quantity of their Vol. II. liquid

liquid food. This advice is contrary to nature and experience, and I have heard of two old perfons who destroyed themselves by following it. The circulation of the blood is supported in old people chiefly by the stimulus of aliment. The action of liquids of all kinds upon the fystem is weak, and of fhort continuance, compared with the durable stimulus of folid food. There is a gradation in the action of this food upon the body. Animal matters are preferred to vegetable; the fat of meat, to the lean, and falted meat to fresh, by most old people. I have met with but few old people who retained an appetite for milk. It is remarkable, that a less quantity of Arong drink produces intoxication in old people than in perfons in the middle of life. This depends upon the recurrence of the fame state of the system, with respect to excitability, which takes place in childhood. Many old people, from an ignorance of this fact, have made shipwreck of characters which have commanded refpect in every previous stage of their lives. From the fame recurrence of the excitability of childhood in their fystems, they commonly drink their tea and coffee much weaker than in early or middle life.

3. The pulse is generally full, and frequently affected by pauses in its pulsations when felt in the wrists

wrifts of old people. A regular pulse in such perfons indicates a difeafe, as it shews the fystem to be under the impression of a preternatural stimulus of fome kind. This observation was suggested to me above twenty years ago by Morgagni, and I have often profited by it in attending old people. pulse in such patients is an uncertain mark of the nature or degree of an acute difeafe. It feldom partakes of the quickness or convulsive action of the arterial fystem, which attends fever in young or middle-aged people. I once attended a man of 77 in a fever of the bilious kind, which confined him for eight days to his bed, in whom I could not perceive the least quickness or morbid action in his pulse until four-and-twenty hours before he died.

4. The marks of old age appear earlier, and are more numerous in persons who have combined with hard labour, a vegetable or scanty diet, than in persons who have lived under opposite circumstances. I think I have observed these marks of old age to occur sooner, and to be more numerous in the German, than in the English or Irish citizens of Pennsylvania. They are likewise more common among the inhabitants of country places, than of cities, and still more so among the Indians

of North America, than among the inhabitants of civilized countries.

- 5. Old men tread upon the whole base of their feet at once in walking. This is perhaps one reason why they wear out sewer shoes, under the same circumstances of constant use, than young people, who, by treading on the posterior, and rising on the anterior part of their feet, expose their shoes to more unequal pressure and friction. The advantage derived to old people from this mode of walking is very obvious. It lessens that disposition to totter, which is always connected with weakness:—hence we find the same mode of walking is adopted by habitual drunkards, and is sometimes from habit practised by them, when they are not under the influence of strong drink.
- 6. The memory is the first faculty of the mind which fails in the decline of life. While recent events pass through the mind without leaving an impression upon it, it is remarkable that the long forgotten events of childhood and youth are recalled and distinctly remembered.

I met with a fingular instance of a German woman, who had learned to speak the language of our country country after the was forty years of age, who had forgotten every word of it after she had passed her 80th year, but spoke the German language as fluently as ever the had done. The memory decays foonest in hard drinkers. I have observed some studious men to suffer a decay of their memories, but never of their understandings. Among these, was the late Anthony Benezet of this city. But even this infirmity did not abate the cheerfulness, or lessen the happiness of this pious philosopher, for he once told me, when I was a young man, that he had a consolation in the decay of his memory, which gave him a great advantage over me. "You can read a good book (faid he) with plea-" fure but once, but when I read a good book, I " fo foon forget the contents of it, that I have the " pleasure of reading it over and over; and every "time I read it, it is alike new and delightful to "me."-The celebrated Dr. Swift was one of those few studious men, who have exhibited marks of a decay of understanding in old age; but it is judiciously ascribed by Dr. Johnson to two causes which refcue books, and the exercise of the thinking powers, from having had any share in inducing that disease upon his mind. These causes were, a rash vow which he made when a young man, never to use spectacles, and a fordid seclusion of himself from company, by which means he was cut

off from the use of books, and the benefits of conversation, the absence of which left his mind without its usual stimulus—hence it collapsed into a state of fatuity. It is probably owing to the constant exercise of the understanding, that literary men possess that faculty of the mind in a vigorous state in extreme old age. The same cause accounts for old people preserving their intellects longer in cities, than in country places. They enjoy society upon such easy terms in the former situation, that their minds are kept more constantly in an excited state by the acquisition of new, or the renovation of old ideas, by means of conversation.

7. I did not meet with a fingle instance in which the moral or religious faculties were impaired in old people. I do not believe, that these faculties of the mind are preserved by any supernatural power, but wholly by the constant and increasing exercise of them in the evening of life. In the course of my inquiries, I heard of a man of rox years of age, who declared that he had forgotten every thing he had ever known, except his God. I found the moral faculty, or a disposition to do kind offices, to be exquisitely sensible in several old people, in whom there was scarcely a trace left of memory or understanding.

- 8. Dreaming is univerfal among old people. It appears to be brought on by their imperfect fleep, of which I shall say more hereafter.
- 9. I mentioned formerly the fign of a fecond childhood in the state of the appetite in old people. It appears further,-1. In the marks which flight contusions or impressions leave upon their skins. 2. In their being foon fatigued by walking or exercife, and in being as foon refreshed by rest. 3. In their disposition, like children, to detail immediately every thing they fee and hear. And, 4. In their aptitude to fled tears; hence they are unable to tell a story that is in any degree distressing without weeping, Dr. Moore takes notice of this peculiarity in Voltaire, after he had passed his 80th year. He wept constantly at the recital of his own tragedies. This feature in old age did not escape Homer. Old Menelaus wept ten years after he returned from the destruction of Troy, when he spoke of the death of the heroes who perished before that city.
- nature, if our bodies exhibited in old age the marks only of a fecond childhood; but human weakness descends still lower. I met with an instance of a woman between 80 and 90, who exhibited the marks

of a fecond infancy, by fuch a total decay of her mental faculties as to lose all consciousness in discharging her alvine and urinary excretions. In this state of the body, a disposition to sleep, succeeds the wakefulness of the first stages of old age. Dr. Haller mentions an instance of a very old man who slept twenty, out of every twenty-four hours during the few last years of his life.

- tain parts in extreme old age, has been mentioned by feveral authors. Many instances are to be met with in the records of medicine of the fight* and hearing
- * There is a remarkable instance of the fight having been restored after it had been totally destroyed in an old man near Reading in Pennsylvania. My brother, Jacob Rush, furnished me with the following account of him in a letter from Reading, dated June 23, 1792.—
- "An old man of 84 years of age, of the name of Adam Riffle, near this town, gradually lost his fight in the 68th year of his age, and continued entirely blind for the space of twelve years. About four years ago his fight returned, without making use of any means for the purpose, and without any visible change in the appearance of the eyes, and he now sees as well as ever he did. I have seen the man, and have no doubt of the fact. He is at this time so hearty, as to be able to walk from his house to Reading, (about three miles) which he frequently does in order to attend church. I should observe,

hearing having been restored, and even of the teeth having been renewed in old people a sew years before death. These phenomena have led me to sufpect, that the antediluvian age was attained by the frequent renovation of different parts of the body, and that when they occur, they are an essort of the causes which support animal life, to produce antediluvian longevity, by acting upon the revived excitability of the system.

in old age, than in early, or middle life. I met with many old people who fpoke of their diffolution with composure, and with some who expressed earnest desires to lie down in the grave. This indifference to life, and desire for death (whether they arise from satiety in worldly pursuits and pleasures, or from a desire of being relieved from pain) appear to be a wise law in the animal economy, and worthy of being classed with those laws which accommodate the body and mind of man to all the natural evils, to which, in the common order of things, they are necessarily exposed.

observe, that during both the gradual loss, and recovery of his fight, he was no ways affected by fickness, but on the contrary enjoyed his usual health. I have this account from his daughter and son-in-law, who live within a few doors of me."

III. I shall

III. I come now briefly to enumerate the difcases of old age, and the remedies which are most proper to remove, or to mitigate them.

The diseases are chronic and acute. The CHRO-

- 1. Weakness of the knees and ankles, a lessened ability to walk, and tremors in the head and limbs.
- 2. Pains in the bones, known among nofological writers by the name of rheumatalgia.
- 3. Involuntary flow of tears, and of mucus from the nofe.
- 4. Difficulty of breathing, and a short cough, with copious expectoration. A weak, or hoarse voice generally attends this cough.

5. Costiveness.

6. An inability to retain the urine as long as in early or middle life. Few persons beyond 60 pass a whole night without being obliged to discharge their urine.* Perhaps the stimulus of this liquor in

^{*} I met with an old man who informed me, that if from any accident he retained his urine after he felt an inclination

in the bladder may be one cause of the universality of dreaming among old people. It is certainly a frequent cause of dreaming in persons in early and middle life; this I inser, from its occurring chiefly in the morning when the bladder is most distended with urine. There is likewise an inability in old people to discharge their urine as quickly as in early life. I think I have observed this to be among the first symptoms of the declension of the strength of the body by age.

7th. Wakefulness. This is probably produced in part by the action of the urine upon the bladder; but such is the excitability of the system in the first stages of old age, that there is no pain so light, no anxiety so trifling, and no sound so small, as not to produce wakefulness in old people. It is owing to their imperfect sleep, that they are sometimes as unconscious of the moment of their passing from a sleeping to a waking state, as young and middle aged people are of the moment in which they pass from the waking to a sleeping state. Hence we so often hear them complain of passing sleepless nights. This is no doubt frequently the case, but I am satisfied, from the result

to discharge it, he was affected by a numbness, accompanied by an uneasy sensation in the palms of his hands.

of an inquiry made upon this subject, that they often sleep without knowing it, and that their complaints in the morning, of the want of sleep, arise from ignorance, without the least intention to deceive.

- 8. Giddiness.
- 9. Deafness.
- 10. Imperfect vision.

The acute diseases most common among old people, are

- 1. Inflammation of the eyes.
- 2. The pneumonia notha, or bastard peripneumony.
 - 3. The colic.
 - 4. Palfy and apoplexy.
 - 5. The piles.
 - 6. A difficulty in making water.
 - 7. Quartan fever.

All the diseases of old people, both chronic and acute, originate in predisposing debility. The remedies

remedies for the former, where a feeble morbid action takes place in the fystem, are stimulants. The first of these is,

- I. Heat. The ancient Romans prolonged life by retiring to Naples, as foon as they felt the infirmities of age coming upon them. The aged Portuguese imitate them, by approaching the mild sun of Brazil, in South America. But heat may be applied to the torpid bodies of old people artificially—1st. By means of the warm bath. Dr. Franklin owed much of the cheerfulness and general vigour of body and mind which characterized his old age, to his regular use of this remedy. It disposed him to sleep, and even produced a respite from the pain of the stone, with which he was afflicted during the last years of his life.
- 2. Heat may be applied to the bodies of old people by means of *flove rooms*. The late Dr. Dewit of Germantown, who lived to be near an 100 years of age, feldom breathed an air below 72°, after he became an old man. He lived constantly in a stove room.
- 3. Warm clothing, more especially warm bedclothes, are proper to preserve or increase the heat

heat of old people. From the neglect of the latter, they are often found dead in their beds in the morning, after a cold night, in all cold countries. The late Dr. Chovet, of this city, who lived to be 85 flept in a baize night gown, under eight blankets, and a coverlet, in a stove room, many years before he died. The head should be defended in old people by means of woollen, or fur caps, in the night, and by wigs and hats during the day, in cold weather. These artificial coverings will be the more necessary, where the head has been deprived of its natural covering. Great pains should be taken likewise to keep the feet dry and warm, by means of thick shoes.* To these modes of ap-

* I met with one man above 80, who defended his feet from moisture by covering his shoes in wet weather with melted wax; and another who, for the same purpose, covered his shoes every morning with a mixture composed of the following ingredients melted together—Lintseed oil a pound, mutton suet eight ounces, bees-wax six ounces, and rosin four ounces. The mixture should be moderately warmed, and then applied not only to the upper leather, but to the soles of the shoes. This composition, the old gentleman informed mc, was extracted from a book entitled "The complete Fisherman," published in England in the reign of queen Elizabeth. He had used it for twenty years in cold and wet weather, with great benefit, and several of his friends who had tried it, spoke of its essicacy in keeping the feet dry, in high terms.

plying and confining heat to the bodies of old people, a young bed-fellow has been added; but I conceive the three artificial modes which have been recommended, will be fufficient without the use of one, which cannot be successfully employed without a breach of delicacy or humanity.

II. To keep up the action of the fystem, generous diet and drinks should be given to old people. For a reason mentioned formerly, they should be indulged in eating between the ordinary meals of families. Wine should be given to them in moderation. It has been emphatically called the milk of old age.

III. Young company thould be preferred by old people to the company of persons of their own age. I think I have observed old people to enjoy better health and spirits, when they have passed the evening of their lives in the families of their children, where they have been surrounded by grand children, than when they lived by themselves. Even the solicitude they feel for the welfare of their descendants contributes to invigorate the circulation of the blood, and thereby to add suel to the lamp of life.

IV. GENTLE EXERCISE. This is of great consequence in promoting the health of old people. It should be moderate, regular, and always in fair weather.

V. CLEANLINESS. This should by no means be neglected. The dress of old people should not only be clean, but more elegant than in youth or middle life. It serves to divert the eye of spectators from observing the decay and deformity of the body, to view and admire that which is always agreeable to it.


VI. To abate the pains of the chronic rheumatism, and the uneasiness of the old man's cough (as it is called); also to remove wakefulness, and to restrain during the night, a troublesome inclination to make water, opium may be given with great advantage. Chardin informs us, that this medicine is frequently used in the eastern countries to abate the pains and weaknesses of old age, by those people who are debarred the use of wine by the religion of Mahomet.

I have nothing to fay upon the acute diseases of old people, but what is to be found in most of our books of medicine, except to recommend BLEEDING in those of them which are attended with plethora, and an inflammatory action in the pulse. The degrees of appetite which belong to old age, the quality of the food taken, and the fedentary life which is generally connected with it, all concur to produce that state of the system, which requires the above evacuation. I am fure that I have feen many of the chronic complaints of old people mitigated by it, and I have more than once feen it used with obvious advantage in their inflammatory difeases. These affections I have observed to be more fatal among old people than is generally supposed. An inflammation of the lungs, which terminated in an abfcefs, deprived the world of Dr. Franklin. Dr. Chovet died of an inflammation in his liver. The blood drawn from him a few days before his death was fizy, and fuch was the heat of his body, produced by his fever, that he could not bear more covering, (notwithstanding his former habits of warm clothing) than a sheet in the month of January.

Death from old age is the effect of a gradual palfy. It shews itself first in the eyes and ears in the decay of fight and hearing—it appears next in the urinary bladder, in the limbs and trunk of the body, then in the sphincters of the bladder and Vol. II.

rectum, and finally in the nerves and brain, deftroying in the last, the exercise of all the faculties of the mind.

Few persons appear to die of old age. Some one of the diseases which have been mentioned, generally cuts the last thread of life.



BOOKS

Published and for Sale by

THOMAS DOBSON,

At the Stone-House, No 41, South Second Street.

A LPHONSO and Dalinda, or the Magic of Art
and Nature. Price 67 cents.
Adventures of Alphonfo, by himfelf. 20.
System of Anatomy, from the Encyclopædia, with 12 large
copperplates. 2 Dolls.
Beattie's Evidence of Christianity. 50 cents.
Beattie's Poems. 50
Booth's Apology for the Baptists. 25
Burke's Reflections on the French Revolution. 1 doll.
Campbell on Miracles, in answer to Hume. 80 cents
Clarke's Æfop's Fables, Latin and English. 33
Carnaro on Temperance, Health, and long Life. 371
Crawford on Animal Heat. 50
New Difpensatory of Edinburgh. 2 dolls. 50 cents.
Buchan's Family Physician, improved, 2 dolls. 50 cts.
Goldsmith's Deferted Village.
Comprehensive English Grammar. 25
Grave, a Poem by Dr Blair.
Collins's Poems, with Hammond's Love Elegies. 50
Hamilton's Outlines of Midwifery. 80
Hopkinfon's works, 3 volumes. 5 dolls.
Jenyn's Disquisitions, on various subjects, 25 cents.
Life of Joseph, by M'Gowan. 62:
Moore's Fables for the Ladies, with Langhorne's Fables of
Flora. 50
More's Sacred Dramas for Young Perfons, common paper
62 1-2 cents, fine do. 70
Lempriere's Tour in Morocco. 1 dol.
Medical Transactions of the Philadelphia College of Phy-
ficians. I doll.
Nicholfon's Natural Philosophy, illustrated with 25 copper-
plates. 2 vols. 4 dolls.
Opinions

LIST OF BOOKS.

Opinions of the Federal Judges on the Suability of a State
DI Di il CM I ID III So cents.
Paley's Principles of Moral and Political Philosophy.
P. L. Winner Col. 10: 12: dolls.
Paley's View of the Evidences of Christianity. 1 doll. 75 cts
Percival's Moral Tales, and Fables for Youth, 50 cents.
Ditto, fine. 67
Chesterfield's Advice to his Son.
Pope's Essay on Man. 13 cents, fine do. 20
Present for an Apprentice. 20
Price's Sermons.
Rigby on Uterine Hæmorrhagies. 50
Memoirs of the Year 2500 1 doll.
System of Mineralogy and Metallurgy, from the Encyclo
pædia. 1 doll. 33 cents.
Rowe's Devout Exercises of the Heart, 37 1-2 cents, fine
ditto, 50
Dr. Rush's Medical Observations and Enquiries, 4 vols 6 dolls.
Dr. Rush on the Yellow Fever 1 doll. 50 cents.
Selectæ è Veteri, a new and improved edition, 80 cents.
Selectæ è Profanis. 80 cents.
Shipwreck, a poem by Falconer. 50
Sherlock's Trial of the Witnesses of the Resurrection o
Jesus Christ. 25
Smith's Wealth of Nations, 3 vols. 3 dolls
Smith's (Charlotte) Elegiac Sonnets. 14 cents.
System of Chemistry, from the Encyclopædia, quarto.
2 dolls. and 50 cents.
Taplin's Farriery, complete. 2 dolls. 25 cents.
Tables of Logarithms, Sines, Tangents, &c.
Underwood on the Diseases of Children. 1 doll.
Waters's System of Surgery, abridged from Bell.
2 dolls. and 50 cents.
Winchester's Dialogues on Universal Salvation. 62 1-2 cts
Truxtun's Remarks, Instructions, and Examples relating to
Latitude, Longitude, Variation of the Compass, &c. &c
with a Chart, of the Globe, &c. 3 dolls.
Darwin's Zoonomia, or Laws of Organic Life.
Alfo an extensive variety of books and stationary.

