Enchiridion medicum: or, a new manual of physick. Being a compendium of the whole art, in three parts, viz. I. Of diseases of the head. II. Of diseases of the breast. III. Of diseases of the belly / [Robert Johnson].

#### **Contributors**

Johnson, Robert, 1640?-

#### **Publication/Creation**

London: A. Bettesworth, 1717.

#### **Persistent URL**

https://wellcomecollection.org/works/m44yn385


#### License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



30527/A

E. XV 17/8

12/5/





The Sillioto



### ENCHIRIDION MEDICUM:

OR, ANEW

# MANUAL

OF

# PHYSICK.

BEING

A Compendium of the whole Art, in Three Parts,

Viz. SII. Of Diseases of the Head.
Viz. SIII. Of Diseases of the Breast.
III. Of Diseases of the Belly.

Wherein is briefly shew'd,

1. The Name. 2. The Derivation. 3. The Causes. 4. The Signs. 5. The Prognosticks. And 6. A rational Method of Cure.

Comprehending the Substance of the more approved Authors, both ancient and modern.

Publish'd for the Benefit of all Persons, being fitted to the meanest Capacity.

The Fourth EDITION, with Additions.

By ROBERT JOHNSON, Med. Professor.

LONDON,

Printed for A. BETTESWORTH, at the Red Lyon in Pater-Noster Row, 1717.



Comprehending the Suinkance of the restant provided the restant and medical code and provided to the Beneat of all Perious being facility of the residence of all Perious being

The Fourth Exerrence with All

By ROBERT TOMERON,

EO ADON, Ere in Pare-Adve-Area and

### TO THE

# READER

N this little Tract, I have bestowed Some Pains, in searching out, and proposing the true Causes and Cure of Diseases: Which, I hope, will induce other Ingenious-Spirited Artists to a farther Enquiry, that so the Art of Physick may be the better illustrated, and many things in it that are yet ob-

scure, may be made known.

The Chief End of Physick, is to maintain and recover Health; wherefore I think it would be more for the Honour of all Learned Physicians, to employ themselves in the Improvement of the Materia Medica, (which have been hitherto too much neglected) than to content themselves with a formal Way of Practice: For Diseases cannot be cured by Scholastick Twattle, or Fine Words, but by good Remedies.

The

### To the READER.

The great Platerus, Helmont, and the famous Franciscus de la Boe Sylvius, &c. did endeavour to reform the Practice of Physick, and excelled many others (their Contemporaries) in the most difficult Cures; yet because they had recourse to Chymical Remedies, in the Cure of many Diseases, the more lazy Tribe of Physicians made it their Business to traduce them.

Truly there are too many such carping Zolius's at this Day (who envy Glory to all, except themselves) from whom I must expect the same Fate: I can do no more but pray for them; Lord, forgive them; for they know not what they do.

From the lower-most Door, on the Right-hand, in Norfolk-street, in the Strand.

THE

# INTRODUCTION:

Containing the

CAUSES and CURE

OF

# DISEASES

In GENERAL:

AS ALSO,

Some Choice SPECIFICKS for the Cure of DISEASES.

HE Causes of Diseases depend on Lympha any way vitiated, because it will (in time) corrupt the whole Mass of Blood.

Quicquid enim, sive Bilis sit, sive Pituita, sive succus Pancreaticus, sanguisve menstruus, Lympham reddere potens acriorem, dolorem & morbos facile causat, parte affecta male sese habente.

A 3

This

This is the Hypothesis of most eminent Physicians, both Ancient and Modern.

Spittle being continually swallowed down, and adhering to the Gut, the more fluid part of it is dissolved by the continual Conflux of Choler, and the Juice of the Pancreas, or Sweet-bread, in the small Guts.

If Choler (which abounds with a bitter volatile Lixivial Salt) be mixt with the Juice of the Pancreas, which is naturally fourish, (as hath been sufficiently evinced by the indefatigable Industry of the most ingenious Anatomist, Regnerus de Graaf) they must of necessity stir up an Efferve-scency in their Concourse there. As long as the aforesaid Humours are well tempered, the Effervescency will be mild, and friendly to Nature, and therefore cannot be perceived in healthy People.

The Humours rising from this mild Effervescency, pierceth into the Lacteal Veins, and circulates with the Lympha to the Heart, and seems to give the natural Con-

fistency to the Bloud.

The more viscous part of these Humors, passeth by degrees to the thick Guts; and being there mixed with the Excrements, makes them more viscous and yellow, and helps the Excretion of them.

But if there be an Obstruction of the Lacteal Ducts, or Branches of the Pancreas, or Sweet-bread, by reason of viscous Flegm, which being separated from the Bloud by the Glandules of the Pancreas, is there collected by degrees; it is sent from thence (in too large a quantity) to the main Duct, or Pipe thereof, which detaineth the Juice of the Pancreas contrary to Nature, which ought continually to flow into the small Guts.

The Juice of the Pancreas being compelled to stagnate, or stand still in its passage, quickly grows acrimonious, because the volatile Spirit (which is naturally conjoin'd to it to temper it) doth gradually fly away, by which it becometh more acrid, and acquires a putrefactive Ferment, whence at length it makes way through the obstructing Flegm, and is effused into the small Gut, called Duodenum; where meeting with Choler (peccant, in a Lixivial Salt Acrimony) it stirs up a vitious Effervescency, or preternatural Ferment, which raiseth acrimonious Humors, and halituous or flatulent Vapours, which are carried through the Licteal Veins, and Thoracick Passage, and so through the Vena Cava, ascendens to the right Ventricle of the Heart; from whence it circulates with the spirituous Blood and Lympha, vitiating,

A 4

and

and corrupting the whole Mass of it with its fermental Acrimony: Which is the Cause of most Chronical Diseases, as the famous Franciscus de le Boe Sylvius, hath accurately observed.

If the acrid Humours do affect the Head, it may cause most Distempers incident to it, as Head-ach, Convulsions, Epilepsie,

Palsie, Apoplexy, &c.

If it invades the Lungs, it causeth Difficulty of Breathing, Inflamations, Ulcers, and Phthisis, or Consumption.

If it penetrates the Membrane Pleura, it

causeth the Pleurisie.

If it possesseth the Joints, it causeth Arthritick Pains, or the Gout; which hath

its Name from the Part affected.

If there be a Defluxion of acrid Humors on the Reins, Bladder, or Womb, it may cause Inflammations, Ulcers, or Cancers in them.

If it be conveyed to the obscene Parts, (especially after too much impure Coition)

it may cause malign Eruptions, &c.

If the Lympha becomes very acrid in the conglobated, and conglomerated Glandules, and if Nature be over-burthened by its plentifulness, it may be the Cause of Catarrhs, Rheumatisms, Scrophula, &c.

If acrid Humors be luxuriant in the Blcod, and Lympha, it may be the

Cause

Cause of all Eruptions, as Itch, Scabs, Eri-

fipela's, Leprosie, &c.

Acrimonious and flatulent Vapours, may be the Cause of all Ague-Fits, with all their Symptoms, as in the beginning, Horror, Chilness, Cold, Shaking, &c. then follows Reaching, Yawning, and Vomit-

ing, &c.

At length these sharp halituous Vapors are carried to the right Ventricle of the Heart, and by their Acrimony alters and troubles its Vital Effervescency; and by over-stirring the Heart, causeth a more frequent Pulse, and many times produceth grievous Symptoms, as great Heat and Thirst, Dissiculty of Breathing, Raving, Heart-ach, Swooning, and all other Symptoms that happen in all Internitting Fevers.

If Choler become peccant, not only in a Lixivial falt Acrimony, but also an inflamable Oyliness; the Humours (that are produced from its vitious Effervescency, with the too tart Pancreat Juice, and overviscous Flegm in the small Guts) will be the more acrid and fervid; and circulating (with the spirituous Blood and Lympha) to the Heart, will cause an Effervescency in the right Ventricle of it, which will stimulate and incite it to a more forcible Motion, whence the Pulse is continually

produced more frequent against Nature; after which follows great Heat and Burning, &c. and therefore may be called a Fever; so that this may be the Cause of all

continual Fevers not putrid.

If the Stomach by Dietetick Errors, as in Eating, or Drinking too much four Fruit, or Juices, be over-charg'd with Acids, it may prove hostile, injurious, and a morbifick Cause of that which we call the Heart-burning, &c. with sour Belchings, and sometimes a Nauseousness even to Vomiting.

In this Case, after the Operation of a gentle Emetick, you may administer half a Dram of the Pouder of Pearl Crabs-Eyes, or any of the Testaceous Pouders, (twice or thrice in a Day) to absorb the peccant Acidity; Chalybeates may be also safely

administred.

Likewise in all Chronical Diseases, caused by the over-sourness of the Juice of the Pancreas, &c. as aforesaid; after general Evacuations, the finest Filings of Iron turn'd to Rust, may be given to half a Dram attaine, in a stued Prune, or any other Vehicle, twice in a Day; because the Stomach by its incisive Acidity, (together with other accidental, or concomitant Acids) doth penetrate the Particles of the Iron, and rarise its Vitriolick Salt, which will

will not only help Digestion, but kill Worms, and circulates with the Blood and Lympha, and will in time purific the whole Mass of it.

But if Choler be peccant as aforesaid, causing Fevers, and other Acute Diseases; then after Evacuation, by Vomiting, or Purging, I commend acid Liquors, and Juices, as Lemons, &c. Also purified

Niter may be given in all Fevers.

But here we may note, That it is the Nature of all Acids, to coagulate and thicken the Blood and its Serum; wherefore we must be cautious, that we do not let Blood, nor give too many Acids in the Small-Pox, and malignant Fevers, because in these Distempers, the Blood is preternaturally viscid, and therefore it abounds with too much Acidity; of which you may read more at large in the ensuing Treatise.

I come now to mention some choice Specificks for the Cure of Diseases, for the Sake and Benefit of the Poor, who have not Money to pay a Doctor for his long Receipts, nor the Apothecary for Medicines.

Alt Niter purified, is an efficacious Medicine in the Cure of most Diseases; it may be poudred with an equal Quantity of white Sugar, and given to half a Dram at a time every fix Hours, in all Fevers, the whole time of Sickness, and also before and after; because it is an acid Salt, and contains in it a volatile incorruptible Sulphur; and by reason of its Acidity, it refrigerates the inflamed Blood, and powerfully checks the preternatural Fermentation of it, and preserves its natural Consistency: For (by the subtilty of its Spirit) it infinuates it self into the whole Mass of Bloud, and penetrates into all Parts, and so strengthens and recreates the Heart, as to make it resist and overcome all Putrefaction; and therefore it is a great Antidote against the Plague, and all contagious Fevers.

If it be dissolved in any liquid Vehicle, and drank a little often, it will dilute the Lixivial Salt of Choler, and being mixed with proper Catharticks, and Balsamick

Medi-

Medicines, it will conduce much to the Cure of most Chronical Distempers also; for it discusseth Wind, opens all Obstructions, and causes the vitious Humours to precipitate, and to be evacuated both by Urine and Stool.

Quicksilver boil'd in Water, with a few Raisons of the Sun to sweeteen it, and the Liquor drank freely, killeth Worms. The Quickfilver may be boiled a thousand times, and always have the same weight; fo that the Water partakes of Mercurial Irradiation, by which it becomes destructive to Worms.

A strong Decoction of Ground-Ivy, or Alehoof, Iweetned with Sugar-Candy, and a quarter of a Pint of it taken twice or thrice in a Day, helps Distempers of the Breast and Lungs; and a strong Infusion of it in Aqua Vita, or Brandy, cureth the Colick.

The Decoction of Herb-Robert, and Patronichia, or Whitlow-Grafs, with Leaves like Rue, (given inwardly every Day, 'till the Mass of Blood, and Juices of the Body be impregnated with the Vertues of the Herbs) cureth the King's-Evil.

The Juice of Penny-royal clarified; and a little sweetned with Sugar-Candy, and given the quantity of a Spoonful, three or four times in a Day, cureth all forts of Coughs. Cows

Cows and Goats-milk boiled in an equal quantity of Water, (wherein unflak'd Lime hath been quenched, and a little Cinamon, and the young Bark of the Oak bruised and boiled in it, 'till a third part be consumed) cureth all kinds of Fluxes.

Glauber's Sal Mirabile, is an excellent Lenitive Cathartick: It may be safely given to Men, Women, or Children, in all

Diseases where purging is necessary.

The Dose is from half a Dram to an Ounce, dissolved in warm Whey, or Milk

and Water.

A few Drops of rectified Oyl of Vitriol, mixed with a quarter of a Pint of fair Water, to a light Acidity, a little sweetned with white Sugar, and drank every Day for some time, killeth Worms, and quencheth Thirst in Fevers.

If you mix an Ounce of rectified Oyl of Vitriol, with two Ounces of Oyl of Ben, or pure Oyl of Olives, stirring it till it be well incorporated, you have a good Balfam to ease Pain, and cure an Inflammation in any part, by anointing once in a Day or two, you may apply a Colwort-leaf, (or a Plaister of Diachilon, or a Poultis off White-Bread and Milk, with a little Butter in it) to the grieved part, after anointing 3, but you must have a care that it does not touch your Linnen.

A

A strong Tincture of Catechu, or Japonian Earth, (with half its weight of Jesuits Bark, both in fine Pouder) in small Cinamon-Water, cureth Catarrhs, and all sorts of Fluxes.

Take a quarter of a Spoonful thrice a

Day, in any Vehicle.

Sweating is good in most Diseases, if

Strength permits.

Virginia Snake-Root, and the Root of Contra Yerva, bruised and boiled in fair Water, and sweetned with a little Sugar; and given a quarter of a Pint every four Hours, to any that are bitten with an enraged Viper, soon cureth the Patient, especially if you bathe the part bitten with the same Decoction, (without Sugar) so hot as can be endured.

Gambogia finely poudred, and mixed with an equal quantity of pure Niter, and given to half a Dram at a time, twice or thrice in a Week, soon cureth the Yellow-

Taundice, and Dropfies.

The best Gum Arabick, given at least a Dram, twice or thrice in a Day, either in Pouder, or dissolved in small Ale, or any other convenient Vehicle, doth wonderfully mitigate the Sharpness of Urine.

A strong Decoction of woody Night-shade, a little sweetned with Sugar, and given to a quarter of a Pint every Morn-

fiructions, and cure the Yellow-Jaundice,

Dropsies, &c.

The Decoction of Hearts-Ease, sweetned with Sugar-Candy, cureth the Pleurisie, and other Inflammations. It is an excellent Antivenerian, &c. and therefore it may be a chief Ingredient in Decoctions to cure the French-Pox.

A Decoction of Groundsel is an univerfal Medicine for all Diseases coming of Heat: It purgeth gently; and if the Stomach be nauseous, it may cause Vomiting: It is very safe, and may be given in all Distempers, where Purging is necessary.

The fresh Herb, boiled in Milk till it be tender, and then strained out, and the Herb bruised and boiled in the same Milk, with Crumbs of White-Bread, or sine Oatmeal, into the Consistence of a Poultis, and a litle Oyl, or Hog's-fat put to it, and applied to any Instantation, or Swelling, it will soon give Ease, and either dissolve the Tumor, or bring it to Suppuration.

Native Cinnaber, finely powdred and washed, (from its volatile malignant Salt) often in warm Water, and rectified Spirit of Wine burnt over it two or three times, doth Wonders in curing most Chronical Diseases. The Dose is from ten Grains to

twenty, in any Vehicle.

Mif-

Mistleto dried, and finely poudred with double its weight of white Sugar, and a few Drops of Oyl of Amber mixed with it; half a Dram of this Pouder given twice or thrice in a Day, cureth Convulsions, and the Epilepsie.

Crude Antimony flux'd (at least an Hour) with decrepitated Sea Salt, in a strong Fire, and afterwards washed from the Salt in warm Water, is friendly to Nature, and cureth Fevers. The Dose is from five Grains to ten, in any Vehicle.

The Jesuit's Bark sinely poudred, and given from half a Dram to two Drams, or more at a time, insused in Wine, and drank at the going off of the Fit, and afterwards every sour Hours, is such a Specifick for the curing of all Intermitting Fevers, or Agues, that it seldom fails, especially if the Patient be well purged before he take it.

You must continue the use of it for at least ten Days, that the Particles of the Pouder may be continually conveyed into the Bloud, by which the Febrifick Fer-

ment may be destroyed.

Give the Sick a little Broth of Mutton, or Chicken, with a few Crumbs of White-Bread, (or any other Food easie of Dige-stion) within half an Hour after the taking of each Dose, which will mix with the Chile, and the Bloud will be impregna-

ted with the Vertue of it. It also cureth all kinds of Fluxes.

Three or four Drops of the Juice of Ivy, or of Asarabacca clarified, and dropt into each Ear warm, every other Night, (and the Ear gently stopt afterwards with Cotton, or Wool) will soon cure Deafness; snuff up the Juices into each Nostril also,

to purge the Head.

Two Grains of each of the aforesaid Herbs dried, and finely poudred, and snuffed up each Nostril, at Night going to Bed, twice in a Week, will purge the Head of Rheum, and cure an inveterate Head-ach, Tooth-ach, and Inflammation of the Eyes,

The Syrup of the Juice of Buckthorn-Berries, or of wild Cucumbers, taken an Ounce at a time, with two Drams of pure Nitre, dissolved in Ale or Whey, twice or thrice in a Week, cureth the Dropsie.

The Pouder of Olibanum, or Mastick, or equal parts of both, mixed with old Conserves of Roses, and taken the quantity of a Nutmeg, twice or thrice in a Day, cureth a Catarrh, especially if you blow some of the Pouder into the Throat every Night going to Bed, to strengthen the Salival Glands.

Lapis Hamatites, or the Bloud-stone, being applied to the bleeding part, will stop the Hemorrhage. It

It is likewise an excellent Medicine taken inwardly, being repleted with the Primum ens Auri; from which (being finely poudred) may be drawn a Gold-like Tincture, with a strong Aqua Regis, made of the rectified Spirit of Nitre, and Sal Armoniack; to which you may add four times the quantity of rectified Spirit of Wine.

Take twenty Drops of it in a Glass of Ale or Wine, two or three times in a Day:

It cureth most Chronical Diseases.

The true Lapis Nephriticus, cureth the Stone, being prepared and taken after the fame manner.

Ens Veneris is good to cure the Rickets; three or four Grains of it may be given to

a Child twice a Day, in any Vehicle.

Half a Dram of the fine Pouder of Gum of Guiacum, mixed with an equal quantity of factitious Cinnaber in fine Pouder, given every other Morning, (in a Spoonful of Milk or Whey) for thirty or forty days, cureth the Venereal Pox, and most other Chronical Difeases.

Oyl of Walnuts, or Linfeed-Oyl, (by expression) (either exhibited inwardly, or given in Clysters to four Ounces at a time) giveth Ease in the Stone and Collick,

O.c.

A Dram of Oyl of Amber unrectified, (mixed with an Ounce of Populion) cureth the Piles.

Purified Honey is a universal Balsam: It cureth Sore-Eyes, being spread on a fine Rag, and applied; mix it with Gargarisms for fore Mouths, and with Injections for hollow Ulcers, &c.

The gross Pouder of Mastick is excellent (to smoke in a Pipe) for a Defluxion of

Rheum on the Lungs, &c.

Saecharum Saturni, (dissolved in Water)
mortifies sharp Humors in the Eyes, and all
other Inslammations; it is a great Anodine,
cures Burnings and Scaldings in a short
time, stops bleeding, and prevents Accidents in Amputations, for it resisteth Putrefaction.

If you give half a Dram of it twice a day, in any Vehicle, it will soon quench the Flame of Lust.

with two Ounces of White-wine-Vinegar,, cureth an Inflammation in any part, being fpread on a Rag, and applied.

Sulphur of Copper, or Vitriol (calledle Sulphur of Venus) is an incomparable A-

nodine, far exceeding any Opiate.

Roman Vitriol calcin'd to redness, stoppeth all Fluxes of Blood in a moment, and cures Wounds by the first intention.

You

You may dissolve half a Dram of it in three or four Spoonfuls of warm Water, and dip a Pledget of Lint in it, and apply it to the Wound, keeping the Lips of it close: But if the Wound be deep, it must be injected with a Syringe.

Any other Vitriol is of the same Virtue,

but not so potent.

Half an Ounce of Quickfilver, mixed with an Ounce of Pomatum, (fpread on a long Linnen Rag, two Inches broad, and covered with another Linnen Rag for a Girdle) worn for some time, cureth the Itch.

But you must purge once or twice in a

Week, to prevent Salivation.

The small Bone in a black Snail's-head, used as an Amulet, to hang about the Neck; and Rings made of an Elk's hoof, or of the Teeth of a true Sea-Horse, and worn continually, are all of the same Virtue, and cureth the Cramp.

The Hand of a dead Man or Woman, being laid upon a Scrophulous Tumor, and there kept 'till the Patient do feel the Coldness of it penetrate to the innermost parts of the Swelling, it will dispel and

cure it by often doing.

It likewise cureth a Dropsie of the Belly.

The Roots of Contra yerva, or Counterpaison, Virginia Snake-root, and Zedoary, all, or either of them, is good against the Plague, and all contagious Fevers, any way used.

Here followeth some Receipts of choice Medicines, which I use in my own Practice.

Pulvis Balsamicus noster, Our Balsamick Pouder.

Ake of Sarsaparilla grosly poudred four Ounces; let it be infused in two Quarts of rectified Spirit of Wine, for two or three Days, then press it out very hard, and add the same quantity of Sarsaparilla as before; do this for eight or ten times, the oftner the better; add to the Spirit, of the best Gum of Guiacum, in fine Pouder half a Pound; the Balsam of Peru and Tolu, of each two Ounces, mix them all together in a Glass Retort, lute a Receiver to it, and digest it for ten days, then draw off all the Spirit with a gentle heat in Balneo Maria when it is cold, break the Retort, and take out the Pouder, and keep it for use. It It is an efficacious Medicine against the Rheumatism, Gout, Venereal Pox, and

all Chronical Difeases.

The Dose is half a Dram in a Spoonful of Whey or Milk, or any other Vehicle, every Morning fasting; or mix it with an equal quantity of factitious Cinnaber in fine Pouder, and give it every Morning and Evening for some time.

Electuarium Antiscorbuticum nostrum, Our Electuary against the Scurvy, &c.

Take of the Berries of Bays, Ivy and Juniper, of each four Ounces; the Seeds of Dwarf-Elder, Burdock, Ash, Broom, Peony, Gromwel, the Bark of Elder, of each two Ounces.

Let them be all bruised, and boiled in the Juices of Elder-Berries, and wild Cucumbers, of each one Pound; the Juice of Buckthorn-Berries, four Pound, 'till half of it be boiled away; then press it out very hard, and boil it to the Consistence of a Pulp; to every Pound of it, add an equal quantity of white Sugar, and boil it again, 'till it be almost as thick as an Electuary; then dissolve in it (whilst it is very hot) the same weight of pure Nitre, as there is of Sugar.

To every Pound of the Electuary, add four Ounces of Balm of Gilead, two Ounces of our Balfamick Pouder before mention'd, one Ounce of factitious Cinnaber, in fine Pouder; and two Drams of Oyl of Juniper; mix all together, according to Art.

It is an excellent Cathartick in all Difeases which requires Purging, for it potently evacuates all vitious Humours promiscuously out of the Body; it cureth the King's-Evil, Rheumatism, Gout, Dropsie, Scurvy, dry Belly-ach, and all curable Diseases.

The Dose is from two Drams to an Ounce. It may be given in the form of a Bolus, or dissolved in Ale, Whey, or any other liquid Vehicle, and taken in the Morning fasting.

Sal Chalybis noster, Our Salt of Steel, or Iron.

Take the finest Filings of Iron, or Steel, rectified Oyl of Vitriol, of each one Pound, mix them together in a large Earthen-Pan, well glazed; let it stand for two or three Hours, then pour into it two or three Quarts of fair Water, and it will presently effervesce, and the Salt will stick about the Pan; take it out, and keep it for use.

Tinctura

Tinctura Chalybis, The Tincture of Iron, or Steel.

Take the finest Filings of Iron, or Steel, four Ounces; rectified Spirit of Nitre half a Pound; mix them together in an Earthen-Pan, well glazed, when the Effervescency is over, let it cool, and add to it Spirit of Wine rectified, five Pound, mix it well together, then filter it through brown Paper, and keep it for use.

Both of these Medicines are great Aperitives, opens all Obstructions, cures the Rickets, Green-sickness, Stoppage of the Terms, Yellow-Jaundice, &c. they strengthen the Stomach, kills Worms, and puri-

fies the whole Mass of Blood.

You may give from half a Scruple, to half a Dram of the Salt, in any Vehicle,

every Morning.

The Tincture may be taken from ten to forty Drops at a time, in Beer, Ale, or Wine.

Aqua Styptica nostra, Our Stiptick Water.

Take of pure white Vitriol, Roch-Alum, of each four Ounces, let them be poudred, and calcined in a Crucible, 'till it be red-hot, then quench it with Wine-Vinegar, and calcine it again.

Take

Take it out of the Crucible, and dissolve it in a Gallon of Spring-water; add to it two Ounces of Saccharum Saturni; then

strain it, and keep it for use.

It cures the Itch, and all other Eruptions, the grieved Parts being wash'd with it three or four times in a day. It likewise cureth hollow Ulcers, and Fistula's, the Gonorrhæa in Men, and the Whites in Women.

You may inject it with a Syringe warm,

twice in a day.

AN

AN

# INDEX

OFTHE

# CHAPTERS,

Comprehending all the

## Diseases of this BOOK.

The Contents of the First Book.

Chap.	Participated from the participated and the	age
1.0	F the Head-ach. II. Of the Palsie, and Apoplexy	I
U	II. Of the Palsie, and Apoplexy	. 13
III. Of	Convulsions, and the Epilepsie.	22
	the Night-mare, and Vertigo.	35
	the Lethargy, Coma, Carus, and	100
	se, or Catochus.	38
	the Phrensie, and Madness	44
VII. O	f Catarrhs.	55
20 7 60	raced Appenies	The

## The Contents of the Second Book.

Chap.	Page
I. Of the Pleurisie, and other	69
II. Of the Pleurisie, and othe	r In-
flammations. III. Of the Consumption, or Phtisick, an	72 d He-
cuck-rever. He anibnoderance	83
IV. Of the Palpitation of the Heart. V. Of an universal Languishing, as a	92
Swouning, and Syncope.	96
VI. Of Fevers in General.	103
VII. Of Intermitting Fevers. VIII. Of Malignant Fevers, and the (	II6
ture.	124
IX. Of the Plague, or Pestilence.	129
X. Of the Small-pox, and Measles.	136

## The Contents of the Third Book.

Chap.	Catochus.	Page
I. OF the the	birsty Disease. f Hunger vitiated,	or of a de-
praved Appet	tite.	144
		III. Of

## An INDEX of the Chapters, &c.

The state of the s	-
III. Of want of Appetite, or loathing of	Vi-
III. Of want of Appetite, or loathing of ctuals.	148
IV. Of the Hiccet, or Hiccough.	152
V. Of Belching.	156
VI. Of Vomiting, and of the Cholerick,	and
Iliack Passion.	158
VII. Of Pain in the Stomack, and of var	
Pains of the Guts, as Colick, &c.	168
And the same of th	179
IX. Of Loosenesses, or Fluxes of the Belly.	185
	196
XI. Of the Tellow-Jaundice.	202
XII. Of a Cachexy, or ill Habit of Body.	207
XIII. Of Dropsies.	211
XIV. Of the Scurvy, and Hypochondr	riack
Suffocation, commonly called Fits of Mother.	the
Wil Och C. C. C.	222
XV. Of the Green-sickness, and Suppre	yion
of the Courses.	231
XVI. Of the immoderate menstrual I	
and the Whites in Women.	
XVII. Of the Falling down of the Womb	Carry to 1
XVIII. Of Barrenness.	242
XIX. Of Abortion, or Miscarriage.	245
XX. Of hard Travel in Child-birth.	249
XXI. Of Nephritick Pains, and of the	252 Stone
in the Reins and Bladder.	
XXII. Of extraordinary Pissing.	257 269
XXIII. Of involuntary Pissing, comm	
called Pissing in Bed.	272
	XIV.
ALL	

### An INDEX of the Chapters, &c.

XXIV. Of the Stoppage of Urine, as	nd the
Strangury.	274
XXV. Of the scalding or sharpness of I	Irine.
Comment of the state of the sta	277
XXVI. Of Venereal Affects.	
XXVII. Of the Rachites, or Rickets.	
XXVIII. Of the Gout and Rheumatish	n.303

Praxis

### ENCHIRIDION MEDICUM:

ORA

## MANUAL

appers 7 O unfed by Finlinous

# PHYSICK.

BOOK I.

CHAP. I.

Of the Head-ach.

THE Head-ach may be divided into three Kinds.

The first is the momentany Head-ach, it is Cephalal-called in Greek κεφαλαλχία, from κεφαλή, Ca-gia.
put, and άλχω, Dolor.

The second is an inveterate Head-ach, and Cephalaa.

is called in Greek κεφαλαία, quod tegit Calvarium.

The third is a Pain on one Part of the Head, before, behind, or on one fide, this is called in Greek huneavior, from negivior, cranium, and hyuov, dimidium.

Hemicra-2214.

Signs.

There is little difference between Cephalæan and Cephalalgia; onely per Cephalæam affectæ: partes multo redduntur quam in Cephalalgia debiliores.

These distempers are caused by Halituouss vapours, and humours, fuming up (from the

Stomach and other parts ) to the Head.

1. If the Pain be external, fo that the Combing of the Head be troublesome, then the Pericranium is affected: But if the Pain bee internal, reaching to the Eye-roots, then the Dura mater is invaded with the peccant humours.

2. If there be pricking distending Pain with great pulsation, it is from sharp Bilious humours or Halitus; but if the Pain be heavy it is caused from viscous Phlegm or Melan-

choly. Progn.

1. If a violent Head-ach come fuddenly on a healthy Person, and the Party become dumb and fnort, 'tis a mortal fign, unless: great Fever do immediately happen.

2. If corrupt waterish Matter or Bloud de issue out of the Nostrils, Mouth, Ears or Eye (especially on the fourth Day) the sick will fuddenly

fuddenly recover; but if the Pain be very violent, and do suddenly vanish without a Crisis, 'tis doubtfull.

3. If the Pain be without a Fever, accompanied with noise in the ears, deafness, or megrim, with numbness of the extreme parts,

an Apoplexy or Epilepsy, is at hand.

4. Those that have Cholerick stomachs, are most subject to a Hemicrania; and if it continue long, it causeth weakness of the Eyes, and sometimes blindness.

If the Head-ach proceed from Phlegma- Cure.

tick Viscous humours abounding, first give

this Clyster.

Take of Vervain, Betony, Mallows, Mer-chiter. cury of each one handfull: Let them be cleanfed, bruifed and boiled in a Quart of Posset-drink, 'till half of it be boiled away, then strain it and dissolve in it one ounce of the Electuary Caryocostinum, Oil of Chamonel two ounces; mix it for a Clyster.

Sour things, and all that have a Lixivial alt, either fixt, or volatile, and all Aromaicks do correct and amend the viscous Phleg-

natick humours.

Let these forms serve for example.

Take the Waters of Baum, and Mint, of Julep, ach three ounces; Cinamon-water, and qua Cælestis, of each half an ounce; Syrup f Fennel, and Mint, of each six drachms; pirit of Salt, as much as will make it of a

B 2

grate-

gratefull taste, mix it, and give three spoon-

fulls of it often.

Powder.

Take falt of Tartar vitriolated half a drachm; Cream of Tartar one drachm; white Sugar-candy two drachms; make it into a fine Powder for four Doses, which may be taken every morning and evening in white or Rhenish wine.

For the Rich you may prepare a medici-

nal Wine.

This may ferve for example.

A medici-

Take the Roots of Elicampane, Calamus nal Wine. aromaticus, of each one ounce; of Rue, Sage, Vervain, sweet Marjoram, of each three handfulls; Anise-seed, sweet Fennel-seed, of each an ounce and half; Orange-peel half an ounce; let them be cleansed, bruised and infused in two quarts of White-wine.

It may be given to three or four ounces: in the morning fasting, with twenty drops; of Elixir proprietatis, you may also give it

by it felf, at dinner and supper.

When the Wine is used, fresh Wine may be put to the Ingredients, for a fecond infufion.

But farther to correct, and gently evacuate the viscous Phlegmatick humours.

This opening Apozeme is effectual.

Apozeme.

Take of the five opening Roots of each two ounces, Liquorish an ounce and half; Guiacum half a Pound, Anise-seed, sweet Fennelnel-seed, the Berries of Bays, and Juniper, of each half an ounce; Vervain, Betony, of each one handfull; let them be cleansed, bruised, and insused in two quarts of Rain-water very hot, for twenty four hours; then strain it out very strongly, and add the best Manna, Syrup of Roses solutive with Senna, of each four ounces; tincture of Cinamon three ounces; salt of Tartar vitriolated half an ounce; mix it, and give three ounces every morning fasting.

If there be need of stronger Physick you Purging

may administer these purging Pills.

Take of Extract. Rudii, pil. fætidæ, Cochiæ, of each half a drachm; Mercurius dulcis twen-

ty grains; mix it for three Doses.

If the pain be old and stubborn, apply Vesiccatories to the Neck, also Leeches to the Temples, and Hæmorrhoids; or open the jugular, or frontal Vein, which hath often prov'd effectual.

Errhines, Sternutatories and Apophlegmatisms may also be used, and Ventoses with

Scarification if need require.

Baths of Sulphur (whether natural or artificial with Cephalick Herbs) are good to bathe the Head and whole Body.

Some approve of the fume of Amber, ta-

ken into the Mouth and Nostrils.

Also spirit of cranium bumanum, or spirit of salt Armoniack, held to the Nose in a nar-

row-mouth'd Vial, giveth present ease in all

cold Pains of the Head.

Also you may touch the Nostrils and Temples with Oil of Amber, or Nutmegs, or apply this Epitheme to the Temples and Forehead with Linnen-rags.

Epitheme.

Take the Waters of Vervain and Betony, of each one ounce; Vineger of Roses, Ointment of Alabaster, of each half an ounce; Laudanum opiatum one scruple; mixit.

Cold distempers of the head, may also be corrected by hot Cephalicks quilted in a

Cap for the Head.

For a'quilted Cap.

Take of sweet Marjoram, Steechas, Vervain, Betony, Sage, Flowers of Chamomel, of each one handfull; Nutmegs, Cloves, Wood of Alloes, the Roots of Galangal, Cyperus, Calamus aromat. of each half an ounce; let them be all beaten into Powder for a quilted Cap.

Before you put it on, let the Hair be shaved close, and the Head gently rub'd for some

time, the better to open the pores.

Let the Sick abstain from fat and viscous. Food, and let the mind be composed to chear-fulness.

If the Juice of the *Pancreas* abounding in the Body, be over four, it causeth a vitious Effervescency, being opposed by Choler and Phlegm in the small guts; from whence sour

and

and ungratefull vapours may be fent to the Stomach, and thence to the Head.

If the humours be over four, the sense of Signs. hunger will be encreased, notwithstanding

the Pain of the Head.

This distemper is to be cur'd by giving Cure. those things which temper, and amend the acid Juice in the Body, and do prevent its encrease.

Those things abounding with either a lixivial or volatile falt, do powerfully destroy this acid Juice; as Pearl, Crabs-eyes, Coral, Chalk, Amber, Bloud-stone, Filings of Reel, &c.

Take this as a form of a Powder.

Take of Crabs-eyes, Pearl, red Coral pre- Powder. par'd, of each half a drachm; white Sugar half an ounce; let it be made into fine Powder for fix Doses; which may be taken morning and evening in two or three spoonfulls of the following Cordial Julep.

Take Waters of Baum and Mint, of each Cordial three ounces; Scurvigrass-water two oun-Julep. ces; Cinamon-water, Syrup of Worm-wood, of each one ounce and half; Oil of Juniper one drachm; mix them together for a Julep, of which you may also give two or three spoonfulls every fourth hour.

I prescribe no Purgers in this Distemper, because I am taught by large Experience, that the four Humours in the Body may be

ftirrd

Clyster.

stirr'd up indeed, but not purg'd, unless with very great gripes, which will doe more hurt, than good.

The encrease of the acid Juice, may be prevented by abstaining from the use of a-

cids.

Let the Patient's diet be moist, and fatty,

as fat Broths, Jellies aromatiz'd, &c.

When the Head-ach proceedeth from a hot cause, if the Patient be costive, first give this

Clyster.

Take of Mercury, Violets, Lettice, Mallows, Dandelion, of each one handfull; Damask Prunes twenty; let them be cleanfed, bruised and boiled in two pints of Fountainwater, till half of it be boiled away; then strain it, and add Electuary lenitive, one ounce and half; Oil of Lillies two ounces; mix them for a Clyster.

After its operation, you may open a Vein

and draw eight or nine ounces of bloud.

Some Authours will not consent to Phlebotomy in any Head-ach, except the Pain be intollerable; but I have had sufficient Experience, that it may be done safely in any Pain of the Head.

Elixir proprietatis, taken in Wormwoodwine, to the quantity of half a drachm at a time, a little before meat, doth wonderfully conduce to amend the vitious quality of Choler.

Choler

Choler may be evacuated by vomit, most commodiously by Antimonial preparations.

Take of the infusion of Crocus Metallorum one ounce; Oximel of Squills half an ounce.

Give it in the morning.

But if the Patient be averse to vomiting, the Choler may be evacuated by stool, by

this or the like Cathartick.

Take of Baum-water one ounce, Cinamon-Purging water two drachms, Syrup of Roses solu- Potion. tive, the best Manna, of each halfan ounce; Powder of Cream of Tartar twenty grains, Diagredium ten grains; mix it for a Potion, which may be given in the morning fasting.

Also these most gratefull Tablets of Scam-

mony may be prepared, and kept for use.

Take Cristals of Tartar two ounces; Troches. Scammony one ounce; white Sugar four ounces; with Gum Dragon dissolv'd in Rosewater as much as is sufficient; let it be made into Troches according to Art.

Half a drachm of these Troches may be given to a Child with carefull governing; a Man or Woman may take two drachms

of them.

They who are fearfull of Scammoniats, though fafe and potent, let them take the fol-

lowing infusion.

Take of choice Rhubarb two drachms; Cream of Tartar one drachm; infuse them Purging in four ounces of Endive-water for a night; Infusion.

then

then strain it and add Syrup of Roses solutive,, Syrup of Cicory with Rhubarb, of each halff an ounce, Cinamon-water two drachms; give: it in the morning fasting: This Electuary

is also an excellent Cholagogue.

Take the Pulp of Damask-prunes ten ounces; Powder of Scammony, Cream of Tartar, of each two ounces, Rhubarb ten drachms, Cinamon half an ounce; yellow Sanders two drachms; the best Manna, Syrup of Cicory with Rhubarb, of each eight ounces; mix all together into an Electuary according to Art.

> The Dose is from two drachms, to halff an ounce, taken either in a Bolus, or dissolved in a fufficient quantity of Endive-water,,

or any other convenient vehicle.

These excellent Medicines do not onely purge Choler abounding, but purify the Bloud and other Humours; and here we may note, that if a purging Medicine do not operate according to Expectation, it may fafely be repeated the same day without any danger.

If the Head-ach be accompanied with a great Fever, and Thirst be augmented; the following Medicines will much conduce to

affwage it.

Julep.

Observa-

Ezon.

Take of Barley-water two pints; Cinamon-water two ounces; Syrup of Violets four ounces; salt Prunella half an ounce; mix it,

and

nd give the fick three or four spoonfulls of tosten.

This Tincture is also very effectual

Take of Barley-water two pints; Red-rose-Tinature, buds one ounce; spirit of Vitriol twenty lrops, or as much as is sufficient to make it of a good Tincture, let it insuse all Night, then strain it, and add Syrup of Jujubes four punces; mix it, and give three or four spoonfulls every three hours.

If an Emulsion may please better, take this

following form.

Take of fweet Almonds one ounce; the Emulsion. four greater Cold-seeds of each half an ounce; white Poppy-seeds two ounces; let the Almonds be blanched, and all well beaten in a stone Mortar; then with four pints of Barley-water, make an Emulsion; strain it, and add Syrup of the Juice of Limmons, Diacodium, of each three ounces; Cinamon-water two ounces; of which let the sick drink often, four spoonfulls at a time.

You may also have a little fine Sugar, and salt Prunella equally mixt, which may be kept in the Mouth, to deceive the Thirst.

But where rest is hindred by the Choler abounding, and cannot be obtain'd by the Emulsion, which gently procureth sleep; you may dissolve two grains of Laudanum opiat. in two or three spoonfulls of it, and give it

at night; or you may order this or the like

Julep.

Take the Waters of Lettice, Water-lilliess of each two ounces; Syrup of red Poppiess one ounce; Cinamon-water half an ounce; Laudanum opiatum four grains; Oil of Vitriol fix drops; mix it, and give four spoonfulls of it to cause sleep.

This Epitheme may be applied to the Tem-

ples, and Fore-head with Linnen-rags.

Epitheme. Take the Oils of Violets, and Water-lillies of each halfan ounce; the waters of red Roses, Lettice, and Houseleek, of each two ounces; Vineger of Roses half an ounce; mix it.

You may also anoint the Temples and!

Fore-head with this Ointment.

Dintment. Take the Ointment of Alabaster, Populion, Oil of Mandrakes, of each half an ounce; mixit.

Let the Patient's diet be Mutton or Vealbroth without falt.

When a falt Catarrh, or the like spittle is the cause of Thirst augmented, you may administer a Pill of Styrax, or Cynoglesson, which will temperate the faltness of the humours; and if falt serous matter abound in the Bloud, you may purge it by Stool and Urine, for which there are variety of Medicines prescrib'd in the Chapter of Catarrhs.

### CHAP. II.

Of the Palsie, and Apoplexy.

HE Palsie is called in Greek παράλυσις, quod a παραλδίων, i.e. a solvendo, Parabsis
eo quod nervorum genus resolutum, facultate animi defluere probibita sensu motuque destituatur.

It may be also called ἡμωπληξία, i.e. di-

midia Apoplexia.

In Latin it is called nervorum resolutio vel

relaxatio.

It is a Privation of sense and motion of one side of the Body, or of some particular part.

The Apoplexy is called in Greek Δποπλη- ΑρορΙεχία , ex δποπλήσομαι, percutior, attonitum reddo.

In Latin'tis called stupor corporis, it being an Abolition of sense and motion through the whole Body.

The parts affected are the Brain, Spinalis medulla and Nerves; the motion of the Animal spirits through them being deprav'd.

The causes are either external, or internal. Cause.

The external is much cold and moisture, which doth chill and over moisten the Head, and extreme parts; and this seems to prove cause in that phlegmatick and watry Humours abiternal ding about the Ventricles of the Brain, and Nerves.

Nerves, may over moisten, and perhaps so far loosen the Tunicles or Membranes of them, that it may render them unfit to let the Animal spirits pass through them; hence it is that sometimes one particular Member hath been Paralytick by too much Cold and Moisture; and sometimes more parts have more or less lost sense and motion.

It is the opinion of most eminent Physicians both ancient and modern; that the Animal spirits being severed from the Bloud in the Brain, &c. are from thence carried through all the Nerves to exercise the external senses and Animal motion; which is continual and equal in healthy persons, but changeable and unequal, according to the divers difeases of the Body or Mind.

Wherefore when no Animal spirits are carried to the Organs of the external Senses, or Animal motion; the functions of feeing, finelling, tasting, hearing and touching: and the sense of heat, as also of motion in the Palfie and Apoplexy, cease all that time.

Signs.

The Signs of the Palsie are manifest; to wit, deprivation of fense and motion of the Paralytick parts; the Eye, and half the Tongue, (viz. of that side affected) is much weakned, and deprav'd.

The figns of the Apoplexy approaching are these, a sudden crying out for help, with

an abolition of fense and motion.

1. If the Palfie, or Apoplexy do invade the Progn. ick in the decrease of the Moon, and the Pa-

ient be old, 'tis an ill sign.

2. If the fick do fnort, and is droughty, and aft spume or froth out of the Mouth, and nave great sweat with difficult breathing, 'tis nortal. But if the Person be young, and a trong Fever immediately happen, tis a good ign; for the Fever confumes the superfluous noisture, and makes a Dissipation of the gross ind phlegmatick Matter.

3. A Palfie coming after the Apoplexy is ill, and many times turns to the Apoplexy again.

When any of the extreme parts be Paraly- cure. ical, or when the Head is ill affected by the external coldness of Air, Water or Snow; or a stoppage of the Head be also bred thereby, or the defect of the Animal spirits chiefly arge; then the fick may be cur'd by driving out whatfoever cold has pierc'd into the Head, or any other parts of the Body, which may be done by spirituous and volatile Sudorificks; for they do not onely alter and correct the cause of Cold, and other Evils accomparying it, but do also amend the harm entring nto the Body, containing, and contained.

To this end I commend this following

form.

Take of Treacle-water one ounce; Fennel- Cordial ta water, and Epidemical-water, of each two cause sounces; Syrup of red Poppies, and Syrup

of the Juice of Scurvigrafs, of each half an ounce; Bezoar-mineral, Antimony Diaphoretick, of each ten grains; Laudanum opiat. three grains; Spirit of falt Armoniack twenty drops; Oil of Cloves four drops; mix it, give the fick three or four fpoonfulls of it, and expect to fweat, being meanly covered; and a fpoonfull every half hour afterward, till the fweat break forth; then give them fome pure Broth, with a little Wine in it, whereby strength may be recreated, and the Patient enabled to bear a Sweat longer; for nothing so much helps the fick as a sweat continued mildly a while, which experience hath often taught me.

For by the help of this spirituous, and volatile, and also Aromatick medicine, or one like it, the troublesome Cold, and dulness of

motion are discust.

Observa-

They who let bloud in this Distemper caused by external Cold; or think they can carry out the Cause of this Evil either by vomit or siege, put the sick into danger of death,

or at least of most grievous Evils.

But when phlegmatick and watry Humours stick about the Nerves, &c. And too much moistening and loosening their Membranes and Marrow, be the cause of the Palsie and Apoplexy, and if the same humours much abound in the Body; then Phlegmagogues, and Hydragogues may conduce to the

the Cure, after Clysters, and internal Aromatick Sudorificks.

Wherefore to begin the Cure of this; you may first give this or the like Clyster, which

must be made strong.

Take of sweet Marjoram, Betony, Sage, Pen-chiter. ny-royal, Hyssop, Rue, Mercury, Marsh-mallows, the lesser Centaury, the Flowers of Chamomel, and Stochas, of each half a handfull; Anise-seed, sweet Fennel-seed, Juniper-berries, of each half an ounce; let them be cleansed, bruised and boiled in a quart of Fountain-water, till half of it be boiled away; then strain it, and dissolve in it the Electuary Diaphonicon, benedicta laxativa, of each half an ounce; pil. Cochio twenty grains; common Salt one drachm; Oil of Rue two ounces; mix it for a Clyster.

The next day (if the fick have a Plethorick body) you may draw bloud from either

arm, to eight or nine ounces.

If Phlebotomy cannot be done, apply Ventoses with Scarification to the shoulders; afterward sweat the Patient with the aforesaid Sudorifick.

Sometimes Suppositories may be used in stead of Clysters.

This may ferve for Example.

Take the Powders of Coloquintida, Salt-supposiniter, Hiera-picra simple, of each one drachm; tory. Euphorbium half a drachm, Honey boiled as much as will make it into a Suppository.

But

But if it appear that phlegmatick and viscous Humours do abound in the Body, Purgers may be prescrib'd most conveniently in the form of a Pill, because the Gums are most apt (above all other Medicines) to loosen and cut viscous Phlegm; neither can they be easily dissolv'd in any liquour.

Let this, or such a like form of Pills serve.

Purging Pills.

Take the Gums Amoniacum, and Galbanum, of each two drachms; dissolve them in Vineger of Squills, strain it, and boil it, to a due consistence; then add Powders of Troches, Albandal, Scammony, Mastick, of each one drachm; Oil of Anise-seed eight drops; make it into a Mass of Pills according to Art.

Let the fick take five or fix small Pills of this in the morning fasting, and an hour af-

ter drink some thin broth.

If the humours be more ferous, I commend

this Electuary.

Purging Electuary.

Take Juniper-berries one pound; boil them in fix pints of Fennel-water, till half of it be boiled away; then add the Fruit of Tamarind eight ounces, and pulp them both through a Sieve: To which add Powder of Jalap, and Scammony prepar'd, of each three ounces; Cinamon, fweet Fennel-feed, of each half an ounce; white Sugar one pound, make it into an Electuary according to Art.

The dose of this effectual Medicine, is to half an ounce, to people of age; a Child may

take:

100%

take from half a drachm, to a drachm, either by it felf, or dissolv'd in Whey, or Parsleywater, or in any other convenient Vehicle.

After universal evacuation hath been made, and the Patient's stomach be still nauseous, this vomit may safely be given.

Take the Infusion of Crocus metallor. Vi-Vomit.

negar of Squills of each one ounce, give it in the morning with Care: After the operation of it, give some of this Cordial Julep.

Take the Waters of Sage, Couslips, Lil-cordial lies of the Valley, of each two ounces; Ci-Julep. namon-water one ounce; Syrup of Peony-flowers, Steechas, of each six drachms; Spirit of Castor two drachms; Spirit of Salt as much as will make it of a gratefull taste, of which you may give the sick three or four spoonfulls every fourth hour.

To correct a flow ferment, and also to amend Phlegmatick viscous humours, a Medicinal Wine may be prepared for the rich,

in this form.

Take the Roots of Galangal, Elecampane, Medicion of each half an ounce; the tops of Worm-nal Wine. wood, Mint and Calamint, of each one handfull; Powder of Cinamon, Anise-seed, of each half an ounce; Nutmegs two drachms; let them be cleansed, bruised and insused in six pints of White-wine.

The fick may drink of this Physick-wine at dinner and supper, adding to every

2 draught,

draught, five or fix drops of Elixir pro-

prietatis.

When the wine is almost consum'd, more may be poured on, till it cease to be Aromatical.

External means for the Palsie, and Apo-

plexy are also to be used.

Bathing is much commended, both natural and artificial; and how excellent it is daily experience doth manifest.

This artificial Bath, or one like it, may the prescrib'd, where a natural sulphureous or

nitrous Bath cannot be had.

Take Sage, Penny-royal, Betony, Organ, fweet Marjoram, Hyssop, Rue, Time, Groundpine, of each six handfulls; Flowers of Chamomel, Melilot, of each four handfulls; Roots of Briony, Pellitory of Spain, of each four ounces; Bay-berries, Juniper-berries of each three ounces; Brimstone six pound; Saltniter two pound; let all be bruised and boiled in twenty Gallons of Spring-water, till the third part be consumed.

Let the fick be well bathed with this as

often as strength will permit.

After bathing, anoint the hinder part of the Head and Neck, and down the Vertebra of the Back with this Oil; upon which let a Fox-skin drest be worn.

Take Chymical-oils, of Juniper-berries, Turpentine, Spike, of each half an ounce; Oils

Oil.

Bath.

Oils of Chamomel, Earth-worms, Rue, Foxes, of each one ounce; Spirit of Castor two drachms; mix it.

This plaister may be applyed to the

Head.

Take Galbanum, Opopanax, of each half an Plaister. ounce; Mustard-seed, white Pepper, Euphorbium, Castor, of each two drachms; Chymical Oil of Sage and Rue, of each twenty drops; Oil of Spike and Turpentine, of each a drachm; make it into a Plaister which you may spread on leather, and apply it warm to the Head.

Or you may make the quilted Cap as is prescrib'd in page 6. to wear constantly; Oil of Nutmegs is good to embrocate the Ears and Nostrils; also Errhines, Sternutatories, and Apophlegmatisms may be used with good success.

Take Castor, sweet Marjoram, Betony, sneezing Root of white Hellebor, of each a drachm; rowder.

beat them all into a fine Powder. Blow up fome of this Powder (with a quilt) into the

Nostrils, to cause sneezing.

Let the Patient's diet be such as may not breed Phlegm, and let it be thin and spare, as Water-gruel, in which boil some Mace; or you may make Broth of Mutton, &c. in which boil Sage, Rosemary, Time, sweet Marjoram, Couslips, &c.

Of this broth you may make Panado's With

with the Crums of white Bread, and the Yelk of an Egg.

Let Anise-seed, or sweet Fennel-seed be

baked with the bread.

Abstain from all clammy Diet, as Fish and Milk, &c. and eat little or no supper.

### CHAP. III.

Of Convulsions, and the Epilepsie.

Spasmus.

THE Cramp or Convulsion is called in Greek σπασμός, in Latin Convulsio.

It is a very painfull, involuntary Contraction of the Nerves and Muscles towards their Original.

There are generally two forts of Convulfions. viz. A true Convulsion, and a Convulsive motion.

A true Convulsion is either universal or particular.

Of the universal there are three Kinds.

The first is called in Greek immediators; in Latin tentio ad anteriora; when the Body and Head is drawn forward.

The second is called in Strove, and in Latin tentio ad posteriora when the Head and Body is drawn backward

The

The third is called reray in Greek, and distentio in Latin, in this the whole Body is inflexible.

The particular convulsions are various. If it be in the Eye, it is called strabismus.

That of the Mouth, is call tortura oris, &c.

The Falling-sickness or Epilepsie, is called Epilepsia.

in Greek &mantia, ab &mausava, invado, quod

sensum atque mentem pariter apprehendat.

It is called also in Latin Epilepsia vel invasio; item morbus hominem ita invadens, ut retineat & sistat sensum actiones, because the mind and senses in this disease are suddenly surprized.

It may be called morbus caducus, a cadendo, or morbus puerilis because it is most subject to Children; or more properly noverca puerorum, quod eos male tractat.

It is also called Herculeus, & Elephantiasis a magnitudine, because it is difficult to cure.

Some call it morbus lunaticus, because the sick are most subject to the fits at the change of the moon; but enough of the Names.

The Epilepsie is an universal Cramp or Convulsion of the whole Body, with deprivation of sense and motion in the time of the fit.

The parts affected are not onely the Brain, Partes af-Cerebellum and Spinalis medulla, but all the feete. Nerves and Muscles.

The causes are either external or internal. C.uses.

The external, may be by the biting of some venemous Creature; or by a wound or puncture of a Nerve or Tendon.

Sometimes it may be caused by surfeiting or drunkenness; and also by the taking of

Hellebor, &c.

It may be also caused by a mineral Gas fuming from the Mines of Lead, or Antimony, &c. which insecteth the Air with noxious metalline exhalations of a venemous malignity; which is many times the cause of Convulsions, as they can tell by experience, that live near those Mines.

The internal causes are acrimonious and flatuous Vapours, rising from the small guts, because of over viscous Phlegm, and the over acidity and tartness of the Juice of the Pancreas, which causeth a vitious efferves cency of the humours, by which the Lym-

pha is also rendred very sharp.

These sour flatuous Vapours continually ascending to the Head, together with the spirituous substance of the Bloud, and going forward into the Ventricles of the Brain, and Cerebellum, and so to the first spreading of the Nerves; and corroding them, causeth an inordinate agitation, and very sierce motion of the Animal spirits; and by a continual and grievous Irritation, urging about the beginning of the Spinalis medulla, is the cause of an universal Convulsion, or Epileptick-sit,

n which all the Muscles of the Body are

nost vehemently contracted.

The Irritation in a particular Convulfive notion or the Cramp, which may be oft observ'd in the thigh or leg, and other exreme parts, may be also ascrib'd to the same harp and four flatuous Vapours, carried to he beginning of the Nerves and Tendons of the faid Members, fretting and gnawing them fometimes with great pain.

The figns of Convulsions are manifest. Signs.

The preceding figns of the Epilepsie, are rembling, fadness, fearfulness, vertigo, numness, debility of the senses, troublesome sleep; with great pain of the Head.

The figns of the Epilepsie presently approaching, are a vehement shaking of the whole Body, foming at the Mouth, and a fudden deprivation of all the Animal functions.

1. A Convulsion or Epilepsie, being here- Progn.

ditary, is incurable.

2. If a pregnant Woman be taken with either of them, it is very dangerous; and alo after Abortion.

3. Children are most subject to these dileases, because they abound with abundance of moisture, and flatulent Vapours in the Brain; and because they have Nervorum poros angustos, whereby the Brain is easily filled with fuch vapours; and therefore we fee that Children are often troubled with

them, young People more rarely, and old Folks but seldom; and we find that Children better fuffer them than either of the other, who frequently die of these fits, especially of the Epilepsie, when in their falling there follows fnorting, gnashing of the teeth, a ghastly countenance, much fome at the Mouth, involuntaria seminis effusio, and great

cryings out.

4. Of all the kind of Convulsions, Tetanos is the most difficult to cure; because it is (as it were) composed of the other two kinds; but if a fever happen in this or any other Convulsion, the sick will suddenly recover, because a sever dissolveth it; but if a Convulsion should succeed a fever, it is very dangerous, especially from a wound, or proceeding from venemous matter.

Solikewise it is very dangerous if it be cau-

fed by taking of Hellebor.

Cure.

When a particular Convulsion is caused from a prick of a Nerve or Tendon; as it may happen sometimes by the unskilfulness, or precipitancy of the Chyrurgeon in opening a vein, then most speedily pour into the wound or puncture, the Oil of Turpentine, with rectifi'd Spirit of Wine, both actually hot; as that famous Chyrurgeon Mr. Ambrose Parey adviseth in his ninth Book, Chap. 11. of which I have had large experience with good fuccess. The The like course may be taken with all

other wounds of the nervous parts.

But if the wound of the Nerve or Tendon yield not to this medicine, the same is to be cut asunder cross-ways, seeing it is safer to lose the action of one part, than that the sick should be exposed to the danger of a deadly Convulsion.

When the Nerves or Tendons of the Muscles are prickt by sharp splinters of bones, the grievous pains succeeding, soon cause a particular Convulsion of that part, and at length an universal Convulsion will attend the Patient, if there be not speedy help.

Wherefore if possible, the sharp fragments of the bone must be cut away; or if this have been neglected, or could not be done, and an universal Convulsion be feared, you must hasten to amputation of the member; For,

Necessitas non habet legem.

If a particular Convulsion be occasion'd by a hot Tumour or any other sharp pain, which hath rais'd an inflammation; let the pain be diminisht as well by internal, as external Anodines and Narcoticks, to allay the over encreas'd motion of the Animal spirits.

To this end you may give the sick two or three grains of Laudanum opiat. at a time, either in a Pill, or dissolve it in a little Wire

or other convenient Vehicle.

And if the ingenious and judicious Physician,

cian, or Chyrurgeon, do add a little volatile Salt, either of Animals or Vegetables, to his topical Medicaments, whether fomentations, Cataplasms, or Ointments, he will wonder at the incredible benefit; for by the help thereof the Tumour will be mollisted and dissolved, the internal obstruction loosned, and the pain eased.

If a Convulsion be caused by the taking of Hellebor, or any other venemous matter; administer an Antimonial vomit with all speed.

But if it be a Child, give it ten grains of Salt of Vitriol, or half an ounce of Oxymel of Squills, with a drachm of Oil of Almonds.

After the operation of the Emetick, (and also at other times) you may give some of

this Julep.

Take of Black-cherry-water, the Water of Line-flowers of each two ounces; Briony-water compound, Syrup of Peony, of each one ounce; Tincture of Castor half an ounce; Confection of Alkermes one drachm; Spirit of Salt Armoniack twenty drops; mix it, and give three or four spoonfulls every fourth Hour.

Having briefly hinted at the Cure of particular Convulsions; I come now to those more universal, as likewise Convulsive mo-

tions, and the Epilepsie.

And seeing there is little difference, in the remote causes of them in the Body; these diseases may (for the most part) be cured with the same Remedies,

1. First

Julep.

1. First then the peccant humours are to

be temper'd, and diminisht.

2. The rifing of vapours is to be hindred, and their expulsion procur'd by sweat, or insensible transpiration: By which the over motion of the Animal spirits will be restrain'd and brought to tranquillity, that is a more quiet motion.

All Aromaticks, and all things abounding with either a fixt or volatile Salt, do not onely correct, and by cutting amend the viscous phlegmatick humours; but do powerfully temper and destroy the over acidity and tart-

ness of the juice of the Pancreas.

To temper and diminish these humours,

I commend these medicines.

Take the Roots of Male-peony, Valerian, Infulian.' Missletoe of the Oak, and Peony-seeds, of each two ounces; Castor half an ounce; let them be all bruised, and infus'd in Peony-water compound, the Water of Line-tree-flowers, of each one pint, for the space of twenty four hours; then strain it out very strongly, and add Syrup of Peony and Stæchas, of each three ounces; Spirit of Castor half an ounce; mix it, and give three spoonfulls at a time every fourth hour, with which you may mix Spirit of Salt Armoniack, Elixir proprietatis, of each six drops.

Also you may give the Patient half a drachm of the following powder in three or

four

four spoonfulls of this Infusion, with the a-

foresaid Spirit and Elixir.

Take of Crabs-eyes, Salt of Tartar vitriolated, Salt prunella, of each half an ounce; volatile Salt of Harts-horn, Salt of Amber, of Man's skull prepar'd, of each two drachms; make it into a fine powder, which may be taken half a drachm at a time, morning and

evening.

The peccant humours being temper'd and diminisht, by the frequent use of the above-said medicines; the inordinate, involuntary and impetuous motion of the Animal spirits, (in Convulsive and Epileptick sits) will be the better reduc'd to a calm and voluntary motion, by the help of volatile and spirituous Sudorisicks, mixt with Anodines, and Narcotick medicines us'd in a small quantity, and at times; which two will be expedient to be given together, because then they will the better circulate to the Animal spirits, and temper and educe the hurtfull slatuous Vapours.

Cordial to cause
Sweat.

For which I commend the following form.

Take of Treacle-water, Fennel-water, of each one ounce; Syrup of Peony, Syrup of the Juice of Scurvigrass, of each half an ounce; Antimony Diaphoretick, Bezoar mineral, Crabs-eyes in powder, of each ten grains; Laudanum opiat. four grains; Tincture of Castor one drachm; Oil of Cloves three drops; Spirit

Spirit of Salt Armoniack ten drops; mix it, and let the fick take it, being well cover'd with cloths, whereby the fweat will the eafier come forth.

If the Body be costive, let it be made soluble by a Clyster, or Suppository; such as is prescrib'd in the cure of the Apoplexy.

As often as the Stomach is nauseous, or the fick inclines to vomiting; let the Emeticks before mention'd be carefully administred; and likewise three or four days before the full of the moon.

But if the fick be averse to vomiting, and Pills or Potions are more acceptable, take

the following as Examples.

Take of Extract. Rudij, pil. fætidæ ex duo- Purging bus, of each a drachm and half; Castor, black Pills. Hellebor prepar'd, of each half a drachm; Salt of Amber twenty grains; Oil of Rosemary twenty drops, with Syrup of Stochas; make it into a Mass for pills; of which you may give half a drachm twice a week.

Also this purging Infusion is very effec-

tual.

Take of the best Senna, Rhubarb, and Infusion, Cream of Tartar, of each an ounce and half; Liquorish, and the five opening Roots, of each one ounce; Guiacum, China-roots, of each fix ounces; Missletoe of the Oak, Anise-seed, fweet Fennel-seed, Bay-berries, and Juniperberries, of each half an ounce; let them be

all bruised, and infused in Black-cherry-water, and the Water of Line-tree-flowers, of each a quart, very hot for the space of a Night; then strain it very hard, and add Syrup of Roses solutive with Senna, Syrup of Succory with Rhubarb, of each three ounces; Cinamonwater two ounces; Salt of Tartar vitriolated half an ounce; mix it.

Let the fick take four ounces of this purging Infusion every morning, whereby the viscous humours and flatuous Vapours may be both corrected, and also evacuated gent-

ly by degrees.

If bloud abound, let a Vein be opened; in Women open the Saphæna in either Foot, but in Men you may apply Leeches to the Hemorrhoidal Veins. Sc.

Bathing hath been often us'd (with good

fuccess) in these diseases.

A natural fulphureous Bath, such as is in the City of Bath, is excellent; but when it is not to be had, an artificial Bath may serve.

That which is fet down in the Cure of the Palsie and Apoplexy, is of excellent Virtue,

and very effectual in these distempers.

After bathing, let the Spina Dorsi, and other affected parts be anointed with the fol-

lowing Ointment.

Ointment. Take the Oils of Euphorbium, Rue, Castor, Petre, Spike, Turpentine, Bricks, Dil, Chamomel, of each half an ounce; Oils of Amber

and

and Juniper, of each two drachms; the Ointments Martiatum and Aregon of each one ounce; mix them for an Ointment.

or Arm; also Ventoses with Scarification, Sternutatories, Errhines and Masticatories

are all commended.

This Masticatory may serve for Example. Mastica-

Take the Roots of Pellitory of Spain, Ginger, Calamus aromaticus, of each one ounce; Mustard-seed; all sorts of Pepper, Nutmegs, Castor, Mastick, of each half an ounce; beat them all into fine Powder, and with fine Honey boild into a Syrup, make them into Troches according to Art.

When they are drie you may chew them one after another, when you please to draw

the Rheum out of the Mouth.

When the fit is coming, or upon the party, blow up some Sneezing-powder into the Nostrils, or the Smoak of Tobacco into the Mouth.

Embrocate the Temples, Fore-head and Nostrils with Oil of Amber; and hold the Spirit of Salt Armoniack to the Nose, in a Narrow-mouth'd viol.

Make a noise in the Ears; and let the sick be kept in a light Room, with the Head up-

right.

Let the teeth be kept open with a stick, or rather with a little viscus quercinus, if it may be had.

D

Let

Let the soles of the feet be well rub'd with Salt and Vineger; also Frictions and Ligatures may be used in the parts affected.

Some commend a Pigeon cut asunder, and applied hot to the Navel; for hereby the venemous halituous Vapours are partly drawn

away.

I might add variety of medicines for the cure of these diseases; but those before mentioned are sufficient to give light to the ingenious Artist, who knows how to prepare diversity of them, as well milder for Infants and Children, as stronger for Adults.

I will therefore prescribe a powder to preferve Children from Convulsive and Epilep-

tick-fits, and so conclude this Chapter.

Epileptick Powder.

Take the Roots of Peony, Valerian, of each half an ounce; the Moss that groweth upon a Man's skull, the triangular Bone of a Man's skull prepar'd, Missletoe of the Oak, Elks-hoof, the Seeds of Peony, sweet Fennel and Annise, of each two drachms; red Coral, whitest Amber, and Emerald prepar'd, of each one drachm; white Sugar the weight of them all, let them be reduc'd into a fine powder.

You may give a Child twenty grains of this powder with a little Oil of sweet Almonds, so soon as it is born, which may happily preserve it from Convulsions, and Epilep-

tick fits.

And because obstructions of the Belly in Children,

Children, exposeth them to flatuous Vapours, and Gripings, and so consequently to Convulsive and Epileptick-sits; I advise you to keep the Belly open, either with a little Manna, or a Carminative Clyster, so often as you see convenient.

Let the sick live in a serene Air, and abstain from all food that breeds bad nourishment, and flatulent Vapours.

much to kirk out, but are

### CHAP. IV.

Of the Night-mare, and Vertigo.

I Shall treat of these two distempers in one Chapter, because if either of them continue long; they are Forerunners of the Palsie, or Apoplexy, and sometimes Convulsions, or Epilepsie.

The Night-mare is called in Greek incubando, quod in Latin'tis called Incubus ab incubando, quod externa vis quædam aut moles incubare videtur.

It is called the Night-mare, because it oppresseth the sick in the Night, at which time they think that some great weight lieth upon them, by which they seem to be almost suffocated.

It happens most commonly after the first D 2 sleep,

sleep, whereby the party oppressed, is deprived of speech and motion, and sometime

breathing for a time.

When the fit is upon the fick, they do imagine that some Witch or Hag lieth hard on their Breast or Stomach, (from whence it hath also acquired that Name ) in which they cannot stir, nor call for help, though they have a great defire, and do strive very much to cry out, but are possessed with a panick fear.

Caufe.

Vertigo.

The cause of this distemper, is most commonly intemperance in eating and drinking, especially in the Night; whereby crude halituous Vapours are bred in fuch plenty, that nature cannot disperse nor dissolve them before fleep; and therefore they are raifed up to the Ventricles of the Brain, by which imagination, sense and motion are all depraved.

The giddy motion is called in Greek σχότω-

ua, i. e. obscuritas oculorum.

In Latin 'tis called Vertigo, ex vertendo

quod Caput vertere videtur.

In this disease the Animal spirits are wrong mov'd, which makes the fick believe that not onely all things they look on, go in a Circuit about, but their Head and other parts, feem to turn round; which many times causeth them to be in danger of falling, or tumbling headlong.

The cause of the giddy motion, is either cause.

external, or internal.

The external are either an intent looking at any object that turns round, or about, especially if very remote; or a frequent turning

about of the Body it felf.

The internal cause, is the ascent of slatuous Vapours to the Head, together with the spirituous part of the Bloud, and carried with the Animal spirits, into the passages of the Brain, and Cerebellum; by which the motion of wheeling about is communicated to the Animal spirits, and anon carried to the Cristalline humour of the Eyes, by the Optick nerves; and so a Giddiness seems to be produc'd.

For the Cure of these diseases; seeing they are the Forerunners of the Apoplexy, and Epilepsie; I refer you to those excellent Medicines prescrib'd for the Cure of them.

Let such as are subject to these distempers, be very sparing in their diet; let them avoid all Herbs, Roots and Fruits, that are windy; and all viscous and gross diet, such as is of hard Concoction.

Let the external Causes be remov'd, and the internal causes corrected. Sublata causa tollitur effectus.

## CHAP. V.

Of the Lethargy Coma, Carus, and Catalepsie or Catocus.

HE Lethargy is called in Greek Andag-Lethargus. 20 ànd The Andres no dest, ab oblivione & inertia. Because in this disease, the

fick is very forgetfull and flothfull.

Signs. In this distemper, there is a very great propenfity to fleep, accompanied with a Symptomatical Fever, and fometimes with the Hiccough, with difficulty of breathing, dulness of the Head, and many times a deprivation of the Senses.

Κω'μα, sopor altus, is an infatiable inclination to fleep; the fick being called unto, they open their Eyes, and answer, but pre-

fently fall a fleep again.

Kάgos, ex Καgóω, is called in Latin crapularis redundantia; because it is sometimes caused by furfeiting, end drunkenness.

It is deep and profound fleep, whereby imagination, sense and motion are all de-

praved.

Coma.

Carus.

In these there is no Fever, in which they

differ from the Lethargy.

Catalepsis, vel Detentio, is called in Greek Kározo, which signifies a with-holding, or

res

restraining, because in this distemper, the mind, with the senses, and motion are all suddenly surprized, so that the sick remain stiff, and immoveable, in the very same posture in which they were taken, with their Eyes open.

The causes of these diseases are either Causes.

external, or internal.

The external causes are gross food, idleness, spirituous wine, or any other inebriating liquour taken in excess; and sometimes by the Air inspir'd, which is defil'd by the Smoak of Coals, or other mineral Fumes,

by which the Air may be infested.

The internal cause, is a Narcotick force mix'd with the Animal spirits, bred by degrees in the Body, by the frequent use of opiats, not well corrected, which not onely dulls the mind, but causeth a sluggishness of the whole Body; for the Animal motion being depray'd, the external, as well as internal senses, will be thence soon insected, and defil'd.

These diseases are all very dangerous, and progn. except they are speedily cur'd, they will soon hurry the sick into the Boats of Acheron, or devouring Jaws of Death.

But if a Phrensie cometh immediately after any of them, it cureth the Patient with

little help of medicine.

To cure these diseases, let the drowsie Ani-cure.

D 4 mal

mal spirits be stir'd up, and rais'd from sleepines, and stupidness, by potent external Objects, which may sharply move the external senses; let the sick be kept in a light room, and be often called upon very strongly, and let sharp smells be applied to the Nostrils, such as Spirit of Salt Armoniack, Harts-horn, &c.

Also sharp spices or salts should be put into the mouth, and gentle frications us'd (with warm Cloaths) to those parts that are

affected with Numness.

The Animal spirits may be freed from the Narcotick force mingled with them, (and likewise slothfulness, and sleepiness may be (by little and little) diminished,) by the frequent use of sharp volatile Salts, and all Medicines endued with an Aromatick biting; such as Pepper, Cloves, Castor, Garlick, Horse-radish, Mustard, Scurvigrass, &c. Of which you may make diversity of Medicines, for example.

Take the Waters of Hedge-mustard, Scurvigrass, of each two ounces, Syrup of the Juice of Scurvigrass one ounce; Tincture of Castor two drachms; Oil of Cloves sour drops; mix it, and give the sick two or three specially every two hours.

spoonfulls every two hours.

This decoction is also very effectual.

China, of each two ounces; Roots of Galan-

Julep.

gal half an ounce; Scurvigras, Hedge-mustard, of each one handfull; Cloves one drachm; let them be all cleansed, bruised and insused in White-wine, and Fountain-water, of each a quart, for the space of a Night very hot; the next morning boil it gently for half an hour, then strain it, and add Syrup of Hedge-mustard, Scurvigras, of each three ounces; Cinamon-water two ounces; mix it.

Let the fick lying in bed, meanly covered take often in a day five or fix spoonfulls of this decoction, whereby a light sweat may

break forth to ease them.

By the frequent use of these medicines, the Animal spirits will not onely be freed from their drowsiness, but even the Narcotick force bred in the Body (either in the length of time, or received in from without) may be corrected, and by degrees gently educ'd by insensible transpiration: So that at length, these dangerous distempers may happily be overcome.

Let Clysters, and Suppositories be often

administred, as need requires.

Those prescrib'd in page 17, 18. in the Cure of the Palsie and Apoplexy, are very effectual here.

If strength and age permit, let a vein be opened in either Arm or Foot, as you shall see cause; for generally Authours consent to it, besides Experientia docet.

Let Ventoses with (or without) Scarification be applied to the shoulders and hinder part of the Neck.

And let Sternutatories be often snuft up in-

to the Nostrils, to provoke sneezing.

Sneezing Powder.

Take the Roots of Pellitory of Spain, white Hellebor, of each half a drachm; Castor, Nutmegs, white Pepper, of each twenty grains; Flowers of Lillies of the Valley one drachm; beat them into a fine Powder.

If the Stomach be foul, and the fick in-

cline to vomit, give this or the like.

Vomit.

Take the decoction of Horse-radish, two ounces; the infusion of crocus metallorum, Oxymel of Squills, of each half an ounce; Oil of sweet Almonds newly drawn, two drachms; mix it, and give it in the Morning.

But if the fick had rather take Pills or Po-

tions, let the following ferve.

Purging Pills.

Take Extract. Rudii, pil. fætidæ, ex duobus of each half a drachm; Powder of Castor twenty grains; Oil of Cloves fix drops, with Syrup of Steechas, make it into Pills, for three doses.

You may give them twice a week in the

Morning fasting.

Purging Infusion.

This purging Infusion is also very effectual.

Take of the best Senna, Rhubarb, Polypodium, of each half an ounce; Mechoacan, Agarick,

Agarick, Turkey-Turbith, of each three drachms; Ginger, Anise-seed, of each two drachms; let them be bruifed and infused in eight ounces of Ale very hot, for the space of a Night, then strain it, and add the best Manna; Syrup of Roses solutive of each one ounce; Spirit of Castor twenty drops; mix it for two doses.

Let the affected parts, as the Head, &c. be bathed with this or the like fomentation.

Take the Roots of Master-wort, Angelica, Fomenta-Zedoary, of each three ounces; Bay-berries, tion. Juniper-berries, of each four ounces; Sage, Marjoram, Rue, Rose-mary, Betony, Flowers of Lavender, Melilot, Chamomel, of each two handfulls; let them be all cleanfed, bruifed and boiled in White-wine-vineger, and Fountain-water, of each three quarts, till half of it be boiled away.

After bathing anoint the hinder part of

the Head with this Oil.

Take of Oil of Rue, Marjoram, of each Oil. half an ounce; Oil of Amber, Rose-mary and Bricks, of each two drachms; Oil of Bays, Euphorbium, Castor, of each fix drachms; mix them.

For Revulsion, let the soles of the feet be washed with Salt and Acet. Scillitic. Vesiccatories may also be applied to the Coronal Suture, and behind the Ears; or upon the Shoulders, Neck, Arms, Thighs, &c.

Avoid

Avoid all vaporous and phlegmatick Nourishment.

## CHAP. VI.

Of the Phrensie, and Madness.

Phrenitis. HE Phrensie is called in Greek ogevitus, & ogevitus, ex ognu mens; quia mentis morbus.

The Phrensie is an inflammation of the Brain and Meninges, both the dura and pia mater; causing an acute continual Fever, which remains from the first moment of its invasion, to the last of its duration, thence a delirium, and raving Madness, together with great trouble of mind, afflicts the sick in a superlative manner.

Minia.

Madness is called in Greek paría, a mánopas, insanio, 'tis called in Latin amentia, suror, insania.

It is a furious alienation of the mind, or a vehement delirium whout a Fever; in which it differs from the Phrensie.

I know there are not wanting the works of great Physicians, who have written very learnedly of these diseases; but omitting the opinion of others; I shall in a few words,

relate

relate that which seems true to me, to be the cause of these furious distempers.

None who are ingenious Searchers of Truth; and have weighed accurately (with an attentive mind) both the fabrick and ways, or Vessels of the containing Body, and the natural motion of the Bloud, and other humours; will deny, that almost innumerable diseases do arise from the vitious effervescency of over fat Choler, the too tart Pancreat juice, and over viscous Phlegm, slowing together in the small guts; for by this vitiated mingling not onely hurtfull humours are produc'd, but often wind, and halituous Vapours, causing much harm to humane Bodies.

Wherefore I judge, when Phlegm is very cause. viscous, or otherwise vitious, and the juice of the Pancreas too tart and harsh; sharp halituous Vapours are thence produc'd, elevated from the small guts, because of a vitious effervescency there rais'd; and thence continually ascending to the Head; and with the spirituous Bloud, circulate into the Ventricles of the Brain, by which the Animal spirits are vitiated, and troublesomely mov'd, and hindred of natural rest and tranquillity; therefore 'tis no wonder that the Empty mind of the sick is thereby disturb'd, and at length the sick become distracted and mad.

But if Choler be predominant, these vapours become very cholerick and acrimonious; which rarifies the Bloud by degrees more and more; so that at length the heat and burning Fever in the Heart, (and thence through the whole Body) is encreased by Choler successively over-ruling, which causeth the Phrensie.

No marvel then if heat, pain, and inflammation, and pulsation of the Head do chiefly vex the sick in this grievous distemper; seeing no part of the Body hath so many Arteries, and receives so much Bloud as the Head; wherefore the pulsation of the Temples is selt more troublesome than elsewhere, because of the remarkable windings of the Brain, through which great Arteries are carried; from whence great watchings, and at length raving Madness do molest the sick.

But there still remains something requisite to be set down, as the chief cause of these, and most other distempers, which ought not to be despised (either by Jew or Gentile) seeing we have the word of God for it; and that is the crying sins of Mankind continually drawing God's Judgments on them.

You may reade the 28th. Chapter of Deuteronomie, where the Prophet Moses enumerates the many diseases, with which God would

would smite the Children of Israel, for the wickedness of their doings, whereby they had forfaken him.

And not onely they, but we also shall be subject to these grievous distempers, and eternal destruction also, if we do not turn to the Lord by unfeigned repentance, except ye repent, ye shall all likewise perish, saith our blessed Saviour Jesus Christ in Luke 13. 3. Verse.

Those poor creatures who have been miserably afflicted with these furious diseases, and happily recovered; can tell by fad experience, that they have been many times hurried almost to desperation, by the cunning wiles and temptations of Satan; which hath prevail'd on many to lay violent hands on themselves; from which let us pray, libera nos Domine.

I. The Phrensie is a most acute and dange- Progra rous disease, insomuch that it ends most commonly in feven days; for in that time it either terminates by the recovery of the fick, or else they go over the threshold of the o-

ther world.

2. If the Phrenetical party hath a Crisis either by fweating, bleeding at the nose, or Hæmorrhoids, &c. or a tumour appear behind the Ears, there is hopes of recovery: but if the fick gnash with his teeth, and his Excrement and Urine be whitish, and no Crisis appear,

tis

'tis mortal; so likewise is it very pernicious, if it turn either to the Lethargy, or Convulsion.

In the Mania or Madness, if the stomach or appetite decay, and the fick be very fearfull, and hath continued long, it is most difficult to cure: but if the party be merrily

conceited, it is not so dangerous.

3. If the swelling of the Veins in the Legs, called Varices, or the Hæmorrhoids, or Menses, or any other flux of bloud should happen to them that are mad or frantick, there may

be hopes of recovery.

And that we may pass on to the cure of these lamentable diseases: let the following

Golden precept be speedily observ'd.

Principiis obsta, sero medicina paratur: Cum mala per longas invaluere moras. For unless speedy help be procur'd for the Phrensie, it killeth the party in a short time: and likewise Mania or Madness becomes oft (by degrees) so stubborn, and rebellious, that it can be cur'd onely late or never.

Ttherefore the friends of the fick are to be admonish'd to consult with the honest Physician, so soon as the figns begin to be manifest; for when it hath taken deep root, it is hard to be eradicated, or overcome, unless by

an Herculean labour.

First therefore let a Clyster be administred. Take of Mallows, Marsh-mallows, Violets, Lettice, Beets, Pellitory of the wall, Me

Cure.

Clyster.

Mercury, Centaury, Water-lillies, of each one handfull. Damask Prunes twenty. Boil them in a quart of Barley-water till half be confumed, then strain it, and add Electuary Lenitive, Syrup of Violets, RosesSolutive, of each one ounce; Oil of Violets two ounces; Common Salt one drachm. Mix it for a Clyster.

After the Operation of it, you may open a

Vein in the Arm.

But if Menses, or the Hæmorrhoids be suppressed, then open the Saphena, in either Foot; and let the orifice be made pretty large, because thereby sharp and fatty vapours may more plenteously be essued together with the bloud: whereby the troublesome heat will be the better temper'd, and not a little diminisht.

Neither will it suffice to let bloud once, but this evacuation is oft to be iterated, till (by the diminisht severish heat) it appears that the cause is remov'd or overcome.

But let Phlebotomy be warily done, where choler abounds, because sanguis est frænum Bilis: wherefore I advise the young Practitioner to take away but little bloud at a time, which may be done so often as need requires, either by an instrument, or leeches to the Hæmorrhoids.

Ventoses with scarification, may be applied to the shoulders, also Vesiccatories to the armes, thighs, & inter scapulas, in extremis morbis, extrema sunt adhibenda remedia.

E

Choler over plenteous in the body, may be safely diminisht by a mild chologogue;

for example.

Julep.

Take of Dandelion, Succory, Sorrel, of each two handfulls; Tamarind-fruit two ounces. Boil them in a quart of Barley-water till half be confumed; Strain it, and add the waters of Cinamon, and Fennel of each one ounce; The best Manna, Syrup of Succory with Rhubarb, of each three ounces; Spirit of Niter twenty drops. Let the sick take oft a draught of this Julep, till the body be made soluble; but if there be a strong constitution of body, I refer you to those excellent Medicines prescribed in page 8.9. of this book, which evacuates choler more powerfully by stool.

But where the Stomach is full and nauseous, let a vomit be administred without delay; and here I prefer Antimonials before all o-thers, both because they do most happily empty any humours promiscuously, and because they are most friendly to humane nature, bringing all the humours by degrees (after a peculiar

manner) to a most laudable state.

And because in this distemper, the sick is always attended with a greivous and surious raging; let those things be given which will not onely promote sleep, but powerfully temper the sharp cholerick humours.

To this end I commend any fixt Minerall,

Sul

Dieta

Sulphur of Vitriol or Antimony, which will temper the Acrimony of choler, and free the bloud from fuch matter perhaps before all others. But where these choice Medicines are not to be had, Opium well prepared will conduce beyond any commonly known Medicine; which may be used both Internally and Externally.

This Cordial Opiat is of great virtue.

Take the Waters of Sorrel, Lettice, Pen-opiae. ny-royal, Fennel, of each two ounces; Cinamon water, Syrups of red and white Poppies, of each one ounce; Laudanum ten grains; Tartar vitriolated half a drachm; Oil of Vitriol ten drops; mixit, and give two fpoonfulls of it often, whereby the body may the fooner be reduc'd to fleep, and the mind to tranquillity.

The following Epitheme, and Linament may be used outwardly to give ease, and pro-

mote fleep.

Take the Waters of Betony, red Roses, of Epitheme. each two ounces; Vinegars of Roses, and Marygolds, of each half an ounce; Opium

twenty grains. Mix it.

Let Linen cloaths be dipt in it being warm, and applied to the Forehead, and region of the Temples; and as often as the cloaths are dry, moisten them with the same, till pain be diminisht, and sleep follow.

Take Populion half an ounce; Opium dif-Li iamene, folv'd

folv'd in Oil of Poppies half a drachm; mix it for a Linament; wherewith anoint each region of the Temples, and spread some of it on brown Paper and apply it.

Dieta.

Let the diet be very thin and cooling: Awoid hot spices, Wine, and other strong Liqours, and let the common drink be Barleywater with Syrup of Limmons.

Pigeons cut asunder, and applied to the Soles of the Feet, do many times avail, by drawing down hot Vapours and Fumes from

the Head.

By this you may know how to cure not onely Phrensies, but all ravings and watchings, which are ingendred by Fevers; for it will not be very hard from what is aforesaid, to frame or join such helps as may conduce to the same.

In mania or madness; when Phlegm is over viscous, and the Juice of the Pancreas too tart and harsh, exceeding, and over-ruling the other humours in the Body; whereby sharp halituous Vapours are continually rais'd, disturbing the sick both in Body and Mind: Speedy care must be taken to correct and educe the vitiated humours, to amend and discuss the hurtfull flatuous Vapours, and also to compose the immoderate passions of the mind.

Volatile Salts and Aromatick Oils do not onely correct viscous and acid Phlegm, but

four

four and tark Vapours also; for they have power to cut and dissolve that which is viscous, to temper and correct that which is four and tart, and to discuss and dissipate what is vaporous and windy.

The following Julep, whose power is fingular and stupendious, may be deservedly

preferr'd before many others.

Take the Waters of Parsley, Fennel, Mint, Julep. Penny-royal, Scurvigrass, of each two ounces; the Waters of Treacle and Cinamon, of each half an ounce; Syrups of Fennel, Poppies, and the five opening Roots, of each one ounce; Laudanum opiat. twenty grains; Spirits of Salt Armoniack and Niter, of each twenty drops; Oils of Annise-seed and Cloves, of each ten drops; mix them.

By the frequent use of this Julep, or such like; the hurtfull humours and vapours will not onely be corrected, and amended; but a new Production of them will be hindred, and both Body and Mind reduc'd to a more

quiet frame.

These Pills will be also usefull to correct more, and mildly educe, or expell the vitious humours.

Take of Galbanum prepar'd with Vinegar Purging of Squills; Powders of Mastick, Troches Alhandal, Rozin of Scammony, and Jallop, of each one drachm; Powders of Castor, Mirrh and Saffron, of each twenty grains;

Oils of Cloves, Harts-horn, Balsom of Sulphur with Oil of Anise-seed, Spirit of Salt Armoniack, of each ten drops; beat them all into a Mass for Pills, of which you may give half a drachm at a time, in the Morning sasting.

It will be convenient to take these Pills twice a week, for the better vanquishing

the rebellious and redoubl'd humours.

Also let Antimonial vomits (rightly prepar'd) be sometimes administred, they being endued with an universal sorce of cleansing Man's body from all harm and impurity.

By these forms any judicious Practitioner, may easily invent other prescriptions in some things to be varied, as the disease

requires.

Thus having premis'd a rational, and dogmatical cure of these grievous diseases, confirm'd by experience; I think it my duty (once for all) to admonish the honest Physician, and others who attend the sick; to be often seeking the Lord for a Blessing on the means.

And if all refuge fails, to take the Advice of the Apostle fames in the 5th. Chapter

and 14, and 15. verses.

This was the Custome of the Primitive Christians without doubt, and I wish it were more in use amongst us at this day; for God is is as able to heal the fick now, as he was then, for he is the same yesterday, and to

day and for ever.

I thank God, I have had some experience of his great goodness and mercy, extended towards some of his poor Creatures, by means of this ordinance, when all other help of medicine, &c. have prov'd unsuccessfull, for which uni Deo & trino Gloria.

## CHAP. VII.

Of CATARRHS.

HE Catarrh is called in Greek κατάρροΦ α κτι Ερέω, fluo.

It is called in Latin distillatio, because it is a defluxion of excrementitious and sharp Rheumatick humours from the Head, into most parts of the Body; invading not onely all the conglobated, and conglomerated Glandules; by which the Circulation of Lympha and Spittle are deprav'd: But also the Nerves, which causeth intense or vehement pains, and inflammations in the parts ill affected, which is most commonly attended with a Symptomatical Fever, especially if the Rheum be thin and sharp, and do flow very violently.

4 And

And feeing this diffemper is not enough explain'd in Authours, either ancient or modern; I therefore (God prospering my indeavours) will bestow some pains in searching out, and proposing the true causes and effects of it; which I hope will induce other liberal and ingenious spirited Artists to a farther inquiry after the occult causes, not onely of these, but other obscure diseases daily occurring in practice; that so by little and little, many things in the Art of Physick, as yet most obscure and confus'd, may be illustrated, and most commodiously explain'd.

Experience confirms, that there are many kinds of Catarrhs; some are more thick, others more thin; some acid and salt, others more sweet; some Rheums are hot and sharp, slowing more violently, other cold and pituitous, slowing but slowly; hence it is, that some Catarrhs are attended with

Fevers, and some without.

The causes of Catarrhs are either external,

or internal,

Cause.

The external cause is from external sudden Cold, shutting the pores of the skin, hindring the discharge of sweaty Vapours by insensible Transpiration; for if the usual ports of the skin do deny passage to the sweat, it will in a little time condense, and thence become sour, by which the extreme parts

parts are chilled, which doth manifest it self by a shivering; as any one may experimen-

tally observe after taking Cold.

These humours having not vent through the porous skin (which is absolutely necessary) by the habit of the Body; they are conveyed to the Head (together with the Lympha) through the Lymphatick Vessels.

The internal cause arises from pituitous humours, gradually collected (besides Nature) in the conglobated Glandules, observeable about the Plexus Choroides in the fide Ventricles of the Brain, and elsewhere; perhaps in the Tonfils, and all the rest of the small Glandules about the trachæa Arteria; hence the Lympha becomes fourish salt, as is tasted in a Coryza.

Whence also we may probably conclude, what way foever the conglobated Glandules are hurt, that the Lympha declines from its natural State and Quality: And as its depravation is milder or sharper, more grievous, or lighter pains are thence bred; of which we have many times an ocular demonstration in the flowing down of the Rheum through the Nostrils, which is oft fo sharp, that it doth corrode the skin, and superficies of the face where it comes.

If it be in quantity moderate, it is conveighed to the infinite little falivary Ducts or Chanels, in the conglomerated Glandules, dules, which open into the palate of the mouth, and there pour out the falival Liquour which they contain; which is either swallowed down into the Stomach, or else it is evacuated by spitting; and if Nature be overburthened by its plentifulness, it is

also sent forth by the Nostrils.

But if the Lympha becomes more sharp, acid and salt in the Glandules before mention'd, it produceth sirst a stoppage, and burthensome Pain of the Head, which overcomes the retentive, and provokes the expulsive faculties; so that Nature being driven to most violent motions, doth extravasate, and intravasate the Rheumatick humours, hic & ubique, a Capite ad Calcem, through the most abstruct and inconspicuous passages of nature; so that it is the opinion of many learned Physicians, that a Catarrh is the original of many diseases incident to humane Bodies.

Progn.

dangerous, especially if there appear plenty of humours, because they abound with moisture, and are full of excrements: Wherefore if a studden defluxion happens to any of a tender age, desperate accidents may follow.

2. If the Rheum flow through the Nostrils, it is but gentle; if to the Throat'tis worse, but if to the Lungs, worst of all; and if its becomes inveterate, it is very hardly cured.

In

In the Cure of Catarrhs, the Head is cure. chiefly to be taken care of, because the Rheum doth continually flow from it; therefore the Head ought to be corroborated, and the superfluous moisture thereof to be dried up: And likewise the part or parts (to which the Rheum flows) must be strengthned; the vitious quality of Lympha, and the other humours is to be corrected, and their plenty diminisht.

As Catarrhs consist of a different matter, and afflict divers parts, so they require diversity of medicines to cure them; for if the matter be thick and viscous, it must be attenuated and cut with Aromaticks, and afterward evacuated with Phlegmagogues: So likewise serous and salt Catarrhs are to be temper'd with Oily things and Opiats, and the plenty of humours to be diminisht with Hydragogues; by which means the cure will be the sooner performed.

For viscous Catarrhs, accompanied with a Cough, I commend these following medi-

cines.

Take the Waters of Hyssop, Mint, of each Julep. three ounces; Cinamon-water, Syrups of Fennel and red Poppies, of each one ounce and half; Laudanum opiatum six grains; Spirit of Salt Armoniack twenty drops; mix it, of which you may give three or sour spoonfulls, every three hours.

By the frequent use of this Aromatick Julep, the viscous Phlegm will not onely be attenuated, but the over sharp Vapours will be discust, and the other humours temper'd.

After the Phlegmatick humours, &c. are thus prepared; it will be convenient to evacuate them downwards, by gentle purgation, with powerfull and effectual Phlegmagogues; and fuch are all mercurials, Colocynthis, Hermodactils, &c. to be taken chiefly in the form of Pills.

Purging Pills.

Take Extract. Rudii, pil. ex duobus, of each one drachm; Mercury dulcis half a drachm; Oil of Cloves four drops; mix them for three Doses.

If the fick be averfe to Pills, give this Potion.

Purging Potion.

Take of Rhubarb, Agarick, Hermodactils, Polypodium, of each two drachms; Cinamon, Cloves, of each one drachm; Sage, Rosemary, of each one handfull; sweet Fennelfeed, Juniper-berries, of each three drachms; bruise them and insuse them in Hyssop-water very hot, for the space of a Night, then strain it, and dissolve in it Syrup of Roses solutive, Electuary Diaphænicon, of each one ounce; mix it for a Potion.

Every night give the Patient a Pill of Styrax, or Hounds-tongue, to stay the Rheum, and to give ease and rest.

If the Catarrh be serous and hot, accompanied panied with a Fever, and the fick have a costive Body, this Clyster will be effectual.

Take the common decoction for Clysters Clyster. twelve ounces; Diacatholicon, Electuary of the Juice of Roses, of each six drachms; Oil of Chamomel two ounces; common Salt one drachm; mix it for a Clyster.

After the operation of it, you may open a Vein in either Arm, and take away eight

or nine ounces of Bloud.

Then give this purging decoction.

Take Borage, Lettice, Purslain, Endive, Purging Violets, of each one handfull; the four greater coldeeds, of each one drachm; Damask-prunes ten, Anise-seed, sweet Fennelseed, of each two drachms; let them be bruised, and boiled in eight ounces of the pectoral decoction till half be consum'd; then strain it, and dissolve in it Syrup of Roses solutive, Electuary of the Juice of Roses, of each half an ounce; Spirit of Niter six drops; mix it for a Potion.

You may give this Potion twice in a week; which will both temper and gently evacuate the ferous and acid humours; and flatuous Vapours will also thereby be discust,

and gently educ'd.

To cause rest, and thicken the Rheum, let one of these Pills be given every Night to bed-ward.

Take of Laudanum three grains; Powder Pills opi-

Tuffis.

of Olibanum, Extract of Saffron, of each four grains, with a little pectoral Syrup, make it into four Pills.

Or you may give a Pill of Styrax every

Night going to bed.

When the Rheum flows down from the Head, into the Tracheea arteria, it stirs up a Coughing more or less, according to the sharpness and plenty of the humours, which are many ways vitiated; wherefore a Coughi may be diverfly cur'd, according to the diversity of its cause of the seriod of

If the humours be over four, they may be corrected with Pearl, Coral, Crabseyes, &c. own beel-elect, week and come

If the Rheum be too ferous and falt; the aforesaid pil. Estyrace & Cynaglos. &c. is excellent to temper it.

Becchical Troches, both white and black are not onely effectual, but gratefull to the

fick in this coughing distemper.

If the humours be thick and viscous, they require fourish sweet things, and Aromaticks to attenuate and cut them.

The fore-mention'd Julep may be pre-

fcrib'd in this Cafe.

When the falt, sharp and serous humours abounding, are corrected and temper'd; they may be diminisht by Hydragogues.

The Hydragogue Electuary prescrib'd in page 18 is an effectual and gratefull medi-

cine,

cine, which may be often us'd to the profit of the fick.

Children may take from one drachm to two, and Adults to half an ounce; of this excellent medicine once or twice a week.

As in other distempers always, so let me here admonish you in general, to be very diligent to attend to the medicines that most conduce to every particular Body, whereby they may be prefer'd before the rest; and as long as they profit, continue in the use thereof, that so the health of the fick may be every way promoted.

When much bloud is voided by cough- Spatum ing, there is great danger; wherefore we Sanguinit. must hasten the more to its cure; lest the opportunity here (if any where urgent) be lost by delay; for the singular substance of the Lungs is easily infected and corrupted, but difficultly restor'd and repair'd; wherefore bloud carried down from the Head into the Lungs, and raising a Cough, is to be stopt in its efflux.

To this end let a Vein be opened, especially if a Plethora concur, or there be a notable heat of Bloud, or a suppression of its

wonted emptying.

After bleeding, let the over great heat be allay'd with four and tart medicines; for example take the following Decoction.

Take

Decoction.

Take of Plantane, Housleek, Wood-sorrel, of each two handfulls; boil them in Barley-water one quart till half of it be boiled away, then strain it, and add Syrup of Jujubes three ounces; Salt prunella one drachm; Spirit of Niter twenty drops; mix it, and give four spoonfulls every three hours.

The flux of bloud may be stopt by conglutinating medicines, which have power to close the Vessels, either broken by violent coughing, or corroded by the sharpness

of the descending Rheum.

Astringent Julep. Take the Waters of Comfry, Plantane, of each two ounces; Cinamon-water, distil'd Vinegar, of each one ounce; Syrup of Mirtles, Comfry, of each six drachms; Powder of Dragons-bloud, red Coral prepar'd, of each one drachm; Laudanum opiat. six grains; Oil of Sulphur per Campanam twenty drops; mix it, and give three or four spoonfulls every two hours.

This choice medicine often taken, will cure the most ruptions of vessels, and will soon stop the flux of bloud, beyond expectation; but I advise, that a sparing use of it should be continued for some time, after the disease is cur'd to sense, whereby the affected parts may be strengthned against

the access of a new evil.

The bloud distilling into the sharp Artery of the Lungs, will soon corrupt and turn in-

to purulent matter, if not prevented by convenient medicines, which hath power to dissolve the coagulated bloud, that it may be the easier expectorated.

The following form may be prefer'd.

Take the Waters of Hyssop, Fennel, of Pettoral each two ounces; Cinamon-water, distill'd Julep. Vineger, of each half an ounce; Syrup of Hore-hound one ounce; Powder of Crabseyes, Antimony Diaphoretick, of each half a drachm; mix it, and give two or three spoonfulls every two hours.

If the Lungs be ulcerated, the Cure thereof will be promoted, if you add two or three drops of Balsam of Sulphur, with Oil of Annife-feed, to every spoonfull that you give of the aforefaid medicine, or in any pectoral Decoction; it must be given oft in a day;

the better to finish the Cure.

In all Catarrhs if the Rheum have been long, you may use a Decoction of China, which will wonderfully temper the hunours; or you may add lign. Janctum, sassaphras, sarsaparilla, &c. which will dry up the Rheum by degrees.

The sharp humours being temper'd, and he matter of Rheum partly evacuated by Phlegmagogues, and Hydragogues, &c. outvard means that dry up Rheum are like-

wife

wife to beused; as Caps for the Head, Perfumes, Errhines, Sternutatories, Masticato-

ries, Apophlegmatisms, &c.

Ventofes with Scarification, may be also applied to the Neck and Shoulders; and Fontinels may be made in the Neck and Arm, for they have been often profitable in Catarrhs.

Also Vesiccatories applied to the Coronall suture, and inter scapulas will avail much.

Let the Temples and parts adjacent be anointed with Oil of Amber, Oil of Nutmegs, &c. and let the Fume of Amber or Maftick be often drawn up into the Nostrils.

Also a Sternutatory (such as is prescrib'd) in page 21. in the Cure of the Palsie) is very effectual to cause sneezing, twice or

thrice in a day.

A Cap may be also quilted for the Head (of the following things) with Cotton-

wool and red Sarcenet.

For a quilted Cap.

Take of fweet Marjoram, Betony, Baum, Bazil, Red-rose buds, of each half a handfull; the Berries of Mirtle and Juniper, the Seeds of Peony and white Poppy, of each one drachm; Calamus aromaticus, Nutmegs, Cloves, Frankincense, Mastick, Styrax calamitis, Laudanum, of each two drachms; let them be all beaten into a gross Powder, for a quilted Cap.

Also this following Powder may be prepar'd, to sumigate the Head and Cloaths;

morning and evening.

Take of Olibanum, Styrax calamitis, Am-Powder to ber, of each two drachms; red Roses, Corifume the ander-seeds prepar'd, Mastick, Gum of Ivy, Cloves, Mirtle-berries, white Poppy-seeds, of each one drachm; let them be all beaten into a gross Powder.

Also this Masticatory may be often used.

Take of Mustard-seed, Roots of Pellitory Masticaof Spain, Master-wort, Capers, Mastick, tory.

Amber, of each one drachm; let them be all
beaten into a gross Powder, and tye up some
of it in a Linen-rag, and chew it in the
mouth every day before Dinner and Supper.

Or you may chew either Mastick, Amber, or the Root of Pellitory of Spain by it self, which will draw the serous humours away

by spitting.

Errhines may also be used; they are either moist or dry, the dry are made with Pepper, Betony, Rosemary, Stavesacre, &c.

The liquid are made with the Juices of Rosemary, Ivy, Beets, Mercury, sweet Mar-

oram, &c.

And it may here be noted, that when Rheum doth flow down to the Throat, Lungs, &c. then Errhines may be used; but when the humours flow to the Eyes, Nose, &c. hen use Masticatories, for a Revulsion; Re-

F 2 vulho

vulsio enim est humoris fluentis attractio in

partem contrariam.

Note.

The Spirit of Salt Armoniack, held to the Nose in a narrow mouth'd Glass, doth wonderfully conduce above all others, not onely to dissolve the viscous phlegmatick humours, obstructing the Glandules: But also temperates the acid Saltness of Catarrhs.

Plaisters may be also applied to the Head being first shaved, to dry up the Rheum, and

strengthen the Brain.

This may ferve for Example.

Plaster for the Head. Take of the Plaisters ad Herniam, and Cephalick, Taccamahac, of each half an ounce; mix it, and spread it on leather, and apply it to the Head.

Let the Rheumatick live in a warm and dry Air, and use a drying Diet with moderation in eating, drinking, sleeping, and all other things

other things.

Jejunet, vigilet, sitiat: qui Rheumata curat.

## CHAP. I.

Of Shortness of Breathing.

CHortness or Difficulty of Breathing, is cal-D led in Greek ἀσθμα, ex ἀω spiro, vel ἄζω, i.e. Afthma.

afflo calidum ori.

It is a disease in which the Bronchia of the Lungs are so stuffed with viscous Phlegm, that the fick can hardly breathe, but with wheafing, blowing or puffing, and do make a great noise with snorting; in which the Diaphragma, and intercostal Muscles are violently moved.

If the Lungs onely are stuffed, it is without fnorting, and is then called in Greek

Sus mvoia, à sus agre, & nvéw spiro.

In this the conduits of the Lights are much stopped, causing hardness, or straitness of

breath, and pursiness.

But if the Patient fetcheth breath with much difficulty, with the Neck stretched upright; it may then be called og Donvoia, ab og Dos, rectus, & mvia, spiro, i.e. erecta cervice spirare.

The cause of this disease, is the Juice of Cause. the Pancreas growing more four by its obstruction, joined to viscous Phlegm in the small gut, by which it becomes more flatulent; and being stir'd up in its effervescency MA

with Choler, it riseth to the Thoracick passage, by the Lacteal Veins, and so to the Heart and Lungs, and filling the airy conduits thereof, and sticking there, it causeth a breathereof, and sticking there,

thing with fnorting.

The same humour is also carried to the Stomach, which causeth many sour Belchings in this distemper; and if these statuous humours become more sharp than viscous; so often as they come to the Lungs, they pierce into the sharp Artery, and do so provoke and molest it, that thereby the Lungs are compelled to cough, by which the Expiration of Air is depraved.

Progn.

If there be much moisture contain'd in the sharp Artery, it will be the easier expelled by the help of coughing, but if the Trachea Arteria be affected with driness, then nothing is spit out, though with great and much labour, but the universal Body is wearied in vain with indeavouring to cough; whence there is sometimes raised a vehement Pain both of the Head and Hypochondries, and other parts; yea sometimes a Rupture is bred by it, and the Urine aud Excrements are thereby often involuntarily extruded.

2. If this disease be not speedily removed, it will prove chronical and hard to be cur'd, unless the Patient be young and of a strong constitution, for otherwise it will end in a

Cachexie or Dropfie.

An Asthma, or wheasing Anxiety may cure. happily be cured (in the beginning) by an Antimonial vomit, especially in those who do vomit easily, because the Phlegmatick humours (which are contained in the sharp Artery, &c.) are thereby immediately brought up; but if vomiting hurts the sick, the humours may be evacuated downwards by gentle purgation, with powerfull and effectual Phlegmagogues, and Hydragogues, such as is prescrib'd in the Chapter of Catarrhs. page 56.57.

If the Patient hath a costive Body, let carminative Clysters be often administred; and if the Body he plethorick, let a vein be opened, either in the Foot, or apply Leeches to the Hæmorrhoid veins, which will much

conduce to free the respiration.

Such medicines as have an expectorating quality, and have power to temper and difcuss the over sharp vapours, may be often us'd in a little quantity.

The following Julep may be commended

in this case.

Take of the pectoral Decoction half a pint, Pectoral Cinamon-water, Syrups of Hore-hound, Julep.

Fennel, of each one ounce and half; Spirits of Salt Armoniack, Niter, of each twenty drops; Laudanum opiatum ten grains; Oil of Sulphur per Campanam ten drops, mix it.

Quercetanus his Syrup of Tobacco, is com-

mended in this distemper.

Also Tobacco taken in a Pipe, or chewed in the mouth, draweth abundance of viscous Phlegm out of the Stomach and Lungs.

Many more medicines might be inserted, but I refer you to the Chapter of Catarrhs, where you may be throughly furnished.

# CHAP. II.

Of the Pleurisie, and other Instammations.

Pleuritis.

HE Pleurisie is called in Greek πλευςίτις,
ex πλεύςα latus, quod tunicæ costos suç-

cingentis lateris dolor.

It is also called in Latin Pleuritis, & Inflammatio; it being an Inflammation of the Pleura, and also of the intercostal Muscles, and other adjacent parts, as the mediastinum, pericardium, diaphragma, &c.

Signs.

It is attended with many Symptomes, as difficulty of breathing, shooting and pricking pain of the sides, which is the more exasperated by coughing, and is common in this distemper; the Patient hath also a continual acute Fever, which is most commonly symptomatical.

The

The Inflammation of the Lungs is called Peripneus in Greek περιπνευμονία, ex περὶ circum & πνέυμων monia. pulmo, quod a πνέω spiro.

It is also called in Latin Peripneumonia, &

Peripneumonicus morbus.

It is not different in the causes or figns

from a Pleurifie.

The cause of the Pleurisie, and Peripneu- cause. mony, and all other inflammations, is an obstruction of the Capillary vessels, (in the inflamed part ) by glutenous Phlegm, carried together with the bloud through them, and if a Plethora concur, the bloud and humours will foon be stagnated, and become acrid and fervid, which preternaturally diftends the vessels, by which circulation of the Bloud is hindred, so that at length the vessels break, and the Bloud is poured into the part affected; which there corrupts and increaseth the pain and inflammation, and consequently produceth a tumour, where the putrid bloud and humours, (being by degrees corrupted, ) are converted into purulent matter; for the bloud being stagnated, or standing still in any part, the spirituous, and more volatile and subtle parts, that are wont to temper both the acid and falt parts, do afterward begin to vanish, whence both being made sharper, do more fiercely rife up one against another, and stir up an hot Efferveicency, because of the Oily parts of the bloud present; yea by degrees do so corrupt the bloud, as it turns it into matter, which is different according to the variousness of the bloud corrupted.

Progn.

mour comes to suppuration, the more easie

will be the Cure.

2. If a Pleurisie follow an Inflammation of the Lungs, there may be hopes of recovery; but if a Peripneumony follow a Pleurisie, or Quinzy, 'tis dangerous, and (for the most part) mortal.

3. If much matter be expectorated by coughing, and there still remain difficulty of breathing, 'tis an ill sign; so likewise is

it, if in coughing nothing be spit up.

4. If the Pleurisie, or Peripneumony remain above twelve days, an Empiema will inevitably ensue; for the bloud standing still, is by little and little collected in its vessels, and being peccant in a great excess, it distends them more and more, till at length they burst; whence there happens an essuion of bloud into the Cavity of the Breast, and being there collected, and corrupted into matter, it constitutes a suppuration called

Empiema. Empiema.

Cure.

To cure a Pleurisie, and any Inflammation, and Aposteme following, it is required, that

I. The obstruction of the vessels be opened,

that

that the Circulation of the Bloud stopt, and standing still may be restor'd.

2. That the Bloud effus'd out of its veffels (if possible) may be discuss'd, before it

turns to matter.

3. That if the Suppuration cannot be hindred, it must be promoted with all expedition, that the purulent matter collected, might be evacuated.

4. That the cleanfing and confolidation

of the Ulcer be speedily performed.

An obstruction of the vessels by viscous Cure. Phlegm, or bloud coagulated in them, may be cur'd by volatile Salts, prepar'd not onely of several parts of Animals, but also of Scorbutick plants, viz. Dandelion, Hedge-mustard, Scurvigrass, Garden and Water-cresses, &c.

To these may be referred Crabs-eyes, the Jaws of a Pike, the Bone of a Harts-heart, Mummy, Sperma cæti, Antimony Diaphoretick, Opium prepard, &c. as also all fixt

metallick and mineral Sulphurs.

These volatile medicines have an egregious Power of dissolving all things coagulated, and conglutinated in Man's body, and of reducing the same to their wonted sluidity, and do mildly promote sweat; hence it is that often by one such Diaphoretick given in season, both a Pleurisie, and Piripneumony, and also Instammations of other

parts have been most happily and fafely cu-

red without Phlebotomy.

But where a Plethora concurs; after a flool hath been procur'd by a carminative Clyster, let a vein be opened, for thereby the bloud standing still will be restor'd to its wonted Circulation; for some of the bloud being let out, there will be a larger space made in the veins, for a more brisk and swift motion of the universal Mass of it.

After a sufficient quantity of bloud is taken away, it will be profitable to give a

Sudorifick.

This may ferve for example.

Sudorifick. Take the pectoral Decoction four ounces; the Waters of Hyssop, Fennel, Parsley, Juice of Horse-dung clarified, distilled Vineger, of each three ounces; Treacle-water, Cinamonwater, Syrups of the five opening Roots, and of red and white Poppies, of each one ounce; Powder of Crabs-eyes, two drachms; Mummy, Sperma cæti, of each half a drachm; Laudanum opiatum ten grains; volatile Salt of Harts-horn half a drachm; Spirit of Salt Armoniack twenty drops; mix it.

Let the fick take often a spoonfull of this Julep, which is rich in volatile Salt, and powerfully corrects the acidity of the bloud; by the help whereof the clottering of it will not onely be hindred, but its over thick parts incided, and by degrees attenuated;

and

and its over thin parts will be discust, and evacuated together with Sweat or insensible Transpiration: Its over sharp parts will be also temper'd, and the Pain asswaged, and at length wholly taken away; as also the obstruction it self will be loosened and dissolved; for when the volatile Salt of the Sudoristick comes to the place of obstruction, it attempts the matter obstructing be it what it will, and cuts, attenuates, loosens, and makes it sluid; whence it is farther driven forward together with it more easily.

The bloud is also thereby more and more rarified, and becomes more fluid, and moveable; wherefore there needs no farther care for elaborated medicaments, and Me-

thods.

Frustra sit per plura, quod sieri potest per pauciora.

As for Topical medicaments, or external

applications, the following are excellent.

Take the roots of Briony, Smallage, Fen-Fomentanel, of each four ounces; the tops of Elder, Dwarf-elder, Hedge-mustard, Agrimony, Wormwood, Mint, Vervain, Flowers of Melilot, Chamomel, of each two handfuls; Cummin-seed, the Berries of Bays and Juniper, of each two ounces. Let them be all cleansed, bruised and boiled in two gallons of Rainwater till half of it be beiled away, then strain it for a Fomentation.

Let the Inflammation or Tumor be well bathed with it, as hot as may be suffered, either with woollen cloaths, or soft spunges, sit to cover the part affected; after which let it be anointed with the following ointment.

Ointment.

Take Ointments of Marsh-mallows, Martiatum, of each one ounce; Oils of Dill, Bays, Lillies, Poppies, Henbane, of each half an ounce; Oils of Amber, Turpentine, Bricks, of each one drachm; Camphire two drachms; mix it. Then let this plaister be spread on leather, or linen cloath, and applied.

Plaster.

Take Yellow Wax four ounces, Sperma cæti, two ounces; Galbanum prepar'd with Vinegar, one ounce. Make it into a

plaster according to art.

This egregious Plaster doth not onely preferve the bloud from coagulation in any part where it is applied; but Milk also from curdling in the Paps. But if it be not to be had, the following dissolving, and mollifying Cataplasm may be substituted.

Pultis:

Take of Onions rosted under the ashes two ounces; Dwarf-elder, Hedge-mustard, Vervain, Elder, Chervil, Water-cresses, of each one handfull; Powders of Album Græcum, Lupines, a Swallows nest, Barley-meal, of each one ounce; Butter-milk as much as will make it into a Pultis.

Apply it meanly warm to the inflam'd part, for thereby the internal obstruction will be

the

the better opened; but it must be renewed

as often as it begins to dry.

When the bloud is effus'd into such places, out of which it cannot be well remov'd, or discust; suppuration or the generation of matter, must be promoted, and hastned; which may be done by emollient and ripening Medicines, as the roots and leaves of Mallows, Marsh-mallows, white Lillies, Onions, Squills, the powder of Fenugreek, and Flax-seed, the meal of Barley and Beans, the Marrow of all bones, and all kind of sats, and almost any Oil that is exprest of seeds, or kernels; as also divers forts of Gums, as Galbanum, Liquid Styrax, Bdellium, Amoniacum, and also Wax and Turpentine, &c.

Of these you may prepare Cataplasms, Oils, Unguents, Emplasters, &c. Which Judicious Physicians and Chyrurgions may

doe as they fee occasion.

But when there is much heat in the part inflam'd, beware of all unctuous things, and let your Fomentations and Cataplasms be made with Butter-milk, which doth egregiously temper heat, and hinder St. Anthonie's fire from being easily join'd with the Inflammation.

The generation of matter being promoted, and the Tumor come to suppuration, let it be opened either with an Instrument or potential Cauterie, in the softest and lowest

part of it; and let the matter be evacuated by little and little, because otherwise the strength of the fick will not be a little prostrated, especially when there is much matter contained in the Aposteme; wherefore let not the Tumor be pressed hard, which is familiar with many Chyrurgions, but of-

ten proves prejudicial to the Patient.

If the Orifice be too small, you may dilate it with a tent made of spunge dipt in Melilot plaster, and afterward pressed; but it is better to lay it open by incision, if it may conveniently be done; after which you must forth-with proceed to cleanse and consolidate the Ulcer; to which end several Medicines are wont to be applied, all which

I neither blame nor carp at. I have often confidered (with admiration)

the laudable effect of Balfam of Sulphur with Oil of Turpentine, &c. In this case incredible to many, if a little of it be mixt with a milder Balsam, and dropt in or applied to the Ulcer; for shortly after, the generation

of new Phlegm is fo diminisht, that oft by the help of this one Balsam, I have in a few days perfectly cur'd notable Apostemes after

Inflammations, bred both in the Breasts and elsewhere.

By this experiment not a little to be esteem'd I judge the cleansing and consolidation of Ulcers following Apostemes, to confift

Ballam Sulphur. fist in the correction of acid and corroding matter, adhering to the Ulcer, and corrupting the bloud, (at least in part that is apt to nourish it) and turning it into new matter; which may be corrected by the mention'd Balsam of Sulphur which is not onely Aromatical, but abounds with a volatile oily Salt; by which the acid Spirit (which corrupts the bloud into matter) is not onely dull'd, but so amended, that the bloud flowing to it soon repairs the parts before consum'd, and finisheth the last consolidation.

What farther may be deduc'd from this experiment, to perfect Physick and Chyrurgery also in other cures, let both ingenious Physicians, and Chyrurgeons, weigh

and judge.

If a Pleurisie, or Peripneumonie, be iminute not carefully cured, an Empiema (which is a collection of purulent matter in the cavity of the Breast) will unavoidably follow.

Wherefore if these Humors cannot be e-vacuated by expectoration, nor by sweating, pissing, or purging; the matter may be drawn out by a \*Paracenthesis made in the \*compun-Breast.

The Apertion may be made four or five in- Caution ches from the Sternon; not so near the upper as the lower rib, because under each rib there is an Intercostal Vein, Arterie and Nerve.

I do not approve of the old way of performing this operation, viz. After the Orifice is made, to put in a Perforated Pipe of Gold, Silver, or Lead, and there to remain till the matter be all discharged.

There is now a fafer and furer way wherein is not onely avoided many difficulties and dangers, but 'tis also done with less trouble

and pain to the Patient.

The Instrument must be made of Steel, sharp at the point like a Lancet, and hollow like a quill, with holes in several places towards the point, the better to evacuate the matter.

When the quantity (which you intend) is discharged, draw out the Instrument, and put a little pledget of dry lint on the Orifice, and upon it a sticking plaster; the next day (according to the strength of the sick) repeat it, either in the first place, or make a new Apertion. Thus you may doe every day, till the matter be all discharged.

By this Instrument may a Hydrocele be also discharged, and likewise the Dropsie of

the Breast and Abdomen.

They that desire more directions in this Operation, may peruse Hieronymus Fabricius ab aqua pendente, in Libro de Operationibus Chirurgicis.

CHAP. III.

## CHAP. III.

Of the consumption or Phthisick, and an Hectick Fever.

HE Consumption is called in Greek osious, ex osiva, Tabesco, because in this disease the sick doth consume or waste away.

It is called in Latin Tabes, which is a ge- Tabes. neral name for all Consumptions, whether it be Atrophia, Cachexia, or Phthisis; but it may most properly be taken for an Extenuation of the whole body, caused by an Ulcer of the Lungs.

The purulent matter of the Ulcer circulating with the bloud, doth infect, and by degrees corrupt the whole mass of it, which makes it unfit for nourishment; hence it is that all the parts of the body do waste and

confume.

The causes are many, sometimes purulent Causes. matter may be communicated to the Lungs, from the Plurisie or Empiema, inflaming and corrupting them, which causeth an Ulcer.

Sometimes a falt and sharp Rheum flowing down from the Head to the Trachea Arteria, which doth not onely cause a vehement Coughing, but doth corrode the Lungs, being naturally tender; Hence an Ulcer will be caused. G 2 Alfa

Also many times Pustules, or Tubercles, are generated in the Lungs, and coming to suppuration, they break; and the matter slowing to the Bronchia, it may be spit up, if the Patient have strength; but oft times an Ulcer remaineth, which causeth a Confumption.

These causes depend sometimes on Choler, sometimes on the juice of the Pancreas, sometimes on Spittle, sometimes on Chyle, sometimes on Lympha any way Vitiated, by which the mass of bloud (in time) becomes

also corrupted.

When the Lungs decline from their Natural confistency, they Will foon become hard and tumorous, and so by degrees they will be corrupted, and ulcerated; and the matter of the Ulcer corrupting, and makeing the mass of bloud glutinous, in circulating with it, doth so weaken and corrupt all the parts of the body, that they become unfit to perfect natural nourishment; and therefore of necessity the universal body must consume and pine away; sometimes it is caused by an obstruction of the lacteal veins, which hindreth the natural passage of the Chylus.

Authours mention many more causes of Consumptions; as Gonorrhæa, Nocturnal Pol-

lutions, want of Nourishment, &c.

The figns of a Consumption begun, are a great defluxion of Rheum into the sharp Artery.

Signs.

Lungs are exasperated, and there follows a Hectick Fever, sometimes putrid, from the purulent matter flowing into the Veins.

To know whether the Lungs be ulcerated, let the Patient spit into water; if it sinks it is matter, which is an infallible sign of an Ulcer; for Phlegm always swims in water.

When the Ulcer is confirm'd, there is difficult breathing, and wasting of the whole body; the spittle is thick, and of various colours.

If the Ulcer of the Lungs, and Consump-Progn. tion hath not been long, and the strength of the sick remains, there may be hopes of recovery; & econtra.

The Hectick Fever is called in Greek Febris sulinds mugeros, i. e. ab habitu; quod in habitu Hectica.

corporis, vel in partibus solidis consistat.

It is an unnatural heat which hath feized upon the folid parts, and wasteth the moi-sture of them.

The heat in an Hectick Fever is but little, and therefore rarely troublesome to the sick, except one or two hours after meat; at which time the heat is a little sharpned and increased, which may be known by an over frequent though weak Pulse; but it soon returns again to its former equality.

But here it will not be amiss to shew you that there is a threefold moisture in the body,

Signs.

viz. bloud in the Veins and Arteries, a dewy substance in every part, and also a glutinous moisture; which doth not onely nourish, but moistneth it, and keepeth the substance of

each part together.

In the beginning when the moisture begins to fail, the Hectick Fever is not easily discerned because there is still sufficient moisture to entertain the natural heat; but if (by the long continuance of the Hectick Fever) the radical moisture of the solid parts begins to consume, it may then be easily known, for there follows a continual and lingring leanness of the whole body; which being reduc'd to its extremity, may be call'd in Greek pagas pubsis, myselds, and in English an extenuating Fever.

The Latin Authours call it Marcor, which fignifies Corruption or Rottenness. It is an immoderate dryness, and Consumption of the whole body, by reason of the desect of

the substantial humidity.

Liber 12. There are two degrees of it according to de marc. Galen, the one is, when this extenuation of the body is in fieri, in consuming; the other is when it is in facto ese, or consummate; in which the body is reduc'd to such leanness, that it seemeth to be nothing else but a walking Sceleton.

The causes of an Hectick Fever, are Ex-

ternal or Internal.

Caufes.

The

The External causes are all that may occasion any of the other Fevers, for oft times
Hectick Fevers are observed to follow other
diseases, and especially Fevers of one day,
proceeding from a great errour in Diet, and
also from continual, and intermitting Fevers,
when they are very vehement; but most
frequently from Inslammations of the Bowels,
especially of the Lungs, for when an Ulcer
follows, then the whole mass of bloud is infected by matter, and gets a singular glutinousness; which being communicated to the
other humours, spoils them with the same
fault, and renders them unsit to perform the
natural Functions rightly.

Sometimes Hectick Fevers are observed to arise immediately from excess of the nonnatural things, as most vehement anger, too much watchings, immoderate forrow, con-

tinued labour, want of food, &c.

The Internal cause is, the over viscousness of the bloud and humours, because of which not onely the appetite of all food is diminished, and at length dejected, but the nourishment of all the parts of the body is dayly decreas'd; for when there is loathing of food, then fermentation, separation of useful from unuseful parts, sanguistication, generation of the Animal Spirits, Sc. is hindred and designificance whence the toughness, and sluggishness of Choler, Spittle, the juice of the Pares

Pancreas, and Lympha, is dayly augmented, and the evil becomes by degrees greater, and

at length incurable.

Progn.

If you perceive that there is so much of the radical moisture remaining, as is able to cherish the natural heat, which you may discern, if the colour of the body be fresh, if the figure be decent, if the proportion of the parts be according to nature, and the fick can (in some good measure) perform all actions, you may conceive some hopes of recovery.

But if the Body be extenuated, almost like a Sceleton, viz. when the body seemeth to be nothing else but Skin and Bone, (as the vulgar proverb is ) acquaint the fick with the danger, least Death seize upon them un-

prepared.

Nevertheless, if the sick implore your aid of Christian Charity, withdraw not what comfort you are able to procure unto them.

The Cure of a Consumption, and Hectick Fever, will differ not a little, according to the diversity of causes producing them.

When an Hectick Fever comes with, or fucceeds Fevers with or without fits, then upon their account, the cure may be varied according to the divers harm of the humours, differently peccant.

If a Consumption, or Hectick Fever, be caused by purulent matter from an Ulcer of

Cure.

the Lungs, &c. then you must endeavour to free the bloud and humours from matter, which may be done by any Antimonial medicines rightly prepared, perhaps before all others; whether they be Diaphoreticks, Purgers, or Vomiters, as experience doth manifest; for it hath been observ'd, (even in a Phthifick, and an inveterate great Ulcer of the Lungs) to bring away a good quantity of matter, by Stool and Urine, so that then for many days, no matter was cast forth by a Cough.

Among common things, all Vulnerary plants are good used in Decoctions. Let this or one like it, be a form of a Decoction in this case.

Take the Roots of Plantain, Comfry, Round-birthwort, Liquorish, of each two ounces; Fennel, Scabious, Plantain, of each two handfulls; Figs, Raisons of the sun stoned, of each four ounces; let them be all cleansed, bruised and boiled in three quarts of Barley-water till a third part be boiled away; then strain it, and add Syrups of Hore-hound, and Hyssop, of each two ounces; Laudanum opiatum ten grains. Mix it. Let the fick drink two ounces of this Decoction oft in a day; and if you add one or two drops of Balfam of Sulphur with Oil of Annife-feed to every draught, it will be the more effectual. The Balfam prepared of the truly SulSulphureous and inflameable Flowers of Antimony, is most excellent in this distemper, if it may be had, which may be taken as the Bal-

fam of Sulphur.

Also those medicines may be used which mildly amend and correct the viscousness, and glutinousness of all the humours; for which I commend all mild Aromaticks, and Oily Volatile Salts, as that cut and alter every viscous humour, and reduce it into its natural state.

Those medicines are to be selected as do most conduce to, and agree with the con-

stitution of every fick person.

Vitriolated Tartar is an excellent medicine, which will agree with all constitutions, and may be taken from ten to twenty grains (every other morning) in a little warm Broth.

Also the following medicine is very ef-

fectual.

Powder.

Take the Powder of Cream of Tartar, and Tartar Vitriolated, of each half a drachm; Volatile Salt of Harts-horn, Salt of Amber, of each ten grains. Mix it for two doses, which may be taken in Chicken Broth, in the morning.

These choice medicines will conduce much to cleanse the bloud and humours from all purulent matter, if there be any hopes of the

Patient's recovery.

All Effusions of Bloud, Seed and Milk,

are to be shun'd, except the wonted emptyings, which are natural and serve the individual.

Let the motions of the Mind be moderate, and the exercise of the Body be gentle, and let sleep and watchings keep a mediocrity.

Appoint a moistning and nourishing Diet, which is of easie fermentation, as Broth, and Jellies of young Creatures, and Milk of Goats, Sheep and Cows, and chiefly of wholsome Women.

A Panado made with the Broth of a Chicken, the Crums of White-bread, and the Yelk of a new laid Egg, may sometimes be given the sick for a change.

Let cooling Herbs be boiled in the Broth, and Jellies; adding other ingredients that are cooling, moistning and cordial, both to strengthen Nature, and revive the Spirits.

Let the fick drink Barley-water, made pleasant with some Pectoral Syrup; and if they have been accustomed to drink Wine, let it be well diluted with water.

As for Fruit, Apples are much commended, especially Pippins, and Permains, which will much resresh the sick. If the Patient be costive, you may sometimes administer a Clyster of Milk and the yelk of an Egg.

The worst symptome that can attend these diseases, is a Loosness; if it so happen, give Goats or Cows milk, wherein steel hath been

quench-

quenched, and Rice boiled in it, adding a little Powder of Cinamon, and let the fick eat commonly of it.

# CHAP. IV.

Of the Palpitation of the Heart.

THIS Disease is called in Greek regolas παλμώς, and in Latin, palpitatio Cordis, από τε πάλλειν, quod leviter ac frequenter commovet; because there is an over frequent Pulsation or leaping of Bloud in the Heart, &c.

It is a Convulsive motion of the Heart, with a vehement Systole, and Diastole of it; which sometimes hath been so inordinate, that the Pulsation hath not been onely seen, but heard at a notable distance; yea sometimes it hath been so great, that the adjacent Ribs in young and tender people (who have been afflicted with this distemper) hath been dislocated, and the Aorta or great Artery, hath been much dilated. See Fernelius lib. 5. cap. 12. pag. 292.

This deprav'd motion, or Palpitation of the Heart, is for the most part caused from sharp, viscous and flatuous humours, frequently arising out of the small Guts, and

trans-

Cause.

transmitted to the ventricles of the Heart, and adhereth to them, by which the Heart is provoked to a vehement and unequal contraction of it felf, without intermission.

These humours are mov'd and driven forward, either by their vitious effervescency; or else they are stirr'd up by violent motion or exercise of the Body, especially in the quick ascending of a steep hill; and sometimes they are constrain'd, or urg'd by grieyous Passions of the mind.

Sometimes there have been observ'd fleshy Tumours, and Cartilaginous excrescencies in the Substance of the Heart, when disfected; and those poor Creatures when living were never free from a vehement Pal-

pitation.

Also Worms have been found in the Pericardium, of some that have been dissected after death; which without doubt caufed a deprav'd motion, or pulsation of the

Heart when living.

That which is caused by fleshy Tumours, Progn. Cartilaginous excrescencies, Worms, or any other extraneous thing in the Pericardium, or fubstance of the Heart, is incurable.

But the Palpitation of the Heart which is caused by acrimonious, flatuous and viscous humours may be cured.

Those medicines must be administred, cure.

that

that cut, and discuss, and temper an acid! Acrimony.

The following Julep may ferve for an ex-

ample.

Julep.

Take the Waters of Parsley, Fennel, of each three ounces; Tincture of Cinamon, Syrup of Mint, of each two ounces; Chymical Oil of Mace ten drops; Spirit of Salt: Armoniack twenty drops; Laudanum opiat. ten grains; mix it, let the sick take a spoonfull of it every quarter of an hour, till they get some ease.

If the distemper hath persever'd long; the peccant humours must be emptied out by purging; and to educe them, I preser before all others, Pills to be made of Gums, seeing they loosen the glutinous humours, and distraction to be a formation of them.

pose them to be easier carried out.

For example.

Purging Pills.

Take of Galbanum prepar'd with Vinegar half an ounce; Powder of Scammony prepar'd, Troches Alhandal, of each two drachms; Oil of Carraway twenty drops; make it into a Mass for Pills.

Take five or fix of these Pills in the Mor-

ning fasting, twice a week.

They who abhor Pills, may use an Aro-

matick and purging Decoction.

The following though bitter is very efficacious. Take the five opening Roots, of each one Purging ounce; Roots of Angelica, Berries of Bay and Juniper, of each half an ounce; the best Senna, Orange-peel, Carraway-seed, Coloquintida, of each one drachm; Guiacum four ounces; let them be cleansed, bruised and boiled in two quarts of Fountain-water till half of it be boiled away, then strain it, and add Syrup of Roses with Senna four ounces, Cinamon-water two ounces; mix it.

Let the fick take four ounces of this bitter Decoction, every other Morning; which will by degrees diminish, and mildly educe

the hurtfull humours by purging.

But seeing not onely the cause ought to be removed, but also the Symptomes asswag'd, by refreshing the Heart; you must administer cordial Medicines which have power to corroborate the Heart, and to cherish and strengthen nature.

The following Cordial may be preferred

in this Case.

Take the Waters of Baum, Mint, Borage, Cordial Cinamon, of each three ounces; Syrups of Julep. Baum, red Poppies, of each two ounces; Laudanum opiat. Amber-greefe, of each ten grains, mix it.

Let the fick take two spoonfulls of this rich Cordial every three hours, which will wonderfully refresh, and delight the sensible Stomach, from whence the persumed

ım.

impressions will soon be communicated to the whole Body; by which all the vitall and animal Functions will be refreshingly cherished, and strengthned, and the Palpitation of the Heart eased and abated.

If the Patient hath a costive Body, let a carminative Clyster be sometimes administred, and if a *Plethora* concur, let a vein be opened, either with an Instrument in the Arm, or by Leeches applied to the Hæmorrhoids.

## CHAP. V.

Of an universal Languishing, as also of Swouning and Syncope.

A Nuniversal Languishing of the strength of all the parts and functions, is sometimes observed to remain after some disease preceding, not rightly cured; especially when the Insirmity hath been grievous, for then a weariness or desect of the Animal motion doth usually concur, together with a weak or little pulse, and dulness and debility of the internal and external senses; whereby the sick continues weak and more languishing (by certain intervalls) than is natural.

All

All the kinds of Swounings, may be divided (for methods sake) into two, viz. the

lighter kind, and the most grievous.

The lighter kind of Swouning or fainting is called in Greek κειποψυχία, vel κειποψυμία in Latin animæ defectio, ex ψυχη anima, & κείπειν deficere, because it is an Imbecility or Feebleness of the Heart and Courage.

The most grievous and singular kind of swouning, is called in Greek συγκοπὶ, ex συγκό- Syncope.

The most grievous and singular kind of swouning, is called in Greek συγκοπὶ, ex συγκό- Syncope.

The most grievous and singular kind of swouning, is called in Greek συγκοπὶ, ex συγκό- Syncope.

um omnium lapsus.

It is also called acquesa, i. e. pulsus privatio, because there is no pulse; neither indeed (presently in the sit) is there any Animal or voluntary motion or respiration to be observed, so that they are more like dead than living Creatures

than living Creatures.

The figns of these sits approaching are signs. yawnings, a Cardialgy, Anxiety or Compression of the Heart, griping and distension of the Belly, tinkling in the Ears, dimness before the Eyes, and a Giddiness; and at the approach of a Syncope, there are often Convulsive motions, with a cold and glutinous sweat, and paleness of all the parts of the Body.

The causes of these distempers are either causes.

external, or internal.

The external are many, as extreme weariness of the Body, exceeding passions of the mind,

mind, prolong'd hunger or thirst, ungratefull smells, the sight of any Person or thing that is envied, too great essusion of Bloud, Seed or Milk, over great evacuation of the humours, by Vomit, Stool, Sweat, Urine, Sc.

It may also be caused by the biting or stinging of any venemous Creature, and

by any other vehement pain.

Sometimes it is produc'd by a great heat,

either of the Sun, Fire, Bath or Fever.

Any of these Causes mention'd (being extreme) may so change, and diminish the natural effervescency, and rarefaction of the bloud, that the Heart it self is not thereby enough expanded, and contracted: So that the vital bloud cannot be sufficiently essued into the Arteries; and therefore the Pulse is selt less and more languishing, yea sometimes none.

The internal Cause is glutinous encreased in the bloud, and the other humours; and sometimes an encreased Acidity in the Juice of the Pancreas, Lympha and Spittle; by which the Circulation of the Bloud and Humours becomes too slow; hence the Ventricles of the Heart are not enough dilated, which causeth the Pulse to be weaker than is natural, for the effervescency of the bloud and humours being not potent enough, cannot provoke the Heart to contract it self, and therefore a Swouning or Syncope will inevitably ensue.

They

They who are much subject to a Swouning Progn.

or Syncope, dye fuddenly.

Those fits which are produc'd from some evident cause, as vehement passions of the mind, immoderate evacuations, &c. are less dangerous than those which come from an internal cause, as glutinousness of the bloud and humours, &c. Which in a great measure hindreth its free Circulation through the Ventricles of the Heart, whereby there is a sudden and swift sailing of the vital Spirits, and consequently of all strength.

To cure an universal languishing, as also a cure. Swouning and Syncope; the phlegmatick, glutinous, and acid Humours must not onely be corrected, but when they abound, must be diminish'd and educ'd out of the Body.

Therefore to correct and amend the faid humours abounding, both in the universal Body, and Bloud; I will here set down some forms of select medicines, for the sake of young Physicians.

The following Decoction, is an efficacious

Medicine.

Take the Roots of Elicampane, Galan-Decottion, gal, Angelica, Calamus Aromaticus, the five opening Roots, of each one ounce; Sage, Baum, Betony, fweet Marjoram, the Tops of Hore-hound, Centaury, Wormwood, the Flowers of Rosemary, Stæchas, Chamomel, Clove-gillislowers, of each one handfull; H 2 the

the Seeds of Anise, Sweet-fennel, Parsley, Cardamoms, Berries of Bays and Juniper, of each two drachms; Orange-peel, Cinamon, of each half an ounce; Nutmegs one drachm; let them be cleanfed, bruised and infused in two quarts of Fountain-water for a night; then boil it gently till a third part be confumed; strain it, and add Syrup of Mugwort, Stæchas, tincture of Cinamon, of each two

ounces; mix all together.

Two or three ounces of this Decoction may be taken at any time, twice in a day, either before or after meat, that so the power of the medicine may mildly mix and incorporate it felf, not onely with the food, but with Spittle in the Stomach, and also with the threefold humour flowing together in the small Guts; and thence with the univerfal bloud and humours in all the Veins and Arteries; whereby the defired amendment, and correcting of them will be performed, fooner, eafier and more happily.

If any like a medicinal Wine better, they may infuse the aforesaid Ingredients in a sufficient quantity of White-wine, and drink it

daily both at dinner and supper time.

These choice Medicines may be continued for some time; but when the sick is weary of them, you may use the same Ingredients: in the form of a Powder, or Electuary, or make them into Troches, with Syrup of Stæchas, Mugwort, &c.

Or you may make use of those compound Powders which are to be sold at the shops, viz. Spec. Diambr. Diagalangæ, Dianthos, &c. all or either of which may be used as aforesaid.

If any will be better pleas'd with Pills than other Forms, you may prescribe these, or

fome like them.

Take of Galbanum prepar'd with Vinegar Purging two scruples; Powder of Amber, Mastick, Pills. of each one scruple; Frankincense, Mirrh, Castor, of each ten grains; Vitriol of Mars prepar'd to whiteness, half a drachm; Chymical Oil of Mace, eight drops; beat them into a mass for Pills.

Let the Patient take four or five of these Pills in the morning fasting, or at night an hour after supper; whereby the viscous phlegmatick and acid humours will be potently corrected, and temper'd; which being done, the peccant humours may be effectually educ'd with these hydragogue Pills.

Take Gum, Sagapenum prepar'd with Vi-Purging negar half a drachm, Rosin of Jallap, Gam-Pills. bogia, of each one scruple; Oil of Juniper

four drops; mix them into Pills.

Four or five of these Pills may be administred at a time; or more or sewer, as the sick is more difficult or easie to be purg'd.

When a fwouning Fit or Syncope is near approaching, give those things that will power-fully

fully concentrate the four flatuous vapours, and discuss the glutinous Phlegm.

The following Volatile, and Aromatick Cordial will conduce much to this purpose.

Cordial Julep.

Take the Waters of Mint, Fennel, Betony, Scurvigrass, Cinamon, of each one ounce; Syrups of Borage, Mint, of each six drachms; Tincture of Castor, Consection of Alkermes, of each two drachms; Salt of Amber one drachm; Spirit of Salt Armoniack twenty drops; Laudanum opiat. Amber-greese, of each six grains; mix it.

The fick may take two or three spoonfulls of this Cordial in time of the fit, and likewise both before and after, which will much repair both the Vital and Animal strength, which is wont not a little to lan-

guish in these fits.

None but they who have try'd, will be easily perswaded of the wonderfull efficacy of the aforesaid medicines; not onely in preventing, but in diminishing and soon cu-

ring Swounings and the Syncope.

When either of these sits urgeth, or is upon the party, you must use those outward things, which may stir up the external senses; as frictions of the external parts, shoutings in the Ears; also make a smoak with Amber, or Partridg Feathers at the nose, or hold the Spirit of Salt Armoniack, (in a narrow mouth'd glass) to the Nostrils. You may

also wring the Fingers, and pull the Hair, &c.

If you have not a Cordial ready, give Cinamon, or Treacle water, or the Apoplectick or Antepileptick waters, or for want of them, Brandy, Aqua vitæ or strong Wine may serve.

#### CHAP VI.

Of Fevers in General.

A Fever is called in Greek mugenie, à mie, vel a feritate morbi, that is from the fierceness of the disease.

It is called febris in latin a fervore, quasi

fervens, because it is a hot distemper.

A Fever is a nonnatural heat, which may be fo termed, because it is more than nature requires, for the continual management of her vital functions; for when nature is grieved, or over-burthned by any distemper, there is a strugling endeavour of nature her felf to remove it, which causeth this nonnatural heat.

It may be called the Prince of diseases, because it is the general door, through which most of humane mortals take their exit of

this world.

The

The cause of the preternatural frequency of the pulse, is either a permanent and over rarefaction of the bloud, or any sharp, four, or falt vapour carried to the Heart, corroding the internal substance of it; by which the Archæus or vital Airy spirit of the Heart is provoked to allarm all the faculties, -and powers both vital and natural, that it may the more couragiously resist its invading Enemy, so that the spirits are thereby much stirred up and inflamed; from whence proceedeth a Conflagration, or vitious Effervescency of the Bloud and Humours throughout the whole Body.

Fevers are either continual, or intermit-

ting.

A continual Fever is that which remains from the first moment of its invasion, to the last of its duration.

When a continual Fever is very mild, and remains but one day; it is called in Greek ερήμεςα, ex δλί & ήμεςα dies, quod diem durans.

It is called in Latin Diaria, & Ephemera

febris.

This Fever is often excited by fudden paffions of the mind, as vehement anger, &c. and also by our abode too long in the Sun, or by vitiously using any other of the fix nonnatural things so called; for which there is no great need to prescribe Medicines for a Cure, it being not difficult, the very nature of fuch a Fever terminating it self, most commonly by a breathing sweat, especially if you substract the Patient from the inflammatory Cause.

If the Fever continues longer, it may be called in Greek ouvex. ex ouvex. continuo. From whence it is called in Latin febris continua, quæ nullas hujusmodi mutationes habet, quæ accessiones videri possint, sed unicam modo accessionem a principio usque ad sinem nullis exacerbationibus distinctam.

The continual Fever is also called Homotona, quæ similem calorem ad sinem usque servat.

It is also called Acmastica, quæ continuo crescit & intenditur.

A Synochus, or continual Fever, may be Diffedivided into two forts, viz. that which is not rence. putrid, called in Latin Synochus non putrida, and that which is putrid, called Synochus putrida.

In a Synochus non putrida, the bloud, and other humours is a little sharper than is natural, and the heat somewhat great and vaporous, declining a little to the nature and

manner of those called putrid.

Continual Fevers are oft times mixt or compounded with those intermitting, having some fits, and again remissions, so that they are not intermitting, but still remain continual.

Thefe

These sits come sometimes every day, sometimes the third, and sometimes the fourth day; whence it may deservedly be nam'd, either a Quotidian, Tertian, or Quartan continual Fever.

These Fevers upon the account of their divers causes, may not unfitly be distinguish'd into Cholerick and Lymphatick Fevers.

And because under the general name of Lympha, we do not onely comprehend, that Lympha which goes from the conglobated Glandules, and other parts to the Heart; but also the Juice of the Pancreas, and Spittle its self, proceeding from the conglomerated Glandules, and also the Liquour that ariseth from the three-fold sway of the Guts, all mixt together with Lympha, and the bloud in circulating with it.

Hence may Lymphatick fevers be subdivided into glandular, pancreatick and salivary

Fevers.

All these Fevers may differ something according to the divers Constitution of other hu-

mours together being in the Body.

But I shall wave the nice descriptions and differences of Fevers, and let the dextrous, and judicious Physician put a difference between them, as their Symptoms shall direct and indicate, for though there are many forts of continual Fevers not putrid, yet the Cure is almost the same in all; I shall there-

fore:

fore (in a few words) mention some of their differences, taken from the more grievous Symptoms oft accompanying them; after the example of samous Practioners, and chiefly great *Platerus*, and the most samous *Helmont*, and judicious *Sylvius*, &c.

r. First, let us take notice of the excee- symp-ding heat, and most urgent burning, which tomes.

attend some Fevers.

It is called in Greek \*avo , which doth fig- Causes. nifie burning; in which the fick is very dry and thirsty, which is hard to be quenched.

This heat is not of the essense of the difease, but proceedeth from the inflamed spi-

rits, as is before mention'd in page 98.

Neither doth the great thirst in Fevers, proceed from heat and driness, as in a true and natural thirst, but from some excrementitious matter, which adhereth to the sensitive faculty of the internal membrane of the Stomach, which is common to the Throat, Mouth and Lips, as that samous Physician, and ingenious Anatomist Doctour Alexander Read, did well observe; which is also the cause, that those parts are always afflicted in this dry and thirsty distemper.

In this Symptome, Choler is peccant, not onely in a falt Acrimony, but also an inflamable oiliness; hence the Pulse is very great,

and over frequent, &c.

2. Raving may be oft observed in many Fevers, which is grievous to the sick for some time, chiefly when the Fever is malign, or

epidemical.

The cause of this is Choler peccant as aforesaid, which so diminisheth the viscousness
of the Juice of the Pancreas, that it causeth
a vitious Effervescency with it, and being
made sharper, it produceth a humour not
much unlike black Choler, which causeth
the Head-ach, and Watchings, and hence
Ravings, and at length sometimes Convulsions, and Death it self.

There are many more Symptoms belong-

ing to continual or fynochal Fevers.

of the body, caused by Choler, the Cure whereof may be referred to the Cure of a

Hectick Fever.

ar Having

2. A malignity, which suddenly dejecteth the vital strength, without manifest cause; which for the most part is Epidemical. But of this I intend to treat particularly in Chap. 8. of this Book.

3. The last Symptome which I shall here mention, is seldom observed; in which (all the time of the disease) the external parts are cold, while the internal parts burn; and therefore 'tis called by the Latins Lipyria febris,' and in Greek ASIAUSÍAS AUSETOS, quia destituturar dore externo.

Lipiria febris.

Some

Some think this distemper consists of a double Fever, Cholerick, and Pancreatical; and not without reason, because such like vapours may be continually rais'd in the small guts, by the Juices of the *Pancreas* universally over-sour; which may be confus'd onely with the Mass of Bloud, and breed a sense of cold in the habit of the Body, whilst a burning heat is stir'd up in the internal parts by a Fever, caused by Choler more oily than sharp.

The cause of every continual Fever not Cause. putrid, is sometimes Choler vitiated, sometimes Lympha together with the Juice of the Pancreas and Spittle, and many times all

these together are ill affected.

These vitiated humours flowing always to the Heart, cause a continual Effervescency in the right Ventricle of it; whence the Pulse is continually produc'd more frequent against nature.

Fevers in Children are caused either by the Food abounding in quantity, or by some vitious quality of it, or from an ill disposition

of the digestive ferment.

Milk is the general Food of Children, and there is such a propensity in its own nature to curdle, that if it be not quickly digested, it obeyeth the acid Ferment of the Stomach, and is soon coagulated like new tough Cheese, and if it be not speedily vomited up, it begets

gets a putrefactive Ferment, which produceth terrible Symptoms, as griping, scou-

ring, vomiting, &c.

Hystory.

I know a Woman, that had a young Child about a Month old, which was taken very ill with Convulsions, after which followed a thorough Thrush, with a Fever, accompanied with the aforesaid Symptoms, as griping, &c. which continu'd many days, till the whole body was so maciated, that it was in a total Atrophia; and when there was no hopes of recovery, the Nurse gave the Child a little of the infusion of the Antimonial Cup, which caused it to vomit up a Curd, three or four inches long, very green, and as tough as new Cheese: After which the Child did wonderfully recover and grow fat.

Progn.

Continual acute Fevers are oft times accompanied with a fecret malignity, and therefore dangerous; parvæ febres quandoque valde malignæ.

Pars affetta.

The Stomach (in continual Fevers) is most commonly primarily affected through undigestion, or else from Excrements, not being separated and orderly evacuated; which causeth an irregular Ferment, or nonnatural heat in the Stomach; which (though begun else where) is much aggravated by vitiating Juices, found in this first Elaboratory of decocting Nature.

For as in humane frame, the first heat of Nature (preparatory to all her depending motions) is the digestive heat for Chylisication in the Stomach; so likewise the corrupting or exasperating of the same, either by the sour Ferments, or too much of the overflowing Gall, is the Cause of most Fevers.

Therefore in the beginning of the Cure, cure. evacuation by vomiting never ought to be neglected by the carefull Physician (provided it be duely timed) because then most commonly it removeth the sole cause of the severish Intemperature, without the help of any other means.

And here I commend Antimonials well prepared, before all others, feeing that Antimony as well rightly prepar'd, as administred, serves no less to purifie Man's bo-

dy than Gold.

But if the Patient's body be costive, and there be eminent signs of a Plethora, or great sulness of Bloud; then let a carminative Clyster be first administred, and after its operation let a Vein be opened, and draw seven or eight ounces of bloud at a time, and if there be occasion let it be reiterated; for I always preser its repeated less diminution, (as need requires) sometimes instituted in the same day, before great evacuations made suddenly, which hath brought many Evils to the sick.

It matters little what vein be opened, unless in Women, because of the monthly

Terms either at hand, or hindred.

And seeing it is the duty of every honest. Physician to be Natures helper, he ought to endeavour to remove all impediments, whereby the sick may be cured more quickly, safely and pleasantly, without demurs, to magnifie the Cure, and inslame the reckonings.

Wherefore fince the first curative intention of most Fevers, is the discharge of the first turgent *Monitor* from the Stomach, and adjacent parts by vomiting, as is before

faid.

Let the Patient (upon the discovery of the assaulting Enemy) take an Antimonial Emetick, and if one doth not suffice, let it be reiterated; by which the Morbisick matter will be evacuated, nature calmed, and the contemperating of the incited, or enraged nonnatural heat, will be the easier performed.

Cautio.

But here the Sex is to be consider'd, the Female not so well enduring this evacuation; because Emeticks cause great Commotions, and flatuous Vapours in them; which may also prevent or corrupt natures own intentions in her great discharge of turgent humours.

Wherefore administer no Emetick to them, except they vomit very easily; but rather let the peccant humours be diminisht, or emptied out gradually by the following decoction to be taken twice a day to three or four ounces.

Take the Roots of Parily, Fennel, Plan-Purging tain, Peony, Dandelion, Succory, of each two ounces; the Leaves of Endive, House-leek, Fumitory, Damask-roses, of each one handfull. Let them be cleansed, bruised and insused (for a Night) in one quart of Fountain-water very hot, then boil it gently till a third part be consumed, strain it and add Syrup of Succory with Rhubarb, the best Manna, of each two ounces; Powder of Cream of Tartar, and Tartar vitriolated, of each two drachms; Oil of Sulphur twenty drops; mix it all together.

This pleasant Medicine will conduce much to correct the salt sharpness of Choler, and will also amend its Oily inflameableness, and separate it from the Bloud, and mildly dispose it, and the rest of the abounding hu-

mours to be voided out by stool.

After these Evacuations, give the sick the following Medicine twice a day in a little

thin broth, or Water-gruel.

Take Salt of Amber, volatile Salt of Harts- Volatile horn, Tartar vitriolated, of each fix grains; Powder. mix it.

This

This excellent volatile Medicine is both abstersive, and Diuretick, and will cleanse the Stomach and Intestines of the remaining Sordes, and expell them by Urine.

In the Declination of the Fever, if fleep be wanting; this following Julep will much avail, both to cause rest, and refresh the

fpirits.

Cordial sslep.

Take the Waters of Carduus benedict. Fennel, of each two ounces; Treacle-water, Syrup of red Poppies, of each one ounce; Laudanum opiatum fix grains; Salt of Wormwood half a drachm; Spirit of Salt twenty drops; mix it, and give the fick three or four spoonfulls every three hours.

By the frequent use of this Cordial Julep, (or one like it) all pains will be eased, nature quieted and relieved, and the importu-

nate thirst allayed.

But if thirst still urgeth, give the dulcified Spirit of Salt, or of Niter, in Posset-drink, and all the Liquids they take, from fix, to

ten or twelve drops at a time.

If you fear there be any Malignancy in the Fever; give the fick eight or ten grains of Bezoardic. mineral. every fourth hour, in a spoonfull or two of the aforesaid Julep, or good found Canary-wine, to keep the Patient in a breathing sweat.

As for the Cure of Fevers attended with grievous and furious raging, and watch-

ings,

ings, &c. I refer you to the Chapter of Phrenfies, which is full to this purpose.

I shall now give some directions to young Physicians and Nurses, and so conclude this

Chapter of Fevers in general.

a Fever, because they tye up the Archæus of the Stomach, and first passages, thereby hindring it from expelling, the occasional cause

of the Disease.

Diascordium (as is the common custome) nor apply it to the Wrists, nor Stomach, (nor any thing else that is nauseous) whilst Nature and the Disease are strugling; but if the Patient tends to coldness, you may moisten a piece of Rose-cake, or a tost of stale Bread in Sylvius's Spirit, or for want thereof in Brandy dulcisied, and apply it to the Stomach twice a day, which will revive nature, and fortiste it against the invading Enemy.

3. Give no meat whilst the disease is on them, for the Stomach is not sit to receive it, neither hath it strength to digest it; and therefore it will become a recruit or supply to the Disease, except it be speedily vomited

up again.

4. If it be a Child, give it not any Milk, and if it Suck, wean it; for Milk is the first matter, and foundation of this disease in them; neither give it Beer, nor water, nor

1 3

any

any cooling things to correct the heat, because it will weaken nature, and strengthen the Disease.

But hot Posset-drink turn'd with Whitewine, or sound Beer with a little Vinegar, may be drank liberally, after the Cause is removed.

5. If the fick be Adult, you may give two parts of Water, and one of good Wine, either French Wine or Sherry; but Malaga, or

any other fweet Wine is not fo good.

6. When the Patient begins to recover, the plainest broths, and gruels, are the best; till then a little is too much; and if you did use Salt and Vinegar, instead of Spice and Sugar, it would agree better with them.

## CHAP. VII.

Of intermitting Fevers.

A N intermitting Fever is that which returns after intervalls, sometimes longer, sometimes shorter in divers Fits; whence according to the divers space of every access or sit; the same gets also divers Names, for if a new Fit return daily, answering the precedent in proportion, it is called a Quotidian.

If it comes every other day, it is called a Tertian.

If the fit return after two days intermission, it is called a Quartan, and so forward, although Quintans, Sextans, &c. are seldom

observ'd.

And here you may note, that intermit-observas ting Fevers do but seldom return in the ex-tion. act intervall of natural days of twenty four hours; but return quicker or flower, for the most part; wherefore then they are faid to anticipate the expected time for some hours, which is disliked, or to come later, which is commended by fome.

Although it matters not, whether the fits anticipate, or come later; if so be that their continuance, and the grievousness of Symptoms (daily accompanying) be di-

minish'd.

There is great diversity among Authours concerning the Causes of intermitting Fevers, which I shall not insist on; but in a few words will set down the true Causes of them.

The causes then, are either external, or causes.

internal.

The external Cause of Agues is a stop of the usual necessary discharge of fermenting humours; the porous skin (being shut by external sudden cold) denies passage to the constant discharge of the sweatty humours, which

which happens most commonly about Autumn; and likewise when any comes suddenly out of a hot Climate, into a cold Region; for the sweatty Vapours being detain'd by the Constipation of the skin, or shutting of the Pores, the same condense, and thence become four, which chills the external parts, and causeth the shaking, or shivering cold fit, at the first invasion of this disturbing Foreigner; after which the inflaming Ferment of Choler (being exasperated) doth act its part, and (having gain'd Dominion) it doth rarefie the Bloud by degrees; whence the Pulse becomes greater and stronger) which is increas'd by an irritation of the Acrimony of Choler, and the rarefaction of the Bloud at the Heart; for the heat and burning in the Heart, and thence in the whole Body, is increas'd by Choler fuccesfively over-ruling.

The internal Cause of Agues or intermitting Fevers, is an obstruction of one or more of the lateral ducts or branches of the Pancreas or Sweet-bread, by reason of viscous Phlegm; which being separated from the Bloud by the Glandules of the Pancreas, is there collected by degrees; whence it is sent (in too large a quantity) to the main duct or pipe thereof, which detaineth the Juice of the Pancreas contrary to nature, which ought

ought continually to flow into the small Gut called Duodenum.

The Juice of the Pancreas, which is naturally fourish, being compelled to stand still in its passage, quickly grows more acrimonious, or acid; because the Volatile Spirit (which is naturally conjoin'd to it, to temper it) doth gradually fly away; by which this Juice (becoming more sharp and acid) acquires a putrefactive Ferment; whence at length it makes way through the obstructing Phlegm, and is effused into the Duodenum, where meeting with Choler, it stirs up a vitious effervelcency, or preternatural Ferment, from whence comes the Ague fit, with all its Symptoms; as in the beginning Horrour, Chilness, Cold, Shaking, &c. then presently follows Reachings, Yawning, and Vomiting, &c.

At length acrimonious and flatulent Vapours (raised by the aforesaid vitious Esservescency) are carried through the Lacteal veins, and Thoracick passage, and so through the Vena cava ascendens, (in what form soever) to the right Ventricle of the Heart: and by its Acrimony, alters and troubles the vital Esservescency, and by over stirring the Heart, causeth a more frequent Pulse; and many times produceth grievous Symptoms, as great Heat and Thirst, difficulty of breathing, Heart-ach, Raving, Swouning, and all

all other Symptoms, that happen in all in-

termitting Fevers.

The cause of the Re-

The nature of viscous Phlegm is such, turn of the that though it be pierced through by the Juice of the Pancreas too acid and acrimonious, yet it doth presently run together and unite again, and so repairs and renues the obstruction that was in part opened; and the Juice of the Pancreas being stopped as before, grows four by standing still as aforefaid, so that it forceth through the Phlegm that stopped its natural passage, and so produceth, a new fit; sooner or later, as the Phlegm (obstructing the lateral passage of the Pancreas) is pierced through by the foremention'd Juice.

> For if the obstructing Phlegm be not very glutinous, and the Juice of the Pancreas be plentifull and acid, a new fit of an intermitting Fever will return in the space of twenty four hours, and therefore 'tis called

Quotidian. a Quotidian

But if the Phlegm be very viscous and plentifull, and the Juice of the Pancreas be little in quantity, and also tart and obtuse; so much the flower will the new fit of the intermitting Fever be produced; fo that it is sometimes three, sometimes sour days, before the returning of the fit; from whence it is called a Quartan, or Quintan, &c.

So likewise as oft as the obstructing

Phlegm,

Phlegm, and the Juice of the Pancreas are in a medium, viz. The Phlegm more glutinous and plentifull, than in the Quotidian, but not so much as the Quartan; as likewise the Juice of the Pancreas is more in quantity, and more acid than in the Quartan, but not so plentifull and acid, as in a Quotidian) so oft new sits of intermitting Fevers will return almost every other day, from whence they may be called Tertians, which much differ in their Symptoms beyond what other intermitting Fevers do, although none of them return in the exact intervall of the Days or Hours before mention'd, but return quicker or slower for the most part.

The Cure of all intermitting Fevers will Cure.

be perform'd,

1. First, if the glutinous coagulated Phlegm, (which is the cause of the obstruction) be cut and dissolv'd, and wholly carried out of the Body.

2. If the increas'd Acidity, and Acrimony of the Juice of the Pancreas, be temper'd and

corrected.

3. If its vitious Effervescency with Choler, &c. In the small Gut, be hindred and amended.

Phlegm obstructing will be cut most commodiously with Aromaticks, and any Volatile Salt.

This Volatile Aromatick Julep may serve

for Example.

Take

Cordial Julep.

Take the Waters of Carduus, Parsley, Fennel, Fumitery, Succory, Treacle, Cinamon, of each one ounce; Syrup of Carduus, the five opening Roots, of each an ounce and half; Powder of Crabs-eyes, Tartar vitriolated, of each one drachm; Salt of Amber, Antimony Diaphoretick, of each half a drachm; Laudanum opiat. ten grains; Oil of Cloves six drops; mix it.

Take a spoonfull of this Volatile Medicine, often in a day throughout the whole Cure, using some exercise, that thereby the whole Body may grow warm, and the force of the medicine being disperst over all the Body, may come at last to the lateral passages of the Pancreas, and dissolve the

obstruction.

Three or four hours before the coming of the fit, you may give three or four spoonfulls of the aforesaid Cordial, which will not onely cause a breathing sweat, but will temper and correct the increas'd Acidity and Acrimony of the Juice of the Pancreas, and hinder, and amend its vitious Effervescency with Choler, Sc. in the small gut, which will conduce much to a Cure.

Three hours before the return of the next fit, administer an antimonial Emetick, which is in this case proper before all others; for by the help thereof, not onely Choler abounding, but also phlegm obstructing, will be

expell'd

Stomach, and at length by the mouth; and the straining to vomit doth many times procure a stool or two, which is very beneficial.

But if the fick be a Female, or vomiting be prejudicial, or not approv'd of; then such things as cut and purge phlegm downwards,

may be administred, for example.

Take of pil. fætidæ one drachm; Mercur. Purging dulcis, Powders of Troches Alhandal, Scam-Pills. mony prepar'd, Tartar vitriolated, of each half a Scruple, Salts of Amber and Worm-wood, of each one Scruple; Spirit of Salt Armoniack, Oil of Amber, of each ten drops, with Syrup of Buckthorn; make it into a Mass for Pills.

Take four or five of these Pills, four hours before the coming of the fit; which will both cut, and purge the viscous Phlegm out of the Body, and also educe other peccant humours.

After purging or vomiting, let the fick often take the following Powder in a glass of generous Wine, or in two or three spoonfulls of the Cordial Diaphoretick before mention'd, to provoke sweat as is there directed.

Take Volatile Salt of Harts-horn, Salts of pewder, Amber, Worm-wood and Carduus, Tartar vitriolated, of each ten grains; Sugar of Pearls the weight of them all, mix them for two doses.

You

You may take a dose of it two or three hours before the access of the fit; which will wonderfully conduce to dissolve the obstruction, and cause a breathing sweat.

Let these evacuations be as often reiterated

as occasion requires.

If the intermitting Fever hath continu'd long, or the fick hath a Plethorick body, let

a vein be opened.

By these sew forms the young Practitioners may easily invent other effectual Medicines: in some things to be varied as the distemper requires.

## CHAP. VIII.

Of Malignant Fevers.

In the Chapter of Fevers in general I told you, that Synochal, or continual Fevers were without any fit, to their last and complete ceasing; and likewise I did distinguish them into putrid, and not putrid.

Those that are not putrid, have little on no malignity in them, but the putrid are all

ways accompanied with malignity.

A malignant Fever differs from others in this, that it draws its putrefaction immediately

Diffe-

itely from its own matter, putrefaction being joined with it; from whence the vital strength is fuddenly, and unexpectedly deected; or far more grievous Symptoms occur, than are wont to be observ'd in such a like difeafe.

Malign Fevers are either more acute, ending in few days; or longer, continuing

more days.

And they are either contagious, and epidemical raging among many in the fame time, having a common cause, as the Air or Food vitiated, &c. Infecting others, or else

they are not contagious.

Among contagious Fevers, we may not Calenture. neglect to speak something of a Calenture, because it is a contagious distemper, assaulting not onely those which use the Sea; but also many that live near the Sea-shore, in Sea-port Towns, &c. are subject to it.

The signs of this disease are a great pain Signs. of the Head, sometimes with violent raging fits, and delirium, the rest of the Body being in good temper; the fick do fancy the Water to be a green Meadow, and will indea-

vour to get into it.

The cause of a Calenture is the intemperature of the Climate, together with ill diet, causing strong obstructions, and an ill habit of body, by which flatuous vapours are encreas'd in the body, and in time ascend to the The Head.

Cause of Maligni-

The cause of the malignity (in this, and all other putrid fevers) is a sharp volatile salt in the Air, which is drawn into the Lungs by degrees, and weakens the liquor of the glandules (which is naturally fourish) and makes it fluggish, and of little force, whence the natural confistency of the bloud is diminish'd, and the separation of the Animal spirits often hindred.

The sharp volatile salt aforesaid, may be also swallowed down with food or spittle into the Stomach, or it may enter the pores of the body; by which not onely the liquor of the glandules, but the bloud also may be infected; hence depends the variety of fymptoms which may be observ'd in these Dis-

eafes.

Signs.

In Malign fevers, there oft precedes a light shivering, after which a gentle heat soon tollows; the pulse is frequent and unequal, though little and weak, and fometimes deficient, the fick is often drowfie, and possest with a kind of Lethargy; and when they fleep, they are often vex'd with turbulent dreams; they are often grip'd in the Stomach, and troubled with loathing and vomiting, accompanied with the Head-each, raving, giddiness, &c. also there is great thirst, weariness, and unquietness of the whole body; fometimes there happens cholerick and fetid loofnesses; and also a hæmorrhage morrhage at the nose or womb doth often concur.

I. If tumors in the glandules, and spots and Progn. little pimples, divers both in colour and greatness, do break forth in many parts of the body, they are signs of great malignity.

2. If the fick get no ease after sweating promoted by Art, there is little hopes of recovery; also if the extreme parts soon wax hot, and again are presently cold, 'tis an ill'

fign.

First to preserve and defend the body from Cure. all malignity, and insection in time of con-

tagion.

I commend the frequent, and moderate use of sour and tart things mixt with all things potable, for the Patient's drink, or food; as Barberries, Quinces, Oranges, Pomgranates, Limmons, Wood-sorrel, Verjuice,

Vinegar, &c.

In the beginning of malign Fevers, and also the Calenture, if a loathing urgeth, part of the acrimonious volatile salt adheres to the tunicles of the Stomach; wherefore in this Case, first administer an Antimonial Emetick, which is well prepared, mild and fixt, because it hath an admirable sulphur in it, whereby any sharpness is wonderfully temper'd, and the Malign Poison is thereby in part sent out by Vomit and Stool.

After

After the Operation of the Emetick, let a Cordial Sudorifick be presently adminifired, that the remaining part of the Malign Poison may be driven forward, and expelled most safely, and commodiously out of the Body.

The following Cordial may ferve for ex-Cordial

Sudorifick ample.

Take of Epidemical water, Spirit of Vinegar, of each one ounce; The Waters of Treacle, and Cinamon, of each half an ounce; the Waters of Carduus, Scabious, of each two ounces; Syrups of the Juice of Carduus, Clove-gilliflowers, of each one ounce and half; Antimonie Diaphoretick, Bezoar-mineral, of each one drachm; Venice-treacle, two drachms; mix it.

Let the fick take a quarter of this Diaphoretick Julep, and dispose the Body to fweat, and after half an hour, take one or two spoonfulls more, and so go on, till a

profitable Sweat follow.

In the interim if the fick be thirsty, let them drink a little warm Broth temper'd to a gratefulness, with juice of Oranges, Citrons, or Verjuice, &c. whereby the breaking forth of the fweat will not onely be promoted, but also the hurtfull Acrimony of the peccant Salt will be corrected, and affwaged.

After this excellent medicine hath been

fuffi-

fusficiently and rightly us'd, so that you perceive the Malign Poison to be carried out of the Body; yet you must persist in the moderate use of it, as likewise in the use of sour things, a little Harsh, mixt with drink, or Broth as beforesaid; because they much conduce to restore (by degrees) the former consistency to the Bloud.

In Calentures, Phlebotomy may be fafe-

pores into the Body) by which

ly used.

## GHAP. IX.

Of the Plague or Pestilence.

HE Plague or Pestilence is called in Greek λοιμός à λύω, solvo, quod vitams solvat.

It is called in Latin Pestilentia, & Pestis, ex depascendo, quod veluti incendium depascat.

It is also called whata, à white, percutio hinc

Angl. the Plague.

Pestis significat omne malum; quod tam inanimis quam animatis mortem & exitium repen-

tino adfert.

The Plague is a contagious disease, suddenly afflicting the Heart, and all the vital, animal and natural faculties with many grievous Symptoms. Cause.

The Cause is chiefly the sins of Mankind, provoking the great God to send this Pestiferous distemper as a judgment on them for

their Impiety.

The Cause (next to God's judgment) is a sharp venemous and contagious volatile Salt in the Air, very much heightned (inspired with the Air into the Lungs, or is swallowed down with the food or spittle into the Stomach; it may also get in through the pores into the Body) by which the acid liquor in all the conglobated glandules is weakned and made fluggish, that it doth not circulate with its wonted force: whence the natural confistency and rarefaction of the Bloud is diminsht, and the separation of the Animal Spirits hindred; and the vital strength is much opprest, by which the Pulse becomes not onely little, but also languishing; till at length the Spirits are extinguisht, and Death (unexpected to many) carries them speedily (torrenti similis) in fiery Chariots, God knows where.

Signs.

All the figns in Malign Fevers are common (and much heightned) in the Pest; besides many other grievous symptoms, as Diarrhæa, Hemorrhage at the Nose, Ears, Eyes, Mouth and Secrets; sometimes yellowness of the Eyes, Buboes in the Groins, Armpits, and behind the Ears, and in some white Bladders,

ders, and Carbuncles, also spots called the

Tokens, with raving, &c.

eases, therefore no certain prognostick can be drawn of it; for many have died when there hath been great hopes of recovery, and on the contrary, many have escaped with mortal signs.

2. A Bubo is less dangerous than a Carbuncle, and it than the spots, (vulgarly the Tokens) which most commonly portend

Death wherefoever they are.

3. Buboes incompassed with a blue or livid circle, are most commonly a mortal sign, especially if they suddenly disappear, unless the Malign humour be sent to some other part; and if with a Bubo behind the Ears, there be pain of the Throat without inflammation 'tis mortal.

4. If a Carbuncle rife after a Bubo, and look white, with a litle push or tail at the end of it, 'tis dangerous, except the Fever do very much abate; and if after cauterizing, or cupping, the Carbuncle abate not in twenty four hours, 'tis a fign of Death approaching, except matter appear; and if Carbuncles seize the Stomach, Guts, Bladder, or other Intrails, it portends Death.

5. Deliriums, Drowfines, Heart-ach, Trembling, Convulsions, great driness of Tongue, are all bad signs; also a Dysentery

is most commonly mortal; but a Hemorrhage at the Nose, or Menses are not so dan-

gerous.

To preserve from this Pestiserous distemper, although transmigration in the sear of God may be lawfull, yet let none think to escape by flying, and so neglect their duties to God, for 'tis impossible to run out of his reach, for he filleth Heaven and Earth with his presence; wherefore let servent prayers be put up to God, whose compassions sail not; and then make use of an honest Physician.

ed Air, with great fires, wash the house daily, and after sprinkle it with Vinegar; and Fume either with Pitch, Frankincense, Mirrh, Amber, Benjamin, Wood, and Berries of Juniper, &c.

2. Avoid all passions, watchings, and im-

moderate exercise and venery.

3. Eat nothing that is hard of concoction, and use a moderate diet though easie of digestion, and drink good sound Wine, &c.

4. Go not forth with an empty Stomach, but always take some preservative against

infection. For example,

Take Spirit of Vinegar, Julep of Roses, of

each one ounce; mix it.

Vinegar, Verjuice, Oranges, Limmons, Citrons, Pomgranats, Barberries, Quinces, Wood-sorrel, &c. are all very good, used

as before directed in Malign Fevers.

This Poison must not be sent out by vo-cure. miting or purging; neither is phlebotomy

allowed.

For it is known by manifold experience, that the cure of the Pest is most happily instituted by Cordial Sudorificks, rightly prepar'd of Antimony, because it hath an admirable Sulphur in it, whereby not onely sharpness is wonderfully temper'd, but the Malign poisonous volatile Salt is thereby most safely driven forward, and expelled by sweating out of the Body; to which may be added other Cordials, as followeth.

Take the Powders of Crabs-eyes, Tartar Cordial Electuary vitriolated, Antimony Diaphoretick, Bezoar-roar-mineral, of each one scruple; Bezoar-stone of the East, red Coral prepar'd, Salts of Rhue, Scordium, of each half a scruple; Venice-treacle, two drachms; Spirit of Salt ten drops; mix it into an Electuary with

confectio de Hyacintho.

Let the fick take half a drachm of this Cordial Electuary every three hours, and drink three or four spoonfulls of this Cordi-

al Julep after it.

Take of Epidemical-water, the Waters of Cordial Carduus, Borage, Scordium compound, of Julep. each three ounces; the Waters of Treacle, Cinamon, Syrups of the juice of Carduus, and Limmons, Syrup of Saffron, of each one K 3 ounce;

ounce; Salt Prunella, and Salt of Worm-wood, of each one drachm; Laudanum o-piat. ten grains; mix it for a Cordial.

Let the fick person take the aforesaid medicines, till sweat is plentifully provoked; then let the sweat be gently wiped off with warm linen cloaths.

In the mean while give the fick a little hot Chicken-broth, or other Broth of fresh Meat, temper'd to a gratefulness with some sour thing, as was directed in Malign Fevers, as Barberries, Wood-sorrel, Limmons, &c.

You must persist in this course till the danger be over, and some time after, (though the sick think themselves well) lest the disease deceive you by a sudden surprize a-

gain.

There are many Cordial Confections always to be had ready at Apothecaries Shops, as Mithridate, Diascordium, Venice-treacle, London-treacle, Treacle-water, &c. any of which may be used by the Rich or Poor, for they will not onely cause sweating, but also will temper and moderate the hurtfull acrimony of the volatile Salt before mentioned.

You may dip a hot Toast in aq. prophylactica, and apply it to the region of the Stomach, and also tye some of it in a rag, and smell to it,

If there be great drowfiness, avoid Opiates,

and take the Cordial Julep without the Laudanum; but if there be great Watching, Vomiting, Flux of the Belly, or Hicket, you may give it with the Laudanum preferib'd, for it will much conduce to ease the fick of all these symptoms.

If there be a Bubo, apply a strong Vesiccatory, and when the Blister is well raised, open it, and dress it with Mustard, and Basolution, of each equal parts; after cure it ac-

cording to Art.

If there be a Carbuncle, apply Leeches, or Ventoses, with scarification, or the Actual or Potential Cautery, after which often apply Mithridate, 'till the Eschar be separated; then dress it with \*Unguent. Basilicon\*, and \*Agyptiacum\*, or else you may use Butter of Antimony 'till the Ulcer be well cleansed and sitted for the last consolidation which may be performed by any desiccative Medicine.

## CHAP. X.

Of the Small-pox, and Measles.

HE Small-pox, and Measles are called in Greek ἐξανθήματα, and in Latin Morbilli, quasi parvi morbi, vel parvorum morbi.

They are also called Variolæ, & Pustulæ, ex vario, vel varium facio, quod cutis sit varia.

Because the skin is of various forms.

These distempers are most commonly attended with a Malign Fever, which oft proves Epidemical, Contagious and Mortal, and therefore may justly be termed Pestilential.

The Small-pox is a cutaneous Eruption, or large Pustules, something like to Warts on the Skin, with Inflammation, which in few days comes to suppuration, if the sick recover.

The Measles are little Pustules in the Skin, with a deep redness, and may be best perceived by feeling; they are usually discussed in five or six days without suppuration.

There is an other fort of Pustules, or Tubercles, like little Bladders, incident to Men, Women and Children; which are without Inflammation or redness; and also without a Fever.

Some

Some call them Cristals, others Blisters, but Country people call them Swine-pox,

Hen or Chicken-pox, &c.

To these also may be referred, those red siery spots which break out about the sourth or fifth day (in Malign Fevers) all over the Body; and if the sick recover, they vanish about the eighth day, after which the Cuticula cometh away in flakes; this is common-

ly called the Scarlet Fever.

The figns of the Small-pox approaching, Signs, are pains of the Head, shining before the Eyes, with redness and swelling of the Face, and sometimes bleeding at the Nose; also a grievous pain of the Back, which reacheth to the Neck, with great heat and pricking all over the Body; there is often loathing of the Stomach, and vomiting, with trembling of the Heart, great terrour in sleep, difficulty of breathing, and sometimes raving and convulsion.

The cause of the Small-pox and Measles, causes, is an ill quality or impurity of the Mothers bloud, with which the Child was nourish'd in the Womb, which doth communicate pollution, and defile the mass of Bloud; and after the Child is born, when there is an ill disposition of the Air proportionable to the disease, there followeth a peculiar effervescency or ebullition of the Bloud and other humours, by which nature is inraged and

pro-

provoked to cast forth the impurity.

The excrementitious matter is either thin or thick; if it be thin, the Measles foll low, if thick, the Small-pox are produced.

And if there be a Malignant constitution of the Air, it causeth not onely a purging forth of the corrupt matter of the Bloud &c. but corrupteth the whole mass of Bloud and fo produceth a dangerous and Epidemii

cal Small-pox.

Progn.

If they come out red, and soon ripen or turn white, being round pointed, and out ward in the skin; if the voice and breathing be free, without any grievous symptoms there is no danger, but if there be a great Fever (which is not abated after their erup tion) with great thirst, and difficulty of breathing, also black or bloudy Urine, on Stool, Hemorrhage at the Nose, Mouth, &a doth fignifie a great acrimony, and malignancy of the bloud, that nature is compelled to evacuate it by fuch preposterous ways; and are most commonly mortal fignss

So likewise if it be long e'er they come out, and they be green, blewish, or black and fink in again, the fick is in great dan-

ger of Death.

Cure.

As for the Cure of these distempers, if they be Malignant, or Epidemical, let the same means be used as is prescrib'd in Malignantt Fevers, but if there be little or no fign of MaligMalignancy, you may first administer an Antimonial Emetick, and after its operation,

give this or the like Cordial.

Take the Waters of Carduus, Dragons, Cordial Treacle, Scordium compound, of each two ounces; Venice-treacle two drachms; Syrups of the Juice of Limmons, Carduus, Saffron, of each one ounce; Confection of Hyacinth one drachm; mix it for a Cordial.

Let the fick take two or three spoonfulls of this every half hour till a sweat be promoted; after sweating, keep the Patient in a warm Room, till the danger be over.

Before the Eruption, (if there be eminent figns of a *Plethora*, and the fick be adult)

Phlebotomy may be used with good suc- Phlebotocess.

Bezoar and Gascoign's Powder, and Diascordium are commonly used in these Diseases.

You must endeavour to defend the inward parts with the pectoral decoction, to which you may add a little Saffron.

Also a Saffron Stay, in which is put a sew Sows (called Millepedes) bruised, is excel-

lent to defend the Throat.

For the Eyes, this water is good.

Take the Waters of Plantain, white Roses, Water for of each three ounces; of Camphire, Saffron, the Eyes. of each ten grains; mix it.

Or

Or you may use Womens milk, and Saf-

Gargaris.

If the Throat and Mouth are inflamed, make a Gargarism with Plantain-water and Syrup of Mulberries.

To defend the Nose, put up this with a

rag or feather.

Nodulas.

Take of red Rose-water, Vinegar of red Roses, of each one ounce; Powder of red Saunders, Camphire, of each one drachm mix it.

When the Small-pox begins to dry, anoing them often with Oil of sweet Almonds, and Oil of the Yelks of Eggs, which will prevent their pitting. OF

## DISEASES

OF THE

# 弱匠卫卫型.

#### BOOK III.

## CHAP. I.

Of the Thirsty disease.

HIS is called in Greek Aifa, a difa, led sitio, to be thirsty. In Latin 'tis called sitis morbosa.

Thirst is the first natural Passion of Mankind, and also of Beasts; as is manifest by their first sucking milk out of the Breast to asswage it.

The causes of thirst augmented, are either Cause.

external or internal.

The external are the Air over heated by

the Sun, over falt Food, too much exercise of body, vehement passions of the mind, as much anger, Sc. prolong'd watches, the Body either too costive, or too loose, much sweating, Urine voided too plentifully, any notable Evacuation of Bloud, Milk or Seed, Sc.

The internal Cause is deduced (for the most part) from too sharp Choler, carried down into the small Gut; where it raiseth such an Effervescency with the Juice of the Pancreas flowing thither, that thence are elevated salt: Vapours to the Stomach and Gullet, and

there produceth a fense of drought.

It may also pierce through the lacteal Vessels, and so to the Heart, and infect the Bloud too much with its Saltness, whence the Spittle, and the other Humours also become too salt, by which a great Thirst is

stirred up and augmented.

The figns are manifest, for the Patient's complaint for want of drink, will inform you.

Cure.

Signs.

This distemper may be cured by such acid Liquours, and oily Emulsions, which will dilute the Lixivial Salt of Choler, and potently change its Acrimony, and asswage its sharpness, and deduce it to the Bladder.

The following Julep may ferve for Ex-

ample.

SII

Take Tincture of Red-roses, Barley-water, Julep. of each twelve ounces; Cinamon-water two ounces, Syrup of Violets three ounces, Salt Prunella two drachms; mix it, and give the fick three spoonfulls every two hours.

This Emulsion is also of great Virtue, not onely to restrain Thirst, but mildly to pro-

cure rest also.

Take of French-barly boiled four ounces; Emulsion. fweet Almonds blanched; white Poppy-seeds, of each two ounces; let them be well beaten in a stone Mortar; then with two Quarts of Barley-water, the Waters of Cinamon and Fennel, of each two ounces; make an Emulfion; to which add Julep of Roses four ounces, Syrups of Violets, and the Juice of Limmons, of each two ounces; mix it.

Let the party thirsting, drink a moderate draught of this Emulsion, often in a day.

which will be very acceptable.

You may also make gratefull Troches, or Pellets of Sugar, and Salt Prunella, to be kept in the Mouth, to deceive the Thirst.

If falt serous matter abound in the Body,

purge it by Stool or Urine.

This gratefull Medicine may ferve for

both intentions.

Take the Roots of Flower-de-luce, Parfley, Purging China, of each two ounces; Dandelion, Agrimony, of each one handfull; Senna one ounce; Rhubarb half an ounce; Agarick, Turky, Turbith.

Turbith, Jallap, of each three drachms; Cinamon, Cloves, of each two drachms let them be cleansed, bruised and infused in two quarts of White-wine, for the space of twenty four hours, then strain it, and add Syrup of the five opening Roots four ounces; of which you may give the fick four ounces every third day in the morning fasting.

If there be a falt Catarrh, it may be temper'd with Pills of Styrax, you may admi-

nister a Pill every Night going to bed. Let the Patient's diet be Mutton or Vealbroth, without Salt.

# CHAP. II.

Of Hunger vitiated.

Unger may be called the Appetite of Meats, as Thirst is of Drinks.

It may be many ways deprav'd, viz. when

it is augmented, diminish'd, or abolish'd.

Hunger augmented may be deprav'd two ways, either in quantity or quality; if it bee in quantity, there is more Nourishment defired than the Stomach can digeft.

This distemper is called in Greek Bining, ex

Ess & rivos fames; quod affatim edatur.

It is called by the Latines fames canina, and in English Dog's appetite; because in this distemper the sick do feed insatiably; after which some do purge and vomit like Dogs; and are presently hungry again, and sick if they do not eat.

If hunger be deprav'd in quality, then vitious things, which are not Food, (as Coals, Ashes, Clay, Turfs, Leather, and I know

not what ) are defired.

This is called in Greek wina, and Pica also Pica. in Latin; ab ave Pica, vel quod varia appetant, ut Pica varii est Coloris, vel ex eo quod & Pica ca terram mandet.

If this distemper be in Women with Child, Malacia. it is called in Greek μαλακία, and in Latin also Gravidarum malacia, which is an inordinate longing in them, of which I shall treat more at large in the Chapter of the Hypochondriack suffocation.

Hunger diminish'd is caused of too fat and Cause. viscous Spittle, swallowed down (by little and little) into the Stomach; and being unsit to promote the fermentation of Food, it passeth into the small guts, and there generates viscous Phlegm like to it self, which doth not onely dull the moderate acidity of the Juice of the Pancreas, but thereby at length all the acidity in the Body becomes less sharp and dull.

Choler also being too fat, arising from the small Gut, to the Stomach, doth there corrupt both the remainders of Food and Spittle, and prostrates their gratefull acidity by which means the Appetite becomes dull.

These causes being complicated, if they be most grievous; will at length quite take

away and abolish Hunger.

Cause.

The cause of Hunger augmented is sometimes worms in the Stomach, which devour the Chylus; but most commonly it is caused by the over-sourness of the Juice of the Pancreas abounding in the Body, and chiefly in the small Gut; whence it sendeth sour Vapours to the Stomach, which do potently urge and increase the sense of hunger.

Cause.

Signs.

Choler

The cause of hunger deprav'd in quality, (as Pica, &c. in Women) is the suppression of their monthly Courses, which is more or less corrupted about the Womb, and having not its natural Evacuation, it returneth, and (in circulation) is mixed with the whole Mass of Bloud, by which it is all vitiated, and deprav'd; and so produceth a Cachexy, or ill habit of Body, which in time corrupteth all the other humours; from whence not onely hunger, but all the functions are deprav'd.

Hunger augmented needs no other fign,

than the devouring of Food.

The figns of Hunger deprav'd in quality are also manifest, as the longing desire for those things which are not food, as Coals, &c. before mention'd.

If these distempers continue long, they Progn. are difficult of Curation, because the fick will easily fall into a Cachexy, Dropsie, Con-

fumption, Vomiting, Fluxes, &c.

Hunger increas'd, may be cur'd by giving those things which destroy, and do temperate and amend the over acidity of the Juice of the Pancreas, and do prevent its increase.

There are variety of Medicines (proper for these intentions) prescrib'd in the 6th. and

7th. pages of the first Book.

If hunger be diminish'd, or abolish'd, it may be cur'd by Medicines that correct and educe the viscous Phlegmatick humours, of which you may be throughly furnish'd in the

3d. and 4th. pages.

If hunger be fuddenly diminish'd by Cho- cure. ler, either over fat, or abounding in plenty; it may commodiously be evacuated by an Antimonial Emetick. Many other proper Medicines are fet down in the 8th. and 9th. pages.

#### CHAP. III.

Of want of Appetite, or loathing of Victuals.

Ant of Appetite is called in Greek avogestia, ex a, fine, & ogestis appetitus. In Latin 'tis called inappetentia, because in this distemper the sick hath no desire after food, but their minds are averse to, yea they loath most kind of meat and drink, which sometimes riseth to that height, that it takes away their strength.

This differs from vomiting onely in degrees, it being a defire to vomit up whatfoever troubles the Stomach, but cannot, either by reason of weakness, or toughness of

the matter.

Nausea.

Loathing is called in Greek vauta, ex vaus Navis, quod navigantibus præcipue contingit.

All loathing is either natural, or adven-

titious.

The natural (for the most part) is common to Women with Child; wherein 'tis thought by some, that the mind of the Child in the Womb is affected, as well in this distemper, as in the disease called *Malacia*, or longing; wherein if the Woman have not presently what she longs for, wheresoever she first puts

her hand on any part of her body, in that part the Child is mark'd, as we may fee

often by experience.

The adventitious loathing, or that which cometh by accident, is stir'd up in healthy People by prejudice, they esteeming some forts of food ungratefull, or prejudicial to their Health, and therefore their Stomachs loath them. north at

Sometimes nauseousness, and loathing even to vomiting, immediately follows Intemperance in eating and drinking, which is

dangerous.

That we may the better judge of the causes of this distemper, let us first consider what is the natural Cause of Hunger, by

which we may the easier discover it.

I judge the chief Cause of natural hunger to be the remainders of food fermented in the Stomach, and the longer it stays there, it is still more and more fermented by the Spittle; which is continually swallowed down, and intermix'd with it; and at length it raiseth a somewhat sour and gratefull Vapour, which pleasingly affects the upper Orifice of the Stomach, and fo natural hunger feems to be produc'd.

And if food be with-held somewhat longer than ordinary, then this hunger is increas'd even in healthy People; which I think is promoted and augmented by the Juice of the

Pancreas,

Pancreas, having a friendly Effervescency with Choler and Phlegm in the small Guts, from whence four and gratefull Vapours are fent to the Stomach, which increaseth hunger; and if food be feldom taken, it may

proceed to fainting fits.

Hence we may gather, that if there be a vitious Effervescency of the aforesaid humours in the small Guts, then vitious Vapours are thence produc'd, which rifing up to the Stomach, and other parts adjacent, not onely diminish hunger, but more or less deprave Thirst, as also the senses of tasting and smelling; hence it is that the sick do loath all forts of food, as foon as they fmell, tafte or fee it.

Progn.

- 1. Want of Appetite or Loathing is a digression from the natural State, and is therefore dangerous; and is worse in Children than Adults, because they require more Nourishment.
- 2. In all diseases this is an evil Symptome, and if the fick recover and want Appetite, or loath their Food, there is danger of a relapse.

This distemper (either in healthy People, Cure. or those that are sick) may be cur'd,

1. First by freeing the mind from every

2. By correcting or purging out the vitious and peccant humours.

prejudice.

If the Humours incline upward, they may be fafely carried out by an Antimonial vomit; and after the operation, at night going to bed, let the fick take this Cordial Opiate.

Take the Waters of Damask-roses, Baum Cordial and Cinamon, of each one ounce; Syrup of Opiat.

Clove-gilliflowers, red Poppies, of each half an ounce; Confectio Alkermes half a drachm; Laudanum opiat. four grains; Oil of Vitriol

fix drops; mix it.

But if the humours be very viscous, (and the Stomach be not nauseous) let them be purged out by stool, with such Medicines as have power to alter, amend and evacuate the vitious humours.

For example.

Take of the Decoction of Senna Gereonis Purging four ounces; the best Manna, Syrups of Epithymum, Roses Solutive with Senna, of each half an ounce; mix it for two Doses, to be taken in the Morning fasting.

After purging, the Stomach must be Arengthned; which may be done by this excellent Diet-drink.

Take the Roots of China, Sarzeparilla, of drink, each eight ounces; Guiacum two pound; Cinamon, Mace, Nutmegs, of each one ounce; Raisins of the Sun stoned one pound; Anise L 4 feed,

seed, Liquorish, of each one ounce and half; let them be bruised and insused in two Gallons of Fountain-water very hot, for the space of twenty four hours, then boil it to the consumption of the third part; strain it, and add Syrups of Cinamon, and of the Juice of Rasberries, of each four ounces; mix it, and let it be put into Bottles.

The fick may drink four ounces of it three

times in a day.

Also candied Ginger, and Nutmegs preserv'd are good to corroborate the Stomach; a little of either of them may be eaten before

the taking of the Diet-drink.

You may anoint the Stomach with Oil of Mace by expression; after which apply a Plaster Stomachicum magistr. to the Region of the Stomach.

### CHAP. IV.

Of the Hicket, or Hiccough.

THE Hicket is called in Greek AUYHOSS, and in Latin fingultus, ex où cum, & gula, quod fere gula fiat; vel a sono gulæ.

It is called in English a Sobbing or Yexing, being something like the Clocking of Hens

with Chickens.

This disease was thought by the Ancients to be a deprav'd motion of the Stomach onely, by which it striveth to expell fomething which is hurtfull; but experience doth manifest, that it is a convulsive Motion of the Midriff, and not of the Stomach, because in this distemper, expiration is deprav'd; and this is chiefly perfected by the Muscles of the Belly, both by drawing down the Breast, and compressing all that is contain'd in the Belly, and driving them forward towards the Midriff, and so compelling it upward (its proper motion together concurring) by which a greater straitness is made in the Breast, which causeth the Lungs also to be straitned, and consequently the Air contain'd in them to be fuddenly expir'd.

Tis true, in this distemper, the Stomach is primarily affected by sharp Vapours, Wind, or humours whencesoever proceeding, which piercing to the membranous Centre of the Midrist, provoke it by pricking, or corroding, to perform that convulsive motion; in which the Diaphragma is contracted with a great force towards the Region of the Stomach, which suddenly and violently driveth it forward and outward, the convulsive Motion soon ceasing, and again often repeation soon ceasing, and again often repeation

The causes of the Hicket are either exter- Cause.

nal, or internal.

The external are hurtfull, sharp and poifonous food, or medicines, taken into the Stomach, by which the Midriff is foon affected, and compelled to this violent, and presently interrupted convulsive Motion.

The internal cause riseth up out of the: small Gut, by the vitious Effervescency off the humours there meeting; from whence: sharp, halituous or windy Vapours are rais'dl to the upper Orifice of the Stomach, by which it is foon corroded; and thence the sharp flatuous Humours, or Vapours, are: presently carried through the Vessels of the Diaphragma, and sticking in its substance, do corrode its sensible parts, and compell it to that Convulsive repeating contraction of it felf.

Progn.

When the Hicket is the Symptome of any other grievous disease, as an acute Fever, Inflammation, &c. it is dangerous, and sometimes mortal.

Cure.

In most ordinary Hickets, the party is easily restor'd, either by stopping the Breath, or

by fuddenly furprifing them with fear.

But as often as sharp poisonous Food or Medicines, or any flatuous humours be in the Stomach, &c. causing the Hicket; they must be presently expelled by an Antimonial Emetick, which will not onely empty the peccant humours upward and downward,

but

but will correct and amend the hurtfull hu-

mours in the Body.

After the Operation of the Emetick, the following Cordial Opiate will conduce to diffipate the molesting Vapours, which remain about the Mouth of the Stomach; and will stay the Hicket, and mildly procure sleep.

Take the Waters of Treacle, Cinamon, cordial Syrup of Mint, of each one ounce; the Wa-Opiat. ters of Baum and Mint, of each two ounces; Confectio Alkermes two drachms; Laudanum opiatum six grains; Spirits of Harts-horn, Niter dulcified, of each twenty drops; mix it.

Let the fick often take two spoonfulls of

this Opiate, till they be dispos'd to rest.

If this distemper be obstinate, and yields not to the aforesaid Medicine, it shews that over-viscous Humours are conjoin'd to its Cause.

Therefore in an obstinate Hicket, it is better that the peccant humours be emptied downwards, with such Medicines as will both cut, and educe them. For which I commend these Pills.

Take pil. fætidæ, ex duobus, of each fif-purging teen grains; Oil of Harts-horn four drops; Pills. make it into Pills; take them in the Morning sasting.

Let these or the like Aromatick Pills with gums be taken at least twice a week; which will not onely educe the hurtfull humours,

but discuss Vapours, and Wind.

In the interim, let not the frequent use of the aforesaid Cordial Opiate be neglected, for it will wonderfully conduce to the Cure.

Sometimes it is good for the Patient to

fneez, for it hath often prov'd successfull.

Drinking of warm Milk from the Cow is also much commended, because it will asswage the hurtfull humours which remain about the Stomach, &c.

#### CHAP. V.

#### Of Belching.

BElching is called in Latin ructatio & ructuatio esculenta, quæ sit ab homine saturo, because it comes most commonly after a sull Stomach.

Any thing which breaks up from the Stomach in the kind of a rift, or windy Vapour, and is expell'd by the Mouth with noise, may properly be called belching.

The cause of this distemper, is either out-

ward, or inward.

Caufe.

The outward is from windy food, or other flatuous things taken, as Beans, Pease, Radishes, &c.

The

The internal cause is either from a phlegmatick viscous humour adhering to the Stomach, where it is rarefied into wind by Aromaticks taken; or from the same viscous humour in the small Guts, turned into wind by Choler over sat, and volatile; and thence it is driven forward to the Stomach, whereby the Fermentation of Food is deprav'd into a noisome Crudity; whence Belches like rotten Eggs, &c. are rais'd, which doth distend and gnaw the Stomach.

If the Phlegmatick matter, which cleaveth Progn. to the Ventricle, or small Guts, be very tough, the belching is more hardly excluded; whence often a swelling, and troublesome Distensi-

on of the Stomach follows; & e contra.

The Cure may be fafely and happily per-cure. form'd, onely by correcting, and educing the Phlegmatick viscous humours abounding; for which there are variety of Medicines prescrib'd in the third and fourth Pages in the Cure of the Head-ach.

CHAP. VI.

In this difference rice

primarily, oriecondantly and

## CHAP. VI.

Of Vomiting, and of the Cholerick and Iliack Passion.

Vomiting is called in Greek εμετΦ, ab

It is a depray'd motion of the Stomach, and a certain fign of health weakned; for in perfect health nothing is wont to be expell'd out of the Stomach by the Mouth.

In vomiting, sometimes food, (either crude, or more or less fermented) is cast out by the Gullet and Mouth; sometimes Bloud, sometimes Choler, and other times manifold humours and matter of divers Colours, Taste and Consistency; and sometimes the Excrements returning to the Stomach (as in Iliaca passo) is expell'd by that preposterous way of vomiting, wherein, omnia natura prapostera legibus ibant.

All the differences occurring in several sick People, are very difficult to be numbred, or reduc'd into a certain order; and much more to make an exact Examination of all the Symptoms, and thence to give a solid Judg-

ment of every one.

In this distemper the Stomach is either primarily, or secondarily affected.

The

The Stomach is primarily affected to vo-

mit, when the cause is in it self.

As by taking a Vomit, or when there is an Inflammation, or Exulceration of it; for then it is easily stir'd up (by food, or any other thing swallowed) to a violent and preternatural Contraction, and turning of its motion, whereby it is compell'd to cast out

whatfoever is contain'd in it.

The Stomach is secondarily affected, when it is drawn by consent of other parts first distemper'd; as by the contracting motion of the Guts, either in part or wholly, in that most grievous disease called Ileos, or Iliaca Veos. passio; or by the vehement shaking of the Midriff, together with a potent Contraction of the Muscles of the Belly, caused sometimes n a grievous Cough: By which all the Bowels contain'd in the Belly are compresed upward, toward the Breast, and urge the Stomach to change its natural motion.

As often as Cholerick humours are plentifully voided out, as well upward, as downward with great force, accompanied with roublesome Anxieties of the Midriff; it is Choler. called in Greek xoxiga, ex xoxi bilis. And in Cholerica paffio.

Latin cholerica passio.

When there is a forcible pouring out of Bloud by vomiting, it is called in Greek ciμότηυσις, and in Latin vomitio sanguinis. Hamopty-

fis.

The

Cause of Ileos.

The Cause of Ileos, or Iliaca passo, is an excrementitious viscous matter that doth adhere unto the Gut called Ileo; which in time is coagulated into a very hard substance, almost in the form of Bullets; (of which I have had large experience) whence all passage through for the excrements by siege is stopt, and anon their regress and ascent to the Stomach follows, with a miserable vo-

miting of them.

The Rupture of the Peritonæum may be: also the cause of this grievous disease, especially if it be fo great, that not onely the: small Guts, but the great ones also fall through the lacerated hole, either by reason of their weight, or else by the perpetual approaching of what is contain'd in them, which renders them uncapable to be reduc'd, or put back through the same hole; whence: the excrements, (having not passage downwards) are more and more hardned to that degree, that they can hardly be dissolv'd, fo that a hard and unsupperable Tumour doth foon follow, which hinders the refluxe of bloud, and causeth an inflammation, and consequently a gangrene of the Guts, attended with a violent vomiting of the excrements, 'till death do put a period to the Patient's mifery.

These evils are often encreas'd by fomentations too hot apply'd, as also by a pre-

posterous

posterous and strong rubbing of the swell'd part, and violence us'd to repell the Guts.

The immediate causes of the cholerick Causes of the chole-passion, are sharp, putrid, cholerick hu-rick passimours collected in the Stomach and Bowels, on. because of external errours committed in diet, or by the taking of poison uncorrected, which doth immediately disturb and corrupt all the humours.

The cause of vomiting bloud, is to be de- Causes of duced (most commonly) from the Fancreas, vomiting by reason of some vessel open'd by its over sharp juice, caused by a vitious effervescency with Choler, from whence most of it is driven up to the Stomach to be vomited out; whilst some of it may descend downward to be voided by stool.

This distemper may also be caused by bloud flowing out of the vessels of the Stomach or Guts, either broken by vehement Cough-

ing, or corroded by sharp humours.

1. If vomiting be from repletion, or be cri- Progratical, 'tis a good benefit of nature, and therefore must not be stopped: but if it be symptomatical, 'tis an ill sign, especially if it be caused by inflammation of the Stomach, or adjacent parts, or by poison taken.

2. If the cause of Ileos, be from excrements indurated in the Gut Ileon, it may be cur'd, if taken in time; but if it be from a Rupture of the Peritoneum, 'tis dangerous,

M

and for the most part mortal, especially in there be inflammation and Tumour of the Guts, &c.

3. If the fick vomit bloud, 'tis dangerous; neither is the cholerick passion without dam

ger.

The Cure of this manifold vomiting, may be performed diverfly, according to the

variety of each cause.

If vomiting be rais'd too much by an E metick, or any other nauseous thing takem it may be represt by this aromatick Opiate or one like it.

Cordial Opiate.

Cure.

Take of Mint-water, four ounces; Tinc ture of Cinamon, half an ounce; Syrups or Mint, Erratick Poppies, of each fix drachmss Laudanum opiatum six grains; Spirit of Ni tre twenty drops; mix it.

Let the fick take a spoonfull of this ee very quarter of an hour, till the vomiting

ceaseth.

If a Catarrh be the cause of vomiting look

for the cure in its proper Chapter.

Cure of Cholerick Paffion.

If the cholerick passion be caused by poison, or plentifulness of cholerick hu mours in the Stomach, &c. then nothing hinders but that a gentle Antimonial Eme tick may be given, to which may be addee those things which will temper the to effervescency of the aforesaid hu mours. For example. Tak

Take of the infusion of Crocus Metallorum, Vomit. Mint-water, of each fix drachms; Cinamonwater, two drachms; Syrup of Erratick Poppies, half an ounce; Laudanum opiatum,

two grains; mix it.

After the evacuation of the peccant humours upward, and downward, an Opiate may be profitably used; because it will not onely temper the Acrimony of Choler, but asswage the acid juice, and stupesie the outward sense, and procure rest, which will be very gratefull to the fick.

Take the waters of Fennel, Plantain, Mint, Cordial Purslain, of each two ounces; Cinamonwater, Syrups of Myrtles, Purslain, white Poppies, of each one ounce; Confect. de Hyacintho, Diascordium, Venice-treacle, of each two drachms; Laudanum opiat. eight grains;

Spirit of Niter twenty drops; mix it.

Let the fick take two Spoonfulls of it often, which will conduce to amend the faultiness of any humours, whether acrimonious, falt or four; for in the disease of Cholera, it will powerfully asswage the too much effervescency that is raised in the small Gut, staying the fierce motion of the troubled humours.

A bloudy vomiting requireth speedy help, Cure of bloudy vowhence foever the bloud cometh.

The following Astringent medicine will wonderfully conduce to the cure.

M 2

Take

Astringent Julep.

Take the waters of Plantain, Comfrey, of each three ounces; Cinamon-water, diftill'd Vinegar, of each an ounce and half; Syrups of Mirtles, Quinces, of each one ounce; Powder of Dragons-bloud half an drachm; Laudanum opiatum fix grains; mix it.

The fick may take two or three Spoonfulls of this Astringent Julep every hour, with good fuccess, for it will cure the most ruptions of Vessels, and stop the flux of

bloud beyond expectation.

After Vomiting is supprest, if the Patients be troubled with belching of wind, &c. in this case, the following exemplary mixture may bear the praise; for it doth not onely conduce to curb and discuss wind, remaining as well in the Stomach, as Guts; but it doth temper and correct both Phlegm and Choler, and hinder wind in its rife, and will dissipate it, when it is bred.

Carmina-

Take the waters of Mint, Fennel, of each tive Julep. four ounces; the Carminative water of Syll vius, Syrup of Mint, of each two ounces Spirit of Niter twenty drops; Chymical Oil of Mace ten drops; Laudanum opiatum ter grains; mix it.

Let this be taken by Spoonfulls, often on more flowly, as pains or stretchings do more

or less urge.

If bloud be thought or feared to be clott ter'd in the cavity of the Guts; to dissolve it, you may add to the above mentioned Carminative Julep, pul. ocul. Cancror. Antimon. Diaphoret. Sperma Cæti, of each one drachm.

The voiding of matter by vomiting and stool, is not to be staid, but mildly promoted, feeing it is wholly unnatural, and hurtfull to the Body: but its new rife is to be hindred as much as may be, feeing it is bred of bloud, which is the fuel of our vital fire. and the fustenance of all parts of the Bo-

dy.

Among all the medicines that move or promote the voiding of matter, and hinder the continual breeding of it, out of corrupt bloud; I prefer and commend Antimonials, rightly prepar'd; as well Emeticks, as other preparations of it, as Antimonium Diaphoretic. and above all, a Balsam made artificially of its flowers, which will powerfully conduce to alter and correct the harms befalling the Body by matter, and hinder the new producing of it.

Also Balsam of Sulphur with Oil of Anisefeed is excellent to cleanse and consolidate any inward Ulcer; if two or three drops of it be taken often in a day in any pleafant

healing vehicle.

In all preternatural vomitings keep the Belly open, so that the sick may have (at least) every day a stool, either by Nature or Art; and let the peccant humours remai-

M 3

ning be emptied out by siege, with these or the like Pills.

Purging Pills.

Take Extract. Rudii half a drachm; Refin of Jallop, Salt of Wormwood, Tartar vitriolated, of each ten grains; Oil of Cinamon three drops; mix it for two doses, to be taken in the morning.

Cure of Iliaca pailio.

The cure of Ileos, or Iliaca passio, may (for the most part) be performed by the aforefaid medicines.

But for the fake of young Practitioners, I shall add some few directions for the cure of this lamentable contracted motion.

Wherefore to appeale the troublesome irritation of the Guts, let fat Broths be often taken in at the Mouth, and also injected into the Fundament as a Clyster; but if an emollient Clyster can conveniently be made, let the following be prepared and often used, the Decoction of which may be also taken at the Mouth, with a few drops of Oil of Anife-feed.

Clyster.

Take the Roots of Marsh-mallows two ounces; of Mallows, Marsh-mallows, Mullein, of each two handfulls; the Seeds of Anise, Sweet-fennel, Coriander, Flax, Fænugreek, of each two ounces; let them be cleansed, bruised and boiled in a quart of Spring-water till half be confumed, then strain it, and add oil of white Lillies, the Fat of a Hen, of each one ounce; mix it for a Clyster.

Of which ingredients you may also make Fomentations and Cataplasms to be applied to the region of the Navel, moderately hot, adding Swines or Goats dung to the Pulaloremention'd Pullets bearph tels.

The following Emulsion will conduce not onely to allay the irritation, and temper the sharp humours, but will make the passages slippery, and (by degrees) moisten the hard Excrements contained in the small Gut, and in the mean time, will mildly produce rest, and stop vomiting. June at a bound so will of

Take of fweet Almonds blanched, white Emulfion Poppy-feeds, of each two ounces; Frenchbarley boiled four ounces; the waters of Fennel, Plantain, Roses, of each half a pint; Barley-water a pint, let it be made an Emulfion; to which add Syrup of Violets three ounces; confectio Alkermes de Hyacintho, of each two drachms; Laudanum twenty grains; Spirit of Niter forty drops; mix it.

Let the fick take three Spoonfulls of it of-

ten.

In this grievous Disease, nothing is to be neglected, either outward, or inward, that may procure ease to the Patient.

The intrails of Animals, as sheep, &c. applied very warm in hot cloaths, and often

repeated, are very effectual.

Also Ventoses applied to the Navel have prov'd successfull; after which let a little Ci-M 4

ves

vet wrapt in Cotten be put to the Navel, and upon it apply a Plaster e Cymino, or Sylvius's Carminative Plaster; or else let the aforemention'd Pultess be applied warm.

Golden bullets swallowed are excellent, but for want of them, leaden bullets may humours, but will make the pallevral

Some give great Pills of Antimony; and crude Mercury or Quick-filver well depurated is also highly commended, to be given to three pound at a time, and walk or ride after it, to agitate the Body; but before you give either of them let the fick take an ounce of oil of sweet Almonds or Sallet oil, and likewise after it: and be sure that no acid thing be given after the Quick-silver till it be evacuated, lest it coagulate the Mercury, and hurry the Patient to the grave.

#### CHAP. VII.

els take three spooms

Of pain in the Stomach, and of various pains of the Guts, as Cholick, &c.

HE pains of the Stomach may be distinguish'd or divided into two forts, viz. of the upper and lower orifice.

If the upper orifice of the Stomach, (which is of exquisite sense, by reason of the intertexture of Nerves with which it is wonderfully surnish'd from the vaga sexta, whereof branches are also communicated to the Heart) be affected, it is called in Greek ragsianja, vel napsiwyuws, ex napsia, Cor.

It is also called in Latin Cardiacus dolor, cui os Ventriculi dolet, & per consensum cordis, ergo vocatur affectio Cordis, seu oris ventriculi. For the Mouth, or upper orifice of the Stomach being primarily affected, the Heart

fuffers by consent.

If the lower orifice, called Pilorus, be affected, it is called dolor seu colica ventriculi;

especially if it come of wind.

The pains of the Guts may also be distinguish'd, because one while the small guts, and

other whiles the thick guts are griev'd.

As often as the upper part of the small gut, (nearest the Stomach,) is pain'd, because that part of the gut is over the right Region of the Lions, it maketh the Patient (and sometimes the Physician) think that the pain is in them.

But if that part of the small gut which riseth up from the Loins and Mesenterie, (Towards the lest Hypochondrium) be afflicted with rendings and distensions, with a notable hardness, this is attributed to the Spleen, even by some Physicians, although without any solid rea-

ion;

fon; when indeed this distending pain is

altogether Hypochondriacal.

If the pain be in the Gut Ileon, it is thence called Iliaca Passio, which hath been already treated of.

Whatsoever pain is rais'd in the Gut Co-

lon, may be called Colica Passio.

These may be distinguish'd from one another, chiefly from the situation of either Gut.

For the Gut Ileon is for the most part contorted hither and thither, up and down about the region of the Navel, and from thence a little upward; but the Colon from the Navel downward, the pain of the Cholick generally pressing to the bottom of the Belly, as well as to each side, and the Back, &c. according as the Gut is writhed which is almost in the manner of a Roman S. being roll'd to the Navel, and from thence with a remarkable winding through the middle of the Belly, it is writh'd to the lest kidney, and groin, and so down to the Os sacrum, and bladder, and ends in the right Gut; whence the pain rising in the circuit and circumference of the Belly below the Navel may truly be called Cholical.

Cholica Paffio.

ano?

Sometimes there is a hot distending pain with pulsation and inflammation in the latter part of the thick Guts called *Rectum*; and this is either with a troublesome rending,

as in the internal or blind Hemorrhoids; or else it is a corroding pain, accompani'd with more or less itching, perpetually provoking to siege as in the Tenesmus, which oft times Tenesmus follow a Dysentery or bloudy flux.

In these various pains of the Guts, there Signs is one while a hot burning with pulsation, and other whiles a cold chilness seemeth to be fixt; pricking, and (as it were) boring the bowels; sometimes there is a distension of the bowels, pressing them with a sense of weight, wonderfully writhing and contorting them with such a tearing corroding pain, that the sick cannot give an explanation of the grief, and misery which they endure.

The causes are either external, or inter- Causes.

from the juice of the Fangreas very acid align

The external are wounds or contusions, caused by external violence.

The internal causes are divers; some-

times Worms may be the cause.

But a burning pain is produced either by an obstruction of the Capillary veins of the Stomach or Guts, by which the bloud is forc'd to stand still in the vessels till at length (after a great distension) the vessels burst, and the bloud is essue, which breedeth an inflammation, and a manifest pulsation about the part affected, by which it may be distinguish'd from any other Kind.

But for the most part, a burning and corroding pain riseth from Choler too fat, powerfully and vitiously raising an effervescency with the juice of the *Pancreas* too acid; as experience teacheth in outward things; for if you pour Spirit of Vitriol to oil of Turpentine, it will presently raise an effervescency join'd with a notable heat and burning.

This burning pain is chiefly felt in the region of the Loins, because there is the conflux of Choler, and the juice of the Pancreas; and from thence ariseth vitious sharp vapours, which produce griping pains of the Stomach, and pricking pains in the Guts, as

also other wandring pains therein.

If the pain be chill and cold, it is caus'd from the juice of the Pancreas very acid and sharp; which raiseth a vitious effervescency with Choler (not oily) and phlegm together, as we may observe, if we mix Spirit of Vitriol with any volatile Salt notoily, how it will raise an effervescency, coupled with a notable Chilness, and Coldness onely sensible; hence we may conclude, that the operation of the acid Spirit in producing cold, is much promoted by phlegm.

The cause of the Colick is over viscous; phlegm, mixed with Choler, peccant boths in its Saltish acrimony, and volatile oiliness; by which the viscous phlegm is rarifi'd into Wind; and if the excrements are contain'd

beyond

Cause of the Colick. beyond their course, they harden, and adhere to the Gut, whereby the natural serment is vitiated, and the windy blasts are more and more rarisi'd, and being shut up and remaining in the Cavity of the Gut Colon, it causeth a violent distension and contraction of it.

But if the aforesaid humours be mixt with the juice of the *Pancreas* over sharp, acid and harsh; then there is a wonderfull sense of contortion in the part affected, urging and writhing from place to place, according

to the winding or rolling of the Gut.

If this wind pierceth through the Guts, Observainto the Cavity of the Belly, it expandeth the Peritonæum, and so inflateth the
whole Abdomen, and causeth a Tympa-Tympany.
ny.

These Distempers are all dangerous, and Progn. fometimes mortal, especially if a violent Fe-

ver be complicated with them.

We must vary the cure according to the cure.

diversity of the causes.

A burning corroding pain may be cur'd, by tempering too fat Choler with Acids, as Spirit of Niter, &c. being mixt with Opiates. For example.

Take the Waters of Fennel, Fumitory, Julep. Sorrel, Succory, of each three ounces; Cinamon-water, distill'd Vinegar, Syrups of Violets and white Poppies, of each two oun-

ces; Laudanum opiatum ten grains; Spirit of

Niter twenty drops; mix it.

Let the fick often take a Spoonfull of this Julep, till the heat and pain be diminished, and sleep be procured.

The following Emulsion is also profitable, and therefore may sometimes be given for a

change.

Emulsion.

Take the four greater cold Seeds, white Poppy-seeds, of each one ounce; French Barley boiled four ounces; with two quarts of Barley water; let it be made an Emulsion; and add to it Syrups of Violets, and white Poppies, of each two ounces; Salt prunellar half an ounce, Spirit of Niter thirty drops; mix it, and give four Spoonfulls every two or three hours.

If Choler be two plentifull, let it be educ'd

with this or the like mild Cholagogue.

Purging Potion.

Take Damask-rose water two ounces; Manna, Diaphænicon, Electuary of the juice of Roses, of each two drachms; Tartar Vitriolated ten grains; mix it, and take it in the morning.

The Cholagogue Electuary of Sylvius is also excellent, of which you shall have the re-

ceipt at the latter end of the Book.

Chilness and cold pains may be cur'd by tempering the over sharp acidity of the juice of the *Pancreas*.

Lixivial Salts both fixt and volatile are excellent in this Case, as also any Aromatick Spirit of wine, Treacle water, &c. with which may be mix'd Coral, Pearl, Crabs-eyes, Antimon. Diaphoret. &c. and let the body be composed to sweat.

The following forms may ferve for ex-

ample.

Take the waters of Treacle, Fennel, Syrup Cordial of the juice of Carduus, of each half an ounce; Diaphore-powder of Crabs-eyes, Antimony Diaphoretick, Salt of Wormwood, of each ten grains; mix it, and give it the fick to cause sweat.

You may also give some of this Cordial Julep, to uphold the Spirits when they

fweat.

Take of Tincture of Cinamon, the Car- Cordial minative Spirit of Sylvius, of each half an Julep. ounce; the waters of Mint, Baum, of each two ounces; Syrups of the juice of Oranges, Clove-gilliflowers of each one ounce; Laudanum opiat. four grains; Oil of Cloves six drops; mix it, and give two or three spoonfulls of it often.

Let Sylvius's Carminative Plaster be spread on Leather, and applied to the region of the

Stomach and Navel.

As for the cure of the Cholick, let an E- cure of mollient Clyster (which discusseth wind) be the Chelick, given often, at least twice in a day.

Chfter.

Take the roots of Marsh-mallows one ounce; Pellitory of the Wall, Mallows, Marsh-mallows, the Flowers of Melilot; Chamomel, of each two handfulls; the Seeds of Anise, sweet Fennel, Dill, the Berries of Bays and Juniper, of each one ounce; let them be cleansed, bruised and boiled in two quarts of Whey till half of it be consumed; then strain it, and add Electuary Diaprunum, Cariocostinum, Benedicta laxativa, of each half an ounce; Oils of Dill, Chamomel, Roses, of each six drachms; Oil of Harts-horn ten drops; mix it for two Clysters.

The smoak of Tobacco may be blown into the Clyster-bladder, and given with

it, with good fuccess.

Besides, a Clyster may be made of Canary wine, or warm Cows Milk, and a little Honey, or Malossus, and given sometimes to soften the hard excrements, and to dissolve those that are too viscous, whereby they may be the easier evacuated, and also Wind invited to an easie outlet.

To drink the Decoction before prescrib'd, will much conduce to ease the sick; also of the same ingredients, you may make so-

mentations and Cataplasms,

But if the Patient do not care for the trouble of such medicines; you may anoint the Belly with this ointment.

Take Ointments of Marsh-mallows, Mar-ointment. tiatum, Oils of Capers, white Lillies, of each one ounce; Oil of Bricks half an ounce; mix it.

After which apply a large Plaster of Sylvi- Empl.

us's Carminative Empl. to the Belly.

The following Julep taken often by spoon-fulls will much conduce to ease the pain,

and discuss the wind.

Take the Waters of Mint, Scurvigrass, Fennel, Lovage, Penny-royal, of each one ounce;
the carminative Spirit of Sylvius, Tinctures
of Cinamon and Castor, of each half an
ounce; Syrups of Mint, Fennel and Mirtles,
of each six drachms; Oil of Mace distill'd
ten drops; Spirits of Harts-horn and Niter,
of each twenty drops; Laudanum opiatum
ten grains; mix it for a Julep.

The Oil of Harts-horn is a very Potent, though ungratefull remedy in this disease.

Also the Balsam of Sulphur made with Oil of Anise-seed, Amber, or Juniper is excellent in vanquishing this rebellious distemper.

After the violence of pain is abated, you may purge the Body with this following

Decoction.

Take of Guiacum four ounces; Roots of Purging China, Sassafras, Lovage, of each one ounce; Decoction Seeds of Anise, sweet Fennel, Berries of Bays and Juniper, of each two drachms; let

them be cleansed, bruised and boiled in two quarts of Fountain-water till half be confumed, strain it, and add of the best Manna, Syrup of Succory with Rhubarb, of each four ounces; Cinamon-water two ounces; Spirit of Niter two drachms; mix it, and take two ounces of it every Morning and Evening.

The following Pills with Gums will be also very usefull, and potent to educe the vis-

cous Phlegm, &c.

Purging Pills.

Take Galbanum prepar'd with Vinegar of Squills two drachms; Refins of Jallop and Scammony, Powders of Castor, Mastick, Mirrh, Vitriol of Mars calcin'd to whiteness, of each half a drachm; Saffron ten grains; Powder of Troches, Alhandal two Scruples; Oils of Harts-horn, Cloves, of each ten drops; beat them all into a Mass for Pills.

Let the fick take three or four of these Pills in the morning fasting, which will kind-

ly expell the vitious humours.

After which let them take some the aforesaid Julep to procure rest and ease. Oily volatile Salts, and Spirit of Niter are excellent, not onely to correct Choler, and other peccant humours, but do potently discuss wind.

#### CHAP. VIII.

Of the Worms.

Orms may be generated in all parts of the Body; those which are bred in Ulcers, may more fitly be called Maggots, in Latin termetes; but I shall onely treat of those which are bred in the internal

parts of the Body.

Every man living in all places, and climes, doth more or less suffer by the frequent generation of these little intestine Enemies; especially the weaker state of Man, as Infants, and the female Sex; whose ferment, or digestive heat being not fufficiently master of their great moisture; part of it is turned into putrefaction, which corrupteth the humours.

Wherefore it is no wonder that active Nature (being never at rest) by the quickning animating heat, which causeth Concoction, doth frequently generate Worms either in the Stomach or Guts, according to the various occurrences of matter, and feminal

dispositions.

There are three or four kinds of these inbred disturbers, which we may take no-

tice of.

Teretes.

The first are called in Latin Teretes, a terendo, qued quasi terendo rotundum sit, vel extressiv, i.e. terebrando.

They are long and round like Earthworms but whiter; they are more common than the rest, and are bred in the Guts, but do sometimes get up into the Stomach.

The second are called lumbrici Lati & lon-

gi, because they are broad and long.

Tænia.

They are also called raivia, paoxia, & riva, exertiva, tendo. i.e. fascia extensa. Because they are something like a womans Head-band.

This worm is full of joints, and is a native of the Jejunum, which is a fit place to nourish these Milk-suckers, or craving Vermine; there being the most supply of milky Juice, by reason of the numerous lacteal Vessels.

Some of these worms have been of an incredible length. Pliny lib 11. nat. hist. cap. 33. affirmeth that some have been thirty soot in length.

If you peruse Schenckiu's his observations, lib. 3. pag. 411. you may reade variety of such Histories.

Ascarides.

The third are called in Greek donagides, à oxalga, salio.

In Latin they are called Vermes exigui intestinorum, quod ex λύματι βεύει, è sordibus nascantur.

They are little and slender; some call them Arse-worms, because they commonly

lye

lye in the Intestinum rectum, near the Sphincter Muscle.

There is another kind of worms (though feldom feen) in the Colon, like the Botts in Horses; they may be called in Latin Vermi-Verminz. na, ex vertendo, quod rependo torqueant sese, & vertant cum quodam minuto motu. Ex Esta serpo.

The material cause of all worms is (most commonly) the inconcocted part of the Chylus which is produc'd of such nourishment as easily putrisieth in the Stomach; as green fruit, &c. which gives sufficient matter to

these intruding Vermine.

This part of the Chylus being crude, and unfit for fanguification, is left (undrawn by the lacteal Veins) in the intestines, where it is mixed with pituitous humours, and elaborated by the temperate heat of the guts, which is the efficient cause of such like generations.

The form which lay hid in this matter before, is afterward generated by the temperate heat of the Bowels, and according to the diversity of the latent forms, fundry

forts of worms are bred.

In the aforemention'd title of Schenckius, you may reade of the stupendious Figures of Worms, set down by learned and famous Men in their Monuments.

The figns of worms are many.

If they be round, there is a pinching or Signs of graw. Teretes.

gnawing pain in the Belly, especially being hungry; also a stinking Breath, a frequent dry Cough, Loathing, and sometimes Vomiting and Looseness, with distention of the Belly, and a symptomatical Fever; the sleep is often disturb'd with horrible Dreams, and starting and gnashing of the Teeth; the Face is pale, the Nose itcheth; wherefore Children that have them, do often rub and pick their Nose.

Signs of Tænia.

If the long broad worm be in the small guts, the party hath an infatiable Appetite, the Body confumeth, having quick stools after eating, in which there is often a fubstance like to the Seeds of Cucumbers.

Signs of Alcarides.

If the small worms called Ascarides, be bred in the intestinum rectum, there is a painfull itching in Anus with provocation to stool, in which they often come away.

Signs of Vermina,

If the short thick worms like Botts be bred in the Colon, there is a wringing troublesome pain, and they often come from the Patient night and day, without any Excrements, or motion to stool.

Progn.

These last mention'd, are of all others the worst, and most difficult to destroy, especially if they continue long, and grow numerous, lecause they enclose themselves in a Cystis or Bladder for shelter, which they run out and in to, as a Coney into her Burrough, whereby they defend themselves from the SC3W-

power of those things which are given to kill them.

The broad long worms are also hard to destroy; and if the round ones continue long, and are many, they cause Convulsions, and sometime Epilepsie; and if they come out alive in acute Fevers, it betokeneth great Malignity of the morbifick matter, which they labour to shun.

The Ascarides are not dangerous, for they

may be easily killed with Clysters.

As for the Curation, it is perform'd by two cure. indications; the first is by killing of them, the fecond by expelling of them when killed

And here the place or residence of the offending Vermine is to be considered, viz. whether it be the Stomach or Bowels; if the Bowels, whether the most external, as the Rectum, or more internal, as the Colon, Ileon, or Fejunum; and according to the different feat of fuch internal offensives of life, we must differently level our remedies, and manner of Cure.

If the Stomach be the residence of these notorious offenders; they may then be killed, and pumped upwards by an Antimonial vomit. wder of the

But large worms, which are not natives of the Stomach, but (as is faid before) of the Jejunum, or other next productive guts, OHA.

may

may be most properly conveyed downwards: by the force of Aloetick and Mercurial Medicaments.

And for as much as the passage is tedious for fuch flow marchers as worms are; which being but fick it may be with one dose, and loath to be diflodged; therefore they must be often stimulated to their exit (at least five or fix days together) by protruding Medicaments, till they be all destroy'd, and evacuated.

The following Pill is excellent.

Purging Pills.

Take Extract. Rudii, pil. Ruffi, of each one Scruple; Mercur. dulcis sixteen grains; Oil of Juniper three drops; make them into eight Pills.

A young Child may take a small Pill of this every day, and those that are adult, three or four of them, for five or fix days, till all

the Vermine are kill'd and ejected.

And to render the whole Region of the Bowels an uneasie residence to such unwelcome guests, an Aloetick Plaster applied to the Navel is never to be omitted; and farther to specificate the same, and all other Medicines, either internally exhibited, or externally applied; I advise you to mix some of the Powder of the ejected worms (of what kind soever) with them, which you will find most effectual to destroy the living Vermine.

Also all medicaments which partake of mercurial irradiation are destructive to Worms where-e'er they are.

Our common Quickfilver, if boiled an hour or two in fair Water, renders the whole (without communication of taste or scent, and also without any loss of weight) a certain destroyer of Worms in humane Bodies; which may be either given at the Mouth, or sweetned with Sugar, and given as a Clyster; after which give two or three doses of the aforesaid Pills to expell the dead Vermine, and verminous matter.

# CHAP. IX.

BOLE Whippoins & Ma

Of a Looseness, or flux of the Belly.

As often as the expulsion of what is contain'd in the Guts, happens quicker, oftener, and more plentifully than is natural, it may be called a Looseness; of which there are divers forts, which may be distinguisht according to the different things voided.

1. If Food be evacuated crude and undiges-Lienteria. ted, it is called in Greek Assertsela, and in Latin also Lienteria, i. e. levitas intestinorum.
2. If

and the Chyle passeth into the Guts, and the nutriment of the Chyle be not there separated from the Excrement, but is voided whitish like a Pultess, much like the Excrements of those that have the Jaundice, it may be called in Greek workers, and in Latin Coeliaca. Caeliaca, i. e. alvinus, vel ventralis dispositio; of which there is another kind, which for distinction sake may be named the Chyle-like Looseness; wherein the Food is both fermented, and severed into Chyle and Excrements, and yet are voided consused in the Stomach, and stomach, and severed into Chyle and Excrements, and yet are voided consused in the Stomach, and severed into Chyle and Excrements, and yet are voided consused in the Stomach, and severed into Chyle and Excrements, and yet are voided consused in the Stomach in the Stomach, and severed into Chyle and Excrements, and yet are voided consused in the Stomach in the

3. If not onely Food, but waterish and cholerick humours are often and plentifully Diarrhoea. voided, it is called in Greek Adifora, à Saiféan

fluo.

It may be called in English a Cholerick: Looseness.

There are divers other kinds of Looseness, which may be called Diarrhæa; for if thick and viscous Phlegmatick humours are frequently and plentifully voided, it may thence be call'd a Phlegmatick Diarrhæa; if the humours be serous, it is a serous Diarrhæa; if sat and oily Excrements are frequently evacuated, it may thence be nam'd an unctuous Diarrhæa, &c.

4. If the dejection be purulent, corrupted, excrementitious matter, together with pure Bloud, it may then be called in Greek sugar-

Tenas-

detrimentum notat, & zvrzego intestinum, ab

It may be called in Latin Tormina quod dolore torquentur intestina; In English 'tis

vulgarly called the Bloudy-flux.

If there be a perpetual endeavour to go to stool, and nothing but a little mucous purulent matter voided with great pain and straining, it may be called in Greek τενασμός, vel τενεσμός, ex τείνω tendo.

In English it may be called a neediness, mus. there being a continual need and desire to

go to stool.

This Distemper properly belongeth to a Dysentery, because it doth most commonly follow it, and sometimes with a procidentia Ani.

To a Bloudy-flux may also be referred the Hemoralimmoderate flux of the Hemorrhoids, which rhoids may be known from a Dysentery, both from the place affected, and the great quantity of the bloudy purging.

It is called in Greek aimoffois, ex aina, san-

guis, & pon, profluvium.

Also the flux of the Liver (if there be any such Disease) may be referred hither, in which the excrementations liquour ejected, is like the washing of bloudy flesh.

This Distemper is called in Greek inclinoi,

qui ex hepate laborant.

In Latin 'tis called Hepaticus affectus, vel fluxus est serosi et sanguinei humoris per alvum excretio, propter Hepatis imbecilitatem.

Caufes.

The causes of all fluxes of the Belly, are

either external, or internal.

The external, are any of the fix non-natural things immoderately used, which weakens the Stomach, also the taking of any venemous thing, as Arsnick, Mercury sublimate, &c. which presently destroys the ferment of the Stomach and Guts.

Causes of Lientery.

The internal cause of the Lientery, is weakness of the Stomach, that it cannot retain any food received into it, but striveth to ex-

pellit.

Cause of the faundice-like Aux.

The Jaundice-like flux is caused by the fluggishness of Choler, so that it is not carrid down to the Guts, to promote the separation of the usefull, from the unusefull parts of the Chyle.

Cause of the Chylelike flux.

The Chyle-like flux is also caused by the same, so that the straining of Chyle through the spongy crust of the Guts into the Lacteal veins is hindred; the orifices or pores tending to the Lacteal veins, being obstructed by over thick and viscous phlegmatick humours.

Causes of the divers kinds of

-519

A Cholerick Diarrhæa is caused by overfalt, sharp and serous Choler; together with Diarrhoea. phlegm, and the juice of the Pancreas too watry and fluid.

A phlegmatick Diarrhæa is caused by such things as do breed much viscous phlegm.

A serous Diarrhæa ariseth most frequently from Spittle, and the juice of the Pancreas too Serous.

A fat, oily, or unctuous looseness, doth

follow the over much use of too fat food.

A Dysentery doth proceed either from the thickness of the bloud, by reason of over viscous phlegm, being mixed with Lympha, or the juice of the Pancreas too acid, accompani'd with sorrow of mind; whereby the bloud doth become too gross for its wonted circulation through the Capillary Vessels of the Guts; wherefore it causeth a great distension of them, till at length they burst, and pour out the bloud into the cavity of the Guts.

Or else it may be caused from Choler too salt, sharp and plenteous in the bloud, whereby it doth become extravagantly serous, and eager, through extraordinary fermentation, extremely agitating the humours to a Colliquation, especially where sierceness of anger or great heat of mind do concur; by which the bloud is the more rarifi'd to pierce through the tender restraint of the vessels, and doth flow out by indirect ways, sometimes by great loss, to the endangering of life.

Cause of Tenasmus. A Tenasmus is caused by a phlegmatick viscous humour, joyned with a sharp acid humour, which doth fret the Gut about the siege, stirring up a troublesome Ulcer there.

Cause of Hemorphoids,&c.

The flux of the Hemorrhoids, and of the Liver, is to be deduc'd from much ferous matter mixt with the bloud, and also relaxing the vessels.

The Hemorrhoids are either critical, which useth to ease the sick; or symptoma-

tical, and much weakneth them.

Signs.

The figns of Fluxes are manifest, from what hath been said.

Progn.

1. If any looseness continue long, with loathing, 'tis an ill sign, especially if it be with a Fever.

2. If the small Guts are affected, the pain is sharper than when it is in the thick Guts.

3. In the Dysentery, if the dejections be very bloudy, or black and setid, with great Thirst, Hicket, &c. for the most part they are mortal signs; but if the erosion be onely in the internal membrane of the Gut, and there be no great pain, nor other bad symptome, there is great hopes of recovery.

If the bloud and humours be too thin and ferous, they must be corrected, and evacuated.

Chalk, and Harts-horn, (or any other burnt bone) reduc'd to powder, and given often

Cure.

often in a small quantity, doth imbibe and correct watry moisture, and also over much fatness, which may be the cause of a loosenefs.

After which the peccant humours may be evacuated by stool with Hydragogues, and by fweat and urine, with Sudorificks and Diurcticks.

Toasted Rhubarb will satisfie to many indications, feeing that it doth not onely evacuate water together with Choler abounding, but will foon correct the over-loofe body, by its mild tartness.

Wherefore when the Bloud doth abound with much ferous liquour, let the fick take

this Powder in a little Broth.

Take the Powder of Jallop, Cinamon, of Purging each fifteen grains; Powder of Rhubarb Powder. tosted half a drachm; mix it

After the operation of it, you may give

the following Cordial by spoonfulls.

Take the Waters of Plantain, Comfry, cordial of each two ounces; Cinamon-water half Julep. an ounce; Syrup of Mirtles one ounce; Confectio de Hyacintho, Diascordium, of each one drachm; Laudanum opiat. four grains; mix it.

It will be also convenient sometimes to educe the humours by urine and fweat; for which I commend the following Decoction of China, &c.

Take

Decoation.

Take the Roots of Burdock, the five opening Roots, Sarzeparilla, Contra yerva, of each one ounce; China four ounces; Gromwell-seeds, Juniper-berries, of each half an ounce; let them be cleansed, bruised and boiled in two quarts of sountain water, 'till half of it be boiled away; then strain it, and add Syrup of the five opening Roots six ounces; Spirit of Niter one drachm; mix it.

Let the fick take a quarter of a pint of this warm, twice or thrice a day, and especially in the morning fasting, which will the eafier procure a breathing sweat, or else urine more plentifull, by which the serosity of the bloud will be consum'd by little and little, so that the bloud and humours will thereby become more pure.

If a Dysentery, or Bloudy-flux arise from a sharp humour corroding the Vessels; it may be cur'd by correcting, and tempering the sharp acid humours, and consolidating the Vessels fretted.

The following Powder is excellent to correct and amend the aforesaid acid humours, and stop all fluxes of bloud.

Powder.

Take the Powders of red Coral, Pearles prepared, white Chalk, Dragons bloud, of each half a drachm; mix it for fix doses, which may be taken in three spoonfulls of the following Julep, every two or three hours.

Take

Take the Waters of Plantain, Comfry, of Astrin-each two ounces; Tincture of Cinamon, Sy-gent Julep. rups of Quinces, Mirtles, of each one ounce; Laudanum opiat. ten grains; Oil of Juniper ten drops; mix it.

If there be an Ulcer in the thick Guts, and Clysters can come to the part affected, let the following be often injected, and instruct the fick to retain them fo long as they

can.

Take new Milk wherein Steel hath been clyster. quenched one pint; Honey of Roses one ounce; Venice Turpentine half an ounce; the Yelk of one Egg; Balfam of Sulphur four drops; mix it.

The following Bolus may be fometimes

given in the Morning fasting.

Take the Powder of Rhubarb tofted two Purging Scruples; Nutmeg one scruple; make it in-Bolus. to a Bolus with Conferves of red Roses.

And this Bolus may be given at Night

going to bed.

Take Diascordium, Conserves of red Roses, Bolus. of each half a drachm; Laudanum opiat. three Opiat.

grains; mix it.

By the frequent use of these choice Medicines, the Ulcer will be cleans'd, the Gripes affwag'd, and the Consolidation of the ulcerated Gut (both in the Tenasmus and Dysentery, &c.) will be wonderfully promoted.

But if the Ulcer be in the small Guts, the following vulnerary Decoction will more conduce to the Cure.

Decoction.

Take the Roots of Comfry, Plantain, Knoth grass, of each two ounces; the Tops of Saint John's wort, Sanicle, Germander, red Roses, of each one handfull; Shavings of Hartshorn, Cinamon, of each half an ounce; let them be cleansed, bruised and boiled im three quarts of Fountain-water whereim steel hath been quenched, till half of it be boiled away, then strain it, and add Syrup of dried Roses, Tincture of Cinamon, distill'd Vinegar, Syrup of Marsh-mallows, of each two ounces; mix it, and give the sick four spoonfulls every two or three hours.

If you add two or three drops of Balsam of Sulphur, made with Oil of Anise-seed to every dose of the Decoction, &c. it will be the more effectual both to cleanse and consoli-

date the Ulcer.

The flux of the Hemorrhoids, if it be fymptomatical, and weaken the fick, is them to be hindred, which may be effectually done by the afore-mention'd Medicines.

If much serous Liquour can so dilute the Bloud, and relax the Vessels, that part of its may be carried out of them into the Guts, and produce a Flux like the washing of Flesh, commonly called a Flux of the Liver; it may be cur'd by driving forward the serous Li-

quour

quour out of the Body, by Sudorificks, and Diureticks; and also by tart strengthning things that repair the hurt of the loosened Vessels.

The Diuretick decoction of China, before mention'd, is excellent in this case, to be taken as is there directed.

Also the following Diaphoretick may be

fometimes used with good success.

Take the Waters of Treacle, Cinamon, of Sudorieach half an ounce; Plantain-water two ounfickces; distill'd Vinegar three drachms; Confectio de Hyacintho, Diascordium, of each one
drachm; Powder of Crabs-eyes, Antimony
Diaphoretick, of each half a drachm; Syrups
of Mirtles, dried Roses, of each six drachms;
mix it for two doses.

Also the Powder and astringent Julep prescrib'd in page 192, 193. is excellent to corro-

borate the loosened Vessels, &c.

Anoint the Belly with the Oil of Quinces, Mirtles, Roses, Wormwood, &c. mixed with unguent. Comitistæ; which is also good in all Fluxes of the Belly.

extend general occasional caute is

O 2 CHAP. X.

ether external or internal.

parts with obdurate Contractions; which is

contracting Cold in the Region of the Belly,

Example docts company to consist the Mulcles

more

## CHAP. X.

#### Of the dry Belly-ach.

THIS cruciating disease may be called in Greek σπασμὸς δπημες έν and in Latin Spasmus Abdominis, quod sub umbelico est add Pubem; and because of the additional Torments, it may be also named Tormen Abdominis, quod dolore torquetur Abdomen.

This disease doth also need as well the Name, as the invocation of Miserere mei Deus; the sick being in such extreme misery, that 'tiss incredible to all but them that have endur'd

it.

The most urgent and exquisite pain under this affect, being in that most tender and sensible part, viz. the Belly, may seem to have some Alliance with the Iliack or Colick passion; and indeed they are sometimes its Concomitants, but much different from it.

Causes.

The causes of this lamentable Distemper,

are either external, or internal.

The external general occasional cause is contracting Cold in the Region of the Belly, &c. which doth cramp not onely the Muscles of the Abdomen, but also the tender Fibres of the Intestines, cruciating all the affected parts with obdurate Contractions; which is

more aggravated when the Moon doth come to opposition with the Sun. Which may be alfo observ'd in all Spasms and convulsive motions, that about the full of the Moon, the tide of fuch nervous diseases doth rise highest: Especially in those places where the direct aspects of the nocturnal luminary have the most power; which demonstration will evince to be between the Tropicks, which many of our Mariners, (who have failed that way)

can tell by wofull experience.

Another external procuring cause of this grievous disease is a mineral Gas ascending from the Caverns of the Earth, infesting the Air with its poisonous Fumes, whereby not onely the tender fibrous, and nervous parts of the Belly are oft times crampt with Convulfive spasms; but the mineral Fumes being inspired with the Air into the Body, produce most eminent apparent evils, as the Corruption of the Chyle into porraceous and adust Choler, from whence followeth irritating Vomitings, and the Constipation of the Belly, with obdurateness of the excrements, which inflames the Bowels, and en-signs. tails a Symptomatical fever, with a heavy and flow pulse; and as the pain doth aggravate more and more, there is want of fleep and rest, with other uneafiness, and commotions of Body and Mind; as the Operatours in Chymistry have sometimes experience of to

(to their cost and trouble) in mineral preparations; for if a Vessel chance to break, the sharp and acid Vapours, or Gas of the mineral, immediately seiseth the Animal spirits of all that are in the Elaboratory; by which they are mov'd unequally (against the will) through the Nerves to the Musculous parts, which causeth Convulsive motions, with trembling and shaking of the Limbs, and other accumulated evils.

The like grievous Symptoms (though not so violent ) happen to many People that inhabit near the mineral Mines in Hungaria, and also in some Places of England as Derby-Shire, &c. Where there are Lead-works, from whence mineral Fumes continually afcend from the separating Oar, which infesteth the Air, and is a great producer of fuch Convulfive effects.

At the first seisure of this evil, the Muscles of the Abdomen, and sometimes those of the Breast and Back, (through contractions) prove hard and painfull, as in our ordinary Cramps; which Symptoms will evince, that these Vapours are peccant in an acid Acrimony.

The internal Cause, is also sour Vapours arifing most commonly out of the small Guts; which the concurring fymptoms (confider'd and weighed with an attentive mind) will confirm; for these Vapours being sharp, are

driven forward into the Nerves, and gnawing them with great pain, aggravate and

produce this Convulsive spasm.

per hath continu'd to a long durance, it causeth such obstructions in the sibrous and nervous Passages of the Muscles, that thereby Lameness and an Atrophy soon succeeds, increasing the Weakness of all the Members of the Body, till at length it ends in a Paralitical resolution of them.

2. If a pregnant Woman, or a Woman after Abortion, be afflicted with this grievous evil; it is very dangerous, and many times

mortal.

As for the Cure, we must endeavour to cure ease the pain, and strengthen the weak parts

with all expedition,

The pain may be eased, and diminish'd as well by internal, as external Anodynes and Narcoticks; to allay the violent Motion of the Animal spirits, and abate the grievous Spasms succeeding.

The following Cordial Diaphoretick opiate

is excellent in this Cafe.

Take the Waters of Fennel, Peony, Treacle, Diaphoreof each one ounce; Syrups of Stæchas, Peony, tick.
Scurvigrass, of each half an ounce; Powder
of Crabs-eyes, Antimony Diaphoretick, Bezoar-mineral, Salt of Tartar vitriolated, Salt
of Amber, volatile Salt of Harts-horn, of

4 each

each one scruple; Tincture of Castor two drachms, Spirit of Salt Armoniack, Oil of Cloves, of each four drops; Laudanum opiat. fix grains; mix it, and give four spoonfulls

every three hours.

By the frequent taking of this Volatile and Anodyne Sudorifick, the peccant humours will be temper'd and diminisht, and the inordinate, involuntary, and impetuous motion of the Animal spirits will be reduc'd, and brought to tranquillity, by which the binding Constrictions of the Belly-ach will be the easier remov'd.

Bathing in this distemper, hath been often us'd with admirable success; for by the frequent use thereof, the cutaneous and muscular Fibres will not onely be relax'd from contracted Spasms; but the pores will be also kept open for the constant discharge of

transpiring Particles.

A natural Bath, fuch as is in the City of Bathe, is excellent; but when it is not to be had, an artificial Bath may be very usefull

for the ends propos'd.

For example.

Take of Elder, Dwarf-elder, Vervain, Betony, Chamomel, Bays, Rhue, Time, Hyfsop, Ground-pine, Organ, Penny-royal, Sage, fweet Marjoram, of each fix handfulls;

Flowers

Flowers of Stæchas, Chamomel, Melilot, of each four handfulls; Roots of Pellitory of Spain, Briony, Master-wort, Virginia Snakeroot, of each four ounces; Spicknard, Berries of Juniper and Bays, of each two ounces; Brimstone six pound; Salt Niter two pound; let them be cleansed, bruised and boiled in twenty Gallons of Fountain-water, till a third part be boiled away.

Let the fick be well bathed in it, as often as strength will permit; and let them sit therein, as long as they may well bear the same.

Then let them be rub'd dry, and remov'd into a Bed; and let the affected parts be well anointed with this (or the like) fragrant Ointment.

Take Oil of Earth-worms, Ointment of Ointment. Orange-flowers, Jessamy, of each three ounces; Oil of Mace by expression one ounce; Oil of Juniper, Bricks, of each two drachms; mix it.

As often as the Body is costive, let a Suppository, or carminative Clyster be administred to make it soluble.

Let the weakned parts be fortified with the aforesaid unguent; upon which apply a Plaster of Sylvius's carminative Emplaster spread on Leather, which you may remove once in twenty four hours, using warm frictions to the pained parts, and apply the Plaster again; and over it you may apply a Fox-skin drest.

drest, which will keep the parts warm, and conduce to the cure, which course may be continu'd 'till strength be restor'd to the grieved Limbs.

## CHAP. XI.

Of the Tellow Faundice.

Cterus.

HE Yellow Jaundice is called in Greek ixlego, ab avicula quæ innis dicitur, quod ea oculos flavi vel aurei coloris habet.

It is also called Icterus in Latin; it being a spreading of a yellowish Colour over the

whole body.

It was the common received opinion of the Ancients, that the chief cause of this Disease, is an obstruction of the Cystick pasfage to the small Gut, so that Choler is thereby wholly hindred in its natural descent; wherefore it doth ascend to the Liver, and so to the Bloud, with which it is transfer'd to the habit and superficies of the body, where it doth shew it felf in its colours.

But it may be manifested from many obfervations, and experiments, both Anatomical, and Practical; that the Jaundice may be produc'd without an obstruction of the pasfage of Choler, Als

Although I suppose that the Jaundice may probably be raised by an obstruction of the Meatus Hepaticus: for if there should be a great stoppage in this Vessel, by any glutinous or lapidescent matter, the Choler that is generated in it may possibly regurgitate (there being no Valves to hinder it) and thereby become mixed with the Blood, by which means it may (in a short time) be

conveyed over the whole Body.

But if the Meatus Cifticus should be stopped by a small stone, &c. as I have sometimes seen in dissecting Icterical Patients, where I observed that the Excrements were not dyed so yellow as usual: yet it is impossible that there should be any regurgitation of Choler to the Liver out of the Gall, by reason of the three Valves looking from without inwards, which do potently hinder the recourse of it: and although the Meatus Hepaticus is without Valves, yet seldom in a Jaundice, is either that passage, or the Ductus Communis obstructed, but many times wider, as the most ingenious Salmon hath accurately observed.

Wherefore that we may the better judge carl end of the true Cause of this Disease, let us first I. consider that Man's Body abounds with an Animal salt, which doth circulate with the Blood through the whole Body, so that not oney the internal, but superficial parts are repenished therewith.

2. See

2. Secondly, it is the Nature of Volatile and Animal falts to sublime, and upon their mixture with other sit Bodies to excite or stir up new appearances of Colours according to the Nature of the Salt; for if a solution of Salt of Tartar be mixt with a solution of sublimate in fair Water, it gives in a moment a reddish, yellowish or orange tawny Colour, although both the solutions be as clear as Cristal, and with Armoniack salts in proper liquors, may be made many

Colours to appear.

From whence we may judge, that if the Animal falt of Man's Body become too volatile, or be too much sublimed: which may be done, either by the biting of an enraged Viper, or by the power of poyson, or from the over heating of the Body by violent exercise, or by exceeding sorrow of mind, or great passion, or by excessive drinking of hot liquors, or from burning Feavers; whereby the universal Body comes to be inflamed, the Spirits vehemently agitated, and thereby the Volatile saline Principle to be violently moved out of its Place or Domicil, to the Circumference of the Body; but meeting with the viscous Juice of the Cutis is there hindred from flying away; and being dissolved and mixt with the Cutaneous Humidity it excites the Jaundice, whether yellow, black or greenish, according to the Co-

bur

lour of the Poyson which the Patient hath cafually taken, or predisposition of the Body to so notable a mutation. Hence it is that many (who have been in perfect health) have been suddenly invaded with this Difease: some by the biting of an enraged Viper, others by running a race, &c. who immediately after were all over as yellow as if they were dipt into the Juice of Saffron; and yet notwithstanding it could not be judged that the Gall-juice was either affected or disaffected in the least measure: for it cannot in reason be supposed, that the Venome or Poyson of the Viper should be so particularly directed to the Gall, to work such an effect in so short a time, as to distribute that viscous heavy Juice so universally over the whole Body: much less can any one imagine, that either the drinking of strong liquours, or any violent exercise, &c. should any ways so operate upon the cholerick Humour, as to volatize it, and so immediately disperse it universally over the whole humane Frame; for it is impossible that the glutinous Substance of Choler should be disperfed in so short a time to all the superficial Parts of the Body.

Therefore it is more probable, that the volatile Animal salt of the Body, being moved, and carried out of its Domicil, by the extream heat of the internal Parts, and vio-

lent

lent Motion of the Spirits, and being mixt and dissolved with the cutaneous Juice (as is before mentioned) doth not onely excite the Jaundice, but may possibly be the Cause of Purple Spots in the Spotted Feaver: as also of many other sudden and great Changes in the Bodies of humane kind.

Progn.

The Jaundice invading a Patient in a Fever (before the seventh, viz. the Critical day) is dangerous: if it comes upon an Inflamation of the Liver, or a Schirrus and the Cure be not hastned, a Dropsie, Cachexy, or deadly pining will in a short time succeed.

Cure.

If it be critical upon acute Feavers nature effects the Cure: if it be symptomatical, the Cure depends upon the Cure of the Disease by which it comes.

If it be essential from the obstruction of the Meatus Hepaticus, the obstruction must

be opened.

If forrow of mind or great passion be the Cause, it ought to be prevented as much as may be, both by Philosophical and Theological reasons about any troublesome matters, and by confirming the mind, whereby the sick may be the better enabled to bear and suffer stoutly any adversity.

This ought to be observed also in all other

Diseases.

If Ebriety be the cause I commend Sobriety to cure it. Sublata causa tollitur effectus.

If the humours be over viscous or glutinous, the following Decoction will not onely alter and correct, but mildly educe the peccant humours, by which the Jaundice

may in a short time be cured.

Take of Rhubarb, the Roots of Madder, Decollism.

Smallage, the greater Celandine, of each one ounce; the Flowers of Broom one handfull; Hemp-feed two ounces; the Seeds of Anife, Parsley and Columbines, of each half an ounce; Saffron two drachms; white Tartar three drachms; let them be cleanfed, bruised and boiled in White-wine, and Fountain water, of each three pints, till the third part be boiled away, then strain it, and add the best Manna, Syrup of Succory with Rhubarb, of each three ounces; mix it.

Let the fick take four spoonfulls of this three times a day, till the viscous phlegm and Choler be sufficiently evacuated, and the na-

tural colour of the body restored.

As oft as the Jaundice is caused by the poison of a Viper, or any other venemous thing whatsoever, you must administer (as soon as possible) a volatile sudoristick to correct and expell the venome.

The following will ferve to both indica-

tions.

Sudorifick

Take the waters of Carduus, Fennel, Fumitory, of each two ounces; Treacle-water Syrups of the juice of Carduus, red Poppies, of each one ounce; tincture of Saffron two drachms; Venice-treacle half a drachm; Bezoar-mineral, Antimony diaphoretick, Salti of Harts-horn, of each one scruple; Spiritt of Salt-Armoniack fix drops; Laudanum opiatum six grains; mix it, and give three on four spoonfulls to provoke sweat, and after it breaks forth, give a spoonfull or two, now and then, to promote it.

Also this Decoction, or one like it may be prescrib'd for the Icterick patient, it being

both Sudorifick, and Diuretick.

Diuretick Take the Roots of Scorzonera, Juniper, of Decoction each two ounces; Roots of Master-wort, Sassaphras, of each half an ounce; Berries of Juniper and Bays, of each one ounce and half; Seeds of Nettles, Hemp and Columbines of each one ounce; shavings of Hartshorn three drachms; the tops of Carduus, Scordium, Scabious, the lesser Centaury, of each one handfull; let them be cleanfed, bruised and boiled in two quarts of Fountainwater, till half of it be boiled away; then strain it, and add Syrup of the juice of Carduus four ounces; Treacle-water two ounces; Salt of Tartar vitriolated two drachms; mix it, and give four spoonfulls every two or three: hours.

Soap of any fort, conduceth to the cure of the Jaundice, upon a twofold account, both by reason of its fixt lixivial Salt, and also by reason of its fatness or oil; for the Lixivial Salt doth correct and diminish the over volatileness and spirituousness of the vitiated Choler, and the oil doth blunt the sharpness of the volatile and spirituous Salt ruling in Choler.

The following mixture is very effectual.

Take of Hemp-seed two ounces; Soap two opiated drachms; bruise the seed, and boil it in half a pint of new Milk, till half of it be consumed; then strain it, and add Syrup of Saffron half an ounce; tincture of Saffron two drachms; Laudanum opiatum sour grains; mix it, and give half of it in the morning fasting, and the remainder at night, going to bed.

# CHAP. XII.

whole made of Bloud is induced with a vincus

of the Tenns in Womon, Winds is in

The internal cause maybe the supplican

parts of the Body is dearnalling

A N ill Habit of Body is called in Greek Cachexia.

\*\*Reality of Body is called in Greek Cachexia.

It may be called in Latin mala corporis habitus.

bitudo.

There

There are many causes of this Distemper, which may be distinguisht according to the

diversity of the conjoin'd Symptoms.

It doth accompany all Chronical Diseases, as Dropsies of all kinds, Hypochondriack suffocation, Scurvy, Pox and Gout, &c. for it doth spare none, neither Peer nor Peasant, of any age or sex; but it most frequently seizeth on Women when their monthly terms are supprest.

The cause is either external or internal.

The external cause is either bad Diet, as long time received, or for want of good refreshing Food after sickness, for the Stomach being weak cannot digest course Diet, by which the nutriment of the Body doth by degrees become peccant in quality, vitiating the humours, and Bloud it self, so that an ill nourishment of the Body doth sollow.

The internal cause may be the suppression of the Terms in Women, which is more or less corrupted about the Womb, having not its natural evacuation, from whence the whole mass of Bloud is indued with a vitious quality, by which the nourishment of all

parts of the Body is deprav'd.

Also Choler, and the juice of the Pancreas (which are always confus'd with the Bloud) being alike vitious or peccant in quality, do not onely corrupt the separation of usefull and unusefull parts, but by the vitious

effer-

effervescency of these humours manifold slatuous vapours are rais'd, which do not onely increase anxieties about the Midriff, but being carried to the Heart, there follows a pressing pain and palpitation thereof; and in circulating through the Lungs, it causeth a Dyspnæa, or difficult breathing; and being thence transferr'd every way throughout the Body, it doth breed a general weariness in all parts.

But when the vitious humours abound together in plenty, then feveral kinds of the Dropfie at length succeed; if not the univer-

fal Body groweth lean by degrees.

From what hath been faid, the production of every Cachexie may eafily be deduced by

a judicious Physician.

The figns are paleness of the Face, thort- signs. ness of breath, palpitation of the Heart, and often apressing pain of it, accompanied (for the most part) with a lingring Fever, either continual, or intermitting, or compounded of both, in which the Urine is crude or watry; at length there is a weariness of the universal Body, which in some doth pine and become lean, but in others the Body doth swell, and is turgid.

If this Disease be not helpt in time, it will Progn. become by degrees so stubborn and rebellious, that it will puzzle the wifest and most experienced Physicians to cure it; for by the

long continuance thereof, phlegm becometh very tough and glutinous, on which all Chronical, or prolong'd Diseases depend; besides, all the other humours are by degrees vitiated, which incorporate with the Bloud, and diminish its effervescency, so that the separation and excretion of the excrementitious parts (to be voided together with Urine) do not follow, from whence many grievous symptoms fucceed, which oft proves mortal.

Cure.

The cure of every Cachexie will consist in the correction and amendment of the Bloudl

any way vitiated.

If flegm be tough and glutinous, it must be corrected and evacuated, for which there: are variety of choice medicines prescrib'd in the fourth page, of the cure of diseases of the Head; in the use whereof you must persevere for some time, or else the laudable success, and happy wisht for cure will be expected in vain.

Any other humours that are peccant in quality (by which the bloud is vitiated) must be alter'd and reduc'd to their natural Constitution by selected Medicines, which will amend and empty them out by degrees.

In the interim good Food (which is easie: of digestion, and wholsome nourishment) must not be neglected, whereby nature: may be cherished, and health by degrees procured. Those

Those Medicines which are prescrib'd for the Cure of the Dropfie and Scurvy, are proper for this Disease, wherefore I shall forbear prescriptions here.

#### CHAP. XIII.

Of Drophes.

HE Dropsie is called in Greek 25got, Hydrops. ab iswe aqua, quod nomen sumpsit ab aquoso humore Cutis.

The Ancients have affigned three forts of

Dropfies.

1. The first is called in Greek don'ms, ab don's Ascites.

uter, pellis.

'Tis called in Latin aqua intercus, ex inter & cutis, because the Water is between the Skin and the Flesh.

This is the most proper Dropsie, in which the Abdomen, Secrets, Thighs and Legs are affected.

2. The second is called in Greek numaring, quod tumor est ad similitudinem tympani, vel tympani sonum referens.

As this is the most rare, so 'tis the most

cruel and afflictive.

Caufe.

3. The third is called in Greek avaougua, ab ava per, & ouist caro, quod hydrops toto corpore diffusus; It is also called in Greek λευκοφλεγμαna, ex κουκον album, & φλέγμα, phlegma vel pituita; because it is caused of white Phlegm gathered

in all parts of the Body.

Some Authours make a difference between Anasarca, and Leucophlegmatia; that Anasarca is caused by a serous humour, and Leucophlegmatia by a phlegmatick and more viscous: humour; but all Dropsies except Tympanies: seem to me, to be little less than a distinction

of degrees of one and the same Disease.

The Ancients did take the Liver to be the: chief part male-affected in these distempers; but Helmont (who was happy in a remedy to cure it ) doth severely reprove them, and is so bold to tax the whole Schools with the ignorance of Anatomical diffections; he having inspected many Carcases of dropsical Persons (of whom he makes distinct mention ) doth affert the Livers of them all noway vitiated, and therefore he concludes the Liver faultless in dropsical affects; and he derives the Cause of Dropsie to be an obstruction of the Kidneys with the Stone or Gravel; and so the water which should be transferr'd through the Kidneys, to the Bladder, (to be evacuated by pissing) is forced into the Cavity of the Abdomen.

But experience teacheth that Dropfies may

be caused many ways; wherefore I shall betake my self to a more evident description thereof.

The causes of Dropsies are either external, cause,

or internal.

The external Cause is the Constipation of the porous Skin, impeding transpiration, whereby the discharge of sweaty Vapours through the Habit of the Body is lessned and interrupted; hence what moisture is usually carried off by sweating, doth rebound inwards, and condense into an Ichorous water, and is there (by degrees) aggravated and increased, through the hindrance of the necessary transpiration; till at length a great quantity of water is accumulated, and stagnating in the affected parts, in time may work farther alterations on the subjected Bowels.

Matter of fact hath evinced this to me, having cured feveral Hydropical patients onely by fweating, and external applications.

The internal Cause of the Dropsie, may be over viscous Chyle, or Phlegm of the Guts, coagulated in the lacteal Veins, and causing an obstruction in more or sewer of their Branches, so that the Liquour rising either from the continual Conslux of Choler, the Juice of the Pancreas, and the Phlegm of Spittle; or else from Chyle, or from drink plentifully drunk, being stopt and intercepted in its motion, it doth by degrees more P 2 and

and more distend the Vessels, that at length they burst; and the moisture receiv'd into them, is poured out between the Membranes of the Mesentery, and presently after into the Cavity of the Abdomen.

This disease is sometimes suddenly produc'd by much drinking in a burning Fever, join'd with an urgent and permanent

Thirst.

After the same manner (though difficult to be known) may a Dropsie of the Breast be caused, viz. by an obstruction of the lateral Lymphatick Vessels, by glutinous Phlegm carried together with Lympha into the said Vessels, and there coagulated, by which the motion of Lympha is hindred, so that the Lymphatick vessels being much distended, by the great quantity of Lympha gathered in them, at length they burst, and the Lympha piercing (through the Fleura) into the Cavity of the Breast, procureth a Dropsie in it.

The cause of a Tympany is wind, together with a serous humour piercing through the Guts into the Cavity of the Belly, and being there detained, it is more and more rarified, by which the Peritonæum is not onely expanded, but the whole Abdomen inflated, and violently distended.

The signs of Ascites, are swelling and signs of sluctuation of the Belly, difficult breathing, Ascites. a dry Cough accompanied fometimes with a symptomatical Fever, and great Thirst.

The signs of Anafarca are weakness, faint- Signs of

ness, and swelling of the whole Body, which Anafarca. being pressed with the Finger, it doth pit, and leave an impression, breathing is also difficult, with a continual Fever.

In a Tympany the Belly is distended, and Signs of a being struck upon, there is a noise like a lit-Tympany.

tle Drum.

1. Every Dropsie is difficult of Curation, Progn. especially if it hath been of long continuance.

2. If the Hydropical persons have a good digestion, and void more moisture both by stool and urine, than they either eat or drink, it is a hopefull fign of recovery, & e contra.

Dropfies may be cured by strong Hydra- Cure gogues, Sudorificks, and Bathing, and fometimes by a Paracenthesis or boring the

Belly.

The Best Hydragogues are prepared of Elder, Dwarf-elder, Jallop-roots, Elaterium, Gum-gutty, Crystals of Silver, &c. of which you may prepare purging Infusions, Pills, Go. for example.

Take the Roots of Flower-de-luce, Dwarf- Purging Elder, Madder, Liquorish, the five opening Inf. sion. Roots,

Roots, of each one ounce. the tops of Saint John's wort, Centaury the less, Agrimony, the best Senna, of each one handfull; the Barks of Capers, Ash, Tamarisk, Cinamon, of each six drachms; Flowers of Beans, Elder, Dwarfelder, Broom, of each half a handfull; seeds of sweet Fennel, Parsley, Gromwell, Juniper-Berries, of each one ounce and half; Cloves, Salt of Tartar, of each half an ounce; let them be cleansed, bruised and insused in two quarts of White-wine, for two or three days; then strain it, and add Syrup of Succory with Rhubarb, six ounces; mix it, and give four ounces of it in the morning fasting.

If any like Pills better, I commend the

following.

Purging Pills.

Pills.

Take the Resins of Jallop, and Scammony, Tartar vitriolated, Mercur. dulcis, of each half a drachm; Oil of Juniper one scruple; make it into Pills with Venice-Turpentine, of which you may give twenty grains at a time, in the morning sasting.

The following Pills are also very effectual.

Take of Elaterium, Gambogia, Resin of Jallop, of each ten grains; Oil of Nutmegs six drops; make it into Pills with Venice-Turpentine for two doses.

The obstructions in the Lacteal veins, or Lymphatick vessels, may be cur'd by Medicines that do powerfully cut, and happily open the said obstructions,

This

This Aromatick Sudorifick may be commended for these intentions.

Take the waters of Treacle, Scurvigrass, Sudorifick Fennel, of each one ounce; waters of Parfley, Fumitory, of each two ounces; diftill'd Vinegar half an ounce; Syrups of the
juice of Carduus, and the five opening Roots,
of each fix drachms; Powder of Crabs-eyes,
Antimony Diaphoretick, Salt of Amber,
Beans, Worm-wood, of each one scruple;
Spirits of Salt Armoniack, Niter, of each
twenty drops; mix it, and give four spoonfulls of it every two or three hours.

After the Vessels are freed from the noted obstruction by the medicines before-mention'd, or such like; they will be easily confolidated again by conglutinating food, in which you may boyle the Roots of Comfry, Plantain, and Solomon's Seal, for the more

quick and easie cure.

In a Tympany, the dulcifi'd Spirit of Niter is excellent, being taken in Broth or Sack, three or four times in a day, from fix to twelve drops at a time, for it doth correct both Phlegm and Choler, and hinder Wind in its rife, and dissipate it when it is bred.

Also the following exemplary Julep doth curb and discuss Wind, remaining as well in the Stomach as Guts.

Take the Waters of Mint, Fennel, of Carminaeach tipe Julep. each four ounces; the Carminative Spirit of Sylvius, Syrup of the juice of Mints, of each two ounces; Laudanum opiat. eight grains; Spirit of Niter one drachm; Salt of Amber half a drachm; Chymical Oil of Mace ten drops; mix it, and take three or four spoonfulls every three hours.

You may prepare a Medicinal Wine for

the rich, very beneficial in Dropfies.

Medicinal Wine.

Take the Seeds of Anise, Fennel, Caraway, Coriander, Berries of Bays, and Juniper, of each two ounces: Salt of Tartar half an ounce; let them be bruised, and insused in three pints of White-wine, for three days, then strain it, and add Spirit of Niter half an ounce; Salt of Amber two drachms; Syrup of Mint three ounces; mix it, and take four or five spoonfulls of it often.

Sweating is very profitable in all Dropfies, either in Bed, with the forementioned Sudorifick, or in a Bagnio, or Hot-house, by which the water standing beside nature in any part of the Body, will (by degrees) be emptied through the pores of the Skin.

Also it may be necessary, especially in persons more elderly, to use warm Baths. That which is prescrib'd for the cure of the Belly-ach in page 201, 202. is also very prostable in Dropsies; into the which it may be agreeable to descend at evening, before Bedtime, and there to continue so long as the Patient

Patient can well endure without fainting; after which Frications may have their pro-

per use, and great benefit.

And to strengthen the cutaneous Fibres, and restore their true tone, for their better service of the offices of Nature: let the affected parts be anointed with the following fragrant Balsamick Ointment.

Take of Flanders Oil of Bays, Nerve-oil, Ointment.

Oil of Earth-worms, of each two ounces; Oil of Mace by expression, half an ounce; mix it.

Galen commendeth a Cataplasm of Snails bruised with their shells, and laid upon the Navel.

But a Pultess prepar'd of the ingredients of the Bath, and applied to the affected parts, will be more effectual to discharge the Ichorous water.

Or you may make a Cataplasm after this manner.

Take the tops of Elder, Dwarf-elder, Ver- Pultefs. vain, Worm-wood, Chamomel, of each two handfulls; Horse-radish-roots four ounces; let them be cleansed, bruised and boiled in two quarts of the juice of Wild-cucumbers, till they are very tender, then strain it, and beat them very well, and add Barley-meal, one pound; and with the same liquor boil it into the consistence of a Pultess.

Let the Patients diet be drying, and let

them

them drink moderately; you may infuse Juniper-berries, Tamarisk and Elicampane-

roots in their ordinary drink.

And for the benefit of those Physicians and Chirurgeons, that live in the West-Indies; there groweth (almost every where in moist places) a large Cane, much like the Sugar-cane; the Planters generally call it the dumb Cane, because they that taste it, are presently dumb, and unable to speak for two or three hours; after which the Tongue returns to its former use and volubility without any prejudice.

The reason why this remarkeable Plant doth so affect the Tongue upon the touch of it, is its power of attracting such plenty of moisture into it, as doth distend all the Vessels thereof, and render it immoveable, till the crouded moisture be gradually

discharged.

Hence we may conjecture, and indeed experience teacheth, that of this Plant may be prepared diversity of medicines as Cataplasms, Oils, Ointments, &c. Which will be effectual to attract, and easily and kindly discharge the swollen part of the Ichorous water; which may be used for some time after the evacuation of it, the better to prevent a farther accumulation, or return of the Disease.

Likewise may medicines be prepared, (by a skilfull Artist) of this Plant, very effectual to be taken inwardly, not onely against Dropsies, but the Scurvy, Gout, &c.

If these choice medicines are not to be had, and nothing be essected by other means; A harmless Paracenthesis may be instituted in the Dropsie of the Breast, or Abdomen; provided the Apertion be made by such a little hollow instrument as is described in page 81, 82. of the Cure of the Pleurisie, for by such a small wound, there is no danger to the sick.

But this operation must not be delay'd, lest the humour collected, get an hurtfull Acrimony, and by degrees corrode and corrupt the Membrane, and hence the substance of all the parts contain'd, and so make the Disease incurable.

out the Body, and are sugmented total the through and

e Mypochondriacic affection

Contract the feature production of the contract

Caryonioneless personers well fabre

of parts, to tellit or content at

CHAP. XIV.

#### CHAP. XIV.

Of the Scurvy, and Hypochondriack Suffocation, commonly called the Fits of the Mother.

THE Scurvy being a Hypochondriack disease, it will not be amiss to treat of

them together.

The Scurvy is called in Latin Scorbutus; it is a Complication, or Concatenation of Diseases, generated by the Conjunction of divers Causes contributing to a scorbutick

Deformity.

The Scurvy is generated, or planted essentially in the vital Principles, or digestive Offices, and therefore it is not discerned by sense, but the essects are distributed throughout the Body, and are augmented more or less, according to the strength and debility of parts, to resist or consent and be deprayed.

The Hypochondriack suffocation is called in Greek importagians, im to xovses, vel quod ad Hypochondria pertinet, vel sub cartilagine

sita sit.

It is called by the Latins Hypochondriaca melancholia.

The Ancients thought that this was an uterine disease, in quibus mulieres uteri suffocatione

Hypochondriacus.

catione laborant; and therefore it was called isternos, and in Latin morbus Hystericus, vel-Hysterica passio; and in English'tis called Fits. of the Mother; it being most subject to Women, from the suppression of their month-

ly Courses.

But because men are also molested with longing, and fuffer often both the Sense and Difease of Suffocation, especially when they become Cachectick, or of ill habit of Body: and also they are cured with the same medicines, that Women are cured with, when they are vexed with this distemper, therefore I think this fuffocation may be more properly called Hypochondriacal.

It may be called the Mother of the Scurvy, because the vital Principles (in this disease) are seduced to declension and deviation from their rectitude, the digestive offices being

all depraved.

The causes of these diseases are either ex- causes.

ternal, or internal.

The external, are fometimes a fedentary studious, and melancholy life, by which the vital Principles do receive much prejudice, decay and fall off from their functions, and become languid and feeble; also the Air being infested with noxious Vapours, is a procuring cause of these distempers; for such Air being drawn into the Body by inspiration, doth commix with the spirits, and debilitate bilitate and deprave the faculties, from whence Scorbutick and Hypochondriack effects do ensue; and as the Body is perspirable or impervious, these diseases are more or less varied, and remitted in their Symptoms; and therefore the constipation of the pores, prohibiting transpiration, is a partial organical cause of preternatural Spots: in the Scurvy, which appear chiefly upon the Thighs and Legs; not from the gravity of the material cause, and ponderous propension of gross matter downwards; but because those parts are more weak in their assimilation, being remote from supply of vital Spirits, therefore they have the: first tokens of defection.

The internal Cause is a vitious quality of all the humours, and also of the Animal spirits, which are consus'd with the bloud, and communicate their faultiness to it, by which the bloud is also vitiated, so that the nourishment of the Body is depray'd several ways, according to the variety of the quality peccant; in which the colour of the native Skin, and especially of the face languisheth, and is changed pale.

In these diseases, not onely the appetites of food, but its fermentation is also deprav'd; wherefore Anxieties about the Midriff and Hypochondries, and a pressing pain of the

Heart will foon follow.

its

For when the food is ill fermented, and driven forward through the small Gut, it is confus'd with the Juice of the Pancreas and Choler, which are a like vitious, the Pancreatick juice being too sharp and acrid, and the Bile over thick and falt; from whence the feparation of usefull and unusefull parts, is not onely corrupted, but also by the vitious Effervescency of these humours, are rais'd manifold halituous Vapours, which do not onely increase the fore describ'd Anxiety, but being carried to the Heart do breed a Palpitation of it, whence it circulates through the Lungs, and causeth a difficulty of breathing, and thence being driven every way, it causeth a weariness in all parts of the Body; and if an Acrimony of the humours do concur, then it is manifested internally with pain.

The cause of the inordinate effervescency of Bloud, in the Hypochondriack suffocation, is not onely the unequal flowing of Lympha, but also of the Liquour rising out of the threefold humours, vitiously effervescing in the small Gut, from whence vitious Vapours are sent to the right Ventricle of the Heart, and procure a great Consusion, and disturbance in it; hence followeth a notable Palpitation of the Heart, by which sometimes the Effervescency of Bloud seemeth to cease in the right Ventricle for a time, with

its motion and pulse, and also respiration is

taken away to outward fense.

The symptoms and signs of these diseasess are very many, yet are never seen to con-

cur in one and the same Body.

The usual signs are pain of the Head, palpitation of the Heart, puffing up of the Stomach, Loathing, Vomiting, Belching, Hicket, Cough, Tumour and Putrefaction of the Gums, with much spitting; looseness and blackness of the Teeth, and sometimes great pain in them; the breath stinketh, and iss fometimes fetched with much difficulty; also Convulsions, Palsie, Gout, Dropsies, and all other obstructions; sometimes the Colick, and trembling and loofeness of the Lims, with red purple spots dispersed; also the Pleurisie, pain of the Hypochondries, and also of many of the external parts, ass the Neck, Arms, Hands, Thighs, Legs, Feett and Anckles, with laziness, and often faint fweats; there is also sometimes malign Ulcers, dry hard Tubercles, Erisipelas and Edematous tumours with many others, which to enumerate, were to comprehend an univerfal Genus of Atomes, within a very narrow Limitation.

Progn.

of long continuance, and are seldom cured, and therefore may be called the disgrace of Physicians.

2. If

2. If the Patient hath a continual pain and giddiness of the Head, it doth threaten an Epilepsie, or Apoplexy.

3. The more aged the fick are, the more grievous are the Symptoms, and the more

dangerous and difficult to be cured.

4. Vomiting, Flux of the Belly, and Hemorrhoids, if they are moderate, are hope-

full figns of recovery.

In some Regions, these diseases are complicated with most other distempers, or at least do easily degenerate into them, by which they are rendred the more dissicult of curation.

As for the Cure of these stubborn and re-cure. bellious diseases, the sick must observe a good diet, without which Physical means will profit but little; and here we may also observe, that no Aliments, or Medicines (whether altering or purging) will be very profitable, unless specifick Antiscorbuticks be mixed with them.

The best Antiscorbutick simples, are the Roots of Horse-radish, Butter-bur, Liquorish, Dandelion, Scorzonera, China, Zedoary, Angelica, Elicampane, Polypodium, the five opening Roots; the Wood and Bark of Guiacum and Sassaphras, the Herbs Scordium, Scurvigrass, Brook-lime, Water-cresses, Sorrel, Rue, Fennel, Golden-rod and Pennyroyal; Fruits of Oranges, Limmons, Pom-

citrons,

citrons, Pomgranates, Apples, &c. Seeds off Mustard, Angelica, Radish and Juniper-berries, cum multis aliis; of which may be prepared diversity of good medicines both Chymical and Galenical.

The volatile Salts both of Animals, and Vegetables, are excellent to open all obstructions, and temper the humours; Also Elixir proprietatis, the Spirit of Salt Armoniack, Horse-radish and Scurvigrass, the Spirit of Niter and of Salt dulcified, Salt of Steel, Wormwood, and Tartar, Oil of Juniper, Cloves, and Cinamon, are all Specifickt Antiscorbuticks.

The Hypochondriack suffocation having great affinity with the Scurvy, the same

medicines are proper for both.

The following Julep is both Diaphoretick, and Diuretick, and very profitable for the ficking in these diseases, to be taken two or three.

days in a week.

Julep.

Take the Waters of Penny-royal, Scurvigrass, Treacle, Syrup of the juice of Fennel, of each two ounces; Tincture of Castor, half an ounce; Oils of Amber, Mace, and Cloves, of each six drops; Spirit of Salt Armoniack, twenty drops; mix it, and give three spoonfulls every two or three hours.

This Electuary may also be prefer'd.

Take of Conserves of Scurvigrass, three ounces; Confectio Alkermes, half an ounce;

Powder

Powder of Crabs-eyes, two drachms; Flowers of Salt Armoniack, Tarter vitriolated, of each half a drachm; Spirit of Castor one drachm; Oil of Cloves twenty drops; mix it, and give two drachms morning and evening.

After the frequent use of this Electuary,

you may purge with this Powder.

Take Powder of Cream of Tartar, half a purging drachm; Salts of Wormwood, Amber, Powder. Scurvigrass, Resin of Scammony, of each ten grains; mix it for two doses.

If the Patient like Pills better, these may

ferve. For Example.

Take Extract. Catholicon, Rudii, of each ten grains; Resin of Jallop, Agarick, Salt Armoniack, of each six grains; Oils of Amber, Cloves, of each two drops; make it into eight Pills, for two doses.

A Medicinal Wine may be prepar'd very

effectual in these distempers.

Take of Water cresses, Brook-lime, Scur-Medicinal vigrass, Rue, of each one handfull; Roots Wine. of Polypodium, Jallop, Horse-radish, Angelica, Cream of Tartar, of each half an ounce; white Nettle-seed, one ounce; Orange-peel, Cinamon, Salt of Tartar, of each two drachms; let them be cleansed, bruised and insused, in three quarts of White-wine, for two or three days, then strain it, and give four spoonfulls in the morning sasting.

In the Hypochondriack suffocation, you

Q3

may

may often hold to the Nostrils, a glass with a narrow mouth, containing the Spirit off Salt Armoniack; for by its sharp smell, the sick for the most part are wont to be rais'd, both from that suffocation, and from the Epilepsie.

If the Gums are putrified, let the mouth be washed with the following Tincture, mixed with some Plantain water, and Syrup of

Mulberries.

Tincture.

Take Powder of Gum Lacca, one ounce; burnt Alome half an ounce; the small Spirit of Salt Armoniack, one quart; let them digest together 'till it be of a red colour; then siltrate it through brown paper, and keep it for use.

If the fick hath a costive Body, you may administer a Carminative Clyster once on

twice a week.

In pains of the Belly and Hypochondries, this linament is effectual.

Linament

Take Oils of Earth-worms, Scurvigrassa Chamomel, of each one ounce; Oil oil Mace by expression half an ounce; mix its with which anoint the parts affected.

This Antiscorbutick water will be very profitable, to be taken two or three spoon

fulls at a time, morning and evening.

Water against the Scurvy. Take the Barks of Ash, and Capers, the Roots of Tamarisk, Polypodium, Horse-radish of each three ounces; Water-cresses, Scurvin

grass

grass, Brook-lime, Sorrel, Centaury the less, Harts tongue, of each four handfulls; Berries of Bays and Juniper, Goose-dung, of each one ounce; the Seeds of Citrons, Mustard, Carduus benedictus, Cloves, Cinamon, Nutmegs, Ginger, of each half an ounce; let them be cleansed, bruised and digested, in one Gallon of White-wine, and two quarts of Spirit of wine, being close covered for three days; then distill them with a glass Still according to art, and keep it for your use.

Frictions, Ligatures, Ventoses, Sternutatories, &c. are all profitable to stir up the sick in the Hypochondriack suffocation.

## CHAP. XV.

Of the Green-sickness, and Suppression of the Courses.

THE Green-sickness is called in Latin Icteris, & Febris alba; In English the Virgin's Disease, the White Fever, and the White Jaundice; because in this disease the native colour of the Face is pale.

This disease is caused either from desect cause.
of Bloud, or it proceedeth from plenty of
crude

crude, viscous, phlegmatick humours, obstructing the veins about the Womb, by which the courses are supprest; the veins of the Matrix being obstructed, that superfluous Bloud which nature hath ordained to be evacuated that way, having not passage, doth return to the greater Vessels, and is circulated with the whole mass of Bloud and humours, by which they are in time vitiated, and a Cachexie or ill habit of body is thence caused; for the Bloud and natural humours, being indued with a vitious quality, the nourishment of all the parts of the body will be deprav'd feveral ways, according to the variety of the quality peccant; whence likewife not onely the fermentation of Food, but also the Appetite of it is deprav'd; where-Anxieties and Palpitation of the Heart, &c. troubleth the fick, as well before as after Food taken in.

This distemper may be also caused by external coldness of the air, &c. and sometimes great fear, and fudden shame may be the cause of the suppression; also aliments, and medicaments that are too astringent taken in-

wardly.

Signs.

In these diseases the Urine cometh away crude, thick and less colour'd, because the phlegmatick, watry humours abounding, incorporating with the Bloud, do diminish the defired effervescency; so that the

separation, much less excretion of the excrementitious parts, to be voided together

with Urine, doth not follow.

If the Hypochondries be afflicted, and the veins of the Womb obstructed, there will be great loathing of wholsome Food, and a desire after those things which ought not to be eaten, as Ashes, Salt, Coals, &c. which is called Pica, and in Women with Child Malacia, of which we have hinted in the Chapter of Hungar Vitiated, page 145, 146.

1. These distempers are sometimes of long progn. continuance, causing much weakness, and

oft times barrenness in them that have been so afflicted: and if they do conceive, they bring forth weak and sickly Children, and those that are very melancholy, are in danger of falling into madness, or other grievous affects, as Palpitation of the Heart, Swouning, Vertigo, Epilepsie, Apoplexy, &c.

2. If the obstruction be onely of the vesels of the Womb, and have not been of long

continuance, it may be easily cur'd.

3. Bleeding at the Nose, is sometimes beneficial, but if the Bloud doth disburthen t self by the Eyes, Ears, Mouth, or Bladder, t is preposterous, from whence may arise other bad Symptoms.

In the cure of these distempers such medi-cure. ines are to be selected, which will mildly

(and

(and by degrees) alter, correct and evacuate, tough and glutinous Phlegm, feeing that all prolong'd difeases depend on it, either wholly, or at least in part; for by the frequent use of such medicines, the Bloud and peccant humours will be the easier reduc'd to their natural constitution; especially by the help of good Food, easy of digestion: in the mean while, not neglecting the moderate use of the rest of the nonnatural things.

An obstruction of the Vessels by viscouss Phlegm, may be cur'd by the frequent use off such medicines as have power to loosen the peccant humours, and again make them sluid.

All fixt metallick and mineral Sulphurs, and also volatile Salts, prepar'd not onely off several parts of Animals, but also of scorbutick Plants, (fuch as are the juice of Hedgemustard, Scurvigrass, Garden and Watercresses, Dandelion, &c.) conduce before all others, to loosen and dissolve Phlegm coagulated, or Bloud clotter'd, as having an e gregious power of dissolving all things coagulated, and conglutinated in humane bodiess, and of reducing the same to their wonted fluidity, and moreover to move sweat, which together being mildly promoted, the defired dissolution of the aforesaid viscous hu mours, &c.will be obtained much easier, and fooner,

AII

An example of such a Sudorifick I have here set down for the sake of young Practitioners.

Take the Waters of Treacle, Dandelion, Cordial to Parsley, Scurvigrass, Fennel, Syrups of Sweat. Hedge-mustard, white Poppies, of each half an ounce; Spirit of Salt Armoniack, Hartshorn, of each ten drops; Laudanum opiatum, four grains; mix it.

The following is also very effectual.

Take the Waters of Fennel, Hyssop, of each two ounces; distill'd Vinegar six drachms; the Carminative-water of Sylvius half an ounce; Syrup of the five opening Roots one ounce and half; Powder of Crabs-eyes one drachm; Sperma Cæti, Mummy, Antimony Diaphoretick, of each one scruple;

Laudanum opiat. four grains; mix it.

Let the fick often take two spoonfulls of either of these mixtures, especially in bed, to promote the power of the medicine, and to facilitate a sweat; by the help whereof the mention'd power of the Sudorifick will the better come to the place of obstruction, and will attenuate, loosen, and make fluid the matter obstructing; the whole Mass of Bloud will also become more fluid and moveable, being raresi'd by the volatile Salt of the medicine.

If the Patient be plethorick, let the Saphæna vein be opened, for by opening and breathing a Vein, the motion and circulation of the Bloud will be the better restor'd; for a larger space being made for the universal Bloud, it will circulate more swiftly and potently.

The phlegmatick viscous humours must be corrected, and evacuated by Phlegma-

gogues.

The following medicines are of great

efficacy.

Powder.

Take of Salts of Mugwort, Ash, Amber, Tartar vitriolated, of each ten grains; Powder of Cream of Tartar, white Sugar-candy, of each half a drachm; mix it, and give it in white Wine in the morning fasting.

The next day you may administer the fol-

lowing Pills.

Purging Pills. Take of pil. fætidæ, ex duobus, of each half a drachm; Amber, prepar'd Steel, Borax, Mercur. Dulcis, of each one scruple; Mirrh, Castor, Sastron, of each twelve grains; Oil of Cloves, Spirit of Salt Armoniack, of each six drops; make it into ten Pills for two doses, which may be taken in the Morning sasting.

If a medicinal Wine be acceptable to the fick, the following or one like it may be

used.

Medicinal wine. Take the Roots of Horse-radish, the five opening Roots, of each one ounce; Savin, Vervain, Penny-royal, Hyssop, Calamint, Mugwort, of each one handfull; Senna, Cina-

Cinamon, sweet Fennel-seeds, Juniper-berries, Orange-peel, Liquorish, of each half an ounce; let them be cleansed, bruised and insused in one Gallon of White-wine for three days, then strain it, and keep it for use.

You may add more wine to the ingredients so long as there is any Aromatick

taste.

Four or five spoonfulls of this Wine may be taken two or three times a day, with which you may mix Salt of Tartar vitriolated ten grains; Elixir proprietatis six drops.

If you expect a laudable fuccess, you must persevere awhile in the use of these, or such

like medicines.

# CHAP. XVI.

Of the immoderate menstrual Flux, and the Whites in Women.

HE monthly terms being immoderate, may be called in Latin mensium fluxus immodicus.

And the Whites in Women Albæ mulie-

rum fluxiones.

The causes of too many Courses are either Cause. external, or internal.

The external Causes may be by an Ulcer in the Matrix, or some outward Violence,

and sometimes by too much Coition.

The internal Causes are either a sharp serous humour abounding in the Bloud, increasing its sluidity, or else an over great heat in the Womb, stirring up a more potent, and therefore a swifter rarefaction of Bloud, provoking an expulsion of it, either by breaking, (or some other preternatural opening) of the vessels of the Womb.

The white Flux of the Womb, is an excre-

mentitious humour flowing from it.

This distemper is subject not onely to Wo-

men, but sometimes to Maids also.

Cause of Whites.

These humours may be bred in the Womb, either by a cold or hot distemper therein.

The cold doth render it unable to digest its

nourishment.

A hot Distemper corrupteth it, hence

cometh this excrementitious humour.

Also Abortion, Contusion, Inflammation, Imposthume or Ulcer in the Womb, may weaken and dispose it to breed such humours.

Signs.

The figns that distinguish between this Distemper, and an Ulcer in the Womb, and Gonorrhæa, are these.

I. If there be an Ulcer there, the Womb will not admit of Coition, without pain, and

the

the matter which floweth from her is stringy, and more digested, and sometimes

bloudy.

2. In the Gonorrhwa, the seminal matter cometh in a small quantity, and seldom, except it be gotten by acting with an unclean Person, then the Urine is sharp, with many other malignant Symptoms.

All long Hemorrhagies of Bloud are dan- Progn. gerous, especially those of the Womb; If

it be caused by exulceration, and be in elder-

ly Women, 'tis incurable.

The white Flux is not very dangerous, but is often difficult of curation, especially in old Women, because they abound with Phlegm; and 'tis hard to divert the humours from this Chanel, it being the sink of the body, through which the superfluous humours of a healthy Woman are every month evacuated.

If this distemper continue long, it may breed great evils, as Barrenness, Falling out of the Womb, &c.

These diseases may be both cured by the cure.

fame medicines.

If the courses have continued too long, the following mixture will soon stop the flux of Bloud, and will cure most ruptions of vessels.

Take the Waters of Plantain, Comfry, of Astrineach three ounces; Cinamon-water, Syrups gent Juley.

of

# 240 Of the immoderate Menstrual Flux, &c. Book III.

of Mirtles, Quinces, of each one ounce and half; distill'd Vinegar one ounce; red Coral prepar'd one drachm; Dragons Bloud one scruple; Laudanum opiat. six grains; mix it, and give three spoonfulls every four hours.

When the flux of Bloud is stopt, you may

purge with the following.

Purge.

Take of Manna one ounce; Powder off Rhubarb tosted, Cream of Tartar, of each half a drachm; Resin of Jallop sour grains; mix it, and take it in broth.

If the Patient like Pills, I commend the:

following.

Purging Pills.

Take Refins of Jallop and Scammony, extract of Rhubarb, Agarick, Salt of Amber, Powder of Dragons-bloud, of each tengrains; Oil of Mints fix drops; with Syrup of Rhubarb, let it be made into twelve Pills for three doses.

After purging, these Astringents will be

profitable.

Astringent Electuary.

Take of Cinamon, the Roots of Bistort, Tormentile, Rhubarb, Seeds of Plantain, Dill, Flowers of red Roses, Balaustins, red Coral, sealed Earth, whitest Amber, Harts-horn, Gumdragon and Arabick, of each two drachms; Saccharum Saturni, Dragons-bloud, Salt Prunella, of each two scruples; Laudanum opiation Camphire, of each ten grains; let them bee all finely powder'd and searced, and with Honey of red Roses, Syrups of Quinces and Com-

Comfry, of each equal parts; let it be made

into an Electuary according to Art.

Let the fick take the quantity of a Nutmeg of this Electuary, every morning and evening, either upon the point of a knife, or dissolve it in two or three ounces of red Wine, to which you may add a few drops of Tincture of red Coral, and drink it.

This Julep is also of great virtue.

Take the Waters of Comfry, Plantain, Astrin-Oak-buds, Knot-grass, red Wine, of each gent Julep. four ounces; in which infuse red Rose-buds, Balaustins, Flowers of Comfry, Bugloss, of each one handfull, for the space of twenty four hours, then boil it gently for half an hour; strain it, and add Tincture of red Coral, Syrups of dried Roses, Comfry and Mirtles, of each two ounces; Oil of Vitriol twenty drops; mix it, and take fix spoonfulls every three hours.

Let the Region of the Womb be anointed

with this Linament.

Take Unguent. Comitiste, Oil of Mirtles, Linament of each one ounce; Saccharum Saturni one drachm; Camphire ten grains; mix it.

After the part is anointed, let this Plaster

be applied.

Take the Plaster against Ruptures, Dia-Plaster. palma, of each one ounce; the carminative Plaster of Sylvius half an ounce; mix it, and spread it on leather, and apply to the region of the Womb. In

Fume.

In the Whites, let this be used for a Fumore Take of Olibanum, Amber, Cloves, conteach half a drachm; red Rose-buds, Balautins, of each two drachms; beat them all too gether into a gross powder; put a little of it at a time upon a pan of coles, and let the Woman sit over it.

#### CHAP. XVII.

Of the Falling Down of the Womb and Fundament.

If the Womb falleth down, it may be called in Latin *Procidentia Matricis*. So likewise if the Fundament cometh down, it is called *Procidentia Ani*.

Cause.

The Causes of these distempers are either

External or Internal.

The External Causes may be any violent exercise, with much striving, also falls on blows, on those parts; also bathing in cold

water, Gc.

The Internal Causes are serous and phleg-matick humours, a Dysentery with a Tenasmus, the Whites continuing long, a violent drawing the Child, or Aster-birth out of the Womb; also much Sneezing or Coughing, especially in Child-bed; to conclude, all things

things that may cause a Rupture or relaxation of the Ligaments of the Womb, or sphincter Muscle of the Anus, may be the cause of these griefs.

In a Procidentia Ani, there is always a Signs. mucous and purulent dejection, from a phlegmatick, viscous, and sometimes also a sharp acid humour adjoining about the seige, which often causeth a troublesome Ulcer by fretting.

In young people these distempers may be Progn. easily cur'd, if they have not continued long, and do not come very far out, and be not

ulcerated.

But if there be a Rupture of the Ligaments of the Womb, it is incurable; likewise great pain and inflammation are very difficult; and if either the Matrix or Anus be Gangrenated it is mortal, without speedy imputation.

You must begin the Cure with removing cure. the symptoms and discharging the Guts of their Excrements, either with Clysters or

Lenitives.

Then anoint the part with some astringent Oils, and endeavour to reduce it genty by degrees.

The manner of the reduction every ingeious Artist knows, and therefore needs not

ny directions.

When the Womb is reduc'd it may be R 2 kept

kept with a Pessary fram'd of Cork as thick as necessary, and cover'd with Wax mixed with a little Castor, and Assafatida, which may there continue.

If there be pain and inflammation, lett

the part be bathed with this.

Bath.

Take the Flowers of Chamomel, Elder, of each one handfull; Marsh-mallow-roots one ounce; Seeds of Flax and Fœnugreek, of each half an ounce; boil it in two quarts of Milke till half be confumed, then strain it, and addl Malaga Wine one pint; mix it.

Let Stuphs be moistned in this and wrung out and applied hot; after which apply a Plaster of ad herniam to the lower part of the

Belly.

Before you reduce the Anus, anoint it with Oil of Mirtles and bestrew it with Powder

of Album Græcum, or the following.

Powder.

Take of red Roses, Pomgranat-rinds, Cypress-nuts, Mastick, Crocus Martis, burnt Lead, of each half an ounce; beat them all into a fine powder.

A Bag quilted with the following aftringents, and applied hot to either griev'd partt three times a day, will conduce much to

keep it up.

For a quilted Bag.

Take of Plantain, Sanicle, Buds of Oak and Medlar, red Rose-buds, Balaustins, of each one handfull; Roots of Comfry, Tormentil, Bistort, Cypress-nuts, Seeds of A-

nife

nise, sweet Fennel, of each one ounce; beat

them all into a gross powder.

Inwardly may be given Astringents and Strengthners, but not in time of the courses; those prescrib'd against the immoderate flowing of the Terms are good.

### CHAP. XVIII.

Of Barrenness.

B Arrenness is called in Latin Sterilitas. It may be called in English Unfruitfullness, it being an impotency of Conception.

We reade in the Scripture that the Women of old did think it a reproach to be Childles; and therefore when Elizabeth had conceived who before was Barren, she said the Lord hath taken away my reproach among Men; as you may reade at large in the first Chapter of Luke's Gospel.

Very few Women in a Marriage state but desire Children, yea some would give all they have in the world for a Child, and are very impatient if they do not Conceive.

Rachel said to Jacob in Gen. 30 ver. 1. give

me Children, or else I dye.

I will now briefly shew you, what may be the cause of Sterility.

R 3

I. First,

1. First, want of Love between a Man

and his Wife, way hinder Conception.

2. Any malignant distemper in the womb, may corrupt the Seed, and be the cause of Barrenness.

Some are of opinion that Witch-craft may

be the cause.

But to conclude, the Whites or any moist distemper of the Matrix, may be the cause

of Barrenness.

Sometimes the cause is in the Man, for iff he doth want Sperm, or is unable to erect hiss Genital by reason of any weakness or distemper in his Secrets; or if he be effeminate and taketh little or no delight in the act off Venery, he is not fit for Venus School.

There are some Rules left by the Ancientss to try whether a Woman be naturally Bar-

ren or no.

Hippocrates adviseth to put a Clove off Garlick or a little Galbanum into her Womb, and if her Breath do smell of it, be sure she is fruitfull.

Progn.

If Barrenness be caused by any Disease afflicting either the man or the woman, then there may be hopes of Conception when health is procured; but if it be evil shape of of the members in the woman, or the man not sit for Venus-School, patientia est optima virtus.

In the cure, you must endeavour to remove whatsoever

Sure.

whatfoever hindreth Conception.

Many things are antipathetical to fecundity, as Jet, Glow-worms, Saphires, Smaragds, the Matrix of a Goat or Mule, likewise Vinegar, Mints, Watercresses, Beans, &c. all which I advise you to avoid, and make use of those things which have a peculiar virtue to help or cause Conception, and remove Barrenness.

The After-birth of a Woman dried and powdred, and taken often a drachm at a time; also the Stones and Liver of a Borepig, the Juice of Sage, the Roots of Satirion

and Eringo candied, are all good.

There are many medicines prescrib'd in

Authours to help Conception.

Quercetanus doth commend this infusion.

Take the Matrix of a Hare and the Stones Infusion. of a Ram prepar'd with Whitewine, of Cinamon, Ginger, Mace, Cloves, Seeds of Bishops-weed, of each half an ounce; Saffron two drachms; Kernels of Fistick-nuts one ounce; let them be all bruised and infused in a quart of Muskadel-wine for two or three days; then strain it, and add more Wine to the ingredients for a fecond infusion.

The following Electuary is also excellent.

Take the Roots of Satirion and Eringo Electuary. candied, of each one ounce; candied Ginger and preserv'd Nutmegs, of each two drachms;

R 4

Ker-

Kernels of Hazle-nuts and Fistick-nuts, of each half an ounce; Powder of a Bull's-pizle, of Ivory, Seeds of Rocket, Bishops-weed, of each one drachm; Species Diambræ, Diamosc. dulcis, of each six drachms; Confection Alkermes one ounce and half; with Syrup of the juice of Citrons; make it into an Electuary according to Art.

Let the Woman take the quantity of a Nutmeg of it every night going to bed, and drink a glass of Sack or Muskadel, or of the aforementioned Insusion after it.

If a cold and moist distemper of the Body and Womb, accompanied with the Whites be the cause, look for the cure in its proper

Chapter.

If it be caused by Witchcrast, there are some things commended by Authours to be worn about the party against Fascination, viz. the Pizle of a Wolf, a Diamond, a Jacinth-stone, Rue, Squills, Sea-holly, Sagapenum, Amara dulcis, Hypericon, &c.

But above all, let fervent and devout Prayers be put up to the Throne of grace for help; and reject and despise Incantations or Charms, and all other Diabolical means.

CHAP. XIX.

### CHAP. XIX.

Of Abortion or Miscarriage.

A Bortion is called in Latin Abortus, vel intempestivus sætus. Because it is an untimely Birth; the Child being brought forth, either dead or alive before its sit time of deliverance.

This is the worst Symptom, that attends

breeding Women.

It may happen from the first Moment of Conception, to the end of the fixth Month; but it is most usual in the end of the third, or the beginning of the fourth Month.

.The causes are either external, or internal. Causes.

The external Causes are a great excess in things nonnatural, as too great Anger, Fear, and other Passions, or else it may be through defect; for if the Mother undergo Penury or Famine, or lose much Bloud, the Child wanteth Nourishment.

Many times things longed for, and not

obtained, kill the Child.

Also strong purging Medicines, that provoke the terms, and all setid smells, falls, blows, lifting, carrying, dancing, running, riding or any other outward violence, may be the Cause of Abortion.

The internal Causes may be the depravedness of the humours, by which the Mass of Bloud becometh vitious; also Acute or Chronick diseases, especially of the Womb; and also violent Coughing, Sneezing, Vomiting, Convulsions and Fluxes of the Belly, may loosen the Ligaments of the Womb, and so cause miscarriage.

Signs. Cause miscarriag

The signs of Abortion at hand, are great pain about the Loins, and Share-bones, sometimes with shivering; the Breasts growing little and slaggy, the Situation of the Child changed towards the Bottom of the Belly, with a bearing down, and evacuation of Bloud, &c.

Proye.

with little danger, except it be the first Child, and that very big.

2. Much bleeding, with fainting, raving, or Convulsions is for the most part mortal.

To prevent Abortion; if there be an evil disposition of the Body, or Womb, you must endeavour to remove it; if the Woman hath a plethorick Body, let a Vein be opened in the Arme, especially in the first six months.

If ill humours abound, purge often with

gentle means.

This purging Infusion may serve.

Take of Cinamon, Rhubarb, Anise-seed, of each two drachms; let them be bruised, and

Cure.

Purging Infusion. and infused in four ounces of Plantain-water very hot, for the space of a Night, then strain it, and add Syrup of Succory with Rhubarb, the best Manna, of each half an ounce; mix it, and give it in the Morning fasting.

Also the Pills prescrib'd in page 240. may

be used in this case.

If the Woman be troubled with a Rheumatick distemper, accompanied with Wind; and if she be pretty strong, you may sweat her gently sometimes with this or such like

Cordial Diaphoretick.

Take the Waters of Treacle, Carduus, Fen- Cordial nel, of each one ounce; Cinamon-water two to cause drachms; Syrups of the Juice of Carduus, sweat. Coral, of each half an ounce; Confectio de Hyacintho half a drachm; Spirit of Niter fix drops; Oil of Cinamon two drops; Laudanum opiatum three grains; mix it, and give to provoke fweat.

Let the Womb be strengthned with Cordial Astringents: Those prescrib'd in page

239. 240. are excellent.

# CHAP. XX.

Of hard Travel in Child-birth.

Ard labour may be called in Latin partus, vel enixus laboriosus; quod ipse nitendi

& pariendi actus.

The time of a natural Birth ought to be accomplished in the space of twenty four hours; if the Womans travel continue longer time with vehement pains and dangerous Symptoms, it may be called hard labour, or difficult Travel in Child-birth.

There are various Causes of hard Labour, sometimes tender Women by reason of pain, are very fearfull, and do endeavour to hinder pains, and consequently the Birth also.

Sometimes the Child being weak or dead, and not following the Water in Due-time, before the passage be too dry may be the Cause; especially if the Mother be weak, by reason of any Disease afflicting her, or by too much Evacuation of Bloud, or there be not sufficient Motion of the Womb, and Muscles of the Belly.

Sometimes the Child's head may be too

big, or the passage too strait.

Also the Child may be turned in the Womb, and the Hands, Shoulders, Back, Belly,

Causes.

Belly, or Buttocks, &c. may come forward to the Birth, and then the endeavour to bring forth will be painfull and difficult.

The figns of hard Labour are eafily known; signs. if the Child do stir, and there be strong pains, and no water appear, the Secundine

is strong.

If pains be weak, and long before they return, and more in the Back than Belly, the Infant is weak.

If the Woman be little, and her Husband big and full shouldred, then there is a great

Child, which will cause tough work.

1. Hard travel in Child-birth is very dan- Progn. gerous, for fometimes the Mother, fometimes the Child, and many times both do lose their Lives.

2. If the Woman be in Travel above four days, the Child can hardly be alive; and therefore must be drawn away before it be too late; for if it be neglected, it will cause Fevers, Faintings, Convulsions, Sleepiness, &c. which are the Forerunners of Death.

3. If fneezing cometh of its own accord,

it is a good fign of deliverance.

First give this Cordial to strengthen both the Mother and Child.

Indicaria ons.

Take Waters of Baum, Vervain, Cina- Cordial mon, of each two ounces; Syrup of Clove- Julep. gilliflowers, Saffron, of each fix drachms; Spirit

Spirit of Saffron, Confectio Alkermes, of each

onedrachm; mix it.

If the Child be situated on Os pubis, it must be removed, and all other unsit Postures must be rectified.

Then fuch things as hasten the Birth may

be fafely administred.

To encrease the Pains, and further the Womans Labour, I commend sneezing, and

also the following Medicines.

Powder.

Take the Livers of Eels prepar'd with Cinamon-water, and dried, one drachm; Powder of Borax, whitest Amber, Mirrh, Saffron, Dittany of Crete, round Birth-wort, of each half a drachm; mix it, and give a Scruple of it at a time, in three spoonfulls of this Julep.

Julep.

Take the Waters of Vervain, Mugwort, of each two ounces; Syrup of Saffron one ounce; Confectio Alkermes one drachm; Extract of Saffron fix grains; Oils of Cinamon, Amber, of each three drops; mix it.

Some things have a peculiar property to help the Birth; as the stone Ætites, Loadstone, Storax, the Eyes of a Hare, &c. held

near the privities.

The time being come, the Woman must be put into a posture, (which every Midwise doth understand) and let her not labour too much, till strong pains come; and then

let

let her resolve on patience, and not be diforderly in the time of her Travel.

If she be faint, you may give her some of the formention'd Cordial Julep to comfort her.

Let your hands be anointed with some

Anodine Ointment.

After the water is broke, if the Head cometh with the Face towards Anus receive it; if not endeavour to place it right: Then turn your Finger round about the Child's head gently, to make way for the Birth.

If the Child cometh any other way, you must endeavour to gain the Feet, and bring it away with the Face towards Anus, as

before mention'd.

The Child being born, you must bring away the Secundine gently by degrees, after which put a Closure to the Woman to prevent Cold from entring the Womb.

Then prepare her for the bed, and give her some Sperma Cæti, or Irish-slate in a little

burnt White-wine with Cinamon.

If the Woman doth flood much, or be troubled with after-pains, give her some of the

following Cordial Opiate.

Take of small Cinamon-water, the waters Cordial of red Poppies, Baum, of each two ounces; Syrups of Clove-gillsflowers, white Poppies, of each one ounce; Laudanum opiat. three grains; Oil of Cinamon two drops; mix it, and give three spoonfulls of it often.

If the Child be born alive, after the Navel string is secured, give the Child ten grains of prepar'd Coral in a little Breast milk, or black Cherry-water dulcisi'd with Syrup of Peony, to which you may add a little Oil of sweet Almonds new drawn.

If the Child be troubled with gripes, you may give it a little Powder of Anise-seed in

the Pap.

But if the Child be dead, and the Labour gone; or if the Child's head be very big, and the passage too strait; so that the Midwife cannot doe her Office; you must then speedily implore the help of the Manmidwife, as we are called.

If a Woman in Child-bed hath a costive: Body, give her a Suppository of Castile-soap,, or Honey boiled; and after three or four days, you may administer, an emollient,

carminative Clyster.

If a Woman (after hard Travel) cannot hold her Urine, bathe her fecret Parts and Region of the Womb with this or the like Decoction.

Fomenta-

Clyster.

Take of Plantain, Comfry, Shepherds-purse, Tops of Brambles, Penny-royal, Rosemary, Sage, Stachas, of each one handfull; letter them be cleansed, bruised and boiled in a Gallon of Smiths-water, till half of it be boiled away, then strain it, and bathe the parts affected very warm with woollen Stuphs.

After-

Afterward anoint the grieved parts with this Linament.

Take the Ointment Comitiss, Oil of Mace by expression, of each one ounce; Oils of Earth-worms, Foxes, Lillies, Goose-grease, of each half an ounce; mix it.

# CHAP. XXI.

Of Nephritick pains, and of the Stone in the Reins and Bladder.

Iseases of the Reins are called in Greek

In Latin they are called morbus Renum, which comprehends not onely any Ach in the Kidneys, but also the Stone and Gravel in the Reins.

Nephritick pains may be caused divers cause.

ways.

and serous Lympha in the Kidneys, which doth easily concrete into a Stone, especially when the Ferment of the Reins is much vitiated; which may be known by those cruel torturing Fits, that come by intervals.

2. Worms in the Kidneys, which for the most part arise from Bloud there corrupted,

may be the cause of pain.

3. An Abcess or Tumour in the Kidneys, following an Inflammation, doth hinder the passage of Urine, and is always accompani-

ed with great pain.

4. It may also be caused by glutinous: Phlegm, obstructing the fleshy parts of the Kidneys, and hindring the separation of U-. rine; so that it is not strein'd into the Funnels of the Reins as usual, but is deprav'dl and vitiated: Whence the natural descent off the Urine, through the Ureters into the urinal Bladder is also hindred.

Observa-\$8077.

The same also may happen sometimes by a stone sticking in the Funnel, and stopping

the entrance of the Ureters.

Although I think that Stones sticking im the Ureters themselves, cannot long hinder the passage of Urine; because it hath beem found by experience, (in diffecting of dead Bodies) that Stones near the bigness of a Doves-egg; have been sticking in the Ureters; by the fides of which Stones, Urine descended freely, which was evident, because the Ureter was no were distended. unless where the Stone did stick: Neither was there any Urine contain'd in the Ureter, above the obstruction; besides when thee Party was living, there was no stoppage on Thofee Urine.

Those sits which come by intervals, are caused by a debility or vitiousness of the Ferment of the Kidneys, which generates crude, salt and sharp matter, which causeth those cruel Tortures; and should all the Gravel and Stone come away, the pain would not be the less, untill the Kidneys themselves be reduc'd to their right temper: For many in perfect health have voided much Gravel at a time without the least pain, and therefore it is evident that Gravel is onely the product, and not the producer or primitive cause of this pain.

The Symptoms of Nephritick pains are signs. so much like that caused by the Stone, that they cannot be easily distinguished; for the signs of both are great pain of the Loins, loathing or vomiting, there being a great consent between the Reins and Stomach.

The Patient often pisseth bloudy water, and when the Reins are ulcerated, the matter is often evacuated with the Urine.

Wherein the force of concreting or grow-cause of ing together of Stones (in divers parts of the the Stone. Body) consists, is not enough known; I will freely declare what I conjecture in this obscure matter, whereby I may (according to my power) the more help others (that are ingenious) to search out this hidden truth.

All the Stones that are generated in the Body,

Body, may be dissolved in the sour Spirit of Salt Peter or Niter; whence I conclude that the Coagulation of Stones cannot be expected from an acid Spirit as such, therefore from another somewhat contrary to it

in part at least.

If any consider the several things, that promote the growing together of natural things, they will find that such force is in tart things; whence the Glutinousness, and Toughness of sluid things is wont to be produc'd; to which if earthy, and volatile salt parts be join'd, something will be produc'd not much unlike Stones.

I incline therefore to this opinion, that and earthy and falt matter, join'd to that which is glutinous, groweth together into Stones

by help of a tart humour.

Also Gravel of all kinds (that is usually seen in the bottom of Urine) testifieth that the conglobated Glandules are all affected, by a frequent external Cold, or else by sour things taken in, and when the Gravel is great it is then near to the Nature of Stones, year sometimes groweth together into Stones, especially in cold phlegmatick Bodies, where (for the most part) it giveth Stones their first rising, and daily cherisheth their production, and increaseth them; and the more especially where a glutinous, stone-making faculty doth concur in the Body.

Many

Many Histories mention, that Stones are Histories. produced from a stone-making Spirit, or Breath out of the Earth, which hath turned the Bodies of Men, Beasts and other things into Stone.

Riverius, (in his last edition) quoteth Aventius Annal. Bavar. lib. 7. Anno 1343. who saith, that above fifty Men, with many Cattle were turned into Stone.

Ortelius telleth the like story, that whole Herds in Rusia have been turned into Stone.

And Camerarius reporteth, that in the Province of Chilo in Armenia, at the blast of a South-wind (which happeneth four times in a Year) whole Troops of Horse have been turned into Statues of Stone, standing in the same warlike Posture, in which they were marching.

Children are most inclinable to this Monster in Nature, because they have much moisture, and weak digestions, which gene-

rate Crudities.

Stones are generated in many parts of the Body, as the Gall, Reins, Bladder, &c.

I once opened a Woman that had fixty History.

four Stones in her Gall.

I also dissected another whose Ureters were stony, and out of her Gall I took out a large Stone, and a small one (about the bigness of a Hazle-nut) out of the Neck of the Gall.

Progn.

- 1. These distempers are very dangerous, and bring many sad Symptoms to the afflicted Patient; as great pain, inflammations, exulcerations, long watchings, weakness, severs, suppression of Urine, and Death it self.
- 2. Pain from acrid Lympha, &c. may be cured in those that are young, if the strength be not too much dejected, nor the Disease hereditary.

Cure.

That we may now address our selves to the Cure of these grievous Diseases; I would advise those who are not very skilfull in the Art of Physick, to sorbear giving of any thing in these Distempers, without the Advice of an experienc'd Physician; for I believe many Stones have been bred in those Bodies (who before were free from it, and were onely troubled with Nephritick pains) by the frequent taking of ill Medicines; for many Remedies have been invented to dissolve the Stone; but experience teacheth that they are most of them inimical to the Reins and Bladder, and debilitate their Ferment.

The solvent of the Stone ought to be homogenious, and so singular, that it submit not to any digestions, or sermental Powers, through which it passeth in its way to the parts affected; for the Virtue of all common Remedies taken at the Mouth, are alter'd and transmuted in passing three digestions: For

acid

acid things, (from which much hath been hoped) as foon as they are past the Stomach, lose their acidity, and are converted into a saline Nature, so that the dissolving Power of the acid is wholly transmuted before it gets either to the Reins or Bladder.

Likewise those Medicines which are injected into the Bladder with a Syringe, ought to be agreeable to its Ferment, that it may not be painfull thereto; for if but a small quantity of any sharp Medicine be injected, it stirreth up an intolerable Strangury, it being wholly foreign to the Ferment of the part.

And seeing the Stone, and all other Distempers of the Reins and Bladder, are wont to be bred, and increased in length of time; the Remedies which you administer must be long us'd, before you may have experience of their effects.

I will here set down some choice Medicines, not onely to hinder the increase, but to dissolve small Stones in humane Bodies, if they be long enough us'd.

Amongst which we may deservedly attribute the first place to Spirit of Niter (seeing Stones of any kind are so easily and manifestly broken and dissolved by it) which may commodiously be mixt in any ordinary Drink, or Wine and Broths, &c. to a light acidity; whose excellent effects all may admire.

If the Patient have a costive Body, you may give the following Lenitive three or four times in a week.

Purging Bolus. Take of Cassia newly drawn one ounce; Venice Turpentine half an ounce; Crystal prepar'd, Salt of Tartar vitriolated, of each one drachm; Oil of Juniper, Spirit of salt Armoniack, of each four drops; Spirit of Niter twenty drops; mix it for two doses.

The following is also very effectual.

Take of Cio-turpentine half an ounce; Powder of Rhubarb one drachm; the Yelk of one egg, mix it for two doses; give it in the morning fasting, and drink four ounces

of this Julep after it.

Julep.

Take the Decoction for Syrup of Marsh-mallows one quart; the waters of Horse-radish, Pellitory of the Wall, Speedwell, Winter-cherries, Syrups of Marsh-mallows and the five opening Roots, of each two ounces; Crystal prepard, Salt Prunella, of each half an ounce; tincture of Salt of Tartar two drachms; Spirit of Niter twenty drops; Laudanum ten grains; mix it and give four or five spoonfulls of it often.

This Powder is also excellent.

Powder.

Take Salt of Tartar vitriolated two drachms; Powder of Crabs-eyes, Salts of Pigeons-dung, Broom, Beanstalks, Worm-wood, of each half a drachm; mix it, and give

give twenty grains of it every morning and evening in the foremention'd Julep.

If the Patient be plethorick, Phlebotomy

may be used with good success.

If a Stone chance to stick in the Ureter, which causeth numbness, by its pressing upon the Muscle Psoas, and the Nerves,

In this Case, apply a Ventose on os Ilium. which may bring the Stone by degrees into the Bladder; afterward anoint the parts

grieved with Rabbets fat.

If the Stone in the Bladder be very big, there is little hopes of dissolving of it, wherefore if the Patient (being in continual pain) be willing to submit to Lithotomy; I advise them to make choice of an experienc'd Artist; lest by Precipitancy the Operatour neglect to cleanse the Bladder, after the Extraction of the Stone; by the neglect of which, many have generated the Stone again, and have been forced to endure that dreadfull operation the second, and fometimes the third time, under which many have died, and others who recovered, have never held their Urine.

In other Nephritick pains, if the fleshy parts of the Kidneys be obstructed, they may be opened by Diureticks, that cut, attenuate, and make glutinous Phlegm fluid.

For example,

Decoction.

Take of Eringo-roots, the five opening Roots, of each one ounce; the Tops of Agrimony, the greater Celandine, of each two handfulls; the Berries of Juniper and Winter-cherries, of each two drachms; let them be cleanfed, bruifed and boiled in two quartss of Fountain-water, till half be confumed; then strain it, and add Syrups of Marshmallows, and the five opening Roots, of each two ounces; Tincture of Salt of Tartar two drachms; Spirit of Niter twenty drops; mix it, and give four spoonfulls of it every morning and evening.

They who like Juleps better, may use thiss

or the like.

Julep.

Take the Waters of Fennel, Parsley, Pellitory of the Wall, of each two ounces; the carminative Spirit of Sylvius, Syrups of Marsh-mallows, the five opening Roots, of each one ounce; Oil of Juniper, Spirit of Salt Armoniack, of each ten drops; Spirit of Niter twenty drops, Laudanum opiat. four grains; mix it, and give three spoonfullss every three or four hours.

The Patient may also drink freely of the mineral Diuretick-waters of Tunbridge, &c. which will conduce much to the Cure; especially if some old Diuretick-wine, and a little oily Volatile Salt (made of Diuretick,

Vegetables) be mixed with the water.

ming.

When the glutinous Phlegm is prepar'd, and loofned, it may be educ'd with some convenient Phlegmagogue, either in the form of Pills or Potion, of which there are variety mention'd in page 3. and sour, &c.

The fixt Sulphurs of Minerals and Metalls, exalted to their highest perfection, do (before all others) mildly temper all the humours; next to which oily Volatile Salts come, and Aromaticks next to these: By the force of which (prudently us'd) not onely an effervescency of somewhat contrary Humours (most agreeable to Man's nature) is bred in the small Gut, and afterward in the Heart; but the preternatural growing together, and uniting of the more sharp humours (being first moderated by them) is again dissolved in the Bloud.

I speak these things by experience, and because it is of great moment in practice, I commend them to the truly Studious of

Physick.

If the Urine be bloudy, it testisieth the opening of some Vessel of Bloud in the Kidneys, Ureters, Bladder, or its Neck.

To heal and consolidate this harm the

following is excellent.

Take the Waters of Parsley, Plantain, of Cordial each two ounces; Cinamon-water, Syrups Astrinof Mirtles, Comfry, Marsh-mallows, of each half an ounce; Powder of Dragons-bloud,

red

red Coral prepar'd, of each ten grains; Laudanum opiat. three grains; Spirit of Niter ten drops; mix it, and give three or four

spoonfulls every two hours.

If there be an Ulcer in any of these parts, it may perhaps be more happily cur'd by the daily taking of Balfam of Sulphur (made: with the Oil of Amber, Juniper, Aniseseed, or Turpentine) in any convenient: Vehicle, than by any other Medicine hitherto known.

In all suppression of Urine, the following

is very effectual.

Take the Waters of Chamomel, Goldenrod, Winter-cherries, of each four ounces; Syrups of Marsh-mallows, the five opening Roots, of each two ounces; Powder of Eggshells calcin'd one ounce; Tincture of Salt of Tartar two drachms; Spirit of Niter twenty drops; mix it, and give four spoonfulls every three hours.

# CHAP. XXII.

Of Extraordinary Pissing, &c.

THIS Distemper is called in Greek Διαβήτης, ἀπὸτε διαβαίνειν i. e. pertransire, quod
urina ureteres, & urethram subito pertransit.

It being a quick or plentifull piffing or

making of water.

The cause is either external, or internal. Cause.

The external, or primary efficient Cause, is an immoderate drinking of stale Beer, Sider, or acid Wines, either French or Rhenish; by which an incurable Diabetes hath

been ofttimes fuddenly contracted.

The internal Cause of this Disease, is sharp, serous humours abounding in the Bloud, by which not onely the whole Mass of it doth in time become too thin, but the nervous Juice is also thereby ill affected, and consequently the Reins inslam'd, by the continual flowing of the over acid serous humours: Whence the attractive faculty of the Kidneys is increas'd, drawing the serosity of the Bloud more potently from the emulgent Vessels into the Funnels, and provoking the expulsive faculty, it is soon sent (through the Ureters) to the Bladder, from whence it is often evacuated by pissing.

The

Signs.

The figns are a continual piffing, fo that: much more moisture is voided, than is taken into the Body, by eating and drinking.

It is always accompanied with an extraordinary Thirst; the fick is also feverish,

something like a Hectick.

Progn.

If it continue long, it will decay all the radical moisture of the Body, which will render it incurable, but if it be taken in the beginning, and the Patient be young, it may

be easily cured.

All things which have power to incraffate: the thinness of the Bloud, and temper the over acidity of the humours, may be administred in this Distemper.

In the beginning of the Cure, after at stool hath been procured by an emollient Clyster, you may open a Vein in the Arm.

The next day a gentle Purge of Rhubarb may be administred; but if the Stomach be foul, and the fick can vomit eafily, your may give an Antimonial Emetick with goodl fuccels, because it will potently draw the sharp peccant humours from the emulgent Vessels and Reins, and evacuate some of them both by Vomit and Stool.

After the Operation of the Emetick, lett the fick take two spoonfulls of this Cordiall Opiate often, which will ease pain, and

thicken the humours.

Take the Waters of Barley, red Poppies, cordial of each four ounces; Cinamon-water, Sy-Opiate. rups of Coral, and Comfry, Penidies, of each one ounce; Gums Arabick and Dragon, of each half an ounce; Powder of Dragons-bloud, red Coral prepar'd, of each one drachm; Laudanum opiatum six grains; let the Gums be dissolved in the distill'd waters, and strained, then mix all together according to Art.

You may prescribe this, or such a like De-

coction, for the Patient's ordinary drink.

Take the Roots of China, Sarseparilla, Decottion, Comfry, Plantain, red Sanders, of each two ounces; Liquorish, red Roses, Hemp-seed, of each one ounce; Raisins of the Sun stoned four ounces; let them be cleansed, bruifed and boiled in a Gallon of Fountain-water, till half of it be boiled away, then strain it, and keep it for use.

Let the Diet be cooling, and thickning Broths and Jellies made of Knuckles of Veal, with the Roots of China and Comfry boiled

in it, is excellent.

You may also make Panado's of the aforesaid Broth, with a sew Crums of Whitebread, and the Yelk of an Egg.

Also milk (wherein the aforesaid Roots

are boiled) will be very effectual.

# CHAP. XXIII.

Of involuntary Pissing, commonly called pisfing in Bed.

Pissing in Bed.

THEN the Urine floweth involuntarily (which in Children is vulgarly called piffing in Bed ) it may be called in Latin urinæ incontinentia, pro impotentia sive imbecilitate retinendi.

Caufes.

The causes are either external, or internal. The external Cause is a large Wound im the sphincter Muscle of the Bladder, which fometimes happens in Lithotomy; for by extracting a great Stone, the sphincter Muscle may be so much lacerated, that it ceaseth to be contracted, and the Orifice of the Bladder to be shut, wherefore the Urine diftilleth of its own accord.

It may be caused internally by the Palsie, Apoplexy, Epilepsie, Syncope, &c. Sometimes Ebriety may be the Cause of the Resolution of the Nerves, which from the Loinss are inserted into the Neck of the Bladder, and so render the sphincter Muscle incapable of Contraction; hence the Urine is involun-

tarily voided.

In Children, this Distemper is curable, iff taken in time; but if it happen to old Folks,

Frogn.

or if it be caused by a Wound in the sphincter Muscle of the Bladder, it is incurable.

That which is caused by the Palsie, Epi-cure. lepsie, Syncope, &c. look for the Cure in

their proper Chapters.

If it be caused by Ebriety, Sobriety may be commended to cure it, especially by the help of inward means to strengthen the parts affected.

Many things have been given to Children, that have been troubled with this Distemper;

the most effectual are these.

Fried Mice, the inner Skins of Hens-gizzards, Cocks-weasands, Pudenda suilla, Stones of a Hare, Snails with the shells, all or any of these dried and poudred; also the Powder of Agrimony, Egg-shells, the burnt Ashes of an Hedge-hog, ©c.

Any of these may be given in red Wine, or in Lime-water chalibeated, which may

be dulcifi'd with Syrup of Comfry.

If Phlegm do abound in the Body, you

may purge it with Phlegmagogues.

Also sweating with gentle Diaphoreticks,

is very effectual.

Those already mention'd are proper, onely consider the Age and Strength of the Patient.

# CHAP. XXIV.

Of the Stoppage of Vrine, and the Stran-

THE Stoppage of Urine is called in Greek in ab in comprimo, & Fees Vrina.

'Tis called in Latin Vrinæ Suppressio.

The Strangury is called in Greek seaysia, at seaysas to seaven in e. urinæ difficultas, vell urinæ per guttas excretionem. Ex seay filla. E seav urina.

These differ onely in degree, for when the Urine is totally obstructed, it may be called Ischuria, but when little is voided, and

by drops, it may be called Stranguria.

These distempers may be caused by viscous Phlegm, or coagulated Bloud in the Ureters, or *Trethra*, especially if a Stone, or some Gravel do also stick in the Passage, by which the obstruction will be more strengthned.

Sometimes it is caused by a schirrous Tumour, or other excrescency of Flesh, as a Carbuncle, &c. growing in the *Trethra*, on

Chanel of Urine.

Sometimes it is caused by a preposterous holding in of the Urine, either, for shame on wants

Cause.

want of opportunity to evacuate it; so that the Bladder being extremely fill'd and distended, it hath not power to contract it self, hence the voiding of Urine is supprest.

It may also be caused by sharp humours, fretting and ulcerating the internal Supersicies of the Bladder, by which it is continually stirred up to contract it self, and expell the Urine which is in it; so that the Bladder is empty, having little or no Urine in it, as I have known by experience.

This may be called a Bastard Ischuria, which may be also caused by some hurt in the attractive or expulsive faculty of the Reins.

If the aforesaid Causes be violent, it causeth an *Ischuria*, but if remiss, then a Strangury is stirred up, in which there is a perpetual Irritation to extrude the Urine, although slowly, and by drops, with exceeding pain and trouble.

Suppression of Urine is dangerous, and if Progn. it continue long, it is mortal; especially if the Patient's Breath stinck of Piss, or hath a Hiccough, or Tenasmus.

If the Cause be in the Neck of the Blad-Cure. der or Vrethra stopt, you may clear it, and draw away the Urine with a Catheter, as I have often done both from Men and Women with good success.

If the Cause be from the Reins or Ureters,

seek the Cure in the Chapter of Nephritick

pains, Gc.

Glutinous Phlegm, and coagulated Bloud, may be cut and attenuated with Aromaticks boild in Water or Wine, and mixed with oily volatile Salts, Spirit of Niter, &c.

Stone-Horse dung is rich in Volatile Salt, wherefore if you mix the Juice of it with Rhenish-wine, and drink it often, you will admire its wonderfull effects, in curing not onely Stoppage of Urine, but most other obstructions.

Those Diureticks prescrib'd in page 266,

267. are also very effectual here.

Let the Belly and parts affected be anointed with Dears-fuet, which will conduce

much to give eafe.

When the *Trethra* is obstructed by a Caruncle, &c. You must gently thrust in a hollow Instrument made of Lead or Silver, being first anointed with some consolidating Ointment.

You may leave the Instrument in, till the fear of a new Closing of the Passage be remov'd.

# CHAP. XXV.

Of the Scalding or Sharpness of Vrine.

HIS Distemper is called in Greek Aususia, à sis agre, & Les Urina.

The causes are either external, or inter- causes.

nal.

The external Cause may be by the Application of Cantharides, or some other stronger Poison.

The internal Causes are sharp, salt and acid humours mixed with the Urine, which do corrode, and ulcerate the internal Superficies of the Bladder, and sphincter Muscle.

Sometimes it is caused by sharp Stones,

occasioning an Ulcer.

If the Bladder, or sphincter Muscle, or the Progn. Vrethra be ulcerated, it is hard to be cured; especially if the Patient be old, and the Distemper hath continu'd long, & e contra.

If the Bladder or urinal Passage be ulce-cure, rated, it may be essectually cured by the Balsam of Sulphur, made with the Oil of Anise-seed, Amber, or Juniper, taken to two or three drops, twice or thrice daily in any convenient Vehicle, especially a vulnerary Decoction, which is most effectual.

The

The falt, acid, corroding humours may be corrected with Crabs-eyes, Perle, &c. and also all volatile oily Salts, taken often (in a small quantity) in any refrigerating Diuretick.

This Decoction is effectual.

Decoction.

Take the Roots of Mallows, Marsh-mallows, of each two ounces; Lettice, Endive, Purslain, Violets, of each one handfull; Jujubes, Sebestins, of each one ounce; Winter-cherries half an ounce; the four greater Cold-seeds, of each two drachms; red Roses, Waterlillies, of each half a handfull, let them be cleansed, bruised and boiled in two quarts of Fountain-water, till half of it be boiled away; then strain it, and add Syrups of red Poppies, Violets, of each two ounces; Laudanum opiat. ten grains; Oil of Vitriol ten drops; mix it, and give three spoonfulls every two hours.

An Emulsion of the Cold-seeds, or Chamomel-flowers boiled in Milk, is also very

effectual.

If the Patient be costive, give emollient Clysters, or gentle Cholagogues, and Hydragogues, to evacuate the peccant humours.

Or else you may give a gentle Emetick for Revulsion.

If the pain be very great, you may inject an Emulsion (made of the Cold-seeds) into

Whence in spent w

the urinal Passage, and anoint the Privities with unquentum Populion, &c.

# THAP. XXVI.

Of Venereal Affects.

HIS Scourge of transgressing Huma-nity, being as it were a Murrain, or common Destruction to venereous Persons, may be called in Latin Lues venerea, a xue solvo, vel quod Corpus omnino dissolvit, vel quasi luens usque ad nihil. Lues enim ista, pestis est Lues vespecies, vel qualiscunque contagio, quæ homines nerea.

inficit, debito supplicio scelus luere.

The first Knowledge of this pocky intestine Enemy (at least in the European parts of the World ) was at the Siege of Naples, by the French; being brought thither (as some Authours affirm) by the Spaniards, that came with Christopher Columbus from the West Indies, and they like plaguy Persons that croud to infect others (contrary to their reserved temper) being inflam'd with a venereal Itching, and being also free of their flesh, they communicated (as a great rarity) this new found foul Diste nper, to the Italian Women, which among others they had engroft

grost to themselves from the Animal Indians, in their American Tyrannical Conquests.

Many of those poor Creatures being deeply infected with the monstrous Taws ( so called by the Indians) from whence this foul

Distemper had its first original.

Hence it was first called the Neapolitan, and afterward the French disease; since which time, many of the precipitant youthfull Europeans (to their great Costs and Pain) have been punished with this impure venereal Affect.

This Itch in spite of Mortals will be catching, (where there is no fear of God to reitrain) but the beginning natural momentany Pleasure, will often urge a smartfull end; so that this is the product of that sin of uncleanness, for which God hath pronounced, Hebrews 13. 4. Whore-mongers and Adulterers God will judge.

To describe this virulent contagious Disease, It is an universal sour taint of the spermatick parts; the feed in the spermatick Vessels being first corrupted with a cold indigested Putridness, is sometimes conveyed outward to the groins, infecting the obscene parts with a filthy eating Crusty scab.

But if the poisonous malign quality (gotten by impure Coition ) be transfer'd to the Liver, which is the chief Subject of its more easie invasion, and its special residence; it

must necessarily suffer egregious corruption, from whence the afflicting taint is dispersed into the whole habit of the Body, vitiating and corrupting the Nutrition of every part; by which the sick becomes wholly cachectick, and the silthy Pox (without speedy help) tyrannizing with many malign Symptoms, and afflicting both the body and mind, doth at length hurry the Patient into the pit of silence.

The cause is chiefly, the carnal use of cause. venereous Persons.

Also Children sucking of those Nurses that are insected, may receive the pollution from the poisonous malignity of the milk.

It may also be Hereditary, the seed of

venereous Parents being polluted.

The most apparent signs, are a dulness of signs. the whole Body, white face, intolerable pain between the joints, especially in the Night, which hindreth sleep; sometimes Buboes in the Groins, &c. As is before mention'd, also Ulcers, and hard Pustules in many parts of the Body, as Head, Chin, &c. there is sometimes a relaxation of the Toula, with Hoarsness and Corruption of the Palate, and Tumours of the adjacent Glandulous parts, there is also sometimes a Cariosity of the Skull, and other Bones. Cum multis aliis,

Progn.

I. It is difficult of Curation, if it hath continu'd long, or the Patient be consumptive; or if it be in a fucking Infant.

2. If it be Hereditary, 'tis incurable; but: if the Patient be young, and newly infected,

it may be eafily cured.

Cure.

As for the Cure of this filthy Disease, first I advise the Patient to repent from the bottom of the Heart, for this great sin off uncleanness, &c.

Then make choice of an honest Physi-

cian.

The Cure is easiest effected in the Spring, or Fall of the Leaf; but if necessity urge, you may begin the Cure at any time.

First let the Body be prepared,

The following Apozeme may serve for

Example in most constitutions.

Apozeme.

Take the five opening Roots, Liquorish, China, of each one ounce; Cinamon, Anifefeed, Senna, of each half an ounce; Agarick, Rhubarb, Cream of Tartar, of each two drachms; let them be cleanfed, bruised and boiled in two quarts of Fountain-water, till half be consumed; then strain it, and add Syrup of Roses solutive four ounces; Saltt of Tartar vitriolated two drachms; Spiritt of Niter twenty drops; mix it, and give fixe spoonfulls every two hours.

If the Patient be Plethorick open a Vein; after which you may purge with these or the like Pills. Take

Take of Extractum Rudii, one scruple; Purging Mercur, dulcis, Salt Armoniack, of each Pills. half a scruple; make it into sour Pills, and take them in the Morning.

If you perceive by the Excrements, that the Patient's body be very foul, you may administer another Dose of Pills after two

days intermission.

Then you may prepare the following Decoction, or one like it, to cause sweat, &c.

Take of Guiacum, the Roots of China, Sar-Decottion. Separilla, of each one pound; Raisins of the Sunstoned, Hermodactils, Polypodium, Barks of Guiacum and Sassaphras, of each four ounces; Juniper-berries, Anise-seed, Liquorish, Elicampane-roots, of each one ounce; let them be cleansed, bruised and insused in four Gallons of Rain-water, very hot for the space of a Night; then boil it gently till a third part be boiled away; strain it, and keep it for use.

Let the fick take four spoonfulls of it, with ten grains of Antimonium diaphoret. every Morning and Evening, for four or five days following, and sweat after it in Bed, or in a Hot-house, or Bagnio, so long as can be

well endured.

Then omitting a day or two, you may take another Dose of Pills; then sweat seven days more, after which purge as before; this doe for forty days, or till the Cure be perfected.

You

You may make a second Decoction of the

Ingredients, for ordinary drink.

But if the fick have extreme Pains in the Night, ten grains of the following Pills may be given to bed-ward instead of the Decocation.

Purging Pills.

Take Gum of Guiacum two drachmss Antimony Diaphoretick, Bezoar-mineral Flower of Brimstone, Diagredium, Mercundulcis, humane Bones calcin'd, of each omdrachm; Sassron, Laudanum opiatum, of each half a drachm; with Syrup of Sassron, makint into a Mass for Pills.

If there be a Defluxion of Rheum on the Lungs, you may give ten or twelve drops to Balsam of Sulphur, in a little of the Decocation every Morning, and the like quantity with half a drachm of Venice-treacle every Night; after which drink four ounces of the aforesaid Decoction, to promote a gentle sweat.

You may also make Fontinels in the Arm

and Leg with good fuccess.

But if the fick be of a hot Constitution and the Disease be inveterate, and stubborn the shortest and best way of Cure will by salivation.

I do not approve of unction with men curial Ointments, to raise the Flux, no Turbith-mineral to be given inwardly; but the safest way is to administer Mercur, dulcis, bu

les

let it be well prepared. Then you may give twenty grains of it with a little Diascordium, or Conserves of Roses: give it three or four Mornings successively, and drink a draught of the Diet-drink after it.

Also the second Decoction may be sometimes made use of for ordinary Drink, all the time of the Cure; and warm Posset-

drink at other times, when defired.

When the Salivation is rais'd, let the fick have a piece of Gold between the teeth; and keep warm, and continue spitting till the Spittle become insipid, which is commonly in twenty days.

In the mean time, wash the Mouth with Plantain-water, and Syrup of Mulberries.

When you would abate the spitting, administer a Carminative Clyster, or a Clyster of Milk and Sugar every Night; and after its operation, give the following Bolus.

Take of Diascordium half a drachm; Gas-Bolus, coigns powder sisteen grains; Oil of Vitriol two drops; with Syrup of Poppies make it into a Bolus; give it at Night going to bed.

Pustules, Tumours and Ulcers of the Mouth, Tongue, Gums, or any other Place, will be all easily cured, when the Salivation is over.

You may dress the sores with the following Ointment, which is very effectual to cure all Pocky ulcers.

Ointment.

Take of Verdigreece, and common Saltt of each two cunces; powder them, and calcine them together; then mix it with

eight ounces of Unguentum Enulatum.

When the filthy Enemy, or Neapolitam disease, is cast out by Salivation, you may fweat the Patient with the Decoction on China, &c. before mention'd, for fometime as is there directed.

Let the Diet be drying; rost Meat in

better than boil'd.

Mutton, Chickens, Partridges, Rabbets, &co.

are all good Food.

When strength doth begin to increase

Bread and Raisins may be eaten.

The greater Symptoms of this Disease are the Running of the Reins, Nodes, Car-

runcles, &c.

The Running of the Reins is called in Greek ρυνόρβοια, ex ρόνη semen, & ρέω fluo, it being a Flux of natural Seed of Man or Woman

unwittingly.

If the Gonorrhæa be virulent, it is a prælum fame way; but if it be newly contracted it may wholly and most safely be absolved by purgation.

The same Apozeme, and purging Pills before mention'd, are very proper, which must be continu'd till the Running of the

Reins cease.

If the Patient be plethorick, let a Vein be opened.

To strengthen the spermatick parts, the

following Balfamick Pills are effectual.

Take of Mummy, Bole Armenick, Gums Balfa-Dragon and Arabick, of each one ounce; Bal-mick Pills, fam of Sulphur two drachms; with Syrup of dried Roses, make it into a Mass for Pills, of which you may give half a drachm every Morning and Evening.

If there be Nodes, Caruncles or Ulcers

in the urinary Passage,

The following Medicine may be daily in-

jected.

Take the Water of the Spawn of Frogs Injection, four ounces; Honey of red Roses one ounce; white Troches of Rhasis one drachm; powder the Troches, and mix all together for an Injection.

After injection, put in an hollow Instrument made of Silver or Lead, being first anointed with some consolidating Ointment, as was directed in the Stoppage of Urine.

I do not approve of Astringents in the Beginning of the Cure of a Gonorrhæa, till the Patient be well purged, and the running begin to cease; because all Astringent means conduce to prolong the Distemper; but after the Cause is eradicated by purging, then they may be safely administred, if the Cure be not essected without it.

To prevent the Return of the Distemi per, I advise the Patient to purge, and bleed every Spring and Fall.

Also keep a good Diet, be moderate im Exercise, and all other of the nonnatural

things.

When thou art recovered, give God thee Praise; and have a care of committing thee like fin again, left a worse thing befall thee; for it is a fearfull thing to fall into the Hands of the Living God. Hebr. 10. 31.

#### CHAP. XXVII.

Of the Rachites, or Rickets.

THIS Disease may be called in Greek ραχίτες, vel νόσ Φ της ράχεως.

It may be called in Latin morbus spinalis, it being a Disease of the Spine of the Back.

This spinal Disease is commonly called in

English Rickets.

It is peculiar to Children, because they abound with a crude phlegmatick matter; for if they labour under a cold moist Distemper, there is presently a Penury and Paucity of the Animal Spirits; for the Brain, cerebellum, and spinalis medulla, being more com-

pact

pact than is wont, is unfit for percolation, so that the most spirituous part of the Bloud cannot pierce, or be strein'd through it: Hence the separation of the Animal Spirits is diminisht.

For the aforesaid cold, moist, phlegmatick Humours, compacting the soft substance of the Brain, &c. it is thereby too much thickned and straitned in its porous passages.

The coldness of Air, Water, or Snow, vehemently affecting the Head, seems to confirm and prove this opinion; because when the Glandules of the Brain are affected and thickned by a stuffing of the Head with Coldness, then a more sparing production of

the Animal Spirits useth to follow.

The essence of this Disease consists not onely in the Animal, and vital, but natural Constitution also, all the Functions being (in time) vitiated: For the spinalis medulla being primarily affected, all the Nerves which proceed from it (in its passage through the spina Dorsi) must of necessity be stupissed, and vitiated with a loose Feebleness; hence also all the nervous, membranous, and sibrous parts, through which those Nerves are carried, or inserted into, must consequently be vitiated with an inward weak Slipperiness; so that the very ends of the bones, as well as all the Faculties of the Body, bear a share in this Distemper.

When

When the Rickets is confirm'd in Infants, it feems to have some affinity with divers other Diseases, viz. a Chronical sever, an extenuation or leanness of the Body, and an Hydrocephalus, and many more, which are frequently complicated with this affect.

Observatio.

And indeed not onely this, but most other Diseases (in process of time) do unite unto themselves other affects of a different kind, and therefore (for the most part) there is a complication of Chronical diseases before Death.

Caufes

The Causes are either external, or internal.

The external may be any of the Nonnaturals exceeding, either in excess or defect.

All things cold and moist do powerfully contribute to this Disease, especially an over cold and moist Air, which is most frequent in the Spring; the Air being then cloudy, thick, rainy, and full of vaporous Exhalations.

Hereupon the Children of those which inhabit near the Banks of the Sea, or great Rivers, Ponds or Marshes; (that are obnoxious to too much Rain, or are fed with a great Number of Springs) are more or less subject to this affect; for by the Continuance of fuch cold and moisture, the Bloud and Humours becomes too slippery, and therefore

therefore (in their Circulation) they must unavoidably cause a sostness and looseness in

all the parts.

Also experience testissieth that those Children which are born, and nursed near the Lead-mines in Derby-shire, &c. are generally affected more or less with a languidness of the Limbs.

For the Air being infected with noxious metalline Exhalations, which (for the most part) fight against the inherent Spirits of the parts, by a kind of venemous malignity; by which the spirituous pulsificative Force of the external parts is extinguished, and the strength of the Limbs, and whole Body much weakned and diminish'd.

Hither we may also refer fine soft Linen, applied actually cold and moist, (being not well dried by reason of the moistness of the weather) to the Spine of the Back, which is near the Original of the Nerves; the use thereof being too long continu'd, it cherisheth the Roots of this Disease in that tender Age.

Likewise Aliments of any kind, which are too moist and cold; or too thick, viscous and obstructive, do manifestly cherish this

Distemper.

And I am induced to believe that Ebriety in English people, especially the Gentry; and eating of much Flesh; and not using frequent U 2 labour.

labour, or exercise, may be a reason why this Disease is more common and natural to Children in England, than in other Regions, perhaps far exceeding it both in cold and moisture; as Scotland, Holland, &c. wherein this affect hath not been observed to be very common.

And therefore ebriety and eating of much Flesh, and defect of motion, and want of exercise doth most frequently, and most effectually concur to the production of it; because the inherent heat (in stupid and sluggish People) is not sufficient to resist and expell the superfluous moisture by a due transpiration: By which means the Circulation of the Bloud is become flow and lefned, and the production of the vital heat very feeble, and weak; fo that nature is thereby forced to permit all the parts of the Body to be affected with a certain foftness, loofeness, and internal lubricity, more than is meet; which do sufficiently evince, that this is an efficacious cause, and a part of the essence of this Disease.

Hence we may easily infer that the Children of such Parents are more inclined to this distemper, than others who drink moderately, and eat less Flesh, and are more active and lively.

The internal Causes, are excrementitious Humours luxuriant in the Body, especially

Phlegm and ferous humours retained, and vitiated, being naturally cold and moift, and little spirituous, and affected with an internal slipperiness, wherefore upon a superfluous accumulation of these humours, the production of this affect succeedeth; because thereby a Colliquation of the parts, and a dissipation of the inherent Spirits will be easily introduced; whereby all the parts will afterwards be rendred obnoxious to this cold and moist Distemper.

Many diseases preceding this affect, may be the cause of it; especially those which do extenuate, and much weaken the Body, as all Fevers, &c. And also all cold and moist, phlegmatick, and cachochymick Distempers, which will induce a stupour and dulness in the affected parts, and cause obstructions.

Also any great Pain, Inflammation, Tumour, Fracture, Luxation, or any other preternatural affect, that hinders the standing and playing of the Child, may be some cause of this Disease.

Presently after the beginning of the Di-sigm. sease, a kind of slothsulness and numbness doth invade the Joints, and by little and little is increased, so that daily they are more and more averse from motion; besides in the beginning of this affect, there is usually observed, a certain laxity, softness, and flaccidity of all the first affected parts; af-

Ug

ter which followeth a great debility, languidness, and enervation of all the parts subservient to motion; so that (for the most part) they speak before they walk, which is vulgarly held to be a bad Omen; and if it vehemently increase, they do not onely totally lose the use of their Feet, but can scarce sit with an erected posture, and their weak and seeble Neck can hardly sustain the Burthen of the Head.

In the progress of the Disease, the Head and Face increaseth in bigness, but the sleshy parts below the Head, are daily more and

more worn away.

There is also observ'd in this affect, certain swellings, and knotty excrescencies about some of the Joints; these are chiefly conspicuous in the Wrists, and somewhat less in the Ancles, and in the tops of the ribs; the Bones in the Armes and Legs, and sometimes the Thighs, and Shoulder-bones wax crooked; the Teeth come forth flowly, and with greater trouble than usual, and at length the Breast becomes narrow, and the Abdomen swollen, with an extension of the Hypochondriacal parts, which hindreth the free motion of the Diaphragma downwards; and by consequence doth somewhat interrupt the breathing, so that respiration becomes difficult, accompanied with coughing, the Pulse being also weak and small; and

and in the increase of the Disease, all these signs become more intense and evident, and many, and more grievous, are daily accumulated.

I. If this Disease be light and gentle, the Progn. Children affected therewith may be easily restored to health; sometimes by the sole benefit of Age, the vital heat being increased, and summoned forth to the external parts by the sorce of frequent exercises.

But if it so vehemently prevaileth, that the increase thereof cannot be prevented by the best internal means, and also most prudent applications, then there is immi-

nent danger.

2. If it proceed from other Diseases, or be complicated with them, it will be the more difficult of curation; especially if the Bones of the Armes, and Legs be crooked, and there be great bending and tumour of the Joints of the Wrists, Ancles and Ribs.

But if the Symptoms decline, and the Child do easily endure agitation, and have often eruptions in the Skin, as Wheals, Pimples, or Itch, then there is great hopes of

recovery.

3. If they be not cured in five years, they will grow deformed and crooked, and (for the most part) will become dwarfs, and live sickly, being either Cachectick, or Phthisical, till death do put a Period to their miferable Life.

U 4

As

Cure.

As for the Cure of this disease, both the Child and Nurse must keep a good diet which is easie of Concoction.

In the mean time you must not neglect the best Chyrurgical and Pharmaceutical means which will most conduce to the spee-

dy recovery of the weakly Infant.

Universals being premised, the most effectual and approved Chyrurgical means in this affect, are Incision or Scarification of the Ears, and little Fountains or Issues; although many more may be used, viz. Frixions, Blisters, Ligatures, &c.

Incision or Scarification in the Ears, is to be performed on the Ridge, in the infide of the Ear above the hole; which must be stopt

to hinder the Bloud passing into it.

This Operation must be often repeated, at least once or twice in a month; which hath proved fuccesfull when many other remedies have been ineffectual.

And here it may be noted, that Scarification being made in that place, must needs be of greater efficacy than if it were instituted in any other part of the Ear, or elsewhere.

1. First, Because the beginning of the fifth pair of Nerves is near that place, many of their Branches being distributed through the hollow of the Ear, and are thence conveyed into the Spinalis medulla, from whence it shooteth out little Branches which accompany the Nerves of the marrow of the Back, to the ends of the very Legs and Feet; as many ingenious Anatomists have accurately obferv'd.

Wherefore Scarification being there made, it is probable, that the matter (which commonly oppressent the very beginning of that Nerve) is immediately evacuated, by which it is freed from obstruction; and having also gotten vigour (being excited by the pain and Inslammation) it driveth out all stupidness from within it; by which means the Branches of the Nerves from thence arising, which are communicated to the Spinalis medulla, and many other parts may be in some measure excited also.

2. Because by this means, there is a particular evacuation of the Head, which is wont to be oppressed with sullness in this affect.

Besides, the Bloud being somewhat lesned, the thickness and toughness thereof must thereby be corrected; and (by consequence) an equal distribution of it promoved to a more regular nourishment of the parts.

Issues in the Neck are also much approved in this disease, because they very much conduce to lessen the unusual magnitude of the Head, and to evacuate the supersuous watriness thereof, and repress the inordinate increase of the bones; also it manifestly

drieth up the too much humidity of the spinal Marrow, exciteth heat, strengthens the Nerves, and expelleth the astonishment.

As for the Pharmaceutical or Physicall means, you must be sure to cleanse the first passages either by Clysters, Vomits or Leni-

tive purgations.

When the Belly is Costive and the excrements are hardned, or some flatuous humours afflict the Bowels with vehement pain, then Clysters are chiefly required; and they may also be injected before any preparation, Vomit or Lenitive purgation.

I need not prescribe any forms, because a little Milk and Sugar, with a sew Anise-

feeds boiled in it may ferve.

Also an Emollient or Carminative Clyster (that is gentle) may be injected when there is occasion.

Emeticks if well prepared, and prudently administred are very efficacious, and will conduce much to the Cure.

And here I again commend Antimonial

Vomits before all others.

r. First, because they not onely power-fully evacuate Crude or corrupt humours, and all manner of impurities contained in the Stomach by Vomit; but by an agitation and commotion, raised in all the parts, especially in the Bowels, they loosen the gross and viscous humours adhering to the

Gutsi,

Guts, and convey them through their many involutions and labyrinths, by which they are expelled by Stool; in which respect they are also profitable against torments of the Colick, and very conducible to unlock obstructions.

2. They most effectually irritate the expulfive faculty of all the parts of the Body, by which they compell forth the hidden and unappearing causes of diseases, especially of intermitting Fevers; for by the very straining to Vomit, the Guts are also instimulated to cast out by siege; the Liver poureth away the Choler by the Biliar pore: the juice of the Pancreas is voided into the small Guts; the Spleen perhaps doth unburthen its excrement into the Stomach; the Kidneys exern through the Ureters; the Lungs by a strong Cough eject their Phlegm through the Wind-pipe; the Head emptieth it self of salt waterish Rheums by the Palate, Nostrils and Eyes; finally the whole Body (for the most part) is rendred more prone to a Diaphoresis, either by a manifest sweating, or else by insensible transpiration.

If any are afraid of Antimonial preparations (though most safe and potent) they may administer Salt of Vitriol, from sive to ten grains, either in Posset-drink or any o-

ther convenient Vehicle.

Also the following may be safely administred.

Vomit-

Take the clarified Juice of Asarabaccan half a drachm; Syrup of the Juice of Sorrell two drachms; mix it, and give it in the: morning fasting.

Observatio.

But here we may note, that vomiting is: not to be provoked in very weak Children, unless they are naturally apt to Vomit, and the humours tend upwards of their own accord, and they easily indure it; and then they ought to be gentle and given in a small! dofe.

Those that are averse to vomiting may take lenitive Catharticks, which must be: made pleasant and potable, that the young; Patient may not loath the taking of them.

Manna, Syrup of Cichory with Rhubarb, Syrup of Violets and Syrup of Roses solutive: are all good pleasant medicines; which your may mix according to your discretion, in any proper distill'd water, or in the decoction of sennæ Gereonis.

The following drink is of excellent virtue, and will conduce much to the Cure of this

disease.

Infusion.

Take of Anise-seed, the Barks of Ash, Ivie, Tamarisk, Shavings of Harts-horn and Ivory, the Roots of Sassaphras, Liquorish, China, Sarseparilla, Butterbur, of each half ani ounce; Mace one drachm; let them be cleanfed, bruised and insused in two quarts off small Ale for two or three days; then strain it out very strongly, and bottle it up for the

Child's ordinary drink.

In the Cure you must endeavour to refist all symptoms, as Fluxes, Worms, Venereal affects, breeding Teeth with great pain, &c.

In any Flux, Gripes or urgent pain, you may give half a grain of Laudanum opiat. diffolved in any convenient Vehicle, so often as necessity urgeth.

If Worms or venereal affects be fear'd, you may sometimes adminster this gentle

purging Bolus.

Take of Mercur. dulcis six grains; Diagre-Purging dium, Rezin of Jallop, of each three grains; Bolus.

with Syrup of Roses solutive, make it into a

Bolus; give it in the morning fasting.

In your Broths and Panadoes, you may boil Harts-tongue, Ceterach, Liver-wort, Maiden-hair, Sage, the Bark of Tamarisk, red Sanders, Saffron, the Roots of China, and Sarseparilla, &c. but let all things be made acceptable to the Palate.

All kinds of exercise unto which Children are accustomed, may be usefull in their time and season; as Rocking, Going, Swinging,

Playing, &c.

Also Frixions are excellent, in which begin at the Spina dorsi, and rub with a course warm linen Cloth, and also under the Short-ribs, and afterwards all other parts; let it be done gently, to cherish and incite

the natural and vital heat, and attract the

Nourishment to the affected parts.

External Medicines may be also applied, to strengthen the weak parts, as Emplasters, Ointments, &c.

These forms may serve for Example.

Linament

Take Ointments of the opening Juices, Tobacco, Marsh-mallows; Oils of Capers, Wormwood, Elder, Earth-worms, Bricks, Balfam of Peru, of each half an ounce; mix it...

With which let the weak parts be anointed

with a warm hand, before a Fire.

Plaster.

Take the Plasters Nervinum, De minio, add Herniam, of each one ounce; the Carminative Plaster of Sylvius, Balsam of Peru, off each two drachms; mix it, and spread it on thin Leather.

It may be applied to the Back, or any o--

ther weak part after anointing.

If the Lungs be affected, anoint the Breast

with the following Ointment.

Pettoral

Take the pectoral Ointment two ounces; Ointment. Oil of Mace by expression, Oil of Violets, of each half an ounce; mix it.

After which apply a Plaster.

They that defire more variety of Medicines, &c. let them peruse that excellent and learned tract of the Rachites written by the famous Doctours and Fellows of the College of Physicians at LONDON.

Ornari res ipfa negat, contenta doceri.

CHAP.

## CHAP. XVIII.

Of the Gout, and Rheumatism.

HE Gout is called in Greek agθeris ab Arthritis, agθeris at Arthritis, hence it is called in Latin Articularis morbus, it being a Disease of the Joints.

This is a general Name for all Gouts, or when all or most of the Joints are affected.

But when any particular Joint is infested with a Gouty distemper, it doth from thence take its denomination.

For if it invadeth the Jaw-bones, it may be called in Greek σιαγωνάγεω, εκ σιαγών maxilla, & άγειάινω sævio, quod maxillarum usum impediat. It being (for the most part) accompanied with a fierce and cruel Pain.

And so likewise if it invade any of the

rest of the Joints.

If the Vertebræ of the Neck, &c. be affected, it may be termed reaxnadyes, ex reaxnad collum, vel cervix, &c.

That which molests the Shoulders, may be fitly called wudyes, ex wwo humerus. &c.

If it affects the Collar-bones, you may call it nasiouyen, ex nasie clavis, vel clavicula, &c.

That in the Elbow may be termed muzidyes, ex mixus cubitus, Sc.

The Gout in the Hand is called xusayea, extension manus, &c.

That in the Hip may be called in Greek

igias, ab igior coxa, &c. quod ab iges lumbus.

In Latin Coxendicum dolor, quod coxendices

præcipue infestat.

If it be in the Knee ρνάγεα, ex χόνο genu, &c.. If in the Foot ποδάγεα, ex πες pes, & άγειαίνως σενίο, Quod pedum usum impediat, which may be added to every particular.

This and all other Gouts are most commonly accompanied with a fierce, cruel, tormenting pain; and thus much, if not too

much of the Names of the Gout.

The Causes are either external, or inter-

nal.

Causes.

The external Causes are Gluttony, Drunkenness, immoderate Venery, Idleness, external Cold, and excess or desect of any of the non-naturals.

The internal Cause of all Arthritick pains, is the Juice of the Pancreas too acid and sharp, which raiseth a vitious Effervescency with Choler, &c. whereby a Fermental sharpness is increased; and when it is exorbitant, it is sent forth into the extreme parts, and meeting with that seedy Glue, which is between the Joints, do th not onely affect it with its fermental Acrimony, but is also the grand Cause of the virulent tormenting pain and instammation in the part affected.

But

But seeing the pains are different, not onely in divers People sick of this Distemper, but also the Pains of the Gout are divers in the same sick party, we must therefore, as well by reason as experience, search into the true Cause thereof.

Therefore in as much as the present molesting pains, are not always freed with the same medicines, no not in the same sit;

much less all that are Gouty.

We may hence consider that divers humours, as Choler, Phlegm, &c. are diversly mixt and fermented with the Juice of the Pancreas, which is peccant in a sour Acrimony, being the primary Cause of all Gouts.

And here we may note, that this over acid Observa-humour doth molest the sick (chiefly in the tio. beginning of the sit) with a corroding pain; but after a while, when Choler (by its exceeding heat) hath gotten the Predominancy, it causeth a divers burning pain, according to the diversity of its faultiness.

But if viscous Phlegm be predominant, the pain is much dull'd, and the motion of the part hinder'd with a phlegmatick Tumour, rather than an acute pain; which ought to be accurately observ'd by every ingenious Artist.

When the Gouty humour hath invaded Signs, any joint, there is presently an unusual heat, and more exquisite sense in it, than formerly,

X

fo that the least touch of any hard thing doth hurt the part; and the longer it continues, the more the Pain increaseth, with redness and swelling of the part affected, and most commonly attended with a Symptomatical Fever.

Progn.

Cure.

1. The Gout is a Chronical disease, attended with violent Pain, but is feldom mortal, except in very weak Bodies that are much decay'd by Sickness, or old Age.

2. If it continue long, till the Joints are knotty, it is incurable, according to Ovid,

Tollere nodosam nescit medicina Podagram.

But if there be no Knots in the Joints, and the Patient is laborious, and the Body is (for the most part) soluble, and there be fwelling of the Veins called Varices, then it may be happily cured.

3. If it becomes habitual to the fick, the morbifick Idea is implanted in the vital Spirit, and transfer'd through the feed, which

makes it Hereditary.

The Cure of the Gout will confift,

1. First in defending the afflicted Joints, as well against future Pain, as freeing them from that which doth molest at present.

2. In the universal amendment of the

juice of the Pancreas.

3. In the correcting and evacuation of the vitious Choler.

4. In the altering and diminishing of

Phlegm any way peccant.

To asswage the present Pain I commend the following Medicaments, which will conduce much to mitigate the sharpness of the acrimonious humours in all Gouty people, and case the part affected.

When there is excessive heat, you may bathe the Gouty part with this Fomentation very hot, with wollen Stuphs, which must

be often renewed.

Take the Waters of the Spawn of Frogs, Fomenta-Fumitory, Elder, of each one quart; Vine-tion. gar of Mary-golds one pint; Opium, Camphire, of each half an ounce; mix it according to Art.

But when the Pain is more corroding than burning, I commend the following to be

used as the former.

Take of Treacle-water half a pint; the Waters of the Spawn of Frogs, Parsley, of each one quart; Opium, Camphire, of each half an ounce; mix it.

After Bathing with either of these; apply

this Cataplasm.

Take Powders of the Roots of Marsh-Pultess, mallows, Flax-seed, Barley-meal, of each four ounces; new Milk three pints; boil it to the Consistence of a Pultess, and add Oils

X<sub>2</sub> of

of Flax-feed, Earthworms, the Ointment: Martiatum, of each three ounces; Camphire: half an ounce; mix it according to Art.

Where exceeding heat doth concur, and the Body abounds with sharp Choler; instead of sweet Milk, you may substitute Butter-

milk.

Also a Pultess made of the Crums of White-bread, new Goats or Cows milk and Saffron, with Oil of Lin-feed, and Earthworms, may be deservedly commended, to asswage any Pain.

If the fick be very phlegmatick, and impotency of motion doth afflict, more than pain; then Opiats may be omitted, and things more Aromatical may be used in all

external Applications.

The following Pultess, or one like it, may

ferve for Example.

Cataplasm.

Take the Powders of Orrif-roots; the Flowers of Chamomel, and Elder, Cummin-feeds, Barley-meal, of each four ounces; the Tops of Wormwood, Mints, of each four handfulls; boil them in two quarts of water of the Spawn of Frogs, to the Confistence of a Pultess; when it is almost cold, add Treacle-water, Oils of Chamomel, Earthworms, of each three ounces; mix it.

Also the Root of Briony, and Cuckowpintle bruifed, and made into a Pultess with

Cow-dung is excellent.

If you add Volatile Salts of Animals, or Vegetables to your Medicines, whether Fomentations, Cataplasms, or Ointments, they will be the more effectual.

You may prepare an excellent Volatile Salt of Earth-worms (of great Virtue) for the Gout, which may be resolved into Liquour by fermentation, and putresaction.

If the Gouty Patient do abound with Phlegm, or the Juice of the Pancreas exceed in an acid Acrimony causing a corroding Pain; it may happily be mitigated and remov'd with Balsam of Sulphur made with Oil of Amber, with which let the grieved part be embrocated, and it will forthwith raise a very hot Effervescency, which will presently cease again, and remove the great Pain in a moment, even to admiration.

After the pain is over, you may apply one of the former Cataplasms, or some Anodyne Ointment, to comfort, and (by degrees)

restore again the membranous parts.

The following Linament may ferve for

Example.

Take Oils of Earth-worms, Scurvigrass, Linament, Saint John's-wort, of each one ounce; Chymical Oils of Rosemary, Rue, of each twenty drops; mix it.

Afterwards, you may apply a Plaster of

De minio cum sapona.

In the mean time, inward means (to take away the Cause, and ease the pain) must not

be neglected.

If the Patient have a plethorick Body, after a Stool hath been procured, by a Carminative Clyster, with Electuar. Caryocostinum, &c. Let a Vein be opened.

Bloud drawn from the Vena poplitis, or sciatica Vein, hath been successfull in the

Sciatica.

But Leeches applied to the Hemorrhoidal veins, are effectual in all Gouts.

Two or three days after bleeding, you

may administer the following Pills.

Purging Pills.

Take of Pills Hermodactils, fætidæ, ex duobus, Mercur. dulcis, of each one scruple; mix it for two doses, and give them in the Morning fasting.

Or you may give half a drachm or two scruples of pul. Arthriticus in any convenient

Vehicle.

But if the fick be inclining to vomit, administer an Antimonial Emetick.

You may purge and bleed so often as you

fee occasion.

Issues near the part affected, and also to raise Blisters upon the part, have been found by experience to be very effectual.

Also bathing and sweating in nitrous or sulphurous Baths, either natural or artifici-

al, are much approv'd of.

That

That which is prescrib'd in the Chapter of the Belly-ach, is very essectual, which

may be used, as is there directed.

I might fill a Volume with receipts against the Gout, but I shall onely commend the following water or spirit to be often taken inwardly in any sit Vehicle, the quantity of

half a spoonfull at a time.

Take the Roots of Orris, Angelica, Salfa-Water aphras, of each two ounces; the Tops of gainst the Ground-pine, Penny-royal, Sage, Mother of Gout. Time; the Flowers of Saint Jehns-wort, Chamomel, Prim-roses, Rosemary, Lavender, of each three handfulls; the Berries of Bays and Juniper, of each one ounce; Castor two drachms; let them be all cleansed, bruifed and insused in six quarts of Spirit of Earth-worms compound for the space of twenty sour hours, then distill it in an Alembick according to Art.

The Rheumatism is called in Greek perpa-Rheuma-TITILDES, ex peo fluo; it being a distillation of tismus. Rheumatick humours, not onely affecting the Joints, but the adjacent parts, yea some-

times the whole Body; especially the Muscles, Membranes, and Periostium of the

Thighs, Legs, and Hip-bones.

The humour is of a very malign Nature, and foon causeth a Cariofity of the Bones, if it be not prevented.

Cause. The Cause is the same with the Gout,

but sharper.

Progn. 'Tis seldom mortal, but may be of long continuance, with great Pain, so that the

Sick cannot endure to be touched.

Cure.

In the Cure of this Distemper, Phlebotomy must be often repeated, and carmina-

tive Clysters often administred.

Foment the pained parts with stale Urine (made very hot) wherein Castle-sope is dissolved; after which anoint with this sol-

lowing.

Linament. Take Spirit of Salt Armoniack, Oils of Guiacum, Bricks, of each two ounces; in which dissolve Opium one ounce; Spanish Sope four ounces; then add Oil of Roses six ounces, and make it a Linament according to Art.

If you would have it for a Plaster, you may add so much *Empl. de minio* to it, as will give it a sufficient Consistency.

The Medicines and Directions prescrib'd in the Cure of the Gout, are also proper

here.

From these sew observations, it will not be very difficult to select other choice Medicines out of the writings of Practitioners, to cure both the Gout and Rheumatism.

To prevent a Relapse, purge and bleed Spring and Fall, and keep a good Diet, and

use moderation in all things.

I have now finisht this little Tract, or Manual of Physick, which I have written for the common good; not onely to serve young Beginners of the Art of Physick, but also for the sake of the sick themselves.

GOD grant that it may prove successfull,

and tend to the good of them both.

Now unto the onely wife God and our Saviour Fesus Christ with the Holy Ghost our Comforter; three Persons, and one God, be ascribed, and given all Laud, Honour, Glory and Dominion, from this time forth, and for evermore. Amen.

Postscript.

# POSTSCRIPT.

Aving often prescrib'd the Carminative Spirit of Sylvius, and also his preservative water against the Plague, and his Carminative Plaster, &c. I will here give you the Receipts of them in English, that you may make them for your own use, as you see occasion.

### The Carminative Spirit of Sylvius.

Take Angelica-root two drachms; the Roots of Masterwort, and Galangal, of each three drachms; the Tops of Rosemary, sweet Marjoram, Garden-rue, Centaury the less, Basil, of each one handfull; Bay-berries six drachms; the Seed of Angelica, Lovage, and Anise-seed, of each an ounce; Ginger, Nutmegs, Mace, of each half an ounce; Cinamon one ounce and half; Cloves, Orangepeel, of each two drachms. All these things being grosly bruised, pour thereon Spirit of Malaga or Spanish-wine six pints.

Digest them two days in Balneo Maria,

and draw off all the Spirit.

You may pour upon what remains the fame quantity of Spirit of Wine; and after two days digestion, draw it off as before, which

which may be kept apart, as weaker than the former, but of much virtue to discuss Wind.

Aq. Prophylactica, or the Preservativewater against the Plague.

Take the Roots of Angelica, and Zedoary, of each one ounce; Roots of Butter-bur two ounces; the Leaves of Garden-rue four ounces; of Baum, Scabious, Marigold-flowers, of each two ounces; unripe Wall-nuts cut two pound; new Pome-citrons cut one pound; bruife them all together, then pour on twelve pints of the best Wine-vinegar, distill'd by it self to three fourth parts in Sand in a Glass cucurbit, then digest them all Night, in the Morning distill the water with a flow Fire.

This gratefull Medicine may be mixt with ordinary drink, broth or any decoction or Cordial Julep, &c. to a gratefull acidity, for any that are fick, to take away thirst, and to promote a mild Sweat.

The Plaster of Sylvius discussing Wind.

Take gum Galbanum, Bdellium and Amoniacum, of each half an ounce; Male-frankincense, red Mirrh, of each two drachms;
Opium of Thebes one drachm; dissolve them
in Vinegar of Squills, and when they are
again

again thickned, add yellow Wax, Colophony, of each three drachms; natural Balsam, Oil of Bricks, of each one drachm; Oil off Earth-worms half a drachm; distill'd Oil off Caraway a scruple; Venice Turpentine what sufficeth to make it into a Plaster according to Art.

This egregious Plaster may be spread upon soft Leather, first form'd according to the shape and greatness of the Tumour to

be dissolv'd.

The Cholagogue, Electuary, or Diaprunum of Sylvius.

Take the Pulp of Prunes sourish-sweet, ten ounces; Powder of Cream of Tartar, best Scammony, of each two ounces; Powder of Rhubarb ten drachms; Cinamon half an ounce; yellow Sanders two drachms; resin'd Sugar a pound; make it into an Electuary according to Art.

The Hydragogue Electuary of Sylvius.

Take of Juniper-berries boild in water exprest, and reduc'd to the Consistency of a Pulp; the Pulp of Tamarinds, of each four ounces; Powder of Jallop-root one ounce and half; Diagredium one ounce; sharp Cinamon, sweet Fennel-seeds, of each two drachms;

drachms; clarifi'd Sugar ten ounces; make

it into an Electuary according to Art.

The Dose of either of these Electuaries, is from two drachms to half an ounce; they are gently essectual, and no ungratefull Medicines; they may be dissolved in any convenient distilled water, as Parsley, Fennel, &c. or it may be taken by it self in the manner of a Bolus.

pereof, and may be always had o

at reufonable rates, mithout

tion, or any other Levens.

FINIS.

## ADVERTISEMENTS.

Persons, chiefly country Physicians and Chyrurgeons, that all the Medicines prescrib'd in this Book, are faithfully prepared by the Authour hereof, and may be always had of him at reasonable rates, without Adulteration, or any other Deceits.

A LL sorts of Chymical preparations, are faithfully prepared without the least Sophistication or Adulteration, and to be sold at reasonable rates, by Christopher Pack Chymist, at the Globe and Furnaces in the Postern, by More-gate, where a Catalogue may be had Gratis.

# 

An Interpretation of certain hard Words, which you shall meet with unexplained in this Treatise.

A.

A Bodomen, All that part of the Belly, which is between the Ribs and the Privy members, confifting of Skin, Fat and Muscles.

Abcess, an Impostume, or gathering of ill Humours to one part of the Body, and there drawn to a Head.

Abstersive, a cleansing Medicine.

Acerbity, Sourness.

Acid, eager, sour, or sharp.

Acrimony, Sharpness.

An acute Disease is a sharp Sickness, which doth quickly either dispatch or deliver the Sick.

Ætites, the Stone with Child, found

in an Eagles-nest.

Affected part, the part grieved, or

distempered.

Alchimy, the Art of melting or dissolving Metals, &c. and separating the pure from the intpure.

Alexiterion, Alexipharmacum, a preservative Medicine against

Poison, and Infection.

Amputation, the cutting off of a Member.

Amulet, any thing hanged about the Neck.

Anatomy, the Trunk of a dead Body, from whence all the Flesh, Sinews, &c. is cut off, and nothing remaining but the bare Bones.

Anodyne, appeafing Pain.

Antidote, a Preservative against Poison and Infection.

Antimonial, made of Antimony.

Anus, the Fundament. Apertion, an Opening.

Apophlegmatism, a Medicine which chewed, draweth Phlegm and other Humours out of the Head, and voideth them at the Mouth.

Apoplexy, a general Palsie of the whole Body.

Apozeme, a thin Decoction of Herbs.

Aromaticks, Medicines made of Spice.

Arteries, hollow Vessels, wherein the vital Bloud, and Spirits are contained, which causeth the Pulse, as you may feel at the Wrists, &c'

Arthritick pains, the Gout or any

other Pain of the Joints.

Aspera Arteria, the Wind-pipe.
Astrictive, Astringent, which hath
Power to bind.

B.

Balfamick, Healing, of the Nature of Balfam.
Bechical, eafing the Cough.
Bile, Choler.
Bolus, a Lump, a Morfel.
Bronchia, the Griftles of the Windpipe.
Bubo, a Sore about the Groin.

Achexy, ill habit of Body. I Cacochymy, ill fuice in the Body. Calcinate, to burn into Ashes. Capillary, as small as a Hair. Carbuncle. a Plague-sore. Cardiack, Cordials. Cariofity, Rottenness. Carminative, that cleanfeth the Body of Wind. Cartilage, a Gristle. Caruncle, a little Piece of Flesh. Catagmatical, Medicines to cure broken Bones. Cataplaim, a Pultess. Cataract, a Disease of the Eyes. Catarrh, a Rheum. Cathartick, a purging Medicine. Catheretick, a Medicine to con-Sume Superfluous Flesh. Cauterize, to burn or Sear. Cephalicks, Med. for the Head. Cerebellum, the little Brain. Chalybeate, red-hot Steel in any thing. Chylus, a white Juice coming of the Meat digested in the Stomach. Cholagogue, a Medicine that purgeth Choler.

Chronical, staying long.
Coliries, Medicines for sore Eyes.
Colliquation, a Dissolving.
Coriza, a snottish Rheum.
Crisis, Judgment.
Cuticula, the Scarf-skin.
Cystick passage, the Passage of the
Choler from the Gall.

D.

Effuction, a flowing down of Humours, Delirium, Dotage, Light-headed. Deficcative, a drying Medicine. Diaphragma, the Midriff. Diaphoretick, a sweating Cordial. Diaphoresis, Evaporation by sweat. Diarrhea, a Flux or Lask. Diastole, Dilatation of the Heart, Diuretical, causing Urine. Dormative, to cause sleep. Ducts, little Pipes for Water, &c. Dura mater, the strongest Skin encompassing the Brain. Dysentery, the Bloudy-flux. Disuria, Scalding of Vrine.

E.

Effervescency, a working, a fermenting.
Elixir, a Quintessence.
Embrocate, to bedew.
Embryon, an imperfect Child in the Womb, without shape.
Emetick, a Vomit.
Emplastick, a clammy Medicine.
Emulsion, a Medicine like milk.
Epilepsie, the Falling-sickness.
Epidemical, Ill, the Plague.

Epif-

Epispastick, a Medicine to raise Blisters.

Epithems, are certain Powders, put in little Bags, and wet in Wine, &c. and applied to the Regions of the Heart, Liver,&c.

Errhines, liquid Medicines to smiff up the Nose.

Escharotick, a potential Cautery. Exulcerate, to blister.

Ascinate, to bewitch. Fibers, Small hairy strings. Fistula, a hollow Olcer with Callocity. Filtration, a straining fire. Fætus, the young. Fomentation, an asswaging Bath.

G Argarism, a Liquour to wash the Mouth. Gargarise, to wash the Mouth. Gangrene, an Inflammation tending to Mortification. Gonorrhæa, the Running of the Reins.

H.

TEmorrhage, an excessive or continual Flux of Bloud. Hæmorrhoids, the Piles, also the Veins in the Fundament. Hepaticks, of or belonging to the Liver. Hernius, broken Bellied. Homogeneous, Homogeneal of one Kind. Hydromel, Water and Honey.

Hydrocele, a waterish Rupture. Hydrocephalos, a Dropsie in the Head.

Hydragogue, a Medicine to purge mater.

Hydropical, that have the Dropsie. Hypochondries, the fore-part of the Belly about the short Ribs.

Hypochondriacal, a windy Melancholy.

Hysterical, of or belonging to the Womb.

I.

[Cterical, having the faundice. Icchorous, waterish, mattery. Jejunum, the hungry Gut. Ileon, the third small Gut. Iliack passion, a grievous Disease in the Gut Ileon. Impostume, vide Abcess. Inflammation, an hot angry Swel-Ingredients, that which goeth inte the making of a thing. Intercostal, between the Ribs. Ischuria, Stoppage of Urine. Jugular vein, in the Throat.

L

Lethargy, a flothfull sleepy Disease of the Head. Lientery, a Looseness, caused by undigestion. Ligament, a bond or binding. Linament, a kind of hard Oint-Lipothimy, fainting, sounding. Lithotomy, cutting out of the Stone.

Lixim

Lixivial, made of Lyc. Lixivium, a Lye made of Ashes. Lympha, a waterish Humour.

M.

Afficatory, a Medicine to chew in the Mouth. Medicinal, of or belonging to Phyfick.

Membrane, athin Skin.

Menstruous, a Woman having her Menses, or monthly Terms.

Mercurial, made of Quick-silver. Melentery, the thick fat Membrane, that fasteneth the Guts, &cc.

Muscle, an Instrument of voluntary motion in the Body.

N.

TArcotical, stupefactive, that bath power to stupefie, or make the Body insensible. Neopolitan disease, the Pox. Nephritick, of the Reins. Nirrous, made of Salt Petre.

Piate, made of Opium, to cause sleep, and give case. Ophthalmy, Inflammation of the Oprick nerve, the Sinew which bringeth fight to the Eye.

example to Lope.

)Alate, the hollow of the Mouth above. Panchymagogon, a Medicine which purgeth all Humours.

Pancreas, the Sweet-bread. Paracenthesis, a tapping for the Dropfie, &c. Pralitical, that have the Dropfie. Pectoral, of or belonging to the Breaft. Pericardium, the Membrane involving the Heart. Periosteum, a thin Skin enwrapping the Bones.

Peripneumony, an Impostume of the Lungs.

Peritonæum, the inner Rim of the Belly.

Pest, the Plague. Pharmacy, Medicine.

Phlegmagogues, Medicines that purgeth Phlegm.

Phlebotomy, Bloud-letting.

Phrenetical, that bath the Phrenfie. Pia mater the tender Skin enwrapping the Brain.

Pituitous, phlegmatick. Pleuretical, that hath the Pleurifie. Plethorick, fullness of Bloud.

Prohylactick, a Preservative against the Plague, &c.

Ptilan, Barley-water. Pulsation, a beating.

Pulverize, pulverate, to beat into Powder.

Puncture, a Pricking.

Purgative, which hath virtue to purge.

Purulent, full of matter. Pustule, a Wheal or Blister.

Hartan ague, that cometh every fourth Day.

un-

Quintan ague, that cometh every fifth day, but seldom observ'd.

Quotidian, that cometh every day.

R.

Rarefaction, a making thin of what was thick.
Rectum, the Arge-gut.
Respiration, fetching of breath.
Rupture, a breaking.

S.

Salivation, spitting, or fluxing at the Mouth.

Sanguistication, the changing of the Nourishment into Bloud.

Saphena, the Vein by the inner Ancle.

Scammony. Medicines made of Scammony.

Scarifie, to cut or lance.

Sceleton, a dry Carcass, of Bones onely.

Sciatica, the Hip-gout.

Scorbutick, that have the Scurvy.

Scrofulæ, the Kings-evil. Secundine, the After-birth.

Seminal, of the Seed.

Serosity, the wheyish, or waterish part of the Bloud.

Sphincter muscle, the round compassing Muscle of the Fundament, &c. ordained to prevent untimely excretion.

Soluble, Loofe.

Solvent, that hath Power to melt or dissolve.

Soporiferous, causing sleep.

Spaim, the Cramp, or Convulfion. Spermatical, of or belonging to the Seed.

Spina dorfi, the Back-bone.

Spinalis medulla, the Marrow of the Back.

Spirituous, full of Spirit. Spiritude, thickness.

Sternutatory, to cause sneezing.

Sternon, the Breast-bone, where the Ribs meet.

Sterillity, Barrenness.

Strangury, a pissing by drops.

Sudorifick, that causeth Sweat.

Suffocate, to choak.

Suffurnigate, to smoak underneath.

Sulphur, Brimstone.

Superfetation, a conceiving the fecond time.

Suppuration, a gathering to mat-

Symptom, any grief following a Disease, or sensibly joyned with it, as Head-ach with an Ague, &c.

Systole, contraction of the Heart, &c.

T.

TEnasmus, a Neediness to go

Tenuity, Smallnefs.

Thoracick, of or belonging to the Breaft.

Torsions, gripings of the Guts.

Trachea, or Aipera arteria, the Wind-pipe.

Transfer, to carry from one place to another.

Transmute, to change.

Transpiration, sweaty Vapours coming forth of the Pores of the Skin.

111-

Tubercles, Pimples, Wheals.
Tumour, a swelling.
Turgid, after a swelling manner.
Tympany, the windy Dropsie.

V.

Varices, swelling of the Veins in the Legs.
Vegetables, Roots or Plants.
Vehicle, any thing that carrieth, &c.
Ventoses, Cupping-glasses.
Verntricle, the Stomach, &c.
Verminous, full of Worms.
Vertebra, the Back-bone.
Vertigo, Giddiness.
Vesiccatory, a Medicine to draw Blisters.

Virulent, deadly, poisonous.
Viscous, clammy like Bird-lime.
Vitiate, to corrupt.
Volatile, that flieth.

u.

Unguent, an Ointment.
Ureters, the Vessels by which the Urine passeth from the Reins to the Bladder.
Urethra, the passage of Urine from the Bladder, through the Yard, &c.
Uvula, a sleedy substance, hanging down, like a Grape, from the Roof of the Mouth, towards the

Root of the Tongue.

#### ADVERTISEMENT.

A New Idea of the Practice of Physick; written by that famous Franciscus De-le-boe Sylvius; late chief Professour of Physick in the University of Leiden. The first Book; of the Diseases either constituting, producing, or following the Natural functions of Man not in Health. Wherein is contain'd, beside a new Method in General, a Vindication of the Spleen and Mother from fits attributed to them. As also a new Discovery of intermitting Fevers, the Yellow-jaundice, and other Diseases, never before discover'd. All clear'd by Anatomical experiments, and Chymical demonstrations; as also by their Cures. Faithfully translated by Richard Gower, formerly Student under the Authour. Printed for Brabazon Aylmer, at the three Pigeons against the Royal Exchange in Cornhill. in Octavo.

THE END.











