

**M0001408: Reproduction of page 2 of a handwritten description of Cinchona**

**Publication/Creation**

20 November 1930

**Persistent URL**

<https://wellcomecollection.org/works/a4wt378v>

**License and attribution**

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

~~tergiora subter brevissime pubescentia~~ <sup>subter venosa</sup> venis ~~non~~  
~~opposita~~ ~~in~~ ~~quasi~~ ~~stipulae~~ ~~parte~~ ~~con-~~  
 traria petiolorum oppositae connatae lanceolato-ovatae  
 obtusae deciduae intus coloratae, marginibus reflexis  
 Racemi terminales tetragonales glabri, compositi,  
 brachiati. Pedicelli stipulis subulatis deciduis sufful-  
 ti. Corolla albo-purpurascens: limbus parum hirsutus.  
 Corolla Cinchonae viridissimior quam hujus, uti etiam  
 capsula. Folia minus viridia in hac quam in viridi  
 Petioli magis purpurascens in hac uti etiam venae.

Habitat silvis Cuchero Ruinas Pillas Pamas.  
 Flores Mayo Junio Julio et Augusto. Vulgo Casca-  
 quilla fina de monte.

ultim. <sup>te</sup> examin. *Cinchona*

<sup>ovata</sup>  
<sup>capulis decemfidatis</sup>  
<sup>venis pubescentibus</sup> *Cinchona* foliis <sup>oblongis</sup> <sup>latis</sup> <sup>subter</sup> <sup>purpurascens</sup> <sup>obtusis</sup>  
<sup>venis pubescentibus</sup> <sup>venis pubescentibus</sup>

<sup>subter</sup> <sup>pubescentia</sup> <sup>supra</sup> <sup>viridissima</sup>  
 Arborescens <sup>gladiosa</sup> <sup>erecta</sup>. Funicus rectus non divinus  
 termin, coma parum ramosa patente terminatus  
 Cortice <sup>sub</sup> <sup>cardiuncula</sup>, <sup>amarissima</sup> non variegata vestitus. Hami te-  
 neri tetragoni glabri. Folia opposita, petiolata, satis  
 ampla, oblongo-ovalia, integerrima, supra nitidissima  
 glabra; <sup>subter</sup> <sup>pubescentia</sup> <sup>et</sup> <sup>magis</sup> <sup>purpurea</sup>  
 tenuiora <sup>subter</sup> <sup>pubescentia</sup>, supra viscosa nitidissima  
 Stipulae parte contraria petiolorum oppositae, basi connatae  
 ovato-lanceolatae, obtusae, deciduae, erectae. Racemi termi-  
 nales maximi, brachiati, multiflori. Corolla alba, <sup>purpurascens</sup>  
 foliis. Pedicelli stipulis subulatis deciduis suffulti.  
 Capsulae oblongae purpurascens, angustae, longitudina-  
 liter decemstriatae biloculares compressae, utringue sulco  
 longitudinali exaratae <sup>calyce</sup> <sup>promontae</sup> <sup>rigida</sup> <sup>nitida</sup>; costerior fragilis et tenuior  
 striata diverse consistentiae

Habitat silvis Chinchao ad Paer altis frigidiusculis

Flores Mayo Junio Julio Augusto et Septembri. Vulgo Cascaquilla  
 tota.