

Clinical observations on the constitutional origin of the various forms of porrigo; commonly known by the names of scald-head, tinea, ring-worm, etc. With directions for the more scientific and successful management of this usually obstinate class of diseases by a treatment consisting of an appropriate modification of those principles first particularly promulgated by Mr. Abernethy / [George Macilwain].

Contributors

Macilwain, George, 1797-1882.

Publication/Creation

London : Longman, Rees, Orme, Brown, Green, and Longman, 1833.

Persistent URL

<https://wellcomecollection.org/works/th5ztk4f>


License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



A

e + 30

62811/B

A 6
40


MEDICAL SOCIETY
OF LONDON





ACCESSION NUMBER


PRESS MARK

MACILWAIN, G.









VALUABLE PUBLICATIONS,

EMBRACING

MEDICINE, SURGERY, MIDWIFERY,
&c.

PRINTED FOR

LONGMAN, REES, ORME, BROWN, GREEN, AND LONGMAN.

New Works and New Editions.

1.
DICTIONARY of PRACTICAL MEDICINE; comprising General Pathology, the Nature and Treatment of Diseases, &c. &c.; with Prescriptions of the Medicines recommended; a Classification of Diseases according to Pathological Principles; a copious Bibliography, with References; and an Appendix of approved Formulæ. By J. COPLAND, M.D. Consulting Physician to Queen Charlotte's Lying-in Hospital, &c. Parts I. and II. 9s. each. To be completed in one large volume, uniform with Cooper's "Surgical Dictionary."

2.
STUDY of MEDICINE: forming a complete modern System of Physic. By J. MASON GOOD, M.D. F.R.S. Edited by SAMUEL COOPER, Professor of Surgery in the University of London, &c. 3d edit. 5 vols. 8vo. 3l. 15s.

3.
ELEMENTS of MATERIA MEDICA and THERAPEUTICS; including the recent Discoveries and Analyses of Medicines. By A. TODD THOMSON, M.D. F.L.S. &c. Professor of Mat. Med. and Therapeutics, and of Medical Jurisprudence, in the Univ. of London. 2 vols. 8vo. 30s.

4.
LONDON DISPENSATORY; containing Translations of the Pharmacopœias, &c. &c.: forming a Practical Synopsis of Materia Medica, Pharmacy, and Therapeutics. By A. TODD THOMSON, M.D. 1 large vol. 8vo. 7th Edition, with important Additions, 18s.

5.
ELEMENTS of SURGERY. By ROBERT LISTON, Fellow of the Royal Colleges of Edinburgh and London, Lecturer on Surgery, &c. 3 vols. 8vo. 27s.

6.
LECTURES on the DISEASES of the URINARY ORGANS. By B. C. BRODIE, F.R.S. Serjeant-Surgeon to the King, and Surgeon to St. George's Hospital. 8vo. 8s.

7.
PATHOLOGICAL and SURGICAL OBSERVATIONS on DISEASES of the JOINTS. By B. C. BRODIE, F.R.S. 8vo. illustrated by Plates. *New Edition, in the Press.*

8.
PRINCIPLES of MIDWIFERY; including the Diseases of Women and Children. By JOHN BURNS, M.D. Regius Professor of Surgery in the Glasgow University. 8vo. 8th Edition, with important Additions and Emendations, 16s.

9.
MEMOIR on the ADVANTAGES and PRACTICABILITY of DIVIDING the STRICTURE in STRANGULATED HERNIA on the outside of the SAC. By C. ASTON KEY, Surg. to Guy's Hospital, Lecturer on Surgery, &c. With Cases, and 3 col'd Drawings. 8vo. 7s. 6d.

10.
LONDON PRACTICE of MIDWIFERY: including the most important Diseases of Women and Children. Chiefly designed for Students and Early Practitioners. 6th Edit. with Alterations and Additions, by G. JEWEL, M.D. 12mo. 6s. 6d.

11.
REPORT of the METHOD and RESULTS of the TREATMENT of the MALIGNANT CHOLERA, by Small and Frequently-repeated Doses of Calomel; with an Enquiry into its Origin, &c. With Cases. By JOSEPH AYRE, M.D. late Physician to the Hull General Infirmary. 8vo. 6s.

12.
COMPENDIUM of OSTEOLOGY; being a Systematic Treatise on the Bones of the Human Body: for the Use of Students. With an improved Method of preparing Bones for Osteological Purposes. By GEORGE WITT, M.D. Physician to the General Infirmary, Bedford. 4to. 7s. 6d.

13.
NEW EXPOSITION of the FUNCTIONS of the NERVES. By JAMES WILLIAM EARLE. 8vo. Part I. 7s. 6d.

14.
ANALYSIS of INORGANIC BODIES. By J. J. BERZELIUS. Translated from the French, by G. O. REES. 12mo. with a Plate, 5s.

15.
TREATISE on DISEASES of the NERVES. By JOSEPH SWAN. Second Edition, considerably altered and enlarged. 1 vol. 8vo.

16.
ACCOUNT of a NEW METHOD of MAKING DRIED ANATOMICAL PREPARATIONS. By JOSEPH SWAN. Third Edition, considerably enlarged. 1 vol. 8vo.

DR. ARNOTT.

ELEMENTS OF PHYSICS; or, Natural Philosophy, General and Medical, written in plain or non-technical language. By NEIL ARNOTT, M.D. 8vo. many Wood Engravings, 5th edit. Vol. I. 21s. and Vol. II. Part I. 10s. 6d. The concluding Part of Vol. II. of the work is in progress.

MR. ABERNETHY.

SURGICAL AND PHYSIOLOGICAL WORKS of JOHN ABERNETHY, F.R.S. &c. 4 Vols. 8vo. 2l. 5s. 6d. bds. consisting of the following Treatises and Lectures, which may also be had *separately*:—

- I.—On the CONSTITUTIONAL ORIGIN and TREATMENT of LOCAL DISEASES, and on ANEURISMS, 8s.
- II.—On DISEASES resembling SYPHILIS, and on DISEASES of the URETHRA, 6s.
- III.—On INJURIES of the HEAD, and MISCELLANEOUS SUBJECTS, 7s.
- IV.—On LUMBAR ABSCESSSES and TUMORS, 6s.
- V.—LECTURES ON SURGERY, 8s.
- VI.—PHYSIOLOGICAL LECTURES, 10s. 6d.

DR. AINSLIE.

MATERIA INDICA; or, some Account of those Articles which are employed by the Hindoos, and other Eastern Nations, in their Medicine, Arts, &c. By WHITE-LAW AINSLIE, M.D. M.R.A.S. In 2 vols. 8vo. 2l. bds.

MR. ANNESLEY.

RESEARCHES INTO THE CAUSES, NATURE, and TREATMENT of the more prevalent DISEASES of INDIA, and of WARM CLIMATES generally. By JAMES ANNESLEY, Esq. M.R.C.S. & M.R.A.S. 2 Vols. Imp. 4to. with a Map and numerous coloured Engravings of Morbid Structures, 14l. 14s. bds.

MR. BACOT.

TREATISE ON SYPHILIS, in which the History, Symptoms, and Method of Treating every Form of that Disease are fully considered. By JOHN BACOT, Surgeon to the St. George's and St. James's Dispensaries, &c. 8vo. 9s. bds.

DR. BATEMAN.

PRACTICAL SYNOPSIS OF CUTANEOUS DISEASES, according to the Arrangement of DR. WILLAN, exhibiting a concise View of the Diagnostic Symptoms, and the Method of Treatment. By T. BATEMAN, M.D. Seventh Edition, edited by A. TODD THOMSON, M.D. F.L.S. Professor of Materia Medica in the University of London. 8vo. 15s. bds.

DELINEATIONS OF THE CUTANEOUS DISEASES, comprised in the Classification of the late DR. WILLAN. By T. BATEMAN, M.D. &c. 4to. with 72 coloured Plates, 12l. 12s. bds.

ATLAS OF DELINEATIONS OF CUTANEOUS ERUPTIONS; illustrative of the Descriptions in the above Synopsis. By A. TODD THOMSON, M.D. &c. Royal 8vo. with 29 coloured Plates, 3l. 3s. bds.

DR. BAILLIE.

MORBID ANATOMY of some of the most important Parts of the HUMAN BODY. By MATTHEW BAILLIE, M.D. With Preliminary Observations on Diseased Structures, by JAMES WARDROP, Surgeon to the King. 12mo. 7s. bds.

LIFE AND WORKS OF DR. BAILLIE. 2 vols. 8vo. with Portrait, 1l. 5s. bds.

DR. BECK.

ELEMENTS OF MEDICAL JURISPRUDENCE. By T. ROMEYN BECK, M.D. Brought down to the Present Time, by JOHN DARWALL, M.D. 3d Edition, 8vo. 18s. bds.

SIR CHARLES BELL.

ANATOMY AND PHYSIOLOGY of the HUMAN BODY. By JOHN and CHARLES BELL. The Seventh Edition, systematized and corrected by SIR C. BELL, F.R.S. L. & E. &c. In 3 Volumes, 8vo. with numerous Engravings, 2l. 12s. 6d. bds.

ENGRAVINGS OF THE ARTERIES; illustrative of the above Work. By SIR C. BELL. Imperial 8vo. 15s. bds.; coloured, 1l. 1s.

By the same Author,

ILLUSTRATIONS OF THE GREAT OPERATIONS OF SURGERY;—TREPAN—HERNIA—AMPUTATION—ANEURISM—LITHOTOMY. In large 4to. with 20 Plates, 3l. 15s. plain, or 5l. 5s. coloured. Or any of the Parts *separately*, 15s. plain, or 1l. 1s. coloured.

NERVOUS SYSTEM OF THE HUMAN BODY, embracing the Papers delivered to the Royal Society on the subject of the Nerves. In 4to. with Plates, 1l. 16s. bds.

DISEASES OF THE URETHRA, PROSTATE, RECTUM, &c. 8vo. 13s. 6d. bds.

ENGRAVINGS FROM SPECIMENS OF MORBID PARTS, in the Author's Collection; selected from the divisions inscribed URETHRA—VESICA—REN—MORBOSA—LESA, &c. In folio, 1l. 16s. bds.

DR. BLACKALL.

OBSERVATIONS ON THE NATURE and CURE of DROPSIES. By JOHN BLACKALL, M.D. 8vo. 4th Edit. 10s. 6d. bds.

DR. BRIGHT.

REPORTS OF MEDICAL CASES; selected with a view of illustrating the Symptoms and Cure of Diseases by a reference to Morbid Anatomy; embracing Diseases of the Brain and Nervous System. By RICHARD BRIGHT, M.D. F.R.S. one of the Physicians to Guy's Hospital. Vol. II. in Two Parts, 4to. with 38 Plates, 9l. 9s. coloured, or 7l. 7s. plain, bds.

Vol. I. of the same work embraces Dropsy, Inflammation of the Lungs, Phthisis, and Fever: with 16 coloured Plates, 4l. 4s. bds.

PROFESSOR BURNS.

PRINCIPLES OF SURGERY,
VOL. I. containing the Doctrine and Practice relating to Inflammation and its various Consequences, Tumors, &c. By JOHN BURNS, M.D. Regius Professor of Surgery in the University of Glasgow. 8vo. 14s. bds.

MR. CARMICHAEL.

ESSAY ON VENEREAL DISEASES, and the USES of MERCURY in their Treatment. With Drawings of the forms of Venereal Eruptions. By RICHARD CARMICHAEL, M.R.I.A. 2d Edition, 8vo. 16s. bds.

DR. C. M. CLARKE.

OBSERVATIONS ON THE DISORDERS of FEMALES. Illustrated by Plates. By SIR CHAS. MANSFIELD CLARKE, Bart. M.D. F.R.S. Physician in Ordinary to the Queen. 3d Edition, 2 Vols. royal 8vo. 17. 16s. bds.

DR. J. CLARKE.

COMMENTARIES ON SOME OF THE most important DISEASES of CHILDREN. By JOHN CLARKE, M.D. &c. In royal 8vo. 10s. 6d. bds.

SIR ASTLEY COOPER.

ANATOMY AND SURGICAL TREATMENT of ABDOMINAL HERNIA. In Two Parts. By SIR ASTLEY COOPER, Bart. F.R.S. &c. Edited by C. ASTON KEY, Senior Surgeon to Guy's Hospital, Lecturer on Surgery, &c. 2d Edition, in folio, with Additional Plates, 5l. 5s. bds.

By the same Author,

OBSERVATIONS ON THE DISEASES of the TESTIS. 4to. with Plates, price 3l. 3s. coloured, or 1l. 11s. 6d. plain, bds.

ILLUSTRATIONS OF THE DISEASES of the BREAST. Imp. 4to. Part I. 1l. 11s. 6d.

ANATOMY OF THE THYMUS GLAND. 4to. with 5 Plates, 14s. bds.

MR. S. COOPER.

DICTIONARY OF PRACTICAL SURGERY. By SAMUEL COOPER. In One thick Volume, 8vo. 1l. 8s. bds.

By the same Author,

FIRST LINES OF THE PRACTICE of SURGERY. 8vo. 5th Edition, much improved and enlarged, 18s. bds.

ILLUSTRATIONS OF MR. COOPER'S SURGICAL DICTIONARY, Nos. I. to XLIV. publishing Monthly, 2s. each, containing Four Lithographic Plates, with Letterpress Descriptions, and References to the Text. By W. P. COCKS, Surgeon.

MR. H. EARLE.

TWO LECTURES ON THE PRIMARY and SECONDARY TREATMENT of BURNS. By HENRY EARLE, F.R.S. Surgeon Extraordinary to the King, &c. With 2 Plates, 2s. 6d.

DR. ELLIOTSON.

ELEMENTS OF PHYSIOLOGY. Translated from the Latin of the 4th Edition of Professor BLUMENBACH, and supplied with copious Notes, by JOHN ELLIOTSON, M.D. F.R.S. &c. 5th Edition, *preparing*.

DR. FARRE.

TREATISE ON SOME PRACTICAL POINTS relating to the DISEASES of the EYE. By the late J. C. SAUNDERS. Edited by J. R. FARRE, M.D. 3d Edition, 14s. plain, and 17. 5s. coloured.

JOURNAL OF MORBID ANATOMY, &c. Edited by J. R. FARRE, M.D. 8vo. with Plates, Part I. 6s.

By the same Author,

APOLOGY FOR BRITISH ANATOMY. 4to. with 2 beautiful Lithographic Illustrations, 9s. plain; 12s. coloured.

DR. GOOCH.

PRACTICAL COMPENDIUM OF MIDWIFERY; being the Course of Lectures on Midwifery, and on the Diseases of Women and Infants, delivered at St. Bartholomew's Hospital, by the late ROBERT GOOCH, M.D. Prepared for publication by GEORGE SKINNER, Member of the Royal College of Surgeons, London. 12mo. 7s. bds.

DR. F. B. HAWKINS.

ELEMENTS OF MEDICAL STATISTICS; containing the GULSTONIAN LECTURES delivered at the Royal College of Physicians; with numerous Additions, illustrative of the comparative Salubrity, Longevity, Mortality, and Prevalence of Diseases, in the principal Countries and Cities of the Civilized World. By F. B. HAWKINS, M.D. 8vo. 7s. bds.

DR. HOOPER.

MEDICAL DICTIONARY; containing an Explanation of the Terms in Anatomy, Botany, Chemistry, Materia Medica, Midwifery, Mineralogy, Pharmacy, Physiology, Practice of Physic, Surgery, and the various Branches of Natural Philosophy connected with Medicine. By ROBERT HOOPER, M.D. F.R.S. Physician to the St. Marylebone Infirmary, &c. 1 large Vol. 6th Edition, with recent Discoveries, &c. 28s.

By the same Author,

MORBID ANATOMY OF THE HUMAN BRAIN. Illustrated by col'd Engravings. Imp. 4to. 2l. 12s. 6d. bds.

MORBID ANATOMY OF THE HUMAN UTERUS AND ITS APPENDAGES. Imp. 4to. with 21 col'd Plates, 3l. 3s. bds.

LONDON MEDICAL AND CHIRURGICAL SOCIETY.

TRANSACTIONS of the MEDICAL and CHIRURGICAL SOCIETY of LONDON; comprising a mass of valuable and important Papers on Medicine and Surgery. 8vo. with Engravings. Vols. I. to XVII.

MR. MACILWAIN.

SURGICAL OBSERVATIONS ON THE MUCOUS CANALS of the HUMAN BODY; being a Second Edition of the Treatise on Stricture of the Urethra. By G. MACILWAIN, Surgeon to Finsbury Dispensary. 8vo. 12s. bds.

MR. MACKENZIE.

COMPLETE PRACTICAL TREATISE on the DISEASES of the EYE. By WILLIAM MACKENZIE, Lecturer on the Eye in the University of Glasgow, &c. 1 large Vol. 8vo. of 878 pages with copious Ophthalmological Index, 21s. bds.

By the same Author,

DESCRIPTION OF THE HUMAN MUSCLES; with a Table of their combined Actions, &c. 3s. bds.

DR. MACKINTOSH.

ELEMENTS OF PATHOLOGY AND PRACTICE of PHYSIC. By J. MACKINTOSH, M.D. Acting Surgeon to the Ordnance in North Britain, &c. 2 vols. 8vo. 3d Edit. 31s. 6d. bds.

DR. MORTON.

REMARKS ON THE SUBJECT OF LACTATION; containing Observations on the Breast-Milk, &c. By EDWARD MORTON, M.D. Cantab. &c. 8vo. 5s. bds.

DR. WILSON PHILIP.

TREATISE ON THE MEANS of preserving HEALTH, and particularly the prevention of Organic Diseases. By A. P. WILSON PHILIP, M.D. F.R.S.L. and E. 8vo. 12s. bds.

DR. RICHARD REECE.

MEDICAL GUIDE, for the Use of the Clergy, Heads of Families and Seminaries, and Junior Practitioners. By R. REECE, M.D. New Edition, being the Fifteenth, considerably enlarged, 12s. bds.

M. RICHERAND.

ELEMENTS OF PHYSIOLOGY. By A. RICHERAND. Translated from the French, by J. G. M. DE LYS, M.D. 5th Edition, carefully revised after the 9th and latest French Edition, and supplied with Notes and a copious Appendix, by JAMES COPLAND, M.D. 8vo. 2d Edit. 18s. bds.

MR. SANDWITH.

INTRODUCTION TO ANATOMY and PHYSIOLOGY: for the Use of General Readers, Young Persons, and Junior Medical Students. By THOMAS SANDWITH, Surgeon. In 1 Vol. 12mo. with Plates, 7s. 6d. bds.

MR. SCOTT.

SURGICAL OBSERVATIONS ON THE Treatment of CHRONIC INFLAMMATION in various Structures; particularly as exemplified in the Diseases of the Joints. By JOHN SCOTT, Surgeon to the London Hospital, to the London Ophthalmic Infirmary, &c. 8vo. 7s. 6d. bds.

MR. SHAW.

NATURE AND TREATMENT OF THE various DISTORTIONS to which the SPINE and BONES of the CHEST are subject. By JOHN SHAW. 8vo. 10s. 6d. bds.

DR. THOMAS.

MODERN PRACTICE of PHYSIC, exhibiting the Character, Causes, Symptoms, Prognostics, Morbid Appearance, and improved Method of treating the Diseases of all Climates. By ROBERT THOMAS, M.D. In 1 thick Vol. 8vo. 9th Edition, revised, 18s. bds.

DR. A. TODD THOMSON.

ATLAS OF DELINEATIONS OF CUTANEOUS ERUPTIONS; illustrative of the Descriptions in Dr. BATEMAN'S *Practical Synopsis of Cutaneous Diseases*. By A. TODD THOMSON, M.D. and F.L.S. Professor of Materia Medica and Therapeutics in the University of London, &c. Royal 8vo. 29 coloured Plates, 3l. 3s. bds.

By the same Author,

CONSPECTUS OF THE PHARMACOPŒIAS. New Edit. 5s. 6d. sd.

LECTURES ON THE ELEMENTS OF BOTANY. 8vo. Volume I. with Plates and Cuts, 28s. bds.

MR. TRAVERS.

INQUIRY concerning CONSTITUTIONAL IRRITATION. By BENJ. TRAVERS, F.R.S. Senior Surgeon to St. Thomas's Hospital. 8vo. 2d Edit. revised, 14s. bds. Vol. II. is preparing.

By the same Author,

OBSERVATIONS on the PATHOLOGY of VENEREAL AFFECTIONS. 8vo. 3s. bds.

INQUIRY into the PROCESS of NATURE in Repairing INJURIES of the INTESTINES. 8vo. with Plates, 15s. bds.

SIR GEORGE L. TUTHILL.

NEW PHARMACOPŒIA OF THE ROYAL COLLEGE of PHYSICIANS OF LONDON. MDCCCXXIV. Translated into English. By SIR GEORGE L. TUTHILL, KNT. M.D. F.R.S. 8vo. 7s. bds.; and 18mo. 4s. sd.; to match the Latin Editions. The Translation is printed page for page with the original Latin, and both may be had done up together.

DR. UWINS.

COMPENDIUM OF THEORETICAL and PRACTICAL MEDICINE. By DAVID UWINS, M.D. 12mo. 7s. 6d.

VALUABLE

MEDICAL & SURGICAL WORKS,

SOLD BY

LONGMAN, REES, ORME, BROWN, GREEN, AND LONGMAN.

DR. AITON.

DISSERTATIONS ON MALARIA, CONTAGION, and CHOLERA; explaining the principles which regulate Endemic, Epidemic, and Contagious Diseases, with a View to their Prevention. By W. AITON, M.D. M.R.C.S.L. &c. 8vo. 9s. bds.

DR. ALDERSON.

BRIEF OUTLINE of the HISTORY and PROGRESS of CHOLERA at HULL; with Remarks, &c. By JAMES ALDERSON, M.D. Physician to the Hull General Infirmary, &c. 8vo. with 2 col'd Plates, 5s. cloth.

DR. ADDISON & MR. MORGAN.

AN ESSAY ON THE OPERATION of POISONOUS AGENTS upon the LIVING BODY. By JOHN MORGAN, F.L.S. Surgeon to the Middlesex Hospital; and THOMAS ADDISON, M.D. Assistant Physician to Guy's Hospital. 8vo. 5s. sd.

DR. AYRE.

RESEARCHES into the NATURE and TREATMENT of DROPSY; with a more successful Method of treating it. By JOSEPH AYRE, M.D. Resident Physician at Hull. 8vo. 3d edit. 5s. 6d. bds.

By the same Author,

OBSERVATIONS on DISEASES of the LIVER, &c. 8vo. 2d edit. 8s. 6d. bds.

DR. BALLINGALL.

INTRODUCTORY LECTURES TO A COURSE of MILITARY SURGERY, delivered in the University of Edinburgh. By GEO. BALLINGALL, M.D. F.R.S.E. 8vo. 8s. bds.

DR. BARON.

DELINEATIONS OF THE ORIGIN AND PROGRESS of various CHANGES of STRUCTURE which occur in MAN, and some of the INFERIOR ANIMALS. By J. BARON, M.D. F.R.S. In 4to. with highly-finished Engravings, 18s. bds.

By the same Author,

INQUIRY, ILLUSTRATING THE NATURE of TUBERCULATED ACCRETIONS of SEROUS MEMBRANES, &c. 8vo. illustrated with 5 Plates, 14s. bds.

MR. G. H. BELL.

TREATISE ON CHOLERA ASPHYXIA, or EPIDEMIC CHOLERA, as it appeared in Asia, and more recently in Europe; &c. By G. H. BELL, F.R.C.S.E. &c. 2d Edit. 6s. bds.

By the same Author,

TREATISE on the DISEASES of the LIVER, and on BILIOUS COMPLAINTS. 6s. bds.

DR. BENNETT.

MANUAL OF ANATOMY; from the French of BAYLE. Revised and improved by W. BENNETT, M.D. 18mo. 7s. 6d. bds.

DR. BLACKMORE.

PRACTICAL TREATISE ON THE FORMS, CAUSES, SANABILITY, and TREATMENT of PULMONARY CONSUMPTION. By EDWARD BLACKMORE, M.D. Physician to the Plymouth Public Dispensary. 8vo. 9s. bds.

M. BROUSSAIS.

HISTORY OF CHRONIC PHLEGMASIÆ or INFLAMMATIONS. By F. J. V. BROUSSAIS, M.D. From the French, by ISAAC HAYS, M.D. and R. EGLESFELD GRIFFITH, M.D. 2 vols. 8vo. 28s. bds.

DR. BURNE.

PRACTICAL TREATISE ON THE TYPHUS or ADYNAMIC FEVER. By J. BURNE, M.D. &c. 7s. 6d. bds.

DR. G. M. BURROWS.

COMMENTARIES ON THE CAUSES, SYMPTOMS, and TREATMENT of INSANITY. By GEORGE MANN BURROWS, M.D. &c. 8vo. 18s. bds.

DR. CARSON.

INQUIRY into the CAUSES of RESPIRATION, of the MOTION of the BLOOD, ANIMAL HEAT, ABSORPTION, and MUSCULAR MOTION; with Practical Inferences. By JAMES CARSON, M.D. Liverpool. 8vo. 2d edit. greatly enlarged, 12s. bds.

DR. CARSWELL.

ILLUSTRATIONS of the ELEMENTARY FORMS of DISEASE. Imperial 4to. with col'd Figures of the natural size, and Descriptive Letterpress. By R. CARSWELL, M.D. Prof. of Path. Anat. London University. Fas. I. (24 Fig.) TUBERCLE.—Fas. II. (16 Fig.) and Fas. III. (26 Fig.) CARCINOMA. 15s. each.

DR. CHRISTISON.

TREATISE ON POISONS, in relation to Medical Jurisprudence, Physiology, and the Practice of Physic. By R. CHRISTISON, M.D. 8vo. 2d Edition, 18s. bds.

DR. COMBE.

OBSERVATIONS ON MENTAL DERANGEMENT. By A. COMBE, M.D. Post 8vo. 7s. 6d. bds.

DR. CONQUEST.

OUTLINES OF MIDWIFERY, developing its Principles and Practice. Intended as a Text-Book for Students. By J. T. CONQUEST, M.D. F.L.S. 5th Edit. with Engravings. 12mo. 7s. 6d.

MR. COOKE.

PRACTICAL AND PATHOLOGICAL INQUIRY into the SOURCES and EFFECTS of DERANGEMENTS of the DIGESTIVE ORGANS. By W. COOKE, M.R.C.S. &c. 8vo. 7s.

SEATS AND CAUSES OF DISEASES investigated by ANATOMY. By J. B. MORGAGNI. Abridged and elucidated by W. COOKE. 2 Vols. 16s. bds.

DR. COPLAND.

PESTILENTIAL CHOLERA: its Nature, Prevention, and Cure. By J. COPLAND, M.D. Consulting Physician to Queen Charlotte's Lying-in Hospital, &c. 12mo. 5s. bds.

DR. CRAIGIE.

ELEMENTS OF GENERAL AND PATHOLOGICAL ANATOMY. By DAVID CRAIGIE, M.D. 8vo. 16s. bds.

DR. CULLEN.

FIRST LINES OF THE PRACTICE OF PHYSIC. By W. CULLEN, M.D. With an Appendix, commenced by the Author, and continued and completed by J. C. GREGORY, M.D. F.R.S.E. &c. 2 Vols. 8vo. 1l. 4s. bds.

MR. CURTIS.

TREATISE ON THE PHYSIOLOGY AND DISEASES of the EYE; containing a New Mode of curing Cataract without an Operation; Experiments on Vision; also on the Inflection, &c. of Light, by Lord Brougham and Sir J. Herschel; likewise Remarks on the Preservation of Sight, on Spectacles, &c. By J. H. CURTIS, Esq. Oculist, Aurist in Ordinary to his Majesty, and Surgeon to the Royal Dispensary for Diseases of the Ear. 8vo. 7s. 6d. bds.

By the same Author,

NEW and IMPROVED MAP of the EYE, exhibiting its External, Intermediate, and Internal Structure, after the manner of the Germans. 5s. coloured.

TREATISE on the PHYSIOLOGY and DISEASES of the EAR, containing the most approved Modes of Treatment; with a Description of the newly-invented Acoustic Chair, Artificial Ears, Hearing Trumpets, &c. 5th Edition, with Cases and Plates, 7s. 6d. bds.

ESSAY on the DEAF and DUMB, shewing the Necessity of Medical Treatment in early Infancy. With Cases and Plates, 10s. 6d. bds.

REPORT of the Royal Dispensary for Diseases of the Ear, in Dean-street, Soho-square. 1s.

NEW and IMPROVED MAP of the ANATOMY of the EAR, designed for the Use of Students and Practitioners. 5s. coloured.

SYNOPTICAL CHART of the DISEASES of the EAR, with the Causes, Treatment, &c. 2s. 6d.

LECTURE on the PHYSIOLOGY & ZOOLOGY of the EAR in Man and Animals, as delivered at the Royal Institution of Great Britain. 5s.

DUBLIN MEDICAL TRANSACTIONS, &c.

TRANSACTIONS OF THE ASSOCIATION of FELLOWS and LICENTIATES of the KING'S and QUEEN'S COLLEGE of PHYSICIANS in IRELAND, Vol. V. 8vo. 14s. bds.
The preceding 4 Vols. 2l. 18s.

DUBLIN HOSPITAL REPORTS, and COMMUNICATIONS in MEDICINE and SURGERY. 8vo. Vols. II. and III. 13s. each; Vol. IV. 18s.; and Vol. V. 15s.

EDINBURGH MEDICO-CHIRURGICAL SOCIETY.

TRANSACTIONS OF THE MEDICO-CHIRURGICAL SOCIETY of EDINBURGH. 8vo. Vol. I. with Plates, 18s. bds.; Vol. II. 14s. bds.; Vol. III. Parts I. and II. 12s. each, bds.

MR. FLETCHER.

SKETCHES from the CASE-BOOK, to illustrate the Influence of the MIND on the BODY; with the Treatment of Brain and Nervous Disturbances. By R. FLETCHER, Esq. Consulting Surgeon to the Lunatic Asylum, near Gloucester. 8vo. 12s. bds.

By the same Author,

MEDICO-CHIRURGICAL NOTES and ILLUSTRATIONS on the Cure of the falling-down of the Bowel; Strictures of the Gullet; Tumors of the Testicle; Rupture Operations; Cutting for the Stone, &c. &c. 4to. 20s. bds.

DR. FYFE.

ELEMENTS OF CHEMISTRY. By ANDREW FYFE, M.D. F.R.S.E. 2d Edition, comprising all the recent Discoveries. 8vo. 24s.

By the same Author,

MANUAL of CHEMISTRY. 18mo. 7s. bds.

MR. R. T. GORE.

INTRODUCTION to the COMPARATIVE ANATOMY of ANIMALS; compiled with constant reference to Physiology. By C. G. CARUS, Med. et Phil. Doct. From the German, by R. T. GORE, M.R.C.S. 2 Vols. 8vo. and a 4to. Vol. of 20 Plates, with References, 3l. bds.

SIR EVERARD HOME, BART.

LECTURES ON COMPARATIVE ANATOMY. By Sir E. HOME, Bart. 6 vols. 4to. with Engravings, 18l. 18s. bds.; large paper, 27l. 6s. bds.

By the same Author,

OBSERVATIONS ON STRICTURES IN THE URETHRA and OESOPHAGUS. 3 vols. 8vo. 1l. 6s. 6d. bds.

OBSERVATIONS ON THE TREATMENT of DISEASES of the PROSTATE GLAND. 2 vols. 8vo. 1l. 6s. bds.

SHORT TRACT ON TUMORS, and the Peculiarities that are met with in the Structure of those that have become Cancerous. 8vo. 5s. bds.

MR. HAMMICK.

PRACTICAL REMARKS ON AMPUTATIONS, FRACTURES, and STRICTURES of the URETHRA. By S. LOVE HAMMICK, Surgeon Extraor. to the King, &c. 8vo. 9s. bds.

MR. INGLEBY.

PRACTICAL TREATISE ON UTERINE HÆMORRHAGE, in connexion with Parturition. By JOHN INGLEBY, M.R.C.S. Lecturer on Midwifery, Birmingham. 8vo. 12s. bds.

DR. KING.

LITHOTRITY AND LITHOTOMY COMPARED. By THOMAS KING, M.D. M.R.C.S. &c. 8vo. with Plates, 10s.

MR. LAW.

OBSERVATIONS ON DERANGEMENT of the DIGESTIVE ORGANS, and on their connexion with Local Complaints. By WM. LAW, F.R.C.S.E. 2d edit. enlarged, 8vo. 6s. bds.

DR. MACAULAY.

DICTIONARY OF MEDICINE, designed for Popular Use. By ALEX. MACAULAY, M.D. 8vo. 2d Edition, 14s. bds.

M. MAGENDIE.

ELEMENTARY COMPENDIUM OF PHYSIOLOGY, for the Use of Students. By F. MAGENDIE, M.D. &c. From the French, with Notes, Tables, &c. by E. MILLIGAN, M.D. &c. 4th Edit. greatly enlarged, 8vo. 21s.

DR. MILLAR.

CLINICAL LECTURES on the CONTAGIOUS TYPHUS, epidemic in Glasgow and its Vicinity, in 1831 and 1832. By R. MILLAR, M.D. Senior Physician to the Royal Infirmary of Glasgow. 8vo. 5s. bds.

DR. MORRIES & MR. GRAVES.

HORTUS MEDICUS; or Figures and Descriptions of the more important Plants, either used in Medicine, or possessed of Poisonous Qualities, principally confined to those indigenous to Great Britain: with the Chemical Analyses, &c. By GEORGE GRAVES, F.L.S.; and JOHN DAVIE MORRIES, M.D. 4to. Part I. (12 figures), Part II. (9 figures), each 7s. 6d. plain; 10s. 6d. col'd. To be completed in 4 Parts.

DR. JOHN MURRAY.

SYSTEM of MATERIA MEDICA and PHARMACY. By the late J. MURRAY, M.D. 6th Edit. adapted to the present state of Chemical and Medical Science, by JOHN MURRAY, M.D. 1 large vol. 8vo. 20s.

DR. OKE.

PRACTICAL EXAMINATIONS ON THE IMMEDIATE TREATMENT of the principal EMERGENCIES that occur in SURGERY and MIDWIFERY, Part I. By W.S. OKE, M.D. 8s.

MR. PERCIVALL.

ANATOMY of the HORSE, embracing the Structure of the Foot. By WILLIAM PERCIVALL, M.R.C.S. 8vo. 20s. bds.

MR. B. PHILLIPS.

TREATISE on the URETHRA; its DISEASES, especially STRICTURE, and their CURE. By B. PHILLIPS. 8vo. with 2 Plates, 8s.

PHARMACOPŒIA LONDINENSIS.

PHARMACOPŒIA COLLEGII REGALIS MEDICORUM LONDINENSIS, MDCCCXXIV. 8vo. 8s. bds.; and in 18mo. 5s. sd.

MR. RUSSELL.

OBSERVATIONS on the TESTICLES. By JAMES RUSSELL, F.R.C.S. 4s. bds.

SIR CHARLES SCUDAMORE.

TREATISE ON THE NATURE AND CURE of RHEUMATISM. By Sir C. SCUDAMORE, M.D. F.R.S. 15s. bds.

By the same Author,

TREATISE on the MINERAL WATERS of Buxton, Tunbridge Wells, Bath, Cheltenham, the Beulah Spa (Norwood), &c. 2d edition, 8s.

OBSERVATIONS on LAENNEC's Method of forming a DIAGNOSIS of the DISEASES of the CHEST by means of the STETHOSCOPE. 5s.

CASES illustrative of the EFFICACY of various Medicines administered by INHALATION, in PULMONARY CONSUMPTION. 4s.

TREATISE on the NATURE and CURE of GOUT and GRAVEL. Large 8vo. 4th edit. 20s. bds.

FURTHER EXAMINATION of the PRINCIPLES of the TREATMENT of GOUT, with Observations on the Use and Abuse of Colchicum. 8vo. 2d edit. 6s.

ESSAY on the BLOOD. 8vo. 6s.

DR. SEYMOUR.

ILLUSTRATIONS OF SOME OF THE PRINCIPAL DISEASES of the OVARIA, their SYMPTOMS and TREATMENT. By EDWARD J. SEYMOUR, M.D. &c. 8vo. with an Atlas of 14 Lithographic Engravings in folio, 21s.; India Paper, 31s. 6d. bds.

By the same Author,

OBSERVATIONS on the MEDICAL TREATMENT of INSANITY. 8vo. 5s. bds.

DR. SOUTHWOOD SMITH.

SYSTEMATIC TREATISE ON FEVER. By SOUTHWOOD SMITH, M.D. Physician to the London Fever Hospital. 8vo. 14s. cloth.

MR. STANLEY.

ACCOUNT OF THE MODE OF PERFORMING the LATERAL OPERATION of LITHOTOMY. By EDWARD STANLEY, Lecturer on Anatomy and Physiology at St. Bartholomew's Hospital. Royal 4to. Plates, 15s.

MR. STAFFORD.

TREATISE ON THE INJURIES, THE DISEASES, and the DISTORTIONS of the SPINE: By R. A. STAFFORD, M.R.C.S. &c. 8vo. 10s. 6d.

By the same Author,

OBSERVATIONS on STRICTURES of the URETHRA. 8vo. 2d edit. 10s. 6d. bds.

ESSAY upon the TREATMENT of the DEEP and EXCAVATED ULCER: with Cases. 5s.

MR. SWAN.

DEMONSTRATION OF THE NERVES OF the HUMAN BODY; founded on the Subjects of the Collegial Prizes for 1825 and 1828, adjudged by the Royal College of Surgeons. By JOSEPH SWAN. Folio, with Engravings. Part I. 2l. 2s.; Part II. 2l. 12s. 6d.; Part III. 3l. 13s. 6d. Part IV. (and last) is in progress.

Shortly will be published, in royal 4to.

ANATOMY of the SYMPATHETIC NERVE; containing the first Nine Plates of Mr. SWAN's foregoing work, on Steel, by FINDEN.

MR. SYME.

TREATISE on the EXCISION of DISEASED JOINTS. By JAMES SYME, F.R.S.E. 7s. 6d. bds.

MR. TOD.

ANATOMY AND PHYSIOLOGY OF THE ORGAN OF HEARING, &c. By D. TOD, M.R.C.S. Plates, 7s. 6d. bds.

MR. WARDROP.

ANEURISM, AND ITS CURE BY A NEW OPERATION. By JAMES WARDROP, Surgeon to his Majesty. Royal 8vo. 10s. 6d. bds.

MR. WHITE.

COMPENDIUM OF THE VETERINARY ART; containing Rules for the Treatment of all the Disorders and Accidents to which the Horse is liable; &c. By J. WHITE, late Vet. Surgeon of the 1st, or Royal Dragoons. 15th Edit. 8s.

By the same Author,

TREATISE ON VETERINARY MEDICINE; Vol. II. containing the Materia Dietetica, the Materia Medica, and the Pharmacopœia. 12mo. 6th Edit. considerably improved, 6s.

TREATISE ON VETERINARY MEDICINE; Vol. III. containing Practical Observations on the Structure, Diseases, &c. of the Digestive Organs of the Horse, &c. 8th Edit. 6s.

COMPENDIUM OF CATTLE MEDICINE, or Practical Observations on the Disorders of Cattle and the other Domestic Animals, except the Horse. 12mo. 5th Edition, 6s.

MR. WILTON.

MEDICAL CASE-BOOK OF RECORD for STUDENTS and GENERAL PRACTITIONERS. By W. R. R. WILTON, Surgeon, &c. Oblong 8vo. 6s. cloth.

THE LONDON MEDICAL GAZETTE,

CONSTITUTING A COMPLETE AND AUTHENTIC RECORD OF MEDICAL LITERATURE.

IT EMBRACES

- I.—Select Lectures and Original Papers on important points of Medicine and Surgery, by eminent Teachers and Practitioners.
- II.—Anonymous Correspondence; containing interesting Papers on questions of Medical Politics.
- III.—Analyses and Notices of Books; containing a full Account of all the most important Works recently published, together with short Notices of others.
- IV.—Extracts from Italian, German, French, American, and English Journals; presenting the most important Medical Novelties in these several countries.
- V.—Reports of Learned Bodies, with digests of the principal Papers read at the Royal Society, Medico-Chirurgical Society, College of Physicians, Royal Institution, &c. &c.
- VI.—Clinical Reports, and instructive Cases occurring at the principal Hospitals in London, Paris, and most of the Provincial Towns.
- VII.—Weekly and Annual Meteorological Journals; Weekly Returns of the Burials in London, and a variety of other Statistical Information.
- VIII.—Leading Articles and Editorial Observations on all questions of Medical Politics, and current Topics connected with Medicine, calculated to interest the Profession. This department constitutes a series of Essays, in which the chief aim is to examine the subjects discussed with freedom, candour, and liberality.

The MEDICAL GAZETTE is published every *Saturday Morning*, in Numbers, price 8d. each; it is also issued (with the Magazines) in MONTHLY PARTS, with a FULL AND ARRANGED TABLE OF CONTENTS.

Vols. I. to XII. may be had in boards, price 11l. 4s.—Vol. I. for 1833-4 (just commenced) will contain a Course of LECTURES ON MIDWIFERY and the DISEASES OF WOMEN and CHILDREN, now in course of delivery at the London Hospital, by Dr. F. H. Ramsbotham, illustrated by numerous Engravings on Wood; together with CLINICAL LECTURES ON MEDICINE and SURGERY, by the most eminent Physicians and Surgeons in the Metropolis.

* * The volumes for 1832-3, for which a new fount of types was cast, contain, in addition to the usual matters, Dr. ELLIOTSON'S LECTURES ON MEDICINE, a short course by Mr. MIDDLEMORE ON DISEASES OF THE EYE, and LECTURES ON SURGERY by Baron DUFUYTREN and Sir CHARLES BELL, and on MEDICINE by Drs. LATHAM and BRIGHT.

DR. COPLAND'S MEDICAL DICTIONARY;

FORMING ONE VOLUME,

UNIFORM WITH MR. COOPER'S SURGICAL DICTIONARY.

PUBLISHED THIS DAY, PRICE NINE SHILLINGS EACH, PARTS I. AND II. OF

A DICTIONARY

OF

PRACTICAL MEDICINE;

COMPRISING

GENERAL PATHOLOGY, THE NATURE AND TREATMENT OF DISEASES,

MORBID STRUCTURES,

AND THE DISORDERS ESPECIALLY INCIDENTAL TO CLIMATES, TO THE SEX,
AND TO THE DIFFERENT EPOCHS OF LIFE:

With numerous Prescriptions of the Medicines recommended;

A CLASSIFICATION OF DISEASES ACCORDING TO PATHOLOGICAL PRINCIPLES; A
COPIOUS BIBLIOGRAPHY, WITH REFERENCES; AND AN APPENDIX OF
APPROVED FORMULÆ:

The whole forming a Library of Pathology and practical Medicine, and a Digest of Medical Literature.

BY JAMES COPLAND, M.D.

CONSULTING PHYSICIAN TO QUEEN CHARLOTTE'S LYING-IN HOSPITAL; SENIOR PHYSICIAN
TO THE INFIRMARY FOR CHILDREN, ETC. ETC.

PART III. WILL BE PUBLISHED EARLY IN 1834.

The Preface, with a *Pathological Classification of Diseases*, &c. forming a Key to the systematic study of Practical Medicine, as well as an arranged Contents of the Work, will accompany the last Part.

NOTICES OF DR. COPLAND'S DICTIONARY.

"Dr. Copland's book bears internal evidence of having been the object of years of labour and investigation, directed to the end in view. The references to the writers of Germany, France, Italy, and England are countless, and are appended to each article, with indications of chapter and verse, in such a manner as to enable any one to turn to them at once, if he desires further information on the subject. Not the least praise we have to bestow upon the execution, is the just keeping observed in respect to the length of the articles: those which relate to diseases of moment being fully discussed in well-digested essays, while no attempt is made to give

consequence to those which are unimportant: the author says all that is requisite, and he says no more. The work is a miracle of industry, and forms a fitting companion to the justly popular *Surgical Dictionary* of Mr. Cooper."
London Medical Gazette.

"From an examination of Dr. Copland's Dictionary, we are led to form a most favourable estimate of its success. The immense quantity of matter which is here compressed into a small space, must render the work a very popular one, more especially for those practitioners who reside in the country or travel abroad, on account of the facility

of reference, and the portability of the Dictionary, which truly deserves the name of *Cyclopædia Medica*. Dr. Copland has chalked out a systematic plan of handling his subject which confers on the whole work a uniformity far superior to any thing of the kind in any similar undertaking. The labour is immense, and will stamp the author as a man of great research and sound judgment."

Medico-Chirurgical Review.

"Notwithstanding the great ability and immense industry displayed in this Work, its very nature precludes the possibility of our entering into a detailed notice or analysis of its contents. We must, therefore, confine ourselves to a general, but warm expression of our admiration for the manner in which Dr. Copland has executed a task, which very few would have had the courage even seriously to contemplate, and still fewer the capability of executing in so masterly a manner. We are aware of the great length of time which Dr. Copland has spent in the preparation of his materials for this Work, and we are also aware, from some of his previous works (we refer to that on Cholera particularly), how skilfully and efficiently he can digest and throw into an instructive and useful form all the important parts of multifarious documents and conflicting evidence which may have been published upon any given subject. Embracing, as he does in this Dictionary, the whole and vast range of medical knowledge and literature, we could scarcely have imagined that the labour of one man could have so completely succeeded in an undertaking which requires, not merely a very unusual degree of skill in compiling from the labours of others, but great practical experience to guide him in the selection of his matter for each particular article.

"The more frequently we refer to Dr. Copland's Dictionary, the more reason do we find to approve of the manner in which it is executed, and to admire the close yet clear style in which, in brief space, he has contrived to give the principal facts upon all subjects that can interest the practical reader."

London Medical and Physical Journal.

"A careful perusal of this volume enables us to bestow upon it our full and unequivocal approbation. Whether we estimate its individual merits, or regard it in comparison with its contemporary rivals in the various European languages, we find it entitled to rank with the foremost, and to leave not a few at a remarkable distance in the rear. Of its general excellence our readers have sufficient evidence in the fact that it is in course of translation in Paris and Vienna.

"There is no work extant, however voluminous, which conveys such a mass of informa-

tion respecting the blood, as does Dr. Copland's article on that fluid, perfectly divested as it is of the conceits and chimeras by which the writings of the humoral pathologists have so long been disfigured, and affording a perfect synopsis of the existing state of knowledge on this highly interesting topic.

"The article on the brain also deserves marked attention. There is nothing like it for precision, arrangement, clearness, and abundance of valuable information in any work yet published. This is high praise, but is due, because it is true."

Lancet.

"This is the most learned, comprehensive, and valuable Medical Dictionary in our language. It is evidently the production of a physician profoundly acquainted with the medical literature of all countries, and one practically acquainted with the immense class of diseases usually consigned to that order of the profession to which he belongs. When complete, it will be the most perfect exposition of the nature and treatment of the diseases consigned to the physician hitherto published in this country."

London Medical and Surgical Journal.

"It contains the result of much experience, enlightened by constant but discriminating references to the labours of other physicians; and the spirit which pervades the whole, and imparts a uniformity of character to so vast a mass of information, is at once consistent, practical, and clear. To the reflecting practitioner the abundant supply of intellectual food offered will be a permanent delight; while to him whose avocations are too numerous or laborious to allow much indulgence in calm meditation, the concentration and collection of so many authorities must prove a valuable gift.

Liverpool Medical Gazette.

"The order in which the various and often complicated details succeed one another is quite admirable, and secures to the student or the professional man that great desideratum in all works of reference, a speedy and certain access to the particular subject of his inquiry."

Monthly Review.

"Dr. Copland has here published a series of essays which may be justly said to be unrivalled for extent and accuracy of information, methodic arrangement, and the condensed form in which they are composed. If he proceeds as he has commenced, he will produce a work which is yet unrivalled in the English language. He has shewn infinite research and learning, and very great skill in the arrangement and concentration of his materials."

Edinburgh Medical and Surgical Journal.

CLINICAL OBSERVATIONS

ON THE CONSTITUTIONAL ORIGIN

OF THE FORMS OF PORRIGO,

SCALDHEAD, YLMEK, RINGWORM, &c.

BY GEORGE MACLEOD

11

11

London Medical Society
from the author. L.p. 14

CLINICAL OBSERVATIONS
ON
THE CONSTITUTIONAL ORIGIN

OF THE VARIOUS

FORMS OF PORRIGO;

COMMONLY KNOWN BY THE NAMES OF

SCALD-HEAD, TINEA, RING-WORM, ETC.

WITH DIRECTIONS FOR THE MORE SCIENTIFIC AND SUCCESSFUL
MANAGEMENT OF THIS USUALLY OBSTINATE
CLASS OF DISEASES BY A
TREATMENT

CONSISTING OF AN APPROPRIATE MODIFICATION OF THOSE PRINCIPLES
FIRST PARTICULARLY PROMULGATED BY

MR. ABERNETHY.

BY GEORGE MACILWAIN,

SURGEON TO THE FINSBURY DISPENSARY, ST. ANN'S SOCIETY, AND LATE
SURGEON TO THE CITY OF LONDON TRUSS SOCIETY.

Nullius addictus jurare in verba magistri.—HOR.

Moneo, domine ut sis prudens ad victum, sine quo,
Cætera remedia frustra adhibentur. MONTANUS.—I. D. B.

L O N D O N:

LONGMAN, REES, ORME, BROWN, GREEN, AND LONGMAN.

1833.

LONDON :

PRINTED BY MANNING AND SMITHSON,
LONDON-HOUSE YARD.

A2

CONTENTS.

CHAPTER I.

INTRODUCTION.

	PAGE
The history of Cutaneous affections shews them for the most part to be tractable in nearly the same proportion as they are constitutionally treated - - - - - - -	4—8

CHAPTER II.

OBSERVATIONS ON THE LOCAL CHARACTERS AND CONSTITUTIONAL ORIGIN OF PORRIGO.

Local peculiarities have given rise to Divisions which are practically unimportant - -	10
Distinctive marks of the different varieties, often obscured - - - - - -	12
Treatment usually employed has been local -	14
Disease essentially of constitutional origin, not- withstanding Dr. Bateman's remarks -	15—19
In disorders of the health, digestive organs not always primarily affected; sometimes nervous system - - - - - -	20
Indications of general disorder almost constant— those chiefly met with, enumerated - -	22
General results of the Practice in the Dispensary as to the time required for the cure of these diseases under the plan recommended -	24

CHAPTER III.

ON DIET, AND ESPECIALLY OF THAT PROPER IN PORRIGO.

	PAGE
To ascertain the powers of the stomach -	28—36
Important to discover if any food be undigested	37
Less harm consequent on undigested farinaceous, than animal food - - - - -	41
Farinaceous Diet especially proper in Porrigo -	43
The Diet described in detail - - -	44—50

CHAPTER IV.

MEDICAL TREATMENT.

Important to avoid giving too much medicine— and to prescribe it in such a manner as not to obscure the rationale of the case - -	51
How the bowels should be solicited, and why -	55—60
In disordered health, important to ascertain the organ primarily affected; but if this prove obstinate, to attack it through other organs with which it sympathises - - -	61
Observations with regard to particular functions -	62

CHAPTER V.

LOCAL TREATMENT OF PORRIGO.

Various applications recommended by writers, all often successful - - - - -	74
Local remedies unimportant - - - - -	75
Local irritations to be avoided; these arise partly from neglect of the disease, and partly from the injudicious application of remedies -	76
Local treatment described in detail - - -	78

PREFACE.

THE philosophical views of disease unfolded by Mr. Abernethy in his lectures, and made known to the public in his "Observations on the Constitutional Origin of Local Diseases," have probably contributed more largely to improve the practice of surgery than the labours of any other individual. — They have slowly wrought their way, until they influence in a greater or less degree the practice of every well-educated surgeon. It may still, however, be doubted whether their application be yet commensurate with their claims.

The manner in which Mr. Abernethy has been, in my own hearing, so often misrepresented, has shewn me that by many he has been misunderstood. It may have happened, that disagreeing in the extent of his generalizations, many have not accorded to his doctrines that cautious examination by which alone *their extent can be understood*, or their *comprehensiveness appreciated*.—There can be little doubt that not a few have overlooked the value of his principles in consequence of a disposition to estimate it by the simplicity of his application of them. It is not for me to determine the cause; but that his views are not so extensively applied in practice as they deserve to be, I infer from the fact, that many disorders are still allowed to maintain a character of proverbial obstinacy, which become exceedingly tractable when treated by measures directed to ensure a tranquil condition of the chylo-

poietic viscera. It is probable that many modifications of Mr. Abernethy's principles, as applied to the relief of individual diseases, remain yet to be discovered; and I have reason to believe that he was not aware of the example which I am about to offer.

For many years I listened with pleasure to the lessons of this great man, and have not wanted either inclination or opportunity of subjecting his views to a patient and practical investigation. It is my intention to submit to the profession such of the results as, on a considerate examination of the state of practice, shall appear likely to be useful.

In the absence of yet less matured illustrations, I at present only put forth that modification of Mr. Abernethy's principles which I have found applicable in the treatment of the various forms of *Porrigo*.

INTRODUCTION.

CHAPTER I.

IN considering the probable progress of practice in so large a class of diseases as those affecting the skin, we should certainly a priori be disposed to anticipate that those diseases would be most intractable which were attended by the greatest constitutional disturbance, or which threatened inflammation or structural alteration of vital organs—and that in proportion as a disease became ushered in or accompanied by little general disorder, so would it become amenable to the influence of treatment.

The state of the fact, however, with regard to cutaneous diseases, is widely

different. — The facility with which the various forms yield to our art, being, with few exceptions, in a tolerably accurate proportion to the serious extensive or complicated general disturbance by which they are characterised. This result, apparently so contrary to all rational anticipation, appears to me to admit of the following explanation. In some diseases the formidable nature of the general disturbance not only compels us to direct our attention to it, but often with an anxiety which renders us absolutely regardless of circumstances of minor import; as happens in acute forms of the Exanthemata.—Other diseases are too manifestly accompanied by a bad state of health to allow of their connexion with it to be overlooked or mistaken; a third set are so obstinate, so pertinaciously annoying, and are attended with so little local alteration, that this disproportion alone suggests the possible influence of a cause not to be discovered in the seat of its local manifestation. These circumstances (and as it appears to me, vrey much in the way here represented) have led physicians and

surgeons already to treat the majority of cutaneous diseases by means directed to the improvement of the general health.*

There are however still, cutaneous affections in which the disturbance is neither formidable, alarming, nor very plainly developed, and in which its very existence, because often unattended by any very obvious indication, is overlooked and merged in the contemplation of the more prominently troublesome and disgusting peculiarities of their local characters, and wherein the treatment has been confined to the removal of these, regardless of the constitutional disturbance on which they depend. This is strongly exemplified in the treatment usually pursued in the various forms of *Porrigo*, and the result is just what sounder views of disease must lead us to expect; viz.—that with the exception of

* The consideration of the whole of the diseases of the skin, strongly supports this view of the subject: as examples, I may refer to

The *Exanthemata*, *Lichen*, *Strophulus*, *Prurigo*, which are in the order which I have placed their illustrations of these observations.

specific malignant diseases, they are the most obstinate of all cutaneous affections.

This appears to me to be a brief but true account of the state of the practice with regard to Porrigo; and I can only say, that if it be in any sense an over-drawn picture, it has not been occasioned by supineness on my part, in endeavouring to ascertain the real state of the case. I have availed myself of every opportunity which has presented itself of inquiring into the practice of others, and at the same time freely communicated the nature and results of my own. I cannot add more on this head without subjecting myself to misconstruction, or what would be worse, saying that which might not be agreeable to others. I shall therefore only hope, that the reader will give the treatment a fair trial, and assure him of my confidence that the result will not disappoint his expectations.

CHAPTER II.

General Observations on the Local Characters, and Constitutional Origin of Porrigo.

THE various forms of Porrigo, popularly known by the names of scald-head, tinea, ringworm of the scalp, &c., are placed by Drs. Willan and Bateman amongst the pustular forms of cutaneous diseases. They are figured in the delineations of Dr. Willan; and in the plates published by Alibert, they are represented under the appellation of Les Teignes. In their local characters these diseases are to be considered as inflammations of certain portions of the skin terminating in the formation of pustules.

These pustules are sometimes large, at others small; their incrustations may be

circumscribed or extensively confluent, or they may assume some peculiarity of form; in some instances they separate in large portions; in others, a multitude of small bran-like scales are thrown off, and the observation of these facts has led to a division of the disease into corresponding varieties.

The divisions adopted by Dr. Bateman are the Larvalis, Favosa, Scutulata, Furfurans, Lupinosa, and Decalvans. An analagous division, or one not materially different, will be found in Alibert. The Porrigo Decalvans is not attended by the formation of pustules, but is classed with Porrigo by Dr. Bateman in consequence of its frequently occurring in common with that disease in schools and large establishments. With respect to the formation of pustules, therefore, the propriety of this classification may be questioned. As regards the state of constitution by which I contend these diseases are generally accompanied, I am not certain that the arrangement is disadvantageous or objectionable.

In a practical point of view, I regard

the distinctions to which I have referred, as altogether unimportant, since I am certain that all the varieties which they designate are easily relieved by treatment, which, if not the same in its details, is directed on the same principle. Modifications in the treatment are certainly required; these however result, not from any difference in the local characters of the complaint, but from the variations which occur in the seat, and in the indications of the general disorder by which they are accompanied; to which may be added those obviously suggested by difference of age and certain constitutional peculiarities. The principle to which I refer, is the regulation of the digestive organs, as effected by a particular kind of diet, and by medicine directed to ensure a healthy condition of the various secretions. Reverting, however, to the several varieties of this disease, I would observe that those who are desirous of investigating them with a view to their distinctive peculiarities, must not expect to find these in practice, and especially in that of public institutions, so clearly represented

as the descriptions of authors would lead them to anticipate. On the contrary, these diseases are usually presented to us, obscured by vast quantities of matted hair mixed with considerable incrustation, the offensive accumulation of several days, weeks, or even in some cases, months. The removal of all this discovers a red shining portion of inflamed skin, on which are seen numerous groups of small points which are to be considered as new pustules. When the disease is in progress of cure, these points are no longer observable. If, on the contrary, the disease is to continue, the pustules enlarge, become more or less confluent, and form incrustations which, on being thrown off or removed, again discover other pustules proceeding in the same manner. This is all the description I think it necessary to give of diseases so familiarly known; and to those who may require a more detailed account, I cannot do better than recommend the works of Drs. Willan, and Bateman, and M. Alibert.

The manner in which these affections have usually been treated, and that in which

for the most part they continue to be, so far as my observations have gone, is almost entirely local. I do not say that aperients may not have been occasionally administered, or that some general caution on the subject of diet may not have been added, but no systematic attempt to regulate the diet has hitherto attended the practice. The dependance has almost, if not entirely, been placed on the effect of cleanliness and local applications; measures not unimportant I admit, but certainly only to be regarded as subsidiary in cases of any obstinacy. The foregoing observation is applicable, for the most part, to that which has been written on the subject, although singularly enough the enumeration of local remedies is generally concluded by an admission of their too frequent inefficacy.* I do not consider Dr. Bateman, notwithstanding his recommendation of tonics and diet in particular

* In one form only (*Scutulata*) Dr. Bateman recommends no less than upwards of thirty different local applications, without making allowance for their being "varied and combined," "and not one of these is always successful, singly, under circumstances apparently the same," &c.—*Bateman's Synopsis*, p. 174.

cases, an exception to this remark, in which I believe any one will coincide who reads carefully the whole of what he says on the subject.

The well-known and perplexing obstinacy of these diseases, their great prevalence among young persons, their contagious nature, and the impediment which these circumstances, in conjunction, offer to the business of education in all individuals who do not enjoy the advantages of private instruction, have impelled medical men to seek, with no common anxiety, for some mode of accelerating their removal. That their researches have been (at least as far as I can ascertain) unsuccessful, of itself, forms a *prima facie* case that the nature of the diseases has been misunderstood; and I trust that this will farther appear, from the results which I am about to offer.

Dr. Bateman and others have considered that sometimes porrigo is purely local; but the premises whence this conclusion has been drawn are, to say the least of them, very unsatisfactory. They may be said, indeed, to consist of this single fact: that

children, who are otherwise in apparently good health, receive the disease by contagion.

Nothing is more true, than that diseases connected with a disordered state of health, or with a disturbed condition of the digestive organs, will nevertheless present themselves with the general disorder in one case well developed, and in another scarcely discoverable, so far as the present symptoms are concerned; but it is, to me, very difficult to imagine how a disease can be, at any time, purely local, which at others requires bark, tonics,* and in fact, that which both medically and dietetically must be regarded as treatment essentially constitutional. It is, however, very intelligible, and true, that local diseases, which ordinarily present but very obscure indications of the sources whence they spring, do at other times very glaringly expose to us a fact in their character which, under less formidable circumstances, had escaped our penetration.

When a cutaneous disease becomes very

* Bateman's Synopsis, p. 275.

prevalent, or when it appears as an epidemic, it is very difficult to say, out of a given number of persons, how many receive it by contagion or infection; and, in how many it arises indigenously, as it were,—that is, those who are said to receive it as the prevailing epidemic. But, passing over this, the mere circumstance of a child, apparently in good health, becoming afflicted with a prevailing cutaneous disease, by no means justifies the assumption that the disease is local.

If there be any one thing clear about the often-discussed subject of infection and contagion, it is, that there is a certain condition of the system favourable to the acceptance of the contagion. On no other grounds than this admission can the various phenomena connected with this extensive subject admit of explanation; and it is no argument in support of a denial of this condition, to say that we are ignorant of any mode by which it can be discovered. Its existence is proved by the consideration of the facts presented both by those who receive, and by those who resist contagion. Indeed,

were we to conclude that diseases were local because they occurred in individuals exposed to contagion, who were otherwise *apparently* healthy, I conceive that we could scarcely adopt an hypothesis more at variance with facts almost daily presented to us, or leading to more untenable or mischievous conclusions. A further discussion on this point would lead me very far from my present object, wherefore I will confine myself to a few remarks on the want of correspondence which often exists between the nature of a disease, and if I may be allowed the expression, its constitutional indications.

In many diseases, which are clearly proved by subsequent observations of them to be of constitutional origin, there is sometimes not the slightest indication of general disorder; nay, it is tolerably clear that their occurrence relieves or prevents the general disorder with which they are connected. I need only refer to the phenomena observable in different cases in the common indolent ulcerations in the lower extremities, which crowd in such numbers to every

public institution. Many of these people will not only assert that their health is good, but the surgeon (if the ulcer itself be not proof sufficient) will in vain seek for other evidences of constitutional disorder. That the diseases under which they labour are nevertheless of constitutional origin is sufficiently demonstrated by facts of this kind.

First, they are often curable by rest and regulation of diet alone. Secondly, if cured without these attentions they are often followed, and very quickly too, by some serious internal malady; and lastly, by the fact that those instances in which there has not been some previous disease whose amelioration was synchronous with the occurrence of the local malady, or in which obvious indications of disordered health do not present themselves, are not only exceptions in the mass, but require just as much as any other class of diseases, attentions to the general health for their *safe* removal.

There is nothing more certain than that many local diseases occur under circumstances in which they are the only evidences of general disorder, nor any thing

more probable than they are usually efforts of nature (too often ineffectual it must be admitted) to relieve some important function. How many states of system, very far removed from health, present no one of the signs by which we usually recognize disorders? I need scarcely labour to impress this on the mind of any surgeon who has even for a moment reflected on the exceedingly varied effects of local injury, or on the phenomena presented by different cases of Phlegmonous Erysipelas alone. There is scarcely any one I should think who has not, in his own experience, seen cases where the consequences, excited by local causes, have been altogether inexplicable from the extent or severity of the local injury. I do not relate cases of this kind, because I think it unnecessary.

When I use the term general health, and derangement of the chylopoietic viscera, I would not be understood as always using them synonymously. That the digestive organs are deranged more or less in every case of *spontaneous* local disease, is my firm opinion; but I do not think that they

are in all cases *primarily* affected. I believe that in many instances the nervous system is primarily affected; and that in some extraordinary cases the alimentary organs may not sympathise in any material degree: but I must believe that this is a very rare exception; that in general the digestive organs very quickly sympathise with primary disorders of the nervous system: and hence it arises that the treatment of the two classes of cases resolves itself into one, directed by the same principle; viz.—to preserve or restore the tranquillity of the nervous system; and as our direct power in this way is very limited, our chief endeavour will be directed (to use Mr. Abernethy's words) to “take care that the nervous system receive no additional disturbance from those organs which are so wont to disturb it,” viz. the chylopoietic viscera.*

* I have at this moment a case which very happily illustrates this point.—A young woman received a severe shock in going into a room where there was a corpse. She fell down, and was some time before she recovered her senses. She continued in a very nervous state. The catamenia stopped for nine months; by this time her leg began to exhibit a varicose state of the veins; and at

To return from this apparent digression to the consideration of Porrigo, I submit that it is no proof of its local character that children who are otherwise in apparently good health receive it by contagion. On the other hand, I contend that in the vast majority of cases we do not find the constitutional disturbance so masked as to require that we should have recourse to the foregoing reasoning or analogy for its explanation.

I state without hesitation that in a Dispensary as large as any, if not the largest in

present, two years from the commencement, exhibits as large a mass of diseased veins, from the ankle to the knee, as I have ever seen at any age. Her bowels have been very costive for many months, so that she has been, until lately, obliged to have constant recourse to aperient medicine. About six weeks ago she struck her leg, and as an ulcer formed, which proving obstinate, she applied to me. Her pulse is frequent, her tongue furred, and her appetite deficient; but since she has had the ulcer, her bowels, she says, have acted regularly without medicine. Here the nervous vascular and digestive systems became disordered in the order which I have mentioned them. I shall have occasion hereafter to refer to this case, in connexion with other subjects, when I shall give its results; on the present occasion I leave the reader to draw his own conclusion.

the metropolis, where I have seen the cases which have presented themselves during a period of twelve years, it is very rarely that I have seen a patient who did not present some very obvious indication of disordered health; whilst in some patients, in whom the general disorder was less strongly marked, and in whom the local irritation consequent on extreme neglect seemed to be adequate to keep up the diseases, I have in vain instituted a treatment purely local.

The indications of disordered health have been very different in different cases—but furred, vascular, or otherwise unhealthy tongue; costive, or purged bowels; deficient or voracious appetite; fitful or fidgety state of the nervous system, rendering the patients fractious and unmanageable; slimy, gelatinous, discoloured or otherwise disordered secretions from the bowels; one or more of these several conditions in various combination has been present. Many children have been presented in that peculiar state of unhealthy repletion consequent on protracted lactation, so prolific a source of disease amongst the children of the poor in

this metropolis. Some patients have had the abdomen *tumid*, and other marks of mesenteric affection. In fact I have seen but very few who have not presented some indication of disordered health which was far from equivocal. And with regard to those few in whom these indications have been less marked, I can only say that if a child got rapidly well of a troublesome and loathsome disease in less than one fourth of the time usually required for its removal by a treatment directed to tranquilize the functions of the digestive organs, I should be just as satisfied that it depended on a disturbed condition of these organs, as if the tongue had been ever so furred, or there had been present all the usual symptoms of alimentary or chylopoietic disorder.

Diseases of the skin may sometimes be relieved by treatment directed to the alimentary canal, on the principle of counter-irritation. This however is seldom requisite and still more rarely advisable, whilst it affords another proof of the sympathy between these organs which is never more strongly or frequently exemplified than in the dis-

eases of children. As I should scarcely be excused for publishing distinct cases of Porrigo, I will now state the general results of the treatment of this disease in the Finsbury Dispensary; by which I hope it will appear that I do not more strongly urge the constitutional treatment than it deserves.

The Dispensary relieves about 5000 patients annually. The cases of Porrigo in a crowded and populous district, where many houses contain a family on each floor, bear at least their usual proportion with other diseases; and as the people are in general extremely poor and dirty, certainly to be regarded as cases any thing but favourable for any kind of treatment, yet I can safely aver, that the average time required for the removal of these diseases is not more than six weeks. Some are relieved in much less time, whilst some require three months, and now and then, but very rarely, an exception occurs, requiring even a longer time for its removal.

Accounts are given of the comparative obstinacy of the different varieties of Porrigo: I can only say, I have never seen any

thing to justify such views. All the cases have been treated in the manner I am about to recommend. With the single exception presently to be mentioned, I could never satisfy myself that the time required for the removal of the disease had any reference to the variety of the affection; whilst there has been a constant relation between the duration of the case and the degree of constitutional disturbance, and the regularity with which the treatment has been followed. The *Porrigo Scutulata* is usually considered as obstinate as any form of the disease; yet I am sure that the results which I have stated have been more largely drawn from that variety than any other. The *Porrigo Lupinosa* has been with me a rare disease, and I believe it is not a very common variety in this country; but a very bad case of it yielded just as readily as any other to attention to the general health.

The exception to which I have referred is the *Porrigo Decalvans*, if indeed it is to be regarded as *Porrigo* at all. I have seen a great many cases of it, but still in my experience, it is as compared with the other

species rare. I have usually too seen several cases about the same time, and then not observed one for a considerable period. I think I have scarcely ever removed the disease under less than three months, and often it has required a treatment of still greater duration. It has appeared to me that the state of health usually connected with this affection, is generally characterized by want of power, to which perhaps the imperfect nutrition at the surface, the distinctive feature of this disease would seem to lend some probability. I have derived advantage from direct stimulation of the surface, by liniments, embrocations, and washes, which I never employ in the other varieties, and that diet has appeared best, which with due attention to the existing powers of the stomach, and the functions of the other members of the chylopoietic viscera, might be called strengthening, including small quantities of animal food, but excluding as much as possible oily, greasy, or butyraceous matter. The foregoing observations are chiefly drawn from the consideration of the cases in children, amongst

whom the great majority of these diseases occur; but they apply with equal force to the adult. With regard to those varieties which occur most frequently in the latter, the observations of Dr. Bateman appear to me to comprise a correct view of the subject. Some difference is of course required in the treatment, but this will be mentioned in its proper place.

CHAPTER III.

*On Diet, and especially that which is
proper in the Treatment of Porrigo.*

As the object is the same in all cases, viz. to select such a diet as shall be best suited to the powers, and most likely to ensure a tranquil condition of the digestive organs; so many of the observations which I am about to offer will apply with equal force to the regulation of diet in other diseases as to those under consideration. However diversified the detail may be, it is quite certain that the ultimate objects are the same: they may be thus stated, firstly, to proportion the quantity of food to the powers of the stomach; and secondly, to choose such food as *cæteris paribus* shall be least mischievous when unassimilated.

To ascertain the quantity of food which a stomach is capable of digesting, is often difficult, and sometimes impossible; for the same stomach which shall digest a given quantity of food to-day, will sometimes be exceedingly annoyed by the same task being imposed on it to-morrow; and this when we can discover nothing in the condition of the other organs which shall explain the phenomenon. The fact does not surprise me, merely because it may be inexplicable; for besides a number of other considerations, which would lead me too far from my present object, it is necessary to the production of the same effects, by the same quantity of food, that, not only the organ to which it is submitted, but the nervous system generally, between which and the stomach so constant a sympathy exists, should be in a similar condition; and this we have too often little or no power of investigating.

The more marked instances of nervous disturbance are, it is true, obvious enough; but many of its lighter degrees quite baffle any known mode of investigation. I do

not wish to represent the subject as attended by more difficulties than it is ; that is quite unnecessary. It is nevertheless very important that we should not be unprepared for those which really attend it, and quite essential that we should not shut our eyes to facts merely because we are unable to account for them. If, however, we endeavour to avoid any undue influence from preconceived opinions, we may, by the adoption of a few rules suggested by common sense, and sanctioned by experience, ascertain the powers of the stomach, sufficiently in most cases for practical purposes, and in many with considerable accuracy.

First, with regard to appetite.—This must be admitted to be often a very unsafe guide, but still it may, I conceive, be depended on much more frequently than is generally supposed, *provided* that we give the nerves of the stomach a fair chance of exercising their healthy functions, and do not subject them to the misleading influence of unnecessary stimulation.

Inordinate appetite, though a well known symptom of some conditions of stomach,

may be regarded as an exception, when compared with a contrary disposition in the organ; for it is much more frequently the result of mismanagement, I mean in fact direct stimulation than disease. Nor is the power of stimulating the stomach, or rather of exciting appetite, by any means confined to stimulating substances commonly so called, although the habitual use of pepper, mustard, ginger, and other spices, sufficiently attest the frequency with which the stomach is subjected to their influence. I need scarcely mention, that acid, saccharine, and saline substances, are well known to be powerful excitors of appetite; but it is not so generally known, or rather remembered, that mere change of flavour confers the power in just as marked a degree. A child for instance, will eat as much potatoe and bread, rice, tapioca, or arrow-root pudding as shall satisfy it, nor crave for more, and yet very readily eat several ounces of pastry, biscuit, or fruit. The same observation applies to the various kinds of food taken by adults. We often observe individuals satisfy their hunger on one dish, and

when an unexpected delicacy, or addition to the repast appears, largely partaking of it. It is by no means necessary, that in either case the articles shall have stimulating properties, commonly so called, nor even saccharine, or saline flavours. It is enough that the flavour be different, so long as it be not unpalatable.

No small portion of the difficulty in proportioning quantity will be removed, if we rigidly interdict the use of more than one article at any one repast; and at the same time enjoin the careful exclusion of all stimulants, not only those articles ordinarily so classed, but using the term in the more extended sense in which I have here employed it. It may be said that many stomachs will digest better with the admission of a moderate quantity of the usual stimuli; this may be true, but the propriety or impropriety of allowing these will be considered with the medical treatment, to which, when treating of disordered stomachs, it essentially belongs; since whatever we may do, subsequently, such direct stimulants must not be thought of so long as we are en-

deavouring to ascertain what are the natural powers of the digestive organs.

A very little observation will convince any one, that these rules are of the first importance: I have often known patients who have complained of the restrictions in diet to which, under my directions, they were subjected, cease to do so when these rules have been observed. Another point which is by no means unimportant, is the recollection that the quantity will be different in different cases, and this too, where neither the age, nor any very obvious circumstance is present to account for the peculiarity. It is of consequence to bear this in mind, because it prevents too hasty a generalization on a subject, of which our knowledge is yet but limited. No man can entertain a more profound respect than myself, for the opinions of Mr. Abernethy, nor more sincerely feel that he has been very largely a benefactor of mankind. Yet I humbly conceive, that the application of his principles, as taught by himself, is not wholly free from the effects of too hasty a generalization. His general rules, I believe to

be the very best with which we are acquainted ; but I scarcely think that they make sufficient allowance for the exceptions which are met with in practice ; and that therefore they are calculated (when too literally or indiscriminately followed) to limit the operation, and consequently to abridge the utility of his own principles.

In endeavouring to adjust the quantity of food to the powers of the stomach, nothing is so important as to avoid repletion ; and this may certainly be done by prescribing only the minimum of food which may be necessary for support, in the strict sense of the word ; but nothing is, in my opinion, more easy than to fall into a less mischievous, truly, but still a material error. I submit that continued hunger, which is often consequent on insufficient food, is no less an evil, because it is not so clearly injurious as repletion. It was a saying of no less truth than beauty, often used by Mr. Abernethy, that our very wants ministered to our gratifications ; and no one can, I think, have experienced the strength and comfort consequent on a healthy and

moderate meal, without admitting that the constant presence of hunger is calculated to produce a very opposite condition of the nervous system. Practically it is so: persons who are unnecessarily restricted, become, under the teasing influence of continued appetite, fidgety and uncomfortable. They are impatient and discontented, and influenced by a state of mind exceedingly unfavourable to a healthy condition of body. I must here not be misunderstood: many persons when first subjected to restrictions in diet, will complain of hunger when they have eaten the portion allotted to them, and in half an hour the sensation shall cease. This is not the case to which I refer; as this is morbid sensation, the result of bad habit. It is the continued hunger consequent on an insufficient allowance, which I allude to, as productive of injurious impressions on the nervous system. There are cases truly, in which this plan is necessary, but they are foreign to the present subject. It should be remembered, therefore, that whilst above all things it is necessary to avoid putting more food into the

stomach than it can digest, yet it is by no means unimportant to give the organ as much as its powers unassisted by stimulation are fully equal to perform. Now no method with which I am acquainted, is better for this purpose, than first determining how much food we consider necessary for the day's consumption. To state this is impossible; because different ages, different constitutions, nay different states of the same constitution, will occasion endless modifications in this respect; but the plan of first determining how much food is sufficient for the day, generally renders each division moderate; for we seldom calculate the vast quantity which the aggregate of a day's consumption would produce. This should be divided into several small portions, and taken at intervals of every two, three, four, or six hours, according to circumstances. In this way we incur the least possible risk of offending the stomach, and ascertain to a considerable nicety how much it can take with perfect impunity. The periods may cautiously be lengthened, and the quantities increased, as may be

otherwise advisable in the case treated, or until the meals are taken at only the usual number of periods: these stated generally should be three times a day in adults, and four times a day in children.

In our endeavours to ascertain whether any portion of food remain unassimilated, we should not only regard the general condition of the patient, but direct the excretions to be examined; especially the fæces and urine; for in the former we not unfrequently discover undigested aliment where there is no other direct evidence of indigestion; and I have been accustomed to see a loaded condition of the urine very frequently accompanying imperfect performance of the digestive function: notwithstanding that an attentive observance of these suggestions will generally enable us to prescribe a diet suited to the powers of the stomach, yet it must be admitted that in many cases we cannot entirely succeed. A flattering progress will sometimes be interrupted without our being able to assign any cause. Disorders of the digestive organs will be accompanied by conditions of sto-

mach, which however cautiously or kindly treated, will nevertheless at times become irritable and unmanageable; and hence it becomes highly desirable to select food which, whilst it is sufficiently nutritious in kind, shall prove least injurious if undigested.

In discussing this subject it may not be improper to consider undigested aliment as Mr. Abernethy seems to have done: that is, as placed in a warm and moist situation, and liable (in the event of not being acted upon by vital influences) to chemical decomposition. Physiological observation suggests some difficulty in the adoption of this conclusion; nor is it one which I am particularly anxious to establish, although I know of nothing which can impugn its probability. The possibility at least of chemical agency under the circumstances implied, cannot be denied, nor the mischievous results exaggerated, which might be consequent on the deleterious products of decomposition, being in contact with the most actively secreting and absorbing surfaces of the body. Even from this view of the subject, it seems

probable that undigested vegetable aliment would be least mischievous, for it ordinarily requires a longer time than animal matter for the first stages of decomposition, whilst its known tendency to excite the bowels would lead to its more speedy discharge. Whatever may be the explanation, there is no doubt of the fact, that much less disturbance usually arises from the presence of undigested *farinaceous* vegetable, than from that of animal food in a similar condition. I do not assert this of *all* vegetable matter. If digestion were a process conducted in the manner in which it is sometimes represented, the results might be different.

It has been said that the first change which takes place in the food is its conversion into a homogeneous mass, which has been called chyme; but I much doubt whether any such process takes place, and believe this impression must originally have arisen from the observance of farinaceous food, which, when comminuted, and thus exposed to warmth and moisture, certainly presents very much the appearance represented to characterize chyme: no investi-

gation which has been instituted has enabled me to discover any such process. I have opened a great many animals from time to time which had taken food at different periods before death ; and many of which had been fed expressly for purposes of investigation after death, but in none did I ever see any thing like the chyme, as it is called. In those fed on purpose, the appearance presented by the meat was, that the surface next the stomach was in a soft gelatinous condition, just such as we might imagine would precede its complete solution, but the remaining portion was just as plainly beef or mutton as it would have been under any other circumstances, making due allowance for its being somewhat obscured by comminution, and the peculiar sort of mawkishly-acid odour of the secretions of the organ. So far as my recollection serves me, the researches of Dr. W. Philip concur in these results. It does not follow that the mode of digestion should be precisely the same in the human stomach ; but it is in the highest degree probable that when we find no great difference in structure, there

will be a great similarity in function—and therefore that in all animals with membranous stomachs, the process of digestion is essentially the same. It seldom happens that we have an opportunity of examining the human stomach under circumstances which warrant any decided conclusion, but I could never see in the examination of bodies (and I have probably had a fair share of experience in this way), the contents of the stomach representing such an appearance as that usually described under the term chyme. There seems then every reason for concluding that food when undigested in the stomach, retains for a time at least its characteristic properties, and that the idea of its becoming amenable to chemical agency is therefore at least probable.

All persons who have the management of children, however indiscreet many of them may be on other points, seem to be aware of the tendency to disorder consequent on too liberal a supply of animal food; and it appears reasonable to suppose, that a diet which in young persons so

readily disorders the system when in perfect health, can scarcely be proper when it is labouring under disease. The question, however, of the comparative noxious or innoxious influence of *undigested* animal and farinaceous vegetable matter, must be decided by experience; and all I can add is, that my own fully awards the general preference to vegetable matter, and justifies the conclusion that it is especially applicable to many varieties of cutaneous affections. Different conditions of the stomach of course require different kinds of diet, and these are multiplied by original or acquired peculiarities of the organ. No doubt, however, can exist of at least two grand divisions having been ascertained; viz., animal and vegetable: that, naturally designed to digest both, stomachs sometimes have the power of acting on the one, and at other times of digesting the other. In all cases, however, where no contra-indication exists, it is very useful for the reasons before stated, until we have ascertained the powers of the stomach, to re-

commend a farinaceous diet: whether we subsequently change or add to it or whether we continue it, as is so especially advantageous in the various forms of *Porrigo*.

I believe the foregoing remarks to be applicable to the subject generally, but particularly to the treatment of children. The great irritability of the mucous membranes in children, so forcibly exemplified in the diseases of the eye, nose, mouth, and respiratory organs, equally characterizes that, lining the alimentary canal. Very trivial causes therefore produce considerable annoyance, which never fails to disorder the whole system in a very unequivocal manner; unless indeed some local disease supervene, as a relief to the alimentary disturbance.

The diet which I have employed in the treatment of *Porrigo*, may be inferred from the foregoing observations; but that I may not be misunderstood, I will now state it still more particularly. Farinaceous vegetable matter is its chief ingredient; but I allow milk, the yolk of eggs, which with rusks, bread in various forms, sago, arrow-

root, tapioca, and plain puddings, constitute the diet. Meat of all kinds, in culinary language, whether fish, flesh, or fowl, is strictly forbidden. In my own practice I confine the diet strictly to an alternation of the articles I have first mentioned; and represent any greater range in variety as inadmissible. This is the only way of striking at the root, as it were, of many absurd and mischievous customs, which prevail with regard to children in all ranks of life. The poor are very apt to give their children, unless especially enjoined to the contrary, morsels of pastry, or fruit, either to quiet them when troublesome, or as occasional indulgences. The rich of all classes are also prone to the same kind of error. Children are often left too much to the nurses to enable us to be certain as to the regulation of their diet; and the habit which some have of allowing their children to come in after dinner and to partake of the dessert, is undoubtedly mischievous. This too is especially the case when children have been deprived of this indulgence for a short time, during the more trouble-

some period of some trifling indisposition, as the milder cases of *Porrigo* are considered. I need hardly add, that on these occasions, whatever is put into the stomach is to be regarded as trash presented to the organ, when it neither requires nor is prepared for food. All this may perhaps be very natural, and that for which in perfect health good-nature may find excuses; but whilst there is any disorder, surely nothing can be more mischievous, or when forbidden, more inexcusable.

Although mothers are not always the best assistants in obstinate diseases, yet with a little pains taking, I have seldom failed to impress them with the necessity of implicitly complying with the necessary restrictions. Where this cannot be done, and where directions are disregarded, I would never continue my advice; for the profession is too often brought into discredit, by holding nominally the charge of a case of which it really has only the responsibility. The mode of conducting the diet in children, will of course vary in different cases, being in some more spare, in others more liberal.

In some cases I confine the diet entirely to a moderate quantity of bread and milk four times a day ; in others where milk is too rich it should be diluted with water ; in a third class, milk disagrees and is wholly withheld. Some have milk and bread at other times, and a bread pudding, or arrow root for dinner. For those who appear over nourished, the quantity should be small, the milk diluted, and the arrow root given with bread but no milk. Those on the contrary, who appear imperfectly nourished, and yet who shew no evidences of food passing undigested, may have the more nutritious food with the superaddition of the yolk of an egg once a day ; in such, a bread pudding for dinner is a desirable addition. The poor feed their children largely on potatoes, and so long as they are farinaceous (mealy) and well boiled, I know of no diet which ordinarily appears to agree better. I always carefully forbid oily or greasy matter of every description. The puddings should be as plainly made as possible, and the only fruit pudding I allow is apple. This generally agrees, and

seems to assist the bowels where they are disposed to torpor, but if the bowels are already acting with regularity, it is as well to abstain from fruit puddings entirely. Should there be present any marked irritation of the mucous membrane of the bowels, I sometimes direct nothing to be given for a day or two, but bread and water gruel, and then resume the diet previously adopted.

The quantity of food will vary so much in different cases, from difference of age and other circumstances, that it is impossible to give precise directions thereon. A small breakfast-cup of bread and milk I should say was a hearty meal for a child. For very young children less than that quantity is sufficient, while those of a more advanced age will require a larger quantity. Children of three years old and upwards should not be fed more than three times a day. In points of detail, much after all must be left to the practitioner; but any plan is better than overloading the digestive organs. The diet in adults should be precisely the same, with a proportioned addition to the quantity.

With regard to drink, water, toast and water, or weak barley water, is the best beverage. Children who are properly fed will seldom require more than a very moderate quantity of drink. In adults the same observation is generally true. With regard to not drinking at meal-times, for the most part it is best to avoid doing so; but this is one of the general rules of which we are obliged to modify the adoption. We must recollect that we are treating of disordered stomachs, and that it is by no means always safe to infer the correctness of a plan from considerations drawn from a healthy condition of the organ. On the contrary, however excellent a plan may be in the abstract, it is often necessary to introduce it only by degrees. Abstinence from drink at meal time sometimes produces disordered stomachs, a thirst that is all but insatiable. This is an evil which should be avoided, and where the peculiarity exists, should be overcome by a gradual diminution of the quantity of fluid. These views incline me to think that it is in vain to state any time as particularly proper

for drinking after having taken food. I should say that in states of disordered stomach we ought not to wait until the thirst becomes urgent, nor instantly attend to its first suggestions.

I have now for many years experienced the happiest effects from this kind of diet in the various forms of *Porriga*, and in persons of all ages ; and although it is for the principle that I chiefly contend in the treatment of these diseases, yet many circumstances have concurred to convince me, that as regards diet, this is the only correct application of it in *Porriga*. I have had patients on whom considerable pains had been taken with the diet, and where there had been adopted what appeared to be a judicious administration of medicine ; yet the cases have proved obstinate, and subsequently yielded very readily when subjected to a mild farinaceous diet. Some of the patients have been the children of medical men, who, of course, were competent judges of the matter.

So confident am I in the treatment of these diseases, by these and such other

means as I shall presently mention, that I have made it the subject of remark to the pupils and other gentlemen who have occasionally visited the Dispensary, for many years past. Diet is however, as far as my investigations have hitherto gone, only one part of the treatment. It is often necessary to correct disordered secretions, to excite sluggish bowels, to regulate those which are irritable,—and this leads me to the remarks which I have to offer on the medical treatment of Porrigo.

CHAPTER IV.

Of the Medical Treatment.

I have already remarked on the mischievous consequences which result from too abundant a supply of food. I think they are nearly equalled by too liberal an administration of medicine. The observation may possibly subject me to some unpleasant criticism ; but I cannot but think that some rules of a very elementary character are too frequently disregarded in medical treatment. It seems undeniable, that a medicine which does not achieve the object for which it was prescribed, is very likely to produce mischief. In cases where it is necessary to be cautious as to the quantity, even of the most wholesome food that we put into the

stomach, it seems quite unreasonable to suppose that medicine can be placed there with negative results. The remembrance of this fact must, I think, make us cautious in prescribing, and induce us to administer medicine in such a manner as shall be least calculated to obscure our reasoning. The uncertain nature of the science of medicine renders it of all others the most difficult, but the difficulties are often unnecessarily multiplied. Any one who has attended to this subject, must surely have remarked many instances in which, if the treatment were successful, it was quite impossible to say to what the success was attributable, or if otherwise, to what to ascribe the failure. I am well aware that, in prescription, a happy combination will sometimes effect that which neither article will accomplish singly, nor in any other known mode of combination ; but making the largest allowance for this, it is still true, that the unnecessary complexity often employed in prescription, has too often the effect of fogging the nature of the case, and obscuring the effects of the remedies. Simplicity

in prescription, then, appears to me to be of the first importance; and with the exceptions of such known combinations as those to which I have alluded, if the articles be multiplied, they should be added with such intervals in their succession as the case may admit; in order that, should failure occur, we may not neglect an ingredient which may be serviceable either alone or in some other mode of combination; or if disagreement take place, we may at least know, with considerable probability, to what it may be ascribed. As the disordered conditions, which occasionally present themselves in connexion with Porrigio, are infinitely diversified, much that I shall offer with reference to the medical treatment, will apply to the treatment of children in general. At once I should dismiss the subject, leaving it to the discretion of the practitioner, were it not that the uncertainties of medical science are such, that I cannot with confidence recommend the treatment which I have found so successful, unless as far as I am able to point it out, it be followed

in detail. In all cases, the treatment should be commenced by a gentle, but efficient evacuation of the bowels.

I have so often had occasion to regret the delay consequent on inattention to this point, that I now suffer myself to draw no conclusion (from the report of nurses or other persons) as to the contents of the bowels, until those organs have been acted on by small graduated doses of aperient medicines.

I have no confidence in any other mode of accomplishing this object than by the administration of small doses of aperient medicine every three or four hours in the day, recommended by Mr. Abernethy. I have too often seen "doses" of aperient medicine fail of completely evacuating the alimentary canal; whilst with the faecal matter which has been thrown off, there has been an abundant secretion not required; constituting, in many cases, an injurious depletion. I could relate a large number of facts drawn from very dissimilar sources, proving the correctness of these views, and

shewing that treatment otherwise well directed, had often failed from the want of this preliminary measure.

I think this part of the subject so important, not only with regard to the management of the bowels in children but adults also, that I cannot avoid selecting a fact or two, which not only illustrate the point in question, but are, I think, calculated by their general interest to impress it on the memory. Some years ago I attended a man for a diseased foot, consequent on an old gun-shot wound; the tarsus was completely disorganized, and the pain he suffered from it was seriously affecting his general health, which indeed appeared sinking under the influence of local irritation. I could propose nothing but amputation, and indeed the symptoms induced me to urge its early performance. The man however laboured under diarrhæa, which he said, with short intervals, had annoyed him more or less for six months. This was indeed an additional circumstance very disqualifying for the support of a severe operation; and as he was at this time continuing a diet

prescribed by a very eminent surgeon (probably under different circumstances) which included a quart of porter daily, I was resolved to try whether I could not, by an alteration of diet, at least mitigate so unfavorable a symptom. Accordingly I gradually diminished the quantity of porter, substituted a moderate and less irritating diet, and gave him such medicines as appeared to be indicated. The result was, that very shortly the diarrhæa ceased, his bowels acted with regularity, and he improved in health and appearance, when, for reasons before mentioned, I performed the operation.

No patient could possibly have borne an operation better, and for a few days every thing seemed to be going on favourably; when suddenly his bowels became torpid, and this, spite of all our endeavours to relieve him, ending in an insufferable constipation, the man died. I examined his body—the small intestines were uncommonly distended with air; the large were in rather a contracted condition, but completely filled with such scybala as I never before wit-

nessed. I can only convey a true impression of their nature by saying, that until the intestines were opened, and their contents examined, so hard were these masses of fæcal matter, that no one present entertained any other impression but that they were of a calculous nature. The following case also illustrates very forcibly more than one point in connexion with the accompanying observations.

Mr. Wilson, of Northampton Square, requested my attention to a child, labouring under a very severe inflammation of the eye. On examining the organ, I found the conjunctiva in a state of chemosis. There was an ulcer on the cornea, and matter was effused between the layers of this membrane (onyx). Effusion had also taken place in the anterior chamber (hypopion); lymph had become deposited on the surface of the iris, and there was considerable duski-ness of that part of the anterior chamber not occupied by the hypopion; a condition of the eye, in short, which any surgeon, familiar with such matters, will at once recognize as a highly dangerous inflam-

mation of the organ. The case was not the less interesting from the fact that a very judicious and not inactive administration of the antiphlogistic plan with mercury had been already instituted by Mr. Wilson, so that I had no resource but to recommend the still more active employment of the same remedies. All we could accomplish however was, to keep the inflammation in check. Now, although the case was one of pure inflammation in all other respects, yet, as it is not the character of pure inflammation to remain stationary, I began to suspect that there was some peculiar condition of the system influencing the local disturbance. I made particular inquiry as to the usual condition of the bowels ; but all we could elicit, was, that when the child was considered to be in good health, they were habitually sluggish. On examining the abdomen, it seemed rather tumid. Mr. Wilson and myself now agreed to lay aside the antiphlogistic treatment, and simply administer small doses of aloes and soap every three or four hours, until we should have procured several free evacuations

from the bowels. This object was very satisfactorily accomplished, but without producing the slightest improvement in the inflammation, on the contrary, the ulcer in the cornea has rather deepened since the suspension of the active anti-inflammatory treatment.

The mercury and other parts of the active treatment were now resumed, with the most marked and rapid benefit. It was curious to observe how soon the deposited matters between the layers of the cornea, in the anterior chamber and on the iris, became absorbed. The ulcer healed, and in a short time (I forget the number of days) our patient was quite well, the cornea having recovered its transparency, and vision being perfect.

Now these cases shew that discharges from the bowels may take place, even so as to constitute diarrhæa on the one hand, and be excited by that active administration of purges which forms part of the incipient antiphlogistic treatment on the other, and yet so little of the contained matters be evacuated, that the canal shall remain in

really a loaded condition. So long ago as when I was dresser to Mr. Abernethy, I recollect a very obstinate inflammation of the eye disappearing in twenty-four hours, under circumstances very similar. These and a multitude of facts of an analagous kind, have impelled me to the conviction, that in administering aperients for the purpose of emptying the bowels of their contents, there is absolutely no other mode of accomplishing this object with certainty, but by that gradual and gentle solicitation of their action which I have described.

In selecting a medicine for this purpose, nothing answers in children better than small doses of calomel, rhubarb and ginger; that is to say, half-a-grain of calomel, five or six of rhubarb, and three of ginger, given at the required intervals, until the effect be produced. It is a great object to avoid giving pain; and this is not always easy. A solution of manna in warm water, with the addition of a small quantity of some aromatic tincture, sometimes proves a very comfortable aperient where the rhubarb acts unkindly. The same may be said of

small doses of castor oil. Calomel and jalap, with ginger, is also a most useful aperient, given in doses of five grains of the jalap; but I have more frequently employed this form in adults and children at more advanced ages, than those who are most commonly affected by Porrigio. When I prescribe jalap in young children, it is in cases where the rhubarb does not prove sufficiently active; which a very few grains of jalap seldom fail to correct in the manner we desire. Sometimes, indeed, we have very great difficulty in getting any medicine to act either comfortably or effectually on disordered bowels; this sometimes renders it necessary that we should vary our aperients; and in so doing, we occasionally employ with success, medicines not ordinarily productive of the effects which, in individual cases, we derive from them. Thus, in particular instances, I have known the pulv. scammoniae comp., and even aloes and soap, act more efficiently and more comfortably than any previously employed. These are,

however, exceptions which, in my experience, only prove the general superiority of the rhubarb and its combinations.

In the treatment of *Porriga*, the efficient evacuation of the bowels having been once obtained, thenceforth a very little medicine generally suffices to ensure their daily action. But we have often to correct other disorders of them besides mere torpor, as well as faulty actions of the stomach and liver; and not unfrequently all three in conjunction. In endeavouring to effect any of the foregoing objects, I need scarcely observe, that where we can ascertain as much, our chief attention should be directed to that organ whose functions appear to have been primarily deranged, or in the absence of the history of the case indicating this, to that whose actions at the present moment appear most faulty. If we find, however, that the viscus to which we may be thus especially directing our attention does not readily yield to our measures, and supposing that other organs are simultaneously disordered, which is generally the

case ; it is better to attack the offending organ, if I may so express myself, through the medium of its sympathies, than to labour at this object by larger, or as we may consider them, more efficient doses of medicine. Lest I should have expressed myself obscurely, I will try to exemplify my meaning hypothetically : thus ; supposing a child's appetite were voracious, that the liver was secreting but little bile, and that not of the most healthy kind, and that the bowels evinced considerable irritation of their mucous lining, a combination too common, — suppose further, that we had clearly elicited from the history of such a case, that the liver was primarily disordered ; and that, notwithstanding a well regulated diet, and small doses of calomel, or what would be better, *hydrc creta* with some mild aperient every second or third night, the disordered function remained unimproved ; in such a case it is better to direct our attentions, almost exclusively, to the stomach and bowels, than it is to give larger doses of the mercurial : for the same sympathy which had induced the disor-

dered condition of stomach and bowels will, if either of these can be rendered comfortable, beneficially re-act, and either directly ameliorate the condition of the organ primarily disordered, or indirectly, by allowing effect to medicines which had been before unsuccessfully administered.

We are generally said to endeavour to restore a healthy state of the secretions by medicines called alterative. I have mentioned different conditions which I have more commonly seen in connexion with *Porrigo*, and I will now endeavour to point out the manner in which I have most frequently succeeded in correcting them. In the majority of cases, if the diet be strictly adhered to, a repetition of the rhubarb, calomel and ginger, every second or third night, is all that is necessary; some little difference being made in the doses, according to the excitability of the bowels. Some few patients do very well without any medicine at all.

In a multiplicity of cases, a number as well as a variety of exceptions will occur; and first, of those which relate to the sto-

mach. I have not often found it necessary to interfere *medically* with this organ, further than in the correction of voracious appetite, which sometimes exists in such a degree as greatly to irritate the nervous system. I believe that this would, in many cases, gradually subside under the influence of a rational diet alone; but its relief is much expedited by the administration of small doses of ipecacuanha or antimony—one grain of the former, or two or three grains of the latter, may be given every night with half-a-grain of calomel and the rhubarb with great advantage.—I prefer the ipecacuanha in most cases, and the bowels having been previously evacuated it very rarely produces sickness, as might in children have been anticipated. The secretions of the liver in children are generally regulated best by small doses of calomel, like that in the occasional powder of which I have spoken: in some cases calomel in any dose seems to produce irritation, when it should be entirely relinquished, and the hydrargyrus c. creta substituted instead. This preparation is especially proper if the bowels

be at the same time irritable, when it may be given alone, or advantageously combined with rhubarb, as may be otherwise indicated.

Before I quit this part of the subject, I would observe, that where the dejections from the bowels evince at one time a paucity of bile, and at another a morbid secretion from the liver, great benefit results from producing considerable secretion; this is most certainly accomplished either by jalap and calomel, or calomel and aloes, given every three or four hours, in the manner I have already mentioned, until copious discharges shall have been obtained.

No organs however are so frequently deranged as the bowels, and if these do not maintain the irritable conditions of the chylipoietic viscera, nothing at least produces so much general benefit as the correction of their morbid manifestations. For this reason, where a little more difficulty than usual exists either in correcting disordered stomach or liver, the bowels should, in children, be our chief object; for they are often disordered without there being any

manifest disturbance of the stomach or liver; but these last are almost never disturbed without the bowels being very obviously affected. This is what we might expect, perhaps, but practically, it is important. Nothing is more advantageous than to induce the bowels to act without pain; the accomplishment of this object will well repay us for any trouble which we may experience in obtaining it: in ordinary cases varying the quantity of the aromatic with the rhubarb will usually suffice; but sometimes rhubarb itself gives pain: this should be met by combining it differently, increasing its activity, or relinquishing its use.

Rhubarb may sometimes be made to act comfortably by combining it with hydrar. c. creta, or a grain or two of the compound powder of ipecacuanha. Sometimes it appears to give pain by the slowness of its operation, when the addition of a grain of ipecacuanha, or two or three grains of jalap, will frequently cause it to act efficiently and comfortably at the same time. I am not in the habit of prescribing jalap to very young children, except it be for the purposes which I

have mentioned ; but in children of about six years and upwards, if the system be loaded or the bowels habitually torpid,* it is a very useful medicine. In such cases six grains of jalap, half a grain of calomel, one of ipecacuanha, with some aromatic, should it give pain, every second or third night, sometimes does more to regulate the secretions than other medicine.

Should there be much slime, mucus, or jelly passing with the stools ; or should the bowels prove intractable without evincing such very strong evidences of irritation, nothing is more beneficial than the daily administration of warm water enemata. They are directly comfortable to the surface to which they are applied ; and by relieving irritation there, frequently give effect to other remedies. About three quarters of a pint should be injected every night ; or, in some cases, both night and morning. Usually, warm water is all that

* I have seen many children whose bowels required medicine to induce them to act, in as large doses as are usually administered to adults : relatively to the mass, these are of course to be regarded as exceptions.

is necessary ; but there are cases in which weak gruel, and in somewhat larger quantity, may be advantageously substituted. I have indeed seen so much good result from the employment of enemata, that I now seldom wait until any existing irritation of the bowels proves obstinate; but order their administration whenever the abdomen is tumid, or the secretion from the bowels evidences irritation; provided that the efficient discharge of their contained matter shall have been previously obtained.

In patients who are of a scrofulous diathesis, and in whom we may suspect mesenteric affections, frictions on the abdomen are sometimes very useful; and from an unexpected degree of benefit which I have derived from it in a few instances of mesenteric disease, I generally order the tartar emetic ointment to be rubbed on the abdomen, until a few pustules are produced (an artificial *Porrigo* as I have sometimes termed it).

Should there be worms, terebinthinate medicines may be employed; but I trust to repeated small doses of aloes and calomel.

I prefer these, because as it appears to me, I not only produce the discharge of these animals with certainty, but they do not so readily again make their appearance. We know but little about these animals; but could we discover it, the object in treating them is evidently not only to procure their expulsion, but to correct, at the same time, the morbid condition which favours their production, and on which it may possibly depend.

I have hitherto spoken with especial reference to children. The plan I pursue in adults is very similar. They are forbidden animal food of every description, with the exception of milk and eggs; and I generally recommend them to live as much as they can on bread in different forms. Wine, ale, porter, and spirits, are withheld. The bowels are cleared by jalap and calomel given in the way which I have before mentioned. If the biliary secretions seem to require it, small doses of mercury are given every night; or every second night, in the form of five grains of the pil. hydrargyri; or an equal quantity of the

compound calomel pill. If these do not answer, blue pill, or calomel, are given with colocynth occasionally, where mercury is indicated; and where it produces irritation, the addition of a grain or two of the extract of hyoscyamus will sometimes render it more comfortable to the patient. I have sometimes found that a patient will bear a mild dose of mercury, in the form of five grains of the pill hydrargyri, with two or three of the sulphate of quinine, where no other preparation can be exhibited without being prejudicial.

We sometimes meet with a case where the state of the biliary functions renders it desirable to give small doses of mercury; and yet where the idiosyncrasy of the patient renders it inadmissible. In such persons good fresh extract of colocynth, with small doses of the dilute nitric acid, form the best substitutes with which I am acquainted.

With a view to correct disordered secretion merely, I am averse to other than moderate doses of mercury; for however valuable a remedy it may be in inflammatory diseases, and in many states of

partial circulation, I am convinced that, in other affections, it is often given not only unnecessarily, but with great mischief. I have plenty of conclusive evidence on this point, which I shall hereafter submit to the profession. At present I only recommend caution in prescribing large doses of mercury, where we find small ones inefficient for the regulation of secretion,—and submit that it is, in most of such cases, better to endeavour to effect an amelioration of the biliary functions by directing our attention to the other members of the chylopoietic viscera, with which the liver is so prone to sympathise.

I have thus given, as briefly as I could, the detail of the medical part of the treatment which I have employed in Porrigo. I have no doubt that it is open to criticism; and things to which I attach great importance, may be regarded by some as elementary truisms. My only answer to this is, that these diseases are usually obstinate, and that the observance of the practice which I have endeavoured to explain, will render the treatment successful.

CHAPTER V.

On the Local Treatment of Porrigo.

VARIOUS writers recommend various applications to the parts affected in these diseases. I believe that there is scarcely a wash or ointment known, that has not been used in one or other variety of Porrigo, to say nothing of liniments and embrocations. There is scarcely a practitioner who has not some remedy which he prefers to all others; nor an institution in which there is not a favourite local application. Dr. Bateman and Alibert alone, constitute authority for almost every thing which the Pharmacopœia supplies; and in fact, the only thing in which writers and practitioners appear to agree is, that the whole catalogue is often unsucces-

ful. I believe that local remedies exert a very limited influence in these diseases, and the nature of that, I will endeavour presently to explain.

I not only believe this to be a true view of the subject, but it seems to me an unavoidable inference from the facts which I have mentioned. Nothing is more certain than that many of the local applications which have been recommended, have been positively injurious. It is unnecessary to enter on any elaborate proof of this, since many of the remedies recommended are far too irritating to be likely to be beneficial; whilst the unsparing quantities in which others have been applied, must have materially interfered with the functions of such portions of skin as were yet healthy, and have been a sufficiently certain means of extending the disease which they were intended to relieve. Local applications are very unimportant, provided they have certain negative properties—provided, indeed, they possess none others than being unctuous, and slightly stimulating; and even this latter is often unnecessary. Whilst,

however, I attach little importance to the various medicated local remedies which have been recommended, I would not be understood as representing the local *treatment* as a thing of no consequence. On the contrary, whilst we are endeavouring to improve the general health, we should be careful that the effect of this part of the treatment be not retarded by local circumstances; for in the same manner that a simple incision will not heal when subjected to constant irritation, so neither will these diseases in general get well unless kept free from mechanical or chemical irritation. If the incrustations be suffered to accumulate, they will become hard, and will form indeed a most irritating application to the surface on which they lie; and this will be especially the case if there be a quantity of matted hair at the same time. These in conjunction too will confine the discharge, and in this way maintain a continued excitement. Unnecessary rudeness of manipulation either in washing, shaving, or drying the head, will each contribute to render the disease more or less obstinate. The different

forms of *Porriga* are not unfrequently maintained for a considerable time by the injudicious manner in which ointments are applied.

I have often seen ointment employed in a way which, from its quantity alone, must certainly have been productive of mischief, applied to the head, in fact, in a manner more like that in which butter is sometimes spread, than a surgical application to a susceptible and disordered surface. Employed in this manner, the most judiciously chosen will become rancid ; and irritating it will be, applied to healthy skin, whose functions it will impede rather than benefit, and will be either altogether irremoveable at each dressing, or only by such continued washing as shall of itself become a source of irritation. Nor are unctuous applications those only which are injudiciously applied. Not long ago I saw a child who had had the advice of an eminent surgeon ; in this case the head was covered by a tolerably complete black coat of mail, formed by accumulated incrustation, dyed by a solution of the *argenti nitras*.

In the prevention of these mistakes the

local treatment is important. Further, it is very probable that, in some cases, long habit may have induced diseased action, which may prove obstinate under that influence alone. Many diseases which were unquestionably of constitutional origin, are maintained by local causes. The various diseases of the lower extremities present many demonstrations of this fact. And that habit has a certain influence in maintaining diseases of constitutional origin, which have been suffered to exist for a long time, is a circumstance equally evident. It may appear unphilosophical to speak of habit influencing living actions, and yet I know not how we can deny its power. The treatment which Mr. Abernethy recommended to what he called susceptible surfaces, (and I need not say how successfully), is to be explained on no other supposition. The whole history of diseases, as well as various peculiarities which cannot be considered morbid, seem to me to abound with proofs of the influence of the same principle. I make these observations because, to some who think

superficially, it might appear inconsistent that a disease of constitutional origin should require a local remedy.

I will now shew how the local treatment should be conducted ; and first, of shaving the head. This should be accomplished as soon as possible, but it is not always practicable at once. It is often necessary in the first place, to remove thick crusts of diseased secretion before the razor can be used. This is most speedily accomplished by large bread and water poultices, which will loosen the crusts sooner, if made without the addition of lard or any other greasy matter. They should of course be made soft and moist, and never suffered to dry on any part to which they are applied. In the worst cases, a few poultices removed at short intervals will suffice ; and then the head may be shaved. Sometimes the hair is so matted together in particular situations, and the surface so tender, that the shaving is difficult ; in which case the hair may be plucked to the extent necessary, This however, where proper pains are taken, is very seldom requisite. The head

should now be kept closely shaved. I expect some difference of opinion with reference to this last direction. I shall perhaps be told that the compliance with this injunction will, in many cases, be attended with an injurious degree of irritation; I reply that I have seen a great number of cases where this was pleaded as an excuse for the hair being suffered to grow to a certain extent, and that these have proved tractable only when the implied condition was insisted on. Although it would be absurd to deny that, in many cases, the shaving is productive of a degree of irritation which unquestionably it would be desirable to avoid; yet the growth of hair always does more to retard the relief of the disease than the irritation consequent on shaving.

The last-mentioned evil is indeed quite as frequently occasioned by the rough and incautious manner in which it is conducted, as it is by the great susceptibility of the part. I would advise the mother who is anxious to send her child to school, to stand by and see this part of the treatment ex-

ecuted, taking care that she does not, by unfounded apprehensions, render the child and barber so nervous as to produce the very consequences against which it is her object to guard. The head having been shaved as close as the nature of the case may admit, should be washed with soap and water until every particle of discharge be removed. The soap should next be entirely washed off by a liberal use of clean tepid water, and then the whole surface patted (not rubbed) with soft linen until perfectly dry. I generally direct the head to be shaved about twice a week.

With regard to the ointment to be employed; the selection, perhaps, is not very important, provided it be unctuous or un-irritating. I think too, that if it be in the slightest degree stimulating, the progress of the case is generally accelerated. Whatever ointment we select, it should be applied by means of a moderate sized camel-hair brush; with which instrument the whole of the affected surface should be, as it were, lightly painted; the ointment having been previously conveniently soft-

ened by warmth, so that the diseased parts should appear as if lightly oiled by the application, and nothing more. The dressing should be repeated night and morning, with the same care to cleanse the surface of all matters, including the ointment previously employed. In some instances this frequent dressing seems to produce irritation; when, repeating it once in twenty-four hours may be sufficient, especially if the renewal of the discharge be not very rapid or abundant.

I know that many cases, otherwise treated in the way which it is my object to recommend, will do very well, with no other ointment than that made with spermaceti; but as I think their progress accelerated by an ointment having slightly stimulating properties, I prefer the ung. hydrarg. nitrat. variously diluted, according to the susceptibility of the surface to which it is to be applied. That plan which, as a general one, may be considered as effectual as any, is to begin with a drachm of the ung. hydr. nitrat. to an ounce of lard, and gradually to increase the strength of

the ointment to that of the Pharmacopœia. But it cannot be too often insisted on, that it is of little use, however judiciously we may apply it, unless there be a disposition to amendment, which, as it appears to me, always depends on the improvement of the general health. At one time, I used various ointments and other kinds of local applications; I now hardly ever employ any other than the one which I have mentioned.

With regard to stimulant, astringent, and sedative lotions, or those which are supposed, in various degrees, to combine such properties; I have not found them beneficial in my own hands, and I have often enough known them unsuccessful in those of other surgeons. My own experience of their use has been but limited, as at no period have I ever extensively employed them. Although I have mentioned the ointment generally used in my own practice, yet were that not at hand, I should substitute any other having similar properties, with considerable, if not equal, confidence in its efficacy, provided the constitutional and

more important part of the treatment were judiciously conducted.

In conclusion I will only observe — that the local treatment is simple, yet that each part of it should be carefully executed, regardless of the trouble it requires. The head should be covered with a clean linen cap, and the usual caution of separate beds, towels, basins, etc. observed, to prevent the communication of the disease to other children.

Exercise, and pure air, as tending to improve the general health, are no doubt good additions to the plan which I have recommended;—but the obstacles in the way of forming any opinion on the effect of advice directed to the attainment of these objects in a crowded metropolis, put it out of my power to speak from experience with regard to them.

LONDON:
PRINTED BY MANNING AND CO.,
LONDON HOUSE YARD.

BY THE SAME AUTHOR, TOGETHER OR SEPARATELY,

PRACTICAL TREATISE

ON

STRICTURE OF THE URETHRA;

Adapting the principal varieties of Treatment recommended by different Surgical writers, to their respective Cases, with Remarks on Stricture of the Rectum and Œsophagus.

PRACTICAL DIRECTIONS

FOR THE

DIAGNOSIS OF HERNIAL AND OTHER TUMOURS

Occurring in the neighbourhood of the Groin; with
Remarks on Tracheotomy, with Cases.

* * The above works were published together, under the title of "Important Diseases of the Mucous Canals, with remarks on Diagnosis of Tumours," &c. A few copies are now published separately for the first time, for those who may have already purchased the first edition of the "Treatise on Stricture of the Urethra," or who may be desirous of purchasing that work, or the "Essay on Diagnosis, with remarks on Tracheotomy," separately.

REVIEWS OF FIRST EDITION OF STRICTURE OF THE URETHRA.

"In concluding this very short notice of Mr. Macilwain's little work, we have no hesitation in averring that it is the most judicious, concise, and ably written treatise on the subject which we have perused; and that it is most admirably adapted for putting the student and junior practitioner in possession of all the valuable information which has been accumulated on the subject of stricture."—

Medico Chirurgical Review. July, 1827.

MACILWAIN'S *Treatise on Strictures*.—"A complete work like this was much wanted, to condense into one volume the multiform doctrines and practice of the various writers on strictures; all of whom only detail their own views, and pass by others as quite worthless. The author, however, is far from being a mere compiler; he reasons well, and is often original. We shall review the work in our next Number."—*Foreign Quarterly*. April, 1824. See also the succeeding Number.

"These statements are given with great appearance of candour and accuracy, &c.; and if they prove, on future and more extensive trial, to be well founded, Mr. Macilwain must be allowed to have effected a considerable improvement in the mode of treating Urethral Stricture."

Edinburgh Medical and Surgical Journal.

"His method of treatment (Stricture of the Rectum) is judicious, and shews that the author has paid some attention to the mutual influence of general and local measures."—*Ibid*.

"The observations on Stricture of the Œsophagus, contain judicious directions for the management of that disease."—*Ibid*.

"These (observations) on the Diagnosis of Tumours, &c. deserve the particular attention of the Surgical practitioner."—*Ibid*.

"A very useful Manual, &c. &c."—*Cooper's Surgical Dictionary, on Strictures—Article, Urethra*.

"We recommend it to our junior friends."—

Lancet, on Treatise on Stricture.

"Affords some practical information, which the author as Surgeon to the Truss Society, had extensive opportunities of acquiring, and which is scarcely to be found in any other work."—*Lancet, on the Paper on Diagnosis*.

"We regret this the less (the short review of the different subjects) as the volume must find a place in every surgical library."—*London Medical and Surgical Journal*.

VALUABLE WORKS,

EMBRACING

HISTORY,	GEOGRAPHY,	NATURAL HISTORY,
THEOLOGY,	TOPOGRAPHY,	POETRY,
BIOGRAPHY,	COMMERCE,	VOYAGES AND TRAVELS,
&c. &c.		

PRINTED FOR

LONGMAN, REES, ORME, BROWN, GREEN, & LONGMAN.

MEMOIR of the COURT and CHARACTER of CHARLES the FIRST. By LUCY AIKIN. 2 vols. 8vo. with Portrait, 2d edit. 28s. bds.

MARY of BURGUNDY; or, the Revolt of Ghent. By the Author of "RICHELIEU," "DARNLEY," &c. 3 vols. post 8vo. 3ls. 6d. bds.
 "Decidedly the very best romance that Mr. James has produced."—*Lit. Gazette.*

TRAVELS of an IRISH GENTLEMAN in search of a RELIGION. With Notes and Illustrations by the Editor of "Captain Rock's Memoirs." 2 vols. fcap. 8vo. 2d edition, 18s. bds.
 "These volumes are amongst the most interesting records of which the operations of the human mind ever formed the theme."—*Monthly Review.*

TREATISE on ROADS; in which the Right Principles to be followed are explained and illustrated by the Plans, Specifications, and Contracts, made use of by Thomas Telford, Esq. on the Holyhead Road. By SIR HENRY PARNELL, Bart. 1 vol. 8vo. with Plates. *Nearly ready.*

INTRODUCTION to GEOLOGY; intended to convey a Practical Knowledge of the Science, and comprising the most important recent Discoveries. By ROBERT BAKEWELL. 8vo. 4th Edition, with considerable Additions (including 5 entirely new chapters), new Plates, and numerous Cuts, 21s. bds.
 "We consider that the present is by far the best introduction extant."—*Lit. Gazette.*

LECTURES on POETRY and GENERAL LITERATURE, delivered at the Royal Institution, in 1830 and 1831. By JAMES MONTGOMERY, Author of "The World before the Flood," &c. &c. Post 8vo. 10s. 6d. bds.
 "A fine specimen of pure English composition; the style is simple—just what prose ought to be; and yet every sentence breathes of poetry."—*New Monthly Mag.*

TREATISE on HAPPINESS; consisting of Observations on Health, Property, the Mind, and the Passions; with the Virtues and Vices, the Defects and Excellencies, of Human Life. 2 vols. post 8vo. 21s. bds.
 "There is a great deal of excellent sense in this expansive treatise: it is clear, unexceptionable, and amusing."—*Lit. Gazette.*—"It is overflowing with entertainment."—*Spectator.*

BIOGRAPHICAL MEMOIRS of BARON CUVIER. By Mrs. R. LEE, formerly Mrs. T. ED. BOWDICH. 8vo. with Portrait, 12s. bds.
 "The work is creditable alike to Mrs. Lee's head and heart."—*Athenæum.*

GEOLOGY of SUSSEX, and of the adjacent parts of Hampshire, Surrey, and Kent. By GIDEON MANTELL, Esq. F.R.S. F.G.S. &c. &c. 8vo. with 75 Plates, Maps, and Cuts, 21s. cloth.
 "A work of great interest to all geologists; and its eloquence, together with the wonders it tells of, render it likely to be a favourite with all."—*Athenæum.*

DR. LARDNER'S CABINET CYCLOPÆDIA, published in Monthly Volumes, small 8vo. price 6s. each, in cloth.

Volumes published.

47. TREATISE ON THE ARTS, MANUFACTURES, MANNERS, AND INSTITUTIONS OF THE GREEKS AND ROMANS (in 2 vols.), Vol. I.
46. LIVES OF THE MOST EMINENT FOREIGN STATESMEN, Vol. I. By E. E. Crowe.
45. HISTORY OF EUROPE DURING THE MIDDLE AGES, 2 Vols. By the Author of "History of Spain and Portugal." Vol. I.
44. CHRONOLOGY OF HISTORY, 1 Vol. By Sir Harris Nicolas.
43. TREATISE ON ASTRONOMY, 1 Vol. By Sir John Herschel.
41. HISTORY OF THE CHURCH, 2 Vols. By the Rev. Henry Stebbing, M.A. Vol. I.
40. NAVAL HISTORY OF ENGLAND. By Robert Southey, LL.D. Vol. I.
39. TREATISE ON HEAT, and its Applications, 1 Vol. By Dr. Lardner.
34. TREATISE ON CHEMISTRY, 1 Vol. By M. Donovan, Esq.
31. HISTORY OF SWITZERLAND, 1 Vol.
- 29, 30, 32, 35, 38. HISTORY OF SPAIN AND PORTUGAL, 5 Vols.
27. HISTORY OF THE ITALIAN REPUBLICS, 1 Vol. By J. C. L. de Sismondi.
26. HISTORY OF THE MANUFACTURES OF PORCELAIN AND GLASS, 1 Vol.
- 25, 28, 36. LIVES OF BRITISH GENERALS, 3 Vols. By the Rev. G. R. Gleig.
- 24, 42. TREATISE ON THE MANUFACTURES IN METAL. Iron and Steel, Vols. I. & II.
22. TREATISE ON THE SILK MANUFACTURE, 1 Vol.
21. LIVES OF BRITISH STATESMEN, 3 Vols. Vol. I.
20. HISTORY OF POLAND, 1 Vol.
19. TREATISE ON OPTICS, 1 Vol. By Sir D. Brewster.
17. HYDROSTATICS AND PNEUMATICS, 1 Vol. By Dr. Lardner.
14. PRELIMINARY DISCOURSE ON NATURAL PHILOSOPHY. By Sir J. Herschel.
- 13, 33. THE WESTERN WORLD, 4 Vols. Vols. I. and II.—UNITED STATES, 2 Vols.
- 12, 15, 23. HISTORY OF FRANCE, 3 Vols. By E. E. Crowe.
- 2, 11, 16. HISTORY OF MARITIME AND INLAND DISCOVERY, 3 Vols.
10. HISTORY OF THE NETHERLANDS, 1 Vol. By T. C. Grattan, Esq.
9. OUTLINES OF HISTORY, 1 Vol.
- 8, 18, 37. SIR JAMES MACKINTOSH'S HISTORY OF ENGLAND. Vols. I. to III.
7. CITIES AND TOWNS OF THE WORLD, 2 Vols. With Woodcuts. Vol. I.
6. LIVES OF EMINENT BRITISH LAWYERS, 1 Vol. By H. Roscoe, Esq.
5. MECHANICS, 1 Vol. By Capt. H. Kater and Dr. Lardner.
- 1, 4. HISTORY OF SCOTLAND, 2 Vols. By Sir Walter Scott, Bart.
3. DOMESTIC ECONOMY. By M. Donovan, Esq. Vol. I.

In immediate preparation.

- NAVAL HISTORY OF ENGLAND. By Robert Southey, LL.D. Vol. II.
 HISTORY OF EUROPE DURING THE MIDDLE AGES, Vol. II.
 HISTORY OF THE CHURCH, Vol. II.
 HISTORY OF THE DECLINE OF CIVILIZATION IN EUROPE. By J. C. L. de Sismondi.

DR. ARNOTT'S ELEMENTS of PHYSICS, or NATURAL PHILOSOPHY; written for universal use, in plain or non-technical language. 8vo. 5th Edition, enlarged.

Vol. I. (price 21s.) has Treatises on Mechanics, Hydrostatics (with an account of the FLOATING BED, lately contrived by Dr. Arnett for the relief of the bed-ridden,) Pneumatics, Acoustics, Animal Mechanics, &c.; Vol. II. Part I. (price 10s. 6d.) on Heat, Optics, &c.; and Vol. II. Part 2 (to complete the work) on Electricity, Magnetism, and Astronomy.
 "A useful and excellent work."—*Sir J. Herschel.*

NATURALIST'S LIBRARY, conducted by Sir WM. JARDINE, Bart. F.R.S.E. F.L.S. &c. With numerous coloured Plates, descriptions, woodcuts, and Portraits and Lives of celebrated Naturalists. Fcap. 8vo. (size of the Waverley Novels,) 6s. each vol. in cloth.—To be continued.

Vol. I.—HUMMING BIRDS, Vol. I.: 35 col'd Plates, and Portrait and Life of Linnæus.
 Vol. II.—MONKEYS, Vol. I.: 30 col'd Plates, and Portrait and Life of Buffon.
 "It is perhaps the most interesting, the most beautiful, and the cheapest series, yet offered to the public."—*Athenæum.*

BIBLIOTHECA CLASSICA; or a CLASSICAL DICTIONARY, on a plan entirely new, containing a minute and accurate account of the Proper Names which occur in Greek and Latin Authors, relating to HISTORY, BIOGRAPHY, MYTHOLOGY, GEOGRAPHY, and ANTIQUITIES. By JOHN DYMCK, LL.D. and THOMAS DYMCK, M.A. 1 large vol. 8vo. 16s. cloth.—*The quantities of the proper names are marked throughout the work, the inflexions and genders are pointed out, and the adjectives and other derivatives subjoined—advantages which no other classical dictionary possesses.*

CONRAD BLESSINGTON: a TALE. By a LADY. Post 8vo. 7s. boards.

"A very graceful and pleasing volume. The story is interesting, the language refined, and the sentiments those of an accomplished and amiable woman."—*Lit. Gazette.*

LIVES of ENGLISH FEMALE WORTHIES. By Mrs. JOHN SANDFORD. Vol. I., containing LADY JANE GREY and MRS. COLONEL HUTCHINSON. Foolscap 8vo. 6s. 6d. cloth.

"A most interesting work, with a high tone of moral and religious feeling."—*Lit. Gazette*.

By the same Author,

WOMAN, in her Social and Domestic Character. Fcap. 8vo. 2d Edit. 6s. cloth.

SELECTIONS from the EDINBURGH REVIEW; comprising the best Articles in that Journal, from its commencement to the present time: consisting of Characters of Eminent Poets, Painters, Divines, Philosophers, Statesmen, Orators, Historians, Novelists, and Critics; Dissertations on Poetry and the Drama; Miscellaneous Literature; Education; Political History; Metaphysics; Foreign and Domestic Politics; Political Economy; Law and Jurisprudence; Parliamentary Reform; Church Reform; the Liberty of the Press; the State of Ireland; and West India Slavery. With a Preliminary Dissertation, and Explanatory Notes. Edited by MAURICE CROSS, Esq. Secretary of the Belfast Historic Society. 4 large vols. 8vo. 3l. 3s. bds.

TRAVELS in the UNITED STATES and CANADA. With an Essay on the NATURAL BOUNDARIES of EMPIRES. By J. FINCH, Esq. C. M. Nat. Hist. Soc. Montreal, &c. &c. 8vo. 12s. cloth.

"Mr. Finch's observations are marked by impartiality, good sense, and good feeling."—*Monthly Review*.

A DICTIONARY, PRACTICAL, THEORETICAL, and HISTORICAL, of COMMERCE and COMMERCIAL NAVIGATION. By J. R. McCULLOCH, Esq. 1 large volume, 8vo. with Maps. Second and improved Edition, in the press.

*** Communications, correcting any errors of the former, or affording authentic materials for the improvement of the new edition, addressed to Messrs. Longman and Co., will be thankfully received by them.

JOHN HOPKINS'S NOTIONS on POLITICAL ECONOMY. By the Author of "CONVERSATIONS ON CHEMISTRY," "POLITICAL ECONOMY," &c. 12mo. 4s. 6d. cloth; smaller edition, 1s. 6d.

"Delightfully written; and admirably adapted, by plain straightforward sense, for its virtuous purpose—the improvement of the labouring classes."—*Edinburgh Review*.

COLLECTIONS from the GREEK ANTHOLOGY. By the late Rev. ROBERT BLAND, and others. New Edition; comprising the fragments of early Lyric Poetry, with Specimens of all the Poets included in Meleager's Garland. By J. H. MERIVALE, Esq. F.S.A. Post 8vo. 14s. cloth.

"A very delightful volume."—*Blackwood's Magazine*.

HISTORICAL MEMOIRS of the HOUSE of RUSSELL; from the time of the Norman Conquest. By J. H. WIFFEN, M.R.S.L. &c. With much curious unpublished Correspondence, from the Reign of Henry VIII. to that of George III. inclusive. With Armorial Bearings, Plates, and Portraits, 2 vols. 8vo. 2l. 2s. cloth; royal 8vo. (India Proofs), with the First Race of Ancestry, &c. 3l. 13s. 6d.

Also, separately,

HISTORICAL MEMOIRS of the FIRST RACE of ANCESTRY whence the House of Russell had its origin. Royal 8vo. 7s.

TRADITIONARY STORIES of OLD FAMILIES, and LEGENDARY ILLUSTRATIONS of FAMILY HISTORY. With Notes, Historical and Biographical. By ANDREW PICKEN, Author of "The Dominie's Legacy," &c. &c. 2 vols. post 8vo. 21s. bds.

"Of the design of this work we cordially approve, and are sure that the author may make as interesting a series of stories as the reader could desire."—*Lit. Gazette*.

HISTORY of the REFORMATION. By J. A. ROEBUCK, Esq. M.P. 1 vol. 8vo. *In the press*.

AMERICA and the AMERICANS. By a CITIZEN OF THE WORLD. 8vo. 12s. bds.

"We hail with pleasure the performance before us, as, by the sound judgment and impartiality which it displays, we at once place confidence in the statements and opinions it contains."—*Monthly Rev.*

OUTLINE of the SMALLER BRITISH BIRDS; for the Use of Ladies and Young Persons. By R. A. SLANEY, Esq. M.P. Fcap. 8vo. with Cuts, 4s. 6d. cloth.

"A delightful little book, which in its spirit and manner emulates that of the beloved White."

Magazine of Natural History.

PHILOSOPHICAL CONVERSATIONS; in which are familiarly explained the Effects and Causes of many Daily Occurrences in Natural Phenomena. By FREDERICK C. BAKEWELL. 12mo. 5s. 6d. bds.

"Amplly explanatory of the scientific principles upon which the Phenomena are founded."—*Monthly Review.*

MEMOIRS and CORRESPONDENCE of the late SIR JAMES EDWARD SMITH, M.D. F.R.S. President of the Linnæan Society, &c. &c. Edited by LADY SMITH. 2 large Vols. 8vo. with Portrait and Plates, 31s. 6d. bds.

"This work is among the books which, from their moral beauty, are to be regarded as the most precious treasures of literature."—*Tait's Magazine.*

NARRATIVE of a NINE MONTHS' RESIDENCE in NEW ZEALAND, in 1827; with a Journal of a Residence in Tristan d'Acunha. By A. EARLE, Draughtsman to his Majesty's Discovery Ship "The Beagle." 8vo. with Engravings, 13s. bds.

"One of the most extraordinary narratives of personal adventure which have fallen within our observation for some time."—*Monthly Review.*

GREEK TESTAMENT, with English Notes, Critical, Philological, and Exegetical. By the Rev. S. T. BLOOMFIELD, D.D. F.S.A. of Sidney College, Cambridge; Vicar of Bisbrooke, Rutland; Author of "Recensio Synoptica Annotationis Sacre;" &c. 2 large and closely-printed vols. 8vo. 36s. bds. Adapted to the use of Academical Students, Candidates for Holy Orders, and Theological Readers generally.

By the same Author,

HISTORY of THUCYDIDES; newly translated into English, and illustrated with very copious Annotations, &c. 3 vols. 8vo. with Maps, 21. 5s. bds.

"A version as literal and as perspicuous as erudition and industry combined can render it."—*Eclectic Rev.*

MEMOIR on SUSPENSION BRIDGES, comprising their History; with Descriptions. Also, Experiments on Iron Bars, Wires, and Rules for facilitating Computations, &c. By CHARLES STEWART DREWRY, Civil Engineer. 8vo. with numerous plates and woodcuts, 12s. bds.

"A complete manual on Suspension Bridges, worthy the subject, and worthy the high character for practical knowledge which our engineers enjoy."—*Monthly Review.*

INTRODUCTION to BOTANY. By JOHN LINDLEY, Esq. F.R.S. L.S. and G.S. Professor of Botany in the University of London; &c. 8vo. with numerous Plates and Wood Cuts, 18s. cloth.

By the same Author,

INTRODUCTION to the NATURAL SYSTEM of BOTANY; or a Systematic View of the Organization, Natural Affinities, and Geographical Distribution of the Vegetable Kingdom; with the Uses of the most important Species. 8vo. 12s. cloth.

SYNOPSIS of the BRITISH FLORA, arranged according to the Natural Orders; containing Vasculares, or Flowering Plants. 12mo. 10s. 6d. bds.

OUTLINE of the FIRST PRINCIPLES of BOTANY. Plates. 18mo. 3s.

OUTLINE of the FIRST PRINCIPLES of HORTICULTURE. 18mo. 2s.

GUIDE to the ORCHARD and KITCHEN-GARDEN; or, an Account of the most valuable Fruit and Vegetables cultivated in Great Britain: with Calendars of the Work required in the Orchard and Kitchen-Garden during every Month in the Year. By GEORGE LINDLEY, C.M.H.S. Edited by JOHN LINDLEY, F.R.S. &c. Assistant Secretary to the Horticultural Society of London. 1 large volume, 8vo. 16s. bds.

GENERAL INDEX to the EDINBURGH REVIEW, from Vol. XXI. to L. inclusive (forming Nos. 113 and 114 of the work). 12s.

GENERAL INDEX to Vols. I. to XX. inclusive. 15s. bds.

LEGENDS of the LIBRARY at LILIES. By LORD and LADY NUGENT. 2 vols. post 8vo. 21s. bds.

"Two delightful volumes."—*Literary Gazette*.—"The 'Legends' will be eagerly read, and valued for their intrinsic power of imparting pleasure."—*Tait's Magazine*.

STEEL'S SHIP-MASTER'S ASSISTANT, and OWNER'S MANUAL: containing General and Legal Information necessary for Owners and Masters of Ships, Ship-Brokers, Pilots, and other persons connected with the Merchant Service. 20th Edition, newly arranged, and corrected to 1832-3, by J. STEELMAN, Custom-House Agent. With Tables of Weights, Measures, Monies, &c. by Dr. KELLY, Author of the "Universal Cambist." 1 large and closely-printed Vol. 21s. bds.; 22s. 6d. bd.

SIR EDWARD SEAWARD'S NARRATIVE of his SHIP-WRECK, and Consequent Discovery of certain Islands in the Caribbean Sea. With a Detail of many Extraordinary Events in his Life, from 1733 to 1749, as written in his own Diary. Edited by Miss JANE PORTER. Second Edition. 3 vols. small 8vo. 21s. cloth.

"The most curious and instructive work that has appeared since the first dawn of discovery, and in the history of navigation."—*Spectator*.

TALES and CONVERSATIONS; or, the New Children's Friend. By MRS. MARKHAM, Author of Histories of England and France. 2 vols. 12mo. 10s. 6d. cloth.

"We cannot praise too much this excellent work, in which good sense and good feeling are as conspicuous as good taste."—*La Belle Assemblée*.

EXEMPLARS of TUDOR ARCHITECTURE, adapted to Modern Habitations: with illustrative Details, selected from Ancient Edifices; and Observations on the Furniture of the Tudor Period. By T. F. HUNT, Architect. Royal 4to. with 37 Plates, 2l. 2s.; with Proofs of the Plates on India Paper, 3l. 3s.

"Whoever wishes to 'talk cunninglie' of old houses and furniture, should consult this volume."—*Lit. Gaz.*

By the same Author,

HINTS on PICTURESQUE DOMESTIC ARCHITECTURE; in a Series of Designs for Gate Lodges, Gamekeepers' Cottages, and other Rural Residences. 4to. New Edit. with Additions, and a new set of Plates, 21s. bds.; India Proofs, 31s. 6d.

ARCHITETTURA CAMPESTRE; displayed in Lodges, Gardeners' Houses, and other Buildings; in a Series of 12 Plates, with Letterpress. Royal 4to. 21s. Bds.; India Proofs, 31s. 6d.

DESIGNS for PARSONAGE-HOUSES, ALMS-HOUSES, &c. &c.; in a Series of 21 Plates, with Letterpress. Royal 4to. 21s. bds.; India Proofs, 31s. 6d.

PLAIN INSTRUCTIONS to EXECUTORS and ADMINISTRATORS, shewing the Duties and Responsibilities incident to the due Performance of their Trusts; with Directions respecting the Probate of Wills, and taking out Letters of Administration, &c.; with a Supplement, containing an elaborate Fictitious Will, comprising every description of Legacy provided for by the Legacy Acts, with the Forms properly filled up for every Bequest. By JOHN H. BRADY, late of the Legacy Duty Office, Somerset House. 8vo. 4th Edit. enlarged. 8s. bds.

GUIDE to all the WATERING and SEA-BATHING PLACES, including the SCOTCH WATERING-PLACES; containing full Descriptions of each Place, and of striking Objects in the Environs; forming an agreeable Companion during a Residence at any of the Places, or during a Summer Tour. With a Description of the Lakes, and a Tour through Wales. 1 thick 18mo. vol. with 94 Views and Maps, 15s. bd.

ORIGINAL PICTURE of LONDON, corrected to the present time; with a Description of its Environs. Re-edited, and mostly written, by J. BRITTON, F.S.A. &c. 18mo. 27th Edition, with upwards of 100 Views of Public Buildings, Plan of the Streets, and 2 Maps, 9s. neatly bound; with the Maps only, 6s.

ARRANGEMENT of BRITISH PLANTS, according to the latest Improvements of the Linnæan System; with an Easy Introduction to the Study of Botany. By WILLIAM WITHERING, M.D. &c. 7th Edition, with Additions, by WILLIAM WITHERING, Esq. LL.D. &c. 4 Vols. 8vo. 2l. 16s. bds.

TALES of the WARS of OUR TIMES. 2 vols. post 8vo. 21s. bds.

"We are constrained to close these remarks with a strong recommendation to our readers to peruse the volumes themselves."—*United Service Journal*.

By the same Author,

NOTES and REFLECTIONS during a RAMBLE in GERMANY. 8vo. 2d Edition, 12s. bds.

SCENES and IMPRESSIONS in EGYPT and in ITALY. 8vo. 3d Edition, 12s. bds.

SKETCHES of INDIA. By a TRAVELLER. For Fire-side Travellers at Home. 8vo. 4th Edition, 9s. bds.

RECOLLECTIONS of the PENINSULA; containing Sketches of the Manners and Character of the Spanish Nation. 8vo. 5th Edition, 10s. 6d. bds.

STORY of a LIFE. 2 Vols. post 8vo. 3d Edition, 18s. bds.

LIFE and DEATH of LORD EDWARD FITZGERALD.

By THOMAS MOORE, Esq. 2 vols. small 8vo. with a Portrait, engraved by Dean, after a Picture by Hamilton, Third Edition, 21s. bds.

ENCYCLOPÆDIA of PLANTS; comprising the Description, Specific Character, Culture, History, Application in the Arts, and every other desirable particular, respecting all the Plants indigenous, cultivated in, or introduced to Britain: combining the advantages of a Linnæan and Jussieuan Species Plantarum, an Historia Plantarum, a Grammar of Botany, and a Dictionary of Botany and Vegetable Culture. Edited by J. C. LONDON, F.L.S. &c. The Specific Characters, &c. by LINDLEY; the Drawings by SOWERBY; and the Engravings by BRANSTON. In 1 large Vol. 8vo. with nearly 10,000 Engravings on Wood, 4l. 14s. 6d. bds.—In 9 separate Parts, 10s. 6d. each—Or in 36 Nos. 2s. 6d. each.

By the same Author,

ENCYCLOPÆDIA of AGRICULTURE; comprising the Theory and Practice of the Valuation, Improvement, and Management of Landed Property; the Cultivation and Economy of the Animal and Vegetable Productions of Agriculture; a general History of Agriculture in all Countries; &c. New Edition, with considerable Improvements, in 1 large vol. 8vo. with upwards of 1100 Engravings on Wood. 2l. 10s. bds.

ENCYCLOPÆDIA of GARDENING; comprising the Theory and Practice of Horticulture, Floriculture, Arboriculture, and Landscape Gardening. In 1 large Vol. 8vo. with upwards of 700 Engravings on Wood. Price 2l. bds.

ENCYCLOPÆDIA of COTTAGE, FARM, and VILLA ARCHITECTURE; illustrated by upwards of 2000 Engravings on Wood and nearly 100 Lithographic Plates, embracing Designs of Cottages, Farm-Houses, Farmeries, Villas, Country Inns, Public Houses, Parochial Schools, &c. with their interior Finishing and Furniture; accompanied by Critical Remarks, &c. Complete in 12 Parts, 5s. each; or in 1 handsome volume, £3 bds.

HORTUS BRITANNICUS: a Catalogue of all the Plants Indigenous, Cultivated in, or Introduced to Britain.—PART I. The Linnæan Arrangement, in which nearly 30,000 Species are enumerated, &c. &c.: preceded by an Introduction to the Linnæan System.—PART II. The Jussieuan Arrangement of nearly 4000 Genera; with an Introduction to the Natural System, and a Description of each Order. 8vo., with the First additional Supplement, 23s. 6d. cloth; the Supplement separately, 2s. 6d.

MAGAZINE of NATURAL HISTORY, and JOURNAL of ZOOLOGY, BOTANY, MINERALOGY, GEOLOGY, and METEOROLOGY. 8vo. with Wood Engravings. Nos. 1 to 35, 3s. 6d. each. Continued every Two Months. Vols. I. to V. may be had in boards, 5l. 6s.

GARDENER'S MAGAZINE, and Register of Rural and Domestic Improvement. 8vo. with Wood Engravings. Nos. 1 to 46, 3s. 6d. each. Continued every Two Months. Vols. I. to VIII. may be had in boards, price 7l. 3s. 6d.

NEW GENERAL ATLAS of FIFTY-THREE MAPS,

with the Divisions and Boundaries carefully COLOURED; constructed entirely from New Drawings, and engraved by SIDNEY HALL. (Complete in Seventeen Parts, any of which may be had separately, price 10s. 6d. each.)

Folded in half, and bound in canvas	£8 18 6
Ditto, half-bound in Russia	9 9 0
In the full extended size of the Maps, half-bound in Russia	10 0 0
Ditto, with Proofs on India paper, half-bound in Russia.....	14 5 0

For favourable opinions of this Atlas, see the Literary Gazette, Gentleman's Magazine, the Sphynx (conducted by J. S. Buckingham, Esq.), New Monthly Magazine, Globe, &c.

ALPHABETICAL INDEX of all the NAMES contained in the above ATLAS, with References to the Number of the Maps, and to the Latitude and Longitude in which the Places are to be found. Royal 8vo. 21s. cloth.

SUNDAY LIBRARY: a Selection of SERMONS from Eminent

Divines of the Church of England, chiefly within the last Half Century. With Notes, &c. by the Rev. T. F. DIBDIN, D.D. Complete in 6 vols. small 8vo. with Six Portraits of Distinguished Prelates. 30s. cloth.

"A little library for a churchman; and a treasure for the pious among the laity."—*Literary Gazette*.

THE INFERNO of DANTE, translated into English Rhyme;

with an Introduction and Notes. By ICHABOD CHARLES WRIGHT, M.A. late Fellow of Magdalen College, Oxford. 8vo. 2d edition, 15s. cloth.

"Readers who are most familiar with the Divine Comedy itself—its mighty whole—will best understand the difficulties with which Mr. Wright has had to contend, and will most admire the talent which has done so much, not to evade, but to overcome them. The merit of the execution will unite all competent judges in cordially entreating him to proceed."—*Edinburgh Review*.

POETICAL WORKS of L. E. L. With uniform Titles and

Vignettes. 4 Vols. foolscap 8vo. 2l. 2s. bds.

The above may also be had in separate Portions, viz.—

THE VENETIAN BRACELET; the LOST PLEIAD; a HISTORY of the LYRE; and other Poems. Foolscap 8vo. 10s. 6d. bds.

THE GOLDEN VIOLET, with its Tales of Romance and Chivalry; and other Poems. Foolscap 8vo. 10s. 6d. bds.

THE TROUBADOUR. 4th Edition. Foolscap 8vo. 10s. 6d. bds.

THE IMPROVISATRICE. 6th Edition. Foolscap 8vo. 10s. 6d. bds.

JOURNAL of a RESIDENCE in GERMANY, in 1822, 1825,

and 1826. By WILLIAM BEATTIE, M.D. &c. 2 vols. post 8vo. 21s. bds.

"We have seldom perused a more interesting book of travels."—*Sunday Times*.

MEMOIR of the LIFE, WRITINGS, and CORRESPONDENCE

of JAMES CURRIE, M.D. F.R.S. of Liverpool, Fellow of the Royal College of Physicians of Edinburgh, &c. Edited by his Son, W. W. CURRIE. 2 Vols. 8vo. with a Portrait. 28s. bds.

"There is so much sterling value in" these volumes, "and they address so extensive a class of intelligent men, that we cannot doubt of their ample success."—*Lit. Gazette*.

TRADITIONS of LANCASHIRE. By J. ROBY, Esq. M.R.S.L.

with highly-finished Plates by Finden, and numerous Woodcuts by Williams, &c.

FIRST SERIES.—2 vols. demy 8vo. 2l. 2s. in cloth; royal 8vo. with India Proofs, 4l. 4s.; and with India Proofs and Etchings, 4l. 14s. 6d.

SECOND SERIES.—2 vols. demy 8vo. 2l. 2s. in cloth; royal 8vo. with India Proofs, 3l. 3s.; and with India Proofs and Etchings, 4l. 4s.

"A work which must be seen to be estimated as it ought."—*Literary Gazette*.

LITERARY RECOLLECTIONS. By the Rev. R. WARNER,

F.A.S. Rector of Great Chalfield, Wilts, &c. &c. In 2 vols. 8vo. price 26s. bds.

"We have seldom seen so much good sense, and still more rarely so much good humour, united with a greater abundance of charitable feeling and innocence of purpose. The style is remarkably forcible, chaste, and elegant."—*Monthly Review*.

NEW SYSTEM of GEOLOGY, in which the great Revolutions of the Earth and Animated Nature are reconciled at once to Modern Science and to Sacred History. By ANDREW URE, M.D. F.R.S. Member of the Geol. and Astron. Societies of London, &c. In 1 Vol. 8vo. with 7 Plates and 51 Woodcuts. Price 11. 1s. bds.

.... "We regard this New System of Geology as one of the most valuable accessions lately made to the Scientific Literature of our country."—*Brande's Journal of Science*.

LIFE of FREDERIC the SECOND, KING of PRUSSIA. By LORD DOVER. 2 vols. 8vo. with Portrait, Second Edition, 28s. bds.

"A most delightful and comprehensive work.—Judicious in selection, intelligent in arrangement, and graceful in style."—*Lit. Gazette*.

SERMONS. By RALPH WARDLAW, D.D. Glasgow. In 8vo. 12s. bds.

By the same Author,

DISCOURSES on the Principal Parts of the SOCINIAN CONTROVERSY. 8vo. 15s. bds. 4th Edit. much enlarged.

MEDICAL GUIDE: for the Use of the Clergy, Heads of Families and Seminaries, and Junior Practitioners in Medicine: embracing the Discoveries of the most eminent Continental, American, and British Practitioners, which are entitled to the attention of the public, or of the medical profession of this country. By RICHARD REECE, M.D. &c. 8vo. 16th Edition, with considerable additions, 12s. Bds.

BOOK of NATURE: a Popular Illustration of the general Laws and Phenomena of Creation, in its Unorganized and Organized, its Corporeal and Mental Departments. By J. MASON GOOD, M.D. & F.R.S. 2d Edit. 3 Vols. 8vo. 11. 16s.

"The best philosophical digest of the kind which we have seen."—*Mon. Rev.*

MEMOIRS of the LIFE of SIR WALTER RALEGH, with some Account of the Period in which he lived. By Mrs. A. T. THOMSON. In 1 vol. 8vo. with Portrait, 14s. bds.

"From the first page to the last the attention is roused and sustained; and while we approve the manner, we still more applaud the spirit in which it is executed."—*Literary Gazette*.

By the same Author,

MEMOIRS of the COURT of HENRY the EIGHTH. In 2 vols. 8vo. with a Portrait, 11. 8s. bds.

WORKS of WILLIAM PALEY, D.D. with additional Sermons, &c. and a Life of the Author. By the Rev. EDMUND PALEY, M.A. Vicar of Easingwold. A New Edition. 6 Vols. 8vo. 21. 14s. bds.

By the same Author,

SERMONS on SEVERAL SUBJECTS. 8th Edition. 10s. 6d. bds.

ANNUAL BIOGRAPHY and OBITUARY, for 1833; forming Vol. XVII.: containing Memoirs of Sir W. Scott; Sir J. Mackintosh; Sir R. H. Bickerton; Rev. G. Crabbe; Sir W. Grant; Bishop Huntingford; Lord H. Paulet; H. Liverseege, Esq.; Dr. A. Clarke; Sir W. Bolton; M. Clementi; J. S. Munden, Esq.; Admiral P. W. Freeman; Dr. Walsh; Sir A. Cochrane; C. Butler, Esq.; Bishop Turner; Miss A. M. Porter; Earl Donoughmore; Sir A. Pell; D. Sykes, Esq.; Sir I. Pellet; J. Bentham, Esq.; J. Syme, Esq.; Lord Tenterden; Sir J. Leslie; &c. &c. 8vo. 15s. bds.

. A few complete sets of the work can be had.

ELLIS'S BRITISH TARIFF, for 1833-34; with the Consolidation of the Laws of the Customs, just enacted; and containing the Duties and Restrictions on Goods imported into or exported from Great Britain and Ireland, the Isle of Man, the Mauritius, New South Wales, and the British Possessions in America: forming a ready reference for Officers of the Revenue, Merchants, Shipowners, Brokers, Captains of Ships, Wharfingers, Gentlemen Travelling Abroad, and all Persons Trading in Articles of Foreign Production. Fifth Annual Edition, considerably enlarged. 12mo. *Nearly ready.*

TREATISE on the STEAM ENGINE; Historical, Practical, and Descriptive. By JOHN FAREY, Engineer. In 4to. illustrated by numerous Woodcuts, and 25 Copperplates, engraved by Wilson Lowry, from Drawings by Messrs. Farey. 5l. 5s. bds.—*Vol. II. is in the Press.*

EDINBURGH GAZETTEER; containing a Description of the various Countries, States, Cities, Towns, Mountains, Seas, Rivers, Harbours, &c. of the World. Abridged from the larger work. 2d Edit. in 1 large Vol. 8vo. with an Abstract of the Population Return of 1831, and Maps, 18s. bds.

As an Accompaniment to the above Work,

NEW GENERAL ATLAS, constructed by A. ARROWSMITH, Hydrographer to the King; comprehended in Fifty-four Maps, including Two New Maps, with recent Discoveries. Royal quarto, half-bound, 1l. 16s. plain; coloured, 2l. 12s. 6d.

FRANCE in the LIVES of her GREAT MEN. By G. P. R. JAMES, Esq. Vol. 1—**HISTORY of CHARLEMAGNE.** 8vo. with Portrait, 16s. bds.

"Our author has executed the present work with so much ability, that we shall look forward to those which are to succeed it with much interest."—*Quarterly Review.*

INTRODUCTION to ENTOMOLOGY; or, Elements of the Natural History of Insects. By WM. KIRBY, M.A. F.R.S. and L.S. and WM. SPENCE, Esq. F.L.S. New Edit. 4 thick Vols. 8vo. with Plates, and Portraits of the Authors, price 4l.—A **SCIENTIFIC INDEX** may be had, price 2s.

POETICAL WORKS of W. WORDSWORTH, Esq. New Edition, including the contents of the former edition in 5 vols., and some additional Pieces. 4 vols. fcap. 8vo. 24s. bds.

The **EXCURSION** may be had separately. 7s. bds.

By the same Author,

DESCRIPTION of the SCENERY of the LAKES in the North of England. With a Map. 5s. 6d.

ORIENTAL CUSTOMS applied to the ILLUSTRATION of the SACRED SCRIPTURES. By SAMUEL BURDER, A.M. &c. 12mo. 8s. 6d. bds.

MEMOIRS of the LIFE and WRITINGS of LINDLEY MURRAY; in a Series of Letters, written by Himself, with a Portrait, and Fac-simile of his Writing. 2d Edit. In 8vo. Price 9s. bds.

PRINCIPLES of CHRISTIAN PHILOSOPHY; containing the Doctrines, Duties, Admonitions, and Consolations of the Christian Religion. By JOHN BURNS, M.D. Regius Professor of Surgery in the University of Glasgow, &c. 12mo. 4th Edit. 7s. bds.

HISTORY of ENGLAND, from the earliest Period to the Death of Elizabeth. By SHARON TURNER, F.A.S. R.A.S.L. 12 Vols. 8vo. 8l. 3s. bds.

The same may also be had in the following separate portions:—

REIGNS of EDWARD VI. MARY, and ELIZABETH; being the Second Part of the Modern History England. 2 Vols. 8vo. 2d Edit. 32s. bds.

HISTORY of the ANGLO-SAXONS; comprising the History of England from the earliest Period to the Norman Conquest. 3 Vols. 8vo. 5th Edit. 2l. 5s. bds.

HISTORY of ENGLAND, during the MIDDLE AGES; comprising the Reigns from William the Conqueror to the Accession of Henry VIII., and also the HISTORY of the LITERATURE, POETRY, RELIGION, the PROGRESS to the REFORMATION, and of the LANGUAGE of ENGLAND during that Period. 5 Vols. 8vo. 3d Edition, 3l. bds.

HISTORY of the REIGN of HENRY VIII.; comprising the Political History of the Commencement of the English Reformation: being the First Part of the Modern History of England. 2 Vols. 8vo. 3d Edit. 26s. bds.

MILITARY MEMOIRS of FIELD-MARSHAL the DUKE of WELLINGTON. By Major MOYLE SHERER. 2 vols. fcap. 8vo. 10s. cloth.

"Major Sherer has ably completed his difficult task of compressing the history of the Duke of Wellington and of the wars of our times into this excellent epitome. We rejoice to see the work accomplished so creditably to the writer."—*United-Service Journal*.

Uniform with the above,

LIFE AND REIGN OF GEORGE IV. By W. WALLACE, Esq. Barrister-at-Law. 3 Vols. 15s.

ANNUAL RETROSPECT OF PUBLIC AFFAIRS for 1831. 2 vols. 10s.

HISTORICAL MEMOIRS OF THE HOUSE OF BOURBON. 2 vols. 10s.

BRITISH FLORA; comprising the PHENOGAMOUS or FLOWERING PLANTS, and the FERNS. By WILLIAM JACKSON HOOKER, LL.D. Regius Professor of Botany in the University of Glasgow, &c. &c. 12s. cloth.

By the same Author,

THE MOSSES, and the rest of the CRYPTOGAMIA: forming Vol. V. of Smith's "English Flora," or Vol. II. of the Author's "British Flora." Part I. (MUSCI, HEPATICÆ, LICHENS, CHARACEÆ, and ALGÆ), 12s. bds.; the concluding Part (FUNGI) is in progress.

MUSCOLOGIA BRITANNICA; containing the Mosses of Great Britain and Ireland, systematically arranged and described; with Plates. By W. J. HOOKER, LL.D. F.L.S. &c. and T. TAYLOR, M.D. F.L.S. &c. 8vo. 2d Edit. enlarged. 31s. 6d. plain; 31.3s. col'd.

PRACTICAL TREATISE on RAIL-ROADS, and INTERIOR COMMUNICATION IN GENERAL: containing an Account of the Performances of the Locomotive Engines at and subsequent to the Liverpool Contest; upwards of 260 Experiments; with Tables of the Value of Canals and Rail-roads; &c. By N. WOOD, Civil Engineer, &c. 8vo. New Edition, numerous Plates, 18s. bds.

LALLA ROOKH. An Oriental Romance. By T. MOORE, Esq. New Edition, with 4 Engravings, from Paintings by R. Westall, R.A. Fcp. 8vo. 14s. bds.

Another Edition of this Work, in 8vo. 14s.; Illustrations of the same, by Westall, 12s.

By the same Author,

LIFE of the RIGHT HON. R. B. SHERIDAN. With Portrait. 2 Vols. 8vo. 5th Edition, 31s. 6d. bds.

THE LOVES of the ANGELS. 8vo. 5th Edition, 9s. bds.; WESTALL'S ILLUSTRATIONS of the same, 5s.

THE EPICUREAN. A Tale. Fcp. 8vo. 5th Edit. 9s. bds.

MEMOIRS of the COURT of QUEEN ELIZABETH. By LUCY AIKIN. 6th Edition. 2 Vols. 8vo. 11. 5s. bds.

Also may be had,

MEMOIRS of the COURT of KING JAMES I. By LUCY AIKIN. 2 Vols. 8vo. 3d Edit. 24s. bds.

ANNALS of the REIGN of GEORGE III. By JOHN AIKIN, M.D. 2 Vols. 8vo. 3d Edition, 25s. bds.

LETTERS to a YOUNG NATURALIST on the STUDY of NATURE and NATURAL THEOLOGY. By JAMES L. DRUMMOND, M.D. Professor of Anatomy and Physiology, Belfast. 12mo. with Cuts, 2d Edition, 7s. 6d. bds.

"Happily calculated to generate in a young mind, to sustain in the matured, and to renovate in the old, an ardent love of nature under all her forms."—*Monthly Review*.

By the same Author,

FIRST STEPS to BOTANY, intended as popular Illustrations of the Science, leading to its Study as a Branch of Education. 12mo. numerous Woodcuts. 3d Edit. 9s.

"This answers more completely to the proper notion of an Introduction to Botany than any work we have seen."—*Eclectic Review*.

ELEMENTS of PLANE GEOMETRY. By THOMAS KEITH.

8vo. 3d Edit. 10s. 6d. bds.

By the same Author,

INTRODUCTION to the Theory and Practice of PLANE and SPHERICAL TRIGONOMETRY. 8vo. 6th Edition, improved, 14s. bds.

NEW TREATISE on the USE of the GLOBES. Designed for the Instruction of Youth. 12mo. with Plates, New Edit. 6s. 6d. bd.

SYSTEM of GEOGRAPHY, for the Use of Schools. 12mo. illustrated by Maps and Plates, 6s. bd.

ILLUSTRATED INTRODUCTION to LAMARCK'S

CONCHOLOGY, contained in his "Histoire Naturelle des Animaux sans Vertèbres;" being a Literal Translation of the Descriptions of the recent and Fossil Genera, accompanied by Twenty-two highly-finished Lithographic Plates, in which are given Instructive Views of the various Genera and their Divisions, drawn from Nature, from characteristic and generally well-known Species. By EDMUND A. CROUCH, F.L.S. Royal 4to. 11. 11s. 6d. plain, or 3l. 3s. coloured.

Also,

EPITOME of LAMARCK'S ARRANGEMENT of TESTACEA: with Illustrative Observations and comparative Tables of the Systems of Linnæus and Lamarck. By C. DUBOIS, F.L.S. and F.H.S. 8vo. 14s. bds.

RODERICK, the LAST of the GOTHS: a Poem. By ROBERT

SOUTHEY, LL.D. &c. &c. 2 Vols. fcap. 8vo. 16s. bds.

By the same Author,

THALABA, 2 Vols. 16s.; **Madoc,** 2 Vols. 16s.; **Curse of Kehama,** 2 Vols. 14s.; **Minor Poems,** 3 Vols. 18s.; **Pilgrimage to Waterloo,** 10s. 6d.; **Tale of Paraguay** 10s. 6d.; **Carmen Triumphale;** and **Carmen Aulica,** for 1814, 5s.

A VISION of JUDGMENT, a Poem. 4to. 15s. bds.

SOCIAL LIFE in ENGLAND and FRANCE, from the French

Revolution of 1789 to that of 1830. By the EDITOR OF MADAME DU DEFFAND'S LETTERS. 8vo. 7s. bds.

"Remarkable for its well-selected information, and for its application of liberal and enlightened opinions to the history of manners."—*Spectator*.

By the same Author,

COMPARATIVE VIEW of the SOCIAL LIFE of ENGLAND and FRANCE, from the Restoration of Charles II. to the French Revolution of 1789. 8vo. 13s. bds.

FAMILY SHAKSPEARE; in which nothing is added to the

Original Text; but those Words and Expressions are omitted which cannot with propriety be read aloud in a Family. By THOMAS BOWDLER, Esq. F.R.S. &c. New Edition. In 1 large vol. 8vo. with Illustrations by Smirke, Howard, &c. engraved on wood by Thomson. 30s. in cloth; or 31s. 6d. with gilt edges.

The same work, without illustrations, in 10 vols. royal 18mo. 3l. 3s. bds; and in 8 vols. 8vo. 4l. 14s. 6d.

"We are of opinion, that it requires nothing more than a notice to bring this very meritorious publication into general circulation."—*Edin. Rev.*

By the same Editor,

GIBBON'S HISTORY of the ROMAN EMPIRE: for the Use of Families and Young Persons. Reprinted from the original Text, with the careful Omission of all Passages of an irreligious or immoral Tendency. 5 Vols. 8vo. 3l. 3s. bds.

NEW GIL BLAS; or, PEDRO of PENAFLOR. By H. D.

INGLIS, Author of "Spain in 1830," &c. 3 vols. post 8vo. 27s. bds.

"The labour and power, as well as knowledge, displayed in the 'New Gil Blas,' deserve to stand forth to the public view with every advantage. We have read these volumes with great delight."

Metropolitan Magazine.

SKETCH of ANCIENT and MODERN GEOGRAPHY,
for the Use of Schools. By SAMUEL BUTLER, D.D. F.R.S. and S.A. &c. Archdeacon of Derby, Head Master of the Royal Free Grammar School of Shrewsbury. New Edition. 8vo. 9s. Bds.—To the present edition the Author has made some very important additions, chiefly in the Modern part of it.

By the same Author,

ATLAS of MODERN GEOGRAPHY, consisting of 22 Coloured Maps, from a New Set of Plates, with an Index of all the Names. 8vo. 12s. half-bound.

ATLAS of ANCIENT GEOGRAPHY, consisting of 21 Coloured Maps, with a complete accentuated Index. 8vo. 12s. half-bound.

GENERAL ATLAS of ANCIENT and MODERN GEOGRAPHY, 43 Coloured Maps, and two Indexes. 4to. 24s. half-bound.

* * * The Indexes appended to these Atlases contain the latitude and longitude of all the places mentioned in them.

OUTLINE GEOGRAPHICAL COPY-BOOKS, 4to. with the Lines of Latitude and Longitude only; intended as Practical Exercises for the Pupil to fill up, from Dr. Butler's Atlases of Ancient and Modern Geography. 4s. each, sewed; or 7s. 6d. together.

OUTLINE MAPS of ANCIENT GEOGRAPHY; being a Selection, by Dr. Butler, from D'Anville's Ancient Atlas: intended as Practical Exercises for the Pupil to fill up. Folio, 10s. 6d.

PRAXIS on the LATIN PREPOSITIONS; being an Attempt to illustrate their Origin, Power, and Signification, in the way of Exercise. 8vo. 4th Edit. 7s. 6d. bd.

KEY to the same. 8vo. 6s. bds.

TREATISE on the VALUATION of PROPERTY for the POOR'S RATE; shewing the Method of rating Lands, Tithes, Woods, &c. With an Abstract of the Poor Laws relating to Rates and Appeals. By J. S. BAYLDON, Land Agent and Appraiser. 8vo. 7s. 6d. bds.

By the same Author,

ART of VALUING RENTS and TILLAGES, and the Tenant's Right on entering and quitting Farms explained. For the Use of Landlords, Land-Agents, Appraisers, Farmers, and Tenants. 8vo. 4th Edit. corrected and enlarged, 7s. bds.

MANUAL of the LAND and FRESH-WATER SHELLS of the BRITISH ISLANDS; described from perfect Specimens in the Author's Cabinet: with an Index of English Names. By W. TURTON, M.D. Foolscep 8vo. with 10 coloured Plates, comprising Figures of 150 Specimens. 10s. 6d. cloth.

HISTORY of the CRUSADES, for the Recovery and Possession of the HOLY LAND. By CHARLES MILLS, Esq. In 2 Vols. 8vo. 4th Edit. with a Portrait and Memoir of the Author. Price 1l. 5s.

The Memoir separately, with Portrait, 4s. sewed.

By the same Author,

HISTORY of CHIVALRY, or Knighthood and its Times. 2d Edition. 2 Vols. 8vo. 1l. 4s. bds.

"This was an appropriate undertaking for the able author of the Crusades, and he has executed it with equal learning, fidelity, and elegance."—*Monthly Review*.

AFRICA DESCRIBED in its Ancient and Present State. Intended for the use of Young Persons and Schools. By Mrs. HOFLAND, Author of the "Son of a Genius," &c. &c. In 12mo. with a Map, 5s. hf.-bd. and lettered.

By the same Author,

Each with Frontispiece, 5s. half-bound—

SELF-DENIAL. A TALE.

REFLECTION. A TALE.

MODERATION. A TALE.

DECISION. A TALE.

PATIENCE. A TALE.

INTEGRITY. A TALE.

DOMESTIC DUTIES; or, Instructions to Young Married Ladies, on the Management of their Households, and the Regulation of their Conduct. By Mrs. WILLIAM PARKES. 12mo. 3d Edit. 10s. 6d. bds.

"The volume before us is a perfect *vade mecum* for the young married lady, who may resort to it on all questions of household economy and etiquette."—*New Monthly Mag.*

LINNEAN SYSTEM of CONCHOLOGY. By J. MAWE. 8vo. with a Plate to each Genus (37); plain, 1l. 1s.; coloured after Nature, 2l. 12s. 6d.

By the same Author,

SHELL-COLLECTOR'S PILOT, with Coloured Frontispiece; also, the best Methods of preserving Insects, Birds, &c. 4th Edit. 5s. bds.

NEW DESCRIPTIVE CATALOGUE of MINERALS. 7th Edit. 6s. bds.

PICTURESQUE ANTIQUITIES of the ENGLISH CITIES; containing 60 Engravings by Le Keux, &c., and 24 Woodcuts, of Ancient Buildings, Street Architecture, Bars, Castles, &c.: with Historical and Descriptive Accounts of the Subjects, and of the Characteristic Features of each City. By JOHN BRITTON, F.S.A. &c. In 1 vol. elegantly hf.-bd. price 7l. 4s. med. 4to.; 12l. imp. 4to. with Proofs of the Plates.

By the same Author,

DICTIONARY of the ARCHITECTURE and ARCHÆOLOGY of the MIDDLE AGES; including the Words used by Old and Modern Authors in treating of Architectural and other Antiquities, &c.: Part I. with 12 Engravings by J. Le Keux; and Part II. with 10 Engravings. The Volume will contain at least 40 Engravings, and be completed in 4 Parts; royal 8vo. 12s., med. 4to. 21s., imp. 4to. 31s. 6d.

CATHEDRAL ANTIQUITIES of ENGLAND; or, an Historical, Architectural, and Graphical Illustration of the English Cathedral Churches. 12s. per Number in Med. 4to.; and 20s. Imp. 4to.: 52 Numbers are published. Each Size classes with the *Architectural Antiquities of Great Britain*. The following are complete, and may be had separately, viz.

Salisbury Cathedral, with 31 Engravings, med. 4to. 3l. 3s.; imp. 4to. 5l. 5s.; cr. fol. 8l.; sup.-roy. fol. 11l. Bds.

Norwich, with 25 Plates, med. 4to. 2l. 10s.; imp. 4to. 4l. 4s.; cr. fol. 6l. 10s.; sup.-roy. fol. 8l. 16s. Bds.

Lichfield, with 16 Engravings, med. 4to. 1l. 18s.; imperial 4to. 3l. 3s.; sup.-roy. fol. 6l. 6s. Bds.

York, with 35 Engravings, med. 4to. 3l. 15s.; imp. 4to. 6l. 6s.; cr. fol. 9l. 9s.; sup.-roy. fol. 12l. 12s. Bds.

Bristol, 14 Engravings, med. 4to. 1l. 4s.; imp. 4to. 2l. 2s.

Oxford, with 11 Engravings, med. 4to. 1l. 4s.; imp. 4to. 2l. 2s.; sup.-roy. fol. 4l. 4s. Bds.

Canterbury, 26 Engravings, med. 4to. 3l. 3s.; imp. 5l. 5s.; sup.-roy. fol. 11l. Bds.

Exeter, with 22 Engravings, med. 2l. 10s.; imp. 4to. 4l. 4s.; sup.-roy. fol. 8l. 16s. Bds.

Wells, with 24 Engravings, med. 4to. 2l. 10s.; imp. 4l. 4s.; sup.-roy. fol. 8l. 16s.; or with proofs and etchings, 16l. 16s.

Peterborough, 17 Plates, med. 4to. 1l. 18s.; imp. 3l. 3s., with proofs & etchings, 6l. 6s.; sup.-roy. fol. 6l. 6s., with pr. & etch. 12l. 12s.

Gloucester, 22 Engravings and 2 Woodcuts, med. 4to. 2l. 10s.; imp. 4l. 4s.

Winchester, 30 Engravings, med. 4to. 3l. 3s.; imp. 4to. 5l. 5s.; cr. fol. 8l.; sup.-roy. fol. 11l. Bds.

Hereford, with 16 Engravings, med. 1l. 18s.; imp. 3l. 3s.; sup.-roy. fol. 6l. 6s.

Worcester Cathedral will be comprised in 3 Nos. Nos. I. and II. are published.

HISTORY and ANTIQUITIES of BATH ABBEY CHURCH; with Ten Engravings, by J. and H. LE KEUX, from Drawings by MACKENZIE, &c. Royal 8vo. 1l.; Med. 4to. 1l. 11s. 6d.; Imp. 4to. 2l. 2s.

HISTORY and ILLUSTRATION of REDCLIFFE CHURCH, Bristol. 8l. 8vo. 16s.; imp. 4to. 1l. 11s. 6d.

ARCHITECTURAL ANTIQUITIES of GREAT BRITAIN. In 4 Vols. Med. 4to. 21l.; or Imp. 4to. 32l. half-bd.

CHRONOLOGICAL and HISTORICAL ILLUSTRATIONS of the ANCIENT ARCHITECTURE of GREAT BRITAIN. By J. BRITTON, F.S.A. &c. 6l. 12s. small paper, and 11l. large paper.

* * * To correspond with the "*Architectural Antiquities*," of which this work forms the 5th Volume.

The **ARCHITECTURAL ANTIQUITIES** may be purchased in Ten Separate Parts, boards, at Two Guineas each. Parts XI. and XII. at 2l. 8s. each; and Part XIII. which completes the Fifth Volume, or *Chronological Series*, 1l. 16s.

THE ANALYSIS of INORGANIC SUBSTANCES. By

J. J. BERZELIUS. From the French, by G. O. REES. 12mo. with a Plate, 5s. bds.

"A valuable acquisition to the student of practical chemistry."—*Medical Gazette*.

"The notes of Mr. Rees are highly valuable."—*Monthly Review*.

THE TALBA; or Moor of Portugal. A Romance. By Mrs.

BRAY, Author of "Fitz of Fitzford,"—"The White Hoods," &c. 3 vols. post 8vo. 27s. bds.

"Mrs. Bray is well, and deserves to be better, known for her historical novels."—*Quarterly Review*.

"Her dialogues are vigorous, her descriptions are pictorial and full of poetry, and her characters well selected, contrasted, and displayed."—*Atlas*.

ENGLISH FLORA. By SIR JAMES E. SMITH, M.D. F.R.S.

President of the Linnæan Society, &c. 4 Vols. 8vo. New edition, 2l. 8s. bds.

Part I. of Vol. V. (CRYPTOGAMIA, by Dr. HOOKER,) 12s.; Part II. *in progress*.

Also by Sir J. E. SMITH,

COMPENDIUM of the ENGLISH FLORA. 12mo. 7s. 6d. cloth.

COMPENDIUM FLORÆ BRITANNICÆ. 12mo. 5th Edit. 7s. 6d. bds.

INTRODUCTION to the STUDY of PHYSIOLOGICAL and SYSTEMATICAL BOTANY. 8vo. New Edition, with Illustrations of the Natural Orders (combining the object of the "Grammar" with that of the "Introduction"), by W. J. HOOKER, LL.D. &c. 36 Plates, 16s. cloth.

GRAMMAR of BOTANY, illustrative of Artificial as well as Natural Classification, with an Explanation of Jussieu's System. 8vo. with 277 Figures of Plants, 2d Edition, 12s.

PEN TAMAR; or, the History of an Old Maid. By the late

Mrs. H. M. BOWDLER. Second Edition. Post 8vo. 10s. 6d. bds.

"Written with great simplicity, and in the most engaging spirit of benevolence."—*Monthly Review*.

HISTORY of the REIGN of GEORGE the THIRD. By

ROBERT BISSET, LL.D. Author of the Life of Burke, &c. &c. A new Edition, completed to the Death of the King, in 6 Vols. 8vo. Price 3l. 3s. bds.

INSTRUCTIONS to YOUNG SPORTSMEN in all that relates

to Guns and Shooting: Difference between the Flint and Percussion System; PRESERVATION of GAME; Getting Access to all Kinds of Birds; Specific Directions, with new Apparatus, for WILD FOWL SHOOTING, both on the Coast and in Fresh Water; New Directions for TROUT FISHING; and Advice to the Young Sportsman on other Subjects. By Lieut. Col. P. HAWKER. 8vo. 7th Edit. enlarged and improved, with an ABRIDGMENT of the OLD and NEW GAME LAWS, and 30 Plates and Woodcuts, 18s. cloth.

"Col. Hawker is one of the best shots in England, and his 'Instructions to Sportsmen' the very best book we have on the subject."—*Blackwood's Magazine*.

REMAINS of HENRY KIRKE WHITE, selected, with pre-

latory Remarks, by ROBERT SOUTHEY, Esq. The only complete Editions. 2 Vols. 8vo. 24s. bds.; and 1 Vol. 24mo. with engraved title and vignettes, 5s. bds.

N. B. The property of the Family having been invaded, it is necessary to state, that these are the *only Editions* which contain the Life by Mr. Southey, and the whole of the contents of the Third Volume.

CONVERSATIONS on ALGEBRA; being an Introduction to

the First Principles of that Science, designed for those who have not the Advantage of a Tutor, as well as for the Use of Students in Schools. By W. COLE. 12mo. 7s. bds.

EXPLANATORY PRONOUNCING DICTIONARY of the

FRENCH LANGUAGE, in French and English. By L'ABBE TARDY, late Master of Arts in the University at Paris. In 12mo. new Edition, revised, 6s. bd.

SELECT WORKS of the BRITISH POETS, from JONSON to BEATTIE. With Biographical and Critical Prefaces. By DR. AIKIN. Complete in 1 Vol. 8vo. for Schools, &c. 18s. in cloth; or neatly done up, gilt edges, 20s. Also, in 10 Vols. post 18mo. price 21.; in royal 18mo. to match the British Essayists and Novelists, 31.

SELECT WORKS of the BRITISH POETS, from CHAUCER to WITHERS. With Biographical Sketches. By ROBERT SOUTHREY, LL.D. Poet Laureate. 1 vol. 8vo. uniform with "Aikin's Poets," 30s. in cloth; or neatly done up, with gilt edges, 11. 11s. 6d.

HISTORY of ROMAN LITERATURE, from its earliest Period to the end of the Augustan Age. By J. DUNLOP, Esq. 3 Vols. 8vo. 21. 7s. 6d. bds.

By the same Author,

HISTORY of FICTION. 3 Vols. post 8vo. 21. 2s. bds.

CONVERSATIONS on VEGETABLE PHYSIOLOGY; comprehending the Elements of Botany, with their Application to Agriculture. 2 vols. 12mo. with Plates. Price 12s.

"These instructive little volumes are composed by an author (Mrs. Marcet) already well known by similar works on other branches of science, all of which have been received with great and merited favor. The subject of her present undertaking is at least in interest equal to those which have preceded it, and her method of treating it as pleasing and popular."—*Edin. Rev.*

By the same Author,

CONVERSATIONS on CHEMISTRY, in which the Elements of that Science are familiarly explained and illustrated by Experiments; with a Conversation on the Steam Engine. 2 Vols. 12mo. 12th Edit. with Plates by Lowry, 14s. Bds.

CONVERSATIONS on NATURAL PHILOSOPHY. 7th Edition, 10s. 6d. Bds. With 22 Engravings by Lowry.

CONVERSATIONS on POLITICAL ECONOMY. 12mo. 6th Edit. 9s. bds.

MALTE BRUN's SYSTEM of GEOGRAPHY. 9 vols. 8vo.; or in 18 Parts, 17 of which are published, price 7s. 6d. each.

CONTENTS.

Vol. I. Mathematical, Physical, and Political Principles of Geography.
II. and III. Asia and Oceanica.
IV. Africa and adjacent Islands.
V. America and adjacent Islands.

VI. Eastern Europe.
VII. Prussia, Germany, Switzerland, and Italy.
VIII. Spain, Portugal, France, Norway, &c.

Part XVIII., which will conclude the ninth and last volume (containing the Description of ENGLAND, SCOTLAND, IRELAND, and a GENERAL INDEX), will shortly appear.

The department of Great Britain has been entirely re-written for the English Edition, on a scale commensurate with the importance which the English reader attaches to this portion of Geography. The General Index is so constructed as to be a complete Table of Reference to the whole work, while it forms an extensive and useful Gazetteer.

CONVERSATIONS on the ANIMAL ECONOMY of MAN. By a PHYSICIAN. 2 Vols. 12mo. illustrated by Plates, &c. Price 16s.

"The Author, in our opinion, has succeeded in producing an accurate, interesting, and highly amusing account of the Animal Economy."—*Jameson's Philosophical Journal.*

LIFE and PONTIFICATE of GREGORY the SEVENTH. By Sir ROGER GREISLEY, Bart. F.A.S. 8vo. 12s. bds.

CONVERSATIONS on MINERALOGY; with Plates, engraved by MR. and MISS LOWRY, from Original Drawings, comprising upwards of 400 Figures of Minerals, including 12 beautifully coloured Specimens. 2 Vols. 12mo. 2d Edit. 14s. bds.

"We may characterise this Work as one of the most desirable Text Books that have issued from the British Press."—*Monthly Review.*

CONVERSATIONS on BOTANY, with 21 Engravings. 12mo.
7th Edition, enlarged. 7s. 6d. plain; 12s. col'd.

THE MESSIAH: a Poem. By F. T. KLOPSTOCK. Translated
into English Verse. 2 vols. 8vo. 21s. bds.

SACRED HISTORY of the WORLD, from the Creation to
the Deluge: attempted to be philosophically considered, in a Series of Letters to a Son.
By SHARON TURNER, F.S.A. and R.A.S.L. 8vo. 3d Edition. 14s. bds.

**CONVERSATIONS on the EVIDENCES of CHRISTIA-
NITY**; in which the leading Arguments of the best Authors are arranged, developed, and
connected with each other: for the Use of Young Persons and Students. 12mo. 8s. bds.

POLITICAL LIFE of the Right Hon. GEORGE CANNING,
with a Short Review of Foreign Affairs. By his Private Secretary, A. G. STAPLETON, Esq.
3 vols. 8vo. 2d Edition, including the Part omitted in the 1st. 38s. bds.—The additions
separately, to complete the 1st Edition, 5s.

LACON; or, MANY THINGS in FEW WORDS. By the Rev.
C. C. COLTON, late Fellow of King's Coll. Cambridge. New Edit. in 1 vol. 8vo. 12s. cloth.

THE PELICAN ISLAND, in 9 Cantos; and other Poems.
By JAMES MONTGOMERY. Foolscap 8vo. 3d Edit. 8s. bds.

By the same Author,

THE WANDERER of SWITZERLAND. Fcap. 8vo. 10th Edit. 6s. bds.

THE WORLD before the FLOOD. Fcap. 8vo. 8th Edit. 9s. bds.

THE WEST INDIES, and other POEMS. Fcap. 8vo. 7th Edit. 6s. bds.

GREENLAND, and other POEMS. Fcap. 8vo. 3d Edit. 8s. bds.

SONGS of ZION, being IMITATIONS of PSALMS. Fcap. 8vo. 3d Edit. 5s. bds.

VERSES to the MEMORY of R. REYNOLDS. 2s.

MEMOIRS of JOHN, DUKE of MARLBOROUGH; with his
Original Correspondence, collected from the Family Records at Blenheim, and other
authentic Sources. By the Rev. Archdeacon COXE. 6 Vols. 8vo. with an Atlas, 5l. 5s.

By the same Author,

MEMOIRS of the ADMINISTRATION of the Right Hon. H. PELHAM.
2 vols. 4to. with Portraits, 5l. 5s. bds.; large paper, uniform with the Author's preceding
Works, 10l. 10s.

MEMOIRS of HORATIO LORD WALPOLE. 2 Vols. 8vo. 3d Edition.
26s. bds.

MEMOIRS of the KINGS of SPAIN of the HOUSE of BOURBON, from
the Accession of Philip V. to the Death of Charles III., 1700—1788. 5 Vols. 8vo. 2d
Edition. 3l. bds.

HISTORY of the HOUSE of AUSTRIA, from the Foundation of the Mo-
narchy, by Rhodolph of Hapsburg, to the Death of Leopold II.—1218 to 1792. 5 Vols.
8vo. 3l. 13s. 6d. bds.

SUBSTANCE of several COURSES of LECTURES on MUSIC,
Read in the University of Oxford, and in the Metropolis, by WILLIAM CROTCH, Mus. Doc.
Prof. Mus. Oxon. &c. 8vo. 7s. 6d. bds.

