M0003414: Charts showing "Percentage of Death from Tuberculosis and Respiratory Diseases, by Divisional Periods of Life"

Publication/Creation

14 March 1933

Persistent URL

https://wellcomecollection.org/works/up89bcr3

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org


Potters Stone Cutters Ages at Death Ages at Death Ages at Death 15 to 24 21 Deaths 15 to 24 14 Doaths All Other Causes 57.1% 15 to 24 All Other Causes 57.2% 25 to 44 25 to 44 174 Deaths All Other Causes 43.9% 45 erd over 150 Deaths All Other Causes 59.2% All Other Couses 58.6% 45 and over 45 and over

Percentage of Deaths from Tuberculosis and Respiratory Diseases, by Divisional Periods of Life

Ages at Dea	Polishers and Orinders, is	n and teei Ages at Death	Glass Workers (Specified)	s at Desta
15 to 24 8 Desths	Tuberculosis of the him length 25.0% (12.5%) All Other Causes 62.5%	15 to 24	Tuberculosis of Pas All Other Causes 52.5% of Sungs 37.5% of St. All Other Causes 52.5%	
25 to 44 55 Deaths	Tuberculosis of bungs 65.5 % Tis 4110/her Citises 27.8%	25 to 44	Tuberculosis of bungs ac All Other Courses 50.7%, 44.5 %	25 to 44 126 Deaths
45 and over 73 Deaths	Tuberculosis of Journes Requiritary Dis 3111 Other Causes 39.7%	45 and over	10.75 Res. Dia 911 Other Causes 73.8%	45 and over 122 Deaths

Fig. 58.—Proportionate mortality from tuberculosis of lungs and from other respiratory diseases in trades exposed to mineral dusts. (Industrial experience of the Prudential Insurance Company of America.)

Percentage of Deaths from Tuberculosis and Respiratory Diseases, by Divisional Periods of Life



Shoe Factory Employees		Ages at Death	Cigar Makers	res at Douth
	Taberculosis of bungs and All Other Changes 51.4 % oner the ETC	15 to 24	Tuberculosis of bungs Red. All Other Groses 23.0X	is to 24 105 Deaths
25 to 44 125 Doubles	Tiberculosis of Lungs 49.6 % The Date All Other Gauses 40.6%	25 to 44		25 to 44 275 Deaths
45 and oren	Today's Dec. Dis. All Other Oncores 79.0 %	45 and over		5 and over 72 Deaths

Fig. 59.—Proportionate mortality from tuberculosis of lungs and from other respiratory diseases in trades exposed to vegetable dusts. (Industrial experience of the Prudential Insurance Company of America.)