M0005932: Nitrous oxide gas apparatus, from Coxeter: Catalogue of Surgical Instruments and Aparatus (1870) / M0005933: Nitrous oxide gas apparatus, from Coxeter: Catalogue of Surgical Instruments and Aparatus (1870)

Publication/Creation

12 December 1938

Persistent URL

https://wellcomecollection.org/works/ykp4m822

License and attribution


Wellcome Library; GB.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



NITROUS OXIDE GAS AND APPARATUS (continued).

Set of three face-pieces and CL	over's	two-v	vay st	op-	£	s .	d.
cock, the metal parts strongly	gilt ins	side an	d out,				
case, complete					5	10	0
CLOVER's two-way stopcock					0	10	6
Vulcanite mouth-props, set of six					0	6	0
CLOVER'S spring mouth-props, set		e			0	12	0




Fig. 227.

MACADAM's improved mouth-props, set of three (Fig. 227) 0 18 0

These mouth-props are made of vulcanite, with soft indiarubber pads for the teeth, and springs (as CLOVER'S) to prevent their falling out of the mouth while using; the handle is employed for placing the prop in the mouth.

Red india-rubber gasometer tubing, $\frac{7}{8}$ -in per foot	0	2	0
Gasometer, 15-gallon, with screw unions, complete, for			
liquid gas-vessel and large tubing	5	0	0
Wash-leather covers for face-pieces of sizes per doz.	0	3	0
Indianette bag, holding 36 gallons, with wood mounts	1	10	0
Empty vessels for liquid gas can be exchanged for filled ones a of 3d. per gallon.	t tł	1e ra	ite