

'Allenburys' pastilles / [Allen & Hanburys Ltd.].

Contributors

Allen & Hanburys

Publication/Creation

[London] : [Allen & Hanburys], [1925?]

Persistent URL

<https://wellcomecollection.org/works/kvh9eh57>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Allenburg's Pastilles



Alfred Castles

MADE IN
ENGLAND
W. D. LINDSAY

Allenburg's Pastilles


TRADE MARK
A.D. 1715.

Handwritten title in cursive script, likely "The Wellcome Library" or similar, embossed on the cover.

WELLCOME
LIBRARY
pam
QV 26
1 9 2 5
A 429

WELLCOME LIBRARY
FOLIO 100
100



22501441231

To the Medical Profession.

'Allenburys' Pastilles

*The Criterion of Excellence
throughout the World*



THE use of pastilles in the treatment of affections of the mouth and throat, and to some extent of the bronchi, is so effective and convenient that its popularity is easily understood. It is generally conceded that the 'Allenburys' Pastilles are the standard, and their world-wide reputation for general excellence is based upon actual experience now extending over nearly half a century. From the outset the endeavour has been to achieve a standard which would satisfy the most critical, and to this end no effort has been spared towards perfecting every detail of manufacture. The success of this policy is reflected in the satisfaction experienced and repeatedly expressed by both physicians and the general public.

In the manufacture of 'Allenburys' Pastilles all raw materials used are subjected to careful examination and analysis to ensure purity and the finest quality.

Manufacture is carried out under scientific control by experienced workers, especially skilled in the art of pastille-making and equipped with the best possible plant and machinery. The whole of the manufacture and packing is done by hygienic methods and in scrupulously clean conditions.

The 'Allenburys' Pastilles are issued in a variety of fruit flavours, the most popular of which are the Glycerin and Black Currant and the Glycerin. There is also a most comprehensive series of Medicated Pastilles the formulæ for which embody the experience of members of the Medical Profession over many years ; the list is revised from time to time and improvements made in accordance with the latest knowledge.



The 'Allenburys' Glycerin and Black Currant Pastilles

AND

Glycerin Pastilles

Delicate in flavour and efficient in use.

The 'Allenburys' Glycerin and Black Currant Pastilles are manufactured from pure glycerin and the fresh juice of ripe black currants by a special process which ensures that the full value and flavour are retained. They are demulcent, dissolve slowly and uniformly and have a delicious flavour. In many of the minor ailments of the throat causing irritation, and in overstrain, these pastilles are both efficient and pleasing in use and have the advantage that they may be taken *ad libitum* without causing any harmful effect or becoming distasteful. They assist oral hygiene and by clearing the throat restore power and resonance to the voice. On this account singers and public speakers find them particularly useful. They are also used with advantage by smokers to allay irritation of the throat and to correct the dry sensation in the mouth, caused by excessive smoking or due to a natural deficiency in the secretion of saliva.

The 'Allenburys' Glycerin Pastilles have a delicate orange-flower flavour which is preferred by some to the acidulous taste of black currant. They also are useful as a simple demulcent for the mouth and throat.

Packed in tin boxes containing 2 oz., 4 oz., 8 oz., and 1 lb.

In ordering, the Trade Mark Name 'Allenburys' should be used,

The 'Allenburys' Medicated Pastilles

*Used principally in
Throat and Mouth Therapy.*

The 'Allenburys' Medicated Pastilles are a comprehensive series suitable for oral, naso-pharyngeal and bronchial medication. The basis used is of special composition serving as an admirable vehicle for the administration of medicaments. The Pastilles are indeed virtually solidified solutions or emulsions presenting the medicaments in the finest possible state of division and in the most suitable medium; they are demulcent, soluble and palatable, and contain accurate amounts of the active ingredients. Dissolving slowly and uniformly in the mouth, and forming a solution colloidal in character, they ensure a prolonged and thorough suffusion of the active principles over the mucous membranes of the mouth and throat. Many varieties of the 'Allenburys' Pastilles, containing as they do, analgesics, expectorants, and other classes of drugs, may be employed with benefit not only for their local effects on the mouth and throat, but also as a convenient and effective means of administering the active ingredients for their therapeutic action on the system generally.

For the convenience of prescribers there is tabulated on the following pages a complete list of the 'Allenburys' Medicated Pastilles showing the composition of each variety together with some of the more common mouth and throat affections in which it is generally employed; other important uses will probably suggest themselves to the physician.

The 'Allenburys' Medicated Pastilles are packed in original decorated tin boxes containing 3 ozs., 8 ozs. and 1 lb. respectively. Supplies may be obtained from all pharmacies.

In ordering, the Trade Mark Name 'Allenburys' should be used.

The 'Allenburys'

Medicated Pastilles

With some suggestions for their use in
Mouth, Throat and Other Affections.

Pastilles marked ★ come within the provisions of the Dangerous Drugs Act, 1920 and 1923, and may only be sold in accordance with the Regulations. Those marked † come within the provisions of the Dangerous Drug Act, 1925 which is not yet in force but may come into operation at any date appointed by Order in Council.

List No.	Name and Composition	Suggested Uses
1—	Morphine Morph. Sulph., $\frac{1}{40}$ gr.	Pharyngitis, Painful Conditions of Mouth and Throat
2—	Ipecacuanha $\frac{1}{4}$ gr. in each.	Tracheitis, Bronchitis and Cough
3—	Morphine and Ipecacuanha Morph. Sulph., $\frac{1}{40}$ gr. Ipecac., $\frac{1}{4}$ gr.	Coughs, Croup, Whooping Cough, Acute and Chronic Bronchitis
4—	Expectorant Morph. Sulph., $\frac{1}{40}$ gr. Ipecac., $\frac{1}{4}$ gr. Squill, $\frac{1}{2}$ gr., etc.	Bronchitis, Cough, Tracheitis, Laryngitis
7—	Camphorated Voice Benzoic Acid, $\frac{1}{2}$ gr. Camphor, $\frac{1}{4}$ gr. Oil of Cubebs, $\frac{1}{2}$ min.	Bronchitis, Cough, Laryngitis
9—	Menthol, Cocaine and Red Gum Menthol, $\frac{1}{20}$ gr. Cocaine Hydrochlor., $\frac{1}{40}$ gr. Red Gum, 2 grs.	Diphtheria, Laryngitis (for pain), Stomatitis, Tonsillitis
★9a—	Menthol, Cocaine and Red Gum Menthol, $\frac{1}{20}$ gr. Cocaine Hydrochlor., $\frac{1}{40}$ gr. Red Gum, 2 grs.	Diphtheria, Laryngitis (for pain), Stomatitis, Tonsillitis
10—	Benzoated Voice Benzoic Acid, $\frac{1}{2}$ gr. Camphor, $\frac{1}{4}$ gr. Oil of Aniseed, etc.	Chronic Bronchitis, Laryngitis, Granular Pharyngitis, Phthisis

List No.	Name and Composition	Suggested Uses
11—	Chlorate of Potash Potassium Chlorate, 1 gr. in each	Aphthous Conditions, Stomatitis, Tonsillitis
12—	Menthol, Eucalyptus and Red Gum Menthol, $\frac{1}{8}$ gr. Oil of Eucalyptus, $\frac{1}{2}$ min. Red Gum, 2 grs.	Pharyngitis (Relaxed Throat), Tonsillitis
13—	Rhatany Ext. of Rhatany, 2 grs. in each.	Inflamed Gums, Stomatitis, Sore Throat, Tonsillitis
14—	Tannin $\frac{1}{2}$ gr. in each	Tonsillitis, Pharyngitis
15—	Carbolic Acid $\frac{1}{2}$ min. in each	Pyorrhœa (as an antiseptic), Ton- sillitis
16—	Bromide of Ammonium 1 gr. in each.	Asthma, Laryngitis, Pharyngitis, Whooping Cough
17—	Chlorate of Potash and Borax 1 gr. of each	Gouty Pharyngitis, Measles (Catarrh and Cough) Stomatitis, Tonsillitis
18—	Borax 2 grs. in each	Aphthous Conditions, Stomatitis, Pharyngitis, Laryngitis
19—	Chloride of Ammonium 2 grs. in each	Bronchitis, Catarrh
20—	Guaiacum 2 grs. in each	Post-nasal Catarrh, Gouty Pharyn- gitis, Tonsillitis
22—	Red Gum 2 grs. in each	Post-nasal Catarrh, Relaxed Throat
23—	Eucalyptus Red Gum, 1 gr. Oil of Eucalyptus, $\frac{1}{2}$ min.	Bronchial Catarrh, Catarrhal Colds with Sore Throat, Influenza
24—	Cocaine Cocaine Hydrochlor., $\frac{1}{40}$ gr. in each	Asthma, Pharyngitis, Laryngitis, Painful Conditions of Mouth and Throat
★24a—	Cocaine Cocaine Hydrochlor., $\frac{1}{20}$ gr. in each	Asthma, Pharyngitis, Laryngitis, Painful Conditions of Mouth and Throat
★24b—	Cocaine Cocaine Hydrochlor., $\frac{1}{10}$ gr. in each	Asthma, Pharyngitis, Laryngitis, Painful Conditions of Mouth and Throat

List No.	Name and Composition	Suggested Uses
25—	Sedative and Astringent Morph. Sulph., $\frac{1}{40}$ gr. Red Gum, 2 grs.	Laryngitis, Scarlet Fever (Painful Edema)
26—	Codeine $\frac{1}{2}$ gr. in each	Tuberculous Pharyngitis
27—	Compound Eucalyptus Red Gum, $\frac{3}{4}$ gr. Potass. Chlorate, 2 grs. Ext. of Cubebs, $\frac{1}{2}$ gr.	Bronchitis, Tracheitis, Cough
28—	Compound Guaiacum Guaiacum, 1 gr. Potass. Chlorate, 2 grs. Red Gum, $\frac{3}{4}$ gr.	Gouty Pharyngitis, Post-nasal Catarrh
29—	Rhatany and Cocaine Ext. of Rhatany, 2 grs. Cocaine Hydrochlor., $\frac{1}{40}$ gr.	Granular Pharyngitis, Scarlet Fever (Painful Edema), Relaxed Sore Throat
★29a—	Rhatany and Cocaine Ext. of Rhatany, 2 grs. Cocaine Hydrochlor., $\frac{1}{20}$ gr.	Granular Pharyngitis, Scarlet Fever (Painful Edema), Relaxed Sore Throat
★29b—	Rhatany and Cocaine Ext. of Rhatany, 2 grs. Cocaine Hydrochlor., $\frac{1}{10}$ gr.	Granular Pharyngitis, Scarlet Fever (Painful Edema) Relaxed Sore Throat
31—	Red Gum and Cocaine Red Gum, 2 grs. Cocaine Hydrochlor., $\frac{1}{40}$ gr.	Bronchitis, Cough, Tracheitis
32—	Red Gum and Chlorate of Potash Red Gum, 2 grs. Potass. Chlorate, 1 gr.	Relaxed Sore Throat, Scarlet Fever (Mild Throat) Stomatitis, Tonsillitis
34—	Terebene 2 mins. in each	Gouty Pharyngitis, Laryngitis, Bronchitis, Winter Cough, Phthisis
36—	Pumilio Pine 1 min. in each	Pharyngitis, Bronchitis, Laryngitis
37—	Lettuce and Borax Ext. of Lettuce, $\frac{1}{2}$ gr. Borax, 2 grs.	Chronic Pharyngitis, Irritable Cough
38—	Chlorate of Potash Borax and Cocaine Potass. Chlorate, 2 grs. Borax, 1 gr. Cocaine Hydrochlor., $\frac{1}{40}$ gr.	Granular Pharyngitis, Tonsillitis, Stomatitis

List No.	Name and Composition	Suggested Uses
41—	Eucalyptus Oil $\frac{1}{2}$ min. in each	Influenza, Cough, Bronchitis
43—	Menthol $\frac{1}{20}$ gr. in each	Nasal Catarrh, Tonsillitis
43a—	Menthol $\frac{1}{10}$ gr. in each	Nasal Catarrh, Tonsillitis
44—	Menthol and Cocaine Menthol, $\frac{1}{20}$ gr. Cocaine Hydrochlor., $\frac{1}{40}$ gr.	Laryngitis (for pain), Pharyngitis (Catarrhal) and Post-Nasal Catarrh
*44a—	Menthol and Cocaine Menthol, $\frac{1}{20}$ gr. Cocaine Hydrochlor., $\frac{1}{20}$ gr.	Laryngitis (for pain), Pharyngitis (Catarrhal) and Post Nasal Catarrh
45—	Menthol and Rhatany Menthol, $\frac{1}{20}$ gr. Ext. of Rhatany, 2 grs.	Nasal Catarrh, Sore Throat
46—	Menthol and Bromide of Ammonium Menthol, $\frac{1}{20}$ gr. Bromide of Ammonium, 1 gr.	Erysipelas, Granular Pharyngitis
47—	Alum and Tannin 1 gr. of each	Tonsillitis, Stomatitis, Pharyngitis
48—	Tannin, Cayenne and Black Currant Tannin, $\frac{1}{2}$ gr. in each	Bronchitis, Cough, Tracheitis, Post-nasal Catarrh
49—	Guaiaicum and Menthol Guaiaicum, 2 grs. Menthol, $\frac{1}{20}$ gr.	Pharyngitis, Tonsillitis
50—	Menthol and Codeine Menthol, $\frac{1}{20}$ gr. Codeine, $\frac{1}{8}$ gr.	Granular Pharyngitis, Tonsillitis
52—	Tannin and Black Currant Tannin, $\frac{1}{2}$ gr. in each	Pharyngitis, Scarlet Fever (Mild Throat)
54—	Menthol & Eucalyptus Menthol, $\frac{1}{20}$ gr. Oil of Eucalyptus, $\frac{1}{2}$ min.	Laryngitis (for pain), Pharyngitis (Catarrhal), Post-nasal Catarrh and Bronchitis
55—	Antiseptic Menthol, $\frac{1}{20}$ gr. Thymol, $\frac{1}{20}$ gr. Oil of Eucalyptus, $\frac{1}{20}$ min. Benzoate of Soda, $\frac{1}{2}$ gr. Borax, $\frac{1}{8}$ gr.	Diphtheria, Pyorrhœa (as anti- septic), Laryngitis, Pharyngitis, Stomatitis, Tonsillitis

List No.	Name and Composition	Suggested Uses
56—	Menthol, Eucalyptus and Cocaine Menthol, $\frac{1}{80}$ gr. Oil of Eucalyptus, $\frac{1}{2}$ min. Cocaine Hydrochlor., $\frac{1}{80}$ gr.	Chronic Bronchitis, Diphtheria, Tuberculous Pharyngitis
† 58—	Diamorphine Diamorphine Hydrochlor., $\frac{1}{80}$ gr.	Asthma, Bronchitis, Cough
★ 58a—	Diamorphine Diamorphine Hydrochlor., $\frac{1}{80}$ gr.	Asthma, Bronchitis, Cough
† 59—	Diamorphine and Terpin Diamorphine Hydrochlor., $\frac{1}{80}$ gr. Terpin Hydrate, $\frac{1}{2}$ gr.	Bronchitis, Cough
60—	Terpin and Menthol Terpin Hydrate, $\frac{1}{2}$ gr. Menthol, $\frac{1}{80}$ gr.	Laryngitis, Bronchitis
† 61—	Diamorphine and Menthol Diamorphine Hydrochlor., $\frac{1}{80}$ gr. Menthol, $\frac{1}{80}$ gr.	Laryngitis, Bronchitis
62—	Menthol, Rhatany and Cocaine Menthol, $\frac{1}{80}$ gr. Ext. of Rhatany, 2 grs. Cocaine Hydrochlor., $\frac{1}{80}$ gr.	Erysipelas, Sore Throat, Stomatitis
† 63—	Diamorphine and Cocaine Diamorphine Hydrochlor., $\frac{1}{80}$ gr. Cocaine Hydrochlor., $\frac{1}{80}$ gr.	Bronchitis, Cough, Tracheitis, Laryngitis
64—	Carbolic Acid and Cocaine Carbolic Acid, $\frac{1}{2}$ min. Cocaine Hydrochlor., $\frac{1}{80}$ gr.	Tonsillitis, Whooping Cough
65—	Carbolic Acid and Menthol Carbolic Acid, $\frac{1}{2}$ min. Menthol, $\frac{1}{80}$ gr.	Pyorrhœa (as antiseptic), Scarlet Fever (Gangrene)
66—	Menthol and Cinnamon Menthol, $\frac{1}{80}$ gr. Oil of Cinnamon, $\frac{1}{2}$ min.	Influenza, Laryngitis

List No.	Name and Composition	Suggested Uses
66a—	Menthol and Cinnamon Menthol, $\frac{1}{10}$ gr. Oil of Cinnamon, $\frac{1}{2}$ min.	Influenza, Laryngitis
† 67—	Compound Diamorphine Diamorphine Hydrochlor., $\frac{1}{40}$ gr. Ipecac., $\frac{1}{10}$ gr. Squill, $\frac{1}{10}$ gr. Bals. of Tolu, 1 gr.	Measles (Cough), Laryngitis, Pharyngitis, Whooping Cough
68—	Terebene and Eucalyptus Terebene, 2 mins. Oil of Eucalyptus, $\frac{1}{2}$ min.	Influenza, Bronchial Catarrh, Cough
69—	Terebene, Eucalyptus and Cocaine Terebene, 2 mins. Oil of Eucalyptus, $\frac{1}{2}$ min. Cocaine Hydrochlor., $\frac{1}{40}$ gr.	Influenza, Pharyngitis, Laryngitis
70—	Eucalyptus and Cocaine Oil of Eucalyptus, $\frac{1}{2}$ min. Cocaine Hydrochlor., $\frac{1}{40}$ gr.	Influenza, Catarrhal Colds with Sore Throat
71—	Antiseptic Liquorice Menthol, Benzoic Acid, Oil of Eucalyptus, aa. $\frac{1}{80}$ gr. Thymol, $\frac{1}{120}$ gr. Bromide of Ammon., $\frac{1}{2}$ gr. Ext. of Liq., 5 grs.	Throat Affections (with Bronchitis, Tracheitis and Cough), Winter Cough
72—	Chloride of Ammonium Chloride of Ammon., 2 grs. Menthol, $\frac{1}{20}$ gr.	Laryngitis, Post Nasal Catarrh
73—	Apomorphine and Codeine Apomorphine Hydrochlor., $\frac{1}{32}$ gr. Codeine, $\frac{1}{10}$ gr.	Tuberculous Laryngitis
† 74—	Comp. Diamorphine and Glycyrrhizin Diamorphine Hydrochlor., $\frac{1}{32}$ gr. Glycyrrh. Ammon., $\frac{5}{16}$ gr. Oil of Pumilio Pine, $\frac{1}{2}$ min.	Bronchitis, Tracheitis, Cough
75—	Formaldehyde and Menthol Formaldehyde, 1 min. Menthol, $\frac{1}{40}$ gr.	Diphtheria, Influenza, Pyorrhœa (as antiseptic), Laryngitis, Stomatitis, Tonsillitis

List No.	Name and Composition	Suggested Uses
76— Laxative	Phenolphthalein, 1 gr.	Purgative (suitable for delicate persons and in pregnancy)
77— Formaldehyde and Cinnamon Oil	Formaldehyde, 1 min. Oil of Cinnamon, $\frac{1}{2}$ min.	Diphtheria, Influenza, Pyorrhœa (as antiseptic), Tonsillitis, Stomatitis
78— Chlorate of Potash, Menthol, Cocaine and Borax	Potass. Chlorate, 1 gr. Menthol, $\frac{3}{8}$ gr. Cocaine Hydrochlor., $\frac{1}{8}$ gr. Borax, $\frac{1}{2}$ gr.	Aphthæ, Granular Pharyngitis, Ulcerative Stomatitis
† 79— Chloride of Ammonium, Diamorphine and Glycyrrhizin	Chloride of Ammonium, 2 grs. Diamorphine Hydrochlor., $\frac{1}{8}$ gr. Glycyrrh. Ammon., 10 grs.	Post Nasal Catarrh, Pharyngitis, Laryngitis
80— Iodine Compound	Tincture of Iodine, $\frac{1}{4}$ min. Menthol, $\frac{3}{8}$ gr.	Diphtheria, Pharyngitis, Pyorrhœa (as antiseptic), Stomatitis, Tonsillitis
81— Red Gum, Terebene and Cocaine	Red Gum, 2 grs. Terebene, 2 minims Cocaine Hydrochlor., $\frac{1}{8}$ gr.	Diphtheria, Influenza, Laryngitis, Pharyngitis, Tonsillitis



Allen & Hanburys Ltd.

LONDON

7 Vere Street, W.1.

37 Lombard Street, E.C.3.

Address for Orders: BETHNAL GREEN, E.2.

Telephone :
Bishopsgate 1122 (six lines).

Telegraphic Address :
"Greenburys Edo London."

Allen & Hanburys Ltd.

LONDON

Branches :

- ARGENTINE**—Allen & Hanburys (S. America) Ltd., Avenida Presidente
Julio A. Roca No. 582 (Diagonal Sud), BUENOS AIRES
- AUSTRALIA**—Allen & Hanburys (Australasia) Ltd., 13 Market Street, SYDNEY
- BELGIUM**—Mr. A. G. Campbell, 39 Grand'Place, BRUSSELS
- BRAZIL**—Allen & Hanburys (S. America) Ltd. Rua 1º de Marco 33, 2º Andar,
RIO DE JANEIRO
- CANADA**—The Allen & Hanburys Co. Ltd., 66 Gerrard Street East, TORONTO
- CHINA**—Allen & Hanburys Ltd., 40 Canton Road, SHANGHAI
- INDIA**—Mr. A. H. P. JENNINGS, Block E, 2nd Floor, Clive Buildings, CALCUTTA
- SOUTH AFRICA**—Allen & Hanburys (Africa) Ltd., 411 Smith Street DURBAN

Agencies :

- ARABIA**—The Eastern & General Syndicate Ltd., English Chemists,
Steamer Point, ADEN
- AUSTRIA**—G. & R. Fritz-Pezoldt & Suss, Braunerstrasse 5, VIENNA. I
Internationale Apotheke F. Wisinger, Karntner-Ring Nr. 17, VIENNA. I
- BERMUDA**—The Bermuda Drug Co., HAMILTON
- CHILI**—Messrs. Tusche & Co., Calle Blanco, 1189, VALPARAISO
- EGYPT**—The Egyptian & British Trading Co.,
Corner Sharia Maghraby & Emad-el-Din, CAIRO
- FRANCE**—Mr. A. Guerlin, 10 Boulevard Jacquard, CALAIS
Messrs. Reilly & Co., 6/8, Rue Niepce, NICE
Pharmacie Anglaise des Champs Elysées, 62 Avenue des Champs Elysées,
Messrs. Scott & Co., 3 Rue du Mont Thabor, PARIS PARIS
- GREECE**—Mr. Emm. J. Douras, Veranzerou 12a, ATHENS
- IRAQ**—E. S. Toeg, BAGHDAD
- ITALY**—Messrs. L. Manetti—H. Roberts & Co., Via Carlo Pisacane, FLORENCE
40 Via Moscova, MILAN
21/2 Via Vittoria, NAPLES
417/18 Corso Umberto 1, ROME
- KENYA**—Messrs. House & McGeorge, NAIROBI
- MADEIRA IS.**—Messrs. Rodrigues, Irmãos & Co., FUNCHAL
- MALTA**—Messrs. Collis & Williams, MALTA
- NEWFOUNDLAND**—Grand Falls Drug Stores, GRAND FALLS
G. Knowling, ST. JOHNS
- NEW ZEALAND**—Messrs. Sharland & Co., Ltd., Lorne Street, AUCKLAND
Dixon Street, WELLINGTON
- PERU**—Mr. Federico Fernandini, Calle Rifa 375, LIMA
- PORTUGAL**—Coll Taylor & Co., Ltda., Rua dos Douradores 29, 1º, LISBON
- SPAIN**—Messrs. Roura & Co., Paseo Colón 4, BARCELONA
- FEDERATED MALAY STATES**—Messrs. Maynard & Co.,
Battery Road, SINGAPORE
- SUDAN**—Mr. G. N. Morhig, English Pharmacy, KHARTOUM
- SYRIA**—Mr. B. M. Baroody, BEYROUT
- TURKEY**—Mr. Thomas C. Tucker, P.O. Box No. 215, Galata, CONSTANTINOPLE
- UNITED STATES**—Messrs. Fougere & Co., 90½ Beekman St., NEW YORK CITY
- WEST INDIES**—Messrs. Knights Ltd., 33 Broad Street, Bridgetown, BARBADOS
Messrs. Hidalgos Drug Store, 6 West Queen Street, Kingston,
JAMAICA
Mr. A. L. Innis, Prince Street, Port-of-Spain, TRINIDAD





It