

Practical observations on insanity ; in which some suggestions are offered towards and improved mode of treating diseases of the mind, and some rules proposed which it is hoped may lead to a more humane and successful method of cure: to which are subjoined, remarks on medical jurisprudence as connected with diseased intellect / By Joseph Mason Cox, M.D.

Contributors

Cox, Joseph Mason, 1762-1822.
Francis A. Countway Library of Medicine

Publication/Creation

London : Printed for C. and R. Baldwin, and J. Murray, 1806.

Persistent URL

<https://wellcomecollection.org/works/w7gdnmef>

License and attribution

This material has been provided by This material has been provided by the Francis A. Countway Library of Medicine, through the Medical Heritage Library. The original may be consulted at the Francis A. Countway Library of Medicine, Harvard Medical School. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



BY-LAWS RELATIVE TO TAKING BOOKS FROM THE
BOSTON ATHENÆUM.

I. PROPRIETORS of Shares and Life Share holders, by paying an annual assessment of *five dollars*, shall have a right to take out books from the Athenæum. Also, such subscribers to the Scientific Library as have already complied with the conditions of the transfer of that library to the Athenæum, and paid the first assessment, shall by paying an annual assessment of *ten dollars*, have the right to take out Books in the same manner as the Proprietors; provided, however, that this right shall cease upon failure to pay this annual assessment, and that no person shall have a right to take out any Book till assessments and other dues are paid.

II. Any person entitled to take out Books under the last article, may have at any one time, three Volumes.

III. Books may be kept out of the library one calendar month, and no longer, and every person shall be subjected to a fine of twenty cents a week for every volume retained beyond that time.

IV. Every book shall be returned in good order, regard being had to the necessary wear of the book, with good usage. And if any book shall be lost or injured, the person to whom it stands charged shall replace it by a new volume or set, if it belonged to a set, or pay the current price of the volume or set to the librarian; and thereupon, the remainder of the set if the volume belonged to a set, shall be delivered to the person so paying for the same.

V. All books shall be returned to the library for examination on the second Wednesday of May annually, and remain one fortnight. And every person then having one or more books, and neglecting to return the same, as herein required, shall forfeit and pay a fine of one dollar.

VI. When a written request shall be left with the librarian for a particular book then out, it shall be the duty of the librarian to retain the same, for the person requesting it, for one day after it shall be first returned.


VII. The librarian will attend, for the delivery and return of books, from noon till two o'clock, every day, Sundays excepted.


VIII. The Trustees may, on special occasions, permit any person to use the Books belonging to the Athenæum, under such restrictions as they may think proper to impose.

IX. Very rare or costly Books, which cannot easily be replaced, are not to be taken from the Athenæum, except by a vote of the Trustees; and the new periodical Publications and new Works imported from Europe, shall be withheld from circulation, so long as the Trustees may deem expedient.

N. B. Persons sending for Books are requested to make a *written* order for them, and mark in it the *number* of the shelf and the *first* words of the titles as they stand in the printed catalogue.

BOSTON MEDICAL LIBRARY
in the Francis A. Countway
Library of Medicine ~ *Boston*





1000

PRACTICAL OBSERVATIONS

ON

INSANITY;

*In which some Suggestions are offered towards an improved
Mode of treating Diseases of the Mind,*

AND

*Some Rules proposed which it is hoped may lead to a more
Humane and successful Method of Cure:*

To which are subjoined,

REMARKS ON MEDICAL JURISPRUDENCE

AS CONNECTED WITH

DISEASED INTELLECT.

BY JOSEPH MASON COX, M.D.

THE SECOND EDITION,

CORRECTED AND GREATLY ENLARGED,

London:

PRINTED FOR C. AND R. BALDWIN, NEW BRIDGE-STREET;
AND J. MURRAY, 32, FLEET-STREET,

1806.

PRACTICAL OBSERVATIONS

ON

INSANITY

IN WHICH SOME SUGGESTIONS ARE OFFERED RELATIVE TO THE
MODE OF TREATING THE DISEASE OF THE MIND

AND

THE RULES PRESCRIBED WHICH IT IS THOUGHT WOULD LEAD TO A MORE
EFFICIENT AND SUCCESSFUL METHOD OF CURE

10746

REMARKS ON MEDICAL JURISPRUDENCE

AS CONNECTED WITH

DISEASED INTELLECT

BY JOSEPH MASON COX, M.D.

THE SECOND EDITION,

CONTAINING ADDITIONAL OBSERVATIONS

LONDON:

PRINTED FOR J. JOHNSON, NEW BURLINGTON-GATE, NEW BRIDGE-ROAD

AND T. AGNEW & SONS, PATERNOSTER-ROW

1806

ADVERTISEMENT.

THE Author of the following pages having devoted himself exclusively and assiduously, for a series of years, to the care and cure of maniacal patients, in an establishment where persons of both sexes are received, has had ample opportunity of comparing the effects produced by different modes of treatment, and flatters himself he has advanced some steps towards improvement in this particular department of medical practice.

Although the hints contained in these pages are derived from diligent observation, and an uninterrupted experience of many years, yet they are offered with a degree of diffidence which, it is hoped, will procure them a correspondent degree of candor and indulgence from the Public. The observations are accompanied with cases: these, while they seem to illustrate the different modes of treatment adopted in different forms of insanity, will, it is presumed, be found to exhibit many striking and important facts connected with the history of mental derangement.

Fishponds, near Bristol,
Nov. 1st, 1805.

ADVERTISEMENT.

THE author of the following paper having devoted himself exclusively and assiduously, for a series of years, to the cure and cure of mental patients, in an establishment where persons of both sexes are received, has had ample opportunity of comparing the effects produced by different modes of treatment, and thence himself he has advanced some steps towards improvement in this particular department of medical practice.

Although the hints contained in these pages are derived from clinical observation, and from the experience of the author, they are offered with a degree of diffidence which, it is hoped, will procure them a correspondent degree of candour and indulgence from the Public. The observations are accompanied by the cases: that, while they serve to illustrate the different modes of treatment adopted in different forms of insanity, still, it is presumed, be found to exhibit many striking and important facts connected with the history of mental derangement.

Paddington, near Bristol.
Nov. 1st. 1803.

PREFACE.

IF the possession of reason be the proud attribute of humanity, its diseases must be ranked among our greatest misfortunes, since they sink us from our pre-eminence to a level with the brutes. Most of our formidable maladies are rare, but insanity is unfortunately not only frequent but said to be peculiarly endemical to England; nor are we left to conjecture the causes. Early dissipation, unrestrained licentiousness, habitual luxury, inordinate taste for speculation, defective systems of education, laxity of morals; but more especially, promiscuous intermarriages, where one or both of the parties have hereditary claims to alienation of mind, are sufficient to explain the lamentable fact. Where few or none of these causes exist, madness is a rare occurrence or wholly unknown; hence it appears that one of

our greatest infelicities arises from increased civilization and a more refined state of society.*

The ample experience thus furnished by the frequency of occurrence might, a priori, be supposed to enable medical men to reduce the relief of mental diseases to a systematic certainty; but unhappily, this is so far from being the case, that we seem to have lost what our ancestors knew,†

* The report of our most respectable travellers and well authenticated history confirm this position. Diseases of the intellect never occur among the Indians. The Africans also are said to be free from them, both in their native country and when in a state of slavery. May not this exemption be owing to the absence of that sickly sensibility which so generally accompanies luxury and ease? It is certain they are subject to most diseases which attack Europeans, besides a number peculiar to themselves: and are exposed to the action of the usual predisposing and exciting causes of insanity.

† Pliny in his Lib. 25, c. 5, p. 457, says, *Nigrum Helleborum purgat per inferna. Candidum autem vomitione, causas que morborum extrahit, quondam terribile, postea tam promiscuum, ut plerique studiorum gratia ad pervidenda acrius quæ commentabantur, sæpius sumptitaverint. Carneadem responsurum Zenonis Libris: Drusum apud nos constat hoc medicamento liberatum comitiali morbo in Anticyra Insula. Ibi enim tutissime sumitur, quoniam (ut diximus) Sesamoides admiscet.*

and either the famed production of Anticyra is degenerated, or we are ignorant of the proper mode of its cultivation, preparation, or exhibition.*

Horace, among other of the Latin Poets, refers to this celebrated plant as possessing the peculiar property of clearing the mental faculties, and particularly in his 2d Epistle, Lib. II. v. 136.

Hic ubi cognatorum opibus curisque reffectus
Expulit Ellebro morbum bilemque meraco
Et redit ad sese : Pol me occidistis, amici,
Non servastis ait ;——

Had the ancients been in possession of calomel and tartarised antimony, it is probable they would have preferred them to hellebore, for this celebrated root seems to have possessed no specific virtue, no antimaniacal property, but to have acted on the stomach and bowels like the former.

* See Lorry de Melancholia, Tom. 2, p. 201. Et certè quod historici est in curatione hujus morbi, eò majoris est ponderis, quòd forsan in artis dedecus fatendum sit, nos in sanatione hujus mali, *veteribus minus eruditos esse*. Constat enim non solum ex medicorum monumentis, sed ex Libris etiam qui ad artem non pertinent, omnes fere melancholicos, aut à melancholiâ maniacos per artem sanatos olim fuisse. Sed ne diutius in ejus natura investigandâ insudemus, facit gravissima Theophrasti autoritas qui eam helleborinem et nominat et describit, verum ex ejus descriptione dubium est

The human mind has furnished a most ample field for philosophic investigation ; but its nature, faculties, and properties, as well as its diseases are wrapt in such impenetrable obscurity, that the advantages gained have not been in proportion to the labour employed. Most medical writers, in detailing the morbid phenomena of the human mind, and the means of removing them, appear to have been more anxious to display their own ingenuity in the result of their abstruse speculations than to furnish the inquiring student with a plain practical manual, to direct his judgment in

an eadem sit planta cum illa quam nos sub eodem nomine noscimus etiam hodie. See Lorry, Tom. 2, pag. 291. With all due respect for Lorry, I cannot but conclude that a too great veneration for the ancients has induced him, without sufficient reason, to pay them a compliment at the expence of the moderns. Our medical forefathers were in the habit of confounding many distinct diseases under the head of mania ; some of which their system of evacuation was well calculated to remove. May not the more robust temperaments of their patients, in a disease not so complicated as it is in the present day, have contributed to their success? The nerve of an Ajax or Orestes must have contributed to form a very different system from that of some of the nervous puny class of patients of the present day.

the treatment of maniacal patients. To supply this desideratum, in some degree, is the principal object of the present work, in which all abstract reasoning is purposely avoided, the result of my own observation and experience stated, and an attempt made to point out a rational and successful method of treating diseases of the intellect. Much still remains to be effected, and I fear ever will, while our knowledge is so limited respecting the parts of the animal economy more immediately connected with the reasoning faculties. I would advise my brethren of the profession to adopt every mode calculated to improve the treatment of insanity, and experience has taught me, that nothing is more important and useful than a judicious, well conducted case book, in which the history of every maniac subjected to our care should be minutely detailed, every symptom and peculiarity accurately noticed, as well as the *methodus medendi*.

While we deplore the unsuccessful result of so many excellent investigations, established for the express purpose of increasing our knowledge of mental diseases, we have particularly to lament that those of our anatomists have been attended

with so little advantage.* We are not only disappointed, but have been furnished from this source with extraordinary and unaccountable facts, which might induce us to believe the brain in some instances had little to do with the intellect; thus the contents of the cranium of some madmen, and even idiots, have appeared on dissection free from disease, while the same parts in other individuals, who retained their intellectual faculties unimpaired to the last hour of existence, have been found universally diseased: and, indeed where certain peculiarities have been detected in and about the encephalon, it is impossible to determine whether they were the cause or effect of the disease. Infants have been born without

* Reasoning a priori it might have been expected that much useful information would have accrued from such researches. Both ancients and moderns have diligently investigated the brains of maniacs, and the celebrated Haller (See Halleri Elem. Physiolog. Lib. xvii. Sect. 1. Tom. 5. p. 571.) collected a great variety of histories of such dissections, hoping to procure some valuable information respecting the functions of the encephelon, from the appearance of its different parts after death, in subjects who had laboured under mental diseases during life, but he candidly acknowledges his disappointment.

brain,* and adults almost compleatly deprived of it by disease; the cranium of some animals has been found filled with bone, and that of others compleatly emptied of their contents, &c. yet the faculties said to depend on the integrity of this organ did not appear to suffer. From such singular facts we can account for some authors having assigned the seat of the soul to the stomach, plexus solaris, &c. but waving any discussion of such subjects, as being more curious than useful, I shall take it for granted that the brain and its emanation, the nervous system, are the parts most intimately connected with the intellect, and that some morbid changes of these exist in every case of insanity.

* See New Abridgment of the Philosophical Transactions, Vol. IV. p. 149, and p. 372.

brain,* and adults almost completely deprived of it by disease; the cranium of some animals has been found filled with bone, and that of others completely emptied of their contents, &c. yet the faculties said to depend on the integrity of this organ did not appear to suffer. From such singular facts we can account for some authors having assigned the seat of the soul to the stomach, plexus solaris, &c. but waving any discussion of such subjects, as being more curious than useful, I shall take it for granted that the brain and its emanation, the nervous system, are the parts most intimately connected with the intellect, and that some morbid changes of these exist in every case of insanity.

* See New Abridgement of the Philosophical Transactions,

Vol. IV. p. 140, and p. 272.

PRACTICAL OBSERVATIONS

ON

INSANITY, &c.

WITHOUT any laboured Introduction, I shall immediately proceed to the

HISTORY OF A MANIACAL ATTACK.

The approach of insanity is generally very gradual, at first only observable in a change of habits, disposition, taste, and pursuits, generally succeeded by hurried movements, a rapid succession of ideas, high spirits, acute sensibility, mental irritation, unusual suspicion, listening to fancied whispers or obscure noises, pride, impatience of controul, peevishness, restlessness, inordinate mirth or depression, (according to the temperament) occasional abstraction : dreams of the most grotesque and unnatural description deprive the patient of refreshing slumbers, and frequently whole nights

in succession are passed without sleep ; in some individuals, the mind is occupied by one impression, in others, agitated by an endless variety, sometimes the judgment is perverted, at others the imagination excited: the body also exhibits various accompanying peculiarities : the face is flushed or pallid, the eyes are prominent and animated, or sunk in the orbit and dull ; frequently the features are sharpened, so as to render the expression unnatural : in general, the muscular powers are increased, as is the capability of enduring cold, hunger, fatigue, and long watching ; at the same time the natural excretions, and particularly the alvine, become interrupted. The utmost irregularity of appetite and passions usually takes place, and this more or less increases till the disease is established, and there is an absolute necessity for restraining the patient.

Among the variety of maniacs met with in medical practice there is one which, though by no means rare, has been little noticed by writers on this subject : I refer to those cases in which the individuals perform most of the common duties of life with propriety, and some of them, indeed, with scrupulous exactness, who exhibit no strongly

marked features of either temperament, no traits of superior or defective mental endowment, but yet take violent antipathies, harbour unjust suspicions, indulge strong propensities, affect singularity in dress, gait, and phraseology; are proud, conceited and ostentatious; easily excited and with difficulty appeased; dead to sensibility, delicacy and refinement; obstinately rivetted to the most absurd opinions; prone to controversy and yet incapable of reasoning; always the hero of their own tale; using hyperbolic high-flown language to express the most simple ideas, accompanied by unnatural gesticulation, inordinate action, and frequently by the most alarming expression of countenance. On some occasions they suspect sinister intentions on the most trivial grounds, on others are a prey to fear and dread from the most ridiculous and imaginary sources; now embracing every opportunity of exhibiting romantic courage and feats of hardihood, then indulging themselves in all manner of excesses.

Persons of this description, to the casual observer, might appear actuated by a bad heart, but the experienced physician knows it is the head which is defective. They seem as if constantly

affected by a greater or less degree of stimulation from intoxicating liquors, while the expression of countenance furnishes an infallible proof of mental disease. If subjected to moral restraint or a medical regimen, they yield with reluctance to the means proposed, and generally refuse and resist on the ground, that such means are unnecessary where no disease exists; and when, by the system adopted, they are so far recovered as to be enabled to suppress the exhibition of the former peculiarities, and are again fit to be restored to society, the physician and those friends who put them under the physician's care, are generally ever after objects of enmity, and frequently of revenge.

When the peculiarities and propensities of such patients are in themselves innocent and only occasional, though they approach ever so near the confines of insanity, there is no necessity for restraint or confinement: but when the suspicious traits are of an opposite description, and only the occurrence of some exciting cause wanting to render such persons extremely dangerous, then coercion becomes indispensably necessary.

Insanity, more than any other complaint, seems to take entire possession of the whole system, and

almost secures it from other morbid attacks. Mead, (See his *Monita*, Page 72) I believe, was the first who made the observation, and no fact in medicine is more completely established. During the period of prevailing epidemics, maniacs, in their affliction, seem to possess nearly an immunity from these diseases; and where an exception to this rule has occurred, the original complaint has been removed by the attack of the new disease. From hence a degree of improvement has arisen in the *methodus medendi*, by the introduction of some new disease into the system of maniacs; as where the patient has not had the small-pox, this complaint may be communicated by inoculation. Indeed a variety of means might be adopted to excite a new order of symptoms, creating considerable commotion in the animal economy, interrupting the morbid associations, and even occasioning temporary disease; and it is highly probable that, in a great proportion of human diseases, health is restored by temporary morbid changes and new specific actions, and that medical men sometimes acquire credit from even the effects of their blunders: this applies to the whole class of empirics.

As connected with the History of Mania, it will be proper to notice some circumstances concerning the pulse : a variety of causes, both mental and corporeal, conspire to induce alterations in the circulation of the blood, and it is very difficult to determine what is a frequent pulse, this being a relative term, unless we were acquainted with the healthy standard in every individual, as the range is often very considerable ; in one man it shall be sixty, in another ninety.* But I would by no means convey an idea that the indications from this source are to be wholly neglected, but only that the minute attention to the pulse, which is necessary in other diseases, is not so in Mania. The difference of sex, stature, temperament, age, position, and temperature, as well as the state of the mind, are among the principal circumstances to which we must ascribe the variety exhibited in every disease.

Striking and obvious peculiarities in the pulse are never to be neglected, even in madness ; but where these exist without concomitant symptoms,

* " Nisi pulsus cujusvis hominis antea innotuerit ; ex solâ ejus frequentia, febris certo discerni nequit.

Burserii Inst. Med. Pract. Vol. I, p. 9.

we may suspect natural idiosyncrasy: for Dr. Falconer* met with a case, wherein the pulse did not exceed 40 in a minute, attended with numerous and evident symptoms of fever; and individuals in the highest health have had their pulse at 120 and 130, while that of others has been naturally full, low, or intermitting; and it is no uncommon occurrence to meet with patients who possess the power of accelerating or retarding the pulse by the operations of volition. In many chronic affections the pulse is but little to be depended on; but with patients labouring under mental affections, whether of the melancholic or maniacal description it is a peculiarity worthy of attention, which sometimes prevails, that the pulse generally differs in the radial and carotid arteries, and, when soft and weak in the former, is full and hard in the latter, though the number of pulsations in a minute be the same in both.

Though the face be emaciated and look pale, this is not a proof that there is no morbid determination towards the head; since, notwithstanding these appearances, we often find the most unequivocal

* See his Observations on the Pulse.

marks thereof, such as sense of fulness within the cranium, of heat about the scalp, acute sense of hearing, sensation of throbbing, imaginary noises, fancied whisperings, with a protruded eye, and a degree of ophthalmia.

Having described the premonitory and concomitant symptoms of a maniacal attack, it will next be proper to notice its duration and termination. These are far from being uniform in every subject of mental disease, and the difference arises from a variety of circumstances. In some maniacs there are very few intervals of calmness, in others the hallucination occurs only at stated or unequal periods. As the attack is often sudden, so is the cessation or remission.

When the disease advances gradually, and almost imperceptibly, so as to take complete possession of the patient before any attempts are made for its removal, it is frequently of long continuance. Where the causes are accidental, or obviously corporeal, the cure of the mental malady generally advances as the bodily health improves. Sometimes madness subsides into incurable melancholy, and frequently these two states alternate with each other, but the most hopeless sequela of

disordered intellect is Idiotism. However violent the symptoms during the existence of the disease, the mental powers seem seldom to suffer on its removal; and it frequently happens that the patient retains the most lively and accurate recollection of every circumstance that attended the very acmé of the paroxysm. I have often observed in examining patients, whether convalescent or during a lucid interval, that many of the unnatural, peculiar, extravagant acts, which accompany the mental derangement, seemed to have originated in, or arose from, impressions on the organ of hearing occasioning false perceptions. Fancied whispering and distant voices are frequent symptoms, and I think may, in some degree, be attributed to a morbid state of the auditory nerve, the proximity of the carotid arteries, and the redundant flow of blood to the head, in mania. Though mental diseases in general steal on the patient in the most gradual and almost imperceptible manner, yet they sometimes attack suddenly: in the former cases the causes are generally either obscure or purely mental, in the latter most commonly corporeal. In every case relapses are to be ex-

pected, and precautions used in order to prevent them.

OF THE REMOTE CAUSES.

These may be divided into predisponent, and exciting, or occasional ; but as there are several causes whose action, in producing insanity, is not confined to either of the above, but seems, by frequent repetition, not only to bring on the disease where the predisposition already exists, but also to form that peculiar state of the body, these may with propriety be ranked under either class, or form a distinct one of themselves.

The predisponent are either Connate or Acquired : and first of the connate. At the head of the list must be placed hereditary affections ; these often descend from sire to son, and are transmitted to successive generations. Certain temperaments have attended a whole progeny ; the same habits of thinking, reasoning, and expression, similarity of voice and gait, and a propensity to particular studies, have run through whole families. These facts being indisputable, parity of reasoning allows the possibility of predisposition

to diseases being hereditary, and this may with propriety be termed connate. It is hidden among the arcana of Nature, beyond the reach of human comprehension, on what these hereditary peculiarities depend, though various, and some very ingenious, explanations have been attempted. That certain improved states of the intellect take place uniformly in certain circumstances of the animal œconomy, as if the first depended on the last, seems evinced by what is observed in rickets, scrophula, mollities ossium, &c. where defect of conformation is compensated by mental acumen. There cannot be a more unequivocal proof that such connate predisposing causes exist, than that the same powers, acting on some individuals, produce no morbid change in the intellect, while in others predisposed, insanity uniformly follows their application. There is a connate predisposition, where certain peculiarities are exhibited, which mark men as *characters* who delight in oddity, in singularity of manner, modes of thinking and reasoning, such as often accompany the different temperaments when they are exquisitely marked, (See Darwin on Temperaments,) when extreme mobility of body and mind, or torpidity

of either, takes place. Diseases of the intellect have been observed to attack those individuals, on whom the impression of an agent is never in proportion to the degree of the acting power; who are much affected by trifles light as air, or remain unmoved amidst the most tremendous shocks. Persons thus predisposed should carefully avoid the exciting causes. Wherever singularity of natural temper is strikingly obvious, there exists a connate predisposition to insanity: this may be difficult of explanation, but it is reasonable to conclude that where such peculiarities exist, analogous states of the organs of intellect are present. These causes may arise from a certain structure of the primary moving powers of the nervous system, as where it results from hereditary taint; or be occasioned by the frequent or continued agency of causes tending to produce such peculiarity, such as habitual intoxication, protracted lucubrations, or the inordinate indulgence of any passion.

The connate predisposing causes may be either corporeal or mental, or the latter may depend on the former, and vice versa. Among the acquired predisposing causes we may reckon those induced

by habit. This has been, with propriety, termed a second nature ; its influence over some individuals is very extensive, and few are insensible to its agency. A late eccentric philosopher (See Darwin on Generation) has started a very singular idea on this subject, that habits of acting and feeling in parents are imparted to the new embryo at the time of its formation, and attend the soul into future life.

Whatever agitates the mind intensely, whatever occupies it exclusively, always hazards its faculties, inducing a state favourable to the attack of mental disease. Rivetted attention to one train of thought is a very frequent source of insanity ; the unhappy effects of this dangerous practice commence with the loss of volition, and an inability to abstract the mind from what so deeply occupies and interests it : the moment this inability to abstract the attention takes place, reason totters on her throne, and instead of retaining universal dominion, becomes a slave, and is influenced by every trifling impulse. It is a curious fact, that a peculiarity somewhat analogous attaches to the senses of hearing, sight, and feeling ; whatever has occupied either of them for a

considerable length of time will seem to be present long after it is dismissed : thus the sensation of gyration after sailing, and the perpetual recurrence of tunes.

A very fruitful source of acquired predisposition to diseases of the mind results from defective systems of education, as well as from the uncontrolled indulgence of certain tempers and dispositions, especially where these exhibit peculiarity bordering on the extreme, and are not subjected to wholesome restraint. Excessive venery, and the profuse and unnatural expenditure of the seminal fluid, may be enumerated among the acquired predisposing causes of insanity. However unable we may be to explain the action of inordinate sensual gratification, and of the baneful and detestable habit of Monkish seclusion, in producing those effects which occasion the predisposition in question, they are a most prolific source of diseased intellect, and often induce that species of madness which resists the most judicious curative attempts, so that both mind and body fall a sacrifice ; the first losing all its faculties in idiotism, and the last all its locomotive powers in palsy.

No habit, to which depraved human nature is prone, acquires such irresistible force by indulgence, and none entails more dreadful consequences on its votaries, whether we regard fame or fortune, health of body, or the faculties of the mind. From this lamentable habit, the finest forms and most transcendant mental endowments are frequently destroyed, and it is observed to have a direct tendency to increase that excess of circulation in the vessels of the brain, which I conceive to be so peculiarly calculated to produce insanity. In young plethoric subjects, the effects of these enervating indulgences on the mind are sometimes sudden, and exhibited by marks of high excitement, which generally subside into torpid melancholy without a lucid interval: or should the unhappy patient have occasional returns of reason, these only render him a prey to more acute feeling, to the reproaches of a guilty conscience, and excite the wish to terminate a miserable existence, and become his own executioner; as it is by no means unusual for the influence of this pernicious habit to terminate in suicide. The generality of such patients suffer excessively from violent pains in various parts, tormenting, tanta-

lizing desires, depressed spirits by day, and harassing dreams by night; the faculties of body and mind becoming gradually affected until they are ultimately destroyed.

It has been generally supposed that the influence of the heavenly bodies is connected with diseases of the mind, and that the periodical returns of their paroxysms are regulated by the moon, hence the term lunacy; but I am decidedly of opinion, after much attentive observation, that the moon possesses no such power: in some instances, the accessions of violence or of tranquillity have observed a degree of regularity, and it has happened that the first have taken place during the wane of the moon, and the latter in her increment; but this being only a casual coincidence, it cannot establish any law. I will not deny that some peculiar influence of the heavenly bodies may produce certain changes in the animal economy both in a state of health and disease, since the fact is established by the most respectable authority, (See Mead, Jackson, Lind, Cullen, Balfour, Grainger, &c.) especially as we frequently see persons of delicate constitutions becoming a sort of animated barometer, and cer-

tain crises uniformly taking place in some diseases ; but I never could discover any such power peculiarly connected with madness.

The idea of lunar influence in maniacal complaints was handed down to us by our forefathers, and is still very generally adopted. Celsus says, “ Cui caput infirmum est, is, si bene concoxerit, leniter perfricare id manibus suis debet, nunquam id si fieri potest veste velare, aut ad cutem tondere : utileque *lunam vitare*, maximeque ante ipsum *lunæ* solisque concursum. (See Cels. de Medicina, Cap. IV.)

Among the acquired predisponent causes may be reckoned that state of the mind and body which is induced by the intemperate use of spirituous or fermented liquors producing intoxication. Drunkenness seems more immediately to affect the intellectual faculties, and in proportion to the degree of excess the effects are more or less obvious and extensive. The circulation of blood about the head is considerably affected by drinking intoxicating liquors to excess, as appears by the protruded eye, the suffusion of face, and turgescence of vessels ; and thus a morbid state of distention

is induced, which I have supposed intimately connected with the proximate cause of insanity. The habit of intoxication has a direct tendency to enervate the body and destroy the mental powers, and it is a singular and lamentable fact, that in this instance the sins of the fathers are sometimes entailed on their innocent progeny, and drunken sires are frequently succeeded by insane children. The habitual application of this power to the system, like many others, not only induces a predisposition, but fresh indulgences may prove an exciting cause of mental disease.

External heat, especially when applied to the uncovered scalp, has induced a predisposition to insanity, and in some cases has proved an exciting cause, as in *coup de soleil*. Various peculiarities of structure, and original malconformation of the parts more immediately connected with the organs of intellect, have produced such states of the system as predispose to insanity.

Intense study, neglect of exercise, and a sedentary life have a similar tendency, as also certain chemical poisons.

We come now to consider the exciting or occasional causes. These two are either mental or

corporeal; and many of those which induce a predisposition to insanity may, in certain circumstances, prove exciting or occasional causes.

Both the depressing and exciting passions have proved occasional causes of mental diseases.

Perhaps it would not be far from a just conclusion, and might direct to the most successful mode of practice, were we to conclude that all those causes of insanity which we have termed mental, particularly the various passions, induce the disease in a similar way with intense thinking confined to one subject. Slight desultory contemplations leave transient impressions, but deep continued study exhausts both body and mind. It has been supposed, and perhaps justly, that all our thoughts, sensations, and intellectual exertions, are accompanied with correspondent motions; close and severe thinking has a direct tendency to weaken, confuse, and destroy the intellect. Our own feelings, the existing symptoms, and the appearances on dissection, tend to confirm the opinion, that these effects are produced by that change in the circulation about the head which uniformly attends the action of such causes. Thus the various passions according to

their nature, degree of action, and the subjects acted upon, prove the predisposing and exciting causes of insanity. Though the inspection of the brains of dead maniacs, has added but little to our knowledge of the various causes which induced the attendant symptoms, yet we know that very trifling ones, acting immediately on the organ of intellect, derange its functions; thus the pressure of a very minute exostosis from the inner table of the cranium, the distension of some of the finest vessels of the dura mater, and the extravasation of a very small quantity of water or blood on the superficies of the brain, have produced the utmost confusion of ideas.

I have found Religion and Love the most frequent among the exciting causes of madness: both may produce this dreadful effect by an intense and exclusive direction of the mind to one subject, by the action of opposing passions, such as hope and fear, or by rendering the sensibility morbidly acute; thus individuals, whose judgment is not proportionate to their feelings, are peculiarly liable to become insane from these sources.

It may appear strange that religion, the greatest

blessing bestowed by heaven on man, should ever prove a cause of one of his severest calamities.

I am well aware that very various and opposite opinions are entertained on the subject of religion as the exciting cause of mental diseases; but many an unhappy instance has occurred in my practice, where the ignorant or injudicious zeal of Preachers has induced hypochondriasis, insanity of the most incurable species, and moping melancholy, often terminated by suicide.* Professors of this description, with the very best intentions, too frequently make no allowance for the peculiarities of natural disposition, and impute to serious conviction and celestial influence what more properly belongs to incipient disease; but while symptoms of insanity are sometimes mistaken for serious impressions, real religion is too often considered as an unequivocal mark of mental derangement, simply because those, who thus decide,

* It has been hinted by some of the Author's Friends, whose opinion he highly respects, that the singling out the conscientious exertions of any class of Christian Ministers as exciting causes of insanity is objectionable, and calculated to cast an oblique reflection upon religion, than which nothing could be farther from his intention.

possess no sympathy with such feelings; as Festus said to Paul, thou art beside thyself, much learning doth make thee mad, when he replied, I am not mad most noble Festus, but speak forth the words of truth and soberness.

Nothing is more calculated to depress hope, and induce despondency, than the indiscriminate practice of minutely describing, in the most glowing colours, the effects and consequences of sin, the horrors of hell, and the sufferings of the damned; dwelling more on the judgments than on the mercy and goodness of the Deity: inordinate fear acting on weak minds having a direct tendency to confuse the intellect.

I by no means wish to condemn any form of religious opinions, but only the manner of exhibiting them, for I am fully convinced that a very injudicious mode of enforcing and displaying truth may unite with real piety, and produce the effects I deplore. Cowper beautifully says,

True piety is chearful as the day,
Will weep indeed, and heave a pitying groan,
For others woes, but smile upon her own.

It is true that the chearful, though not the

benevolent, effect of religion is sometimes obscured and counteracted by the peculiarity of natural temperament, or the particular state of the mind, and thus it becomes a painful, anxious apprehension rather than a consolatory hope.

The hardened and impenitent, whose moral sense seems either depraved or annihilated, it must be admitted, require all that is terrific in description to produce any effect ; the most convincing arguments, the most energetic language are indispensably requisite to attract attention ; but still no address from the pulpit should present images of terror only, or be more calculated to excite fear and dread than hope and consolation ; but while describing the fatal consequences of sin, it should hold up to view the pleasures of piety, should contrast the joys of the righteous with the horrors of the wicked, and make it plainly appear to the conviction of the meanest capacity, that no one ought to despair, and that hope is admissible in every case.

Love, when directed to a proper object and regulated by reason, may be justly esteemed one of our most grateful and interesting passions ; but no one is so liable to vicissitudes and extremes,

takes more complete possession of the human heart, or has been productive of such prodigious effects; while history, ancient and modern, furnishes the most convincing proofs of its having been a frequent source of diseased intellect.

Disappointment, Jealousy, and particularly Seduction, as consequences of this passion, are too often the cause of insanity of the most deplorable species. In men, disappointed love may induce this effect by driving its victim to various kinds of dissipation, such as intoxication, excessive venereal gratifications, or solitary indulgences, which, debilitating both body and mind, have a direct tendency to produce mental diseases.

The corroding suspicion that constitutes the passion of jealousy is also a very common origin of madness, and unhappily its subjects are too frequently stimulated to the commission of the most atrocious crimes, the consciousness of which assists in the subversion of the rational faculties.

The detestable crime of Seduction is another very fertile source of insanity, its cruelty and criminality must strongly impress every heart in which humanity is not wholly obliterated. The common consequences of seduction are the fear

of discovery, consciousness of guilt, and the reproaches of the world. The female sufferer sinks to despondency while experiencing the neglect of the inhuman being in whom she confided: her tenderness is thrown back on her own heart, with no eye to pity, no ear to listen to her tale of woe. Can we wonder if women suffer the loss of reason in such distressing circumstances? Perhaps the most disinterested affection has been the original cause of their deviation from the path of virtue, and thus tenderness became the instrument of their ruin: for in proportion to the sensibility, consciousness of shame, and remaining virtue of the victim, may we apprehend the degree of morbid effect on the intellect. Sometimes the iniquitous seducer himself falls a sacrifice to his infamy, if he be not a practised villain; but unfortunately for the present age the crime is too common, and we more frequently meet with men glorying in their cruel success, than suffering from remorse. Perhaps I have already said too much on this subject, I will only add that several instances have come to my knowledge, in which it appeared, that the opposition of love and parental duty was the exciting cause of insanity.

This has most frequently occurred among females, whose love seems to possess more tenderness and less passion than that of the other sex.

The corporeal occasional causes of madness are as varied and numerous as the mental ; and, as was observed above, many of them, by their frequently repeated action on some systems induce a predisposition. Excessive venereal indulgences, intoxication, heat, previous fever, suppressed evacuations, repelled eruptions, old sores and drains dried up, injuries done to the head, profuse hæmorrhages, painful protracted parturition, tumours, and peculiarity of shape of the parts about the brain, are the principal among many other corporeal exciting causes of mental disease.

From the foregoing observations it will be easy to perceive that most of the causes enumerated, whether mental or corporeal, have a direct or indirect tendency to induce an increased circulation in and about the brain ; and though, as is observed in another part of the work, nature has guarded against an occasional or temporary circumstance of this kind, yet it seldom takes place to any considerable degree, or for any length of time, without prejudice to the intellectual faculties.

The effects of an increased force or unnatural quantity of blood sent to the head are sometimes wholly mental, at others solely corporeal. In the first instance they are marked by grotesque and incongruous catenations of thought, varying ad infinitum, while the senses of sight, hearing, and feeling are morbidly affected: transient clouds, floating insects, crimson flashes, &c. obscure vision; voices and noises harass the hearing; a sense of universal or partial formicatio, local or general contraction of the scalp, and the various muscles connected with it, as well as a great number of other fancied sensations, prove a morbid state of feeling, all of which catch the attention, and furnish a fruitful source of intellectual wandering, and this varies according to the intensity of impression, the constitution of the patient or the predominant passion. The corporeal effects of an inordinate determination towards the head are a suffusion of the face, accompanied by an increased dilatation of the pupils and eye-lids, while the vessels of the adnata are loaded with blood, and the whole orb protruded. In many cases there is a staring wildness or an increased brilliancy, with a contraction of the whole features,

giving an unnatural expression to the countenance not easily described. In a few instances, I have observed the retina almost insensible when no other symptom of anesthesia was present; and on submitting the pupils to a similar degree of light, they have contracted unequally. These are rare but ominous occurrences, and always render the prognosis unfavourable.

A thousand facts conspire to prove the remarkable reciprocity of action that subsists between the mind and body. A great variety of causes, both mental and corporeal, contribute to produce peculiarities of mind and manners which border closely on insanity.

Were I disposed to speculate on this interesting and curious part of my subject, I might remark, as a satisfactory proof, that certain important changes, being once introduced into a class of individuals, may be transmitted from father to son; the circumstance of all the different races of men descending from our first parents, whether we suppose them to have been white or black, exhibiting such a curious variety, whether we regard colour, shape, temper, constitution, &c. Hence it is obvious that certain physical causes

have conspired to produce these effects, which are uniformly propagated, though moral ones may at the same time be supposed to contribute somewhat to their production.

OF THE PROXIMATE CAUSE.

All inquiries respecting the proximate cause of mania are involved in such a cloud of obscurity that I forbear to enter upon a topic, on which I could offer nothing but vague conjecture and speculation. It is true that many have attempted to account for the production of insanity from the morbid appearances observed on dissection: but these appearances vary exceedingly in different cases; and even where they are the most marked and constant, they serve to denote the progress and ultimate effects, rather than the actual condition wherein the disorder consists. We only know, for certain, that, in the majority of maniacal persons that have been opened after death, more or less organic injury of the brain has been discovered, and that the said organic injury seems to be, for the most part, the consequence of an inordinate determination of blood

to the head, a fact of extreme importance in a curative point of view.

However difficult to explain what the mind is, how it acts on the body and is acted on by it, by what medium its volitions are conveyed and impressions received, and limited as our knowledge of it is, both in a healthy and diseased state, I am induced to believe that in every case of insanity, be the remote causes what they may, the proximate cause resides in the brain ; and that it consists in some morbid changes of the circulation of the blood, destroying that healthy state upon which the integrity of its functions depends; that there generally exists a degree of plethora about the heads of maniacs, and frequently when the other parts of the system are in a state of exhaustion and debility.

OF THE PROGNOSIS.

Authors agree that most cases of Insanity are curable in the earlier stages of the disease, and that the probability of recovery diminishes as the length of its duration increases. The chances of recovery are against those madmen who can trace their indisposition to a lunatic ancestry. When

the causes are accidental or obviously corporeal, a favourable termination may be expected. Where the subjects of hallucination vary, and the mind is not obstinately fixed on one topic, and where remissions and lucid intervals take place, hope may be indulged; as also in those cases where the natural disposition is not materially changed, and the mind can be easily diverted from the deranged train of thought, where a succession of ideas occupy the mind, and these are of a gay and interesting complexion. The insanity subsequent to parturition is generally curable, if the curative attempts be rational, which is not always the case.* Where the disease arises from religious enthusiasm, from the mind's being intensely impressed with tenets of the most pernicious tendency, the probability of cure is not flattering. Paralysis, hemiplegia, and diseases of this class supervening, may be reckoned among the unfavourable occurrences: in these cases the system is rendered insensible to the action of

* Car dans la manie, comme dans beaucoup d'autres maladies, si'l y a un art de bien administrer les medicamens, il y a un art encore plus grand de savoir quelquefois s'en passer. See Traité sur la Manie par Mons. Pinel.

medical agents, and the unhappy patient too frequently sinks into fatuity, a state which does not admit of even a ray of hope, and to which death itself is preferable. In every instance of insanity the prognosis must be doubtful; but I think it may generally be favourable where the action of the heart and arteries is preternaturally increased, though there be no other symptom of pyrexia; perhaps this circumstance often arises from debility, when bark and a generous diet restore reason. If the pulse continue perfectly natural, it is an unfavourable symptom, more so than if unnaturally slow, as in the latter case we may reasonably suspect some unequal pressure on the brain, not wholly out of the reach of remedies. What Celsus says of an acute disease may apply in forming a prognosis of madness; "*quo vetustior est longus autem, quo recentior eo facilius curatur.*" When the original cause of the disease is obscure or obviously mental, and where intense application has been directed to only one subject, such as love and religion, the prognosis will be dubious.

It may be esteemed a favourable circumstance when the countenance frequently exhibits changes

of expression, is now flushed and then pale ; and unfavourable when the patient, previous to his maniacal affection, shall have been subject to violent occasional or periodical pains in the head ; and especially if these have been confined to the region of the cerebellum. It seldom happens that insanity terminates fatally ; but this is always to be suspected when the symptoms of furor are incessant and excessive, and when all the means employed fail to produce any remission, as also when any violent unnatural motions of the head and eyes take place and continue for any length of time ; when the latter squint, are alternately opened and shut, look wild, staring, glassy, blood-shot, or suffused with tears, are not sensible to vivid rays of light thrown upon them ; when drastic remedies fail to produce any effect, and when rubefacients, blisters, and the most acrid sinapisms, neither vesicate the cuticle, nor even increase the heat or circulation about the parts to which they are applied. Those maniacs who are most susceptible of fear, as they are more easily managed, and with whom this passion can be medically employed, most frequently recover ; though, in fact, there are very few patients

of this description, who, with very little address, are not easily awed, as madmen are generally cowards. The more distant the peculiarities of the patient from his natural habits and disposition, the less hope of cure, and vice versa. Rich citizens who, from a bustling active course of life, retire into the country to enjoy the *otium cum dignitate*, frequently become hypochondriacal or mad, and are with difficulty cured. Though individuals of every temperament become insane; it has been observed that those of the sanguine more frequently recover.

OF THE DIAGNOSIS.

The distinction of insanity from other diseases, whether we view it as a medical or juridical question, is of the highest importance. *Prima facie* no difficulty would seem to exist, but experience proves the contrary; and where the most respectable opinions are in opposition, the greater caution and diligence are necessary to determine the point.

Among medical authors and nosologists, either the definition of fever is defective or that of insanity. *Delirium sine febre* (See Cullen,) is cer-

tainly not a proper definition of madness, since we so frequently meet with cases of mental alienation, in which the most unequivocal and obvious characteristics of pyrexia are present. It is not every slight perturbation of mind, or confusion of thought, that constitutes insanity, even where fever does not exist. As the features of mankind differ so do their mental peculiarities. Idiosyncrasies of mind exist as well as of body. In some exquisitely marked temperaments, the characteristic traits nearly approach those of diseased intellect, and it often requires the nicest discrimination to determine where the former end and the latter begin.

Madness is always to be considered as a chronic disease. It often exists without intermission for years, and yet has neither injured the system nor deranged any of its functions; other disorders, which in any degree resemble it, are, for the most part, acute. In some of the most prominent features, Delirium makes the nearest approaches to Madness, and marks of fever obtain in both. Delirium in every case is a symptom depending on previous acute disease. The best distinguishing marks arise from the different states

of the intellect when under the influence of the two diseases.

In delirium the patient is not conscious of surrounding objects, such as bed, chamber, &c. nor does he know his attendants, unless excited by some violent stimulus, and this consciousness is very transient, as he soon relapses into his former state; while the madman knows every thing about him, but reasons falsely and absurdly respecting them, and, as Dr. Darwin observes, (See Zoonomia) the voluntary powers of his mind are intensely exerted on some particular object of his desire or aversion; he harbours a suspicion of all mankind that they mean to counteract his designs, and while he keeps his intentions and the motives of his actions profoundly secret, is perpetually studying how he may acquire the object of his wish, and prevent or revenge the injury he suspects. In most maniacs there exists a peculiar predominant idea or class of ideas; upon topics connected with these, some can reason with propriety, though it generally happens that the accustomed trains of thought are excited by the most loose and distant catenations. In delirium, the ideas seem totally unconnected, and no sort

of consistency is ever observed; as in drunkenness so in delirium, there are more evident marks of diseased action in the system, particularly in the vessels about the head, than in madness. What has been said of delirium will apply more particularly to phrenitis; in both the most unequivocal marks of fever accompany the confusion of ideas, as does also a morbid state of some of the functions: both are in general acute temporary affections, attacking with violence and soon terminating; but these observations will not apply in mania.

Insanity is easily distinguished from all those other complaints which affect the intellect, and are accompanied by an abolition more or less compleat of the external and internal senses, such as apoplexy, carus, cataphora, coma, &c. There would be little difficulty in distinguishing mania from idiotism, if the latter did not sometimes supervene as a sequela of the former, though it is seldom so compleat as in those cases following epilepsy, or where the party is an idiot from the birth, as in some of the inhabitants of the Alps, the Cretins and Goitres, who seem only impelled like animals by appetency, and seldom exhibit

more reasoning powers than the brute creation ; but maniacs will always reason, and sometimes right, though upon false principles, while the expression of the features in idiots and madmen is very striking and peculiarly characteristic.

The accuracy of a diagnosis is never more necessary than when insanity, for particular purposes, is feigned ; but the consideration of this subject must be left to another part of the work.

Hypochondriasis exhibits symptoms very similar to this disease, and, when it happens in a strongly marked melancholic temperament, is with difficulty distinguished from melancholia, to which it is often converted. But in most cases of hypochondriasis, though there exist a peculiar state of mind, a seriousness, gloom and listlessness to motion, with groundless fears ; and though, as in madness, there be no fever, yet there is no defect of judgment, nor injury of the reasoning faculty.

Much difficulty would attend the diagnosis between mania and melancholia ; but considering them as only modifications of the same disease, the attempt is unnecessary.

The observations on granting certificates and

on medical jurisprudence, might be properly introduced here, but I prefer adding them in the form of an appendix.

OF THE METHOD OF CURE.

In every case of disease, a careful and minute investigation is indispensably necessary, but more particularly where the mind is disordered ; as it frequently happens that the best information we can procure from the patient, or his friends, is incompleat or erroneous ; one of the characteristics of madness being an attempt to deceive.

We propose to arrange all the varieties of mental indisposition under the two divisions of Mania and Melancholia. It must indeed be admitted that these are only modifications of the same disease ; but their characteristic symptoms are so opposite that the distinction is admissible, although it may happen that each will require the same management. The medical and moral treatment of maniacs, in general, must necessarily vary, but there are some few rules that apply in all cases. The first attention of the practitioner is to see that the proper means of securing the patient be at hand ; or if he be under coercion,

he is to determine, from the symptoms, the propriety of continuing or of removing it. His next care should be directed to the causes which are supposed to have given rise to the insanity, then inform himself whether any peculiarities, natural or acquired, exist, either of body or mind, if the patient be subject to sudden variations of temper, fits of any kind, such as epilepsy, and convulsions, head-ache or hernia, marking the leading features of the disease, the subject of the hallucination, the idea that most frequently occupies the mind of the maniac, and determining whether it should be combated or indulged in order to second his curative attempts; as also whether the patient is most disposed to injure himself or his attendants, cautiously seeing every dangerous weapon removed from the apartment, and that he be furnished with every necessary comfort. Should no alarming or prominent symptom forbid, the maniac may be allowed to remain in his new situation, or under any new circumstances that may have been adopted, some hours before any medical plan be entered on. As it frequently happens that insanity, if not occasioned, is continued by the very means adopted for its removal;

as where a system of evacuation is persisted in when the symptoms of excitement result only from exhaustion, it is an object of the first importance to ascertain whether any medical or even moral means are necessary, instances having often occurred in which every symptom of mental derangement has gradually disappeared, as the vessels became filled, the strength recruited, and the health re-established. As most patients of this description, previous to their being submitted to restraint or medical assistance, have been exposed to causes that disorder the primæ viæ and chylopoetic viscera, where a certain degree of torpor is almost uniformly occasioned, whereby their natural healthy functions are impeded, and a fomes of irritation often accumulated, it may be laid down as a general rule, with very few exceptions, to commence the plan of cure by emptying the stomach and bowels by varied means suited to the case, for even the existence of diarrhœa is not an unequivocal proof that purging is not necessary, as indigested sordes, or indurated fæces may occasion it. Though the diet must be regulated by the symptoms, yet a system of

regularity, of fixed periods for meals, &c. should be invariably observed in every instance.

The various means to be adopted in attempting the cure of insanity, for the sake of method, may be divided into moral and medical. Under the first may be ranked management, which is of the highest importance in the treatment of maniacs, in almost every case is indispensable, and has succeeded when the most active means have failed. The art of management results from experience, and the natural endowments of the practitioner, it partly consists in address, and is principally displayed by making proper impressions on the senses. It cannot be too frequently repeated that, even in the medical management of maniacs, the physician should never forget that sympathetic tenderness which the sufferings of humanity claim, he should only take care that this be not so far indulged as to diminish his steadiness and presence of mind: for the furious madman, as well as the miserable melancholic, is frequently sensible to tender impressions, and "Gentleness of behaviour makes the approach of a physician be felt like that of a guardian angel sent to afford

ease and comfort, while the visits of the rough and unfeeling resemble those of a minister of vengeance and destruction." It is impossible to exhibit a set of invariable rules for this department of our curative attempts: the methods had recourse to, and the conduct both of medical and other attendants, must be regulated by the circumstances of the case. In some cases, recourse must be had to the most extreme measures, for the security of the party and the restraint of fury; in others, the most opposite methods are indicated. Most maniacs being artful, and their minds intensely fixed on the accomplishment of any wild purpose conjured up by the disease, physicians should be constantly on their guard: their grand object is to procure the confidence of the patient or to excite his fear. The first may be obtained by very varied means: I have seen the most furious maniacs in consequence of being liberated from their shackles by my direction, and under my own immediate inspection, so attached and devoted to me as never again to require coercion. Fear is excited by firmness, and menaces producing strong impressions on both mind and body, while confidence often results from sooth-

ng and gentleness; and I am decidedly of opinion, and I am fully convinced by much observation and experience, that more will be gained by these than by their opposites. Maniacs, of almost every description, are sensible to kindness and tenderness, and, in general, are to be managed and controlled with more facility by these than by harsher means, which ought never to be had recourse to but in cases of absolute necessity. Whatever methods are adopted in order to excite either fear or confidence, deception is seldom admissible; no promise should remain unfulfilled, no threat unexecuted.

Though I have only mentioned the employment of fear in maniacal management, yet the whole range of passions might be occasionally resorted to with advantage; and were these under our control, or could their action be regulated, or their effects limited, there can be no doubt of their being very powerful agents in restoring diseased intellect.

As every object has its associated trains of ideas, it should be an invariable rule, in the management of maniacs, to remove from their senses those that have even the slightest connection with

the mental derangement. Reasoning with maniacs is generally useless ; but the ideas that partake most of the hallucination, may be sometimes very efficaciously combated by a few self-evident arguments or propositions often repeated ; but the talking *at* will be found more efficacious than talking *to* a patient.* Whoever has studied human nature, either as a physician or philosopher, must be convinced, that from the peculiar organization of the animal economy there exists a reciprocity of action between the mind and body, that all the ideas and motions of man result from sensation and reflection. If this be obvious in common life, how forcibly is it exemplified in maniacs.

There are a thousand circumstances, which tend to diversify the effects produced by the same causes on the minds and manners of men ; and it is obvious that those peculiarities which are the most prominent must be attributed to the influence which circumstances have on the system ; and which, both in sound and diseased intellect, almost uniformly depend on temperament : There

* See Case I.

cannot, perhaps, be a more striking proof and example of the mind's affecting the body than blushing ; or of the body's affecting the mind than is exhibited in drunkenness. In the former of these cases, the influence may be carried to such a degree as to produce not only bodily disease but even death ; and in the latter, not only temporary derangement but permanent insanity.

Habitual intoxication is a frequent cause of madness of the most incurable species ; and passions uncontrolled and inordinately indulged have a similar tendency. Were I to enter fully into this interesting part of my subject, I might investigate the laws and rules by which the animal economy is governed, with respect to the action of the passions and other powers, but this is foreign to my purpose.

The conscientious physician, when in the execution of his duty he is attempting the removal of these deplorable maladies, is under the necessity of occasionally deviating from the accustomed routine of practice, and, in some cases that have resisted the usual methods, is warranted in adopting others that have any, though it be only the slightest plausibility, or that promise the smallest

hope of success. Thus the employment of what may be termed *pious frauds*: as when one simple erroneous idea stamps the character of the disease, depriving the affected party of the common enjoyments of society, though capable of reasoning with propriety, perhaps with ingenuity, on every subject not connected with that of his hallucination, the correction of which has resisted our very best exertions, and where there is no obvious corporeal indisposition, it certainly is allowable to try the effect of certain deceptions, contrived to make strong impressions on the senses, by means of unexpected, unusual, striking, or apparently supernatural agents; such as after waking the party from sleep, either suddenly or by a gradual process, by imitated thunder or soft music, according to the peculiarity of the case, combating the erroneous deranged notions either by some pointed sentence, or signs executed in phosphorus upon the wall of the bed chamber, or by some tale, assertion, or reasoning; by one in the character of an angel, prophet, or devil: but the actor in this drama must possess much skill, and be very perfect in his part. I might refer to a

number of cases where such deceptions were had recourse to, with very varied results.

However ludicrous such expedients may appear, they are not only admissible, but sometimes indispensably necessary; as in those cases where life is hazarded from a mistaken notion of a bone or stone impeding deglutition, and preventing the passage of food; or where a frog, snake, or toad, &c. is believed to inhabit the stomach, and the maniac refuses to take nourishment from some erroneous reasoning: in the first instance we are warranted in even inflicting a superficial wound across the throat, and exhibiting a bloody bone or stone as the successful result of the operation; or where the imaginary culprit is situated in the stomach, one of the species should be secretly conveyed into the receptacle, as if removed by the action of violent vomiting, as in the well-known instance of the cobbler supposed to be swallowed and brought up by means of an emetic poetically described by Westley.*

Every fraud or deception that had been found

*See Case II.

necessary in the treatment of the patient, should be carefully concealed from him, even after his recovery, as the knowledge could be attended with no possible advantage, and might prevent the renewal of confidence in his physician, and the repetition of similar means in cases of relapse.

C A S E S.

CASE I.

Mr. —, aged 50, naturally of a chearful, lively disposition, always elated and depressed by trifles, of the melancholic temperament, became gloomy, dejected, and silent, from the impression of an idea excited in the course of his reading that he had sinned against the Holy Ghost. Removal from the objects he had been accustomed to was the first proceeding, and he was then consigned to the care of an experienced attendant. All the attempts, moral and medical, produced no alteration in the state of his mind; hope was annihilated, he believed himself shut out from

mercy, and that his case was beyond the reach of Omnipotence. No arguments nor reasoning directed *to him* availed; and, having studied the subject, his observations were often very acute. The impossibility of his having committed this sin, was often argued with a third person, in his hearing, he was always extremely attentive, and sometimes very much interested. A few sentiments on the subject were afterwards committed to writing, and passed from one person to another in the presence of the patient, these excited his curiosity, and he expressed an anxious desire to see them; which was acceded to on his promising to comply with certain requisitions; and as he had a high sense of honour, and a sacred regard for truth, he never deceived me. After repeated conversations, managed as above, he was more open to conviction, he employed new terms to express the deranged idea, and, soon after, his implicit belief of it wavered; at length he doubted, and at last was convinced of his error. I advised a long journey, in an open carriage, to occupy his mind and exercise his body; prescribed some light reading, and his carefully avoiding all abstract moral questions, and disputed doctrines. I have

every reason to believe that the plan being rigidly observed, was completely successful.

CASE II.

Mr. —, aged 40, of spare habit and melancholic temperament, remarkable for having acquired general and almost universal knowledge, and always possessing singular equanimity, had injured his health by too close attention to extensive mercantile concerns. At length he was observed to be very attentive to every feeling, of which he made minute descriptions to his family; this increasing, he became a prey to empiricism, read several ridiculous popular pamphlets, and was soon worked up to a belief that his body was universally diseased; pills, potions, powders, unctions, lotions, and mercurial girdles, were employed and dismissed in succession: Perkins's Metallic Tractors, for a time, amused him, till it was proved to the patient, and to the friends who witnessed the experiments, that these expensive baubles possessed no more properties than a rusty nail, which indeed had been satisfactorily ascertained by Dr. Haygarth, and others, some years since. All the fears of the patient became, at length, concen-

tered in one, from which no arguments could divert him, he believed all his sufferings arose from repelled itch; a formal consultation of medical men was therefore determined on, who, having previously agreed on the propriety of humouring the patient, professed to be unanimously of opinion that his apprehension was just, a medical plan was laid down, some rubefacient application to different parts of the body occasioned crops of eruptions from time to time, which were washed with some simple preparation. This farce continued a few weeks, and the patient at length was perfectly restored to health and reason.

CASE III.

Mr. —, aged 25, of fair complexion, though his hair and eyes were dark, of exemplary morals, and most amiable manners; fond of anatomy, and had dissected some few animals; very desultory in his studies, but had read several medical authors with much attention, and was in the constant habit of quacking himself. Though no apparent alteration took place in his countenance, yet he constantly complained of his health, to which all

his attention was confined, till at length, he was rendered absolutely incapable of all exertion both bodily or mental. After the repeated and anxious inquiries of his friends, it was discovered that he believed himself affected with syphilis, contracted, not by any unfortunate connection, but from sitting on the same seat after an infected person. Deaf to all reasoning and every attempt to prove the extreme improbability of the disease being propagated in such a way, his case was referred to some medical man of his own proposing of whom he had read or heard ; and he being previously instructed, pronounced it venereal, sent a prescription, which very soon dissipated the absurd idea, and restored him to himself, his friends, and family.

CASE IV.

Mr. ———, aged 36, of full habit, melancholic temperament, extremely attached to literary pursuits, and subject to depression of spirits without any obvious cause. His lucubrations were sometimes extended through whole days and nights in succession, and at these periods he was very

abstemious, drank only water, and avoided animal food ; his friends remonstrated with him on the hazard of such proceedings ; and his house-keeper being urgent for his adopting some plan that had his health for the immediate object, the idea struck him of her having some sinister design, and that she intended to destroy him by means of a succession of poisoned shirts, under the baneful influence of which he believed himself then suffering. No arguments availed, and all reasoning was ineffectual, the hallucination therefore was humoured, a suspected shirt was exposed to some simple chemical experiments, continued, repeated, and varied with much ceremony, and the result so contrived as to prove the truth of the patient's suspicions ; the house-keeper, notwithstanding all her protestations of innocence, was served with a pretended warrant, and in the presence of the patient, hurried out of the house by the proper officers, and secluded from his observation for a time, while he supposed she was in gaol expecting an ignominious death. After this preface, a formal consultation was held, certain antidotes prescribed, and after a few weeks he

perfectly recovered ; a new plan of life and regimen were adopted, and he has ever since continued to enjoy *mens sana in corpore sano*.

I might select a great variety of cases very similar to the above, as—where the patient became insane from the idea of an earwig having entered the cranium, and traversing the brain, created strange confusion among its parts,—where insects were supposed to have intruded themselves into some of the cells of the bones of the face, by means of the aroma of flowers—where the parties believed themselves bewitched, enchanted, a prey to sprites, devils, hobgoblins, &c.; others—where the patient imagined himself under the influence of magic spells, and vows ; in all which it was absolutely necessary to humour the insane idea. But very distressing cases occur where the patient refuses food from some of the most absurd notions ; and in order to prevent total exhaustion, and consequent death, the most consummate art and address are necessary. In these cases all the reasoning of the patient must be fully entered into, his fancies and wishes complied with as far as practicable and prudent, keeping the object of supporting life constantly in view ; threats, pro-

mises, solicitations, indulgences, deprivations, and varied reasoning must be had recourse to according to the nature of the case.

CASE V.

Mr. —, aged 50, melancholic temperament, spare diet, subject to bilious attacks, after running the medical gauntlet with little relief, though in fact afflicted with no obvious bodily indisposition. After hearing his statement detailed with minuteness peculiar to patients of this description, who seem almost uniformly to want language adequate to describe their meaning, and an examination managed with a design to make a strong impression, it was pronounced, with much solemnity and apparent anxiety, that his disease was in the bladder and kidneys, and consisted of universal ulceration of these parts; but as, from their situation, it was impossible to exhibit them to the senses, it was purposely suggested that, if this were to be done, much hazard and danger would necessarily result, yet that hope might be indulged if it could be proved that the suspected cause was the just one. In order to ascertain this momentous fact, it was proposed to pass a bougee up the

urethra ; this was effected with much formality, and attaching great importance to this very simple process, after allowing the instrument to remain for some time, it was returned loaded with the mucus from the glands of the part, and this being called pus was deemed the proof positive required. A course of remedies consisting of simples was now adopted, and a regimen rigidly pursued for a length of time, which ultimately terminated in compleat re-establishment of health and intellect.

Similar deceptions, varied according to circumstances, are the only efficacious modes of combating many other hallucinations resulting from notions founded only in imagination ; as where the patient suspects himself affected with certain loathsome diseases, such as itch, syphilis, scrophula, &c. labouring under the influence of poison secretly administered by the most unnatural and improbable means of magic, witchcraft, and evil spirits ; these and similar fancied causes have contributed to produce that species of mental derangement not curable by the common methods, in which no obvious corporeal indisposition exists, nor consequently any indications

to direct the practitioner. In all such cases the deranged ideas must be humoured, contrary to the established rule in the more common ones.

CASE VI.

Mrs. ———, aged 50, illiterate and naturally gloomy, of the melancholic temperament, strongly marked, meagre habit, and from her infancy subject to inequality of spirits, and rigidly religious. Her moral conduct had been exemplary, yet she became dejected, looked miserable, often sighed and wept, and yet would assign no cause. She became perfectly inactive, inattentive to her domestic duties, and could only be induced to read a certain description of books, the sense and meaning of which she strangely perverted. At length her ideas became confused, and were uniformly directed in one train; she believed herself lost beyond redemption, and had no other prospect presented to her mind but the horrors of the damned, and the flames of hell; these haunted her incessantly, deprived her of ease by day and rest by night: hope being extinguished and life a burthen, she made many attempts to destroy herself. For months no sort of change

took place. Her apartment was decorated with pictures representing the portraits of saints, burnings of Smithfield, the sufferings of our Saviour, &c. the patient was surrounded with bibles and prayer-books, and she received the constant visits of some itinerant preachers, who employed their utmost zeal and exertions in the hope of dissipating her distressing ideas, but without success. In this state she was committed to my care. I immediately removed her books and pictures, and suffered no one to visit her but an attendant and myself: allowed no reasoning on religious topics, and only a little light reading. Having been very irregular in her diet, her tongue foul and breath offensive, an active antimonial emetic commenced my method of cure; this brought away a vast quantity of bilious undigested sordes, and produced some very offensive evacuations from the bowels. A certain hour for rising and going to bed was observed, and exercise in the open air gradually increased, which some days was extended even to fatigue: still religion was the subject of her musings and soliloquies, her ideas confused and incoherent, but her looks became more natural, and she could be occasionally diverted from the favourite topic. Various remedies

were administered, with very little relief, for several weeks, and then for two or three weeks following all medicine was suspended; the curative attempts confined to amusing and interesting the mind, to light nutritious diet, and to constant exercise. Under this plan she obviously improved, but she grew thin and complained of weakness; a more generous diet was then adopted, two glasses of wine every day, with some preparations of steel, and an occasional aperient to obviate costiveness; she at length began to think more rationally on serious subjects, and even to converse with propriety on them. A plan for the management of both mind and body was laid down, calculated merely to restrain the propensity to inaction, and to vary the subject of pursuit.—This finally succeeded.

CASE VII.

Mr. ———, aged 40—his case was very similar to the former, in its most striking features, during the first weeks of his indisposition. A more wretched or distressing picture of human infirmity can scarcely be imagined. At length all the symptoms that characterize religious melancholy

were suddenly converted into those of mania furibunda.—He who was before silent, motionless, and almost senseless as a statue, now raved and swore, displayed the most surprising exertions of strength, and required three or four stout men to restrain his violence and secure him : his mind underwent a change equally striking ; all was joy and happiness, and the countenance expressed the utmost gaiety and pleasant feeling.—Ideas the most extravagant and wild now occupied his attention, and schemes equally so became the subject of frequent reasoning and calculation. There existing no contra-indication, a varied antiphlogistic plan was adopted, all stimuli were abstracted, and sometimes light excluded : this in a few weeks perfectly succeeded.

The conversion of religious melancholy into furious madness is a frequent occurrence, and is generally followed by recovery. This has suggested the propriety, in some cases that have resisted more common methods of producing a degree of excitement, by various means, such as keeping the patient, for days in succession, in a state of intoxication, which has often occasioned an alleviation of symptoms, and sometimes re-

stored the sufferer to reason. The religious insane are commonly despondent, though there are exceptions, yet in none of these do we scarcely ever find any indication to direct the curative attempts, and I have frequently observed with astonishment, in such cases, that however the body may be affected by medical, moral, or mechanical means, the mind undergoes no changes, or if occasionally diverted or distracted from the subject of its melancholy musings, it reverts to the same point, like the needle to the pole. As the gloomy insane devotee conceives himself justly abandoned to despair, not a ray of hope enters his beclouded mind, he places no confidence in the mercy and goodness of God, nor, though he admits the truth of the doctrine of the atonement, will allow its possible efficacy in his case. The merest peccadillos of his earliest youth are generally aggravated into the most atrocious crimes, and accusations of conscience incessantly haunt him. If we may judge from the language and the figures drawn by patients of this description, to convey an idea of their feelings and sufferings, they must be exquisite: they are almost uniformly in the habit of quoting scripture very

accurately to elucidate their positions, but as uniformly pervert its real meaning ; delighting to dwell on the gloomy side of subjects, they disregard the brighter. Thus, on my asking a miserable desponding fanatic, who believed himself out of the reach of even Omnipotence, if the arm of the LORD was shortened that it could not save ? he immediately retorted, “ is his power diminished that he cannot destroy ? ”

Though reasoning with such patients is seldom effectual, it should always be had recourse to when other means have proved unsuccessful, as instances having occurred in which conviction has flashed on the mind, and corrected its wanderings from a single argument. Selecting the *mollia tempora fandi*, we should preface our arguments with insisting on being heard without interruption, and then endeavour to suit them to the erroneous ideas adopted by the patient : and as his mind is generally tormented and terrified by a sense of the enormity of his offences, and the apprehension of the effects of God’s wrath and displeasure, we might expatiate on the merits of CHRIST and the efficacy of his atonement, endeavour to dissipate fear, and excite hope by quot-

ing appropriate parts of scripture, such as the parable of the labourers in the vineyard, in which it appears, that those who were hired at even the eleventh hour received the same wages as those who had borne the burthen and heat of the day ; as also the account of the thief who was crucified with our Saviour.

I have met with some miserable individuals, whose defective reasoning turned entirely upon having committed the unpardonable sin ; in these cases it is necessary to oblige the patient minutely and accurately to describe his idea of the exact nature of the crime, and afterwards to confute his arguments by proving their absurdity and impossibility.

I have had a great number of cases of religious melancholy, which exhibited but very little variety except in their termination ; but I could select many to shew the propriety of adopting the means proposed, were it not that they would swell this tract beyond all reasonable bulk.

Perhaps the most successful moral means result from exciting new mental affections that have a tendency decidedly to correct erroneous ideas, to call up new trains of thought, destroy the links

of morbid association, and break the force and effects of vicious mental habits, which frequently have very extensive influence in the animal economy, producing many of those periodical and irregular effects erroneously imputed to other causes. We are such slaves to habit, that when it is strengthened by frequent repetition, its dominion remains even in the absence of the causes that occasioned it.

The mental indications are as various as the forms and causes of insanity; but the employment of remedies, acting on the mind primarily, should be regulated by the prominent features of the disease: some maniacs, require threats, others soothing; the eccentric vacaries of this class to be humoured, the simple erroneous idea of that to be combated; while the hope of efficacy, in a great degree, will depend on the nature and duration of the insanity, the age and peculiarities of the maniac. It would be extremely useful could we lay down certain rules for the moral management of insane patients of every description; but this is not possible, it must depend on the existing symptoms and circumstances of each case. There are few instances where the insanity has

such a decided character, as to admit the application of fixed rules. In most of those cases which may be termed religious madness, it might seem reasonable to apply similar means; but such a plan is fraught with extreme hazard. In some it is absolutely necessary to deprive the patient of books, particularly of his bible, and never to allow any reasoning on the subjects that harass and occupy the mind; as where the sense of authors, and passages of scripture are perverted, and the intellect has become bewildered by diving deep into polemic philosophy, and the patient delights to wander in the mazes of speculative religion, is sceptical or dogmatical, where he believes himself the Deity, our Saviour, an apostle, &c. or possessed of supernatural powers.* In others

* The Author recollects a singular instance of a deranged idea of a maniac being corrected by a very simple stratagem. The patient asserted that he was the Holy Ghost, a gentleman present immediately exclaimed, you the Holy Ghost! what proof have you to produce? I know that I am, was his answer; the gentleman said how is this possible, there is but one Holy Ghost, is there? how then can you be the Holy Ghost and I be so too? He appeared surprised and puzzled, and after a short pause said "but are *you* the Holy Ghost?" When the other observed, did you not know that I was? his answer was, I did not know it before, why then I cannot be the Holy Ghost.

the subject must be more delicately handled ; the deranged idea may be calmly combated by a few mildly opposing arguments, often repeated ; hope should be elevated, and some rays of light diffused through the gloomy prospect. From hence it is obvious that there are two classes of the religiously insane, one self-conceited and confident, the other humble and despondent. With the first, it will be always necessary for the physician and attendants to look to their own safety, being deemed heretics and reprobates by the patients, in whose opinion no crime attaches to their injury or destruction : with the last, the attention must be directed to the patient, who being a prey to the most miserable feeling and despondency, is too frequently disposed to suicide, and to accomplish this dreadful purpose will sometimes employ the most consummate art, and elude the strictest vigilance.

The *Cure* of these deplorable diseases, being that part of my treatise which I consider by far the most important, and intending it to be more practical than speculative, I hope to be excused, if I descend to minutiae in a matter of such moment.

Some physicians have laboured to prove that insanity is uniformly produced by a mental cause, or that it is in general dependent on no bodily one; but their arguments are certainly inconclusive, and I am more disposed to subscribe to the converse of the proposition, that madness is always accompanied by corporeal disease, though this may not be obvious to the senses in every case. It is possible the occasional causes may be either mental or bodily, but it will be most rational as well as useful in practice to believe the proximate cause of the latter description.

In attempting the cure of insanity, we certainly ought, if possible, to inform ourselves of the remote causes, and carefully to collect the most minute particulars connected with the history of every case. In a great variety of maniacs, the employment of medicine is either improper or impracticable; and here our curative attempts must be confined to what is called management, which often claims a considerable share in removing mental derangement. Strong coercive measures are seldom necessary in the earlier stages of the disease, though much address is requisite to secure tranquillity and obedience; but more is

always to be done, as before observed, by firmness and tenderness than by violence and harshness. That there are cases perfectly unmanageable without bodily restraint, and all the different means of security, must be acknowledged: and others, where, from the nature of the complaint, and its peculiarities, as connected with the temperament, and the prominent symptoms, such restrictive means are absolutely necessary; for it often happens that the silent moping melancholic, as well as the furious maniac, is artfully lulling suspicion brooding mischief, and has all the faculties of his soul intently bent upon injuring himself or others. It would be impossible to point out the modes of management exactly suited to the various species, of madness we meet with in practice, I will therefore content myself with detailing what may be requisite in the two opposite states of insanity, Mania and Melancholia. In the first, where there are symptoms of high excitement, and the natural disposition and temper are very materially altered; where audacity, indelicacy, and fury alternate, with raving, vociferation, and impatience of control, we must have recourse to the best methods of restraint, and perhaps every other must yield to

the improved strait waistcoat, assisted by other means of coercion.*

The furious maniac, after being well secured, should be kept quiet, and all stimuli abstracted, excepting, perhaps, light, concerning which I have not been able to form a decided opinion ; as total darkness generally tends to aggravate all the symptoms, by exciting fear, dread, and apprehension ; it will be, obviously, improper in some cases to have recourse to it, but in others it will be necessary on purpose to produce these effects. In a considerable proportion of insane patients, confinement to an airy quiet apartment, from whence previously every dangerous or missile weapon has been removed, is all that is necessary. Whenever coercion is indispensable, great advantages would arise were it employed under the immediate inspection of the physician, who should give directions and see them executed, but not assist : he should issue his orders, and see them obeyed ; never threaten, without executing ; should be firm yet tender, and never permit himself to be alarmed, agitated, or ruffled.

* The Author conceives he has made improvements in these mechanical contrivances, of which he may at some future time publish a description with engravings.

Corporeal punishments, such as stripes, are in no case necessary or admissible.*

Thus far the attention has been directed to the management of the body in mania, it must now be directed to that of the mind.

It has been a very general, but erroneous idea, that the subjects of hallucination should be uniformly humoured and attended to, in order to dissipate or correct them ; that the fear of exciting madmen by contradiction indicates the necessity of acquiescence with their eccentricities, and the propriety of reasoning with them on the topics of their alienation ; but such a practice is often productive of an aggravation of the symptoms, and only admissible either for the purpose of gaining some important object, or where it makes part of the curative system, as in Case V.†

* The furious maniac being once restrained, it may be expected that I shall point out some rules for his release ; this, however, is a matter of much difficulty, and it is only by close observation and long experience that we can ascertain when a part or the whole of the coercion should be discontinued. His promises can seldom be depended upon. The liberation must, however, in all cases be gradual.

† I am aware that a degree of confusion and contradiction appears to exist in the observations and directions respecting the practice of opposing or humouring the deranged ideas of

The business of managing the alienated mind is a very difficult branch of the curative art, for

different maniacs. The subject has occupied much of my attention, but I find it extremely difficult to give such rules and directions as may not mislead the inexperienced practitioner.

The remarks upon this part of the former edition of this work, in a criticism of a very respectable periodical publication, seem so judicious, and for the most part, so entirely accord with my own ideas, that I shall take the liberty of transcribing some of them. "If we may presume to generalize for ourselves, from considering the nature of the hallucination in the few cases which Dr. Cox has related, we should conclude that the instances in which the idea may be humoured with success, are those which bear a great affinity to hypochondriasis, or which are in fact hypochondriasis in an extreme degree. The insanity in these instances we believe, with Dr. Crichton, originates in some obscure and uneasy corporeal sensation, which excites the imagination to those very unaccountable conceptions which constitute the disease. Strong impressions on the senses may in these cases counteract the tendency of those feelings.—We can here oppose sensation to sensation; clear and distinct sensation to that which is obscure: the latter of course yields to the former, and without the train of imaginary evils to which it gave rise. If a person believes himself to be affected with the itch, as in the second case related by Dr. Cox, the production of a crop of eruptions on the skin by some application, and the apparent

which very few rules can be laid down. Dr. Lorry, (See *De Melancholia*, Vol. II. page 382) speaking on the subject, says, "*præcipue vero preceptoris hæc esto cura, ut studeat quâ parte ad furorem inclinet animus illi commissus, hancque præcipue temperare studeat, non minas aut ver-*

cure by other applications excites a palpable sensation which the imagination cannot easily distort; and that which was obscure is no longer attended to. But in other cases, where the disease is more purely mental, is independent of sensation, and the mere result of strong and repeated impressions on the mind (such are instances of religious insanity) to accord with the insane idea, and to permit it to be cherished, is but to respect the impression, and to add to its intensity; no counteracting object or sensation can be employed; and deception is impossible. Hence the only successful attempt to cure must be the contrary of the former; it must consist in removing every thing which, by association, can induce the recurrence of the insane idea; in preventing all reasoning on the subject of it; and in pressing upon the attention every variety of topic that may interest the mind. Case V. of Dr. Cox affords a pointed illustration of this doctrine." (See *Critical Review* for July, 1805.)

I would only observe on this criticism that, contrary to the principle laid down of "preventing all reasoning, &c.," I have met with some few cases of religious melancholy in which reasoning produced the most obvious advantages after other more common and probable means had failed.

bera intentando, sed oppositarum virtutum laudibus, sed avertendo ab iis quæ possunt propensioni pondus addere. In hoc vero ars consistit ut vis illata non sentiatur ne indocilis animus negata occulto ardore concupiscat."

In every case, as much liberty and exercise in the open air should be allowed as is consistent with safety ; and when coercion is employed, the degree of it should be uniformly proportioned to that of the disease.

The management of melancholics turns principally upon the prevention of injury to themselves: with patients of this description coercion is seldom necessary, excepting with the above intention ; and, in general, a plan very opposite to that adopted with the furious maniac is to be pursued. The utmost sympathy and feeling is to be uniformly observed in the conduct of the physician and attendants, who should employ all their exertions to amuse the mind, and divert the thoughts from the gloomy subjects which occupy it, by endeavouring to interest and excite new and pleasing ideas. It sometimes happens that after the most acute and ingenious reasoning has failed, and every attempt to make any impression on

the diseased intellect has been unsuccessful, the talking to a third person in the presence of the patient, artfully opposing his erroneous opinions, and pointing out the absurdity and impossibility of truth and reality in the ideas he maintains, quoting instances, and citing cases as additional proofs, has been productive of happy effects.*

A great part of the successful management of the insane is such as cannot be minutely described, for as the existing symptoms differ, so must the methods to be adopted ; but let it be indelibly impressed on the physician and attendants, that all the fury, disposition to mischief, attempts to injure, and all the noise and exertions of maniacs, as well as their abuse, keen, sarcastic, cutting observations, &c. are the result of disease, and ought to be allowed for accordingly, and imputed to this source ; that any virulence of expression should never be regarded by the attendants or physician ; nor injury or violence inflicted on them be resented or returned ; unnecessary severity is unmanly and highly criminal.

In most instances, maniacs, notwithstanding

* See Case I.

the apparent ungovernable fury and impatience of control, are easily curbed, and fear as easily induced. A firm, resolute demeanor, stern aspect, an assumption of authority, giving orders and seeing them executed, uniformly decided measures, a scrutinizing look fixed on the patient's eye, will, in general, excite dread or confidence, respect and compliance : and the procuring of these effects is a material point gained, which is seldom lost again, unless by the mismanagement and improper conduct of the physician. The promises of a maniac who can reason at all may sometimes be attended to, and the word of honour is seldom broken, if solemnly given at those periods when the more violent and dangerous symptoms have subsided. Deception, unless this makes part of our attempts to relieve, should never be admitted in the management of the insane ; if once detected confidence is lost, and with it very frequently our hopes of cure. All our measures respecting them should be decided, and though mildness, yet firmness, should attend their execution ; no point should be abandoned which our judgment approves : for an effect or impression once produced is generally lasting,

and a repetition of disagreeable means seldom necessary.

Our curative attempts may often be very much assisted by artfully engaging the mind in some pursuit, occupying the body in any employment which requires attention, and yet does not occasion fatigue; attaching importance to certain trifling engagements, such as weaving bobbin, knotting thread, knitting, netting, and various other modes, which it is not necessary to enumerate.

The power of harmony over some constitutions is not easily described or conceived. I have seen it rouse from a most lethargic state, and divert the mind from the subject of its deepest contemplation. In a military maniac, I once witnessed the notes of a shrill fife, managed with some address, first awaken attention, then occasion interest, as was obvious by his animated looks and by his beating time; till at length, by varying the air according to the effects, it produced the most pleasing sensations, and brought back, as he afterwards informed me, some very impressive recollections, excited an entirely new train of thought, and seemed to correct the errors of intellect:

though he had not left his bed for weeks, nor spoken a single word during that time, and had been supported entirely by force, he now arose, dressed himself, and without any other remedy but gentle tonics, returned to his former habits of neatness and rationality ; advancing gradually to perfect recovery. Unfortunately he relapsed a year or two afterwards, and I fear is now incurable.

The concord of sweet sounds, however produced, may be often very usefully employed in the treatment of maniacs : it has hushed contending passions, allayed irritation, collected the wandering thoughts, and induced sleep.

Where the patient has been a performer, if there exists no bodily indisposition that contraindicates, the playing on his instrument should be always allowed, as it innocently employs both mind and body ; and where the partiality for music is considerable, the indulgence or deprivation may make part of a system of rewards and punishments. Some few instances have occurred in my practice, where the patient, who, before his mental malady, possessed the most exquisite skill on various instruments, and the most profound knowledge of music as a science, has lost both

while under his hallucination, as was proved by repeated experiment ; but as his health and intellect improved, his musical powers returned. I once had the care of a professor whose talents seemed improved by mental derangement: all the faculties of his mind were rivetted upon his profession, though he frequently reasoned on this and every other subject absurdly. His ideas, as executed on the violin, were wonderfully striking, singular, and original ; but the labour and practice some passages occasioned were attended by profuse perspiration, and often followed by exhaustion and syncope. A few very eccentric and beautiful variations of some popular English airs, two or three of which were composed in the very acmé of maniacal paroxysm, I have still in my possession, which have been much admired by amateurs, and require very superior talent to execute accurately. I am sorry to add of this extraordinary genius, that though he perfectly recovered, and continued in possession of all his faculties for many months, he relapsed, and is since dead. From the few experiments I have made, I am confident the concord of sounds, in some cases, and the discord of jarring instruments, in others,

might be very usefully employed in the rectification of some alienated minds. The study of thorough bass and counterpoint is well calculated for the amusement and employment of patients, musically mad, under proper restrictions, and in particular circumstances. Hence I am decidedly of opinion that music, as a mean in the treatment of many diseases, is undeservedly despised and neglected.

There is a charm, a power that sways the breast,
 Bids every passion revel or be still ;
 Inspires with rage, or all our cares dissolves,
 Can soothe distraction and almost despair :
 That power is Music :—
 Music exalts each joy, allays each grief,
 Expels diseases, softens every pain,
 Subdues the rage of poison and the plague ;
 And hence the wise in ancient days adored
 One power of Medicine—melody and song.

ARMSTRONG, M. D.

In the medical management of the insane, it is an object of the first importance, when symptoms of high excitement take place, to ascertain whether the disease be of the sthenic or asthenic kind ; as rage, fury, and every species of violence

accompany these two opposite states. The distention of vessels may be either tonic or atonic, and derive its origin from different sources ; the first from tenseness and rigidity, with partial or general plethora of the system, when the circulating fluids are violently propelled in order to overcome the resistance ; and the other from debility and relaxation of the coats of vessels, when these yielding too easily, admit a more than ordinary proportion of contents. In the treatment of such cases, the physician must be directed by his knowledge of the remote or occasional causes.

It may be difficult to point out with accuracy all the diagnostic marks of those cases in which the irritability and fury are the result of atony ; but the more prominent features may be easily ascertained. Thus, where all the usual attendant symptoms of mania furibunda follow diseases that have been attended with extreme exhaustion of the system, where an abstemious and evacuating plan has been rigidly pursued, and great prostration of strength has followed, where painful protracted parturition is succeeded by insanity, where debility and emaciation exist, notwithstanding the attendant fulness of the pulse, where paleness

and trembling of the extremities, partial and foetid diaphoresis take place, where impeded respiration follows trifling exertions, and syncope violent ones, and where no alleviation of any of these symptoms is procured by the antiphlogistic plan: in all these, and other similar cases, we may reasonably suspect, that the appearance of high excitement results from atony, and this should direct our practice; for here I suspect that deviation from the healthy distention of the vessels of the organs more immediately connected with the intellect, which I have laid down as the proximate cause.*

Diet is an object of very considerable moment in attempting the cure of the insane. The quality is not of so much consequence as the quantity, either as to fluid or solid ingesta. The almost total abstinence from liquids, as recommended by some practitioners, has, I believe, been seldom carried to any great extent in the treatment of maniacs; and as this system, rigidly pursued, occasions the intolerable sensation of thirst, were any advantages to result,

* See Cases VIII, IX, and X.

would it not be reasonable to impute the good effects to this painful impression, which forcibly affecting the stomach arrests the attention : though it must be allowed that no plan can be more reasonable, where the vessels are loaded, with an obvious determination towards the head, than abstraction of fluids, and a very limited quantity as part of the diet. So long as symptoms of irritation or violence exist, it has been usual to pursue the antiphlogistic plan ; but where these obviously arise from atony or debility this must be highly improper, as they are only to be removed by a generous diet, bark, port wine, &c.* Another very improper practice in the dietetic management of the insane is almost universally adopted, that of plying them with caudles and broths, teas and ptisans, deluging the stomach with warm thin fluids : these impair the powers of the chylopoetic viscera, induce flatulency, and tend to generate or accumulate viscid phlegm, the presence of which deranges every healthy process, and has more connection with the state of the intellect than will be readily ad-

* See Cases VIII, IX, and X.

mitted. In the majority of cases the diet should be of the most nutritious kind, administered in small quantities, and often : the various leguminous productions, and the culinary preparations from them, are generally improper, as also the whole tribe of fermented liquors : pure water with the occasional mixture of distilled spirits is the best beverage.

It often happens, from various causes, but most frequently from some mistaken idea or secret vow, that maniacs refuse food ; in such cases, rich soups, gellies, and the like, are indispensably necessary, and must be introduced by force ; but new milk alone, combined with other nutritious substances, or loaded with animal gluten, has been found to preserve life longest, either by the mouth or clysterwise.

In every instance much advantage arises from a system of regularity ; the hours of leaving and retiring to bed, of meals and exercise, &c. should be punctually observed ; as very trifling means, acting uniformly and constantly, are often productive of considerable advantages, and none should be neglected that have any claim to attention ; for though relief does not speedily follow

our best exertions, we should ever indulge hope and persevere in the use of various methods while the shadow of probable success remains.

Many hopeless cases undoubtedly arise from topical mechanical causes within the brain: whatever increases the bulk of its contents, obstructs or impedes the circulation, in a bony case such as the cranium, may be reasonably conceived equal to the production of deranged intellect; and that this does sometimes take place, both as cause and effect, dissection and accidental modes of relief* have unequivocally proved, though the Creator has so admirably provided for the preservation of the integrity of the more noble organs. Where such causes are suspected to be present from certain appearances about the head, complaints of fulness, partial, flying painful affections about this part, occasional squinting, dilatation of the pupil, regular periodical returns of insanity, where the usual means have failed, are we not warranted in having recourse to desperate ones, and may not relief arise from the application of the trephine to various parts of the cranium? by

* See Cases XII, and XIII.

removing portions of which, may not a greater degree of expansion be allowed to its contents, and thus contribute to the rectification of their impaired functions ?

The medical philosopher, in his study of human nature, must have observed the sympathetic correspondence of action between the mind and body, which is uniformly present in health and disease, though varying with circumstances. The different passions, according to their nature, the degree or intensity of application, and the sensibility of the party, exhibit certain characteristic expressions of countenance, and produce obvious changes, actions, or motions in the animal economy.* Music has been found to occasion all these actions, changes, and movements in some susceptible systems, ; and where one passion morbidly predominates, as frequently happens in mania, those species of simple or combined sounds which excite an opposite passion may be very usefully employed. If then such effects can be

* *Omnis enim motus animi suum quendam a natura habet vultum et sonum et gestum et ejus omnis vultus, omnesque voces, ut nervi in fidibus ita sonant, ut a motu animi quoque sunt pulsæ. Cic. de Oratore.*

produced by such a power, acting on a mind only endued with its healthy proportion of susceptibility, what may we not expect where the sensibility is morbidly increased, and where the patient is alive to the most minute impressions ? Cases frequently occur where acuteness of sensibility and extreme delicacy exist to such a degree, that most of the more common, moral, and medical means are contra-indicated ; here relief may be frequently administered through the medium of the senses : the varied modulations, the lulling, soothing cords even of an Eölian harp have appeased contending passions, allayed miserable feeling, and afforded ease and tranquillity to the bosom tortured with real or fancied woe ; and I can easily imagine, that jarring discord, grating harsh rending sounds, applied to an ear naturally musical, would uniformly excite great commotion. Under circumstances calculated to assist this action, by producing unpleasant impressions through the medium of the other senses, as when screeches and yells are made in an apartment painted black and red, or glaring white, every man must be painfully affected ; the maniacal patient, however torpid, must be roused ; or, on the contrary,

where an opposite state obtains, extreme sensibility and impatience of powerful impression, there much may be expected from placing the patient in an airy room, surrounded with flowers breathing odours, the walls and furniture coloured green, and the air agitated by undulations of the softest harmony. Much of this may appear fanciful and ridiculous, but the inquiring practitioner will find, on making the experiment, that it deserves his serious attention ; and no means are to be despised which are capable of arresting the attention, changing the trains of thought, interesting the affections, removing or diminishing painful sensations, and ultimately rendering both mind and body sensible to impressions, and all this has been effected by music. Every individual is not capable of accurately estimating the extensive powers of this agent ; but I would ask the musical amateur, or the experienced professor, if he has not frequently felt sensations the most exquisite and indescribable ; if he have not experienced the whole frame trilling with inexpressible delight, when the tide of full harmony has flown on his ear ; and the most wretched miserable feeling, universal horripilatio and cutis anserina, from the

grating crash of discord? All the varied sensations, from transport to disgust, have been occasioned by the different movements in one piece of music. I might amuse my readers with a great variety of instances, where persons have been very singularly affected by means of music, and where its powers have extended to the brute creation, but this I purposely avoid.

CASE VIII.

———, aged 19, temperament not very exquisitely marked, but rather choleric; fair skin, dark hair and eyes, of most accomplished manners, very superior literary acquirements, and amiable disposition. A tender attachment to a worthless object, at length diminished her natural vivacity, she became pensive, and fond of solitude. One of those accomplished villains, who so frequently practise their successful systems of seduction, after securing her confidence, had at length triumphed over her too susceptible heart, rioted in the possession of her charms, and then basely deserted her. I cannot pretend to pourtray what beggars description; but a more interesting or distressing case can scarcely be imagined; suffice

it to say, the period of gestation passed without any peculiar corporeal indisposition, but the unhappy patient pined in secret, her vivacity and spirits, like her deceitful lover, abandoned her, and her countenance exhibited the most striking traits of guilt and despondency. A protracted and painful parturition reduced her delicate frame to extreme debility and emaciation, while her ideas became confused and her mind obviously diseased. Her days and nights were passed in alternate raving, vociferations and incoherent murmurs. Though the countenance assumed the common marks of *facies hippocratica*; the eyes shone with an unusual brilliancy, and with that peculiar expression which so frequently accompanies insanity. A regimen, composed of nutritious soups, vegetable and animal gellies, was gradually changed to full generous diet. A slight infusion of the bark was succeeded by a strong decoction, and the same in substance: the mind was kept interested by change of scenery and varied pursuits: the sympathy of kind friends, and the consolations of religion, brightened her future prospects, and elevated her hopes. Under this system, both mind and body daily acquired

strength, and at length health and reason were perfectly re-established.

CASE IX.

———, aged 30, sanguineous temperament, of a delicate irritable habit, subject to transient head-aches and slight febrile attacks, the mother of four children. Nothing unusual occurred during her periods of gestation; indeed her health rather improved while pregnant; but she uniformly suffered excessively in parturition: the milk, which at first was copious, generally disappeared the second or third day, and then the usual marks of insanity took place. Her ideas passed in rapid succession, linked by nothing like rational or natural association, and tintured by no one particular character, which is, I believe, almost uniformly the case in puerperal mania. Her volubility, exertions, and want of rest, almost exhausted the vital functions; but by adopting the same plan as in last case, it produced the same happy effects on both mind and body.

CASE X.

Miss ———, aged 22, sanguine temperament,

very delicate habit, seldom enjoying robust health, particularly partial to botany and drawing, which she sometimes pursued inordinately, rambling over hills, and scrambling up rocks, from morning till night, in quest of plants, and to procure favourite points of view for sketching; often regardless of weather or food, and sometimes debilitated and exhausted even to fainting. Such a process, with such a frame, could not be long persevered in with impunity; at the close of one of the hottest days in July, after a long ramble over rugged steeps, precipices and mountains, in one of the most romantic parts of North Wales, a peasant found her, seated on a hillock, exhibiting all the usual symptoms of furious madness, surrounded by fragments of plants and drawings, making the most frantic gesticulations, vociferating with great vehemence, and spouting parts of Shakspeare. With great difficulty she was conveyed home, where she continued for some time with all the peculiarities attendant upon the wildest phrenzy, excepting fever. She was bled, purged and vomited in succession, deluged with saline juleps, broths, and ptisans, without any alleviation; in this situation I was consulted; and

reflecting on the history of the case, the attendant symptoms, and the plan that had been adopted without relief, I was induced to employ an opposite one. A more nutritious diet was gradually adopted, a pleasing change was speedily observed, and, with the assistance of port wine, gentle exercise, and without the aid of any other medicine, besides the bark, she perfectly recovered in the course of one month.

I could detail a great number and variety of cases very similar to the above in point of treatment and termination, though the remote causes in the majority were different. Insanity, in many instances, derives its origin from debility and exhaustion, when it is accompanied with audacity, fury, impatience of control, and this whole class of symptoms; and when the causes, *prima facie*, do not seem calculated for their production; thus the indulgence of one train of thought, protracted, though varied studies, the incessant action of one depressing or exciting passion, such as grief and joy, &c. these and similar powers acting on some systems, deprive the patient of rest or sleep, and render him inattentive to the common calls of nature; and, under such circumstances, food is

seldom taken regularly, of a proper quality, or in sufficient quantity. In such cases, evacuating medicines, and a debilitating plan, frequently fail, and the regulation of the mind, particularly removing as much as possible what makes the strongest impression on it, and a tonic invigorating plan as often succeed.

CASE XI.

Mr. —, a very respectable tradesman, aged 40, of the melancholic temperament, subject to autumnal intermittents, which were always with difficulty removed, naturally ingenious, and indefatigable in whatever he undertook, pursuing it with an ardour that scarcely allowed any interval for sleep; a perplexing, intricate, anxious business, occupied his mind for weeks in succession, till at length he could think of nothing else, all his faculties were intensely rivetted on this subject; and, if disturbed by either the common calls of nature, or the solicitations of his friends, he became angry, and frequently furious, till at last nothing could exceed his violence. All his symptoms were the common ones of mania furibunda alternating with gloom and taciturnity, which

seemed almost uniformly a state of exhaustion from the previous excitement. A whole year elapsed with very little alleviation, when he gradually improved, without my being able to impute the mitigation of his symptoms to any one remedy; he was judged proper for a trial in a common room, with some convalescents, where his only gratification was to irritate his companions, exciting squabbles amongst them, and amusing himself with various species of mischief, when any opportunity offered. While playing one of his tricks with another patient, a scuffle ensued, and before the attendants could effectually interfere, he received a violent blow on the temple, which, for a time, deprived him of sense and motion; some prompt measures soon restored him, and, though he complained of unusual sensations about the back part of his head, and a concussion of the brain had certainly been the effect of the blow, he gradually improved, was soon conscious of his improper conduct, allowed he had been the aggressor, reasoned rationally on all the attendant circumstances, and at length lost all his complaints of both mind and body, and, I have no doubt, owes his restoration to the accident; for

though a casual observer might have pronounced him convalescent, yet there were certain peculiarities remaining, connected with his mental indisposition, which I have always found very difficult to remove; and indeed it is a fact which every medical man, conversant in such cases, must have observed, that where the deviation from rationality in maniacs is but trifling there the prognosis must be dubious, and there is always much more hope where, with symptoms of high excitement, the ideas exhibit the utmost confusion.

Dr. Gregory, in his lectures, mentioned a case, where a gentleman subject to periodical alienation of mind submitted to be trepanned, and never afterwards experienced any return of his mental malady.*

*(See Explanation of a Criticism on the System of Dr. Gall, by J. L. Moreau de la Sarthe.) "Instances have been known in which blows on the head, shocks, the operation of trepanning, and different injuries of the brain, have entirely annihilated or suddenly developed certain faculties. Thus Fabricius de Hilden mentions a young man who by a fall on the head was rendered completely silly; and Haller an idiot whom a wound in the head restored to his understanding. It

CASE XII.

——, aged 30, the history of whose case I was never acquainted with, had been for years insane, by accident fell backwards down stairs, and was taken up apparently dead, but by opening the jugular, and employing the more common means, signs of life returned. Upon examination, it was soon discovered that the skull was fractured, and that there was a necessity for trepanning, which operation was very skilfully performed when he was in a state of almost complete insensibility; he remained in this state for some weeks, when the wounds assumed a very promising appearance, and he took a degree of intelligence which had never till then been observed since the first attack of his insanity; occasional rays of rationality appeared, and though he seemed averse to conversation, and his ideas flowed very slowly, yet they were not tinged by any singularity as formerly. Exercise in the open air is well known, that to the operation of trepanning, Father Mobillon owed a sudden increase of his intellectual faculties."— It is said that a son of the late celebrated Dr. Priestley was restored to reason from idiotcy by a fall from a window.

air, improved diet, and interesting amusements were now adopted, and with the best effects; for though he became debilitated and emaciated, and the style of his observations and address were considerably changed, he gradually advanced to convalescence and recovery.

CASE XIII.

Mr. ———, an ingenious mechanic, aged 26, sanguineous temperament prone to excesses, especially in sacrificing at the shrines of both Venus and Bacchus; subject to spasmodic affections and profuse perspirations on the most trifling exertions, after a week of constant riot and intoxication became insane. Nothing unusual occurred in the symptoms, excepting his extreme impatience of control and coercion; and to procure his liberty all the faculties of both body and mind were incessantly directed. His mechanical skill was most ingeniously applied, and his success in removing bolts, locks, &c. was inconceivable. The art he employed to lull suspicion, and the means he had recourse to for the accomplishment of his ends sometimes succeeded: he one night opened the roof of his chamber and scaled the top of the house, but, by some accident

he fell from a wall ten feet high, bruised his head, and fractured the tibia of his right leg: he was discovered writhing in agony; and, with professions of compunction and repentance, prayed the assistance of the surgeon, who was instantly summoned. The necessary process of reducing the fracture was attended with much pain, which was not very manfully borne by the patient; but, though only the day before the accident he was most furiously insane, no marks of the disease were now obvious, nor could a trace of mental alienation be discovered in any movement or observation; and, strange to tell, he submitted to every thing proposed during two months confinement on account of his leg, which at length perfectly recovered, and no return of his former complaint took place. He now became a very reformed character, is a great comfort to his friends, and a valuable member of society.

In the medical treatment of maniacs, it is to be observed, that difficulties exist peculiar to this class of diseases. It frequently happens that the patient cannot be induced to take what the best skill and judgment have prescribed, without hav-

ing recourse to a system of forcing, or *spouting*, as it is called, a practice never admissible but in cases of the most extreme necessity. Maniacs in general are very insensible to the action of powers applied to the body, whether internal or external; from hence arises the impossibility of ascertaining the dose of medicines. The mind intensely occupied, is with difficulty distracted from the subject of its musings, which apparently absorbing all its powers, extends its insensibility through the whole animal economy: by means of this want of sympathy the body becomes equally steeled against impressions; in such cases our curative attempts should be confined to external corporeal agents, blisters, sinapisms, heat, cold, swinging, &c. and the use of medicines, particularly those of an active drastic nature, should be suspended till new indications warrant their employment; since it has happened that their accumulation in the system, and their consequent combined action have proved fatal.

In speaking of antimaniacal remedies it cannot be too often enforced, that no system is more reprehensible than that which pursues a blind indiscriminate routine of practice in every case of

derangement. This is more frequent than, in the present enlightened age, would be credited, though it is fraught with such pernicious consequences, not only in many instances terminating the disease fatally, but almost always rendering the complaint permanent from neglecting the proper means in its earlier stages.

Another difficulty attending the medical treatment of insanity arises from the impossibility of accurate information from the pulse; medical men in general, I believe, begin to be convinced that the pulse will not always furnish, even in other diseases, an accurate criterion of the state of the system, or indeed of the circulation, but in madness we can seldom derive any important knowledge from this source. The pulse, in some maniacs, is affected by the most trifling causes, in others it suffers little variation, however violent the attendant symptoms; but whenever it exhibits very sudden and considerable changes, without any obvious causes or corresponding symptoms, sudden death frequently closes the scene. I have often suspected that some maniacs possess a faculty like Spalanzani, of regulating the action of the heart by the powers of volition, increas-

ing or diminishing it by means of the exciting or depressing passions ; and I have met with some instances where the patient appeared to resist the usual action of remedies at will : these peculiarities are not easily explained. But recurring to the pulse, it should be laid down as an invariable rule that, in the treatment of maniacs, the utmost caution is necessary in drawing inferences from this source.

I might have extended my observations on this part of my subject, but it is difficult to be minute without being tedious ; I shall therefore proceed to the consideration of individual means in our attempts to relieve diseases of the intellect.

VOMITING.

Though some physicians, reasoning more from theory than practice, have reprobated the employment of this remedy in diseases of the mind, experience has convinced me that it takes the precedence of every other curative mean. I will acknowledge that, reasoning a priori, the beneficial effects of vomiting militate against my supposed proximate cause ; and it seems often contrain-

licated, especially where there exists an inordinate determination of blood to the brain ; but I am confident that in the majority of insane patients, there is no reasonable ground of apprehension from the employment of remedies of this description, and much for hope. When obvious and unusual plethora obtains, and vomiting is indicated, venesection and other evacuating means should precede it. Of all antimaniacal remedies, emetics have stood the test of ages, having been almost constantly employed from the days of Hippocrates to the present time.

In almost every species and degree of these complaints, from the slightest aberration of intellect that accompanies hypochondriasis to the extreme of mania furibunda, emetics have proved a most valuable and efficacious remedy. Their action is not simply confined to the stomach and first passages, it extends through the whole system, affecting all the vital and animal functions, agitating every part of the animal economy, and uniformly relieving the oppression not only of the body, but of the mind. There never was a more mistaken idea than that vomiting, being an unnatural, is a dangerous process. The human

stomach has suffered its almost incessant action, for weeks in succession, with impunity. The most delicate subjects have experienced not only nausea, but sea-sickness during the whole of a long voyage without injury, and indeed with advantage.

Saburra in the stomach and bowels has often seemed the sole cause of mental indisposition; and the removal of it by vomiting has effected permanent relief: how frequently do we see all the faculties of the soul when impaired and oppressed by a loaded stomach, instantly relieved by the evacuation of its contents? This viscus, in maniacs, is generally diseased, and disposed to collect and retain indigested viscid sordes, and the most judicious medical treatment will be inefficacious if we lose sight of this fact. It frequently happens that almost the whole of the first passages are lined with mucous phlegm; and till this be removed, remedies are useless. I will admit that from existing symptoms, in many cases of insanity, the employment of vomits is contraindicated; so they certainly are in hæmoptysis and other hæmorrhages, as well as in phrenitis; and yet Dr. Bryan Robinson employed them with a-

vantage in these complaints. Contrary to expectation, vomits frequently produce a diminished action of the heart and arteries, even during their operation.

I feel every disposition to allow full credit to an author of the present day, for the very valuable information contained in a late ingenious publication on the subject of insanity, yet every physician, who has devoted his attention to this branch of the profession, must differ from him when he treats of vomiting. In all the various stages and species of mental indisposition, I have employed emetics with advantage, and can confidently assert from many years experience and observation, that no sort of risk is attached to their use, that I never witnessed any consequence bordering on paralysis, and, for the reasons above assigned, they are indispensably necessary in almost every case of mental derangement. In a variety of instances, a single emetic has, in a very wonderful manner, removed every symptom of mental affection;* in some their exhibition

* ———, aged 40, dark hair and eyes, though fair skin, following a profession that confined him most part of the day within doors, and in one position: naturally of a gay, cheerful

has been repeated for several days in succession ; but it is a fact, perhaps not generally known, that though maniacs bear and require medicines in increased doses, yet by giving a common dose of opium going to bed, on the night previous to an emetic next morning, a diminished quantity of the vomiting ingredient will produce very considerable effects.

As was observed in a former part of this treatise, cases will occur in which there exists no obvious curative indication to decide the path for

disposition, but subject to dyspepsia and head-ache. Without any obvious causes he neglected his business, though his family depended on it for support; became irritable and quarrelsome : his habit of sobriety and industry gave place to tippling and idleness, though he would occasionally exhaust himself with fatigue : not being conscious of indisposition he refused remedies, till, on my visiting another patient in his neighbourhood, I accidentally saw him amusing himself by leaping through the doors of my carriage with the utmost velocity ; struck with the oddity of the circumstance, I made enquiries concerning him, and learnt the above particulars, and prevailed on him to take an antimonial emetic, which restored him without any other remedy. I have at this time a servant, who was formerly a patient, whose mental disease was wholly removed by an emetic ; who is still subject to aberrations of

the practitioner; but he will seldom err by evacuating the stomach and bowels by an emetic, which, as said before, has been often found to bring about a cure without any other assistance. It may be difficult to explain how the cure is thus effected; and this indeed may be said of various other remedies, but I am here stating only the result of experience. Could vomits be dispensed with in mania, they are of the highest value in melancholia, as they not only evacuate the stomach, but rouse the languid torpid system, agitate the whole frame, shaking all the viscera, removing

mind, which are uniformly corrected by a few grains of emetic tartar. My recollection furnishes a variety of cases, where the state of the intellect seemed regulated by that of the stomach. In many of these there existed an unnatural tendency to the accumulation of viscid indigested matter in the stomach, the quantity of which occasioned all the variety from depressed spirits to absolute insanity. In all similar cases emetics are indispensable, and generally relieve.

I have at this moment a patient under my care who had been formerly insane, and was at length perfectly cured, and continued well for some years, he then relapsed. I saw him a few days since, when his mind was strangely affected, but by the action of a single emetic he became perfectly clear, and so continues.

obstruction, &c. their efficacy in ascites proves their power over the absorbent vessels, which are often much diseased in affections of the intellect.

Having said thus much on the subject of vomiting in madness, it may be necessary to observe that the means used to promote it must be adapted to the age, state, and other circumstances of the patient. Here we have a decided advantage over our forefathers, with whom this was a favourite remedy, but who had a very scanty list of articles possessing an emetic property, and these were of the most drastic nature. In almost every case where these remedies are to be employed, the various preparations of antimony are to be preferred, and of these the antimonium tartarizatum has superior claims; this, when recently prepared, pure and crystalized, according to the formula first given to the world by the justly celebrated Dr. Jenner, is almost tasteless and colourless in solution, and consequently may be easily disguised: which is a consideration of consequence in the medical treatment of maniacs. The vinum antimonii, either prepared by infusing the glass of antimony in white wine, or by dissolving the ant. tartar. in it, is another very valuable preparation,

and as the medicated quality of the liquid is not obvious to the senses it may be often exhibited without suspicion. By a similar process other fluids may be impregnated with the virtues of antimony, but more particularly cider. In athletic, and more robust patients, the vitrum antimonii finely levigated, and given in the form of a bolus, is a most powerful, and often very efficacious remedy ; especially if taken on going to bed, conjoined with a grain of opium ; or administered at an early hour before getting up, and suffered to remain as long in the stomach as the nausea excited will allow, before its action is assisted by tepid fluids ; when it often cleanses the first passages completely, removing what less active means had left behind. With a similar intention the union of calomel with the antimonium tartarizatum, in the proportion of one of the first to two of the last, has been found equally efficacious in more delicate subjects, and these have superseded the necessity of the frequent repetition of milder means. The materia medica furnishes a list of other emetics, but the majority of these are inadmissible or inefficacious in the treatment of maniacs. Ipecacuanha, for instance, where the

mind is affected, and the sensitive powers of the body diminished, often produces only nausea, and sometimes its action is wholly resisted, though administered in large and repeated doses: when combined with antimonium tartarizatum, it only increases the bulk without adding to its virtues. With some practitioners the asarabacca has been esteemed a valuable antimaniacal emetic, but I never could discover its superior claims. The various preparations of mustard, squill, &c. are too mild and uncertain to be admissible in these complaints. Cases do sometimes occur in which emetics cannot be administered internally, when recourse must be had to external application: thus strong solutions of ant. tartar. in boiling water, when the heat is sufficiently diminished, may be rubbed on the region of the stomach, or a cataplasm of tobacco leaves applied to this part; either of which generally affects the stomach very considerably. The inexperienced practitioner may conceive any remedy might be introduced per anum, but in making the experiment he will find that the power of maniacs over the sphincter muscles is often insurmountable. Though from what has been said on the subject of emetics I am

a strenuous advocate for their use in diseases of the intellect, it will be necessary to bear in mind that circumstances may exist where the use of them would not only be injudicious, but might be attended with serious, alarming, or fatal consequences: thus in cases where the vessels of the head are unusually distended, in subjects of an apoplectic make; where there is inflammation of any of the more noble viscera, but particularly where the patient is afflicted with hernia of any kind, as was observed before.

In addition to what is advanced above, respecting the more common and general effects of emetics, it may be observed that they not only relieve, by their removal of obstructions, spasm, irritation, &c. but often produce a very surprizing alteration in the mind itself, in some instances lessening the number of deranged ideas, in others changing them entirely. When administered in doses calculated only to excite nausea, they seem to call off the mind from its hallucination, and to concentrate its attention on the unpleasant sensations occasioned in the stomach. From the similarity that exists between maniacal and convulsive affections, and the well-known efficacy of vi-

trisolated zinc in the latter, it has been very usefully employed in the former. Combining the valuable properties of a tonic, sedative, and emetic, is found to allay irritability without debilitating; and in all those cases which have undergone unmerciful evacuation, such a remedy is generally indicated.

DIGITALIS.

This has an undoubted claim to rank next to emetics as a remedy in madness; indeed, I am of opinion no case ought to be deemed incurable till it has been submitted to a trial of this very powerful medicine, and its employment has been persisted in till some effects are produced.

Before we advert to the characteristic properties of this valuable plant, it may be proper to premise, that there are few instances of this complaint in which its use is contraindicated, but that it most frequently succeeds where the derangement of the intellect is accompanied, and, in a degree, regulated by an accelerated circulation without any other symptom of pyrexia. The difficulty of ascertaining the dose of so powerful a remedy in mania might be deemed an objection,

but this equally applies to its administration in other diseases : beginning with a few drops of the tincture or half a grain of the powder, gradually increasing the quantity, will obviate all danger, though some cases resist its action to a wonderful degree. I had a patient, two years since, whose system was kept saturated, as it were, with digitalis, for weeks successively, whose mental wanderings seemed regulated by the state of the circulation ; when the pulse were at 90 he was constantly furious, at 70 perfectly rational, at 50 melancholic, and at 40 half dead : this man was at length perfectly cured by such a dose of this remedy as kept the pulse pretty uniformly about 70, and yet he had sometimes taken three drachms of excellent tincture of digitalis three or four days following. Its power over the heart and arteries is one of its most valuable properties ; and yet there can be no doubt that by its injudicious use the pulse may be gradually reduced to the total extinction of the vital principle. Its efficacy in mental diseases may also be very justly attributed to the nausea it occasions ; which, as was observed before, wonderfully contributes to influence and rectify the intellect ; and this effect

is not transient, as when produced by other articles of the *materia medica*, but will sometimes remain, for a length of time, after the remedy is discontinued, and yet it possesses the peculiar property of arresting the action of the heart, and occasioning nausea without impairing the vigour of the system.

It may be laid down as a rule resulting from observation and experience, that in the medical treatment of maniacs, the doses of every active remedy should uniformly be regulated by the degree of disease present, the age and constitution ; a greater or smaller being necessary as the mind deviates more or less from the standard of rationality.

It is much to be feared that the virtues of this inestimable plant will sometimes be brought into disrepute from being injudiciously employed, as the bold, incautious practitioner may make it the instrument of murder, or the timid declare that it is inert. Our very best medicines are well known to be insidious poisons when improperly administered. It may be necessary to add, that much of the efficacy of *digitalis* will depend on its preparation : this does not arise wholly from

its pharmaceutical management: we should be careful to select healthy luxuriant plants in full bloom, in the middle of a fine day, from elevated gravelly situations, rejecting every defective leaf, cutting out the middle rib of each, culling those only that are unspotted and of one uniform green; nor is this all, for much care is still necessary in the processes of drying, and preserving the leaves after being selected. They should be exposed to the action of a low degree of heat, either in a hot-house, or in the sunshine, and as much as possible of the colour and smell of the plant should be retained.* When reduced to a fine powder, it must be kept in close corked phials for use. No part of the kingdom furnishes this beautiful plant in greater perfection than the neighbourhood of Bristol. In my own fields it flourishes most luxuriantly. I have frequently gathered single plants, with lateral shoots, upwards of six feet in height, and hung with upwards of two hundred bells. This plant is very scarce in the vicinity of London, and other herbs, such as the verbascum, are mistaken for it. An instance of this occurred lately to a physician of

* See Withering on the Fox-glove.

the author's acquaintance. Having occasion to call at an apothecary's shop, and seeing some large fresh verbascum leaves on the counter, he asked what they were designed for? the reply was, they are very fine specimens of the famed digitalis or fox-glove. Without making himself known, he assured him he was mistaken, and that those leaves were a very inert plant called verbascum. Can we be surprized that so many complaints are made respecting the great uncertainty of this excellent remedy, when such plants as the verbascum are prepared and sold instead of it?

BLEEDING.

Since in most cases of mental disease there exist symptoms of high excitement, the use of the lancet would seem generally indicated, but unless there be obvious plethora or evident determination and congestion about the head, bleeding may increase rather than diminish the disease; when this evacuation is determined on, it may be effected either by leeches, cupping, venesection in the foot, arm, or neck, or by arteriotomy: in the performance of this last, on the

temples, the artery should not be divided, though this may be done with impunity, but a longitudinal incision should be made in it with a lancet or scalpel, from whence the quantity of blood required may be procured ; but it should be an invariable rule to secure the vessel by a ligature ; and indeed it is never safe to trust even a wounded vein to a common bandage in maniacs.

PURGING.

This is a very necessary, and generally an indispensable operation. As maniacs are frequently and almost uniformly costive, this should be constantly obviated, and the more gentle aperients first employed ; selecting the article of the *materia medica* best calculated to produce the degree of effect required. Purging was a favourite remedy among the ancients, whose practice, in diseased intellect appears to have been very simple, though successful, consisting for the most part of evacuations by the stomach and bowels, procured principally by the most drastic medicines ; but more particularly by the different species of hellebore. When remedies of this description are required, I have preferred those of the saline

class ; and no preparation exceeds the kali tar-
tarisatum ; but the particular article must be left
to the judgment of the practitioner. When a
more active purgative is required, calomel is the
best, though where uterine obstruction or sup-
pressed hæmorrhoids are the cause or conse-
quence of insanity, aloetic preparations are to be
preferred. As spontaneous diarrhœa often proves
a solution of mental diseases, where there is
florid health, and the natural functions are re-
gular, a system of evacuation by the bowels may
be instituted : this generally mitigates if it does
not remove the symptoms of violence and irrita-
tion ; and, it must be granted, that there is no
more powerful or convenient mode of emptying
the vessels than by purging. This makes part of
what is called the antiphlogistic regimen, which,
though often indiscriminately had recourse to, is
sometimes very prejudicial, and has been known
to remove the symptoms of excitement only by
the extinction of life. The use of purgatives is
improper where general debility prevails, where
there is any tendency to anasarca, where delicacy
of the system is accompanied by irritability of the
bowels, and where the patient is much emaciated.

BATHING.

The external application of cold to the head in madness is a very rational remedy, and has been often employed, with advantage, to appease irritation and fury, and to induce sleep. The modes of application may differ according to the degree of cold required, or the effect intended. In some cases, in which only partial application of cold is required, simple ablution of the head with cold water, or wrapping wet cloths round it, frequently renewed as they get warm, are the most convenient methods. In others where the application is intended to be general, the common cold or shower baths are preferable.* In some instances, the clay cap is a very convenient and efficacious mode of applying cold; but where an intense degree is required, it may be easily procured by means of æther poured on the bald or shaved

* The French physicians are said to have employed, with much advantage, a small stream of cold water, falling from a great height on the shaved heads of maniacs. I can easily conceive such a remedy capable of producing a strong impression, but I have not yet had an opportunity of ascertaining the fact in my own practice.

scalp ; and the evaporation may be increased by means of a stream of air, directed to the part by a pair of bellows. If some advantage has resulted from the partial application of cold in maniacal affections, much more has attended the general immersion of the body in cold water, which, in my opinion, deserves to be placed high in the list of antimaniacal remedies, as it is one of those powerful means which are seldom contraindicated, and may always be employed without hazard, if the system be not too much reduced and debilitated by previous evacuation, exhausted by violent ravings and continued exertions, or if some læsion of the structure be not either obvious or suspected. The very best effects have followed the severest cold bathing, even when the pulse has been much reduced in force, and the heat much below the natural standard ; for it is uniformly observed that maniacs are very insensible to external impressions, and retain heat with great tenacity.* Our knowledge of the extent of the powers of this remedy remains still very limited, whether we view it as a simple mean or in com-

* See Currie's Medical Reports on the Effects of Water.

bination with others. I have had more experience in its employment since publishing the first edition of this work, but am still unable to lay down any fixed and positive rules for its management; tho' from various trials and much attentive observation, I am decidedly of opinion, not only that no remedy is more likely to succeed in affections of the mind, but also that in order to secure its successful application, no remedy requires more experience and skill. It is often indicated in very opposite circumstances, thus as a sedative to diminish the violence of re-action, and as a tonic to remove debility. In these cases the effects depend entirely on the degree of cold applied, and the duration of the application.

In a very great proportion of maniacs there exist the most unequivocal proofs of partial plethora, as has been already observed in various parts of this work, and that this morbid, unnatural state of the circulating system is confined to the head, the vessels of which appear universally swollen, the superficies red, and the action of the heart and arteries obviously increased. here cold bathing, properly employed, after evacuating remedies, has instantly restored rationality;

the natural balance of the circulation seems to have been suddenly recovered, the temperature and pulse reduced, and such a contraction produced of the vessels, which seemed before so overloaded, that paleness of the superficies has succeeded the previous redness.

As cold bathing has so decided a tendency to diminish the action of the heart and arteries when long continued, it is more particularly indicated in those cases where the injury of the intellect is accompanied with much external heat, particularly about the head, which is a very frequent symptom, and when the patient cannot be induced voluntarily to take remedies prescribed, or will not submit to the various means proposed; for though the cold bath, according to the experiments of Dr. Stock,* do not diminish the number of pulsations, it certainly renders the action obviously weaker.

The employment of the cold bath was a favourite remedy among the ancients, who carried it sometimes to a very dangerous extent; and even so late as the days of Boerhaave we have the

* See Medical Collections on the Effects of Cold as a Remedy in certain Diseases, by John Edmonds Stock, M. D.

most vague directions for its employment ; such as keeping the patient immersed till he is almost drowned, or while the attendants could repeat the Miserere. Though it may be difficult to decide when long continued bathing promises most success, yet in almost every desperate case it may be resorted to with safety: but it is a matter of doubt with me whether the effects of this remedy, thus applied, may not frequently be imputed to fear or the nisus of resistance. Many instances certainly have occurred, in which either from accident or design maniacs have been immersed in cold water till the vital powers were nearly extinguished, and in one or two cases, till respiration and animation were, for a time, completely suspended, and the intellectual disease has been either obviously mitigated or totally annihilated by the occurrence.

The mode recommended and so successfully practised by Dr. Currie of Liverpool is very far preferable, that of suddenly immersing the maniac in the very acmé of his paroxysm ; and this may be easily accomplished, if the patient be previously secured by a strait waistcoat, and fixed in a common Windsor chair by strong broad straps of leather, or web girth. But the common shower bath answers

every intention, when the patient will submit to its application, or where, from his violence, the employment of this mode is impracticable, the same advantages may be gained from pouring the water on him by means of a common watering-pot, when he is secured in a chair fastened to the floor. This is another of those remedies which requires judgment in its employment, and should not be indiscriminately had recourse to. In melancholic patients, where the symptoms occasionally approximate to violence, the cold bath may be useful. It is a singular circumstance, that the two opposites of warm and cold bathing should often produce effects very analogous: the former is more general in its application, and the party may be exposed to its action for hours in succession, not only with impunity, but with obvious advantage. Where rigidity of fibre, any degree of spasmodic stricture, exhaustion and debility, are accompanied by mental irritability, vociferation, and violence, no remedy promises more than the warm bath. This is often very successfully employed while a stream of cold water is directed on the head. The warm bath, when heated to about 90 of Fahrenheit, may be classed

with the most valuable remedies in diseases of the intellect, it is eminently calculated to restore that regularity and balance of the circulating system which is so frequently destroyed in maniacal affections; is particularly opposed to that unnatural dryness of the surface and obstruction of the pores, those bilious and dyspeptic symptoms which frequently accompany the lower degree of mental indispositions, and is often more willingly submitted to than the cold bath, and equally invigorating and tonic. Should a relaxing and debilitating effect be intended from this remedy, a few degrees of additional heat may be communicated to the bath, and its application be longer continued. In delicate female maniacs, in whom, from various causes, the system is much reduced, when violence and fury threaten the extinction of life, and internal remedies are obstinately refused, the warm bath is admirably calculated to appease the tempestuous commotions of mind and body. Where an unusual degree of heat exists, whether partial or general, the warm bath has been known to reduce it more speedily and effectually than the cold. Cases of the most distressing nature sometimes occur, in which all kinds of sustenance

are obstinately rejected by the maniac, who is intent upon self-destruction ; after every other method has been attempted in vain, the warm bath, of either the simple element, or composed of water gruel, or milk and water, has contributed to support life for a considerable time ; for though the administration of clysters may be impracticable from the voluntary and insurmountable contraction of the sphincter ani, the patient possesses but little power over the absorbents of the surface, and yet I would not positively deny that the mind has any influence over the skin, since we observe that various passions diminish the sensation of cold in some instances, and occasion cutis anserina in others, and the experience of every man proves that whenever the mind is intensely engaged the sensations are wonderfully diminished. The astronomer, intent on the objects of his sublime science, it is said, neither feels nor is injured by the damps or the chillness of the night ; and in some species of madness, where the ideas of imagination are too vivid to admit the impression of sense, cold is resisted to an extraordinary degree. I knew an instance of a young woman, previously of the greatest delicacy

of frame, struck with madness, lie all night on a cold floor with hardly the covering that decency requires, when the water was frozen on the table by her, and the milk that she was to feed on was a mass of ice.*

Of a similar nature is the vapour bath ; but the pediluvium is most frequently had recourse to, and may produce very beneficial effects in various ways. With maniacal patients I have sometimes impregnated the water with rosemary and other aromatic herbs, which, being grateful, engaged their attention, and appeared to amuse them, they have often attributed the good effects of the remedy solely to the herb, and willingly submitted to its repeated employment from this stratagem alone.

BLISTERS.

These have been often employed, and sometimes with obvious advantages, whether applied with the intention of keeping up a discharge, or only of exciting temporary inflammation. I have proved the propriety of Dr. Monro's observation on this subject, that they are never useful when

* See Currie's Medical Reports, Vol. I. Appendix, No. II. page 40.

applied to the head itself; but to the calves of the legs and to the feet, in the form of sinapisms, they are frequently a powerful and efficacious mean. There are however cases where their employment on any part is inadmissible, as where any degree of salacity prevails, which is a very common attendant upon maniacal affections.

CAMPHOR.

This has always been with me a dubious remedy. It is difficult to decide when is the proper period for using it, and still more so to ascertain the dose. I have seen it in small quantities convert mild melancholia to mania furibunda; and have often found it produce no other effects, in doses of 20 or 30 grains, than those of the common terebinthinate preparations of the shops. Like many of the remedies deemed sedative, camphor often excites and stimulates. It has the reputation of quelling the passions and curbing venereal propensities; but I have never witnessed its producing such effects. However prepared, whether alone, or in combination with nitre, vegetable acids, fœtid gum, &c. I have never observed any permanent good effects from its use.

It may be added to the list of nervous antispasmodic medicines, more calculated to obviate unpleasant symptoms than to effect the cure of insanity. In small doses it is generally inert, in larger prejudicial, and in enormous ones has a tendency to increase the derangement it was intended to remove, and has been known actually to extinguish life itself.

OPIUM.

From the soporific tranquillizing properties of this valuable drug it might seem indicated in maniacal affections; but I have tried it alone to an almost incredible extent, without perceiving any, even temporary, much less permanent advantage from it. Opium often increases the heat and irritation it was meant to allay, constipates the bowels, and tends to promote rather than diminish that determination towards the head which is always injurious. A dose of opium, as mentioned above, administered going to bed, previously to taking an emetic in the morning, has been found to render a smaller quantity of the vomiting ingredients sufficiently efficacious. With digitalis it has been useful in maniacal cases, especially

where this powerful remedy has a tendency to run off by the bowels. Combined with antimony, in repeated small doses, it has been productive of very good effects, but only by relieving the more obvious symptoms without correcting the aberrations of the mind. With bark, in hysteric melancholic insanity, where universal laxity of fibre prevails, it has been beneficial. With concentrated vegetable acid it has produced a soothing tranquillizing effect, which was easily kept up by small repetitions for a length of time, and, in some instances, with very considerable advantage; but whether this arose from any salutary impression on the nervous system, or from impeding nutritious absorption, it is difficult to decide. Dissolved in a strong tincture of tobacco, and applied externally to the region of the stomach, it has allayed the violent nauseating effects of other remedies, particularly digitalis, contrary to what might have been suspected *à priori*: and this same solution applied to the bald or shaved head has removed pain and checked the wanderings of the mind. With æther united to alcohol, and rubbed on the bare scalp, it has been productive of similar good effects, as also when applied to the same part

in form of a plaster. Hyoscyamus, aconitum, datura, cicuta, and other articles of this class, have been employed as antimaniacal remedies, but seldom with any flattering success. The first has certainly superior claims to notice; and from the testimony of Drs. Stork, Home, A. Fothergill, Monro, and others, has been employed with advantage. As it rather relaxes than constipates the bowels, and possesses very considerable narcotic powers, it is preferable to opium in some cases of insanity; but the inspissated juice or extract requires much nicety in its preparation, as well as care in its preservation, even after the most successful pharmaceutical management: for its virtues are soon dissipated by careless keeping, and being a remedy seldom employed, it can as seldom be had at the shops in a state of proper preservation. As it is a very powerful medicine it should be cautiously administered in every case, beginning with small doses, gradually increased to such an extent as to produce some obvious effects, the first of which is generally a degree of stupor or dizziness. It may not perhaps be generally known that the extract of hyoscyamus is not so well pre-

served, so as to retain its properties undiminished in the consistence of a rob, as it is commonly met with in the shops, as when exsiccated to a hard extract, that may be easily rolled into pills. When opium disagrees, or costiveness contraindicates, the hyoscyamus may be advantageously employed, and though it may not radically remove the wanderings of mental disease, it will be found to soothe and calm commotions both of body and mind.

The aconite has been extolled by some physicians, but it is too uncertain in its action, like other diaphoretics, it is apt to constipate the bowels, an effect always to be guarded against in diseases of the mind; joined with antimonials it has occasioned profuse perspirations, and where the evacuation by the skin is intended, a combination of this kind may produce the effect. Hemlock, gradually introduced, has certainly been of service in some cases of insanity, by diminishing irritation and excitement, and causing sleep; but some systems resist its influence for a length of time, and others are not affected unless when it is administered in enormous doses. When opium has disagreed, the cicuta has been often conjoined or substituted with evident advantage.

There is another class of remedies called nervous, or antispasmodic, which, from the analogy between maniacal and convulsive affections, seem often indicated in the former; these will often subdue certain prominent symptoms, such as pains in the head, constipation, irregular spirits, &c. which frequently accompany some of the milder species of insanity, but they often heat and irritate. When epilepsy is accompanied by mental delusions, the cuprum ammoniacum and zinc have been beneficial, mitigating the epileptic paroxysms and diminishing the affection of the intellect.

Some of the preparations of iron have certainly advanced convalescence to the perfect re-establishment of health; and where diseases of the mind are accompanied by debility and relaxation they have proved eminently useful. The continued use of Fowler's arsenical solution in such cases might contribute to recruit the system and restore reason. Though we are unwilling to allow this powerful medicine any specific antimaniacal property, yet it may be expected to produce very important changes both in body and mind by means of its tonic power. Musk, though highly extolled, I have never seen relieve a single

maniac by removing any of the characteristic symptoms of this complaint, though, in combination with some of the other powerful antispasmodics, it has contributed to diminish the hallucination, altering the subjects of the mental attention by its sedative and diaphoretic powers.

It frequently happens that maniacs of the melancholic temperament are torpid and apparently insensible to every agent ; their mental faculties seem immoveably fixed, as if some vow bound them to apathy, they resist and resent every attempt to attract and arrest their attention. In these cases stimulants of various kinds have been found expedient, and often very beneficial ; but they must be used with great caution and judgment, particularly those applied about the head ; such as volatiles, errhines, and sternutatories. Medicines of this class, which are more usually applied externally, have been directed internally with great advantage ; thus mercury, squills, mustard, horseradish, and cantharides. As to the first, it may be pronounced a doubtful remedy in mania, having been too frequently a remote cause of the disease ; though some cases do occur in which it may be very usefully employed, whether

administered with the intention of simply acting on the bowels or to produce ptyalism.

Stimulants, possessing a diuretic property, have been very advantageously employed in affections of the mind; among others cantharides, though a dangerous and violent remedy, have been, occasionally, highly beneficial, when the whole animal economy seemed steeled against the effects of others: the dose at first should be small, and then gradually increased, watching carefully the effects as they arise, that the medicine may be suspended on the first appearance of any that are unfavourable.

As a degree of paralysis of the bladder sometimes takes place in various affections of the mind, occasioned by inattention to the stimulus of the urine, and the consequent over distention; this part should be frequently examined, as by neglecting it irreparable mischief often ensues.

The hæmorrhoides being a frequent accompaniment of insanity, the state of the rectum should be particularly attended to, as troublesome sinuses, scirrhus, and even sphacelus, have succeeded neglected piles. There often exists a very intimate connection between the hæmorrhoidal

veins and intellect; the loss of a very small quantity of blood from these has been followed by the dispersion of gloom and a new train of ideas.

Among the stimulants used in paralytic affections, accompanied by mental derangement, recourse has sometimes been had to electricity; but I have never seen any lasting advantages follow its application, excepting in those maniacal cases which arise from uterine obstruction.

Among the valuable antimaniacal remedies may be reckoned *permanent* ARTIFICIAL DRAINS, such as caustics, issues, and setons; the last of these are best, being managed with the greatest facility; and the least liable to be injured or destroyed. There are few cases of mania where these may not be usefully employed, excepting where derangement is accompanied by considerable debility; they have indeed been eminently successful in various instances, where the loss of reason has succeeded painful unnatural parturition with retrocession, or disappearance of the milk, as improved health and intellect have taken place while the discharge was profuse. Where this complaint arises from repelled eruptions, drying up of old

ulcers, curing hæmorrhoids, and the like, setons seem more particularly indicated; perhaps it would be immaterial where the seton is inserted, if some advantages did not arise from its being placed between the shoulders, where the patient cannot easily destroy or injure it; and in maniacs it is always advisable to inclose at least an inch of skin between the two orifices, and the extremities of the ribbon or cord should be fastened or sewed together.

SWINGING.

This is both a moral and medical mean in the treatment of maniacs. It may be employed in either the oscillatory or common, or the circulating form. The first, or oscillatory, is too generally known to require a description: the second, or circulating, is easily constructed by suspending a common Windsor chair to a hook in the ceiling, by two parallel ropes attached to the hind legs, and by two others passing round the front ones joined by a sliding knot, that may regulate the elevation of the patient when seated, who, besides being secured in a strait waistcoat, should be prevented from falling out of the chair

by a broad leather strap, passed round the waist and buckled behind to the spars, while another strap to each leg may fasten it to the front ones of the chair. The patient thus secured, and suspended a few inches from the ground; the motion may be communicated by an attendant turning him round according to the degree of velocity required. But a more compleat rotatory swing may be very easily contrived, of which I cannot convey a more accurate idea than in the words of Dr. Darwin, with whom I believe the idea first originated. "Let one end of a perpendicular shaft, armed with iron gudgeons, pass into the floor, and the other into a beam in the ceiling, with an horizontal arm, to which a small bed might be readily suspended." To this perpendicular shaft a chair may be fixed, and the patient secured in it as above described. A considerable improvement to this swing is a strong rod of iron, fixed to the upper extremity of the perpendicular shaft, and to that of the horizontal arm at the foot of the bed, which may be easily so contrived as to be shortened or lengthened, and thus to regulate the elevation of the bed. The necessary motion may be given by the hand

of the attendant pushing or pulling the extremity of the projecting arm, with greater or less force, each time it circulates, but by a little very simple additional machinery any degree of velocity might be given, and the motion communicated with the utmost facility. Thus by means of the chair or the bed, the patient may be circulated in either the horizontal or perpendicular position.

On persons in health these swings produce only the common effects ; but in proportion to the degree of motion communicated, and sooner by the circulating than by the oscillatory, and in the horizontal than in the perpendicular position. Independent of these more obvious effects in some maniacal cases, swinging, often repeated, has had the singular property of rendering the system sensible to the action of agents, whose powers it before resisted.* One of its most valuable properties is its acting as a mechanical anodyne. After a very few circumvolutions, I have witnessed its soothing lulling effects, tranquillizing the mind and rendering the body quiescent ; a degree of vertigo has often followed, which has been suc-

* See Case XIV.

ceeded by the most refreshing slumbers;* an object this the most desirable in every case of madness, and with the utmost difficulty procured. Maniacs in general are not sensible to the action of the common oscillatory swing, though it affords an excellent mode of secure confinement, and of harmless punishment; and I have met with a few instances where the circulating, in both the horizontal and perpendicular positions, produced no effect. The valuable properties of this remedy are not confined to the body, its powers extend to the mind.† Conjoined with the passion of fear, the extent of its action has never been accurately ascertained; but I have no doubt it would afford relief in some very hopeless cases, if employed in the dark, where, from unusual noises, smells, or other powerful agents, acting forcibly on the senses, its efficacy might be amazingly increased. The employment of such Herculean remedies requires the greatest caution and judgment, and should never be had recourse to but in the immediate presence of the physician. The debility arising from swinging is never to be

* See Case XV.

† See Cases XVI, and XVII.

dreaded, it is generally accompanied by sleep and the sense of fatigue, while the slumbers thus procured surpass those induced by opiates, as much as the rest of the hardy sons of labour surpasses that of the pampered intemperate debauchee. Where insanity attacks patients of delicate habits, with previous consumptive or pulmonic symptoms, swinging has been found particularly beneficial.* I have sometimes seen a patient almost deprived of his locomotive powers, by the protracted action of this remedy, who required the combined strength and address of several experienced attendants to place him in the swing, from whence he has been easily carried by a single person; the most profound sleep has followed, and this has been succeeded by convalescence and perfect recovery, without the assistance of any other mean.† One of the most constant effects of swinging is a greater or less degree of vertigo, attended by pallor, nausea, vomiting, and frequently by the evacuation of the contents of the bladder. As in some maniacal cases, the mental alienation seems dependant upon, or regulated by the action

* See Case XVIII.

† See Case XV.

of the heart, when rationality returns, if the pulse be reduced below the usual standard, and departs again, as it advances above this standard, the swing, from the powers it possesses over the circulation, has been known to produce the most beneficial effects. Though we cannot accurately explain in what way the best remedies promote relief in madness, yet we have the most unequivocal proofs that those which occasion a degree of vertigo, often contribute to correct the morbid state of the intellect, and no one of them is so well calculated to produce this effect as the swing. Madmen are never so easily made giddy as people in their senses; yet scarcely any, even of them, can resist the action of a continued whirling with increased velocity. The vertigo, as was observed above, may be produced by means of the swing, from its effects on the sense of sight, though it may be attributed with greater probability to feeling or consciousness, even in maniacs, when they are not insensible to the impression of the process; and this opinion seems confirmed from the circumstance that vertigo is produced by the circular motion even in the dark. Perhaps the appearances which usually accompany vertigo may

contribute to explain its nature. The singular and unusual motion of swinging, when continued with increased velocity, induces first paleness, then nausea, and then alternately an obvious change in the circulation, and giddiness: these changes necessarily result from an impression made on those organs of sensibility, the brain and nervous system, and prove that the remedy acts on the seat of the disease; though the proximate cause cannot be satisfactorily ascertained.

In some cases, where the animal frame is easily influenced by the vertiginous motion, both the vital and animal functions are considerably affected, as well as the internal and external senses.

When vertigo is either symptomatic or idiopathic it is usually accompanied by nausea; and as the swing generally produces this effect, and as vomiting is often indicated, and the patient refuses to take any remedy, our mechanical apparatus is of the highest importance in such cases: indeed it often possesses superior advantages, as we can regulate the action on the stomach, producing either temporary or continued nausea, partial or full vomiting. The sickness produced resembles that occasioned by

sailing, than which perhaps none is more severe : and though in long voyages the most delicate systems have borne it for weeks together, no ill consequences have accrued, as was observed before. When full vomiting has followed the use of this remedy it has often succeeded in bringing away viscid accumulated sordes and tenacious phlegm, with which the first passages of maniacs so frequently abound, and indigested matters, which appear to have been long pent up, though the most active drastic evacuating remedies have been employed, and apparently with considerable effect. As vomiting has been long esteemed among the most successful remedies in madness, if the swing produced only this effect, its properties would be valuable ; but though it can be employed so as to occasion the mildest and most gentle effects, yet its action can be so regulated as to excite the most violent convulsions of the stomach, with the agitation and concussion of every part of the animal frame ; thus rendering the finest system of vessels pervious, or, in other words, removing obstructions, and altering the very nature and quality of the secretions.

The impression made on the mind by the re-

collection of its action on the body is another very important property of the swing, and the physician will often only have to threaten its employment to secure compliance with his wishes, while no species of punishment is more harmless or efficacious.*

Though much of the beneficial effect of the swing may be justly ascribed to its action on the stomach, yet more of it may arise from its power over the circulation.

CASE XIV.

Mr. —, aged 34, naturally of a gloomy, morose, reserved disposition, had been indulged in every wish of his heart from his infancy, became suspicious, revengeful, and impatient of control; had been engaged in a business which occupied his thoughts, with scarcely any bodily exercise: a series of disappointments and losses at length deprived him of reason: after being treated in the most judicious manner, without success, he was consigned to my care. I found all the peculiarities of his temperament increased by his

*See Case XIV.

indisposition, the countenance approached to saturnine blackness, the eyes, suffused with bile, were immoveably fixed on the ground, the limbs seemed deprived of their locomotive powers, the action of the lungs, and the circulation retarded, the tongue parched, and the whole man resembled an automaton, seldom exhibiting any marks of existence but from the deepest sighs. His whole system was steeled against impressions, and he must have sunk to the grave but for the address of his attendants. All the more common means had failed, and he obstinately resisted medicine, I therefore judged him a fair case for the swing, into which he was placed two hours after he had taken a pint of thick water gruel and new milk, pulse 80, breathing twenty inspirations in sixty seconds, had had no alvine evacuation for six days, nor made any water for the last 24 hours, skin dry but cool, eye-lids half closed, the face vacant and of a murky hue : he made some resistance to being placed in the chair, but when properly seated and secured, he was at first turned round very gently, and after a few revolutions, he appeared to experience some unpleasant sensations, his attention was roused, and he made some vio-

lent but unavailing struggles ; the motion being increased he became pale, and begged the operation might be discontinued, promising compliance with my wishes as to food, medicine, &c. I therefore directed his immediate liberation ; he complained of giddiness, nausea, seemed exhausted, and had nearly fainted ; being laid on a bed I found his pulse 60, the inspirations fifteen, the expression of features changed, the extremities and superficies cold, he soon fell into a profound sleep, which continued three hours ; but on waking I found him in mind and body just as before the swing was employed, all his promises were forgotten, and he refused both food and physic ; next day the swing was repeated as before, when similar effects were soon excited, and by increasing the velocity the nausea advanced to vomiting, when the swing was suddenly stopt very unexpectedly to the patient, who appeared roused and alarmed, intreated to be relieved, and repeated his former promise, I again complied, and he was taken out of the swing in the most helpless state imaginable, was put to bed, where he soon fell asleep, and did not awake for six hours, when he reluctantly acquiesced in my proposal to take a

mercurial purgative, a very small dose of which procured some copious alvine evacuations, though he had before taken three times the quantity in disguise without effect, and he now began on a light nutritious regimen, with gentle exercise in the open air ; but his former mental peculiarities soon after returning, the swing was prepared, and the necessary steps taken for its employment, but rather than repeat the ride in the whirligig, as he termed it, he submitted entirely to my wishes, and, with some occasional returns of obstinacy and disinclination to persist in the remedies I prescribed, I had the pleasure to see him gradually improve till he advanced to perfect reason.

CASE XV.

Mr. ———, aged 40, of a florid complexion, very muscular, but of rather a mixt temperament, became gradually depressed, then unusually gay and flighty : previous to these symptoms he had been eccentric, ingenious, and good tempered, remarkable for an accurate retentive memory, and for feats of the palestra. A tender attachment was the supposed cause of his indisposition, though this was not obvious in the bent or train of his

deranged thoughts. For six weeks he had resisted all attempts to introduce medicines, his appetite was voracious, days and nights passed in alternate struggles from coercion and violent vociferation. Judging from all the circumstances no hazard could attach to the employment of the swing, this was determined on, but a strong party were necessary to place him in it. The first five minutes produced no kind of change, except that the novelty seemed to amuse, but, on increasing the motion the features altered, and the countenance grew pallid, the urine passed; complaining of sickness, he prayed to be released; after a few rapid gyrations, more vomiting succeeded, his head fell on his shoulder, and his whole system seemed deprived of vigour and strength; from the swing he was carried to his bed by a single attendant, where he immediately fell asleep; after sleeping *nine* hours without intermission, awoke calm and refreshed, and by persevering in the use of much exercise in the open air, an occasional purgative, and a light nutritious diet, he soon became convalescent, and advanced to the perfect enjoyment of health and reason, and has never exhibited any mark of his deplorable malady since.

CASE XVI.

Mr. ———, aged 26, accustomed to an active life, used violent exercise occasionally, being addicted to field amusements, prone to excessive drinking, and to other intemperance, was attacked with a fever of the inflammatory type ; during which he was delirious, but the disease soon yielded to the common mode of treatment, and both mind and body were perfectly restored. With returning health he relapsed into his former pursuits, and it was observed that a small quantity of stimulating potation affected his reason, and that in his cups he exhibited peculiarities never noticed before his late indisposition ; his ideas were of the most grotesque complexion ; linked by the strangest associations ; while he sometimes reasoned with much acuteness on the most absurd and false principles. When not under the influence of liquor his spirits were often irregular, elevated and depressed by the merest trifles, and many parts of his conduct and conversation were marked by peculiarities that bordered closely on insanity ; at length he witnessed some legerdemain tricks which he could not comprehend, and these took

full possession of his mind for days and nights in succession, from which nothing could divert him; his whole soul seemed occupied with one train of ideas, and reason wholly abandoned the mind. In this state he continued six months with little change, though the very best exertions had been employed for his relief, and in this state he was committed to my care. No means I could devise procured any relief, and remedies, in increased doses, produced but little effect, I then had recourse to the swing, which occasioned a degree of fear and unpleasant sensation, accompanied by vertigo ; and sometimes violently affected the stomach and increased the secretions of the intestines and kidneys ; yet no other permanent advantage resulted but that of rendering the patient more orderly and quiet.

CASE XVII.

Mr. —, aged 22, with every mark of the sanguine temperament, had been a loungee from his youth, and would never be induced to follow any prescribed rules or pursuit for any length of time ; eccentric and volatile, always gay and joyous ; poetry, music, love and revelry made up the checquered tissue of his life, and, without any ob-

vious cause he became furiously insane, and, contrary to the common issue of mental diseases, with symptoms of high excitement, his mind continued wild and confused, with hardly a moment's lucid interval, notwithstanding all the usual means had been exhausted on him. He was submitted to the swing repeatedly, and would be sometimes considerably affected by it; but it was uniformly observed that when he seemed gratified by the motion, and amused himself with the arms of the chair, pulling the suspending cords in time to his song: no nausea, vertigo, or other effect was produced, but as soon as any degree of fear was excited or the attention called back to the swinging, he appeared to suffer unpleasant sensation; and on the days this was most obvious his system was more easily affected by exercise, food, and remedies. Under this united plan of swinging and physic he certainly is improved, so that I think the prognosis favourable.*

CASE XVIII.

Miss —, aged 25, of a very delicate frame, highly nervous sensibility, long neck, flat chest,

* I am sorry to add that my hopes were disappointed, this patient continuing far from well.

fair complexion, light hair and eyes, blue veins, and possessing most of the other marks of the sanguine temperament, had laboured under some pulmonic affection, which exhibited the usual characteristic symptoms of ulcerated lungs; without any obvious cause became unusually talkative, uttered some very strange ideas, and, at length, from confused thought, became completely insane, with hardly a moment of lucid interval. During this new accession the pulmonic affection disappeared, all the symptoms gradually retiring, there was daily an acquisition of strength, with improved looks as to health, but the features exhibited what we have before mentioned, that peculiarity of expression which is not to be described. All the usual remedies, first of the stimulating, and then of the debilitating kind, procured no relief; and, there being no contraindication, the circulating swing was had recourse to, at first every other day for ten minutes; but as she appeared gratified by the motion, no effect was produced: at length it was repeated daily for fifteen minutes, with gradually increased velocity, when considerable nausea, pallor, and exhaustion supervening, its use was sus-

pended for a day, and she dreaded its repetition, which however was again adopted, every other day, when the former effects were obvious in a few minutes, and full vomiting always succeeded, with all the usual subsequent consequences and symptoms, particularly fatigue and refreshing slumbers, which had been denied her for weeks, though the materia medica had been ransacked for anodynes. In the intermediate day a more generous diet and tonic plan were had recourse to, with constant exercise in the open air, and as she became more disposed to reasoning and to conviction, the mind was kept amused, the lucid intervals became longer, and the topics of delusion diminished in absurdity and number, till reason again resumed her sway, and both mind and body became perfectly re-established; and have continued so ever since, without a return of any one of the former pulmonic symptoms.

CASE XIX.

Mr. —, aged 22, of the choleric temperament, partaking of both the sanguine and melancholic, but the usual marks of the latter predominating; naturally grave, silent, and partial to

solitude, gloomy and reserved ; had passed the usual routine of a classical education, with the character of plodding industry, but exhibiting no coruscations of genius. His life was a model of probity and virtue, being rigidly regular in the performance of all his duties, but more particularly his moral and religious ones, tremblingly alive to the slightest dereliction. He professed some peculiar religious tenets, but believed every word of the scripture to be dictated and written by Divine inspiration, and these were the subjects of his daily study. After having been for some time considerably affected by an unguarded expression, uttered by a rash conceited teacher, who possessed more zeal than prudence, he became gloomy and depressed, till his life was such a burthen to him that he seemed bent on destroying himself, and was only deterred by a sense of the criminality and sinfulness of suicide. After reading that part of the New Testament which mentions the cutting off a hand, or plucking out an eye, the idea of castrating himself rushed into his mind, and with a pair of small scissars he very completely performed the operation ; the surgeon when called in, found him in a state of syncope from the

hæmorrhage, and by the most judicious treatment healed the wounds in a few weeks, but the mind continued impressed with the most miserable ideas, and nothing but eternal perdition was ever in his view ; in this state he was consigned to my care. He was perfectly silent, his eyes shut, averse to motion, and inattentive to the common calls of nature. No solicitations could induce him to utter a word, to move, to eat, or drink, and his design was to deprive himself of life by starving, every other mode being denied him : with the assistance of some experienced attendants, his amazing resistance was overcome, and he was forced to take a sufficient quantity of nutritious fluid, this process was continued with very little variety, and with constant resistance for six weeks ; the trouble and anxiety his obstinacy occasioned is not to be described, all our efforts appeared unavailing, and I was, at times, afraid that we must abandon him to his fate : our exertions however were unceasingly continued, and with the food some evacuating medicine was occasionally introduced ; and, at the expiration of two months of struggle, the eyes were sometimes observed half open, and a degree of new expression ap-

peared in the countenance, which was one of the most incurious and vacant that can be imagined : soon after, the resistance to food was not so great, and we sometimes gained a word or a single syllable by way of answer to questions. Being so averse to speech, pen and ink were furnished, and when unobserved he wrote detached parts of scripture and sentences expressive of miserable apprehensions, from having incurred the displeasure of the Deity, being excluded from hope and mercy, and numbered with the reprobate ; and yet he retained such a reverence for the Deity, that he never used the letter *I*, because it made a part of one of his titles, the Great I Am : his mind was overwhelmed with gloom and despair, and it was too obvious that opportunity alone was wanting to terminate his wretched existence. The system of forced feeding continued : when being furnished with the bible, his reading was constantly confined to the Leviticus, and though he refused to reason on what so occupied his attention, he made me sensible, by writing, that he wished to comply with some of the ceremonies prescribed by the Levitical law, particularly to make sin offerings ; I paid little attention to so useless and

impracticable a proposal, but his determined obstinacy was insurmountable, and I began again to fear that he would fall a victim to it, when he proposed complying with some of my earnest solicitations if I would allow him certain ablutions before and after meals, and with this I judged it best to comply ; day after day he was accordingly plunged into a cold bath, and a very spare diet was, in consequence, adopted voluntarily, but the quantity of nutritious ingesta gradually diminishing, and it being too obvious that self-destruction was still uppermost in the mind, the bathing system was abandoned, and *spouting* again became absolutely necessary ; but the resistance never diminished, and it is not easy to conceive the difficulties we had to surmount, so that it became almost a dubious point to decide whether duty enjoined persisting in this terrible process or resigning him to his fate ; but I was determined to try the effects of the circulating swing as a last resource, into which he was placed as an inanimate lump, with his eyes shut ; after a few circumvolutions one eye was observed to be occasionally opened, and at length both, a degree of alarm seemed next excited, then nausea, and retching

to vomit, the motion was then suspended, and he was consulted as to his unwillingness to comply with my requisitions, but he still refusing, the gyrations were renewed, when the former effects were soon obvious, and the motion being increased, full vomiting ensued, he now begged to be liberated, and promised compliance with my wishes ; he was taken out, put to bed, and slept for some hours, when food was offered, but, as usual, refused ; he was reminded of his promise, and threatened with an immediate repetition of the swing ; this succeeded, and for some days the prognosis seemed more favourable, but the reluctance to eating returned, and recourse was again had to the swing, two or three times, with the former success, till at length he yielded entirely to my wishes, and by very simple management, both body and mind were at length perfectly restored, and I have the pleasure of knowing that he continues well, and I am confident owes his life and reason to the swing.

CASE XX.

Mr. ———, aged 25, of a full plethoric habit and sanguineous temperament, became suddenly

insane without any obvious cause ; his case exhibited nothing new or interesting, being accompanied by the more common characteristic symptoms of mania furibunda, which at length yielded to a system, the rationale of which turned on the abstraction of stimuli ; but I mention it as one in which the swing was repeatedly employed as a moral mean, by way of punishment, and to induce a compliance with the remedies prescribed ; and though there was a necessity for its repeated use, I never saw a patient more easily or powerfully affected by it, and though he always earnestly solicited for release and suffered so much, his obstinacy and perverseness were to be overcome by no other mean ; his dread of the swing was extreme, and yet he would not yield to my wishes till it was employed ; once he seemed impressed with the idea of its proving fatal, and previous to his being placed in the chair, as if going to be led to execution, he exclaimed in the most pitiable accents, “ hear the last words, dying speech, and confession of — — —,” &c. I could detail other cases where considerable relief was procured by swinging, in a few instances the patients resisted its action entirely, in others no advantage

accrued, though the usual effects were produced, but not a single instance do I recollect of any permanent unpleasant consequence resulting from its employment.

The effects of the rotatory motion, on different subjects, frequently vary according to the position and other circumstances.

CASE XXI.

Miss ———, aged 18, sanguineous temperament, subject to catarrh and slight pulmonary affections from the most trifling causes ; such as reading a damp newspaper, touching linen before it was ironed, and the momentary partial application of cold air ; hectic emaciated habit, and pulse seldom below 80 ; a stranger to robust health, subject to irregularities both with respect to the periodical visitations and alvine evacuations. Without any obvious cause her spirits were depressed, the expression of her countenance unnatural, and from being of the most accommodating amiable temper she became peevish, rude, and morose. By the most gradual steps alienation of mind succeeded. In the earlier stages of the mental affection there were lucid

intervals, when she was conscious of her indisposition, and could reason with much propriety on its nature as well as on most other subjects. Though the return of insanity observed no regularity or exactness, yet the intervals became rapidly shorter and less obvious, till at length no ray of reason could be observed for days and weeks in succession. Sometimes one single idea seemed to take entire possession of the mind, on which she never reasoned, but repeated it in the same words incessantly for hours in succession; at other times the most grotesque and incongruous imagery crowded on the intellect, occasionally accompanied with frantic gesticulation and violent vociferation. The best medical skill and all that the fondest affection could procure, had failed, before she was consigned to my care, without any expectation of relief, but in order to secure her every comfort, an experienced nurse, and the constant attention of a medical man. Had my judgment dictated any new remedies their exhibition would have been impracticable, indeed every probable medical mean had been employed without success, and as the body seemed to improve as the mind became affected, the ap-

plication of the rotatory motion, in different positions and circumstances, was determined on. The swing was first applied in the upright position between breakfast and dinner, previous to any preparation for the employment of our remedy, as the patient reclined horizontally in bed, the eyes shone with brilliancy and expression, the countenance was suffused with a slight blush, the skin was moist, the pulse 84, and the inspirations 18 in 60 seconds.

The exertions necessary for the employment of the swing, and the resistance of the patient, had increased the inspirations to nearly double the former number, the pulse were upwards of 100, and the skin bathed in perspiration. No trace of reason appeared in her conversation, which was incessant; but it was observed that her ideas were unconnected with surrounding objects, being excited entirely by her own imagination; that they exhibited no sort of connection, were the most opposite and incongruous that could be conceived, and passed in rapid succession. The motion was at first communicated almost imperceptibly, and very gradually increased, while the patient sat erect against the circulating pillar. For five mi-

nutes no effects were obvious, but the pulse, heat and inspirations were reduced to what they were at the first examination of them; in five more the ideas were observed to flow less rapidly, though equally outré; and now the eyes became less expressive, the countenance pale, and some tremulous motions appeared about the lips: on suddenly suspending the motion, a degree of alarm seemed excited, some surrounding objects attracted her attention, though she reasoned absurdly about them: no change of this kind had been observed for weeks before; as she seemed considerably exhausted and to suffer some uneasiness, she was liberated from her shackles and placed in bed, when it was found the inspirations were reduced to 16, the pulse to 65: she slept for some hours, skin dry and cool, but, on awaking, no sort of improvement or alteration had taken place with respect to the mental indisposition. A few days after, the patient was submitted to a repetition of the above process, with this difference, that as in the former trial she had breakfasted, in the second it was employed early in the morning before any food had been received into the stomach: after a very few circumvolutions a degree of

change was observed, both as to the appearance of the features and the mind; the former expressed apprehension, while the ideas, though confused, did not seem to crowd so rapidly, though obviously excited by the imagination: in five minutes symptoms of nausea took place, with an increased flow of saliva and urging to vomit: the pulse were reduced 20, and the inspirations 4 in 60 seconds, the loquacity was interrupted, and surrounding objects, though they must have appeared indistinct and confused from the gyration, attracted the attention, and became the subject of conversation; an attendant was called by name, her person and character dilated upon, parts of her dress occasioned the most singular trains of thought: the furniture of the apartment, and the machine itself, were noticed, but reasoned about very absurdly. On suspending the motion, both mind and body in a few seconds resumed their former morbid peculiarities, and upon renewing the whirling, nausea and vomiting were excited, as were the ideas by surrounding objects. These changes were repeatedly renewed by the same means, and though fatigue and refreshing slumbers uniformly followed the employment of the swing,

yet week after week elapsed with very little variety: at length the motion was obliged to be continued longer, and its velocity increased before the effects were produced, but she was almost constantly so impressed with dread, or so miserably affected by the nausea, that she uniformly intreated to be liberated, and violently resisted the repetition of the remedy. The uterine obstruction, that had resisted the usual means for such a length of time, was, in a degree, removed; but this was attended with extreme prostration of strength, pains in the back, of which she herself complained, and lividity of countenance. She now became more orderly and accommodating, but was perpetually musing or talking on subjects that were furnished by her bewildered imagination. The circulating machine was had recourse to only once in five or six days, though compliance was frequently procured by a threat of employing it; a new system of diet and exercise was therefore adopted, accompanied with pediluvium and aloetic remedies, corrected by columbo and aromatics, and, when the next period of the catamenia was expected an increased dose or two of these medicines, warm fomentations of the

lower extremities and uterine region were daily had recourse to, and happily succeeded. A degree of improvement, both as to body and mind, immediately followed; the former acquired an increase of strength, and the countenance became more healthy and natural: the mind only exhibited occasional remains of indisposition, though it seemed often disposed to revert to some former absurd trains of thought, from which it was, at first, difficult to abstract it, but afterwards she was easily diverted from these, and was occasionally interested in some new pursuits; every attention was paid to prevent a relapse, and to continue the regularity which had formerly been so long solicited in vain, at several subsequent periods of expectation the usual means were had recourse to, and with success, though both mind and body underwent obvious changes during these visitations, but these became gradually less apparent; and at length both health and reason were fully reinstated, and I have no hesitation in asserting that she was indebted to the above mechanical remedy for both.

THE results of these different cases, and much attentive observation of the effects of the rotatory swing in many others, convince me that the quantum of effect produced depends entirely on the state of the nervous system, and that the sensibility is the medium of its action. Hence we may satisfactorily explain how it happens that, in one instance, the remedy produces violent effects, in a second, very moderate ones, and in a third, little or none: as also how to account for its affecting one man after a few revolutions, and another, not till after a lengthened application; how, in one case, a very gentle circumgyration will produce very considerable effects, in another, the most violent, as well as long continued, rotation is necessary to bring about any. But I never could explain the circumstance of one patient being most easily affected in the horizontal, and another in the perpendicular position, though the majority of individuals are soonest sensible of its influence in the former. The various peculiarities and changes, both mental and corporeal, produced by this mode of swinging, must also be attributed to the state of the sensibility, joined to the sympathy or reciprocity of action that sub-

sists between the mind and body, each becoming in its turn the agent, and the subject acted on, as when fear, terror, anger, and other passions, excited by the action of the swing, produce various alterations in the body, and where the revolving motion, occasioning fatigue, exhaustion, pallor, horripilatio, vertigo, &c. effect new associations and trains of thought.

The varied action of the swing, depending on the state of the sensibility, not only differs in different persons, but in the same person at different times. Hence also we see why the effects of this remedy are, in some instances, so transient, and, in others, remain so long, though it generally happens that where they are easily excited they soon disappear, and vice versa. In a few instances the long continued gentle application of the circulating motion has appeared to correct the deviation of the sensibility from its healthy standard, as where it has been painfully acute, in some delicate hysteric subjects, or in those cases which have undergone unmerciful evacuation, producing exhaustion, emaciation, and debility. In other instances, where the sensibility has been less acute, and below par, the rapid rotation has

increased it; this may explain the cause of the swing's almost uniformly rendering the system sensible to impressions, whose powers it had before resisted, regulating and diminishing the action of the heart and arteries, rendering the expression of the countenance of maniacs more natural, unloading the vessels of the brain, and by diminishing the morbid determination towards the head, inducing new trains of thought, and effecting the temporary and occasionally the permanent restoration of the reasoning faculties. It is found by experiment that in order to produce the desired effect from the swing, in different patients, the velocity of the rotation must be regulated according to the state of the nervous system; but there have been some on whom it was found practicable to produce sensations both agreeable and disagreeable to continue either of these or alternate them at pleasure. In every case it appeared that suddenly stopping the machine, when in full gyration, occasioned a very violent shock both to mind and body, as the sudden and unexpected suspension of the motion has a tendency to excite fear or terror.

From the variety of cases I have here selected

some idea may be formed when this mechanical remedy may be resorted to with the prospect of success, I may however add, that it always promises very considerable relief where the wanderings of the intellect are attended with increased arterial action unaccompanied by any other symptom of fever. It has been conjectured that the heart naturally possesses a greater proportion of irritability, and consequently of sensibility, than the other less noble viscera, rendering it alive to all the finer feelings and impressions ; this being morbidly increased in mania, and the swing possessing the property of diminishing it, may be esteemed an additional proof that the sensibility is the medium of its agency.

I may be too sanguine from having so frequently witnessed its amazing efficacy, but I suspect its employment might be so contrived as to supersede the necessity of distant journies, and dangerous voyages, to procure change of air, and the effects of sailing, by only applying it in an apartment the air of which has been modified by a simple pneumatic process. In all pulmonic phthisical affections, where some of the most distressing symptoms seem to arise from hectic heat

and rapid circulation, relief may very reasonably be expected from the employment of the swing, as also in cases of ruptured blood-vessels, epistaxis, hæmoptoe, &c.

Before I dismiss the subject it may be necessary to observe that the repeated violent and long continued application of the swing has, in some instances, produced little or no effect; when this is the case it should be applied to the patient in different positions, the time of day be varied, and the state of the stomach, as to fulness or emptiness, altered; but I have never known it fail when a degree of nausea had been previously excited by a grain or two of vitriol of zinc or emetic tartar, or when a moderate dose of opium had been taken going to bed, and the swing applied the next morning before breakfast. I will only add that we often meet with maniacal patients with whom nothing can be done which even the best judgment dictates, as they resist every remedy, strive against every shackle and mean of coercion, use the most violent gesticulations, and rend the air with vociferations. In all such cases there is the most imminent danger, not only of permanent mental disease, but also of extinction of life it-

self; and I am confident that numbers of unhappy maniacs have sunk to death under such deplorable circumstances, who might have experienced the most essential relief from the use of the swing; for, be the party ever so furious, he may be easily subjected to its action, and in no situation could he be more secure, while an irresistible power is applied whose effects can be regulated without hazard. But there is a class of maniacs, who, bent on suicide and having been prevented from accomplishing their purpose by other means, have effected it by starvation, in spite of every caution that could be devised; for such cases the swing offers a dernier resort, the effects of which, judiciously regulated, have counteracted the horrible purpose, as rather than submit to its repeated action, such patients have been induced to take food, and thus life has been preserved, when all the hopes of their friends and physician had been given up.*

It sometimes happens that insanity arises from causes obviously mechanical within the cranium, where no permanent relief can be effected, and

* See Case XIX.

where the symptoms are aggravated by indulging in improper habits and resisting other remedies ; here the swing may be most efficaciously employed both as a moral and a medical mean. This observation will apply to some cases of epilepsy, the paroxysms of which have been rendered more mild and less frequent by the daily use of the swing. In one, more particularly, its employment obviously rendered the sensibility more natural, and the system more susceptible to powers whose agency it had before resisted, and whenever the paroxysms were found to observe any regularity in their return, the timely employment of the swing prevented the attack, and even suspended it when the usual precursory symptoms were present ; I must however allow that in epilepsy no *permanent* advantage has resulted from using the swing ; but I have had few opportunities of judging fairly, the majority of epileptic cases that have occurred in my practice, since the adoption of this remedy, having been of long standing, accompanied by obvious derangement of mind, they were consequently almost hopeless.

Since publishing the former edition I have been constantly in the habit of employing the

swing, and am not only confirmed in my first opinion of its safety and utility, but convinced of its efficacy in the most hopeless cases: while I am gratified by the concurrent testimony of several medical gentlemen who have favoured me with the successful result of their trials with this remedy. I acknowledge my having been disappointed in some dreadful cases where relief could hardly be expected, but in others, almost hopeless, it has produced very surprizing changes. In one most miserable patient, who had interested me very much and occupied my unremitted attention for months, the application of swinging in the perpendicular position, produced the most compleat revolution in the mind, changing the whole train of ideas, inducing the catamenia which had been long obstructed, altering the state of the circulation and the expression of countenance. The removal of uterine obstructions is a frequent effect of the swing, especially if applied about the period when, if it observed its wonted regularity, it might be expected, and if assisted by the more common emmenagogues.

I now find that the perpendicular position is best calculated for violent cases, and the horizontal

for opposite ones, and that in both the motion should be communicated in the most gradual way, and be progressively increased to the degree of velocity required.

HAVING thus gone through the principal anti-maniacal remedies, I will proceed to some others which have been resorted to in particular cases. Every medical man knows that certain changes take place in diseases which may, according to Dr. Ferriar, be very properly termed conversions, as where the remote causes, still acting, have obliterated one disease and generated another: were such changes always within our power we might hope to relieve many dreadful complaints by exchanging them for less formidable ones; but though this is not the case, yet from this discovery we deduce what must be esteemed a very important object in the treatment of maniacs. As insanity often suspends and sometimes terminates other diseases, such as phthisis, ascites, fever, &c. so various other complaints which have been attended with violent symptoms have

removed affections of the mind. How these changes are brought about it may be difficult to decide, but I am of opinion that some very important inferences may be drawn from a knowledge of the fact in the treatment of insanity. Perhaps it would be too much to say that every mean employed for the removal of mental diseases, whether moral or medical, when successful, relieves by introducing some important change into the general system; but certain it is, that if any considerable commotion, any violent, new, action can be excited in maniacal complaints, by whatever means, the mental derangement is often considerably relieved if not permanently removed; thus small-pox has dissipated the most obstinate melancholia, and where affections of the intellect have resisted common remedies I should place considerable hopes on inoculation, had the party not previously had small-pox, taking care by proper medicines and management to increase the symptoms that usually attend this disease to such a degree that the whole system should be considerably affected without endangering life.

Itch, too, has been known to bring about the same happy effect, the cure of insanity, but pro-

bably in a very different way from small-pox ; though on a principle of the first importance in the treatment of maniacs, by abstracting attention from the wanderings of deluded imagination, exciting new ideas by the means of strong impressions made on both mind and body : and in the instance of itch, by the irritation excited on the surface, I should therefore have no scruples, in some cases, in communicating this very troublesome disease, especially as it involves no danger, and its removal is always in our power.

As diseases of the intellectual faculties often follow repelled eruptions, drying up of old sores, habitual drains, &c. it is reasonable to expect advantage from the re-establishment of these, and perhaps there is no more manageable or efficacious mode of exciting new eruptions than what is furnished in an unguent formed of some simple ointment, loaded with chrystalized emetic tartar, reduced to an impalpable powder and applied to any part of the surface, though it has succeeded best when rubbed on the newly shaved scalp, where a smaller or larger crop of eruptions, very similar to those of small-pox, may be speedily excited. Blisters, issues, setons, &c. will be proper

substitutes for the old drains. Independent of the other valuable properties of fox-glove, tobacco, and similar medicines, may we not reasonably impute much of their antimaniacal power to the distressing affections they occasion in the stomach? in fact, to their excitement of a species of new disease in the system. After every probable remedy has failed, instances have been known of success following such a mode of management, composed of moral, medical, and physical agents, as ultimately brought about a compleat change of the system, both solids and fluids: on this principle alone we may perhaps explain the frequent cure of maniacs which has been known to take place by a removal from accustomed objects, rigid regularity with respect to diet, &c. and the lengthened employment of some simple alterative.

I have thus compleated my intention of giving a practical Treatise on the subject of Insanity, should the performance, however imperfect, in any degree tend to alleviate the sufferings of humanity, I shall be fully compensated for the labour which it has occasioned me.

substances for the old system. Independent of
 the other valuable properties of fox-glove, tobacco,
 and similar medicines, they are not reasonably in-
 possession of their antispasmodic power to the dis-
 tressing affections they occasion in the stomach;
 in fact, to their excitement of a species of new dis-
 ease in the system. After every possible remedy
 has failed, that more have been known of success
 following such a mode of management, composed
 of those remedies, and by which the system is
 brought about a complete change of the system,
 both colds and fevers; for this principle seems to
 stay perhaps explain the frequent cure of cancers
 which has been known to take place by a removal
 from accustomed objects, right regulated with
 respect to diet, air, and the lengthened employ-
 ment of some simple medicine.
 I have this completed my relation of things
 a practical Treatise on the subject of Intemperance,
 which the performance, however imperfect, in
 my degree tend to illustrate the subject of this
 inquiry, I shall be fully compensated by the labor
 which it has occasioned me.

APPENDIX.

I. *On the mode of granting Certificates.*

II. *On Medical Jurisprudence in Cases of Insanity.*

ON each of these very important subjects, as connected with insanity, a volume might be written, and appears to be necessary ; but, consistently with the plan I have laid down, I can only offer some general rules and hints to the consideration of the younger and inexperienced classes of medical men, to direct them not only in their decisions as to the existence of insanity, but also in furnishing a legal instrument for the friends of the party to act upon, and to regulate their conduct in courts of judicature, where the cases involve a suspicion of insanity.

I. OF CERTIFICATES.

My principal motive for touching on this subject, in a Tract professedly medical, is to obviate the facility with which a legal instrument may be procured, that can deprive an individual of liberty, at least for a time, and tarnish his reputation for ever.*

* In a former edition of this work I was led into a mistake with respect to the Act of Parliament, the wording of which is rather obscure, and as it prescribes no particular form of certificates I shall add some which have had the sanction of legal opinion.

Form of the Certificate from the Physician or Surgeon.

I of in the county of Physician
or Surgeon, do hereby certify that I have seen of
 in the county of that he is disordered in
his intellects, that he is proper to be, and that I have advised
his being sent to some house licensed for the reception of
lunatics.

Witness my hand and seal this day of one
thousand eight hundred and

Form of the Certificate from the Friend of the Patient.

I of in the county of do hereby
certify that by the advice of Physican or Surgeon of

The law, as it now stands, assigns too much power to the inferior classes of the profession, for, as these are not, and cannot be accurately defined, ignorant or interested persons may be procured to second the views of the unprincipled relations or guilty criminals.* It is much more easy to object to existing laws than to improve them; but as those which relate to the subject in question are peculiarly defective, and often involve consequences of such high importance, they certainly demand revision.

The difficulty of decision, in many cases, and the extreme delicacy and caution indispensably necessary in all, shew the absurdity and danger of entrusting every description of medical men with such powers over the liberty of individuals.

Whenever a physician, surgeon, or apothecary,

 in the county of I have directed
of in the county of to be sent to the house
of at in the county of being a licenced
house for the reception of lunatics.

Witness my hand this day of one thousand
eight hundred and

* The author has witnessed shameful abuses of this power, and remembers an instance where a son of Esculapius signed a certificate *Sarjeant* instead of *Surgeon*

is consulted on the subject of granting a certificate of lunacy, divesting his mind of all prejudice, he should reflect on the importance of the duty that devolves on him, and the great responsibility that attaches to his decision. He should view the assigned proof of defective intellect in every varied point of light, and recollect that hallucinations, confusion of ideas, peculiarity of manner, and even defects of judgment sometimes accompany certain bodily indispositions, and therefore do not constitute insanity, these may be only symptomatic and temporary. Where the symptoms are at all equivocal, a certain period should always be allowed to elapse that the alleged proofs may be exhibited again and again. He should inform himself of every interesting particular connected with the history of the case, and of the topics on which the mind wanders; and in examining the suspected party, should artfully recur to these without betraying any intention of doing so.

He should never decide from first appearances, and should always recollect that peculiarities exist which border very closely on insanity, which may be owing solely to the influence of some passion,

or impression on the mind, arising from natural constitution, the influence of medical or moral systems rigidly pursued, &c. In most instances the diagnostic marks of diseased intellect are too decided and glaring to admit of doubt ; but it is in others, where they are not so, that there exists such a necessity for mature deliberation and patient inquiry ; in the examination of which all the acts that appear tinged with the suspected malady, should be minutely attended to, and this should be done prior to our interview with the patient : we should investigate the motives that might possibly have induced them, and accurately ascertain whether they result from any rational cause, defective reasoning, or disordered intellect. Our inquiries should extend to all the possible motives that could influence the friends in seeking a certificate of lunacy ; we should also learn from them if any corporeal indisposition existed, particularly of the eruptive kind, prior to the exhibition of the mental one ; whether the party descended from lunatic parents, had been subject to any periodical evacuations, which have not observed their wonted regularity, and particularly if at any former period other symptoms

of fever, besides quick pulse, ever attended the aberrations of intellect.

When any suspicion is excited in the patient that proofs of his mental indisposition are required, the difficulty of decision has been greatly increased, as madmen are always vigilant and on the alert to prevent detection ; and some of them reason so plausibly and pathetically, and play so successfully on the feelings of bystanders, that the presence of insanity is doubted, the belief staggered, and decision postponed till some new act of atrocity or insanity renders confinement indispensably necessary.* The apparent rationality of a person, suspected to be insane, when submitted to examination, ought not to bias our judgment any more than the prevalence of the more common symptoms of madness, as the first may be the effect of

* Dr. Gregory, in his Lectures, relates two cases which immediately apply to this part of the subject. He was sent by the Lords of Session to examine three ladies in one family, who were all insane. They came to him separately, and each gave him so true and lamentable an account of the others, and reasoned so sensibly and pathetically on the subject that the first and second deceived him, but as they each told the same tale, he at length discovered all were affected by the same

a momentary lucid interval, and the last be occasioned by passion, intoxication, &c. Deceived by such appearances what dreadful errors may be committed, the most dangerous persons may thus be let loose upon society, and the most innocent be unjustly secluded from it. Though so much difficulty attends forming a definition of insanity, more attaches to a juridical decision, especially if it were expected that medical men should determine on all cases which may be termed moral ones, when actions are committed of the most absurd, injurious, or atrocious nature, only to be tolerated by the certainty of madness. Amidst the immense variety exhibited in mental disease, none is more wrapt in obscurity than where the hallucination turns upon one point only, where certain modes of thinking result from defective education, and where the mind as it were preys

mental malady. The other case was a patient whom the Doctor attended, who told so plausible a tale to his friends, and some magistrates who were present, that they were induced to order the strait waistcoat to be taken off, hardly allowing the Doctor, at his earnest entreaty, sufficient time to escape. The instant the maniac was freed from his shackles, he flew at his friends with a violence that endangered their lives.

on itself, is denied the consolation of friendly communication or sociable intercourse, is never subjected to wholesome discipline, seldom relieved by agreeable avocations or varied pursuit, when compunctions of conscience incessantly haunt the harassed sufferer, and imperious circumstances oblige him to play the consummate hypocrite; this is not an ideal case, many very similar have occurred in my own practice.

The casual observer, examining some insane patients, would be more disposed to admire their acute reasoning, sallies of wit and originality of thought than lament a hopeless disease. The ingenuity and sophistry occasionally employed by maniacs exceed what an inexperienced person could conceive; and yet these are the cases which demand the strictest scrutiny and most prompt measures. In every dubious case we should take into account the nature and degree of the mental indisposition, the extent of the deviation from the natural accustomed habits of thinking and acting. Where the very lowest degrees of mania *tranquilla* only have appeared, and but little danger is to be apprehended from a repetition of the symptoms, and where these arise from some

obvious cause, though a certificate should be required the granting it ought to be delayed, and more frequently be dispensed with entirely. As men are endowed with various degrees of intellect, and as almost every individual has his peculiarities, it is often difficult to determine where these end and insanity begins, and what in one would be termed aberrations of the mind, in another might be called the coruscations of genius. “*Cujusque morbi tanta est magnitudo quantum a naturali statu recedit, quantum vero recedat is solus novit qui naturalem habitum ad amussim tenuerit.*” Some individuals possess transcendent mental faculties and yet seem destitute of common sense: however paradoxical this may appear, such instances are common. These exhibit peculiarities of thought and manner easily mistaken for insanity.

It should be laid down as an invariable rule among physicians, that no man be deemed insane till proved so by his actions: the singularity of a man's modes and bent of thinking should not condemn him as a maniac, but his acting on them: on the other hand, the greatest care and caution are necessary in forming a judgment,

where, from bad habits indulged, depraved moral sense, unrestrained passions, &c. a person may be hurried on to the most atrocious acts of madness, whereas, if the rudiments of the disease had been detected in time, and a certificate granted, these consequences might have been prevented. I would particularly guard my medical brethren against a hasty decision, where a certificate is requested in nervous gloomy hypochondriacal cases, especially where an exquisitely marked melancholic temperament obtains; in these, reason seems frequently but little disturbed, and yet they often terminate fatally by suicide. Patients of this class practise the most refined deception. Physicians, the most experienced in the management of the insane, have been the dupes of their cunning and art. It is impossible to conceive, much less describe, the various means maniacs have recourse to for the accomplishment of their purposes.*

* The author had a gentleman some time since under his care, who being denied the use of pen, ink, and paper, had recourse to the following means for the accomplishment of his wish to send a letter to the editor of a certain provincial paper, offering himself a candidate for a seat in parliament;

There is a class of individuals who though they can hardly be termed insane, yet whose conduct argues a great degree of depraved reason and of very defective moral sense, and who occasionally exhibit all the more common symptoms of disordered intellect,—I refer to habitual drunkards. The recurrence to excessive drinking, especially when the baneful effects have been frequently experienced, is a species of infatuation closely allied to madness, and as the detestable practice is an act of volition, man being a free agent and accountable for his conduct, the law has wisely determined that drunkenness should be no extenuation of guilt, and it is to be lamented that the law has not also permitted the granting certificates of

he tore out a blank leaf from a large bible, made a pen with a straw by means of a bit of glass, ink from a solution of soot in cherry juice, and wafer from chewed bread, which last being neatly managed received an accurate impression of the family arms from his seal. The letter thus prepared he got conveyed to the neighbouring post-office by means of an orange girl to whom he presented it with a shilling, inclosed in a cover on which was written "to be put into the post-office immediately," and this he effected while his servant was buying fruit at his elbow.

lunacy in such cases.* The experience of every physician proves the truth that insanity is a frequent sequela of intoxication ; and it is matter of regret that while we witness the gradual destruction of the best constitutions, the daily injuries done to the noblest mental faculties, health and reason sapped, and the devastating cause of all constantly repeated, we cannot interpose a legal order for confinement. The effects of different intoxicating liquors on different persons would furnish considerable information, and a source of amusement to the curious philosopher. Some are excited by them, others depressed, this man is rendered bright, that man dull ; in some the animal economy seems insensible to the rude attacks, while the intellects are strangely confused,

* Since publishing the first edition of this work, I have learnt that an institution for the moral recovery of drunkards has actually existed on the other side of the Tweed, not however on such a plan as to render it useful to the lower classes of society, among which the baneful habit of intoxication now more particularly prevails ; but confined to such people as could be maintained there at their own expence, till discipline and new habits had reformed their propensities, and restored strength to the frame.—See *Edinburgh Medical and Surgical Journal* for April, 1805.

in others both mind and body suffer equally. In many the effects of such excesses are temporary and are speedily and compleatly dissipated, till the cause is again applied. In a few, the intervals between the paroxysms of drunkenness are not accurately defined, when insanity and inebrity are strangely intermixed, and these generally become martyrs to their vice, or sink into lethargy, apoplexy, insanity, or idiotism. In one class of drunkards miserable feeling urges to the repetition of the baneful practice, in another different passions are excited, or such a morbid irritability as carries them beyond restraint and renders them equal to any act of violence and absurdity, and both these are peculiarly liable to become permanently insane. In such cases the judgment of a medical committee should be required, though they must be deemed proper subjects for a certificate of lunacy, and unless the destructive habit has been too long persevered in, or has made very serious havock in the system, a temporary suspension of it, to be obtained only by confinement, promises the most probable means of cure. There are other cases in which medical men are applied to for certificates, where, though they have no

doubt of the existence of insanity and cannot legally refuse furnishing the document required, yet it ought not to be immediately acted upon ; I refer to those instances in which aberrations of intellect have followed febrile diseases, especially where these have been accompanied by excessive evacuation and consequent prostration of strength, as also where insanity is a sequela of very painful protracted parturition, since in these and similar cases reason frequently returns as the health and strength improve. The same may be said of those cases where mental alienation seems to result from the sudden or powerful action of any of the exciting or depressing passions, such as terror, grief, joy, &c. or of wounds and contusions about the head, or the action of narcotic or other poisons.

From what has been said above, it will be obvious that the utmost experience, address, skill, and probity are indispensably connected with a medical man's duty in the business of granting certificates of insanity, and yet the existing laws empower any man who chooses to call himself a physician, surgeon, or apothecary, however incompetent and unprincipled, to furnish these important instruments. I am, however, decidedly of

opinion that as too much caution cannot be employed in every case of suspected mental disease, and more particularly in those doubtful ones where the nicest discrimination is necessary, and where persons of the best abilities may fall into an erroneous judgment, one medical person should not be deemed competent to furnish a certificate of insanity in any case ; but that the concurring opinion of two, at least, should always be required, and when any doubt remains, a committee consisting of an unequal number of men of respectability in their profession, should be absolutely and indispensably necessary, the majority of whom should decide ; and that it be deemed illegal to furnish a certificate of insanity without repeated interviews, where the symptoms are at all equivocal.

The legislature has wisely established the necessity of a certificate for the legal confinement of a maniac, but none for his liberation, and to prove his recovery ; though this, in my opinion, is equally necessary, and should always be furnished by the medical person to whose care the patient has been consigned, who had witnessed the symptoms of the disease, his progressive convalescence, and ultimate recovery, should be dated,

signed, and sealed by him : and no person should be deemed perfectly *compos mentis*, proper to be at large, to mix again with society, and transact any important business, till he had undergone an examination in the presence of his friends, particularly on those points which were the basis of his hallucination, nor till he is able to reason calmly and dispassionately on the subject of his indisposition, and has exhibited no mark of diseased intellect for at least one month previous to the period of his examination. Here again the medical profession have very extensive powers delegated to them, and equal judgment is necessary to ascertain this point, as it often requires the nicest discrimination to decide whether patients who have apparently recovered their reason, have retained it a sufficient length of time, to render it safe for their restoration to society and their usual pursuits. “For after recovery from a state of insanity, the mind is, for a time, as weak as the body is after violent diseases. As in the latter instance patients cannot immediately return to the exercise and diet requisite in times of health, without imminently endangering a relapse ; so in the former they cannot be admitted to those ob-

jects they were accustomed to behold before their mental derangement, without hazarding an equal or greater degree of danger."

II. OF MEDICAL JURISPRUDENCE,

So far as relates to Cases of Insanity.

Judicial opinions are seldom requisite in the more common and glaring instances of madness ; but in those where the reasoning faculties have been disturbed from different causes, the mind debilitated, and its powers impaired ; where the symptoms of mental disease are equivocal, and where imperious circumstances require an accurate estimate of the integrity and capacity of the intellect. Thus to determine the capability of persons to hold certain offices, execute trusts, deeds, &c. to exculpate or criminate the perpetrators of atrocious acts, by deciding the state of the mind at the time of their commission ; to assist the coroner in forming his verdict in cases of sudden or violent death, &c. It is next to impossible to detail the variety of cases in which a physician may be required to give his judgment and opinion in a court of judicature, and equally so to lay down a system of rules that shall infallibly direct to an accurate decision ; though the want of such

a code must be ever deplored, while instances occur which prove that the guilty have escaped, and the innocent been condemned and executed ; that individuals have been secluded from society, who would have been valuable members of it, and madmen permitted to rove abroad to the annoyance of their sober neighbours and the exposure of themselves, who should have been under constant restraint : so difficult is it, in some cases, to determine whether the mind is sound or not. There are various diseases incident to the human body, such as fevers, violent head aches, hypochondriasis, and epilepsy, which disturb and confuse the intellect, rendering it incapable of steady attention, accurate thinking and sound judgment, and similar effects have been produced by external injuries about the cranium, intoxicating liquors and certain poisons ; these and various other causes have contributed to debilitate and obscure the mind, without completely perverting it, or occasioned a partial derangement, confined to a single subject, which is frequently found to exist with general intelligence and superior mental powers.—Hence the greatest difficulty sometimes arises to the medical jurist, when all his address, skill, and experience are incompetent to decide

the question, whether insanity be present or not ? Though many ingenious arguments have been offered to prove that insanity has no lucid intervals, a multitude of facts have occurred in my own practice, and crowd on my recollection, that induce me to controvert the assertion. In criminal cases to establish such a law would be most humane and merciful; but viewed in other points, as connected with jurisprudence, it would be cruel and unjust. In those cases more particularly which observe periodical returns with some degree of regularity, the intervals are marked with sobriety and steadiness, the mind seems to enjoy all its faculties, the intellect to be perfectly clear, not only capable of estimating the morality of actions, but of giving legal evidence, making bargains, executing deeds, disposing of property, &c. In every case, at all suspicious, common prudence will dictate the propriety of caution ; but if we are ever to judge of men's minds by their actions, the same criterion is certainly admissible here, all circumstances being equal. Though it must be allowed that thought, design, and contrivance are in themselves no proof of sound mind, yet it must also be admitted that when they are not tinctured with any prevailing hallucination or mark of men-

tal disease, whenever the furious maniac of yesterday is to-day calm and collected, can reason with the utmost propriety, and thinks as the generality of mankind on the same subjects, is conscious of his late indisposition, and can talk with philosophic coolness of its nature, &c. are we not warranted in deeming this a lucid interval? Or are we to refuse to give credence to the opinions, or to admit the evidence of a man who is only so partially insane that, if kept clear of the subject on which his derangement turns, he will exhibit all the usual marks of a sound mind, whose decisions defy refutation, whose sentiments command confidence and respect, who is equal to all kinds of business, to unravel intricate accounts, who can call up all his powers of reasoning and recollection, and employ them to the best purposes? Patients of this description frequently occur in practice, I have several at this moment under my care; and it is a painful consideration that they form a class the most hopeless and most frequently incurable. One very interesting case I recollect of a patient, who, with an unusual proportion of natural endowment and great cultivation of mind, would pass whole months without exhibiting a shadow of derangement, and yet on

one point he was uniformly defective, and his reasoning betrayed the most unequivocal proofs of mental disease ; yet, would it not be unjust and unreasonable to deny to this man a lucid interval, and should he not have been deemed guilty if he had committed any act, not connected with his particular hallucination by the most remote catenation, which amounted to the breach of any existing law, even though the offence were of so criminal and capital a nature as to endanger his life ? As he was certainly capable of thinking and reflecting, reasoning and judging, and subject to like passions with other men, though it be granted a degree of mental alienation existed, confined within very narrow limits, he certainly ought to be reckoned accountable to the criminal code. Were we to deny the existence of lucid intervals, how difficult it would be to determine when a cure took place ; for though every mark of disease had long subsided, the patient, as being liable to relapse, might be said to enjoy no lucid interval, never to be convalescent or perfectly recovered.

Those most conversant with diseases of the mind must be convinced that the greatest pro-

portion of them are only partial, and consequently admit of lucid intervals. Perhaps it would be too much to assert that the majority of the wisest and best men that ever lived were subject to some degree of occasional alienation of mind; and yet it must be obvious to the most casual observer, that the highest order of intellect is generally accompanied by peculiarities that border closely on mental derangement. History records a number of very interesting cases of excellent men, whose reasoning on some subjects betrayed marks of insanity, and yet whose general deportment was exemplary: would it be deemed inaccurate, in such instances, to denominate the periods between the recurrence of such morbid peculiarities, lucid? or would it not be infinitely more so, were we to pronounce men insane, when perhaps, upon making the experiment, it would be impossible to prove them so? What very perplexing questions, in a court of judicature, might arise out of such cases! In some instances the faculties so far from being weakened by the disease are really sharpened and improved by it. Hence again much difficulty may arise in forming a medical decision. When irregularities, mis-

chievous or atrocious acts, have been committed by a person subject to returns of partial insanity, it often proves a perplexing as well as painful duty to the physician to decide on the innocence or guilt of the person accused, especially where any doubt exists whether these acts were perpetrated during a maniacal paroxysm or in a lucid interval.

Man, being a free agent, is certainly accountable for his actions, some of these are criminal or innocent according to the animus with which they were committed ; and, as has just been observed, where any degree of mental derangement is suspected, the presence or absence of it, at the time of the commission of improper acts, must decide their nature. In all juridical investigations of this kind, however varied the circumstances, all the collateral incidents should be carefully collected and accurately examined ; and the physician should endeavour to inform himself at what period the last appearances of insanity took place, whether the acts complained of could be traced to sinister motives or malevolent passions, and were such as might have actuated any individual of sound mind when unrestrained by principle, education, or moral sense. When no reason can be assigned

for the commission of atrocities, or where the cause alleged is not proportionate to the effect produced, where no plea or excuse is offered in extenuation of guilt, no appearances of compunction, no accurate recollection of the attendant circumstances, and no attempt to escape justice, we are warranted in imputing the acts to mental derangement. But where, on the contrary, the crimes committed seem induced by a sudden gust of anger, revenge, malice, &c. where they are the result of deliberation, and exhibit decided proofs of reflection, art, and design, where attempts are made to conceal the acts, or escape the punishment due to their guilt, there is sufficient reason to determine them proper objects for the vengeance of the law. The decision in such cases should not be biassed by the appearance of the parties at the moment of examination, though in the first instance the person accused should be free from every symptom of disease, and in the last should be violently insane. The indiscriminate refusal to admit lucid intervals in any case of even partial insanity, would at once decide the nature of crimes committed under the above circumstances, to be the result of disordered

intellect : but we have the sanction of the first law authorities for the admission of the evidence in both civil and criminal cases of persons subject to occasional returns of insanity, and it would be unjust and irrational to refuse it. I subscribe to the position that, at a given moment, a man is or is not insane, but only in the same way as I would allow a patient has ague even in the periods of its intermission. It certainly is a very wonderful fact that those parts of our frame more immediately connected with, or contributing to, the formation of ideas, should, at one moment, exhibit such high degrees of morbid action, and, in the next, appear to possess all the healthy state of their functions and properties ; indeed that thought and intellect, once deranged, should ever again be rectified. Reverting to the subject of lucid intervals, it must be acknowledged that cases may occur where criminal acts happened at the time of the accession of mental disease, when the perpetrator, though at the moment of examination he is perfectly *compos mentis*, must be deemed innocent ; or vice versa, he might have been calm, clear and rational, at the time, and become actually insane since, from the horrors of

conscience, remorse, or miserable feeling ; but here the offender must be deemed guilty.

Medical jurisprudence forms a neglected part of a physician's education,* though there is no branch of science more necessary or important, since we see such powers delegated to us by the laws of our country, and questions occur so enveloped in obscurity.

Very perplexing cases have occurred where culprits have feigned diseased intellect, either for the accomplishment of wickedness or to skreen themselves from condign punishment. But the most consummate art and hypocrisy will be necessary to enable the impostor to play his part with even a tolerable degree of success. Here the experience and discriminating powers of the physician will effectually assist the judgment, as his knowledge of the genuine symptoms and most frequent accompanying peculiarities, modes of reasoning, talking, acting, &c. is superior to that of the novice who undertakes to exhibit them,

* Since writing these sheets, the work of the late Dr. Percival, entitled Medical Ethics, has appeared, which, however excellent, is far from complete.

for however accurately he may imitate the frantic ravings of delirium, he cannot assume that consistency of erroneous reasoning, that peculiarity of look, that characteristic expression of countenance, which uniformly accompanies the genuine disease, and which, though not to be satisfactorily described, will often determine the question when every other mark is equivocal. Should it happen that after the most minute, attentive and repeated examination, circumstances exist which involve great suspicion and a degree of doubt, no final decision should take place till the party shall have been placed in a room alone, in such a situation as to allow the observance of his countenance and conduct, without his knowing or suspecting an eye was upon him; no method is better calculated to detect imposture. Sometimes proposing painful operations, nauseating remedies, active medicines, blisters, clysters, &c. has induced the pseudo-maniac to throw off the imposture; and when other proofs are wanting to confirm our opinion of the presence of mental disease, the capability of resisting the action of certain agents, such as heat, cold, hunger, thirst, drastic remedies, watching, fatigue, &c. is decisive.

It is the duty of every medical man, consulted on legal questions, to divest his mind of all prejudice, and his system of all theory, to direct his unbiassed judgment to ascertain the important point required; and, in cases of suspected insanity, to compare the reported history of them with the then existing symptoms, to inform himself as accurately as possible, among other interesting particulars, of the natural temper and disposition of the suspected party, to compare these with the peculiarities which resemble or approximate to insanity, making an allowance for lucid intervals, consummate art, &c. where the characteristic features of the disease are not strongly marked; and where they are, recollecting the possibility of their arising from other diseases, or of their being feigned. Unless in those instances where prompt decision is indispensably necessary, a regular system of examination should be uniformly established; where difficulty or doubt prevails, the party should be subjected to reiterated and attentive observation in every possible situation and circumstance: every movement, every look, every word should be sedulously noticed, the subjects of conversation varied, and without apparent de-

sign, be directed to those topics on which he is reported to wander. He should be required to commit his thoughts to paper, to pen his ideas on a given subject, and it should be ascertained whether he exhibits any peculiarity in shaping his letters, writes faster or slower than he was accustomed to, previous to the suspicion of mental affection.

We meet with no cases in legal medicine more important, or of more difficult and nice decision, than those in which professional testimony is required concerning the capacity of individuals to conclude contracts, execute leases, deeds, trusts, make wills, &c. where the intellectual faculties seem weakened by violent or protracted disease, impaired or almost annihilated, on approaching dissolution, harassed by distressing impressions, or disturbed by exciting or depressing passions. Here the physician is sometimes immediately required to give an opinion whether the mind is capable of deliberating and deciding justly and rationally, as the withholding his judgment might be attended with consequences as unfortunate as the giving an unjust or improper one. To lay down rules to direct in forming decisions under

all the various circumstances that may occur is next to impossible, the judicious conscientious physician must be left to employ the talents nature has endowed him with, assisted by all the information which his reading, reflection and experience can furnish.

THE END.

Of the Publishers of this Work may be had, lately printed in 8vo.

I. **THESAURUS MEDICAMINUM**: a new Collection of **MEDICAL PRESCRIPTIONS**, distributed into Twelve Classes, and accompanied with pharmaceutical and practical Remarks; exhibiting a View of the present State of the *Materia Medica* and Practice of Physic in this and other Countries. By a Member of the London College of Physicians, and Author of a "Practical Synopsis of the *Materia Medica* and *Materia Alimentaria*." Price 7s. 6d.

For Testimonies of the Merits of this Work see the Preface to the last Edition of the Edinburgh new Dispensatory, by Dr. Duncan; the Monthly Review for September 1795; British Critic, October 1795; Critical Review, October 1799; and the Medical and Chirurgical Review for November 1794.

II. **A PRACTICAL SYNOPSIS of the MATERIA ALIMENTARIA, and MATERIA MEDICA.**

Vol. I. price 6s. in Beards,—Part I. of Vol. II. price 3s. 6d.

* * The first Volume of this Work contains an Account of **ALIMENTARY SUBSTANCES**, together with the first Class of the *Materia Medica*, viz. **EVACUANTS**. Part I. of the second Vol. contains, **CLASS 2, Emollients**; **CLASS 3, Absorbents**; **CLASS 4, Refrigerants**; **CLASS 5, Antiseptics**; **CLASS 6, Astringents**; **CLASS 7, Tonics**. The Second Part of Vol. II, (which will contain the remaining five Classes) is preparing for the Press, and will complete the work.

III. **PRACTICAL OBSERVATIONS on the NATURAL HISTORY and CURE of the SYPHILIS.** By **JOHN HOWARD**, Fellow of the Royal College of Surgeons, London. *Second Edition.* Two Vol. 8vo. price 18s.

Also

NEW ABRIDGEMENT of the PHILOSOPHICAL TRANSACTIONS of the ROYAL SOCIETY of LONDON, from their Commencement to the present Time.

PLAN.

IN the present new Abridgement, the Mathematical Department is undertaken by CHARLES HUTTON, LL. D. F. R. S. that of Natural History by GEORGE SHAW, M. D. F. R. S. and F. L. S. and that of Medicine, Chemistry, &c. by RICHARD PEARSON, M. D. F. S. A.

The subjects are presented in the same order in which they appear in the original. The more important dissertations are reprinted in the style and language of their respective Authors, with the adoption of the modern orthography: the less important dissertations are considerably abridged. Those which are written in foreign languages are translated, unless from the nature of the subject there would be an impropriety in giving them in English. All the figures contained in the plates of the original Transactions relating to Papers of any importance, are re-engraved.

The Papers are elucidated by numerous Critical and Scientific Notes, and a biographical Notice accompanies the first mention of every principal contributor to the original work.


A detached volume will be published during the course of the work, containing an historical sketch of the origin, progress, and present state of this distinguished Institution; together with Biographical Memoirs of some of its illustrious Members—embellished with a well-engraved head of each.


To each volume there will be two tables of contents: one corresponding with the numbers as printed; the other exhibiting the different subjects classed under their respective heads. And at the end will be a copious Index of the whole.


This Abridgement is printed in 4to. and published in parts, one of which, consisting of from 22 to 25 sheets, with a proportionate number of plates, appears on the first day of every month, price 10s. 6d. Four of these parts form a large volume. A few copies are printed in a very superior style, on royal paper, with first impressions of the plates, and hot-pressed, price 18s. each part.

It is hoped that this Abridgement will be contained in 15 volumes, and as *more than seven* are already published, this valuable and extensive work will be completed in less than three years from the present time.

* * Of all the philosophic associations of modern Europe, none has greater claims upon the gratitude of mankind than the Royal Society of London. The utility of the Transactions is obviously proportioned to their importance: they are indispensable to every person who aims at general knowledge: a library would be defective without them; a book of science would be imperfect unless the author had consulted them. Unfortunately, as they amount to above 100 quarto volumes, they are too expensive to be generally purchased; besides, the early volumes, indispensable to those who wish to trace the progress of knowledge, are now so scarce as hardly to be procured for money. Many of the dissertations too are more diffuse than is necessary, and some are rendered nugatory by subsequent improvement. Hence the obvious advantages of an Abridgement, which if properly executed, would be preferable to the original, work itself. We have carefully compared the first Volume of the Abridgement with the original, and have the satisfaction to say, that we found it remarkably accurate. The perspicuous and unaffected style of the Abridgers is peculiarly adapted to a work of science.—LITERARY JOURNAL, March 1, 1801.









19 S 54m

COUNTWAY LIBRARY OF MEDICINE

RC

340

C83

1806

Copy 2

RARE BOOKS DEPARTMENT

