

A new and successful mode of treating certain forms of cancer : to which is prefixed a practical and systematic description of all the varieties of this disease, showing how to distinguish them one from another, and from tumours, etc., assimilating them / by Alexander Marsden.

Contributors

Marsden, Alex. 1832-1902.
Royal College of Physicians of Edinburgh

Publication/Creation

London : J. Churchill, 1869.

Persistent URL

<https://wellcomecollection.org/works/ywnpnwcm>

Provider

Royal College of Physicians Edinburgh

License and attribution

This material has been provided by This material has been provided by the Royal College of Physicians of Edinburgh. The original may be consulted at the Royal College of Physicians of Edinburgh. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

ON A
NEW AND SUCCESSFUL MODE
OF TREATING
CERTAIN FORMS OF CANCER
BY
ALEX. MARSDEN. M. D.



Cal. 11




Ca 2. 11

A

NEW AND SUCCESSFUL MODE

OF TREATING

CERTAIN FORMS OF CANCER.



Digitized by the Internet Archive
in 2015

<https://archive.org/details/b21942298>

A

NEW AND SUCCESSFUL MODE

OF TREATING


CERTAIN FORMS OF CANCER.

TO WHICH IS PREFIXED A PRACTICAL AND SYSTEMATIC DESCRIPTION
OF ALL THE VARIETIES OF THIS DISEASE,
SHOWING HOW TO DISTINGUISH THEM ONE FROM ANOTHER,
AND FROM TUMOURS, ETC., ASSIMILATING THEM.

BY

ALEXANDER MARSDEN, M.D., F.R.C.S.E.,

SURGEON TO THE CANCER HOSPITAL, LONDON AND BROMPTON, AND TO THE ROYAL FREE HOSPITAL,
GRAY'S INN ROAD, LATE SURGEON TO THE AMBULANCE CORPS BEFORE SEVASTOPOL, ETC. ETC.



LONDON:

JOHN CHURCHILL AND SONS, NEW BURLINGTON STREET.

MDCCCLXIX.

LONDON :
BENJAMIN PARDON AND SON, PRINTERS,
PATERNOSTER ROW.

Dedicated to the Committee of Management of the
Cancer Hospital.

GENTLEMEN,

It is to your exertions and excellent management that the Cancer Hospital owes its present prosperous position; and it is to you I owe the opportunities I have had of studying this disease on an extensive scale (6,000 cases). It affords me the greatest pleasure to thank you for the liberal means you have always placed at the disposal of your medical staff for the benefit of the patients—no restrictions of any kind having been placed on the use of expensive medicines, surgical appliances, nutritious diet, wine, &c., making your institution resemble a Home for the Sick more than an ordinary hospital; and while you have invariably afforded us every opportunity of trying all new modes of treatment, you have always protected us and our patients from the host of pretenders

having secret remedies for the cure of this disease. That you and all those philanthropic noblemen, ladies, and gentlemen, who have so liberally supported our truly Christian charity may long be spared to continue the good work, is the sincere wish of

Your obliged and obedient servant,

ALEX. MARSDEN.

P R E F A C E.

THE plan of treatment recommended in this volume has been most successful in my own hands, and in those of many other surgeons who have adopted it. It is not intended to supersede the use of the knife, but to be used for those cases in which that instrument would be useless, or in which a good caustic can do the work better; as such I offer it to the profession at large.

In the first part, I have endeavoured to give a concise but systematic description of every form of Cancer and Tumour assimilating Cancer, in order that practitioners and students, whose opportunities of studying this disease have been limited, may be enabled at once to distinguish each variety by its own peculiarities. I am not aware that this has before been attempted, and must plead it as my excuse for the many shortcomings of the present volume.

It affords me great pleasure to acknowledge the valuable services Mr. Hayward, our excellent house surgeon at the Cancer Hospital, has always rendered me in all my investigations; and to our artist, Mr. C. D'Alton, I feel deeply indebted, for the beautiful and unique collection of drawings from life his pencil has produced.

65, LINCOLN'S INN FIELDS, W.C.,

December, 1868.

CONTENTS.

	PAGE
INTRODUCTION	11

CHAPTER I.

THE FIVE ORDERS OF CANCER	19
-------------------------------------	----

CHAPTER II.

LUPUS, OR RODENT ULCER	43
----------------------------------	----

CHAPTER III.

NON-MALIGNANT TUMOURS, ETC., THAT MAY BE MISTAKEN FOR CANCER	45
---	----

CHAPTER IV.

VARIOUS TREATMENTS THAT HAVE BEEN RECOM- MENDED	51
--	----

CHAPTER V.	PAGE
THE TREATMENT BY ARSENICAL MUCILAGE	59

CHAPTER VI.	
ILLUSTRATIVE CASES	69
<hr/>	
FORMULÆ	93

INTRODUCTION.

ONLY a few years since hospital physicians and surgeons of the highest standing, as well as general practitioners, gave the poor sufferers from Cancer who applied to them but one reply, —“Your case is hopeless ; we can be of no service to you ;” and they spoke the truth. Cancer was then looked upon as rare, and the death of those afflicted with it as certain. There were many medical men who had scarcely ever seen a case, and comparatively harmless tumours even in the present day are confounded with Cancer, often from ignorance, and by irregular practitioners frequently from design. If we glance at the columns of the medical press of sixteen or seventeen years ago we shall find few cases recorded, and no rational mode of treatment recommended, with perhaps the exception of the knife. Although a few leading medical men had for some time care-

fully studied this malady, so far as their limited field of observation would permit, it was not till the establishment of the Cancer Hospital, seventeen years ago, that the first grand step was taken. Here hundreds of cases are collected from all parts of the world, and a field of observation presented such as cannot be found elsewhere; every variety of the disease and every caprice of its development may here be seen. Malignant growths in infancy, and those advanced to the fearful ulceration of cancer, are made familiar to the eye. The previous history of every patient is taken, all former treatment carefully inquired into, all collateral circumstances accurately noted. To this institution it has been my good fortune to belong since its foundation, and I need hardly say that neither myself nor colleagues have allowed any opportunity to pass unnoticed without learning much concerning the progress and treatment of this disease. It is not my present intention to enter on the general treatment of Cancer, but to draw attention to a practical method, to the development of which I have devoted years of careful observation, and can now confidently recommend. I, however, think it desirable to give a slight sketch of the various forms this disease assumes, and afterwards to point out those to which this mode of treatment may be applied, with hope of success.

I shall also pass under notice those diseases and tumours which may be mistaken for Cancer, to some of which this treatment may also be applied. I divide Cancer into five orders, and some of these present several varieties. Thus:—

ORDER 1. Scirrhus.

- Varieties*
- | | | |
|----|--------------------|--------------------------|
| 1. | Ligneous Scirrhus, | globular. |
| 2. | „ „ | Radiated or
branched. |
| 3. | „ „ | en masse. |
| 4. | „ „ | cuirassformed. |
| 5. | „ „ | atrophic. |
| 6. | Lardaceous | „ |
| 7. | „ „ | cavernous. |

ORDER 2. Medullary.

- Varieties*
- | | |
|----|--------------------|
| 1. | Fungoid Medullary. |
| 2. | Lardaceous „ |

ORDER 3. Epithelial.

- Varieties*
- | | |
|----|---------------------|
| 1. | Hard Epithelial. |
| 2. | Soft „ |
| 3. | Surface „ |
| 4. | Deep „ |
| 5. | Warty „ |
| 6. | Pedun-
culated „ |

ORDER 4. Melanotic.

ORDER 5. Cystic or Colloid.

- Varieties*
1. Cystic or colloid, in combination with scirrhus or medullary cancer.
 2. Cystic or colloid, in combination with adenoids, &c. (not cancerous).
 3. Cysts, or colloid matter alone (not cancerous).

Besides these five orders there is a disease, although strictly speaking not cancerous, viz., lupus (rodent ulcer), almost as malignant and destructive. Tumours are also met with, which cannot be classed under any particular head, many not being malignant, others running from one variety to another, or exhibiting the characteristics of even two or more at the same time.

Cancer attacks females in preference to males, in the ratio of about five to one, scirrhus being the most frequent enemy of the former, epithelial of the latter; each sex is also more liable to the disease in one region than another. To illustrate all these points, I cannot do better than give the following table, derived from the records of the Cancer Hospital, since its foundation:—

STATISTICAL STATEMENT OF PATIENTS RECEIVED FROM THE COMMENCEMENT, IN THE YEAR 1851, UP TO THE 31ST DECEMBER, 1867.

	Males.		Females.		Total.
Out-Patients	.. 918	4,661	5,579
In-Patients	.. 452	1,415	1,867
	<hr/> 1,370		<hr/> 6,076		<hr/> 7,446

Of the Out-Patients discharged with disease arrested or relieved.. .. .	1,563
Cured by constitutional and local treatment.. .. .	582
Discontinued attendance in consequence of residing at too great a distance from London, or unable to attend from some other cause	2,427
Died at their own residences	463
At present under treatment	544
Of the In-Patients discharged with disease arrested or relieved.. .. .	1,317
Treated by operation, and discharged cured	131
Successfully treated without operation, and discharged cured	138
Died	243
In Hospital at the end of the year	38
Total	<u>7,446</u>

SITUATION OF DISEASE.

Male.				Female.			
Face and Lip	580	Breast	4,381
Tongue	372	Special Organs	1,163
Special Organs	131	Face	137
Arm and Hand	42	Lip	5
Bones of Face	45	Tongue	170
Breast and Breast Bone	75	Eye	32
Eye..	19	Side	12
Abdominal Viscera	45	Arm	31
Back	6	Abdominal Viscera	53
Thigh	6	Fauces and Oesophagus..	50
Fauces	14	Foot	16
Foot	5	Rectum	8
Rectum	16	Neck	20
Neck	14				
<hr/>				<hr/>			
Total	1,370	Total	6,076

NATURE OF DISEASE.


	Male.	Female.
Surface or Epithelial	1,022	445
Hard or Scirrhus	127	4,321
Soft or Medullary	42	242
Bony or Osteoid	30	5
Cystic	6	273
	<u>1,227</u>	<u>5,286</u>


Brought forward	6,513
CASES OF A DOUBTFUL CHARACTER.	
Lupus, Benign Tumours, &c.	933
Total	<u>7,446</u>



In the second or ulcerative stage of the disease ..	3,321
Average duration of disease previous to coming to the Hospital	2 years 9 months
Had relations previously affected with Cancer ..	1,015
Average age when attacked	47
Had been operated on previous to coming to the Hospital	702
And average lapse of time before the disease returned ..	6 months
Cases ascribed to blows and other causes	728


This table cannot be regarded as perfectly correct, although every care has been taken to make it as much so as possible. Statistics of disease never have been, and never can be quite accurate. This much I may, however, say, it is the only table on a comprehensive scale that has ever been attempted. The difficulty that can never be got over is that, for various reasons, the surgeon loses sight of a number of patients after a few weeks or months' treatment. It will be observed that no less than 2,427 discontinued attendance, from residing at too great a distance, or were unable to attend from some other reason. Many of these cases, doubtless, are dead; many perhaps might have been cured or greatly relieved. Although these statistics show 1,563 cases relieved


and 582 cured out of 5,579 out-patients, it must not be forgotten that the average duration of the disease previous to coming to the hospital is nearly three years, so long a period indeed, that all hope of cure has long since been removed in the majority, and even arrest rendered highly improbable in many. Thus it will at once be seen that the cured and relieved would bear a far higher ratio, if compared with the number of recent cases treated, say that had not existed more than one year; still higher if six months. Nor in considering the number of deaths known to have occurred amongst the out-patients, viz., 463 : and 243 out of 1,867 in-door patients, must this fact be forgotten, and also that many poor creatures are brought in a dying condition. It is not my practice to operate in cancer, unless all other available means have failed; and it is, therefore, most gratifying to find, that of the whole number operated on, none have suffered any ill effects, and 131 have been discharged cured; so far as time can show, an ample proof, I think, that the knife has not been injudiciously employed.

















A.




B.







A



B





A.



B.



C.



thing innately its own, yet all having appearances in common.

1. *Ligneous Scirrhus Globular* is the type of this order; the term was first given it by M. Velpeau, the distinguished French surgeon, who considered it to possess the hard and resisting feel of wood. Making these comparisons is the only way an idea of this kind can be conveyed from one person to another. At the same time it is attended with great difficulty, for in nature there are no two things alike. However, it being the only means, we must use it and convey the best notion we can. I cannot think that M. Velpeau has selected in wood a substance that gives the best idea of "ligneous cancer." Wood cannot, without great labour, be cut with a knife, except with the grain, and in this case is split rather than cut. "Ligneous scirrhus" can be easily cut in any direction, and will not split; it feels like solid India-rubber, and in appearance, when cut, resembles a stringy turnip more than anything else, but is elastic, and from the surfaces a thick cream-like juice (cancer juice) exudes. Of the seven varieties of scirrhus it will be observed, that five are of the ligneous or harder kind, two only being of a softer nature, forming the link between scirrhus and medullary cancer.

Ligneous scirrhus globular is generally first discovered by accident. In one case a lady,

while dressing, finds she has a hard lump in her breast, perhaps only the size of a bean or even as large as a small walnut; in another her attention is first arrested by a shooting pain; in each instance the disease may, and in all probability has, existed for some weeks or even months without giving pain or cause for apprehension; but no sooner has the discovery of it been made, than the patient becomes alarmed, and believes she has a cancer; and should it be so, and of the globular kind, we may expect to find the following appearances: the tumour will feel deeply seated in the gland (provided it is in the breast), of a slightly elastic but hard nature, more or less globular in form, its surface not being perfectly smooth, but giving the idea of a bundle of lactiferous tubes strongly knotted together, and although the tumour will be freely moveable in the breast, and its size pretty accurately defined, yet it will convey the idea of being composed of the gland itself, rather than a distinct and separate formation. Up to this time the skin has undergone no particular change, but as the disease advances it will present very peculiar and characteristic appearances; the attention will first be arrested by its becoming more dense, and of a pale or even leaden hue; gradually it will be attracted or drawn as it were to the tumour, until it becomes adherent to some portion. The surface of the breast is

now drawn to a central point, giving rise to deep puckerings radiating from it. Should the tumour be in the region of the nipple, it becomes retracted. The patient will experience lancinating pain shooting through the breast, severe and frequent. This is globular scirrhus in its first stage. Now begins the second. The skin over the tumour is by this time firmly attached to it, the puckerings become deeper and harder, and the central portion usually presents a smooth appearance of a red colour, and moist. It is here ulceration will commence, or else around the nipple a large deep ulcer will soon be formed, eating its way into the breast, its edges becoming thick and prominent and overlapping the surrounding skin. The tumour increases in size, the ulceration spreads, a profuse discharge pours from the surface, the patient sinks from exhaustion or dies from hæmorrhage. This is the course of unchecked scirrhus. During the progress of the disease the glands in the axilla most probably become indurated, and the arm on the affected side greatly swollen and edematous.

I have here given the brief history of this form of scirrhus, and have described it in its most virulent shape; for although it may, and indeed sometimes does, run through its different stages in a fearful and rapid way, still all the symptoms will frequently be found less severe, and their development much slower, and in its worst form

it may remain, under judicious treatment, for years stationary, and in some instances retrograde.

2. *Ligneous Scirrhus, Radiated or Branched.*—This variety runs through its course in a manner very similar to that just described. The two kinds are closely allied, for both may at different periods be seen in the same tumour, or even exist at the same time in separate ones. On examining a tumour of this kind, instead of the circumscribed form, we shall have great difficulty in ascertaining the extent of the disease, for while in globular scirrhus its growth takes place in a uniform manner, the radiated throws out roots in various directions, altering the tissues through which they pass, and gradually converting them into cancerous structure. These roots or bands are easily felt by the hand, but can rarely be seen by the eye. It is this form of cancer from which the disease probably derived its name, from the resemblance seen by some in it to a crab with its claws extended. This variety differs from the preceding only in its want of uniformity; the one is round and circumscribed, the boundaries of the mass with accuracy determined, the other from a nucleus or centre throwing out roots in various directions. These bands or cords, easily felt at their origin, will be found, if traced by the finger, to become less dense as

they proceed from the common centre or nucleus, their terminations being lost in the surrounding tissue. The second stages of these forms are the same. But it will be obvious, that to remove the round, well-defined mass of the former, will be an easy task in comparison with the difficulty of extirpating the root-like confusion of the latter.

3. *Ligneus Scirrhus en masse*.—Here the whole breast will commence to enlarge at once. It is generally not noticed for some time after it has commenced, in most cases giving but little pain, and merely imparting a fulness to the gland, which does not in any way alarm the patient. Having acquired a certain size, it becomes more dense, and pain comes on; still continuing to harden, the pain increases, and the skin (which in all probability was affected from the first) begins to present peculiar appearances, becoming non-elastic, and showing depressions and prominences, and as the disease advances these become more conspicuous. After a time ulceration commences, and proceeds much in the same manner as in the radiated and globular scirrhus. Operation by the knife is in this form inadmissible at any period.

4. *Ligneus Scirrhus. Cuirass-formed*.—This, the fourth variety, is much more rare than the

preceding, and has seldom been seen in this country; it is, perhaps, the most dreadful form of cancer, and that in which the sufferings of the patient are greatest, and the skill of the surgeon of the least avail. The following case may be taken as an excellent example:

Christiana V.C—, age about 65, a highly accomplished and amiable lady, had, for a year and a half, suffered from a ligneus scirrhus (globular), which, not yielding satisfactorily to treatment, was, in April, 1856, removed by Dr. W. Marsden and myself, and in a short time healed; all went on well for some months, when, unfortunately, she was attacked with violent diarrhœa and vomiting; a neighbouring surgeon was sent for, but after a fortnight's treatment, the patient still remaining in a dangerous condition, I was again called in, and found that although the diarrhœa, &c. had left her, she was in a most prostrate condition, and had, in my opinion, been kept far too low. By tonics and a more generous diet she regained strength. Unfortunately, her old enemy had taken advantage of her weak condition to renew its attack, and once more I found indications of cancer; these, although at first slight, were very ominous, for within six weeks, eight or ten hard patches had made their appearance in and around the cicatrix. These patches, at first about one-sixth of an inch in diameter, slightly elevated above the surrounding surface, flat, and

of a dull red colour, soon began to enlarge, and others to be added to their number; and as they increased in size and number, they coalesced and became harder, forming dense plates of one, two, or even more, inches in diameter. At an early period they appeared only on the front of the chest, afterwards on the back, until the whole thorax was completely encased, as in a vice. The breathing, during all this time, gradually became more and more difficult, till at the end of a few months, the patient died of exhaustion and suffocation. Such is the terrible course of cuirass-formed cancer; let us thank God it is so rare.

Two cases are also related in Dr. W. Marsden's translation of M. Velpeau's work, one of which I give verbatim. "Amongst the unfortunates whom I have seen in this state, I shall mention an English lady, dwelling in the Champ Elysées, and in whom the entire chest, from the flanks to the neck, from the umbilicus to the larynx, from the loins to the occiput, had undergone the ligneous transformation, and who was, besides, covered with scirrhus ulcers, with a crowd of cancerous crimpling (bosselures), as far as the arm-pits, and even on the shoulders. This poor woman, whose arms were thrice their natural size, and hard as marble, had the respiration so small, so short, that she resembled a person in a state of strangulation, or one whose chest is violently

caught in a vice, unable to move arms or head, experiencing at every instant the most atrocious pains; she presented, when I saw her with Dr. Skiers, her attending physician, the most afflicting spectacle which can be imagined, uttering piercing cries, demanding death, without having the power of inflicting it, and incessantly praying for some one to administer a dose of opium sufficient to procure an eternal sleep."

5. *Ligneous Scirrhus Atrophic*.—In all the preceding varieties, growth has been a main feature. We must now pass under our observation, a form of cancer differing essentially from all others, viz., the "atrophic," in which the tissues are condensed, hardened, and shrivelled up. In the first indications of this disease, the nipple, which, in a healthy condition, boldly protrudes from the areola surrounding it, is found to be encompassed by a deep fossa of a dirty red colour, discharging an unhealthy ichorous secretion, and may, by an inexperienced person, be mistaken for an ordinary sore nipple, but by a careful examination, this error cannot well be fallen into, for on closely inspecting a case of this kind in its earlier phase, this fissure will be found formed, not by ordinary ulceration, but by the nipple being retracted or drawn into the mamma, and, of course, forming a deep pucker around it; at first, nothing more will be noticed, but in the course of time, the

breast under the nipple will become hardened and contracted, the skin shrivelled, of a dirty colour, and of low vitality, and the nipple become almost buried in the mamma, with an ichorous discharge exuding all around it, as already mentioned. In this state the patient may remain for years, being able to perform many of the usual duties of life, suffering no very great pain, and the cancer undergoing but little change. This must be regarded as favourable, for on the other hand, ulceration may extend and soon involve the whole breast. Atrophic scirrhus, however, may be considered one of the slowest and least terrible forms of cancer, and in skilful hands life may generally be prolonged for years, with tolerable comfort to the patient. In all varieties of cancer past hope of cure, the aim of the surgeon should always be to induce this "atrophic" condition.

6. *Lardaceous Scirrhus*.—This variety strongly resembles the ligneous scirrhus *en masse*, and is principally distinguishable from it by being less dense, in consistency being between it and the medullary or encephaloid. It occurs more frequently in stout persons and those with full breasts than the spare; those of the phlegmatic more than the sanguine temperament. This, more than other forms of cancer, often exists for a long period before the patient is aware of its presence; and even when discovered to her, she cannot easily

be induced to believe it otherwise than normal. This is not at all to be wondered at, for frequently the disease may be present for many months without the least pain, and there are many women whose breasts, more particularly about the period of menstruation, assume a swollen condition, much resembling this disease at an early period. The tumour, which may or may not be distinct, is generally deeply seated, I believe never has a tendency to the branched variety, and strongly resembles that of scirrhus *en masse*, but of a less dense feel. It may increase to a considerable size before it attacks the skin, but when it does so, it is in much the same manner as other forms of scirrhus.

7. *Lardaceous Scirrhus Cavernous*.—This is a very peculiar and important form of cancer, which I have never seen described; many very striking examples have come under my notice, and when once seen it can never be forgotten, nor confounded with any other form of cancer. I have named it as above: cavernous scirrhus. I believe it attacks persons only of considerable *embonpoint* and firmness of flesh, its specific feature consisting, in the formation by a peculiar kind of ulceration of a deep cavern-like ulcer, with but little or no previous swelling or hardness. Its usual seat of attack is either mamma, generally on the inner side, or midway between them over the sternum.

These cancers usually give but little pain for some time, and before ulceration has set in, it is difficult to induce the patient to believe there is anything the matter with her, and it is then only after the most careful examinations, that the true character of the disease can be surmised. At an early period, however, an impression will be conveyed to our touch, that at a certain depth, the tissues are a little more dense and full than usual, but nothing like a distinct tumour will be found. This density and fulness will, after a very variable time, become a little more perceptible, and perhaps occupy a rather larger area. The tissues have, in fact, become impregnated with the germs of cancer in the most insidious manner, but suddenly a spot on the skin will become red or hard, and from this point ulceration will extend inwards, with astounding rapidity; an ulcer of a cup-like shape is formed, which quickly and surely increases in size and depth, eating away and burrowing in the mass of the tissues in all directions, forming a vast cavern-like ulcer; the walls of the cavity have a pretty healthy appearance, are hard, and constantly endeavouring to throw out healthy granulations; the surrounding structures seem perfectly healthy, but perhaps a little more dense than usual (as in the first appearance of the disease), and the edges of the wound, although hard, are well defined, and on a plane with the surrounding parts. A cursory

examination of these caverns gives no idea of their real extent; for example, Mrs. R., a patient of mine, a month or two before she died, appeared, at first sight, to be suffering from an ulcer of no very great size, situated on the inner side, and a little below the left breast; but on lifting up this breast, which, though large, looked healthy, one of these enormous caverns would be discovered, into which a man could have thrust both his fists, and extending nearly to the collar bone. These ulcers, considering their extent, do not discharge very copiously, but a pearl-like liquid exudes from and adheres to their sides; at an advanced period of the disease they often bleed freely.

ORDER II.—MEDULLARY CANCER.

Varieties.—1. Fungoid Medullary.
2. Lardaceous. do

This order differs essentially from scirrhus, inasmuch as scirrhus is characterized by hardness, the medullary by softness; but in the breast, at an early period of the disease, they are not often distinguishable one from the other, and it is only as the tumour advances, that the distinctive features of each are seen: to other parts of the body this does not apply so much. By M. Velpeau and others, medullary cancer has been divided into two varieties.

1 and 2.—*Fungoid and Lardaceous Medullary Cancer*.—The fungoid form is characterized by being very soft and growing in a cauliflower-like mass, easily broken down, and having a great tendency to bleed freely from a number of small points. This form of disease may exist and remain dormant for years (*vide* Case No. 3), but when in an active state proceeds more rapidly than any other kind of cancer. The lardaceous form is not quite so soft, and does not break down so readily when touched with the finger, and shows in a less marked manner the vegetable-like appearance. With these exceptions, one history will suffice for both varieties.

In tracing this species of cancer, from its first appearance in the breast to its full development, the following peculiarities will be observed:—A small tumour will be discovered, at first not distinguishable from scirrhus, as it in all respects resembles it, except perhaps that it may be a little softer and not attended with pain, but as the disease advances, a most marked difference will be observed in the course of each. As the tumour increases in size, the skin, instead of being puckered, hardened, and drawn to the tumour, as in scirrhus, will be protruded, by degrees assuming a conical or nodulated appearance; at the same time will be thinned and glistening, more deeply tinged of a red or violet colour, and a number of minute vessels may be seen ramifying over the

surface. This nodule (there may exist more than one) has a hard base, which is in fact the original tumour; it will continue to increase in size if left unchecked, and will sooner or later burst and discharge, in some cases a considerable quantity of hematic pus, in others not much. As soon as this discharge has taken place, from the bottom of the cavity so formed, a fungoid growth commences, and after a time appears externally; now being freed from all restraint, the rapidity of its progress is wonderfully accelerated, and an enormous mass is the result, sometimes ulcerating, sometimes sloughing, sometimes bleeding, and with few exceptions always increasing.

ORDER III.—EPITHELIAL CANCER.

Varieties.—1. Hard Epithelial.

2. Soft „

3. Surface „

4. Deep „

5. Warty „

6. Pedunculated „

This order of cancer is very common, particularly in the male sex; on reference to the Statistical Table, it will be seen that of 1,467 persons so afflicted, 1,022 were males, 445 females. But it is most remarkable that, although so large a

number of lip cases are recorded among the former, only five have occurred among the latter. It is this form of cancer that is peculiarly amenable to the arsenical mucilage, and many cases that could not be attacked with the knife may be perfectly cured by its use, generally with but little pain. In the Table we say, "Surface or Epithelial Cancer;" this is not a strictly correct definition (although generally considered so), for in some cases it commences deeply seated. In this opinion I am supported by Mr. Paget.

Epithelial cancer attacks all parts of the body, but is most frequently seen on the lower lip, tongue, special organs, breast, arm, hand, &c. At its first appearance it rarely excites the alarm of the patient, and to an inexperienced person, there is then nothing to be seen, or felt, of a serious nature. It may commence (in the lip, for instance), as a small fissure, something like the cracked lip seen in winter, or as a small hard spot situated on the surface, and accompanied by soreness of the mucous membrane; sometimes, it will be a tumour deeply seated; sometimes, it will project from the surface, in the form of a hard scab covering a sore; this latter is most usual in the lip. In the tongue, pain of a slight nature, or a feeling of stiffness of one side of the organ, generally first draws the attention, followed by hardness, redness, and pain of a lancinating character, but occasionally

dull and continuous; commencing in this way, the tongue becomes swollen and indurated to a great extent, occasionally so much so, that the whole of it is involved, before any ulceration takes place. It is by no means uncommon, however, for ulceration to form the commencement of the disease, in which case it generally appears at the side, sometimes at the tip, rarely at the centre; with syphilitic ulceration of the tongue, the reverse of this is the rule, and should always be borne in mind in our diagnosis of the disease, together, of course, with the previous history of the case. The first appearance of epithelial cancer can almost always be traced to some exciting cause: of the tongue and lip, for instance, to the irritation caused by the tobacco-pipe or cigar, or to the contact of decayed, sharp-pointed, or dirty teeth, to blows, &c., and Case No. 16 is one of medullary cancer, that was clearly excited by the scratch of a rusty nail; hence I am of opinion, that by attention to the teeth, and the avoidance of smoking, a person even having a tendency to epithelial cancer of the tongue or lip may, as a rule, delay the time of its first appearance, and perhaps avoid it altogether.

I do not think it necessary to discuss the varieties of epithelial cancer separately. Perhaps, of all the forms it assumes, the warty is the most common. In many examples of this disease

attacking the lip, labium or scrotum (chimney-sweeper's cancer), before ulceration, the part feels swollen, moderately hard, smooth, and shining, but, as Mr. Paget observes, "more often is coarsely granulated, or tuberculated, or lowly warty, like the surface of syphilitic condyloma, deriving this character usually from the enlarged and closely clustered papillæ. The surface is generally moist with ichorous discharge, or covered with a scab, or with a soft material formed of detached epidermal scales. The firmness or hardness of the diseased part is various in degree in different instances; it is very seldom extreme; the part, however firm, is usually flexible and pliant, and feels moderately tense and resilient on pressure. Commonly, it is morbidly sensitive, and the seat of increased afflux of blood. Its extent is, of course, various; but before ulceration the disease makes more progress in length and breadth than in depth; so that when, for example, it occupies the whole border of a lip or of a labium, it may not exceed the third of an inch in thickness."

"In other instances, or in other parts, a large mass is formed, the surface of which, when exposed by washing away the loose epidermoid cells which fill up its inequalities, is largely granulated or tuberculated, and is planned out into lobes by deeper clefts. Such growths are upraised, cauliflower-like; and with this likeness

may be broken through the clefts into narrow-stemmed masses, formed each of one or more close-packed groups of enlarged tuberos and clavate papillæ. The surface of such a growth shows usually its full vascularity, for if it be washed it appears bare, and like the surface of common granulations, has no covering layer of cuticle. It may be florid, bleeding on slight contact, but more often it presents a dull or rusty vermilion tint, rather than the bright crimson or pink of common granulations, or of such warts as one commonly sees on the prepuce or glans penis."

Sometimes epithelial cancers are seen in the form of a disc, two or three-eighths of an inch thick, surrounded by healthy tissues, half the thickness projecting above the surrounding skin or mucous membrane, the other half below, and generally more or less warty. They may also grow in the form of a cone, and if covered with a scab look something like syphilitic rupia, and occasionally they grow pedunculated.

ORDER IV.—MELANOTIC CANCER.

SURGEONS and Pathologists differ much respecting the distinctive character of the black cancer; some, viz. Velpeau, Maisonneuve, Marsden, &c.,

regarding it as a distinct variety or order of carcinoma; others, viz. Paget, Bérard, Broca, &c., holding that it is merely the medullary or scirrhus, with the presence of a black pigment, deposited in and exuding from the tissues. Undoubtedly from the surface of an ulcerated medullary or scirrhus cancer, a thick black discharge often takes place, continuing so to do as long as the disease lasts. The following is an example :—

Mrs. H—, aged 65, first consulted me in 1860. She had about two years previously noticed a small hard tumour in the left breast, the size of a nut, accompanied by severe shooting pain. Dr. Bateman, who first saw it, pronounced it cancer, and recommended removal; to this she would not submit. The tumour increased in size and ulcerated. It was now that my father, the late Dr. Marsden, and myself, first saw her. It was a true scirrhus cancer of the lardaceous variety. A fungus growth appeared through the opening, and overlapping the breast on all sides, soon covered the entire gland. The whole mamma appeared as if it had been turned inside out; the diseased mass was about four inches in diameter, and projected from the surrounding parts about two inches. During the last six years of her life, it continued to discharge copiously, a thick black matter, which no application would stop. The carrot poultice and the chlorate of potash

lotion checked it, and cleansed the part for a time. This lady visited me for about six years. I was enabled to keep the cancer quite in abeyance, and to within a month of her death she was as well as when I first saw her; and with the exception of occasional bleeding, and the constant black discharge, suffered no great inconvenience. She died from old age and disease of the lungs.

In this case the cancer was concentrated in the breast alone, and remained there for years. But cases occur in which, the breast being the original seat of disease, ulceration has taken place in the axilla; the former situation presenting the ordinary appearance of cancer, the latter discharging copiously a thick pigmentary matter; and in other parts of the body similar appearances may be observed. On the other hand, cancerous plates varying in diameter, from one line to the size of a five-shilling piece, for the most part occupying the skin, and also small rounded tumours occur, which, from their very commencement, are characterized by the presence in their structure of a black or blackish deposit, which peculiarity continues with them; and even should these plates or tumours be removed by caustic or the knife, and others return in their place, or at distant parts of the body, the same black appearance will almost invariably be observed. Under these circum-

stances, I think we cannot but admit, the melanotic cancer as a distinct variety, in which the presence of carbonaceous-like matter is seen, from the commencement to the termination of the disease; but we must also acknowledge the frequent appearance of it, at any period after ulceration has begun in other forms of cancer.

ORDER V.—CYSTIC OR COLLOID.

- Varieties* 1.—Cystic or colloid in combination with scirrhus or medullary cancer.
- „ 2.—Cystic or colloid, in combination with adenoids, &c. (not cancerous).
- „ 3.—Colloid matter or cysts alone (not cancerous).

In an examination of colloid tumours, it is necessary to divide them into three varieties, viz.: 1st. Those in which the colloid character is found united with the medullary cancer, or to the scirrhus, with which last it is not very often seen. These indicate a form of cancer truly malignant, and much to be dreaded. 2nd. Those tumours harmless in themselves, adenoids, &c., in the centre or other parts of which the pre-

sence of colloid matter does not render them less harmless. 3rd. Those which from the commencement are composed of colloid matter alone, and which must be regarded as non-malignant.

1. *Cystic or colloid, in combination with scirrhus or medullary cancer.*—Its most common seat is the breast (but it may occur in any other part of the body), and once fully established, is most unmistakable, from its large size, the rapidity of its growth, and a peculiar elastic feel indicating fluid confined. A scirrhus or medullary cancer, having for some time progressed in the ordinary manner, suddenly commences to enlarge rapidly; the skin becomes highly vascular, shining, and tense. This change is caused by the presence in the tumour of one or many cysts, generally containing serum of a pale straw colour, sometimes tinged with blood and even pus, at others thick and jelly-like; it may be colourless or of a green tinge, and is often quite opaque. The breast may continue enlarging without ulceration, until it attains the weight of twenty pounds or more, becoming, as may well be conceived, a most dreadful burthen to the patient. Sooner or later, these cysts burst through the skin, and discharge in one, more frequently in many places, and an immense sloughing ulcer is the result.

2 & 3. These varieties are rarely curable without operation; they are generally very slow in their progress, and often remain for years without inconvenience, except from their size and situation. Their removal is mostly an easy business and an effectual cure.

CHAPTER II.

LUPUS, OR RODENT ULCER.

Varieties 1.—Lupus exedens.

„ 2.—Lupus non exedens.

1. *Lupus exedens*, called also herpes exedens, rodent ulcer and noli me tangere. This is a disease almost as terrible as cancer, and equally malignant; its most frequent seat is the face, near or upon the alæ of the nose. Lupus is generally regarded as a skin disease, but this variety of it, although perhaps confined to the skin at first, afterwards attacks the deep-seated structures. The end of the nose, or some part of the face, first swells, with a bright red shining appearance; tuberculated points soon appear projecting from the surface, presenting even a more highly inflamed appearance than the previous swelling. The disease may remain in this condition for a long period, sometimes better, sometimes

worse, the patient not being fully aware of the really awful nature of the complaint. But the surgeon well knows, that sooner or later the disease will assume an activity terrible to contemplate. Active ulceration commences, and from this time all the adjacent structures yield to its destroying influence. The nose is gradually eaten away, the lips follow, tooth after tooth falls from the jaw, from the depths of the cavernous-like ulcer, dead and putrid pieces of bone come away. The victim is selected, all must succumb. The nose and mouth are but as one hideous cavern, the eye drops from its socket; the poor sufferer calls upon his Maker to take him; his prayers are heard, his agony is done; for welcome Death has made him his own.

2. *Lupus non exedens*, called also herpes. This variety is a severe form of skin disease; it particularly attacks scrofulous children, and delicate persons in after life. It commences by the appearance of one or more shining red tubercles; others soon follow; these coalesce and ulcerate, spreading over the surface of the face, one part healing while another is being attacked; and should the disease not be arrested, most dreadful deformity is caused by the cicatrices and puckerings produced, by the constant ulceration and repair going on. It is a disease very difficult to cure.

CHAPTER III.

NON-MALIGNANT TUMOURS, ETC., THAT MAY BE
MISTAKEN FOR CANCER.

1. Keloids.
2. Adenoids.
3. Simple Hypertrophy.
4. Hematic Tumours.
5. Abscesses.
6. Fatty Tumours.

1. *Keloids*.—These tumours, although decidedly non-cancerous, are very tedious and difficult to cure. They partake more of the character of fibrous tumours, and seem to fill up the gap between them and true scirrhus cancer. They are usually found in old cicatrices, particularly those of burns, but may be seen in parts otherwise perfectly healthy and uninjured. As a primary disease, they first appear in the form of a small wart or hard plate, situated in the

skin; they give rise to no pain, and their mode of growth is very variable, sometimes remaining stationary for years, and sometimes growing rapidly. They do not, however, usually attain any great size, unless injudiciously interfered with. When their seat is an old cicatrix, it appears as though the tissue became gradually more and more indurated, forming a tumour projecting from the surface. These tumours have no tendency to become deep-seated. When cut through with the knife, they will be found almost dry, crisping under the scalpel like scirrhus, but no cancerous or other juice exuding from them. These keloids return with the greatest obstinacy after removal, but always in the same situation; they do not appear in any way to affect the glandular system, or general health, and the adjacent tissues are in a perfectly normal condition. It will, therefore, be evident that they do not, except under peculiar circumstances, endanger life, and are principally objectionable on account of the deformity they cause.

2. *Adenoids*.—So named by Velpeau. These are a class of tumours quite distinct and differing essentially from all cancers, as well as from simple hypertrophy of the breast, or enlargement, the result of inflammation. An adenoid will be recognised by the following peculiarities, viz., a

tumour having a firm but elastic feel, the surface not perfectly smooth, but with roundish projections from various parts of it, and being, as the name implies, gland-like. It will be found to move freely amongst the tissues in which it is buried, in no way drawing them along with it, and being, as it were, a perfectly isolated body. Should it attain any great size and approach the skin, this membrane will not become involved with it as in cancer, but simply thins and gives way before it. Thus adenoids can readily be diagnosed from cancer, as these, when moveable, always drag the surrounding parts with them; moreover, they do not in any way implicate the surrounding tissues, but merely increase in the midst of them. Their isolated character and free mobility will always distinguish them from simple hypertrophy of the breast, or induration of the lactiferous ducts.

3. *Simple Hypertrophy* of the breast, partial, or of the entire gland, occurs from various causes, and although there is no difficulty in distinguishing it from the adenoids, yet much may be experienced, in deciding between it, and the medullary or scirrhus cancer, particularly at an early stage. The following signs of distinction may be found useful:—Scirrhus is a dry, hard, and not very elastic tumour; hypertrophy feels humid and elastic, although pretty firm; sharp

lancinating pains almost always accompany scirrhus, but are wanting in hypertrophy; as the former advances, the skin becomes hardened, or indurated bands appear; in the latter this is not the case. Between medullary cancer and simple hypertrophy many singular analogies exist.

4. *Hematic Tumours* may be confounded with medullary or melanotic cancer, but are not likely to be so with scirrhus. They are known by the absence of much pain, by their being less soft than medullary cancer, less hard than scirrhus. The system generally is but little affected by their presence: and in cases of old standing, for they may remain for years, and attain the size of a child's head, the neighbouring glandular structure remains perfectly healthy. Surgeons of the highest standing have, however, been mistaken, and taken these tumours for true cancer. When removed they do not return.

5. *Abscesses*, under certain circumstances, may strongly resemble colloid or medullary cancer, and *vice versá*; for these cancers may, at one or more points, so distinctly fluctuate under the finger as to be mistaken for abscess. It is, therefore, desirable, when great uncertainty exists, to make an exploratory puncture with a needle. I believe, however, that a surgeon who has had sufficient

opportunities of observing the course and progress of medullary cancer will seldom be mistaken in his diagnosis. The previous history of the case must be considered, the cause which produced it be sought for, and the manner of its development traced ; these, with the condition of the patient's health, and of the surrounding parts, will for the most part form a basis on which to found a correct opinion.

6. *Fatty Tumours* have a feel so peculiarly their own, that they cannot well be mistaken for anything else.

THE [illegible] OF [illegible]

[illegible text block]

[illegible text block]

[illegible text block]

[illegible text block]

[illegible text block]

CHAPTER IV.

VARIOUS TREATMENTS THAT HAVE BEEN
RECOMMENDED.

To the unfortunate individual suffering from cancer, all the preceding information sinks into insignificance, in comparison with the question, Can you cure me of my cancer? This opens out a new, vast, and important field, which, with the reader's kind permission, I will proceed at once to discuss.

Since the remote period at which medicine and surgery first were studied as sciences, up to the present time, the surgeon has more or less directed his efforts, to find a cure for this disease, but up to within a very recent period, these labours had been carried on in an unsystematic manner, and those pursuing them had such a limited field of observation to work upon, that but small results were to be expected, and small indeed they were. Up to the year 1851 few of our celebrated surgeons had turned their atten-

tion seriously and earnestly to the study of it, but their efforts were cramped, the cases coming under their notice being few and far between, presenting no opportunity of constantly watching the various forms of cancer, the ever-changing character of each particular case, or of distinguishing with anything like certainty, which is of such paramount importance, between some harmless tumours and the most deadly cancers. All praise is due, however, to these men for their noble efforts to benefit their fellow-beings, and for their zeal and energy in a task so difficult. Everyone will agree with me, that the first step to be taken for the proper investigation of an obscure and terrible disease, is to bring together for continued observation as large a number of cases as possible. The old adage, "Practice makes perfect," is, in the study of cancer, to a certain extent applicable, for he who, with the usual amount of knowledge, has constantly under his observation dozens of cases, must in a short period gain such experience regarding them as cannot be hoped for by one not possessing such advantages. It was to attain this end, that at an advanced period of life, in the year 1851, Dr. Marsden, for a second time, determined to found a hospital, in this instance for the treatment of cancer; and, like his first effort, by the blessing of God, it has been crowned with success, such as he alone antici-

pated. These two glorious institutions, "The Royal Free Hospital," founded on the principle that poverty and disease are the only passports for admission required, and "The Cancer Hospital," stand in the front rank amongst the noble institutions of our country, and are the best monuments to their founder's memory.

Since 1851 nearly 6,000 cases of cancer have been under treatment and my own immediate observation, and nearly 1,000 more of a doubtful character sent to the hospital as cancer, to which may be added a large number of cases in my own private practice. Well, then, surgeons of the Cancer Hospital, out of this vast field what have you discovered? Have you found the specific for cancer? Have you rendered the disease no longer terrible? Alas! to the two latter of these questions I candidly answer, No; but to the first I can with pleasure and sincerity say, *Much*. We have discovered how, with almost unerring certainty, to distinguish at the patient's side true cancer from false. We have discovered a better method of treating true cancers, a method certainly resulting in longer life, and far less discomfort to the patient; in many cases we have discovered means of perfectly arresting the disease, and many more have been sent out of our hands, so far as time can show, cured.

The valuable statistical table, page 14, has

occupied a period of seventeen years in formation. Every new patient on coming to the hospital is entered in the medical register of the institution, the previous history and present condition of their case taken, and their treatment and progress recorded from time to time; the answers given by each patient to the following questions being recorded in the case-books kept for that purpose. Thus:—

CASE No. 2725.

Name	Rosina H——g.
Residence	Thurloe-place, Walworth.
Age	Thirty-six.
Date of Admission	November, 13, 1860.
Parts affected	Left breast.
Married or single	Married.
Number of Children, and if suckled	} None.
Catamenia present or not	
Any Relations affected	Yes, mother died of cancer.
If complicated with any other disease	} No.
When first attacked	
If attributable to any injury	} No.
If a smoker	
What previous treatment	None.
If operated on, and how soon returned	} No.
If ulcerated, and when	
Present character	{ A tumour in the breast, the size of an orange. An Adenoid.
Other observations	March 18th, 1862, discharged cured.
Treatment	

[Here follows the treatment adopted at each visit.]

From these records of cases in the hospital, and those attending as out-door patients, it will at once be seen what care has been taken to ensure accurate statistics, thus enabling us to compare the results of various treatments with the view of discovering the best.

In the treatment of this disease, I cannot lay too much stress on the importance of being able at an early period, to determine between malignant tumours and non-malignant; for if the patient place herself under the care of a practitioner unable to do this, it is obvious that she labours under a great disadvantage, as his treatment must not only be guess-work, but may, and in all probability will, result in great damage; perhaps converting a simple case into one of most serious importance. There is more mischief done by the application of strong and stimulating ointments, liniments, &c., to incipient cancers, (these being sometimes mistaken for harmless tumours,) than can well be imagined, even by surgeons taking a high place in their profession.

From time to time, in the treatment of cancer, all kinds and sorts of substances have been recommended, and by the unscrupulous puffed off as specifics. Amongst other things that have at some period or other been believed in, I may mention cod-liver oil, mercury in various forms, iodine, iodide of potassium, bromine, arsenic, bark, soda, potash, sarsaparilla, hemlock, opium, morphia,

nitrate of silver, preparations of gold, ointments of belladonna, iodine, mercury, camphor, &c.; caustics of gold, arsenic, bromine, manganese, antimony, *sanguinaria canadensis*, potash, the Vienna caustic, zinc, and the acids. Amongst the surgical means that have been recommended are congelation, or freezing the cancer; compression, performed by subjecting the disease to severe and constant pressure; extirpation by the knife; the *ecraseur*, or chain-saw; or by the application of ligatures of silk or wire. Cutting and caustics have been combined, the caustic being applied, and after a lapse of time the mass scored with a knife and the caustic again used in the fissures so produced. Each and every one of these drugs and plans has had its strong supporters and been a nine days' wonder; but I am bound to admit none of them can be looked upon as a certain cure for cancer, although in certain cases the most beneficial and gratifying results have been produced.

I cannot refrain here from drawing attention to a pamphlet which Dr. Broadbent rather prematurely published in the autumn of 1866, intended to show that the use of acetic acid in the treatment of cancer is highly beneficial. He gives four cases, the earliest of which had only been under treatment for a few months. Dr. Broadbent builds up a theory "that the acetic acid treatment of cancer will be found to be

a valuable palliative remedy, if not in some instances curative, and that it will be applicable to cases which have hitherto been beyond the reach of any remedial measures." Hasty conclusions, founded on imperfect and crude experiments, are almost always worthless, and such publications as this do, I think, an incalculable amount of harm, for I believe this treatment has not only the disadvantage of being of no use, but that it actually seriously aggravates the disease; and had Dr. Broadbent waited a year or two before he published he would doubtless have come to this conclusion also. Rome was not built in a day, and we must not expect to accomplish in a few weeks what Paget, Walsh, Collis, Velpeau, Marsden, and others, who have made cancer the study of their lives, have not been able to effect in years. Dr. Wynn Williams puts great faith in bromine, but my experience of its use leads me to the conclusion that it is of no curative value in cancer. The waters of the Missisquoi springs in America have lately been puffed off as possessing wonderful powers in cancer. Having tried them, I believe that they are valueless to the cancer patient, if not to the proprietor; it is the same with all secret remedies.

The plans of treatment by compression and freezing the cancer we will at once dismiss as being simply abominable—the former, however,

the worst of the two—and at once pass on to the caustics. Many of these have much to recommend them, the best certainly being arsenic, the chloride of zinc, and the potassa fusa. These are all-powerful, but the two latter cause great pain and are less efficient. The potassa cum manganese is a caustic which the maker vaunts as the most effective and painless yet discovered. Some years ago I came to the conclusion that it was a dirty, painful, and inefficient application, and I have seen no reason to change my opinion. The removal of cancer by the knife I do not intend to discuss here, but when a cancer has exceeded certain limits and continues to increase, it is the most humane and efficient means we command. Removal by ligature is in a few cases, where the growth proceeds from a small pedicle, a very proper proceeding.

CHAPTER V.

THE TREATMENT BY ARSENICAL MUCILAGE.

As before stated, I do not now intend to discuss the treatment of cancer generally, but to lay before you a particular plan that I have now followed for the last thirteen years with the greatest success, and which is applicable to many forms of cancer. This mode of treatment has only been made public, so far as a few cases have appeared in the *Lancet*; but although my late father and myself have practised it for the length of time above stated, it may be called new, inasmuch as I would not venture to bring it before the profession and public until I had thoroughly tried it myself, and time had proved its value. I had, moreover, other motives for this delay. How many new and wonderful things do we hear of, daily puffed off before the world by those seeking notoriety and popularity rather than truth, that the experience of a few weeks only proves to be a flimsy tissue of vain hopes, which, before their

year of birth has terminated, have been buried in the oblivion they deserve; besides, it has been my good fortune to see as many, or more cancer cases than any other medical man, and on this account I feel that I ought not to offer any suggestions relative to the treatment of this disease, unless they be such as are worth listening to; unless they be such as have not been heretofore before the public, and if new, which I claim for those in this little volume; unless they be such as, by long and practical experience, I have thoroughly tested myself. Many of my friends, knowing my opportunities for studying this disease, have expressed their surprise at my long silence, but I did not wish to add my name to that long list of authors, of whose books it may be said that, if suddenly swept out of existence, nothing would be lost to posterity. The literature of cancer has of late been most prolific, and hardly a month passes but some volume is added, in most cases prettily enough illustrated with coloured plates, but not with new ideas.

I need not say that these remarks do not apply to the works of Velpeau, Walsh, Paget, Cooke, Pemberton, Collis, &c., each of which, at the time of publication, added greatly to our previous knowledge.

The arsenical mucilage mode of treatment is applicable to all forms of cancer, except the cystic or colloid, provided they have not exceeded

certain limits, viz., four square inches, and then not more than a fourth must be attacked at once. When a cancer has exceeded this limit, I know of no means that ought to be used to extirpate it but the knife; and it must not be supposed because I so strongly recommend the arsenical mucilage, that I would discard the use of this instrument altogether; for in some cases it is our only hope.

The paste may be applied to cancers situated on any part of the body except inside the mouth or nose, parts, in fact, where the use of the curative agent would be dangerous. I do not recommend its use when the disease is deeply seated, but for many cancers on or near the surface, this mucilage is the least painful and most certain remedy I know. During the last seventeen years I have fully tried every known caustic, and now firmly believe that this is the best.

The application of arsenious acid is not new; it has been used in various ways and compounds, but hitherto such success has not attended its use, as to make it appreciated as it ought to be. The mode I adopt is as follows. A thick paste of arsenic is made according to the following formula—

Arsenious acid, 3 ij.

Mucilage of gum acacia, 3 j.

To be well mixed together, and made into a thick paste.

The patient's health having been attended to, the whole of the cancerous surface is to be spread over with this paste, provided it is not more than a square inch, and it must be sufficiently thick not to run; a piece of dry lint is then pressed on to it, overlapping the paste half an inch all round; this must be left for a short period, say ten minutes, by which time any superabundant paste will have been taken up by the extra lint, which is then to be carefully cut away with a sharp pair of scissors; in an hour, or at most two, the lint covering the paste will have become dry and hard, and it will adhere closely and firmly to the cancer. In the course of twenty-four hours the surrounding parts will commence to swell, become red, and to a certain extent inflamed, and the patient will experience a drawing pain. In general this is by no means severe, and does not last more than one or two days. At the expiration of from forty-eight hours to three days, according to circumstances, bread-and-water poultices are to be constantly applied and changed every two or three hours; the pain, redness, and swelling will by this time have subsided, and a distinct line of demarcation be seen extending entirely around the cancerous mass; the skin ulcerates, and a fissure is formed, separating the slough from the healthy tissues; the fissure continues to deepen, until the entire cancer comes away,

leaving a healthy cup-like depression, varying in size and depth according to the mass removed. Healthy granulation will now commence, and it will be well to continue the poultices for some time; indeed it often happens that no other application need be used. Of course we must be guided by circumstances, for granulation proceeding too rapidly, too slowly, or in any abnormal manner, must be treated according to the known rules of surgery. Great diversity will be found as to the time of the slough coming away, in cases of small extent and not extending deeply into the tissues, the periods will vary from six to fifteen days, but in those of greater size, from twelve to thirty. In some instances only one application of the paste will be necessary, but it will in general be found advisable to apply it every second or third morning, till the desired effect is produced; no rules can be laid down as to how often this must be done; the experience of the surgeon and the progress made must decide. When it is intended to re-apply the paste, the former piece of lint must be carefully soaked for some time with warm (not hot) water, and after it has come away, the mucilage be used as before, recollecting that until the last application that is intended has been made, poultices as a *rule* are not to be used, unless under special circumstances; and that after a decided line of

demarcation has been formed, no more paste is to be applied. In general it will be found that after the slough has come away, the whole of the disease has been removed; but sometimes this will not be the case, and then the mucilage must again be had recourse to (*vide* Cases No. 6, 8, and 9); in others it will be found desirable to remove a portion of the dead cancer before another application of the paste (*vide* Case No. 3). This, however, is only necessary when the cancer becomes hard and callous, and will not allow it to penetrate. I have also used this remedy in some cases after operation by other means. For example, not very long ago, a gentleman applied to me; he was suffering from a pedunculated epithelial cancer, situated below and a little behind the right ear, quite of a mushroom shape. The broad flat part was four inches and a half in circumference, half an inch thick, and grew on a stem less than three quarters of an inch in diameter. It was removed in a moment with a noose of silver wire, but the root still remained; one application of the paste brought this perfectly away in eight days, and a fortnight after the patient was well. Neither the knife or ecraseur could, I think, have accomplished this, and no other caustic would have performed the task so cleanly and satisfactorily. One of the most pleasing and wonderful phenomenon connected with the mucilage is the

extraordinary power of election it appears to possess ; for if put on with only ordinary care, the cancer alone is attacked, the healthy structures remaining untouched, and the disease ultimately rolling out of a perfectly healthy wound.

This treatment I have used with equal success in cancer on the lip, face, head, arm, hand, abdomen, breast, penis, testicle, labium, scrotum, and foot. I have never seen any bad results from its use, except in one case, and in this the evil was temporary only, and occurred in one of our earlier cases, some years since. At the same time I must caution those who are inexperienced in its use, that it is a dangerous remedy in unskilful hands, and requires constant watching ; neither can it be used, as I before stated, to cancerous surfaces of greater extent than four square inches, and then only a small portion must be attacked.

Many cases of scirrhus and medullary cancer are amenable to this treatment, particularly at an early stage, but to the epithelial it is peculiarly adapted. It is true that this form of cancer is frequently found to attack the tongue ; and that except in the earlier stages of the disease, carcinoma of this organ presents to the surgeon a truly difficult task ; but on other parts of the body we have this variety under very great control. I may say that a patient

suffering from epithelial cancer, coming under treatment at anything like a reasonable time from the first attack, may, in nine cases out of ten, feel sure of a perfect restoration to health; such was not the case ten years ago. This reassuring fact becomes more valuable when we consider that of all the forms of cancer, about one in four is epithelial. I had an extreme case under my care about four years since, a man in whom the disease had so far advanced, that I quite despaired of effecting any good, and indeed so told him. This poor sufferer had the whole of the lower lip and chin affected with the disease, and a cancerous mass projected fully an inch, being two and a half wide, and extending from one angle of the mouth to the other. This patient, to my surprise, got quite well; all the disease was removed, and the lip assumed an almost natural appearance. General W. had consulted many medical men without benefit. He suffered from epithelial cancer of the cheek. That eminent surgeon Mr. Fergusson (now Sir William Fergusson) saw him, and recommended removal. To this he was not inclined to submit. The opinion of Dr. W. Marsden was then sought, who advised this mode of treatment, and in a few weeks the General was perfectly well, and remains so still. His Royal Highness the Prince of W. (a foreigner) had an epithelial cancer near the angle of the eye.

His Continental surgeons assured him he could not live three months unless operated on. To this he would not consent, but came to England, and when last I heard of him, was almost well (some years after his prognosticated death). Case No. 4 of J. H., is another excellent example; also Case No. 3 of Mrs. W., a medullary cancer healed in the same way; and I think it possible, that had J. N. (Case No. 16) been at an early period of the disease subjected to the same course, he might have recovered. I once saw His Grace the late Duke of G., who was suffering from an epithelial cancer of the lower lip, of which he died. We were not then so familiar with this plan as now, or his life might in all probability have been prolonged. Many of these cases whilst undergoing treatment do not require the administration of any medicine. Some weakly patients will be benefited by a tonic both before and during the application. The following is what I frequently give (called guttæ No 5):—

Hydrochloric Acid, 3 i.

Tincture of Opium, 3 i.

Compound Tincture of Bark to ℥iv. Mix.

A teaspoonful to be taken in a wineglass of water twice or thrice a day.

This may be given with or without the opium. The bowels, &c. should always be carefully attended to. In plethoric patients, the following, a

simple but favourite old prescription of my late father, I find very beneficial (Pulvis Sodæ cum Jalapa):—

Carbonate of Soda, $\frac{3}{4}$ ss.

Powdered Jalap, 3j. Mix.

Divide into twelve powders, one to be taken twice a day in a wineglass of water.

This I sometimes prescribe without the jalap; a simple dose truly, but alkalies, particularly carbonate of soda, have undoubtedly a considerable power of arresting cancer.

I have great pleasure in stating that this treatment has proved highly successful, not only in my own hands, but also in those of many other surgeons, particularly in the country, to whom I have communicated the mode of application.

CHAPTER VI.

ILLUSTRATIVE CASES.

The following cases have been selected out of a number of successful examples of this treatment :—

CASE No. 1.—Charles M., æt. 70, admitted October 13th, 1858, discharged cured May 18th, 1859.

Notes of the Case.—The disease began about one year and a half ago, and affects about half of the lower lip and the angle of the mouth; the disease has a most formidable appearance, as may be seen in drawing No. 1, representing the appearance of disease at the time of admission, and also condition of same parts after recovery. He has undergone treatment in the Worcester Infirmary without benefit. The patient suffers also from rheumatism of the right leg. The disease was not hereditary, as far as was

known to the patient. The liq. plumb. was tried at first without benefit.

November 10th.—Arsenical mucilage first applied, and medicine given for the rheumatism.

November 15th.—The application continued at intervals of five days.

December 9th.—The slough has come away; to continue medicine, and apply calamine cerate to ulcer.

December 27th.—The mucilage again applied. Bark and nitric acid taken twice a day. Pulv. sodæ cum jalapa, one in water every night.

January 12th.—Slough has come away, but the parts are still very much indurated; to apply potassa fusa.

March 14th.—Disease has improved up to this time; poultices and lotion of calomel and liq. plumbi have been at different times used.

March 21st.—Bark and ammonia to be taken, and calamine cerate used.

April 9th.—The ulcer gradually contracting. A weak arsenical lotion to be applied three times a day. No medicine.

May 10th.—Discharged cured. Although the diseased surface operated on in this case was extensive, the eschar left is very small.

CASE No. 2.—Mrs. W. F., æt. 46, from Manchester, first consulted me March 10th, 1860. She is married, and the mother of seven children.

Notes of Case.—This lady has in the right labium a hard tumour the size of a walnut (scirrhus), rather deeply seated, and ulcerated on the inner side; she experiences severe lancinating pain, and the surrounding parts have lately become red and inflammatory. First noticed a slight hardness about seven months since; her general health is good.

March 12th.—The mucilage was applied.

March 14th.—Parts more inflamed; to poultice with bread and water.

March 16th.—Inflammation much less; mucilage again applied.

March 18th.—Slough beginning to separate; to poultice.

March 22nd.—Slough has come away. Some hardness remains at the bottom of the sore. The mucilage applied to it.

March 26th.—Slough beginning to separate; to poultice.

March 29th.—Slough has come away, leaving a perfectly healthy sore, circular, an inch and a half in diameter; to continue poultices.

March 31st. — Granulation proceeding very rapidly, and all hardness, redness, and inflammation gone.

April 10th.—Poultices have been used till now. The cavity is not more than half an inch in diameter. To take bark and nitric acid.

April 22nd.—The sore quite healed, but tender;

to continue the tonic and apply simple ointment spread on lint.

April 26th.—The patient returns home to-morrow; she is quite well.

CASE No. 3.—Mrs. W., a monthly nurse, æt. 71, was for some time a patient of mine at the Royal Free Hospital for prolapsus uteri; being relieved of this complaint, she one day drew my attention to a growth on her head. She remarked that a small sore appeared on her head from some slight injury when only seventeen years of age; it had never properly healed from that time to the present, but that during the last few weeks it had greatly increased in size, particularly during the last fortnight, causing her great alarm, but at this period she had no distinct idea what the disease was. On removing her bonnet and cap I was horrified to see a medullary cancer growing from the top of the head, in appearance like a large strawberry (see plate II. A). I at once persuaded her to go into the Cancer Hospital, which she did in a few days; but even in this short interval the cancer had made great progress, indeed, had doubled in size. On her admission, June 20th, 1860, I at once boldly attacked it with the arsenical mucilage, and had the satisfaction to find that no increase took place after the first application. The use of the paste was con-

tinued every alternate morning. On the tenth day the mass had become dry and hard, and with a blunt knife I removed the upper half; the interior I found as dry and hard as the exterior. This being the case I pared off another slice, about the eighth of an inch in thickness, and in the centre now found there was some vitality. The paste was again applied as before, and in the course of a few days the whole remaining mass came away, leaving a circular patch of pericranium exposed, the size of a five-shilling piece, presenting a white and glistening appearance; healthy granulations formed the margin (see plate II. B). During these operations the patient suffered no pain, and her constitution was well supported with tonics and generous diet. As soon as the separation had taken place, warm bread and water poultices were at once applied, and the air carefully excluded, granulation proceeded rapidly, and in a month's time she left the hospital quite well, and the disease never returned.*

CASE No. 4.—Job H., æt. 67, from Chelsea Hospital, was admitted into the Cancer Hospital, February 4th, 1862, with an epithelial cancer of the lower lip.

Notes of the Case.—Fifty years ago had a blow

* This patient died of bronchitis five years afterwards, aged 76. Her head remained perfectly well.

from a piece of coal being thrown at him. The lip bled freely at the time, and a small black speck has remained ever since. About six months ago this began rapidly to enlarge and ulcerate. On admission into the hospital the lip presented an indurated lump, the size of a horse bean, of a dark colour and ulcerated. Very little pain.

February 5th.—Arsenical mucilage applied.

February 10th.—Bark and nitric acid given. During the next ten days the mucilage was applied every morning, and sloughing promoted by the constant use of bread and water poultices.

February 21st.—Tonic continued. Mucilage continued night and morning. Poultices as before.

March 4th.—The tumour has entirely come away, leaving a cup-like depression very ready to bleed. To be kept constantly wet with black wash. This treatment was continued till the 26th, when simple ointment was used. Healthy granulation duly proceeded, and on the 6th of April he was discharged cured.

During the application of the paste the patient experienced very little pain. The disease never returned, and a short time since I heard of his being in good health.

CASE No. 5.—Richard E., æt. 45, a warder of excellent character at one of the Middlesex prisons, admitted April 8th, 1860, with epithelioma of lower lip.

Notes of Case.—The disease appeared three years and a half since, and the patient's health is by no means good; he has a tendency to dropsy.

April 11th.—The mucilage applied, and a diuretic mixture prescribed three times a day. By May the disease was all removed. Cer. simplex was used, and bark and nitric acid given.

End of May, left the hospital apparently quite well. All hardness has disappeared.

February 10th, 1863.—Re-admitted, with induration of left side of lower lip, but no ulceration. The lip remained well up to a short time ago, when he found some hardness, accompanied with itching pain. His health is very good.

February 11th. — Mucilage applied every morning. Pulv. sodæ c. jalapa, one to be taken every night.

February 13th. — Lip inflamed: to apply bread-and-water poultice three times a day.

February 20th.—Slough separated; to apply lotio nigra. He is very fat, and his breathing short; to take the following:—

R Spirit. Ætheris Nit. ʒss.

Potass. Acet. ʒ iss.

Sodæ Carb. ʒj.

Elaterii, gr. j.

Aquæ ad. ʒxvj. Ft. mist.

Three tablespoonfuls to be taken every night.

March 20th.—The lip is now quite well, no induration, no pain; his breathing much better, and he returns to his duties at the prison.

This patient, a short time before he came under treatment, was brought up before the visiting justices of the prison in which he is employed, by the surgeon of the establishment, and reported unfit for duty, in consequence of his having cancer of the lip, and therefore incurable. It was a hard case for the man, for by being discharged then he would have lost his retiring pension. Fortunately, however, for him, one of the magistrates was a member of the committee of the Cancer Hospital, and had seen some of our successful cases before. This gentleman felt convinced that if we had him under our care he might have a chance of cure. He therefore pleaded with his brother justices that before they discharged him as incurable, he should be allowed leave of absence to go into the hospital, with what result has been seen. His pension has by these means been secured to him, and he retains his situation at the present time.

CASE No. 6.—Mrs. K., æt. 32, consulted me in May, 1859. She was suffering from a scirrhus cancer. On the inner side of the left thigh a tumour projected from the surface about three-quarters of an inch, circular in shape, flat and ulcerated

on the top; it seemed to grow from a depth of three-eighths of an inch in the tissues, and moved with the skin. The patient first noticed a slight hardness about a year ago, and imagined it was caused by riding on horseback. This was an excellent case for the mucilage, and the disease was removed in a month, and healed up in little more than six weeks. I made three distinct applications, a slough being separated by each, the third bringing away the last portion of the tumour. On each occasion, as soon as the line of demarcation appeared, bread-and-water poultices were applied till the slough separated. No other application was used except during the healing, when a weak spirit lotion was applied. This lady was well five years after, but I have not heard of her since. She remains so, I have no doubt.

CASE No. 7.—Elizabeth H., æt. 74, of Twickenham Common, came under my care June 17th, 1862, with epithelial cancer of the lower lip. Discharged cured, August 1st, 1862.

Notes of Case. — Irregular ulceration with indurated base. First appeared five months since as a small pimple. No relatives affected. Has had nitrate of silver applied without benefit.

June 20th. — Mucilage applied every other morning.

June 26th. — No effect produced.

July 4th.—The mucilage has been applied four times, and a line of demarcation has appeared. To take a stomachic mixture.

July 15th.—The cancer has come away, no hardness remaining. Health good. To use black-wash, and continue the mixture.

July 25th.—Healing slowly. Health good.

July 28th.—Complains of great pain in abdomen and sickness. Has been frightened by thunder. Mustard poultice applied to abdomen, and brandy given.

July 29th.—Much better in all respects.

August 1st.—Is now quite well. Lip perfectly sound.

She has called three or four times since, and remains well.

CASE No. 8.—Jane F., æt. 43, the wife of a mechanic residing at the east end of London, first consulted me in June, 1860.

Notes of Case. — Has been married many years, but only had one child. Her general health is pretty good, but she has worked very hard, and looks much older than the age stated. Says she received a blow about three years since on the left breast, and felt great pain at the time, which has never quite left her. Ten months before consulting me noticed a tumour the size of a small walnut, which slowly increased in size, and ulcerated about the middle of April

(1860). When I first saw her, her breast, which was rather small, presented a circular ulcer about five inches in circumference, the edges of which were rather elevated above the surrounding parts, and had for its base, and was evidently connected with the tumour, a globular scirrhus in the second stage. She complained of severe lancinating pain, and one of the axillary glands was indurated to the size of a large pea. On the 2nd of June I applied the paste all round the edges of the ulcer, and about four days after the slough began to separate, and soon came away, leaving the edges perfectly healthy. I then applied the mucilage to the bottom of the ulcer, to the extent of one inch in diameter, which included all the surface not previously attacked. The breast became inflamed and rather painful; on the second day bread-and-water poultices were applied, and the slough separated on the tenth day; the wound looked healthy, and granulations rapidly sprang up. The poultices were continued, but finding some hardness still remained at the deeper part, I a third time used the mucilage, which soon brought away the remaining portion of the tumour. From this time the edges of the wound were kept loosely pressed together with lint compresses and a bandage. It healed rapidly, a weak spirit lotion being used. Early in August she was quite well. I saw this patient

in 1865. She was then quite well, and the enlarged gland in the axilla had disappeared. She promised to return if any change took place. I have not heard of her since.

CASE No. 9.—George H., æt. 55, admitted May 20th, 1862; discharged cured, Sept. 5th, 1862.

Notes of Case.—This patient has an epithelial cancer of the lower lip of considerable size. First appeared twelve months since. Has had it burnt with caustic, and used various treatments, but the disease has continued to progress.

May 21st.—The arsenical mucilage to be applied daily, and the soda and jalap powder to be taken every night in a wine-glass of water; bark and nitric acid being taken at 11 a.m. and 4 p.m.

May 31st.—No effect from the application; to be used twice a day.

June 4th.—The lip swelled, and slough beginning to separate.

June 11th.—To poultice with warm bread and water.

June 13th.—Slough separated; some induration left around. To use Hyd. subchlor. ʒj., Cerat. Cetac. ʒiij. ft. ung.; apply twice a day.

June 18th.—Health very good. Ulcer caused from slough has nearly healed, but as there is still much hardness, the mucilage to be applied twice a day.

June 21st.—The lip much swelled and inflamed, but the health good; to use cold poultice only.

June 23rd.—The swelling and inflamed state of lip much lessened. The mucilage to be applied every morning.

June 28th.—Lip swelled; to poultice.

July 5th.—The slough has come away; around the ulcer is much softer, but still some induration at the upper part of the wound. To use lotio nigra.

July 30th.—The ulcer has healed, with the exception of one point, still indurated at upper part; the mucilage to be applied to that spot.

August 19th.—The application has produced a small slough, which has separated and left the parts soft, and a healthy-looking sore. To apply lotio nigra.

September 5th.—The ulcer has healed, the neighbouring parts are quite natural, and no induration remains; his health has been good the whole time. Discharged cured. This patient promised to return to the hospital should any unfavourable appearance take place. He has not done so, and is, no doubt, at present quite well.

CASE No. 10.—Robert W., æt. 85, came under my care August 18th, 1863; discharged cured September 22nd, 1863.

Notes of Case.—Epithelial cancer of lower lip. The surface of the lower lip is irregularly ulcerated

and considerably indurated ; general health good ; no relatives affected ; cannot trace it to any injury ; says it began as a small wart.

August 18th.—The mucilage applied.

August 20th.—The mucilage repeated.

August 22nd.—Again applied ; the part beginning to slough.

August 25th.—Appetite not good ; to take a tonic mixture.

August 26th.—Lip going on favourably ; to use bread poultices.

August 30th.—The slough has separated, and the wound looks healthy ; to continue poultices.

September 5th.—Appetite much better ; to use black wash.

September 15th.—The lip has now quite healed, no hardness remaining, and his general health is very good ; promised to return if the disease re-appeared, but has not been since.

CASE No. 11.—Mrs. J., of Croydon, æt. 43, has had a cancer on the inner side of the arm, three inches below the axilla, for a year and a half. She attributes it to a blow. Having got up a ladder in the winter of 1862, there being snow on her boots, she fell through, and hung on by her arm ; she experienced great pain at the time, and shortly after a swelling appeared, which soon assumed the appearance of a dry epithelial cancer. Mr. Wood, of King's College, to whom she showed

it, told her it was cancer. On the 26th of May, 1864, she came under my care; the disease was then about the diameter of a crown piece, and projected from the surface of the arm three-quarters of an inch, hard, dry, and horny on the summit, vascular and red at the base; it moved freely with the skin. (See plate III. A.) The arsenical paste was at once applied, and repeated every third day. On the twelfth day a decided line of demarcation was seen between the tumour and the sound skin, and at the end of three weeks it came completely away. Bread-and-water poultices were now applied, and at the end of the sixth week the eschar was quite healed, and the patient cured. (See plate III. B.) During the treatment, not being in good health, she took with advantage, for the first fortnight, the following mixture:—

R Acidi Citrici.
 Potassae Bicarb. aa 3 ij
 Tinct. Cort. aurantii, ʒss.
 Aquæ, ad. ʒviij. Misce.

Two table spoonfuls to be taken three times a day.

After which bark and nitric acid were administered; the application of the paste gave but little pain; the disease has not returned.

CASE No. 12.—Captain S., master of a Danish vessel, trading between Newcastle and Denmark, first consulted me October 6th, 1864. He was suffering with an epithelial cancer of the lower

lip, deeply seated, and about the size of a marble. It was well defined, very hard, and the mucous membrane of the lip over it was ulcerated. The pain, particularly when exposed to the cold wind on his voyages, was very great ; he has been under treatment, but the tumour continues to increase.

October 7th.—Mucilage applied.

October 11th.—Mucilage re-applied.

October 13th.—A line of demarcation has formed. The adjacent parts are swollen and red ; he has experienced a slight drawing pain since the first application. To use bread-and-water poultices.

October 16th.—The cancer has come away ; to continue poultices.

October 20th.—Some hardness remains at the deeper part ; the mucilage re-applied.

October 24th.—To poultice.

October 26th.—Another slough has come away ; to continue poultices.

October 29th.—The sore looks healthy, and granulation is proceeding rapidly ; to use very weak black wash.

November 3rd.—Has been unable to call since the 29th, but the lip is now quite well, and presents a perfectly natural appearance. Promised to call on me should the disease re-appear in the slightest degree, but have not seen him since.

CASE No. 13.—Mrs. A. L., æt. 42, came under my care in December, 1862, with an epithelial

cancer of the right foot; mother died of cancer in the breast; has been suffering from the disease for the last two years, and has undergone various treatment without relief; says the disease has spread very rapidly during the last six weeks. On examination I found a soft warty growth of an irregular oval shape, projecting about an inch from the dorsal surface of the foot, six inches in circumference; it was firmly fixed at its base, and bled very readily. The patient complained of her health failing, and was really in a critical condition. In this case, instead of applying the paste at once, I removed the mass by the knife to a level with the surrounding skin without pain, ice and salt having been previously applied; the worst of the disease still remained. Three days later I used the mucilage, and spread a thin layer over the whole surface. On the twelfth day the slough came away, leaving a perfectly healthy wound, which completely healed in three weeks. I had recourse to the knife in this instance, owing to the state of the patient's health, for by this means I was enabled to attack the deep portion of the disease almost at once, and thus facilitate a rapid cure. Tonics were administered, and a generous diet employed. With the exception of the mark from the cicatrix, the foot remained uninjured. The patient promised to return should the disease re-appear, but has not done so; I have no doubt she continues well.

CASE No. 14.—Charles P., æt. 50, from Newbury, Berks, admitted into the Cancer Hospital November 15th, 1864, with epithelioma of lower lip; discharged cured March 18th, 1865.

Notes of Case—Says he has been suffering from the disease for six months; never smoked; always a sober man; no relatives affected. On admission, the whole surface of the lower lip presented a most dreadful appearance, being ulcerated from one angle of the mouth to the other, and a cancerous mass projecting from the entire length about one inch, having a hard base, and almost blocking up the mouth. (See plate IV. A.) He suffered very severe lancinating pain; general health not good.

November 16th.—The mucilage was applied to half the surface, and a stomachic mixture ordered.

November 18th.—To poultice with bread and water; lip painful.

November 23rd.—Slough has come away, leaving a still diseased surface; to repeat the application to same part.

November 25th.—Lip much swollen, with considerable pain; health pretty good; to poultice at night.

November 28th.—The swelling has subsided, and slough is separating; to apply mucilage to other half of lip.

December 2nd.—No inflammation about lip, but great pain; to poultice.

December 3rd.—Health not good, pulse low; to take bark and nitric acid three times a day, and continue poultices.

December 8th.—A large quantity of the disease has come away, but the parts do not look healthy. His health is good, and he suffers very little pain.

December 12th.—To use black wash.

December 19th.—To repeat the application of the mucilage.

December 24th.—To repeat the application.

December 26th.—To poultice.

January 2nd, 1865.—The last application has caused a slough to separate from one side of lip; to use the mucilage to the other half.

January 4th.—To poultice.

January 11th.—Slough separated, to use black wash; the lip is much softer, and disease is checked.

January 14th.—The lip goes on healing well.

January 21st.—Lip is much reduced in size, and continues softer. Health good. He left the hospital for a few days, by permission.

February 1st.—Lip much softer, and has quite healed. The hardness is confined to two small points, one at the side, the other at the centre.

February 4th.—To apply mucilage.

February 8th.—To repeat the application.

February 11th. — To use bread-and-water poultice.

February 15th.—To re-apply the mucilage.

February 17th.—To poultice; lip swelled and painful.

February 20th.—A slough separated. Black wash to be used.

March 10th.—Lip is now healed, and perfectly healthy. No hardness left, and his health excellent. (See plate IV. B.)

March 18th.—Discharged cured.

When this patient first came under my notice I despaired of doing him any good; happily the paste proved more powerful than I before imagined it. I firmly believe no other plan could have saved this man's life, the case being even much worse than No. 1.

It may also be remarked that I used the paste to a much larger surface at once than I recommend. I was guided in this by the appearance of the disease; and the result justified the means; but I cannot advise those not thoroughly experienced in this treatment to depart from the rule laid down in an earlier part of this volume.

CASE No. 15.—James A., labourer, æt. 57, from Peters Chalfont, Bucks, admitted into the Cancer Hospital May 24th, 1865; discharged, quite well, June 28th.

Notes of Case.—A warty epithelial cancer, the size of a shilling, at the base of the nose, close to the inner angle of the left eye; is a healthy-

looking man, temperate, and always enjoyed good health; says he has been suffering from the disease six years. It began as a small pimple, without pain, and has gradually attained its present size. None of his relatives have suffered from cancer, nor is he aware of having injured the part in any way.

Drawing A, plate V., was taken on his admission. The arsenical paste was then applied to the disease; some swelling and inflammation of the surrounding parts was caused, but no great pain. Bread-and-water poultices were applied, and the disease sloughed away on the 7th of June. (Drawing B was taken June 5th). Simple dressing was applied, and the ulcer healed, forming a healthy cicatrix. He left the hospital June 28th, quite well. (Drawing C was taken June 26th).

CASE No. 16.—The following is introduced, not as an example of this treatment, for it was not used, the case being hopeless when he entered the hospital, but as an extraordinary example of unchecked medullary cancer, and to illustrate the fact that cancers which in their earlier stage appear small and trifling, later on become most formidable.

Joseph N., æt. 28, from Oldham, was admitted into the Cancer Hospital March 12th, 1858.

Notes of the Case.—His course of life has for

the last four years been very irregular, and seven years since he had syphilis. The disease is a frightful cancerous growth, attached apparently to the forehead, and extending from thence backwards to over a good portion of the scalp. Anteriorly it hangs down in masses over the eyes and nose. The disease is reported to have commenced about four years ago, as a small tubercle, caused by the scratch of a rusty nail, which shortly afterwards was accidentally struck with a chisel, whilst at work. From this period it rapidly increased, and with its increase his general health gave way. A homœopathic physician, of the name of Phillips, applied nitric acid to the cancerous surface, and next resorted to paste, recommended by Dr. Fell (chloride of zinc and *Sanguinaria canadensis*), after which some bone is reported to have come away, but the fungus rapidly grew again, and became worse, and more hideous than ever. Whilst in the Cancer Hospital the treatment was as follows:—

March 12th.—A lotion consisting of liquor plumbi, and acetum distillatum in equal parts ordered. Bark and nitric acid to be taken internally.

April 3rd.—A lotion of chloride of zinc gr. x to water ʒj to be used freely.

April 19th.—Nitric acid applied.

April 23rd.—Chloride of zinc applied.

April 29th.—The zinc has formed a hard crust

with the lint covering the fungus, and this seems to have checked its rapid growth. Death took place May 19, 1858.

The late Dr. Knox's notes at the post-mortem examination.—"The head presented a very shocking spectacle. The fungus covered all the forehead, vertex, and sides of the head, and hung down in masses over the eyes and nose. On raising these up, the nostrils were found to be so compressed as evidently to have interrupted all breathing through the nose. The right eye appeared to have sunk altogether into the orbit, but the disease did not involve the integuments of the nose nor the eyelids, and seemed limited in this direction to the forehead. In attempting to remove some of the mass from the forehead, a very large abscess was opened. The disease having been taken away, and the frontal bone exposed to view, a portion of it was removed, extending from the frontal sinuses upwards to the vertex, the pericranium over the lower portion of the bone was diseased, partaking somewhat of the cancerous character, and a perforation was discovered the size of a goose-quill; through this perforation the disease penetrated into the interior, communicating with a small diseased mass involving to some extent the dura mater. In other respects the bone seemed healthy, and was merely thinned away around the margins of the opening, but nothing like caries appeared anywhere. Turning now

to the interior or cerebral aspect of the osseous portion, we find that the dura mater, perfectly sound in the upper part, becomes gradually diseased on approaching the lower portion in the vicinity of the aperture, the bone being more and more vascular, but not much thickened, if at all. On its outer surface there lay small masses of diseased structure, whilst internally similar small masses were found apparently embedded in its substance, and adhering to the surface of the brain, which they had involved to the extent of a filbert. On dividing the largest of the tumours, thus seemingly originating in the dura mater, its identity with those on the exterior of the cranium became evident, and the nature of the disease was no longer to be questioned. Thus was confirmed the original diagnosis of Dr. Marsden that the disease originated in the interior of the head. One only of the tumours had perforated the bone and thus gained the surface of the body. A similar tumour occupied the right frontal sinus; this seemed also to have made its way from the interior near the upper part of the sinus, the lining membrane of which, as well as the osseous structure, was sound, the left sinus presenting similar appearances. In both was found a bright yellow substance, the brightness of whose colours attracted the attention of the attendants during the dissection."

FORMULÆ.

The following formulæ will be found useful in the treatment of Cancer.

No. 1.

R Tinct. Ferri Perchlor.
Acid. Phosphor. dil. āā ℥ xv.
Aquæ ℥ ij. Misce.
To be taken twice or three times a day.

No. 2.

R Spiritus Chloroformi, ℥ 40 vel 60.
Tinct. Cinchonæ Comp. ℥ j. Misce.
To be taken in a wineglass of water twice or three times a day.

No. 3.

R Acid. Hydrochlor. dil.
Acid. Nitric dil., āā ℥ 80.
Tinct. Cinchonæ Comp. ℥ j.
Aquæ ad. ℥ viij. Misce.
Two tablespoonfuls to be taken twice or three times a day.

No. 4.

R Quinæ Sulph.
Ferri Sulph. āā gr. ij.
Acid. Sulph. dil. ℥ v.
Aquæ, ℥ j. Misce.
To be taken twice or three times a day.

The above are all good tonics in cancer. The first and fourth are specially useful when there is much cachexia, and the second when it is desirable to combine a stimulant with a tonic.

No 5.

R Acidi Citrici.
Potassæ Bicarb. āā ℥ ij.
Tinct. Aurantii, ℥ vj.
Aquæ, ad. ℥ viij. Misce.
Two tablespoonfuls to be taken every three or four hours.
An excellent saline, and to allay sickness.

No. 6.

- R Radicis Gentianæ Incisæ, 3 iij.
 Radicis Rhei, Contusæ, gr. 40.
 Zinziberis, gr. 20.
 Sodæ Bicarbonatis, 3 ss.
 Aquæ Ferventis, 0j.

Macerate for four hours, and strain. Dose, two or three tablespoonfuls twice or thrice a day. An excellent stomachic.

No. 7.

- R Pulv. Calumbæ, 3 ijss.
 Pulv. Rhei, gr. 45.
 Sodæ Bicarb. 3 ss.

Divide into 14 powders, one to be taken in a wineglass of water twice a day.

Stomachic. After either of the above have been taken for a week or ten days, a patient who could not previously bear tonics will often do so.

No. 8.

- R Potassii Iodidi, gr. ij. vel v.
 Liq. Potassæ, ℥ij. vel v.
 Infusi Cinchonæ, 3j. Misce.
 To be taken twice or three times a day.
 Useful in Cancer and Lupus.

No. 9.

- R Potassæ Nitratis, 3 iss.
 Magnes. Sulph. 3 iss.
 Pulv. Rhei, gr. xx. Misce.

Divide into 14 powders. One to be taken every morning, or twice a day, in a wineglass of water. A gentle saline aperient. It acts more on the bowels if taken fasting early in the morning and in half a tumbler of warm water. If a stronger dose is required it may be divided into seven powders only.

No. 10.

- R Morphiæ Hydrochlor. gr. ij.
 Confec. Rosæ, q. s.

Divide into four or six pills—one to be taken at bed time, or at any time when pain is severe.

No. 11.

- R Boracis, 3 ss.
 Glycerini, 3 ij.
 Aquæ, ad. 0jss. Misce.

Make into a lotion. Made also without the glycerine.

No. 12.

R Pulv. Potassæ Chlor. ʒ ss.
Aquæ Fervent, Ojss. Misce.

Make into a lotion.

The above are excellent lotions ; or gargles in Cancer of the Tongue, Fauces, or Throat.

No. 13.

R Acidi Carbolici, ʒ j.
Aquæ, ʒ viij. Misce.

Make a lotion or injection.

No. 14.

R Liq. Plumbi Subacet, ʒ j.
Aquæ Distil. Ojss.

Make a lotion or injection. Made also with ʒ j. of Tinct. Opii.

No. 15.

R Tinct. Ferri Perchlor. ʒ j. vel ij.
Aquæ, Oj.

Make a lotion or injection.

No. 16

R Pulv. Potassæ Chlor. ʒ ss.
Acid Hydrochlor. m 40.
Aquæ, Oj.

The acid to be poured directly on the Chlorate of Potash, and the water added gradually.

To be used as a lotion or injection.

No. 17.

R Potassæ Permang, gr. 40
Aquæ, Oj. Misce.

Make a lotion or injection.

The above lotions are all useful in cancerous ulceration of the breast or other part of the body, and as injections in cancerous ulceration of the uterus. Nos. 13, 16, and 17, check offensive smell. No. 14 arrests, and allays pain both before and after, ulceration. No. 15 is useful when there is a tendency to hæmorrhage, and may be used of any strength ; the pure tincture being applied when bleeding is actually taking place.

No. 18.

R Liquor Arsenicalis, ʒ ss. vel ʒ j.
Aquæ, ʒ j.

Make a lotion.

Useful in lupus and some forms of cancer.

No. 19.

R Liq. Plumbi. Subacet.
 Olei Amygdale.
 Aquæ Distil. āā ʒ ij.

To be well mixed by shaking. If properly made the ingredients will not separate on standing, but form a thick, cream-like embrocation.

The above embrocation is of great value in unbroken cancers, and should be applied night and morning in the following manner,—a piece of lint sufficiently large, when folded double, to cover the cancer is to be well saturated with the embrocation and laid on the tumour, the whole being covered in with a piece of oiled silk.

No. 20.

R Empl. Plumbi.
 Empl. Saponis.
 Empl. Resinæ, partes æquales.

Spread on chamois leather.

Applied to cancerous, adenoid, and other tumours, and allowed to remain on till it drops off.

No. 21.

Iron Lint.

This is made by saturating lint in the tincture of the perchloride of iron and allowing it to dry. It is a very convenient way of applying this tincture as a styptic.

No. 22.

Zinc Lint.

Made by steeping lint in a saturated solution of chloride of zinc. A convenient way of applying this caustic. If kept in a bottle, the virtue of the zinc is retained for some time.

London, New Burlington Street,
October, 1871.

MESSRS. J. & A. CHURCHILL'S
Publications,
IN
M E D I C I N E
AND THE VARIOUS BRANCHES OF
NATURAL SCIENCE.



"It would be unjust to conclude this notice without saying a few words in favour of Mr. Churchill, from whom the profession is receiving, it may be truly said, the most beautiful series of Illustrated Medical Works which has ever been published."—*Lancet*.

"All the publications of Mr. Churchill are prepared with so much taste and neatness, that it is superfluous to speak of them in terms of commendation."—*Edinburgh Medical and Surgical Journal*.

"No one is more distinguished for the elegance and *recherché* style of his publications than Mr. Churchill."—*Provincial Medical Journal*.

"The name of Churchill has long been a guarantee for the excellence of illustrated works, and it would be superfluous to repeat the admiration that we have several times expressed in this respect, of the spirit with which this firm engages in these costly but valuable series."—*Medical Press and Circular*.

"The typography, illustrations, and getting up are, in all Mr. Churchill's publications, most beautiful."—*Monthly Journal of Medical Science*.

"Mr. Churchill's illustrated works are among the best that emanate from the Medical Press."—*Medical Times*.

"We have before called the attention of both students and practitioners to the great advantage which Mr. Churchill has conferred on the profession, in the issue, at such a moderate cost, of works so highly creditable in point of artistic execution and scientific merit."—*Dublin Quarterly Journal*.

MEDICINE—continued.

	PAGE
Jones (Bence) on Pathology and Therapeutics	22
Mackenzie on Throat Diseases ..	25
MacLeod on Acholic Diseases ..	25
Macleod's Ben Rhydding ..	25
Macnamara on Cholera ..	25
Marcet on Chronic Alcoholism ..	25
Macpherson on Cholera ..	26
Martyn on Hooping Cough ..	26
Meryon on Paralysis ..	26
Morris on Germinal Matter ..	27
Musket on Apoplexy ..	27
Parkin on Cholera ..	28
Pavy on Diabetes ..	28
Do. on Digestion ..	28
Richardson's Discourses ..	30
Roberts on Palsy ..	31
Robertson on Gout ..	31
Savory's Domestic Medicine ..	32
Semple on Cough ..	32
Shaw's Medical Remembrancer ..	32
Smee on Debility ..	33
Squire on Temperatures ..	34
Steggall's Medical Manual ..	34
Thomas' Practice of Physic ..	35
Thudichum on Gall Stones ..	35
Todd's Clinical Lectures ..	36
Tweedie on Continued Fevers ..	36
Walker on Diphtheria ..	37
What to Observe at the Bedside ..	25
Wright on Headaches ..	39

MICROSCOPE.

Beale on Microscope in Medicine ..	8
Carpenter on Microscope ..	12
Schacht on do. ..	32

MISCELLANEOUS.

Acton on Prostitution ..	6
Barclay's Medical Errors ..	7
Bascome on Epidemics ..	8
Beale on Disease Germs ..	8
Buckle's Hospital Statistics ..	11
Chapman's Med. Institutions ..	12
Cooley's Cyclopædia ..	13
Davies on the Unity of Medicine ..	14
Edwards' Photographs ..	15
Gaskoin's De Villalobos ..	17
Glenn's Laws affecting Medical Men ..	18
Gordon on China ..	18
Graves' Physiology and Medicine ..	18
Guy's Hospital Reports ..	18
Harrison on Lead in Water ..	19
Howe on Epidemics ..	21
London Hospital Reports ..	24
Mayne's Medical Vocabulary ..	26
Oppert on Hospitals ..	27
Part's Case Book ..	28
Redwood's Supplement to Pharmacopæia ..	30
St. George's Hospital Reports ..	31
St. Thomas's do. do. ..	31
Simms' Winter in Paris ..	33
Snow on Chloroform ..	33
Veitch on Sick Nursing ..	37

MISCELLANEOUS—continued.

Waring's Tropical Resident at Home ..	37
Whitehead on Transmission ..	38
Wise's Med. amongst Asiatics ..	38

NERVOUS DISORDERS AND INDIGESTION.

	PAGE
Althaus on Epilepsy, Hysteria, &c. ..	7
Birch on Constipation ..	9
Downing on Neuralgia ..	15
Jones (Handfield) on Functional Nervous Disorders ..	22
Leared on Imperfect Digestion ..	24
Morris on Irritability ..	26
Reade on Syphilitic Affections of the Nervous System ..	30
Reynolds on the Brain ..	30
Do. on Epilepsy ..	30
Rowe on Nervous Diseases ..	31
Sieveking on Epilepsy ..	33
Turnbull on Stomach ..	36

OBSTETRICS.

Barnes on Obstetric Operations ..	8
Hodges on Puerperal Convulsions ..	20
Lee's Consultations in Midwifery ..	24
Leishman's Mechanism of Parturition ..	24
Pretty's Aids during Labour ..	29
Priestley on Gravid Uterus ..	30
Ramsbotham's Obstetrics ..	30
Sinclair & Johnston's Midwifery ..	33
Smellie's Obstetric Plates ..	33
Smith's Manual of Obstetrics ..	33
Swayne's Aphorisms ..	34
Tanner's Practical Midwifery ..	34
Waller's Midwifery ..	37

OPHTHALMOLOGY.

Cooper on Injuries of Eye ..	13
Do. on Near Sight ..	13
Dalrymple on Eye ..	14
Dixon on the Eye ..	15
Jago on Entoptics ..	22
Jones' Ophthalmic Medicine ..	23
Do. Defects of Sight ..	23
Do. Eye and Ear ..	23
Liebreich's Atlas of Ophthalmoscopy ..	24
Macnamara on the Eye ..	25
Power's Illustrations of Diseases of the Eye ..	29
Walton on the Eye ..	37
Wells Treatise on the Eye ..	38
Do. on Spectacles ..	38

PHYSIOLOGY.

Beale on Protoplasm ..	8
Do. Life Theories ..	8
Carpenter's Human ..	12
Do. Manual ..	12
Heale on Vital Causes ..	19
Richardson on Coagulation ..	30
Shea's Animal Physiology ..	32
Arlidge on the State of Lunacy ..	7

PSYCHOLOGY.

	PAGE
Bateman on Aphasia ..	8
Browne's Medical Jurisprudence of Insanity ..	11
Bucknill and Tuke's Psychological Medicine ..	11
Davey on Nature of Insanity ..	14
Murray on Emotional Diseases ..	27
Sankey on Mental Diseases ..	31
Van der Kolk on Mental Disease ..	37
West Riding Asylum Reports ..	38
Winslow's Obscure Dis. of Brain ..	39

PULMONARY and CHEST DISEASES, &c.

Alison on Pulmonary Consumption ..	6
Bennet on Consumption ..	9
Bright on the Chest ..	10
Cotton on Stethoscope ..	14
Davies on Lungs and Heart ..	14
Dobell on the Chest ..	15
Do. on Tuberculosis ..	15
Do. on Winter Cough ..	15
Do. First Stage of Consumption ..	15
Fuller on the Lungs ..	16
Do. on Heart ..	16
Garrett on the Windpipe and Consumption ..	17
Jones (Jas.) on Consumption ..	23
Laennec on Auscultation ..	23
Markham on Heart ..	26
Myers on Diseases of Heart among Soldiers ..	27
Peacock on the Heart ..	28
Pirrie on Hay Asthma ..	29
Salter on Asthma ..	31
Skoda on Auscultation ..	26
Thompson on Consumption ..	35
Thorowgood on Asthma ..	35
Turnbull on Consumption ..	36
Waters on the Chest ..	37
Do. on Emphysema ..	37

RENAL and URINARY DISEASES.

Acton on Urinary Organs ..	6
Basham on Renal Diseases ..	8
Beale on Kidney Diseases ..	8
Bird's Urinary Deposits ..	10
Parkes on Urine ..	28
Thudichum on Urine ..	35
Todd on Urinary Organs ..	36

SCIENCE.

Bentley's Manual of Botany ..	9
Brooke's Natural Philosophy ..	11
Hardwich's Photography ..	19
Hinds' Harmonies ..	20
Howard on the Clouds ..	21
Huxley on Classification of Animals ..	22
Do. Anatomy of Vertebrates ..	22
Jones (Bence) on Matter and Force ..	22
Jones (Wharton) on Vision ..	23
Do. on Body, Sense, and Mind ..	23
Mayne's Lexicon of Terms ..	26
Noad on the Inductorium ..	27
Ord's Comparative Anatomy ..	28

SCIENCE—continued.

	PAGE
Pratt's Genealogy of Creation ..	29
Do. Eccentric & Centric Force ..	29
Do. on Orbital Motion ..	29
Do. Astronomical Investigations ..	29
Do. Oracles of God ..	29
Price's Photography ..	30
Reymond's Animal Electricity ..	30
Taylor's Medical Jurisprudence ..	35
Vestiges of Creation ..	36

SURGERY.

Adams on Reparation of Tendons ..	6
Do. Subcutaneous Surgery ..	6
Allen on Aural Catarrh ..	6
Allingham on Rectum ..	7
Anderson on the Skin ..	7
Ashton on Rectum ..	7
Brodhurst on Anchylosis ..	11
Bryant on Diseases of Joints ..	11
Do. Clinical Surgery ..	11
Callender on Rupture ..	12
Chapman on Ulcers ..	12
Do. Varicose Veins ..	12
Clark on Visceral Lesions ..	13
Do. Outlines of Surgery ..	13
Collis on Cancer ..	13
Cooper's Surgical Dictionary ..	14
Coulson on Stone in Bladder ..	14
Curling on Rectum ..	14
Do. on Testis ..	14
Druitt's Surgeon's Vade-Mecum ..	15
Fayrer's Clinical Surgery ..	15
Fergusson's Surgery ..	16
Do. Progress of Surgery ..	16
Gamgee's Amputation at Hip-Joint ..	17
Gant's Principles of Surgery ..	17
Do. Practice of do. ..	17

SURGERY—continued.

	PAGE
Gay on Varicose Disease ..	17
Heath's Minor Surgery and Bandaging ..	20
Do. on the Jaws ..	20
Higginbottom on Nitrate of Silver ..	20
Hill on Stricture ..	20
Hodgson on Prostate ..	20
Holt on Stricture ..	21
Holthouse on Tumours of the Groin ..	21
Jordan on Inflammations ..	23
Lawrence's Surgery ..	23
Do. Ruptures ..	23
Lee's Practical Pathology ..	24
Liston's Surgery ..	24
Logan on Skin Diseases ..	24
Maccormac's Ambulance Surgeon ..	25
Macleod's Surgery of the Crimea ..	25
MacLise on Fractures ..	25
Marsden on Cancer ..	26
Maunder's Operative Surgery ..	26
Nayler on Skin Diseases ..	27
Pirrie's Surgery ..	29
Price on Excision of Knee-joint ..	29
Sansom on Chloroform ..	32
Savage on the Female Pelvic Organs ..	32
Smith (Hy.) on Stricture ..	33
Do. on Hæmorrhoids ..	33
Do. on the Surgery of the Rectum ..	33
Do. (Dr. J.) Dental Anatomy and Surgery ..	33
Spender on Ulcers ..	34
Steggall's Surgical Manual ..	34
Swain on the Knee-Joint ..	34
Thompson on Stricture ..	35
Do. on Prostate ..	35
Do. Lithotomy and Lithotripsy ..	35

SURGERY—continued.

	PAGE
Thompson on Urinary Organs ..	35
Tomes' Dental Surgery ..	37
Wade on Stricture ..	36
Webb's Surgeon's Ready Rules ..	38
Wilson on Skin Diseases ..	39
Do. Portraits of Skin Diseases ..	39

VETERINARY MEDICINE.

Armatage's Emergencies ..	7
Blaine's Veterinary Art ..	10
Bourguignon on the Cattle Plague ..	10
Haycock on Shoeing Horses ..	19
Tuson's Pharmacopœia ..	36

WOMEN AND CHILDREN,
Diseases of.

Bennet on Uterus ..	9
Dillnberger (ed. by Nicol) on Treatment of Women's and Children's Diseases ..	27
Ellis on Children ..	15
Harrison on Children ..	19
Hood on Scarlet Fever, &c. ..	21
Kiwisch (ed. by Clay) on Ovaries ..	13
Lee's Ovarian & Uterine Diseases ..	24
Do. on Speculum ..	24
Norton on Infantile Diseases ..	27
Tilt on Uterine Inflammation ..	36
Do. Uterine Therapeutics ..	36
Do. on Change of Life ..	36
Underwood on Children ..	36
West on Women ..	38
Wright on Uterine Disorders ..	39

WILLIAM ACTON, M.R.C.S.

I.
A PRACTICAL TREATISE ON DISEASES OF THE URINARY
AND GENERATIVE ORGANS IN BOTH SEXES. Third Edition. 8vo., £1. 1s.
With Plates, £1. 11s. 6d. The Plates alone, 10s. 6d.

II.
THE FUNCTIONS AND DISORDERS OF THE REPRODUC-
TIVE ORGANS IN CHILDHOOD, YOUTH, ADULT AGE, AND ADVANCED
LIFE, considered in their Physiological, Social, and Moral Relations. Fifth Edition.
8vo., 12s.

III.
PROSTITUTION: Considered in its Moral, Social, and Sanitary Aspects,
Second Edition, enlarged. 8vo., 12s.

ROBERT ADAMS, A.M., C.M., M.D.

A TREATISE ON RHEUMATIC GOUT; OR, CHRONIC
RHEUMATIC ARTHRITIS. 8vo., with a Quarto Atlas of Plates, 21s.

WILLIAM ADAMS, F.R.C.S.

I.
ON THE PATHOLOGY AND TREATMENT OF LATERAL
AND OTHER FORMS OF CURVATURE OF THE SPINE. With Plates.
8vo., 10s. 6d.

II.
CLUBFOOT: its Causes, Pathology, and Treatment. Jacksonian Prize Essay
for 1864. With 100 Engravings. 8vo., 12s.

III.
ON THE REPARATIVE PROCESS IN HUMAN TENDONS
AFTER SUBCUTANEOUS DIVISION FOR THE CURE OF DEFORMITIES.
With Plates. 8vo., 6s.

IV.
SKETCH OF THE PRINCIPLES AND PRACTICE OF
SUBCUTANEOUS SURGERY. 8vo., 2s. 6d.

WILLIAM ADDISON, F.R.C.P., F.R.S.

I.
CELL THERAPEUTICS. 8vo., 4s.

II.
ON HEALTHY AND DISEASED STRUCTURE, AND THE TRUE
PRINCIPLES OF TREATMENT FOR THE CURE OF DISEASE, ESPECIALLY CONSUMPTION
AND SCROFULA, founded on MICROSCOPICAL ANALYSIS. 8vo., 12s.

C. J. B. ALDIS, M.D., F.R.C.P.

AN INTRODUCTION TO HOSPITAL PRACTICE IN VARIOUS
COMPLAINTS; with Remarks on their Pathology and Treatment. 8vo., 5s. 6d.

SOMERVILLE SCOTT ALISON, M.D. EDIN., F.R.C.P.

THE PHYSICAL EXAMINATION OF THE CHEST IN PUL-
MONARY CONSUMPTION, AND ITS INTERCURRENT DISEASES. With
Engravings. 8vo., 12s.

PETER ALLEN, M.D., F.R.C.S. EDIN.

AURAL CATARRH; or, the Commonest Forms of Deafness, and their
Cure. With Engravings. Post 8vo., 6s. 6d.

WILLIAM ALLINGHAM, F.R.C.S.

FISTULA, HÆMORRHOIDS, PAINFUL ULCER, STRICTURE,
PROLAPSUS AND OTHER DISEASES OF THE RECTUM: THEIR
DIAGNOSIS AND TREATMENT. 8vo., 6s.

JULIUS ALTHAUS, M.D., M.R.C.P.

ON EPILEPSY, HYSTERIA, AND ATAXY. Cr. 8vo., 4s.

THE ANATOMICAL REMEMBRANCER; OR, COMPLETE
POCKET ANATOMIST. Sixth Edition, carefully Revised. 32mo., 3s. 6d.

MCCALL ANDERSON, M.D., F.F.P.S.

I.
THE PARASITIC AFFECTIONS OF THE SKIN. Second
Edition. With Engravings. 8vo., 7s. 6d.

II.
ECZEMA. Second Edition. 8vo., 6s.

III.
PSORIASIS AND LEPROA. With Chromo-lithograph. 8vo., 5s.

J. T. ARLIDGE, M.D. LOND., F.R.C.P.

ON THE STATE OF LUNACY AND THE LEGAL PROVISION
FOR THE INSANE; with Observations on the Construction and Organisation of
Asylums. 8vo., 7s.

GEORGE ARMATAGE, M.R.C.V.S.

THE VETERINARIAN'S POCKET REMEMBRANCER: con-
taining concise directions for the Treatment of Urgent or Rare Cases, embracing
Semeiology, Diagnosis, Prognosis, Surgery, Therapeutics, Detection of Poisons,
Hygiene, &c. Post 18mo., 3s.

SIR ALEXANDER ARMSTRONG, C.B., M.D., F.R.C.P., R.N.

OBSERVATIONS ON NAVAL HYGIENE AND SCURVY.
More particularly as the latter appeared during a Polar Voyage. 8vo., 5s.

T. J. ASHTON, M.R.C.S.

I.
ON THE DISEASES, INJURIES, AND MALFORMATIONS
OF THE RECTUM AND ANUS. Fourth Edition. 8vo., 8s.

II.
PROLAPSUS, FISTULA IN ANO, AND OTHER DISEASES
OF THE RECTUM; their Pathology and Treatment. Third Edition. Post 8vo.,
3s. 6d.

A. W. BARCLAY, M.D., F.R.C.P.

I.
A MANUAL OF MEDICAL DIAGNOSIS. Third Edition.
Foolscap 8vo., 10s. 6d.

II.
MEDICAL ERRORS.—Fallacies connected with the Application of the
Inductive Method of Reasoning to the Science of Medicine. Post 8vo., 5s.

III.
GOUT AND RHEUMATISM IN RELATION TO DISEASE
OF THE HEART. Post 8vo., 5s.

G. H. BARLOW, M.D., F.R.C.P.

A MANUAL OF THE PRACTICE OF MEDICINE, Second Edition. Fcap. 8vo., 12s. 6d.

ROBERT BARNES, M.D., F.R.C.P.

LECTURES ON OBSTETRIC OPERATIONS, INCLUDING THE TREATMENT OF HÆMORRHAGE, and forming a Guide to the Management of Difficult Labour. Second Edition, with 113 Engravings 8vo., 15s.

E. BASCOME, M.D.

A HISTORY OF EPIDEMIC PESTILENCES, FROM THE EARLIEST AGES. 8vo., 8s.

W. R. BASHAM, M.D., F.R.C.P.

I.
RENAL DISEASES; a CLINICAL GUIDE to their DIAGNOSIS and TREATMENT. 8vo., 7s.II.
ON DROPSY, AND ITS CONNECTION WITH DISEASES OF THE KIDNEYS, HEART, LUNGS AND LIVER. With 16 Plates. Third Edition. 8vo., 12s. 6d.

FREDERIC BATEMAN, M.D., M.R.C.P.

APHASIA OR LOSS OF SPEECH, and the LOCALISATION of the FACULTY of ARTICULATE LANGUAGE. 8vo., 7s.

LIONEL J. BEALE, M.R.C.S.

I.
HEALTH AND LONGEVITY. Second Edition. Foolscep 8vo., 3s. 6d.II.
THE LAWS OF HEALTH IN THEIR RELATIONS TO MIND AND BODY. A Series of Letters from an Old Practitioner to a Patient. Post 8vo., 7s. 6d.

LIONEL S. BEALE, M.B., F.R.S., F.R.C.P.

I.
ON KIDNEY DISEASES, URINARY DEPOSITS, AND CALCULOUS DISORDERS. Third Edition, much Enlarged. With 70 Plates. 8vo., 25s.II.
THE MICROSCOPE, IN ITS APPLICATION TO PRACTICAL MEDICINE. Third Edition. With 58 Plates. 8vo., 16s.III.
PROTOPLASM; OR, LIFE, MATTER AND MIND. Second Edition. With 8 Plates. Crown 8vo., 6s. 6d.IV.
DISEASE GERMS; their SUPPOSED NATURE. An ORIGINAL INVESTIGATION. With Plates. Crown 8vo., 3s. 6d.V.
DISEASE GERMS; their Real Nature. With 24 Plates (16 Coloured). Crown 8vo., 8s. 6d.VI.
LIFE THEORIES: THEIR INFLUENCE UPON RELIGIOUS THOUGHT. With 6 Coloured Plates. Crown 8vo., 5s. 6d.

HENRY BEASLEY:

I.
THE BOOK OF PRESCRIPTIONS; containing 3000 Prescriptions.
Collected from the Practice of the most eminent Physicians and Surgeons, English and Foreign. Third Edition. 18mo., 6s.

II.
THE DRUGGIST'S GENERAL RECEIPT-BOOK: comprising a copious Veterinary Formulary and Table of Veterinary Materia Medica; Patent and Proprietary Medicines, Druggists' Nostrums, &c.; Perfumery, Skin Cosmetics, Hair Cosmetics, and Teeth Cosmetics; Beverages, Dietetic Articles, and Condiments; Trade Chemicals, Miscellaneous Preparations and Compounds used in the Arts, &c.; with useful Memoranda and Tables. Sixth Edition. 18mo., 6s.

III.
THE POCKET FORMULARY AND SYNOPSIS OF THE BRITISH AND FOREIGN PHARMACOPŒIAS; comprising standard and approved Formulæ for the Preparations and Compounds employed in Medical Practice. Eighth Edition, corrected and enlarged. 18mo., 6s.

HENRY BENNET, M.D.

I.
A PRACTICAL TREATISE ON UTERINE DISEASES.
Fourth Edition, revised, with Additions. 8vo., 16s.

II.
WINTER AND SPRING ON THE SHORES OF THE MEDITERRANEAN: OR, THE RIVIERA, MENTONE, ITALY, CORSICA, SICILY, ALGERIA, SPAIN, AND BIARRITZ, AS WINTER CLIMATES. Fourth Edition, with numerous Plates, Maps, and Wood Engravings. Post 8vo., 12s.

III.
ON THE TREATMENT OF PULMONARY CONSUMPTION BY HYGIENE, CLIMATE, AND MEDICINE. Second Edition, enlarged. 8vo.

ROBERT BENTLEY, F.L.S.

A MANUAL OF BOTANY. With 1,127 Engravings on Wood. Second Edition. Fcap. 8vo., 12s. 6d.

ALBERT J. BERNAYS, PH.D., F.C.S.

NOTES FOR STUDENTS IN CHEMISTRY; being a Syllabus compiled from the Manuals of Miller, Fownes, Berzelius, Gerhardt, Gorup-Besanez, &c., Fifth Edition. Fcap. 8vo., 3s. 6d.

HENRY HEATHER BIGG.

ORTHOPRAXY: a complete Guide to the Modern Treatment of Deformities by Mechanical Appliances. With 300 Engravings. Second Edition. Post 8vo., 10s.

S. B. BIRCH, M.D., M.R.C.P.

I.
OXYGEN: ITS ACTION, USE, AND VALUE IN THE TREATMENT OF VARIOUS DISEASES OTHERWISE INCURABLE OR VERY INTRACTABLE. Second Edition. Post 8vo., 3s. 6d.

II.
CONSTIPATED BOWELS: the Various Causes and the Different Means of Cure. Third Edition. Post 8vo., 3s. 6d.

GOLDING BIRD, M.D., F.R.S.

URINARY DEPOSITS; THEIR DIAGNOSIS, PATHOLOGY,
AND THERAPEUTICAL INDICATIONS. With Engravings. Fifth Edition.
Edited by E. LLOYD BIRKETT, M.D. Post 8vo., 10s. 6d.

JOHN BISHOP, F.R.C.S., F.R.S.

I.
ON DEFORMITIES OF THE HUMAN BODY, their Pathology
and Treatment. With Engravings on Wood. 8vo., 10s.

II.
ON ARTICULATE SOUNDS, AND ON THE CAUSES AND
CURE OF IMPEDIMENTS OF SPEECH. 8vo., 4s.

BLAINE.

OUTLINES OF THE VETERINARY ART; OR, A TREATISE
ON THE ANATOMY, PHYSIOLOGY, AND DISEASES OF THE HORSE,
NEAT CATTLE, AND SHEEP. Seventh Edition. By Charles Steel, M.R.C.V.S.L.
With Plates. 8vo., 18s.

C. L. BLOXAM.

I.
CHEMISTRY, INORGANIC AND ORGANIC; with Experiments
and a Comparison of Equivalent and Molecular Formulæ. With 276 Engravings on Wood.
8vo., 16s.

II.
LABORATORY TEACHING; OR PROGRESSIVE EXERCISES
IN PRACTICAL CHEMISTRY. Second Edition. With 89 Engravings. Crown
8vo., 5s. 6d.

HONORÉ BOURGUIGNON, M.D.

ON THE CATTLE PLAGUE; OR, CONTAGIOUS TYPHUS IN
HORNED CATTLE: its History, Origin, Description, and Treatment. Post 8vo., 5s.

JOHN E. BOWMAN, & C. L. BLOXAM.

I.
PRACTICAL CHEMISTRY, including Analysis. With numerous Illus-
trations on Wood. Sixth Edition. Foolscap 8vo., 6s. 6d.

II.
MEDICAL CHEMISTRY; with Illustrations on Wood. Fourth Edition,
carefully revised. Fcap. 8vo., 6s. 6d.

P. MURRAY BRAIDWOOD, M.D. EDIN.

ON PYÆMIA, OR SUPPURATIVE FEVER: the Astley Cooper
Prize Essay for 1868. With 12 Plates. 8vo., 10s. 6d.

JAMES BRIGHT, M.D.

ON DISEASES OF THE HEART, LUNGS, & AIR PASSAGES;
with a Review of the several Climates recommended in these Affections. Third Edi-
tion. Post 8vo., 9s.

WILLIAM BRINTON, M.D., F.R.S.

I.
THE DISEASES OF THE STOMACH, with an Introduction on its
Anatomy and Physiology; being Lectures delivered at St. Thomas's Hospital. Second
Edition. 8vo., 10s. 6d.

II.
INTESTINAL OBSTRUCTION. Edited by DR. BUZZARD. Post 8vo.,
5s.

BERNARD E. BRODHURST, F.R.C.S.

I.
ON DEFORMITIES OF THE HUMAN BODY: a System of
Orthopædic Surgery. With Engravings. 8vo., 10s. 6d.

II.
CURVATURES OF THE SPINE: their Causes, Symptoms, Pathology,
and Treatment. Second Edition. Roy. 8vo., with Engravings, 7s. 6d.

III.
ON THE NATURE AND TREATMENT OF CLUBFOOT AND
ANALOGOUS DISTORTIONS involving the TIBIO-TARSAL ARTICULATION.
With Engravings on Wood. 8vo., 4s. 6d.

IV.
PRACTICAL OBSERVATIONS ON THE DISEASES OF THE
JOINTS INVOLVING ANCHYLOSIS, and on the TREATMENT for the
RESTORATION of MOTION. Third Edition, much enlarged, 8vo., 4s. 6d.

CHARLES BROOKE, M.A., M.B., F.R.S.

ELEMENTS OF NATURAL PHILOSOPHY. Based on the Work of
the late Dr. Golding Bird. Sixth Edition. With 700 Engravings. Fcap. 8vo., 12s. 6d.

J. H. BALFOUR BROWNE, BARRISTER-AT-LAW.

THE MEDICAL JURISPRUDENCE OF INSANITY. 8vo.
10s. 6d.

T. L. BRUNTON, B.Sc., M.B.

ON DIGITALIS. With some Observations on the Urine. Fcap. 8vo.,
4s. 6d.

THOMAS BRYANT, F.R.C.S.

I.
ON THE DISEASES AND INJURIES OF THE JOINTS.
CLINICAL AND PATHOLOGICAL OBSERVATIONS. Post 8vo., 7s. 6d.

II.
CLINICAL SURGERY. Parts I. to VII. 8vo., 3s. 6d. each.

FLEETWOOD BUCKLE, M.D., L.R.C.P. LOND.

VITAL AND ECONOMICAL STATISTICS OF THE HOSPITALS,
INFIRMARIES, &c., OF ENGLAND AND WALES. Royal 8vo., 5s.

JOHN CHARLES BUCKNILL, M.D., F.R.C.P., F.R.S., & DANIEL H. TUKE, M.D.
A MANUAL OF PSYCHOLOGICAL MEDICINE: containing
the History, Nosology, Description, Statistics, Diagnosis, Pathology, and Treatment of
Insanity. Second Edition. 8vo., 15s.

GEORGE BUDD, M.D., F.R.C.P., F.R.S.

I.
ON DISEASES OF THE LIVER.

Illustrated with Coloured Plates and Engravings on Wood. Third Edition. 8vo., 16s.

II.
ON THE ORGANIC DISEASES AND FUNCTIONAL DIS-
ORDERS OF THE STOMACH. 8vo., 9s.

G. W. CALLENDER, F.R.C.S.

FEMORAL RUPTURE: Anatomy of the Parts concerned. With Plates.
8vo., 4s.

JOHN M. CAMPLIN, M.D., F.L.S.

ON DIABETES, AND ITS SUCCESSFUL TREATMENT.

Third Edition, by Dr. Glover. Fcap. 8vo., 3s. 6d.

W. B. CARPENTER, M.D., F.R.S.

I.
PRINCIPLES OF HUMAN PHYSIOLOGY. With nearly 300 Illus-
trations on Steel and Wood. Seventh Edition. Edited by Mr. HENRY POWER. 8vo.,
28s.II.
A MANUAL OF PHYSIOLOGY. With 252 Illustrations on Steel
and Wood. Fourth Edition. Fcap. 8vo., 12s. 6d.III.
THE MICROSCOPE AND ITS REVELATIONS. With more
than 400 Engravings on Steel and Wood. Fourth Edition. Fcap. 8vo., 12s. 6d.

T. K. CHAMBERS, M.D., F.R.C.P.

I.
LECTURES, CHIEFLY CLINICAL. Fourth Edition. 8vo., 14s.II.
THE INDIGESTIONS OR DISEASES OF THE DIGESTIVE
ORGANS FUNCTIONALLY TREATED. Second Edition. 8vo., 10s. 6d.III.
SOME OF THE EFFECTS OF THE CLIMATE OF ITALY.
Crown 8vo., 4s. 6d.

H. T. CHAPMAN, F.R.C.S.

I.
THE TREATMENT OF OBSTINATE ULCERS AND CUTA-
NEOUS ERUPTIONS OF THE LEG WITHOUT CONFINEMENT. Third
Edition. Post 8vo., 3s. 6d.II.
VARICOSE VEINS: their Nature, Consequences, and Treatment, Pallia-
tive and Curative. Second Edition. Post 8vo., 3s. 6d.

JOHN CHAPMAN, M.D., M.R.C.P.

THE MEDICAL INSTITUTIONS OF THE UNITED KING-
DOM; a History exemplifying the Evils of Over-Legislation. 8vo., 3s. 6d.

PYE HENRY CHAVASSE, F.R.C.S.

I.
ADVICE TO A MOTHER ON THE MANAGEMENT OF
HER CHILDREN. Tenth Edition. Foolscap 8vo., 2s. 6d.

II.
COUNSEL TO A MOTHER: being a Continuation and the Completion
of "Advice to a Mother." Fcap. 8vo., 2s. 6d.

III.
ADVICE TO A WIFE ON THE MANAGEMENT OF HER
OWN HEALTH. With an Introductory Chapter, especially addressed to a Young
Wife. Ninth Edition. Fcap. 8vo., 2s. 6d.

F. LE GROS CLARK, F.R.C.S.

I.
LECTURES ON THE PRINCIPLES OF SURGICAL DIAG-
NOSIS: ESPECIALLY IN RELATION TO SHOCK AND VISCERAL
LESIONS Delivered at the Royal College of Surgeons. 8vo., 10s. 6d.

II.
OUTLINES OF SURGERY; being an Epitome of the Lectures on the
Principles and the Practice of Surgery delivered at St. Thomas's Hospital. Fcap. 8vo.,
5s.

JOHN CLAY, M.R.C.S.

KIWISCH ON DISEASES OF THE OVARIES: Translated, by
permission, from the last German Edition of his Clinical Lectures on the Special Patho-
logy and Treatment of the Diseases of Women. With Notes, and an Appendix on the
Operation of Ovariectomy. Royal 12mo., 16s.

OAKLEY COLES.

DEFORMITIES OF THE MOUTH; CONGENITAL and AC-
QUIRED; their Mechanical Treatment. With Coloured Plates. Second Edition,
8vo., 5s. 6d.

MAURICE H. COLLIS, M.D.DUB., F.R.C.S.I.

THE DIAGNOSIS AND TREATMENT OF CANCER AND
THE TUMOURS ANALOGOUS TO IT. With coloured Plates. 8vo., 14s.

A. J. COOLEY.

THE CYCLOPÆDIA OF PRACTICAL RECEIPTS, PRO-
CESSES, AND COLLATERAL INFORMATION IN THE ARTS, MANU-
FACTURES, PROFESSIONS, AND TRADES, INCLUDING MEDICINE,
PHARMACY, AND DOMESTIC ECONOMY; designed as a General Book of
Reference for the Manufacturer, Tradesman, Amateur, and Heads of Families. Fourth
and greatly enlarged Edition, 8vo., 28s.

W. WHITE COOPER, F.R.C.S.

I.
ON WOUNDS AND INJURIES OF THE EYE. Illustrated by
17 Coloured Figures and 41 Woodcuts. 8vo., 12s.

II.
ON NEAR SIGHT, AGED SIGHT, IMPAIRED VISION,
AND THE MEANS OF ASSISTING SIGHT. With 31 Illustrations on Wood.
Second Edition. Fcap. 8vo., 7s. 6d.

S. COOPER.

A DICTIONARY OF PRACTICAL SURGERY AND ENCYCLOPÆDIA OF SURGICAL SCIENCE. New Edition, brought down to the present time. By SAMUEL A. LANE, F.R.C.S., assisted by various eminent Surgeons. Vol. I., 8vo., £1. 5s.

R. P. COTTON, M.D., F.R.C.P.

PHTHISIS AND THE STETHOSCOPE; OR, THE PHYSICAL SIGNS OF CONSUMPTION. Fourth Edition. Foolscap 8vo., 3s. 6d.

WALTER J. COULSON, F.R.C.S.

I.
A TREATISE ON SYPHILIS. 8vo., 10s.

II.
STONE IN THE BLADDER: Its Prevention, Early Symptoms, and Treatment by Lithotrity. 8vo., 6s.

T. B. CURLING, F.R.C.S., F.R.S.

I.
OBSERVATIONS ON DISEASES OF THE RECTUM. Third Edition. 8vo., 7s. 6d.

II.
A PRACTICAL TREATISE ON DISEASES OF THE TESTIS, SPERMATIC CORD, AND SCROTUM. Third Edition, with Engravings. 8vo., 16s.

THOMAS CUTLER, M.D.

NOTES ON SPA; OR OBSERVATIONS ON ITS CHALYBEATE SPRINGS. Ninth Edition. Crown 8vo., 2s.

WILLIAM DALE, M.D. LOND.

A COMPENDIUM OF PRACTICAL MEDICINE AND MORBID ANATOMY. With Plates, 12mo., 7s.

DONALD DALRYMPLE, M.P., M.R.C.P.

THE CLIMATE OF EGYPT: METEOROLOGICAL AND MEDICAL OBSERVATIONS, with Practical Hints for Invalid Travellers. Post 8vo., 4s.

JOHN DALRYMPLE, F.R.C.S., F.R.S.

PATHOLOGY OF THE HUMAN EYE. Complete in Nine Fasciculi: imperial 4to., 20s. each; half-bound morocco, gilt tops, 9l. 15s.

FRED. DAVIES, M.D., F.R.C.S.

THE UNITY OF MEDICINE: its CORRUPTIONS and DIVISIONS by LAW ESTABLISHED; their Causes, Effects and Remedy. With a Coloured Chart. Second Edition. 8vo., 10s.

HERBERT DAVIES, M.D., F.R.C.P.

ON THE PHYSICAL DIAGNOSIS OF DISEASES OF THE LUNGS AND HEART. Second Edition. Post 8vo., 8s.

JAMES G. DAVEY, M.D., M.R.C.P.

I.
THE GANGLIONIC NERVOUS SYSTEM: its Structure, Functions, and Diseases. 8vo., 9s.

II.
ON THE NATURE AND PROXIMATE CAUSE OF INSANITY. Post 8vo., 3s.

HENRY DAY, M.D., M.R.C.P.

CLINICAL HISTORIES; with Comments. 8vo., 7s. 6d.

JAMES DIXON, F.R.C.S.

A GUIDE TO THE PRACTICAL STUDY OF DISEASES OF THE EYE. Third Edition. Post 8vo., 9s.

HORACE DOBELL, M.D.

I.
DEMONSTRATIONS OF DISEASES IN THE CHEST, AND THEIR PHYSICAL DIAGNOSIS. With Coloured Plates. 8vo., 12s. 6d.

II.
LECTURES ON THE GERMS AND VESTIGES OF DISEASE, and on the Prevention of the Invasion and Fatality of Disease by Periodical Examinations. 8vo., 6s. 6d.

III.
ON TUBERCULOSIS: ITS NATURE, CAUSE, AND TREATMENT; with Notes on Pancreatic Juice. Second Edition. Crown 8vo., 3s. 6d.

IV.
LECTURES ON WINTER COUGH (CATARRH, BRONCHITIS, EMPHYSEMA, ASTHMA); with an Appendix on some Principles of Diet in Disease. Post 8vo., 5s. 6d.

V.
LECTURES ON THE TRUE FIRST STAGE OF CONSUMPTION. Crown 8vo., 3s. 6d.

C. TOOGOOD DOWNING, M.D.

NEURALGIA: its various Forms, Pathology, and Treatment. THE JACKSONIAN PRIZE ESSAY FOR 1850. 8vo., 10s. 6d.

ROBERT DRUITT, F.R.C.S.

THE SURGEON'S VADE-MECUM; with numerous Engravings on Wood. Tenth Edition. Foolsap 8vo., 12s. 6d.

ERNEST EDWARDS, B.A.

PHOTOGRAPHS OF EMINENT MEDICAL MEN, with brief Analytical Notices of their Works. Vols. I. and II. (24 Portraits), 4to., 24s. each.

CHARLES ELAM, M.D., F.R.C.P.

MEDICINE, DISEASE, AND DEATH: being an Enquiry into the Progress of Medicine as a Practical Art. 8vo., 3s. 6d.

EDWARD ELLIS, M.D.

A PRACTICAL MANUAL OF THE DISEASES OF CHILDREN. With a Formulary. Crown 8vo., 6s.

SIR JAMES EYRE, M.D.

THE STOMACH AND ITS DIFFICULTIES. Sixth Edition, by Mr. BEALE. Fcap. 8vo., 2s. 6d.

J. FAYRER, M.D., F.R.C.S., C.S.I.

CLINICAL SURGERY IN INDIA. With Engravings. 8vo., 16s.

SAMUEL FENWICK, M.D., F.R.C.P.

I.
THE MORBID STATES OF THE STOMACH AND DUODENUM, AND THEIR RELATIONS TO THE DISEASES OF OTHER ORGANS. With 10 Plates. 8vo., 12s.

II.
THE STUDENT'S GUIDE TO MEDICAL DIAGNOSIS. Second Edition. With 60 Engravings. Fcap. 8vo., 6s. 6d.

SIR WILLIAM FERGUSSON, BART., F.R.C.S., F.R.S.

I.
A SYSTEM OF PRACTICAL SURGERY; with 463 Illustrations on Wood. Fifth Edition. 8vo., 21s.

II.
LECTURES ON THE PROGRESS OF ANATOMY AND SURGERY DURING THE PRESENT CENTURY. With numerous Engravings. 8vo., 10s. 6d.

W. H. FLOWER, F.R.C.S., F.R.S.

DIAGRAMS OF THE NERVES OF THE HUMAN BODY, exhibiting their Origin, Divisions, and Connexions, with their Distribution to the various Regions of the Cutaneous Surface, and to all the Muscles. Folio, containing Six Plates, 14s.

BALTHAZAR W. FOSTER, M.D.

METHOD AND MEDICINE: an Essay on the Past, Present, and Future of Medicine. 8vo., 2s. 6d.

G. FOWNES, PH.D., F.R.S.

I.
A MANUAL OF CHEMISTRY; with 187 Illustrations on Wood. Tenth Edition. Fcap. 8vo., 14s.

Edited by H. BENICE JONES, M.D., F.R.S., and HENRY WATTS, B.A., F.R.S.

II.
CHEMISTRY, AS EXEMPLIFYING THE WISDOM AND BENEFICENCE OF GOD. Second Edition. Fcap. 8vo., 4s. 6d.

III.
INTRODUCTION TO QUALITATIVE ANALYSIS. Post 8vo., 2s.

D. J. T. FRANCIS, M.D., F.R.C.P.

CHANGE OF CLIMATE; considered as a Remedy in Dyspeptic, Pulmonary, and other Chronic Affections; with an Account of the most Eligible Places of Residence for Invalids, at different Seasons of the Year. Post 8vo., 8s. 6d.

W. H. FULLER, M.D., F.R.C.P.

I.
ON DISEASES OF THE LUNGS AND AIR PASSAGES. Second Edition. 8vo., 12s. 6d.

II.
ON DISEASES OF THE HEART AND GREAT VESSELS. 8vo., 7s. 6d.

III.
ON RHEUMATISM, RHEUMATIC GOUT, AND SCIATICA: their Pathology, Symptoms, and Treatment. Third Edition. 8vo., 12s. 6d.

REMIGIUS FRESENIUS.

A SYSTEM OF INSTRUCTION IN CHEMICAL ANALYSIS,

Edited by ARTHUR VACHER.

QUALITATIVE. Seventh Edition. 8vo., 9s.

QUANTITATIVE. Fifth Edition. 8vo., 12s. 6d.

ROBERT GALLOWAY.

THE FIRST STEP IN CHEMISTRY. With numerous Engravings.

Fourth Edition. Fcap. 8vo., 6s. 6d.

A KEY TO THE EXERCISES. 2s. 6d.

II.

THE SECOND STEP IN CHEMISTRY; or, the Student's Guide to the Higher Branches of the Science. With Engravings. 8vo., 10s.

III.

A MANUAL OF QUALITATIVE ANALYSIS. Fifth Edition.

With Engravings. Post 8vo., 8s. 6d.

IV.

CHEMICAL TABLES. On Five Large Sheets, for School and Lecture Rooms. Second Edition. 4s. 6d.

J. SAMPSON GAMGEE, M.R.C.S.

HISTORY OF A SUCCESSFUL CASE OF AMPUTATION AT

THE HIP-JOINT (the limb 48-in. in circumference, 99 pounds weight). With 4 Photographs. 4to., 10s. 6d.

F. J. GANT, F.R.C.S.

THE PRINCIPLES OF SURGERY: Clinical, Medical, and Operative. With Engravings. 8vo., 18s.

II.

THE SCIENCE AND PRACTICE OF SURGERY: a complete System and Textbook. With 470 Engravings. 8vo., £1. 4s.

III.

THE IRRITABLE BLADDER: its Causes and Curative Treatment. Second Edition, enlarged. Crown 8vo., 5s.

C. B. GARRETT, M.D.

IRRITATIVE DYSPEPSIA AND ITS IMPORTANT CONNECTION with IRRITATIVE CONGESTION of the WINDPIPE, and with the Origin and Progress of Consumption. Crown 8vo., 2s. 6d.

GEORGE GASKOIN, SURGEON.

THE MEDICAL WORKS OF FRANCISCO LOPEZ DE VILLALOBOS, the celebrated Court Physician of Spain; containing the Poem on the Pestiferous Bubas; Dialogues on Medicine (15th and 16th centuries); &c. With Biography and Commentary. Post 8vo., 10s. 6d.

JOHN GAY, F.R.C.S.

ON VARICOSE DISEASE OF THE LOWER EXTREMITIES.

LETTESOMIAN LECTURES. With Plates. 8vo., 5s.

SIR DUNCAN GIBB, BART., M.D.

THE LARYNGOSCOPE IN DISEASES OF THE THROAT, with a Chapter on RHINOSCOPY. Third Edition, with Engravings. Crown 8vo., 5s.

ROBERT G. GLENN, LL.B., BARRISTER-AT-LAW.

A MANUAL OF THE LAWS AFFECTING MEDICAL MEN.

With a Chapter on Medical Etiquette by DR. A. CARPENTER. 8vo, 14s.

C. A. GORDON M.D., C.B.

I.

ARMY HYGIENE. 8vo., 20s.

II.

CHINA, FROM A MEDICAL POINT OF VIEW; IN 1860 AND 1861; With a Chapter on Nagasaki as a Sanatorium. 8vo., 10s. 6d.

MICHAEL C. GRABHAM, M.D., M.R.C.P.

THE CLIMATE AND RESOURCES OF MADEIRA, as regarding chiefly the Necessities of Consumption and the Welfare of Invalids. With Map and Engravings. Crown 8vo., 5s.

R. J. GRAVES, M.D., F.R.S.

STUDIES IN PHYSIOLOGY AND MEDICINE. Edited by Dr. Stokes. With Portrait and Memoir. 8vo., 14s.

T. GRIFFITHS.

CHEMISTRY OF THE FOUR SEASONS—Spring, Summer, Autumn, Winter. Illustrated with Engravings on Wood. Second Edition. Foolscape 8vo., 7s. 6d.

W. A. GUY, M.B., F.R.S., AND JOHN HARLEY, M.D., F.R.C.P.

HOOPER'S PHYSICIAN'S VADE-MECUM; OR, MANUAL OF THE PRINCIPLES AND PRACTICE OF PHYSIC. Seventh Edition. With Engravings. Foolscape 8vo., 12s. 6d.**GUY'S HOSPITAL REPORTS.** Third Series. Vol. XVI., 8vo. 7s. 6d.

S. O. HABERSHON, M.D., F.R.C.P.

I.

ON DISEASES OF THE ABDOMEN, comprising those of the Stomach and other Parts of the Alimentary Canal, Œsophagus, Stomach, Cæcum, Intestines, and Peritoneum. Second Edition, with Plates. 8vo., 14s.

II.

ON THE INJURIOUS EFFECTS OF MERCURY IN THE TREATMENT OF DISEASE. Post 8vo., 3s. 6d.

C. RADCLYFFE HALL, F.R.C.P.

TORQUAY IN ITS MEDICAL ASPECT AS A RESORT FOR PULMONARY INVALIDS. Post 8vo., 5s.

MARSHALL HALL, M.D., F.R.S.

I.

PRONE AND POSTURAL RESPIRATION IN DROWNING AND OTHER FORMS OF APNŒA OR SUSPENDED RESPIRATION. Post 8vo., 5s.

II.

PRACTICAL OBSERVATIONS AND SUGGESTIONS IN MEDICINE. Second Series. Post 8vo., 8s. 6d.

REV. T. F. HARDWICH.

A MANUAL OF PHOTOGRAPHIC CHEMISTRY. With Engravings. Seventh Edition. Foolscap 8vo., 7s. 6d.

J. BOWER HARRISON, M.D., M.R.C.P.

I.
LETTERS TO A YOUNG PRACTITIONER ON THE DISEASES OF CHILDREN. Foolscap 8vo., 3s.

II.

ON THE CONTAMINATION OF WATER BY THE POISON OF LEAD, and its Effects on the Human Body. Foolscap 8vo., 3s. 6d.

GEORGE HARTWIG, M.D.

ON SEA BATHING AND SEA AIR. Second Edition. Fcap. 8vo., 2s. 6d.

II.

ON THE PHYSICAL EDUCATION OF CHILDREN. Fcap. 8vo., 2s. 6d.

ALFRED HAVILAND, M.R.C.S.

CLIMATE, WEATHER, AND DISEASE; being a Sketch of the Opinions of the most celebrated Ancient and Modern Writers with regard to the Influence of Climate and Weather in producing Disease. With Four coloured Engravings. 8vo., 7s.

W. HAYCOCK, M.R.C.V.S.

HORSES; HOW THEY OUGHT TO BE SHOD: being a plain and practical Treatise on the Principles and Practice of the Farrier's Art. With 14 Plates. 7s. 6d.

F. W. HEADLAND, M.D., F.R.C.P.

I.
ON THE ACTION OF MEDICINES IN THE SYSTEM. Fourth Edition. 8vo., 14s.

II.

A MEDICAL HANDBOOK; comprehending such Information on Medical and Sanitary Subjects as is desirable in Educated Persons. Second Thousand. Foolscap 8vo., 5s.

J. N. HEALE, M.D., M.R.C.P.

I.
A TREATISE ON THE PHYSIOLOGICAL ANATOMY OF THE LUNGS. With Engravings. 8vo., 8s.

II.

A TREATISE ON VITAL CAUSES. 8vo., 9s.

CHRISTOPHER HEATH, F.R.C.S.

I.

PRACTICAL ANATOMY: a Manual of Dissections. With numerous Engravings. Second Edition. Fcap. 8vo., 12s. 6d.

II.

A MANUAL OF MINOR SURGERY AND BANDAGING, FOR THE USE OF HOUSE-SURGEONS, DRESSERS, AND JUNIOR PRACTITIONERS. With 74 Engravings. Fourth Edition. Fcap. 8vo., 5s. 6d

III.

INJURIES AND DISEASES OF THE JAWS. JACKSONIAN PRIZE ESSAY. With Engravings. 8vo., 12s.

JOHN HIGGINBOTTOM, F.R.S., F.R.C.S.E.

A PRACTICAL ESSAY ON THE USE OF THE NITRATE OF SILVER IN THE TREATMENT OF INFLAMMATION, WOUNDS, AND ULCERS. Third Edition, 8vo., 6s.

JOHN D. HILL, F.R.C.S.

AN ANALYSIS OF 140 CASES OF ORGANIC STRICTURE OF THE URETHRA, of which 120 were submitted to HOLT'S OPERATION, and 20 to PERINEAL SECTION. 8vo., 3s.

WILLIAM HINDS, M.D.

THE HARMONIES OF PHYSICAL SCIENCE IN RELATION TO THE HIGHER SENTIMENTS; with Observations on Medical Studies, and on the Moral and Scientific Relations of Medical Life. Post 8vo., 4s.

RICHARD HODGES, M.D.

THE NATURE, PATHOLOGY, AND TREATMENT OF PUERPERAL CONVULSIONS. Crown 8vo., 3s.

DECIMUS HODGSON, M.D.

THE PROSTATE GLAND, AND ITS ENLARGEMENT IN OLD AGE. With 12 Plates. Royal 8vo., 6s.

LUTHER HOLDEN, F.R.C.S.

I.

HUMAN OSTEOLOGY: with Plates, showing the Attachments of the Muscles. Fourth Edition. 8vo., 16s.

II.

A MANUAL OF THE DISSECTION OF THE HUMAN BODY. With Engravings on Wood. Third Edition. 8vo., 16s.

BARNARD HOLT, F.R.C.S.

ON THE IMMEDIATE TREATMENT OF STRICTURE OF THE URETHRA. Third Edition, Enlarged. 8vo., 6s.

C. HOLTHOUSE, F.R.C.S.

ON HERNIAL AND OTHER TUMOURS OF THE GROIN
and its NEIGHBOURHOOD; with some Practical Remarks on the Radical Cure
of Ruptures. 8vo. 6s. 6d.

P. HOOD, M.D.

I.
A TREATISE ON GOUT, RHEUMATISM, AND THE ALLIED
AFFECTIONS. Crown 8vo., 10s. 6d.

II.
THE SUCCESSFUL TREATMENT OF SCARLET FEVER;
also, OBSERVATIONS ON THE PATHOLOGY AND TREATMENT OF
CROWING INSPIRATIONS OF INFANTS. Post 8vo., 5s.

JOHN HORSLEY.

A CATECHISM OF CHEMICAL PHILOSOPHY; being a Familiar
Exposition of the Principles of Chemistry and Physics. With Engravings on Wood.
Designed for the Use of Schools and Private Teachers. Post 8vo., 6s. 6d.

JAMES A. HORTON, M.D.

PHYSICAL AND MEDICAL CLIMATE AND METEOROLOGY
OF THE WEST COAST OF AFRICA. 8vo., 10s.

LUKE HOWARD, F.R.S.

ESSAY ON THE MODIFICATIONS OF CLOUDS. Third Edition,
by W. D. and E. HOWARD. With 6 Lithographic Plates, from Pictures by Kenyon.
4to., 10s. 6d.

A. HAMILTON HOWE, M.D.

A THEORETICAL INQUIRY INTO THE PHYSICAL CAUSE
OF EPIDEMIC DISEASES. Accompanied with Tables. 8vo. 7s.

C. W. HUFELAND.

THE ART OF PROLONGING LIFE. Second Edition. Edited
by ERASMUS WILSON, F.R.S. Foolscep 8vo., 2s. 6d.

W. CURTIS HUGMAN, F.R.C.S.

ON HIP-JOINT DISEASE; with reference especially to Treatment
by Mechanical Means for the Relief of Contraction and Deformity of the Affected Limb.
With Plates. Re-issue, enlarged. 8vo., 3s. 6d.

G. Y. HUNTER, M.R.C.S.

BODY AND MIND: the Nervous System and its Derangements.
Fcap. 8vo., 3s. 6d.

JONATHAN HUTCHINSON, F.R.C.S.

A CLINICAL MEMOIR ON CERTAIN DISEASES OF THE
EYE AND EAR, CONSEQUENT ON INHERITED SYPHILIS; with an
appended Chapter of Commentaries on the Transmission of Syphilis from Parent to
Offspring, and its more remote Consequences. With Plates and Woodcuts, 8vo., 9s.

T. H. HUXLEY, LL.D., F.R.S.

I.

MANUAL OF THE ANATOMY OF VERTEBRATED ANIMALS.
With 110 Engravings. 8vo., 12s.

II.

INTRODUCTION TO THE CLASSIFICATION OF ANIMALS.
With Engravings. 8vo., 6s.

THOMAS INMAN, M.D., M.R.C.P.

FOUNDATION FOR A NEW THEORY AND PRACTICE
OF MEDICINE. Second Edition. Crown 8vo., 10s.

JAMES JAGO, M.D. OXON., A.B. CANTAB.

ENTOPTICS, WITH ITS USES IN PHYSIOLOGY AND
MEDICINE. With 54 Engravings. Crown 8vo., 5s.

M. PROSSER JAMES, M.D., M.R.C.P.

SORE-THROAT: ITS NATURE, VARIETIES, AND TREAT-
MENT; including the Use of the LARYNGOSCOPE as an Aid to Diagnosis. Second
Edition, with numerous Engravings. Post 8vo., 5s.

C. HANDFIELD JONES, M.B., F.R.C.P., F.R.S.

STUDIES ON FUNCTIONAL NERVOUS DISORDERS. Second
Edition, much enlarged. 8vo., 18s.

H. BENCE JONES, M.D., F.R.C.P., D.C.L., F.R.S.

I.

LECTURES ON SOME OF THE APPLICATIONS OF
CHEMISTRY AND MECHANICS TO PATHOLOGY AND THERA-
PEUTICS. 8vo., 12s.

II.

CROONIAN LECTURES ON MATTER AND FORCE. Fcap. 8vo., 5s.

C. HANDFIELD JONES, M.B., F.R.S., & E. H. SIEVEKING, M.D., F.R.C.P.

A MANUAL OF PATHOLOGICAL ANATOMY. Illustrated with
numerous Engravings on Wood. Foolscap 8vo., 12s. 6d.

JAMES JONES, M.D., M.R.C.P.

ON THE USE OF PERCHLORIDE OF IRON AND OTHER
CHALYBEATE SALTS IN THE TREATMENT OF CONSUMPTION. Crown
8vo., 3s. 6d.

T. WHARTON JONES, F.R.C.S., F.R.S.

I.
A MANUAL OF THE PRINCIPLES AND PRACTICE OF
OPHTHALMIC MEDICINE AND SURGERY; with Nine Coloured Plates and
173 Wood Engravings. Third Edition, thoroughly revised. Foolsap 8vo., 12s. 6d.

II.
THE WISDOM AND BENEFICENCE OF THE ALMIGHTY,
AS DISPLAYED IN THE SENSE OF VISION. Actonian Prize Essay. With
Illustrations on Steel and Wood. Foolsap 8vo., 4s. 6d.

III.
DEFECTS OF SIGHT AND HEARING: their Nature, Causes, Pre-
vention, and General Management. Second Edition, with Engravings. Fcap. 8vo., 2s. 6d.

IV.
A CATECHISM OF THE MEDICINE AND SURGERY OF
THE EYE AND EAR. For the Clinical Use of Hospital Students. Fcap. 8vo., 2s. 6d.

V.
A CATECHISM OF THE PHYSIOLOGY AND PHILOSOPHY
OF BODY, SENSE, AND MIND. For Use in Schools and Colleges. Fcap. 8vo.,
2s. 6d.

FURNEAUX JORDAN, F.R.C.S.

THE TREATMENT OF SURGICAL INFLAMMATIONS BY A
NEW METHOD, WHICH GREATLY SHORTENS THEIR DURATION.
With Plates. 8vo., 7s. 6d.

U. J. KAY-SHUTTLEWORTH, M.P.

FIRST PRINCIPLES OF MODERN CHEMISTRY: a Manual
of Inorganic Chemistry. Second Edition. Crown 8vo., 4s. 6d.

GEORGE KENNION, M.D., F.R.C.P.

OBSERVATIONS ON THE MINERAL SPRINGS OF HARRO-
GATE. Revised and Enlarged by ADAM BEALEY, M.A., M.D., F.R.C.P. Eighth
Edition. Crown 8vo., 1s.

DR. LAENNEC.

A MANUAL OF AUSCULTATION AND PERCUSSION. Trans-
lated and Edited by J. B. SHARPE, M.R.C.S. Fcap. 8vo., 3s.

SIR WM. LAWRENCE, BART., F.R.S.

I.
LECTURES ON SURGERY. 8vo., 16s.

II.
A TREATISE ON RUPTURES. The Fifth Edition, considerably
enlarged. 8vo., 16s.

ARTHUR LEARED, M.D., F.R.C.P.

IMPERFECT DIGESTION: ITS CAUSES AND TREATMENT.

Fifth Edition. Foolscap 8vo., 4s. 6d.

HENRY LEE, F.R.C.S.

PRACTICAL PATHOLOGY. Third Edition, in 2 Vols. Containing Lectures on Suppurative Fever, Diseases of the Veins, Hæmorrhoidal Tumours, Diseases of the Rectum, Syphilis, Gonorrhœal Ophthalmia, &c. 8vo., 10s. each vol.

ROBERT LEE, M.D., F.R.C.P., F.R.S.

CONSULTATIONS IN MIDWIFERY. Foolscap 8vo., 4s. 6d.**A TREATISE ON THE SPECULUM;** with Three Hundred Cases. 8vo., 4s. 6d.**CLINICAL REPORTS OF OVARIAN AND UTERINE DISEASES,** with Commentaries. Foolscap 8vo., 6s. 6d.

WM. LEISHMAN, M.D., F.F.P.S.

THE MECHANISM OF PARTURITION: An Essay, Historical and Critical. With Engravings. 8vo., 5s.

F. HARWOOD LESCHER.

THE ELEMENTS OF PHARMACY. 8vo., 7s. 6d.

DR. LIEBREICH.

ATLAS OF OPHTHALMOSCOPY: representing the Normal and Pathological Conditions of the Fundus Oculi as seen with the Ophthalmoscope. Composed of 12 Chromo-lithographic Plates (containing 59 Figures), accompanied by an Explanatory Text, translated into English by H. ROSBOROUGH SWANZY, M.B. Dub. Second Edition, Enlarged and Revised. 4to., £1. 10s.

ROBERT LISTON, F.R.S.

PRACTICAL SURGERY. Fourth Edition. 8vo., 22s.

D. D. LOGAN, M.D., M.R.C.P. LOND.

ON OBSTINATE DISEASES OF THE SKIN. Fcap. 8vo., 2s. 6d.

LONDON HOSPITAL.

CLINICAL LECTURES AND REPORTS BY THE MEDICAL AND SURGICAL STAFF. With Illustrations. Vols. I. to IV. 8vo., 7s. 6d.

LONDON MEDICAL SOCIETY OF OBSERVATION.

WHAT TO OBSERVE AT THE BED-SIDE, AND AFTER
DEATH. Published by Authority. Second Edition. Foolsap 8vo., 4s. 6d.

HENRY LOWNDES, M.R.C.S.

AN ESSAY ON THE MAINTENANCE OF HEALTH. Fcap.
8vo., 2s. 6d.

WILLIAM MACCORMAC, F.R.C.S., M.R.I.A.

NOTES AND RECOLLECTIONS OF AN AMBULANCE SUR-
GEON; being an Account of Work done under the Red Cross during the Campaign of
1870. With 8 Plates. 8vo., 7s. 6d.

MORELL MACKENZIE, M.D. LOND., M.R.C.P.

GROWTHS IN THE LARYNX, with Reports and an Analysis
of 100 consecutive Cases treated by the Author since the Invention of the Laryngoscope.
With Coloured Plates. 8vo., 12s. 6d.

HOARSENESS, LOSS OF VOICE, AND STRIDULOUS
BREATHING in relation to NERVO-MUSCULAR AFFECTIONS of the
LARYNX. Second Edition. Fully Illustrated. 8vo., 3s. 6d.

A. C. MACLEOD, M.R.C.P. LOND.

ACHOLIC DISEASES; comprising Jaundice, Diarrhœa, Dysentery,
and Cholera. Post 8vo., 5s. 6d.

GEORGE H. B. MACLEOD, M.D., F.R.C.S. EDIN.

NOTES ON THE SURGERY OF THE CRIMEAN WAR; with
REMARKS on GUN-SHOT WOUNDS. 8vo., 10s. 6d.

WM. MACLEOD, M.D., F.R.C.P. EDIN.

THE THEORY OF THE TREATMENT OF DISEASE ADOPTED
AT BEN RHYDDING. Fcap. 8vo., 2s. 6d.

JOSEPH MACLISE, F.R.C.S.

SURGICAL ANATOMY. A Series of Dissections, illustrating the Prin-
cipal Regions of the Human Body. Second Edition, folio, cloth, £3. 12s.; half-morocco,
£4. 4s.

ON DISLOCATIONS AND FRACTURES. This Work is Uniform
with "Surgical Anatomy;" folio, cloth, £2. 10s.; half-morocco, £2. 17s.

N. C. MACNAMARA.

A MANUAL OF THE DISEASES OF THE EYE. With
Coloured Plates. Fcap. 8vo., 12s. 6d.

A TREATISE ON ASIATIC CHOLERA; with Maps. 8vo., 16s.

WM. MARCET, M.D., F.R.C.P., F.R.S.

ON CHRONIC ALCOHOLIC INTOXICATION; with an INQUIRY
INTO THE INFLUENCE OF THE ABUSE OF ALCOHOL AS A PRE-
DISPOSING CAUSE OF DISEASE. Second Edition, much enlarged. Foolsap
8vo., 4s. 6d.

J. MACPHERSON, M.D.

CHOLERA IN ITS HOME; with a Sketch of the Pathology and Treatment of the Disease. Crown 8vo., 5s.

W. O. MARKHAM, M.D., F.R.C.P.

I.
DISEASES OF THE HEART: THEIR PATHOLOGY, DIAGNOSIS, AND TREATMENT. Second Edition. Post 8vo., 6s.

II.
SKODA ON AUSCULTATION AND PERCUSSION. Post 8vo., 6s.

ALEXANDER MARSDEN, M.D., F.R.C.S.

A NEW AND SUCCESSFUL MODE OF TREATING CERTAIN FORMS OF CANCER; to which is prefixed a Practical and Systematic Description of all the Varieties of this Disease. With Coloured Plates. 8vo., 6s. 6d.

SIR RANALD MARTIN, C.B., F.R.C.S., F.R.S.

INFLUENCE OF TROPICAL CLIMATES IN PRODUCING THE ACUTE ENDEMIC DISEASES OF EUROPEANS; including Practical Observations on their Chronic Sequelæ under the Influences of the Climate of Europe. Second Edition, much enlarged. 8vo., 20s.

P. MARTYN, M.D. LOND.

HOOPING-COUGH; ITS PATHOLOGY AND TREATMENT. With Engravings. 8vo., 2s. 6d.

C. F. MAUNDER, F.R.C.S.

OPERATIVE SURGERY. With 158 Engravings. Post 8vo., 6s.

R. G. MAYNE, M.D., LL.D.

I.
AN EXPOSITORY LEXICON OF THE TERMS, ANCIENT AND MODERN, IN MEDICAL AND GENERAL SCIENCE. 8vo., £2. 10s.

II.
A MEDICAL VOCABULARY; or, an Explanation of all Names, Synonymes, Terms, and Phrases used in Medicine and the relative branches of Medical Science. Third Edition. Fcap. 8vo., 8s. 6d.

EDWARD MERYON, M.D., F.R.C.P.

PATHOLOGICAL AND PRACTICAL RESEARCHES ON THE VARIOUS FORMS OF PARALYSIS. 8vo., 6s.

W. J. MOORE, M.D.

I.
HEALTH IN THE TROPICS; or, Sanitary Art applied to Europeans in India. 8vo., 9s.

II.
A MANUAL OF THE DISEASES OF INDIA. Fcap. 8vo., 5s.

JAMES MORRIS, M.D.LOND.

I.
GERMINAL MATTER AND THE CONTACT THEORY :

An Essay on the Morbid Poisons. Second Edition. Crown 8vo., 4s. 6d.

II.

IRRITABILITY : Popular and Practical Sketches of Common Morbid States and Conditions bordering on Disease; with Hints for Management, Alleviation, and Cure. Crown 8vo., 4s. 6d.

G. J. MULDER.

THE CHEMISTRY OF WINE. Edited by H. BENCE JONES, M.D., F.R.S. Fcap. 8vo., 6s.

W. MURRAY, M.D., M.R.C.P.

EMOTIONAL DISORDERS OF THE SYMPATHETIC SYSTEM OF NERVES. Crown 8vo., 3s. 6d.

W. B. MUSHET, M.B., M.R.C.P.

ON APOPLEXY, AND ALLIED AFFECTIONS OF THE BRAIN. 8vo., 7s.

ARTHUR B. R. MYERS, M.R.C.S.

ON THE ETIOLOGY AND PREVALENCE OF DISEASES of the HEART among SOLDIERS. With Diagrams. The "Alexander" Prize Essay. 8vo., 4s.

GEORGE NAYLER, F.R.C.S.

ON THE DISEASES OF THE SKIN. With Plates. 8vo., 10s. 6d.

J. BIRKBECK NEVINS, M.D.

THE PRESCRIBER'S ANALYSIS OF THE BRITISH PHARMACOPEIA of 1867. 32mo., 3s. 6d.

PATRICK NICOL, M.B.

A TRANSLATION OF DR. DILLNBERGER'S HANDY-BOOK of the TREATMENT of WOMEN'S and CHILDREN'S DISEASES according to the VIENNA MEDICAL SCHOOL. With Prescriptions. Fcap. 8vo., 5s.

H. M. NOAD, PH.D., F.R.S.

THE INDUCTION COIL, being a Popular Explanation of the Electrical Principles on which it is constructed. Third Edition. With Engravings. Fcap. 8vo., 3s.

SELBY NORTON, M.D.

INFANTILE DISEASES: their Causes, Prevention, and Treatment, showing by what Means the present Mortality may be greatly reduced. Fcap. 8vo., 2s. 6d.

FRANCIS OPPERT, M.D., M.R.C.P.

I.

HOSPITALS, INFIRMARIES, AND DISPENSARIES; their Construction, Interior Arrangement, and Management, with Descriptions of existing Institutions. With 58 Engravings. Royal 8vo., 10s. 6d.

II.

VISCERAL AND HEREDITARY SYPHILIS. 8vo., 5s.

WM. MILLER ORD, M.B. LOND.

NOTES ON COMPARATIVE ANATOMY: A Syllabus of a Course
of Lectures delivered at St. Thomas's Hospital. Crown 8vo, 5s.

LANGSTON PARKER, F.R.C.S.

THE MODERN TREATMENT OF SYPHILITIC DISEASES,
both Primary and Secondary; comprising the Treatment of Constitutional and Confirmed
Syphilis, by a safe and successful Method. Fifth Edition, 8vo., 10s. 6d.

E. A. PARKES, M.D., F.R.C.P., F.R.S.

I.
A MANUAL OF PRACTICAL HYGIENE; intended especially for
the Medical Officers of the Army. With Plates and Woodcuts. 3rd Edition, 8vo., 16s.

II.
THE URINE: ITS COMPOSITION IN HEALTH AND DISEASE,
AND UNDER THE ACTION OF REMEDIES. 8vo., 12s.

JOHN PARKIN, M.D., F.R.C.S.

THE ANTIDOTAL TREATMENT AND PREVENTION OF
THE EPIDEMIC CHOLERA. Third Edition. 8vo., 7s. 6d.

JAMES PART, F.R.C.S.

THE MEDICAL AND SURGICAL POCKET CASE BOOK,
for the Registration of important Cases in Private Practice, and to assist the Student of
Hospital Practice. Second Edition. 2s. 6d.

JOHN PATTERSON, M.D.

EGYPT AND THE NILE AS A WINTER RESORT FOR
PULMONARY AND OTHER INVALIDS. Fcap. 8vo., 3s.

F. W. PAVY, M.D., F.R.S., F.R.C.P.

I.
DIABETES: RESEARCHES ON ITS NATURE AND TREAT-
MENT. Second Edition. With Engravings. 8vo., 10s.

II.
DIGESTION: ITS DISORDERS AND THEIR TREATMENT.
Second Edition. 8vo., 8s. 6d.

T. B. PEACOCK, M.D., F.R.C.P.

I.
ON MALFORMATIONS OF THE HUMAN HEART. With
Original Cases and Illustrations. Second Edition. With 8 Plates. 8vo., 10s.

II.
ON SOME OF THE CAUSES AND EFFECTS OF VALVULAR
DISEASE OF THE HEART. With Engravings. 8vo., 5s.

JONATHAN PEREIRA, M.D., F.R.S.

SELECTA E PRÆSCRIPTIS. Fifteenth Edition. 24mo., 5s.

JAMES H. PICKFORD, M.D.

HYGIENE; or, Health as Depending upon the Conditions of the Atmosphere, Food and Drinks, Motion and Rest, Sleep and Wakefulness, Secretions, Excretions, and Retentions, Mental Emotions, Clothing, Bathing, &c. Vol. I. 8vo., 9s.

WILLIAM PIRRIE, M.D., C.M., F.R.S.E.

THE PRINCIPLES AND PRACTICE OF SURGERY. With numerous Engravings on Wood. Second Edition. 8vo., 24s.

WILLIAM PIRRIE, M.D.

ON HAY ASTHMA, AND THE AFFECTION TERMED HAY FEVER. Fcap. 8vo., 2s. 6d.

HENRY POWER, F.R.C.S., M.B.LOND.

ILLUSTRATIONS OF SOME OF THE PRINCIPAL DISEASES OF THE EYE: With an Account of their Symptoms, Pathology and Treatment. Twelve Coloured Plates. 8vo., 20s.

HENRY F. A. PRATT, M.D., M.R.C.P.

I.
THE GENEALOGY OF CREATION, newly Translated from the Unpointed Hebrew Text of the Book of Genesis, showing the General Scientific Accuracy of the Cosmogony of Moses and the Philosophy of Creation. 8vo., 14s.

II.
ON ECCENTRIC AND CENTRIC FORCE: A New Theory of Projection. With Engravings. 8vo., 10s.

III.
ON ORBITAL MOTION: The Outlines of a System of Physical Astronomy. With Diagrams. 8vo., 7s. 6d.

IV.
ASTRONOMICAL INVESTIGATIONS. The Cosmical Relations of the Revolution of the Lunar Apsides. Oceanic Tides. With Engravings. 8vo., 5s.

V.
THE ORACLES OF GOD: An Attempt at a Re-interpretation. Part I. The Revealed Cosmos. 8vo., 10s.

THE PRESCRIBER'S PHARMACOPŒIA; the Medicines arranged in Classes according to their Action, with their Composition and Doses. By a Practising Physician. Fifth Edition. 32mo., cloth, 2s. 6d.; roan tuck (for the pocket), 3s. 6d.

JOHN ROWLISON PRETTY, M.D.

AIDS DURING LABOUR, including the Administration of Chloroform, the Management of Placenta and Post-partum Hæmorrhage. Fcap. 8vo., 4s. 6d.

P. C. PRICE, F.R.C.S.

AN ESSAY ON EXCISION OF THE KNEE-JOINT. With Coloured Plates. With Memoir of the Author and Notes by Henry Smith, F.R.C.S. Royal 8vo., 14s.

LAKE PRICE.

PHOTOGRAPHIC MANIPULATION: A Manual treating of the Practice of the Art, and its various Applications to Nature. With numerous Engravings. Second Edition. Crown 8vo., 6s. 6d.

W. O. PRIESTLEY, M.D., F.R.C.P.

LECTURES ON THE DEVELOPMENT OF THE GRAVID UTERUS. 8vo., 5s. 6d.

F. H. RAMSBOTHAM, M.D., F.R.C.P.

THE PRINCIPLES AND PRACTICE OF OBSTETRIC MEDICINE AND SURGERY. Illustrated with One Hundred and Twenty Plates on Steel and Wood; forming one thick handsome volume. Fifth Edition. 8vo., 22s.

THOMAS READE, M.B.T.C.D., L.R.C.S.I

SYPHILITIC AFFECTIONS OF THE NERVOUS SYSTEM, AND A CASE OF SYMMETRICAL MUSCULAR ATROPHY; with other Contributions to the Pathology of the Spinal Marrow. Post 8vo., 5s.

THEOPHILUS REDWOOD, PH.D.

A SUPPLEMENT TO THE PHARMACOPŒIA: A concise but comprehensive Dispensatory, and Manual of Facts and Formulæ, for the use of Practitioners in Medicine and Pharmacy. Third Edition. 8vo., 22s.

DU BOIS REYMOND.

ANIMAL ELECTRICITY; Edited by H. BENICE JONES, M.D., F.R.S. With Fifty Engravings on Wood. Foolscap 8vo., 6s.

J. RUSSELL REYNOLDS, M.D.LOND., F.R.C.P., F.R.S.

I.
EPILEPSY: ITS SYMPTOMS, TREATMENT, AND RELATION TO OTHER CHRONIC CONVULSIVE DISEASES. 8vo., 10s.

II.
THE DIAGNOSIS OF DISEASES OF THE BRAIN, SPINAL CORD, AND THEIR APPENDAGES. 8vo., 8s.

B. W. RICHARDSON, M.D., F.R.C.P., F.R.S.

I.
ON THE CAUSE OF THE COAGULATION OF THE BLOOD. Being the ASTLEY COOPER PRIZE ESSAY for 1856. With a Practical Appendix. 8vo., 16s.

II.
DISCOURSES ON PRACTICAL PHYSIC. 8vo., 5s.

WILLIAM ROBERTS, M.D., F.R.C.P.

AN ESSAY ON WASTING PALSY; being a Systematic Treatise on the Disease hitherto described as ATROPHIE MUSCULAIRE PROGRESSIVE. With Four Plates. 8vo., 5s.

C. H. F. ROUTH, D.M., M.R.C.P.

INFANT FEEDING, AND ITS INFLUENCE ON LIFE; Or, the Causes and Prevention of Infant Mortality. Second Edition. Fcap. 8vo., 6s.

W. H. ROBERTSON, M.D., M.R.C.P.

I.
THE NATURE AND TREATMENT OF GOUT. 8vo., 10s. 6d.

II.
A TREATISE ON DIET AND REGIMEN. Fourth Edition. 2 vols. Post 8vo., 12s.

JAMES ROGERS, M.D.

ON THE PRESENT STATE OF THERAPEUTICS. With some Suggestions for placing it on a more scientific basis. 8vo., 6s. 6d.

G. R. ROWE, M.D.

NERVOUS DISEASES, LIVER AND STOMACH COMPLAINTS, LOW SPIRITS, INDIGESTION, GOUT, ASTHMA, AND DISORDERS PRODUCED BY TROPICAL CLIMATES. With Cases. Sixteenth Edition. Fcap. 8vo., 2s. 6d.

J. F. ROYLE, M.D., F.R.S., AND F. W. HEADLAND, M.D., F.R.C.P.

A MANUAL OF MATERIA MEDICA AND THERAPEUTICS. With numerous Engravings on Wood. Fifth Edition. Fcap. 8vo., 12s. 6d.

ST. GEORGE'S HOSPITAL REPORTS. Vols. I to V. 8vo., 7s. 6d.

ST. THOMAS'S HOSPITAL REPORTS. Vol. I., New Series, 8vo., 8s.

H. HYDE SALTER, M.D., F.R.C.P., F.R.S.
ASTHMA. Second Edition. 8vo., 10s.

W. H. O. SANKEY, M.D. LOND., F.R.C.P.
LECTURES ON MENTAL DISEASES. 8vo., 8s.

A. E. SANSOM, M.D.LOND., M.R.C.P.

CHLOROFORM: ITS ACTION AND ADMINISTRATION. A Handbook. With Engravings. Crown 8vo., 5s.

HENRY SAVAGE, M.D.LOND., F.R.C.S.

THE SURGERY, SURGICAL PATHOLOGY, AND SURGICAL ANATOMY of the FEMALE PELVIC ORGANS, in a Series of Coloured Plates taken from Nature. With Commentaries, Notes and Cases. Second Edition, greatly enlarged. 4to., £1. 11s. 6d.

JOHN SAVORY, M.S.A.

A COMPENDIUM OF DOMESTIC MEDICINE, AND COMPANION TO THE MEDICINE CHEST; intended as a Source of Easy Reference for Clergymen, and for Families residing at a Distance from Professional Assistance. Eighth Edition. 12mo., 5s.

HERMANN SCHACHT.

THE MICROSCOPE, AND ITS APPLICATION TO VEGETABLE ANATOMY AND PHYSIOLOGY. Edited by FREDERICK CURREY, M.A. Post 8vo., 6s.

R. E. SCORESBY-JACKSON, M.D., F.R.S.E.

MEDICAL CLIMATOLOGY; or, a Topographical and Meteorological Description of the Localities resorted to in Winter and Summer by Invalids of various classes both at Home and Abroad. With an Isothermal Chart. Post 8vo., 12s.

R. H. SEMPLE M.D., M.R.C.P.

ON COUGH: its Causes, Varieties, and Treatment. With some practical Remarks on the Use of the Stethoscope as an aid to Diagnosis. Post 8vo., 4s. 6d.

THOS. SHAPTER, M.D., F.R.C.P.

THE CLIMATE OF THE SOUTH OF DEVON, AND ITS INFLUENCE UPON HEALTH. Second Edition, with Maps. 8vo., 10s. 6d.

E. SHAW, M.R.C.S.

THE MEDICAL REMEMBRANCER; OR, BOOK OF EMERGENCIES. Fifth Edition. Edited, with Additions, by JONATHAN HUTCHINSON, F.R.C.S. 32mo., 2s. 6d.

JOHN SHEA, M.D., B.A.

A MANUAL OF ANIMAL PHYSIOLOGY. With an Appendix of Questions for the B.A. London and other Examinations. With Engravings. Foolscap 8vo., 5s. 6d.

FRANCIS SIBSON, M.D., F.R.C.P., F.R.S.
MEDICAL ANATOMY. With 21 coloured Plates. Imperial folio.
 Cloth, £2. 2s.; half-morocco, £2. 10s.

E. H. SIEVEKING, M.D., F.R.C.P.
ON EPILEPSY AND EPILEPTIFORM SEIZURES: their
 Causes, Pathology, and Treatment. Second Edition. Post 8vo., 10s. 6d.

FREDERICK SIMMS, M.B., M.R.C.P.
A WINTER IN PARIS: being a few Experiences and Observations
 of French Medical and Sanitary Matters. Fcap. 8vo., 4s.

E. B. SINCLAIR, M.D., F.K.Q.C.P., AND G. JOHNSTON, M.D., F.K.Q.C.P.
PRACTICAL MIDWIFERY: Comprising an Account of 13,748 Deli-
 veries, which occurred in the Dublin Lying-in Hospital, during a period of Seven Years.
 8vo., 10s.

J. L. SIORDET, M.B.LOND., M.R.C.P.
MENTONE IN ITS MEDICAL ASPECT. Foolsap 8vo., 2s. 6d.

ALFRED SMEE, M.R.C.S., F.R.S.
GENERAL DEBILITY AND DEFECTIVE NUTRITION; their
 Causes, Consequences, and Treatment. Second Edition. Fcap. 8vo., 3s. 6d.

WM. SMELLIE, M.D.
OBSTETRIC PLATES: being a Selection from the more Important and
 Practical Illustrations contained in the Original Work. With Anatomical and Practical
 Directions. 8vo., 5s.

HENRY SMITH, F.R.C.S.
 I.
ON STRICTURE OF THE URETHRA. 8vo., 7s. 6d.

II.
HÆMORRHOIDS AND PROLAPSUS OF THE RECTUM:
 Their Pathology and Treatment, with especial reference to the use of Nitric Acid. Third
 Edition. Fcap. 8vo., 3s.

III.
THE SURGERY OF THE RECTUM. Lettsomian Lectures. Third
 Edition. Fcap. 8vo., 3s. 6d.

JOHN SMITH, M.D., F.R.C.S. EDIN.
HANDBOOK OF DENTAL ANATOMY AND SURGERY, FOR
 THE USE OF STUDENTS AND PRACTITIONERS. Second Edition. Fcap.
 3vo., 4s. 6d.

J. BARKER SMITH.
PHARMACEUTICAL GUIDE TO THE FIRST AND SECOND
 EXAMINATIONS. Crown 8vo., 6s. 6d.

W. TYLER SMITH, M.D., F.R.C.P.
A MANUAL OF OBSTETRICS, THEORETICAL AND PRAC-
 TICAL. Illustrated with 186 Engravings. Fcap. 8vo., 12s. 6d.

JOHN SNOW, M.D.
ON CHLOROFORM AND OTHER ANÆSTHETICS: THEIR
 ACTION AND ADMINISTRATION. Edited, with a Memoir of the Author, by
 Benjamin W. Richardson, M.D. 8vo., 10s. 6d.

STANHOPE TEMPLEMAN SPEER, M.D.

PATHOLOGICAL CHEMISTRY, IN ITS APPLICATION TO THE PRACTICE OF MEDICINE. Translated from the French of MM. BECQUEREL and RODIER. 8vo., reduced to 8s.

J. K. SPENDER, M.D. LOND.

A MANUAL OF THE PATHOLOGY AND TREATMENT OF ULCERS AND CUTANEOUS DISEASES OF THE LOWER LIMBS. 8vo., 4s.

PETER SQUIRE.

A COMPANION TO THE BRITISH PHARMACOPŒIA.
Eighth Edition. 8vo., 10s. 6d.

THE PHARMACOPŒIAS OF THE LONDON HOSPITALS,
arranged in Groups for easy Reference and Comparison. Second Edition. 18mo., 5s.

WM. SQUIRE, L.R.C.P. LOND.

TEMPERATURE OBSERVATIONS. 8vo., 5s.

JOHN STEGGALL, M.D.

A MEDICAL MANUAL FOR APOTHECARIES' HALL AND OTHER MEDICAL BOARDS. Twelfth Edition. 12mo., 10s.

A MANUAL FOR THE COLLEGE OF SURGEONS; intended for the Use of Candidates for Examination and Practitioners. Second Edition. 12mo., 10s.

FIRST LINES FOR CHEMISTS AND DRUGGISTS PREPARING FOR EXAMINATION AT THE PHARMACEUTICAL SOCIETY. Third Edition. 18mo., 3s. 6d.

WM. STOWE, M.R.C.S.

A TOXICOLOGICAL CHART, exhibiting at one view the Symptoms, Treatment, and Mode of Detecting the various Poisons, Mineral, Vegetable, and Animal. To which are added concise Directions for the Treatment of Suspended Animation. Twelfth Edition, revised. On Sheet, 2s.; mounted on Roller, 5s.

FRANCIS SUTTON, F.C.S.

A SYSTEMATIC HANDBOOK OF VOLUMETRIC ANALYSIS; or, the Quantitative Estimation of Chemical Substances by Measure. With Engravings. Second Edition, much enlarged. 8vo.

W. P. SWAIN, F.R.C.S.

INJURIES AND DISEASES OF THE KNEE-JOINT, and their Treatment by Amputation and Excision Contrasted. Jacksonian Prize Essay. With 36 Engravings. 8vo., 9s.

J. G. SWAYNE, M.D.

OBSTETRIC APHORISMS FOR THE USE OF STUDENTS COMMENCING MIDWIFERY PRACTICE. With Engravings on Wood. Fifth Edition. Fcap. 8vo., 3s. 6d.

JOHN TANNER, M.D., M.R.C.P. EDIN.

PRACTICAL MIDWIFERY AND OBSTETRICS, including Anæsthetics. With Numerous Engravings. 8vo., 6s. 6d.

SIR ALEXANDER TAYLOR, M.D., F.R.S.E.

THE CLIMATE OF PAU; with a Description of the Watering Places of the Pyrenees, and of the Virtues of their respective Mineral Sources in Disease. Third Edition. Post 8vo., 7s.

ALFRED S. TAYLOR, M.D., F.R.C.P., F.R.S.

I.
THE PRINCIPLES AND PRACTICE OF MEDICAL JURISPRUDENCE. With 176 Wood Engravings. 8vo., 28s.

II.
A MANUAL OF MEDICAL JURISPRUDENCE. Eighth Edition. With Engravings. Fcap. 8vo., 12s. 6d.

III.
ON POISONS, in relation to MEDICAL JURISPRUDENCE AND MEDICINE. Second Edition. Fcap. 8vo., 12s. 6d.

THEOPHILUS THOMPSON, M.D., F.R.C.P., F.R.S.
CLINICAL LECTURES ON PULMONARY CONSUMPTION; with additional Chapters by E. SYMES THOMPSON, M.D. With Plates. 8vo., 7s. 6d.

ROBERT THOMAS, M.D.

THE MODERN PRACTICE OF PHYSIC; exhibiting the Symptoms, Causes, Morbid Appearances, and Treatment of the Diseases of all Climates. Eleventh Edition. Revised by ALGERNON FRAMPTON, M.D. 2 vols. 8vo., 28s.

SIR HENRY THOMPSON, F.R.C.S.

I.
STRICTURE OF THE URETHRA AND URINARY FISTULÆ; their Pathology and Treatment. Jacksonian Prize Essay. With Plates. Third Edition. 8vo., 10s.

II.
THE DISEASES OF THE PROSTATE; their Pathology and Treatment. With Plates. Third Edition. 8vo., 10s.

III.
PRACTICAL LITHOTOMY AND LITHOTRITY; or, An Inquiry into the best Modes of removing Stone from the Bladder. With numerous Engravings. Second Edition. 8vo., 10s.

IV.
CLINICAL LECTURES ON DISEASES OF THE URINARY ORGANS. With Engravings. Second Edition. Crown 8vo., 5s.

J. C. THOROWGOOD, M.D. LOND.

NOTES ON ASTHMA; its Nature, Forms and Treatment. Crown 8vo., 4s.

J. L. W. THUDICHUM, M.D., M.R.C.P.

I.
A TREATISE ON THE PATHOLOGY OF THE URINE, Including a complete Guide to its Analysis. With Plates, 8vo., 14s.

II.
A TREATISE ON GALL STONES: their Chemistry, Pathology, and Treatment. With Coloured Plates. 8vo., 10s.

E. J. TILT, M.D., M.R.C.P.

I.
ON UTERINE AND OVARIAN INFLAMMATION, AND ON
THE PHYSIOLOGY AND DISEASES OF MENSTRUATION. Third Edition.
8vo., 12s.

II.
A HANDBOOK OF UTERINE THERAPEUTICS AND OF
DISEASES OF WOMEN. Third Edition. Post 8vo., 10s.

III.
THE CHANGE OF LIFE IN HEALTH AND DISEASE: a
Practical Treatise on the Nervous and other Affections incidental to Women at the Decline
of Life. Third Edition. Rewritten and Enlarged. 8vo., 10s. 6d.

ROBERT B. TODD, M.D., F.R.S.

I.
CLINICAL LECTURES ON THE PRACTICE OF MEDICINE.
New Edition, in one Volume, Edited by DR. BEALE, 8vo., 18s.

II.
ON CERTAIN DISEASES OF THE URINARY ORGANS, AND
ON DROPSIES. Fcap. 8vo., 6s.

JOHN TOMES, F.R.S.

A MANUAL OF DENTAL SURGERY. With 208 Engravings on
Wood. Fcap. 8vo., 12s. 6d.

JAS. M. TURNBULL, M.D., M.R.C.P.

I.
AN INQUIRY INTO THE CURABILITY OF CONSUMPTION,
ITS PREVENTION, AND THE PROGRESS OF IMPROVEMENT IN THE
TREATMENT. Third Edition. 8vo., 6s.

II.
A PRACTICAL TREATISE ON DISORDERS OF THE STOMACH
with FERMENTATION; and on the Causes and Treatment of Indigestion. 8vo., 6s.

DUNCAN TURNER, L.R.C.P.

A MANUAL OF DIET FOR THE INVALID AND DYSPEPTIC;
With Hints on Nursing. Second Edition. Crown 8vo., 2s. 6d.

R. V. TUSON, F.C.S.

A PHARMACOPŒIA; including the Outlines of Materia Medica
and Therapeutics, for the Use of Practitioners and Students of Veterinary Medicine.
Post 8vo., 7s.

ALEXR. TWEEDIE, M.D., F.R.C.P., F.R.S.

CONTINUED FEVERS: THEIR DISTINCTIVE CHARACTERS,
PATHOLOGY, AND TREATMENT. With Coloured Plates. 8vo., 12s.

DR. UNDERWOOD.

TREATISE ON THE DISEASES OF CHILDREN. Tenth Edition,
with Additions and Corrections by HENRY DAVIES, M.D. 8vo., 15s.

VESTIGES OF THE NATURAL HISTORY OF CREATION.
Eleventh Edition. Illustrated with 106 Engravings on Wood. 8vo., 7s. 6d.

WM. G. VALENTIN, F.C.S.

A TEXT-BOOK OF PRACTICAL CHEMISTRY: a Guide to the Course of Practical Instruction given in the Laboratories of the Royal College of Chemistry. With 90 Engravings. 8vo., 10s. 6d.

J. L. C. SCHROEDER VAN DER KOLK.

THE PATHOLOGY AND THERAPEUTICS OF MENTAL DISEASES. Translated by Mr. RUDALL, F.R.C.S. 8vo., 7s. 6d.

MISS VEITCH.

HANDBOOK FOR NURSES FOR THE SICK. Crown 8vo., 2s. 6d.

ROBERT WADE, F.R.C.S.

STRICTURE OF THE URETHRA, ITS COMPLICATIONS AND EFFECTS; a Practical Treatise on the Nature and Treatment of those Affections. Fourth Edition. 8vo., 7s. 6d.

ADOLPHE WAHLTUCH, M.D.

A DICTIONARY OF MATERIA MEDICA AND THERAPEUTICS. 8vo., 15s.

J. WEST WALKER, M.B.LOND.

ON DIPHTHERIA AND DIPHTHERITIC DISEASES. Fcap. 8vo., 3s.

CHAS. WALLER, M.D.

ELEMENTS OF PRACTICAL MIDWIFERY; or, Companion to the Lying-in Room. Fourth Edition, with Plates. Fcap. 8vo., 4s. 6d.

HAYNES WALTON, F.R.C.S.

SURGICAL DISEASES OF THE EYE. With Engravings on Wood. Second Edition. 8vo., 14s.

E. J. WARING, M.D., F.R.C.P.LOND.

I.
A MANUAL OF PRACTICAL THERAPEUTICS. Third Edition, Revised. Fcap. 8vo., 12s. 6d.

II.
THE TROPICAL RESIDENT AT HOME. Letters addressed to Europeans returning from India and the Colonies on Subjects connected with their Health and General Welfare. Crown 8vo., 5s.

A. T. H. WATERS, M.D., F.R.C.P.

I.
DISEASES OF THE CHEST. CONTRIBUTIONS TO THEIR CLINICAL HISTORY, PATHOLOGY, AND TREATMENT. With Plates. 8vo., 12s. 6d.

II.
THE ANATOMY OF THE HUMAN LUNG. The Prize Essay to which the Fothergillian Gold Medal was awarded by the Medical Society of London. Post 8vo., 6s. 6d.

III.
RESEARCHES ON THE NATURE, PATHOLOGY, AND TREATMENT OF EMPHYSEMA OF THE LUNGS, AND ITS RELATIONS WITH OTHER DISEASES OF THE CHEST. With Engravings. 8vo., 5s.

ALLAN WEBB, M.D., F.R.C.S.L.

THE SURGEON'S READY RULES FOR OPERATIONS IN
SURGERY. Royal 8vo., 10s. 6d.

J. SOELBERG WELLS.

I.

A TREATISE ON THE DISEASES OF THE EYE. With
Coloured Plates and Wood Engravings. Second Edition. 8vo., 24s.

II.

ON LONG, SHORT, AND WEAK SIGHT, and their Treatment by
the Scientific Use of Spectacles. Third Edition. With Plates. 8vo., 6s.

T. SPENCER WELLS, F.R.C.S.

SCALE OF MEDICINES FOR MERCHANT VESSELS.

With Observations on the Means of Preserving the Health of Seamen, &c., &c.
Seventh Thousand. Fcap. 8vo., 3s. 6d.WEST RIDING LUNATIC ASYLUM REPORTS. Edited by
J. CRICHTON BROWNE, M.D., F.R.S.E. Vol. I. 8vo., 7s. 6d.

CHARLES WEST, M.D., F.R.C.P.

LECTURES ON THE DISEASES OF WOMEN. Third Edition.
8vo., 16s.

JAMES WHITEHEAD, M.D., M.R.C.P.

ON THE TRANSMISSION FROM PARENT TO OFFSPRING
OF SOME FORMS OF DISEASE, AND OF MORBID TAINTS AND
TENDENCIES. Second Edition. 8vo., 10s. 6d.

FORBES WINSLOW, M.D., D.C.LOXON.

OBSCURE DISEASES OF THE BRAIN AND MIND.

Fourth Edition. Carefully Revised. Post 8vo., 10s. 6d.

T. A. WISE, M.D., F.R.C.P. EDIN.

REVIEW OF THE HISTORY OF MEDICINE AMONG
ASIATIC NATIONS. Two Vols. 8vo., 16s.

ERASMUS WILSON, F.R.C.S., F.R.S.

I.

THE ANATOMIST'S VADE-MECUM: A SYSTEM OF HUMAN ANATOMY. With numerous Illustrations on Wood. Eighth Edition. Fcap. 8vo., 12s. 6d.

II.

ON DISEASES OF THE SKIN: A SYSTEM OF CUTANEOUS MEDICINE. Sixth Edition. 8vo., 18s.

THE SAME WORK; illustrated with finely executed Engravings on Steel, accurately coloured. 8vo., 36s.

III.

HEALTHY SKIN: A Treatise on the Management of the Skin and Hair in relation to Health. Seventh Edition. Foolscap 8vo. 2s. 6d.

IV.

PORTRAITS OF DISEASES OF THE SKIN. Folio. Fasciculi I. to XII., completing the Work. 20s. each. The Entire Work, half morocco, £13.

V.

THE STUDENT'S BOOK OF CUTANEOUS MEDICINE AND DISEASES OF THE SKIN. Post 8vo., 8s. 6d.

VI.

LECTURES ON EKZEMA AND EKZEMATOUS AFFECTIONS; with an Introduction on the General Pathology of the Skin, and an Appendix of Essays and Cases. 8vo., 10s. 6d.

VII.

LECTURES ON DERMATOLOGY DELIVERED AT THE ROYAL COLLEGE OF SURGEONS, JANUARY, 1870: Synopsis of Diseases of the Skin. 8vo., 6s.

VIII.

ON SYPHILIS, CONSTITUTIONAL AND HEREDITARY; AND ON SYPHILITIC ERUPTIONS. With Four Coloured Plates. 8vo., 16s.

IX.

A THREE WEEKS' SCAMPER THROUGH THE SPAS OF GERMANY AND BELGIUM, with an Appendix on the Nature and Uses of Mineral Waters. Post 8vo., 6s. 6d.

X.

THE EASTERN OR TURKISH BATH: its History, Revival in Britain, and Application to the Purposes of Health. Foolscap 8vo., 2s.

G. C. WITTSTEIN.

PRACTICAL PHARMACEUTICAL CHEMISTRY: An Explanation of Chemical and Pharmaceutical Processes, with the Methods of Testing the Purity of the Preparations, deduced from Original Experiments. Translated from the Second German Edition, by STEPHEN DARBY. 18mo., 6s.

HENRY G. WRIGHT, M.D., M.R.C.P.

I.

UTERINE DISORDERS: their Constitutional Influence and Treatment. 8vo., 7s. 6d.

II.

HEADACHES; their Causes and their Cure. Fourth Edition. Fcap. 8vo., 2s. 6d.

CHURCHILL'S SERIES OF MANUALS.

Fcap. 8vo., 12s. 6d. each.

"We here give Mr. Churchill public thanks for the positive benefit conferred on the Medical Profession, by the series of beautiful and cheap Manuals which bear his imprint."—*British and Foreign Medical Review.*

AGGREGATE SALE, 160,000 COPIES.

ANATOMY. With 280 Engravings. Eighth Edition. By ERASMUS WILSON, F.R.C.S., F.R.S.

BOTANY. With 1,127 Engravings. Second Edition. By ROBERT BENTLEY, F.L.S.

CHEMISTRY. With 193 Engravings. Tenth Edition, 14s. By GEORGE FOWNES, F.R.S., H. BENICE JONES, M.D., F.R.S., and HENRY WATTS, B.A., F.R.S.

DENTAL SURGERY. With 208 Engravings. By JOHN TOMES, F.R.S.

EYE, DISEASES OF. With 14 coloured Plates and 52 Wood Engravings. By C. MACNAMARA.

MATERIA MEDICA. With 113 Engravings. Fifth Edition. By J. FORBES ROYLE, M.D., F.R.S., and F. W. HEADLAND, M.D., F.R.C.P.

MEDICAL JURISPRUDENCE. With 45 Engravings. Eighth Edition. By ALFRED SWAINE TAYLOR, M.D., F.R.S.

PRACTICE OF MEDICINE. Second Edition. By G. HILARO BARLOW, M.D., M.A.

The MICROSCOPE and its REVELATIONS. With 25 Plates and 412 Wood Engravings. Fourth Edition. By W. B. CARPENTER, M.D., F.R.S.

NATURAL PHILOSOPHY. With 701 Engravings. Sixth Edition. By CHARLES BROOKE, M.B., M.A., F.R.S. *Based on the Work of the late Dr. Golding Bird.*

OBSTETRICS. With numerous Engravings. By W. TYLER SMITH, M.D., F.R.C.P. (*Reprinting*).

OPHTHALMIC MEDICINE and SURGERY. With 9 coloured Plates and 173 Wood Engravings. Third Edition. By T. WHARTON JONES, F.R.C.S., F.R.S.

PATHOLOGICAL ANATOMY. With 167 Engravings. By C. HANDFIELD JONES, M.B., F.R.S., and E. H. SIEVEKING, M.D., F.R.C.P.

PHYSIOLOGY. With 2 Steel Plates and 250 Engravings. Fourth Edition. By WILLIAM B. CARPENTER, M.D., F.R.S.


POISONS. Second Edition. By ALFRED SWAINE TAYLOR, M.D., F.R.S.

PRACTICAL ANATOMY. With 226 Engravings. Second Edition. By CHRISTOPHER HEATH, F.R.C.S.

SURGERY. With numerous Engravings. By THOMAS BRYANT, F.R.C.S. (*In the Press*).

THERAPEUTICS. Third Edition. By E. J. Waring, M.D., F.R.C.P.





cl/n

