Of the constants of nature: class Mammalia = Sur les constantes de la nature: classe des mammifères: notice / par Ch. Babbage.

Contributors

Babbage, Charles, 1791-1871. Royal College of Surgeons of England

Publication/Creation

[Brussels]: Imp. de M. Hayez, [1853]

Persistent URL

https://wellcomecollection.org/works/qpc5jrj5

Provider

Royal College of Surgeons

License and attribution

This material has been provided by This material has been provided by The Royal College of Surgeons of England. The original may be consulted at The Royal College of Surgeons of England. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

EXTRAIT DU COMPTE RENDU DES TRAVAUX DU CONGRÈS GÉNÉRAL DE STATISTIQUE,

RÉUNI A BRUXELLES AU MOIS DE SEPTEMBRE 1855.

OF THE CONSTANTS OF NATURE.

CLASS MAMMALIA.




SUR

LES CONSTANTES DE LA NATURE.

CLASSE DES MAMMIFÈRES.

NOTICE PAR M. CH. BABBAGE.



The following list of those facts relating to mammalia, which can be expressed by numbers, was first printed in 1826. It was intended as an example of one chapter in a great collection of facts which the author suggested under the title of the « Constants of Nature and art. » About 200 copies were circulated at that period 1. The number of persons however then engaged in cultiva-

¹ La liste dont parle M. Babbage se trouve reproduite ci-après, avec les observations dont l'auteur l'avait fait précéder.

ting science was small and the author's own pursuits prevented him from attempting to fill up any part of the details of the subject. The want dele of some central body to which individual results might be confided for the purpose of arrangement, also impeded the publication of such results as may have been collected.

The present time offers a far more favorable combination of circumstances. Science itself is cultivated by a much larger number of persons. Stationary scientific societies have become more special in their particular objects. Other societies assembling periodically in different cities have brought into personal acquaintance men of all countries following kindred pursuits. The newest feature of the times « congresses for special objects » bring together men who have deeply studied those objects, who have felt the want of union as an impediment to their advancement, and who assemble together to agree upon principles and methods of observation, which, whilst they shorten the labor of individual research, contribute towards rendering most productive the united efforts of the collective body of enquirers.

The accompanying skeleton of facts susceptible of measure appertaining to mammalia alone might occupy usefully a large number of different enquirers. If those distinguished men who are at the head of the great schools of comparative anatomy would suggest to their pupils the measurement and weight of the various skeletons of animals occasionally coming under their control, much advantage would be derived from the exercises afforded to the students, whilst, by causing these successive measurements of the same individual to be made and recorded by several pupils, any casual error would be corrected.

The directors of zoological gardens and other menageries might readily supply a daily account of the food consumed by the animals, whilst every intelligent visitor might himself count and register the inspirations of the animals. Even in the farm-house and in the country-village, several of these enquiries might be successfully pursued. The proportion of the sexes amongst our poultry and our domesticated animals, the rates of their pulse and their inspirations are at present unrecorded in works of natural history.

In order to promote and render useful these contributions of individuals, it is essentially necessary that some centre of action should be arranged, to which all communications should be addressed, and by which they should be recorded from time to time in the periodical publications of the day. When a sufficient number had thus accumulated, a special memoir on the subject might be contributed to some philosophical society, in which the deductions arising from these facts might be pointed out, and the most interesting direction of further researches indicated.

It is scarcely to be expected that any one individual will, even for a single animal, be able to fill up the whole of the measures pointed out in this short paper, and it would be much to be regretted if this enumeration should from its extent discourage any observer. As however some definite portions of this labor, within reach in the course of the next twelvemonth, might perhaps, if accomplished, supply a stimulus to more extensive enquiries, I would propose to those who possess microscopes, the determination of the diameter of the globules of the blood of various animals, and to those who are not in the possession of such instruments, or cannot spare the time necessary for their use, I would propose the determination of the rate of breathing of various mammalia. The numerous collections of animals now distributed over the continent would render this limited portion of the task a work of comparatively little difficulty.

Brussels, 16 september 1853.

OBSERVATIONS.

OBSERVATIONS.

	NAME.		NAME.			
t.	Length from tip of tail to end of nose.		35. Length.			
2.	Height from ground to top of shou	dder.	56. Greatest breadth. Lowe	r jaw.		
3.	Length of tail.		57. Specific gravity.	A CONTRACTOR		
4.	Length of head.		58. Length.			
5-	Greatest breadth of head.		59. Distance from tip to tip.			
6.	Weight of animal.		40. Weight of each.			
7.	Weight of skeleton.		41. Spec. grav.	Land Brown		
8.	Number of mammæ.		42. Weight.	1000		
9.	Period of gestation, in days.		45. Spec. grav.	Clavicula.		
10.	Period of blindness after birth.		44. Weight.	1		
11.	Period at which they cease sucking.		45. Spec. grav.	Scapula.		
12.	Period of maturity.		46. Greatest length.			
13.	Period of old age.		47. Greatest diameter at upper end.			
14.	Number of young at a birth.		48. Greatest diameter at lower end.	The second second		
15.	Proportion of males to females.		49. Smallest diameter.	Humerus.		
16.	Animal heat; thermometer centig	rade.	50. Weight.			
17.	Number of pulsations per minute,	awake, asleep.	51. Spec. grav.			
18.	Number of inspirations per minute, awake, asleep.		52. Length.			
19.	Number of species known.		55. Smallest diameter.			
20.	Number of toes or claws, on fore foot.		54. Weight.			
21.	Number of toes or claws, on hind foot.		55. Spec. grav.			
22.	Divisions of hoof.		56. Length.	1		
25.	Facial angle.		57. Smallest diameter.			
24.	Nature of food, average weight	in 24 hours.	58. Weight.			
25.	Excretions, solid and fluid, in 24	bours.	59. Spec. grav.			
26.	Velocity in motion.		60. Number.	The same of		
27.	Day's journey.		61. Length of each or of largest.	bones.		
28.	Weight carried.		62. Weight of ditto.	-		
29.	Greatest length,		65. Spec. grav. (1)			
30.	Breadth at ears.		64. Number.			
31.	Height.		65. Length of each or of largest.	rpal bones.		
	Weight.	Cranium.	66. Weight of ditto.			
	Specific gravity.		67. Spec. grav.			
34.	Breadth between inner corners of eyes.		(1) The specific gravity of the bones is to be given exceptities.	lasive of the		

OBSERVATIONS.

OBSERVATIONS.

	NAME.		NAME.		
68.	Number.		102. Number of dorsal.		
69.	Weight of each or largest.	Finger bones.	103. Total length of ditto.	Vertebræ.	
70.	Spec. grav. of ditto.		104. Weight of each.		
71.	Number.	True ribs.	105. Spec. grav. of each.		
79.	Spec. grav.	True rins.	106. Number of lumbar.		
73.	Number of false ribs.		107. Total lenght of ditto.	Vertebræ.	
74.	Length.		108. Weight of each.		
75.	Smallest diameter.	P	109. Spec. grav. of each.		
76.	Weight.	Femur.	110. Number of sacral.	1 1 1 1 1 1	
77.	Spec. grav.		111. Total length of ditto.	Vertebræ.	
78.	Length.		112. Weight of each.		
79.	Smallest diameter.	Tibia.	115. Spec. grav. of each.		
80.	Weight.		114. Number of caudal.		
81.	Spec. grav.		115. Total length of ditto.	Vertebræ.	
82.	Length.	Fibula.	116. Weight of each.		
83.	Smallest diameter.		117. Spec. grav. of each.		
84.	Weight.		118. Grinders. Number.		
85.	Spec. grav.		119. Weight of each.	1	
86.	Number.	The same of	120. Spec. grav. of each.	Upper jaw	
87.	Length of each or of largest.	Tarsal bones.	121. Canine.		
88.	Weight of ditto.	Tarsar bones.	122. Weight of each.		
89.	Spec. grav.		125. Spec. grav. of each.		
90	. Number.	1	124. Incisive.		
91	Length of each or of largest.	Matatageal house	125. Weight of each.		
92	Weight of ditto.	Metatarsal bones.	126. Spec. grav. of each.		Teeth.
	. Spec. grav. of ditto.		127. Grinders.		
	. Length.	Sternum.	128. Weight of each.		
	. Spec. grav.		129. Spec. grav. of each.		
	. Total number.	Vertebræ.	150. Canine.		
	. Total length.		131. Weight of each.		
	Number of cervical.	1	152. Spec. grav. of each.		
	. Total length of ditto.	1	135. Incisive.	1	
	. Weight of each.	Vertebræ.	134. Weight of each.	- Barrie	
	. Spec. grav. of each.	1	135. Spec. grav. of each.		
5200					

OBSERVATIONS.

OBSERVATIONS.

140. Proportion of intestinal canal to length of body.
141. Proportion of intestinal canal to its circumference.
142. Diameter of the globules of blood.

(La note qui précède sert de développement à une partie de la notice suivante, que nous avons cru devoir reproduire, parce qu'elle a eu beaucoup de retentissement, et qu'elle n'a été imprimée qu'à un petit nombre d'exemplaires et pour quelques amis seulement.)

Amongst those works of science wich are too large and too laborious for individual efforts, and are therefore fit objects to be undertaken by united academies, I wish to point out one which seems eminently necessary at the present time, and which would be of the greatest advantage to all classes of the scientific world.

I would propose that its title should be « The Constants of Nature and of Art. » It ought to contain all those facts which can be expressed by numbers in the various sciences and arts. A better idea will be formed by giving an outline of its proposed contents, and it may perhaps be useful to indicate the sources whence much of the information may be drawn.

These constants should consist of

1. All the constant quantities belonging to our system; — as distance of each planet, — period of revolution, — inclination of orbit, etc. — proportion of light received from sun, — force of gravity on surface of each.

These need not be further enumerated, as they have already been collected, and need only be copied. 4

2. The atomic weights of bodies.

These may be taken from Berzelius, Thompson, or Turner.

The proportions of the elements of various compounds; — acids with bases, — metals with oxygen etc.

These may be taken from the best treatises on chemistry.

- 3. A list of the metals, with columns containing specific gravity, elasticity, tenacity, specific heat, conducting power of heat, conducting power of electricity, melting point, refractive power, proportion of rays reflected out of 1000 at an incidence of 90°.
 - List of specific gravities of all bodies.
 - 4 List of refractive indices.
 - dispersive indices.
 - polarizing angles.

¹ A work of this kind, embodying the results of science, has been projected for some time by M. Poggendorff of Berlin, and a specimen of it may be seen in his *Annalen*, xxi. p. 609.

4 List of angle formed by the axes of double refraction in crystals.

These may be extracted from the writings of Brewster, Mitscherlich, Herschel, Biot.

Number of known species of mammalia — birds — reptiles — fishes — mollusca — worms — crustacea — insects — zoophytes.

These classes might be further subdivided.

Additional columns should show how many of each are found in a fossil state, and the proportion between the fossils of existing and extinct species.

6. List of mammalia, containing columns expressing height — length — weight — weight of skeleton, — weight of each bone — its greatest length — its smallest circumference — its specific gravity — also the number of young at a birth — the number of pulsations per minute, whilst the animal is in repose — the number of inspirations in the same circumstances — period of blindness after birth — period of sucking — period of maturity — temperature — average duration of life — proportion of males to females produced.

It would be desirable to select some bone for the unity of weight, and perhaps of measure, and to give the proportion of all the other bones to this standard one. The numerical relations thus established might perhaps in some cases identify the sexes, or even the races of the human species, when only a few bones were found. It would also be highly interesting to compare the relative weight of the bones of persons employed in different trades, and of persons dying from certain constitutional diseases.

7. Of Man. Average weight at various periods of existence — height of ditto — tables of mortality in various places — average duration of reigns of sovereigns, — proportious of the sexes born under various circumstances, — proportion of marriages under various circumstances, — quantity of air consumed per hour, — quantity of food necessary for daily support, — average proportion of sickness amongst working classes, — proportion of persons dying from different diseases.

Many of these facts may be found in the writings of Villermé, Quetelet, Bailly, Milne, etc.

8. Power of man and animals.

A man labouring ten hours per day will saw () square feet of deal — ditto () elm — ditto () oak, etc. — ditto Portland stone — ditto Purbeck — Days labour in mowing, ploughing — etc. etc. every kind of labour — Raising water one foot high — horse ditto — ox or cow ditto — camel.

Power of steam engines in Cornwall.

Inclination of a road, both in degrees and number of feet, etc. or of a base on which carriages and horses can trot — walk, — on which horses cannot ascend — on which man cannot — on which a cart cannot ascend.

Vegetable kingdom. Number of species known of monocotyledonous plants — number of species of dicotyledonous plants.

Number of species of the various natural groups.

Additionnal columns should show the number of species known in a fossil state, together with that of extinct fossil species.

Also average weight of vegetable produce of one acre in a year, when under different modes of cultivation, — hay — straw — wheat, — turnips, and mangel wurzel, — potatoes — clover, etc. — produce of timber per acre.

10 Tables of the geographical distribution of animals and of plants, — of the average period of maturity and decay in various woods, — increase in weight annually at different periods, —

weight of potass produced from each - proportion of heat produced by burning given weight.

41. Atmospheric phenomena. Weight of air above a square inch, — square foot, — an acre, — a square mile of the earth's surface, barometer at 50 inches. Weight of oxygen, of nitrogen, of carbonic acid, above the same spaces, under the same circumstances.

Weight of water in vapour above ditto at various degrees of hygrometer. Depth of rain falling annually at various places, in inches, — columns for number of year's observation, — mean temperature, — mean height of barometer, — height of places above the sea, — drainage of surfacewater for one, two, three, to ten inches, from each square of 100 feet side, each acre, or square mile, expressed in cubic feet, in gallons, and in hogsheads, water discharged per" or 1', per hour or per day, under various circumstances, as found by experiment, — velocity of rivers and torrents to carry stones of given weight.

12. Materials. — Height to which a column of any substance used in building may be carried before the lowest layer is crushed, — weight necessary to crush a cubic inch of each, — weight of cubic foot or cubic yard. Angles at which sand, gravel of various sized pebbles, snow, etc. support themselves. Strength necessary to pull asunder various woods, — bars of metal of various dimensions, — weight to break ropes and chains of various sizes, — column for weight to be safely borne by them, — friction under various circumstances, — resistance of fluids.

Weight of coal to burn 10 hushels of lime, — weight of ashes to burn 10,000 brick, — of coak to make ton of wrought iron; — tallow to make soap, etc. — and constants in all trades.

See Rennie, Tredgold, Prony, Eytelwein, Venturi, etc.

13. Velocities. — Arrow, musket-ball at several distances, cannon-ball, sound, telegraph, light, — birds.

Day's journey. Man, horse, heavy waggon, stage-coach, mail-coach, camel, elephant, steam-carriage, steam-boat, balloon, greatest — average passage Liverpool to New York, etc. — of steam-boats, Dublin to Liverpool, — London to Edinburgh, etc.

14. Length of all rivers, — water discharged per hour. — Seas — proportion of water to land on globe, — area of all seas and lakes in square miles, — areas of all islands and peninsulas and continents, — heights of mountains, — depth of mines from surface, — quantity of water pumped out of mines.

Heights of above 7,000 points in Europe may be found in Orographic, the third volume of the Transactions of the geographical society of Paris.

- 15. Population, extent in square miles, revenue, etc. of kingdoms, births, deaths, marriages, rate of increase, population of great towns.
- 16. Buildings. Height of all temples, pyramids, churches, towers, columns, etc.; also all single stones, as obelisks, and area covered by ditto, area of all great public buildings. Dimensions of all columns in ancient temples, lengths of all bridges, of span of each arch, and height, also breadth of piers.

Such tables may be found in Wiebeking, Architecture civile, in -.

17. Weights, measures, etc. — Factors and their logarithms to convert all money of every country into english pounds sterling.

Factors and their logarithms to convert weights of every country into english pounds avoirdupois.

- foot and all measures in every country into english feet.
- measures of area, acres, etc. into english acres.

- liquid measures in every country into english imperial gallons.

These are already collected in several works of Löhmann of Dresden. See also Universal cambist. 18. Tables of the frequency of occurrence of the various letters of the alphabet in different languages, — of the frequency of occurrence of the same letters at the beginnings or endings of words, — as the second or as the penultimate letters of words, — of the number of double letters occurring in different languages, — of the proportion of letters commencing surnames amongst different nations.

See Quetelet, Correspondance math., also Dissertatio inauguralis mathematica de literarum proportionibus, Éd. Hayez, Bruxelles, 1829.

19. Table of number of books in great public libraries at given dates, — number of students at various universities. Observatories of the world, — transit, its length, diameter of object-glass, maker, — circle, length of telescope, aperture, diameter of divided circle, maker.

It would be desirable to give the date of the different eras by which time is computed, and perhaps tables of the reigns of sovereigns. Also a chronological table, — at least of scientific discoveries and their authors.

In the above enumeration, which is far from complete, some few of the uses of such a volume are noticed, others will present themselves to every reader, and probably many unexpected ones will arise. The facts being all expressed in numbers, if printed in a small type and well arranged, would not occupy a large space. Most of the constants mentioned in this list already exist, and the difficulty of collecting them would consist chiefly in a judicious selection of those which deserve the greatest confidence. The labour of extracting them from a great variety of volumes, and of reducing the weights and measures of other countries to our own, could be performed by clerks. To any individual who might attempt it, it must be a work of great labour and difficulty, and there are few persons possessing the varied knowledge which such a task implies, whose talents might not be differently employed with more advantage to science. It is also certain that such an assemblage of facts, emanating from the collected judgment of many, would naturally command greater attention than if it were the produce of any single individual, however eminent.

It appears, then, that such a work is particularly fitted to be the production of a body of men of science, and I would appeal to the great academies of Europe whether they would not, by combining in one volume so vast a collection of facts, confer an important advantage upon science and upon all who are occupied with its pursuits. I would suggest that three of the academies of Europe, perhaps the Royal Society, the Institute of France, and the Academy of Berlin, should each publish at intervals of six years their own table of the Constants of NATURE AND ART. Thus these publications might succeed each other at intervals of two years, and the man of science would always be able to refer to the most recent determinations of the constants he employs.

In order to execute the work, sub-committees of one or two persons must be appointed to each department, who should be directed in the first instance to prepare the outline of the constants they propose to insert. These views should then be considered and classed by a small committee, consisting of persons of general views and of various knowledge. The sub-committee should then collect and reduce to certain standards the constants committed to them, and the whole should be printed under the general superintendance of the committee, but each part should be specially revised by its own sub-committee.

A preface should be prepared, stating as shortly as possible the reasons for preferring or rejecting particular experiments or observations, and also, generally, the degree of accuracy the several subjects admit of. A good and concise system of references should be made to all the authorities for the numbers given. Whoever should undertake the first work of this kind would necessary produce it imperfect; partly from omission, and partly from the many facts connected with natural history, which, although measured by number, have not yet been counted.

But this very deficiency furnishes an important argument in favour of the attempt. It would be desirable to insert the heads of many columns, although not a single number could be placed within them, — for they would thus point out many an unreaped field within our reach, which requires but the arm of the labourer to gather its produce into the granary of science.

It is, however, to be hoped that no fear of the imperfection of a first attempt will deter either any individual or any body of men from an immediate endeavour to produce a work fraught with so many advantages to knowledge. The task of revising it at each period of six years will be comparatively easy, and the discussions of new observations or additional experiments made during those intervals, will have an admirable effect in exciting the ambition of the inquirers, to bestow such care as shall claim for their results a place in the volume, in which the academy shall record the condensed expression of the knowledge of their age and nation.

If I should be successful in inducing any scientific academy to enter in the task, I am confident that many a weary hour, now wasted in the search for existing knowledge, will be devoted to the creation of new, and that it will thus call into action a permanent cause of advancement towards truth, continually leading to the more accurate determination of established facts, and to the discovery and measurement of new ones.

