

**A retail price list of herbs, roots, barks, and botanic medicines ... to be had at Dale's Botanic Medical Hall ... Glasgow.**

**Contributors**

Dale's Botanic Medical Hall (Glasgow)  
University of Glasgow. Library

**Publication/Creation**

Glasgow, 1880.

**Persistent URL**

<https://wellcomecollection.org/works/czg8xr89>

**Provider**

University of Glasgow

**License and attribution**

This material has been provided by This material has been provided by The University of Glasgow Library. The original may be consulted at The University of Glasgow Library. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

A RETAIL PRICE LIST  
OF  
HERBS, ROOTS, BARKS,  
AND  
BOTANIC MEDICINES,

WITH THEIR

English and Botanical Names, Properties, and Uses Explained,

TO BE HAD AT

DALE'S BOTANIC MEDICAL HALL,  
40 QUEEN STREET, GLASGOW.

Since the year 1870 this Establishment has been under the  
management of the original founder,

MR. RICHARD JOHNSON,

who, in the year 1849, introduced into Glasgow the modern system  
of Medical Botany as practised by Dr. Thomson in America, and  
Dr. Coffin in England. In the year 1853 Dr. Dale succeeded to Mr.  
Johnson's business, then in Buchanan Street, and, as above stated,  
in 1870, now ten years ago, Mr. Johnson resumed again, thus being  
both predecessor and successor to the late Dr. Dale.

ESTABLISHED 1849.

" In the field, in the forest, by mountain and stream,  
Grow herbs of rare virtue, though humble they seem ;  
We've gathered the choicest, we've culled the most rare,  
From the east, from the west, and our land fair ;  
We bring them for healing ; they smell of dear health ;  
They cost nought but kneeling ; they're God's gifts of wealth ;  
Then take them, ye weakly—then take them, ye low,  
Right kindly and meekly for you they did grow."

GLASGOW :

PRINTED BY H. NISBET, 38 STOCKWELL STREET.

1880.



# LIST OF HERBS

USED IN THE

## MODERN BOTANIC PRACTICE.

- Agrimony,** *Agrimonia eupatoria,* Ast. Ton. Diu.  
Used in fevers, coughs, bowel complaints, asthma, diseases of the kidneys and liver.
- Almonds, Bitter,** *Amygdalus communis,*  
Useful with other articles in a debilitated state of the stomach and bowels.
- Angelica, Leaves,** *Archangelica,* Stim. Arom. T  
For colics, colds, and for producing perspiration.
- Angelica, Root and Seeds,** *Archangelica,* Stim. Arom. T  
For same purposes as leaves, but more powerful in effect.
- Asafoetida, Gum,** *Perula asafoetida,* A-spas. E  
To quiet nervous irritability, relieve spasms, cramps, &c.
- Avens Root,** *Geum rivale,* Ton. Ast. St  
Valuable in debility, dyspepsia, internal bleedings, relax, &c.
- Balm, Lemon,** *Melissa officinalis,* Feb. Diu. M  
Infusion excellent as a drink in fevers, and for allaying headache.
- Balmoney,** *Chelone glabra,* A-bil. Ton. Ver. A  
For indigestion, affections of the liver, and for expelling worms.
- Barberry Bark,** *Berberis vulgare,* A-scor. Ref. Ton. A-  
For correcting the secretions of the liver, jaundice, indigestion, &c.
- Bayberry, Bark of Root,** *Myrica cerifera,* Ast. Stim. I  
Most effectual in removing canker from the stomach and bowels, and unequalled in scurvy, scrofula, and ulcers.
- Beth Root,** *Trillium latifolium,* Ast. Ton. A-  
Beneficial for bloody urine, excessive female evacuations, &c.
- Bistort Root,** *Polygonum bistorta,*  
Useful in hemorrhages or fluxes, externally or internally.
- Bitter Root,** *Apocynum androsæmifolium,* Ton. C  
For liver complaints and dropsy, to remove costiveness, and correct digestion.
- Blackberry, Bark of Root,** *Rubus occidentalis,* Ast. T  
Effectual in diarrhoea, useful in consumption and wastings.
- Black Snake Root, (See COHOSH, Black.)**
- Blood Root,** *Sanguinaria canadensis,* Eme. Emm. E  
Used in pulmonary affections, scarlet fever, jaundice, &c.
- Bogbean,** *Menyanthes trifoliata,* Ton. Deo. A-s  
Used in scurvy and cutaneous eruptions, and all diseases arising from obstructions in the liver.
- Boneset,** *Eupatorium perfoliatum,* Sud. Ton. Eme. C  
Unequalled in fevers of every description—good in asthma, &c.
- Boxwood Bark,** *Cornus florida,* Ast. Ton. E  
To correct morbid state of stomach, and remove female weaknesses.
- Boxwood Flowers,** *Cornus florida,* Ast. Ton. S  
Highly serviceable in removing fluor t. bus, or whites.
- Bugle, Sweet,** *Lycopus virginicus,* Ast. Ton.  
Unequalled in ~~asthma~~ of blood, coughs, and ulcers of the lungs.



DR DALE'S HERB LIST.

<b>Burdock Root,</b>	<i>Arctium lappa,</i>	Diu. Her. A-scor.
In strong decoction for scurvy and eruptions, diseases of the kidneys, &c.		
<b>Burdock Seeds,</b>	<i>Arctium lappa,</i>	Diu. Ner. Ton.
Good for inflammation of the kidneys, epilepsy, spasmodic convulsions, &c.		
<b>Butternut, Extract of</b>	<i>Juglans cineria,</i>	Cath. Ton. Emm.
A good aperient, and a gentle cathartic for worms.		
<b>Calamus Root,</b>	<i>Acorus calamus,</i>	Arom. Stom.
Excellent in flatulence, colic, and wind in the stomach.		
<b>Chamomile Flowers,</b>	<i>Anthemis nobilis,</i>	Ton. Feb. Stom.
Good in dyspepsia, loss of appetite, colics, and general debility.		
<b>Caraway Seed,</b>	<i>Carum carui,</i>	Car. Arom.
A good ingredient in stomachic compounds.		
<b>Cardamom Seed,</b>	<i>Alpinia cardamomum,</i>	Arom. Stim.
Used as a corrector of purgative and tonic medicines.		
<b>Carrot Seed, Wild,</b>	<i>Daucus carota,</i>	Diu. Emm.
Given in stranguary, calculus, or stone, and other affections of the kidneys, bladder, and uretha.		
<b>Catnep,</b>	<i>Nepeta cataria,</i>	Stom. Car. Sud.
For colds, suppressions, fevers, and induce perspiration.		
<b>Cayenne Pepper, African,</b>	<i>Capsicum annum,</i>	Stim. Car. Ton.
The strongest and purest stimulant known, and universal in its application where stimulants are required, being free from inflammatory action. (This of course only applies to the unadulterated article,—that sold as cayenne in the apothecaries' shops, generally consists of pepper, salt, logwood, red lead, and other ingredients.)		
<b>Centaurry,</b>	<i>Chironia centaurium,</i>	A-bil. Ton.
Good in dyspepsia, jaundice, liver complaints, and scurvy.		
<b>Cherry Tree Bark, Wild,</b>	<i>Prunus virginiana,</i>	Feb. A-scor. Ton.
Excellent in combination for purifying the blood, and affections of the bladder.		
<b>Chenopodium,</b>	<i>Potentilla reptans,</i>	Feb. Ast. Ton.
Highly serviceable in fevers and ague, bowel complaints, &c.		
<b>Cleavers, (also Cleavers,)</b>	<i>Gallium aparine,</i>	Diu. Sud.
Good in gravel, dropsy, fevers, obstructions, and eruptions.		
<b>Clover Flowers, Red,</b>	<i>Trifolium pratense,</i>	Acr. Deo.
The extract good for cancer and ulcers.		
<b>Cloves,</b>	<i>Eugenia caryophyllata,</i>	Arom. Car.
For flatulency, dyspepsia, and to correct the action of purgatives, &c.		
<b>Black,</b>	<i>Macrotys racemosa,</i>	Deo. Emm. Stim.
Serviceable in rheumatism, female obstructions, glandular swellings, hooping cough, &c.		
<b>Blombo Root,</b>	<i>Coculus palmatus,</i>	A-bil. Ton.
Excellent for weak stomachs, for jaundice, and disordered liver.		
<b>Blutsfoot Flowers,</b>	<i>Tussilago farfara,</i>	Exp. Pec. Dem.
Esteemed in coughs, asthma, and consumption.		
<b>Bumfrey Root,</b>	<i>Symphitum officinalis,</i>	Pec. Dem. Bal.
Valuable in dysentery, gleet, diseases of the bladder, kidneys, and bowels.		
<b>Briander Seed,</b>	<i>Coriandrum sativum,</i>	Car. Stom.
An excellent carminative in stomachic compounds.		
<b>Cranesbill,</b>	<i>Geranium maculatum,</i>	Styp. Ast. Ton.
A well established remedy for diarrhoea, hemorrhage, and fluor albus.		
<b>Cubebs,</b>	<i>Piper cubeba,</i>	Arom. Car. Diu. Ton.
Good in compounds for gonorrhoea, gleet, seminal weakness, &c.		



- Curcuma,** *Curcuma longa,* Feb. Diu. T.  
Good for debilitated stomach and liver, fevers, &c.
- Dandelion Root,** *Leontodon taraxacum,* Deo. Diu. Aper. T.  
A favourite remedy in diseases of the liver, gravel, and constipation.
- Dock Root, Yellow,** *Rumex Crispus,* Ton. Deo. H.  
Highly serviceable in diseases of the skin and scrofulous disorders.
- Dock Root, Water,** *Rumex aquaticus,* Ast. Dia. Deo. H.  
Good in scurvy, cutaneous eruptions, and cancerous tumours.
- Dove's Foot,**—(See CRANESBILL.)
- Elder Bark,** *Sambucus nigra,* Diu. Deo. Sud. H.  
Used in obstinate glandular obstructions and dropsy.
- Elder Flowers,** *Sambucus nigra,* Alt. Sud. H.  
Infusion popular for erysipelas, fevers, rheumatism, colds, &c.
- Elecampane Root,** *Imula helenium,* Exp. Ast. St.  
Useful in coughs, colds, and pulmonary affections.
- Elm Bark, Slippery, American,** *Ulmus fulva,* Emol. Diu. Dem. T.  
Used in urinary and bowel complaints, scurvy, and inveterate eruptions, inflammations, as a diet in fevers, and externally in poultices.
- Elm Bark, British,** *Ulmus campestris,* Emol. Diu. Dem. T.  
Properties analogous to the American, but much less active.
- Featherfew, (FEVERFEW,)** *Crysanth. parthenium,* Ner. Stom. S.  
Serviceable in female obstructions, and hysteric complaints.
- Fern, Female, (Polypody,)** *Aspidium filix femina,* Pec. D.  
Good in lumbago, and in syrup for coughs.
- Fern, Male,** *Aspidium filix mas,* Ver. Ton. A.  
Considered a good remedy for tape worm.
- Frostwort,** *Cistis canadensis,* Deo. Ast. T.  
Of great value in scrofulous affections, as a poultice, and a tea.
- Garlic,** *Allium Sativum,* Stim. Exp. T.  
Beneficial in feeble digestion, chronic catarrh, asthma, &c.
- Gentian Root,** *Gentiana lutea,* Ton. Stom. A.  
Of great celebrity in dyspepsia, hysterics, &c.
- Ginger Root,** *Amomum zingiber,* Stim. Car. St.  
Given in dyspepsia, flatulent diseases, tonic compounds, &c.
- Golden Seal,** *Hydrastis canadensis,* Ton. A-bil. S.  
An excellent tonic and corrective of bile and bilious habits.
- Goldthread** *Coptis trifolia,* Stom. Ton.  
Excellent to restore the appetite and strength after fevers.
- Goosefoot, (WORMSEED,)** *Chenopodium anthelminticum,*  
Very successful in expelling seat worms.
- Goose Grass,**—(See CLIVERS.)
- Ground Ivy,** *Glechoma hederacea,* Ast. Diu. T.  
Good for coughs and internal ulcers, and for purifying the blood.
- Guaiacum Chips,** *Guaiacum officinalis,* Stim. Dia.  
Strengthens the stomach, and cleanses the blood.
- Hemlock Spruce Fir, Bark,** *Pinus canadensis,* Ast. Ton.  
Good for diseases of the bladder and kidneys, and as a wash for old ulcers.



<b>Hollyhock Flowers,</b>	<i>Althea rosea,</i>	Ast. Dem.
Useful in all cases where a demulcent is requisite.		
<b>Horehound,</b>	<i>Marrubium, vulgare,</i>	Exp. Stim. Ton.
A well known remedy for coughs, highly serviceable in asthma.		
<b>Hyssop,</b>	<i>Hyssopus officinalis,</i>	Exp. Ceph.
Useful in humoral asthma, coughs, headache, &c.		
<b>Iceland Moss,</b>	<i>Lichen Icelandicus,</i>	Dem. Ton. Ast.
Used as medicine and diet in consumption.		
<b>Irish Moss,</b>	<i>Lichen carageen,</i>	Dem. Ton. Ast.
Properties and uses same as above.		
<b>Juniper Berries,</b>	<i>Juniperus communis,</i>	Diu. Car. Stim.
The infusion excellent for dropsies.		
<b>Ladies' Slipper</b> —(See VALERIAN, American.)		
<b>Life Everlasting,</b>	<i>Gnaphaleum polycephalum,</i>	Stom. Sud. Ast.
Excellent in quinsey, weak lungs, consumption, and fluor albus.		
<b>Lily, White Pond,</b>	<i>Nymphaea odorata,</i>	Pec. Emol. Ast. Ton.
Employed in scrofulous tumours, gleet, whites, &c.		
<b>Lily, Yellow Water,</b>	<i>Nuphar advena,</i>	Pec. Emol. Ast. Ton.
Use same as White Pond Lily.		
<b>Liquorice Root,</b>	<i>Glycyrrhiza glabra,</i>	Dem. Exp. Lax.
A useful ingredient in compounds for coughs, hoarseness, asthma, &c.		
<b>Liverwort,</b>	<i>Hepatica triloba,</i>	Ast. Dem. Pec. Deo.
Celebrated in bleeding at the lungs, consumption, coughs, and liver complaints.		
<b>Lobelia, Herb,</b>	<i>Lobelia inflata,</i>	Eme. Dia. Exp.
A most valuable emetic, and highly esteemed in asthma and other affections of the lungs.		
<b>Lobelia Seed,</b>	<i>Lobelia inflata,</i>	Eme. Dia. Exp.
Properties same as herb, but much stronger.		
<b>Lungwort,</b>	<i>Variolaria faginea,</i>	Pec. Stom. Dem.
Used with much benefit in consumptions, coughs, and defluxion of the lungs.		
<b>Maidenhair,</b>	<i>Adiantum pedatum,</i>	Exp. Car. Stom.
Much esteemed in coughs, asthma, and disorders of the chest.		
<b>Male Fern</b> —(See FERN, Male.)		
<b>Mandrake Root, (Amer,)</b>	<i>Podophyllum peltatum,</i>	Deo. Cath. A-bil.
Powerful in dropsies, liver complaints, venereal and scrofulous affections.		
N. B.—This is not the British Mandrake— <i>Atropa Mandragora.</i>		
<b>Marsh Mallow, Herb,</b>	<i>Althæa officinalis,</i>	Emol. Dem. Ast.
Serviceable in asthma, dysentery, and affections of the kidneys, also as fomentation and poultice to abate swellings, &c.		
<b>Marsh Mallow, Root,</b>	<i>Althæa officinalis,</i>	Emol. Dem. Ast.
Properties same as herb.		
<b>Marsh Rosemary Root,</b>	<i>Statice limonium,</i>	Ast. A-sep.
Beneficial in gleet, whites, canker, and sore throat.		
<b>Milfoil</b> (See YARROW.)		
<b>Mountain Flax,</b>	<i>Linum catharticum,</i>	Dem. Cath.
An excellent purge for children and adults.		
<b>Mugwort,</b>	<i>Artemisia vulgaris,</i>	Deo. A-bil. Ner. Emm
The infusion promotes perspiration, urine, <del>and</del> <del>the</del> menses.		



- Mustard Seed, White,** *Sinapis, alba,* A-scor. Stim. R.  
A good ingredient in compounds for dyspepsia, obstinate costiveness, dropsies, &c.
- Nettle Root,** *Urtica dioica,* Ast. T.  
Useful in incipient stages of consumption and bloody urine.
- Nutgalls,** *Quercus tinctoria,*  
A good ingredient in astringent ointments and gargles.
- Nutmegs,** *Myristica moschata,* Arom. Ast. Sto.  
Powder good in violent headaches, diarrhoeas, and dysenteries.
- Oak Bark, White,** *Quercus alba,* Ast. Ton. A-s.  
Beneficial as an astringent and antiseptic gargle and wash for putrid sore throat, and offensive ulcers, &c.
- Parsley Root,** *Apium petroselinum,* Ape. Dem. I.  
Highly esteemed in nephritic and dropsical affections.
- Peach Pits, or KERNELS,** *Amygdalis persica,* Ton. Sto.  
In syrup or tincture, good for strengthening the stomach and digestion.
- Pellitory of the Wall,** *Parietaria officinalis,*  
Excellent in stone, gravel, and suppression of urine.
- Pennyroyal,** *Mentha pulegium,* Car. Stim. Stom. Ar.  
A strong tea, good for suppressions of urine, obstructed menses, and the gravel; also for colics, and eruptive diseases in children.
- Peppermint,** *Mentha piperita,* Stom. Stim. S.  
Good in nervous affections of the stomach, flatulence, and to allay vomiting.
- Peruvian Bark,** *Cinchona officinalis,* Ton. J.  
Highly esteemed for want of appetite, general debility, &c.
- Pinus Canadensis,—** (See HEMLOCK SPRUCE FIR.)
- Pipsisseway,** *Chimaphila umbellata,* A-scor. Diu. S.  
An excellent purifier of the blood, and for rheumatism.
- Pleurisy Root,** *Asclepias tuberosa,* Dia. Sud. Ar.  
Beneficial in pleurisy, colic, and all flatulent disorders.
- Poke Root,** *Phytolacea decandria,* Deo. Cath.  
Valuable in rheumatic complaints, and for indolent tumours.
- Polypody,—** (See FERN, Female.)
- Pomegranate Bark,** *Punica granatum,* Ver. Ast. J.  
A specific for tape-worm.
- Poplar Bark, White,** *Populus tremuloides,* Ton. Arom.  
Excellent in diarrhoea, debility, and digestive complaints.
- Poplar Bark, Black,** *Populus balsamifera,* Ton. Arom.  
One of the best articles in use, for debility of the stomach and bowels.
- Prickly Ash Bark,** *Xanthoxylum fraxineum,* A-scor. Stim.  
Powerful in rheumatism, scurvy, paralysis, &c.
- Prickly Ash Seeds,** *Xanthoxylum fraxineum,* A-scor. Stim.  
Properties same as bark, but more powerful.
- Princess Pine,—** (See PIPSISSEWAY.)
- Quassia Chips,** *Quassia excelsor,*  
Useful in dyspeptic cases, and debilitated digestive organs.
- Queen of the Meadow, Root,** *Eupatoreum purpureum,* Diu. A.  
Most valuable in all cases of stranguary, gravel, stone dropsy, and impurities.



DR DALE'S HERB LIST.

<b>Queen's Delight, Root,</b>	<i>Stillingia sylvatica,</i>	Alt. Catr.
Valuable in ulcers, leprosy, and syphilis.		
<b>Raspberry Leaves,</b>	<i>Rubus strigosus,</i>	Ast. Ston.
A remedy for bowel complaints and canker, invaluable during childbirth.		
<b>Rhubarb Root,</b>	East India, <i>Rheum undulatum,</i>	Carm. Ast. Ape.
"	Turkey, " " "	" " "
A well known useful tonic and aperient.		
<b>Rosemary Leaves,</b>	<i>Rosemarinus officinalis,</i>	Ast. Ton.
Good in nervous and hysterical affections.		
<b>Rue,</b>	<i>Ruta graveolens,</i>	Ver. Ton. Diu. Stom.
Useful in epilepsy, hysterics, female obstructions, and as a stomachic.		
<b>Sage, Garden,</b>	<i>Salvia officinalis,</i>	Ast. Stim. Ner
Excellent to allay griping pains in children, and to quiet nervous excitement.		
<b>Sage, Wood or Mountain,</b>	<i>Teucrium scorodonia,</i>	Ton. Diu. Deo.
Excellent in removing obstructions from the kidneys and liver, &c.		
<b>Sarsaparilla, Jamaica,</b>	<i>Smilax Sarsaparilla,</i>	Alt. Dem. Deo.
Good for scrofulous, venereal, and eruptive diseases,		
<b>Sarsaparilla, American,</b>	<i>Aralia nudicaulis,</i>	Alt. Dem. Dec.
Properties same as Jamaica Sarsaparilla, and by some of the American botanists considered equally as good.		
<b>Sassafras Chips,</b>	<i>Laurus sassafras,</i>	Stim. Ape. Ton. Alt
Very good in rheumatic complaints and eruptive diseases.		
<b>Sassafras, Bark of Root,</b>	<i>Laurus Sassafras,</i>	Stim. Ape. Ton. Alt.
Properties same as chips, but much more powerful.		
<b>Scullcap,</b>	<i>Scutellaria laterifolia,</i>	Ton. Sud. Ner.
Remarkably efficacious in St Vitus' dance, convulsions, and lock-jaw.		
<b>Sienna Leaves,</b>	<i>Cassia acutifolia,</i>	Cath.
A valuable cathartic, operating mildly.		
<b>Skunk Cabbage Root,</b>	<i>Ictodes foetida,</i>	A-spas. Ner. Stim
Good for bleeding at the lungs, coughs, asthma, and obstructed menses.		
<b>Snakehead,</b> —(See BALMONY.)		
<b>Snake Root, Black</b> —(See COHOSH, Black.)		
<b>Snake Root, Virginia,</b>	<i>Aristolochia serpentaria,</i>	Ton. Dia. Sud
Promotes perspiration, and strengthens the stomach.		
<b>Solomon's Seal Root,</b>	<i>Convallaria multiflora,</i>	Ast. Dem. Bal
Good in fluor albus, and female weakness.		
<b>Sour Dock</b> —(See DOCK, YELLOW.)		
<b>Spearmint,</b>	<i>Mentha viridis</i>	Feb. Diu. Stim.
Allays nausea, and an excellent remedy in flatulence, gravel, and suppressions.		
<b>Spikenard,</b>	<i>Aralia racemosa,</i>	Pec. Bal. Stom.
Good in coughs, colds, and gout in the stomach.		
<b>Sumach Berries,</b>	<i>Rhus glabra,</i>	Ast. Ref. Diu.
Good in putrid fevers, and as a gargle in sore throat.		
<b>Sumach Leaves,</b>	<i>Rhus glabra,</i>	Ast. Ton. Diu.
An excellent addition to astringent compounds.		
<b>Tansey,</b>	<i>Tanacetum vulgare,</i>	Diu. Emm. Ver. Stom.
Good for feminine weaknesses, pains in the back and kidneys, &c.		
<b>Thoroughwort,</b> —(See BONESET.)		



**Thousand Leaf**—(See YARROW.)

**Toad Lily Root**—(See WHITE POND LILY.)

**Tormentil Root,** *Tormentilla erecta,* Ast. St. p  
A favourite remedy in looseness and bowel complaints.

**Trefoil**—(See BOGBEAN.)

**Tunhoof**—(See GROUND IVY.)

**Turnip, Wild**—(See WAKE ROBIN.)

**Unicorn Root,** *Helonias dioica,* Ton. Exp. Stom  
Highly serviceable in weakness of the generative organs, pains in the back and chest.

**Uva Ursi,** *Arbutus uva ursi,* Diu. Ast. Ton  
Efficacious in ulcerations of the kidneys and bladder.

**Valerian Root, American,** *Cypripedium pubescens,* Sed. Ner. And  
Applicable in all cases of nervous, hysteric, and spasmodic affections: considered by some writers as being much superior to the English Valerian.

**Valerian Root, English,** *Valeriana officinalis,* Ner. And  
Useful in all nervous and paralytic diseases.

**Vervain,** *Verbena hastata,* Sud. Ton. Eme. Diu  
Good in fevers, colds, scrofula, gravel, &c., and as an emetic.

**Virginia Snake Root,** *Aristolochia serpentaria,* Ton. Dia. Su  
Promotes perspiration, and strengthens the stomach.

**Wake Robin, Root,** *Arum tryphyllum,* Stim. Ex  
Valuable in coughs, colds, cramps, and consumptive affections.

**Water Dock, Root,** *Rumex aquaticus,* Ast. Dia. Deo. He  
Used in scurvy, scrofula, and diseases of the blood.

**Water Lily, Yellow,** *Nuphar advena,* Pec. Emol. Ast. Ton  
Properties and use same as White Pond Lily

**Water Lily**—(See WHITE POND LILY.)

**White Pond Lily, Root,** *Nymphae odorata,* Pec. Emol. Ast. Ton  
Employed in scrofulous tumours, gleet, whites, &c.

**Willow Bark,** *Salix alba,* Ton. As  
Superior to Peruvian Bark in intermittents, and as a general tonic.

**Wintergreen, Bitter**—(See PRINCESS PINE.)

**Witch Hazel Leaves,** *Hamamelis virginica,* Ton. Ast. He  
Useful in bowel complaints, hemorrhage, and painful tumours.

**Wood Sage,** *Teucrium scorodonia,* Ton. Diu. De  
Excellent for removing obstructions from the kidneys and liver, &c.

**Wormseed**—(See GOOSEFOOT.)

**Wormwood,** *Artemisia absinthium,* Ton. Stim. Ex  
Promotes the appetite and digestion, good in dyspepsia, &c.

**Yarrow,** *Achillea millefolium,* Sud. Ton. As  
An herb of universal application in the first stages of disease—it equalises the circulation, opens the pores, and removes obstructions.

**Yellow Dock,** *Rumex crispus,* Ton. Deo. H  
Highly serviceable in diseases of the skin and scrofulous disorders.



# DR DALE'S HERB LIST,

## ABBREVIATIONS AND PROPERTIES EXPLAINED.

- Alt.** . . . . .Alterative—changing the morbid actions of the secretions
- Ano.** . . . . .Anodyne—quieting, easing pain
- Anth.** . . . . .Anthelmintic—expelling or destroying worms
- A-bil.** . . . . .Anti-bilious—correcting the bile or bilious secretion
- A-scor.** . . . . .Anti-scorbutic—useful in scurvy
- A-sep.** . . . . .Anti-septic—preventing mortification
- A-spas.** . . . . .Anti-spasmodic—relieving spasms
- Ape.** . . . . .Aperient—opening
- Arom.** . . . . .Aromatic—agreeable, spicy
- Ast.** . . . . .Astringent—contracting the fibres or solids
- Bal.** . . . . .Balsamic—mild, healing, stimulant
- Car.** . . . . .Carminative—expelling wind
- Cath.** . . . . .Cathartic—purgative, cleansing the bowels
- Ceph.** . . . . .Cephalic—remedy for diseases of the head
- Dem.** . . . . .Demulcent—softening, and sheathing from the action of acrid substances
- Deo.** . . . . .Deobstruent—correcting the secretions, or removing obstructions
- Dia.** . . . . .Diaphoretic—producing insensible perspiration
- Diu.** . . . . .Diuretic—increasing the discharge of urine
- Dis.** . . . . .Discutient—dissolving, discussing
- Eme.** . . . . .Emetic—causing vomiting
- Emol.** . . . . .Emollient—softening, causing warmth and moisture
- Emm.** . . . . .Emmenagogue—promoting menstruation
- Exp.** . . . . .Expectorant—producing discharge from the lungs
- Feb.** . . . . .Febrifuge—dispelling fever, allaying fever heat
- Her.** . . . . .Herpetic—curing diseases of the skin
- Lax.** . . . . .Laxative—mild purgative
- Muc.** . . . . .Mucilaginous—glutinous, lubricating
- Ner.** . . . . .Nervine—strengthening the nerves
- Pec.** . . . . .Pectoral—useful in diseases of lungs and chest
- Ref.** . . . . .Refrigerant—cooling, mitigating heat
- Rub.** . . . . .Rubefacient—producing heat and redness of the skin
- Sed.** . . . . .Sedative—depressing the vital powers
- Sial.** . . . . .Sialogogue—promoting a flow of saliva
- Stim.** . . . . .Stimulating—exciting action, giving strength
- Stom.** . . . . .Stomachic—to excite the action of and strengthen the stomach
- Styp.** . . . . .Styptic—stopping bleeding
- Sud.** . . . . .Sudorific—causing sweat
- Ton.** . . . . .Tonic—permanently strengthening
- Ver.** . . . . .Vermifuge—destroying worms
- Val.** . . . . .Vulnerary—medicines which heal wounds



# RETAIL PRICE LIST

OF

## COMPOUND MEDICINES

Recommended to the Public as Reliable ones for the various  
Diseases for which they are advertised.

The following Medicines are all prepared (except where special directions are given) as follows :—A tea-spoonful of the powder with one of sugar is infused in a tea-cupful of boiling water, for from 10 to 30 minutes. They may be drunk warm or cold ; if to produce perspiration, warm. Composition, Anti-Cholera, and Sweating Powders, always warm. For children from 6 to 10 years of age, half the dose, less or more as the age varies under or above this.

	Per Oz.
COMPOSITION POWDER.—This powder is remarkable for its efficacy in obtaining an equilibrium in the circulation and warmth of the body, hence its universal applicability in any stage or form of disease. When used at the commencement of disease, it approaches the nearest to a panacea, or universal specific, of any compound ever discovered.....	s. d. 0 4
STOMACH BITTERS POWDER.—This powder is a strong tonic, strengthening digestion, and creating appetite ; will be found excellent for those who are suffering from indigestion, pains in the stomach, or any form of dyspepsia, &c.....	0 4
SPICED STOMACH BITTERS.—Possessing the same properties as the above, but particularly designed for females, and others of a very debilitated habit.....	0 6
LAXATIVE STOMACH BITTERS.—For indigestion, accompanied with costiveness, foulness of the stomach, habitual costiveness, headache, pain at the stomach, acidity, and flatulence.	0 6
ANTI-BILIOUS POWDER.—For bile in the stomach, liver complaint, sallow complexion, jaundice, pain in the right side striking through the back, foul urine, &c.....	0 6
WOMAN'S FRIEND.—This powder is a most excellent article for women at the change of life, Prolapsus Uteri (falling at the womb), and all feminine weaknesses and irregularities.....	0 6
MOTHER'S FRIEND.—Is a specific for excessive menstrual discharge, flooding after childbirth, too frequent returns of the menses, debility of the womb, whites, pain in the loins during pregnancy, and tendency to miscarriage. When using it, take a warm water foot-bath, with salt in it, at bed-time.....	0 6
FEMALE CORRECTIVE POWDER.—Is for procuring the usual menstrual discharge, when from cold or other accidental causes, it is suppressed. Use the warm hip or foot bath at bed-time along with it.....	0 6



- ANTI-SCORBUTIC POWDER.—This removes scurvy, erysipelas, scrofulous affections, and cutaneous eruptions..... 0 4
- NERVE POWDER.—Designed to strengthen the nervous system, removing the tremors and other disagreeable sensations attending a relaxed condition thereof..... 0 4
- PURGE POWDER.—Has become well known to our friends as the most agreeable and effectual purge ever taken for costiveness, foul state of the bowels, in the first stages of diarrhœa and dysentery, in fever, or on other occasions. A tea-spoonful prepared in a large cup of boiling water, drunk cold on an empty stomach..... 0 6
- DIURETIC POWDER.—An efficient remedy in all cases where an increased action of the urinary organs is requisite, to enable them to throw off the obstructions induced or caused by stone, gravel, or stricture, and also to allay inflammation in the kidneys, ureters, bladder, or urethra, and for Dropsy..... 0 6
- ANTI-CHOLERA POWDER.—This is a safe and specific remedy in all cases of diarrhœa, cholera, or disease arising from the miasmata of decaying animal and vegetable matter. That dreadful scourge, the Asiatic Cholera, speedily gives way to its powerful health-restoring properties..... 0 6
- ANTI-DYSENTERIC POWDER.—Is an unfailing remedy for Dysentery..... 0 6
- WORM POWDER.—An excellent combination for the destruction and expulsion of every description of worm from the system. Dose, for a child from two to four years of age, one-third of a tea-spoonful in a little treacle or honey; from four to seven years, half a tea-spoonful; from seven to twelve, two-thirds of a tea-spoonful; twelve and upwards, a tea-spoonful, either in treacle or water; to be taken at night and morning..... 0 4
- BOTANIC TOOTH POWDER.—The importance of cleansing the teeth is too frequently overlooked, and in other cases injurious articles are used for that purpose. This tooth powder has received the highest encomiums from parties who have had the opportunity of using it. It removes and prevents the accumulation of tartar, and eradicates all tendency to scurvy in the gums..... 0 6
- ANTI-DYSPEPTIC CONSERVE, OR BREAD OF LIFE.—It is extremely beneficial in dyspepsia or indigestion, loss of appetite, sore throat, and general debility, and consumptive habits. It is also very beneficial to parties troubled with asthma, and other diseases of the chest or lungs. A piece about the size of a small nut or almond to be dissolved in the mouth and swallowed, and repeated three or four times a day. 0 3
- PULMONIC LOZENGES.—These antiseptic, expectorant, balsamic, pectoral lozenges are for the asthmatic, consumptive, and others who have irritating coughs, arising from cold, &c. Frequently put into the mouth to soften and allay the cough, and heal the internal soreness..... 0 3



- COUGH SYRUP.—This is a very effectual preparation for removing coughs and hoarseness ; by producing an easy discharge of the accumulated mucous through expectoration. Whooping-cough and asthma are cured by it. Dose for adults, one tea-spoonful, three or four times a-day ; for children in proportion, according to age..... 0 2
- COUGH POWDER.—(*Thomson's Recipe.*)—This is a very efficient remedy, and has been found successful in many cases where other preparations have failed. Dose for an adult, one tea-spoonful of the powder, mixed in a little treacle, honey, or, what is still better, black currant jelly—to be taken three or four times a-day..... 0 6
- RHEUMATIC POWDER.—This is a remedy for rheumatism in any stage, if used with the vapour bath and rheumatic drops or liniment, it may be relied upon as the best medicine known for this painful disease..... 0 6
- RHEUMATIC DROPS.—This is an excellent internal and external application for rheumatic pains. Internal dose, a tea-spoonful in a cupful of decoction of yarrow or prickly ash, three times a-day ; externally, bathe the affected parts morning and evening, and during the day when the pain is severe..... 0 6
- HEALING SALVE.—This article is employed to allay irritation, and for cleaning and healing scorbutic and other eruptions. Excellent for burns and scalds where the skin is off, and the exposed part becomes sore..... 0 4
- PILE OINTMENT.—A very successful application, either for internal or external piles. A decoction of yarrow and sarsaparilla, freely drank, will expedite the cure..... 0 6
- CAMPHORATED OINTMENT.—Is a superior remedy for scrofulous sores, ulcers, many kinds of eruptions, pimples, chapped lips and hands, &c. Apply it spread on lint to ulcers, &c., and anoint eruptions, &c., with it twice a-day.. 0 6
- BOTANIC APERIENT AND TONIC PILL.—As a general family medicine, this pill will bear comparison with any com-p. doz. pound now before the public..... 0 2
- PURIFYING COMPOUND SARSAPARILLA DECOCTION.  
—For cleansing the system of all scorbutic and cankerous humours, pimples, eruptions on the skin, and venereal p. bot. taints. .... 1. 6
- TONIC DECOCTION.—Effectual in restoring the tone of the digestive organs, promoting appetite, expelling wind, removing flatulence, and relieving nervous debility..... 1 3
- TOOTHACHE DROPS.—This agreeable anodyne instantly relieves toothache, and contains neither creosote, ammonia, nor any corrosive mineral whatever, which do incalculable mischief to the teeth and gums..... 0 6
- SPERMATIC DROPS.—After trying a score of remedies, the Treisemar included, patients affected with debility of the generative organs, &c., have obtained a cure from the use of this medicine ; we believe it to be, of all medicines known,



the most beneficial for this disease, and it is perfectly free from any deleterious quality. Sold in bottles, 5s. each. One to two tea-spoonfuls twice a-day in a table-spoonful of water. Try it.

POULTICE POWDER.—This is the finest, softest, most soothing poultice yet discovered, for all kinds of inflamed sores, from inflamed eyes to cancerous tumours; it is chiefly composed of American Slippery Elm..... p. oz. 0 3

HIVE SYRUP.—An excellent remedy for hives, and being very agreeable to take, is highly commendable.... 0 2

DANDELION COFFEE.—When pure and properly prepared from the *Leontodon Taraxacum*, is a wholesome beverage, suitable for common use, and more especially for those affected with Habitual Costiveness, Bilioussness, and Indigestion, for which it has been recommended by medical men of the highest standing. It is infused in the same way as *Coffea Arabica*, and is equally pleasant to most palates. 2s. per pound.

---

#### DIRECTIONS FOR VAPOUR BATH.

As our directions for administering a domestic Vapour Bath, given in the previous editions of this list, have been acknowledged to be of much service to many, we repeat them. Obtain two common bricks, heat them on the fire,—a chair (cane or open-bottomed, if you have it)—let the patient sit upon it divested of his clothes,—a pair of blankets,—inclose him and the chair in them, from his neck over his feet,—a shallow tub or pan, place it under the chair, put into it a hot brick, pour around it hot water till it is half covered,—drop the blanket corners, and keep in the steam,—have some tea made of Composition Powder and Yarrow, give the patient a small tea-cupful every ten minutes,—and let him remain in the bath from 20 to 30 minutes. If the steam raised by the first brick be not enough to produce *free perspiration*, add the other; if that be insufficient, pour on the dry sides of the brick a little vinegar. If the patient feels faint, bathe his forehead with a little vinegar and water, equal parts, and on all occasions, when he comes out of the bath, sponge him all over quickly with vinegar and water, or salt water, and rub briskly with a towel, dress quickly and go to bed; if an Emetic is to follow, either take it in bed or well wrapped up by the fireside. For a severe cold or a fever, the Vapour Bath and Herb Tea are invaluable.



	PER OZ.			PER OZ.	
	s.	d.		s.	d.
Almonds, Bitter, . . . . .	0	1½	Cohosh Root, Black, . . . . .	0	3
Aloes, Socrotrine, pulv. . . . .	0	6	Do. do. pulv. . . . .	0	4
Angelica Root, . . . . .	0	2	Colombo Root, . . . . .	0	2
Do. do. pulv. . . . .	0	3	Do. pulv. . . . .	0	3
Do. Seeds, . . . . .	0	3	Coltsfoot Flowers, . . . . .	0	3
Do. do. pulv. . . . .	0	4	Comfrey Root, . . . . .	0	2
Avens Root, . . . . .	0	2	Do. pulv. . . . .	0	3
Do. do. pulv. . . . .	0	3	Coriander Seeds, . . . . .	0	1
Balmony Herb, . . . . .	0	3	Cubebs, pulv. . . . .	0	4
Do. do. pulv. . . . .	0	4	Curcuma, pulv. . . . .	0	3
Barberry Bark, . . . . .	0	3	Dandelion Root, . . . . .	0	1½
Do. do. pulv. . . . .	0	4	Do. do. pulv. . . . .	0	3
Bayberry, <i>Bark of Root</i> , . . . . .	0	3	Do. do. extract, . . . . .	0	6
Do. do. pulv. . . . .	0	4	Dock Root, Yellow, . . . . .	0	2
Beth Root, . . . . .	0	3	Do. pulv. . . . .	0	3
Do. pulv. . . . .	0	4	Do. Water, . . . . .	0	2
Bistort Root, . . . . .	0	2	Do. pulv. . . . .	0	3
Do. pulv. . . . .	0	3	Elder Bark, . . . . .	0	3
Bitter Root, . . . . .	0	3	Elder Flowers, . . . . .	0	3
Do. pulv. . . . .	0	4	Elecampane Root, . . . . .	0	2
Blackberry Bark, . . . . .	0	3	Do. pulv. . . . .	0	3
Do. do. pulv. . . . .	0	4	Fern Root, Male, . . . . .	0	3
Blood Root, . . . . .	0	3	Do. pulv. . . . .	0	4
Do. pulv. . . . .	0	4	Frostwort, Herb, . . . . .	0	2
Boneset, Herb, . . . . .	0	3	Do. pulv. . . . .	0	3
Do. do. pulv. . . . .	0	4	Garlic, . . . . .	0	1
Boxwood Bark, . . . . .	0	5	Gentian Root, . . . . .	0	1
Do. do. pulv. . . . .	0	6	Do. pulv. . . . .	0	2
Boxwood Flowers, . . . . .	0	6	Ginger Root, Jamaica, . . . . .	0	1½
Bugle Sweet, Herb, . . . . .	0	3	Do. do. pulv. . . . .	0	2
Do. do. do. pulv. . . . .	0	4	Goldthread, . . . . .	0	4
Burdock Root, . . . . .	0	2	Golden Seal Root, . . . . .	0	3
Do. do. pulv. . . . .	0	3	Do. do. pulv. . . . .	0	4
Burdock Seed, . . . . .	0	3	Goosefoot (Wormseed), . . . . .	0	2
Do. do. pulv. . . . .	0	4	Do. pulv. . . . .	0	3
Calamus Root, . . . . .	0	2	Guaiacum Chips, . . . . .	0	1
Do. do. pulv. . . . .	0	3	Do. pulv. . . . .	0	2
Camomile Flowers, . . . . .	0	2	Gum Arabic, . . . . .	0	2
Carraway Seed, . . . . .	0	1	Do. pulv. . . . .	0	3
Cardamon Seed, . . . . .	0	10	Gum Myrrh, pulv. . . . .	0	4
Carrot Seed, Wild, . . . . .	0	2	Holyhock Flowers, . . . . .	0	3
Do. do. pulv. . . . .	0	3	Do. pulv. . . . .	0	4
Catnep, Herb, . . . . .	0	2	Juniper Berries, . . . . .	0	1
Do. pulv. . . . .	0	3	Do. pulv. . . . .	0	2
Cayenne Pep. Pods(Afric.) . . . . .	0	3	Life Everlasting Herb, . . . . .	0	3
Do. do. pulv. . . . .	0	4	Do. pulv. . . . .	0	4
Cherry Tree Bark, . . . . .	0	3	Lily, White Pond, Root, . . . . .	0	2
Do. do. pulv. . . . .	0	4	Do. do. pulv. . . . .	0	3
Cinnamon Bark, . . . . .	0	3	Liquorice Root, . . . . .	0	1½
Do. pulv. . . . .	0	4	Do. pulv. . . . .	0	3
Cloves, . . . . .	0	3	Liverwort, Herb, . . . . .	0	3
Do. pulv. . . . .	0	4	Do. pulv. . . . .	0	4



	PER Oz.			PER Oz.	
	s.	d.		s.	d.
Lobelia Inflata, Herb,	0	4	Sarsaparilla,	0	3
Do. pulv.	0	5	Do. pulv.	0	4
Lobelia Seed,	0	6	Sassafras Chips,	0	1
Do. pulv.	0	7	Do. pulv.	0	2
Lungwort, Herb,	0	3	Sassafras, Bark of Root,	0	3
Do. pulv.	0	4	Do. pulv.	0	4
Maidenhair, Herb,	0	3	Skullcap Herb,	0	5
Mandrake Root,	0	4	Do. pulv.	0	6
Do. pulv.	0	5	Senna Leaves,	0	2
Marsh Mallow Root,	0	2	Do. pulv.	0	3
Do. pulv.	0	3	Skunk Cabbage Root,	0	3
Mountain Flax,	0	2	Do. pulv.	0	4
Mustard Seed, White,	0	1	Slippery Elm Bark,	0	2
Mustard, D.S.F.,	0	1½	America,		
Mullein Leaves,	0	2	Do. do. pulv.	0	3
Nutmegs,	0	6	Solomon's Seal Root,	0	2
Do. pulv.	0	7	Spanish Juice,	0	1
Oak Bark, White,	0	1	Spikenard Root,	0	3
Do. pulv.	0	2	Do. pulv.	0	4
Parsley Root,	0	2	Sumach Berries,	0	3
Do. pulv.	0	3	Do. Leaves,	0	3
Peruvian Bark,	0	4	Do. do. pulv.	0	4
Do. pulv.	0	5	Sweet Bugle, Herb,	0	3
Pinus Canadensis, Bark,	0	3	Do. pulv.	0	4
Do. do. pulv.	0	4	Tormentil Root,	0	2
Pipsisseway, or Princess } Pine, Herb, }	0	3	Do. pulv.	0	3
Do. do. pulv.	0	4	Unicorn Root,	0	5
Pleurisy Root,	0	3	Do. pulv.	0	6
Do. pulv.	0	4	Uva Ursi Leaves,	0	2
Poke Root,	0	3	Do. pulv.	0	3
Do. pulv.	0	4	Valerian Root, America,	0	4
Pomegranate, Bark of Root	0	5	Do. pulv.	0	5
Do. pulv.	0	6	Do. British,	0	3
Poplar Bark, White,	0	2	Do. pulv.	0	4
Do. pulv.	0	3	Virginia Snake Root,	0	3
Prickly Ash Bark,	0	3	Do. do. pulv.	0	4
Do. pulv.	0	4	Wake Robin Root,	0	3
Prickly Ash Seed,	0	4	Do. pulv.	0	4
Do. pulv.	0	5	Water Dock Root,	0	2
Quassia Chips,	0	1	Do. pulv.	0	3
Do. pulv.	0	2	White Pond Lily Root,	0	2
Queen of Meadow Root,	0	3	Do. do. pulv.	0	3
Do. do. pulv.	0	4	Wintergreen, Bitter,	0	3
Queen's Delight Root,	0	5	Do. pulv.	0	4
Do. pulv.	0	6	Wild Carrot Seed,	0	2
Raspberry Leaves,	0	1½	Do. pulv.	0	3
Do. pulv.	0	3	Willow Bark,	0	3
Rhubarb, pulv., Turkey,	1	0	Do. pulv.	0	4
Rosemary Leaves,	0	3	Witch Hazel Leaves,	0	3
Rosenoble,	0	1½	Do. pulv.	0	4



Yarrow, Hyssop, Horehound, and other Common British Herbs, and Roots, from 1*d.* to 2*d.* per Ounce. Supplied in powder at 2*d.* and 3*d.* per Ounce.

Per Oz.

	<i>s. d.</i>
Acid of Lobelia, . . .	0 3
„ Cayenne, . . .	0 3
Hive Syrup, . . .	0 2

ESSENCES.

Peppermint, Spearmint, Pennyroyal, etc., at 6*d.* per Ounce.

ESSENTIAL OILS

Of Peppermint, Spearmint, Pennyroyal, Thyme, Cloves, Camomile, Rosemary, Aniseed, Juniper, Cubeb, Sassafras, Pinus, etc., of the finest quality, market prices.

SPIRITUOUS TINCTURES.

	Per Oz.
	<i>s. d.</i>
Tinct. Myrrh, . . .	0 6
„ Tolu, . . .	0 6
„ Horehound, . . .	0 6
„ Peruvian Bark, . . .	0 6
„ Lobelia, . . .	0 6
„ Cayenne, . . .	0 6
„ Rheumatic, . . .	0 6
„ Nervine, . . .	0 6
„ Tonic, . . .	0 6
„ Anti-Spasmotic, . . .	0 6
„ Third Preparation, . . .	0 6

PILLS.

Cayenne, — Indian, — Rhubarb, — Tonic, Aperient, and Anti-Bilious— 2*d.* per dozen.

Nervous, Rheumatic, Diuretic, Lobelia, and Pile Pills, 3*d.*

Podophyllin Pills, 4*d.*

PEWTER SYRINGES.

	<i>s. d.</i>
Half Ounce, Male, each	0 4
One Ounce, Male, „	0 6
One Ounce, Female, „	0 6
Two Ounce, Male, „	1 0

Glass Syringes of the above sizes.

Enema Syringe, with Elastic Tube, for self or nurse's use, to inject any quantity without withdrawal, in neat boxes, 8*s.* each. Superior do., 15*s.*

Suspensory Bandages for Hydrocele, or Rupture of Scrotum, Web, 1*s.* each.

Do. do. Cotton, Net and Silk, 2*s.* each.

Trusses, good and cheap.


WORKS ON MEDICAL BOTANY.

Dale's Principles and Practice of the Botanic System of Medicine, . . . . . cloth,	£0 2 6
Do. do. do. wrapper,	0 2 0
Coffin's Guide to Health, . . . . .	0 6 0
Coffin's Treatise on Midwifery, . . . . .	0 3 6
Skelton's Family Medical Adviser, . . . . .	0 2 6

SPECIAL NOTICE.

A number of intelligent farmers and horsekeepers have of late used our Composition Powder, and other of our Botanic Medicines, in the various diseases to which cows and horses are liable, with perfect satisfaction. Those who have an interest in the health and lives of cattle will find it to their advantage to have recourse to these remedies.







TIGHT

GUTTERS.