## Observations on the external use of preparations of lead, with some general remarks on topical medicines / [John Aikin].

#### **Contributors**

Aikin, John, 1747-1822.

#### **Publication/Creation**

London: J. Johnson, 1772.

#### **Persistent URL**

https://wellcomecollection.org/works/nb93fams


#### License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org




10,405/13

pp 105-109 wanting Catchword on p. 104 pasted or





Digitized by the Internet Archive in 2018 with funding from Wellcome Library



# **OBSERVATIONS**

ON THE EXTERNAL USE OF

## PREPARATIONS OF LEAD,

WITH SOME GENERAL REMARKS

ON

## TOPICAL MEDICINES.

By JOHN AIKIN, SURGEON.

THE SECOND EDITION, CORRECTED,

With a POSTSCRIPT.

- Sunt certi denique fines.

#### LONDON:

Printed for Joseph Johnson, No. 72, St. Paul's Church-Yard.

MDCCLXXII.



# JOHN FYSHE PALMER M. D.

OF PETERBOROUGH

THESE OBSERVATIONS

ARE INSCRIBED

AS AN OFFERING OF GRATITUDE

TO PRIVATE FRIENDSHIP

AND A TRIBUTE OF ESTEEM

TO DISTINGUISHED ABILITIES

BY HIS AFFECTIONATE FRIEND

AND OBLIGED HUMBLE SERVANT

JOHN AIKIN

CHESTER, Jan. 1. 1771.

попологатия

# CONTENTS.

#### INTRODUCTION.

#### PART I.

Sect. 1. On the Medicinal Preparations of Lead.

Sect. 2. On the Penetrability of Saturnine Topics.

Sect. 3. On the Primary Effects of Saturnine Topics.

Sect. 4. On the Repellent Quality of Saturnine Topics.

Sect. 5. On Emollient Topics.

### PART II.

Sect. 1. On Inflammations.

Sect. 2. On Ulcers.

Sect. 3. On Anchyloses.

Sect. 4. On the Herpes and Itch.

Sect. 5. On Hernia.

Sect. 6. On the Action of Bougies.

CONCLUSION.

# CONTENTS.

INTRODUCTION.

## I THAM

Soft. 1. On the National Preparations of Load.

Soft: 2. On the Primary Effects of Saturniae Topics.

Soft. 3. On the Primary Effects of Saturniae Topics.

Soft. 4. On the Repolices Sydley of Saturniae Topics.

Soft. 4. On the Repolices Sydley of Saturniae Topics.

## PARTI

Sect. 1. On Indamentions.

Sect. 2. On Viers,

Sect. 19. On Anthyldes.

Sect. a. On the Herpes and Helb

Sect. 5. On Homie.

Soft. 6. On the Allien of Brugier

CONCLUSION

## INTRODUCTION.

HERE is in human nature an enthusiasm constantly arising from the pursuit of any favourite object, which in some measure prejudices the judgment of the coolest and most temperate men, and in spite of themselves biasses their opinion, and influences their representation of things. This propenfity of the mind has in no instances been more strikingly shown, than in the introduction of new medicines; with regard to which it has been found, that the greatest intentional candour and honesty have not preserved men from offering to the world equivocal facts, with bold conclusions deduced from them. It would be an easy, though invidious task, to point out many cases, where practitioners have been much surprized to find a remedy, A

remedy, powerfully recommended to them upon the authority of a great and respectable name, fall infinitely short, in real efficacy, of what they had been taught to expect. Instances of this unhappy deception are more frequent, in proportion as the national or personal character of the author is inclined to credulity or vanity; and when we have reason for sufpecting a strong biass to either of these, it becomes us to be extremely cautious and referved in our admission even of facts, and still more of conjectures. To the honour of our country, it may be confidered as the place where the literary opinions of all Europe are weighed with the most candid and impartial scrutiny; where a great name will not fanctify an absurdity, nor a cloud of credulous and prejudiced attestations evidence an extreme improbability. This spirit of free enquiry, and philosophical scepticism, can alone preserve science from being overwhelmed with a number of contradictory opinions, so equally recommended as to confound confound all distinctions of truth and falsehood, and can alone contribute to the ascertaining that experimental knowledge, which constitutes real advancement in any pursuit of the mind.

MR. GOULARD, a furgeon of eminence at Montpellier, has lately written a treatife on the external use of Saturnine preparations, in which he confiders them as a fort of panacea in the practice of furgery, and makes them, in fact, the only topical remedies required in any cafe. An intelligent reader will at first fight perceive an air of empiricism in the indiscriminate recommendation of a medicine, for disorders so very various and different as those which come within the furgeon's province; and if, upon a further examination, he finds reason to suppose it really valuable for some purposes, he will wish to separate and distinguish what may be depended upon, from the sanguine additions of a prejudiced author. It is precifely with this view, that I have undertaken a set of observations upon sa-

A 2

turnine

turnine topics. Sensible that Mr. Goulard has said many things in their favour which well deserve attention, I would attempt to put these medicines upon the rational sooting of others in common practice, and candidly show what may, and what may not be expected from them, and in what rank they stand with respect to other topics: and in doing this, in whatever points I am obliged to differ from Mr. Goulard, so it be with modesty and good-temper, I cannot consider myself as standing in need of an apology.

I SHALL only beg leave further to premise, that it is not merely upon the considence of theoretical reasoning that I presume to judge of this matter, but also upon a very extensive and accurate observation of the effects of these medicines in real practice.

## PART

### SECTION I.

On the Medicinal Preparations of LEAD.

EAD is used medicinally either in the form of a calx, or corroded or dissolved by the vegetable acid.

THE calces of lead feem to have no active qualities. Their only use is to give confistence to plasters, for which they are extremely well qualified on account of their folubility in oil. Litharge is chiefly used for this purpose.

THE London and Edinburgh Dispenfatories afford three forms of lead combined with the vegetable acid; Cerussewhich is a fimple corrofion; Sugar of A 3 lead

lead—a crystallised salt; and Acetum Lithargyrites—a solution by insussion.

THE basis of Mr. Goulard's preparations is what he calls extract of faturn, which is a decoction of litharge in vinegar, and in no respect differs from sugar of lead and vinegar of litharge, but in degree of concentration. It is evident from the directions given us for making it, that its strength must be extremely uncertain, depending upon the strength of the vinegar, and the time of boiling, neither of which is precifely fixed. This circumstance perhaps is of small importance in a topical application, which though it were determinate with regard to quality, could never be fo with regard to quantity; yet it gives us room to be furprized at a claim of invention and perfection, for a preparation which is neither new nor judicious. The only circumstance in which the extract seems to have the advantage of fugar of lead, appears to be in the greater quantity of the acetous acid contained in it, which

proves an excellent affiftant in many cases, and the sugar of lead, when once crystallised, cannot be brought back to that state of folution in vinegar in which it was before; yet where a large quantity of watery menstruum is added, as in Mr. Goulard's faturnine water, it is as well to make a folution of fugar of lead in the water, and add the vinegar afterwards, as to mix them both together in the form of extract. He has a variety of formulæ of the extract mixed with unctuous and emplaftic substances, contrived by their different confistences and strength to suit various purposes. Our dispensatories have likewise two very elegant faturnine ointments, and a variety of saturnine plasters.

ONE of Mr. Goulard's compositions is a mixture of the extract with soap, for the idea of which he professes himself indebted to the Duc de Richlieu. This I will venture to say is a very injudicious formula; since the acid in the extract will probably unite with the alkali of the soap, and leave the lead in the state of an inert calx. In effect, on attempting to make this composition, I have seen a large white slaky sediment, which I imagine was the lead united with part of the oil in the soap.

THE saline preparations of lead, discover to the taste a remarkable sweetness, and an intense stypticity. The calces are perfectly insipid.

contrived by their different confistences

organt faturation of the said a vari-

One of Mr. Coulard's compositions is

the idea of which he profules hunfelf in-

SEC-

#### SECTION II.

On the Penetrability of Saturnine Topics.

R. Goulard, in accounting for the effects of these topics, speaks of their minute and fubtile particles entering the pores, forcing through obstructions, grinding down and dividing concreted juices, and then bringing them back through the pores, and all this with as much confidence as if he had actually feen them at work through a microscope. It is this licentious spirit of conjecture which has brought medical theory into difrepute, and retarded the progress of real knowledge, fince it is impossible for any opinion to be advanced, which an ingenious man may not attack or defend upon principles so vague and fanciful.

Let it be our business to consider, from the known laws of the animal œconomy, and the sensible qualities of the substance treated of, affifted by analogy with others, the effects of which are better ascertained, what is most likely to happen relative to the penetration of fatur-

nine topics.

ABSORPTION of fluids applied to the furface of the body, is a well known phœnomenon. This is performed through the minute pores of the skin, and the mouths of a fet of vessels appropriated for this action, which besides the property of capillary tubes, possess also a contractile power from irritation. Yet are we much too ignorant of the theory of abforption to form conclusions a priori of the substances best fitted to enter the syftem in this way. Without embaraffing myself therefore with uncertain and inconclusive reasonings of this kind with regard to lead, I shall rather attempt to establish practical rules concerning its use, upon the surer grounds of real observation of its effects, and analogy with other medicines.

THE effects of any substance absorbed from the furface of the body, and thence carried to the mass of blood, and distributed with it through the whole system, may naturally be expected to be very fimilar to those consequent upon its abforption from the internal furface of the alimentary canal. This in many instances has been observed to be real fact, and in none more eminently than with regard to mercury; a medicine which is more familiar to us, and better known from its effects, than perhaps any other in the whole materia medica. Its efficacy in overcoming the venereal virus, and its distinguishing property of exciting a salivation, are now univerfally allowed to follow its admission into the system, through whatever channels it is conveyed, or in whatever form of combination it is exhibited; with some difference only as to the certainty and speed with which it produces these effects. A long experience has at length

length triumphed over fanciful theories and interested pretensions, and has established it as an important and undoubted axiom, that mercury, whether internally exhibited in the form of a most corrosive falt, or rubbed into the skin combined in its crude state with the mildest unctuous substance, acts precisely in the same manner on the animal fluids. Experiments of this kind with regard to other medicines are not numerous, nor very well ascertained, but in several instances the refult has been the same. Even some purgatives, which one would suppose confined to a topical action upon the intestinal canal, have been found to produce their effects from external application.

THE noxious effects of lead taken into the stomach, are extremely well defined and authenticated. The symptoms it occasions are certain and constant, and though at first they indicate a partial affection of the intestinal canal, yet the general paralytic disorders supervening, shew a communication of the injury through-

throughout the fystem. But this is not the only method of exhibition by which its poisonous property is shown. The workers in lead-mines are found to be extremely subject to the paralytic affections, and general diforders of the nerves, which discover the saturnine poison; and in them the particles of lead must probably be received, in combination with a fulphureous vapour, into the lungs. This feems also to be the case with refpect to plumbers and some other artificers in lead. There is some doubt concerning the manner in which painters receive the poison; since if we consider the adhesive quality of the compositions of lead used for paint, and the little care these people take to keep their hands clean, we may eafily conceive that a confiderable quantity may be swallowed along with their food; however, vapour has probably some share, as the smell of a newly painted room has been known to occasion these disorders in a slight degree.

THUS

Thus we recognize two ways, in which particles of lead received into the system produce noxious effects which are evident and distinguishable; and from analogy we might very naturally imagine, that fimilar consequences would follow its application to the furface of the skin. But Mr. Goulard, though he is very fanguine in his idea of the powerful action of lead absorbed in topical application, is yet strenuous in maintaining that its most liberal external use is never attended, in the smallest degree, with any of the pernicious effects of its internal exhibition. He confirms his own extensive experience by that of others; and from a large and careful observation of its effects, I can add an unreserved testimony to this fact. I have feen numerous instances where his faturnine preparations were used for a length of time, in large quantities, and in all the circumstances which could be supposed to favour its absorption, without any of the symptoms attending its admission into the stomach or lungs. What

are we to conclude from an event fo unexpected? Would it be too much to make use of it as an argument that no absorption of the saturnine particles really takes place? might not this suppofition be corroborated by confidering the remarkable styptic quality of lead, which feems to contract and shrivel up every fibre, and certainly must render the pores less capable of absorbing? This perhaps would be too hafty a conclusion, fince our ignorance of the real operation of medicines, and the causes of the variety observable in their effects, renders the argument rather merely negative than positive. Yet I think we may safely affert, that it entirely destroys Mr. Goulard's analogy of lead with mercury, and the theory of its action founded thereupon; for certainly he has no right to avail himself of the activity of a medicine in a favourable confideration of it, whilft he denies those noxious effects by which its activity is discovered.

THERE

THERE is a farther confideration which may ferve to invalidate Mr. Goulard's opinion, that saturnine topics act from an intimate penetration of their particles. In many of the cases in which he celebrates their virtue, the difease is deeply feated in the muscles, glands, and cellular substance beneath the skin. Now the lymphatic vessels, which have been almost demonstrated to be the canals by which all absorption is carried on, and have been very accurately traced by feveral great anatomists, particularly Hunter, Monro, and Hewson, are found, as far as injection can be pushed, to have little or no connection with the parts immediately subjacent, but to run on in a direct course to the next conglobate gland; and the progress of some diseases, and effects of various stimulant applications, have affifted to trace out this course. Admitting therefore that particles of lead in an active state may be absorbed, yet if instead of pervading and soaking through the skin and cellular membrane by tranfudation.

endea-

fudation, they are carried directly and fuperficially along the lymphatic vessels, it cannot be conceived that they can produce any other effects on deep-seated parts, than such as arise from a sympathetic communication by means of the nerves. To give this argument its full force, we need only have recourse to the numerous facts respecting absorption, related by the favourers of the lymphatic theory.

Upon the whole, I conceive it a method much less exposed to doubt and uncertainty, and consequently much more useful in a practical view, to form our judgment of the uses of saturnine topics from their sensible and primary effects upon the parts with which they immediately come into contact, rather than from a theory of the intimate penetration of their particles; a theory which must be merely hypothetical, since we are confessedly deprived of assistance from the analogy of their internal action. I shall therefore proceed upon this principle,

endeavouring to elucidate and confirm observations of the real effects of these medicines, by a theoretical reasoning, simple and intelligible; which however I would willingly include in that modest apology of Tully: Nec tamen quasi Pythius Apollo, certa ut sint, et sixa, quæ dixero; sed ut homunculus unus e multis, probabilia conjectura sequens.

## SECTION III.

On the primary Effects of Saturnine Topics.

THE most manifest effect of saline preparations of lead externally applied, is contraction of the sibres. An animal sibre is capable of being shortened or contracted in two different ways; either from the property common to all matter of its particles being brought nearer to each other by external causes, or from an internal power of action resulting from the vital principle.

THE first species of contraction is produced by astringents, which exert their efficacy equally on dead and living sless. The second is excited by stimulants, for the operation of which the vital principle is necessary. These powers may exist se-

parate from each other, or they may be united. In general, most of the medicinal applications belonging to either of these classes, which we are acquainted with, unite in various proportions a stimulant and astringent quality.

THERE is no doubt concerning the aftringency of lead. The senses bear a sufficient testimony to this effect.

WHETHER it has a stimulating quality or not is much more dubious.

In order to confider this question more clearly, we must premise, that there is a great difference between impressing the nerves with an immediate sensation, and rendering them more susceptible of impressions. Many substances produce the first effect in a great degree, and yet totally destroy the latter. All saline bodies without exception applied to the tongue, or to any part divested of the cuticle, prove immediately stimulant, yet their effect may be afterwards to render the part less sensible of another stimulus. A saline preparation of lead, applied in a concentrated form to a very sensible part,

will therefore stimulate the fibres to immediate action, yet there is great reason to believe that its lasting effects will be quite opposite.

THE fymptoms arising from the internal use of lead, all show a remarkable power in destroying nervous influence. The obstinate constipations, tremors, and paralytic affections consequent upon it, proceed from this cause. Yet in what degree its external application can produce this, is very questionable. Mr. Goulard speaks, in many places, with great applause of the sedative virtue of faturnine topics; and indeed the facts related, feem fully to justify what he fays on this head. At the fame time, he no where allows of any bad effects arifing, from the destruction of nervous influence, fuch as palfies, and the like; nor have I ever observed their most liberal use attended with any fymptoms of that kind. But how can we conceive that just so much power is exerted as to prove beneficial, and that it never proceeds to be injurious? I apprehend nothing can account for this, but what was before laid down concerning the confined action of these topics. We may easily imagine, that by diminishing the sensibility of the nerves of the skin they may appease pains seated there, while, not being able to penetrate to the nerves supplying the muscles, they cannot affect the moving powers of the body.

THE antiseptic quality of saturnine topics is also celebrated by Mr. Goulard. Putrefaction in a living body may be refisted, either by such applications as stimulate the moving powers to a more vigorous action, or by fuch as have a chemical property of checking this process in the animal folids and fluids. combination of a metallic body with an acid is chemically antiseptic, so that in this view the extract of faturn will rank among this class of medicines; though did its sedative quality penetrate considerably to the moving powers, it would produce an opposite effect with respect to them. Simple aftringency however is found to render a body less liable to putrefaction; trefaction; so that upon the whole we may expect a good degree of antiseptic power from saturnine topics, especially the saturnine water of Mr. Goulard, which has a portion of vinous spirit added to it.

SATURNINE preparations outwardly applied, appear therefore to exert an aftringent and antiseptic property on the simple solids and the sluids they come into contact with, and a sedative property on the living solids; and this, as far as I am able to judge, seems to be the whole of their primary action. The secondary effects resulting from these, particularly with regard to the motion of the sluids, will be hereafter treated of.

It is to be observed that a difference will arise in the effects of saturnine water, according to the degree of heat in which it is applied. This is referable to the effects of simple heat and cold; with regard to which it is universally known that heat relaxes, and cold constringes the sibres—the former applied in a moderate degree will therefore affist its sedative, the latter its astringent property.

#### SECTION IV.

On the Repellent Quality of Saturnine Topics.

R. Goulard very copiously insists on the efficacy of lead in discussing tumours of every kind, and even abscesses after the matter is formed, and in dispersing eruptions; yet he takes great pains to prove, or rather indeed to affirm, that it has no repellent quality. As this position seems somewhat paradoxical, and he has by no means cleared up the paradox, it may be useful to make some general observations upon Repellents and Discutients.

In every tumour there is a præternatural congestion of sluids, which may be faulty, either from the too great quantity in which they are collected, or from

a mor-

except

a morbid affection added to this. In the first case, no bad consequences can ensue from causing them to re-enter the circulation, and flow in their natural course; but in the latter, throwing back a vitiated humour on the blood, from whence an effort of nature has separated it, may give rise to disorder in other parts of the system.

In either case, the congested fluids seem to have no other possible way of escaping, but by an external discharge, or by a return into the circulating mass; which last, if terms mean any thing, must certainly be understood by the word repulfion. Mr. Goulard has therefore done nothing towards the proof of his favourite position, that lead does not repel, by supposing its particles capable of penetrating to the fluids in a tumour, and producing great changes in their texture and properties; fince, if after all they re-enter the circulation, they are still repelled, and no advantage is gained with respect to the dreadful idea of repulsion,

except it were proved that their vitiation was corrected by the faturnine particles, and consequently the repulsion rendered innocent.

HE has indeed related, what I believe will appear very extraordinary, and scarce credible to most furgeons, that in an abcess where matter was evidently formed, the application of a saturnine cataplasm has evacuated it externally by way of transudation through the pores of the skin, so that the dreffings were moistened with real pus, and the abcess gradually vanished without opening. phænomenon, fo contradictory to what we know of the nature of abcesses, and the operation of medicines, merits a stronger confirmation than a few cases in which the fact feems rather to have been taken for granted, than clearly demonstrated. It may indeed easily be conceived, that a powerful stimulant or astringent may repel into the blood the matter of an abcess; and we find this fometimes naturally happen in cases of metastasis, though the event is rare where the pus is fully formed; but if it were possible for a transudation to take place, we ought rather to expect it from emollient applications, which powerfully relax the solids and dilute the sluids, than from topics which have a manifest astringent quality. The cuticle, while entire, we know is capable of retaining the serum of a blister, a sluid of far greater tenuity than pus. Mr. Goulard's theory to account for this effect of saturnine topics, is so very artificial and improbable that it does not deserve a resutation.

He does not however pretend that this transudation commonly happens in the dispersion of a tumour; therefore, as its contents usually find an internal issue, that is, return into the circulation, they are in every true sense of the word, repelled, and observations accumulated to prove the strong discutient quality of lead, do in effect prove its repellent quality.

THE

THE same reasoning will hold good with regard to eruptions, which like tumours contain a congested suid, either innocent or morbid. The powerful effects of lead in causing these to disappear, have long been well known, and much dreaded. Mr. Goulard may have proved that the use of lead is safer than has been imagined; but certainly he has not shown, that when eruptions which roughened the whole surface of the body suddenly disappear without any visible external discharge, they are not repelled.

He brings an observation from the cure of the itch, to show that lead is not repellent; which is, that upon its first application, the eruptions are increased instead of being diminished. It is very extraordinary that in his long chapter on this disorder, not one word is mentioned of the prevailing opinion among medical writers that the itch is occasioned by animalculæ; an opinion apparently well founded, and, one would imagine, universally known. But this circumstance

rendered the instance much less fit for his purpose, since it destroys the analogy with morbid matter in general, and gives room to account for the fact in a different way.

Upon the whole, confidering the number of well-stated facts adduced by Mr. Goulard, of the dispersion of tumours and eruptions by saturnine applications, where no bad consequences have ensued from throwing back the matter on the system; we must conclude, either that lead has a remarkable property of destroying various noxious qualities in the sluids, or that our opinions concerning such noxious qualities, are erroneous and ill-grounded.

The first supposition is rendered improbable, by the arguments before laid down against the penetrability of saturnine topics. Nor can it be conceived, allowing them to mix with the sluids, how by a fort of miraculous power they are able equally to prevail against almost every

every kind of vitiation of which the fluids are capable.

On the other hand, several cases of tumour and eruption presuppose noxious quality in the fluids, and confequently we have no reason to apprehend any bad effects from caufing them to reenter the circulation: and from many facts that have appeared fince the modern changes of practice in the treatment of the small-pox and other eruptive fevers, which have shown that cuticular eruptions are rather a symptom, than a necesfary crisis of these disorders, and that such a treatment as is calculated rather to check than to promote them, will render the disease milder and less dangerous, we have great reason to believe that the repulsion of fluids usually supposed to be vitiated, will not always produce those fatal consequences that have long been fo much dreaded.

THERE is no occasion therefore, by imaginary hypotheses industriously to conceal

ceal the real action of lead, or to change the term by which its action should be specified; since, if its utility and innocence be clearly proved by facts, calling it a repellent will not, in this country at least, deter practitioners from making use of it.

### SECTION V.

# On Emollient Topics.

ANY of the diseases for which Mr. Goulard recommends his medicines, are such as have been usually treated with emollient applications; against which he brings very severe charges, and seems desirous of totally banishing them from the practice of surgery. The difference between these two classes of topics is so great, that it is impossible the use of both in similar cases can be generally proper. I shall therefore examine the nature and properties of Emollients, in the same manner as I have done those of Saturnine preparations, in order to bring them to a comparison.

EMOL-

EMOLLIENT TOPICS are such as relax the solids, and oppose acrimony in the sluids.

This feems to be the whole of their action, primarily confidered.

THE substances which enter the class of emollients, are water, oil and mucilage.

WATER is absorbed with great facility from the whole surface of the body, and either in its liquid form, or that of vapour, is poured out into every cavity, and moistens every fibre. If we imagine a spongyness or porosity of texture in the simplest fibre of the human body, we may conceive how particles of water soaking into it may have a mechanical effect of enlarging its bulk, and consequently of relaxing it. Water when warm may also contribute to relaxation by being the vehicle of heat, which is more intimately and constantly applied to the body through its medium than that of air.

WATER is the most universal diluter possible of the animal fluids, since with the affistance of heat, it may be united with almost all of them; consequently it is a powerful opposer of acrimony.

The effects of oil in relaxing the folids are univerfally known and acknowledged. It feems to perform this office by abforption into the substance of the solid fibre. It is also capable of mixture with many of the fluids, on which it will act as a diluent and sheather of acrimony. Oil is not liable to evaporation or coagulation from a moderate heat; it is however subject to a rancescency and putrid acrimony from warmth and stagnation.

MUCILAGE is less capable of absorption than the other two, and requires diffusion in a large portion of water to enter the pores and small vessels. It seems peculiarly adapted to cover acrimony in the sluids, by its remarkable sheathing or obtunding property.

As most of the fluids in the body contain a portion of oil and mucilage united by means of water, it seems probable that an artificial mixture of this kind, would

be best calculated for answering every purpose of an emollient. In the proportions we should allow a larger share to water than to mucilage, that it may be well fitted for absorption. Its application should be affisted by a warmth somewhat greater than that of the human body, and by gentle friction. An impure oil obtained from some animal substances by means of heat, such as neatsfoot oil, is a mixture of this kind, and is celebrated as a peculiarly excellent emollient. The synovia of the joints is a liquor of this fort, prepared by nature as the best fitted for counteracting the injurious effects of violent friction.

I SHALL now confider the fecondary effects refulting from the primary action of emollients.

EMOLLIENT applications are

1. SEDATIVE. WE may suppose pain to be owing either to an excessive tension of the fenfible fibres, or to a chemical acrimony corroding them. The following example will ferve to illustrate both these these causes of pain. If a puncture be made in a tense membranous part, a violent and continued pain will be produced, which must be owing to an unequal tension of the nerves, proceeding from a partial division; for compleating the division by a free incision will remove the pain.

But suppose this puncture be made by the bite of a viper or some other venomous animal; here is not only the former cause of pain, but a new one superadded, which is, the corrosive matter introduced; and the same treatment will not give relief. Emollient topics, by relaxing the solids and opposing acrimony in the sluids, are calculated to remove both these causes of pain, and therefore are most truly sedative.

THE relaxation occasioned by emollients is found not only to remove the painful tension of the parts to which they are immediately applied, but from the universal sympathy of the nerves throughout the body, to relieve pain in a distant

and

and deep feated part. Thus we find that the warm bath is the most powerful sedative known.

Upon the same principles, emollients have a claim to the title of

2. Antispasmodic. Spasm and pain very frequently accompany each other, and proceed from the same causes. Whatever relaxes and appeases irritation must prove truly antispasmodic, not only to the part in contact with it, but to a distant one by sympathetic communication.

A CONTINUANCE of the relaxing power will cause emollients to prove

3. Debilitating. In a natural state of the sibres, there is that due degree of tension, which enables them to contract in such a manner as to act with the greatest possible advantage. When they are lengthened by relaxation, it is obvious that the same contractile force cannot produce equal effects; as part of the power will be lost in bringing them sirst to their natural degree of tension. All

3 motion

motion therefore being produced by the contraction of muscular fibres, whatever impairs their contractile power, weakens the moving powers of the body.

This debilitating quality of emollients, when applied to a part overloaded by congested sluids, will certainly render it less able to free itself by a valid contraction of the fibres; on the contrary, the vessels by relaxation will become capable of admitting a larger quantity of sluids, and consequently their determination to the part will be increased. Further, the facility with which emollient liquors are absorbed and assimilated with the animal sluids will still augment their quantity.

From these considerations it would seem quite erroneous to attribute a discutient power to emollients; at least in any other view than as they may render hardened and coagulated juices more sluid and sit for circulation: but this is only a preparatory action, and it will be still requisite to give the vessels that due tone

and elasticity, which may enable them to get rid of their contents. It may indeed be alledged that warm emollients, by foftening the skin and opening its pores, will facilitate the exhalation of the contained fluids. But whoever will attend to the nature of oily and mucilaginous fubstances, must perceive that by entering the minute pores of the skin, and mouths of the exhalant tubes, they will rather tend to block up the accumulated fluids, than to promote their discharge. And this is confirmed by experiment. Let an emollient poultice composed of a mucilaginous farina, oil, and an aqueous fluid, be applied to the unbroken skin over a tumour; in a few hours it will be found that instead of acquiring additional moifture, it will have lost most of what it had, by abforption.

FROM what has been faid it appears, that emollients have a much better claim to be confidered as

produced by a kind of dissolution and fer-C 4 mentation mentation of the ruptured solids with the extravasated sluids. It is evident that whatever increases the congestion of the latter, and weakens the texture of the former, must contribute to this effect; which will also be further promoted by emollients as they are

5. SEPTIC. THE heat employed in the use of emollient applications will tend to increase putrefaction, when there is otherwise a predisposition to it; and the accumulation of the fluids, and debilitation of the folids will frequently give this predisposition. The tendency of oily fubstances to acquire a rancidity and putrid acrimony has before been remarked: this is very apparent when they are mixed with the purulent discharge of an ulcer, and greatly tends to promote and increase putrefaction. Upon this principle it is that those caries of bones, where the medullary oil is affected, become fo peculiarly and intolerably fætid.

On a comparison between emollient and

and faturnine topics, we shall now perceive the great difference between them.

PREPARATIONS of lead are—aftringent, discutient and antiseptic.

EMOLLIENTS are—relaxant, suppurative and septic.

THEY both appear to be sedative, but the first from some occult quality, which for want of a more explicit term we must call specific, tending to destroy nervous influence; the second by an action which lessens the causes of irritation, but does not affect the susceptibility of the nerves to receive impressions. cuty for the diding to the for nervous agreed the enterprising of the nerves

# PART II.

SHALL now proceed to confider fome 1 of the particular disorders in which faturnine topics are recommended by Mr. Goulard, and compare their effects with those of emollients, and other applications in common use.

### SECTION I.

## On Inflammations.

CO large a share of the practice of surgery may be comprized under the head of inflammations, that to treat the subject fully would much exceed the limits I would prescribe to this work. I shall.

shall therefore only endeavour to lay down some general rules concerning topical applications in these cases; which may be done the more freely, as inflammations, from whatever cause they proceed, have such a general similarity with regard to their several symptoms, stages, and terminations, that any peculiar mode of treatment will apply more universally than might at first be imagined.

I SHALL not here pretend to enter into a theoretical discussion of the proximate cause of inflammation: nothing has been more variously accounted for; and in all probability it is intimately connected with those operations of the minutest parts of the body which we are at present, and perhaps shall ever remain ignorant of. A careful attention to the symptoms and appearances, will prove a much better direction to our practice than the most subtle hypothetical reasoning.

THE symptoms of every inflammation, are, a painful tumour, with increased heat, redness, and sensibility.

THESE

THESE plainly shew, a congestion of shuids, a more frequent action of the moving powers, and a violent state of the nerves disposing them to communicate sensation in too great a degree.

INFLAMMATION must terminate in resolution, suppuration, or gangrene. Scirrhus is justly considered by some late writers rather as a peculiar disease, than as a termination of inflammation.

I. RESOLUTION. An inflammation is faid to be refolved, when the fymptoms go off gradually, and leave the part in the same state in which it was before the disease took place. This is therefore the termination always to be preferred, unless the inflammation has been produced by morbific matter which we chuse to discharge externally.

MR. Goulard very justly observes, that emollient topics are in great measure contrary to the indications that are to be fulfilled in resolving an inflammation. The tumour owing to accumulated fluids must be increased by applications which

add to their quantity, and at the same time render the vessels more yielding to their impulse, and less able to carry them off.

THE increased action of the vessels, and sensibility, may seem indeed to require the sedative power of emollients; but as whatever augments the tumour must add a cause of pain and heat from the tension of the sensible parts, emollients will in this view counteract their own effects.

SATURNINE topics, on the other hand, feem peculiarly calculated to answer every indication of a resolvable inflammation. The astringent and sedative properties combined, tend to give a tone to the sibres, and make the vessels capable of emptying themselves, and at the same time to moderate the increased motion and sensation. From numerous instances that have fallen under my own inspection, and from Mr. Goulard's multiplied observations, I make no question of the efficacy of saturnine above emollient to-

pics in procuring resolution; I have only some doubts concerning the presence due to saturnine preparations above the simple astringents and stimulants in common use.

IT may be remembered that the specific fedative property in lead outwardly applied was supposed to act very superficially, principally from this argument, that no bad confequences to the nervous influence in general were ever observed to attend its use. Now if we imagine the pain and fenfibility of an inflammation to be subsequent to the formation of the tumour, and owing chiefly to the tenfion occasioned by a congestion of sluids, it will follow that the fedative virtue of faturnine topics in this case may be best accounted for, merely from their aftringent quality; and confequently that other astringents, and even stimulants will likewife prove fedative. This opinion is rendered probable by the fuccess attending aftringents and stimulants in the most painful inflammations, fuch as those attending

tending burns, in which even rectified spirit of wine is often applied with relief.

THE swelled testicles frequently accompanying a gonorrhea will very well illustrate the effects of emollient, faturnine, and common aftringent and stimulant topics. These usually come on very fuddenly, increase to a large bulk, and are extremely painful and fenfible to the touch. The present practice of applying an emollient poultice indifcriminately to every kind of inflammatory tumour, has given me, and (I suppose) almost every furgeon, frequent opportunities of obferving the effects of these topics: and I will venture to appeal to the experience of any practitioner, whether fuch a treatment does not always prove extremely tedious, painful and confining; and whether the cure is not generally incompleat, a confiderable hardness of the epidydymis remaining perhaps for life. Saturnine applications have been used in these cases with great success. I have feen the faturnine water made pretty strong,

strong, applied cold, and affisted by proper posture and bandage, remove the tumour and pain in a short time, and duly continued, take away all hardness. Common aftringent and stimulant applications have also been recommended, and I once faw a striking instance of their efficacy. A person suddenly attacked in the morning with a fwelled testicle, was obliged on account of necessary business to walk about all that day. I applied a folded handkerchief well foaked with rum to the part, retained by another tied round the body. This was wetted twice or thrice during the day, and at night I found, notwithstanding his exercise, that the bulk was greatly reduced, and the pain and sensibility diminished. This application, with the addition of vinegar, was continued fome days longer, and the part perfectly recovered without any confinement to the patient. I have heard a justly celebrated professor advise the emollient method in these cases, and condemn the use even of camphor as too

stimulating; but such a case as this, and many fimilar ones that are to be met with in practice, would prove, to me at least, a sufficient assurance against any ill consequences that might be apprehended theoretically from the use of this class of topics in inflammatory tumours; and I am well convinced that emollients are peculiarly ill calculated for the resolution of inflammations of lax glandular parts, while medicines pretty strongly stimulant may be applied with great safety and advantage. Where the part has not much fenfibility, as in scrophulous tumours of the lymphatick glands, repeated experience has shown, that a blister is the most efficacious of all topical remedies.

AMONGST those inflammations of which art should be particularly solicitous to procure the resolution, are the erysipelatous. Mr. Goulard has, in an able and striking manner, shewn the abuse of emollients in this point of practice. The corroding inflammation spreading along the skin, will most certainly be increased by

all relaxing topics; and the acrimony of the discharge, frequently tending to gangrene, will be aggravated by the feptic quality of oily and greafy applications. These cases have indeed been long confidered by many as exceptions to the general use of emollients, on account of the particular dread of a suppuration; and thereby a strong though involuntary teftimony was given, that fuch topics were by no means to be depended upon to procure a resolution. The saturnine water by its mild aftringency, its fedative and antiseptic quality, seems peculiarly adapted to this disease; and I have been witness to its good effects. Yet, though there is no doubt of its power to cure an eryfipelatous inflammation, I would not mean to answer for the internal bad confequences which may fometimes proceed from its repellent quality. Where the eryfipelas is occasioned by external injury, and is not preceded by, or attended with disorder of the system in general, it is a mere local complaint, and no danger, I imagine, D 2

imagine, can arise from repellent applications; but where it seems to be a critical effort of nature to throw off something pernicious, and sensible relief is found from it, great caution may be necessary in its external treatment. Faithful observation can alone determine how far we may venture the use of saturnine topics, or others of a like nature, in this case.

2. SUPPURATION. THERE are various cases in which the resolution of an inflammation cannot possibly be effected. This may happen in the most simple cause of inflammation, external injury, which may be so violent and attended with such destruction of the solids, that suppuration or mortification must be the confequence; but will more particularly be the case in such inflammatory tumours as are owing to the deposition of morbific matter, as those attending malignant and variolous fevers, the venereal lues, &c. In these cases the cause of the inflammation existing in the fluids, cannot be removed without immediately correcting their their peculiar acrimony, or giving them a discharge; and the first can very rarely be effected soon enough to stop the progress of an inflammation.

IT may, I think, be laid down as a rule in practice, that, when from the nature of the case, resolution seems impracticable, we should use no endeavours to attempt it, but immediately employ fuch means as are most likely to promote a speedy and favourable suppuration. Refolution and suppuration are entirely different operations of nature. In the first, the folids are preserved entire, the fluids return to their usual course of circulation, and the inflamed part comes to its former state without suffering any change. The indication here is, obvioufly, to affift nature by fustaining the tone of the folids, and lessening the determination of fluids to the part. In suppuration, on the other hand, the folids are ruptured, the fluids are extravasated, and entering into a process of resolution with the broken fibres, procure themselves an evacuation by pushing

outwardly through the teguments. Here, the indications are, to dilute and foften the fluids, that the pus formed may be bland and free from irritation, and to relax the folids that they may yield kindly, and without violence. Now this is the very action of emollient topics; and I cannot discover upon what principles Mr. Goulard recommends faturnine applications in these cases, which do not seem to answer any one indication. In effect, nothing can have a greater fanction from practice, than the application of warm emollient fomentations and cataplasms in suppurating tumours. The ease and comfort they procure, and the favourable digestion and maturation of the pus, speak so strongly in their favour, that no prevailing fashion in medicine will probably ever supersede their use. Indeed, if the plan of resolution be carried so far as to attempt the discussion of tumours not only tending to suppurate, but containing pus actually formed; if it be found that saturnine topics will effect this, and that

that no bad consequences will ensue from fuch a practice I would willingly join with Mr. Goulard in sparing my patients the pain of a wound, and the deformity of a scar. But referring to my own experience of these remedies, and to the nature of the case itself, I am almost convinced that fuch an event would fo feldom happen, as by no means to authorise a change of common practice. Can it be conceived from what we know of the nature of inflammation, after a violent injury, a fevere fymptomatic fever attended with pathognomic shiverings, the fure figns of forming matter; when the folids are ruptured, and the fluids extravasated and changed in their nature, that all this mifchief can be repaired, and every thing brought into a natural state, by any external application whatever? I have no doubt that the proper means to effect a resolution, will frequently prove successful beyond what common practice has given us reason to expect; but the discussion of a confiderable and well maturated suppu-

D 4

ration,

ration, is a phænomenon that requires a weighty attestation indeed to make it credible.

In abscesses proceeding from morbific matter, practitioners in general would be averse to resolution, could it be obtained; and the remarkably good effects to the constitution often attending such critical depositions, justify their caution in this Indeed where we can charge respect. the fystem in general with a certain antidote to the virus, as in the case of venereal buboes, it may be worth while to spare a delicate patient the pain of opening an abfcess; though even in this case I believe a prudent furgeon would rather wish he was allowed to promote the difcharge that nature has pointed out, than hazard the effects of morbid matter ranging at large through the system. It is too like letting the lion in at the door, in order to turn him out again. It is to be observed that most of the instances related by Mr. Goulard of the refolution of a maturated abscess, are in cases of venereal nereal buboes; in all of which the use of mercurial frictions was subjoined. Now it is a fact well known, that these tumours will frequently disappear without any external application what soever, when the virus is overcome by the introduction of a sufficient quantity of mercury into the system.

WITH regard to large wounds, violent contusions, and other considerable injuries, where there is no probability of bringing about a cure by the first intention as it is called, that is without suppuration, it is I believe univerfally allowed by the best surgeons, that this operation of nature should be promoted, and not retarded. Emollients therefore feem plainly indicated, and are in general use. The fame may be faid of all artificial wounds made in furgical applications, in which a kind and speedy maturation is always confidered as the most favourable fymptom. I do not therefore understand what Mr. Goulard would attempt by the use of saturnine water as a defensative af-

ter the great operations; or upon what principles he would use it as a lotion for fresh wounds. Very contrary to this is the practice, successfully followed in some of the London hospitals, of applying a large emollient poultice immediately after amputations; and in my opinion much better calculated to prevent the access of a violent symptomatic fever. There seems to be a confiderable analogy between the application of astringent topics, and tight bandage, in these cases. Both restrain the fibres from gradually yielding to the impulse of the fluids, and disturb the natural progress of that inflammatory tumefaction, which always precedes a kindly suppuration. The one is now univerfally banished from practice, and the other, upon the same principles, will not probably obtain admission.

3. WITH regard to the third termination of inflammation, gangrene or sphacelus, it is the business of art never to promote, but always to oppose this event: yet as it is sometimes inevitable,

the furgeon will be required to limit its progress, and prevent its fatal consequences. In order to direct our practice in this point, a consideration of the cause and particular state of the disease is necessary; for the want of which an indiscriminate and empirical treatment has too much prevailed. Mr. Kirkland has contributed a good deal to establish this upon a proper sooting, by pointing out the distinction of gangrene from an internal, and from an external cause.

When the violence of an external injury has totally destroyed the organization of the living fibres, all the part thus affected may be considered as dead sless; and this state, to which the term mortification may be properly applied, is not consequent upon, but preceding inslammation. It is the spreading gangrene which must be regarded as one of the terminations of inflammation; and this is produced by a putrefaction generated in the mortified sless, and communicating its ferment to the surrounding part. The indica-

indications to prevent or limit the progress of a gangrene from this cause, are therefore separation of the dead flesh, or checking the putrefactive fermentation in it. The first, if not performed by an operation, seems most likely to be effected by emollients; for the relaxation of the folids, brought on by their use, affists the action of the uninjured fibres in pushing off the dead parts. Yet fince emollients have a tendency to promote putrefaction, their use may be prejudicial with regard to the other part of the indication, unless care is taken to ballance this effect by a proper mixture of antiseptics. Practice therefore has rightly introduced the application of warm poultices composed of farinaceous substances and vinegar, strong beer grounds, and the like; and the cataplasm made with saturnine water appears very well calculated for this pur-These applications will be found pose. much preferable to spirituous and astringent fomentations, which by hardening and contracting the fibres, tend to increase

nate

the inflammation of the furrounding parts, and counteract the operation of nature in throwing off the mortified flesh. But when a fpreading gangrene comes on from an internal cause, a different topical treatment will be requifite; though indeed very little is to be expected from external remedies of any kind. These usually happen in dropfical and leucophlegmatic habits, or in extreme old age, and show a debility and want of power in the folids to carry on the animal functions. In fuch cases the disease can hardly be confidered as topical, and feparation of the affected part cannot be procured without giving a general vigour to the vital powers. As the fibres are already too much relaxed, emollients of every kind are certainly to be avoided, and the warmest stimulants and most powerful antiseptics are indicated. Much more effectual and fuitable applications than faturnine topics may be thought of for this purpose; such particularly as spirituous and terebinthinate medicines, and all the natural vegetable balfams.

IT may be proper here to add a word or two concerning scirrhi, which, as we before observed, cannot indeed be considered as one of the terminations of inflammation, yet are a good deal connected with it. I wish it was in my power to second the fanguine hopes Mr. Goulard conceives of faturnine topics in these cases; but neither reasoning nor experience feem to confirm them. With respect to the dissolvent power of lead, on which he relies so much, what has been said in a former chapter concerning its penetrability will serve, if justly founded, to lessen our expectations from this supposed quality. And if scirrhi generally depend upon fomething constitutional, as I believe may be fafely afferted, there will be still less reason to hope for a cure from external remedies. I have frequently feen Mr. Goulard's topics tried in these cases, but never with any striking efficacy; and if a remarkable cure should sometimes happen

happen from their use, it would seem to me more rational to attribute it, either to the friction employed in rubbing in the soap ointment, or to some tonic power communicated sympathetically to the sibres of the affected part, from the outward application of an astringent, than to any specific property in the particles of lead.

maintain the fores in factor on

## SECTION II.

## On Ulcers.

A N inflammation, terminating in fuppuration or gangrene, produces an ulcer.

When the inflammation has been owing to external injury in a found state of the body, the healing of an ulcer is merely a work of nature, and requires little or no affistance from art. All that is to be attempted by topical applications, is to maintain the fibres in such a moderate state between laxity and rigidity, as will render them most able to carry on this natural operation. As long as the inflammatory hardness subsists, emollients, particularly in form of cataplasm, answer extremely well. They gently soften the solids, and produce a mild suppuration, free

free from a putrefactive tendency. Afterwards, dry lint, and moderate aftringents will be adviseable, to give a tone to the new flesh; and the saturnine water may be usefully applied for this purpose. A prudent use of these means, with great cleanliness, and cautiously avoiding every cause of putrefaction, will in general render this part of surgery easy and successful. But the great difficulties attending the treatment of ulcers, arise from their connection with general difeases of the system; and to this is owing their many different appearances and complicated symptoms.

We may remark concerning such ulcers in general, that little dependence is to be had on external remedies alone of any kind. The particular vice of the habit must be first corrected by suitable internal medicines, before any important change can be effected by topical applications. Nevertheless, as external treatment will very much influence the cure of ulcers, according as it is appropriated

to their particular state, it will be worth while to enquire into the principles upon which it is founded.

THE circumstances to be attended to in the appearance of ulcers, are, the state of the surrounding sless, and the condition of the discharge.

THE most common fault of the lips or margin of an ulcer is callofity. This in a particular manner attends some kinds of ulcers from an internal cause, as the venereal and cancerous. Those ulcers of the legs also which have been much neglected, though at first proceeding from an external cause, as well as those which come spontaneously in a depraved habit of body, are extremely subject to callofity. In fuch cases, the hardness of the fibres prevents that shooting out, and elongation of the vascular parts, which is necessary to the production of new slesh. It has long been a common practice to treat all callosities with escharotic medicines; but this method has been justly exploded by some of our best late writers, as tending to increase the disease by the continual inflammation it excites, and to render the vessels still more impervious and incapable of acting.

WELL chosen emollients affisted by gentle warmth, seem the best calculated to answer every indication of a callous ulcer. Without bringing on any destruction of the folids, they produce fuch a gradual change in their texture, as brings them to that due state of tension which is the most favourable for their action; and by enlarging the diameter of the veffels, they give admission to the nutritious juices necessary for the generation of new flesh. This effect of emollients is plainly demonstrated from the luxuriant fungus brought on by their use, which though it frequently requires suppression in order to bring the skin over it, yet in some degree or other is a necessary symptom in a healing ulcer. By the use of a simple poultice, and a reclined posture strictly observed, I have often seen the most unpromifing and formidable ulcers of the E 2 legs legs heal kindly, with very little affistance from internal medicines. I have observed with great pleasure the opaque callous edges gradually foften and change colour, and beautiful ramifications of the arteries appear spreading through them, giving an evident proof to the senses of the natural progress of healing, and the propriety of emollient applications to affift it. This will feem extremely difficult to reconcile with Mr. Goulard's idea of the efficacy of faturnine topics in these cases; with regard to which he goes fo far as to alledge that they are as specific in the cure of callous ulcers, as mercury for the venereal lues. He grounds this affertion upon the supposition of a remarkable diffolvent power in lead, which however I have not been able either theoretically or practically to discover; and if his observations suffice to prove great success in the treatment of ulcers of this kind, I would attribute it to the application of his topics in form of cataplasm, in which, from the warmth and quantity of aqueous fluid,

fluid, a confiderable emollient power will probably refide. Confidered as mere aftringents, I think we may very fafely affert that they cannot be favourable to the diffolution of callofity.

A FAULT entirely opposite to callosity, is a flabby, spongy texture of the flesh furrounding an ulcer. This frequently happens in languid, relaxed constitutions, and is almost the inseperable attendant of scrophulous ulcers. In this case the natural operation of incarning goes on very flowly, and the ulcer remains for a long time in the same state. The manifest indication here is to stimulate and brace the insensible and inactive fibres; and emollients are as improper, as they are fuitable in the former case. Astringents and stimulants of almost every kind will supply their place with advantage, and among the rest saturnine topics in the form of the faturnine water, or the pure extract, may be usefully applied. Yet in many cases remedies that have a stimulant as well as aftringent property will fucceed better.

THE discharge from an ulcer may be faulty in feveral respects; but as most of these are consequent upon diseases of the fystem, and will of course be remedied in proportion as they are, we cannot properly have an eye to them in topical applications. We have only to confider the action of topics upon the fluids already discharged, and stagnating on the surface of an ulcer, and in this view the correction of acrimony feems to be our fole object. Acrimonious matter may be produced in two ways; either from good pus running into putrefaction, or from an internal disease in the fluids, which gives them an acrimony when first discharged.

As every animal juice, stagnating and exposed to a considerable warmth and the contact of the air, is strongly inclined to become putrid, we should be particularly careful to correct this disposition in the dressings of an ulcer. I have formerly remarked the propensity of oily substances

stances to contract a putrid rancidity, and to increase the putrefaction of the animal fluids. Practitioners in many cases have been sensible of this, yet in others they feem to have forgot it. The use of oily applications in caries, that is ulcers, of the bones has long been condemned; and in eryfipelatous inflammations their bad effects have been justly dreaded. Yet in various cases where the putrid disposition is equally strong, they are still in daily use. Where emollients are indicated, warm farinaceous poultices offer an innocent and a more efficacious form; and from attentive observation I am convinced, that if the application of oily and greafy dreffings to the naked flesh of an ulcer was in every case totally prohibited, furgery would gain much more than it would lofe. In general, foft dry lint changed fufficiently often will prevent any mischief from stagnation; yet if there be a peculiarly strong tendency to putrefaction, as in carious ulcers, antiseptics are certainly indicated, E 4 and

and the saturnine water of Mr. Goulard is a very useful medicine of this class. As the corrosive acrimony of the discharge frequently excites great pain, the sedative quality of saturnine topics will make them more suitable than the stimulant antiseptics or common astringents.

ULCERS which have a peculiar acrimony in their discharge, are principally those from the venereal and cancerous virus.

For the first of these, we are furnished with a real antidote in mercury, and accordingly mercurial applications topically applied have the sanction of practice in these cases. Yet as the general use of mercury is always combined, and our great dependance is upon this alone, I am inclined to think that the usual indications for suitable topics ought to take place of the specific indication for mercury. Indeed mercurial preparations are so various, that suitable topics may be chosen from them in almost every state of a venereal ulcer, but if there was rea-

fon to think in any case that different applications would suit the state of the ulcer better, I should not hesitate to give them the preference. And as the saline preparations of mercury are stimulant, whereas those of lead are sedative, perhaps the latter may be more advantage-ously employed in irritable habits, and where the ulcer is attended with much pain.

CANCEROUS ulcers are the most melancholy of all the diseases to which the furgeon is called. Neither art nor nature can stop their dreadful ravages, and a man of humanity finds himself in the painful fituation of being a witness to afflictions which he knows are not to be removed. Still however fomething may be done to palliate and alleviate. External applications in these cases should be calculated to correct the acrimony of the discharge, and to mitigate the acute pains in the part; or rather only the former, fince the fole cause of pain perhaps which topical remedies can relieve, is the corrofive rofive matter preying upon the naked fibres.

THE usual dreffings for a cancer, are the most mild and simple ointments; and indeed if oily substances seemed to posfess a property of sheathing the cancerous venom, like that of a viper, their application would be proper. But practice shows us nothing of this; and as a high putrid tendency accompanies the discharge, which according to what has been before observed should be increased by every thing oily, I imagine the indication for antiseptics is more important. Of these, the faturnine water, made very dilute and with little or no spirit, seems extremely well calculated for the purpose, and its sedative property may give an additional advantage.

MR. Goulard indeed has very fanguine expectations from faturnine topics, not only for the palliation, but the radical cure of cancers. I have before endeavoured to show how little adequate these applications are to the resolution of a scirrhus;

scirrhus; and these arguments will weigh still more against their efficacy in cancers, which are confessedly in great measure constitutional. The very few observations related of the cure of cancers by this method, are so extremely equivocal, that only one of them deferves much attention; and it is prefumed, after fuch repeated and unexpected disappointments in this particular disease, the public will expect much stronger proofs before they give credit to the efficacy of any new remedy. At present I cannot express my fentiments on this head fo well as in the words of that very candid and judicious furgeon Mr. Pott, by whose free and unprejudiced spirit the art has been so much benefited. "As I do not know what " will cure a cancer, I leave the discussi-" on of this to those who say that they do; "most fincerely wishing that it was in "my power to fay, that I had, once in " my life, known them to have fulfilled " their promise."

IF a cure for cancers be ever discover-

ed, we have reason to think that it will not be in a topical remedy; for how can any external application do more in removing the cancerous virus, than an operation which at once takes away all the affected part? Yet we see that even this is very rarely attended with lasting success.

WITH regard to scrophulous ulcers, I can speak of their treatment with the full confidence of a very extensive experience. This has convinced me, that emollient applications of all forts are highly improper and injurious. By weakning the folids already too much disposed to relaxation, they prevent all endeavours of nature to bring about a firm incarnation; and by giving the fluids an acrimony, to which in this disease they are not remarkably disposed, they occasion a kind of eryfipelatous corrofive spreading of the fore, which often makes a case, at first trifling, appear truly formidable. mischiefs of this practice are still more clearly shown, by the speedy change produced

duced by almost every kind of topics of the opposite classes, the astringent and stimulant. The most simple of these, cold water, has frequently a very good effect, on throwing afide every dreffing and washing the fores with it. The Malvern waters in Worcestershire, so much celebrated in scrophulous cases, are acknowledged to act externally and internally, merely as a very pure cold water. Water with every kind of faline and mineral impregnation, is also used to advantage, and in particular sea water has been found very beneficial. I have seen Mr. Goulard's faturnine water employed in a very great number of these cases, and with a manifest advantage over all emollient topics, but without any peculiar efficacy above others of the astringent and antifeptic class. With regard to the saturnine ointments of Mr. Goulard and others, I conceive their good effects, as preparations of lead, to be over ballanced by their injurious effects, as greafy applications, in all cases where emollients are prejudicial.

### SECTION III.

# On Anchyloses.

ARIOUS are the causes which may destroy or impair the mobility of a joint. One of these, the coalition of the opposite bones by offeous matter, is justly reckoned among those diseases which in their nature are absolutely incurable; and in most of the others, the operation of remedies is extremely precarious and uncertain, on account of the difficulty of coming at the feat of the diforder. Neither in many cases are we clear with refpect to the part affected; and there are few diseases in which we have been more amused with hypotheses concerning the cause, founded merely upon conjecture. Of this kind feems to be the notion of inspissation of the synovia, which some of the

the best anatomists in our times consider merely as the supposition of professed theorists willing to account for every thing, without the support of any authentic observations. Yet it is upon the imaginary dissolvent power of saturnine topics in this supposed cause of anchylosis, that Mr. Goulard's application of them in these cases appears to be founded.

THE most simple case of a stiff joint is that which is confequent upon long continued confinement of a limb in one posture, as frequently happens in the treatment of a fracture. The vulgar expression to describe this disease, is that the joint is finew-grown; and it is not the only instance where illiterate persons, judging merely from external appearance, have decided better than those who have carried their researches deeper. The evident rigidity of the tendons in these cases justifies the idea of their being the feat of the difease; whereas the notion of inspissation of the synovia does not seem confonant to what we conceive of the use

and nature of this fluid. Its use is supposed to be counteracting the effects of
violent friction, and for this purpose its
secretion must be proportional to the motion of the joint, and influenced by it.
Therefore when the joint is perfectly at
rest, in all probability little or none of
the liquor is generated. Neither does
the synovia appear to be a sluid very sufceptible of coagulation or inspissation from
stagnating; much less so than the semen,
which yet is never found inspissated much
beyond the usual degree, though stagnating ever so long in the seminal vesicles.

A STIFF joint is frequently the consequence of external injury, as a violent contusion. Here there can be no pretence to accuse the synovial liquor, as the suddenness of the complaint, and sensibility of the joint, plainly show the cause to be an inflammatory affection of the ligaments. Arthritic, and rheumatic humours falling upon the joints, and impairing their mobility, seem likewise to affect the ligaments, from their tendency

to attack other ligamentous and membranous parts, and from the painful tumefaction they excite.

But the most frequent and dangerous species of anchylosis is that melancholy difease called a white swelling, which I believe is always owing to the scrophulous virus. I have diffected many of these joints after amputation, but have never found the least appearance of an inspissated synovia, gluing, as it were, the ends of the bones together. In all of them there was a great thickening of the ligaments, confounding the feveral parts, so that they could scarcely be known; together with collections of crude matter forming finusses through this undistinguished mass, and generally erofion of the articular cartilages and ends of the bones.

WHERE a stiff joint proceeds merely from rigidity of the tendons, nothing can be more evident than the indication for emollient topics. Every remedy of this class may be usefully employed; but unctuous liniments assisted by warmth and F friction

friction seem the best adapted, and the mucilaginous oil obtained from certain animal substances, called neats-foot oil, appears to succeed as well as any artistical combinations that can be contrived.

WHERE an inflammatory state of the ligaments feems to occasion immobility of the joint, it should be treated with remedies proper for the resolution of inflammation in a deep seated part; which I have before attempted to show are rather those of the astringent and stimulant, than the emollient class. The antiphlogistic power of saturnine preparations may give them place in these cases, but perhaps more active medicines are generally requisite to reach the cause. Blisters, which have the fanction of experience in deep seated inflammations beyond any topics we are acquainted with, have been frequently employed with success in recent anchyloses; and in all probability their action was the discussion of inflammation in the ligaments. This is an event we are with the utmost assiduity to promote, promote, fince the dreadful consequences of suppuration in a joint are known to every surgeon. We must therefore condemn as dangerous trifling, the use of any means less powerful than others we are acquainted with.

WHEN the case is become more inveterate, and the rigidity of the joint habitual, we shall find ourselves much at a loss for remedies which we can depend upon. There are some instances of a cure being effected by means of a stream of warm water falling on the joint from a height. This application the French call la douche, and it is much more in use there than in this country. Mr. Le Dran's Observations in Surgery, afford two remarkable cases of its efficacy (Obs. 93 and 94) to which is subjoined a theoretical exposition of its action; but like most attempts to account for the operation of medicines, it is rather specious than fatisfactory. In all the instances Mr. Goulard brings of the fuccess attending faturnine applications in anchy-F 2 lofes,

loses, we find the chief remedy was a douche of the saturnine water; and I think we may very safely infer that this produced its effect merely as warm water applied in a peculiar mode, and not as a preparation of lead. I am still surther convinced that his observations prove no specific power in lead against this disease, since the only saturnine preparation which he used in concert with the douche was the ointment with soap, which, as was before observed, can scarcely contain a particle of lead in an active state.

WITH regard to scrophulous affections of the joints, they are as desperate cases as any in the whole practice of surgery. Even from the very beginning they seem to resist every remedy, and though topics of every class have had their trial, all have proved entirely inadequate to the desired effect. I am forry to say, from an extensive observation of this disease, that when it was arrived to any considerable height I have never seen topical applications of any manifest service whatever.

I have

I have been witness to the use of Mr. Goulard's medicines in these cases, much more than he himself appears to have been; and the utmost I can say in their favour is, that when the joint has ulcerated externally, their antiseptic power renders them as good palliatives as any we can use, and much preferable to emollients. But till some general remedy be discovered for the scrophulous virus, we must, I fear, despair of expelling it from a joint which it has once attacked; and amputation, though justly proscribed by some late writers in many cases of external injury, will keep its place in this disease, as the only certain palliative, and very frequently the radical cure.

WITH regard to strains, and relaxation of the ligaments, there seems to be no doubt of the preference due to astringents of any kind above emollients, which are certainly opposite to every indication of cure. However the common application of vinegar and brandy, uniting a stimulant with an astringent property, ap-

pears to rank higher in efficacy than a

simple astringent.

ONE can scarcely forbear smiling, to see incomplete luxations put among those disorders which saturnine topics are expected to cure—certainly Mr. Goulard can only mean to recommend their antiphlogistic virtue, in the contusion and inflammation attending this accident.

#### SECTION IV.

# On the Herpes and Itch.

HE idea of an intimate connection between cutaneous eruptions, and internal depravation of the fluids, is of very ancient date among the articles of medical belief; and it appears to be one of those opinions, which, from a fort of implicit affent and veneration, have hitherto escaped that free examination, which it is the peculiar glory of the prefent age to apply indifcriminately, without regard to the personal authority with which any dogma is delivered. It would be an undertaking highly useful to the healing art, and well worthy the employment of a man of abilities, to profecute a strict and extensive enquiry into the nature of these diseases, and how far,

and with what limitation the principle of internal depravation may be admitted. I am sensible of my own inequality to the task, which would require great experience and minute investigation; yet I will venture to offer a few remarks which may tend to shew that there are in fact fome errors in the common doctrines on this subject.

THERE is no state of the human body in which the fluids can be conceived fo pure and free from morbid impregnations, as that of an infant just born; yet as far as my acquaintance with medical authors reaches, I find that they univerfally impute the red eruption constantly attending this state to an internal cause; and though experience has convinced practitioners that the custom of purging is unnecessary, yet the notion of the cause remains the same. But may not this appearance be much more fimply and probably accounted for, by confidering the great change of climate and atmosphere that the tender skin undergoes at this time, time, from maceration in a liquor of the animal heat, to exposure in air perhaps not half as warm-a change even in the adult body, capable of producing very visible effects on the skin? A peculiar disposition to cutaneous eruptions continues during childhood, which feems evidently connected with this tender state of the skin, rendering it more liable to irritation from external acrimony. This is exemplified by the difagreeable eruptions behind the ears, and spreading over the whole scalp, which are so frequent in children, and which, though in some cases perhaps connected with particular habits of body, yet in all may be certainly produced by want of care and cleanliness, and therefore are not in general to be looked upon as conducive to health, or dangerous to be cured. There are various other eruptions which in like manner are the offspring of filth and neglect; and in general, cutaneous difeases are most prevalent in those countries, and amongst that rank of people, where where these occasional causes most take place.

IF we form our distinctions of cutaneous eruptions from varieties in their appearance, a great number of classes may be made, fince the appearance is not exactly fimilar in any two patients; but in a practical view numerous distinctions are unnecessary and superfluous, and almost the only circumstance which requires attention is, whether the disease be merely local, or connected with internal depravation of the fluids. The same class of topics will apply almost univerfally for the cure of local cutaneous eruptions, and are as univerfally to be avoided when the eruption is beneficial by the discharge of morbific matter.

THE cure of berpes by astringent and stimulant topics has long been familiar to practitioners, and a great latitude has been allowed in the choice. There is no reason to doubt of the efficacy of saturnine applications in this case; they have been celebrated both in ancient and modern

modern practice in this and every other species of cutaneous eruptions; Mr. Goulard's observations amply confirm their use, and I can freely add my testimony. So far we may safely join him; but when we find him making a formal distinction of herpes into local, and connected with internal depravation, when he strongly condemns the use of astringents in the latter on account of their repellent quality, but as highly extols faturnine topics, inventing an artificial theory of their action, repugnant to their obvious and sensible effects, we cannot in too strong terms disapprove of a hypothesis that may become as dangerous as it is chimerical. If it be urged that his facts in reality prove the safety and efficacy of these topics in every kind of herpes, let us boldly make the more rational deduction, that this diforder is in all cases merely local, and that all astringents and repellents may be used with equal safety.

THE efficacy of faturnine topics in curing the itch is much extolled by Mr. Goulard, and feems well confirmed by numerous observations. I have before taken notice of his apparent ignorance of the doctrine of animalculæ caufing this disease, which yet is a circumstance of moment with regard to its treatment. Various topics have from time to time been employed in the cure of the itch, particularly those of the stimulant and astringent classes, both from the vegetable and mineral kingdom, but principally the latter. In all of these, except fulphur, it has been found necessary to apply the remedy topically to every affected part; even mercury will scarcely cure unless this rule be observed, as instances are related of persons passing through a falivation for the venereal lues, without obtaining a cure of the itch. Sulphur however proves effectual, when only rubbed into a small surface of the skin, as the palms of the hands and soles of the feet, and therefore may be considered

dered as a specific for this disease. This is also a confirmation of the doctrine of animalculæ, fince the deleterious effects of fulphureous vapours upon all animals is well known, whereas its efficacy, as an internal medicine, is by no means confiderable. Upon this principle, bleeding, purging, and alteratives have been very much rejected from the cure of the itch in this country, and dependance has been folely had on the external use of sulphur. The certainty of this remedy above mercury and all the common topical applications is established beyond dispute, and in the present improved method of partial frictions it is not very liable to the objections of an ill fmell, and uncleanlinefs. It feems therefore very questionable whether it would be a real improvement in practice to reject fulphur in favour of lead, which feems in this case to act merely like other topics of the same class, and requires, like them, a general application to the affected skin. We may easily conceive of circumstances in which it will be inconvenient, and even dangerous to apply
an aftringent wash to so large a surface,
whereby perspiration may be checked,
and other accompanying eruptions, which
it would perhaps be unsafe to repel, may
be struck in. In military hospitals particularly, it may often be necessary to
treat a person for the itch while under
a mercurial course, a case in which there
would be no doubt of the impropriety of
the saturnine water.

- unitariona sen en bac, sudificio proves es

proved method of mandal frigings it is

fore voice questions be whether it would

m, a general application to the

shove moreury and all the

SEC-

### SECTION V.

## On Herniæ.

oPICAL applications of very different, and even opposite qualities, are recommended by authors to assist the reduction of herniæ; but in order to distinguish practice founded upon rational principles, from that which is merely empirical, it will be necessary to consider the nature of the disease, and the state of the parts concerned.

In consequence of some sudden effort, part of the contents of the abdomen are forced through the interstices left between the tendinous expansions of the abdominal muscles, for the passage of nerves and blood vessels, and a tumour is formed which is called a hernia. This accident being unattended with rupture,

or division of the containing parts, the whole of the difease must at first be confidered as a change of fituation in the contained parts; and as fuch, were they immediately returned and kept in their place, the disease would entirely cease. But continuing in that præternatural fituation, they are pressed upon by the tendons through which they pass, and the circulation of blood being obstructed, inflammation and mortification speedily supervene; which however is not owing to any change of state in the tendons, but merely to their natural elasticity, acting upon an increased and yielding subjacent bulk. The obstacle to reduction of the prolapsed contents, is therefore the increafed bulk which they have acquired from stricture, making them incapable of returning through the same passage at which they escaped. This is to be removed by such remedies as cause the vessels to contract, thereby diminishing the bulk of the folids, and repelling the fluids, and not by fuch as expand the solids, and

and make them more yielding to the impulse of the fluids. The former action belongs to cold, aftringents, and stimulants; the latter to heat, and emollients. We are not to apply these last with a view of relaxing the tendons, fince they have only their natural degree of tension, which can be very little altered by external applications of any kind. I have read a case (in what author I do not at present recollect) which will serve extremely well to illustrate this idea of herniæ. A boy having thrust his penis through the ring of a key, it immediately swelled in such a manner, that he could not get it off again, and alarming fymptoms foon came on. The cure was performed by dipping the part in cold water, and certainly no body in this case would think of applying a warm poultice to relax the iron ring. It appears to me that not less absurd is the application of emollients to relax the tendinous ring in a hernia; and it is to be observed that this treatment, if ineffectual for the purpose

pose designed, must do great mischief with regard to the indication respecting the hernial contents. Not only from this strain of reasoning, but from experience I would heartily join with Mr. Goulard in the substitution of cold astringents to warm emollients, as topical remedies for herniæ; and I have seen in particular his faturnine water eminently useful in affisting reduction. Still greater confidence however would I place in the very gradual method of the taxis which he judiciously recommends. It is surprizing what may be done towards emptying overloaded vessels by a gentle and continued manual compression; and I cannot forbear relating an instance in which this effect is very happily demonstrated.

FREQUENTLY in children, and sometimes in adults, the prepuce, by friction, or some other external injury, becomes vastly tumefied, and producing a stricture where the skin is attached to the root of the glans, occasions a troublesome and alarming paraphimosis. Among several useful

useful lessons in points of practice where books give little affistance, which I learnt under Mr. White of Manchester, was a very fimple and fuccessful method of treating this accident by a gradual, patient, and gentle compression of the tumefied skin with the fingers, assisted with fmall bolfters of foft linen, which, as the tumour is rather of the serous and ædematous, than of the phlegmonous kind, may be fo managed as to give little pain. On continuing these efforts for fome time, the veffels become vifibly lefs distended, the swelling grows flaccid, and at length the stricture gives way, and the disorder is terminated. A similar method is to be observed in those prolapsus ani, which from their bulk are not eafily reduced, and become strangulated. In all these cases it is egregious trifling to wait for the effect of topical applications, which can only perform in a very inconfiderable degree, what manual operation does completely.

## SECTION VI.

## On the Action of Bougies.

HE causes affigned to obstructions in the urethra are fo various, and fo little certainty has been obtained with regard to them, even from anatomical enquiries, that we need not wonder at the variety of opinions concerning the action of remedies in removing them. The remarkable efficacy of bougies is acknowledged on all hands, yet much obscurity prevails concerning their mode of action, and consequently the most fuitable forms of their composition. Mr. Daran, who has probably made a more extensive and successful use of these remedies than any man in Europe, has rather involved the matter in greater obscurity, than thrown any new light upon it, by

by keeping his composition secret; rather chufing to acquire wealth under the unworthy character of an empiric, than just reputation in his profession under that of a candid and ingenious furgeon. He has however published his opinion of the mode of action of his bougies, in which he chiefly attributes to them a suppurative quality. Mr. Goulard on the other hand, who has extended the use of preparations of lead to the composition of bougies, conceives the action of his faturnine bougies to be that dissolvent and discutient power, which in every instance he fo warmly arrogates to his favourite metal. Mr. Sharp, who has written with great candour and judgment on this fubject, seems cautious of advancing any thing positively concerning the action of bougies, yet rather inclines to the idea of their acting by compression, and in fome measure also by suppuration. The compositions which he gives for bougies, and those in common practice among us, are chiefly mercurial, which doubtless

were first thought of on account of the venereal affection, of which diseases of the urethra are so frequently the offspring. In order to estimate properly the validity of these different opinions, let us attend to the following sacts.

Mr. Daran pretends to a specific action in his secret, very different from, and superior to that of any other kind of bougies.

MR. Goulard, without attempting the least proof that his saturnine bougies are similar to Daran's, seems willing to allow the exclusive excellence of these, only stipulating for an exception in favour of his own.

MR. Sharp clearly shows, and daily practice in this country evinces, that bougies of various forts are successful, and nearly equally so, if used with equal manual skill; insomuch that it is common for our best surgeons to commit the care of making them to the instrument-makers, being little solicitous concerning the

the ingredients, if they be exact in form and texture.

From hence we may infer, that fince bougies of very different compositions succeed in the cure of disorders in the urethra, they do not act by means of any peculiar qualities in their composition, but by means of some property common to all.

This must be their mechanical form and texture; and therefore their mode of action must probably be simple compression.

THE efficacy of mere compression in many cases of constriction is well known, as in the use of sponge tents to open a callous sinus, to widen a natural passage, as the rectum or vagina, when straitened by cicatrises. Now admitting the most probable causes of obstructions in the urethra to be a constriction from cicatrized ulcers, and projection of the spongy substance of the urethra into the canal (which among the various opinions on this subject seem in fact the best au-

thenticated) we may eafily conceive that a gentle, continued, elastic compression will in time overcome the difease. We may readily account for the inferior efficacy of metallic or whalebone bougies, from their not having the property of fwelling with moisture, and therefore not making fo equal a compression. regard to the effect of bougies in procuring a discharge of matter, there is no question but the mechanical stimulus of a foreign body in fuch a tender part, though free from disease, must produce it in some degree, and that this will be varied according to the chemically irritating quality of the composition, and the irritable state of the urethra; but it feems an absurdity of practice to apply a topic made uniform throughout, to the whole length of a canal, with a view of producing extraordinary effects upon a particular part of it by means of some powerful quality in the ingredients. It is not difficult to account for the appearance, observed in the use of bougies, of that part

part being more covered with matter which was in contact with the diseased portion, since the disease will probably render it more susceptible of irritation.

On the whole, we may allow Mr. Goulard to rival Daran in his bougies, without subscribing to the violent degree of self approbation he assumes from it; and I see no reason for supposing either the secret of the one, or the specific of the other, at all preferable to the candid and unassuming varieties of composition proposed by Mr. Sharp, and admitted in common practice.

## CONCLUSION.

E have now gone through an examination of the properties of faturnine topics, both in a general view, and in many particular cases in which their virtues are celebrated by Mr. Goulard. In looking over his catalogue however, the reader will find feveral which I have totally omitted. My reafons were, either that the similarity of these cases with others before treated of rendered it very obvious what judgment to form, or that they appeared too trifling to require particular notice. the former kind are the numerous classes of inflammations distinguished by their causes, or the parts occupied by them. It will be very eafy to refer these to what is faid of inflammation in general, with its three terminations, and the indications to be observed in each.

ALTHOUGH

ALTHOUGH a review of Mr. Goulard's book has ferved me as a ground work for the observations which seemed worthy of offering to the public, it would, I apprehend, be a too limited view of my defign, to confider this little pamphlet merely as a piece of criticism upon an author, whose reputation, though in his own country it may have attained an eminent rank, yet in this, has not acquired such distinction as to render the canvaffing his merit an interesting object. The plan I have gone upon, has been to lay down certain principles, which though here particularly applied to faturnine topics, may be capable of application to topical remedies of all kinds; and if the public are pleased to approve of the defign upon which this piece is executed, I may possibly be induced to pursue it to its full extent, and to attempt a work never yet performed in an improved and fcientific manner, a general treatise on the external applications used in surgery. Great improvements have, no doubt, been

been made by late writers, especially of our own country, in particular points relative to this part of furgery; and that tafte for fimplicity which has wrought fo great a reformation in the pharmaceutical part of internal medicine, has also extended its influence to external remedies. But I cannot help thinking that a methodical system is still wanting to bring this branch of our profession near to that certainty and perfection which the operative part has in a great measure acquired; and I have a striking remembrance, how much my thoughts on this subject were embarassed, when I began my studies in furgery.

For the present, and any future attempt, I would bespeak the candour of the reader in favour of one, who, while it is his aim to afford instruction, will at all times most willingly receive it, even though the purport of it should be to show him his own errors.

